



**Conchology**  
A Small Introduction Of Sea World...  
By Mehul & Hiral

# Shell's Field Guide

C.20.1



Identification Guide to sea, Land & Freshwater  
Shells with about 600 species/varieties illustrated.




# Shell's Field Guide

**C.20.1**

Human beings have an innate connection and fascination with the ocean & wildlife, but still we know more about the moon than our Oceans. so it's a our effort to introduce a small part of second largest phylum "Mollusca", with illustration of about 600 species / varieties Which will quit useful for those, who are passionate and involved with exploring shells. This database made from our personal collection made by us in last 15 years. Also we have introduce website "www.conchology.co.in" where one can find more introduction related to our collection, general knowledge of sea life & phylum "Mollusca".



Mehul D. Patel & Hiral M. Patel  
At. Talodh, Near Water Tank  
Po. Bilimora - 396321  
Dist - Navsari, Gujarat, India  
[conchology2017@gmail.com](mailto:conchology2017@gmail.com)  
[www.conchology.co.in](http://www.conchology.co.in) 

# Table of Contents

<a href="#">Hints to Understand illustration</a>	4
<a href="#">Reference Books</a>	5
<a href="#">Mollusca Classification Details</a>	6
<a href="#">Hypothetical view of Gastropoda &amp; Bivalvia</a>	7
<a href="#">Habitat</a>	8
<a href="#">Shell collecting tips</a>	9
<a href="#">Shell Identification Plates</a>	12

Habitat : Sea

[Class : Bivalvia](#) 12

[Class : Cephalopoda](#) 30

[Class : Gastropoda](#) 31

[Class : Polyplacophora](#) 147

[Class : Scaphopoda](#) 147

Habitat : Land

[Class : Gastropoda](#) 148


Habitat : Freshwater

[Class : Bivalvia](#) 157

[Class : Gastropoda](#) 158



# Hints to Understand illustration

Scientific Name	Author	Common Name
<i>Cypraea tigris</i>	(C. Linnaeus, 1758)	
<b>Family :</b> Cypraeidae <b>C.Name:</b> Tiger Cowrie <b>B.Ref. :</b> p-7-7 <b>Range :</b> Indo-pacific		
<b>Habitat :</b> Sea	<b>Size :</b> 100 mm	

Reference Book Page No. 5 as Details shown

Habitat :  
Sea  
Land  
Freshwater  
Page No.8

Average Size

Species No.  
For Internal Ref.










Serial No.

Image of species From personal collection (Not in Scale)




\* Only For Ref.Study not for micro Level


# Reference Books

Book Name	Short Format Used	Example	Book Front Look
Indian Seashells, by Dr.Apte	p-Plate No.-Species No.	p-29-16	
Indian Seashells Vol.1, by Zoological Survey Of India	IS-page.no	IS-142	
Indian Seashells Vol.2, by Zoological Survey Of India	ISB-page No. (species No.	ISB-257 (244)	
Seashells Of World	SOW-Page No.	SOW-141	
Encyclopedia Of Marine Gastropods	page.no - Species No.	107-2	
Shells	S-page No.	S-230	
Guide To Seashell	GTS-page No.	GTS-76	
Indian Freshwater Molluscs, by Zoological Survey Of India	IFM-page.no	IFM-328	
land snails of india by Zoological Survey Of India	ILS-page.no	ILS-255	


# Mollusca Classification Details

Class	Major organisms	Nos. of Known species	Distribution
<b>Caudofoveata</b>	worm-like organisms	120	seabed 200-3,000 metres
<b>Solenogastres</b>	worm-like organisms	200	seabed 200-3,000 metres
<b>Polyplacophora</b>	chitons	1,000	rocky tidal zone and seabed
<b>Monoplacophora</b>	An ancient lineage of molluscs with cap-like shells	31	seabed 1,800-7,000 metres; one species 200 metres
<b>Gastropoda</b>	All the snails and slugs including abalone, limpets, conch, nudibranchs, sea hares, sea butterfly	70,000	marine, freshwater, land
<b>Cephalopoda</b>	squid, octopus, cuttlefish, nautilus, spirula	900	marine
<b>Bivalvia</b>	clams, oysters, scallops, geoducks, mussels	20,000	marine, freshwater
<b>Scaphopoda</b>	tusk shells	500	marine
<b>Rostroconchia</b>	fossils; probable ancestors of bivalves	extinct	marine
<b>Helcionelloida</b>	fossils; snail-like organisms	extinct	marine





## Hypothetical View Of Gastropoda



## Hypothetical View Of Bivalvia

# Habitat

They live throughout the world, from Arctic and Antarctic oceans to the equatorial regions. Also, some species have adaptations to survive in Marine /Fresh water and some others on land.

land snails are among the most widely distributed invertebrates around the world. They can be found on five continents and even in the sub-Antarctic region, where temperatures are very low & also In desert. Out of that, some Common Habitat are as shown besides.



## Marine Habitat



< Sandy Beaches

> Intertidal Rock Pools



< Mangroves

> Mudflats



< Rocky Shores



< Intertidal Coral Reef



> Inland Brackish Water Wetlands

## Fresh Water Habitat

> River/Pond



## Land Habitat



< Rain Forest/ Garden Area



# Shell Collecting Tips

## Why Shells Collecting ?

“Shell”, a external skeleton of a soft-bodied animal known as a mollusc. Since ancient times they always delight all of us from their bright colors, curious shapes and amazing patterns. This make them among the most fascinating creations of nature. Such characteristics make shells a satisfying subject to study and to collect. Because of point as mention below anybody can easily attract towards this hobby.

- 1) Easy to Self Collect
- 2) Easy to storage
- 3) No need for special Chemical preservation
- 4) Large range of spices availability
- 5) Life Long Collection



## How To Start Shell Collecting ?

- 1) Self Pickup :- U collecting/pickup them up from natural habitats i.e. sea, land & Fresh water, it's most enjoyable & adventure activity & may also be cheapest.
- 2) Exchange :- by exchange with other hobbyist/collectors, before this U must have to make personal collection for exchange.
- 3) Purchase :- purchasing different varieties from dealers. But some time it's become costliest way.

Collecting Seashell on seashore is most enjoyable & instructive alternative for the conservation-conscious collector it is the ideal way because it does not interfere with the natural habitat. we find lying on the beach, especially those wrenched from offshore habitats by storms, are often well preserved and very suitable for a collection. With a minimum of effort it is possible to make a large and varied exhibition of such "beached" shells. Other ways to collect shells, such as picking them off rocks or diving to collect them from the depths of the ocean, ultimately involve removing the animals within, but it may consider objectionable. However, these alternative methods bring you into closer contact with the living occupants of shells with the real habitats.

But it always advisable to never collect live shells from their real habitats because after some more effort dead Shells can Easily found in same varieties without effecting nature. And always go with Species variety not with quantity of spices. Before you collect any live specimens, always make sure you are not disobeying local conservation regulations. At some places you may need a special permit to collect or purchase some species.

## Thing Required

Thing Shown in image can be used for collection & safe storage



- 1 - Hand gloves - safety purpose
- 2 - Bleaching powder, shop solution, Acid used in toilet cleaning for cleaning purpose
- 3 - Toothbrush - to remove Sand/ mud
- 4 - Tweezers - to extract shell from rock crevices
- 5 - Paint brush - to normal dust cleaning of shell
- 6- Mineral Oil, Baby Oil or Varnish for polishing purpose
- 7 - Note & pen - to make related notifications

8 - Magnifying glass - for visual inspection

9 - Scale - shell dimensions measurement purpose.

10 - Different size plastic/Glass container box/Bucket & Zipper Bag - for specimen Storage/collection purpose.

11- Sticker/Labels - to marking on shell or container

# For Marine shells, Need to study local tide table for beach, which you plan to visit, now it's easily available on play store mobile application. By this choose safe & best visit time, When tide is low so you'll be able to find shells that may be covered in water during high tide & more area of beach can exposed, so low tide is a best time for a shell collecting. Different varieties of shells often wash ashore during big storms, so you can find some gems if you head to the beach at right after bad weather.

# Fresh water shells, you can search near by pond & river area

# Land shells can be found in Garden and Forest area, best time is monsoon to inspect land snails live,

## Cleaning & Polishing of shells

There many methods cleaning a shell, which are easily available on google, One of them link <https://www.wikihow.com/Clean-and-Polish-Seashell> And after Cleaning for Polishing a shell a Baby Oil, or any mineral oil can be used. Where as for permanent signing Varnish Spray can also be useful.

## Short Listing & Identifications

About 600 species/verities are illustrated in this book from which you can identify. Or in second preference many different books as also mention in previous page or by searching on Google can be use for correct identification. At Starting it's advisable to go only up to Family or Genus level Short listing, once you get more familiar with it, than you can go further for Species level Identification. After identification make one register for record. and make marking or numbering on shell / container with unique identification and easy record keeping. Always crosscheck your specie with more than two reference image to get correct identification.

## Safe & decorative storage

For normal storage purpose multi-section plastic boxes, cartons can be used, which can be easily available in market. But for higher stage storage you may required drawer type table, Glass cupboard or Rack. Protect from direct sun light and humidity.

For decorative Storage any idea can be applied with respect to size, type of shell by using any items that available like empty glass bottles, Jar molds, Glass/plastic Jar, Glass showcase box etc. Also shell can be stick or hand with clip on wooden board in desired shape.so idea used by us, were shown below



# Shell Identification Plates

Class : BIVALVIA

## *Cucullaea labiata*

(J. Lightfoot, 1786)

Family : Cucullaeidae

C.Name: -

B.Ref. : ISB-71(52)

Range : Indo-pacific

Habitat : Sea

Size : 70 mm



B-1446

1

## *Anadara antiquata*

(C. Linnaeus, 1758)

Family : Arcidae

C.Name: Antiquata Ark

B.Ref. : ISB-58(42)

Range : Indo-pacific

Habitat : Sea

Size : 60 mm



B-1504

2

## *Anadara indica*

(J.F. Gmelin, 1791)

Family : Arcidae

C.Name: Rudder ark

B.Ref. : ISB-60(46)

Range : Indo-pacific

Habitat : Sea

Size : 40 mm



B-1588

3

## *Arca navicularis*

(J.G. Bruguière, 1789)

Family : Arcidae

C.Name: Indo-Pacific Ark

B.Ref. : ISB-46(25)

Range : Indo-pacific



Habitat : Sea



Size : 35 mm







B-1875





4



<b><i>Barbatia amygdalumtostum</i></b> (P.F. Röding, 1798)			 <b>B-2035</b> <span style="float: right;"><b>5</b></span>
<b>Family :</b> Arcidae <b>C.Name:</b> Burnt Almond Ark <b>B.Ref. :</b> ISB-48(29) <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 40 mm		



<b><i>Barbatia foliata</i></b> (P. Forsskål in C. Niebuhr, 1775)			 <b>B-2072</b> <span style="float: right;"><b>6</b></span>
<b>Family :</b> Arcidae <b>C.Name:</b> Leafy Ark <b>B.Ref. :</b> ISB-50(32) <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 60 mm		



<b><i>Barbatia obliquata</i></b> (W. Wood, 1828)			 <b>B-2118</b> <span style="float: right;"><b>7</b></span>
<b>Family :</b> Arcidae <b>C.Name:</b> - <b>B.Ref. :</b> ISB-51(34) <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 55 mm		



<b><i>Mesocibota bistrigata</i></b> (R.W. Dunker, 1866)			 <b>B-2267</b> <span style="float: right;"><b>8</b></span>
<b>Family :</b> Arcidae <b>C.Name:</b> - <b>B.Ref. :</b> ISB-54(38) <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 40 mm		



<b><i>Tegillarca granosa</i></b> (C. Linnaeus, 1758)			<small>Conchology</small>
<b>Family :</b> Arcidae <b>C.Name:</b> Granular Ark Clam <b>B.Ref. :</b> ISB-62(50) <b>Range :</b> Indo-pacific			<b>B-2325</b>
<b>Habitat :</b> Sea	<b>Size :</b> 40 mm		
<b><i>Trisidos tortuosa</i></b> (C. Linnaeus, 1758)			<small>Conchology</small>
<b>Family :</b> Arcidae <b>C.Name:</b> Propellor Ark <b>B.Ref. :</b> ISB-56(41) <b>Range :</b> Indo-pacific			<b>B-2340</b>
<b>Habitat :</b> Sea	<b>Size :</b> 75 mm		
<b><i>Cardita variegata</i></b> (J.G. Bruguière, 1792)			<small>Conchology</small>
<b>Family :</b> Carditidae <b>C.Name:</b> - <b>B.Ref. :</b> ISB-198(174) <b>Range :</b> Indo-pacific			<b>B-3193</b>
<b>Habitat :</b> Sea	<b>Size :</b> 25 mm		
<b><i>Cardites bicolor</i></b> (J.B.P.A. Lamarck, 1819)			<small>Conchology</small>
<b>Family :</b> Carditidae <b>C.Name:</b> Two toned cardita <b>B.Ref. :</b> ISB-200(177) <b>Range :</b> Indo-pacific			<b>B-3229</b>
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm		



<b><i>Codakia tigerina</i></b> (C. Linnaeus, 1758)			 <b>B-4493</b> <span style="float: right;"><b>13</b></span>
<b>Family :</b> Lucinidae <b>C.Name:</b> Tiger Lucine <b>B.Ref. :</b> ISB-226(208) <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 75 mm		



<b><i>Kuphus polythalamia</i></b> (C. Linnaeus, 1758)			 <b>B-6024</b> <span style="float: right;"><b>14</b></span>
<b>Family :</b> Teredinidae <b>C.Name:</b> Giant Mud-Dwelling Shipworm <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 200 mm		



<b><i>Pholas orientalis</i></b> (J.F. Gmelin, 1791)			 <b>B-6540</b> <span style="float: right;"><b>15</b></span>
<b>Family :</b> Pholadidae <b>C.Name:</b> Orient Angel's Wing <b>B.Ref. :</b> ISB-435(468) <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 80 mm		

<b><i>Brachidontes striatulus</i></b> (S.C.T. Hanley, 1843)			 <b>B-6754</b> <span style="float: right;"><b>16</b></span>
<b>Family :</b> Mytilidae <b>C.Name:</b> - <b>B.Ref. :</b> ISB- 85(65) <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 35 mm		









<b><i>Modiolus auriculatus</i></b> (C.F.F. von Krauss, 1848)			 <b>B-7146</b> <span style="float: right;"><b>17</b></span>
<b>Family :</b> Mytilidae <b>C.Name:</b> Eared horse mussel <b>B.Ref. :</b> ISB- 90(70) <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 32 mm		





<b><i>Modiolus philippinarum</i></b> (S.C.T. Hanley, 1843)			 <b>B-7253</b> <span style="float: right;"><b>18</b></span>
<b>Family :</b> Mytilidae <b>C.Name:</b> - <b>B.Ref. :</b> ISB-91(73) <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 70 mm		



<b><i>Perna viridis</i></b> (C. Linnaeus, 1758)			 <b>B-7752</b> <span style="float: right;"><b>19</b></span>
<b>Family :</b> Mytilidae <b>C.Name:</b> Green mussels <b>B.Ref. :</b> ISB-86(68) <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 80 mm		



<b><i>Crassostrea ariakensis</i></b> (T. Fujita in Wakiya, 1929)			 <b>B-9293</b> <span style="float: right;"><b>20</b></span>
<b>Family :</b> Ostreidae <b>C.Name:</b> - <b>B.Ref. :</b> ISB-142(115) <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 110 mm		







<p style="text-align: center;"><b><i>Lopha cristagalli</i></b> (C. Linnaeus, 1758)</p>			 <b>B-9358</b>	<b>21</b>
<p><b>Family :</b> Ostreidae <b>C.Name:</b> Cock's comb oyster <b>B.Ref. :</b> ISB-151(119) <b>Range :</b> Indo-pacific</p>				
<b>Habitat :</b> Sea	<b>Size :</b> 60 mm			
<p style="text-align: center;"><b><i>Saccostrea cucullata</i></b> (I. von Born, 1778)</p>			 <b>B-9766</b>	<b>22</b>
<p><b>Family :</b> Ostreidae <b>C.Name:</b> Rock/Spiny Oyster <b>B.Ref. :</b> ISB-148(118) <b>Range :</b> Indo-pacific</p>				
<b>Habitat :</b> Sea	<b>Size :</b> 60 mm			
<p style="text-align: center;"><b><i>Placuna placenta</i></b> (C. Linnaeus, 1758)</p>			 <b>B-9829</b>	<b>23</b>
<p><b>Family :</b> Placunidae <b>C.Name:</b> Capiz Shell <b>B.Ref. :</b> ISB-191(171) <b>Range :</b> Indo-pacific</p>				
<b>Habitat :</b> Sea	<b>Size :</b> 140 mm			
<p style="text-align: center;"><b><i>Anomia ephippium</i></b> (C. Linnaeus, 1758)</p>			 <b>B-9869</b>	<b>24</b>
<p><b>Family :</b> Anomiidae <b>C.Name:</b> European Jingle Shell <b>B.Ref. :</b> ISB-188(168) <b>Range :</b> Indo-pacific</p>				
<b>Habitat :</b> Sea	<b>Size :</b> 40 mm			



<b><i>Spondylus imperialis</i></b> (J.C. Chenu, 1844)			<small>Conchology</small>
<b>Family :</b> Spondylidae <b>C.Name:</b> Imperialis Thorny Oyster <b>B.Ref. :</b> ISB-184(162) <b>Range :</b> Indo-pacific			<b>B-10405</b>
<b>Habitat :</b> Sea	<b>Size :</b> 80 mm		
<b><i>Spondylus layardi</i></b> (L.A. Reeve, 1856)			<small>Conchology</small>
<b>Family :</b> Spondylidae <b>C.Name:</b> - <b>B.Ref. :</b> ISB-183(161) <b>Range :</b> Indo-pacific			<b>B-10413</b>
<b>Habitat :</b> Sea	<b>Size :</b> 70 mm		
<b><i>Spondylus princeps</i></b> (W.J. Broderip, 1833)			<small>Conchology</small>
<b>Family :</b> Spondylidae <b>C.Name:</b> Pacific Thorny Oyster <b>B.Ref. :</b> S-222 <b>Range :</b> Panamic			<b>B-10473</b>
<b>Habitat :</b> Sea	<b>Size :</b> 100 mm		
<b><i>Decatopecten radula</i></b> (C. Linnaeus, 1758)			<small>Conchology</small>
<b>Family :</b> Pectinidae <b>C.Name:</b> - <b>B.Ref. :</b> ISB-173(147) <b>Range :</b> Indo-pacific			<b>B-10822</b>
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm		



<b><i>Euvola raveneli</i></b> (W.H. Dall, 1898)			 <b>B-10857</b> <span style="float: right;"><b>29</b></span>
<b>Family :</b> Pectinidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 100 mm		



<b><i>Mimachlamys crassicostata</i></b> (G. B. Sowerby II, 1842)			 <b>B-10982.1</b> <span style="float: right;"><b>30</b></span>
<b>Family :</b> Pectinidae <b>C.Name:</b> - <b>B.Ref. :</b> ISB-165(133) <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 55 mm		



<b><i>Mimachlamys sanguinea</i></b> (Linnaeus, 1758)			 <b>B-10982.2</b> <span style="float: right;"><b>31</b></span>
<b>Family :</b> Pectinidae <b>C.Name:</b> Old Scallop <b>B.Ref. :</b> ISB-166(134) <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 60 mm		









<b><i>Minnivola pyxidata</i></b> (I. von Born, 1778)			 <b>B-11002</b> <span style="float: right;"><b>32</b></span>
<b>Family :</b> Pectinidae <b>C.Name:</b> - <b>B.Ref. :</b> ISB-119(139) <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm		


<b><i>Nodipecten nodosus</i></b> (C. Linnaeus, 1758)			 <b>B-11020</b> <span style="float: right;"><b>33</b></span>
<b>Family :</b> Pectinidae <b>C.Name:</b> Lion's paw scallop <b>B.Ref. :</b> SOW-136 <b>Range :</b> Caribbean			
<b>Habitat :</b> Sea	<b>Size :</b> 180 mm		


<b><i>Pecten maximus</i></b> (C. Linnaeus, 1758)			 <b>B-11180</b> <span style="float: right;"><b>34</b></span>
<b>Family :</b> Pectinidae <b>C.Name:</b> Great Scallop <b>B.Ref. :</b> S-218 <b>Range :</b> Mediterranean			
<b>Habitat :</b> Sea	<b>Size :</b> 130 mm		


<b><i>Atrina vexillum</i></b> (I. von Born, 1778)			 <b>B-11546</b> <span style="float: right;"><b>35</b></span>
<b>Family :</b> Pinnidae <b>C.Name:</b> Flag Pen Shell <b>B.Ref. :</b> S-215 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 250 mm		


<b><i>Pinna atropurpurea</i></b> (G.B. I Sowerby, 1825)			 <b>B-11571</b> <span style="float: right;"><b>36</b></span>
<b>Family :</b> Pinnidae <b>C.Name:</b> Pen Shell <b>B.Ref. :</b> ISB-131(104) <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 120 mm		



<b><i>Malleus albus</i></b> (J.B.P.A. Lamarck, 1819)			 <b>B-11678</b> <b>37</b>
<b>Family :</b> Malleidae <b>C.Name:</b> White Hammer <b>B.Ref. :</b> ISB-127(102) <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 150 mm		
<b><i>Pinctada margaritifera</i></b> (C. Linnaeus, 1758)			 <b>B-11905</b> <b>38</b>
<b>Family :</b> Pteriidae <b>C.Name:</b> Black-lip Pearl Oyster <b>B.Ref. :</b> ISB-118(93) <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 100 mm		
<b><i>Pinctada radiata</i></b> (W.E. Leach, 1814)			 <b>B-11925</b> <b>39</b>
<b>Family :</b> Pteriidae <b>C.Name:</b> Indian Pearl Oyster <b>B.Ref. :</b> ISB-116(92) <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 100 mm		
<b><i>Pteria heteroptera</i></b> (J.B.P.A. Lamarck, 1819)			 <b>B-11978</b> <b>40</b>
<b>Family :</b> Pteriidae <b>C.Name:</b> Twisted Wing Oyster <b>B.Ref. :</b> ISB-109(86) <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 60 mm		



<p align="center"><b><i>Hippopus hippopus</i></b> (C. Linnaeus, 1758)</p>		 <p align="right"><small>Cresology</small></p>
<p><b>Family :</b> Tridacnidae <b>C.Name:</b> bear paw clam / strawberry clam <b>B.Ref. :</b> ISB-286(278) <b>Range :</b> Indo-pacific</p>		
<p><b>Habitat :</b> Sea</p>	<p><b>Size :</b> 120 mm</p>	
		<p><b>B-16120</b> <span style="float: right;"><b>41</b></span></p>



<p align="center"><b><i>Tridacna maxima</i></b> (P.F. Röding, 1798)</p>		 <p align="right"><small>Cresology</small></p>
<p><b>Family :</b> Tridacnidae <b>C.Name:</b> Small Gaint Clam <b>B.Ref. :</b> ISB-288(281) <b>Range :</b> Indo-pacific</p>		
<p><b>Habitat :</b> Sea</p>	<p><b>Size :</b> 250 mm</p>	
		<p><b>B-16145</b> <span style="float: right;"><b>42</b></span></p>



<p align="center"><b><i>Tridacna squamosa</i></b> (J.B.P.A. Lamarck, 1819)</p>		 <p align="right"><small>Cresology</small></p>
<p><b>Family :</b> Tridacnidae <b>C.Name:</b> Fluted Giant clam <b>B.Ref. :</b> ISB- 287(279) <b>Range :</b> Indo-pacific</p>		
<p><b>Habitat :</b> Sea</p>	<p><b>Size :</b> 250 mm</p>	
		<p><b>B-16156</b> <span style="float: right;"><b>43</b></span></p>









<p align="center"><b><i>Corculum cardissa</i></b> (C. Linnaeus, 1758)</p>		 <p align="right"><small>Cresology</small></p>
<p><b>Family :</b> Cardiidae <b>C.Name:</b> Heart Cockle <b>B.Ref. :</b> ISB-277(264) <b>Range :</b> Indo-pacific</p>		
<p><b>Habitat :</b> Sea</p>	<p><b>Size :</b> 40 mm</p>	
		<p><b>B-16508</b> <span style="float: right;"><b>44</b></span></p>

<b><i>Fulvia aperta</i></b> (J.G. Bruguière, 1789)			 <b>B-16607</b> <span style="float: right;"><b>45</b></span>
<b>Family :</b> Cardiidae <b>C.Name:</b> - <b>B.Ref. :</b> ISB-282(273) <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 35 mm		





<b><i>Laevicardium elatum</i></b> (G.B. I Sowerby, 1833)			 <b>B-16678</b> <span style="float: right;"><b>46</b></span>
<b>Family :</b> Cardiidae <b>C.Name:</b> Yellow cardinal cockle <b>B.Ref. :</b> - <b>Range :</b> Panamic & Californian			
<b>Habitat :</b> Sea	<b>Size :</b> 150 mm		



<b><i>Lunulicardia retusa</i></b> (C. Linnaeus, 1767)			 <b>B-16725</b> <span style="float: right;"><b>47</b></span>
<b>Family :</b> Cardiidae <b>C.Name:</b> - <b>B.Ref. :</b> ISB-279(267) <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 20mm		



<b><i>Lyrocardium lyratum</i></b> (G.B. II Sowerby, 1840)			 <b>B-16733</b> <span style="float: right;"><b>48</b></span>
<b>Family :</b> Cardiidae <b>C.Name:</b> Lyre Cockle <b>B.Ref. :</b> ISB-284(277) <b>Range :</b> indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 40 mm		



<p><b><i>Maoricardium pseudolima</i></b> (J.B.P.A. Lamarck, 1819)</p>			
<p><b>Family :</b> Cardiidae <b>C.Name:</b> - <b>B.Ref. :</b> S-230 <b>Range :</b> Indo-pacific</p>			
<b>Habitat :</b> Sea	<b>Size :</b> 120 mm	<b>B-16742</b>	<b>49</b>
<p><b><i>Vasticardium elongatum enode</i></b> (G.B. II Sowerby, 1840)</p>			
<p><b>Family :</b> Cardiidae <b>C.Name:</b> - <b>B.Ref. :</b> ISB-280(270) <b>Range :</b> Indo-pacific</p>			
<b>Habitat :</b> Sea	<b>Size :</b> 80 mm	<b>B-16906</b>	<b>50</b>
<p><b><i>Vepricardium coronatum</i></b> (J.S. Schröter, 1786)</p>			
<p><b>Family :</b> Cardiidae <b>C.Name:</b> - <b>B.Ref. :</b> ISB-275(261) <b>Range :</b> Indo-pacific</p>			
<b>Habitat :</b> Sea	<b>Size :</b> 35 mm	<b>B-16946</b>	<b>51</b>
<p><b><i>Chama brassica</i></b> (L.A. Reeve, 1847)</p>			
<p><b>Family :</b> Chamidae <b>C.Name:</b> - <b>B.Ref. :</b> ISB-250(236) <b>Range :</b> Indo-pacific</p>			
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm	<b>B-16994</b>	<b>52</b>






<b><i>Chama lazarus</i></b> (C. Linnaeus, 1758)			<small>Conchology</small>
<b>Family :</b> Chamidae <b>C.Name:</b> Jewel Box <b>B.Ref. :</b> SOW-141 <b>Range :</b> Indo-pacific			<b>B-17067</b>
<b>Habitat :</b> Sea	<b>Size :</b> 100 mm	<b>53</b>	
<b><i>Meiocardia moltkiana</i></b> (J.F. Gmelin, 1791)			<small>Conchology</small>
<b>Family :</b> Glossidae <b>C.Name:</b> Moltke's heart clam <b>B.Ref. :</b> ISB-257(244) <b>Range :</b> Indo-pacific			<b>B-18709</b>
<b>Habitat :</b> Sea	<b>Size :</b> 25 mm	<b>54</b>	
<b><i>Mactra turgida</i></b> (J.F. Gmelin, 1791)			<small>Conchology</small>
<b>Family :</b> Mactridae <b>C.Name:</b> - <b>B.Ref. :</b> ISB-412(442) <b>Range :</b> Indo-pacific			<b>B-19503</b>
<b>Habitat :</b> Sea	<b>Size :</b> 70 mm	<b>55</b>	
<b><i>Solen marginatus</i></b> (R. Pulteney, 1799)			<small>Conchology</small>
<b>Family :</b> Solenidae <b>C.Name:</b> Grooved Razor Shell <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			<b>B-19863</b>
<b>Habitat :</b> Sea	<b>Size :</b> 80 mm	<b>56</b>	


<b><i>Solen vaginoides</i></b> (J.B.P.A. Lamarck, 1818)			 <b>B-19929</b> <span style="float: right;"><b>57</b></span>
<b>Family :</b> Solenidae <b>C.Name:</b> - <b>B.Ref. :</b> ISB-209(190) <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 100 mm		


<b><i>Cultellus maximus</i></b> (J.F. Gmelin, 1791)			 <b>B-19947</b> <span style="float: right;"><b>58</b></span>
<b>Family :</b> Pharidae <b>C.Name:</b> Razor Clam <b>B.Ref. :</b> ISB-211(191) <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 150 mm		


<b><i>Siliqua radiata</i></b> (C. Linnaeus, 1758)			 <b>B-20033</b> <span style="float: right;"><b>59</b></span>
<b>Family :</b> Pharidae <b>C.Name:</b> Sunset Clam <b>B.Ref. :</b> ISB-213(196) <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 75 mm		



<b><i>Macoma gubernaculum</i></b> (S.C.T. Hanley, 1844)			 <b>B-21304</b> <span style="float: right;"><b>60</b></span>
<b>Family :</b> Tellinidae <b>C.Name:</b> - <b>B.Ref. :</b> ISB-375(396) <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 80 mm		



<b><i>Scutarcopagia scobinata</i></b> (C. Linnaeus, 1758)			<small>Conchology</small>
<b>Family :</b> Tellinidae <b>C.Name:</b> - <b>B.Ref. :</b> ISB-365(377) <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 55 mm		<b>B-21394</b>



<b><i>Donax scortum</i></b> (C. Linnaeus, 1758)			<small>Conchology</small>
<b>Family :</b> Donacidae <b>C.Name:</b> Leather Donax/Wedge Clam <b>B.Ref. :</b> ISB-402(218) <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm		<b>B-22289</b>



<b><i>Asaphis violascens</i></b> (P. Forsskål in C. Niebuhr, 1775)			<small>Conchology</small>
<b>Family :</b> Psammobiidae <b>C.Name:</b> Pacific Asaphis <b>B.Ref. :</b> ISB-393(419) <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 60 mm		<b>B-22780</b>



<b><i>Gari amethystus</i></b> (W. Wood, 1815)			<small>Conchology</small>
<b>Family :</b> Psammobiidae <b>C.Name:</b> - <b>B.Ref. :</b> ISB-390(413) <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 45 mm		<b>B-22787</b>



<i>Callista erycina</i> (C. Linnaeus, 1758)			  <b>B-23542</b>	<b>65</b>
<b>Family :</b> Veneridae <b>C.Name:</b> Red Callista <b>B.Ref. :</b> ISB-310(305) <b>Range :</b> Indo-pacific				
<b>Habitat :</b> Sea	<b>Size :</b> 75 mm			



<i>Gafrarium dispar</i> (H.S. Holton, 1802)			  <b>B-24078</b>	<b>66</b>
<b>Family :</b> Veneridae <b>C.Name:</b> - <b>B.Ref. :</b> ISB-296(288) <b>Range :</b> Indo-pacific				
<b>Habitat :</b> Sea	<b>Size :</b> 30 mm			



<i>Gafrarium divaricatum</i> (J.F. Gmelin, 1791)			  <b>B-24079</b>	<b>67</b>
<b>Family :</b> Veneridae <b>C.Name:</b> Forked Venus Clam <b>B.Ref. :</b> ISB-296(2889) <b>Range :</b> Indo-pacific				
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm			


<i>Gafrarium tumidum</i> (P.F. Röding, 1798)			  <b>B-24097</b>	<b>68</b>
<b>Family :</b> Veneridae <b>C.Name:</b> - <b>B.Ref. :</b> ISB-297(291) <b>Range :</b> Indo-pacific				
<b>Habitat :</b> Sea	<b>Size :</b> 30 mm			


<b><i>Marcia recens</i></b> (H.S. Holton, 1802)			  <b>B-24291</b> <span style="float: right;"><b>69</b></span>
<b>Family :</b> Veneridae <b>C.Name:</b> - <b>B.Ref. :</b> ISB-334(346) <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 45 mm		

<b><i>Meretrix meretrix</i></b> (C. Linnaeus, 1758)			  <b>B-24341</b> <span style="float: right;"><b>70</b></span>
<b>Family :</b> Veneridae <b>C.Name:</b> Bay Clam <b>B.Ref. :</b> ISB-306(300) <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 55 mm		


<b><i>Paphia rotundata</i></b> (C. Linnaeus, 1758)			  <b>B-24409</b> <span style="float: right;"><b>71</b></span>
<b>Family :</b> Veneridae <b>C.Name:</b> - <b>B.Ref. :</b> ISB-336(348) <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 70 mm		


<b><i>Periglypta puerpera</i></b> (C. Linnaeus, 1771)			  <b>B-24505</b> <span style="float: right;"><b>72</b></span>
<b>Family :</b> Veneridae <b>C.Name:</b> - <b>B.Ref. :</b> ISB-294(285) <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 60 mm		


<b><i>Placamen lamellatum</i></b> (P.F. Röding, 1798)			<small>Cenkelogy</small>
<b>Family :</b> Veneridae <b>C.Name:</b> King Venus <b>B.Ref. :</b> ISB-320(325) <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 30 mm	<b>B-24809</b>	<b>73</b>

<b><i>Sunetta meroe</i></b> (C. Linnaeus, 1758)			<small>Cenkelogy</small>
<b>Family :</b> Veneridae <b>C.Name:</b> - <b>B.Ref. :</b> ISB-300(294) <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 30 mm	<b>B-24903</b>	<b>74</b>


**Class : CEPHALOPODA**


<b><i>Nautilus pompilius</i></b> (C. Linnaeus, 1758)			<small>Cenkelogy</small>
<b>Family :</b> Nautilidae <b>C.Name:</b> Nautilus <b>B.Ref. :</b> p-29-16 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 160 mm	<b>CE-128</b>	<b>75</b>


<b><i>Argonauta argo</i></b> (C. Linnaeus, 1758)			<small>Cenkelogy</small>
<b>Family :</b> Argonautidae <b>C.Name:</b> Paper Nautilus <b>B.Ref. :</b> SOW-156 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 200 mm	<b>CE-701</b>	<b>76</b>



<i>Argonauta hians</i> (J. Lightfoot, 1786)			<small>Conchology</small>
<b>Family :</b> Argonautidae <b>C.Name:</b> Brown Paper Nautilus <b>B.Ref. :</b> SOW-156 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 72 mm		<b>CE-724</b>



**Class : GASTROPODA**



<i>Cerithideopsilla cingulata</i> (J.F. Gmelin, 1791)			<small>Conchology</small>
<b>Family :</b> Potamididae <b>C.Name:</b> Girdled Horn Shell <b>B.Ref. :</b> P-5-11 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 25 mm		<b>G-4668</b>



<i>Telescopium telescopium</i> (C. Linnaeus, 1758)			<small>Conchology</small>
<b>Family :</b> Potamididae <b>C.Name:</b> Telescope Shell <b>B.Ref. :</b> p-5-13 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 100 mm		<b>G-4711</b>

<i>Terebralia palustris</i> (C. Linnaeus, 1767)			<small>Conchology</small>
<b>Family :</b> Potamididae <b>C.Name:</b> Mangrove whelk <b>B.Ref. :</b> P-5-12 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 100 mm		<b>G-4723</b>









<b><i>Tenagodus anguinus</i></b> (Auct. non C. Linnaeus, 1758)			 <b>G-4910</b> <span style="float: right;"><b>81</b></span>
<b>Family :</b> Siliquariidae <b>C.Name:</b> Squamous Worm Shell <b>B.Ref. :</b> IS-142 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 100 mm		


<b><i>Tenagodus trochlearis</i></b> (O.A.L. Mörch, 1861)			 <b>G-4935</b> <span style="float: right;"><b>82</b></span>
<b>Family :</b> Siliquariidae <b>C.Name:</b> - <b>B.Ref. :</b> IS-142 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 70 mm		


<b><i>Cerithium coralium</i></b> (L.C. Kiener, 1841)			 <b>G-5660</b> <span style="float: right;"><b>83</b></span>
<b>Family :</b> Cerithiidae <b>C.Name:</b> Ruppell's Cerith <b>B.Ref. :</b> P-5-6 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 25 mm		


<b><i>Cerithium nodulosum</i></b> (J.G. Bruguière, 1792)			 <b>G-5889</b> <span style="float: right;"><b>84</b></span>
<b>Family :</b> Cerithiidae <b>C.Name:</b> Gaint Knobbed Cerith <b>B.Ref. :</b> p-5-7 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 100 mm		








<p><b><i>Clypeomorus batillariaeformis</i></b> (T. Habe &amp; S. Kosuge, 1966)</p>			
<p><b>Family :</b> Cerithiidae <b>C.Name:</b> Necklace Cerith <b>B.Ref. :</b> p-5-8 <b>Range :</b> Indo-pacific</p>			
<b>Habitat :</b> Sea	<b>Size :</b> 20 mm	<b>G-6213</b>	<b>85</b>
<p><b><i>Planaxis sulcatus</i></b> (I. von Born, 1778)</p>			
<p><b>Family :</b> Planaxidae <b>C.Name:</b> Ribbed Planaxis <b>B.Ref. :</b> P-5-3 <b>Range :</b> Indo-pacific</p>			
<b>Habitat :</b> Sea	<b>Size :</b> 18 mm	<b>G-6606</b>	<b>86</b>
<p><b><i>Turritella duplicata</i></b> (C. Linnaeus, 1758)</p>			
<p><b>Family :</b> Turritellidae <b>C.Name:</b> Indian Purple Screw Shell <b>B.Ref. :</b> p-5-14 <b>Range :</b> Indo-pacific</p>			
<b>Habitat :</b> Sea	<b>Size :</b> 120 mm	<b>G-6964</b>	<b>87</b>
<p><b><i>Turritella radula</i></b> (L.C. Kiener, 1843)</p>			
<p><b>Family :</b> Turritellidae <b>C.Name:</b> Dart Screw Shell <b>B.Ref. :</b> P-5-16 <b>Range :</b> Indo-pacific</p>			
<b>Habitat :</b> Sea	<b>Size :</b> 80 mm	<b>G-7066</b>	<b>88</b>


<b><i>Turritella terebra</i></b> (C. Linnaeus, 1758)			<small>Conchology</small>
<b>Family :</b> Turritellidae <b>C.Name:</b> Great Screw Shell <b>B.Ref. :</b> p-5-15 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 100 mm		<b>G-7093</b>


<b><i>Calpurnus verrucosus</i></b> (C. Linnaeus, 1758)			<small>Conchology</small>
<b>Family :</b> Ovulidae <b>C.Name:</b> - <b>B.Ref. :</b> 106-1 <b>Range :</b> indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 25 mm		<b>G-9638</b>


<b><i>Ovula ovum</i></b> (C. Linnaeus, 1758)			<small>Conchology</small>
<b>Family :</b> Ovulidae <b>C.Name:</b> Egg Cowrie <b>B.Ref. :</b> P-9-20 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 75 mm		<b>G-9925</b>


<b><i>Volva habei</i></b> (K. Oyama, 1961)			<small>Conchology</small>
<b>Family :</b> Ovulidae <b>C.Name:</b> - <b>B.Ref. :</b> 107-2 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 102 mm		<b>G-10273</b>



<b><i>Volva volva</i></b> (T. Iredale, 1931)			G-10288	93
<b>Family :</b> Ovulidae <b>C.Name:</b> Elongated Egg Cowrie <b>B.Ref. :</b> p-10-4 <b>Range :</b> Indo-pacific				
<b>Habitat :</b> Sea	<b>Size :</b> 120 mm			
<b><i>Arestorides argus</i></b> (C. Linnaeus, 1758)			G-10300	94
<b>Family :</b> Cypraeidae <b>C.Name:</b> Eyed Cowrie <b>B.Ref. :</b> P-7-1 <b>Range :</b> Indo-pacific				
<b>Habitat :</b> Sea	<b>Size :</b> 75 mm			
<b><i>Austrocypraea reevei</i></b> (G.B. I Sowerby, 1832)			G-10313	95
<b>Family :</b> Cypraeidae <b>C.Name:</b> - <b>B.Ref. :</b> 79-1 <b>Range :</b> Indo-pacific				
<b>Habitat :</b> Sea	<b>Size :</b> 45 mm			
<b><i>Cribrarula cribraria abaliena</i></b> (F.Jr. Lorenz, 1989)			G-10415	96
<b>Family :</b> Cypraeidae <b>C.Name:</b> Sieve and white cowrie <b>B.Ref. :</b> p-7-5 <b>Range :</b> Indo-pacific				
<b>Habitat :</b> Sea	<b>Size :</b> 25 mm			



<b><i>Cypraea lynx</i></b> (C. Linnaeus, 1758)			<small>Cyberology</small>
<b>Family :</b> Cypraeidae <b>C.Name:</b> eyed cowry <b>B.Ref. :</b> p-8-7 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 30 mm		<b>G-10598</b>



<b><i>Cypraea tigris</i></b> (C. Linnaeus, 1758)			<small>Cyberology</small>
<b>Family :</b> Cypraeidae <b>C.Name:</b> Tiger Cowrie <b>B.Ref. :</b> p-7-7 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 100 mm		<b>G-10733</b>



<b><i>Erosaria helvola</i></b> (C. Linnaeus, 1758)			<small>Cyberology</small>
<b>Family :</b> Cypraeidae <b>C.Name:</b> Honey Cowrie <b>B.Ref. :</b> P-7-13 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 25 mm		<b>G-10900</b>











<b><i>Erosaria miliaris</i></b> (J.F. Gmelin, 1791)			<small>Cyberology</small>
<b>Family :</b> Cypraeidae <b>C.Name:</b> millet cowry <b>B.Ref. :</b> p-7-15 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 30 mm		<b>G-10941</b>





<b><i>Erosaria ocellata</i></b> (C. Linnaeus, 1758)			
<b>Family :</b> Cypraeidae <b>C.Name:</b> Ocellata Cowrie <b>B.Ref. :</b> P-7-17 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 25 mm		
<b>G-10956</b> <span style="float: right;"><b>101</b></span>			





<b><i>Erosaria turdus</i></b> (J.B.P.A. Lamarck, 1810)			
<b>Family :</b> Cypraeidae <b>C.Name:</b> Thrush Cowrie <b>B.Ref. :</b> p-8-1 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 30 mm		
<b>G-10998</b> <span style="float: right;"><b>102</b></span>			

<b><i>Erronea caurica</i></b> (C. Linnaeus, 1758)			
<b>Family :</b> Cypraeidae <b>C.Name:</b> Thick-edged cowrie <b>B.Ref. :</b> p-7-9 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 30 mm		
<b>G-11031</b> <span style="float: right;"><b>103</b></span>			





<b><i>Erronea erronea</i></b> (C. Linnaeus, 1758)			
<b>Family :</b> Cypraeidae <b>C.Name:</b> Wandering/Erroneous Cowry <b>B.Ref. :</b> p-7-10 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 30 mm		
<b>G-11054</b> <span style="float: right;"><b>104</b></span>			





<b><i>Erronea onyx</i></b> (C. Linnaeus, 1758)				
<b>Family :</b> Cypraeidae <b>C.Name:</b> Onyx Cowrie <b>B.Ref. :</b> p-7-18 <b>Range :</b> Indo-pacific				<b>G-11083</b>
<b>Habitat :</b> Sea	<b>Size :</b> 30 mm			
<b>Family :</b> Cypraeidae <b>C.Name:</b> - <b>B.Ref. :</b> 80-2 <b>Range :</b> indo-Pacific				<b>G-11136</b>
<b><i>Leporicypraea mappa</i></b> (C. Linnaeus, 1758)				
<b>Family :</b> Cypraeidae <b>C.Name:</b> Mappa Cowrie <b>B.Ref. :</b> p-8-3 <b>Range :</b> Indo-pacific				<b>G-11143</b>
<b>Habitat :</b> Sea	<b>Size :</b> 60 mm			
<b>Family :</b> Cypraeidae <b>C.Name:</b> Isabel's Cowrie <b>B.Ref. :</b> p-8-5 <b>Range :</b> Indo-pacific				<b>G-11171</b>
<b>Habitat :</b> Sea	<b>Size :</b> 40 mm			
<b>Family :</b> Cypraeidae <b>C.Name:</b> Isabel's Cowrie <b>B.Ref. :</b> p-8-5 <b>Range :</b> Indo-pacific				<b>G-11171</b>





<b><i>Lyncina aurantium</i></b> (J.F. Gmelin, 1791)			<small>Cyberloggy</small>
<b>Family :</b> Cypraeidae <b>C.Name:</b> Golden Cowrie <b>B.Ref. :</b> SOW-62 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 90 mm		<b>G-11217</b>
<b><i>Lyncina carneola</i></b> (C. Linnaeus, 1758)			<small>Cyberloggy</small>
<b>Family :</b> Cypraeidae <b>C.Name:</b> Carnellan Cowrie <b>B.Ref. :</b> p-8-6 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 60 mm		<b>G-11229</b>
<b><i>Lyncina vitellus</i></b> (C. Linnaeus, 1758)			<small>Cyberloggy</small>
<b>Family :</b> Cypraeidae <b>C.Name:</b> Pacific Deer Cowrie <b>B.Ref. :</b> p-8-9 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 60 mm		<b>G-11284</b>
<b><i>Mauritia eglantina</i></b> (P.L. Duclos, 1833)			<small>Cyberloggy</small>
<b>Family :</b> Cypraeidae <b>C.Name:</b> Eglantine Cowrie <b>B.Ref. :</b> p-8-13 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 60 mm		<b>G-11323</b>





<b><i>Mauritia mauritiana</i></b> (C. Linnaeus, 1758)			<small>Cyberology</small>
<b>Family :</b> Cypraeidae <b>C.Name:</b> chocolate cowry <b>B.Ref. :</b> p-8-15 <b>Range :</b> Indo-pacific			<b>G-11341</b>
<b>Habitat :</b> Sea	<b>Size :</b> 75 mm		
<b><i>Melicerona felina</i></b> (J.F. Gmelin, 1791)			<small>Cyberology</small>
<b>Family :</b> Cypraeidae <b>C.Name:</b> kitten cowrie <b>B.Ref. :</b> p-8-18 <b>Range :</b> Indo-pacific			<b>G-11369</b>
<b>Habitat :</b> Sea	<b>Size :</b> 18 mm		
<b><i>Monetaria annulus</i></b> (C. Linnaeus, 1758)			<small>Cyberology</small>
<b>Family :</b> Cypraeidae <b>C.Name:</b> Gold Ringer Cowrie <b>B.Ref. :</b> p-8-19 <b>Range :</b> Indo-pacific			<b>G-11392</b>
<b>Habitat :</b> Sea	<b>Size :</b> 25 mm		
<b><i>Monetaria caputserpentis</i></b> (C. Linnaeus, 1758)			<small>Cyberology</small>
<b>Family :</b> Cypraeidae <b>C.Name:</b> Serpent's head Cowrie <b>B.Ref. :</b> p-8-20 <b>Range :</b> Indo-pacific			<b>G-11408</b>
<b>Habitat :</b> Sea	<b>Size :</b> 30 mm		















<b><i>Monetaria moneta</i></b> (C. Linnaeus, 1758)			<small>Couchology</small>
<b>Family :</b> Cypraeidae <b>C.Name:</b> Money Cowrie <b>B.Ref. :</b> p-9-1 <b>Range :</b> Indo-pacific			<b>G-11426</b>
<b>Habitat :</b> Sea	<b>Size :</b> 25 mm		<b>117</b>
<b><i>Notadusta hungerfordi</i></b> (G.B. III Sowerby, 1888)			<small>Couchology</small>
<b>Family :</b> Cypraeidae <b>C.Name:</b> Hungerford's cowry <b>B.Ref. :</b> GTS-90 <b>Range :</b> Indo-pacific			<b>G-11470</b>
<b>Habitat :</b> Sea	<b>Size :</b> 40 mm		<b>118</b>
<b><i>Nucleolaria nucleus</i></b> (C. Linnaeus, 1758)			<small>Couchology</small>
<b>Family :</b> Cypraeidae <b>C.Name:</b> Wrinkled Cowrie <b>B.Ref. :</b> P-9-2 <b>Range :</b> Indo-pacific			<b>G-11519</b>
<b>Habitat :</b> Sea	<b>Size :</b> 25 mm		<b>119</b>
<b><i>Palmadusta asellus</i></b> (C. Linnaeus, 1758)			<small>Couchology</small>
<b>Family :</b> Cypraeidae <b>C.Name:</b> Little Ass Cowrie <b>B.Ref. :</b> p-9-4 <b>Range :</b> Indo-pacific			<b>G-11553</b>
<b>Habitat :</b> Sea	<b>Size :</b> 12 mm		<b>120</b>









<b><i>Palmadusta ziczac</i></b> (C. Linnaeus, 1758)			<small>Conchology</small>
<b>Family :</b> Cypraeidae <b>C.Name:</b> Ziczac Cowrie <b>B.Ref. :</b> p-9-8 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 20 mm		<b>G-11600</b>
<b><i>Purpuradusta gracilis</i></b> (J.S. Gaskoin, 1849)			<small>Conchology</small>
<b>Family :</b> Cypraeidae <b>C.Name:</b> - <b>B.Ref. :</b> 93-12 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 20 mm		<b>G-11646</b>
<b><i>Purpuradusta minoridens</i></b> (J.C. Melvill, 1901)			<small>Conchology</small>
<b>Family :</b> Cypraeidae <b>C.Name:</b> - <b>B.Ref. :</b> 94-5 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 10 mm		<b>G-11658</b>
<b><i>Pustularia globulus</i></b> (C. Linnaeus, 1758)			<small>Conchology</small>
<b>Family :</b> Cypraeidae <b>C.Name:</b> Globulus Cowrie <b>B.Ref. :</b> p-9-11 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 20 mm		<b>G-11688</b>





<b><i>Talostolida teres</i></b> (J.F. Gmelin, 1791)			<small>Conchology</small>
<b>Family :</b> Cypraeidae <b>C.Name:</b> Tapering Cowrie <b>B.Ref. :</b> p-9-16 <b>Range :</b> Indo-pacific			<b>G-11788</b>
<b>Habitat :</b> Sea	<b>Size :</b> 40 mm		
<b><i>Talparia talpa</i></b> (C. Linnaeus, 1758)			<small>Conchology</small>
<b>Family :</b> Cypraeidae <b>C.Name:</b> Chocolate Banded Cowrie <b>B.Ref. :</b> p-9-15 <b>Range :</b> Indo-pacific			<b>G-11797</b>
<b>Habitat :</b> Sea	<b>Size :</b> 60 mm		
<b><i>Epitonium scalare</i></b> (C. Linnaeus, 1758)			<small>Conchology</small>
<b>Family :</b> Epitoniidae <b>C.Name:</b> Wentletrap <b>B.Ref. :</b> p-14-14 <b>Range :</b> Indo-pacific			<b>G-12991</b>
<b>Habitat :</b> Sea	<b>Size :</b> 60 mm		
<b><i>Ficus subintermedia</i></b> (D'Orbigny, 1852)			<small>Conchology</small>
<b>Family :</b> Ficidae <b>C.Name:</b> Paper Fig Shell <b>B.Ref. :</b> 112-3 <b>Range :</b> indo-Pacific			<b>G-15167</b>
<b>Habitat :</b> Sea	<b>Size :</b> 65 mm		

<b><i>Ficus gracilis</i></b> (G.B. I Sowerby, 1825)		 <p style="text-align: right; margin-right: 10px;"><small>Conchology</small></p>	
<b>Family :</b> Ficidae <b>C.Name:</b> Graceful Fig Shell <b>B.Ref. :</b> p-12-2 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 130 mm	<b>G-15171</b>	<b>129</b>
<b><i>Ficus investigatoris</i></b> (E.A. Smith, 1894)		 <p style="text-align: right; margin-right: 10px;"><small>Conchology</small></p>	
<b>Family :</b> Ficidae <b>C.Name:</b> Bengal Fig shell <b>B.Ref. :</b> p-12-3 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 75 mm	<b>G-15172</b>	<b>130</b>
<b><i>Ficus variegata</i></b> (P.F. Röding, 1798)		 <p style="text-align: right; margin-right: 10px;"><small>Conchology</small></p>	
<b>Family :</b> Ficidae <b>C.Name:</b> Underlined Fig Shell <b>B.Ref. :</b> p-12-4 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 75 mm	<b>G-15198</b>	<b>131</b>
<b><i>Littoraria articulata</i></b> (R.A. Philippi, 1846)		 <p style="text-align: right; margin-right: 10px;"><small>Conchology</small></p>	
<b>Family :</b> Littorinidae <b>C.Name:</b> Articulated Littorina <b>B.Ref. :</b> p-4-10 <b>Range :</b> North Indian Ocean to Japan			
<b>Habitat :</b> Sea	<b>Size :</b> 12 mm	<b>G-17088</b>	<b>132</b>









<p><i>Littoraria undulata</i> (J.E. Gray, 1839)</p>		 G-17140 <span style="float: right; color: yellow;">133</span>
<p><b>Family :</b> Littorinidae  <b>C.Name:</b> Undulate Periwinkle  <b>B.Ref. :</b> p-4-12  <b>Range :</b> North Indian Ocean to Japan</p>		
<p><b>Habitat :</b> Sea</p>	<p><b>Size :</b> 15 mm</p>	
<p><i>Tectarius coronatus</i> (A. Valenciennes, 1832)</p>		 G-17678 <span style="float: right; color: yellow;">134</span>
<p><b>Family :</b> Littorinidae  <b>C.Name:</b> -  <b>B.Ref. :</b> S-47  <b>Range :</b> Indo-pacific</p>		
<p><b>Habitat :</b> Sea</p>	<p><b>Size :</b> 30 mm</p>	
<p><i>Tectarius pagodus</i> (C. Linnaeus, 1758)</p>		 G-17691 <span style="float: right; color: yellow;">135</span>
<p><b>Family :</b> Littorinidae  <b>C.Name:</b> -  <b>B.Ref. :</b> GTS-45  <b>Range :</b> Indo-pacific</p>		
<p><b>Habitat :</b> Sea</p>	<p><b>Size :</b> 65 mm</p>	
<p><i>Mammilla fibrosa</i> (J.E. Gray, 1850)</p>		 G-18016 <span style="float: right; color: yellow;">136</span>
<p><b>Family :</b> Naticidae  <b>C.Name:</b> -  <b>B.Ref. :</b> 126-11  <b>Range :</b> Indo-pacific</p>		
<p><b>Habitat :</b> Sea</p>	<p><b>Size :</b> 36 mm</p>	


<b><i>Natica fasciata</i></b> (P.F. Röding, 1798)			 <b>G-18162</b> <span style="float: right;"><b>137</b></span>
<b>Family :</b> Naticidae <b>C.Name:</b> - <b>B.Ref. :</b> 119-10 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 20 mm		
<b><i>Natica vitellus</i></b> (C. Linnaeus, 1758)			 <b>G-18479</b> <span style="float: right;"><b>138</b></span>
<b>Family :</b> Naticidae <b>C.Name:</b> Moon Shell <b>B.Ref. :</b> p-10-10 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 40 mm		
<b><i>Neverita didyma</i></b> (P.F. Röding, 1798)			 <b>G-18520</b> <span style="float: right;"><b>139</b></span>
<b>Family :</b> Naticidae <b>C.Name:</b> Bladder moon snail <b>B.Ref. :</b> p-10-8 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 60 mm		
<b><i>Polinices aurantius</i></b> (P.F. Röding, 1798)			 <b>G-18566</b> <span style="float: right;"><b>140</b></span>
<b>Family :</b> Naticidae <b>C.Name:</b> Golden Australian Snail <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 45 mm		


<b><i>Polinices mammilla</i></b> (C. Linnaeus, 1758)			
<b>Family :</b> Naticidae <b>C.Name:</b> - <b>B.Ref. :</b> P-11-5 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 40 mm		<b>G-18611</b>
<b><i>Tanea lineata</i></b> (P.F. Röding, 1798)			
<b>Family :</b> Naticidae <b>C.Name:</b> Lined Moon snail <b>B.Ref. :</b> p-10-9 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 35 mm		<b>G-18760</b>
<b><i>Tectonatica maculosa</i></b> (J.B.P.A. Lamarck, 1822)			
<b>Family :</b> Naticidae <b>C.Name:</b> - <b>B.Ref. :</b> p-11-3 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 30 mm		<b>G-18783</b>
<b><i>Rostellariella delicatula</i></b> (G. Nevill, 1881)			
<b>Family :</b> Rostellariidae <b>C.Name:</b> Delicate <b>B.Ref. :</b> P-6-18 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 70 mm		<b>G-21385</b>


<b><i>Tibia curta</i></b> (G.B. I Sowerby, 1842)			<small>Conchology</small>
<b>Family :</b> Rostellariidae <b>C.Name:</b> Indian Tibia <b>B.Ref. :</b> 130-1 <b>Range :</b> Indo-pacific			<b>G-21392</b>
<b>Habitat :</b> Sea	<b>Size :</b> 160 mm		<b>145</b>
<b><i>Tibia fusus</i></b> (C. Linnaeus, 1758)			<small>Conchology</small>
<b>Family :</b> Rostellariidae <b>C.Name:</b> Shin-bone Tibia <b>B.Ref. :</b> P-6-21 <b>Range :</b> Indo-pacific			<b>G-21400</b>
<b>Habitat :</b> Sea	<b>Size :</b> 220 mm		<b>146</b>
<b><i>Tibia insulaechorab</i></b> (P.F. Röding, 1798)			<small>Conchology</small>
<b>Family :</b> Rostellariidae <b>C.Name:</b> Arabian tibia <b>B.Ref. :</b> P-6-19 <b>Range :</b> Indo-pacific			<b>G-21405</b>
<b>Habitat :</b> Sea	<b>Size :</b> 220 mm		<b>147</b>
<b><i>Tibia martinii</i></b> (F.P. Marrat, 1877)			<small>Conchology</small>
<b>Family :</b> Rostellariidae <b>C.Name:</b> Martin's Tibia <b>B.Ref. :</b> S-66 <b>Range :</b> Indo-pacific			<b>G-21408</b>
<b>Habitat :</b> Sea	<b>Size :</b> 130 mm		<b>148</b>








<b><i>Terebellum terebellum</i></b> (C. Linnaeus, 1758)			 <b>G-21425</b> <b>149</b>
<b>Family :</b> Seraphsidae <b>C.Name:</b> Terebellum Conch <b>B.Ref. :</b> S-67 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 60 mm		
<b><i>Canarium labiatum</i></b> (P.F. Röding, 1798)			 <b>G-21453</b> <b>150</b>
<b>Family :</b> Strombidae <b>C.Name:</b> Samar Conch <b>B.Ref. :</b> p-6-14 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 30 mm		
<b><i>Canarium urceus orrae</i></b> (R.T. Abbott, 1960)			 <b>G-21479</b> <b>151</b>
<b>Family :</b> Strombidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 30 mm		
<b><i>Canarium urceus</i></b> (C. Linnaeus, 1758)			 <b>G-21481</b> <b>152</b>
<b>Family :</b> Strombidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 30 mm		







<b><i>Euprotomus aurora</i></b> (G.C. Kronenberg, 2002)			<small>Conchology</small>
<b>Family :</b> Strombidae <b>C.Name:</b> - <b>B.Ref. :</b> 131-2 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 70 mm		<b>G-21546</b>





<b><i>Euprotomus bulla</i></b> (P.F. Röding, 1798)			<small>Conchology</small>
<b>Family :</b> Strombidae <b>C.Name:</b> - <b>B.Ref. :</b> p-6-8 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 40 mm		<b>G-21547</b>


<b><i>Gibberulus gibberulus</i></b> (C. Linnaeus, 1758)			<small>Conchology</small>
<b>Family :</b> Strombidae <b>C.Name:</b> Humpedbacked Conch <b>B.Ref. :</b> p-6-12 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 40 mm		<b>G-21569</b>


<b><i>Harpago arthriticus</i></b> (P.F. Röding, 1798)			<small>Conchology</small>
<b>Family :</b> Strombidae <b>C.Name:</b> Arthriticus Spider Conch <b>B.Ref. :</b> p-6-2 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 130 mm		<b>G-21571</b>


<b><i>Harpago chiragra</i></b> (C. Linnaeus, 1758)			
<b>Family :</b> Strombidae <b>C.Name:</b> Chiragra Spider Conch <b>B.Ref. :</b> p-6-1 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 150 mm	<b>G-21573</b>	<b>157</b>
<b><i>Laevistrombus canarium</i></b> (C. Linnaeus, 1758)			
<b>Family :</b> Strombidae <b>C.Name:</b> Yellow Conch <b>B.Ref. :</b> p-6-9 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 60 mm	<b>G-21578</b>	<b>158</b>
<b><i>Lambis crocata</i></b> (J.H.F. Link, 1807)			
<b>Family :</b> Strombidae <b>C.Name:</b> Orange Spider Conch <b>B.Ref. :</b> p-6-6 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 120 mm	<b>G-21598</b>	<b>159</b>
<b><i>Lambis lambis</i></b> (C. Linnaeus, 1758)			
<b>Family :</b> Strombidae <b>C.Name:</b> Common Spider Conch <b>B.Ref. :</b> p-6-3 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 170 mm	<b>G-21608</b>	<b>160</b>


<b><i>Lambis millepeda</i></b> (C. Linnaeus, 1758)				<small>Conchology</small>
<b>Family :</b> Strombidae <b>C.Name:</b> Millepeda Spider Conch <b>B.Ref. :</b> p-6-5 <b>Range :</b> Indo-pacific				<b>G-21612</b>
<b>Habitat :</b> Sea	<b>Size :</b> 100 mm			<small>Conchology</small>
<b>Family :</b> Strombidae <b>C.Name:</b> Scorpion Spider Conch <b>B.Ref. :</b> p-6-7 <b>Range :</b> Indo-pacific				<b>G-21622</b>
<b><i>Lambis truncata</i></b> (J. Lightfoot, 1786)				<small>Conchology</small>
<b>Family :</b> Strombidae <b>C.Name:</b> Gaint Spider Conch <b>B.Ref. :</b> p-6-4 <b>Range :</b> Indo-pacific				<b>G-21626</b>
<b>Habitat :</b> Sea	<b>Size :</b> 300 mm			<small>Conchology</small>
<b>Family :</b> Strombidae <b>C.Name:</b> Silver Conch <b>B.Ref. :</b> p-6-16 <b>Range :</b> Indo-pacific				<b>G-21639</b>
<b><i>Lentigo lentiginosus</i></b> (C. Linnaeus, 1758)				<small>Conchology</small>
<b>Family :</b> Strombidae <b>C.Name:</b> Silver Conch <b>B.Ref. :</b> p-6-16 <b>Range :</b> Indo-pacific				<b>G-21639</b>
<b>Habitat :</b> Sea	<b>Size :</b> 65 mm			<small>Conchology</small>
<b>Family :</b> Strombidae <b>C.Name:</b> Silver Conch <b>B.Ref. :</b> p-6-16 <b>Range :</b> Indo-pacific				<b>G-21639</b>





<b><i>Lobatus galeatus</i></b> (W.J. Swainson, 1823)			<small>Conchology</small>
<b>Family :</b> Strombidae <b>C.Name:</b> Giant Eastern Pacific Conch <b>B.Ref. :</b> 135-9 <b>Range :</b> Indo-pacific			<b>G-21646</b>
<b>Habitat :</b> Sea	<b>Size :</b> 220 mm		
<b><i>Lobatus raninus</i></b> (J.F. Gmelin, 1791)			<small>Conchology</small>
<b>Family :</b> Strombidae <b>C.Name:</b> Hawk-wing Conch <b>B.Ref. :</b> 137-1 <b>Range :</b> Caribbean			<b>G-21654</b>
<b>Habitat :</b> Sea	<b>Size :</b> 90 mm		
<b><i>Margistrombus marginatus</i></b> (C. Linnaeus, 1758)			<small>Conchology</small>
<b>Family :</b> Strombidae <b>C.Name:</b> Marginate Conch <b>B.Ref. :</b> 133-8 <b>Range :</b> Indo-pacific			<b>G-21659</b>
<b>Habitat :</b> Sea	<b>Size :</b> 40 mm		
<b><i>Mirabilistrombus listeri</i></b> (T. Gray, 1852)			<small>Conchology</small>
<b>Family :</b> Strombidae <b>C.Name:</b> Wing Shell <b>B.Ref. :</b> p-6-17 <b>Range :</b> Indo-pacific			<b>G-21665</b>
<b>Habitat :</b> Sea	<b>Size :</b> 120 mm		





<p style="text-align: center;"><b><i>Strombus dilatatus</i></b> (J.B.P.A. Lamarck, 1822)</p>			
<p><b>Family :</b> Strombidae <b>C.Name:</b> - <b>B.Ref. :</b> GTS-76 <b>Range :</b> Indo-pacific</p>			
<p><b>Habitat :</b> Sea</p>	<p><b>Size :</b> 45 mm</p>		

<p style="text-align: center;"><b><i>Strombus gallus</i></b> (C. Linnaeus, 1758)</p>			
<p><b>Family :</b> Strombidae <b>C.Name:</b> rooster-tail conch <b>B.Ref. :</b> SOW-43 <b>Range :</b> Indo-Pacific</p>			
<p><b>Habitat :</b> Sea</p>	<p><b>Size :</b> 165 mm</p>		





<p style="text-align: center;"><b><i>Strombus gigas</i></b> (C. Linnaeus, 1758)</p>			
<p><b>Family :</b> Strombidae <b>C.Name:</b> Pink Conch <b>B.Ref. :</b> S-57 <b>Range :</b> Caribbean</p>			
<p><b>Habitat :</b> Sea</p>	<p><b>Size :</b> 230 mm</p>		





<p style="text-align: center;"><b><i>Strombus latissimus</i></b> (C. Linnaeus, 1758)</p>			
<p><b>Family :</b> Strombidae <b>C.Name:</b> Broad Pacific Conch <b>B.Ref. :</b> S-61 <b>Range :</b> Indo-pacific</p>			
<p><b>Habitat :</b> Sea</p>	<p><b>Size :</b> 150 mm</p>		





<b><i>Strombus pugilis</i></b> (C. Linnaeus, 1758)			<small>Conchology</small>
<b>Family :</b> Strombidae <b>C.Name:</b> West Indian Fighting Conch <b>B.Ref. :</b> SOW-42 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 70 mm		<b>G-21769</b>
<b><i>Strombus sinuatus</i></b> (G. Perry, 1811)			<small>Conchology</small>
<b>Family :</b> Strombidae <b>C.Name:</b> - <b>B.Ref. :</b> GTS-73 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 120 mm		<b>G-21782</b>
<b><i>Strombus vittatus</i></b> (C. Linnaeus, 1758)			<small>Conchology</small>
<b>Family :</b> Strombidae <b>C.Name:</b> - <b>B.Ref. :</b> GTS-78 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 85 mm		<b>G-21800</b>
<b><i>Aporrhais pespelecani</i></b> (C. Linnaeus, 1758)			<small>Conchology</small>
<b>Family :</b> Aporrhaidae <b>C.Name:</b> Pelican's foot <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 30 mm		<b>G-21899</b>





<b><i>Bufonaria crumena</i></b> (J.B.P.A. Lamarck, 1816)			
<b>Family :</b> Bursidae <b>C.Name:</b> - <b>B.Ref. :</b> p-14-1 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 45 mm	<b>G-21958</b>	<b>177</b>
<b><i>Bufonaria echinata</i></b> (J.H.F. Link, 1807)			
<b>Family :</b> Bursidae <b>C.Name:</b> Spiny Frog Shell <b>B.Ref. :</b> p-14-2 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm	<b>G-21960</b>	<b>178</b>
<b><i>Tutufa rubeta</i></b> (C. Linnaeus, 1758)			
<b>Family :</b> Bursidae <b>C.Name:</b> Red Mouthed Frog Shell <b>B.Ref. :</b> p-14-6 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 150 mm	<b>G-22145</b>	<b>179</b>
<b><i>Distorsio decipiens</i></b> (L.A. Reeve, 1844)			
<b>Family :</b> Personidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 25 mm	<b>G-22174</b>	<b>180</b>











<b><i>Distorsio reticularis</i></b> (C. Linnaeus, 1758)				<small>Conchology</small>
<b>Family :</b> Personidae <b>C.Name:</b> - <b>B.Ref. :</b> P-13-15 <b>Range :</b> Indo-pacific				<b>G-22195</b>
<b>Habitat :</b> Sea	<b>Size :</b> 60 mm			
<b><i>Malea pomum</i></b> (C. Linnaeus, 1758)				<small>Conchology</small>
<b>Family :</b> Tonnidae <b>C.Name:</b> - <b>B.Ref. :</b> p-11-14 <b>Range :</b> Indo-pacific				<b>G-22265</b>
<b>Habitat :</b> Sea	<b>Size :</b> 60 mm			
<b><i>Tonna galea</i></b> (W. Wood, 1825)				<small>Conchology</small>
<b>Family :</b> Tonnidae <b>C.Name:</b> - <b>B.Ref. :</b> p-11-11 <b>Range :</b> Indo-pacific				<b>G-22323</b>
<b>Habitat :</b> Sea	<b>Size :</b> 150 mm			
<b><i>Tonna tessellata</i></b> (J.B.P.A. Lamarck, 1816)				<small>Conchology</small>
<b>Family :</b> Tonnidae <b>C.Name:</b> - <b>B.Ref. :</b> p-11-10 <b>Range :</b> Indo-pacific				<b>G-22391</b>
<b>Habitat :</b> Sea	<b>Size :</b> 100 mm			





<b><i>Cabestana spengleri</i></b> (G. Perry, 1811)			
<b>Family :</b> Ranellidae <b>C.Name:</b> Sydney Rock Whelk <b>B.Ref. :</b> 161-6 <b>Range :</b> Australian			
<b>Habitat :</b> Sea	<b>Size :</b> 150 mm	<b>G-22445</b>	<b>185</b>
<b><i>Charonia tritonis</i></b> (C. Linnaeus, 1758)			
<b>Family :</b> Ranellidae <b>C.Name:</b> Triton Trumpet <b>B.Ref. :</b> p-13-1 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 120 mm	<b>G-22515</b>	<b>186</b>
<b><i>Cymatium pileare</i></b> (C. Linnaeus, 1758)			
<b>Family :</b> Ranellidae <b>C.Name:</b> Hairy Triton <b>B.Ref. :</b> p-13-5 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 80 mm	<b>G-22583</b>	<b>187</b>
<b><i>Cymatium ranula</i></b> (O.A.L. Mörch, 1852)			
<b>Family :</b> Ranellidae <b>C.Name:</b> - <b>B.Ref. :</b> p-13-9 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm	<b>G-22587</b>	<b>188</b>



<b><i>Cymatium ranzanii</i></b> (J.J. Bianconi, 1850)			<small>Cymatology</small>
<b>Family :</b> Ranellidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			<b>G-22588</b>
<b>Habitat :</b> Sea	<b>Size :</b> 180 mm	<b>189</b>	
<b><i>Gyrineum natator</i></b> (P.F. Röding, 1798)			<small>Cymatology</small>
<b>Family :</b> Ranellidae <b>C.Name:</b> Frog Shell <b>B.Ref. :</b> p-13-12 <b>Range :</b> Indo-pacific			<b>G-22667</b>
<b>Habitat :</b> Sea	<b>Size :</b> 25 mm	<b>190</b>	
<b><i>Linatella caudata</i></b> (J.F. Gmelin, 1791)			<small>Cymatology</small>
<b>Family :</b> Ranellidae <b>C.Name:</b> Girdled Triton <b>B.Ref. :</b> p-13-16 <b>Range :</b> Indo-pacific			<b>G-22689</b>
<b>Habitat :</b> Sea	<b>Size :</b> 40 mm	<b>191</b>	
<b><i>Lotoria perryi</i></b> (W.K. Emerson & W.E. Old, 1963)			<small>Cymatology</small>
<b>Family :</b> Ranellidae <b>C.Name:</b> Ganesh Shell <b>B.Ref. :</b> p-13-8 <b>Range :</b> Indo-pacific			<b>G-22708</b>
<b>Habitat :</b> Sea	<b>Size :</b> 100 mm	<b>192</b>	



<b><i>Monoplex parthenopeus</i></b> (C.U.A. von Salis-Marschlins, 1793)			
<b>Family :</b> Ranellidae <b>C.Name:</b> Gaint Triton <b>B.Ref. :</b> p-13-4 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 40 mm	<b>G-22759</b>	<b>193</b>
<b><i>Ranularia exilis</i></b> (L.A. Reeve, 1844)			
<b>Family :</b> Ranellidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 60 mm	<b>G-22929</b>	<b>194</b>
<b><i>Ranularia gutturnia</i></b> (P.F. Röding, 1798)			
<b>Family :</b> Ranellidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 60 mm	<b>G-22932</b>	<b>195</b>
<b><i>Septa hepatica</i></b> (P.F. Röding, 1798)			
<b>Family :</b> Ranellidae <b>C.Name:</b> - <b>B.Ref. :</b> GTS-148 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm	<b>G-23008</b>	<b>196</b>



<b><i>Septa rubecula</i></b> (C. Linnaeus, 1758)				<small>Conchology</small>
<b>Family :</b> Ranellidae <b>C.Name:</b> ruby triton <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific				<b>G-23024</b>
<b>Habitat :</b> Sea	<b>Size :</b> 25 mm			
<b><i>Casmaria erinacea</i></b> (C. Linnaeus, 1758)				<small>Conchology</small>
<b>Family :</b> Cassidae <b>C.Name:</b> Common Bonnet <b>B.Ref. :</b> p-12-14 <b>Range :</b> Indo-pacific				<b>G-23093</b>
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm			
<b><i>Casmaria ponderosa</i></b> (J.F. Gmelin, 1791)				<small>Conchology</small>
<b>Family :</b> Cassidae <b>C.Name:</b> Heavy Bonnet <b>B.Ref. :</b> p-12-13 <b>Range :</b> indo-pacific				<b>G-23107</b>
<b>Habitat :</b> Sea	<b>Size :</b> 40 mm			
<b><i>Cassis cornuta</i></b> (C. Linnaeus, 1758)				<small>Conchology</small>
<b>Family :</b> Cassidae <b>C.Name:</b> Horned Helmet Shell <b>B.Ref. :</b> p-12-5 <b>Range :</b> Indo-pacific				<b>G-23126</b>
<b>Habitat :</b> Sea	<b>Size :</b> 220 mm			



<p><b><i>Cassis madagascariensis</i></b> (J.B.P.A. Lamarck, 1822)</p>			
<p><b>Family :</b> Cassidae <b>C.Name:</b> Emperor/Queen Helmet <b>B.Ref. :</b> GTS-129 <b>Range :</b> Caribbean</p>		<p><b>G-23148</b></p>	<p><b>201</b></p>
<p><b>Habitat :</b> Sea</p>	<p><b>Size :</b> 300 mm</p>		
<p><b><i>Cassis tessellata</i></b> (J.F. Gmelin, 1791)</p>			
<p><b>Family :</b> Cassidae <b>C.Name:</b> Tessellate Helmet <b>B.Ref. :</b> SOW-63 <b>Range :</b> West African</p>		<p><b>G-23176</b></p>	<p><b>202</b></p>
<p><b>Habitat :</b> Sea</p>	<p><b>Size :</b> 180 mm</p>		
<p><b><i>Cassis tuberosa</i></b> (C. Linnaeus, 1758)</p>			
<p><b>Family :</b> Cassidae <b>C.Name:</b> King Helmet <b>B.Ref. :</b> GTS-127 <b>Range :</b> Caribbean</p>		<p><b>G-23182</b></p>	<p><b>203</b></p>
<p><b>Habitat :</b> Sea</p>	<p><b>Size :</b> 230 mm</p>		
<p><b><i>Cypraecassis rufa</i></b> (C. Linnaeus, 1758)</p>			
<p><b>Family :</b> Cassidae <b>C.Name:</b> Pineapple Shell <b>B.Ref. :</b> p-12-6 <b>Range :</b> Indo-pacific</p>		<p><b>G-23205</b></p>	<p><b>204</b></p>
<p><b>Habitat :</b> Sea</p>	<p><b>Size :</b> 150 mm</p>		

<b><i>Phalium areola</i></b> (C. Linnaeus, 1758)				<small>Conchology</small>
<b>Family :</b> Cassidae <b>C.Name:</b> Checkerboard Bonnet <b>B.Ref. :</b> p-12-7 <b>Range :</b> Indo-pacific				<b>G-23356</b>
<b>Habitat :</b> Sea	<b>Size :</b> 65 mm			
<b><i>Phalium fimbria</i></b> (J.F. Gmelin, 1791)				<small>Conchology</small>
<b>Family :</b> Cassidae <b>C.Name:</b> Fimbriate Bonnet <b>B.Ref. :</b> P-12-10 <b>Range :</b> Indo-pacific				<b>G-23375</b>
<b>Habitat :</b> Sea	<b>Size :</b> 75 mm			
<b><i>Phalium glaucum</i></b> (C. Linnaeus, 1758)				<small>Conchology</small>
<b>Family :</b> Cassidae <b>C.Name:</b> Grey Bonnet <b>B.Ref. :</b> p-12-12 <b>Range :</b> Indo-pacific				<b>G-23384</b>
<b>Habitat :</b> Sea	<b>Size :</b> 90 mm			
<b><i>Semicassis bisulcata diuturna</i></b> (T. Iredale, 1927)				<small>Conchology</small>
<b>Family :</b> Cassidae <b>C.Name:</b> Ball Helmet <b>B.Ref. :</b> 142-6 <b>Range :</b> Indo-pacific				<b>G-23441</b>
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm			



<b><i>Semicassis bisulcata</i></b> (G.H. Schubert & J.A. Wagner, 1829)			
<b>Family :</b> Cassidae <b>C.Name:</b> Japanese bonnet <b>B.Ref. :</b> 142-6 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 60 mm	<b>G-23446</b>	<b>209</b>



<b><i>Semicassis faurotis</i></b> (F.P. Jousseume, 1888)			
<b>Family :</b> Cassidae <b>C.Name:</b> Faurot's Bonnet <b>B.Ref. :</b> 143-1 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm	<b>G-23465</b>	<b>210</b>



<b><i>Trivirostra oryza</i></b> (J.B.P.A. Lamarck, 1810)			
<b>Family :</b> Triviidae <b>C.Name:</b> Rice Grain/Sulcate Bean Cowry <b>B.Ref. :</b> P-10-6 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 5 mm	<b>G-31815</b>	<b>211</b>



<b><i>Onustus indicus</i></b> (J.F. Gmelin, 1791)			
<b>Family :</b> Xenophoridae <b>C.Name:</b> Chinesh Top <b>B.Ref. :</b> IS-162 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 85 mm	<b>G-32628</b>	<b>212</b>







<b><i>Stellaria solaris</i></b> (C. Linnaeus, 1764)			 <b>G-32640</b> <span style="float: right;"><b>213</b></span>
<b>Family :</b> Xenophoridae <b>C.Name:</b> Sunburst Carrier Shell <b>B.Ref. :</b> p-6-24 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 75 mm		



<b><i>Xenophora corrugatus</i></b> (Auct. non L.A. Reeve, 1842)			 <b>G-32659</b> <span style="float: right;"><b>214</b></span>
<b>Family :</b> Xenophoridae <b>C.Name:</b> Rough Carrier Shell <b>B.Ref. :</b> p-6-23 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 55 mm		



<b><i>Xenophora pallidula</i></b> (L.A. Reeve, 1842)			 <b>G-32687</b> <span style="float: right;"><b>215</b></span>
<b>Family :</b> Xenophoridae <b>C.Name:</b> Pallid Carrier Shell <b>B.Ref. :</b> 167-3 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 110 mm		



<b><i>Pupa solidula</i></b> (C. Linnaeus, 1758)			 <b>G-32934</b> <span style="float: right;"><b>216</b></span>
<b>Family :</b> Acteonidae <b>C.Name:</b> Spotted pupa <b>B.Ref. :</b> p-29-13 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 10 mm		



<b><i>Hydatina physis</i></b> (C. Linnaeus, 1758)			
<b>Family :</b> Aplustridae <b>C.Name:</b> Paper Bubble <b>B.Ref. :</b> SOW-128 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm	<b>G-32984</b>	<b>217</b>



<b><i>Hydatina zonata</i></b> (J. Lightfoot, 1786)			
<b>Family :</b> Aplustridae <b>C.Name:</b> Zoned Paper Bubble <b>B.Ref. :</b> P-29-5 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 40 mm	<b>G-32994</b>	<b>218</b>



<b><i>Bulla ampulla</i></b> (C. Linnaeus, 1758)			
<b>Family :</b> Bullidae <b>C.Name:</b> Pacific bulla <b>B.Ref. :</b> p-29-4 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 35 mm	<b>G-33041</b>	<b>219</b>





<b><i>Clithon oualanensis</i></b> (R.P. Lesson, 1831)			
<b>Family :</b> Neritidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 8 mm	<b>G-35886</b>	<b>220</b>





<i>Nerita balteata</i> (L.A. Reeve, 1855)			
<b>Family :</b> Neritidae <b>C.Name:</b> Lined Nerite <b>B.Ref. :</b> p-3-13 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 22 mm		<b>G-35941</b>



<i>Nerita costata</i> (G.B. Brocchi, 1814 non Gmelin, 1791)			
<b>Family :</b> Neritidae <b>C.Name:</b> - <b>B.Ref. :</b> P-3-14 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 25 mm		<b>G-35960</b>



<i>Nerita histrio</i> (C. Linnaeus, 1758)			
<b>Family :</b> Neritidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 25 mm		<b>G-36007</b>



<i>Nerita maxima</i> (J.F. Gmelin, 1791)			
<b>Family :</b> Neritidae <b>C.Name:</b> Maxima Nerita <b>B.Ref. :</b> 57-1 <b>Range :</b> Indo-Pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 40 mm		<b>G-36043</b>



<i>Nerita orbignyana</i> (C.A. Récluz, 1841)			<small>Conchology</small>
<b>Family :</b> Neritidae <b>C.Name:</b> - <b>B.Ref. :</b> 57-5 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 15 mm		<b>G-36067</b>
<i>Nerita oryzarum</i> (C.A. Récluz, 1841)			<small>Conchology</small>
<b>Family :</b> Neritidae <b>C.Name:</b> - <b>B.Ref. :</b> p-4-1 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 22 mm		<b>G-36069</b>
<i>Nerita peloronta</i> (C. Linnaeus, 1758)			<small>Conchology</small>
<b>Family :</b> Neritidae <b>C.Name:</b> - <b>B.Ref. :</b> 57-8 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 22 mm		<b>G-36077</b>
<i>Nerita plicata</i> (C. Linnaeus, 1758)			<small>Conchology</small>
<b>Family :</b> Neritidae <b>C.Name:</b> - <b>B.Ref. :</b> 57-12 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 15 mm		<b>G-36092</b>









<b><i>Nerita polita</i></b> (C. Linnaeus, 1758)		 <b>G-36098</b>	<b>229</b>
<b>Family :</b> Neritidae <b>C.Name:</b> Polished Nerita <b>B.Ref. :</b> p-4-2 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 25 mm		
<b><i>Nerita quadricolor</i></b> (J.F. Gmelin, 1791)		 <b>G-36103</b>	<b>230</b>
<b>Family :</b> Neritidae <b>C.Name:</b> - <b>B.Ref. :</b> 58-1 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 30 mm		
<b><i>Nerita aurantia</i></b> (C.A. Récluz, 1842)		 <b>G-36161</b>	<b>231</b>
<b>Family :</b> Neritidae <b>C.Name:</b> - <b>B.Ref. :</b> 55-11 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 20 mm		
<b><i>Nerita albicilla</i></b> (C. Linnaeus, 1758)		 <b>G-36168</b>	<b>232</b>
<b>Family :</b> Neritidae <b>C.Name:</b> Ox-Palate Nerita <b>B.Ref. :</b> p-3-12 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 25 mm		





<i>Neritina violacea</i> (J.F. Gmelin, 1791)			 <b>G-36173</b> <span style="float: right;"><b>233</b></span>
<b>Family :</b> Neritidae <b>C.Name:</b> Red-mouth nerite snail <b>B.Ref. :</b> IFM-60 <b>Range :</b> Asia in Backishwater			
<b>Habitat :</b> Sea	<b>Size :</b> 25 mm		

<i>Neritina communis</i> (J.R.C. Quoy & J.P. Gaimard, 1832)			 <b>G-36209</b> <span style="float: right;"><b>234</b></span>
<b>Family :</b> Neritidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 10 mm		









<i>Ellobium aurisjudae</i> (C. Linnaeus, 1758)			 <b>G-36725</b> <span style="float: right;"><b>235</b></span>
<b>Family :</b> Ellobiidae <b>C.Name:</b> Judas ear shell <b>B.Ref. :</b> P-29-8 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 45 mm		





<i>Melampus sincaporensis</i> (L. Pfeiffer, 1855)			 <b>G-36920</b> <span style="float: right;"><b>236</b></span>
<b>Family :</b> Ellobiidae <b>C.Name:</b> - <b>B.Ref. :</b> p-29-10 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 10 mm		

<b><i>Pythia plicata</i></b> (A.E.J. Férussac, 1821)		  G-37089	  237
<b>Habitat :</b> Sea	<b>Size :</b> 25 mm		
<b><i>Architectonica laevigata</i></b> (J.B.P.A. Lamarck, 1816)		  G-37330	  238
<b>Habitat :</b> Sea	<b>Size :</b> 30 mm		
<b><i>Architectonica perspectiva</i></b> (B. Salvat & C. Rives, 1975)		  G-37346	  239
<b>Habitat :</b> Sea	<b>Size :</b> 30 mm		
<b><i>Heliacus areola</i></b> (J.F. Gmelin, 1791)		  G-37418	  240
<b>Habitat :</b> Sea	<b>Size :</b> 20 mm		



<b><i>Helicacis variegatus</i></b> (H.H. Suter, 1913)			<small>Conchology</small>
<b>Family :</b> Architectonicidae <b>C.Name:</b> Variegated Sundial <b>B.Ref. :</b> SOW-38 <b>Range :</b> Indo-pacific			<b>G-37499</b>
<b>Habitat :</b> Sea	<b>Size :</b> 15 mm		
<b><i>Otopleura auriscata</i></b> (H.S. Holton, 1802)			<small>Conchology</small>
<b>Family :</b> Pyramidellidae <b>C.Name:</b> - <b>B.Ref. :</b> 469-3 <b>Range :</b> Indo-pacific			<b>G-40010</b>
<b>Habitat :</b> Sea	<b>Size :</b> 20 mm		
<b><i>Pyramidella acus</i></b> (J.F. Gmelin, 1791)		 <p style="text-align: center; font-size: small;">* Upper Tip Was Damaged, So consider</p>	<small>Conchology</small>
<b>Family :</b> Pyramidellidae <b>C.Name:</b> - <b>B.Ref. :</b> 468-16 <b>Range :</b> Indo-pacific			<b>G-40135</b>
<b>Habitat :</b> Sea	<b>Size :</b> 40 mm		
<b><i>Pyrene flava</i></b> (J.G. Bruguière, 1789)			<small>Conchology</small>
<b>Family :</b> Columbellidae <b>C.Name:</b> Yellow Dove Shell <b>B.Ref. :</b> P-19-1 <b>Range :</b> Indo-pacific			<b>G-44137</b>
<b>Habitat :</b> Sea	<b>Size :</b> 25 mm		







<b><i>Pyrene ocellata</i></b> (J.H.F. Link, 1807)			
<b>Family :</b> Columbellidae <b>C.Name:</b> - <b>B.Ref. :</b> GTS-189 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 10 mm	<b>G-44160</b>	<b>245</b>
<b><i>Cantharus melanostoma</i></b> (G.B. I Sowerby, 1825)			
<b>Family :</b> Buccinidae <b>C.Name:</b> - <b>B.Ref. :</b> 191-14 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 55 mm	<b>G-45570</b>	<b>246</b>
<b><i>Cantharus spiralis</i></b> (J.E. Gray, 1839)			
<b>Family :</b> Buccinidae <b>C.Name:</b> Ridged Goblet <b>B.Ref. :</b> p-17-12 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 40 mm	<b>G-45584</b>	<b>247</b>
<b><i>Cantharus tranquebaricus</i></b> (J.F. Gmelin, 1791)			
<b>Family :</b> Buccinidae <b>C.Name:</b> Tranquebar Goblet <b>B.Ref. :</b> P-17-13 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 30 mm	<b>G-45588</b>	<b>248</b>



<b><i>Colus jeffreysianus</i></b> (P. Fischer, 1868)			<small>Conchology</small>
<b>Family :</b> Buccinidae <b>C.Name:</b> - <b>B.Ref. :</b> 188-2 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm		<b>G-45824</b>
<b><i>Engina alveolata</i></b> (L.C. Kiener, 1836)			<small>Conchology</small>
<b>Family :</b> Buccinidae <b>C.Name:</b> - <b>B.Ref. :</b> p-18-3 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 10 mm		<b>G-45999</b>
<b><i>Engina lineata</i></b> (L.A. Reeve, 1846)			<small>Conchology</small>
<b>Family :</b> Buccinidae <b>C.Name:</b> - <b>B.Ref. :</b> P-18-2 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 10 mm		<b>G-46047</b>
<b><i>Engina mendicaria</i></b> (C. Linnaeus, 1758)			<small>Conchology</small>
<b>Family :</b> Buccinidae <b>C.Name:</b> Striped Engina <b>B.Ref. :</b> p-17-17 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 12 mm		<b>G-46058</b>



















<b><i>Pollia undosa</i></b> (C. Linnaeus, 1758)			
<b>Family :</b> Buccinidae <b>C.Name:</b> Waved Goblet <b>B.Ref. :</b> P-17-15 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 35 mm	<b>G-46974</b>	<b>257</b>









<b><i>Pollia wagneri</i></b> (H.E. Anton, 1838)			
<b>Family :</b> Buccinidae <b>C.Name:</b> Wagner's Goblet <b>B.Ref. :</b> p-17-14 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 20 mm	<b>G-46977</b>	<b>258</b>









<b><i>Bullia indusindica</i></b> (J.C. Melvill, 1898)			
<b>Family :</b> Nassariidae <b>C.Name:</b> - <b>B.Ref. :</b> P-19-10 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 20 mm	<b>G-47381</b>	<b>259</b>

<b><i>Bullia vittata</i></b> (C. Linnaeus, 1767)			
<b>Family :</b> Nassariidae <b>C.Name:</b> - <b>B.Ref. :</b> P-19-11 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 25 mm	<b>G-47447</b>	<b>260</b>





<i>Nassarius conoidalis</i> (G.P. Deshayes, 1832)			  <b>G-47797</b> <span style="float: right;"><b>261</b></span>
<b>Family :</b> Nassariidae <b>C.Name:</b> Cone-shaped Nassa <b>B.Ref. :</b> P-19-13 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 25 mm		
<i>Nassarius distortus</i> (A. Adams, 1852)			  <b>G-47853</b> <span style="float: right;"><b>262</b></span>
<b>Family :</b> Nassariidae <b>C.Name:</b> Distortus Nassa <b>B.Ref. :</b> p-19-15 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 20 mm		
<i>Nassarius dorsatus</i> (P.F. Röding, 1798)			  <b>G-47854</b> <span style="float: right;"><b>263</b></span>
<b>Family :</b> Nassariidae <b>C.Name:</b> - <b>B.Ref. :</b> P-19-16 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 30 mm		
<i>Nassarius globosus</i> (J.R.C. Quoy & J.P. Gaimard, 1833)			  <b>G-47939</b> <span style="float: right;"><b>264</b></span>
<b>Family :</b> Nassariidae <b>C.Name:</b> - <b>B.Ref. :</b> 233-15 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 10 mm		





<i>Nassarius marmoreus</i> (A. Adams, 1852)			
<b>Family :</b> Nassariidae <b>C.Name:</b> marbled nassa <b>B.Ref. :</b> P-19-18 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 25 mm	<b>G-48046</b>	<b>265</b>
<i>Nassarius papillosus</i> (C. Linnaeus, 1758)			
<b>Family :</b> Nassariidae <b>C.Name:</b> <b>B.Ref. :</b> 236-5 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 44 mm	<b>G-48124</b>	<b>266</b>
<i>Nassarius pullus</i> (C. Linnaeus, 1758)			
<b>Family :</b> Nassariidae <b>C.Name:</b> Ribbed Dog Whelk <b>B.Ref. :</b> p-20-8 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 25 mm	<b>G-48160</b>	<b>267</b>
<i>Nassarius stolatus</i> (J.F. Gmelin, 1791)			
<b>Family :</b> Nassariidae <b>C.Name:</b> - <b>B.Ref. :</b> P-20-7 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 20 mm	<b>G-48235</b>	<b>268</b>









<b><i>Busycon carica</i></b> (J.F. Gmelin, 1791)			 <b>G-48390</b> <b>269</b>
<b>Family :</b> Melongenidae <b>C.Name:</b> Knobbed/North Atlantic Whelk <b>B.Ref. :</b> 194-4 <b>Range :</b> Caribbean			
<b>Habitat :</b> Sea	<b>Size :</b> 130 mm		
<b><i>Busycoarctum coarctatum</i></b> (G.B. I Sowerby, 1825)			 <b>G-48391.1</b> <b>270</b>
<b>Family :</b> Buccinidae <b>C.Name:</b> Turnip Whelk <b>B.Ref. :</b> 194-5 <b>Range :</b> Caribbean			
<b>Habitat :</b> Sea	<b>Size :</b> 120 mm		
<b><i>Sinistrofulgur perversum</i></b> (C. Linnaeus, 1758)			 <b>G-48397.1</b> <b>271</b>
<b>Family :</b> Buccinidae <b>C.Name:</b> Left-handed Whelk <b>B.Ref. :</b> 194-7 <b>Range :</b> Caribbean			
<b>Habitat :</b> Sea	<b>Size :</b> 120 mm		
<b><i>Sinistrofulgur sinistrum</i></b> (S.C. Hollister, 1958)			 <b>G-48401.1</b> <b>272</b>
<b>Family :</b> Buccinidae <b>C.Name:</b> Lightning Whelk <b>B.Ref. :</b> S-87 <b>Range :</b> Caribbean			
<b>Habitat :</b> Sea	<b>Size :</b> 250 mm		



<b><i>Fulguopsis spirata</i></b> (J.B.P.A. Lamarck, 1816)			
<b>Family :</b> Buccinidae <b>C.Name:</b> Pear/Fig Whelk <b>B.Ref. :</b> 194-8 <b>Range :</b> Caribbean			
<b>Habitat :</b> Sea	<b>Size :</b> 100 mm	<b>G-48406.1</b>	<b>273</b>
<b><i>Hemifusus tuba</i></b> (J.F. Gmelin, 1791)			
<b>Family :</b> Melongenidae <b>C.Name:</b> Tuba False Fusus <b>B.Ref. :</b> s-140 <b>Range :</b> Japonic			
<b>Habitat :</b> Sea	<b>Size :</b> 150 mm	<b>G-48424</b>	<b>274</b>
<b><i>Melongena corona bispinosa</i></b> (R.A. Philippi, 1844)			
<b>Family :</b> Melongenidae <b>C.Name:</b> - <b>B.Ref. :</b> SOW-84 <b>Range :</b> Indo-pacific		 <p style="text-align: right; font-size: small;">* Damage Specimen</p>	
<b>Habitat :</b> Sea	<b>Size :</b> 75 mm	<b>G-48430</b>	<b>275</b>
<b><i>Melongena corona</i></b> (J.F. Gmelin, 1791)			
<b>Family :</b> Melongenidae <b>C.Name:</b> American Crown Conch <b>B.Ref. :</b> SOW-84 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 80 mm	<b>G-48435</b>	<b>276</b>











<b><i>Melongena melongena</i></b> (C. Linnaeus, 1758)			
<b>Family :</b> Melongenidae <b>C.Name:</b> Crown Shell <b>B.Ref. :</b> SOW-84 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 120 mm	<b>G-48440</b>	<b>277</b>
<b><i>Melongena patula</i></b> (W.J. Broderip & G.B. I Sowerby, 1829)			
<b>Family :</b> Melongenidae <b>C.Name:</b> Pacific Crown Conch <b>B.Ref. :</b> S-137 <b>Range :</b> Panamic			
<b>Habitat :</b> Sea	<b>Size :</b> 130 mm	<b>G-48446</b>	<b>278</b>
<b><i>Pugilina morio</i></b> (C. Linnaeus, 1758)			
<b>Family :</b> Melongenidae <b>C.Name:</b> Giant Hairy Melongena <b>B.Ref. :</b> 197-6 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 120 mm	<b>G-48457</b>	<b>279</b>
<b><i>Pugilina ternatanus</i></b> (J.F. Gmelin, 1791)			
<b>Family :</b> Melongenidae <b>C.Name:</b> - <b>B.Ref. :</b> 197-9 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 100	<b>G-48459</b>	<b>280</b>









<b><i>Volegalea carnaria</i></b> (P.F. Röding, 1798)				<small>Conchology</small>
<b>Family :</b> Melongenidae <b>C.Name:</b> - <b>B.Ref. :</b> P-20-12 <b>Range :</b> Indo-Pacific				<b>G-48464</b>
<b>Habitat :</b> Sea	<b>Size :</b> 100 mm			
<b><i>Volegalea cochlidium</i></b> (C. Linnaeus, 1758)				<small>Conchology</small>
<b>Family :</b> Melongenidae <b>C.Name:</b> - <b>B.Ref. :</b> p-20-10 <b>Range :</b> Indo-pacific				<b>G-48468</b>
<b>Habitat :</b> Sea	<b>Size :</b> 150 mm			
<b><i>Volegalea dirki</i></b> (F. Nolf, 2007)				<small>Conchology</small>
<b>Family :</b> Melongenidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-Pacific				<b>G-48469</b>
<b>Habitat :</b> Sea	<b>Size :</b> 70 mm			
<b><i>Fasciolaria tulipa</i></b> (C. Linnaeus, 1758)				<small>Conchology</small>
<b>Family :</b> Fasciolariidae <b>C.Name:</b> True Tulip <b>B.Ref. :</b> s-148 <b>Range :</b> Caribbean				<b>G-48631</b>
<b>Habitat :</b> Sea	<b>Size :</b> 130 mm			





<b><i>Filifusus filamentosus</i></b> (P.F. Röding, 1798)			
<b>Family :</b> Fasciolariidae <b>C.Name:</b> Tulip shell <b>B.Ref. :</b> p-21-2 <b>Range :</b> Indo-pacific			<b>G-48638</b>
<b>Habitat :</b> Sea	<b>Size :</b> 120 mm		
<b><i>Fusinus forceps salisburyi</i></b> (H.C. Fulton, 1930)			
<b>Family :</b> Fasciolariidae <b>C.Name:</b> Forceps Spindle <b>B.Ref. :</b> 212-7 <b>Range :</b> Indo-pacific			<b>G-48768</b>
<b>Habitat :</b> Sea	<b>Size :</b> 100 mm		
<b><i>Fusinus forceps</i></b> (G. Perry, 1811)			
<b>Family :</b> Fasciolariidae <b>C.Name:</b> Forceps Spindle <b>B.Ref. :</b> 212-7 <b>Range :</b> Indo-pacific			<b>G-48769</b>
<b>Habitat :</b> Sea	<b>Size :</b> 250 mm		
<b><i>Fusinus longissimus</i></b> (J.F. Gmelin, 1791)			
<b>Family :</b> Fasciolariidae <b>C.Name:</b> Long Spindle Shell <b>B.Ref. :</b> 214-2 <b>Range :</b> Indo-pacific			<b>G-48826</b>
<b>Habitat :</b> Sea	<b>Size :</b> 280 mm		

<b><i>Fusinus nicobaricus laticostatus</i></b> (G.P. Deshayes, 1830)			<small>Conchology</small>
<b>Family :</b> Fasciolariidae <b>C.Name:</b> Nicobar Spindle <b>B.Ref. :</b> p-21-7 <b>Range :</b> Indo-pacific			<b>G-48849</b>
<b>Habitat :</b> Sea	<b>Size :</b> 110 mm		
<b><i>Peristernia nassatula</i></b> (J.B.P.A. Lamarck, 1822)			<small>Conchology</small>
<b>Family :</b> Fasciolariidae <b>C.Name:</b> Fine-Net Peristernia <b>B.Ref. :</b> s-151 <b>Range :</b> Indo-pacific			<b>G-49684</b>
<b>Habitat :</b> Sea	<b>Size :</b> 30 mm		
<b><i>Peristernia pulchella</i></b> (L.A. Reeve, 1847)			<small>Conchology</small>
<b>Family :</b> Fasciolariidae <b>C.Name:</b> - <b>B.Ref. :</b> P-21-5 <b>Range :</b> Indo-pacific			<b>G-49697</b>
<b>Habitat :</b> Sea	<b>Size :</b> 20 mm		
<b><i>Pleuroploca clava</i></b> (I.H. Jonas, 1846)			<small>Conchology</small>
<b>Family :</b> Fasciolariidae <b>C.Name:</b> Persian Horse Conch <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			<b>G-49742</b>
<b>Habitat :</b> Sea	<b>Size :</b> 120 mm		









<b><i>Pleuroploca trapezium</i></b> (G. Perry, 1811)				<small>Conchology</small>
<b>Family :</b> Fasciolariidae <b>C.Name:</b> Horse Conch <b>B.Ref. :</b> p-21-3 <b>Range :</b> Indo-pacific				<b>G-49776</b>
<b>Habitat :</b> Sea	<b>Size :</b> 150 mm			
<b><i>Triplofusus giganteus</i></b> (L.C. Kiener, 1840)				<small>Conchology</small>
<b>Family :</b> Fasciolariidae <b>C.Name:</b> Florida horse conch <b>B.Ref. :</b> - <b>Range :</b> Caribbean				<b>G-49835</b>
<b>Habitat :</b> Sea	<b>Size :</b> 300 mm			
<b><i>Merica asperella</i></b> (J.B.P.A. Lamarck, 1822)				<small>Conchology</small>
<b>Family :</b> Cancellariidae <b>C.Name:</b> Elegant Nutmeg <b>B.Ref. :</b> p-24-10 <b>Range :</b> Indo-pacific				<b>G-50162</b>
<b>Habitat :</b> Sea	<b>Size :</b> 30 mm			
<b><i>Scalptia scalarina</i></b> (J.B.P.A. Lamarck, 1822)				<small>Conchology</small>
<b>Family :</b> Cancellariidae <b>C.Name:</b> - <b>B.Ref. :</b> p-24-9 <b>Range :</b> Indo-pacific				<b>G-50280</b>
<b>Habitat :</b> Sea	<b>Size :</b> 15 mm			









<b><i>Surcula fulminata</i></b> (L.C. Kiener, 1839)			<small>Conchology</small>
<b>Family :</b> Clavatulidae <b>C.Name:</b> - <b>B.Ref. :</b> P-28-3 <b>Range :</b> Indo-pacific			<b>G-51466</b>
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm		
<b><i>Turricula javana</i></b> (C. Linnaeus, 1767)			<small>Conchology</small>
<b>Family :</b> Clavatulidae <b>C.Name:</b> Java Turried <b>B.Ref. :</b> P-28-5 <b>Range :</b> Indo-pacific			<b>G-51513</b>
<b>Habitat :</b> Sea	<b>Size :</b> 60 mm		
<b><i>Conus rolani</i></b> (D. Röckel, 1986)			<small>Conchology</small>
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> 427-12 <b>Range :</b> Indo-pacific			<b>G-51728</b>
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm		
<b><i>Asprella sulcocastanea</i></b> (S. Kosuge, 1981)			<small>Conchology</small>
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			<b>G-51730</b>
<b>Habitat :</b> Sea	<b>Size :</b> 45 mm		









<b><i>Bathyconus comatosa</i></b> (H.A. Pilsbry, 1904)			
<b>Family :</b> Conidae <b>C.Name:</b> Schepman's Cone <b>B.Ref. :</b> p-26-2 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 45 mm	<b>G-51745</b>	<b>301</b>
<b><i>Calibanus furvus</i></b> (L.A. Reeve, 1843)			
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm	<b>G-51768</b>	<b>302</b>
<b><i>Conus amadis castaneofasciata</i></b> (P. Dautzenberg, 1937)			
<b>Family :</b> Conidae <b>C.Name:</b> Amadis Cone <b>B.Ref. :</b> p-25-7 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 65 mm	<b>G-51945</b>	<b>303</b>
<b><i>Conus ammiralis</i></b> (J.F. Gmelin, 1791)			
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 40 mm	<b>G-51971</b>	<b>304</b>





<b><i>Conus araneosus nicobaricus</i></b> (C.H. Hwass in J.G. Bruguière, 1792)			
<b>Family :</b> Conidae <b>C.Name:</b> Nichobar Cone <b>B.Ref. :</b> p-25-12 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 65 mm	<b>G-51988</b>	<b>305</b>
<b><i>Conus araneosus</i></b> (J. Lightfoot, 1786)			
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> P-25-10 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 110 mm	<b>G-51989</b>	<b>306</b>
<b><i>Conus arenatus</i></b> (P.F. Röding, 1798)			
<b>Family :</b> Conidae <b>C.Name:</b> Sand-dusted Cone <b>B.Ref. :</b> p-25-13 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 40 mm	<b>G-52006</b>	<b>307</b>
<b><i>Conus assimilis</i></b> (A. Adams, 1855)			
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 65 mm	<b>G-52015</b>	<b>308</b>











<b><i>Conus augur</i></b> (C.H. Hwass in J.G. Bruguière, 1792)				 <b>G-52017</b>	<b>309</b>
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific					
<b>Habitat :</b> Sea	<b>Size :</b> 60 mm				
<b><i>Conus australis</i></b> (J.S. Schröter, 1803)				 <b>G-52030</b>	<b>310</b>
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific					
<b>Habitat :</b> Sea	<b>Size :</b> 90 mm				
<b><i>Conus bandanus</i></b> (C.H. Hwass in J.G. Bruguière, 1792)				 <b>G-52035</b>	<b>311</b>
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific					
<b>Habitat :</b> Sea	<b>Size :</b> 74 mm				
<b><i>Conus bullatus pongo</i></b> (Coomans, Moolenbeek & E. Wils, 1982)				 <b>G-52080</b>	<b>312</b>
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific					
<b>Habitat :</b> Sea	<b>Size :</b> 67 mm				







<b><i>Conus cinereus</i></b> (P.F. Röding, 1798)			
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 48 mm	<b>G-52158</b>	<b>313</b>
<b><i>Conus coronatus</i></b> (L.A. Reeve, 1849)			
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> p-26-3 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> sea	<b>Size :</b> 30 mm	<b>G-52202</b>	<b>314</b>
<b><i>Conus eburneus</i></b> (P.F. Röding, 1798)			
<b>Family :</b> Conidae <b>C.Name:</b> Ivory Cone <b>B.Ref. :</b> p-26-8 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm	<b>G-52246</b>	<b>315</b>
<b><i>Conus geographus</i></b> (C. Linnaeus, 1758)			
<b>Family :</b> Conidae <b>C.Name:</b> Geography cone <b>B.Ref. :</b> p-26-13 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 120 mm	<b>G-52359.1</b>	<b>316</b>





<b><i>Conus glaucus</i></b> (P.F. Röding, 1798)			
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 42 mm	<b>G-52368</b>	<b>317</b>
<b><i>Conus kinoshitai</i></b> (T. Shikama, 1979)			
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 90 mm	<b>G-52473</b>	<b>318</b>
<b><i>Conus leopardus</i></b> (L.W. Dillwyn, 1817)			
<b>Family :</b> Conidae <b>C.Name:</b> Leopard Cone <b>B.Ref. :</b> p-26-20 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 140 mm	<b>G-52501</b>	<b>319</b>
<b><i>Conus magus</i></b> (P.F. Röding, 1798)			
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 70 mm	<b>G-52552</b>	<b>320</b>

<b><i>Conus marmoreus</i></b> (C. Linnaeus, 1758)				<small>Conchology</small>
<b>Family :</b> Conidae <b>C.Name:</b> Marbled Cone <b>B.Ref. :</b> p-26-25 <b>Range :</b> Indo-pacific				<b>G-52563</b>
<b>Habitat :</b> Sea	<b>Size :</b> 100 mm			
<b><i>Conus metcalfii</i></b> (L.A. Reeve, 1843)				<small>Conchology</small>
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific				<b>G-52626</b>
<b>Habitat :</b> Sea	<b>Size :</b> 70 mm			
<b><i>Conus omaria</i></b> (J.C. Melvill, 1900)				<small>Conchology</small>
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific				<b>G-52718</b>
<b>Habitat :</b> Sea	<b>Size :</b> 60 mm			
<b><i>Conus polyglotta</i></b> (H.C. Weinkauff, 1874)				<small>Conchology</small>
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific				<b>G-52792</b>
<b>Habitat :</b> Sea	<b>Size :</b> 47 mm			









<b><i>Conus quercinus</i></b> (C.H. Hwass in J.G. Bruguière, 1792)				 <b>G-52858</b>	<b>325</b>
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> p-27-11 <b>Range :</b> Indo-pacific					
<b>Habitat :</b> Sea	<b>Size :</b> 100 mm				
<b><i>Conus subfloridus</i></b> (A.J. Da Motta, 1985)				 <b>G-52981</b>	<b>326</b>
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific					
<b>Habitat :</b> Sea	<b>Size :</b> 110 mm				
<b><i>Conus sulcatus</i></b> (J.K. Megerle Von Mühlfeld, 1816)				 <b>G-52993</b>	<b>327</b>
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific					
<b>Habitat :</b> Sea	<b>Size :</b> 66 mm				
<b><i>Conus textile dahlakensis</i></b> (A.J. Da Motta, 1982)				 <b>G-53038</b>	<b>328</b>
<b>Family :</b> Conidae <b>C.Name:</b> Textile Cone <b>B.Ref. :</b> p-27-17 <b>Range :</b> Indo-pacific					
<b>Habitat :</b> Sea	<b>Size :</b> 75 mm				









<b><i>Conus thalassiarchus azona</i></b> (E. Wils, 1972)			
<b>Family :</b> Conidae <b>C.Name:</b> bough cone <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 77 mm	<b>G-53044</b>	<b>329</b>
<b><i>Conus thalassiarchus</i></b> (G.B. II Sowerby, 1834)			
<b>Family :</b> Conidae <b>C.Name:</b> bough cone <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 77 mm	<b>G-53044.1</b>	<b>330</b>
<b><i>Conus vitulinus</i></b> (C.H. Hwass in J.G. Bruguière, 1792)			
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 82 mm	<b>G-53122</b>	<b>331</b>
<b><i>Darioconus aulicus</i></b> (C. Linnaeus, 1758)			
<b>Family :</b> Conidae <b>C.Name:</b> Princely Cone <b>B.Ref. :</b> p-25-5 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 100 mm	<b>G-53194</b>	<b>332</b>









<b><i>Darioconus bengalensis</i></b> (T.A. Okutani, 1968)			
<b>Family :</b> Conidae <b>C.Name:</b> Bengal Cone <b>B.Ref. :</b> p-25-16 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 45 mm	<b>G-53199</b>	<b>333</b>
<b><i>Dendroconus betulinus</i></b> (C. Linnaeus, 1758)			
<b>Family :</b> Conidae <b>C.Name:</b> Beech Cone <b>B.Ref. :</b> p-25-17 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm	<b>G-53249</b>	<b>334</b>
<b><i>Dendroconus buxus loroisii</i></b> (L.C. Kiener, 1846)			
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> P-26-22 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 70 mm	<b>G-53250</b>	<b>335</b>
<b><i>Dendroconus buxus</i></b> (J.H.F. Link, 1807)			
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> p-26-22 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 70 mm	<b>G-53251</b>	<b>336</b>



<b><i>Dendroconus figulinus</i></b> (C. Linnaeus, 1758)			<small>Conchology</small>
<b>Family :</b> Conidae <b>C.Name:</b> Fig shell <b>B.Ref. :</b> p-26-9 <b>Range :</b> Indo-pacific			<b>G-53255</b>
<b>Habitat :</b> Sea	<b>Size :</b> 75 mm		
<b><i>Dendroconus suratensis</i></b> (C.H. Hwass in J.G. Bruguière, 1792)			<small>Conchology</small>
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> indo-Pacific			<b>G-53264</b>
<b>Habitat :</b> Sea	<b>Size :</b> 80 mm		
<b><i>Elisaconus litteratus</i></b> (C. Linnaeus, 1758)			<small>Conchology</small>
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> indo-Pacific			<b>G-53269</b>
<b>Habitat :</b> Sea	<b>Size :</b> 100 mm		
<b><i>Eugeniconus cordigera</i></b> (G.B. II Sowerby, 1866)			<small>Conchology</small>
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			<b>G-53291</b>
<b>Habitat :</b> Sea	<b>Size :</b> 36 mm		







<b><i>Floraconus anemone novaehollandiae</i></b> (A. Adams, 1854)			
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 32 mm	<b>G-53298</b>	<b>341</b>
<b><i>Fusiconus hopwoodi</i></b> (J.R. le B. Tomlin, 1937)			
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 35 mm	<b>G-53318</b>	<b>342</b>
<b><i>Fusiconus longurionis</i></b> (L.C. Kiener, 1847)			
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> p-26-23 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 45 mm	<b>G-53319</b>	<b>343</b>
<b><i>Conus tulipa</i></b> (C. Linnaeus, 1758)			
<b>Family :</b> Conidae <b>C.Name:</b> Tulip Cone <b>B.Ref. :</b> p-27-19 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 60 mm	<b>G-53324.1</b>	<b>344</b>



<b><i>Graphiconus blanfordianus</i></b> (J.C.H. Crosse, 1867)			
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 40 mm	<b>G-53377</b>	<b>345</b>
<b><i>Graphiconus inscriptus</i></b> (L.A. Reeve, 1843)			
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> P-26-17 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm	<b>G-53385</b>	<b>346</b>
<b><i>Graphiconus neptunus</i></b> (L.A. Reeve, 1843)			
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 58 mm	<b>G-53398</b>	<b>347</b>
<b><i>Hermes nussatella</i></b> (C. Linnaeus, 1758)			
<b>Family :</b> Conidae <b>C.Name:</b> Nussatella cone <b>B.Ref. :</b> p-27-8 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> sea	<b>Size :</b> 30 mm	<b>G-53426</b>	<b>348</b>









<b><i>Kioconus tribblei</i></b> (J.G. Walls, 1977)			 <b>G-53490</b> <b>349</b>
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 35 mm		
<b><i>Kioconus voluminalis</i></b> (L.A. Reeve, 1843)			 <b>G-53494</b> <b>350</b>
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 48 mm		
<b><i>Leptoconus amadis</i></b> (J.F. Gmelin, 1791)			 <b>G-53544</b> <b>351</b>
<b>Family :</b> Conidae <b>C.Name:</b> Amadis Cone <b>B.Ref. :</b> p-25-7 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 65 mm		
<b><i>Leptoconus milneedwardsi</i></b> (F.P. Jousseau, 1894)			 <b>G-53560</b> <b>352</b>
<b>Family :</b> Conidae <b>C.Name:</b> Glory Of Sea <b>B.Ref. :</b> p-27-4 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 125 mm		









<b><i>Lithoconus characteristicus</i></b> (G. Fischer von Waldheim, 1807)			
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 70 mm	<b>G-53574</b>	<b>353</b>





<b><i>Lividoconus floridulus</i></b> (A. Adams & L.A. Reeve, 1848)			
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 30 mm	<b>G-53584</b>	<b>354</b>









<b><i>Lividoconus muriculatus</i></b> (G.B. I Sowerby, 1833)			
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 35 mm	<b>G-53585</b>	<b>355</b>

<b><i>Miliariconus aristophanes</i></b> (G.B. II Sowerby, 1857)			
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 35 mm	<b>G-53591</b>	<b>356</b>





<b><i>Phasmoconus collisus</i></b> (L.A. Reeve, 1849)			
Family : Conidae C.Name: - B.Ref. : - Range : Indo-pacific			
Habitat : Sea	Size : 52 mm	G-53631	357
<b><i>Phasmoconus jickelii</i></b> (H.C. Weinkauff, 1873)			
Family : Conidae C.Name: - B.Ref. : - Range : Indo-pacific			
Habitat : Sea	Size : 40 mm	G-53640	358
<b><i>Phasmoconus radiatus</i></b> (J.F. Gmelin, 1791)			
Family : Conidae C.Name: - B.Ref. : - Range : Indo-pacific			
Habitat : Sea	Size : 62 mm	G-53651	359
<b><i>Phasmoconus zapatosensis</i></b> (D. Röckel, 1987)			
Family : Conidae C.Name: - B.Ref. : - Range : Indo-pacific			
Habitat : Sea	Size : 28 mm	G-53666	360









<b><i>Pionoconus catus</i></b> (C.H. Hwass in J.G. Bruguière, 1792)			
<b>Family :</b> Conidae <b>C.Name:</b> Cat Cone <b>B.Ref. :</b> p-25-23 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 35 mm	<b>G-53676</b>	<b>361</b>
<b><i>Pionoconus circumcisis</i></b> (I. von Born, 1778)			
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 48 mm	<b>G-53677</b>	<b>362</b>
<b><i>Pionoconus fischoederi</i></b> (D. Röckel & A.J. Da Motta, 1983)			
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 26 mm	<b>G-53679</b>	<b>363</b>
<b><i>Pionoconus gubernator</i></b> (C.H. Hwass in J.G. Bruguière, 1792)			
<b>Family :</b> Conidae <b>C.Name:</b> Governor cone <b>B.Ref. :</b> p-26-14 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 55 mm	<b>G-53683</b>	<b>364</b>









<b><i>Pionoconus striatus</i></b> (C. Linnaeus, 1758)				G-53696	365
<b>Family :</b> Conidae <b>C.Name:</b> Striated Cone <b>B.Ref. :</b> p-27-13 <b>Range :</b> Indo-pacific					
<b>Habitat :</b> Sea	<b>Size :</b> 100 mm				
<b><i>Pionoconus striolatus</i></b> (L.C. Kiener, 1848)				G-53697	366
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific					
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm				
<b><i>Puncticulis pulicarius</i></b> (C.H. Hwass in J.G. Bruguière, 1792)				G-53759	367
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific					
<b>Habitat :</b> Sea	<b>Size :</b> 43 mm				
<b><i>Puncticulis zeylanicus</i></b> (J.F. Gmelin, 1791)				G-53761	368
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific					
<b>Habitat :</b> Sea	<b>Size :</b> 62 mm				









<b><i>Rhizoconus capitaneus</i></b> (C. Linnaeus, 1758)			
<b>Family :</b> Conidae <b>C.Name:</b> Captain Cone <b>B.Ref. :</b> p-25-21 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 60 mm	<b>G-53809</b>	<b>369</b>
<b><i>Rhizoconus miles</i></b> (C. Linnaeus, 1758)			
<b>Family :</b> Conidae <b>C.Name:</b> Soldier Cone <b>B.Ref. :</b> p-27-1 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 75 mm	<b>G-53815</b>	<b>370</b>
<b><i>Rhizoconus mustelinus</i></b> (C.H. Hwass in J.G. Bruguière, 1792)			
<b>Family :</b> Conidae <b>C.Name:</b> Weasel Cone <b>B.Ref. :</b> P-27-3 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm	<b>G-53816</b>	<b>371</b>
<b><i>Rhizoconus pertusus</i></b> (C.H. Hwass in J.G. Bruguière, 1792)			
<b>Family :</b> Conidae <b>C.Name:</b> Pertusus Cone <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 34 mm	<b>G-53822</b>	<b>372</b>



















<b><i>Rhizoconus rattus</i></b> (C.H. Hwass in J.G. Bruguière, 1792)				<small>Conchology</small>
<b>Family :</b> Conidae <b>C.Name:</b> Rat Cone <b>B.Ref. :</b> p-27-12 <b>Range :</b> Indo-pacific				<b>G-53823</b>
<b>Habitat :</b> Sea	<b>Size :</b> 45 mm			
<b><i>Rhizoconus vexillum</i></b> (J.F. Gmelin, 1791)				<small>Conchology</small>
<b>Family :</b> Conidae <b>C.Name:</b> Vexillum Cone <b>B.Ref. :</b> p-27-21 <b>Range :</b> Indo-pacific				<b>G-53826</b>
<b>Habitat :</b> Sea	<b>Size :</b> 80 mm			
<b><i>Rhombiconus imperialis</i></b> (C. Linnaeus, 1758)				<small>Conchology</small>
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific				<b>G-53830</b>
<b>Habitat :</b> Sea	<b>Size :</b> 65 mm			
<b><i>Rolaniconus varius</i></b> (C. Linnaeus, 1758)				<small>Conchology</small>
<b>Family :</b> Conidae <b>C.Name:</b> Freckled Cone <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific				<b>G-53843</b>
<b>Habitat :</b> Sea	<b>Size :</b> 40 mm			









<b><i>Conus biliosus</i></b> (P.F. Röding, 1798)				 <b>G-53863</b>	<b>377</b>
<b>Family :</b> Conidae <b>C.Name:</b> Biliosus Cone <b>B.Ref. :</b> P-25-18 <b>Range :</b> Indo-pacific					
<b>Habitat :</b> Sea	<b>Size :</b> 45 mm				
<b><i>Stellaconus malacanus</i></b> (C.H. Hwass in J.G. Bruguière, 1792)				 <b>G-53868</b>	<b>378</b>
<b>Family :</b> Conidae <b>C.Name:</b> Malacca Cone <b>B.Ref. :</b> p-26-24 <b>Range :</b> Indo-pacific					
<b>Habitat :</b> Sea	<b>Size :</b> 65 mm				
<b><i>Strategoconus generalis</i></b> (C. Linnaeus, 1767)				 <b>G-53875</b>	<b>379</b>
<b>Family :</b> Conidae <b>C.Name:</b> General Cone <b>B.Ref. :</b> p-26-11 <b>Range :</b> Indo-pacific					
<b>Habitat :</b> Sea	<b>Size :</b> 65 mm				
<b><i>Strategoconus monile</i></b> (C.H. Hwass in J.G. Bruguière, 1792)				 <b>G-53878</b>	<b>380</b>
<b>Family :</b> Conidae <b>C.Name:</b> Necklace Cone <b>B.Ref. :</b> p-27-2 <b>Range :</b> Indo-pacific					
<b>Habitat :</b> Sea	<b>Size :</b> 55 mm				









<b><i>Tesselliconus tessulatus</i></b> (I. von Born, 1778)			
<b>Family :</b> Conidae <b>C.Name:</b> Tessellate Cone <b>B.Ref. :</b> p-27-16 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 45 mm	<b>G-53904</b>	<b>381</b>
<b><i>Textilia stercusmuscarum</i></b> (C. Linnaeus, 1758)			
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 54 mm	<b>G-53920</b>	<b>382</b>
<b><i>Turriconus praezellens</i></b> (A. Adams, 1855)			
<b>Family :</b> Conidae <b>C.Name:</b> Admirable Cone <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 40 mm	<b>G-53944</b>	<b>383</b>
<b><i>Virgiconus emaciatus</i></b> (L.A. Reeve, 1849)			
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> GTS-278 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm	<b>G-53978</b>	<b>384</b>

<b><i>Virgiconus flavidus</i></b> (J.B.P.A. Lamarck, 1810)			
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> p-26-10 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 40 mm	<b>G-53979</b>	<b>385</b>
<b><i>Virgiconus lividus</i></b> (C.H. Hwass in J.G. Bruguière, 1792)			
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm	<b>G-53982</b>	<b>386</b>
<b><i>Virgiconus terebra</i></b> (I. von Born, 1778)			
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> p-27-15 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 45 mm	<b>G-53985</b>	<b>387</b>
<b><i>Virgiconus virgo</i></b> (C. Linnaeus, 1758)			
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 65 mm	<b>G-53988</b>	<b>388</b>









<b><i>Virroconus ebraeus</i></b> (C. Linnaeus, 1758)			
<b>Family :</b> Conidae <b>C.Name:</b> Black and white Cone <b>B.Ref. :</b> Ebay <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 40 mm	<b>G-53990</b>	<b>389</b>
<b><i>Vituliconus planorbis</i></b> (I. von Born, 1778)			
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 85 mm	<b>G-53994</b>	<b>390</b>
<b><i>Vituliconus striatellus</i></b> (J.H.F. Link, 1807)			
<b>Family :</b> Conidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 46 mm	<b>G-53995</b>	<b>391</b>
<b><i>Ptychobela nodulosa</i></b> (J.F. Gmelin, 1791)			
<b>Family :</b> Pseudomelatomidae <b>C.Name:</b> Crenulated Turrid <b>B.Ref. :</b> P-28-2 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 35 mm	<b>G-57613</b>	<b>392</b>













<b><i>Cinguloterebra commaculata</i></b> (J.F. Gmelin, 1791)		 <b>G-57692</b>	 <b>393</b>
<b>Family :</b> Terebridae <b>C.Name:</b> Many-spotted Auger <b>B.Ref. :</b> 437-16 <b>Range :</b> Indo-pacific	<b>Habitat :</b> Sea <b>Size :</b> 75 mm		
<b><i>Cinguloterebra cumingii</i></b> (G.P. Deshayes, 1857)		 <b>G-57694</b>	 <b>394</b>
<b>Family :</b> Terebridae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific	<b>Habitat :</b> Sea <b>Size :</b> 100 mm		
<b><i>Cinguloterebra pretiosa</i></b> (L.A. Reeve, 1842)		 <b>G-57712</b>	 <b>395</b>
<b>Family :</b> Terebridae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific	<b>Habitat :</b> Sea <b>Size :</b> 100 mm		
<b><i>Duplicaria duplicata</i></b> (C. Linnaeus, 1758)		 <b>G-57750</b>	 <b>396</b>
<b>Family :</b> Terebridae <b>C.Name:</b> - <b>B.Ref. :</b> p-28-10 <b>Range :</b> Indo-pacific	<b>Habitat :</b> Sea <b>Size :</b> 50 mm		





<b><i>Myurella affinis</i></b> (J.E. Gray, 1834)			
<b>Family :</b> Terebridae <b>C.Name:</b> - <b>B.Ref. :</b> p-28-23 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm	<b>G-57929</b>	<b>397</b>
<b><i>Oxymuris areolata</i></b> (J.H.F. Link, 1807)			
<b>Family :</b> Terebridae <b>C.Name:</b> Muscaria Auger <b>B.Ref. :</b> SOW-121 <b>Range :</b> indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 150 mm	<b>G-57962</b>	<b>398</b>
<b><i>Oxymuris cerithina</i></b> (J.B.P.A. Lamarck, 1822)			
<b>Family :</b> Terebridae <b>C.Name:</b> <b>B.Ref. :</b> p-28-15 <b>Range :</b> indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 30 mm	<b>G-57964</b>	<b>399</b>
<b><i>Oxymuris maculata</i></b> (C. Linnaeus, 1758)			
<b>Family :</b> Terebridae <b>C.Name:</b> Marlinspike <b>B.Ref. :</b> SOW-120 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 200 mm	<b>G-57976</b>	<b>400</b>

<b><i>Terebra pertusa</i></b> (G.B. Sowerby, 1839)			 <b>G-58375</b> <b>401</b>
<b>Family :</b> Terebridae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 115 mm		
<b><i>Gemmula diomedeae</i></b> (A.W.B. Powell, 1964)			 <b>G-58570</b> <b>402</b>
<b>Family :</b> Turridae <b>C.Name:</b> - <b>B.Ref. :</b> p-28-6 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 70 mm		
<b><i>Lophiotoma indica</i></b> (P.F. Röding, 1798)			 <b>G-58658</b> <b>403</b>
<b>Family :</b> Turridae <b>C.Name:</b> Indian Turrid <b>B.Ref. :</b> p-28-8 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm		
<b><i>Thatcheria mirabilis</i></b> (G.F. Angas, 1877)			 <b>G-60598</b> <b>404</b>
<b>Family :</b> Raphitomidae <b>C.Name:</b> Japanese Wonder Shell <b>B.Ref. :</b> s-184 <b>Range :</b> Japonic & Indo-Pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 100 mm		











<b><i>Babylonia spirata</i></b> (C. Linnaeus, 1758)				 <b>G-60742</b>	<b>405</b>
<b>Family :</b> Babyloniidae <b>C.Name:</b> - <b>B.Ref. :</b> p-18-13 <b>Range :</b> Indo-pacific					
<b>Habitat :</b> Sea	<b>Size :</b> 60 mm				
<b><i>Babylonia zeylanica</i></b> (J.G. Bruguière, 1789)				 <b>G-60749</b>	<b>406</b>
<b>Family :</b> Babyloniidae <b>C.Name:</b> - <b>B.Ref. :</b> p-18-14 <b>Range :</b> Indo-pacific					
<b>Habitat :</b> Sea	<b>Size :</b> 65 mm				
<b><i>Vexillum virgo</i></b> (C. Linnaeus, 1767)				 <b>G-61181</b>	<b>407</b>
<b>Family :</b> Costellariidae <b>C.Name:</b> Virgin Mitre <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific					
<b>Habitat :</b> Sea	<b>Size :</b> 20 mm				
<b><i>Vexillum acuminatum</i></b> (J.F. Gmelin, 1791)				 <b>G-61331</b>	<b>408</b>
<b>Family :</b> Costellariidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific					
<b>Habitat :</b> Sea	<b>Size :</b> 30 mm				



<b><i>Vexillum albofulvum</i></b> (M. Hermann, 2007)				
<b>Family :</b> Costellariidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific				
<b>Habitat :</b> Sea	<b>Size :</b> 55 mm			
<b><i>Vexillum balteolatum</i></b> (L.A. Reeve, 1844)				
<b>Family :</b> Costellariidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific				
<b>Habitat :</b> Sea	<b>Size :</b> 35 mm			
<b><i>Vexillum citrinum compressa</i></b> (G.B. II Sowerby, 1828)				
<b>Family :</b> Costellariidae <b>C.Name:</b> - <b>B.Ref. :</b> 309-5 <b>Range :</b> Indo-pacific				
<b>Habitat :</b> Sea	<b>Size :</b> 45 mm			
<b><i>Vexillum curviliratum</i></b> (G.B. III Sowerby, 1874)				
<b>Family :</b> Costellariidae <b>C.Name:</b> - <b>B.Ref. :</b> 309-6 <b>Range :</b> Indo-pacific				
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm			



<b><i>Vexillum dennisoni</i></b> (L.A. Reeve, 1844)			<small>Conchology</small>
<b>Family :</b> Costellariidae <b>C.Name:</b> Dennison's Miter <b>B.Ref. :</b> S-164 <b>Range :</b> Indo-pacific			<b>G-61412</b>
<b>Habitat :</b> Sea	<b>Size :</b> 60 mm		<b>413</b>
<b><i>Vexillum gruneri</i></b> (L.A. Reeve, 1844)			<small>Conchology</small>
<b>Family :</b> Costellariidae <b>C.Name:</b> Gruner's Mitre <b>B.Ref. :</b> p-24-2 <b>Range :</b> Indo-pacific			<b>G-61462</b>
<b>Habitat :</b> Sea	<b>Size :</b> 30 mm		<b>414</b>
<b><i>Vexillum nivale</i></b> (M. Herrmann & E.G. de Suduiraut, 2009)			<small>Conchology</small>
<b>Family :</b> Costellariidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			<b>G-61541</b>
<b>Habitat :</b> Sea	<b>Size :</b> 55 mm		<b>415</b>
<b><i>Vexillum rugosum</i></b> (J.F. Gmelin, 1791)			<small>Conchology</small>
<b>Family :</b> Costellariidae <b>C.Name:</b> Rugose Mitre <b>B.Ref. :</b> p-24-4 <b>Range :</b> Indo-pacific			<b>G-61608</b>
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm		<b>416</b>







<b><i>Cymbiola nobilis</i></b> (J. Lightfoot, 1786)			<small>Cymbiology</small>
<b>Family :</b> Volutidae <b>C.Name:</b> Noble Volute <b>B.Ref. :</b> SOW-98 <b>Range :</b> Indo-pacific			<b>G-62028</b>
<b>Habitat :</b> Sea	<b>Size :</b> 170 mm		
<b><i>Cymbiola vesperilio matiyensis</i></b> (H. Douté, 1985)			<small>Cymbiology</small>
<b>Family :</b> Volutidae <b>C.Name:</b> Bat Valute <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			<b>G-62075</b>
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm		
<b><i>Cymbium cymbium</i></b> (C. Linnaeus, 1758)			<small>Cymbiology</small>
<b>Family :</b> Volutidae <b>C.Name:</b> false elephant's snout volute <b>B.Ref. :</b> GTS-240 <b>Range :</b> West Africa			<b>G-62091</b>
<b>Habitat :</b> Sea	<b>Size :</b> 155 mm		
<b><i>Cymbium glans</i></b> (J.F. Gmelin, 1791)			<small>Cymbiology</small>
<b>Family :</b> Volutidae <b>C.Name:</b> Elephant's Snout Volute <b>B.Ref. :</b> 360-2 <b>Range :</b> Indo-pacific			<b>G-62093</b>
<b>Habitat :</b> Sea	<b>Size :</b> 300 mm		

<b><i>Harpulina arausiaca</i></b> (J. Lightfoot, 1786)			<small>Conchology</small>
<b>Family :</b> Volutidae <b>C.Name:</b> Gold Banded Volute <b>B.Ref. :</b> P-21-11 <b>Range :</b> Indo-pacific			<b>G-62238</b>
<b>Habitat :</b> Sea	<b>Size :</b> 75 mm		
<b><i>Harpulina lapponica loroisi</i></b> (A. Valenciennes, 1863)			<small>Conchology</small>
<b>Family :</b> Volutidae <b>C.Name:</b> Lorois's Volute <b>B.Ref. :</b> p-21-13 <b>Range :</b> Indo-pacific			<b>G-62242</b>
<b>Habitat :</b> Sea	<b>Size :</b> 80 mm		
<b><i>Harpulina lapponica</i></b> (C. Linnaeus, 1767)			<small>Conchology</small>
<b>Family :</b> Volutidae <b>C.Name:</b> - <b>B.Ref. :</b> P-21-12 <b>Range :</b> Indo-pacific			<b>G-62243</b>
<b>Habitat :</b> Sea	<b>Size :</b> 65 mm		
<b><i>Lyria delessertiana</i></b> (S.A.A. Petit De La Saussaye, 1842)			<small>Conchology</small>
<b>Family :</b> Volutidae <b>C.Name:</b> Delessert's Lyria <b>B.Ref. :</b> s-174 <b>Range :</b> Indo-pacific			<b>G-62267</b>
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm		

<b><i>Melo broderipii</i></b> (J.E. Gray in E. Griffith & E. Pidgeon, 1833)			
<b>Family :</b> Volutidae <b>C.Name:</b> - <b>B.Ref. :</b> 372-1 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 250 mm		









<b><i>Melo melo</i></b> (J. Lightfoot, 1786)			
<b>Family :</b> Volutidae <b>C.Name:</b> Bailer Shell / melon Shell <b>B.Ref. :</b> p-21-14 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 220 mm		





<b><i>Voluta ebraea</i></b> (C. Linnaeus, 1758)			
<b>Family :</b> Volutidae <b>C.Name:</b> Hebrew volute <b>B.Ref. :</b> 350-8 <b>Range :</b> Atlantic			
<b>Habitat :</b> Sea	<b>Size :</b> 150 mm		



<b><i>Columbarium pagoda</i></b> (R.P. Lesson, 1831)			
<b>Family :</b> Turbinellidae <b>C.Name:</b> First Pagoda Shell <b>B.Ref. :</b> s-123 <b>Range :</b> Japonic			
<b>Habitat :</b> Sea	<b>Size :</b> 60 mm		











<b><i>Turbinella pyrum dentata</i></b> (Unknown)			 <b>G-62900</b>	<b>437</b>
<b>Family :</b> Turbinellidae <b>C.Name:</b> Indian Chank <b>B.Ref. :</b> p-20-15 <b>Range :</b> Indo-pacific				
<b>Habitat :</b> Sea	<b>Size :</b> 220 mm			
<b><i>Turbinella pyrum napus</i></b> (J.B.P.A. Lamarck, 1822)			 <b>G-62902</b>	<b>438</b>
<b>Family :</b> Turbinellidae <b>C.Name:</b> Indian Chank <b>B.Ref. :</b> p-20-15 <b>Range :</b> Indo-pacific				
<b>Habitat :</b> Sea	<b>Size :</b> 220 mm			
<b><i>Turbinella rapa</i></b> (J.B.P.A. Lamarck, 1843)			 <b>G-62905</b>	<b>439</b>
<b>Family :</b> Turbinellidae <b>C.Name:</b> Indian Chank <b>B.Ref. :</b> p-20-16 <b>Range :</b> Indo-pacific				
<b>Habitat :</b> Sea	<b>Size :</b> 150 mm			
<b><i>Vasum turbinellus</i></b> (C. Linnaeus, 1758)			 <b>G-62966</b>	<b>440</b>
<b>Family :</b> Turbinellidae <b>C.Name:</b> Horned Havy Whelk <b>B.Ref. :</b> P-20-17 <b>Range :</b> Indo-pacific				
<b>Habitat :</b> Sea	<b>Size :</b> 85 mm			





<b><i>Bolinus cornutus</i></b> (C. Linnaeus, 1758)			<small>Conchology</small>
<b>Family :</b> Muricidae <b>C.Name:</b> horned murex <b>B.Ref. :</b> GTS-158 <b>Range :</b> West Africa			<b>G-63203</b>
<b>Habitat :</b> Sea	<b>Size :</b> 150 mm	<b>441</b>	
<b><i>Chicoreus maurus</i></b> (W.J. Broderip, 1833)			<small>Conchology</small>
<b>Family :</b> Muricidae <b>C.Name:</b> Maurus Murex <b>B.Ref. :</b> p-15-5 <b>Range :</b> Indo-pacific			<b>G-63364</b>
<b>Habitat :</b> Sea	<b>Size :</b> 75 mm	<b>442</b>	
<b><i>Chicoreus palmarosae</i></b> (J.B.P.A. Lamarck, 1822)			<small>Conchology</small>
<b>Family :</b> Muricidae <b>C.Name:</b> Rose-branch Murex <b>B.Ref. :</b> p-15-3 <b>Range :</b> Indo-pacific			<b>G-63374</b>
<b>Habitat :</b> Sea	<b>Size :</b> 100 mm	<b>443</b>	
<b><i>Chicoreus ramosus</i></b> (C. Linnaeus, 1758)			<small>Conchology</small>
<b>Family :</b> Muricidae <b>C.Name:</b> Ramose Murex <b>B.Ref. :</b> p-15-8 <b>Range :</b> Indo-pacific			<b>G-63385</b>
<b>Habitat :</b> Sea	<b>Size :</b> 220 mm	<b>444</b>	





<b><i>Chicoreus virgineus</i></b> (P.F. Röding, 1798)			
<b>Family :</b> Muricidae <b>C.Name:</b> Virgin Murex <b>B.Ref. :</b> p-15-9 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 100 mm	<b>G-63410</b>	<b>445</b>





<b><i>Chicoreus brunneus</i></b> (J.H.F. Link, 1807)			
<b>Family :</b> Muricidae <b>C.Name:</b> Adusta Murex <b>B.Ref. :</b> p-15-6 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 60 mm	<b>G-63464</b>	<b>446</b>





<b><i>Chicoreus microphyllus</i></b> (J.B.P.A. Lamarck, 1816)			
<b>Family :</b> Muricidae <b>C.Name:</b> Curly Murex <b>B.Ref. :</b> p-15-4 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 75 mm	<b>G-63469</b>	<b>447</b>


<b><i>Drupa clathrata</i></b> (J.B.P.A. Lamarck, 1816)			
<b>Family :</b> Muricidae <b>C.Name:</b> Clathrate Drupe <b>B.Ref. :</b> p-15-14 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 35 mm	<b>G-63799</b>	<b>448</b>


<b><i>Haustellum haustellum</i></b> (C. Linnaeus, 1758)			<small>Conchology</small>
<b>Family :</b> Muricidae <b>C.Name:</b> - <b>B.Ref. :</b> P-16-14 <b>Range :</b> Indo-pacific			<b>G-64105</b>
<b>Habitat :</b> Sea	<b>Size :</b> 110 mm		
<b><i>Hexaplex brassica</i></b> (J.B.P.A. Lamarck, 1822)			<small>Conchology</small>
<b>Family :</b> Muricidae <b>C.Name:</b> Cabbage Murex <b>B.Ref. :</b> SOW-72 <b>Range :</b> Indo-pacific			<b>G-64140</b>
<b>Habitat :</b> Sea	<b>Size :</b> 125 mm		
<b><i>Hexaplex cichoreum</i></b> (J.F. Gmelin, 1791)			<small>Conchology</small>
<b>Family :</b> Muricidae <b>C.Name:</b> Endive murex <b>B.Ref. :</b> SOW-74 <b>Range :</b> Indo-pacific			<b>G-64144</b>
<b>Habitat :</b> Sea	<b>Size :</b> 75 mm		
<b><i>Hexaplex erythrostomus</i></b> (W.J. Swainson, 1831)			<small>Conchology</small>
<b>Family :</b> Muricidae <b>C.Name:</b> Pink mouthed Murex <b>B.Ref. :</b> SOW-72 <b>Range :</b> Indo-pacific			<b>G-64150</b>
<b>Habitat :</b> Sea	<b>Size :</b> 100 mm		


<b><i>Hexaplex kuesterianus</i></b> (C.M. Tapparone-Canefri, 1875)			<small>Conchology</small>
<b>Family :</b> Muricidae <b>C.Name:</b> Kuster's Murex <b>B.Ref. :</b> 256-7 <b>Range :</b> Indo-pacific			<b>G-64154</b>
<b>Habitat :</b> Sea	<b>Size :</b> 70 mm		<b>453</b>
<b><i>Hexaplex nigrilus</i></b> (R.A. Philippi, 1845)			<small>Conchology</small>
<b>Family :</b> Muricidae <b>C.Name:</b> - <b>B.Ref. :</b> GTS-167 <b>Range :</b> Indo-pacific			<b>G-64158</b>
<b>Habitat :</b> Sea	<b>Size :</b> 150 mm		<b>454</b>
<b><i>Homalocantha zamboi</i></b> (J.Q. Burch & R.D. Burch, 1960)			<small>Conchology</small>
<b>Family :</b> Muricidae <b>C.Name:</b> Zambo murex <b>B.Ref. :</b> SOW-75 <b>Range :</b> Indo-pacific			<b>G-64220</b>
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm		<b>455</b>
<b><i>Indothais lacera</i></b> (I. von Born, 1778)			<small>Conchology</small>
<b>Family :</b> Muricidae <b>C.Name:</b> Dog Shell <b>B.Ref. :</b> p-17-10 <b>Range :</b> Indo-pacific			<b>G-64226</b>
<b>Habitat :</b> Sea	<b>Size :</b> 40 mm		<b>456</b>


<b><i>Indothais sacellum</i></b> (J.F. Gmelin, 1791)			<small>Conchology</small>
<b>Family :</b> Muricidae <b>C.Name:</b> - <b>B.Ref. :</b> p-17-8 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 25 mm		<b>G-64230</b>
<b><i>Lataxiena bombayana</i></b> (J.C. Melvill, 1893)			<small>Conchology</small>
<b>Family :</b> Muricidae <b>C.Name:</b> - <b>B.Ref. :</b> p-16-18 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 25 mm		<b>G-64247</b>
<b><i>Latiaxis mawae</i></b> (J.E. Gray in E. Griffith & E. Pidgeon, 1834)			<small>Conchology</small>
<b>Family :</b> Muricidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 30 mm		<b>G-64290</b>
<b><i>Murex acanthophorus endermonensis</i></b> (G.B. Sowerby, 1879)			<small>Conchology</small>
<b>Family :</b> Muricidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 40 mm		<b>G-64546</b>

<b><i>Murex pecten</i></b> (P.D. Montfort, 1810)			<small>Conchology</small>
<b>Family :</b> Muricidae <b>C.Name:</b> Comb Murex <b>B.Ref. :</b> P-16-7 <b>Range :</b> Indo-pacific			<b>G-65117</b>
<b>Habitat :</b> Sea	<b>Size :</b> 110 mm		
<b><i>Murex tenuirostrum</i></b> (J.B.P.A. Lamarck, 1822)			<small>Conchology</small>
<b>Family :</b> Muricidae <b>C.Name:</b> Rare Spined Murex <b>B.Ref. :</b> P-16-9 <b>Range :</b> Indo-pacific			<b>G-65296</b>
<b>Habitat :</b> Sea	<b>Size :</b> 100 mm		
<b><i>Murex ternispina</i></b> (J.B.P.A. Lamarck, 1822)			<small>Conchology</small>
<b>Family :</b> Muricidae <b>C.Name:</b> Triple Spined Murex <b>B.Ref. :</b> p-16-8 <b>Range :</b> Indo-pacific			<b>G-65301</b>
<b>Habitat :</b> Sea	<b>Size :</b> 100 mm		
<b><i>Murex tribulus</i></b> (C. Linnaeus, 1758)			<small>Conchology</small>
<b>Family :</b> Muricidae <b>C.Name:</b> Caltrop Murex <b>B.Ref. :</b> p-16-11 <b>Range :</b> Indo-pacific			<b>G-65317</b>
<b>Habitat :</b> Sea	<b>Size :</b> 80 mm		





<b><i>Nassa sarta</i></b> (J.G. Bruguière, 1789)			<small>Conchology</small>
<b>Family :</b> Muricidae <b>C.Name:</b> - <b>B.Ref. :</b> p-16-1 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 35 mm		<b>G-66010</b>





<b><i>Orania badia</i></b> (L.A. Reeve, 1845)			<small>Conchology</small>
<b>Family :</b> Muricidae <b>C.Name:</b> - <b>B.Ref. :</b> p-16-16 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 35 mm		<b>G-66302</b>









<b><i>Pterynotus elongatus</i></b> (J. Lightfoot, 1786)			<small>Conchology</small>
<b>Family :</b> Muricidae <b>C.Name:</b> - <b>B.Ref. :</b> 258-2 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 55 mm		<b>G-66573</b>


<b><i>Pterynotus miyokoae</i></b> (S. Kosuge, 1979)			<small>Conchology</small>
<b>Family :</b> Muricidae <b>C.Name:</b> Miyoko Murex <b>B.Ref. :</b> 258-6 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 60 mm		<b>G-66605</b>





<b><i>Purpura bufo</i></b> (J.B.P.A. Lamarck, 1822)			<small>Conchology</small>
<b>Family :</b> Muricidae <b>C.Name:</b> - <b>B.Ref. :</b> p-17-5 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 60 mm		<b>G-66648</b>
<b><i>Purpura panama</i></b> (P.F. Röding, 1798)			<small>Conchology</small>
<b>Family :</b> Muricidae <b>C.Name:</b> - <b>B.Ref. :</b> IS-242 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 70 mm		<b>G-66802</b>
<b><i>Rapana rapiformis</i></b> (I. von Born, 1778)			<small>Conchology</small>
<b>Family :</b> Muricidae <b>C.Name:</b> - <b>B.Ref. :</b> p-17-3 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 55 mm		<b>G-66928</b>
<b><i>Semiricinula tissoti</i></b> (S.A.A. Petit De La Saussaye, 1852)			<small>Conchology</small>
<b>Family :</b> Muricidae <b>C.Name:</b> - <b>B.Ref. :</b> p-17-11 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 15 mm		<b>G-66998</b>


<b><i>Stramonita biserialis</i></b> (H.M.D. de Blainville, 1832)			<small>Conchology</small>
<b>Family :</b> Muricidae <b>C.Name:</b> - <b>B.Ref. :</b> 273-2 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 30 mm	<b>G-67043</b>	<b>473</b>
<b><i>Tenguella granulata</i></b> (P.L. Duclos, 1832)			<small>Conchology</small>
<b>Family :</b> Muricidae <b>C.Name:</b> Mulberry Shell <b>B.Ref. :</b> p-16-2 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 20 mm	<b>G-67072</b>	<b>474</b>
<b><i>Trophon plicatus</i></b> (J. Lightfoot, 1786)			<small>Conchology</small>
<b>Family :</b> Muricidae <b>C.Name:</b> - <b>B.Ref. :</b> 280-5 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 70 mm	<b>G-67347</b>	<b>475</b>
<b><i>Vokesimurex malabaricus</i></b> (E.A. Smith, 1894)			<small>Conchology</small>
<b>Family :</b> Muricidae <b>C.Name:</b> Malabar Murex <b>B.Ref. :</b> p-16-15 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 70 mm	<b>G-67572</b>	<b>476</b>









<b><i>Mitra mitra</i></b> (C. Linnaeus, 1758)				 <b>G-68202</b> <span style="float: right;"><b>477</b></span>
<b>Family :</b> Mitridae <b>C.Name:</b> Episcopal Mitre <b>B.Ref. :</b> p-23-16 <b>Range :</b> Indo-pacific				
<b>Habitat :</b> Sea	<b>Size :</b> 100 mm			
<b><i>Mitra papalis</i></b> (C. Linnaeus, 1758)				 <b>G-68256</b> <span style="float: right;"><b>478</b></span>
<b>Family :</b> Mitridae <b>C.Name:</b> Pontifical Mitre <b>B.Ref. :</b> p-23-18 <b>Range :</b> Indo-pacific				
<b>Habitat :</b> Sea	<b>Size :</b> 80 mm			
<b><i>Mitra chrysalis</i></b> (L.A. Reeve, 1844)				 <b>G-68486</b> <span style="float: right;"><b>479</b></span>
<b>Family :</b> Mitridae <b>C.Name:</b> Chrysalis Mitre <b>B.Ref. :</b> p-23-12 <b>Range :</b> Indo-pacific				
<b>Habitat :</b> Sea	<b>Size :</b> 20 mm			
<b><i>Mitra assimilis</i></b> (W.H. Pease, 1868)				 <b>G-68564</b> <span style="float: right;"><b>480</b></span>
<b>Family :</b> Mitridae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific				
<b>Habitat :</b> Sea	<b>Size :</b> 25 mm			





<b><i>Mitra scutulata</i></b> (J.F. Gmelin, 1791)			<small>Cronology</small>
<b>Family :</b> Mitridae <b>C.Name:</b> - <b>B.Ref. :</b> p-23-6 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 40 mm		<b>G-68595</b>





<b><i>Neocancilla clathrus</i></b> (J.F. Gmelin, 1791)			<small>Cronology</small>
<b>Family :</b> Mitridae <b>C.Name:</b> Clathrus Mitre <b>B.Ref. :</b> 308-2 <b>Range :</b> Indian Ocean			
<b>Habitat :</b> Sea	<b>Size :</b> 30 mm		<b>G-68625</b>









<b><i>Cryptospira ventricosa</i></b> (G. Fischer von Waldheim, 1807)			<small>Cronology</small>
<b>Family :</b> Marginellidae <b>C.Name:</b> Broad Marginella <b>B.Ref. :</b> 335-3 <b>Range :</b> Indonesia & Malaya			
<b>Habitat :</b> Sea	<b>Size :</b> 25 mm		<b>G-69433</b>

<b><i>Harpa major</i></b> (P.F. Röding, 1798)			<small>Cronology</small>
<b>Family :</b> Harpidae <b>C.Name:</b> Harpa Shell <b>B.Ref. :</b> p-23-3 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 90 mm		<b>G-71190</b>




<b><i>Agaronia gibbosa</i></b> (I. von Born, 1778)			
<b>Family :</b> Olividae <b>C.Name:</b> Olive Shell <b>B.Ref. :</b> p-22-19 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm	<b>G-71436</b>	<b>485</b>
<b><i>Agaronia nebulosa</i></b> (J.B.P.A. Lamarck, 1822)			
<b>Family :</b> Olividae <b>C.Name:</b> - <b>B.Ref. :</b> p-22-21 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 30 mm	<b>G-71452</b>	<b>486</b>
<b><i>Americoliva sayana</i></b> (E. Ravenel, 1834)			
<b>Family :</b> Olividae <b>C.Name:</b> Lettered Olive <b>B.Ref. :</b> S-156 <b>Range :</b> Caribbean			
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm	<b>G-71616</b>	<b>487</b>
<b><i>Ancilla cinnamomea</i></b> (J.B.P.A. Lamarck, 1801)			
<b>Family :</b> Olividae <b>C.Name:</b> - <b>B.Ref. :</b> p-22-23 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 30 mm	<b>G-71642</b>	<b>488</b>









<b><i>Oliva miniacea marrati</i></b> (C.W. Johnson, 1910)				<small>Conchology</small>
<b>Family :</b> Olividae <b>C.Name:</b> Pacific Black Olive Shell <b>B.Ref. :</b> p-22-5 <b>Range :</b> Indo-pacific				<b>G-71790</b>
<b>Habitat :</b> Sea	<b>Size :</b> 65 mm			
<b><i>Oliva miniacea</i></b> (P.F. Röding, 1798)				<small>Conchology</small>
<b>Family :</b> Olividae <b>C.Name:</b> Pacific Common Olive <b>B.Ref. :</b> p-22-5 <b>Range :</b> Indo-pacific				<b>G-71793</b>
<b>Habitat :</b> Sea	<b>Size :</b> 65 mm			
<b><i>Oliva annulata carnicolor</i></b> (P. Dautzenberg, 1927)				<small>Conchology</small>
<b>Family :</b> Olividae <b>C.Name:</b> Blood-coloured Olive <b>B.Ref. :</b> IS-290 <b>Range :</b> Indo-pacific				<b>G-71811</b>
<b>Habitat :</b> Sea	<b>Size :</b> 60 mm			
<b><i>Oliva carneola</i></b> (J.F. Gmelin, 1791)				<small>Conchology</small>
<b>Family :</b> Olividae <b>C.Name:</b> - <b>B.Ref. :</b> 374-7 <b>Range :</b> Indo-pacific				<b>G-71884</b>
<b>Habitat :</b> Sea	<b>Size :</b> 13 mm			









<b><i>Oliva elegans</i></b> (J.B.P.A. Lamarck, 1811)			<small>Conchology</small>
<b>Family :</b> Olividae <b>C.Name:</b> - <b>B.Ref. :</b> 375-4 <b>Range :</b> Indo-pacific			<b>G-71922</b>
<b>Habitat :</b> Sea	<b>Size :</b> 38 mm		
<b><i>Oliva keenii</i></b> (F.P. Marrat, 1870)			<small>Conchology</small>
<b>Family :</b> Olividae <b>C.Name:</b> - <b>B.Ref. :</b> 376-7 <b>Range :</b> Indo-pacific			<b>G-72021</b>
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm		
<b><i>Oliva oliva</i></b> (C. Linnaeus, 1758)			<small>Conchology</small>
<b>Family :</b> Olividae <b>C.Name:</b> - <b>B.Ref. :</b> p-22-10 <b>Range :</b> Indo-pacific			<b>G-72096</b>
<b>Habitat :</b> Sea	<b>Size :</b> 37 mm		
<b><i>Oliva reticulata zigzag</i></b> (G. Perry, 1811)			<small>Conchology</small>
<b>Family :</b> Olividae <b>C.Name:</b> Ornate Olive <b>B.Ref. :</b> 379-4 <b>Range :</b> Indo-pacific			<b>G-72160</b>
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm		





<b><i>Oliva tricolor</i></b> (J.B.P.A. Lamarck, 1811)			
<b>Family :</b> Olividae <b>C.Name:</b> - <b>B.Ref. :</b> p-22-16 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm	<b>G-72251</b>	<b>497</b>
<b><i>Cellana radiata</i></b> (I. von Born, 1778)			
<b>Family :</b> Nacellidae <b>C.Name:</b> Rayed Wheel Limpet <b>B.Ref. :</b> p-1-9 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 25 mm	<b>G-77345</b>	<b>498</b>
<b><i>Cellana testudinaria</i></b> (C. Linnaeus, 1758)			
<b>Family :</b> Nacellidae <b>C.Name:</b> - <b>B.Ref. :</b> GTS-27 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm	<b>G-77368</b>	<b>499</b>
<b><i>Patelloida saccharina</i></b> (C. Linnaeus, 1758)			
<b>Family :</b> Lottiidae <b>C.Name:</b> Star Limpets <b>B.Ref. :</b> P-1-11 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 40 mm	<b>G-77780</b>	<b>500</b>







<b><i>Scurria scurra</i></b> (R.P. Lesson, 1831)			<small>Conchology</small>
<b>Family :</b> Lottiidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 15 mm		<b>G-77819</b>
<b><i>Scutellastra flexuosa</i></b> (J.R.C. Quoy & J.P. Gaimard, 1834)			<small>Conchology</small>
<b>Family :</b> Patellidae <b>C.Name:</b> Limpets <b>B.Ref. :</b> p-1-12 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 15 mm		<b>G-78320</b>
<b><i>Siphonaria rucuana</i></b> (H.A. Pilsbry, 1904)			<small>Conchology</small>
<b>Family :</b> Siphonariidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 40 mm		<b>G-2491</b>
<b><i>Angaria delphinus</i></b> (C. Linnaeus, 1758)			<small>Conchology</small>
<b>Family :</b> Angariidae <b>C.Name:</b> <b>B.Ref. :</b> p-3-10 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 55 mm		<b>G-108844</b>









<b><i>Angaria melanacantha</i></b> (L.A. Reeve, 1842)				 <b>G-108858</b>	<b>505</b>
<b>Family :</b> Angariidae <b>C.Name:</b> Imperial Delphinula <b>B.Ref. :</b> GTS-35 <b>Range :</b> Indo-pacific					
<b>Habitat :</b> Sea	<b>Size :</b> 40 mm				
<b><i>Angaria rugosa</i></b> (L.C. Kiener, 1838)				 <b>G-108870</b>	<b>506</b>
<b>Family :</b> Angariidae <b>C.Name:</b> - <b>B.Ref. :</b> p-3-11 <b>Range :</b> Indo-pacific					
<b>Habitat :</b> Sea	<b>Size :</b> 55 mm				
<b><i>Diodora funiculata</i></b> (L.A. Reeve, 1850)				 <b>G-109070</b>	<b>507</b>
<b>Family :</b> Fissurellidae <b>C.Name:</b> Limpets <b>B.Ref. :</b> p-1-5 <b>Range :</b> Indo-pacific					
<b>Habitat :</b> Sea	<b>Size :</b> 25 mm				
<b><i>Diodora rueppelli</i></b> (G.B. I Sowerby, 1835)				 <b>G-109138</b>	<b>508</b>
<b>Family :</b> Fissurellidae <b>C.Name:</b> Ruppell's Keyhole Limpet <b>B.Ref. :</b> p-1-7 <b>Range :</b> Indo-pacific					
<b>Habitat :</b> Sea	<b>Size :</b> 25 mm				





<b><i>Haliotis asinina</i></b> (C. Linnaeus, 1758)				 <b>G-109808</b> <span style="float: right;"><b>509</b></span>
<b>Family :</b> Haliotidae <b>C.Name:</b> Donkey's Ear Abalone <b>B.Ref. :</b> SOW-25 <b>Range :</b> Indo-pacific				
<b>Habitat :</b> Sea	<b>Size :</b> 90 mm			
<b><i>Haliotis fulgens</i></b> (R.A. Philippi, 1845)				 <b>G-109873</b> <span style="float: right;"><b>510</b></span>
<b>Family :</b> Haliotidae <b>C.Name:</b> Green Abalone <b>B.Ref. :</b> 18-7 <b>Range :</b> Californian				
<b>Habitat :</b> Sea	<b>Size :</b> 120 mm			
<b><i>Haliotis ovina</i></b> (J.F. Gmelin, 1791)				 <b>G-109937</b> <span style="float: right;"><b>511</b></span>
<b>Family :</b> Haliotidae <b>C.Name:</b> Sheep's Ear / Oval Abalone <b>B.Ref. :</b> p-1-1 <b>Range :</b> Indo-pacific				
<b>Habitat :</b> Sea	<b>Size :</b> 40 mm			
<b><i>Haliotis planata</i></b> (G.B. II Sowerby, 1882)				 <b>G-109944</b> <span style="float: right;"><b>512</b></span>
<b>Family :</b> Haliotidae <b>C.Name:</b> Ear Shell / Abalone Shell <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific				
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm			

<b><i>Haliotis rufescens</i></b> (W.J. Swainson, 1822)				<small>Conchology</small>
<b>Family :</b> Haliotidae <b>C.Name:</b> Red Abalone <b>B.Ref. :</b> SOW-141 <b>Range :</b> Californian				
<b>Habitat :</b> Sea	<b>Size :</b> 250 mm	<b>G-109969</b>	<b>513</b>	
<b><i>Bayerotrochus teramachii</i></b> (J.T. Kuroda, 1955)				<small>Conchology</small>
<b>Family :</b> Pleurotomariidae <b>C.Name:</b> Slit shell <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific & Japonic				
<b>Habitat :</b> Sea	<b>Size :</b> 90 mm	<b>G-110702</b>	<b>514</b>	
<b><i>Pleurotomaria hirasei</i></b> (H.A. Pilsbry, 1903)				<small>Conchology</small>
<b>Family :</b> Pleurotomariidae <b>C.Name:</b> Emperor's Slit Shell <b>B.Ref. :</b> GTS-17 <b>Range :</b> Indo-pacific & Japonic				
<b>Habitat :</b> Sea	<b>Size :</b> 100 mm	<b>G-110734</b>	<b>515</b>	
<b><i>Euchelus asper</i></b> (J.F. Gmelin, 1791)				<small>Conchology</small>
<b>Family :</b> Chilodontidae <b>C.Name:</b> - <b>B.Ref. :</b> P-1-14 <b>Range :</b> Indo-pacific				
<b>Habitat :</b> Sea	<b>Size :</b> 25 mm	<b>G-111302</b>	<b>516</b>	











<b><i>Monodonta australis</i></b> (J.B.P.A. Lamarck, 1822)			<small>Conchology</small>
<b>Family :</b> Trochidae <b>C.Name:</b> Toothed topshell <b>B.Ref. :</b> P-2-12 <b>Range :</b> Indo-pacific			<b>G-113925</b>
<b>Habitat :</b> Sea	<b>Size :</b> 25 mm		
<b><i>Monodonta canalifera</i></b> (J.B.P.A. Lamarck, 1816)			<small>Conchology</small>
<b>Family :</b> Trochidae <b>C.Name:</b> - <b>B.Ref. :</b> 34-1 <b>Range :</b> Indo-pacific			<b>G-113927</b>
<b>Habitat :</b> Sea	<b>Size :</b> 25 mm		
<b><i>Pseudominolia gradata</i></b> (G.B. III Sowerby, 1895)			<small>Conchology</small>
<b>Family :</b> Trochidae <b>C.Name:</b> - <b>B.Ref. :</b> p-2-13 <b>Range :</b> Indo-pacific			<b>G-114093</b>
<b>Habitat :</b> Sea	<b>Size :</b> 10 mm		
<b><i>Stomatia phymotis</i></b> (G.S. Helbling, 1779)			<small>Conchology</small>
<b>Family :</b> Trochidae <b>C.Name:</b> Swollen stomatella <b>B.Ref. :</b> P-2-14 <b>Range :</b> Indo-pacific			<b>G-114179</b>
<b>Habitat :</b> Sea	<b>Size :</b> 20 mm		

<b><i>Trochus maculatus</i></b> (C. Linnaeus, 1758)			
<b>Family :</b> Trochidae <b>C.Name:</b> Maculatus Tpo Shell <b>B.Ref. :</b> P-2-7 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 20 mm	<b>G-114457</b>	<b>525</b>
<b><i>Trochus niloticus</i></b> (C. Linnaeus, 1767)			
<b>Family :</b> Trochidae <b>C.Name:</b> Commercial Top shell <b>B.Ref. :</b> p-2-2 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 120 mm	<b>G-114484</b>	<b>526</b>
<b><i>Trochus radiatus</i></b> (J.F. Gmelin, 1791)			
<b>Family :</b> Trochidae <b>C.Name:</b> Radiate Top Shell <b>B.Ref. :</b> p-2-4 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 45 mm	<b>G-114540</b>	<b>527</b>
<b><i>Trochus stellatus</i></b> (J.F. Gmelin, 1791)			
<b>Family :</b> Trochidae <b>C.Name:</b> stellate trochus <b>B.Ref. :</b> P-2-5 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 30 mm	<b>G-114592</b>	<b>528</b>

<b><i>Umbonium elegans</i></b> (L.C. Kiener, 1838)			<small>Conchology</small>
<b>Family :</b> Trochidae <b>C.Name:</b> Button Tops <b>B.Ref. :</b> P-2-8 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 10 mm		<b>G-114698</b>
<b><i>Umbonium vestiarium</i></b> (C. Linnaeus, 1758)			<small>Conchology</small>
<b>Family :</b> Trochidae <b>C.Name:</b> Button Tops <b>B.Ref. :</b> P-2-8 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 10 mm		<b>G-114708</b>
<b><i>Calliostoma sublaevis chuni</i></b> (E.C. Von Martens, 1903)			<small>Conchology</small>
<b>Family :</b> Calliostomatidae <b>C.Name:</b> - <b>B.Ref. :</b> 41-11 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 28 mm		<b>G-115189</b>
<b><i>Astralium calcar</i></b> (C. Linnaeus, 1758)			<small>Conchology</small>
<b>Family :</b> Turbinidae <b>C.Name:</b> - <b>B.Ref. :</b> GTS-40 <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm		<b>G-115485</b>



<b><i>Astraliium stellare</i></b> (J.F. Gmelin, 1791)				<small>Conchology</small>
<b>Family :</b> Turbinidae <b>C.Name:</b> - <b>B.Ref. :</b> p-3-1 <b>Range :</b> Indo-pacific				<b>G-115520</b>
<b>Habitat :</b> Sea	<b>Size :</b> 35 mm			
<b><i>Bolma girgyllus</i></b> (L.A. Reeve, 1861)				<small>Conchology</small>
<b>Family :</b> Turbinidae <b>C.Name:</b> - <b>B.Ref. :</b> S-43 <b>Range :</b> Indo-pacific				<b>G-115549</b>
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm			
<b><i>Guildfordia yoka</i></b> (F.P. Jousseume, 1888)				<small>Conchology</small>
<b>Family :</b> Turbinidae <b>C.Name:</b> Sun shell <b>B.Ref. :</b> GTS-41 <b>Range :</b> Indo-pacific				<b>G-115612</b>
<b>Habitat :</b> Sea	<b>Size :</b> 100 mm			
<b><i>Lunella coronata</i></b> (J.F. Gmelin, 1791)				<small>Conchology</small>
<b>Family :</b> Turbinidae <b>C.Name:</b> Coronate Moon Turban <b>B.Ref. :</b> P-3-5 <b>Range :</b> Indo-pacific				<b>G-115640</b>
<b>Habitat :</b> Sea	<b>Size :</b> 35 mm			

<b><i>Megastraea turbanica</i></b> (W.H. Dall, 1910)			<small>Conchology</small>
<b>Family :</b> Turbinidae <b>C.Name:</b> turban star shell <b>B.Ref. :</b> - <b>Range :</b> Californian			<b>G-115656</b>
<b>Habitat :</b> Sea	<b>Size :</b> 150 mm	<b>537</b>	
<b><i>Turbo argyrostomus</i></b> (C. Linnaeus, 1758)			<small>Conchology</small>
<b>Family :</b> Turbinidae <b>C.Name:</b> Silver Mouth Turban <b>B.Ref. :</b> p-3-6 <b>Range :</b> Indo-pacific			<b>G-115717</b>
<b>Habitat :</b> Sea	<b>Size :</b> 70 mm	<b>538</b>	
<b><i>Turbo bruneus</i></b> (P.F. Röding, 1798)			<small>Conchology</small>
<b>Family :</b> Turbinidae <b>C.Name:</b> Brown Dwarf Turban <b>B.Ref. :</b> p-3-8 <b>Range :</b> Indo-pacific			<b>G-115733</b>
<b>Habitat :</b> Sea	<b>Size :</b> 50 mm	<b>539</b>	
<b><i>Turbo petholatus</i></b> (C. Linnaeus, 1758)			<small>Conchology</small>
<b>Family :</b> Turbinidae <b>C.Name:</b> Cat's eye Turban <b>B.Ref. :</b> p-3-9 <b>Range :</b> Indo-pacific			<b>G-115921</b>
<b>Habitat :</b> Sea	<b>Size :</b> 60 mm	<b>540</b>	

***Turbo sandwicensis***

(W.H. Pease, 1861)

**Family :** Turbinidae


**C.Name:** Hawaiian Top Turban

**B.Ref. :** -

**Range :** Indo-pacific

**Habitat :** Sea

**Size :** 50 mm



G-115965

541

***Turbo sarmaticus***

(C. Linnaeus, 1758)

**Family :** Turbinidae


**C.Name:** South African Turban

**B.Ref. :** S-41

**Range :** South African

**Habitat :** Sea

**Size :** 90 mm



G-115969

542

**Class : POLYPLACOPHORA**

***Acanthopleura granulata***

(J.F. Gmelin, 1791)

**Family :** Chitonidae

**C.Name:** Fuzzy chiton

**B.Ref. :** S-209

**Range :** Indo-pacific

**Habitat :** Sea

**Size :** 60 mm



P-640

543

**Class : SCAPHOPODA**

***Dentalium pretiosum***

(G.B. II Sowerby, 1860)

**Family :** Dentaliidae

**C.Name:** Money Tusk

**B.Ref. :** SOW-7

**Range :** Indo-pacific

**Habitat :** Sea

**Size :** 30 mm



SC-334

544

**Class : GASTROPODA*****Aulopoma hofmeisteri***

(F.H. Troschel, 1847)

**Family :** Cyclophoridae**C.Name:** -**B.Ref. :** -**Range :** India, Sri Lanka**Habitat :** Land**Size :** 10 mm**G-7768****545*****Cyclophorus indicus***

(G.P. Deshayes, 1832)









**Family :** Cyclophoridae**C.Name:** -**B.Ref. :** E-Book**Range :** India**Habitat :** Land**Size :** 35 mm**G-8005****546*****Cyclophorus schepmani***





(F.F. Laidlaw, 1957)









**Family :** Cyclophoridae**C.Name:** -**B.Ref. :** NC3**Range :** Indonesia**Habitat :** Land**Size :** 35 mm**G-8076****547*****Theobaldius cadiscus***









(W.H. Benson, 1860)

**Family :** Cyclophoridae**C.Name:** -**B.Ref. :** -**Range :** indo-Pacific**Habitat :** Land**Size :** 10 mm**G-8430****548**









<b><i>Bellardiella abbasi</i></b> ( N.N. Thach, 2017)			
<b>Family :</b> Pupinidae <b>C.Name:</b> - <b>B.Ref. :</b> NC3 <b>Range :</b> Vitenam			
<b>Habitat :</b> Land	<b>Size :</b> 40 mm	<b>G-9424.1</b>	<b>549</b>
<b><i>Acavus haemastoma</i></b> (C. Linnaeus, 1758)			
<b>Family :</b> Acavidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> World wide			
<b>Habitat :</b> Land	<b>Size :</b> 30 mm	<b>G-78829</b>	<b>550</b>
<b><i>Achatina fulica</i></b> (A.E.J. Férussac, 1821)			
<b>Family :</b> Achatinidae <b>C.Name:</b> Giant African Snail <b>B.Ref. :</b> - <b>Range :</b> World wide			
<b>Habitat :</b> Land	<b>Size :</b> 100 mm	<b>G-80147</b>	<b>551</b>
<b><i>Allopeas gracile</i></b> (F.W. Hutton, 1834)			
<b>Family :</b> Subulinidae <b>C.Name:</b> Graceful awlsnail <b>B.Ref. :</b> ILS-162 <b>Range :</b> World wide			
<b>Habitat :</b> Land	<b>Size :</b> 35 mm	<b>G-80349.1</b>	<b>552</b>





<b><i>Amphidromus asper</i></b> (F. Haas, 1934)			<small>Conchology</small>
<b>Family :</b> Camaenidae <b>C.Name:</b> - <b>B.Ref. :</b> NC3 <b>Range :</b> Vietnam			
<b>Habitat :</b> Land	<b>Size :</b> 60 mm		<b>G-81135</b>
<b><i>Amphidromus atricallosus classarius</i></b> (C. Sutcharit & S. Panha, 2006)			<small>Conchology</small>
<b>Family :</b> Camaenidae <b>C.Name:</b> - <b>B.Ref. :</b> NC3 <b>Range :</b> Thailand, Malaysia, Singapore			
<b>Habitat :</b> Land	<b>Size :</b> 40 mm		<b>G-81136</b>
<b><i>Amphidromus cambojiensis</i></b> (L.A. Reeve, 1860)			<small>Conchology</small>
<b>Family :</b> Camaenidae <b>C.Name:</b> - <b>B.Ref. :</b> NC3 <b>Range :</b> Indonesia			
<b>Habitat :</b> Land	<b>Size :</b> 65 mm		<b>G-81147</b>
<b><i>Amphidromus chloris</i></b> (L.A. Reeve, 1848)			<small>Conchology</small>
<b>Family :</b> Camaenidae <b>C.Name:</b> - <b>B.Ref. :</b> NC3 <b>Range :</b> Philippines			
<b>Habitat :</b> Land	<b>Size :</b> 45 mm		<b>G-81149</b>





<i>Amphidromus enganoensis</i> (H.C. Fulton, 1896)			
<b>Family :</b> Camaenidae <b>C.Name:</b> - <b>B.Ref. :</b> NC3 <b>Range :</b> Indonesia			
<b>Habitat :</b> Land	<b>Size :</b> 50 mm	<b>G-81168</b>	<b>557</b>
<i>Amphidromus filozonatus</i> (E.C. Von Martens, 1867)			
<b>Family :</b> Camaenidae <b>C.Name:</b> - <b>B.Ref. :</b> NC3 <b>Range :</b> Indonesia			
<b>Habitat :</b> Land	<b>Size :</b> 35 mm	<b>G-81178</b>	<b>558</b>
<i>Amphidromus givenchyi</i> (P. Geret, 1912)			
<b>Family :</b> Camaenidae <b>C.Name:</b> - <b>B.Ref. :</b> NC3 <b>Range :</b> Thailand, Vietnam			
<b>Habitat :</b> Land	<b>Size :</b> 40 mm	<b>G-81184</b>	<b>559</b>
<i>Amphidromus haematostoma</i> (G.A. Solem, 1961)			
<b>Family :</b> Camaenidae <b>C.Name:</b> - <b>B.Ref. :</b> NC3 <b>Range :</b> Laos			
<b>Habitat :</b> Land	<b>Size :</b> 35 mm	<b>G-81187</b>	<b>560</b>





<i>Amphidromus heerianus</i> (L. Pfeiffer, 1871)			
<b>Family :</b> Camaenidae <b>C.Name:</b> - <b>B.Ref. :</b> NC3 <b>Range :</b> Indonesia			
<b>Habitat :</b> Land	<b>Size :</b> 50 mm	<b>G-81191</b>	<b>561</b>
<i>Amphidromus perversus butoti</i> (F.F. Laidlaw & G.A. Solem, 1961)			
<b>Family :</b> Camaenidae <b>C.Name:</b> - <b>B.Ref. :</b> NC3 <b>Range :</b> Indonesia			
<b>Habitat :</b> Land	<b>Size :</b> 60 mm	<b>G-81251</b>	<b>562</b>
<i>Amphidromus perversus emaciatius</i> (E.C. Von Martens, 1867)			
<b>Family :</b> Camaenidae <b>C.Name:</b> - <b>B.Ref. :</b> NC3 <b>Range :</b> Indonesia			
<b>Habitat :</b> Land	<b>Size :</b> 36 mm	<b>G-81256</b>	<b>563</b>
<i>Amphidromus perversus interruptus</i> (O.F. Müller, 1774)			
<b>Family :</b> Camaenidae <b>C.Name:</b> - <b>B.Ref. :</b> NC3 <b>Range :</b> Indonesia			
<b>Habitat :</b> Land	<b>Size :</b> 45 mm	<b>G-81257</b>	<b>564</b>





<i>Amphidromus poecilochrous</i> (H.C. Fulton, 1896)			
<b>Family :</b> Camaenidae <b>C.Name:</b> - <b>B.Ref. :</b> NC3 <b>Range :</b> Indonesia			
<b>Habitat :</b> Land	<b>Size :</b> 32 mm		<b>G-81277</b>
<i>Amphidromus quadrasi</i> (J.G. Hidalgo, 1887)			
<b>Family :</b> Camaenidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> World wide			
<b>Habitat :</b> Land	<b>Size :</b> 25 mm		<b>G-81291</b>
<i>Amphidromus roseolabiatus</i> (H.C. Fulton, 1896)			
<b>Family :</b> Camaenidae <b>C.Name:</b> - <b>B.Ref. :</b> NC3 <b>Range :</b> Vietnam			
<b>Habitat :</b> Land	<b>Size :</b> 40 mm		<b>G-81298</b>
<i>Amphidromus rottiensis</i> (G.L. Chan, S.K. Tan & J. Abbas, 2008)			
<b>Family :</b> Camaenidae <b>C.Name:</b> - <b>B.Ref. :</b> NC3 <b>Range :</b> Vietnam			
<b>Habitat :</b> Land	<b>Size :</b> 30 mm		<b>G-81299</b>

<b><i>Papuina pulcherrima</i></b> (B. Rensch, 1931)			<small>Cerachology</small>
<b>Family :</b> Camaenidae <b>C.Name:</b> Emerald green snail <b>B.Ref. :</b> Nv_2020 <b>Range :</b> Papua New Guinea			
<b>Habitat :</b> Land	<b>Size :</b> 25 mm		<b>G-82246</b>
<b><i>Trachia vittata</i></b> (O.F. Müller, 1774)			<small>Cerachology</small>
<b>Family :</b> Camaenidae <b>C.Name:</b> - <b>B.Ref. :</b> NC3 <b>Range :</b> coastal Asia			
<b>Habitat :</b> Land	<b>Size :</b> 30 mm		<b>G-82770</b>
<b><i>Liparophaedusa ruminiformis</i></b> (J.F. Mabille, 1887)			<small>Cerachology</small>
<b>Family :</b> Clausiliidae <b>C.Name:</b> - <b>B.Ref. :</b> NC3 <b>Range :</b> Vietnam			
<b>Habitat :</b> Land	<b>Size :</b> 45 mm		<b>G-85231</b>
<b><i>Cerastus distans</i></b> (L. Pfeiffer)			<small>Cerachology</small>
<b>Family :</b> Cerastuinae <b>C.Name:</b> - <b>B.Ref. :</b> E-Book <b>Range :</b> endemic to India			
<b>Habitat :</b> Land	<b>Size :</b> 10 mm		<b>G-87123</b>


<b><i>Rhachis bengalensis</i></b> (J.B.P.A. Lamarck, 1822)			<small>Cerachology</small>
<b>Family :</b> Cerastuidae <b>C.Name:</b> - <b>B.Ref. :</b> DB <b>Range :</b> World wide			<b>G-87186</b>
<b>Habitat :</b> Land	<b>Size :</b> 12 mm		
<b><i>Ryssota otaheitana demesai</i></b> (P. Bartsch, 1938)			<small>Cerachology</small>
<b>Family :</b> Chronidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> World wide			<b>G-87965</b>
<b>Habitat :</b> Land	<b>Size :</b> 80 mm		
<b><i>Ryssota otaheitana ovum</i></b> (A. Valenciennes, 1827)			<small>Cerachology</small>
<b>Family :</b> Chronidae <b>C.Name:</b> Polished Muffin <b>B.Ref. :</b> - <b>Range :</b> World wide			<b>G-87967</b>
<b>Habitat :</b> Land	<b>Size :</b> 80 mm		
<b><i>Ariophanta laevipes</i></b> (O.F. Müller, 1774)			<small>Cerachology</small>
<b>Family :</b> Ariophantidae <b>C.Name:</b> - <b>B.Ref. :</b> DB <b>Range :</b> World wide			<b>G-88998</b>
<b>Habitat :</b> Land	<b>Size :</b> 28 mm		


<b><i>Cryptozona albata</i></b> (W.T. Blanford, 1880)			<small>Couchélogy</small>
<b>Family :</b> Ariophantidae <b>C.Name:</b> - <b>B.Ref. :</b> NC3 <b>Range :</b> World wide			
<b>Habitat :</b> Land	<b>Size :</b> 30 mm		<b>G-89017</b>
<b><i>Macrochlamys indica</i></b> (H.H. Godwin-Austen, 1883)			<small>Couchélogy</small>
<b>Family :</b> Ariophantidae <b>C.Name:</b> - <b>B.Ref. :</b> ILS-255 <b>Range :</b> World wide			
<b>Habitat :</b> Land	<b>Size :</b> 30 mm		<b>G-89345</b>
<b><i>Bradybaena similis</i></b> (A.E.J. Férussac, 1821)			<small>Couchélogy</small>
<b>Family :</b> Bradybaenidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> World wide			
<b>Habitat :</b> Land	<b>Size :</b> 50 mm		<b>G-93107</b>
<b><i>Calocochlia roissyana</i></b> (A.E.J. Férussac, 1821)			<small>Couchélogy</small>
<b>Family :</b> Bradybaenidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> Indo-pacific			
<b>Habitat :</b> Land	<b>Size :</b> 30 mm		<b>G-93211</b>



<b><i>Chloraea siquijorensis</i></b> (W.J. Broderip, 1841)			<small>Conchology</small>
<b>Family :</b> Bradybaenidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> World wide			
<b>Habitat :</b> Land	<b>Size :</b> 25 mm		<b>G-93303</b>



<b><i>Liguus virgineus</i></b> (C. Linnaeus, 1767)			<small>Conchology</small>
<b>Family :</b> Orthalicidae <b>C.Name:</b> Candy Cane Snail <b>B.Ref. :</b> - <b>Range :</b> Caribbean island			
<b>Habitat :</b> Land	<b>Size :</b> 50 mm		<b>G-100250</b>



**Class : BIVALVIA**

<b><i>Scaphula celox</i></b> (W.H. Benson, 1836)			<small>Conchology</small>
<b>Family :</b> Arcidae <b>C.Name:</b> - <b>B.Ref. :</b> FWMI-160 <b>Range :</b> Asia			
<b>Habitat :</b> Freshwater	<b>Size :</b> 10 mm		<b>B-2308</b>



<b><i>Cristaria plicata</i></b> (W.E. Leach, 1815)			<small>Conchology</small>
<b>Family :</b> Unionidae <b>C.Name:</b> Cockscomb Pearl Mussel <b>B.Ref. :</b> IFM-328 <b>Range :</b> World wide			
<b>Habitat :</b> Freshwater	<b>Size :</b> 250 mm		<b>B-13438</b>





<b><i>Hyriopsis cumingii</i></b> (I. Lea, 1834)			  <b>B-13629</b> <span style="float: right;"><b>585</b></span>
<b>Family :</b> Unionidae <b>C.Name:</b> Triangle Shell Pearl Mussel <b>B.Ref. :</b> - <b>Range :</b> China			
<b>Habitat :</b> Freshwater	<b>Size :</b> 170 mm		





<b><i>Lamellidens corrianus</i></b> (I. Lea, 1834)			  <b>B-13651</b> <span style="float: right;"><b>586</b></span>
<b>Family :</b> Unionidae <b>C.Name:</b> Common sippi <b>B.Ref. :</b> IFM-283 <b>Range :</b> Asia			
<b>Habitat :</b> Freshwater	<b>Size :</b> 120 mm		

<b><i>Parreysia corrugata</i></b> (O.F. Müller, 1774)			  <b>B-13930</b> <span style="float: right;"><b>587</b></span>
<b>Family :</b> Unionidae <b>C.Name:</b> - <b>B.Ref. :</b> IFM-298 <b>Range :</b> Asia			
<b>Habitat :</b> Freshwater	<b>Size :</b> 40 mm		









**Class : GASTROPODA**

<b><i>Radix acuminata</i></b> (J.B.P.A. Lamarck, 1822)			  <b>G-840</b> <span style="float: right;"><b>588</b></span>
<b>Family :</b> Lymnaeidae <b>C.Name:</b> - <b>B.Ref. :</b> - <b>Range :</b> World wide			
<b>Habitat :</b> Freshwater	<b>Size :</b> 10 mm		

<b><i>Gyraulus convexiusculus</i></b> (F.W. Hutton, 1849)			<small>Conchology</small>	
<b>Family :</b> Planorbidae <b>C.Name:</b> - <b>B.Ref. :</b> IFM-235 <b>Range :</b> Asia			<b>G-1539</b>	<b>589</b>
<b>Habitat :</b> Freshwater	<b>Size :</b> 15 mm			
<b><i>Physella acuta</i></b> (J.P.R. Draparnaud, 1805)			<small>Conchology</small>	
<b>Family :</b> Physidae <b>C.Name:</b> Acute Bladder Snail <b>B.Ref. :</b> IFM-227 <b>Range :</b> World wide			<b>G-2306</b>	<b>590</b>
<b>Habitat :</b> Freshwater	<b>Size :</b> 10 mm			
<b><i>Pila globosa</i></b> (W.J. Swainson, 1822)			<small>Conchology</small>	
<b>Family :</b> Ampullariidae <b>C.Name:</b> - <b>B.Ref. :</b> IFM-98 <b>Range :</b> World wide			<b>G-2808</b>	<b>591</b>
<b>Habitat :</b> Freshwater	<b>Size :</b> 40 mm			
<b><i>Pila saxea</i></b> (L.A. Reeve, 1856)			<small>Conchology</small>	
<b>Family :</b> Ampullariidae <b>C.Name:</b> - <b>B.Ref. :</b> IFM-106 <b>Range :</b> Asia			<b>G-2830</b>	<b>592</b>
<b>Habitat :</b> Freshwater	<b>Size :</b> 20 mm			

<b><i>Pomacea bridgesii effusa</i></b> (W. Blume, 1957)			<small>Conchology</small>
<b>Family :</b> Ampullariidae <b>C.Name:</b> purple mystery snails <b>B.Ref. :</b> - <b>Range :</b> World wide			<b>G-2855</b>
<b>Habitat :</b> Freshwater	<b>Size :</b> 60 mm		
<b><i>Pomacea bridgesii</i></b> (L.A. Reeve, 1856)			<small>Conchology</small>
<b>Family :</b> Ampullariidae <b>C.Name:</b> apple Snail <b>B.Ref. :</b> - <b>Range :</b> World wide			<b>G-2856</b>
<b>Habitat :</b> Freshwater	<b>Size :</b> 70 mm		
<b><i>Pomacea canaliculata</i></b> (J.B.P.A. Lamarck, 1822)			<small>Conchology</small>
<b>Family :</b> Ampullariidae <b>C.Name:</b> apple Snail <b>B.Ref. :</b> - <b>Range :</b> World wide			<b>G-2867</b>
<b>Habitat :</b> Freshwater	<b>Size :</b> 70 mm		
<b><i>Faunus ater</i></b> (C. Linnaeus, 1758)			<small>Conchology</small>
<b>Family :</b> Pachychilidae <b>C.Name:</b> - <b>B.Ref. :</b> IFM-155 <b>Range :</b> World wide			<b>G-4041</b>
<b>Habitat :</b> Freshwater	<b>Size :</b> 50 mm		



<b><i>Melanoides plicaria</i></b> (I. von Born, 1778)			
<b>Family :</b> Thiaridae <b>C.Name:</b> - <b>B.Ref. :</b> IFM-163 <b>Range :</b> World wide			
<b>Habitat :</b> Freshwater	<b>Size :</b> 35 mm	<b>G-5194</b>	<b>597</b>
<b><i>Melanoides tuberculata</i></b> (O.F. Müller, 1774)			
<b>Family :</b> Thiaridae <b>C.Name:</b> Red-Rimmed Melania <b>B.Ref. :</b> IFM-161 <b>Range :</b> World wide			
<b>Habitat :</b> Freshwater	<b>Size :</b> 12 mm	<b>G-5219</b>	<b>598</b>
<b><i>Bellamyia bengalensis</i></b> (J.B.P.A. Lamarck, 1822)			
<b>Family :</b> Viviparidae <b>C.Name:</b> Banded pond snail <b>B.Ref. :</b> IFM-78 <b>Range :</b> World wide			
<b>Habitat :</b> Freshwater	<b>Size :</b> 20 mm	<b>G-32194</b>	<b>599</b>
<b><i>Clea helena</i></b> (R.A. Philippi, 1847)			
<b>Family :</b> Buccinidae <b>C.Name:</b> Assassin snail <b>B.Ref. :</b> - <b>Range :</b> southeast Asia			
<b>Habitat :</b> Freshwater	<b>Size :</b> 10 mm	<b>G-45733</b>	<b>600</b>



We know more about the moon  
than we know about the ocean  
& 95% of our oceans remain  
unexplored.

So it's not end.....  
it's Just Starting