

## AN INVENTORY OF INDIAN PYRALIDS (LEPIDOPTERA: PYRALIDAE)

George Mathew

Division of Entomology, Kerala Forest Research Institute, Peechi, Kerala 680653, India  
Email: mathew@kfri.org

### ABSTRACT

An inventory of 1646 species of pyralids so far recorded from India is presented indicating the year of publication and the current nomenclatural combination. A key adapted from literature is also given for separation of subfamilies.

### KEYWORDS

Checklist, India, inventory, Lepidoptera, moths, Pyralidae, subfamily key

Due to discovery of new species and also due to refinements in the taxonomic techniques, considerable changes have taken place in the taxonomic status of various categories of the Indian Pyralidae since publication of Sir George Hampson's Fauna volume in 1896 in the 'Fauna of British India' series. As a result, the nomenclature of a number of species had undergone changes, some times on several occasions and unaware of these changes, entomologists have been using different names for the same species. For example, the common rice borer, *Scirpophaga incertulas* (Walker) is also known under the names *Tryporiza incertulas* and *Schoeobius incertulas*. Many species originally described under the genus *Glyphodes* are currently referable under several genera such as *Parotis*, *Palpita*, *Stemorrhages*, *Arthroschista* etc. Also, no attempt has been made to compile the species so far recorded from India. In addition to the above, a number of species have been published which lie scattered in the literature. A complete taxonomic revision of the family would have been most appropriate but considering the large number of included species and the tremendous task involved, this is not going to be materialised in the immediate future. Until such a revision is made, availability of a list of species occurring in the Indian region will be quite useful for checking the occurrence and nomenclature of species that have been reported from this region.

This check list has been prepared by reference to literature (Arora, 2000; Bleszynski, 1951, 1953, 1961, 1962, 1970; Butler, 1879; Denis & Schiffermuller, 1775; Guenee, 1854; Hampson, 1896, 1898, 1899a,b,c, 1903, 1906, 1908, 1910, 1912a,b,c,d,e,f,g,h, 1913a,b,c, 1917a,b,c,d,e, 1930; Mathew & Menon, 1984, 1985, 1986, 1987, 1988; Moore, 1865, 1867, 1879, 1879-88, 1882-87; Munroe & Mutuura, 1970, Munroe, 1972, Munroe & Solis, 1999; Roesler, 1969; Rose, 1981; Rose & Singh, 1989, 1992, 1999; Snellen, 1882, 1890; Swinhoe, 1884, 1885, 1889a,b, 1892, 1894, 1900, 1906-1907, 1916; and Whalley, 1971). In addition to these, material as well as notes contained on card indexes available in the Natural History Museum, London maintained by the Museum. Full treatment of synonymies and references to nomenclature changes have not been included although the year of publication of the taxa and the current nomenclature

combination has been given. Altogether, 1646 species (against 1136 species reported in the Fauna of British India) is given. While every attempt has been made to cover as many species as possible, it is possible that some names could have been left out due to oversight. It is hoped that the present list may serve as a draft for immediate reference until a detailed revision on this group is prepared.

The classification followed in this work is the one proposed by Munroe (1972) for the Pyralidae of America north of Mexico. Munroe and Solis (1999) have also given a detailed taxonomic treatment of this group. A key adapted from the above work is presented here for the separation of various subfamilies.

### REFERENCES

- Arora, G.S. (2000). Studies on some Indian pyralid species of economic importance. Part I. Crambinae, Schoenobiinae, Nymphulinae, Phycitinae and Galleriinae (Lepidoptera: Pyralidae). Zoological Survey of India, Kolkata. *Records of the Zoological Survey of India*, Occasional Paper No. 181, 149pp.
- Bleszynski, S. (1951). Studies on the genus *Crambus* Fb. (Lepidoptera, Crambidae) *Polish Society of Entomology*, Wroclaw 21: 61-101.
- Bleszynski, S. (1953). Studies on the Crambidae (Lepidoptera)-VI. Three new Palearctic species of the genus *Pediasia* Hbn. *Annals of Museum of Zoology Poland* 15: 101-108.
- Bleszynski, S. (1961). A revision of the world species of the family Crambidae, part I - Genus *Calmotropha* Zell. *Acta Zoologica Crac.* Krakow 6: 137-272.
- Bleszynski, S. (1962). A short catalogue of the world species of the family Crambidae (Lepidoptera). *Acta Zoologica Crac.* Krakow 7(12): 197-389.
- Bleszynski, S. (1970). New genera and species of tropical Crambinae (Studies on Crambinae: Lepidoptera: Pyralidae, pt.48). *Tijdschrift voor Entomologie*, Deel 113: 1-26.
- Butler, A.G. (1879). *Illustrations of typical specimens of Lepidoptera Heterocera in the British Museum*. Pt. III.
- Denis, J.N.C.M. and Schiffermuller (1775). *Ankündigung eines Systematischen Werkes Von den Schmetterlingen der wienergard* 1(20): 127-146.
- Guenee, A. (1854). *Species general des Lepidoptera*, 8. *Deltoides et Pyralites*, Paris.
- Hampson, G.F. (1896). *Fauna of British India, Moths*, 4: 1-594. Taylor & Francis Ltd., London.
- Hampson, G.F. (1898). A revision of the moths of sub-family Pyraustinae and family Pyralidae. Part 2. *Proceedings of Zoological Society of London* 1898: 590-761.
- Hampson, G.F. (1899a). A revision of the moths of sub-family Pyraustinae and family Pyralidae. *Proceedings of Zoological Society of London* 1899: 172-291.
- Hampson, G.F. (1899b). The moths of India. Supplementary paper to the volume of "Fauna of British India". Series III., Part III. *Journal of the Bombay Natural History Society* 1: 164-183, 447-478.
- Hampson, G.F. (1899c). The moths of India. Supplementary paper to the volumes of the Fauna of British India" Part IV, V, VI and VIII. *Journal of the Bombay Natural History Society* 12: 93-98, 304-314, 475-485, 697-715.

## Key to subfamilies of Pyralidae

1. Praecinctorium present; tympanic bullae medially fused ..... 2
- Praecinctorium absent; tympanic bullae separate or approximated ..... 12
2. Chaetosema present ..... 3
- Chaetosema absent ..... 8
3. Forewing with distal part of 1<sup>st</sup> A developed as a tubular vein ..... 4
- Forewing with 1<sup>st</sup> A represented only by a fold ..... 5
4. Proboscis present; R2 of fore wing stalked with R3+4; M2 of hind wing lost; termen of hind wing usually with a series of black and metallic spots; vinculum of male genitalia without shell-like accessory sclerites ..... Nymphulinae (part)
- Proboscis absent; R2 of fore wing either stalked with or separate from R3+4; M2 of hind wing present; termen of hind wing without a series of black and metallic spots; vinculum of male genitalia with a pair of shell-like accessory sclerites ..... Schoenobiinae
5. Vein R2 of fore wing usually stalked or at least closely apposed to and with R3+4; labial palpus usually upturned and with basal segment relatively long; wings mostly with a conspicuous pattern of transverse bands on a pale ground ..... Nymphulinae (part)
- Vein R2 of fore wing well separated from R3+4; labial palpus porrect, with second segment much longer than basal segment; maxillary palpus having prominent terminal tuft of scales connecting the plane of vertex and frons with dorsal plane of terminal part of labial palpus ..... 6
6. Forwing usually with weakly raised patches of black scales; cubitus of hind wing usually not distinctly pectinated, with hair-like scales; lateral arms of tegumen of male genitalia about as long as uncus, little tapered ventrally; uncus not strongly compressed or decurved; valvae sometimes with a ventral process but without strong costal or medial armature; gnathos slender and acuminate; the fore-wing pattern almost always resembling that of Noctuidae, in shade of gray or brown powdering ..... Scopariinae
- Forwing without raised patches of black scales; cubitus of hind wing usually distinctly pectinated with hair-like scales, lateral arms of tegumen strongly narrowed ventrally or much longer than uncus, usually both; uncus usually compressed and strongly curved in the vertical plane; gnathos usually long, compressed and decurved; valvae often with strong costal process or medial armature; the fore-wing with longitudinal lines, transverse angular bands near end of cell, silvery areas, black terminal line broken into dot posteriorly, or some combination of these ..... 7
7. Hind-wing with cell closed, M1 widely separated from Rs ..... Ancyloleptinae (Crambinae)
- Hindwing with cell open, M1 basally approximated to Rs ..... Crambinae
8. Valvae of male genitalia with costal process; uncus simple; gnathos well developed ..... Cybalomiinae
- Valvae of male genitalia without costal process, or uncus bi-lobed and laterally decurved and setose, or gnathos absent ..... 9
9. Uncus of male genitalia bilobed and laterally setose; gnathos well developed ..... Odontiinae
- Uncus of male genitalia simple or gnathos rudimentary or absent ..... 10
10. Male genitalia with gnathos well developed, slender, dorsally toothed near apex; uncus narrow and distally pointed; valvae usually without clasper, at most with a simple hook-like clasper ..... Evergestinae
- Male genitalia with gnathos almost always weak and rudimentary or absent; gnathos, if well developed, not toothed dorsally and in these species uncus broadly triangular, not long and slender ..... 11
11. Hind wing with areas of spatulate setae in cubital and anal regions of upperside; praecinctorium simple .... Glaphyriinae
- Hind wing without areas of spatulate setae in cubital and anal regions above; praecinctorium distally bilobed, often strongly so ..... Pyraustinae
12. Veins R3 and R4 of forewing completely fused ..... 13
- Veins R3 and R4 of forewing stalked ..... 14
13. Proboscis rudimentary or absent; uncus of male with prominent laterally or postero-laterally directed spine-like processes; ovipositor of female with deep compressed lobes ..... Peoriinae
- Proboscis usually well developed, sometimes rudimentary or absent; in the latter case, the uncus of the male simple and rounded and the ovipositor of the female with small shallow lobes ..... Phycitinae
14. Male genitalia with gnathos prominent, usually slender and distally hooked; uncus various ..... 15
- Male genitalia without gnathos, uncus broad and rounded ..... Galleriinae
15. Maxillary palpi absent; 1st A of hind wing absent ..... Chrysauginae
- Maxillary palpi present, often conspicuous; 1st A of hindwing well developed ..... 16
16. Fore wing above tufted with scales; male with labial palpus or basal segment of antenna often produced upward and backward over the vertex; Sc and Rs of the hind wing anastomosed ..... Epipaschiinae
- Fore wing above not tufted with scales; labial palpus and basal segment of antenna not produced upward and backward over vertex; Sc and Rs of hind wing usually only approximated ..... Pyralinae

## Organisation of the list

The list is organised in a systematic sequence at supra generic levels although the genera and species are listed alphabetically. Under each genus, the species with author and date of publication are given. In the case of new combinations, the name of the author and the year of publication are given in parenthesis followed by the previous name of the genus, also in parenthesis. A model of the pattern followed in this list is given below:

### Galleriinae

*Lamoria* Walker, 1863  
*adaptella* (Walker, 1863) (*Pempelia*)  
*infumatella* Hampson, 1896

### List of Pyralidae of India

#### 1. Galleriinae

*Achroia* Hubner, 1819  
*grisella* (Fabricius, 1794) (*Tinea*)  
*innota* (Walker, 1864) (*Vobrix*)  
*innota lankella* (Corbet & Tams, 1943) (*Achoria*)

*Aphomia* Hubner, 1825  
*monochroa* (Hampson, 1912) (*Melissoblastes*)  
*odontella* (Hampson, 1898) (*Melissoblastes*)  
*vinotincta* (Hampson, 1908) (*Melissoblastes*)  
*zelleri* De Joannis, 1932 (*n.n. bipunctatus* Zell.) (*Melissoblastes*)

*Cataprosopus* Butler 1981  
*chalybopicta* (Warren, 1896) (*Lophopalpia*)

*Corcyra* Ragonot, 1885  
*cephalonica* (Stainton, 1866) (*Melissoblastes*)

*Doloessa* Zeller, 1848  
*castanella* (Hampson, 1896) (*Thagora*)  
*constellata* Hampson, 1898  
*figurana* (Walker, 1863) (*Thagora*)  
*ochrociella* (Ragonot, 1893) (*Carcinoptera*)

*Ertzica* Walker, 1866  
*macroptera* (Snellen, 1880) (*Galleria*)

*Galleria* Fabricius, 1798  
*mellonella* (Linnaeus, 1758) (*Tinea*)

*Lamoria* Walker, 1863  
*adaptella* (Walker, 1863) (*Pempelia*)  
*hemi* Rose, 1951  
*infumatella* Hampson, 1898  
*jordanis* Ragonot, 1998

*Megartridia* Martin, 1956  
*canosparsalis* (Hampson, 1896) (*Omphalocera*)

*Paralipsa* Butler, 1879  
*gularis* (Zeller, 1877) (*Melissoblastes*)

*Prasinoxena* Meyrick, 1894  
*metaleuca* Hampson, 1912

*Stenachroia* Hampson, 1898  
*elongella* Hampson, 1898  
*nigrisparsalis* (Hampson, 1903) (*Lamoria*)

*Tirathaba* Walker, 1864  
*grandinotella* Hampson, 1898

*rosella* Hampson, 1898  
*rufivena* (Walker, 1864) (*Lamoria*)  
*ruptilinea* (Walker, 1866) (*Lamoria*)  
*unicolorella* (Hampson, 1896) (*Mucialla*)

*Trachylepidia* Ragonot, 1887  
*fructicassiella* Ragonot, 1887

#### 2. Crambinae

*Agriphila* Hubner, 1825  
*himalayensis* Ganey, 1984  
*impurellus* (Hampson, 1895) (*Crambus*)  
*tristellus* (Denis & Schiffermuller, 1775) (*Tinea*)

*Ancylolomia* Hubner, 1818  
*argentata* Moore, 1886  
*cervicella* Bleszynski, 1970  
*chrysographellus* (Kollar, 1844) (*Chilo*)  
*dives* Hampson, 1919  
*felderella* Bleszynski, 1970  
*indica* Felder, 1875  
*intricata* Bleszynski, 1970  
*laverna* Bleszynski, 1970  
*locupletella* Kollar, 1844  
*saundersiella* Zeller, 1863  
*taprobanensis* Zeller, 1863  
*uniformella* Hampson, 1895

*Bissetia* Kapur, 1950  
*steniellus* (Kapur, 1950) (*Chilo*)

*Borer* Guenee, 1862  
*sacchariphagus indicus* (Kapur, 1950) (*Proceras*)

*Calamotropha* Zeller, 1863  
*alcesta* Bleszynski, 1961  
*argenticilia* (Hampson, 1895) (*Crambus*)  
*atkinsoni* (Zeller, 1863) (*Crambus*)  
*corticellus* (Hampson, 1898) (*Crambus*)  
*caesella* (Walker, 1863) (*Araxes*)  
*endopolia* (Hampson, 1912) (*Crambus*)  
*holodryas* (Meyrick, 1933) (*Crambus*)  
*indica* Bleszynski, 1961  
*latellus* (Snellen, 1890) (*Crambus*)  
*lupatus* (Meyrick, 1932) (*Crambus*)  
*melanosticta* (Hampson, 1895) (*Crambus*)  
*neurigrammalis* (Hampson, 1912) (*Crambus*)  
*oculalis* (Snellen, 1893) (*Crambus*)  
*paludella* (Hubner, 1824) (*Tinea*)  
*pseudodielota* Bleszynski, 1961  
*punctivenellus* (Hampson, 1895) (*Crambus*)  
*saturnella* Bleszynski, 1961  
*schwarzi* Bleszynski, 1961  
*venera* Bleszynski, 1961

*Charltona* Swinhoe, 1885  
*bivitellus* Moore, 1872  
*cervinellus* Moore, 1872  
*consociellus* Walker, 1863  
*cramboides* (Walker, 1864) (*Lithosia*)  
*desistalis* Walker, 1863  
*diatraeella* (Hampson, 1896) (*Platytes*)  
*endothormalis* Hampson, 1919  
*fusca* Hampson, 1903  
*inconspicuellus* Moore, 1872  
*kala* Swinhoe, 1885  
*laminata* Hampson, 1895  
*ortellus* Swinhoe, 1886  
*rufalis* Hampson, 1919  
*trichialis* (Hampson, 1903) (*Platytes*)

*Charltoniada* Strand, 1919  
*apicella* (Hampson, 1896) (*Platytes*)

*Chilandrus* Bleszynski, 1970  
*chrysis* (Meyrick, 1933) (*Schoenobius*)

*Chilo* Zincken, 1817

*batri* (Fletcher, 1927) (*Diatraea*)  
*ikri* (Fletcher, 1927) (*Diatraea*)  
*infuscatellus* Snellen, 1890  
*kanra* (Fletcher, 1927) (*Diatraea*)  
*partellus* (Swinhoe, 1885) (*Crambus*)  
*partellus acutus* Bhattacherjee, 1971  
*partellus kanpurensis* Bhattacherjee, 1971  
*sacchariphagus* (Bojer, 1873) (*Proceras*)  
*sacchariphagus indicus* (Kapur, 1950) (*Proceras*)  
*suppressalis* (Walker, 1863) (*Crambus*)  
*tamsi* Kapur, 1950  
*tumidicostalis* (Hampson, 1919) (*Argyria*)  
*vergillus* Bleszynski, 1970

*Chilotrea*  
*auricilia* (Dudgeon, 1905) (*Chilo*)  
*ceylonicus* (Hampson, 1895) (*Chilo*)  
*polychrysa* (Meyrick, 1932) (*Diatraea*)

*Chrysoteuchia* (Hubner, 1825)  
*dividellus* (Snellen, 1890) (*Crambus*)  
*gonoxes* (Bleszynski, 1962) (*Crambus*)

*Classeya* Bleszynski, 1960  
*interstriatellus* (Hampson, 1895) (*Platytes*)  
*niveifascialis* (Hampson, 1895) (*Platytes*)

*Corynophora* Berg, 1898  
*torrentellus* (Meyrick, 1879) (*Crambus*)

*Crambixon* Bleszynski, 1965  
*phoeostrigellus* (Hampson, 1903) (*Crambus*)

*Crambus* Fabricius, 1798  
*argyrophorus* Butler, 1678  
*athamas* Bleszynski, 1961  
*coryolanus* Bleszynski, 1961  
*dianiphalis* Hampson, 1908  
*hemileucalis* Hampson, 1896  
*nivellus* (Kollar, 1844)

*Culladia* Moore, 1866  
*admiratella* (Walker, 1863) (*Araxes*)  
*asamella* Bleszynski, 1970  
*dentilinealis* Hampson, 1919  
*suffusella* Hampson, 1895

*Donagoscaptus* Zeller, 1877  
*aculeata* (Hampson, 1903) (*Diatraea*)  
*albipennella* (Hampson, 1895) (*Platytes*)  
*araealis* (Hampson, 1912) (*Chilo*)  
*belgaumensis* (Kapur, 1950) (*Coniesta*)  
*diaperalis* (Hampson, 1919) (*Diatraea*)  
*flavalis* (Hampson, 1919) (*Diatraea*)  
*forsteri* (Bleszynski, 1965) (*Acigona*)  
*hampsoni* (Kapur, 1950) (*Coniesta*)  
*lunilinealis* (Hampson, 1919) (*Diatraea*)  
*rufulalis* (Hampson, 1919) (*Chilo*)  
*steniellus* (Hampson, 1898) (*Chilo*)  
*strigulalis* (Hampson, 1895) (*Platytes*)  
*tauromma* (Kapur, 1950) (*Girdharia*)

*Epichilo* Ragonot, 1888  
*parvellus* Ragonot, 1889  
*vartianae* Bleszynski, 1965

*Eschata* Walker, 1856  
*aida* Bleszynski, 1970  
*chrysargyria* Walker, 1865  
*conspurcata* Moore, 1888  
*gelida* Walker, 1856  
*hinalaica* Bleszynski, 1965  
*irrorata* Hampson, 1919  
*mielanacera* Hampson, 1896  
*ochreipes* Hampson, 1591  
*percandida* Swinhoe, 1890  
*rembrandti* Bleszynski, 1970  
*rififi* Bleszynski, 1965

*rococo* Bleszynski, 1970  
*xanthocera* Hampson, 1895  
*xanthorhyncha* Hampson, 1895

*Euchromius* Guenee, 1845  
*ocellea* (Haworth, 1811) (*Palparia*)

*Flavocrambus* Bleszynski, 1959  
*melaneurus* (Hampson, 1919) (*Crambus*)

*Gargela* Walker, 1864  
*renatusalis* (Walker, 1859) (*Zebronia*)

*Girdharia*, Kapur, 1950  
*tauromma* Kapur, 1950

*Glaucobaris* Meyrick, 1938  
*albilinealis* (Hampson, 1896) (*Diptychophora*)  
*albilinealis occidentalis* Gaskin, 1988  
*albilinealis similis* Gaskin, 1988  
*assamensis* Gaskin, 1988  
*barmanella* Gaskin, 1988  
*copernici bengalensis* Gaskin, 1988  
*equestris* (Meyrick, 1931) (*Diptychophora*)  
*fuscopinna* Gaskin, 1988  
*griseolalis* (Hampson, 1895) (*Diptychophora*)  
*himalayana* Gaskin, 1988  
*iimmitis* (Meyrick, 1931) (*Diptychophora*)  
*incisella* (Bleszynski, 1970) (*Paretomene*)  
*kangraensis* Gaskin, 1988  
*khasiella* Gaskin, 1988  
*minutalis* (Hampson, 1893) (*Ditomoptera*)  
*molleri* Gaskin, 1988  
*ochrophanes* (Meyrick, 1931) (*Diptychophora*)  
*pilcheri* Gaskin, 1988  
*rectifascialis* Gaskin, 1988  
*rectifascialis indicialis* Gaskin, 1988  
*rusticula* (Meyrick, 1931) (*Diptychophora*)  
*sikkimella* Gaskin, 1988  
*swanni* Gaskin, 1988  
*tripunctata* (Moore, 1888) (*Eromene*)  
*tripunctata grahami* Gaskin, 1988  
*tripunctata pallesceni* Gaskin, 1988

*Libuna* Moore, 1886  
*solitella* (Walker, 1866) (*Bulina*)

*Mesolia* Ragonot, 1889  
*margistrigella* Hampson, 1899  
*pandavella* Ragonot, 1888  
*rectilineella* Hampson, 1899

*Metaeuchromius* Bleszynski, 1960  
*euxonella* (Hampson, 1896) (*Diptychophora*)  
*mitis* (Meyrick, 1931) (*Diptychophora*)

*Microchilo* Okano, 1962  
*acroperalis* (Hampson, 1908) (*Platytes*)  
*fulvizonella* (Hampson, 1896) (*Platytes*)

*Pediasia* Hubner, 1825  
*abbreviatellus* (Walker, 1866) (*Crambus*)  
*gruberella* Bleszynski, 1969  
*ochristrigellus* (Hampson, 1895) (*Crambus*)  
*roesleri* Bleszynski, 1969  
*walkeri* Bleszynski, 1962

*Platytes* Guenee, 1845  
*argyrotricha* Hampson, 1934

*Pronapteryx* Stephens, 1934  
*albicostalis* Hampson, 1919  
*albipennis* (Butler, 1886) (*Surattha*)  
*arenalis* (Hampson, 1919) (*Surattha*)  
*fuscilella* (Swinhoe, 1895) (*Surattha*)  
*invectalis* (Walker, 1863) (*Calarina*)  
*scitulella* (Walker, 1866) (*Surattha*)  
*thysbesalis* (Walker 1863) (*Pindicatora*)

*Pseudargyria* Okano, 1962  
*marginepunctalis* (Hampson, 1895) (*Platytes*)  
*parallelus* (Zeller, 1867) (*Crambus*)  
*superbella* (Zeller, 1863) (*Eromene*)

*Pseudobissetia* Bleszynski, 1959  
*ustalis* (Hampson, 1919) (*Diatraea*)

*Pseudocatharylla* Bleszynski, 1961  
*albiceps* (Hampson, 1912) (*Crambus*)  
*artemida* Bleszynski, 1964  
*chalchipterus* (Hampson, 1896) (*Crambus*)  
*oenescentellus* ceylonica Bleszynski, 1964

*Roxita* Bleszynski, 1963  
*adpersella* (Snellen, 1893) (*Diptchophora*)  
*fletcheri* Gaskin, 1984  
*reductella* Gaskin, 1984

*Talis* Guenee, 1845  
*cashmirensis* (Hampson, 1919) (*Diatraea*)

*Thopeutis* Hubner, 1818  
*galleriellus* (Ragonot, 1892) (*Cephis*)

**3. Schoenobiinae**  
*Brihaspa* Moore, 1867  
*atrostigmella* Moore, 1867

*Catagela* Walker, 1863  
*adjurella* Walker, 1863

*Leucoides* Hampson, 1893  
*fuscicostalis* Hampson, 1893

*Panalipa* Moore, 1886  
*immeritalis* (Walker, 1859) (*Dosara*)

*Patissa* Moore, 1886  
*aenealis* Hampson, 1899  
*burmanalis* (Swinhoe, 1890) (*Eurycraspeda*)  
*chlorosema* (Meyrick, 1894) (*Donacaula*)  
*curvilinealis* Hampson, 1895  
*erythrozonalis* (Hampson, 1895)  
*fulvidorsalis* Hampson, 1903  
*fulvosparva* (Butler, 1881) (*Apurima*)  
*interfusalis* Hampson, 1898  
*intersticalis* Hampson, 1908  
*lactealis* (Felder & Rogenhofer, 1874) (*Metasia*)  
*latifuscalis* Hampson, 1895  
*luteifrons* Hampson, 1896  
*multivagellus* (Swinhoe, 1886) (*Crambus*)

*Promagrochilo* Bleszynski, 1962  
*ambiguellus* (Snellen, 1890) (*Chilo*)

*Ramila* Moore, 1867  
*angustifimbrialis* (Swinhoe, 1890) (*Crambostenia*)  
*marginella* Moore, 1867  
*ruficostalis* Hampson, 1893

*Schoenobius* Duponchel, 1836  
*dodatellus* (Walker, 1864) (*Chilo*)  
*agrophthalmus* Meyrick, 1933  
*niloticus* Zeller, 1867

*Scirpophaga* Treitschke, 1832  
*auristrigellus* (Hampson, 1895) (*Schoenobius*)  
*aurivena* (Hampson, 1903) (*Schoenobius*)  
*bisignatus* (Swinhoe, 1885) (*Schoenobius*)  
*excerptalis* (Walker, 1863) (*Chilo*)  
*monostigma* Zeller, 1863  
*flavidorsalis* (Hampson, 1919) (*Topeutis*)  
*fusciflua* Hampson, 1893  
*gilviberbis* Zeller, 1863  
*incertulus* (Walker, 1863) (*Chilo*)  
*innotata* (Walker, 1863) *Tipanaea*  
*khasis* Lewvanich, 1981

*kuwatai* Lewvanich 1981  
*nepalensis* Lewvanich, 1981  
*nivella* (Fabricius, 1764) (*Tinea*)  
*virginia* Schultze, 1908  
*whalleyi* Lewvanich, 1981  
*xanthogastrella* (Walker, 1865) (*Apurima*)

#### 4. Peoriinae

*Baptotropa* Hampson, 1918  
*tricolorella* (Hampson, 1899) (*Patna*)

*Emmalocera* Ragonot, 1888  
*anerastica* (Snellon, 1880) (*Nephopteryx*)  
*aurifusellus* (Walker, 1866) (*Crambus*)  
*depressella* (Swinhoe, 1885) (*Melissoblaptes*)  
*endopyrella* Hampson, 1918  
*holorhoda* (Hampson, 1908) (*Critonia*)  
*lucidicostella* Ragonot, 1888  
*ochracealis* (Hampson, 1912) (*Critonia*)  
*promelaena* (Hampson, 1896) (*Nudaria*)  
*purpureotincta* (Hampson, 1896) (*Critonia*)  
*roseistrigella* (Hampson, 1896) (*Critonia*)  
*subconcinella* (Ragonot, 1890) (*Critonia*)  
*umbricostella* Ragonot, 1888  
*umbrivittella* (Ragonot, 1888) (*Lodiana*)

*Hypsotropa* Zeller, 1848  
*albivenalis* (Hampson, 1912) (*Aimballa*)  
*fusifasciata* Hampson, 1918  
*fuscostrigella* Ragonot, 1888  
*heterocerella* Hampson, 1896  
*pervittella* Hampson, 1918  
*punctinervella* Hampson, 1918  
*roscens* Hampson, 1918

*Maliarpha* Ragonot, 1888  
*separatella* Ragonot, 1888

*Metacrateria* Hampson, 1918  
*pulverulella* (Hampson, 1896) (*Anerastia*)

*Monoctenocera* Hampson, 1899  
*brachiella* Hampson, 1899

*Patna* Ragonot, 1888  
*rhizolineata* Bradley, 1980

*Polyocha* Zeller, 1848  
*depressella* (Swinhoe, 1885) (*Melissoblaptes*)  
*detritella* Ragonot, 1886  
*diversella* Hampson, 1899  
*ornatella* Hampson, 1903  
*pulverealis* Hampson, 1903  
*strigivenella* Hampson, 1899  
*tricoloralis* (Hampson, 1903) (*Polyocha*)  
*vesculella* Ragonot, 1888

*Prophtasia* Ragonot, 1887  
*epiteuxis* Hampson, 1918  
*glaucophaea* Hampson, 1918  
*pyrostroma* Hampson, 1918

*Raphimetopus* Hampson, 1918  
*ablutella* (Zeller, 1839) (*Anerastia*)  
*spinifrontella* Ragonot, 1886

*Rhinaphe* Berg, 1875  
*phaeostrotella* Hampson, 1918

*Saluria* Ragonot, 1887  
*breviculella* Hampson, 1898  
*discopunctella* (Amsel, 1968) (*Saluria*)  
*erodella* Ragonot, 1888  
*hemiphaealis* (Hampson, 1912) (*Saluria*)  
*inficita* (Walker, 1863) (*Acrobasis*)  
*maculivittella* Ragonot, 1887  
*minutella* Hampson, 1903  
*nilgiriensis* Hampson, 1918

- ochridorsella* Ragonot, 1888  
*opificella* (Zeller, 1867) (*Anerastia*)  
*paucigraphella* Ragonot, 1888  
*pulverosa* (Hampson, 1896) (*Poujadia*)  
*rosella* Hampson, 1896 (*Poujadia*)  
*rufella* Hampson, 1918  
*sepicostella* Ragonot, 1888  
*spurcella* Ragonot, 1888
- Siboga* Hampson, 1901  
*albimediella* Hampson, 1918  
*dialeucella* Hampson, 1918
- Tinerastia* Hampson, 1901  
*discipunctella* (Hampson, 1896) (*Menuthia*)  
*fissirella* (Hampson, 1896) (*Menuthia*)
- 5. Phycinae**
- Acrobasis* Zeller, 1848  
*olivalis* (Hampson, 1896) (*Phycita*)
- Ammatucha* Turner, 1922  
*semiirrorella* (Hampson, 1896) (*Nepopteryx*)
- Ancova* Ragonot, 1893  
*endoleuceella* Hampson, 1901  
*flavicollarella* (Hampson, 1899) (*Rhodophaea*)  
*meridionalis* (Walker, 1863) (*Nepopteryx*)
- Ancylodes* (Ragonot, 1887)  
*dunensis* Rose, 1981  
*ilella* (Swinhoe, 1884) (*Pempelia*)  
*lapsalis* (Walker, 1859) (*Dosara*)  
*arenaceella* (Amsel, 1978) (*Ancylosis*)  
*argentescens* (Hampson, 1912) (*Heterographis*)  
*faustinella* (Zeller, 1867) (*Euzophera*)  
*fulvimarginella* (Hampson, 1903) (*Heterographis*)  
*karachiella* (Amsel, 1968) (*Heterographis*)  
*mysorella* (Ragonot, 1888) (*Heterographis*)  
*niveicostella* (Hampson, 1896) (*Ancylosis*)  
*obscuralis* (Hampson, 1903) (*Heterographis*)  
*octella* (Hampson, 1899) (*Heterographis*)  
*pakistanella* (Amsel, 1968) (*Heterographis*)  
*pygmaella* (Hampson, 1896) (*Heterographis*)  
*resticula* (Hampson, 1896) (*Heterographis*)  
*rhodochrella* Herrich-Schaffer, 1852  
*microstictella* (Hampson, 1903) (*Heterographella*)  
*singhalella* (Ragonot, 1888) (*Heterographis*)  
*trilineatella* (Hampson, 1896) (*Ancylosis*)  
*umbrilimbella* (Ragonot, 1901) (*Heterographis*)
- Anerastia* Hubner, 1825  
*brunneavittella* Ragonot, 1888  
*castanealis* Hampson, 1912  
*celsella* (Walker, 1863) (*Araxes?*)  
*stictella* Hampson, 1908
- Anonaepestis* Ragonot, 1894  
*bengalella* Ragonot, 1894
- Anoristia* Ragonot, 1887  
*venosella* (Moore, 1878) (*Homoeosoma*)
- Aphycita* Amsel, 1968  
*sindella* Amsel, 1968
- Apomyeloides* Heinrich, 1956  
*ceratoniae* (Zeller, 1939) (*Myeloides*)
- Aprophthasia* Amsel, 1968  
*vertianae* Amsel, 1968
- Asarta* Zeller, 1848  
*alticola* (Hampson, 1930) (*Anousterunia*)
- Asemeia* Hampson, 1930  
*aprepia* Hampson, 1930
- Assara* Walker, 1863  
*albicostalis* Walker, 1863  
*cedrella* (Hampson, 1903) (*Euzophera*)  
*pinivora* (Meyrick, 1933) (*Cateremna*)  
*tuberculosa* (Meyrick, 1933) (*Cateremna*)
- Auchmera* Hampson, 1930  
*falsalis* (Hampson, 1908) (*Heterographis*)
- Aurana* Walker, 1863  
*ctiosaella* Walker, 1863
- Cadra* Walker, 1864  
*cautella* (Walker, 1863) (*Pempelia*)
- Caina* Ragonot, 1893  
*inanitella* (Ragonot, 1888) (*Anoristia*)
- Calgula* Walker, 1863  
*defigurialis* (Walker, 1863) (*Calguia*)
- Canthelea* Walker, 1866  
*oegnusalis* (Walker, 1859) (?*Pyralis*)
- Catastia* Hubner, 1825  
*uniformis* (Hampson, 1903) (*Etiella*)
- Cathyalia* Ragonot, 1888  
*fulvella* Ragonot, 1888
- Caustella* Hampson, 1930  
*micralis* (Hampson, 1896) (*Heterographis*)
- Cavipalpia* Ragonot, 1893  
*translucida* Ragonot, 1893
- Ceroprepes* Zeller, 1867  
*patriciella* Zeller, 1867  
*pulvilella* (Zeller, 1867) (*Nepopteryx*)
- Citripestis* Ragonot, 1893  
*sagittiferella* Moore, 1891  
*pectinicornella* (Hampson, 1896) (*Myeloides*)
- Conobathra* Meyrick, 1886  
*atelogamma* (Meyrick 1937) (*Myeloides*)
- Copamyntis* Meyrick, 1934  
*bipartella* (Hampson, 1896) (*Phycita*)  
*obliquifasciella* (Hampson, 1896) (*Phycita*)
- Crocidophora*  
*phaealis* Hampson, 1908
- Cryptoblades* Zeller, 1848  
*angustipennella* Ragonot, 1888  
*ephestialis* Hampson, 1903  
*flavizonalis* Hampson, 1912  
*lophopterella* (Hampson, 1899) (*Spatulipalpia*)  
*mannheimsi* Roesler, 1969  
*myosticta* (Hampson, 1903) (*Etiella*)  
*proleucella* Hampson, 1896  
*scotochroalis* Hampson, 1912
- Ctenomedes* Meyrick, 1935  
*neuractis* Meyrick, 1935
- Ctenomeristis* Meyrick, 1929  
*ebriola* Meyrick, 1934
- Cyanaphycis* Roesler, 1978  
*bradleyella* Roesler, 1978  
*ferreotincta* (Hampson, 1912) (*Nepopteryx*)
- Didia* Ragonot, 1893  
*strigivenella* (Hampson, 1899) (*Myeloides*)
- Dioryctria* Zeller, 1846  
*assamensis* Mutuura, 1971
- castanea* Bradley, 1969  
*raoi* Mutuura, 1971  
*symphoniella* (Hampson, 1899) (*Phycita*)
- Eccopidia* Hampson, 1899  
*oinistis* Hampson, 1903  
*strigata* Hampson, 1899
- Endolasia* Hampson, 1896  
*melanoleuca* Hampson, 1896
- Ephestia* Guenee, 1845  
*disputella* Richards & Thomson, 1932  
*glycyphloeas* Meyrick, 1935  
*rubrimediella* Hampson, 1896
- Ephestiopsis* Ragonot, 1893  
*bipunctalis* (Hampson, 1896) (*Cryptoblades*)
- Epicrocis* Zeller, 1848  
*festivella* Zeller, 1848  
*uberialis* (Swinhoe, 1884) (*Pyralis*)
- Epischnia* Hubner, 1825  
*irralis* (Hampson, 1908) (*Epischnia*)
- Ereboenis* Meyrick, 1935  
*saturata* Meyrick, 1935
- Ernophthora* Meyrick, 1887  
*actiosoides* (Hampson, 1896)
- Etiella* Zeller, 1839  
*grisea* Hampson, 1909  
*zinckenella* (Treitschke, 1832) (*Phycis*)
- Euzophera* Zeller, 1867  
*albicostalis* Hampson, 1903  
*perticella* Ragonot, 1888  
*plumbeifasciella* Hampson, 1896  
*verrucicola* (Hampson, 1896) (*Heterographis*)
- Euzopherodes* Hampson, 1899  
*albicans* Hampson, 1899  
*albitrigella* Hampson, 1908  
*dendrophaga* Meyrick, 1934  
*ephestialis* Hampson, 1903  
*hemiphaea* Hampson, 1908  
*irroralis* Hampson, 1903  
*proleucalis* Hampson, 1908  
*tapobalis* Hampson, 1908
- Gymnancyeloides* Amsel, 1968  
*psorosella* Amsel, 1968
- Heterochrosis* Hampson, 1926  
*zeylanica* Hampson, 1926
- Homodigma* Hampson, 1930  
*geera* Hampson, 1930
- Homoeosoma* Curtis, 1833  
*bipunctella* Hampson, 1896  
*ephestidiella* Hampson, 1896  
*fuscella* Hampson, 1901  
*fusciusella* Hampson, 1896  
*goliathella* Ragonot, 1888  
*griseipennella* Hampson, 1896  
*nigrimedialis* Hampson, 1903  
*punctistrigella* Ragonot, 1888  
*sadhopullensis* Rose & Dhillon, 1980
- Hyalospila* Ragonot, 1888  
*leueoneurella* Ragonot, 1888
- Hydaspia* Ragonot, 1888  
*dorsipunctella* Ragonot, 1888

- Hypargyria* Ragonot, 1888  
*ferrella* Hampson, 1896  
*metalliferella* Ragonot, 1588
- Hypsipyra* Ragonot, 1888  
*elachistalis* Hampson, 1903  
*robusta* (Moore, 1886) (*Magiris*)  
*rotundipex* Hampson, 1903
- Idiobrotis* Meyrick, 1937  
*oxygrapha* Meyrick, 1937
- Indomalayia* Roesler & Kupperts, 1979  
*flabellifera* (Hampson, 1896) (*Spatulipalpia*)
- Indomyrtaea* Roesler & Kupperts, 1979  
*eugraphella* (Ragonot, 1888) (*Nephoptyryx*)
- Kaurava* Roesler & Kupperts, 1981  
*rufimarginella* (Hampson, 1896) (*Rhodophaea*)
- Lacipea* Walker, 1863  
*muscosella* Walker, 1863
- Letoa* Walker, 1866  
*patulella* Walker, 1866
- Mascelia* Hampson, 1930  
*ectophaea* (Hampson, 1908) (*Euzophera*)
- Merulempista* Roesler, 1967  
*Cyclogramma* (Hampson, 1896) (*Phycita*)
- Mescinia* Hampson, 1901  
*olivescalis* Hampson, 1903
- Mesciniodes* Hampson, 1901  
*micans* (Hampson, 1896) (*Euzophera*)
- Metallosticha* Rebel, 1901  
*plumbeifasciella* (Hampson, 1896) (*Euzophera*)
- Metallostichodes* Roesler, 1967  
*hemicauteilla* (Hampson, 1899) (*Euzophera*)
- Myelois* Hubner, 1825  
*albicostalis* Hampson, 1908  
*atrimaculalis* Hampson, 1912  
*basifuscalis* Walker, 1863  
*echinopisella* Chretien, 1911  
*ephestialis* Hampson, 1903  
*marsyalis* Walker, 1863  
*pectinicornella* Hampson, 1896
- Nephoptyryx* Hubner, 1825  
*acrobasella* Hampson, 1912  
*aeolusalis* Walker, 1863  
*albifascialis* (Hampson, 1903)  
*argiadesalis* Walker, 1863  
*asbolalis* Hampson, 1903  
*basisignella* Hampson, 1896  
*calamalis* Hampson, 1903  
*cyllusalis* Walker, 1863  
*etolusalis* Walker, 1863  
*eugraphella* Ragonot, 1888  
*harpaxalis* Walker, 1863  
*hemiargyralis* Hampson, 1908  
*hypocautella* Hampson, 1903  
*margarophanes* Meyrick, 1932  
*nephelialis* Hampson, 1912  
*nocturnella* Hampson, 1896  
*ochribasalis* Hampson, 1896  
*rhodobasalis* Hampson, 1912  
*rhyparella* Ragonot, 1887  
*rubralis* Hampson, 1903  
*strigivenata* Hampson, 1896  
*tumidella* Hampson, 1903
- Oedilepia* Hampson, 1930  
*striginervella* (Hampson, 1903) (*Nephoptyryx*)
- Oligochroa* Ragonot, 1888  
*leucophaeella* (Zeller, 1867) (*Pempelia*)  
*majoralis* (Hampson, 1896) (*Phycita*)  
*pulverulenta* (Warren, 1888) (*Spermatophthora*)  
*sindella* Ragonot, 1893  
*tenebralls* (Hampson, 1896) (*Rhodophaea*)  
*flavitinctella* (Ragonot, 1893) (*Laodamia*)
- Pempelia* Hubner, 1825  
*eximiella* (Ragonot, 1893) (*Salebria*)  
*hemietenis* (Meyrick, 1933) (*Salebria*)  
*heringii* (Ragonot, 1888) (*Rhodophaea*)  
*palumbella* (Schiffermueller, 1775) (*Tinea*)
- Phycita* Curtis, 1828  
*ardentia* Hampson, 1903  
*clientella* (Zeller, 1867) (*Nephoptyryx*)  
*clientulella* Ragonot, 1893  
*definalis* Hampson, 1908  
*deodaralis* Hampson, 1908  
*endomelaena* Hampson, 1908  
*erythrolophia* Hampson, 1903  
*eulepidella* Hampson, 1896  
*euzonalis* Hampson, 1908  
*hemipexella* Hampson, 1903  
*hemixanthella* Hampson, 1896  
*infusella* (Meyrick, 1879) (*Nephoptyryx*)  
*jasminophaga* Hampson, 1896  
*melanosticta* Hampson, 1912  
*nodicornella* (Ragonot, 1888) (*Oligochroa*)  
*ochralis* Hampson, 1903  
*pachylepidella* Hampson, 1896  
*pectenella* Hampson, 1896  
*phaeella* Hampson, 1903  
*steniella* Hampson, 1912  
*umbratalis* Hampson, 1912
- Phycitodes* Hampson, 1917  
*albatella dierli* Roesler, 1973  
*albovittella* (Ragonot, 1888) (*Homoeosoma*)  
*nepalensis* Roesler, 1973
- Plodia* Guenee, 1845  
*interpunctella* (Hubner), 1813 (*Tinea*)
- Pristarthria* Ragonot, 1893  
*akbarella* (Ragonot, 1888) (*Oligochroa*)  
*mundalis* (Walker, 1863) (*Nephoptyryx*)
- Prorophora* Ragonot, 1887  
*afghanella* Roesler, 1973  
*dialeuca* Hampson, 1912
- Protoetiella* Inoue, 1959  
*venustella* (Hampson, 1896) (*Etiella*)
- Pseudodavara* Roesler & Kupperts, 1979  
*haemaphoralis* (Hampson, 1908) (*Spatulipalpia*)
- Psorosa* Zeller, 1846  
*bifiliferalis* Hampson, 1903  
*proleucalis* Hampson, 1903
- Ptyomaxia* Hampson, 1903  
*trigonifera* Hampson, 1903
- Rhodophaea* Guenee, 1845  
*albirenalis* Hampson, 1908  
*nigralbella* Hampson, 1899
- Sandrabatis* Ragonot, 1893  
*crassiella* Ragonot, 1893  
*phaeella* Hampson, 1903
- Singhalia* Hampson, 1899
- cinerea* (Hampson, 1896) (*Polyocha*)  
*cymogramma* (Meyrick, 1933) (*Cyphomima*)  
*sarcoglaucula* (Hampson, 1896) (*Critonia*)
- Spatulipalpia* Ragonot, 1893  
*albicostalis* Hampson, 1912  
*albistrialis* Hampson, 1912  
*effosella* Ragonot, 1893  
*pallicostalis* (Walker, 1863) (*Nephoptyryx*)
- Staudingeria* Ragonot, 1887  
*bicolorella* Roesler, 1973  
*suboblitelia* (Ragonot, 1888) (*Heterographis*)
- Taprobania* Hampson, 1930  
*glaucochroa* (Hampson, 1908) (*Homoeosoma*)
- Tephros* Ragonot, 1893  
*connexella* Ragonot, 1893  
*epippella* Ragonot, 1890  
*perlucidella* Ragonot, 1893
- Thermopteryx* Hampson, 1912  
*rubrifusa* Hampson, 1912
- Thiallela* Walker, 1863  
*endochralis* Hampson, 1908  
*ligeralis* (Walker, 1863) (*Myelois*)
- Thylacoptila* Mayrick, 1885  
*paurosema* Meyrick, 1885
- Tinestra* Hampson, 1908  
*micralis* Hampson, 1908
- Trissonca* Meyrick, 1882  
*oxyopa* Meyrick, 1934
- Vinicia* Ragonot, 1893  
*phloeophaga* (Meyrick, 1935) (*Eleusina*)
- Volobilis* Walker, 1863,  
*chloropterella* (Hampson, 1896) (*Phycita*)
- Zynodes* Whalley, 1970  
*strigerella* (Nampson, 1903) (*Blabiodes*)

## 6. Epipaschiinae

*Coenodomus* Walsingham, 1889  
*dudgeoni* Hampson, 1896  
*fumosalis* Hampson, 1903  
*hockingi* Walsingham, 1889  
*rotundinidus* Hampson

*Jocara* Walker, 1863  
*malefica* (1934)  
*rufescens* (Hampson, 1896) (*Stericta*)

*Lamida* Walker 1858  
*mediobarbalis* (Hampson, 1916) (*Macalla*)  
*moncusalis* Walker, 1858  
*sordidalis* (Hampson, 1916) (*Macalla*)

*Lepidogma* Meyrick, 1890  
*chlorophilalis* Hampson, 1912  
*melanolopha* Hampson, 1912  
*minimalis* (Hampson, 1916) (*Pococera*)  
*olivalis* (Swinhoe, 1895) (*Hypsopygia*)  
*rufescens* Hampson, 1896  
*tamaricalis* (Mann., 1873) (*Hypotia*)

*Lista* Walker, 1859  
*ficki* (Christ., 1881) (*Craneophora*)  
*variegata* (Moore, 1879) (*Scopocera*)

*Lacastra* Walker, 1858  
*crassipennis* (Walker, 1857) (*Eurois*)  
*pachylepidalis* Hampson, 1896

- Magalla* Walker, 1859  
*albifurcalis* Hampson, 1916  
*atricinctalis* Hampson, 1916  
*brachyscopalis* Hampson, 1912  
*carbonifera* (Meyrick, 1932)  
*cuproviridalis* Moore, 1867  
*dimidialis* (Snellen, 1890) (*Pannucha*)  
*eumictalis* Hampson, 1912  
*exrufescens* Hampson, 1896  
*hypnonalis* Hampson, 1899  
*hypoxantha* Hampson, 1896  
*mesoleucalis* Hampson, 1916  
*vetasarcia* Hampson, 1903  
*nubialis* (Hampson, 1893) (*Stericta*)  
*ochroalis* Hampson, 1916  
*parvula* Hampson, 1896  
*phaeoperalis* Hampson, 1916  
*plicatalis* Hampson, 1903  
*rufibarbalis* Hampson, 1903  
*ruffinctalis* (Warren, 1896) (*Parasarama*)  
*scoporhyncha* Hampson, 1896
- Noctuoides* Staudinger, 1892  
*melanophia* (Staudinger, 1892) (*Anartula*)  
*thurivora* (Meyrick, 1932) (*Anartula*)
- Odontopaschia* Hampson, 1903  
*virescens* Hampson, 1903
- Omphalota* Hampson, 1899  
*chlorobasis* Hampson, 1899
- Orthaga* Walker, 1859  
*aenescens* (Moore, 1859)  
*auroviridalis* Hampson, 1896  
*basalis* Moore  
*euadrusalis* Walker, 1858  
*euryzona* Hampson, 1896  
*exvinacea* (Hampson, 1891) (*Balanotis*)  
*irrorata* Hampson  
*leucatma* (Meyrick, 1932) (*Balanotis*)  
*mangiferae* Misra, 1932  
*molleri* Hampson, 1896  
*onerata* Butler  
*rhodoptila* (Meyrick, 1932) (*Balanotis*)  
*roseiplaga* Hampson, 1896  
*rudis* (Walker, 1862) (*Locastra*)  
*vitalis* (Walker, 1859) (*Pyralis*)
- Peplochora* Meyrick, 1932  
*zalalges* Meyrick, 1933
- Stericta* Lederer, 1863  
*aglossalis* (Warren, 1896) (*Scopocera*)  
*asopialis* (Snellen, 1890) (*Pannucha*)  
*atkinsoni* Moore  
*callibrya* Meyrick, 1933  
*carneotincta* Hampson, 1896  
*divitalis* Guenee  
*olivalis* Hampson, 1903  
*plumbifloccalis* Hampson, 1896  
*pyraliata* (Moore, 1888) (*Scopocera*)  
*rubescens* Hampson, 1903  
*sinuosa* Moore,  
*trichasema* Hampson, 1916
- Teliphasa* Moore, 1888  
*albifusa* (Hampson, 1896) (*Macalla*)
- Trichotophysa* Warren, 1896  
*jucundalis* (Walker, 1865) (*Stericta*)
- 7. (1). Pyralinae (Endotrichini)**  
*Endotricha* Zeller, 1847  
*albicilia* Hampson, 1891  
*ardentalis* Hampson, 1896  
*costaemaculalis* Christoph, 1881  
*fuscifusalis* Hampson, 1896
- decessalis* Walker, 1859  
*eximia* Whalley, 1963  
*fuscobasalis* Ragonot, 1891  
*loricata* Moore, 1888  
*luteogrisalis* Hampson, 1896  
*melanobasis* Hampson, 1916  
*mesenterialis* Walker, 1859
- 7. (2). Pyralinae (Pyralini)**  
*Aglossa* Latreille, 1796  
*pinguinialis* indistincta Corbet & Tams, 1943  
*tanya* Corbet and Tams, 1943
- Arctiolepis* Felder & Felder, 1862  
*rubida* Felder, 1862
- Bostra* Walker, 1863  
*angulifacia* (Moore, 1888) (*Pyralis*)  
*arida* (Butler, 1881) (*Rhodaria*)  
*astigma* Hampson,  
*balux* (Swinhoe, 1884) (*Micra*)  
*castanoptera* Moore  
*denticulata* Swinhoe, 1890  
*fascialis* (Warren, 1895) (*Orthopygia*)  
*ferrifusalis* Hampson, 1899  
*flammalis* Hampson, 1906  
*flavilinealis* Hampson, 1906  
*gnidusalis* (Walker, 1859) (*Aglossa*)  
*tristis* (Butler, 1881) (*Scotomera*)  
*igneusta* Swinhoe  
*ignirubralis* (Hampson, 1917)  
*illusella* Walker, 1863  
*indicator* (Walker), (*Arippana*)  
*imperatrix* (Warren, 1896) (*Zitha*)  
*loxotona* Meyrick, 1933  
*maculilinea* Hampson, 1917  
*mesoleucalis* Hampson, 1912  
*metaxanthialis* Hampson, 1906  
*nephelorthra* Meyrick, 1933  
*orthocopa* Meyrick, 1937  
*pallidicosta* (Hampson, 1893) (*Stemmatophora*)  
*ruptilinealis* (Warren, 1895) (*Comara*)  
*salmo* Hampson  
*sarcosia* Hampson, 1912  
*subviridescens* (Warren, 1895) (*Orthopygia*)  
*vibicalis* (Lederer, 1863) (*Bostra*)
- Crocalia* Ragonot, 1891  
*aglossalis* Ragonot, 1891
- Dattinia* Ragonot, 1887.  
*ereminalis* (Swinhoe, 1889) (*Surratha*)  
*opiparalis* (Swinhoe, 1889) (*Zonara*)  
*proximalis* (Christoph, 1882) (*Hypotia*)  
*rubella* (Swinhoe, 1884) (*Hypotia*)  
*vulgaris* (Butler, 1881) (*Hypotia*)
- Discordia* Swinhoe, 1885  
*basalis* Hampson, 1896  
*evulsa* Swinhoe, 1885  
*siniferalis* Hampson, 1896
- Embryoglossa* Warren, 1896  
*bipuncta* Hampson, 1903  
*variegata* Warren, 1896
- Euryzonella* Ghesquiere, 1942  
*latisfascia* (Hampson, 1891) (*Pyralis*)
- Herculia* Walker, 1859  
*albolinealis* (Hampson, 1891) (*Pyralis*)  
*aurociliialis* Hampson, 1891  
*bractealis* Walker, 1859  
*dharmasalae* Butler, 1889  
*flammealis* Hampson, 1906  
*fuscalis* Hampson  
*hansi* Rose & Dhillon, 1980  
*ignifusalis* (Walker, 1859) (*Pyralis*)
- imbecilis* (Moore, 1885) (*Pyralis*)  
*marthalis* (Walker, 1859) (*Pyralis*)  
*mediallis* Hampson, 1903  
*incongrua* (Butler, 1886) (*Pyralis*)  
*ochreicilia* Hampson, 1891  
*purpureorufa* Hampson, 1917  
*rudis* (Moore, 1888) (*Stemmatophora*)  
*sericea* (Warren, 1891) (*Hypsopygia*)  
*suffusalis* (Walker, 1865) (*Pyralis*)
- Heterocrasa* Warren, 1896  
*expansalis* Warren, 1896
- Hyboloma* Ragonot, 1891  
*pallidalis* Hampson, 1906
- Hypsopygia* Hubner, 1825  
*postflava* (Hampson, 1893) (*Pyralis*)
- Lamacha* Walker, 1863  
*angulifera* Hampson, 1903
- Larice* Ragonot, 1891  
*swinhoei* Ragonot, 1891
- Loryma* Walker, 1859  
*recusata* (Walker, 1863) (*Beria*)
- Omphalota* Swinhoe, 1894  
*accersita* Swinhoe, 1894
- Orybina* Snellen, 1894  
*flaviplaga* (Walker, 1863) (*Oryba*)  
*plangonalis* (Walker, 1859) (*Scopula*)
- Paractenia* Ragonot, 1891  
*castaneonigra* Hampson, 1917  
*pallidirubra* Hampson, 1917  
*pallucidalis* Warren  
*quisqualis* Swinhoe, 1885  
*rubicundalis* Swinhoe, 1885  
*semiochrea* (Warren, 1895) (*Stemmatophora*)  
*sichimensis* Hampson, 1917
- Polycampsis* Warren, 1896  
*longinasus* (Warren, 1896) (*Polycampsis*)
- Proropera* Warren, 1896  
*vinosalis* Warren, 1896
- Prosaris* Meyrick, 1894  
*pernigralis* Meyrick, 1894
- Proteinia* Hampson, 1896  
*pallifrons* (Snellen, 1890) (*Toccolosida*)
- Pyralis* Linnaeus, 1758  
*elongalis* (Kollar, 1844) (*Asopia*)  
*fumipennis* Butler, 1889  
*funnebralis* Warren, 1895  
*janiusalis* Walker, 1859  
*manihotalis* Guenee, 1854  
*palesalis* Walker, 1859  
*phycidalis* Guenee, 1854  
*proximalis* Walker, 1862  
*pictalis* (Curtis, 1834) (*Asopia*)  
*prepiialis* Hampson, 1903  
*ravolalis* Walker, 1859  
*recisalis* Swinhoe, 1885  
*regalis* Denis & Schiffermuller, 1775  
*subresectalis* (Snellen, 1890) (*Asopia*)
- Rhynchetera* Hampson, 1896  
*carnealis* Hampson, 1896
- Rhynchopygia* Hampson, 1896  
*purpureorufa* Hampson, 1896

- Rostripalpus* Hampson, 1896  
*longipennis* Hampson, 1896?
- Sacada* Walker, 1862  
*constrictalis* (Ragonot, 1891) (*Sybrida*)  
*discinota* (Moore, 1866) (*Paravetta*)  
*flexuosa* (Snellen, 1890) (*Paravetta*)  
*inordinata* (Walker, 1865) (*Sybrida*)  
*pallascens* (Hampson, 1896) (*Sacada*)  
*pyraliformis* (Moore, 1879) (*Danaka*)  
*ruffina* (Hampson, 1896) (*Sacada*)  
*sikkima* (Moore, 1879) (*Paravetta*)  
*unilinealis* (Hampson, 1896) (*Sacada*)
- Stemmatophora* Guenee, 1854  
*costinotalis* Hampson, 1906  
*fuliginalis* Hampson, 1906  
*fuscibasalis* (Snellen, 1880) (*Stericta*)  
*herculialis* Hampson, 1896  
*laticincta* Hampson, 1896  
*minimalis* Hampson, 1917  
*minoralis* Hampson, 1903  
*monostaechalis* Warren  
*pallidella* Hampson, 1896  
*pseudoglossa* Hampson, 1896  
*punctimarginalis* Hampson, 1896  
*rectisectalis* (Warren, 1896) (*Pyralis*)  
*rivulata* Moore  
*sanguifusa* Hampson, 1896  
*scotalis* Hampson, 1906  
*subflavalis* Hampson, 1903  
*tactilis* Swinhoe, 1890  
*valida* Butler
- Synaphe* Hubner, 1825  
*indica* Strand, 1914
- Tamraca* Moore, 1887  
*moorei* Rose & Pajni, 1978  
*torridalis* (Lederer, 1863) (*Asopia*)
- Tegulifera* Saalmuller, 1879-80  
*bicoloralis* (Leech, 1889) (*Stemmatophora*)  
*castanealis* Hampson, 1896  
*drapesalis* (Walker, 1859) (*Pyralis*)  
*fumosalis* (Warren, 1896) (*Peucelea*)  
*pallidibasalis* Hampson, 1896  
*phaeaptera* Hampson, 1903  
*psamathopis* (Meyrick, 1894) (*Herculia*)  
*rosealis* Hampson, 1896  
*ruffifascialis* (Hampson, 1896)  
*subolivescens* (Warren, 1895) (*Orthopygia*)  
*tripartita* Hampson, 1917
- Teratomorpha* De Niceville, 1896  
*hampsoni* De Niceville, 1896
- Toccolosida* Walker, 1863  
*rubriceps* Walker, 1863
- Trebania* Ragonot, 1891  
*muricolor* Hampson, 1896
- Triphassa* Hubner, 1818  
*bilineata* Moore, 1878 (*Herculia*)  
*imbutalis* Walker, 1866 (*Rhodaria*)  
*lutecilialis* Hampson, 1896  
*macrarthralis* Hampson, 1908  
*aedalis* (Hampson, 1912) (*Stemmatophora*)  
*metaxantha* Hampson, 1896  
*ochrealis* Hampson, 1893  
*vulsalis* (Walker, 1859) (*Botys*)  
*xylinalis* Swinhoe, 1885  
*zeuxoalis* (Walker, 1863) (*Pindicitoria*)  
*zonalis* Hampson, 1899
- Tyndis* Ragonot, 1891  
*albidefinis* Hampson, 1903
- erebalis* Hampson, 1899  
*hypotalis* Swinhoe, 1886  
*plana* (Walker, 1862) (*Anthophila*)
- Vitessa* Moore, 1860  
*suradeva* Moore, 1860  
*suradeva rama* Moore, 1885
- Xenomilia* Warren, 1896  
*humeralis* Warren, 1896
- 8. Musotiminae**  
*Cymoriza* Guenee, 1854  
*irrectalis* Guenee, 1854  
*ustalis* Walker, 1865
- Musotima* Meyrick, 1884  
*acclaralis* (Walker, 1859) (*Isopteryx*)  
*colonialis* (Bremer, 1864) (*Ambia*)  
*instrumentalis* (Swinhoe, 1894) (*Ambia*)  
*suffusalis* (Hampson, 1893) (*Ambia*)
- Uthinia* Snellen, 1898  
*albisignalis* (Hampson, 1896) (*Orphnophanes*)
- 9. Nymphulinae**  
*Agassziella* Yoshiyasu, 1989  
*albidivisa* (Warren, 1896) (*Oligostigma*)  
*angulipennis* (Hampson, 1891) (*Oligostigma*)  
*fuscifusalle* (Hampson, 1893) (*Oligostigma*)  
*picalis* (Guenee, 1854) (*Oligostigma*)
- Ambia* Walker, 1859  
*albipunctalis* Warren, 1896  
*caeruleata* Hampson, 1893  
*complicata* Warren  
*conspurcatalis* Warren, 1896  
*iambesalis* Walker, 1859  
*lobophoralis* Hampson, 1896  
*marginalis* Moore  
*portialis* Walker, 1859  
*semifascialis* Warren, 1896  
*tenebrosalis* Hampson, 1896  
*xantholcuca* Hampson, 1896
- Aulacodes* Guenee, 1854  
*colonialis* Guenee  
*dominialis* Walker, 1865  
*hamalis* Snellen  
*saturatalis* (Snellen, 1890) (*Oligostigma*)
- Camptomastix* Warren, 1892  
*exuvialis* (Snellen, 1890) (*Diplotyla*)  
*hisbonalis* (Walker, 1859) (*Botys*)
- Cataclysta* Hubner, 1827  
*angulata* Moore  
*trimacula* Hampson
- Clupeosoma* Snellen, 1880  
*sericialis* (Hampson, 1896) (*Pleonectoides*)
- Elophila* Hubner, 1822  
*melagynalis* (Agassiz, 1978) (*Nymphula*)
- Euophyla* Swinhoe, 1900  
*melanops* (Hampson, 1896) (*Aulacodes*)  
*peribocalis* (Walker, 1859) (*Cataclysta*)  
*sejunctalis* (Snellen, 1876) (*Oligostigama*)
- Eristena* Warren, 1896  
*bifurcalis* (Pryer, 1877) (*Oligostigma*)  
*murinalis* (Warren, 1896)  
*oligostigmalis* Hampson, 1906  
*postalbalis* Hampson  
*pulchellalis* (Hampson) (*Oligostigma*)  
*straminealis* Hampson, 1903
- Goniopalpia* Hampson, 1903  
*delicatalis* Hampson, 1903
- Nymphicola* Snellen, 1880  
*blandialis* (Walker, 1859) (*Cataclysta*)
- Nymphula* Schrank, 1802  
*affinialis* (Guenee, 1854) (*Parapoynx*)  
*falliolatalis* Swinhoe, 1890  
*fusalis* Hampson, 1896  
*fuscicostalis* Hampson, 1896  
*grisialis* Hampson, 1912  
*leucostola* Hampson, 1896  
*pygmaealis* Warren, 1896  
*responsalis* (Walker, 1865) (*Diasemia*)  
*votalis* (Walker, 1854) (*Oligostigma*)
- Oligostigma* Guenee, 1854  
*albifurcalis* Hampson, 1906  
*alicialis* Hampson, 1906  
*andreasialis* Hampson, 1912  
*araealis* Hampson, 1897  
*auropunctalis* Hampson, 1903  
*chrysozonalis* Hampson, 1912  
*dianalis* Hampson  
*excisa* (Swinhoe, 1901) (*Hemiloba*)  
*fumibasalis* Hampson, 1896  
*hapilista* Swinhoe, 1892  
*melanotalis* Hampson, 1906  
*niveinotatum* Hampson  
*ornatum* Moore  
*parvalis* Moore, 1877
- Paracataclysta* Yoshiyasu, 1983  
*fuscalis* (Hampson, 1893) (*Cataclysta*)
- Paracymoriza* Warren, 1890  
*albifascialis* (Hampson) (*Parthenodes*)  
*aurantialis* (Swinhoe) (*Parthenodes*)  
*exsolvalis* (Snellen, 1882) (*Hydrocampa*)  
*inextricata* (Moore, 1888) (*Cymoriza*)  
*vagalis* (Walker, 1865) (*Parthenodes*)
- Parapoynx* Huebner, 1825  
*bilinealis* (Snellen, 1876) (*Oligostigma*)  
*crisonalis* (Walker, 1859) (*Hydrocampa*)  
*diminutalis* Snellen, 1880  
*fluctuosalis* (Zeller, 1852) (*Nymphula*)  
*stagnalis* (Zeller, 1852) (*Nymphula*)
- Parthenodes* Guenee, 1854  
*aequivocalis* Warren, 1896  
*bisangulata* (Hampson, 1895) (*Brihaspa*)  
*gangeticalis* (Lederer, 1863) (*Parapoynx*)  
*latifascialis* Warren, 1896  
*nigra* (Warren, 1896) (*Nymphula*)  
*nigriplaga* Swinhoe  
*olivalis* Hampson  
*stellata* (Warren, 1896) (*Paracymoriza*)
- Strepsinoma* Meyrick, 1897  
*croesusalis* (Walker, 1859) (*Cataclysta*)
- Teratausta* Hampson, 1903  
*odontalis* Hampson, 1903
- 10. Scopariinae**  
*Dasyscopa* Meyrick, 1894  
*homogenes* Meyrick, 1894
- Heliothela* Guenee, 1854  
*ophideresana* (Walker, 1863) (*Orosana*)
- Micraglossa* Warren, 1891  
*distictalis* Hampson, 1908)  
*oenealis* Hampson, 1897  
*scoparialis* Warren, 1891



- Scoparia* Haworth, 1811  
*albifusalis* Hampson, 1906  
*canicostalis* Hampson, 1896  
*crocalis* Hampson, 1903  
*delicatilis* Walker, 1865  
*medinella* Snellen, 1890  
*mediorufalis* Hampson, 1896  
*murificalis* Walker, 1859  
*ochrotalis* Hampson, 1903  
*olivaris* Hampson,  
*phaealis* Hampson, 1903  
*polialis* Hampson, 1903  
*pulveralis* Snellen, 1890  
*rufostigma* Hampson  
*straminealis* Hampson, 1903  
*vinotinctalis* Hampson, 1896
- 11. Odontinae**  
*Autocmaris* Swinhoe, 1874  
*fessalis* (Swinhoe, 1886) (*Glyphodes*)  
*margarionalis* Hampson, 1912  
*moringae* Tams, 1938
- Baeotarcha* Meyrick, 1884  
*hyalinalis* Hampson, 1896  
*martinalis* Walker, 1859
- Cheloterma* Meyrick, 1933  
*invidiosa* Meyrick, 1933
- Dausara* Walker, 1859  
*talliusalis* Walker, 1859
- Hemiscopis* Warren, 1890  
*expansa* Warren, 1892  
*suffusalis* (Walker, 1865) (*Scopula*)
- Heortia* Lederer, 1863  
*vitessoides* (Moore, 1885) (*Tyspana*)
- Irigilla* Swinhoe, 1900  
*purpuralis* (Hampson, 1908) (*Calamochrous*)
- Noctuelia* Guenee, 1854  
*dichroalis* Hampson, 1903  
*floralis* (Hubner, 1809) (*Pyralis*)
- Porphyronoorda* Munroe, 1977  
*decumbens* Munroe, 1977
- Taurometopa* Meyrick, 1933  
*aryrostrata* (Hampson, 1917) (*Balaenifrons*)
- Tegostoma* Zeller, 1847  
*baphiales* (Staudinger, 1870) (*Anthophilodes*)  
*flavida* Moore, 1881
- Titania* Hubner, 1829  
*leucopsumis* (Hampson, 1919) (*Argyria*)
- 12. Evergestiinae**  
*Crociodolomia* Zeller, 1852  
*luteolalis* Hampson, 1893  
*pavonana* (Fabricius, 1794) (*Pyralis*)  
*suffusalis* (Hampson, 1891) (*Godara*)
- 13. Glaphyriinae**  
*Hellula* Guenee, 1854  
*undalis* (Fabricius, 1781) (*Phalaena*)  
*reniculus* Pajni & Rose, 1977
- Thyridiphora* Warren, 1888  
*furia* (Swinhoe, 1884) (*Micra*)
- 14. Cybalomiinae**  
*Cybalomini* Marion, 1959  
*Cybalomia* Lederer, 1863  
*cervinalis* Hampson, 1908
- Hendecasis* Hampson, 1896  
*duplicifascialis* (Hampson, 1891) (*Trichophysetis*)  
*fulvalis* Hampson  
*minutalis* Hampson, 1906
- Ptychopseustis* Meyrick, 1889  
*amoenella* (Snellen, 1880) (*Diptychophora*)  
*argentisparsalis* (Hampson, 1895) (*Platytes*)  
*fuscivenalis* (Hampson, 1895) (*Platytes*)  
*ictericalis* (Swinhoe, 1885) (*Platytes*)  
*plumbeolinealis* (Hampson, 1895) (*Platytes*)  
*undulalis* (Hampson, 1919) (*Argyria*)
- Trichophysetis* Meyrick, 1884  
*acutangulalis* Hampson, 1903  
*fumilauta* (Warren, 1896) (*Hendecasis*)  
*gracilentalis* Swinhoe, 1890  
*metamelalis* Hampson, 1899  
*nigrincincta* Hampson  
*nigridiscalis* Warren, 1895  
*nigripalpis* (Warren, 1896) (*Callinaias*)  
*pygmaealis* (Warren, 1896) (*Endotricha*)  
*rufoterminalis* (Christ, 1881) (*Endotricha*)  
*simplalis* (Snellen, 1890) (*Hydrocampa*)  
*umbriefusalis* Hampson, 1912
- 15. Pyraustinae**  
*Achyra* Guenee, 1849  
*coelatalis* (Walker, 1859) (*Dosara*)  
*nudalis* (Hubner, 1796) (*Pyralis*)
- Acropentias* Meyrick, 1890  
*pulverulenta* (Warren, 1892) (*Ebulea*)
- Aethaloessa* Lederer, 1863  
*calidalis* (Guenee, 1854) (*Glyphodes*)  
*floridalis* (Zeller, 1852) (*Stenia*)
- Aetholix* Lederer, 1863  
*flavibasalis* (Guenee, 1854) (*Aediodes*)  
*indecisalis* Warren, 1896
- Agastya* Moore, 1881  
*hyblaeoides* Moore, 1881
- Agathodes* Guenee, 1854  
*modicalis* Guenee, 1854  
*monstralis* Guenee, 1854  
*ostentalis* (Geyer, 1837) (*Perinephela*)
- Agrioglypta* Meyrick, 1932  
*eurytusalis* (Walker, 1859) (*Glyphodes*)  
*itysalis* (Walker, 1859) (*Glyphodes*)  
*naralis* (Felder & Rogenhofer, 1875) (*Glyphodes*)  
*zelimalis* (Walker, 1859) (*Glyphodes*)
- Agrotera* Schrank, 1802  
*barcealis* (Walker, 1859) (*Leucinodes*)  
*basinotata* Hampson, 1891  
*coelatalis* (Walker, 1859) (*Nistra*)  
*discinotata* Swinhoe  
*effertalis* Walker, 1859  
*leucostola* Hampson, 1896  
*magnificalis* Hampson  
*scissalis* Walker, 1865
- Almonia* Walker, 1865  
*cristata* (Hampson, 1891) (*Dodanga*)  
*lobipennis* Moore  
*truncatalis* Walker, 1865
- Analyta* Lederer, 1863  
*melanopalis* Guenee, 1854  
*sigulalis* (Guenee, 1854) (*Leucinodes*)
- Anamalaia* Munroe & Mutuura, 1969  
*nathani* Munroe & Mutuura 1969
- Anania* Hubner, 1825  
*verbascalis* (Denis & Schiffermuller, 1775) (*Pyralis*)
- Antigastra* Lederer, 1863  
*catalaunalis* (Duponchel, 1833) (*Botys*)
- Archernis* (Meyrick, 1886)  
*capitalis* (Fabricius, 1794) (*Phalaena*)  
*dolopsalis* (Walker, 1859) (*Botys*)  
*fulvalis* Hampson, 1899  
*humilis* Swinhoe  
*lugens* (Warren, 1896) (*Protonoceras*)  
*nictitans* Swinhoe  
*obliquialis* Hampson, 1896
- Aristebulea* Munroe & Mutuura, 1968  
*nobilis* Moore
- Arthroschista* Hampson, 1893  
*hilaralis* (Walker, 1859) (*Margaronia*)
- Auchmophoba* Turner, 1913  
*alternata* (Warren, 1895) (*Petta*)  
*costistrigalis* (Hampson, 1896) (*Petta*)
- Aulacoptera* Hampson, 1896  
*fuscinerualis* (Swinhoe, 1895) (*Aulacophora*)
- Banepa* Moore, 1887  
*atkinsoni* Moore, 1887
- Bocchoris* Moore, 1885  
*acamasalis* (Walker, 1859) (*Zebronia*)  
*adipalis* (Lederer, 1863) (*Botys*)  
*albinalis* Hampson, 1912  
*aptalis* (Walker, 1865) (*Botys*)  
*artificialis* (Lederer, 1863) (*Botys*)  
*ciliata* Swinhoe  
*clathralis* (Swinhoe, 1894) (*Ceratarcha*)  
*danalis* Hampson  
*incisalis* (Snellen, 1880) (*Botys*)  
*inspersalis* (Zeller, 1852) (*Botys*)  
*pusaensis* (Bhattacharjee, 1973) (*Hymenia*)  
*onychinalis* (Guenee, 1854) (*Asopia*)  
*rotundalis* (Hampson, 1893) (*Synclera*)  
*sphenocosma* (Meyrick, 1894) (*Margaronia*)  
*telphusalis* (Walker, 1859) (*Glyphodes*)  
*tenera* (Butler, 1883) (*Hydrocampa*)  
*trimaculalis* (Snellen, 1880) (*Aediodes*)  
*trivitalis* Swinhoe, 1895
- Botyodes* Guenee, 1854  
*asialis* Guenee, 1854  
*caldusalis* Walker, 1859  
*crocopteralis* Hampson, 1898  
*flavibasalis* Moore, 1867  
*patulalis* Walker, 1865  
*principalis* Leech, 1889
- Bradina* Lederer, 1863  
*adhaesalis* Walker, 1858  
*admixtalis* (Walker, 1859) (*Botys*)  
*diagonalis* (Guenee, 1854) (*Stegothyris*)  
*melanoperas* Hampson, 1896  
*subpurpurescens* Warren, 1896  
*translinealis* Hampson, 1896
- Calamochrous* Lederer, 1863  
*bipunctalis* Hampson, 1912  
*carnealis* (Swinhoe, 1895) (*Notaspis*)  
*dichroma* (Moore, 1879) (*Ebulea*)  
*ferruginalis* Hampson, 1896  
*homochooalis* Swinhoe, 1907  
*pentasaris* Meyrick, 1932  
*ruficostalis* Hampson, 1896  
*sarcalis* Hampson, 1908  
*sterrhalis* Hampson, 1903

- Cadarena* Moore, 1886  
*sinuata* Fabricius,
- Callibotys* Munroe & Mutuura, 1969  
*hyalodiscalis* (Warren, 1895) (*Rhectothyris*)
- Cangetta* Moore, 1886  
*albocarpa* Warren, 1896  
*homoperalis* Hampson, 1899
- Caprinia* Walker, 1859  
*felder* Lederer, 1863  
*intermedia* Warren, 1896
- Ceratarcha* Swinhoe, 1894  
*umbrosa* Swinhoe, 1894
- Chalcidoptera* Butler, 1887  
*appensalis* Snellen, 1884  
*emissalis* (Walker, 1866) (*Botys*)  
*rufilinealis* Swinhoe, 1895
- Chrysot* hyridia Munroe, 1967  
*invertalis* (Snotien, 1877) (*Bocchoris*)
- Circobotys* Butler, 1879  
*malaisei* Munroe & Mutuura, 1970
- Cirrhochrista* Lederer, 1863  
*bracteolalis* Hampson, 1891  
*brizoalis* (Walker, 1859) (*Margaronia*)  
*fumipalpis* Felder, 1874  
*pulchellalis* Lederer, 1863  
*semibrunnea* Hampson, 1896  
*spissalis* (Guenee, 1854) (*Botys*)
- Cnaphalocrocis* Lederer, 1863  
*medinalis* (Guenee, 1854) (*Salbia*)
- Coelorhynchia* Hampson, 1896  
*ovulalis* Hampson, 1896
- Coptobasis* Lederer, 1863  
*arctalis* (Guenee, 1854) (*Sylepta*)
- Cotachena* (Moore, 1885)  
*histricalis* (Walker, 1859) (*Botys*)  
*whalleyi* Rose & Pajni, 1977
- Crocidophora* Lederer, 1863  
*acutangulalis* Swinhoe,  
*amoenalis* Snellen, 1890  
*aurimargo* (Warren, 1896) (*Circobotys*)  
*calvatialis* Swinhoe, 1890  
*curvilinealis* Hampson, 1899  
*discolorata* Swinhoe  
*distinctalis* Swinhoe, 1899  
*exstigmatis* Hampson, 1903  
*fasciata* Moore  
*flavofasciata* Moore, 1879  
*fulvidalis* Warren, 1895  
*fuscalis* Hampson  
*griseifusa* Swinhoe, 1891  
*limbata* Moore  
*lutusalis* (Snellen, 1890) (*Crocidophora*?)  
*multidental* Warren, 1895  
*pallida* Moore  
*pallidulalis* Swinhoe  
*pionealis* (Snellen, 1890) (*Bradina*)  
*ptyophora* Hampson, 1896  
*sinisalis* Walker, 1859  
*stenophilalis* (Walker, 1865) (*Botys*)
- Crypsiptya* Meyrick, 1894  
*coclesalis* (Walker, 1859) (*Botys*)  
*mutuuri* (Rose & Pajni, 1979) (*Coclebotys*)
- Cydalima* Lederer, 1863  
*caprinoides* (Hampson, 1912) (*Glyphodes*)
- conchylalis* (Guenee, 1854) (*Margarodes*)  
*laticostalis* Guenee, 1854
- Daulia* Walker, 1859  
*afralis* Walker  
*argyrostrotalis* Hampson, 1912  
*aurantialis* Hampson, 1896
- Diathrausta* Lederer, 1863  
*ochrifuscalis* (Hampson, 1903) (*Endotracha*)  
*picata* (Butler, 1889) (*Danaga*)  
*profundalis* (Lederer, 1863) (*Diathrausta*)
- Diathraustodes* Hampson, 1896  
*leucotrigona* Hampson, 1896  
*similis* Hampson, 1903
- Deanolis* Snellen, 1899  
*albizonalis* (Hampson, 1903) (*Noorda*)
- Diaphania* Hubner, 1825  
*indica* (Saunders1851) (*Eudiotpes*)  
*lacustralis* Moore, 1867  
*perspectalis* (Walker, 1859) (*Phakellura*)
- Diasemia* Hiibner, 1825  
*accalis* (Walker, 1859) (*Scopula*)  
*reticularis* (Linnaeus, 1761) (*Pyralis*)
- Diasemiopsis* Munroe, 1957  
*ramburialis* (Duponchel, 1834) (*Hydrocampa*)
- Dichocrocis* Lederer, 1863  
*actinialis* Hampson, 1898  
*atrisectalis* Hampson, 1908  
*attemptalis* (Snellen, 1890) (*Botys*)  
*bistrigalis* Walker, 1865  
*credulalis* (Snellen, 1890) (*Botys*)  
*definita* (Butler, 1889) (*Haritala*)  
*dehradunensis* (Pajni & Rose, 1977)  
*diminutive* (Warren, 1896) (*Conogethes*)  
*evaxalis* (Walker, 1859) (*Botys*)  
*festivalis* Swinhoe, 1885  
*haemactalis* (Snellen, 1890) (*Conogethes*)  
*klotsi* Pajni & Rose, 1977  
*leptalis* Hampson, 1903  
*macrostidza* Hampson, 1912  
*megillalis* (Walker, 1859) (*Botys*)  
*nilusalis* (Walker, 1859) (*Botys*)  
*nigrilinealis* (Walker, 1866) (*Botys*)  
*pandamalis* (Walker, 1859) (*Botys*)  
*plenistigmatis* (Warren, 1895) (*Pachybotys*)  
*pluto* (Butler, 1887) (*Omiodes*)  
*plutusalis* Walker, 1859  
*punctiferalis* (Guenee, 1854) (*Astura*)  
*nigralis* Warren, 1896  
*pyrrhalis* (Walker, 1859) (*Zebronia*)  
*recurrens* Moore  
*revidata* Fabricius, 1787  
*rigidalis* (Snellen, 1890) (*Zebronia*)  
*xuthusalis* (Walker, 1859) (*Botys*)  
*zebralis* Moore, 1867
- Diploseustis* Meyrick, 1884  
*constellata* Warren, 1896  
*pallidalis* Warren, 1896  
*periseresalis* (Walker, 1859) (*Ambia*?)
- Discothyris* Warren, 1895  
*ferruginata* Moore  
*megalophalis* Hampson, 1899  
*vestigialis* Snellen, 1890
- Duzulia* Amsel, 1952  
*subhyalinalis* Hampson, 1900
- Dysallacta* Lederer, 1863  
*negatalis* (Walker, 1859) (*Phalangiodes*)
- Ecpyrorrhoe* Hubner, 1825  
*diffusalis* (Guenee, 1854) (*Botys*)
- Epipagis* Hubner, 1825  
*enderythralis* (Hampson, 1899) (*Sameodes*)  
*milltochristalis* (Hampson, 1896) (*Sameodes*)  
*peritalis* Walker,  
*pictalis* (Swinhoe, 1896) (*Sameodes*)
- Epiparbatia* Caradja, 1925  
*pamirensis* (Arora & Mandal, 1974) (*Dausara*)  
*gloriosalis* Caradja, 1925  
*gloriosalis whalleyi* Munroe & Mutuura, 1971
- Euclasta* Lederer, 1855  
*defamatalis* (Walker, 1859) (*Ilurgia*)  
*filigeralis* Lederer, 1863
- Eurrhyarodes* Snellen, 1880  
*bracteolalis* (Zeller, 1852) (*Botys*)  
*plumbeimarginalis* Hampson, 1898  
*tricoloralis* (Zeller, 1852) (*Botys*)
- Eutectona* Wang & Sung, 1980  
*machoeralis* (Walker, 1859) (*Scopula*)
- Filodes* Guenee, 1854  
*bilinealis* Hampson, 1908  
*fulvidorsalis* (Hubner, 1832) (*Pinacia*)  
*sexpunctalis* Snellen, 1890
- Furcivena* Hampson, 1896  
*strigiferalis* Hampson, 1896
- Glyphodes* Guenee, 1854  
*actorionalis* Walker, 1859  
*badialis* (Walker, 1859) (*Botys*)  
*bicolor* Swainson, 1821  
*bivitalis* Guenee, 1854  
*caesalis* Walker, 1859  
*callizona* Meyrick, 1894  
*canthusalis* Walker, 1859  
*crithealis* Walker, 1859  
*dysallactalis* Hampson, 1896  
*ernalis* Swinhoe, 1894  
*minimalis* Hampson, 1896  
*orbiferalis* Hampson, 1896  
*prothymalis* Swinhoe, 1892  
*proximalis* Snellen, 1899  
*pulverulentalis* Hampson, 1896  
*pyloalis* Walker, 1859  
*stotalis* Guenee, 1854
- Goniorhynchus* Hampson, 1896  
*flaviguttalis* Warren, 1896  
*gratalis* (Lederer, 1863) (*Botys*)
- Herpetogramma* Lederer, 1863  
*bipunctalis* (Fabricius, 1794) (*Phalaena*)  
*dilatatipes* (Walker, 1866) (*Botys*)  
*nigricornalis* (Swinhoe) (*Pachyzancla*)
- Heterocnephes* Lederer, 1863  
*lubricosa* (Warren, 1896) (*Charitoprepes*)  
*lymphatalis* Swinhoe, 1889
- Hyalobathra* Meyrick, 1885  
*aequalis* (Lederer, 1863) (*Botys*)  
*archeleuca* Meyrick 1885  
*coenostollalis* Snellen, 1880  
*filalis* (Guence, 1854) (*Asopia*)  
*illectalis* (Walker, 1859) (*Botys*)  
*miniosalis* (Guenee, 1854) (*Ebulea*)  
*opheltisalis* Walker, 1859  
*phoenicozona* (Hampson, 1896) (*Isocentris*)  
*rubralis* (Swinhoe, 1906) (*Isocentris*)
- Hyalopлага* Warren, 1892  
*pulchralis* Moore, 1867

- Hydrorybina* Hampson, 1896  
*bicolor* (Moore, 1888) (*Syllythra*)
- Hydriris* Meyrick, 1885  
*elutalis* (Walker, 1859) (*Ercta*)  
*ornatalis* (Duponchel, 1832) (*Asopia*)
- Hymenia* Hubner, 1825  
*perspectalis* (Hubner, 1790) (*Zinckenia*)
- Ischnurges* Lederer, 1863  
*argentalis* Hampson  
*gratiosalis* Walker, 1859  
*luteomarginalis* Hampson  
*rosea* (Warren, 1896) (*Thysanodesma*)  
*rufalis* (Hampson) (*Ischnurges*)
- Lamprosema* Hubner, 1823  
*acrobasella* (Hampson, 1912) (*Nacoleia*)  
*albicillialis* (Hampson, 1903) (*Nacoleia*)  
*albiflavalis* Hampson, 1903  
*aurantifascialis* (Hampson, 1896) (*Nacoleia*)  
*barbata* (Warren, 1896) (*Preneopogon*)  
*benepictalis* (Warren, 1896) (*Idiusia*)  
*charesalis* (Walker, 1859) (*Botys*)  
*commixta* (Butler, 1879) (*Samea*)  
*conisata* (Hampson, 1912) (*Nacoleia*)  
*cuprealis* Moore, 1877  
*cyanealis* (Walker, 1859) (*Isopteryx*)  
*discaalis* (Warren, 1852) (*Thysanodesma*)  
*eximialis* (Warren, 1896) (*Thysanodesma*)  
*ferrestincta* (Hampson, 1912) (*Nacoleia*)  
*foedalis* (Guenee, 1854) (*Isopteryx*)  
*fusalis* (Warren, 1896) (*Thysanodesma*)  
*fuscifimbrialis* (Hampson, 1896) (*Nacoleia*)  
*fusci-fusalis* (Hampson, 1912) (*Nacoleia*)  
*heliaula* (Meyrick, 1894) (*Metasiodes*)  
*insolitalis* (Walker, 1862) (*Astura*)  
*leucosemalis* (Hampson, 1912) (*Nacoleia*)  
*major* Butler  
*marionalis* (Walker, 1859) (*Desmia*)  
*megaspilalis* (Hampson, 1912) (*Nacoleia*)  
*mellealis* Swinhoe, 1890  
*nigricostalis* (Hampson, 1908) (*Nacoleia*)  
*niphealis* Walker, 1859  
*ossea* Butler  
*pachytornalis* (Hampson, 1912) (*Nacoleia*)  
*pedicialis* (Snellen, 1895) (*Ercta*)  
*phaleasalis* (Walker, 1859) (*Botys*)  
*poenalis* (Walker, 1859) (*Botys*)  
*praeteritalis* Walker, 1859  
*rosea* (Warren, 1896) (*Thysanodesma*)  
*schrizonalis* (Hampson, 1912) (*Nacoleia*)  
*scitalis* Swinhoe, 1885  
*silvosalis* (Swinhoe, 1906) (*Pyrausta*)  
*subargentalis* (Snellen, 1890) (*Botys*)  
*tampiusalis* (Walker, 1859) (*Botys*)  
*tiasalis* (Walker, 1859) (*Botys*)  
*tristrialis* Bremen  
*confusalis* (Warren, 1896) (*Hedylepta*)  
*tumidicostalis* (Hampson, 1908) (*Nacoleia*)  
*ustulalis* (Hampson, 1903) (*Nacoleia*)  
*valvata* (Warren, 1896) (*Tylostega*)
- Lepidoneura* Hampson, 1896  
*longipalpis* Swinhoe
- Leucinodes* Guenee, 1854  
*apicalis* Hampson, 1896  
*diaphana* (Hampson, 1891) (*Cirrhochrista*)  
*orbonalis* Guenee, 1854
- Limbototys* Munroe & Mutuura, 1970  
*limbolalis* (Moore, 1877) (*Crocidophora*)
- Loxoneptera* Hampson, 1896  
*carnealis* Hampson, 1896
- Loxostege* Hubner, 1825  
*brevivittalis* (Hampson, 1896) (*Phlyctaenodes*)  
*crocalis* (Hampson) (*Phlyctaenodes*)  
*nubilalis* Hampson  
*oculifera* (Herring, 1901) (*Eurycreon*)  
*palpalis* Swinhoe, 1884  
*perbonalis* (Swinhoe, 1890) (*Phlyctaenodes*)  
*rubralis* (Warren, 1896) (*Eurycreon*)  
*simplalis* (Swinhoe, 1889) (*Phlyctaenodes*)  
*vespeprtilio* (Warren, 1896) (*Plateopsis*)
- Luma* Walker, 1863  
*flavalis* Hampson  
*flavimarginalis* Hampson, 1907  
*longidentalis* Hampson, 1903  
*monomma* (Warren, 1896) (*Cyclarcha*)  
*obscuralis* (Swinhoe, 1895) (*Loxocorys*)  
*ornatalis* Leech  
*sericea* Butler  
*unicolor* Moore
- Lygropia* Lederer, 1863  
*amplificata* (Warren, 1896) (*Metoea*)  
*amyntusalis* (Walker, 1859) (*Botys*)  
*distorta* Moore  
*euryclealis* Walker, 1859  
*flavicaput* Warren, 1895  
*flavispiila* Swinhoe  
*orbinusalis* (Walker, 1859) (*Astura*)  
*pottisalis* (Walker, 1859) (*Botys*)  
*shevaroyalis* Hampson, 1908
- Mabra* Moore, 1885  
*daulialis* (Warren, 1896) (*Neurophruda*)  
*eryxalis* (Walker, 1859) (*Asopia*)  
*fuscipennalis* Hampson, 1897  
*nigriscripta* Swinhoe, 1895
- Macaretaera* Meyrick, 1886  
*hesperis* Meyrick, 1886
- Macrobela* Turner, 1939  
*plumbealis* (Warren, 1896) (*Syntomodora*)
- Cnaphalocrocis* Lederer, 1863  
*medinalis* (Guenee, 1854) (*Salbia*)
- Marasmia* Lederer, 1863  
*bilinealis* (Hampson, 1891) (*Dolichosticha*)  
*euryterminalis* Hampson, 1917 (*Marasmia*)  
*fusifascialis* Hampson, 1896 (*Marasmia*)  
*latimarginalis* (Hampson, 1891) (*Dolichosticha*)  
*patnalis* Bradley, 1981 (*Marasmia*)  
*pilosa* (Warren, 1896) (*Lasiacme*)  
*mimica* (Warren, 1896) (*Lasiacme*)  
*poeyalis* (Boisduval, 1833) (*Botys*)  
*ruralis* (Walker, 1859) (*Botys*)  
*suspicalis* (Walker, 1859) (*Botys*)  
*trapezalis* (Guenee, 1854) (*Salbia*)  
*trebusalis* (Walker, 1859) (*Botys*)
- Margarochroma* Warren, 1896  
*pictalis* Warren, 1896
- Maruca* Walker, 1859  
*amboinalis* Felder  
*testulalis* Geyer, 1832
- Massepha* Walker, 1859  
*absolutalis* Walker, 1859  
*ambialis* Hampson, 1903  
*bengalensis* Moore  
*carbonalis* Warren  
*rufescens* Hampson, 1912
- Meroctena* Lederer, 1863  
*pullalis* 1859
- Metasia* Guenee, 1854  
*annuliferalis* Hampson, 1903  
*sabulosali* Warren, 1896  
*straminealis* Hampson, 1903  
*ustalis* Hampson
- Micromania* Swinhoe, 1894  
*stigmatilis* Swinhoe, 1894
- Nagiella* Munroe, 1976  
*hortulatoides* Munroe, 1976  
*quadrifaculalis* (Kollar, 1844) (*Scopula*)
- Nausinoe* Hubner, 1825  
*geometralis* (Guenee, 1854) (*Lepyrodes*)  
*pueritia* (Cramer, 1780) (*Phalaena*)  
*ejectata* (Fabricius, 1775) (*Phalaena*)
- Neadeloides* Bryk, 1939  
*cinerealis* (Moore, 1867) (*Adeloides*)  
*glaucoptera* (Hampson, 1896) (*Adeloides*)
- Nevrina* Guenee, 1854  
*procopia* Cramer
- Niphostola* Hampson, 1896  
*micans* Hampson, 1896
- Nomophila* Hubner, 1825  
*noctuella* (Denis & Schiffermuller, 1775) (*Tinea*)
- Noorda* Walker, 1859  
*blitealis* Walker, 1859
- Nosophora* Lederer, 1863  
*albiguttalis* Swinhoe, 1890  
*althealis* (Walker, 1859) (*Botys*)  
*conjunctalis* Walker, 1865  
*chironalis* (Walker, 1859) (*Botys*)  
*dispilalis* Hampson, 1896  
*mesosticta* Hampson, 1912  
*obliquialis* Hampson  
*parvipunctalis* Hampson, 1896  
*scotaula* Meyrick, 1894  
*semitritalis* Lederer, 1863  
*triguttalis* Warren, 1896
- Notarcha* Meyrick, 1884  
*quaternalis* (Zeller, 1852) (*Botys*)
- Oligocentris* Hampson, 1896  
*deciusalis* (Walker, 1859) (*Botys*)
- Omiodes* Guenee, 1854  
*diemenalis* (Guenee, 1854) (*Asopia*)  
*indicata* (Fabricius, 1775) (*Phalaena*)  
*noctescens* (Moore) (*Charema*)  
*surrectalis* (Walker, 1866) (*Deba*)
- Omphisa* Moore, 1886  
*anastomosalis* Guenee, 1854  
*fuscidentalis* (Hampson, 1895) (*Chilo*)  
*repetitalis* Snellen, 1890
- Oronomis* Munroe & Mutuura, 1968  
*xanthothysana* (Hampson, 1899) (*Pyrausta*)
- Orphnophanes* Lederer, 1896  
*laealis* (Warren, 1896) (*Parapoynx*)
- Orthoraphis* Hampson, 1896  
*metasticta* Hampson, 1898  
*obfuscata* Hampson, 1893
- Ostrinia* Hubner, 1825  
*appositalis* (Lederer, 1858) (*Botys*)  
*dorsivittata* (Moore, 1888) (*Hapalia*)  
*scapularis assamensis* Mutuura & Munroe, 1970  
*zealis* (Guenee, 1854) (*Botys*)

- Pagyda* Walker, 1859  
*amphisalis* Walker,  
*argyritis* Hampson, 1899  
*auroralis* Moore  
*botydales* (Snellen, 1880) (*Glyphodes*)  
*discolor* Swinhoe  
*exalbalis* Hampson, 1896  
*fulvistriga* Swinhoe
- Synclera* Lederer, 1863  
*himachalensis* Pajni & Rose, 1978  
*lustralis* Snellen, 1890  
*salvalis* Walker, 1859  
*straminealis* Hampson, 1896  
*subtessellalis* (Walker, 1865) (*Botys*)  
*univocalis* (Walker, 1859) (*Glyphodes*)
- Palpita* Hubner, 1808  
*annulata* (Fabricius, 1794) (*Phalaena*)  
*fraterna* Moore  
*nigropunctalis* (Brem, 1864) (*Margarodes*)  
*picticostalis* Hampson, 1896  
*unionalis* Hubner, 1796) (*Pyralis*)  
*warrenalis* (Swinhoe, 1894) (*Margaronia*)
- Parbattia* Moore, 1888  
*serrata* (Munroe & Mutuura, 1971)  
*vialis* Moore, 1888
- Parotis* Hubner, 1831  
*athysanota* Hampson, 1912  
*fallacialis* (Snellen, 1890) (*Margaronia*)  
*marginata* (Hampson, 1893) (*Cenoneimis*)  
*marinata* (Fabricius, 1794) (*Phalaena*)  
*nilgirica* (Hampson, 1854) (*Margarodes*)  
*pononalis* (Guenee, 1854) (*Margarides*)  
*punctiferalis* (Walker, 1896) (*Margaronia*)  
*suralis* (Lederer, 1863) (*Chloauges*)  
*vertumnalis* (Guenee, 1854) (*Margarodes*)
- Perisyntrocha* (Meyrick, 1894)  
*ossealis* Hampson, 1896
- Phlyctaenomorpha* Amsel, 1970  
*euralis* (Hampson, 1903) (*Pyrausta*)
- Phostria* Hubner, 1819  
*analisis* Snellen, 1880  
*chrysalis* (Hampson, 1908) (*Phryganodes*)  
*crithonalis* (Walker, 1859) (*Botys*)  
*discipunctalis* (Hampson, 1903) (*Phryganodes*)  
*eradicalis* (Hampson, 1908) (*Phryganodes*)  
*flocculentalis* (Hampson, 1898) (*Phryganodes*)  
*glyphodalis* (Walker, 1865) (*Analtes*)  
*longipennis* (Warren, 1896) (*Charema*)  
*lophophoralis* Hampson, 1896  
*maculicostalis* Hampson  
*nicoalis* (Walker, 1859) (*Botys*)  
*obscurata* Moore, 1886  
*pachycraspedalis* Hampson, 1896  
*palliventralis* (Snellen, 1890) (*Omiodes*)  
*phaennisalis* (Walker, 1859) (*Botys*)  
*schediusalis* (Walker, 1859) (*Botys*)  
*stygalis* (Hampson, 1912) (*Phryganodes*)  
*unitalis* Guenee, 1854  
*unitinctalis* Hampson, 1896
- Physematia* Lederer, 1863  
*concordalis* Lederer, 1863
- Pileocera* Lederer, 1863  
*aegimiusalis* (Walker, 1859) (*Desmia*)  
*albilunata* Warren, 1896  
*chrysorycta* (Meyrick, 1884) (*Semioceros*)  
*concisalis* Walker, 1859  
*costipunctata* (Warren, 1896) (*Danaga*)  
*discalis* Hampson, 1903  
*discisignalis* Hampson, 1917
- elongalis* (Warren, 1896) (*Thysanodesma*)  
*flavidiscalis* Hampson, 1917  
*flexiguttalis* Warren, 1896  
*maculifrons* Hampson, 1917  
*metchrealis* Hampson, 1917  
*nudicornis* Hampson, 1897  
*octosemalis* Hampson, 1896
- Pilocrocis* Lederer, 1863  
*barcalis* (Walker, 1859) (*Botys*)  
*milvinalis* (Swinhoe, 1885) (*Deba*)
- Pionea* Guenee, 1845  
*albactalis* (Walker, 1859) (*Botys*)  
*aureolalis* (Lederer, 1863) (*Botys*)  
*brevialis* Walker, 1859  
*bryophilalis* Hampson, 1903  
*damastesalis* (Walker, 1859) (*Scopula*)  
*flavicillialis* (Snellen, 1890) (*Crocidophora*?)  
*flavicinctalis* (Snellen, 1890) (*Crocidophora*?)  
*forficalis* Linnaeus  
*fuscizonalis* Hampson, 1896  
*gracilis* Warren, 1888  
*leuanalis* Swinhoe, 1890  
*longipalpis* Hampson, 1903  
*nigrostigmalis* (Warren, 1896) (*Udea*)  
*octonalis* (Snellen, 1890) (*Botys*)  
*poenicistis* Hampson, 1896  
*poliosticta* Hampson, 1903  
*praepandalis* (Snellen, 1890) (*Botys*)  
*pulverulenta* (Hampson, 1918) (*Hapalia*)  
*renalis* Moore  
*scopicalis* Hampson, 1908
- Placosaris* Meyrick 1897  
*callistalis* (Hampson, 1896) (*Pachyzancla*)  
*coorumba* (Hampson, 1891) (*Opsibotys*)  
*dohertyi* Munroe & Mutuura, 1970  
*intensalis* (Swinhoe, 1894) (*Ebulea*)  
*lindgreni* Munroe & Mutuura, 1970  
*ochripunctalis* (Warren, 1896) (*Ebulea*)  
*steelei* Munroe & Mutuura, 1970  
*swanni* Munroe & Mutuura, 1970  
*udealis* Munroe & Mutuura, 1970  
*ustulalis* (Hampson, 1896) (*Pachyzancla*)
- Pleonectoides* Hampson, 1891  
*vinacea* Hampson
- Pleuroptya* Meyrick, 1890  
*balteata* (Fabricius, 1798) (*Phalaena*)  
*deficiens* (Moore, 1886) (*Coptobasis*)  
*iopasalis* Walker, 1859  
*punctimarginalis* Hampson, 1896  
*ruralis* (Scopoli, 1763) (*Phalaena*)  
*scinialis* (Walker, 1859) (*Sylepta*)  
*scinialis varrestricatalis* (Snellen, 1890) (*Botys*)  
*ultimalis* (Walker, 1859) (*Botys*)
- Polygrammodes* Guenee, 1854  
*fuscilallis* (Hampson, 1891) (*Pachynoa*)  
*hypsalis* Hampson, 1896  
*mineusalis* Walker, 1859  
*nigrilinealis* Hampson, 1903  
*pectinicornalis* Guenee, 1854  
*sabelialis* Guenee, 1854
- Polythlipta* Lederer, 1863  
*cerealis* Lederer, 1863  
*divaricata* Moore  
*uroalis* (Swinhoe, 1889) (*Nausinoe*)  
*inconspicua* Moore  
*macralis* Lederer, 1863  
*ossealis* Lederer, 1863  
*peragrata* Moore,
- Prionopaltis* Warren, 1892  
*sericea* Warren, 1892
- Proconica* Hampson, 1899  
*nigrocyanalis* Hampson, 1898
- Prooedema* Hampson, 1896  
*inscisalis* (Walker, 1866) (*Botys*)
- Prophantis* Warren, 1896  
*octoguttalis* Felder, 1874
- Prorodes* Swinhoe, 1894  
*mimica* Swinhoe, 1894
- Protrigonia* Hampson, 1896  
*zizanalisis* Swinhoe, 1885
- Psara* Snellen, 1875  
*basalis* (Walker, 1865) (*Botys*)  
*coptobasalis* (Hampson, 1899) (*Pachyzancla*)  
*cynaralis* (Walker, 1859) (*Botys*)  
*latifuscalis* (Hampson, 1899) (*Pachyzancla*)  
*marginalis* (Warren, 1896) (*Goniorhynchus*)  
*ochrifuscallis* (Warren, 1896) (*Hedylepta*)  
*rufescentalis* (Hampson, 1896) (*Pachyzancla*)  
*stultalis* (Walker, 1859) (*Botys*)  
*subdentalis* (Swinhoe) (*Pachyzancla*)  
*velitaris* Meyrick, 1936
- Pseudobulea* Butler, 1881  
*fentoni* Butler, 1881
- Pycnarmon* Lederer, 1863  
*abraxallis* Walker, 1865  
*aeriferalis* (Moore, 1877) (*Conchylodes*)  
*alboflavalls* (Moore, 1879) (*Conchylodes*)  
*cribrata* (Fabricius, 1794) (*Phalaena*)  
*dryocentra* (Meyrick, 1933) (*Entephria*)  
*jaguaralis* (Guenee, 1854) (*Spilomela*)  
*lactiferalis* Walker, 1859  
*marginalis* (Snellen, 1890) (*Conchylodes*?)  
*meritalis* (Walker, 1859) (*Zebronia*)  
*nebulosalis* Hampson, 1896  
*radiata* (Warren, 1896) (*Aripana*)  
*virgatalis* Moore, 1867
- Pygospila* Guenee, 1854  
*costiflexalis* Guenee, 1854  
*cuprealis* (Swinhoe, 1892)  
*octomaculalis* Moore, 1867  
*tyres* (Cramer, 1780) (*Phalaena Pyralis*)
- Pyrausta* Schrank, 1802  
*acutidentalis* Hampson, 1896  
*atrifusalis* Hampson, 1903  
*aurantifascialis* Hampson, 1896  
*bambucivora* Moore  
*bambusalis* Moore  
*benenotata* Swinhoe  
*bisignata* Butler, 1889  
*bitincta* Meyrick, 1932  
*canotinctalis* Hampson, 1896  
*celatalis* (Walker, 1859) (*Botys*)  
*cespitalis* Schiffermuller  
*ciniferalis* (Walker, 1865) (*Botys*)  
*oitrinalis* Warren, 1892  
*cruralis* (Warren, 1895) (*Syllathria*)  
*deductalis* (Walker, 1859) (*Botys*)  
*diniasalis* Walker, 1859  
*discipunctalis* (Caradja, 1935) (*Pyrausta*)  
*eripipalis* (Walker, 1859) (*Botys*)  
*euprepialis* Hampson, 1903  
*euryphaea* Meyrick, 1932  
*extinctalis* Christoph  
*ferrifusalis* Hampson, 1896  
*foviferalis* Hampson, 1896  
*fraudentalis* (Warren, 1895) (*Spliodes*)  
*fuscalis* (Walker, 1896) (*Metasia*)  
*indistans* Moore,  
*infuscalis* Hampson, 1918

- kenalis* Swinhoe, 1900  
*metasialis* Hampson, 1912  
*microdotalis* Hampson, 1912  
*minimalis* Hampson, 1903  
*monosema* Hampson, 1912  
*nigrescens* Moore  
*nigritalis* Hampson, 1896  
*obliquata* Moore  
*ochracealis* Walker, 1865  
*panopealis* (Walker, 1859) (*Rhodaria*)  
*paupellalis* (Lederer, 1863) (*Botys*)  
*pboenicealis* Hubner, 1818  
*phragmatidalis* Hampson, 1908  
*profusalis* (Warren, 1896) (*Opsibotys*)  
*purpurascens* Hampson  
*robusta* Moore  
*rubellalis* (Snellen, 1890) (*Botys*)  
*rubritinctalis* Hampson, 1919  
*rubritinctalis* (Warren, 1895) (*Syllythira*)  
*sanguinalis* (Linnaeus, 1767) (*Pyralis*)  
*sikkima* Moore  
*silhetalis* Guenee  
*simplex* (Warren, 1896), (*Ebuleodes*)  
*testalis* (Fabrius, 1794) (*Phalaena*)  
*vitellinalis* Kollar  
  
*Ravana* Moore, 1885  
*xiphialis* (Walker, 1859) (*Zebronia*)  
  
*Rehimena* Walker, 1866  
*hypostictalis* Hampson, 1908  
*phrynealis* (Walker, 1859) (*Botys*)  
*stictalis* Hampson, 1908  
*striolalis* (Snellen, 1890) (?*Filodes*)  
*surusalis* (Walker, 1859) (*Botys*)  
*viliialis* (Swinhoe, 1906)  
  
*Rhimphalea* Lederer, 1863  
*ochalis* Walker  
*trogusalis* (Walker, 1859) (*Botys*)  
  
*Rhimphaleodes* Hampson, 1893  
*macrostigma* Hampson, 1893  
  
*Rodaba* Moore, 1888  
*angulipennis* Moore, 1888  
  
*Sameodes* Snellen, 1880  
*cancellalis* (Zeller, 1852) (*Botys*)  
  
*Sinibotys* Munroe & Mutuura, 1969  
*evenoralis* (Walker) (*Crociodophora*)  
  
*Sisyrophora* Lederer, 1863  
*peifferrae* (Lederer, 1863) (*Glyphodes*)  
  
*Sitochora* Hubner, 1825  
*palealis* Denis & Schiffermuller, 1775  
*verticalis* (Linnaeus)  
  
*Spoladea* Guenee, 1854  
*recurvalis* (Fabricius, 1775) (*Phalaena*)  
  
*Stemorrhages* Lederer, 1863  
*amphitritalis* (Guenee, 1854) (*Margarodes*)  
*marthesiusalis* (Walker, 1859) (*Margaronia*)  
  
*Stenia* Guenee, 1845  
*carbonalis* (Warren, 1896) (*Stenia*)  
*bruguiralis* (Duponchel, 1831) (*Botys*)  
*minoralis* (Snellen, 1880) (*Auxomitia*)  
*paediusalis* Walker, 1858  
*punctalis* (Denis & Schiffermuller, 1775)  
*rubriceps* Hampson, 1903  
  
*Sufetula* Walker, 1859  
*nitidalis* Hampson, 1908  
*rectifascialis* Hampson, 1896  
  
*sunidesalis* Walker, 1859  
  
*Syllepte* Hubner, 1823  
*adductalis* (Walker, 1859) (*Sylepta*)  
*agraphalis* Hampson, 1912  
*angustalis* (Snellen, 1890) (*Botys*)  
*bipunctalis* (Warren, 1888) (*Samea*?)  
*carbatinalis* (Swinhoe, 1890) (*Pramadea*)  
*chalybifascia* Hampson, 1896  
*chromalis* Walker, 1865  
*cohaesalis* (Walker, 1865) (*Botys*)  
*cometa* (Warren, 1896) (*Sylepta*)  
*concatenalis* (Walker, 1865) (*Rhodaria*)  
*costalis* (Moore, 1887) (*Botyodes*)  
*crotonalis* (Walker, 1859) (*Sylepta*)  
*denticulata* (Moore, 1888) (*Pramadea*)  
*derogata* (Fabricius, 1775) (*Phalaena*)  
*fraterna* Moore, 1885) (*Coptobasis*)  
*gastralis* (Walker, 1865) (*Glyphodes*)  
*lactiguttalis* (Warren, 1896) (*Arthriobasis*)  
*luctuosalis* (Guenee, 1854) (*Sylepta*)  
*lunalis* (Guenee, 1854) (*Botys*)  
*microsema* Hampson, 1912  
*mysissalis* Walker, 1859  
*nigriflava* Swinhoe, 1894  
*ochrotichroa* Hampson, 1918  
*ogooalis* (Walker, 1859) (*Botys*)  
*paucistrialis* (Warren, 1896) (*Cyclarcha*)  
*penthodes* (Meyrick, 1902) (*Notarcha*)  
*pernitescens* (Swinhoe, 1894) (*Charema*)  
*picalis* Hampson, 1898  
*pronamalis* (Walker, 1859) (*Botys*)  
*pseudovialis* Hampson, 1912  
*sabinusalis* (Walker, 1859) (*Botys*)  
*sellalis* Guenee, 1854  
*seminigralis* (Warren, 1896) (*Polycorys*)  
*stigmatalis* (Warren, 1896) (*Notarcha*)  
*straminalis* (Guenee, 1854) (*Salbia*)  
*syngonias* Meyrick, 1939  
*subalbidalis* (Swinhoe, 1894) (*Charema*)  
*textalis* Lederer, 1863  
*tibialis* Moore, 1887  
*venustalis* Swinhoe, 1894  
*verecunda* (Warren, 1896) (*Loxoscia*)  
*violaceotincta* Caradja, 1939  
  
*Symphonia* Hampson, 1896  
*multipectalis* Hampson, 1896  
  
*Syngamia* Guenee, 1854  
*abruptalis* (Walker, 1859) (*Asopia*)  
*angustale* (Hampson, 1893) (*Orphanostigma*)  
*falsidicalis* (Walker, 1859) (*Asopia*)  
*latimarginalis* Walker, 1859  
*oggalis* (Swinhoe, 1906) (*Platamonia*)  
*vibiusalis* Walker  
*violata* Fabricius  
  
*Tabidia* Snellen, 1880  
*aculealis* (Walker, 1865) (*Botys*)  
*candidalis* (Warren, 1896) (*Aripana*)  
*fuscifusalis* (Hampson, 1917) (*Tabidia*)  
*inconsequens* (Warren, 1896) (*Nymphula*)  
  
*Talanga* Moore, 1885  
*sexpunctalis* (Moore, 1877) (*Oligostigma*)  
  
*Tangla* Swinhoe, 1900  
*zangisalis* (Walker, 1859) (*Glyphodes*)  
  
*Tatobotys* Butler, 1880  
*janapalis* (Walker, 1859) (*Botys*)  
  
*Terastia* Guenee, 1854  
*egialealis* (Walker, 1859) (*Megaphysa*)  
*meticulosalis* Guenee, 1854  
  
*Tetridia* Warren, 1890  
  
*caletoralis* (Walker, 1859) (*Botys*)  
  
*Thliptooeras* Warren, 1890  
*cascalis* Swinhoe, 1890  
*decoloralis* (Warren, 1896) (*Ebulea*)  
*distictalis* Hampson, 1899  
*epicrocalis* Swinhoe  
*fulvimargo* (Warren, 1895) (*Mimocomma*)  
*stygiata* Hampson, 1896  
*triplagalis* (Warren, 1896) (*Prophantis*)  
  
*Thysanoidma* Hampson, 1891  
*octalis* Hampson, 1891  
  
*Torqueola* Swinhoe, 1906  
*opliceralis* Walker, 1865  
  
*Tyspanodes* Warren, 1891  
*cardinalis* Hampson, 1896  
*fascialis* Moore, 1867  
*flaviventer* 1891  
*linealis* (Moore, 1867) (*Propachys*)  
*nigrolinealis* Moore, 1867  
  
*Udea* Guenee, 1845  
*ferrugalis* Hubner, 1796  
  
*Ulopeza* Zeller, 1852  
*idyalis* (Walker, 1859) (*Botys*)  
*semivialis* Moore  
  
*Uresiphita* Hubner, 1825  
*dissipatalis* (Lederer 1863) (*Botys*)  
*polygonalis* (Denis & Schiff Mu, 1775) (*Pyralis*)  
*orientalis* (Fabricius, 1794) (*Pyralis*)  
  
*Xanthomelaena* Hampson, 1896  
*schematias* (Meyrick, 1894) (*Tylostega*)  
  
**Hampson, G.F. (1903).** The moths of India. Supplementary paper to the volumes on the "Fauna of British India" Series II. Part VIII, IX and X. *Journal of the Bombay Natural History Society* 15: 19-37, 206-226, 650-653.  
**Hampson, G.F. (1906).** On new Thyrididae and Pyralididae. *Annals and Magazine of Natural History*, London 17 (7) 189-222.  
**Hampson, G.F. (1908).** The moths of India. Supplementary paper to the volumes of the "Fauna of British India" Series III Parts X and XI. *Journal of the Bombay Natural History Society* 18: 257-271, 572-585.  
**Hampson, G.F. (1910).** The moths of India. Supplementary paper to the volumes on the "Fauna of British India". Series IV. Part I. *Journal of the Bombay Natural History Society* 20: 83-125.  
**Hampson, G.F. (1912a).** The moths of India. Supplementary paper to the volumes on the "Fauna of British India". Series IV. Part V. *Journal of the Bombay Natural History Society* 221: 411-446.  
**Hampson, G.F. (1912b).** Descriptions of new species of Pyralidae of the sub family Pyraustinae. *Annals and Magazine of Natural History*, London 9(8): 149-174.  
**Hampson, G.F. (1912c).** Descriptions of new species of Pyralidae of the sub family Pyraustinae. *Annals and Magazine of Natural History*, London, 9(8): 242-269.  
**Hampson, G.F. (1912d).** Descriptions of new species of Pyralidae of the sub family Pyraustinae. *Annals and Magazine of Natural History*, London 9(8): 321-336.

- Hampson, G.F. (1912e).** Descriptions of new species of Pyralidae of the sub family Pyraustinae. *Annals and Magazine of Natural History*, London 9(8): 433-444.
- Hampson, G.F. (1912f).** Descriptions of new species of Pyralidae of the sub family Pyraustinae. *Annals and Magazine of Natural History*, London 9(8): 557-573.
- Hampson, G.F. (1912g).** Descriptions of new species of Pyralidae of the sub family Pyraustinae. *Annals and Magazine of Natural History*, London 9(8): 625-633.
- Hampson, G.F. (1912h).** Descriptions of new species of Pyralidae of the sub family Pyraustinae. *Annals and Magazine of Natural History*, London 10(8): 1-20.
- Hampson, G.F. (1913a).** Descriptions of new species of Pyralidae of the sub family Pyraustinae. *Annals and Magazine of Natural History*, London 2(8): 1-38.
- Hampson, G.F. (1913b).** Descriptions of new species of Pyralidae of the sub family Pyraustinae. *Annals and Magazine of Natural History*, London 11 (8): 322-342.
- Hampson, G.F. (1913c).** Descriptions of new species of Pyralidae of the sub family Pyraustinae. *Annals and Magazine of Natural History*, London 9 (8): 509-530.
- Hampson, G.F. (1917a).** A classification of the Pyralidae Subfamily, Hypsotropinae, *Proceedings of Zoological Society of London* Ser. 8, 19: 55-131.
- Hampson, G.F. (1917b).** Descriptions of new Pyralidae of the subfamilies Epipaschiinae, Chrysauginae, Endotrichinae and Pyralinae. *Annals and Magazine of Natural History*, London Ser. 8, 19: 65-100.
- Hampson, G.F. (1917c).** Descriptions of new Pyralidae of the subfamilies Hydrocampinae and Scorpariinae. *Annals and Magazine of Natural History*, London Ser. 8, 20: 201-216; 265-82.
- Hampson, G.F. (1917d).** A classification of the Pyralidae subfamily, Galleriinae. *Novitates Zoologicae* 225: 17-58.
- Hampson, G.F. (1917e).** Descriptions of new Pyralidae of the subfamilies Crambinae and Siginae. *Annals and Magazine of Natural History*, London, Ser. 9, (20), Vol.4:53-68:137-154; 305-326; 275-292; 437-455; 533-547.
- Hampson, G.F. (1930).** New genera and Species of Phycitinae (Lep., Pyralidae). *Annals and Magazine of Natural History*, London, Ser., 10(5): 50-80.
- Mathew, G. and M.G.R. Menon (1984).** The pyralid fauna of Kerala. *Jl. Ent. Res.* 8(1): 5-13.
- Mathew, G. and M.G.R. Menon (1985).** External genitalia of some Indian pyralids. *Journal of Entomological Research* 9(1) : 26-35.
- Mathew, G. and M.G.R. Menon (1986).** Identification of some leaf rollers belonging to the genera *Bradina*, *Marasmia* and *Cnphalocrosis* (Lepidoptera: Pyraustidae). *Entomon* 11(4): 311-317.
- Mathew, G. (1987).** Biosystematics in Lepidoptera and its importance in forest entomological research. *Proceedings of the Indian Academy of Science (Animal Science)* 96(5): 613-616.
- Mathew, G. and M.G.R. Menon (1988).** Identification of some Indian Pyraustinae. *Entomon* 13 (1): 75-90.
- Mathew, G. and M.G.R. Menon (1989).** Identification of some Indian Pyraustinae. *Journal of Entomological Research* 13(1): 76-89.
- Moore, F. (1865).** *Proceedings of Zoological Society of London* p814, p.43.
- Moore, F. (1867).** *Proceedings of Zoological Society of London* 87-96.
- Moore, F. (1879-1888).** Descriptions of new Indian lepidopterous insects from the collection of W.S. Atkinson, Heterocera, Calcutta.
- Moore, F. (1879).** Scientific results of the 2nd Yarkand Mission. Lepidoptera, Calcutta.
- Moore, F. (1882-1887).** *The Lepidoptera of Ceylon, Heterocera*, London, Vols. II & IV.
- Munroe, E. and A. Mutuura (1970).** Contribution to a study of the Pyraustinae, (Lep., Pyralidae) of temperate East Asia, X, *Can. Ent.*, 101: 1489-1507.
- Munroe, Eugene (1972).** *The Moths of North America*, Fascicle 13.1A 12-14pp.
- Munroe, Eugene and Solis, Alma (1999).** The Pyraloidea. pp.233-256. In: Kristensen, N.P. (Ed.). *Handbook of Zoology, Section Lepidoptera: Moths and Butterflies*. Walter de Gruyter, New York.
- Roesler, U. (1969).** Phycitinen Studien-VIII. *Ent. Ztschr.*, 79:396-407.
- Rose, H.S., (1981).** Description of a new galleriid, *Lamoria hemi* (Lepidoptera, Galleriidae, Pyralidae) from North India. *Entomon* 6(2): 167-171.
- Rose, H.S. and J. Singh (1992).** Studies on the Indian species of the genus *Palpita* Hubner (Lepidoptera: Pyraustinae). *Journal of Entomological Research* 16(1): 62-77.
- Rose, H.S. and J. Singh (1999).** Taxonomic studies on 3 species genus *Botyodes* (Pyraustinae: Pyralidae). *Journal of Institution of Science* 3(2):118-121.
- Rose, H.S. and J. Singh (1989).** Further studies on genus *Glyphodes* Guen. (Pyraustinae: Lepidoptera). *Proceedings NMYS*: 195-200.
- Snellen, P.C.T. (1882).** *D'Vlinders Van Nederland Microlepidoptera*, I Leiden, 13, 536 pp.
- Snellen, P.C.T. (1890).** A catalogue of the Pyralidinae of Sikkim Collected by Henry J.E. Elwes and Late Otto Moller, with notes by Elwes. *Transactions of the Entomological Society of London*, pp., 557-647, pls., 14, 20
- Swinhoe, C. (1884).** On the Lepidoptera collected from Kurrachee. *Proceedings of the Zoological Society of London*, 528pp.
- Swinhoe, C. (1885).** On the Lepidoptera of Bombay and Deccan. *Proceedings of the Zoological Society of London*, 879pp.
- Swinhoe, C. (1889a).** *Proceedings of the Zoological Society of London*, 418-422.
- Swinhoe, C. (1889b).** *Proceedings of the Zoological Society of London*, 1153-479
- Swinhoe, C. (1892).** New species of Heterocera from Khasya Hills, pt. I, *Transactions of the Entomological Society of London* pp. 473-495, pl. 15.
- Swinhoe, C. (1894).** New Species of Eastern Lepidoptera, *Annals of Natural History* 6(14): 135-149; 429-443.
- Swinhoe, C. (1900).** *Catalogue of Eastern and Australian Lepidoptera Heterocera in the collection of the Oxford University Museum*. Part I. Noctuina, Geometrina and Pyralidina, Oxford.
- Swinhoe, C. (1906, 1907).** New and little known Species of Heterocera from the East. *Annals and Magazine of Natural History* 7(17):283-297.
- Swinhoe, C. (1916).** New Indo-Malayan Lepidoptera, *Annals and Magazine of Natural History*, London 18: 209-221.
- Whalley, P.E.S. (1971).** A Synoptic catalogue of the genera of phycitinae (Lep., Pyralidae), of the World. *Entomology* 25(2): 31-72.

#### ACKNOWLEDGEMENTS

I am profoundly grateful to late Dr. M.G. Ramdas Menon (erstwhile Emeritus Scientist, ICAR, New Delhi and my Ph.D Research Guide) for inspiring me to carry out taxonomic studies of Indian Lepidoptera. Preparation of inventories of Indian insects had been his unaccomplished dream. Although attempts were made to prepare a check list of Indian pyralids as early as 1975, it could not be accomplished due to various reasons. However, due to the persistent encouragement from my senior colleague, Dr. K.S.S. Nair (former Director, KFRI) as well as from various specialists of this group of insects like Dr. J.D.Holloway (formerly of the British Museum of Natural History, London) and Dr. Alma Solis (Smithsonian Institution, Washington), I was able to do partial justice by preparing a preliminary list of the pyralid moths of India.

The draft list prepared earlier, have been thoroughly revised taking into account the nomenclatural changes to the various taxa. For this, I have received considerable help from Mr. M. Shaffer, Lepidopterist, British Museum of Natural History, London, who allowed me to make use of many of his notes on the museum card indexes. In addition to this, he had also advised me on the nomenclatural aspects of various pyralid taxa during my period of work in the museum. I am thankful to Dr. Gaden Robinson, Dr.J.D. Bradley and Dr. K.M. Harris (erstwhile Director) of the International Institute of Entomology, London for kindly permitting me to refer to the literature as well as insect collections. I also wish to acknowledge my gratitude to the British Council for awarding me a 'visitorship' which enabled me to undertake this study. The encouragement rendered to me by Dr. J.K. Sharma (Director, KFRI) is also gratefully acknowledged.

