

- Exypnistes* (pro *-nestes* Kaup 1826) Kaup 1836, *Das Thierreich*, 2 (2), 30.—Rept.
Exypnus Burr 1907, *Trans. ent. Soc. London*, 1907, 125, 128.—Dermapt.
Exyra Grote 1875, *Check List Noctuid. Amer.*, 26.—Lep.
Exyrias Jordan & Seale 1907, *Bull. U.S. Bur. Fish.*, 25, 1905, 405.—Pisces.
Eyxysma Gorham 1891, *Biol. Centr. Amer., Zool., Col.*, 7, 145.—Col.
Exyston Schiödte 1839, *Mag. de Zool.*, 9, 12 (note)—Hym.
Exzaes Barnard 1932, *Ann. S. Afr. Mus.*, 30, 299.—Crust.
Eyalis (pro *Eylais* Latreille 1796) Trägårdh 1905 [sep. 1904], *Fauna arct.*, 4 (1), 9.—Arachn.
Eydusiana (Bourguignat MS.) Locard 1889, *Ann. Soc. linn. Lyon, (N.S.)*, 35, 177.—Moll.
Eylais Latreille 1796, *Préc. Car. Ins.*, 182.—Arachn.
Eylays (pro *-lais* Latreille 1796) Karpelles 1893, *Math. termés. Értés.*, 11, 125.—Arachn.
Eymarella (n.n. pro *Echetus* Koken 1896) Cossmann 1897, *Rev. crit. Paléozool.*, 1, 140.—Moll.
Eymekops Resser & Endo 1935, in Kobayashi, *J. Fac. Sci. Univ. Tokyo, Geol.*, 4, 241.—Trilobita.
Eynisacris Walker 1870, *Catal. Dermapt. Saltat. Brit. Mus.*, 4, 638.—Orth.
Eyprepia Ochseneheimer 1810, *Schmett. Europa*, 3, 299.—Lep.
Eyprepocnemis Fieber 1853, *Lotos*, 3, 98.—Orth.
Eyrpalpenus Butler 1875, *Cistula ent.*, 2, 35.—Lep.
Eyramytis Mathews 1912, *Novit. zool.*, 18, 366.—Aves.
Eyrara (? pro *Eir-* Lund 1839) Lund 1841, *Afh. K. Danske Vidensk. Selsk.*, 8, 134.—Mamm.
Eyriesia Fischer 1885, *Man. Conch.*, 733.—Moll.
Eyrialimus (pro *Euryla-* Horsfield 1821) Schinz 1825, in Cuvier, *Thierr.*, 4, 539.—Aves.
Eyrisia (err. pro *Eyriesia* Fischer 1885) Prashad 1928, *Mem. Indian Mus.*, 8, 160.—Moll.
Eyromphala (pro *Eyryom-* Beck 1837) Gray 1847, *Proc. zool. Soc. London*, 15, 174.—Moll.
Eyryomphala Beck 1837, *Index Moll. Mus. Ch. Fred.*, (1) 8.—Moll.
Eyryta (emend. pro *Euryta* Adams 1853) Moersch 1860, *Malak. Bl.*, 7, 104.—Moll.
Eysarcocoris (pro *Eysarcoris* Hahn 1834) Stål 1864, *Hem. Afric.*, 1, 135.—Hem.
Eysarcocoris Hahn 1834, *Wanzenart. Ins.*, 2 (3), 66.—Hem.
Ezechielina Bory de St. Vincent 1828, *Dict. class. H. N.*, 14, 685.—Verm. (Rotif.).
Ezembius Chamberlin 1923, *N. Amer. Fauna*, 46, 240.—Myr.
Ezonacerda Kôno 1934, *Insecta matsum.*, 9, 28.—Col.
Ezrana Distant 1907, *Fauna Brit. Ind., Rhynch.*, 4 (1), 159, 177.—Hem.

F

- Faba* Fischer 1883, *Man. Conch.*, 602.—Moll.
Faba Nierstrasz & Brender 1930, in Brandis, *Proc. U.S. nat. Mus.*, 77, art. 9, 1.—Crust.
Fabagella Cossmann 1886, *Ann. Soc. malac. Belgique*, 21, 53.—Moll.
Fabatana Walker 1865, *List Specimens Lep. Ins. Brit. Mus.*, 34, 1265.—Lep.
Fabatus Distant 1910, *Ann. Mag. nat. Hist.*, (8) 5, 147.—Hem.
Fabella Conrad 1862, *Proc. Acad. nat. Sci. Philad.*, 1862, 574, 586.—Moll.
Fabellovena Oppenheim 1885, *Berlin. ent. Z.*, 29, 344.—Hym.
Faber Gouan 1770, *Hist. Pisc.*, 22, 151, 232 [*n.n.*].—Pisces.
Fabera Brandt 1837, *Bull. Acad. Sci. St. Pétersbourg*, 1 (24), 189.—Coel.
Faberlina (err. pro *Fabulina* Gray 1851) Suter 1913, *Man. N. Zealand Moll.*, 952.—Moll.
Fabia Dana 1851, *Proc. Acad. nat. Sci. Philad.*, 5, 253.—Crust.
Fabiola Busck 1908, *Proc. U.S. nat. Mus.*, 35, no. 1644, 190, 202.—Lep.
Fabius Duncan 1837, *For. Butterfl. (Nat. Libr.)*, 18, 167.—Lep.
Fabius (n.n. pro *Cavolinia* Menke 1844) Gistel 1848, *Nat. Thierr.*, viii.—Moll.
Fabrea Henneguy 1890, *Ann. Microgr.*, 3, 118.—Prot.
Fabrecia Meunier 1911, *Bull. Mus. Hist. nat. Paris*, 17, 123, 124.—Palaeodict.
Fabreiciella Carpenter 1934, *Ann. Carnegie Mus.*, 22, 327.—Protorth.
Fabrella Lacroix 1915, *Bull. Soc. ent. France*, 1915, 194.—Psocopt.
Fabria Milne 1934, *Stud. N. Amer. Trichopt.*, 1, 5.—Trichopt.
Fabricia de Blainville 1828, *Dict. Sci. Nat.*, 57, 439.—Verm. (Polych.).
Fabricia (Desvoidy MS.) Latreille 1829, in Cuvier, *Règne Anim.*, ed. 2, 5, 510; Robin-eau-Desvoidy 1830, *Mém. présentés Acad. roy. Sci. Inst. France*, 2, 42.—Dipt. (See *Fabriciella* Bezzi 1906.)

- Fabricia* Meigen [non R.-Desvoidy] 1838, Syst. Besch. Zweifl. Insekt., 7, 250.—Dipt. (See *Sitophaga* Gistel 1848.)
- Fabricia* Gray 1866, Cat. Seals Brit. Mus., 382.—Mamm.
- Fabriciana* Reuss 1920, Ent. Mitt., 9, 192.—Lep.
- Fabricianus* Weise 1895, Dtsch. ent. Z., 1895, 58.—Col.
- Fabriciella* (n.n. pro *Fabricia* R.-Desvoidy 1830) Bezzi 1906, Z. Hym. Dipt., 6, 49.—Dipt.
- Fabriciella* Zenkevitch 1935, Zool. Anz., 109, 199.—Verm. (Polych.).
- Fabriciodes* Townsend 1916, Insec. Inscit. menst., 4, 26.—Dipt.
- Fabriciopsis* Townsend 1914, Insec. Inscit. menst., 2, 83.—Dipt.
- Fabricum* Chiaje 1844, Descr. An. invert. Sicilia, 8, 28.—Moll.
- Fabularia* DeFrance 1820, Dict. Sci. nat., 16, 103.—Prot.
- Fabulina* Gray 1851, List Brit. Anim. Brit. Mus., 7, 40.—Moll.
- Fabulinus* Distant 1918, Fauna Brit. Ind., Rhynch., 7, 195.—Hem.
- Facalana* Bergh 1888, in Semper, Reis. Philipp., Bd. 2, Heft 16 (1), 784.—Moll.
- Facelina* Alder & Hancock 1855, Monogr. Brit. nudibr. Moll., pt. 7, App., xxii.—Moll.
- Facetus* Schaufuss 1872, Nunquam otiosus, 2, 246.—Col.
- Fachus* (n.n. pro *Byrrhodes* Leconte 1878) Lucas 1920, Cat. alphabet. gen. subgen. Col., 1, 152, 294.—Col.
- Facidia* Walker 1865, List Specimens Lep. Ins. Brit. Mus., 33, 951.—Lep.
- Facidina* Hampson 1926, Descr. new Genn. Spp. Noctuidae, 94.—Lep.
- Facydes* Cameron 1901, Ann. Mag. nat. Hist., (7) 7, 278.—Hym.
- Fadeewella* Smirnov 1928, Zool. Anz., 79, 129.—Verm. (Rotif.).
- Fadenia* Nielsen 1932, Medd. Grønland, 86 (3), 43.—Pisces.
- Fadrina* Navás 1912, Mem. Acad. Barcelona, 10, no. 9, 9.—Neur.
- Fadus* Heyden 1826, Isis (Oken), 1826, 612.—Arachn.
- Fadyenia* Chitty 1857, Proc. zool. Soc. London, 25, 167, 177.—Moll.
- Fadylia* Delétang 1919, An. Soc. Cient. Argent., 88, 93.—Hem.
- Faedoria* Robineau-Desvoidy 1863, Hist. nat. Dipt., 1, 848.—Dipt.
- Faelicianus* Distant 1901, Ann. Mag. nat. Hist., (7) 8, 486.—Hem.
- Faenius* Distant 1918, Fauna Brit. Ind., Rhynch., 7, 14.—Hem.
- Faesula* Cameron 1904, Z. Hym. Dipt., 4, 338.—Hym.
- Faetorius* (pro *Foe*-Keyserling & Blasius 1840) Trouessart [1885], Bull. Soc. Angers, 14, 1884, Suppl., 44.—Mamm.
- Faex* Weise 1901, Arch. Naturgesch., 67, Abt. 1, 165, 168.—Col.
- Fageia* Mello-Leitão 1929, Arch. Mus. nac. Rio de Janeiro, 31, 112.—Arachn.
- Fageiella* Kratochvil 1934, Prirod. Razprave Ljabljana, 2, 189.—Arachn.
- Fagesia* Pervinquier 1907, Carte géol. Tunisie, Etudes Pal. Tunis., 1 (Céph. Terr. Sec.), 319.—Moll.
- Fagina* Attems 1904, Arch. Naturgesch., 70, Abt. 1, 182.—Myr.
- Fagisuga* Lindinger 1909, Z. Insektenbiol., 5, 107.—Hem.
- Fagitana* Walker 1865, List Specimens Lep. Ins. Brit. Mus., 32, 645.—Lep.
- Fagotia* Bourguignat 1884, Ann. Malac., 2, 4, 30.—Moll.
- Fågötiana* Bourguignat 1884, Ann. Malac., 2, 7.—Moll.
- Fahraea* Bergroth 1888, Dtsch. ent. Z., 1888, 221.—Col.
- Fahrenholzia* Kellogg & Ferris 1915, Publ. Stanford Univ., Univ. Ser., 20, 32.—Anoplura.
- Fahringeria* Kieffer 1921, Brotéria, Sér. zool., 19, 68.—Hym.
- Faiciola* (pro *Fasc*-L. 1758) Mueller 1774, Verm. terr. Fluv., 1 (2), 70.—Verm. (Trem.).
- Faidherbia* Guérin-Ménéville 1865, C. R. Acad. Sci. Paris, 60, 162.—Lep.
- Faiditus* Keyserling 1884, Spinnen Amer., 2 (1), 158.—Arachn.
- Fairbankia* Blanford 1868, Ann. Mag. nat. Hist., (4) 2, 399, 400.—Moll.
- Fairemairia* see *Fairmairia* Robineau-Desvoidy 1853.
- Fairmairea* (pro *-ria* Signoret 1872) Lindinger 1907, Ent. Wochenbl., 24, 20.—Hem.
- Fairmaireiella* (n.n. pro *Tigryna* Fairmaire 1894) Berg 1898, Comun. Mus. Buenos Aires, 1, fasc. 1-2, 18.—Col.
- Fairmairella* Spinola 1850, Tav. sin. Hem., 54 (*ex* Mem. Soc. Ital. Sci., 25 (1), 1852, 94).—Hem.
- Fairmairia* Robineau-Desvoidy 1853, Bull. Soc. Sci. Yonne, 7, 111 (also as *Fairemairia*).—Dipt.
- Fairmairia* Signoret 1872, Ann. Soc. ent. France, (5) 2, Bull., xxxvi; 1874, (5) 4, 98.—Hem. (See *Parafairmairia* Cockerell 1899.)
- Faitidius* (pro *Faiditus* Keyserling 1884) Simon 1894, Hist. Araign., ed. 2, 1, fasc. 3, 550.—Arachn.
- Fajumia* Stromer v. Reichenbach 1904, N. Jahrb. Min., 1904, 3.—Pisces.
- Fakoa* Roewer 1923, Weberknechte der Erde, 277.—Arachn.
- Faku* Péringuey 1916, Ann. S. Afric. Mus., 15, 419.—Orth.
- Fala* Grote 1876, Proc. Acad. nat. Sci., Philad., 1875, 425.—Lep.
- Falacer* de Laporte 1840, in Brullé, H. N. Anim. artic. (Coléopt.), 2, 232.—Col.
- Falagonia* Sharp 1883, Biol. Centr. Amer., Zool., Col., 1 (2), 212.—Col.
- Falagria* (Leach MS.) Samouelle 1819, Entom. Compend., 177; Redtenbacher 1849, Fauna Austriaca, Käfer, 650.—Col.

- Falagriola** Reitter 1909, *Fauna Germ.*, 2, 74.—Col.
Falagrioma Casey 1906, *Trans. Acad. St. Louis*, 16, 230.—Col.
Falagriota Casey 1906, *Trans. Acad. St. Louis*, 16, 255.—Col.
Falana Moore 1882, in Hewitson & Moore, *Descr. new Indian Lep. Coll.* Atkinson, (2) *Heteroc.*, 153.—Lep.
Falaria (pro *Filaria* Mueller 1787) Leidy 1904, *Smithson. misc. Coll.*, 46 (3), no. 1477, 190.—Verm. (Nema.).
Falaropus (pro *Phal-* Brisson 1760) Wood 1837, *Orn. Guide*, 203, 225.—Aves.
Falcaria Haworth 1809, *Lepidopt. Brit.*, (2) 152.—Lep.
Falcaria Oken 1815, *Lehrb. Nat.*, 3 (1), 89, 91.—Bry.
Falcatelodes Draudt 1929, in Seitz, *Gross-Schmett. Erde*, 6, 702.—Lep.
Falcator Temminck 1821, *Trans. Linn. Soc. London*, 13 (1), 108.—Aves.
Falcatulula Strand 1912, *Arch. Naturgesch.*, 78, A6, 143.—Lep.
Falcaustra Lane 1915, *Indian J. med. Research*, 3, 115.—Verm. (Nema.).
Falcicaris Ortmann 1893, *Plankton Exped. Humboldt Stiftung*, II, 74.—Crust.
Falcicornis Planet 1894, *La Naturaliste*, (2) 8, 44.—Col.
Falculia Rehn 1903, *Ent. News*, 14, 258.—Orth.
Falciidiopsis Kusnezov 1930, *Wien. ent. Ztg.*, 47, 98.—Hem.
Falciidius Stål 1866, *Hem. Afric.*, 4, 205.—Hem.
Falcifer Rehn 1900, *Amer. Natural.*, 34, 576.—Mamm.
Falciger (Megerle MS.) Dejean 1821, *Catal. Coléopt.*, 84 [n.n.]; Say 1824, *J. Acad. nat. Sci. Philad.*, 3, 309.—Col.
Falciger Bucholz 1869 (*teste* Railliet 1896, *Recu. vétér.*, (8) 3, 161).—Arachn.
Falciger Trouessart & Mégnin 1883, *C. R. Acad. Sci. Paris*, 97, 1321; Trouessart 1885, *J. Microgr.*, 9, 69.—Arachn. (Cf. *Falculifer* Railliet 1896.)
Falciger Borradaile 1915, *Ann. Mag. nat. Hist.*, (8) 15, 207.—Crust. (See *Cuapetes* Clark 1919.)
Falciitutes Remelé 1886, *Z. dtsh. geol. Ges.*, 38, 467.—Moll.
Falcimala Hampson 1895, *Fauna Brit. Ind.*, Moths, 3, 51.—Lep.
Falcinella (pro *-llus* Cuvier 1817) Berthold 1827, in Latreille, *Nat. Fam. Thierr.*, 576.—Aves (Grallid.).
Falcinella (pro *-llus* Vieillot 1816) Des Murs [1853], in Chenu, *Encycl. Hist. nat.*, Ois., 3, 80.—Aves. (Passeres).
Falcinellus Illiger 1811, *Prodr.*, 260, 296.—Aves (Ciconid.).
Falcinellus Vieillot 1816, *Analyse*, 47.—Aves (Passeres).
Falcinellus Cuvier 1817, *Règne Anim.*, 1, 486.—Aves (Grallid.).
Falcinellus Gray 1840, *List Gen. Birds*, 67.—Aves. (Ciconid.).
Falcinodes Guenée 1857, *Hist. nat. Ins.*, *Spec. gén. Lép.*, 10, 33.—Lep.
Falcipennis Elliot 1864, *Proc. Acad. nat. Sci. Philad.*, 1864, 23.—Aves.
Falciprostra Severtsov 1873, *Isw. Imp. Obschtsch. Moskwa*, 8 (2), 69, 146.—Aves.
Falco Linnaeus 1758, *Syst. Nat.*, ed. 10, 88; 1766, ed. 12, 124.—Aves.
Falcobaenus (pro *Phalcobaenus* d'Orbigny 1834) Lafresnaye 1839, *Rev. Zool.*, 2, 196.—Aves.
Falcoboenus (pro *Phal-* d'Orbigny 1834) Giebel [1874], *Thesaur. Orn.*, 2, 1875, fasc. 1, 172.—Aves.
Falcodus Huddle 1934, *Bull. Amer. Paleont.*, 21 (72), 87.—Verm. († Ann.).
Falcolipeurus Bedford 1931, *Rep. Vet. Res. S. Afr.*, 17, 290.—Malloph.
Falcon (err. pro *-co* L. 1758) Swainson 1837, *Birds W. Africa*, 1 (Nat. Libr.), 17, 109.—Aves.
Falconeria Theobald 1868, *Cat. Rept. Asiat. Soc. Bengal*, 44.—Rept.
Falconeria Smith 1904, *J. Quekett micr. Club*, (2) 9, no. 55, 115.—Arachn. (See *Smitheria* Coolidge 1909.)
Falconia Distant 1884, *Biol. Centr. Amer.*, *Zool.*, *Rhynch. Heteropt.*, 1, 298.—Hem.
Falconiodes Reuter 1905, *Ofvers. Finska VetenskSoc. Förh.*, 47, no. 20, 32.—Hem.
Falconis (? err. pro *Falco* L. 1758) Gmelin (1770), *Reise Russ.*, 1, 49.—Aves.
Falconius Bolivar 1898, *Ann. Mus. Stor. nat. Genova*, 39, 69.—Orth.
Falconoplax Straelen 1933, *Bull. Mus. Belgique*, 9, no. 10, 11.—Crust.
Falcula Hodgson 1837, *J. Asiat. Soc. Bengal*, 6, 365.—Aves.
Falcula Conrad 1870, *Amer. J. Conch.*, 6, 77.—Verm. († Polych.). (See *Dentalditypa* Rovereto 1904.)
Falcula Jordan & Snyder 1901, *Bull. U.S. Fish Comm.*, 19, 1899, 124.—Pisces. (See *Falcularius* Jordan & Snyder 1903.)
Falcularius (n.n. pro *Falcula* Jordan & Snyder 1901) Jordan & Snyder 1903, *Amer. Natural.*, 37, 360.—Pisces.
Falcula Geoffroy 1836, *Bull. Soc. Sci. Nat. de France*, fasc. 7, 115.—Aves.
Falculia Geoffroy 1836, *Echo*, 2, 2; 1836, *Magasin de Zool.*, 6, pl. 49.—Aves.
Falculifer (pro *Falciger* Trouessart & Mégnin 1883) Railliet 1896, *Recu. vétér.*, (8) 3, 161.—Arachn.
Falculina Zeller 1877, *Horae Soc. ent. ross.*, 13, 387.—Lep.
Falculopsis Dognin 1913, *Mém. Soc. ent. Belgique*, 22, 45.—Lep.

- Falcunculus* Vieillot 1816, Analyse, 40.—Aves.
Falga Mabile 1898, Ann. Soc. ent. France, 66, 1897, 211.—Lep.
Faliscus Casey 1885, Contr. Col. N. Amer., No. 2, 94, 120.—Col.
Faliscus Distant 1920, Ann. Mag. nat. Hist., (9) 6, 161.—Hem.
Falklandella Schellenberg 1930, Zool. Anz., 91, 82.—Crust.
Falklandius Enderlein 1907, Ent. Ztg., Stettin, 68, 65.—Col.
Falkocholeva Hatch 1928, Col. Cat., 95, 208.—Col.
Fallacia Mulsant & Rey 1863, Ann. Soc. linn. Lyon, 10, 180; 1863, Opusc. ent., 13, 180.—Col.
Fallacia Quatrefages [1866], in Quatrefages (Vaillant), Hist. nat. Annel., 2, 1865, 98.—Verm. (Polych.).
Fallacia Stein 1915, Suppl. Ent., 4, 28.—Dipt.
Fallacioforma Pic 1900, Matér. Longic., 3, Cat., 289.—Col.
Fallaciomorpha Pic 1900, Matér. Longic., 3, Cat., 37.—Col.
Fallaciturrus (n.n. pro *Turrispira* Petho 1906) Tomlin 1929, Proc. malac. Soc. London, 18, 256.—Moll.
Fallagnostus Howell 1935, J. Paleont., 9, 230.—Trilobita.
Fallartemis Iredale 1930, Mem. Queensland Mus., 10, 75.—Moll.
Fallaria Meigen 1820, Syst. Besch. Zweifl. Insekt., 2, 134.—Dipt. (Nemestrinid.).
Fallenia Meigen 1838, Syst. Besch. Zweifl. Insekt., 7, 265.—Dipt. (Tachinid.). (See *Frivaldskia* Schiner 1861.)
Fallia Sharp 1902, Biol. Centr. Amer., Zool., Col., 2 (1), 629.—Col.
Falloonella Preston 1914, Proc. zool. Soc. London, 1914, 809.—Moll.
Fallopia Oudemans 1905, Ent. Ber. Nederl. Ver., 1, no. 23, 222.—Arachn.
Fallotia Douvillé 1902, Bull. Soc. géol. France, (4) 2, 298.—Prot.
Falloticerus Parona & Bonarelli 1897, Palaeontogr. Ital., 2, 89.—Moll.
Falosoma Lioy 1864, Atti Ist. Veneto, (3) 9, 1102.—Dipt.
Falsanoplites Pic 1915, Echange, Moulins, 30, 27.—Col.
Falsatimura Pic 1926, Mélanges exot.-ent., 45, 27.—Col.
Falsetrephes (err. pro *Falsolec-* Pic 1929) Schenkling 1935, Col. Cat., 141, Ectrephidae, 4.—Col.
Falsicolus Finlay 1930, Trans. New Zealand Inst., 61, 259.—Moll.
Falsifusus Grabau 1904, Smithson. misc. Coll., 44, No. 1417, 80.—Moll.
Falsoanthocomus Pic 1911, Echange, Moulins, 27, 158.—Col.
Falsoascaphidium Pic 1923, Mélanges exot.-ent., 38, 16.—Col.
Falsobrium Pic 1926, Echange, Moulins, 42, 12.—Col.
Falsobruchus Pic 1913, Echange, Moulins, 29, 110.—Col.
Falsocaenia Pic 1922, Echange, Moulins, 38, hors-texte, 24.—Col.
Falsocalcar Pic 1925, Mélanges exot.-ent., 44, 9.—Col.
Falsocallores Pic 1933, Echange, Moulins, 49, hors-texte, 110.—Col.
Falsocamaria Pic 1917, Mélanges exot.-ent., 26, 19.—Col.
Falsocasonidea Pic 1934, Echange, Moulins, 50, 31.—Col.
Falsocatomulus Pic 1914, Echange, Moulins, 30, 10.—Col.
Falsocautires Pic 1926, Bull. Soc. zool. France, 51, 452.—Col.
Falsocis Pic 1916, Mélanges exot.-ent., 18, 4.—Col.
Falsocolaphellus Pic 1928, Echange, Moulins, 44, 10.—Col.
Falsoconderis Pic 1926, Echange, Moulins, 42, hors-texte, 22.—Col.
Falsoconorpalpus Pic 1917, Mélanges exot.-ent., 22, 16.—Col.
Falsocorynetes Pic 1932, Echange, Moulins, 48, 32.—Col.
Falsocossyphus Pic 1916, Mélanges exot.-ent., 17, 4.—Col.
Falsocuphotes Pic 1918, Mélanges exot.-ent., 27, 22.—Col.
Falsocylindropomus Pic 1927, Mélanges exot.-ent., 49, 35.—Col.
Falsodaemon Pic 1913, Mélanges exot.-ent., 7, 4.—Col.
Falsodebilia Pic 1918, Mélanges exot.-ent., 27, 9.—Col.
Falsodiopethes Pic 1924, Mélanges exot.-ent., 42, 12.—Col.
Falsoectrephes Pic 1929, Wien. ent. Ztg., 46, 35.—Col.
Falsoencyalesthus Pic 1923, Mélanges exot.-ent., 38, 29.—Col.
Falsoenylus Pic 1926, Echange, Moulins, 42, hors-texte, 29.—Col.
Falsoereis Pic 1925, Mélanges exot.-ent., 44, 25.—Col.
Falsoexosoma Pic 1926, Echange, Moulins, 42, 10.—Col.
Falsogastrallus Pic 1915, Supplementa ent., 3, 10.—Col.
Falsogauromaia Pic 1921, Mélanges exot.-ent., 34, 22.—Col.
Falsolessula Dupuis & Putzeys 1924, Ann. Soc. zool. Belge, 54, 27.—Moll.
Falsoibidion Pic 1922, Mélanges exot.-ent., 36, 24.—Col.
Falsoiphimoides Pic 1935, Mélanges exot.-ent., 65, 2.—Col.
Falsolagria Pic 1927, Rev. Soc. ent. Argentina, 1, no. 4, 44.—Col.
Falsolaius Pic 1917, Mélanges exot.-ent., 25, 6.—Col.
Falsolanthanus Pic 1919, Mélanges exot.-ent., 30, 3.—Col.
Falsoletolus Pic 1903, Bull. Soc. ent. France, 1903, 145.—Col.
Falsolophocnemis Pic 1917, Mélanges exot.-ent., 23, 13.—Col.
Falsolucidota Pic 1921, Echange, Moulins, 37, hors-texte, 9.—Col.

- Falsomalthinus* Pic 1924, *Philippine J. Sci.*, 25, 731.—Col.
Falsomalthodes Pic 1924, *Echange, Moulins*, 39, 28.—Col.
Falsomegalopus Pic 1916, *Mélanges exot.-ent.*, 21, 19.—Col.
Falsomyleris Pic 1913, *Mélanges exot.-ent.*, 7, 15.—Col.
Falsomesosella Pic 1925, *Mélanges exot.-ent.*, 44, 27.—Col.
Falsomophilus Pic 1925, *Echange, Moulins*, [40] 41, 11.—Col.
Falsomycterus Pic 1907, *Echange, Moulins*, 23, 127.—Col.
Falsomandra Pic 1924, *Mélanges exot.-ent.*, 41, 17.—Col.
Falsonecestora Pic 1917, *Mélanges exot.-ent.*, 22, 14.—Col.
Falsoniphona Pic 1925, *Mélanges exot.-ent.*, 44, 26.—Col.
Falsoorphinus Pic 1931, *Mélanges exot.-ent.*, 57, 4.—Col.
Falsopallenis Pic 1926, *Mélanges exot.-ent.*, 45, 8.—Col.
Falsoparnops Pic 1923, *Mélanges exot.-ent.*, 40, 15.—Col.
Falsopedilus Pic 1924, *Mélanges exot.-ent.*, 41, 22.—Col.
Falsoperichilus Pic 1920, *Echange, Moulins*, 36, 16.—Col.
Falsophaeopterus Pic 1911, *Echange, Moulins*, 27, 187.—Col.
Falsoplatyxantha Pic 1927, *Mélanges exot.-ent.*, 49, 23.—Col.
Falsopleotomus Pic 1932, *Mélanges exot.-ent.*, 60, 6.—Col.
Falsopodabrus Pic 1927, *Echange, Moulins*, 43, hors-texte, 40.—Col.
Falsopolemius Pic 1928, *Echange, Moulins*, 44, hors-texte, 60.—Col.
Falsopothyne Pic 1932, *Mélanges exot.-ent.*, 60, 25.—Col.
Falsopriona Pic 1925, *Echange, Moulins*, [40] 41, 3.—Col.
Falsopsilonycha Pic 1930, *Bull. Soc. ent. France*, 1930, 303.—Col.
Falsopupa Germain 1918, *Bull. Mus. Hist. nat. Paris*, 24, 521.—Moll.
Falserterixia Pic 1926, *Mélanges exot.-ent.*, 47, 17.—Col.
Falssessinia Pic 1923, *Mélanges exot.-ent.*, 39, 28.—Col.
Falstictodrya Pic 1931, *Mélanges exot.-ent.*, 58, 17.—Col.
Falstolius Pic 1932, *Mélanges exot.-ent.*, 59, 27.—Col.
Falstromatium Pic 1926, *Bull. Soc. zool. France*, 51, 455.—Col.
Falstrongylium Pic 1915, *Mélanges exot.-ent.*, 16, 11.—Col.
Falssybra Pic 1928, *Mélanges exot.-ent.*, 51, 28.—Col.
Falstherius Pic 1913, *Echange, Moulins*, 1913, 165.—Col.
Falstothassa Pic 1934, *Mélanges exot.-ent.*, 63, 18.—Col.
Falstrichalus Pic 1921, *Echange, Moulins*, 37, hors-texte, 3.—Col.
Falsoxanthalia Pic 1934, *Ent. NachrBl.*, 8, 84.—Col.
Falsoxoanodera Pic 1923, *Echange, Moulins*, 39, 8.—Col.
Falsoxynenon Pic 1925, *Mélanges exot.-ent.*, 43, 26.—Col.
Falsusiana (Bourguignat MS.) Locard 1889, *Ann. Soc. linn. Lyon, (N.S.)* 35, 161.—Moll.
Faluniella Cossmann 1921, *Essais Paléococonch. Comp.*, 12, 274.—Moll.
Falx Gouan 1770, *Hist. Pisc.*, 7, 153 [n.n.].—Pisces.
Fama (Buquet MS.) Gemminger & Harold 1872, *Cat. Col.*, 9, 2793.—Col.
Famarinia Iredale 1933, *Rec. Australian Mus.*, 19, 56.—Moll.
Fametesta Pilsbry 1902, *Proc. Acad. nat. Sci. Philad.*, 54, 30.—Moll.
Fanapepea Prowazek 1911, *Arch. Protistenk.*, 23, 99, 100.—Prot.
Fanchonia Werner 1893, *Zool. Anz.*, 16, 82.—Amph.
Fanelia Gray 1870, *Cat. Lithoph. Brit. Mus.*, 46.—Coel.
Fangophilina Schmidt 1880, *Spong. Mex.*, fasc. 2, 72, 73.—Spong.
Fania Barnes & McDunnough 1911, *Contr. Nat. Hist. Lep. N. Amer.*, 1, no. 1, 25.—Lep.
Fanissa Brookes 1830, *Mus. Brookes*, 96.—Aves.
Fannetia (err. pro *Fannettia* Dall 1882) Fischer 1885, *Man. Conch.*, 881.—Moll.
Fannettia (n.n. pro *Fannyia* Gray 1857) Dall 1882, *Proc. U.S. nat. Mus.*, 4, 284, 287.—Moll.
Fannia Robineau-Desvoidy 1830, *Mém. présentés Acad. roy. Sci. Inst. France*, 2, 567.—Dipt.
Fannia (err. pro *Fannyia* Gray 1857) Dall 1882, *Proc. U.S. nat. Mus.*, 4, 287.—Moll.
Fanninoceras McLearn 1930, *Trans. roy. Soc. Canada*, (3) 24 (1), sect. 4, 3, 4.—Moll.
Fanniosoma Ringdahl 1932, *Ent. Tidskr.*, 53, 160.—Dipt.
Fannyella Gray 1873, *Proc. zool. Soc. London*, 1872, 744.—Coel.
Fannyia Gray 1857, *Guide Syst. Distr. Moll. Brit. Mus.*, 185.—Moll. (nec *Fannia* R.-Desvoidy 1830 see *Fannettia* Dall 1882).
Fanoblatta Rehn 1933, *Proc. Acad. nat. Sci. Philad.*, 84, 469.—Orth.
Fanodemus (pro *Phanodemus* Costa 1838) Costa 1847, in Nardo, *Sin. mod. spec. Lag. Veneto*, 10.—Pantopoda.
Fanulum Iredale 1913, *Proc. malac. Soc. London*, 10, 372.—Moll.
Faorina Gray 1851, *Ann. Mag. nat. Hist.*, (2) 7, 132.—Echin.
Faphrentis (err. pro *Zaphrentis* Rafinesque & Clifford 1820) Hall 1852, in Stansbury, *Expl. Salt Lake, App. E.*, 408.—Coel.
Fapua Strand 1910, in Kieffer, *Zbl. Bakt.*, (2) 27, 378; 1910, *Berlin. ent. Z.*, 55, 168, 169.—Lep.

- Farabius** Reichardt 1929, *Annu. Mus. zool. Leningrad*, 30, 299.—Col.
Faradayus Reitter 1909, *Fauna Germ.*, 2, 217.—Col.
Farana Knisch 1922, *Arch. Naturgesch.*, 88, A5, 107.—Col.
Farancia Gray 1842, *Zool. Miscell. (Gray)*, (4) 68.—Rept.
Farara Bethune-Baker 1908, *Novit. zool.*, 15, 203.—Lep.
Farcimen Troschel 1847, *Zeitschr. f. Malakozool.*, 44.—Moll.
Farcimia Fleming 1828, *Hist. Brit. Anim.*, 534.—Bry.
Farcimia Pourtales 1867, *Bull. Mus. comp. Zool. Harvard*, 1867, 110; Smitt 1873, *K. svenska VetenskAkad. Handl.*, 11, no. 4, 4.—Bry.
Farciminaria Busk 1852, *Cat. mar. Polyzoa Brit. Mus.*, No. 1, 32.—Bry.
Farciminellum Harmer 1926, *Siboga Exped.*, Mon., 28, 404.—Bry.
Fardenia Lamont 1935, *Trans. geol. Soc. Glasgow*, 19, 310.—Brach.
Faremusca Whitley 1933, *Rec. Australian Mus.*, 19, 68.—Pisces.
Farer Forskål 1775, *Descript. Anim.*, 44.—Pisces (?generic).
Fares Alph. G. 1835, in *Dict. pittoresque H.N.*, 3, 164; 1845, *N. Dict. class. H.N.*, ed. 2, 12, 345.—Pisces.
Fares Jordan, Evermann & Tanaka 1927, *Proc. Calif. Acad. Sci.*, (4) 16, 673.—Pisces. (See *Humefordia* Whitley 1931.)
Fargesia Heude 1886, *J. Conchyliol.*, 34, 211.—Moll.
Farhians Whitley 1930, *Australian Zool.*, 6, 250.—Pisces.
Farigia Schaus 1901, *Trans. ent. Soc. London*, 1901, 283.—Lep.
Farinesiana Fagot 1891, *Bull. Soc. Ramond*, 26 (2), 135.—Moll.
Farinococcus Morrison 1922, *Psyche*, 29, 137.—Hem.
Fario Cuvier & Valenciennes 1848, *H.N. Poiss.*, 21, 277.—Pisces.
Fariometra Clark 1917, *J. Washington Acad. Sci.*, 7, 130.—Echin.
Farionella Cuvier & Valenciennes 1849, *H.N. Poiss.*, 22, 508.—Pisces.
Farlapiscis Whitley 1931, *Australian Zool.*, 6, 313.—Pisces.
Farlowella (n.n. pro *Acestra* Kner 1855) Eigenmann & Eigenmann 1889, *Proc. Calif. Acad. Sci.*, (2) 2, 32.—Pisces.
Farnellia Traquair 1898, *Ann. Mag. nat. Hist.*, (7) 2, 69.—Pisces.
Farnya Schouteden 1910, in *Sjoestedt, Ergeb. Schwed. Exp. Kilimandjaro*, 2 (12), 81.—Hem.
Faroella Wolfenden 1904, *J. mar. biol. Ass.*, (N.S.) 7, no. 1, 117.—Crust.
Farona Melichar 1901, *Ann. naturh. Hofmus. Wien*, 16, 200; 1902, 17, 142.—Hem.
Faronidius Casey [1888], *Trans. ent. Soc. London*, 1887, 381.—Col.
Faronoma Raffray 1893, *Rev. Ent. franç.*, 12, 259.—Col.
Faronta Smith 1908, *Ann. N. York Acad.*, 18, 106.—Lep.
Faronus Aubé 1844, *Ann. Soc. ent. France*, (2) 2, 157.—Col.
Farquharsonia Collin 1921, *Trans. ent. Soc. London*, 1921, 504.—Dipt.
Farquharsonia Currie 1928, *Trans. roy. Soc. Edinburgh*, 55, 416.—Echin.
Farrania Sars 1920, *Bull. Inst. ocean. Monaco*, No. 377, 4.—Crust.
Farranula (n.n. pro *Corycella* Farran 1911) Wilson 1932, *Bull. U.S. nat. Mus.*, No. 158, 594.—Crust.
Farrea Bowerbank 1862, *Phil. Trans.*, 152, 1118.—Spong.
Farrella Ehrenberg [1839], *Abh. preuss. Akad. Wiss.*, 1838 (1840), Tab. 2, facing p. 120.—Bry.
Farreopsis Schrammen 1924, *Monogr. Geol. Paleont.*, (1) 2, 29.—Spong.
Farsus Jacquelin Du Val [? 1860], *Gen. Coléopt. Europe*, 3, 116.—Col.
Fartulum Carpenter 1857, *Cat. Mazatlan Shells Brit. Mus.*, 325.—Moll.
Farunculus (err. pro *Funambulus* Lesson 1835) Gray 1867, *Ann. Mag. nat. Hist.*, (3) 20, 279.—Mamm.
Farzandia Thapar 1930, *Ann. Mag. nat. Hist.*, (10) 6, 77.—Verm. (Acanth.).
Fascelis Agassiz 1845, *Nom. Zool. (Moll.)*, 35 [n.n.].—Moll.
Fascellina Walker 1859, in *Tennent, Ceylon*, ed. 2, 1, 288; 1860, *List Specimens Lep. Ins. Brit. Mus.*, 20, 215.—Lep.
Fascia Blanchard 1888, *Traité Zool. Méd.*, Paris, 483.—Verm. (Cest.).
Fasciatiana Bourguignat 1880, *Rec. Vivip. Syst. Europ.*, 36.—Moll.
Fascicola (pro *Fasciola* L. 1761 nec 1758) Say 1818 (Dec.), *J. Acad. nat. Sci. Philad.*, 1 (16), 452.—Verm. (Acanth.).
Fascicolites (pro *Fascio-* Parkinson 1811) Carter 1853, *Ann. Mag. nat. Hist.*, (2) 11, 171.—Prot.
Fasciostella Schuchert & Cooper 1931, *Amer. J. Sci.*, (5) 22, 246; 1932, *Mem. Peabody Mus.*, 4 (1), 129.—Brach.
Fascicularia Lamarck 1816, *An. s. vert.*, 2, 220.—Coel. (Hexacorall.).
Fascicularia (Milne-Edwards MS.) Lyell 1839, *Nouv. Elém. Géol.*, 354; Busk 1859, (*Pal. Soc. Monogr.*) *Foss. Polyzoa*, 129.—Bry.
Fascicularia Dybowski 1873, *Arch. Naturk. Liv-, Ehst- u. Kurl. Dorpat*, (1) 5, 336, 457 (1874); 1873, *dtsh. geol. Ges.*, 25, 406.—Coel. (Tetracorall.).
Fasciculipora d'Orbigny 1846 (? pls. 1839), *Amér. Mérid. (Zooph.)*, 20.—Bry.
Fasciculophyllum Thomson 1883, *Proc. phil. Soc. Glasgow*, 14, 448.—Coel.

- Fascinella** (Stache MS.) Sandberger 1872, Land- u. Süsw.-Conch. Vorwelt, 136.—Moll.
- Fascinia Rafinesque** 1815, Analyse, 151 [*n.n.*].—Verm. (? Trem.).
- Fascinus Hedley** 1903, Mem. Australian Mus., 4, 375.—Moll.
- Fasciodaria** (err. pro *-olaria* Lamarck 1799) Giebel 1852, Allgem. Palaeont., 186.—Moll.
- Fasciodus Henry** 1876, Mém. Soc. Emul. Doubs, (4) 10, 411.—Pisces.
- Fasciola Linnaeus** 1758, Syst. Nat., ed. 10, 648; 1767, ed. 12, 1077.—Verm. (Trem.).
- Fasciola Linnaeus** 1761, Fauna Suec., ed. 2, 505.—Verm. (Acanth.). (Cf. *Fascicola* Say 1818.)
- Fasciola Mueller** 1774, Verm. terr. fluv., 1 (2), 57.—Verm. (Nemert.).
- Fasciola Goeze** 1782, Eingeweidewürmer, 41, 180.—Verm. (Cest.).
- Fasciolaria Lamarck** 1799, Mém. Soc. H. N. Paris, 73.—Moll.
- Fasciolaria** (pro *Fasciola* L. 1758) Anonymous 1845, Ency. Metrop., 18, 18, 141 [*in syn.*]; Diesing 1850, Syst. Helminth., 1, 577.—Verm. (Trem.).
- Fasciolarigenus Renier** [1804], Tavole, viii.—Moll.
- Fascioletta Garrison** 1908, Philipp. J. Sci., 3, 385.—Verm. (Trem.).
- Fasciolina Conrad** 1867, Amer. J. Conch., 3, 186.—Moll.
- Fasciolites Parkinson** 1811, Org. Rem., 3, 158.—Moll.
- Fasciolo** (pro *-la* L. 1758) Stafford 1905, Zool. Anz., 28, 694.—Verm. (Trem.).
- Fascioloides Ward** 1917, J. Parasitology, 4, 3.—Verm. (Trem.).
- Fasciolopsis** (pro *-lopsis* Looss 1899) Odhner 1902, Zbl. Bakt., (1. Orig.) 31, 581.—Verm. (Trem.).
- Fasciolopsis Looss** 1899, Zool. Jahrb., Syst., 12, 557.—Verm. (Trem.).
- Fascioloria** (err. pro *-laria* Lamarck 1799) Mayer 1872, Beitr. geol. Karte Schweiz, Lief. 11, Beil., 506.—Moll.
- Fascioplex Marwick** 1934, Proc. malac. Soc. London, 21, 15.—Moll.
- Fasciophyllum Schlueter** 1885, Congr. géol. int. Sess. 3, (Berlin 1885), Cat. Expos. géol., 52.—Coel.
- Fascipora d'Orbigny** 1853, Paléont. franç., Terr. créét., 5, Bry., 692.—Bry.
- Fasciporina d'Orbigny** 1853, Paléont. franç., Terr. créét., 5, Bry., 693.—Bry.
- Fasciospongia Burton** 1934, Gt. Barrier Reef Exped. 1928-29, 4 (14), 602.—Spong.
- Fasslia Dognin** 1911, Hét. nouv., 2, 15.—Lep.
- Fasslomyia Townsend** 1931, Rev. Ent. São Paulo, 1, 452.—Dipt.
- Fastigieras Buckman** 1919, Type Ammonites, 3, pt. 20, no. 144.—Moll.
- Fastigiella Reeve** 1848, Proc. zool. Soc. London, 16, 15.—Moll.
- Fastigitermes Sjoestedt** 1924, Rev. zool. afr., 12, 257.—Isopt.
- Fastimaria Iredale** 1929, Mem. Queensland Mus., 9, 264.—Moll.
- Fastosaria Iredale** 1933, Rec. Australian Mus., 19, 37.—Moll.
- Fatima Distant** 1905, Ann. Mag. nat. Hist., (7) 15, 62.—Hem.
- Fatua Dejean** 1835, Catal. Coléopt., ed. 2, (5) 430 [*n.n.*]; Crotch 1876, Cistula Ent., 1, 382.—Col.
- Fatua Edwards** 1882, Papilio, 2, 97.—Lep.
- Fatuellus** (emend. pro *Lateranus* Sturm 1843) Gistel [1847], Handb. Naturges., 1850, 440.—Col. (Tenebrionid.).
- Fatuellus** (emend. pro *Metallites* Germar 1824) Gistel 1848, Nat. Thierr., 125, 134.—Col.
- Fatuhivella Hebard** 1935, Bull. Bishop Mus., No. 114, 128.—Orth.
- Faucheria Dollfus** 1904, Ann. Sci. nat., Paris, Zool., (8) 20, 373.—Crust.
- Faudelia Hagenmueller** 1885, Bull. Soc. malac. France, 2, 309.—Moll.
- Faujasia d'Orbigny** 1856, Pal. Franç., (1) Terr. créét., 6, 290, 314.—Echin.
- Faujasina d'Orbigny** 1839, in Sagra, Cuba (Foram.), 109.—Prot.
- Faujassia** (pro *-asia* d'Orbigny 1856) Pomel 1883, Thèses Classif. Ech., 61.—Echin.
- Faujassina** (pro *-asina* d'Orbigny 1839) Terquem 1882, Mém. Soc. géol. France, (3) 2 (3), 48.—Prot.
- Faula Blanchard** 1850, Cat. Coll. Ent. Mus. H.N. Paris, Coléopt., 1, 124.—Col.
- Faula Adams** 1858, Gen. Rec. Moll., 2, 171.—Moll. (See *Fauxulus* Schaufuss 1869.)
- Faululus** (err. pro *Fauxulus* Schaufuss 1869) Bourguignat 1889, Moll. Afr. équat., 128.—Moll.
- Faunia** (*n.n.* pro *Tachina* Meigen 1803) Robineau-Desvoidy 1830, Mém. présentés Acad. roy. Sci. Inst. France, 2, 279.—Dipt.
- Faunia Poey** 1847, Mem. Soc. econ. Habana, [2] 3, 178.—Lep.
- Faunis Huebner** [1819], Verz. bekannt. Schmett., (4) 55.—Lep.
- Faunopsis Gill** 1863, Proc. Acad. nat. Sci. Philad., 1863, 34.—Moll.
- Faunula Felder** 1867, Reise Novara, Zool. 2, Abt. 2, Lep. Rhop., 488.—Lep.
- Faunus de Montfort** 1810, Conch., 2, 426.—Moll.
- Faunus Oken** 1816, Lehrb. Nat., 3 (2), 1227.—Mamm.
- Faunus** (pro *-nis* Huebner 1819) Blanchard 1846, in d'Orbigny, Amér. Mérid. (Ins.), 222.—Lep.
- Fauraster Lambert** 1921, in Lambert & Thiéry, Ess. nom. Echinides, Fasc. 6-7, 396.—Echin.

- Faurea* Labbé 1927, Bull. Soc. zool. France, **52**, 440.—Crust.
Faureia Uvarov 1921, Ann. Mag. nat. Hist., (9) **8**, 389.—Orthr.
Faurella Robineau-Desvoidy 1830, Mém. présentés Acad. roy. Sci. Inst. France, **2**, 41.—Dipt.
Faurotis Jousseau 1888, Mém. Soc. zool. France, **1**, 188.—Moll.
Faurotus (err. pro *-tis* Jousseau 1888) Jousseau 1892, Ann. Sci. nat. Paris, Zool., (7) **12**, 347.—Moll.
Fausta Robineau-Desvoidy 1830, Mém. présentés Acad. roy. Sci. Inst. France, **2**, 62.—Dipt.
Faustia Kraatz 1882, Dtsch. ent. Z., **26**, 92.—Col. (Tenebrionid.).
Faustia Tournier 1889, Ent. Genev., **1**, 150.—Col. (Curculionid.). (See *Picia* Tournier 1895.)
Faustiella (n.n. pro *Xenia* Faust 1894) Berg 1898, Comun. Mus. Buenos Aires, **1**, fasc. 1-2, 18.—Col.
Faustina Kobelt 1904, in Rossmassler, Iconogr. Land-u. Süsw.-Moll., (N.F.) **11**, 131, 186.—Moll.
Faustinus (n.n. pro *Euxemus* Faust 1896) Berg 1898, Comun. Mus. Buenos Aires, **1**, fasc. 1-2, 18.—Col.
Faustula (n.n. pro *Eurema* MacCallum 1918) Poche 1926, Arch. Naturgesch., **91**, 1925, A 2-3, Syst. Platodaria, 120.—Verm. (Trem.).
Fautaua Collette 1929, Trans. ent. Soc. London, **76**, 484.—Lep.
Fautor Iredale 1924, Proc. Linn. Soc. N.S. Wales, **49**, 182, 230.—Moll.
Fauvelia Wasmann 1895, Verh. zool.-bot. Ges. Wien, **45**, Abh., 174.—Col.
Fauvelia Gravier 1900, Bull. Mus. Hist. nat. Paris, **6**, 371, 374.—Verm. (Polych.).
Fauveliopsis M'Intosh 1922, Ann. Mag. nat. Hist., (9) **9**, 4.—Verm. (Polych.).
Fauxulella Pilsbry 1917, Man. Conch., (2) **24**, 241.—Moll.
Fauxulus (n.n. pro *Faula* Adams 1858) Schaufuss 1869, Moll. Syst. Cat. Samml. Paetel, 15.—Moll.
Favartia Jousseau 1880, Le Naturaliste, **1**, no. 42, 335.—Moll.
Favastrea d'Orbigny [1850], Prodr. Paléont., **1**, 1849, 48.—Coel.
Favastrea Blainville 1834, Man. Actinol., 686.—Coel.
Favella Jörgensen 1925, Rep. Danish Exped. 1908-10, Biol. J. 3, No. 8, **2**, 25.—Prot.
Faventia Cristofori & Jan 1837, Cat. Mus. (3a, Coleopt.), 3 [n.n.].—Col.
Faventia Stål 1866, Hem. Afric., **4**, 181.—Hem.
Faveria Walker 1859, List Specimens Lep. Ins. Brit. Mus., **19**, 888.—Lep.
Favettea Trouessart 1916, Bull. Soc. zool. France, **40**, 221.—Arachn.
Favia Oken 1815, Lehrb. Nat., **3** (1), 65, 67.—Coel.
Favicella Hall & Simpson 1887, Nat. Hist. N. York, Pal. 6, xviii, 234.—Bry.
Favila Cambridge 1895, Biol. Centr. Amer., Zool., Arach. Aran., **1**, 156.—Arachn.
Favioseris Wells 1934, Proc. U.S. nat. Mus., **83**, 82.—Coel.
Faviphylum Hall 1852, in Stansbury, Expl. Salt Lake, App. E., 407 [n.n.].—Coel.
Favispongia Quenstedt 1877, Petref. Dtschl, (1) **5**, 118.—Spong.
Favistella Hall 1847, N.H. New York (Pal. 1), 275; Dana 1848, in Wilkes, U.S. Exped., Zooph., 538.—Coel.
Favites Link 1807, Beschr. Nat. Samml. Univ. Rostock, Heft 3, 162.—Coel.
Favoidea Reuss 1866, Reise Novara, Geol., **2** (2), no. 1, 168.—Coel.
Favoidoseris Wells 1933, Bull. Amer. Paleont., **18** (67), 97.—Coel.
Favonia Péron & Lesueur 1810, Ann. Mus. H. N. (Paris), **14** (83), 328.—Coel.
Favonigobius Whitley 1930, Australian Zool., **6**, 122.—Pisces.
Favorina (err. pro *Faorina* Gray 1851) Gray 1855, Cat. Rec. Ech. Brit. Mus., 57.—Echin.
Favorinus Gray 1850, Figs. Moll. Anim., **4**, 109.—Moll.
Favosipora MacGillivray 1885, Trans. Proc. roy. Soc. Victoria, **21**, 98.—Bry.
Favositella Etheridge & Foord 1884, Ann. Mag. nat. Hist., (5) **13**, 472.—Bry.
Favositella Mansuy [non Etheridge & Foord] 1912, Mém. Serv. Géol. Indochine, **1** (2), 70, 96.—Bry.
Favosites Lamarck 1816, An. s. vert., **2**, 204.—Coel.
Favositipora Kent 1870, Ann. Mag. nat. Hist., (4) **6**, 385.—Coel.
Favrella Douvillé 1909, C.R. Séances Soc. géol. France, **1909**, 20th Dec.—Moll.
Favria Tutt 1906, Brit. Butterflies, **1**, 218.—Lep.
Favria Cossmann 1919, Mém. Soc. géol. France, (Paléont.) Mém. No. 51, 13.—Moll.
Favriella Hornung 1920, Ann. Mus. Stor. nat. Genova, (3) **9**, 76.—Moll.
Favus Schafhaeutl 1850, Geogn. Unters. südbay. Alpengeb., 44.—? Prot.
Favus Lanchester 1900, Proc. zool. Soc. London, **1900**, 767.—Crust.
Fax Iredale 1925, Rec. Australian Mus., **14**, 249, 262.—Moll.
Faxia Ravn 1933, K. Dansk. Vidensk. Selsk. Skr., Afd. 9, Raekke **5**, no. 2, 43.—Moll.
Faxonia Bouvier 1905, C. R. Acad. Sci., Paris, **140**, 981.—Crust.
Faxonius Ortman 1905, Proc. Amer. phil. Soc., **44**, 97, 107.—Crust.
Fayettoceras Foerste 1932, Denison Univ. Bull., J. Sci. Lab., **27**, 51.—Moll.
Fayolia Renault & Zeitler 1884, C. R. Acad. Sci., Paris, **98**, 1393.—Pisces.
Fayoliella Meunier 1908, Bull. Mus. Paris, **14**, 247.—Protoblatt.

- Fazia Shannon 1927, Proc. U.S. nat. Mus., 70, art. 9, 25.—Dipt.
 Fazoglou Gistl 1857, Vacuna, 2, 546.—Col.
 Feaella Ellingsen 1906, Ann. Mus. Stor. nat. Genova, 42, 260.—Arachn.
 Feaellides Beier 1932, Das Tierreich, 57, 237.—Arachn.
 Feaia Fleutiaux 1896, Ann. Mus. Stor. nat. Genova, 36, 540.—Col.
 Fealina Bernhauer 1929, Mem. Soc. ent. ital., 6 (1927), 200.—Col.
 Feanus Bates 1889, Ann. Mus. Stor. nat. Genova, 27, 107.—Col.
 Featheria Hampson 1916, Proc. zool. Soc. London, 1916, 167.—Lep.
 Febra Clark 1864, J. Ent. Lond., 2, 261.—Col.
 Feburia Robineau-Desvoidy 1830, Mém. présentés Acad. roy. Sci. Inst. France, 2, 256.—Dipt.
 Fecampia Giard 1886, C.R. Acad. Sci., Paris, 103, 499.—Verm. (Turb.).
 Fecelia Stål 1872, K. svenska VetenskAkad. Handl., 10, no. 4, 37.—Hem.
 Fecenia (n.n. pro *Mezentia* Thorell 1881) Simon [1888], Ann. Soc. ent. France, (6) 7, 1887, Bull., cxciv.—Arachn.
 Fectaria (err. pro *Te-* Griffith 1834) Philippi 1846, Abb. u. Besch. Conch., 2, 139.—Moll.
 Fectolla Iredale 1915, Trans. New Zealand Inst., 47, 481.—Moll.
 Fedaeilla (err. pro *Fedaiella* Kittl 1894) Cossmann 1925, Essais Paléonch. Comp., 13, 98.—Moll.
 Fedaiella Kittl 1894, Jahrb. geol. Reichsanst. Wien, 44, 121, 139.—Moll.
 Fedalma Cameron 1903, Ann. Mag. nat. Hist., (7) 11, 318.—Hym.
 Feddenia Duncan 1880, Pal. Ind., (14) 1 (2), 36.—Coel.
 Federleyella Frey 1932, Ann. Mag. nat. Hist., (10) 9, 263.—Dipt.
 Fedoa Leach 1816, Syst. Cat. Mamm. Birds Brit. Mus., 28 [n.n.]; Forster 1817, Syn. Cat. Brit. Birds, 20, 56; Stephens 1824, in Shaw, Gen. Zool. (Aves), 12 (1), 70.—Aves.
 Fedora Jullien 1882, Bull. Soc. zool. France, 7, 513.—Bry.
 Fedrizzia Canestrini 1884, Atti Ist. Veneto, (6) 2, 707.—Arachn.
 Fedtschenkia Saussure 1880, Isw. Imp. Obschtsch. Moskwa, 26 (3), 10.—Hym.
 Fedtschenkomyia Stackelberg 1927, Konowia, 6, 230.—Dipt.
 Fegula (err. pro *Te-* Lesson 1835) Schaufuss 1869, Moll. Syst. Cat. Paetel, 11.—Moll.
 Feiadella (err. pro *Fedaiella* Kittl 1894) Patrini 1927, Riv. ital. Paleont., 33, fasc. 3-4, 51.—Moll.
 Feina Navás 1931, Rev. Zool. Bot. afr., 20, 263.—Neur.
 Feinerus Navás 1919, Insecta, Rennes, 9, 190.—Neur.
 Feistmantelia Fritsch 1904, Palaeoz. Arach., 75.—Arachn.
 Felania Récluz 1851, J. Conchyliol., 2, 69.—Moll.
 Felaniella Dall 1899, J. Conch. London, 9, 244.—Moll.
 Felargia Cameron 1907, Tijdschr. Ent., 50, 81.—Hym.
 Felariella (err. pro *Felaniella* Dall 1899) Nomura 1935, Sci. Rep. Tôhoku imp. Univ. Sendai, 18, no. 1, 34.—Moll.
 Felderia Walsingham 1887, Trans. ent. Soc. London, 1887, 165.—Lep. (Tineid.).
 Felderia Semper 1888, in Semper, Reis. Philipp., (2) 5 (3), 88.—Lep. (Nymphalid.).
 Felderia (n.n. pro *Acreagriss* Felder 1868) Kirby 1892, Syn. Cat. Lep. Heteroc., 1, 163.—Lep. (Zygaenid.).
 Felderia Tutt 1907, Nat. Hist. Brit. Lep., 9, 142.—Lep. (Lycaenid.). (See *Thecliola* Strand 1910.)
 Felderimya Hendel 1914, Wien. ent. Ztg., 33, 81.—Dipt.
 Feldia (err. pro *Felderia* Walsingham 1887) Strand 1929, Lep. Cat., 34, 199.—Lep.
 Felia Walker 1864, J. Linn. Soc. London, Zool., 7, 197.—Lep.
 Felia (err. pro *Felis* L. 1758) Gray 1869, Cat. Carn. Mamm. Brit. Mus., 33.—Mamm.
 Felicena Waterhouse 1932, Australian Zool., 7, 199.—Lep.
 Feliceps Gray 1840, List Gen. Birds, 6.—Aves.
 Felichthys Swainson 1839, N.H. Fishes, etc., 2, 305.—Pisces.
 Felicia Mabile & Rochebrune 1889, Miss. Sci. Cap Horn, 6 (2), Moll., 115.—Moll.
 Felicia Thierry-Mieg 1915, Misc. ent., 22, 40.—Lep.
 Feliciella Lamy 1934, J. Conchyliol., 78, 69.—Moll.
 Felicienella Reitter 1913, Verh. Ver. Brünn, 51, 16.—Col.
 Felicinia Bedford 1929, Rep. Vet. Res. S. Afr., 15 (1), 519.—Mallophaga.
 Felicola Ewing 1929, Manual External Parasites, 122.—Mallophaga.
 Felinia Guenée 1852, Hist. nat. Ins., Spec. gén. Léop., 7, 322.—Lep.
 Feliopsis Stremme 1911, Centralbl. Min., 1911, 55.—Mamm.
 Felipes (Locard MS.) Carus 1889, Prodr. Faun. Medit., 2, fasc. 1, 71.—Moll.
 Felipponea Dall 1919, Nautilus, 33, 10.—Moll.
 Felis Linnaeus 1758, Syst. Nat., ed. 10, no. 1, 41.—Mamm.
 Felisacodes (n.n. pro *Rhodesiella* Poppius 1914) Bergroth 1926, Dtsch. ent. Z., 1926, 64.—Hem.
 Felisacus (n.n. pro *Liocoris* Motschoulsky 1863) Distant 1904, Fauna Brit. Ind., Rhynch., 2, no. 2, 434, 438.—Hem.

- Felivox** Bonaparte 1854, C.R. Acad. Sci., Paris, 38, 54, 56.—Aves.
Felix (pro *Felis* L. 1758) Voigt 1818, Uebers. Naturg., 412.—Mamm.
Felixastraea Oppenheim 1930, Die Anthozoen der Gosausch., 242.—Coel.
Felixigra Prever 1909, in Parona, Crema & Prever, Mam. p. serv. Descr. Carta geol. Ital., 5 (1), 118.—Coel.
Fellaea Robineau-Desvoidy 1830, Mém. présentés Acad. roy. Sci. Inst. France, 2, 476.—Dipt.
Fellodistomum Stafford 1904, Zool. Anz., 27, 486.—Verm. (Trem.).
Felovia Lataste 1886, Le Naturaliste, (1) 3, 287.—Mamm.
Felsina Simon 1895, Hist. Araign., ed. 2, 1, fasc. 4, 1006.—Arachn.
Felsinothierium Capellini 1865, Atti Soc. Ital. Sci. nat., 8, 281 [*n.n.*]; [1872], Mem. Accad. Bologna, (3) 1, 1871, 613, 615.—Mamm.
Feltia Walker 1856, List Specimens Lep. Ins. Brit. Mus., 9, 202.—Lep.
Feltianus Martini 1930, in Lindner, Flieg. palaeart. Reg., 11-12, 264.—Dipt.
Feltidia Dyar 1905, Proc. ent. Soc. Washington, 7, 45, 47.—Dipt.
Feltiella Ruebsaamen 1910, Z. Insektenbiol., 6, 285; 1911, 7, 280.—Dipt.
Feltinella Theobald 1907, Monogr. Culic., 4, 56.—Dipt.
Feltodiplosis Kieffer 1913, Gen. Insect., 152, 154.—Dipt.
Feltomyia Kieffer 1913, Gen. Insect., 152, 100.—Dipt.
Feltria Koenike 1892, Zool. Anz., 15, 323.—Arachn.
Feltriella Viets 1930, Arch. Hydrobiol., 21, 396.—Arachn.
Femorale (Megerle MS.) Scudder 1882, Nom. Zool. (Suppl.), 138 [*n.n.*].—Moll.
Femoriferus Attens 1904, Arch. Naturgesch., 71, Abt. 1, fasc. 2, 189.—Myr.
Fenaria Grote 1882, Papilio, 2, 132.—Lep.
Fenella Westwood 1840, Introd. class. Insect., 2, Syn., 54.—Hym.
Fenella (emend. pro *Fin*-Adams 1860) Adams 1864, Ann. Mag. nat. Hist., (3) 13, 40.—Moll.
Fenesis Cameron 1902, Ann. Mag. nat. Hist., (7) 9, 211.—Hym.
Fenestella Bolten 1798, Mus. Boltens., 2, 193.—Moll.
Fenestella (Miller MS.) Lonsdale 1839, in Murchison, Silur. Syst., 677.—Bry.
Fenestepora Frederiks [1914], Kazani Prot. obšč. jest., 44, 1912-1913, Beilage, No. 288, 2 Tab. (1-8); 1915, Mém. Com. Géol. Petrograd, 109, 47.—Bry.
Fenestra Brunner 1893, Ann. Mus. Stor. nat. Genova, 33, 120.—Orth.
Fenestralia Prout 1858, Trans. Acad. Sci. St. Louis, 1, 235.—Bry.
Fenestrapora (pro *-tropora* Hall 1885) Ulrich 1890, Geol. Surv. Illinois, 8, 395, 557.—Bry.
Fenestratocladodes Pic 1935, Mélanges exot.-ent., 66, 7.—Col.
Fenestrella (err. pro *-stella* Lonsdale 1839) Girard [1844], Arch. Wiss. Kunde Russland, 4, 1843, 539; d'Orbigny 1850, Prodr. Paleont., 1, 44.—Bry.
Fenestrella (pro *-stella* Bolten 1798) Gray 1847, Proc. zool. Soc. London, 15, 201.—Moll.
Fenestrella Osborn & Drake 1916, Ohio State Univ. Bull., 20, 222.—Hem. (See *Drakella* Bergroth 1922.)
Fenestrellina d'Orbigny 1849, Rev. Mag. Zool., (2) 1, 501.—Bry.
Fenestrolaimus Filipjev [1927*], Arch. Naturgesch., 91, 1925, A6, 189.—Verm. (Nema.).
Fenestropora Hall 1885, Ann. Rep. State Geol. N. York, 4, 1884, 36.—Bry.
Fenestrosaurus Osborn 1924, Nat. Hist., 24, 141 [*n.n.*].—Rept.
Fenestrosyrinx Finlay 1926, Trans. New Zealand Inst., 56, 254.—Moll.
Fenestrulina Jullien 1888, Miss. Cap Horn, 6 (3), Bry., 37.—Bry.
Fengshania Sun 1935, Palaeont. Sinica, (B) 7 (2), 28.—Trilobita.
Fenimorea Bartsch 1934, Smithson. misc. Coll., 91, no. 2, 3.—Moll.
Feniseca Grote 1869, Trans. Amer. ent. Soc., 2, 308.—Lep.
Fenja Danielssen 1888, Bergens Mus. Aarsber., 1887, no. 1, 3.—Coel.
Fennecus Desmarest 1804, Nouv. Dict. H.N., 24 (Tab.), 18.—Mamm.
Fenouilia Heude 1889, J. Conchyliol., 37, 46.—Moll.
Fenrisia Bergh 1888, in Semper, Reis. Philipp., Bd. 2, Heft 16, No. 1, 788.—Moll.
Fentonia Butler 1881, Trans. ent. Soc. London, 1881, 20.—Lep.
Fentonina Gaede 1928, in Seitz, Gross-Schmett. Erde, 14, 421.—Lep.
Fenuahala Distant 1907, Ann. Mag. nat. Hist., (7) 19, 411.—Hem.
Fenusa Leach 1817, Zool. Miscell., 3, 126.—Hym.
Fenwickia Malloch 1930, Rec. Canterbury (N.Z.) Mus., 3, 336.—Dipt.
Fenyisia Cameron 1920, Trans. ent. Soc. London, 1920, 270.—Col.
Fenziana Servain 1881, Hist. Mal. Lac Balaton, 62.—Moll.
Feonus (pro *Foenus* Fabricius 1798) Couper 1870, Canad. Ent., 2, 110.—Hym.
Fer Bolivar 1918, Trab. Mus. nac. Madrid., Zool., 34, 17.—Orth.
Feralia Grote 1874, Bull. Buffalo Soc. nat. Sci., 2, 6, 59.—Lep.
Ferania Gray 1842, Zool. Miscell. (Gray), (4) 67.—Rept.
Feranoides Carlleyle 1869, J. Asiat. Soc. Bengal, 38 (2), 192, 196.—Rept.
Feranoides (pro *-nioides* Carlleyle 1869) Boulenger 1896, Cat. Snakes Brit. Mus., 3, 2, 11.—Rept.

- Ferdauia Jordan, Evermann & Tanaka 1927, Proc. Calif. Acad. Sci., (4) 16, 662.—Pisces.
- Ferdina Gray 1840, Ann. Mag. nat. Hist., 6, 282.—Echin.
- Ferdinandaea (pro -dea Rondani 1844) Rondani 1856, Dipt. Ital. Prodr., 1, 51.—Dipt.
- Ferdinandea Rondani 1844, N. Ann. Sci. Nat. Bologna, [2] 2, 196.—Dipt.
- Ferebra (err. pro *Te*- Bruguière 1789) Dall 1903, Proc. U.S. nat. Mus., 26, 951.—Moll.
- Feredayia (n.n. pro *Eyana* Walker 1857) Kirkaldy 1910, Canad. Ent., 42, 8.—Hem.
- Ferenta Walker 1857, List Specimens Lep. Ins. Brit. Mus., 12, 961.—Lep.
- Feresa Gray 1870, Proc. zool. Soc. London, 1870, 77.—Mamm.
- Feresia (pro -sa Gray 1870) Flower 1884, Proc. zool. Soc. London, 1883, 510.—Mamm.
- Ferestria Leng 1915, Bull. Amer. Mus. nat. Hist., 34, 576.—Col.
- Feretrius Simon 1879, Ann. Soc. ent. Belgique, 22, 184, 189.—Arachn.
- Fergana Staudinger 1892, Dtsch. ent. Z., Lep., 5, 166.—Lep.
- Ferganusa Uvarov 1926, Rev. russe Ent., 20, 161.—Orth.
- Fergusonia (n.n. pro *Trachycephalus* Ferguson 1875) Hoffmann 1878, in Bronn, Klass. Ordn. Tierreichs, 6 (2), 629.—Amph.
- Fergusonia Lea 1911, Mém. Soc. ent. Belgique, 18, 125.—Col.
- Fergusonina Malloch 1924, Proc. Linn. Soc. N.S. Wales, 49, 337.—Dipt.
- Feria Robineau-Desvoidy 1830, Mém. présentés Acad. roy. Sci. Inst. France, 2, 309.—Dipt.
- Fericeus Reitter 1885, Verh. Ver. Brünn, 23, Abh., 10.—Col.
- Fermiaria Barbour 1926, Proc. N. England Zool. Cl., 9, 74.—Aves.
- Ferminia Oudemans 1928, Ent. Ber., 's Gravenhage, 7, 347.—Arachn.
- Ferminoscala Dall 1908, Bull. Mus. comp. Zool. Harvard, 43, no. 6, 315.—Moll.
- Fermoria Chapman 1935, Rec. geol. Surv. India, 69, 114.—Brach.
- Fernaldaepsithyrus Frison 1927, Trans. Amer. ent. Soc., 53, 70.—Hym.
- Fernaldanna MacGillivray 1921, The Coccidae, 276, 296.—Hem.
- Fernaldella Hulst 1897, Trans. Amer. ent. Soc., 23, 318.—Lep.
- Fernaldella Leonardi 1903, Ann. Scuola sup. Agric., 5, 105.—Hem.
- Fernaldia Grote 1881, Bull. U.S. geol. Surv. Terr., 6, no. 2, 274.—Lep.
- Fernaldiella (pro -della Leonardi 1903) Sanders 1906, Tech. Ser. U.S. Dep. Agric., Ent., No. 12 (1), 16.—Hem.
- Fernandea Melichar 1914, Abh. zool.-bot. Ges. Wien, 7, 53.—Hem.
- Fernandezia Pilsbry 1911, Man. Conch., (2) 21, xx, 93.—Moll.
- Fernandocrambus Aurivillius 1922, Nat. Hist. of Juan Fernandez, 3 (2), 263.—Lep.
- Fernandum Pic 1925, Ann. Mus. Stor. nat. Genova, 51, 161.—Col.
- Fernelius Distant 1900, Trans. ent. Soc. London, 1900, 173.—Hem.
- Feroculus Kelaart 1852, Prodr. Faun. Zeyl., 1, 31.—Mamm.
- Feronalus Casey 1918, Mem. Col., 8, 226.—Col.
- Feronia Latreille 1817, in Cuvier, R. Anim., 3, 191.—Col.
- Feronia Leach 1818 [sep. 1817], Mem. Werner. Soc., 2 (2), 557.—Dipt. (See *Olfersia* Wiedemann 1830.)
- Feronica (pro -nia Latreille 1817) Chaudoir 1873, Bull. Soc. imp. Nat. Moscou, 46 (2), 103.—Col.
- Feronina Casey 1918, Mem. Col., 8, 365.—Col.
- Feroniola Tschitscherin 1900, Horae Soc. ent. ross., 34, 666.—Col.
- Feroniomorpha (err. pro *Feronom*- Solier 1849) Csiki 1930, Col. Cat., 112, 585.—Col.
- Feronites Fritsch 1884, Vesmir, 13 (1883), 205.—Col.
- Feronomorpha Solier 1849, in Gay, Chili, 4 (Col.), 219.—Col.
- Ferralsia Cobbold 1935, Ann. Mag. nat. Hist., (10) 16, 31.—Trilobita.
- Ferrandia Roewer 1933, in Bronn, Klassen Ordn. Tierreichs, 5, 412.—Arachn.
- Ferraria Setna 1932, Rec. Ind. Mus., 33, 203.—Prot.
- Ferrarius Costa 1855-56, Ittiol. foss. Ital., 20.—Pisces.
- Ferrazia Reed 1932, Ann. Mag. nat. Hist., (10) 10, 479.—Moll.
- Ferreola Lepelletier 1845, (Roret's Suite à Buffon) Hyménopt., 3, 467.—Hym.
- Ferreoloides Haupt 1929, Mitt. zool. Mus. Berlin, 15, 153.—Hym.
- Ferreolomorpha Ashmead 1900, Canad. Ent., 32, 188.—Hym.
- Ferreta Roeder 1882, Beitr. Kenntn. Terr. Chailles, 105.—Moll.
- Ferricolaria (Megerle MS.) Scudder 1882, Nom. Zool. (Suppl.), 138 [n.n.].—Moll.
- Ferrieria Tullgren 1907, Svenska Exp. Magellansl., 2 (2), 246.—Arachn.
- Ferrifrons Jordan 1925, Sci. Bull. Univ. Kansas, 15, 227.—Pisces.
- Ferrisaspis MacGillivray 1921, The Coccidae, 388, 422.—Hem.
- Ferrisella Ewing 1929, Manual External Parasites, 198.—Anoplura.
- Ferrisia Fullaway 1923, Proc. Hawaiian ent. Soc., 5, 311.—Hem. (nec *Ferrissia* Walker 1903 see *Ferrissiana* Takahashi 1929.)
- Ferrisia Uchida 1927, J. Coll. Agric. Tokyo, 9, 43.—Malloph. (See *Neocolpocephalum* Ewing 1933.)
- Ferrissiana (n.n. pro *Ferrisia* Fullaway 1923) Takahashi 1929, Trans. nat. Hist. Soc. Formosa, 19, 429.—Hem.
- Ferrissia Walker 1903, Nautilus, 17, 15.—Moll.

- Ferroniera* Labbé 1926, Bull. Soc. zool. France, 51 (3), 245.—Crust.
Ferrussacia see *Ferrussacia*.
Ferrussacia Risso 1826, H.N. Europe, 4, 80 (as *Ferrussacia* p. 434).—Moll.
Ferussacia (err. pro *Ferrussacia* Risso 1826) Jeffreys 1869, Brit. Conch., 5, 162.—Moll.
Fertonella (n.n. pro *Perezia* Ferton 1914) Cockerell 1920, Ann. Durban Mus., 2, 257.—Hym.
Fertonius Pérez 1892, Acta Soc. linn. Bordeaux, (5) 4, 341.—Hym.
Ferus de Chaudoir 1869, Ann. Soc. ent. Belgique, 12, 119.—Col.
Ferusa (pro *Phe*- Oken 1807) Wagner 1885, Wirbell. Weiss. Meer., 1, 38.—Verm. (Polych.).
Ferussaccia (err. pro *Ferrussacia* Risso 1826) Paetel 1875, Fam. Gatt. Moll., 81.—Moll.
Ferussacia (emend. pro *Ferussina* Grateloup 1827) Leuffroy 1828, Ann. Sci. nat., 15 (60), 403.—Moll.
Ferussacia (pro *Ferru*- Risso 1826) Agassiz 1846, Nomencl. zool., Moll., 35 and Index, 154.—Moll.
Ferussina Grateloup 1827, Bull. Hist. nat. Soc. linn. Bordeaux, 2 (7), 5.—Moll.
Fervidobombus Skorikov 1922, Bull. Sta. Rég. Prot. Plantes Petrograd, 4, 123, 153.—Hym.
Fescennia Stål 1866, Hem. Afric., 4, 198.—Hem.
Fescenninus (emend. pro *Myoxinus* Dejean 1835) Gistel 1848, Nat. Thierr., xi.—Col.
Fessissentis Van Cleave 1931, Trans. Amer. micr. Soc., 50, 351.—Verm. (Acanth.).
Fessonnia v. Heyden 1826, Isis (Oken), 1826, 609.—Arachn.
Fessonniella Hirst 1924, Proc. zool. Soc. London, 1924, 1075.—Arachn.
Festa (pro *Notosacantha* Dejean 1835) Gistel 1848, Nat. Thierr., xi.—Col.
Festella Giglio-Tos 1894, Boll. Mus. Torino, 9, no. 191, 3.—Orth.
Festiva Wagner 1910, Syst. Conch. Cab., (2) Lief. 544, 319.—Moll.
Festivus Crotch 1872, Cistula ent., 1, no. 4, 62.—Lep.
Festona Navás 1922, Brotéria, 20, 60.—Psocopt.
Festra Wallengren 1858, Ofvers. VetenskAkad. Förh. Stockholm, 15, 210.—Lep.
Festucalex Whitley 1931, Australian Zool., 6, 312.—Pisces.
Festucaria Schrank 1788, Verz. Eingeweidewürmer, "Gattungen, no. ix" and 16.—Verm. (Trem.).
Festucula Simon 1901, Hist. Araign., ed. 2, 2, fasc. 3, 607.—Arachn.
Festus Dejean 1821, Catal. Coleopt., 92 [n.n.]; MacLeay [1826], in King, Voy. Austral., 1827, 445.—Col.
Fethalia Cameron 1902, J. Bombay nat. Hist. Soc., 14, 439.—Hym.
Feylinia Gray 1845, Cat. Lizards Coll. Brit. Mus., 129.—Rept.
Fhogra Cameron 1900, Trans. N. Zealand Inst., 33, 104.—Hym.
Fiacra Southern 1914, Clare Isl. Surv., pt. 54, 34.—Verm. (Nema.).
Fialoides Hadding 1913, Lund. Univ. Arsskr., (N.F.) 9, Afd. 2, no. 15, 79.—Trilobita.
Fiatola Cuvier 1817, R. Anim., 2, 342.—Pisces.
Fiatola Risso [non Cuvier] 1826, H.N. Europe, 3, 289.—Pisces.
Fibaria (pro *Filaria* Mueller 1787) [Anacker] 1903, Thierarzt, 42, 12.—Verm. (Nema.).
Fiber Cuvier 1800, Leçons Comp. Anat., 1, tab. 1 [n.n.]; 1817, R. Anim., 1, 192.—Mamm. (Murid.).
Fiber Duméril [1805], Zool. anal., 1806, 18.—Mamm. (Castorid.).
Fibiella (err. pro *Ti*- Meyer 1884) Eastman 1900, in Eastman-Zittel, Text-Book Palaeont., 1, 490.—Moll.
Fibla Navás 1915, Mem. Acad. Barcelona, 11, no. 27, 25.—Neur.
Fibrenus Stål 1861, Ofvers. VetenskAkad. Förh. Stockholm, 18, 195, 198.—Hem.
Fibricola Dubois 1932, Bull. Soc. neuchâtel. Sci. Nat., 56, 397.—Verm. (Trem.).
Fibricutis Pilsbry 1903, in Tryon & Pilsbry, Man. Conch., (2) 15, no. 59, 184, 186.—Moll.
Fibrillites Rafinesque 1831, Enum. obj. Cab., 7; 1832, Atlantic Journ., 1 (2), 68.—Coel.
Fibula Leske 1778, Add. Klein Echinod., 19.—Echin.
Fibula Piette 1857, Bull. Soc. géol. France, (2) 14, 556.—Moll.
Fibularia Lamarck 1816, An. s. vert., 3, 16.—Echin.
Fibularia Carter 1882, Ann. Mag. nat. Hist., (5) 9, 282.—Spong.
Fibulaster Lambert & Thiéry 1914, Ess. nom. Echin., 1914, 296.—Echin.
Fibulia Carter 1886, Ann. Mag. nat. Hist., (5) 17, 51.—Spong.
Fibulina Tornquist 1904, Abh. Senckenb. Ges., 27 (3), 327.—Echin.
Fibuloptyxis Cossmann 1898, Mém. Soc. géol. France, Pal., No. 19, 66.—Moll.
Ficalbia Theobald 1903, Monogr. Culic., 3, 296.—Dipt.
Ficana Stål 1862, Ent. Ztg., Stettin, 23, 303.—Hem.
Ficarasa Walker 1857, J. Linn. Soc. London, Zool., 1, 162.—Hem.
Ficarasites Scudder 1890, Foss. Ins., 2, 301.—Hem.
Ficaria Forster 1827, Pocket Encycl. Nat. Phenom., 411.—Aves.
Ficedula Moehring 1758, Geslach. Vogel. (Nozern. & Vosm. ed.), 2, 26; Brisson 1760, Ornith., 3, 369; Cuvier 1800, Leçons Comp. Anat., 1, tab. 2.—Aves (Sylviid.).
Ficedula Koch [non Moehring] 1816, Syst. baier. Zool., 158.—Aves (Sylviid.).

- Ficedula* Boie 1822, Isis, [10], column 553.—Aves (Turdid.).
- Ficheuria* Pervinquier 1910, Mém. Soc. géol. France, Pal., 17, No. 2-3, (Mém. 42), 35.—Moll.
- Ficicis* Lea 1911, Proc. roy. Soc. Victoria, 22, 147.—Col.
- Ficimia* Gray 1849, Cat. Snakes Coll. Brit. Mus., 80.—Rept.
- Ficinus* Distant 1893, Biol. Centr. Amer., Zool., Rhynch. Het., 1, 449.—Hem.
- Ficiomyia* Felt 1922, Florida Ent., 6, 5.—Dipt.
- Ficophaga* Dumont 1820, Dict. Sci. Nat., 16, 529.—Aves.
- Ficophagus* (pro *-ga* Dumont 1820) Agassiz 1845, Nom. Zool. (Aves).—Aves.
- Ficopomatus* Southern 1921, Mem. Indian Mus., 5, 655.—Verm. (Polych.).
- Ficopsis* Conrad 1866, Amer. J. Conch., 2, 100.—Moll.
- Fictiscala* Cossmann 1922, Act. Soc. linn. Bordeaux, 73, 92, 110.—Moll.
- Fictitium* Diesing 1851, Syst. Helm., 2, 353.—Verm. (*Inc. sed.*).
- Ficula* Swainson 1835, Elem. Conch., 21.—Moll.
- Ficulea* Walker 1864, List Specimens Lep. Ins. Brit. Mus., 29, 794.—Lep.
- Ficulina* Gray 1867, Proc. zool. Soc. London, 1867, 523.—Spong.
- Ficulina* Thiele 1912, Dtsch. Südpolar-Exped., 13, Zool. 5, 271.—Moll. (See *Notoficula* Thiele 1917.)
- Ficulomorpha* Holzapfel 1888, Palaeontogr., 34, 101.—Moll.
- Ficulopsis* Stoliczka 1867, Pal. Ind., (5) no. 2, 84.—Moll.
- Ficus* Bolten 1798, Mus. Bolten., (2) 148.—Moll.
- Fidela* Risso 1826, Hist. Nat. Eur. mérid., 1, 154; 1826, 4, 435.—Moll.
- Fidelia* Friese 1899, Ann. Hofmus. Wien, 14, 244.—Hym.
- Fidelis* (pro *-la* Risso 1826) Risso 1826, H. N. Europe, 4, 121.—Moll.
- Fidena* Walker 1850, in Saunders, Ins. Saund., 1 (1), 8.—Dipt.
- Fidenas* Gray 1849, Cat. Moll. Coll. Brit. Mus., 1, 95.—Moll.
- Fidia* Dejean 1835, Catal. Coléopt., ed. 2, 412 [*n.n.*]; Baly 1863, J. Ent. Lond., 2, 153.—Col.
- Fidicina* Amyot & Serville 1843, (Roret's Suite à Buffon) Hémiptères, 472.—Hem.
- Fidiobia* Ashmead 1894, J. Cincinnati Soc., 17, 170.—Hym.
- Fidonia* Treitschke 1825, Schmett. Europa, 5 (2), 435; Herrich-Schaeffer [1856], Samml. aussereurop. Schmett., Heteroc., 31, 47, 48.—Lep.
- Fieberia* Jakovlev [1873*], Trudy Russ. ent. Obschtsch. St.-Petersb., 7, 1874, fasc. 2, 36.—Hem. (Mesoveliid.).
- Fieberia* Signoret 1879, Ann. Soc. ent. France, (5) 9, 52.—Hem. (Jassid.). (See *Fieberiella* Signoret 1880.)
- Fieberiana* (n.n. pro *Plagiocephalus* Fieber 1844) Kirby 1914, Fauna Brit. Ind., Orthopt., 14.—Orth.
- Fieberiella* (n.n. pro *Fieberia* Signoret 1879) Signoret 1880, Ann. Soc. ent. France, (5) 10, 67.—Hem.
- Fieberisca* Montandon 1896, Ann. Soc. ent. Belgique, 40, 98.—Hem.
- Fiebrigella* Duda 1934, Tijdschr. Ent., 64, 125.—Dipt.
- Fiebrigia* Viereck 1912, Proc. U.S. nat. Mus., 42, 638.—Hym.
- Fiebrigella* Poppius 1921, Ann. Mus. hungar., 18, 44.—Hem.
- Fieldia* Walcott 1912, Smithsonian. misc. Coll., 77, 188.—Crust.
- Fieldingia* Kent 1870, Ann. Mag. nat. Hist., (4) 6, 222.—Spong.
- Fierasfer* Oken 1817, Isis, 1817, [1182a].—Pisces.
- Figaro* Whitley 1928, Rec. Australian Mus., 16, 238.—Pisces.
- Figites* Latreille (1802), Sonnini's Buffon, Ins., 3, 307.—Hym.
- Figitodes* Ashmead 1887, Trans. Amer. ent. Soc., 14, 150.—Hym.
- Figuladra* Iredale 1933, Rec. Australian Mus., 19, 45.—Moll.
- Figularia* Jullien 1886, Bull. Soc. zool. France, 11, 608.—Bry.
- Figulina* (pro *-laria* Jullien 1886) Levensin 1909, Morphol. Stud. Bryoz., 159.—Bry.
- Figulus* Macleay 1819, Horae Entom., 1 (1), 109.—Col.
- Figulus* v. Spix 1824, Avium Brasil., 1, 76.—Aves.
- Fijia* Gude 1913, Proc. malac. Soc. London, 10, 325.—Moll.
- Fijiodesmus* Chamberlin 1920, Bull. Mus. comp. Zool. Harvard, 64, 121.—Myr.
- Filagrana* (pro *Filograna* Berkeley 1835) Gervais & Beneden 1859, Zool. méd., 2, 84.—Verm. (Polych.).
- Filalia* Escalera 1906, Bol. Soc. españ. Hist. nat., 6, 162.—Col.
- Filaraia* (pro *-ria* Mueller 1787) Rudolphi 1809, Entoz. H.N., 2 (1), 69.—Verm. (Nema.).
- Filaria* Mueller 1787, Naturforscher, 22, 64.—Verm. (Nema.).
- Filarina* Hammerschmidt 1838, Isis (Oken), 1838, 358.—Verm. (Nema.).
- Filarinema* Moennig 1929, Rep. Dir. Vet. Serv. S. Africa, 15, 307.—Verm. (Nema.).
- Filiariopsis* Van Thiel 1926, Parasitology, 18, 129.—Verm. (Nema.).
- Filariu* (pro *-ria* Mueller 1787) Magalhães 1877, in Silva Lima, Gazeta med. Bahia, (2) 2, 544.—Verm. (Nema.).
- Filarla* (pro *Filaria* Mueller 1787) Gistel 1857, Vacuna, 2, 878.—Verm. (Nema.).
- Filaroides* Beneden 1861 [sep. 1858], C.R. Acad. Sci., Paris, Suppl. 2, 267.—Verm. (Nema.).

- Filchnerella* Karny [1907], *Ergeb. Exp. Filchner*, 10, 1908, (1) 36.—Orth.
Filchneria Klapálek [1907], *Ergeb. Exp. Filchner*, 10, 1908, (1) 61.—Plecopt.
Fileanta Cameron 1901, *Ann. Mag. nat. Hist.*, (7) 7, 525.—Hym.
Fillellum Hincks [1869], *Hist. Brit. Hydroid.*, 1, 1868, 214; 2, pl. 41.—Coel.
Fileraria (pro *Filaria* Mueller 1787) Castellani & Chalmers 1910, *Man. trop. Med.*, 408.—Verm. (Nema.).
Filholia Bourguignat 1877, *Ann. Sci. nat., Paris, Zool.*, (6) 6, no. 2, 65.—Moll.
Filhornis Milne-Edwards 1892, *C.R. Congr. orn. int.*, 2 (2), 67.—Aves.
Filia (pro *Filaria* Mueller 1787) Mueller 1897, *Arch. Naturgesch.*, 63, Abt. 1, 6.—Verm. (Nema.).
Filiaris (pro -*ria* Mueller 1787) Anonymous 1826, *Journ. Méd. vét. Paris*, 3, 167.—Verm. (Nema.).
Filibranchus Malm 1874, *Göteborgs Vetensk. Handl.*, (N.S.) 14, 99, 100.—Verm. (Polych.).
Filicapsularia (emend. pro *Filoc-* Deslongchamps 1827) Agassiz 1846, *Nomen. Zool. Index Univ.*—Verm. (Nema.).
Filicaulis Simroth 1913, in Voeltzkow, *Reise Ostaftr., Wiss. Ergebn.*, 3 (3), 131.—Moll.
Filicava d'Orbigny 1854, *Paléont. franç., Terr. cré.*, 5, Bry., 1024.—Bry.
Filicavea d'Orbigny 1852 [53], *Paléont. franç., Terr. cré.*, 5, Bry., 939.—Bry.
Filicea d'Orbigny 1854, *Paléont. franç., Terr. cré.*, 5, Bry., 1000.—Bry.
Filicella Wood 1844, *Ann. Mag. nat. Hist.*, 13, 15.—Bry.
Filicinella Polinski 1928, *Ann. Mus. zool. polon.*, 7, 156.—Moll.
Filicollis Luehe 1911, *Süßwasserf. Dtschl.*, 30.—Verm. (Acanth.).
Filicrisia d'Orbigny 1853, *Paléont. franç., Terr. cré.*, 5, Bry., 603.—Bry.
Filicrisina d'Orbigny 1852 [53], *Paléont. franç., Terr. cré.*, 5, Bry., 910.—Bry.
Filifascigera d'Orbigny 1853, *Paléont. franç., Terr. cré.*, 5, Bry., 684.—Bry.
Filifera Lieberkuehn 1859, *Arch. Anat. Physiol.*, 1859, 359.—Spong.
Filiflustra d'Orbigny 1852, *Paléont. franç., Terr. cré.*, 5, Bry., 240.—Bry.
Filiflustrella d'Orbigny 1852, *Ann. Sci. nat.*, (3) *Zool.*, 17, 342.—Bry.
Filiflustrellaria d'Orbigny 1852, *Ann. Sci. nat.*, (3) *Zool.*, 17, 336.—Bry.
Filiflustrina d'Orbigny 1852, *Ann. Sci. nat.*, (3) *Zool.*, 17, 346.—Bry.
Filigella Gray 1868, *Ann. Mag. nat. Hist.*, (4) 2, 443.—Coel.
Filiger Schaufuss 1877, *Pselaphiden Siam's*, 17.—Coel.
Filigerina Schneider 1887, *Tabl. zool.*, 2, 1.—Prot.
Filigrana Rafinesque 1815, *Analyse*, 136 [n.n.].—Verm. (? Polych.).
Filigrana Oken 1815, *Lehrb. Nat.*, 3, index [non p. 379].—Verm. (Polych.).
Filigrana (pro *Filog-* Oken 1815) Blainville 1828, *Dict. Sci. nat.*, 57, 378.—Verm. (Polych.).
Filina (pro -*nia* Bory 1824) Bory de St. Vincent 1826, *Class. Anim. Micr.*, 69.—Verm. (Rotif.).
Filinia Bory 1824, *Dict. class. Hist. Nat.*, 6, 507.—Verm. (Rotif.).
Filinata Busck 1911, *Proc. U.S. nat. Mus.*, 40, 206.—Lep.
Filiola (emend. pro *Dceruska* Barrande 1881) Barrande 1881, *Syst. Silur. Centr. Bohême*, 6, 77.—Moll.
Filipalpus Haller 1881, *Zool. Anz.*, 4, no. 88, 381.—Arachn.
Filipjeva Ditlevsen 1928, *Medd. Grønland*, 23, Suppl., 230.—Verm. (Nema.).
Filipjevia Kreis 1928, *Mitt. zool. Mus. Berlin*, 14, 159.—Verm. (Nema.).
Filipjeviella Allgén 1935, *Capita zool.*, 6 (3), 13, 103.—Verm. (Nema.).
Filipora Fleming 1828, *Hist. Brit. Anim.*, 530.—Coel.
Filippia (pro *Philippia* Targioni-Tozzetti 1867) Targioni-Tozzetti 1868, *Atti Soc. ital. Sci. nat.*, 11, 726.—Hem.
Filipitschenkia Pleske 1926, *Eos*, 2, 398.—Dipt.
Filiria (pro *Filaria* Mueller 1787) Assmus 1865, *Paras. Honigb.*, 52.—Verm. (Nema.).
Filiscala de Boury 1911, *J. Conchyliol.*, 58, 219.—Moll.
Filisoma Van Cleave 1928, *Rec. Indian Mus.*, 30, 139.—Verm. (Acanth.).
Filisparsa d'Orbigny 1852 [53], *Paléont. franç., Terr. cré.*, 5, Bry., 814.—Bry.
Filistata Latreille 1810, *Consid. gén. Anim.*, 121.—Arachn.
Filistatoides Cambridge 1899, *Biol. Centr. Amer., Zool., Arach. Aran.*, 2, 47.—Arachn.
Filites Barrande 1868, in Bigsby, *Thesaur. silur.*, 200 [n.n.]; Pocta 1894, *Syst. silur. Bohême*, 8, 110.—Bry.
Filithuria Koehler & Vaney 1905, *Echinod. Ind. Mus.*, 3 (1), 80.—Echin.
Filius (emend. pro *Syneh* Barrande 1881) Barrande 1881, *Syst. Silur. Centr. Bohême*, 6, 162.—Moll.
Fillellum (pro *Fitellum* Hincks 1869) Billard 1906, *Exp. Travailleur & Talisman, Hydroides*, 166.—Coel.
Fillus Navás 1919, *Rev. Acad. Ci. Madrid*, 17, 289.—Neur.
Filocapsularia Deslongchamps 1827, *Ency. Méth. (Zooph.)*, 398.—Verm. (Nema.).
Filocapsularis (pro -*ria* Deslongchamps 1827) Castellani & Chalmers 1910, *Man. trop. Med.*, 408.—Verm. (Nema.).
Filodes Guenée 1854, *Hist. nat. Ins., Spec. gén. Lép.*, 8, 317.—Lep.

- Filodrillia* Hedley 1922, Rec. Australian Mus., 13, 220.—Moll.
- Filograna* Oken 1815, Lehrb. Nat., 3 (1), xiii & Reg., p. vi.—Verm. (Polych.).
- Filograna* Berkeley [1835], Zool. Journ., 5 (20), 1832-34, 427.—Verm. (Polych.).
- Filogramma* Langerhans 1884, Z. wiss. Zool., 40, 274, 282.—Verm. (Polych.).
- Filomela* (pro *Philomela* Blyth 1833) Wood 1837, Orn. Guide, 191, 219.—Aves.
- Filomyia* (Meigen MS.) Lioy 1864 (*teste* Scudder 1882, Nomen. Zool., Suppl. List, 138 [n.n.]).—Dipt.
- Filoncholaimus* Filipjev 1927 (*teste* Cobb 1935, Proc. Helminth. Soc. Washington, 2, 19).—Verm. (Nema.).
- Filoria* (pro *Filaria* Mueller 1787) Nordmann 1832, Mikrogr. Beitr., 1, 11.—Verm. (Nema.).
- Filosa* Boettger 1877, Palaeontogr., (N.S.) Suppl. 3, 72.—Moll.
- Filotarsus* Gay & Solier 1841, Ann. Soc. ent. France, 9, 239.—Col.
- Filumis* Reitter 1876, Verh. naturf. Ver. Brünn, 14, 1875, Abh., 16.—Col.
- Filumna* Boettger 1878, Ber. Offenb. Ver., 17-18, 41.—Moll.
- Filuria* (pro *Filaria* Mueller 1787) Creplin 1846, Arch. Naturgesch., 12 (1), 150.—Verm. (Nema.).
- Filurus* De Kay 1843, N.H. New York (Moll.), 11.—Moll.
- Fimbria* Bohadsch 1761, Anim. Marin., 54.—Moll.
- Fimbria* Megerle [non Bohadsch] 1811, Ges. Nat. Fr. Berlin, Mag. 5 (1), 52.—Moll.
- Fimbria* Risso 1826, H. N. Europe, 4, 282.—Tunicata.
- Fimbria* Cobb 1894, Proc. Linn. Soc. N.S. Wales, (2) 8, 420.—Verm. (Nema.). (See *Fimbrilla* Cobb 1905.)
- Fimbria* Belon 1896, Bull. Soc. ent. France, 1896, 387.—Col. (See *Catafimbria* Aurivillius 1922.)
- Fimbria* Neviani 1930, Mem. Accad. Nuovi Lincei, (2) 11, 86.—Crust.
- Fimbriaria* Froelich 1802, Naturforscher, 29, 13.—Verm. (Cest.).
- Fimbriarioides* Fuhrmann 1932, Mém. Inst. Univ. Neuchâtel, 8, 163.—Verm. (Cest.).
- Fimbriatella* Sacco 1895, in Bellardi & Sacco, Moll. Terr. terz. Piemonte Liguria, 19, 36.—Moll.
- Fimbriella* Stoliczka 1871, Pal. Ind., Cret. Fn. S. Ind., 3, 246.—Moll. (Lucinid.).
- Fimbriella* Paetel 1875, Fam. Gatt. Moll., 81 [n.n.].—Moll. (Cerithiid.).
- Fimbriella* Stout 1913, Zool. Jahrb., Syst., 34, 647.—Crust.
- Fimbriella* Allgén 1929, Zool. Jahrb., Syst., 57, 492.—Verm. (Nema.). (See *Allgénia* Strand 1934.)
- Fimbrilla* (n.n. pro *Fimbria* Cobb 1894) Cobb 1905, in Stiles & Hassall, Bull. U.S. Dep. Agric., An. Indust., No. 79, 107.—Verm. (Nema.).
- Fimbrilytoceras* Buckman 1918, Yorks. Type Ammonites, 2, pt. 17, xiii.—Moll.
- Fimbriola* (Megerle MS.) Scudder 1882, Nom. Zool. (Suppl.), 138 [n.n.].—Moll.
- Fimbrionpausus* Kolbe 1933, Ent. Blätter, 29, 173.—Col.
- Fimbrios* Smith 1921, Proc. zool. Soc. London, 1921, 425.—Rept.
- Fimbriohyris* Eudes-Deslongchamps 1884, Étud. crit. Brachiop., fasc. 4-6, 189.—Brach.
- Fimbriotorpedo* Fritsch 1886, Arch. Anat. Physiol., 1886, 365.—Pisces.
- Fimetia* Robineau-Desvoidy 1830, Mém. présentés Acad. roy. Sci. Inst. France, 2, 810.—Dipt.
- Fimoscolex* Michaelsen 1900, Zool. Anz., 23, 55.—Verm. (Oligoch.).
- Finchra* Cameron 1907, Z. Hym. Dipt., 7, 463.—Hym.
- Findalia* Jensen-Haarup 1926, Ent. Medd., 16, 51.—Hem.
- Findia* Roewer 1915, Arch. Naturgesch., 81, A3, 86.—Arachn.
- Finella* Adams 1860, Ann. Mag. nat. Hist., (3) 6, 336.—Moll.
- Fingulus* Distant 1904, Ann. Mag. nat. Hist., (7) 13, 275.—Hem.
- Finkelburgia* Walcott 1905, Proc. U.S. nat. Mus., 28, no. 1395, 277.—Brach.
- Finlaria* (err. pro *Fisleria* Bernardi 1860) Paetel 1890, Cat. Conch., ed. 4, 3, 60.—Moll.
- Finlaya* Theobald 1903, Monogr. Culic., 3, 281.—Dipt.
- Finlaya* Marwick 1927, Trans. New Zealand Inst., 57, 596.—Moll. (See *Marwickia* Finlay 1930.)
- Finlayella* Laws 1933, Trans. New Zealand Inst., 63, 319.—Moll.
- Finlayia* (pro *-ya* Theobald 1903) Giles 1904, J. trop. Med. Hyg., 7, 366.—Dipt.
- Finlaynema* Viguera 1934, Mem. Soc. cubana Hist. nat., 8, 58.—Verm. (Nema.).
- Finna* Brera 1809, Mem. Suppl. Verm. corpo umano, 1 (2), 153.—Verm. (Cest.).
- Finoporus* (err. pro *Ti-* Montfort 1808) Bronn 1837, Leth. Geogn., 2, 711.—Prot.
- Finotia* Bonnet 1884, Le Naturaliste, 2, no. 69, 548.—Orth.
- Finotina* Uvarov 1923, Ann. Mag. nat. Hist., (9) 11, 144; 1923, (9) 14, 104.—Orth.
- Finschia* (n.n. pro *Phyllodytes* Finsch 1873) Hutton 1903, Ibis, (8) 3, 319.—Aves.
- Fintona* Cameron 1909, J. Bombay nat. Hist. Soc., 19, 726.—Hym.
- Fiona* (n.n. pro *Oithona* Alder & Hancock 1851) Alder & Hancock 1851, in Forbes & Hanley, Hist. Brit. Moll., 3, x.—Moll.
- Fiorentinia* (n.n. pro *Epeicharis* Radoszkowski 1884) Dalla Torre 1896, Cat. Hym., 10, 334.—Hym.

- Fioria* Silvestri 1897, Ann. Mus. Stor. nat. Genova, 38, 646 [n.n.]; 1898, 664.—Myr.
Fioria Kieffer 1903, Bull. Soc. ent. France, 1903, 31.—Hym. (See *Fioriella* Kieffer 1903.)
Fioriella (n.n. pro *Fioria* Kieffer 1903) Kieffer 1903, Bull. Soc. ent. France, 1903, 95.—Hym.
Fiorina (pro -nia Targioni-Tozzetti 1868) Signoret 1869, Ann. Soc. ent. France, (4) 8, 845.—Hem.
Fiorinia Targioni-Tozzetti 1868, Atti Soc. ital. Sci. nat., 11, 755; Signoret 1869, Ann. Soc. ent. France, (4) 9, 99, 449.—Hem.
Fipurga Sjoestedt 1921, K. svenska VetenskAkad. Handl., 62, no. 3, 241.—Orth.
Firmicus Simon 1895, Hist. Araign., ed. 2, 1, fasc. 4, 1036.—Arachn.
Firmiscala Boury 1909, J. Conchylol., 57, 257.—Moll.
Firmiscerles Sjoestedt 1926, K. svenska VetenskAkad. Handl., (3) 3, 191.—Isopt.
Firola Bruguière (1791), Ency. Méth. (Tabl. Vers), pl. 88; Péron & Lesueur 1810, Ann. Mus. H. N. (Paris), 15 (85), 64.—Moll.
Firollella Troschel 1855, Arch. Naturgesch., 21, Abt. 1, 301.—Moll.
Firolloida Lesueur 1817, J. Acad. nat. Sci. Philad., 1, no. 3, 38.—Moll.
Firolloidea (err. pro -da Lesueur 1817) Carpenter 1861, Ann. Rep. Regents Smithson. Inst., 1860, 241.—Moll.
Firolloides (pro -da Lesueur 1817) Deshayes 1830, Ency. Méth. (Vers.), 2, 130.—Moll.
Fisceria (pro *Fischeria* R.-Desvoidy 1830) Rondani 1856, Dipt. Ital. Prodr., 1, 210.—Dipt.
Fischeria Robineau-Desvoidy 1830, Mém. présentés Acad. roy. Sci. Inst. France, 2, 101.—Dipt.
Fischeria Bernardi 1860, Monogr. Genres Galatea Fischeria, 45.—Moll. (See *Profischeria* Dall 1903.)
Fischeria Saussure 1869, Mitt. schweiz. ent. Ges., 3, 56, 64.—Orth. (See *Rivetina* Berland & Chopard 1922 and *Eufischeriella* Giglio-Tos 1927.)
Fischerina Terquem 1878, Mém. Soc. géol. France, (3) 1, no. 3, 80.—Prot.
Fischerina Stuckenberg 1904, Trudy geol. Kom., (2) 14, 57, 107.—Coel.
Fischiosoma see *Physchiosoma*.
Fischoederius Stiles & Goldberger 1910, Bull. hyg. Lab. Washington, No. 60, 5, 17.—Verm. (Trem.).
Fiscus Bonaparte 1853, Rev. Mag. Zool., (2) 5, 433.—Aves.
Fisera Walker 1860, List Specimens Lep. Ins. Brit. Mus., 21, 291.—Lep.
Fisheria (err. pro *Fischeria* Bernardi 1860) Hall 1867, Ann. Rep. Regents Univ. State, New York, 2, 22.—Moll.
Fisheria Lockington 1877, Proc. Calif. Acad. nat. Sci., 7, 72.—Crust.
Fisherola Hannibal 1912, Proc. malac. Soc. London, 10, 151.—Moll.
Fishia Grote 1877, Canad. Ent., 9, 21.—Lep.
Fishonia Casey 1922, Mem. Col., 10, 290.—Col.
Fislistina Cameron 1902, J. Straits Asiat. Soc., 37, 56.—Hym.
Fissala Gill 1905, Proc. U.S. nat. Mus., 28, 342.—Pisces.
Fissicella Dana 1848, in Wilkes, U.S. Exped., Zooph., 220.—Coel.
Fissidentium Fischer 1885, Man. Conch., 894.—Moll.
Fissilabia [Macgillivray] 1836, Edinburgh J. nat. Hist. & Phys. Sci., 1, 42.—Moll.
Fissilabra (err. pro -bia Macgillivray 1836) Paetel 1875, Fam. Gatt. Moll., 81.—Moll.
Fissilabria (err. pro -bia Macgillivray 1836) Gray 1847, Proc. zool. Soc. London, 15, 138.—Moll.
Fissilabrus Kner 1860, S.B. Akad. Wiss. Wien, 40 (7), 52.—Pisces.
Fissilammoncodes Pic 1912, Mélanges exot.-ent., 1, 4.—Col.
Fissilobicerans Buckman 1919, Yorks. Type Ammonites, 2, pt. 18, xv.—Moll.
Fissilunula Etheridge 1902, Mem. geol. Surv. N.S. Wales, Pal., No. 11, 31.—Moll.
Fissipora Rafinesque 1815, Analyse, 156 [n.n.].—Coel.
Fissirostra d'Orbigny 1847, C. R. Acad. Sci. (Paris), 25, 269.—Brach.
Fissirostris (err. pro -tra d'Orbigny 1847) Gray 1848, Ann. Mag. nat. Hist., [2] 2, 436.—Brach.
Fissistomella Clodius 1922, Arch. Ver. Freunde Naturg. Mecklenburg, 75, 141.—Prot.
Fissocantharis Pic 1921, Mélanges exot.-ent., 33, 27.—Col.
Fissodus St. John & Worthen 1875, Geol. Surv. Illinois, 6, 413.—Pisces.
Fissopodabus Pic 1927, Mélanges exot.-ent., 49, 2.—Col.
Fissula Lamarck 1801, Syst. Anim., 339.—Verm. (Nema.).
Fissurella Bruguière 1789, Ency. Méth. (Vers), 1, xiv.—Moll.
Fissurellida (err. pro -dea d'Orbigny 1841) Schaufuss 1869, Moll. Syst. Cat., v, 11.—Moll.
Fissurellidaea (err. pro -dea d'Orbigny 1841) Gray 1847, Proc. zool. Soc. London, 1847, 147.—Moll.
Fissurellidea d'Orbigny (1841), Voy. Amér. mérid. (Moll.), 477.—Moll.
Fissurellidia (err. pro -dea d'Orbigny 1841) Gray 1840, Syn. Brit. Mus., ed. 42, 147.—Moll.
Fissurelligenus Renier [1804], Tavole, viii.—Moll.

- Fissurellus* (pro *-la* Bruguière 1789) Montfort 1810, Conch. Syst., 2, 102.—Moll.
Fissuresepta (err. pro *-risepta* Seguenza 1863) Weinkauff 1871, NachrBl. dtsh. malakozool. Ges., 3, 87.—Moll.
Fissuridea Swainson 1840, Treat. Malacol., 356.—Moll.
Fissurillea (err. pro *-idea* Swainson 1840) Gray 1847, Proc. zool. Soc. London, 15, 147.—Moll.
Fissurina Reuss [1849], Denkschr. Akad. Wiss. (Wien), 1, 1850, 366; 1863, S. B. Akad. Wiss. Wien, Math.-naturw. Kl., 46 (1), 1862, 336.—Prot.
Fissurirostra (err. pro *Fissirostra* d'Orbigny 1847) d'Orbigny 1850, Pal. Franç., Crét., 4 (Brach.), 132.—Brach.
Fissurisepta Seguenza 1863, Ann. Accad. Aspir. Nat. (Napoli), (3) 2, 83.—Moll.
Fissuristra (pro *-rostra* d'Orbigny 1847) Paetel 1875, Fam. Gatt. Moll., 82.—Brach.
Fistella (emend. pro *Fistularia* Mueller 1776) Rafinesque 1815, Analyse, 157.—Coel.
Fistula Oken 1815, Lehrb. Nat., 3 (1), 79.—Spong.
Fistula (Martini MS.) Moersch 1853, Cat. Yoldi, 2, 6.—Moll.
Fistulana (n.n. pro *Fistularia* Mueller 1776) Mueller 1776, Zool. Dan. Prodr., 282.—Coel.
Fistulana Bruguière 1789, Ency. Méth. (Vers), 1, xii.—Moll.
Fistuligenus Renier [1804], Tavole, viii.—Moll.
Fistularia Linnaeus 1758, Syst. Nat., ed. 10, 312; 1766, ed. 12, 515.—Pisces.
Fistularia Forskål 1775, Descr. Anim., 121.—Moll.
Fistularia Mueller 1776, Z. Dan. Prodr., 254.—Coel. (See *Fistulana* Mueller 1776.)
Fistularia Lamarck 1816, An.s.vert., 3, 74; de Blainville 1830, Dict. Sci. Nat., 60, 173.—Echin.
Fistularia Bowerbank 1841, Proc. geol. Soc. London, 3, no. 78, 433.—Spong.
Fistularia (err. pro *-iana* Bruguière 1789) Gray 1851, List Brit. An. Brit. Mus., 7, 56.—Moll.
Fistulicella Simpson 1895, Ann. Rep. State Geol. N. York, 14, 606.—Bry.
Fistulicola Luehe 1899, Verh. dtsh. Zool. Ges., 9, 36.—Verm. (Cest.).
Fistulidus Rafinesque 1815, Analyse, 152 [*n.n.*].—Verm. (Gord.).
Fistuliphragma Bassler 1934, J. Washington Acad. Sci., 24, 407.—Bry.
Fistulipora M'Coy 1849, Ann. Mag. nat. Hist., (2) 3, 130.—Bry.
Fistuliporella Simpson 1895, Ann. Rep. State Geol. N. York, 14, 560.—Bry.
Fistuliporidra Simpson 1895, Ann. Rep. State Geol. N. York, 14, 606.—Bry.
Fistuliporina Simpson 1895, Ann. Rep. State Geol. N. York, 14, 555.—Bry.
Fistulocladia Bassler 1929, Paläont. Timor, 16, 49.—Bry.
Fistulosa Schweigger 1820, Handb. Naturg. (*teste* Scudder 1882, Nomen. zool., Suppl. List, 139, *sed non comp.*).—Coel.
Fistulotrypa Bassler 1929, Paläont. Timor, 16, 48.—Bry.
Fita Navás 1913, Rev. Acad. Madrid, 12, 332.—Psocopt.
Fitchia Stål 1859, Öfvers. Vetensk.Akad. Förh. Stockholm, 16, 370.—Hem.
Fitchiella (n.n. pro *Naso* Fitch 1856) Van Duzee 1917, Univ. Calif. Publ. Ent., 2, 740.—Hem.
Fitha Walker 1867, Cat. Specimens Het.-Hem. Coll. Brit. Mus., 1, 45.—Hem.
Fitzia Guppy 1895, Proc. Victoria Inst. Trinidad, 1, no. 2, 74.—Moll.
Fitzroyia Guenther 1866, Cat. Fish. Brit. Mus., 6, 299, 307.—Pisces.
Fixsenia Tutt 1907, Brit. Butt., 3, 142.—Lep.
Flabellamina Cushman 1928, Contrib. Cushman Lab. Foraminif., 4, 1.—Prot.
Flabellapalochrus Pic 1923, Faune ent. Indochine, fasc. 6, 49.—Col.
Flabellaria Lamarck 1816, An. s. vert., 2, 342.—Coel.
Flabellaria Grant 1830, Edinb. Ency., 18, 844 [*n.n.*].—Spong.
Flabellaria Gray 1848, List Brit. Anim. Brit. Mus. (Centr.), 106, 146.—Bry.
Flabellaris Waters 1898, J. Linn. Soc. London, Zool., 26, 672.—Bry.
Flabellicola Gravier 1918, C.R. Acad. Sci. Paris, 166, 502.—Crust.
Flabellifera Meigen 1800, N. Class. Mouches, 13.—Dipt.
Flabelligera Sars 1829, Bidr. soedyr. naturh., 31.—Verm. (Polych.).
Flabellina Voigt 1834, Das Thierreich, 3, 124.—Moll.
Flabellina d'Orbigny 1839, in Sagra, Cuba (Foram.), 42.—Prot.
Flabellina Forbes & Hanley 1851, Hist. Brit. Moll., 3, 592.—Moll.
Flabellina (emend. pro *Flabellaris* Waters 1898) Lovinsen 1902, Vidensk. Medd. natur. Foren. Kbh., 1902, 21.—Bry.
Flabellina de Gregorio 1930, Ann. Géol. Paléont. Palerme, 52, 33.—Bry.
Flabellinella Schubert 1900, Z. dtsh. geol. Ges., 52, 551.—Prot.
Flabellipecten Sacco 1897, in Bellardi & Sacco, Moll. Terr. terz. Piemonte Liguria, 24, 55.—Moll.
Flabellipora (pro *Flabellopora* d'Orbigny 1851) d'Orbigny 1851, Pal. Franç., Terr. crét., 5, 51 (1851), 186 (1852), 1149 (1854).—Bry.
Flabelliporella Simpson 1894, Ann. Rep. State Geol. N. York, 13, 703, 725; 1894, Ann. Rep. N. York Mus., 47, 897, 919.—Bry.
Flabelliporina Simpson 1894, Ann. Rep. State Geol. N. York, 13, 703, 724; 1894, Ann. Rep. N. York Mus., 47, 897, 918.—Bry.

- Flabelliporus* Dervieux 1893, Atti Accad. Torino, **29**, 59.—Prot.
- Flabellirhynchia* Buckman 1914, Gen. jurass. Brach., 2; 1917, Pal. Indica, **3** (2) 65.—Brach.
- Flabellites* Fritsch 1895, S.B. Böhm. Ges., Math.-naturw. Cl., 1894, No. 36, 2.—Orth.
- Flabellioattalus* Pic 1923, Bull. Soc. zool. France, **48**, 80.—Col.
- Flabellocaenia* Pic 1929, Echange, **45**, hors-texte, 76.—Col.
- Flabellochromus* Pic 1925, Echange, **41**, hors-texte, 11.—Col.
- Flabellocrinites* Klipstein 1845, Beitr. geol. östl. Alpen, (2, 3) 277.—Echin.
- Flabellocrinus* Bronn 1848, Ind. Pal., 500.—Echin.
- Flabellophilotes* Pic 1912, Mélanges exot.-ent., **3**, 9.—Col.
- Flabellodiscus* Johnston & Tieggs 1922, Proc. Linn. Soc. N.S. Wales, **47**, 106.—Verm. (Trem.).
- Flabellohedymbius* Pic 1917, Mélanges exot.-ent., **25**, 3.—Col.
- Flabelloides* (Lamarck MS.) Deshayes 1864, Traité Élém. Conch., Atl., Explan. pls. p. 32.—Moll.
- Flabellolagria* Pic 1927, Mélanges exot.-ent., **50**, 27.—Col.
- Flabellomicrosiphum* Gillette & Palmer 1932, Ann. ent. Soc. Amer., **25**, 472.—Hem.
- Flabellomya* Rollier 1911, Les Faciès du Dogger, 231.—Moll.
- Flabelloontelus* Pic 1911, Echange, Moulins, **27**, 133.—Col.
- Flabellopora* d'Orbigny 1851, Paléont. franç., Terr. créét., **5**, Bry., 52, 432 (1852).—Bry.
- Flabelloporrostoma* Pic 1923, Echange, Moulins, **39**, hors-texte, 35.—Col.
- Flabelloriponius* Heyrovský 1933, Sborn. ent. odd. Nár. Mus. Praha, **11**, 133.—Col.
- Flabellosmilia* Oppenheim 1930, Die Anthozoen der Gosausch., 538.—Coel.
- Flabellothyris* Eudes-Deslongchamps 1884, Étud. crit. Brachiop., fasc. 4-6, 178; 1884, Bull. Soc. linn. Normandie, **8**, 262.—Brach.
- Flabellototreta* Pic 1911, Echange, Moulins, **27**, 155.—Col.
- Flabellotrichalus* Pic 1921, Echange, Moulins, **37**, hors-texte, 9.—Col.
- Flabellula* Schaeffer 1926, Papers Dep. mar. Biol. Carnegie Inst., **24**, 47.—Prot.
- Flabellulum* Bellardi 1872, Mem. Accad. Sci. Torino, (2) **27**, 62.—Moll.
- Flabellum* Lesson 1832, Illustr. de Zool., (5) pl. 14.—Coel.
- Flabrinus* Rondani 1877, Bull. Soc. ent. Ital., **9**, 180.—Hym.
- Flaccia* Stål 1866, Hem. Afric., **4**, 193.—Hem.
- Flaccilla* Godman 1901, Biol. Centr. Amer., Zool., Lep. Rhop., **2**, 593.—Lep.
- Flacilla* Koken 1896, Jahrb. geol. Reichsanst., **46**, 92.—Moll.
- Flacilla* Simon 1901, Hist. Araig., ed. 2, **2**, fasc. 3, 558.—Arachn. (See *Flacillula* Strand 1932.)
- Flacillula* (n.n. pro *Flacilla* Simon 1901) Strand 1932, Folia zool. hydrobiol., **4**, 137.—Arachn.
- Flacourtia* Andrews 1895, Novit. zool., **2**, 25.—Aves.
- Flagellicaulis* Simroth 1913, in Voeltzkow, Reise Ostafrika Wiss. Eregbn., **3**, Heft 3, 155 (as *Flagellocaulis* p. 203).—Moll.
- Flagellocaulis* see *Flagellicaulis*.
- Flagellostomias* Parr 1927, Bull. Bingham oceanogr. Coll., **3** (2), 49.—Pisces.
- Flamella* Schaeffer 1926, Papers Dep. mar. Biol. Carnegie Inst., **24**, 103.—Prot.
- Flaminea* (err. pro *Ham*-Gray 1847) Hutton 1873, Cat. mar. Moll. N. Zealand, **52**.—Moll.
- Flamingorhynchus* Heller 1901, Abh. Mus. Dresden, **10** (2), 18.—Col.
- Flaminia* Stål 1864, Hem. Afric., **1**, 199.—Hem.
- Flaminus* Kuwert 1891, Dtsch. ent. Z., **1891**, 185.—Col.
- Flammea* Fournel 1836, Faune de la Moselle, **1**, 101.—Aves.
- Flammeo* Jordan & Evermann 1898, Bull. U.S. nat. Mus., **47** (2), 2871.—Pisces.
- Flammigera* Amyot 1847, Ann. Soc. ent. France, (2) **5**, 230.—Hem.
- Flamma* Walker [1863], J. Linn. Soc. London, Zool., **7** (1864), 55.—Lep.
- Flammulina* Martens 1873, Crit. List Moll. N. Zealand, **11**, 12.—Moll.
- Flangeia* Mello-Leitão 1933, Arch. Esc. Agric. Med. vet. Rio de Janeiro, **10**, 135.—Arachn.
- Flanona* Simon 1898, Hist. Araig., ed. 2, **2**, fasc. 2, 349.—Arachn.
- Flata* Fabricius 1798, Suppl. Ent. Syst., 511.—Hem.
- Flataria* (pro *Issus* Fabricius 1803) Rafinesque 1815, Analyse, 121.—Hem.
- Flatarus* Melichar 1923, Gen. Insect., **182**, 116.—Hem.
- Flatida* Haglund 1899, Öfvers. VetenskAkad. Förh. Stockholm, **56**, 70.—Hem.
- Flatina* Melichar 1901, Ann. Hofmus. Wien, **16**, 195, 214.—Hem.
- Flatipalpus* Fairmaire 1873, Ann. Soc. ent. France, (5) **3**, 391.—Col.
- Flatoides* Guérin-Ménéville 1844, Iconogr. (Ins.), 362.—Hem.
- Flatoidessa* Melichar 1923, Gen. Insect., **182**, 115.—Hem.
- Flatoidinus* Melichar 1923, Gen. Insect., **182**, 117.—Hem.
- Flatomorpha* Melichar 1901, Ann. Hofmus. Wien, **16**, 196.—Hem.
- Flatopsis* Melichar 1901, Ann. Hofmus. Wien, **16**, 198.—Hem.
- Flatoptera* Melichar 1901, Ann. Hofmus. Wien, **16**, 197, 248.—Hem.
- Flatormenis* Melichar 1923, Gen. Insect., **182**, 71.—Hem.

- Flatosaria* Melichar 1923, Gen. Insect., 182, 112.—Hem.
Flatosoma Melichar 1901, Ann. Hofmus. Wien, 16, 196, 244.—Hem.
Flatula Melichar 1901, Ann. Hofmus. Wien, 16, 197.—Hem.
Flavena Karl 1928, in Dahl, Tierw. Dtschl., 13, 147.—Dipt.
Flavientia Jukes-Browne 1908, Proc. malac. Soc. London, 8, 167.—Moll.
Flavia Brady 1899, Trans. zool. Soc. London, 15, 41.—Crust.
Flaviceps (pro *Floriceps* Cuvier 1817) Mudie 1840, in Blyth's Cuvier, Anim. Kingd., 649.—Verm. (Cest.).
Flavina Stål 1861, Ofvers. VetenskAkad. Förh. Stockholm, 18, 209, 211.—Hem.
Flavinia Walker 1854, List Specimens Lep. Ins. Brit. Mus., 2, 369.—Lep.
Flavius Stål 1862, Ent. Ztg., Stettin, 23, 274.—Hem.
Flavius Kuwert 1896, Novit. zool., 3, 227.—Col. (See *Lasioperix* Zang 1905.)
Flavoleacina Pilsbry 1908, in Tryon & Pilsbry, Man. Conch., (2) 19, xix.—Moll.
Flavoperla Chu 1929, China J., Shanghai, 10, 90.—Plecopt.
Flavopimpla Betrem 1932, Treubia, 14, 21.—Hym.
Flebotomus Rondani 1840, Sopra una spec. Ins. dittero, (1) 12.—Dipt.
Flebotomus Miranda-Ribeiro 1926, Arch. Mus. Rio de Janeiro, 27, 109.—Amph.
Flegia Berendt 1845, Die im Bernstein befindl. org. Reste, 1 (1), 56 [n.n.]; Menge 1854, in Berendt, Bernstein Reste, 1, Abt. 2, 29.—Arachn.
Fleischerella Reitter 1911, Fauna Germ., 3, 113.—Col.
Fleischmannia Boettger 1898, Kat. Rept. Mus. Senckenb., No. 2, 69.—Rept.
Flemenia (pro *Galba* Johnston 1827) Johnston 1827, Zool. Journ., 3 (11), 324.—Insect larva.
Flemingia (pro *-ingia* Johnston 1832) Tauber 1879, Annul. Dan., 111.—Verm. (Polych.).
Flemingia Johnston 1832, Trans. Berwicksh. Club, 1, 15; 1846, Ann. Mag. nat. Hist., 16, 447.—Verm. (Polych.).
Flemingia Koninck 1881, Ann. Mus. Hist. nat. Belgique, (Sér. Pal.) 6, 93.—Moll.
Flemingia Jeffreys 1884, Proc. zool. Soc. London, 1884, 116.—Moll. (See *Taramellia* Seguenza 1903.)
Flemingites Waagen 1892, Rec. geol. Surv. India, 25 (4), 183; 1892, Jahrb. Geol. Reichsanst. Wien, 42 (2), 380.—Moll.
Flemingostrea Vredenburg 1916, Rec. geol. Surv. India, 47 (3), 196.—Moll.
Flemmingia (emend. pro *Flemingia* Koninck 1881) Kittl 1891, Ann. Hofmus. Wien, 6, 253.—Moll.
Flesus Moreau 1881, Hist. nat. Poiss. France, 3, 298.—Pisces.
Fleta Jordan 1896, Novit. zool., 3, 34, 41.—Lep.
Fletcheria Milne-Edwards & Haime 1851, Arch. Mus. Hist. nat., Paris, 5, 156.—Coel.
Fletcherimyia Townsend 1917, Proc. biol. Soc. Washington, 30, 191.—Dipt.
Fletcherodrilus Michaelsen 1891, Mitt. Mus. Hamburg, 8, 29.—Verm. (Oligoch.).
Fleuria Kieffer 1924, Ann. Soc. sci. Bruxelles, C.R., 43, 390.—Dipt.
Fleuropus Hustache 1931, Sbornik ent. odd. Nár. Mus. Praze, 9, 60.—Col.
Fleutiauxellus Méquignon 1930, Bull. Soc. ent. France, 1930, 95.—Col.
Fleutiauxia Laboissière 1933, Ann. Soc. ent. France, 102, 53.—Col.
Flexamia DeLong 1926, Ohio State Univ. Studies, 2, no. 13, 22.—Hem.
Flexaster (pro *Hex-* Perrier 1891) Gregory 1900, in Lankester, Treat. Zool., 3, 257.—Echin.
Flexipalpus Scheuten 1857, Arch. Naturgesch., 23, Abt. 1, 111, 112.—Arachn.
Flexipecten (? err. pro *Flexo-* Sacco 1897) Coulon 1932, Bull. Soc. Étude Sci. nat. Elbeuf, 50, 118.—Moll.
Flexiptis Rafinesque 1831, Cont. Mon. Biv. Shells, 6.—Moll.
Flexocentrus Goding 1926, Trans. Amer. ent. Soc., 52, 106.—Hem.
Flexopecten Sacco 1897, in Bellardi & Sacco, Moll. Terr. terz. Piemonte Liguria, 24, errata 73.—Moll.
Flexoxytes Buckman 1924, Type Ammonites, 5, pt. 49, no. 525.—Moll.
Flexulites Rafinesque 1832, Atlantic Journ., 1 (4), 143.—Coel.
Flexus Neviani 1930, Mem. Accad. Nuovi Lincei, (2) 11, 75.—Crust.
Flichea Handlirsch 1906, Foss. Ins., 402.—Col.
Flickia Pervinquière 1907, Carte géol. Tunisie, Études Pal. Tunis., 1, 212.—Moll.
Flindersichthys Longman 1932, Mem. Queensland Mus., 10, 89.—Pisces.
Flindersites Whitehouse 1926, Mem. Queensland Mus., 8, 236.—Moll.
Flintia Schubert 1911, Abh. geol. Reichsanst., 20 (4), 124; 1911, Neues Jahrb., 2, 320.—Prot.
Flintina Cushman 1921, Bull. U.S. nat. Mus., No. 100 (4), 465.—Prot.
Flirtea Koch 1839, Die Arachniden, 7 (5), 97; 1839, Uebers. Arachnidensyst., 2, 20.—Arachn.
Floccifera Hampson 1894, Fauna Brit. Ind., Moths, 2, 281.—Lep.
Flohria Sharp 1884, Biol. Centr. Amer., Zool., Col., 1 (2), 391.—Col.
Floreaconus Iredale 1930, Mem. Queensland Mus., 10, 80.—Moll.
Florencoia Travassos 1920, Rev. vet. zootech. Rio de Janeiro, 1919, 63.—Verm. (Nema.).

- Florentina** (pro *Fioentinia* Dalla Torre 1896) Ashmead 1899, Trans. Amer. ent. Soc., 26, 67.—Hym.
- Florentinoameghinia** Simpson 1932, Amer. Mus. Novit., No. 566, 18.—Mamm.
- Floresca** Haeckel 1880, Denkschr. Ges. Jena, 1 (2), 538.—Coel.
- Floresia** Reichenbach 1854, J. Orn., 1, Extraheft Beil. (Aufz. Colibr.), 4, 11.—Aves.
- Floria** Loew 1879, Verh. zool.-bot. Ges. Wien, 28 (1878), Abh., 586, 590.—Hem.
- Floria Gregorio** 1930, Ann. géol. Pal. Palermo, 52, 47.—Spong.
- Florianites** Hyatt 1900, in Eastman-Zittel, Text-Book Palaeont., 1, 558.—Moll.
- Floriceps** Cuvier 1817, Règne anim., 4, 45; Schinz 1825, in Cuvier, Thierreich, 4, 87.—Verm. (Cest.).
- Florichisme** (n.n. pro *Poecilostola* Stål 1870) Kirkaldy 1904, Entomologist, 37, 279.—Hem.
- Floricola** (n.n. pro *Pales* Dejean 1835) Gistel [1847], Handb. Naturges., 1850, 404; 1848, Nat. Thierr., xi, 123.—Col.
- Floricola** Elliot 1879, Smithson. Contr. Knowl., 23 (5), 82.—Aves. (See *Anthoscenus* Richmond 1902.)
- Floricomus** Crosby & Bishop 1925, Entomologist, 9, 33.—Arachn.
- Florida** Baird 1858, Rep. Expl. Railroad Pacif. Ocean, 9, xlv, 671.—Aves.
- Floridichthys** Hubbs 1926, Misc. Publ. Mus. Zool. Univ. Michigan, 16, 16.—Pisces.
- Floridina** Jullien [1882], Bull. Soc. zool. France, 6, 1881, 283.—Bry.
- Floridinella** Canu & Bassler 1917, Bull. U.S. nat. Mus., No. 96, 28.—Bry.
- Florilegus** Robertson 1900, Trans. Acad. Sci. St. Louis, 10, no. 2, 53.—Hym.
- Florilinus** Mulsant & Rey 1867, Hist. nat. Col. Fr., Scuticolles, 1867, 141; 1868, Ann. Soc. linn. Lyon, 15, 1867, 141.—Col.
- Florilus** de Montfort 1808, Conch., 1, 134.—Prot.
- Florina** Tutt 1903, Ent. Rec., 15, 76.—Lep.
- Florinda** Cambridge 1896, Biol. Centr. Amer., Zool., Arach. Aran., 1, 164.—Arachn.
- Florissantia** Scudder 1890, Foss. Insect., 2, 293.—Hem.
- Florisuga** Bonaparte 1850, Consp. gen. Avium, 1, 73.—Aves.
- Florometra** Clark 1915, Dtsch. Süd-Polar Exped., Berlin, 16, Zool., 8, 137.—Echin.
- Floronia** (n.n. pro *Frontina* Simon 1884) Simon 1887, Ann. Soc. ent. France, (6) 7, Bull., clviii.—Arachn.
- Florus** Distant 1884, Biol. Centr. Amer., Zool., Rhynch. Heteropt., 1, 301.—Hem.
- Flos Doherty** 1889, J. Asiat. Soc. Bengal, (N.S.) 58 (2), 412.—Lep.
- Floscula** Haeckel 1880, Denkschr. Ges. Jena, 1 (2), 537.—Coel.
- Floscularia** Cuvier [1798], Tabl. élém. Hist. nat., 664.—Verm. (Rotif.).
- Floscularia** Oken 1815, Lehrb. Naturg., 3 (1), Index p. vii.—Verm. (Rotif.).
- Floscularia** Cuvier 1800, Leçons Anat. comp., 1 (8), tab. 9 [n.n.]; Eichwald 1829, Zool. Spec., 1, 188.—Coel.
- Flosculina** Stache 1880, Verh. geol. Reichsanst., 1880, 199 [n.n.]; 1883, in Schwagger, Palaeont., 30, 102.—Prot.
- Flosculinella** Schubert 1910, in Richarz, N. Jb. Min. Geol. Paläont., Beil. Bd., 29, 533, 534.—Prot.
- Flosculipora** MacGillivray 1887, Trans. Proc. roy. Soc. Victoria, 23, 71.—Bry.
- Flosmaris** Stephenson 1920, Quart. J. microsc. Sci., 64, 484.—Coel.
- Flosshilda** (n.n. pro *Autonoë* Stål 1866) Kirkaldy 1900, Entomologist, 33, 243.—Hem.
- Flowerius** Lilljeborg 1867, Nova Acta Soc. Upsal., (3) 6, fasc. 2, 11.—Mamm.
- Floyda** Webster 1905, Iowa Natural., 1, 39.—Moll.
- Floydia** (emend. pro *-da* Webster 1905) Fenton 1918, Amer. Midl. Nat., 5, 221.—Moll.
- Fluctiger** Iredale 1924, Proc. Linn. Soc. N.S. Wales, 49, 182, 209.—Moll.
- Fluda** Peckham 1892, Occ. Pap. Soc. Wisconsin, 2, no. 1, 57.—Arachn.
- Fluella** Dall 1924, Proc. biol. Soc. Washington, 37, 87.—Moll.
- Flumina** (err. pro *Fluminina* Westerlund 1873) Picaglia 1892, Bull. Soc. malac. ital., 16, 192.—Moll.
- Flumincola** (err. pro *Fluminicola* Stimpson 1865) Eastman 1900, Text-Book Palaeont., 1, 465.—Moll.
- Fluminicola** Stimpson 1865, Amer. J. Conch., 1, 52.—Moll.
- Fluminina** (Clessin MS.) Westerlund 1873, Fauna Moll. Terr. Fluv. Suec. Norv. Dan., 2, 529.—Moll.
- Flumininea** (err. pro *-na* Westerlund 1873) Clessin 1877, Dtsch. Excurs.-Moll. Fauna, 502.—Moll.
- Fluminium** (err. pro *-nina* Westerlund 1873) Mueller 1921, Arch. Molluskenk., 52, 188.—Moll.
- Flumnicola** (err. pro *Fluminicola* Stimpson 1865) Dollfuss 1912, J. Conchyliol., 59, 230.—Moll.
- Fluscina** (err. pro *Fluxina* Dall 1881) [Kobelt] 1911, NachrBl. dtsch. malakozool. Ges., 43, 106.—Moll.
- Flustra** Linnaeus 1761, Faun. Suec., ed. 2, 539.—Bry.
- Flustramorphia** Gray 1872, Ann. Mag. nat. Hist., (4) 10, 168.—Bry.
- Flustrella** Ehrenberg [1839], Abh. preuss. Akad. Wiss., 1838 (1840), Tab. 1 facing p. 120.—Bry. (Cheil.).

- Flustrella Gray 1848, List Brit. Anim. Brit. Mus. (Centr.), 108, 146.—Bry. (Cten.).
 Flustrella d'Orbigny [non Ehrenberg] 1852, Paléont. franç., Terr. créét., 5, Bry., 282.—Bry. (Cheil.).
- Flustrellaria d'Orbigny 1852, Ann. Sci. nat., (3) Zool., 17, 336.—Bry.
- Flustrina van Beneden [1850], Bull. Acad. roy. Bruxelles, 16 (2), 1849, 651.—Bry.
- Flustrina d'Orbigny 1852, Paléont. franç., Terr. créét., 5, Bry., 298.—Bry.
- Fluta Schneider 1801, Bloch, Syst. Ichth., 565.—Pisces.
- Fluviana Caziot 1910, Etude Moll. Princip. Monaco, 476.—Moll.
- Fluvicola Swainson 1827, Zool. Journ., 3 (10), 172.—Aves.
- Fluvicola De Kay 1844, N. H. New York (Crust.), 53.—Crust.
- Fluvicola Iijin 1930, Trab. Inst. Españ. Oceanogr., 2, 56.—Pisces.
- Fluvidraca Jordan & Fowler 1903, Proc. U.S. nat. Mus., 26, 904.—Pisces.
- Fluvinerita Pilsbry 1932, Proc. Acad. nat. Sci. Philad., 84, 12.—Moll.
- Fluviodorsum Boettger 1885, Ber. Offenb. Ver. Naturk., 24-25, 1882-84, 188.—Moll.
- Fluviogammarus Dorogostajskii 1924, Annu. Mus. zool. Acad. Sci. Petrograd, 21, 317.—Crust.
- Fluviolanatus Iredale 1924, Proc. Linn. Soc. N.S. Wales, 49, 181, 196.—Moll.
- Fluviopupa Pilsbry 1911, Rep. Princeton Univ. Exp. Patag., 3 (Zool.), no. 5, 549.—Moll.
- Fluxina Dall 1881, Bull. Mus. comp. Zool. Harvard, 9, 51.—Moll.
- Foa Jordan & Seale 1905, Proc. U.S. nat. Mus., 28, 779; Jordan & Evermann 1905, Bull. U.S. Fish Comm., 23, 1903, 210.—Pisces.
- Foaiella (n.n. pro *Börneria* Grassi & Foà 1908) Boerner 1909, Zool. Anz., 34, 27.—Hem.
- Foaina Janicki 1915, Z. wiss. Zool., 112, 615.—Prot.
- Focilla Guenée 1852, Hist. nat. Ins., Spec. gén. Léop., 7, 333.—Lep.
- Focillidia Hampson 1913, Cat. Lep. Phalaenae Brit. Mus., 13, 148.—Lep.
- Focillistis Hampson 1926, Descr. new Genn. Spp. Noctuidae, 599.—Lep.
- Focilloides Bethune-Baker 1906, Novit. zool., 13, 281.—Lep.
- Focillopis Hampson 1926, Descr. new Genn. Spp. Noctuidae, 510.—Lep.
- Fodia Bosc 1801, Suite à Deterville ed. Buffon, Vers, 1, 109.—Tunicata.
- Fodiator Jordan & Meek 1885, Proc. U.S. nat. Mus., 8, 45.—Pisces.
- Fodina Guenée 1852, Hist. nat. Ins., Spec. gén. Léop., 7, 274.—Lep.
- Fodinoidea Saalmueller 1884, Lep. Madag., 1, 154.—Lep.
- Foegia Gray 1840, Syn. Cont. Brit. Mus., ed. 42, 150 [n.n.]; 1842, Syn. Brit. Mus., ed. 44, 77.—Moll.
- Foenatopus Smith [1860], J. Linn. Soc. London, Zool., 5 (1861), 58.—Hym.
- Foenobethylus Kieffer 1913, Insecta, 3, 297.—Hym.
- Foenomorpha Szépligeti 1904, Gen. Insect., 22, 8.—Hym.
- Foenus Fabricius 1798, Suppl. Ent. Syst., 210.—Hym.
- Foerstedicus Bassler 1935, Smithsonian. misc. Coll., 93 (8), 6.—Echin.
- Foerstella Ruedemann 1925, Bull. N. York State Mus., No. 262, 29.—Spong.
- Foersteoceras Ruedemann 1925, Bull. N. York State Mus., No. 265, 62.—Moll.
- Foersterella (n.n. pro *Hyperbius* Foerster 1878) Dalla-Torre 1897, Wien. ent. Ztg., 16, 86.—Hym.
- Foersteria Szépligeti 1896, Wien. ent. Ztg., 15, 148.—Hym.
- Foersteria (n.n. pro *Cryptaulus* Foerste 1923) Tomlin 1929, Proc. malac. Soc. London, 18, 255.—Moll.
- Foetopterus Moreno & Mercerat 1891, An. Mus. La Plata, (Pal. Argent. 1) 66.—Aves.
- Foetorepus Whitley 1931, Australian Zool., 6, 323.—Pisces.
- Foetorius Keyserling & Blasius 1840, Wirbelth. Europas, xx, 68.—Mamm.
- Foettingeria Caullery & Mesnil 1903, C. R. Soc. Biol., Paris, 55, 806.—Prot.
- Fogiella Krumbek 1913, Palaeontographica, Suppl. 4, Abt. 2, Lief. 1, 57.—Moll.
- Foibalia Stache 1880, Verh. geol. Reichsanst., 1880, 201 [n.n.].—Moll.
- Foina Gray 1865, Proc. zool. Soc. London, 1865, 108.—Mamm.
- Fokkeria Schouteden 1904, Ann. Soc. ent. Belgique, 48, 301.—Hem.
- Folchinia Kieffer 1906, Ann. Soc. sci. Bruxelles, 30 (2) (Mém.) 113.—Hym.
- Folengus Distant 1914, Trans. zool. Soc. London, 20, 339.—Hem.
- Foleyia Peyerimhoff 1916, Bull. Soc. ent. France, 1916, 71.—Col.
- Foleyella Seurat 1917, Bull. Soc. Hist. nat. Afrique Nord, 8, 236.—Verm. (Nema.).
- Foleyellides Caballero 1935, An. Inst. Biol. Mexico, 6, 114.—Verm. (Nema.).
- Folga Navás 1918, Mem. Pont. Accad. Nuovi Lincei, (2) 4, 3.—Plecopt.
- Folgora (pro *Ful*-L. 1767) Costa (1840); Fauna Sicil., 1, 1.—Hem.
- Folia Lohmann 1892, Ergeb. Plankton Exped., 1, 147; 2, E.c., 81.—Tunicata.
- Folia (n.n. pro *Vexillum* Fol 1869) Mayer 1912, Carnegie Inst. Pub., No. 162, 48.—Coel.
- Foliaciscala de Boury 1912, J. Conchyliol., 60, 93.—Moll.
- Foliana (emend. pro *Leucocera* Dejean 1835) Gistel 1848, Nat. Thierr., xi.—Col.
- Foliclina (pro *Foliol*-Schmidt 1870) Topsent 1933, Arch. Mus. Hist. nat. Paris, 10, 50 (note).—Spong.

- Folinaea* (err. pro *-neaea* Monterosato 1884) Cossmann 1896, *Essais Paléoconch. comp.*, 2, 94.—Moll.
- Folindusia* Berry 1927, *Proc. U.S. nat. Mus.*, 71, no. 2686, 1.—Trichopt.
- Folineacea* Monterosato 1884, *Nomencl. Conch. mediterr.*, 136.—Moll. (nec *Folinia* Crosse 1868 see *Adansonina* Ponnery 1902).
- Folinella* Dall & Bartsch 1904, *Proc. biol. Soc. Washington*, 17, 10.—Moll.
- Folinia* Crosse 1868, *J. Conchylol.*, 16, 218.—Moll.
- Folinia* (err. pro *-neaea* Monterosato 1884) Monterosato 1889, *J. Conchylol.*, 37, 116.—Moll.
- Foliolina* Schmidt 1870, *Spong. Atlant.*, 42.—Spong.
- Foliopausus* Kolbe 1929, *Ent. Blätter*, 25, 100.—Col.
- Folioseris* Rehberg 1892, *Abh. Ver. Hamburg*, 12 (1), no. 1, 26.—Coel.
- Folis* (err. pro *Felis* L. 1758) Tscherschi 1892, *Mém. Acad. imp. Sci. St. Pétersbourg*, (7) 40, 51.—Mamm.
- Folius* Soldani 1901, *Testaceogr.*, 1, fasc. 2, 95.—Prot.
- Folka* (n.n. pro *Anepa* Swinhoe 1905) Swinhoe 1917, *Ann. Mag. nat. Hist.*, (8) 20, 163.—Lep.
- Folla* Navás 1925, *Rev. zool. afr.*, 13, 130.—Neur.
- Follicrinus* Schmidt 1934, *Abh. preuss. geol. LdAnst.*, 163, 74.—Echin.
- Folliculiana* Bourguignat 1864, *Rev. Mag. Zool.*, (2) 16, 201.—Moll.
- Folliculina* Lamarck 1816, *An.s.vert.*, 2, 29.—Prot.
- Folliculinopsis* Fauré-Fremiet 1935, *Mém. Mus. Hist. nat. Belgique*, 3, 1129.—Prot.
- Folliculus* (err. pro *-culus* Agassiz 1837) Cossmann 1889, *Ann. Géol. Univ.*, 1888, 5, 1104.—Moll.
- Folliculus* Agassiz 1837, in Charpentier, *N.D. Allg. Schweiz. Gesellsch.*, 1, 14.—Moll.
- Folliculus* Westerlund [non Agassiz] 1887, *Fauna Paläarct. Reg. Binnenconch.*, 3, 154.—Moll.
- Folliculus* Meunier 1910, *Camp. arct. Orléans*, 72.—Prot.
- Follmamella* (err. pro *-mannella* Williams 1908) Williams 1913, *Proc. U.S. nat. Mus.*, 45, No. 1985, 331.—Moll.
- Follmannella* Williams 1908, *Proc. U.S. nat. Mus.*, 34, no. 1600, 87.—Moll.
- Follmannia* Drevermann 1907, *Ber. Senckenb. naturf. Ges.*, 1907, 132.—Moll.
- Folsomia* Willem 1902, *Ann. Soc. ent. Belgique*, 46, 280.—Collemb.
- Folsomides* Stach 1922, *Ann. Hist. nat. Mus. Hungar.*, 19, 17.—Collemb.
- Folsomiella* Bonet 1930, *Eos*, 6, 135.—Collemb.
- Fonckia* Roewer 1913, *Arch. Naturgesch.*, 79, A4-5, 175.—Arachn.
- Fondajenus* Reitter 1912, *Wien. ent. Ztg.*, 31, 51.—Col.
- Fondoukia* Chrétien 1911, *Bull. Soc. ent. France*, 1911, 11.—Lep.
- Fondulus* (pro *Fun-* Lacepède 1803) Duméril 1806, *Zool. Anal.*, 336.—Pisces.
- Fonscolombea* (pro *-bia* Lichtenstein 1877) Lindinger 1908, *Berlin. ent. Z.*, 52, 94.—Hem.
- Fonscolombia* Lichtenstein 1877, *Ann. Soc. ent. France*, (5) 7, *Bull.*, cviii.—Hem.
- Fonscolombia* Selys 1883, *Ann. Soc. ent. Belgique*, 27, 124; 1883, *Bull. Acad. Sci. Belgique*, (3) 5, 736.—Odon. (See *Boyeria* M'Lachlan 1896.)
- Fonsecaia* Pinto 1918, *Brazil-Medico*, 32, 233; 1922, *Mem. Inst. Oswaldo Cruz*, 15, 86.—Prot.
- Fontanelliceras* Fucini 1931, *Pal. Ital.*, 31, 110.—Moll.
- Fontaniana* Fagot 1891, *Bull. Soc. Ramond*, 26 (4), 285.—Moll.
- Fontanium* d. Chiaje 1844, *Descr. An. invert. Sicilia*, 8, 28.—Moll.
- Fontannesia* Buckman 1902, *Emend. Ammon. Nomencl.*, 6.—Moll.
- Fontanniella* Spath 1925, *Monogr. geol. Dep. Hunterian Mus. Glasgow Univ.*, 1 (7), 113.—Moll.
- Fontaria* Gray 1832, in Griffith's *Cuvier, Anim. Kingd.*, *Ins.*, 1, pl. 135; 2, 787; (1843), in Todd, *Cyclop. Anat.*, 3, 546.—Myr.
- Fontariopsis* Pocock 1903, in Forbes, *Nat. Hist. Sokotra*, 435.—Myr.
- Fonteboanius* Senna 1893, *Bull. Soc. ent. Ital.*, 25, 125.—Col.
- Fonteboatus* Roewer 1931, *Abh. naturw. Ver. Bremen*, 28, 156.—Arachn.
- Fontecilla* Navás 1932, *Rev. chil. Hist. nat.*, 35, 72.—Neur.
- Fonteia* Gray 1867, *Proc. zool. Soc. London*, 1867, 544.—Spong.
- Fontejanus* Breddin 1903, *Soc. ent.*, 18, 75.—Hem.
- Fontejus* Stål 1862, *Ent. Ztg.*, Stettin, 23, 314.—Hem.
- Fontenellea* Carpentier & Lestage 1927, *Recueil Inst. zool. Torley-Rousseau*, 1, 156.—Neur.
- Fontesia* Travassos 1928, *Bol. biol. S. Paulo*, 1928, 27.—Verm. (Nema.).
- Fonticola* Komárek 1926, *Mem. Soc. Sci. Bohême*, 7, 1925, 9.—Verm. (Turb.).
- Fontinaliana* Fagot 1891, *Bull. Soc. Ramond*, 26 (4), 283.—Moll.
- Fontinalina* Sterki 1916, *Ann. Carnegie Mus.*, 10, 473.—Moll.
- Fontinus* Jordan & Evermann 1896, *Bull. U.S. nat. Mus.*, 47 (1), 634, 645.—Pisces.
- Fontonema* Chitwood 1930, *J. Parasitology*, 16, 163.—Verm. (Nema.).
- Foochounus* Pic 1921, *Mélanges exot.-ent.*, 34, 22.—Col.

- Foordella* Longstaff 1912, Quart. J. geol. Soc., **68**, 300.—Moll.
Foordiceras Hyatt 1893, Ann. Rep. geol. Surv. Texas, **4** (Carbonif. Cephal. 2), 392.—Moll.
Foordites Wedekind 1918, Palaeontographica, **62**, Heft 3-4, 113.—Moll.
Foordoceras (err. pro *-dicerias* Hyatt 1893) Girty 1908, Prof. Pap. U.S. geol. Surv., **58**, 497.—Moll.
Foralites Rouault 1850, Bull. Soc. géol. France, (2) **7**, 742.—*Inc. sed.*
Foramelina Hedley 1914, Biol. Res. "Endeavour" 1909-14, **2**, pt. 2 (Moll.), 70.—Moll.
Foraminella (Guilding MS.) Sowerby (1835), Conch. Illustr. pt. 80, Cat. Fissurella, **4**.—Moll.
Foraminella Levensen 1909, Morphol. Stud. Bryoz., **165**.—Bry.
Foraminigera Lindholm 1925, Proc. malac. Soc. London, **16**, 265.—Moll.
Foraminitermes Holmgren 1912, K. svenska VetenskAkad. Handl., **48**, no. 4, 125.—Isopt.
Foraminites King 1848, Catal. Org. Rem. Perm., **6** [n.n.].—Verm. († Ann.).
Forandia Casey 1922, Mem. Col., **10**, 227.—Col.
Forandopsis Casey 1922, Mem. Col., **10**, 230.—Col.
Foratella Canu 1900, Bull. Soc. géol. France, (3) **28**, 373.—Bry.
Foratidolum (n.n. pro *Perdix* Montfort 1810) Rovereto 1899, Atti Soc. Ligust., **10**, 107.—Moll.
Foraticala Boury 1887, Étude Sous-genres Scalidae Bassin de Paris, **28**.—Moll.
Forbachia Albrecht 1920, Ent. Z., **34**, 74.—Lep.
Forbecella (pro *-besella* Herdman 1891) Perrier 1899, Traité Zool., **5**, 2192.—Tunicata.
Forbesaspis MacGillivray 1921, The Coccidae, **388**, 422.—Hem.
Forbesella Herdman 1891, J. Linn. Soc. London, Zool., **23**, 578.—Tunicata.
Forbesella Jordan & Evermann 1927, Proc. Calif. Acad. Sci., (4) **16**, 503.—Pisces. (See *Forbesichthys* Jordan 1929.)
Forbesesella (pro *-besella* Herdman 1891) Bjerkan 1908, Tromsø Mus. Aarsh., **25**, 109.—Tunicata.
Forbesia Goodsir 1845, Ann. Mag. nat. Hist., **15**, 380.—[*an pars* Verm. (Polych.)].
Forbesia M'Coy 1846, in Griffith, Syn. Silurian foss. Ireland, **49**.—Trilobita.
Forbesia (Nyst MS.) Rolle 1859, N. Jahrb. Min. Geogn. Geol., **1858**, 515.—Moll. (See *Nystia* Tourneour 1869.)
Forbesia Lacaze-Duthiers & Delage 1899, Mém. Acad. Sci. France, **45**, 137.—Tunicata.
Forbesiaster Lorient 1909, Bull. Inst. Egypt., (5) **2**, 173.—Echin.
Forbesiceras (n.n. pro *Discocebras* Kossmat 1895) Kossmat 1897, Beitr. Pal. Österr.-Ung., **11** (3), 125.—Moll.
Forbesichthys (n.n. pro *Forbesella* Jordan & Evermann 1927) Jordan 1929, Science, **70**, 68.—Pisces.
Forbesiella (pro *-sella* Herdman 1891) Norman 1897, Mus. Norman., No. 9, 5.—Tunicata.
Forbesiocrinus de Koninck & Lehon 1854, Mém. Acad. Sci. Belgique, Cl. Sci., **28**, 118.—Echin.
Forbesium Weed 1890, Amer. Natural., **24**, 915.—Arachn.
Forbesomyia Malloch 1914, Bull. Illinois Lab., **10**, 234.—Dipt.
Forbesella (pro *-esella* Herdman 1891) Bancroft 1898, Proc. Calif. Acad. Sci., (3) **1**, 329.—Tunicata.
Forbicina Geoffroy 1762, Hist. Insect. Paris, **2**, 611; Latreille 1796, Préc. Car. Ins., **174**; Lamarck 1801, Syst. Anim., **167**.—Thysanura.
Forbiscina (err. pro *-icina* Geoffroy 1762) Lamarck 1825, in Desmarest, Cons. gén. Crust., Tab. ii.—Thysanura.
Forbsia Couch 1841, Cornish Fauna, (2) **73**.—? Echin.
Forbsiocrinus (pro *Forbes-* Koninck & LeHon 1854) Meek & Worthen 1860, Proc. Acad. nat. Sci. Philad., **12**, 389.—Echin.
Forca Navás 1925, Rev. chil. Hist. nat., **29**, 310.—Plecopt.
Forcellina Oudemans 1924, Ent. Ber., **6**, 231.—Arachn.
Forcepia Carter 1874, Ann. Mag. nat. Hist., (4) **14**, 210.—Spong.
Forcepina (pro *-cipina* Vosmaer 1885) Vosmaer 1885, in Bronn, Klass. Ordn. Tierreichs, **2**, ed. 2, 351.—Spong.
Forcepsia Moreira 1930, Bol. Inst. biol. Defesa Agric. Minist. Agric. Rio de Janeiro, **7**, 9.—Dermapt.
Forcinella Dohrn 1862, Ent. Ztg., Stettin, **23**, 226.—Dermapt.
Forcipator (n.n. pro *Oxystomus* Berthold 1827) Maindron 1904, Bull. Soc. ent. France, **1904**, 265.—Col.
Forcipiger Jordan & McGregor 1898, in Jordan & Evermann, Bull. U.S. nat. Mus., No. **47** (2), 1671.—Pisces.
Forcipina Vosmaer 1885, Bijdr. Dierk., **12** (5), 26, 27.—Spong.
Forcipomyia (Megerle MS.) Meigen 1818, Syst. Besch. Zweifl. Ins., **1**, 73 [*in syn.*].—Dipt.
Forcipophasia Townsend 1935, Rev. Ent. Rio de Janeiro, **5**, 216.—Dipt.

- Forcipula* Bolivar 1898, Ann. Soc. ent. France, 66, 1897, 283.—Dermapt.
Forculus Distant 1912, Ann. Mag. nat. Hist., (8) 9, 464.—Hem.
Forculusoides Distant 1916, Fauna Brit. Ind., Hom., App., 123.—Hem.
Forda Heyden 1837, Abh. Senckenb. Mus., 2 (3), 291.—Hem.
Fordia Gray 1869, Proc. zool. Soc. London, 1869, 219.—Rept.
Fordicidia Distant 1917, Trans. Linn. Soc. London, 17, 290.—Hem.
Fordilla Barrande 1881, Syst. silur. Bohême, Rech. pal., 6, pl. 36r.—Moll.
Fordinia Walcott 1908, Smithson. misc. Coll., 53, no. 3, 64.—Brach.
Fordona Mordvilko 1935, Ergebn. Zool., 8, 198.—Hem.
Fordonia Gray 1842, Zool. Miscell. (Gray), (4) 67.—Rept.
Fordiscalia (err. pro *Forat-* Boury 1887) Newton 1891, Syst. List Brit. Olig. & Eoc. Moll., 297.—Moll.
Forelia Haller 1882, Mitt. Ges. Bern, 1881 (2), Abh., 18, 58.—Arachn.
Forelius Emery 1888, Z. wiss. Zool., 46, 389.—Hym.
Forellia Robineau-Desvoidy 1830, Mém. présentés Acad. Roy. Sci. Inst. France, 2, 760.—Dipt.
Forelomymrex (n.n. pro *Janetia* Forel 1899) Wheeler 1914, Ann. Acad. Sci. New York, 23, 80.—Hym.
Forelophilus Kuetter 1931, Mitt. schweiz. ent. Ges., 15, 193.—Hym.
Forestia Trinchese 1881, Rend. Accad. Sci. fis. mat. Soc. Napoli, 20, 121.—Moll.
Forestus Distant 1903, Ann. Mag. nat. Hist., (7) 11, 251.—Hem.
Forfex Jordan & Gilbert 1919, Stanford Univ. Publ., 1919, 36.—Pisces.
Forficula Berthold 1827, in Latreille, Nat. Fam. Thierr., 406.—Dermapt.
Forficula Linnaeus 1758, Syst. Nat., ed. 10, 423; 1767, ed. 12, 686.—Dermapt.
Forficularia Weyenbergh 1869, Arch. Mus. Teyler, 2, 274.—Dermapt.
Forficulotarpa Pic 1918, Echange, Moulins, 34, 12.—Hym.
Foricala (pro *-cula* d'Orbigny 1853) Busk 1884, Rep. Voy. Challenger, Zool., 10, no. 30, 168.—Bry.
Foricula d'Orbigny 1853, Paléont. franç., Terr. cré., 5, Bry., 657.—Bry.
Foriria Meunier 1908, Ann. Soc. sci. Bruxelles, 32, 155; 1908, Bull. Mus. Paris, 14, 172.—Megasecopt.
Formafentonia Matsumura 1925, Dobuts. Zasshi (Zool. Mag.), 37, 396.—Lep.
Formanekia Fleischer 1923, Wiener ent. Ztg., 40, 15.—Col.
Formiana Druce 1885, Proc. zool. Soc. London, 1885, 528.—Lep.
Formica Linnaeus 1758, Syst. Nat., ed. 10, 579; 1767, ed. 12, 962.—Hym.
Formicaleo Geoffroy 1762, Hist. Insect. Paris, 2, 257; Leach 1815, in Brewster, Edinb. Ency., 9, 138.—Neur.
Formicaleon Banks 1911, Ann. ent. Soc. Amer., 4, 16.—Neur.
Formicarius Sladen 1916, Canad. Ent., 48, 271.—Hym.
Formicarius Boddaert 1783, Tabl. Planches Enlum., 43.—Aves.
Formicencyrtus Girault 1916, Psyche, 23, 45.—Hym.
Formicicapa Daudin 1804, Ann. Mus. H.N. Paris, 3, 146 [n.n.].—Aves.
Formicicarius (pro *-micarius* Boddaert 1783) Gray 1855, Cat. Gen. Birds Brit. Mus. 31.—Aves.
Formicilabia Rehn & Hebard 1917, Bull. Amer. Mus., 37, 641.—Dermapt.
Formicileo (emend pro *-caleo* Geoffroy 1762) Agassiz 1846, Nomen. Zool. Index Univ.—Neur.
Formicilla Leconte 1851, Ann. Lyceum nat. Hist. N. York, 5, 152.—Col.
Formicina Shuckard 1840, in Swainson & Shuckard, Hist. Ins., 172.—Hym.
Formicina Canestrini 1868, Ann. Soc. Nat. Modena, 3, 197.—Arachn. (See *Cremastoneta* Simon 1929 and *Formicinina* Strand 1932.)
Formicinina (n.n. pro *Formicina* Canestrini 1868) Strand 1932, Folia zool. hydrobiol., 4, 137.—Arachn.
Formicinoides Keyserling 1884, Spinnen Amer., 2 (1), 213.—Arachn.
Formicinus Jarocki 1825, Zoologia, 5, 368.—Arachn.
Formicinus Belke 1853, Bull. Soc. imp. Nat. Moscou, 26, pt. 1, 426.—Arachn.
Formicium Westwood 1854, Quart. J. geol. Soc., 10, 393.—Hym.
Formicivora Swainson 1824, Zool. Journ., 1 (3), 301; 1825, 2 (6), 145.—Aves.
Formicivorus Temminck 1807, Cat. Syst. cab. Orn., 92.—Aves.
Formicocephalus Heller 1916, Nova Caledonia, Zool., 2, 276.—Col.
Formicococcus Takahashi 1928, Trans. nat. Hist. Soc. Formosa, 18, 253.—Hem.
Formicocoptera Townsend 1932, J.N. York ent. Soc., 40, 451.—Dipt.
Formicomma Motschoulsky 1845, Bull. Soc. imp. Nat. Moscou, 18 (1), 83 (emended to *Formicosoma*, (2) corrections).—Col.
Formicomimus Aurivillius 1898, Ent. Tidskr., 18, 1897, 244.—Col. (Cerambycid.).
Formicomimus Pic 1923, Mélanges exot.-ent., 39, 21.—Col. (Hylophilid.).
Formicomus Ferté-Senectère 1849, in Guérin-Ménéville, Spec. et Icon. Anim. artic., (7) 1.—Col. (nec *Formicoma* Motschoulsky 1845 see *Carteronemus* Laferté 1848).
Formicomya Townsend 1916, Bull. Amer. Mus., 35, 17.—Dipt.
Formicophania Townsend 1916, Proc. U.S. nat. Mus., 51, 322.—Dipt.
Formicopsella Poppius 1914, Acta Soc. Sci. Fenn., 44, no. 3, 42.—Hem.

- Formicoris Kirby 1891, J. Linn. Soc. London, Zool., 24, 122.—Hem.
 Formicosepsis de Meyere 1916, Tidschr. Ent., 59, 199.—Dipt.
 Formicosoma see *Formicomma*.
 Formicothrips (n.n. pro *Myrmecothrips* Priesner 1926) Priesner 1927, Thysanopteren Europas, 479.—Thysanopt.
 Formicoxenus Mayr 1855, Verh. zool.-bot. Ver. Wien, 5, Abh., 413.—Hym.
 Formiculus Grote 1866, Proc. ent. Soc. Philadelphia, 6, 184.—Lep.
 Formila de Romand 1846, Ann. Soc. ent. France, (2) 4, xxxii.—? Hym.
 Formilaria de Filippi 1847, Mus. Mediol. Anim. vert., 31 [*sed non comp.*].—*Inc. sed.*
 Formileo Navás 1933, Rev. Zool. Bot. afr., 23, 312.—Neur.
 Formio (Whitley MS.) McCulloch 1929, Mem. Australian Mus., 5, 193.—Pisces.
 Formocentrus Kato 1928, Kontyû, 2, 223.—Hem.
 Formocryptus Uchida 1931, J. Fac. Agric. Hokkaido Imp. Univ., 30, 192.—Hym.
 Formokamaga Matsumura 1931, 6,000 Illustr. Insects Japan, 1092 [*n.n.*].—Lep.
 Formonia Richter 1928, Senckenbergiana, 9, 248.—Trilobita.
 Formopseutis Matsumura 1931, 6,000 Illustr. Insects Japan, 1115 [*n.n.*].—Lep.
 Formosamyna Strand 1920, Arch. Naturgesch., 84, A12, 119.—Lep.
 Formosana Boettger 1877, Palaeontogr., (N.S.) Suppl. 3, 63.—Moll.
 Formosania Oshima 1919, Ann. Carnegie Mus., 12, 194.—Pisces.
 Formosanomalon Uchida 1928, J. Fac. Agric. Sapporo, 21, 240.—Hym.
 Formosaphis Takahashi 1925, Aphididae of Formosa, 4, 52.—Hem.
 Formosaspis Takahashi 1932, J. Soc. trop. Agr. Formosa, 4, 47.—Hem.
 Formosemia Matsumura 1917, Trans. Sapporo nat. Hist. Soc., 6, 193.—Hem.
 Formosempria Takeuchi 1929, Trans. nat. Hist. Soc. Formosa, 19, 85.—Hym.
 Formosia Guérin-Ménéville 1843, Rev. Zool. (Soc. Cuv.), 6, 263.—Dipt.
 Formosillo Verhoeff 1928, Mitt. zool. Mus. Berlin, 14, 204.—Crust.
 Formosina Becker 1911, Ann. Mus. hungar., 9, 78.—Dipt.
 Formosina Klapálek 1913, Suppl. ent., 2, 117.—Plecopt. (See *Formosita* Klapálek 1914.)
 Formosita (n.n. pro *Formosina* Klapálek 1913) Klapálek 1914, Suppl. ent., 3, 118.—Plecopt.
 Formosodoria Townsend 1932, J.N. York ent. Soc., 40, 475.—Dipt.
 Formosogalerucella Pic 1928, Mélanges exot.-ent., 51, 32.—Col.
 Formosolophosia Townsend 1927, Ent. Mitt., 16, 280.—Dipt.
 Formososcia Verhoeff 1928, Mitt. zool. Mus. Berlin, 14, 217.—Crust.
 Formostenus Uchida 1931, J. Fac. Agric. Hokkaido Imp. Univ., 30, 180.—Hym.
 Formotensha Matsumura 1925, Dobuts. Zasshi (Zool. Mag.), 37, 392.—Lep.
 Formotipula Matsumura [1916], Thous. Ins. Japan, Addit., 2, 456.—Dipt.
 Formotogaria Matsumura 1931, 6,000 Illustr. Insects Japan, 669 [*n.n.*].—Lep.
 Formotosena Kato 1925, Trans. nat. Hist. Soc. Formosa, 15, 59.—Hem.
 Formoxorides Uchida 1928, J. Fac. Agric. Sapporo, 25, 14.—Hym.
 Fornarina Thomas 1903, Proc. zool. Soc. London, 1903 (2), 336.—Mamm.
 Fornasinius Bertoloni 1853, Mem. Accad. Sci. Ist. Bologna, 4, 345, 348.—Col.
 Fornatella (err. pro *Tor-* Lamarck 1816) Paetel 1873, Cat. Conch. Samml., 12.—Moll.
 Fornax Laporte 1835, Revue Entom., 3 (4), 172.—Col.
 Fornax Jousseau 1888, Mém. Soc. zool. France, 1, 195.—Moll.
 Fornica (pro *-cia* Brullé 1846) Szépligeti 1904, Gen. Insect., 22, 85, 231.—Hym.
 Fornicaria (emend. pro *Diurus* Dejean 1834) Gistel 1848, Nat. Thierr., xi.—Col.
 Fornicia Brullé 1846, in Lepeletier (Roret's Suite à Buffon) Hyménopt., 4, 511.—Hym.
 Fornicocassis Spaeth 1917, Ann. Mus. hungar., 15, 438.—Col.
 Fornix (n.n. pro *Cephalophis* Dejean 1835) Gistel [1847], Handb. Naturges., 1850, 426; 1848, Nat. Thierr., xi, 130.—Col.
 Forocolum see *Forocolum*.
 Forocolum Berthold 1827, in Latreille, Nat. Fam. Thierr., 524 (as *Forocolum* p. 576).—Crust.
 Forospongia d'Orbigny 1849, Rev. Mag. Zool., (2) 1, 549.—Spong.
 Forpus Boie 1858, J. Orn., 6, 363.—Aves.
 Forquilla Navás 1924, Brotéria, 21, 74.—Plecopt.
 Forreria Jousseau 1880, Le Naturaliste, 1, no. 42, 335.—Moll.
 Forresteria Reeside 1932, Prof. Pap. U.S. Dep. Int., No. 170 (B), 14.—Moll.
 Forsar (err. pro *Fossar* Gray 1840) Gray 1847, Proc. zool. Soc. London, 15, 151, 206.—Moll.
 Forscalia (err. pro *Forskålia* Adams 1854) Paetel 1888, Cat. Conch., ed. 4, 1, 568.—Moll.
 Forsia Malaise 1932, Ark. Zool., 23A, no. 8, 29.—Hym.
 Forskålia (err. pro *Forskålia* Adams 1854) Smith 1879, Proc. zool. Soc. London 1878, 818.—Moll.
 Forskalena Iredale 1918, Proc. malac. Soc. London, 13, 28, 31.—Moll.
 Forskalia Koelliker 1853, Schwimmpolyp. Messina, 2.—Coel.

- Forskälia Adams 1854, Gen. Rec. Moll., 1, 432.—Moll.
 Forskalichthys Whitley 1935, Rec. Australian Mus., 19, 219.—Pisces.
 Forskaliopsis Haeckel 1888, Rep. Voy. Challenger, Zool., 28, 247.—Coel.
 Forskaliopsis Coen 1931, Ann. Mus. Zool. Univ. Napoli, (N.S.) 6, no. 4, 1.—Moll.
 Forsythula Pocock 1903, Ann. Mag. nat. Hist., (7) 11, 223.—Arachn.
 Fortax Motschoulsky 1865, Bull. Soc. imp. Nat. Moscou, 38 (2), 246.—Col.
 Forticosomus (pro *Phor*-Schaum 1863) Laporte 1868, Trans. Proc. roy. Soc. Victoria, 8, 177.—Col.
 Fortinea Busck 1914, Proc. U.S. nat. Mus., 47, 3.—Lep.
 Fortisia Rondani 1861, Dipt. Ital. Prodr., 4, 94.—Dipt.
 Fortisia Bayan 1870, Bull. Soc. géol. France, (2) 27, 460, 476.—Moll. (See *Liocarenus* Harris & Burrows 1891.)
 Fortscottella Gunnell 1931, J. Paleont., 5, 251.—Pisces (described as Verm. († Ann.)).
 Fortunata Chun 1889, S.B. Akad. Wiss. Berlin, 1889, 532.—Crust.
 Fortunata Bolivar 1908, Bol. Soc. Españ. Hist. nat., 8, 323.—Orth.
 Fortunia Distant 1909, Ann. Mag. nat. Hist., (8) 4, 83.—Hem.
 Fortunus (pro *Por*-Weber 1795) Herbst 1799, Vers. Nat. Krab., 3 (1), 24.—Crust.
 Forulina Schafhaeutl 1850, Geogn. Unters. südbay. Alpengeb., 44.—? Prot.
 Fossarulus (err. pro *Fossa*-Neumayr 1869) Milovanović 1935, Bull. Serv. geol. Yougoslavie, 4, 261.—Moll.
 Fossa Gray 1865, Proc. zool. Soc. London, 1864, 507, 518.—Mamm.
 Fossanobium Pic 1903, Echange, 19, 172.—Col.
 Fossar (ex Adanson) Gray 1840, Syn. Cont. Brit. Mus., ed. 42, 147 [n.n.]; 1847, Proc. zool. Soc. London, 15, 206, 211.—Moll.
 Fossarella Thiele 1925, Wiss. Ergebn. dtsh. Tief-See Exp., 17, Heft 2 (Gastrop.), Teil 2, 62 (96)—Moll.
 Fossaria Westerlund 1885, Fauna Paläarct. Reg. Binnenconch., 5, 24, 49.—Moll.
 Fossaria (err. pro *-rina* Westerlund 1873) Clessin 1910, NachrBl. dtsh. malakozool. Ges., 42, 124.—Moll.
 Fossarina Adams & Angas 1864, Proc. zool. Soc. London, 1863, 423.—Moll.
 Fossarina (Clessin MS.) Westerlund [non Adams & Angas] 1873, Fauna Moll. Terr. Fluv. Svec., Norv. Dan., 2, 535.—Moll.
 Fossariopsis Laube 1868, S.B. Akad. Wiss. Wien, math.-naturw. Cl., 47 (A), 662.—Moll.
 Fossarius (err. pro *-rus* Philippi 1841) Whitfield 1891, Bull. Amer. Mus. nat. Hist., 3, 388.—Moll.
 Fossarullus (err. pro *-rulus* Neumayr 1869) Brusina 1882, Beitr. Pal. Oester.-Ung., 2 (1-2), 37.—Moll.
 Fossarulus Neumayr 1869, Jahrb. geol. Reichsanst., 19, 361.—Moll.
 Fossarus Philippi 1841, Arch. Naturgesch., 7 (1), 42.—Moll.
 Fossatrivia Iredale 1931, Rec. Australian Mus., 18, 222.—Moll.
 Fossicula (err. pro *Fossula* Lea 1870) Marshall 1925, Proc. U.S. nat. Mus., 67, no. 2576, 7.—Moll.
 Fossiculorbis (err. pro *Fossulorbis* Pilsbry 1886) Haas 1934, Arch. Molluskenk., 66 (6), Lit., 39.—Moll.
 Fossiferus Bolivar 1914, Trab. Mus. Madrid, 20, 81.—Orth.
 Fossifrontia Hampson 1901, in Romanoff, Mém. Lép., 8, 338.—Lep.
 Fossiger Wasmann 1917, Tijdschr. Ent., 60, 405.—Col.
 Fossirichterina Matern 1930, Abh. preuss. geol. LdAnst., 118, 70.—Crust.
 Fossopora Etheridge 1903, Rec. Australian Mus., 5, 15.—Coel.
 Fossoria Lichtenstein 1844, in Forster, Descr. Anim. mar. Aust., 31.—Mamm.
 Fossoria (err. pro *Fossaria* Westerlund 1885) Caziot 1909, Bull. Soc. zool. France, 33, 102.—Moll.
 Fossula Lea 1870, Syn. Fam. Unionidae, ed. 4, 72.—Moll.
 Fossularia Cossmann 1887, Ann. Soc. malac. Belgique, 22, 138.—Moll.
 Fossulaster Lambert & Thiéry 1925, Ess. nom. Echinides, 8-9, 577.—Echin.
 Fossulocephus Pic 1917, Echange, Moulins, hors-texte, no. 381, 2.—Hym.
 Fossulorbis Pilsbry 1934, Proc. Acad. nat. Sci. Philad., 86, 59.—Moll.
 Fosterops (? err. pro *Zo*-Vigors & Horsfield 1826) Hartlaub 1848, Rev. Zool. (Soc. Cuv.), 11, 109.—Aves.
 Fota Grote 1882, Canad. Ent., 14, 174.—Lep.
 Fotella Grote 1882, Canad. Ent., 14, 181.—Lep.
 Foucartia Jacquelin Du Val [? 1854], Gen. Coléopt. Europe, 4, 14.—Col.
 Foudia Reichenbach (1850), Avium Syst. Nat., pl. lxxix.—Aves. (Cf. *Calyphantria* Heine 1860.)
 Foudrasia (n.n. pro *Chalcoides* Foudras 1860) des Gozis [1882], Ann. Soc. ent. France, (6) 1, 1881, Bul., cxxxiv.—Col.
 Foudrasia Weise 1900, Arch. Naturgesch., 66, Abt. 1, 289.—Col. (See *Novofoudrasia* Jacobson 1901.)
 Fouldenia White 1927, Trans. roy. Soc. Edinburgh, 55, 259.—Pisces.
 Foulehaio Reichenbach 1852, Handb. Orn., Merop., 110.—Aves.

- Foulehajo (pro *-haio* Reichenbach 1852) Bonaparte 1854, C.R. Acad. Sci. Paris, 38, 260.—Aves.
- Founingus (pro *Furn-* Chenu & Des Murs 1854) Verreaux 1855, Rev. Mag. Zool., (2) 7, 511.—Aves.
- Fouquea (n.n. pro *Oustaletia* Brongniart 1885) Brongniart 1893, Rech. Hist. Ins. Temps prim., 372.—Palaeodict.
- Fouquetia Pic 1932, Bull. Soc. ent. France, 37, 150.—Col.
- Fouquetius (n.n. pro *Holconotus* Chaudoir 1876) Maindron 1906, Bull. Soc. ent. France, 1906, 252.—Col.
- Fournierechinus Jackson 1929, Mém. Mus. Hist. nat. Belgique, No. 38, 67.—Echin.
- Fournieria Kieffer 1924, C.R. Ann. Soc. sci. Bruxelles, 43, 394.—Dipt.
- Fourtaunia Lambert 1902, Mém. Soc. géol. France, Pal., 9, no. 3 (Mém. 24) 53.—Echin.
- Fourtaus Pic 1921, Bull. Soc. ent. Egypte, 1920, 47.—Col.
- Fovaya Cameron 1903, Z. Hym. Dipt., 3, 341.—Hym.
- Foveadens Dall 1915, Proc. U.S. nat. Mus., 49, no. 2116, 451.—Moll.
- Foveades Bethune-Baker 1908, Novit. zool., 15, 239.—Lep.
- Foveolaria Busk 1884, Rep. Voy. Challenger, Zool., 10, no. 30, 68.—Bry.
- Foveolia Péron & Lesueur 1810, Ann. Mus. H.N. (Paris), 14 (83), 339.—Coel.
- Foveoscala Bourry 1909, J. Conchyliol., 57, 257.—Moll.
- Foveostatira Pic 1918, Echange, Moulins, 34, hors-texte, 2.—Col.
- Fovia Girard 1852, Proc. Boston Soc. nat. Hist., 4, 211.—Verm. (Turb.).
- Foviella Bock 1925, Zool. Anz., 64, 154.—Verm. (Turb.).
- Fowlea Theobald 1868, Cat. Rept. Asiat. Soc. Bengal, 57.—Rept.
- Fowleria Jordan & Evermann 1903, Bull. U.S. Fish Comm., 22 (1902), 180.—Pisces.
- Fowlerina Pelseneer 1906, Trans. Linn. Soc. London, (2) Zool., 10, 149.—Moll.
- Fowlerina Eigenmann 1907, Amer. Natural., 41, 771.—Pisces. (See *Ephippicharax* Fowler 1913.)
- Foxella Wagner 1929, Konowia, 8, 317.—Siphonapt.
- Foxia Ashmead 1898, Ent. News, 9, 187.—Hym.
- Foxichilus (pro *Phoxych-* Berthold 1827) Costa (1838), Fauna Regno Napoli, Arach. Trach., 10.—Pantopoda.
- Foya Navás 1914, Brotéria, 12, 53.—Neur.
- Fraasia Blanckenhorn 1890, Beitr. Geol. Syr., 62.—Coel.
- Fracara Walker 1856, List Specimens Lep. Ins. Brit. Mus., 9, 146.—Lep.
- Fracassa Bergh 1878, in Semper, Reis. Philipp., 2, Bd. 2, Heft 13, 598.—Moll.
- Fracastorius Distant 1902, Fauna Brit. Ind., Rhynch., 1, 368.—Hem.
- Fractarmilla Finlay 1927, Trans. New Zealand Inst., 57, 352.—Moll.
- Fractophloeus Kessel 1921, Arch. Naturgesch., 87, A6, 28.—Col.
- Fraena Rouault 1850, Bull. Soc. géol. France, (2) 7, 729.—*Inc. sed.*
- Fragarium Giard 1872, Arch. Zool. exp. gén., Paris, 1, 638.—Tunicata.
- Fragaroides Maurice 1888, Arch. Biol., 8, 219.—Tunicata.
- Fragella Swainson 1840, Treat. Malacol., 220, 352.—Moll.
- Fragilia Deshayes 1845-48, Expl. Algér. (Moll.), 552.—Moll.
- Fragilia Loman 1908, Siboga Exped., 40, no. 40, 56.—Pantopoda.
- Fragilocyathus Yabe & Eguchi 1932, Proc. imp. Acad. Tokyo, 8, 389.—Coel.
- Fragrum (pro *-gum* Bolten 1798) Gray 1847, Proc. zool. Soc. London, 15, 185.—Moll.
- Fragum Bolten 1798, Mus. Bolten., 2, 189.—Moll.
- Framinghamia Strand 1920, Arch. Naturgesch., 85, 1919, A12, 160.—Lep.
- Frammia Haltedahl 1922, Rep. Sec. Norw. Arct. Exped., 4, no. 32, 35.—Trilobita.
- Françaïella Yakimoff 1926, Bull. Soc. Path. exot., Paris, 19, 786.—Prot.
- Francesca Kirkaldy 1906, Bull. Hawaii. Sug. Pl. Ass. Exp. Sta., Div. Ent., No. 1, 424.—Hem.
- Francesia Paladilhe 1872, Ann. Mus. Stor. nat. Genova, 3, 5.—Moll.
- Franchiomma (err. pro *Bra-* Koelliker 1859) Fauvel 1896, Bull. Soc. linn. Normand., (4) 9, 128.—Verm. (Polych.).
- Francilia Shannon 1924, Insec. Inscit. menst., 12, 74.—Dipt.
- Franciscodoras Eigenmann 1925, Trans. Amer. phil. Soc., 22, 317.—Pisces.
- Franciscus Distant 1910, Rec. Ind. Mus., 5, 337.—Hem.
- Francisia (Carpenter MS.) Dall 1882, Proc. U.S. nat. Mus., 4, 284, 287.—Moll.
- Francoa Del Guercio 1917, Redia, 12, 197.—Hem.
- Francocaris Broili 1917, Centralbl. Min., Stuttgart, 1917, 426.—Crust.
- Francolinus Oken 1817, Isis, 1, 1184; Stephens 1819, in Shaw, Gen. Zool. (Aves), 11 (2), 316.—Aves. (Cf. *Mustoxydes* Gistel 1848.)
- Francopora Lang 1916, Ann. Mag. nat. Hist., (8) 18, 84.—Bry.
- Francosuchus Kuhn 1932, N. Jahr. Geol. Paläont., 69 (B), 127.—Rept.
- Frankeina Cushman & Alexander 1929, Contr. Cushman Lab. Foraminif., 5, 61.—Prot.
- Frankia Brunchorst 1886, Unters. bot. Inst. Tübingen, 2, no. 1, 174.—Prot.
- Franklinia Jerdon 1863, Birds India, 2, 186.—Aves.

- Franklinia Norman 1890, Ann. Mag. nat. Hist., (6) 5, 470.—Moll. (See *Allorossia* Grimpe 1925.)
- Frankliniella (n.n. pro *Physapus* Leach 1815) Karny 1910, Mitt. naturw. Ver. Univ. Wien, 8, 46.—Thysanopt.
- Franklinothrips Back 1912, Ent. News, 23, 75.—Thysanopt.
- Fransaia (n.n. pro *Lutzia* França 1920) Dyar & Nuñez Tovar 1927, Insec. Inscit. menst., 14, 155.—Dipt.
- Franssenia Schmitz 1931, Natuurh. Maandbl., 20, 176.—Dipt.
- Franzenia Esben-Petersen 1929, Queensland Nat., 7, 31.—Neur.
- Franzia Jordan & Thompson 1914, Mem. Carnegie Mus., 6, 251.—Pisces.
- Franciceras Buckman 1923, Type Ammonites, 5, pt. 42, pl. 423.—Moll.
- Fraseria Bonaparte 1854, C.R. Acad. Sci., Paris, 38, 386, 536.—Aves.
- Fraseria Malloch 1932, Ann. Mag. nat. Hist., (10) 10, 309.—Dipt.
- Fratercula Brisson 1760, Ornith., 6, 81; Schaeffer 1789, Mus. Orn., 61.—Aves.
- Fraternobombus Skorikov 1922, Bull. Sta. Rég. Prot. Plantes Petrograd, 4, 156.—Hym.
- Fraudator Hutton 1901, Trans. N. Zealand Inst., 33, 23.—Dipt.
- Fraudella Whitley 1935, Rec. Australian Mus., 19, 229.—Pisces.
- Frauenfeldia Egger 1865, Verh. zool.-bot. Ges. Wien, 15, Abh., 297.—Dipt.
- Frauenfeldia Clessin 1878, NachrBl. dtshk. malak. Ges., 10, 130.—Moll. (Paludestrid.).
- Frauenfeldia Hazay 1883, Math. termés. Közlem., 19, 330.—Moll. (Limacidae).
- Frauenfeldiella Ruebsaamen 1905, Marcellia, 4, 122.—Dipt.
- Frauenfeldtia (err. pro *-dia* Clessin 1878) Chappuis 1927, Die Binnengewässer, 3, 34.—Moll.
- Fraüs (Stephens MS.) Walker 1856, List Specimens Lep. Ins. Brit. Mus., 7, 1564.—Lep. (Cf. *Hectomanes* Meyrick 1890.)
- Frawalkeria Navás 1929, Mem. Acad. Ci. Zaragoza, 2, 50.—Neur.
- Frea Thomson 1858, Arch. ent. Paris, 2, 174.—Col.
- Freadelpha Thomson 1858, Arch. ent. Paris, 2, 175.—Col.
- Frechia Gregory 1900, Pal. Ind., (9) No. 2 (2), 167.—Coel.
- Frechiceras Krafft 1902, Gen. Rep. geol. Surv. India, 1901-02, 5 [n.n.].—Moll.
- Frechiella Prinz 1904, N. Jahrb. Min. geol. Palaeont., 1904, 1, 31.—Moll.
- Frechites Smith 1932, Prof. Pap. U.S. Dept. Interior, Geol. Surv., No. 167, 32.—Moll.
- Fredericella (emend. pro *-cilla* Gervais 1838) Allman 1844, Ann. Mag. nat. Hist., 13, 331.—Bry.
- Fredericianella (pro *Frid-* Brandes 1894) Monticelli 1903, Monit. zool. Ital., 14, 336.—Verm. (Trem.).
- Fredericilla Gervais 1838, L'Institut, 398; 1838, Extr. P.V. Soc. philom. Paris, 130.—Bry.
- Fredericina Tutt 1905, Ent. Rec., 17, 37; 1906, Brit. Lep., 5, 161.—Lep.
- Frederickena Chubb 1918, Ann. Mag. nat. Hist., (9) 2, 123.—Aves.
- Fredericksia (n.n. pro *Munia* Fredericks 1918) Paekelmann 1931, N. Jahrb. geol. Paläont., 67 (B) 48.—Brach.
- Fredrizzia (pro *Fed-* Canestrini 1884) Trouessart 1892, Rev. Sci. nat. Ouest, 2, 45.—Arachn.
- Fregata de Lacepède 1799, Tabl. Oiseaux, 15.—Aves.
- Fregatta Fischer 1808, Zoogn., ed. 2.—Aves.
- Fregella Walker 1854, List Specimens Lep. Ins. Brit. Mus., 1, 272.—Lep.
- Fregetta Bonaparte 1855, C.R. Acad. Sci., Paris, 41, 1112, 1113.—Aves (nec *Fregella* Walker 1854 see *Cymodroma* Baird, Brewer & Ridgway 1884).
- Fregettornis Mathews 1912, Birds Australia, 2, 31.—Aves.
- Fregillus Mitchell 1838, Three Exped. Inter. Austral., 1, xvii.—Aves.
- Fregilupus Lesson *inter* Sept. 18 30 & Feb. 1831, Traité Ornith., (5) 323.—Aves.
- Fregilus Cuvier 1817, R. Anim., 1, 406.—Aves.
- Fregilus (emend. pro *-illus* Mitchell 1838) Agassiz 1846, Nomen. Zool. Index Univ.—Aves.
- Fregolia Gounelle 1911, Ann. Soc. ent. France, 80, 90.—Col.
- Freia Claparède & Lachmann 1858, Mém. Inst. Genève, 5 (1857), 217.—Prot.
- Freia Boehm 1884, Verh. naturh. Ver. Preuss. Rheinlande, 41, 56.—Moll.
- Freilla Druce 1890, Biol. Centr. Amer., Zool., Lep. Heteroc., 1, 410.—Lep.
- Frembleya Adams 1867, Proc. zool. Soc. London, 1866, 445.—Moll.
- Fremblya (err. pro *-bleya* Adams 1867) Dall 1882, Proc. U.S. nat. Mus., 4, 284.—Moll.
- Fremblya (err. pro *-bleya* Adams 1867) Dall 1878, Proc. U.S. nat. Mus., 1, 298.—Moll.
- Fremontites Smith 1927, Prof. Pap. U.S. geol. Surv., No. 141, 74.—Moll.
- Fremontoceras Foerste 1935, J. Sci. Labs. Denison Univ., 30, 2, 89.—Moll.
- Frenais Jacoby 1903, Entomologist, 36, 209.—Col.
- Frenamya Iredale 1930, Rec. Australian Mus., 17, 387.—Moll.
- Frenchella Blackburn 1892, Proc. Linn. Soc. N.S. Wales, (2) 7, 104.—Col.

- Frenchia* Maskell 1892, Trans. N. Zealand Inst., 24, 56.—Hem.
Frenna (err. pro *-nnia* Viguier 1912) Chamberlin 1919, Mem. Mus. comp. Zool. Harvard, 48, 37.—Verm. (Polych.).
Frennia Viguier 1912, Ann. sci. nat. Paris, Zool., 15, 95.—Verm. (Polych.).
Frenula Dall 1871, Amer. Natural., 5, 55.—Brach.
Frenulina Dall 1895, Proc. U.S. nat. Mus., 17, 724.—Brach.
Frenzelina Penard 1902, Faune Rhizopod. Léman, 463.—Prot. (Rhizop.).
Frenzina Léfer & Duboscq 1907, C.R. Acad. Sci., Paris, 145, 773.—Prot. (Sporoz.).
Freopsis Hintz 1912, Dtsch. ent. Z., 1912, 200.—Col.
Freraea Robineau-Desvoidy 1830, Mém. présentés Acad. roy. Sci. Inst. France, 2, 285.—Dipt.
Frerea (pro *-raea* R. Desvoidy 1830) Rondani 1856, Dipt. Ital. Prodr., 1, 81.—Dipt.
Fretidelpis Iredale & Troughton 1934, Mem. Australian Mus., 6, 65.—Mamm.
Fretillaria (ex Quoy & Gaimard 1834 *vernac.*) Agassiz 1842, Nomen. Zool. (Acal.), 4 [n.n.].—Tunicata.
Fretum (n.n. pro *Eurypus* Semper 1870) Sykes 1900, Proc. malac. Soc. London, 4, 140.—Moll.
Frevillea Milne-Edwards 1881, Bull. Mus. comp. Zool. Harvard, 8, no. 1, 15.—Crust.
Freya Koch 1850, Uebers. Arachnidensyst., 5, 66.—Arachn. (Aran.).
Freyana Haller 1877, Z. wiss. Zool., 30, 81 (also as *Fryana*).—Arachn. (Acar.).
Freyella Perrier 1885, C.R. Acad. Sci., Paris, 101, 443; 1885, Ann. Sci. nat. Paris, Zool., 19, 5.—Echin.
Freyellaster Fisher 1918, Ann. Mag. nat. Hist., (9) 1, 104.—Echin.
Freyellidea Fisher 1917, Ann. Mag. nat. Hist., (8) 20, 426, 429.—Echin.
Freyeria Courvoisier 1920, Dtsch. ent. Z., Iris, 34, 234.—Lep.
Freyia Malloch 1928, Proc. U.S. nat. Mus., 73, art. 23, 8.—Dipt.
Freyianus Zumpt 1932, Mitt. dtsh. ent. Ges., 3, 90.—Col.
Frey-suila Aleman 1887, Naturaleza, (2) 1, 21.—Hem.
Friaena (pro *Tri-* Leconte 1847) Chaudoir 1863, Bull. Soc. imp. Nat. Moscou, 36 (2), 221.—Col.
Friarius Schouteden 1907, Gen. Insect., 52, 12, 42.—Hem.
Friburgoia Mello-Leitão 1932, Bol. Mus. nac. Rio de Janeiro, 8, 72.—Arachn.
Frichia (err. pro *Tri-* Hartmann 1840) Westerlund 1896, Annu. Mus. zool. Acad. Sci. St.-Petersbourg, 1, 185.—Moll.
Frichis (err. pro *Trichis* Klug 1831) Motschoulsky 1845, Bull. Soc. imp. Nat. Moscou, 18 (1), 10.—Col.
Frickella Pfeiffer 1854, Malak. Bl., 2, 2.—Moll.
Frickius Germain 1897, An. Univ. Chile, 98, 294.—Col.
Fridericia Michaelsen 1889, Abh. Ver. Hamburg, 11 (1), 40.—Verm. (Oligoch.).
Fridericianella Brandes 1894, Abh. Ges. Halle, 20, 306.—Verm. (Trem.).
Fridolinia Pilsbry 1895, in Tryon & Pilsbry, Man. Conch., (2) 9, 294.—Moll.
Friedrichsthalia Guthoerl 1930, N. Jahrb. Min. Geol. Paläont., 64 (B), 158.—Orth.
Frieleia Dall 1895, Proc. U.S. nat. Mus., 17, 713.—Brach.
Friersonia Ortman 1912, Ann. Carnegie Mus., 8, 318.—Moll.
Friesea (n.n. pro *Trianea* Tullberg 1871) Dalla Torre 1895, Progr. Gymn. Innsbruck, 46, 6, 14.—Collemb.
Friesea Schrottky 1902, Rev. Mus. Paulista, 5, 418.—Hym. (See *Parafriesea* Schrottky 1906.)
Frieseomelitta Ihering 1912, Z. wiss. InsektBiol., 8, 5.—Hym.
Friesia Enderlein 1922, Konowia, 1, 69.—Dipt.
Friga Milne 1934, Stud. N. Amer. Trichopt., 1, 19.—Trichopt.
Friganea (err. pro *Phryg-* L. 1758) de Tigny 1801, Suite à Deterville ed. Buffon, Ins., 2, 236.—Trichopt.
Frigga Koch 1850, Uebers. Arachnidensyst., 5, 66.—Arachn.
Frigidilacuna (n.n. pro *Sublacuna* Thiele 1912) Tomlin 1930, Proc. malac. Soc. London, 19, 23.—Moll.
Frigillauda (pro *Fringalanda* Hodgson 1836) Blyth 1844[45], J. Asiat. Soc. Bengal, 13, pl. 22.—Aves.
Frigillus (n.n. pro *Pontia* Milne-Edwards 1828) Gistel [1847], Handb. Naturges., 1850, 529; 1848, Nat. Thierr., 161.—Crust.
Frigilus (pro *Freg-* Cuvier 1817) Fleming 1822, Phil. Zool., 2, 247.—Aves.
Friginatica Hedley 1916, Australian Antarct. Exped. 1911-14, (C), Zool. & Bot., 4, pt. 1, 51.—Moll.
Frinca (err. pro *Tringa* L. 1758) Audubon (1838), Birds of America, pl. 428.—Aves.
Fringalanda Hodgson 1836, Asiat. Researches, 19 (1), 158 (emended in errata to *Fringalanda*).—Aves.
Fringalanda see *Fringalanda*.
Fringilauda (pro *Fringalanda* Hodgson 1836) Hodgson 1844, Zool. Miscell. (Gray), (6) 86.—Aves.
Fringilla Linnaeus 1758, Syst. Nat., ed. 10, 179; 1766, ed. 12, 317; de Lacepède 1799, Tabl. Oiseaux, 6.—Aves.

- Fringillalauda* (pro *Fringalanda* Hodgson 1836) Salvin 1882, Cat. Collect. Birds Strickland, 208.—Aves.
- Fringillaria* Swainson 1837, N.H. Classif. Birds, 2, 124, 289.—Aves.
- Fringillauda* (pro *Fringalanda* Hodgson 1836) Blyth 1844, J. Asiat. Soc. Bengal, 13 (2), 954.—Aves.
- Fringilliparus* (pro *Iloparus* Hodgson 1844) Hodgson (1845), J. Asiat. Soc. Bengal, 13, 1844, 935.—Aves.
- Fringilloides* Buturlin 1910, Nascha ochota, 4, no. 1, 119.—Aves.
- Fringilloparus* Hodgson 1844, Zool. Miscell. (Gray), (6) 84.—Aves.
- Friola* (pro *Fivola* Bruguière 1791) Menke 1830, Syn. Moll., ed. 2, 9.—Moll.
- Friona* Cameron 1902, J. Straits Asiat. Soc., 37, 61.—Hym.
- Frirenia* Kieffer 1894, Wien. ent. Ztg., 13, 201.—Dipt.
- Frireniella* Kieffer 1909, Bull. Soc. Metz, 26, 64.—Hym.
- Frischia* Oudemans 1915, Ber. Ned. Ent. Ver., 4, 195.—Arachn.
- Frisilia* Walker 1864, List Specimens Lep. Ins. Brit. Mus., 29, 795.—Lep.
- Frisimelica* Distant 1900, Ann. Mag. nat. Hist., (7) 6, 225.—Hem.
- Frisis* (err. pro *Tr*-Oken 1815) Schauffuss 1869, Moll. Syst. Cat. Paetel, 22.—Moll.
- Fritilla* (Boisduval MS.) Capronnier 1874, Ann. Soc. ent. Belgique, 17, 20.—Lep.
- Fritillaria* (ex Quoy & Gaimard 1834 *vernac.*) Huxley 1851, Phil. Trans. roy. Soc., 141, 594.—Tunicata.
- Fritillaria* Fol 1872, Mém. Soc. phys. Hist. nat. Genève, 21 (2), 473.—Tunicata. (See *Fritillum* Bartsch 1915.)
- Fritillum* (n.n. pro *Fritillaria* Fol 1872) Bartsch 1915, Proc. biol. Soc. Washington, 28, 146.—Tunicata.
- Fritschia* Dawson 1882, Phil. Trans., 173, 641.—Amph.
- Fritschia* Picard 1904, Jahrb. geol. Landesanst. Berlin, 22, 1901, Heft 4, 487.—Moll.
- Fritzia* Cambridge 1879, Proc. zool. Soc. London, 1879, 119.—Arachn.
- Fritzia* Miranda Ribeiro 1920, Rev. Mus. paulista, 12, 327.—Amph.
- Fritzrühlia* Schmidt 1924, Soc. ent., Stuttgart, 39, 22.—Hem.
- Friula* Cambridge 1897, Proc. zool. Soc. London, 1896, 1008.—Arachn.
- Friwaldskia* (n.n. pro *Fallenia* Meigen 1838) Schiner 1861, Wien. ent. Monatschr., 5, 142.—Dipt.
- Friwaldskya* (err. pro *-skia* Schiner 1861) Schiner 1862, Fauna Austriaca, Dipt., 1, 488 (as *-dzkya* p. 494), (as *-dzkia* p. 527), (as *-szkia* p. 673).—Dipt.
- Friwaldszkia* see *Friwaldskya*.
- Friwaldszkya* Ganglbauer 1899, Käf. Mitteleur., 3, 98, 100.—Col. (nec *Friwaldskia* Schiner 1861 see *Mehadiella* Csiki 1899).
- Friwaldzkia* see *Friwaldskya*.
- Friwaldzkyia* see *Friwaldskya*.
- Frix* (pro *Phryxe* R.-Desvoidy 1830) Rondani 1873, Bull. Soc. ent. Ital., 5, 26.—Dipt.
- Frixus* Thomson 1857, Arch. ent. Paris, 1, 313.—Col.
- Frocymbulia* Meisenheimer 1905, Ergeb. Tiefsee-Exped., 9 (1), 13.—Moll.
- Froekenia* Hoyle 1904, Bull. Mus. comp. Zool. Harvard, 43, no. 1, 7.—Moll.
- Frogatoides* [sic] Distant 1910, Ann. Soc. ent. Belgique, 54, 417.—Hem.
- Frogdenites* Buckman 1921, Type Ammonites, 3, pt. 26, pl. 215.—Moll.
- Froggattella* Forel 1902, Rev. suisse Zool., 10, 459.—Hym.
- Froggattia* Horváth 1902, Termés. Füzetek, 25, 604.—Hem.
- Froggattia* Ashmead 1904, Mem. Carnegie Mus., 1, 238, 241.—Hym. (See *Eufroggattia* Ashmead 1904.)
- Froggattia* Bolivar 1909, Bol. Soc. Españ. Hist. nat., 9, 288.—Orth. (See *Froggattina* Tillyard 1926.)
- Froggattiella* Leonardi 1900, Riv. Pat. veget., 8 (2), 299.—Hem.
- Froggattimyia* Townsend 1916, Canad. Ent., 48, 155.—Dipt.
- Froggattina* (n.n. pro *Froggattia* Bolivar 1909) Tillyard 1926, Ins. Australia & N. Zealand, 98 (note).—Orth.
- Froggattisca* Esben-Petersen 1915, Proc. Linn. Soc. N.S. Wales, 40, 65.—Neur.
- Froggattothrips* Bagnall 1929, Trans. ent. Soc. London, 77, 75.—Thysanopt.
- Frombachia* Blaschke 1905, Beitr. Pal. Oesterr.-Ung., 17 (3-4), 185.—Moll.
- Fromentellia* (emend. pro *Gyriophyllia* de Ferry 1863) de Ferry 1863, Bull. Soc. linn. Normandie, 7 (1861-62), 217.—Coel.
- Fromia* Gray 1840, Ann. Mag. nat. Hist., 6, 286.—Echin.
- Fromundus* Distant 1901, Trans. ent. Soc. London, 1901, 582.—Hem.
- Frondicularia* DeFrance 1824, Dict. Sci. Nat., 32, 178; d'Orbigny 1826, Ann. Sci. nat. Paris, Zool., 7, 256.—Prot.
- Frondiculina* Lamarck 1816, An. s. vert., 2, 179.—Bry.
- Frondiculina* Muenster 1835, N. Jahrb. Min., 1835, 444 [n.n.]; 1838, N. Jahrb. f. Min., 1838, 382.—Prot.
- Fron dipora* Link 1807, Besch. Nat. Samml. Univ. Rostock, (3) 163; Oken 1815, Lehrb. Nat., 3 (1), 63; de Blainville 1830, Dict. Sci. Nat., 60, 371.—Bry.
- Fronosaria* Schlueter 1838, Kurzg. syst. Verz. Conch., 20.—Moll.
- Fron dovaginulina* Schubert 1912, Zbl. Min. Geol. Pal., 1912, 408.—Prot.

- Frontalia* Malloch 1929, in Bezzi, Proc. Linn. Soc. N.S. Wales, 54, 28.—Dipt.
- Frontella* Kulczyński 1908, Mém. Acad. St-Pétersbourg, (8) 18, no. 7, 24.—Arachn.
- Frontina* Meigen 1838, Syst. Besch. Zweifl. Insekt., 7, 247.—Dipt.
- Frontina* Simon 1884, Arachn. France, 5 (2), 206.—Arachn. (See *Floronia* Simon 1887.)
- Frontinella* Cambridge 1902, Biol. Centr. Amer., Zool., Arachn. Aran., 2, 420.—Arachn.
- Frontinia* (pro -na Simon 1884) Marx 1892, Proc. ent. Soc. Washington, 2, 157.—Arachn.
- Frontiniella* Townsend 1918, Proc. ent. Soc. Washington, 20, 21.—Dipt.
- Frontiniellopsis* Townsend 1927, Suppl. ent., 16, 61.—Dipt.
- Frontinogaedia* Townsend 1926, Insec. Inscit. menst., 14, 37.—Dipt.
- Frontinus* Stål 1874, Recensio Orth., 2, 20.—Orth.
- Frontipoda* (n.n. pro *Marica* Koch 1836) Koenike 1891, Zool. Anz., 14, 19.—Arachn.
- Frontipodopsis* Walter 1919, Zool. Anz., 50, 257.—Arachn.
- Fronto* Petri 1901, Monogr. Hyper., 4, 7.—Col.
- Frontocephalia* Townsend 1916, Bull. Amer. Mus. nat. Hist., 35, 16.—Dipt.
- Frontodes* Marshall 1920, Ann. Mag. nat. Hist., (9) 6, 381.—Col.
- Frontonia* Ehrenberg 1838, Die Infusionsth., 329.—Prot.
- Frontoniella* Wetzel 1927, Arch. Protistenkunde, 60, 130.—Prot.
- Frontopsylla* Wagner & Ioff 1926, Rev. Microbiol. & Epidémiol., 5, 84.—Siphonapt.
- Frontiepia* Vitzthum 1919, Zool. Anz., 50, 189.—Arachn.
- Froudeana* Girault 1928, Some Insecta and a New All Highness, 4 [privately printed].—Hym.
- Frovina* Thiele 1912, Dtsch. Südpolar Exped. 1901-03, 13, Zool. 5, 196.—Moll.
- Froweinia* Oudemans 1923, Ent. Ber., 6, 183.—Arachn.
- Fructicola* (err. pro *Fruti-* Held 1837) Paetel 1875, Fam. Gatt. Moll., 82.—Moll.
- Fructico-campylaea* (err. pro *Fruti-* Kobelt 1871) Paetel 1875, Fam. Gatt. Moll., 82.—Moll.
- Fructuarius* (emend. pro *Agyiotes* Eschscholtz 1829) Gistel 1848, Nat. Thierr., xi.—Col.
- Frugilegus* Selys 1842, Faune Belge, 1, 68.—Aves.
- Fruhstorferia* Kolbe 1894, Ent. Ztg., Stettin, 55, 3.—Col.
- Fruhstorferia* Willemse 1921, Zool. Meded., 6, 16.—Orth. (Cf. *Fruhstorferiola* Willemse 1922.)
- Fruhstorferiola* (pro -feria Willemse 1921) Willemse 1922, Ent. Mitt., 11, 3.—Orth.
- Fruirionella* Canu & Bassler 1926, Prof. Pap. U.S. geol. Surv., 137, 35.—Bry.
- Fruticula* (err. pro *Frutici-* Held 1837) Steusloff 1924, Arch. Molluskenk., 56, 113.—Moll.
- Fruticana* Caziot 1910, Etude Moll. Princip. Monaco, 83.—Moll.
- Fruticantor* Maynard 1907, Direct. Birds N. Amer., No. 9, 246.—Aves.
- Fruticola* Held 1837, Isis (Oken), 1837, 914.—Moll.
- Fruticola* Macgillivray 1839, Hist. Brit. Birds, 2, 273.—Aves.
- Fruticola* Hutton 1884, Trans. New Zealand Inst., 16, 194.—Moll. (See *Phenacohelix* Suter 1892.)
- Fruticula* (err. pro -cola Held 1837) Chiamenti 1899, Riv. Ital. Sci. nat., Siena, 19, 35.—Moll.
- Fruticocampylaea* Kobelt 1871, Cat. europ. Binnenconch., 13.—Moll.
- Fruticocamylaea* (err. pro -campylaea Kobelt 1871) Boettger 1883, Jahrb. dtsh. malakozool. Ges., 10, 170.—Moll.
- Fruticoconus* Moellendorff 1882, Jahrb. dtsh. malakozool. Ges., 9, 184.—Moll.
- Fruticola* (err. pro *Fruticicola* Held 1837) Mousson 1876, J. Conchyliol., 24, 28.—Moll.
- Fruticotrochus* Kobelt 1879, Faun. Moll. Extram. Japon. (ex Abh. Senckenb. Ges., 11) 332.—Moll.
- Fruticula* (err. pro *Fruticicola* Held 1837) Dybowski & Grochmalicki 1925, Kosmos, 50, 824.—Moll.
- Frutiola* (err. pro *Fruticicola* Held 1837) Paetel 1875, Fam. Gatt. Moll., 82.—Moll.
- Frutiornis* Maynard 1907, Direct. Birds N. Amer., No. 9, 251.—Aves.
- Fruis* Stål 1862, Ofvers. VetenskAkad. Förh. Stockholm, 19, 488.—Hem.
- Fruva* Grote 1877, Canad. Ent., 9, 69.—Lep.
- Fryana* see *Freyana*.
- Fryanus* Fleutiaux 1902, Ann. Soc. ent. France, 70, 1901, 663.—Col.
- Fryella* Hustache 1929, Ann. Mag. nat. Hist., (10) 4, 349.—Col.
- Fryeria* Gray 1853, Ann. Mag. nat. Hist., (2) 11, 218.—Moll.
- Fryeria* Bolivar 1912, Trans. Linn. Soc. London, 15, 291.—Orth.
- Fucellia* Robineau-Desvoidy 1842, Ann. Soc. ent. France, 10 (4), 269.—Dipt.
- Fucellina* Schnabl & Dziedzicki 1912, Nova Acta Acad. Leop. Carol., 95, 123.—Dipt.
- Fuchouia* Resser & Endo 1935, in Kobayashi, J. Fac. Sci. Univ. Tokyo, Geol., 4, 136.—Trilobita.
- Fuchsia* Spuler (1910), in Hofmann-Spuler, Schmett. Eur., 2, 346.—Lep.
- Fuchsia* Micoletzky 1922, Arch. Naturgesch., 87, 1921, A8-9, 119.—Verm. (Nema.).
- Fuchsiana* Gredler 1887, Malak. Bl., (N.F.) 9, 148.—Moll.

- Fuchsina Fall 1899, Trans. Amer. ent. Soc., 26, 145, 183.—Col.
 Fucicola (emend. pro *Fucola* Quoy & Gaimard 1833) Menke 1844, Zeitschr. f. Malakozool., 1, 42.—Moll.
 Fucicola (n.n. pro *Chlorodius* Milne-Edwards 1834) Gistel 1848, Nat. Thierr., viii.—Crust.
 Fucinia (n.n. pro *Geyeria* Fucini 1901) Tomlin 1930, Proc. malac. Soc. London, 19, 24.—Moll.
 Fucineras Haas 1913, Beitr. Paläont. Geol. Osterr.-Ung., 26, 75.—Moll.
 Fucitrogus Brady 1894, J.R. micr. Soc., 1894, 169.—Crust.
 Fucoides Brongniart 1828, Hist. végét. foss., 1, 70.—Coel.
 Fucola Quoy & Gaimard (1833), in d'Urville, Voy. "Astrolabe," Zool., 2, 321.—Moll.
 Fucomyia Holiday 1837, in Curtis, Guide Brit. Ins., ed. 2, App., 280; 1838, Ann. nat. Hist., 2, 186; 1840, in Westwood, Mod. class. Ins., Gen. Syn., 144.—Dipt.
 Fucotherium Kaup 1840, N. Jahrb. f. Min., 1840, 675.—Mamm.
 Fudia (pro *Foudia* Reichenbach 1850) Schlegel 1857, Handl. Dierk., 1, 372, 373.—Aves.
 Füllebornema Trevassos & Darriba 1929, Sci. Med. Rio de Janeiro, 7, 434 [sep. p. 5].—Verm. (Nema).
 Fülleborniella Enderlein 1902, Mitt. Mus. Berlin, 2, 10.—Psocopt.
 Fuelebornius Leiper 1926, Arch. Schiffs- u. Trop. Hyg., 30, 491.—Verm. (Nema).
 Fuentea Broelemann 1920, Mem. Soc. Españ. Hist. nat., 11, 125.—Myr.
 Fuentenus Navás 1909, Act. Mem. Congr. Nat. Españ., 1, 154.—Neur.
 Fuentes Peckham 1894, Occ. Pap. Soc. Wisconsin, 2 (2), 113.—Arachn.
 Füsslinia Heer 1847, N.D. Allg. Schweiz. Gesellsch., 8, 123.—Col.
 Fufius Simon 1888, Ann. Soc. ent. France, (6) 8, 212.—Arachn.
 Fugia Duponchel 1846, Cat. méth. Lépid. Europe, (3) 348.—Lep.
 Fuhrmannella Baer 1924, Ann. Parasit. hum. comp., 2, 242.—Verm. (Cest.).
 Fuhrmannetta (emend. pro *Railletina* Fuhrmann 1920) Stiles & Orleman 1926, Ann. Parasit. hum. comp., 4, 67.—Verm. (Cest.).
 Fuhrmannia Parona 1901, Atti Soc. Ligust., 12, no. 1, 10.—Verm. (Cest.).
 Fuhrmannia (n.n. pro *Lophorhynchus* Haellstroem & Luther 1907) Graff 1908, in Bronn, Klass. Ordn. Tierreichs, 4 (1C), 2505, 2515.—Verm. (Turb.).
 Fuhrmanniella Shen 1932, Ann. Parasit. hum. comp., 10, 121.—Verm. (Cest.).
 Fuhrmannodesmus Carl 1914, Mém. Soc. neuchâtel. Sci. nat., 5, 955.—Myr.
 Fulakora Mann 1919, Bull. Mus. comp. Zool. Harvard, 63, 279.—Hym.
 Fulcia (err. pro *Fulica* L. 1758) Eydoux & Souleyet 1841, in Vaillant, Voy. "Bonite," Zool., 1, 102.—Aves.
 Fulcifax Voet [? 1806], Cat. Syst. Coléopt., 2, 33.—Col.
 Fulcinea (pro -nia Stål 1877) Kirby 1904, Synon. Cat. Orthopt., 1, 257.—Orth.
 Fulcinia Stål 1877, Bih. svenska VetenskAkad. Handl., 4, no. 10, 27.—Orth.
 Fulciniella Giglio-Tos 1915, Bull. Soc. ent. ital., 46, 57.—Orth.
 Fulciniola Giglio-Tos 1915, Bull. Soc. ent. ital., 46, 63.—Orth.
 Fulcrella Cossmann 1886, Ann. Soc. malac. Belgique, 21, 149.—Moll.
 Fulgaria (err. pro *Fulgoraria* Schumacher 1817) Eastman 1900, Text-Book Palaeont., 1, 480.—Moll.
 Fulgentius Distant 1904, Ann. Mag. nat. Hist., (7) 13, 103.—Hem.
 Fulgia Chevallier 1822, J. Phys. Chim. Hist. nat., 94, 31.—Prot.
 Fulgophytaecia Pic 1900, Bull. Soc. zool. France, 25, 16.—Col.
 Fulgophytoecia (err. pro -taecia Pic 1900) Aurivillius 1923, Col. Cat., 74, 550.—Col.
 Fulgura Linnaeus 1767, Syst. Nat., ed. 12, 1, 703.—Hem.
 Fulgura Wagner 1905, Denkschr. Akad. Wiss. Wien, 77, 408.—Moll.
 Fulgoraria Schumacher 1817, Ess. Vers test., 73, 242.—Moll.
 Fulgoridicida Perkins 1906, Bull. Hawaii. Sug.-Pl. Ass. Exp. Sta., Div. Ent., No. 1, 250.—Hym.
 Fulgoridium Handlirsch 1906, Foss. Ins., 496.—Hem.
 Fulgorina Goldenberg 1869, N. Jahrb. Min., 1869, 166.—Protoblatt.
 Fulgorothesis Faure 1933, Bull. Brooklyn ent. Soc., 28, 62.—Thysanopt.
 Fulgur Montfort 1810, Conch., 2, 502.—Moll.
 Fulgura Costa (1840), Fauna Sicil., (1), Fulgura, 1.—Hem.
 Fulgoraria (err. pro -goraria Schumacher 1817) Moersch 1852, Cat. Yoldi, 1, 124.—Moll.
 Fulgurodes Guenée 1857, Hist. nat. Ins., Spec. gén. Lépid., 10, 213.—Lep.
 Fulguroficus Sacco 1890, Boll. Mus. Zool. Anat. Comp. Torino, 5, No. 86, 27.—Moll.
 Fulgurofusus Grabau 1904, Smithsonian. misc. Coll., 44, no. 1417, 86.—Moll.
 Fulguropirus (emend. pro -oficus Sacco 1890) Cossmann 1893, Annuaire géol. Univ., 8, 1891, 738.—Moll.
 Fulgurotherium von Huene 1932, in Soergel, Monogr. Geol. u. Palaeont., (1) Heft 4, 69.—Rept.
 Fulgus (err. pro -gur Montfort 1810) Desmarest 1858, in Chenu, Encycl. Hist. nat., Crust. Moll. Zooph., 179.—Moll.

- Fulica* Linnaeus 1758, Syst. Nat., ed. 10, 152; 1766, ed. 12, 257.—Aves.
Fulicaetornis Lambrecht 1933, Palaeorn., 479.—Aves.
Fulicopus Costa 1863, Rend. Accad. Sci. Napoli, 2, 259.—Hem.
Fuligo Wiggers 1780, Prim. Florae Holsat., 112.—? Prot.
Fuligula Stephens 1824, in Shaw, Gen. Zool. (Aves), 12 (2), 187; Bonaparte 1832, Distr. metod. Vert., 85.—Aves.
Fulix Sundevall (1836), K. svenska VetenskAkad. Handl., 1835, 129.—Aves.
Fulla Daniellssen 1886, N. Mag. Naturv., 30 (1), 94.—Coel.
Fulla Navás 1930, Rev. chil. Hist. nat., 33, 1929, 328.—Plecopt.
Fullacia (pro *Fall-* Quatrefages 1866) Eisig 1881, Mitt. Stat. Neapel, 2 (3), 257.—Verm. (Polych.).
Fullaway Essig 1912, Pomona Coll. J. Ent., 4, 735.—Hem.
Fullawayella Del Guercio 1911, Redia, 7, 462.—Hem.
Fülle- see *Fuelle-*.
Fulleta Navás 1930, Rev. Zool. Bot. afr., 19, 318.—Ephem.
Fulmaria (pro *-rus* Stephens 1826) Rey 1872, Synon. Eur. Brutvög., 196.—Aves.
Fulmarus Stephens 1826, in Shaw, Gen. Zool. (Aves), 13 (1), 233.—Aves.
Fulmekia Karny 1926, Treubia, 9, 152.—Orth.
Fulmekiola Karny 1925, Bull. Deli Proefst. Medan, No. 23, 18.—Thysanopt.
Fulmentum Fischer 1884, Man. Conch., 632.—Moll.
Fulotoma (err. pro *Tu-* Haldeman 1840) Meek 1876, Rep. U.S. geol. Surv. Terr., 9, 582.—Moll.
Fulton Scott 1902, Ann. Rep. Fish. Board Scotl., 20 (3), 465.—Crust.
Fultura Gistel 1837, Faunus, (N.F.) 1, 111.—Hem.
Fulvetta David & Oustalet 1877, Ois. Chine, 220.—Aves.
Fulvia Gray 1853, Ann. Mag. nat. Hist., (2) 11, 40.—Moll.
Fulvia Adams [non Gray 1853] 1857, Gen. Rec. Moll., 2, 457.—Moll.
Fulvidius Poppius 1910 [sep. 1909], Acta Soc. Sci. Fenn., 37, no. 4, 20.—Hem.
Fulvius Stål 1862, Ent. Ztg., Stettin, 23, 322.—Hem.
Fumaria Haworth 1811, Lepidopt. Brit., (3) 473 [err. typ. 373].—Lep. (Cf. *Fumea* Haworth 1812.)
Fumea (n.n. pro *Fumaria* Haworth 1811 preocc. in botany) Haworth 1812, Trans. ent. Soc. London, 1 (3), 340.—Lep.
Fumecostylus (err. pro *Eum-* Martens 1860) Paetel 1875, Fam. Gatt. Moll., 79.—Moll.
Fumerus (err. pro *Eumeros* Meigen 1803) Eversmann 1834, Bull. Soc. imp. Nat. Moscou, 7, 425.—Dipt.
Fumua Schouteden 1912, Rev. Zool. Bot. afr., 1, 420.—Hem.
Funambulus Lesson 1835, Illustr. de Zool., (15) pl. 43.—Mamm.
Funambulus (pro *Funambulus* Lesson 1835) Casto de Elera 1895, Cat. Fauna Filipinas, 1, 21.—Mamm.
Funchalia Johnson 1868, Proc. zool. Soc. London, 1867, 895.—Crust.
Fundania Distant 1884, Biol. Centr. Amer., Zool., Rhynch. Heteropt., 1, 290.—Hem.
Fundaspis MacGillivray 1921, The Coccidae, 307, 337.—Hem.
Fundella Zeller 1848, Isis (Oken), 1848, 866.—Lep.
Fundella Gregorio 1884, Bull. Soc. malac. Ital., 10, 72.—Moll.
Fundulichthys Bleeker 1860, Natuurk. Tijdschr. Ned.-Ind., 20, 439.—Pisces.
Fundulopanchax Myers 1924, Amer. Mus. Novit., No. 116, 4.—Pisces.
Fundulosoma Ahl 1924, Zool. Anz., 60, 52.—Pisces.
Fundulus Lacepède 1803, Hist. Nat. Poiss., 5, 37.—Pisces.
Fundulus (emend. pro *Microzoum* Dejean 1834) Gistel 1848, Nat. Thierr., 125; [1847], Handb. Naturg., 1850, 409.—Col.
Funebribombus Skorikov 1922, Bull. Sta. Rég. Prot. Plantae Petrograd, 4, 157.—Hym.
Fungella v. Hagenow [1851], in Geinitz, H.B. Das Quadersandsteingeb., 240 [n.n.]; 1851, Bry. Maast. Kreidebild., 37.—Bry.
Fungia Lamarck 1801, Syst. Anim., 369; 1816, An. s. vert., 2, 234.—Coel.
Fungiacyathus Sars 1872, Forms Norweg. Coast, 1, 58.—Coel.
Fungina Ehrenberg 1834, Corall. Roth Meer., —.—Coel.
Fungina Rondani 1856, Dipt. ital. Prodr., 1, 194.—Dipt. (See *Agaromya* Rondani 1861.)
Funginella d'Orbigny 1849, Note Polyp. foss., 11.—Coel.
Fungis (err. pro *-gia* Lamarck 1801) Quoy & Gaimard 1833, in d'Urville, Voy. "Astrolabe," Zool., 4, 178.—Coel.
Fungispongia Ringeberg 1884, Proc. Acad. nat. Sci. Philad., 1884, 147.—Spong.
Fungites Gl[editsch] 1765, Berlin Mag., 1, 266.—Coel.
Fungitus (pro *-gia* Lamarck 1801) Rafinesque 1815, Analyse, 157.—Coel.
Fungivora Meigen 1800, N. Class. Mouches, 16.—Dipt.
Fungivoridae Lengersdorf 1926, Konowia, 5, 122.—Dipt.
Fungobia Lioy 1864, Atti Ist. Veneto, (3) 9, 1114.—Dipt.
Fungocystis (pro *-ites* Barrande 1887) Haeckel 1896, Jena. Z., 30, 401.—Echin.

- Fungocystites* Barrande 1887, Syst. silur. Bohême, Rech. pal., 7 (1), 157.—Echin.
Fungophyllia Gerth 1923, Samml. Geol. Mus. Leiden, 10, 64.—Coel.
Fungulus Herdman 1882, Rep. Voy. Challenger, Zool., 6, 127.—Tunicata.
Fungus Mueller 1766, Del. Nat., 1, 128.—Coel.
Funicularia Forbes 1845, Rep. Brit. Assoc. (York, 1844), 14, Trans., 64.—Coel.
Funicularia Monterosato 1884, Nomencl. Conch. medit., 85.—Moll.
Funiculina Lamarck 1816, An. s. vert., 2, 422.—Coel.
Funiculus Heude 1888, J. Conchylol., 36, 241.—Moll.
Funingus (pro *Furni*-Chenu & Des Murs 1854) Bonaparte 1854, C.R. Acad. Sci., Paris, 39, 880.—Aves.
Funis Seeley 1861, Ann. Mag. nat. Hist., (3) 7, 285.—Moll.
Funiscalia Boury 1891, Bull. Soc. malac. Ital., 15, 205.—Moll.
Funisciurus Trouessart 1880, Le Naturaliste, 1, no. 37, 293.—Mamm.
Funkhouserella Schmidt 1926, Soc. ent., Stuttgart, 41, 22.—Hem.
Funkioea Roewer 1927, Boll. Lab. Zool. Portici, 20, 201.—Arachn.
Funkikonia Katô 1931, Dobuts. Zasshi, 43, 438.—Hem.
Furca (Barrande MS.) Fritsch 1909, Zool. Anz., 33, 797.—Echin.
Furcacampa Netolitzky 1931, Dtsch. ent. Z., 1931, 158.—Col.
Furcaria Lesson 1837, Comp. de Buffon, 8, 320.—Aves.
Furcaria Poey 1860, Mem. Cuba, 2, 194.—Pisces.
Furcaspis Lindinger 1908, Berlin. ent. Z., 52 (1907), 99.—Hem.
Furcaster Stuertz 1886, Palaeontogr., 32, no. 2-3, 79.—Echin.
Furcella Lamarck 1801, Syst. An. s. vert., 104.—? Moll. vel Verm.
Furcella Jordan & Evermann [1897 [sep. 1896]], Rep. U.S. Comm. Fish., 21, 1894-95, 480.—Pisces. (See *Furcimanus* Jordan & Evermann 1898.)
Furchadaspis MacGillivray 1921, The Coccidae, 310, 358.—Hem.
Furcifer Fitzinger 1843, Syst. Rept., 15, 42.—Rept.
Furcifer Wagner 1844, in Schreber, Säugth. (Suppl.), 4, 384.—Mamm. (See *Craegroceros* Fitzinger 1874.)
Furcifera Kroeber 1911, Ann. Mus. Hungar., 9, 524.—Dipt.
Furciger Abeille de Perrin 1869, Ann. Soc. ent. France, (4) 9, 406.—Col.
Furcilia Dana 1850, Amer. J. Sci., (2) 9 (25), 131.—Crust.
Furcilla Stokes 1890, Proc. Amer. phil. Soc., 28, 77.—Prot.
Furcilliger Horváth 1925, Ark. Zool., 17A, no. 24, 3.—Hem.
Furcillus Cope 1892, J. Morphol., 7, 234.—Rept.
Furcimanus (n.n. pro *Furcella* Jordan & Evermann 1896) Jordan & Evermann 1898, Bull. U.S. nat. Mus., 47 (3), 2472, 2869.—Pisces.
Furcina Jordan & Starks 1904, Proc. U.S. nat. Mus., 27, 235, 303.—Pisces.
Furcinerva Rondani 1846, N. Ann. Sci. Nat. Bologna, [2] 6, 369.—Dipt.
Furcinevra (pro *-nerva* Rondani 1846) Bigot 1854, Ann. Soc. ent. France, (3) 2, 461.—Dipt.
Furcipalpus Guérin-Ménéville 1861, Rev. Mag. Zool., (2) 13, 533.—Col.
Furcipenis Hubbs 1931, Occ. Pap. Mus. Zool. Univ. Mich., No. 230, 1.—Pisces.
Furcipes (pro *-pus* Desbrochers 1868) Bedel 1884, Faune Col. Bassin Seine, 6, 128.—Col.
Furcipus Desbrochers 1868, Ann. Soc. ent. France, (4) 8, 413.—Col.
Furcirhynchia Buckman 1914, Gen. jurass. Brach., 2 ; 1917, Pal. Indica, 3 (2), 59.—Brach.
Furcivena Hampson 1896, Fauna Brit. Ind., Moths, 4, 374.—Lep.
Furcocerca Lamarck 1815, An. s. vert., 1, 443 ; Bory de St. Vincent 1825, Dict. class. H.N., 7, 84.—Verm. (Gastrotricha).
Furcomyia (Megerle MS.) Meigen 1818, Syst. Besch. Zweifl. Ins., 1, 133 [*in syn.*].—Dipt.
Furcosmia Schmiedeknecht [1885], Apidae Europ., 2, 22.—Hym.
Furcula Lamarck 1816, An. s. vert., 3, 581.—Lep.
Furcularia Lamarck 1816, An. s. vert., 2, 36.—Verm. (Rotif.).
Furcuria (pro *-caria* Lesson 1837) Gray 1840, List Gen. Birds, 33.—Aves.
Furga Navás 1930, Brotéria, Sér. Zool., 26, 122.—Neur.
Furgoraria (err. pro *Fulgo*-Schumacher 1817) Nagao 1928, Sci. Rep. Tôhoku imp. Univ. Sendai, (2) Geol., 12, no. 1, 133 (123).—Moll.
Furgus Navás 1921, Estudios Buenos Aires, 21, 51.—Neur.
Furia Linnaeus 1768, Syst. Nat., ed. 10, 647 ; 1767, ed. 12, 1325.—Verm. (Nema.).
Furia Cuvier 1828, Mém. Mus. H.N. (Paris), 16 [3], 150.—Mamm. (See *Furipterus* Bonaparte 1837.)
Furiella Gray 1866, Ann. Mag. nat. Hist., (3) 17, 91.—Mamm.
Furina Duméril 1853, Mém. Acad. Sci. Inst. France, 23, 517.—Rept.
Furina Jaennicke 1867, Abh. Senckenberg. Mus., 6, 318.—Dipt.
Furipterus (n.n. pro *Furia* Cuvier 1828) Bonaparte 1837, Icon. F. Ital., 1 (21), Plecotus auritus, [3] ; 1838, Mag. Zool. Bot., 2 (12), 496.—Mamm.
Furnarius Vieillot 1816, Analyse, 47.—Aves.
Furnia Stål 1876, Bih. svenska VetenskAkad. Handl., 4, no. 5, 57.—Orth.

Furningus Chenu & Des Murs [1854], in Chenu, Encycl. Hist. nat., Ois., 6, 27, 32.—Aves.

- Furo (n.n. pro *Eugnathus* Agassiz 1836) Gistel 1848, Nat. Thierr., ix.—Pisces.
 Furunculus Linnaeus (1766), Amoen. Acad., 7, 450.—Mamm.
 Furunculus (emend. pro *Trichopoda* Berthold 1827) Gistel 1848, Nat. Thierr., xi.—Dipt.
 Fusa Navás 1925, Rev. chil. Hist. nat. 29, 307.—Neur.
 Fusacarus Michael 1901, Brit. Tyroglyph., 1, 225; 1903, 2, 7.—Arachn.
 Fusadonta Matsumura 1921, Thous. Ins. Japan, Addit., 4, 795.—Lep.
 Fusalia Casey 1911, Mem. Col., 2, 145.—Col.
 Fusania Jordan & Starks 1905, Proc. U.S. nat. Mus., 28, 198.—Pisces.
 Fusapteryx Matsumura 1921, Thous. Ins. Japan, Addit., 4, 814.—Lep.
 Fusarella Seurat 1916, C.R. Soc. Biol., 79, 66.—Verm. (Nema.).
 Fusaria Zeder 1800, in Goeze, 1 Nachtr. Eingeweidewürm, 16.—Verm. (Nema.).
 Fusarium (pro *Fusus* Bruguière 1789) Link 1830, Handb. phys. Erdbeschr., 2, 438.—Moll.
 Fusicornis (err. pro *Fusi*-Philippi 1866) Taschenberg 1908, in Heyne & Taschenberg, Exot. Käfer, 191.—Col.
 Fuscomitra (Monterosato MS.) Pallary 1900, J. Conchyliol., 48, 263.—Moll.
 Fusconaia Simpson 1900, Proc. U.S. nat. Mus., 22, no. 1205, 784.—Moll.
 Fusonaja (err. pro *-naia* Simpson 1900) Ortman 1912, Ann. Carnegie Mus., 8, 240.—Moll.
 Fusonia (err. pro *-naia* Simpson 1900) Frierson 1927, Class. Annot. Check-List N. Amer. Naiades, 10, 54.—Moll.
 Fuscocala Monterosato 1890, Natural. Sicil., 9, 149.—Moll.
 Fuscozetes Sellnick 1928, Tierwelt Mitteleurop., 3 (9), 7, 11.—Arachn.
 Fusculusiana (Bourguignat MS.) Locard 1889, Ann. Soc. linn. Lyon, (N.S.) 35, 132.—Moll.
 Fuscuropada Vitzthum 1924, Treubia, 5, 360.—Arachn.
 Fuscus Distant 1884, Biol. Centr. Amer., Zool., Rhynch., Heteropt., 1, 299.—Hem.
 Fusella McCoy 1844, Syn. Carb. Lst. Foss. Ireland, 128, 132.—Brach.
 Fushia Matsumura 1917, Essays Nawa, 70.—Hem.
 Fusicellaria d'Orbigny 1851, Paléont. franç., Terr. créét., 5, Bry., 185.—Bry.
 Fusicornis Philippi 1866, Ent. Ztg., Stettin, 27, 115.—Col.
 Fusiella Lee & Chen 1930, in Lee, Chen & Chu, Mem. nat. Res. Inst. Geol. Shanghai, 9, 107.—Prot.
 Fusifer Dendy 1896, Proc. roy. Soc. Victoria, (N.S.) 8, 49.—Spong.
 Fusifer Raffray 1900, Ann. Soc. ent. France, 67, 1899, 524.—Col.
 Fusigenus Renier [1804], Tavole, viii.—Moll.
 Fusigobius Whitley 1930, Australian Zool., 6, 122.—Pisces.
 Fusigonyaulax Kofoid 1911, Univ. Calif. Publ. Zool., 8, 201.—Prot.
 Fusilaspis MacGillivray 1921, The Coccidae, 275, 289.—Hem.
 Fusillus Lowe 1852, Ann. Mag. nat. Hist., (2) 9, 120.—Moll.
 Fusimitra Conrad 1855, Proc. Acad. nat. Sci. Philad., 7, 261.—Moll.
 Fusimorio Sacco 1897, in Bellardi & Sacco, Moll. Terr. terz. Piemonte Liguria, 22, 25.—Moll.
 Fusinella (n.n. pro *Buccinella* Thiele 1912) Thiele 1917, NachrBl. dtsh. malac. Ges., 49, 24.—Moll.
 Fusinus (err. pro *-nus* Rafinesque 1815) Nelson 1925, Bull. Dep. Geol. Sci., Univ. Calif. Pub., 15, 429.—Moll.
 Fusinosteira Olsson 1932, Bull. Amer. Paleont., 19, 3, 179.—Moll.
 Fusinus (emend. pro *Fusus* Lamarck 1799) Rafinesque 1815, Analyse, 145.—Moll.
 Fusispira Hall 1872 [sep. 1871], Ann. Rep. N. York Mus., 24, 229.—Moll.
 Fuisyrinx Bartsch 1934, Smithsonian misc. Coll., 91, no. 2, 7.—Moll.
 Fusites Krueger 1823, Gesch. d. Urwelt, 2, 426.—Moll.
 Fusitoma Casey 1904, Trans. Acad. St. Louis, 14, 163.—Moll.
 Fusitriton Cossmann 1903, Essais Paléoconch. Comp., 5, 109.—Moll.
 Fusiturrlicula Woodring 1928, Mioc. Moll. Bowden (Carnegie Inst.), 2, 7, 165.—Moll.
 Fusiturris Thiele 1929, Handb., 1, 361.—Moll.
 Fusiulus Attems 1909, Ark. Zool., 5, no. 3, 59.—Myr.
 Fusius Stål 1862, Ent. Ztg., Stettin, 23, 458.—Hem.
 Fusivoluta Martens 1902, S.B. Ges. naturf. Fr. Berlin, 1902, 237.—Moll.
 Fusocranchia Joubin 1920, Res. camp. Sci. Monaco, 54, 73.—Moll.
 Fusofucula Sacco 1890, Boll. Mus. Zool. anat. comp. Torino, 5, no. 86, 26.—Moll.
 Fusohericia Vitzthum 1931, Arch. Hydrobiol., 9, 98.—Arachn.
 Fusoidea Wohrmann & Koken 1892, Z. dtsh. geol. Ges., 44, 197.—Moll.
 Fusoidea Reis 1897, Geogn. Jahresh., 9, 97, 98.—Moll. (See *Reisia* Tomlin 1929.)
 Fusoides Cossmann 1909, Essais Paléoconch. Comp., 8, 3.—Moll.
 Fusomurex Coen 1922, Atti Soc. ital. Sci. nat., Milano, 61, 69.—Moll.
 Fusonema Kreis 1928, Mitt. zool. Mus. Berlin, 14, 181.—Verm. (Nema.).
 Fusopirula (emend. pro *Fusofucula* Sacco 1890) Cossmann 1893, Ann. Géol. Univ., 8, 738.—Moll.

- Fusos* (err. pro *Fusus* Bruguière 1789) Sowerby 1903, Marine Invest. S. Africa, 2 no. 3, 228.—Moll.
- Fusoterebra* Sacco 1891, in Bellardi & Sacco, Moll. Terr. terz. Piemonte Liguria, 10, 59.—Moll.
- Füsslinia* see *Fuesslinia*.
- Fustiaria* Stoliczka 1868, Pal. Ind., (5) no. 10, 439, 445.—Moll.
- Fusticularia* Simpson 1905, Ann. Mag. nat. Hist., (7) 15, 564.—Coel.
- Fustiger* Leconte 1866, Proc. Acad. nat. Sci. Philad., 1866, 108.—Col.
- Fustigerillus* Wasmann 1918, Tijdschr. Ent., 60, 1917, 400.—Col.
- Fustigerinus* Wasmann 1912, Z. wiss. Zool., 101, 105.—Col.
- Fustigerodes* Reitter 1884, Dtsch. ent. Z., 28, 168.—Col.
- Fustigeropsis* Raffray 1890, Rev. Ent. franç., 9, 164.—Col.
- Fustis* Lin 1932, Lingnan Sci. J., 11, 517.—Pisces.
- Fusula* (Megerle MS.) Scudder 1882, Nom. Zool. (Suppl.), 140 [n.n.].—Moll.
- Fusulina* Fischer 1829, Bull. Soc. imp. Nat. Moscou, 1 (10), 330.—Prot.
- Fusulinella* Moeller 1877, N. Jahrb. Min., 1877, 144.—Prot.
- Fusulus* Fitzinger 1833, Beitr. Landesk. Oesterr. Enns (Ver. Vaterl. Gesch. Wien), 3, 105.—Moll.
- Fusus* Helbling 1779, Abh. Privatges. Böhmen, 4, 116.—Moll. (Turrid.).
- Fusus* Bruguière [non Helbling] 1789, Ency. Méth. (Vers), (1) xv.—Moll.
- Fusus* Bolten [non Bruguière] 1798, Mus. Bolten., (2) 118.—Moll.
- Fusus* Lamarck [non Bolten] 1799, Mém. Soc. H.N. Paris, 73.—Moll.
- Futilia* Robineau-Desvoidy 1863, Hist. nat. Dipt., 1, 1049.—Dipt.
- Futuronerva* Bryk 1928, Ent. Z., 42, 50.—Lep.
- Fuyangia* (n.n. pro *Chalinura* Goode & Bean 1882) Whitley 1931, Australian Zool., 6, 334.—Pisces.
- Fylgia* Kirby 1889, Trans. zool. Soc. London, 12, 259, 312.—Odon.
- Fylla* Kirby 1889, Trans. zool. Soc. London, 12, 259, 313.—Odon.
- Fyscosporidium* Awerinzew 1924, Arch. Russe Prot., 3 (3-4), 105 (also as *Physcosporidium*).—Prot.

G

- Gaala* Walker 1865, List Specimens Lep. Ins. Brit. Mus., 34, 1128.—Lep.
- Gaana* Walker 1866, List Specimens Lep. Ins. Brit. Mus., 35, 1729.—Lep.
- Gabala* Walker 1865, List Specimens Lep. Ins. Brit. Mus., 34, 1220.—Lep.
- Gabalaea* Walker 1866, List Specimens Lep. Ins. Brit. Mus., 35, 1743.—Lep.
- Gabalcyorhynchus* (pro *Galbalcyorhynchus* Des Murs 1845) Cabanis 1851, in Ersch & Gruber, Enc. (Sect. 1), 52, 310.—Aves.
- Gabaloea* Walker [1868], J. Linn. Soc. London, Zool., 10 (1870), 170.—Hem.
- Gabanimyia* Townsend 1914, Insec. Inscit. menst., 2, 44.—Dipt.
- Gabara* Walker 1866, List Specimens Lep. Ins. Brit. Mus., 35, 1740.—Lep.
- Gabata* Raffray 1898, Trans. S. Afr. phil. Soc., 10, 387.—Col.
- Gabaza* Walker [1858], J. Proc. Linn. Soc. London, Zool., 3 (1859), 80.—Dipt.
- Gabbia* Tryon 1865, Amer. J. Conch., 1, 220.—Moll.
- Gabbicerus* (err. pro *Gabbioceras* Hyatt 1900) Yabe 1915, Sci. Rep. Tôhoku imp. Univ. Sendai, (2) Geol., 4, no. 1, 19.—Moll.
- Gabbioceras* Hyatt 1900, in Eastman-Zittel, Text-Book Palaeont., 1, 570.—Moll.
- Gaberasa* Walker 1865, List Specimens Lep. Ins. Brit. Mus., 34, 1197.—Lep.
- Gabianus* Bonaparte 1853, J. Orn., 1, 47 [n.n.]; Bruch 1853, J. Orn., 1, 100.—Aves.
- Gabillotia* Servain 1890, Bull. Soc. malac. France, 7, 296.—Moll.
- Gabinectes* Guignot 1931, Bull. Soc. ent. France, 1931, 202.—Col.
- Gabisa* Amyot 1846, Ann. Soc. ent. France, (2) 3, 445.—Hem.
- Gabonia* Jacoby 1893, Entomologist, 26, Suppl., 101.—Col. (Halticid.). (See *Jamesonia* Jacoby 1895.)
- Gabonia* Montandon 1894, Ann. Soc. ent. Belgique, 38, 243.—Hem. (See *Montandoneus* Kirkaldy 1904.)
- Gabonia* Fairmaire 1894, Ann. Soc. ent. Belgique, 38, 326.—Col. (Tenebrionid.). (See *Gabonisca* Fairmaire 1894.)
- Gabonia* Bolivar 1906, Mem. Soc. Hist. nat. Madrid, 1, no. 20, 327.—Orth.
- Gabonisca* (n.n. pro *Gabonia* Fairmaire 1894) Fairmaire 1894, Ann. Soc. ent. Belgique, 38, 395.—Col.
- Gabra* Walker 1866, List Specimens Lep. Ins. Brit. Mus., 35, 1727.—Lep.
- Gabrielana* (err. pro *Iona* Iredale 1917) Cossmann 1918, Rev. crit. Paléozool., 22, no. 142, 42.—Moll.
- Gabrielia* McCulloch 1908, Rec. Australian Mus., 7, 54.—Crust.
- Gabrielona* Iredale 1917, Proc. malac. Soc. London, 12, 327.—Moll.
- Gabriola* Taylor 1904, Canad. Ent., 36, 255.—Lep.