

T

- Tabacaria** Gouan 1770, Hist. Pisc., 14, 15 [n.n.].—Pisces.
Tabada Moore 1883, Proc. zool. Soc. London, 1883, 297.—Lep.
Tabanocella Bigot 1856, Ann. Soc. ent. France, (3) 4, 76.—Dipt.
Tabanus Linnaeus 1758, Syst. Nat., ed. 10, 601; 1707, ed. 12, 999.—Dipt.
Tabara (pro *Taraba* Lesson 1830–31) Sclater 1862, Cat. Amer. Birds, 172.—Aves.
Tabaria Walker 1870, Catal. Dermapt. Saltat. Brit. Mus., 3, 434.—Orth.
Tabarus Gebien 1920, Nova Guinea, 13 (3), 317.—Col.
Tabatinguera Mello-Leitão 1935, Mem. Inst. Butantan, 9, 377.—Arachn.
Taberia (err. pro *Tarebia* Adams 1854) Paetel 1875, Fam. Gatt. Moll., 202.—Moll.
Tabernillaea (emend. pro *-aia* Walsingham 1911) Meyrick 1925, Gen. Insect., 184, 85.—Lep.
Tabernillaia Walsingham 1911, Biol. Centr. Amer., Zool., Lep. Heteroc., 4, 53.—Lep.
Tabiana Jacobi 1928, Ark. Zool., 19A, no. 28, 28.—Hem.
Tabidia Snellen 1880, Tijdschr. Ent., 23, 219.—Lep.
Tabiphilus Chamberlin 1912, Pomona Coll. J. Ent., 4, 664, 665.—Myr.
Tabithus Dejean 1821, Cat. Col., [ed. 2], 95 [n.n.].—Col.
Tabocasa Distant 1906, Ann. Mag. nat. Hist., (7) 18, 202.—Hem.
Taboga Dyar 1914, Proc. U.S. nat. Mus., 47, no. 2050, 321.—Lep.
Tabora Péringuey 1902, Trans. S. Afr. phil. Soc., 12, 609.—Col.
Taborella Sekera 1912, Böhm. Ges. math.-naturw. Cl., 1911, 18, 86, 88.—Verm. (Turb.).
Taboribia Strand 1910, Ann. Soc. ent. Belgique, 54, 228.—Lep.
Tabraca (Mabille MS.) Holland 1896, Proc. zool. Soc. London, 1896, 10 [in syn.].—Lep.
Tabuda Walker 1852, Ins. Saundersiana, 3, 197.—Dipt.
Tabula Fleutiaux 1899, Bull. Mus. Hist. nat. Paris, 5, fasc. 7, 367.—Col.
Tabulacyathus Vologdin 1932, Geol. Prosp. Serv. U.S.S.R., 83.—Coel.
Tabularia (pro *Tub*-L. 1758) Lendenfeld 1884, Proc. Linn. Soc. N.S. Wales, 9, 214.—Coel.
Tabulipora Young 1883, Ann. Mag. nat. Hist., (5) 12, 154.—Bry.
Tabuliporella Nikiforova 1933, Trans. Geol. Surv. U.S.S.R., 207, 7.—Bry.
Tabulodigitus (pro *Tub*-Carter 1881) Dendy 1905, in Herdman, Rep. Ceylon Pearl Fish., 3, Suppl., 155.—Spong.
Tabulophyllum Fenton & Fenton 1924, Contrib. Mus. Geol. Univ. Michigan, 1, 30.—Coel.
Tacco (ex Lesson) Agassiz 1842, Nomen. zool., Av., 75 [n.n.].—Aves.
Taccocoua (pro *-cua* Lesson 1830) Des Murs [1853], in Chenu, Encycl. Hist. nat., Ois., 1, 298, 300.—Aves.
Taccocua Lesson 1830, Traité Ornith., (2) 143.—Aves. (Cf. *Acentetus* Cabanis & Heine 1863.)
Tacerus Fleutiaux 1928, Insects of Samoa, 4, fasc. 2, 129.—Col.
Tachaea Leach 1847, Ann. Mag. nat. Hist., 20, 268.—Moll.
Tachaea Schiödte & Meinert 1879, Naturh. Tidsskr., (3) 12, 284.—Crust.
Tachardia (n.n. pro *Carteria* Signoret 1874) Blanchard 1886, Ann. Soc. ent. France, (6) 6, Bull., lxii.—Hem.
Tachardiaephagus Ashmead 1904, Mem. Carnegie Mus., 1, 303.—Hym.
Tachardiella Cockerell 1901, Entomologist, 34, 249.—Hem.
Tachardina Cockerell 1901, Entomologist, 34, 249.—Hem.
Tachardiobius Timberlake 1926, Proc. U.S. nat. Mus., 69, art. 3, 19.—Hym.
Tachasara Walker 1865, List Specimens Lep. Ins. Brit. Mus., 34, 1151.—Lep.
Tachea Fleming 1822, Phil. Zool., 2, 257.—Aves.
Tachea (Leach MS.) Turton 1831, Man. L. & F. W. Shells, 33.—Moll.
Tachengia China 1925, Ann. Mag. nat. Hist., (9) 16, 450.—Hem.
Tacheocampylaea Pfeiffer 1877, Malak. Bl., 24, 8.—Moll.
Tacheocampyloea (err. pro *-aea* Pfeiffer 1877) Pollonera 1909, Bull. Mus. Zool. Anat. comp. Torino, 24, no. 608, 17.—Moll.
Tacheopsis Boettger 1909, NachrBl. dtsh. malakozool. Ges., 41, 10.—Moll.
Tachia (err. pro *Tachea* Turton 1831) Blanford 1863, Ann. Mag. nat. Hist., (3) 11, 85.—Moll.
Tachidiella Sars 1909, Crust. Norway, 5, fasc. 27–28, 332.—Crust.
Tachidiopsis Sars 1911, Crust. Norway, 5, fasc. 31–36, 434.—Crust.
Tachidius Lilljeborg 1853, Clad. Ostr. Cop., 195.—Crust.
Tachidromus (pro *Taky*-Daudin 1802) Latreille [1804], N. Dict., 24, Tabl. méth., 63.—Rept.
Tachidromya (pro *Tachydromia* Meigen 1803) Rondani 1856, Dipt. Ital. Prodr., 1, 146.—Dipt.
Tachidromyia (pro *Tachydromia* Meigen 1803) Bigot 1889, Ann. Soc. ent. France, (6) 9, 122.—Dipt.

- Tachina* Meigen 1803, Mag. f. Insektenk. (Illiger), 2, 280.—Dipt. (nec *Tachinus* Gravenhorst 1802 see *Faunia* Robineau-Desvoidy 1830 & *Periechusa* Gistel 1848).
- Tachinacphagus* (pro *-naephagus* Ashmead 1904) Girault 1917, Insec. Inscit. menstr., 5, 142.—Hym.
- Tachinaephagus* Ashmead 1904, Mem. Carnegie Mus., 1, 304.—Hym.
- Tachinaestrus* see *Tachinoestrus* Portschinsky 1887.
- Tachinalia* Curran 1934, Fam. Genn. N. Amer. Dipt., 442.—Dipt.
- Tachinella* Portschinsky 1881, Horae Soc. ent. ross., 16, 281.—Dipt.
- Tachinisca* Kertész 1903, Ann. Mus. nat. Hungar., 1, 355.—Dipt.
- Tachiniscidia* Malloch 1931, Ann. Mag. nat. Hist., (10) 7, 336.—Dipt.
- Tachinoceras* de Meijere 1924, Tijdschr. Ent., 67, Suppl., 45.—Dipt.
- Tachinoderus* Motschoulsky 1858, Bull. Soc. imp. Nat. Moscou, 31 (2), 217.—Col.
- Tachinodes* Brauer & Bergenstamm 1890 [sep. 1889], Denkschr. Akad. Wiss. Wien, 56 (1), 133.—Dipt.
- Tachinodexia* Townsend 1932, J.N. York ent. Soc., 40, 457.—Dipt.
- Tachinoestrus* Portschinsky 1887, Horae Soc. ent. ross., 21, 194 (also as *Tachinaestrus*).—Dipt.
- Tachinoestrus* Gruenberg 1906, S.B. Ges. naturf. Fr. Berlin, 1906, 39.—Dipt. (See *Anthophasia* Speiser 1906.)
- Tachinomima* Brauer & Bergenstamm 1891, Denkschr. Akad. Wiss. Wien, 58 (1), 383.—Dipt.
- Tachinomorphus* Kraatz 1859, Arch. Naturgesch., 25, 54.—Col.
- Tachinomyia* Townsend 1892, Trans. Amer. ent. Soc., 19, 96.—Dipt.
- Tachinophasia* Townsend 1931, Rev. Ent. São Paulo, 1, 323.—Dipt.
- Tachinophyto* Townsend 1892, Trans. Amer. ent. Soc., 19, 130.—Dipt.
- Tachinophytopsis* Townsend 1927, Rev. Mus. paulista, 15 (1), 277.—Dipt.
- Tachinoporus* Cameron 1928, Sarawak Mus. J., 3, 447.—Col.
- Tachinoproprus* Cameron 1928, Sarawak Mus. J., 3, 449.—Col.
- Tachinopsis* Coquillett 1897, Tech. Ser. U.S. Dep. Agric., Ent., No. 7, 38, 120.—Dipt.
- Tachinopsis* Fauvel 1899, Rev. Ent. franç., 18, 22.—Col.
- Tachinoptera* Brauer & Bergenstamm 1891, Denkschr. Akad. Wiss. Wien, 58 (1), 336.—Dipt.
- Tachinosalia* Villeneuve 1922, Bull. Soc. R. ent. Egypte, 1922, 90.—Dipt.
- Tachinosoma* Townsend 1927, Rev. Mus. paulista, 15 (1), 246.—Dipt.
- Tachinus* Gravenhorst 1802, Coleopt. micr., 134.—Col. (Staphylinid.).
- Tachinus* Gozvis 1886, Rech. typ., 13.—Col. (Staphylinid.).
- Tachiona* Sharp 1883, Biol. Centr. Amer., Zool., Col., 1 (2), 284.—Col.
- Tachipetes* Spix 1825, Avium Brasil., 2, 82.—Aves.
- Tachipeza* (pro *Tachy-* Meigen 1838) Rondani 1856, Dipt. Ital. Prodr., 1, 147.—Dipt.
- Tachinoestrus* (pro *Tachino-* Portschinsky 1887) Carus 1888, Zool. Anz., 11, 38.—Dipt.
- Tachis* (? pro *-chys* Dejean 1821) Guérin-Ménéville 1823, Bull. Sci. Soc. philom. Paris, 123.—Col.
- Tachista* Loew 1860, Z. Ent. Breslau, 14, [1864], 7 (as *Tachysta* p. 19).—Dipt.
- Tachistodes* Casey 1914, Mem. Col., 5, 222, 286, 289.—Col.
- Tachna* (err. pro *Tachina* Meigen 1803) Walker 1849, List Dipt. Coll. Brit. Mus., (4) 795.—Dipt.
- Tachopteryx* Selys 1859, Bull. Acad. Sci. Belgique, (2) 7, 551.—Odon.
- Tachornis* Gosse 1847, Birds of Jamaica, 58.—Aves.
- Tachosa* Walker 1869, in Chapman, Proc. nat. Hist. Soc. Glasgow, 1, 345.—Lep.
- Tachuda* Schaus 1901, Trans. ent. Soc. London, 1901, 278.—Lep.
- Tachuris* de la Fresnaye 1836, Echo Monde Savant, 107.—Aves.
- Tachus* Jurine 1807, N. Méth. class. Hyménopt., 153.—Hym.
- Tachus* Sørensen 1932, Mem. Acad. R. Sci. Lett. Copenhague, 3, 277.—Arachn.
- Tachyacanthus* (pro *Pachy-* Brandt 1871) Zittel 1892, Handb. Pal., 4, 172.—Mamm.
- Tachyagetes* Haupt 1930, Mitt. zool. Mus. Berlin, 16, 235.—Hym.
- Tachybaenus* (Dupont MS.) Dejean 1836, Catal. Coléopt., Ed. 3, 6 [n.n.].—Col.
- Tachybaptus* (pro *-tus* Reichenbach 1849) Des Murs 1860, Traité Ool., 549.—Aves.
- Tachybaptus* Reichenbach 1849, Avium Syst., pl. ii.—Aves.
- Tachybatas* Fitzinger 1843, Syst. Rept., 19, 105.—Rept.
- Tachybatas* Guérin-Ménéville 1844, Iconogr. (Arachn.), 16.—Arachn.
- Tachyblaston* Martin 1909, Quart. J. micr. Sci., (N.S.) 53, 378.—Prot.
- Tachybulus* Latreille 1809, Gen. Crust. Ins., 4, 75.—Hym.
- Tachycarabus* Semenov 1898, Horae Soc. ent. ross., 31, 357.—Col.
- Tachycelia* (n.n. pro *Antarctia* Dejean 1828) Gistel 1848, Nat. Thierr., xi.—Col.
- Tachycellus* Morawitz 1863, Bull. Acad. Imp. Sci. St. Pétersbourg, 5, 261.—Col. (Carabid.).
- Tachycellus* Ganglbauer [1891], Käf. Mitteleur., 1, 1892, 368.—Col. (Carabid.). (See *Tetraplatypus* Tschitscherin 1897.)
- Tachychara* Cameron 1920, Ent. mon. Mag., 56, 52.—Col.
- Tachychlamys* (err. pro *Tany-* Benson 1834) Paetel 1889, Cat. Conch., ed. 4, 2, 31.—Moll.

- Tachychlora* Prout 1912, Gen. Insect., 129, 19, 119.—Lep.
Tachycines Adelung 1902, Annu. Mus. zool. Acad. Sci. St. Pétersbourg, 7, 56, 65.—Orth.
Tachycineta Cabanis [1851], Mus. Heineanum, 1, 1850, 48.—Aves.
Tachycnemis Fitzinger 1843, Syst. Rept., 31.—Amph.
Tachycnemis Bonvouloir [1872], Ann. Soc. ent. France, (4) 10, Suppl., 454.—Col.
Tachycolpura Breddin 1900, Rev. Ent. franç.; 19, 215.—Hem.
Tachydermum (pro *Trachyderma* Wiegmann 1829) Gray 1831, in Griffith-Cuvier, An. Kingdom, 9, Syn., 28.—Rept.
Tachydosaurus Gray 1838, Ann. nat. Hist., 2, 288.—Rept.
Tachydroma (? pro *-mia* Meigen 1803) Walzl 1837, Isis (Oken), 1837, 280.—Dipt.
Tachydroma (pro *Tichodroma* Illiger 1811) Des Murs [1853], in Chenu, Encycl. Hist. nat., Ois., 2, 67.—Aves.
Tachydromia Meigen 1803, Mag. f. Insektenk. (Illiger), 2, 269.—Dipt.
Tachydromus Illiger 1811, Prod., 250.—Aves.
Tachydromus (pro *Taky-* Daudin 1802) Oppel 1811, Ordn. Rept., 37.—Rept.
Tachydromyia (pro *-mia* Meigen 1803) Oken 1815, Lehrb. Naturg., 3 (1), 486.—Dipt.
Tachydromyia (pro *-mia* Meigen 1803) Macquart 1823, Rec. Trav. Soc. amat. Sci. Lille, 1, 152.—Dipt.
Tachydyta Roberts 1922, Ann. Transvaal Mus., 8, 238.—Aves.
Tachyempis Melander 1927, Gen. Insect., 185, 288.—Dipt.
Tachyeres (n.n. pro *Micropterus* Lesson 1828) Owen 1875, Trans. zool. Soc. London, 9, 254.—Aves.
Tachyerges Schoenherr 1825, Isis (Oken), 1825, 584; 1826, Curc. disp. meth., 256.—Col.
Tachyglossus Illiger 1811, Prod., 114.—Mamm.
Tachygonetria Wedl 1862, S.B. Akad. Wiss. Wien, Math.-naturw. Cl., 44, 464.—Verm. (Nema.).
Tachygonidius Champion 1907, Biol. Centr. Amer., Zool., Col., 4 (5), 138.—Col.
Tachygonus Schoenherr 1833, Gen. et Sp. Curc., 1 (1), 6, 311.—Col.
Tachygodites Bastian 1865, Trans. Linn. Soc. London, 25, 155.—Verm. (Nema.).
Tachylasma Grabau 1922, Palaeont. Sinica, (B) 2 (1), 34.—Coel.
Tachylechriops Heller 1895, Abh. Mus. Dresden, 5, 1894-95, no. 11, 15.—Col.
Tachylopha Motschoulsky 1862, Etudes ent., 11, 27.—Col.
Tachymarptis Roberts 1922, Ann. Transvaal Mus., 8, 216.—Aves.
Tachymenis Wiegmann 1835, Nova Acta Akad. Caes. Leop. Carol., 17, 251.—Rept.
Tachymenis Motschoulsky 1862, Etudes ent., 11, 27.—Col.
Tachymeris Wiegmann 1834, in Meyen, Reise Erde, 1, 470 [n.n.].—Rept.
Tachymerops Fitzinger 1856, S.B. Akad. Wiss. Wien, Math.-naturw. Cl., 21, 304.—Aves.
Tachymorphaeus Amerling 1861, S.B. Böhm. Ges., Math.-naturw. Cl., 1861 [2], 55 [n.n.].—Arachn.
Tachymys (pro *Taxymys* Marsh 1872) Osborn, Scott & Speir 1878, Contr. Mus. Geol. Archaeol. Princeton, No. 1, 138.—Mamm.
Tachynautes Oberholser 1905, Proc. U.S. nat. Mus., 28, 860.—Aves.
Tachynectes Fitzinger 1843, Syst. Rept., 25.—Rept.
Tachynectes Marck 1863, Palaeontogr., 11 (1), 10, 51.—Pisces.
Tachynices Brookes 1828, Cat. Anat. Zool. Mus. Brookes, 40; Gray 1866, Cat. Seals Brit. Mus., 311.—Mamm.
Tachynoderus (pro *Tachino-* Motschoulsky 1858) Gemminger & Harold 1868, Cat. Col., 2, 556.—Col.
Tachynomyia Guérin-Ménéville 1842, Magasin de Zool., (2) 4, text to pl. 100.—Hym.
Tachynota Bernhauer 1901, Verh. zool.-bot. Ges. Wien, 51, 113.—Col.
Tachynothynnus Turner 1910, Gen. Insect., 105, 50.—Hym.
Tachynotus Motschoulsky 1861, Bull. Soc. imp. Nat. Moscou, 34 (1), 100.—Col.
Tachynus (pro *Tachinus* Gravenhorst 1802) Sperk 1835, Bull. Soc. imp. Nat. Moscou, 8, 155.—Col.
Tachyomyia (pro *Tachynomyia* Guérin-Ménéville 1842) Turner 1910, Gen. Insect., 105, 59.—Hym.
Tachyophis Rochebrune 1884, Mém. Soc. Saône, 5, 159.—Rept.
Tachyophis Mertens [non Rochebrune 1884] 1934, Arch. Naturgesch., (N.F.) 3, 197, 203.—Rept.
Tachyophonus Tschitscherin 1901, Horae Soc. ent. ross., 35, 235.—Col.
Tachyopus (pro *Tachygonus* Schoenherr 1833) Zimmermann 1840, Z. Ent. (Germar), 2, 445.—Col.
Tachyorictes (pro *-ryctes* Rueppell 1835) Trouessart 1881, Bull. Soc. Angers, 10, fasc. 2, 158.—Mamm.
Tachyornis Milne-Edwards 1892, Congr. Orn. Internat., C.R., 2, 66.—Aves (nec *Tachornis* Gosse 1847 see *Belornis* Milne-Edwards 1893).
Tachyoryctes Rueppell 1835, N. Wirbelth. Abyssin., 35.—Mamm.
Tachypetes Vieillot 1816, Analyse, 63.—Aves.

- Tachypetes** (Chevrolat MS.) Dejean 1835, Catal. Coléopt., ed. 2, 419 [n.n.].—Col.
(See *Chepora* Gistel 1848.)
- Tachypeza** Meigen 1838, Syst. Besch. Zweifl. Ins., 7, 94.—Dipt.
- Tachyphasis** Germain 1918, Bull. Mus. Hist. nat. Paris, 24, 519.—Moll.
- Tachyphonus** Vieillot 1816, Analyse, 33.—Aves.
- Tachyphyle** Butler 1881, Trans. ent. Soc. London, 1881, 329.—Lep.
- Tachypleus** Leach 1819, Dict. Sci. Nat., 14, 538.—Xiphosura.
- Tachyplotus** Reinhardt 1866, Vidensk. Medd. naturh. Foren. Kjøbenhavn, 1866, 151.—Rept.
- Tachypododius** Verhoeff 1893, Zool. Anz., 16, 480.—Myr.
- Tachypompilus** Ashmead 1902, Canad. Ent., 34, 83.—Hym.
- Tachyportus** Foerster 1868, Verh. naturh. Ver. Rheinlande, 25, 210.—Hym.
- Tachyporus** Gravenhorst 1802, Coleopt. micr., 124; Solier 1849, in Gay, Chili, 4 (Col.), 341.—Col.
- Tachyptena** Germar 1811, Syst. Gloss. Prod., 10.—Lep.
- Tachyptera** Berge 1842, Schmetterlingsbuch, 19, 92; Herold 1844, Deutsch. Schmetterlinge, 117.—Lep. (Satyrid.).
- Tachyptera** Dahlbom 1844, Hym. europ., 1, 133.—Hym.
- Tachyptera** Barnes & McDunnough 1911, Cont. Nat. Hist. Lep. N. Amer., 1, no. 2, 9.—Lep. (Lasiocampid.). (See *Eutachyptera* Barnes & McDunnough 1912.)
- Tachypterellus** (n.n. pro *Tachypterus* Dietz 1891) Fall & Cockerell 1907, Trans. Amer. ent. Soc., 33, 214.—Col.
- Tachypteris** Kirby 1837, in Richardson, F. Bor.-Amer., 4 Ins., 158.—Col.
- Tachypterus** Guérin-Ménéville (1838), in Duperry, Voy. "Coquille," Zool., 2 (2) 1, 216.—Hym.
- Tachypterus** Dietz 1891, Trans. Amer. ent. Soc., 18, 186.—Col. (See *Tachypterellus* Fall & Cockerell 1907.)
- Tachyptilia** Heinemann [1870], Schmett. Dtsch. u. Schweiz, 2 (Klein-Schm. 2), Heft 1, 1877, 321.—Lep.
- Tachyptriorchis** (pro *Tachytri-* Kaup 1844) Reichenbach (1850), Avium Syst. Nat., pl. xcv.—Aves.
- Tachypus** Weber 1801, Obs. Ent., 19.—Col. (Carabid.).
- Tachypus** (Megerle MS.) [non Weber 1801] Dejean 1821, Catal. Coléopt., 18 [n.n.]; Dejean 1831, Spec. gén. Col., 5, 35.—Col. (Carabid.).
- Tachypus** Stephens [non Weber, Dejean] 1828, Ill. Brit. Ent. (Mand. 2), 25.—Col. (Carabid.).
- Tachyrhynchus** (emend. pro *-rynchus* Moersch 1868) Moersch 1875, Prodr. Faunae Moll. Groenland, 127.—Moll.
- Tachyris** Wallace 1867, Trans. ent. Soc. London, (3) 4, 361.—Lep.
- Tachyrrhostus** Saussure 1854, Mél. hym., 1, 24; 1855, Mém. Soc. phys. Hist. nat. Genève, 14, 24.—Hym.
- Tachyrhynchus** Moersch 1868, Amer. J. Conch., 4, 46.—Moll.
- Tachys** Melsheimer 1806, Ins. Pennsylv., 53 [n.n.]; (Ziegler MS.) Dejean 1821, Catal. Coléopt., 16 [n.n.]; Stephens 1828, Ill. Brit. Ent. (Mand. 2), 2, 4.—Col.
- Tachysalia** Casey 1918, Mem. Col., 8, 173.—Col.
- Tachysaurus** Gray 1845, Cat. Lizards Coll. Brit. Mus., 52.—Rept.
- Tachyscelis** Fitzinger 1843, Syst. Rept., 21.—Rept.
- Tachyskarthmos** Hogg 1922, Proc. zool. Soc. London, 1922, 310.—Arachn.
- Tachysoma** Stokes 1887, Ann. Mag. nat. Hist., (5) 20, 108.—Prot.
- Tachysoniscus** Verhoeff 1930, Zool. Jahrb., Syst., 59, 4.—Crust.
- Tachysops** Casey 1918, Mem. Col., 8, 171.—Col.
- Tachysphex** Kohl 1883, Dtsch. ent. Z., 27, 166.—Hym.
- Tachyspiza** Kaup 1844, Classif. Säug., 116.—Aves.
- Tachyspizia** (err. pro *-spiza* Kaup 1844) Kaup 1850, Arch. Naturgesch., 16 (1), 34.—Aves.
- Tachyspizias** (pro *-za* Kaup 1844) Salvadori 1878, Ann. Mus. Stor. nat. Genova, 12, 39.—Aves.
- Tachysta** see *Tachista*.
- Tachystizus** Minkiewicz (1934), Polski Pismo Ent., 12, 1933, 251, 257.—Hym.
- Tachystola** Meyrick 1914, Exot. Microlep., 1, 241.—Lep.
- Tachysurus** Lacepède 1803, Hist. Nat. Poiss., 5, 150.—Pisces.
- Tachyta** Kirby 1837, in Richardson, F. Bor.-Amer., 4, 56.—Col.
- Tachytatus** Bergroth 1918, Philippine J. Sci., 13 (D), 75.—Hem.
- Tachytella** Brauns 1906, Verh. zool.-bot. Ges. Wien, 56, 56.—Hym.
- Tachytera** Gistel 1848, Nat. Thierr., x.—Lep.
- Tachytes** Panzer 1806, Krit. Revis., 2, 129.—Hym.
- Tachythereua** Verhoeff 1905, S.B. Ges. naturf. Fr. Berlin, 1905, 12, 53.—Myr.
- Tachytixenos** Pierce 1911, Proc. U.S. nat. Mus., 40, 501.—Col.
- Tachytragus** see *Pachytragus*.
- Tachytrechus** Stannius 1831, Isis, 1831, col. 261; Haliday 1851, in Walker, Ins. Brit., Dipt., 1, 173.—Dipt.

- Tachytriorchis* Kaup 1844, *Classif. Säug.*, 123.—Aves.
Tachytrypane McIntosh 1876, *Proc. roy. Soc.*, 25, 217, 218.—Verm. (Polych.).
Tachytrypotherium (n.n. pro *Eutytrypotherium* Roth 1901) Roth 1903, *Rev. Mus. La Plata*, 11, 156.—Mamm.
Tachyura Motschoulsky 1862, *Etudes ent.*, 11, 27.—Col.
Tachyurus (emend. pro *Tachysurus* Lacepède 1803) Agassiz 1846, *Nomen. Zool. Index Univ.*—Pisces.
Tachyusa Erichson 1837, *Käfer Mark Brand.*, 1 (1), 307.—Col.
Tachyusa (pro *Tya*-Ruthe 1854) Szépligeti 1903, *Gen. Insect.*, 22, 250.—Hym.
Tachyusida Mulsant & Rey 1871, *Hist. nat. Col. Fr.*, Brévignanes, 188; 1872, *Ann. Soc. linn. Lyon*, 19, 188.—Col.
Tachyusilla Casey 1906, *Trans. Acad. Sci. St. Louis*, 16, 213.—Col.
Tachyusota Casey 1906, *Trans. Acad. Sci. St. Louis*, 16, 213.—Col.
Tacillia Walker 1855, *List Specimens Lep. Ins. Brit. Mus.*, 6, 1490.—Lep.
Tacina Walker 1850, in Saunders, *Ins. Saund.*, 1 (1), 9.—Dipt.
Tacola Moore 1898, *Lep. Ind.*, 3, 192.—Lep.
Tacoma Hulst 1888, *Ent. Amer.*, 4, 115.—Lep.
Tacora Melichar 1926, *Ann. Mus. hungar.*, 23, 359.—Hem.
Tacoraea Moore 1898, *Lep. Ind.*, 3, 176.—Lep.
Tacparia Walker 1860, *List Specimens Lep. Ins. Brit. Mus.*, 20, 233.—Lep.
Tactoceramus Heinz 1932, *Mitt. Min. Geol. Staatsinst. Hamburg*, Lief. 13, 21.—Moll.
Tactocomus Kiesenwetter (1858), in Erichson, *Naturgesch. Ins. Dtschl.*, Col., 4, 301.—Col.
Tactoderus Fairmaire 1892, *Rev. Ent. Caen*, 11, 112.—Col.
Tactolus (pro *Pa*-Leach 1815) Berthold 1827, in Latreille, *Nat. Fam. Thierr.*, 258.—Crust.
Tacua Amyot & Serville 1843, (Roret's Suite à Buffon) *Hémiptères*, 461.—Hem.
Tacuna Peckham 1901, *Bull. Wisconsin nat. Hist. Soc.*, 1, 228.—Arachn.
Taczanowska Keyserling 1880, *Verh. zool.-bot. Ges. Wien*, 29, 298.—Arachn.
Taczanowska Sztolcman 1926, *Ann. zool. Mus. Polon.*, 5, 167.—Aves. (See *Phrenotriccus* Richmond 1927.)
Tadana Walker 1855, *List Specimens Lep. Ins. Brit. Mus.*, 5, 990.—Lep.
Tadarida Rafinesque 1814, *Précis Som.*, 55; Blainville 1837, *C.R. Acad. Sci. (Paris)*, 5 (24), 821.—Mamm.
Tadarina (pro *-rida* Rafinesque 1814) Gray 1843, *List Spec. Mamm. Brit. Mus.*, xix.—Mamm.
Tadaris (pro *-rida* Rafinesque 1814) Rafinesque 1815, *Analyse*, 54.—Mamm.
Taddyella (n.n. pro *Rooseveltiella* Eigenmann 1915) von Ihering 1928, *Bol. Biol. São Paulo*, fasc. 12, 45.—Pisces.
Tadema Walker 1856, *List Specimens Lep. Ins. Brit. Mus.*, 7, 1758.—Lep.
Tadius Pascoe 1885, *Ann. Mus. Stor. nat. Genova*, (2) 2, 253.—Col.
Tadoma (err. pro *Tadorna* Boie 1822) Jerdon 1840, *Madras J.*, 12, 221.—Aves.
Tadorna Oken 1817, *Isis*, 1, 1183 [n.n.]; Boie 1822 (before May), *Tagebuch Reise durch Norwegen*, 140, 351; 1822 (May), *Isis*, 1822, 564.—Aves.
Tadornes (pro *-na* Boie 1822) Gray 1871, *Hand-List Birds*, 3, 80.—Aves.
Tadumia Moore 1902, *Lep. Indica*, 5, 116.—Lep.
Tadunia Godwin-Austen 1918, *Rec. Indian Mus.*, 8, 588.—Moll.
Tadunus Schioedte 1866, *Naturh. Tidsskr.*, (3) 4, 147.—Col.
Taechobates Haliday [1832], *Zool. Journ.*, 5 (19), 1831, 358.—Dipt.
Taeda Wallengren 1863, *Wien. ent. Monatschr.*, 7, 141.—Lep.
Taedia Distant 1883, *Biol. Centr. Amer.*, *Zool.*, Rhynch. Het., 262.—Hem.
Taegeria Schulze 1885, *Rep. Voy. Challenger*, *Narr.*, 1, 437, 451; 1886, *Abh. Akad. Wiss. Berlin*, 1886, 41.—Spong.
Taelosilla Thomson 1868, *Physis*, Paris, 2, pt. 3, 112.—Col.
Taenaia (pro *-nia* L. 1758) Campbell & Lacroix 1907 (*teste* Stiles & Hassall 1912, *Bull. U.S. Hyg. Lab.*, No. 85, 316).—Verm. (Cest.).
Taenaris (emend. pro *Ten*-Huebner 1819) Huebner 1821, *Index exot. Lep.*, [4].—Lep.
Taenarthrus Broun 1914, *Bull. N. Zealand Inst.*, 1, 85.—Col.
Taenheterocerus Kuwert 1890, *Verh. zool.-bot. Ges. Wien*, 40, 528.—Col.
Taenhydraena Kuwert 1888, *Dtsch. ent. Z.*, 32, 114.—Col.
Taenia Linnaeus 1758, *Syst. Nat.*, ed. 10, 819; 1767, ed. 12, 1323.—Verm. (Cest.).
Taenia Pallas 1766, *Elench. Zooph.*, 415.—Verm. (Acanth.).
Taenia (Huebner MS.) Walker 1866, *List Specimens Lep. Ins. Brit. Mus.*, 4, 927 [*in syn.*].—Lep.
Taeniacanthodes Wilson 1935, *Pap. Tortugas Lab. (ex Pub. Carnegie Inst. No. 452)*, 29, 336.—Crust.
Taeniacanthus Sumpf 1871, *Ukr. neue Bomolochiden Gatt. (Diss. Univ. Göttingen.)*, 1.—Crust.
Taeniacara Myers 1935, *Proc. biol. Soc. Washington*, 48, 11.—Pisces.
Taeniactis Spencer 1927, (*Pal. Soc. Monogr.*) *Mon. Brit. Pal. Asterozoa*, 1925, 379.—Echin.

- Taeniaenas* (pro *Taenioenas* Reichenbach 1852) Bonaparte 1854, Ann. Sci. nat. Zool., (4) 1, fasc. 3, 140.—Aves.
- Taenianidreana* Hedicke 1933, Mitt. zool. Mus. Berlin, 19, 219.—Hym.
- Taenianotes* Marion de Procé 1822, Bull. Sci. Soc. philom. Paris, 132.—Pisces.
- Taenianotis* (pro *-tus* Lacepède 1802) Swainson 1838, Hist. Classif. Fish., 1, 86.—Pisces.
- Taenianotus* Lacepède 1802, Hist. Nat. Poiss., 4, 303.—Pisces.
- Taeniaphora* Kenrick 1917, Trans. ent. Soc. London, 1917, 97.—Lep.
- Taeniapion* Schilsky 1906, in Kuester, Käf. Eur., 43, iv.—Col.
- Taeniaporus* Haupt 1930, Mitt. zool. Mus. Berlin, 16, 774.—Hym.
- Taeniptera* Macquart 1835, (Roret's Suite à Buffon) Diptères, 2, 491.—Dipt.
- Taeniarchis* Meyrick 1931, Exot. Microlep., 4, 153.—Lep.
- Taeniarhynchus* Weinland 1858, Proc. Boston Soc. nat. Hist., 6, 46, 51.—Verm. (Cest.).
- Taeniaspis* Clément 1927, Konowia, 6, 72.—Hym.
- Taeniasier* Billings 1858, Canad. Org. Rem., Dec. 3, 80.—Echin.
- Taeniata* Wagner 1909, Syst. Conch. Cab., (2) Lief. 542, 257.—Moll.
- Taeniaturbo* Woodring 1928, Mioc. Moll. Bowden (Carnegie Inst. Washington), 2, 7, 408.—Moll.
- Taenicephalus* (Ulrich & Resser MS.) Walcott 1924, Smithson. misc. Collect., 75, 59.—Trilobita.
- Taenidiastes* (pro *-diestes* Reichenbach 1852–53) Giebel 1877, Thesaur. Orn., 3, 585.—Aves.
- Taenidiestes* Reichenbach 1852–53, Av. Syst., ix.—Aves.
- Taenidiesthes* (pro *-tes* Reichenbach 1852–53) Heine 1890, Nomencl. Mus. Hein., 342.—Aves.
- Taenidionotus* Amyot 1846, Ann. Soc. ent. France, (2) 4, 87.—Hem.
- Taenidiura* (pro *Toe-* Reichenbach 1850) Bonaparte 1854, Ann. Sci. nat. Zool., (4) 1, fasc. 3, 132.—Aves.
- Taeniea* Braun 1894, in Bronn, Klass. Ordn. Tierreichs, 4 (1b), 1007.—Verm. (Cest.).
- Taenieremias* Boulenger 1918, J. Zool. Res., 3, 2.—Rept.
- Taeniesthes* Kraatz 1880, Ent. Monatsbl., 2, 27.—Col.
- Taeniobates* Motschoulsky 1873, Bull. Soc. imp. Nat. Moscou, 45 (2), 1872, 32.—Col.
- Taenioblastocyathus* Ludwig 1866, Palaeontographica, 14, no. 6, 226; 1869, N. Jahrb. F. Min., 1869, 674.—Coel.
- Taeniocalamocyathus* Ludwig 1866, Palaeontographica, 14, no. 6, 219.—Coel.
- Taeniocalamolopas* Ludwig 1866, Palaeontographica, 14, no. 6, 218.—Coel.
- Taeniocampa* Guenée 1839, Ann. Soc. ent. France, 8, 477.—Lep.
- Taenioceramus* Heinz 1932, Mitt. Min. Geol. Staatsinst. Hamburg, Lief. 13, 19.—Moll.
- Taeniocerus* Kaup 1871, Berlin. ent. Z., 15 (Monog. Passal.), 20.—Col. (Passalid.).
- Taeniocerus* Blandford 1893, Trans. ent. Soc. London, 1893, 437.—Col. (Scolytid.). (See *Strophionocerus* Sampson 1921.)
- Taeniochartocylus* Ludwig 1866, Palaeontographica, 14, 173.—Coel.
- Taeniochauliodes* Esben-Petersen 1924, Ann. S. Afr. Mus., 19, 153.—Neur.
- Taeniochilisia* Oldenberg 1916, Wien. ent. Ztg., 35, 101.—Dipt.
- Taeniochorista* Petersen 1914, Ent. Medd., 10, 129.—Mecopt.
- Taenioconger* Herre 1923, Philippine J. Sci., 23, 152.—Pisces.
- Taeniocyathus* Ludwig 1866, Palaeontographica, 14, no. 5, 184; 1869, N. Jahrb. f. Min., 1869, 674.—Coel.
- Taeniocystis* Léger 1905, C.R. Acad. Sci. France, 140, 524.—Prot.
- Taeniodendrocylus* Ludwig 1866, Palaeontographica, 14, no. 6, 218.—Coel.
- Taeniodendrocylus* Ludwig 1866, Palaeontographica, 14, no. 6, 220.—Coel.
- Taeniodendrolopas* Ludwig 1866, Palaeontographica, 14, no. 6, 216.—Coel.
- Taeniodera* Burmeister 1842, Handb. Ent., 3, 325.—Col.
- Taeniodictya* Ulrich 1889, in Miller, N. Amer. Geol. & Palaeont., 327.—Bry.
- Taeniodictys* Forbes 1933, Psyche, 40, 89.—Lep.
- Taeniodomus* Krause 1897, Samml. Geol. R. Mus. Leiden, (1) 5 (4), 213.—Moll.
- Taeniodon* Dunker 1848, Palaeontographica, 1 (4), 179.—Moll.
- Taeniodus* (pro *Toe-* Pomel 1852) Gervais 1859, Zool. Pal. Franç., ed. 2, 31.—Mamm.
- Taeniodus* St. John & Worthen 1883, Geol. Surv. Illinois, 7, 75.—Pisces.
- Taenioenas* Reichenbach [1852], Av. Syst., xxv.—Aves.
- Taeniogale* Gray 1865, Proc. zool. Soc. London, 1864, 569.—Mamm.
- Taeniogaster* Selys 1854, Bull. Acad. roy. Sci. Belgique, 21, pt. 2, 107.—Odon.
- Taenioglaux* Kaup 1848, Isis (Oken), 1848, 769.—Aves.
- Taenioglyptes* Bedel 1887, Faune Col. Seine, 6, 398.—Col.
- Taeniogonalos* Schulz 1906, Mitt. zool. Mus. Berlin, 3, 212.—Hym.
- Taeniogyrus* Semper 1868, Reis. Arch. Philipp., (2) 1, 23.—Echin.
- Taenioides* Lacepède 1800, Hist. Nat. Poiss., 2, 532.—Pisces.
- Taeniola* Pallas 1760, Diss. med. inaug. infest. viv. intra viv., Lugduni Batavorum, 289.—Verm. (Acanth.).

- Taeniola* Dall 1904, *Smithson. misc. Coll.*, 47, 137.—Moll.
Taeniolabis Cope 1882, *Amer. Natural.*, 16, 604.—Mamm.
Taeniolabrus Steindachner 1867, *S.B. Akad. Wiss. Wien, Math.-naturw. Kl.*, 55 (1), 713.—Pisces.
Taeniolepis Gross 1932, *Foss. Cat.*, 57, 35.—Pisces.
Taeniolhydra Hérouard 1908, *C.R. Acad. Sci. Paris*, 147, 1336.—Coel.
Taeniolinum Pocock 1893, *J. Linn. Soc. London, Zool.*, 24, 471.—Myr.
Taeniolobus Chaudoir 1855, *Bull. Soc. imp. Nat. Moscou*, 28, pt. 1, 30.—Col.
Taeniolopas Ludwig 1869, *N. Jahrb. f. Min.*, 1869, 674.—Coel.
Taenioma Amyot 1846, *Ann. Soc. ent. France*, (2) 4, 146.—Hem.
Taeniomembras Ogilby 1898, *Proc. Linn. Soc. N.S. Wales*, 23, 41.—Pisces.
Taeniomena Brunner von Wattenwyl 1878, *Monogr. Phaneropteriden*, 22, 203.—Orth.
Taeniomyia Stein 1919, *Arch. Naturgesch.*, 83, A1, 99, 150.—Dipt.
Taenionautilus (pro *Taini*- Mojsisovics 1902) Diener 1915, *Foss. Cat. I*, 8, 356.—Moll.
Taenionema Banks 1905, *Psyche*, 12, 56.—Plecopt.
Taenionema (n.n. pro *Taeniosoma* Bolivar 1897) Bolivar 1906, *Bol. Soc. españ. Hist. nat.*, 6, 396.—Orth.
Taenionema Eigenmann & Bean 1907, *Proc. U.S. nat. Mus.*, 31, 662.—Pisces.
Taenionotus Oken 1816, *Lehrb. Naturg.*, 3 (2), 54.—Pisces.
Taenionotus (pro *Taenian*- Lacepède 1802) Swainson 1839, *Hist. Classif. Fish.*, 2, 60, 180.—Pisces.
Taeniooenas (pro *Taenioenas* Reichenbach 1852) Des Murs [1854], in Chenu, *Encycl. Hist. nat.*, Ois., 6, 33.—Aves.
Taeniopangonia Szilády 1923, *Biol. hungarica*, 1, 30.—Dipt.
Taeniophallus Cope 1895, *Trans. Amer. phil. Soc.*, (N.S.) 18, 201.—Rept.
Taeniophila Staudinger 1897, *Dtsch. ent. Z., Lep.*, 10, 21.—Lep.
Taeniophis Girard 1854, *Proc. Acad. nat. Sci. Philad.*, 7, 226.—Rept.
Taeniophis Kaup 1860, *Abh. naturw. Ver. Hamburg*, 4 (2) (1859), Nachtr. 1.—Pisces.
Taeniophloeolopas Ludwig 1866, *Palaeontographica*, 14, no. 6, 237.—Coel.
Taenioplacocyathus Ludwig 1866, *Palaeontographica*, 14, no. 5, 189.—Coel.
Taeniopoda Stål 1873, *Recensio Orth.*, 1, 32.—Orth.
Taeniopodites Cockerell 1909, *Amer. J. Sci.*, (4) 28, 283.—Orth.
Taeniopora Nicholson 1874, *Geol. Mag.*, (2) 1, 121; 1874, *Canad. J.*, (N.S.) 14, 133.—Bry.
Taenioporina Marsson 1887, *Palaeont. Abh.*, 4, 87.—Bry.
Taeniopsetta Gilbert 1905, *Bull. U.S. Fish Comm.*, 23, 1903, 680.—Pisces.
Taenioptera Bonaparte 1830, *Ann. Stor. nat.*, Bologna, 4, 194.—Aves.
Taenioptera (emend. pro *Taeniap*- Macquart 1835) Agassiz 1846, *Nomen. Zool. Index Univ.*—Dipt.
Taeniopterna Enderlein 1925, *Zool. Anz.*, 62, 203.—Dipt.
Taeniopterus (pro *Saepe*- Reichenbach 1854) Gould 1861, *Intr. Troch.*, 51.—Aves.
Taeniopteryx Pictet 1842, *H.N. Ins. Neuropt.*, *Perlides*, 343.—Plecopt.
Taeniopteryx Janse 1920, *Ann. Transvaal Mus.*, 7, 213.—Lep.
Taenioptilon Motschoulsky 1859, *Bull. Soc. imp. Nat. Moscou*, 32 (2), 142.—Col.
Taenioptynx Kaup 1848, *Isis* (Oken), 1848, 767.—Aves.
Taeniopterygia Wallengren 1858, *Ofvers. VetenskAkad. Förh. Stockholm*, 15, 212.—Lep.
Taeniopterygia Reichenbach [1862], *Handb. Orn.*, *Singvög.*, 26.—Aves.
Taenioraphe Pilsbry 1933, *Proc. Acad. nat. Sci. Philad.*, 85, 146.—Moll.
Taeniorhynchus Lynch Arribálzaga 1891, *Rev. Mus. La Plata*, 1, 374; 1891, 2, 147.—Dipt.
Taeniorphus Stål 1874, *K. svenska VetenskAkad. Handl.*, 12, no. 1, 40.—Hem.
Taeniosea Grote 1874, *Bull. Buffalo Soc. nat. Sci.*, 2, 143.—Lep.
Taeniosoma Stimpson 1857, *Proc. Acad. nat. Sci. Philad.*, 1857, 162.—Verm. (Nemert.).
Taeniosoma Bolivar 1897, *Act. Soc. españ. Hist. nat.*, 1897, 30.—Orth. (See *Taenionema* Bolivar 1906.)
Taeniospira Ulrich & Bridge 1930, *Missouri Bur. Geol. Mines*, (2) 24, 196.—Moll.
Taeniossticha Motschoulsky 1860, in Schrenck, *Reisen u. Forsch. Amur-Lande*, 2, Lief. 2, Col., 207.—Col.
Taeniosstigma Enderlein 1901, *Zool. Jahrb., Syst.*, 14, 546.—Psocopt.
Taeniosstola Bezzi 1913, *Mem. Indian Mus.*, 3, 119.—Dipt.
Taeniosstola Meyrick 1920, *Exot. Microlep.*, 2, 326.—Lep.
Taeniotus Audinet-Serville 1835, *Ann. Soc. ent. France*, 4, 90.—Col.
Taeniothaerus Whitehouse 1928, *Rep. Australian Ass. Adv. Sci.*, 18, 281 [*n.n.*].—Brach.
Taeniothoa Andres 1883, *Atti Accad. Lincei, Mem.*, (3) 14, 521, 532.—Coel.
Taeniothrips Amyot & Serville 1843, (*Roret's Suite à Buffon*) *Hémiptères*, 644.—Thysanopt.

- Taeniothrombocyathus** Ludwig 1866, *Palaeontographica*, 14, 173.—Coel.
Taeniotoca Agassiz 1862, Proc. Boston Soc. nat. Hist., 8, 1861, 133.—Pisces.
Taeniotriccus Berlepsch & Hartert 1902, *Novit. zool.*, 9, 38.—Aves.
Taenisoma Swainson 1839, N.H. Fishes, etc., 2, 81 [*n.n.*].—Pisces.
Taenium (pro *-nia* L. 1758) Graefe 1841, *Naturg.*, 1, 554.—Verm. (Cest.).
Taeniura Mueller & Henle 1837, Ber. preuss. Akad. Wiss., 2, 117; 1841, *Syst. Plagiost.*, (3) 171.—Pisces.
Taeniura Gregory 1897, Proc. zool. Soc. London, 1896, 1035.—Echin.
Taeniurites Cockerell 1917, Proc. U.S. nat. Mus., 52, 382.—Hym.
Taenobates Motschoulsky 1872, Bull. Soc. imp. Nat. Moscou, 45 (2), 25.—Col.
Taenodema Laporte 1835, *Etude Ent.*, 120.—Col.
Taenodemiella Bernhauer 1923, *Wien. ent. Ztg.*, 40, 51.—Col.
Taenodoma (err. pro *-osoma* Mannerheim 1831) Erichson 1840, *Gen. Spec. Staph.*, 679.—Col.
Taenogera Kroeber 1912, *Ent. Mitt.*, 1, 118, 150.—Dipt.
Taenophaus see **Teinophaus**.
Taenophthalmus (pro *Taino-* Desbrochers 1873) Guenther & Zumpt 1933, *Col. Cat.*, 131, 11.—Col.
Taenosoma Mannerheim 1831, *Mém. présentés Acad. imp. Sci. St. Pétersbourg*, 1 (5), 464.—Col.
Taenydraena (pro *Taenhy-* Kuwert 1888) Ganglbauer 1904, *Käf. Mitteleur.*, 4, no. 1, 197.—Col.
Taeuberella Schmidt 1932, *Wien. ent. Ztg.*, 49, 279.—Hem.
Taeuia (pro *Taenia* L. 1758) Froelich 1789, *Naturf.*, 24, 108.—Verm. (Cest.).
Tafalisca Walker 1869, *Catal. Dermapt. Saltat. Brit. Mus.*, 1, 52.—Orth.
Tafalla Walker 1869, *Charact. undescr. Lep. Het.*, 42.—Lep.
Tafana Simon 1903, *Bull. Soc. ent. France*, 1903, 124.—Arachn.
Tafanerus Navás 1921, *Rec. Acad. Ci. Zaragoza*, 6, 62.—Neur.
Taffia [Ulrich M.S.] Butts 1926, *Spec. Rep. geol. Surv. Alabama*, 14, explan. pl. xviii [*n.n.*].—Brach.
Taftia Ashmead 1904, Proc. U.S. nat. Mus., 28, 137.—Hym.
Tagalina Dohrn 1863, *Ent. Ztg.*, Stettin, 24, 44.—Dermapt.
Tagalis Stål 1858, K. svenska VetenskAkad. Handl., 2, no. 7, 76.—Hem.
Tagalisca Horváth 1904, *Ann. Mus. Hungar.*, 2, 140.—Hem.
Tagalochares Banks 1934, Proc. Amer. Acad. Arts Sci., 69, 97.—Hym.
Tagalodes Scudder 1890, *Foss. Ins. N. Amer.*, 2, 356.—Hem.
Tagalornantis Hebard 1920, Proc. Acad. nat. Sci. Philad., 72, 38.—Orth.
Tagalonannus Poppius 1915, *Arch. Naturgesch.*, 80, A8, 1914, 77.—Hem.
Tagalopsocus Banks 1916, *Philippine J. Sci.*, 11 (D), 201.—Psocopt.
Tagalopsyche Banks 1914, Proc. ent. Soc. Washington, 15, 177.—Trichopt.
Tagalus (pro *Tagelus* Gray 1847) Fischer 1887, *Man. Conch.*, 1107.—Moll.
Tagalus Gebien 1914, *Philippine J. Sci.*, 8 (D), 388.—Col.
Tagaritensha see **Togaritensha**.
Tagata (*n.n.* pro *Mestra* Stål 1877) Bolivar 1905, *Bol. Soc. españ. Hist. nat.*, 5, 111.—Orth.
Tagata Moore 1883, Proc. zool. Soc. London, 1883, 281.—Lep.
Tagatsia Moore 1899, *Lep. Ind.*, 4, 28.—Lep.
Tagela Schaus 1901, *Trans. ent. Soc. London*, 1901, 265.—Lep.
Tagelus Gray 1847, Proc. zool. Soc. London, 15, 189.—Moll.
Tagenia Latreille (1802), *Hist. Crust. Ins.*, 3, 170.—Col.
Tagenodes Haag-Rutenberg 1875, in Harold, *Coleopt. Hefte*, 14, 87.—Col.
Tagenopsis Heer 1865, *Urwelt Schweiz*, 377.—Col.
Tagenostola Reitter 1916, *Wien. ent. Ztg.*, 35, 138.—Col.
Tagesoidea Redtenbacher 1908, in Brunner v. Wattenwyl & Redtenbacher, *Die Insektenfam., Phasmiden*, 3, 564.—Orth.
Tagiades Huebner [1819], *Verz. bekannt. Schmettl.*, (7) 108.—Lep.
Tagona Fischer de Waldheim 1821, *Lettre à Pander*, 13; 1822, *Entom. Imp. Russ.*, 1 (Ent. Ruthen.), 179.—Col.
Tagonia Gray 1842, *Syn. Cont. Brit. Mus.*, ed. 44, 78 (as *Tugonia* p. 91).—Moll.
Tagonoides Fairmaire 1886, *Ann. Soc. ent. France*, (6) 6, 343.—Col.
Tagora Walker 1855, *List Specimens Lep. Ins. Brit. Mus.*, 5, 1188.—Lep.
Tagoropsis Felder 1874, *Reise Novara, Zool.*, 2, Abt. 2, *Lep. Het.*, Explan. Pls. lxxv-cvii, 9.—Lep.
Taguanus Rafinesque 1815, *Analyse*, 55 [*n.n.*].—Mamm.
Taguilla (*n.n.* pro *Papillina* Schmidt 1862) Bowerbank 1874, *Monogr. Brit. Spong.*, 3, xi.—Spong. (Cf. *Tapiliata* Bowerbank 1874.)
Tagulinus Simon 1903, *Ann. Soc. ent. France*, 71, 1902, 725.—Arachn.
Tagulis Simon 1895, *Hist. nat. Araign.*, 1, 973.—Arachn.
Tagumaea Fukui 1930, *J. Fac. Sci. Tokyo*, 1, 97.—Verm. (Trem.).
Tagus Stål 1865, *Hem. Afric.*, 2, 67.—Hem.
Tagusa Herre 1935, *Field Mus. Publ. Chicago, Zool. Ser.*, 18, 435.—Pisces.

- Tagyris (? pro *Pa-* Boisduval 1870) Haensch 1909, in Seitz, Gross-Schmett. Erde, 5, 141.—Lep.
- Taha Reichenbach [1863], Handb. Orn., Singvög., 73.—Aves.
- Taheitea (err. pro *-tia* Adams 1863) Simroth 1907, in Bronn, Klass. Ordn. Tierreichs, 3, Lief. 90-94, 1048.—Moll.
- Taheitia Adams 1863, Ann. Mag. nat. Hist., (3) 11, 19.—Moll.
- Tahetia (err. pro *Taheitia* Adams 1863) Tapparone-Canefri 1886, Ann. Mus. Stor. nat. Genova, (2) 4, 198.—Moll.
- Tahhmel Forskål 1775, Descript. Anim., 45 [*n.n.*].—Pisces.
- Tahitia (err. pro *Tahei-* Adams 1863) Adams & Angas 1865, Proc. zool. Soc. London, 1865, pl. 2.—Moll.
- Tahitina Hebard 1935 [sep. 1933], Bull. Bishop Mus., No. 113, 64.—Orth.
- Tahitocoris Yang 1935, Ann. Mag. nat. Hist., (10) 16, 480.—Hem.
- Tahla Dumont 1932, Soc. ent. France, Livre centen., 1932, 716.—Lep.
- Tahul Navás 1912, Rev. russe Ent., 12, 112.—Neur.
- Tahura Melichar 1926, Ann. Mus. nat. Hungar., 23, 343 [*sine sp.*].—Hem.
- Taia Annandale 1918, Rec. Indian Mus., 14, 123.—Moll.
- Taianocephalus Sun 1925, Palaeont. Sinica, (B) 1 (4), 83.—Trilobita.
- Taiconia Bates 1873, Trans. ent. Soc. London, 1873, 314.—Col.
- Taihorina Schumacher 1915, Mitt. zool. Mus. Berlin, 8, 84.—Hem.
- Taihua Annandale 1924, Amer. J. Hyg., Monogr. No. 3, 277, 280.—Moll.
- Taihungshania Sun 1931, Palaeont. Sinica, 7, 7.—Trilobita.
- Tainania Masi 1929, Boll. Lab. Ent. Bologna, 2, 159.—Hym.
- Tainaniella Masi 1929, Boll. Lab. Ent. Bologna, 2, 161.—Hym.
- Tainanina Villeneuve 1926, Bull. Ann. Soc. ent. Belgique, 66, 271.—Dipt.
- Tainiaster Lambert [non *Taeniaster* Billings] Lambert 1895, in Grossouvre, Strat. Craie supér., 158.—Echin.
- Tainionautilus Mojsisovics 1902, Abh. Geol. Reichsanst. Wien, 6 (1), Suppl., 204, 232.—Moll.
- Tainoceras Hyatt 1884, Proc. Boston Soc. nat. Hist., 22, 269.—Moll.
- Tainophthalmus Desbrochers 1873, Ann. Soc. ent. France, (5) 2, 1872, 426.—Col.
- Tainuia Marshall 1926, Trans. N. Zealand Inst., 56, 185.—Moll.
- Taipinga Distant 1905, Ann. Mag. nat. Hist., (7) 16, 210.—Hem.
- Taipinia Shiraki 1907, Trans. Sapporo nat. Hist. Soc., 2, 105.—Dermapt.
- Tairella Hebard 1926, Proc. Acad. nat. Sci. Philad., 78, 217.—Orth.
- Tairona Hebard 1928, Trans. Amer. Ent. Soc., 54, 27.—Orth.
- Taishania Sun 1935, Palaeont. Sinica, (B) 7 (2), 68.—Trilobita.
- Taitzuia Resser & Endo 1935, in Kobayashi, J. Fac. Sci. Univ. Tokyo, Geol., 4, 90.—Trilobita.
- Taius Jordan & Thompson 1912, Proc. U.S. nat. Mus., 41, no. 1875, 570.—Pisces.
- Taivala Peckham 1907, Trans. Acad. Sci. Wisconsin, 15, 642.—Arachn.
- Taivaniella Poppius 1915, Arch. Naturgesch., 80, A8, 57.—Hem.
- Taiwanaleyrodes Takahashi 1932, Rep. Dep. Agric. Govt. res. Inst. Formosa, No. 59, 28.—Hem.
- Taiwanaphis Takahashi 1934, Stylops, 3, 56.—Hem.
- Taiwanastrapometis Shibuya 1928, J. Fac. Agric. Sapporo, 22, 97.—Lep.
- Taiwanathous Miwa 1930, Trans. nat. Hist. Soc. Formosa, 20, 68.—Col.
- Taiwania Spaeth 1913, Ann. Mus. hungar., 11, 47.—Col.
- Taiwanina Alexander 1928, Philippine J. Sci., 35, 484.—Dipt.
- Taiwanita Alexander 1929, Philippine J. Sci., 40, 531.—Dipt.
- Taiwanobyctiscus Kôno 1929, Trans. Sapporo nat. Hist. Soc., 10, 136.—Col.
- Taiwanomyia Alexander 1923, Philippine J. Sci., 22, 476.—Dipt.
- Taiwanosemia Matsumura 1917, Trans. Sapporo nat. Hist. Soc., 6, 194.—Hem.
- Taiyubius Chamberlin 1912, Canad. Ent., 44, 176.—Myr.
- Taiyuna Chamberlin 1912, Pomona Coll. J. Ent., 4, 660, 661.—Myr.
- Taizonia Chen 1934, Ann. Soc. ent. France, 103, 182.—Col.
- Tajassus (pro *Tayassu* Fischer 1814) Rafinesque 1815, Analyse, 56.—Mamm.
- Tajuria Moore 1881, Lep. Ceylon, 1, 108.—Lep.
- Takadonta Matsumura 1919, Dobuts. Zasshi, 32, 147.—Lep.
- Takagripopteryx Okamoto 1922, Bull. agric. Exp. Sta. Chosen, 1, 3.—Plecopt.
- Takahashia Cockerell 1896, Psyche, 7, no. 238, Suppl., 20; 1896, Techn. Ser. U.S. Dep. Agric., Div. Ent., No. 4, 47.—Hem.
- Takakkawia Walcott 1920, Smithson. misc. Collect., 67, 277.—Spong.
- Takamatsuia Uchida 1926, J. Coll. Agric. Tokyo, 9, 32.—Mallorph.
- Takanea Nagano 1917, Bull. Nawa Ent. Lab., 2, 11.—Lep.
- Takanoella Baranov 1935, Vet. Arhiv, Zagreb, 5, 558.—Dipt.
- Takanona Uchida 1928, J. Coll. Agric. Hokkaido imp. Univ., 18, 163.—Hym.
- Takaomia Roewer 1911, Zool. Jahrb., Syst., 31, 607.—Arachn.
- Takaomyia Hervé-Bazin 1915, Ann. Soc. ent. France, 83, 412.—Dipt.
- Takapsalta Matsumura 1927, Insecta matsum., 2, 56.—Hem.
- Takapestis Matsumura 1933, Insecta matsum., 7, 200.—Lep.

- Takashachia** Matsumura 1929, *Insecta matsum.*, 4, 47.—Lep.
Takastenus Uchida 1931, *J. Fac. Agric. Hokkaido imp. Univ.*, 30, 188.—Hym.
Takatsukasaia Hachisuka 1935, *Birds Philippines*, 2, 296.—Aves.
Takecallis Matsumura 1917, *J. Coll. agric. Sapporo*, 7, 373.—Hem.
Takeuchiella Malaise 1935, *Ent. Tidskr.*, 56, 173.—Hym.
Takliwa Funkhouser 1935, *J. New York ent. Soc.*, 43, 430.—Hem.
Takydromus Daudin (1802), *Sonnini's Buffon, Rept.*, 3, 251.—Rept.
Tala Malaise 1935, *Ark. Zool.*, 27A, no. 9, 25.—Hym.
Talabrica Iredale 1924, *Proc. Linn. Soc. N.S. Wales*, 49, 181, 204.—Moll.
Talacalanus Wolfenden 1911, *Dtsch. Südpolar-Exped. 1901-1903*, 12 (4), 279.—Crust.
Talacocera (pro *Talaro*-Williston 1887) Van der Wulp 1895, *Tijdschr. Ent.*, 38, 49.—Dipt.
Talacropera (pro *Talaro*-Williston 1887) Brauer & Bergenstamm 1891, *Denkschr. Akad. Wiss. Wien*, 58 (1), 383.—Dipt.
Talaeperia (pro *Taleporia* Huebner 1825) Walker 1855, *List Specimens Lep. Ins. Brit. Mus.*, 4, 931.—Lep.
Talaepora Dejean 1835, *Catal. Coléopt.*, ed. 2, 347 [n.n.].—Col. (nec *Taleporia* Huebner 1825 see *Agennopsis* Thomson 1857 and *Taloepora* Fairmaire 1860).
Talaeporia (pro *Tale*-Huebner 1825) Zeller 1838, *Isis (Oken)*, 1838, 718.—Lep.
Talaeporina (pro *Taleporia* Huebner 1825) Seebold 1879, *An. Soc. Españ.*, 8, 124.—Lep.
Talahabia Martin 1921, *Samml. Geol. R. Mus. Leiden, (N.F.)* 1, Abt. 2 (3), 446.—Moll.
Talainga Distant 1890, *Ann. Mag. nat. Hist.*, (6) 5, 166.—Hem.
Talaloe Distant 1907, *Ann. Mag. nat. Hist.*, (7) 19, 294.—Hem.
Talamba Ragonot 1888, *Nouv. Phycit.*, 47.—Lep.
Talamita (pro *Thal*-Latreille 1829) Rueppell 1830, *Beschr. Krabben rothen Meeres*, 4.—Crust.
Talanes Motschoulsky 1864, *Bull. Soc. imp. Nat. Moscou*, 37 (2), 187.—Col.
Talanga Moore 1885, *Lep. Ceylon*, 3, 300.—Lep.
Talanites Simon 1893, *Hist. nat. Araign.*, 1, 365.—Arachn.
Talantatos Reichenbach 1852-53, *Av. Syst.*, xiv.—Aves.
Talantatus (pro *-tos* Reichenbach 1852-53) Giebel 1877, *Thesaur. Orn.*, 3, 588.—Aves.
Talanthia Pascoe 1871, *Ann. Mag. nat. Hist.*, (4) 7, 206.—Col.
Talantis Meyrick 1889, *Proc. Linn. Soc. N.S. Wales*, (2) 3, 1888, 1601.—Lep.
Talantodiscus Fischer 1885, *Man. Conch.*, 850.—Moll.
Talanus Dejean 1834, *Catal. Coléopt.*, ed. 2, 211 [n.n.]; Maeklin 1878, *Ofvers. finska VetenskSoc. Forh.*, 20, 340 (93)—Col.
Talapa Moore 1867, *Proc. zool. Soc. London*, 1867, 82.—Lep.
Talapena (err. pro *Talo*-Iredale 1918) Cossmann 1920, *Rev. crit. Paléozool.*, 24, 186.—Moll.
Talaphorus Mulsant & Verreaux 1874, *Hist. nat. Ois.-Mouches*, 1, 257.—Aves.
Talapius Rafinesque 1815, *Analyse*, 68 [n.n.].—Aves.
Talapotera Hampson 1926, *Descr. new Genn. Spp. Noctuidae*, 263.—Lep.
Talara Walker 1866, *List Specimens Lep. Ins. Brit. Mus.*, 35, 1891.—Lep.
Talariga Walker 1858, *List Specimens Lep. Ins. Brit. Mus.*, 15, 1634.—Lep.
Talarocera Williston 1887, *Ent. Amer.*, 3, 152.—Dipt.
Talarocrinus Wachsmuth & Springer 1881, *Proc. Acad. nat. Sci. Philad.*, 1881, 259.—Echin.
Talasio Buquet 1859, in Thomson, *Arcana Naturae*, 99.—Col.
Talassema (pro *Tha*-Lamarck 1801) Burmeister 1837, *Handb. Naturgesch.*, (2) 472.—Verm. (Geph.).
Talassocore (emend. pro *Chrysaora* Péron & Lesueur 1810) Gistel 1848, *Nat. Thierr.*, viii.—Coel.
Talassorhinus (pro *Thalassorhinus*, Valenciennes 1839) Bonaparte 1841, *Icon. F. Ital., Pesci*, *Introd.* [p. 4].—Pisces.
Talaurinus MacLeay 1865, *Trans. ent. Soc. N.S. Wales*, 1, 216.—Col.
Talaus Simon 1886, *Act. Soc. linn. Bordeaux*, 40, 172.—Arachn.
Talaus Moreira 1913, *Mém. Soc. zool. France*, 25, 146.—Crust. (See *Moreiriella* Moreira 1915.)
Talavera Peckham 1909, *Trans. Wisconsin Acad. Sci.*, 16, 575.—Arachn.
Talayra Champion 1895, *Trans. ent. Soc. London*, 1895, 232.—Col.
Talegalla (pro *-llus* Lesson 1826) Lesson 1828, *Man. Orn.*, 2, 185.—Aves.
Talegallus Lesson 1826, in Duperry, *Voy. "Coquille" (Zool.)*, 1, 715.—Aves.
Talehsapia Fauvel 1932, *Mem. Indian Mus.*, 12, 251.—Verm. (Polych.).
Taleitha (emend. pro *Epichloris* Dejean 1833) Gistel 1848, *Nat. Thierr.*, xi.—Col.
Taleporia Huebner [1825], *Verz. bekannt. Schmett.*, (25) 400.—Lep.
Talerax Sharp 1877, *Ann. Mag. nat. Hist.*, (4) 19, 486.—Col.
Taleus Amyot 1846, *Ann. Soc. ent. France*, (2) 4, 98.—Hem.
Taleve (ex Lesson) Agassiz 1842, *Nomen. zool.*, Av., 75 [n.n.].—Aves.
Taliaferria Hegner & Rees 1933, *Trans. Amer. micr. Soc.*, 52, 317.—Prot.

- Talicada* Moore 1881, Lep. Ceylon, 1, 96.—Lep.
Talides Huebner [1819], Verz. bekannt. Schmett., (7) 106.—Lep.
Taliepus Milne-Edwards 1878, Crust. Reg. Mex., 138.—Crust.
Talifa Budde-Lund 1908, in Voeltzkow, Reise Ostafrika, 2, 281.—Crust.
Talima Walker 1855, List Specimens Lep. Ins. Brit. Mus., 5, 1120.—Lep.
Talima Heller 1932, Tijdschr. Ent., 75, Suppl., 71.—Col.
Talimeda Cameron 1912, Ann. Soc. ent. Belgique, 56, 382.—Hym.
Talis Guenée 1845, Ann. Soc. ent. France, (2) 3, 324.—Lep.
Talismania Goode and Bean 1895, Ocean. Ichth., 41.—Pisces.
Talites Boisduval 1874, in Capronnier, Ann. Soc. ent. Belgique, 17, 20.—Lep.
Talitrella Dybowski 1926, Bull. internat. Acad. Cracovie, (B) 1926, 5.—Crust.
Talitriator Methuen 1913, Proc. zool. Soc. London, 1913, 109.—Crust.
Talitroides Willem 1898, Ann. Soc. ent. Belgique, 42, 210.—Crust.
Talitronus Dana 1850, Amer. J. Sci., (2) 9 (26), 295.—Crust.
Talitropsis (pro *-tropsis* Bolivar 1883) Brunner 1888, Verh. zool.-bot. Ges. Wien, 38, Abh., 257, 312.—Orth.
Talitropsis Bolivar [1883], Ann. Soc. ent. France, (6) 2, 1882, 461.—Orth.
Talitropsis Burt 1934, Spolia zeylan., 18, 181.—Crust.
Talitorchestia Brandt 1851, Bull. Cl. phys.-math. Acad. Imp. St. Petersburg, 9, 137.—Crust.
Talitrus Latreille (1802), Hist. Crust. Ins., 3, 38.—Crust.
Talityphis Jousseaume 1881, Rev. Mag. Zool., (3) 7, 338.—Moll.
Talla von Heyden 1860, KorespBl. Samml. Ins. Regensburg, 1, 90.—Hem.
Tallegada Hulst 1896, Trans. Amer. ent. Soc., 23, 260.—Lep.
Tallegallus (pro *Talegalla* Lesson 1828) Schlegel 1872, Dierentuin zool. Genoot., Aves, 215.—Aves.
Tallepup (pro *Tha*-Swainson 1840) Paetel 1875, Fam. Gatt. Moll., 207.—Moll.
Tallium André 1903, Gen. Insect., 11, 16, 19, 45.—Hym.
Tallogalla (pro *Taleg*-Lesson 1828) Rosenberg 1863, Naturk. Tijdschr. Nederl. Ind., 25, 252.—Aves.
Tallonia Simon [1889], Ann. Soc. ent. France, (6) 8, 1888, 223.—Arachn.
Tallopia (err. pro *Talo*-Gray 1840) Moersch 1852, Cat. Yoldi, 1, 153.—Moll.
Tallorbis Nevill 1869, J. Asiat. Soc. Bengal, (N.S.) 38 (2), no. 3, 159.—Moll.
Tallula Hulst 1888, Ent. Amer., 4, 115.—Lep.
Talmacia Gray 1842, Syn. Cont. Brit. Mus., ed. 44, 118 [*n.n.*].—Echin.
Talmecca Schaus 1905, Proc. U.S. nat. Mus., 29, 262.—Lep.
Talmenia Moeschler 1883, Verh. zool.-bot. Ges. Wien, 32, Abh., 344.—Lep.
Talmonia Robineau-Desvoidy 1863, Hist. nat. Dipt., 1, 704.—Dipt.
Talmonus Fairmaire 1889, Ann. Soc. ent. France, (6) 9, 71.—Col.
Talochlamys Iredale 1929, Rec. Australian Mus., 17, 164.—Moll.
Taloepora (pro *Talaepora* Dejean 1835 *n.n.*) Fairmaire 1860, Ann. Soc. ent. France, (3) 7, 1859, 521.—Col.
Taloeporia (pro *Taleporia* Huebner 1825) Guenée 1846, Ann. Soc. ent. France, (2) 4, 15.—Lep.
Taloipa Buckton 1905, Trans. Linn. Soc. London, Zool., 9, 334.—Hem.
Taloka Distant 1907, Ann. Mag. nat. Hist., (7) 19, 280.—Hem.
Talona Gray 1840, Syn. Cont. Brit. Mus., ed. 42, 150 [*n.n.*]; 1842, ed. 44, 76.—Moll.
Talonella Gray 1851, Ann. Mag. nat. Hist., (2) 8, 385.—Moll.
Talopena Iredale 1918, Proc. malac. Soc. London, 13, 28, 30.—Moll.
Talopia Gray 1840, Syn. Cont. Brit. Mus., ed. 42, 147 [*n.n.*]; 1842, ed. 44, 57.—Moll.
Talorchestes (pro *-tia* Dana 1852) Filhol 1885, Recu. Passage Vénus, 3, (2) Zool., 459.—Crust.
Talorchestia Dana 1852, Amer. J. Sci., (2) 14, 310.—Crust.
Talorga Cameron 1911, Entomologist, 44, 63.—Hym.
Talostolida Iredale 1931, Rec. Australian Mus., 18, 219.—Moll.
Talopus Navás 1923, Mem. Accad. Lincei, (2) 6, 35.—Neur.
Talpa Linnaeus 1758, Syst. Nat., ed. 10, 52; 1766, ed. 12, 73.—Mamm.
Talpacotia Bonaparte 1854, Consp. Gen. Avium, 2, 79.—Aves.
Talparia Troschel 1861, Gebiss. Schnecken, 1, 204.—Moll.
Talparus (pro *-avus* Marsh 1872) Gill [1883], Standard nat. Hist., 5, 158.—Mamm.
Talpasorex Schinz 1821, in Cuvier, Thierreich, 1, 192 (note).—Mamm.
Talpasorex Lesson [non Schinz 1821] 1827, Man. Mamm., 124.—Mamm.
Talpavus Marsh 1872, Amer. J. Sci., (3) 4, 128.—Mamm.
Talpella Jordan 1924, Novit. zool., 31, 228.—Col.
Talpa Say 1823, in James, Exped. Rocky Mountains, 1, 406.—Mamm.
Talpina Hagenow 1840, N. Jahrb. f. Min., 1840, 670.—Spong.
Talpisorex (emend. pro *Talpas*-Lesson 1827) Agassiz 1846, Nomen. Zool. Index Univ.—Mamm.
Talpochara (pro *Tha*-Lederer 1853) Pagenstecher 1909, Geogr. Verbr. Schmett., 423.—Lep.

- Talpoides* Lacepède 1799, Tabl. Mamm., 10.—Mamm.
Talponia Heinrich 1926, Bull. U.S. nat. Mus., No. 132, 19.—Lep.
Talpophila (pro *Tha*-Huebner 1820) Warren 1911, in Seitz, Gross-Schmett. Erde, 3, 199.—Lep.
Talpops Gervais 1868, in Carus & Gerstaecker, Handb. Zool., 1, 92.—Mamm.
Talposorex Pomel 1848, Arch. Sci. Phys. Nat. Genève, 9, 248.—Mamm.
Talphybia Thorell 1898, Ann. Mus. Stor. nat. Genova, 39, 376.—Arachn.
Talphybius (emend. pro *Podium* Fabricius 1805) Rafinesque 1815, Analyse, 125.—Hym.
Talurus Lefèvre [1890], Ann. Soc. ent. France, (6) 9, 1889, 337.—Col.
Talus (emend. pro *Ptychodes* Serville 1835) Gistel 1848, Nat. Thierr., xi.—Col.
Talycoptera (err. pro *Thylaco*-Hampson 1898) Seitz 1912, Gross-Schmett. Erde, 10, 66 (as *Tylacoptera* Index p. 905).—Lep.
Tama Simon 1882, Ann. Mus. Stor. nat. Genova, (6) 2, 256.—Arachn.
Tamaclabatta Zalesky 1929, Trudy Obsch. Est. Kazan. Univ., 52, 11, 12.—Protorth.
Tamalia Baker 1920, Bull. U.S. Dep. Agric., No. 826, 24.—Hem.
Tamamushia Miwa & Chûjô 1935, Ent. World, Tokyo, 3, 274.—Col.
Tamandua Rafinesque 1815, Analyse, 57 [n.n.]; Gray 1825, Ann. Phil., (2) 10, 343.—Mamm.
Tamanduas (pro *-dua* Rafinesque 1815) Cuvier 1829, Dict. Sci. nat., 59, 501.—Mamm.
Tamanka Herre 1927, Monogr. Bur. Sci. Manila, 23, 220.—Pisces.
Tamanukia Baranov 1935, Vet. Arhiv, Zagreb, 5, 551.—Dipt.
Tamara Uljanin 1870, Trans. Russ. Ass. Nat., Moscow, 1869, Zool. Anat. Phys., 15.—Verm. (Turb.).
Tamaria Gray 1840, Ann. Mag. nat. Hist., 6, 283.—Echin.
Tamarin Gray 1870, Cat. Monkeys Brit. Mus., 68.—Mamm.
Tamarindiformis Herrmannsen 1849, Indicis Gen. Malac. Primord., 2 (5), 528.—Moll.
Tamarinus Trouessart 1904, Cat. Mamm., Suppl., 29.—Mamm.
Tamarisca Kudelin 1916, Annu. Mus. zool. Acad. Sci. St. Pétersbourg, 19, 112.—Coel.
Tamarixia Mercet 1924, Bol. Soc. españ. Hist. nat., 24, 57.—Hym.
Tamarrha Walker 1864, List Specimens Lep. Ins. Brit. Mus., 29, 816.—Lep.
Tamasa Distant 1905, Ann. Mag. nat. Hist., (7) 15, 386.—Hem.
Tamasanka Distant 1906, Ann. Mag. nat. Hist., (7) 18, 291.—Hem.
Tamatia Cuvier 1798, Tab. Elém., 234; Rafinesque 1815, Anal. Nat., 65; Cuvier [1816], Règne Anim., 1, 1817, 429.—Aves.
Tamatias (pro *-tia* Cuvier 1798) Oken 1817, Isis, 1, 1184.—Aves.
Tamayoa Baker 1925, Occ. Pap. Mus. Zool. Univ. Michigan, No. 156, 15, 17, 34.—Moll.
Tamayops Baker 1928, Nautilus, 41, 126.—Moll.
Tamba Walker 1869, Charact. undescr. Lep. Het., 94.—Lep.
Tambana Moore 1882, in Hewitson & Moore, Descr. new Indian Lep. Coll. Atkinson, (2) Heteroc., 155.—Lep.
Tambila Distant 1907, Fauna Brit. Ind., Rhynch., 4, 247.—Hem.
Tambinia Stål 1859, Berlin. ent. Z., 3, 316.—Hem.
Tambla-Mastodon Roger 1887, Ber. Naturw. Ver. Schwaben u. Neuburg, 29, 33.—Mamm.
Tamboeria Seeley 1904, Ann. Mag. nat. Hist., (7) 14, 336.—Rept.
Tamboicus Roewer 1914, Mém. Soc. neuchâtel. Sci. nat., 5, 157.—Arachn.
Tamboria Heller 1920, Arch. Naturgesch., 84, A8, 54.—Col.
Tambourina Distant 1911, Ann. Mag. nat. Hist., (8) 7, 577.—Hem.
Tambouriniana Rainbow & Pülleine 1918, Rec. Australian Mus., 12, 120.—Arachn.
Tambra Bleeker 1860, Natuurk. Tijdschr. Nederl. Ind., 20, 430; 1860, Acta Soc. Sci. Ind.-Ned., 7, 311.—Pisces.
Tambusa Distant 1905, Ann. Mag. nat. Hist., (7) 15, 205.—Col.
Tambusa Distant 1908, Ins. Transvaal., 216.—Hem. (See *Tambusana* Distant 1912.)
Tambusana (n.n. pro *Tambusa* Distant 1908) Distant 1912, Ann. Mag. nat. Hist., (8) 9, 652.—Hem.
Tamdaous Pic 1923, Echange, 39, 11.—Col.
Tameigastrea Leach 1830, Trans. Plymouth Inst., 1, 168.—Spong.
Tamela Swinhoe 1913, Lep. indica, 10, 207.—Lep.
Tamena Reitter 1901, Verh. Ver. Brünn, 39, 143.—Col.
Tamenes Gounelle 1912, Bull. Soc. ent. France, 1912, 133.—Col.
Tamenus Beier 1932, Zool. Jahrb., Syst., 62, 600.—Arachn.
Tamera Moore 1888, in Hewitson & Moore, Descr. new Indian Lep. Coll. Atkinson, (3) Heteroc., 284.—Lep.
Tamerlania Skrjabin 1924, Zbl. Bakt., (2) 62, 86.—Verm. (Trem.).
Tamerlania Paramonov 1931, Trav. Mus. zool. Kiev, 11, 203.—Dipt.
Tamia (pro *-ias* Illiger 1811) Lesson 1827, Man. Mamm., 231.—Mamm.
Tamias Illiger 1811, Prod., 83.—Mamm.
Tamiasciurus Trouessart 1880, Le Naturaliste, 1, no. 37, 292.—Mamm.

- Tarniclea Macquart 1836, Mém. Soc. R. Sci. Lille, 1835, 190.—Dipt.
 Tarnila Guenée 1852, Hist. nat. Ins., Spec. gén. Lép., 6, 176.—Lep.
 Tarnina see *Tamira*.
 Tarniobatis Eastman 1897, Amer. J. Sci., (4) 4, 85.—Pisces.
 Tarniodes Pocock 1923, Proc. zool. Soc. London, 1923, 215.—Mamm.
 Tarniops Allen 1906, Bull. Amer. Mus. nat. Hist., 22, 475.—Mamm.
 Tarniosoma Conrad 1856, Proc. Acad. nat. Sci. Philad., 8, 315.—Echin.
 Tamira Gistl 1856, Mysterien europ. Insektenwelt, 31 (also as *Tamina*), 500.—Col.
 Tamiscus Thomas 1918, Ann. Mag. nat. Hist., (9) 1, 33.—Mamm.
 Tamisoria Thomson 1877, Ann. Soc. ent. France, (5) 7, Bull., lxxxii.—Col.
 Tamius (pro *Tamias* Illiger 1811) Riggs 1899, Publ. Field Columb. Mus., Geol. Ser., 1, 187.—Mamm.
 Tammoteca Santschi 1929, Zool. Anz., 82, 476.—Hym.
 Tamnastura (pro *Thaumastura* Bonaparte 1849) Des Murs 1855, in Laporte, Exped. Amér. Sud 7, 1 Ois., 41, 97.—Aves.
 Tamnodynastes (err. pro *Tha*-Wagler 1830) Pinto & Maciel 1929, Rev. med.-cirurg. Brasil, 37, 206.—Rept.
 Tamnograptus (pro *Tem*-Nicholson 1876) Počta 1894, in Barrande, Syst. silur. Bohême, Rech. pal., 8 (1), 167.—Coel.
 Tamnolanus Lesson 1839, Rev. Zool. (Soc. Cuv.), 2, 138.—Aves.
 Tamnophilus see *Thamnophilus* Vieillot 1816.
 Tamnophis Rochebrune 1880, N. Arch. Mus. Paris, (2) 3, 281.—Rept.
 Tamnosericca Brenske 1899, Berlin. ent. Z., 44, 237; 1900, 45, 55.—Col.
 Tamolana Kuthy 1910, Ann. Mus. Hungar., 8, 214.—Orth.
 Tamolia Horváth 1900, Termés. Füzetek, 23, 365.—Hem.
 Tamotus Schaufuss 1877, Pselaphiden Siam's, 24.—Col.
 Tamoya Mueller 1859, Abh. Ges. Halle, (N.F.) 5, 1.—Coel.
 Tampo Ragonot 1888, N. Amer. Phycit., 19.—Lep.
 Tampea Snellen 1897, Tijdschr. Ent., 40, 226.—Lep.
 Tamphana Schaus 1892, Proc. zool. Soc. London, 1892, 325.—Lep.
 Tampiya Chamberlin 1912, Pomona Coll. J. Ent., 4, 655.—Myr.
 Tampsia Stephenson 1922, Proc. U.S. nat. Mus., 61, 4.—Moll.
 Tamraca Moore 1887, Lepidopt. Ceylon, 3, 554.—Lep.
 Tamsiana Wagner 1907, Syst. Conch. Cab., (2) Lief. 526, 78.—Moll.
 Tamsiella Haas 1931, Senckenbergiana, 13, 87.—Moll.
 Tamulinus Attems 1927, Abh. Senckenb. Ges., 39, 244.—Myr.
 Tamulus Gistl 1848, Nat. Thierr., ix, 127.—Col.
 Tamusida Walker 1866, List Specimens Lep. Ins. Brit. Mus., 35, 1732.—Lep.
 Tamyra Herrich-Schaeffer [1858 (Pls. 1856)], Samml. aussereurop. Schmett., Heteroc., 76, fig. 453.—Lep.
 Tamyris Swainson 1821, Zool. Illust., (1) 1 (6), pl. 33.—Lep.
 Tamyrodes Ragonot [1891], Ann. Soc. ent. France, (6) 10, 1890, 476.—Lep.
 Tana Reed 1888, An. Univ. Chile, 73, 284.—Dipt.
 Tana Lyon 1913, Proc. U.S. nat. Mus., 45, 134.—Mamm.
 Tanacetifex Amyot 1847, Ann. Soc. ent. France, (2) 5, 476.—Hem.
 Tanada Walker 1856, List Specimens Lep. Ins. Brit. Mus., 7, 1745.—Lep.
 Tanadema Dyar 1905, Proc. U.S. nat. Mus., 29, no. 1423, 392.—Lep.
 Tanaëcia Butler 1869, Proc. zool. Soc. London, 1868, 610.—Lep.
 Tanaella Norman 1886, Trans. zool. Soc. London, 12, 117.—Crust.
 Tanaemyrmex Ashmead 1905, Canad. Ent., 37, 384.—Hym.
 Tanagara (pro *-gra* L. 1764) Forster 1799, Man. H.N. des Oiseaux, 50.—Aves.
 Tanagra Linnaeus 1764, Mus. Adolph. Frid., 2, 30.—Aves.
 Tanagra Duponchel 1829, in Godart, H.N. Lépid. France, 7 (2) (Noct. 4, pt. 2), 112.—Lep. (See *Odezia* Boisduval 1840.)
 Tanagraoides (Bonaparte MS.) Lesson 1837, Compl. Buffon, 8, 290.—Aves.
 Tanagrella Swainson 1837 (June), N.H. Classif. Birds, 2, 121, 286 [n.n.]; 1837 (Dec.), Anim. Menag., 313.—Aves.
 Tanagridia Butler 1882, Trans. ent. Soc. London, 1882, 425.—Lep.
 Tanagroides Bonaparte 1831, Giorn. Arcad., 49, 51.—Aves.
 Tanais Milne-Edwards 1828, Ann. Sci. Nat., 13, 288; Latreille 1831, Cours Entom., 403.—Crust.
 Tanaisia Skrjabin 1924, Zbl. Bakt., (2) 63, 84.—Verm. (Trem.).
 Tanaisus Norman & Scott 1906, Crust. Devon & Cornwall, 34.—Crust.
 Tanakia Jordan & Thompson 1914, Mem. Carnegie Mus., 6, 230.—Pisces.
 Tanakius Hubbs 1918, Annot. zool. japon., 9, 370.—Pisces.
 Tanalaius Roewer 1915, Arch. Naturgesch., 80, A12, 113.—Arachn.
 Tanalia Gray 1847, Proc. zool. Soc. London, 15, 153; Layard 1854, 22, 88.—Moll.
 Tanaliopsis Cossmann 1915, Essais Paléonconch. comp., 10, 77.—Moll.
 Tanaobela Turner 1915, Proc. roy. Soc. Queensland, 27, 32.—Lep.
 Tanaocarabus Reitter 1896, Verh. Ver. Brünn, 34, 135.—Col.
 Tanaocerus Bruner 1903, Biol. Centr. Amer., Zool., Orth., 2, 191.—Orth.

- Tanaocrinus* Wachsmuth & Springer 1897, Mem. Mus. comp. Zool. Harvard, 20, 67, 185.—Echin.
- Tanaoetena* Turner 1913, Proc. Linn. Soc. N.S. Wales, 38, 204.—Lep. (nec *Tanaoetenia* Warren 1894 see *Tanaoetena* Meyrick 1918).
- Tanaoetenia* Warren 1894, Novit. zool., 1, 464.—Lep.
- Tanaoetenota* (n.n. pro *Tanaoetena* Turner 1913) Meyrick 1918, Exot. Microlep., 2, 188.—Lep.
- Tanaodon* Kirk 1927, Proc. U.S. nat. Mus., 70, art. 12, 1.—Moll.
- Tanaodon* Simpson 1927, Amer. J. Sci., (5) 13, 410.—Mamm.
- Tanaodus* St. John & Worthen 1875, Pal. Illinois, 6, 367 (also as *Tanodus* pp. 369, 486).—Pisces.
- Tanaognathus* Wolcott 1900, Trans. Amer. Micr. Soc., 21, 193.—Arachn.
- Tanaomastix* Timberlake 1918, Univ. California Pub. Ent., 1, 362.—Hym.
- Tanaoneura* Howard 1896, J. Linn. Soc. London, 26, 146.—Hym.
- Tanaophysa* Warren 1892, Ann. Mag. nat. Hist., (6) 9, 389.—Lep.
- Tanaops* Leconte 1859, Proc. Acad. nat. Sci. Philad., 1859, 74.—Col.
- Tanaopsis* Sars 1896, Crust. Norway, 2, 31.—Crust.
- Tanaoptera* Billberg 1820, Enum. Insect. in Mus. Blbg., 79.—Lep.
- Tanaorhamphus* Ward 1917, J. Parasitology, 4, 11.—Verm. (Acanth.).
- Tanaorhinus* Butler 1879, Illustr. typ. Specim. Lep. Het. Brit. Mus., 3, 38.—Lep.
- Tanaos* Schoenherr 1826, Curc. disp. meth., 63.—Col.
- Tanaostigma* Howard 1890, Insect Life, 3, 147.—Hym.
- Tanaostigmodes* Ashmead 1896, Proc. ent. Soc. Washington, 4, 18.—Hym.
- Tanaostyla* Warren 1897, Novit. zool., 4, 422.—Lep.
- Tanaotrichia* Warren 1893, Proc. zool. Soc. London, 1893, 360.—Lep.
- Tanarthropsis* Casey 1895, Ann. N. York Acad. Sci., 8, 750.—Col.
- Tanarthrus* Leconte 1851, Ann. Lyceum nat. Hist. N. York, 5, 156.—Col.
- Tanarus* Hustache 1921, Voy. Babault Afr. or. angl., 1921, 46.—Col.
- Tanasus* Rafinesque 1815, Analyse, 69 [n.n.].—Aves.
- Tanaupodaster* Vitzthum 1933, Zool. Anz., 103, 228.—Arachn.
- Tanaupodus* Haller 1882, Jahresh. Ver. Württemb., 323.—Arachn.
- Tanaus* (emend. pro *-aous* Schoenherr 1826) Agassiz 1846, Nomen. Zool. Index Univ.—Col.
- Tanausia* (pro *Tanou-* Bourguignat 1881) Dybowski 1912, Annu. Mus. Zool. Acad. Sci. St. Pétersbourg, 17, 179.—Moll.
- Tanava* Brèthes 1918, Rev. chilena Hist. nat., 22, 122.—Hym.
- Tanca* Navás 1929, Ann. Mus. Stor. nat. Genova, 53, 373.—Neur.
- Tanchirus* Fairmaire 1897, Notes Leyden Mus., 19, 224.—Col.
- Tancoa* Schaus 1922, Proc. ent. Soc. Washington, 24, 217.—Lep.
- Tancrea* Puengeler 1898, Soc. ent., 13, 57.—Lep.
- Tancredia* Lycett 1850, Ann. Mag. nat. Hist., (2) 6, 407.—Moll.
- Tancrediopsis* Beushausen 1895, Abh. preuss. geol. Landesanst., (N.F.) 17, 94.—Moll.
- Tancredus* Distant 1904, Fauna Brit. Ind., Rhynch., 2, 430.—Hem.
- Tandanicola* Johnston 1927, Trans. roy. Soc. S. Australia, 51, 133.—Verm. (Trem.).
- Tandanus* Mitchell 1838, Three Exped. Australia, 1, 95.—Pisces.
- Tandikudius* Roewer 1929, Rev. suisse Zool., 36, 616.—Arachn.
- Tandonia* Lessona & Pollonera 1882, Mem. Accad. Sci. Torino, (2) 35, 100.—Moll.
- Tandya* Whitley 1930, Mem. Queensland Mus., 10, 19.—Pisces.
- Tanea* Marwick 1931, Pal. Bull. N. Zealand geol. Surv., No. 13, 98.—Moll.
- Taneostigmodes* (err. pro *Tanao-* Ashmead 1896) Girault 1927, Rec. S. Australian Mus., 3, 311.—Hym.
- Taneostigmoidella* Girault 1915, Mem. Queensland Mus., 4, 39.—Hym.
- Taneostigmomyia* Girault 1915, Mem. Queensland Mus., 4, 39.—Hym.
- Tanera* Cameron 1905, Spolia zeylan., 3, 141.—Hym.
- Tangana* Ramme 1929, Mitt. zool. Mus. Berlin, 15, 809.—Orth.
- Tanganica* (err. pro *-nyicia* Crosse 1881) Grasset 1884, Index Test. Viv., 94.—Moll.
- Tanganikea* (err. pro *-hia* Bourguignat 1885) Martens 1891, NachrBl. dtsh. malak. Ges., 23, 8.—Moll.
- Tanganikia* (emend. pro *-nyicia* Crosse 1881) Bourguignat 1885, Not. Prodr. Moll. Giraud Tanganika, 10.—Moll.
- Tanganyicia* Crosse 1881, J. Conchyliol., 29, 123.—Moll.
- Tanganyikia* (emend. pro *-icia* Crosse 1881) Moore 1899, J. R. micr. Soc., 1899, 386.—Moll.
- Tangara* Brisson 1760, Ornith., 3, 3.—Aves.
- Tangarius* (pro *-gavius* Lesson 1839) Sharpe 1909, Hand-List Gen. Spec. Birds, 5, 489.—Aves.
- Tangarosaurus* Benham 1935, Trans. R. Soc. N. Zealand, 65, 238.—Rept.
- Tangasaurus* Houghton 1924, Quart. J. Geol. Soc. London, 80, 8.—Rept.
- Tangavius* Lesson 1839, Rev. Zool. (Soc. Cuv.), 41.—Aves.
- Tangella* (n.n. pro *Tangiopsis* Melichar 1915) Metcalf & Bruner 1930, Psyche, 37, 397.—Hem.

- Tangia* Stål 1859, Berlin. ent. Z., 3, 317.—Hem.
Tangidia Uhler 1895, Proc. zool. Soc. London, 1895, 59.—Hem.
Tangina Melichar 1903, Homopt. Ceylon, 44.—Hem.
Tangiopsis Uhler 1901, Proc. ent. Soc. Washington, 4, 512.—Hem. (Dictyopharid.).
Tangiopsis Melichar 1915, Verh. Ver. Brünn, 53, 104.—Hem. (Tropiduchid.). (See *Tangella* Metcalf & Bruner 1930.)
Tangla Swinhoe 1900, Cat. Lep. E. & Austr. Heteroc. Oxf. Univ. Mus., 2, 501.—Lep.
Tangshanella Chao 1929, Palaeont. sinica, (B) 11(1), 57.—Brach.
Tangus Rafinesque 1815, Analyse, 91 [n.n.].—Pisces.
Tangyria Uhler 1901, Proc. ent. Soc. Washington, 4, 512.—Hem.
Tania Gray 1840, Syn. Cont. Brit. Mus., ed. 42, 148 [n.n.]; 1842, ed. 44, 60.—Moll.
Tanichthys Lin 1932, Lingnan Sci. J., 11, 379.—Pisces.
Tanignathus (pro *Tanyg-* Wagler 1832) Bonaparte 1856, Naumannia, 6, Beil., no. 1 (a).—Aves.
Tanilotes Casey 1895, Ann. N. York Acad., 8, 798.—Col.
Taningia Joubin 1931, Ann. Inst. Oceanogr., (N.S.) 10 (7), 81.—Moll.
Tanipeza Rondani 1850, N. Ann. Sci. Nat., [3] 2, 181.—Dipt.
Tanipoda Rondani 1856, Dipt. ital. Prodr., 1, 116.—Dipt.
Tanipus (pro *Tanypus* Meigen 1803) Rondani 1856, Dipt. Ital. Prodr., 1, 224.—Dipt.
Tanis (err. pro *Tapes* Megerle 1811) W[eyenberg] 1875, Period. Zool., B. Aires, 2, 303.—Moll.
Tanistoma (pro *Tanystoma* Motschoulsky 1845) Motschoulsky 1850, Käf. Russl., tabell. no. 10.—Col.
Tanita Bolivar 1904, Bol. Soc. españ. Hist. nat., 4, 446.—Orth.
Tanius Wiman 1929, Palaeont. sinica, (C) 6, 41.—Rept.
Taniva Heinrich 1926, Bull. U.S. nat. Mus., No. 132, 106.—Lep.
Taniwhasaurus Hector 1874, Trans. N. Zealand Inst., 6, 334, 338, 353.—Rept.
Tankaia Sasaki 1929, J. Fac. Agric. Hokkaido imp. Univ., 20, Suppl., 304, 308.—Moll.
Tanna Distant 1905, Ann. Mag. nat. Hist., (7) 15, 61.—Hem.
Tannayia Ribeiro 1918, Rev. Mus. paulista, 10, 14.—Pisces.
Tanoa Gray 1863, Proc. zool. Soc. London, 1863, 193.—Rept.
Tanodus see *Tanaodus*.
Tanophilus Chamberlin 1922, Proc. U.S. nat. Mus., 60, no. 7, 12.—Myr.
Tanousia Servain 1881, Hist. Malac. Lac Balaton, 44, 64.—Moll.
Tanqua (n.n. pro *Ctenocephalus* Linstow 1904) Blanchard 1904, Arch. Parasit., 8, 478.—Verm. (Nema.).
Tanrec see *Tanrecus*.
Tanrecus (emend. pro *Tenrec* Lacepède 1799) Blainville 1838, C.R. Ac. Sci. (Paris), 6 (22), 742 (also as *Tanrec*).—Mamm.
Tansima Moore 1881, Trans. ent. Soc. London, 1881, 305.—Lep.
Tantaleus Reichenbach 1852-53, Av. Syst., xiv.—Aves.
Tantalides Wagler 1832, Isis (Oken), 25, 1231.—Aves.
Tantalides Reichenbach 1852, Av. Syst., xiv.—Aves. (See *Tantalops* Coues 1884.)
Tantalops (n.n. pro *Tantalides* Reichenbach 1852) Coues 1884, Key N. American Birds, ed. 2, 653.—Aves.
Tantalus Linnaeus 1758, Syst. Nat., ed. 10, 140; 1766, ed. 12, 240.—Aves.
Tantia Distant 1910, Ann. Mag. nat. Hist., (8) 6, 216.—Hem.
Tantilla Baird & Girard 1853, Cat. N. Amer. Rept., 131.—Rept.
Tantillus Chaudoir 1869, Ann. Soc. ent. Belgique, 12, 126.—Col.
Tantura (n.n. pro *Penthetria* Edwards 1881) Kirby 1892, Synon. Cat. Lep., 1, 86.—Lep.
Tanuethaira Druce 1891, Ann. Mag. nat. Hist., (6) 8, 148.—Lep.
Tanuphis Jacobi 1922, Arch. Naturgesch., 87, A12, 32.—Hem.
Tanupolama Stock 1928, Carnegie Inst. Washington, Contrib. Palaeont., Publ. No. 398, 31.—Mamm.
Tanuria (Ziegler MS.) Villa 1835, Col. Eur., Suppl., 42 [in syn.] [n.n.].—Col.
Tanusia Stål 1874, Recensio Orth., 2, 57.—Orth.
Tanusiella Enderlein 1917, Zool. Anz., 49, 17.—Orth.
Tanyaptera Swainson 1837, N.H. Classif. Birds, 2, 376 [n.n.].—Aves.
Tanyarches Meyrick 1924, Exot. Microlep., 3, 99.—Lep.
Tanybelus Simon 1902, Ann. Soc. ent. Belgique, 46, 405.—Arachn.
Tanycarpa Foerster 1862, Verh. naturh. Ver. Rheinl., 19, 265.—Hym.
Tanycerus (n.n. pro *Nematocevus* Reiche 1850) Lacordaire 1863, Hist. nat. Ins., Gen. Col., 6, 58.—Col.
Tanychastis Meyrick 1910, Trans. ent. Soc. London, 1910, 371.—Lep.
Tanychilus Newman 1838, Entom. Mag., 5 (5), 487.—Col.
Tanychlamys Benson 1834, Proc. zool. Soc. London, 2, 89.—Moll.
Tanycnema Turner 1922, Proc. roy. Soc. Victoria, 35, 56.—Lep.
Tanycnemus Faust 1881, Horae Soc. ent. ross., 16, 291.—Col.
Tanycoryphus Cameron 1905, Rec. Albany Mus., 1, 312.—Hym.

- Tanycraerus* Thomson 1859, Skand. Coleopt., 1, 43; 1861, 3, 129.—Col.
Tanycyttara Turner 1933, Trans. roy. Soc. S. Australia, 57, 174.—Lep.
Tanyderus Philippi 1865, Verh. zool.-bot. Ges. Wien, 15, Abh., 780.—Dipt.
Tanydesmus Cook 1896, Brandtia, fasc. 5, 21.—Myr.
Tanyethira Turner 1911, Ann. Queensland Mus., 10, 122.—Lep.
Tanygaster Blatchley 1921, J. N. York ent. Soc., 29, 27.—Col.
Tanygastrella Duda 1924, Arch. Naturgesch., 90, A3, 192, 253.—Dipt.
Tanyglossa Meigen 1803, Mag. f. Insektenk. (Illiger), 2, 267.—Dipt. (Tabanid.).
Tanyglossa Duda 1925, Ann. Mus. hungar., 22, 186, 189.—Dipt. (Drosophilid.).
Tanygnathinus (n.n. pro *Tanygnathus* Erichson 1839) Reitter 1909, Fauna Germ., 2, 105.—Col.
Tanygnathus Wagler (1832), Abh. bayer. Akad. Wiss., 1, 1829-30, 501.—Aves.
Tanygnathus Erichson 1839, Käfer Mark Brand., 1 (2), 417.—Col. (See *Tanygnathinus* Reitter 1909 & *Atanygnathus* Jacobson 1909.)
Tanygona Braun 1923, Trans. Amer. ent. Soc., 49, 115.—Lep.
Tanyjoppa Cameron 1904, Z. Hym. Dipt., 4, 217.—Hym.
Tanylamia Pascoe 1886, Ann. Mag. nat. Hist., (5) 17, 244.—Col.
Tanylecta Pascoe 1866, Proc. zool. Soc. London, 1866, 263.—Col.
Tanylypa Pascoe 1869, Ann. Mag. nat. Hist., (4) 3, 152.—Col.
Tanymastix Simon 1886, Ann. Soc. ent. France, (6) 6, 413.—Crust.
Tanymerica Turner 1916, Trans. roy. Soc. S. Australia, 40, 500.—Lep.
Tanymericosticta (n.n. pro *Stenosticta* Lieftinck 1932) Lieftinck 1935, Nova Guinea, 17 (Zool.), 300.—Odon.
Tanymericus Germar 1817, Mag. Entom. (Germar), 2, 341.—Col.
Tanymeles Konow 1906, Z. Hymenopt., 6, 244.—Hym.
Tanymera Loew 1850, U. d. Bernstein (Progr. Meseritz), 36; Alexander 1931, Bernsteinforsch., 2, 75.—Dipt.
Tanymita Turner 1923, Trans. roy. Soc. S. Australia, 47, 192.—Lep.
Tanynotus Cameron 1904, Rec. Albany Mus., 1, 140.—Hym.
Tanyodes Moeschler 1881, Verh. zool.-bot. Ges. Wien, 31, Abh., 415.—Lep.
Tanyomus Champion 1914, Trans. Linn. Soc. London, 16, 408.—Col.
Tanyopymnus Cameron 1905, Trans. Amer. ent. Soc., 31, 375.—Hym.
Tanyops Marsh 1894, Amer. J. Sci., (3) 48, 348.—Mamm.
Tanyorhinus Cook 1927, Proc. Colombo Mus., 6, 13.—Mamm.
Tanypeplus Cabanis 1863, Mus. Hein., 4, 1.—Aves.
Tanypeza Fallén 1820, Opomyzides Sveciae, 4.—Dipt.
Tanyphatna Konow 1906, Z. Hymenopt., 6, 187.—Hym.
Tanyphatnidea Rohwer 1912, Proc. U.S. nat. Mus., 43, 207.—Hym.
Tanyphatnus Cameron 1905, Spolia zeylan., 3, 104.—Hym.
Tanypleurus Steenstrup & Luetken 1861, Danske Selsk. Skr., (5) 5, 425.—Crust.
Tanypleurus Raffray 1890, Rev. Ent. Caen, 9, 127.—Col.
Tanypoda (pro *Tanipoda* Rondani 1856) Schiner 1864, Fauna Austriaca, Dipt., 2, 191.—Dipt.
Tanypractus (pro *-proctus* Faldermann 1832) Laporte 1840, Hist. An. artic., Ins., 2, 134.—Col.
Tanypremna Osten-Sacken 1886, Biol. Centr. Amer., Zool., Dipt., 1, 19.—Dipt.
Tanypremnodes Alexander 1924, Ent. News, 35, 290.—Dipt.
Tanyproctocera Reitter 1903, Verh. Ver. Brünn, 40, 119.—Col.
Tanyproctus Faldermann 1832, in Ménétrés, Cat. Rais. Zool. Caucase, 185; 1835, N. Mém. Soc. imp. Nat. Moscou, 4, 272.—Col.
Tanyptera Latreille 1804, N. Dict. H.N., 24 (Tab.), 188.—Dipt.
Tanyptera Mabille 1877, Bull. Soc. zool. France, 2, 230.—Lep. (See *Pteroteinon* Watson 1893.)
Tanypteryx Kennedy 1917, Proc. U.S. nat. Mus., 52, 507.—Odon.
Tanypus Meigen 1803, Mag. f. Insektenk. (Illiger), 2, 261.—Dipt.
Tanypus Oppel (1812), Denkschr. K. Akad. Wiss. München, 1811-12, 159.—Aves.
Tanypus Keyserling 1882, in Koch (Keyserling), Arach. Australia, 1, 1415.—Arachn. (See *Sinnamora* Keyserling 1883.)
Tanyremmus Marshall 1928, Bull. ent. Res., 18, 263.—Col.
Tanyrhina Loew 1862, Monogr. Dipt. N.Amer., 1, 8.—Dipt.
Tanyrhinus Mannerheim 1852, Bull. Soc. imp. Nat. Moscou, 25 (1), 349.—Col.
Tanyrhynchus Schoenherr 1826, Curc. disp. meth., 212.—Col.
Tanyrrhinus (pro *-rhinus* Mannerheim 1852) Gemminger & Harold 1869, Cat. Col., 6, 2062.—Col.
Tanyrrhynchus (pro *-rhynchus* Schoenherr 1826) Gemminger & Harold 1871, Cat. Col., 8, 2371.—Col.
Tanyscelus Claus 1879, Arb. Zool. Inst. Univ. Wien, 2 (2), 163.—Crust.
Tanysiphon Benson 1858, Ann. Mag. nat. Hist., (3) 1, 407.—Moll.
Tanysiptera Vigors 1825, Trans. Linn. Soc. London, 14 (3), 433.—Aves.
Tanysoma Broun 1908, Trans. New Zealand Inst., 41, 166.—Col.
Tanysomus Fairmaire 1902, Ann. Soc. ent. France, 71, 355.—Col.

- Tanysphiroideus* Hustache 1926, An. Mus. nac. Buenos Aires, 34, 230.—Col.
Tanysphyra Berendt 1845, Die im Bernstein befindl. Org. Reste, 1 (1), 57 [*n.n.*]; Loew 1850, Bernstein u. Bernsteinfauna, 38.—Dipt.
Tanysphyrus Germar 1817, Mag. Entom. (Germar), 2, 340.—Col.
Tanystethus Marshall 1926, Ann. Natal Govt. Mus., 5, 273.—Col.
Tanystola (emend. pro *-stoma* Motschoulsky 1845) Motschoulsky 1850, Kaefer Russl., Tabell. no. 10, 69.—Col.
Tanystola Turner 1922, Proc. Linn. Soc. N.S. Wales, 47, 370.—Lep.
Tanystoma (Eschscholtz MS.) Motschoulsky 1845, Bull. Soc. imp. Nat. Moscou, 18 (4), 341.—Col.
Tanystoma Benson 1856, Ann. Mag. nat. Hist., (2) 17, 130.—Moll. (See *Hypselostoma* Benson 1856.)
Tanystropha Foerster 1862, Verh. naturh. Ver. Rheinl., 19, 275.—Hym.
Tanystrophaeus (pro *-pheus* Meyer 1847-55) Cope 1888, Proc. Amer. phil. Soc., 24, no. 126, 221.—Rept.
Tanystropheus Meyer 1847-55, Fauna Vorwelt Saur. Muschelk., 42.—Rept.
Tanystus Fischer de Waldheim 1834, Bibl. Palaeont., 171.—Rept.
Tanystylum Miers 1879, Philos. Trans. London, 168, 213.—Pantopoda.
Tanysyptera (pro *-siptera* Vigors 1825) Stephens 1826, in Shaw, Gen. Zool., 13 (2), 105.—Aves.
Tanytarsus Wulp 1874, Tijdschr. Ent., 17, 134.—Dipt.
Tanythrix Schaum (1858), in Erichson, Naturgesch. Ins. Dtschl., Col., 1, 441.—Col.
Tanyzancle Meyrick 1918, Exot. Microlep., 2, 218.—Lep.
Tanyzethus Cameron 1910, in Sjoestedt, Kilimandjaro-Meru Exp., 8 (6), 195.—Hym.
Tanyzonus Marshall 1892, Ent. mon. Mag., 28, 276.—Hym.
Taoaeschna (err. pro *Toae-* Foerster 1905) Fraser 1933, J. Bombay nat. Hist. Soc., 36, 463.—Odon.
Taoga Cameron 1909, Entomologist, 42, 210.—Hym.
Taognathus Broom 1911, Proc. zool. Soc. London, 1911, 1076.—Rept.
Taolestes Needham 1928, Bull. Peking Soc. nat. Hist., 2 (4), 11.—Odon.
Taomyia Bezzi 1920, Bull. ent. Res., 10, 240.—Dipt.
Taona Distant 1909, Entomologist, 42, 91.—Hem.
Taonichnites Matthews 1890, Amer. J. Sci., (3) 39, no. 230, 146.—Coel.
Taonidium Pfeffer 1900, Jahrb. Hamburg. Wiss. Anst., 17 (2), 189, 192.—Moll.
Taoniscus Gloger 1842, Gemeinnütz. Naturges., 1, 404.—Aves.
Taonius Steenstrup 1861, Ofv. Danske Vidensk. Selsk. Forh., 1861, 83.—Moll.
Taonnrus (pro *Taonurus* Fischer-Ooster 1857) Fuchs 1895, Denkschr. Akad. Wiss. Wien, 62 (1), 424.—*Inc. sed.*
Taonura Carter 1882, Ann. Mag. nat. Hist., (5) 10, 108.—Spong.
Taonurus Fischer-Ooster 1857, N. Denkschr. Schweiz. Ges., (Dec. 2) 5 (1), 44, 54 [*n.n.*]; 1858, Foss. Fucoiden, 40, 41.—*Inc. sed.*
Taonurus (pro *-mus* Steenstrup 1861) Verrill 1872, Amer. J. Sci., (3) 3, 281.—Moll.
Taoperdix Milne-Edwards 1870, Rech. Ois. Foss. France, 2, 225.—Aves.
Taophila Heller 1916, Nova Caledonia, Zool., 2, 395.—Col.
Taosa Distant 1906, Ann. Mag. nat. Hist., (7) 18, 355.—Hem.
Tapada Studer 1820, Nat. Anz. allg. Schweiz. Gesellsch., 3, 86.—Moll. (Succineid.).
Tapada Gray 1840, in Turton, Man. L. F. W. Shells, ed. 2, 127.—Moll. (Helicid.).
Tapaja Oken 1816 see *Tapaja*.
Tapaja (pro *Tu-* Raffles 1821) Burnett 1830, Quart. J. Sci., 28 (2), 1829, 349.—Mamm.
Tapaja Oken 1816, Lehrb. Naturg., 3 (2), 295 (as *Tapaja* p. vi).—Rept.
Tapajohoughia Townsend 1934, Rev. Ent. Rio de Janeiro, 4, 405.—Dipt.
Tapajoleskia Townsend 1934, Rev. Ent. Rio de Janeiro, 4, 396.—Dipt.
Tapajomintho Townsend 1934, Rev. Ent. Rio de Janeiro, 4, 394.—Dipt.
Tapajosa Melichar 1924, Ann. Mus. nat. Hungar., 21, 200, 241.—Hem.
Tapajosia Townsend 1934, Rev. Ent. Rio de Janeiro, 4, 205.—Dipt.
Tapaya (pro *Tapaja* Oken 1816) Oken 1817, Isis, 1, 1183.—Rept.
Tapayia (pro *Tapaja* Oken 1816) Gray 1825, Ann. Phil., 26, 197.—Rept.
Tapayus Rafinesque 1815, Analyse, 76 [*n.n.*].—Rept.
Tapeigaster Macquart 1847, Mém. Soc. R. Sci. Lille, 1846, 102.—Dipt.
Tapeina Lapeletier & Serville 1828, Ency. Méth., 10 (2) (Ins.), 545.—Col.
Tapeina Brunner von Wattenwyl 1878, Monogr. Phaneropteriden, 19, 163.—Orth. (See *Tapiena* Bolivar 1906.)
Tapeinopterus Van Lansberge 1875, Ann. Soc. ent. Belgique, 18, 15.—Col. (nec *Tapinopterus* Schaum 1858 see *Kolbeillus* Jacobson 1906).
Tapeinotus Schoenherr 1825, Isis (Oken), 1825, 585; 1826, Curc. disp. meth., 292 (as *Tapinotus* p. 170).—Col.
Tapeinus Laporte 1832, Ess. Hémipt. in Magasin de Zool., 2, 81.—Hem.
Tapelus (pro *Tra-* Cuvier 1817) Gray 1825, Ann. Phil., 26, 197.—Rept.
Tapena Moore 1881, Lep. Ceylon, 1, 181.—Lep.
Tapenopsis Solier 1844, Mem. R. Accad. Sci. Torino, [2] 6, 215, 217.—Col.

- Tapera* Thunberg 1819, N. Handl. Gotheborgs Wett. Witt. Samh., 3, 1.—Aves (Cuculid.).
- Tapera* Bonaparte 1857, Riv. contemp. Torino, 1857, reprint p. 5.—Aves (Hirund.).
- Taperamyia* Townsend 1935, Rev. Ent. Rio de Janeiro, 5, 223.—Dipt.
- Tapes* Megerle 1811, Ges. nat. Fr. Berlin, Mag. 5, 51.—Moll.
- Tapesia* (n.n. pro *Petasia* Serville 1831) Bolivar 1904, An. Soc. españ. Hist. nat., 4, 309.—Orth.
- Tapesta* Sjoestedt 1921, K. svenska VetenskAkad. Handl., 62, no. 3, 63.—Orth.
- Tapeti* Gray 1867, Ann. Mag. nat. Hist., (3) 20, 224.—Mamm.
- Taphacris* Scudder 1890, Foss. Ins. N. Amer., 2, 226.—Orth.
- Taphaetus* De Vis 1891, Proc. Linn. Soc. N.S. Wales, (2) 6, 123.—Aves.
- Taphaeus* Wesmael 1835, N. Mém. Acad. Roy. Bruxelles, 9, 189.—Hym.
- Taphagous* (pro *Taphozous* Oken 1816) Bonaparte 1831, Giorn. Arcad., 49, 14.—Mamm.
- Taphanes* Cameron 1903, Entomologist, 36, 240.—Hym.
- Taphes* Waterhouse 1878, Trans. ent. Soc. London, 1878, 102.—Col.
- Taphiassa* Simon 1880, Ann. Soc. ent. Belgique, 23, C.R., clxxxix.—Arachn.
- Taphina* Duvivier 1885, Ann. Soc. ent. Belgique, 29, Bull., lii.—Col.
- Taphinella* Jacoby 1890, Ann. Mus. Stor. nat. Genova, (2) 7, 224.—Col.
- Taphius* Rafinesque 1815, Analyse, 99 [n.n.].—Crust.
- Taphius* Adams 1855, Gen. Rec. Moll., 2, 262.—Moll.
- Taphius* Jacoby 1897, Proc. zool. Soc. London, 1897, 531.—Col.
- Taphodesmus* Cook 1896, Brandtia, fasc. 1, 1.—Myr.
- Taphodiplosis* Kieffer 1912, Neue Gallmücken-Gatt., 2; 1912, Marcellia, 11, xi.—Dipt.
- Taphon* Adams 1853, Gen. Rec. Moll., 1, 150.—Moll.
- Taphonia* Schaus 1916, Proc. U.S. nat. Mus., 50, 329.—Lep.
- Taphonycteris* Dobson 1876, Proc. zool. Soc. London, 1875, 548, 555.—Mamm.
- Taphos* Pascoe 1864, J. Ent. Lond., 2, 236.—Col.
- Taphosous* (pro *-ozous* Oken 1816) Hardwicke 1825, Trans. Linn. Soc. London, 14 (3), 525.—Mamm.
- Taphoxenus* Motschoulsky 1850, Kaef. Russl., tab. ix; 1864, Bull. Soc. imp. Nat. Moscou, 37, no. 2, 314.—Col.
- Taphozous* Oken 1816, Lehrb. Naturgesch., 3 (2), 926.—Mamm.
- Taphozus* (pro *-zous* Oken 1816) Burnett 1829, Quart. J. Sci., 27, 269.—Mamm.
- Taphraeoserica* Brenske 1900, Berlin. ent. Z., 45, 78.—Col.
- Taphranchus* Casey 1920, Mem. Col., 9, 52.—Col.
- Taphrastra* Pomel 1883, Classif. méth. Echin., 46.—Echin.
- Taphria* (ex Bonelli) Dejean 1821, Catal. Coléopt., 10 [n.n.]; 1828, Spec. Gen. Col., 3, 84.—Col.
- Taphrideres* Sharp 1895, Biol. Centr. Amer., Zool., Col., 2, pt. 1, 490.—Col.
- Taphrinoptes* Amerling 1861, S.B. Böhm. Ges., Math.-naturw. Cl., 1861 (2), 55 [n.n.].—Arachn.
- Taphrobia* Cornalia 1875, Atti Soc. ital. Sci. nat., 18, 197.—Crust.
- Taphrobothrium* Luehe 1899, Verh. dtsh. zool. Ges., 1899, 44.—Verm. (Cest.).
- Taphrocampa* Gosse 1851, Ann. Mag. nat. Hist., (2) 8, 199.—Verm. (Rotif.).
- Taphrocephala* Quedenfeldt 1888, Berlin. ent. Z., 32, 173.—Col.
- Taphrocera* (pro *-rus* Solier 1833) Deyrolle 1864, Ann. Soc. ent. Belgique, 8, 219.—Col.
- Taphrocercus* Solier 1833, Ann. Soc. ent. France, 2, 314.—Col.
- Taphrocomister* Senna 1894, Notes Leyden Mus., 16, 185.—Col.
- Taphrocranum* Horváth 1904, Ann. Mus. nat. Hungar., 2, 147.—Hem.
- Taphroderes* Schoenherr 1823, Isis (Oken), 1823, 1137; 1826, Curc. disp. meth., 72.—Col.
- Taphroderominus* Kleine 1927, Rev. Mus. paulista, 15, 453, 515.—Col.
- Taphrodes* Jordan 1925, Novit. zool., 32, 243.—Col.
- Taphrodesmus* Silvestri 1910, Zool. Anz., 35, 357.—Myr.
- Taphrodota* Casey 1906, Trans. Acad. Sci. St. Louis, 16, 338.—Col.
- Taphrogonymus* Cohn 1904, Arch. Naturgesch., 70 (1), 235.—Verm. (Trem.).
- Taphromeloe* Reitter 1911, Fauna Germanica, 3, 389.—Col.
- Taphrometopon* Brandt 1838, Bull. Acad. Sci. imp. St. Pétersbourg, 3, 243; Peters 1861, Proc. zool. Soc. London, 1861, 48.—Rept.
- Taphronota* Stål 1873, Ofvers. VetenskAkad. Förh. Stockholm, 30, no. 4, 51.—Orth.
- Taphronurgus* Reitter 1913, Wien. ent. Ztg., 32, Beih., 84, 90.—Col.
- Taphropeltus* Stål 1872, Ofvers. VetenskAkad. Förh. Stockholm, 29, 61.—Hem.
- Taphrophila* Rondani 1856, Dipt. ital. Prodr., 1, 185.—Dipt.
- Taphrophorus* Schaufuss (1882), Ann. Mus. Stor. nat. Genova, 18, 350.—Col.
- Taphropiestes* Reitter 1875, in Haröld, Coleopt. Hefte, 13, 83.—Col.
- Taphropygus* Pomel 1883, Classif. méth. Echin., 59.—Echin.
- Taphrorhinus* Fairmaire 1903, Ann. Soc. ent. France, 72, 220.—Col.
- Taphrorhynchus* Schoenherr 1847, Mant. Fam. Curc., 33.—Col.
- Taphrorychus* Eichhoff 1878, Mém. Soc. Sci. Liège, (2) 8, 204.—Col.
- Taphrosa* (pro *-sia* Rondani 1856) Osten-Sacken 1869, Smithsonian. misc. Collect., 8 (1), no. 219, 12.—Dipt.

- Taphrosaris* Meyrick 1922, Trans. ent. Soc. London, 1922, 104.—Lep.
Taphrosaurus Cope 1870, Trans. Amer. phil. Soc., 14, 40; 1870, Proc. Amer. phil. Soc., 11, 274.—Rept.
Taphroscelidia Crotch 1873, Check List Col. Amer., 44.—Col.
Taphroscydmus Casey 1897, Ann. N. York Acad. Sci., 9, 473.—Col.
Taphrosia Rondani 1856, Dipt. ital. Prodr., 1, 182.—Dipt.
Taphrosoma Kirsch 1866, Berlin. ent. Z., 10, 195.—Col.
Taphrosphys Cope 1869, Amer. Natural., 1869, 90; 1869, Syn. Ext. Rept. Batr., 157.—Rept.
Taphrospilus Simon 1911, Rev. Franç. d'Ornith., 1, 261.—Aves.
Taphrospira Blanford 1905, Proc. zool. Soc. London, 1904 (2), 441.—Moll.
Taphrostethus Fieber 1844, Entom. Monogr., 40.—Hem.
Taphrostethus Schaufuss 1882, Ann. Soc. ent. France, (6) 2, Bull., cli.—Col.
Taphrostoma Canu 1908, Ann. paléont., 3, 101.—Bry.
Taphrostomia Cossmann 1921, Essais Paléoconch. comp., 12, 272.—Moll.
Taphrotopium Reitter 1916, Faun. germ., 5, 241.—Col.
Taphura Stål 1860, K. svenska VetenskAkad. Handl., (N.F.) 3, no. 6, 20.—Hem.
Taphus Webster 1887, Rep. U.S. Comm. Fish., 13, 1885, 716.—Verm. (Polych.).
Taphyrogonimus (pro *Taphyrogonymus* Cohn 1904) Fuhrmann 1928, in Kuekenenthal & Krumbach, Handb. Zool., 2 (2), 140.—Verm. (Trem.).
Tapiena (n.n. pro *Tapeina* Brunner 1878) Bolivar 1906, Mem. Soc. españ. Hist. nat., 1, no. 20, 334.—Orth.
Tapiliata (n.n. pro *Papillina* Schmidt 1862) Bowerbank 1874, Monogr. Brit. Spong., 3, xi.—Spong. (Cf. *Taguilla* Bowerbank 1874.)
Tapina Dalman 1820, in Billberg, Enum. Insect. in Mus. Bibg., 81.—Lep.
Tapina (pro *-peina* Lepeletier & Serville 1828) Laporte 1833, Ann. Soc. ent. France, 1, 411.—Col.
Tapinasta Simon 1894, Hist. nat. Araign., ed. 2, 1, 647.—Arachn.
Tapinattus Thorell 1887, Ann. Mus. Stor. nat. Genova, (2) 5, 362.—Arachn.
Tapinauchenius Ausserer 1871, Verh. zool.-bot. Ges. Wien, 21, Abh., 200.—Arachn.
Tapinella Enderlein 1908, Zool. Anz., 33, 772.—Psocopt.
Tapinelytrum Heller 1900, Abh. zool.-anthrop.-ethn. Mus. Dresden, 9, no. 5, 39.—Col.
Tapinesthis Simon 1915, Arachnides de France, 6, 90.—Arachn.
Tapinidius Jordan 1928, Novit. zool., 34, 154.—Col.
Tapinillus (n.n. pro *Isopus* Taczanowski 1872) Simon 1898, Hist. nat. Araign., ed. 2, 2, 378.—Arachn.
Tapinocephalus Owen 1876, Cat. Foss. Rept. S. Africa, 1.—Rept.
Tapinocera Macquart 1839, Mém. Soc. R. Sci. Lille, 1838 (3), 194.—Dipt.
Tapinochoerus van Hoepen 1932, Paleont. Navors. nas. Mus. Bloemfontein, 2, 56.—Mamm.
Tapinocis Lea 1913, Trans. roy. Soc. S. Australia, 37, 405.—Col.
Tapinocomus Gebien 1928, Stettin. ent. Ztg., 89, 103.—Col.
Tapinocyba Simon 1884, Arachn. France, 5 (3), 778.—Arachn.
Tapinodon Meyer 1846, N. Jahrb. f. Min., 1846, 471.—Mamm.
Tapinodoxa Meyrick 1931, Exot. Microlep., 4, 154.—Lep.
Tapinogonalos Schulz 1907, Gen. Insect., 61, 14.—Hym.
Tapinogyna Prout 1910, Gen. Insect., 104, 32.—Lep.
Tapinolachnus (n.n. pro *Homalolachnus* Thomson 1864) Thomson 1864, Syst. Cerambycid., 486.—Col.
Tapinolepis Emery 1925, Gen. Insect., 183, 18.—Hym.
Tapinolopha Dyar 1918, Proc. U.S. nat. Mus., 54, 371.—Lep.
Tapinoma Foerster 1850, Hymenopt. Studien, 1, 43.—Hym.
Tapinomorphus Hartmann 1904, Dtsch. ent. Z., 1904, 372.—Col.
Tapinomyia Brauer & Bergenstamm 1890, Denkschr. Akad. Wiss. Wien, 56, 121.—Dipt.
Tapinonotus (pro *Tapinotus* Schoenherr 1826) Bedel 1885, Faune Col. Bassin Seine, 6, 161.—Col.
Tapinopa Westring 1851, Göteborgs VetenskAkad. Handl., (N.S.) 2, 38.—Arachn.
Tapinopercus Mafan 1932, Acta Soc. ent. Cech., 29, 33.—Col.
Tapinophis Boulenger 1899, Proc. zool. Soc. London, 1899, 164.—Rept.
Tapinophyma Uvarov 1921, Ann. Mag. nat. Hist., (9) 7, 496.—Orth.
Tapinops Foerster 1868, Verh. naturh. Ver. Rheinlande, 25, 160.—Hym.
Tapinopsis (emend. pro *Tapen-* Solier 1844) Agassiz 1846, Nomen. Zool. Index Univ.—Col. (Tenebrionid.).
Tapinopsis Blanchard 1851, in Gay, Hist. Chile, 5, 376.—Col. (Curculionid.). (See *Opseotapinus* Gemminger 1871 & *Opseotropis* Gemminger 1871.)
Tapinoptera Santschi 1925, Eos, 1, 348.—Hym.
Tapinopterus Schaum (1858), in Erichson, Naturgesch. Ins. Dtschl., Col., 1, 441.—Col.
Tapinopus Saussure 1878, Mém. Soc. phys. Hist. nat. Genève, 25, 618.—Orth.

- Tapinopus* Milne-Edwards 1892, Congr. Orn. Internat., C.R. II, 2, 79.—Aves. (See *Diatropornis* Oberholser 1899.)
Tapinoschema Thomson 1880, Le Naturaliste, 1, no. 37, 294.—Col.
Tapinosomus Faust 1899, Ann. Mus. Stor. nat. Genova, 40, 58.—Col.
Tapinosthenes Kolbe 1895, S.B. Ges. naturf. Berlin, 1895, 56.—Col.
Tapinosthetus Faust 1894, Ann. Soc. ent. Belgique, 38, 532.—Col.
Tapinostola Lederer 1857, Die Noctuiden Europ., 123.—Lep.
Tapinostylus Enderlein 1914, Zool. Anz., 44, 256.—Dipt.
Tapinotapsis Holmberg 1887, Bol. Acad. Córdoba, 10, fasc. 2, 225 [*n.n.*].—Hym. (Cf. *Tapinotapsis* Holmberg 1904.)
Tapinotarsus Kirsch 1865, Berlin. ent. Z., 9, 100.—Col.
Tapinotapsis (pro *-tapsis* Holmberg 1887) Holmberg 1904, An. Mus. nac. Buenos Aires, (3) 2, 413.—Hym.
Tapinothele Simon 1898, Hist. nat. Aragn., 2, 313.—Arachn.
Tapinothella Strand 1909, Dtsch. Südpolar Exped., 10 (5), 586.—Arachn.
Tapinotherium Mercerat 1891, Rev. Mus. La Plata, 2, 17.—Mamm.
Tapinotus see *Tapeinotus*.
Tapinurus Amaral 1932, Mem. Inst. Butantan, 7, 65.—Rept.
Tapinus (emend. pro *Tapei-* Laporte 1832) Agassiz 1846, Nomen. Zool. Index Univ.—Hem.
Tapir (pro *Tapirus* Brisson 1762) Blumenbach 1779, Handb. Naturges., 129.—Mamm.
Tapiralum Rusconi 1934, An. Soc. cient. Argent., 117, 25.—Mamm.
Tapiravus Marsh 1877, Amer. J. Sci., (3) 14, 252.—Mamm.
Tapirella (*n.n.* pro *Elasmognathus* Gill 1865) Palmer 1903, Science, (N.S.) 17, 873.—Mamm.
Tapirodon (? pro *Tapinodon* Meyer 1846) Meyer 1847, Bull. Soc. Sci. Nat. Neuchâtel, 2 [1], 146, 148.—Mamm.
Tapromimus Wollaston 1877, Coleopt. Sanctae-Helenaee, 149.—Col.
Taproporcus Jaeger 1835, Foss. Säugth. Würt., (1) 40.—Mamm.
Taproporeus (err. pro *-porcus* Jaeger 1835) Jaeger 1839, Foss. Säugth. Würt., 206.—Mamm.
Taprotherium Blainville 1817, N. Dict. H.N., 9, 329.—Mamm. (Perissodact.).
Taprotherium Lartet 1848, in Bronn, Index Palaeont., 657, 1216.—Mamm. (Artiodact.). (See *Lophiochoerus* Bayle 1855.)
Tapirus Gervais 1850, C.R. Acad. Sci. (Paris), 30, 604.—Mamm.
Tapirus Brisson 1762, Reg. Anim., 81; Bruennich [1771], Zool. Fund., 1772, 44.—Mamm.
Tapoa Owen 1839, Proc. zool. Soc. London, 7, 19 [*n.n.*]; Lesson 1842, N. Tab. Règne Anim., 190.—Mamm.
Tapocyon Stock 1934, Proc. Acad. nat. Sci. Washington, 20, 423.—Mamm.
Tapoosa Distant 1911, Ann. Mag. nat. Hist., (8) 8, 646.—Hem.
Tappesia Baly 1877, Ann. Mag. nat. Hist., (4) 20, 378.—Col.
Tapponia Simon 1885, Ann. Soc. ent. Belgique, 29, Bull., xxxvi.—Arachn.
Taprobane Dendy 1905, Rep. Pearl Fish., 3, 182.—Spong.
Taprobania Hampson 1930, Ann. Mag. nat. Hist., (10) 5, 51.—Lep.
Taprobanus Distant 1911, Entomologist, 44, 24, 105.—Hem.
Taprobothrium (pro *Taphro-* Luehe 1899) Ariola 1900, Arch. Parasitol., 3, fasc. 3, 378.—Verm. (Cest.).
Tapsia (err. pro *Tha-* Martens 1860) Grandidier 1887, Bull. Soc. malac. France, 4, 185.—Moll.
Tapyra Liais 1872, Climats Géol. Faune Géog. Bot. Brésil, 397.—Mamm.
Tara Peckham 1886, Trans. Wisconsin Acad. Sci., 6, 272.—Arachn.
Taraba Lesson 1830—1831, Traité Ornith., (5) 375.—Aves.
Tarabulidia Roewer 1933, in Bronn, Klass. Ordn. Tierreichs, 5, 353.—Arachn.
Tarachaster Fisher 1913, Proc. U.S. nat. Mus., 46, 216.—Echin.
Tarache Huebner [1823], Verz. bekannt. Schmett., (17) 261.—Lep.
Tarachephia Hampson 1926, Descr. new Genn. Spp. Noctuidae, 87.—Lep.
Tarachia Huebner [1825], Verz. bekannt. Schmett., (21) 324.—Lep.
Tarachidia Hampson 1898, Trans. ent. Soc. London, 1898, 248.—Lep.
Tarachina Werner 1907, S.B. Akad. Wiss. Wien, 116, 183; 1907, Anz. Akad. Wiss. Wien, 44, 19.—Orth.
Tarachodella Giglio-Tos 1917, Bull. Soc. ent. ital., 48, 91.—Orth.
Tarachodes Burmeister 1838, Handb. Ent., 2 (2), 528.—Orth.
Tarachodia Weise 1902, Arch. Naturgesch., 68 (1), 156.—Col.
Tarachodula Giglio-Tos 1917, Bull. Soc. ent. ital., 48, 92.—Orth.
Tarachomantis Brancsik 1893, Jahresh. Ver. Trencsen, 15, 176.—Orth.
Taracta Murray 1867, Ann. Mag. nat. Hist., (3) 19, 172.—Col.
Taractea Andres 1884, Atti Accad. pont. Nuova lincei, (3A) 14, 1883, 284.—Coel.
Taractes Lowe 1843, Proc. zool. Soc. London, 11, 82.—Pisces.
Taractes Kirsch 1868, Berlin. ent. Z., 12, 196.—Col.
Taracticus Loew 1872, Berlin. ent. Z., 16, 64.—Dipt.

- Taracticus Berg 1881, An. Soc. ci. Argent., 12, 265.—Hem.
 Taractopora Lang 1916, Ann. Mag. nat. Hist., (8) 18, 407.—Bry.
 Taractostephanus Brandt 1835, Prod. anim. Mertens., 1, 12.—Coel.
 Taractrocera Butler 1869, Cat. diurn. Lep. descr. Fabr. Brit. Mus., 279.—Lep.
 Taracus Simon 1879, Ann. Soc. ent. Belgique, 22, C.R., lxxiv.—Arachn.
 Taragama (n.n. pro *Megasoma* Boisduval 1832) Moore (1858), Cat. Lepidopt. Ins. E. India Co., 2, 427.—Lep.
 Taragmarcha Meyrick 1910, Trans. ent. Soc. London, 1910, 370.—Lep.
 Taraguira Gray 1845, Cat. Lizards Coll. Brit. Mus., 219.—Rept.
 Taraka (Doherty MS.) Nicéville 1890, Butterfl. India, Burmah & Ceylon, 3, 57.—Lep.
 Taramassus Giglio-Tos 1907, Boll. Mus. Zool. Anat. comp. Torino, 22, no. 554. 34.—Orth.
 Taramellia (n.n. pro *Flemingia* Jeffreys 1884) Seguenza 1903, Palaeontographica Ital., 9, 53.—Moll. (See *Seguenziella* Sacco 1904.)
 Taramellia Del Campana 1903, Foss. Giura Sup. Setti Comuni, 383.—Moll. (See *Taramelliceras* Del Campana 1904.)
 Taramelliceras (n.n. pro *Taramellia* Del Campana 1903) Del Campana 1904, Boll. Soc. geol. Ital., 23, 251.—Moll.
 Taramellina Munier-Chalmas 1891, Etude tithonique Vicentin, 17; 1902, Bull. Soc. géol. France, (4) 2 (1), 353.—Prot.
 Taramina Moore 1881, Lep. Ceylon, 3, 153.—Lep.
 Tarandichthys Jordan & Evermann 1896, Proc. Calif. Acad. Sci., (2) 6, 225.—Pisces.
 Tarandocerus Chevrolat 1876, Mém. Fam. Clérites, 7.—Col.
 Tarandus Gray 1825, Ann. Phil., 26, 342 [*n.n.*]; Billberg 1828, Syn. Faunae Scand., 1, Mamm., Conspectus A, D, 22.—Mamm.
 Tarandus (Megerle MS.) Dejean 1833, Catal. Coléopt., ed. 2, 174 [*n.n.*].—Col.
 Taranga Kirby 1883, Trans. ent. Soc. London, 1883, 201.—Hym.
 Taranis Jeffreys 1870, Ann. Mag. nat. Hist., (4) 5, 447.—Moll.
 Taranomis Casey 1912, Mem. Col., 3, 334.—Col.
 Tarantinaea Monterosato 1917, Boll. Soc. zool. Ital., (3) 4, 21.—Moll.
 Tarantula Fabricius 1793, Ent. Syst., 432.—Arachn. (Pedipalpi).
 Tarantula Koch 1847, in Hahn (Koch), Arachn., 14, 96.—Arachn. (Aran.).
 Taranucnus Simon 1884, Arachn. France, 5 (2), 248.—Arachn.
 Tararactia Malloch 1930, Proc. Linn. Soc. N.S. Wales, 55, 305.—Dipt.
 Taras Risso 1826, H.N. Europe, 4, 344.—Moll.
 Tarassus Aldrich 1933, Rev. Ent. Rio de Janeiro, 3, 438.—Dipt.
 Tarastethus Sharp 1883, Ent. mon. Mag., 20, 23.—Col.
 Tarasus Rafinesque 1815, Analyse, 156 [*n.n.*].—Coel.
 Tarattia Moore 1898, Lep. Ind., 3, 154.—Lep.
 Tarattostichus Ganglbauer 1908, Münchener Kol. Z., 3, 143, 166.—Col.
 Taraxes (pro *Taracles* Lowe 1843) Day 1881, Fish. Brit., No. 2, 114.—Pisces.
 Taraxides Waterhouse 1876, Ann. Mag. nat. Hist., (4) 17, 289.—Col.
 Taraxineura Warren 1900, Novit. zool., 7, 193.—Lep.
 Taraxis Leconte 1850, in Agassiz, Lake Superior, 237.—Col.
 Tarba Walker 1867, Cat. Specimens Het.-Hem. Coll. Brit. Mus., 1, 236.—Hem.
 Tarbaleopsis Ramme 1930, Mitt. zool. Mus. Berlin, 16, 668.—Orth.
 Tarbaleus Brunner v. Wattenwyl 1898, Abh. Senckenb. Ges., 24, 234.—Orth.
 Tarberus Jacobi 1928, Ark. Zool., 19A, no. 28, 37.—Hem.
 Tarbophis Fleischmann 1831, Diss. Dalmatiae Serpantum, 17.—Rept.
 Tarchius Pascoe 1885, Ann. Mus. Stor. nat. Genova, (2) 2, 314.—Col.
 Tarchon (n.n. pro *Mesotages* Felder 1874) Druce 1887, Biol. Centr. Amer., Zool., Lep. Het., 1, 222.—Lep.
 Tarda Gray 1871, Hand-List Birds, 3, 7.—Aves.
 Tardapoceras Buckman 1927, Type Ammonites, 7, pt. 66, pl. 74r.—Moll.
 Tardceras Hyatt & Smith 1905, Prof. Pap. U.S. geol. Surv., No. 40, 31, 44.—Moll.
 Tardigradus Brisson 1762, Reg. Anim., 21.—Mamm. (Bradypodid.).
 Tardigradus Boddaert 1785, Elench. Anim., 43.—Mamm. (Lemurid.).
 Tardivola Swainson 1827, Zool. Journ., 3 (11), 345.—Aves.
 Tarebia Adams 1854, Gen. Rec. Moll., 1, 304.—Moll.
 Tarema Schaus 1896, J. N. York ent. Soc., 4, 55.—Lep.
 Tarentola Gray 1825, Ann. Phil., 26, 199.—Rept.
 Tarentula Sundevall 1833, Consp. Arachn., 1, 24.—Arachn.
 Tarentula (emend. pro *-iola* Gray 1825) Agassiz 1846, Nomen. Zool. Index Univ.—Rept.
 Tarentulina Simon 1885, Expl. Tunisie, Arachn., 7.—Arachn.
 Tarentuloides Doleschall 1859, Acta Soc. Indo-Neerl., 5, 7.—Arachn.
 Targalla Walker 1857, List Specimens Lep. Ins. Brit. Mus., 13, 1007.—Lep.
 Targalodes Holland 1894, Psyche, 7, 31.—Lep.
 Targarema White 1878, Ent. mon. Mag., 15, 73.—Hem.
 Targaspidiotus MacGillivray 1921, The Coccidae, 392, 446.—Hem.

- Targesius (emend. pro *Melanocrus* Dejean 1834) Gistel 1848, Nat. Thierr., xi.—Col.
 Targionia Signoret 1869, Ann. Soc. ent. France, (4) 8, 862; 1870, (4) 9, 99; (4) 10, 105.—Hem.
 Targionia Hesse 1923, Arch. Molluskenk., 55, 104, 114.—Moll. (See *Tozzettia* Hesse 1924.)
 Targionidea MacGillivray 1921, The Coccidae, 393, 449.—Hem.
 Taria Gray 1853, Ann. Mag. nat. Hist., (2) 11, 44.—Moll.
 Taricanus Thomson 1867, Physis, Paris, 2, pt. 2, 73.—Col.
 Taricha Gray 1850, Cat. Amphib. Coll. Brit. Mus., (2) 25.—Amph.
 Tarichea Stål 1865, Ann. Soc. ent. France, (4) 5, 163.—Hem.
 Taricheutes (emend. pro *Atractocera* Meigen 1803) Gistel 1848, Nat. Thierr., viii.—Dipt.
 Taridius Chaudoir 1875, Bull. Soc. imp. Nat. Moscou, 49 (2), 7.—Col.
 Tarika Moore 1878, Proc. zool. Soc. London, 1878, 14.—Lep.
 Tariona Simon 1902, Ann. Soc. ent. Belgique, 46, 383.—Arachn.
 Tarisa Amyot & Serville 1843, (Roret's Suite à Buffon) Hémiptères, 59.—Hem.
 Tarista Schaus 1913, Ann. Mag. nat. Hist., (8) 11, 23.—Lep.
 Tarletonbeania Eigenmann & Eigenmann 1891, Proc. Calif. Acad. Sci., (2) 3, 6.—Pisces.
 Tarmia Lindsey 1925, Denison Univ. Bull., No. 21, 110.—Lep.
 Tarnatina (err. pro *Tor-* Adams 1850) Pčelincev 1927, Mém. Com. Géol. Leningrad, (N.S.) No. 172, 147.—Moll.
 Tarne Simon [1886], Ann. Soc. ent. France, (6) 5, 1885, 391.—Arachn.
 Tarodes Pocock 1899, in Willey, Zool. Results New Britain, etc., pt. 1, 115.—Arachn.
 Taroidius (emend. pro *Tarid-* Chaudoir 1875) Rye 1877, Zool. Rec., 12, 1875, 284.—Col.
 Taromorpha Blackburn 1894, Proc. Linn. Soc. N.S. Wales, (2) 9, 85.—Col.
 Taron Hutton 1883, Trans. Proc. N. Zealand Inst., 15, 119.—Moll.
 Tarpa Fabricius [1805], Syst. Piezat., 19.—Hym.
 Tarpeius Stål 1867, Ofvers. VetenskAkad. Förh. Stockholm, 24, 544.—Hem.
 Tarpela Bates 1870, Ent. mon. Mag., 6, 272.—Col.
 Tarphe Stål 1874, Recensio Orth., 2, 54.—Orth.
 Tarphiodes Wollaston 1862, J. Ent. Lond., 1, 372.—Col.
 Tarphiomimetes Wollaston 1873, Ent. mon. Mag., 10, 9.—Col.
 Tarphiomimus Wollaston 1873, Ent. mon. Mag., 10, 12.—Col.
 Tarphiophasis Wollaston 1877, Coleopt. Sanctae-Helena, 227.—Col.
 Tarphiosoma Wollaston 1862, J. Ent. Lond., 1, 373.—Col.
 Tarphiota Casey 1893, Ann. New York Acad., 7, 332.—Col.
 Tarphisoma Motschoulsky 1863, Bull. Soc. imp. Nat. Moscou, 36 (1), 504.—Col. (nec *Tarphiosoma* Wollaston 1862 see *Neoplatus* Sharp 1885).
 Tarphius Erichson 1845, Naturgesch. Ins. Deutschl., (Col. 1) 3, 256.—Col.
 Tarphops Jordan & Thompson 1914, Mem. Carnegie Mus., 6, 307.—Pisces.
 Tarphyceras Hyatt 1894, Proc. Amer. phil. Soc., 32, 433.—Moll.
 Tarphypygus Clark 1927, in Arnold & Clark, Mem. Mus. comp. Zool. Harvard, 50, no. 1, 42.—Echin.
 Tarphyscelis Meyrick 1913, Exot. Microlep., 1, 144.—Lep.
 Tarpon Jordan & Evermann 1896, Bull. U.S. nat. Mus., No. 47 (1), 409.—Pisces.
 Tarquinius Kuwert 1891, Dtsch. ent. Z., 1891, 164.—Col.
 Tarquitia Ragonot 1893, in Romanoff, Mém. Léop., 7, 215.—Lep.
 Tarraga Walker 1868, Catal. Blattariae Brit. Mus., 16.—Orth. (Blattid.).
 Tarraga Walker 1869, Catal. Dermapt. Saltat. Brit. Mus., 1, 100.—Orth. (Prophalangopsid.) (See *Prophalangopsis* Walker 1871.)
 Tarraltis Haeckel 1872, Die Kalkschwämme, 2, 404.—Spong.
 Tarrandra Haeckel 1872, Die Kalkschwämme, 2, 404.—Spong.
 Tarrasius Traquair 1881, Trans. R. Soc. Edinburgh, 30, 61.—Pisces.
 Tarrenticola (pro *Torr-* Piersig 1897) Maglio 1906, Zool. Anz., 30, 409.—Arachn.
 Tarretta Haeckel 1872, Die Kalkschwämme, 2, 404.—Spong.
 Tarrhaleus (pro *Tha-* Kaup 1829) Fitzinger 1863, S.B. Akad. Wiss. Wien, Math.-naturw. Cl., 46 (1), 223.—Aves.
 Tarrilla Haeckel 1872, Die Kalkschwämme, 2, 404.—Spong.
 Tarrrocanus Simon 1895, Hist. nat. Arachn., 1, 979.—Arachn.
 Tarrograntia Haeckel 1872, Die Kalkschwämme, 1, 478 [n.n.].—Spong.
 Tarrorna Haeckel [1869], Jena. Z., 5, 1870, 244.—Spong.
 Tarromandra Haeckel 1872, Die Kalkschwämme, 2, 405.—Spong.
 Tarropsandra Haeckel 1872, Die Kalkschwämme, 2, 405.—Spong.
 Tarropsetta Haeckel 1872, Die Kalkschwämme, 2, 405.—Spong.
 Tarropsis Haeckel 1872, Die Kalkschwämme, 2, 405.—Spong.
 Tarrus Haeckel [1869], Jena. Z., 5, 1870, 244.—Spong.
 Tarsa Walker 1856, List Specimens Lep. Ins. Brit. Mus., 8, 61.—Lep.
 Tarsalgus Candèze 1882, Mém. Soc. Sci. Liège, (2) 9, 39.—Col.
 Tarsalia Morawitz 1895, Horae Soc. ent. ross., 29, 9.—Hym.

- Tarsaster Sladen 1889, Rep. Voy. Challenger Exped., Zool., 30, 439, 440.—Echin.
 Tarsastrocles Fisher 1923, Ann. Mag. nat. Hist., (9) 12, 250, 597, 605.—Echin.
 Tarsia Gregorio 1892, Ann. Géol. Paléont., livr. 10, 19.—Moll.
 Tarsichthys Troschel 1854, Verh. naturh. Ver. Preuss. Rheinlande Westphal., 11, 11.—Pisces.
 Tarsiger Hodgson 1844, Zool. Miscell. (Gray), (6) 83 [n.n.]; 1845, Proc. zool. Soc. London, 13, 28.—Aves.
 Tarsilister Bruch 1932, Rev. Mus. La Plata, 33, 278.—Col.
 Tarsipes Gervais 1842, L'Institut, 75.—Mamm.
 Tarsiphantes Strand 1906, Rep. "Fram" Exped., 3, 30.—Arachn.
 Tarsistes (n.n. pro *Rhynchobatis* Philippi 1857) Jordan 1919, Proc. Acad. nat. Sci. Philad., 70, 1918, 344.—Pisces.
 Tarsius Storr 1780, Prod. meth., 32 & tab. A.—Mamm.
 Tarsocamenta Moser 1924, Dtsch. ent. Z., 1924, 168.—Col.
 Tarsocera Butler 1899, Proc. zool. Soc. London, 1898, 903.—Lep.
 Tarsocheylus Berlese 1905, Redia, 2, 15.—Arachn.
 Tarsocnodes Gebien 1920, Abh. Geb. Auslandsk., Hamburg Univ., 5 (C. Naturw. 2), 82.—Col.
 Tarsoctenus Watson 1893, Proc. zool. Soc. London, 1893, 21.—Lep.
 Tarsodactylus Hitchcock 1858, Ichnol. N. England, 46, 98.—? Amph.
 Tarsohomoneura Hendel 1933, Rev. Ent. Rio de Janeiro, 3, 76.—Dipt.
 Tarsolarkus Thor 1912, Zool. Anz., 39, 465.—Arachn.
 Tarsolepis Butler 1872, Ann. Mag. nat. Hist., (4) 10, 125.—Lep.
 Tarsomenus (pro *Tarsonemus* Canestrini & Fanzago 1876) Jablonowski 1896, Fauna Regni Hungar., Acar., 4.—Arachn.
 Tarsomys Mearns 1905, Proc. U.S. nat. Mus., 28, 453.—Mamm.
 Tarsonema (pro *-mus* Canestrini & Fanzago 1876) Kramer 1878, Z. Naturw., 51, 525.—Arachn.
 Tarsonemella Hirst 1923, Proc. zool. Soc. London, 1923, 995.—Arachn.
 Tarsonemoides Trägårdh 1905, Res. Swedish Exped. Egypt & White Nile, 2, 101.—Arachn.
 Tarsonemus (n.n. pro *Chironemus* Canestrini & Fanzago 1876) Canestrini & Fanzago 1876, Atti Soc. Padua, 5 (1), 14.—Arachn.
 Tarsonops Chamberlin 1924, Proc. Calif. Acad. Sci., 12, 598.—Arachn.
 Tarsophlebia Hagen 1866, Palaeontographica, 15, 58.—Odon.
 Tarsophlebiopsis Tillyard 1923, Geol. Mag., 60, 149.—Odon.
 Tarsoplectrus Lull 1904, Mem. Boston Soc. nat. Hist., 5, 519.—Rept.
 Tarsopoda Butler 1874, Ann. Mag. nat. Hist., (4) 14, 410.—Lep.
 Tarsopolipus Berlese 1911, Redia, 7, 183.—Arachn.
 Tarsopsylla (n.n. pro *Ctenonotus* Kolenati 1863) Wagner 1927, Konowia, 6, 108.—Siphonapt.
 Tarsopterus Reinhardt & Luetken 1862, Vidensk. Meded. naturh. Foren., Kjøbenhavn, 1861, 177.—Amph.
 Tarsopterus Clarke & Ruedemann 1912, Mem. N. York State Mus., No. 14 (1), 287.—Eurypterida.
 Tarsosis Gebien 1920, Abh. Geb. Auslandsk., Hamburg Univ., 5 (C. Naturw. 2), 34.—Col.
 Tarsostenodes Blackburn 1900, Trans. Proc. roy. Soc. S. Australia, 24, 139.—Col.
 Tarsostenosis Heller 1916, Nova Caledonia, Zool., 2, 277.—Col.
 Tarsostenus Spinola 1844, Ess. mon. Clérites, 1, 287.—Col. (Clerid.)
 Tarsostenus (pro *-stinus* Motschoulsky 1864) Gemminger & Harold 1868, Cat. Col., 1, 118.—Col. (Carabid.).
 Tarsostinus Motschoulsky 1864, Bull. Soc. Sci. imp. Nat. Moscou, 37, pt. 2, 240.—Col.
 Tarsotomus Berlese 1882, Acar. Myr. Scorp. Ital., 2, no. 2.—Arachn.
 Tarsotropidus Schmidt 1922, Arch. Naturgesch., 88, A6, 78.—Col.
 Tarsotyle Attems (*teste* Attems 1926, Handb. Zool., 4, 1. Hälfte, 218).—Myr.
 Tartare (pro *Tat-* Lesson 1830) Fisher 1903, Auk, 20, 390, 391.—Aves.
 Tartarea (pro *Tatare* Lesson 1830) Reichenbach 1853, Handb. Orn., Scans., 148.—Aves.
 Tartaricus Pascoe 1881, Trans. ent. Soc. London, 1881, 101.—Col.
 Tartarothyas Viets 1934, Zool. Anz., 105, 133.—Arachn.
 Tartessus Stål 1865, Öfvers. Vetensk. Akad. Förh. Stockholm, 22, 156.—Hem.
 Tarucus Moore 1881, Lep. Ceylon, 1, 81.—Lep.
 Taruda Walker 1864, List Specimens Lep. Ins. Brit. Mus., 29, 799.—Lep.
 Tarulus Bedel 1906, Cat. Col. N. Afr., fasc. 22, 253.—Col.
 Tarundia Stål 1859, Berlin. ent. Z., 3, 325.—Hem.
 Tarus Schellenberg 1806, Helvet. Entom., 2, 94.—Col.
 Tarvaia Allgén 1935, K. norske Vidensk. Selsk. Trondhjem, 7, 37.—Verm. (Nema.).
 Tarvia (pro *Tavia* Walker 1858) Felder 1875, in Felder & Rogenhofer, Reise Novara, Zool., 2 (2) (Lep.), pl. 114, fig. 6 & explan. pls. cviii-cxl.—Lep.
 Tarytia Cameron 1907, J. Bombay nat. Hist. Soc., 17, 588.—Hym.

- Tasactes* Faust 1895, Ann. Mus. Stor. nat. Genova, 34, 361.—Col.
Tasata Simon 1903, Ann. Soc. ent. Belgique, 47, 29.—Arachn.
Taschenbergia Schmiedeknecht 1888, Zool. Jahrb., Syst., 3, 437.—Hym.
Taschenbergiella (n.n. pro *Taschenbergius* Neumann 1906) Neumann 1913, Deux. Exp. Ant. Franç., 196.—Malloph.
Taschenbergius (n.n. pro *Eurymetopus* Taschenberg 1882) Neumann 1906, Bull. Soc. zool. France, 31, 59, 60.—Malloph. (See *Taschenbergiella* Neumann 1913.)
Taschkentia Verhoeff 1930, Zool. Anz., 91, 251.—Myr.
Tascia Walker 1856, List Specimens Lep. Ins. Brit. Mus., 7, 1600.—Lep.
Tascina Westwood 1877, Trans. Linn. Soc. London, (2) 1 (Zool.), 198.—Lep.
Tascinia (pro *-na* Westwood 1877) Pagenstecher 1909, Geogr. Verbr. Schmett., 439.—Lep.
Tasema Walker 1856, List Specimens Lep. Ins. Brit. Mus., 7, 1597.—Lep.
Tasenia Snellen 1901, Tijdschr. Ent., 44, 63.—Lep.
Taseoconia Pomel 1872, Paléont. Oran, 5, 249.—Spong.
Taseopteryx Butler 1883, Trans. ent. Soc. London, 1883, 63.—Lep.
Tasgius (Leach MS.) Stephens 1829, Nom. Brit. Ins., 22; 1832, Ill. Brit. Ent., (Mand. 5), 213.—Col.
Tasica Rafinesque 1815, Analyse, 84 [n.n.].—Pisces.
Tasinga Moore 1897, Lep. Ind., 3, 101.—Lep.
Tasiocera Skuse 1890, Proc. Linn. Soc. N.S. Wales, (2) 4, 815.—Dipt.
Tasitia Moore 1883, Proc. zool. Soc. London, 1883, 235.—Lep.
Tasmanadia Chapman 1929, Pap. roy. Soc. Tasmania, 1928, 5.—Verm. (†Ann.).
Tasmancylus Iredale 1926, Nautilus, 39, 115.—Moll.
Tasmanembryon Iredale 1933, Rec. Australian Mus., 19, 41.—Moll.
Tasmania (err. pro *Lauzamia* Latreille 1804) Tonnoir & Malloch 1926, Rec. Canterbury (N.Z.) Mus., 3, 26, 231.—Dipt.
Tasmaniocris Sjoestedt 1932, Ark. Zool., 23A, no. 11, 19.—Orth.
Tasmaniaedrilus Goddard (*teste* Stephenson 1930, Oligochaeta, 756).—Verm. (Oligoch.).
Tasmanica Lea 1900, Proc. Linn. Soc. N.S. Wales, 25, 392.—Col.
Tasmaniella (n.n. pro *Beddomeia* Petterd 1889) Ancy 1898, Ann. Mus. Hist. nat. Marseille, (2) Bull., 1, 148.—Moll.
Tasmaniella Chamberlin 1920, Bull. Mus. comp. Zool. Harvard, 64, 83.—Myr.
Tasmanina Tonnoir 1929, Proc. Linn. Soc. N.S. Wales, 54, 602.—Dipt.
Tasmaniomyia Townsend 1916, Canad. Ent., 48, 152.—Dipt.
Tasmanobium Lea 1924, Trans. roy. Soc. S. Australia, 48, 42.—Col.
Tasmanobius Chamberlin 1920, Bull. Mus. comp. Zool. Harvard, 64, 74.—Myr.
Tasmanocoenis Lestage 1930, Mém. Soc. ent. Belgique, 23, 53.—Ephem.
Tasmanodesmus Chamberlin 1920, Bull. Mus. comp. Zool. Harvard, 64, 133.—Myr.
Tasmanogobius Scott 1935, Occ. Pap. roy. Soc. Tasmania, 1934, 55.—Pisces.
Tasmanoonops Hickman 1929, Occ. Pap. roy. Soc. Tasmania, 1929, 97.—Arachn.
Tasmanoperla Tillyard 1921, Canad. Ent., 53, 40.—Plecopt.
Tasmanophilus Chamberlin 1920, Bull. Mus. comp. Zool. Harvard, 64, 44.—Myr.
Tasmanophlebia Tillyard 1921, Proc. Linn. Soc. N.S. Wales, 46, 410.—Ephem.
Tasmanopocus Hickman 1933, Occ. Pap. roy. Soc. Tasmania, 1933, 77.—Psocopt.
Tasmanorites Jeannel 1927, Abeille, 33, 71.—Col.
Tasmanornis Mathews 1912, Novit. zool., 18, 353.—Aves.
Tasmaphena Iredale 1933, Rec. Australian Mus., 19, 48.—Moll.
Tasmeuthria Iredale 1925, Rec. Australian Mus., 14, 249, 262.—Moll.
Tasmosalpingus Lea 1919, Proc. Linn. Soc. N.S. Wales, 43, 743.—Col.
Tasmus Murray 1864, Trans. Linn. Soc. London, 24, 290.—Col.
Tassadus Desmarest 1859, in Chenu, Encycl. Hist. nat., Tabl. Crust. Moll., 50.—Moll.
Tassia (err. pro *Tascia* Walker 1856) Druce 1910, Ann. Mag. nat. Hist., (8) 5, 402.—Lep.
Tassonia Girault 1921, New Animals of Australia and Old Men of the Earth, 2 [privately printed].—Hym.
Tasta Walker 1862, List Specimens Lep. Ins. Brit. Mus., 26, 1569.—Lep.
Tata van Beneden [1850], Bull. Acad. roy. Bruxelles, 16 (2), 1849, 648.—Bry.
Tatabelodon Frick 1933, Bull. Amer. Mus. nat. Hist., 59, 581.—Mamm.
Tatacantha Butler 1873, Trans. ent. Soc. London, 1873, 153.—Arachn.
Tatao Bonaparte 1851, Rev. Mag. Zool., (2) 3, 141; 1851, C.R. Acad. Sci. Paris, 32, 80.—Aves.
Tatare Lesson 1830, Traité Ornith., (4) 317.—Aves.
Tatarea (pro *-re* Lesson 1830) Reichenbach (1849), Avium Syst. Nat., pl. xxxvii.—Aves.
Tatargina Butler 1877, Trans. ent. Soc. London, 1877, 366 (also as *Tatargyna*).—Lep.
Tatargyna see *Tatargina*.
Tataromys (pro *-ronomys* Matthew & Granger 1923) Chardin 1926, Ann. Paléont., 15, 28.—Mamm.

- Tataronomys* Matthew & Granger 1923, Amer. Mus. Novit., No. 102, 5.—Mamm.
Tatea Tenison-Woods 1879, Proc. roy. Soc. Tasmania, 1878, 72.—Moll.
Tateichthys La Monte 1929, Amer. Mus. Novit., No. 373, 1.—Pisces.
Tatella Etheridge 1901, Queensland Dep. Mines, Geol. Surv. Bull., No. 13, 27.—Moll.
Tatera Lataste 1882, Le Naturaliste, 2, no. 16, 126.—Mamm.
Taterillus Thomas 1910, Ann. Mag. nat. Hist., (8) 6, 222.—Mamm.
Taterina Wettstein 1916, Anz. Akad. Wiss. Wien, 53, 152.—Mamm.
Taterona Wroughton 1917, J. Bombay nat. Hist. Soc., 25, 40.—Mamm.
Tathicarpus Ogilby 1907, Proc. roy. Soc. Queensland, 20, 19.—Pisces.
Tathiodon Simpson 1927, Amer. J. Sci., (5) 14, 71.—Mamm.
Tathodelta Hampson 1893, Ill. typ. Spec. Lep. Het. Coll. Brit. Mus., 9, 135.—Lep.
Tathorhynchus Hampson 1894, Fauna Brit. Ind., Moths, 2, 268.—Lep.
Tathorhynchus (pro *-rhynchus* Hampson 1894) Bethune-Baker 1911, Ann. Mag. nat. Hist., (8) 7, 538.—Lep.
Tathothripa Hampson 1912, Cat. Lep. Phalaenae Brit. Mus., 11, 307.—Lep.
Tatia Ribeiro 1912, Arch. Mus. Rio de Janeiro, 16, 360.—Pisces.
Tatinga Moore 1893, Lep. Indica, 2, 5.—Lep.
Tatiotimus Heller 1926, Ent. Blätter, 22, 186.—Col.
Tatisia Moore 1898, Lep. Indica, 3, 179.—Lep.
Tatius Kuwert 1898, Novit. zool., 5, 315.—Col.
Tatobotys Butler 1881, Proc. zool. Soc. London, 1880, 686.—Lep.
Tatochila Butler 1870, Cistula ent., 1, 38, 51.—Lep.
Tatocnemis Kirby 1889, Proc. zool. Soc. London, 1889, 300.—Odon.
Tatoglossum Butler 1877, Trans. zool. Soc. London, 9, 1876, 598.—Lep.
Tatonaspis Kobayashi 1935, Japan. J. Geol. Geogr., 12, 48.—Trilobita.
Tatorhinia (pro *-rinia* Butler 1875) Holland 1894, Psyche, 7, 114.—Lep.
Tatorinia Butler 1875, Ann. Mag. nat. Hist., (4) 16, 408.—Lep.
Tatosoma Butler 1874, Voy. "Erebus" & "Terror," 2 Ins., 43.—Lep.
Tatou [Anonymous] 1845, London Ency., 22, 748.—Mamm.
Tatoua Gray 1865, Proc. zool. Soc. London, 1865, 378.—Mamm.
Tatrasoma Verhoeff 1910, S.B. Ges. naturf. Freunde, 1910, 25.—Myr.
Tatria Kowalewski 1904, Bull. Acad. Cracovie, 1904, no. 7, 367; 1905, 1905, no. 6, 392.—Verm. (Cest.).
Tatsnokkia Stimpson 1857, Proc. Acad. nat. Sci. Philad., 1857, 165.—Verm. (Nemert.).
Tatu Blumenbach 1779, Hand. Naturg., 74.—Mamm.
Tatua Saussure [1854], Etudes Fam. Vespides, 2, 213.—Hym.
Tatuomyia Shannon 1926, Proc. U.S. nat. Mus., 69, art. 9, 48.—Dipt.
Tatura Butler 1896, Proc. zool. Soc. London, 1896, 123.—Lep.
Tatus (pro *Tatu* Blumenbach 1779) Trouessart 1905, Cat. Mamm., Suppl., 5, 1904, 813.—Mamm.
Tatusia Lesson 1827, Man. Mamm., 310.—Mamm.
Tatutor Jousseau 1887, Le Naturaliste, (2) 1, 6.—Moll.
Tatva Distant 1906, Fauna Brit. Ind., Rhynch., 3, 336.—Hem.
Tauba Walker 1866, List Specimens Lep. Ins. Brit. Mus., 35, 1766.—Lep.
Tauchira Stål 1878, Bih. svenska VetenskAkad. Handl., 5, no. 4, 48.—Orth.
Tauchiridea Bolivar 1918, Trab. Mus. nac. Madrid, Zool., 34, 35.—Orth.
Taueriulus Verhoeff 1913, Zool. Anz., 43, 156.—Myr.
Taufikia Woodland 1928, Parasitology, 20, 305.—Verm. (Cest.).
Tauhria (pro *Taph-* Dejean 1821) Hofmann 1834, Verz. Ins. Latreille, 2.—Col.
Taula (pro *Faula* Adams 1855) Paetel 1890, Cat. Conch.-Samml., ed. 4, 2, 292.—Moll.
Taulyrpa Edwards 1929, Proc. Linn. Soc. N.S. Wales, 54, 171.—Dipt.
Taumacera Thunberg 1814, K. VetenskAkad. Handl., Stockholm, 1814 (1), 48.—Col.
Taumantias (pro *Thau-* Eschscholtz 1829) Agassiz 1860, Contr. nat. Hist. Amer., 3, 136.—Coel.
Taumantis Giglio-Tos 1917, Bull. Soc. ent. ital., 48, 47.—Orth.
Taumastognathus Filhol 1890, Bull. Soc. philom. Paris, (8) 2, no. 2, 34 (as *Taumastognathus* p. 38).—Mamm.
Taumastognathus see *Taumastognathus*.
Taumastopeus (pro *Tha-* Kraatz 1885) Schoch 1895, Gen. Spec. Ceton.-Samml., 1, 36.—Col.
Taumastropeus (pro *Thaumastopeus* Kraatz 1885) Schoch 1894, Mitt. schweiz. ent. Ges., 9, 222.—Col.
Taumastura (pro *Thau-* Bonaparte 1850) Hartlaub 1857, J. Orn., 5, 45.—Aves.
Taunaspis Schmidt 1933, Palaeont. Z., Berlin, 15, 234.—Pisces.
Taunaya Pinto da Fonseca 1934, Rev. Ent., Rio de Janeiro, 4, 351.—Hem.
Taunayella Mello-Leitão 1923, Rev. Mus. paulista, 13, 97.—Arachn.
Taunayia Ribeiro 1918, Tres gen. e dezsete esp. novas de Peixes Brasil., São Paulo, 14.—Pisces.

- Taungia* Ollenbach 1928, Indian For. Rec., 13, 274.—Hem.
Taunis Rafinesque 1815, Analyse, 82 [n.n.].—Pisces.
Tauphysa Rendahl 1933, Ark. Zool., 25A, no. 11, 22.—Pisces.
Taupoa Peckham 1907, Trans. Acad. Sci. Wisconsin, 15, 644.—Arachn.
Taupodrilus Benham 1904, Proc. zool. Soc. London, 1903 (2), 205, 209.—Verm. (Oligoch).
Tauraco (pro *Tou-* Lacepède 1799) Kluk 1779, Historji Natural., 2, 25.—Aves.
Tauracris Willemsse 1931, Treubia, 12, Suppl., 248.—Orth.
Taurasia Bellardi 1883, Mem. Accad. Sci. Torino, (2) 34, 410.—Moll.
Tauraxinus Sacco 1901, Moll. Terr. terz. Piemonte Liguria, 29, 61.—Moll.
Tauredon Handlirsch 1910, Dtsch. ent. NatBibl., 1, 23.—Col.
Tauredophidium Alcock 1890, Ann. Mag. nat. Hist., (6) 6, 212.—Pisces.
Tauremarginula Sacco 1897, Moll. Terr. terz. Piemonte Liguria, 22, 13.—Moll.
Taurhina Burmeister 1842, Handb. Entom., 3, 190.—Col.
Tauria Dana 1852, Amer. J. Sci., (2) 14, 311.—Crust.
Taurica Walker 1865, List Specimens Lep. Ins. Brit. Mus., 34, 1268.—Lep.
Taurichthys Cuvier 1829, Règne Anim., ed. 2, 2, 192.—Pisces.
Taurichthys (pro *-chthys* Cuvier 1829) Swainson 1838, Classif. Fish., 1, 20.—Pisces.
Tauridea Jordan & Rice 1878, in Jordan, Man. Vert. Nthn. U.S., ed. 2, 255.—Pisces.
Tauridella Sekera 1911, S.B. Böhm. Ges. Wiss., 1911, Heft 24, 22.—Verm. (Turb.).
Tauridiana Isaitschikow 1924, Trudy Sibir. Vet. Inst. Omsk, 6, 36–38.—Verm. (Trem.).
Taurina see *Tauriona*.
Taurinia (err. pro *Taurasia* Bellardi 1883) Eastman 1900, in Eastman-Zittel, Text-Book Palaeont., 1, 475.—Moll.
Taurinichthys Cocchi 1864, Monogr. Pharyngodopilid., 87 (Ann. Mus. Firenze, (N.S.) 1, 152).—Pisces.
Taurinosoma Verhoeff 1932, Arch. Naturgesch., (N.F.) 1, 609.—Myr.
Taurion see *Tauriona*.
Tauriona Buckton 1903, Monogr. Membrac., 259 (as *Taurion* p. 270 & pl. lx, fig. 9; as *Taurina* p. 293).—Hem.
Tauriphila Kirby 1889, Trans. zool. Soc. London, 12, 268.—Odon.
Taurocephalus Broom 1928, Ann. S. Afr. Mus., 22, 436.—Rept.
Tauroceras Hope 1840, Coleopt. Manual, 3, 130.—Col.
Tauroceras Schaffhäutl 1854, N. Jahrb. Min. Geogn. Geol., 1854, 551.—Moll.
Taurocerastes Philippi 1866, Ent. Ztg., Stettin, 27, 115.—Col.
Tauroceropedus Pic 1913, Mélanges exot. ent., no. 6, 4.—Col.
Taurocerus Amyot & Serville 1843, (Roret's Suite à Buffon) Hémiptères, 151.—Hem.
Taurocerus (pro *-yas* Hope 1840) Agassiz 1846, Nomencl. Zool. Index, 362.—Col.
Taurocheros Brian 1926, Boll. Lab. Zool. Portici, 18, 32.—Crust.
Taurocopris d'Olsoufieff 1924, Insecta, Rennes, 13, 1923, 61.—Col.
Taurocottus Soldatov & Pavlenko 1916, Annu. Mus. zool. Acad. Petrograd, 20, 149.—Pisces.
Taurodes Dallas 1851, List Specimens Hem. Ins. Coll. Brit. Mus., 1, 219.—Hem.
Tauroforis Sacco 1895, Moll. Terr. terz. Piemonte Liguria, 17, 62.—Moll.
Tauroglossus Spengel 1893, Fauna & Flora Golf. Neap., 18, 359.—Enteropneusta.
Taurogypsina Sacco 1894, Bull. Soc. Belge Géol., 7, Proc.-verb., 207.—Echin.
Taurolema Thomson 1860, Essai Class. Cerambycid., 15.—Col.
Tauroma Hope 1839, Ann. nat. Hist., 3, 97.—Col.
Tauromantis Giglio-Tos 1917, Bull. Soc. ent. ital., 48, 57.—Orth.
Tauromenia Seguenza 1885, Nat. Sicil., 4, 253 [n.n.].—Brach.
Tauromenia Fucini 1931, Pal. Ital., 31, 114.—Moll.
Taurometopa Meyrick 1933, Exot. Microlep., 4, 395.—Lep.
Tauromyia Giglio-Tos 1893, Bull. Mus. Zool. Anat. comp. Torino, 8, no. 158, 8.—Dipt.
Taurongia (n.n. pro *Hylobius* Hogg 1900) Hogg 1901, Proc. zool. Soc. London, 1901, 279.—Arachn.
Tauronthophagus Shipp 1895, Entomologist, 28, 179.—Col.
Taurops Broom 1912, Proc. zool. Soc. London, 1912, 859.—Rept.
Taurorcus Thomson 1857, Arch. ent. Paris, 1, 186.—Col.
Taurorgus (pro *Taurorcus* Thomson 1857) Gemminger & Harold 1873, Cat. Col., 10, 3147.—Col.
Tauroscopa Meyrick 1888, Trans. N. Zealand Inst., 20, 69.—Lep.
Tauroscypson Curran 1934, Bull. Amer. Mus. nat. Hist., 66, 419.—Dipt.
Taurospyrus Haeckel 1881, Jena. Z., 15, 442.—Prot.
Taurotagus Lacordaire 1869, Hist. nat. Ins., Gen. Col., 8, 249.—Col.
Taurotapes Sacco 1900, Moll. Terr. terz. Piemonte Liguria, 28, 58.—Moll.
Taurotettix Haupt 1929, Zool. Jahrb., Syst., 58, 259.—Hem.
Taurotragus Wagner 1855, Schreber's Säugethiere, Suppl., 5, 438.—Mamm.
Taurulus Gratzianow 1907, Trud. Otd. ichth., Moscow, 4, 296, 316.—Pisces.

- Taurus* Storr 1780, Prod. meth., 41 & tab. C; (emend. pro *Bos* L. 1758) Rafinesque 1814, Princip. Somiol., 30.—Mamm.
- Tauscheria* Bryk 1915, Arch. Naturgesch., 81, A4, 3.—Lep.
- Tauschia* Haber 1932, Foss. Cat., pars 53, 284.—Moll.
- Tausocerus* (pro *Tauro*-Amyot & Serville 1843) Spinola 1852 [sep. 1850], Mem. Fis. Soc. Ital., 25 (1), 74.—Hem.
- Tautagolabrus* (pro *Tautogo*-Guenther 1862) Weber 1913, Siboga-Exped., 65, no. 57, 361, 708.—Pisces.
- Tautatus* Kloss 1917, J. nat. Hist. Soc. Siam, 2, 279.—Mamm.
- Tautobriga* Walker 1869, Charact. undescr. Lep. Het., 56.—Lep.
- Tautoclines* Thomson 1868, Physis, Paris, 2, pt. 3, 155.—Col.
- Tautoga* Mitchell 1814, Rept. Fishes N. York, 23; Cuvier & Valenciennes 1839, H.N. Poiss., 13, 292.—Pisces.
- Tautogolabrus* Guenther 1862, Cat. Fish. Brit. Mus., 4, 89, 90.—Pisces.
- Tautozelus* Foerster 1868, Verh. naturh. Ver. Rheinlande, 25, 212.—Hym.
- Tavaresia* Kieffer 1901, Bull. Soc. ent. France, 1901, 158, 160.—Hym.
- Tavaresiella* Del Guercio 1911, Redia, 7, 299.—Hem.
- Taveta* Fawcett 1916, Proc. zool. Soc. London, 1916, 718.—Lep.
- Tavia* Walker 1858, List Specimens Lep. Ins. Brit. Mus., 14, 1275.—Lep.
- Tavila* Walker 1869, in Chapman, Proc. nat. Hist. Soc. Glasgow, 1, 349.—Lep.
- Taviodes* Hampson 1926, Descr. new Genn. Spp. Noctuidae, 28.—Lep.
- Tavistockia* Mathews 1919, Birds Australia, 7, 434.—Aves.
- Tavonas* (ex Lesson) Gray 1870, Hand-List Birds, 2, 163.—Aves.
- Tawera* Marwick 1927, Trans. N. Zealand Inst., 57, 597, 613.—Moll.
- Tawhitia* Philpott 1931, Trans. New Zealand Inst., 62, 26.—Lep.
- Tawila* Khalil 1932, Z. Parasitenk., Berlin, 4, 455.—Verm. (Nema.).
- Taxaris* (emend. pro *Disopus* Dejean 1835) Gistel 1848, Nat. Thierr., 123.—Col.
- Taxella* Allman 1874, Nature, 11, 179.—Coel.
- Taxeodonta* Pilsbry 1898, Nautilus, 11, 132.—Moll.
- Taxeotis* Meyrick 1890, Proc. Linn. Soc. N.S. Wales, (2) 4, 1140.—Lep.
- Taxes* Champion 1895, Trans. ent. Soc. London, 1895, 226.—Col.
- Taxiarchus* Brunner 1890, Verh. zool.-bot. Ges. Wien, 40, 109.—Orth.
- Taxicera* Mulsant & Rey 1875, Hist. nat. Col. Fr., Brévipennes (Myrm. ii), 289; 1875, Ann. Soc. Agric. Lyon, (4) 6, 315.—Col.
- Taxicerella* Casey 1910, Mem. Coléopt., 1, 113.—Col.
- Taxicerus* Dejean 1835, Catal. Coléopt., ed. 2, 289 [n.n.].—Col.
- Taxicnemis* Edwards 1927, in Tonnoir & Edwards, Trans. New Zealand Inst., 57, 805.—Dipt.
- Taxidea* Waterhouse 1839, Proc. zool. Soc. London, 6, 153; Lesson 1842, N. Tab. Règne Anim., 79.—Mamm.
- Taxidia* (pro *-dea* Waterhouse 1839) Hodgson 1847, J. Asiat. Soc. Bengal, 16, 763.—Mamm.
- Taxigramma* Macquart 1849, Ann. Soc. ent. France, (2) 7, 359.—Dipt.
- Taxila* Doubleday 1847, List Lepidopt. Coll. Brit. Mus., 2, 2.—Lep. (Riodinid.).
- Taxila* Walker 1855, List Specimens Lep. Ins. Brit. Mus., 3, 764.—Lep. (Pericopid.).
- Taxila* Stål 1870, Ofvers. VetenskAkad. Förh. Stockholm, 1870, no. 7, 750.—Hem. (See *Kalhitaxila* Kirkaldy 1901 and *Taxilana* Melichar 1915.)
- Taxilana* (n.n. pro *Taxila* Stål 1870) Melichar 1915, Verh. Ver. Brünn, 53, 175.—Hem.
- Taxilepis* Warren 1903, Novit. zool., 10, 402.—Lep.
- Taxipathes* Brook 1889, Rep. Voy. Challenger Exped., Zool., 32, no. 80, 78, 146, 155.—Coel.
- Taxiplagus* Bernhauer 1915, Tijdschr. Ent., 58, 236.—Col.
- Taxisus* Rafinesque 1814, Specchio Sci., 2 (12), 167.—*Inc. sed.*
- Taxocrinus* Phillips 1843, in Morris, Cat. Brit. Foss., 59.—Echin.
- Taxocyclocotyle* Diesing 1854, S.B. Akad. Wiss. Wien, Math.-naturw. Cl., 13, 612, 616.—Verm. (Cest.).
- Taxodon* Lartet 1851, Notice sur la Colline de Sansan, 15.—Mamm.
- Taxomyia* Ruebsaamen 1912, Z. wiss. InsektBiol., 8, 216.—Dipt.
- Taxonia* Finlay 1926, Trans. N. Zealand Inst., 57, 384.—Moll.
- Taxonus* (Megerle MS.) Dahlbom 1835, Consp. Tenthred., 13.—Hym.
- Taxophyma* Lambert 1899, Rev. crit. Paléont., 3, 36, 37.—Echin.
- Taxoploca* Sollas 1888, Rep. Voy. Challenger Exped., Zool., 25, xxviii.—Spong.
- Taxorchis* Fischer 1901, Zool. Anz., 24, 373.—Verm. (Trem.).
- Taxospathius* (pro *Tox*-Fairmaire 1878) Reitter 1889, Wien. ent. Ztg., 8, 276.—Col.
- Taxostoma* (pro *Tox*-Wagler 1831) Blasius 1862, List Birds Europ., 9.—Aves.
- Taxotherium* Blainville 1841, Ostéogr., Subursus, 70.—Mamm.
- Taxoxylum* (pro *Taxotherium* Blainville 1841) Bronn 1848, Index pal., 1 (2), 1217.—Mamm.
- Taxus* Geoffroy & Cuvier 1795, Mag. encyclop., 2 (6), 187; Cuvier 1800, Leçons Comp. Anat., 1, tab. 1.—Mamm.
- Taxymys* Marsh 1872, Amer. J. Sci., (3) 4, 219.—Mamm.

- Tayassu** Fischer 1814, *Zoogn.*, ed. 3, 3, 284.—Mamm.
Tayassus (pro *-ssu* Fischer 1814) Trouessart 1905, *Cat. Mamm.*, n. ed., Suppl., 658.—Mamm.
Taygete Chambers 1873, *Canad. Ent.*, 5, 229, 231.—Lep.
Taygetis Huebner [1819], *Verz. bekannt. Schmett.*, (4) 55.—Lep.
Tayloria Bourguignat 1889, *Moll. Afr. Equator.*, 38.—Moll.
Tayloria Malloch 1930, *Proc. Linn. Soc. N.S. Wales*, 55, 98.—Dipt.
Tayra Oken 1816, *Lehrb. Nat.*, 3 (2), 1001.—Mamm.
Tchagra Lesson 1830–1831, *Traité Ornith.*, (5) 373.—Aves.
Tchapinius Roewer 1930, *Ark. Zool.*, 21 B, no. 2, 2.—Arachn.
Tchiltrea (err. pro *Tchitrea* Lesson 1830–31) Lesson 1837, *H.N. Mamm. Ois. depuis [1788]*, 8, 364.—Aves.
Tchirkovaea Zalesky 1932, *Bull. Soc. géol. France*, (5) 1, 215.—Megasecopt.
Tchitrea Lesson 1830–1831, *Traité Ornith.*, (5) 386.—Aves.
Tcholmanvissia Zalesky 1929, *Trudy Obsch. Est. Kazan. Univ.*, 52, 19, 21.—Protohem.
Teabooma Distant 1914, *Nova Caledonia, Zool.*, 1, 372.—Hem.
Tealia Gosse 1858, *Ann. Mag. nat. Hist.*, (3) 1, 417.—Coel.
Tealiantus Carlgren 1927, *Further Zool. Res. Swedish Antarct. Exped.*, 2 (3), 38.—Coel.
Tealidium Hertwig 1882, *Rep. Voy. Challenger Exped.*, *Zool.*, 6, 51.—Coel.
Tealiopsis Danielssen 1890, *Norsk. Nordhavs-Exped.*, 19 (Actinida), 45.—Coel.
Teallicaris Peach 1908, *Mem. geol. Surv. Gt. Brit., Pal.*, 1 (1), 9.—Crust.
Teania (pro *Taenia* L. 1758) Monticelli 1888, *Saggio Morfol. Trem.*, 109.—Verm. (Cest.).
Teanopus Merriam 1903, *Proc. biol. Soc. Washington*, 16, 81.—Mamm.
Teara Walker 1855, *List Specimens Lep. Ins. Brit. Mus.*, 4, 846.—Lep.
Tearchus Kraatz 1880, *Dtsch. ent. Z.*, 24, 110.—Col.
Tearosoma Felder 1874, *Reise Novara, Zool.*, 2, Abt. 2, *Lep. Het.*, *Explan. Pls. lxxv-cvii*, 9.—Lep.
Teaspes Chapuis 1874, in *Lacordaire, Hist. nat. Ins.*, *Gen. Col.*, 10, 244.—Col.
Teba (pro *The-* Risso 1826) (Leach MS.) Turton 1831, *Man. Shells Brit. Isl.*, 36.—Moll.
Tebalia Fairmaire 1889, *Ann. Soc. ent. France*, (6) 9, 83.—Col.
Tebebbatula (err. pro *Terebratula* Mueller 1776) Carpenter 1865, *Proc. zool. Soc. London*, 1865, 201.—Brach.
Tebenna Billberg 1820, *Enum. Insect. in Mus. Blbg.*, 90.—Lep. (Glyphipterygid.).
Tebenna Huebner [1825], *Verz. bekannt. Schmett.*, (26) 414.—Lep. (Elachistid.).
Tebennophorus Binney 1842, *Boston J. nat. Hist.*, 4 (2), 164.—Moll.
Tebennotoma Enderlein 1912, *Arch. Naturgesch.*, 78, A2, 36.—Hym.
Techis (err. pro *Trochus* L. 1758) Hall 1867, *Ann. Rep. Regents Univ. State N. York*, 20, 36.—Moll.
Techmessa Bates 1874, *Ann. Mag. nat. Hist.*, (4) 13, 113.—Col.
Techmessodes Broun 1893, *Man. N. Zealand Col.*, 1173.—Col.
Technicomymia Dyar 1925, *Insec. Inscit. menst.*, 13, 226.—Dipt.
Technitella Norman 1878, *Ann. Mag. nat. Hist.*, (5) 1, 279.—Spong.
Technitella de Folin ?1882, *Fonds de la Mer*, 4, livr. 75, 132 [n.n.].—Prot.
Technites Schoenherr 1843, *Gen. et Sp. Curc.*, 7 (2), 381.—Col.
Technocrinus Hall 1859, *Palaeontogr.*, 3, 139.—Echin.
Technographa Meyrick 1925, *Gen. Insect.*, 184, 207.—Lep.
Technomyrmex Mayr 1872, *Ann. Mus. Stor. nat. Genova*, 2, 147.—Hym.
Technophorus Miller 1889, *N. Amer. Geol. Palaeont.*, 514.—?Moll., ?Crust.
Technophorus Branson 1909, *Trans. Acad. Sci. St. Louis*, 18, 47.—Crust.
Techtaria (err. pro *Tectarius* Valenciennes 1833) 1867, *Ann. Rep. Regents Univ. State N. York*, 20, 49.—Moll.
Tecia Strand (1911), *Berlin. ent. Z.*, 55, 165.—Lep.
Tecinessa (err. pro *Tecmessa* Burmeister 1878) Kirby 1892, *Synon. Cat. Lep. Heteroc.*, 1, 613.—Lep.
Tecinoa Costa (A.) [1852], in *Costa (O.)*, *Fauna Regno Napoli, Col.*, *Cetoniid.*, 12.—Col.
Tecinota (pro *-noa* Costa 1852) Reitter 1893, *Abeille*, 28, 112.—Col.
Teclas (pro *Teleas* Latreille 1809) Rafinesque 1815, *Anal. Nat.*, 125.—Hym.
Teclasius (pro *Teleas* Latreille 1809) Rafinesque 1815, *Anal. Nat.*, 221.—Hym.
Tecmerium Walsingham 1907, *Ent. mon. Mag.*, 43, 215.—Lep.
Tecmesa (pro *-ssa* Cambridge 1882) Simon 1893, *Ann. Soc. ent. France*, 62, 324.—Arachn.
Tecmessa Burmeister 1878, *Descr. phys. Rép. Argentina*, 5 (Lép.), 504.—Lep.
Tecmessa Cambridge 1882, *Proc. zool. Soc. London*, 1882, 433.—Arachn.
Tecnesis Peyerimhoff 1925, *Bull. Soc. R. ent. Egypte*, 1925, 59.—Col.
Tecnophilus Chaudoir 1877, *Bull. Soc. imp. Nat. Moscou*, 52 (1), 240.—Col.
Tecophora (pro *The-* Schmidt 1870) Lundbeck 1909, *Meddel. Grönl.*, 29, 452.—Spong.

- Tectaplica Wade 1916, Proc. Acad. nat. Sci. Philad., 68, 457.—Moll.
 Tectarea Licharew 1928, Paläont. Z., Berlin, 10, 268.—Brach.
 Tectaria (pro *-rius* Valenciennes 1833) Guérin-Ménéville 1829-43, Iconogr. Règne an., 2, Moll., 23.—Moll.
 Tectariopsis Cossmann 1888, Ann. Soc. malac. Belgique, 23, 67.—Moll.
 Tectarium (emend. pro *-rius* Valenciennes 1833) Fischer 1885, Man. Conch., 709.—Moll.
 Tectarius Valenciennes (1833), in Humboldt, Voy. Intér. Amér. (Obs. Zool., 2), 271.—Moll.
 Tecten (err. pro *Pe-* Mueller 1776) Meyer & Aldrich 1886, J. Cincinnati Soc. nat. Hist., 9, no. 2, 64.—Moll.
 Tecticavea d'Orbigny 1854, Paléont. franç., Terr. cré., 5, Bry., 991.—Bry.
 Tecticeps Richardson 1897, Proc. biol. Soc. Washington, 11, 181.—Crust.
 Tectifusus Tate 1893, J. Proc. R. Soc. N.S. Wales, 27, 171.—Moll.
 Tectillaria Lohmann & Buckman 1926, Dtsch. Südpolar Exped., Zool., 18, 159.—Tunicata.
 Tectisumen Finlay 1926, Trans. N. Zealand Inst., 57, 374.—Moll.
 Tectocephus Berlese 1897, Acar. Myr. Scorp. Ital., fasc. 77, no. 2.—Arachn.
 Tectococcus Hempel 1900, Rev. Mus. paulista, 4, 406.—Hem.
 Tectocoris Hahn 1834, Wanzenart. Ins., 2 (2), 33.—Hem.
 Tectocymba Sellnick 1919, Schr. physik. Ges. Königsberg, 59, 1918, 34.—Arachn.
 Tecton (emend. pro *Walchenaeria* Blackwall 1833) Gistel 1848, Nat. Thierr., xi.—Arachn.
 Tecton Chevrolat 1855, Rev. Mag. Zool., (2) 7, 185.—Col.
 Tectonatica Sacco 1890, Boll. Mus. Zool. Anat. comp. Torino, 5, no. 86, 33.—Moll.
 Tectonornis (n.n. pro *Scenopoeus* Ramsay 1876) Sharpe 1891, Mon. Paradis., 1.—Aves.
 Tectopelops Jacot 1929, Trans. Amer. micr. Soc., 48, 427.—Arachn.
 Tectopenthalodes Trägårdh 1908, Wiss. Ergeb. Schwed. Südpolar Exp., 5 (Zool.), no. 11, 19.—Arachn.
 Tectoplica (err. pro *Tectap-* Wade 1916) Cossmann 1917, Rev. crit. Paléoz., 21, 171.—Moll.
 Tectoporus Carl 1902, Rev. suisse Zool., 10, 576.—Myr.
 Tectopulvinaria (Hempel MS.) Cockerell 1899, Canad. Ent., 31, 331; Hempel 1900, Rev. Mus. Paulista, 4, 482.—Hem.
 Tectoribates Berlese 1910, Redia, 6, 264.—Arachn.
 Tectospira Picard 1904, Jahrb. preuss. geol. Landesanst., 22 (4), 479.—Moll.
 Tectrix (pro *Textrix* Sundevall 1833) Simon 1864, Hist. nat. Araisgn., 219.—Arachn.
 Tectula Lowe 1852, Ann. Mag. nat. Hist., (2) 9, 117.—Moll.
 Tectulipora Hall 1888, Ann. Rep. State Geol. New York, 7, 1887, 395.—Bry.
 Tectuliporella Simpson 1895, Rep. N. York Mus., 47, 909; 1895, Rep. State Geol. N. York, 13, 1893, 715, 726.—Bry.
 Tectura Audouin & Edwards 1830 (*teste* Herrmannsen 1849, Index gen. Malac., 2, 531).—Moll.
 Tectura Gray 1847, Proc. zool. Soc. London, 15, 158.—Moll.
 Tecturella Stimpson 1854, Smithsonian. Contrib. Knowl., 6, pt. 5, 32.—Verm. (Polych.).
 Tecturella Carpenter 1860, Smithsonian. misc. Coll., 2, Check-List Shells N. Amer., 3.—Moll. (See *Lecania* Carpenter 1866.)
 Teturina Carpenter 1861, Ann. Rep. Smithsonian. Inst., 1860, 219.—Moll.
 Tectus Montfort 1810, Conch. Syst., 2, 186.—Moll.
 Tectusa Bernhauer 1899, Verh. zool.-bot. Ges. Wien, 49 (1), 18.—Col.
 Tecupa Swinhoe 1917, Ann. Mag. nat. Hist., (8) 20, 410.—Lep.
 Tecutinus Reitter 1912, Wien. ent. Ztg., 31, 63.—Col.
 Tedania Gray 1867, Proc. zool. Soc. London, 1867, 520.—Spong.
 Tedaniella Czerniavsky 1879, Bull. Soc. imp. Nat. Moscou, 54 (2), no. 3, 124.—Spong.
 Tedanione Wilson 1891, J. Morph., 5 (3), 511.—Spong.
 Tedaniopsamma Burton 1934, Gt. Barrier Reef Exped. 1928-29, 4 (14), 599.—Spong.
 Tedaniopsis Dendy 1924, "Terra Nova" Exped., Zool., 6, 366.—Spong.
 Teddia Burr 1899, Bull. Liverpool Mus., 2, 42.—Orth.
 Tedia Simon 1882, Ann. Soc. ent. France, (6) 2, 230.—Arachn.
 Tedinia Gray [1853], Proc. zool. Soc. London, 19, 1851, 197.—Moll.
 Tedinus Casey 1892, Ann. N. York Acad. Sci., 6, 151.—Col.
 Tedia Walker 1869, Catal. Dermapt. Saltat. Brit. Mus., 2, 393.—Orth.
 Tedotea Abreu 1923, Mem. R. Acad. Ci. Barcelona, 18, no. 4, 111.—Dipt.
 Teerahna Lucas 1901, Proc. roy. Soc. Queensland, 16, 93.—Lep.
 Tefflus Leach 1819, in Bowdich, Miss. Ashanti, 494.—Col.
 Tefhyum (pro *Tethyum* Bohadsch 1761) Derjugin 1911, Trav. Soc. St. Pétersb. (Trudy St. Petersb. Obschtsch. Est.), 42 (1), C.R., no. 1-2, 61.—Tunicata.

- Teflus* (pro *Tefflus* Leach 1819) Lacordaire 1854, *Hist. nat. Ins., Gen. Col.*, 1, 66.—Col.
- Tefrinda* (n.n. pro *Chthonius* Bolivar 1887) Bolivar 1906, *Bol. Soc. españ. Hist. nat.*, 6, 394.—Orth.
- Teganium* Rauff 1894, *Palaeontogr.*, 40, 256.—Spong.
- Teganodes* (pro *Tenagodus* Guettard 1770) Bouvier 1887, *Ann. Sci. nat., Zool.*, (7) 3, 203.—Moll.
- Tegastes* (n.n. pro *Amygone* Claus 1860) Norman 1903, *Ann. Mag. nat. Hist.*, (7) 11, 368.—Crust.
- Tegea* Stål 1863, *Ann. Soc. ent. France*, (4) 3, 43.—Hem.
- Tegehotherium* Ameghino 1903, *An. Soc. ci. Argent.*, 56, 208.—Mamm.
- Tegella* Levinsen 1909, *Morphol. Stud. Bryoz.*, 152.—Bry.
- Tegellula* Breddin 1912, *Ann. Soc. ent. Belgique*, 56, 413.—Hem.
- Tegenaria* Latreille 1804, *N. Dict.*, 24, *Tabl. méth.*, 134.—Arachn.
- Tegenaria* Walckenaer 1805, *Tab. Aran.*, 49.—Arachn.
- Tegeocranellus* Berlese 1913, *Redia*, 9, 93 (also as *Tegeogranellus*).—Arachn.
- Tegeocranus* Nicolet 1855, *Nouv. Arch. Mus. Paris*, 7, 381.—Arachn.
- Tegeocranus* Berlese [non Nicolet 1855] 1890, *Acar., Myr. Scorp.*, fasc. 57, no. 5.—Arachn.
- Tegeogranellus* see *Tegeocranellus*.
- Tegeolepis* (n.n. pro *Actinophorus* Newberry 1888) Miller 1892, *N. Amer. Geol. Pal.*, App. 1, 717.—Pisces.
- Tegezotes* Berlese 1913, *Redia*, 9, 91.—Arachn.
- Tegeticula* Zeller 1873, *Verh. zool.-bot. Ges. Wien*, 23, *Abh.*, 232.—Lep.
- Tegminula* Jullien 1882, *Bull. Soc. zool. France*, 7, 510.—Bry.
- Tegna* Walker 1866, *List Specimens Lep. Ins. Brit. Mus.*, 35, 1809.—Lep.
- Tegocaspis* (err. pro *-assis* Spaeth 1924) Spaeth 1932, *Rev. Zool. Bot. afr.*, 22, 233.—Col.
- Tegocassis* Spaeth 1924, *Voy. Alluaud & Jeannel Afric. or.*, 18, 310.—Col.
- Tegoceras* Hyatt 1903, *Monogr. U.S. geol. Surv.*, 44, 84.—Moll.
- Tegona* Morley 1913, *Fauna Brit. Ind., Hym.*, 3, 251.—Hym.
- Tegonotus* Nalepa 1890, *Anz. Akad. Wiss. Wien*, 20, 213.—Arachn.
- Tegorhynchus* Van Cleave 1920, *Contrib. zool. Lab. Illinois*, No. 173, (*Nat. Hist. Juan Fernandez-Skottsberg*, 3) 76.—Verm. (Acanth).
- Tegoribates* Ewing 1917 (Jan.), *Bull. Amer. Mus. nat. Hist.*, 37, 158; 1917 (June), *Ann. ent. Soc. Amer.*, 10, 127.—Arachn.
- Tegostoma* Zeller 1847, *Isis* (Oken), 1847, 581.—Lep.
- Tegotettix* Hancock 1913, *J. Sarawak Mus.*, 1, no. 3, 48.—Orth.
- Tegra* Walker 1870, *Catal. Dermapt. Saltat. Brit. Mus.*, 3, 439.—Orth.
- Tegrodera* Leconte 1851, *Ann. Lyceum nat. Hist. N. York*, 5, 159.—Col.
- Tegteza* Walker 1869, *Character. undescr. Lep. Het.*, 104.—Lep.
- Teguixin* Gray 1830, in Griffith's *Cuvier, Anim. Kingd., Rept., Syn.*, 29.—Rept.
- Tegula* Lesson 1835, *Illustr. de Zool.*, (17) pl. 51.—Moll.
- Tegulaplax* Iredale & Hull 1926, *Australian Zool.*, 4, 169, 171.—Moll.
- Tegulaster* Livingstone 1933, *Rec. Australian Mus.*, 19, 12.—Echin.
- Tegulata* Walker 1862, *J. Proc. Linn. Soc. London, Zool.*, 6, 110.—Lep.
- Tegulifera* Saalmueller 1880, *Ber. Senckenberg. Ges.*, 1879-80, 305.—Lep.
- Tegulifera* Schellwien 1898, *Verh. geol. Reichsanst.*, 1898, 362.—Brach. (See *Teguliferina* Schuchert & Le Vene 1929.)
- Teguliferina* (n.n. pro *Tegulifera* Schellwien 1898) Schuchert & Le Vene 1929, *Amer. J. Sci.*, 17, 121.—Brach.
- Tegulithyris* Buckman 1915, *Rec. geol. Surv. India*, 45 (1), 78; 1917, *Pal. Indica*, 3 (2), 123.—Brach.
- Tegulorhynchia* Chapman & Crespín 1923, *Proc. roy. Soc. Victoria*, 35, 175.—Brach.
- Tegumaea* (pro *Tag-* Fukui 1930) Fuhrmann 1928, in Kuekenhal & Fuhrmann, *Handb. Zool.*, 2 (2), 102.—Verm. (Trem.).
- Tegumen* Gude 1913, *Proc. malac. Soc. London*, 10, 390.—Moll.
- Tegura* (err. pro *-ula* Lesson 1835) Makiyama 1923, *Japan. J. Geol. Geogr.*, 2 (2), 19.—Moll.
- Tegyra* Sørensen 1932, *Mem. Acad. R. Sci. Lett. Copenhagen*, 3, 302.—Arachn.
- Tegyrius* Jacoby 1887, *Proc. zool. Soc. London*, 1887, 97.—Col.
- Tehama* Hulst 1888, *Ent. Amer.*, 4, 115.—Lep.
- Tehuelia* Roth 1901, *Rev. Mus. La Plata*, 10, 253.—Mamm.
- Teia* Walker 1855, *List Specimens Lep. Ins. Brit. Mus.*, 4, 803.—Lep.
- Teichaster* Spencer 1913, *Phil. Trans. roy. Soc. London*, (B) 204, 122.—Echin.
- Teichertoceras* Foerste 1932, *Denison Univ. Bull., J. Sci. Lab.*, 27, 51.—Moll.
- Teichobia* Herrich-Schaeffer [1853], *Syst. Bearb. Schmett. Europa*, 5, 53.—Lep.
- Teichomyza* Macquart 1835, (*Roret's Suite à Buffon*) *Diptères*, 2, 534.—Dipt.
- Teichonella* Carter 1878, *Ann. Mag. nat. Hist.*, (5) 2, 35.—Spong.
- Teichonopsis* Dendy & Row 1913, *Proc. zool. Soc. London*, 1913, 761.—Spong.

- Teichophrys (pro *Teicho*-Bruner 1901) Burr 1903, Gen. Insect., 15, 6, 7.—Orth.
 Teichopora Gregory 1893, Trans. zool. Soc. London, 13, 249.—Bry.
 Teichostethus Sharp 1891, Biol. Centr. Amer., Zool., Col., 2 (1), 354.—Col.
 Teicomiza (pro *Teicho*-Macquart 1835) Rondani 1856, Dipt. Ital. Prodr., 1, 130.—Dipt.
 Teicophrys Bruner 1901, Biol. Centr. Amer., Zool., Orth., 2, 20.—Orth.
 Teilhardella Jepson 1930, Proc. Amer. phil. Soc., 69, 127.—Mamm.
 Teilhardia Matthew & Granger 1926, Amer. Mus. Novit., No. 208, 4.—Mamm.
 Teilhardoceras Grabau 1929, Bull. geol. Soc. China, 8, 121.—Moll.
 Teinanomis Hampson 1926, Descr. new Genn. Spp. Noctuidae, 341.—Lep.
 Teinistion Monke 1905, Jahrb. geol. Landesanst. Berlin, 23 (1), 117.—Trilobita.
 Teinobasis (n.n. pro *Telebasis* Selys 1877) Kirby 1890, Syn. Cat. Neur. Odonata, 157.—Odon.
 Teinocera Drege 1848, in Lacordaire, Mém. Soc. R. Sci. Liège, 5, 17.—Col.
 Teinocladia Felder 1874, Reise Novara, Zool. 2, Abt. 2, Lep. Het., Explan. Pls., lxxv-cvii, 9.—Lep.
 Teinocoptes Rodhain 1923, Rev. Zool. Afric., 11, 29.—Arachn.
 Teinocorynus (Chevrolat MS.) Dejean 1834, Catal. Coléopt., ed. 2, 243 [n.n.].—Col.
 Teinodactyla (Chevrolat MS.) Dejean 1835, Catal. Coléopt., ed. 2, 392 [n.n.]; Faldermann 1837, N. Mém. Soc. imp. Nat. Moscou, 5, 345.—Col.
 Teinogenys Sharp 1873, Rev. Mag. Zool., (3) 1, 271.—Col.
 Teinoletis Hampson 1926, Descr. new Genn. Spp. Noctuidae, 119.—Lep.
 Teinomastix Hampson 1914, Cat. Lep. Phalaenae Brit. Mus., Suppl., 1, 799.—Lep.
 Teinopalpus Hope 1843, Trans. Linn. Soc. London, 19 (2), 131.—Lep.
 Teinophaus Bruner 1908, Biol. Centr. Amer., Zool., Orth., 2, 332 (as *Taenophaus* p. 222).—Orth.
 Teinoprosopus Felder 1864, Verh. zool.-bot. Ges. Wien, 14, Abh., 289, 331.—Lep.
 Teinoptera Calberla 1891, Dtsch. ent. Z., Lep., 4, 46.—Lep.
 Teinoptila Sauber 1902, in Semper, Reis. Arch. Philipp., 2, Bd. 6, Heteroc., 701.—Lep.
 Teinopyga Felder 1874, Reise Novara, Zool. 2, Abt. 2, Lep. Het., Explan. Pls., lxxv-cvii, 9.—Lep.
 Teinorhinus (pro *Tenio*-Holland 1892. n.n.) Watson 1893, Proc. zool. Soc. London, 1893, 78 Lep.
 Teinorhynchia Holland 1893, Ent. News, 4, 106.—Lep.
 Teinostoma Adams 1853, Gen. Rec. Moll., 1, 122.—Moll.
 Teinotarsina Felder 1874, Reise Novara, Zool. 2, Abt. 2, Lep. Het., Explan. Pls., lxxv-cvii, 9.—Lep.
 Teinotarsus Marseul 1864, Abeille, 1, 321.—Col.
 Teinotis Adams 1854, Gen. Rec. Moll., 1, 442.—Moll.
 Teinotrachelus Arnold 1935, Ann. Transvaal Mus., 15, 427.—Hym.
 Teinotus Brancsik 1897, Jahresh. Ver. Trencsén, 19-20, 127.—Col.
 Teinotus (pro *-tis* Adams 1854) Schepman 1908, Siboga-Exped., 39, 78.—Moll.
 Teippus Chamberlin 1924, Proc. U.S. nat. Mus., 63, art. 13, 28.—Arachn.
 Teira Gray 1838, Ann. nat. Hist., 1 (4), 280.—Rept.
 Teiresia Liebke 1935, Rev. franç. Ent., 2, 149.—Col.
 Teiros (n.n. pro *Teras* Bernhauer 1905) Eichelbaum 1909, Mém. Soc. ent. Belgique, 17, 126.—Col.
 Teispes Thomson 1864, Syst. Cerambycid., 304.—Col.
 Teisseiria Kraglievich 1932, An. Mus. Montevideo, (2) 3, 306.—Mamm.
 Teissierella Monard 1935, Trav. Sta. biol. Roscoff, 13, 24.—Crust.
 Teius Merrem 1820, Tent. Syst. Amph., 13, 60.—Rept.
 Tejasa Distant 1906, Fauna Brit. India, Rhynch., 3, 232.—Hem.
 Tejovaranus Steindachner 1878, Denkschr. Akad. Wiss. Wien, 38 (1), 93.—Rept.
 Tejus (pro *Teius* Merrem 1820) Schinz 1822, in Schinz-Cuvier, Thierreichs, 2, vii, 36-39, 834.—Rept.
 Tekella Urquhart 1895, Trans. N. Zealand Inst., 26, 211.—Arachn.
 Tekla Nichols 1922, Copeia, 110, 69.—Pisces.
 Tekua Miller 1935, J. Fed. Malay States Mus., 17, 707.—Orth.
 Tela Hebard 1932, Ent. News, 43, 99.—Orth.
 Telabis Casey 1890, Ann. N. York Acad. Sci., 5, 331.—Col.
 Telacanthura Mathews 1918, Birds Australia, 7, 264.—Aves.
 Telacis (n.n. pro *Cistela* Fabricius 1775) Poey 1853, Mem. Cuba, 1 (4), 322, 336.—Col.
 Telacodon Marsh 1892, Amer. J. Sci., (3) 43, 258.—Mamm.
 Teladoma Busck 1932, Proc. ent. Soc. Washington, 34, 17.—Lep.
 Telaea Bolivar 1922, Voy. Rothschild Ethiop. Afr. or., Anim. Art., pt. 1, 201.—Orth.
 Telagrimon Selys 1876, Bull. Acad. roy. Sci. Belgique, (2) 41, 1235; 42, 966.—Odon.
 Telaira (pro *The*-Robineau-Desvoidy 1830) Rondani 1862, Dipt. Ital. Prodr., 5, 174.—Dipt.
 Telake Chamberlin 1919, Mem. Mus. comp. Zool. Harvard, 48, 345.—Verm. (Polych.).
 Telala Jordan 1895, Ent. Ztg., Stettin, 56, 143.—Col.

- Telamon Mulsant & Verreaux** 1866, Mém. Soc. Sci. nat. Cherbourg, 12, 219.—Aves.
Telamona Fitch 1851, Ann. Rep. N.York Cab., 4, 50.—Hem.
Telamonanthe Baker 1907, Canad. Ent., 39, 115.—Hem.
Telamon Claparède 1868, Mém. Soc. phys. Hist. nat. Genève, 19, 541.—Verm. (Polych.).
Telamonia Thorell 1887, Ann. Mus. Stor. nat. Genova, (2) 5, 385.—Arachn.
Telanepsia Turner 1933, Proc. Linn. Soc. N.S. Wales, 58, 80.—Lep.
Telaponium Blaisdell 1923, Proc. Calif. Acad. Sci., 12, 209.—Col.
Telara Guenther 1868, Cat. Fish. Brit. Mus., 7, 385, 400.—Pisces.
Telarma Odhner 1934, Brit. Antarctic Exped. 1910 (Terra Nova), Zool., 7, no. 5, 232, 272.—Moll.
Telarthropter Kolbe 1924, Dtsch. ent. Z., 1924, 350.—Col.
Telasa (err. pro *-sco* Adams 1853) Tapparone-Canefri 1879, Bull. Soc. zool. France, 1878, 250.—Moll.
Telasco Adams 1853, Gen. Rec. Moll., 1, 119.—Moll.
Telaugia Pascoe 1871, Ann. Mag. nat. Hist., (4) 7, 260.—Col.
Telaugis Burmeister 1844, Handb. Ent., 4 (1), 336.—Col.
Telchin Huebner [1825], Cat. Léop. Coll. Franck, 85.—Lep.
Telchinia Huebner [1819], Verz. bekannt. Schmett., (2) 27.—Lep.
Telchis Champion 1886, Biol. Centr. Amer., Zool., Col., 4 (1), 142.—Col.
Telchius Simon 1893, Ann. Soc. ent. France, 61, 1892, 445.—Arachn.
Teldenia Moore 1883, Lep. Ceylon, 2, 119.—Lep.
Telea Huebner [1819], Verz. bekannt. Schmett., (10) 154.—Lep. (Saturniid.).
Telea Stephens 1834, Ill. Brit. Ent. (Haust. 4), 244.—Lep. (Hyponomeutid.).
Teleallagma Kennedy 1920, Ohio J. Sci., 21, 87.—Odon.
Teleas Latreille 1809, Gen. Crust. Ins., 4, 32.—Hym.
Telebasis Selys 1865, Bull. Acad. Sci. Belgique, (2) 20, 376.—Odon.
Telebasis Selys 1877, Bull. Acad. Sci. Belgique, (2) 43, 112.—Odon. (See *Teinobasis* Kirby 1890.)
Telebosis Montfort 1808, Conch. Syst., 1, 366; Bowdich 1822, Elem. Conch., 1, descr. pl. iii.—Moll.
Telebolus Marshall 1888, in André, Spec. Hym. Eur., 4, 202.—Hym.
Telebris (pro *-bois* Montfort 1808) Paetel 1875, Fam. Gatt. Moll., 203.—Moll.
Telecephala Pierre 1922, Bull. Soc. Sci. nat. Maroc, 1, 21.—Dipt.
Telechoris (pro *The-* Karsch 1881) Lenz 1886, Zool. Jahrb., Syst., 1, 398.—Arachn.
Teleclita Turner 1903, Proc. Linn. Soc. N.S. Wales, 28, 53.—Lep.
Telecrates Meyrick 1890, Trans. roy. Soc. S. Australia, 13, 61.—Lep.
Telecrex Wetmore 1934, Amer. Mus. Novit. No. 711, 13.—Aves.
Teledapus Pascoe 1871, Ann. Mag. nat. Hist., (4) 8, 268.—Col.
Telederma (pro *Theliderma* Swainson 1840) Paetel 1875, Fam. Gatt. Moll., 203.—Moll.
Teledromas Wetmore & Peters 1922, Proc. biol. Soc. Washington, 35, 41.—Aves.
Telegeusis Horn 1895, Proc. Calif. Acad. Sci., (2) 5, 242.—Col.
Telegonus Huebner [1819], Verz. bekannt. Schmett., (7) 104.—Lep.
Telegonus Koch 1837, Uebers. Arachnidensyst., 1, 37.—Arachn. (See *Maecocentrus* Karsch 1880.)
Telegraphus Ratzeburg 1848, Die Ichneum., 2, 152.—Hym.
Teleia Huebner [1825], Verz. bekannt. Schmett., (25) 385.—Lep. (Tortricid.).
Teleia Fieber 1844, Entom. Monogr., 55.—Hem. (See *Gonycentrum* Bergroth 1898.)
Teleia Heinemann [1870], Schmett. Dtsch. u. Schweiz, 2 (Klein-Schm. 2), Heft 1, 1877, 272.—Lep. (Gelechiid.).
Teleidosaurus Deslongchamps 1869, Bull. Soc. linn. Normandie, (2) 3, 142.—Rept.
Teleiocrinus Wachsmuth & Springer 1881, Proc. Acad. nat. Sci. Philad., 1881, 320.—Echin.
Teleioliodes Grandjean 1934, Ann. Soc. ent. France, 103, 142.—Arachn.
Teleiophyllia Duncan 1864, Quart. J. geol. Soc. London, 20, 34.—Coel.
Telejoneura Rondani 1864, Arch. Zool. Anat. Fisiol., 3, fasc. 1, 48.—Dipt.
Telema Simon 1882, Ann. Soc. ent. France, (6) 2, 204.—Arachn.
Telemaetra Iredale 1929, Mem. Queensland Mus., 9, 268.—Moll.
Telemiades Huebner [1819], Verz. bekannt. Schmett., (7) 106.—Lep.
Telemona (pro *Telam-* Fitch 1851) Haviland 1925, Zoologica, 6, 257.—Hem.
Telemus Pascoe 1859, Ann. Mag. nat. Hist., (6) 4, 323.—Col.
Telenoura Alexander 1931, Philippine J. Sci., 46, 286.—Dipt.
Telenica Pascoe [1872], J. Linn. Soc. London, Zool., 11, 1873, 444.—Col.
Telenomeuta Warren 1903, Novit. zool., 10, 402.—Lep.
Telenomoides Dodd 1913, Trans. roy. Soc. S. Australia, 37, 168.—Hym.
Telenomus Curtis 1829-30, Guide Brit. Ins., (4) 112 [n.n.]; Haliday 1833, Entom. Mag., 1 (3), 271.—Hym.
Teleobunomastodon Revilliod 1931, Abh. schweiz. palaeont. Ges., 51, no. 2, 21.—Mamm.
Teleoceras Hatcher 1894, Amer. Geol., 13, 149.—Mamm.

- Teleochilus Harris 1897, Cat. Tert. Moll. Brit. Mus., 1, 64.—Moll.
 Teleochytis Meyrick 1933, Exot. Microlep., 4, 389.—Lep.
 Teleocoma Aldrich 1924, Proc. U.S. nat. Mus., 65, art. 21, 1.—Dipt.
 Teleocoris Kirkaldy 1910, Ent. News, 21, 129.—Hem.
 Teleocydnus Henriksen 1922, Danmarks geol. Unders., 2, no. 37, 32.—Hem.
 Teleodactylus Marshall 1931, Insects of Samoa, 4, 295.—Col.
 Teleodus Marsh 1890, Amer. J. Sci., (3) 39, 524.—Mamm.
 Teleogmus Foerster 1856, Hym. Studien, 2, 72.—Hym.
 Teleogonia Melichar 1924, Ann. Mus. nat. Hungar., 21, 198 [*sine sp.*]; 1925, 22, 361.—Hem.
 Teleogramma Boulenger 1899, Ann. Mus. Congo, Zool., (1) 1, fasc. 3, 53.—Pisces.
 Teleolepis Cope 1869, Proc. Amer. phil. Soc., 11, 153.—Rept.
 Teleomorpha Warren 1926, Trans. ent. Soc. London, 74, 18, 46.—Lep.
 Teleonema Reichenbach (1850), Avium Syst. Nat., pl. lxiii.—Aves.
 Teleonemia Costa 1864, Annu. Mus. zool. Univ. Napoli, 2, 1862, 144.—Hym.
 Teleonereis Verrill 1900, Trans. Connecticut Acad. Arts Sci., 10, 648.—Verm. (Polych.).
 Teleonychoteuthis Pfeffer 1900, Mitt. naturh. Mus. Hamburg, 17, 155, 158.—Moll.
 Teleophrys Stimpson 1860, Amer. J. Sci., (2) 29, 133.—Crust.
 Teleopsis Rondani 1875, Ann. Mus. Stor. nat. Genova, 7, 443.—Dipt.
 Teleopternus Cope 1899, J. Acad. nat. Sci. Philad., (2) 11, 263.—Mamm.
 Teleopterus Silvestri 1914, Boll. Lab. Zool. Portici, 9, 211.—Hym.
 Teleoptyxis Olsson 1934, Bull. Ann. Paleont., 20, no. 69, 63.—Moll.
 Teleopus Leconte 1854, Proc. Acad. nat. Sci. Philad., 7, 187.—Rept.
 Teleorhinus Uhler 1890, Trans. Maryland Acad. Sci., 1, 1889, 74.—Hem.
 Teleorhinus Osborn 1904, Bull. Amer. Mus. nat. Hist., 20, 239.—Rept. (See *Terminonaris* Osborn 1904.)
 Teleornis Ameghino 1899, Sin. geol.-pal. Argent., Suppl. 9, —.—Aves.
 Teleosaurus Geoffroy 1825, Mém. Mus. Hist. nat. (Paris), 12 [2], 97, 135.—Rept.
 Teleosaurus Kner 1867, S.B. Akad. Wiss. Wien, Math.-naturw. Cl., 56 (1), 905.—Pisces.
 Teleoschistus Scudder 1890, Foss. Ins. N. Amer., 2, 454.—Hem.
 Teleosphecia Le Cerf 1917, in Oberthuer, Etudes Léop. comp., 14, 280.—Lep.
 Teleosteus Volger 1860, Ber. Offenbach. Ver. Naturk., 1, 37.—Pisces.
 Teleostoma (n.n. pro *Pterostoma* Deshayes 1861) Harris & Burrows 1891, Eoc. Oligoc. Beds Paris Basin, 89, 112.—Moll.
 Teleoteuthis (n.n. pro *Onykia* Lesueur 1821) Verrill 1882, Rep. U.S. Comm. Fish., 7, 1879, 280.—Moll.
 Teleotrema Regan & Trewavas 1932, Rep. Carlsberg Ocean. Exped. 1928-30, 2, 92.—Pisces.
 Teleovipera Reuss 1927, Zool. Anz., 71, 125.—Rept.
 Teleozonites Pilsbry 1919, Bull. Amer. Mus. nat. Hist., 40 (1), 7, 251, 255.—Moll.
 Telephae Pascoe 1870, J. Linn. Soc. London, Zool., 10, 487.—Col.
 Telephanus Erichson 1846, Naturgesch. Ins. Dtschl., Col. (1), 3, 329.—Col.
 Telephassa Rafinesque 1815, Analyse, 136 [*n.n.*].—Verm. (?Polych.).
 Telephata Meyrick 1916, Exot. Microlep., 1, 592.—Lep.
 Telephila Meyrick 1923, Exot. Microlep., 2, 626.—Lep.
 Telephlebia Selys 1883, Bull. Acad. Sci. Belgique, (3) 5, 740.—Odon.
 Telepholis Marck 1868, Palaeontographica, 15, no. 6, 276.—Pisces.
 Telephonus (pro *Teloph-* Swainson 1832) Gray 1840, List Gen. Birds, 36.—Aves.
 Telephora (pro *-rus* Tilesius 1805) Hoffmannsegg 1818, Zool. Mag., 1 (2), 86.—Moll.
 Telephorium Westwood 1854, Quart. J. geol. Soc., 10, 395.—Col.
 Telephoroides Laporte 1833, Ann. Soc. ent. France, 2, 127.—Col.
 Telephoromyia Guérin-Ménéville (1838), in Duperry, Voy. "Coquille," Zool., 2 (2) 1, 215.—Hym.
 Telephorops Fairmaire 1886, Ann. Soc. ent. France, (6) 6, 339.—Col.
 Telephorus Schaeffer 1766, Elem. Ent., tab. 123.—Col.
 Telephorus Tilesius 1805, Voigt's Mag. Naturk., 9 (5), 445 [*n.n.*].—Moll.
 Telephus (emend. pro *Centrimus* Schoenherr 1825) Gistel 1848, Nat. Thierr., viii.—Col.
 Telephus Barrande 1850, S.B. Akad. Wiss. (Wien), [5] (2), 322 (as *Telsphus* p. 323) [*n.n.*]; 1852, Syst. silur. Centre Bohême, Rech. pal., 1, fasc. 2, 890.—Trilobita.
 Telephus (pro *Thelepus* Leuckart 1849) Quatrefages 1866, Hist. Nat. Annel., 2, 671.—Verm. (Polych.).
 Telepsavus Costa 1861, Act. Acad. Pontan. (*teste* Marshall 1873, Nomen. zool., 442, *sed non comp.*).—Verm. (Polych.).
 Telepta Stål 1858, K. svenska VetenskAkad. Handl., 2, no. 7, 10.—Hem.
 Telepus (pro *The-* Leuckart 1849) Lo Bianco 1909, Mitt. Zool. Stat. Neapel, 19, 588.—Verm. (Polych.).
 Telerda Cameron 1906, Ann. S. Afric. Mus., 5, 75.—Hym.
 Telerhina Motschoulsky 1859, Bull. Soc. imp. Nat. Moscou, 32 (2), 397.—Col.

- Telerpedon (pro *-peton* Mantell 1852) Fraas 1867, Jahresh. Ver. Württomb., 23, 110.—Rept.
- Telerpeton Mantell 1852, Quart. J. geol. Soc. London, 8, 105.—Rept.
- Teles Mulsant & Godart 1876, Ann. Soc. linn. Lyon, 22, 1875, 181.—Col.
- Telescella Gray 1869, Ann. Mag. nat. Hist., (4) 3, 22.—Coel.
- Telesco (pro *-sto* Lamouroux 1812) Gray 1869, Ann. Mag. nat. Hist., (4) 3, 21.—Coel.
- Telescopella Gray 1847, Proc. zool. Soc. London, 15, 153.—Moll.
- Telescopias Jordan & Snyder 1901, Proc. U.S. nat. Mus., 23, 909.—Pisces.
- Telescopioidea Sacco 1895, Moll. Terr. terz. Piemonte Liguria, 17, 56.—Moll.
- Telescopium Montfort 1810, Conch. Syst., 2, 438.—Moll.
- Telescops (n.n. pro *Pomatomus* Risso 1810) Bleeker 1876, Arch. Néerl., 11, 261.—Pisces.
- Telescopus Wagler 1830, Nat. Syst. Amph., 182.—Rept.
- Telesicles Champion 1888, Biol. Centr. Amer., Zool., Col., 4 (1), 450.—Col.
- Telesiella see *Telesilla* Reichenbach 1853.
- Telesilla (n.n. pro *Placodes* Boisduval 1840) Herrich-Schaeffer [1856], Syst. Bearb. Schmett. Europa, 6, Index p. 47.—Lep.
- Telesilla Reichenbach 1853, J. Orn., 1 Extraheft Beil. (Aufz. Colibr.), 5 (as *Telesiella* 13).—Aves.
- Telesinus Fairmaire 1903, Ann. Soc. ent. France, 72, 214.—Col.
- Teleslops Rafinesque 1832, Atlantic Journ., 1 (2), 72.—Trilobita.
- Telespasta Swinhoe 1906, Ann. Mag. nat. Hist., (7) 17, 294.—Lep.
- Telespiza see *Telespyza*.
- Telespyza Wilson 1890, Ibis, (6) 2, 341 (as *Telespiza* pl. 9).—Aves.
- Telestes Bonaparte 1840, Icon. Faune Ital., 3, no. 28.—Pisces.
- Telesto Lamouroux 1812, N. Bull. Sci. Soc. philom. Paris, 3 (63), 185.—Coel.
- Telesto Rafinesque 1814, Précis Somiol., 26.—Crust.
- Telesto Boisduval 1832, in d'Urville, Voy. "Astrolabe," Ent., 1, 164.—Lep.
- Telestrophis (emend. pro *Telis-* Rafinesque 1832) Agassiz 1846, Nomen. Zool. Index Univ.—? Brach.
- Telesus Candèze 1880, Notes Leyden Mus., 2, 9.—Col.
- Telethera Meyrick 1913, Exot. Microlep., 1, 155.—Lep.
- Telethrus Pascoe 1882, Ann. Mag. nat. Hist., (5) 9, 29.—Col.
- Teletusa Distant 1908, Ann. Mag. nat. Hist., (8) 2, 78.—Hem.
- Teleudrilus Rosa 1888, Ann. Mus. Stor. nat. Genova, 26, 571.—Verm. (Oligoch.).
- Teleuraspis Cope 1859, Proc. Acad. nat. Sci. Philad., 1859, 338.—Rept.
- Telescolex Michaelsen 1902, Bull. Acad. Sci. St. Pétersbourg, 15, 165.—Verm. (Oligoch.).
- Teleutaea Foerster 1868, Verh. naturh. Ver. Rheinlande, 25, 164.—Hym.
- Teleutea (pro *-taea* Foerster 1868) Thomson 1889, Opusc. ent., fasc. 13, 1329.—Hym.
- Teletemnesta Holmberg 1887, Bol. Acad. Córdoba, 10 (2), 225 [n.n.]; 1904, An. Mus. nac. Buenos Aires, (3) 2, 400.—Hym.
- Teletias Stål 1874, Recensio Orth., 2, 65.—Orth.
- Teleutochaeta Stein 1911, Arch. Naturgesch., 77 (1), 141.—Dipt.
- Teleutoreutus Michaelsen 1903, Zool. Jahrb., Syst., 18, 548.—Verm. (Oligoch.).
- Telhyboma Kolbe 1893, Ent. Ztg., Stettin, 54, 192.—Col.
- Teliapsocus Chapman 1930, J. New York ent. Soc., 38, 334.—Psocopt.
- Telias (pro *Teleas* Latreille 1809) Billberg 1820, Enum. Ins., 103.—Hym.
- Telicomys Kraglievich 1929, Ann. Mus. nac. Buenos Aires, 34, 126.—Mamm.
- Telicota Moore 1881, Lep. Ceylon, 1, 169.—Lep.
- Telinella (err. pro *Telli-* Moersch 1853) Rochebrune 1883, Bull. Soc. philom. Paris, (7) 7, 106.—Moll.
- Telinga Moore 1880, Trans. ent. Soc. London, 1880, 167.—Lep.
- Telingana Distant 1907, Fauna Brit. India, Rhynch., 4, 17.—Hem.
- Teliophilus (n.n. pro *Tomocheilus* Gemmellaro 1878) Cossmann 1906, Essais Paléonconch. comp., 7, 43.—Moll.
- Teliocrinus Doederlein 1912, Wiss. Ergebn. dtsch. Tiefsee Exped., 17 (1), 22.—Echin.
- Telioneura Felder 1874, Reise Novara, Zool. 2, Abt. 2, Lep. Het., Explan. Pls. lxxv—cvii, 9.—Lep. (nec *Telejoneura* Rondani 1864 see *Teucer* Kirby 1892).
- Teliops Rafinesque 1818, Amer. mon. Mag., 4 (1), 42.—Crust.
- Teliostoma (pro *Teleo-* Harris & Burrows 1891) Cossmann 1893, J. Conchyliol., 41, 323.—Moll.
- Teliphasa Moore 1888, in Hewitson & Moore, Descr. new Indian Lep. Coll. Atkinson, (3) Heteroc., 200.—Lep.
- Teliphonus (pro *Thely-* Latreille 1802) Wagner 1854, Utschen. Sapiski Kasan. Univ., 1854, no. 1, 18, 20, 62.—Arachn.
- Telipna Aurivillius 1895, Ent. Tidskr., 16, 198.—Lep.
- Telipomis Rafinesque 1820 (Jan.), Western Review, 1 (6), 375; 1820 (Dec.), Ichth. Ohiensis, 27.—Pisces.
- Telistrophis Rafinesque 1832, Atlantic Journ., 1, no. 4, 142.—? Brach.

- Teliusa Casey 1906, Trans. Acad. Sci. St. Louis, 16, 203.—Col.
 Telleallagma Kennedy 1920, Ohio J. Sci., 21, 87.—Odon.
 Telleas (pro *-eus* Fairmaire 1903) Gebien 1911, Col. Cat., 28, 447.—Col.
 Tellena (pro *Tellina* L. 1758) Fleming 1822, Phil. Zool., 2, 507.—Moll.
 Tellena Lacordaire 1848 (May), Mém. Soc. R. Sci. Liège, 5, 397.—Col.
 Tellenides (err. pro *Tellin-* Lamarck 1818) Gray 1825, Ann. Phil., (N.S.) 9, 136.—Moll.
 Telleria Kittl 1894, Ann. naturh. Mus. Wien, 9, 207.—Moll.
 Tellerina Ulrich & Resser 1933, Bull. Publ. Mus. Milwaukee, 12, 243.—Trilobita.
 Tellerites Mojsisovics 1902, Abh. geol. Reichsanst. Wien, 6 (1), Suppl., 255, 311.—Moll.
 Tellervo (n.n. pro *Hamadryas* Boisduval 1832) Kirby 1895, Hand-book Lep., 1, 28.—Lep.
 Telles Godman 1900, Biol. Centr. Amer., Zool., Rhopal., 2, 518.—Lep.
 Telleus Fairmaire 1903, Ann. Soc. ent. France, 72, 465.—Col.
 Tellia Gervais 1853, Ann. Sci. nat., Zool., (3) 19, 15.—Pisces.
 Tellias Champion 1895, Trans. ent. Soc. London, 1895, 236.—Col.
 Tellidia Bolivar 1893, Ann. Soc. ent. France, 62, 177.—Orth.
 Tellidora (Moersch MS.) Adams 1856, Gen. Rec. Moll., 2, 401.—Moll.
 Tellimera (emend. pro *Tellinimera* Conrad 1860) Conrad 1870, Amer. J. Conch., 6, 73.—Moll.
 Tellimya Brown 1827, Ill. Conch. G.B. & L., pl. xiv, fig. 14.—Moll.
 Tellina Linnaeus 1758, Syst. Nat., ed. 10, 674; 1767, ed. 12, 1116.—Moll.
 Tellinangulus Thiele 1934, Handbuch, 3, 919.—Moll.
 Tellinarius Froriep 1806, in Duméril, Anal. Zool., 342.—Moll.
 Tellinella (Gray MS.) Moersch 1853, Cat. Yoldi, 2, 13.—Moll.
 Tellinidea (pro *-des* Lamarck 1818) Swainson 1835, Elem. Conch., 33.—Moll.
 Tellinides Lamarck 1818, An. s. vert., 5, 535.—Moll.
 Tellinigenus Renier 1807, Tav. Classif. An., pl. 7.—Moll.
 Tellinimactra Lamy 1918, Bull. Mus. Hist. nat. Paris, 1918, 169.—Moll.
 Tellinimera Conrad 1860, J. Acad. nat. Sci. Philad., (2) 4, 278.—Moll.
 Tellinites Gesner 1758, Tract. Petrif., 38; 1793, Syst. Nat., ed. 13, 399.—Moll.
 Tellinocyclas Dall 1903, Proc. biol. Soc. Washington, 16, 6.—Moll.
 Tellinodora (pro *-idora* Adams 1856) Paetel 1875, Fam. Gatt. Moll., 204.—Moll.
 Tellinomorpha Koninck 1885, Ann. Mus. Hist. nat. Belgique, 11, 90.—Moll.
 Tellinomya (emend. pro *-mya* Brown 1827) Agassiz 1846, Nomen. Zool. Index Univ.—Moll.
 Tellinomya Hall 1847, N.H. New York (Pal. I), 151.—Moll.
 Tellinopsis Hall 1869, Prelim. Not. Lamellibr. Shells, 2, 80.—Moll.
 Tellinula Moersch 1853, Cat. Yoldi, 2, 15.—Moll.
 Tellinungula Roemer 1873, Syst. Conch. Cab., (2) Lief. 217, 268.—Moll.
 Telmalestes Marsh 1872, Amer. J. Sci., (3) 4, 206 (as *Telmatolestes* p. 405).—Mamm.
 Telmaphilus Becker 1908, Mitt. zool. Mus. Berlin, 4, 66.—Dipt.
 Telmatactis Gravier 1916, Bull. Mus. Hist. nat. Paris, 22, 234.—Coel.
 Telmatettix Hancock 1900, Psyche, 9, 7.—Orth.
 Telmatherina Boulenger 1897, Proc. zool. Soc. London, 1897, 428.—Pisces.
 Telmaterium Marsh 1872, Amer. J. Sci., (3) 4, 123.—Mamm.
 Telmatias Boie 1826, Isis (Oken), 1826, 979.—Aves.
 Telmatobates Berg 1898, Com. Mus. nac. Buenos Aires, 1, 4.—Hem.
 Telmatobia Stenhammar 1843, K. VetenskAcad. Handl., Stockholm, 90, 119.—Dipt.
 Telmatobius Wiegmann 1835, Nova Acta Acad. Caes. Leop. Carol., 17, 262.—Amph.
 Telmatochromis Boulenger 1898, Trans. zool. Soc. London, 15, 10.—Pisces.
 Telmatocyon Marsh 1899, Amer. J. Sci., (4) 7, 397.—Mamm.
 Telmatodon Pilgrim 1907, Rec. geol. Surv. India, 36, 51.—Mamm.
 Telmatodrilus Eisen 1879, Bih. svenska VetenskAkad. Handl., 5, no. 16, 8.—Verm. (Oligoch.).
 Telmatodytes Cabanis [1851], Mus. Heineanum, 1, 1850, 78.—Aves.
 Telmatogeton Schiner 1866, Verh. zool.-bot. Ges. Wien, 16, Abh., 931.—Dipt.
 Telmatolestes see *Telmalestes*.
 Telmatometra Bergroth 1908, in Torre Bueno, Ohio Nat., 374.—Hem.
 Telmatophilus Heer 1841, Coleopt. Helvet., 1 (3), 417.—Col.
 Telmatopus (pro *Pel-* Hartig 1837) Tischbein 1846, Ent. Ztg. Stettin, 7, 79.—Hym.
 Telmatornis Marsh 1870, Proc. Acad. nat. Sci. Philad., 1870, 5 [n.n.]; 1870, Amer. J. Sci., (2) 49, 210.—Aves.
 Telmatosaurus (n.n. pro *Limnosaurus* Nopcsa 1899) Nopcsa 1903, Geol. Mag., (4) 10, 94.—Rept.
 Telmatoscus Sharp 1900, Biol. Centr. Amer., Zool., Col., 2, 581.—Col.
 Telmatoscopus Eaton 1904, Ent. mon. Mag., 40, 58.—Dipt.
 Telmatotherium (pro *Telmatherium* Marsh 1872) Marsh 1880, List Gen., 10.—Mamm.
 Telmatotrepes Stål 1854, Ofvers. VetenskAkad. Förh. Stockholm, 11, 241.—Hem.
 Telmatrechus Scudder 1890, Foss. Ins. N. Amer., 2, 351.—Hem.

- Telmaturgus* Mik 1874, Verh. zool.-bot. Ges. Wien, 24, Abh., 349.—Dipt.
Telmessus White 1846, Ann. Mag. nat. Hist., 17 (Suppl.), 497.—Crust.
Telmessus Stål 1866, Hem. Afric., 4, 211.—Hem. (See *Colmadona* Kirkaldy 1901.)
Telmia Huebner [1821], Verz. bekannt. Schmett., (15) 228.—Lep.
Telobothropolys Verhoeff 1907, in Bronn, Klass. Ordn. Tierreichs, 5 (2), 240.—Myr.
Telocallis Shinji 1922, Dobuts. Zasshi, 34, 731.—Hem.
Telocera White 1858, Ann. Mag. nat. Hist., (3) 2, 354.—Col.
Teloceras Mascke 1906, Stephanoceras-Verw., 23, 31.—Moll.
Teloclerus Schenkling 1903, Dtsch. ent. Z., 47, 12; 1903, Gen. Insect., 13, 9.—Col.
Teloconus Grouvelle 1916, Rev. Mus. La Plata, 23, 234.—Col.
Telocricus Chamberlin 1915, Bull. Mus. comp. Zool. Harvard, 59, 516.—Myr.
Telodontomys Kraglievich 1931, Physis, 10, 392; 1932, An. Soc. cient. Argent., 114, 180.—Mamm.
Telodorus Didier 1931, Lucanides du Globe, fasc. 8, 196.—Col.
Telodrepanum Carl 1932, Rev. suisse Zool., 39, 457.—Myr.
Telodytes Aldrich 1934, Dipt. Patag. & S. Chile, 7, 50.—Dipt.
Teloganodes Eaton 1882, Ent. mon. Mag., 18, 208.—Ephem.
Telogrammetopus Jacobi 1922, Arch. Naturgesch., 87, A12, 441.—Hem.
Telogonella Mehra & Negi 1928, Allahabad Univ. Stud., 4, 101.—Verm. (Trem.).
Telolecithus Lloyd & Guberlet 1932, J. Parasitology, 18, 234.—Verm. (Trem.).
Teloleuca Reuter 1912, Ofvers. finska VetenskSoc. Förh., 54, A12, 17.—Hem.
Telomantis Giglio-Tos 1915, Bull. Soc. ent. ital., 46, 145.—Orth.
Telomyxa Léger & Hesse 1910, C.R. Acad. Sci. Paris, 150, 413; 1910, Ann. Univ. Grenoble, 22, 171.—Prot.
Telon Champion 1897, Biol. Centr. Amer., Zool., Col., 3 (1), 626.—Col.
Telonaca Ball 1918, Proc. biol. Soc. Washington, 31, 27.—Hem.
Telonema Griessmann 1913, Arch. Protistenk., 32, 61.—Prot.
Telonensiana Cazier 1910, Etude Moll. Princip. Monaco, 104 (as *Telonentiana* p. 530).—Moll.
Telonentiana see *Telonensiana*.
Telones (emend. pro *Panzeria* Meigen 1838) Gistel 1848, Nat. Thierr., x.—Dipt.
Telopes Redtenbacher 1843, in Russegger, Reise, 1 (2), 984.—Col.
Telophonus Swainson 1837, Birds W. Africa, 1 (Nat. Libr., 17), 235.—Aves.
Telophorus Swainson [1832], in Richardson, F. Bor.-Amer., 2, 1831, 481.—Aves.
Telopora Canu & Bassler 1920, Bull. U.S. nat. Mus., No. 106, 807.—Bry.
Teloporia (n.n. pro *Opisthoporus* Fukui 1929) Fukui 1933, Zool. Anz., 103, 332.—Verm. (Trem.).
Telorchis Luehe 1899, Zool. Anz., 22, 529, 530.—Verm. (Trem.).
Telorchis Looss [non Luehe 1899] 1899, Zool. Jahrb., Syst., 12, 566.—Verm. (Trem.).
Telorta Warren 1911, in Seitz, Gross-Schmett. Erde, 3, 156.—Lep.
Telosentis Van Cleave 1923, J. Parasitology, 9, 174, 175.—Verm. (Acanth.).
Telosmilus Kretzoi 1929, Int. Congr. Zool., 10, 1331.—Mamm.
Telosphantis Meyrick 1932, Trans. ent. Soc. London, 80, 116.—Lep.
Telospilus Dahlbom 1857, Ofvers. VetenskAkad. Förh. Stockholm, 14, 290.—Hym.
Telosporidium Fuchs 1915, Zool. Jahrb., Syst., 38, 163.—Prot.
Telostegus Costa 1889, Rend. Accad. Napoli, (2) 3, 80.—Hym.
Telostholus Haupt 1929, Mitt. zool. Mus. Berlin, 15, 185.—Hym.
Telostoma Örsted 1843, Naturhist. Tidsskrift, 4 (6), 554.—Verm. (Turb.).
Telostoma (pro *-mum* Schmarda 1859) Graff 1882, Monogr. Turbell., 1, 381.—Verm. (Turb.).
Telostomum Schmarda 1859, N. wirbell. Thiere, 1 (2), 2, 8.—Verm. (Turb.).
Telostylinus Enderlein 1922, Arch. Naturgesch., 88, A5, 142.—Dipt.
Telostylus Bigot 1859, Rev. Mag. Zool., (2) 11, 307.—Dipt.
Telotha Schiödte & Meinert 1883, Naturh. Tidsskr., (3) 14, 286.—Crust.
Telotheta Warren 1900, Novit. zool., 7, 140.—Lep.
Telothrips Priesner 1930, Bernsteinforsch., 1, 116.—Thysanopt.
Telothyria Wulp 1890, Biol. Centr. Amer., Zool., Dipt., 2, 167.—Dipt.
Telothyriosoma Townsend 1919, Proc. U.S. nat. Mus., 56, 564.—Dipt.
Telotrema Ozaki 1933, Zool. Anz., 103, 329.—Verm. (Trem.).
Telotrocha Claparède & Metschnikow 1869, Z. wiss. Zool., 19, 188.—Verm. (Polych.).
Telotrochidium Kent 1881, Man. Infus., 2, 643.—Prot.
Telphasia Pascoe 1885, Ann. Mus. Stor. nat. Genova, (2) 2, 235.—Col.
Telphes Wolfrum 1924, Ent. Mitt., 13, 35.—Col.
Telphusa (pro *Thel-* Latreille 1819) Latreille 1828, Ency. Méth., 10 (Ins.), 561.—Crust.
Telphusa Chambers 1872, Canad. Ent., 4, 132.—Lep.
Telphusograpsus Loerenthey 1903, Math. naturw. Ber. Ungarn, 18, 1900, 114.—Crust.
Telsimia Casey 1899, J. N. York ent. Soc., 7, 165.—Col.
Tel sphus see *Telephus* Barrande 1850.

- Teltigonia* (err. pro *Tetti*-Fabricius 1775) Goldfuss 1820, Handb. Zool., 1, 286.—Hem.
- Telum* Herrmannsen 1849, Indicis Gen. Malac. Primord., 2 (5), 540.—Moll.
- Telumodina* Cooper 1931, J. Paleont., 5, 241.—Verm. († Ann.).
- Telura* Erichson 1842, Arch. Naturgesch., 8 (1), 168.—Col.
- Teluropus* Marshall 1917, Ann. Mag. nat. Hist., (8) 19, 195.—Col.
- Telxina* Rafinesque 1815, Analyse, 156 [n.n.].—Coel.
- Telyphrynus* see *Thelyphrynus*.
- Telys* Champion 1902, Biol. Centr. Amer., Zool., Col. 4, pt. 4, 61.—Col.
- Telystoma* (pro *Poly*-Zeder 1800) Slawikowski 1819, Abh. Würm. Mensch., 25.—Verm. (Trem.).
- Temachia* Jullien 1882, Bull. Soc. zool. France, 7, 509.—Bry.
- Temana* Leach 1847, Ann. Mag. nat. Hist., 20, 270.—Moll.
- Temanelia* (n.n. pro *Medoria* Gray 1840) Rovereto 1899, Atti Soc. Ligustici, 10, 109.—Moll.
- Tembandumba* Distant 1917, Ann. Mag. nat. Hist., (8) 20, 186.—Hem.
- Tembotherium* Moreno 1882, An. Soc. ci. Argent., 14, 117 [n.n.]; Ameghino 1887, Observ. Mam. esting. S. Amer., 65.—Mamm.
- Temecula* Cambridge 1897, Biol. Centr. Amer., Arachn., Aran., 1, 170.—Arachn.
- Temeculina* Cockerell 1909, Proc. biol. Soc. Washington, 22, 216.—Pisces.
- Temelucha* Foerster 1868, Verh. naturh. Ver. Rheinlande, 25, 148.—Hym.
- Temelucha* Meyrick 1909, Ann. Transvaal Mus., 2, 25.—Lep.
- Temeneuchus* (pro *-nuchus* Cabanis 1851) Bonaparte 1853, C.R. Acad. Sci. Paris, 37, 831.—Aves.
- Temenis* Huebner [1819], Verz. bekannt. Schmett., (3) 34.—Lep.
- Temenuchus* Cabanis [1851], in Cabanis & Heine, Mus. Hein., 1, 1850-51, 204.—Aves.
- Temera* Gray 1831, Zool. Miscell. (Gray), (1) 7.—Pisces.
- Temesa* Adams 1855, Gen. Rec. Moll., 2, 175.—Moll.
- Temesa* Melichar 1903, Homopt. Fn. Ceylon, 40.—Hem. (See *Vekunta* Distant 1906.)
- Temesia* (pro *Temana* Leach 1847) Leach 1852, Moll. Brit. Syn., 376.—Moll.
- Temesia* Robineau-Desvoidy 1863, Hist. nat. Dipt., 1, 292.—Dipt.
- Temia* Oken 1817, Isis, 1, 1184 [n.n.]; Schinz 1821, in Cuvier, Thierreich, 1, 614.—Aves.
- Temialma* Lea 1910, Trans. roy. Soc. S. Australia, 34, 53.—Col.
- Temina* (err. pro *Temana* Leach 1847) Gray 1852, in Leach, Syn. Moll. Gt. Brit., 146, 182.—Moll.
- Teminius* Keyserling 1887, Verh. zool.-bot. Ges. Wien, 37, Abh., 421.—Arachn.
- Temisto* (pro *The*-Oken 1815) Oken 1817, Isis (Oken), 1817, 1168.—Moll.
- Temnacephale* (pro *Temnocephala* Blanchard 1849) Cosmovici 1887, Bull. Soc. méd. nat. Jassy, 1, 127.—Verm. (Trem.).
- Temnaspidiotus* MacGillivray 1921, The Coccidae, 387, 403.—Hem.
- Temnaspis* Lacordaire 1845, Mém. Soc. R. Sci. Liège, 3 (2), 716.—Col.
- Temnaster* Verrill 1894, Proc. U.S. nat. Mus., 17, no. 1000, 275, 277.—Echin. (Asteroid.).
- Temnaster* Lambert 1912, Actes Soc. linn. Bordeaux, 66, 105.—Echin. (Echinoid.).
- Temnata* Cameron 1896, Mem. Manchester Soc., 41, 42.—Hym.
- Temnechinus* Forbes 1852, (Pal. Soc. Monogr.), Echin. Brit. Tert., 5.—Echin.
- Temnelytra* Tepper 1893, Trans. Proc. roy. Soc. S. Australia, 17, 38.—Orth.
- Temnes* Champion 1888, Biol. Centr. Amer., Zool., Col. 4 (1), 410.—Col.
- Temnesthes* Bates 1875, Ent. mon. Mag., 12, 51.—Col.
- Temneurus* (pro *-nurus* Swainson 1837) Giebel 1877, Thesaur. Orn., 3, 604.—Aves.
- Temnholectypus* (n.n. pro *Temnodiscus* Lambert & Thiéry 1914) Lambert 1920, Ann. Soc. linn. Lyon, 66, 13.—Echin.
- Temnida* Simon 1897, Hist. nat. Araign., ed. 2, 2, 102.—Arachn.
- Temnillus* Bonvouloir [1871], Ann. Soc. ent. France, (4) 10, Suppl., 115.—Col.
- Temniscala* de Boury 1887, Etude sous-genres Scalidae Bassin Paris, 25.—Moll.
- Temnistia* Richardson 1836, F. Bor.-Amer., 3, 59.—Pisces.
- Temnobasis* Gaede 1916, Ent. Ztg., Stettin, 77, 131.—Lep.
- Temnocephala* Blanchard 1849, in Gay, Hist. Chile, Zool., 3, 51.—Verm. (Turb.).
- Temnocera* Lepelletier & Serville 1828, Ency. Méth. (Ins.), 10, 786.—Dipt.
- Temnocerus* Thunberg 1815, N. Acta Soc. Sci. Upsal., 7, 110.—Col.
- Temnochalepus* Uhmman 1935, Rev. Ent. Rio de Janeiro, 5, 56.—Col.
- Temnocheilus* M'Coy 1844, in Griffith, Syn. Carb. Lst. foss. Ireland, 20.—Moll.
- Temnochila* (emend. pro *Temnoscheila* Westwood 1830) Erichson 1844, in Germar, Z. Entom., 5, 449.—Col.
- Temnochila* Heckel [1849], in Russegger, Reis., 2 (3), 280, 289 (as *Temnochyla* p. 357).—Pisces.
- Temnochilodes* Léveillé 1890, Ann. Soc. ent. France, (6) 10, Bull., clxxxiii.—Col.
- Temnochilus* (emend. pro *-cheilus* M'Coy 1844) Agassiz 1845, Nom. Zool. (Moll.), 88.—Moll.

- Temnochilus* (err. pro *-la* Erichson 1844) Laferté-Sénéctère 1851, Ann. Soc. ent. France, (2) 9, 293.—Col.
- Temnochyla* see *Temnochila* Heckel 1849.
- Temnocidaris* Cotteau 1862, in d'Orbigny, Pal. Franç., (1) Terr. créét., 7, 182, 355 (1863).—Echin.
- Temnocidaris* Agassiz [non Cotteau 1862] 1863, Bull. Mus. comp. Zool. Harvard, 1, 18.—Echin.
- Temnoconcha* Dall 1921, Nautilus, 34, 132.—Moll.
- Temnocora* Burke 1930, Bull. U.S. nat. Mus., No. 150, 146.—Pisces.
- Temnocoris* Montandon 1897, Verh. zool.-bot. Ges. Wien, 47, 436, 437.—Hem.
- Temnocrinus* Springer 1902, Amer. Geol., 30, 94.—Echin.
- Temnocyon* Cope 1878, Proc. Amer. phil. Soc., 18, 68.—Mamm.
- Temnodera* Hope 1838, Trans. ent. Soc. London, 2 (1), 52.—Col.
- Temnodiscus* Koken 1896, Leitfossilien, 100.—Moll.
- Temnodiscus* Lambert & Thiéry 1914, Ess. nom. Echin., 280.—Echin. (See *Temnoholectypus* Lambert 1920.)
- Temnodon* Schinz 1822, in Cuvier, Thierreich, 2, 547.—Pisces.
- Temnodontosaurus* Lydekker 1889, in Nicholson & Lydekker, Man. Pal., Ed. 3, 2, xi.—Rept.
- Temnognatha* (emend. pro *Temo-* Solier 1833) Agassiz 1845, Nom. Zool. (Col.), 159.—Col.
- Temnognathus* Heude 1880, Mém. Hist. nat. Emp. Chinois, Mem. Trionyx, 1, 25.—Rept.
- Temnogomphus* Laidlaw 1922, Rec. Indian Mus., 24, 394.—Odon.
- Temnograptus* Nicholson 1876, Geol. Mag., (N.S.) dec. 2, 3, 248.—Coel.
- Temnolaemus* (emend. pro *-laimus* Chevrolat 1839) Agassiz 1846, Nomen. Zool. Index Univ.—Col.
- Temnolaimus* Chevrolat 1839, Rev. Zool. (Soc. Cuv.), 2, 177.—Col.
- Temnolopha* Lower 1901, Trans. roy. Soc. S. Australia, 25, 72.—Lep.
- Temnonotus* Milne-Edwards 1875, Miss. Sci. Mexique, Rech. Zool., 5, 82.—Crust.
- Temnopalpus* Blackburn 1888, Trans. roy. Soc. S. Australia, 10, 283.—Col.
- Temnophila* (pro *Temnocephala* Blanchard 1849) Linstow 1878, Compend. Helm., 314.—Verm. (Trem.).
- Temnophilias* Barnard 1916, Ann. S. Afric. Mus., 15, 158.—Crust.
- Temnophthalmus* Gebien 1921, Arch. Naturgesch., 86, A6, 1920, 75.—Col.
- Temnophyllum* Walther 1928, Z. dtsh. geol. Ges., 80, 123.—Coel.
- Temnophyllus* Redtenbacher 1895, in Brunner v. Wattenwyl, Monogr. Pseudophylliden, 10, 46.—Orth.
- Temnophysa* Agassiz 1862, Contrib. nat. Hist. U.S., 4, 368.—Coel.
- Temnopis* Audinet-Serville 1834, Ann. Soc. ent. France, 3, 90.—Col.
- Temnoplectron* Westwood 1842, Ann. Mag. nat. Hist., 10, 67.—Col.
- Temnoplectrum* (emend. pro *-tron* Westwood 1842) Agassiz 1846, Nomen. Zool. Index Univ.—Col.
- Temnopleurus* Agassiz 1841, Mon. Echin. (Anat. Echinus, 1), p. vii.—Echin.
- Temnopsis* Signoret 1879, Ann. Soc. ent. France, (5) 9, 267.—Hem.
- Temnosophus* Horn 1872, Trans. Amer. ent. Soc., 4, 111.—Col.
- Temnoptera* Bethune-Baker 1908, Novit. zool., 15, 223.—Lep.
- Temnopterus* Solier 1834, Ann. Soc. ent. France, 3 (2), 307.—Col.
- Temnopteryx* Brunner von Wattenwyl 1865, Nouv. Syst. Blattaires, 83.—Orth.
- Temnoptychites* Pavlov 1913, Mém. Acad. Sci. St. Pétersbourg, (8) 21, no. 4, 44.—Moll.
- Temnora* (Boisduval MS.) Walker 1856, List Specimens Lep. Ins. Brit. Mus., 8, 104.—Lep.
- Temnorhamphus* (pro *Temnorrh-* Champion 1914) Marshall 1921, Proc. Hawaii. ent. Soc., 4, 1920, 599.—Col.
- Temnorhinus* Chevrolat 1873, Mém. Soc. Sci. Liège, (2) 5, Mém. Cléonid., 41.—Col.
- Temnorhis* (emend. pro *-ris* Hodgson 1841) Agassiz 1846, Nomen. Zool. Index Univ.—Aves.
- Temnorhopalon* Fairmaire 1850, Rev. Mag. Zool., (2) 2, 51.—Col.
- Temnorhynchus* Hope 1837, Coleopt. Manual, 1, 47, 93.—Col.
- Temnorhynchus* Smith (1849), Ill. Zool. S. Afr. (Rept.), App. 17.—Rept. (See *Ligonirostra* Cope 1863.)
- Temnoripais* Rothschild & Jordan 1903, Novit. zool., 9, Suppl., 585.—Lep.
- Temnoris* (emend. pro *Suthora* Hodgson 1838) Hodgson 1841, J. Asiat. Soc. Bengal, 10, 29.—Aves.
- Temnorhamphus* Champion 1914, Trans. Linn. Soc. London, (2) Zool., 16, 461.—Col.
- Temnorhynchodes* Prell 1934, Ent. Blätter, 30, 57.—Col.
- Temnorhynchus* (pro *Temnorh-* Hope 1837) Alluaud 1900, in Grandidier, Hist. Madag., 21, Col. 1, 248.—Col.

- Temnorus** (err. pro *-nurus* Lesson 1830-31) Blyth 1846, J. Asiat. Soc. Bengal, 15, 31.—Aves.
- Temnoscapus** Chevrolat 1878, Ann. Soc. ent. France, (5) 8, Bull., lv.—Col.
- Temnoscelis** Chevrolat 1855, Rev. Mag. Zool., (2) 7, 185; Lacordaire 1872, Hist. nat. Ins., Gen. Col., 9, 441.—Col.
- Temnoscheila** Westwood 1830, Zool. Journ., 5 (18), 231.—Col.
- Temnoschoita** Chevrolat 1885, Ann. Soc. ent. France, (6) 5, 289.—Col.
- Temnosoma** Smith 1853, Cat. Hym. Ins. Brit. Mus., 1, 38.—Hym.
- Temnospira** Ferner 1903, in Barrande, Syst. Silur. centre Bohême, 4, Gast. 1, explan. pl. 79.—Moll.
- Temnostega** Enderlein 1905, Zool. Anz., 28, 719.—Col.
- Temnosternus** White 1855, Cat. Col. Ins. Brit. Mus., 8, 335.—Col.
- Temnostethus** Fieber [1860], Europ. Hemipt., 1861, 38, 136.—Hem.
- Temnostoma** Lepeletier & Serville 1828, Ency. Méth. (Ins.), 10, 518.—Dipt.
- Temnostoma** Guérin-Ménéville (1838), Voy. "Coquille," Zool., 2 (2), no. 1, 72.—Col. (Lycid.).
- Temnostoma** [Blanchard] 1850, Cat. Coll. Ent. Mus. H.N. Paris, Coléopt., 1, 84.—Col. (Melolonthid.).
- Temnotaia** Annandale 1919, Rec. geol. Surv. India, 50 (3), 231.—Moll.
- Temnothorax** Mayr 1861, Die Europ. Formiciden, 12, 30.—Hym.
- Temnotrema** Agassiz 1864, Proc. Acad. nat. Sci. Philad., 1863, 358.—Echin.
- Temnotrionyx** Hay 1908, Carnegie Inst. Pub., 75, 534.—Rept.
- Temnotrogon** Bonaparte 1854, Ateneo Ital., 2, 129; 1854, Consp. Volucr. Zygod., 14.—Aves.
- Temnotropis** Laube 1868, S.B. Akad. Wiss. Wien, Math.-naturw. Cl., 57 (1), 665.—Moll.
- Temnourus** Nicolet 1841 Bibl. Univ. Genève, (N.S.), 32, 384.—Collemb.
- Temnura** Resser & Endo 1935, in Kobayashi, J. Fac. Sci. Univ. Tokyo, Geol., 4, 90 (as *Temnurus* p. 271).—Trilobita.
- Temnurus** (pro *-rus* Lesson 1830-31) Blyth 1843, J. Asiat. Soc. Bengal, 12, 933.—Aves.
- Temnurus** Lesson 1830-1831, Traité Ornith., (5) 341.—Aves (Passer.).
- Temnurus** Swainson 1837, N.H. Classif. Birds, 2, 337.—Aves (Coccygom.).
- Temnurus** Resser & Endo 1935 see **Temnura**.
- Temnus** Fleutiaux 1920, Ann. Soc. ent. Belgique, 60, 103.—Col.
- Temognatha** Solier 1833, Ann. Soc. ent. France, 2, 263 (as *Themognatha* p. 291).—Col.
- Temogonia** (pro *Tom-* Stål 1869) Funkhouser 1928, Cat. Gen. Hem., Membrac., 164.—Hem.
- Temora** Baird 1850, N.H. Brit. Entom. (Ray Soc.), 227.—Crust.
- Temora** (n.n. pro *Rudia* Stål 1856) Kirkaldy 1901, Entomologist, 34, 6.—Hem. (See *Colgorma* Kirkaldy 1904.)
- Temorella** Claus 1881, S. B. Akad. Wiss. Wien, 83, 488.—Crust.
- Temorites** Sars 1900, in Nansen, Sci. Res. Norweg. N. Polar Exped., 5, 100.—Crust.
- Temoropia** Scott 1894, Trans. Linn. Soc. London, (2) 6, Zool., 89.—Crust.
- Temoropsis** Wolfenden 1911, Dtsch. Südpolar-Exped. 1901-1903, 12 (4), 355.—Crust.
- Templetonia** Lubbock 1862, Trans. Linn. Soc. London, 23, 595.—Collemb.
- Tempora** Matsumura 1914, Ann. Mus. hungar., 12, 290.—Hem.
- Temporena** Iredale 1933, Rec. Australian Mus., 19, 46.—Moll.
- Tempsa** Stål 1856, Hem. Afric., 4, 208.—Hem.
- Tempyra** Stål 1874, K. svenska VetenskAkad. Handl., 12, no. 1, 157.—Hem.
- Temsacus** Gray 1862, Ann. Mag. nat. Hist., (3) 10, 272.—Rept.
- Temuocephala** (pro *Temno-* Blanchard 1849) Monticelli 1888, Saggio Morfol. Trem. 50.—Verm. (Trem.).
- Tenacia** Schmidt 1870, Spong. atlant. Geb., 56.—Spong.
- Tenaciella** Hallman 1920, Proc. Linn. Soc. W.S. Wales, 44, 773.—Spong
- Tenacipes** Baker 1931, Nautilus, 44, 131.—Moll.
- Tenaga** Clemens 1862, Proc. ent. Soc. Philadelphia, 1, 135.—Lep.
- Tenagobia** Bergroth 1899, Ent. mon. Mag., 1899, 282.—Hem.
- Tenagocrinus** Wanner 1929, Wet. Meded. Dienst Mijnb. Ned.-O.-Ind., 11 (2), 48.—Echin.
- Tenagoda** (err. pro *-dus* Guettard 1770) Adams 1854, Gen. Rec. Moll., 1, 360.—Moll.
- Tenagodes** (pro *-dus* Guettard 1770) Fischer 1885, Man. Conch., 692.—Moll.
- Tenagodus** Guettard 1770, Mém. diff. Sci., 3, p. 128.—Moll.
- Tenagogonus** Stål 1853, Ofvers. VetenskAkad. Förh. Stockholm, 10, 263.—Hem.
- Tenagomysis** Thomson 1900, J. Linn. Soc. London, 27, 483.—Crust.
- Tenagovelgia** Kirkaldy 1908, in Sjoestedt, Kilimandjaro-Meru Exped., 12 (3), 22.—Hem.
- Tenalomus** Fleutiaux 1933, Ann. Soc. ent. France, 102, 234.—Col.
- Tenaphalara** Kuwayama 1908, Trans. Sapporo nat. Hist. Soc., 2, 155.—Hem.
- Tenare** Gray 1858, Ann. Mag. nat. Hist., (3) 2, 66.—Moll.
- Tenaris** Huebner [1819], Verz. bekannt. Schmett., (4) 53.—Lep.

- Tenaspis* Leconte 1881, Trans. Amer. ent. Soc., 9, 33.—Col.
Tenaturis Woodring 1928, Mioc. Moll. Bowden (Carnegie Inst. Washington), 2, 7, 185.—Moll.
Tendagurium Dietrich 1933, Palaeontographica, Suppl., 7 (2), Lief. 1, 50.—Moll.
Tendarba Walker 1865, List Specimens Lep. Ins. Brit. Mus., 34, 1185.—Lep.
Tendeba Walker 1865, J. Proc. Linn. Soc. London, Zool., 8, 117.—Dipt.
Tendides (pro *Tyn-* Pascoe 1874) Chevrolat [1883], Ann. Soc. ent. France, (6) 2, 1882, 567.—Col.
Tendipes Meigen 1800, N. Class. Mouches, 17.—Dipt.
Tendosphaera Verhoeff 1930, Zool. Anz., 89, 162.—Crust.
Tendra Nordmann 1839, Ann. Sci. nat., (2) 11, 185.—Bry.
Tendrac Blainville 1838, C.R. Acad. Sci. (Paris), 6 (22), 742.—Mamm.
Tendracus Rafinesque 1815, Analyse, 59 [n.n.].—Mamm.
Tendus (err. pro *Turdus* L. 1758) Hayes 1775, Nat. Hist. Brit. Birds, 17.—Aves.
Tenea Conrad 1870, Amer. J. Conch., 6, 72.—Moll.
Teneatopus Reitter 1920, Bestim.-Tabell. europ. Col., No. 87, 23.—Col.
Tenebrio Linnaeus 1758, Syst. Nat., ed. 10, 417; 1767, ed. 12, 674.—Col.
Tenebriocamária Pic 1919, Mélanges exot.-ent., No. 30, 3.—Col.
Tenebriocéphalon Pic 1925, Mélanges exot.-ent., No. 44, 10.—Col.
Tenebrioides (err. pro *-broides* Piller & Mitterpacher 1783) Reitter 1874, Verh. naturf. Ver. Brünn, 13, 65.—Col.
Tenebrioloma Gebien 1910, in Sjoestedt, Kilimandjaro-Meru Exped., 7 (19), 386.—Col.
Tenebriomimus Kolbe 1901, Allg. Z. Ent., 6, 322, 342.—Col.
Tenebrionellus Crotch 1873, Check List Col. Amer., 105.—Col.
Tenebriones Voet [? 1806], Cat. Syst. Coleopt., 2, 78.—Col.
Tenebrionites Cockerell 1920, Ann. Mag. nat. Hist., (9) 6, 67.—Col.
Tenebriopsis Gebien 1928, Stettin. ent. Ztg., 89, 186.—Col.
Tenebriobius Rambousek 1915, Acta Soc. ent. Bohem., 12 (1 & 2) 1; 1916, Col. Rundschau, 4, 130.—Col.
Tenebroides Piller & Mitterpacher 1783, Iter Poseg., 87.—Col.
Tenedos Cambridge 1897, Biol. Centr. Amer., Arachn., Aran., 1, 226.—Arachn.
Tenegoda (err. pro *Tenagodus* Guettard 1770) Conrad 1866, Smithson. misc. Coll., 7, no. 200, 11.—Moll.
Tenellia Costa 1866, Annu. Mus. zool. Univ. Napoli, 3, 1863, 76.—Moll.
Tenemotes Casey 1922, Mem. Col., 10, 142.—Col.
Tenemotides Casey 1922, Mem. Col., 10, 144.—Col.
Tenenrio (err. pro *-brio* L. 1758) Schoenherr 1806, Syn. Ins., 1 (1), 422.—Col.
Tenerastes Lesne 1932, Ann. Soc. ent. France, 101, 17.—Col.
Tenerella Redtenbacher 1906, in Brunner v. Wattenwyl & Redtenbacher, Insektenfam. Phasmiden, 1, 109.—Orth.
Teneriffa Becker 1908, Mitt. zool. Mus. Berlin, 4, 54.—Dipt.
Teneriffia Thor 1911, Zool. Anz., 38, 172.—Arachn. (nec *Teneriffa* Becker 1908 see *Teneriffiola* Strand 1911).
Teneriffiola (n.n. pro *Teneriffia* Thor 1911) Strand 1911, Int. ent. Z., 5, 287.—Arachn.
Teneritia Mabille 1898, Bull. Soc. philom. Paris, (8) 9, 79.—Moll.
Teneroides (Gorham MS.) Gahan 1910, Ann. Mag. nat. Hist., (8) 5, 69.—Col.
Teneromimus Gahan 1910, Ann. Mag. nat. Hist., (8) 5, 70.—Col.
Teneropsis Chapin 1924, Philippine J. Sci., 25, 275.—Col.
Tenerus Laporte 1836, Revue Entom., 4 (1), 43.—Col.
Tenes Thomas 1909, Ann. Mag. nat. Hist., (8) 3, 468.—Mamm.
Tenesis Duvivier 1892, Ann. Soc. ent. Belgique, 36, 163.—Col.
Tengella Dahl 1901, S.B. Ges. naturf. Freunde Berlin, 1901, 251.—Arachn.
Tenguella Matsumura 1909, Trans. Sapporo nat. Hist. Soc., 3, 103.—Hem.
Tenguna Matsumura 1909, Trans. Sapporo nat. Hist. Soc., 3, 104.—Hem.
Tenguzo Kôno 1929, Insecta matsum., 4, 52.—Col.
Tengyria Latreille 1809, Gen. Crust. Ins., 4, 115.—Hym.
Tengyria (pro *-va* Latreille 1809) Burmeister 1829, Ins. Syst., 30.—Hym.
Tenia (pro *Tae-* L. 1758) Scopoli 1777, Intr. Hist. Nat., 383.—Verm. (Cest.).
Tenianotus (pro *Tae-* Lacepède 1802) Rafinesque 1815, Anal. Nat., 85.—Pisces
Tenila Brèthes 1913, An. Mus. Hist. nat. Buenos Aires, 24, 153.—Hym.
Tenillus Scudder 1894, Mon. U.S. geol. Surv., 21, 35.—Col.
Tenioides (pro *Tae-* Lacepède 1800) Rafinesque 1815, Analyse, 84.—Pisces.
Teniorhinus (Watson MS.) Holland 1892, Ann. Mag. nat. Hist., (6) 10, 292 [n.n.].—Lep. (Cf. *Teinorhinus* Watson 1893).
Tenka Barrande 1881, Syst. Silur. centre Bohême, 6, 163.—Moll.
Tennentia Humbert 1862, Rev. Mag. Zool., (2) 14, 417, 427.—Moll.
Tennentia Quadras & Moellendorff 1894, NachrBl. dtsch. malak. Ges., 26, 85.—Moll. (See *Philippinella* Moellendorff 1899).
Tennesseeillum Petrunkevitch 1925, J. N.York ent. Soc., 33, 173.—Arachn.
Tennodon (pro *Temno-* Schinz 1822) Swainson 1839, Hist. Classif. Fish., 2, 40.—Pisces.

- Tennysonia Busk 1867, Quart. J. micr. Soc., (2) 7, 242.—Bry.
 Tennysoniana Girault 1920, Insec. Inscit. menst., 8, 203.—Hym.
 Tenodera Burmeister 1838, Handb. Ent., 2 (2), 534.—Orth.
 Tenoderopsis Werner 1928, Mitt. zool. Mus. Berlin, 14, 20.—Orth.
 Tenogaster Rafinesque 1815, Analyse, 76 [n.n.].—Rept.
 Tenomys Rafinesque 1815, Analyse, 58 [n.n.].—Mamm.
 Tenontomyia White 1917, Proc. roy. Soc. Tasmania, 1916, 236.—Dipt.
 Tenor Scudder 1890, Foss. Ins. N. Amer., 2, 425.—Hem.
 Tenosis Clark 1865, J. Ent. Lond., 2, 397.—Col.
 Tenosius Stål 1859, Ofvers. VetenskAkad. Förh. Stockholm, 16, 460.—Hem.
 Tenotis (pro -tus Rafinesque 1815 n.n.) Rafinesque 1817, Amer. mon. Mag., 1 (5), 362.—Mamm.
 Tenotus Rafinesque 1815, Analyse, 58 [n.n.]; 1817, Amer. mon. Mag., 2, 45.—Mamm.
 Tenpetasus Iredale 1929, Mem. Queensland Mus., 9, 277.—Moll.
 Tenrec Lacepède 1799, Tabl. Mamm., 7.—Mamm.
 Tenrecus (emend. pro Tenrec Lacepède 1799) Fischer 1808, Tabl. Syn. Zoog., ed. 2, Quad. col. 5.—Mamm.
 Tensha Matsumura 1925, Dobuts. Zasshi (Zool. Mag.), 37, 392.—Lep.
 Tentacularia Bosc 1797, Bull. Sci. Soc. philom. [Paris], No. 2, 9.—Verm. (Cest.).
 Tentacularia Zeder 1800, in Goeze, 1 Nachtr. Eingeweidewürm., 5.—Verm. (Nema.).
 Tentaculatia Fagot 1891, Bull. Soc. Ramond, 26 (4), 295.—Moll.
 Tentaculina Zborzewski 1834, Bull. Soc. imp. Moscou, 7, 234, 250.—Verm. (Inc. sed., ?† Ann.).
 Tentaculites Schlotheim 1820, Die Petref., 377.—Verm. (Inc. sed., ?† Ann.).
 Tentalus (err. pro Tan-L. 1758) Temminck 1830, in Temminck & Laugier, Pls. color., (86).—Aves.
 Tentana (pro Tent- Simon 1881) Simon 1896, Acta Soc. Chile, 6, 65.—Arachn.
 Tentegia Pascoe 1873, Ann. Mag. nat. Hist., (4) 12, 284.—Col.
 Tentheca Hodgson 1837, India Rev., 1, 446.—Aves.
 Tentheca (pro -thaca Hodgson 1837) Gray 1841, List Gen. Birds, 48.—Aves.
 Tenthecoris Scott 1886, Ent. mon. Mag., 23, 65.—Hem.
 Tenthera (pro -thaca Hodgson 1837) Gray 1847, Gen. Birds, 1, 289 (note).—Aves.
 Tenthes Cresson 1930, Trans. Amer. ent. Soc., 56, 354.—Dipt.
 Tenthras (n.n. pro Eurypygon Dejean 1835) Thomson 1864, Syst. Cerambycid., 224.—Col.
 Tenthrastus (pro Teuthraustes Simon 1879) Ausserer 1880, Zool. Jahresber., 1879, 468.—Arachn.
 Tenthredella Rohwer 1910, Proc. U.S. nat. Mus., 39, no. 1777, 117.—Hym.
 Tenthredina Rohwer 1910, Proc. U.S. nat. Mus., 39, no. 1777, 116.—Hym.
 Tenthredinites Meunier 1915, Verh. Akad. Wet. Amsterdam, (2) 18 (5), 11.—Hym.
 Tenthredo Linnaeus 1758, Syst. Nat., ed. 10, 555; 1767, ed. 12, 920.—Hym.
 Tenthredoidea Cresson 1865, Proc. ent. Soc. Philadelphia, 4, 290.—Hym.
 Tenthredomyia Shannon 1925, Insec. Inscit. menst., 13, 50.—Dipt.
 Tenthredopsis Costa (A) 1859, in Costa (O) Fauna Regno Napoli, Imen. 3, Tenthr., 98.—Hym.
 Tenthrenodes Jenkin 1908, Nat. Antarct. Exped., 4, 25.—Spong.
 Tentidonax Iredale 1930, Rec. Australian Mus., 17, 398.—Moll.
 Tentiria (pro -tyria Latreille 1802) Dahl 1823, Col. Lep. Verz., 41.—Col.
 Tentorium Vosmaer 1885, in Bronn, Klass. Ordn. Thier., Porifera, 329.—Spong.
 Tentredo (pro Tenthredo L. 1758) Scopoli 1772, Annus V, 120.—Hym.
 Tentyria Latreille (1802), Hist. Crust. Ins., 3, 170.—Col.
 Tentyridium Westwood 1854, Quart. J. geol. Soc., 10, 393.—Col.
 Tentyriina (err. pro -rina Reitter 1901) Schuster 1925, Koleopt. Rdsch., 15, 236.—Col.
 Tentyrina Reitter 1901, Verh. Ver. Brünn, 39, 166.—Col.
 Tentyrioides (Maille MS.) Solier 1835, Ann. Soc. ent. France, 4, 411.—Col.
 Tentyriopsis Gebien 1928, Stettin. ent. Ztg., 89, 174.—Col.
 Tentyromorpha Martinez Escalera 1913, Trab. mus. Madrid, Zool., 8, 37.—Col.
 Tentyronota Reitter 1901, Verh. Ver. Brünn, 39, 166.—Col.
 Tenuialosa Fowler 1934, Proc. Acad. nat. Sci. Philad., 85, 246.—Pisces.
 Tenuia Malloch 1926, Philippine J. Sci., 31, 493.—Dipt.
 Tenuiactaeon Aldrich 1921, Bull. Amer. Paleont., 9, no. 37, 16.—Moll.
 Tenuiala Ewing 1913, J. Ent. Zool., 5, 133.—Arachn.
 Tenuiaspis MacGillivray 1921, The Coccidae, 308, 339.—Hem.
 Tenuicera Pandellé 1896, Rev. Ent. franç., 15, 32.—Dipt.
 Tenuicerithium Cossmann 1896, Ann. Soc. malac. Belg., 31, 28.—Moll.
 Tenuicolles Marseul 1879, Abeille, 17, 161.—Col.
 Tenuicomus Pic 1894, Rev. sci. Bourbonnais, 7, 42.—Col.
 Tenuicorbula Olsson 1932, Bull. Amer. Paleont., 19, 3, 141.—Moll.
 Tenuicosta Stein 1919, Arch. Naturgesch., 83, 11, 100, 156.—Dipt.
 Tenuidactylites Buckman 1926, Type Ammonites, 6, pt. 61, 41.—Moll.

- Tenuipalpus* Donnadieu 1876, Ann. Soc. linn. Lyon, 22, 1875, 139.—Arachn.
Tenuiproboscis Yamaguti 1935, Japan. J. Zool., 6, 260.—Verm. (Acanth.).
Tenuirostritermes Holmgren 1912, K. svenska VetenskAkad. Handl., 48, no. 4, 60.—Isopt.
Tenuis Barrande 1881, Syst. Silur. centre Bohême, 6, 163.—Moll.
Tenuis Wagner [non Barrande 1881] 1910, Syst. Conch. Cab., (2) Lief. 544, 302.—Moll.
Tenuiscalia de Boury 1887, Etude sous-genres Scalidae Bassin Paris, 25.—Moll.
Tenuisepia Cotton 1932, Rec. S. Australian Mus., 4, 546.—Moll.
Tenuitarsus Bolivar 1904, Bol. Soc. españ. Hist. nat., 4, 90.—Orth.
Tenuopus Curran 1924, Ann. Transvaal Mus., 10, 228.—Dipt.
Tenuostrogylus Leroux 1933, Ann. Mag. nat. Hist., (10) 11, 222.—Verm. (Nema.).
Tenus (err. pro *Venus* L. 1758) Michelotti 1839, Ann. Sci. Lomb.-Ven., 9, 163.—Moll.
Tenyypeza (err. pro *Tany-* Fallén 1820) Gray 1832, in Griffith's Cuvier, Anim. Kingd. (Ins.), 15, 713.—Dipt.
Teodisca (pro *The-* Mueller 1858) Quatrefages [1866], in Quatrefages (Vaillant), Hist. nat. Annel., 2, 1865, 792.—Verm. (Polych.).
Teodoxus (err. pro *Theodoxis* Montfort 1810) Picaglia 1892, Bull. Soc. malac. Ital., 16, 190.—Moll.
Teonoma Gray 1843, List Mamm. Coll. Brit. Mus., 117.—Mamm.
Teorotrium Fairmaire 1901, Rev. ent. franç., 20, 206.—Col.
Teपालicus Lea 1912, Trans. roy. Soc. S. Australia, 36, 107.—Col.
Tepeyacia Palmer 1928, Occ. Pap. California Acad. Sci., 14, 19, 46.—Moll.
Tephlea Simon 1879, Arachn. de France, 4, 207.—Arachn.
Tephromyiella Townsend 1918, Insec. Inscit. menst., 5, 1917, 164 (also as *Tephromyiella*).—Dipt.
Tephraea Burmeister 1842, Handb. Ent., 3, 419.—Col.
Tephraeops Guenther 1859, Cat. Fish. Brit. Mus., 1, 413, 431.—Pisces.
Tephraeoserica (pro *Taphr-* Brenske 1900) Brenske 1901, Berlin. ent. Z., 46, 216.—Col.
Tephraerops Reichenbach 1852, Handb. Orn., Abt. 2 (Meropinae I), 82.—Aves.
Tephramobia Townsend 1926, Suppl. Ent., 14, 14.—Dipt.
Tephraphis Scudder 1890, Foss. Ins. N. Amer., 2, 258.—Hem.
Tephras Hartlaub 1868, Proc. zool. Soc. London, 1868, 6.—Aves.
Tephrella Bezzi 1913, Mem. Ind. Mus., 3, 151.—Dipt.
Tephrialia Hampson 1926, Descr. new Genn. Spp. Noctuidae, 180.—Lep.
Tephrias Wallengren 1860, Wien. ent. Monatschr., 4, 170.—Lep.
Tephрина Guénée 1845, in Duponchel, Cat. méth. Lépid. Europe, (2) 246.—Lep.
Tephринectes (n.n. pro *Tephritis* Guenther 1862) Guenther 1862, Ann. Mag. nat. Hist., (3) 10, 475.—Pisces.
Tephrinops Hampson 1926, Descr. new Genn. Spp. Noctuidae, 160.—Lep.
Tephrinopsis Warren 1896, Novit. zool., 3, 412.—Lep.
Tephriopsis Hampson 1926, Descr. new Genn. Spp. Noctuidae, 171.—Lep.
Tephritis Ragonot [1891], Ann. Soc. ent. France, (6) 10, 1890, Bull., ccxiii.—Lep.
Tephrites (err. pro *-is* Latreille 1804) Gray 1832, in Griffith's Cuvier, Anim. Kingd., Ins., 2, 779.—Dipt.
Tephrites (pro *-is* Herrmannsen 1849) Paetel 1875, Fam. Gatt. Moll., 204.—Moll.
Tephritis Latreille 1804, Nouv. Dict. H.N., 24 (Tab.), 196.—Dipt.
Tephritis Herrmannsen 1849, Indicis Gen. Malac. Primord., 2 (5), 541.—Moll.
Tephritis Guenther 1862, Cat. Fish. Brit. Mus. 4, 406.—Pisces. (See *Tephринectes* Guenther 1862.)
Tephritocampylocera Hendel 1934, Encycl. ent., Sér. B II, Dipt. 7, 154.—Dipt.
Tephritoedaspis Rohdendorf 1934, Konowia, 13, 94.—Dipt.
Tephritoides Benjamin 1934, Tech. Bull. U.S. Dep. Agric., No. 401, 58.—Dipt.
Tephritomyia Hendel 1927, in Lindner, Flieg. Palaearct. Reg., 49, 202.—Dipt.
Tephritopyrgota Hendel [1914 *], Arch. Naturgesch., 79, A11, 1913, 104.—Dipt.
Tephrochares Zerny 1933, Dtsch. ent. Z., Iris, 47, 80.—Lep.
Tephrochlaena Czerny 1924, Abh. zool.-bot. Ges. Wien, 15, 87.—Dipt.
Tephrochlamis (pro *-mys* Loew 1862) Becker 1905, in Becker-Kertész, Kat. paläarkt. Dipt., 4, 51.—Dipt.
Tephrochlamys Loew [1862 *], Z. Ent. Breslau, 13, 1859, 72.—Dipt.
Tephroclystia Huebner 1826, Verz. bekannt. Schmett., (21) 323.—Lep.
Tephroclystis (pro *-stia* Huebner 1826) Meyrick 1892, Trans. ent. Soc. London, 1892, 65.—Lep.
Tephrocoma Pascoe 1867, Trans. ent. Soc. London, (3) 3, 419.—Col.
Tephrocorys Sharpe 1875, Proc. zool. Soc. London, 1874, 633.—Aves.
Tephrodiglossa Cassin 1864, Proc. Acad. nat. Sci. Philad., 1864, 273.—Aves.
Tephrodornis Swainson [1832], in Richardson, F. Bor.-Amer., 2, 1831, 482.—Aves.
Tephroeoops (pro *-raeoops* Guenther 1859) Castelnau 1872, Proc. zool. & Acclim. Soc. Victoria, 1, 68.—Pisces.
Tephrolaema Heine 1860, J. Orn., 8, 137.—Aves.

- Tephrolamia* Fairmaire 1901, Rev. ent. franç., 20, 231.—Col.
Tephrolanius Bonaparte 1854, C.R. Acad. Sci. Paris, 38, 387, 536.—Ave
Tephrolesbia Simon 1919, Rev. Franç. d'Orn., 6, 54.—Aves.
Tephromyia Brauer & Bergenstamm 1892, Denkschr. Akad. Wiss. Wien, 58, 366.—
 Dipt.
Tephromyiella see *Tephomyiella*.
Tephromyopsis Townsend 1919, Proc. U.S. nat. Mus., 56, no. 2301, 544.—Dipt.
Tephronia Huebner [1825], Verz. bekannt. Schmett., (20) 318.—Lep.
Tephronota Loew 1868, Z. Naturw. Berlin, 32, 6.—Dipt.
Tephronotus Hodgson 1844, in Gray, Zool. Miscell., (6) 84.—Aves.
Tephrophilus Moore 1934, Auk, 1934, 1.—Aves.
Tephrosara Meyrick 1915, Trans. N. Zealand Inst., 47, 234.—Lep.
Tephrosia Boisduval 1840, Gen. Index Europ. Lepid., 198.—Lep.
Tephrospiza Reichenbach (1850), Avium Syst. Nat., pl. lxxv.—Aves.
Tephrostola Bezzi 1913, Mem. Indian Mus., 3, 153.—Dipt.
Tephrostola Houlbert 1918, in Oberthuer, Etudes Léop. comp., 15, 558.—Lep.
Tephrozosterops Stresemann 1931, Mitt. zool. Mus. Berlin, 17, 234.—Aves.
Tephrytis (err. pro *Tephritis* Latreille 1804) Robineau-Desvoidy 1830, Mém. Acad. R. Sci. Inst. France, 2, 765.—Dipt.
Teplia Walker 1855, List Specimens Lep. Ins. Brit. Mus., 5, 1176.—Lep.
Tepperella Cameron 1912, Proc. Linn. Soc. N.S. Wales, 36, 1911, 652.—Hym.
Tepperia Lea 1903, Proc. Linn. Soc. N.S. Wales, 28, 660.—Col.
Tepperia (n.n. pro *Lepidophora* Tepper 1895) Kirby 1910, Synon. Cat. Orthopt., 3, 565.—Orth.
Teracina Roebler 1930, Ent. Z., 44, 19.—Lep.
Teracolus Swainson 1833, Zool. Illust., (2) 3 (25), pl. 115 (also as *Terocolus*).—Lep.
Teracophrys Ameghino 1901, An. Soc. ci. Argent., 51, 79 [n.n.].—Amph.
Teracotona Butler 1878, Proc. zool. Soc. London, 1878, 382.—Lep.
Teracrius Stål 1858, Ofvers. VetenskAkad. Förh. Stockholm, 15, 317.—Hem.
Teracus Milne-Edwards 1871, Rech. anat. pal. Ois. foss. France, pl. 185.—Aves.
Teragra Walker 1855, List Specimens Lep. Ins. Brit. Mus., 5, 1064.—Lep.
Teramachia Kuroda 1931, Venus, 3 (1), 45.—Moll.
Terambus Rafinesque 1815, Analyse, 157 [n.n.].—Coel.
Terambus Gistel [1847], Handb. Naturges., 1850, 428; 1848, Nat. Thierr., 130.—Col.
Terametus Motschoulsky 1869, Bull. Soc. imp. Nat. Moscou, 41 (2), 1868, 193.—Col.
Teramocerus Schoenherr 1840, Gen. et Sp. Curc., 5 (2), 556.—Col.
Teranympha Koidzumi 1917, Dairokkai Hakugi Chosa Hokoku (Rep. Termites, 6), 107.—Prot. (Cf. *Teratonympha* Koidzumi 1921.)
Teraphis Laporte 1868, Trans. Proc. R. Soc. Victoria, 8, 127.—Col. (nec *Theraphus* Motschoulsky 1864 see *Phersita* Sloane 1903).
Teraphosa Eichwald 1830, Zool. spec., 2, 73; Gistel [1847], Handb. Naturges., 1850, 513.—Arachn.
Teraphus (pro *The-* Motschoulsky 1864) Motschoulsky 1869, Horae Soc. ent. ross., 6, Suppl., 19.—Col.
Terapon Cuvier 1817, R. Anim., 2, 295.—Pisces.
Terapopus Schoenherr 1845, Gen. et Sp. Curc., 8 (2), 430.—Col.
Terapus Marseul 1863, Ann. Soc. ent. France, (4) 2, 1862, 680.—Col.
Teras Treitschke 1829, Schmett. Europa, 7, 233; 1830, 8, 247.—Lep.
Teras Hartig 1840, in Germar, Z. Entom., 2 (1), 185.—Hym. (See *Dryoteras* Foerster 1869 & *Hartigia* Rondani 1871.)
Teras Bernhauer 1905, Dtsch. ent. Z., 1905, 15.—Col. (See *Teiros* Eichelbaum 1909.)
Teraschema Thomson 1860, Essai Class. Cerambycid., 198.—Col.
Teraserica Brenske 1899, Berlin. ent. Z., 44, 229.—Col.
Terasion Huebner [1819], Verz. bekannt. Schmett., (10) 147.—Lep.
Terasota Casey 1906, Trans. Acad. Sci. St. Louis, 16, 337.—Col.
Teraspiza Kaup 1867, Proc. zool. Soc. London, 1867, 170.—Aves.
Teraspizias (pro *Teraspiza* Kaup 1867) Blyth 1875, J. Asiat. Soc. Bengal, 44, Extra No., 62, 167.—Aves.
Terastia Guenée 1854, Hist. nat. Ins., Spec. gén. Léop., 8, 211.—Lep.
Terastiodes Warren 1892, Ann. Mag. nat. Hist., (6) 9, 298.—Lep.
Terastiomys Bigot 1859, Rev. Mag. Zool., (2) 11, 311.—Dipt.
Terastiozoon Grandi 1921, Ann. Mus. Stor. nat. Genova, 49, 312.—Hym.
Terastomyia (pro *-stiomys* Bigot 1859) Loew 1873, Smithson. misc. Collect., 11 (3), 27.—Dipt.
Terataner Emery 1912, Ann. Soc. ent. Belgique, 56, 103.—Hym.
Terataspis Hall 1863, Rep. N. York State nat. Hist., 16, 225.—Trilobita.
Teratausta (? pro *-tauxta* Hering 1901) Hampson 1903, J. Bombay nat. Hist. Soc., 15, 225.—Lep.
Teratauxta (Hampson MS.) Hering 1901, Ent. Ztg., Stettin., 62, 345.—Lep. (Cf. *Teratausta* Hampson 1903.)

- Teratembia Krauss 1911, Zoologica, Stuttgart, 60, 33.—Embiopt.
 Teratexis Semenov-Tian-Shanskiĭ & Znoiko 1933, Bull. Soc. ent. France, 38, 99.—Col.
 Terathopius Lesson 1830, Traité Ornith., (1) 46.—Aves.
 Teratichnus Miller 1830, J. Cincinnati Soc. nat. Hist., 2, 221.—? Moll.
 Teratichthus (pro *-thys* Koenig 1825) Keferstein 1829, Teutschl., Zeit. Geogn. Geol., No. 8, 124.—Pisces.
 Teratichthys Koenig 1825, Icones foss., 4.—Pisces.
 Teratichthys Giglioli [non Koenig 1825] 1882, Naturale, 25, 535.—Pisces. (Cf. *Paradoxichthys* Giglioli 1882.)
 Teraticorhynchus Kleine 1925, Indian For. Rec., 11, 155.—Col.
 Teraticum Chilton 1884, Trans. N. Zealand Inst., 16, 257.—Crust.
 Teratidium Bates 1874, Ent. mon. Mag., 11, 100.—Col.
 Teratobaicalia (emend. pro *-italia* Lindholm 1909) Dybowski 1911, Kosmos, 36, 974.—Moll.
 Teratobaicalia Lindholm 1909, Wiss. Ergebn. Zool. Exp. Baikal-See, Lief. 4, 41, 43.—Moll.
 Teratobates Esaki 1927, Eos, 3, 261.—Hem.
 Teratocapsus Poppius 1911, Ofvers. finska VetenskSoc. Förh., 53, A3, 10.—Hem.
 Teratocarabus Semenov-Tian-Shanskiĭ & Znoiko 1932, C.R. Acad. Sci. U.R.S.S., 1932(A), 215.—Col.
 Teratocazira Breddin 1903, Soc. ent., 18, 34.—Hem.
 Teratocephalus De Man 1876, Tijdschr. Ned. dierk. Ver., 2, 137.—Verm. (Nema.).
 Teratocera Guenée 1852, Hist. nat. Ins., Spec. gén. Lép., 7, 339.—Lep.
 Teratochrysis Semenov 1912, Rev. russe ent., 12, 198.—Hym.
 Teratocombus (n.n. pro *Teratoneura* Poppius 1910) Poppius 1913, Ent. Tidskr., 34, 260.—Hem.
 Teratocoris Fieber 1858, Wien. ent. Monatschr., 2, 302.—Hem.
 Teratocranum Kertész 1899, Termés. Füzetek, 22, 189.—Dipt.
 Teratocrinus Wanner 1924, 2^e Nederl. Timor Exped., 316.—Echin.
 Teratodella Reuter 1875, Bih. svenska VetenskAkad. Förh., 3, no. 1, 7.—Hem.
 Teratodes Brullé [? 1837], H.N. Ins., 9 (Orth.), 1835, 222.—Orth.
 Teratodes Koch 1838, Die Arachniden, 5 (1), 6.—Arachn.
 Teratodes Guenée 1845, Ann. Soc. ent. France, (2) 3, 168.—Lep.
 Teratodia Bergroth 1924, Notulae ent., 4, 7.—Hem.
 Teratofulvius Poppius 1914, Tijdschr. Ent., 56, Suppl., 143.—Hem.
 Teratolepis Guenther 1870, Proc. zool. Soc. London, 1869, 504.—Rept.
 Teratolethrus Semenov 1894, Horae Soc. ent. ross., 28, 477, 483.—Col.
 Teratolister Bruch 1930, Rec. Soc. ent. argent., 3, 1.—Col.
 Teratolytta Semenov 1894, Horae Soc. ent. ross., 28, 533.—Col.
 Teratomorpha Nicéville 1896, J. Bombay nat. Hist. Soc., 10, 191.—Lep. (Pyralid.).
 Teratomorpha Turner 1896, Trans. roy. Soc. S. Australia, 20, 20.—Lep. (Gelechiid.).
 Teratomorpha Walsingham 1912, Biol. Centr. Amer., Lep. Het., 4, 127.—Lep. (Gelechiid.). (See *Trycherodes* Meyrick 1914.)
 Teratomyza Malloch 1933, Stylops, 2, 113.—Dipt.
 Teratoneura Dudgeon 1909, Trans. ent. Soc. London, 1909, Proc., li.—Lep.
 Teratoneura Poppius 1910, Ofvers. finska VetenskSoc. Förh., 52, no. 1, 8.—Hem. (See *Teratocombus* Poppius 1913.)
 Teratonympha (emend. pro *Teranympha* Koidzumi 1917) Koidzumi 1921, Parasitology, 13, 261.—Prot.
 Teratopactus Heller 1921, An. Soc. cient. Argent., 91, 20.—Col.
 Teratophius (pro *-thopius* Lesson 1830) Smith 1833, Proc. zool. Soc. London, 1, 45.—Aves.
 Teratophthalma Stichel 1909, Berlin. ent. Z., 54, 1.—Lep.
 Teratopius (pro *-thopius* Lesson 1830) Lafresnaye 1842, Dict. univ. Hist. nat., 2, 497.—Aves.
 Teratopoeus (emend. pro *-thopius* Lesson 1830) Agassiz 1846, Nomen. Zool. Index Univ.—Aves.
 Teratopora Meyrick 1889, Trans. ent. Soc. London, 1889, 459.—Lep.
 Teratopsis Walsingham 1881, Trans. ent. Soc. London, 1881, 259.—Lep.
 Teratopsocus Reuter 1894, Acta Soc. Fauna Fenn., 9, 43.—Psocopt.
 Teratoptera Malloch 1933, Dipt. Patag. & S. Chile, 6, 387.—Dipt.
 Teratopteris Huebner [1819], Verz. bekannt. Schmettt., (10) 151.—Lep.
 Teratopus (emend. pro *Terapopus* Schoenherr 1845) Agassiz 1846, Nomen. Zool. Index Univ.—Col.
 Teratopus Loew 1857, Ofvers. VetenskAkad. Förh. Stockholm, 14, 348.—Dipt.
 Teratorhombus Macleay 1882, Proc. Linn. Soc. N.S. Wales, 6, 126.—Pisces.
 Teratorhynchus Reed 1903, (Pal. Soc. Mon.) Low. palaeoz. Tril. Girvan, 1, 33.—Trilobita.
 Teratornis Miller 1909, Bull. Dep. Geol. Univ. Calif. Pub., 5, 307.—Aves.
 Teratosaurus Meyer 1861, N. Jahrb. Min., 1861, 71.—Rept.

- Teratoscincus Strauch 1863, Bull. Acad. imp. Sci. St. Pétersbourg, 6, 480.—Rept.
 Teratocopus (n.n. pro *Gnostus* Fieber 1858) Fieber 1861, Europ. Hem., 315.—Hem.
- Teratosoma Lewis 1885, Ann. Mag. nat. Hist., (5) 15, 471.—Col.
 Teratotarsa Tschitscherin 1893, Horae Soc. ent. ross., 27, 452.—Col.
 Teratotarsus (pro *-sa* Tschitscherin 1893) Péringuey 1896, Trans. S. Afr. phil. Soc., 7, 545, 566.—Col.
- Teratothyas Viets 1929, Zool. Anz., 83, 331.—Arachn.
 Teratotrema Travassos, Artigas & Pereira 1928, Arch. Inst. Biol. São Paulo, 1, 35.—Verm. (Trem.).
- Teratozoa (pro *Terozoa* Foerster 1868) Schulz 1906, Spolia hym., 99.—Hym.
 Teratura Redtenbacher 1891, Verh. zool.-bot. Ges. Wien., 41, 492.—Orth.
 Teraturus Kokujev 1898, Horae Soc. ent. ross., 32, 376.—Hym.
 Terauchiana Matsumura 1915, Trans. Sapporo nat. Hist. Soc., 5, 178.—Hem.
 Terberatula (err. pro *Terebra*-Mueller 1776) Schlosser 1925, Abh. bayer. Akad. Wiss., 30 (7), 30.—Brach.
- Tercina (pro *Tersina* Vieillot 1818) [?Author] 1829, Cat. Ois. Riocour, 17.—Aves.
 Tercyathus Vologdin 1932, Geol. Prosp. Serv. U.S.S.R., 90.—Coel.
 Terebatula (err. pro *-bratula* Mueller 1776) Fabricius 1823, Fortegnelse, 64.—Brach.
 Terebella Linnaeus 1767, Syst. Nat., ed. 12, 1092.—Verm. (Polych.).
 Terebellaria Lamouroux 1821, Expos. méth. Polyp., 84.—Bry.
 Terebellicola Sars 1860, Nyt Mag. Naturv., 11, 252.—Crust.
 Terebellides Sars 1830, Beskr. Bergenske Kyst Dyr, 48.—Verm. (Polych.).
 Terebelligenus Renier 1807, Tav. Classif. An., pl. viii.—Moll.
 Terebellina Ulrich 1904, in Harriman, Alaska Exped., 4, 123, 132.—Verm. (†Ann.).
 Terebellopsis Leymerie 1844, Bull. Soc. géol. France, (2) 2, 22 [n.n.]; 1846, Mém. Soc. géol. France, (2) 1 (2), 365.—Moll.
- Terebellum Bolten 1798, Mus. Bolten., (2) 135.—Moll.
 Terebellum Lamarck [non Bolten 1798] (1798), Ency. Méth. (Tabl. Vers) pl. 360.—Moll.
- Terebellum Montfort 1810, Conch. Syst., 2, 11.—?Verm. (Polych.).
 Terebellum (Browne MS.) Gray 1847, Proc. zool. Soc. London, 15, 155.—Moll.
- Terebia (err. pro *Tar*-Adams 1854) Sacco 1895, Moll. Terr. terz. Piemonte Liguria, 17, 58.—Moll.
- Terebra Bruguière 1789, Ency. Méth. (Vers.) (1) xv.—Moll.
 Terebracites Krueger 1823, Gesch. d. Urwelt, 2, 418.—Moll.
 Terebralia Swainson 1840, Treat. Malacol., 157, 315.—Moll.
 Terebralina Terquem 1866, Six Mem. Foram. Lias, 476.—Prot.
 Terebraliopsis Cossmann 1906, Essais Paléoconch. comp., 7, 128.—Moll.
 Terebraria (emend. pro *Terebra* Bruguière 1789) Rafinesque 1815, Analyse, 145.—Moll.
- Terebraria Rafinesque 1831, Cont. Mon. Biv. Shells Ohio, 7.—*Inc. sed.*
 Terebrarius Duméril 1806, Zool. Anal., 166.—Moll.
 Terebraspira Conrad 1862, Proc. Acad. nat. Sci. Philad., 1862, 286.—Moll.
 Terebratalia Beecher 1893, Trans. Connecticut Acad. Arts Sci., 9, 377.—Brach.
 Terebratella d'Orbigny 1847, C.R. Acad. Sci. (Paris), 25, 269; 1849, Ann. Sci. nat. (Zool.), Paris, (3) 13, 344.—Brach.
 Terebratula Mueller 1776, Z. Dan. Prod., xxxi, 249; Lamarck [1799], Mém. Soc. Hist. nat. Paris, 1, 89.—Brach.
- Terebratularius Duméril 1806, Zool. Anal., 170.—Brach.
 Terebratulina d'Orbigny 1847, C.R. Acad. Sci. (Paris), 25, 268; 1849, Paléont. franç., Terr. créét., 4, 56.—Brach.
- Terebratulites Martini 1769, Berlin. Mag., 4, 49.—Brach.
 Terebratulites Huepsch [non Martini 1769] 1781, Naturg. Niederdeutschl., 13.—Brach.
 Terebratulites Blumenbach [non Martini, Huepsch] 1803, Spec. Arch. tellur., 18.—Brach.
- Terebratulites Schlotheim [non Martini et al.] 1813, Tasch. Min., 7, 36.—Brach.
 Terebratuloidea Waagen 1883, Pal. Indica, (13) 1 (4) 410, 413.—Brach.
 Terebratuloidea de Gregorio 1930, Ann. géol. pal. Palermo, 55, 8 [n.n.].—Brach.
 Terebrella (pro *-bella* L. 1767) Packard 1867, Mem. Boston Soc. nat. Hist., 1 (2), 292.—Verm. (Polych.).
 Terebrella Maltzan 1886, NachrBl. dtsch. malak. Ges., 18, 27.—Moll.
 Terebrella Andreae 1887, Abh. geol. specialkarte Elsass-Lothringen, 4 (3), 32.—Moll. (See *Trypetes* Tomlin 1929.)
- Terebrifusus Conrad 1865, Amer. J. Conch., 1, 28.—Moll.
 Terebrigenus Renier 1807, Tav. Classif. An., pl. viii.—Moll.
 Terebrina (emend. pro *-bellum* Lamarck 1798) Rafinesque 1815, Analyse, 145.—Moll.
- Terebrina Bartsch [non Rafinesque 1815] 1923, Nautilus, 37, 62, 63.—Moll.
 Terebripirena Cossmann 1912, Essais Paléoconch. comp., 9, 162.—Moll.

- Terebripora* d'Orbigny [1842], Amér. Mérid., 9, 2 Atlas, pl. x; [1847] (Zooph.), 22.—Bry.
- Terebrirostra* d'Orbigny 1847, C.R. Acad. Sci. (Paris), 25, 269; 1850, Ann. Sci. nat. (Zool.), Paris, (3) 13, 345; 1850, Paléont. franç., Terr. créét., 4, 126.—Brach.
- Terebrirostris* (err. pro *-rostra* d'Orbigny 1847) Gray 1848, Ann. Mag. nat. Hist., (2) 2, 436.—Brach.
- Terebrispira* (err. pro *-braspira* Conrad 1862) Meek 1876, Rep. U.S. geol. Surv. Terr., 9, 356.—Moll.
- Terebritoma* Cossmann ?1894, Ann. Géol. Univ., 9, 1892, 773.—Moll.
- Terebro* (err. pro *Teredo* L. 1758) Carpenter 1859, Ann. Rep. Regents Univ. State N. York, 12, 103.—Moll.
- Terebrum* (pro *-bra* Bruguière 1789) Montfort 1810, Conch. Syst., 2, 430.—Moll.
- Terechia* (pro *Terekia* Bonaparte 1838) Bonaparte 1841, Fauna Ital. (Introd.), [13].—Aves.
- Terecia* (pro *Terekia* Bonaparte 1838) Goebel 1871, J. Orn., 21, 22, 25.—Aves.
- Tereckia* (pro *Terekia* Bonaparte 1838) Giebel 1875, Thesaur. Orn., 2, fasc. 2, 482.—Aves.
- Teredarius* Duméril 1806, Zool. Anal., 343.—Moll.
- Teredigenus* Renier 1807, Tav. Classif. An., pl. vii.—Moll.
- Teredina* Lamarck 1818, An. s. vert., 5, 438.—Moll.
- Teredinopsis* Fuchs 1878, Denkschr. Akad. Wiss. Wien, 38, (2) 39.—Moll.
- Teredo* Linnaeus 1758, Syst. Nat., ed. 10, 651; 1767, ed. 12, 1267.—Moll.
- Teredo* Huebner [1809]—[1813], Erste Zutr., 6; Zutr. Samml. exot. Schmett., 1, pl. [25].—Lep.
- Teredolaemus* Sharp [1885], J. Linn. Soc. London, Zool., 19, 1886, 74.—Col.
- Teredolites* Leymerie 1841, Mém. Soc. géol. France, 4 (2), 341 [n.n.]; 1842, 5 (1), 2.—Moll.
- Teredolithes* (pro *-tes* Leymerie 1841) Herrmannsen 1852, Indicis Gen. Malac. Suppl., 131.—Moll.
- Teredolithus* Bartsch 1930, Science, 71, 460.—Moll.
- Teredon* Norton 1869, Trans. Amer. ent. Soc., 2, 366.—Hym. (nec *Teredo* L. 1758 see *Teredonia* Kirby 1882).
- Teredonia* (n.n. pro *Teredon* Norton 1869) Kirby 1882, List Hym. Brit. Mus., 1, 386.—Hym.
- Teredonosoma* (emend. pro *-dosoma* Curtis 1840) Agassiz 1846, Nomen. Zool. Index Univ.—Col.
- Teredops* Bartsch 1921, Proc. biol. Soc. Washington, 34, 26.—Moll.
- Teredora* Bartsch 1921, Proc. biol. Soc. Washington, 34, 26.—Moll.
- Teredorus* Hancock 1906, Gen. Insect., 48, 52.—Orth.
- Teredosoma* Curtis 1840, Ann. nat. Hist., 5, 278.—Col.
- Teredothyra* Bartsch 1921, Proc. biol. Soc. Washington, 34, 26.—Moll.
- Teredus* Dejean 1835, Catal. Coléopt., ed. 2, 313 [n.n.]; Shuckard 1840, Brit. Col. delin., 28.—Col.
- Terefundus* Finlay 1927, Trans. N. Zealand Inst., 57, 425.—Moll.
- Terekia* Bonaparte 1838, List Birds Eur. Amer., 52.—Aves.
- Terella* (?pro *Fenella* Adams 1864) Paetel 1888, Cat. Conch., ed. 4, 1, 470.—Moll.
- Terellia* Robineau-Desvoidy 1830, Mém. présentés Acad. roy. Sci. Inst. France, 2, 758.—Dipt.
- Terelliosoma* Rondani 1856, Dipt. ital. Prodr., 1, 109.—Dipt.
- Teremelon* Marwick 1926, Trans. N. Zealand Inst., 56, 265, 279.—Moll.
- Teremenes* Carter 1914, Proc. Linn. Soc. N. S. Wales, 39, 54, 55.—Col.
- Teremya* (pro *-myia* Macquart 1835) Schiner 1868, Reise Novara, Zool., 2 (1b), Dipt., 227.—Dipt.
- Teremyia* Macquart 1835, (Roret's Suite à Buffon) Diptères, 2, 514.—Dipt.
- Terenia* Robineau-Desvoidy 1830, Mém. présentés Acad. roy. Sci. Inst. France, 2, 640.—Dipt.
- Terennia* (pro *-enia* R.-Desvoidy 1830) Schiner 1868, Reise Novara, Zool., 2 (1b), Dipt., 227.—Dipt.
- Terenochiton* Iredale 1914, Proc. malac. Soc. London, 11, 28.—Moll.
- Terenodes* Guenée 1857, Hist. nat. Ins., Spec. gén. Lép., 10, 508.—Lep.
- Terenolla* Iredale 1929, Mem. Queensland Mus., 9, 282.—Moll.
- Terenotreron* (emend. pro *Thouarsitrevon* Bonaparte 1854) Heine 1890, Nomencl. Mus. Hein., 280.—Aves.
- Terenotriccus* Ridgway 1905, Proc. biol. Soc. Washington, 18, 207.—Aves.
- Terentia* Jukes-Browne 1914, Proc. malac. Soc. London, 11, 86.—Moll. (nec *Terentius* Stål 1866 see *Eulerentia* Cossmann 1920).
- Terentius* Stål 1866, Hem. Afric., 4, 87.—Hem.
- Terenura* Cabanis 1859, Mus. Hein., 2, 11.—Aves.
- Terenus* (Fitch MS.) Marshall 1885, Trans. ent. Soc. London, 1885, 65.—Hym.
- Teres* Boettger 1878, Ber. Offenbacher Ver. Naturk., 17-18, Mitt., 45.—Moll.

- Teres Bucquoy, Dautzenberg & Dollfus 1883, Moll. Mar. Roussillon, 1, 85, 86.—Moll.
(See *Teretia* Monterosato 1890.)
- Teressa Walker 1867, Cat. Specimens Het.-Hem. Coll. Brit. Mus., 1, 113.—Hem.
- Teretia (n.n. pro *Teres* Bucquoy, Dautzenberg & Dollfus 1883) Monterosato 1890, Nat. Sicil., 9, 187.—Moll.
- Teretianax Iredale 1918, Proc. malac. Soc. London, 13, 28, 39.—Moll.
- Tereticus Waterhouse 1879, Cistula ent., 2, 534.—Col.
- Teretlanguria Crotch 1875, Cistula ent., 1, 394.—Col.
- Teretileda Iredale 1929, Rec. Australian Mus., 17, 158.—Moll.
- Teretistris Cabanis 1855, J. Orn., 3, 476.—Aves.
- Teretotopus Robson 1929, Ann. Mag. nat. Hist., (10) 3, 608.—Moll.
- Teretrina Cossmann 1912, Essais Paléococh. comp., 9, 6.—Moll.
- Teretriosoma Horn 1873, Proc. Amer. phil. Soc., 13, 347.—Col.
- Teretripiora Finlay 1926, Trans. N. Zealand Inst., 57, 384.—Moll.
- Teretristis (pro *-histris* Cabanis 1855) Baird 1865, Smithson. misc. Collect., 12 (1), no. 181, 233.—Aves.
- Teretristis (pro *-histris* Cabanis 1855) Giebel 1877, Thesaur. Orn., 3, 606.—Aves.
- Teretrius Erichson 1834, in Klug, Jahrb. Insectenkunde 1, 201.—Col.
- Teretromyia Bigot 1859, Ann. Soc. ent. France, (3) 7, 416.—Dipt.
- Teretrophora Macquart 1851, Dipt. exot., Suppl. 4, 201 (ex Mém. Soc. Sci. Lille, 1850 (1851)).—Dipt.
- Teretropoma Rochebrune 1882, Bull. Soc. philom. Paris, (7) 6, 110.—Moll.
- Teretrum Scudder 1894, Monogr. U.S. geol. Surv., 21, 25.—Col.
- Teretrura Bigot 1885, Ann. Soc. ent. France, (6) 5, Bull., clxv.—Dipt.
- Teretrurus Beddome 1886, Ann. Mag. nat. Hist., (5) 17, 28.—Rept.
- Teretulus Rafinesque 1820 (June), Western Review, 2 (5), 301 [*i.e.* 303]; 1820 (Dec.), Ichth. Ohiensis, 57.—Pisces.
- Tereus Billberg 1820, Enum. Insect. in Mus. Blbg., 26.—Col.
- Tereus Gray 1867, Proc. zool. Soc. London, 1867, 537.—Spong.
- Tereutherium (pro *The-* Filhol 1876) Filhol 1877, Ann. Sci. géol., 8, pl. 1.—Mamm.
- Tergestia Stossich 1899, Boll. Soc. Adriat., 19, 11, 16.—Verm. (Trem.).
- Tergilla v. Heyden 1826, Isis (Oken), 1826, 611.—Arachn.
- Tergipes Risso 1818, Journ. de Physique, 87, 373.—Moll.
- Teria (pro *-rias* Swainson 1821) Blasquez 1870, La Natureza, 1, 282.—Lep.
- Terias Swainson 1821, Zool. Illust., (1) 1 (4), pl. 22.—Lep.
- Teriastiomyia (pro *Teras-* Bigot 1859) Schiner 1868, Reise Novara, Zool., 2 (1b), Dipt., 228.—Dipt.
- Teridates Champion 1903, Biol. Centr. Amer., Zool., Col. 4, pt. 4, 202.—Col.
- Teridina (err. pro *Tered-* Lamarck 1818) Sowerby 1839, Conch. Man., 117.—Moll.
- Terillus Chapuis 1874, in Lacordaire, Hist. nat. Ins., Gen. Col., 10, 243.—Col.
- Terina Huebner [1823], Verz. bekannt. Schmett., (18) 283.—Lep. (Geometrid.).
- Terina Agassiz 1838, Mon. Ech. (Salin.), 4.—Echin.
- Terina Walker 1854, List Specimens Lep. Ins. Brit. Mus., 2, 464.—Lep. (Geometrid.)
- Terinaea Bates 1884, J. Linn. Soc. London, Zool., 18, 249.—Col.
- Terinos Boisduval 1836, Suite à Buffon (Lép.), 1, expl. pl. ix.—Lep.
- Teriocolias Roeber 1910, in Seitz, Macrolep. World, 5, 89.—Lep.
- Terioltes Champion 1903, Biol. Centr. Amer., Zool., Col. 4, pt. 4, 146.—Col.
- Teriomima Kirby 1887, Ann. Mag. nat. Hist., (5) 19, 364.—Lep.
- Teripelus Heller 1909, Wien. ent. Ztg., 28, 233.—Col.
- Terires Champion 1902, Biol. Centr. Amer., Zool., Col. 4, pt. 4, 138.—Col.
- Termapora McAtee & Malloch 1933, Ann. Carnegie Mus., 21, 370.—Hem.
- Termaphyllidea Reuter & Poppius 1912, Ofvers. finska VetenskSoc. Förh., 54, no. 1, 4.—Hem.
- Termaphyllum Reuter 1884, Wien. ent. Ztg., 3, 218.—Hem.
- Terματοςaurus Plieninger 1844, in Meyer & Plieninger, Beitr. Pal. Wuertt., 125.—Rept.
- Termera Stål 1874, Recensio Orth., 2, 54.—Orth.
- Termes Linnaeus 1758, Syst. Nat., ed. 10, 609; 1767, ed. 12, 1015.—Isopt.
- Termessa Walker 1856, List Specimens Lep. Ins. Brit. Mus., 7, 1689.—Lep.
- Termiculus Blumenbach 1788, Hand. Naturg., ed. 3, 433.—Psocopt.
- Termidonia Motschoulsky [1860], Etudes ent., 8, 1859, 87.—Col.
- Termieria Lambert 1931, Mém. Soc. géol. France, (N.S.) 16, 30.—Echin.
- Terminalinus Hopkins 1915, Rep. Off. Secy. U.S. Dep. Agric., 99, 57.—Col.
- Terminonaris (n.n. pro *Teleorhinus* Osborn 1904) Osborn 1904, Bull. Amer. Mus. nat. Hist., 20, 240.—Rept.
- Termitopycha Meyrick 1889, Trans. ent. Soc. London, 1889, 504.—Lep.
- Termitacarus Trägårdh 1906, Zool. Anz., 30, 875.—Arachn.
- Termitadelphos Holmgren 1905, Zool. Anz., 29, 530.—Dipt.
- Termitana Fairmaire 1899, Bull. Soc. ent. France, 1899, 316.—Col.
- Termitaphis Wasmann 1902, Tijdschr. Ent., 45, 105.—Hem.
- Termitaradus Myers 1924, Psyche, 31, 259, 270 (as *Termitataradus* p. 262).—Hem.

- Termitataradus** see **Termitaradus**.
Termitella Wasmann 1911, Rev. Zool. afric., 1, 170.—Col.
Termitidium Westwood 1854, Quart. J. geol. Soc., 10, 394.—Isopt.
Termitidium Goldenberg [non Westwood 1854] 1877, Fauna Saraep. Foss., 2, 17.—Isopt.
Termitissa Reichensperger 1922, Ent. Mitt., 11, 78.—Col.
Termitobaena Bernhauer 1915, Verh. zool.-bot. Ges. Wien, 65, 155.—Col.
Termitobia Wasmann 1891, Verh. zool.-bot. Ges. Wien, 41, Abh., 647.—Col.
Termitobiella Wasmann 1916, Zool. Jahrb., Syst., 39, 187.—Col.
Termitoblatta Rehn 1922, Ann. Transvaal Mus., 9, 20.—Orth.
Termitobracon Brues 1923, Zoologica, N. York, 3, 429.—Hym.
Termitochara Wasmann 1893, Wien. ent. Ztg., 12, 247.—Col.
Termitococcus Silvestri 1901, Boll. Mus. Zool. Anat. comp. Torino, 16, 4.—Hem.
Termitodeipnus Enderlein 1908, Zool. Jahrb., Syst., 27, 148.—Dipt.
Termitodesmus Silvestri 1911, in Escherich, Termitenleben auf Ceylon, 245.—Myr.
Termitodipteron Holmgren 1905, Zool. Anz., 29, 533.—Dipt.
Termitodiscus Wasmann 1899, Dtsch. ent. Z., 1899, 147.—Col.
Termitodius Wasmann 1894, Krit. Verz. myrmek. termitoph. Arthrop., 220.—Col.
Termitoecia Bernhauer 1920, Ark. Zool., 13, no. 8, 20.—Col.
Termitogaster Casey 1889, Ann. N. York Acad. Sci., 4, 384.—Col.
Termitogerrus Bernhauer 1932, Rev. Zool. Bot. afric., 22, 157.—Col.
Termitogeton Desneux 1904, Ann. Soc. ent. Belgique, 48, 374.—Isopt.
Termitogetonella Oshima 1920, Philippine J. Sci., 17, 496.—Isopt.
Termitoicus Silvestri 1901, Boll. Mus. Zool. Anat. comp. Torino, 16, no. 398, 5.—Col.
Termitolara Bernhauer 1927, Rev. Zool. Bot. afric., 15, 239.—Col.
Termitolinus Wasmann 1911, Rev. Zool. afric., 1, 97.—Col.
Termitolister Bruch 1930, Rev. Soc. ent. argent., 3, 39.—Col.
Termitomastus Silvestri 1901, Boll. Mus. Zool. Anat. comp. Torino, 16, no. 395, 1.—Dipt.
Termitometoecus Borgmeier & Schmitz 1922, Z. dtsh. Ver. Wiss. u. Kunst. São Paulo, 3, 140.—Dipt.
Termitomimus Trägårdh 1907, Zool. Stud. Tullberg, 173.—Col.
Termitomorpha Wasmann 1894, Krit. Verz. myrmek. termitoph. Arthrop., 210.—Col.
Termitomyia Wasmann 1901, Z. wiss. Zool., 70, 295.—Dipt.
Termitonannus Wasmann 1902, Boll. Mus. Zool. Anat. comp. Torino, 1902, no. 427, 2.—Col.
Termitonebria Wasmann 1925, S. Afric. J. nat. Hist., 5, 105.—Col.
Termitonicus Mann 1926, Proc. ent. Soc. Washington, 28, 153.—Col.
Termitoniscus Silvestri 1918, Boll. Lab. Zool. Portici, 12, 290.—Crust.
Termitopaedia Wasmann 1911, Rev. zool. afric., 1, 114.—Col.
Termitophora Schmitz 1913, Ent. Medd., 10, 9.—Dipt.
Termitophorba Foerster 1906, Jb. Nassau. Ver. Naturh., 59, 305.—Odon.
Termitophorides Borgmeier 1922, Z. dtsh. Ver. Wiss. u. Kunst. São Paulo, 3, 171.—Dipt.
Termitophya Wasmann 1902, Tijdschr. Ent., 45, 95.—Col.
Termitopisthes Wasmann 1918, Wien. ent. Ztg., 37, 13.—Col.
Termitopora Motschoulsky [1860], Etudes ent., 8, 1859, 61.—Col.
Termitopsenius Wasmann 1902, Boll. Mus. Zool. Anat. comp. Torino, 1902, no. 427, 4.—Col.
Termitopsyllus Wasmann 1897, Abh. Senckenburg. Mus., 21, 169.—Hem.
Termitoptochus Silvestri (1910), Boll. Lab. Zool. Portici, 5, 37.—Col.
Termitoptocinus Silvestri 1915, Boll. Lab. Zool. Portici, 15, 15.—Col.
Termitopulex Fauvel 1899, Rev. Ent. franç., 18, 38.—Col.
Termitopullus Reichensperger 1922, Ent. Mitt., 11, 34.—Col.
Termitoquediis Bernhauer 1912, Verh. zool.-bot. Ges. Wien, 62, 45.—Col.
Termitorioxa Hendel 1928, Ent. Mitt., 17, 351.—Dipt.
Termitosagma Reichensperger 1931, Zool. Anz., 93, 302.—Dipt.
Termitosciara Schmitz 1915, Tijdschr. Ent., 58, 281.—Dipt.
Termitosius Silvestri 1901, Boll. Mus. Zool. Anat. comp. Torino, 16, no. 398, 8.—Col.
Termitospectrum Mann 1926, Proc. ent. Soc. Washington, 28, 154.—Col.
Termitosphaera Wasmann 1913, Ann. Soc. ent. Belgique, 57, 17.—Dipt.
Termitostroma Reichensperger 1931, Zool. Anz., 93, 297.—Dipt.
Termitosuga Kemner 1927, Ark. Zool., 18A, no. 29, 4.—Col.
Termitotecna Wasmann 1912, Z. wiss. Zool., 101, 88.—Col.
Termitotelus Wasmann 1908, Denkschr. med. Ges. Jena, 13, 441.—Col.
Termitothymus Silvestri 1901, Boll. Mus. Zool. Anat. comp. Torino, 16, no. 398, 1.—Col.
Termitotima Wasmann 1916, Zool. Jahrb., Syst., 39, 188.—Col.
Termitotropha Wasmann 1899, Dtsch. ent. Z., 1899, 178.—Col.

- Termitotrox Wasmann 1918, Wien. ent. Ztg., 37, 4.—Col.
 Termitoxenia Wasmann 1900, Z. wiss. Zool., 67, 601.—Dipt.
 Termitoxenus Schmidt 1889, Berlin. ent. Z., 33, 321.—Col.
 Termitoxidium Pic 1928, Rev. Zool. Bot. afric., 16, 38.—Col.
 Termitophilus Silvestri 1901, Boll. Mus. Zool. Anat. comp. Torino, 16, no. 398, 7.—Col.
 Termitusa Wasmann 1905, Rev. ent. franç., 1905, 199.—Col.
 Termophila Grassi 1887, Bull. Soc. ent. Ital., 19, 58.—Thysanura.
 Termophila Lea 1910, Proc. roy. Soc. Victoria, 23, 136.—Col. (See *Hetaivotermes* Cameron 1920.)
 Termopleurus (pro *Temno*-Agassiz 1841) d'Orbigny 1854, Pal. Franç., (1) Terr. créat. Ech., 6, 38.—Echin.
 Termops (? err. pro *-sis* Heer 1849) Hanstroem 1930, Z. Morph. Oekol. Tiere, 19, 732.—Isopt.
 Termopsis Heer [1849], N.D. Allg. Schweiz. Gesellsch., 11, 1850, 23.—Isopt.
 Termozyras Cameron 1930, Rev. Zool. Bot. afric., 19, 420.—Col.
 Terna (err. pro *Ste*-L. 1758) Wood 1835, Orn. Guide, 227.—Aves.
 Terna Walker 1864, List Specimens Lep. Ins. Brit. Mus., 31, 267.—Lep.
 Ternicellaria d'Orbigny 1851, Paléont. franç., Terr. créat., 5, Bry., 47.—Bry.
 Ternidens Railliet & Henry 1909, C.R. Soc. Biol., Paris, 66, 169.—Verm. (Nema.).
 Ternivoluta Martens 1897, Arch. Naturgesch., 63 (1), Heft 2, 177.—Moll.
 Ternova Casey 1922, Mem. Col., 10, 188.—Col.
 Ternox Motschoulsky 1865, Bull. Soc. imp. Nat. Moscou, 38 (2), 268.—Col.
 Terobia Foerster 1878, Verh. naturh. Ver. Rheinl. u. Westf., 35, 64.—Hym.
 Terobiella Ashmead 1900, Proc. Linn. Soc. N.S. Wales, 25, 343.—Hym.
 Terobyrtus Ohta 1930, Insecta matsum., 4, 102.—Col.
 Terocolus see *Teracolus*.
 Teromyia Leicester 1908, Stud. Inst. Malay States, 3, pt. 3, 49.—Dipt.
 Teronyx (n.n. pro *Trionyx* Haliday 1833) Haldeman 1842, Proc. Acad. nat. Sci. Philad., 1, 191.—Hym.
 Teropalpus Solier 1849, in Gay, Chili, 4 (Col.), 330.—Col.
 Teropha Laporte 1868, Trans. Proc. roy. Soc. Victoria, 8, 176.—Col.
 Teroplas Gorham 1884, Biol. Centr. Amer., Zool., Col., 3 (2), 243.—Col.
 Terospiza (pro *Tervaspiza* Kaup 1867) Giebel 1877, Thesaur. Orn., 3, 606.—Aves.
 Terozoa Foerster 1868, Verh. naturh. Ver. Rheinlande, 25, 200.—Hym.
 Terpandrus Brunner 1893, Ann. Mus. Stor. nat. Genova, (2) 13, 183.—Orth.
 Terpandrus Stål 1874, Recensio Orth., 2, 103.—Orth.
 Terphis Erichson 1840, Ertomographien, 168.—Dipt.
 Terphone (pro *-pone* Gray 1872) Gray 1872, Cat. Rumin. Mamm. Brit. Mus., 24.—Mamm.
 Terphothrix Holland 1893, Psyche, 6, 474.—Lep.
 Terphotrix (pro *-thrix* Holland 1893) Bryk 1934, Lep. Cat., 62, 312.—Lep.
 Terpillaria Sjoestedt 1920, Ark. Zool., 12, no. 20, 19.—Orth.
 Terpius Duchassaing & Michelotti 1864, Natuurk. Verh. Wet. Haarlem, (3) 21, no. 3, 97.—Spong.
 Terpiosella Burton 1930, Ann. Mag. nat. Hist., (10) 5, 676.—Spong.
 Terpiphora Foerster 1868, Verh. naturh. Ver. Rheinlande, 25, 185.—Hym.
 Terpna (pro *-ne* Huebner 1809-13) Herrich-Schaeffer 1856, Samml. Ausser. Europ. Schmett., 1, 26, 37, 62.—Lep.
 Terpne Huebner [1809]-[1813], Erste Zutr., 6; Zutr. Samml. exot. Schmett., 1, pl. [24].—Lep.
 Terpnidia Butler 1892, Proc. zool. Soc. London, 1892, 131.—Lep.
 Terpnissa Bates 1867, Ent. mon. Mag., 4, 25.—Col.
 Terpnistria Stål 1873, Öfvers. VetenskAkad. Förh. Stockholm, 30, no. 4, 42.—Orth.
 Terpnochlorus Fairmaire 1904, Ann. Soc. ent. Belgique, 48, 200.—Col.
 Terpnomicta (n.n. pro *Stegania* Guenée 1845) Lederer 1853, Verh. zool.-bot. Ver. Wien, 3 Abh., 199.—Lep.
 Terpnomyia Hendel 1909, Dtsch. ent. Z., 1909, 17.—Dipt.
 Terpnosia Distant 1892, Ann. Mag. nat. Hist., (6) 9, 325.—Hem.
 Terpolepis McClelland 1844, Calcutta J. nat. Hist., 5 (18), 225.—Pisces.
 Terpone Gray 1872, Proc. zool. Soc. London, 1871, 592.—Mamm.
 Terporopus Lea 1912, Trans. roy. Soc. S. Australia, 36, 129.—Col.
 Terpsichore (pro *-siphone* Gloger 1827) Gray [1846], Gen. Birds, 1, 257.—Aves.
 Terpsichore Kinberg 1865, Öfvers. VetenskAkad. Förh. Stockholm, 22, 257.—Verm. (Polych.).
 Terpsichrois (pro *Trep*-Huebner 1816) Huebner 1821, Index exot. Lepid., [5].—Lep.
 Terpsiphone Gloger 1827, Notizen (Froriep), 16, 278.—Aves.
 Terpsis Spaeth 1913, Arch. Naturgesch., 79, A6, 132.—Col.
 Terquemia Tate 1868, in Woodward, Man. Moll., ed. 2, App., 65.—Moll.
 Terquemia van Veen 1932, Verh. geol.-mijnb. Genoot. Ned. Kol., 9, 345.—Crust.
 Terquemina Galloway 1933, Manual Foram., 305.—Prot.

- Terracaecilius Chapman 1930, J. New York ent. Soc., 38, 343.—Psocopt.
 Terracantor Maynard 1907, Direct. Birds E.N. America, 245.—Aves.
 Terraeregina Malloch 1928, Proc. Linn. Soc. N.S. Wales, 53, 303.—Dipt.
 Terraia Cox 1934 (Feb.), Ann. Mag. nat. Hist., (10) 13, 269; 1934 (Mar.), Bol. Inst. geol. Perforaciones Montevideo, 11, 8.—Moll.
 Terrakea Booker 1931, J.R. Soc. N.S. Wales, 64, 66.—Brach.
 Terraleus Fairmaire 1899, Bull. Soc. ent. France, 1899, 384.—Col.
 Terranova Leiper & Atkinson 1914, Proc. zool. Soc. London, 1914, 226.—Verm. (Nema.).
 Terrapene Merrem 1820, Tent. Syst. Amph., 12, 27.—Rept.
 Terrapenne (pro *-pene* Merrem 1820) Gistel 1848, Nat. Thierr., 98.—Rept.
 Terraphaps Mathews 1913, Austral Avian Rec., 1, 195.—Aves.
 Terraphene (pro *-pene* Merrem 1820) Gray 1825, Ann. Phil., (N.S.) 10, 211.—Rept.
 Terratas Blanchard 1886, Traité Zool. Méd., 1, fasc. 2, 418.—Verm. (Cest.).
 Terrazetes Jacot 1929, Trans. Amer. micr. Soc., 48, 429.—Arachn.
 Terrellides (pro *Tere-* Sars 1835) Nordgaard 1905, in Nordgaard & Jørgensen, Bergens Mus. Hydrogr. Invest., 241.—Verm. (Polych.).
 Terrebripora d'Orbigny 1852, Paléont. franç., Terr. cré., 5, Bry., 424.—Bry.
 Terrestriana Fagot 1886, Bull. Soc. malac. France, 3, 171.—Moll.
 Terrestribombus Vogt 1911, S.B. Ges. naturf. Fr. Berlin, 1911, 55.—Hym.
 Terricola Fatio 1867, Campagnols Bassin du Léman, Ass. Zool. Léman, 73, 75.—Mamm.
 Terricolumba Hachisuka 1931, Oiseau, 1, 23.—Aves.
 Tersa Vieillot 1816, Analyse, 38.—Aves.
 Tersatia (err. pro *Terastia* Guenée 1854) Lederer 1863, Beitr. Kenntn. Pyralidinen, 124 (ex Wien. ent. Monatschr., 7, 415).—Lep.
 Terschellingia De Man 1888, Mém. Soc. zool. France, 1, 2, 11.—Verm. (Nema.).
 Tersebella (pro *Tere-* L. 1767) Agassiz 1849, Twelve Lect., 78.—Verm. (Polych.).
 Tersec Lameere 1913, Mém. Soc. ent. Belgique, 21, 143.—Col.
 Tersesthes Townsend 1893, Psyche, 6, 370.—Dipt.
 Tersilochus Holmgren 1858, Öfvers. VetenskAkad. Förh. Stockholm, 15, no. 6, 329.—Hym.
 Tersina Vieillot 1819, N.Dict. H.N., ed. 2, 33, 401.—Aves.
 Tersomia Kirby 1904, Ann. Mag. nat. Hist., (7) 13, 431.—Orth.
 Tersomus Case 1911, Bull. Amer. Mus. nat. Hist., 28, 180.—Rept.
 Tersus Martynov 1926, Ann. Soc. paléont. Russie, 5, 11.—Col.
 Terthreutis Meyrick 1918, Exot. Microlep., 2, 170.—Lep.
 Terthrotrips Karny 1925, Notulae Ent., 5, 77.—Thysanopt.
 Terthrotica Meyrick 1914, Exot. Microlep., 1, 231.—Lep.
 Tertrema Wiman 1915, Bull. Geol. Inst. Upsala, 13 (1), 21.—Amph.
 Terulia Stål 1860, K. svenska VetenskAkad. Handl., (N.F.) 3, no. 6, 50.—Hem.
 Terupis Simon 1904, Ann. Soc. ent. Belgique, 48, 103.—Arachn.
 Terveria Kennard & Woodward 1923, Proc. malac. Soc. London, 15, 308.—Moll.
 Terveriana Caziot 1910, Etude Moll. Princip. Monaco, 250.—Moll.
 Tervia Jullien 1882, Bull. Soc. zool. France, 7, 500.—Bry.
 Tesba Sharp 1876, Trans. ent. Soc. London, 1876, 194.—Col.
 Teschmessodes (pro *Tech-* Broun 1893) Seidlitz 1898, in Erichson, Naturgesch. Ins. Dtschl., 5 (2), 727.—Col.
 Tesia Hodgson 1837, J. Asiat. Soc. Bengal, 6, 101.—Aves.
 Teslasena Fleutiaux 1892, Ann. Soc. ent. France, 61, 410.—Col.
 Tesnus Rey 1884, Ann. Soc. linn. Lyon, (N.S.) 30, 1883, 315.—Col.
 Tassarabrachion Hansen 1911, Bull. Inst. Océan. Monaco, No. 210, 46.—Crust.
 Tassaradoma Norman 1869, Rep. Brit. Ass., 38, 1868, 309.—Bry.
 Tassarasparium Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 835.—Prot.
 Tassaraspidium Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 838.—Prot.
 Tassaraspis Haeckel 1881, Jena. Z., 15, 468.—Prot.
 Tassarastrella Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 547.—Prot.
 Tassaratoma Berthold 1827, in Latreille, Nat. Fam. Thierr., 416.—Hem.
 Tassarcephora Thomson 1857, Arch. ent. Paris, 1, 77.—Col.
 Tassarobelus Montrouzier 1864, Ann. Soc. linn. Lyon, 11, 246.—Hem.
 Tassarochaeta (n.n. pro *Tetrachaeta* Brauer & Bergenstamm 1894 nec Ehrenberg 1844 (Polygastrica)) Bezzi 1906, Z. Hym., 6, 50.—Dipt.
 Tassarodon Westwood 1842, Ann. Mag. nat. Hist., 10, 66.—Col.
 Tassarolax Gabb 1864, Geol. Surv. Calif., Pal., 1, 126.—Moll.
 Tassaromerus Kirkaldy 1908, Canad. Ent., 40, 452.—Hem.
 Tassaromma Newman 1840, Ann. nat. Hist., 5, 20.—Col. (Cerambycid.).
 Tassaromma Boheman 1858, Eugenie Resa, Dl. 2, Zool. 1, Ins., 91.—Col. (Tenebrionid.).
 Tassaropa Haldeman 1847, Proc. Amer. phil. Soc., 4 (39), 375.—Col.

- Tessaropelma* Haeckel 1881, Jena. Z., 15, 468.—Prot.
Tessarops Rafinesque 1821, Ann. gén. Sci. Phys. (Bruxelles), 8, 88.—Arachn.
Tessarops Norman 1868, Ann. Mag. nat. Hist., (4) 2, 412.—Crust.
Tessarospyris Haeckel 1881, Jena. Z., 15, 442.—Prot.
Tessarostromma Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 548.—Prot.
Tessarotis Warren 1903, Novit. zool., 10, 269.—Lep.
Tessarotoma (pro *-ratoma* Berthold 1827) Boisduval 1835, in d'Urville, Voy. "Astrolabe," Ent., 2, 631.—Hem.
Tessellaria Pomel 1887, Paléont. Algérie, 2, 339.—*Inc. sed.*
Tessellata Jousseume 1884, Le Naturaliste, 6, no. 52, 415.—Moll. (Cypraeid.).
Tessellata Wagner 1897, Denkschr. Akad. Wiss. Wien, 64, 570.—Moll. (Cyclophorid.).
Tessellarctia Hampson 1901, Cat. Lep. Phalaenae Brit. Mus., 3, 90.—Lep.
Tessellata (emend. pro *-elata* Jousseume 1884) Jousseume 1884, Bull. Soc. zool. France, 9, 97.—Moll.
Tessellota Hampson 1903, Cat. Lep. Phalaenae Brit. Mus., 3, 430.—Lep.
Tessera Haeckel 1880, Denkschr. Ges. Jena, 1880, 374.—Coel.
Tesseracme Pilsbry & Sharp 1898, Man. Conch., 17, 249.—Moll.
Tesserantha Haeckel 1880, Denkschr. Ges. Jena, 1880, 633.—Coel.
Tesseraria Haeckel 1880, Denkschr. Ges. Jena, 1880, 633.—Coel.
Tesseraria Boettger 1881, Conch. Mitt. 1 (4), 69.—Moll. (See *Phenacharopa* Pilsbry 1893.)
Tesseraspis Wills 1935, Trans. roy. Soc. Edinburgh, 58, 436.—Pisces.
Tesserastrum Haeckel 1881, Jena. Z., 15, 460.—Prot.
Tesseratoma (emend. pro *Tessar-* Berthold 1827) Burmeister 1835, Handb. Entom., 2 (1), 350.—Hem.
Tesserin (Neboux MS.) Gray 1841, List Gen. Birds, ed. 2, 57.—Aves.
Tesserocerus Saunders 1837, Trans. ent. Soc. London, 1, 155.—Col.
Tesserocranulus Schedl 1933, Rev. Ent. Rio de Janeiro, 3, 164.—Col.
Tesserodon Hope 1837, Coleopt. Manual, 1, 55.—Col.
Tesseromma (err. pro *Tessar-* Newman 1840) Thomson 1864, Syst. Ceramb., 404.—Col.
Tesseroplatus Schedl 1935, Ent. NachrBl., 9, 149.—Col.
Tesseropora Pilsbry 1916, Bull. U.S. nat. Mus., 93, 259.—Crust.
Tessimbraster (Lenoir MS.) Bigot 1926, Bull. Soc. linn. Normandie, (7) 9, Proc. verb., 22.—Echin.
Tessinosoma Verhoeff 1911, S.B. Ges. naturf. Freunde Berlin, 1911, 286.—Myr.
Tessmannella Hedicke 1912, Dtsch. ent. Z., 1912, 303.—Hym.
Tessmannella Enderlein 1924, Mitt. zool. Mus. Berlin, 11, 152.—Dipt. (See *Tessmanniella* Enderlein 1925.)
Tessmannia Bryk 1915, Arch. Naturgesch., 81, A4, 1.—Lep.
Tessmanniella (n.n. pro *Tessmannella* Enderlein 1924) Enderlein 1925, Mitt. zool. Mus. Berlin, 11, 409.—Dipt.
Testacella Cuvier 1800, Leçons Comp. Anat., 1, tab. 5 [n.n.]; Lamarck 1801, Syst. Anim. s. Vert., 96.—Moll.
Testacella Cuvier 1805, Ann. Mus. H.N. (Paris), 5 (30), 440.—Moll.
Testacelligenus Renier 1807, Tav. Classif. An., tabell. viii.—Moll.
Testacelloides Wagner 1914, Anz. Akad. Wiss. Wien, 51, 335.—Moll.
Testacellus Montfort 1810, Conch. Syst., 2, 95.—Moll.
Testacellus (emend. pro *-lla* Cuvier 1800) Férussac 1819, Hist. Nat. Moll., 2, 94.—Moll.
Testacina (pro *-ticina* Rafinesque 1815) Binney 1879, Bull. Mus. comp. Zool. Harvard, 5, no. 16, 368.—Moll.
Testacula (err. pro *-cella* Cuvier 1800) Sonnini 1810, in Ledru, Voy. Ténériffe, 1, 187.—Moll.
Testalthea Casey 1922, Mem. Col., 10, 34.—Col.
Testamoeba Epstein 1926, Arch. Russ. Protist., 5, 200.—Prot.
Testaspongia Quenstedt 1878, Petref. Dtschl., 5 (5), 539.—Spong.
Testediolum Ganglbauer 1892, Käfer. Mitteleur., 1, 170.—Col.
Testedium Motschoulsky 1864, Bull. Soc. imp. nat. Moscou, 37 (2), 182.—Col.
Testergus Weise (1893), in Erichson, Naturgesch. Ins. Dtschl., 6, 1013.—Col.
Testicina Rafinesque 1815, Analyse, 143 [n.n.].—Moll.
Testifrons Bhalerao 1924, Ann. trop. Med. Parasitol., 18, 143.—Verm. (Trem.).
Testisaculus Bhalerao 1927, Proc. Indian Sci. Congr. Calcutta, 14, 191.—Verm. (Trem.).
Testrica Walker 1867, Cat. Specimens Het.-Hem. Coll. Brit. Mus., 1, 69.—Hem.
Testricoides Schouteden 1905, Ann. Soc. ent. Belgique, 49, 144.—Hem.
Testrina Walker 1867, Cat. Specimens Het.-Hem. Coll. Brit. Mus., 1, 61.—Hem.
Testrix (? pro *Tetrix* Sundevall 1833) Pelegrin 1926, Bol. Soc. ent. España, 9, 76.—Arachn.
Testucaria (err. pro *Fes-* Schrank 1788) Rudolphi 1805, Bemerk. Gebiet Naturg., 44.—Verm. (Trem.).

- Testudacarus* Walter 1928, Rec. Indian Mus., 30, 75.—Arachn.
Testudinaria Taczanowski 1880, Horae Soc. ent. ross., 15, 131.—Arachn.
Testudinella Bory de St. Vincent 1827, Ency. Méth. (Zooth.), 538.—Verm. (Rotif.).
Testudinella Gray 1870, Suppl. Cat. Shield Rept. Brit. Mus., 3, 12; 1871, Proc. zool. Soc. London, 1870, 658.—Rept.
Testudinella Sjoestedt 1930, Ark. Zool., 21A, no. 21, 30.—Orth.
Testudinites Weiss (1830), Abh. preuss. Akad. Wiss., 1827, 293.—Rept.
Testudo Linnaeus 1758, Syst. Nat., ed. 10, 197; 1766, ed. 12, 350.—Rept.
Testura (pro *Tect-* Gray 1847) Dautzenberg & Durouchoux 1914, Feuille Jeunes Natural., 44, no. 520, Suppl., 43.—Moll.
Tetagraptus (pro *Tetragrapsus* Salter 1863) Sans 1909, Mem. Soc. Españ., 6, no. 2, 46.—Coel.
Tetana Brunner von Wattenwyl 1878, Monogr. Phaneropteriden, 15, 119.—Orth.
Tetania (pro *Tedania* Gray 1867) Graeffe 1882, Arb. Inst. Wien, 4, 319.—Spong.
Tetanocentria Rebel 1902, Berlin. ent. Z., 1902, 107.—Lep.
Tetanocephalus Kleine 1916, Ent. Mitt., 5, 66.—Col.
Tetanocera Latreille 1804, Nouv. Dict. H.N., 24 (Tab.), 196.—Dipt.
Tetanoceroides Malloch 1933, Dipt. Patag. & S. Chile, 6, 315.—Dipt.
Tetanocerus Duméril 1806, Zool. Anal., 282.—Dipt.
Tetanocrinus Jaekel 1891, Z. dtsh. geol. Ges., 43, 3, 628.—Echin.
Tetanola Bates 1881, Ann. Mag. nat. Hist., (5) 8, 151.—Col.
Tetanolita Grote 1873, Trans. Amer. ent. Soc., 4, 305.—Lep.
Tetanonema Ulmer 1905, Ent. Ztg., Stettin, 66, 17.—Trichopt.
Tetanonema Steiner 1928 (*teste* Ayers 1933, Science, N. York, 78, 459).—Verm. (Nema.).
Tetanophleps Bergroth 1922, Rev. zool. afr., 10, 59.—Hem.
Tetanophrys (err. pro *-pus* Redtenbacher 1895) Hebard 1927, Trans. Amer. ent. Soc., 53, 116.—Orth.
Tetanops Fallén 1820, Ortalides Sveciae, (1) 2.—Dipt.
Tetanopsis Brady 1910, Dtsch. Südpolar Exped., 11, 508.—Crust.
Tetanopus Redtenbacher 1895, in Brunner, Monogr. Pseudophylliden, 14, 106.—Orth.
Tetanorhynchus Brunner 1890, Verh. zool.-bot. Ges. Wien, 40, Abh., 104.—Orth.
Tetanostola Meyrick 1931, Exot. Microlep., 4, 92.—Lep.
Tetanura Fallén 1820, Opomyzides Sveciae, 10.—Dipt.
Tetartanus Fairmaire 1897, Ann. Soc. ent. Belgique, 41, 393.—Col.
Tetartopeus Czwalina 1888, Dtsch. ent. Z., 32, 349.—Col.
Tetella (pro *Tetilla* Schmidt 1868) Gray 1870, Ann. Mag. nat. Hist., (4) 6, 312.—Spong.
Tetema Kuhl & Hasselt 1822, Isis, 11 (8), 898.—Aves.
Tetengia Lea 1912, Trans. roy. Soc. S. Australia, 36, 106.—Col.
Tetha (pro *Tethya* Lamarck 1814) Mereschkowsky 1880, Arch. Zool. exp. gén. Paris, 8, 418.—Spong.
Tethea Ochseneimer 1816, Schmett. Europa, 4, 64.—Lep.
Tethea (pro *Tethya* Lamarck 1814) Johnston 1842, Brit. Spong. Lithoph., 81.—Spong.
Tetheodus Cope 1874, Bull. U.S. geol. Surv. Terr., No. 2, 43.—Pisces.
Tetheopsis Cope 1885, Amer. Natural., 19, 594.—Mamm.
Tethia (pro *Tethya* Lamarck 1814) Lamarck 1816, An. s. vert., 2, 384.—Spong.
Tethina (err. pro *Tethnia* Haliday 1836) Haliday 1838, Ann. Mag. nat. Hist., 2 (9), 188.—Dipt.
Tethinosoma Malloch 1930, Rec. Canterbury (N.Z.) Mus., 3, 335.—Dipt.
Tethio (pro *Tethyum* Bohadsch 1761) Scopoli 1777, Intr. Hist. nat., Index An. [7].—Tunicata.
Tethionea Pascoe 1869, Trans. ent. Soc. London, (3) 3, 543.—Col.
Tethiopaena (pro *Tethyo-* Schmidt 1880) Lendenfeld 1887, Proc. zool. Soc. London, 1886, 583.—Spong.
Tethiopsamma Lendenfeld 1887, Proc. zool. Soc. London, 1886, 583.—Spong.
Tethiopsis (pro *Theti-* Meek 1876) Fischer 1887, Man. Conch., 1085.—Moll.
Tethiosphaera Lendenfeld 1887, Proc. zool. Soc. London, 1886, 583.—Spong.
Tethis (pro *Tethys* L. 1758) Bosc 1801, Suite à Deterville ed. Buffon, Vers, 1, 69.—Moll.
Tethis (err. pro *Thetis* Sowerby 1826) Crosse 1861, J. Conchylol., 9, 377.—Moll.
Tethium Blainville 1830, Dict. Sci. Nat., 60, 507.—Spong.
Tethlimmena Bates 1872, Trans. ent. Soc. London, 1872, 185.—Col.
Tethnaeus Scudder 1885, in Zittel, Handb. Pal., 2, 744.—Arachn.
Tethnia Haliday 1836, in Curtis, Guide, ed. 2, 281.—Dipt.
Tethocyathus Kuehn 1933, Palaeontogr., 79, No. 3-6, 200.—Coel.
Tethrobothrium (pro *Tetrobothrius* Rudolphi 1819) Eschricht 1855 (*teste* Stiles & Hassall 1912, Bull. U.S. Hyg. Lab., No. 85, 432).—Verm. (Cest.).
Tethrarhynchus (pro *Tetra-* Rudolphi 1809) Beneden 1871, Mém. Acad. Sci. Belgique, 38, no. 4, 76.—Verm. (Cest.).

- Tethriamanta* (err. pro *Ae-* Kirby 1889) Ris 1921, Ann. S. African Mus., 18, 388, 437.—Odon.
- Tethya* Lamarck 1814, Mém. Mus. Hist. nat. (Paris), 1 [1], 69; Oken 1815, Lehrb. Nat., 3 (1), 82.—Spong.
- Tethya* (pro *Tethys* L. 1758) Gray 1840, Syn. Cont. Brit. Mus., ed. 42, 148.—Moll.
- Tethyamata* Lendenfeld 1887, Proc. zool. Soc. London, 1886, 583 [*n.n.*].—Spong.
- Tethyaster* Sladen 1889, Rep. Voy. Challenger Exped., Zool., 30 (2), 101.—Echin.
- Tethycordyla* de Laubenfels 1934, Smithson. misc. Collect., 91, no. 17, 8.—Spong.
- Tethylites* Sollas 1880, Ann. Mag. nat. Hist., (5) 6, 390.—Spong.
- Tethyo* (pro *-yum* Bohadsch 1761) Scopoli 1777, Intr. Hist. nat., 384.—Tunicata.
- Tethyoceramus* Heinz 1932, Mitt. Min. Geol. Staatsinst. Hamburg, Lief. 13, 10.—Moll.
- Tethyophaena* Schmidt 1880, Arch. mikr. Anat., 18, 281.—Spong.
- Tethyopsilla* Lendenfeld 1887, Proc. zool. Soc. London, 1886, 583 [*n.n.*]; 1888, Cat. Spong. Australian Mus., 45.—Spong.
- Tethyopsis* Stewart 1870, Quart. J. micr. Soc., (N.S.) 10, 281.—Prot.
- Tethyopsis* Zittel 1878, Abh. math.-phys. Cl. Bayer. Akad. Wiss., 13, Abt. 2, 9.—Spong. (See *Theneopsis* Schrammen 1910.)
- Tethyorrhaphis* Lendenfeld 1887, Proc. zool. Soc. London, 1886, 583 [*n.n.*]; (as *Tethyorrhaphis*) Lendenfeld 1888, Cat. Spong. Australian Mus., 52.—Spong.
- Tethyorrhaphis* see *Tethyorrhaphis*.
- Tethyosphaera* (pro *Tethio-* Lendenfeld 1887) Delage 1889, in Delage & Hérouard, Zool. concr., 2, 242.—Spong.
- Tethys* Linnaeus 1758, Syst. Nat., ed. 10, 653; 1767, ed. 12, 1089.—Moll.
- Tethys* (pro *Tethyum* Bohadsch 1761) Leach 1852, Moll. Brit. Syn., 238.—Tunicata.
- Tethysia* Mathews 1933, Bull. Brit. Orn. Cl., 53, 154.—Aves.
- Tethyspira* Topsent 1890, Mém. Soc. zool. France, 3, 195.—Spong.
- Tethystola* Thomson 1868, Physis, Paris, 2, pt. 3, 131.—Col.
- Tethyum* Bohadsch 1761, Anim. Marin., 130.—Tunicata.
- Tethyum* (pro *Tethya* Lamarck 1814) Lieberkuehn 1859, Arch. Anat. Physiol. Med., 1859, 522.—Spong.
- Tetigometra* Latreille (1804), Hist. Crust. Ins., 12, 313.—Hem.
- Tetigonia* (pro *Tetti-* Fabricius 1775) Blanchard 1852, in Gay, Hist. Chile, Zool., 7, 282.—Hem.
- Tetilla* Schmidt 1868, Spong. Atlant., 3, Suppl., 40.—Spong.
- Tetillopsis* Schrammen 1910, Palaeontographica, Suppl., 5, 49.—Spong.
- Tetinka* Barrande 1881, Syst. Silur. centre Bohême, 6, 164.—Moll. (Cf. *Amita* Barrande 1881 & *Goniophorella* Frech 1891.)
- Tetis* (pro *Tethys* L. 1758) Renier 1807, Tav. Classif. An., tabell. viii.—Moll.
- Tetnoras* (pro *Tetro-* Rafinesque 1810) Rafinesque 1815, Analyse, 93.—Pisces.
- Tetonus* Matthew 1915, Bull. Amer. Mus. nat. Hist., 34, 457.—Mamm.
- Tetraaechma* Blanchard 1846, in d'Orbigny, Amér. Mérid. (Ins.), 167.—Col.
- Tetrabaena* Dujardin 1841, (Roret's Suite à Buffon) Infusoires, 333.—Prot.
- Tetraebaeus* Kieffer 1912, in André, Spec. Hym. Eur., 11, 87.—Hym.
- Tetralibus* Thorell 1888, Ann. Mus. Stor. nat. Genova, (2) 6, 395.—Arachn.
- Tetrabates* Viets 1926, Zool. Anz., 69, 197.—Arachn.
- Tetraelodon* Cope 1884, Proc. Amer. phil. Soc., 22, 4.—Mamm.
- Tetraelus* Whitehouse 1924, Geol. Mag., 61, 413.—Moll.
- Tetraezia* Kieffer 1917, Ann. Mus. hungar., 15, 296.—Dipt.
- Tetralemma* Cambridge 1873, Proc. zool. Soc. London, 1873, 114.—Arachn.
- Tetralepharis* Senn 1900, in Engler & Prantl, Pflanzenfam, 1 (a), 188.—Prot.
- Tetrabothinus* (pro *-thynus* Labram & Imhoff 1852) Lacordaire 1863, Hist. nat. Ins., Gen. Col., 6, 121.—Col.
- Tetrabothriorhynchus* Diesing 1850, Syst. Helminth., 1, 573.—Verm. (Cest.).
- Tetrabothriorhynchus* (pro *-chus* Diesing 1850) Krøyer 1852-53, Danmarks Fiske, 2, 2 Afd., 1226.—Verm. (Cest.).
- Tetrabothris* (pro *-thrius* Rudolphi 1819) Berthold 1827, in Latreille, Nat. Fam. Thierr., 529.—Verm. (Cest.).
- Tetrabothrium* (pro *-thrius* Rudolphi 1819) Blainville 1828, Dict. Sci. Nat., 57, 608.—Verm. (Cest.).
- Tetrabothrius* Rudolphi 1819, Entoz. Syn. Mant., 469.—Verm. (Cest.).
- Tetrabothrus* Bernhauer 1915, Tijdschr. Ent., 58, 240.—Col.
- Tetrabothynus* Labram & Imhoff 1852, Gen. Curc., 2, 68.—Col.
- Tetrabotris* (pro *-thrius* Rudolphi 1819) Blainville 1824, in Bremser, Traité Vers intest. homme, App., 520.—Verm. (Cest.).
- Tetrabrachiocrinus* Yakovlev 1934, Palaeont. ital., 34, 276.—Echin.
- Tetrabrachium* Guenther 1880, Rep. Voy. Challenger Exped., Zool., 1 (6), 45.—Pisces.
- Tetrabranchus* Bleeker 1851, Natuurk. Tijdschr. Ned.-Ind., 2, 69.—Pisces.
- Tetracamera* Weller 1910, Bull. Geol. Soc. Amer., 21, 503.—Brach.
- Tetracampe* Foerster 1841, Beitr. Monogr. Pteromal., 34.—Hym.

- Tetracampoides* Dodd 1915, Mem. Queensland Mus., 3, 191.—Hym.
Tetracampus Wedl 1862, S.B. Akad. Wiss. Wien, 44 (1), 473.—Verm. (Cest.).
Tetracannota Mayer 1900, Bull. Mus. comp. Zool. Harvard, 37, 46.—Coel.
Tetracantha Simon 1864, Hist. nat. Araign., ed. 1, 285.—Arachn.
Tetracanthagyna Selys 1883, Bull. Acad. Sci. Belgique, (3) 5, 744.—Odon.
Tetracanthella Schoett 1891, Ent. Tidskr., 12, 191.—Collemb.
Tetracanthellipsis Squinabol 1903, Riv. ital. Pal., 9, 117.—Prot.
Tetracanthicus Hope 1838, Coleopt. Manual, 2, 126.—Col.
Tetracanthina Enderlein 1914, Zool. Anz., 44, 11.—Dipt.
Tetracanthothrips Bagnall 1915, Ann. Mag. nat. Hist., (8) 15, 594.—Thysanopt.
Tetracanthus Hope 1834, Trans. zool. Soc. London, 1 (2), 107.—Col.
Tetracanthus Hemprich & Ehrenberg 1866, in Schneider, Monogr. Nemat., 104.—Verm. (Nemat.). (See *Schistorophus* Railliet 1916.)
Tetracanthus Popofsky 1907, Zool. Anz., 31, 701.—Prot.
Tetracapsa Haeckel 1881, Jena. Z., 15, 437.—Prot.
Tetracarcinus Weller 1905, Rep. geol. Surv. N. Jersey, 1904, 136; 1905, J. Geol., 13, 328.—Crust.
Tetracaulodon Godman 1829, Trans. Amer. phil. Soc., (N.S.) 3 (4), 484.—Mamm.
Tetracelis Ehrenberg 1831, in Hemprich & Ehrenberg, Symb. Phys. (Phyt. Turb.), sign. a₂.—Verm. (Turb.).
Tetracentron Brauer 1865, Verh. zool.-bot. Ges. Wien, 15, Abh., 418.—Trichopt.
Tetracentrosternus Pocock 1895, Ann. Mus. Stor. nat. Genova, 34, 802.—Myr.
Tetracentrum Macleay 1883, Proc. Linn. Soc. N.S. Wales, 8, 256.—Pisces.
Tetracera (pro -rus Leach 1825) McMurtrie 1831, in McMurtrie-Cuvier 1831, An. Kingdom Not., 1, 196.—Mamm.
Tetraceras (pro -rus Leach 1825) Sundevall 1846, K. svenska VetenskAkad. Handl., 1844, 188.—Mamm.
Tetraceratium Muir 1924, Proc. Hawaiian ent. Soc., 5, 467.—Hem.
Tetraceratobunus Roewer 1915, Arch. Naturgesch., 81, A3, 150.—Arachn.
Tetraceratops Matthew 1908, Bull. Amer. Mus. nat. Hist., 24, 183.—Rept.
Tetraceratothrips Bagnall 1924, Ann. Mag. nat. Hist., (9) 14, 628.—Thysanopt.
Tetraceros (pro -rus Leach 1825) Brookes 1827, Mus. of J.B. (Brookesian Mus.), 4to, 8.—Mamm.
Tetracerus Leach 1825, Trans. Linn. Soc. London, 14 (3), 524.—Mamm.
Tetracha Hope 1838, Coleopt. Man., 2 [p. xviii], 6, 7.—Col.
Tetrachaeta Brauer & Bergenstamm 1894, Denkschr. Akad. Wiss. Wien, 61, 611.—Dipt. (Cf. *Tessarochaeta* Bezzi 1906.)
Tetrachaeta Stein 1898, Berlin. ent. Z., 42, 254.—Dipt. (See *Tetramerinx* Berg 1898 & *Parasteimia* Cockerell 1905.)
Tetrachaetina Enderlein 1924, Mitt. zool. Mus. Berlin, 11, 138.—Dipt.
Tetrachaetus Parent 1933, Ann. Soc. sci. Bruxelles, (B) 53, 436.—Dipt.
Tetracharis Grote 1898, Proc. Amer. phil. Soc., 37, 37.—Lep.
Tetracheilomastix (pro *Tetrachil-* Fonseca 1915) Stiles & Hassall 1925, Bull. hyg. Lab. Washington, No. 140, 25.—Prot.
Tetracheilonema Diesing 1861, S.B. Akad. Wiss. Wien, 42, 1860, 595, 711.—Verm. (Nema.).
Tetracheilostoma Jan 1861, Arch. Zool. Anat. Fisiol., 1, 191.—Rept.
Tetrachela Reuss 1858, Beitr. Palaeontogr. Oesterr., 1 (1), 5.—Crust.
Tetrachela Hampson 1918, Novit. zool., 25, 126.—Lep.
Tetrachelius Petunnikov 1914, Ann. géol. minér. Novo-Aleksandrija, 16, 150.—Crust.
Tetracheros Lesson 1842, N. Tabl., 162.—Mamm.
Tetrachila Huebner [1809]-[1813], Erste Zutr., 5; Zutr. Schmett. exot. Schmett., 1, pl. [22].—Lep.
Tetrachilomastix da Fonseca 1915, Estudos flag. mamm. Brazil, 115.—Prot.
Tetrachlora Schrottky 1909, Dtsch. ent. Z., 53, 481.—Hym.
Tetrachloris Pascher & Jahoda 1928, Arch. Protistenk., 61, 243.—Prot.
Tetrachroa Rothschild & Jordan 1909, Novit. Zool., 9, Suppl., 156.—Lep.
Tetrachrysis Lichtenstein 1876, Petites Nouvelles ent., 2, no. 145, 27.—Hym.
Tetracidaris Cotteau 1872, Rev. Mag. Zool., (2) 23, 1871-72, 445.—Echin.
Tetracionites Astre 1931, Bull. Soc. Hist. nat. Toulouse, 61 (2), 269.—Moll.
Tetracis Guenée 1857, Hist. nat. Ins., Spec. gén. Lép., 9, 140.—Lep.
Tetracis Sharp 1874, Ent. mon. Mag., 11, 79.—Col. (See *Desimia* Reitter 1881.)
Tetracisdicotyla (pro -tyle Fuhrmann 1907 n.n.) Fuhrmann 1907, Zbl. Bakt. (1 Orig.), 45, 535.—Verm. (Cest.).
Tetracisdicotyle Fuhrmann 1907, Zool. Anz., 32, 294 [n.n.].—Verm. (Cest.). (Cf. *Tetracisdicotyla* Fuhrmann 1907.)
Tetraciura Hendel 1914, Abh. Mus. Dresden, 14 (3), 48.—Dipt.
Tetracladia Howard 1892, Proc. U.S. nat. Mus., 15, 367.—Hym.
Tetraclaenodon Scott 1892, Proc. Acad. nat. Sci. Philad., 1892, 299.—Mamm.
Tetracleobis Roewer 1934, in Bronn, Klass. Ordn. Tierreichs, 5, 605.—Arachn.

- Tetraclipeoides Schmidt [1914*], Arch. Naturgesch., 79, 1913, A11, 139.—Col.
 Tetraclita Schumacher 1817, Essai Vers test., 35, 91.—Crust.
 Tetraclonia Jordan 1913, in Seitz, Gross-Schmett. Erde, 6, 34.—Lep.
 Tetracmanthes Meyrick 1925, Exot. Microlep., 3, 136.—Lep.
 Tetracme Hampson 1902, Ann. S. Afric. Mus., 2, 439.—Lep.
 Tetracnemella Girault 1915, Mem. Queensland Mus., 4, 170.—Hym.
 Tetracnemis Hawle & Corda 1847, Prod. Mon. böhm. Trilob., 17.—Trilobita.
 Tetracnemoidea Howard 1898, Proc. U.S. nat. Mus., 21, 232.—Hym.
 Tetracnemopsis Ashmead 1900, Proc. U.S. nat. Mus., 22, 330, 358.—Hym.
 Tetracnemus Westwood 1837, Mag. nat. Hist., (N.S.) 1, 258.—Hym.
 Tetracoenia d'Orbigny 1850, Prodr. Paléont., 2, 121.—Coel.
 Tetracolyle (pro *-cotyle* Filippi 1854) Sonsino 1893, Atti Soc. Toscana, Proc. verb., 8, 188.—Verm. (Trem.).
 Tetracolylus Korotneff 1912, Wiss. Ergebn. Zool. Exped. Baikal-See, Lief. 5, 13.—Verm. (Turb.).
 Tetracona Meyrick 1884, Trans. ent. Soc. London, 1884, 307.—Lep.
 Tetraconcha Karsch 1890, Ent. Nachr., 16, 61.—Orth.
 Tetraconodon Falconer 1868, Palaeont. Mem., 1, 149.—Mamm.
 Tetraconosoma Verhoeff 1924, Ark. Zool., 16A, no. 5, 57.—Myr.
 Tetraconta Turner 1932, Proc. Linn. Soc. N.S. Wales, 57, 274.—Lep.
 Tetraconus Szépligeti 1903, Ann. Mus. nat. Hungar., 1, 389.—Hym.
 Tetracoptyus Wollaston 1873, Trans. ent. Soc. London, 1873, 494, 580.—Col.
 Tetracorethra Haeckel 1881, Jena. Z., 15, 429.—Prot.
 Tetracoronis Haeckel 1881, Jena. Z., 15, 445.—Prot.
 Tetracotyle (pro *-tyle* Filippi 1854) Ercolani 1881, Mem. Accad. Bologna, (4) 2, 284.—Verm. (Trem.).
 Tetracotyle Filippi 1854, Mém. Hist. gén. Trém., 23.—Verm. (Trem.).
 Tetracotylus Monticelli 1892, Boll. Soc. Nat. Napoli, (1) 5, 170.—Verm. (Cest.).
 Tetracotylus Korotneff 1912, Planarien des Baikal-Sees (Tricladen), 1900—1902, 5, 15.—Verm. (Turb.).
 Tetracranastrum Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 552.—Prot.
 Tetracrinites Austin 1842, Ann. Mag. nat. Hist., 10, 110 [n.n.].—Echin.
 Tetracrinites Catullo [non Austin 1842] 1847, Mem. Fis. Soc. Ital., 24, 244.—Echin.
 Tetracrinus Muenster 1839, Beitr. zur Petref., 1, 88.—Echin.
 Tetracrinus (pro *-nites* Catullo 1847) Wachsmuth & Springer 1886, Proc. Acad. nat. Sci. Philad., 1886, 182.—Echin.
 Tetracrinus (pro *-nites* Austin 1842) Bather 1900, in Lankester, Treat. Zool., 3, 203.—Echin.
 Tetracryptocheilus Zavattari 1907, Boll. Mus. Zool. Anat. comp. Torino, 22, no. 555, 4, 6.—Hym.
 Tetractenion Seyrig 1932, Mém. Acad. malgache, 11, 107.—Hym.
 Tetractinella Bittner 1890, Abh. geol. Reichsanst. Wien, 14, 300, 303.—Brach.
 Tetractinomyxon Ikeda 1912, Arch. Protistenk., 25, 240.—Prot.
 Tetractis Schultze 1760, Verst. Seest., 49.—Echin.
 Tetractocrinus Jaekel 1918, Palaeont. Z., 3, 25, 26.—Echin.
 Tetracubus Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 994.—Prot.
 Tetracudorsum Roewer 1915, Arch. Naturgesch., 81, A3, 150.—Arachn.
 Tetracus Aymard 1850, Ann. Soc. Agric. Puy, 14 (1), 81, 82.—Mamm.
 Tetracyphus Chevrolat 1881, Ann. Soc. ent. Belgique, 25, 91.—Col.
 Tetracyphus Sørensen 1932, Mem. Acad. R. Sci. Lett. Copenhagen, 3, 312.—Arachn.
 Tetracystis Schuchert 1904, Smithson. misc. Collect., 47, 217.—Echin.
 Tetradactylus Merrem 1820, Tent. Syst. Amph., 13, 75.—Rept.
 Tetradacus Miyake 1919, Bull. imp. Cent. agric. Exp. Sta. Japan, 2 (2), 92.—Dipt.
 Tetradeion Stebbing 1899, Ann. Mag. nat. Hist., (7) 4, 207.—Crust.
 Tetradella Ulrich 1890, J. Cincinnati Soc. nat. Hist., 13, 112.—Crust.
 Tetradelphynema Schulz 1927, Samml. Helminth. Arb. Prof. K. I. Skrajbin gewidmet, Moscow, 302.—Verm. (Nema.).
 Tetradelus Fauvel 1904, Rev. ent. franç., 23, 90.—Col.
 Tetradenos (n.n. pro *Ctenocephalus* Linstow 1904) Linstow 1904, Arch. Naturgesch., 70 (1), 301.—Verm. (Nema.).
 Tetrades [err. pro *Tetradrachmum* Cantor 1850] Bleeker 1865, Nederl. Tijdschr. Dierk., 2, 145 [teste Nomen. Anim., *sed non comp.*].—Pisces.
 Tetradia Thomson 1864, Syst. Cerambycid., 65.—Col.
 Tetradidemnum Della Valle 1881, Atti Accad. Lincei, Mem., (3) 10, 478.—Tunicata.
 Tetradimorpha Hsiung 1927, Trans. Amer. micr. Soc., 46, 209.—Prot.
 Tetradinium Klebs 1912, Verh. naturh.-med. Ver. Heidelberg, (N.S.), 11, 408, 444.—Prot.
 Tetradiplosis Kieffer 1910, Zbl. Bakt., (2) 27, 421.—Dipt.
 Tetradiscalis Enderlein 1928, Arch. klass. phylog. Ent. Wien, 1, 22.—Dipt.
 Tetradiscus Bigot 1886, Ann. Soc. ent. France, (6) 6, 370.—Dipt.

- Tetradium* Dana 1841, in Wilkes, U.S. Expl. Exped. (Zooph.), 9, 701; 1856, in Safford, Amer. J. Sci., (2) 22, 236.—Coel.
- Tetradium* Schmidt 1874, Mém. Acad. imp. Sci. St. Pétersbourg, (7) 21, no. 11, 42.—Moll. (See *Palaenigma* Walcott 1885.)
- Tetradon* (pro *Tetraodon* L. 1766) Scopoli 1777, Intr. Hist. nat., 465; Index An. [7].—Pisces.
- Tetradonema* Cobb 1919, J. Parasitology, Urbana, 5, 176, 185.—Verm. (Nema.).
- Tetradonia* Wasmann 1894, Krit. Verz. myrmek. termitoph. Arthrop., 209.—Col.
- Tetradonta* Korschikow 1926, Arch. Russ. Prot., 4, 183.—Prot.
- Tetradrachmum* (n.n. pro *Dasyllus* Cuvier 1829) Cantor (1850), J. Asiat. Soc. Bengal, 18 (1), 1849, 1222.—Pisces.
- Tetradryinus* Kieffer 1913, Boll. Lab. Zool. Portici, 7, 325.—Hym.
- Tetraechma* (pro *Tetraaechma* Blanchard 1846) Agassiz 1845, Nom. Zool. (Col.) 160.—Col.
- Tetraedrina* Haeckel 1881, Jena. Z., 15, 433.—Prot.
- Tetraedrophrya* Zykoff 1902, Zool. Anz., 25, 180.—Prot.
- Tetraëdrospora* Tschudovskaia 1928, Arch. Protistenk., 60, 290.—Prot.
- Tetraelasma* (emend. pro *Tetralasmis* Cuvier 1830) Agassiz 1846, Nomen. Zool. Index Univ.—Crust.
- Tetraenura* Reichenbach (1850), Avium Syst. Nat., pl. xxvi.—Aves.
- Tetraeonura* (pro *-aenura* Reichenbach 1850) Giebel 1877, Thesaur. Orn., 3, 747.—Aves.
- Tetraeoperdix* (pro *Tetrao-* Hodgson 1837) Heine & Reichenow [1890], Nomencl. Mus. Hein., 1882-90, 294.—Aves.
- Tetraglena* (pro *-ne* Grube 1863) Quatrefages [1866], in Quatrefages (Vaillant), Hist. nat. Annel., 2, fasc. 1, 57.—Verm. (Polych.).
- Tetraglene* Grube 1863, Arch. Naturgesch., 29, Abt. 1, 42.—Verm. (Polych.).
- Tetraglenes* Newman 1842 Entomologist, 1, 300.—Col.
- Tetraglossa* Champion 1897, Biol. Centr. Amer., Zool., Col., 3 (1), 593.—Col.
- Tetraglathia* Walckenaer 1805, Tab. Aran., 68.—Arachn.
- Tetragomera* (pro *-gonomera* Stål 1874) Scudder 1901, Occ. Pap. Boston Soc., 6, 314.—Orth.
- Tetragomphius* Baylis & Daubney 1923, Ann. Mag. nat. Hist., (9) 11, 334.—Verm. (Nema.).
- Tetragona* Lepeletier 1828, Ency. Méth., 10 (2) (Ins.), 710.—Hym.
- Tetragona* (pro *-nus* Gory & Percheron 1834) Dejean 1833, Catal. Coléopt., ed. 2, (2) 170.—Col.
- Tetragonalys* Morley 1913, Rev. Ichneumonidae, 2, 132.—Hym.
- Tetragonaspis* Mayr 1885*, Verh. zool.-bot. Ges. Wien, 35, Abh., 157, 205.—Hym.
- Tetragoneura* Winnertz 1846, Ent. Ztg., Stettin, 7 (1), 18.—Dipt.
- Tetragoneura* (err. pro *-ria* Hagen 1861) Selys 1870, Ann. Soc. ent. Belgique, 14, C.R., v.—Odon.
- Tetragoneuria* Hagen 1861, Synop. N. Amer. Neur., 140.—Odon.
- Tetragonia* (Selys MS.) Hagen 1849, Ent. Ztg., Stettin, 10, 169.—Odon.
- Tetragonica* Motschoulsky [1860], Etudes ent., 8, 1859, 26.—Col.
- Tetragoniceps* Brady 1880, Monogr. Brit. Copep., 2, 65.—Crust.
- Tetragonidium* Pascher 1914, Ber. bot. Ges., 32, 160.—Prot.
- Tetragonis* see *Tettragonis*.
- Tetragonites* Kossmat 1895, Beitr. Pal. Geol. Österreich-Ungarns, 9 (3-4), 131.—Moll.
- Tetragonites* Kittl 1904, Jahrb. geol. Reichsanst. Wien, 53, 677.—Moll. (See *Entogonites* Kittl 1904.)
- Tetragonium* West 1896, J. R. micr. Soc., 1896, 160.—Prot.
- Tetragonocephala* Crawford 1914, Bull. U.S. nat. Mus., No. 85, 107.—Hem.
- Tetragonocephalum* Shipley & Hornell 1905, R. Soc. Rep. Pearl Fish., 3, 49.—Verm (Cest.).
- Tetragonoceras* Whiteaves 1891, Proc. Trans. roy. Soc. Canada, 8, 1890, sect. 4, 105.—Moll.
- Tetragonochara* (pro *-chora* Kriechbaumer 1898) Ashmead 1900, Proc. U.S. nat. Mus., 23, no. 1206, 14.—Hym.
- Tetragonochoira* Kriechbaumer 1898, Ent. Nachr., 24, 27; 1898, Berlin. ent. Z., 43, 23.—Hym.
- Tetragonoderus* Dejean 1821, Catal. Coléopt., 10 [n.n.]; 1829, Spec. gén. Coléopt., 4, 485.—Col.
- Tetragonodes* Guenée 1857, Hist. nat. Ins., Spec. gén. Lép., 9, 80.—Lep.
- Tetragonodon* Brady & Norman 1896, Trans. roy. Dublin Soc., 5, 667.—Crust.
- Tetragonolepis* Bronn 1830, Jahrb. f. Min., 1, 30.—Pisces.
- Tetragonolepis* Agassiz [non Bronn 1830] 1833, Rech. Poissons foss., 1, 3; 1835, 2, 6, 181.—Pisces.
- Tetragonomenes* Chevrolat 1878, Ann. Soc. ent. Belgique, 21, C.R., clii.—Col.
- Tetragonomera* Stål 1874, Recensio Orth., 2, 60.—Orth.

- Tetragonomus* Champion 1911, Biol. Centr. Amer., Col. 4 (3), 240.—Col.
Tetragonophthalma Karsch 1878, Z. ges. Naturw., 51, 329.—Arachn.
Tetragonops Gerstaecker 1855, MonatsBer. Akad. Wiss. Berlin, 1855, 85.—Col.
Tetragonops Jardine 1855, Edinburgh N. phil. J., (N.S.) 2, 404; 1856, 3, 91.—Aves.
 (See *Pan* Richmond 1899.)
Tetragonopsella Hustache 1931, Sborn. ent. odd. Nár. Mus. Praha, 9, 25.—Col.
Tetragonopterus Cuvier 1817, Règne anim., 2, 166; Berthold 1827, in Latreille, Nat. Fam. Thierr., 117; v. Spix 1829, Pisc. Brasil., 74.—Pisces.
Tetragonopterus Perroud & Montrouzier 1864, Ann. Soc. linn. Lyon, 11, 128.—Col.
Tetragonoptus (Klein MS.) Walbaum 1792, in Artedi, Ichth., (3) ed. 2, 582.—Pisces.
Tetragonorhina Kraatz 1896, Dtsch. ent. Z., 1896, 369.—Col.
Tetragonorrhampus Champion 1914, Trans. Linn. Soc. London, (2) Zool., 16, 486.—Col.
Tetragonorrhina (pro *-rhina* Kraatz 1896) Kolbe 1897, Dtsch.-O.-Afr., 4 (6-8), 190.—Col.
Tetragonosaurus Parks 1931, Univ. Toronto Stud. Geol., 31, 4.—Rept.
Tetragonoschema Thomson 1857, Arch. ent. Paris, 1, 116.—Col.
Tetragonosoma Guenther 1858, Cat. Colubr. Snakes Brit. Mus., 253.—Rept.
Tetragonostea (ex Deshayes) Herrmannsen 1849, Index Gen. Malac., 2, 565.—Moll.
Tetragonotes Clark 1860, Monogr. Halticidae Coll. Brit. Mus., 53.—Col.
Tetragonothorax Chevrolat 1873, Mém. Soc. Sci. Liège, (2) 5, Mém. Cléonid., 62.—Col.
Tetragonulina Seguenza 1862, Not. Foram. Monotalam. Mioc., 2, 35.—Prot.
Tetragonum Quoy & Gaimard 1825, Ann. Sci. Nat., 6 (21), 82; 1825, Voy. "Uranie" (Zool.), 579.—Coel.
Tetragonurus Risso 1810, Ich. Nice, 347.—Pisces.
Tetragonurus Eisen 1874, Ofvers. VetenskAkad. Förh. Stockholm, 31, 47.—Verm. (Oligoch.). (See *Eisenia* Vaillant 1889.)
Tetragonus Geyer 1832, in Huebner, Zuträge z. Exot. Schmett., 4, 17.—Lep.
Tetragonus Gory & Percheron 1834, Mon. Cétoines, (2) 42, 67.—Col.
Tetragonyssus Ewing 1924, Proc. U.S. nat. Mus., 62, art. 13, 6.—Arachn.
Tetragostea (pro *-gonostea* Herrmannsen 1849) Paetel 1875, Fam. Gatt. Moll., 206.—Moll.
Tetragramma Agassiz 1840, N.D. Allg. Schweiz. Gesellsch., 4, 24.—Echin.
Tetragrapha Brauer & Bergenstamm 1892, Denkschr. Akad. Wiss. Wien, 58, 351.—Dipt.
Tetragrapsus Salter 1863, Quart. J. geol. Soc. London, 19, 140.—Coel.
Tetragrapsus Rathbun 1918, Bull. U.S. nat. Mus., No. 97, 273.—Crust.
Tetragraptus (pro *-grapsus* Salter 1863) Hall 1865, Geol. Surv. Canada org. Remains, Dec. 2, 41.—Coel.
Tetragula (pro *-lus* Bosc 1811) Rafinesque 1815, Anal. Nat., 151.—Pisces.
Tetragulus Bosc 1811, N. Bull. Sci. Soc. philom. Paris, 2, 269; 1814, Mém. Sci. Math. Phys. Inst. France, 1810 (2), 48.—Arachn.
Tetragrypus Ewing 1924, Proc. U.S. nat. Mus., 63, art. 20, no. 2489, 21.—Malloph.
Tetrahelea Kieffer 1925, Arch. Inst. Pasteur Algérie, 3, 423.—Dipt.
Tetrahydrachna Lundblad 1935, Ark. Zool., 28A, no. 3, 30.—Arachn.
Tetrahyrchus (err. pro *Tetrahyrchus* Rudolphi 1809) Rudolphi 1812, Ges. Nat. Fr. Berlin, Mag. 6 (2), 99.—Verm. (Cest.).
Tetrakentron Cuénot 1892, Rev. biol. Nord France, 5, fasc. 1, 16.—Arachn.
Tetralaccus Fieber [1860], Europ. Hem., 44, 164 (1861)—Hem.
Tetralacorys Haeckel 1881, Jena. Z., 15, 436.—Prot.
Tetralanguria Crotch 1875, Cistula ent., 1, 378.—Col.
Tetralanguroides Fowler 1886, Trans. ent. Soc. London, 1886, 318.—Col.
Tetralasmis Cuvier 1830, Règne Anim., ed. 2, 3, 177 & note 3.—Crust.
Tetralaucopora Bernhauer 1928, Koleopt. Rdsch., 14, 20.—Col.
Tetralepis Boettger 1892, Ber. Offenb. Ver., 29-32, 124.—Rept.
Tetraleucus Casey 1920, Mem. Col., 9, 88.—Col.
Tetraleurodes Cockerell 1902, Proc. Acad. nat. Sci. Philad., 54, 54, 283.—Hem.
Tetralia Dana 1851, Amer. J. Sci., (2) 11, 224; 1852, Proc. Acad. nat. Sci. Philad., 6, 83.—Crust.
Tetralicia Harrison 1917, Vasculum, 3, 60.—Hem.
Tetralicia (n.n. pro *Alicia* Thomson 1864) Aurivillius 1923, Col. Cat., 74, 588.—Col.
Tetralimnesia Viets 1926, Zool. Anz., 69, 197.—Arachn.
Tetralina Casey 1911, Mem. Col., 2, 224.—Col.
Tetralius Bernhauer 1905, Dtsch. ent. Z., 1905, 252.—Col.
Tetralobus Lepeletier & Serville 1828, Ency. Méth., 10 (Ins.), 594.—Col.
Tetralonche Schewiakoff 1926, Fauna e Flora Golfo di Napoli, 37, 267.—Prot.
Tetralonia (n.n. pro *Macrocera* Latreille 1810) Spinola 1839, Ann. Soc. ent. France, 7, 538.—Hym.
Tetraloniella Ashmead 1899, Trans. Amer. ent. Soc., 26, 61.—Hym.
Tetralopha Zeller 1848, Isis (Oken), 1848, 879.—Lep.

- Tetralophidea* Ashmead 1900, Proc. U.S. nat. Mus., **22**, 348.—Hym.
Tetralophiella (pro *-phiellus* Ashmead 1900) Ashmead 1904, Mem. Carnegie Mus., **1**, 391.—Hym.
Tetralophiellus Ashmead 1900, Proc. U.S. nat. Mus., **22**, 357.—Hym.
Tetralophodes Bernhauer 1922, Verh. zool.-bot. Ges. Wien, **71**, 1921, 18.—Col.
Tetralophodon Falconer & Cautley 1847, F. Antiq. Sival., (5) pl. 42, 43.—Mamm.
Tetralophus Waterhouse 1853, Trans. ent. Soc. London, (2) **2**, 173.—Col.
Tetralychnia Motschoulsky 1853, Etudes ent., **1**, 38.—Col.
Tetralysis Eudes-DesLongchamps 1878, Jura Normand, **2**, 13.—Verm. (†Ann.).
Tetramastix Zacharias 1898, Forschber. Plön, **6**, 132.—Verm. (Rotif.).
Tetramastix Alexieff 1916, C.R. Soc. Biol., Paris, **79**, 1076.—Prot. (See *Karotomorpha* Travis 1934.)
Tetramastix Korschikov 1925, Arch. Protistenk., **4**, 180, 194.—Prot. (See *Karotomorpha* Travis 1934.)
Tetramedon Casey 1905, Trans. Acad. Sci. St. Louis, **15**, 178.—Col.
Tetramegapus Viets 1926, Zool. Anz., **69**, 193.—Arachn.
Tetramelia Kirby 1886, J. Linn. Soc. London, Zool., **20**, 31.—Hym.
Tetramelus Motschoulsky 1869, Bull. Soc. imp. Nat. Moscou, **42** (2), 257.—Col.
Tetramereia Klages 1907, Proc. ent. Soc. Washington, **8**, 141.—Col.
Tetrameres Creplin 1846, Arch. Naturgesch., **12** (1), 130.—Verm. (Nema.).
Tetrameres Barrande 1867, Syst. Silur. centr. Bohême, **1** (2, Céph.), 203.—Moll.
Tetrameres (emend. pro *Tetratarsus* Schaufuss 1877) Schaufuss 1877, Nunquam otiosus, **2**, 460.—Col.
Tetramerinx (n.n. pro *Tetrachaeta* Stein 1898) Berg 1898, Comun. Mus. nac. Buenos Aires, **1**, no. 1, 17.—Dipt.
Tetramermis Steiner 1925, J. Parasitology, **12**, 108.—Verm. (Nema.).
Tetramerocera Ashmead 1896, Proc. zool. Soc. London, **1895**, 778.—Hym.
Tetrameroceras Hyatt 1884, Proc. Boston Soc. nat. Hist., **22**, 277.—Moll.
Tetramerocrinites Austin 1842, Ann. Mag. nat. Hist., **10**, 110 [n.n.]; 1843, **11**, 203.—Echin.
Tetramerocrinus (pro *-nites* Austin 1842) Delage & Hérouard 1903, Traité Zool. concr., **3**, 493.—Echin.
Tetramerodon Rhoads 1894, Proc. Acad. nat. Sci. Philad., **1894**, 282.—Mamm.
Tetramerogastra Hendel 1914, Suppl. ent., **3**, 111.—Dipt.
Tetramerorhinus Ameghino 1894, Bol. Acad. Córdoba, **13**, 295.—Mamm.
Tetramerotropis Saussure 1888, Mém. Soc. phys. Hist. nat. Genève, **30**, no. 1, 25.—Orth.
Tetrameryx Lull 1921, Amer. J. Sci., (5) **2**, 163.—Mamm.
Tetramesa Walker 1848, List Hymenopt. Coll. Brit. Mus., **2**, 104, 154.—Hym.
Tetramitus Perty 1852, Kenntn. Lebensform, 170.—Prot.
Tetramopria Wasmann 1899, Zoologica, Stuttgart, **26**, 127.—Hym.
Tetramorion Barrande 1867, Syst. Silur. centre Bohême, **1** (Rech. Pal., 2), 265.—Moll.
Tetramorium Mayr 1855, Verh. zool.-bot. Ver. Wien, **5**, Abh., 423.—Hym.
Tetramyolia Shiraki 1933, Mem. Fac. Sci. Agric. Taihoku imp. Univ., **8** (Ent. No. 2), 342.—Dipt.
Tetramyrma Forel 1912, Rev. suisse Zool., **20**, 766.—Hym.
Tetramyxa Goebel 1884, Flora, **67**, 517.—Prot.
Tetranchyroderma Remane 1926, Z. morph. oekol. Berlin, **5**, 676.—Verm. (Gastrotricha).
Tetrancistrum Goto & Kikuchi 1917, J. Coll. Sci. Tokyo, **39** (4), 13.—Verm. (Trem.)
Tetranema Haeckel 1879, Syst. der Medusen, **1**, 125.—Coel.
Tetranema (err. pro *-mia* Moersch 1859) Cossmann 1912, Essais Paléococh. comp., **9**, 138.—Moll.
Tetranematichthys Bleeker 1858, Acta Soc. Indo-Neêrl., **4**, 357; 1863, Ned. Tijdschr. Dierk. Amst., **1**, 108.—Pisces.
Tetranemia Moersch 1859, J. Conchyliol., **7**, 353.—Moll.
Tetranemopteryx Ashmead 1904, Class. Chalcid Flies (Pub. Carnegie Mus.), 239.—Hym.
Tetranemus (pro *Tetrac-* Westwood 1837) Ashmead 1885, Trans. Amer. ent. Soc., **12**, Proc., xviii.—Hym.
Tetranesodon Weber 1913, Nova Guinea, **9**, 545.—Pisces.
Tetranesomania Lundblad 1931, Zool. Bidr. Uppsala, **13**, 32.—Arachn.
Tetranesura Hartig 1841, in Germar, Z. Entom., **3**, 366.—Hem.
Tetranesura (pro *Tetrat-* Ashmead 1898) Konow 1905, Gen. Insect., **29**, 102, 171.—Hym.
Tetranesura (emend. pro *-nesura* Hartig 1841) Agassiz 1846, Nomen. Zool. Index Univ.—Hem.
Tetranesura Selys 1859, Bull. Acad. roy. Sci. Belgique, (2) **7**, 449.—Odon. (nec *Tetranesura* Hartig 1841 see *Devadatta* Kirby 1890).

- Tetranichus* (pro *-nychus* Dufour 1832) Dugès 1834, Ann. Sci. nat. Paris, Zool., (2) 2, 59.—Arachn.
- Tetranillus* Wasmann 1899, Dtsch. ent. Z., 1899, 167.—Col.
- Tetranobia* Banks 1917, Ent. News, 28, 194.—Arachn.
- Tetranodes* Schaeffer 1904, J.N. York ent. Soc., 12, 223.—Col.
- Tetranodus* Linell 1897, Proc. U.S. nat. Mus., 19, 396.—Col.
- Tetranota* Ulrich & Scofield 1897, Geol. Minnesota, 3 (2, Pal.), 849, 875.—Moll.
- Tetrantaris* Templeton 1836, Mag. nat. Hist., 9, 239.—Verm. (Cest.).
- Tetrantarus* (pro *-aris* Templeton 1836) Thompson 1844, Rep. Brit. Ass., 13, 1843, 276.—Verm. (Cest.).
- Tetranthella* Lendenfeld 1893, Zool. Anz., 17, 49.—Spong.
- Tetranychina* Banks 1917, Ent. News, 28, 195.—Arachn.
- Tetranychoides* Banks 1904, J.N. York ent. Soc., 12, 54.—Arachn.
- Tetranychopsis* (pro *-opsis* Canestrini 1889) Canestrini 1891, Atti Ist. Veneto, (7) 2, 712.—Arachn.
- Tetranychus* Dufour 1832, Ann. Sci. Nat., 25 (99), 279.—Arachn.
- Tetranycopsis* Canestrini 1889, Atti Ist. Veneto, (6) 7, 494, 504.—Arachn.
- Tetranycus* (pro *-chus* Dufour 1832) Walckenaer 1847, in Walckenaer & Gervais, Hist. Apt., 4, 349.—Arachn.
- Tetrao* Linnaeus 1758, Syst. Nat., ed. 10, 159; 1766, ed. 12, 273; Bonaparte 1831, Giorn. Arcad., 49, 54.—Aves.
- Tetraodes* Blanchard 1853, Voy. Pôle Sud, Zool. 4, 55.—Col.
- Tetraodon* Linnaeus 1758, Syst. Nat., ed. 10, 332; 1766, ed. 12, 410 (also as *Tetrodon*).—Pisces.
- Tetraodontonyx* Ashmead 1900, Canad. Ent., 32, 187.—Hym.
- Tetraodorhina* [Blanchard] 1842, Cat. Coll. Ent. Mus. H.N. Paris, no. 1, Cetoniidae, 10.—Col.
- Tetraodorrhina* (pro *-rhina* Blanchard 1842) Gemminger & Harold 1869, Cat. Col., 4, 1302.—Col.
- Tetraogallus* Gray 1832, Ill. Indian Zool., 2 (11), pl. 46.—Aves.
- Tetraolytta* Pic 1919, Echange, 35, 3.—Col.
- Tetraommatus* Perroud 1855, Ann. Soc. linn. Lyon, (N.S.) 2, 1854–55, 390.—Col.
- Tetraonchus* Diesing 1858, S.B. Akad. Wiss. Wien, Math.-naturw. Kl., 32, 314, 379.—Verm. (Trem.).
- Tetraonoperdix* (emend. pro *Tetraop-* Hodgson 1837) Agassiz 1846, Nomen. Zool. Index Univ.—Aves.
- Tetraonyx* Latreille 1809, in Humboldt & Bonpland, Voy. intér. Amér. (Obs. Zool.), 237.—Col.
- Tetraonyx* Gray 1831, in Griffith-Cuvier, Anim. Kingdom, 9, Syn., 19; Lesson 1832, Illustr. de Zool., (3) pl. 7.—Rept.
- Tetraoperdix* Hodgson 1837, Madras J. Lit. Sci., 5 (15), 302.—Aves.
- Tetraopes* (Dalman MS.) Schoenherr 1817, Syn. Insect., 1 (3), 401.—Col.
- Tetraopes* (emend. pro *Tetrops* Kirby 1826) Kirby 1826, Introd. Entom., 4, 619.—Col.
- Tetraophasis* Elliot 1871, Monogr. Phasian., 1 (3), pl. xxi.—Aves.
- Tetraopthalmus* (De Haan MS.) Dejean 1835, Catal. Coléopt., ed. 2, 347 [n.n.]; Guérin-Ménéville 1844, Iconographie Règne Anim., Ins., 244.—Col.
- Tetraopthalmus* (pro *Tetroph-* Lesson 1833) Burmeister 1847, Handb. Ent., 5, 339.—Col.
- Tetraopthalmus* (pro *Tetrophth-* Grosse 1885) Kellogg 1896, Publ. Stanford Univ., Contr. Biol., No. 4, 35.—Malloph.
- Tetraopus* (pro *-pes* Schoenherr 1817) Berthold 1827, in Latreille, Nat. Fam. Thierr., 398.—Col.
- Tetrapaedia* (pro *-pædia* Klug 1810) Dalla Torre 1896, Cat. Hym., 10, 299.—Hym.
- Tetrapedia* Klug 1810, Ges. Nat. Fr. Berlin, Mag. 4, 34.—Hym.
- Tetrapedium* (pro *-dia* Klug 1810) Berthold 1827, in Latreille, Nat. Fam. Thierr., 468.—Hym.
- Tetrapedus* Jan 1860, Arch. Naturgesch., 26, Abt. 1, 69.—Rept.
- Tetrapera* Haeckel 1881, Jena. Z., 15, 438.—Prot.
- Tetraperdita* Cockerell & Porter 1899, Ann. Mag. nat. Hist., (7) 4, 415.—Hym.
- Tetrapetalonema* Faust 1935, Trans. Soc. trop. Med., 28, 627.—Verm. (Nema.).
- Tetraphala* (Chevrolat MS.) Dejean 1835, Catal. Coléopt., ed. 2, 430 [n.n.].—Col.
- Tetraphalerus* Waterhouse 1901, Ann. Mag. nat. Hist., (7) 7, 520.—Col.
- Tetraphana* Skuse 1890, Proc. Linn. Soc. N.S. Wales, (2) 4, 778.—Dipt.
- Tetraphana* Ragonot [1891], Ann. Soc. ent. France, (6) 10, 1890, 471.—Lep.
- Tetraphis* Horváth 1896, Wien. ent. Ztg., 15, 6.—Hem.
- Tetraphleba* (n.n. pro *Tetraphleps* Hampson 1893) Strand 1920, Int. ent. Z., 14, 174.—Lep.
- Tetraphlebia* Felder 1867, Reise Novara, Zool. 2, Abt. 2, Lep. Rhop., 487.—Lep.
- Tetraphlebs* (pro *-leps* Hampson 1893) Strand 1920, Int. ent. Z., 14, 174.—Lep.
- Tetraphleps* Fieber 1860 (Sept.), Wien. ent. Monatschr., 4, 262; [1860 (Nov.)], Europ. Hem., 1861, 135.—Hem.

- Tetraphleps** Hampson [1893], Fauna Brit. India, Moths, 1, 1892, 383.—Lep. (See *Tetraphleba* Strand 1920.)
- Tetraphora** Philippi 1865, Verh. zool.-bot. Ges. Wien, 15, Abh., 630.—Dipt.
- Tetraphormis** Haeckel 1881, Jena. Z., 15, 432.—Prot.
- Tetraphotopsis** Ashmead 1903, Canad. Ent., 35, 305.—Hym.
- Tetraphyllum** Ludwig 1865, Palaeontogr., 14, no. 4, 143.—Coel.
- Tetraphyllum** Laporte & Brullé 1831, Ann. Sci. Nat., 23 (91), 332.—Col.
- Tetrapiona** Viets 1926, Zool. Anz., 69, 194.—Arachn.
- Tetraplagia** Haeckel 1881, Jena. Z., 15, 424.—Prot.
- Tetraplaria** Tenison-Woods 1878, Proc. roy. Soc. N.S. Wales, 12, 61.—Bry.
- Tetraplasta** Ashmead 1903, Psyche, 10, 68.—Hym.
- Tetraplastocerus** Silvestri 1920, Boll. Lab. Zool. Portici, 14, 292.—Dipt.
- Tetraplatia** Busch 1851, Beob. Anat. wirbell. Seethiere, 120, pl. 10, figs. 3-4.—Coel.
- Tetraplatypus** (n.n. pro *Tachycellus* Ganglbauer 1891) Tschitscherin 1897, Abeille, 29, 62.—Col.
- Tetraplatys** Walker 1851, List Specimens Hom. Ins. Coll. Brit. Mus., 2, 510.—Hem.
- Tetraplax** Rathbun 1901, Bull. U.S. Fish Comm., 20, 1900, no. 2, 9.—Crust.
- Tetraplecta** Haeckel 1881, Jena. Z., 15, 424.—Prot.
- Tetrapleura** Schiner [1868], Reise Novara, Zool., Bd. 2, Dipt., 289.—Dipt.
- Tetrapleurodon** Creaser & Hubbs 1922, Occ. Pap. Mus. Zool. Michigan, No. 120, 3, 6.—Pisces.
- Tetrapleurus** Bernhauer 1914, Verh. zool.-bot. Ges. Wien, 64, 84.—Col.
- Tetraplodon** Spix 1827, Test. fluv. Brasil., 33 & pl. xxv.—Moll.
- Tetrapocillon** Brøndsted 1924, Vidensk. Medd. naturh. Foren. Kjøbenhavn, 77, 456.—Spong.
- Tetrapoda** (Bremi MS.) Bach 1870, Wunder Ins.-Welt, 270.—Arachn.
- Tetrapodichnites** Hitchcock 1837, Amer. J. Sci., 32 (1), 175 [n.n.].—Rept.
- Tetrapodium** Guericke 1926, Palaeont. Z., Berlin, 8, 117.—Amph.
- Tetrapodosaurus** Sternberg 1932, Mus. Bull. Victoria Mem. Mus. Ottawa, 68, 73.—Rept.
- Tetrapolipus** Berlese 1911, Redia, 7, 434.—Arachn.
- Tetrapoma** Levinsen 1893, Vidensk. Medd. naturh. Foren. Kjøbenhavn, 1892, 175, 177.—Coel.
- Tetraponera** Smith 1852, Ann. Mag. nat. Hist., (2) 9, 44.—Hym.
- Tetrapora** Quenstedt 1858, Der Jura, (4) 666.—Bry.
- Tetrapora** Yabe & Hayasaka 1915, J. geol. Soc. Tokyo, 22, 87.—Coel.
- Tetraposthia** Steinböck 1930, Vidensk. Dansk naturh. Foren. Kjøbenhavn, 90, 65.—Verm. (Turb.).
- Tetrapriocera** Horn 1878, Proc. Amer. phil. Soc., 17, 544.—Col.
- Tetraprion** Stejneger 1891, Proc. U.S. nat. Mus., 14, 167.—Amph.
- Tetraproctodon** (pro *-protodon* Falconer & Cautley 1836) Gray 1869, Cat. carniv. Mamm. Brit. Mus., 357.—Mamm.
- Tetraprosopus** Butler 1882, Ann. Mag. nat. Hist., (5) 9, 97.—Lep.
- Tetraprothomo** Ameghino 1884, Filogenia, 381; 1907, An. Mus. nac. Buenos Aires, (3) 9, 108.—Mamm.
- Tetraprotodon** Falconer & Cautley 1836, Asiat. Res., 19 (1), 51.—Mamm.
- Tetrapsellium** Hawle & Corda 1847, Prod. Mon. böhm. Trilob., 42.—Trilobita.
- Tetrapсила** Frey 1925, Notul. Ent., 5, 48.—Dipt.
- Tetrapsilus** Kieffer 1908, in André, Spec. Hym. Eur., 10, 367, 397.—Hym.
- Tetrapstylus** Jordan 1931, Novit. zool., 37, 135.—Siphonapt.
- Tetraptera** (teste Doflein 1928, Lehrb. Protozoenkunde, 5 (2), 508).—Prot.
- Tetrapteroma** Haeckel 1881, Jena. Z., 15, 429.—Prot.
- Tetrapteromyia** Malloch 1930, J. Fed. Malay States Mus., 16, 119.—Dipt.
- Tetrapteron** Claus 1878, Arch. mikr. Anat., 15, 349.—Coel.
- Tetrapterurus** (emend. pro *-pturus* Rafinesque 1810) Bonaparte 1841, Icon. F. Ital. (Pesci), Introd. [p. 13].—Pisces.
- Tetrapterus** (pro *-pturus* Rafinesque 1810) Valenciennes 1831, in Cuvier & Valenciennes, Hist. Poissons, 8, pl. 227, 228.—Pisces.
- Tetrapteryx** Thunberg 1819, K. VetenskAcad. Handl., Stockholm, 1818 (2), 242.—Aves.
- Tetrapturus** Rafinesque 1810, Car. n. gen., 54.—Pisces.
- Tetrapurena** Haeckel 1879, Syst. der Medusen, 1, 24.—Coel.
- Tetrapus** Mayr 1885, Verh. zool.-bot. Ges. Wien, 35, Abh., 156, 184.—Hym.
- Tetrapygyus** Agassiz 1841, Mon. Echin. (Anat. Echinus, 1), vii; 1841, in Agassiz & Desor, Ann. Sci. nat. Paris, Zool., (3) 6, 354.—Echin.
- Tetrapyle** Mueller 1858, MonatsBer. Akad. Wiss. Berlin, 1858, 154.—Prot.
- Tetrapylyssa** Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 644.—Prot.
- Tetrapylonium** Haeckel 1881, Jena. Z., 15, 464.—Prot.
- Tetrapylura** Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 646.—Prot.
- Tetrapyrgia** Walker 1865, List Specimens Lep. Ins. Brit. Mus., 33, 711.—Lep.
- Tetraracus** Kuwert 1891, Dtsch. ent. Z., 1891, 184.—Col.

- Tetrarhabda* Haeckel 1881, Jena. Z., 15, 429.—Prot.
Tetrarhabdotis Kraatz 1883, Dtsch. ent. Z., 27, 388.—Col.
Tetrarhanis Karsch 1893, Berlin. ent. Z., 38, 217.—Lep.
Tetrarhapta (pro *-rhoptra* Foerster 1869) Ashmead 1894, J. Linn. Soc. London, Zool., 25, 69.—Hym.
Tetrarhinchus (pro *-rhynchus* Rudolphi 1809) Cuvier 1817, Règne an., 4, pl. 15.—Verm. (Cest.).
Tetrarhinus Provancher 1872, Nat. Canad., 4, 75.—Hem.
Tetrarhopala Motschoulsky 1863, Bull. Soc. imp. Nat. Moscou, 36 (2), 61.—Hym.
Tetrarhoptra Foerster 1869, Verh. zool.-bot. Ges. Wien, 19, Abh., 349.—Hym.
Tetrarhyncha (pro *-chus* Rudolphi 1809) [? Author] 1897, J.R. micr. Soc., 1897, 389.—Verm. (Cest.).
Tetrarhynchia Buckman 1914, Gen. Jurass. Brach., 1 [n.n.]; 1917, Pal. Indica, 3 (2), 41.—Brach.
Tetrarhynchobothrium Diesing 1850, Syst. Helminth., 1, 576.—Verm. (Cest.).
Tetrarhynchus Rudolphi 1809, Entoz., 2 (1), 318.—Verm. (Cest.).
Tetrarhynchus (pro *-chus* Rudolphi 1809) Olsson 1867, Acta Univ. Lund., 3, no. 3, 6.—Verm. (Cest.).
Tetraroge Guenther 1860, Cat. Fish. Brit. Mus., 2, 89, 132.—Pisces.
Tetrarpages Thomson 1868, Physis, Paris, 2, pt. 3, 129.—Col.
Tetrarrhynchus (err. pro *Tetrarh-* Rudolphi 1809) Olfers 1816, De Veg., 22.—Verm. (Cest.).
Tetrarthra Dalla Torre 1904, Gen. Insect., 19, 28.—Hym.
Tetrarthria Dallas 1851, List Specimens Hem. Ins. Coll. Brit. Mus., 1, 20.—Hem.
Tetrarthrius Didier 1926, Encycl. Ent., B.I., Col. 2, 28.—Col.
Tetrarynchus (pro *-rhynchus* Rudolphi 1809) Fleming 1822, Phil. Zool., 2, 607.—Verm. (Cest.).
Tetras (pro *-ao* L. 1758) Forster 1799, Man. H.N. Oiseaux, 51.—Aves.
Tetrasarus Bates 1880, Biol. Centr. Amer., Zool., Col. 5, 142.—Col.
Tetraschalis Meyrick 1887, Trans. ent. Soc. London, 1887, 267.—Lep.
Tetraschistis Hampson 1897, Proc. zool. Soc. London, 1897, 679.—Lep.
Tetrascolia (Gribodo MS.) Betrem 1927, Tijdschr. Ent., 70, xcv.—Hym.
Tetrascolia Ashmead 1904, Canad. Ent., 35, 8.—Hym.
Tetraselenodon Schlosser 1886, Morph. Jahrb., Leipzig, 12 (1), 44, 134.—Mamm.
Tetraselmis Stein 1878, Organ. Infus., 3 (1), pl. xvi.—Prot.
Tetrasiphon Ehrenberg 1840, Ber. Verh. preuss. Akad. Wiss., 1840, 219.—Verm. (Rotif.).
Tetrasmicra Ashmead 1904, Class. Chalcid Flies (Pub. Carnegie Mus.), 252.—Hym.
Tetrasmila de Fromentel 1860, Mém. Soc. linn. Normandie, 11, no. 2, 46.—Spong.
Tetrasolenia Ehrenberg 1860, MonatsBer. Akad. Wiss. Berlin, 1860, 833.—Prot.
Tetrasomus (emend. pro *Tetros-* Swainson 1839) Agassiz 1846, Nomen. Zool. Index Univ.—Pisces.
Tetraspartus Pascoe 1885, Ann. Mus. Stor. nat. Genova, (2) 2, 309.—Col.
Tetrasphaera Popofsky 1912, Dtsch. Südpolar Exped. 1901–1903, 13, Zool. 5, 111.—Prot.
Tetrasphaeropyx Ashmead 1889, Proc. U.S. nat. Mus., 11, 634.—Hym.
Tetrasphondylia Kieffer 1913, Bull. Soc. Hist. nat. Metz, 28, 48.—Dipt.
Tetraspidoceras Spath 1926, Naturalist, No. 829, 47.—Moll.
Tetraspidoptera (n.n. pro *Aspidoptera* Lucas 1900) Speiser 1902, Berlin. ent. Z., 1902, 141.—Lep.
Tetraspilus Amyot 1846, Ann. Soc. ent. France, (2) 4, 127.—Hem.
Tetraspis Hagenmueller 1885, Bull. Soc. malac. France, 2, 303.—Moll.
Tetraspongonium Haeckel 1881, Jena. Z., 15, 464.—Prot.
Tetraspyris Haeckel 1881, Jena. Z., 15, 442.—Prot.
Tetrastactus Amyot 1847, Ann. Soc. ent. France, (2) 5, 225.—Hem.
Tetrasteira Muir 1926, Bull. Hawaii. Planters' Ass., Ent. Ser., No. 18, 5.—Hem.
Tetrastemma Ehrenberg 1831 (pls. 1828), Sym. Phys., Turb., sign. c.—Verm. (Nemert.).
Tetrastephanus Brandt 1835, Prod. anim. Mertens., 1, 11.—Coel.
Tetraster Nicholson & Etheridge 1880, Sil. Foss. Girvan Dist., 3, 324.—Echin.
Tetrastes Keyserling & Blasius 1840, Wirbelth. Europas, lxiv, 109.—Aves.
Tetrastichella Girault 1913, Trans. roy. Soc. S. Australia, 37, 108.—Hym.
Tetrastichodes Ashmead 1887, Trans. Amer. ent. Soc., 14, 203.—Hym.
Tetrastichomorpha Girault 1913, Bull. Wisconsin nat. Hist. Soc., 11, 38.—Hym.
Tetrastichomphale Girault 1935, Microhymenoptera Australiensis Nova, 3 [privately printed].—Hym.
Tetrastichomyia Girault 1916, Proc. U.S. nat. Mus., 51, no. 2140, 48.—Hym.
Tetrastichopsis Girault 1916, Proc. U.S. nat. Mus., 51, no. 2148, 132.—Hym.
Tetrastichus Walker 1842, Ann. Mag. nat. Hist., 10, 116; Haliday 1844, Trans. ent. Soc. London, 3 (4), 297.—Hym.
Tetrasticta Kraatz 1857, Linn. Ent., 11, 54.—Col.

- Tetrastiomia* (err. pro *Tera*- Bigot 1859) Malloch 1930, *Ins. Samoa*, 6, 225.—Dipt.
Tetrastoma Chiaje 1833, *Elminth. umana*, ed. 2, 13.—Verm. (Trem.).
Tetrastoma Forbes [non Chiaje 1833] 1840, *Institut*, 8, no. 357, 370; Forbes & Goodsir 1841, *Rep. Brit. Assoc. (Glasgow, 1840)*, 10, *Trans.*, 142.—Verm. (Cest.).
Tetrastomella Sacco 1890, *Mem. Accad. Sci. Torino*, (2) 40, 333.—Moll.
Tetrastomum (pro *-oma* Chiaje 1833) Diesing 1850, *Syst. Helm.*, 1, 408.—Verm. (Trem.).
Tetrastyla Schewiakoff 1892, *Verh. Ver. Heidelb.*, (N.S.) 4, 561.—Prot.
Tetrastylomys Kraglievich 1929, *Ann. Mus. nac. Buenos Aires*, 34, 128.—Mamm.
Tetrastylopsis Kraglievich 1931, *Physis*, 10, 293.—Mamm.
Tetrastylus Ameghino 1886, *Bol. Acad. Córdoba*, 9, 46.—Mamm.
Tetrasulcata Matern 1930, *Abh. preuss. geol. Landesanst.*, 118, 40.—Crust.
Tetrataenia Stål 1873, *Recensio Orth.*, 1, 34.—Orth.
Tetratanytarsus Kieffer 1923, *Ann. Soc. sci. Bruxelles, Mém.*, 42, 114.—Dipt.
Tetrastomus Schaufuss 1877 (June), *Pselaphiden Siam's*, 24; 1877 (Aug.), *Nunquam otiosus*, 2, 460.—Col. (Cf. *Tetrameres* Schaufuss 1877.)
Tetrataxis Ehrenberg 1843, *Ber. Verh. preuss. Akad. Wiss.*, 1843, 106 [n.n.].—Prot.
Tetratemnus Wollaston 1873, *Trans. ent. Soc. London*, 1873, 9.—Col.
Tetrathallis Crotch 1875, *Cistula ent.*, 1, 403.—Col.
Tetrathemis Brauer 1868, *Verh. zool.-bot. Ges. Wien*, 18, *Abh.* 182.—Odon.
Tetrathrosoma Verhoeff 1898, *Verh. zool.-bot. Ges. Wien*, 48, *Abh.* 300.—Myr.
Tetrathyra Gray 1865, *Proc. zool. Soc. London*, 1865, 323.—Rept.
Tetrathyridium Rudolphi 1819, *Entoz. Syn.*, 514, 808.—Verm. (Cest.).
Tetrathyrus Creplin 1851, *Arch. Naturgesch.*, 17 (1), 292.—Verm. (Cest.).
Tetrathyrus Claus 1879, *Arb. Inst. Wien*, 2, 150, 160.—Crust.
Tetratica Motschoulsky 1860, in Schrenck, *Reisen u. Forsch. Amur-Lande*, 2, *Lief.* 2, Col., 201.—Col.
Tetratneura Ashmead 1898, *Canad. Ent.*, 30, 256.—Hym.
Tetratocera (err. pro *Tera*- Guenée 1852) Butler 1878, *Proc. zool. Soc. London*, 1878, 489.—Lep.
Tetratoma Fabricius 1790, *Skr. nat. Selsk. [Copen.]*, 1(1), 217; Herbst 1792, in Jablonsky, *Nat. Ins. (Käfer)*, 4, 81.—Col.
Tetratoma (emend. pro *Tessarotoma* Berthold 1827) Gistel 1848, *Nat. Thierr.*, 148.—Hem. (Pentatomid.).
Tetratoma Signoret 1851, *Ann. Soc. ent. France*, (2) 9, 339.—Hem. (Pentatomid.). (See *Aeliomorpha* Stål 1858.)
Tetratoma Buetschli 1884, in Bronn, *Klass. Ordn. Tierreichs*, 1, no. 2, 838.—Prot.
Tetratoma (err. pro *Tetrarhoptra* Foerster 1869) Cameron 1890, *Monogr. Brit. Phytophagous Hym.*, 3, 223.—Hym.
Tetratopos Chevrolat [1883], *Ann. Soc. ent. France*, (6) 2, 1882, 569.—Col.
Tetratoxum Gasskovsky 1919, *Trav. Soc. Nat. Petrograd*, 49, 25, 31.—Prot.
Tetratrachomastix Mackinnon 1913, *Quart. J. micr. Sci.*, 59, 465.—Prot.
Tetratrachomonas Parisi 1910, *Arch. Protistenk.*, 19, 232, 234.—Prot.
Tetratritoma Arrow 1925, *Fn. Brit. India, Col., Erotylidae*, 145.—Col.
Tetraulacinus Kieffer 1910, *Bull. Soc. ent. France*, 1910, 350.—Hym.
Tetraulax Jordan 1903, *Novit. zool.*, 10, 182.—Col.
Tetrauperdix (pro *Tetraop-* Hodgson 1837) Hodgson 1849, *J. Asiat. Soc. Bengal*, 18, 775.—Aves.
Tetrax Leach 1816, *Syst. Cat. Mamm. Birds Brit. Mus.*, 28; Forster 1817, *Syn. Cat. Brit. Birds*, 20, 56.—Aves.
Tetraxanthus Rathbun 1898, *Bull. Univ. Iowa*, 4, 275.—Crust.
Tetraxyphus Kieffer 1913, *Gen. Insect.*, 152, 287, 290.—Dipt.
Tetrenema Derbès 1869, *Ann. Sci. nat. Paris, Zool.*, (5) 11, 106.—Hem.
Tetrentodon (n.n. pro *Trachelia* Pfeiffer 1853) Pilsbry 1903, *Man. Conch.*, (2) 15, 186, 267.—Moll.
Tetres Caullery 1913, *Bull. Soc. zool. Paris*, 38, 200.—Verm. (Polych.).
Tetrenia Meyrick 1890, *Proc. Linn. Soc. N.S. Wales*, (2) 4, 1109.—Lep.
Tetreuaresta Hendel 1928, *Ent. Mitt.*, 17, 368.—Dipt.
Tetreurytarsa Horn 1892, *Dtsch. ent. Z.*, 1892, 94.—Col.
Tetrias Rathbun 1898, *Proc. U.S. nat. Mus.*, 21, 607.—Crust.
Tetrica Stål 1866, *Hem. Afric.*, 4, 208.—Hem.
Tetricodina Westwood 1874, *Thesaur. ent. Oxon.*, 175.—Orth.
Tetridia Warren 1890, *Ann. Mag. nat. Hist.*, (6) 6, 477.—Lep.
Tetrigus Candèze 1857, *Mém. Soc. Sci. Liège*, 12 (Monog. Elatér.), 254.—Col.
Tetrilus Simon 1886, *Ann. Soc. ent. Belgique*, 30, *Bull.*, lx.—Arachn.
Tetrisia Walker [1867], *J. Linn. Soc. London, Zool.*, 9, 1868, 186.—Lep.
Tetrisia Walker 1867, *Cat. Specimens Het.-Hem. Coll. Brit. Mus.*, 1, 111.—Hem. (See *Dolichisme* Kirkaldy 1904.)
Tetrisse Aurivillius 1907, *Ark. Zool.*, 3, no. 18, 35.—Col.
Tetrisus Murray 1864, *Trans. Linn. Soc. London*, 24, 404.—Col.

- Tetric Latreille (1802), *Hist. Crust. Ins.*, 3, 284.—Orth.
 Tetric Morris 1837, in Wood's *Naturalist*, 2 (9), 126.—Aves.
 Tetraonchus (pro *Tetraonchus* Diesing 1858) Monticelli 1890, *Boll. Soc. Napoli*, 4, 193.—Verm. (Trem.).
 Tetrobothrium (pro *Tetrobothrius* Rudolphi 1819) Örley 1885, *Termés. Füzetek*, 9, 120.—Verm. (Cest.).
 Tetrochetus Looss 1912, *Zool. Jahrb., Suppl.*, 15 (1), 324.—Verm. (Trem.).
 Tetrochlerus Breddin 1904, *Soc. Ent.*, 18, 153.—Hem.
 Tetrocycloecia Canu [1918], *Bull. Soc. géol. France*, (4) 17, 1917, 346.—Bry.
 Tetroda Amyot & Serville 1843, (*Roret's Suite à Buffon*) *Hémiptères*, 177.—Hem.
 Tetrodias Kirkaldy 1909, *Cat. Hem.*, 1, 250.—Hem.
 Tetrodiscus (pro *Treto-* Pomel 1883) Fourtau 1903, *C.R. Acad. Sci., Paris*, 136, 1101.—Echin.
 Tetrodon Linnaeus 1766 see *Tetraodon*.
 Tetrodon Ameghino 1882, *Cat. Sec. Prov. Buenos Aires*, 4.—Mamm.
 Tetrodontina Ancey 1887, *Conch. Exch.*, 1, 64.—Moll.
 Tetrodontophora Reuter 1882, *Anz. Akad. Wien*, 19, 173; 1882, *S.B. Akad. Wiss. Wien*, 86, 184.—Collemb.
 Tetroenura (pro *Tetrae-* Reichenbach 1850) Bonaparte 1854, *Ann. Sci. nat. Paris, Zool.*, (4) 1, fasc. 2, 115.—Aves.
 Tetrogmus Roger 1857, *Berlin. ent., Z.*, 1, 10.—Hym.
 Tetrogrius (pro *Tetragrius* Salter 1863) Lendenfeld 1884, *Proc. Linn. Soc. N.S. Wales*, 9, 223.—Coel.
 Tetrogrius (pro *Tetragrius* Salter 1863) Nicholson 1868, *Quart. J. geol. Soc.*, 24, 131.—Coel.
 Tetromatus Bate 1856, *Rep. Brit. Ass.*, 25, 58 [*n.n.*]; 1857, *Ann. Mag. nat. Hist.*, (2) 19, 139.—Crust.
 Tetromma (Solier MS.) Dejean 1834, *Catal. Coléopt.*, ed. 2, 183 [*n.n.*].—Col.
 Tetromma Keyserling 1878, *Verh. zool.-bot. Ges. Wien*, 27, 1877, *Abh.*, 607.—Arachn.
 Tetronarce Gill 1862, *Ann. Lyceum N. York*, 7, 387.—Pisces.
 Tetronarcine (? err. pro *-ce* Gill 1862) Tanaka 1908, *J. Coll. Sci. Japan*, 23 (7), 2.—Pisces.
 Tetroniscus Haeckel 1887, *Rep. Voy. Challenger Exped., Zool.*, 18 (1), 484.—Prot.
 Tetronychia Stephensen 1924, *Danish Ingolf-Exped.*, 3, pt. 8, 63.—Crust.
 Tetronychoteuthis Pfeffer 1900, *Jahrb. Hamburg. Wiss. Anst.*, 17, *Beih.* 2, 156, 161.—Moll.
 Tetronychus (emend. pro *Tetra-* Dufour 1832) Agassiz 1846, *Nomen. Zool. Index Univ.—Arachn.*
 Tetronyx (pro *Tetrao-* Gray 1831) Duméril & Bibrion 1835, (*Roret's Suite à Buffon*) *Erpét.*, 2, 341; Fitzinger 1835, *Ann. Wiener Mus.*, 1 [1], 118.—Rept.
 Tetropthalmus Kirby 1827, *Zool. Journ.*, 3 (10), 156.—Col. (Cetoniid.).
 Tetropthalmus (pro *-phthalma* Lesson 1833) Laporte 1840, *Hist. An. artic., Ins.*, 2, 170.—Col. (Lucanid.).
 Tetropthalmus Grosse 1885, *Z. wiss. Zool.*, 42, 534.—Malloph.
 Tetroplina Klapálek 1909, *Wien. ent. Ztg.*, 28, 223.—Plecopt.
 Tetropiopsis Chobaut 1899, *Bull. Soc. ent. France*, 1899, 356.—Col.
 Tetropismenus Loew 1876, *Z. Naturw.*, 48, 333.—Dipt.
 Tetropius Kirby 1837, in Richardson, *F. Bor.-Amer.*, 4, 174.—Col.
 Tetropla Mulsant & Rey 1873, *Hist. nat. Col. Fr., Brévipennes (Myrm. i)*, 492; 1874, *Ann. Soc. Agric. Lyon*, (4) 6, 429.—Col.
 Tetroplon Aurivillius 1900, *Ent. Tidskr.*, 20, 1899, 259.—Col.
 Tetropona (pro *Tetra-* Levisen 1893) Schydrowsky 1902, *Trav. Soc. Univ. Kharkow*, 36 (1), 146.—Coel.
 Tetrops Kirby 1826, *Introd. Ent.*, 3, 498; Stephens 1831, *Ill. Brit. Ent. (Mand. 4)*, 228, 241.—Coel.
 Tetropsis Coquillett 1910, *Proc. ent. Soc. Washington*, 12, 128.—Dipt.
 Tetrophalma Lesson 1833, *Illustr. de Zool.*, (8) pl. 24.—Col.
 Tetrophalmus (pro *-ma* Lesson 1833) Hope 1845, *Cat. Lucanoid Col.*, 3.—Col.
 Tetrophalmus (pro *-phthalmus* Grosse 1885) Kellogg 1889, *Trans. Kansas Acad. Sci.*, 12 (1), 48.—Malloph.
 Tetropus Jarocki 1825, *Zoologia*, 5, 249.—Crust.
 Tetroras Rafinesque 1810, *Car. n. gen.*, 11.—Pisces.
 Tetrorchis Bigelow 1909, *Mem. Mus. comp. Zool. Harvard*, 37, 123.—Coel.
 Tetrorea White (1846), *Zool. "Ereb. Terr." (Ins.)*, 21.—Col.
 Tetrosomus Swainson 1839, *N.H. Fishes, etc.*, 2, 194, 323.—Pisces.
 Tetroxia Lesson 1843, *Echo Monde Savant*, 10, 109.—Aves.
 Tetroxia Amyot & Serville 1843, (*Roret's Suite à Buffon*) *Hémiptères*, 334.—Hem.
 Tetrozocera Pierce 1918, *Proc. U.S. nat. Mus.*, 54, no. 2242, 428.—Col.
 Tetrura Lichtenstein 1882 (May), *Wien. ent. Ztg.*, 1, 124; 1882 (Sept.), *Ann. Soc. ent. France*, (6) 2, *Bull.*, lxxv.—Hem.

- Tetrura* (pro *Tetroura* Lesson 1843) Lesson 1844, Echo, (2) 11, 925.—Aves.
Tetticerus Hancock 1900, Occ. Mem. Chicago ent. Soc., 1, 2.—Orth.
Tettiella Hancock (1909), Trans. ent. Soc. London, 1908, 419.—Orth.
Tettigades Amyot & Serville 1843, (Roret's Suite à Buffon) Hémiptères, 469.—Hem.
Tettigarcta White 1845, in Eyre, J. Centr. Austral., 1, 433.—Hem.
Tettigetia see *Tettigia*.
Tettigia Amyot 1847, Ann. Soc. ent. France, (2) 5, 152 (as *Tettigetia* p. 156); Kolenati 1857, Bull. Soc. imp. Nat. Moscou, 30 (1), no. 2, 404.—Hem.
Tettigidea Scudder 1862, Boston J. nat. Hist., 7, no. 3, 476.—Orth.
Tettigodina (pro *Tetrico*-Westwood 1874) Bolivar 1887, Ann. Soc. ent. Belgique, 31, 196, 305.—Orth.
Tettigometra (pro *Teti*-Latreille 1804) Latreille 1817, in Cuvier, Règne an., 3, 405.—Hem.
Tettigomyia Amyot & Serville 1843, (Roret's Suite à Buffon) Hémiptères, 482.—Hem.
Tettigonia Linnaeus 1758, Syst. Nat., ed. 10, 425; 1767, ed. 12, 692.—Orth.
Tettigonia Fabricius 1775, Syst. Ent., 678.—Hem.
Tettigoniella Jacobi 1904, Zool. Jahrb., Syst., 778.—Hem.
Tettigonospora (n.n. pro *Coccospora* Smith 1929) Smith 1930, Univ. Calif. Publ. Zool., 33, 445.—Prot.
Tettigopsis Fischer de Waldheim 1830, Progr. Séance Publ. Soc. imp. Nat. Moscou, 9.—Orth.
Tettigoscarta Breddin 1903, Soc. ent., 17, 59.—Orth.
Tettigoxenos Jeannel 1913, Voy. Alluaud et Jeannel en Afrique orient., 4.—Col.
Tettilobus Hancock (1909), Trans. ent. Soc. London, 1908, 395, 396.—Orth.
Tettitulum Hancock 1915, Rec. Indian Mus., 11, 94.—Orth.
Tettix (pro *Tetrix* Latreille 1802) Dalman 1823, Anal. Entom., 86.—Orth.
Tettix Kirby & Spence 1828, Introd. Entom., ed. 5, 2, 397.—Hem.
Tettragonis Eichwald 1842, Urwelt Russ., (2) 81; 1843, Beitr. Kennt. Russ. Reichs, 8, 81 (also as *Tetragonis*).—Archaecocyathida.
Tetyra Fabricius 1803, Syst. Rhyng., 128.—Hem.
Tetyra (pro *Tityra* Vieillot 1816) Blyth 1840, in Blyth, Cuvier's Anim. Kingdom, 180.—Aves.
Teucer (n.n. pro *Telioneura* Felder 1874) Kirby 1892, Syn. Cat. Lep. Het., 1, 165.—Lep.
Teuchestes Mulsant 1842, H.N. Coléopt. France (Lam.), 176.—Col.
Teuchocnemis Osten-Sacken 1876, Bull. Buffalo Soc. nat. Sci., 3, 64.—Dipt.
Teucholabis Osten-Sacken 1859, Proc. Acad. nat. Sci. Philad., 1859, 203, 222.—Dipt.
Teuchomerus Sack 1922, Arch. Naturgesch., 87, 111, 266.—Dipt.
Teuchophanes Meyrick 1914, Trans. ent. Soc. London, 1914, 274.—Lep.
Teuchophorus Loew 1857, Progr. Realsch. Meseritz (N. Beitr. Kenntn. Dipt., 5), 44.—Dipt.
Teuchopora Neviani 1895, Boll. Soc. Rom. Zool., 4, 66.—Bry.
Teuchothrips Hood 1919, Proc. biol. Soc. Washington, 32, 86.—Thysanopt.
Teucrodoxa Meyrick 1925, Gen. Insect., 184, 206.—Lep.
Teucus Stål 1865, Ann. Soc. ent. France, (4) 5, 168.—Hem.
Teudis Cambridge 1897, Biol. Centr. Amer., Arach., Aran., 1, 198.—Arachn.
Teudopsis Eudes-Deslongchamps 1835, Mém. Soc. linn. Normandie, 5, 72.—Moll.
Teukrus Liebke 1931, Ent. Anz., 11, 360.—Col.
Teula Navás 1930, Brotéria, Sér. Zool., 16, 5.—Neur.
Teulisna Walker 1862, J. Proc. Linn. Soc. London, Zool., 6, 109.—Lep.
Teutamus Thorell 1890, Ann. Mus. Stor. nat. Genova, 30, 280.—Arachn.
Teutana (n.n. pro *Eucharia* Koch 1835) Simon 1881, Arachn. France, 5 (1), 161.—Arachn.
Teutates Distant 1909, Ann. Mag. nat. Hist., (8) 3, 335.—Hem.
Teutberga Jacobi 1917, in Voeltzkow, Reise in Ostafrika, 3, 531.—Hem.
Teuthaca (pro *Tenthaca* Hodgson 1837) Bonaparte 1850, Consp. Aves, 1 (2), 357.—Aves.
Teutheria Pascoe 1875, Ann. Mag. nat. Hist., (4) 16, 63.—Col.
Teuthidiscus Berry 1918, Dep. Trade, Customs Fish., Commw. Australia, 4 (5), 210, 284.—Moll.
Teuthidopsis (emend. pro *Teudo*-Deslongchamps 1835) Agassiz 1846, Nomen. Zool. Index Univ.—Moll.
Teuthis Linnaeus 1766, Syst. Nat., ed. 12, 507.—Pisces.
Teuthis Schneider 1784, Samml. verm. Abh., 113.—Moll. (See *Acroteuthis* Berry 1913.)
Teuthophrys Chatton & Beauchamp 1923, Arch. Zool. exp. gén. Paris, 61, Notes et Rev., 123.—Prot.
Teuthopsis (emend. pro *Teudo*-Deslongchamps 1835) Herrmannsen 1849, Ind. Gen. Malacoz., 2, 566.—Moll.

- Teuthopsis** Wagner 1859, *Gelehrte Anz.* (Munich), **48**, 278.—Moll. (nec *Teudopsis* Eudes-Deslongchamps 1835 see *Palaeololigo* Naef 1921).
- Teuthowenia** (n.n. pro *Owenia* Prosch 1847) Chun 1910, *Wiss. Ergebn. dtsch. Tiefsee Exped.*, **18**, 376.—Moll.
- Teuthras** Stål 1874, *Recensio Orth.*, **2**, 102.—Orth.
- Teuthraustes** Simon 1879, *Ann. Soc. ent. France*, (5) **8**, 1878, 400.—Arachn.
- Teuthroides** Bolivar 1905, *Ann. Mus. nat. Hungar.*, **3**, 394.—Orth.
- Teuthys** (pro *-this* L. 1766) Linck 1790, *Mag. N. Phys. Naturg.*, **6** (3), 32.—Pisces.
- Teutobochus** Blainville 1835, *Bull. Soc. Sci. Nat. France*, No. 3, 48.—Mamm.
- Teutomanis** Ameghino 1905, *An. Mus. nac. Buenos Aires*, **13**, 215.—Mamm.
- Teutonia** Koenike 1889, *Zool. Anz.*, **12**, 104.—Arachn.
- Teutonia** Verhoeff 1910, *Zool. Anz.*, **36**, 427, 434.—Thysanura. (See *Ditta* Strand 1911.)
- Teuales** Casey 1893, *Ann. N. York Acad. Sci.*, **7**, 399.—Col.
- Tewara** Griffin 1933, *Trans. N. Zealand Inst.*, **63**, 174.—Pisces.
- Texanus** Ball 1918, *Ann. ent. Soc. Amer.*, **11**, 384.—Hem.
- Texania** Casey 1909, *Proc. Acad. Sci. Washington*, **11**, 84.—Col.
- Texanites** Spath 1932, (Pal. Soc. Monogr.) *Amm. Gault*, **9**, 379.—Moll.
- Texara** Walker [1856], *J. Proc. Linn. Soc. London, Zool.*, **1**, 1857, 38.—Dipt.
- Texas** (n.n. pro *Melanostoma* Stål 1872) Kirkaldy 1904, *Entomologist*, 280.—Hem.
- Texasia** Reeside 1932, *Prof. Pap. U.S. Dep. Interior, Geol. Surv. No. 170B*, **14**.—Moll.
- Textes** Smith 1932, *Prof. Pap. U.S. Dep. Interior, Geol. Surv.*, No. 167, 23.—Moll.
- Texopneustes** Gray 1842, *Syn. Cont. Brit. Mus.*, ed. 44, 118 [*n.n.*].—Echin.
- Textilaria** (pro *Textiu-* DeFrance 1824) Ehrenberg [1839], *Abh. preuss. Akad. Wiss.*, **1838** (1840), *Tab. ii adv. p. 120* (note).—Prot.
- Textilia** Swainson 1840, *Treat. Malacol.*, 312.—Moll.
- Textiliforma** Carter 1885, *Ann. Mag. nat. Hist.*, (5) **16**, 288.—Spong.
- Textillaria** (pro *Textularia* DeFrance 1824) Dittmar 1864, *Contorta-Zone*, 200, 216.—Prot.
- Textiscala** de Boury 1911, *J. Conchylol.*, **58**, 216, 218, 222.—Moll.
- Textispongia** Quenstedt 1877, *Petref. Dtschl.* **5**, 53.—Spong.
- Textivenus** Cossmann 1886, *Ann. Soc. malac. Belg.*, **21**, 109.—Moll.
- Textor** Lichtenstein 1823, *Doubl. zool. Mus. Berlin*, 24 (note).—Aves.
- Textor** Temminck [non Lichtenstein] 1827, in *Temminck & Laugier, Pls. color.* (75).—Aves.
- Textrix** Sundevall 1833, *Consp. Arachn.*, 19; Blackwall 1833, *London & Edinburgh phil. Mag.*, (3) **3** (14), 108.—Arachn.
- Textrix** Roemer 1857, *Krit. Unters. Venus*, 16.—Moll. (See *Paratapes* Stoliczka 1870.)
- Textularia** DeFrance 1824, *Dict. Sci. Nat.*, **32**, 177.—Prot.
- Textulariella** Cushman 1927, *Contrib. Cushman Lab. Foraminif. Res.*, **3**, 24.—Prot.
- Textularioides** Cushman 1911, *Bull. U.S. nat. Mus.*, no. 71, 26.—Prot.
- Teyus** (pro *Teius* Merem 1820) Cuvier 1829, *Règne an.*, ed. 2, 2, 29, 30.—Rept.
- Teyutis** Rafinesque 1815, *Analyse*, 76 [*n.n.*].—Rept.
- Thaanumia** Ancey 1899, *Proc. malac. Soc. London*, **3**, 269.—Moll.
- Thabena** Stål 1866, *Hem. Afric.*, **4**, 208.—Hem.
- Thabenoides** Distant 1916, *Fauna Brit. Ind.*, *Rhynch.*, **6**, *Append.*, 90.—Hem.
- Thabina** Péringuey 1902, *Trans. S. Afric. phil. Soc.*, **12**, 847.—Col.
- Thacalia** (pro *Thec-* Adams 1857) Paetel 1890, *Cat. Conch.*, ed. 4, **3**, 141.—Moll.
- Thacona** Walker 1859, *Ann. Mag. nat. Hist.*, (3) **3**, 260.—Col.
- Thacharinus** Amyot 1845, *Ann. Soc. ent. France*, (2) **3**, 407.—Hem.
- Thachyusa** (err. pro *Tachy-* Erichson 1837) Duponchel 1841, *Rev. Zool., Paris*, **1841**, 57.—Col.
- Thacona** Walker [1863], *J. Proc. Linn. Soc. London, Zool.*, **7**, 1864, 169.—Lep.
- Thaduca** (pro *-ka* Moore 1879) Dewitz 1880, *Zool. Jahrb.*, **1879**, 623.—Lep.
- Thaduka** Moore 1879, *Proc. zool. Soc. London*, **1878**, 836.—Lep.
- Thaenionotus** Boie 1832, *N. Staatsburg. Mag.* (Schleswik), **1** (1), 195 [*n.n.*].—Pisces.
- Thaera** (emend. pro *Thaira* Gray 1840) Agassiz 1846, *Nomen. Zool. Index Univ.*—Moll.
- Thaerodontis** M'Clelland 1844, *Calcutta J. nat. Hist.*, **5** (18), 174.—Pisces.
- Thagaetca** (pro *Thagastea* Pomel 1888) Pomel 1888, *Bull. Soc. géol. France*, (3) **16**, 452.—Echin.
- Thagastea** Pomel 1888, *C.R. Acad. Sci. Paris*, **106**, 373.—Echin.
- Thagona** Moeschler 1883, *Verh. zool.-bot. Ges. Wien*, **32**, *Abh.*, 337.—Lep.
- Thagora** Walker 1863, *List Specimens Lep. Ins. Brit. Mus.*, **27**, 205.—Lep.
- Thagria** Melichar 1903, *Homopt. Fn. Ceylon*, 176.—Hem.
- Thaida** Karsch 1880, *Z. Naturw.*, **53**, 389.—Arachn.
- Thaigobiella** Smith 1931, *Proc. U.S. nat. Mus.*, **79**, (7) 35.—Pisces.
- Thaira** (pro *Thiara* Bolten 1798) Gray 1840, *Syn. Cont. Brit. Mus.*, ed. 42, 148.—Moll.
- Thairopora** MacGillivray 1882, *Trans. Proc. R. Soc. Victoria*, **18**, 118.—Bry.

- Thais Bolten 1798, Mus. Bolten., 2, 54.—Moll.
 Thais Fabricius 1807, Mag. f. Insektenk. (Illiger), 6, 283.—Lep. (See *Parnalius* Rafinesque 1815.)
 Thais Haliday (1838), in Curtis, Guide Brit. Ins., ed. 2, 1837, 281 [n.n.].—Dipt.
 Thaites Heer [1861], Rech. clim. ter., 153; Scudder 1875, Mem. Amer. Ass. Adv. Sci., 1, 57.—Lep.
 Thakombaua Pilsbry 1909, Man. Conch., (2) 20, 165, 274.—Moll.
 Thala Adams 1853, Gen. Rec. Moll., 1, 178.—Moll.
 Thalaceros Reck 1935, Centrbl. Min. Geol. Paläont., 1935(B), 218.—Mamm.
 Thalacomys (err. pro *Thyl-* Owen 1838) Blyth 1840, Cuvier's Anim. Kingd., 104.—Mamm.
 Thalaina Walker 1855, List Specimens Lep. Ins. Brit. Mus., 3, 659.—Lep.
 Thalamodes Lower 1902, Trans. roy. Soc. S. Australia, 26, 231.—Lep.
 Thalanta (pro *-atha* Walker 1862) Candèze 1927, Encycl. ent., Sér. B. III, Lep. 2, 98.—Lep.
 Thalasseina Rafinesque 1819, Journ. de Physique, 89, 153.—Verm.
 Thalamarchis Meyrick 1897, Trans. ent. Soc. London, 1897, 80.—Lep. (Pyralid.).
 Thalamarchis Meyrick 1904, Proc. Linn. Soc. N.S. Wales, 29, 256, 435.—Lep. (Gelechiid.).
 Thalamia Hentz 1850, Boston J. nat. Hist., 6, (1) 34.—Arachn.
 Thalamina (pro *-nia* Steinmann 1878) Waagen & Wentzel 1886, Pal. Ind., (13) 1, no. 6, 956.—Coel.
 Thalaminia Steinmann 1878, Palaeontographica, 25, 112.—Coel.
 Thalamita Latreille 1829, in Cuvier, Règne Anim., ed. 2, 4, 33 (note).—Crust.
 Thalamitoides Milne-Edwards 1869, Nouv. Arch. Mus. Paris, 5, 140.—Crust.
 Thalamocoenia d'Orbigny 1850, Prodr. Paléont., 2, 92.—Coel.
 Thalamocrinus Miller & Gurley 1895, Bull. Illinois Mus., 7, 81.—Echin.
 Thalamocyathus Gordon 1922, Trans. roy. Soc. Edinburgh, 52, 687.—Coel.
 Thalamonyx Milne-Edwards 1873, Nouv. Arch. Mus. Paris, 9, 168.—Crust.
 Thalamophaga Rhumbler 1911, Foram. Plankton-Exped., 1, 229.—Prot.
 Thalamophyllia Duchassaing & Michelotti 1870, Rev. Zooph. Spong. Antilles, 28.—Coel.
 Thalamoplana Laidlaw 1904, R. Soc. Rep. Pearl Fish., 2, 132.—Verm. (Turb.).
 Thalamopora Roemer 1840, Verst. Norddeutsch. Kreidegeb., (1) 21.—Bry.
 Thalamoporella Hincks 1887, Ann. Mag. nat. Hist., (5) 19, 164.—Bry.
 Thalamorrhyncha Meyrick 1933, Exot. Microlep., 4, 383.—Lep.
 Thalamosmila de Fromental 1860, Mém. Soc. linn. Normandie, 11, no. 2, 45.—Spong.
 Thalamospongia d'Orbigny 1850, Prodr. Paléont., 2, 96.—Coel.
 Thalamule (pro *-mus* Montfort 1808) Reichenbach 1828, Zoologist, 1, 99.—Moll.
 Thalamus Montfort 1808, Conch. Syst., 1, 322.—Moll.
 Thalanema Rafinesque 1832, Atlantic Journ., 1 (1), 21.—*Inc. sed.*
 Thalanessa (pro *Thalen-* Baird 1866) Chamberlin 1919, Mem. Mus. comp. Zool. Harvard, 48, 91.—Verm. (Polych.).
 Thalapa Paetel 1875, Fam. Gatt. Moll., 206.—Moll.
 Thalarctos Gray 1825, Ann. Phil., 26, 62 (as *Thalassarctos* p. 339).—Mamm.
 Thalarctus (emend. pro *-tos* Gray 1825) Agassiz 1846, Nomen. Zool. Index Univ.—Mamm.
 Thalartus see Tholartus.
 Thalasea (pro *Thalassaea* Kaup 1829) Gray 1871, Hand-List Birds, 3, 170.—Aves.
 Thalaseus (pro *-sseus* Boie 1822) Gambel 1849, J. Acad. nat. Sci. Philad., (2) 1, 228.—Aves.
 Thalasia (pro *Thalassia* Martens 1860) Bielz 1869, Verz. Moll.-Samml., ed. 5, 21.—Moll.
 Thalasinia (pro *Thalassina* Latreille 1806) [Leach] [1813-14], Edinb. Enc., 7, 386.—Crust.
 Thalassa Mulsant 1850, Ann. Soc. Agric. Lyon (Spec. Col. Sécuripalpes), [2] 2, 511.—Col.
 Thalassacmea Oliver 1926, Trans. N. Zealand Inst., 56, 579.—Moll.
 Thalassaea Kaup 1829, Skizz. Europ. Thierw., 97.—Aves.
 Thalassaëtos (pro *Thallassoaëtus* Kaup 1844) Brandt 1853, J. Ornith., 1, 189.—Aves.
 Thalassaëtus (pro *Thallassoaëtus* Kaup 1844) Kaup 1847, Isis (Oken), 1847, 272.—Aves.
 Thalassalpes Risso 1813, N. Bull. Sci. Soc. philom. Paris, 3 (66), 233.—Crust.
 Thalassarachna Packard 1871, Amer. J. Sci., (3) 1, 107, 108.—Arachn.
 Thalassarche Reichenbach 1852-53, Av. Syst., v.—Aves.
 Thalassarctos see Thalarctos.
 Thalassarctus (pro *-larctos* Gray 1825) Gloger 1841, Gemeinnütz. Naturges., 1, 54.—Mamm.
 Thalassea (pro *-ssaea* Kaup 1829) Kaup 1829, Entwickgesch., 196.—Aves.
 Thalassema (Gaertner MS.) Pallas 1771, Spicil. zool., 10, 8 [n.n.]; 1800, Leçons Comp. Anat., 1, tab. 6 [n.n.]; Lamarck 1801, Syst. Anim., 328.—Verm. (Geph.).

- Thalassemys* Ruetimeyer 1859, Verh. schweiz. Ges., Bern, 1858, 57.—Rept.
- Thalassenus* (? pro *-ma* Pallas 1774) Rafinesque 1819, J. Phys. Chim. Hist. nat., 89, 153.—Verm. (? Echiur.).
- Thalasseus* Boie 1822, Isis (Oken), 10, 563.—Aves.
- Thalassia* (Chevrolat MS.) Dejean 1835, Catal. Coléopt., ed. 2, 430 [*n.n.*].—Col. (Cf. *Cilicion* Gistel 1848.)
- Thalassia* (emend. pro *Bonellia* Rolando 1822) Gistel [1847], Handb. Naturges., 1850, 537; 1848, Nat. Thierr., 163.—Verm. (Geph.).
- Thalassia* (pro *-ssaëa* Kaup 1829) Bonaparte 1856, C.R. Acad. Sci. Paris, 43, 645.—Aves.
- Thalassia* (Albers MS.) Martens 1860, Die Helic., 2, 59.—Moll. (See *Nitor* Gude 1911.)
- Thalassia* Hutton 1884, Trans. N. Zealand Inst., 16, 203.—Moll. (See *Thalassohelix* Pilsbry 1892.)
- Thalassiaëtos* (pro *Thallassoaëtus* Kaup 1844) Brandt 1851, Bull. Acad. St. Pétersb., phys., 9, fasc. 14–16, column 249.—Aves.
- Thalassiaëtus* (pro *-asoætus* Kaup 1844) Reichenbach (1850), Avium Syst. Nat., pl. xcvi.—Aves.
- Thalassianthus* Rueppell & Leuckart 1828, in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.) Wirbellose Thiere, (9) 5.—Coel.
- Thalassiarche* (pro *-ssarche* Reichenbach 1852) Sundevall 1873, Meth. Av. Tentamen, fasc. 2, 143, 182.—Aves.
- Thalassiarchus* (pro *Thalarctos* Gray 1825) Kobelt 1896, Ber. Senckenb. Ges., 1896, 93.—Mamm.
- Thalassicolla* Huxley 1851, Ann. Mag. nat. Hist., (2) 8, 433.—Prot.
- Thalassicollarium* Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 18.—Prot.
- Thalassicollidium* Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 20.—Prot.
- Thalassictis* Nordmann [1850], in Gervais, Zool. Pal. Franç., 1, 1848–52, 120.—Mamm.
- Thalassides* Berger 1833, N. Jahrb. f. Min., 1833, 70.—Moll.
- Thalassidroma* Vigors 1825, Zool. Journ., 2 (7), 405.—Aves.
- Thalassidromas* (pro *-ma* Vigors 1825) Blasius 1862, List Birds Europe, 23, 24.—Aves.
- Thalassina* Latreille 1806, Gen. Crust. Ins., 1, 51.—Crust.
- Thalassina* Montague 1815, Trans. Linn. Soc. London, 11, 24.—Verm. (Echiur.).
- Thalassiochelis* (pro *-ssochelys* Fitzinger 1835) Nardo 1864, Atti Ist. Veneto, (3) 9, 1421, 1422.—Rept.
- Thalassiomastix* Busch 1923, Arch. Protistenk., 46, 206.—Prot.
- Thalassiornis* (pro *-ssornis* Eyton 1838) Gray 1840, List Gen. Birds, 75.—Aves.
- Thalassiosolen* Wolfenden 1902, J. marine Biol. Assoc., (N.S.) 6, 355.—Prot.
- Thalassipora* (Boie MS.) Rueppell 1845, Syst. Uebers. Vögel N.-O. Afrikas, 140.—Aves.
- Thalassironus* De Man 1889, Mém. Soc. zool. France, 2, 4.—Verm. (Nema.).
- Thalasssobates* Verhoeff 1908, Zool. Anz., 32, 488.—Myr.
- Thalassites* Swainson 1837, N.H. Classif. Birds, 2, 372.—Aves.
- Thalassites* (pro *-ides* Berger 1833) Quenstedt 1843, Floezgeb. Wuerttemb., 143.—Moll.
- Thalassius* (*n.n.* pro *Titurius* Simon 1884) Simon 1885, Bull. Soc. zool. France, 10, 13 (note).—Arachn.
- Thallassoaëtus* (emend. pro *Thalla-* Kaup 1844) Agassiz 1845, Nom. Zool. (Aves) Add. et corrig., 22.—Aves.
- Thallassoalimus* De Man 1893, Mém. Soc. zool. France, 6, 81.—Verm. (Nema.).
- Thalassobia* Mabille 1877, Rev. Mag. Zool., (3) 5, 214.—Moll.
- Thalassobius* Solier 1849, in Gay, Chili, 4 (Col.), 156.—Col.
- Thalassocaris* (*n.n.* pro *Regulus* Dana 1852) Stimpson 1860, Proc. Acad. nat. Sci. Philad., 1860, 42.—Crust.
- Thalassoceras* Gemmellaro 1888, Giorn. Sci. nat. Econ. Palermo, 19, 67.—Moll.
- Thalassocetus* Abel 1905, Mém. Mus. Belgique, 3 (2), 70.—Mamm.
- Thalassochelys* Fitzinger 1835, Ann. Wiener Mus., 1 [1], 121.—Rept.
- Thalassocolia* (pro *-ssicolla* Huxley 1851) Haeckel 1881, Jena. Z., 15, 470.—Prot.
- Thalassocrinus* Clark 1911, Proc. U.S. nat. Mus., 39, 474.—Echin.
- Thalassocrinus* Wanner 1916, Paläont. Timor, Stuttgart, 6, 311.—Echin. (See *Peripterocrinus* Wanner 1916.)
- Thalassodactylus* Lendenfeld 1887, Proc. zool. Soc. London, 1886, 583 [*n.n.*].—Spong.
- Thalassodendron* Lendenfeld 1888, Cat. Spong. Australian Mus., 222.—Spong.
- Thalassodes* Guenée 1857, Hist. nat. Ins., Spec. gén. Lép., 9, 359.—Lep.
- Thalassodroma* (pro *Thalassi-* Vigors 1825) Wiegmann & Ruthe 1832, Handb. Zool., 155.—Aves.

- Thalassogeron* Baird, Brewer & Ridgway 1884, Mem. Mus. comp. Zool. Harvard, 13, 345, 357.—Aves.
Thalassogeton Behrens 1887, Ent. Ztg., Stettin, 48, 18.—Col.
Thalassohelix (n.n. pro *Thalassia* Hutton 1884) Pilsbry 1892, Nautilus, 6, 56.—Moll.
Thalassoica Reichenbach 1852, Av. syst., iv.—Aves.
Thalassoklephtes Gistel 1848, Nat. Thierr., viii.—Pisces.
Thalassolaimus (pro *-oalaimus* Man 1893) [? Author] 1893, Mém. Soc. zool. France, 6, 357.—Verm. (Nema.).
Thalassolampe Haeckel 1862, Monogr. Radiol., 1, 253.—Prot.
Thalassoma Swainson 1839, N.H. Fishes, etc., 2, 172, 224.—Pisces.
Thalassometra Clark 1907, Smithson. misc. Collect., 50, no. 1772, 359.—Echin.
Thalassomora Lendenfeld 1887, Proc. zool. Soc. London, 1886, 583 [n.n.]; 1888, Cat. Spong. Australian Mus., 40.—Spong.
Thalassomya Schiner 1856, Verh. zool.-bot. Ges. Wien, 6, Abh., 219.—Dipt.
Thalassomyia (err. pro *-mya* Schiner 1856) Schiner 1856, Reise Novara, Zool., Bd. 2, Dipt., 24.—Dipt.
Thalassonema Ward 1932, J. Parasitology, 19, 168, 262.—Verm. (Nema.).
Thalassonympha Meyrick 1931, An. Mus. Hist. nat. Buenos Aires, 36, 404.—Lep.
Thalassopauropus Bagnall 1935, Scottish Nat., 1935, 80.—Myr.
Thalassophilus Wollaston 1854, Ins. Maderensia, 71.—Col.
Thalassophina Smith 1926, Monogr. Sea Snakes, 33.—Rept.
Thalassophis Schmidt 1852, Abh. Ver. Hamburg, 2 (2), 75.—Rept.
Thalassophryne Gœnther 1861, Cat. Fish. Brit. Mus., 3, 166, 174.—Pisces.
Thalassophyes Moser 1925, Dtsch. Südpolar-Exped., 17, Zool. 9, 367.—Coel.
Thalassophysa Haeckel 1881, Jena. Z., 15, 470.—Prot.
Thalassopila Haeckel 1881, Jena. Z., 15, 469.—Prot.
Thalassoplancta Haeckel 1862, Monogr. Radiol., 1, 246, 261.—Prot.
Thalassoplanes Dall 1908, Bull. Mus. comp. Zool. Harvard, 43, no. 6, 303.—Moll.
Thalassopteris Kwietniowski 1910, Zool. Anz., 36, 270.—Moll.
Thalassorhinus Valenciennes 1839, in Mueller & Henle, Syst. Plagiost., (2) 62.—Pisces.
Thalassornis Eyton 1838, Mon. Anatidae, 70.—Aves.
Thalassoscopia (emend. pro *Leucosia* Weber 1795) Gistel [1847], Handb. Naturges., 1850, 520; 1848, Nat. Thierr., 158.—Crust.
Thalassosoma (emend. pro *-assoma* Swainson 1839) Agassiz 1846, Nomen. Zool. Index Univ.—Pisces.
Thalassosphaera Haeckel 1862, Monogr. Radiol., 1, 259.—Prot.
Thalassosteus Jordan, Evermann & Tanaka 1927, Proc. Calif. Acad. Sci., (4) 16, 651.—Pisces.
Thalassothamnus Haecker 1906, Zool. Anz., 30, 879, 888.—Prot.
Thalassothemis Ris 1909, Collect. zool. Selys, Cat. syst., 9, 32.—Odon.
Thalassothia Berg 1895, An. Mus. Buenos Aires, 4, 67.—Pisces.
Thalassotrechus Van Dyke 1918, Ent. News, 29, 303.—Col.
Thalassoxanthella Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 31.—Prot.
Thalassoxanthium Haeckel 1881, Jena. Z., 15, 470.—Prot.
Thalassoxanthomma Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 33.—Prot.
Thalassus (? err. pro *Thalamus* Montfort 1808) Oken 1815, Lehrb. Nat., 3 (1), 323.—Moll.
Thalassus (pro *-sseus* Boie 1822) Boie 1833, Isis, 1833, column 876.—Aves.
Thalata (pro *-atta* Walker 1857) Gruenberg 1911, Arch. Naturgesch., 76 (4), no. 2, 120.—Lep.
Thalatha Walker 1862, J. Proc. Linn. Soc. London, Zool., 6, 187.—Lep.
Thalatta Walker 1857, List Specimens Lep. Ins. Brit. Mus., 13, 996.—Lep.
Thalathipurus Attems 1932, Mém. Mus. Hist. nat. Belgique, Hors Sér., 3, 11.—Myr.
Thalattosaurus Merriam 1904, Bull. geol. Univ. Calif., 3, 419.—Rept.
Thalattoscopus Kirkaldy 1905, Trans. ent. Soc. London, 1905, 334.—Hem.
Thalattosiren Sickenberg 1928, Denkschr. Akad. Wiss. Wien, 101, 293.—Mamm.
Thalattosuchia Fraas 1901, Jahresh. Ver. Naturk. Stuttgart, 57, 409.—Rept.
Thalazia Bosc 1819 (Jan.), in Blainville, Bull. Sci. Soc. philom. Paris, 8.—Verm. (Nema.).
Thale (pro *-la* Adams 1853) Schaufuss 1869, Moll. Syst. Cat. Paetel, 5.—Moll.
Thaleichthys Girard 1858, U.S. Pacific Railroad Surv., 10 (4), 325.—Pisces.
Thaleius Finot 1908, Bull. Soc. ent. France, 1908, 27.—Orth.
Thalenessa Baird [1866], J. Linn. Soc. London, Zool., 9, 1868, 34.—Verm. (Polych.).
Thalenessa McIntosh 1885, Rep. Voy. Challenger Exped., Zool., 12, 139.—Verm. (Polych.). (See *Euthalenessa* Darboux 1899.)
Thalenessites Stauffer 1933, Bull. geol. Soc. Amer., 44, 1206.—Verm. (†Ann.).
Thaleops Conrad 1843, Proc. Acad. nat. Sci. Philad., 1, 331.—Trilobita.
Thalera Huebner [1823], Verz. bekannt. Schmett., (18) 285.—Lep.

- Thalerastria* Staudinger 1897, Dtsch. ent. Z. Lep., 10, 294.—Lep.
Thaleridia Moore 1888, in Hewitson & Moore, Descr. new Indian Lep. Coll. Atkinson, (3) Heteroc., 266.—Lep.
Thalerocnemis (n.n. pro *Chlorocnemis* Kuwert 1894) Lohde 1900, Stettin. ent. Ztg., 61, 145.—Col.
Thalerommata Ausserer 1875, Verh. zool.-bot. Ges. Wien, 25, Abh., 182.—Arachn.
Thaleropsis Staudinger 1871, in Staudinger & Wocke, Cat. Lep. Faune europ., 17.—Lep.
Thalerosphyrus Eaton 1881, Ent. mon. Mag., 18, 22.—Ephem.
Thalerostrima Meyrick 1917, Exot. Microlep., 2, 42.—Lep.
Thalerothele Bertkau 1880, Mém. couron. Acad. Sci. Belgique, 43, 25.—Arachn.
Thalerothrica Meyrick 1883, Proc. Linn. Soc. N.S. Wales, 7, 419; 1884, 9, 741.—Lep.
Thalerura Swinhoe 1894, Trans. ent. Soc. London, 1894, 175.—Lep.
Thalesa Schaus 1896, J.N. York ent. Soc., 4, 136.—Lep.
Thalessa Adams 1853, Gen. Rec. Moll., 1, 127.—Moll.
Thalessa Holmgren 1859, Ofvers. VetenskAkad. Förh. Stockholm, 16, 122.—Hym. (See *Megarhyssa* Ashmead 1900.)
Thalassema (pro *Thalassema* Pallas 1771) Leach 1816, Enc. Brit., Suppl., ed. 4-6, 1, no. 2, 451.—Verm. (Echiur.).
Thalestrella Monard 1935, Trav. Sta. biol. Roscoff, 13, 44.—Crust.
Thalestria Smith 1854, Cat. Hym. Ins. Brit. Mus., 2, 283.—Hym.
Thalestris Claus 1863, Z. Würzburg, 3, 86, 88.—Crust.
Thalestris Gistel 1868, Blicke Leben Natur Menschen, 148.—Rept.
Thalestris Lindholm 1913, NachrBl. dtsh. malak. Ges., 45, 26.—Moll. (See *Rosenia* Hesse 1916.)
Thalia Bruguière (1791), Ency. Méth. (Tabl. Vers), pl. 88; Cuvier 1800, Leçons Comp. Anat., I. tab. 5.—Moll.
Thalia Blumenbach 1827, Abbild. naturh. Gegen., 3, no. 30.—Tunicata.
Thalia Hope 1838, Coleopt. Manual, 2, 70.—Col.
Thalia (pro *Ha-* Hincks 1855) Agassiz 1862, Contr. nat. Hist. Amer., 4, 355.—Coel.
Thalicerca (pro *Thalli-* Swainson 1840) Gray 1847, Proc. zool. Soc. London, 15, 181.—Moll.
Thaliella Gray 1848, Proc. zool. Soc. London, 16, 44.—Crust.
Thalis Cuvier 1798, Tabl. Elém., 389.—Coel.
Thalis Lamarck 1801, Syst. Anim., 356.—Coel.
Thalissias Duchassaing & Michelotti 1864, Natuurk. Verh. Wet. Haarlem, (3) 21, no. 3, 82 (as *Thalysias* p. 123).—Spong.
Thalित्र (pro *Ta-* Latreille 1802) Duméril [1805], Zool. Anal., 1806, 184, 343.—Crust.
Thaliura Duncan 1837, For. Butterfl. (Nat. Libr., 18), 195.—Lep.
Thallarcha Meyrick 1886, Proc. Linn. Soc. N.S. Wales, (2) 1, 736.—Lep.
Thallasaëtus (pro *soaëtus* Kaup 1844) Kaup 1845, Abh. Mus. Senckenbergiana, 3 (3), 261.—Aves.
Thalassianthus (pro *Thalassi-* Rueppell & Leuckart 1828) Blainville 1830, Dict. Sci. nat., 60, 288.—Coel.
Thalassictis (pro *Thalassictis* Nordman 1848-50) Waterhouse 1904, in Palmer, North Amer. Fauna, No. 23, 671.—Mamm.
Thallassoaëtus Kaup 1844, Classif. Säug., 123.—Aves.
Thallatodora Perkins 1900, Fauna Hawaii., 2, 146.—Col.
Thallepus Swainson 1840, Treat. Malacol., 250, 359.—Moll.
Thallerophagus Gistel 1857, Vacuna, 2, 602.—Col.
Thallestus Wollaston 1862, Trans. ent. Soc. London, (3) 1, 153.—Col.
Thallicera Swainson 1840, Treat. Malac., 196, 339.—Moll.
Thallis Erichson 1842, Arch. Naturgesch., 8 (1), 237.—Col.
Thallisella Crotch 1875, Cistula ent., 1, 402.—Col.
Thalisselodes Arrow 1925, Fn. Brit. India, Col., Erotylidae, 256.—Col.
Thaliurus Swainson 1839, N.H. Fishes, etc., 2, 230.—Pisces.
Thallocera (emend. pro *Thallicera* Swainson 1840) Herrmannsen 1849, Ind. Gen. Malacoz., 2, 568.—Moll.
Thalochrysis Conrad 1921, Bull. Acad. Sci. Belgique, 1920, 180.—Prot.
Thalocrinus Jaekel 1895, Palaeont. Abh., 7, 106.—Echin.
Thallograptus Ruedemann 1925, Bull. N. York State Mus., No. 265, 35.—Coel.
Thallograptus Öpik 1928, Acta Comm. Univ. Tartuensis Tartu, (A) 13 (11), 36.—Coel. (See *Hormograptus* Öpik 1930.)
Thallomys Thomas 1920, Ann. Mag. nat. Hist., (9) 5, 141.—Mamm.
Thallomyscus Thomas 1926, Ann. Mag. nat. Hist., (9) 17, 612.—Mamm.
Thallonema Lendenfeld 1915, Mem. Mus. comp. Zool. Harvard, 42, 390.—Spong.
Thalophaga Hulst 1896, Trans. Amer. ent. Soc., 23, 324, 339.—Lep.
Thaloptera Borgmeier & Schmitz 1922, Z. Dtsch. Ver. Wiss. u. Kunst. São Paulo, 3, 134.—Dipt.
Thalopus (pro *Thallepus* Swainson 1840) Paetel 1875, Fam. Gatt. Moll., 207.—Moll.

- Thallosaëtus* (pro *Thallassoëtus* Kaup 1844) Kaup 1851, Arch. Naturgesch., 17 (1), 89.—Aves.
- Thallostigma* Hall 1883, Trans. Albany Inst., 10, 154.—Bry.
- Thallostoma* Meyrick 1913 Trans. N. Zealand Inst., 45, 29.—Lep.
- Thallumetus* Simon 1892, Hist. nat. Araign., 1, 241.—Arachn.
- Thallurus* (emend. pro *Thalliurus* Swainson 1839) Agassiz 1846, Nomen. Zool. Index Univ.—Pisces.
- Thallusia* (err. pro *Pha-* Savigny 1816) Hartmeyer 1908, Year Book Carnegie Inst., 6, 111.—Tunicata.
- Thalma* Walker 1868, Cat. Specimens Hem. Het. Coll. Brit. Mus., 3, 503.—Hem.
- Thalopia* (pro *Ta-* Gray 1840) Paetel 1888, Cat. Conch.-Samml., ed. 4, 1, 567.—Moll.
- Thalorchestia* (pro *Talor-* Dana 1852) Filhol 1885, Recu. Passage Vénus, 3 (2), Zool., 461.—Crust.
- Thalosoema* (pro *Thalassema* Pallas 1771) [? Author] 1817, Encycl. Brit., ed. 5, 10, 333.—Verm. (Echiur.).
- Thalossohelix* (err. pro *Thalass-* Pilsbry 1892) Collinge 1905, J. Malac., 12, list illustr.—Moll.
- Thalotea* (err. pro *-tia* Gray 1840) Hall 1867, Ann. Rep. Regents Univ. State N. York, 20, 51.—Moll.
- Thalotia* Gray 1840, Syn. Cont. Brit. Mus., ed. 42, 147; 1842, ed. 44, 57.—Moll.
- Thalperus* Burr 1912, Gen. Insect., 122, 92.—Dermapt.
- Thalpia* Robineau-Desvoidy 1863, Hist. nat. Dipt., 2, 169.—Dipt.
- Thalpius* Leconte 1851, Ann. Lyceum nat. Hist., 5, 174.—Col.
- Thalpobia* Fairmaire 1871, Ann. Soc. ent. France, (4) 10 (1870), 385.—Col.
- Thalpochares* (n.n. pro *Anthophila* Ochseneimer 1816) Lederer 1853, Verh. zool.-bot. Ges. Wien, 3, Abh., 377.—Lep.
- Thalpomena* Saussure 1884, Mém. Soc. phys. Hist. nat. Genève, 28, no. 9, 58, 59, 184.—Orth.
- Thalpomys* Thomas 1916, Ann. Mag. nat. Hist., (8) 18, 339.—Mamm.
- Thalpophila* Huebner [1820], Verz. bekannt. Schmett., (13) 208.—Lep.
- Thalpophila* (Solier MS.) Dejean 1834, Catal. Coléopt., ed. 2, 185 [n.n.]; Solier 1835, Ann. Soc. ent. France, 4, 253, 370.—Col.
- Thalphybius* Attems 1901, Zool. Jahrb., Syst., 13, 139.—Myr.
- Thalucania* (pro *-urania* Gould 1848) Gray 1869, Hand-List Birds, 1, 130.—Aves.
- Thalucrania* (pro *-urania* Gould 1848) Bourcier [1857], Rev. Mag. Zool., (2) 8, 1856, 553.—Aves.
- Thalurania* Gould 1848, Proc. zool. Soc. London, 16, 13.—Aves.
- Thaluronia* (pro *-rania* Gould 1848) Gray 1849, Gen. Birds, 3, App. 5.—Aves.
- Thalusia* Thomson 1864, Syst. Cerambycid., 168.—Col.
- Thalycra* Erichson 1843, in Germar, Z. Entom., 4, 305.—Col.
- Thalycrodes* Blackburn 1891, Trans. roy. Soc. S. Australia, 14, 110.—Col.
- Thalycrynchus* Reitter 1912, Wien. ent. Ztg., 31, 48.—Col.
- Thalysias* see *Thalicias*.
- Thamala* Moore 1879, Proc. zool. Soc. London, 1878, 834.—Lep.
- Thamarucus* Amyot 1846, Ann. Soc. ent. France, (2) 3, 490.—Hem.
- Thamastes* (pro *Thaum-* Hagen 1858) Hagen 1864, Verh. zool.-bot. Ges. Wien, 14, 886.—Trichopt.
- Thambema* Stebbing 1912, Proc. zool. Soc. London, Abstr., 1912, 42; 1913, Trans. zool. Soc. London, 20, 237.—Crust.
- Thamboceras* Douvillé 1916, Mém. Acad. Sci. Inst. France, (2) 54, 21.—Moll.
- Thambotricha* Meyrick 1922, Entomologist, 55, 270.—Lep.
- Thambus* Bonvouloir [1871], Ann. Soc. ent. France, (4) 10 (1870), Suppl., 160.—Col.
- Thamiaraea* Thomson 1858, Ofvers. svenska VetenskAkad. Förh., 15, 35.—Col.
- Thamioocolus* Thomson 1859, Skand. Coleopt., 1, 140; 1865, 7, 262.—Col.
- Thamiosoma* Thomson 1858, Ofvers. svenska VetenskAkad. Förh., 15, 34.—Col.
- Thamiras* Champion 1911, Biol. Centr. Amer., Col., 4, pt. 3, 343.—Col.
- Thamnaca* Simon 1901, Hist. nat. Araign., ed. 2, fasc. 3, 632.—Arachn.
- Thamnaraea* (pro *-rea* Etallon 1864) Duncan 1884, J. Linn. Soc. London, Zool., 18, 168, 169, 199.—Coel.
- Thamnarchus* (emend. pro *Batara* Lesson 1830) Cabanis & Heine [1860], Mus. Hein., 2, 1859-60, 19.—Aves.
- Thamnarea* Etallon 1864, in Thurmann & Etallon, Leth. Bruntrutana, (3) 411 (ex N. Denkschr. Allg. schweiz. Ges., 20).—Coel.
- Thamnasteria* Le Sauvage 1824, Mém. Soc. Hist. nat. Paris, 1 (2), 243.—Coel.
- Thamnastopeos* Kraatz 1883, Dtsch. ent. Z., 27, 28.—Col.
- Thamnastraea* (emend. pro *-steria* Sauvage 1824) Blainville 1830, Dict. Sci. Nat., 60, 337.—Coel.
- Thamnastrea* (pro *-steria* Sauvage 1824) Milne-Edwards & Haime 1848, C.R. Acad. Sci. Paris, 27, 495.—Coel.

- Thamnastroea* (pro *-steria* Sauvage 1824) Fromentel 1857, Bull. Soc. Yonne, **11**, 266.—Coel.
- Thamnastura* (pro *Thauma*- Bonaparte 1849) Giebel 1877, Thesaur. Orn., **3**, 616.—Aves.
- Thamneus* Bovallius 1887, Bih. svenska VetenskAkad. Handl., **11**, no. 16, 31.—Crust. (nec *Thamnia* Heine 1863 see *Euthamneus* Bovallius 1890).
- Thamnia* (n.n. pro *Rhopias* Cabanis & Heine 1860) Heine 1863, J. Orn., **11**, 357.—Aves.
- Thamniscus* King 1849, Ann. Mag. nat. Hist., (2) **3**, 389.—Bry.
- Thamnistes* Sclater 1860, Proc. zool. Soc. London, **28**, 299.—Aves.
- Thamnitis* Haeckel 1879, Syst. der Medusen, **1**, 84.—Coel.
- Thamnobates* Saussure & Pictet 1898, Biol. Centr. Amer., Zool., Orth., 436.—Orth.
- Thamnobeatricea* Raymond 1931, Bull. Mus. comp. Zool. Harvard, **55**, 180.—Coel.
- Thamnobla* Swainson [1832], in Richardson, F. Bor.-Amer., **2**, 1831, 489.—Aves.
- Thamnobius* Schoenherr 1836, Gen. et Sp. Curc., **3** (1), 465.—Col.
- Thamnobius* Fitzinger 1843, Syst. Rept., 26.—Rept.
- Thamnocataphus* (Tickell MS.) Blyth 1849, J. Asiat. Soc. Bengal, **18** (2), 812.—Aves.
- Thamnocausta* Warren 1903, Novit. zool., **10**, 381.—Lep.
- Thamnocella* Simpson 1895, Ann. Rep. State Geol. N. York, **14**, 525.—Bry.
- Thamnocenchrus* Salvin 1860, Proc. zool. Soc. London, **28**, 459.—Rept.
- Thamnocephalus* Packard 1877, Bull. U.S. geol. Surv. Terr., **3**, no. 1, 174.—Crust.
- Thamnocera* Holland 1893, Psyche, **6**, 454.—Lep.
- Thamnocharis* Sclater 1890, Cat. Birds Brit. Mus., **15**, 310.—Aves.
- Thamnocichla* Sundevall 1872, Methodi nat. Avium, 5.—Aves.
- Thamnocicla* (pro *-chla* Sundevall 1872) Sclater & Finsch [1874], Ibis, (3) **3**, 1873, 486.—Aves.
- Thamnocnida* (pro *-dia* Agassiz 1860) Fewkes 1891, Bull. Essex Inst., **23**, 88.—Coel.
- Thamnocnidia* Agassiz 1860, Contrib. Hist. nat. America, **3**, 45, 46.—Coel.
- Thamnocoelum* Počta 1894, Syst. Silur. centr. Bohême, Rech. pal., **8** (1), 208.—Bry.
- Thamnocoenia* Tomes 1885, Quart. J. geol. Soc. London, **41**, 176, 177.—Coel.
- Thamnocrana* Meyrick 1927, Exot. Microlep., **3**, 382.—Lep.
- Thamnocrinus* Goldring 1923, Mem. N. York State Mus., **16**, 239.—Echin.
- Thamnodictya* Hall 1884, Ann. Rep. N. York Mus., **35**, 466.—Spong.
- Thamnodrilus* Beddard 1887, Proc. zool. Soc. London, **1887**, 154.—Verm. (Oligoch.).
- Thamnodromia* (n.n. pro *Phyllodromia* Zetterstedt 1837) Mik 1886, Wien. ent. Ztg., **5**, 278.—Dipt.
- Thamnodromyia* (pro *-mia* Mik 1886) Bigot 1889, Ann. Soc. ent. France, (6) **9**, 123.—Dipt.
- Thamnodus* Kaup 1829, Skizz. Europ. Thierw., 110.—Aves.
- Thamnodynastes* Wagler 1830, Nat. Syst. Amph., 182.—Rept.
- Thamnoecha* Rothschild & Jordan 1903, Novit. zool., **9**, Suppl., 153.—Lep.
- Thamnograpsus* (pro *-graptus* Hall 1858) Nicholson 1872, Monogr. Graptol., 101.—Coel.
- Thamnograptus* Hall 1858, Rep. Progress geol. Surv. Canada, **1857**, 143.—Coel.
- Thamnolaea* Cabanis [1851], Mus. Heineanum, **1**, 1850, 8.—Aves.
- Thamnolanus* (emend. pro *Tam-* Lesson 1839) Agassiz 1846, Nomen. Zool. Index Univ.—Aves.
- Thamnomanes* Cabanis 1847, Arch. Naturgesch., **13** (1), 230.—Aves.
- Thamnomyis* Thomas 1907, Ann. Mag. nat. Hist., (7) **19**, 121.—Mamm.
- Thamnonema* Sollas 1883, Quart. J. geol. Soc. London, **39**, 549.—Spong.
- Thamnonema* Ijima 1927, Siboga Exped. Rep., **6**, 99.—Spong.
- Thamnonoma* (n.n. pro *Halia* Duponchel 1829) Lederer 1853, Verh. zool.-bot. Ver. Wien, **3**, Abh., 232.—Lep.
- Thamnophilus* Vieillot 1816, Analyse, 40 (as *Tamnophilus* p. 70).—Aves.
- Thamnophilus* Schoenherr 1823, Isis (Oken), **1823**, 1136; 1826, Curc. disp. meth., 51.—Col. (See *Magdalinus* Germar 1843 & *Scardamyctes* Gistel 1848.)
- Thamnophis* Fitzinger 1843, Syst. Rept., 26.—Rept.
- Thamnophryne* Kirkaldy 1907, Bull. Hawaii. Sug.-Pls. Ass., Div. Ent., No. 3, 61.—Hem.
- Thamnophyllum* Penecke 1894, Jahrb. geol. Reichsanst., **43**, 593.—Coel.
- Thamnoplius* (pro *-philus* Vieillot 1816) Hahn 1826, Voegel aus Asien, etc., (15) pl. 4.—Aves.
- Thamnopora* Steininger 1831, Verst. Uebergangsgeb. Eifel, 10.—Coel.
- Thamnopora* Hall 1883, Trans. Albany Inst., **10**, 158.—Bry.
- Thamnoptychia* Hall 1876, Ill. devon. Foss., pl. 33, fig. 9-13.—Coel.
- Thamnornis* Milne-Edwards & Grandidier 1882, Hist. Madag., **12**, 335.—Aves.
- Thamnosara* Meyrick 1883, N. Zealand J. Sci., **1**, 523; 1884, Trans. N. Zealand Inst., **16**, 1883, 27.—Lep.
- Thamnoscelis* Meyrick 1928, Exot. Microlep., **3**, 466.—Lep. (Aegeriid.).

- Thamnoscelis* Meyrick 1935, Exot. Microlep., 4, 558.—Lep. (Aegeriid.). (See *Isothamnis* Meyrick 1935.)
- Thamnoscirtus* Saussure 1878, Mém. Soc. phys. Hist. nat. Genève, 25, 490.—Orth.
- Thamnosieris* Fromentel 1861, Mém. Soc. Emul. Doubs, (3) 5, 1859-60, 241.—Coel.
- Thamnosophis* Jan 1863, Elenco Ofidi, 79, 82.—Rept.
- Thamnosphacia* (Puengeler MS.) Spuler (1910), in Hofmann-Spuler, Schmett. Eur., 2, 308.—Lep.
- Thamnospongia* Hinde 1883, Cat. foss. Spong. Brit. Mus., 78.—Spong.
- Thamnospyris* Haeckel 1881, Jena. Z., 15, 443.—Prot.
- Thamnostoma* Haeckel 1879, Syst. der Medusen, 1, 85.—Coel.
- Thamnostylus* Haeckel 1879, Syst. der Medusen, 1, 85.—Coel.
- Thamnotettix* Zetterstedt 1838, Ins. Lapp. descr., 292.—Hem.
- Thamnothrips* Priesner 1932, Bull. Soc. ent. Egypte, 1932, 2.—Thysanopt.
- Thamnotrizon* Fischer 1853, Orthopt. Europ., 199, 261.—Orth.
- Thamnotrypa* Hall & Simpson 1887, Palaeont. N. York, 6, xxi, 101.—Bry.
- Thamnurgides* Hopkins 1915, Rep. Off. Secy. U.S. Dep. Agric., 99, 45.—Col.
- Thamnurgus* Eichhoff 1864, Berlin. ent. Z., 8, 40.—Col.
- Thamnus* Fieber 1866, Verh. zool.-bot. Ges. Wien, 16, Abh., 505.—Hem.
- Thamphilus* Thorell 1895, Descr. Cat. Spiders Burma, 35.—Arachn.
- Thamugadia* Seurat 1917, Bull. Soc. Hist. nat. Afrique Nord, 8, 237.—Verm. (Nema.).
- Thamyris* Spence Bate 1862, Cat. Specimens Amphipodous Crust. Brit. Mus., 335.—Crust.
- Thanamites* Diener 1906, S.B. Akad. Wiss. Wien, Math.-naturw. Cl., 115 (1), 763.—Moll.
- Thanaos* Boisduval 1834, Ic. hist. lépidopt. Europe, 1 (21 & 22), 240.—Lep.
- Thanas* Kollar [1849], Denkschr. Akad. Wiss. (Wien), 1, 1850, 52.—Lep.
- Thanasimodes* Murray 1867, Ann. Mag. nat. Hist., (3) 20, 319.—Col.
- Thanasimomorpha* Blackburn 1891, Trans. roy. Soc. S. Australia, 14, 304.—Col.
- Thanasimosphaeria* Kirkaldy 1909, Cat. Hem., 1, 285.—Hem.
- Thanasimus* Latreille 1806, Gen. Crust. Ins., 1, 270.—Col.
- Thanata* (pro *-tus* Koch 1837) Simon 1864, Hist. nat. Araignées, 401.—Arachn.
- Thanatarctia* Butler 1877, Ann. Mag. nat. Hist., (4) 20, 395.—Lep.
- Thanategia* Melander 1927, Gen. Insect., 185, 260.—Dipt.
- Thanateroclerus* (emend. pro *Thaneroclerus* Westwood 1838) Gemminger & Harold 1869, Cat. Col., 6, 1739.—Col.
- Thanatidius* Simon 1898, Hist. nat. Araign., 2, 293.—Arachn.
- Thanatites* Scudder 1875, Mem. Amer. Ass. Adv. Sci., 1, 62.—Lep.
- Thanatochlams* Kirkaldy 1907, Bull. Hawaii. Sugar-Planters' Ass., Div. Ent., No. 3, 101.—Hem.
- Thanatodectes* Leigh-Sharpe 1934, Siboga Exped., 123, Mon. 29 (β), 37.—Crust.
- Thanatodictya* Kirkaldy 1906, Bull. Hawaii. agric. Exp. Sta., No. 1, 392.—Hem.
- Thanatomanes* Gistel 1857, Vacuna, 2, 536, 557.—Col.
- Thanatophantia* (emend. pro *Alisca* Stål 1870) Kirkaldy 1904, Entomologist, 37, 279.—Hem.
- Thanatophara* (n.n. pro *Clonia* Walker 1858) Kirkaldy 1904, Entomologist, 37, 280.—Hem.
- Thanatophilus* Leach 1817, Zool. Miscell., 3, 75.—Col.
- Thanatophis* Posada-Arango 1889, Bull. Soc. zool. France, 14, 343.—Rept.
- Thanatophora* Selys 1850, Mém. Soc. roy. Sci. Liège, 6, 83 [*in syn.*].—Odon.
- Thanatopsyche* Butler 1882, Trans. ent. Soc. London, 1882, 9.—Lep.
- Thanatus* Koch 1837, Uebers. Arachnidensyst., 1, 28; 1837, Die Arachniden, 4 (5), 87.—Arachn.
- Thaneclerus* (pro *Thaneroclerus* Westwood 1838) Chenu 1860, Encycl. Hist. nat., Col., 2, 247.—Col.
- Thaneroclerus* Westwood 1838, Ann. Soc. ent. France, 7 (1), xiii.—Col.
- Thania* Poppius 1915, Ann. Mus. hungar., 13, 62.—Hem.
- Thanius* Casey 1922, Mem. Col., 10, 483.—Col.
- Thaparia* Ortlepp 1933, Onderstepoort J., 1, 109.—Verm. (Nema.).
- Thapava* Walker 1864, List Specimens Lep. Ins. Brit. Mus., 30, 995.—Lep.
- Thaphozous* (pro *Ta-* Oken 1816) Oken 1816, Lehrb. Naturg., 3 (2), x.—Mamm.
- Thaphozus* (pro *Taphozous* Oken 1816) Fleming 1822, Phil. Zool., 2, 179.—Mamm.
- Thapsagus* Simon 1895, Hist. nat. Araign., 1, 653.—Arachn.
- Thapsia* Martens 1860, Die Helic., ed. 2, 56.—Moll.
- Thapsia* Robineau-Desvoidy 1863, Hist. nat. Dipt., 1, 689.—Dipt.
- Thapsia* Monterosato 1884, Nat. Sicil., 3, 227.—Moll. (See *Thapsiella* Fischer 1885.)
- Thapsiella* (n.n. pro *Thapsia* Monterosato 1884) Fischer 1885, Man. Conch., 721.—Moll.
- Thapsiella* Gude 1911, Proc. malac. Soc. London, 9, 272.—Moll. (See *Gudeella* Preston 1913.)
- Thapsinillas* Oberholser 1905, Smithson. misc. Coll., 48, no. 1585, 161.—Aves.
- Thaptomys* Thomas 1916, Ann. Mag. nat. Hist., (8) 18, 339.—Mamm.

- Thaptor Gorham 1883, Biol. Centr. Amer., Zool., Col., 3 (2), 205.—Col.
 Tharasia Moore 1898, Lep. Ind., 3, 180.—Lep.
 Thargalia Karsch 1880, Z. Naturw., 53, 374.—Arachn.
 Thargelia Puengeler 1899, Dtsch. ent. Z., Lep., 12, 104.—Lep.
 Thargelia Oestlund 1923, Ann. Rep. State Entom. Minnesota, 19, 1922, 127.—Hem.
 Thargella Godman & Salvin 1900, Biol. Centr. Amer., Zool., Rhopal., 2, 564.—Lep.
 Tharops Rafinesque 1815, Analyse, 119 [n.n.].—Hem.
 Tharops Huebner [1819], Verz. bekannt. Schmett., (7) 109.—Lep.
 Tharops Laporte 1835, Revue Entom. (Silbermann), 3 (4), 168.—Col.
 Tharopsides Fleutiaux 1918, Bull. Mus. Hist. nat. Paris, 24, 235.—Col.
 Tharpyna Koch 1874, in Koch (Keyserling), Arachn. Austral., 1, 493.—Arachn.
 Tharra Kirkaldy 1906, Bull. Hawaii. agric. Exp. Sta., No. 1, 324.—Hem.
 Tharraleus (pro *Tharrha*-Kaup 1829) Giebel 1872, Thesaur. Orn., 1, 261.—Aves.
 Tharrhalea Koch 1875, in Koch (Keyserling) Arachn. Austral., 1, 603.—Arachn.
 Tharrhaleus Kaup 1829, Skizz. Europ. Thierw., 137.—Aves.
 Tharrhias Jordan & Branner 1908, Smithsonian. misc. Coll., 52, 13.—Pisces.
 Tharrhops (emend. pro *Tharops* Huebner 1819 & Laporte 1835) Agassiz 1846, Nomen. Zool. Index Univ.—Lep., Col.
 Tharsalea Scudder 1876, Bull. Buffalo Soc. nat. Sci., 3, 125.—Lep.
 Tharsiella (n.n. pro *Tharsis* Jeffreys 1883) Bush 1897, Trans. Connecticut Acad. Arts Sci., 10, 107, 113.—Moll.
 Tharsis Giebel 1847, N. Jahrb. f. Min., 1847, 820.—Pisces.
 Tharsis Jeffreys 1883, Proc. zool. Soc. London, 1883, 93.—Moll. (See *Tharsiella* Bush 1897 & *Porcupinia* Cossmann 1900.)
 Tharsus Leconte 1862, Class. Coleopt. N. Amer., 233.—Col.
 Tharybis Sars 1902, Crust. Norway, 4, 67.—Crust.
 Tharyx Webster & Benedict 1887, Rep. U.S. Comm. Fish., 13, 1885, 741.—Verm. (Polych.).
 Thascia Cameron 1904, Z. Hym. Dipt., 4, 339.—Hym.
 Thasianella (err. pro *Pha*-Lamarck 1804) Tolmer 1928, Bull. Soc. linn. Normandie, (7) 10, 91.—Moll.
 Thasus Stål 1865, Ann. Soc. ent. France, (4) 5, 174.—Hem.
 Thasycles Chapuis 1874, in Lacordaire, Hist. nat. Ins., Gen. Col., 10, 254.—Col.
 Thasyraea Koch 1878, in Koch (Keyserling), Arachn. Austral., 1, 982.—Arachn.
 Thatcheria Angas 1877, Proc. zool. Soc. London, 1877, 529.—Moll.
 Thaularpites (err. pro *Pha*-Buckman 1928) Daqué 1934, Leitfossilien, Lief. 7, Teil 2, 313.—Moll.
 Thauma Edwards 1874, Proc. Calif. Acad. nat. Sci., 5, 265.—Lep.
 Thaumaceratopus Verhoeff 1924, Ark. Zool., 16, no. 5, 83.—Myr.
 Thaumactis Fowler 1888, Quart. J. micr. Soc., 29, 143.—Coel.
 Thaumaglossa Redtenbacher [1867], Reise Novara, Zool. 2, Abt. 1, 43.—Col.
 Thaumaina Bethune-Baker 1908, Proc. zool. Soc. London, 1908, 116.—Lep.
 Thaumalea Ruthe 1831, Isis (Oken), 1831, 1211.—Dipt.
 Thaumalea Wagler 1832, Isis (Oken), 1832, 1228.—Aves.
 Thaumalea Templeton 1837, Trans. ent. Soc. London, 1 (3), 186.—Crust. (Amphip.).
 Thaumaleus Krøyer 1849, Naturhist. Tidsskrift, [2] 2 (6), 595.—Crust. (Copep.).
 Thaumalia (pro *lea* Ruthe 1831) Loew 1847, Ent. Ztg., Stettin, 8, 368.—Dipt.
 Thaumantes (pro *-tis* Huebner 1826) Hering 1926, Biol. Schmett., 154.—Lep.
 Thaumantias (pro *-tias* Eschscholtz 1829) Beneden 1867, Mém. Acad. Sci. Belgique, 36, 89.—Coel.
 Thaumantia Melichar 1915 [sep. 1914], Verh. Ver. Brünn, 53, Abh., 95, 108.—Hem.
 Thaumantias Eschscholtz 1829, Syst. Acalephen, 102.—Coel.
 Thaumantias (pro *-matias* Bonaparte 1850) Bonaparte 1854, Rev. Mag. Zool., (2) 6, 255.—Aves.
 Thaumantias Graeffe [non Eschscholtz 1829] 1860, N. Denkschr. schweiz. Ges., Dec. 2, 7, 38.—Coel.
 Thaumantias (pro *-tis* Huebner 1826) Kirby 1894, Handb. Lep., 1, 197.—Lep.
 Thaumantias Huebner [1826], Exot. Schmett., 2, pl. [61].—Lep.
 Thaumaphrastus Blaisdell 1927, Proc. ent. Soc. Washington, 29, 123.—Col.
 Thaumaporatia Verhoeff 1900, Arch. Naturgesch., 66 (1), 396.—Myr.
 Thaumapsylla Rothschild 1907, Novit. zool., 14, 329.—Siphonapt.
 Thaumapus Kirby 1883, J. Linn. Soc. London, Zool., 17, 56.—Hym.
 Thaumias Huebner [1819], Verz. bekannt. Schmett., (9) 138.—Lep.
 Thaumias Ehrenberg (1832), Abh. preuss. Akad. Wiss., 1831, 66.—Prot.
 Thaumias Muenster 1842, Beitr. zur Petref., 5, 61.—Pisces.
 Thaumasia Perty 1833, Del. anim. artic. Brasil., (3) 192.—Arachn.
 Thaumasia Albers 1850, Die Heliceen, 207.—Moll. (See *Spartina* Harris & Burrows 1891.)
 Thaumasia Westerlund [non Albers 1850] 1902, Rada Jugoslav. Acad., 151, 104.—Moll.
 Thaumasinulus Reitter 1913, Wien. ent. Ztg., 32, Beih., 39.—Col.

- Thaumasiochaeta* Stein 1911, Arch. Naturgesch., 77 (1), 137.—Dipt.
Thaumasiocyclops Kiefer 1930, Zool. Anz., 89, 320.—Crust.
Thaumasioptera (Schiff MS.) Bonaparte 1854, C.R. Acad. Sci. Paris, 38, 389 [n.n.].—Aves.
Thaumasius (emend. pro *-matias* Bonaparte 1850) Sclater 1879, Proc. zool. Soc. London, 1879, 146.—Aves.
Thaumasocerus Fairmaire 1871, Ann. Soc. ent. France, (5) 1, 61.—Col.
Thaumaspis Bolivar 1900, Ann. Soc. ent. France, 68, 1899, 768.—Orth.
Thaumasta (emend. pro *Leucosia* Weber 1795) Gistel 1848, Nat. Thierr., ix.—Crust.
Thaumasta Staudinger 1871, in Staudinger & Wocke, Cat. Lep. Faune europ., 79.—Lep. (See *Athaumasta* Hampson 1906.)
Thaumastaneis Kirkaldy & Edwards 1902, Wien. ent. Ztg., 21, 163.—Hem.
Thaumastax Burr 1899, An. Soc. españ., 28, 299.—Orth.
Thaumaste Reichenbach 1854, J. Orn., 1, Extraheft Beil. (Aufz. Colibr.), 14.—Aves.
Thaumastella Horváth 1896, Termés. Füzetek, 19, 325.—Hem.
Thaumastes Hagen 1858, Ent. Ztg., Stettin, 19, 118.—Trichopt.
Thaumastiellus Schwarz 1902, Dtsch. ent. Z., 1902, 335.—Col.
Thaumastocaris Kemp 1922, Rec. Indian Mus., 24, 246.—Crust.
Thaumastocera Gruenberg 1906, Zool. Anz., 30, 354.—Dipt.
Thaumastocheles Wood-Mason 1874, Proc. Asiat. Soc. Bengal, 1874, 181.—Crust.
Thaumastochilus Simon 1897, Ann. Soc. ent. Belgique, 41, 8.—Arachn.
Thaumastochirus (n.n. pro *Thaumastopus* Hartmann 1899) Hartmann 1901, Dtsch. ent. Z., 44, 1900, 296.—Col.
Thaumastochiton Thiele 1909, Zoologica (Chun), 22, Heft 56, Lief. 1, 34.—Moll.
Thaumastocladus Cockerell & Sandhouse 1921, Proc. U.S. nat. Mus., 59, 456.—Hem.
Thaumastocoelia Steinmann 1882, N. Jahrb. Min., 1882 (2), 153.—Spong.
Thaumastocoris (emend. pro *Thaumastotherium* p. 777) Kirkaldy 1908, Proc. Linn. Soc. N.S. Wales, 32, corrigenda.—Hem.
Thaumastoderma Remane 1926, Z. morph. oekol. Berlin, 5, 671.—Verm. (Gastrotricha).
Thaumastodictya Kirkaldy 1902, J. Bombay nat. Hist. Soc., 14, 307.—Hem.
Thaumastodus Champion 1924, Ent. mon. Mag., 60, 25.—Col.
Thaumastognatha Monod 1926, Gnathidae Ess. Monogr. (Thèses Univ. Paris), 304.—Crust.
Thaumastognathus (pro *Tau-* Filhol 1890) Trouessart 1898, Cat. Mam., n. ed., 2, 806.—Mamm.
Thaumastolemur Filhol 1895, Bull. Mus. Hist. nat. Paris, 1895, 13.—Mamm.
Thaumastoma Webster & Benedict 1884, Rep. U.S. Comm. Fish., 9, 1881, 699, 737.—Verm. (Rotif.).
Thaumastomerus Wollaston 1861, Trans. ent. Soc. London, (2) 5, 383.—Col. (Curculionid.).
Thaumastomerus Clark 1865, Trans. ent. Soc. London, (3) 2, 418.—Col. (Chrysomelid.).
Thaumastometra Kirkaldy 1899, Rev. Ent. franç., 18, 86, 96.—Hem.
Thaumastomias Alcock 1890, Ann. Mag. nat. Hist., (6) 6, 220.—Pisces.
Thaumastomiris Kirkaldy 1902, J. Bombay nat. Hist. Soc., 14, 56.—Hem.
Thaumastonyx Alluaud 1917, Bull. Soc. ent. France, 1917, 245.—Col.
Thaumastopaeus (pro *Thamnastopeos* Kraatz 1883) Heller 1900, Dtsch. ent. Z., 1899, 353.—Col.
Thaumastopeus (err. pro *Thamnastopeos* Kraatz 1883) Kraatz 1885, Dtsch. ent. Z., 29, 350.—Col.
Thaumastophasis Wollaston 1873, Trans. ent. Soc. London, 1873, 461, 541.—Col.
Thaumastophila Hendel 1914, Suppl. ent., 3, 112.—Dipt.
Thaumastophleps Jordan 1908, in Seitz, Gross-Schmett. Erde, 10, 14.—Lep.
Thaumastoplax Miers 1881, Ann. Mag. nat. Hist., (5) 8, 261.—Crust.
Thaumastopsaltria (n.n. pro *Acricula* Stål 1863) Kirkaldy 1900, Entomologist, 33, 242.—Hem.
Thaumastopsis Kleine 1921, Ent. Blätter, 17, 126.—Col.
Thaumastoptera Mik 1866, Verh. zool.-bot. Ges. Wien, 16, Abh., 302.—Dipt.
Thaumastopus Fieber 1870, Verh. zool.-bot. Ges. Wien, 20, Abh., 246.—Hem.
Thaumastopus Hartmann 1899, Dtsch. ent. Z., 43, 27.—Col. (See *Thaumastochirus* Hartmann 1901.)
Thaumastosaurus De Stefano 1904, Atti Soc. ital., 42, 414.—Rept.
Thaumastotherium Kirkaldy 1908, Proc. Linn. Soc. N.S. Wales, 32, 777 (emended in corrigenda to *Thaumastocoris*).—Hem.
Thaumastotherium Forster-Cooper 1913, Ann. Mag. nat. Hist., (8) 12, 377.—Mamm. (See *Baluchitherium* Forster-Cooper 1913.)
Thaumastura Bonaparte 1849, Cons. gen. Avium, 1, 85; Mulsant & Verreaux 1866, Mém. Soc. Sci. nat. Cherbourg, 12, 235.—Aves.
Thaumastus (Albers MS.) Martens 1860, Die Helic., ed. 2, 215.—Moll.

- Thaumastus* Stål 1864, Ann. Soc. ent. France, (4) 4, 67.—Hem. (See *Betsileonas* Kirkaldy 1903.)
- Thaumasura* Westwood 1868, Proc. ent. Soc. London, 1868, xxxvi.—Hym.
- Thaumasurelloides* Girault 1927, Philippine J. Sci., 32, 554.—Hym.
- Thaumasus* Reiche 1853, Ann. Soc. ent. France, (3) 1, 420.—Col.
- Thaumatacanthus* Waagen 1879, Pal. Indica, (13) 1 (2), 78.—Pisces.
- Thaumataerius* Mann 1923, Zoologica, N. York, 3, 364.—Col.
- Thaumatagrion* Lieftinck 1932, Nova Guinea, 15, Zool., 508.—Odon.
- Thaumatelia* Kirby 1883, J. Linn. Soc. London, Zool., 17, 54, 60.—Hym.
- Thaumateliana* Girault 1912, Arch. Naturgesch., 78, Ag, 160.—Hym.
- Thaumatelson* Walker 1906, Ann. Mag. nat. Hist., (7) 18, 15.—Crust.
- Thaumatopyris* Kieffer 1910, Ann. Soc. ent. France, 79, 47.—Hym.
- Thaumatovania* Ceballos 1935, Eos, 10, 233.—Hym.
- Thaumattherium* Gloger 1841, Gemeinnütz. Naturges., 1, 138.—Mamm.
- Thaumatias* Bonaparte 1849, Consp. gen. Avium, 1, 78; 1850, C.R. Acad. Sci. Paris, 30, 382.—Aves.
- Thaumatibis* Elliot 1877, Proc. zool. Soc. London, 1877, 489.—Aves.
- Thaumatichthys* Smith & Radcliffe 1912, Proc. U.S. nat. Mus., 42, 579.—Pisces.
- Thaumatolectron* Guenther 1928, Mitt. zool. Mus. Berlin, 14, 663.—Orth.
- Thaumatoblastus* Wanner 1922, Jaarb. Mijnw. Ned.-Ost.-Ind., 1922, 199.—Echin.
- Thaumatocephalus* Heinrich 1930, Mitt. zool. Mus. Berlin, 15, 547.—Hym.
- Thaumatocera* (emend. pro *Taumacera* Thunberg 1814) Agassiz 1846, Nomen. Zool. Index Univ.—Col.
- Thaumatocotyle* Scott 1904, Ann. Rep. Fish. Board Scotland, 22, 278.—Verm. (Trem.).
- Thaumatocotyle* Odhner 1910, Res. Swedish zool. Exped. Egypt., 4, no. 23 (A), 20.—Verm. (Trem.). (See *Braunotrema* Price 1930.)
- Thaumatocranaus* Roewer 1932, Arch. Naturgesch., (N.F.) 1, 307.—Arachn.
- Thaumatocrinus* Carpenter 1883, Ann. Mag. nat. Hist., (5) 12, 143.—Echin.
- Thaumatocypris* Mueller 1906, Wiss. Ergebn. Dtsch. Tiefsee-Exped., 8, 41.—Crust.
- Thaumatodinium* Boehm 1933, Arch. Protistenk., 80, 351.—Prot.
- Thaumatodon* Pilsbry 1893, Man. Conch., (2) 9, 26.—Moll.
- Thaumatodryinus* Perkins 1905, Bull. Hawaii. agric. Exp. Sta., No. 1, 58.—Hym.
- Thaumatocessa* Krøyer 1842, Voy. Comm. Sci. des Nord (Scand. et Laponie), pl. 42.—Crust. (Cyclopoidea).
- Thaumatocessa* Hesse 1865, Ann. Sci. nat., 10, 362.—Crust. (Monstrilloidea). (See *Thaumatohessia* Giard 1900.)
- Thaumatocessa* (emend. pro *Loddigesia* Bonaparte 1849) Heine 1863, J. Orn., 11, 209, 210.—Aves.
- Thaumatognathus* (emend. pro *Taumasto-* Filhol 1890) Lydekker 1891, Zool. Rec., 27, 1890, Mamm., 47.—Mamm.
- Thaumatographa* Walsingham 1897, Trans. ent. Soc. London, 1897, 52.—Lep.
- Thaumatographie* Warren 1907, Novit. zool., 14, 122.—Lep.
- Thaumatogryllus* Perkins 1899, Fauna Hawaii., 2, 27.—Orth.
- Thaumatohessia* (n.n. pro *Thaumatocessa* Hesse 1868) Giard 1900, Bull. Soc. ent. France, 1900, 396.—Crust.
- Thaumatolampas* Chun 1903, Verh. dtsh. zool. Ges., 13, 67.—Moll.
- Thaumatoleon* Esben-Petersen 1921, Vidensk. Medd. naturh. Foren. Kjøbenhavn, 72, 127.—Neur.
- Thaumatoleptes* Roewer 1930, Abh. Naturw. Ver. Bremen, 27, 405.—Arachn.
- Thaumatolestes* (err. pro *-toneura* McLachlan 1897) Brues & Melander 1932, Bull. Mus. comp. Zool. Harvard, 73, 160.—Odon.
- Thaumatolita* Walsingham 1912, Biol. Centr. Amer., Zool., Lep., 4, 117.—Lep.
- Thaumatolpium* Beier 1931, Mitt. zool. Mus. Berlin, 17, 313.—Arachn.
- Thaumatomastix* (n.n. pro *Thaumatonema* Lauterborn 1896, preocc. in botany) Lauterborn 1899, Z. wiss. Zool., 65, 375.—Prot.
- Thaumatometra* Clark 1908, Proc. biol. Soc. Washington, 21, 127.—Echin.
- Thaumatomonas* Saedeleer 1933, Rec. Inst. Zool. Torley-Rousseau, 3, 89.—Prot.
- Thaumatomyia* Zenker 1833, Froriep Notizen, 35, 344.—Dipt.
- Thaumatomyrmex* Mayr 1887, Verh. zool.-bot. Ges. Wien, 37, Abh., 530.—Hym.
- Thaumatoncus* Simon 1884, Arachn. France, 5 (3), 580.—Arachn.
- Thaumatonema* Lauterborn 1896, Zool. Anz., 19, 14.—Prot. (Cf. *Thaumatomastix* Lauterborn 1899.)
- Thaumatoneura* McLachlan 1897, Ent. mon. Mag., 33, 130.—Odon.
- Thaumatopachylus* Roewer 1929, Abh. Naturw. Ver. Bremen, 27, 216.—Arachn.
- Thaumatopauropus* Esaki 1934, Annot. zool. japon., 14, 340.—Myr.
- Thaumatoperla* Tillyard 1921, Proc. Linn. Soc. N.S. Wales, 46, 224.—Plecopt.
- Thaumatoperypus* Netolitzky 1935, Atti Mus. Stor. nat. Trieste, 12, 95.—Col.
- Thaumatophrya* Collin 1912, Arch. Zool. exp. gén. Paris, 51, 374.—Prot.
- Thaumatopoea* (emend. pro *Thaumat-* Huebner 1820) Agassiz 1846, Nomen. Zool. Index Univ.—Lep.

- Thaumatops* (emend. pro *Thaumops* Suhm 1873) Martens 1875, Zool. Rec., 10, 1873, 189.—Aves.
- Thaumatopsis* Morrison 1874, Proc. Boston Soc. nat. Hist., 17, 161.—Lep.
- Thaumatopsyllus* Scott 1894, Trans. Linn. Soc. London, Zool., (2) 6, 104 [*in syn.*].—Crust.
- Thaumatopsyllus* Sars 1913, Arch. Math. Naturv. Kristiania, 33, no. 6, 1.—Crust. (See *Thespesiopsyllus* Wilson 1924.)
- Thaumatoptyx* Pilsbry 1908, Proc. Acad. nat. Sci. Philad., 59, 1907, 511.—Moll.
- Thaumatopus* (pro *Thaumapus* Kirby 1883) Schulz 1906, Spolia hym., 151.—Hym.
- Thaumatorrhynchus* Parker 1924, Ann. Mag. nat. Hist., (9) 14, 624.—Rept.
- Thaumatosaurus* Meyer 1841, N. Jahrb. f. Min., 1841, 170, 184.—Rept.
- Thaumatoscopus* Kirkaldy 1906, Bull. Hawaii. agric. Exp. Sta., No. 1, 462.—Hem.
- Thaumatoscypus* Kishinouye 1910, J. Coll. Sci. Tokyo, 27, art. 9, 2.—Coel.
- Thaumatosmylus* Krueger 1913, Ent. Ztg., Stettin, 74, 89.—Neur.
- Thaumatosoma* Smith 1865, Trans. ent. Soc. London, (3) 2, 394.—Hym.
- Thaumatostoma* (pro *-soma* Smith 1865) Dalla Torre 1896, Cat. Hym., 10, 641.—Hym.
- Thaumatostroma* Weissermel 1926, in Kaiser, Die Diamanten Wüste S.W. Afr., 2, 100.—Coel.
- Thaumatotrips* Karny 1922, Proc. Linn. Soc. N.S. Wales, 47, 267.—Thysanopt.
- Thaumatotibia* Zacher 1915, Tropenpflanzer, 18, 529.—Lep.
- Thaumatotypidea* Viereck 1912, Proc. U.S. nat. Mus., 43, 577.—Hym.
- Thaumatotypus* Foerster 1868, Verh. naturh. Ver. Rheinland, 25, 172.—Hym.
- Thaumatoxena* Breddin & Boerner 1904, S.B. Ges. naturf. Freunde Berlin, 1904, 84.—Hem.
- Thaumatoxenia* Kirby 1909, Trans. zool. Soc. London, 19, 65.—Orth.
- Thaumatura* (pro *-mastura* Bonaparte 1849) Bonaparte 1850, Rev. Mag. Zool., (2) 2, 245.—Aves.
- Thaumatura* (pro *Thaumasura* Westwood 1868) Schulz 1906, Spolia hym., 144.—Hym.
- Thaumaturgis* Meyrick 1934, Exot. Microlep., 4, 449.—Lep.
- Thaumaturgus* Distant 1909, Ann. Mag. nat. Hist., (8) 4, 518.—Hem.
- Thaumaturus* Reuss 1844, Geogn. Skizz. Boehmen, 2, 264.—Pisces.
- Thaumeledone* Robson 1930, "Discovery" Rep., 2, 373, 392.—Moll.
- Thaumatopoea* Huebner [1820], Verz. bekannt. Schmett., (12) 185.—Lep.
- Thauminatodon* (err. pro *Thaumatodon* Pilsbry 1893) Sykes 1894, J. Malac., 3, 10.—Moll.
- Thaumbia* (pro *Thamnobia* Swainson 1832) Hartlaub 1846, Rev. Zool., 9, 1.—Aves.
- Thaumonectes* Senna 1904, Bull. Soc. ent. Ital., 35, 93.—Crust.
- Thaumops* Willemoes-Suhm 1873, Z. wiss. Zool., 23 (2), App. v.—Crust.
- Thaumatopoea* (pro *Thaumatias* Eschscholtz 1829) Lendenfeld 1884, Proc. Linn. Soc. N.S. Wales, 9, 231.—Coel.
- Thaunasesthes* Fairmaire 1894, Ann. Soc. ent. Belgique, 38, 155.—Col.
- Thauracostoma* (pro *Thor-* Marion 1870) Saint-Joseph 1894, Ann. Sci. nat. Paris, Zool., (7) 17, 320.—Verm. (Nema.).
- Thauria* Moore 1895, Lep. Ind., 2, 185.—Lep.
- Thaurilens* Pavillard 1917, C.R. Acad. Sci. Paris, 164, 926.—Prot.
- Thauris* (err. pro *-ria* Moore 1895) Pagenstecher 1909, Geogr. Verbr. Schmett., 413.—Lep.
- Thausmatura* (pro *Thaumastura* Bonaparte 1849) Bonaparte 1850, C.R. Acad. Sci. Paris, 30, 383.—Aves.
- Thaupis* (pro *Thraupis* Boie 1826) Gray 1840, List Gen. Birds, 44.—Aves.
- Thaxteria* Fenyés 1921, Bull. Mus. comp. Zool. Harvard, 65, 17.—Col.
- Thaxterius* Bernhauer 1935, Stylops, 4, 213.—Col.
- Thayeria* Eigenmann 1909, Bull. Mus. comp. Zool. Harvard, 52, 94.—Pisces.
- Thea* Mulsant 1846, H.N. Coléopt. France (Sécurip.), 159.—Col.
- Thea* Albers 1850, Die Heliceen, 118.—Moll. (See *Plectotropis* Martens 1860.)
- Thea* Scott 1882, Trans. ent. Soc. London, 1882, 450.—Hem.
- Theagenes* (n.n. pro *Eropus* Godman & Salvin 1896) Godman & Salvin 1896, Biol. Centr. Amer., Zool., Rhop., 2, 428.—Lep.
- Theages* Walker 1855, List Specimens Lep. Ins. Brit. Mus., 3, 721.—Lep.
- Thealia* Lucas 1840, Ann. Soc. ent. France, 8, 577.—Crust.
- Theanellus* Reitter 1913, Verh. Ver. Brünn, 51, Abh., 77.—Col.
- Theano* Laporte 1836, Revue Entom., 4 (2), 51.—Col.
- Theano* Robineau-Desvoidy 1863, Hist. nat. Dipt., 1, 256.—Dipt.
- Theantis* Casey 1922, Mem. Col., 10, 341.—Col.
- Theates* Fåhraeus 1871, Ofvers. VetenskAkad. Förh. Stockholm, 28, 68.—Col.
- Theatetes* Champion 1888, Biol. Centr. Amer., Zool., Col., 4 (1), 420.—Col.
- Theatodiplosis* Tavares 1922, Brotéria, 20, 148.—Dipt.
- Theatops* Newport 1844 (May), Proc. Linn. Soc. London, 1 (20), 193; 1844 (June), List Myriap. Coll. Brit. Mus., 7.—Myr.

- Theatria* Walsingham 1912, Biol. Centr. Amer., Zool., Lep., 4, 116.—Lep.
Theatrista Meyrick 1917, Exot. Microlep., 2, 95.—Lep.
Theatrochora Meyrick 1921, Ann. Transvaal Mus., 8, 128.—Lep.
Theatrocopia Walsingham 1897, Trans. ent. Soc. London, 1897, 43.—Lep.
Theba (Leach MS.) Risso 1826, H.N. Europe, 4, 73.—Moll.
Thebanus Distant 1903, Fauna Brit. India, Rhynch., 2, 67.—Hem.
Thebrone Boisduval 1870, Consid. Léop. Guatemala, 85.—Lep.
Theca (Sowerby MS.) Morris 1845, in de Strzelecki, Phys. descr. N.S. Wales, 289; Sharpe 1846, Quart. J. geol. Soc. London, 2 (7), 314.—Moll.
Theca Mulsant & Rey 1860, Ann. Soc. linn. Lyon, 7, 293; 1861, Opusc. ent., 12, 40.—Col.
Thecabius Koch 1857, Pflanzenläuse Aphiden, 9, 294.—Hem.
Thecacela (pro *-cera* Fleming 1828) Bronn 1866, Klass. Ordn. Tierreichs, 3, 798.—Moll.
Thecacera Fleming 1828, Hist. Brit. Anim., 283.—Moll.
Thecaceras (emend. pro *-ra* Fleming 1828) Locard 1886, Prodr. malac. Franç., Cat. gén. Moll. France, 34.—Moll.
Thecacerus Dejean 1834, Catal. Coléopt., ed. 2, 207 [*n.n.*]; Lacordaire 1859, Hist. nat. Ins., Gen. Col., 5, 420.—Col.
Thecachampsia Cope 1867, Proc. Acad. nat. Sci. Philad., 1867, 143.—Rept.
Thecacineta Collin 1909, C.R. Acad. Sci. Paris, 149, 1094.—Prot.
Thecadactylus (Cuvier MS.) Oken 1817, Isis, 1, 1183; Goldfuss 1820, Handb. Zool., 2, 157.—Rept.
Thecadiplax Selys 1883, Ann. Soc. ent. Belgique, 27, 140.—Odon.
Thecagaster Selys 1854, Bull. Acad. roy. Sci. Belgique, 21, pt. 2, 103.—Odon.
Thecalia Adams 1857, Gen. Rec. Moll., 2, 489.—Moll.
Thecamoeba Fromental 1875, Etudes Microz. ou Infus., 222.—Prot.
Thecaphora Charpentier 1839, in Burmeister, Handb. Ent., 2, 836.—Odon.
Thecaphora Lankester 1882, Nature, 26, 478 [*n.n.*].—Spong.
Thecaphora (pro *Thecophora* Schmidt 1870) Lendenfeld 1887, Proc. zool. Soc. London, 1886, 584.—Spong.
Thecaphorus (Nuttall MS) Adams 1854, Gen. Rec. Moll., 2, 22 [*in syn.*].—Moll.
Thecaporhinus (err. pro *Metapo-* Michelin 1847) Ebray 1859, Bull. Soc. géol. France, (2) 16, 1159.—Echin.
Thecarthra Trouessart 1896, Bull. Soc. ent. France, 1896, 420, 421.—Arachn.
Thecasoma Matsumura 1918, Thous. Ins. Japan, Suppl., 4, 159.—Hym.
Thecathera Gray 1840, Syn. Cont. Brit. Mus., ed. 42, 148.—Moll.
Thecedea (pro *-cidea* DeFrance 1822) d'Orbigny 1847, L'Institut, 15, 249.—Brach.
Thecesternus Say 1831, Descr. New Species Curculionites N. Amer., 8.—Col.
Theceurybia (*n.n.* pro *Eurybia* Menke 1830) Bronn 1862, Klass. Ordn. Weichthiere, 3 (2), 645.—Moll.
Thechia Pascoe [1874], J. Linn. Soc. London, Zool., 12, 1876, 25.—Col.
Thecia Milne-Edwards & Haime 1849, C. R. Acad. Sci. (Paris), 29, 263.—Coel.
Thecidaea (err. pro *-dea* DeFrance 1822) Keferstein 1829, Ztg. Geogn. Geol., 2, no. 9, 82.—Brach.
Thecidea DeFrance 1822, in Cuvier & Brongniart in Cuvier, Rech. Oss. foss., ed. 2, 2 (2), 325.—Brach.
Thecidella (Munier-Chalmas MS.) Oehlert 1887, in Fischer, Man. Conch., 1330.—Brach.
Thecidellina Thomson 1915, Geol. Mag., (N.S.) Dec. 6, 2, 465.—Brach.
Thecidium (pro *-dium* Sowerby 1823) Fischer de Waldheim 1834, Bibliogr. pal., ed 2, 279.—Brach.
Thecidiopsis (Munier-Chalmas MS.) Oehlert 1887, in Fischer, Man. Conch., 1330.—Brach.
Thecidiosmilia Koby 1888, Mém. Soc. Pal. Suisse, 15, 430.—Coel.
Thecidium (emend. pro *-dea* DeFrance 1822) Sowerby 1823, Genera of Shells, 2, no. xx.—Brach.
Theckia (err. pro *-cla* Fabricius 1807) Brown 1834, Book of Butterfl., 3, 53.—Lep.
Thecla Fabricius 1807, Mag. f. Insektenk. (Illiger), 6, 286.—Lep.
Thecladoris Gounelle 1909, Ann. Soc. ent. France, 77, 616.—Col.
Theclinesthes Roeder 1892, Tijdschr. Ent., 34, 316.—Lep.
Thecliolia (*n.n.* pro *Felderia* Tutt 1907) Strand 1910, Ent. Rdsch., 27, 162.—Lep.
Theclopsis Godman & Salvin 1887, Biol. Centr. Amer., Zool., Rhop., 2, 99.—Lep.
Thecobathra Meyrick 1922, Exot. Microlep., 2, 553.—Lep.
Thecocarcelia Townsend 1932, J.N. York ent. Soc., 40, 471.—Dipt.
Thecocarpus Nutting 1900, Bull. U.S. nat. Mus., Spec. Bull., 4, 108.—Coel.
Thecocaulus Bale 1915, Biol. Results "Endeavour," 3 (5), 294.—Coel.
Thecoceris (emend. pro *Theca-* Dejean 1834) Agassiz 1846, Nomen. Zool. Index Univ.—Col.
Thecocladium Allman 1885, J. Linn. Soc. London, 19, 149.—Coel.
Thecocolurus von Huene 1923, Bull. geol. Soc. Amer., 34, 449.—Amph.
Thecocyathus Milne-Edwards & Haime 1848, Ann. Sci. Nat., [3] (Zool.), 9, 317.—Coel.

- Theocyrtella* (n.n. pro *Cyrtotheca* Bittner 1890) Bittner 1892, Abh. geol. Reichsanst., 17 (2), 15.—Brach.
- Theocystis* Jaekel 1899, Stammesgeschichte der Pelmatozoen, 1, 43.—Echin.
- Thecodactylus* (pro *Theca*-Oken 1817) Wagler 1830, Syst. Amph., 132, 142.—Rept.
- Thecodiplax* (err. pro *Theca*-Selys 1883) Jakobson & Bianchi 1905, Orth. Pseudoneur. Russian Emp., 716, 741.—Odon.
- Thecodiplosis* Kieffer 1895, Ann. Soc. ent. France, 64, Bull., cxcv.—Dipt.
- Thecodon* Agassiz 1844, Nom. Zool. (Rept.), 44 [n.n.].—Rept.
- Thecodonta* Adams 1864, Ann. Mag. nat. Hist., (3) 13, 308.—Moll.
- Thecodontosaurus* Riley & Stutchbury 1836, Proc. geol. Soc. London, 2, 398.—Rept.
- Thecogaster* (err. pro *Theca*-Selys 1854) Jakobson & Bianchi 1905, Orth. Pseudoneur. Russian Emp., 773.—Odon.
- Thecometra* Haeckel [1869], Jena. Z., 5, 1870, 254.—Spong. (Cf. *Ascometra* Haeckel 1872.)
- Thecomya* (pro *-myia* Perty 1833) Rondani 1848, in Baudi & Truqui, Stud. Entom., 79.—Dipt.
- Thecomyia* Perty 1833, Del. anim. artic. Brasil., (3) 189.—Dipt.
- Theconyx* Gray 1845, Cat. Lizards Coll. Brit. Mus., 159.—Rept.
- Theconyx* Annandale [non Gray 1845] 1906, Spolia Zeylan., 3, 191.—Rept.
- Thecophora* Rondani 1845, N. Ann. Sci. nat. Bologna, (2) 3, 15.—Dipt.
- Thecophora* (emend. pro *Theca*-Charpentier 1839) Agassiz 1846, Nomen. Zool. Index Univ.—Odon.
- Thecophora* Lederer 1857, Die Noctuiden Europ., 99.—Lep.
- Thecophora* Schmidt 1870, Spong. atlant. Geb., 50.—Spong.
- Thecophyllia* Milne-Edwards & Haime 1848, C. R. Acad. Sci. (Paris), 27, 491.—Coel.
- Thecopsammia* Pourtalès 1868, Bull. Mus. comp. Zool. Harvard, 1, no. 7, 138.—Coel.
- Thecopsella* (Munier-Chalmas MS.) Cossmann 1888, Ann. Soc. malac. Belg., 23, 294.—Moll.
- Thecorhinus* Faust 1886, Horae Soc. ent. ross., 20, 175.—Col.
- Thecoseris* Fromental 1869, Pal. Franç., Jurass., Zooph., pl. 58, fig. 2; 1870, in d'Orbigny, Pal. Franç., (1) Terr. cré., 8, 367.—Coel.
- Thecosiphonia* Zittel 1878, Abh. math.-phys. Cl. Bayer. Akad. Wiss., 13, Abt. 1, 148.—Spong.
- Thecosmilia* Milne-Edwards & Haime 1848, C. R. Acad. Sci. (Paris), 27, 468.—Coel.
- Thecosoma* Moquin-Tandon 1860, Elém. Zool. méd., 342.—Verm (Trem.).
- Thecosphaera* Haeckel 1881, Jena. Z., 15, 452.—Prot.
- Thecosphaerantha* Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 78.—Prot.
- Thecosphaerella* Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 80.—Prot.
- Thecosphaerina* Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 81.—Prot.
- Thecosphaeromma* Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 81.—Prot.
- Thecospira* Zugmayer 1880, Jahrb. geol. Reichsanst. Wien, 30, 152; 1880, Beitr. Pal. Oesterr.-Ung., 1, 22.—Brach.
- Thecospirella* Bittner 1912, Res. wiss. Forsch. Balatonsees, Bd. 1, Teil. 1, Pal. Anh., 2, 46.—Brach.
- Thecospondylus* Seeley 1882, J. geol. Soc. London, 38, 457; 1882, Ann. Mag. nat. Hist., (5) 10, 174.—Rept.
- Thecospongia* Etallon 1859, Etud. pal. Haut-Jura, 2, 151; 1859, Mém. Soc. Emul. Doubs, (3) 3 (1858), 551.—Spong.
- Thecostegites* Milne-Edwards & Haime 1849, C. R. Acad. Sci. (Paris), 29, 261.—Coel.
- Thecosternus* (pro *Theces*-Say 1831) Gemminger & Harold 1871, Cat. Col., 8, 2342.—Col.
- Thecothera* (emend. pro *Theca*-Gray 1840) Agassiz 1846, Nomen. Zool. Index Univ.—Moll.
- Thecoxiphidion* Karny 1912, Gen. Insect., 135, 12.—Orth.
- Thectocercus* Ridgway 1912, Proc. biol. Soc. Washington, 25, 99.—Aves.
- Thectodus* Plieninger 1844, in Meyer & Plieninger, Beitr. Pal. Württ., 116.—Pisces.
- Thectophila* Meyrick 1927, Trans. New Zealand Inst., 57, 701.—Lep.
- Thectura* Thomson 1858, Ofvers. svenska VetenskAkad. Förh., 15, 32.—Col.
- Thecturella* Cameron 1922, Ann. Mag. nat. Hist., (9) 9, 648.—Col.
- Thecturota* Casey 1893, Ann. N. York Acad. Sci., 7, 357.—Col.
- Thecurus* Lyon 1907, Proc. U.S. nat. Mus., 32, 583.—Mamm.
- Theditites* (err. pro *Thetidites* Mojsisovics 1896) Diener 1923, Jaarb. Mij. Ned. Oost-Ind., 1920, Verh. (4 Ged.), 161.—Moll.
- Theelia* Schlumberger 1890, Bull. Soc. géol. France, (3) 18, 197.—Echin.
- Theelia* Ludwig [non Schlumberger 1890] 1891, in Bronn, Klass. Ordn. Tierreichs, 2 (3), 349.—Echin.
- Thegalea* Turner 1920, Trans. roy. Soc. S. Australia, 44, 147.—Lep.
- Theganeceras* Whitehouse 1926, Mem. Queensland Mus., 8, 202.—Moll.
- Theganopteryx* Brunner von Wattenwyl 1865, Nouv. Syst. Blattaires, 53.—Orth.

- Thegaster* (pro *Thagastea* Pomel 1888) Duncan 1889, J. Linn. Soc. London, Zool., 23, 305.—Echin.
- Thegillus* Champion 1905, Biol. Centr. Amer., Col., 4, pt. 4, 526.—Col.
- Thegisastraea* Sismonda 1871, Mem. Accad. Torino, (2) 25, 302.—Coel.
- Thegornis* Ameghino 1895, Bol. Inst. Geogr. Argent., 15, 100.—Aves.
- Theia* Brunner 1891, Verh. zool.-bot. Ges. Wien, 41, Abh., 174.—Orth.
- Theila* Swinhoe 1900, Cat. E. & Austr. Lep. Het. Oxf. Univ. Mus., 2, 443.—Lep.
- Theileria* Bettencourt, França & Borges 1907, Arch. Inst. Bact. Camera Pestana, 1, 343.—Prot.
- Theileriana* Monnig 1924, Rep. Vet. Educ. Res. S. Africa, 1923, 457.—Verm. (Nema.).
- Theillus* (pro *Thyellas* Gloger 1827) Ridgway 1887, Man. N. Amer. Birds, 62.—Aves.
- Theiopicus* (Bonaparte MS.) Malherbe 1861, Monogr. Picid., 1, Introd., liii.—Aves.
- Theiosia* Lucas 1902, Proc. Linn. Soc. N.S. Wales, 27, 250.—Lep.
- Theisoa* Chambers 1874, Canad. Ent., 6, 75.—Lep.
- Thekes* (Crawford MS.) Maskell 1892, Trans. N. Zealand Inst., 24, 1891, 28.—Hem.
- Thekokladium* (pro *Theco*-Allman 1885) Hartlaub 1901 [sep. 1900], Abh. Ver. Hamburg, 16, 35.—Coel.
- Thelacantha* Hasselt 1882, Midden-Sumatra, 4 (1), no. 11A, 15.—Arachn.
- Thelaceros* Mitchell 1890, Quart. J. micr. Sci., 30, 551.—Coel.
- Thelacostyla* (err. pro *Theliostyla* Moersch 1852) Paetel 1873, Cat. Conch. Samml., 10.—Moll.
- Thelactis* Klunzinger 1877, Koralthiere rothen Meeres, 1, 79.—Coel.
- Thelaira* Robineau-Desvoidy 1830, Mém. présentés Acad. roy. Sci. Inst. France, 2, 214.—Dipt.
- Thelairalia* Curran 1934, Famm. Genn. N. Amer. Dipt., 462.—Dipt.
- Thelairia* (err. pro *-ra* R.-Desvoidy 1830) Coquillett 1910, Proc. U.S. nat. Mus., 37, no. 1719, 614.—Dipt.
- Thelairochaetoma* see *Thelairochaetona*.
- Thelairochaetona* Townsend 1919, Proc. U.S. nat. Mus., 56, 599 (also as *Thelairochaetoma*).—Dipt.
- Thelairodes* Wulp 1891, Biol. Centr. Amer., Zool., Dipt., 2, 254.—Dipt.
- Thelairoderia* Townsend 1927, Rev. Mus. paulista, 15 (1), 266.—Dipt.
- Thelairoleskia* Townsend 1926, Suppl. ent., 14, 23.—Dipt.
- Thelairomima* Townsend 1935, Rev. Ent. Rio de Janeiro, 5, 222.—Dipt.
- Thelairophasia* Townsend 1918, Insec. Inscit. menst., 6, 173.—Dipt.
- Thelairosoma* Villeneuve 1916, Ann. S. Afric. Mus., 15, 499.—Dipt.
- Thelandros* Wedl 1862, S.B. Akad. Wiss. Wien, 44 (1), 470.—Verm. (Nema.).
- Thelastoma* Leidy 1849, Proc. Acad. nat. Sci. Philad., 4 (11), 231.—Verm. (Nema.).
- Thelastomellum* Cobb 1929, J. Washington Acad. Sci., 19, 285.—Verm. (Nema.).
- Thelastomoides* Walton 1927, Proc. Acad. nat. Sci. Philad., 79, 13.—Verm. (Nema.).
- Thelastomum* (pro *-ma* Leidy 1849) Diesing 1851, Syst. Helminth., 2, 558.—Verm. (Nema.).
- Thelaxes* Westwood 1840, Introd. class. Insect., 2, Syn., 118.—Hem.
- Thelazia* (pro *Thal*-Bosc 1819) Bosc 1819, Journ. de Physique, 88, 215.—Verm. (Nema.).
- Thelaziella* Travassos 1918, Rev. Mus. paulista, 10, 218, 225.—Verm. (Nema.).
- Thelazius* (pro *Thalazia* Bosc 1819) Bosc 1819, N. Dict. H.N., 33, 498.—Verm. (Nema.).
- Thelazo* Pearse 1933, J. Siam Soc., 9, 186.—Verm. (Nema.).
- Thelazomenus* Reichenow 1915, J. Ornith., 63, 127.—Aves.
- Thelcteria* Lederer 1863, Wien. ent. Monatschr., 7, 350.—Lep.
- Thelcticopsis* (n.n. pro *Themeropsis* Koch 1875) Karsch 1884, S.B. Ges. Naturw. Marburg, 1884, no. 2, 65.—Arachn.
- Thelda* Walker 1865, List Specimens Lep. Ins. Brit. Mus., 34, 1221.—Lep.
- Thelde* Walker 1862, J. Proc. Linn. Soc. London, Zool., 6, 139.—Lep.
- Thelea* (pro *Te*-Huebner 1823) Gauckler 1898, Ill. Z. ent., 3, 200.—Lep.
- Thelechoris* Karsch 1881, Abh. Naturw. Ver. Bremen, 7, 196.—Arachn.
- Thelecostyla* (err. pro *Thelio*-Moersch 1852) Schaufuss 1869, Moll. Syst. Cat., 10.—Moll.
- Thelecysthara* Woodring 1928, Mioc. Moll. Bowden (Carnegie Inst. Washington), 2, 7, 173.—Moll.
- Theledera* Linton 1910, Carnegie Inst. Pub., No. 133, 40.—Verm. (Trem.).
- Thelegnathus* Broom 1905, Rec. Albany Mus., 1, 274.—Rept.
- Thelenota* Brandt 1835, Prod. anim. Mertens., 1, 53.—Echin.
- Theleosaurus* (pro *Te*-Geoffroy 1825) Cuvier 1829, Règne an., ed. 2, 2, 20 (note 1).—Rept.
- Thelepella* Chamberlin 1919, Mem. Mus. comp. Zool. Harvard, 48, 422.—Verm. (Polych.).
- Thelephorus* (pro *Tel*-Schaeffer 1766) Mueller 1776, Z. Dan. Prod., 62.—Col.
- Thelepides* Gravier 1911, Bull. Mus. Hist. nat. Paris, 1911, 315.—Verm. (Polych.).

- Thelepides** Southern 1914, *Clare Isl. Surv.*, No. 47, 125, 126.—Verm. (Polych.) (See *Parathelepus* Caullery 1915.)
- Thelepodopsis** Sars 1872, *Forh. Vidensk.-Selsk. Christiania*, 1871, 414.—Verm. (Polych.).
- Theleproctophylla** (emend. pro *Deleproct-* Lefebvre 1842) Rambur 1842, (Roret's Suite à Buffon) *Névropt.*, 350.—Neur.
- Thelepte** Nixon 1931, *Eos*, 7, 379.—Hym.
- Thelepus** Leuckart 1849, *Arch. Naturgesch.*, 15 (1), 169.—Verm. (Polych.).
- Thelesina** Robineau-Desvoidy 1863 (*teste* Scudder 1882, *Nomen. zool.*, Suppl. List, 332).—Dipt.
- Thelethia** (n.n. pro *Thia* Edwards 1888) Dyar 1893, *Canad. Ent.*, 25, 301.—Lep.
- Theletrum** Linton 1910, *Carnegie Inst. Pub.*, No. 133, 59.—Verm. (Trem.).
- Theleus** Cope 1893, *Amer. Nat.*, 27, 482.—Rept.
- Thelgetra** Thomson 1864, *Syst. Cerambycid.*, 258.—Col.
- Thelgetrum** Gorham 1876, *Trans. ent. Soc. London*, 1875, 314.—Col.
- Thelia** Amyot & Serville 1843, (Roret's Suite à Buffon) *Hémiptères*, 540.—Hem.
- Theliconus** Swainson 1840, *Treat. Malacol.*, 312.—Moll.
- Thelicostyla** (pro *Thelio-* Moersch 1852) Paetel 1875, *Fam. Gatt. Moll.*, 207.—Moll.
- Thelida** Robineau-Desvoidy 1830, *Mém. présentés Acad. roy. Sci. Inst. France*, 2, 655.—Dipt.
- Theliderma** Swainson 1840, *Treat. Malacol.*, 267, 378.—Moll.
- Thelidoteuthis** Pfeffer 1900, *Mitt. naturh. Mus. Hamburg*, 17, 165, 167.—Moll.
- Thelidomus** Swainson 1840 (May), *Treat. Malacol.*, 191.—Moll.
- Thelidomus** Swainson 1840 (May), *Treat. Malacol.*, 228, 353.—Trichopt.
- Thelidonta** Swainson 1840, *Treat. Malacol.*, 194.—Moll.
- Thelidonus** (pro *-domus* Swainson 1840) Bielz 1869, *Verz. Moll.-Samml.*, ed. 5, 25.—Moll.
- Thelidora** Moeschler 1880, *Verh. zool.-bot. Ges. Wien*, 30, Abh., 391.—Lep.
- Thelima** Amyot & Serville 1843, (Roret's Suite à Buffon) *Hémiptères*, 107.—Hem.
- Theliopsycha** Banks 1911, *Trans. Amer. ent. Soc.*, 37, 356.—Trichopt.
- Theliostoma** Sowerby 1824, *Gen. Shells*, (24) *Oniscia*.—Moll.
- Theliostoma** (err. pro *-styla* Moersch 1852) Kobelt 1878, *Illustr. Conchylienbuch*, 2, 147.—Moll.
- Theliostyla** Moersch 1852, *Cat. Yoldi*, 1, 167.—Moll.
- Thelipus** Robineau-Desvoidy 1830, *Mém. présentés Acad. R. Sci. Inst. France*, 2, 655.—Dipt.
- Theloconus** (emend. pro *Theli-* Swainson 1840) Herrmannsen 1849, *Index Gen. Malac.*, 2, 572.—Moll.
- Thelocoris** Mayr 1866, *Reise Novara, Zool.*, 2. Bd., Hem., 144; 1866, *Verh. zool.-bot. Ges. Wien*, 16, 364.—Hem.
- Theloderma** Tschudi 1838, *Classif. Batrach.* (*ex* *Mém. Soc. Sci. Nat. Neuchatel*, 2, 1839 [1840], 32, 75).—Amph.
- Theloderma** (emend. pro *Theli-* Swainson 1840) Herrmannsen 1849, *Index Gen. Malac.*, 2, 572.—Moll.
- Thelodiscoprosopa** Townsend 1932, *J. New York ent. Soc.*, 40, 444.—Dipt.
- Thelodiscus** Aldrich 1916, *Sarcophaga & Allies in N. Amer.*, 63.—Dipt.
- Thelodomus** (emend. pro *Theli-* Swainson 1840) Herrmannsen 1849, *Index Gen. Malac.*, 2, 572.—Moll.
- Thelodonta** (emend. pro *Theli-* Swainson 1840) Herrmannsen 1849, *Index Gen. Malac.*, 2, 572.—Moll.
- Thelodrias** (emend. pro *Thyl-* Motschoulsky 1839) Agassiz 1845, *Nom. Zool. (Col.)*, 161.—Col.
- Thelodus** Agassiz 1838, *Rep. Brit. Assoc. (Liverpool 1837)*, 7, *Trans.*, 91 [*n.n.*]; 1839, in Murchison, *Silur. Syst.*, 605, 606.—Pisces.
- Thelodus** Schmidt [non Agassiz 1838] 1861, *Nova Acta Acad. Caes. Leop. Carol.*, 29, no. 9, 27.—Pisces.
- Thelohaneltus** Kudo 1933, *Trans. Amer. micr. Soc.*, 52, 195.—Prot.
- Thelohania** Henneguy 1892, *Ann. Microgr.*, 4, 639.—Prot.
- Thelolepis** (pro *Thelodus* Agassiz 1838) Pander 1856, *Fische Silur. Syst.*, 67.—Pisces.
- Theloris** Stål 1864, *Hem. Afric.*, 1, 172.—Hem.
- Thelosia** Schaus 1896, *J. N. York ent. Soc.*, 4, 53.—Lep.
- Thelostoma** (pro *Thelas-* Leidy 1849) Carus & Gerstaecker 1863, *Handb. Zool.*, 2 (2), 460.—Verm. (Nema.).
- Thelostyla** (pro *Thelio-* Moersch 1852) Paetel 1875, *Fam. Gatt. Moll.*, 207.—Moll.
- Thelotornis** Smith 1849, *Ill. Zool. S. Afr. (Rept.)*, App. 19.—Rept.
- Thelphusa** (pro *-phusa* Latreille 1819) Milne-Edwards 1837, (Roret's Suite à Buffon) *Crustacés*, 2, 10.—Crust.
- Thelphusa** Latreille 1819, *N. Dict. H.N.*, 33, 500.—Crust.
- Thelphusa** (pro *Thelepus* Leuckart 1849) Verrill 1872, *Bull. Essex Inst.*, 3, 1871, 3, 6.—Verm. (Polych.).

- Thelticopis* (err. pro *Thelct-* Karsch 1884) Petrunkevitch 1928, Trans. Connecticut Acad. Arts Sci., 29, 157.—Arachn.
- Thelxinoa* Turner 1902, Proc. Linn. Soc. N.S. Wales, 27, 131.—Lep.
- Thelxinovum* Iredale 1931, Rec. Australian Mus., 18, 220.—Moll.
- Thelxiop* (pro *-pe* Rafinesque 1814) Berthold 1827, in Latreille, Nat. Fam. Thierr., 259.—Crust.
- Thelxiopa* (pro *-pe* Rafinesque 1814) Guérin-Ménéville 1828, Encyc. méth. [Text], Zool., 10, fasc. 2, 616.—Crust.
- Thelxiopie* Rafinesque 1814, Précis. Som., 21.—Crust.
- Thelxiopie* Thomson 1864, Syst. Cerambycid., 226.—Col.
- Thelxiops* (err. pro *-pe* Rafinesque 1814) Berthold 1827, in Latreille, Nat. Fam. Thierr., 598.—Crust.
- Thelyasceta* Meyrick 1923, Exot. Microlep., 3, 27.—Lep.
- Thelycarcellia* Townsend 1932, J. N. York ent. Soc., 40, 475.—Dipt.
- Thelycera* Prout 1912, Gen. Insect., 129, 243.—Lep.
- Thelychaeta* Brauer & Bergenstamm 1891, Denkschr. Akad. Wiss. Wien, 58, 390.—Dipt.
- Thelyconychia* Brauer & Bergenstamm 1889, Denkschr. Akad. Wiss. Wien., 56, 89.—Dipt.
- Thelycus* (emend. pro *Theliconus* Swainson 1840) Agassiz 1846, Nomen. Zool. Index Univ.—Moll.
- Thelyderma* (emend. pro *Theli-* Swainson 1840) Agassiz 1846, Nomen. Zool. Index Univ.—Moll.
- Thelyderma* (emend. pro *Thelo-* Tschudi 1838) Agassiz 1846, Nomen. Zool. Index Univ.—Rept.
- Thelydesmus* Cook 1896, Amer. Naturalist, 30, 415.—Myr.
- Thelydomus* (emend. pro *Theli-* Swainson 1840) Agassiz 1846, Nomen. Zool. Index Univ.—Moll.
- Thelydrias* (emend. pro *Thyldodrias* Motschoulsky 1839) Agassiz 1846, Nomen. Zool. Index Univ.—Col.
- Thelydrias* Reichenbach 1853, Handb. Orn., Scans., 148, 206.—Aves.
- Thelydrius* (pro *-drias* Reichenbach 1853) Giebel 1877, Thesaur. Orn., 3, 625.—Aves.
- Thelylepticocnema* Townsend 1917, Proc. biol. Soc. Washington, 30, 43.—Dipt.
- Thelymopha* Brauer & Bergenstamm 1889, Denkschr. Akad. Wiss. Wien, 56, 107.—Dipt.
- Thelymyia* Brauer & Bergenstamm 1891, Denkschr. Akad. Wiss. Wien, 58, 330.—Dipt.
- Thelyodus* (emend. pro *Thelo-* Agassiz 1838) Agassiz 1846, Nomen. Zool. Index Univ.—Pisces.
- Thelyoxynops* Townsend 1927 Rev. Mus. paulista, 15 (1), 273.—Dipt.
- Thelyphaenopsis* Townsend 1927, Rev. Mus. paulista, 15 (1), 262.—Dipt.
- Thelyphassa* Pascoe 1876, Ann. Mag. nat. Hist., (4) 18, 58.—Col.
- Thelyphonellus* Pocock 1894, Ann. Mag. nat. Hist., (6) 14, 120, 133.—Arachn.
- Thelyphonus* Latreille (1802), Hist. Crust. Ins., 3, 47.—Arachn.
- Thelyphrynus* Petrunkevitch 1913, Trans. Connecticut Acad. Arts Sci., 18, 66 (as *Thelyphrynus* p. 60).—Arachn.
- Thelyterotarsus* Weise (1882), in Erichson, Naturgesch. Ins. Dtschl., (I) Col., 6, 246.—Col.
- Thema* Walker 1864, List Specimens Lep. Ins. Brit. Mus., 29, 801.—Lep.
- Themaca* Walker 1865, List Specimens Lep. Ins. Brit. Mus., 32, 394.—Lep.
- Themacrys* Simon 1906, Ann. Soc. ent. Belgique, 50, 287.—Arachn.
- Themapupa* Iredale 1930, Victorian Nat., 47, 120.—Moll.
- Themara* Walker [1856], J. Proc. Linn. Soc. London, Zool., 1, 1857, 33.—Dipt.
- Themarictera* Hendel 1914, Wien. ent. Ztg., 33, 77.—Dipt.
- Themarohystrix* Hendel 1914, Wien. ent. Ztg., 33, 78.—Dipt.
- Themaroides* Hendel 1914, Wien. ent. Ztg., 33, 77.—Dipt.
- Themelia* Blackburn 1894, Trans. roy. Soc. S. Australia, 18, 159.—Col.
- Themeliotis* Meyrick 1910, Trans. ent. Soc. London, 1910, 476.—Lep.
- Themeon* Montfort 1808, Conch. Syst., 1, 202.—Prot.
- Themeone* (pro *-on* Montfort 1808) Berthold 1827, in Latreille, Nat. Fam. Thierr., 161.—Prot.
- Themephisus* Brèthes 1922, An. Soc. Cient. Argentina, 94, 284.—Col.
- Themerastris* Turner 1903, Proc. Linn. Soc. N.S. Wales, 1903, 63.—Lep.
- Themeropsis* Pascoe [1874], J. Linn. Soc. London, Zool., 12, 1876, 30.—Col.
- Themeropsis* Koch 1875, in Koch (Keyserling), Arachn. Australia, 1, fasc. 1, 699.—Arachn. (See *Thelticopis* Karsch 1884.)
- Themesia* Lacordaire 1848, Mém. Soc. R. Sci. Liège, 5, 517.—Col.
- Themesion* Godman 1901, Biol. Centr. Amer., Zool. Rhopal., 2, 614.—Lep.
- Themira* Robineau-Desvoidy 1830, Mém. présentés Acad. roy. Sci. Inst. France, 2, 745.—Dipt.
- Themiscyra* Walker 1864, List Specimens Lep. Ins. Brit. Mus., 31, 258.—Lep.

- Themiste* Gray 1828, Spec. Zool., 8.—Verm. (Geph.).
Themistella Bovallius 1887, Bih. svenska VetenskAkad. Handl., 11 (4), no. 16, 22.—Crust.
Themisto Oken 1807, Goettingen gelehrte Anz., 1168.—Verm. (Polych.).
Themisto Oken 1815, Lehrb. Nat., 3 (1), 278.—Moll.
Themisto Guérin 1828, Ency. Méth., 10 (Ins.), 772.—Crust. (Amphip.). (See *Euthemisto* Bovallius 1887.)
Themisto Goodsir 1842, Edinburgh new phil. J., 33, 176.—Crust. (Schizop.).
Themistonoë Thomson 1864, Syst. Cerambycid., 126.—Col.
Themma Walker 1863, List Specimens Lep. Ins. Brit. Mus., 27, 186.—Lep.
Themognatha see *Temognatha*.
Themoia (err. pro *Themira* R.-Desvoidy 1830) Walker 1849, List Dipt. Coll. Brit. Mus., (4) 1172.—Dipt.
Themone Westwood 1851, in Doubleday & Westwood, Gen. diurn. Lep., 2, 461.—Lep.
Themos Norton 1867, Trans. Amer. ent. Soc., 1, 58.—Hym.
Themus Motschoulsky [1858], Etudes ent., 6, 1857, 27.—Col.
Themus (pro *-mos* Norton 1867) Schulz 1906, Spolia hym., 84.—Hym.
Thenacia (pro *Phen-* Quatrefages 1866) Schmarda 1877, Zool., ed. 2, 1, 477.—Verm. (Polych.).
Thenarellus Bates 1882, Biol. Centr. Amer., Zool., Col., 1 (1), 69.—Col.
Thenarocrinus Bather 1890, Ann. Mag. nat. Hist., (6) 6, 222.—Echin.
Thenaropus King 1844, Proc. Acad. nat. Sci. Philad., 2, 177.—Amph.
Thenarotes Bates 1878, Cistula ent., 2, 320.—Col.
Thenarotidius Sloane 1898, Proc. Linn. Soc. N.S. Wales, 23, 461.—Col.
Thenea Gray 1867, Proc. zool. Soc. London, 1867, 541.—Spong.
Theoneopsis (n.n. pro *Tethyopsis* Zittel 1878) Schrammen 1910, Palaeontographica, Suppl. 5, 54.—Spong.
Thenia (pro *-nea* Gray 1867) Lankester 1882, Nature, 26, 478.—Spong.
Thenopa Walker 1855, List Specimens Lep. Ins. Brit. Mus., 5, 1195.—Lep.
Thenops Bell 1857, (Pal. Soc. Monogr.) Mon. foss. malacost. Crust. Brit., 1, 33.—Crust.
Thenthredo (pro *Ten-* L. 1758) Latreille 1810, Consid. gén., 435.—Hym.
Thenus Leach 1815, Trans. Linn. Soc. London, 11 (2), 338.—Crust.
Theobaldia (pro *-dius* Nevill 1878) Fischer 1885, Man. Conch., 744.—Moll.
Theobaldia Neveu-Lemaire 1902, C. R. Soc. Biol., 54, 1331.—Dipt. (See *Theobaldinella* Blanchard 1905.)
Theobaldinella (n.n. pro *Theobaldia* Neveu-Lemaire 1902) Blanchard 1905, Les Moustiques, 390.—Dipt.
Theobaldiomyia (n.n. pro *Leucomyia* Theobald 1907) Brunetti 1912, Rec. Indian Mus., 4, 462.—Dipt.
Theobaldius Nevill 1878, Hand List Moll. Indian Mus., 1, 275.—Moll.
Theoborus Hopkins 1915, Rep. Off. Secy., U.S. Dep. Agric., 99, 57.—Col.
Theobroma (Megerle MS.) Scudder 1882, Nomen. zool., Suppl. List, 332 [n.n.].—Moll.
Theocalyptra Haeckel 1881, Jena. Z., 15, 434.—Prot.
Theocampana Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1422.—Prot.
Theocampe Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1422.—Prot.
Theocamptra Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1424.—Prot.
Theocanium Haeckel 1881, Jena. Z., 15, 436.—Prot.
Theocapsa Haeckel 1881, Jena. Z., 15, 436.—Prot.
Theocapsella Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1426.—Prot.
Theocapsilla Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1427.—Prot.
Theocapsomma Haeckel 1887, Rep. Voy. Challenger Exped., Zool. 18 (2), 1428.—Prot.
Theocapsura Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1430.—Prot.
Theocarpus (pro *Theco-* Nutting 1900) Broch 1903, Bergens Mus. Aarbog, 1903, 3 tabell.—Coel.
Theocerus Raffray 1897, Ann. Soc. ent. France, 65, 1896, 280.—Col.
Theoclia Pascoe 1885, Ann. Mus. Stor. nat. Genova, (2) 2, 253.—Col.
Theoclia Simon 1892, Proc. zool. Soc. London, 1891, 567.—Arachn. (See *Theotima* Simon 1893.)
Theoclytes Audinet-Serville [1838], (Roret's Suite à Buffon) Orthopt., 1839, 150.—Orth.
Theocodus (err. pro *Phenacodus* Cope 1873) Cope 1883, Proc. Amer. phil. Soc., 20, 509.—Mamm.
Theocolax Westwood 1832, London & Edinburgh Phil. Mag., (3) 1 (2), 127.—Hym.
Theocolaxia Girault 1924, Lese Majesté, New Insecta and Robbery, 1 [privately printed].—Hym.
Theoconus Haeckel 1887, Rept. Voy. Challenger Exped., Zool., 18 (2), 1399.—Prot.
Theocopterus Smith 1904, Proc. biol. Soc. Washington, 17, 163.—Pisces.
Theocorax Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1399.—Prot.
Theocorbis Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1401.—Prot.

- Theocoronium** Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1415.—Prot.
- Theocorusca** Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1407.—Prot.
- Theocorypha** Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1405.—Prot.
- Theocorys** Haeckel 1881, Jena. Z., 15, 434.—Prot.
- Theocorythium** Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1416.—Prot.
- Theocris** Thomson 1858, Arch. ent. Paris, 2, 193.—Col.
- Theocyrtis** Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1405.—Prot.
- Theodisca** Mueller 1858, Arch. Naturgesch., 24, Abt. 1, 215.—Verm. (Polych.).
- Theodiscoma** Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 414.—Prot.
- Theodiscura** Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 415.—Prot.
- Theodiscus** Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 414.—Prot.
- Theodisea** (pro -sca Mueller 1858) Wagner 1885, Wirbell. Weiss. Meer., 1, 56.—Verm. (Polych.).
- Theodorella** Michaelsen 1922, Vidensk. Medd. naturh. Foren. Kjøbenhavn, 73, 417.—Tunicata.
- Theodorus** (err. pro -oxis Montfort 1810) Pallary 1923, Arch. Inst. Pasteur Afr. N., 3 (1), 44.—Moll.
- Theodosia** (n.n. pro *Westwoodia* Laporte 1873) Thomson 1880, Ann. Soc. ent. France, (5) 10, Bull., ci.—Col.
- Theodossia** Nalivkin 1925, Mém. Soc. Russ. Min., (2) 54 (2), 282, 357.—Brach.
- Theodoxia** (emend. pro -xis Montfort 1810) Bourguignat 1876, Bull. Soc. Sci. phys. nat. Toulouse, 3, 92.—Moll.
- Theodoxis** Montfort 1810, Syst. Conch., 2, 350 (as *Theodoxus* p. 351).—Moll.
- Theodoxus** see **Theodoxis**.
- Theogama** Pascoe 1885, Ann. Mus. Stor. nat. Genova, (2) 2, 295.—Col.
- Theogenes** Burmeister 1847, Handb. Ent., 5, 254.—Col.
- Theognete** Champion 1902, Biol. Centr. Amer., Col., 4 (4), 97.—Col.
- Theognis** Stål 1862, Ent. Ztg., Stettin, 23, 294.—Hem.
- Theomantis** Giglio-Tos 1915, Boll. Mus. Zool. Anat. comp. Torino, 30, no. 702, 16.—Orth.
- Theomolpus** Bolivar 1918, Trab. Mus. nac. Madrid, Zool., 34, 36.—Orth.
- Theomyia** Edwards 1930, Bull. ent. Res., 21, 303.—Dipt.
- Theone** Gistl 1857, Vacuna, 2, 585.—Col.
- Theone** Robineau-Desvoidy 1863, Hist. nat. Dipt., 2, 401.—Dipt. (See *Theonioides* Strand 1917.)
- Theonella** Gray 1869, Proc. zool. Soc. London, 1868, 565.—Spong.
- Theonina** Simon 1932, Arachnides de France, 6, 719.—Arachn.
- Theonioides** (n.n. pro *Theone* R.-Desvoidy 1863) Strand 1917, Arch. Naturgesch., 82, A5, 92.—Dipt.
- Theonoe** Lamouroux 1821, Exp. Méth. Polyp., 82.—Bry.
- Theonoe** Philippi 1865, An. Univ. Chile, 26, 654.—Col.
- Theonoe** Simon 1881, Arachn. France, 5 (1), 130.—Arachn.
- Theope** Doubleday 1847, List Lepidopt. Coll. Brit. Mus., 2, 6.—Lep.
- Theope** Moore 1857, in Horsfield & Moore, Cat. Lepid. E. Indian Mus., 1, 234.—Lep. (See *Ethope* Moore 1866 and *Anadebis* Butler 1867.)
- Theopea** Baly 1864, Trans. ent. Soc. London, (3) 2, 237.—Col.
- Theopera** Haeckel 1881, Jena. Z., 15, 436.—Prot.
- Theophaena** Haeckel 1881, Jena. Z., 15, 437.—Prot.
- Theophana** Rafinesque 1815, Analyse, 152 [n.n.].—*Inc. sed.*
- Theophatna** Haeckel 1881, Jena. Z., 15, 437.—Prot.
- Theophila** Moore 1862, Trans. ent. Soc. London, (3) 1, 315.—Lep.
- Theophilea** Pic 1895, Echange, 11, no. 124, 39.—Col.
- Theophormis** Haeckel 1881, Jena. Z., 15, 436.—Prot.
- Theopilium** Haeckel 1881, Jena. Z., 15, 435.—Prot.
- Theopodium** Haeckel 1881, Jena. Z., 15, 435.—Prot.
- Theopompa** Stål 1877, Bih. svenska VetenskAkad. Handl., 4, no. 10, 22.—Orth.
- Theopompella** Giglio-Tos 1917, Bull. Soc. ent. ital., 48, 86.—Orth.
- Theopompula** Giglio-Tos 1917, Bull. Soc. ent. ital., 48, 84.—Orth.
- Theopropus** Saussure 1898, Rev. suisse Zool., 5, 204.—Orth.
- Theora** Adams 1856, Gen. Rec. Moll., 2, 369.—Moll.
- Theora** (pro -rus Ehrenberg 1830) Eyferth 1877, Mikr. Süsw.-Bew., 49, 50.—Verm. (? Rotif.).
- Theorema** Hewitson [1865], Ill. diurn. Lep., Lycaen., 1, 69.—Lep.
- Theoris** Rafinesque 1815, Analyse, 142 [n.n.].—Moll.
- Theorus** Ehrenberg 1830, Org. Syst. Infus., 67; [1830], Abh. preuss. Akad. Wiss., 1830 (1832), 47; (1832), 1831, 142.—Verm. (? Rotif.).
- Theosodon** Ameghino 1887, Bol. Mus. La Plata, 1, 16.—Mamm.
- Theosphaera** Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 414.—Prot.
- Theostoma** Eisig 1914, Mitt. Zool. Stat. Neapel, 21, 503.—Verm. (Polych.).

- Theosyringium** Haeckel 1881, Jena. Z., 15, 434.—Prot.
- Theotima** (n.n. pro *Theoclia* Simon 1892) Simon 1893, Ann. Soc. ent. France, 1892, 439.—Arachn.
- Theotinus** Druce 1891, Biol. Centr. Amer., Zool., Het., 1, 460.—Lep.
- Theoxena** Meyrick 1883, N. Zealand J. Sci., 1, 526.—Lep.
- Theoxenia** Walsingham 1887, in Moore, Lep. Ceylon, 3, 506.—Lep.
- Theozoa** Des Gozis 1886, Recherche l'espèce typique, . . . 35.—Col.
- Thephantes** Pascoe 1867, Ann. Mag. nat. Hist., (3) 19, 318.—Col.
- Thephritis** (pro *Te*- Latreille 1804) Wiedemann 1828, Ausereurop. Zweifl. Insekt., 1, xxi.—Dipt.
- Thera** Stephens 1831, Ill. Brit. Ent. (Haust. 3), 271.—Lep.
- Thera** Hutton 1884, Trans. N. Zealand Inst., 16, 193.—Moll. (See *Aeschrodomus* Pilsbry 1892.)
- Theracmion** Holmgren 1872, Ofvers. VetenskAkad. Förh. Stockholm, 29, no. 6, 99.—Hym.
- Theragra** Lucas 1898, in Jordan & Evermann, Bull. U.S. nat. Mus., No. 47 (3), 2535.—Pisces.
- Theragretes** Ausserer 1871, Verh. zool.-bot. Ges. Wien, 21, Abh., 142.—Arachn.
- Theralichthys** (err. pro *Teratich*- Koenig 1825) Agassiz (1844), Poiss. Foss., 2 (2), 273.—Pisces.
- Theramenes** Stål 1875, Recensio Orth., 3, 46.—Orth.
- Theraneis** Spinola 1837, Ess. Ins. Hémipt., 179.—Hem.
- Theranopus** (pro *Thenaropus* King 1844) Matthew 1903, Bull. Soc. N. Brunswick, 21, 102.—Amph.
- Theranthropus** Brookes 1828, Cat. Anat. Zool. Mus. Brookes, 28.—Mamm.
- Therapaina** Kaup 1860, Arch. Naturgesch., 27 (1), 140.—Pisces.
- Therapene** (pro *Terra*- Merrem 1820) Schinz 1822, in Schinz-Cuvier, Thierreichs, 2, vii, 12, 835.—Rept.
- Therapha** Amyot & Serville 1843, (Roret's Suite à Buffon) Hémiptères, 244.—Hem.
- Theraphosa** Walckenaer 1805, Tabl. Aran., 1.—Arachn.
- Theraphosa** (pro *Te*- Eichwald 1830) Ausserer 1871, Verh. zool.-bot. Ges. Wien, 21, Abh., 216.—Arachn.
- Theraphosia** (pro *Teraphosa* Eichwald 1830) Dahl 1901, Arch. Naturgesch., 67, Beih., 52.—Arachn.
- Theraphus** Motschoulsky 1864, Bull. Soc. imp. nat. Moscou, 37, no. 2, 314.—Col.
- Therapis** Huebner [1823], Verz. bekannt. Schmett., (18) 288.—Lep.
- Therapne** Ragonot 1890, Ann. Soc. ent. France, (6) 10, Bull., xciii.—Lep.
- Therapnis** Meyrick 1910, J. Bombay nat. Hist. Soc., 20, 145.—Lep.
- Therapon** (pro *Te*- Cuvier 1817) Cloquet 1819, Dict. Sci. Nat., 15, 299; Cuvier & Valenciennes 1829, H.N. Poiss., 3, 125.—Pisces.
- Therapon** Parker 1929, Proc. U.S. nat. Mus., 75, art. 5, 12.—Hym.
- Theraps** Guenther 1862, Cat. Fish. Brit. Mus., 4, 265, 284.—Pisces.
- Theraptus** Stål 1859, Ofvers. VetenskAkad. Förh. Stockholm, 16, 462.—Hem.
- Therasea** Grote 1895, Abh. Ver. Bremen, 14, 115.—Lep.
- Therasia** Hutton 1883, N. Zealand J. Sci., 1, 477.—Moll.
- Therates** Latreille 1817, in Cuvier, R. Anim., 3, 179.—Col.
- Therates** (emend. pro *Thir*- Treitschke 1829) Agassiz 1846, Nomen. Zool. Index Univ.—Lep.
- Therates** Sellards 1907, Amer. J. Sci., (4) 23, 354.—Ephem.
- Therathopius** (pro *Te*- Lesson 1830) Bonaparte 1831, Giorn. arcad., 49, 36.—Aves.
- Theratopius** (pro *Teratho*- Lesson 1830) Lesson 1836, H.N. Mamm. Ois. découv. depuis 1788, 7, 41.—Aves.
- Theratiscirtus** (pro *Thira*- Simon 1886) Simon 1903, Hist. Araign., ed. 2, 2, fasc. 4, 738.—Arachn.
- Therava** (pro *-apha* Amyot & Serville 1843) Reh 1932, in Sorauer, Handb. PflKrankh., 5, Teil 2, 448.—Hem.
- Therchaetes** Thomson 1868, Physis, Paris, 2, pt. 3, 107.—Col.
- Thercladodes** Thomson 1868, Physis, Paris, 2, pt. 3, 114.—Col.
- Therea** Billberg 1820, Enum. Insect. in Mus. Blbg., 63.—Orth.
- Therea** Koch 1845, N. Jahrb. f. Min., 1845, 872; Berendt 1845, Die im Bernstein befindl. Org. Reste, 1 (1), 56; Menge 1854, in Berendt, Bernstein Reste, 1 (2), 75.—Arachn.
- Therebiosoma** Lea 1900, Proc. Linn. Soc. N.S. Wales, 24, 538.—Col.
- Therebus** Pascoe [1872], J. Linn. Soc. London, Zool., 11, 1873, 480.—Col.
- Theredomys** (pro *Theri*- Jourdan 1837) Blainville 1840, Institut, 8, 206.—Mamm.
- Thereceryx** Blanford 1893, Ibis, (6) 5, 237.—Aves.
- Theremya** (pro *Teremyia* Macquart 1835) Rondani 1874, Bull. Soc. ent. Ital., 6, 268.—Dipt.
- Thereoceryx** (pro *Thereiceryx* Blanford 1893) Jesse 1903, Ibis, (8) 3, 50.—Aves.
- Thereomyia** Rohdendorf 1927, Zool. Anz., 71, 158.—Dipt.

- Thereptia* (pro *Threptria* Reichenbach 1854) Mulsant & Verreaux [1876], Hist. nat. Ois.-Mouches, 3, 1877, 29.—Aves.
- Thereschiornis* (pro *Threski*- Gray 1842) Brehm 1855, Vogelfang, 299.—Aves.
- Therescopus* (pro *Theresc*- Foerster 1850) Foerster 1868, Verh. Ver. Rheinlande, 25, 173.—Hym.
- Theresa* Pic 1917, Mélanges exot.-ent., No. 23, 12.—Col.
- Thesia* Robineau-Desvoidy 1830, Mém. présentés Acad. roy. Sci. Inst. France, 2, 325.—Dipt.
- Thesia* Spuler (1906), Schmett. Europas, 2, 165.—Lep. (See *Theresimima* Strand 1917.)
- Theresimima* (n.n. pro *Thesia* Spuler 1906) Strand 1917, Int. ent. Z., 10, 137.—Lep.
- Theresiopsis* Townsend 1916, Proc. U.S. nat. Mus., 51, no. 2152, 300.—Dipt.
- Theretairus* Simpson 1926, Amer. J. Sci., (5) 12, 12.—Rept.
- Thetra* Huebner [1819], Verz. bekannt. Schmett., (9) 135.—Lep.
- Thereua* (pro *-eva* Latreille 1796) Agassiz 1846, Nomencl. zool., Dipt., 39.—Dipt.
- Thereuonema* Verhoeff 1904, S.B. Ges. naturf. Freunde Berlin, 1904, 275.—Myr.
- Thereuopoda* Verhoeff 1904, S.B. Ges. naturf. Freunde Berlin, 1904, 275.—Myr.
- Thereuopodina* Verhoeff 1905, Zool. Anz., 29, 102.—Myr.
- Thereuops* Brauer & Bergenstamm 1891, Denkschr. Akad. Wiss. Wien, 58, 378; 1893, 60, 132.—Dipt.
- Thereus* Huebner [1819], Verz. bekannt. Schmett., (5) 79.—Lep.
- Thereutes* Harold 1879, Col. Hefte, 16, 249 (note).—Col.
- Thereutherium* Filhol 1876, C.R. Acad. Sci. Paris, 82, no. 4, 289; 1877, Ann. Sci. Géol. Paris, 8, 2-7.—Mamm.
- Thereutis* Meyrick 1893, Proc. Linn. Soc. N.S. Wales, (2) 7, 594.—Lep.
- Thereutria* Loew 1851, Progr. Realsch. Meseritz, 1851, 20.—Dipt.
- Thereva* Latreille 1796, Préc. Car. Gen. Ins., 167; Fabricius 1798, Suppl. Ent. Syst., 548.—Dipt.
- Thereviotabanus* Kroeber 1931, Stettin. ent. Ztg., 92, 77.—Dipt.
- Therevirhagio* Lindner 1925, Konowia, 4, 20.—Dipt.
- Therevops* (pro *-euops* Brauer & Bergenstamm 1891) Aldrich 1929, Proc. U.S. nat. Mus., 74, art. 19, 7.—Dipt.
- Therezopolis* Mello-Leitão 1923, Arch. Mus. Rio de Janeiro, 24, 133.—Arachn.
- Theria* Huebner [1825], Verz. bekannt. Schmett., (21) 321.—Lep.
- Theria* Robineau-Desvoidy 1830, Mém. présentés Acad. roy. Sci. Inst. France, 2, 337.—Dipt. (See *Helicobosca* Bezzi 1906.)
- Thericium* (Rochebrune MS.) Monterosato 1890, Nat. Sicil., 9, 163.—Moll.
- Thericlella* Bolivar y Pieltain 1914, Trab. Mus. Ci. Madrid, Ser. Zool., 16, 32.—Orth.
- Thericles* Stål 1875, Bih. svenska VetenskAkad. Handl., 3, no. 14, 35.—Orth.
- Theridiella* Tullgren 1910, in Sjoestedt, Kilimandjaro-Meru Exped., 20 (6), 136.—Arachn.
- Theridiellum* Dahl 1912, Beitr. Naturdenkmalpfl., Berlin, 3, 598.—Arachn.
- Theridio* (pro *-dion* Walckenaer 1805) Simon 1864, Hist. nat. Araignées, 165.—Arachn.
- Theridiomys* (emend. pro *-domys* Jourdan 1837) Agassiz 1846, Nomen. Zool. Index Univ.—Mamm.
- Theridion* Walckenaer 1805, Tab. Aran., 72.—Arachn.
- Theridionexus* Petrunkevitch 1910, Ann. N. York Acad. Sci., 19, 209.—Arachn.
- Theridiosoma* Cambridge 1879, Ann. Mag. nat. Hist., (5) 4, 193.—Arachn.
- Theridium* (pro *-dion* Walckenaer 1805) Leach 1816, Ency. Brit. (Suppl. to ed. 4-6), 1 (2), 438.—Arachn.
- Theridium* (pro *Therion* Curtis 1829-30) Ashmead 1900, Proc. U.S. nat. Mus., 23, no. 1206, 187, 188.—Hym.
- Theridomys* Jourdan 1837, C.R. Acad. Sci. (Paris), 5, 483.—Mamm.
- Theridopteryx* (? pro *Thy*- Stephens 1825) Chambers 1882, J. Cincinnati Soc. nat. Hist., 5, 21.—Lep.
- Theridosorex* (Jourdan MS.) Gervais, 1859, Zool. Paléont. franç., ed. 2, 55.—Mamm.
- Theridula* Emerton 1882, Trans. Connecticut Acad. Arts Sci., 6, 25.—Arachn.
- Therimachus* Thorell 1895, Descr. Catal. Spiders Burma, 224.—Arachn.
- Therina* (emend. pro *Te*- Huebner 1823) Huebner [1826], Verz. bekannt. Schmett., Anz., 50.—Lep.
- Therina* Meigen 1830, Syst. Besch. Zweifl. Insekt., 6, 197.—Dipt.
- Theringia* (err. pro *Ihe*- Lahille 1898) Lahille 1899, Bull. Soc. géol. France, (3c) 26, 586.—Echin.
- Theringia* (n.n. pro *Amathusia* Philippi 1887) Cossmann 1899, Rev. crit. Paléozool., 3, no. 1, 45 (corrected to *Iheringia* no. 2, 90).—Moll.
- Therinia* Huebner 1823, Verz. bekannt. Schmett., (19) 290.—Lep.
- Therinopsilus* Kieffer 1909, Ann. Soc. sci. Bruxelles, 33, 365.—Hym.
- Therioaphis* Walker 1870, Zoologist, (2) 5, 1999.—Hem.
- Theriodius* Guérin-Ménéville 1849, Spec. et Icon. Anim. artic., (8) 3.—Col.
- Theriodesmus* Seeley 1887, Proc. roy. Soc. London, 43, 172; 1888, Phil. Trans. roy. Soc., 179 (B), 141.—Rept.

- Theriodictis Mercerat 1891, Rev. Mus. La Plata, 2, 55.—Mamm.
 Theriodomys (pro *Therid-* Jourdan 1837) Giebel 1847, Fauna d. Vorwelt, 1, 96.—Mamm.
 Theriognathus Owen 1876, Cat. Foss. Rept. S. Africa Brit. Mus., 62.—Rept.
 Theriomorphus Pic 1913, Mélanges exot.-ent., No. 7, 1.—Col.
 Therion Curtis 1829-30, Guide Brit. Ins., (4) 101.—Hym.
 Theriophila Hering 1932, Rev. Zool. Bot. afr., 22, 103.—Lep.
 Theriopectes (Zetterstedt MS.) Zeller 1842, Isis (Oken), 1841, 819.—Dipt.
 Theriopectus (pro *-ies* Zeller 1842) Kroeber 1925, in Lindner, Flieg. palaeart. Reg., 19, 131 (note).—Dipt.
 Theriosuchus Owen 1879, Quart. J. geol. Soc., 35, 149.—Rept.
 Therippia Pascoe 1865, Trans. ent. Soc. London, (3) 3, 107.—Col.
 Therismoptes Amerling 1861, Lotos, 11, 26.—Arachn.
 Theristes (err. pro *-tis* Huebner 1825) Huebner [1826], Verz. bekannt. Schmett., Anz., 68.—Lep.
 Theristicus Wagler 1832, Isis (Oken), 25, 1231.—Aves.
 Theristis Huebner [1825], Verz. bekannt. Schmett., (26) 406.—Lep.
 Theristocus (pro *-sticus* Wagler 1832) Wagler 1844, in Tschudi, Arch. Naturgesch., 10 (1), 312.—Aves.
 Theristria Gerstaecker 1884, Mitt. Ver. Vorpomm., 16, 43.—Neur.
 Theristriella Esben-Petersen 1929, Queensland Nat., 7, 34.—Neur.
 Theristus Bastian 1865, Trans. Linn. Soc. London, 25, 156.—Verm. (Nema.).
 Theritas Huebner 1818, Zutr. Samml. exot. Schmett., 1, 31.—Lep.
 Therites (pro *-ias* Huebner 1818) Agassiz 1846, Nomencl. zool., Lep., 65.—Lep.
 Therium (emend. pro *-ion* Curtis 1829-30) Agassiz 1846, Nomen. Zool. Index Univ.—Hym.
 Therius (Dalman MS.) Billberg 1820, Enum. Insect. in Mus. Blbg., 75.—Lep.
 Therius Guérin-Ménéville 1849, Spec. et Icon. Anim. artic., (8) 1.—Col.
 Theriacarus Sokolow 1927, Zool. Anz., 73, 11.—Arachn.
 Thermagrion Foerster 1906, Jahrb. nassau. Ver. Naturh., 59, 336.—Odon.
 Thermalisiana Caziot 1903, Bull. Soc. Sci. nat. Ouest France, (2) 3 (1), 168.—Moll.
 Thermalites Smith 1927, Prof. Pap. U.S. geol. Surv., No. 141, 24.—Moll.
 Thermastris Dohrn 1863, Ent. Ztg., Stettin, 24, 61.—Dermapt.
 Thermauge Hampson 1906, Ann. Mag. nat. Hist., (7) 17, 197.—Lep.
 Thermecia (pro *-esia* Huebner 1823) Swainson 1900, J. N. York ent. Soc., 8, 34.—Lep.
 Thermeola Hampson 1900, Cat. Lep. Phalaenae Brit. Mus., 2, 96.—Lep.
 Thermes (pro *Te-* L. 1758) Bory [1804], Voy. Iles Afr., 1, 232.—Isopt.
 Thermesia Huebner 1823, Zuträge z. Exot. Schmett., 2, 12; 1823, Verz. bekannt. Schmett., 270.—Lep.
 Thermhydrobia Paulucci 1878, Mat. Etude Faune malac. Italie, 19, 48.—Moll.
 Thermia (n.n. pro *Pyrrha* Hutton 1884) Hutton 1904, Proc. Linn. Soc. N. S. Wales, 29, 461.—Moll.
 Thermidarctia Talbot 1929, Bull. Hill Mus., 3, 133.—Lep.
 Thermistis Pascoe 1867, Trans. ent. Soc. London, (3) 3, 438.—Col.
 Thermobia (n.n. pro *Thermophila* Grassi 1887) Bergroth 1890, Ent. Amer., 6, 233.—Thysanura.
 Thermochalcis Richmond 1915, Proc. biol. Soc. Washington, 28, 180.—Aves.
 Thermocharis Fauvel 1871, Bull. Soc. linn. Normandie, (2) 5, 1869-70, 48.—Col.
 Thermochoria Kirby 1889, Trans. zool. Soc. London, 12, 295.—Odon.
 Thermochrous Hampson 1910, Proc. zool. Soc. London, 1910, 488.—Lep.
 Thermocoris Puton 1875, Petites Nouvelles ent., 1, no. 130, 513.—Hem.
 Thermocyclops Kiefer 1927, Zool. Anz., 73, 308.—Crust.
 Thermodiaptomus Kiefer 1932, Zool. Anz., 100, 218; 1932, Zool. Jahrb., Syst., 63, 468.—Crust.
 Thermograpta Hampson 1914, Cat. Lep. Phalaenae, Suppl., 1, 568.—Lep.
 Thermomyias (pro *Thero-* Cabanis & Heine 1860) Ridgway 1907, Bull. U.S. nat. Mus., No. 50 (4), 592, 604.—Aves.
 Thermone (err. pro *Them-* Westwood 1851) Druce 1876, Proc. zool. Soc. London, 1876, 236.—Lep.
 Thermonectes (pro *-netus* Dejean 1833) Crotch 1873, Trans. Amer. ent. Soc., 4, 402.—Col.
 Thermonectus (pro *-etus* Dejean 1833) (Eschscholtz MS.) Dejean 1837, Catal. Coléopt., ed. 3, 61 [n.n.]; Melsheimer 1844, Proc. Acad. nat. Sci. Philad., 2 (2), 26.—Col.
 Thermonectus (Eschscholtz MS.) Dejean 1833, Catal. Coléopt., ed. 2, 53 [n.n.].—Col. (Cf. *Thermonectus* Melsheimer 1844.)
 Thermoniphars Karsch 1895, Ent. Nachr., 21, 298, 303.—Lep.
 Thermonotus Gahan 1888, Ann. Mag. nat. Hist., (6) 2, 399.—Col.
 Thermophila Huebner [1819], Verz. bekannt. Schmett., (8) 117.—Lep.
 Thermophila (Leach MS.) Hope 1838, Coleopt. Man., 2, 36, 50, 52.—Col.
 Thermophila (pro *Ter-* Grassi 1887) Grassi 1889, Bull. Soc. ent. Ital., 21, 8.—Thysanura. (See *Thermobia* Bergroth 1890.)

- Thermophilus* Fitzinger 1843, Syst. Rept., 21.—Rept.
Thermopteryx Hampson 1912, J. Bombay nat. Hist. Soc., 21, 1254.—Lep.
Thermorthemis Kirby 1889, Trans. zool. Soc. London, 12, 289.—Odon.
Thermosara Hampson 1926, Descr. new Genn. Spp. Noctuidae, 409.—Lep.
Thermosbaena Monod 1924, Bull. Soc. zool. France, 49, 58.—Crust.
Thermoscelis Putzeys 1873, Ann. Soc. ent. Belgique, 16, 89.—Col.
Thermotesia Hampson 1916, Ann. Mag. nat. Hist., (8) 18, 355.—Lep.
Thermothemis (pro *Thermorth-* Kirby 1889) Sjoestedt 1899, Bih. svenska Vetensk. Akad. Handl., 25 (4), no. 2, 19.—Odon.
Thermus Distant 1909, Ann. Mag. nat. Hist., (8) 4, 514.—Hem.
Theroa Schaus 1901, Trans. ent. Soc. London, 1901, 270.—Lep.
Therobia Brauer 1862, Verh. zool.-bot. Ges. Wien, 12, Abh., 1231.—Dipt.
Therobiopsis Townsend 1918, Insec. Inscit. menst., 6, 166.—Dipt.
Therobolus Foerster 1862, Verh. naturh. Ver. Rheinl., 19, 260.—Hym.
Therobromus Lucas 1898, in Jordan & Gilbert, Fish Behring Sea, 440.—Pisces.
Therochaeta Chamberlin 1919, Mem. Mus. comp. Zool. Harvard, 48, 397.—Verm. (Polych.).
Therodamas Krøyer 1864, Naturh. Tidsskr., (3) 2, 390.—Crust.
Therodiplosis Kieffer 1912, Neue Gallmücken-Gatt., 1912, 2; 1912, Marcellia, 11, xi.—Dipt.
Theromyia Seeley 1894, Phil. Trans., 186, 150.—Rept.
Theromyia Williston 1891, Trans. Amer. ent. Soc., 18, 73.—Dipt.
Theromyias (emend. pro *Sayornis* Bonaparte 1854) Cananis & Heine [1860], Mus. Hein., 2, 1859-60, 68.—Aves.
Theromyzon Philippi 1867, Arch. Naturgesch., 33, Abt. 1, 77.—Verm. (Hirud.).
Theron Eyton 1845, Ann. Mag. nat. Hist., 16, 230.—Aves.
Theronia Holmgren 1859, Ofvers. VetenskAkad. Förh. Stockholm, 16, 123.—Hym.
Therophilus Wesmæl 1837, N. Mém. Acad. roy. Bruxelles, 10, 15.—Hym.
Therophosa (pro *Teraphosa* Eichwald 1830) Swainson 1836, N.H. Classif. Birds, 1, 232.—Arachn.
Theropithecus Geoffroy 1843, Archives Mus. H.N. (Paris), 2 [4], 576.—Mamm.
Theropleura Cope 1878, Proc. Amer. phil. Soc., 17, 519.—Rept.
Therosa (Mueller MS.) Bonaparte 1850, Consp. gen. Avium, 1, 158.—Aves.
Therosa Keyserling 1882, in Koch (Keyserling), Arachn. Austral., 1, 1413.—Arachn.
Therosaurus Fitzinger 1843, Syst. Rept., 20.—Rept.
Theroscopus Foerster 1850, Arch. Naturgesch., 16 (1), 71.—Hym.
Therospyris Haeckel 1881, Jena. Z., 15, 442.—Prot.
Therpis Weise 1901, Dtsch. ent. Z., 1900, 455.—Col.
Thersalus Pascoe 1865, J. Ent. Lond., 2, 372.—Col.
Thersamonia Verity 1919, Ent. Rec., 31, 28.—Lep.
Thersana Walker 1864, List Specimens Lep. Ins. Brit. Mus., 31, 152.—Lep.
Thersandrus (n.n. pro *Sisyphus* Desbonne & Schramm 1867) Rathbun 1898 [sep. 1897], Proc. biol. Soc. Washington, 11, 164.—Crust.
Therses Jacoby 1890, Biol. Centr. Amer., Zool. Col., 6 (1), 212.—Col.
Thersilochus (pro *Ter-* Holmgren 1858) Holmgren 1858, K. svenska VetenskAkad. Handl., 2, no. 8, 135.—Hym.
Thersilocus (pro *Tersilochus* Holmgren 1858) Jacobs 1903, Ann. Soc. ent. Belgique, 47, 211.—Hym.
Thersitea Coquand 1862, Mém. Soc. Emul. Provence, 2, 267.—Moll.
Thersites Pfeiffer 1855, Mal. Bl., 2, 141.—Moll.
Thersites Bate 1856, Rep. Brit. Ass., 25, 59 [n.n.]; 1857, Ann. Mag. nat. Hist., (2) 19, 146.—Crust. (Amph.).
Thersites Pagenstecher 1861, Arch. Naturgesch., 27 (1), 118.—Crust. (Copep.). (See *Thersitina* Norman 1905.)
Thersites Philippi 1871, Ent. Ztg., Stettin, 32, 292.—Hym. (See *Thersitomyia* Hunter 1901.)
Thersites (pro *-tea* Coquand 1862) Zittel 1882, Handb. Pal., 2, 272.—Moll.
Thersitia Schmiedeknecht 1907, Hymen. Mitteleurop., 598.—Hym.
Thersitina (n.n. pro *Thersites* Pagenstecher 1861) Norman 1905, Mus. Norman., No. 3, ed. 2, 41; Scott 1913, Ray Soc., Copepoda, 1, 41.—Crust.
Thersitomyia (n.n. pro *Thersites* Philippi 1871) Hunter 1901, Trans. Amer. ent. Soc., 27, 152.—Dipt.
Theruops (pro *Therou-* Brauer & Bergenstamm 1891) Curran 1934, Famm. Genn. N. Amer. Dipt., 511.—Dipt.
Theryana de Bergevin 1922, Bull. Soc. Sci. nat. Maroc, 2, 129.—Hem.
Theryaxia Carter 1928, Proc. Linn. Soc. N. S. Wales, 53, 549.—Col.
Therybuprestis (n.n. pro *Maindronia* Théry 1930) Strand 1932, Folia zool. hydrobiol., 4, 142.—Col.
Theryella Santschi 1921, Bull. Soc. Hist. nat. Afrique N., 12, 68.—Hym.
Theryus Pic 1897, Misc. ent., 5, 29.—Col.
Thes (n.n. pro *Lar* Semenov 1904) Semenov 1910, Rev. russe ent., 9, 434.—Col.

- Thesalia* Casey 1892, Ann. N. York Acad. Sci., 6, 36.—Col.
Thesaporhinus Ebray 1859, Bull. Soc. géol. France, (2) 16, 761.—Echin.
Thesaurica Turner 1915, Proc. roy. Soc. Queensland, 27, 49.—Lep.
Thesbia Jeffreys 1867, Brit. Conch., 4, 359.—Moll.
Thescelocichla Oberholser 1905, Smithson. misc. Collect., 3 (2), 154.—Aves.
Thescelosaurus Gilmore 1913, Smithson. misc. Collect., 61 (5), 1.—Rept.
Thescelus Hay 1908, Publ. Carnegie Inst., No. 75, 94; 1908, Proc. U.S. nat. Mus., 34, 183.—Rept.
Thesea Duchassaing & Michelotti 1860, Mém. Corall., 13, 18 (*ex Mem. Accad. Torino*, (2) 19, 1861, 289, 294).—Coel.
Theseus Stål 1867, Ofvers. VetenskAkad. Förh. Stockholm, 24, 508.—Hem.
Thesias (pro *Thestias* Boisduval 1836) Swinhoe 1909, Lep. Ind., 7, 99.—Lep.
Thesiastes Casey 1893, Ann. N. York Acad. Sci., 7, 457.—Col.
Thesilea Haag-Rutenberg 1878, Verh. Ver. naturw. Unterh. Hamburg, 3, 103.—Col.
Thesioides Thomson & Henderson 1906, Ann. Mag. nat. Hist., (7) 18, 427, 430.—Coel.
Thesium Casey 1884, Contr. descr. syst. Col. N. Amer., 2, 94, 117.—Col.
Thesius Broun 1909, Ann. Mag. nat. Hist., (8) 4, 59.—Col.
Theskelomensor Iredale 1933, Rec. Australian Mus., 19, 54.—Moll.
Thesmia Kinberg 1867, Ofvers. VetenskAkad. Förh. Stockholm, 24, 86.—Verm. (Polych.).
Thespesiopsyllus (n.n. pro *Thaumatopsyllus* Sars 1913) Wilson 1924, Proc. U.S. nat. Mus., 64, art. 17, 16.—Crust.
Thespesius Leidy 1856, Proc. Acad. nat. Sci. Philad., 8, 311.—Rept.
Thespiea Wallengren 1858, Ofvers. VetenskAkad. Förh. Stockholm, 15, 77.—Lep.
Thespieus Godman 1900, Biol. Centr. Amer., Zool. Rhopal., 2, 519.—Lep.
Thespis Audinet-Serville 1831, Ann. Sci. Nat., 22 (85), 54.—Orth.
Thespoides Chopard 1916, Ann. Soc. ent. France, 85, 166.—Orth.
Thesprotia Stål 1873, Bih. svenska VetenskAkad. Handl., 1, no. 10, 21.—Hem.
Thesprotiella Giglio-Tos 1915, Bull. Soc. ent. ital., 46, 193.—Orth.
Thessalia Scudder 1875, Bull. Buffalo Soc., 2, 238, 265.—Lep.
Thessita Stål 1863, Ent. Ztg., Stettin, 24, 247.—Hem.
Thessitus Walker 1862, J. Ent. Lond., 1, 307.—Hem.
Thestias Boisduval 1836, (Roret's Suite à Buffon) Lépid., 1, 590.—Lep.
Thestius Huebner [1819] Verz. bekannt. Schmett., (5) 78.—Lep.
Thestonia Casey 1922, Mem. Col., 10, 149.—Col.
Thestor Huebner [1819], Verz. bekannt. Schmett., (5) 73.—Lep.
Thestus Pascoe 1866, Proc. zool. Soc. London, 1866, 247.—Col.
Thestyleda Iredale 1929, Rec. Australian Mus., 17, 158.—Moll.
Thestylus Simon (1881), Ann. Soc. ent. France, (5) 10, 1880, 393, 394.—Arachn.
Thetaraia (Leigh-Sharpe MS.) Jordan 1925, Copeia, No. 142, 38.—Pisces.
Thetea (pro *Tethya* Lamarck 1814) Buetschli 1901, Z. wiss. Zool., 69, 240.—Spong.
Tethya (pro *Tethys* L. 1758) Agassiz 1844, Nomencl. zool., Polypi, 26.—Moll.
Tethyaster (err. pro *Te*-Sladen 1889) Nobre 1931, Echin. Portugal, 176.—Echin.
Tethyon (pro *Tethyum* Bohadsch 1761) Cuvier 1817, Règne an., 2, 497.—Tunicata.
Tethyrium (pro *Tethyum* Bohadsch 1761) Leach 1852, Moll. Brit. Syn., 233.—Tunicata.
Thethys (pro *Te*-L. 1758) Cuvier 1808, Ann. Mus. Hist. nat. Paris, 12, 257.—Moll.
Thethyum (err. pro *Te*-Bohadsch 1761) Cuvier 1815, Mém. Mus. Paris, 2, 10, 12.—Tunicata.
Thetia Gray 1845, Cat. Lizards Coll. Brit. Mus., 32.—Rept.
Theticus Thomson 1858, Arch. ent. Paris, 2, 190.—Col.
Thetidia Boisduval 1840, Gen. Index Europ. Lepid., 189.—Lep.
Thetidicrinus Wanner 1916, Paläont. Timor. Stuttgart, 6, 111.—Echin.
Thetidites Mojsisovics 1896, Verh. Geol. Reichsanst. Wien, 1896, no. 13, 349 [*n.n.*]; 1897, Denkschr. Akad. Wiss. Wien, 63, 616.—Moll.
Thetidos Hedley 1899, Mem. Australian Mus., 3, 472.—Moll.
Thetiopsis Meek 1876, Rep. U.S. geol. Surv. Terr., 9, Rep. Inv. Cret. Tert. Foss. Missouri, 191.—Moll.
Thetironia (n.n. pro *Thetis* Sowerby 1826) Stoliczka 1870, Pal. Ind., Cret. Fn. S. India, 3, 158.—Moll.
Thetis Cuvier 1800, Leçons Comp. Anat., 1, tab. 5 [*n.n.*]; Oken 1815, Lehrb. Nat., 3 (1), 281.—Moll. (Gastr.).
Thetis Sowerby 1826, Min. Conch., 6, 19.—Moll. (Lam.). (See *Thetironia* Stoliczka 1870.)
Thetis (emend. pro *Proteus* [Mueller 1786]) "Viator" 1838, Mag. nat. Hist., (N.S.), 2, 54.—Prot.
Thetis Goodsir 1842, Edinburgh new phil. J., 33 (66), 363.—Crust.
Thetis Adams [non Sowerby 1826] (1848), Proc. Boston Soc. nat. Hist., 2, 1845, 9.—Moll. (Lam.).
Thetis (err. pro *Tethys* L. 1758) Adams 1853, Gen. Rec. Moll., 1, 15.—Moll.
Thetisella Baird 1868, J. Linn. Soc. London, Zool., 10, 247.—Verm. (Polych.).

- Thetomys Thomas 1910, Ann. Mag. nat. Hist., (8) 6, 606.—Mamm.
 Thettea Bates 1879, Trans. ent. Soc. London, 1879, 290.—Col.
 Thetya (pro *Tethya* Lamarck 1814) Zittel 1876, Abh. bayer. Akad. Wiss., 12 (3), 31.—Spong.
 Thetyaster (err. pro *Tethy-* Sladen 1889) Nobre 1931, Echin. Portugal, 62.—Echin.
 Thetyon (pro *Tethyum* Bohadsch 1761) Johnston 1840, in Blyth, Cuvier's Anim. Kingdom, 383.—Tunicata.
 Thetys Tilesius 1802, Jahrb. Naturgesch., 1, 150.—Tunicata.
 Thetys Philippi 1836, Enum. Moll. Sicil., 1, 105.—Moll.
 Thetys (err. pro *Tethys* L. 1758) Reichenbach 1842, Die Naturg. (Würmer), 33.—Moll.
 Thetyum (pro *Tethyum* Bohadsch 1761) Voigt 1837, Lehrb. Zool., 3, 547.—Tunicata.
 Theuaria (pro *Thuiaria* Fleming 1828) Irvine 1854, Nat. Hist. Rev., 1, 245.—Coel.
 Theudoria Stål 1874, Recensio Orth., 2, 15.—Orth.
 Theuma (n.n. pro *Scylax* Simon 1889) Simon 1893, Hist. nat. Araign., 1, 350.—Arachn.
 Theumella Strand 1906, Zool. Anz., 30, 607.—Arachn.
 Theumorus Marshall [1864], J. Proc. Linn. Soc. London, Zool., 8, 1865, 35.—Col.
 Theuthis (pro *Te-* L. 1766) Cuvier [1798], Tabl. élém., 371, 709.—Pisces.
 Theutis (pro *Teuthis* L. 1766) Bloch 1794, Nat. ausl. Fische, 8, 65.—Pisces.
 Theutys (pro *Teuthis* L. 1766) Gouan 1770, Hist. Pisc., 105.—Pisces.
 Thevenemyia Bigot 1876, Ann. Soc. ent. France, (5) 5, 1875, Bull., clxxiv.—Dipt.
 Thevenitimyia Bigot 1892, Ann. Soc. ent. France, 61, 339.—Dipt.
 Theveninia Roman 1921, Trav. Lab. géol. Fac. Sci. Lyon, 1, 124, 126.—Moll.
 Thexosoma (pro *Theco-* Moquin-Tandon 1860) Montgomery 1906 (*teste* Stiles & Hassall 1908, Bull. hyg. Lab. Washington, No. 37, 371).—Verm. (Trem.).
 Theyton (pro *Tethyum* Bohadsch 1761) McMurtrie 1834, in McMurtrie-Cuvier, Anim. Kingdom abr., 271.—Tunicata.
 Thia Leach 1815, Trans. Linn. Soc. London, 11 (2), 312.—Crust.
 Thia Oken 1815, Lehrb. Naturges., 3 (1), Register, xiii.—Verm. (Polych.).
 Thia Newman 1840, Entomologist, 1 (2), 18.—Col. (See *Methia* Newman 1842.)
 Thia Edwards 1888, Ent. Amer., 3, 181.—Lep. (See *Thelethia* Dyar 1893.)
 Thiacidias Walker 1855, List Specimens Lep. Ins. Brit. Mus., 5, 1027.—Lep.
 Thiallela Walker 1863, List Specimens Lep. Ins. Brit. Mus., 27, 120.—Lep.
 Thianella Strand 1907, Zool. Jahrb., Syst., 24, 448.—Arachn.
 Thiania Koch 1846, Die Arachniden, 13 (5), 171.—Arachn.
 Thianitara Simon 1903, Hist. nat. Araign., 2, 1054.—Arachn.
 Thiara Bolten 1798, Mus. Bolten., 2, 109.—Moll.
 Thiara (Megerle MS.) Menke 1828, Syn. Moll., 24.—Moll.
 Thiaracerithium (err. pro *Tiara-* Sacco 1895) Cossmann 1913, Ann. Soc. zool. malac. Belg., 49, 161.—Moll.
 Thiarella Swainson 1840 see *Tiarella* Swainson 1840.
 Thiarella (pro *Tia-* Schulze 1876) Jickeli 1883, Morphol. Jahrb., 8, 667.—Coel.
 Thiarella Sacco 1890, Mem. Accad. Sci. Torino, (2) 40, 348.—Moll. (nec *Tiarella* Swainson 1840 see *Crenisutura* Cossmann 1899).
 Thiarellina (err. pro *Thiarinella* Sacco 1890) Cossmann 1901, Essais Paléoconch. Comp., 4, 259.—Moll.
 Thiarinella Sacco 1890, Mem. Accad. Sci. Torino, (2) 40, 348.—Moll.
 Thiasophila (pro *Thya-* Fairmaire & Laboulbène 1856) Kraatz [1856], Naturgesch. Ins. Dtschl., (I Col.) 2, 69.—Col.
 Thiassophila (err. pro *Thiaso-* Kraatz 1856) Bernhauer 1901, Verh. zool.-bot. Ges. Wien, 51, Abh., 433.—Col.
 Thiatira (pro *Thyasira* Lamarck 1818) Gray 1847, Proc. zool. Soc. London, 15, 195.—Moll.
 Thiatisa (pro *Thyasira* Lamarck 1818) Gray 1847, Proc. zool. Soc. London, 15, 195.—Moll.
 Thiatyra (pro *Thyasira* Lamarck 1818) Leach 1842, in Sowerby, Conch. Man., ed. 2, 274.—Moll.
 Thibetia Joicey & Kaye 1917, Ann. Mag. nat. Hist., (8) 20, 231.—Lep.
 Thibetoides Davis 1897, Trans. Amer. ent. Soc., 24, 205.—Hym.
 Thicanus Casey 1895, Ann. N. York Acad. Sci., 8, 670.—Col.
 Thicolea (pro *-lia* Gray 1840) Gray 1847, Proc. zool. Soc. London, 15, 144.—Moll.
 Thicolia Gray 1840, Syn. Cont. Brit. Mus., ed. 42, 147 [n.n.]; Leach 1847, Ann. Mag. nat. Hist., 20, 271.—Moll.
 Thielea (emend. pro *Thilea* Strebel 1908) Tesch 1913, Das Tierreich, Lief. 36, 142.—Moll.
 Thieleia Burton 1932, "Discovery" Reports, 6, 329.—Spong.
 Thieleiteuthis (emend. pro *Parateuthis* Thiele 1920) Grimpe 1925, Wiss. Meeresunters. (N.F.) Abt. Helgoland, Bd. 16 (3), 98.—Moll.
 Thiella Rafinesque 1815, Analyse, 101 [n.n.].—Crust.
 Thiellas (pro *Thy-* Gloger 1827) Lesson 1831, Traité Orn., 612, 659.—Aves.
 Thiellus (pro *Thyellas* Gloger 1827) Gray 1840, List Gen. Birds, 78.—Aves. (See *Zalias* Heine 1890.)

- Thiemeia* Weymer 1912, in Seitz, Gross-Schmett. Erde, 5, 267.—Lep.
Thiemella Williams 1908, Proc. U.S. nat. Mus., 34, 60.—Brach.
Thiene (pro *Thy.*-Simon 1885) Pavesi 1895, Ann. Mus. Stor. nat. Genova, 35, 527.—Arachn.
Thienemannia Kieffer 1909, Bull. Soc. Metz, 26, 49.—Dipt. (Cf. also *A.-Thienemannia*.)
Thienemanniella Kieffer 1911, Bull. Soc. ent. France, 1911, 201.—Dipt.
Thienemanniola Kieffer 1921, C.R. Assoc. franç. Avanc. Sci., 44, 1920, 327.—Dipt.
Thierychinus Lambert 1910, Ann. Soc. linn. Lyon, (N.S.) 57, 5, 29.—Echin.
Thiessea Kobelt 1904, Iconogr. Land- u. Süßw. Moll., (N.F.) 11, 76, 131, 154, 187.—Moll.
Thiganusa Walker 1865, List Specimens Lep. Ins. Brit. Mus., 33, 979.—Lep.
Thigmophrya Chatton & Lwoff 1923, C.R. Acad. Sci. Paris, 177, 81.—Prot.
Thigopygus Pomel 1883, Classif. méth. Echin., 59.—Echin.
Thilacinus (pro *Thylacynus* Temminck 1824) Cuvier 1829, Dict. Sci. nat. [ed. 2], 59, 443.—Mamm.
Thilacium (err. pro *Thy.*-Carus 1850) Lacaze-Duthiers & Delage 1889, Arch. Zool. exp. gén. Paris, (2) 7, 526.—Tunicata.
Thilaira (pro *Thel.*-R.-Desvoidy 1830) Walker 1849, List Dipt. Coll. Brit. Mus., (4) 793.—Dipt.
Thilakothrips Ramakrishna Ayyar 1928, Mem. Dep. Agric. India, Ent., 10, 275.—Thysanopt.
Thilea Strebelt 1908, Wiss. Ergebn. Schwed. Südpolar-Exp., 1901-03, 6 (1), 84 (as *Thilia* p. 108).—Moll.
Thilia see *Thilea*.
Thilius Bonaparte 1853, C.R. Acad. Sci. Paris, 37, 832, 833.—Aves.
Thilmanus (Gené MS.) Gemminger 1869, in Gemminger & Harold, Cat. Col., 6, 1683 [n.n.]; Baudi 1872, Berlin. ent. Z., 15, 97.—Col.
Thiltrea (pro *Tchiltrea* Lesson 1830) Gray 1869, Hand-List Birds, 1, 332.—Aves.
Thimalia (pro *Ti.*-Horsfield 1821) Cuvier 1829, Règne an., ed. 2, 1, 373.—Aves.
Thimaria Armstrong 1879, J. Asiat. Soc. Bengal, 48 (2), no. 2, 102.—Coel.
Thimeia (err. pro *Thiom.*-Weymer 1912) Gaede 1931, Cat. Lep., 46, 511.—Lep.
Thimna Giebel 1856, Fauna Vorwelt, 2, Abt. 1, 234.—Dipt.
Thimna Bergh 1905, Siboga-Exped. Monogr., No. 50 (Opisthobr.), 193.—Moll.
Thimon (pro *Ti.*-Tschudi 1836) Bonaparte [1841] Iconogr. Fauna Ital., 2, Indice [1].—Rept.
Thinalmus Gorham 1881, Biol. Centr. Amer., Zool., Col., 3 (2), 101.—Col.
Thinasotia Heinemann [1866], Schmett. Dtsch. u. Schweiz, 2 (Klein-Schm. 1), Heft 2, 1865, 116.—Lep.
Thinax (pro *Thri.*-Konow 1885) Ashmead 1898, Canad. Ent., 30, 307.—Hym.
Thinea Melichar 1914, Ergeb. 2. Dtsch. Zentr.-Afr.-Exped., 1910-11, 1 (5), 130.—Hem.
Thinobadistes Hay 1919, Proc. U.S. nat. Mus., 56, 104.—Mamm.
Thinobaena Thomson 1859, Skand. Coleopt., 1, 39; 1861, 3, 59.—Col.
Thinobatis Eschscholtz 1831, Zool. Atlas, 4, 8.—Col.
Thinobiellus Bernhauer 1909, Ent. Blätter, 5, 198.—Col.
Thinobius Kiesenwetter 1844, Ent. Ztg., Stettin, 5 (10), 355.—Col.
Thinobius Walker [teste Scudder 1882, Nomen. zool., Suppl. List, *sed non comp.* ? err. pro *Thinophilus* Wahlberg 1844].—Dipt.
Thinocharis Kraatz 1859, Arch. Naturgesch., 25, 142.—Col.
Thinochorus (pro *-corus* Eschscholtz 1829) Lesson 1836, Compl. Buffon, 7, 478.—Aves.
Thinocorus Eschscholtz 1829, Zool. Atlas, 1, 2.—Aves.
Thinocorys (pro *-rus* Eschscholtz 1829) Wagler 1830, Syst. Amph., 341.—Aves.
Thinocyon Marsh 1872, Amer. J. Sci., (3) 4, 204.—Mamm.
Thinodrilus Smith 1895, Bull. Illinois Lab., 4, 292.—Verm. (Oligoch.).
Thinodromia Melander 1906, Ent. News, 17, 370.—Dipt.
Thinodromus Kraatz 1858, Naturgesch. Ins. Dtschl., (1 Col.), 2, 866.—Col.
Thinoecia Mulsant & Rey 1875, Hist. nat. Col. Fr., Brévipennes (Myrm. ii), 234; 1875, Ann. Soc. Agric. Lyon, (4) 6, 260.—Col.
Thinoglischrus Kolenati 1857, Wien. ent. Monatschr., 1, 60.—Arachn.
Thinohyus Marsh 1875, Amer. J. Sci., (3) 9, 248.—Mamm.
Thinolestes Marsh 1872, Amer. J. Sci., (3) 4, 205.—Mamm.
Thinonoma Thomson 1859, Skand. Coleopt., 1, 35; 1861, 3, 5.—Col.
Thinophilus Wahlberg 1844, Ofvers. VetenskAcad. Förh. Stockholm, 37; Schiödte 1844, Naturhist. Tidsskrift, [2] 1 (1), 44.—Dipt.
Thinophilus Rey 1879, Hist. nat. Col. France, Brévipennes, Oxyt., 322, 342; 1879, Ann. Soc. Agric. Lyon, (4) 10, 766.—Col.
Thinopinus Leconte 1852, Ann. Lyceum nat. Hist. N. York, 5, 215.—Col.
Thinopteryx Butler 1883, J. Linn. Soc. London, 17, 202.—Lep.
Thinopus Marsh 1896, Amer. J. Sci., (4) 2, 374.—Amph.

- Thinornis* Gray (1845), Zool. "Ereb. Terr." (Birds), 11.—Aves.
Thinorycter Semenov-Tian-Shanskiĭ & Reichardt 1925, Rev. russe Ent., 19, 83.—Col.
Thinosaurus Marsh 1872, Amer. J. Sci., (3) 4, 299.—Rept.
Thinoseius Halbert 1920, Proc. R. Irish Acad., 35, 126.—Arachn.
Thinotherium Cope 1870, Proc. Amer. phil. Soc., 11, 292.—Mamm. (Ungul., Tayassuid.).
Thinotherium Marsh 1872, Amer. J. Sci., (3) 4, 208.—Mamm. (Ungul., Helohyid.).
Thinotretes (pro *-tis* Gloger 1841) Bonaparte 1854, C.R. Acad. Sci. Paris, 38, 67.—Aves.
Thinotretis (pro *Certhilauda* Swainson 1827) Gloger 1841, Gemeinnütz. Naturges., 1, 266.—Aves.
Thinoxenus Horn 1876, in Leconte, Proc. Amer. phil. Soc., 15, 74.—Col.
Thinozircon Halbert 1915, Proc. R. Irish Acad., 31, pt. 39, 82.—Arachn.
Thinusa Casey 1893, Ann. N. York Acad. Sci., 7, 371.—Col.
Thiochroa Hampson 1926, Descr. new Genn. Spp. Noctuidae, 314.—Lep.
Thiodia Huebner [1825], Verz. bekannt. Schmett., (25) 391.—Lep.
Thiodina Simon 1900, Ann. Soc. ent. Belgique, 44, 392.—Arachn.
Thiognatha Meyrick 1920, Voy. Alluaud et Jeannel, Lep., 74.—Lep.
Thiolliericrinus Etallon 1859, Etud. pal. Haut-Jura, 2, 445; 1859, Mém. Soc. Emul. Doubs, (3) 3, 1858, 445.—Echin.
Thiona Guenée 1852, Hist. nat. Ins., Spec. gén. Lép., 7, 352.—Lep.
Thione Sharp 1899, Biol. Centr. Amer., Zool., Col., 2, 544.—Col.
Thionepsolus (err. pro *Thyon-* Clark 1901) Delage & Hérouard 1903, Traité Zool. concr., 3, 320.—Echin.
Thionia Stål 1859, Berlin. ent. Z., 3, 321.—Hem.
Thiopsyche Butler 1878, Ann. Mag. nat. Hist., (5) 1, 393.—Lep.
Thiornis Navás 1922, Bol. Soc. Iber. Zaragoza, 21, 59.—Aves.
Thioscelis Meyrick 1909, Trans. ent. Soc. London, 1909, 29.—Lep.
Thiosmus Lichtenstein (1838), Abh. preuss. Akad. Wiss. Berlin, 1836, 270; 1838, Ber. preuss. Akad. Wiss. Berlin, 1838, 90.—Mamm.
Thiotricha Meyrick 1886, Trans. N. Zealand Inst., 18, 164.—Lep.
Tiphobia (err. pro *Ti-* Smith 1880) [Clessin] 1882, Malak. Bl., (N.F.) 6, 127.—Moll.
Tiphysa see *Tiphysa*.
Thiras Giebel 1856, Fauna Vorwelt, 2, Abt. 1, 235.—Dipt.
Thirates Treitschke 1829, Schmett. Europa, 7, 233.—Lep.
Thiratoscirtus Simon 1886, Bull. Soc. zool. France, 2, 559.—Arachn.
Thiratoscyrtus (pro *-scirtus* Simon 1886) Simon 1902, Ann. Soc. ent. France, 71, 416.—Arachn.
Thiridia Huebner 1818, Zuträge z. Exot. Schmett., 1, 28.—Lep.
Thiridium (err. pro *Theridion* Walckenaer 1805) Koch 1850, Uebers. Arachnidensyst., 5, 16.—Arachn.
Thiridopteryx (pro *Thy-* Stephens 1835) Swinhoe 1892, Cat. Lep. Heteroc. Oxf. Univ. Mus., 1, 224.—Lep.
Thirmita Walker 1854, List Specimens Lep. Ins. Brit. Mus., 2, 466.—Lep.
Thiroptera (pro *Thy-* Spix 1824) Wagler 1830, Syst. Amph., 10.—Mamm.
Thirza Giebel 1856, Fauna Vorwelt, 2, Abt. 1, 209.—Dipt.
Thisanotia Huebner [1825], Verz. bekannt. Schmett., (23) 467 [*recte* 367].—Lep.
Thisbe Huebner 1819, Verz. bekannt. Schmett., (2) 24.—Lep.
Thisbe (pro *Thysbe* Dejean 1835) Agassiz 1846, Nomencl. zool., Index, 369, 370.—Col.
Thisbites Mojsisovics 1893, Abh. Geol. Reichsanst. Wien, 6 (2), 429.—Moll.
Thiscia Stål 1860, K. svenska Vetensk. Akad. Handl., (N.F.) 3, no. 6, 68.—Hem.
Thisia Champion 1889, Biol. Centr. Amer., Zool., Col., 4 (2), 102.—Col.
Thisiomorphus Pic 1931, Mélanges exot.-ent., no. 58, 31.—Col.
Thiszima Walker 1864, List Specimens Lep. Ins. Brit. Mus., 29, 820.—Lep.
Thisoa (emend. pro *Ti-* Serres 1840) Herrmannsen 1849, Index Gen. Malac., 2, 574.—Moll.
Thisoecetrus (pro *Thisoic-* Brunner 1893) Jacobson & Bianchi 1902, Orthopt. Russ. Reich., No. 3-4, 174, 205, 318.—Orth.
Thisoicetrellus Uvarov 1921, Trans. ent. Soc. London, 1921, 129.—Orth.
Thisoicetrinus Uvarov 1921, Trans. ent. Soc. London, 1921, 128.—Orth.
Thisoicetrus Brunner 1893, Ann. Mus. Stor. nat. Genova, (2) 13, 150.—Orth.
Thisus Pascoe 1885, Ann. Mus. Stor. nat. Genova, (2) 2, 250.—Col.
Thita Aurivillius 1914, Ark. Zool., 8, no. 29, 34.—Col.
Thlaeodon Cope 1892, Amer. Natural., 26, 758.—Mamm.
Thlaosoma Cambridge [1869], J. Linn. Soc. London, Zool., 10, 1870, 271.—Arachn.
Thlasia Germar 1836, Revue Entom., 4 (2), 71.—Hem.
Thlaspidia Weise 1899, Arch. Naturgesch., 65, 272.—Col.
Thlaspidomorpha Spaeth 1914, Dtsch. ent. Z., 1914, 563.—Col.
Thlaspidosoma Spaeth 1901, Ent. Ztg., Stettin, 62, 4.—Col.

- Thlaspidosompha* (err. pro *-dosoma* Spaeth 1901) Spaeth 1926, Bull. Soc. Nat. Luxembourg, 36, 58.—Col.
- Thlaspidula* Spaeth 1901, Ent. Ztg., Stettin, 62, 9.—Col.
- Thlastocoris* Mayr 1866, Verh. zool.-bot. Ges. Wien, 16, Abh., 364; 1866, Reise Novara, Zool., 2. Bd., Hem., 91.—Hem.
- Thlattodus* Owen 1866, Geol. Mag., 3 (2), 55, 107.—Pisces.
- Thlecteria* (err. pro *Thelct-* Lederer 1863) Dyar 1925, Insec. Inscit. menstr., 13, 8.—Lep.
- Thlibocoryna* (n.n. pro *Myocoryna* Stål 1859) Riley 1875, Ann. Rep. noxious benef. Ins. Missouri, 7, 17.—Col.
- Thlibomenus* Scudder 1890, Foss. Ins. N. Amer., 2, 448.—Hem.
- Thliboneura* Thomson 1858, Ofvers. svenska VetenskAkad. Förh., 15, 288.—Hym.
- Thlibopleurus* Bernhauer 1915, Ann. Mus. hungar., 13, 162.—Col.
- Thlibops* Putzeys 1866, Ann. Soc. ent. Belgique, 10, 9.—Col.
- Thliboptera* Thomson 1859, Skand. Coleopt., 1, 37; 1861, 3, 20.—Col.
- Thliboscelus* Audinet-Serville [1838], (Roret's Suite à Buffon) Orthopt., 1839, 441.—Orth.
- Thlimmoschistus* Scudder 1890, Foss. Ins. N. Amer., 2, 463.—Hem.
- Thlipsepinotus* Santschi 1928, Bull. Soc. vaud. Sci. nat., 56, 483.—Hym.
- Thlipsogaster* (err. pro *Thlyp-* Rondani 1864) Coquillett 1894, Trans. Amer. ent. Soc., 21, 108.—Dipt.
- Thlipsomyza* Wiedemann 1820, N. Dipt. Gen., 12.—Dipt.
- Thlipsura* Jones & Holl 1869, Ann. Mag. nat. Hist., (4) 3, 213.—Crust.
- Thlipsurella* Swartz 1932, J. Paleont., Sharon, 6, 43.—Crust.
- Thliptoblatta* Saussure & Zehntner 1895, Rev. suisse Zool., 3, 13, 54.—Orth.
- Thliptoblemmus* Saussure 1898, Rev. suisse Zool., 5, 218.—Orth.
- Thliptoceras* (Warren MS.) Swinhoe 1890, Trans. ent. Soc. London, 1890, 274.—Lep.
- Thliptocnemis* Mabilie 1900, Ann. Soc. ent. France, 68, 1899, 724.—Lep.
- Thliptodon* Boas 1886, Vidensk. Selsk. Skr., 6, Afd. 4, i, 174.—Moll.
- Thlypopsis* Cabanis [1851], in Cabanis & Heine, Mus. Hein., 1, 1850-51, 138.—Aves.
- Thlypsogaster* Rondani 1864, Arch. Zool. Anat. Fisiol., 3, fasc. 1, 72.—Dipt.
- Thnetodes* Martynov 1928, Trav. Mus. géol. Acad. Sci. U.S.S.R., 4, 5.—Palaeodict.
- Thnetoschistus* Scudder 1890, Foss. Ins. N. Amer., 2, 457.—Hem.
- Thnetus* Handlirsch 1904, Mém. Acad. St. Pétersbourg, (8) 16, no. 5, 7.—Dipt.
- Thoa* Lamouroux 1816, Hist. Polyp., 210.—Coel.
- Thoanoa* (Leach MS.) Gray 1851, Ann. Mag. nat. Hist., (2) 8, 382 [*in syn.*].—Moll.
- Thoanteus* Lindholm 1925, Arch. Molluskenk., 57, 28.—Moll.
- Thoantheus* (err. pro *-teus* Lindholm 1925) Haas & Wenz 1925, Arch. Molluskenk., 57, Inh. 2.—Moll.
- Thoas* Swainson 1833, Zool. Illust., (2) 3 (26), pl. 121.—Lep.
- Thoasa* (pro *Thoosa* Hancock 1849) Lendenfeld 1897, Nova Acta Acad. Leop. Carol., 69, 219.—Spong.
- Thoassa* (pro *Thoosa* Hancock 1849) Claus 1880, Grundr. Zool., ed. 4, 1, 216.—Spong.
- Thoatherium* Ameghino 1887, Enum. Sist. Espec. Mam. Fós. Patagonia Austral., 19.—Mamm.
- Thoburnia* Jordan & Snyder 1917, in Jordan, Copeia, No. 49, 88.—Pisces.
- Thochia* (err. pro *Tro-* Swainson 1840) Ayres 1916, Cat. Conch. Exot. Mus. Zool. Coimbra, 1, 27.—Moll.
- Thodermus* Stål 1859, Ofvers. VetenskAkad. Förh. Stockholm, 16, 377.—Hem.
- Thoë* Bell 1836, Proc. zool. Soc. London, 3, 170.—Crust.
- Thoe* Kinberg 1865, Ofvers. VetenskAkad. Förh. Stockholm, 22, 249.—Verm. (Polych.).
- Thoe Chun* 1878, Mitt. zool. Stat. Neapel, 1, 199.—Coel.
- Thoea* (pro *Thoa* Lamouroux 1816) Templeton 1836, Mag. nat. Hist., 9, 468.—Coel.
- Thoeobates* (pro *Tae-* Haliday 1832) Bigot 1859, Ann. Soc. ent. France, (3) 7, 218.—Dipt.
- Thoelaos* (n.n. pro *Laothoës* Boeck 1871) Della Valle 1893, F. Fl. Neapel, 20, 592.—Crust.
- Thoena* Rafinesque 1815, Analyse, 141 [*n.n.*].—Moll.
- Tholagmus* Stål 1860, Berlin. ent. Z., 4, 276.—Hem.
- Tholartella* Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 664.—Prot.
- Tholartissa* Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 665.—Prot.
- Tholartus* Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 663 (as *Thalartus* p. 665).—Prot.
- Tholaster* Seunes 1891, Bull. Soc. géol. France, (3) 19, 23.—Echin. (Ech.).
- Tholaster* Spencer 1913, Phil. Trans. roy. Soc. London, (B) 204, 137.—Echin. (Ast.). (See *Tholasterina* Valette 1915.)
- Tholasterina* (n.n. pro *Tholaster* Spencer 1913) Valette 1915, Bull. Soc. Sci. Yonne, 68 (2), 57.—Echin.
- Tholemys* Andrews 1921, Ann. Mag. nat. Hist., (9) 7, 145.—Rept.

- Tholeopelta* (n.n. pro *Eurypleura* Lambert 1912) Lambert & Thiéry 1914, Ess. nom. Echin., 1914, 307.—Echin.
- Tholera* Huebner [1821], Verz. bekannt. Schmett., (14) 215.—Lep.
- Tholerastis* Turner 1915, Proc. roy. Soc. Queensland, 27, 36.—Lep.
- Tholera* Huebner 1823, Zuträge z. Exot. Schmett., 27.—Lep.
- Tholerostola* Meyrick 1917, Trans. ent. Soc. London, 1917, 40.—Lep.
- Tholia* Koch 1871, in Koch, Arachn. Australia, 1, fasc. 1, 19.—Arachn.
- Tholiasterella* Hinde 1887, Monogr. Brit. foss. Spong., 1, 76, explan. pl. 7, 8; 1888, 2, 168.—Spong.
- Tholichthys* Guenther 1868, Ann. Mag. nat. Hist., (4) 1, 457.—Pisces.
- Tholocubitus* Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 678.—Prot.
- Tholocubulus* Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 677.—Prot.
- Tholocubus* Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 667.—Prot.
- Tholoda* (emend. pro *Clostera* Samouelle 1819) Gistel 1848, Nat. Thierr., xi.—Lep.
- Tholodes* Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 665.—Prot.
- Tholodus* Meyer 1848, N. Jahrb. f. Min., 1848, 467.—Pisces.
- Tholoma* Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 671.—Prot.
- Tholomantha* Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 672.—Prot.
- Tholomiges* Lederer 1857, Die Noctuiden Europ., 216.—Lep.
- Tholomura* Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 672.—Prot.
- Tholonetta* Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 678.—Prot.
- Tholonilla* Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 679.—Prot.
- Tholonium* Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 678.—Prot.
- Tholopora* Gregory 1909, Cat. cret. Bry. Brit. Mus., 2, 267.—Bry.
- Tholosanus* Distant 1899, Ann. Mag. nat. Hist., (7) 4, 432.—Hem.
- Tholosina* Rhumbler 1895, Nachr. Ges. Wiss. Göttingen, 1895, 82.—Prot.
- Tholospira* Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 699.—Prot.
- Tholospirema* Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 699.—Prot.
- Tholospironium* Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 700.—Prot.
- Tholospyridium* Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1079.—Prot.
- Tholospyris* Haeckel 1881, Jena. Z. nat., 15, 441.—Prot.
- Tholospyrium* Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1078.—Prot.
- Tholostaurantha* Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 670.—Prot.
- Tholostauroma* Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 671.—Prot.
- Tholostaurus* Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 670.—Prot.
- Tholothauma* Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 682.—Prot.
- Tholothis* Pomel 1872, Pal. Oran, 5, 246.—Spong.
- Tholus* Lesson 1837, Prod. Méduses, 15; 1843, (Roret's Suite à Buffon) Acalèphes, 287.—Coel.
- Tholus* Strebel 1909, Jahrb. Hamburg. Wiss. Anst., 26 (2), 102, 137.—Moll.
- Tholymis* Hagen 1867, Ent. Ztg., Stettin, 28, 221.—Odon.
- Thomasaster* Lambert 1921, Mem. Soc. Acad. Aube, 83–84, 155, 167.—Echin.
- Thomasatia* Kay 1934, J. Paleont., 8, 337.—Crust.
- Thomasella* Fredericks 1928, Bull. Com. géol. Leningrad, 46 (7), 778, 789.—Brach.
- Thomasettia* Hirst 1911, Trans. Linn. Soc. London, (2) Zool., 14, 387.—Arachn.
- Thomashuxleya* Ameghino 1901, Bol. Acad. Cienc. Córdoba, 16, 409.—Mamm.
- Thomasia* (n.n. pro *Microlestes* Plieninger 1847) Poche 1908, Zool. Ann. Braun, 33, 269.—Mamm.
- Thomasia* Ruebsaamen 1910, Z. wiss. InsektBiol., 6, 288; 1911, 7, 168.—Dipt. (See *Thomasiniana* Strand 1917.)
- Thomasia* Wilson 1910, Canad. Ent., 42, 386.—Hem. (See *Thomasiniellula* Strand 1917 and *Neothomasia* Baker 1920.)
- Thomasia* Lambert 1918, Mém. Soc. Acad. Aube, 82, 32.—Echin.
- Thomasia* Fredericks 1928, Bull. com. géol. Leningrad, 46 (7), 783.—Brach. (See *Thomasina* Paeckelmann 1931.)
- Thomasiella* Ruebsaamen 1915, S.B. Ges. naturf. Fr. Berlin, 1915, 559.—Dipt.
- Thomasina* Newstead & Carter 1911, Ann. trop. Med. Liverpool, 4, 553.—Dipt.
- Thomasina* (n.n. pro *Thomasia* Fredericks 1928) Paeckelmann 1931, Abh. preuss. geol. Landsanst, 136, 75, 181.—Brach.
- Thomasinella* Schlumberger 1889, Bull. Soc. géol. France, (3) 17, 425.—Prot.
- Thomasiniana* (n.n. pro *Thomasia* Ruebsaamen 1910) Strand 1917, Arch. Naturgesch., 82, A5, 82.—Dipt.
- Thomasiniellula* (n.n. pro *Thomasia* Wilson 1910) Strand 1917, Arch. Naturgesch., 82, A5, 82.—Hem.
- Thomasites* Pervinrière 1907, Carte Géol. Tunisie, Etudes Pal. Tunisienne, 1 (Céph. Terr. Second.), 339.—Moll.
- Thomasomys* Coues 1884, Amer. Natural., 18, 1275.—Mamm.
- Thomasophantes* Sclater 1925, Bull. Brit. Orn. Cl., 46, 16.—Aves.
- Thomassetia* Théry 1928, Bull. Soc. Sci. nat. Maroc, 8, 183.—Col.

- Thomastus* (err. pro *Thaumastus* Martens 1860) Jousseau 1887, Bull. Soc. zool. France, 12, 221.—Moll.
- Thomea* Girard 1893, J. Sci. Math. Phys. Nat. Acad. R. Sci. Lisboa, (2) 3, 106.—Moll.
- Thomeonanina* Germain 1909, Arch. Zool. exp. gén. Paris, (5) 1, 99.—Moll.
- Thomictis* Meyrick 1920, Exot. Microlep., 2, 289.—Lep.
- Thominx* Dujardin [1844], (Roret's Suite à Buffon) Helminthes, 1845, 3, 22.—Verm. (Nema.).
- Thomisa* (pro -sus Walckenaer 1805) Simon 1864, Hist. nat. Araignées, 431.—Arachn.
- Thomisoides* Nicolet 1849, in Gay, Chili, 3 (Arachn.), 350.—Arachn.
- Thomisops* Karsch 1879, Z. ges. Naturw., 52, 375.—Arachn.
- Thomisus* Walckenaer 1805, Tab. Aran., 28.—Arachn.
- Thomnograptus* (pro *Tham-* Hall 1858) Lendenfeld 1884, Proc. Linn. Soc. N.S. Wales, 9, 222.—Coel.
- Thomomys* Wied 1839, Nova Acta Acad. Caes. Leop. Carol., 19 (1), 377.—Mamm.
- Thomosis* Broun 1904, Ann. Mag. nat. Hist., (7) 14, 273.—Col.
- Thomsonia* Kossmann 1872, Arb. zool. zootom. Inst. Würzburg, 1, 132 (Verh. Ges. Würzb., (N.S.) 3, 331).—Crust.
- Thompsonia* (err. pro *Thoms-* Ancey 1886) Pilsbry 1888, Conch. Exch., 2, 113.—Moll.
- Thompsonula* Scott 1905, Ann. Mag. nat. Hist., (7) 16, 570.—Crust.
- Thomsenia* Strebel 1910, Abh. naturh. Ver. Hamburg, 19 (3), 26.—Moll.
- Thomsenia* Panning 1924, Beitr. Kennt. Dtsch. Südwestafrikas, 2, 173.—Crust.
- Thomseonymus* see *Thomseoneonymus*.
- Thomsonella* Wilson 1915, Proc. U.S. nat. Mus., 47, 649.—Crust.
- Thomseoneonymus* Desbrochers 1902, Frelon, 10, 113 (also as *Thomseonymus* p. 117).—Col.
- Thomsonia* Signoret 1879, Ann. Soc. ent. France, (5) 9, 51.—Hem.
- Thomsonia* Konow 1884, Dtsch. ent. Z., 28, 327.—Hym.
- Thomsonia* Ancey 1886, Le Naturaliste, (1) 3, 358.—Moll. (See *Seminolina* Pilsbry 1934.)
- Thomsonia* Jackson 1916, Geol. Mag., (N.S.) Dec. 6, 3, 22.—Brach. (See *Coptothyris* Jackson 1918 and *Cacata* Strand 1928.)
- Thomsonica* (n.n. pro *Aetheia* Thomson 1915) Cossmann 1920, Rev. crit. paléozool., 24, 137.—Brach.
- Thomsoniella* (pro -sonia Signoret 1879) Signoret 1880, Ann. Soc. ent. France, (5) 10, 52.—Hem.
- Thomsoniella* Mercet 1921, Faun. Iber., Hym. Encyrtidae, 89.—Hym.
- Thonalmus* Bourgeois 1884, Ann. Soc. ent. France, (6) 3, 1883, 376.—Col.
- Thonastica* Simon 1908, Bull. Sci. France Belge, 42, 92.—Arachn.
- Thonius* Lacordaire 1842, Mon. Erotyl., 31.—Col.
- Thonnograpsus* (pro *Thamnograptus* Hall 1858) Spencer 1878, Canad. Natural., (N.S.) 8, 458.—Coel.
- Thoodzata* Distant 1908, Fauna Brit. India, Rhynchota, 4, 86, 98.—Hem.
- Thoon* Godman 1900, Biol. Centr. Amer., Zool., Rhopal., 2, 529.—Lep.
- Thoönchus* Cobb 1920, Contr. Nematology, 310.—Verm. (Nema.).
- Thoopteris* Matschie 1899, Fledermäuse der Berlin. Mus., pt. 1, 77.—Mamm.
- Thoosa* Hancock 1849, Ann. Mag. nat. Hist., (2) 3, 345.—Spong.
- Thoosa* Kinberg 1865, Ofvers. VetenskAkad. Förh. Stockholm, 22, 172.—Verm. (Polych.).
- Thoostoma* (n.n. pro *Conostoma* Thomson 1883) Wilson 1924, Proc. U.S. nat. Mus., 64, art. 17, 15.—Crust.
- Thootes* Jacoby 1890, Biol. Centr. Amer., Zool., Col., 6 (1), 231.—Col.
- Thopeutia* Schaum 1861, Berlin. ent. Z., 5, 72.—Col.
- Thopeutis* Huebner 1818, Beiträge z. Exot. Schmett., 1, 23.—Lep.
- Thopha* Amyot & Serville 1843, (Roret's Suite à Buffon) Hémiptères, 471.—Hem.
- Thoplosus* Agassiz 1865, Ann. Sci. nat., Paris, (5) 4, 383 [n.n.].—Pisces.
- Thopomyia* Kertész 1916, Ann. Mus. nat. Hungar., 14, 171.—Dipt.
- Thops* (n.n. pro *Micropus* Spinola 1837) Gistel 1848, Nat. Thierr., x.—Hem.
- Thor* Kingsley 1878, Proc. Acad. nat. Sci. Philad., 1878, 94.—Crust.
- Thoracacantha* (emend. pro *Thoracanth* Berthold 1827) Agassiz 1846, Nomen. Zool. Index Univ.—Hym.
- Thoracactis* Gravier 1918, Bull. Inst. Océan. Monago, No. 344, 1.—Coel.
- Thoracanta* (pro -canth Berthold 1827) Latreille 1829, in Cuvier, R. Anim., ed. 2, 5, 297.—Hym.
- Thoracanth* Berthold 1827, in Latreille, Nat. Fam. Thierr., 447 (as *Thoracantha* p. 598).—Hym.
- Thoracantha* see *Thoracanth*.
- Thoracantharus* Kleine 1926, Stettin. ent. Ztg., 87, 366.—Col.
- Thoracanthoides* Girault 1928, Some New Hexapods stolen from Authority, 4 [privately printed].—Hym.
- Thoracaphis* Van der Goot 1917, Contrib. faune Indes Néerl., 1, no. 3, 242.—Hem.
- Thoracaspis* Haeckel 1881, Jena. Z., 15, 468.—Prot.

- Thoracaster Sladen 1883, J. Linn. Soc. London, **17**, 215, 245.—Echin.
 Thoracispa Chapuis 1875, in Lacordaire, Hist. nat. Ins., Gen. Col., **11**, 335.—Col.
 Thoracistus Pictet 1888, Mém. Soc. phys. Hist. nat. Genève, **30** (2), no. 6, 61.—Orth.
 Thoracites Brauer & Bergenstamm 1891, Denkschr. Akad. Wiss. Wien, **58**, 363.—
 Dipt.
 Thoracites Thorell 1898, Ann. Mus. Stor. nat. Genova, **39**, 371.—Arachn. (See
Thorellina Berg 1899.)
 Thoracobius Bernhauer 1929, Zool. Anz., **82**, 147.—Col.
 Thoracobombus Dalla Torre 1880, Naturhistoriker, **2**, 40.—Hym.
 Thoracocalon (Dugès MS.) Bourgeois 1883, Ann. Soc. ent. France, (6) **3**, Bull., lxi.—
 Col.
 Thoracoceramus Heinz 1932, Mitt. Min. Geol. Staatsinst. Hamburg, Lief. **13**, 24.—
 Moll.
 Thoracoceras (n.n. pro *Melia* Fischer 1829, preocc. in botany) Fischer 1844, Bull.
 Soc. imp. Nat. Moscou, **17**, 755.—Moll.
 Thoracochoeta Duda 1918, Abh. zool.-bot. Ges. Wien, **10**, 32.—Dipt.
 Thoracocharax Fowler 1907, Proc. Acad. nat. Sci. Philad., **58**, 1906, 452.—Pisces.
 Thoracochirus Bernhauer 1903, Dtsch. ent. Z., **1903**, 155.—Col.
 Thoracocinclia Reichenbach (1850), Avium Syst. Nat., pl. liii.—Aves.
 Thoracocotyle MacCallum 1913, Zbl. Bakt., (1 Orig.) **68**, 335.—Verm. (Trem.).
 Thoracodonia Bernhauer 1928, Arch. Naturgesch., **92**, 1926, A7, 21.—Col.
 Thoracodus Cope 1883, Proc. Acad. nat. Sci. Philad., **1883**, 108.—Pisces.
 Thoracolobus Gistel 1857, Vacuna, **2**, 562.—Col.
 Thoracolophotos Bethune-Baker 1906, Novit. zool., **13**, 261.—Lep.
 Thoracomonas Korschikov 1925, Arch. Russe Prot., **4**, 166.—Prot.
 Thoracon (emend. pro *Opatrum* Fabricius 1775) Gistel 1848, Nat. Thierr., xi.—Col.
 Thoracophelia Ehlers 1897, Ergeb. Hamburg. magalh. Sammelreise, **3**, Polych., **7**,
 101.—Verm. (Polych.).
 Thoracophora Jullien 1886, Bull. Soc. zool. France, **11**, 610, 619.—Bry.
 Thoracophoracarus Viets 1914, Abh. Naturw. Ver. Bremen, **22**, 238.—Arachn.
 Thoracophorus (emend. pro *Thoraxo*-Motschoulsky 1837) Erichson [1840], Gen.
 Spec. Staph., 908.—Col. (Staphylinid.).
 Thoracophorus Hope 1840, Coleopt. Manual, **3**, 188.—Col. (Tenebrionid.) (nec
Thoraxophorus Motschoulsky 1837 see *Atryphodes* Pascoe 1866).
 Thoracophorus Gervais & Ameghino 1880, Mamm. foss. Amer. Sud, 206.—Mamm.
 (See *Neothoracophorus* Ameghino 1889.)
 Thoracophrya Kahl 1926, Arch. Protistenk., **55**, 237.—Prot.
 Thoracopora Lang 1916, Ann. Mag. nat. Hist., (8) **18**, 408.—Bry.
 Thoracoprius Bernhauer 1914, Verh. zool.-bot. Ges. Wien, **64**, 90.—Col.
 Thoracoproprius (err. pro *-coprius* Bernhauer 1914) Cameron 1929, J. Fed. Malay
 States Mus., **14**, 336.—Col.
 Thoracopterus Bronn 1858, N. Jahrb. f. Min., **1858**, 21.—Pisces.
 Thoracopyga Saussure & Zehntner 1895, Rev. suisse Zool., **3**, 13 (also as *Thoracopygia*),
 54.—Orth.
 Thoracopygia see *Thoracopyga*.
 Thoracosaurus Leidy 1852, Proc. Acad. nat. Sci. Philad., **6**, 35.—Rept.
 Thoracosphaera Kamptner 1927, Arch. Protistenk., **58**, 180.—Prot.
 Thoracostichus Motschoulsky 1850, Bull. Soc. imp. Nat. Moscou, **23** (3), 367.—Col.
 Thoracostoma Marion 1870, Ann. Sci. nat. Paris, Zool., (5) **13**, 10, 25.—Verm.
 (Nema.).
 Thoracostomopsis Ditlevsen 1919, Vidensk. Medd. naturh. Foren. Kjøbenhavn, **70**,
 181.—Verm. (Nema.).
 Thoracostrongylus Bernhauer 1915, Tijdschr. Ent., **58**, 233.—Col.
 Thoracotermes Wasmann 1911, Rev. zool. afric., **1**, 146.—Isopt.
 Thoracotes Handlirsch 1906, Fossil Ins., 1906, 438.—Col.
 Thoracotherion Gray 1869, Cat. Carn. Pachyd. Edent. Mamm. Brit. Mus., 262 [n.n.].
 —Mamm. (Ungul.).
 Thoracotherium Mercerat 1891, Rev. Mus. La Plata, **2**, 44.—Mamm. (Edent.).
 Thoracotreron Salvadori 1882, Orn. Papuas., **3**, 4, 37.—Aves.
 Thoracus Chevrolat 1878, Ann. Soc. ent. France, (5) **8**, Bull., cxxxiii.—Col.
 Thoradisa (err. pro *Thordisa* Bergh 1877) Eliot 1906, Proc. zool. Soc. London, 1906,
 654.—Moll.
 Thoradonta Hancock (1909), Trans. ent. Soc. London, **1908**, 407.—Orth.
 Thoraessa Westwood 1850, in Doubleday & Westwood, Gen. diurn. Lep., (2) 326.—
 Lep.
 Thoramus Sharp 1871, Ann. Mag. nat. Hist., (4) **19**, 397, 399.—Col.
 Thorancistus (err. pro *Thorac-* Pictet 1888) Kirby 1906, Synon. Cat. Orthopt., **2**, 182.
 —Orth.
 Thorasena Macquart 1838, Dipt. exot., **1** (1), 177 (ex Mém. Soc. R. Sci. Lille, **1838**
 (2) 181).—Dipt.
 Thorax Saussure 1862, Rev. Mag. Zool., (2) **14**, 228.—Orth.

- Thoraxister** Desbordes 1922, Bull. Soc. ent. France, 1922, 237.—Col.
Thoraxophorus Motschoulsky 1837, Bull. Soc. imp. Nat. Moscou, 1837 (5), 98.—Col.
 (Cf. *Glyptoma* Erichson 1840.)
Thordisa Bergh 1877, in Semper, Reis. Arch. Philipp., 2 (2), Heft 12, 540.—Moll.
Thordisia (err. pro *-disa* Bergh 1877) Fischer 1907, J. Conchyliol., 54, 235.—Moll.
Thore Koch 1850, Uebers. Arachnidensyst., 5, 66.—Arachn.
Thore Selys 1853, Bull. Acad. Belgique, Annexe 1853-54, 68.—Odon. (See *Polythore* Calvert 1917.)
Thoreauana Girault 1930, New Pests from Australia, 8, 2 [privately printed].—Hym.
Thoreauella Girault 1930, New Pests from Australia, 8, 2 [privately printed].—Hym.
Thoreauia Girault 1916, Entomologist, 49, 102.—Hym.
Thorecta Lendenfeld 1888, Cat. Spong. Australian Mus., 142; 1889, Mon. Horny Spong., 326.—Spong.
Thorectandra Lendenfeld 1889, Mon. Horny Spong., 369.—Spong.
Thorectes Mulsant 1842, H.N. Coléopt. France (Lam.), 367.—Col.
Thorectes Agassiz (emend. pro *Thorictis* Wagler 1830) 1846, Nomen. Zool. Index Univ.—Rept.
Thorectopsamma Burton 1934, Gt. Barrier Reef Exped. 1928-29, 4 (14), 577.—Spong.
Thorectus (pro *-tes* Mulsant 1842) Agassiz 1846, Nomencl. zool., Col., 162.—Col. (Geotrupid.).
Thorectus (emend. pro *Thorictus* Germar 1834) Agassiz 1846, Nomen. Zool. Index Univ.—Col. (Thorictid.).
Thoreites Massalongo 1850, Schizzo geogn., 21.—*Inc. sed.*
Thorellia Boeck 1865, Forh. Vidensk.-Selsk. Christiania, 1864, 249.—Crust.
Thorellia Koch 1882, in Koch (Keyserling) Arachn. Austral., 1, 1352.—Arachn.
Thorellidia Mello-Leitão 1931, Arch. Mus. nac. Rio de Janeiro, 33, 122.—Arachn.
Thorellina (n.n. pro *Thoracites* Thorell 1898) Berg 1899, Comun. Mus. nac. Buenos Aires, 1, no. 3, 77.—Arachn.
Thoressa Swinhoe 1913, Lep. indica, 10, 284.—Lep.
Thoreyella Spinola 1850, Tav. sin. Hem., 34 (*ex* Mem. Soc. Ital. Sci., 25 (1), 1852, 74).—Hem.
Thoria Stål 1864, Hem. Afric., 1, 90.—Hem.
Thorichthys Meek 1904, Field Mus. Publ., Zool., 5, 222.—Pisces.
Thorictis Wagler 1830, Nat. Syst. Amph., 153.—Rept.
Thorictodes Reitter 1875, in Harold, Coleopt. Hefte, 14, 45.—Col.
Thorictosoma Lea 1919, Trans. roy. Soc. S. Australia, 43, 257.—Col.
Thorictus Germar 1834, Revue Entom., 2, Descr. d'esp. nouv., no. 15, 1.—Col.
Thoriella Stephensen 1915, Rep. Danish ocean. Exped. 1908-10, Biol., 2, (D) 1, 39.—Crust.
Thorinia (err. pro *To-* Gray 1840) Deshayes 1863, Descr. Anim. s. Vert. Bassin Paris, 2, 665.—Moll.
Thoriosa Simon 1910, Ann. Mus. Stor. nat. Genova, (3) 4, 360.—Arachn.
Thoris Pascoe 1867, Ann. Mag. nat. Hist., (3) 19, 317.—Col.
Thorista (n.n. pro *Anthora* Gray 1857) Iredale 1915, Trans. N. Zealand Inst., 47, 436.—Moll.
Thoristella Iredale 1915, Trans. N. Zealand Inst., 47, 436.—Moll.
Thorius Cope 1869, Proc. Acad. nat. Sci. Philad., 1869, 111; 1869, Amer. Natural., 3, 222.—Amph.
Thormora Baird 1865, J. Proc. Linn. Soc. London, Zool., 8, 199.—Verm. (Polych.).
Thorodia Tindale 1923, Rec. S. Australian Mus., 2, 452.—Orth.
Thorodiplosis Felt 1921, Treubia, 2, 89.—Dipt.
Thoron Haliday 1833, Entom. Mag., 1 (3), 271.—Hym.
Thoronysis Handlirsch 1906, Fossil Ins., 129.—Prothorh.
Thoropa Cope 1865, Nat. Hist. Rev., (N.S.) 5, 110.—Amph.
Thorophos Bruun 1931, Vidensk. Medd. naturh. Foren. Kjøbenhavn, 92, 287.—Pisces.
Thorsphaera Ostenfeld 1910, Ber. dtsh. bot. Ges., 28, 397.—Prot.
Thorslundia Isberg 1934, Stud. Lamellibr. Leptaenakalkes Dalarna, 9, 315.—Moll.
Thortus Broun 1893, Man. N. Zealand Col., 1345.—Col.
Thoruus (pro *Thorius* Cope 1869) Brocchi 1883, Miss. Mex., Rech. zool., 3 (2), fasc. 3, 118.—Amph.
Thorunna Bergh 1878, in Semper, Reis. Arch. Philipp., 2 (2), Heft 13, 575.—Moll.
Thorybes Scudder 1872, Ann. Rep. Trustees Peabody Acad. Sci., 4, 1871, 71.—Lep.
Thorybothrips Priesner 1924, S.B. Akad. Wiss. Wien, (1) 133, 540.—Thysanopt.
Thorymus (pro *To-* Dalman 1820) Brullé 1846, in Lapeletier, Ins. Hym., 4, 569.—Hym.
Thos Oken 1816, Lehrb. Nat., 3 (2), 1039.—Mamm.
Thosanea (pro *Agaricia* Lamarck 1801) Rafinesque 1815, Analyse, 157.—Coel.
Thoscora Schaus 1904, Trans. Amer. ent. Soc., 30, 139.—Lep.
Thosea Walker 1855, List Specimens Lep. Ins. Brit. Mus., 5, 1068.—Lep.
Thoseoides Shiraki 1913, Spec. Rep. Formosa agric. Exp. Sta., 8, 391.—Lep.

- Thoseus Pic 1925, *Mélanges exot.-ent.*, No. 44, 9.—Col.
 Thospia Ragonot 1888, *Nouv. Phycitidae*, 28.—Lep.
 Thotmes Cambridge 1901, *Biol. Centr. Amer., Arach. Aran.*, 2, 240.—Arachn.
 Thotmus Broun 1911, *Trans. N. Zealand Inst.*, 43, 102.—Col.
 Thouarella Gray 1870, *Cat. Stony Corals Brit. Mus.*, 45.—Coel.
 Thouarsitreron Bonaparte 1854, *Consp. Gen. Avium*, 2, 16; 1854, *C.R. Acad. Sci. Paris*, 39, 876.—Aves.
 Thous Smith 1839, *Dogs*, 1 (*Nat. Libr.*, 25), 193.—Mamm.
 Thous Gray [non Smith 1839] 1869, *Proc. zool. Soc. London*, 1868, 514.—Mamm.
 Thovana (Leach MS.) Gray 1847, *Proc. zool. Soc. London*, 15, 187.—Moll.
 Thrace Gistel [1847], *Handb. Naturges.*, 1850, 572; (emend. pro *Soldania* d'Orbigny 1826) Gistel 1848, *Nat. Thierr.*, 174.—Prot.
 Thracea (err. pro *-cia* Leach 1823) Whitfield 1880, *Dep. Int. U.S. Geogr. Geol. Surv. Rocky Mt. Reg., Rep. Geol. Black Hills Dakota*, 375.—Moll.
 Thracia (err. pro *-cia* Leach 1823) Hubbard 1920, *Sci. Surv. Porto Rico & Virgin Is.*, 3 (2), 127.—Moll.
 Thracia Leach 1823, in Sowerby, *Min. Conch.*, 5 (72), 20.—Moll.
 Thracia Westwood 1840, *Proc. Linn. Soc. London*, 1, 84.—Hem. (See *Zoraida* Kirkaldy 1900.)
 Thracides Huebner [1819], *Verz. bekannt. Schmett.*, (7) 105.—Lep.
 Thracidora Iredale 1924, *Proc. Linn. Soc. N.S. Wales*, 49, 181, 200.—Moll.
 Thraciella (n.n. pro *Wagneria* Hesse 1912) Hesse 1916, *NachrBl. dtsh. malak. Ges.*, 48, 124.—Moll.
 Thraciopsis (n.n. pro *Alicia* Angas 1868) Tate & May 1900, *Trans. roy. Soc. S. Australia*, 24, 103.—Moll.
 Thracophilus Verhoeff 1926, *Zool. Anz.*, 69, 97.—Myr.
 Thranites Bovallius 1875, *Ofvers. VetenskAkad. Förh. Stockholm*, 33, no. 9, 61.—Crust.
 Thranitica Meyrick 1908, *Proc. zool. Soc. London*, 1908, 743.—Lep.
 Thranium Hovasse 1932, *Bull. Soc. zool. France*, 57, 118.—Prot.
 Thranus Pascoe 1859, *Trans. ent. Soc. London*, (2) 5, 22.—Col.
 Thranodes Pascoe 1867, *Ann. Mag. nat. Hist.*, (3) 19, 315.—Col.
 Thrasaëtos Gray 1837, *Proc. zool. Soc. London*, 5, 108; 1840, *List Gen. Birds*, 3.—Aves.
 Thrasaëtur (pro *-tos* Gray 1837) Kaup 1849, in *Jardine, Contr. Orn.*, 1849, 109.—Aves.
 Thrasaëtus (pro *-tos* Gray 1837) Gray 1844, *Gen. Birds*, 1, 15.—Aves.
 Thrascia (emend. pro *Hypostoma* Rudolphi 1809) Gistel 1848, *Nat. Thierr.*, ix.—Verm. (Trem.)
 Thrasia (err. pro *Thracia* Leach 1823) Carpenter 1859, *Ann. Rep. Regents Univ. State N. York*, 12, 103.—Moll.
 Thrasops Hallowell 1857, *Proc. Acad. nat. Sci. Philad.*, 1857, 67.—Rept.
 Thrasaëtos (pro *Thrasa-* Gray 1837) Allen 1907, *Bull. Amer. Mus. nat. Hist.*, 23, 330.—Aves.
 Thrassis Jordan 1933, *Novit. zool.*, 39, 72.—Siphonapt.
 Thrasycacpiter Bertoni 1901, *An. Cient. Parag.*, 164.—Aves.
 Thrasyaëtus (emend. pro *Thrasaëtos* Gray 1837) Agassiz 1846, *Nomen. Zool. Index Univ.*—Aves.
 Thrasycephalus Kleine 1916, *Ent. Mitt.*, 5, 53.—Col.
 Thrasychirus Simon 1884, *Bull. Soc. zool. France*, 9, 142.—Arachn.
 Thrasychlora Prout 1932, in Seitz, *Gross-Schmett. Erde*, 8, 42.—Lep.
 Thrasychroma Jacoby 1885, *Ann. Mus. Stor. nat. Genova*, 22, 70.—Col.
 Thrasyderes Bolivar 1881, *An. Soc. españ. Hist. nat.*, 10, 481.—Orth.
 Thrasydoxa Meyrick 1912, *Exot. Microlep.*, 1, 60.—Lep.
 Thrasygoeper Clark 1860, *Monogr. Halticidae Coll. Brit. Mus.*, 102.—Col.
 Thrasylus Stål 1877, *Ofvers. VetenskAkad. Förh. Stockholm*, 34, no. 10, 41.—Orth.
 Thrasymedes (n.n. pro *Phacusa* Stål 1864) Kirkaldy 1904, *Entomologist*, 27, 279.—Hem.
 Thrasymus Pascoe 1880, *Ann. Mag. nat. Hist.*, (5) 5, 492.—Col.
 Thrasys [Billberg] 1828, *Syn. Faunae Scand.*, 1 (2), Tab. A.—Aves.
 Thraulodes Ulmer 1920, *Arch. Naturgesch.*, 85, A11, 33.—Ephem.
 Thraulius Eaton 1881, *Ent. mon. Mag.*, 17, 195.—Ephem.
 Thraupis Boie 1826, *Isis (Oken)*, 1826, 974.—Aves.
 Thrausmus du Buysson 1901, *Ann. Soc. ent. France*, 69, 1900, 177.—Hym.
 Thraustocolus (n.n. pro *Calobamon* Kraatz 1865) Kraatz 1865, *Berlin. ent. Z.*, 9, 414.—Col.
 Threciscus Bolivar 1887, *Ann. Soc. ent. Belgique*, 31, 193, 232.—Orth.
 Threcticus Thomson 1865, *Skand. Coleopt.*, 1, 141; 1865, 7, 285.—Col.
 Thremma McLachlan 1876, *Monog. Rev. Synops. Trichopt. Europ. Fn.*, 265.—Trichopt.
 Thremmamophilus (pro *Thremmaphilus* Macgillivray 1837) Giebel 1877, *Thesaur. Orn.*, 3, 627.—Aves.

- Thremmaphilus* Macgillivray 1837, Hist. Brit. Birds, 1, 610.—Aves.
Thremmatophilus (emend. pro *Thremmaphilus* Macgillivray 1837) Agassiz 1846, Nomen. Zool. Index Univ.—Aves.
Thremmophilus (pro *Thremmaphilus* Macgillivray 1837) Bonaparte 1850, Consp. Av., 1, fasc. 2, 421.—Aves.
Threneste Wiedemann 1830, Aussereurop. Zweifl. Ins., 2, 618.—Dipt.
Threnetes Gould [1852], Monogr. Trochil., 1, text to pl. 13 (pt. iv); 1854, Proc. zool. Soc. London, 1854, 109.—Aves (Trochilid.).
Threnetes Roberts 1922, Ann. Transvaal Mus., 8, 238.—Aves (Sylviid.). (See *Threnolais* Roberts 1924.)
Threnetica (pro *Tre-* Thomson 1868) Gemminger & Harold 1873, Cat. Col., 10, 3035.—Col.
Threnetria Schauer 1873, J. Orn., 21, 161, 183.—Aves.
Threnetrix (pro *-tria* Schauer 1873) Giebel 1877, Thesaur. Orn., 3, 627.—Aves.
Threnia Schiner 1866, Verh. zool.-bot. Ges. Wien, 16, Abh., 674.—Dipt.
Thrennia (pro *Threnia* Schiner 1866) Schiner 1868, Reise Novara, Zool., 2 (1b), Dipt., 156.—Dipt.
Threnodes Duponchel 1845, Cat. méth. Lépid. Europe, (2) 196.—Lep. (Pyrilid.).
Threnodes Hewitson 1870, Equat. Lep., 58.—Lep. (Erycinid.). (See *Nahida* Kirby 1871.)
Threnodyta Roberts 1922, Ann. Transvaal Mus., 8, 239.—Aves.
Threnodytops Roberts 1922, Ann. Transvaal Mus., 8, 239.—Aves.
Threnoedus Gloger 1841, Gemeinnütz. Naturges., 1, 319.—Aves.
Threnolais (n.n. pro *Threnetes* Roberts 1922) Roberts 1924, Ann. Transvaal Mus., 10, 85.—Aves.
Threnopipo Cabanis & Heine 1863, Mus. Hein., 4 (2), 70.—Aves.
Threnosia Hampson 1900, Cat. Lep. Phalaenae Brit. Mus., 2, 96.—Lep.
Threnosoma Motschoulsky 1860, in Schrenck, Reisen u. Forsch. Amur-Lande, 2, Lief. 2, Col., 213.—Col.
Threnus Motschoulsky 1870, Bull. Soc. imp. Nat. Moscou, 43 (1), 404.—Col.
Threpterius Richardson 1850, Proc. zool. Soc. London, 18, 68; 1851, Ann. Mag. nat. Hist., (2) 7, 284.—Pisces.
Threptria Reichenbach 1854, Aufz. der Colibris (J. f. Orn., 1853, Extraheft 4, 9).—Aves.
Threschiornis (pro *Threski-* Gray 1842) Bonaparte 1842, N. Ann. Bologna, 8, 259.—Aves.
Threschiornis (pro *Threski-* Gray 1842) Hartlaub 1854, J. Orn., 2, 295.—Aves.
Threscornis (emend. pro *Threskiornis* Gray 1842) Agassiz 1846, Nomen. Zool. Index Univ.—Aves.
Threskiornis Gray 1842, List Gen. Birds, ed. 2, App. 13.—Aves.
Thressa Walker 1860, J. Proc. Linn. Soc. London, Zool., 4, 146.—Dipt.
Thresus (err. pro *Tre-* Gray 1853) Mayer-Eymar 1887, J. Conchyliol., 35, 321.—Moll.
Threticus Eaton 1904, Ent. mon. Mag., 40, 57.—Dipt.
Threx (emend. pro *Sepsis* Fallén 1810) Gistel 1848, Nat. Thierr., x.—Dipt.
Thria Walker 1857, List Specimens Lep. Ins. Brit. Mus., 13, 1111.—Lep.
Thriambeutes Gruenberg 1906, Zool. Anz., 30, 352.—Dipt.
Thriambeutis Meyrick 1910, Trans. ent. Soc. London, 1910, 470.—Lep.
Thrichechus (pro *Tri-* L. 1758) Zimmermann 1870, Geogr. Gesch., 2, 426.—Mamm.
Thrichocylliba Berlese 1904, Redia, 1, 278, 329.—Arachn.
Trichodectes (pro *Tricho-* Nitzsch 1818) Bezzi 1893, Riv. ital. Sci. nat., 13, 97.—Malloph.
Trichodiadema Agassiz 1864, Proc. Acad. nat. Sci. Philad., 1863, 334.—Echin.
Trichogena (pro *Thry-* Rondani 1856) Rondani 1859, Dipt. ital. Prodr., 3, 242.—Dipt.
Tricholyga (pro *Thryco-* Rondani 1856) Rondani 1859, Dipt. ital. Prodr., 3, 243.—Dipt.
Trichomycterus Humboldt 1805, Voy. intér. Amér. (Obs. Zool.), 34.—Pisces.
Trichomys Trouessart 1881, Bull. Soc. Etud. sci. Angers, 10, fasc. 2, 179.—Mamm.
Trichonotus Chevrolat 1877, Ann. Soc. ent. France, (5) 7, 103 (as *Trichonotus* p. 104).—Col. (Curculionid.).
Trichoproctus Agassiz 1872, Ill. Cat. Mus. Harvard, 3, no. 7, fasc. 1, 139 [n.n.].—Echin.
Trichosomum (pro *Trichosoma* Rudolphi 1819) Gervais & Beneden 1859, Zool. méd., 2, 129.—Verm. (Nema.).
Trichostomum (pro *Trichostoma* Pictet 1834) Agassiz 1844, Nomencl. zool., Neuropt., 8.—Trichopt.
Thricogena (pro *Tri-* Rondani 1856) Rondani 1859, Dipt. ital. Prodr., 3, 242.—Dipt.
Thricolema Crotch 1874, Trans. Amer. ent. Soc., 5, 79.—Col.
Thricolepis Horn 1876, in Leconte, Proc. Amer. phil. Soc., 15, 68.—Col.

- Thricolyga* Rondani 1856, Dipt. ital. Prodr., 1, 68 (as *Tricolyga* p. 223).—Dipt.
Thricomigus Horn 1876, in Leconte, Proc. Amer. phil. Soc., 15, 48.—Col.
Thricomys (err. pro *Thrichomys* Trouessart 1881) Trouessart 1897, Cat. Mamm., new ed., fasc. 3, 606.—Mamm.
Thricops Rondani 1856, Dipt. ital. Prodr., 1, 96.—Dipt. (nec *Trichops* Mannerheim 1833 see *Tricophthicus* Rondani 1861).
Thridachia (err. pro *Tri-* Deshayes 1857) Fischer 1883, Man. Conch., 545.—Moll.
Thrigmopoeus Pocock 1899, J. Bombay nat. Hist. Soc., 12, 747.—Arachn.
Thrimolus Casey 1900, J. N. York ent. Soc., 8, 137.—Col.
Thrinacia Butler 1876, J. Linn. Soc. London, Zool., 12, 384.—Lep.
Thrinacodus St. John & Worthen 1875, Geol. Surv. Illinois, 6, 289.—Pisces.
Thrinacodus Guenther 1879, Proc. zool. Soc. London, 1879, 144.—Mamm.
Thrinacola Enderlein 1927, Konowia, 6, 55.—Dipt.
Thrinaconyx Saussure 1892, Soc. Ent., 7, 122.—Orth.
Thrinacophora Ridley 1885, Rep. Voy. Challenger Exped., Narr., 1 (2), 572.—Spong.
Thrinax Konow 1885, Wien. ent. Ztg., 4, 19, 22.—Hym.
Thrinaxodon Seeley 1894, Phil. Trans. roy. Soc., 185B, 991.—Rept.
Thrinchostoma Saussure 1890, in Grandidier, Hist. Madagascar, 20, Hym. 1, 52 (as *Thryncostoma* pl. 3, fig. 25).—Hym.
Thrinchus Fischer de Waldheim 1833, Ann. Soc. ent. France, 2, 319; 1833, Bull. Soc. imp. Nat. Moscou, 6, 378.—Orth.
Thrinculus Porat 1895, Bih. svenska VetenskAkad., 20, no. 4, pt. 5, 54.—Myr.
Thrincocheras Hyatt 1893, Ann. Rep. geol. Surv. Texas, 4, 1892, 430.—Moll.
Thrincochophora Meyrick 1881, Proc. Linn. Soc. N.S. Wales, 6, 430.—Lep.
Thrincopyge Leconte 1858, J. Acad. nat. Sci. Philad., (2) 4, 17.—Col.
Thrincostruma (pro *Thrincho-* Saussure 1890) Dalla Torre 1896, Cat. Hym., 10, 641.—Hym.
Thrincoptropis Saussure 1899, Abh. Senckenb. Ges., 21, 649.—Orth.
Thrincochus (emend. pro *-chus* F. de Waldheim 1833) Agassiz 1846, Nomen. Zool. Index Univ.—Orth.
Thringorhina Oates 1889, Fauna Brit. India, Birds, 1, 155.—Aves.
Thriocera Gorham 1878, Trans. ent. Soc. London, 1878, 156.—Col.
Thriophora Meyrick 1911, Ann. Transvaal Mus., 2, 231.—Lep.
Thrioterus (pro *-thorus* Vieillot 1816) Giebel 1877, Thesaur. Orn., 3, 627.—Aves.
Thriotherus (pro *-thorus* Vieillot 1816) Gray 1855, Cat. Gen. Birds Brit. Mus., 31.—Aves.
Thriothores (pro *-rus* Vieillot 1816) Lesson 1840, Rev. Zool. (Soc. Cuv.), 3, 97.—Aves.
Thriothorus Vieillot 1816, Analyse, 45.—Aves.
Thriothurus Stephens 1826, in Shaw, Gen. Zool. (Aves), 14 (1), 194.—Aves.
Thriothyurus (pro *-thorus* Vieillot 1816) Gray 1841, List Gen. Birds, ed. 2, 114.—Aves.
Thriotorus (pro *-thorus* Vieillot 1816) Giebel 1877, Thesaur. Orn., 3, 627.—Aves.
Thripadectes Slater 1862, Cat. Amer. Birds, 157.—Aves.
Thripias Cabanis & Heine 1863, Mus. Hein., 4 (2), 121.—Aves.
Thripobrosus (pro *-otus* Cabanis 1847) Gray 1855, Cat. Gen. Birds Brit. Mus., 29.—Aves.
Thripobrotus Cabanis 1847, Arch. Naturgesch., 13 (1), 340.—Aves.
Thripoctenus Crawford 1911, Proc. ent. Soc. Washington, 13, 233.—Hym.
Thripomorpha Enderlein 1905, Zool. Jahrb., Syst., 21, 448 (as *Tripomorpha* plate legend).—Dipt.
Thriponax Cabanis & Heine 1863, Mus. Hein., 4 (2), 105.—Aves.
Thriponea Hulstaert 1924, Ann. Mag. nat. Hist., (9) 13, 107.—Lep.
Thripophaga Cabanis 1847, Arch. Naturgesch., 13 (1), 338.—Aves.
Thriposoma Crawford 1913, Proc. U.S. nat. Mus., 45, 255.—Hym.
Thrips Linnaeus 1758, Syst. Nat., ed. 10, 457; 1767, ed. 12, 743.—Thysanopt.
Thripsaphis Gillette 1917, Canad. Ent., 49, 193.—Hem.
Thripsobremia Barnes 1930, Bull. ent. Res., 21, 331.—Dipt.
Thripsophaga Cameron 1929, Ann. Mag. nat. Hist., (10) 3, 600.—Col.
Thripsurus (pro *Trip-* Swainson 1837) Sundevall 1866, Consp. Av. Picin., 115.—Aves.
Thriptera Solier 1836, Ann. Soc. ent. France, 5, 48.—Col.
Thriptera (n.n. pro *Lampetia* Stephens 1829) Gistel 1848, Nat. Thierr., xi.—Lep.
Thripticus (pro *Thryp-* Gerstaecker 1864) Loew 1869, in Meigen, Syst. Besch. zweifl. Ins., 8, 303.—Dipt.
Thriptocera (pro *Thryp-* Macquart 1834) Rondani 1859, Dipt. ital. Prodr., 3, 18.—Dipt.
Thriscothorax Sharp 1903, Fauna Hawaii., 3, 243, 257.—Col.
Thrissa (emend. pro *Clupanodon* Lacepède 1803) Rafinesque 1815, Analyse, 88.—Pisces.
Thrissa Cuvier [non Rafinesque 1815] 1817, R. Anim., ed. 1, 2, 176.—Pisces.
Thrissacanthias Fisher 1910, Ann. Mag. nat. Hist., (8) 5, 171.—Echin.

- Thrissina* Jordan & Seale 1925, Copeia, 1925, 30.—Pisces.
Thrissocharax Myers 1926, Rev. zool. afr., 13, 174.—Pisces.
Thrissocles Jordan & Evermann 1917, Stanford Univ. Publ., Univ. Ser. [Genera Fish. 1], 98.—Pisces.
Thrissomimus (n.n. pro *Argyrosomus* Agassiz 1850) (Gill MS.) Jordan & Evermann 1911, Bull. U.S. Bur. Fish., 29, 1909, 4, 5.—Pisces.
Thrissonotus Agassiz (1844), Poiss. Foss., 2 (2), 128; Egerton 1858, Mem. geol. Surv. U. Kingdom, Dec. 9, explan. pl. 2, p. 1.—Pisces.
Thrissopater Guenther 1872, Mem. geol. Surv. U. Kingdom, 1872, no. 1 (Figs. Descr. Brit. Organ. Remains, Dec. xiii).—Pisces.
Thrissops Agassiz (1833), Poiss. Foss., 2 (1), 12; (1844), 123.—Pisces.
Thrissopteroides Marck 1873, Palaeontogr., 22, no. 1, 61.—Pisces.
Thrissopteroides Woodward [non Marck 1873] 1898, Ann. Mag. nat. Hist., (7) 2, 408.—Pisces.
Thrissopterus Heckel 1856, Denkschr. Akad. Wiss. Wien, 11, 245.—Pisces.
Thrix Doherty 1891, J. Asiat. Soc. Bengal, 60, 35.—Lep.
Thrixa (pro *Trixa* Meigen 1824) Pandellé 1894, Rev. Ent. franç., 13, 47.—Dipt.
Thrixina Karl 1928, in Dahl, Tierw. Dtschl., 13, 165.—Dipt.
Thrixion Brauer & Bergenstamm 1890, Denkschr. Akad. Wiss. Wien, 56, 108.—Dipt.
Throana Walker 1858, List Specimens Lep. Ins. Brit. Mus., 16, 224.—Lep.
Throbalium Mulsant & Rey 1878, Ann. Soc. linn. Lyon, 24, 1877, 99.—Col.
Throchodota (err. pro *Tro-* Ludwig 1891) Mortensen 1925, Vidensk. Medd. naturh. Foren. Kjøbenhavn, 79, 326.—Echin.
Throcorusca Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1407.—Prot.
Throculus (err. pro *Trochulus* Westerlund 1886) Picaglia 1892, Bull. Soc. malac. ital., 16, 93.—Moll.
Throgonius Fairmaire 1901, Ann. Soc. ent. Belgique, 45, 214.—Col.
Thrombella (pro *Trom-* Berlese 1887) Oudemans 1905, Abh. Ver. Bremen, 18, no. 1, 91.—Arachn.
Thrombidium (pro *Trom-* Fabricius 1775) Gerstaecker 1873, in Decken, Reise O.-Afr., 3 (2), 463.—Arachn.
Thrombogenes Meyrick 1921, Ann. Transvaal Mus., 8, 137.—Lep.
Thrombus Sollas 1886, Proc. R. Dublin Soc., (N.S.) 5, 179.—Spong.
Thrombus Oudemans 1903, Ent. Ber., 's-Gravenhage, 1, 91.—Arachn.
Throna (? err. pro *Thracia* Leach 1823) Carpenter 1859, Ann. Rep. Regents Univ. State N. York, 12, 103.—Moll.
Thronistes Burmeister 1847, Handb. Ent., 5, 171, 177.—Col.
Throopella Greger 1933, Geol. Mag., 70, no. 830, 373.—Moll.
Throphon (err. pro *Tro-* Montfort 1810) Paetel 1888, Cat. Conch. Samml., ed. 4, 1, 35.—Moll.
Throscidium Matthews 1872, Trichopterygia illus. descr., 64.—Col.
Throscinus Leconte 1874, Trans. Amer. ent. Soc., 5, 51.—Col.
Throscoryssa Maulik 1928, Proc. zool. Soc. London, 1928, 159.—Col.
Throscus Latreille 1796, Préc. Car. Ins., 42.—Col.
Throx (pro *Trox* Fabricius 1775) Herbst 1783, in Fuessly, Arch. Ins., 4, 12.—Col.
Thryallis Thomson 1857, Arch. ent. Paris, 1, 409.—Col.
Thryasona Iredale 1933, Rec. Australian Mus., 19, 54.—Moll.
Thrycaptella Filhol 1885, Vie Fond Mers, 284 (as *Trichaptella* pl. 8).—Spong.
Thrychogena Rondani 1856, Dipt. ital. Prodr., 1, 65.—Dipt.
Thrychomycterus (err. pro *Trich-* Valenciennes 1833) Cuvier & Valenciennes 1846, Hist. Nat. Poiss., 18, 485.—Pisces.
Thrycoliga (pro *Lyga* Rondani 1856) Lioy 1864, Atti Ist. Veneto, (3) 9, 1351.—Dipt.
Thrycolyga Rondani 1856, Dipt. ital. Prodr., 1, 68.—Dipt.
Thrylæa Jacoby 1887, Proc. zool. Soc. London, 1887, 98.—Col.
Thrymnes Weise 1895, Dtsch. ent. Z., 1895, 338.—Col.
Thrymoserica Brenske 1898, Berlin. ent. Z., 42, 354.—Col.
Thryncostoma see *Thrinchostoma*.
Thryocrex Ridgway 1920, Smithson. misc. Collect., 72, no. 4, 4.—Aves.
Thryogenes Bedel 1884, Faune Col. Seine, 6, 108.—Col.
Thryolegus (n.n. pro *Limnophyes* Sclater 1889) Oberholser 1899, Proc. Acad. nat. Sci. Philad., 1899, 210.—Aves.
Thryomanes Sclater 1862, Cat. Amer. Birds, 22.—Aves.
Thryonia Pomel 1872, Pal. Oran, 5, 67.—Spong.
Thryonomys Fitzinger 1867, S.B. Akad. Wiss. Wien, 56, 141.—Mamm.
Thryophilus Loew 1868, Z. Naturw., 32, 6.—Dipt.
Thryophilus Baird 1864, Smithson. misc. Collect., 12 (1), no. 181, 127.—Aves.
Thryorchilus Oberholser 1904, Proc. U.S. nat. Mus., 27, 198.—Aves.
Thryospiza Oberholser 1917, Ohio J. Sci., 17, 332.—Aves.
Thryotherus (emend. pro *Thriothorus* Vieillot 1816) Agassiz 1846, Nomen. Zool. Index Univ.—Aves.

- Thryothorus* (pro *Thrio*- Vieillot 1816) Vieillot 1816, Anal. Orn., 70.—Aves.
Thryothurus (pro *Thriothorus* Vieillot 1816) Swainson 1836, Hist. Classif. Birds, 1, 135; 1837, 2, 319.—Aves.
Thryotorus (pro *Thriothorus* Vieillot 1816) Reichenbach 1850, Av. Syst., pl. 57.—Aves.
Thryphera (pro *Try*- Meigen 1838) Schiner 1861, Wien. ent. Monatschr., 5, 142.—Dipt.
Thrypochthoniellus Willmann 1928, Zool. Anz., 76, 2.—Arachn.
Thrypochthonius (pro *Tripochto*- Berlese 1905) Willmann 1928, Zool. Anz., 76, 2.—Arachn.
Thryps (pro *Thrips* L. 1758) Scopoli 1777, Intr. Hist. nat., 436, 437 & Index [7].—Thysanopt.
Thrypsigenes Meyrick 1914, Trans. ent. Soc. London, 1914, 272.—Lep.
Thryptacodon Matthew 1915, Bull. Amer. Mus. nat. Hist., 34, 7.—Mamm.
Thrypticodes Turner 1899, Trans. roy. Soc. S. Australia, 23, 17.—Lep.
Thrypticomyia Skuse 1890, Proc. Linn. Soc. N.S. Wales, (2) 4, 774.—Dipt.
Thrypticus Gerstaecker 1864, Ent. Ztg., Stettin, 25, 43.—Dipt.
Thryptocera Macquart 1834, Mém. Soc. R. Sci. Lille, 1833, 310.—Dipt.
Thryptocerus Chaudoir 1878, Bull. Soc. imp. Nat. Moscou, 53 (2), 74.—Col. (Carabid.).
Thryptocerus Kuwert 1896, Novit. zool., 3, 226; 1898, 5, 200.—Col. (Passalid.). (See *Alococerus* Zang 1905.)
Thryptocheta Rondani 1856, Dipt. ital. Prodr., 1, 134.—Dipt.
Thryptodexia Malloch 1926, Philippine J. Sci., 31, 509.—Dipt.
Thryptodus Loomis 1900, Palaeontographica, 46, 229.—Pisces.
Thrysitops see *Thyrsitops*.
Thryssa (pro *Thryssa* Cuvier 1817) Cuvier 1829, R. Anim., ed. 2, 2, 323.—Pisces.
Thryssus (pro *Thryssa* Cuvier 1817) Swainson 1838, Hist. Classif. Fish., 1, 279.—Pisces.
Thuarsitreron (pro *Thou*- Bonaparte 1854) Fitzinger 1865, S.B. Akad. Wiss. Wien, Math.-naturw. Cl., 51 (1), 287.—Aves.
Thubana Walker 1864, List Specimens Lep. Ins. Brit. Mus., 29, 814.—Lep.
Thubunaea Seurat 1914, C.R. Soc. Biol., 76, 724.—Verm. (Nema.).
Thudaca Walker 1864, List Specimens Lep. Ins. Brit. Mus., 29, 825.—Lep.
Thuiaria Fleming 1828, Hist. Brit. Anim., 545.—Coel.
Thuiella Stechow 1919, Zool. Jahrb., Syst., 42, 106.—Coel.
Thulea Say 1836, Boston J. nat. Hist., 1 (3), 213.—Hym.
Thuleoceras Troeddsen 1926, Medd. Grønland, 71, 93.—Moll.
Thumata (pro *-tha* Walker 1866) Draudt 1914, in Seitz, Gross-Schmett. Erde, 10, 159.—Lep.
Thumatha Walker 1866, List Specimens Lep. Ins. Brit. Mus., 35, 1900.—Lep.
Thunbergia Horváth 1914, Ann. Mus. hungar., 12, 633.—Hem.
Thunbergonymus (emend. pro *Tun*- Amyot 1846) Amyot 1848, Ann. Soc. ent. France, 5 (4), 509.—Hem.
Thunnis (pro *Thynnus* Cuvier 1817) Fowler 1903, Science, (N.S.) 17, 595.—Pisces.
Thunnus (pro *Thynnus* Cuvier 1817) South 1845, Ency. Metrop., 25, 620.—Pisces.
Thurramina Brady 1879, Quart. J. micr. Soc., (N.S.) 19, 45.—Prot.
Thurramminopsis Haeusler 1883, N. Jahrb. f. Min., 1883 (2), 69.—Prot.
Thurauia Ruebsaamen 1899, Wien. ent. Ztg., 18, 58.—Dipt.
Thurberiphaga Dyar 1919, Insec. Inscit. menst., 7, 188.—Lep.
Thuricola Kent 1881, Man. Infus., 2, 718.—Prot.
Thuricolopsis Stokes 1888, Proc. Amer. phil. Soc., 24, 250.—Prot.
Thuridilla Bergh 1872, in Semper, Reis. Arch. Philipp., 2, Bd. 2, Heft 4, 199.—Moll.
Thuringionautilus Mojsisovics 1902, Abh. geol. Reichsanst. Wien, 6 (1), Suppl., 204, 236.—Moll.
Thuringocrinus Jaekel 1918, Palaeont. Z., Berlin, 3, 61.—Echin.
Thuriocystis Haeckel 1896, Jena. Z., 30, 402 [n.n.].—Echin.
Thuriostoma Meyrick 1934, Exot. Microlep., 4, 515.—Lep.
Thurlosia (Leach MS.) Catlow & Reeve 1845, Conch. Nomencl., 3.—Moll.
Thurmannella Leidhold 1920, N. Jahrb. Min., Stuttgart, 44, 357.—Brach.
Thurmannia Heer [1852], in Heer & Escher, Zwei geol. Vorträge, Zurich, 11.—Col.
Thurmannia Hyatt 1900, in Eastman-Zittel, Textbook Palaeont., 1, 585.—Moll. (See *Thurmanniceras* Cossmann 1901 and *Thurmannites* Kilian & Reboul 1914.)
Thurmanniceras (n.n. pro *Thurmannia* Hyatt 1900) Cossmann 1901, Rev. crit. Paléozool., 5, 58.—Moll.
Thurmannites (n.n. pro *Thurmannia* Hyatt 1900) Kilian & Reboul 1914, C.R. Ass. Franc. Adv. Sci., Congr. Tunis, 1913, 2.—Moll.
Thurntaxisia Schatzmayr 1929, Boll. Soc. ent. ital., 61, no. 1, 16.—Col.
Thursania Schaus 1913, Ann. Mag. nat. Hist., (8) 11, 14.—Lep.
Thurselinus Distant 1904, Entomologist, 37, 259.—Hem.
Thursius Traquair 1888, Geol. Mag., (3) 5, 516.—Pisces.
Thusamus Walker 1829–30, in Curtis, Guide Brit. Ins., (4) 112 [n.n.].—Hym. (Cf. *Thysanus* Walker 1839.)

- Thusanus (pro *Thys*- Walker 1839) Walker 1872, Not. Chalcid., fasc. 7, 114.—Hym.
 Thusaria (pro *Thuiaria* Fleming 1828) Kirchenpauer 1874, in Heuglin, Reis. Nord-
 polarm., 3, 260.—Coel.
 Thwaitesia Cambridge 1881, Proc. zool. Soc. London, 1881, 766.—Arachn.
 Thya Curtis 1834, London & Edinburgh Phil. Mag., (3) 4 (21), 216.—Trichopt.
 Thya Simon 1876, Arachnides de France, 3, 51.—Arachn. (See *Thyene* Simon
 1885.)
 Thyada Pascoe 1863, Trans. ent. Soc. London, (3) 1, 544.—Col.
 Thyamis Stephens 1831, Ill. Brit. Ent. (Mand. 4), 307.—Col.
 Thyana Dognin 1923, Hét. nouv. Amér. du Sud, 21, 13.—Lep.
 Thyanta Stål 1860, K. svenska VetenskAkad. Handl., (N.F.) 3, no. 6, 58.—Hem.
 Thyarsira (err. pro *Thyasira* Lamarck 1818) Pallary 1912, Mém. Inst. Egypt., 7 (3),
 173.—Moll.
 Thyas Huebner [1824], Samml. Exot. Schmett., 2, pl. [203].—Lep.
 Thyas Koch 1837, in Panzer, Dtschl. Crust. Ins., Heft 5, tab. 18.—Arachn.
 Thyas Gray 1857, Fig. Moll. Anim., 5, 24.—Moll.
 Thyaseira (pro *-sira* Lamarck 1818) Gray 1851, List Brit. Anim. Brit. Mus., 7, 100.—
 Moll.
 Thyasella Viets 1926, Zool. Anz., 66, 147.—Arachn.
 Thyasides Lundblad 1926, Ent. Tidskr., 47, 208.—Arachn.
 Thyasira (Leach MS.) Lamarck 1818, An. s. vert., 5, 492 [*in syn.*]; Gray 1847, Proc.
 zool. Soc. London, 15, 195.—Moll.
 Thyasocnemis (err. pro *Thysano*-Leconte 1876) Hustache 1930, Faune colon. franç.,
 4, 3.—Col.
 Thyasophila Fairmaire & Laboulbène 1856, Faune Ent. franç., Col., 1, 461.—Col.
 Thyassira (err. pro *Thyasira* Lamarck 1818) Blainville 1829, Dict. Sci. Nat., 54,
 333.—Moll.
 Thyastes (emend. pro *Apogonia* Kirby 1819) Gistel 1848, Nat. Thierr., viii.—Col.
 Thyathira (pro *-tira* Ochseneheimer 1816) Bruand 1845, Mém. Soc. Emul. Doubs,
 Vol. 2 (Tom. 2, pts. 1 & 2), 89.—Lep.
 Thyatira Ochseneheimer 1816, Schmett. Europa, 4, 77.—Lep.
 Thyatira (pro *-sira* Lamarck 1818) Jeffreys 1839, Malac. conch. Mag., Fasc. 2, 42.—
 Moll.
 Thyatirina Hampson 1910, Cat. Lep. Phalaenae Brit. Mus., 10, 650.—Lep.
 Thyatirodes Hampson 1909, Cat. Lep. Phalaenae Brit. Mus., 8, 282.—Lep.
 Thyatyra (pro *-tira* Ochseneheimer 1816) Boisduval 1829, Europ. Léop. Ind. méth.,
 79.—Lep.
 Thyca Adams 1854, Gen. Rec. Moll., 1, 372.—Moll.
 Thyca Wallengren 1858, Ofvers. VetenskAkad. Förh. Stockholm, 15, 76.—Lep.
 Thyce Leconte 1856, J. Acad. nat. Sci. Philad., (2) 3, 232.—Col.
 Thychodroma (pro *Tich*- Illiger 1811) David 1867, N. Arch. Mus. Paris, 3, Bull.,
 36.—Aves.
 Thydemorphus Pic 1918, Mélanges exot.-ent., No. 27, 19.—Col.
 Thydermus Lewis 1894, Ann. Mag. nat. Hist., (6) 13, 475.—Col.
 Thyelia Koch 1845, N. Jahrb. f. Min., 1845, 872 [*n.n.*]; Berendt 1845, Die im Bern-
 stein befindl. org. Reste, 1 (1), 56 [*n.n.*]; Menge 1854, in Berendt, Bernstein
 Reste, 1 (2), 20.—Arachn.
 Thyelia (pro *Thyella* Wallengren 1858) Walker 1865, List Specimens Lep. Ins. Brit.
 Mus., 32, 526.—Lep.
 Thyella Wallengren 1858, Ofvers. VetenskAkad. Förh. Stockholm, 15, 141; Felder
 1874, Reise Novara, Zool. 2, Abt. 2, Lep. Het., Explan. Pls. lxxv-cvii,
 9.—Lep. (Cf. *Angelica* Distant 1903.)
 Thyella Robineau-Desvoidy 1863, Hist. nat. Dipt., 1, 183.—Dipt.
 Thyella Adams 1866, Proc. zool. Soc. London, 1865, 754.—Moll.
 Thyellas Gloger 1827, Notizen (Froriep), 16, 279.—Aves.
 Thyellina Muenster (1838), in Agassiz, Poiss. Foss., Feuilleton, 115; (1843), 3, 378.—
 Pisces.
 Thyello Gloger 1842, Gemeinnütz. Naturges., 2, 464.—Aves.
 Thyellodroma Stejneger 1888, Proc. U.S. nat. Mus., 11, 93 (note).—Aves.
 Thyellus (pro *-llas* Gloger 1827) Reichenbach [1852], Av. Syst., iv.—Aves.
 Thyene (*n.n.* pro *Thya* Simon 1876) Simon 1885, Bull. Soc. zool. France, 10, 34;
 1885, Expl. Tunisie, Zool., Arachn., 1.—Arachn.
 Thyenillus Simon 1910, Ann. Mus. Stor. nat. Genova, (3) 4, 430.—Arachn.
 Thyenula Simon 1902, Ann. Soc. ent. Belgique, 46, 41.—Arachn.
 Thyestarcha Meyrick 1912, Ann. S. Afric. Mus., 10, 64.—Lep.
 Thyestes Eichwald 1859, Lethaea Ross., 1, 108.—Pisces.
 Thyestes Thomson 1864, Syst. Cerambycid., 117.—Col. (See *Thyestilla* Aurivillius
 1923.)
 Thyestetha Pascoe 1865, J. Ent. Lond., 2, 426.—Col.
 Thyestilla (*n.n.* pro *Thyestes* Thomson 1864) Aurivillius 1923, Col. Cat., 74, 491.—
 Col.

- Thygater* Holmberg 1884, Acta Acad. Córdoba, 5, fasc. 2, 133; 1903, An. Mus. nac. Buenos Aires, (3) 2, 385.—Hym.
- Thygatina* Cockerell 1911, Trans. Amer. ent. Soc., 37, 237.—Hym.
- Thygotyphus* (err. pro *Thig-* Pomel 1883) Lambert & Thiéry 1925, Ess. nom. rais. Echin., 9, 603.—Echin.
- Thygorina* (err. pro *Thyrg-* Walker 1864) Dyar 1897, Canad. Ent., 29, 215.—Lep.
- Thylacella* Enderlein 1911, Palaeontogr., 58, 349.—Psocopt.
- Thylacigyna* Rambur 1866, Cat. syst. Lepidopt. Andalousie, 1 (2), 283 (note).—Lep.
- Thylacinus* Temminck 1824, Mon. Mamm., 1 (3), 60 (as *Thylacynus*, 1827, 1 (7), pp. xxiii, 23, 267).—Mamm.
- Thylaciphorus* Quatrefages [1866], in Quatrefages (Vaillant), Hist. nat. Annel., 2, 1865, 55.—Verm. (Polych.).
- Thylacis* Illiger 1811, Prod., 76.—Mamm.
- Thylacites* Germar 1817, Mag. Entom. (Germar), 2, 341.—Col.
- Thylacium* Carus 1850, Proc. Ashmol. Soc., 2 (27), 267.—Tunicata.
- Thylacocrinus* Oehlert 1879, Bull. Soc. géol. France, (3) 7, 6.—Echin.
- Thylacoderes* Solier 1844, Mem. R. Accad. Sci. Torino, [2] 6, 215, 256.—Col.
- Thylacodes* (emend. pro *Tulaxodus* Guettard 1770) Agassiz 1846, Nomencl. zool., Index, 370, 381.—Moll.
- Thylacodes* Trouessart 1905, Cat. Mamm., n. ed., Suppl., 846 [n.n.].—Mamm.
- Thylacodictis* Mercerat 1891, Rev. Mus. La Plata, 2, 54.—Mamm.
- Thylacodon* Matthew & Granger 1921, Amer. Mus. Novit., No. 13, 2.—Mamm.
- Thylacodus* Moersch 1862, Proc. zool. Soc. London, 1861, 336.—Moll.
- Thylacodus* (emend. pro *Tulaxodus* Guettard 1770) Marschall 1873, Nomen. zool., 142.—Moll.
- Thylacogale* (emend. pro *Thylogale* Gray 1837) Agassiz 1846, Nomen. Zool. Index Univ.—Mamm.
- Thylacognathus* Kertész 1916, Ann. Mus. nat. Hungar., 14, 157.—Dipt.
- Thylacogyna* (pro *-cigyna* Rambur 1866) Swinhoe 1903, Trans. ent. Soc. London, 1903, 458.—Lep.
- Thylacoides* Gravier 1912, C.R. Acad. Sci. Paris, 154, 831.—Crust. (nec *Thylacodus* Marschall 1873 see *Eurysileniopsis* Gravier 1913).
- Thylacoleo* Owen 1852, in Gervais, Zool. Paléont. Franç., 1, 192.—Mamm.
- Thylacoleon* (pro *-leo* Owen 1852) Winge 1893, E Mus. Lund., 2, no. 2, 127.—Mamm.
- Thylacomorpha* Enderlein 1912, Zool. Anz., 39, 303.—Psocopt.
- Thylacomorphus* Gervais 1876, Zool. Pal. Gén., (2) Livr. 3, 52 (note).—Mamm.
- Thylacomys* Owen 1838, Athenaeum, 747 [n.n.]; Blyth 1840, in Cuvier, Anim. Kingd., 104.—Mamm. (Peramelid.).
- Thylacomys* Waite 1898, Proc. roy. Soc. Victoria, (2) 10, 117.—Mamm. (Murid.). (See *Ascopharynx* Waite 1900.)
- Thylaconema* Chandler 1929, Proc. U.S. nat. Mus., 75 (6), 8.—Verm. (Nema.).
- Thylacopardus* Owen 1888, Proc. roy. Soc. London, 45, 99.—Mamm.
- Thylacophora* Ragonot 1891, Ann. Soc. ent. France, (6) 10, 1890, 465, 490.—Lep.
- Thylacophorus* (pro *-ciphorus* Quatrefages 1865) Malaquin 1893, Mém. Soc. Sci. Lille, (4) 18, 69.—Verm. (Polych.).
- Thylacoplethys* Coutière 1902, C.R. Acad. Sci. Paris, 134, 914.—Crust.
- Thylacopleura* Meyrick 1886, Trans. ent. Soc. London, 1886, 284.—Lep.
- Thylacopsis* Enderlein 1911, Palaeontographica, 58, 348.—Psocopt.
- Thylacoptera* Hampson 1898, Cat. Lep. Phalaenae Brit. Mus., 1, 52.—Lep.
- Thylacoptila* Meyrick 1885, Ent. mon. Mag., 22, 105.—Lep.
- Thylacorhynchus* Beauchamp 1927, Bull. Soc. zool. France, 52, 389.—Verm. (Turb.).
- Thylacosceles* Meyrick 1889, Trans. N. Zealand Inst., 21, 171.—Lep.
- Thylacosmilus* Riggs 1933, Field Mus. Publ. Chicago, Geol., 6, 61.—Mamm.
- Thylacosoma* Brauer 1882, Denkschr. Akad. Wiss. Wien, 44, 77.—Dipt.
- Thylacosternus* Bonvouloir [1875], Ann. Soc. ent. France, (4) 10, Suppl., 855.—Col. (Eucnemid.).
- Thylacosternus* Fairmaire 1881, Ann. Soc. ent. France, (6) 1, 306.—Col. (Curculionid.).
- Thylacotherium* Valenciennes 1838, C.R. Acad. Sci. (Paris), 7, 580.—Mamm. (Amphitheriid.).
- Thylacotherium* Lund 1839, Ann. Sci. nat. Paris [2] (Zool.), 11, 233 [n.n.]; 1839, Echo, 5, no. 430, 245.—Mamm. (Didelphyid.). (See *Dasyurotherium* Liais 1872 & *Gambatherium* Liais 1872.)
- Thylactus* Pascoe 1866, Proc. zool. Soc. London, 1866, 242.—Col.
- Thylacurus* Lichtenstein 1819, in Zimmermann, Taschenb. Reisen, 154.—Crust.
- Thylacus* Conrad 1860, J. Acad. nat. Sci. Philad., (2) 4, 290.—Moll.
- Thylacynus* see *Thylacinus*.
- Thylaeodus* Moersch 1860, J. Conchyliol., 8, 48.—Moll.
- Thylakidium* Schewiakoff 1892, Verh. Ver. Heidelb., (N.S.) 4, 559.—Prot.
- Thylakion* Barnard 1934, Trans. roy. Soc. S. Afr., 21, 384.—Trichopt.
- Thylakiophilus* Verhoeff 1934, Zool. Jahrb., Syst., 66, 28.—Myr.

- Thylakomonas* Schewiakoff 1892, Verh. Ver. Heidelb., (N.S.) 4, 550.—Prot.
Thylamys Gray 1843, List Mamm. Coll. Brit. Mus., 101.—Mamm.
Thylax Oken 1816, Lehrb. Nat., 3 (2), 1128.—Mamm.
Thylax Hagen 1866, Ent. mon. Mag., 2, 172.—Psocopt.
Thylechinus Pomel 1883, Classif. méth. Echin., 91.—Echin.
Thyliphaps Murphy 1924, Amer. Mus. Novit., No. 115, 7.—Aves.
Thyllis Erichson 1840, Entomographien, 149.—Dipt.
Thylochromus Barber 1928, Bull. Brooklyn ent. Soc., 23, 264.—Hem.
Thylotrias Motschoulsky 1839, Bull. Soc. imp. Nat. Moscou, 1839 (1), 75.—Col.
Thylogale Gray 1837, Mag. nat. Hist., (N.S.) 1, 583.—Mamm.
Thylogaster Stiles & Goldberger 1910, Bull. Hyg. Lab. Washington, 60, 51.—Verm. (Trem.).
Thylosalenia Pomel 1883, Classif. méth. Echin., 102.—Echin.
Thylostoma (err. pro *Tyl*- Sharpe 1849) Acquaotta 1929, Boll. R. Uffic. Geol. Ital., 54, 3.—Moll.
Thymale Oken 1815, Lehrb. Naturg., 3 (1), 758.—Lep.
Thymalloides Berg 1908, Annu. Mus. zool. Acad. Sci. St. Pétersbourg, 12, 503.—Pisces.
Thymallus Cuvier 1829, R. Anim., ed. 2, 2, 306.—Pisces. (See *Choregon* Minding 1832.)
Thymalus Latreille (1802), Hist. Crust. Ins., 3, 133; 1829, in Cuvier, R. Anim., ed. 2, 4, 504.—Col.
Thymapion Deville 1924, Faune Col. Bassin Seine, 6 (bis), Suppl. Rhynch., 135.—Col.
Thymara Doubleday 1843, The Zoologist, 1 (7), 197.—Lep.
Thymarimorpha Viereck 1913, Proc. U.S. nat. Mus., 46, 384.—Hym.
Thymaris Foerster 1868, Verh. naturh. Ver. Rheinlande, 25, 151.—Hym.
Thymarus (pro *-ris* Foerster 1868) Thomson 1883, Opusc. ent., fasc. 9, 908.—Hym.
Thymaspis Sulč 1934, Acta Soc. Sci. nat. morav., 9, no. 3, 2, 18.—Hem.
Thymbra Melichar 1915, Verh. Ver. Brünn, 53, 102.—Hem.
Thymbreus Stål 1859, Ofvers. VetenskAkad. Förh. Stockholm, 16, 185.—Hem.
Thymbris Kirkaldy 1907, Bull. Hawaii. Sugar Planters' Ass., Div. Ent., No. 3, 49.—Hem.
Thymbritis Meyrick 1925, Gen. Insect., 184, 230.—Lep.
Thymebatis Brèthes 1909, An. Mus. nac. Buenos Aires, 19, 52.—Hym.
Thymedes Waterhouse 1905, Ann. Mag. nat. Hist., (7) 15, 584.—Col.
Thymele Fabricius 1807, Mag. f. Insektenk. (Illiger), 6, 287.—Lep.
Thymele (emend. pro *-male* Oken 1815) Agassiz 1846, Nomen. Zool. Index Univ.—Lep.
Thymelicus Huebner [1819], Verz. bekannt. Schmett., (8) 113.—Lep.
Thymetus Stål 1867, Ofvers. VetenskAkad. Förh. Stockholm, 24, 541.—Hem.
Thymiatrix Meyrick 1907, J. Bombay nat. Hist. Soc., 17, 738.—Lep.
Thymiosicya Pearson 1914, Spolia zeylan., 9, 171.—Echin.
Thymipa Moore 1893, Lep. Ind., 2, 58.—Lep.
Thymistada Walker 1865, List Specimens Lep. Ins. Brit. Mus., 32, 515.—Lep.
Thymistadopsis Warren 1922, in Seitz, Gross-Schmett. Erde, 10, 461.—Lep.
Thymochares Rehn 1929, Proc. Acad. nat. Sci. Philad., 81, 477.—Orth.
Thymodesmus Cook 1897, Brandtia, 4, 15.—Myr.
Thymoites Keyserling 1884, Die Spinnen Amerikas, Theridiidae, 2 (1), 161.—Arachn.
Thymosia Topsent 1895, Arch. Zool. exp. gén. Paris, (3) 3, 574.—Spong.
Thymosopha Meyrick 1914, Ann. S. Afric. Mus., 10, 244.—Lep.
Thymus Girault 1916, Canad. Ent., 48, 113.—Hym.
Thynnascaris Dollfus 1933, Bull. Soc. zool. France, 58, 7.—Verm. (Nema.).
Thynnichthys Bleeker 1860, Acta Soc. Sci. Ind.-Ned., 7, 406; 1860, Natuurk. Tijdschr. Ned. Ind., 20, 433.—Pisces.
Thynnichthys Giglioli [non Bleeker 1860] 1880, Elenco Mam., 25.—Pisces.
Thynnicola Miculicich 1904, Zool. Anz., 28, 48.—Crust.
Thynnidea Ashmead 1903, Canad. Ent. 35, 98.—Hym.
Thynnoides Guérin-Ménéville (1838), in Duperry, Voy. "Coquille," Zool., 2 (2) 1, 232.—Hym.
Thynnoturneria (n.n. pro *Turnerella* Rohwer 1910) Rohwer 1910, Ent. News, 21, 474.—Hym.
Thynnus Fabricius 1775, Syst. Ent., 360.—Hym.
Thynnus Cuvier 1817, R. Anim., 2, 313.—Pisces. (See *Albacora* Jordan 1888.)
Thynnus Guenther [non Cuvier 1817] 1854, in Gronovius, Cat. Fish., 121.—Pisces.
Thyonaea Dyar 1910, Zoologica, New York, 1, 127.—Lep.
Thyone Oken 1815, Lehrb. Nat., 3 (1), 351.—Echin.
Thyone Philippi 1840, Arch. Naturgesch., 6 (1), 190.—Crust. (See *Porcellidium* Claus 1860.)
Thyone Walker 1854, List Specimens Lep. Ins. Brit. Mus., 2, 552.—Lep. (Lithosiid.).
Thyone Meyrick 1883, N. Zealand J. Sci., 1, 527.—Lep. (Geometrid.). (See *Asaphodes* Meyrick 1886.)
Thyonella Verrill 1872, Amer. J. Sci., (3) 3, 437.—Echin.

- Thyonepsolus Clark 1901, Zool. Anz., 24, 169.—Echin.
 Thyonidium Duben & Koren 1844, Zool. Bidr., 303; 1845, Ofvers. VetenskAkad. Förh. Stockholm, 2 (3), 76.—Echin.
 Thyopsis Piersig 1899, Zoologica, Stuttgart, 22 (6), 409.—Arachn.
 Thyopterus Gray 1825, Zool. J., 2, 243 [n.n.].—Mamm.
 Thyphis (err. pro *Ty*- Montfort 1810) Moersch 1852, Cat. Yoldi, 1, 96.—Moll.
 Thyphlogeophis (pro *Ty*- Guenther 1879) Carus 1879, Zool. Anz., 2, 396.—Rept.
 Thyphlops (pro *Ty*- Oppel 1811) Gistel 1846, Nat. Thierr., xi, 100, 201.—Rept.
 Thyphproetus (err. pro *Typhlo*- Richter 1913) Vogdes 1925, Trans. San Diego Soc. nat. Hist., 4, 114.—Trilobita.
 Thyra Dejean 1835, Catal. Coléopt., ed. 2, 410 [n.n.]; Lefèvre 1875, Rev. Mag. Zool., (3) 3, 67.—Col.
 Thyrahis Sars 1903, Crust. Norway, 4, 67.—Crust.
 Thyracella Voigt 1930, Leopoldina, Halle, 6, 465.—Bry.
 Thyraella Holmgren 1889, Ichneumon. Svec., 402.—Hym.
 Thyralia (err. pro *Thyraylia* Walsingham 1897) Fletcher 1929, Mem. Dep. Agric. India, Ent. Ser., 11, 171, 222.—Lep.
 Thyrammina (pro *Thura*- Brady 1879) Rhumbler 1903, Arch. Protistenk., 3, 236.—Prot.
 Thyranopus Van der Hoeven 1850, Handb. Zool., 1, 637.—Crust.
 Thyranota see *Thysanota*.
 Thyranthrene Hampson 1919, Novit. zool., 26, 97.—Lep.
 Thyrarcia Hampson 1901, Cat. Lep. Phalaenae Brit. Mus., 3, 9.—Lep.
 Thyrasia Jacoby 1884, Ann. Mus. Stor. nat. Genova, 20, 228.—Col.
 Thyrassia Butler 1876, J. Linn. Soc. London, Zool., 12, 355.—Lep.
 Thyraster Ives 1890, Proc. Acad. nat. Sci. Philad., 1890, 318, 329.—Echin.
 Thyraylia Walsingham 1897, Proc. zool. Soc. London, 1897, 138.—Lep.
 Thyreaspis Hope 1840, Coleopt. Manual, 3, 158, 159.—Col.
 Thyregis Blackburn 1904, Proc. roy. Soc. Victoria, 17, 145.—Col.
 Thyreion Smith 1891, Trans. Amer. ent. Soc., 18, 121.—Lep.
 Thyreobaeus Simon 1889, Ann. Soc. ent. France, (6) 8, 1888, 228.—Arachn.
 Thyreocephalus Guérin-Ménéville 1844, Rev. Zool. (Soc. Cuv.), 7, 10.—Col.
 Thyrocera Ashmead 1887, Trans. Amer. ent. Soc., 14, 154.—Hym.
 Thyrocerus Costa 1871, Annu. Mus. zool. Univ. Napoli, 6, 1866, 65.—Hym.
 Thyrocnemis (pro *-mus* Costa 1871) Dalla Torre 1897, Cat. Hym., 8, 579.—Hym.
 Thyrocnemus Costa 1871, Annu. Mus. zool. Univ. Napoli, 6, 1866, 64.—Hym.
 Thyrocoris Schrank 1801, F. Boica, 2 (1), 46.—Hem.
 Thyreodon Brullé 1846, in Lepeletier, (Roret's Suite à Buffon) Hyménopt., 4, 150.—Hym.
 Thyreodonta (pro *-tha* Rondani 1864) Bezzi 1903, in Becker-Kertész, Kat. paläarkt. Dipt., 2, 16.—Dipt.
 Thyreodontha Rondani 1864, Arch. Zool. Anat. Fisiol., 3, fasc. 1, 77.—Dipt.
 Thyreogonia Reitter 1899, Verh. Ver. Brünn, 37, 46.—Col.
 Thyreolabus Jekel 1860, Ins. Saundersiana, Col. Curc., 2, 195.—Col.
 Thyreomorpha Dejean 1835, Catal. Coléopt., ed. 2, 367 [n.n.].—Col.
 Thyreonotus Audinet-Serville [1838], (Roret's Suite à Buffon) Orthopt., 1839, 495.—Orth.
 Thyreophora Meigen 1803, Mag. f. Insektenk. (Illiger), 2, 276; Latreille 1804, Nouv. Dict. H.N., 24 (Tab.), 197.—Dipt.
 Thyreophorella Hendel 1910, Wien. ent. Ztg., 29, 113.—Dipt.
 Thyreopsis Adams 1868, Proc. zool. Soc. London, 1868, 14.—Moll.
 Thyrooptera (emend. pro *Thyro*- Spix 1824) Cantraine 1845, Bull. Acad. roy. Bruxelles, 12 (1), 489.—Mamm.
 Thyroopterinus Alluaud 1932, Afra. No. 5, 13.—Col.
 Thyroopterus Dejean 1831, Spec. gén. Coléopt., 5, 445.—Col.
 Thyroopus Lepeletier & Brullé 1835, Ann. Soc. ent. France, 3, 751.—Hym.
 Thyreorhina Peters 1871, MonatsBer. Akad. Wiss. Berlin, 1871, 327.—Mamm.
 Thyreosoma Dejean 1833, Catal. Coléopt., ed. 2, 119 [n.n.]; Chevrolat (1864), Ann. Soc. ent. France, (4) 3, 1863, 602.—Col.
 Thyreosphex Ashmead 1904, Canad. Ent., 36, 282.—Hym.
 Thyreosthenius Simon 1884, Arachn. France, 5 (3), 744.—Arachn.
 Thyreothemma Holmberg 1904, An. Mus. nac. Buenos Aires, (3) 2, 391.—Hym.
 Thyreotremata Holmberg 1887, Bol. Acad. Córdoba, 10, fasc. 2, 225 [n.n.].—Hym.
 Thyreotus Thorell 1889, Ann. Mus. Stor. nat. Genova, 27, 676.—Arachn.
 Thyroxenus Mann 1923, Zoologica, N. York, 3, 329.—Col.
 Thyrestra Hampson 1905, Cat. Lep. Phalaenae Brit. Mus., 5, 6.—Lep.
 Thyretarcia Strand 1912, Arch. Naturgesch., 78, A6, 189.—Lep.
 Thyretes Boisduval 1847, in Delegorgue, Voy. Afrique Austr., 2, 597; Herrich-Schaeffer [1856], Samml. aussereurop. Schmett., Heteroc., 23; Walker 1856, List Specimens Lep. Ins. Brit. Mus., 8, 74.—Lep.
 Thyreus Panzer 1806, Krit. Revis., 2, 263.—Hym. (Apid.).

- Thyreus Swainson 1821, Zool. Illust., (1) 1 (10), pl. 60.—Lep. (See *Maredu* Kirby 1880.)
 Thyreus Lepeletier & Brullé 1835, Ann. Soc. ent. France, 3, 761.—Hym. (Sphegid.). (See *Clypeocrabro* Richards 1935.)
 Thyreus Philippi 1844, Enum. Moll. Siciliae, 2, 92.—Moll.
 Thyreuscelus Jekel 1860, Ins. Saundersiana, Col. Curc., fasc. 2, 214.—Col.
 Thyrgis Walker 1854, List Specimens Lep. Ins. Brit. Mus., 2, 316.—Lep.
 Thyrgorina Walker 1864, List Specimens Lep. Ins. Brit. Mus., 31, 317.—Lep.
 Thyria Guenée 1852, Hist. nat. Ins., Spec. gén. Lép., 6, 357.—Lep.
 Thyridanthrax Osten-Sacken 1886, Biol. Centr. Amer., Zool., Dipt., 1, 123.—Dipt.
 Thyridates Navás 1908, Mem. Acad. Barcelona, (3) 6, 412.—Mecopt.
 Thyridectis Meyrick 1887, Proc. Linn. Soc. N.S. Wales, (2) 1, 1886, 1045.—Lep.
 Thyridia Huebner 1816, Verz. bekannt. Schmett., (1) 9.—Lep.
 Thyridiphora Warren 1888, Proc. zool. Soc. London, 1888, 310.—Lep.
 Thyridium Dejean 1833, Catal. Coléopt., ed. 2, 154 [n.n.]; Burmeister 1844, Handb. Ent., 4 (1), 367.—Col.
 Thyridomyia Saunders 1925, Parasitology, 17, 268.—Dipt.
 Thyridophila Stephens 1829, Nom. Brit. Ins., 54 [n.n.].—Dipt.
 Thyridophora (err. pro *-diphora* Warren 1888) Turner 1927, Trans. roy. Soc. S. Australia, 50, 1926, 130.—Lep.
 Thyridopteryx Stephens 1835, Ill. Brit. Ent. (Haust. 4), 387.—Lep.
 Thyridopyralis Dyar 1901, J. N. York ent. Soc., 9, 23.—Lep.
 Thyridosmylus Krueger 1913, Stettin. ent. Ztg., 74, 87.—Neur.
 Thyridospila Guenée 1852, Hist. nat. Ins., Spec. gén. Lép., 7, 331.—Lep.
 Thyridota Uvarov 1925, Ann. Natal Mus., 5, 160.—Orth.
 Thyridula Becker 1911, Ann. Mus. hungar., 9, 94.—Dipt.
 Thyrillus Uhler 1894, Proc. Calif. Acad. Sci., 4, 267.—Hem.
 Thyrimyza Zetterstedt 1846, Dipt. Scand., (6) 2336.—Dipt.
 Thyrina Poujade 1886, Ann. Soc. ent. France, (6) 6, Bull., cxliii.—Lep.
 Thyrina Jordan & Culver 1895, in Jordan, Proc. Calif. Acad. Sci., (2) 5, 419.—Pisces.
 Thyrinops Hubbs 1918, Proc. Acad. nat. Sci. Philad., 69, 1917, 306.—Pisces.
 Thyrinteina Moeschler 1890, Abh. Senckenb. Ges., 16, 268.—Lep.
 Thyrinus (pro *Thynnus* Fabricius 1775) Rafinesque 1815, Anal. Nat., 124.—Hym.
 Thyriochlorota Ohaus 1915, Dtsch. ent. Z., 1915, 260.—Col.
 Thyrioclostera Draudt 1929, in Seitz, Gross-Schmett. Erde, 6, 706.—Lep.
 Thyriodes Guenée 1852, Hist. nat. Ins., Spec. gén. Lép., 7, 364.—Lep.
 Thyriptilon Bruner 1904, Biol. Centr. Amer., Orthopt., 2, 68.—Orth.
 Thyris Laspeyres 1803, Mag. f. Insektenk. (Illiger), 2, 39 (note); Ochsenheimer 1808, Schmett. Europa, 2, 115.—Lep.
 Thyris Goode 1881, Proc. U.S. nat. Mus., 3, 344.—Pisces.
 Thyriscus Gilbert & Burke 1912, Bull. U.S. Bur. Fish., 30, 36.—Pisces.
 Thyro Agassiz 1844, Nomencl. zool., Rept., 45 [n.n.].—Rept.
 Thyrocephalus Kirkaldy 1906, Bull. Hawaii. Exp. Sta., Div. Ent., No. 1, 429.—Hem.
 Thyrocopa Meyrick 1883, Ent. mon. Mag., 20, 32.—Lep.
 Thyrocyphus (pro *Thyroscy-* Allmann 1876) Congdon 1907, Proc. Amer. Acad. Sci., 42, 482.—Coel.
 Thyroderus Sharp [1885], J. Linn. Soc. London, Zool., 19, 1886, 82.—Col.
 Thyrogonia Hampson 1898, Cat. Lep. Phalaenae Brit. Mus., 1, 139.—Lep.
 Thyrolambus Rathbun 1894, Proc. U.S. nat. Mus., 17, no. 986, 83.—Crust.
 Thyromolis Hampson 1901, Cat. Lep. Phalaenae Brit. Mus., 3, 68.—Lep.
 Thyromorpha Turner 1917, Trans. roy. Soc. S. Australia, 41, 108.—Lep.
 Thyronidium (err. pro *Thyo-* Duben & Koren 1844) Gray 1848, List Brit. Anim. Brit. Mus. (Centr.), 11.—Echin.
 Thyrophorella Greeff 1882, Zool. Anz., 5, 517.—Moll.
 Thyropoeus Pocock 1895, Ann. Mag. nat. Hist., (6) 16, 191.—Arachn.
 Thyroproctus Pocock 1894, J. Linn. Soc. London, 24, 485, 506.—Myr.
 Thyroptera Spix 1824, Sim. Vesp. Brasil., 61.—Mamm.
 Thyropterus (pro *-era* Spix 1824) Bonaparte 1831, Giorn. Arcad., 49, 14.—Mamm.
 Thyropus Dana 1852, Amer. J. Sci., (2) 14, 316.—Crust.
 Thyropygus Pocock 1894, in Weber, Ergeb. Reise Niederl. O.-Ind., 3 (2), 379.—Myr.
 Thyrorrhina Sclater & Salvin 1869, Proc. zool. Soc. London, 1868, 458.—Aves.
 Thyroscyphus Allman 1876, Mem. Mus. comp. Zool. Harvard, 5 (2), 10.—Coel.
 Thyrosternum Agassiz 1857, Contrib. nat. Hist. U. States, 1, 427.—Lep.
 Thyrosticta Hampson 1898, Cat. Lep. Phalaenae Brit. Mus., 1, 129.—Lep.
 Thyrostipa Hampson 1926, Descr. new Genn. Spp. Noctuidae, 574.—Lep.
 Thyrsia Dalman 1819, K. VetenskAkad. Handl. Stockholm, 1819 (1), 117.—Col.
 Thyrsidium Cope 1874, Syn. extr. Batr., 365; 1875, Geol. Surv. Ohio, 2, 365.—Rept.
 Thyrsion Jordan & Gilbert 1920, Stanford Univ. Publ., Univ. Ser. [Foss. Fish. Lompoc], 17, 45.—Pisces.
 Thyrsites Lesson 1831, Voy. "Coquille," Zool., 2 (1), 158.—Pisces.
 Thyrsitocephalus Rath 1859, Z. dtsch. geol. Ges., 11, 114.—Pisces.

- Thyrsitoides Fowler 1929, Ann. Natal Mus., 6, 255.—Pisces.
 Thyrsitops Gill 1862, Proc. Acad. nat. Sci. Philad., 1862, 125 (as *Thyrsitops* p. 126).—Pisces.
 Thyrsocera Burmeister 1838, Handb. Ent., 2 (2), 498.—Orth.
 Thyrsocles Jordan & Gilbert 1920, Stanford Univ. Publ. Univ. Ser. [Foss. Fish. Lompoc], 19, 45.—Pisces.
 Thyrsocnema Enderlein 1928, Arch. klass. phylog. Ent. Wien, 1, 42.—Dipt.
 Thyrsocyrtis Ehrenberg 1847, Ber. Verh. preuss. Akad. Wiss., 1847, Tab. p. 54.—Prot.
 Thyrsoidea Kaup 1856, Arch. Naturgesch., 22, Abt. 1, 60.—Pisces.
 Thyrsomnestis Meyrick 1929, Trans. ent. Soc. London, 76, 514.—Lep.
 Thyrsopala Meyrick 1883, Proc. Linn. Soc. N.S. Wales, 7, 420; 1884, 9, 721.—Lep.
 Thyrsopelma Enderlein 1934, Dtsch. ent. Z., 1933, 284.—Dipt.
 Thyrsophorus Burmeister 1839, Handb. Ent., 2 (2), 781.—Psocopt.
 Thyrsoporella Guembel 1871, Abh. bayer. Akad. Wiss., 11 (1), 255, 266.—Prot.
 Thyrsopocus Enderlein 1900, Zool. Jahrb., Syst., 14, 140.—Psocopt.
 Thyrsoscelis Meyrick 1889, Trans. ent. Soc. London, 1889, 473.—Lep.
 Thyrsostoma Meyrick 1907, J. Bombay nat. Hist. Soc., 17, 736.—Lep.
 Thyrsotarsa Meyrick 1921, Zool. Meded. Leiden, 6, 188.—Lep.
 Thyrsotetradiscus Enderlein 1928, Arch. klass. phylog. Ent. Wien, 1, 20.—Dipt.
 Thyrsus Bolivar 1887, Ann. Soc. ent. Belgique, 31, 194, 253.—Orth.
 Thyrsus Gray 1845, Cat. Lizards Coll. Brit. Mus., 124.—Rept.
 Thysa Kempelen 1867, Verh. zool.-bot. Ges. Wien, 17, 607.—Arachn.
 Thysaira (err. pro *Thyasira* Lamarck 1818) Tryon 1884, Struct. Syst. Conch., 3, 211.—Moll.
 Thysanactis Regan & Trewavas 1930, Danish "Dana" Exped. 1920-22, Ocean. Rep., 6, 57.—Pisces.
 Thysanapoda (pro *-nopoda* Latreille 1831) Bate [1878], J. Inst. Cornwall, 5, no. 19, 40.—Crust.
 Thysanarthria d'Orchymont 1926, Bull. Ann. Soc. ent. Belgique, 66, 242.—Col.
 Thysania Dalman 1825, K. Vetensk. Akad. Handl. Stockholm, 1824 (2), 407.—Lep.
 Thysanichthys Jordan & Starks 1904, Proc. U.S. nat. Mus., 27, 122.—Pisces.
 Thysaniezia Skrjabin 1926, Trud. Gos. Inst. Exp. Vet. Moscow, 3 (2), 64.—Verm. (Cest.).
 Thysanina Simon 1910, Denkschr. med. Ges. Jena, 16, 201.—Arachn.
 Thysanoblatta Kirby 1903, Ann. Mag. nat. Hist., (7) 12, 380.—Orth.
 Thysanobothrium Shipley & Hornell 1906, Rep. R. Soc. Pearl Fish., 5, 77.—Verm. (Cest.).
 Thysanocara Regan 1906, Ann. Mag. nat. Hist., (7) 17, 96.—Pisces.
 Thysanocephalum Linton 1889, Amer. J. Sci., (3) 37, 239.—Verm. (Cest.).
 Thysanoceras Hyatt 1867, Bull. Mus. comp. Zool. Harvard, 1, no. 5, 86.—Moll.
 Thysanocheilus Kner 1864, Anz. Akad. Wiss. Wien, 1, 185; 1865, Denkschr. Akad. Wiss. Wien, 24, 4.—Pisces.
 Thysanochilus Troschel 1857, in Philippi, Arch. Naturgesch., 23 (1), 268; Philippi [1861], An. Univ. Chile, 1857, 204.—Pisces.
 Thysanochilus Butler 1878, Ann. Mag. nat. Hist., (5) 1, 404.—Lep.
 Thysanocnemis Leconte 1876, Proc. Amer. phil. Soc., 15, 214.—Col.
 Thysanococcus Stickney 1934, Tech. Bull. U.S. Dep. Agric., No. 404, 116.—Hem.
 Thysanocraspeda Warren 1904, Novit. zool., 11, 9.—Lep.
 Thysanocrinus Hall 1852, Palaeont. New York, 2, 188.—Echin.
 Thysanocroce Withycombe 1923, Trans. ent. Soc. London, 1923, 271, 276, 284.—Neur.
 Thysanocтена Warren 1904, Novit. zool., 11, 535.—Lep.
 Thysanodactylus Gray 1845, Cat. Lizards Coll. Brit. Mus., 193.—Rept.
 Thysanodes Newman 1842, Entomologist, 1, 292.—Col.
 Thysanodes Rambur 1870, Ann. Soc. ent. France, (4) 10, Bull. xxxi; 1872, Ann. Soc. ent. France, (5) 1, 1871, 323.—Lep.
 Thysanodesma Butler 1889, Ill. Lep. Het. Brit. Mus., 7, 96.—Lep.
 Thysanodictya Hall & Clarke 1898, Mem. N. York Mus., 2, 125.—Spong.
 Thysanoes Leconte 1876, Proc. Amer. phil. Soc., 15, 369.—Col.
 Thysanoessa Brandt 1851, in Middendorff, Siber. Reise, 2 (1), 128.—Crust.
 Thysanognathus (n.n. pro *Prionognathus* Carter, Ingram & MacFie 1921) Ingram & MacFie 1922, Ann. trop. Med. Parasit., 16, 244.—Dipt.
 Thysanograptus Elles & Wood 1908, (Palaeont. Soc. Monogr.) Brit. Graptol., pt. 7, 320, 325.—Coel.
 Thysanogyna Crawford 1919, Philippine J. Sci., 15, 157.—Hem.
 Thysanoidma Hampson 1891, Ill. Lep. Het. Brit. Mus., 8, 142.—Lep.
 Thysanolytoceras Buckman 1905, Quart. J. geol. Soc., 61, 149.—Moll.
 Thysanomastix Perkins 1907, Bull. Hawaii. Sugar Planters' Ass., Div. Ent., No. 4, 55.—Hym.
 Thysanometra Clark 1907, Smithson. misc. Collect., 50, 346, 351.—Echin.

- Thysanomum* (pro *-nosoma* Dising 1835) Railliet 1896, *Recu. vétér.*, (8) 3, 159.—Verm. (Cest.).
Thysanomyia Brauer & Bergenstamm 1892, *Denkschr. Akad. Wiss. Wien*, 58, 340.—Dipt.
Thysanopeltis Hawle & Corda 1847, *Prod. Mon. böhm. Trilob.*, 118.—Trilobita.
Thysanopharynx Manter 1933, *Trans. Amer. micr. Soc.*, 52, 238.—Verm. (Trem.).
Thysanophora Strebler & Pfeffer 1880, *Beitr. Mexik. Land- u. Süsw. Conch.*, 4, 30.—Moll.
Thysanophrys Ogilby 1898, *Proc. Linn. Soc. N.S. Wales*, 23, 40.—Pisces.
Thysanophyllum Nicholson & Thomson 1876, *Proc. roy. Soc. Edinburgh*, 9, 150.—Coel.
Thysanoplaea (pro *-plea* Schmidt 1857) Panceri 1875, *Atti Soc. Ital. Sci. nat.*, 18, [238].—Verm. (Polych.).
Thysanoplana Plehn 1896 (May), *Jena. Z.*, 30, 162, 165; 1896, *Denkschr. Ges. Jena*, 8, 332, 334.—Verm. (Turb., Polyclad.).
Thysanoplana von Graff 1916, in Bronn, *Klass. Ordn. Tierreichs*, 4 (1C), ii, 3217.—Verm. (Turb., Triclad.).
Thysanoplea Schmidt 1857, *S.B. Akad. Wiss. Wien, Math.-naturw. Kl.*, 23, 361.—Verm. (Polych.).
Thysanopoda Latreille 1831, *Cours Ent.*, 386.—Crust.
Thysanopodus (pro *-da* Latreille 1831) Guérin-Ménéville 1844, *Iconographie, Crust.*, 19.—Crust.
Thysanopyrma Butler 1875, *Ann. Mag. nat. Hist.*, (4) 15, 400.—Lep.
Thysanopsetta Guenther 1880, *Rep. Voy. Challenger Exped.*, *Zool.*, 1 (6), 22.—Pisces.
Thysanopsis Townsend 1917, *Bull. Amer. Mus. nat. Hist.*, 37, 231.—Dipt.
Thysanoptyx Hampson 1894, *Fauna Brit. India, Moths*, 2, 74.—Lep.
Thysanopus Bergroth 1893, *Ann. Soc. ent. Belgique*, 37, 78.—Hem.
Thysanopyga Herrich-Schaeffer [1856], *Samml. aussereurop. Schmett., Heteroc.*, 29, 43, 64, fig. 536.—Lep.
Thysanopyge Kayser 1898, *Z. dtsh. geol. Ges.*, 50, 425.—Trilobita.
Thysanoscelis Walsingham 1887, *Trans. ent. Soc. London*, 1887, 145 (in err. as *Thysanoskelis* p. 140).—Lep.
Thysanosedes (err. pro *-scelis* Walsingham 1887) Druce 1901, *Ann. Mag. nat. Hist.*, (7) 7, 441.—Lep.
Thysanoskelis see *Thysanoscelis*.
Thysanosoma Dising 1835, *Med. Jahrb. öst. Staat, (N.F.)* 7, 105; 1850, *Syst. Helminth.*, 1, 501.—Verm. (Cest.).
Thysanosomum (pro *-ma* Dising 1835) Galli-Valerio 1897, *Moderno Zoiatro*, 8, 7, 8.—Verm. (Cest.).
Thysanostoma Agassiz 1862, *Contrib. Nat. Hist. Amer.*, 2, 153.—Coel.
Thysanosturmia Townsend 1927, *Rev. Mus. paulista*, 15 (1), 271.—Dipt.
Thysanota (Albers MS.) Martens 1860, *Die Helic.*, ed. 2, 63.—Moll.
Thysanota Stichel 1911, *Gen. Insect.*, 112 (B), 340 (in err. as *Thyranota* p. 22).—Lep.
Thysanotaenia Beddard 1911, *Proc. zool. Soc. London*, 1911, 994.—Verm. (Cest.).
Thysanote Krøyer 1864, *Naturh. Tidsskr.*, (3) 2, 362.—Crust.
Thysanotella Wilson 1915, *Proc. U.S. nat. Mus.*, 47, 651.—Crust.
Thysanoteuthis Troschel 1857, *Arch. Naturgesch.*, 23, Abt. 1, 69.—Moll.
Thysanothus (pro *-tus* Chaudoir 1848) Gemminger & Harold 1868, *Cat. Col.*, 1, 151.—Col.
Thysanotia (emend. pro *This-* Huebner 1825) Agassiz 1846, *Nomen. Zool. Index Univ.*—Lep.
Thysanotoceras Whitehouse 1927, *Mem. Queensland Mus.*, 9, 109.—Moll.
Thysanotos Mickwitz 1896, *Mém. Acad. Sci. St. Pétersbourg*, (8) 4, no. 2, 194.—Brach.
Thysanotricha Warren 1903, *Novit. zool.*, 10, 264.—Lep.
Thysanotus Chaudoir 1848, *Bull. Soc. imp. Nat. Moscou*, 21 (1), 123.—Col.
Thysanozoon Grube 1840, *Actin. Adriat.*, 54.—Verm. (Turb.).
Thysanozoum (emend. pro *-zoon* Grube 1840) Agassiz 1846, *Nomen. Zool. Index Univ.*—Verm. (Turb.).
Thysanuchus Bergroth 1918, *Ann. Mus. Hungar.*, 16, 311.—Hem.
Thysanus (pro *Thusamus* Walker 1829–30, *n.n.*) Walker 1839, *Ann. nat. Hist.*, 4, 234.—Hym. (Cf. *Triphasius* Foerster 1856.)
Thysanus Duncan 1863, *Quart. J. geol. Soc. London*, 19, 430.—Coel.
Thysbe Dejean 1835, *Catal. Coléopt.*, ed. 2, (5) 411 [*n.n.*]; Thomson 1858, *Arch. Ent.*, 2, 208.—Col.
Thysbina Weise 1902, *Arch. Naturgesch.*, 68, no. 1, 130.—Col.
Thysdarius (*n.n.* pro *Thysdrus* Fairmaire 1899) Fairmaire 1904, *Bull. Soc. ent. France*, 1904, 117.—Col.
Thysdrus Stål 1874, *Recensio Orth.*, 2, 102.—Orth.
Thysdrus Fairmaire 1899, *Bull. Soc. ent. France*, 1898, 344.—Col. (See *Thysdarius* Fairmaire 1904.)

- Thysia* Thomson 1860, Essai Class. Cerambycid., 96.—Col. (nec *Thysia* Dalman 1819 see *Thysites* Thomson 1868).
- Thysiarcha* Meyrick 1925, Exot. Microlep., 3, 146.—Lep.
- Thysiotus* (n.n. pro *Thysia* Thomson 1860) Thomson 1868, Physis, Paris, 2, pt. 3, 201.—Col.
- Thysiotorus* Foerster 1868, Verh. naturh. Ver. Rheinlande, 25, 181.—Hym.
- Thysonota* (err. pro *Thysan-* Martens 1860) Blanford 1863, Ann. Mag. nat. Hist., (3) 11, 86.—Moll.
- Thysonotis* Huebner [1819], Verz. bekannt. Schmett., (2) 20.—Lep.
- Thystadus* Amyot 1846, Ann. Soc. ent. France, (2) 4, 80.—Hem.
- Thyzanozoon* (pro *Thysa-* Grube 1840) Vaillant 1889, in Quatrefages, Hist. nat. Annel., 3, 629.—Verm. (Turb.).
- Tia Heinrich 1926, Bull. U.S. nat. Mus., no. 132, 108.—Lep.
- Tiacerithium* (err. pro *Tiarace-* Sacco 1895) Dollfus 1908, J. Conchyliol., 55, 385.—Moll.
- Tianella* Attems 1904, Zool. Jahrb., Syst., 20, 126.—Myr.
- Tianschanella* Brodskii 1930, Zool. Anz., 90, 137.—Dipt.
- Tiaporus* Cope 1892, Proc. Amer. phil. Soc., 20, 132.—Rept.
- Tiara Swainson 1831, Zool. Illust., (2) 2 (11), pl. 50.—Moll.
- Tiara Lesson 1837, Prod. Méduses, 14; 1843, (Roret's Suite à Buffon) Acalèphes, 286.—Coel.
- Tiara (pro *Thi-* Bolten 1798) Gray 1847, Proc. zool. Soc. London, 15, 142.—Moll.
- Tiarabothrium* Shipley & Hornell 1906, in Herdman, Rep. Ceylon Pearl Fish., 5, 67.—Verm. (Cest.).
- Tiaracerithium* Sacco 1895, Moll. Terr. terz. Piemonte Liguria, 17, 35.—Moll.
- Tiaraconcha* Frech 1891, Abh. geol. Special-karte preuss. Thüring. Staaten, 9 (3), 251.—Moll.
- Tiaracrinus* Schultze (1866), Denkschr. Akad. Wiss. Wien, 26 (2), 226.—Echin.
- Tiaradendron* Quenstedt 1857, Der Jura, 714; 1878, Petref. Dtsch., 6 (1), 739.—Coel.
- Tiaranna* Haeckel 1879, Denkschr. Ges. Jena, 1 (1), 56.—Coel.
- Tiaranna* Hartlaub 1914, Nordisches Plankton, 17, 265.—Coel.
- Tiarapirenella* Sacco 1895, Moll. Terr. terz. Piemonte Liguria, 17, 60.—Moll.
- Tiarasmilia* Wells 1932, J. Paleont., Sharon, 6 (3), 227.—Coel.
- Tiarechinus* Neumayr 1881, S. B. Akad. Wiss. Wien, 84 (1), 169.—Echin.
- Tiarella* Swainson 1840, Treat. Malacol., 130 (as *Thiarella* p. 319).—Moll.
- Tiarella* Schulze 1876, Z. wiss. Zool., 27, 403.—Coel.
- Tiarella* Pomel 1883, Classif. méth. Echin., 104.—Echin. (See *Trochotiara* Lambert 1901.)
- Tiarella* Cossmann 1889, Ann. Soc. Malac. Belg., 24, 50.—Moll. (See *Cyrbasia* Harris and Burrows 1891.)
- Tiarella* Trinci 1906, Monit. zool. Ital., 17, 208, 211.—Coel.
- Tiarella* Cheissin 1931, Arch. Protistenk., 73, 280.—Prot.
- Tiarellacerithium* Charpiat 1919, Bull. Mus. Hist. nat. Paris, 1919, no. 6, 534.—Moll.
- Tiarcirithium* (err. pro *Tiarac-* Sacco 1895) Douville 1928, Pal. Indica, Mem. geol. Surv. India, (N.S.) 10, mem. 3 (1), 7, 28.—Moll.
- Tiaricodon* Browne 1902, Ann. Mag. nat. Hist., (7) 9, 276.—Coel.
- Tiariconcha* (pro *Tiarac-* Frech 1891) Beushausen 1895, Abh. Preuss. geol. Landesanst., (N.S.) No. 17, 318.—Moll.
- Tiaridia* Pomel 1883, Classif. méth. Echin., 97.—Echin.
- Tiarina* Bergh 1881, Vidensk. Medd. naturh. Foren. Kjøbenhavn, (4) 1, 265.—Prot.
- Tiarinia* Dana 1851, Amer. J. Sci., (2) 11, 271.—Crust.
- Tiaris* Swainson 1827 (June), Phil. Mag., (N.S.) 1 (6), 438; 1827 (Dec.), Zool. Journ., 3 (11), 351.—Aves.
- Tiaris* Duméril & Bibron 1837, (Roret's Suite à Buffon) Erpét., 4, 419.—Rept. (See *Lophosaurus* Fitzinger 1843.)
- Tiaris* Quenstedt 1872, Petref. Dtschl., 3, 35, 258.—Echin.
- Tiarissa* Haeckel 1879, Denkschr. Ges. Jena, 1 (1), 58.—Coel.
- Tiarocera* Burmeister 1842, Handb. Ent., 3, 248.—Col.
- Tiarocoris* Snellen v. Vollenhoven 1863, Essai Faune ent. Arch. Indo-Nederl., 1, 51.—Hem.
- Tiarodes* Burmeister 1835, Handb. Ent., 2 (1), 237.—Hem.
- Tiarodurganda* Breddin 1903, S. B. Ges. naturf. Freunde Berlin, 1903, 112.—Hem.
- Tiaroga* Girard 1856, Proc. Acad. nat. Sci. Philad., 8, 204.—Pisces.
- Tiaroma* (pro *-omma* Pomel 1883) Pomel 1888, Bull. Soc. géol. France, (3) 16, 447.—Echin.
- Tiaromma* Pomel 1883, Classif. méth. Echin., 105.—Echin.
- Tiarophorus* Schreiner 1882, Dtsch. ent. Z., 26, 246.—Col.
- Tiarops* Romanes 1876, J. Linn. Soc. London, Zool., 12, 525.—Coel.
- Tiaropsidium* Torrey 1909, Univ. Calif. Publ. Zool., 6, 18.—Coel.
- Tiaropsis* Agassiz 1850, Mem. Amer. Acad., (N.S.) 4 (2), 289.—Coel.
- Tiaropsis* Brot 1870, Amer. J. Conch., 6, 298.—Moll.

- Tiarospyris* Haeckel 1881, Jena. Z., 15, 443.—Prot.
Tiarothrips Priesner 1935, Konowia, 14, 251.—Thysanopt.
Tiarotropus Pomel 1883, Classif. méth. Echin., 82.—Echin.
Tiarra Ragonot 1888, Nouv. Phycitidae, 46.—Lep.
Tiarula Hartlaub 1914, Nord. Plankton, No. 17 (Sect. 12), 253.—Coel.
Tiauspa Walker 1857, List Specimens Lep. Ins. Brit. Mus., 13, 995.—Lep.
Tibaribus Laporte 1868, Trans. Proc. roy. Soc. Victoria, 8, 202.—Col.
Tibecriola see *Tiberiola*.
Tibellinus Simon 1910, Denkschr. med. Ges. Jena, 16, 198.—Arachn.
Tibellomimus Gertsch 1933, Amer. Mus. Novit., No. 636, 7.—Arachn.
Tibellomma Simon 1903, Hist. nat. Araign., ed. 2, 2, 1030.—Arachn.
Tibellus Simon 1875, Arachnides de France, 2, 307.—Arachn.
Tiberia Monterosato 1875, Atti Acad. Sci. Lett. Arti Palermo, (N.S.) 5, 31.—Moll.
Tiberia Jeffreys 1884, Proc. zool. Soc. London, 1884, 363.—Moll. (See *Tiberiola* Cossmann 1900.)
Tiberianus Distant 1915, Ann. Mag. nat. Hist., (8) 16, 493.—Hem.
Tiberiella Coen 1933, R. Comit. Talassogr. Ital., Mem. No. 192, 164.—Moll.
Tiberioides Gravely 1913, J. Asiat. Soc. Bengal, (N.S.) 8, 1912, 405.—Col.
Tiberiola (n.n. pro *Tiberia* Jeffreys 1884) Cossmann 1900, Rev. crit. Paléozool., 4, 44 (as *Tibecriola* p. 201).—Moll.
Tiberius Kuwert 1891, Dtsch. ent. Z., 35, 164.—Col.
Tibesia Leach 1824, Zool. Journ., 1 (1), 41.—Col.
Tibestia de Peyerimhoff 1936 [sep. 1935], Mém. Acad. Sci. Inst. France, 62, 78.—Col.
Tibetites Mojsisovics 1893, Abh. geol. Reichsanst. Wien, 6 (2), 516.—Moll.
Tibetobia Frivaldszky 1892, Term. Füzetek, 15, 118.—Col.
Tibetocoris Hutchinson 1934, Mem. Connecticut Acad. Arts Sci., 10, 141.—Hem.
Tibia Bolten 1798, Mus. Bolten., 2, 123.—Moll.
Tibiana Lamarck 1816, An. s. vert., 2, 148.—Verm. (Polych.).
Tibicen Berthold 1827, in Latreille, Nat. Fam. Thierr., 424.—Hem.
Tibicina Amyot 1847, Ann. Soc. ent. France, (2) 5, 154; Kolenati 1857, Bull. Soc. imp. nat. Moscou, 30 (1), 414.—Hem.
Tibicinoides Distant 1914, Ann. Mag. nat. Hist., (8) 14, 166.—Hem.
Tibiella Carter 1881, Ann. Mag. nat. Hist., (5) 7, 369.—Spong.
Tibiella Meyer 1884, Proc. Acad. nat. Sci. Philad., 1884, 110.—Moll.
Tibilis Stål 1858, K. svenska VetenskAkad. Handl., 2, no. 7, 26.—Hem.
Tibinatus (err. pro *Tibitanus* Simon 1907) Petrunkevitch 1928, Trans. Connecticut Acad. Sci., 29, 164.—Arachn.
Tibiocillaria Bethune-Baker 1906, Novit. zool., 13, 231.—Lep.
Tibiominettia Hendel 1932, Konowia, 11, 103.—Dipt.
Tibiomus Chamberlin 1927, Bull. Amer. Mus. nat. Hist., 67 (4), 205.—Myr.
Tibionema Solier 1851, in Gay, Hist. Chile, 5, 30.—Col.
Tibioscarites Baenninger 1929, Ent. Blätter, 25, 85, 120.—Col.
Tibiris (err. pro *Turris* Bolten 1798) [Kobelt] 1911, NachrBl. dtsh. malak. Ges., 43, 107.—Moll.
Tibitanus Simon 1907, Ann. Mus. Stor. nat. Genova, 43, 323.—Arachn.
Tibraca Stål 1858, K. svenska VetenskAkad. Handl., 2, no. 7, 18.—Hem.
Tibracana Walker 1865, List Specimens Lep. Ins. Brit. Mus., 34, 1198.—Lep.
Tiburnus Gregorio 1893, Ann. Géol. Paléont., 7, 143.—Moll.
Ticera Swinhoe 1892, Cat. East. Austr. Lep. Het. Oxf. Univ. Mus., 269.—Lep.
Tichastraea Bronn 1859, Klass. Ordn. Thierreich., 2, 51.—Coel.
Tiche Marck 1863, Palaeontogr., 11, 69.—Crust.
Ticherra Nicéville 1887, Proc. zool. Soc. London, 1887, 457.—Lep.
Tichobia Kolbe 1882, Ent. Nachr., 8, 212.—Psocopt. (nec *Teichobia* Herrich-Schaeffer 1853 see *Albardia* Jakobson 1904).
Tichodantha Billberg 1820, Enum. Insect. in Mus. Blbg., 114.—Dipt.
Tichodon Ameghino 1894, Bol. Acad. Cordoba, 13, 1893, 299.—Mamm.
Tichodroma Illiger 1811, Prod. Mam. Av., 210.—Aves.
Tichodromas (pro *-ma* Illiger 1811) Olphe-Galliard 1888, Contrib. Faune Ornith. Europ. occ., 23, 31.—Aves.
Tichogonia Rossmassler 1835, Icones L. u. S. Moll. Europ., 1 (1), 112.—Moll.
Ticholeptus Cope 1878, Amer. Natural., 12, 129; 1878, Bull. U.S. geol. geogr. Surv. Terr., 4, 380.—Mamm.
Tichomyza (emend. pro *Tei*-Macquart 1835) Agassiz 1846, Nomen. Zool. Index Univ.—Dipt.
Tichonia Huebner [1825], Verz. bekannt. Schmett., (26) 412.—Lep.
Tichonia (n.n. pro *Caletor* Tschitscherin 1903) Semenov 1904, Rev. russe Ent., 4, 201.—Col.
Tichopora Quelch 1886, Rep. Voy. Challenger Exped., Zool., 16, 46, 188.—Coel.
Tichorhinus Brandt 1849, Mém. Acad. imp. St Pétersbourg, [6] 5, 393; 1877, [7] 24, 3.—Mamm.

- Tichorhinus Fieber 1858, Wien. ent. Monatschr., 2, 314.—Hem. (See *Litocoris* Fieber 1860.)
- Tichornis Kaup 1844, Classif. Säug., 108.—Aves.
- Tichoseris Quelch 1884, Ann. Mag. nat. Hist., (5) 13, 295.—Coel.
- Tichosteus Cope (1878), Proc. Amer. phil. Soc., 17, 1877, 195.—Rept.
- Tichotripis Huebner [1825], Verz. bekannt. Schmett., (27) 425.—Lep.
- Ticida Uhler 1891, Trans. Maryland Acad. Sci., 1, 143.—Hem.
- Ticilia Walker 1865, List Specimens Lep. Ins. Brit. Mus., 32, 394.—Lep.
- Tickellia Jerdon & Blyth 1861, Proc. zool. Soc. London, 29, 199.—Aves.
- Ticolia (err. pro *Tri-* Risso 1826) Moerch 1852, Cat. Yoldi, 1, 163.—Moll.
- Ticra Bolivar 1909, Bol. Soc. españ. Hist. nat., 9, 294.—Orth.
- Tidabius Chamberlin 1913, Bull. Mus. comp. Zool. Harvard, 57, 80.—Myr.
- Tidaeus (pro *Tideus* Ameghino 1890) Ameghino 1893, Rev. sci., 51, 15.—Mamm.
- Tidarren Chamberlin & Ivie 1934, Bull. Utah Univ., 24, 4.—Arachn.
- Tideus Ameghino 1890, Bol. Inst. geogr. Argent., 11, 157.—Mamm. (nec *Tydeus* Koch 1837 see *Mannodon* Ameghino 1893).
- Tidicula (err. pro *Tud-* Adams 1864) Kowalewski 1930, Bull. Serv. Géol. Pologne, 6 (1), 115.—Moll.
- Tidops Chamberlin 1915, Bull. Mus. comp. Zool. Harvard, 59, 495.—Myr.
- Tidopterus Chamberlin 1923, Zoologica, N. York, 3, 420.—Myr.
- Tiedemannia Leuckart 1830, Isis (Oken), 1830, 685.—Echin.
- Tiedemannia (Della Chiaje MS.) Van Beneden 1839, Bull. Acad. Roy. Bruxelles, 6 (2), 111.—Moll.
- Tiedemannia [? = Beneden 1839] Ehrenberg 1862, MonatsBer. preuss. Akad. Wiss. Berlin, 1861, 445.—Moll.
- Tifama Walker 1855, List Specimens Lep. Ins. Brit. Mus., 5, 1077.—Lep.
- Tifata Adams 1855, Gen. Rec. Moll., 2, 245.—Moll.
- Tifa Jordan 1922, Mem. Carnegie Mus., 10, 60.—Pisces.
- Tiga Kaup 1836, Das Thierreich, 2 (1), 37.—Aves.
- Tigamma Iredale 1930, Rec. Australian Mus., 17, 396.—Moll.
- Tiganogona Chamberlin 1928, Ent. News, 39, 154.—Myr.
- Tigasis Godman 1900, Biol. Centr. Amer., Zool., Lep. Rhopal., 2, 544.—Lep.
- Tigava Stål 1858, K. svenska VetenskAkad. Handl., 2, no. 7, 63.—Hem.
- Tigava Walker 1864, List Specimens Lep. Ins. Brit. Mus., 29, 807.—Lep.
- Tigellinus Simon 1884, Arachn. France, 5 (3), 838.—Arachn.
- Tigidia Simon 1892, Hist. nat. Araig., ed. 2, 1, 121; 1892, Ann. Soc. ent. France, 61, 274.—Arachn.
- Tigillites Rouault 1850, Bull. Soc. géol. France (sér. 2), 7, 740.—*Inc. sed.*
- Tignisphaera Popofsky 1906, Ergeb. Plankton-Exped. Humboldt-Stift., 3, Lief. 1ß, 23, 32, 104.—Prot.
- Tigobius Chamberlin 1917, Bull. Mus. comp. Zool. Harvard, 57, 198.—Myr.
- Tigoma Girard 1856, Proc. Acad. nat. Sci. Philad., 8, 205.—Pisces.
- Tigones Broun 1886, Man. N. Zealand Col., 855.—Col.
- Tigrahauda Oshanin [1908], Annu. Mus. zool. St. Petersburg, 12, 1907, 473.—Hem.
- Tigrana Walker 1865, List Specimens Lep. Ins. Brit. Mus., 34, 1209.—Lep.
- Tigrana Fairmaire 1894, Ann. Soc. ent. Belgique, 38, 156.—Col. (See *Fairmaireiella* Berg 1898.)
- Tigranesthes Fairmaire 1897, Ann. Soc. ent. Belgique, 41, 197.—Col.
- Tigriagrion Calvert 1909, Ann. Carnegie Mus., 6, 195.—Odon.
- Tigrias Rafinesque 1815, Analyse, 139 [*n.n.*].—Moll.
- Tigribaphe Reichenow 1912, Ornith. MonatsBer., 20, 61.—Aves.
- Tigridania Kaye 1918, Ann. Mag. nat. Hist., (9) 2, 225.—Lep.
- Tigridemyia Bigot 1882, Ann. Soc. ent. France, (6) 2, Bull., cxxi.—Dipt.
- Tigridia Huebner [1819], Verz. bekannt. Schmett., (3) 40.—Lep.
- Tigridiamyia (emend. pro *-demyia* Bigot 1882) Bigot 1883, Ann. Soc. ent. France, (6) 3, 228.—Dipt.
- Tigridoptera Herrich-Schaeffer [1856], Samml. aussereurop. Schmett., Heteroc., 19, 20, 69, fig. 533.—Lep.
- Tigrigobius Fowler 1931, Proc. Acad. nat. Sci. Philad., 83, 401.—Pisces.
- Tigrina Grevé 1894, Nova Acta Acad. Caes. Leop. Carol., 63, 48.—Mamm.
- Tigrinellus Capiomont 1868, Ann. Soc. ent. France, (4) 8, 116.—Col.
- Tigrioides Butler 1877, Trans. ent. Soc. London, 1877, 359.—Lep.
- Tigriopus Norman 1869, Rep. Brit. Ass. (Norwich, 1868), 38, 296.—Crust.
- Tigriornis Sharpe 1895, Bull. Brit. Orn. Cl., 5, xiv.—Aves.
- Tigriosa (pro *Tigrisoma* Swainson 1827) Sharpe 1895, Bull. Brit. Orn. Cl., 5, xii, xiv.—Aves.
- Tigris Oken 1816, Lehrb. Nat., 3 (2), 1066.—Mamm.
- Tigris Troschel 1861, Gebiss Schneck., 1, 204.—Moll.
- Tigrisoma Swainson 1827, Zool. Journ., 3 (11), 362.—Aves.
- Tigrisuchus Owen 1876, Cat. Foss. Rept. S. Africa, 17.—Rept.

- Tigrornis* (pro *Tigrio*-Sharpe 1895) Sharpe 1898, Cat. Birds Brit. Mus., 26, 191, 281.—Aves.
- Tigrosoma* (pro *Tigrisoma* Swainson 1827) Griffith [?1830], in Griffith-Cuvier, Anim. Kingdom, 8, 1829, 337.—Aves.
- Tigula* (pro *Tipula* L. 1758) Goeze 1776, Naturf., 9, 69.—Dipt.
- Tijuca* Lesson 1829, Bull. univ. Sci. Industr. Férussac, Sect. 2, 19, 324; 1830, Cent. Zool., (1-3) 30.—Aves.
- Tijuca* Mello-Leitão 1925, Bol. Mus. nac. Rio de Janeiro, 1, No. 6, 461.—Arachn.
- Tikia* Marwick 1927, Trans. N. Zealand Inst., 57, 595.—Moll.
- Tilapia* Smith 1840, Ill. Zool. S. Afr. (Pisc.), pl. v.—Pisces.
- Tilargus* Casey 1900, J. N. York ent. Soc., 8, 135.—Col.
- Tilaria* (err. pro *Fil*-Mueller 1787) Gmelin 1790, in Linnaeus, Syst. Nat., ed. 13, 1 (6), 3024.—Verm. (Nema.).
- Tilea* Fauvel 1878, Bull. Soc. linn. Normandie, (3) 2, 1877-78, 246.—Col.
- Tilenchus* (pro *Tylelenchus* Bastian 1865) Huber 1909 (*teste* Stiles & Hassall 1920, Bull. U.S. hyg. Lab., No. 114, 752).—Verm. (Nema.).
- Tileria* (err. pro *Tyl*-Adams 1854) Deshayes 1857, Descr. Anim. s. Vert. Bassin Paris, 1, 246.—Moll.
- Tilesia* Lamouroux 1821, Exp. Méth. Polyp., 42.—Bry.
- Tilesia* Swainson 1838, N. H. Fishes, etc., 1, 318.—Pisces. (See *Pleurogadus* Jordan 1887.)
- Tilesia* Robineau-Desvoidy 1863, Hist. nat. Dipt., 2, 364.—Dipt.
- Tilesina* Schmidt 1904, Pisc. mar. orient. imp. Ross., 134.—Pisces.
- Tilesiusia* (emend. pro *Tilesia* Lamouroux 1821) Bronn 1848, Index Palaeont., 2, 1264.—Bry.
- Tilgida* Cameron 1900, Mem. Manchester Soc., 44, 108.—Hym.
- Tilgidopsis* Cockerell 1921, Proc. U.S. nat. Mus., 59, 37.—Hym.
- Tiliacea* Tutt 1896, Ent. Rec., 8, 17.—Lep.
- Tiligua* (pro *Tiligua* Gray 1825) Cocteau 1837, in Duméril, C. R. Acad. Sci. Paris, 4, 16.—Rept.
- Tiligua* Gray 1825, Ann. Phil., 26, 201.—Rept.
- Tiliornis* Ameghino 1899, Sin. geol.-pal. Argent., Supl., 9.—Aves.
- Tilithemis* Sjoestedt 1917, Ark. Zool., 11, No. 14, 4.—Odon.
- Tilius* Chaudoir 1876, Bull. Soc. imp. Nat. Moscou, 51 (2), 71.—Col.
- Tillarga* [specific name, in err. pro *Tholymis tillarga*] Fraser & Dover 1922, Rec. Indian Mus., 24, 303.—Odon.
- Tillicera* Spinola 1841, Rev. Zool. (Soc. Cuv.), 4, 73.—Col.
- Tillina* Gruber 1879, Z. wiss. Zool., 33, 454.—Prot.
- Tillocera* (emend. pro *Tillicera* Spinola 1841) Agassiz 1846, Nomen. Zool. Index Univ.—Col.
- Tilloclerus* White 1849, Nomen. Coleopt. Coll. Brit. Mus., (4) 6.—Col.
- Tilloclytus* Bates 1885, Biol. Centr. Amer., Zool., Col., 5, 304.—Col.
- Tillodenops* Hintz 1905, Dtsch. ent. Z., 1905, 305.—Col.
- Tilloidea* Laporte 1833, Ann. Soc. ent. France, 1 (4), 398.—Col.
- Tillomorpha* Blanchard 1851, in Gay, Hist. Chile, 5, 482.—Col.
- Tillomys* Marsh 1872, Amer. J. Sci., (3) 4, 219.—Mamm.
- Tillophyllum* Wedekind 1922, S. B. Ges. Marburg, No. 4, 35 [n.n.].—Coel.
- Tillopsis* Berlioz 1917, Ann. Soc. ent. France, 86, 312.—Col.
- Tillotherium* Marsh 1873, Amer. J. Sci., (3) 5, 485.—Mamm.
- Tillua* Krumbeck 1913, Paläont., Stuttgart, 1913, 134.—Coel.
- Tillum* André 1903, Gen. Insect., 11, 52.—Hym.
- Tillus* Olivier 1790, Entom., 2, 1.—Col.
- Tillyardagrion* Martynov 1927, Bull. Acad. Sci. U.R.S.S., (6) 21, 762.—Odon.
- Tillyardia* Carter 1913, Proc. Linn. Soc. N.S. Wales, 37, 1912, 489.—Col.
- Tillyardia* Bolton 1922, (Palaeont. Soc. Monogr.) Mon. Foss. Ins. Brit. Coal Measures, 144.—Odon. (See *Truemanina* Bolton 1934.)
- Tillyardiella* Martynov 1930, Trav. Mus. géol. Acad. Sci. U.S.S.R., 6, 76.—Protodon.
- Tillyardiopsis* Tillyard 1923, Publ. Queensland Geol. Surv., No. 273, 64.—Col.
- Tillyardomyia* Tonnoir 1927, Rec. Canterbury (N.Z.) Mus., 3, 101.—Dipt.
- Tilmadoche* Fries 1849, Summa Vegetab. Scandinav., 2, 454.—Prot.
- Tilmatura* (n.n. pro *Tryphaena* Gould 1849) Reichenbach 1854, J. Orn., 1, Extraheft Beil. (Aufz. Colibr.), 4, 6, 8.—Aves.
- Tilodes* (Ziegler) Steven or Fischer Waldheim 1829, Mus. nat. Univ. Caesareae Mosquensis, 19 [n.n.].—Col.
- Tilodon* (Guichenot MS.) Thominot 1881, Bull. Soc. philom., (7) 5, 140.—Pisces.
- Tiloniceras* Buckman 1913, Yorks. Type Ammonites, 2, pt. 11, viii.—Moll.
- Tiltria* Reichenbach (1850), Avium Syst. Nat., pl. Iviii.—Aves.
- Tilurella* Roule 1911, C. R. Acad. Sci. Paris, 153, 734.—Pisces.
- Tiluroopsis* Roule 1911, C. R. Acad. Sci. Paris, 153, 734.—Pisces.
- Tilurus* Koelliker 1853, Verh. Phys. med. Ges. Würzburg, 4, 100.—Pisces.
- Tima* Eschscholtz 1829, Syst. Acalephen, 103.—Coel.

- Tima Walker 1857, List Specimens Lep. Ins. Brit. Mus., 12, 839.—Lep.
 Timaea Walker 1863, List Specimens Lep. Ins. Brit. Mus., 28, 520.—Lep.
 Timaea (n.n. pro *Charidea* Guenée 1852) Saalmueller 1891, Lep. Madagascar, 309.—Lep.
 Timagma (pro *Tina*-Zeller 1839) Walker 1864, List Specimens Lep. Ins. Brit. Mus., 30, 842.—Lep.
 Timagora (emend. pro *Nettarhinus* Schoenherr 1825) Gistel 1848, Nat. Thierr., xi.—Col.
 Timalia Horsfield 1821, Trans. Linn. Soc. London, 13 (1), 150.—Aves.
 Timalides (Blyth MS.) Gray 1869, Hand-List Birds, 1, 315.—Aves.
 Timaliopsis (pro *Timeli*-Salvadori 1875) Giebel 1877, Thesaur. Orn., 3, 824.—Aves.
 Timalphes Melander 1927, Gen. Insect., 185, 97.—Dipt.
 Timalphis des Gozis 1885, Rev. Ent. Caen, 4, 126.—Col.
 Timana Walker 1869, in Chapman, Proc. nat. Hist. Soc. Glasgow, 1, 373.—Lep.
 Timandra Duponchel 1829, in Godart, H. N. Lépid. France, 7 (2) (Noct. 4, pt. 2), 105, 224.—Lep.
 Timandra (emend. pro *Basitoxus* Serville 1832) Gistel [1847], Handb. Naturges., 1850, 427; 1848, Nat. Thierr., ix, 130.—Col.
 Timandrina Ploetz 1885, Syst. Schmett. (ex Mitt. Naturw. Ver. Greifswald, 17), 3, 32.—Lep.
 Timania Stuckenberg 1895, Mém. Com. géol. St. Pétersbourg, 10, no. 3, 62, 134, 204.—Coel.
 Timanites Mojsisovics 1882, Abh. geol. Reichsanst. Wien, 10, 183, 184.—Moll.
 Timanodictya Nikiforova 1936, C. R. Acad. Sci. U.R.S.S., 3, 436; 1938, Pal. U.S.S.R., 4 (5), 183.—Bry.
 Timanthes Stål 1877, Ofvers. VetenskAkad. Förh. Stockholm, 34, no. 10, 45.—Orth.
 Timarcha (Megerle MS.) Dejean 1821, Catal. Coléopt., 122 [n.n.]; Latreille 1829, in Cuvier, Règne anim., ed. 2, 5, 150.—Col.
 Timarchella Jacoby 1904, Proc. zool. Soc. London, 1904 (1), 268.—Col.
 Timarchida Ganglbauer 1897, Verh. zool.-bot. Ges. Wien, 47, Abh., 571.—Col.
 Timarchomela Achard 1922, Fragm. ent., 1, 17.—Col.
 Timarchopsis Brauer, Redtenbacher & Ganglbauer 1889, Mém. Acad. imp. Sci. St. Pétersbourg, (7) 36, no. 15, 17.—Col.
 Timarchoptera Motschoulsky 1860, in Schrenck, Reisen u. Forsch. Amur-Lande, 2, Lief. 2, Col., 188.—Col.
 Timarchosoma Jacoby 1894, Novit. zool., 1, 523.—Col.
 Timarchostoma Motschoulsky 1860, in Schrenck, Reisen u. Forsch. Amur-Lande, 2, Lief. 2, Col., 187.—Col.
 Timareta Pascoe [1872], J. Linn. Soc. London, Zool., 11, 1873, 445.—Col.
 Timarete Kinberg 1865, Ofvers. VetenskAkad. Förh. Stockholm, 22, 254.—Verm. (Polych.).
 Timasiellus Lundblad 1933, Arch. Hydrobiol., Suppl., 12, 283.—Hem.
 Timasius Distant 1909, Ann. Mag. nat. Hist., (8) 3, 498.—Hem.
 Timaspis Mayr 1881, Gen. gallenbewohn. Cynip., 18.—Hym.
 Timavia Robineau-Desvoidy 1863, Hist. nat. Dipt., 1, 257.—Dipt.
 Timbellus Gregorio 1885, Bull. Soc. malac. ital., 10, 275.—Moll.
 Timberlaxia Mercet 1925, Eos, 1, 9.—Hym.
 Timea Gray 1867, Proc. zool. Soc. London, 1867, 544.—Spong.
 Timelaea Lucas 1883, Ann. Soc. ent. France, (6) 3, Bull., xxxv.—Lep.
 Timelia (pro *malia* Horsfield 1821) Sundevall 1872, Methodi nat. Avium, 11.—Aves.
 Timeliopsis Salvadori 1875, Ann. Mus. Stor. nat. Genova, 7, 963.—Aves.
 Timema Scudder 1895, Canad. Ent., 27, 30.—Orth.
 Timeneca (n.n. pro *Chimene* Bates 1873) Carter 1914, Proc. Linn. Soc. N.S. Wales, 39, 78.—Col.
 Timeparthenus Silvestri 1901, Boll. Mus. Zool. Anat. comp. Torino, 16, no. 298, 10.—Col.
 Timesius Simon 1879, Ann. Soc. ent. Belgique, 22, 219, 225.—Arachn.
 Timeta (n.n. pro *Leptorhynchus* Du Bus 1835) Gistel 1848, Nat. Thierr., ix.—Aves.
 Timetes (pro *Tym*-Boisduval 1846) Doubleday 1848, List Lepidopt. Coll. Brit. Mus. (App.), 22.—Lep.
 Timia Wiedemann 1824, Anal. Entom., 15.—Dipt.
 Timia Boisduval [1828], Europ. Lepid. Index, 1829, 101.—Lep. (See *Cimelia* Lederer 1853.)
 Timiobius Chamberlin 1922, Bull. Mus. comp. Zool. Harvard, 57, 208.—Myr.
 Timioderus Waterston 1916, Bull. ent. Res., 6, 413.—Hym.
 Timion (emend. pro *Mortieria* Koninck 1841) Gistel 1848, Nat. Thierr., x.—Coel.
 Timiotatus Faust 1899, Abh. Mus. Dresden, Festschr., No. 2, 25.—Col.
 Timixos Blyth 1842, J. Asiat. Soc. Bengal, 11, 194.—Aves.
 Timnus Costa 1842, Bull. Accad. Aspir. Nat., 1, 65.—Pisces.
 Timochares Godman & Salvin 1896, Biol. Centr. Amer., Zool., Lep. Rhop., 2, 417.—Lep.

- Timochreon* Godman & Salvin 1896, Biol. Centr. Amer., Zool., Lep. Rhop., 2, 439.—Lep.
- Timoclaea* (err. pro *-clea* Brown 1827) Stoliczka 1870, Pal. Indica, Cret. Fn. S. India, 3, 148.—Moll.
- Timoclea* Brown 1827, Ill. Conch. G.B. & I., pl. xix, fig. 11; (Leach MS.) Gray 1847, Proc. zool. Soc. London, 15, 184.—Moll.
- Timoconia* Strand 1909, Int. ent. Z., 3, 176.—Lep.
- Timocratica* Meyrick 1912, Trans. ent. Soc. London, 1911, 706.—Lep.
- Timodea* (err. pro *Timoclea* Brown 1827) ? Krøyer 1847, Amtl. Ber. Vers. deutsch. Naturf., 24, 116.—Moll.
- Timodema* Ball 1909, Proc. biol. Soc. Washington, 22, 201.—Hem.
- Timodora* Meyrick 1886, Trans. ent. Soc. London, 1886, 295.—Lep.
- Timogenes* Simon 1881, Ann. Soc. ent. France, (5) 10, 1880, 393, 395.—Arachn.
- Timoides* Bigelow 1904, Bull. Mus. comp. Zool. Harvard, 39, 245.—Coel.
- Timola* Pascoe 1886, J. Linn. Soc. London, Zool., 19, 331.—Col.
- Timoleon* Sørensen 1932, Mém. Acad. R. Sci. Lett. Copenhagen, 3, 264.—Arachn.
- Timolia* Mulsant 1876, Ann. Soc. linn. Lyon, (N.S.) 22, 1875, 219.—Aves.
- Timomenus* Burr 1907, Trans. ent. Soc. London, 1907, 96.—Dermapt.
- Timon* Tschudi 1836, Isis (Oken), 1836, 551.—Rept.
- Timona* Hartlaub 1909, Zool. Anz., 34, 86.—Coel.
- Timonidia* Ball & Hartzell 1922, Ann. ent. Soc. Amer., 51, 151.—Hem.
- Timonoë* Thorell 1898, Ann. Mus. Stor. nat. Genova, 39, 331.—Arachn.
- Timora* Walker 1856, List Specimens Lep. Ins. Brit. Mus., 9, 132.—Lep.
- Timorechinus* Wanner 1910, Z. indukt. Abstamm.- u. Vererb. Lehre, 4, 125.—Echin.
- Timorella* Bergh 1905, Siboga-Exped. Monogr., No. 50, 241.—Moll.
- Timorella* Gerth 1909, Centralbl. Mineralog., 1909, 695.—Spong.
- Timorenia* (err. pro *-riena* Quoy & Gaimard 1824) Swainson 1840, Treat. Malac., 38.—Moll.
- Timoreticus* Péringuey 1896, Trans. ent. Soc. London, 1896, 181.—Col.
- Timoria* Kaye 1919, Ann. Mag. nat. Hist., (9) 4, 93.—Lep.
- Timoria* Krumbek 1924, Paläont. Timor, Lief. 13, 218 (365, 219).—Moll.
- Timoriëna* Quoy & Gaimard 1824, Voy. "Uranie" (Zool.), 493; 1825, Ann. Sci. Nat., 6 (21), 77.—Moll.
- Timoriëna* (err. pro *-riena* Quoy & Gaimard 1824) Griffith & Pidgeon 1834, Griffith's Cuvier, Anim. Kingd., 12, 52.—Moll.
- Timoriensis* (pro *-riena* Quoy & Gaimard 1824) Rang 1829, Man. Moll., 359.—Moll.
- Timorimya* Frey 1934, Rev. suisse Zool., 41, 304.—Dipt.
- Timorites* Haniel 1915, Paläont. Timor, Lief. 3, pt. 6, 108.—Moll.
- Timoroblastus* Wanner 1924, Paläont. Timor, 14, Abh., 23.—Echin.
- Timorocidaridaris* Wanner 1920, Versl. Wis. Natuurk. Af. Akad. Amsterdam, 28, 797.—Echin.
- Timorocrinus* (pro *Timorechinus* Wanner 1910) Wanner 1912, Centralbl. Min. Stuttgart, 1912, 599.—Echin.
- Timorocystis* (pro *Timorechinus* Wanner 1910) Lambert 1911, Rev. crit. paléozool., 15, 185.—Echin.
- Timorodes* Meyrick 1902, Trans. ent. Soc. London, 1902, 46.—Lep.
- Timorodidymites* Diener 1916, Centralbl. Min. Geol. Paläont., 1916, 101.—Moll.
- Timorotropites* Diener 1916, Centralbl. Min. Geol. Paläont., 1916, 101.—Moll.
- Timorphyllum* Gerth 1921, Pal. Timor, 9, no. 16, 69.—Coel.
- Timorsmilia* Koker 1924, Jaarb. Mij., s'Gravenhage, 1922, Verh., 30.—Coel.
- Timorus* Schoenherr 1838, Gen. et Sp. Curc., 4 (2), 680.—Col.
- Timotheus* Distant 1903, Ann. S. African Mus., 3, 58.—Hem.
- Timpanomium* (pro *Tym-* Ranzani 1839) Nardo 1840, Ann. Sci. nat. Lombardo-Veneto, 10, 106.—Pisces.
- Timpanotonus* (pro *Tympanotonos* Schumacher 1817) Desmarest 1858, in Chenu, Encycl. Hist. nat., Crust. Moll. Zooph., 176.—Moll.
- Timpina* Chamberlin 1912, Bull. Mus. comp. Zool. Harvard, 54, 432.—Myr.
- Timulla* Ashmead 1899, J. N. York ent. Soc., 7, 55.—Hym.
- Timuria* Horváth 1903, Ann. Mus. Hungar., 1, 402.—Hem.
- Timus* Péringuey 1892, Trans. S. Afr. phil. Soc., 6 (2), 128.—Col.
- Timyra* Walker 1864, List Specimens Lep. Ins. Brit. Mus., 29, 782.—Lep.
- Tinactor* Wied 1831, Beitr. Naturges. Brasil., 3 (2), 1105.—Aves.
- Tinaea* (pro *Tinea* Denis & Schiffermueller 1775) [Geoffroy] 1762, Hist. Ins., 2, 25, 173, 182.—Lep.
- Tinaegeria* Walker 1856, List Specimens Lep. Ins. Brit. Mus., 8, 260.—Lep.
- Tinagma* Zeller 1839, Isis (Oken), 1839, 203.—Lep.
- Tinalia* (err. pro *Tan-* Gray 1847) Gray 1857, Guide Syst. Distr. Moll. Brit. Mus., 1, 114.—Moll.
- Tinalydella* Townsend 1927, Rev. Mus. paulista, 15 (1), 265.—Dipt.
- Tinamisornis* Rovereto 1914, An. Mus. Nac. Buenos Aires, 25, 161.—Aves.
- Tinamotis* Vigors 1837, Proc. zool. Soc. London, 4, 79.—Aves.

- Tinamou** Lacepède 1799, Tabl. Oiseaux, 11.—Aves.
Tinamu (pro *-mou* Lacepède 1799) Fischer-Waldheim 1803, Nation.-Mus. Paris, 2, 181.—Aves.
Tinamulus Macclot 1830, Bijdr. Nat. Wetensch. [Amsterdam], 5 (1), 175.—Aves.
Tinamus Herrmann 1783, Tab. affin. Anim., 164, 235.—Aves.
Tinanemorilla Townsend 1927, Rev. Mus. paulista, 15 (1), 266.—Dipt.
Tinaria Stål 1860, Eugenes Resa, Zool., 1, 338.—Orth.
Tinca Geoffroy 1767, Descr. 719 Plant. &c., 406.—Pisces.
Tinca Cuvier [non Geoffroy 1767] 1817, R. Anim., 2, 193.—Pisces.
Tinclirea Thomson 1880, Le Naturaliste, 1, no. 34, 268.—Col.
Tinctora (n.n. pro *Callizona* Jukes-Browne 1913) Jukes-Browne 1914, Proc. malac. Soc. London, 11, 61.—Moll.
Tinda Walker [1859], J. Proc. Linn. Soc. London, 4, 1860, 101.—Dipt.
Tindaria Bellardi 1875, Monogr. Nuculidi Terr. Terz. Piemonte Liguria, 28.—Moll.
Tindariopsis Verrill & Bush 1897, Amer. J. Sci., (4) 3, 59.—Moll.
Tinea Denis & Schiffermueller 1775, Ank. Syst. Werk. Schmett. Wiener gegend, 133; Fabricius 1775, Syst. Ent., 655.—Lep.
Tinea (pro *Taenia* L. 1758) Griffith 1897, Trans. Ophthalm. Soc. Unit. Kingdom, 17, 225.—Verm. (Cest.).
Tinearia Schellenberg 1803, Gen. Mouches, pl. xl.—Dipt.
Tinearia (emend. pro *Tinea* Denis & Schiffermueller 1775) Rafinesque 1815, Analyse, 129.—Lep.
Tineastra Staudinger 1859, Ent. Ztg., Stettin, 20, 236 [n.n.].—Lep.
Tineigidia Amsel 1934, Dtsch. ent. Z., Iris, 48, 47.—Lep.
Tineites Germar 1842, in Muenster, Beitr. zur Petref., 5, 88.—Ephem.
Tineites Kawall 1876, Bull. Soc. imp. Nat. Moscou, 51 (2), 171.—Lep.
Tinemyia Hutton 1900, Trans. N. Zealand Inst., 32, 44.—Dipt.
Tineobius Ashmead 1896, Proc. ent. Soc. Washington, 4, 14.—Hym.
Tineocephala Dyar 1914, Proc. U.S. nat. Mus., 47, 220.—Lep.
Tineodes Guenée 1854, Hist. nat. Ins., Spec. gén. Léop., 8, 236.—Lep.
Tineaola Herrich-Schaeffer [1853], Syst. Bearb. Schmett. Europa, 5, 23.—Lep.
Tineolamima Rebel 1934, Palaeobiologica, 6, 13.—Lep.
Tineomima Staudinger 1892, Dtsch. ent. Z., Lep., 5, 391.—Lep.
Tineomorpha Enderlein 1906, Spolia zeylan., 4, 49.—Psocopt.
Tineomyza Rondani 1872, Bull. Soc. ent. ital., 4, 205.—Hym.
Tineopaschia Hampson 1916, Ann. Mag. nat. Hist., (8) 18, 153.—Lep.
Tineophaga Rondani 1868, Ann. Soc. Nat. Modena, 3, 22.—Hym.
Tineophoctonus Ashmead 1900, Proc. U.S. nat. Mus., 22, 351.—Hym.
Tineopsis Felder 1861, S.B. Akad. Wiss. Wien, Math.-naturw. Kl., 43 (1), 37.—Lep. (Arctiid.).
Tineopsis Dyar 1914, Insec. Inscit. menstr., 1, 59.—Lep. (Pyralid.).
Tinerastia Hampson 1899, J. Bombay nat. Hist. Soc., 12, 307; 1901, in Romanoff, Mém. Léop., 8, 414.—Lep.
Tinerfe (n.n. pro *Ute* Chun 1889) Chun 1898, Ergeb. Plankton-Exped., 2 (ka), 6.—Coel.
Tinestra Hampson 1908, J. Bombay nat. Hist. Soc., 18, 259.—Lep.
Tinganiina Bergroth 1909, Dtsch. ent. Z., 1909, 328.—Hem.
Tingella Grabau 1931, Palaeont. sinica, (B) 3 (3), 406.—Brach.
Tingena Walker 1864, List Specimens Lep. Ins. Brit. Mus., 29, 809.—Lep.
Tingentera Walker 1864, List Specimens Lep. Ins. Brit. Mus., 29, 798.—Lep.
Tingimyrax Mann 1926, Psyche, 33, 104.—Hym.
Tinginotopsis Poppius 1915, Arch. Naturgesch., 80, A8, 23.—Hem.
Tinginotum Kirkaldy 1902, Trans. ent. Soc. London, 1902, 263.—Hem.
Tingis Fabricius 1803, Syst. Rhyng., 124.—Hem.
Tingitana Pallary 1918, Bull. Soc. Afr. Nord, 9, 145.—Moll.
Tingitanaster Lambert & Thiéry 1925, Ess. nom. rais. Echin., 8-9, 603 (index only).—Echin.
Tingocephalus Sun 1935, Palaeont. Sinica, (B) 7 (2), 61.—Trilobita.
Tingra Boisduval 1847, in Delegorgue, Voy. Afrique austr., 2, 589.—Lep.
Tingupa Chamberlin 1910, Ann. ent. Soc. Amer., 3, 238.—Myr.
Tinicephalus Fieber 1858, Wien. ent. Monatschr., 2, 318.—Hem. (Cf. *Cephalotenes* Marshall 1868 and *Cephalotonus* Marshall 1868.)
Tinimogaster (Cocco MS.) Bonaparte 1846, Cat. Met. Pesci Eur., 68*.—Pisces.
Tiniocellus Péringuey 1901, Trans. S. Afric. phil. Soc., 12, 116.—Col.
Tinissa Walker 1864, List Specimens Lep. Ins. Brit. Mus., 29, 780.—Lep.
Tinitinoa Dyar 1914, Proc. U.S. nat. Mus., 47, 347.—Lep.
Tinna Dohrn 1860, Linn. Ent., 14, 245.—Hem.
Tinneyea (err. pro *Tinmyea* Hantken 1887) Cossmann 1909, Essais Paléococonch., 8, 234.—Moll.
Tinnunculus Linnaeus 1766, Amoen. Acad., 7, 450 [n.n.]; Vieillot 1807, Ois. Amér. sept., 1, 39.—Aves.

- Tinnyea Hantken 1887, Földtani Közlöny, 17, 345.—Moll.
 Tinobregmus Van Duzee 1894, Bull. Buffalo Soc. nat. Sci., 5, 213.—Hem.
 Tinocallis Matsumura 1919, Trans. nat. Hist. Soc. Sapporo, 7, 100.—Hem.
 Tinoceras Marsh 1872, Amer. J. Sci., (3) 4, 322.—Mamm.
 Tinochilus (n.n. pro *Pterocheilos* Moore 1867) Fischer 1885, Man. Conch., 816.—Moll.
 Tinochorus (pro *Thinocorus* Eschscholtz 1829) Lesson 1831, Cent. Zool. (4-12), 132.—Aves.
 Tinocorynus (emend. pro *Tei*-Dejean 1834) Agassiz 1846, Nomen. Zool. Index Univ.—Col.
 Tinodactyla (emend. pro *Tei*-Dejean 1835) Agassiz 1846, Nomen. Zool. Index Univ.—Col.
 Tinodemus Guillebeau 1894, Ann. Soc. ent. France, 63, 282, 300.—Col.
 Tinoderus Chaudoir 1878, Ann. Soc. ent. Belgique, 21, 155.—Col.
 Tinodes (Leach MS.) Stephens 1829, Nom. Brit. Ins., 28 (also as *Ptinodes*); 1836, Ill. Brit. Ent. (Mand. 6), 162; Curtis 1834, London & Edinburgh Mag., (3) 4 (21), 216.—Trichopt.
 Tinodon Marsh 1879, Amer. J. Sci., (3) 18, 216.—Mamm.
 Tinoglischrus Kolenati 1857, Wien. ent. Monatschr., 1, 60.—Arachn.
 Tinognathus Chaudoir 1878, Ann. Soc. ent. Belgique, 21, 137.—Col.
 Tinolestes Coquillett 1905, Proc. ent. Soc. Washington, 7, 185.—Dipt.
 Tinoliodes Wileman 1915, Entomologist, 48, 110.—Lep.
 Tinolius Walker 1855, List Specimens Lep. Ins. Brit. Mus., 3, 621.—Lep.
 Tinomogaster (Cocco MS.) Bonaparte 1845, Atti Sci. Ital., Riun., 6, 68.—Pisces.
 Tinoola (err. pro *Tineo*-Herrich-Schaeffer 1853) Mina-Palumbo & Failla-Tedaldi 1889, Mat. Faun. Lep. Sicilia (ex Nat. Sicil., 8), 124.—Lep.
 Tinophyllus Fairmaire 1869, Ann. Soc. ent. France, (4) 9, 234.—Col.
 Tinoporus Montfort 1808, Conch. Syst., 1, 146.—Prot.
 Tinopus Leconte 1850, J. Acad. nat. Sci. Philad., 2 (1), 19.—Col.
 Tinorhinus (emend. pro *Teinorh*-Watson 1893) Mabille 1904, Gen. Insect., 17, 101.—Lep.
 Tinosagra Weise 1905, Dtsch. ent. Z., 1905, 33.—Col.
 Tinosaurus Marsh 1872, Amer. J. Sci., (3) 4, 304.—Rept.
 Tinosis Weise 1908, Nova Guinea, 5 (Zool.), no. 2, 313.—Col.
 Tinosoma Hampson 1894, Fauna Brit. Ind., Moths, 2, 426.—Lep.
 Tinostoma (err. pro *Tein*-Adams 1853) Jousseau 1881, Bull. Soc. zool. France, 6, 182.—Moll.
 Tinostoma Rothschild & Jordan 1903, Novit. zool., 9, Suppl., 497.—Lep.
 Tinotarsus (pro *Tei*-Marseul 1864) Gemminger & Harold 1868, Cat. Col., 3, 763.—Col.
 Tinoteramocerus Kleine 1927, Rev. Mus. paulista, 15, pt. 1, 444, 506.—Col.
 Tinotherium (err. pro *Thi*-Marsh 1872) Roger 1887, Ber. naturw. Ver. Schwaben u. Neuburg, 29, 149.—Mamm.
 Tinotis (emend. pro *Tei*-Adams 1854) Fischer 1885, Man. Conch., 845.—Moll.
 Tinotoma Cameron 1923, Ann. Mag. nat. Hist., (9) 11, 386.—Col.
 Tinotora (err. pro *Tinct*-Jukes-Browne 1914) Cossmann 1915, Rev. crit. Paléozool., 19, 132.—Moll.
 Tinotus Sharp 1883, Biol. Centr. Amer., Zool., Col., 1 (2), 170.—Col.
 Tinthia Walker 1864, List Specimens Lep. Ins. Brit. Mus., 31, 23.—Lep.
 Tintinnabulum (pro *-bulum* Dalyell 1847) Boehm 1878, Jena. Z., 12, 176.—Coel.
 Tintinnabulum Dalyell 1847, Rare Anim. Scotland, 1, 216.—Coel.
 Tintinnidium Kent 1881, Man. Infus., 2, 611.—Prot.
 Tintinnopsis Stein 1867, Organ. Infus., 2, 154.—Prot.
 Tintinnus Schrank 1803, F. Boica, 3 (2), 302.—Prot.
 Tinunculus (pro *Tinnu*-Vieillot 1807) Antinori 1864, Cat. Ucc. Afr., 15.—Aves.
 Tinus Cambridge 1901, Biol. Centr. Amer., Arach. Aran., 2, 310.—Arachn.
 Tinzeda Walker 1869, Catal. Dermapt. Saltat. Brit. Mus., 2, 367.—Orth.
 Tioga Hulst 1888, Ent. Amer., 4, 113.—Lep.
 Tioloma Strand 1911, Arch. Naturgesch., 77, Bd. 1, Suppl., 141.—Hym.
 Tiora Evans 1912, J. Bombay nat. Hist. Soc., 21, 559, 984.—Lep.
 Tioria Marwick 1928, Trans. N. Zealand Inst., 58, 484.—Moll.
 Tipanaea Walker 1863, List Specimens Lep. Ins. Brit. Mus., 28, 522.—Lep.
 Tipasa Walker 1863, List Specimens Lep. Ins. Brit. Mus., 27, 129.—Lep.
 Tipasa Walker [non 1863] 1864, List Specimens Lep. Ins. Brit. Mus., 29, 804.—Lep.
 Tipasella Seurat 1921, Bull. Soc. Hist. nat. Afrique N., 12, 33.—Verm. (Nema.).
 Tipasodes Hampson 1926, Descr. new Genn. Spp. Noctuinae, 474.—Lep.
 Tipha Walker 1864, List Specimens Lep. Ins. Brit. Mus., 29, 798.—Lep.
 Tiphaura Pascoe [1871], J. Linn. Soc. London, Zool., 11, 1873, 164.—Col.
 Tiphia Fabricius 1775, Syst. Ent., 353.—Hym.
 Tiphiana (emend. pro *Tiphia* Fabricius 1775) Rafinesque 1815, Analyse, 124.—Hym.
 Tiphiodes Brèthes 1913, An. Mus. Hist. nat. Buenos Aires, 24, 109.—Hym.

- Tiphis* (pro *Typhis* Montfort 1810) d'Orbigny 1850, Prodr. Paléont., 2, 364.—Moll.
Tiphle Rafinesque 1810, Car. n. gen., 18.—Pisces.
Tiphlops (pro *Typh-* Oppel 1811) Rafinesque 1815, Anal. Nat., 78.—Rept.
Tiphobia Smith 1880, Proc. zool. Soc. London, 1880, 344, 348.—Moll. (nec *Typhobia* Pascoe 1869 see *Hilacantha* Ancey 1886).
Tiphobiosis Tillyard 1924, Trans. N. Zealand Inst., 55, 298.—Trichopt.
Tiphodytes (n.n. pro *Limnodytes* Marchal 1900) Bradley 1902, Canad. Ent., 34, 179.—Hym.
Tiphotherium (pro *Typho-* Bravard 1857) Moreno 1882, An. Soc. Argent., 14, 117.—Mamm.
Tiphotrephes Esaki & China 1928, Eos, 4, 151.—Hem.
Tiphycetus Kellogg 1931, Proc. Calif. Acad. Sci., (4) 19, 317.—Mamm.
Tiphys Koch 1837, Deutsch. Crust. Ins., Heft 5, tab. 20.—Arach.
Tiphys (emend. pro *Typhis* Montfort 1810 & Risso 1816) Agassiz 1846, Nomen. Zool. Index Univ.—Moll., Crust.
Tiphys (n.n. pro *Diaphorus* Dejean 1831) Gistel 1848, Nat. Thierr., ix.—Col.
Tiphysa Mulsant 1850, Ann. Soc. Agric. Lyon, [2] 2, 517 (as *Thiphysa* p. 577).—Col.
Tipnus Jacquelin du Val 1860, Glanures ent., 137.—Col.
Tippecoa Dyar 1914, Proc. U.S. nat. Mus., 47, 398.—Lep.
Tipra Walker 1869, Charact. undescr. Lep. Het., 108.—Lep.
Tipuana Melichar 1926, Ann. Mus. nat. Hungar., 23, 344 [*sine sp.*].—Hem.
Tipula Linnaeus 1758, Syst. Nat., ed. 10, 585; 1767, ed. 12, 970.—Dipt.
Tipulamima Holland 1894, J.N. York ent. Soc., 1, 183.—Lep.
Tipularia Weyenbergh 1869, Arch. Mus. Teyler, 2, 257.—Dipt.
Tipulatoma Bigot 1854, Ann. Soc. ent. France [*teste* Scudder 1882, Nomen. zool., Suppl. List, 336, *sed non comp.*].—Dipt.
Tipulidea Scudder 1894, Proc. Amer. phil. Soc., 32, 76; 1894, Mon. U.S. Geol. Surv., 21, 238.—Dipt.
Tipulidites Wieland 1925, Amer. J. Sci., (5) 9, 25.—Dipt.
Tipulidomima Townsend 1932, J.N. York ent. Soc., 40, 458.—Dipt.
Tipuliforma Kenrick 1907, Proc. zool. Soc. London, 1907, 75.—Lep.
Tipulodes Boisduval 1832, in d'Urville, Voy. "Astrolabe", Ent., 1, 195.—Lep.
Tipulodina Enderlein 1912, Zool. Jahrb., Syst., 32, 30.—Dipt.
Tipulogaster Cockerell 1913, Entomologist, 46, 214.—Dipt.
Tipuloidea Wieland 1925, Amer. J. Sci., (5) 9, 23.—Dipt. (Cf. *Wielandia* Tillyard 1925.)
Tipuloleskia Townsend 1931, Rev. Ent. São Paulo, 1, 331.—Dipt.
Tipulomima (err. pro *lamima* Holland 1894) Meyrick 1928, Exot. Microlep., 3, 465.—Lep.
Tipulophion Kriechbaumer 1901, Zeitschr. Hym. Dipt., 1, 75.—Hym.
Tipus (err. pro *Dipus* Zimmerman 1780) Pallas 1811, Zoographia, 1, 181.—Mamm.
Tiquadra Walker 1863, List Specimens Lep. Ins. Brit. Mus., 28, 519.—Lep.
Tirachoidea Brunner 1893, Ann. Mus. Stor. nat. Genova, (2) 13, 83.—Orth.
Tiracola Moore 1881, Proc. zool. Soc. London, 1881, 351.—Lep.
Tirallis Walker 1864, List Specimens Lep. Ins. Brit. Mus., 29, 806.—Lep.
Tiranimia Chrétien 1915, Ann. Soc. ent. France, 84, 334.—Lep.
Tiranites Montfort 1808, Conch. Syst., 1, 346.—Moll.
Tirannites (pro *Tiranites* Montfort 1808) Link 1830, Handb. phys. Erdbeschr., 2 (1), 426.—Moll.
Tirannus (pro *Tyr-* Lacepède 1799) Fischer-Waldheim 1803, Nation. Mus. Paris, 2, 166.—Aves.
Tiranus (pro *Tyrannus* Lacepède 1799) Fischer-Waldheim 1813, Zoognosia, ed. 3, 1, 38.—Aves.
Tirasia Walker 1863, List Specimens Lep. Ins. Brit. Mus., 28, 512.—Lep. (Tineid.).
Tirasia Walker 1864, List Specimens Lep. Ins. Brit. Mus., 29, 817.—Lep. (Gelechiid.).
Tirathaba Walker 1864, List Specimens Lep. Ins. Brit. Mus., 30, 961.—Lep.
Tirema (Boisduval MS.) Herrich-Schaeffer [1856], Samml. aussereurop. Schmett. Heteroc., 7.—Lep.
Tiresias Stephens 1833, Nom. Brit. Ins., ed. 2, 34 [*n.n.*]; 1835, Ill. Brit. Ent. (Mand. 5), 410.—Col.
Tiresias M'Coy 1846, in Griffith, Syn. Silurian foss. Ireland, 43.—Trilobita.
Tiria Gregorio 1886, Nat. Sicil., 5, 263.—Moll.
Tiribasus (pro *Tibaribus* Laporte 1868) Chaudoir 1878, Bull. Soc. imp. nat. Moscou, 53 (2), no. 3, 35.—Col.
Tirica Bonaparte 1854, Rev. Mag. Zool., (2) 6, 151.—Aves.
Tiridata Walker 1865, List Specimens Lep. Ins. Brit. Mus., 33, 870.—Lep.
Tiridates Stål 1867, Ofvers. VetenskAkad. Förh. Stockholm, 24, 494.—Hem.
Tirista Walker 1864, List Specimens Lep. Ins. Brit. Mus., 31, 22.—Lep.
Tiriteana Myers 1924, Trans. N. Zealand Inst., 55, 325.—Hem.
Tiriza Walker 1864, List Specimens Lep. Ins. Brit. Mus., 29, 790.—Lep.
Tirodesmus Cook 1896, Brandtia, fasc. 12, 53.—Arachn.
Tirodon Hay 1883, Bull. U.S. Fish. Comm., 2 (1882), 68.—Pisces.

- Tirolica* Boettger 1877, Clausilienstud., 35.—Moll.
Tirolidia Bittner 1895, Abh. geol. Reichsanst. Wien, 18 (1), 202.—Moll.
Tirolites Mojsisovics 1879, Dolomit-Riffe Südtirol Venet., 43 [n.n.]; 1879, Verh. geol. Reichsanst. Wien, 1879, no. 7, 138.—Moll.
Tirolitoides (n.n. pro *Paraceratites* Kittl 1903) Spath 1934, Cat. Foss. Ceph. Brit. Mus., 4, 378.—Moll.
Tirolonautilus Mojsisovics 1902, Abh. geol. Reichsanst. Wien, 6 (1), Suppl., 204, 233.—Moll.
Tiroloscia (n.n. pro *Paraphiloscia* Verhoeff 1908) Verhoeff 1926, Mitt. bulgar. ent. Ges., 3, 155.—Crust.
Tiromerus Scudder 1890, Foss. Ins. N. Amer., 2, 401.—Hem.
Tiron Lilljeborg 1866, Nova Acta Soc. Upsal., (3) 6, no. 1, 18.—Crust.
Tiroschistus Scudder 1890, Foss. Ins. N. Amer., 2, 462.—Hem.
Tiruka Andrewes 1935, Fauna Brit. India, Col., Carab. 2, 204.—Col.
Tirumala Moore 1880, Lepidopt. Ceylon, 4.—Lep.
Tiruna Moore 1883, Proc. zool. Soc. London, 1883, 316.—Lep.
Tirus Rafinesque 1810, Car. n. gen., 56.—Pisces.
Tiruvaca Swinhoe 1901, Ann. Mag. nat. Hist., (7) 7, 497.—Lep.
Tiryntia Godman 1900, Biol. Centr. Amer. Zool., Lep. Rhopal., 2, 523.—Lep.
Tiryus (n.n. pro *Trichia* Reuter 1875) Kirkaldy 1903, Wien. ent. Ztg., 22, 14.—Hem.
Tisa Clark 1907, Proc. U.S. nat. Mus., 32, 467.—Aves.
Tisactia Casey 1900, J.N. York ent. Soc., 8, 126.—Col.
Tisamenes Champion 1884, Biol. Centr. Amer., Zool., Col., 4 (1), 64.—Col.
Tisamenus Stål 1875, Recensio Orth., 3, 50.—Orth.
Tisbe Lilljeborg 1853, Clad. Ostr. Cop., 191.—Crust.
Tisbella Gurney 1927, Trans. zool. Soc. London, 22, 500.—Crust.
Tischeria (? pro *-ria* Zeller 1839) Bruand 1850, Mém. Soc. Emul. Doubs, Vol. 3 (Tom. 3 (5 & 6)), 49.—Lep.
Tischeria Zeller 1839, Isis (Oken), 1839, 219.—Lep.
Tisdra Walker 1864, List Specimens Lep. Ins. Brit. Mus., 29, 830.—Lep.
Tisemus Monard 1928, Arch. Zool. exp. gén. Paris, 67, 366.—Crust.
Tisias Godman 1901, Biol. Centr. Amer., Rhopal., 2, 613.—Lep.
Tisiphone Huebner [1819], Verz. bekannt. Schmett., (4) 60.—Lep. (Cf. *Manataria* Kirby 1900.)
Tisiphone Fitzinger 1826, Neue Classif. Rept., 34, 63.—Rept.
Tisiphone Reitter 1873, Verh. Ver. Brünn, 12, 140 [n.n.]; 1876, Dtsch. ent. Z., 20, 296, 297.—Col.
Tisiphonia Thomson 1870, Philos. Trans. London, 49, 712 [n.n.]; 1873, Depths Sea, 74, 167.—Spong.
Tisiphonia Schmidt 1870, Spong. Atlant., 68.—Coel.
Tisis Walker 1864, List Specimens Lep. Ins. Brit. Mus., 29, 793.—Lep.
Tisma Giglio-Tos 1917, Bull. Soc. ent. ital., 48, 68.—Orth.
Tismanella Jeannel 1928, Bull. Soc. ent. France, 1928, 271.—Col.
Tiso Simon 1884, Arachn. France, 5 (3), 506.—Arachn.
Tisoa de Serres 1840, Ann. Sci. Nat. [2] (Zool.), 14, 5 (as *Tysoa* p. 384).—Moll.
Tisobarica Walker 1864, List Specimens Lep. Ins. Brit. Mus., 29, 812.—Lep.
Tissa Walker 1863, List Specimens Lep. Ins. Brit. Mus., 28, 513.—Lep.
Tissanga Aurivillius 1903, in Distant, Ins. transvaal., 1, 80.—Lep.
Tissoa (err. pro *Rissoa* Fréminville 1813) Pallary 1912, Mém. Inst. Egypt., 7 (3), 122.—Moll.
Tissotia Douvillé 1890, Bull. Soc. géol. France, (3) 18, 285.—Moll.
Tistomum (pro *Trisioma* Cuvier 1817) Taschenberg 1879, Festschr. naturf. Ges. Halle, 65.—Verm. (Trem.).
Tistortia Heller 1925, Mitt. zool. Mus. Berlin, 12, 57.—Col.
Tistortiella Heller 1925, Mitt. zool. Mus. Berlin, 12, 63.—Col.
Titaea Huebner [1823], Exot. Schmett., 2, pl. [176].—Lep.
Titaena Erichson 1842, Arch. Naturgesch., 8 (1), 178.—Col.
Titan Newman 1858, in Matthews, Zoologist, 16, 6108.—Col.
Titana Walker 1864, List Specimens Lep. Ins. Brit. Mus., 29, 813.—Lep.
Titana Budde-Lund 1909, Denkschr. med. Ges. Jena, 14, 65.—Crust.
Titanacris Scudder 1869, Proc. Boston Soc. nat. Hist., 12, 352.—Orth.
Titanatennus Beier 1932, Zool. Jahrb., Syst., 62, 550.—Arachn.
Titanattus Peckham 1885, Proc. nat. Hist. Soc. Wisconsin, 1885, 62.—Arachn.
Titanebo Gertsch 1933, Amer. Mus. Novit., No. 636, 10.—Arachn.
Titanethes Schiödte 1851 [sep. 1849], K. Dansk. Vidensk. Selsk. Skr. [5] 2, 31.—Crust.
Titania Meigen 1800, N. Class. Mouches, 35.—Dipt.
Titania (pro *-nio* Huebner 1825) Agassiz [1846], Nomencl. zool., Lep., 67.—Lep.
Titanichthys Newberry 1885, Trans. N. York Acad., 5, 27.—Pisces.
Titanichthys Dames 1887, S. B. Ges. naturf. Freunde Berlin, 1887, 69.—Pisces.
 (See *Gigantichthys* Dames 1887.)

- Titanideum** (Agassiz MS.) Verrill 1864, Bull. Mus. comp. Zool. Harvard, 1, no. 3, 39.—Coel.
- Titanidiops** Simon 1903, Hist. nat. Araign., 2, 890.—Arachn.
- Titanio** Huebner [1825], Verz. bekannt. Schmett., (22) 350.—Lep.
- Titanites** Buckman 1921, Type Ammonites, 3, pt. 28, no. 231.—Moll.
- Titanobaris** Hustache 1924, Rev. zool. afr., 12, 389.—Col.
- Titanocarabus** Breuning 1933, Bestim.-Tab. europ. Col., 729.—Col.
- Titanocarcinus** Milne-Edwards 1863, Ann. Sci. nat. Paris, (4) 20, 282; 1864, (5) 1, 31.—Crust.
- Titanoceras** Hyatt 1884, Proc. Boston Soc. nat. Hist., 22, 289.—Moll.
- Titanoceratophyton** Mueller 1766, Del. Nat., 1, 128.—*Inc. sed.* (?Plant).
- Titanoceros** Meyrick 1884, Trans. ent. Soc. London, 1884, 62.—Lep.
- Titanochaeta** Knab 1914, Insec. Inscit. menst., 2, 167.—Dipt.
- Titanodamon** Pocock 1894, Ann. Mag. nat. Hist., (6) 14, 289.—Arachn.
- Titanodictya** Handlirsch 1906, Foss. Ins., 68.—Palaeodict.
- Titanoecia** Thorell 1870, Acta Soc. Upsal., (3) 7, fasc. 2, 124.—Arachn.
- Titanognathus** Broili & Schroeder 1935, S.B. bayer. Akad. Wiss., 1935, 112.—Rept.
- Titanogrypa** Townsend 1917, Proc. biol. Soc. Washington, 30, 44.—Dipt.
- Titanohyrax** Matsumoto 1922, Proc. zool. Soc. London, 1921, 844.—Mamm.
- Titanoides** Gidley 1917, Proc. U.S. nat. Mus., 52, 431.—Mamm.
- Titanolabis** Burr 1910, Trans. ent. Soc. London, 1910, 168.—Dermapt.
- Titanolepas** Withers 1913, Proc. zool. Soc. London, 1913, 943.—Crust.
- Titanomis** Meyrick 1888, Trans. N. Zealand Inst., 20, 104.—Lep.
- Titanomys** Meyer 1843, N. Jahrb. f. Min., 1843, 390.—Mamm.
- Titanophasma** Brongniart 1882, C. R. Acad. Sci. Paris, 95, 1228.—Protorth.
- Titanophilus** Chamberlin 1915, Bull. Mus. comp. Zool. Harvard, 59, 502.—Myr.
- Titanophis** (n.n. pro *Dinophis* Marsh 1861) Marsh 1877, Intr. Vert. Life Amer., 15.—Rept.
- Titanopoma** Wagner 1897, Denkschr. Akad. Wiss. Wien, 64, 570.—Moll.
- Titanops** Marsh 1887, Amer. J. Sci., (3) 34, 330.—Mamm.
- Titanopsis** de Folin 1881, Bull. Soc. Hist. nat. Toulouse, 15, 136 [*n.n.*]; ?1882, Fonds de la Mer, 4, livr. 75, 132 [*n.n.*]; 1887, Naturaliste, (2) 1, 114.—Prot.
- Titanoptera** Brongniart 1893, Rech. Hist. Ins. foss. Temps prim., 379.—Palaeodict.
- Titanopteryx** Enderlein 1935, S.B. Ges. naturf. Fr. Berlin, 1934, 360.—Dipt.
- Titanoptilus** Hampson 1905, Trans. ent. Soc. London, 1905, 248.—Lep.
- Titanornis** Mercerat 1893, Note Géol. Patagonie, 5.—Aves.
- Titanosarcolites** Trechmann 1924, Geol. Mag., 61, 392, 397.—Moll.
- Titanosaurus** Marsh 1877, Amer. J. Sci., (3) 14, 88.—Rept. (See *Atlantosaurus* Marsh 1877.)
- Titanosiphon** Nevsky 1928, Ent. Mitt., 17, 189.—Hem.
- Titanosoma** Verhoeff 1910, Zool. Anz., 36, 137.—Myr.
- Titanosphaera** Verhoeff 1933, Zool. Jahrb., Syst., 65, 30.—Crust.
- Titanosuchus** Owen 1879, Quart. J. geol. Soc., 35, 198.—Rept.
- Titanotherium** Leidy 1852, in Owen, Rep. geol. Surv. Wisconsin, 551.—Mamm.
- Titanothrips** Karny 1920, Casopis, 17, 44.—Thysanopt.
- Titanotus** Troschel 1857, Arch. Naturgesch., 23 (1), 63.—Moll.
- Titanura** (err. pro *Tet-* Fallén 1820) Gray 1832, in Griffith's Cuvier, Anim. Kingd. (Ins.), 15, 713.—Dipt.
- Titanus** Audinet-Serville 1832, Ann. Soc. ent. France, 1, 133.—Col.
- Titanus** Perrier 1872, Nouv. Arch. Mus. Hist. nat. Paris, 8, 57.—Verm. (Oligoch.).
- Titanus** Giebel 1875, Thesaur. Orn., 2, 482; 1877, 3, 638.—Aves.
- Titaresius** Liebke 1935, Rev. franç. Ent., 2, 145.—Col.
- Titella** Navás 1912, Brotéria, 10, 197.—Psocopt.
- Tithaeus** Thorell 1890, Ann. Mus. Stor. nat. Genova, 30, 371.—Arachn.
- Tithanis** Casey 1884, Contr. descr. syst. Col. N. Amer., 1, 16.—Col.
- Tithassa** Pascoe 1860, J. Ent. Lond., 1, 125.—Col.
- Tithene** Pascoe [1874], J. Linn. Soc. London, Zool., 12, 1876, 25.—Col.
- Tithoes** Thomson 1864, Syst. Cerambycid., 289.—Col.
- Tithonia** Pomel 1883, Classif. méth. Échin., 49.—Echin.
- Tithonoceras** Retowski 1893, Bull. Soc. imp. Nat. Moscou, 1893, no. 2-3, 222.—Moll.
- Tithonohomola** Glaessner 1933, CentrBl. Min. Geol. Paläont., 1933 (B), 182.—Crust.
- Tithonus** Dejean 1821, Catal. Coléopt. [ed. 2], 90 [*n.n.*]; Germar 1824, Spec. Ins. nov., 1, 355.—Col. (Curculionid.).
- Tithonus** Thomson 1864, Syst. Cerambycid., 24.—Col. (Cerambycid.).
- Tithorea** Doubleday (1847), in Doubleday & Westwood, Gen. diurn. Lepidopt., 1, 100.—Lep.
- Tithraustes** Druce 1885, Biol. Centr. Amer., Zool., Lep., 158.—Lep.
- Tithrone** Stål 1877, Bih. svenska VetenskAkad. Handl., 4, no. 10, 42.—Orth.
- Tithyonia** (Cavolini MS.) Tiberi 1880, Bull. Soc. malac. ital., 6, 46.—Moll.
- Tithyus** (pro *Tityus* Koch 1836) Koch 1850, Uebers. Arachnidensyst., 5, 90.—Arachn.
- Titia** Meigen 1800, N. Class. Mouches, 38.—Dipt.

- Titia Hermann 1804, Obs. Zool., 135.—Aves.
 Titia Stål 1866, Hem. Afric., 4, 105.—Hem. (See *Titiella* Bergroth 1920.)
 Titidiops Mello-Leitão 1929, Arch. Mus. nac. Rio de Janeiro, 31, 188.—Arachn.
 Titidius Simon 1895, Hist. nat. Araign., ed. 2, 1, 995.—Arachn.
 Titiella (n.n. pro *Titia* Stål 1866) Bergroth 1920, Ark. Zool., 12, no. 17, 29.—Hem.
 Titiholia Roberts 1924, Ann. Transvaal Mus., 10, 79.—Aves.
 Titinia Pascoe 1869, Ent. mon. Mag., 6, 101.—Col.
 Titiotus Simon 1897, Hist. nat. Araign., ed. 2, 2, 113.—Arachn.
 Titira (pro *Tityra* Vieillot 1816) [? Author] 1829, Cat. Ois. Riocour, 19.—Aves.
 Titiscania Bergh 1890, Morphol. Jahrb., 16, 3.—Moll.
 Titiza [Billberg] 1828, Syn. Faunae Scand., 1 (2), 58.—Aves.
 Titoceres (n.n. pro *Ceratites* Serville 1835) Thomson 1868, Physis, Paris, 2, pt. 3, 201.—Col.
 Titonomis (err. pro *Titan-* Meyrick 1888) Dalla Torre & Strand 1929, Lep. Cat., 34, 26.—Lep.
 Titorma Heller 1920, Arch. Naturgesch., 84, 1918, A8, 27.—Col.
 Titra Dejean 1821, Catal. Coléopt. [ed. 2], 83 [n.n.].—Col.
 Titsona Chamberlin 1912, Ann. ent. Soc. Amer., 5, 160.—Myr.
 Titsonobolus Chamberlin 1920, Univ. Calif. Publ. Zool., 19, 395.—Myr.
 Titthodorus Pfeffer 1929, Geol. Pal. Abh., (N.F.) 17, (3) 98.—Moll.
 Tituacia Walker 1864, List Specimens Lep. Ins. Brit. Mus., 29, 812.—Lep.
 Tituacia Pascoe 1870, Trans. ent. Soc. London, 1870, 476.—Col.
 Tituboea Lacordaire 1848, Mém. Soc. R. Sci. Liège, 5, 141.—Col.
 Titulcia Walker 1864, List Specimens Lep. Ins. Brit. Mus., 29, 810.—Lep.
 Tituria Stål 1865, Ofvers. VetenskAkad. Förh. Stockholm, 22, 158.—Hem.
 Titurius Pascoe 1875, Ann. Mag. nat. Hist., (4) 15, 63.—Col.
 Titurius Simon 1884, Ann. Mus. Stor. nat. Genova, 20, 318.—Arachn. (See *Thalassius* Simon 1885.)
 Titus Cambridge 1901, Proc. zool. Soc. London, 1901 (1), 12.—Arachn.
 Titusella Cockerell 1906, Bull. Amer. Mus. nat. Hist., 22, 445.—Hym.
 Titusia Ashmead 1905, Canad. Ent., 37, 382 [n.n.].—Hym.
 Titya Walker 1855, List Specimens Lep. Ins. Brit. Mus., 6, 1427.—Lep.
 Tityobuthus Pocock 1893, Ann. Mag. nat. Hist., (6) 12, 312.—Arachn.
 Tityolepreus Kraepelin 1891, Mitt. naturh. Mus. Hamburg, 8, 12, 15, 90.—Arachn.
 Tityra Vieillot 1816, Analyse, 39.—Aves.
 Tityros Walker 1848, List Hymenopt. Coll. Brit. Mus., 2, 108, 164.—Hym.
 Tityus Koch 1836, Die Arachniden, 3 (3), 33; 1837, Uebers. Arachnidensyst., 1, 38.—Arachn.
 Tiva Walker 1864, List Specimens Lep. Ins. Brit. Mus., 29, 821.—Lep.
 Tivarbus Stål 1859, Ofvers. VetenskAkad. Förh. Stockholm, 16, 459.—Hem.
 Tivela Link 1807, Beschr. Nat. Samml. Univ. Rostock, (3) 152.—Moll.
 Tivelina Cossmann 1886, Ann. Soc. malac. Belg., 21, 119.—Moll.
 Tivia Walker 1869, Catal. Dermapt. Saltat. Brit. Mus., 1, 153.—Orth.
 Tiza Gregorio 1890, Ann. Géol. Paléont., Livr. 8, 234.—Moll.
 Tjalfiella Mortensen 1910, Vidensk. Medd. naturh. Foren. Kjøbenhavn, 1910, 249.—Coel.
 Tjikoraia Pic 1921, Mélanges exot.-ent., No. 34, 18.—Col.
 Tlanoma Motschoulsky 1845, Bull. Soc. imp. Nat. Moscou, 18 (1), 108.—Col.
 Tlaocera Péringuey 1904, Trans. S. Afric. phil. Soc., 13, 133.—Col.
 Tlascala Hulst 1890, Trans. Amer. ent. Soc., 17, 146.—Lep.
 Tlascalinus Casey 1907, Proc. Washington Acad. Sci., 9, 370.—Col.
 Tlasia (err. pro *Thl-* Germar 1836) Amyot & Serville 1843, (Roret's Suite à Buffon) Hémiptères, 648.—Hem.
 Tlemon Foerster 1868, Verh. naturh. Ver. Rheinlande, 25, 209.—Hym.
 Tlephusa Robineau-Desvoidy 1863, Hist. nat. Dipt., 1, 307.—Dipt.
 Tlepolemus (n.n. pro *Phymatoderus* Dejean 1835) Thomson 1864, Syst. Cerambycid., 106.—Col.
 Tlioboconus Péron 1829, in Blainville, Dict. Sci. Nat., 54, 467.—Moll.
 Tliponius Stål 1859, Ofvers. VetenskAkad. Förh. Stockholm, 16, 464.—Hem.
 Tlipsonmyza (err. pro *Thlip-* Wiedemann 1820) Bigot 1858, Ann. Soc. ent. France, (3) 6, 578.—Dipt.
 Tlija Mordvilko 1914, Faune de la Russie, Ins. Hem., 1, Aphidodea, 73.—Hem.
 Tlos White 1847, List Crustacea Coll. Brit. Mus., 129 [n.n.]; Adams & White 1849, Zool. "Samarang," (4) Crust., 57.—Crust.
 Tmaegoceras Hyatt 1889, Mem. Mus. comp. Zool. Harvard, 16, no. 3, 125.—Moll.
 Tmaegophioceras Spath 1925, Naturalist, No. 827, 362.—Moll.
 Tmarsus (pro *-rus* Simon 1875) Keyserling 1880, Spinnen Amer., 1, 137.—Arachn.
 Tmarsus Simon 1875, Arachnides de France, 2, 259.—Arachn.
 Tmesibasis M'Lachlan [1871], J. Linn. Soc. London, Zool., 11, 1873, 242.—Neur.
 Tmesicarabus Reitter 1896, Verh. Ver. Brünn, 34, 159.—Col.
 Tmesidera Westwood 1841, Magasin de Zool., (2) 3, text to pl. 85.—Col.

- Tmesiphantes* Simon 1892, Hist. Araign., ed. 2, 1, 138; 1892, Ann. Soc. ent. France, 61, 277.—Arachn.
- Tmesiphoroides* Motschoulsky [1857], Etudes ent., 5, 1856, 26.—Col.
- Tmesiphorus* Leconte 1850, Boston J. nat. Hist., 6 (1), 75.—Col.
- Tmesisternus* Latreille 1829, in Cuvier, R. Anim., ed. 2, 5, 121.—Col.
- Tmesorhina* (pro *-rrhina* Westwood 1842) Agassiz 1846, Nomencl. zool., Col., 163.—Col.
- Tmesorrhina* Westwood 1842, Arcana Entom., 1 (5), 71.—Col.
- Tmesothynnus* Turner 1910, Gen. Insect., 105, 38.—Hym.
- Tmethis* Fieber 1853, Lotos, 3, 128.—Orth.
- Tmethypocoelis* Koelbel 1897, Gróf Széchenyi B. Keletázsiai utjának tudományos Eredmeiye, 2, 715; Shen 1935, Chinese J. Zool., 1, 35.—Crust.
- Tmeticides* Strand 1907, Zool. Anz., 31, 729.—Arachn.
- Tmeticus* Menge 1868, Schr. Danzig naturf. Ges., (N.F.) 2, 184.—Arachn.
- Tmetocephalites* (emend. pro *Tmetoceph-* Buckman 1923) Cossmann 1924, Rev. crit. Paléozool., 28, 34.—Moll.
- Tmetocera* Lederer 1859, Wien. ent. Monatschr., 3, 367.—Lep.
- Tmetoceras* Buckman 1892, Mon. Ammon. Inf. Oolite Ser., 6, 269.—Moll.
- Tmetoceros* Cabanis 1847, Arch. Naturgesch., 13 (1), 345.—Aves.
- Tmetocerus* (pro *-ros* Cabanis 1847) Hartert 1891, Kat. Vogelsamml. Mus. Senckenb., 141.—Aves.
- Tmetocerus* Pujade 1895, Bull. Soc. ent. France, 1895, cxliv [n.n.].—Lep.
- Tmetodera* (emend. pro *Derotmema* Scudder 1876) de Saussure 1884, Mém. Soc. phys. Hist. nat. Genève, 28, no. 9, 154.—Orth.
- Tmetoglene* (n.n. pro *Brachyglenis* Felder 1862) Felder 1867, Wien. ent. Monatschr., 6, 235.—Lep.
- Tmetogonus* Senna 1895, Notes Leyden Mus., 16, 1894, 224.—Col.
- Tmetocephalites* Buckman 1923, Type Ammonites, 4, pt. 38, pl. 373.—Moll.
- Tmetolophota* Hampson 1905, Cat. Lep. Phalaenae Brit. Mus., 5, 470.—Lep.
- Tmetomorpha* Warren 1904, Novit. zool., 11, 173.—Lep.
- Tmetonema* Longstaff 1912, Quart. J. geol. Soc., 68, 306.—Moll.
- Tmetonota* Saussure 1884, Mém. Soc. phys. Hist. nat. Genève, 28, no. 9, 56, 159.—Orth.
- Tmetonyx* (n.n. pro *Hoplonyx* Sars 1891) Stebbing 1906, Tierreich, 21, 73, 720.—Crust.
- Tmetoptera* Felder 1874, Reise Novara, Zool. 2, Abt. 2, Lep. Het., Explan. Pls. lxxv-cvii, 9.—Lep.
- Tmetostethus* (emend. pro *Temnostethus* Fieber 1860) Marshall 1868, Ent. mon. Mag., 4, 260, 281.—Hem.
- Tmetothrips* Amyot & Serville 1843, (Roret's Suite à Buffon) Hémiptères, 645.—Thysanopt.
- Tmetothylacus* Cabanis 1879, J. Orn., 27, 438; 1879, Orn. Centralbl., 4, 138.—Aves.
- Tmetotrogon* (pro *Temnotrogon* Bonaparte 1854) Cabanis & Heine [1863], Mus. Hein., 4 (1), 1862-63, 166.—Aves.
- Tmolus* Huebner [1819], Verz. bekannt. Schmett., (5) 76.—Lep.
- Toaeschna* Foerster 1905, Wien. ent. Ztg., 24, 21.—Odon.
- Toana* Walker 1865, List Specimens Lep. Ins. Brit. Mus., 32, 500.—Lep.
- Toanodes* Warren [1913], in Seitz, Gross-Schmett. Erde, 11, 234.—Lep.
- Toanopsis* Prout 1926, Sarawak Mus. J., 3, 219.—Lep.
- Toba* Schmidt 1911, Ent. Ztg., Stettin, 72, 301.—Hem.
- Tobata* Walker 1859, List Specimens Lep. Ins. Brit. Mus., 18, 516.—Lep.
- Tobesoa* Keyserling 1890, in Koch (Keyserling), Arachn. Austral., 2, 240.—Arachn.
- Tobias* Simon 1895, Hist. nat. Araign., ed. 2, 1, 1053.—Arachn.
- Tobikera* Matsumura 1931, 6000 Ill. Ins. Japan, 1129.—Trichopt.
- Toburides* Mathews 1913, Austral Avian Rec., 1, 195.—Aves.
- Tocalium* Motschoulsky 1867, Bull. Soc. imp. Nat. Moscou, 40 (1), 97.—Col.
- Tocama* Reitter 1903, Verh. Ver. Brünn, 40, 265.—Col.
- Tocasta* Busck 1912, Smithsonian. misc. Collect., 59, no. 2079, 4.—Lep.
- Tocolosida* Walker 1863, List Specimens Lep. Ins. Brit. Mus., 27, 14.—Lep.
- Tocolus* Roewer 1927, Boll. Lab. Zool. Portici, 20, 203.—Arachn.
- Toccus* (emend. pro *Tockus* Lesson 1830) Strickland 1841, Ann. Mag. nat. Hist., 7, 33.—Aves.
- Tochara* Moore 1882, in Hewitson & Moore, Descr. new Indian Lep. Coll. Atkinson, (2) Heteroc., 175.—Lep.
- Tochares* Meyrick 1921, Ann. Transvaal Mus., 8, 81.—Lep.
- Tocichthys* Hubbs 1918, Proc. biol. Soc. Washington, 31, 12.—Pisces.
- Tockus* Lesson 1830, Traité Ornith., (4) 252.—Aves.
- Tocmia* Walker 1864, List Specimens Lep. Ins. Brit. Mus., 29, 805.—Lep.
- Tococheres* Pelseneer 1929, Ann. Soc. zool. malac. Belgique, 59, 1928, 36.—Crust.
- Tocophrya* (pro *Toko-* Buetschli 1889) Doflein 1929, Lehrb. Protozoenkunde, 5 (2), 1215.—Prot.
- Tocotrema* Looss 1899, Zool. Jahrb., Syst., 12, 585.—Verm. (Trem.).

- Tocris* Broun 1904, *Ann. Mag. nat. Hist.*, (7) 14, 115.—Col.
Tocro (Lesson MS.) Agassiz 1842, *Nomen. zool.*, Av., 78; 1846, *Index*, 372 [*n.n.*].—Aves.
Tocus (pro *Tochus* Lesson 1830) Reichenbach (1849), *Avium Syst. Nat.*, pl. xlix.—Aves.
Todarna Reichenbach 1852–53, *Av. Syst.*, x.—Aves.
Todarodes Steenstrup 1880, *Ofvers. Danske Vidensk. Selsk. Forh.*, 1880, no. 1, 83.—Moll.
Todaropsis Girard 1889, *J. Sci. math. phys. nat. Acad. Sci. Lisboa*, (2) 1, no. 3, 204.—Moll.
Todarus Rafinesque 1815, *Analyse*, 140 [*n.n.*]; 1840, *The Good Book*, 64.—Moll.
Todarus Grassi & Calandruccio 1896, *Rend. Accad. Lincei*, (5) 5, 349.—Pisces.
Toddia França 1911, *Arch. R. Inst. bact. Lisboa*, 3, 232.—Prot.
Todia (err. pro *Fo-* Bosc 1801) Gervais 1842, *Dict. univ. Hist. nat.*, 2, 207.—Tunicata.
Todima Grouvelle 1893, *Trans. roy. Soc. S. Australia*, 17, 143.—Col.
Todiramphus Lesson 1827, *Mém. Soc. Hist. nat. Paris*, 3 (3), 420.—Aves.
Todirhamphus (pro *-ramphus* Lesson 1827) Voigt 1831, in Voigt-Cuvier, *Thierreichs*, 1, 668.—Aves (Coccygom.).
Todirhamphus Kaup 1852, *Proc. zool. Soc. London*, 19, 52.—Aves (Passer.).
Todirostrum Lesson 1830–1831, *Traité Ornith.*, (5) 384.—Aves.
Todolachnus Matsumura 1917, *J. Coll. Agric. Sapporo*, 7, 381.—Hem.
Todopleura (pro *Iod-* Lesson 1839) Hartlaub 1842, *Rev. zool.*, 5, 203.—Aves.
Todopsis Bonaparte 1854, *C.R. Acad. Sci. Paris*, 38, 652.—Aves.
Todos (pro *Todus* Brisson 1760) Linnaeus 1766, *Syst. Nat.*, ed. 12, 1, fasc. 1, 117.—Aves.
Todus Brisson 1760, *Ornith.*, 1, 44; 4, 528; Lapeyère 1799, *Tabl. Oiseaux*, 10.—Aves.
Todyramphus (pro *Todiramphus* Lesson 1827) Rosenberg 1863, *Natuurk. Tijdschr. Nederl. Ind.*, 25, 230.—Aves.
Toechastraea Volz 1896, *Palaeontogr.*, 43, 62.—Coel.
Toechobates (pro *Tae-* Haliday 1832) Walker 1856, *Ins. Brit. Dipt.*, 4 [3], *Index*, xxiv.—Dipt.
Toechomya Clarke 1899, *Arch. Mus. nac. Rio de Janeiro*, 10, 96.—Moll.
Toecilostiella Meunier 1899, *Bull. Soc. ent. France*, 1899, 334.—Dipt.
Toecorhychia Butler 1883, *Trans. ent. Soc. London*, 1883, 74.—Lep.
Toelodon (? pro *Coe-* Lund 1838) Lund 1840, *Ann. Sci. Nat.* [2] (*Zool.*), 13, 318.—Mamm.
Toemia (pro *Taenia* L. 1758) Tanret 1879, *Progr. Med.*, Rio de Janeiro, 3, 373.—Verm. (Cest.).
Toenia (pro *Tae-* L. 1758) Lamarck 1816, *Hist. An. s. Vert.*, 3, 158.—Verm. (Cest.).
Toenia Jarocki 1821, *Zoologia*, 2, 88.—Aves.
Toenianotus (pro *Tae-* Lapeyère 1802) Duméril [1805], *Zool. anal.*, 343.—Pisces.
Toeniudira Reichenbach (1850), *Avium Syst. Nat.*, pl. lii.—Aves.
Toeniesthes (pro *Tae-* Kraatz 1880) Bergé 1884, *Ann. Soc. ent. Belgique*, 28, 122.—Col.
Toeniodus Pomel 1852, *Ann. sci. Clermont-Ferrand*, 25, 312.—Mamm.
Toenioenas (pro *Tae-* Reichenbach 1852) Gray 1870, *Hand-List Birds*, 2, 234.—Aves.
Toenioides (pro *Tae-* Lapeyère 1800) Duméril [1805], *Zool. anal.*, 1806, 343.—Pisces.
Törnquistellus (*n.n.* pro *Leptechinus* Toppent 1897) Berg 1899, *Comun. Mus. nac. Buenos Aires*, 1, no. 3, 77.—Echin.
Törnquistes Lemoine 1910, *Ann. Pal.*, 5, no. 4, 22.—Moll.
Törnquistia Reed 1896, *Quart. J. geol. Soc.*, 52, 433.—Trilobita.
Törnquistia Paeckelmann 1930, *Abh. preuss. geol. LdAnst.*, 122, 218.—Brach. (See *Paeckelmannia* Licharev 1934.)
Törnquistites Hyatt & Smith 1905, *Prof. Pap. U.S. geol. Surv.*, No. 40, 31, 59.—Moll.
Tofangoceras Kobayashi 1928, *Japan. J. Geol. Geogr.*, 5, no. 4, 189.—Moll.
Togacantha Dahl 1914, *Mitt. zool. Mus. Berlin*, 7, 252.—Arachn.
Togaria Matsumura 1921, *Thous. Ins. Japan, Addit.*, 4, 843.—Lep.
Togaricrania Matsumura 1931, *Insecta matsum.*, 6, 72.—Hem.
Togarishachia Matsumura 1925, *Dobuts. Zasshi* (*Zool. Mag.*), 37, 399.—Lep.
Togaritensha Matsumura 1929, *Insecta matsum.*, 4, 43 (also as *Tagarilensha*).—Lep.
Togaritettix Matsumura 1931, *Insecta matsum.*, 6, 71.—Hem.
Togea Uchida 1926, *J. Coll. Agric. Hokkaido imp. Univ.*, 18, 109.—Hym.
Togepssylla Kuwayama 1931, *Insecta matsum.*, 5, 121.—Hem.
Togepteryx Matsumura 1921, *Thous. Ins. Japan, Addit.*, 4, 812.—Lep.
Togezo Kôno 1930, *Insecta matsum.*, 5, 3.—Col.
Togia Walker 1864, *List Specimens Lep. Ins. Brit. Mus.*, 29, 791.—Lep.
Togo Bergroth 1906, *Ent. News*, 17, 335.—Hem.

- Togocyamus* Oppenheim 1915, Beitr. geol. Dtsch. Schutzgebiete, **12**, 20.—Echin.
Togoda Melichar 1906, Abh. zool.-bot. Ges. Wien, **3**, 233.—Hem.
Togodolentus Barber 1918, J. N. York ent. Soc., **26**, 64.—Hem.
Togona Matsumura & Shiraki 1908, J. Tôhoku imp. Univ., Sapporo, **3**, 30.—Orth.
Togonius Kolbe 1893, Ent. Ztg., Stettin, **54**, 64.—Col.
Togoperla Klapálek 1907, Rozpr. české Akad. Praha, **16**, no. 31, 19.—Plecopt.
Togotipula Matsumura [1916], Thous. Ins. Japan, Addit., **2**, 465.—Dipt.
Toiana Walker 1866, List Specimens Lep. Ins. Brit. Mus., **35**, 1732.—Lep.
Toichopoma Levensen 1893, Vidensk. Medd. naturh. Foren. Kjøbenhavn, **1892**, 176, 177.—Coel.
Tokea Benham 1905, Proc. zool. Soc. London, **1904** (2), 220, 240.—Verm. (Oligoch.).
Tokiophilus Pic 1921, Bull. Mus. Hist. nat. Paris, **1921**, 415.—Col.
Tokophrya Buetschli 1889, in Bronn, Klass. Ordn. Tierreichs, **1** (n. ed.), no. 3, 1928.—Prot.
Tokophryopsis Swarczewsky 1928, Arch. Protistenk., **63**, 364.—Prot.
Tokyosoma Verhoeff 1932, Zool. Jahrb., Syst., **62**, 510.—Myr.
Tolania Stål 1858, Ofvers. VetenskAkad. Förh. Stockholm, **15**, 248.—Hem.
Tolarenta Gray 1840, Syn. Cont. Brit. Mus., ed. 42, 41 [n.n.]; 1842, Zool. Miscell. (Gray), (4) 58.—Rept.
Tolbia Cameron 1907, Trans. Linn. Soc. London, (2) **12**, 84.—Hym.
Tole (n.n. pro *Ianthe* Bovallius 1881) Ortman 1901, Proc. Acad. nat. Sci. Philad., **1901**, 157.—Crust. (Cf. *Iole* Ortman 1905 and *Iotella* Richardson 1905.)
Toledia Ribeiro 1915, Arch. Mus. Rio de Janeiro, **17**, Stromat., 5.—Pisces.
Toledonia Dall 1902, Proc. U.S. nat. Mus., **24**, 512.—Moll.
Toledronia (err. pro *-donia* Dall 1902) [Kobelt] 1902, NachrBl. dtsch. malak. Ges., **34**, 183.—Moll.
Tolema Iredale 1929, Rec. Australian Mus., **17**, 186.—Moll.
Tolera Walker 1864, List Specimens Lep. Ins. Brit. Mus., **31**, 19.—Lep.
Tolgachloritis Iredale 1933, Rec. Australian Mus., **19**, 50.—Moll.
Tolgadia Sjoestedt 1920, Ark. Zool., **12**, no. 20, 16.—Orth.
Tolianus Pic 1921, Echange, **37**, hors-texte, 3.—Col.
Tolida Mulsant 1856, Hist. nat. Col. France, Longipèdes, **83**; 1856, Ann. Soc. linn. Lyon, **3**, 387.—Col.
Tolima Ragonot 1888, Nouv. Phycitidae, **41**.—Lep.
Tolimais Roewer 1915, Arch. Naturgesch., **80**, Ag, 125.—Arachn.
Tolimicola Prout 1918, Novit. zool., **25**, 403.—Lep.
Tolius Sharp 1874, Ent. mon. Mag., **11**, 125.—Col.
Tollaspidiotus MacGillivray 1921, The Coccidae, 389, 425.—Hem.
Tollaspis Kobayashi 1935, J. Fac. Sci. Univ. Tokyo, (Geol.) **4**, 263.—Trilobita.
Tollia Pavlov 1913, Mém. Acad. Sci. St. Pétersbourg, (8) **21**, no. 4, 39.—Moll.
Tollius Stål 1870, K. svenska VetenskAkad. Handl., **9**, no. 1, 213.—Hem.
Tolmaëtus Blyth 1846, J. Asiat. Soc. Bengal, **15**, 5.—Aves.
Tolmaia Williams 1908, Proc. U.S. nat. Mus., **34**, 85, 86.—Moll.
Tolmarchus Ridgway 1907, Proc. biol. Soc. Washington, **18**, 208.—Aves.
Tolmatchoffia Fredericks 1933, Mat. Centr. Sci. Geol. & Prosp. Serv. U.S.S.R., **2**, 28, 31.—Brach.
Tolmera Warren 1903, Novit. zool., **10**, 403.—Lep.
Tolmerinus (n.n. pro *Tolmerus* Bernhauer 1911) Bernhauer 1923, Wien. ent. Ztg., **40**, 63.—Col.
Tolmerolestes Lynch Arribalzaga 1881, An. Soc. Argent., **11**, 27.—Dipt.
Tolmerus Loew 1849, Linnaea Entom., **4**, 94.—Dipt.
Tolmerus Foerster 1868, Verh. naturh. Ver. Rheinlande, **25**, 177.—Hym.
Tolmerus (emend. pro *Chiquera* Bonaparte 1854) Heine 1890, Nomencl. Mus. Hein., 260.—Aves.
Tolmerus Fairmaire 1900, Ann. Soc. ent. Belgique, **44**, 111.—Col. (Melandryid.). (See *Tolmetes* Champion 1916.)
Tolmerus Bernhauer 1911, Ent. Blätter, **7**, 89.—Col. (Staphylinid.). (See *Tolmerinus* Bernhauer 1923.)
Tolmesis Faust 1897, Dtsch. ent. Z., **1897**, 386.—Col.
Tolmetes (n.n. pro *Tolmerus* Fairmaire 1900) Champion 1916, Ent. mon. Mag., **52**, 156.—Col.
Tolmodus Ameghino 1891, Rev. Argent. Hist. nat., **1**, 157.—Aves [descr. as Mamm.].
Tolmolestes (emend. pro *Spizastur* Lesson 1843) Heine 1890, Nomencl. Mus. Hein., 270.—Aves.
Tolmomyias Hellmayr 1927, Field Mus. Publ. Zool., **13**, 273.—Aves.
Tolna Walker 1869, in Chapman, Proc. nat. Hist. Soc. Glasgow, **1**, 355.—Lep.
Tolnaodes Hampson 1913, Cat. Lep. Phalaenae Brit. Mus., **13**, 252.—Lep.
Tolnaopsis Hampson 1926, Descr. new Genn. Spp. Noctuidae, 95.—Lep.
Tolongia Poppius 1915, Ann. Mus. hungar., **13**, 54.—Hem.
Tolopeutes (pro *Tolyb-* Illiger 1811) Reichenbach 1842, Dtschl. Fauna, **1**, xi.—Mamm.
Tolophus Thorell 1891, K. svenska VetenskAkad. Handl., **24**, No. 2, 25.—Arachn.

- Tolpia* Walker 1863, List Specimens Lep. Ins. Brit. Mus., 28, 449.—Lep.
Tolpiodes Hampson 1926, Descr. new Genn. Spp. Noctuidae, 192.—Lep.
Toltecia Pilsbry 1926, Proc. Acad. nat. Sci. Philad., 77, 107, 116.—Moll.
Tolteniana (err. pro *Toll-* Perkins 1869) Perkins 1871, Proc. Boston Soc. nat. Hist., 13, 434.—Moll.
Tolua Melichar 1924, Ann. Mus. nat. Hungar., 21, 199 [*sine sp.*]; 1926, 23, 298.—Hem.
Toluca Kennicott 1859, in Baird, Rep. U.S. Mex. Boundary Surv., 2 (2), Rept., 23.—Rept.
Tolumnia Stål 1867, Ofvers. VetenskAkad. Förh. Stockholm, 24, 515.—Hem.
Tolycitor (err. pro *Po-* Renier 1804) Hartmeyer 1907, Year Book Carnegie Inst., 6, 111.—Tunicata.
Tolymis (pro *Tho-* Hagen 1867) Navás 1909, Brotéria, 8, Sér. Zool., 106.—Odon.
Tolypamma Rhumbler 1895, Nachr. Ges. Wiss. Göttingen, 1895, 83.—Prot.
Tolypaspis Schmidt 1893, Jahrb. Min. Geol. Pal., 1, 100.—Pisces.
Tolype Huebner [1820], Verz. bekannt. Schmett., (12) 189.—Lep.
Tolypeceras Hyatt 1903, Monogr. U.S. geol. Surv., 44, 103.—Moll.
Tolypelepis Pander 1856, Silur. foss. Fische, 61.—Pisces.
Tolypentes (pro *-peutes* Illiger 1811) Swainson 1835, Hist. Quadrup., 375.—Mamm.
Tolypeutes Illiger 1811, Prod. Mam. Av., 111.—Mamm.
Tolyphus Erichson 1845, Naturgesch. Ins. Dtschl., Col., (1) 3, 108.—Col.
Tolypida Schaus 1928, in Seitz, Gross-Schmett. Erde, 6, 663.—Lep.
Tolypoceras (err. pro *-peceras* Hyatt 1903) Cossmann 1904, Rev. crit. Paléozool., 8, 266.—Moll.
Tolypoides Grandidier & Neveu-Lemaire 1905, Bull. Mus. Hist. nat. Paris, 1905, 370.—Mamm.
Tolytia Schaus 1924, Proc. U.S. nat. Mus., 65, art. 7, 45.—Lep.
Tomacblatta Zalessky 1932, Bull. Soc. géol. France, (5) 2, 184.—Protorth.
Tomagnostus Howell 1935, Bull. Wagner Free Inst., 10, 14.—Trilobita.
Tomala Gray 1842, Syn. Cont. Brit. Mus., ed. 44, 78, 91.—Moll.
Tomapoderus Voss 1926, Stettin. ent. Ztg., 87, 76.—Col.
Tomara Walker 1864, List Specimens Lep. Ins. Brit. Mus., 29, 809.—Lep.
Tomarctus Cope 1873, Palaeont. Bull., No. 16, 2; 1874, Ann. Rep. U.S. geol. Surv. Terr., 7, 519.—Mamm.
Tomares Rambur 1840, F. Ent. Andal., 2 (5), 261.—Lep.
Tomarops Grouvelle 1903, Ann. Soc. ent. France, 72, 343.—Col.
Tomarus Erichson 1847, Arch. Naturgesch., 13 (1), 95.—Col. (Dynastid.).
Tomarus Leconte 1861, Class. Coleopt. N. Amer., 99.—Col. (Cryptophagid.). (See *Toramus* Grouvelle 1916 and *Itomarus* Reitter 1919.)
Tomasina Hall & Clarke 1892, Palaeont. N. York, 8 (1), 65.—Brach.
Tomaspis Amyot & Serville 1843, (Roret's Suite à Buffon) Hémiptères, 560.—Hem.
Tomaspinina Distant 1909, Ann. Mag. nat. Hist., (8) 3, 206.—Hem.
Tomaspininella Lallemand 1927, Trans. ent. Soc. London, 75, 117.—Hem.
Tomastoma (pro *Tomos-* Deshayes 1824) Sowerby 1824, Gen. Shells, No. 23.—Moll.
Tomatares Hagen 1866, Ent. Ztg., Stettin, 27, 372.—Neur.
Tomatina (err. pro *Tomatina* Adams 1850) Hall 1867, Ann. Rep. Regents Univ. State N. York, 20, 53.—Moll.
Tomecolaspis Weise 1923, Ark. Zool., 15, no. 12, 27.—Col.
Tomelasmus Pilsbry & Vanatta 1898, Proc. Acad. nat. Sci. Philad., 1898, 271, 276.—Moll.
Tomella Robineau-Desvoidy 1830, Mém. présentés Acad. roy. Sci. Inst. France, 2, 630.—Dipt.
Tomella Swainson 1840, Treat. Malacol., 155, 314.—Moll.
Tomentaromia Plavilstshikov 1934, Bestim.-Tab. europ. Col., Heft 112, 52.—Col.
Tomeopha Brunner 1878, Monogr. Phaneropteriden, 28, 299.—Orth.
Tomeophora (pro *-phera* Brunner 1878) Brunner 1891, Verh. zool.-bot. Ges. Wien, 41, Abh., 21.—Orth.
Tometes Cuvier & Valenciennes 1849, H.N. Poiss., 22, 225.—Pisces.
Tometus Eigenmann 1909, Ann. Carnegie Mus., 6, 53.—Pisces.
Tomeutes Thomas 1915, Ann. Mag. nat. Hist., (8) 15, 385.—Mamm.
Tomias Karsch 1890, Ent. Nachr., 16, 272.—Orth.
Tomicephalus Latreille 1834, Ann. Soc. ent. France, 3, 146.—Col.
Tomicchia Benson 1851, Ann. Mag. nat. Hist., (2) 7, 377.—Moll.
Tomicobia Ashmead 1899, Proc. ent. Soc. Washington, 4, 203.—Hym.
Tomicobiella Girault 1915, Mem. Queensland Mus., 4, 211.—Hym.
Tomicobomorpha Girault 1915, Mem. Queensland Mus., 4, 207.—Hym.
Tomicobomorphella Girault 1915, Mem. Queensland Mus., 4, 214.—Hym.
Tomicodon Brisout de Barneville 1846, Echo Monde Savant, 13, 535.—Pisces.
Tomicomerus Pavesi 1899, Rend. Ist. Lombardo, Milan, (2) 32, 532.—Arachn.
Tomicoproctus Faust 1898, Dtsch. ent. Z., 1898, 81.—Col.
Tomicosaurus Case 1907, Carnegie Inst. Publ., Washington, No. 55, 64.—Rept.

- Tomictis Hall 1931, J. Mammal., 12, 156.—Mamm.
- Tomicus Latreille (1802), Hist. Crust. Ins., 3, 203.—Col.
- Tomidaster Sladen 1891, in Wright etc., (Pal. Soc. Monogr.) Brit. foss. Echinod. cret. Ast., 2, pl. 5, fig. 1.—Echin.
- Tomiger (err. pro *Tomogeres* Montfort 1810) Leach 1815, Zool. Miscell., 2, 127.—Moll.
- Tomigerella Pfeiffer 1879, Nomencl. Helic. Viv., Lief. 5-6, 347.—Moll.
- Tomigeres (pro *Tomo-* Montfort 1810) Leach 1815, Zool. Misc., 2, 127.—Moll.
- Tomigerus Spix 1827, Test. Brasil., 21, tab. 15.—Moll.
- Tominiotus Mulsant & Rey 1866, Hist. nat. Punaises Fr., Pentat., 29.—Hem.
- Tomintus Stål 1864, Ent. Ztg., Stettin, 25, 49.—Hem.
- Tomioiblatta Martynov 1930, Bull. Geol. Prosp. Serv. Moscow, 49, no. 10, 73.—Orth.
- Tomioopsis Cope 1893, Proc. Amer. phil. Soc., 31, 317.—Mamm.
- Tomirdus Mathews 1912, Novit. zool., 18, 193.—Aves.
- Tomis Cambridge 1901, Biol. Centr. Amer., Arach. Aran., 2, 296.—Arachn.
- Tomissa Walker 1864, List Specimens Lep. Ins. Brit. Mus., 30, 978.—Lep.
- Tomistoma Mueller 1846, Arch. Naturgesch., 12 (1), 122.—Rept.
- Tomitherium Cope 1872, Proc. Amer. phil. Soc., 12, 470.—Mamm.
- Tomlinula (n.n. pro *Alexandria* Tomlin 1926) Strand 1932, Folia zool. hydrobiol., 4, 193.—Moll.
- Tomobrachyta Fairmaire 1887, Le Naturaliste, (2) 1, 72.—Col.
- Tomocarabus Reitter 1896, Verh. Ver. Brünn, 34, 135.—Col.
- Tomoccephalus (emend. pro *Tomi-* Latreille 1834) Agassiz 1846, Nomen. Zool. Index Univ.—Col.
- Tomocera (pro *Tomogeres* Montfort 1810) Desmarest 1858, in Chenu, Encycl. Hist. nat., Crust. Moll. Zooph., 136.—Moll.
- Tomocera Howard 1881, Rep. U.S. Dep. Agric., Ent., 1880, 368.—Hym. (See *Dilophogaster* Howard 1886.)
- Tomoceras White & St. John 1868, Trans. Chicago Acad. Sci., 1, 123.—Moll.
- Tomocerodes Girault 1916, Canad. Ent., 48, 246.—Hym.
- Tomocerota Matsumura 1921, Thous. Ins. Japan, Addit., 4, 947.—Lep.
- Tomocerura Wahlgren 1900, Ent. Tidskr., 21, 265.—Collemb.
- Tomocerus Nicolet 1841, Rech. Podur., 31.—Collemb.
- Tomocheilus Gemmellaro 1878, Giorn. Sci. nat. Econ. Palermo, 13, 182.—Moll. (nec *Tomochilus* Laferté-Sénéctère 1851 see *Teliochilus* Cossmann 1906).
- Tomochilus Laferté-Sénéctère 1851, Ann. Soc. ent. France, (2) 9, 253.—Col. (nec *Tomochilus* [-la] Erichson 1844 & Agassiz 1845 see *Dilobochilus* Ferté-Sénéctère 1851).
- Tomochilus (pro *-cheilus* Gemmellaro 1878) Fischer 1884, Man. Conch., 685.—Moll.
- Tomochiton Fischer 1885, Man. Conch., 879.—Moll.
- Tomocichla Regan 1908, Ann. Mag. nat. Hist., (8) 2, 463.—Pisces.
- Tomocyclos (pro *-chilus* Crosse & Fischer 1872) Paetel 1873, Cat. Conch.-Samml., 17, 120.—Moll.
- Tomocycilus Crosse & Fischer 1872, J. Conchyliol., 20, 76.—Moll.
- Tomocyon Viret 1929, Bull. Soc. géol. France, 29, 217.—Mamm.
- Tomocyriba Simon 1900, Ann. Soc. ent. Belgique, 44, 388.—Arachn.
- Tomodactylus Guenther 1900, Biol. Centr. Amer., Zool., Batr., 219.—Amph.
- Tomoderus Laferté-Sénéctère 1849, in Guérin-Ménéville, Spec. et Icon. Anim. artic., (7) 1.—Col.
- Tomodesmus Chamberlin 1918, Bull. Mus. comp. Zool. Harvard, 62, 243.—Myr.
- Tomodon Duméril 1853, Mém. Acad. Sci. Inst. France, 23, 495.—Rept.
- Tomodon Leidy 1865, Cret. Rept. U.S., 102.—? Rept.? Pisces. (See *Diplotomodon* Leidy 1869.)
- Tomodus (Agassiz MS.) Morris & Roberts 1862, Quart. J. geol. Soc., 18, 101 [n.n.]; Davis 1883, Trans. R. Dublin Soc., (2) 1, 446.—Pisces. (See *Icanodus* Miller 1892.)
- Tomodus Trautschold [non Morris & Roberts 1862] 1879, N. Mém. Soc. imp. Nat. Moscou, 14, 55.—Pisces.
- Tomodus Ameghino 1886, Bol. Acad. Córdoba, 9, 111.—Mamm. (See *Eutomodus* Ameghino 1889.)
- Tomogaenus (pro *-geres* Montfort 1810) Desmarest 1859, in Chenu, Encycl. Hist. nat., Tabl. Crust. Moll., 51.—Moll.
- Tomogaster (Bibron MS.) Gray 1849, Cat. Snakes Coll. Brit. Mus., 59.—Rept.
- Tomogera (pro *-res* Montfort 1810) d'Orbigny 1852, Prodr. Pal., 3, Table alphab., 170.—Moll.
- Tomogeres Montfort 1810, Conch. Syst., 2, 358.—Moll.
- Tomogerina Jousseau 1877, Bull. Soc. zool. France, 2, 312.—Moll.
- Tomogerus (pro *-res* Montfort 1810) Blainville 1824, Dict. Sci. Nat., 32, 252.—Moll.
- Tomoglossa Kraatz 1858, Naturgesch. Ins. Dtschl., (I Col.), 2, 342.—Col.
- Tomognathus Agassiz 1850, in Dixon, Geol. Sussex, 376.—Pisces.
- Tomognathus Mayr 1861, Die Europ. Formiciden, 12, 29.—Hym. (See *Harpag-oxenus* Forel 1893.)

- Tomogonia Stål 1869, Ofvers. VetenskAkad. Förh. Stockholm, 26, 258.—Hem.
 Tomogonus Orbigny 1904, Ann. Mus. Stor. nat. Genova, 41, 254.—Col.
 Tomohammus Breuning 1935, Folia zool. hydrobiol., 7, 242.—Col.
 Tomolabis Cope 1892, Proc. Amer. phil. Soc., 30, 125.—Mamm.
 Tomolamia Lameere 1893, Ann. Soc. ent. France, 62, 44.—Col.
 Tomoligon Rondani 1877, Bull. Soc. ent. ital., 9, 200.—Hym.
 Tomoligus Rafinesque 1832, Atlantic Journ., 1 (2), 72.—Trilobita.
 Tomolips Wollaston 1873, Trans. ent. Soc. London, 1873, 501, 590.—Col.
 Tomolus Stål 1874, K. svenska VetenskAkad. Handl., 12, no. 1, 90.—Hem.
 Tomometopus Jekel [1854], Fabr. Ent., 1 (1), 1853, 9 bis.—Col.
 Tomompterus (pro *Tomopt-* Eschscholtz 1825) Verrill 1873, Amer. J. Sci., (3) 5, no. 25, 6.—Verm. (Polych.).
 Tomomys (err. pro *Tho-* Wied 1839) Brandt 1855, Mém. Acad. imp. Sci. St. Pétersbourg, (6) 7, 188.—Mamm.
 Tomomyza Wiedemann 1820, N. Dipt. Gen., 9.—Dipt.
 Tomonotus Saussure 1861, Rev. Mag. Zool., (2) 13, 320.—Orth.
 Tomopaguroides Balss 1912, Wiss. Ergeb. Dtsch. Tiefsee Exped., 20 (2), 104.—Crust.
 Tomopaguropsis Alcock 1905, Cat. Ind. Dec. Crust., 2 (1), 136.—Crust.
 Tomopagurus Milne-Edwards & Bouvier 1895, Mem. Mus. comp. Zool. Harvard, 14, no. 3, 70.—Crust.
 Tomopeas Miller 1900, Ann. Mag. nat. Hist., (7) 6, 570.—Mamm.
 Tomopeas Pilsbry 1906, Man. Conch., (2) 18, 123.—Moll.
 Tomopeleia Reichenbach 1852–53, Av. Syst., xxv.—Aves.
 Tomopelia (pro *-leia* Reichenbach 1852–53) Bonaparte 1854, Consp. Av., 2, fasc. 1, 94.—Aves.
 Tomopelta Uhler 1894, Proc. zool. Soc. London, 1893, 708.—Hem.
 Tomopisthes Simon 1884, Bull. Soc. zool. France, 9, 132.—Arachn.
 Tomoplagia (n.n. pro *Plagiotoma* Loew 1873) Coquillett 1910, Proc. U.S. nat. Mus., 37, no. 1719, 615.—Dipt.
 Tomoplagina Curran 1932, Amer. Mus. Novit., No. 556, 14.—Dipt.
 Tomoplectus Raffray 1898, Rev. Ent. franç., 17, 266.—Col.
 Tomopleura Casey 1904, Trans. Acad. Sci. St. Louis, 14 (5), 138.—Moll.
 Tomopterus Eschscholtz 1825, Isis (Oken), 1825, 736.—Verm. (Polych.).
 Tomopterna Duméril & Bibron 1840, (Roret's Suite à Buffon) Érpét., 8, 443.—Amph.
 Tomopterus Audinet-Serville 1834, Ann. Soc. ent. France, 2, 544.—Col.
 Tomopteryx Philippii 1873, Ent. Ztg., Stettin, 34, 313.—Lep.
 Tomopygia Burr 1904, Trans. ent. Soc. London, 1904, 287.—Dermapt.
 Tomorhinus Jekel [1854], Fabr. Ent., 1 (1), 1853, 8.—Col.
 Tomosomus Motschoulsky 1855, Etudes ent., 4, 18.—Col.
 Tomosteale Ancey 1885, Bull. Soc. malac. France, 2, 143.—Moll.
 Tomostethopsis Sato 1928, Insecta matsum., 2, 178.—Dipt.
 Tomostethus Konow 1886, Wien. ent. Ztg., 5, 184, 214.—Hym.
 Tomostoma Deshayes 1824, Ann. Sci. Nat., 1 (2), 187.—Moll.
 Tomotaenia Cook 1895, Amer. Nat., 29, 866.—Myr.
 Tomotanytarsus Kieffer 1923, Ann. Soc. sci. Bruxelles, Mém., 42, 94.—Dipt.
 Tomoteleia Kieffer 1917, Brotéria, Sér. zool., 15, 50.—Hym.
 Tomoxelia Bernhauer 1901, Dtsch. ent. Z., 1901, 164.—Col.
 Tomoxena Simon 1895, Hist. nat. Araign., ed. 2, 1, 518.—Arachn.
 Tomoxia Costa (A) [1853], in Costa (O.) Fauna Regno Napoli, Col. 1, Mordell., 8.—Col.
 Tomyris Eichwald 1831, Zool. Spec., 3, 171.—Rept.
 Tomyris Chapuis 1874, in Lacordaire, Hist. nat. Ins., Gen. Col., 10, 265.—Col.
 Tomyris Druce 1890, Biol. Centr. Amer., Zool., Lep. Heteroc., 1, 440.—Lep.
 Tomyris Michailovskii 1912, S.B. naturf. Ges. Univ. Jurjew, Dorpat, 21, 125, 134.—Moll.
 Tomyrium Reitter 1880, Verh. zool.-bot. Ges. Wien, 29, 1879, 49.—Col.
 Tonagra (err. pro *Tan-* L. 1764) Bonaparte 1851, Rev. Zool. Mag., (2) 3, 140.—Aves.
 Tonatia Gray 1827, in Griffith's Cuvier, Anim. Kingd., Mamm., Syn., 71.—Mamm.
 Tonaudia Travassos 1918, Rev. Soc. brasil. Sci., 2, 84.—Verm. (Nema.).
 Tondanotettix Willemse 1928, Zool. Meded., Leiden, 11, 23.—Orth.
 Tonesia Casey 1922, Mem. Col., 10, 337.—Col.
 Tonga (n.n. pro *Cyrene* Westwood 1843) Kirkaldy 1900, Entomologist, 33, 242.—Hem.
 Tongeia Tutt 1908, Brit. Butterflies, 3, 41, 43.—Lep.
 Tongorma Kirkaldy 1900, Entomologist, 33, 242.—Hem.
 Tonia Gray 1840, Syn. Brit. Mus., ed. 42, 64 [n.n.]; 1840, Ann. nat. Hist., 6, 180.—Echin.
 Tonibiastes Casey 1895, Ann. N. York Acad. Sci., 8, 617.—Col.
 Tonibius Casey 1895, Ann. N. York Acad. Sci., 8, 617, 622.—Col.
 Tonica Walker 1864, List Specimens Lep. Ins. Brit. Mus., 29, 788.—Lep.
 Tonica (err. pro *-chia* Gray 1840) Odhner 1917, K. svenska VetenskAkad. Handl., 52, no. 16, 12.—Moll.

- Tonicea* (err. pro *-chia* Gray 1840) Ashby 1926, Proc. malac. Soc. London, 17, 31.—Moll.
- Tonicella* Carpenter 1873, Bull. Essex Inst., 5, 154.—Moll.
- Tonichia* Gray 1840, Syn. Cont. Brit. Mus., ed. 42, 123, 148 [*n.n.*].—Moll. (Chit.).
- Tonichia* (err. pro *Tomi*-Benson 1851) Gray 1857, Guide Syst. Distr. Moll. Brit. Mus., 1, 94.—Moll. (Gastr.).
- Tonicia* (pro-*chia* Gray 1840) Gray 1847, Proc. zool. Soc. London, 15, 65.—Moll.
- Toniciatypus* Bergenhayn 1930, K. svenska VetenskAkad. Handl., (3) 9, no. 3, 30.—Moll.
- Toniciella* (err. pro *-cella* Carpenter 1873) Thiele 1893, Gebiss Schnecken, 2, 389.—Moll.
- Tonicina* Thiele 1906, Bull. Mus. Hist. nat. Paris, 12, 549.—Moll.
- Toniciopsis* Thiele 1893, Gebiss Schnecken, 2, 371.—Moll.
- Tonicurgis* Meyrick 1922, Exot. Microlep., 2, 603.—Lep.
- Tonites* (err. pro *Zo*-Montfort 1810) Hemphill 1911, Trans. San Diego Soc. nat. Hist., 1, no. 3, 102.—Moll.
- Tonkinacris* Carl 1916, Rev. suisse Zool., 24, 485.—Orth.
- Tonkinella* Mansuy 1922, Mém. serv. géol. Indo-Chine, 5, fasc. 1, 43.—Trilobita.
- Tonkinia* Mabille 1887, Moll. Tonkin. Diagn., 9.—Moll.
- Tonkinus* Fairmaire 1903, Ann. Soc. ent. Belgique, 47, 13.—Col.
- Tonkinobelum* Verhoeff 1924, Ark. Zool., 16, no. 5, 58.—Myr.
- Tonkinula* Obenberger 1923, Bull. Sect. ent. Mus. Nat. Prague, 1, 35.—Col.
- Tonna* Bruennich 1772, Zool. Fund., 248.—Moll.
- Tonnites* Herrmannsen 1849, Index Gen. Malac., 2, 580.—Moll.
- Tonnoirella* Alexander 1928, Ann. Mag. nat. Hist., (10) 1, 82.—Dipt.
- Tonnoiria* Malloch 1929, Ann. Mag. nat. Hist., (10) 4, 98.—Dipt. (Heteroneurid.).
- Tonnoiria* Parent 1929, Ann. Soc. sci. Bruxelles, (B) 49, 184.—Dipt. (Dolichopodid.).
- Tonnoirina* Edwards 1929, Dipt. Patag. & S. Chile, 2, 56.—Dipt.
- Tonnoiromyia* Alexander 1926, Ann. Mag. nat. Hist., (9) 18, 190.—Dipt.
- Tonoceras* Hyatt 1900, in Eastman-Zittel, Text-Book Palaeont., 1, 537.—Moll.
- Tonodesmus* Silvestri 1923, Bol. Soc. españ. Hist. nat., 23, 370.—Myr.
- Tonohamites* Spath 1924, Geol. Mag., 61, 85.—Moll.
- Tonolioceras* (err. pro *Toxo*-Buckman 1902) Cossmann 1903, Rev. crit. Paléozool., 7, 122.—Moll.
- Tonophoyx* Mathews 1913, Austral Avian Rec., 1, 195.—Aves.
- Tonorhinus* (pro *Notorhinus* Roth 1903) Ameghino 1904, An. Soc. Ci. Argent., 58, 230.—Mamm.
- Tonosa* Walker 1864, List Specimens Lep. Ins. Brit. Mus., 29, 796.—Lep.
- Tonoscolex* Gates 1933, Rec. Ind. Mus., 35, 484.—Verm. (Oligoch.).
- Tonostylops* Ameghino 1902, Bol. Acad. Cienc. Córdoba, 17, 32.—Mamm.
- Tonrometra* Clark 1917, J. Washington Acad. Sci., 7, 130.—Echin.
- Tontoia* Walcott 1912, Smithsonian. misc. Collect., 57, 198.—Trilobita.
- Tontonia* Fauré-Fremiet 1914, Arch. Protistenk., 34, 95.—Prot.
- Tonza* Walker 1864, List Specimens Lep. Ins. Brit. Mus., 30, 1011.—Lep.
- Toonglasa* Distant 1893, Biol. Centr.-Amer., Zool., Rhynch., 391.—Hem.
- Toosa* Walker 1856, List Specimens Lep. Ins. Brit. Mus., 8, 64.—Lep.
- Topadesa* Moore 1888, in Hewitson & Moore, Descr. new Indian Lep. Coll. Atkinson, (3) Heteroc., 280.—Lep.
- Topaeum* (Sowerby MS.) d'Orbigny 1842, Pal. Franç., (1) Terr. créét., 1, 457.—Moll.
- Topana* Walker 1869, Catal. Dermapt. Saltat. Brit. Mus., 2, 364.—Orth.
- Topaza* Gray 1840, List Gen. Birds, 13.—Aves.
- Topaza* Walker 1864, List Specimens Lep. Ins. Brit. Mus., 29, 808.—Lep.
- Topelatus* Hustache 1920, Echange, 36, hors-texte, 5.—Col.
- Topeutis* Huebner [1825], Verz. bekannt. Schmettt., (23) 366.—Lep.
- Topoderes* Dejean 1834, Catal. Coléopt., ed. 2, 236 [*n.n.*]; Schoenherr 1839, Gen. et Sp. Curc., 5 (1), 150.—Col.
- Topidophora* (err. pro *Trop*-Jeffreys 1882) [Kobelt] 1904, NachrBl. dtsh. malak. Ges., 36, 47.—Moll.
- Topidosa* (err. pro *Topadesa* Moore 1888) Pagenstecher 1909, Geogr. Verbr. Schmettt., 422.—Lep.
- Topinctus* Hasselt 1823, Algem. Konst. Letter-Bode, 1 (23), 360 [*n.n.*].—Rept.
- Topiris* Walker 1863, List Specimens Lep. Ins. Brit. Mus., 28, 521.—Lep.
- Toplethus* (pro *Toplithus* Gozis 1882) Bedel 1884, Faune Col. Bassin Seine, 6, 128.—Col.
- Toplithus* Des Gozis 1882, Rev. Ent. Caen, 1, 203.—Col.
- Topomeigenia* Townsend 1919, Proc. U.S. nat. Mus., 56, 575.—Dipt.
- Topomesa* Walker 1866, List Specimens Lep. Ins. Brit. Mus., 35, 1921.—Lep.
- Topomesoides* Strand 1911, in Seitz, Gross-Schmettt. Erde, 2, 133.—Lep.
- Topomyia* Leicester 1908, Stud. Inst. Malay States, 3, pt. 3, 238.—Dipt.
- Toposcopus* Leconte 1868, Trans. Amer. ent. Soc., 2, 54.—Col.
- Topotrita* Kirby 1882, List Hym. Coll. Brit. Mus., 1, 48.—Hym.

- Topsentia** (n.n. pro *Anisoxya* Topsent 1898) Berg 1899, *Comun. Mus. nac. Buenos Aires*, 1, no. 3, 77.—Spong.
- Tor** Gray 1834, *Ill. Indian Zool.*, 2 (17, 18), (pl. 96).—Pisces.
- Tora** Walker [1867], *J. Linn. Soc. London, Zool.*, 9, 1868, 199.—Lep.
- Toracophrya** (pro *Tho-* Kahl 1926) Klein 1928, *Arch. Protistenk.*, 62, 236.—Prot.
- Toradjia** Dollfus 1907, *Zool. Ergebn. Reise Niederl. Ost-Ind.*, 4 (2), 365.—Crust.
- Toramus** (n.n. pro *Tomarus* Leconte 1861) Grouvelle 1916, *Mém. ent. Etudes Col.*, 26.—Col.
- Torania** (n.n. pro *Tortula* Simon 1880) Simon 1886, *Act. Soc. linn. Bordeaux*, (4) 10, 143.—Arachn.
- Torathropius** (pro *Teratho-* Lesson 1830) Jameson 1840, *Calcutta J. nat. Hist.*, 1, 319.—Aves.
- Torbda** Cameron 1902, *Entomologist*, 35, 18.—Hym.
- Torbia** Walker 1869, *Catal. Dermapt. Saltat. Brit. Mus.*, 2, 388.—Orth.
- Torbinia** Spaeth 1911, *Verh. zool.-bot. Ges. Wien*, 61, 262.—Col.
- Torcaspis** Casey 1922, *Mem. Col.*, 10, 315.—Col.
- Torcaza** (pro *Trocaza* Bonaparte 1854) Bolle 1857, *J. Orn.*, 5, 329.—Aves.
- Torcellia** Kraglievich 1931, *Comun. Mus. nac. Buenos Aires*, 2, 2.—Mamm.
- Torchus** (err. pro *Trochus* L. 1758) Pilsbry 1889, *Man. Conch.*, 10, 283.—Moll.
- Torcobius** Casey 1922, *Mem. Col.*, 10, 309.—Col.
- Torcula** Gray 1847, *Proc. zool. Soc. London*, 15, 155.—Moll.
- Torculoidella** Sacco 1895, *Moll. Terr. terz. Piemonte Liguria*, 19, 28.—Moll.
- Torcus** Casey 1922, *Mem. Col.*, 10, 315.—Col.
- Torda** Duméril 1806, *Zool. Analyt.*, 72.—Aves.
- Torda** Walker 1863, *List Specimens Lep. Ins. Brit. Mus.*, 28, 436.—Lep.
- Torea** (pro *Torrae* Quatrefages 1850) Quatrefages [1866], in *Quatrefages-Vaillant, Hist. nat. Annel.*, 2, 1865, 159.—Verm. (Polych.).
- Toredo** (err. pro *Ter-* L. 1758) May 1929, *Z. Morph. Oekol. Tiere*, 15, 652.—Moll.
- Torellella** Holm 1893, *Sver. Geol. Undersökning*, (C) no. 112, 146.—Moll.
- Torellia** (Lovén MS.) Jeffreys 1867, *Brit. Conch.*, 4, 244.—Moll.
- Toretocnemus** Merriam 1903, *Bull. geol. Univ. Calif.*, 3, 258.—Rept.
- Toreuma** Haeckel 1880, *Syst. der Medusen*, 1, 566.—Coel.
- Toreuma** Carter 1913, *Proc. Linn. Soc. N.S. Wales*, 38, 84.—Col. (See *Eutoreuma* Carter 1914.)
- Toreumatica** Gray 1855, *Proc. zool. Soc. London*, 23, 39.—Echin.
- Toreus** Purcell 1903, *Ann. S. Afr. Mus.*, 3, 9.—Arachn.
- Toreus** Melander 1906, *Ent. News*, 17, 376.—Dipt.
- Torgos** Kaup 1828, *Isis (Oken)*, 21, 1144.—Aves.
- Toria** Hodgson 1836, *Asiat. Researches*, 19 (1), 163.—Aves.
- Toricelliceras** Buckman 1922, *Type Ammonites*, 4, pt. 32, pl. 292.—Moll.
- Toricellites** Buckman 1922, *Type Ammonites*, 4, pt. 35, pl. 336.—Moll.
- Torigea** Matsumura 1934, *Insecta matsum.*, 8, 180.—Lep.
- Torilus** Broun 1909, *Ann. Mag. nat. Hist.*, (8) 4, 151.—Col.
- Torina** (err. pro *Ter-* Walker 1854) Walker 1856, *List Lep. Ins. Brit. Mus.*, 7, 1645.—Lep.
- Torinia** Gray 1840, *Syn. Cont. Brit. Mus.*, ed. 42, 147 [*n.n.*]; 1842, *Syn. Brit. Mus.*, ed. 44, 60.—Moll.
- Torinophora** (pro *Toryno-* Cambridge 1876) Koch 1879, *K. svenska VetenskAkad. Handl.*, (N.S.) 16, 1878, no. 5, 134.—Arachn.
- Toripalpus** Grote 1878, *Proc. Boston Soc. nat. Hist.*, 19, 265.—Lep.
- Toriscodermia** Wisniowski 1888, *Jahrb. geol. Reichsanst.*, 38, 674.—Spong.
- Torix** Blanchard 1893, *Bull. Soc. zool. France*, 18, 185.—Verm. (Hirud.).
- Torlessia** Bather 1905, *Geol. Mag.*, (N.S.) Dec. 5, 2, 537.—Verm. (Polych.).
- Torleya** Lestage 1917, *Ann. Biol. lacust.*, 8, 357, 366.—Ephem.
- Torleyoceras** (n.n. pro *Centroceras* Wedekind 1908) Wedekind 1918, *Palaeontographica*, 62 (3-4), 142.—Moll.
- Torma** China 1927, *Bull. ent. Res.*, 17, 285.—Hem.
- Tormeuphorus** Faust 1893, *Ent. Ztg.*, Stettin, 54, 11.—Col.
- Tormissus** Broun 1893, *Man. N. Zealand Col.*, 1021.—Col.
- Tormoblastus** Jaekel 1927, *Ark. Zool.*, 19A, No. 4, 1.—Echin.
- Tormocrinus** Jaekel 1891, *Z. dtsh. geol. Ges.*, 43, 657.—Echin.
- Tormopsolus** Poche 1926, *Arch. Naturgesch.*, 91, 1925, A2-3, *Syst. Platodaria*, 146.—Verm. (Trem.).
- Tormus** Sharp 1884, *Trans. ent. Soc. London*, 1884, 474.—Col.
- Torna** Walker 1863, *List Specimens Lep. Ins. Brit. Mus.*, 28, 517.—Lep.
- Tornacontia** Smith 1900, *Trans. Amer. ent. Soc.*, 27, 49.—Lep.
- Tornaria** Mueller [1848], *Abh. preuss. Akad. Wiss.*, 1848 (1850), *Zusatze*, 1849, 101.—Enteropneusta.
- Tornatella** Lamarck 1816, *Tabl. enc. méth.*, *Vers.*, pl. 452; 1822, *An. s. vert.*, 6 (2), 219.—Moll.

- Tornatella** (err. pro *-tellina* Beck 1837) Mousson 1869, J. Conchyliol., 17, pl. xiv.—Moll.
Tornatellaea Conrad 1860, J. Acad. nat. Sci. Philad., (2) 4, 294.—Moll.
Tornatellaria Pilsbry 1910, Nautilus, 23, 123.—Moll.
Tornatellea (err. pro *-laea* Conrad 1860) Douvillé 1916, Mém. Acad. Sci. Inst. France, (2) 54, 147.—Moll.
Tornatellides Pilsbry 1910, Nautilus, 23, 123.—Moll.
Tornatellina Beck 1837, Index Moll. Mus. Ch. Fred., (1) 80 [n.n.].—Moll.
Tornatellinoides see **Tornatelloides**.
Tornatellinops Pilsbry 1915, Man. Conch., (2) 23, 135, 169.—Moll.
Tornatelloides Pfeiffer 1877, Monogr. Helic. Viv., 8, 299 (as *Tornatellinoides* p. 717).—Moll.
Tornatina Adams 1850, in Sowerby, Thes. Conch., 2, 554.—Moll.
Tornaxis Martens 1898, Biol. Centr. Amer., Zool., Moll., 311.—Moll.
Tornentoceras (err. pro *Torneut-* Hyatt 1900) Cossmann 1900, Rev. crit. Paléozool., 4, 201.—Moll.
Torneuma Wollaston 1860, Ann. Mag. nat. Hist., (3) 5, 453.—Col.
Torneutes Reich 1838, Trans. ent. Soc. London, 2 (1), 9.—Col. (Cerambycid.).
Torneutes Schoenherr 1844, Gen. et Sp. Curc., 8 (1), 272.—Col. (Curculionid.). (See *Microstrates* Lacordaire 1866.)
Torneutoceras Hyatt 1900, in Eastman-Zittel, Text-Book Palaeont., 1, 586.—Moll.
Torneutoeras (err. pro *-toceras* Hyatt 1900) Shimizu 1931, Sci. Rep. Tôhoku imp. Univ., (2) Geol., 15, no. 1, 23.—Moll.
Tornierella Ahl 1924, Mitt. zool. Mus. Berlin, 11 (1), 10.—Amph.
Tornieria (n.n. pro *Gigantosaurus* Fraas 1908) Sternfeld 1911, S.B. Ges. naturf. Fr. Berlin, 1911, 398.—Rept.
Tornierobates Miranda Ribeiro 1926, Arch. Mus. nac. Rio de Janeiro, 27, 16.—Amph.
Tornitella (err. pro *Tornat-* Lamarck 1822) Morton 1833, Amer. J. Sci., 23 (2), 292.—Moll.
Tornoceras Hyatt 1884, Proc. Boston Soc. nat. Hist., 22, 320.—Moll.
Tornocometis Meyrick 1934, Exot. Microlep., 4, 496.—Lep.
Tornodoxa Meyrick 1921, Exot. Microlep., 2, 432.—Lep.
Tornos Morrison 1875, Proc. Boston Soc. nat. Hist., 17, 217.—Lep.
Tornosia Bolívar 1879, An. Soc. españ. Hist. nat., 8, 136.—Hem.
Tornosinus Bethune-Baker 1906, Novit. zool., 13, 286.—Lep.
Tornotes (emend. pro *Ploas* Latreille 1804) Gistel 1848, Nat. Thierr., x.—Dipt.
Törnquist- see **Toernquist-**.
Tornus Turton 1830, in Carrington, Teignmouth Guide, part 2, sign. G2.—Moll.
Torobaena Haas 1935, Arch. Molluskenk., 67, 45.—Moll.
Torocampus Schmiedeknecht 1913, Opusc. Ichneumon., 5, 2797.—Hym.
Torocxa Walker [1859], J. Proc. Linn. Soc. London, Zool., 4, 1860, 131.—Dipt.
Torodera Weise 1902, Arch. Naturgesch., 68 (1), 163.—Col.
Torodinium Kofoid & Swezy 1921, Mem. Univ. Calif., 5, 391.—Prot.
Torodora Meyrick 1894, Trans. ent. Soc. London, 1894, 16.—Lep.
Torona Walker 1865, List Specimens Lep. Ins. Brit. Mus., 32, 467.—Lep.
Toronaeus Bates 1864, Ann. Mag. nat. Hist., (3) 14, 13.—Col.
Torone Walker 1863, List Specimens Lep. Ins. Brit. Mus., 27, 5.—Lep.
Toronia Barnes & McDunnough 1911, Contrib. nat. Hist. Lep. N. Amer., 1, no. 1, 24.—Lep.
Toropa Melichar 1912, Abh. zool.-bot. Ges. Wien, 7, 80.—Hem.
Torosaurus Marsh 1891, Amer. J. Sci., (3) 42, 266.—Rept.
Torosomyia Reinhard 1935, Ann. ent. Soc. Amer., 28, 171.—Dipt.
Torostoma Broun 1909, Trans. N. Zealand Inst., 41, 1908, 163.—Col.
Torotambe Dyar 1914, Proc. U.S. nat. Mus., 47, 306.—Lep.
Toroteuthis (n.n. pro *Hyaloteuthis* Pfeffer 1884) Tomlin 1931, Proc. malac. Soc. London, 19, 175.—Moll.
Torpedo Houttuyn 1764, Nat. Hist., 7, 453; Fropier 1806, in Duméril, Anal. Zool., 102; Rafinesque 1810, Ind. itt. Sic., 60.—Pisces.
Torpedo Forskål [non Houttuyn 1764] 1775, Descr. Anim., 16.—Pisces.
Torpidolepisma (pro *Tropidolepisma* Duméril & Bibron 1839) Fitzinger 1843, Syst. Rept., 22.—Rept.
Torpuilla (err. pro *Torqu-* Studer 1820) Paravicini 1918, NachrBl. dtsch. malak. Ges., 50, 157.—Moll.
Torpus (pro *Forpus* Boie 1858) Gray 1870, Hand-List Birds, 2, 150.—Aves.
Torquatella Held 1837, Isis (Oken), 1837, 919.—Moll.
Torquatella Lankester 1874, Quart. J. micr. Sci., (N.S.) 14, 272.—Prot.
Torquatella Yorke & Maplestone 1926, Nematode Parasites of Vertebrates, 372.—Verm. (Nema.).
Torquatina Gros 1850, C.R. Acad. Sci. (Paris), 31, 518.—Prot.
Torquatiscala (Boury M.S.) Cossmann 1912, Essais Paléoconch. comp., 9, 87.—Moll.
Torquatisphinctes Spath 1924, Mem. geol. Surv. India, Pal. Ind., (N.S.) 9, mem. no. 1, 15.—Moll.

- Torquatoides* Williams 1929, Univ. California Publ. Zool., 33, 176.—Verm. (Nema).
Torquatrix (n.n. pro *Tortrix* Oppel 1811) Gray 1825, Ann. Phil., 26, 209.—Rept.
Torquea Leidy 1855, J. Acad. nat. Sci. Philad., (2) 3, 146.—Verm. (Polych.).
Torquenympha Brown 1930, Univ. Calif. Publ. Zool., 36, 67, 68.—Prot.
Torqueola Swinhoe 1906, Ann. Mag. nat. Hist., (7) 17, 382.—Lep.
Torquesia Douvillé 1929, Mem. geol. Surv. India, Pal. Ind., (N.S.) 9, mem. 3, fasc. 2, 55.—Moll.
Torquigener Whitley 1930, Mem. Queensland Mus., 10, 31.—Pisces.
Torquilla Brisson 1760, Ornith., 4, 4; Bruennich 1772, Fund. Zool., 66, 82 (also as *Torquilla*).—Aves.
Torquilla Studer 1820, Nat. Anz. Allg. Schweiz. Gesellsch., 3 (11), 89.—Moll.
Torquis Dall 1905, Harriman Alaska Exp., 13, 83, 86.—Moll.
Torquilla see *Torquilla* Bruennich 1772.
Torrea Quatrefages 1850, Ann. Sci. Nat., [3] 13, 34.—Verm. (Polych.).
Torreina Palmer 1934, Mem. Soc. cubana Hist. nat., 8, 237.—Prot.
Torreites Palmer 1933, Rev. Agric. Habana, 14, no. 15-16, 100.—Moll.
Torrella Henderson & Bartsch 1920, Proc. U.S. nat. Mus., 58, 56, 59.—Moll.
Torrellella (err. pro *Torell*-Holm 1893) Ruedemann 1916, Bull. N. York State Mus., No. 189, 83.—Moll.
Torrellisca Henderson & Bartsch 1920, Proc. U.S. nat. Mus., 58, 57, 69.—Moll.
Torrentaria (Hodgson MS.) Gray 1863, Cat. Mamm. Birds Rept. Fish. Nepal Tibet, ed. 2, 34.—Aves.
Torrentaria Jordan & Evermann 1896, Bull. U.S. nat. Mus., No. 47 (1), 1066, 1068.—Pisces.
Torrenticola Piersig 1896, S.B. Ges. Leipzig, 22-23, 155.—Arachn.
Torrenicolor (pro *-ta* Piersig 1896) Soar 1900, J. Queckett micr. Club, (2) 7, 391, 393.—Arachn.
Torrentomus Bierig 1934, Mem. Soc. cubana Hist. nat., 8, 213.—Col.
Torreornis Barbour & Peters 1927, Proc. N. England Zool. Cl., 9, 96.—Aves.
Torresia Castelnau 1875, Offic. Rec. Melbourne Intercol. Exhib. [Res. Fish. Austral.], 46; De Vis 1885, Proc. Linn. Soc. N.S. Wales, 9, 881.—Pisces.
Torresia Brongersma 1934, Zool. Meded., Leiden, 17, 176.—Rept.
Torresitopa Iredale 1933, Rec. Australian Mus., 19, 54.—Moll.
Torresita (Deyrolle MS.) Gemminger & Harold 1869, Cat. Col., 1382 [n.n.]; Saunders 1871, Cat. Buprest., 45 [n.n.]; Thomson 1878, Typi Buprest., 41.—Col.
Torresitraghia Iredale 1933, Rec. Australian Mus., 19, 55.—Moll.
Torrestrongylus Vigueras 1935, Mem. Soc. cubana Hist. nat., 9, 57.—Verm. (Nema).
Torretassoa Schatzmayr & Koch 1933, Bull. Soc. ent. Egypte, 1933, 121.—Col.
Torreyia (pro *-ea* Quatrefages 1850) Carus 1863, in Carus & Gerstaecker, Handb. Zool., 2, 438.—Verm. (Polych.).
Torricellites (err. pro *Toric*-Buckman 1922) Dacqué 1934, Leitfossilien, Lief. 7, Teil 2, 379.—Moll.
Torrída (err. pro *Loxia* L. 1758) Temminck 1820, Man. Orn., ed. 2, 1, p. lxxi.—Aves.
Tortacella White 1895, Bull. U.S. geol. Surv., No. 128, 44.—Moll.
Tortanus (n.n. pro *Corynura* Brady 1883) Giesbrecht & Schmeil 1898, Das Tierreich, Lief. 6, 157.—Crust.
Tortaxis Pilsbry 1906, Man. Conch., (2) 18, 5.—Moll.
Tortemboius Chamberlin 1925, Proc. Calif. Acad. Sci., 14, 115.—Arachn.
Torticella Rafinesque 1833, Atlantic Journ., 1 (5), 165.—Moll.
Torticella Gloger 1842, Gemein. Hand- u. Hilfsb. Naturg., 403.—Aves. (See *Psilocnemis* Gloger 1842.)
Torticelle Griffith [?1830], in Griffith-Cuvier, Anim. Kingdom, 8, 1829, 63.—Aves.
Tortifusus Conrad 1867, Amer. J. Conch., 3, 187.—Moll.
Tortigulella Pilsbry 1919, Bull. Amer. Mus. nat. Hist., 40 (1), 7, 231.—Moll.
Tortilia Chrétiens 1908, Bull. Soc. ent. France, 1908, 201.—Lep.
Tortilla Perner 1903, Syst. silur. centre Bohême, 4, Gast. 1, pl. 59, fig. 37.—Moll.
Tortisipho Cossmann 1889, Ann. Soc. malac. Belg., 24, 147.—Moll.
Tortisternum Heude 1880, Mém. Hist. nat. Emp. Chinois, Mém. Trionyx, 1, 31.—Rept.
Tortoliva Conrad 1865, Amer. J. Conch., 1, 22, 143.—Moll.
Tortonia Oudemans 1911, Ent. Ber., 's-Gravenhage, 3, 166.—Arachn.
Tortonioidus Stauffer 1935, Bull. geol. Soc. Amer., 46, 155.—Verm. († Ann.).
Tortopus Needham & Murphy 1924, Bull. Lloyd Lib., Ent. Ser., 4, 23.—Ephem.
Tortor Kirkaldy 1907, Bull. Hawaii. Sugar-Planters' Ass., Div. Ent., No. 3, 42.—Hem.
Tortricidea (pro *-dia* Packard 1864) Walker 1866, List Specimens Lep. Ins. Brit. Mus., 35, 1940.—Lep.
Tortricidia Packard 1864, Proc. ent. Soc. Philadelphia, 3, 347.—Lep.
Tortriciforma Hampson 1894, Fauna Brit. Ind., Moths, 2, 425.—Lep.
Tortriciophaga Townsend 1916, Proc. U.S. nat. Mus., 49, 625.—Dipt.
Tortricodes Guenée 1845, Ann. Soc. ent. France, (2) 3, 305; Stainton 1859, Man. Brit. Butt. Moths, 2, 278.—Lep. (Tortricid.).
Tortricodes Guenée 1854, Hist. nat. Ins., Spec. gén. Lép., 8, 71.—Lep. (Noctuid.).

- Tortricomorpha* Felder 1861, S.B. Akad. Wiss. Wien, Math.-naturw. Kl., 43, 34.—Lep.
Tortricopsis Newman 1856, Trans. ent. Soc. London, (2) 3, 293.—Lep.
Tortricosia Hampson 1900, Cat. Lep. Phalaenae Brit. Mus., 2, 291.—Lep.
Tortrix Denis & Schiffermueller 1775, Syst. Verz. Schmett. Wiener gegend, 125.—Lep.
Tortrix Oppel 1811, Ann. Mus. Hist. nat. (Paris), 16 (95), 377, 381.—Rept. (See *Helison* Goldfuss 1820 & *Torquatrix* Gray 1825.)
Tortula Westerlund 1878, Monogr. Pal. Reg. Clausilier, x, 124.—Moll.
Tortula Simon 1880, Actes Soc. linn. Bordeaux, 34, 257.—Arachn. (See *Toramia* Simon 1886.)
Tortulosa Gray 1847, Proc. zool. Soc. London, 15, 177.—Moll.
Tortulosus (err. pro *-sa* Gray 1847) Pavlovič 1928, Ann. Géol. Pépins. Balkan., 9 (2), 53.—Moll.
Tortyra Walker 1863, List Specimens Lep. Ins. Brit. Mus., 28, 510.—Lep.
Torula Boisduval 1840, Gen. Index Europ. Lepid., 230.—Lep.
Torulipora Rafinesque 1831, Enum. obj. Cab., 5.—? Bry.
Torulosa Frierson 1927, Class. Annot. Check-List N. Amer. Naiades, 11, 94.—Moll.
Torycus Herrich-Schaeffer 1866, CorrespBl. Ver. Regensburg, 20, 119.—Lep.
Torymoides Walker 1871, Notes Chalcididae, 37.—Hym.
Torymus Dalman 1820, K. VetenskAkad. Handl. Stockholm, 1820 (1), 125, 135.—Hym.
Torymys (err. pro *-mus* Dalman 1820) Nees 1834, Hymenopt. Ichn. aff., 2, 62.—Hym.
Toryna Bradley 1922, Univ. Calif. Publ. Ent., 1, 407, 411.—Hym.
Torynesis Butler 1899, Proc. zool. Soc. London, 1898, 903.—Lep.
Torynifer Hall & Clarke 1894 [sep. 1893], Palaeont. N. York, 8 (2), pl. lxxxiv, figs. 34, 35; 1894, Ann. Rep. N. York State Geol., 13, 943.—Brach.
Torynobelodon Barbour 1932, Bull. Nebraska Mus., 1, 147.—Mamm.
Torynocrinus (pro *Koninckocrinus* Seeley 1864 nom. nud.) Seeley 1866, Ann. Mag. nat. Hist., (3) 17, 173.—Echin.
Torynognathus Arrow 1935, Trans. R. ent. Soc. London, 83, 116.—Col.
Torynophora Cambridge 1876, Proc. zool. Soc. London, 1876, 259.—Arachn.
Torynorrhina Arrow 1907, Ann. Mag. nat. Hist., (7) 19, 433.—Col.
Torynotachina Townsend 1915, Insec. Inscit. menst., 3, 102.—Dipt.
Torynurus Baylis & Daubney 1925, Parasitology, 17, 208.—Verm. (Nema.).
Tosa (n.n. pro *Jalla* Giglio-Tos 1907) Navás 1931, Bol. Soc. ent. españ. Hist. nat., 14, 42.—Orth.
Tosadendroides Kôno 1935, Insecta matsum., 9, 158.—Col.
Tosale Walker 1863, List Specimens Lep. Ins. Brit. Mus., 28, 447.—Lep.
Tosana Smith & Pope 1906, Proc. U.S. nat. Mus., 31, 470.—Pisces.
Tosaphaedusa Ehrmann 1929, S.B. naturf. Ges. Leipzig, 53-55, 27.—Moll.
Tosastes Sharp 1891, Biol. Centr. Amer., Zool., Col., 4 (3), 91.—Col.
Tosastroma Yabe & Sugiyama 1935, Sci. Rep. Tôhoku imp. Univ., 14 (2B), 158.—Coel.
Tosaura Swinhoe 1892, Trans. ent. Soc. London, 1892, 15.—Lep.
Tosca Heinrich 1920, Proc. U.S. nat. Mus., 57, no. 2305, 65.—Lep.
Toscanius Kretzoi 1929, Congr. internat. Zool., Budapest, 10, 1927, 1309 (note).—Mamm.
Tosena Amyot & Serville 1843, (Roret's Suite à Buffon) Hémiptères, 462.—Hem.
Toshia Whitley 1933, Rec. Australian Mus., 19, 60.—Pisces.
Tosia Gray 1840, Ann. Mag. nat. Hist., 6, 281.—Echin.
Tosiaster Verrill 1914, Smithson. Inst. Publ., 14, no. 2140, 292.—Echin.
Tosotarsus Sharp 1877, Ann. Mus. Stor. nat. Genova, 9, 318.—Col.
Tospitis Walker 1863, List Specimens Lep. Ins. Brit. Mus., 28, 426.—Lep.
Tosquinetia (n.n. pro *Obba* Tosquinet 1896) Ashmead 1900, Canad. Ent., 32, 368.—Hym.
Tossaria (err. pro *Fos*-Westerlund 1885) Starostin 1926, Arch. Naturgesch., 92, A6, 2.—Moll.
Tostegoptera [Blanchard] [1851], Cat. Coll. Ent. Mus. H.N. Paris, Coléopt., 1 (2), 1850, 149.—Col.
Tostonia Walcott 1924, Smithson. misc. Coll., 75, 59.—Trilobita.
Totanus Moehring 1758, Geslach. Vogel. (Nozem. & Vosm. ed), 6, 64; Cuvier 1800, Leçons Comp. Anat., 1, tab. 2.—Aves.
Tothrix Swinhoe 1912, Lep. indica, 9, 233.—Lep.
Tottentia (emend. pro *niana* Perkins 1869) Perkins 1871, Proc. Boston Soc. nat. Hist., 13, 428 (errata).—Moll.
Totteniana Perkins 1869, Proc. Boston Soc. nat. Hist., 13, 148.—Moll. (Cf. *Tottentia* Perkins 1871.)
Totua Keyserling 1892, Spinnen Amerikas, 216.—Arachn.
Toucasia Munier-Chalmas 1873, J. Conchyliol., 21, 73, 74.—Moll.
Toufia (err. pro *Jo*-Boehm 1897) Milovanović 1925, Geol. Balkanica, 1, 128.—Moll.
Tougou (pro *Touyou* Lacepède 1799) Gray 1849, Cat. Gen. Birds Brit. Mus., 89.—Aves.
Touit (ex Lesson) Gray 1855, Cat. Gen. Birds Brit. Mus., 89.—Aves.
Toulminia Zittel 1878, Abh. math.-phys. Cl. Bayer. Akad. Wiss., 13, Abt. 1, 38, 56.—Spong.

- Toulou Vieillot 1819, N. Dict. H.N., 34, 294.—Aves.
 Toumeyella Cockerell 1895, Psyche, 7, Suppl. 1, 2.—Hem.
 Toura Broun 1909, Trans. N. Zealand Inst., 41, 1908, 164.—Col.
 Touraco Lacepède 1799, Tabl. Oiseaux, 2.—Aves.
 Tourameria (pro *Tournoueria* Brusina 1870) Paetel 1875, Fam. Gatt. Moll., 209.—Moll.
 Tourania Brodsky 1925, Bull. Univ. Asie centr., 8, 44.—Prot.
 Tournatella Swainson 1840, Treat. Malacol., 180.—Moll.
 Tournieria Stierlin 1861, Berlin. ent. Z., 5 (Beih.), 14, 302.—Col.
 Tournonieria (pro *noueria* Brusina 1870) Simroth 1907, in Bronn, Klass. Ordn. Tierreichs, 3, ed. 2, 1047.—Moll.
 Tournoueraster Lambert & Thiéry 1914, Ess. nom. Echin., 294.—Echin.
 Tournouerella (n.n. pro *Tournoueria* Munier-Chalmas 1884) Kilian 1887, N. Jahrb. Min. Geol. Pal., 1887 (1), 343.—Moll.
 Tournoueria Brusina 1870, Verh. zool.-bot. Ges. Wien, 20, Abh., 937.—Moll.
 Tournoueria Munier-Chalmas 1884, Ann. Malac., 1, 324, 337.—Moll. (See *Tournouerella* Kilian 1887.)
 Touropsis Broun 1909, Trans. N. Zealand Inst., 41, 1908, 158.—Col.
 Touyou Lacepède 1799, Tabl. Oiseaux, 20.—Aves.
 Touzalina Théry 1923, Ann. Soc. ent. Belgique, 62, 256.—Col.
 Touzinia Cossmann 1915, Essais Paléococh. comp., 10, 62.—Moll.
 Tovaria Bolivar 1890, Ann. Soc. ent. France, (6) 10, 141.—Orth.
 Townsendia Williston 1895, Kansas Quart., 4, 107.—Dipt.
 Townsendiella Crawford 1916, Insec. Inscit. menst., 4, 138.—Hym.
 Townsendiellomyia Baranoff 1932, N. Beitr. syst. Insektenk., 5, 73.—Dipt.
 Townsendina Curran 1934, Famm. Gen. N. Amer. Dipt., 427.—Dipt.
 Townsendmyia Prado & da Fonseca 1932, Mem. Inst. Butantan, 7, 163.—Dipt.
 Toxabramis Guenther 1873, Ann. Mag. nat. Hist., (4) 12, 249.—Pisces.
 Toxacara (pro *Toxo-* Stiles 1905) Ranther 1930, in Kuekenenthal & Krumbach, Handb. Zool., 2 (4) 256.—Verm. (Nema.).
 Toxaliba Walker 1863, List Specimens Lep. Ins. Brit. Mus., 28, 516.—Lep.
 Toxamblyites Buckman 1924, Type Ammonites, 5, pt. 44, no. 473.—Moll.
 Toxares (n.n. pro *Trionyx* Haliday 1833) Westwood 1840, Introd. class. Insect., 2, Syn., 65.—Hym.
 Toxares Williams 1891, Spec. Bull. Univ. Nebraska, Dep. Ent., No. 1, 26 [*n.n.*].—Hem.
 Toxaria Weise 1903, Arch. Naturgesch., 69 (1), 215.—Col.
 Toxarium Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 995.—Prot.
 Toxascaris Leiper 1907, Brit. Med. J., 1907 (1), 1297.—Verm. (Nema.).
 Toxaspis Cope 1895, Amer. Nat., 29, 757.—Rept.
 Toxaster Agassiz 1840, Cat. Ect. Ech., 15; 1847, Ann. Sci. Nat. [3] (Zool.), 8, 25.—Echin.
 Toxateuches (pro *Toxo-* Cabanis & Heine 1860) Elliott 1879, Smithsonian. Contrib. Knowl., 23 (5), 10, 13.—Aves.
 Toxelasma (emend. pro *Toxo-* Rafinesque 1831) Agassiz 1846, Nomen. Zool. Index Univ.—Moll.
 Toxellium Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 995.—Prot.
 Toxemna Hallmann 1917, Proc. Linn. Soc. N.S. Wales, 41, 1916, 673.—Spong.
 Toxeres Schoenherr 1833, Gen. et Sp. Curc., 1, 22.—Col.
 Toxeres (emend. pro *Toxares* Westwood 1840) Agassiz 1846, Nomen. Zool. Index, Univ.—Hym.
 Toxerites Rafinesque 1818, Amer. mon. Mag., 4, 107; 1819, Journ. de Physique, 88, 426.—Moll.
 Toxerus (err. pro *-res* Schoenherr 1833) Schoenherr 1836, Gen. Sp. Curc., 3, 736.—Col.
 Toxeuma Walker 1833, Entom. Mag., 1 (4), 378.—Hym.
 Toxeuma Chun 1906, Zool. Anz., 31, 86.—Moll.
 Toxeumella Girault 1913, Arch. Naturgesch., 79, A6, 53.—Hym.
 Toxeumelloides Girault 1913, Arch. Naturgesch., 79, A6, 54.—Hym.
 Toxeumoides Girault 1915, Mem. Queensland Mus., 4, 197.—Hym.
 Toxeumopsis Girault 1915, Mem. Queensland Mus., 4, 196.—Hym.
 Toxeumorpha Girault 1915, Mem. Queensland Mus., 4, 195.—Hym.
 Toxeus Koch 1846, Die Arachniden, 13 (1), 19.—Arachn.
 Toxeutes Newman 1840, Ann. nat. Hist., 5, 15.—Col. (Cerambycid.).
 Toxeutes Schoenherr 1843, Gen. et Sp. Curc., 7 (2), 210.—Col. (Curculionid.). (See *Atemistes* Pascoe 1870.)
 Toxeutotaenius Kuwert 1896, Novit. zool., 3, 226; 1898, 5, 195.—Col.
 Toxichnus Hitchcock 1865, Ichnology New England, Suppl., 12.—*Inc. sed.*
 Toxicoa Gray 1849, Cat. Snakes Coll. Brit. Mus., 29.—Rept.
 Toxicocalamus Boulenger 1896, Ann. Mag. nat. Hist., (6) 18, 152.—Rept.
 Toxicodryas Hallows 1857, Proc. Acad. nat. Sci. Philad., 1857, 60.—Rept.
 Toxicophis Troost 1836, Ann. Lyceum nat. Hist. New York, 3, 190.—Rept.
 Toxicum Latreille (1802), Hist. Crust. Ins., 3, 174.—Col.

- Toxidía* Mabile 1891, Ann. Soc. ent. Belgique, 35, Bull., lxxx.—Lep.
Toxidium Leconte 1860, Proc. Acad. nat. Sci. Philad., 1860, 324.—Col.
Toxidium Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 996.—Prot.
Toxineura (pro *Toxoneuron* Say 1836) Dalla Torre 1898, Cat. Hym., 4, 322.—Hym.
Toxinopsis de Folin 1881, Bull. Soc. Hist. nat. Toulouse, 15, 136 [n.n.]; ? 1882, Fonds de la Mer, 4, livr. 75, 132 [n.n.].—Prot.
Toxitiades (n.n. pro *Toxotinus* Fairmaire 1893) Fairmaire 1893, Ann. Soc. ent. Belgique, 37, 586.—Col.
Toxobodo Sangiorgi 1917, Pathologica, 9, no. 208, 196.—Prot.
Toxobrissus Desor 1858, Syn. Ech. Foss., 399.—Echin.
Toxobryssus (pro *-brissus* Desor 1858) Meissner 1904, in Bronn, Klass. Ordn. Tierreichs, 2 (3), no. 4, 1395.—Echin.
Toxocampa Guenée 1841, Ann. Soc. ent. France, 10, 75.—Lep.
Toxocampitellus Breddin 1900, Abh. Senckenb. naturf. Ges., 25, 170.—Hem.
Toxocara Stiles 1905, in Stiles & Hassall, Bull. Bur. Anim. Ind., Washington, No. 79, 150.—Verm. (Nema.).
Toxocera Macquart 1850, Mém. Soc. N. Sci. Lille, 1849, 348.—Dipt.
Toxoceras d'Orbigny 1842, Pal. Franç., Crét., 1 (Céph.), 472.—Moll.
Toxoceras Chrétien 1915, Ann. Soc. ent. France, 84, 329.—Lep.
Toxoceratoides Spath 1924, Geol. Mag., 61, 78.—Moll.
Toxocerus (pro *-ras* d'Orbigny 1842) King 1844, Ann. Mag. nat. Hist., 14, 276.—Moll.
Toxocerus Fairmaire 1891, Ann. Soc. ent. Belgique, 35, Bull., vii.—Col.
Toxochalina Ridley 1884, Rep. Voy. "Alert," 402.—Spong.
Toxochelys Cope 1873, Proc. Acad. nat. Sci. Philad., 1873, 10.—Rept.
Toxochernes Beier 1932, Tierreich, 58, 145, 151.—Arachn.
Toxicidaris Agassiz 1863, Bull. Mus. comp. Zool. Harvard, 1, 22.—Echin.
Toxoclytus Agassiz 1862, Contrib. nat. Hist. America, 2, 153.—Coel.
Toxocnema Fähræus 1870, Ofvers. VetenskAkad. Förh. Stockholm, 27, 304.—Col.
Toxocnemis Macquart 1855, Dipt. exot., Suppl. 5, 103 (ex Mém. Soc. Sci. Lille, 1854 (1855)).—Dipt.
Toxoconcha Kittl 1899, Ann. naturh. Hofmus. Wien, 14, 156, 161.—Moll.
Toxocorys Sundevall (1873), Methodi nat. Avium, 155.—Aves.
Toxocystis Léger & Duboscq 1910, Arch. Zool. exp. gén. Paris, (5) 5, 202.—Prot.
Toxodactylites Buckman 1926, Type Ammonites, 6, pt. 61, 42.—Moll.
Toxodera Audinet-Serville 1837, Ann. Soc. ent. France, 6, 27.—Orth.
Toxoderella Giglio-Tos 1914, Ann. Mus. Napoli, (N.S.) 4, no. 15, 7.—Orth.
Toxoderopsis Wood-Mason 1889, J. Asiat. Soc. Bengal, 58 (2), 317.—Orth.
Toxoderus (n.n. pro *Sharpia* Fauvel 1878) Fauvel 1900, Rev. Ent. franç., 19, 189.—Col.
Toxodon Owen 1837, Proc. geol. Soc. London, 2, 541.—Mamm.
Toxodontherium Ameghino 1883, Bol. Acad. Argent., 5, 105.—Mamm.
Toxodontophanus Moreno 1882, An. Soc. cient. argent., 14, 117 [n.n.]; Ameghino 1887, Observ. Mam. esting. S. America, 64.—Mamm.
Toxodora Verrill 1882, Amer. J. Sci., (3) 23, 219.—Echin.
Toxognathus Fairmaire 1878, Ann. Soc. ent. France, (5) 8, 271.—Col.
Toxogrammia von Gumpenberg 1887, Nova Acta Akad. Leop. Carol., 49, 332; 1896, 65, 313.—Lep.
Toxoides Hampson [1893], Fauna Brit. Ind., Moths, 1, 1892, 185.—Lep.
Toxolasma Rafinesque 1831, Cont. Mon. Shells Ohio, 2.—Moll.
Toxolimax Simroth 1899, S.B. naturf. Ges. Leipzig, 1897-98, 37.—Moll.
Toxolioceras Buckman 1902, Emend. Ann. Nomenclature, 5.—Moll.
Toxoloma Felder 1874, Reise Novara, Zool. 2, Abt. 2, Lep. Het., Explan. Pls. lxxv-cvii, 9.—Lep.
Toxomantis Giglio-Tos 1914, Ann. Mus. Napoli, (N.S.) 4, no. 15, 10.—Orth.
Toxomerus Macquart 1855, Dipt. Exot., Suppl., 5, 93.—Dipt.
Toxometopon Reichardt 1932, Mitt. zool. Mus. Berlin, 18, 31.—Col.
Toxometra Clark 1911, Proc. U.S. nat. Mus., 39, 560.—Echin.
Toxomus Rafinesque 1815, Analyse, 161 [n.n.].—Prot.
Toxomyia Felt 1911, Ent. News, 22, 302.—Dipt.
Toxonema Boehm 1895, Palaeontographica, 42 (4-5), 269.—Moll.
Toxonema Léger & Hesse 1922, C.R. Acad. Sci. Paris, 174, 328.—Prot. (See *Toxospora* Kudo 1925.)
Toxoneura (pro *-neura* Macquart 1835) Westwood 1840, Introd. Classif. Ins., 2, Syn., 150.—Dipt.
Toxoneura (pro *-ron* Say 1836) Cresson 1887, Trans. Amer. ent. Soc., 14, Suppl., 61, 154.—Hym.
Toxoneuron Say 1836, Boston J. nat. Hist., 1 (3), 258.—Hym.
Toxoneurum (pro *-ron* Say 1836) Schulz 1906, Spolia hym., 137.—Hym.
Toxoneura Macquart 1835, (Roret's Suite à Buffon) Diptères, 2, 404.—Dipt.
Toxonium Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 997.—Prot.
Toxonothrips Moulton 1927, Pan-Pacific Ent., 4, 30.—Thysanopt.

- Toxonotus* Lacordaire 1866, Hist. nat. Ins., Gen. Col., 7, 575.—Col.
Toxonprucha Moeschler 1890, Abh. Senckenb. Ges., 16, 198.—Lep.
Toxopaltis Warren 1894, Novit. zool., 1, 398.—Lep.
Toxopatagus Pomel 1883, Classif. méth. Echin., 30.—Echin.
Toxopeusella Schmidt 1926, Treubia, 7, 223.—Hem.
Toxopeusia Oudemans 1927, Ent. Ber., Amsterdam, 7, 227.—Arachn.
Toxophleps Hampson 1893, Ill. typ. Spec. Lep. Het. Coll. Brit. Mus., 9, 124.—Lep.
Toxophora Meigen 1803, Mag. f. Insektenk. (Illiger), 2, 270.—Dipt.
Toxophoraoides (pro *-oides* Cresson 1874) Seyrig 1932, Mém. Acad. Malgache, 11, 23.—Hym.
Toxophoroides Cresson 1874, Proc. Acad. nat. Sci. Philad., 1873, 406.—Hym.
Toxophorus (Schoenherr MS.) Dejean 1835, Catal. Coléopt., ed. 2, 280 [n.n.]; Schoenherr 1836, Gen. et Sp. Curc., 3 (1), 371.—Col. (Curculionid.).
Toxophorus Agassiz 1846, Nom. Zool. (Pisces), 65 [n.n.].—Pisces.
Toxophorus (Hagedorn MS.) Eggers 1920, Ent. Blätter, 16, 119.—Col. (Scolytid.).
Toxophthalmoechinogammarus Dybowski 1926, Bull. internat. Acad. Cracovie., (B) 1926, 38.—Crust.
Toxophyllus Fairmaire 1899, Ann. Soc. ent. Belgique, 43, 519.—Col.
Toxophyma Fourtau 1899, Note publ. pal. Egypt., 6.—Echin.
Toxoplasma Nicolle & Manceaux 1909, C.R. Acad. Sci. Paris, 148, 371.—Prot.
Toxopneustes Agassiz 1841, Mon. Echin. (Anat. Echinus, 1), ix.—Echin.
Toxopoda Macquart 1851, Dipt. exot., Suppl. 4, 299 (ex Mém. Soc. Sci. Lille, 1850 (1851)).—Dipt.
Toxopoma Owen 1854, Descr. Cat. foss. Rept. Pisc., Coll. Surgeons, 19, 164.—Pisces.
Toxopora (pro *-phora* Meigen 1803) Rondani 1856, Dipt. Ital. Prodr., 1, 225.—Dipt.
Toxoprior Hay 1910, Proc. U.S. nat. Mus., 37, no. 1699, 56.—Pisces.
Toxoptera Koch 1856, Pflanzenläuse Aphiden, 8, 253.—Hem.
Toxopteris Bolivar 1890, An. Soc. españ. Hist. nat., 19, 313.—Orth.
Toxopus Bergroth 1906, Ann. Soc. ent. Belgique, 49, 1905, 374.—Hem.
Toxopyrgota Hendel 1917, Dtsch. ent. Z., 1917, 34.—Dipt.
Toxorchis Haeckel 1879, Syst. der Medusen, 1, 156.—Coel.
Toxorhampus Stresemann 1914, Novit. zool., 21, 394.—Aves.
Toxorhina Loew 1845, in Berendt, Die im Bernstein befindl. Org. Reste, 1 (1), 57 [n.n.]; 1850, Bernstein & Bernstein, Fauna, 36, 37; 1851, Linn. Ent., 5, 400.—Dipt.
Toxorhinus Dejean 1835, Catal. Coléopt., ed. 2, 280 [n.n.]; Lacordaire 1866, Hist. nat. Ins., Gen. Col., 7, 304.—Col.
Toxorhynchites Theobald 1901, J. trop. Med. Hyg., 4, 234; 1901, Monogr. Culic., 1, 244.—Dipt.
Toxorhynchus Scudder 1894, Mon. U.S. geol. Surv., 21, 26.—Col.
Toxorhinus (pro *-rhinus* Dejean 1835) Gemminger & Harold 1871, Cat. Col., 8, 2654.—Col.
Toxoscelus Deyrolle 1864, Ann. Soc. ent. Belgique, 8, 127.—Col.
Toxosma (err. pro *Toxosoma* Conrad 1874) Whitaker 1875, Geol. Rec., 1874, 291.—Moll.
Toxosoma Conrad 1874, Proc. Acad. nat. Sci. Philad., 1874, 31.—Moll.
Toxospathius Deyrolle & Fairmaire 1878, Ann. Soc. ent. France, (5) 8, 102.—Col.
Toxospathius (pro *-thius* Deyrolle & Fairmaire 1878) Reitter 1902, Verh. Ver. Brünn, 40, 1901, Abh., 254.—Col.
Toxosphinctes Buckman 1923, Type Ammonites, 5, pt. 43, no. 448.—Moll.
Toxospora (n.n. pro *Toxonema* Léger & Hesse 1922) Kudo 1925, Science, N.Y., 61, 366.—Prot.
Toxosterna Thomson 1868, Physis, 2, 178.—Col.
Toxostoma Rafinesque 1818, Amer. month. Mag., 4, 107 [n.n.]; 1831, Enum. obj. Cab., 3.—Moll.
Toxostoma Wagler 1831, Isis, 24, 528.—Aves.
Toxota (? pro *-tus* Dejean 1821) Berthold 1827, in Latreille, Nat. Fam. Thierr., 399.—Col.
Toxotacma Meyrick 1929, Exot. Microlep., 3, 504.—Lep.
Toxotarsus Macquart 1851, Dipt. exot., Suppl. 4, 238 (ex Mém. Soc. Sci. Lille, 1850 (1851)).—Dipt.
Toxotarsus (pro *Toso-* Sharp 1877) Nonfried 1892, Berlin. ent. Z., 37, 253.—Col.
Toxotemnus Ameghino 1904, An. Soc. ci. Argent., 58, 235.—Mamm.
Toxotes Cuvier & Cloquet 1816, Dict. Sci. Nat. (ed. 2), 2 (Suppl.), 116.—Pisces.
Toxoteuches (emend. pro *Guyornis* Bonaparte 1854) Cabanis & Heine 1860, Mus. Hein., 3, 11.—Aves.
Toxotiades (err. pro *Toxi-* Fairmaire 1893) Fairmaire 1894, Ann. Soc. ent. Belgique, 38, 395.—Col.
Toxotinus Bates 1884, J. Linn. Soc. London, Zool., 18, 213.—Col. (Cerambycid.).
Toxotinus Fairmaire 1893, Ann. Soc. ent. Belgique, 37, 511.—Col. (Cerambycid.).
(See *Toxitiades* Fairmaire 1893.)

- Toxotis* Wallerius 1895, Undersökn. Zonen Agnostus Vestergötland, Lund, 59.—Trilobita.
- Toxotochorus* Reitter 1907, Wien. ent. Ztg., 26, 208.—Col.
- Toxotoma* Weise 1899, Dtsch. ent. Z., 1899, 257.—Col.
- Toxotomimus* Heller 1916, Nova Caledonia, Zool., 2, 291.—Col.
- Toxotopsis* Casey 1913, Mem. Col., 4, 206.—Col.
- Toxotrema* Rafinesque 1819, Journ. de Physique, 88, 425.—Moll.
- Toxotropis* Leconte 1876, Proc. Amer. phil. Soc., 15, 397.—Col.
- Toxotrypana* Gerstaecker 1860, Ent. Ztg., Stettin, 21, 191.—Dipt.
- Toxotrypanea* (pro -na Gerstaecker 1860) Curran 1934, Famm. Genn. N. Amer. Dipt., 293.—Dipt.
- Toxotus* (Megerle MS.) Dejean 1821, Catal. Coléopt., 112 [n.n.]; Zetterstedt 1828, Fauna Ins. Lapp., 374.—Col.
- Toxura* Macquart 1851, Dipt. exot., Suppl. 4, 289 (ex Mém. Soc. Sci. Lille, 1850 (1851)).—Dipt.
- Toxus* Eigenmann 1904, Bull. U.S. Fish Comm., 22, 1902, 226.—Pisces.
- Toxymys* (pro *Tax-* Marsh 1872) Zittel 1893, Handb. Pal., 4 (2), 522.—Mamm.
- Toya* Distant 1906, Fauna Brit. Ind., Rhynchota, 3, 472.—Hem.
- Toyoides* Matsumura 1935, Insecta matsum., 10, 78.—Hem.
- Tozeuma* Stimpson 1860, Proc. Acad. nat. Sci. Philad., 1860, 24, 26.—Crust.
- Tozzettia* (n.n. pro *Targionia* Hesse 1923) Hesse 1924, Arch. Molluskenk., 56, 226.—Moll.
- Tplidium* (pro *Apl-* Savigny 1816) Dujardin 1837, in Lamarck, Hist. An. s. Vert., ed. 3, 1, 570.—Tunicata.
- Trabaea* (pro -bea Simon 1876) Simon 1898, Hist. nat. Araign., ed. 2, 2, fasc. 2, 349.—Arachn.
- Trabala* (n.n. pro *Amydona* Walker 1855 (Lasiocampid.)) Walker 1856, List Specimens Lep. Ins. Brit. Mus., 7, 1785.—Lep.
- Trabalia* Kraglievich 1932, An. Mus. Montevideo, (2) 3, 308.—Mamm.
- Trabaloides* (n.n. pro *Protogenes* Saalmueller 1884) Kirby 1892, Syn. Cat. Lep. Heteroc., 1, 818.—Lep.
- Trabea* Simon 1876, Arachn. de France, 3, 356.—Arachn.
- Trabecula* Monterosato 1884, Nomencl. Gen. Spec., 86.—Moll.
- Trabeculus* Rudow 1866, Z. Naturw., 27, 466.—Malloph.
- Trabisus* Raffray 1890, Rev. Ent. franç., 9, 110.—Col.
- Trabutina* Marchal 1905, Bull. Mus. Hist. nat. Paris, 10, 449.—Hem.
- Tracana* Walker [1859], J. Proc. Linn. Soc. London, Zool., 4, 1860, 99.—Dipt.
- Trachagathis* Viereck 1913, Proc. U.S. nat. Mus., 46, 366.—Hym.
- Trachalus* Champion 1906, Biol. Centr. Amer., Col., 4 (4), 631.—Col.
- Trachandrena* Robertson 1902, Trans. Amer. ent. Soc., 35, 189.—Hym.
- Trachasida* Reitter 1917, Verh. Ver. Brünn, 55, 62.—Col.
- Trachea* Ochseneheimer 1816, Schmett. Europa, 4, 75.—Lep.
- Trachelacantha* (n.n. pro *Trachelorhachis* Silvestri 1898) Berg 1899, Comun. Mus. nac. Buenos Aires, 1, no. 3, 77.—Myr.
- Trachelacanthus* Fischer de Waldheim 1850, Ausschusse Werner-Festes Freyberg, 9.—Pisces.
- Trachelas* Koch 1866, Arach. Drass., 2.—Arachn.
- Trachelastatus* Morice & Durrant 1915, Trans. ent. Soc. London, 1914, 384.—Hym.
- Tracheleuglypha* Deflandre 1928, Ann. Protistol. Paris, 1, 40.—Prot.
- Trachelia* Scopoli 1769, Annus, 1, 11, 110.—Aves.
- Trachelia* Audinet-Serville 1834, Ann. Soc. ent. France, 3, 25.—Col. (See *Hippias* Gistel 1847, *Loxodromus* Gistel 1847 & *Trachelissa* Aurivillius 1912.)
- Trachelia* Pfeiffer 1853, Mon. Helic. Viv., 3, 564.—Moll. (See *Tetrentodon* Pilsbry 1903.)
- Tracheliastes* Nordmann 1832, Mikr. Beitr. wirbellos. Thiere, 2, 95.—Crust.
- Tracheligone* Mathews 1925, Bull. Brit. Orn. Cl., 45, 94.—Aves.
- Trachelina* Schrank 1803, Fauna Boica, 3 (2), 27; Blainville 1830, Dict. Sci. Nat., 60, 164.—Prot.
- Tracheliodes* Morawitz 1866, Bull. Acad. Sci. St. Pétersbourg, 9, 249.—Hym.
- Tracheliopteris* see *Trachelyopteris*.
- Trachelipus* Budde-Lund 1908, in Voeltzkow, Reise O.-Afr., 2, 281.—Crust.
- Trachelissa* (n.n. pro *Trachelia* Serville 1834) Aurivillius 1912, Col. Cat., 39, 449.—Col.
- Trachelium* Dejean 1830, Ann. Sci. Nat., 21 (82), 177.—Col.
- Trachelium* Herrich-Schaeffer 1851, Wanzenart. Ins., 9 (6), 274.—Hem.
- Trachelius* Schrank 1803, Fauna Boica, 3 (2), 20.—Prot.
- Trachelizus* (Chevrolat MS.) Dejean 1834, Catal. Coléopt., ed. 2, 243 [n.n.]; Schoenherr 1840, Gen. et Sp. Curc., 5 (2), 489.—Col. (Brenthid.).
- Trachelizus* Solier 1834, Hist. nat. Ins., 4 (Col.), 258.—Col. (Carabid.). (See *Physsea* Brullé 1834.)
- Trachelobdella* Diesing 1850, Syst. Helminth., 1, 435.—Verm. (Hirud.).
- Trachelobranchys* (n.n. pro *Brachytrachelus* Morawitz 1861) Gemminger 1870, in Harold, Coleopt. Hefte, 6, 124.—Col.

- Trachelocamptus* Simon 1884, *Arachn. France*, 5 (3), 577.—Arachn.
Trachelocampylus Frédault 1847, *Notiz. Geb. Nat. Heilk. Weimar*, [3] 2, 310.—Verm. (Cest.).
Trachelocera (pro *-cerca* Ehrenberg 1834) Gistel 1848, *Nat. Thierr.*, 185.—Prot.
Trachelocerca Ehrenberg [1834], *Abh. preuss. Akad. Wiss.*, 1833 (1835), 316.—Prot.
Trachelochetus Cossmann 1889, *Ann. Soc. malac. Belg.*, 24, 250.—Moll.
Trachelochismus Brisout de Barneville 1846, *Rev. Zool. (Soc. Cuv.)*, 9, 212.—Pisces.
Trachelocirrhus Doumet 1863, *Rev. Mag. Zool.*, (2) 15, 220.—Pisces.
Trachelocrinus Ulrich 1929, *J. Washington Acad. Sci.*, 19, 63.—Echin.
Trachelocyphoides Alluaud 1934, *Afra*, No. 8, 15.—Col.
Trachelocyphus Tschitscherin 1900, *Horae Soc. ent. ross.*, 34, 270.—Col.
Trachelodesmus Peters 1864, *MonatsBer. Akad. Wiss. Berlin*, 1864, 623.—Myr.
Tracheloem Hope 1840, *Coleopt. Manual*, 3, 116.—Col.
Trachelogerrhon Fitzinger 1843, *Syst. Rept.*, 27.—Rept.
Trachelogerrhum (emend. pro *-rrhon* Fitzinger 1843) Agassiz 1846, *Nomen. Zool. Index Univ.*—Rept.
Trachelolabus Jekel 1860, *Ins. Saundersiana, Col. Curc.*, 2, 217.—Col.
Trachelolychnus (pro *Trachelychnus* Kirsch 1865) Gemminger & Harold 1869, *Cat. Col.*, 6, 1674.—Col.
Trachelomegalus Silvestri 1896, *Ann. Mus. Stor. nat. Genova*, 16, 27.—Myr.
Trachelomiris Reuter 1875, *Ofvers. VetenskAkad. Förh. Stockholm*, 32, no. 9, 61.—Hem.
Trachelomonas Ehrenberg [1834], *Abh. preuss. Akad. Wiss.*, 1833 (1835), 315.—Prot.
Trachelomorphus Seidlitz 1875, *Fauna Balt.*, 1872-75, 119.—Col.
Trachelonepha Casey 1918, *Mem. Col.*, 8, 37.—Col.
Trachelonetta Kaup 1829, *Skizz. Europ. Thierw.*, 115.—Aves.
Trachelonia Tilesius 1850, *Isis (Munich)*, (5) 75.—Col.
Trachelonotus Reuter 1904, *Annu. Mus. Zool. Acad. Sci. St. Petersburg*, 9, 12.—Hem.
Trachelopachys Simon 1897, *Hist. nat. Araign.*, 2, 185.—Arachn.
Trachelophanes Murray 1870, *Ann. Mag. nat. Hist.*, (4) 6, 170.—Col.
Trachelophora Perroud 1855, *Ann. Soc. linn. Lyon, (N.S.)* 2, 1854-55, 357.—Col.
Trachelophoridius Voss 1929, *Stettin. ent. Ztg.*, 90, 181.—Col.
Trachelophorus Jekel 1860, *Ins. Saundersiana, Col. Curc.*, 2, 158.—Col.
Trachelophyllum Claparède & Lachmann 1856, *Mém. Inst. Génév.*, 3, 1855, 306.—Prot.
Trachelophyllum Levensen [1883], *Vidensk. Medd. naturh. Foren. Kjøbenhavn*, 1882, 202, 203, 209.—Verm. (Polych.).
Trachelopterus (emend. pro *-yopterus* Cuvier & Valenciennes 1840) Agassiz 1846, *Nomen. Zool. Index Univ.*—Pisces.
Tracheloptychus Peters 1854, *MonatsBer. Akad. Wiss. Berlin*, 1854, 617.—Rept.
Trachelorachys Hope 1841, *Proc. zool. Soc. London*, 8, 51.—Col.
Trachelorhachis (emend. pro *-rachys* Hope 1841) Agassiz 1846, *Nomen. Zool. Index Univ.*—Col.
Trachelorhachis Silvestri 1898, *Bull. Mus. Zool. Anat. comp. Torino*, 13, no. 324, 5.—Myr. (nec *Trachelorachys* Hope 1847 see *Trachelacantha* Berg 1899).
Trachelosaccus Boshma 1928, *Danish Ingolf-Exped.*, 3, pt. 10, 10.—Crust.
Trachelosaurus Broili & Fisher 1921, *Jahrb. Geol. LandesAnst. Berlin*, 37, 359.—Rept.
Trachelosimus Morawitz 1866, *Bull. Acad. Sci. St. Pétersbourg*, 9, 249.—Hym.
Trachelostenus Solier 1851, in Gay, *Hist. Chile*, 5, 255.—Col.
Trachelostyla Kahl 1932, *Tierwelt Deutschlands*, 25, 540, 596.—Prot.
Tracheloteuthis Steenstrup 1881, *Vidensk. Medd. naturh. Foren. Kjøbenhavn*, 1881, 293.—Moll.
Trachelotherium (emend. pro *Camelopardalis* Schreber 1784) Gistel [1847], *Handb. Naturges.*, 1850, 266; 1848, *Nat. Thierr.*, 81.—Mamm.
Trachelotis Reichenbach 1848, *Synop. Avium*, No. 3, [4].—Aves.
Tracheluchus Bergroth 1926, *Dtsch. ent. Z.*, 1926, 61.—Hem.
Trachelus Jurine 1807, *N. Méth. class. Hyménopt.*, 72.—Hym.
Trachelus Dejean 1821, *Cat. Col.*, [ed. 2], 83 [n.n.].—Col. (Curculionid.).
Trachelus Solier 1849, in Gay, *Chili*, 4 (Col.), 465.—Col. (Anobiid.).
Trachelychnus Kirsch 1865, *Berlin. ent. Z.*, 9, 82.—Col.
Trachelyopterichthys Bleeker 1862, *Versl. Akad. Amsterdam*, 14, 400, 402.—Pisces.
Trachelyopterus Cuvier & Valenciennes 1840, *H. N. Poiss.*, 15, 220 (as *Tracheliopterus* pl. 437, 438).—Pisces.
Trachemys Agassiz 1857, *Contrib. nat. Hist. U.S.* 1, 434.—Rept.
Tracheoides Prout 1926, *Entomologist*, 59, 64.—Lep.
Tracheomyia Rodhain & Bequaert 1916, *Bull. Sci. France Belgique*, 50, 69.—Dipt. (Muscid.).
Tracheomyia Townsend 1916, *Canad. Ent.*, 48, 160.—Dipt. (Oestrid.).
Tracheoniscus Verhoeff 1917, *S.B. Ges. naturf. Fr. Berlin*, 1917, 209.—Crust.

- Tracheophilus* Skrjabin 1913, Zbl. Bakt., (1 Orig.) 69, 90.—Verm. (Trem.).
Tracheops Hulst 1896, Trans. Amer. ent. Soc., 23, 365.—Lep.
Trachepyris Kieffer 1905, Ann. Soc. sci. Bruxelles, 29, 107.—Hym.
Tracheterogomphus Prell 1912, Mém. Soc. ent. Belgique, 20, 101, 141.—Col.
Trachia (err. pro *Thracia* Leach 1823) Wright 1855, Nat. Hist. Rev., 2, Proc. Soc., 72.—Moll.
Trachia (Albers MS.) Martens 1860, Die Helic., ed. 2, 160.—Moll.
Trachiaster (pro *Trachyaster* Pomel 1869) Cotteau 1886, in d'Orbigny, Pal. Franç., (1) Terr. tert., 1, 132.—Echin.
Trachibrama (pro *Acanthobrama* Heckel 1843) Heckel 1843, in Russegger, Reise, 1 (2), 1033.—Pisces.
Trachicalyptus Ameghino 1908, An. Mus. nac. Buenos Aires, (3) 10, 427.—Mamm.
Trachicardium (pro *Trachy*- Moersch 1853) Roemer 1869, Syst. Conch. Cab., (2) 10 (2), Lief. 190, 46.—Moll.
Trachicephalus Swainson 1839, N.H. Fishes, etc., 2, 181, 268.—Pisces (nec *Trachycephalus* Tschudi 1838 see *Uranoblepus* Gill 1861).
Trachicephalus (pro *Trachy*- Tschudi 1838) Steindachner 1867, Reise Novara, Amph., 64.—Amph.
Trachichneumon Viereck 1912, Proc. U.S. nat. Mus., 42, 645.—Hym.
Trachichthodes Gilchrist 1904 [sep. 1903], Marine Invest. S. Africa, 2, 203.—Pisces.
Trachichthyoides Woodward 1902, (Pal. Soc. Monogr.) Foss. Fish. Engl. Chalk, no. 1, 29.—Pisces.
Trachichthys Shaw 1799, Nat. Misc., 10, pl. 378.—Pisces.
Trachichtys (pro *-thys* Shaw 1799) Cuvier 1817, Règne an., 2, 325.—Pisces.
Trachichthys (pro *-chthys* Shaw 1799) Swainson 1838, Hist. Classif. Fish., 1, 86; 1839, 2, 61.—Pisces.
Trachidermis (pro *-mus* Heckel 1839) Girard (1850), Proc. Boston Soc. nat. Hist., 3, 1851, 302.—Pisces.
Trachidermus Heckel 1839, Ann. Wiener Mus., 2 [1], 159.—Pisces.
Trachina Klug 1807, in Illiger, Mag. f. Insektenk., 6, 226; 1808, Ges. Nat. Fr. Berlin, Mag. 2, 57.—Hym.
Trachinerita (err. pro *Trachy*- Kittl 1894) Patrini 1927, Riv. Ital. Paleont., 33 (3-4), 50.—Moll.
Trachinocephalus Gill 1861, Proc. Acad. nat. Sci. Philad., 1861, Suppl., [Cat. Fish. E. Coast N. Amer.], 52.—Pisces.
Trachinoides Borodin 1934, Bull. Vanderbilt Mar. Mus., 1, 119.—Pisces.
Trachinops Guenther 1861, Cat. Fish. Brit. Mus., 3, 362, 366.—Pisces.
Trachinopsis Sauvage (1875), Bull. Soc. géol. France, (3) 3, 641.—Pisces.
Trachinostomias Parr 1927, Bull. Bingham Ocean Coll., 3 (2), 105.—Pisces.
Trachinotus [Anonymous] 1802, Allg. Lit. Zeit., (3) 21; Lacepède 1802, Hist. Nat. Poiss., 3, 78.—Pisces.
Trachinotus (pro *Trachy*- Gravenhorst 1829) Gistel 1848, Nat. Thierr., xi.—Hym.
Trachinotus (pro *Trachy*- Kramer 1876) Berlese 1881, Atti Ist. Veneto, (5) 8, 74.—Arachn.
Trachinus Linnaeus 1758, Syst. Nat., ed. 10, 250; 1766, ed. 12, 435.—Pisces.
Trachionus Haliday 1833, Entom. Mag., 1 (3), 265.—Hym.
Trachiopsis Pilsbry 1893, Man. Conch., (2) 8, 284.—Moll.
Trachipterus Gouan 1770, Hist. Pisc., 103, 153.—Pisces.
Trachischium Guenther 1858, Cat. Colubr. Snakes Brit. Mus., 23, 30, 245.—Rept.
Trachispongilla (pro *Trachy*- Dybowski 1878) Rousseau 1906, Ann. Soc. malac. Belgique, 41, 126.—Spong.
Trachneyrita (err. pro *Trachynerita* Kittl 1894) Kutassy 1927, Am. Földt. Int. Eskönyve, 27, pt. 2, errata.—Moll.
Trachocera Blood & Kryger 1928, Ent. Medd., 16, 208.—Hym.
Trachodema Blanchard 1851, in Gay, Hist. Chile, 5, 374.—Col.
Trachodes (Schueppel MS.) Germar 1824, Ins. spec. novae, 1, 325.—Col.
Trachodius Weise 1891, Dtsch. ent. Z., 1891, 122.—Col.
Trachodon Leidy 1856, Proc. Acad. nat. Sci. Philad., 8, 72.—Rept.
Trachodopalpus Blanchard 1852, in Gay, Hist. Chile, 7, 72.—Lep.
Trachoeopus Kittl 1894, Ann. naturh. Hofmus. Wien, 9, no. 2, 240.—Moll.
Trachoma Wallengren 1880, Ent. Tidskr., 1, 62.—Lep.
Trachomatechnus Miller 1880, J. Cincinnati Soc. nat. Hist., 2, 219.—Moll.
Trachonites (Leach MS.) Latreille 1823, in Desmarest, Dict. Sci. Nat., 28, 263; 1825, in Desmarest, Consid. gén. Crust., 149.—Crust.
Trachonitis Zeller 1848, Isis (Oken), 1848, 606.—Lep.
Trachonurus Guenther 1887, Rep. Voy. Challenger Exped., Zool., 22, no. 57, 124, 142.—Pisces.
Trachopeplus Man 1923, Zoologica, N. York, 3, 353.—Col.
Trachops Gray 1847, Proc. zool. Soc. London, 15, 14.—Mamm.
Trachopus (pro *Troch*- Diesing 1850) van Beneden 1858, Mém. Vers. intest., 11; 1861, C. R. Acad. Sci. Paris, 2, 11.—Verm. (Trem.).

- Trachosteus Newberry 1890, Monogr. U.S. geol. Surv., 16, 188.—Pisces.
 Trachostylea Topsent 1928, Rés. Camp. sci. Albert 1^{er} Monaco, 74, 166.—Spong.
 Trachurops Gill 1862, Proc. Acad. nat. Sci. Philad., 1862, 431.—Pisces.
 Trachurus (Plumier MS.) Lacepède 1802, Hist. Nat. Poiss., 3, 84; Rafinesque 1810, Car. n. gen., 41.—Pisces.
 Trachurus Guenther [non Lacepède, Rafinesque] 1854, in Gronovius, Cat. Fish. Brit. Mus., 124.—Pisces.
 Trachusa Jurine 1807, N. Méth. class. Hyménopt., 247.—Hym.
 Trachya Carter 1870, Ann. Mag. nat. Hist., (4) 6, 178.—Spong.
 Trachyapthona Heikertinger 1924, Koleopt. Rdsch., 11, 34.—Col.
 Trachyarus Thomson 1891, Opusc. ent., 15, 1612.—Hym.
 Trachyaspis Meyer 1843, N. Jahrb. f. Min., 1843, 699.—Rept.
 Trachyaster Pomel 1869, Rev. Echinod., 14 [n.n.]; 1883, Classif. méth. Echin., 38.—Echin. (Ech.).
 Trachyaster Spencer 1913, Phil. Trans. roy. Soc., London, (B) 204, 131.—Echin. (Ast.).
 Trachybaicalia (n.n. pro *Ligea* Dybowski 1875) Martens 1876, Jahrb. dtsh. malak. Ges., 3, 183.—Moll.
 Trachybaikalialia (emend. pro *-baicalia* Martens 1876) Dall 1877, Proc. Boston Soc. nat. Hist., 19, 45.—Moll.
 Trachybaikalialia Nevill [non Dall 1877] 1884, Handlist Moll. Indian Mus., 2, 63.—Moll.
 Trachybaikalialia Westerlund [non Dall, Nevill] 1902, Rada Jugoslav. Akad., 151, 127.—Moll.
 Trachybaris Champion 1909, Biol. Centr. Amer., Col., 4 (5), 453.—Col.
 Trachybathra Meyrick 1907, Trans. N. Zealand Inst., 39, 114.—Lep.
 Trachybellia Pinto 1920, Brazil Medico, 34, 624.—Verm. (Hirud.).
 Trachybembix Boehm 1895, Palaeontographica, 42 (4-5), 220.—Moll.
 Trachyberyx Roule 1929, Bull. Inst. océan. Monaco, No. 546, 2.—Pisces.
 Trachyboa Peters 1860, MonatsBer. Akad. Wiss. Berlin, 1860, 200.—Rept.
 Trachybracon Szépligeti 1906, Ann. hist.-nat. Mus. hungar., 4, 552.—Hym.
 Trachybrama (pro *Trachi-* Heckel 1843) Bleeker 1863, Nederl. Tijdschr. Dierk., 1, 210.—Pisces.
 Trachybyrsis Meyrick 1927, Exot. Microlep., 3, 368.—Lep.
 Trachycara Tschudi 1845, Arch. Naturgesch., 11 (1), 169.—Amph.
 Trachycarabus Géhin 1876, Cat. Col. carabiques, 33.—Col.
 Trachycarcinus Faxon 1893, Bull. Mus. comp. Zool. Harvard, 24, 156.—Crust.
 Trachycardium Moersch 1853, Cat. Yoldi, 2, 34.—Moll.
 Trachycaris Calman 1906, Ann. Mag. nat. Hist., (7) 17, 31, 33.—Crust.
 Trachycaspia Dybowski & Grochmalicki 1917, Abh. zool.-bot. Ges. Wien, 9 (3), 22.—Moll.
 Trachycaulus Schulze 1885, Rep. Voy. Challenger Exped., Narr., 1, 450 [n.n.]; 1887, Zool., 21, no. 53, 128.—Spong.
 Trachycentra Meyrick 1886, Trans. ent. Soc. London, 1886, 288.—Lep.
 Trachycephalus Tschudi 1838, Classif. Batrach. (ex Mém. Soc. Sci. Nat. Neuchâtel, 2, 1839 [1840], 33, 74).—Amph.
 Trachycephalus Gray 1845, Cat. Lizards Brit. Mus., 179, 188.—Rept.
 Trachycephalus (emend. pro *Trachi-* Swainson 1839) Agassiz 1845, Nom. Zool. (Pisces), 66.—Pisces.
 Trachycephalus Ferguson 1875, Ann. Mag. nat. Hist., (4) 15, 128.—Amph. (See *Fergusonia* Hoffmann 1878.)
 Trachycephalus De Vis 1884, Proc. Linn. Soc. N.S. Wales, 8, 455.—Pisces.
 Trachycera Ragonot 1893, in Romanoff, Mém. Léop., 7, 2.—Lep.
 Trachyceramus Heinz 1932, Mitt. Min. Geol. Staatsinst. Hamburg, Lief. 13, 14.—Moll.
 Trachyceras Laube 1869, S.B. Akad. Wiss. Wien, Math.-naturw. Kl., 59 (1), 15.—Moll.
 Trachychernes Tömösváry 1882, Math. termés. Közlem., 18, 188.—Arachn.
 Trachychlaenia Kraatz 1895, Dtsch. ent. Z., 1895, 219.—Col.
 Trachychlaenites Kuntzen 1919, Mitt. zool. Mus. Berlin, 9, 151.—Col.
 Trachychloritis Haas 1934, Zool. Anz., 108, 203.—Moll.
 Trachychthis (pro *Trachichthys* Shaw 1799) Rafinesque 1815, Anal. Nat., 75.—Pisces.
 Trachycylliba Berlese 1904, Redia, 1, 1903, 248 (as *Trachycylliba* p. 333).—Arachn.
 Trachycimilis Pomel 1872, Pal. Oran, 5, 110.—Spong.
 Trachycladus Carter 1879, Ann. Mag. nat. Hist., (5) 3, 343.—Spong.
 Trachycnemis Pomel 1872, Pal. Oran, 5, 79, 80.—Spong.
 Trachycoelia Fitzinger 1843, Syst. Rept., 17, 66.—Rept.
 Trachycomus Cabanis [1851], in Cabanis & Heine, Mus. Hein., 1, 1850-51, 109.—Aves.
 Trachycormocephalus Kraepelin 1903, Mitt. naturh. Mus. Hamburg, 20, 218.—Myr.
 Trachycorystes Bleeker 1857-58, Acta Soc. Sci. Ind.-Ned., 4, 200.—Pisces.
 Trachycosmus Simon 1893, Hist. nat. Araign., ed. 2, 1, 347.—Arachn.

- Trachycraterium* Rostafinski 1874, Denkschr. Ges. Wiss. Paris, 5 (4), 122.—Prot.
Trachycycclus Duméril & Bibron 1837, (Roret's Suite à Buffon) Erpét., 4, 355.—Rept.
Trachycylliba see *Trachycylliba*.
Trachycyphus Fairmaire 1901, Rev. Ent. franç., 20, 201.—Col.
Trachycyrtus Heller 1912, Philipp. J. Sci., (D) 7, 303, 374 (1913).—Col.
Trachycystis (n.n. pro *Pella* Martens 1860) Pilsbry 1893, Man. Conch., (2) 8, 136.—Moll.
Trachydactyla Gray 1840, Syn. Cont. Brit. Mus., ed. 42, 41.—Rept.
Trachydemus Chevrolat 1873, Mém. Soc. Sci. Liège, (2) 5, Mém. Cléonid., 59.—Col.
Trachydemus Zelinka 1907, Zool. Anz., 32, 135.—Verm. (Kinorh.).
Trachyderas Philippi 1864, Ent. Ztg., Stettin, 25, 349.—Col.
Trachyderes (Dalman MS.) Schoenherr 1817, Syn. Insect., 1 (3), 364.—Col.
Trachyderma Latreille 1829 (Apr.), in Cuvier, Règne Anim., ed. 2, 5, 7.—Col.
Trachyderma Gravenhorst 1829, Ichneum. Europ., 1, Conspectus, 64; 1829, 3, 283.—Hym. (See *Spudaeus* Gistel 1848.)
Trachyderma Wiegmann 1829, Isis (Oken), 22, 421; 1834, Herpet. Mex., 23.—Rept. (See *Heloderma* Wiegmann 1829.)
Trachyderma Phillips 1848, Mem. Geol. Surv. Gt. Britain, 2 (1), 331.—Verm. († Ann.).
Trachydermochelys Seeley 1869, Index foss. Av. Rept., xix, 35.—Rept.
Trachydermon Carpenter 1864, Rep. Brit. Ass., 33, 1863, 649.—Moll.
Trachydermum (emend. pro *-ma* Latreille 1829) Gistel 1848, Nat. Thierr., xi.—Col.
Trachydermus (emend. pro *Trachi-* Heckel 1839) Agassiz 1845, Nom. Zool. (Pisc.), 66.—Pisces.
Trachydesmus Daday 1889, Termes. Füzetek, 12, 134.—Myr.
Trachydictya Pomel 1872, Pal. Oran, 5, 107.—Spong.
Trachydomia Meek & Worthen 1866, Geol. Surv. Illinois, 2, Pal., 364.—Moll.
Trachydomus (emend. pro *-mia* Meek & Worthen 1866) Cossmann 1918, Essais Paléoconch. comp., 11, 327.—Moll.
Trachydonia Bernhauer 1928, Arch. Naturgesch., 92, A7, 1926, 42.—Col.
Trachydora Meyrick 1897, Proc. Linn. Soc. N.S. Wales, 22, 390.—Lep.
Trachydoras Eigenmann 1925, Trans. Amer. phil. Soc., 22, 337.—Pisces.
Trachydosaurus Gray 1825, Ann. Phil., 26, 201.—Rept.
Trachydriulus Pignet 1928, Bull. Soc. neuchâtel. Sci. nat., 1, 92.—Verm. (Oligoch.).
Trachydra Meyrick 1929, Exot. Microlep., 3, 497.—Lep.
Trachyforcepia Topsent 1904, Rés. Camp. sci. Monaco, 25, 181.—Spong.
Trachygamasus Berlese [1906], Redia, 3, 116.—Arachn.
Trachygaster Wagler 1830, Nat. Syst. Amph., 154.—Rept.
Trachyglandina Pfeffer 1929, Geol. Pal. Abh., (N.F.) 17 (3), 205.—Moll.
Trachyglanis Boulenger 1902, Ann. Mus. Congo, Zool., (1) 2, 48.—Pisces.
Trachyglyphus Broun 1909, Trans. N. Zealand Inst., 41, 1908, 195.—Col.
Trachyglyptus Arnold 1934, Ann. Transvaal Mus., 15, 377.—Hym.
Trachygnatha Kulczyński 1894, in Chyzer & Kulczyński, Aran. Hungar., 2 (1), 91.—Arachn.
Trachygonia (n.n. pro *Trachysoma* Attems 1898) Cook & Collins 1895, Ann. N. York Acad. Sci., 9, 3.—Myr.
Trachyhoplophora Berlese 1924 [sep. 1923], Redia, 15, 257.—Arachn.
Trachyhyas Fitzinger 1843, Syst. Rept., 31.—Amph.
Trachyischium (pro *Trachi-* Guenther 1858) Berg 1901, Comun. Mus. Buenos Aires, 1, fasc. 8, 290.—Rept.
Trachyjulus Peters 1864, MonatsBer. Akad. Wiss. Berlin, 1864, 547.—Myr.
Trachykele Marseul 1865, Abeille, 2, 149.—Col.
Trachylacon Motschoulsky 1858, Etudes ent., 7, 60.—Col.
Trachylaemus Reichenow 1891, J. Orn., 39, 394; 1891, Ber. Allg. dtsh. Orn. Ges., 9, 3.—Aves.
Trachyleberis Brady 1898, Trans. zool. Soc. London, 14, 444.—Crust.
Trachylepidia Ragonot 1887, Ann. Soc. ent. France, (6) 7, 260.—Lep.
Trachylepis Fitzinger 1843, Syst. Rept., 22.—Rept.
Trachylepis Pander 1856, Silur. foss. Fische, 52.—? Pisces.
Trachylestes Stål 1868, K. svenska VetenskAkad. Handl., 7, no. II, III.—Hem.
Trachyleucopenga Hendel 1917, Dtsch. ent. Z., 1917, 44.—Dipt.
Trachyllichas Guérich 1901, N. Jahrb. Min. Geol., Stuttgart, Beil. Bd., 14, 520.—Trilobita.
Trachyliopus Fairmaire 1901, Rev. Ent. franç., 20, 229.—Col.
Trachylilus Reitter 1916, Fauna Germ., 5, 91.—Col.
Trachylobdella (pro *Trachel-* Diesing 1850) Goddard 1910, Proc. Linn. Soc. N.S. Wales, 35, 65.—Verm. (Hirud.).
Trachylophus Gahan 1888, Ann. Mag. nat. Hist., (6) 2, 59.—Col.
Trachylotoceras Buckman 1913, Yorks. Type Ammonites, 2 (2), vii.—Moll.
Trachymaia Milne-Edwards 1880, Miss. Mex., Rech. zool., 5, fasc. 8, 351; 1880, Bull. Mus. comp. Zool. Harvard, 8, 3.—Crust.
Trachymantis Giglio-Tos 1917, Bull. Soc. ent. ital., 48, 46.—Orth.

- Trachymantis* (n.n. pro *Microphryne* Methuen & Hewitt 1913) Methuen 1920, Proc. zool. Soc. London, 1919, 352.—Amph.
- Trachymela* Weise 1908, Fauna Südwest-Australiens, 2 (1), 8.—Col.
- Trachymeropsis* Champion 1907, Biol. Centr. Amer., Col., 4 (5) 207.—Col.
- Trachymerus* Schoenherr 1844, Gen. et Sp. Curc., 8 (1), 266.—Col.
- Trachymesopus* Emery 1911, Gen. Insect., 118, 84.—Hym.
- Trachymetopa* Weise 1899, Dtsch. ent. Z., 1899, 139.—Col.
- Trachymetus* Reitter 1905, Verh. Ver. Brünn, 42, 76.—Col.
- Trachymiopteryx* Rehn 1920, Proc. Acad. nat. Sci. Philad., 72, 220.—Orth.
- Trachymolgus* Berlese 1923, Redia, 15, 242.—Arachn.
- Trachymyrmex* Forel 1893, Ann. Soc. ent. Belgique, 37, 600.—Hym.
- Trachynautilus* Mojsisovics 1902, Abh. geol. Reichsanst. Wien, 6 (1), Suppl., 204, 239.—Moll.
- Trachynella* (n.n. pro *Trachynotus* Dahl 1886) Braendegaard 1932, Göteborgs Vetensk. Samh. Handl., (5) (B) 2, no. 7, 19.—Arachn.
- Trachynema* Gegenbaur 1854, Verh. Ges. Würzburg, 4, 206.—Coel.
- Trachynema* Cobb 1920, Contr. Sci. Nematol., 9, 250.—Verm. (Nema.).
- Trachyneme* (pro *-ma* Gegenbaur 1854) Whiteaves 1901, Geol. Surv. Canada, Cat. mar. Invert., 29.—Coel.
- Trachynemites* Haeckel 1869, Z. wiss. Zool., 19, 560.—Coel.
- Trachynerita* Kittl 1894, Jahrb. Geol. Reichsanst. Wien, 44 (1), 121, 133.—Moll.
- Trachynolus* (pro *-notus* Latreille 1829) Gistel 1848, Nat. Therr., 125.—Col.
- Trachynothus* (pro *-tus* Kramer 1876) Berlese 1885, Bull. Soc. ent. Ital., 17, 129.—Arachn.
- Trachynotidus* Péringuey 1899, Ann. S. Afr. Mus., 1, 296.—Col.
- Trachynotus* Latreille 1829 (Apr.), in Cuvier, R. Anim., ed. 2, 5, 14.—Col.
- Trachynotus* Gravenhorst 1829, Ichneum. Europ., 1, Conspectus, 64; 1829, 3, 713.—Hym. (See *Ochlerus* Gistel 1848 & *Nototrachys* Marshall 1872.)
- Trachynotus* (emend. pro *Trachi-* Lacepède 1802) Agassiz 1846, Nomen. Zool. Index Univ.—Pisces.
- Trachynotus* Bell 1862, Monogr. foss. Malacost. Crust. Brit., 2, 2.—Crust.
- Trachynotus* Kramer 1876, Arch. Naturgesch., 42 (1), 74.—Arachn. (See *Trachytes* Michael 1894.)
- Trachynotus* Dahl 1886, Sch. Nat. Ver. Schleswig, 6, 95.—Arachn. (See *Trachynella* Braendegaard 1932.)
- Trachynotus* Timotheew 1899, Zapiski Kharkov Univ., 31, 275.—Myr.
- Trachynotus* Schrammen 1924, Monogr. Geol. Paleont., (1) 2, 112.—Spong.
- Trachyntis* Meyrick 1889, Proc. Linn. Soc. N.S. Wales, (2) 3, 1888, 1586.—Lep.
- Trachyoehridia* Polinski 1929, Glasnik Srps. Kralj. Akad. Belgrade, 65, 133, 142, 180.—Moll.
- Trachyodes* Marshall 1916, Fauna Brit. Ind., Col., Rhynchoph., 1, 275, 277.—Col.
- Trachyodon* Dall 1892, Trans. Wagner Free Inst. Philad., 3 (2) 433.—Moll.
- Trachyoecus* (emend. pro *Tracho-* Kittl 1894) Diener 1926, Foss. Cat., 1, pt. 34, 224.—Moll.
- Trachyoma* (err. pro *-ysma* Sars 1878) Tryon 1887, Man. Conch., 9, 41.—Moll.
- Trachyomya* (err. pro *-ysma* Sars 1878) Cossmann 1906, Essais Paléonconch. comp., 7, 188.—Moll.
- Trachyopella* Duda 1920, Abh. zool.-bot. Ges. Wien, 10, 34.—Dipt.
- Trachyophis* (n.n. pro *Pachyophis* Werner 1924) Werner 1925, S.B. Akad. Wiss. Wien, 134, 45.—Rept.
- Trachyops* Dallas 1851, List Specimens Hem. Ins. Coll. Brit. Mus., 1, 187.—Hem. (nec *Trachops* Gray 1847 see *Ochisme* Kirkaldy 1904).
- Trachyops* (err. pro *-chops* Gray 1847) Peters 1865, MonatsBer. Akad. Wiss. Berlin, 1865, 512.—Mamm.
- Trachyops* Rondani 1880, Bull. Soc. ent. ital., 12, 24.—Dipt.
- Trachyopsilla* Burton 1931, K. Norske Vidensk. Selsk., 4, 138.—Spong.
- Trachyopsis* Dendy 1905, in Herdman, Rep. Ceylon Pearl Fish., 3, 147.—Spong.
- Trachyopteris* Morley 1912, Rev. Ichn. Brit. Mus., 1, 67.—Hym.
- Trachyopus* Rey 1882, Ann. linn. Soc. Lyon, (N.S.) 28, 1881, 237 (ex Hist. nat. Col. France, Brévipennes, Tachypor).—Col.
- Trachyoribates* Berlese 1908, Redia, 5, 3.—Arachn.
- Trachyorthalicus* Strebler 1909, Jahrb. Hamburg. Wiss. Anst., 26, Beih. 2, 103, 151.—Moll.
- Trachyostracus* Lorenz 1906, Z. dtsch. geol. Ges., 58, 60.—Trilobita.
- Trachyota* Casey 1906, Trans. Acad. Sci. St. Louis, 16, 190.—Col.
- Trachypachis* see *Trachypachys*.
- Trachypachus* Motschoulsky 1844, Mém. présentés Acad. imp. Sci. St. Pétersb., 5, (1-3), 86 (emended to *Platytrachelus*, errata p. xi).—Col.
- Trachypachys* (pro *-chus* Motschoulsky 1844) Lacordaire 1854, Gen. Col., 1, 43 (as *Trachypachis* p. 47).—Col.

- Trachypatagus* (pro *-spatagus* Pomel 1868) Pomel 1869, Rec. Echinod., 11; 1883, Thèses Classif. Echin., 31.—Echin.
- Trachypelma* (pro *-mus* Cabanis 1848) Giebel 1877, Thesaur. Orn., 3, 648.—Aves.
- Trachypelmus* Cabanis 1848, in Schomburgk, Reisen Brit.-Guiana, 3, 749.—Aves.
- Trachypeltis* Fitzinger 1843, Syst. Rept., 21.—Rept.
- Trachypeneopsis* Burkenroad 1934, Bull. Bingham Coll., 4, no. 7, 40.—Crust.
- Trachypeneus* Alcock 1901, Deep-Sea Crust., 15.—Crust.
- Trachypenia* Pomel 1872, Pal. Oran, 5, 152.—Spong.
- Trachypepla* Meyrick 1883, Proc. Linn. Soc. N.S. Wales, 7, 423; 1883, 8, 367.—Lep.
- Trachypeplus* Horváth 1926, Treubia, 8, 329.—Hem.
- Trachypetes* (pro *Tachy-* Vieillot 1816) Nuttall 1834, Man. Orn. U.S., Water Birds, 489, 623.—Aves.
- Trachypetra* White 1846, in Methuen, Life in the Wilderness, 316.—Orth.
- Trachypetrella* (n.n. pro *Methone* Stål 1875) Kirby 1910, Synon. Cat. Orthopt., 3, 292.—Orth.
- Trachypetus* Guérin 1838, in Duperry, Voy. "Coquille" (Zool. 2), (2) 201.—Hym.
- Trachypharynx* Leiper 1911, Proc. zool. Soc. London, 1911, 552.—Verm. (Nema.)
- Trachyphoidole* Emery 1915, Bull. Soc. ent. France, 1915, 190.—Hym.
- Trachyphilus* Faust 1887, Dtsch. ent. Z., 31, 164.—Col.
- Trachyphlaeus* (pro *-phloeus* Germar 1817) Stephens 1829, Nom. Brit. Ins., 14.—Col.
- Trachyphloeocetus* Desbrochers 1909, Frelon, 17, 3.—Col.
- Trachyphloeoides* Formánek 1907, Wien. ent. Ztg., 26, 121.—Col.
- Trachyphloeomimus* Champion 1911, Biol. Centr. Amer., Col., 4 (3), 342.—Col.
- Trachyphloeophana* Heller 1929, Treubia, Suppl., 7, 108.—Col.
- Trachyphloeops* Roelofs 1873, Ann. Soc. ent. Belgique, 16, 165.—Col.
- Trachyphloeosoma* Wollaston 1869, Ann. Mag. nat. Hist., (4) 4, 414.—Col.
- Trachyphloeus* Germar 1817, Mag. Entom. (Germar), 2, 341.—Col.
- Trachyphloeus* Attems 1933, Ann. naturh. Mus. Wien, 46, 264.—Myr.
- Trachyphlyctia* Pomel 1872, Pal. Oran, 5, 237.—Spong.
- Trachypholis* Erichson 1845, Naturgesch. Ins. Dtschl., Col. (1) 3, 257.—Col.
- Trachyphonus* Ranzani 1821, Elem. Zool., 3 (2), 157.—Aves.
- Trachyphyllia* Milne-Edwards & Haime 1848, C.R. Acad. Sci. (Paris), 27, 491.—Coel.
- Trachyphyllites* Arthaber 1927, Jaarb. Mijnw. Ned.-Ost-Ind., 55, Verh. Ged. 2, 141.—Moll.
- Trachyphyrus* (pro *Trachysph-* Haliday 1836) Ashmead 1900, Proc. U.S. nat. Mus., 23, no. 1206, 31.—Hym.
- Trachypilus* Fitzinger 1843, Syst. Rept., 17, 67.—Rept.
- Trachypithecus* Reichenbach [1863], Affen, 89.—Mamm.
- Trachyplana* Stimpson 1857, Proc. Acad. nat. Sci. Philad., 1857, 22.—Verm. (Turb.).
- Trachyplatys* (err. pro *Platytrachelus* Motschoulsky 1844) Motschoulsky 1844, Mém. prés. Acad. imp. Sci. St. Pétersbourg, 5, viii.—Col.
- Trachypleura* Jaekel 1900, Z. dtsch. geol. Ges., 52, Verh. Ges. (Protokoll), 9.—Moll.
- Trachypleurapidites* Diener 1906, Palaeont. Indica, (15) 5, mem. 1, 48.—Moll.
- Trachypleurotherium* Dilg 1909, Morph. Jahrb., Leipzig, 39, 90.—Mamm.
- Trachypneustes* Munier-Chalmas 1891, Étude Tithon. Crét. Tert. Vicentin, 265.—Echin.
- Trachypollia* Woodring 1928, Mioc. Moll. Bowden (Carnegie Inst. Washington), 2, 7, 268.—Moll.
- Trachypoma* Guenther 1859, Cat. Fish. Brit. Mus., 1, 54, 167.—Pisces.
- Trachypoma* Giebel [non Guenther 1859] 1870, Z. ges. Naturw., 37, 97.—Pisces.
- Trachypora* Milne-Edwards & Haime 1851, Arch. Mus. Hist. nat. Paris, 5, 158.—Coel.
- Trachypora* Verrill 1864, Bull. Mus. comp. Zool. Harvard, 1, no. 3, 53.—Coel. (See *Oxypora* Kent 1871.)
- Trachypsammia* Gerth 1921, Pal. Timor, 9, no. 16, 113; 1922, Jaarb. Mijw. Nederl. 49, 13.—Coel.
- Trachyptena* Bethune-Baker 1911, Ann. Mag. nat. Hist., (8) 7, 572.—Lep.
- Trachyptenidia* Hering 1928, in Seitz, Gross-Schmett. Erde, 14, 466.—Lep.
- Trachypteris* Kirby 1837, in Richardson, F. Bor.-Amer., (4) 158.—Col.
- Trachypterophrys* Franz 1911, Abh. bayer. Akad. Wiss., Suppl., 4 (1), 1910, 60.—Pisces.
- Trachypterus* (pro *Trachi-* Gouan 1770) Schneider 1801, Bloch, Syst. Ichth., 480.—Pisces.
- Trachypterus* (pro *-petus* Guérin 1838) Dalla Torre 1897, Cat. Hym., 8, 119.—Hym.
- Trachypteryx* Ragonot 1893, in Romanoff, Mém. Lép., 7, 566.—Lep.
- Trachyptila* Turner 1916, Trans. roy. Soc. S. Australia, 40, 519.—Lep.
- Trachypus* Klug 1810, Ges. Nat. Fr. Berlin, Mag., 4, 41.—Hym.
- Trachypyrula* Cossmann 1921, Essais Paléococh. comp., 12, 115.—Moll.
- Trachyrachis* (pro *-rhachys* Scudder 1876) Scudder 1901, Occ. Pap. Boston Soc. nat. Hist., 6, 278, 327 (as *Trachyrachys* p. 328).—Orth.
- Trachyrachys* see *Trachyrachis*.
- Trachyradsia* (Carpenter MS.) Dall 1878, Proc. U.S. nat. Mus., 1, 1.—Moll.

- Trachyrhachis* (pro *-chys* Scudder 1876) Saussure 1884, Mém. Soc. phys. Hist. nat. Genève, 28, no. 9, 56, 154, 160, 162.—Orth.
- Trachyrhachys* Scudder 1876, Ann. Rep. U.S. Chief Engineer, 1876, App. JJ, 511.—Orth.
- Trachyrhamphus* Kaup 1853, Arch. Naturgesch., 19, Abt. 1, 231.—Pisces.
- Trachyrhinus* Weed 1892, Amer. Natural., 26, 529.—Arachn.
- Trachyrhinus* Sharp 1896, Trans. ent. Soc. London, 1896, 91.—Col.
- Trachyrhinus* Silvestri 1897, Ann. Mus. Stor. nat. Genova, 38, 651.—Myr.
- Trachyrhynchus* (pro *-vincus* Giorna 1809) Bonaparte 1841, Icon. F. Ital. (Pisces) *Macrourus caelorhynchus*, [1].—Pisces.
- Trachyrincus* Giorna (1809), Mém. Acad. Sci. Turin, 1805-08, 179.—Pisces.
- Trachyrrhachis* (pro *-rhachys* Scudder 1876) Saussure 1888, Mém. Soc. phys. Hist. nat. Genève, 30 (1), 21, 58.—Orth.
- Trachyrrhamphus* (pro *-rhamphus* Kaup 1853) Duncker 1902, Jahrb. Hamburg. Wiss. Anst., 29, 232.—Pisces.
- Trachyrrhopala* Meyrick 1926, J. Mus. Sarawak, 3, 167.—Lep.
- Trachys Fabricius* 1801, Syst. Eleuth., 2, 218.—Col.
- Trachysagenites* Mojsisovics 1893, Abh. geol. Reichsanst. Wien, 6 (2), 9, 179.—Moll.
- Trachysalambria* Burkenroad 1934, Bull. Bingham Coll., 4, no. 7, 49.—Crust.
- Trachysarus* Reed 1874, Proc. zool. Soc. London, 1874, 62.—Col.
- Trachysaurus* (emend. pro *Trachydos-* Gray 1825) Gray [1826], in King, Narr. Surv. Australia, 2, 1827, 430.—Rept.
- Trachyscelida* Horn 1893, Trans. Amer. ent. Soc., 20, 107.—Col.
- Trachyscelis* Latreille 1809, Gen. Crust. Ins., 4, 379.—Col.
- Trachyschistis* Meyrick 1921, Exot. Microlep., 2, 448.—Lep.
- Trachyschoenium* Cossmann 1889, Ann. Soc. malac. Belg., 24, 47.—Moll.
- Trachysectus* Casey 1886, Bull. California Acad. Sci., 2, 38.—Col.
- Trachyserica* Brenske 1899, Berlin. ent. Z., 44, 236; 1900, 45, 53.—Col.
- Trachysida* Casey 1913, Mem. Col., 4, 271.—Col.
- Trachysinia* Hinde 1883, Cat. foss. Spong. Brit. Mus., 189.—Spong.
- Trachysinion* Pomel 1872, Pal. Oran, 5, 90.—Spong.
- Trachysma* (Jeffreys MS.) Sars 1878, Moll. Reg. Arct. Norv., 211.—Moll.
- Trachysmatis* Schaus 1916, Proc. U.S. nat. Mus., 50, 274.—Lep.
- Trachysmia* Guenée 1845, Ann. Soc. ent. France, (2) 3, 164.—Lep.
- Trachysoma* Bell 1858, (Pal. Soc. Monogr.) Monogr. foss. malacost. Crust. Brit., 1, 41.—Crust.
- Trachysoma* Penecke 1894, Wien. ent. Ztg., 13, 20.—Col.
- Trachysoma* Attems 1898, S.B. Akad. Wiss. Wien, 104, 194.—Myr. (See *Trachygoma* Cook & Collins 1895.)
- Trachysomus* Audinet-Serville 1835, Ann. Soc. ent. France, 4, 40.—Col.
- Trachyspatagus* Pomel 1868, C.R. Acad. Sci. Paris, 67, 303.—Echin.
- Trachyspatangus* (pro *-tagus* Pomel 1868) Fourtau 1905, C.R. Ass. Franç., 33, 1904, Grenoble, 2, 608.—Echin.
- Trachysphaera* Heller 1858, S.B. Akad. Wiss. Wien, 26, 315.—Myr.
- Trachysphēcion* Pomel 1872, Pal. Oran, 5, 223.—Spong.
- Trachysphyrus* Haliday 1836, Trans. Linn. Soc. London, 17 (3), 317.—Hym.
- Trachyspira* Gemmellaro 1889, Fauna Calc. Fusul., (2) 149.—Moll.
- Trachyspongilla* Dybowski 1878, Zool. Anz., 1, 53.—Spong.
- Trachysporidium* Stempel 1921, Arch. Protistenk., 42, 315.—Prot.
- Trachystola* Dejean 1835, Catal. Coléopt., ed. 2, 343 [n.n.]; Pascoe 1862, J. Ent. London, 1, 350.—Col.
- Trachystoma* Ogilby 1888, Proc. zool. Soc. London, 1887, 614.—Pisces.
- Trachystreptus* Cook 1895, Ann. N. York Acad. Sci., 9, 5.—Myr.
- Trachystyla* Pilsbry 1892, Man. Conch., (2) 7, 224.—Moll.
- Trachysurus* (pro *Tachy-* Lacepède 1803) Rafinesque 1815, Anal. Nat., 89.—Pisces.
- Trachysycon* Zittel 1878, Abh. math.-phys. Cl. bayer. Akad. Wiss., 13, Abt. 1, 140.—Spong.
- Trachytachea* Pfeffer 1929, Geol. Pal. Abh., (N.F.) 17 (3), 142, 147.—Moll.
- Trachytalis* Fowler 1895, Biol. Centr. Amer., Zool., Rhynch., Homopt., 2, 115.—Hem.
- Trachytedania* Ridley 1881, Proc. zool. Soc. London, 1881, 122.—Spong.
- Trachyteleia* Topsisent 1928, Résult. Camp. sci. Monaco, 74, 153.—Spong.
- Trachytes* (n.n. pro *Trachynotus* Kramer 1876) Michael 1894, J.R. micr. Soc., 1894, 297.—Arachn.
- Trachytetra* Sharp 1886, Trans. R. Dublin Soc., (2) 3, 448.—Col.
- Trachytettix* Stål 1876, Ofvers. VetenskAkad. Förh. Stockholm, 33, no. 3, 37.—Orth.
- Trachyteuthis* Meyer 1846, N. Jahrb. f. Min., 1846, 598.—Moll.
- Trachythela* Verrill 1922, Rep. Canad. Arctic Exped., 8 (G), 37.—Coel.
- Trachytherium* Gervais 1849, Mém. Acad. Montpellier, Sect. Sci., 1, fasc. 3, 217 [n.n.]; 1849 (May), C.R. Acad. Sci. (Paris), 28, 644.—Mamm.

- Trachytherus* Ameghino 1889, *Trachytherus spegazzinianus* nuevo mamífero fósil (este Ameghino 1889, Cont. Con. Mam. Fós. Rep. Argentina (ex Act. Acad. Cienc. Córdoba, 6, 918)).—Mamm. (nec *Trachytherium* Gervais 1849 see *Eutrachytherus* Ameghino 1897).
- Trachythorax* Redtenbacher 1908, in Brunner v. Wattenwyl & Redtenbacher, Die Insektenfam., Phasmiden, 3, 507.—Orth.
- Trachythrips* Hood 1929, Bull. Brooklyn ent. Soc., 24, 317.—Thysanopt.
- Trachythya* (pro *-thya* Pomel 1872) Delage 1899, in Delage & Hérouard, Traité Zool. concr., 2 (1), 243.—Spong.
- Trachythya* Pomel 1872, Pal. Oran, 5, 68.—Spong.
- Trachythyon* Studer 1876, MonatsBer. Akad. Wiss. Berlin, 1876, 453.—Echin.
- Trachytula* Welter 1910, Verh. naturh. Ver. preuss. Rheinl. Westf., 67, 64.—Spong.
- Trachytoxus* Thomson 1867, Physis, Paris, 2, pt. 2, 72.—Col.
- Trachytrema* Simon 1909, Fauna Südwest. Australiens, 2 (12), 156.—Arachn.
- Trachytriton* Meek 1864, Smithson. misc. Coll., 7, no. 177, 22, 37.—Moll.
- Trachytropis* Jordan 1904, Novit. zool., 11, 266.—Col.
- Trachytus* Kolbe 1893, Ent. Ztg., Stettin., 54, 63.—Col.
- Trachytula* Meyrick 1931, Exot. Microlep., 4, 107.—Lep.
- Trachyum* Billings 1865, Geol. Surv. Canada palaeoz. Foss., 1, 211.—Spong.
- Trachyuropoda* Berlese 1888, Bull. Soc. ent. ital., 20, 209.—Arachn.
- Trachyurus* (emend. pro *-churus* Lacepède 1802) Agassiz 1846, Nomen. Zool. Index Univ.—Pisces.
- Trachyusa* Ruthe 1854, Ent. Ztg., Stettin, 15, 351.—Hym.
- Trachyxyta* Meyrick 1916, Exot. Microlep., 1, 552.—Lep.
- Trachyzancla* Turner 1917, Trans. roy. Soc. S. Australia, 41, 79.—Lep.
- Trachyzulpha* Dohrn 1892, Ent. Ztg., Stettin, 53, 67.—Orth.
- Tracia* (err. pro *Thr*-Leach 1823) Clark 1932, Bull. geol. Soc. America, 43, 837.—Moll.
- Tracorus* (err. pro *-churus* Lacepède 1802) Rafinesque 1810, Ind. itt. Sic., 21.—Pisces.
- Tracta* Saalmueller 1891, Lep. Madag., 2, 479.—Lep.
- Tractinites* Rafinesque 1831, Enum. obj. Cab., 6; 1832, Atlantic J., 1 (1), 21.—*Inc. sed.*
- Tractolira* Dall 1896, Proc. U.S. nat. Mus., 18, 12.—Moll.
- Tradena* (pro *Tadorna* Oken 1817) Parsons 1834, Field Natural., 2, 202.—Aves.
- Tradescanticola* Hampson 1919, Novit. zool., 26, 64.—Lep.
- Tradopia* Baird [1869], J. Linn. Soc. London, Zool., 10, 1870, 355.—Verm. (Polych.).
- Trafoia* Brauer & Bergenstamm 1894 [sep. 1893], Denkschr. Akad. Wiss. Wien, 60, 142, 193.—Dipt.
- Tragalimus* Pomel 1872, Pal. Oran, 5, 202.—Spong.
- Tragelaphodes* Bergroth 1904, Bol. Soc. españ. Hist. nat., 4, 358.—Hem.
- Tragelaphus* Blainville 1816, Bull. Sci. Soc. philom. Paris, 75.—Mamm. (Bovid.).
- Tragelaphus* Ogilby [non Blainville 1816] 1836, Proc. zool. Soc. London, 4, 138.—Mamm. (Bovid.).
- Tragidion* Audinet-Serville 1834, Ann. Soc. ent. France, 3, 89.—Col.
- Tragidium* (emend. pro *-dion* Serville 1834) Agassiz 1846, Nomen. Zool. Index Univ.—Col.
- Tragiicola* Brèthes 1918, Bull. Soc. ent. France, 1918, 83.—Hym.
- Traginops* Coquillett 1900, Ent. News, 11, 429.—Dipt.
- Tragiscocoris* (n.n. pro *Tragiscus* Fieber 1858) Fieber [1860], Europ. Hem., 1861, 300.—Hem.
- Tragiscoschema* (n.n. pro *Tragiscus* Thomson 1857) Thomson 1857, Arch. ent. Paris, 1, 67.—Col.
- Tragiscus* Klug 1855, MonatsBer. Akad. Berlin, 1855, 651.—Col. (Coprid.).
- Tragiscus* Thomson 1857, Arch. ent. Paris, 1, 34.—Col. (Cerambycid.). (See *Tragiscoschema* Thomson 1857.)
- Tragiscus* Fieber 1858, Wien. ent. Monatschr., 2, 319.—Hem. (See *Tragiscocoris* Fieber 1860.)
- Tragium* Oken 1815, Lehrb. Nat., 3 (1), 76.—Spong.
- Tragocamelus* Fischeoder 1902, Paramphistom. Säugeth., 34.—Mamm.
- Tragocephala* (Dupont MS.) Dejean 1835, Catal. Coléopt., ed. 2, 342 [n.n.]; Laporte 1840, in Brullé, H.N. Anim. artic. (Coléopt.), 2, 472.—Col.
- Tragocephala* Harris 1842, Treat. Ins. N. England, 146.—Orth. (See *Chimarocephala* Scudder 1876 & *Chortophaga* Saussure 1884.)
- Tragocera* Billberg 1820, Enum. Insect. in Mus. Blbg., 91.—Lep.
- Tragoceras* (n.n. pro *Aegoceras* Remelé 1880) Remelé 1883, Unters. Diluv. Nordd. Flachl., fasc. 1, 35.—Moll.
- Tragocerus* Dejean 1821, Catal. Coléopt., 109 [n.n.]; Latreille 1829, in Cuvier, Règne Anim., ed. 2, 5, 121.—Col.
- Tragocerus* Gaudry 1861, C.R. Acad. Sci. Paris, 52, no. 7, 297 (also as *Trogocerus*).—Mamm.
- Tragodesmoceras* Spath 1922, Trans. roy. Soc. S. Africa, 10 (3), 127.—Moll.

- Tragomomphus* Sjoestedt 1899, Bih. svenska VetenskAkad. Handl., 25 (4), no. 2, 42.—Odon.
- Tragolytoceras* Spath 1924, Proc. geol. Ass. London, 35 (3), 194.—Moll.
- Tragomma* Held 1837, Isis (Oken), 1837, 916.—Moll.
- Tragomma* (n.n. pro *Tragops* Hodgson 1847) Hodgson 1848, J. Asiat. Soc. Bengal, 17 (2), 486.—Mamm.
- Tragomorphus* Dejean 1835, Catal. Coléopt., ed. 2, 335 [n.n.].—Col.
- Tragon* Murray 1871, Ann. Mag. nat. Hist., (4) 7, 49.—Col.
- Tragopa* Latreille 1829, in Cuvier, R. Anim., ed. 2, 5, 219.—Hem.
- Tragopa* Lesson 1835, Illustr. de Zool., (29) pl. 56.—Aves.
- Tragopan* Moehring 1758, Gesl. Vogel. (Nozem. & Vosm. ed.), 1, 13.—Aves. (Coccygom.).
- Tragopan* Cuvier 1829, R. Anim., ed. 2, 1, 479.—Aves. (Gallin.).
- Tragophis* Fitzinger 1861, S.B. Akad. Wiss. Wien, Math.-naturw. Cl., 42, 387, 408 [n.n.].—Rept.
- Tragophylloceras* Hyatt 1900, in Eastman-Zittel, Text-Book Pal., 1, 568.—Moll.
- Tragopogon* (pro *Tragopan* Cuvier 1829) [? Author] 1844, Isis, 1844, 247.—Aves.
- Tragopon* (pro *-pan* Cuvier 1829) Brandt 1841, Bull. Acad. Sci. St. Pétersbourg, Sci., 8, 190.—Aves.
- Tragops* Wagler 1830, Nat. Syst. Amph., 184.—Rept.
- Tragops* Hodgson 1847, J. Asiat. Soc. Bengal, 16, 695.—Mamm. (See *Tragomma* Hodgson 1848.)
- Tragopsis* Fitzinger 1869, S.B. Akad. Wiss. Wien, 59, Abt. 1, 157.—Mamm.
- Tragopus* Schoenherr 1837, Gen. et Sp. Curc., 4 (1), 356.—Col.
- Tragoreas* Schlosser 1908, Beitr. Pal. Geol. Oest.-Ung., 17, 34.—Mamm.
- Tragorhacoceras* Spath 1927, Pal. Indica, (N.S.) 9, mem. 2, 37.—Moll.
- Tragos* Schweigger 1819, Beob. naturh. Reisen, Tab. 7.—Spong.
- Tragos* Goldfuss 1829, Petref. Germ., 1 (2), 95.—Prot.
- Tragosia* Gray 1867, Proc. zool. Soc. London, 1867, 513.—Spong.
- Tragosita* (err. pro *Trog-* Fabricius 1792) Paykull 1798, Faun. Suec., 1, 91.—Col.
- Tragosoma* Dejean 1835, Catal. Coléopt., ed. 2, 318 [n.n.]; Audinet-Serville 1832, Ann. Soc. ent. France, 1, 159.—Col.
- Tragostoma* Aurivillius 1914, Ark. Zool., 8, no. 29, 17.—Col.
- Tragula* Monterosato 1884, Nomencl. Gen. Spec., 86.—Moll.
- Tragulichthys* Whitley 1931, Rec. Australian Mus., 18, 125.—Pisces.
- Tragulohyus* (pro *-hyus* Gervais 1874) Filhol 1876, C.R. Acad. Sci. Paris, 82, 288.—Mamm.
- Tragulohyus* Gervais 1874, J. Zool. Paris, 3 (3), 286.—Mamm.
- Tragulotherium* (Croizet MS.) Pictet 1853, Traité Paléont., ed. 2, 348.—Mamm.
- Tragus* Brisson 1762, Reg. Anim., 65; Pallas 1779, Spicil. zool., 13, 27.—Mamm. (Ungul., Tragulid.).
- Tragus* Smith 1827, in Griffith's Cuvier, Anim. Kingd., Mamm., Syn., 340.—Mamm. (Ungul., Bovid.).
- Tragus* Schrank 1798, F. Boica, 1, 78.—Mamm.
- Tragus* (emend. pro *-gos* Schweigger 1819) Agassiz 1846, Nomen. Zool. Index Univ.—Spong.
- Tragyderma* (pro *Trachy-* Latreille 1829) Faldermann 1836, Bull. Soc. imp. Nat. Moscou, 9, 378.—Col.
- Trahhyceras* (err. pro *Trachy-* Laube 1869) Milojkovič 1925, Ann. Géol. Pénins. Balkan., 8 (1), 105.—Moll.
- Traiagma* Distant 1907, Fauna Brit. India, Rhynch., 4, 261.—Hem.
- Trailia* Cameron 1878, Trans. ent. Soc. London, 1878, 148.—Hym.
- Traina* Walker 1869, in Chapman, Proc. nat. Hist. Soc. Glasgow, 1, 372.—Lep.
- Trajanella* Popovici-Hatzeg 1899, Mém. Soc. géol. France, Pal., Mém., 20, 9.—Moll.
- Tralatitius* (err. pro *Trilatitius* Gray 1842) Gray 1866, Ann. Mag. nat. Hist., (3) 17, 90.—Mamm.
- Tralatitus* (err. pro *Trila-* Gray 1842) Gervais 1849, Dict. univ. Hist. nat., 13, 213.—Mamm.
- Tralia* Gray 1840, Syn. Cont. Brit. Mus., ed. 42, 149 [n.n.]; 1840, in Turton, Man. Shells Brit. Isl., ed. 2, 21; 1847, Proc. zool. Soc. Lond., 15, 179.—Moll.
- Traliopsis* Sandberger 1872, Land- u. Süsw. Conchyl. Vorwelt, 168.—Moll.
- Trallianus* Distant 1902, Fauna Brit. India, Rhynch., 1, 404.—Hem.
- Trama* Heyden 1837, Abh. Senckenb. Mus., 2 (3), 293.—Hem.
- Trama* Harvey 1875, Bull. Buffalo Soc. nat. Sci., 3, 13.—Lep. (See *Lepidotrama* Cockerell 1903.)
- Tramea* Hagen 1861, Synops. Neur. N. Amer., 143.—Odon.
- Trameharpa* Iredale 1931, Rec. Australian Mus., 18, 230.—Moll.
- Tramia* (emend. pro *-ma* Heyden 1837) Amyot 1847, Ann. Soc. ent. France, (2) 5, 487.—Hem.
- Traminda* Saalmueller 1891, Lep. Madagascar, 2, 496.—Lep.
- Tramoria* Reed 1899, Quart. J. geol. Sci., 55, 758.—Trilobita.

- Tranaphis Walker 1870, Zoologist, (2) 5, 1999.—Hem.
 Tranes Schoenherr 1843, Gen. et Sp. Curc., 7 (2), 129.—Col.
 Tranestoma (n.n. pro *Aplostoma* Canu 1886) Wilson 1924, Proc. U.S. nat. Mus., 64, art. 17, 14.—Crust.
 Tranocera Walker 1829–30, in Curtis, Guide Brit. Ins., (4) 114 [n.n.].—Hym.
 Tranoderus Walker 1829–30, in Curtis, Guide Brit. Ins., (4) 115 [n.n.].—Hym.
 Tranopelta Mayr 1866, S.B. Akad. Wiss. Wien, Math.-naturw. Kl., 53 (1), 512.—Hym.
 Tranopeltoides Wheeler 1922, Amer. Mus. Novit., No. 48, 10.—Hym.
 Tranopeltoxenos Brues 1923, Psyche, 30, 18.—Dipt.
 Tranosema Foerster 1868, Verh. naturh. Ver. Rheinlande, 25, 157.—Hym.
 Tranoses Schaus 1913, Ann. Mag. nat. Hist., (8) 11, 4.—Lep.
 Tranosoma Walker 1829–30, in Curtis, Guide Brit. Ins., (4) 114 [n.n.].—Hym.
 Tranquilinus Mello-Leitão 1915, Brotéria, 13, 140.—Arachn.
 Transcoelum Witenberg 1923, Helminth. Rossica, Moscow, 43.—Verm. (Trem.).
 Transculcia Dyar 1917, Insec. Inscit. menst., 5, 184.—Dipt.
 Transenella (pro *-ennella* Dall 1883) Fischer 1887, Man. Conch., 1080.—Moll.
 Transennella Dall 1883, Proc. U.S. nat. Mus., 6, 340, 341.—Moll.
 Transfuga Schwankewitsch 1875, Pub. Russian Soc. Nat., 3 (3), 146.—Crust.
 Transiberus Monterosato 1893, Atti Accad. Palermo, (3) 2, 32.—Moll.
 Transilvanella Atanasiu 1929, Anu. Inst. geol. României, 13, 1928, 484.—Moll.
 Transitrignia Dietrich 1932, Palaeontographica, Suppl., 7 (2), Teil 2, 36.—Moll.
 Transolenocera Burkenroad 1934, Bull. Amer. Mus. nat. Hist., 68, 69.—Crust.
 Transovula Gregorio 1880, Fauna S. Giov. Ilarione Monogr., 27.—Moll.
 Transpithecus Ameghino 1901, Bol. Acad. Cienc. Córdoba, 16, 356.—Mamm.
 Transsennella (err. pro *Transen-* Dall 1883) [Kobelt] 1903, NachrBl. dtsh. malak. Ges., 35, 61.—Moll.
 Transsilvanica Westerlund 1890, Fauna Paläarct. Reg. Binnenconch., 1, Suppl., 50.—Moll.
 Transtrafer Iredale 1929, Mem. Queensland Mus., 9, 290.—Moll.
 Transvaalia Distant 1892, A Naturalist in the Transvaal, 253.—Hem.
 Transylvanites Palfy 1902, Magyar Kir. Földtani Int. Evkönyve, 13, 279.—Moll.
 Transus Walker 1829–30, in Curtis, Guide Brit. Ins., (4) 114 [n.n.].—Hym.
 Trapania (n.n. pro *Drepania* Lafont 1874) Pruvot-Fol 1931, Bull. Mus. Hist. nat. Paris, (2) 3, 309.—Moll.
 Trapezia (pro *-pezia* Latreille 1825) Berthold 1827, in Latreille, Nat. Fam. Thierr., 255, 599.—Crust.
 Trapelocera Hawle & Corda 1847, Prod. Mon. böhm. Trilob., 158.—Trilobita.
 Trapeloidis Fitzinger 1843, Syst. Rept., 18, 81.—Rept.
 Trapelus Cuvier 1817, Règne Anim., 2, 35.—Rept.
 Trapelus Kaup [? non Cuvier 1817] 1827, Isis (Oken), 1827, 617.—Rept.
 Trapelus (pro *-elus* Cuvier 1817) Oken 1817, Isis, 1, 1183.—Rept.
 Trapezaspis Redtenbacher 1908, in Brunner & Redtenbacher, Die Insektenfam., Phasmiden, 339, 348.—Orth.
 Trapezia Latreille 1825, Fam. nat. Règne Anim., 269; 1828, Ency. Méth., 10 (2) (Ins.), 695.—Crust.
 Trapezicepon Bonnier 1902, Trav. Sta. zool. Wimereux, 8, 269.—Crust.
 Trapezicolles Marseul 1879, Abeille, 17, 100.—Col.
 Trapezicomus Pic 1894, Rev. sci. Bourbonnais, 7, 42.—Col.
 Trapezidera Motschoulsky 1860, in Schrenck, Reisen. Amur-Lande, 2, fasc. 2, 244.—Col. (Helotid.).
 Trapeziderus Motschoulsky [1860], Etudes ent., 8, 1859, 77.—Col. (Staphylinid.).
 Trapezidistes Fowler 1887, Notes Leyden Mus., 9, 124.—Col.
 Trapezimeloë Pliginskii 1935, Rev. Ent. U.R.S.S., 25, 322.—Col.
 Trapeziopelta Mayr 1862, Verh. zool.-bot. Ges. Wien, 12, Abh., 715.—Hym.
 Trapeziophora Walsingham 1892, Proc. zool. Soc. London, 1891, 529.—Lep.
 Trapeziirrhynchus Champion 1914, Trans. Linn. Soc. London, 16, 464.—Col.
 Trapezites Huebner [1819], Verz. bekannt. Schmett., (7) 112 [n.n.].—Lep.
 Trapezium Megerle 1811, Ges. Nat. Fr. Berlin, Mag. 5 (1), 68.—Moll.
 Trapezium (err. pro *-zia* Latreille 1825) Randall 1840, J. Acad. nat. Sci. Philad., 8, 117.—Crust.
 Trapezochilus (n.n. pro *Phaortes* Kuwert 1896) Zang 1905, Zool. Anz., 29, 154.—Col.
 Trapezocora Foerster 1868, Verh. naturh. Ver. Rheinlande, 25, 208.—Hym.
 Trapezodera Casey 1920, Mem. Col., 9, 19.—Col.
 Trapezodirus Jeannel 1924, Arch. Zool. exp. gén. Paris, 63, 168.—Col.
 Trapezoida Buckton 1905, Trans. Linn. Soc. London, (2) Zool., 9, 335.—Hem.
 Trapezoideus Simpson 1900, Proc. U.S. nat. Mus., 22, 858.—Moll.
 Trapezonalis Szépligeti 1916, Ann. Mus. nat. Hungar., 14, 231.—Hym.
 Trapezonotus Fieber [1860], Europ. Hem., 50, 190 (1861).—Hem.
 Trapezophyllum Etheridge 1899, Geol. Surv. Victoria, Progr. Rep., 11, 32.—Coel.

- Trapezoptera* Hulstaert 1924, Ann. Soc. ent. Belgique, 64, 95.—Lep.
Trapezotis Meyrick 1932, Exot. Microlep., 4, 212.—Lep.
Trapezorrhina Hauser 1904, Dtsch. ent. Z., 1904, 33.—Col.
Trapezostigma Hagen 1849, Ent. Ztg., Stettin, 10, 174.—Odon.
Trapezus Distant 1882, Biol. Centr. Amer., Zool., Rhynch., 192.—Hem.
Trapheocorynus (emend. pro *Trapheocorynus* Schoenherr 1845) Agassiz 1846, Nomen. Zool. Index Univ.—Col.
Trapheocorynus Schoenherr 1845, Gen. et Sp. Curc., 8 (2), 64.—Col.
Traphera Loew 1873, Monogr. Dipt. N. Amer., 3, 51.—Dipt.
Traphicrinus Trautschold 1879, N. Mém. Soc. Moscou, 14, fasc. 1, 24.—Echin.
Trapidurus (pro *Trop-* Wied 1824) Fitzinger 1861, S.B. Akad. Wiss. Wien, Math.-naturw. Cl., 42, 398.—Rept.
Traquairaspis Kiaer 1932, Skr. Svalbard Ishavet Oslo, 52, 25.—Pisces.
Traquairia Carruthers 1872, Quart. J. micr. Soc., 12, 397, 398.—Prot.
Traquairia Fritsch 1893, Fauna Gaskohle, 3, 50.—Pisces. (See *Traquairichthys* Whitley 1933.)
Traquairichthys (n.n. pro *Traquairia* Fritsch 1893) Whitley 1933, Copeia, 1933, 146.—Pisces.
Traskites Hyatt & Smith 1905, Prof. Pap. U.S. geol. Surv., No. 40, 33, 186.—Moll.
Traspoatherium Ameghino 1895, Bol. Inst. geol. Argentino, 15, 641.—Mamm.
Trasyphoberus Simon 1903, Hist. nat. Aragn., 2, 942.—Arachn.
Trathala Cameron 1899, Mem. Manchester Soc., 43, 122.—Hym.
Tratisia (pro *Travi-* Johnston 1840) Whitelegge 1889, J.R. Soc. N.S. Wales, 23, 210.—Verm. (Polych.).
Trauaxa Walker 1865, List Specimens Lep. Ins. Brit. Mus., 34, 1216.—Lep.
Trauchysaurus (err. pro *Trachydos-* Gray 1825) Wagler 1832, Descr. Icon. Amph., (3) Index.—Rept.
Traugliscolus Pic 1933, Echange, 49, 1.—Col.
Traugliscus (pro *Trog-* Peyron 1877) Pic 1933, Echange, 49, 1.—Col.
Trauglops (pro *Troglops* Erichson 1840) Abeille 1890, Ann. Soc. ent. France, (6) 10, 225.—Col.
Traulacris Willemse 1933, Natuurh. Maandbl., 22, 116.—Orth.
Traulia Stål 1873, Recensio Orth., 1, 37.—Orth.
Traulidea Willemse 1930, Tijdschr. Ent., 73, 162.—Orth.
Traulotes (pro *Poekilosoma* Serville 1832) Gistel [1847], Handb. Naturges., 1850, 427.—Col.
Traulotes (emend. pro *Harrisia* Meigen 1838) Gistel 1848, Nat. Thierr., ix, 130.—Dipt.
Traumatiphthora Chatton & Lwoff 1931, Bull. Soc. zool. France, 55, 531.—Prot.
Traumatocampa Wallengren 1871, Lepidopt. Scand. Heteroc., 1, no. 3, 158.—Lep.
Traumatocrinus Woehrmann 1889, Jahrb. geol. Reichsanst. Wien, 39, 190.—Echin.
Traumatomutilla André 1901, Z. Hym. Dipt., 1, 257.—Hym.
Traumaphora Ancey 1887, Conch. Exch., 1, 54.—Moll.
Traumoechia Mulsant & Rey 1873, Hist. nat. Col. Fr., Brévipennes (Myrm. i), 631; 1874, Ann. Soc. Agric. Lyon, (4) 6, 663.—Col.
Traunfelsia Laidlaw 1906, Abstr. Proc. zool. Soc. London, 1906, no. 34, 15; 1906, Proc. zool. Soc. London, 1906, 718.—Verm. (Turb.).
Traupis (pro *Thra-* Boie 1826) Giebel 1877, Thesaur. Orn., 3, 649.—Aves.
Traustedia Metcalf 1918, Bull. U.S. nat. Mus., No. 100 (2), 143.—Tunicata.
Travassomyia de Souza Lopes 1935, Arch. Inst. Biol. veg. Rio de Janeiro, 2, 248.—Dipt.
Travassosia Meyer 1931, Zool. Jahrb., Syst., 62, 58.—Verm. (Acanth.).
Travassosina Witenberg 1932, Boll. Zool. Napoli, 3, 259.—Verm. (Acanth.).
Travassosinia Vaz 1932, Contrib. Trem. Peixes fluv. Brasil (Thesis Fac. Med. São Paulo), 32.—Verm. (Trem.).
Travassosius Khalil 1922, Ann. Mag. nat. Hist., (9) 10, 281.—Verm. (Nema.).
Travassostrongylus Orloff 1933, Ann. Parasitol., Paris, 11, 100.—Verm. (Nema.).
Travecchia (pro *-visia* Johnston 1840) Bidentkap 1895, Forh. Selsk. Christiania, 1894, no. 10, 13.—Verm. (Polych.).
Traversia Rothschild 1894, Bull. Brit. Orn. Cl., 4, no. 22, x.—Aves.
Travesia (pro *-visia* Johnston 1840) Johnston 1865, Cat. Brit. non-paras. Worms, 220.—Verm. (Polych.).
Travisia Johnston 1840, Ann. nat. Hist., 4, 373.—Verm. (Polych.).
Travisopsis Levinsen 1886, Danske Vidensk. Selsk. Skr., (6) 3, 336.—Verm. (Polych.).
Travtremia Pereira 1929, Bolet. Biol. São Paulo, No. 16, 92.—Verm. (Trem.).
Traxus Metcalf 1923, J. Elisha Mitchell Sci. Soc., 38, 189.—Hem.
Trebania Ragonot 1892, Ann. Soc. ent. France, 60, 1891, 645.—Lep.
Trebella (pro *Tere-* L. 1767) Lucas 1840, Hist. An. artic., Annel. Crust., 10.—Verm. (Polych.).
Trebellius Distant 1918, Fauna Brit. Ind., Rhynch., 7, Append., 52.—Hem.
Trebius Krøyer 1838, Naturhist. Tidsskrift, 2 (1), 30.—Crust.

- Trechalea* (n.n. pro *Triclavia* Koch 1847) Thorell 1869, Acta Soc. Upsal., (3) 7, fasc. 5, 37.—Arachn.
- Trechiana* Jeannel 1927, Abeille, 33, 115.—Col.
- Trechicus* Leconte 1853, Trans. Amer. phil. Soc., 10, 386.—Col.
- Trechiella* Jeannel 1927, Abeille, 33, 92.—Col.
- Trechignathus* Motschoulsky 1862, Etudes ent., 11, 26.—Col.
- Trechimorphus* Jeannel 1927, Abeille, 33, 79.—Col.
- Trechinites* Heer 1862, Natuurk. Verh. Haarlem, (2) 16, 34.—Col.
- Trechisibus* Motschoulsky 1862, Etudes ent., 11, 37 (as *Trichisibus* p. 26).—Col.
- Trechmannella* (n.n. pro *Polyptychus* Douvillé 1904) Cox 1933, Proc. geol. Ass., 44, 388.—Moll.
- Trechmannia* Longstaff 1912, Quart. J. geol. Soc., 68, 302.—Moll.
- Trechmites* Thomson 1876, Hym. Scand., 4, 118.—Hym.
- Trechobembix* Jeannel 1926, Abeille, 32, 506.—Col.
- Trechoblemus* Ganglbauer 1891, Käfer Mitteleur., 1, 187.—Col.
- Trechocorys* Ruricola [= Curtis] 1843, Gardener's Chron., 1843 (July), 444.—Hem.
- Trechodes* Blackburn 1901, Trans. roy. Soc. S. Australia, 25, 119.—Col.
- Trechoides* Motschoulsky [1857], Etudes Ent., 5, 1856, 26.—Col.
- Trechomys* Lartet 1869, Ann. Sci. nat. Paris, Zool., (5) 12, no. 3, 151.—Mamm.
- Trechona* Koch 1850, Uebers. Arachnidensyst., 5, 74.—Arachn.
- Trechonepha* Casey 1918, Mem. Col., 8, 19.—Col.
- Trechopsis* Peyerimhoff 1908, Bull. Soc. ent. France, 1908, 119.—Col.
- Trechopus* (pro *Tro-* Diesing 1850) Parona & Monticelli 1902, Monit. zool., Ital., 13, Suppl., 46.—Verm. (Trem.).
- Trechosia* Jeannel 1926, Abeille, 32, 544.—Col.
- Trechus* Schellenberg 1806, Helvet. Entom., 2, 22.—Col.
- Trecticus* (pro *Thre-* Thomson 1865) Reitter 1906, in Heyden, Reitter & Weise, Cat. Col. Europ. Cauc. Armen. ross., 687.—Col.
- Tredopsis* (pro *Triid-* Beck 1837) Paetel 1875, Fam. Gatt. Moll., 210.—Moll.
- Trefortia* Dezsö 1880, Termés. Közlön. Magyar Társ., 12, no. 133, 352.—Spong.
- Trefusia* Man 1893, Mém. Soc. zool. France, 6, 84.—Verm. (Nema.).
- Tregellasia* Mathews 1912, Austral Avian Rec., 1, 110.—Aves.
- Treherniella* Watson 1923, Tech. Bull. Florida agric. Exp. Sta., No. 168, 81.—Thysanopt.
- Treiodons* Dugès 1869, La Natureleza, 1, 102 (as *Treiodous*, 1, 1870, pp. 168, 169).—Col.
- Treiodous* see *Treiodons*.
- Trelania* Gray 1868, Proc. zool. Soc. London, 1867, 744.—Moll.
- Trelasus* Fleutiaux 1922, Trans. ent. Soc. London, 1922, 420.—Col.
- Treleudytes* Ameghino 1906, An. Mus. nac. Buenos Aires, (3) 6, 156.—Aves.
- Tremabolites* Zittel 1878, Abh. math.-phys. Cl. Bayer. Akad. Wiss., 13, Abt. 1, 55.—Spong.
- Tremacyllus* Ameghino 1891, Rev. Argent. Hist. nat., 1, 241.—Mamm.
- Tremacystia* Hinde 1883, Cat. foss. Spong. Brit. Mus., 171.—Spong.
- Tremadeona* (err. pro *Laminopora* Michelin 1842) Canu & Bassler 1920, Bull. U.S. nat. Mus., No. 106, 554.—Bry.
- Tremadictyon* Zittel 1878, Abh. math.-phys. Cl. Bayer. Akad. Wiss., 13, Abt. 1, 46.—Spong.
- Tremagyryus* Perner 1903, Syst. silur. centre Bohême, 4, Gast. 1, 128.—Moll.
- Tremanotis* (err. pro *-tus* Hall 1867) McChesney 1859, Chicago Acad. Sci., 1, pl. 8, fig. 4, a, b.—Moll.
- Tremanotus* Hall 1867, Ann. Rep. Regents Univ. State N. York, 20, 347.—Moll.
- Tremapterus* Spinola 1850, Tav. sin. Hem., 56 (ex Mém. Soc. Ital. Sci., 25 (1), 1852, 96).—Hem.
- Tremarctos* Gervais 1855, Hist. Nat. Mamm., 2, 20.—Mamm.
- Tremarctotherium* Kraglievich 1926, An. Mus. nac. Buenos Aires, 34, 1.—Mamm.
- Tremarhynchus* Thapar 1933, J. Helminth., St. Albans, 11, 163.—Verm. (Trem.).
- Tremaster* Verrill 1880, Proc. U.S. nat. Mus., 2, 201.—Echin.
- Tremastomastus* (pro *Tremomastus* Eisig 1887) Chamberlin 1919, Mem. Mus. comp. Zool. Harvard, 48, 466.—Verm. (Polych.).
- Trematarcha* Meyrick 1886, Trans. ent. Soc. London, 1886, 233.—Lep.
- Tremataspis* Schmidt 1866, Verh. Russ. min. Ges., St. Petersburg, (2) 1, 233.—Pisces.
- Tremataster* Worthen & Miller 1883, Geol. Surv. Illinois, 7, 330.—Echin.
- Trematella* Hall 1886, Ann. Rep. State Geol. N. York, 5, 1885, expl. pl. xxv.—Bry.
- Trematherium* Ameghino 1887, Bol. Mus. La Plata, 1, 21.—Mamm.
- Trematichthys* Vaz 1932, Contrib. Trem. Peixes fluv. Brasil (Thesis Fac. Med. São Paulo), 19.—Verm. (Trem.).
- Trematina* Trautschold 1884, Nouv. Mém. Acad. Moscou, 15, 37.—Rept.
- Trematis* Sharpe 1848, Quart. J. geol. Soc. London, 4, 68.—Brach.
- Trematobdella* Johannson 1928, Res. Swedish Zool. Exped. Egypt, 5 (1), 32.—Verm. (Hirud.).

- Trematobolus* Matthew 1892, *Canad. Rec. Sci.*, 5, 276.—Brach.
Trematocara Boulenger 1899, *Trans. zool. Soc. London*, 15, 89.—Pisces.
Trematocephalus Dahl 1886, *Schr. Nat. Ver. Schleswig-Holstein*, 6, 92.—Arachn.
Trematoceras Eichwald 1851, *Naturh. Bemerk.*, 124.—Moll.
Trematoceras Whitfield 1882, *Ann. N. York Acad. Sci.*, 2, 205.—Moll. (See *Tylor-thoceras* Miller 1932.)
Trematoceras (n.n. pro *Trematodiscus* Meek & Worthen 1861) Hyatt 1884, *Proc. Boston Soc. nat. Hist.*, 22, 291.—Moll.
Trematocoris Mayr 1865, *Verh. zool.-bot. Ges. Wien*, 15, Abh., 431.—Hem.
Trematocranus Trewavas 1935, *Ann. Mag. nat. Hist.*, (10) 16, 113.—Pisces.
Trematocrinus Hall [1859], *Rep. geol. Surv. Iowa*, 1 (2), 1860, 70.—Echin.
Trematocyclina Munier-Chalmas 1885, *C.R. Soc. Helvet.*, 68, 23.—Prot.
Trematocystis Jaekel 1899, *Stammesgeschichte der Pelmatozoen*, 1, 413.—Echin.
Trematodes Faldermann 1835, *Mém. présentés Acad. imp. Sci. St. Pétersbourg*, 2 (4 and 5), 372.—Col.
Trematodiscus Haeckel 1860, *MonatsBer. Akad. Wiss. Berlin*, 1860, 841.—Prot.
Trematodiscus Meek & Worthen 1861, *Proc. Acad. nat. Sci. Philad.*, 1861, 147.—Moll. (See *Trematoceras* Hyatt 1884, *Coelonautilus* Foord & Crick 1889 and *Streptodiscus* Miller 1892.)
Trematofusus Whitfield 1892, *Monogr. U.S. geol. Surv.*, 18, 235.—Moll.
Trematomus Boulenger 1902, *Rep. Voy. "Southern Cross"*, 177.—Pisces.
Trematnotus (emend. pro *Tremanotus* Hall 1867) Fischer 1885, *Man. Conch.*, 854.—Moll.
Trematophyllum Wedekind 1922, *S.B. Ges. Marburg*, No. 4, 35; 1924, *Schr. Ges. Befor. Naturw. Marburg*, 14 (3), 72, 75.—Coel.
Trematopora Hall 1851, *Amer. J. Sci.*, (2) 11, 400; 1852, *Palaeont. New York*, 2, 149.—Bry.
Trematops Williston 1909, *J. Geol.*, Chicago, 17, 637.—Amph.
Trematopsis Ranzani 1839, *N. Comm. Acad. Sci. Inst. Bonon.*, 3, 74.—Pisces.
Trematoptychus (n.n. pro *Ptychotrema* Peters 1855) Peters 1862, *Naturw. Reise Mozambique*, Zool., 5, 529.—Myr.
Trematopygus Holmgren 1855, *K. svenska VetenskAkad. Handl.*, (N.F.) 1, 179.—Hym.
Trematopygus d'Orbigny 1856, *Pal. Franç.*, (1) Terr. crét., 6, 291, 374.—Echin.
Trematorhynchus Regan & Trewavas 1932, *Rep. Carlsberg Ocean. Exped. 1928-30*, 2, 91.—Pisces.
Trematorya Broelmann 1910, *Arch. Zool. exp. gén. Paris*, (5) 3, 333.—Myr.
Trematosaurus Braun (1842), *Amt. Ber. Vers. dtsch. Nat. u. Aerzte*, 19, 1841, 74.—Amph.
Trematospira Hall 1859, *Ann. Rep. N. York State Cab. nat. Hist.*, 12, 27; 1859, *Palaeont. N. York*, 3 (1), 207.—Brach.
Trematosteus Jaekel 1927, *Pal. Z.*, 9, 333 [n.n.]; Gross 1932, *Geol. Pal. Abh.*, (N.F.) 19, 32.—Pisces.
Trematosuchus Watson 1920, *Phil. Trans. roy. Soc.*, 209(B), 41.—Amph.
Trematotrochus Tenison-Woods 1878, *J.R. Soc. N.S. Wales*, 12, 59.—Coel.
Trematura Berlese 1918 [sep. 1917], *Redia*, 13, 12.—Arachn.
Tremaulidium Schmidt 1879, *Spong. Mex.*, 31.—Spong.
Tremectopus (err. pro *Tremoc-* Chiaje 1830) Philippi 1844, *Enum. Moll. Sicil.*, 2, 201.—Moll.
Tremellia Stål 1877, *Ofvers. VetenskAkad. Förh. Stockholm*, 34, no. 10, 49.—Orth.
Tremeropugus Smith 1831, *S. Afr. Quart. J.*, (5) 18.—Pisces.
Tremesia Rafinesque 1820, *Ann. gén. Sci. Phys. (Bruxelles)*, 320 (as *Tremessa* p. 420).—Moll.
Tremessa see *Tremesia*.
Tremex Jurine 1807, *N. Méth. class. Hyménopt.*, 80.—Hym.
Tremiorchis Mehra & Singh 1925, *Proc. Indian Sci. Congr.*, 12, 147.—Verm. (Trem.).
Tremocoenia d'Orbigny 1849, *Note Polyp. foss.*, 7.—Coel.
Tremoctopus Chiaje 1830, *Mem. An. s. vert. Napoli*, Tab. pro 5 and 6, pl. 70.—Moll.
Tremogasterina Canu 1911, *An. Mus. nac. Buenos Aires*, 21, 256.—Bry.
Tremomastus Eisig 1887, *F. Fl. Neapel*, 16, xii, 810, 814.—Verm. (Polych.).
Tremopora Ortman 1889, *Arch. Naturgesch.*, 54 (1), 29.—Bry.
Tremoschizodina Duvergier 1921, *Act. Soc. linn. Bordeaux*, 72, 176.—Bry.
Tremospongia d'Orbigny 1849, *Rev. Mag. Zool.*, (2) 1, 548; 1850, *Prodr. Paléont.*, 2, 187.—Spong.
Tremosternus (pro *Trym-* Chaudoir 1873) Bedel 1906, *Cat. Col. N. Africa*, fasc. 22, 261.—Col.
Tremotoichos Canu & Bassler 1917, *Bull. U.S. nat. Mus.*, No. 96, 59.—Bry.
Tremulifex Amyot 1848, *Ann. Soc. ent. France*, (2) 5, 1847, 483.—Hem.
Tremulinax Amyot 1848, *Ann. Soc. ent. France*, (2) 5, 1847, 483.—Hem.
Tremurus Rafinesque 1815, *Analyse*, 144 [n.n.].—Moll.
Trenetica Thomson 1868, *Physis*, Paris, 2, pt. 3, 180.—Col.

- Trengganua Moulton 1923, J. Fed. Malay States Mus., 11, 147.—Hem.
 Trennia Robineau-Desvoidy 1830, Mém. présentés Acad. roy. Sci. Inst. France, 2, 484.—Dipt.
 Trentepohlia Bigot 1854, Ann. Soc. ent. France, (2) 2, 473.—Dipt.
 Trentonaster Sturtz [1900], Verh. Ver. Rheinl., 56, 1899, 225.—Echin.
 Trentonia Stokes 1886, Proc. Amer. phil. Soc., 23, 562.—Prot.
 Trepanedoris Netolitzky 1918, Kol. Rundsch., 7, 24.—Col.
 Trepanes Motschoulsky 1864, Bull. Soc. imp. nat. Moscou, 37 (2), 186.—Col.
 Trepang Jaeger 1833, De Holothur., 24; Gray 1840, Syn. Cont. Brit. Mus., ed. 42, 64.—Echin.
 Trepanidotaenia (pro *Dye*-Railliet 1892) Brumpt 1910, Précis Parasitol., 913.—Verm. (Cest.).
 Trepanoderis (pro *nedoris* Netolitzky 1918) Porta 1923, Fauna Col. Ital., 1, 107.—Col.
 Trepanomonas (pro *Trepom*-Dujardin 1841) Diesing 1848, S.B. Akad. Wiss. (Wien), 1, 571.—Prot.
 Trepanotachys Alluaud 1933, Afra, No. 7, 3, 4, 17.—Col.
 Trepeilopsis Cushman & Waters 1928, Contrib. Cushman Lab. Foraminif. Res., 4, 38.—Prot.
 Trepionus Bates 1883, Trans. ent. Soc. London, 1883, 255.—Col.
 Trepophoda Tucker 1923, Ann. S. Afr. Mus., 19, 271.—Arachn.
 Trepialus (err. pro *Hep*-Fabricius 1775) Latreille (1805), Hist. Crust. Ins., 14, 174.—Lep.
 Trepidana Fagot 1883, Bull. Soc. Hist. nat. Toulouse, 17, 208.—Moll.
 Trepidaria Meigen 1800, N. Class. Mouches, 35.—Dipt.
 Trepidarioides Frey 1927, Notulae ent., 7, 76.—Dipt.
 Trepidula Caziot 1910, Etude Moll. Princip. Monaco, 271 (as *Trepidulana* p. 535).—Moll.
 Trepidulana see *Trepidula*.
 Trepidulus McNeill 1901, Proc. U.S. nat. Mus., 23, no. 1215, 394, 398.—Orth.
 Trepimetus Hustache 1934, Rev. Zool. Bot. afr., 25, 257.—Col.
 Trepobaris Casey 1892, Ann. N. York Acad. Sci., 6, 519.—Col.
 Trepobates (n.n. pro *Stephania* White 1883) Uhler 1894, Proc. zool. Soc. London, 1894, 213.—Hem.
 Trepobatopsis Champion 1898, Biol. Centr. Amer., Zool., Rhynch., 2, 157.—Hem.
 Trepocnemis McAtee & Malloch 1933, Ann. Carnegie Mus., 21, 272.—Hem.
 Trepomonas Dujardin 1841, (Roret's Suite à Buffon) Infusoires, 294.—Prot.
 Trepopausus Kolbe 1935, Ent. Blätter, 31, 98.—Col.
 Trepophrys Townsend 1908, Smithson. misc. Coll., 51, no. 1803, 95.—Dipt.
 Treposella Ulrich & Bassler 1908, Proc. U.S. nat. Mus., 35, 314.—Crust.
 Trepospira Ulrich & Scofield 1897, Geol. Minnesota, 3 (2, Pal.), 957.—Moll.
 Trepospyris (pro *Trip*-Haeckel 1887) Gamble 1909, in Lankester, Treat. Zool., 1 (1), 107.—Prot.
 Trepsichrois Huebner 1816, Verz. bekannt. Schmett., (1) 16.—Lep.
 Trepsiphone (err. pro *Terp*-Gloger 1827) Gray 1840, List Gen. Birds, 32.—Aves.
 Trepsitypa Meyrick 1913, Exot. Microlep., 1, 72.—Lep.
 Treptichnus Miller 1889, N. Amer. Geol. Pal., 581.—Col.
 Treptoplax Monticelli 1893, Rend. Accad. Lincei, (5) 2, 39.—Mesozoa.
 Trerolaema (pro *Ioema* Bonaparte 1855) Bonaparte 1856, C.R. Acad. Sci. Paris, 43, 833, 948.—Aves.
 Trerolaema Bonaparte 1855, C.R. Acad. Sci. Paris, 41, 247.—Aves.
 Treron Vieillot 1816, Analyse 49.—Aves.
 Treschiornis (pro *Threshi*-Gray 1842) Fitzinger 1865, S.B. Akad. Wiss. Wien, Math.-naturw. Cl., 51 (1), 309.—Aves.
 Treseolobus Attems 1907, Jahrb. wiss. Anst. Hamburg, 24, 120.—Myr.
 Tresherodiscus Foerste 1914, Bull. Sci. Lab. Denison Univ., 17, 432.—Echin.
 Trestinus Schmitz 1924, Naturh. Maandbl., 13, 149.—Dipt.
 Trestis Foerster 1868, Verh. naturh. Ver. Rheinlande, 25, 174.—Hym.
 Trestonia (emend. pro *Toxicum* Latreille 1802) Rafinesque 1815, Analyse, 113.—Col.
 Trestonia Buquet 1859, in Thomson, Arcana Naturae, 45.—Col.
 Tressus Walckenaer 1833, Ann. Soc. ent. France, 2 (3), 438.—Arachn.
 Tressus Gray 1853, Ann. Mag. nat. Hist., (2) 11, 42.—Moll.
 Tretanorhinus (ex *Duméril*) Duméril & Bibron 1854, Erpét., 7, fasc. 1, 348.—Rept.
 Tretaspis Murchison 1839, Silurian System, 217.—Trilobita.
 Tretaspis M'Coy [non Murchison 1839] 1849, Ann. Mag. nat. Hist., (2) 4, 401.—Trilobita.
 Tretachinus Toernquist 1897, Abh. geol. Karte Elsass, 5, 784.—Echin.
 Tretachthus Cook 1897, Brandtia, 7, 39.—Myr.
 Tretinus (n.n. pro *Lacordaireus* Desbrochers 1874) Bedel 1883, Faune Col. Bassin Seine, 6, 56.—Col.
 Tretioscincus Cope 1862, Proc. Acad. nat. Sci. Philad., 1862, 184.—Rept.
 Tretocalia Hinde 1900, Quart. J. geol. Soc. London, 56, 62.—Spong.
 Tretocalyx Schulze 1901, Denkschr. Akad. Wiss. Wien, 69, 319.—Spong.

- Tretoceras* (n.n. pro *Diploceras* Salter 1856) Salter 1858, Quart. J. geol. Soc., 14, 179.—Moll.
- Tretocidaris* Mortensen 1903, Danish Ingolf-Exped., 4, 16, 28.—Echin.
- Tretocyloecia* (pro *Tetro-Canu* 1918) Canu & Bassler 1920, Bull. U.S. nat. Mus., No. 106, 826.—Bry.
- Tretodictyum* Schulze 1885, Rep. Voy. Challenger Exped., Narr., 1, 451 [*n.n.*]; 1887 [sep. 1886], Abh. Akad. Wiss. Berlin, 1886, 78.—Spong.
- Tretodiscus* Pomel 1883, Classif. méth. Echin., 71.—Echin.
- Tretogonia* Melichar 1924, Ann. Mus. nat. Hungar., 21, 198 [*sine sp.*]; 1926, 23, 273.—Hem.
- Tretolmia* Pomel 1872, Pal. Oran, 5, 115.—Spong.
- Tretolophus* Sollas 1888, Rep. Voy. Challenger Exped., Zool., 25, 325.—Spong.
- Tretolopia* Pomel 1872, Pal. Oran, 5, 204.—Spong.
- Tretomphalus* Moebius 1880, Beitr. Meeresfauna Mauritius Seychell., 98.—Prot.
- Tretomys* Ameghino 1889, Mamif. Fossiles Rep. Argent., 119.—Mamm.
- Tretonea* Canu & Bassler 1920, Bull. U.S. nat. Mus., No. 106, 769.—Bry.
- Tretopleura* Ijima 1927, Siboga Exped. Rep., 6, 280.—Spong.
- Tretopteryx* Ragonot 1891, Ann. Soc. ent. France, 60, 95.—Lep.
- Tretorete* Ijima 1927, Siboga Exped. Rep., 6, 298.—Spong.
- Tretoscopa* Meyrick 1916, Exot. Microlep., 1, 606.—Lep.
- Tretosina* Canu & Bassler 1927, Proc. U.S. nat. Mus., 69, no. 14, 3.—Bry.
- Tretosphys* Cope 1868, Proc. Acad. nat. Sci. Philad., 1868, 186.—Mamm.
- Tretospira* Woehrmann & Koken 1892, Z. dtsh. geol. Ges., 44 (2), 196.—Moll.
- Tretostamnia* Pomel 1872, Paléont. Oran, 5, 70.—Spong.
- Tretosternon* Owen 1842, Rep. Brit. Assoc. (Plymouth 1841), 11, 165.—Rept.
- Tretosternum* (emend. pro *-non* Owen 1842) Agassiz 1846, Nomen. Zool. Index Univ.—Rept.
- Tretothorax* Lea 1911, Proc. roy. Soc. Victoria, 23, 211.—Col.
- Tretotoechus* Oppliger 1915, Abh. Schweiz. Paläont. Ges., 40, 56.—Spong.
- Trettraspis* (pro *Tet-* Hagenmueller 1885) Heynemann 1906, Abh. Senckenb. Ges., 30, no. 1-2, 35.—Moll.
- Tretulias* Cope 1895, Proc. Amer. phil. Soc., 34, 143.—Mamm.
- Tretus* Chevrolat 1833, Ann. Soc. ent. France, 2, 63.—Col.
- Treveliana* Kelaart 1858, Ann. Mag. nat. Hist., (3) 1, 257.—Moll.
- Trevelyanina* (pro *-na* Kelaart 1858) Bronn 1866, Klass. Ordn. Tierreichs, 3, 798.—Moll.
- Trevessa* China 1924, Ann. Mag. nat. Hist., (9) 14, 445.—Hem.
- Trevoria* Ashmead 1900, Proc. U.S. nat. Mus., 23, no. 1206, 50.—Hym.
- Trhypochthonius* Berlese 1905, Redia, 2, 27.—Arachn.
- Trhyptocera* (pro *Thry-* Macquart 1834) Rondani 1859, Dipt. Ital. Prodr., 3, 12.—Dipt.
- Triacantha* (pro *Tric-* Simon 1864) Thorell 1869, Nova Acta Soc. Sci. Upsal., (3) 7 (1), 36.—Arachn.
- Triacanthagyna* Selys 1883, Bull. Acad. Sci. Belgique, (3) 5, 745.—Odon.
- Triacanthella* Schaeffer 1897, Ergeb. Hamburg. Magalh. Sammler., 2, Apterygot., 14.—Collemb.
- Triacanthochirus* (n.n. pro *Triacanthus* Bernhauer 1903) Bernhauer 1923, Wien. ent. Ztg., 40, 63.—Col.
- Triacanthodes* Bleeker 1857-58, Acta Soc. Ind.-Ned., 3, 37.—Pisces.
- Triacanthodon* Owen 1871, Monogr. Palaeont. Soc., 24, no. 5, 72.—Mamm.
- Triacanthurus* Willem 1903, Res. Voy. Belgica, Zool., Collemb., 5.—Collemb.
- Triacanthus* (ex Cuvier) Oken 1817, Isis, 1817, 1183.—Pisces.
- Triacanthus* Bernhauer 1903, Dtsch. ent. Z., 1903, 136.—Col. (See *Triacanthochirus* Bernhauer 1923.)
- Triacanus* Erichson 1843, in Germar, Z. Entom., 4, 352.—Col.
- Triacartus* Haeckel 1881, Zena. Z., 15, 437.—Prot.
- Triacetalus* (err. pro *-telus* Bates 1892) Lucas 1920, Cat. alphab. gen. et subgen. Col., 1, 648.—Col.
- Triacetalus* Bates 1892, Trans. ent. Soc. London, 1892, 176.—Col.
- Triachis* (pro *-akis* Mueller & Henle 1838) Swainson 1838, Hist. Classif. Fish., 1, 144.—Pisces.
- Triachora* Townsend 1908, Smithson. misc. Coll., 51, no. 1803, 105.—Dipt.
- Triachus* Leconte 1880, Trans. Amer. ent. Soc., 8, 197.—Col.
- Triacis* (emend. pro *-akis* Mueller & Henle 1838) Agassiz 1846, Nomen. Zool. Index Univ.—Pisces.
- Triacodon* Marsh 1871, Amer. J. Sci., (3) 2, 123.—Mamm.
- Triacrinus* Muenster 1839, N. Jahrb. f. Min., 1839, 184; 1839, Beitr. zur Petref., 1, 3.—Echin.
- Triacrinus* Ringuenberg [non Muenster 1839] 1884, Proc. Acad. nat. Sci. Philad., 1884, 144.—Echin.
- Triacrus* Nordmann 1837, Mém. présentés Acad. imp. Sci. St. Pétersbourg, 4 (1 & 2), 19.—Col.

- Triactinomyxon* Stolč 1890, Vyr. zpr. Klubu přir., 20, 1889, 44; 1900, Rozp. Ceske Akad. Praze, 8, 8.—Prot.
- Triactinosphaera* Dunikowski 1882, Denkschr. Akad. Wiss. Wien, 45 (2), 192.—Prot.
- Triactis* Klunzinger 1877, Koralthiere rothen Meeres, 1, 85.—Coel.
- Triactis* Haeckel 1881, Zena. Z., 15, 457.—Prot. (See *Triactiscus* Haeckel 1887.)
- Triactiscus* (n.n. pro *Triactis* Haeckel 1881) Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 421, 432.—Prot.
- Triacudorsulum* Roewer 1926, Philippine J. Sci., 29, 555.—Arachn.
- Triacudorsum* Roewer 1912, Arch. Naturgesch., 78, A3, 240.—Arachn.
- Triacumontia* Roewer 1915, Arch. Naturgesch., 80, A12, 122.—Arachn.
- Triacus* Thunberg 1804, K. VetenskAkad. Nya Handl. Stockholm, 25 (3), 184.—Col.
- Triadechinus* Clark 1927, in Arnold & Clark, Mem. Mus. comp. Zool. Harvard, 50, no. 1, 20.—Echin.
- Triadinium* Fiorentini 1890, Boll. Sci. (Pavia), 12, 16.—Prot.
- Triadicoidaris* Doederlein 1887, Japan. Seeigel, 1, 39.—Echin.
- Triadocoelia* Vinassa de Regny 1911, Res. wiss. Untersuch. Balaton, 1, Anhang, no. 3, 4.—Spong.
- Triadocoleopteron* Zeuner 1930, Jahrb. preuss. geol. Landesanst., 51, 466.—Col.
- Triadophyllum* Weissmerl 1926, Jahrb. preuss. geol. Landesanst., 46, 25.—Coel.
- Triadosialis* Handlirsch 1906, Fossil Ins., 403.—Neur.
- Triaena* Huebner 1818, Zuträge z. Exot. Schmett., 1, 21.—Lep.
- Triaena* Leconte 1847, Ann. Lyceum nat. Hist. New York, 4, 365.—Col. (Carabid.). (See *Zezea* Csiki 1929.)
- Triaena* McLachlan 1865, Entomologist's Annual, 1865, 34.—Trichopt. (See *Triaenodes* McLachlan 1865.)
- Triaena* Menge 1866, Schr. naturf. Ges. Danzig, (N.F.) 1, 2.—Col. (Stylopid.). (See *Mengea* Grote 1886.)
- Triaena* Tullberg 1871, Öfvers. VetenskAkad. Förh. Stockholm, 28, 155.—Collemb. (See *Macgillivraya* Grote 1894 and *Friesea* Dalla Torre 1895.)
- Triaenaspis* Cope 1878, Bull. U.S. geol. Surv. Terr., 4, 67.—Pisces.
- Triaenobletus* Roewer 1931, Z. wiss. Zool., 138, 172.—Arachn.
- Triaenobunus* Sörensen 1886, in Koch, Arachn. Austral., 2, 59.—Arachn.
- Triaenoceras* (emend. pro *Triain-* Hyatt 1884) Cossmann 1902, Rev. crit. Paléozool., 6, 125.—Moll.
- Triaenocorypha* Wood-Mason 1890, Ann. Mag. nat. Hist., (6) 5, 439.—Orth.
- Triaenodella* Mosely 1932, Ann. Mag. nat. Hist., (10) 9, 308.—Trichopt.
- Triaenodes* (n.n. pro *Triaena* McLachlan 1865) McLachlan 1865, Trans. ent. Soc. London, (3) 5, 110.—Trichopt.
- Triaenodon* Mueller & Henle 1837, Ber. Verh. preuss. Akad. Wiss., 2, 113; 1839, Syst. Plagiost., (2) 55.—Pisces.
- Triaenogenius* Chaudoir 1877, Bull. Soc. imp. Nat. Moscou, 52 (1), 249.—Col.
- Triaenograptus* Hall 1914, Proc. roy. Soc. Victoria, 27, 115.—Coel.
- Triaenomeros* Roewer 1913, Arch. Naturgesch., 79, A4-5, 223.—Arachn.
- Triaenomontia* Roewer 1915, Arch. Naturgesch., 80, A12, 133.—Arachn.
- Triaenoneura* Ragonot 1893, in Romanoff, Mém. Lép., 7, 312.—Lep.
- Triaenonyx* Soerensen 1886, in Koch, Arachn. Austral., 2, 58.—Arachn.
- Triaenophilis* Werner 1924, S.B. Akad. Wiss. Wien, 133, 50.—Rept.
- Triaenophorichthys* (n.n. pro *Triaenophorus* Gill 1858) Gill 1859, Proc. Acad. nat. Sci. Philad., 1859, 195.—Pisces.
- Triaenophorus* Rudolphi 1793, Obs. Ver. Intest., 44.—Verm. (Cest.).
- Triaenophorus* Gill 1858, Ann. Lyceum nat. Hist. N. York, 7, 17.—Pisces. (See *Triaenophorichthys* Gill 1859.)
- Triaenopodium* Roewer 1915, Arch. Naturgesch., 81, A3, 70.—Arachn.
- Triaenopogon* Bleeker 1874, Arch. Néerl., 9, 312.—Pisces.
- Triaenops* Dobson 1871, J. Asiat. Soc. Bengal, 40 (2), 455.—Mamm.
- Triaenops* Hitchcock 1848, Mem. Amer. Acad., (N.S.) 3, 202.—Rept.
- Triaenosoma* Roewer 1913, Arch. Naturgesch., 79, A4-5, 181.—Arachn.
- Triaenostreptus* Attems 1914, Zoologica, Stuttgart, 66, 149.—Myr.
- Triaenura* Ölfers 1907, Schr. phys. Ges. Königsberg, 48, 26.—Collemb.
- Triaenurgus* Bates 1886, Biol. Centr. Amer., Zool., Col., 2 (2), 8.—Col.
- Triaerinus* (err. pro *Triacr-* Muenster 1839) Muenster 1840, Beitr. zur Petref., (3) 111.—Echin.
- Triaeris* Simon 1892, Proc. zool. Soc. London, 1891, 561.—Arachn.
- Triaeschna* Campion 1916, Ann. Mag. nat. Hist., (8) 18, 230.—Odon.
- Triainoceras* Hyatt 1884, Proc. Boston Soc. nat. Hist., 22, 336.—Moll.
- Triakis* Mueller & Henle 1838, Mag. nat. Hist., (N.S.) 2, 36.—Pisces.
- Triakontazona* Verhoeff 1897, Arch. Naturgesch., 63 (1), 136.—Myr.
- Trialeurodes* Cockerell 1902, Proc. Acad. nat. Sci. Philad., 54, 283.—Hem.
- Triamescaptor* Tindale 1928, Rec. S. Australian Mus., 4, 19.—Orth.
- Triammatu* Chevrolat 1857, Rev. Mag. Zool., (2) 9, 105.—Col.
- Triamya* Dyar 1919, Insec. Inscit. menst., 7, 120.—Dipt.

- Trianectes** McCulloch & Waite 1918, Rec. S. Australian Mus., 1, 53.—Pisces (nec *Trinectes* Rafinesque 1831 see *Verconectes* Whitley 1931).
- Trianeura** Butler 1876, J. Linn. Soc. London, Zool., 12, 353.—Lep. (nec *Trineura* Meigen 1803 see *Choromeles* Meyrick 1886).
- Triangularia** Frech 1894, Z. dtsch. geol. Ges., 46, 459.—Moll.
- Triangulus** Smith 1906, Fauna Fl. Neapel, 29, 115.—Crust.
- Trianisites** Rafinesque 1819, Journ. de Physique, 88, 428.—*Inc. sed.*
- Trianoceras** (pro *Triaino*-Hyatt 1884) Hyatt 1900, in Eastman-Zittel, Text-Book Pal., 1 (2), 554.—Moll.
- Trianophorus** (pro *Triaen*-Rudolphi 1793) Sonsino 1891, Atti Soc. Toscana Sci. nat., Proc. verb., 7, 256.—Verm. (Cest.).
- Triantella** Mayer 1903, in Weber, Siboga Exped., 12, no. 34, 32.—Crust.
- Triaplatarthris** Deyrolle & Fairmaire 1878, Ann. Soc. ent. France, (5) 8, 138.—Col.
- Triaplatys** Fairmaire 1877, Petites Nouvelles ent., 2, no. 185, 186.—Col.
- Triara** (pro *Ti*-Swainson 1831) Paetel 1875, Fam. Gatt. Moll., 210.—Moll.
- Triarca** Waite 1910, Trans. N. Zealand Inst., 42, 387.—Pisces.
- Triarge** Forsius 1931, Ann. Mag. nat. Hist., (10) 8, 19.—Hym.
- Triarius** Jacoby 1887, Biol. Centr. Amer., Zool., Col., 6 (1), 571.—Col.
- Triarmocerus** Eichhoff 1878, Mém. Soc. Sci. Liège, (2) 8, 119; 1878, Ent. Ztg., Stettin, 39, 383.—Col.
- Triarthra** (pro *-thra* Ehrenberg 1832) Duponchel 1844, Dict. univ. Hist. nat., 5, 421.—Verm. (Rotif.).
- Triarthra** Ehrenberg (1832), Abh. preuss. Akad. Wiss., 1831, 138.—Verm. (Rotif.).
- Triarthra** (pro *-thria* Stephens 1829) Gistel 1848, Nat. Thier., xi.—Dipt.
- Triarthra** Dalla Torre 1904, Gen. Insect., 19, 28.—Hym.
- Triarthrella** Hall 1863, Ann. Rep. New York State Cab. nat. Hist., 16, App. D, 177.—Trilobita.
- Triarthria** Stephens 1829, Nom. Brit. Ins., [n.n.]; 1829, Cat. Brit. Ins., Haust., 300 [n.n.].—Dipt.
- Triarthron** Maerkel 1840, Ent. Ztg., Stettin, 1 (9), 141.—Col.
- Triarthropsis** Ulrich 1931, Missouri Bureau Geol. & Mines, 24, 214.—Trilobita.
- Triarthrosoma** Verhoeff 1898, Verh. zool.-bot. Ges. Wien, 48, Abh., 300.—Myr.
- Triarthrum** (emend. pro *-thron* Maerkel 1840) Agassiz 1846, Nomen. Zool. Index Univ.—Col.
- Triarthrus** Green 1832, Monthly Amer. J. Geol., 1, 560; 1832, Monogr. Tril. N. Amer., 86.—Trilobita.
- Triasocaris** Bill 1914, Mitt. geol. Landesanst., 8, 310.—Crust.
- Triaspidis** MacGillivray 1921, The Coccidae, 273, 276.—Hem.
- Triaspis** Haliday 1835, Entom. Mag., 3 (2), 124.—Hym.
- Triassagrion** Tillyard 1922, Proc. Linn. Soc. N.S. Wales, 47, 455.—Odon.
- Triassoblatta** Tillyard 1919, Proc. Linn. Soc. N.S. Wales, 44, 367.—Orth.
- Triassochelys** (n.n. pro *Stegochelys* Jaekel 1915) Jaekel 1918, Palaeont. Z., 2, Addenda, 251.—Rept.
- Triassocixius** Tillyard 1920, Proc. Linn. Soc. N.S. Wales, 44, 878.—Hem.
- Triassocoris** Tillyard 1922, Proc. Linn. Soc. N.S. Wales, 47, 466.—Hem.
- Triassojassus** Tillyard 1920, Proc. Linn. Soc. N.S. Wales, 44, 887.—Hem.
- Triassoolestes** Tillyard 1918, Proc. Linn. Soc. N.S. Wales, 43, 418.—Odon.
- Triassolocusta** Tillyard 1922, Proc. Linn. Soc. N.S. Wales, 47, 451.—Orth.
- Triassomantis** Tillyard 1922, Proc. Linn. Soc. N.S. Wales, 47, 450.—Orth.
- Triassophlebia** Tillyard 1922, Proc. Linn. Soc. N.S. Wales, 47, 454.—Odon.
- Triassopsyche** Tillyard 1917, Proc. Linn. Soc. N.S. Wales, 42, 182.—Trichopt.
- Triassopsychops** Tillyard 1922, Proc. Linn. Soc. N.S. Wales, 47, 467.—Neur.
- Triassopsylla** Tillyard 1917, Proc. Linn. Soc. N.S. Wales, 42, 753.—Hem.
- Triassoscarta** Tillyard 1920, Proc. Linn. Soc. N.S. Wales, 44, 874.—Hem.
- Triastrum** Cleve 1902, Bih. svenska VetenskAkad. Handl., 35, 12, 53.—Prot.
- Triate** Gray 1867, Proc. zool. Soc. London, 1867, 549.—Spong.
- Triatoma** Laporte 1832, Essai Class. Hémipt. in Magasin de Zool., 2, 11.—Hem.
- Triaulacias** Ehrenberg 1844, Ber. Verh. preuss. Akad. Wiss., 1844, 199.—Prot.
- Triaulacodus** (n.n. pro *Aulacodus* Temminck 1827) Lydekker 1896, Geograph. Hist. Mamm., 91, 240.—Mamm.
- Triavestigia** Gilmore 1927, Smithsonian. misc. Coll., 80, no. 3, 32.—Amph.
- Tribachion** Weltner 1882, Beitr. Spong., 50.—Spong.
- Tribachium** (pro *-chion* Weltner 1882) Ridley 1884, Rep. Voy. Alert, 479.—Spong.
- Tribacis** Billberg 1820, Enum. Insect. in Mus. Blbg., 89.—Lep.
- Tribacis** (pro *Tribax* Fischer-Waldheim 1817) Motschoulsky 1850, Käf. Russl., tabell. No. 10, 74.—Col.
- Tribactis** Dujardin [1844], (Roret's Suite à Buffon) Helminthes, 1845, 3, 653.—Verm. (Nema.).
- Tribaeus** Foerster 1860, Verh. naturh. Ver. preuss. Rheinlande, 17, 93.—Hym.
- Tribalia** Walsh 1864, Proc. ent. Soc. Philadelphia, 2, 470.—Hym.
- Tribalister** Horn 1873, Proc. Amer. phil. Soc., 13, 299.—Col.

- Triballoides Schmidt 1885, Dtsch. ent. Z., 29, 442.—Col.
 Triballus (pro *-alus* Erichson 1834) Gemminger & Harold 1868, Cat. Col., 3, 781.—Col.
 Tribalus Erichson 1834, Jahrb. Insectenk., 1, 164.—Col.
 Tribanchus (pro *Tribra*- Peters 1846) Weber 1913, Siboga Exped., 65, no. 57, 708.—Pisces.
 Tribatus Motschoulsky 1851, Bull. Soc. imp. Nat. Moscou, 24 (2), 484.—Col.
 Tribax Fischer de Waldheim 1817, Mém. Soc. imp. Nat. Moscou, 5, 463.—Col.
 Tribesodon Bassani 1886, Atti Soc. Ital. Sci. nat., 29, 25.—Rept.
 Tribelocephala Stål 1853, Ofvers. VetenskAkad. Förh. Stockholm, 10, 263.—Hem.
 Tribeniophorus (pro *Tribon*- Humbert 1863) Martens 1873, List Moll. N. Zealand, 14.—Moll.
 Tribia Jousseau 1887, Le Naturaliste, (2) 1, 221.—Moll.
 Tribiniophorus (err. pro *Tribon*- Humbert 1863) Binney 1879, Bull. Mus. comp. Zool. Harvard, 5, 367.—Moll.
 Triblidium (pro *Try*- Lindström 1880) Walcott 1912, Smithson. misc. Collect., 57, no. 2136, 263.—Moll.
 Triblonotus (pro *Tribolon*- Duméril & Bibron 1839) Fitzinger 1843, Syst. Rept., 21.—Rept.
 Tribochrysa Scudder 1883, Proc. Boston Soc. nat. Hist., 21, 408.—Neur.
 Triboderus Grouvelle 1894, Ann. Soc. ent. Belgique, 38, 463.—Col.
 Tribodon Ameghino 1887, Bol. Mus. La Plata, 1, 7.—Mamm.
 Tribola Dana 1852, Proc. Acad. nat. Sci. Philad., 6, 9.—Crust.
 Tribobina Latham 1933, Trans. roy. Soc. Edinburgh, 57, 358.—Crust.
 Triboletia Loriol 1910, Rev. suisse Zool., 16, 151.—Echin.
 Tribolia Chen 1933, Bull. Mus. Hist. nat. Paris, (2) 5, 450.—Col.
 Tribolioides Blair 1913, Ent. mon. Mag., 49, 224.—Col.
 Tribolium Macleay 1825, Annulosa Javanica, 47.—Col.
 Tribolocara (pro *Tribolo*- Solier 1851) Gemminger & Harold 1870, Cat. Col., 7, 1838.—Col.
 Tribolocephalus Ristori 1887, Boll. Soc. geol. Ital., 5, 127.—Crust.
 Triboloceras Hyatt 1884, Proc. Boston Soc. nat. Hist., 22, 294.—Moll.
 Tribolodon Sauvage 1883, Bull. Soc. philom. Paris, (7) 7, 149.—Pisces.
 Tribolodon Seeley 1894, Phil. Trans. roy. Soc., 185(B), 1018.—Rept.
 Triboloneura Walsingham 1908, Ent. mon. Mag., 44, 54.—Lep.
 Tribolonotus Duméril & Bibron 1839, (Roret's Suite à Buffon) Erpét., 5, 364.—Rept.
 Tribon Heyden 1826, Isis (Oken), 1826, 610.—Arachn.
 Tribonica Meyrick 1905, J. Bombay nat. Hist. Soc., 16, 589.—Lep.
 Tribonidium Saussure 1862, Rev. Mag. Zool., (2) 14, 232.—Orth.
 Triboniophorus Humbert 1863, Mém. Soc. phys. Hist. nat. Genève, 17, 109, 116.—Moll.
 Tribonium Saussure 1862, Rev. Mag. Zool., (2) 14, 232.—Orth.
 Tribonix (pro *-nyx* Du Bus 1840) Bonaparte 1856, C.R. Acad. Sci. Paris, 43, 600.—Aves.
 Tribonoidea Shelford 1908, Jahrb. Ver. Naturk. Nassau, 61, 29.—Orth.
 Tribonophora Huebner [1809]–[1813], Erste Zutr., 5; Zutr. Samml. exot. Schmett., 1, pl. [19].—Lep.
 Tribonophorus Burnett 1829, Quart. J. Sci. (R. Inst. Gt. Brit.), 269 [n.n.].—Mamm.
 Tribonosphaera Haeckel 1881, Jena. Z., 15, 471.—Prot.
 Tribonyx Du Bus 1840, Bull. Acad. roy. Bruxelles, 7 (1), 212.—Aves.
 Tribopertha Reitter 1903, Verh. Ver. Brünn, 41, 43.—Col.
 Triboplax Thiele 1893, in Troschel, Gebiss Schneck., 2, 366.—Moll.
 Tribostethes Curtis 1844, Proc. Linn. Soc. London, 1, 197.—Col.
 Tribotropis Jekel 1855, Ins. Saundersiana, Col. Curc., 1, 68.—Col.
 Tribrachia Schubert 1912, Verh. geol. Reichs. Wien, 1912, 183.—Prot.
 Tribrachiocrinus (pro *Tribrachy*- McCoy 1847) Wachsmuth & Springer 1886, Proc. Acad. nat. Sci. Philad., 1886, 174.—Echin.
 Tribrachion Weltner 1882, Beitr. Spong., 50.—Spong.
 Tribrachium (pro *-ion* Weltner 1882) Ridley 1884, Rep. Voy. Alert, 479.—Spong.
 Tribrachyocrinus M'Coy 1847, Ann. Mag. nat. Hist., 20, 228.—Echin.
 Tribrachys Leconte 1861, Class. Coleopt. N. Amer., 83.—Col.
 Tribbranchus Peters (1846), Abh. preuss. Akad. Wiss., 1844, 193.—Pisces.
 Tribremia Kieffer 1912, Neue Gallmücken-Gatt., 1; 1912, Marcellia, 11, x.—Dipt.
 Tribula (err. pro *Trituba* Jousseau 1884) Cossmann 1925, Essais Paléococonch. comp., 13, 270.—Moll.
 Tribulina Bory 1826, Dict. class. Hist. nat., 10, 533.—Prot.
 Tribulus (ex Klein) Sowerby 1839, Conch. Man., 107.—Moll.
 Tribunophora (pro *Tribono*- Huebner 1809–1813) Huebner 1822, Syst.-alphab. Verz., 20–23, 25, 27–29, 35–37.—Lep.
 Tribunta Walker 1865, List Specimens Lep. Ins. Brit. Mus., 34, 1506.—Lep.
 Tribura Hodgson 1844, Zool. Miscell. (Gray), (6) 82 [n.n.]; 1845, Proc. zool. Soc. London, 13, 30.—Aves.

- Triburnus* (err. pro *Tib-* Gregorio 1893) Cossmann 1896, Ann. Soc. malac. Belg., 31, 16.—Moll.
- Tributa* (err. pro *Trituba* Jousseau 1884) Cossmann 1925, Essais Paléonconch. comp., 13, 318.—Moll.
- Tricaetia* (pro *Tricoelia* Renier 1804) McIntosh 1904, Mar. Invest. S. Afr., 3, 61.—Verm. (Polych.).
- Tricala* Walker 1869, Catal. Dermapt. Saltat. Brit. Mus., 2, 357.—Orth.
- Tricalama* Bory 1826, Class. Anim. micr., 84; 1827, Ency. Méth. (Zooph.), 538.—Verm. (Rotif.).
- Tricampa* Silvestri 1933, Boll. Lab. Zool. Portici, 27, 170.—Thysanura.
- Tricamptus* Foerster 1868, Verh. naturh. Ver. Rheinlande, 25, 194.—Hym.
- Tricampylomyza* Kieffer 1919, Bull. Soc. Hist. nat. Afr. N., 10, 198.—Dipt.
- Tricanastrum* (pro *Tricra-* Haeckel 1879) Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18, pl. 47.—Prot.
- Tricanophora* (pro *Thrinaco-* Ridley 1885) Kieschnick 1896, Zool. Anz., 19, 533.—Spong.
- Tricantha* Simon 1864, Hist. nat. Araignées, 293.—Arachn.
- Tricanus* (pro *Triac-* Erichson 1843) Grouvelle 1913, Col. Cat., 56, 167.—Col.
- Tricarcelia* Baranov 1934, Trans. R. ent. Soc. London, 82, 389.—Dipt.
- Tricardia* Ameghino 1891, N. Restos Mam. Fos. Patagonia Austral, 16; 1891, Rev. Argent. Hist. nat., 1, 302.—Mamm.
- Tricassa* Simon 1910, Denkschr. med.-naturw. Ges. Jena, 16, 213.—Arachn.
- Tricassiniana* Locard 1890, Ann. Soc. linn. Lyon, (N.S.) 36, 123.—Moll.
- Tricaster* see *Trichaster* Agassiz 1836.
- Tricaudalia* Buisson 1923, Trav. Lab. Parasitol. Paris, 1923, 151, 152.—Prot.
- Tricca* Simon [1889], Ann. Soc. ent. France, (6) 8, 1888, 250.—Arachn.
- Triccus* Cabanis 1845-46, in Tschudi, Fauna Peru. (Orn.), 164.—Aves.
- Tricelia* see *Tricoelia*.
- Tricelis* Ehrenberg 1831, in Hemprich & Ehrenberg, Sym. Phys. (Phyt. Turb.), sign. a₂.—Verm. (Turb.).
- Tricellaria* Fleming 1828, Hist. Brit. Anim., 540.—Bry.
- Tricellia* (pro *Tricoelia* Renier 1804) Nardo 1847, Prosp. Fauna Veneto, 2 (1), 12.—Verm. (Polych.).
- Tricentes* Cope 1883, Proc. Amer. phil. Soc., 21, 315.—Mamm.
- Tricentra* Warren 1900, Novit. zool., 7, 164.—Lep.
- Tricentrium* (emend. pro *Trikentrion* Ehlers 1870) Luetken 1874, Zool. Rec., 9, 1872, 478.—Prot.
- Tricentrogyna* Prout 1932, Novit. zool., 37, 246.—Lep.
- Tricentroides* Distant 1916, Fauna Brit. India, Rhynch., 6, App., 169.—Hem.
- Tricentroscelis* Prout 1916, Proc. zool. Soc. London, 1916, 147.—Lep.
- Tricentrus* Stål 1866, Hem. Afric., 4, 89.—Hem.
- Tricephalopora* Lang 1916, Ann. Mag. nat. Hist., (8) 18, 86.—Bry.
- Triceras* Lobarzewski 1840, Linnaea, 14, 272.—? Spong.
- Triceras* Fitzinger 1843, Syst. Rept., 15, 42.—Rept.
- Triceraspyris* Haeckel 1881, Jena. Z., 15, 441.—Prot.
- Triceratia* Haswell 1882, Proc. Linn. Soc. N.S. Wales, 7, 274.—Verm. (Polych.).
- Triceratops* Marsh 1889, Amer. J. Sci., (3) 38, 173.—Rept.
- Triceratopyga* Rohdendorf 1931, Zool. Anz., 95, 175.—Dipt.
- Tricercomitus* Kirby 1930, Univ. Calif. Publ. Zool., 33, 395.—Prot.
- Tricercomonas* Wenyon & O'Connor 1917, J. Royal Army Medical Corps, 28, 361.—Prot.
- Triceros* Swainson 1839, N.H. Fishes, etc., 2, 347, 369 (also as *Trioceros*).—Rept.
- Trichacis* Foerster 1856, Hym. Studien, 2, 108.—Hym.
- Trichacoides* Dodd 1914, Ent. News, 25, 416.—Hym.
- Trichaculus* Kieffer 1912, in André, Spec. Hym. Eur., 11, 89.—Hym.
- Trichacorynus* Blatchley 1916, in Blatchley & Leng, Rhynchophora N. Eastern Amer., 528.—Col.
- Trichacrostylia* Enderlein 1914, Zool. Anz., 43, 607.—Dipt.
- Trichactia* Stein 1924, Arch. Naturgesch., 90, A6, 138.—Dipt.
- Trichadenotecnium* Enderlein 1909, Boll. Lab. Zool. Portici, 3, 329.—Psocopt.
- Trichadenus* Rondani 1870, Bull. Soc. ent. ital., 2, 168.—Arachn.
- Trichaea* Herrich-Schaeffer 1866, CorrespBl. Ver. Regensburg, 20, 115.—Lep.
- Trichaeus* (pro *-chechus* L. 1766) Billberg 1828, Syn. Faun. Scand., 1, Consp. A, 32.—Mamm.
- Trichaelurus* Satunin 1905, Annu. Mus. Zool. Acad. Sci. St. Petersburg, 9, 495.—Mamm.
- Trichaeta* Swinhoe 1892, Cat. East. Austr. Lep. Het. Oxf. Univ. Mus., 52.—Lep.
- Trichaeta* Spencer 1902, Proc. roy. Soc. Victoria, (N.S.) 13, 30.—Verm. (Oligoch.).
- Trichaeta* Becker 1908, Mitt. zool. Mus. Berlin, 4, 118.—Dipt.
- Trichagalma* Mayr 1907, Marcellia, 6, 3.—Hym.
- Trichagrotis* McDunnough 1929, Bull. Canada Dep. Mines, 55, 1928, 60.—Lep.

- Trichalis* (err. pro *Trisch*-Hampson 1894) Pagenstecher 1909, Geogr. Verbr. Schmett., 422.—Lep.
Trichalolus Pic 1923, Echange, 39, hors-texte, 36.—Col.
Trichalophus Leconte 1876, Proc. Amer. phil. Soc., 15, 118.—Col.
Trichalphus Bates 1881, Biol. Centr. Amer., Zool., Col., 5, 153.—Col.
Trichaltica Harold 1876, Coleopt. Hefte, 15, 2.—Col.
Trichalus Waterhouse 1877, Trans. ent. Soc. London, 1877, 82.—Col.
Trichamarygmus Carter 1913, Trans. roy. Soc. S. Australia, 37, 46.—Col.
Trichamoeba Fromentel 1874, Microz., 222; 1875, Etudes Microz. ou Infus., 222.—Prot.
Trichamphora Junghuhnii [1838], Praem. Flor. Cryptogam. Javae, 12.—Prot.
Trichananca Blackburn 1891, Trans. roy. Soc. S. Australia, 14, 341.—Col.
Trichanarta Hampson 1896, Fauna Brit. India, Moths, 4, 507.—Lep.
Trichanomala Arrow 1917, Fauna Brit. India, Col. Lam., 2, 95.—Col.
Trichantheris Kieffer 1910, Gen. Insect., 80(B), 88.—Hym.
Trichanthidium Cockerell 1930, Rev. Zool. Bot. afr., 19, 52.—Hym.
Trichaphaenops Jeannel 1916, Bull. Soc. ent. France, 1916, 280.—Col.
Trichaphanus Kiritschenko 1926, Konowia, 5, 219.—Hem.
Trichaphodiellus Schmidt [1914*], Arch. Naturgesch., 79, 1913, A11, 167.—Col.
Trichaphodius Schmidt [1914*], Arch. Naturgesch., 79, 1913, A11, 135.—Col.
Trichapion Wagner 1912, Arch. Naturgesch., 78, A2, 99.—Col.
Trichaplothrips Priesner 1921, Treubia, 2, 17.—Thysanopt.
Trichaporoidella Girault 1913, Soc. ent., 28, 105.—Hym.
Trichaporoides Girault 1913, Soc. ent., 28, 104.—Hym.
Trichaporus Foerster 1856, Hym. Studien, 2, 84.—Hym.
Trichapseudes Barnard 1920, Ann. S. Afr. Mus., 17, 325.—Crust.
Trichaptella see *Thrycaptella*.
Trichaptum Brongniart 1885, Bull. Soc. Sci. nat. Rouen, (3) 21, 63.—Protorth.
Trichaptus (Germar MS.) Gemminger & Harold 1871, Catal. Coleopt., 8, 2227 [n.n.]; Pascoe 1880, Ann. Mag. nat. Hist., (5) 5, 422.—Col.
Trichapus Friedenreich 1881, Ent. Ztg., Stettin, 42, 328.—Col.
Trichareza Thomson 1868, Eugenes Reise, Zool., 540.—Dipt.
Trichardis Hermann 1906, Z. Hym. Dipt., 6, 136.—Dipt.
Trichareva Hampson 1914, Cat. Lep. Phalaenae Brit. Mus., Suppl. 1, 518.—Lep.
Tricharia Karl 1928, in Dahl, Tierw. Dtschl., 13, 160.—Dipt.
Tricharrhen Poche 1926, Arch. Naturgesch., 91, 1925, A2-3, Syst. Platodaria, 206.—Verm. (Trem.).
Trichas Swainson 1827 (June), Phil. Mag., (N.S.) 1 (6), 433; 1827 (Sept.), Zool. Journ., 3 (10), 167.—Aves.
Trichas Gloger [? non Swainson 1827] 1827, in Froriep, Notizen, 16, 278.—Aves.
Trichasaurus (n.n. pro *Trispondylus* Williston 1910) Williston 1913, J. Geol., 21, 366.—Rept.
Trichasis (pro *-acis* Foerster 1856) Thomson 1859, Ofvers. VetenskAkad. Förh. Stockholm, 16, 78.—Hym.
Trichasius Provancher 1887, Add. Hym. Québec, 209.—Hym.
Trichaspis Spaeth 1911, Verh. zool.-bot. Ges. Wien, 61, 269.—Col. (Cassid.).
Trichaspis Weise 1923, Ark. Zool., 15, no. 12, 89.—Col. (Galerucid.).
Trichaster Agassiz [1836], Mém. Soc. Neuchâtel, 1, 1835, 193 (also as *Tricaster*).—Echin. (Oph.).
Trichaster Quenstedt 1875, Petref. Dtschl., 4, 65.—Echin. (Ast.). (See *Trichasteropsis* Eck 1879.)
Trichasterina Schulze 1900, in Roemer & Schaudinn, Fauna Arctica, 1, 101, 107.—Spong.
Trichasteropsis (n.n. pro *Trichaster* Quenstedt 1875) Eck 1879, Z. dtsh. geol. Ges., 31, 45.—Echin.
Trichastoma Blyth 1842, J. Asiat. Soc. Bengal, 11, 795.—Aves (nec *Trichostoma* Pictet 1834 see *Aethostoma* Sharpe 1902).
Trichatelura Silvestri 1932, Rev. Ent. São Paulo, 1, 133.—Thysanura.
Trichauchenia Warren 1892, Ann. Mag. nat. Hist., (6) 9, 173.—Lep.
Trichaulax Kraatz 1880, Dtsch. ent. Z., 24, 196.—Col.
Trichaulus Mayr 1885, Verh. zool.-bot. Ges. Wien, 35, Abh., 157, 225.—Hym.
Trichaulus Enderlein 1904, Zool. Anz., 28, 136, 141.—Anoplura. (See *Linognathus* Enderlein 1905.)
Trichostoma (pro *Thrinch*-Saussure 1890) Ashmead 1899, Trans. Amer. ent. Soc., 26, 91.—Hym.
Trichearias Dognin 1905, Ann. Soc. ent. Belgique, 49, 90.—Lep.
Trichechus Linnaeus 1758, Syst. Nat., ed. 10, 34.—Mamm. (Trichechid.).
Trichechus Linnaeus 1766, Syst. Nat., ed. 12, 49.—Mamm. (Odobenid.).
Trichecodon Lankester 1865, Quart. J. geol. Soc. London, 21, 230.—Mamm.
Trichecus (pro *-chus* L. 1758) Mueller 1773, Ritters Linné vollst. Natursyst., 1, 171.—Mamm.

- Trichedocla* Jeannel 1914, Bull. Soc. ent. France, 1914, 176.—Hem.
Tricheilonema (pro *Schizocheilonema* Diesing p. 621) Diesing 1861, S.B. Akad. Wiss. Wien, 42, 710.—Verm. (Nema.).
Tricheilostoma Jan 1861, Arch. Zool. Anat. Fisiol., 1, 190.—Rept.
Trichela Herrich-Schaeffer [1858], Ausseureur. Schmett., 1, 78.—Lep.
Trichelaphrus Semenov-Tian-Shanski 1926, Rev. russe Ent., 20, 39.—Col.
Trichelasmus Sharp 1877, Ann. Mus. Stor. nat. Genova, 9, 318.—Col.
Trichelaspis Stebbing 1894, Ann. Mag. nat. Hist., (6) 13, 443.—Crust.
Tricheleodes Blaisdell 1909, Bull. U.S. nat. Mus., No. 63, 138.—Col.
Trichelix Ancey 1887, Conch. Exch., 1, 64.—Moll.
Trichelobranchium Kieffer 1914, Das Tierreich, 41, 425.—Hym.
Trichelodes Carter 1935, Proc. Linn. Soc. N.S. Wales, 60, 189.—Col.
Trichelophorus (pro *Trichohelo*-Kuwert 1888) Kuwert 1890, Verh. Ver. Brünn, 28, Abh., 181.—Col.
Trichelospatha Kieffer 1913, Gen. Insect., 152, 302.—Dipt.
Trichelytron Apfelbeck 1912, Glasnik zem. Muz. Bosni i Hercegovini, 24, 259.—Col.
Trichembola Meyrick 1918, Exot. Microlep., 2, 115.—Lep.
Trichempheria Enderlein 1911, Palaeontographica, 58, 345.—Psocopt.
Trichempodia Malloch 1930, Ann. Mag. nat. Hist., (10) 5, 466.—Dipt.
Trichencyrtus Ashmead 1904, Mem. Carnegie Mus., 1, no. 4, 291.—Hym.
Trichens Gervais 1848, Dict. univ. Hist. nat., 12, 647.—Verm. (Nema.).
Trichentes Amerling 1861, S.B. Böhm. Ges. math.-naturw. Cl., 1861 (2), 54 [n.n.].—Arachn. (Cf. *Tricheutes* Amerling 1862.)
Trichentron (pro *Trike*-Ehlers 1870) Carter 1875, Ann. Mag. nat. Hist., (4) 16, 195.—Spong.
Tricheops Newman 1838, Entom. Mag., 5 (2), 171.—Col.
Tricheopteryx (n.n. pro *Eopteryx* Cockerell 1907) Cockerell 1927, Entomologist, 60, 184.—Trichopt.
Trichephelia (Alexander MS.) Curran 1934, Famm. Genn. N. Amer. Dipt., 46 [n.n.].—Dipt.
Trichermaeus Berlese 1908, Redia, 5, 11.—Arachn.
Trichernis Meyrick 1894, Trans. ent. Soc. London, 1894, 20.—Lep.
Trichesia Provancher 1881, Nat. Canad., 12, 203.—Hym.
Trichestema Cushman 1927, Proc. U.S. nat. Mus., 72, art. 13, 9.—Hym.
Trichestes see *Trichesthes*.
Trichesthes Erichson 1847, Naturgesch. Ins. Dtsch., Col. (1), 3, 658 [n.n.]; (as *Trichestes*) Blanchard [1851], Cat. Coll. ent. Mus. H.n. Paris, Coléopt., 1 (2), 1850, 141.—Col.
Trichetra Hampson 1905, Cat. Lep. Phalaenae Brit. Mus., 5, 8.—Lep.
Trichetra Westwood 1840, Introd. class. Insect., Synop., 92.—Lep. (Lymantriid.).
Trichetra White 1841, in Grey, J. Exped. Australia, 2, App., 479.—Lep. (Eupterotid.).
Trichetra (pro *-ela* Herrich-Schaeffer 1858) Pagenstecher 1909, Geogr. Verbr. Schmett., 420.—Lep. (Syntomid.).
Tricheulota Pilsbry 1895, Man. Conch., (2) 9, 212.—Moll.
Tricheurois Hampson 1905, Ann. Mag. nat. Hist., (7) 15, 451.—Lep.
Tricheurypon Topsent 1928, Résult. Camp. sci. Monaco, 74, 295.—Spong.
Tricheutes (pro *-entes* Amerling 1861) Amerling 1862, Centralbl. Landeskult. Prag, 195.—Arachn.
Trichia Hoffmann 1790, Veget. Crypt., 2, 1.—Prot.
Trichia Hartmann 1840, Erd- u. Süsw. Gast., 41.—Moll. (See *Erethismus* Gistel 1848.)
Trichia de Haan (1841), in Siebold, F. Japon. (Crust.), 109.—Crust. (See *Zalasia* Rathbun 1897 & *Macneillena* Iredale 1930.)
Trichia Nietner 1861, Observ. Enem. Coffee, 20.—Lep.
Trichia Reuter 1875, Ofvers. VetenskAkad. Förh. Stockholm, 32, no. 9, 81.—Hem. (See *Tiryus* Kirkaldy 1903.)
Trichiasida Casey 1912, Mem. Col., 3, 172.—Col.
Trichiaspiphenga Duda 1924, Arch. Naturgesch., 90, A3, 185.—Dipt.
Trichiaspis Duda 1923, Arch. Naturgesch., 89, A4, 57.—Dipt.
Trichidea Baly 1890, Ent. mon. Mag., (2) 1, 13.—Col. (See *Trichobalya* Weise 1924.).
Trichidion (ex Klein) Walbaum 1792, Artedi, Ichth., (3), ed. 2, 585.—Pisces.
Trichidius Billberg 1820, Mém. Acad. imp. Sci. St. Pétersbourg, 7, 388.—Col.
Trichieurina Duda 1933, in Lindner, Flieg. Palaearct. Reg., 61, 126.—Dipt.
Trichigylia (pro *-chogyia* Hampson 1894) Pagenstecher 1909, Geogr. Verbr. Schmett., 438.—Lep.
Trichilechus Amyot 1846, Ann. Soc. ent. France, (2) 4, 124.—Hem.
Trichillum Harold 1868, Coleopt. Hefte, 3, 52.—Col.
Trichilogaster Mayr 1905, Verh. zool.-bot. Ges. Wien, 55, 555.—Hym.
Trichina Meigen 1830, Syst. Besch. Zweifl. Insekt., 6, 335.—Dipt.
Trichina Owen 1835, Proc. zool. Soc. London, 3, 26.—Verm. (Nema.). (See *Trichinella* Railliet 1895.)

- Trichine* (pro *-na* Owen 1835) Bischoff 1840, Med. Ann., Heidelberg, 6, 493.—Verm. (Nema.).
- Trichinella* (n.n. pro *Trichina* Owen 1835) Railliet 1895, Traité de Zool. méd. agric., 1303.—Verm. (Nema.).
- Trichinia* (pro *-na* Owen 1835) Bischoff 1840, Mediz. Ann., Heidelberg, 6, 232.—Verm. (Nema.).
- Trichinochaeta* Townsend 1917, Bull. Amer. Mus. nat. Hist., 37, 224.—Dipt.
- Trichinopus* Waterhouse 1875, Ann. Mag. nat. Hist., (4) 15, 408.—Col.
- Trichinothrips* Bagnall 1929, Ann. Mag. nat. Hist., (10) 3, 604.—Thysanopt.
- Trichinus* Kirby 1827, Zool. Journ., 3 (10), 156; 1837, in Richardson, F. Bor.-Amer., (4) 137.—Col.
- Trichinus* (? err. pro *-chius* Fabricius 1775) M'Leay 1838, in Smith, Ill. Zool. S. Afr. (Ins.), 11, 16.—Col.
- Trichinus* (pro *-na* Owen 1835) Bischoff 1840, Mediz. Ann., Heidelberg, 6, 493.—Verm. (Nema.).
- Trichioaicalia* (emend. pro *-baikalia* Lindholm 1909) Dybowski 1911, Kosmos, 36, 974.—Moll.
- Trichioaicalia* Lindholm 1909, Wiss. Ergebn. zool. Exped. Baikal-See 1900-02, Lief. 4, 42, 59.—Moll.
- Trichioabracon* Cameron 1905, J. Straits Asiat. Soc., 44, 104.—Hym.
- Trichiocampus* Hartig 1837, Adelf. Deutschl., 1, 176.—Hym.
- Trichocercus* Stephens 1835, Ill. Brit. Ent. (Haust. 4), 386.—Lep.
- Trichiodera* Burmeister 1855, Handb. Ent., 4, pt. 2, 437.—Col.
- Trichiogorytes* (err. pro *Tricho-* Rohwer 1912) Rohwer 1921, Proc. U.S. nat. Mus., 59, 412.—Hym.
- Trichiohelcon* Turner 1918, Ann. Mag. nat. Hist., (9) 2, 168.—Hym.
- Trichiolaus* Aurivillius 1898, K. svenska VetenskAkad. Handl., 31, No. 5, 317.—Lep.
- Trichiomorphus* Bourgoïn 1919, Voy. Alluaud et Jeannel, Col., 14, 125.—Col.
- Trichionotus* Cameron 1905, Ann. Mag. nat. Hist., (7) 16, 168.—Hym.
- Trichiopoda* (? pro *Tricho-* Latreille 1825) Latreille 1829, in Cuvier, R. Anim., ed. 2, 5, 512.—Dipt.
- Trichiopsis* Boettger 1909, NachrBl. dtsch. malak. Ges., 41, 15.—Moll.
- Trichiorhyssemus* Clouët 1901, Mém. Soc. ent. Belgique, 8, 15, 27.—Col.
- Trichioscaphella* (err. pro *Tricho-* Reitter 1908) Lucas 1920, Cat. alphab. gen. et subgen., Col., 1, 649.—Col.
- Trichiosoma* (pro *-soma* Leach 1817) Lepeletier & Serville 1828, Enc. méth. [Text], Zool., 10, fasc. 2, 569.—Hym.
- Trichiosoma* Leach 1817, Zool. Miscell., 3, 108.—Hym.
- Trichiosoma* (pro *Tricho-* Rambur 1833) Lucas 1849, Exped. Algér., 3, 376.—Lep.
- Trichiosomites* Brues 1908, Bull. Mus. comp. Zool. Harvard, 51, 259.—Hym.
- Trichiota* Mulsant & Rey 1875, Hist. nat. Col. Fr., Brévipennes (Myrm. ii), 131; 1875, Ann. Soc. Agric. Lyon, (4) 7, 157.—Col.
- Trichiotus* Casey 1907, Proc. Washington Acad. Sci., 9, 432, 443.—Col.
- Trichiothecus* Cameron 1903, J. Straits Asiat. Soc., 39, 136.—Hym.
- Trichiotinus* Casey 1915, Mem. Col., 6, 381.—Col.
- Trichis* (Plumier MS.) Lacepède 1803, H.N. Poiss., 5, 448 [in syn.].—Pisces.
- Trichis* Klug (1832), in Ehrenberg, Sym. Phys., Decas 3, pl. 21, fig. a-c.—Col.
- Trichischius* Leconte 1876, Proc. Amer. phil. Soc., 15, 426.—Col.
- Trichisia* Motschoulsky 1864, Bull. Soc. imp. Nat. Moscou, 37 (2), 331.—Col.
- Trichisibus* see *Trechisibus*.
- Trichispa* Chapuis 1875, in Lacordaire, Hist. nat. Ins., Gen. Col., 11, 331.—Col.
- Trichistus* (pro *-clistus* Foerster 1868) Ashmead 1900, Ann. Rep. Board Agric. N. Jersey, 27, Suppl., 579.—Hym.
- Trichites* Deshayes 1832, Encycl. méth. [Text], Vers, 3, 1044; Bronn 1837, Leth. Geogn., 1, 341.—Moll.
- Trichites* Heine 1860, J. Orn., 8, 139.—Aves. (See *Calyptocichla* Oberholser 1905.)
- Trichitropus* (pro *-chotropis* Broderip & Sowerby 1829) Brown 1844, Ill. Conch. Gt. Brit., ed. 2, 139.—Moll.
- Trichiulus* Scudder 1884, Mem. Boston Soc. nat. Hist., 3, 291.—Myr.
- Trichiura* Stephens 1828, Ill. Brit. Ent. (Haust. 2), 42.—Lep. (nec *Trichiurus* L. 1758 see *Trichola* Gistel 1848).
- Trichiurana* Aurivillius 1921, Ann. S. Afric. Mus., 18, 236.—Lep.
- Trichiurichthys* Sauvage 1873, Ann. Sci. géol., 4, Abt. 1, 130.—Pisces.
- Trichiurides* Winkler 1876, Arch. Mus. Teyler, 4, 39.—Pisces.
- Trichiuris* (pro *-churis* Roederer 1761) Herbst 1787, in Borowski, Nat. Thierr., 9, 42.—Verm. (Nema.).
- Trichiurus* Linnaeus 1758, Syst. Nat., ed. 10, 46; 1766, ed. 12, 429.—Pisces.
- Trichius* Fabricius 1775, Syst. Ent., 40.—Col.
- Trichiusa* Casey 1893, Ann. New York Acad. Sci., 7, 339.—Col.
- Trichixos* Lesson 1839, Rev. Zool. (Soc. Cuv.), 2, 134, 167.—Aves.

- Trichixus* (emend. pro -os Lesson 1839) Agassiz 1846, Nomen. Zool. Index Univ.—Aves.
- Trichloma* Lower 1902, Trans. roy. Soc. S. Australia, 26, 238.—Lep.
- Trichnia* (pro -china Owen 1835) Tyson 1903, Practice of Med., ed. 3, 1191.—Verm. (Nema.).
- Trichobalaninus* Heller 1925, Stettin. ent. Ztg., 86 (2), 104.—Col.
- Trichobalya* (n.n. [? in err.] pro *Tricidea* Baly 1890) Weise 1924, Col. Cat., 78, 152.—Col.
- Trichobaptes* Holland 1894, J.N. York ent. Soc., 1, 184.—Lep.
- Trichobaptria* Prout 1914, in Seitz, Gross-Schmett. Erde, 4, 169.—Lep.
- Trichobarapsis* see *Trichobaropsis*.
- Trichobaris* Leconte 1876, Proc. Amer. phil. Soc., 15, 287.—Col.
- Trichobaropsis* Dietz 1891, Trans. Amer. ent. Soc., 18, 189 (as *Trichobarapsis* p. 196).—Col.
- Trichobasis* Reuter 1904, Ofvers. finska VetenskSoc. Förh., 46, no. 10, 1.—Hem.
- Trichobathra* Hampson 1926, Descr. new Genn. Spp. Noctuidae, 434.—Lep.
- Trichobatrachus* Boulenger 1900, Proc. zool. Soc. London, 1900, 443.—Amph.
- Trichobensonia* Moellendorff 1902, Reis. Arch. Philipp., 8 (Land-Moll.), Heft 5, 223.—Moll.
- Trichoberia* Townsend 1932, J.N. York ent. Soc., 40, 439.—Dipt.
- Trichoberotha* Handschin 1935, Rev. suisse Zool., 42, 701.—Neur.
- Trichobilharzia* Skrjabin & Zakharow 1920, Izv. Donsk. Vet. Inst., 2 (1), 1.—Verm. (Trem.).
- Trichobius* Gervais 1843, Ann. Soc. ent. France, 11, xlvi; 1844, Atlas de Zool., 14; Townsend 1891, Ent. News, 2, 106.—Dipt.
- Trichobius* Canestrini (1896), Prosp. Acarof., 7, 888.—Arachn. (See *Trichoecius* Canestrini 1899.)
- Trichobianiulus* Verhoeff 1898, Arch. Naturgesch., 64 (1), 172.—Myr.
- Trichoblatta* Saussure & Zehntner 1895, Rev. suisse Zool., 3, 12, 44.—Orth.
- Trichoblemma* Hampson 1926, Descr. new Genn. Spp. Noctuidae, 473.—Lep.
- Trichoboscis* Meyrick 1929, Exot. Microlep., 3, 526.—Lep.
- Trichobranchus* Malmgren 1865, Ofvers. VetenskAkad. Förh. Stockholm, 22, 395.—Verm. (Polych.).
- Trichobyrhulus* Ganglbauer 1902, Verh. zool.-bot. Ges. Wien, 52, 94.—Col.
- Trichobythus* Doderò 1900, Ann. Mus. Stor. nat. Genova, 40, 408.—Col.
- Trichocala* (Ottolengui MS.) Dyar [1903], Bull. U.S. nat. Mus., No. 52, 1902, 196.—Lep.
- Trichocalliphora* Townsend 1915, Proc. biol. Soc. Washington, 28, 20.—Dipt.
- Trichocallis* Boerner 1930, Arch. klass. phyl. Ent. Wien, 1, 127.—Hem.
- Trichocalymma* Foerster 1868, Verh. naturh. Ver. Rheinlande, 25, 196.—Hym.
- Trichocalymmus* (pro -mma Foerster 1868) Thomson 1883, Opusc. ent., fasc. 9, 903.—Hym.
- Trichocambala* Silvestri 1895, Ann. Mus. Stor. nat. Genova, 34, 748.—Myr.
- Trichocampus* (pro *Trichio*-Hartig 1837) Ashmead 1898, Canad. Ent., 30, 283.—Hym.
- Trichocanthus* Motschoulsky 1853, Etudes ent., 1, 78 [n.n.]; 1853, in Mannerheim, Bull. Soc. imp. Nat. Moscou, 26 (2), 187.—Col.
- Trichocapsus* Poppius 1912, Acta Soc. Sci. Fenn., 41, no. 3, 117.—Hem.
- Trichocarcinus* (n.n. pro *Trichocera* Haan 1833) Miers 1879, Proc. zool. Soc. London, 1879, 34.—Crust.
- Trichocarennum* Blackburn 1892, Trans. roy. Soc. S. Australia, 16, 20.—Col.
- Trichocathaica* Gude 1919, Proc. malac. Soc. London, 13, 119.—Moll.
- Trichocaulus* Fairmaire 1877, Petites Nouvelles ent., 2, no. 163, 98.—Col.
- Trichocele* Thomson 1859, Skand. Coleopt., 1, 109; 1864, 6, 156.—Col.
- Trichocefalus* (pro -cephalus Goeze 1782) Wichmann 1889, Verh. Trichocephalus, 1, 3.—Verm. (Nema.).
- Trichocelis* (n.n. pro *Trichothyrea* Schoch 1896) Moser 1908, Ann. Soc. ent. Belgique, 52, 93.—Col.
- Trichocellus* Ganglbauer 1892, Käfer Mitteleur., 1, 366.—Col.
- Trichocentrus* Horváth 1904, Ann. Mus. nat. Hungar., 2, 152.—Hem.
- Trichocephala* Moser 1916, Stettin. ent. Ztg., 77, 142.—Col.
- Trichocephalis* see *Trichocephalus*.
- Trichocephaloides* (pro -dis Sinizin 1896) Braun 1896, Zool. Centralbl., 3, 317.—Verm. (Cest.).
- Trichocephaloidis* Sinizin 1896, Tschervi Ptiz, 4, 16.—Verm. (Cest.).
- Trichocephalus* Goeze 1782, Eingeweidewürm., 40, 112 (as *Trichocephalis* p. 119).—Verm. (Nema.).
- Trichocephalus* (pro -los Goeze 1782) Schrank 1788, Verz. Eingeweidew., [ix].—Verm. (Nema.).
- Trichocephalus* (pro -loidis Sinizin 1896) Fuhrmann 1908, Zool. Jahrb., Suppl., 10, 115.—Verm. (Cest.).
- Trichocephoidis* (pro -phaloidis Sinizin 1896) Clerc 1903, Rev. suisse Zool., 11, 353.—Verm. (Cest.).

- Trichoceps* see *Tricoceps*.
Trichocera Meigen 1803, Mag. f. Insektenk. (Illiger), 2, 262.—Dipt.
Trichocera Haan (1833), in Siebold, F. Japon. (Crust.), 16.—Crust. (See *Romaleon* Gistel 1848 & *Trichocarcinus* Miers 1879.)
Trichoceraea Sauber 1902, in Semper, Reis. Philipp., (2) 6, 661.—Lep.
Trichocerapis Cockerell 1904, Ent. News, 15, 292.—Hym.
Trichocerapoda Benjamin 1932, Bull. S. Calif. Acad. Sci., 31, 27.—Lep.
Trichoceras Ratzeburg 1844, Die Ichneum., 1, tab. adv., 40, 171.—Hym. (nec *Trichocera* Meigen 1803 see *Geniocerus* Ratzeburg 1848).
Trichoceras Motschoulsky 1866, Bull. Soc. imp. Nat. Moscou, 39 (1), 413.—Col.
Trichocerata (pro *-rota* Hampson 1893) Dalla Torre & Strand 1925, Lep. Cat., 31, 183.—Lep.
Trichocerca Lamarck 1801, Syst. Anim., 394; 1816, An. s. vert., 2, 24.—Verm. (Rotif.).
Trichocercocera Lindner 1928, Senckenbergiana, 10, 243.—Dipt.
Trichocerus Cuvier [1800], Leç. Anat., 1, pl. 9.—Verm. (? Rotif.).
Trichoceroles Brèthes 1925, Comun. Mus. nac. Hist. nat. Buenos Aires, 2, 172.—Dipt.
Trichoceromyza Blanchard 1852, in Gay, Hist. nat. Chile, 7, 449.—Dipt.
Trichocerosia Hampson 1900, Cat. Lep. Phalaenae Brit. Mus., 2, 563.—Lep.
Trichocerotia Hampson [1893], Fauna Brit. India, Moths, 1, 1892, 199.—Lep.
Trichocerus Mueller 1817, Mag. Ent. (Germar), 2, 274.—Col. (nec *Trichocera* Meigen 1803 see *Leptocerus* Mueller 1817).
Trichocerus (err. pro *-ras* Ratzeburg 1844) Ratzeburg 1848, Die Ichneum., 2, 175.—Hym.
Trichocerus Costa 1864, Atti Acad. Pontaniana, 8, App., 118.—Crust.
Trichochaeta Bigot 1878, Ann. Soc. ent. France, (5) 8, Bull., xxii.—Dipt.
Trichochaeta Beddard 1893, Quart. J. micr. Soc., (N.S.) 34, 252.—Verm. (Oligoch.). (See *Hesperoscolex* Michaelsen 1900.)
Trichochalcea Baly 1879, Trans. ent. Soc. London, 1878, 295.—Col.
Trichochalcis Kieffer 1904, Berlin. ent. Z., 49, 254.—Hym.
Trichochaleponcus Attems 1928, Ann. S. Afr. Mus., 26, 410.—Myr.
Trichocharis Simon 1895, Hist. nat. Araign., 1, 835.—Arachn.
Trichocheilia Huebner 1822, Syst.-alphab. Verz., 52, 66-80.—Lep.
Trichocheir (n.n. pro *Trichopsylla* Thomson 1877) Kirkaldy 1904, Entomologist, 37, 280.—Hem.
Trichochironomus Goetghebuer 1928, Faune de France, 18, 31.—Dipt.
Trichochirus Regan & Trewavas 1930, Danish "Dana" Exped. 1920-22, Ocean. Rep., 6, 65.—Pisces.
Trichochlaenius Seidlitz 1887, Fauna Baltica, ed. 2, Art., 23.—Col.
Trichochlamys Hulst 1896, Trans. Amer. ent. Soc., 23, 291.—Lep.
Trichochlamys Czerny 1924, Abh. zool.-bot. Ges. Wien, 15, 155.—Dipt.
Trichochlorites (err. pro *-tis* Pilsbry 1891) Yen 1935, Publ. Mus. Hoangho Paiho de Tientsin, No. 34, 13.—Moll.
Trichochloritis Pilsbry 1891, Man. Conch., (2) 6, 242, 267.—Moll.
Trichochostoma (pro *Thrinchostoma* Saussure 1890) Ashmead 1899, Trans. Amer. ent. Soc., 26, 100.—Hym.
Trichochrous Motschoulsky 1859, Bull. Soc. imp. Nat. Moscou, 32 (2), 392 (as *Trichochrus* p. 387).—Col.
Trichochrus see *Trichochrous*.
Trichochrysea Baly 1861, J. Ent. Lond., 1, 195.—Col.
Trichocichla Reichenow 1890, J. Ornith., 38, 489.—Aves.
Trichocirca Meyrick 1920, Voy. Alluaud et Jeannel, Lep., 2, 85.—Lep.
Trichoclada Meyrick 1886, Trans. ent. Soc. London, 1886, 208.—Lep.
Trichocladus Kieffer 1906, Mém. Soc. Sci. Bruxelles, 30, 356.—Dipt.
Trichoclea Grote 1883, Papilio, 3, 30.—Lep.
Trichocleonus Motschoulsky 1860, Bull. Acad. imp. Sci. St. Pétersbourg, 2, 540.—Col.
Trichoclystis Warren 1904, Novit. zool., 11, 535.—Lep.
Trichoclytia Townsend 1916, Proc. U.S. nat. Mus., 49, 633.—Dipt.
Trichocnemis Leconte 1852, J. Acad. nat. Sci. Philad., (2) 2, 110.—Col.
Trichocnemis (pro *-mys* Selys 1857) Selys 1863, Bull. Acad. roy. Sci. Belgique, (2) 16, 155.—Odon.
Trichocnemus Jekel [1854], Fabr. Ent., 1 (1), 1853, 9 bis, (6) [1857], 3.—Col.
Trichocnemus Stål 1873, K. svenska VetenskAkad. Handl., (N.S.) 11, no. 2, 91, 95.—Hem. (See *Zulubius* Bergroth 1894.)
Trichocnemys Selys 1857, in Sagra, Hist. phys. pol. nat. Ile Cuba, Pt. 2 (Nat. Hist.), Anim. art., 464.—Odon. (nec *Trichocnemis* Leconte 1852 see *Coelliccia* Kirby 1890).
Trichocolletes Cockerell 1912, Entomologist, 45, 176.—Hym.
Trichocolon (pro *Tricholon* Boisduval 1874) Rothschild & Jordan 1903, Novit. zool. 9, Suppl., 604.—Lep.

- Trichocolposinus* Seidlitz 1916, Dtsch. ent. Z., 1916, Beih., 489, 493.—Col.
Trichocolpura Breddin 1900, Rev. Ent. franç., 19, 203.—Hem.
Trichocoma Stål 1871, Ofvers. VetenskAkad. Förh. Stockholm, 28, 379.—Orth.
Trichonconcha Smith 1907, Nat. Antarctic Exped., Nat. Hist., 2, Moll. & Brach., 6.—Moll.
Trichocoris Uhler 1875, Bull. U.S. geol. geogr. Surv. Terr., (2) 1, no. 5, 277.—Hem.
Trichocorixa Kirkaldy 1908, Canad. Ent., 40, 118.—Hem.
Trichocorixella Jaczewski 1931, Ann. Mus. zool. polon., 9, 217.—Hem.
Trichocorus Sicard 1920, Bull. Soc. portug. Sci. nat., 8, 213.—Col.
Trichocoryctes (pro *-corytes* Allen 1861) Trouessart 1897, Cat. Mamm., new ed., 1, 164.—Mamm.
Trichocorytes Allen 1861, Proc. Acad. nat. Sci. Philad., 1861, 360.—Mamm.
Trichocoryne Gray 1832, in Griffith's Cuvier, Anim. Kingd., Ins., 1, 306.—Col.
Trichocorynus Dejean 1836, Catal. Coléopt., ed. 3, 319 [*n.n.*].—Col.
Trichocorypha (pro *Trichorypha* Schött 1893) Dalla Torre 1895, Progr. Gymn. Innsbruck, 46, 5, 12.—Collemb.
Trichocorytes (pro *-rytes* Allen 1861) Gray 1866, Proc. zool. Soc. London, 1866, 118.—Mamm.
Trichocosmetes Kraatz 1859, Arch. Naturgesch., 25 (1), 69.—Col.
Trichocosmia Grote 1883, Canad. Ent., 15, 6.—Lep.
Trichocossus Hampson 1910, Ann. Mag. nat. Hist., (8) 6, 133.—Lep.
Trichocottus Soldatov & Pavlenko 1916, Annu. Mus. zool. Acad. Sci. Petrograd, 20, 151.—Pisces.
Trichocrinus Mueller 1856, MonatsBer. Akad. Wiss. Berlin, 1856, 354.—Echin.
Trichocryptus Thomson 1873, Opusc. ent., 5, 520; 1874, 6, 609.—Hym.
Trichocyclus Eschscholtz 1825, Isis (Oken), 1825, 735.—Moll.
Trichocyclus Guenther 1870, Cat. Fishes Brit. Mus., 8, 269, 316.—Pisces.
Trichocyclus Simon 1908, Fauna S.W. Australia, 1, 407.—Arachn.
Trichocylapus Poppius 1909, Acta Soc. Sci. Fenn., 37, no. 4, 11.—Hem.
Trichocylliba Berlese 1905, Redia, 1, 1904, 461, 464.—Arachn.
Trichocypheus Heller 1921, An. Soc. cient. Argent., 91, 21.—Col.
Trichocypselia Villeneuve 1916, Bull. Soc. zool. France, 41, 37.—Dipt.
Trichozycicus Daday 1914–1915, Ann. Sci. nat. Zool., Paris, (9) 20, 236.—Crust.
Trichoda Mueller 1773, Verm., 1 (1), 71; 1786, Anim. Infus., 164.—Verm. (Cest.).
Trichoda Huebner 1822, Syst.-alphab. Verz., 15–19.—Lep.
Trichodactalus (pro *-tylus* Dufour 1839) Baraldi 1875, Atti Soc. Toscana, Mem., 1 (1), 5.—Arachn.
Trichodactylus Latreille 1828, Ency. Méth. (Ins.), 10 (2), 705; 1829, in Cuvier, R. Anim., ed. 2, 4, 43.—Crust.
Trichodactylus Dufour 1839, Ann. Sci. Nat., 11, 276.—Arachn. (See *Trichotarsus* Canestrini 1888.)
Trichodactylus (pro *Tridact-* Lacepède 1799) Giebel 1877, Thesaur. Orn., 3, 723.—Aves.
Trichodagmia Enderlein 1934, Dtsch. ent. Z., 1933, 288.—Dipt.
Trichodamatrix Chatanay 1915, Ann. Soc. ent. France, 83, 1914, 506.—Col.
Trichodamon Mello-Leitão 1935, Ann. Acad. Brasil. Sci., 6, 183.—Arachn.
Trichodectes Nitzsch 1818, Mag. Entom. (Germar), 3, 281, 294.—Malloph.
Trichodejeania Townsend 1913, Psyche, 20, 104.—Dipt.
Trichodere North 1912, Ibis, 1912, 120.—Aves.
Trichoderes (Chevrolat MS.) Dejean 1836, Catal. Coléopt., ed. 3, 343 [*n.n.*]; Chevrolat 1843, Col. Mex., Magasin de Zool., (2) 5, 35.—Col.
Trichoderma Fleming 1822, Phil. Zool., 2, 246.—Aves.
Trichoderma Stephens 1835, Ill. Brit. Ent. (Mand. 5), 435.—Col. (Staphylinid.).
Trichoderma Swainson 1839, N.H. Fishes, etc., 2, 194, 328.—Pisces.
Trichoderma Greeff 1869, Arch. Naturgesch., 35 (1), 115.—Verm. (Nema.). (See *Greeffiella* Cobb 1922.)
Trichoderma Nonfried 1894, Ent. Nachr., 20, 11.—Col. (Melolonthid.). (See *Junkia* Dalla Torre 1913.)
Trichoderulus Blaisdell 1923, Proc. Calif. Acad. Sci., (4) 12, 281.—Col.
Trichodes Herbst 1792, in Jablonsky, Nat. Ins. (Käfer), 4, 154.—Col.
Trichodes (pro *-da* Mueller 1773) Ehrenberg 1832, Abh. Akad. Berlin, 1831, phys., 103.—Prot.
Trichodes Linstow 1874, Arch. Naturgesch., 40 (1), 271.—Verm. (Nema.).
Trichodesma Leconte 1861, Class. Col. N. Amer., 204.—Col.
Trichodesma Hampson 1898, Cat. Lep. Phalaenae Brit. Mus., 1, 451.—Lep. (See *Desmotricha* Hampson 1911.)
Trichodezia Warren 1895, Novit. zool., 2, 119.—Lep.
Trichodiadema (pro *Thri-* Agassiz 1864) Boelsche 1865, Arch. Naturgesch., 31 (1), 336.—Echin.
Trichodiamesa Goetghebuer 1926, Encycl. ent., Sér. B. II, Dipt. 3, 45.—Dipt.
Trichodina Ehrenberg [1830], Abh. preuss. Akad. Wiss., 1830 (1832), 41.—Prot.

- Trichodina Ancey 1888, Bull. Soc. malac. France, 5, 71.—Moll. (See *Petriola* Dall 1905.)
- Trichodinopsis Claparède & Lachmann 1858, Mém. Inst. Genev., 5, 1857, 132.—Prot.
- Trichodinychus Berlese 1917 [sep. 1916], Redia, 12, 145.—Arachn.
- Trichodiodon Bleeker 1865, Atlas Ichthyol., 5, 49; 1866, Ned. Tijdschr. Dierk., 3, 18.—Pisces.
- Trichodiplosis Kieffer 1912, Marcellia, 11, 229.—Dipt.
- Trichodirabius Casey 1920, Mem. Col., 9, 475.—Col.
- Trichodischia Bigot 1885, Ann. Soc. ent. France, (6) 5, Bull., xlv.—Dipt.
- Trichodiscina (n.n. pro *Trichodiscus* Strebel & Pfeffer 1880) Martens 1892, Biol. Centr. Amer. Zool., Moll., 133.—Moll.
- Trichodiscus Ehrenberg [1830], Abh. preuss. Akad. Wiss., 1830 (1832), 65; (1832) 1831, 103.—Prot.
- Trichodiscus Strebel & Pfeffer 1880, Beitr. Mexik. Land- u. Süsw. Conch., 4, 32.—Moll. (See *Trichodiscina* Martens 1892.)
- Trichodocerus Chevrolat 1879, Ann. Soc. ent. France, (5) 9, Bull., xcii.—Col.
- Trichodolichozepea Alexander 1917, Ann. S. Afric. Mus., 17, 157.—Dipt.
- Trichodon (Steller MS.) Cuvier & Valenciennes 1829, H. N. Poiss., 3, 154; Cuvier 1829, Règne an., ed. 2, 2, 149.—Pisces.
- Trichodon Fromental 1874, Etudes Microz. ou Infus., 166.—Prot.
- Trichodonia Wasmann 1916, Ent. Mitt., 5, 95.—Col.
- Trichodora Cobb 1913, J. Washington Acad. Sci., 3, 434 (as *Trichodorus* p. 441).—Verm. (Nema.).
- Trichodorus see *Trichodora*.
- Trichodoryctes Szépligeti 1906, Ann. hist. nat. Mus. hungar., 4, 599.—Hym.
- Trichodriloides Fauvel 1904, C.R. Ass. franç., 32, 221, 754.—Verm. (Oligoch.).
- Trichodrilus Claparède 1862, Mem. Soc. phys. Hist. nat. Genève, 16, 267.—Verm. (Oligoch.).
- Trichodromus Luze 1903, Verh. zool.-bot. Ges. Wien, 53, 116.—Col.
- Trichodromius Bedel 1907, Cat. Col. N. Africa, [fasc. 23] 270.—Col.
- Trichodrymus Lindberg 1927, Acta Soc. Fauna fenn., 56, no. 9, 13.—Hem.
- Trichodubosquia Léger 1926, C.R. Acad. Sci. Paris, 182, 727.—Prot.
- Trichoduchus Bierman 1910, Notes Leyden Mus., 33, 28.—Hem.
- Trichodura Macquart 1843, Mém. Soc. R. Sci. Lille, 1842, 248.—Dipt.
- Trichoduroopsis Townsend 1918, Insec. Inscit. menst., 6, 169.—Dipt.
- Trichodus Plieninger 1860, in Schoenbach, N. Jahrb. f. Min., 1860, 694.—Pisces.
- Trichoecius (n.n. pro *Trichobius* Canestrini 1896) Canestrini 1899, Tierreich, Lief. 7, 26.—Arachn.
- Trichoelina Barrois 1887, J. Anat. Phys., 23, 1.—Echin.
- Trichoepalpus Townsend 1914, Insec. Inscit. menst., 2, 156.—Dipt.
- Trichofeltia McDunnough 1929, Bull. Canada Dep. Mines, 55, 61.—Lep.
- Trichoferus Wollaston 1854, Ins. Maderensia, 427.—Col.
- Trichofoenus Kieffer 1910, Ann. Soc. ent. France, 79, 77.—Hym.
- Trichiformosomyia Baranov 1934, Encycl. ent., Sér. B. II, Dipt. 7, 163.—Dipt.
- Trichofulvius Poppius 1909, Acta Soc. Sci. Fenn., 37, no. 4, 42.—Hem.
- Trichogaster Schneider 1801, in Bloch, Syst. Ichth., 164.—Pisces.
- Trichogaster Liroy 1864, Atti Ist. Veneto, (3) 9, 1116.—Dipt.
- Trichogaster Sterki 1878, Z. wiss. Zool., 31, 58.—Prot. (See *Prooxytricha* Poche 1913.)
- Trichogaster Handschin 1932, Arch. Hydrobiol., Suppl., 9, 481.—Collemb.
- Trichogatha Warren [1913], in Seitz, Gross-Schmett. Erde, 11, 258.—Lep.
- Trichogena (pro *Thrycho*- Rondani 1856) Bezzi & Stein 1907, in Becker, Kat. paläarct. Dipt., 3, 403.—Dipt.
- Trichoglenes (err. pro *-nus* Thomson 1878) Ashmead 1904, Mem. Carnegie Mus., 1, 318.—Hym.
- Trichoglenus Thomson 1878, Hym. Scand., 5, 146.—Hym.
- Trichoglomeris Verhoeff 1906, Arch. Naturgesch., 72 (1), 185.—Myr.
- Trichoglossus Vigors & Horsfield 1826, Trans. Linn. Soc. London, 15 (1), 287.—Aves.
- Trichognatha Latreille 1829, in Cuvier, R. Anim., ed. 2, 4, 374.—Col.
- Trichognathus (pro *-tha* Latreille 1829) Gemminger & Harold 1868, Cat. Col., 1, 94.—Col.
- Trichognathus Branson & Mehl 1933, Univ. Missouri Stud., 8, 36.—Verm. († Ann.).
- Trichogompha Warren 1897, Novit. zool., 4, 461.—Lep.
- Trichogomphus Burmeister 1847, Handb. Ent., 5, 219.—Col.
- Trichogonatopus Kieffer 1909, Ann. Soc. sci. Bruxelles, 33, 336.—Hym.
- Trichogonia Breddin 1901, Soc. ent., 16, 75.—Hem.
- Trichogonostreptus Carl 1918, Rev. suisse Zool., 26, 427.—Myr.
- Trichogonus Fairmaire 1878, Petites Nouvelles ent., 2, no. 209, 282.—Col.
- Trichogorgia Hickson 1905 [sep. 1904], Marine Invest. S. Africa, 3, 222.—Coel.
- Trichogorytes Rohwer 1912, Proc. U.S. nat. Mus., 41, 469.—Hym.
- Trichogramma Westwood 1833, London & Edinburgh Phil. Mag., (3) 2 (12), 444.—Hym.

- Trichogrammatana* Girault 1932, New Lower Hymenoptera from Australia and India, 1 [privately printed].—Hym.
Trichogrammatella Girault 1911, Arch. Naturgesch., 77, Bd. 1, Suppl. 2, 126.—Hym.
Trichogrammatoidea Girault 1911, Trans. Amer. ent. Soc., 37, 13.—Hym.
Trichogrammatomyia Girault 1916, Canad. Ent., 48, 268.—Hym.
Trichogramoptila Reichenbach 1862, Die Singvögel, 37.—Aves.
Trichogromia Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1660.—Prot.
Trichogyia Hampson 1894, Fauna Brit. Ind., Moths, 2, 103.—Lep.
Trichogypsia Carter 1871, Ann. Mag. nat. Hist., (4) 8, 1.—Spong.
Trichohalticella Cameron 1912, Proc. Linn. Soc. N.S. Wales, 36, 637.—Hym.
Trichohelea Goetghebuer 1920, Mém. Mus. Belgique, 8 (3), 39.—Dipt.
Trichohelix Ortlepp 1922, Ann. Mag. nat. Hist., (9) 9, 413.—Verm. (Nema.).
Trichohelophorus Kuwert 1888, Wien. ent. Ztg., 5, 223.—Col.
Trichohilara Collin 1933, Dipt. Patag. & S. Chile, 4, 174.—Dipt.
Trichoitamus White 1917, Proc. roy. Soc. Tasmania, 1917, 89, 91.—Dipt.
Trichocephalus (pro *Trichoce-* Schrank 1788) Baelz 1883, Berlin. klin. Wochenschr., 20, 239.—Verm. (Nema.).
Trichola (n.n. pro *Trichiura* Stephens 1828) Gistel 1848, Nat. Thierr., xi.—Lep.
Tricholaba Ruebsaamen 1917, S.B. Ges. naturf. Freunde Berlin, 1917, 60.—Dipt.
Tricholabiodes Radoszkowski 1885, Horae Soc. ent. ross., 19, 35.—Hym.
Tricholabioides (err. pro *-biodes* Radoszkowski 1885) Bischoff 1925, Arch. Naturgesch., 86, A1-5, 104.—Hym.
Tricholabus Thomson 1894, Opusc. Ent., 19, 2102.—Hym.
Tricholaelaps Vitzthum 1926, Treubia, 8, 69.—Arachn.
Tricholaema Verreaux 1855, Rev. Mag. Zool., (2) 7, 555.—Aves.
Tricholais Heuglin 1869, Ibis, 1869, 285, 286.—Aves.
Tricholamia Bates 1884, Ent. mon. Mag., 21, 14.—Col.
Tricholathys Chamberlin & Ivie 1935, Bull. Univ. Utah, 26, 26.—Arachn.
Tricholauxania Hendel 1925, Encycl. ent., Sér. B II, Dipt. 2, 112.—Dipt.
Tricholeiperia Travassos 1935, Ann. Acad. Brasil. Sci., 7, 356.—Verm. (Nema.).
Tricholeon Esben-Petersen 1925, Ann. Mag. nat. Hist., (9) 15, 334.—Neur.
Tricholepis [Blanchard] [1851], Cat. Coll. Ent. Mus. H.N. Paris, Coléopt., 1 (2), 1850, 155.—Col.
Tricholepis Hampson 1891, Ill. Lep. Het., 8, 44.—Lep.
Tricholeptacis Kieffer [1914], in André, Spec. Hym. Eur., 11, 357.—Hym.
Tricholeptomysia Dyar & Shannon 1925, Insec. Inscit. menst., 13, 73.—Dipt.
Tricholeptus Fromental 1874, Etudes Microz. ou Infus., 177.—Prot.
Tricholestes Salvadori 1874, Ann. Mus. Stor. nat. Genova, 5, 205.—Aves.
Tricholicinus Poppius 1912, Rev. russe ent., 12, 108.—Col.
Tricholimax Frenzel 1892, Bibl. Zool., 12, 35.—Prot.
Tricholimnas Sharpe 1893, Bull. Brit. Orn. Club, 1, xxviii.—Aves.
Tricholimnobia Kuwert 1890, Verh. Ver. Brünn., 28, 88.—Col.
Tricholimnophila Alexander 1928, Philippine J. Sci., 35, 476.—Dipt.
Tricholinum Foerster 1868, Verh. naturh. Ver. Rheinlande, 25, 183.—Hym.
Tricholinus Bernhauer 1922, Verh. zool.-bot. Ges. Wien, Beitr., 71, 15.—Col.
Tricholipeurus Bedford 1929, Rep. Vet. Res. S. Africa, 15, 514.—Malloph.
Tricholita Grote 1875, Ent. Ztg., Stettin, 36, 341.—Lep.
Tricholoba Hampson 1910, Ann. Mag. nat. Hist., (8) 5, 489.—Lep.
Tricholocelaena Berlese 1919, Redia, 13, 176.—Arachn.
Tricholochmaea Laboissière 1932, Bull. Mus. Hist. nat. Paris, (2) 4, 963.—Col.
Tricholon Boisduval 1874, Hist. nat. Ins., Léop. Hét., 1, 301.—Lep.
Tricholonchaea Czerny 1934, in Lindner, Flieg. Palaearct. Reg., 43, 21.—Dipt.
Tricholonche Grote 1896, Mitt. Roemer Mus. Hildesheim, 3, 6, 16.—Lep.
Tricholopha Heine 1863, J. Orn., 1863, 209.—Aves.
Tricholyga (pro *Thrico-* Rondani 1856) Rondani 1865, Atti Soc. ital. Sci. nat., 8, 207.—Dipt.
Tricholygus Poppius 1910, in Sjoestedt, Kilimandjaro-Meru Exped., 12 (4), 47.—Hem.
Trichoma Tillyard 1916, Proc. Linn. Soc. N.S. Wales, 41, 325.—Neur.
Trichomachimus Engel 1934, Ark. Zool., 25A, no. 22, 10.—Dipt.
Trichomaeus Aurivillius 1927, Ark. Zool., 19A, no. 17, 6.—Col.
Trichomagdalis Fall 1913, Trans. Amer. ent. Soc., 39, 37.—Col.
Trichomallus Lacordaire 1869, Hist. nat. Ins., Gen. Col., 8, 338.—Col.
Trichomalopsis Crawford 1913, Proc. U.S. nat. Mus., 45, 251.—Hym.
Trichomalus Thomson 1878, Hym. Scandin., 5, 131.—Hym.
Trichomanis Hubrecht 1891, Notes Leyden Mus., 13, 241.—Mamm.
Trichomaplata Wing 1850, Proc. zool. Soc. London, 17, 105.—Lep.
Trichomasthus Thomson 1876, Hym. Scandin., 4, 142.—Hym.
Trichomastix Snellen van Vollenhoven 1878, Tijdschr. Ent., 21, 160.—Hym.
Trichomastix Blochmann 1884, Z. wiss. Zool., 40, 46.—Prot. (See *Eutrichomonas* Kofoid & Swezy 1915 & *Axomastix* Chalmers & Pekkola 1917.)



- Trichomastyx* (pro *-lix* Blochmann 1884) Railliet 1893 (*teste* Stiles 1902, Zool. Anz., 25, 694).—Prot.
- Trichomecium* Fromental 1874, Etudes sur les Microzoaires, 183.—Prot.
- Trichomecus* Rafinesque 1815, Analyse, 143 [*n.n.*].—Moll.
- Trichomegalosphys* Enderlein 1911, Arch. Naturgesch., 77, Bd. 1, Suppl. 3, 136.—Dipt.
- Trichomela* Chapuis 1874, in Lacordaire, Hist. nat. Ins., Gen. Col., 10, 399.—Col.
- Trichomella* Szépligeti 1910, Notes Leyden Mus., 32, 91.—Hym.
- Trichomeloë* Reitter 1911, Fauna Germanica, 3, 391.—Col.
- Trichomelophorus* Wheeler 1935, Psyche, 42, 71.—Hym.
- Trichomera* Kirby 1896, Ann. Mag. nat. Hist., (6) 18, 257.—Orth.
- Trichomesia* Pascoe 1859, Trans. ent. Soc. London, (2) 5, 18.—Col.
- Trichometallea* Townsend 1917, Rec. Indian Mus., 13, 194.—Dipt.
- Trichometopia* (emend. pro *Trisom*-Lioy 1864) Bezzi & Stein 1907, in Becker, Kat. paläarkt. Dipt., 3, 175.—Dipt.
- Trichometopus* (emend. pro *Chibia* Hodgson 1837) Cabanis 1851, Mus. Hein., 1, 112.—Aves.
- Trichometra* Clark 1908, Proc. biol. Soc. Washington, 21, 131.—Echin.
- Trichomima* Weise 1922, Tijdschr. Ent., 65, 75.—Col. (Galerucid.).
- Trichomima*str. Laboissière [non Weise 1922] 1929, Ann. Soc. ent. France, 98, 286.—Col. (Galerucid.).
- Trichomitopsis* Kofoid & Swezy 1919, Univ. Calif. Publ. Zool., 20, 36.—Prot.
- Trichomitus* Swezy 1915, Univ. Calif. Publ. Zool., 16, 89, 93.—Prot.
- Trichomma* Wesmael 1849, Bull. Acad. roy. Bruxelles, 16 (2), 119.—Hym.
- Trichomoeris* Meyrick 1913, Exot. Microlep., 1, 156.—Lep.
- Trichomonas* (? pro *Trico*-Donné 1836) Dujardin 1841, (Roret's Suite à Buffon) Infusoires, 300.—Prot.
- Trichomoplata* (err. pro *maplata* Wing 1850) Gaede 1934, Lep. Cat., 59, 251.—Lep.
- Trichomorellia* Stein 1919, Arch. Naturgesch., 83, A1, 89, 109.—Dipt.
- Trichomorpha* Silvestri 1897, Bol. Mus. Zool. Anat. comp. Torino, 12, no. 305, 11.—Myr.
- Trichomusculus* Iredale 1924, Proc. Linn. Soc. N.S. Wales, 49, 181, 196.—Moll.
- Trichomya* Ihering 1900, Proc. malac. Soc. London, 4, 87.—Moll.
- Trichomyatis* Schuster 1931, in Reinig, Mitt. zool. Mus. Berlin, 16, 893.—Col.
- Trichomycterus* Valenciennes (1833), in Humboldt, Voy. intér. Amér. (Obs. Zool., 2), 348.—Pisces.
- Trichomyia* Haliday 1839, in Curtis, Brit. Entom., 16 (186), no. 745.—Dipt.
- Trichomyrmex* Mayr (1865), Reise Novara, Zool. Theil, 2 Bd., Formic., 19.—Hym.
- Trichomytilus* Leonardi 1898, Revist. Patol. Veg., 6, 205.—Hem.
- Trichonannolene* Chamberlin 1922, Ent. News, 33, 85.—Myr.
- Trichonaphis* Shinji 1930, Lansania, 2, 73 [*sine sp.*].—Hem.
- Trichoncephalus* (pro *Trichoce*-Schrank 1788) Lutz 1894, Zbl. Bakt., 16, 66.—Verm. (Nema.).
- Trichoncus* Simon 1884, Arachn. France, 5 (3), 465.—Arachn.
- Trichonema* Cobbold 1874, Veterinarian, 47, 85.—Verm. (Nema.).
- Trichonema* Fromental 1874, Etudes Microz. ou Infus., 200.—Prot.
- Trichonephila* Dahl 1911, Zool. Anz., 37, 277.—Arachn.
- Trichoneura* Berendt 1845, Die im Bernstein befindl. org. Reste, 1 (1), 57 [*n.n.*].—† Dipt.
- Trichonevra* Lioy 1864, Atti Ist. Veneto, (3) 9, 1341.—Dipt. (Tachinid.).
- Trichonis* Hewitson [1865], Ill. diurn. Lep., Lycaen., 1, 68.—Lep.
- Trichoniscoides* Sars 1898, Crust. Norway, 2, 164.—Crust.
- Trichoniscus* Brandt 1833, Bull. Soc. imp. Nat. Moscou, 6, 174.—Crust.
- Trichonius* Bates 1864, Ann. Mag. nat. Hist., (3) 13, 52.—Col.
- Trichonochoa* (err. pro *Tritonaclia* Hampson 1898) Pagenstecher 1909, Geogr. Verbr. Schmett., 420.—Lep.
- Trichonomorphus* Raffray 1890, Rev. Ent. Caen, 9, 109.—Col.
- Trichonosiphoniella* see *Trichosiphoniella*.
- Trichonotolema* Heinze 1927, Ent. Blätter, 23, 165.—Col.
- Trichonotulus* (*n.n.* pro *Trichonotus* Mulsant 1842) Bedel 1911, Bull. Soc. ent. France, 1911, 378.—Col.
- Trichonotus* Schneider 1801, in Bloch, Syst. Ichth., 179.—Pisces.
- Trichonotus* Rafinesque [non Schneider 1801] 1815, Analyse, 88.—Pisces.
- Trichonotus* Mulsant 1842, H.N. Coléopt. France (Lam.), 294.—Col. (See *Trichonotulus* Bedel 1911.)
- Trichonotus* Loew 1857, Ofvers. VetenskAkad. Förh. Stockholm, 14, 365.—Dipt. (See *Hippomachus* Engel 1927.)
- Trichonotus* Chevrolat 1877 see *Trichonotus*.
- Trichonotus* Cameron 1905, J. Straits Asiat. Soc., 44, 124.—Hym.
- Trichonta* Winnertz 1863, Verh. zool.-bot. Ges. Wien, 13, Abh., 847.—Dipt.
- Trichonympha* Leidy 1877, Proc. Acad. nat. Sci. Philad., 1877, 147.—Prot.

- Trichonyx* Chaudoir 1845, Bull. Soc. imp. Nat. Moscou, 18 (3), 164.—Col.
Trichonyx Haupt 1929, in Schouteden, Rev. Zool. Bot. afr., 17, 195.—Hym.
Trichopachyulus Verhoeff 1910, Nova Acta Acad. Leop. Carol., 13, 174.—Myr.
Trichopagis Simon 1886, Act. Soc. linn. Bordeaux, 40, 184.—Arachn.
Trichopalpina Hampson 1926, Descr. new Genn. Spp. Noctuidae, 232.—Lep.
Trichopalpomya (n.n. pro *Trichopalpus* Philippi 1865) Hunter 1901, Trans. Amer. ent. Soc., 27, 148.—Dipt.
Trichopalpus Rondani 1856, Dipt. ital. Prodr., 1, 100.—Dipt. (Scatomyzid.).
Trichopalpus Philippi 1865, Verh. zool.-bot. Ges. Wien, 15, Abh., 724.—Dipt. (Leptid.). (See *Trichopalpomya* Hunter 1901.)
Trichoparadisea Meyer 1893, Abh. Mus. Dresden, 1892-93, 20.—Aves.
Trichopareia Brauer & Bergenstamm 1890 [sep. 1889], Denkschr. Akad. Wiss. Wien, 56, 103.—Dipt.
Trichoparia (pro *-reia* Brauer & Bergenstamm 1890) Bezzi & Stein 1907, in Becker, Kat. paläarkt. Dipt., 3, 394.—Dipt.
Trichopedius Bedel 1899, Cat. Col. Nord Afr., 181.—Col.
Trichopelma Simon 1888, Ann. Soc. ent. France, (6) 8, 215.—Arachn.
Trichopelma Levander 1900, Acta Soc. Faun. Fenn., 18, no. 6, 104.—Prot.
Trichopelma (err. pro *-pepla* Stål 1867) Van Duzee 1921, Proc. Calif. Acad. Sci., (4) 11, 112.—Hem.
Trichopeltarion Milne-Edwards 1880, Bull. Mus. comp. Zool. Harvard, 8, 19.—Crust.
Trichopeltis Pocock 1895, in Weter, Zool. Ergeb. Niederl. Ost-Ind., 4, 374 (note).—Myr.
Trichopepla Stål 1867, Ofvers. VetenskAkad. Förh. Stockholm, 24, 528.—Hem.
Trichoperrisia Kieffer 1913, Rec. Indian Mus., 9, 199.—Dipt.
Trichopertha Reitter 1903, Verh. Ver. Brünn, 41, 85.—Col.
Trichopetalum Harger 1872, Amer. J. Sci., (3) 4, 118.—Myr.
Trichozeza Rondani 1856, Dipt. ital. Prodr., 1, 150.—Dipt.
Trichophaga Ragonot 1894, Ann. Soc. ent. France, 63, 123.—Lep.
Trichophanes Cope 1872, Proc. Amer. phil. Soc., 12, 479.—Pisces.
Trichoparis Knirsch 1925, Acta Soc. ent. Cech., 22, 43.—Col.
Trichopharynx Ogilby 1898, Proc. Linn. Soc. N.S. Wales, 22, 769.—Pisces.
Trichophasia Swainson 1839, N.H. Fishes etc., 2, 61.—Pisces.
Trichophassus Le Cerf 1919, Bull. Mus. Hist. nat. Paris, 1919, 470.—Lep.
Trichophiala Aurivillius 1879, Ofvers. VetenskAkad. Förh. Stockholm, 36, no. 7, 53.—Lep.
Trichophilopterus Stobbe 1913, Ent. Rdsch., 30, 105.—Malloph.
Trichophora Deshayes 1830 (*teste* Tryon 1887, Man. Conch., 9, 40, *sed non comp.*).—Moll.
Trichophora Macquart 1847, Mém. Soc. R. Sci. Lille, 1846, 78.—Dipt.
Trichophorella Reuter 1906, Ofvers. finska VetenskSoc. Förh., 47, no. 10, 20.—Hem.
Trichophoroides Linsley 1935, Rev. Ent. Rio de Janeiro, 5, 139.—Col.
Trichophoroncus Reuter 1897, Ofvers. finska VetenskSoc. Förh., 38, 167.—Hem.
Trichophoropsis Bonaparte 1854, C.R. Acad. Sci. Paris, 38, 54, 59.—Aves.
Trichophoropsis Townsend 1914, Insec. Inscit. menst., 2, 42.—Dipt.
Trichophorus Temminck 1821, in Temminck & Laugier, Pls. color., livr. 15, text to pl. 88 (also as *Tricophorus*).—Aves.
Trichophorus Audinet-Serville 1834, Ann. Soc. ent. France, 3, 17.—Col. (Cerambycid.). (See *Ambonus* Gistel 1848 & *Crocidastus* Pascoe 1867.)
Trichophorus Mulsant & Godart 1853, Opusc. ent., 2, 181.—Col. (Elaterid.). (See *Neotrichophorus* Jacobson 1913.)
Trichophotia Hampson 1913, Ann. Mag. nat. Hist., (8) 12, 586.—Lep.
Trichophoxus Barnard 1930, Terra Nova Exped., 8, 336.—Crust.
Trichophrya Claparède & Lachmann 1859, Etudes Infus. (*ex* Mém. Inst. Genev., 16) (2) 381, 386.—Prot.
Trichophryne McCulloch & Waite 1918, Rec. S. Australian Mus., 1, 68.—Pisces.
Trichophthalma Westwood 1835, London & Edinburgh Phil. Mag., (3) 6 (36), 448.—Dipt.
Trichophthalmocapsus Poppius 1914, Acta Soc. Sci. Fenn., 44, no. 3, 46.—Hem.
Trichophthicus (pro *Trico-* Rondani 1861) Wulp 1896, Biol. Centr. Amer., Zool., Dipt., 2, 313.—Dipt.
Trichophthicus (pro *Tricophthi-* Rondani 1861) Rondani 1870, Bull. Soc. ent. ital., 2, 335.—Dipt.
Trichophya Mannerheim 1831, Mém. présentés Acad. imp. Sci. St. Pétersbourg, 1 (5), 487.—Col.
Trichophylloteles Baranov 1934, Encycl. ent., Sér. B. II, Dipt. 7, 162.—Dipt.
Trichophyretis (err. pro *-physetis* Meyrick 1884) Pagenstecher 1909, Geogr. Verbr. Schmett., 443.—Lep.
Trichophysetis Meyrick 1884, Trans. ent. Soc. London, 1884, 287.—Lep.
Trichophyus (emend. pro *-phyta* Mannerheim 1831) Erichson 1839, Käfer Mark Brand., 1 (2), 402.—Col.

- Trichopicus* Bonaparte 1854, *Ateneo Ital.*, 2, 123; 1854, *Consp. Volucr. Zygod.*, 8.—Aves.
- Trichopimpla* Cameron 1903, *Z. Hym. Dipt.*, 3, 303.—Hym.
- Trichopipo* (emend. pro *-picus* Bonaparte 1854) Cabanis 1863, *Mus. Hein.*, 4 (2), 62.—Aves.
- Trichopisthia* Aurivillius 1909, *Ark. Zool.*, 5, no. 5, 15.—Lep.
- Trichopius* Thomson 1895, *Opusc. ent.*, 20, 2176.—Hym.
- Trichoplataphus* Netolitzky 1914, *Ent. Blätter*, 10, 51.—Col.
- Trichoplatus* Milne-Edwards 1876, *Ann. Sci. nat. Paris, Zool.*, (6) 4, no. 9, 2.—Crust.
- Trichoplatyscelis* Schuster 1931, in *Reinig, Mitt. zool. Mus. Berlin*, 16, 895.—Col.
- Trichoplax* Schultze 1883, *Zool. Anz.*, 6, 92.—Verm. (*Inc. sed.*).
- Trichoplea* Mueller 1861, *Arch. Naturgesch.*, 27 (1), 305.—Coel.
- Trichopleon* Beddard 1886, *Proc. zool. Soc. London*, 1886, 106.—Crust.
- Trichopleura* Kaup 1858, *Arch. Naturgesch.*, 24, Abt. 1, 338.—Pisces.
- Trichopleura* Staudinger 1882, *Ent. Ztg.*, Stettin, 43, 68.—Lep. (See *Lasiogma* Meyrick 1892.)
- Trichopleurias* Sahlberg 1903, *Ofvers. finska VetenskSoc. Förh.*, 45, no. 10, 35.—Col.
- Trichopleurus* Motschoulsky [1860], *Etudes ent.*, 8, 1859, 162.—Col. (Melolonthid.).
- Trichopleurus* Kuwert 1898, *Novit. zool.*, 5, 143.—Col. (Passalid.). (See *Epipleurothrix* Zang 1905.)
- Trichoplexia* Hampson 1907, *Cat. Lep. Phalaenae Brit. Mus.*, 7, 482.—Lep.
- Trichoplus* Burmeister 1842, *Handb. Ent.*, 3, 660.—Col.
- Trichopoda* Latreille 1825, *Fam. Nat. Règne Anim.*, 498; Berthold 1827, in *Latreille, Nat. Fam. Thierr.*, 508.—Dipt.
- Trichopoda* Brullé 1835, *H.N. Ins.*, 5 (Col.), 294.—Col. (See *Macrocercyon* Alluaud 1899.)
- Trichopododes* (n.n. pro *Homogenia* Wulp 1892) Townsend 1893, *Canad. Ent.*, 25, 166.—Dipt.
- Trichopodopsis* Townsend 1913, *J.N. York ent. Soc.*, 21, 148.—Dipt.
- Trichopodus* Lacepède 1802, *Hist. Nat. Poiss.*, 3, 125.—Pisces.
- Trichopodus* Swainson 1840, *Treat. Malac.*, 211.—Moll.
- Trichopodus* Mulsant & Rey 1860, *Mém. Acad. Lyon, Cl. Sci. (N.S.)* 9, 121.—Col.
- Trichopolia* Grote 1883, *Papilio*, 3, 76.—Lep.
- Trichopolydesmus* Verhoeff 1898, *Arch. Naturgesch.*, 64 (1), 363.—Myr.
- Trichopopillia* Ohaus 1898, *Ent. Ztg.*, Stettin, 58, 353.—Col.
- Trichopria* Ashmead 1893, *Bull. U.S. nat. Mus.*, No. 45, 431.—Hym.
- Trichoprius* (pro *-pius* Thomson 1895) Ashmead 1900, *Proc. U.S. nat. Mus.*, 23, no. 1206, 188.—Hym.
- Trichoproctus* Silvestri 1899, *Tërmes. Füzetek*, 22, 205.—Myr.
- Trichoproctus* (err. pro *Thr. Agassiz* 1872) Lambert & Thiéry 1925, *Ess. nom. rais. Echin.*, 9, 603.—Echin.
- Trichopronomyia* Theobald 1905, *Ann. Mus. Hungar.*, 3, 98.—Dipt.
- Trichopropon* Theobald 1901, *J. trop. Med. Hyg.*, 4, 235; 1901, *Monogr. Culic.*, 2, 283.—Dipt. (nec *Trichoprosopus* Macquart 1843 see *Joblotia* Blanchard 1901).
- Trichoprosopus* Macquart 1843, *Mém. Soc. R. Sci. Lille*, 1842, 227.—Dipt.
- Trichops* (Mannerheim MS.) Dejean 1833, *Catal. Coléopt.*, ed. 2, 164 [*n.n.*]; Borre 1886, *Ann. Soc. ent. Belgique*, 30, 123.—Col.
- Trichopselaphus* Chaudoir 1843, *Bull. Soc. imp. Nat. Moscou*, 16 (3), 399.—Col.
- Trichopsenius* Horn 1877, *Trans. Amer. ent. Soc.*, 6, 88.—Col.
- Trichopsephus* Arrow 1920, *Trans. ent. Soc. London*, 1920, 78.—Col.
- Trichopsetta* Gill 1889, *Proc. U.S. nat. Mus.*, 11, 601.—Pisces.
- Trichopsidea* Westwood 1839, *Trans. ent. Soc. London*, 2 (3), 151.—Dipt.
- Trichopsis* Kner 1860, in *Canestrini, Verh. zool.-bot. Ges. Wien*, 10, Abh., 702, 708.—Pisces.
- Trichopsocus* Kolbe 1882 (*teste* Kolbe 1888, in *Rostock & Kolbe, Neur. German.*, 185).—Psocopt.
- Trichopsomyia* Williston 1888, *Trans. Amer. ent. Soc.*, 15, 259.—Dipt.
- Trichopsyche* Wallengren 1869, *Lepidopt. Scand. Heteroc.*, 1, no. 2, 51.—Lep.
- Trichopsychoda* Tonnoir 1922, *Ann. Soc. ent. Belgique*, 62, 59.—Dipt.
- Trichopsylla* Kolenati 1863, *Horae Soc. ent. ross.*, 2, 32.—Siphonapt.
- Trichopsylla* Thomson 1877, *Opusc. ent.*, 8, 823.—Hem. (See *Trichohermes* Kirkaldy 1904.)
- Trichoptera* Meigen 1803, *Mag. f. Insektenk. (Illiger)*, 2, 261.—Dipt. (Psychodid.).
- Trichoptera* Liroy 1864, *Atti Ist. Veneto*, (3) 9, 1109.—Dipt. (Helomyzid.). (See *Calopterella* Coquillett 1910.)
- Trichoptera* Strobl 1880, *Progr. Ober. Gymnas. Seitenstetten, Linz*, 14 (Dipterol. Funde um Seitenstetten), 64.—Dipt. (Tipulid.).
- Trichopterella* Cockerell 1924, *Bull. Amer. Mus. nat. Hist.*, 51, 140.—Trichopt.
- Trichopteridium* Geinitz 1880, *Z. dtsh. geol. Ges.*, 1880, 528.—Neur.
- Trichopterigia* Hampson 1894, *Fauna Brit. Ind., Moths*, 3, 403.—Lep.

- Trichopterix* (err. pro *-ryx* Huebner 1825) Huebner [1826], Verz. bekannt. Schmett. Anz., 51.—Lep.
- Trichopterna* Kulczynski 1895, Araneae Hung., 2, 103 (?).—Arachn.
- Trichopteromyia* Williston 1896, Trans. ent. Soc. London, 1896, 255.—Dipt.
- Trichopterus* (emend. pro *Tricrop-* Rafinesque 1810) Agassiz 1845, Nom. Zool. (Pisces), 66.—Pisces.
- Trichopterus* Guenther 1854, in Gronovius, Cat. Fish., 162.—Pisces.
- Trichopteryx* Huebner [1825], Verz. bekannt. Schmett., (21) 323.—Lep. (Cf. *Nothopteryx* Prout 1909.)
- Trichopteryx* Kirby 1826, Introd. Ent., 3, 41.—Col. (See *Cleopteryx* Gistel 1857.)
- Trichopteryx* Gistel 1834, Ins.-Doubletten Walworth, 15 [n.n.].—Col.
- Trichopticoides* Ringdahl 1931, Ent. Tidskr., 52, 173.—Dipt.
- Trichopticus* (pro *Tricophthi-* Rondani 1861) Bezzi & Stein 1907, in Becker, Kat. paläarkt. Dipt., 3, 627.—Dipt.
- Trichoptilium* Flach 1889, Verh. zool.-bot. Ges. Wien, 39, Abh., 507.—Col.
- Trichoptilum* Koelliker 1880, Rep. Voy. Challenger Exped., (1) pt. 2, 29.—Coel.
- Trichoptilus* Walsingham 1880, Pterophor. Calif. Oregon, 62.—Lep.
- Trichoptya* Warren 1912, Novit. zool., 19, 53.—Lep.
- Trichoptychodes* Swinhoe 1894, Ann. Mag. nat. Hist., (6) 14, 207.—Lep.
- Trichopus* (emend. pro *-podus* Lacepède 1802) Shaw 1803, Gen. Zool. (Pisc.), 4 (2), 388.—Pisces.
- Trichopus* C.M. 1834, Mag. nat. Hist., 7, 11.—Arachn.
- Trichopus* Haan (1835), in Siebold, F. Japon. (Crust.), 32.—Crust. (See *Polyponus* Gistel 1848.)
- Trichopus* Claparède & Lachmann 1859, Etudes Infus., 2 (*teste* Marschall 1873, Nomen. zool., 482, *sed non comp.*).—Prot.
- Trichopygus* Nordmann 1837, Mém. présentés Acad. imp. Sci. St Pétersbourg, 4 (1 & 2), 137.—Col.
- Trichopyrrhosia* Townsend 1927, Rev. Mus. paulista, 15 (1), 243.—Dipt.
- Trichorachia* Hampson 1930, Ann. Mag. nat. Hist., (10) 5, 65.—Lep.
- Trichorcus* Blackburn 1892, Trans. roy. Soc. S. Australia, 15, 73.—Col.
- Trichoregma* Takahashi 1929, Trans. nat. Hist. Soc. Formosa, 19, 252.—Hem.
- Trichorenius* Lewis 1891, Ent. mon. Mag., (2) 2, 106.—Col.
- Trichorhachus* Kirby 1882, List Hymen. Brit. Mus., 39.—Hym.
- Trichorhina* Budde-Lund 1908, in Voeltzkow, Reise in Ostafrika 1903–05, 2, 292.—Crust.
- Trichorhinus* Melichar 1923, Časopis České Společ. Ent., 20, 31, 32.—Col.
- Trichorhiza* Hampson 1905, Cat. Lep. Phalaenae Brit. Mus., 5, 13.—Lep.
- Trichorhiza* Russell 1906, Proc. zool. Soc. London, 1906, 99.—Coel. (See *Rhizotrichia* Stechow 1919.)
- Trichorhynchia* Buckman 1914, Gen. Jurass. Brach., 2; 1917, Pal. Indica, 3 (2), 58.—Brach.
- Trichorhynchomyia* (n.n. pro *Trichorhynchus* Theobald 1905) Brunetti 1912, Rec. Indian Mus., 4, 477.—Dipt.
- Trichorhynchus* Balbiani 1887, C.R. Acad. Sci. Paris, 104, 80.—Prot.
- Trichorhynchus* Theobald 1905, J. Bombay nat. Hist. Soc., 16, 241.—Dipt. (See *Trichorhynchomyia* Brunetti 1912.)
- Trichoribates* Berlese 1910, Redia, 6, 385.—Arachn.
- Trichoridia* Hampson 1906, Cat. Lep. Phalaenae Brit. Mus., 6, 400.—Lep.
- Trichorion* Kolenati 1858, Wien. ent. Monatschr., 2, 7.—Arachn.
- Trichorrhada* Meyrick 1912, Gen. Insect., 133, 3.—Lep.
- Trichorrhachus* (pro *Trichorh-* Kirby 1882) Konow 1906, Gen. Insect., 29, 15.—Hym.
- Trichorrhages* Warren 1900, Novit. zool., 7, 183.—Lep.
- Trichorthosia* Grote 1883, Trans. Kansas Acad. Sci., 8, 50; 1883, Papilio, 3, 31.—Lep.
- Trichorypha* Schött 1893, Bih. svenska VetenskAkad., 19 (4), no. 4, 18.—Collemb.
- Trichosalius* Arnold 1934, Ann. Transvaal Mus., 15, 390.—Hym.
- Trichosalpingus* Blackburn 1891, Trans. roy. Soc. S. Australia, 14, 332.—Col.
- Trichosaragus* Blackburn 1890, Proc. Linn. Soc. N.S. Wales, (2) 4, 1270.—Col.
- Trichosaundersia* Townsend 1914, Insec. Inscit. menst., 2, 137.—Dipt.
- Trichoscapa* Emery 1869, Ann. Accad. aspir. Nat. Napoli, (2) 2, 24.—Hym.
- Trichoscaphella* Reitter 1908, Wien. ent. Ztg., 27, 34.—Col.
- Trichoscarta* Breddin 1903, Soc. ent., 17, 51.—Hem.
- Trichoscelia* Westwood (1852), Trans. ent. Soc. London, (2) 1, 269, 270.—Neur.
- Trichoscelis* Dejean 1835, Catal. Coléopt., ed. 2, 330 [n.n.]; Thomson 1864, Syst. Cerambyc., 199 [in syn.]; Bates 1885, Biol. Centr. Amer., Zool., Col., 5, 324.—Col.
- Trichoscelis* Amyöt & Serville 1843, (Roret's Suite à Buffon) Hémiptères, 353.—Hem.
- Trichoscelis* (pro *Trixo-* Rondani 1856) Czerny 1927, in Lindner, Flieg. palaearkt. Reg., 53, 47.—Dipt.
- Trichoschiza* Moser 1917, Stettin. ent. Ztg., 78, 81.—Col.

- Trichosea Grote 1875, Bull. Buffalo Soc. nat. Sci., 2, 213.—Lep.
 Trichosellus Grote 1890, Revised Check List N. Amer. Noctuidae, 36.—Lep.
 Trichosemeia (err. pro *Tricos-* Holland 1892) Aurivillius 1925, in Seitz, Macrolep. Wld., Engl. Ed., 13, 579.—Lep.
 Trichoserica Reitter 1896, Wien. ent. Ztg., 15, 181.—Col.
 Trichosetodes Ulmer 1915, Dtsch. ent. Z., 1915, 65.—Trichopt.
 Trichosia Winnertz 1867, Beitr. Monogr. Sciarinen, 173.—Dipt.
 Trichosilia Hampson 1918, Novit. zool., 25, 112.—Lep.
 Trichosiphonaphis Takahashi 1922, Proc. ent. Soc. Washington, 24, 205.—Hem.
 Trichosiphoniella Shinji 1929, Rep. Japan. Ass. Adv. Sci., 5, 188; 1929, Lansania, 1, 46 (also as *Trichonosiphoniella*).—Hem.
 Trichosiphum Pergande 1906, Ent. News, 17, 206.—Hem.
 Trichosirius Finlay 1926, Trans. N. Zealand Inst., 57, 395.—Moll.
 Trichosobranchella Dybowski 1929, Bull. Int. Acad. Cracovie, 1929, 463.—Verm. (Polych.).
 Trichosoma Rudolphi 1819, Entoz. Syn. Mant., 13.—Verm. (Nema.).
 Trichosoma Rambur 1833, in Boisduval, Coll. Icon. Hist. Chenilles Europe, sign. 19; 1837, Ann. Soc. ent. France, 5, 587.—Lep. (See *Somatrichia* Kirby 1892.)
 Trichosoma Swainson 1838, N.H. Fishes, etc., 1, 281, 285; 1839, 2, 186, 292.—Pisces.
 Trichosoma Swainson [non 1838] 1839, N.H. Fishes, etc., 2, 63.—Pisces.
 Trichosomoides Railliet 1895, Traité de Zool. méd. agric., 1302.—Verm. (Nema.).
 Trichosomum (pro *-ma* Rudolphi 1819) Creplin 1839, Nov. Obs. Entoz., 1.—Verm. (Nema.).
 Trichosomum (pro *-ma* Swainson 1839) Swainson 1839, N.H. Fishes, etc., 2, 180, 265.—Pisces.
 Trichosomus (Chevrolat MS.) Gemminger & Harold 1871, Cat. Col., 8, 2544 [*in syn.*] [*n.n.*]; Chevrolat 1881, Ann. Soc. ent. Belgique, 25, 91.—Col. (Cf. *Pseudotrichosomus* Hustache 1924.)
 Trichosphaena Reitter 1916, Ent. Blätter, 12, 140, 145.—Col.
 Trichosphaeriestes Blair 1919, Ent. mon. Mag., 55, 121.—Col.
 Trichosphaerium (*teste* Doflein 1928, Lehrb. Protozoenkunde, 5 (2), 787).—Prot.
 Trichosphaerula Fleischer 1904, Wien. ent. Ztg., 23, 261.—Col.
 Trichospilus Ferrière 1930, Bull. ent. Res., 21, 358.—Hym.
 Trichospira Roux 1899, Rev. suisse Zool., 6, 584.—Prot.
 Trichospongia Billings 1865, Geol. Surv. Canada, Pal. Foss., 1, 357.—Spong.
 Trichostegia Kolenati 1848, Ent. Ztg., Stettin, 9 (1), 20.—Trichopt.
 Trichostemma Sars 1872, Remark. Forms Anim. Life Norwegian Coast, 1, 62.—Prot.
 Trichostenomitra Enderlein 1935, S.B. Ges. naturf. Fr. Berlin, 1935, 236.—Dipt.
 Trichoster (err. pro *-chaster* Mueller & Troschel 1842) Delage & Hérouard 1903, Traité Zool. concr., 3, 438.—Echin.
 Trichosteresis Foerster 1856, Hym. Studien, 2, 97.—Hym.
 Trichosternum Wollaston 1861, Ann. Mag. nat. Hist., (3) 7, 205.—Col.
 Trichosternus Chaudoir 1865, Bull. Soc. imp. Nat. Moscou, 38 (2), 70.—Col.
 Trichosternus Mulsant & Rey 1866, Hist. nat. Punaises Fr., Pentat., 24; 1866, Ann. Soc. linn. Lyon, 13, 314.—Hem.
 Trichosterrha Warren 1904, Novit. zool., 11, 515.—Lep.
 Trichostetha Burmeister 1842, Handb. Ent., 3, 398.—Col.
 Trichostethus (pro *Teich-* Sharp 1891) Grouvelle 1913, Col. Cat., 56, 161.—Col.
 Trichostiba (err. pro *-bas* Zeller 1863) Pagenstecher 1909, Geogr. Verbr. Schmett., 446.—Lep.
 Trichostibas Zeller 1863, Ent. Ztg., Stettin, 24, 150.—Lep.
 Trichosticha Schiner 1863, Wien. ent. Monatschr., 7, 221.—Dipt.
 Trichostichia Warren 1895, Novit. zool., 2, 131.—Lep.
 Trichostictia Parker 1929, Proc. U.S. nat. Mus., 75, art. 5, 14.—Hym.
 Trichostigma Gerber 1902, C.R. Ass. Franç., Ajaccio, 1901, 547.—Arachn.
 Trichostigmus Kaup 1871, Berlin. ent. Z., 15 (Monog. Passal.), 31.—Col.
 Trichostiria Enderlein 1924, Ent. Mitt., 13, 278.—Dipt.
 Trichostola (Chevrolat MS.) Dejean 1835, Catal. Coléopt., ed. 2, 411 [*n.n.*]; Chapuis 1874, in Lacordaire, Hist. nat. Ins., Gen. Col., 10, 294.—Col.
 Trichostoma Pictet 1834, Rech. Phrygan., 172.—Trichopt.
 Trichostoma (pro *Trichas-* Blyth 1842) Strickland 1849, in Jardine, Contrib. Ornith., 2, 126.—Aves.
 Trichostoma (pro *-soma* Rudolphi 1819) Westwood 1851 (*teste* Stiles & Hassall 1920, Bull. U.S. hyg. Lab., No. 114, 823).—Verm. (Nema.).
 Trichostoma (emend. pro *Thrinch-* Saussure 1891) Dalla Torre 1896, Cat. Hym., 10, 381.—Hym.
 Trichostomias Zugmayer 1911, Bull. Inst. océan. Monaco, No. 193, 6; 1911, Rés. Camp. sci. Monaco, 35, 78.—Pisces.
 Trichostomum (emend. pro *-ma* Pictet 1834) Burmeister 1839, Handb. Ent., 2 (2), no. 2, 924.—Trichopt.

- Trichostrongylus* Looss 1905, Zbl. Bakt., (1 Orig.) 39, 413.—Verm. (Nema.).
Trichostylum Macquart 1851, Dipt. exot., Suppl. 4, 208 (ex Mém. Soc. Sci. Lille, 1850 (1851)).—Dipt.
Trichosurus Rafinesque 1815, Analyse, 99 [n.n.].—Crust.
Trichosurus Lesson 1828, Dict. Class. H.N., 13, 333.—Mamm. (See *Trichurus* Wagner 1843.)
Trichosyllis Schmarda 1861, N. wirbell. Thiere, 1, 2.—Verm. (Polych.).
Trichosyron Haupt 1930, Mitt. zool. Mus. Berlin, 16, 233.—Hym.
Trichota Rambur 1866, Cat. syst. Lepidopt. Andalousie, (2) 196.—Lep.
Trichotanypus Kieffer 1906, Ann. Soc. sci. Bruxelles, 30, 319.—Dipt.
Trichotaphe Clemens 1860, Proc. Acad. nat. Sci. Philad., 1860, 166.—Lep.
Trichotarache Grote 1875, Canad. Ent., 7, 48.—Lep.
Trichotarsia Burmeister 1842, Handb. Ent., 5, 587.—Col.
Trichotarsus (n.n. pro *Trichodactylus* Dufour 1839) Canestrini 1888, Tiroglifidi, 7.—Arachn.
Trichotarsus Kraatz 1897, Dtsch. ent. Z., 1897, 157.—Col.
Trichotarsus Motschoulsky 1864, Bull. Soc. imp. Nat. Moscou, 37 (2), 327.—Col.
Trichotaster Wright 1873, Quart. J. geol. Soc., 29, 421.—Echin.
Trichotaxis Stokes 1891, J.R. micr. Soc., 1891, 701.—Prot.
Trichotaxonus Rohwer 1910, Proc. ent. Soc. Washington, 12, 30.—Hym.
Trichoteleia Kieffer 1910, in Voeltzkow, Reise in Ostafrika, 2, 530.—Hym.
Trichotepyrus Kieffer 1906, in André, Spec. Hym. Europ., 9, 376.—Hym.
Trichoterax Ashmead 1897, Psyche, 8, 67.—Hym.
Trichoterellia Hendel 1927, in Lindner, Flieg. Palaearct. Reg., 49, 129.—Dipt.
Trichoterga Tonnoir & Edwards 1927, Trans. N. Zealand Inst. 57, 757, 827.—Dipt.
Trichotermes Sjoestedt 1924, Rev. zool. afr., 12, 257.—Isopt.
Trichotettix Stål 1873, Ofvers. VetenskAkad. Förh. Stockholm, 30, no. 4, 47.—Orth.
Trichothaumalea Edwards 1929, Zool. Anz., 82, 125.—Dipt.
Trichotheca Baly 1860, J. Ent. Lond., 1, 26.—Col.
Trichothorax Montrouzier 1860, Ann. Soc. ent. France, (3) 8, 235.—Col.
Trichothraupis Cabanis [1851], Mus. Heineanum, 1, 1850, 23.—Aves.
Trichothrips Uzel 1895, Monogr. ordn. Thysanopt., 246.—Thysanopt.
Trichothyas Viets 1926, Zool. Anz., 69, 191.—Arachn.
Trichothyrea Kolbe 1895, Ent. Ztg., Stettin, 56, 288.—Col. (Cetoniid.).
Trichothyrea Schoch 1896, Mitt. schweiz. ent. Ges., 9, 400.—Col. (Cetoniid.).
(See *Trichocelis* Moser 1908.)
Trichothyreus Stål 1867, Ofvers. VetenskAkad. Förh. Stockholm, 24, 494.—Hem.
Trichothyris Buckman 1915, Rec. geol. Surv. Ind., 45 (1), 78; 1917, Pal. Indica, 3 (2), 125.—Brach.
Trichothyrsa Meyrick 1912, Exot. Microlep., 1, 61.—Lep.
Trichothyse Tucker 1923, Ann. S. Afr. Mus., 19, 332.—Arachn.
Trichotichnus Morawitz 1863, Mém. Acad. Sci. St. Pétersbourg, (7) 6, no. 3, 63.—Col.
Trichotipula Alexander 1916, Proc. Acad. nat. Sci. Philad., 67, 1915, 468.—Dipt.
Trichotis Felder 1874, Reise Novara, Zool. 2, Abt. 2, Lep. Het., Explan. Pls. lxxv-cvii, 9.—Lep.
Trichotocrinus Olsson 1913, Bull. Amer. Pal., 5, 27.—Echin.
Trichoton Hope 1840, Coleopt. Manual, 3, 111.—Col.
Trichotonannus Reuter 1894, Acta Soc. Sci. Fenn., 19, no. 6, 6.—Hem.
Trichotophysa Warren 1896, Ann. Mag. nat. Hist., (6) 17, 456.—Lep.
Trichotopis (err. pro *-tropis* Broderip & Sowerby 1829) Moersch 1875, Prodr. Fauna Moll. Grønland, 127.—Moll.
Trichotopteryx Townsend 1919, Proc. U.S. nat. Mus., 56, 586.—Dipt.
Trichotoxon Simroth 1888, Zool. Anz., 11, 87.—Moll.
Trichotria Bory de St. Vincent 1827, Ency. Méth. (Zooph.), 752.—Verm. (Rotif.).
Trichotrimicra Alexander 1921, Ann. S. Afr. Mus., 18, 195.—Dipt.
Trichotriura Silvestri 1917, Boll. Lab. Zool. Portici, 12, 343.—Thysanura.
Trichotropis Broderip & Sowerby 1829, Zool. J., 4 (15), 373.—Moll.
Trichotropus (pro *-pis* Broderip & Sowerby 1829) Lesson 1834, Illustr. de Zool., (14) pl. 41.—Moll.
Trichotum (emend. pro *-ton* Hope 1840) Agassiz 1846, Nomen. Zool. Index Univ.—Col.
Trichovalgus Kolbe 1904, Ent. Ztg., Stettin, 65, 44.—Col.
Trichoxenia Kirby 1883, J. Linn. Soc. London, Zool., 17, 62.—Hym.
Trichoxymus Heller 1908, Abh. zool. Mus. Dresden, 12, no. 1, 17.—Col.
Trichoxyphosia Hendel 1927, in Lindner, Flieg. Palaearct. Reg., 49, 138.—Dipt.
Trichoxyreus Amerling 1859 (teste Waterhouse 1902, Index zool., 1880-1900, 383, sed non comp.).—Arachn.
Trichoxys Chevrolat 1860, Ann. Soc. ent. France, (3) 8, 454.—Col.
Trichozeina (pro *-nema* Cobbold 1874) Cobbold 1875 (teste Stiles & Hassall 1920, Bull. U.S. Hyg. Lab., No. 114, 826).—Verm. (Nema.).
Trichocephalus (pro *-cephalus* Schrank 1788) Kahane 1907, Fortsch. Med., Berlin, 25, 430.—Verm. (Nema.).

- Trichozoma Bastelberger 1909, Int. ent. Z., 3, 83.—Lep.
 Trichozonium Verhoeff 1935, Zool. Anz., 112, 67.—Myr.
 Trichozonus Carl 1905, Mem. Soc. españ. Hist. Nat., 1, 272.—Myr.
 Trichroa Reichenbach 1862, Die Singvögel, 33.—Aves.
 Trichroa (n.n. pro *Trichromia* Fairmaire 1892) Fairmaire 1894, Ann. Soc. ent. Belgique, 38, 395.—Col.
 Trichroa Wagner 1905, Denkschr. Akad. Wiss. Wien, 77, 400.—Moll.
 Trichromadora Kreis 1929, Capita Zool., 2, 54.—Verm. (Nema.).
 Trichromia Huebner [1819], Verz. bekannt. Schmett., (11) 164.—Lep.
 Trichromia Fairmaire 1892, Ann. Soc. ent. France, 61, Bull., xxi.—Col. (See *Trichroa* Fairmaire 1894.)
 Trichromothrips Priesner 1930, Bull. Soc. ent. Egypte, 1930, 9.—Thysanopt.
 Trichrous Chevrolat 1858, Rev. Mag. Zool., (2) 10, 210.—Col.
 Trichrus Tosquinet [1904], Mém. Soc. ent. Belgique, 10, 1903, 373.—Hym.
 Trichrysis Lichtenstein 1876, Petites Nouvelles ent., 2, no. 145, 27.—Hym.
 Trichschizotachina Townsend 1935, Rev. Ent. Rio de Janeiro, 5, 228.—Dipt.
 Trichthacerus Krøyer 1864, Naturh. Tidsskr., (3) 2, 338.—Crust.
 Trichulodes Carter 1914, Trans. roy. Soc. S. Australia, 38, 223.—Col.
 Trichulus Bedel 1883, Ann. Mus. Stor. nat. Genova, 18, 438.—Col.
 Trichuolus (err. pro *-ulus* Bedel 1883) Miwa 1931, Contr. ent. Lab. Taihoku imp. Univ., No. 32, 71.—Col.
 Trichura Huebner [1819], Verz. bekannt. Schmett., (8) 126.—Lep.
 Trichuria (pro *-ris* Roederer 1761) Gage & Bass 1910 (*teste* Stiles & Hassall 1920, Bull. U.S. hyg. Lab., No. 114, 826).—Verm. (Nema.).
 Trichuris Roederer 1761, Götting. Anz., 10 Oct., 243.—Verm. (Nema.)
 Trichuropoda Berlese 1916, Redia, 12, 142.—Arachn.
 Trichursa Simon 1908, Bull. Sci. France Belge, 42, 102.—Arachn.
 Trichurus (pro *-chiurus* L. 1758) Donndorff 1798, Zool. Beytr., 13, 244.—Pisces.
 Trichurus (n.n. pro *Trichosurus* Lesson 1828) Wagner 1843, in Schreber, Säugth. (Suppl.), 3, vi, 74.—Mamm.
 Trichurus (pro *-ris* Roederer 1761) Fagge & Pye-Smith 1902, Princ. & Pract. Med., ed. 4, 465.—Verm. (Nema.).
 Trichymenus Reuter 1875, Not. Sällskapetets Fauna Fl. fenn. Förh., 14, 7.—Hem.
 Trichypena de Joannis 1915, Ann. Soc. ent. France, 84, 6.—Lep.
 Trichys Guenther 1877, Proc. zool. Soc. London, 1876, 739.—Mamm.
 Tricimba Lioy 1864, Atti Ist. Veneto, (3) 9, 1125.—Dipt.
 Triciphona see *Tricyphona*.
 Tricircarium Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 985.—Prot.
 Tricirconium Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 986.—Prot.
 Tricium Cope 1873, Palaeont. Bull., No. 16, 4.—Mamm.
 Trickella (err. pro *Fr-* Pfeiffer 1854) Nevill 1878, Hand List Moll. Indian Mus., 1, 159.—Moll.
 Tricla Retzius 1788, Diss. Nova Test. Gen., 8.—Moll.
 Tricladellus (n.n. pro *Tricladus* Enderlein 1906) Enderlein 1909, Ent. Ztg., Stettin, 70, 273.—Psocopt.
 Tricladia Felder 1874, Reise Novara, Zool. 2, Abt. 2, Lep. Het., Explan. Pls. lxxv-cvii, 9.—Lep.
 Tricladia Mercet 1918, Bol. Soc. españ. Hist. nat., 18, 430.—Hym.
 Tricladosoma Broelemann 1916, Ann. Soc. ent. France, 84, 591.—Myr.
 Tricladus Fairmaire 1903, Ann. Soc. ent. France, 71, 563.—Col.
 Tricladus Enderlein 1906, Zool. Jahrb., Syst., 23, 410.—Psocopt. (See *Tricladellus* Enderlein 1909.)
 Triclarina Wagler (1832), Abh. K. bayer. Akad. Wiss., 1, 1829-30, 499.—Aves.
 Triclarina Koch 1847, Die Arachniden, 14 (3), 101.—Arachn. (See *Trechalea* Thorell 1869.)
 Triclavus Brèthes 1916, An. Mus. nac. Buenos Aires, 27, 411.—Hym.
 Tricleidus Andrews 1909, Ann. Mag. nat. Hist., (8) 4, 419.—Rept.
 Triclema Karsch 1893, Berlin. ent. Z., 38, 227.—Lep.
 Tricliida Enderlein 1923, Dtsch. ent. Z., 1923, 544.—Dipt.
 Triclidommisa Enderlein 1923, Dtsch. ent. Z., 1923, 544.—Dipt.
 Tricliona Lefèvre 1885, Ann. Soc. ent. France, (6) 5, Bull., cxlvii.—Col.
 Tricliophora Jacoby 1904, Ann. Mus. Stor. nat. Genova, 41, 478.—Col.
 Tricliorea Schoch 1896, Cat. Ceton., 30.—Col.
 Triclis Loew 1851, Bemerkungen Fam. Asiliden, 17.—Dipt.
 Triclis De Vis 1888, Proc. Linn. Soc. N.S. Wales, (2) 3, 8.—Mamm.
 Triclista Enderlein 1922, Mitt. zool. Mus. Berlin, 10, 339; 1925, 11, 304.—Dipt.
 Triclistus Foerster 1868, Verh. naturh. Ver. Rheinlande, 25, 161.—Hym.
 Triclonella Busck 1900, J. N. York ent. Soc., 8, 236.—Lep.
 Triclonostomias Regan & Trewavas 1930, Danish "Dana" Exped. 1920-22, Ocean. Rep., 6, 73.—Pisces.

- Triclonus Gerstaecker 1868, Ent. Ztg., Stettin, 29, 75.—Dipt.
 Tricnemus Mercet 1921, Faun. Iber., Hym. Encyrtidae, 535.—Hym.
 Tricocephalus (pro *Tricho-* Schrank 1788) Lamarck 1801, Syst. An. s. vert., 338.—
 Verm. (Nema.).
 Tricoceps Buckton 1903, Mon. Membracidae, 249 (as *Trichoceps* p. 270).—Hem.
 Tricodon (err. pro *Triconodon* Owen 1859) Trouessart 1885, Bull. Soc. Etudes sci.
 Angers, Suppl., 1884, 11.—Mamm.
 Tricoelia Renier [1804], Tavole, xviii (as *Tricelia* pl. 6).—Verm. (Polych.).
 Tricoelocrinus Meek & Worthen 1868, Proc. Acad. nat. Sci. Philad., 1868, 356.—
 Echin.
 Tricoelodus Ameghino 1897, La Argentina Ultimas Epocas Geol., 18 [n.n.]; 1897,
 Bol. Inst. Geograph. Argent., 18, 454.—Mamm.
 Tricoelopyge Roman 1910, Ent. Tidskr., 31, 138.—Hym.
 Tricogena Rondani 1856, Dipt. ital. Prodr., 1, 88.—Dipt.
 Tricola (err. pro *-lia* Risso 1826) Strong 1928, Proc. Calif. Acad. Sci., (4) 17, 191.—
 Moll.
 Tricolema (pro *Thr-* Crotch 1874) Brisley 1927, Pan-Pacific Ent., 4, 55.—Col.
 Tricolia Risso 1826, H.N. Europe, 4, 122.—Moll.
 Tricoliella Monterosato 1884, Nat. Sicil., 3, 110.—Moll.
 Tricolocampe Haeckel 1881, Jena. Z., 15, 434.—Prot.
 Tricolocampium Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1412.—
 Prot.
 Tricolocamptra Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1413.—
 Prot.
 Tricolocapsa Haeckel 1881, Jena. Z., 15, 436.—Prot.
 Tricolocapsium Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1433.—
 Prot.
 Tricolocapsula Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1432.—
 Prot.
 Tricoloceras Whitehouse 1928, Rep. Austral. Ass. Adv. Sci., 18 Mtg., 278.—Moll.
 Tricolopera Haeckel 1881, Jena. Z., 15, 436.—Prot.
 Tricolospyris Haeckel 1881, Jena. Z., 15, 443.—Prot.
 Tricolpia Warren 1907, Novit. zool., 14, 196.—Lep.
 Tricolpochila Bernhauer 1908, München. Kol. Z., 3, 368.—Col.
 Tricolpodia Kieffer 1913, Bull. Soc. Hist. nat. Metz, 28, 55.—Dipt.
 Tricolpopora Lang 1916, Ann. Mag. nat. Hist., (8) 18, 383, 389.—Bry.
 Tricolus Blandford 1905, Biol. Centr. Amer., Col., 4 (6), 286.—Col.
 Tricolylga see *Thricolylga*.
 Tricoma Cobb 1894, Proc. Linn. Soc. N.S. Wales, 8, 389.—Verm. (Nema.).
 Tricomia Walker 1865, List Specimens Lep. Ins. Brit. Mus., 34, 1259.—Lep.
 Tricommatous Roewer 1912, Arch. Naturgesch., 78, A3, 158.—Arachn.
 Tricomonas Donné 1836, in Dujardin, C.R. Acad. Sci. (Paris), 3, 386.—Prot.
 Tricomys Trouessart 1904, Cat. Mamm., Suppl., 5, 504.—Mamm.
 Tricondyla Latreille & Dejean 1822, H.N. Icon. Col. Europe, (1) 65.—Col.
 Tricondyloides Montrouzier 1861, Ann. Soc. ent. France, (4) 1, 270.—Col.
 Tricondyloimimus Chopard 1930, Bull. Soc. ent. France, 1930, 229.—Orth.
 Tricongius Simon 1893, Ann. Soc. ent. France, 61, 1892, 453.—Arachn.
 Triconobunus Roewer 1914, Nova Caledonia, Zool., 1, 440.—Arachn.
 Triconodon Owen 1859, Encycl. Britann., ed. 8, 17, 161.—Mamm.
 Triconopsis Hendel 1914, Dtsch. ent. Z., 1914, 153.—Dipt.
 Tricontarinia Kieffer 1910, Boll. Lab. Zool. Portici, 4, 71.—Dipt.
 Tricontus Dujardin [1844], (Roret's Suite à Buffon) Helminthes, 1845, 3, 653.—Verm.
 (Nema.).
 Triconulus Horváth 1905, Ann. Mus. Hungar., 3, 58.—Hem.
 Triconus Hérouard 1909, Bull. Inst. océan. Monaco, No. 145, 5.—Echin.
 Tricopalpus (pro *Tricho-* Rondani 1856) Becker 1905, Kat. paläarkt. Dipt., 4, 17.—
 Dipt.
 Tricophorus see *Trichophorus* Temminck 1821.
 Tricophthicus (n.n. pro *Thricops* Rondani 1856) Rondani 1861, Dipt. ital. Prodr.,
 4, 9.—Dipt.
 Tricopsis Grote 1874, Bull. Buffalo Soc. nat. Sci., 2, 34, 75.—Lep.
 Tricopoldia Kieffer 1913, Bull. Soc. nat. Hist. Metz, 28, 55.—Dipt.
 Tricops (pro *Thri-* Rondani 1856) Bezzi & Stein 1907, in Becker, Kat. paläarkt. Dipt.,
 3, 627.—Dipt.
 Tricornibombus Skorikov 1922, Bull. Sta. rég. Prot. Plantes Petersburg, 4, 151.—
 Hym.
 Tricornis Jousseau 1888, Mém. Soc. zool. France, 1, 174.—Moll.
 Tricoryna Kirby 1886, J. Linn. Soc. London, Zool., 20, 29.—Hym.
 Tricorynus Waterhouse 1849, Proc. ent. Soc. London, 5 (8), lxxviii.—Col.
 Tricoryphus Foerster 1856, Hym. Studien, 2, 46.—Hym.
 Tricorythodes Ulmer 1920, Arch. Naturgesch., 85, A11, 51.—Ephem.

- Tricorythus* Eaton 1868, Ent. mon. Mag., 5, 82.—Ephem.
Tricosemeia Holland 1892, Ann. Mag. nat. Hist., (6) 10, 294.—Lep.
Tricosmites Jaekel 1918, Palaeont. Z., 3, 97.—Echin.
Tricosoma (pro *Tricho-* Rudolphi 1819) Jasperi 1913, Pathologica, 639.—Verm. (Nema.).
Tricostrongylus (pro *Tricho-* Looss 1905) Travassos 1914, Brazil Medico, 28, 325.—Verm. (Nema.).
Tricotropis (err. pro *Tricho-* Broderip & Sowerby 1829) Nomura & Hatai 1935, Bull. Saito Ho-On Kai Mus. Res., No. 5, 53.—Moll.
Tricanastrum Haeckel 1879, Nat. Schöpfungsgesch., 7, 705.—Prot.
Tricrania Leconte 1860, Proc. Acad. nat. Sci. Philad., 1860, 320.—Col.
Tricraniodes Wellman 1910, Ent. News, 21, 219.—Col.
Tricranioides (err. pro *-nides* Wellman 1910) Lucas 1920, Cat. alphab. gen. et subgen. Col., 1, 653.—Col.
Tricranoneura Horváth 1922, Ann. Mus. nat. Hungar., 19, 132.—Hem.
Tricrepecephalus Kobayashi 1935, J. Fac. Sci. Univ. Tokyo, Geol., 4, 278.—Trilobita.
Tricrepidius Motschoulsky 1859, Bull. Soc. imp. Nat. Moscou, 32 (2), 366.—Col.
Tricropterus Rafinesque 1810, Caratt. n. Gen. Anim., 41; 1815, Analyse, 84.—Pisces.
Trictena Meyrick 1890, Proc. Linn. Soc. N.S. Wales, (2) 4, 1135.—Lep.
Trictenartus Haeckel 1881, Jena. Z., 15, 437.—Prot.
Trictenotoma Gray 1832, in Griffith's Cuvier, Anim. Kingd., Ins., 1, 534.—Col.
Trichydora Wright 1857, Edinburgh N. phil. J., 7, 108.—Coel.
Tricula Benson 1843, Calcutta J. nat. Hist., 3 (12), 466.—Moll.
Tricuspisalaria (pro *Tricuspisid-* Rudolphi 1793) Nordmann 1840, in Lamarck, H.N. An. s. vert., ed. 2, 3, 588.—Verm. (Cest.).
Tricurus (pro *Trichu-* Roederer 1761) Bradley 1813, Treat. Worms, 72.—Verm. (Nema.).
Tricuspes von Huene 1933, Jh. Ver. vaterl. Naturk. Württemb., 89, 82.—Rept.
Tricuspisalaria Rudolphi 1793, Obs. Verm. Intest., 44.—Verm. (Cest.).
Tricuspisalaria (pro *-ria* Rudolphi 1793) Perrier 1878, C.R. Acad. Sci. Paris, 86, 554.—Verm. (Cest.).
Tricuspisidella Czerniavskii 1878, Trud. russ. ent. Obshch., 11, 88.—Crust.
Tricuspisidens Lemoine 1887, C.R. Acad. Sci. Paris, 104, 192; 1887, Bull. Soc. géol. France, (3) 15, 149.—Mamm.
Tricuspisodon Lemoine 1885, Bull. Soc. géol. France, (3) 13, 204; 1888, C.R. Acad. Sci. Paris, 106, 512.—Mamm.
Tricuspisalaria (pro *-pidaria* Rudolphi 1793) Nordmann 1840, in Lamarck, Hist. nat. Anim. s. Vert., ed. 2, 3, 588.—Verm. (Cest.).
Tricyanaula Meyrick 1925, Gen. Insect., 184, 131.—Lep.
Tricyclarium Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 987.—Prot.
Tricyclea van der Wulp 1884, Ann. Soc. ent. Belgique, 28, Bull., cxcxciii.—Dipt.
Tricycleopsis Villeneuve 1927, Rev. zool. afr., 15, 388.—Dipt.
Tricyclidium Haeckel 1881, Jena. Z., 15, 445.—Prot.
Tricyclodes Curran 1927, Ann. Mag. nat. Hist., (9) 19, 525.—Dipt.
Tricyclonium Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 987.—Prot.
Tricyclopsis Townsend 1916, Canad. Ent., 48, 152.—Dipt.
Tricycloseris Tomes 1878, Quart. J. geol. Soc., 34, 190.—Coel.
Tricyclusa Stechow 1919, Zool. Jahrb., Syst., 42, 6.—Coel.
Tricypha Moeschler 1878, Verh. zool.-bot. Ges. Wien, 27, 1877, Abh., 654.—Lep.
Tricyphistis Meyrick 1934, Exot. Microlep., 4, 449.—Lep.
Tricyphona Zetterstedt 1837, Isis (Oken), 1837, 65; 1838, Ins. Lapp. descr., 551 (as *Triciphona* p. 552).—Dipt.
Tricyphus Kriechbaumer 1898, Ent. Nachr., 24, 30.—Hym.
Tridachia Deshayes 1857, J. Conchyliol., 6, 142.—Moll.
Tridachiella McFarland 1924, Proc. California Acad. Sci., (4) 13, no. 25, 405.—Moll.
Tridachna Lamarck 1799, Mém. Soc. Hist. nat. Paris, 86.—Moll.
Tridachnes Bolten 1798, Mus. Bolten., 2, 171.—Moll.
Tridacna Bruguière (1797), Ency. Méth. (Tabl. Vers.), pl. 235.—Moll.
Tridacne (pro *Tridacna* Bruguière 1797) Link 1807, Besch. Nat. Samml. Univ. Rostock, (3) 153.—Moll.
Tridacnocaris Nobili 1900, Ann. Mus. Stor. nat. Genova, 40, 235.—Crust.
Tridacnodites Krueger 1823, Gesch. d. Urwelt, (2) 464.—Moll.
Tridacnoides Krueger 1823, Gesch. d. Urwelt, (2) 464.—Moll.
Tridacophyllia Blainville 1830, Dict. Sci. Nat., 60, 327.—Coel.
Tridactylia Stephens 1815, in Shaw, Gen. Zool. (Aves), 9 (1), 218.—Aves.
Tridactylophagus Subramaniam 1932, Rec. Indian Mus., 34, 43.—Col.
Tridactylus Olivier 1789, Ency. Méth., 4 (Ins.), 26.—Orth.
Tridactylus Lacepède 1799, Tabl. Oiseaux, 11.—Aves.
Tridactylus Cuvier 1829, Règne Anim., 2, 64; Gray 1831, in Griffith's Cuvier, Anim. Kingd., 9, Syn., 72; Swainson 1839, N.H. Fishes, 2, 157.—Rept.

- Tridactylus* Gardner 1875, Geol. Mag., (N.S.) Dec. 2, 2, 394.—Moll.
Tridacus Bezzi 1915, Bull. ent. Res., 6, 88.—Dipt.
Tridelpyngema Schulz 1927, Sammlung Helminth. Arbeiten Prof. K. I. Skrjabin gewidmet, Moscow, 302.—Verm. (Nema.).
Tridemula Horváth 1914, Ann. Mus. Hungar., 12, 645.—Hem.
Tridenchthonius Balzan 1888, Chern. nonn. Sud Amer., 1, no. 7.—Arachn.
Tridens Eigenmann & Eigenmann 1889, Proc. Calif. Acad. Sci., (2) 2, 53.—Pisces.
Tridensiana Fagot 1891, Bull. Soc. Ramond, 26 (3), 218.—Moll. (Clausiliid.).
Tridensiana Czajot 1910, Etude Moll. Princip. Monaco, 306.—Moll. (Enid.).
Tridenta (err. pro *-donta* Schumacher 1817) Sowerby 1874, Conch. Icon., 19, Astarte pl. i.—Moll.
Tridentata Stechow 1920, S. B. Ges. Morph. Physiol. München, 31, 38.—Coel.
Tridentella Richardson 1905, Bull. U.S. nat. Mus., No. 54, 161.—Crust.
Tridentia Rafinesque 1814, Specchio Sci., 2 (21), 166.—? Coel.
Tridentichnus Gilmore 1927, Smithsonian misc. Coll., 80, no. 3, 70.—Amph.
Tridentifrons Warren 1912, Novit. zool., 19, 45.—Lep.
Tridentiger Gill 1858, Ann. Lyceum nat. Hist. N. York, 7, 16.—Pisces.
Tridentipes Hitchcock 1858, Ichnology New England, 88.—*Inc. sed.*
Tridentistrophia Maynard 1896, Contrib. Sci., 3, 9.—Moll.
Tridentodillo Jackson 1935 [sep. 1933], Bull. Bishop Mus., No. 114, 161.—Crust.
Tridentopsis Myers 1925, Copeia, 148, 84.—Pisces.
Tridentosmia Schmiedeknecht [1885], Apidae Europ., 2, 21.—Hym.
Tridentulus Cope 1892, J. Morph., 7, 233.—Rept.
Triderodon Enderlein 1920, Arch. Naturgesch., 84, 1918, Art, 136.—Hym.
Tridesmodes Warren 1899, Novit. zool., 6, 290.—Lep.
Tridesmus Cook 1897, Brandtia, 5, 21.—Myr.
Tridicroctena Enderlein 1934, S.B. Ges. naturf. Fr. Berlin, 1934, 181.—Dipt.
Tridictyopus Haeckel 1881, Jena. Z., 15, 428.—Prot.
Trididemnum Della Valle 1881, Atti Accad. Lincei, Mem., (3) 10, 478.—Tunicata.
Tridioscelis Roeder 1900, Ent. Ztg., Stettin, 61, 338.—Dipt.
Triditarsula Roewer 1933, in Bronn, Klass. Ordn. Tierreichs, 5, 383.—Arachn.
Triditarsus Roewer 1933, in Bronn, Klass. Ordn. Tierreichs, 5, 380.—Arachn.
Tridon (err. pro *Triton* L. 1758) Bell 1870, J. Conchyliol., 18, 345.—Moll.
Tridonta Schumacher 1817, Essai Vers test., 49, 146.—Moll.
Tridonta Gray [non Schumacher 1817] 1847, Proc. zool. Soc. London, 15, 173.—Moll.
Tridontaster Koehler 1920, Australian Antarct. Exped. 1911-14, Sci. Rep., Zool., Bot., 8, 193, 214.—Echin.
Tridontoporus (pro *Triodontophorus* Looss 1902) Railliet & Henry 1902, C.R. Acad. Sci. Paris, 34, 110.—Verm. (Nema.).
Tridopsis (pro *Triod-* Rafinesque 1819) Beck 1837, Index Moll. Mus. Ch. Fred., (1) 22.—Moll.
Tridrepana Swinhoe 1895, Trans. ent. Soc. London, 1895, 3.—Lep.
Tridryinus Kieffer 1913, Boll. Lab. Zool. Portici, 7, 325.—Hym.
Tridymus Ratzeburg 1848, Die Ichneum., 2, 183.—Hym.
Triecphora (pro *Triecph-* Amyot & Serville 1843) Scudder 1885, in Zittel, Handb. pal., 1 (2), 782.—Hem.
Triecphora Amyot & Serville 1843, (Roret's Suite à Buffon) Hémiptères, 561.—Hem.
Triecphorella Nast 1933, Ann. Mus. zool. polon., 10, 26.—Hem.
Trielasmus Blanchard 1846, in d'Orbigny, Amér. Mérid. (Ins.), 131.—Col.
Trielis Saussure & Sichel 1864, Cat. Spec. Gen. Scolia, 140.—Hym.
Triemisticha Schmitz 1927, Natuurh. Maandbl., 16, 23, 72.—Dipt.
Triencentrus Brunner v. Wattenwyl 1895, Monogr. Pseudophylliden, 17, 151.—Orth.
Trienchodesmus Silvestri 1903, Boll. Mus. Zool. Anat. Comp. Torino, 18 (no. 433), 6.—Myr.
Triennia (err. pro *Tre-* R.-Desvoidy 1830) Walker 1849, List Dipt. Coll. Brit. Mus., (4) 915.—Dipt.
Trienopa Signoret 1860, Ann. Soc. ent. France, (3) 8, 188.—Hem.
Trientoma Solier 1835, Ann. Soc. ent. France, 4, 253, 256.—Col.
Triepeolus Robertson 1901, Canad. Ent., 33, 231.—Hym.
Trieres Candèze 1900, Ann. Soc. ent. Belgique, 44, 78.—Col.
Trieropsis Meyrick 1886, Trans. ent. Soc. London, 1886, 218.—Lep.
Trieropterus Rafinesque 1815, Analyse, 84 [n.n.].—Pisces.
Triestola Meyrick 1932, Exot. Microlep., 4, 231.—Lep.
Trifarcius Poey 1860, Mem. Hist. nat. Cuba, 2, 305.—Pisces.
Trifarina Cushman 1923, Bull. U.S. nat. Mus., No. 104 (4), 99.—Prot.
Trifascicularia Strelkow 1931, Zool. Anz., 94, 37.—Prot.
Trifaux Baker 1935, Nautilus, 48, 135.—Moll.
Trifidaphis Del Guercio 1909, Riv. Patologia Veg., Pavia, 3, 332; 1909, Pomona Coll. J. Ent., 1, 75.—Hem.
Trifissus Jordan & Snyder 1900, Proc. U.S. nat. Mus., 23, 373.—Pisces.

- Trifolium Travassos 1922, *Folha medica*, Rio de Janeiro, 3, 187.—Verm. (Trem.).
 Triforia (err. pro *-ris* Deshayes 1834) Martens 1880, in Moebius, *Beitr. Meeresf. Mauritius* Moll., 282.—Moll.
 Triforis (pro *Tripho-* Deshayes 1832) Deshayes 1834, *Descr. Coq. foss. Environs Paris*, 2, 429.—Moll.
 Trifur Wilson 1917, *Proc. U.S. nat. Mus.*, 53, 101.—Crust.
 Trifurcata Schulz 1926, *Trud. Inst. Exp. Vet. Moscow*, 4, no. 1, 27.—Verm. (Nema.).
 Trifurcella (pro *-cula* Zeller 1848) Chambers 1878, *Bull. U.S. geol. geogr. Surv.*, 4 (1), 165.—Lep.
 Trifurcula Zeller 1848, *Linnaea Entom.*, 3, 330.—Lep. (Tineid.).
 Trifurcula Staudinger 1894, *Dtsch. ent. Z.*, Iris, 7, 56.—Lep. (Pierid.).
 Triga Gray 1867, *Proc. zool. Soc. London*, 1867, 239.—Coel.
 Triga Fauvel 1878, *Bull. Soc. linn. Normandie*, (3) 2, 1877-78, 182.—Col. (See *Trigites* Handlirsch 1908.)
 Trigaeus (pro *Try-* Sharp 1874) Bernhauer & Schubert 1910, *Col. Cat.*, 19, 4.—Col.
 Trigalus Rafinesque 1815, *Analyse*, 77 [n.n.].—Rept.
 Triganodistomum Simer 1929, *Amer. Midl. Nat.*, 11, 572.—Verm. (Trem.).
 Trigaster Benham 1886, *Quart. J. micr. Sci.*, 27, 94.—Verm. (Oligoch.).
 Trigastrotheca Cameron 1906, *Ann. S. Afric. Mus.*, 5, 32.—Hym.
 Trigella (emend. pro *Trigonia* Bruguière 1789) Rafinesque 1815, *Analyse*, 147.—Moll.
 Trigena Dyar 1905, *Proc. U.S. nat. Mus.*, 29, 178.—Lep.
 Trigenicus Douglass 1903, *Ann. Carnegie Mus.*, 2, 162.—Mamm.
 Trigeria Bayle 1878, *Explic. Carte géol. Fr.*, 4, Atl., 1, explan. pl. xiii.—Brach.
 Trigites (n.n. pro *Triga* Fauvel 1878) Handlirsch 1908, *Foss. Ins.*, 731.—Col.
 Trigla Linnaeus 1758, *Syst. Nat.*, ed. 10, 300; 1766, ed. 12, 496.—Pisces.
 Triglena Fieber 1875, *Rev. Mag. Zool.*, (3) 3, 337; 1876, (3) 4, 23.—Hem.
 Triglenus Marshall 1906, in André, *Spec. Hym. Europ.*, 9, 250, 372.—Hym.
 Triglia (err. pro *-gla* L. 1758) Naccari 1822, *Giorn. di Fisica, etc.*, (2) 5, 340.—Pisces.
 Triglochincholis Fitzinger 1872, *S.B. Math.-nat. Cl. Akad. Wiss. Wien*, 65, Abt. 1, 27.—Mamm.
 Triglochinnura Mello-Leitão 1924, *Ann. Soc. ent. France*, 93, 179.—Arachn.
 Triglochis Mueller & Henle 1837, *Ber. Verh. preuss. Akad. Wiss.*, 1837, 113; 1839, *Syst. Plagiost.*, (2) 73.—Pisces.
 Trigloides Van Beneden 1871, *Bull. Acad. roy. Sci. Belgique*, (2) 31, 501.—Pisces.
 Trigloporus Smith 1934, *Trans. roy. Soc. S. Afr.*, 22, 333.—Pisces.
 Triglops Pingel 1830, *Overs. K. Danske VidenskSelsk. Forh.*, —.—Pisces.
 Triglopsis Girard 1851, *Proc. Boston Soc. nat. Hist.*, 4, 19.—Pisces (nec *Triglops* Pingel 1830 see *Phyonotus* Guenther 1860).
 Triglossium Giard [1886-87], *Grande Encycl.*, 3, 330.—Tunicata.
 Triglyphidia Reichenbach (1850), *Avium Syst. Nat.*, pl. lxxiii.—Aves.
 Triglyphodon Duméril 1853, *Mém. Acad. Sci. Inst. France*, 23, 507.—Rept.
 Triglyphothrix Forel 1890, *Ann. Soc. ent. Belgique*, 34, *Bull.*, cvii.—Hym.
 Triglyphulus (n.n. pro *Triglyphus* Leconte 1876) Cockerell 1906, *Ent. News*, 17, 243.—Col.
 Triglyphus Loew 1840, *Posener Zweiflügler*, 30.—Dipt.
 Triglyphus Fraas 1866, *Vor der Sündfluth*, 215.—Mamm.
 Triglyphus Leconte 1876, *Proc. Amer. phil. Soc.*, 15, 116.—Col. (See *Triglyphulus* Cockerell 1906.)
 Trigodon Ameghino 1882, *Cat. Prov. Buenos Aires Exp. Sud-Amer.*, — [n.n.]; 1887, *Apuntes prelim. Mam. Esting. Monte Hermoso*, 8.—Mamm. (Cf. *Trigonodon* Ameghino 1891.)
 Trigomphus Bartenev 1912, *Annu. Mus. zool. Acad. Sci. St. Pétersbourg*, 16, 432.—Odon.
 Trigon (pro *-nia* Bruguière 1789) König 1825, *Icones foss.*, pl. 13.—Moll.
 Trigon (pro *Trygon* Cuvier 1817) Rueppell 1829, in *Atlas zu Rueppell, Reise* (Senckenb. Nat. Ges.) *Fische*, (13) 53.—Pisces.
 Trigona Jurine 1807, *N. Méth. class. Hyménopt.*, 245.—Hym. (? nec *Trigonia* Bruguière 1789 see *Amalthea* Rafinesque 1815).
 Trigona Megerle 1811, *Ges. Nat. Fr. Berlin, Mag.* 5 (1), 55; Perry 1811, *Conchology*, pl. 51.—Moll.
 Trigonactinium Haeckel 1887, *Rep. Voy. Challenger Exped.*, *Zool.*, 18 (1), 472.—Prot.
 Trigonactura Haeckel 1881, *Jena. Z.*, 15, 459.—Prot.
 Trigonacturium Haeckel 1887, *Rep. Voy. Challenger Exped.*, *Zool.*, 18 (1), 471.—Prot.
 Trigonalis (pro *-lys* Westwood 1835) Spinola 1840, *Mag. de Zool.*, (2) 2, pl. 53.—Hym.
 Trigonalos (emend. pro *-lis* Westwood 1835) Schulz 1906, *Spolia hym.*, 92.—Hym.
 Trigonalys Westwood 1835, *Proc. zool. Soc. London*, 3, 52.—Hym.
 Trigonarca Conrad 1862, *Proc. Acad. nat. Sci. Philad.*, 1862, 289.—Moll.
 Trigonarthris Dejean 1837, *Catal. Coléopt.*, ed. 3, 383 [n.n.]; Haldeman (1848), *Trans. Amer. phil. Soc.*, (2) 10, 65.—Col.

- Trigonarthron Boppe 1912, Bull. Soc. ent. France, 1912, 403.—Col.
 Trigonarthrus (emend. pro *-thris* Dejean 1837) Gistl 1848, Nat. Thier., 132.—Col.
 Trigonaspis Hartig 1840, in Germar, Z. Entom., 2 (1), 186.—Hym.
 Trigonaspis Sandberger 1849, Verstein. Rhein. Schicht. Nassau, (1) 29.—Trilobita.
 Trigonaspis Spaeth 1924, Voy. Alluand et Jeannel Afr. or., 18, Cassidinae, 311.—Col.
 Trigonastarte Bigot 1895, Bull. Soc. linn. Normandie, (4) 8, 88, 89.—Moll.
 Trigonastrella Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 539.—Prot.
 Trigonastromma Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 539.—Prot.
 Trigonastrum Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 539.—Prot.
 Trigonatopus Kieffer 1913, Boll. Lab. Zool. Portici, 7, 325.—Hym.
 Trigonectes Myers 1927, Ann. Mag. nat. Hist., (9) 19, 128.—Pisces.
 Trigonella da Costa 1778, Brit. Conch., 196.—Moll.
 Trigonella Conrad 1837, J. Acad. nat. Sci. Philad., 7, 253.—Moll. (See *Pachydesma* Conrad 1854.)
 Trigonella Hehl [non Costa, Conrad] 1842, Schrift. Russ.-K. Gesellsch. Min., 1 (2), 281.—Moll.
 Trigonella Quenstedt 1868, Petref. Dtschl., 2 (1), 25, 27.—Brach. (See *Neotrigonella* Cossmann 1910.)
 Trigonellina Buckman 1907, Quart. J. geol. Soc., 63, 342.—Brach.
 Trigonellites Parkinson 1811, Org. Rem., 3, 184; Schlottheim 1820, Die Petref., 191.—Moll.
 Trigonephrus Pilsbry 1905, Proc. malac. Soc. London, 6, 286.—Moll.
 Trigonepimerus (n.n. pro *Trigonocephalus* Schiacchitano 1931) Schiacchitano 1932, Boll. Zool., Naples, 3, 141.—Prot.
 Trigonholaspis Vitzthum 1930, Zool. Jahrb., Syst., 59, 300.—Arachn.
 Trigonina Bruguière 1789, Ency. Méth., (Vers) (1), xiv.—Moll.
 Trigonina Geyer 1837, in Huebner, Zuträge z. Exot. Schmett., 5, 21, 35.—Lep. (Pierid.).
 Trigonina Guenée 1854, Hist. nat. Ins., Spec. gén. Léop., 8, 11.—Lep. (Noctuid.).
 Trigonias Lucas 1900, Proc. U.S. nat. Mus., 23, 221.—Mamm.
 Trigonidium Audinet-Serville [1838], (Roret's Suite à Buffon) Orthopt., 1839, 349.—Orth. (See *Ceratinopterus* Fieber 1853.)
 Trigonidomimus Caudell 1913, Proc. ent. Soc. Washington, 14, 187.—Orth.
 Trigonidomorpha Chopard 1926, Ark. Zool., 18A, no. 6, 39.—Orth.
 Trigoniluna (err. pro *-nulina* d'Orbigny 1846) Chenu 1862, Man. Conch., 2, 169.—Moll.
 Trigonima Rafinesque 1819, Journ. de Physique, 88, 426.—Moll.
 Trigoniocardia Dall 1900, Trans. Wagner Free Inst. Philad., 3, 1075.—Moll.
 Trigoniophthalmus Verhoeff 1910, Zool. Anz., 36, 430.—Thysanura.
 Trigonistis Meyrick 1902, Trans. ent. Soc. London, 1902, 39.—Lep.
 Trigonithyris Muir-Wood 1935, Geol. & Palaeont. Brit. Somaliland, 2, 131.—Brach.
 Trigoniuulus Pocock 1895, J. Linn. Soc. London, 24, 484.—Myr.
 Trigoniza Brunner 1893, Ann. Mus. Stor. nat. Genova, (2) 13, 141.—Orth.
 Trigonioarca (err. pro *-narca* Conrad 1862) Conrad 1867, Amer. J. Conch., 3, 9.—Moll.
 Trigonobaris Faust 1898, Dtsch. ent. Z., 1898, 74.—Col.
 Trigonobela Turner 1915, Proc. roy. Soc. Queensland, 27, 38.—Lep.
 Trigonobothrys Simon 1889, Ann. Soc. ent. France, (6) 8, 1888, 230.—Arachn.
 Trigonobunus Loman 1894, Tijdschr. Ent., 37, 153.—Arachn.
 Trigonocaelia Gray 1840, Syn. Cont. Brit. Mus., ed. 42, 151 [n.n.].—Moll.
 Trigonocaelix (err. pro *-lia* Gray 1840) Conrad 1865, Amer. J. Conch., 1, 12.—Moll.
 Trigonocallista Rennie 1930, Ann. S. Afric. Mus., 28, 197.—Moll.
 Trigonocardia (err. pro *Trigonio-* Dall 1900) Cossmann 1901, Rev. crit. Paléozool., 5, 157.—Moll.
 Trigonocardia Zittel 1881, Handb. Palaeont., 1 (2), Lief. 1, 105.—Moll.
 Trigonocaris Gurich 1896 (teste Waterhouse 1902, Index zool. 1880-1900, 383).
 Trigonocelia Sowerby 1846, in Darwin, Geol. Obs. "Beagle," 3, 252.—Moll.
 Trigonocephala Macquart 1858 (teste Scudder 1882, Nomen. zool., Suppl. List, 342, *sed non comp.*).—Dipt.
 Trigonocephalus Oppel 1811, Ann. Mus. H.N. (Paris), 16 (95), 377, 388.—Rept.
 Trigonocephalus Schiacchitano 1931, Boll. Zool., Naples, 2, 190.—Prot. (See *Trigonepimerus* Schiacchitano 1932.)
 Trigoniceps Lesson 1842, Echo Monde Savant, 9, 1038.—Aves.
 Trigonocera Becker 1903, Mitt. zool. Mus. Berlin, 2, 57.—Dipt.
 Trigonoceras M'Coy 1844, in Griffith, Syn. Carb. Lst. foss. Ireland, 9.—Moll.
 Trigonochelius Dejean 1833, Catal. Coléopt., ed. 2, 59 [n.n.].—Col. (Gyrinid.).
 Trigonochilus (emend. pro *-cheilus* Dejean 1833) Agassiz 1846, Nomen. Zool. Index Univ.—Col. (Gyrinid.).
 Trigonochilus Brenske 1896, Ent. Nachr., 22, 33.—Col. (Rutelid.).
 Trigonochirus (teste Benedict 1892, Proc. U.S. nat. Mus., 15, 1, 8).—Crust.
 Trigonochlamys Boettger 1881, NachrBl. dtsh. malak. Ges., 13, 120; 1881, Jahrb. dtsh. malak. Ges., 8, 176.—Moll.

- Trigonochorium* Stein 1912, Annu. Mus. zool. Acad. Sci. St. Pétersbourg, 17, 647.—Dipt.
- Trigonochrostia* Hampson 1926, Descr. new Genn. Spp. Noctuidae, 198.—Lep.
- Trigonoclaris* Agassiz 1869, Bull. Mus. comp. Zool. Harvard, 1, no. 9, 263.—Echin.
- Trigonoclymenia* Schindewolf 1934, N. Jahrb., Beil. Bd., 72 (B), 341.—Moll.
- Trigonocnemis* Kraatz 1894, Wien. ent. Ztg., 13, 171.—Col.
- Trigonocnema* Reitter 1893, Verh. Ver. Brünn, 31, 213.—Col.
- Trigonocoelia* Nyst & Galeotti 1835, Bull. Acad. roy. Bruxelles, 2, 289.—Moll.
- Trigonocoelia* Bronn [non Nyst & Galeotti 1835] 1838, Leth. Geogn., 2, 807 (as *Trigonocoelius* p. 934).—Moll.
- Trigonocoelia* Eichwald [non Nyst & Galeotti 1835] 1850, Paleont. Rossica, 53.—Moll.
- Trigonocoelius* see *Trigonocoelia* Bronn 1838.
- Trigonocolus* (n.n. pro *Megarhinus* Schoenherr 1833) Lacordaire 1863, Hist. nat. Ins., Gen. Col., 6, 593.—Col.
- Trigonocorypha* Stål 1873, Ofvers. VetenskAkad. Förh. Stockholm, 30, no. 4, 39.—Orth.
- Trigonocotyle* Baer 1932, Rev. suisse Zool., 39, 199.—Verm. (Cest.).
- Trigonocranus* Fieber 1875, Rev. Mag. Zool., 3 (3) 349; 1875, (3) 4, 168.—Hem.
- Trigonocrinus* Bather 1889, Quart. J. geol. Soc. London, 45, 161.—Echin.
- Trigonocryptops* Verhoeff 1906, Nova Acta Acad. Leop. Carol., 86, 390.—Myr.
- Trigonocystis* Haeckel 1897, Festschr. Carl Gegenbauer, 1, 38.—Echin.
- Trigonodactyla* Dejean 1831, Spec. gén. Coléopt., 5, 288.—Col.
- Trigonodactyla* Brandt 1837, Bull. Sci. Acad. imp. Sci. St. Pétersbourg, 1 (24), 189.—Coel.
- Trigonodemus* Leconte 1863, New Spp. N. Amer. Col., 56.—Col.
- Trigonodera* Dejean 1834, Catal. Coléopt., ed. 2, 217 [n.n.]; Gerstaecker 1855, Rhipiphor. Col. Fam. Disp. Syst., 2.—Col.
- Trigonoderopsis* Girault 1915, Mem. Queensland Mus., 4, 210.—Hym.
- Trigonoderus* Westwood 1829, in Stephens, Nom. Brit. Ins., 36 [n.n.]; 1832, London & Edinburgh Phil. Mag., (3) 1 (2), 127.—Hym.
- Trigonoderus* Gray 1833, Ent. Australia, 1 Phasma, 18.—Orth.
- Trigonoderus* Chevrolat 1844, in Guérin-Ménéville, Iconographie, 43.—Col.
- Trigonodes* Guenée 1852, Hist. nat. Ins., Spec. gén. Lép., 7, 281.—Lep.
- Trigonodesma* Wood 1864, (Pal. Soc. Monogr.) Monogr. Eocene Moll., 1, Bivalves, 86.—Moll.
- Trigonodesmus* (err. pro *demus* Leconte 1863) Gemminger & Harold 1868, Col. Cat., 2, 663.—Col.
- Trigonodictya* Ulrich 1895, Geol. Minnesota, 3, 160.—Bry.
- Trigonodiplosis* Ruebsaamen 1917, S.B. Ges. naturf. Fr. Berlin, 1917, 68.—Dipt.
- Trigonodiscus* Neviani 1900, Bull. Soc. géol. Ital., 19, 651.—Prot.
- Trigonodon* Sismonda 1847, in Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem, (2) 3 (2), 352.—Pisces.
- Trigonodon* Conrad 1865, Amer. J. Conch., 1, 233.—Moll.
- Trigonodon* (emend. pro *Trigodon* Ameghino 1887) Ameghino 1891, Rev. Argent. Hist. nat., 1, entr. 4a, 240.—Mamm. (See *Eutrigonodon* Ameghino 1891.)
- Trigonodonia* Bernhauer 1928, Arch. Naturgesch., 92, A7, 1926, 22.—Col.
- Trigonodus* (Sandberger MS.) Alberti 1864, Ueberblick Trias, 125.—Moll.
- Trigonodus* Newberry & Worthen 1866, Palaeont. Illinois, 111.—Pisces.
- Trigonodus* Winkler [non Newberry & Worthen 1866] 1876, Arch. Mus. Teyl., 4, fasc. 1, 14.—Pisces.
- Trigonoecia* Canu & Bassler 1922, Proc. U.S. nat. Mus., 61, no. 22, 17.—Bry.
- Trigonofemora* Hancock 1906, Ent. News, 17, 89.—Orth.
- Trigonofoenus* Kieffer 1911, Ann. Soc. ent. France, 80, 177.—Hym.
- Trigonogaster* Guérin-Ménéville 1844, C.R. Acad. Sci. (Paris), 19, 1149.—Hym. (Pteromalid.).
- Trigonogaster* Forel 1890, Ann. Soc. ent. Belgique, 34, Bull., cviii.—Hym. (Formicid.).
- Trigonogastra* Ashmead 1904, J. N. York ent. Soc., 12, 330.—Hym.
- Trigonogastrella* Girault 1915, Mem. Queensland Mus., 3, 341.—Hym.
- Trigonogenium* (n.n. pro *Trigonophorus* Solier 1849) Harold 1869, Coleopt. Hefte, 5, 123.—Col.
- Trigonogenius* Solier 1849, in Gay, H.N. Chile, 4, 464.—Col. (Ptinid.).
- Trigonogenius* Hagedorn 1912, Dtsch. ent. Z., 1912, 354.—Col. (Scolytid.). (See *Hagedornus* Lucas 1920.)
- Trigonoglossa* Dunbar & Condra 1932, Bull. geol. Surv. Nebraska, 5, 35.—Brach.
- Trigonognatha* Motschoulsky [1858], Etudes ent., 6, 1857, 25.—Col.
- Trigonograpsus* Nicholson 1869, Ann. Mag. nat. Hist., (4) 4, 231.—Coel.
- Trigonogya* Schaeffer 1918, J. N. York ent. Soc., 26, 213.—Col.
- Trigonolaimus* Ditlevsen 1919, Vidensk. Medd. naturh. Foren. Kjøbenhavn, 70, 177.—Verm. (Nema.).
- Trigonolampa* Regan & Trewavas 1930, Danish "Dana" Exped. 1920-22, Ocean. Rep., 6, 55.—Pisces.

- Trigonolestes Cope 1894, Amer. Nat., 28, no. 334, 868.—Mamm.
 Trigonolobium Dollfus 1929, Bull. Soc. zool. France, 54, 342.—Verm. (Cest.).
 Trigonolophodon Roth 1903, Rev. Mus. La Plata, 11, 148.—Mamm.
 Trigonomartus Petrunkevitch 1913, Trans. Connecticut Acad. Arts Sci., 18, 102.—Arachn.
 Trigonomelea Warren 1904, Novit. zool., 11, 475.—Lep.
 Trigonometopsis Malloch 1925, Proc. Linn. Soc. N. S. Wales, 50, 82.—Dipt.
 Trigonometopus Macquart 1835, (Roret's Suite à Buffon) Diptères, 2, 419.—Dipt. (Cf. *Oxyrhina* Meigen 1838.)
 Trigonomima Enderlein 1914, Wien. ent. Ztg., 33, 164.—Dipt.
 Trigonomina Motschoulsky 1864, Bull. Soc. imp. Nat. Moscou, 37 (2), 349.—Col.
 Trigonomma Enderlein 1911, Zool. Anz., 38, 124.—Dipt.
 Trigonomonas Klebs 1892, Z. wiss. Zool., 55, 330.—Prot.
 Trigonon Crawford 1920, Philippine J. Sci., 17, 354.—Hem.
 Trigonopeltastes Burmeister & Schaum 1840, in Germar, Z. Entom., 2 (2), 366.—Col.
 Trigonopeplus Dejean 1835, Catal. Coléopt., ed. 2, 335 [n.n.]; Thomson 1860, Essai Class. Cerambyc., 339.—Col.
 Trigonophallus Hubbs 1926, Misc. Publ. Mus. Zool. Univ. Michigan, 16, 49.—Pisces.
 Trigonophasma Kirby 1904, Ann. Mag. nat. Hist., (7) 13, 436.—Orth.
 Trigonophasmus Enderlein 1912, Arch. Naturgesch., 78, A2, 14.—Hym.
 Trigonophratus Cameron [1907], Tijdschr. Ent., 50, 36.—Hym.
 Trigonophis Eichwald 1831, Zool. Spec., 3, 175.—Rept.
 Trigonophora Huebner [1821], Verz. bekannt. Schmettl., (14) 217.—Lep.
 Trigonophorinus Pouillaude 1913, Insecta, 3, 43.—Col.
 Trigonophorus (Westwood MS.) Stephens 1829, Syst. Cat. Brit. Ins., 2, Index gen., 387.—Hym.
 Trigonophorus Hope 1831, Zool. Miscell. (Gray), (1) 24.—Col. (Cetoniid.).
 Trigonophorus Nordmann 1837, Mém. présentés Acad. imp. Sci. St. Pétersbourg, 4 (1 & 2), 8.—Col. (Staphylinid.). (See *Trigonopselaphus* Gemminger & Harold 1868.)
 Trigonophorus Solier 1849, in Gay, Chili, 4 (Col.), 495.—Col. (Buprestid.). (See *Trigonogenium* Harold 1869.)
 Trigonophrys Hallowell 1856, Proc. Acad. nat. Sci. Philad., 8, 298.—Amph.
 Trigonophylla Turner 1920, Proc. roy. Soc. Queensland, 31, 1919, 170.—Lep.
 Trigonophymus Stål 1873, Recensio Orth., 1, 77.—Orth.
 Trigonopilus Fairmaire 1893, Ann. Soc. ent. France, 62, 22.—Col.
 Trigonopis (Munier-Chalmas MS.) Fischer 1887, Man. Conch., 1019.—Moll.
 Trigonoplax Milne-Edwards 1853, Ann. Sci. nat., (3) Zool., 20, 224.—Crust.
 Trigonopleurus Bonvouloir [1875], Ann. Soc. ent. France, (4) 10, Suppl., 681.—Col.
 Trigonopoda Gebien [1914*], Arch. Naturgesch., 79, A9, 1913, 213.—Col.
 Trigonopora Maplestone 1902, Proc. roy. Soc. Victoria, 15, 23.—Bry.
 Trigonoporus Lang 1884, Die Polycladen, 429, 502.—Verm. (Turb.).
 Trigonops Guérin-Ménéville 1841, Rev. Zool. (Soc. Cuv.), 4, 128.—Col.
 Trigonopselaphus (n.n. pro *Trigonophorus* Nordmann 1837) Gemminger & Harold 1868, Col. Cat., 2, 597.—Col.
 Trigonopsis Perty 1833, Del. anim. artic. Brasil., (3) 141.—Hym.
 Trigonoptera Perroud 1855, Ann. Soc. linn. Lyon, (N.S.) 2, 1854-55, 336.—Col. (nec *Trygonoptera* Mueller & Henle 1841 see *Arsysia* Pascoe 1867).
 Trigonopterus Fauvel 1863, Bull. Soc. linn. Normandie, 7 (1861-62), 157.—Col. (nec *Trigonoptera* Perroud 1855 see *Trigonus* Fauvel 1867).
 Trigonopteryx Charpentier 1841, Orthopt., (1) tab. 5.—Orth.
 Trigonoptila Warren 1894, Novit. zool., 1, 441.—Lep.
 Trigonopus Mulsant & Rey 1853, Mem. Acad. Sci. Lyon, Cl. Sci., 3, 21.—Col.
 Trigonopyralis Amsel 1935, Mitt. zool. Mus. Berlin, 20, 280.—Lep.
 Trigonoremus (err. pro *-semus* Koenig 1825) Gray 1848, Ann. Mag. nat. Hist., (2) 2, 438.—Brach.
 Trigonorhinus Wollaston 1861, Ann. Mag. nat. Hist., (3) 7, 102.—Col.
 Trigonoscelis Solier 1836, Ann. Soc. ent. France, 5, 21.—Col.
 Trigonosceliscus Enderlein 1910, S.B. Ges. naturf. Fr. Berlin, 1910, 75, 76.—Psocopt.
 Trigonoscorpio Petrunkevitch 1913, Trans. Connecticut Acad. Arts Sci., 18, 46.—Arachn.
 Trigonoscuta Motschoulsky 1853, Etudes ent., 1, 79.—Col.
 Trigonosema (err. pro *-mus* Koenig 1825) Paetel 1875, Fam. Gatt. Moll., 212.—Brach.
 Trigonosemus Koenig 1825, Icones foss., 3.—Brach.
 Trigonosoma Gray 1832, in Griffith's Cuvier, Anim. Kingd. (Ins.), 15, 774.—Dipt.
 Trigonosoma Laporte 1834, Ess. Hémipt. in Magasin de Zool., 2, 69.—Hem.
 Trigonosoma Dejean 1835, Catal. Coléopt., ed. 2, 279 [n.n.].—Col.
 Trigonosomus Faust 1892, Ent. Ztg., Stettin, 53, 220.—Col.
 Trigonospartus Faust 1898, Ent. Ztg., Stettin, 58, 245.—Col.
 Trigonosphaerium Kobelt 1913, NachrBl. dtsch. malak. Ges., 45, 88.—Moll.

- Trigonospila Pokorny 1886, Wien. ent. Ztg., 5, 191.—Dipt.
 Trigonospilus Ashmead 1900, Proc. U.S. nat. Mus., 23, no. 1206, 134.—Hym.
 Trigonosternum Schmidt 1931, Geol. Palaont. Abh., (N.F.) 18 (4), 30.—Amph.
 Trigonostoma Blainville 1825 (*teste* Scudder 1882, Nomen. zool., Suppl. List, 342 *sed non comp.*).—Moll.
 Trigonostoma Dejean 1833, Catal. Coléopt., ed. 2, 157 [*n.n.*].—Col. (Cf. *Trigonostomum* Burmeister 1844.)
 Trigonostoma Fitzinger 1833, Beitr. Landesk. Oesterr. Enns (Ver. Vaterl. Gesch. Wien), 3, 97.—Moll.
 Trigonostoma Gray [non Fitzinger 1833] 1847, Proc. zool. Soc. London, 15, 136.—Moll.
 Trigonostoma Lioy 1864, Atti Ist. Veneto, (3) 9, 990.—Dipt.
 Trigonostoma Vest [non Fitzinger, Gray] 1867, Verh. Mitt. Siebenburg. Ver. Naturw., 18, 193.—Moll. (See *Erjavecja* Brusina 1870.)
 Trigonostomum (pro *-ma* Dejean 1833 *n.n.*) Burmeister 1844, Handb. Ent., 4 (1), 466.—Col.
 Trigonostomum Schmidt 1852, S.B. Akad. Wiss. Wien, Math.-naturw. Kl., 9, 500.—Verm. (Turb.).
 Trigonostylops Ameghino 1897, Boll. Inst. Geogr. Argent., 18, 88, 492.—Mamm.
 Trigonostylus Broelemann 1898, Ann. Soc. ent. France, 67, 273.—Myr.
 Trigonotarbus Pocock 1911, (Mon. Palaeont. Soc.) Mon. terr. Carbon. Arachn. Gt. Brit., 64, 73.—Arachn.
 Trigonotarsis Dejean 1835, Catal. Coléopt., ed. 2, 356 [*n.n.*].—Col. (Cerambycid.).
 Trigonotarsus Guérin 1838, in Schoenherr, Gen. et Sp. Curc., 4 (2), 843.—Col. (Curculionid.).
 Trigonotarsus Hope 1843, Ann. Mag. nat. Hist., 12, 357.—Col. (Tenebrionid.). (See *Sobas* Pascoe 1863.)
 Trigonothir Miers 1879, Ann. Mag. nat. Hist., (5) 4, 4.—Crust.
 Trigonothops Macleay 1864, Trans. ent. Soc. N.S. Wales, 1, 110.—Col.
 Trigonotoma Dejean 1828, Spec. gén. Coléopt., 3, 182.—Col.
 Trigonotrema Goto & Ozaki 1929, Japan. J. Zool., 2, 371.—Verm. (Trem.).
 Trigonotreta Koenig 1825, Icones foss., 3.—Brach.
 Trigonotylus Fieber 1858, Wien. ent. Monatschr., 2, 302.—Hem.
 Trigonotyphis Jousseau 1881, Rev. Mag. Zool., (3) 7, 339.—Moll.
 Trigonulina d'Orbigny 1846, in Sagra, H.N. Cuba (Moll.), 2, 291.—Moll.
 Trigonulina Seguenza 1862, Descr. Foram. Monotal. Miocene Messina, 74.—Prot.
 Trigonura Sichel 1866, Ann. Soc. ent. France, (4) 5, 1865, 376.—Hym.
 Trigonurus Mulsant 1847, Ann. Sci. Soc. Agric. Lyon, 10, 515.—Col.
 Trigonurus Duméril 1853, Mém. Acad. Sci. Inst. France, 23, 498.—Rept.
 Trigonus (n.n. pro *Trigonopterus* Fauvel 1863) Fauvel 1867, Bull. Soc. linn. Normandie, (2) 1, 1865-66, 196.—Col.
 Trigorima Rafinesque 1820, Cont. Mon. Shells Ohio, 7 [*n.n.*].—Brach.
 Trigrammia Herrich-Schaeffer [1856 (Pls. 1855)], Samml. aussereurop. Schmett., Heteroc., 26, 41, fig. 347.—Lep.
 Trigrammus Gratzianow 1907, Trud. Otd. ichth., Moscow, 4, 418.—Pisces.
 Trigrya Raymond 1908, Ann. Carnegie Mus., 4, 198.—Moll.
 Trihabda (pro *Trih-* Leconte 1865) Crotch 1873, Proc. Acad. nat. Sci. Philad., 1873, 56.—Col.
 Trihammatius (emend. pro *Trih-* Chevrolat 1857) Chevrolat 1859, in Thomson, Arcana Naturae, 50.—Col.
 Trihamus Hitchcock 1865, Ichnol. New England, Suppl., 9.—*Inc. sed.*
 Trihelix Ancey 1898, Ann. Mus. Hist. nat. Marseille, (2) Bull. 1 (1), 132.—Moll.
 Trihoplophora Brunner 1888, Verh. zool.-bot. Ges. Wien, 38, Abh., 280.—Orth.
 Trihoplus (pro *Trih-* Burmeister 1847) Kolbe 1910, Ann. Soc. ent. Belgique, 54, 333.—Col.
 Triisodon Cope 1881, Amer. Natural., 15, 667; 1881, Proc. Amer. phil. Soc., 19, 485.—Mamm.
 Trikentriion Ehlers 1870, Die Esper'schen Spong., —.—Prot.
 Trikona Maulik 1916, Proc. zool. Soc. London, 1916, 583.—Col.
 Trilacodea Spaeth 1902, Dtsch. ent. Z., 1902, 98.—Col.
 Trilaccus Horváth 1902, Termés. Füzetek, 25, 610.—Hem.
 Trilampterium Haeckel 1881, Jena. Z., 15, 434.—Prot.
 Trilasmis Hinds 1844, Zool. "Sulphur," 71.—Crust.
 Trilatitus Gray 1842, Ann. Mag. nat. Hist., 10, 258.—Mamm.
 Trilencia Grote 1883, Trans. Amer. ent. Soc., 10, 265.—Lep.
 Trilepas van der Hoeven 1833, Handb. Dierk., 2, 22.—Crust.
 Trilepta Cobb 1920, Contr. Nematology, 312.—Verm. (Nema.) (See *Trileptium* Cobb 1933.)
 Trileptium (n.n. pro *Trilepta* Cobb 1920) Cobb 1933, J. Parasitology, 20, 82.—Verm. (Nema.).
 Trileuca Grote 1883, Proc. Amer. philos. Soc., 21, 166.—Lep.

- Trilia* Vachal 1900 Ann. Soc. ent. France, 68, 1899, 534.—Hym.
Triliacos Saussure & Sichel 1864, Cat. Spec. Gen. Scolia, 33.—Hym.
Triliarthrus Casey 1914, Mem. Col., 5, 238.—Col.
Triliropus Mayer 1903, in Weber, Siboga Exped., 34, 54.—Crust.
Trillina Munier-Chalmas 1882, Bull. Soc. géol. France, (3) 10, 424.—Prot.
Triloba Vest 1867, Verh. Mitt. siebenbürg. Ver. Naturw., 18, 165.—Moll. (nec *Trilobus* Bruennich 1781 see *Trilobella* Woodward 1924).
Triloba Mudrezowa-Wyss 1929, Arch. Protistenk., 68, 422.—Prot.
Trilobalis (n.n. pro *Brongniartia* Eightes 1833) Rafinesque 1836, Life of Travel, 106.—Crust.
Trilobaphis Theobald 1922, Ent. mon. Mag., 58, 137.—Hem.
Trilobatum Popofsky 1912, Dtsch. Südpolar Exped. 1901-1903, 13, Zool. 5, 132.—Prot.
Trilobella (n.n. pro *Triloba* Vest 1867) Woodward 1924, Proc. malac. Soc. London, 16, 59.—Moll.
Trilobia Del Guercio 1919, Agric. Coloniale, 13, 46.—Dipt.
Trilobiella Del Guercio 1919, Agric. Coloniale, 13, 181.—Dipt.
Trilobites Link 1807, Besch. Nat. Samml. Univ. Rostock, (4) 5; Parkinson 1811, Org. Rem., 3, 263.—Trilobita.
Trilobiticerus Buckman 1919, Type Ammonites, 3, pt. 20, no. 140.—Moll.
Trilobitideus Raffray 1898, Bull. Soc. ent. France, 1898, 351.—Col.
Trilobocara Solier 1851, in Gay, Hist. Chile, 5, 129.—Col.
Trilobodon Roth 1901, Rev. Mus. La Plata, 10, 253.—Mamm.
Trilobodrilus Remane 1925, Zool. Anz., 65, 15.—Verm. (Polych.).
Trilobomyza Hendel 1931, in Lindner, Flieg. Palaearct. Reg., 59, 71.—Dipt.
Triloburus Gill 1861, Proc. Acad. nat. Sci. Philad., 1861, Suppl. [Cat. Fish E. Coast N. Amer.], 30.—Pisces.
Trilobus Bruennich 1781, Nye Saml. K. Danske Skrifter, 1, 388.—Trilobita.
Trilobus Bastian 1865, Trans. Linn. Soc. London, 25, 99.—Verm. (Nema.).
Trilocha (n.n. pro *Napepa* Walker 1855 p. 1152) Moore (1858), Cat. Lepidopt. Ins. E. India Co., 2, 382.—Lep.
Trilochana Moore 1879, in Hewitson & Moore, Descr. new Ind. Lepidopt. Ins., 9.—Lep.
Trilocularia Olsson 1867, Lunds Univ. Arsskr., Math. Naturv.-Vetensk., 1866, 42; 1870, Acta Univ. Lund., 6, 1869, 5.—Verm. (Cest.).
Triloculina d'Orbigny 1826, Ann. Sci. Nat., 7 (27), 299.—Prot.
Trilocularia (pro *Iaria* Olsson 1867) Klaptocz 1908 (*teste* Stiles & Hassall 1912, Bull. U.S. hyg. Lab., No. 85, 456).—Verm. (Cest.).
Trilodon (err. pro *Tribo*-Ameghino 1887) Flower & Lydekker 1891, Mamm., Living & Extinct, 484.—Mamm.
Trilohmannia Willmann 1923, Arch. Hydrobiol., 14, 475.—Arachn.
Trilonche Hinde 1899, Quart. J. geol. Soc., 55, 47.—Prot.
Trilophidia Stål 1873, Recensio Orth., 1, 117.—Orth.
Trilophodon Falconer & Cautley 1846, F. Antiq. Sival., (1) 54; 1847, (5) pl. 42; Falconer 1857, Quart. J. geol. Soc. London, 13, 313.—Mamm.
Trilophomyiacris Pruvost 1920, Ann. Soc. géol. Nord, 43, 284.—Protorth.
Trilophomys (n.n. pro *Lophiomys* Depéret 1890) Depéret 1892, Mém. Soc. géol. France, Pal., 3, 121.—Mamm.
Trilophonota Hampson 1898, J. Bombay nat. Hist. Soc., 11, 700.—Lep.
Trilophopora Lang 1916, Ann. Mag. nat. Hist., (8) 18, 391, 393.—Bry.
Trilophosaurus Case 1928, J. Washington Acad. Sci., 18 (7), 177; 1928, Contr. Mus. Geol. Univ. Michigan, 3 (1), 1.—Rept.
Trilophus Andrewes 1927, Ann. Mag. nat. Hist., (9) 20, 263.—Col.
Trilychnia Motschoulsky 1853, Etudes ent., 1, 29.—Col.
Trimalacothonrus Berlese 1916, Redia, 12, 336.—Arachn.
Trimarcha Grimmer 1841, Steiermark's Coleopt., 47.—Col.
Trimarginites Rollier 1909, Arch. Sci. phys. Hist. nat. Genève, 28, no. 12, 622.—Moll.
Trimastigamoeba Whitmore 1911, Arch. Protistenk., 23, 85.—Prot.
Trimastix Kent 1880, Man. Infus., 302.—Prot.
Trimecella Paetel 1875, Fam. Gatt. Moll., 212.—Brach.
Trimela Ohaus 1924, Stettin. ent. Ztg., 84, 171.—Col.
Trimenodon Gloger 1841, Gemeinnütz. Naturges., 1, 124.—Mamm.
Trimenopon Cummings 1913, Bull. ent. Res., 4, 39.—Malloph.
Trimenornis Roberts 1922, Ann. Transvaal Mus., 8, 213.—Aves.
Trimerus (Motschoulsky MS.) Murray 1864, Trans. Linn. Soc. London, 24, 405.—Col.
Trimeraster Schoendorf 1909, Palaeontographica, 56, 68, 108.—Echin.
Trimerella Billings 1862, Geol. Surv. Canada, 1, New Spp. Silur. Foss., 166.—Moll.
Trimerella Lindstroem 1867, Ofvers. Svenska VetenskAkad. Förh., 24, 253.—Brach.
 (See *Gottlandia* Dall 1870.)

- Trimeresia* Wehrli 1935, Ent. Rdsch., 52, 119.—Lep.
Trimeresura (pro -us Lacepède 1804) Fleming 1822, Philos. Zool., 2, 291.—Rept.
Trimeresurus Lacepède 1804, Ann. Mus. Hist. nat. (Paris), 4 (21), 209.—Rept.
Trimeria Saussure [1855], Etudes Fam. Vespides, 3, 81.—Hym.
Trimerina Macquart 1835, (Roret's Suite à Buffon) Diptères, 2, 528.—Dipt.
Trimerinoides Cresson 1925, Ent. News, 36, 165.—Dipt.
Trimeroccephalus M'Coy 1849, Ann. Mag. nat. Hist., (2) 4, 399.—Trilobita.
Trimeroceras Hyatt 1884, Proc. Boston Soc. nat. Hist., 22, 278.—Moll.
Trimerocrinus Wanner 1916, Paläont. Timor, 6 (1), 143.—Echin.
Trimerocystis Schuchert 1904, Smithsonian. misc. Collect., 47, 237.—Echin.
Trimeroderus Fairmaire 1896, Ann. Soc. ent. Belgique, 40, 372.—Col.
Trimerodus Cope 1873, Palaeont. Bull., No. 16, 8.—Mamm.
Trimerodytes Cope 1895, Proc. Acad. nat. Sci. Philad., 1894, 426.—Rept.
Trimerogastra Hendei 1914, Suppl. ent., 3, 110.—Dipt.
Trimeromicrus Gahan 1914, Proc. U.S. nat. Mus., 48, 161.—Hym.
Trimeropheron Rothenbuehler 1900, Rev. suisse Zool., 8, 185.—Myr.
Trimerophorella Verhoeff 1902, Arch. Naturgesch., 68 (1), 175.—Myr.
Trimerophrys Jacobi 1922, Arch. Naturgesch., 87, A12, 33.—Hem.
Trimeropus (n.n. pro *Lycosoides* Gourret 1887) Thorell 1891, K. svenska Vetensk. Akad. Handl., 24, 60.—Arachn.
Trimerorhachis Cope 1878, Proc. Amer. phil. Soc., 17, 524.—Rept.
Trimerorhinus Smith (1847), Ill. Zool. S. Afr. (Rept.), pl. lvi.—Rept.
Trimerostephanos Ameghino 1895, Bol. Inst. Geogr. Argent., 15, 646 (46).—Mamm.
Trimerotropis Stål 1873, Recensio Orth., 1, 118.—Orth.
Trimerus Green 1832, Monthly Amer. J. Geol., 1, 560.—Trilobita.
Trimerus Chaudoir 1878, Rev. Mag. Zool., (3) 6, 89.—Col. (See *Amorphomerus* Sloane 1923.)
Trimerus Nalepa 1892, Anz. Akad. Wiss. Wien, 29, 155.—Arachn. (See *Epitrimerus* Nalepa 1898.)
Trimerus Gray 1840, Syn. Cont. Brit. Mus., ed. 42, 41 [n.n.]; 1842, Zool. Misc., 48.—Rept.
Trimetopia Guenée 1857, Hist. nat. Ins., Spec. gén. Lép., 9, 352.—Lep.
Trimetopon Cope 1885, Proc. Amer. phil. Soc., 22, 177.—Rept.
Trimericus Motschoulsky 1855, Etudes ent., 4, 16.—Col.
Trimicra Osten-Sacken 1861, Proc. Acad. nat. Sci. Philad., 1861, 290.—Dipt.
Trimicrops Kieffer 1906, Ann. Soc. sci. Bruxelles, Mém., 30, 142.—Hym.
Trimiodina Raffray 1898, Rev. Ent. franç., 17, 231.—Col.
Trimiodytes Raffray 1897, Trans. S. Afr. phil. Soc., 10, 52.—Col.
Trimiomelba Casey 1897, Ann. N. York Acad. Sci., 9, 503.—Col.
Trimiomicrocus (pro *Triomicrus* Sharp 1883) Raffray 1908, Gen. Insect., 64, 252.—Col.
Trimiomorphus Raffray 1890, Rev. Ent. franç., 9, 93.—Col.
Trimiopectus Brendel 1890, Bull. Labs. nat. Hist. Univ. Iowa, 2, 50.—Col.
Trimioptis Reitter 1882, Dtsch. ent. Z., 24, 149.—Col.
Trimiosella Raffray 1898, Rev. Ent. franç., 17, 236.—Col.
Trimitomerus Horn 1888, Trans. Amer. ent. Soc., 15, 44.—Col.
Trimitus Alexeieff 1910, Arch. Zool. exp. gén. Paris, (5) 6, Not. et Rev., v.—Prot.
Trimium Aubé 1833, Pselaph. Monogr. in Magasin de Zool., 3, 44.—Col.
Trimma Jordan & Seale 1906, Bull. U.S. Bur. Fish., 25, 391.—Pisces.
Trimorion Barrande 1867, Syst. silur. centre Bohême, 1, Rech. Pal., 2, 265.—Moll.
Trimorphocerus Dahlbom 1857, Ofvers. Vetensk. Akad. Förh. Stockholm, 14, 293.—Hym.
Trimorphodon Cope 1869, Proc. Amer. phil. Soc., 1869, 151.—Rept.
Trimorphus Stephens 1828, Ill. Brit. Ent. (Mand. 1), 180.—Col.
Trimorus Foerster 1856, Hym. Studien, 2, 101.—Hym. (Scelionid.).
Trimorus Kriechbaumer 1894, Berlin. ent. Z., 39, 60.—Hym. (Ichneumonid.). (See *Neotrimorus* Dalla Torre 1898.)
Trimosina Cushman 1927, Contrib. Cushman Lab. Foraminif. Res., 3, 64.—Prot.
Trimota Heller 1920, Arch. Naturgesch., 84, A8, 1918, 27.—Col.
Trimuricea Gordon 1926, Proc. zool. Soc. London, 1926, 515.—Coel.
Trimusculus Schmidt 1818, Vers. Einth. Conch. [teste Marschall 1873, Nomen. zool., 143]; Moeller 1832, Isis (Oken), 1832, 132.—Moll.
Trimyctis (pro -mytis Leconte 1851) Holdhaus 1927, in Schroeder, Handb. Ent., 2, 888.—Col.
Trimyema Lackey 1925, Bull. New Jersey agric. Exp. Sta. No. 417, 34.—Prot.
Trimylus Roger 1886, Ber. Ver. Augsburg, 28, 106.—Mamm.
Trimytis Leconte 1851, Ann. Lyceum nat. Hist., N. York, 5, 141.—Col.
Trinaconeura Turner 1933, Proc. Linn. Soc. N.S. Wales, 58, 88.—Lep.
Trinacoplax Enderlein 1934, S.B. Ges. naturf. Fr. Berlin, 1934, 189.—Dipt.
Trinacria Mayer 1868, Vierteljahr. naturf. Ges. Zürich, 13, 27, 77, 81, 179.—Moll.
Trinacria Boettger 1877, Clausilienstud., 33.—Moll. (See *Sicania* Tomlin 1929.)

- Trinacria Casey 1922, Mem. Col., 10, 99.—Col.
 Trinacriella Del-Guercio 1913, Redia, 9, 169.—Hem.
 Trinacriella Parona 1933, Mem. Soc. geol. Ital., 1, 32.—Spong.
 Trinacrioceras Fucini 1931, Pal. Ital., 31, 147.—Moll.
 Trinacromerum Cragin 1888, Amer. Geol., 2, 405.—Rept.
 Trinarina Mulsant 1852, Mém. Acad. Lyon, 2, 20.—Dipt.
 Trinarina Mulsant 1869, Ann. Soc. linn. Lyon, (N.S.) 17, 358.—Col.
 Trinarina Provancher 1886, Add. Hym. Quebec, 149.—Hym.
 Trinatton Kolenati 1846, Melet. Entom., (5) 137.—Malloph.
 Trincavellius Distant 1900, Trans. ent. Soc. London, 1900, 163.—Hem.
 Trinchesia Ihering 1879, Zool. Anz., 2, 137.—Moll.
 Trinchocephalus (pro *Trich-* Schrank 1788) Matta 1914, Arch. brasil. Med., 4, 388.—Verm. (Nema.).
 Trinetes Rafinesque 1831, Enum. obj. Cab., 1; 1832, Atlantic J., 1 (1), 20.—Pisces.
 Trinella Bory de St. Vincent 1827, Ency. Méth. (Zooph.), 753.—Prot.
 Trinella Gray 1870, Cat. Stony Corals Brit. Mus., 12.—Coel.
 Trinema Dujardin 1841, (Roret's Suite à Buffon) Infusoires, 249.—Prot.
 Trinemacystis Haeckel 1897, Festschr. Carl Gegenbauer, 1, 65.—Echin.
 Trinemachichthys Bleeker 1859-60, Nat. Tijdschr. Ned. Ind., 20, 433.—Pisces.
 Trinemophora Schaeffer 1897, Ergeb. Hamburg. Magalh. Sammelr., 1897, 29.—Thysanura.
 Trinemura Silvestri 1908, Fauna südwest-Australiens, 2 (4), 61.—Thysanura.
 Trinemurodes Silvestri 1921, Boll. Lab. Zool. Portici, 11, 117.—Thysanura.
 Trinephrus Beddard 1895, Mon. Oligoch., 481.—Verm. (Oligoch.).
 Trinerivertemes Holmgren 1912, K. svenska VetenskAkad. Handl., 48, no. 4, 59.—Isopt.
 Trineura Meigen 1803, Mag. f. Insektenk. (Illiger), 2, 276.—Dipt.
 Trineuragrion Ris 1915, in Sarasin & Roux, Nova Caledonia, Zool., A2 (1), 63.—Odon.
 Trineurocephala Schmitz 1923, Jaarb. Nat. Hist. Genootschap, 1920-23, 57.—Dipt.
 Trinevra (emend. pro *neura* Meigen 1803) Agassiz 1846, Nomen. Zool. Index Univ.—Dipt.
 Tringa Linnaeus 1758, Syst. Nat., ed. 10, 148; 1766, ed. 12, 247; Bonaparte 1831, Giorn. Arcad., 49, 56.—Aves.
 Tringilburra Lucas 1901, Proc. roy. Soc. Queensland, 16, 81.—Lep.
 Tringilla (err. pro *Fringilla* L. 1758) Wood 1835, The Analyst, 2 (10), 234.—Aves.
 Tringites (pro *Try-* Cabanis 1856) Sharpe 1896, Cat. Birds Brit. Mus., 24, 521.—Aves.
 Tringoides Bonaparte 1827, Ann. Lyceum nat. Hist. New York, 2, 326.—Aves.
 Tringula (err. pro *-ga* L. 1758) Gérardin 1822, Rec. Planches Tabl. élém. Ornith., 123.—Aves.
 Trinidadia Dyar & Heinrich 1927, Proc. U.S. nat. Mus., 71, art. 19, 5.—Lep.
 Trinisphinctes Buckman 1922, Type Ammonites, 4, pt. 35, pl. 332.—Moll.
 Trinitodexia Townsend 1935, Rev. Ent. Rio de Janeiro, 5, 222.—Dipt.
 Trinitodoria Townsend 1935, Rev. Ent. Rio de Janeiro, 5, 233.—Dipt.
 Trinodes Dejean 1821, Cat. Coléopt., 47 [n.n.]; Sturm 1826, Cat. Ins. Samml., 204 [n.n.]; Latreille 1829, in Cuvier, Règne Anim., ed. 2, 4, 513.—Col.
 Trinodia Casey 1915, Mem. Col., 6, 365.—Col.
 Trinodontomys Rhoads 1894, Proc. Acad. nat. Sci. Philad., 1894, 256.—Mamm.
 Trinodus M'Coy 1846, in Griffith, Syn. Silurian foss. Ireland, 56.—Trilobita.
 Trinomys Thomas 1921, Ann. Mag. nat. Hist., (9) 8, 140.—Mamm.
 Trinophylum Bates 1878, Proc. zool. Soc. London, 1878, 720.—Col.
 Trinostoma (err. pro *Tri-* Adams 1853) Kowalewski 1930, Bull. Serv. Géol. Pologne, 6 (1), 149.—Moll.
 Trinotion (pro *-ton* Nitzsch 1818) Perry 1876, Proc. lit. phil. Soc. Liverpool, 30, lxxx.—Malloph.
 Trinoton Nitzsch 1818, Mag. Entom. (Germar), 3, 300.—Malloph.
 Trinotoperla Tillyard 1924, Trans. roy. Soc. S. Australia, 48, 193.—Plecopt.
 Trintotum (? pro *-ton* Nitzsch 1818) Burmeister 1838, Handb. Ent., 2 (2), pt. i, 440.—Malloph.
 Trinoxia Brenske 1894, Ent. Ztg., Stettin, 55, 272.—Col.
 Trinucleus Link 1807, Besch. Nat. Samml. Univ. Rostock, (4) 6 [n.n.].—? Xiphosura.
 Trinucleus Murchison 1839, Silurian System, 659.—Trilobita.
 Trioceros see *Triceros*.
 Triochara Bernhauer 1901, Ent. Ztg., Stettin, 62, 373.—Col.
 Triocnemis Grote 1881, Papilio, 1, 77.—Lep.
 Triodia Huebner [1820], Verz. bekannt. Schmett., (13) 198.—Lep.
 Triodiscus Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18, xl.—Prot.
 Triodites (emend. pro *Poeciloptera* Latreille 1829) Gistel 1848, Nat. Thierr., x.—Hem.
 Triodites Osten-Sacken 1877, Bull. U.S. geol. Surv., 3, 245.—Dipt.
 Triodoclytus (n.n. pro *Paraclytus* Casey 1912) Casey 1913, Mem. Col., 4, 387.—Col.
 Triodon Cuvier 1829, Règne Anim., ed. 2, 2, 370.—Pisces.
 Triodon Ameghino 1875, J. Zool. Paris, 4 (6), 528.—Mamm.

- Triodonta* Bory de St. Vincent 1827, Ency. Méth. (Zooph.), 753.—Prot.
Triodonta Mulsant 1842, H.N. Coléopt. France (Lam.), 468.—Col. (See *Triodontella* Reitter 1919.)
Triodonta (emend. pro *Trid-* Schumacher 1817) Agassiz 1846, Nomen. Zool. Index Univ.—Moll.
Triodonta (n.n. pro *Polydonta* Macquart 1850) Williston 1885, Bull. Brooklyn ent. Soc., 7, 136; 1886, Synops. N. Amer. Syrph. (Bull. U.S. nat. Mus., No. 31), 205.—Dipt.
Triodonta Koenen 1893, Abh. preuss. geol. Landesanst., 10 (5) 1209.—Moll.
Triodontella (n.n. pro *Triodonta* Mulsant 1842) Reitter 1919, Ent. Blätter, 15, 221.—Col.
Triodontolaimus Man 1893, Mém. Soc. zool. France, 6, 114.—Verm. (Nema.).
Triodontolaimus Micoletzky [non Man 1893] 1913, S.B. Akad. Wiss. Wien, 122, 111.—Verm. (Nema.).
Triodontonyx Moser 1921, Stettin. ent. Ztg., 82, 68.—Col.
Triodontophorus (n.n. pro *Triodontus* Looss 1900) Looss 1902, Rec. Egypt. Sch. trop. Med., 1901, 37, 78.—Verm. (Nema.).
Triodontopsis (emend. pro *-dopsis* Rafinesque 1819) Agassiz 1846, Nomen. Zool. Index Univ.—Moll.
Triodontopyga Townsend 1927, Rev. Mus. paulista, 15 (1), 268.—Dipt.
Triodontus Westwood 1843, J. Proc. ent. Soc. London, No. 6, 90; 1845, Ann. Mag. nat. Hist., 15, 440.—Col.
Triodontus Looss 1900, Zbl. Bakt., 27, 153, 190.—Verm. (Nema.). (See *Triodontophorus* Looss 1902.)
Triodontus Rafinesque 1819, Journ. de Physique, 88, 425; 1831, Enum. obj. Cab., 3.—Moll.
Triodos Barnard 1916, Ann. S. Afric. Mus., 15, 140.—Crust.
Triodus Jourdan 1849, N. Jahrb. f. Min., 1849, 843.—Pisces.
Triodusa Mabilie 1904, Gen. Insect., 17 (C), 144.—Lep.
Trioenophorus (pro *Triae-* Rudolphi 1793) Mégnin 1881, J. Anat. Phys., 17, 419.—Verm. (Cest.).
Triogma Schiner 1863, Wien. ent. Monatschr., 7, 223.—Dipt.
Triognus Marshall 1874, Ent. Annual, 1874, 134.—Hym.
Triograptus Mosen 1925, Norsk geol. Tidsskr., 8, 168.—Coel.
Triola (err. pro *Tricla* Retzius 1788) Retzius 1800, in Journ. de Phys., 1, 146.—Moll.
Triolena Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18, 564.—Prot.
Triolynx Cameron 1913, J. R. agric. Soc. Demerara, 3, 130.—Hym.
Triomicrus Sharp 1883, Trans. ent. Soc. London, 1883, 325.—Col.
Triommata Barnes 1931, Bull. ent. Res., 22, 205.—Dipt.
Triommatodes Warren 1889, Trans. ent. Soc. London, 1889, 251.—Lep.
Triomphala (err. pro *-lia* Sowerby 1849) Clessin 1892, Syst. Conch. Cab., (2) Lief. 392, 35.—Moll.
Triomphalia Sowerby 1849, Thes. Conch., 2 (10), 500.—Moll.
Trionchonema Kreis 1932, Trans. Amer. micr. Soc., 51, 48.—Verm. (Nema.).
Trionchus MacCallum 1916, Zoopathologica, 1, 16.—Verm. (Trem.).
Trioniscus Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 486.—Prot.
Trionyx Sharp [1885], J. Linn. Soc. London, Zool., 19, 1886, 70.—Col.
Trionychicum Ehrenberg 1834, Isis (Oken), 1834, 711.—Arachn.
Trionychiperna Roewer 1929, Rev. suisse Zool., 36, 621.—Arachn.
Trionychis (err. pro *-nyx* Geoffroy 1809) Kutorga 1837, Geogn. Pal. Dorpat's, ed. 2, 49.—Rept.
Trionychus Dejean 1833, Catal. Coléopt., ed. 2, 150 [n.n.]; Burmeister 1847, Handb. Ent., 5, 140.—Col.
Trionymus (n.n. pro *Signoretia* Kraatz 1888) Berg 1899, Comun. Mus. nac. Buenos Aires, 1, no. 3, 78.—Hem.
Trionyx Geoffroy St. Hilaire 1809, N. Bull. Sci. Soc. philom. Paris, 1 (22), 363.—Rept.
Trionyx Oken 1816, Lehrb. Nat., 3 (2), 1097.—Mamm.
Trionyx Haliday 1833, Entom. Mag., 1 (5), 487.—Hym. (See *Toxares* Westwood 1840 & *Teronyx* Haldeman 1842.)
Trionyxana Roewer 1927, Abh. Naturw. Ver. Bremen, 26 (2), 346.—Arachn.
Trionyxella Roewer 1912, Arch. Naturgesch., 78, A1, 12.—Arachn.
Triopa Johnston 1838, Ann. nat. Hist., 1 (2), 123.—Moll.
Triopades Huebner [1819], Verz. bekannt. Schmett., (5) 73.—Lep.
Triopella Sars 1878, Moll. Reg. Arct. Norveg., xii, 310.—Moll.
Triopes see *Triops*.
Triopha Bergh 1880, in Dall, Explor. Alaska, 1, art. 6, 261.—Moll.
Triophthalmus Ehrenberg 1838, Infusionsthier., 451.—Verm. (Rotif.).
Triophydeus Thor 1932, Zool. Anz., 98, 88.—Arachn.
Trioplognathus Ohaus 1904, Ent. Ztg., Stettin, 65, 133.—Col.
Trioplus Burmeister 1847, Handb. Ent., 5, 147.—Col.

- Triops Schrank 1803, F. Boica, 3 (1), 180 (as *Triopes* p. 251).—Crust.
 Triopsis Rafinesque 1815, Analyse, 160 [*n.n.*].—Prot.
 Triopsis Signoret 1860, Ann. Soc. ent. France, (3) 8, 187.—Hem.
 Triopus Barrande 1872, Syst. silur. centre Bohême, 1, Suppl., 140.—Moll.
 Triopyle Haeckel 1881, Jena. Z., 15, 464.—Prot.
 Trioracodon Simpson 1928, Cat. Mesozoic Mamm. geol. Dep. British Museum, 88.—Mamm.
 Triorbis Hampson 1894, Fauna Brit. India, Moths, 2, 366.—Lep.
 Triorchis Leach 1816, Syst. Cat. Mamm. Birds Brit. Mus., 10.—Aves.
 Triorchis Kaup 1829, Skizz. Europ. Thierw., 84.—Aves.
 Triorchis Clerc 1903, Rev. suisse Zool., 11, 286.—Verm. (Cest.).
 Triorisma Warren 1897, Novit. zool., 4, 395.—Lep.
 Triorophus Leconte 1851, Ann. Lyceum nat. Hist. N. York, 5, 141.—Col.
 Triorus Jordan & Hubbs 1925, Mem. Carnegie Mus., 10, 256.—Pisces.
 Trioserica Moser 1922, Stettin. ent. Ztg., 83, 111.—Col.
 Triospyridium Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1032.—Prot.
 Triospyris Haeckel 1881, Jena. Z., 15, 441.—Prot.
 Triospyrium Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1030.—Prot.
 Triostephus Haeckel 1881, Jena. Z., 15, 445.—Prot.
 Triotennus Wollaston 1864, Catal. Coleopt. Ins. Canaries, 264.—Col.
 Triothorus Swainson 1829, Zool. Illustr., (2) 1 (3), pl. 11; Lafresnaye 1839, Rev. Zool. (Soc. Cuv.), 99.—Aves.
 Trioxeia de Folin 1881, Bull. Soc. Hist. nat. Toulouse, 15, 141 [*n.n.*]; ? 1882, Fonds de la Mer, 4, livr. 75, 132 [*n.n.*].—Prot.
 Trioxites Rafinesque 1839, Bull. Soc. géol. France, 10, 380.—? Spong.
 Trioxocera Pierce 1909, Bull. U.S. nat. Mus., No. 66, 86.—Col.
 Trioxys Haliday 1833, Entom. Mag., 1 (5), 488.—Hym.
 Trioza Foerster 1848, Verh. nat. Ver. preuss. Rheinl., 5, 67, 82.—Hem.
 Trioza Bremi 1885, Verh. zool.-bot. Ges. Wien, 35, 457 [*teste* Waterhouse 1902, Index zool., 1880-1900, 384, *sed non comp.*].—Arachn.
 Triozites Buckman 1924, Type Ammonites, 5, pt. 46, no. 494.—Moll.
 Triozocera (emend. pro *Trioxo*- Pierce 1909) Pierce 1911, Proc. U.S. nat. Mus., 40, 490.—Col.
 Triozoida Crawford 1911, Pomona Coll. J. Ent., 3, 491.—Hem.
 Tripachatina Bourguignat 1889, Moll. Afr. Equator., 73.—Moll.
 Tripalmaria Gasskovsky 1919, Trav. Soc. Nat. Petrograd, 49, 32.—Prot.
 Tripaloia (Letourneux MS.) Bourguignat 1880, Etude Foss. Tert. Quat. Vallée Cettina, 44, 52.—Moll.
 Tripanda (*n.n.* pro *Panda* Distant 1898) Berg 1899, Comun. Mus. nac. Buenos Aires, 1, no. 3, 78.—Hem.
 Tripanisma (pro *Try*- Chambers 1860) Chambers 1878, Bull. U.S. geol. geogr. Surv., 4 (1), 166.—Lep.
 Tripanosoma (pro *Try*- Gruby 1843) Stiles & Hassall 1925, Bull. hyg. Lab. Washington, No. 140, 19.—Prot.
 Tripanurga Brauer & Bergenstamm 1891, Denkschr. Akad. Wiss. Wien, 58, 367, 414.—Dipt.
 Tripanurgos Fitzinger 1843, Syst. Rept., 27.—Rept.
 Tripanurgus (emend. pro *-gos* Fitzinger 1843) Agassiz 1846, Nomen. Zool. Index Univ.—Rept.
 Tripaphylus (? pro *Trypaphylum* Richiardi 1878) Richiardi 1880, Catal. Sez. ital. espoz. Internaz. Pesca Berlino, 151.—Crust.
 Tripaulites Delo 1935, J. Palaeont., 9, 412.—Trilobita.
 Tripectenopus Lea 1918, Rec. S. Australian Mus., 1, 83.—Col.
 Tripedalia Conant 1897, Circ. Johns Hopkins Univ., No. 17, 9.—Coel.
 Tripedias Foerster 1856, Hym. Studien, 2, 60.—Hym.
 Tripedilum Kieffer 1921 (June), Ann. Soc. sci. Bruxelles, 40, 271; 1921 (Dec.), Ann. Soc. ent. France, 90, 28.—Dipt.
 Tripelma Kieffer 1913, Rec. Ind. Mus., 9, 128.—Dipt.
 Tripeltis Cope 1886, Proc. Amer. phil. Soc., 23, 487.—Rept.
 Tripeltis Thorell 1889, Ann. Mus. Stor. nat. Genova, 27, 554.—Arachn. (See *Triplonus* Cook 1899 & *Trithyreus* Kraepelin 1899.)
 Triperopus Mayer 1903, in Weber, Siboga Exped., 34, 56.—Crust.
 Tripistes Casey 1922, Mem. Col., 10, 28.—Col.
 Tripetalocera Westwood [1835], Zool. Journ., 5 (20), 1832-34, 444.—Orth.
 Tripeticus (pro *Try*- Marseul 1864) Miwa 1931, Contr. ent. Lab. Taihoku imp. Univ., No. 32, 50.—Col.
 Triphaena Ochsenheimer 1816, Schmett. Europa, 4, 69.—Lep.
 Triphaenopsis Butler 1878, Ann. Mag. nat. Hist., (5) 1, 163.—Lep.
 Triphalopsis Blaisdell 1923, Proc. Calif. Acad. Sci., (4) 12, 232.—Col.
 Triphalus Leconte 1866, New Spp. N. Amer. Col., 104.—Col.

- Triphana* Skuse 1890, Proc. Linn. Soc. N.S. Wales, (2) 4, 777.—Dipt.
Triphasius (n.n. pro *Thysanus* Walker 1839, preocc. in botany) Foerster 1856, Hym. Studien, 2, 83.—Hym. (Cf. *Plastocharis* Foerster 1856.)
Triphassa Huebner 1818, Zuträge z. Exot. Schmett., 1, 26.—Lep.
Tripheria Amyot 1846, Ann. Soc. ent. France, (2) 4, 153.—Hem.
Tripheromera Swinhoe 1903, Trans. ent. Soc. London, 1903, 55.—Lep.
Triphetus (pro *Try*-Faust 1895) Heller 1926, Ent. Blätter, 22, 186.—Col.
Triphleba Rondani 1856, Dipt. ital. Prodr., 1, 136.—Dipt.
Triphleps Fieber [1860], Europ. Hem., 1861, 39, 140; 1860, Wien. ent. Monatschr., 4, 266.—Hem.
Triphlyctis Amyot 1846, Ann. Soc. ent. France, (2) 4, 137.—Hem.
Triphon (err. pro *Try*-Fallén 1813) Berthold 1827, in Latreille, Nat. Fam. Thierr., 599.—Hym.
Triphora Blainville 1828, Dict. Sci. Nat., 55, 344.—Moll.
Triphoris Deshayes 1832, Ency. méth. (Vers), 3, 1052.—Moll.
Triphorus (pro *-ris* Deshayes 1832) Swainson 1840, Treat. Malac., 342.—Moll.
Triphosa Stephens 1829, Nom. Brit. Ins., 44 [n.n.]; 1831, Ill. Brit. Ent. (Haust. 3), 261.—Lep.
Triphyllacanthus Oakley 1930, Parasitology, 22, 200.—Crust.
Triphyllactis Sollas 1880, Ann. Mag. nat. Hist., (5) 6, 390.—Spong.
Triphyllia Reitter 1898, Dtsch. ent. Z., 1898, 359.—Col.
Triphyllina Reitter 1878, Verh. Ver. Brünn, 16, 1877, Abh., 167.—Col.
Triphyllites Jullien 1911, C.R. Somm. Séances Soc. géol. France, 1911, no. 11-12, 129.—Moll.
Triphyllocoenia d'Orbigny 1849, Note Polyp. foss., 7.—Coel.
Triphyllozoon Canu & Bassler 1917, Bull. U.S. nat. Mus., No. 96, 56.—Bry.
Triphyllus (Megerle MS.) Dejean 1821, Catal. Coléopt., 102 [n.n.]; Sturm 1826, Catal. Ins. Samml., 204 [n.n.]; Latreille 1829, in Cuvier, Règne Anim., ed. 2, 5, 98.—Col.
Triphylus Hudson 1880, in Hudson & Gosse, Rotif., Suppl., 19.—Verm. (Rotif.).
Triphysa Zeller 1850, Ent. Ztg., Stettin, 11, 308.—Lep.
Tripia Gregorio 1890, Ann. Géol. Paléont., 7, 37.—Moll.
Tripidospyris Haeckel 1881, Jena. Z., 15, 441.—Prot.
Tripilatus Roewer 1932, Arch. Naturgesch., (N.F.) 1, 313.—Arachn.
Tripilidium Haeckel 1881, Jena. Z., 15, 428.—Prot.
Tripisus (n.n. pro *Atractonema* Leuckart 1887) Chitwood 1935, Proc. Helminth. Soc. Washington, 2, 53.—Verm. (Nema.).
Triplacidea Gorham 1901, Ent. Ztg., Stettin, 62, 191.—Col.
Triplacidia Bittner 1891, Verh. geol. Reichsanst., 1891, no. 6, 143.—Echin.
Triplagia Haeckel 1881, Jena. Z., 15, 423.—Prot.
Triplagiacantha Schroeder 1914, Nord. Plankton, 17, 73.—Prot.
Triplagnostus Howell 1935, Bull. Wagner Free Inst., 10, 14.—Trilobita.
Triplaricrinites (Goldfuss MS.) Schultze 1867, Dtsch. Akad. Wiss. Wien, 26, 199.—Echin.
Triplaricrinus (pro *-crinites* Schultze 1867) Bather 1900, in Lankester, Treat. Zool., 3, 204.—Echin.
Triplasia Reuss 1854, Denkschr. Akad. Wiss. Wien, 7 (1), 65.—Prot.
Triplasius Loew 1855, Progr. Realsch. Meseritz (N. Beitr. Kennt. Dipt., 3), 7.—Dipt.
Triplasta Kieffer 1901, Feuille jeunes Natural., 31, 160.—Hym.
Triplatoma Gray 1832, in Griffith's Cuvier, Anim. Kingd. (Ins.), 15, 795.—Col.
Triplatygaster Kieffer 1913, Brotéria, 11, 178.—Hym.
Triplatyx Horváth 1904, Ann. Mus. Hungar., 2, 255.—Hem.
Triplax Herbst 1793, in Jablonsky, Nat. Ins., (Käfer) 5, 146.—Col.
Triplecella Wilson 1932, Trans. roy. Soc. Canada, (3) 26 (4), 399.—Brach.
Triplecta Haeckel 1881, Jena. Z., 15, 424.—Prot.
Triplectides Kolenati 1858, Gen. Sp. Trichopt., 150, 169, 247.—Trichopt.
Triplectrus Leconte 1846, Ann. Lyceum N.H. New York, 4, 381 [i.e. 281].—Col.
Triplasia Hall 1859, Ann. Rep. Regents Univ. State New York, 12, 44; 1859, Palaeont. N. York, 3 (1), 522.—Brach.
Tripleuchlanis (teste Remane 1933, in Bronn, Klass. Ordn. Tierreichs, 4, Abt. 2, Buch 1, Lief. 4, 515).—Verm. (Rotif.).
Tripleurium Haeckel 1881, Jena. Z., 15, 427.—Prot.
Tripleuroceras Hyatt 1884, Proc. Boston Soc. nat. Hist., 22, 289.—Moll.
Tripleurocrinus Wood 1904, Smithsonian. misc. Coll., 47, 56.—Echin.
Triplex Perry 1810, Arcana, sign. M7.—Moll.
Triplacosta Cooper 1896, Proc. Calif. Acad. Sci., (2) 6, 333.—Moll.
Triplisa Weise 1897, Dtsch. ent. Z., 1897, 145, 150.—Col.
Triploca Tate 1893, J. Proc. R. Soc. N.S. Wales, 27, 186.—Moll.
Triplotenia Enderlein 1934, S.B. Ges. naturf. Fr. Berlin, 1934, 181.—Dipt.
Triplodon Spix 1827, Testac. Brasil., 35.—Moll.

- Triplogenus Chaudoir 1852, Bull. Soc. imp. Nat. Moscou, 25 (1), 71.—Col.
 Triplopus (n.n. pro *Tripeltis* Thorell 1889) Cook 1899, Proc. ent. Soc. Washington, 4, 249.—Arachn.
 Triplochium Cobb 1920, Contr. Nematology, 300.—Verm. (Nema.).
 Triploxycha Motschoulsky 1853, Etudes ent., 1, 54.—Col.
 Triploxychoides Schwarz 1906, Gen. Insect., 46 (B), 181.—Col.
 Triploxychus Candèze 1860, Mém. Soc. Sci. Liège, 15 (Monog. Elatér.), 236.—Col.
 Triplooceras Hyatt 1884, Proc. Boston Soc. nat. Hist., 22, 285.—Moll.
 Triplophleps Hampson [1893], Fauna Brit. Ind., Moths, 1, 1892, 392.—Lep.
 Triplophos Brauer 1902, Zool. Anz., 25, 282.—Pisces.
 Triplophyllum Simpson 1900, Bull. N. York Mus., 8 (39), 209.—Coel.
 Triplophysa Rendahl 1933, Ark. Zool., 25A, no. 11, 21.—Pisces.
 Triplopterus M'Coy 1855, Brit. Palaeoz. Foss., 589.—Pisces.
 Triplopus Cope 1880, Amer. Natural., 14, 383.—Mamm.
 Triplosarus Bates 1874, Ann. Mag. nat. Hist., (4) 13, 270.—Col.
 Triplosoba Handlirsch 1906, Fossil Ins., 312.—Palaeodict.
 Triplostephanus Dall 1908, Nautilus, 21, 124, 125.—Moll.
 Triplostephoma (err. pro *Phanus* Dall 1908) Bartsch 1923, Nautilus, 37, 62.—Moll.
 Triplostomum Lutz 1935, Mem. Inst. Oswaldo Cruz, 30, 157.—Verm. (Trem.).
 Triplotaenia Boas 1902, Zool. Jahrb., Syst., 17, 329.—Verm. (Cest.).
 Triplotriaena (pro *Diplo-* Railliet & Henry 1909) Connal 1912, J. London Sch. trop. Med., 1, 232.—Verm. (Nema.).
 Triplura Haeckel 1879, Syst. der Medusen, 1, 36.—Coel.
 Tripneustes Agassiz 1841, Mon. Ech. (Anat. Echinus, 1), viii.—Echin.
 Tripocalpis Haeckel 1881, Jena. Z., 15, 428.—Prot.
 Tripoceratium Kofoid 1909, Bull. Mus. comp. Zool. Harvard, 52, 218.—Prot.
 Tripochtonius (pro *Trhypochth-* Berlese 1905) Berlese 1905, Redia, 2, 237.—Arachn.
 Tripocoronis Haeckel 1881, Jena. Z., 15, 445.—Prot.
 Tripocubus Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 994.—Prot.
 Tripocyclus Haeckel 1881, Jena. Z., 15, 458.—Prot.
 Tripocyrtis Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18, 1201.—Prot.
 Tripodaula Meyrick 1933, Exot. Microlep., 4, 407.—Lep.
 Tripodetes Fischer de Waldheim 1830, Oryct. Moscou, sign. d¹.—Echin.
 Tripodictya Haeckel 1881, Jena. Z., 15, 460.—Prot.
 Tripodiscinus Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1143.—Prot.
 Tripodiscium Haeckel 1881, Jena. Z., 15, 428.—Prot.
 Tripodisculus Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1144.—Prot.
 Tripodiscus Haeckel 1881, Jena. Z., 15, 428.—Prot.
 Tripodium Hovasse 1932, Bull. Soc. zool. France, 57, 118.—Prot.
 Tripodocorys Haeckel 1881, Jena. Z., 15, 428.—Prot.
 Tripodospyris Haeckel 1881, Jena. Z., 15, 441.—Prot.
 Tripodicryptus (n.n. pro *Brachycryptus* Quedenfeldt 1891) Strand 1929, Acta Univ. Latviensis, 20, 24.—Col.
 Tripolycystus Girault & Dodd 1915, Mem. Queensland Mus., 3, 337.—Hym.
 Tripomorpha see *Thripomorpha*.
 Tripoplax Berry 1919, Proc. California Acad. Sci., (4) 9, 1.—Moll.
 Triporobius Silvestri 1917, Rec. Ind. Mus., 13, 313.—Myr.
 Triportheus Cope 1872, Proc. Acad. nat. Sci. Philad., 1871, 263.—Pisces.
 Triporula Canu & Leconte 1925, Mém. Soc. géol. France, (N.S.) 2, Mém. 4, 9 [n.n.]; Canu & Bassler 1927, Proc. U.S. nat. Mus., 69 (14), 8.—Bry.
 Triporus Andrewes 1921, Ent. mon. Mag., 57, 251.—Col.
 Tripos Bory de St. Vincent 1823, Dict. Class. H.N., 3, 356.—Verm. (Trem.).
 Triposolenia Kofoid 1906, Univ. Calif. Publ. Zool., 3, 101.—Prot.
 Triposphaera Hinde 1890, Ann. Mag. nat. Hist., (6) 6, 54.—Prot.
 Triposphaerilla Wisniewski 1889, Kosmos, Lemberg, 14, 235.—Spong.
 Tripospyrantha Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1025.—Prot.
 Tripospyrella Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1026.—Prot.
 Tripospyris (? err. pro *Tvipido-* Haeckel 1881) Haeckel 1887, Rep. Voy. Challenger Exped., 18 (2), 1025.—Prot.
 Tripospyrissa Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1027.—Prot.
 Tripospyromma Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1028.—Prot.
 Trippa Bergh 1877, Jahrb. dtsh. malak. Ges., 4, 63; 1877, in Semper, Reis. Arch. Philipp., 2 (2), Heft 12, 543.—Moll.
 Triprion Marsh 1889, Amer. J. Sci., (3) 38, 86.—Mamm.
 Triprion (n.n. pro *Pharyngodon* Cope 1865) Cope 1866, Proc. Acad. nat. Sci. Philad., 1866, 127.—Amph.

- Triprionium Haeckel 1881, Jena. Z., 15, 428.—Prot.
 Triprocris Grote 1873, Bull. Buffalo Soc. nat. Hist., 1, 35.—Lep.
 Triprora Warren 1897, Novit. zool., 4, 401.—Lep.
 Triprothomo Ameghino 1884, Filogenia, 381.—Mamm.
 Triprotosimia Ameghino 1884, Filogenia, 383.—Mamm.
 Triprotoglydytes Ameghino 1884, Filogenia, 383.—Mamm.
 Trips (pro *Thr*-L. 1758) Linnaeus 1763, Amoen. Acad., 6, 401.—Thysanopt.
 Tripselia Scott 1917, Parasitology, 9, 608.—Dipt.
 Tripsuoxa Hampson 1903, Cat. Lep. Phalaenae Brit. Mus., Agrotinae, 4, 139.—Lep.
 Tripsurus Swainson 1837, N.H. Classif. Birds, 2, 311.—Aves.
 Tripter (pro *-ra* Quoy & Gaimard 1825) Rang 1829, Man. Moll., 116.—Moll.
 Triptera Quoy & Gaimard 1825, Voy. "Uranie" (Zool.), 416.—Moll.
 Tripteres (? pro *-ra* Quoy & Gaimard 1825) Gray 1840, Syn. Cont. Brit. Mus., ed. 42, 151.—Moll.
 Tripteria Enderlein 1912, Arch. Naturgesch., 78, A2, 26.—Hym.
 Tripteridia Warren 1903, Novit. zool., 10, 375.—Lep.
 Tripterocalpis Haeckel 1881, Jena. Z., 15, 428.—Prot.
 Tripteroceras Hyatt 1884, Proc. Boston Soc. nat. Hist., 22, 287.—Moll.
 Tripterocerina Foerste 1935, J. Sci. Lab. Denison Univ., 30, 49.—Moll.
 Tripteron Playfair 1866, in Playfair & Guenther, Fishes Zanzibar, 42.—Pisces.
 Tripteroides Giles 1904, J. trop. Med. Hyg., 7, 369.—Dipt.
 Tripteromalus Kieffer 1910, Zbl. Bakt., (2) 27, 414.—Hym.
 Triptonotus Lacépède 1803, Hist. Nat. Poiss., 5, 47.—Pisces.
 Tripterophycis Boulenger 1902, Ann. Mag. nat. Hist., (7) 9, 335.—Pisces.
 Tripterotyphis Pilsbry & Lowe 1933, Proc. Acad. nat. Sci. Philad., 84, 78.—Moll.
 Tripterus (emend. pro *Trisop*-Rafinesque 1814) Agassiz 1846, Nomen. Zool. Index Univ.—Pisces.
 Tripterus M'Coy 1848, Ann. Mag. nat. Hist., (2) 2, 306.—Pisces.
 Tripterygion Risso 1826, H.N. Europe, 3, 241.—Pisces.
 Tripterygium (emend. pro *-gion* Risso 1826) Agassiz 1846, Nomen. Zool. Index Univ.—Pisces.
 Triptichia (err. pro *-tychia* Sandberger 1875) Clessin 1879, Malak. Bl., (N.F.) 1, 59.—Moll.
 Triptila Warren 1894, Novit. zool., 1, 398.—Lep.
 Triptocis Lea 1913, Trans. roy. Soc. S. Australia, 37, 271.—Col.
 Triptodema (pro *Try*-Dietz 1905) Forbes 1923, Lepidopt. N. York, 138.—Lep.
 Triptognathus Berthoumieu 1904, Gen. Insect., 18, 49.—Hym.
 Triptogon Ménétries 1857, Enum. Corp. Anim. Mus. Petropolit., 2, 94.—Lep.
 Triptolemus Peckham 1885, Proc. nat. Hist. Soc. Wisconsin, 1885, 63.—Arachn.
 Triptolemus Sollas 1888, Rep. Voy. Challenger Exped., Zool., 25, 93.—Spong.
 Triptologa Meyrick 1914, Exot. Microlep., 1, 257.—Lep.
 Triptorhinus Cabanis 1847, Arch. Naturgesch., 13 (1), 219.—Aves.
 Triptotricha Loew 1872, Berlin. ent. Z., 16, 59.—Dipt.
 Triptycha Mueller 1859, Monogr. Petrefacten Aachen. Kreideform., Suppl., 21.—Moll.
 Triptychia Sandberger 1875, Land- u. Süßw. Conch. Vorwelt, 460.—Moll.
 Triptychus Moersch 1875, Malak. Bl., 22, 158.—Moll.
 Triptyxis Pöclinzev 1924, Trav. Soc. Nat. Leningrad, 54 (4), 120, 121.—Moll.
 Tripudia Grote 1877, Canad. Ent., 9, 69.—Lep.
 Tripula Bastian 1865, Trans. Linn. Soc. London, 25, 93, 178 (as *Tripyla* pp. 93, 115).—Verm. (Nema.).
 Tripura Moore (1858), Cat. Lepidopt. Ins. E. India Co., 2, 298.—Lep.
 Tripus Rafinesque 1815, Analyse, 160 [n.n.].—Prot.
 Tripus (emend. pro *-pos* Bory 1823) Agassiz 1846, Nomen. Zool. Index Univ.—Verm. (Trem.).
 Tripusidia Casey 1922, Mem. Col., 10, 387.—Col.
 Tripus Casey 1922, Mem. Col., 10, 386.—Col.
 Tripyla see Tripula.
 Tripylaster Mortensen 1907, Danish Ingolf-Exped., 4 (2), Echin. pt. 2, 122.—Echin.
 Tripylium Cobb 1920, Contr. Nematology, 9, 288.—Verm. (Nema.).
 Tripylocelis Haswell 1907, Trans. Linn. Soc. London, (2) 9, Zool., 466.—Verm. (Turb.).
 Tripyloides Man 1886, Anat. Unters. peil. Nordsee-Nemat., 60.—Verm. (Nema.).
 Tripylus Philippi 1845, Arch. Naturgesch., 1845, 344.—Echin.
 Triquetra Blainville 1828, Dict. Sci. Nat., 57, 274.—Moll.
 Triquetra Fairmaire 1846, Ann. Soc. ent. France, (2) 4, 279.—Hem. (See *Alchisme* Kirkaldy 1904.)
 Triquetra Conrad [non Blainville 1828] 1846, Amer. J. Sci., [2] 1, 217.—Moll.
 Triquetra (Klein MS.) Moersch [non Blainville, Conrad] 1853, Cat. Yoldi, 2, 43.—Moll.
 Triquetrana Simpson 1900, Proc. U.S. nat. Mus., 22, 869.—Moll.
 Triquetricornis Amyot 1846, Ann. Soc. ent. France, (2) 3, 482.—Hem.

- Trirachodon Seeley 1894, Phil. Trans., London, 186, 48.—Rept.
 Trirachodontoides Broom 1932, Mamm.-like Rept. of S. Africa, 284.—Rept.
 Trirachopoda Hampson 1893, Ill. typ. Spec. Lep. Het. Coll. Br. Mus., 9, 147.—Lep.
 Trirachys Hope 1843, Ann. Mag. nat. Hist., 11, 63.—Col.
 Trirammatum (Eschscholtz MS.) Chaudoir 1835, Ann. Soc. ent. France, 4, 446.—Col.
 Trirremis (Bayle MS.) Fischer 1884, Man. Conch., 641.—Moll.
 Trirhabda Leconte 1865, Proc. Acad. nat. Sci. Philad., 1865, 219.—Col.
 Trirhachis (emend. pro *-rachys* Hope 1843) Agassiz 1846, Nomen. Zool. Index Univ.—Col.
 Trirhacus Fieber 1875, Rev. Mag. Zool., (3) 4, 175.—Hem.
 Trirhammatum (emend. pro *Triva-* Chaudoir 1835) Agassiz 1846, Nomen. Zool. Index Univ.—Col.
 Trirhinopholis Boulenger 1893, Cat. Snakes Brit. Mus., 1, 419.—Rept.
 Trirhithromyia Hendel 1931, Bull. Soc. ent. Egypte, 1931, 2.—Dipt.
 Trirhithrum Bezzi 1918, Bull. ent. Res., 8, 236.—Dipt.
 Trirhizodon Cope 1890, Amer. Nat., 24, no. 283, 603.—Mamm.
 Trirhogma (emend. pro *-rogma* Westwood 1841) Agassiz 1846, Nomen. Zool. Index Univ.—Hym.
 Trirhoptrasema Kieffer 1901, Bull. Soc. ent. France, 1901, 344.—Hym.
 Tririgma Westwood 1841, J. Proc. ent. Soc. London, no. 1, 6; 1842, Trans. ent. Soc. London, 3, 223.—Hym.
 Trirrhabda (pro *Trirh-* Leconte 1865) Gemminger & Harold 1876, Cat. Col., 12, 3575.—Col.
 Trisacantha Ashmead 1887, Ent. Amer., 3, 117.—Hym.
 Trisacra Foerster 1868, Verh. naturh. Ver. Rheinlande, 25, 174.—Hym.
 Trisactis Schultz 1760, Verst. Seest., 49.—Echin.
 Trisalena Lambert 1895, in Grossouvre, Rech. Craie sup. (Monogr. Micraster), 262.—Echin.
 Trisanteon Kieffer 1913, Bull. Soc. ent. France, 1913, 300.—Hym.
 Trisaurus Aldrich & Jones 1930, Mus. Pap. Alabama Mus. nat. Hist., No. 9, 57.—Rept.
 Triscaedecactis Schultz 1760, Verst. Seest., 51.—Echin.
 Triscaedecia Hampson 1905, Trans. ent. Soc. London, 1905, 247.—Lep.
 Trischalis Hampson 1894, Fauna Brit. India, Moths, 2, 101.—Lep.
 Trischallis (err. pro *-alis* Hampson 1894) Seitz 1914, Gross-Schmett. Erde, 10, 123.—Lep.
 Trischidias Hopkins 1915, Rep. Off. Secy. U.S. Dep. Agric., 99, 7, 12.—Col.
 Trischidocera Villeneuve 1915, Ann. Mus. hungar., 13, 93.—Dipt.
 Trischistognatha Warren 1892, Ann. Mag. nat. Hist., (6) 9, 429.—Lep.
 Trischistoma Cobb 1913, J. Washington Acad. Sci., 3, 441.—Verm. (Nema.).
 Trischiza Foerster 1869, Verh. zool.-bot. Ges. Wien, 19, Abh., 367.—Hym.
 Trischizostoma Boeckh 1860, Forh. Skand. naturf., 1860, 637.—Crust.
 Triscilioa Gribodo 1893, Bull. Soc. ent. Ital., 25, 145.—Hym.
 Triscolia Saussure & Sichel 1864, Cat. Spec. Gen. Scolia, 38.—Hym.
 Triscurreichthys (n.n. pro *Merulinus* Jordan & Evermann 1898) Whitley 1931, Australian Zool., 6, 327.—Pisces.
 Trisecus Bergroth 1895, Proc. roy. Soc. Victoria, (N.S.) 7, 296.—Hem.
 Trisegmentina Wiesner 1931, Dtsch. Südpolar Exped. 1901-03, 20, 70.—Prot.
 Trisepe Rafinesque 1815, Analyse, 76 [n.n.].—Rept.
 Trishelea Kieffer 1924, Beitr. Kunde Estl., 10, 153.—Dipt.
 Trishoplita Jacobi 1898, J. Coll. Sci. imp. Univ. Tokyo, 12, 65.—Moll.
 Trishormomya Kieffer 1912, Neue Gallmücken-Gatt., 2; 1912, Marcellia, 11, xi.—Dipt.
 Trishormomyia (pro *-mya* Kieffer 1912) Felt 1925, Bull. N. York State Mus., No. 257, 170.—Dipt.
 Trisides Walker 1863, List Specimens Lep. Ins. Brit. Mus., 27, 78.—Lep.
 Trisidos Bolten 1798, Mus. Bolten., 2, 175.—Moll.
 Trisilus Haag-Rutenberg 1878, Verh. Ver. naturw. Unterh. Hamburg, 3, 101.—Col.
 Trisinostemma Kieffer [1914], in André, Spec. Hym. Europe, 11, 357.—Hym.
 Trisinus Raffray 1894, Rev. Ent. franç., 13, 265.—Col.
 Trisis Oken 1815, Lehrb. Nat., 3 (1), 236.—Moll.
 Trisisa Foerster 1862, Verh. naturh. Ver. Rheinl., 19, 275.—Hym.
 Trisisyropa Townsend 1916, Insec. Inscit. menst., 4, 28.—Dipt.
 Triskaidecactis (ex Linck) Gray 1840, Ann. Mag. nat. Hist., 6, 176.—Echin.
 Trismarcha Karsch 1891, Ent. Nachr., 17, 348.—Hem.
 Trismegistus Jordan & Snyder 1904, Smithson. misc. Coll., 45 (Quart. Iss.), 238.—Pisces.
 Trismicra Ashmead 1904, J.N. York ent. Soc., 12, 252.—Hym.
 Trismilia Fromental 1861, Intr. Et. Pol. foss., 106; 1864, Mém. Soc. linn. Normandie, 13 (1), 1862-63, 14.—Coel.
 Trisodontophyes Enslin 1911, Dtsch. ent. Z., 1911, 666.—Hym.

- Trisolenia* Ehrenberg 1860, MonatsBer. Akad. Wiss. Berlin, 1860, 833.—Prot.
Trisolenia Ashmead 1887, Trans. Amer. ent. Soc., 14, 142.—Hym. (See *Trisoleniella* Rohwer & Fagan 1917.)
Trisoleniella (n.n. pro *Trisolenia* Ashmead 1887) Rohwer & Fagan 1917, Proc. U.S. nat. Mus., 53, 377.—Hym.
Trisometopia Liroy 1864, Atti Ist. Veneto, (3) 10, 77.—Dipt.
Trisonevra Liroy 1864, Atti Ist. Veneto, (3) 10, 68.—Dipt.
Trisophista Meyrick 1924, Exot. Microlep., 3, 117.—Lep.
Trisopsis Kieffer 1912, Boll. Lab. Zool. Portici, 6, 171.—Dipt.
Trisopterus Rafinesque 1814, Précis Som., 16.—Pisces.
Trisotropis Gill 1865, Proc. Acad. nat. Sci. Philad., 1865, 104.—Pisces.
Trisphaera Vinassa de Regny 1917, Boll. Soc. geol. Ital., 19, 332.—Prot.
Trispiculascaris Skrjabin 1916, in Dogiel & Sokolow, Sci. Res. zool. Exped. Brit. E. Afr., 1, no. 4, 48, 123.—Verm. (Nema.).
Trispila Houlbert 1921, in Oberthuer, Etudes Léop. comp., 18, 235.—Lep.
Trispilaema Amyot 1847, Ann. Soc. ent. France, (2) 5, 187.—Hem.
Trispilotilla Bischoff 1920, Arch. Naturgesch., 86, Pt. 5, 291.—Hym.
Trispilus Kreichbaumer 1901, Z. Hym. Dipt., 1, 156.—Hym.
Trispinibunus Roewer 1915, Arch. Naturgesch., 81, A3, 45.—Arachn.
Trispondylus Cope 1884, Amer. Natural., 18, 900.—Mamm.
Trispondylus Williston 1910, J. Geol., 18, 592.—Rept. (See *Trichasaurus* Williston 1913.)
Trissacantha (pro *Trisa-* Ashmead 1887) Ashmead 1893, Bull. U.S. nat. Mus., No. 45, 180, 182.—Hym.
Trissandricus Kieffer 1910, Boll. Lab. Zool. Portici, 4, 115.—Hym.
Trissarthrum Ashmead 1900, Proc. U.S. nat. Mus., 23, no. 1206, 148.—Hym.
Trissepyris Kieffer 1905, Ann. Soc. sci. Bruxelles, 29, 116.—Hym.
Trissernis Meyrick 1902, Trans. ent. Soc. London, 1902, 37.—Lep.
Trisseucoela Kieffer 1907, Ent. Z., 21, 91.—Hym.
Trissevania Kieffer 1913, Voyage Alluaud et Jeannel Afric. orient., Hym., 1, 33.—Hym.
Trissexodon Pilsbry 1895, Man. Conch., (2) 9, 287, 288.—Moll.
Trissobrocha Turner 1914, Proc. Linn. Soc. N.S. Wales, 39, 548.—Lep.
Trissochyta Meyrick 1921, Exot. Microlep., 2, 474.—Lep.
Trissocircus Haeckel 1881, Jena. Z., 15, 446.—Prot.
Trissocladius Kieffer 1908, Z. wiss. InsektBiol., 4, 3.—Dipt.
Trissoclunio Kieffer 1920, Ann. S. Afric. Mus., 17, 523.—Dipt.
Trissocoma Kramp 1930, Mém. Mus. Hist. nat. Belgique, 45, 22.—Coel.
Trissocyclus Haeckel 1881, Jena. Z., 15, 446.—Prot.
Trissodiplosis Kieffer 1913, Bull. Soc. Hist. nat. Metz, 28, 101.—Dipt.
Trissodon (Erichson MS.) Burmeister 1847, Handb. Ent., 5, 107.—Col.
Trissodontaspis Ashmead 1903, Psyche, 10, 65.—Hym.
Trissodoris Meyrick 1914, J. Bombay nat. Hist. Soc., 22, 776.—Lep.
Trissosia Ashmead 1893, Bull. U.S. nat. Mus., No. 45, 161.—Hym.
Trissolepis Fritsch 1893, Fauna Gaskohle, 3, 76.—Pisces.
Trissomalus Kieffer 1905, Ann. Soc. sci. Bruxelles, 29, fasc. 1, 105.—Hym.
Trissonca Meyrick 1882, Proc. Linn. Soc. N.S. Wales, 7, 158.—Lep.
Trissonchulus Cobb 1920, Contr. Nematology, 297.—Verm. (Nema.).
Trissopelopia Kieffer 1923, Ann. Soc. sci. Bruxelles, 42, Mém., 178.—Dipt.
Trissophaes Huebner [1823], Verz. bekannt. Schmett., (17) 264.—Lep.
Trissopillium Haeckel 1881, Jena. Z., 15, 427.—Prot.
Trissocelio Kieffer 1917, Brotéria, Sér. zool., 15, 52.—Hym.
Tristachycera Bates 1872, Trans. ent. Soc. London, 1872, 170.—Col.
Tristactus Konow 1897, Ann. Hofmus. Wien, 12, 12.—Hym.
Tristan (n.n. pro *Scaphula* Fairmaire 1846) Kirkaldy 1901, Entomologist, 34, 6.—Hem.
Tristanella Borelli 1909, Boll. Mus. Zool. Anat. comp. Torino, 24, no. 611, 17.—Dermapt.
Tristania Boettger 1878, Ber. Offenbacher Ver. Naturk. Mitt., 17-18, 19.—Moll.
Tristania (n.n. pro *Zonosoma* Butler 1881) Kirby 1892, Syn. Cat. Lep. Het., 1, 423.—Lep.
Tristaphodius Balthasar 1932, Ent. NachrBl., 6, 34.—Col.
Tristaria Reitter 1878, Ent. Ztg., Stettin, 39, 320.—Col.
Tristaspis Kolenati 1857, Wien. ent. Monatschr., 1, 60.—Arachn.
Tristegus Konow 1906, Z. Hym. Dipt., 6, 370.—Hym.
Tristemma Brandt 1835, Prod. anim. Mertens., 1, 15.—Coel.
Tristemma Bartsch 1906, Proc. U.S. nat. Mus., 31, 133.—Moll.
Tristena (err. pro *Trict-* Meyrick 1890) Pagenstecher 1909, Geogr. Verbr. Schmett., 448.—Lep.
Tristephaniscus Haeckel 1881, Jena. Z., 15, 445.—Prot.
Tristephanus Brandt 1835, Prod. anim. Mertens., 1, 11.—Coel.

- Tristephanus* Kieffer 1913, Bull. Soc. Hist. nat. Metz, 28, 106.—Dipt.
Tristephomyia Ruebsaamen 1917, S.B. Ges. naturf. Freunde Berlin, 1917, 60.—Dipt.
Tristichius (emend. pro *-tychius* Agassiz 1837) Agassiz 1846, Nomen. Zool. Index Univ.—Pisces.
Tristichodus Boulenger 1920, Ann. Mus. Congo Belge, (1) 2, fasc. 4, 19.—Pisces.
Tristichops Taczanowski [1874], Horae Soc. ent. ross., 10, 110.—Arachn.
Tristichopterus Egerton 1861, Mem. geol. Surv. (Fig. Descr. Brit. Org. Remains), Dec. 10, 51.—Pisces.
Tristicochaeta Panceri 1878, Atti Accad. Sci. Napoli, 7, 1876, 7.—Verm. (Nema).
Tristira Brunner 1900, Comun. Mus. Buenos Aires, 1, 235.—Orth.
Tristrops Amyot 1847, Ann. Soc. ent. France, (1) 5, 161.—Hem.
Tristoechia Schmitz 1927, Natuurh. Maandbl., 16, 47.—Dipt.
Tristoma Cuvier 1817, R. Anim., 4, 42.—Verm. (Trem.).
Tristoma Deshayes 1832, Ency. Méth. (Vers), 3, 1053.—Moll.
Tristomanthus Bittner 1893, S.B. Akad. Wiss. Wien, 101, Abt. 1, 355.—Echin.
Tristomantus (pro *-thus* Bittner 1893) Lambert & Thiéry 1921, Ess. nom. Echin., 372.—Echin.
Tristomum (pro *-ma* Cuvier 1817) Nitzsch 1826, Allg. Encycl. Wiss. Künste (Ersch & Gruber), 1 Sect., 15, 150.—Verm. (Trem.).
Tristonum (pro *-toma* Cuvier 1817) Setti 1899, Atti Soc. Ligust. Sci. nat., 10, 84.—Verm. (Trem.).
Tristorthus Kuwert 1896, Novit. zool., 3, 220; 1897, 4, 283.—Col.
Tristramia Crosse 1862, J. Conchylol., 11, 215.—Moll.
Tristrangus Amyot 1846, Ann. Soc. ent. France, (2) 4, 129.—Hem.
Tristria Stål 1873, Recensio Orth., 1, 40.—Orth.
Tristrophis Butler 1883, J. Linn. Soc. London, 17, 199.—Lep.
Tristychius Agassiz (1837), Poiss. Foss., 3, 21.—Pisces.
Tristyla Smith 1893, Insect Life, 5, 332.—Lep.
Tristyllocorys Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1140.—Prot.
Tristyllopyris Haeckel 1881, Jena. Z., 15, 441.—Prot.
Tristyllopyrium Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1034.—Prot.
Tristyllopyrula Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1033.—Prot.
Tristylotus Parkes 1904, Amer. J. Sci., 18, 135.—Coel.
Trisula Moore (1858), Cat. Lepidopt. Ins. E. India Co., 2, 420.—Lep.
Trisulana Bethune-Baker 1911, Ann. Mag. nat. Hist., (8) 8, 534.—Lep.
Trisulcus Hitchcock 1865, Ichnol. New England, Suppl., 18.—*Inc. sed.*
Trisulcus Popofsky 1913, Dtsch. Südpolar Exped. 1901–1903, 14, Zool. 6, 354.—Prot.
Trisuloides Butler 1881, Ann. Mag. nat. Hist., (5) 7, 36.—Lep.
Trisulopsis Strand 1909, Ent. Rdsch., 26, 141.—Lep.
Trisyndeta Warren 1897, Novit. zool., 4, 260.—Lep.
Trisyntopa Lower 1918, Trans. roy. Soc. S. Australia, 42, 238.—Lep.
Trisyngium Vinassa 1900, Mem. Accad. Bologna, (5) 8, 507.—Prot.
Tritadelphia Meyrick 1904, Proc. Linn. Soc. N.S. Wales, 29, 257, 323.—Lep.
Tritaea Meyrick 1884, Trans. ent. Soc. London, 1884, 341.—Lep.
Tritaenia Amyot 1846, Ann. Soc. ent. France, (2) 4, 157.—Hem.
Tritaenia Motschoulsky 1860, in Schrenck, Reisen u. Forsch. Amur-Lande, 2, Lief. 2, Col., 195.—Col.
Tritaenopterone de Meijere 1914, Tijdschr. Ent., 57, 209.—Dipt.
Tritaeta (n.n. pro *Lampra* Boeck 1871) Boeck 1876, Skandin. Arktiske Amphipoder, 2, 317.—Crust.
Tritanytarsus Kieffer 1921, Ann. Soc. ent. France, 90, 35.—Dipt.
Tritaphros Loennberg 1889, Bih. svenska VetenskAkad. Handh., 14, 23.—Verm. (Cest.).
Tritavus Hesse 1925, Ann. S. Afr. Mus., 23, 97.—Hem.
Tritaxeopus Owen 1881, Trans. zool. Soc. London, 11, 131.—Moll.
Tritaxia Reuss 1860, S.B. Akad. Wiss. Wien, Math.-naturw. Kl., 40, 227; 1862, 44 (1) (1861), 383.—Prot.
Tritaxilina Cushman 1911, Bull. U.S. nat. Mus., No. 71, 71.—Prot.
Tritaxis Schubert 1920, Palaeont. Z., 3, 180.—Prot.
Tritaxys Macquart (1847), Mém. Soc. R. Sci. Lille, 1846, 81.—Dipt.
Trite Simon 1885, Ann. Soc. ent. Belgique, 29, Bull., xci.—Arachn.
Tritea (err. pro *-tia* Risso 1826) Therese 1900, NachrBl. dtsh. malak. Ges., 32, 50.—Moll.
Tritegeus Berlese 1913, Redia, 9, 92.—Arachn.
Triteleia Kieffer 1906, Berlin. ent. Z., 50, 1905, 264.—Hym.
Triteleuta Strand 1912, Fauna exotica, Frankfurt, 2, no. 11, 44.—Lep.
Tritella Mayer 1890, F. Flora Golfes Neapel, 17, 30.—Crust.
Tritervitermes (err. pro *Triner-* Holmgren 1912) Sjoestedt 1924, Rev. Zool. afric., 12, 42.—Isopt.
Tritesus Heller 1916, Nova Caledonia, Zool., 2, 278.—Col.

- Trithamnora Meyrick 1913, Trans. N. Zealand Inst., 45, 29.—Lep.
 Trithecocarpus Leloup 1932, Bull. Mus. Hist. nat. Belgique, 8, no. 1, 21.—Coel.
 Trithledon Broom 1912, Ann. S. Afric. Mus., 7, 336; 1930, Phil. Trans., London, (B) 218, 367.—Rept.
 Trithemis Brauer 1868, Verh. zool.-bot. Ges. Wien, 18, Abh. 176.—Odon.
 Trithena Simon 1867, Rev. Mag. Zool., (2) 19, 22.—Arachn.
 Trithonis (err. pro *Trich*-Hewitson 1865) Pagenstecher 1909, Geogr. Verbr. Schmett., 418.—Lep.
 Trithrix (pro *-thryx* Schilsky 1896) Reitter 1906, in Heyden, Reitter & Weise, Cat. Col. Europ. Cauc. Armen. ross., 309.—Col.
 Trithryx Schilsky 1896, in Kuester, Käfer Europa's, 32, p. H.—Col.
 Trithyreus (n.n. pro *Triplexis* Thorell 1889) Kraepelin 1899, Das Tierreich, Lief. 8, 234.—Arachn.
 Trithyris Lederer 1863, Wien. ent. Monatschr., 7, 410.—Lep.
 Tritia Risso 1826, H.N. Europe, 4, 172.—Moll.
 Tritia Berlese 1883, Acar., Myr., Scorp., 6, no. 1.—Arachn. (See *Oribotritia* Jacot 1924.)
 Tritiaria Conrad 1865, Amer. J. Conch., 1, 21.—Moll.
 Triticella Dalyell 1848, Rare Anim. Scotland, 2, 66.—Bry.
 Triticitis Girty 1904, Amer. J. Sci., (4) 17, 234.—Prot.
 Triticosmia (pro *Tritoc*-Newman 1850) Oke 1932, Proc. Linn. Soc. N.S. Wales, 57, 162.—Col.
 Tritoneptis Girault 1908, Psyche, 15, 92.—Hym.
 Trito (err. pro *-ton* Montfort 1810) Lesson 1842, Echo Monde Savant, (2) 6, col. 65.—Moll.
 Tritobrachia Enderlein 1920, S.B. Ges. naturf. Fr. Berlin, 1919, 373.—Hym.
 Tritocampa Silvestri 1933, Boll. Lab. Zool. Portici, 27, 114.—Thysanura.
 Tritochaeta Brauer & Bergenstamm 1889, Denkschr. Akad. Wiss. Wien, 56, 92.—Dipt.
 Tritocleis Meyrick 1899, Fauna Hawaii., 1, 190.—Lep.
 Tritocosmia Newman 1850, The Zoologist, 8, App., cxv.—Col.
 Tritodiscoelius Dalla Torre 1904, Gen. Insect., 19, 18.—Hym.
 Tritodynamea (n.n. pro *Tritodynamia* Nobili 1905) Balss 1922, Arch. Naturgesch., 88, A11, 140.—Crust.
 Tritodynamia Ortmann 1894, Zool. Jahrb., Syst., 7, 692.—Crust. (Brachyura).
 Tritodynamia Nobili 1905, Ann. Hist. nat. Mus. Hungar., 3, 407.—Crust. (Brachyura). (See *Tritodynamea* Balss 1922.)
 Tritogenaphis Oestlund 1923, Rep. State Ent. Minnesota, 19, 1922, 142.—Hem.
 Tritogenesia Lestage 1923, Bull. Ann. Soc. ent. Belgique, 63, 111.—Ephem.
 Tritogenia Kinberg 1866, Ofvers. VetenskAkad. Förh. Stockholm, 23, 98.—Verm. (Oligoch.).
 Tritogenius (emend. pro *Andrias* Tschudi 1837) Gistel 1848, Nat. Thierr., xi.—Rept.
 Tritogonia Agassiz 1852, Arch. Naturgesch., 18, Abt. 1, 48.—Moll.
 Tritokreion Schilling (1826), Uebers. Arb. schles. Ges., 1825, 43.—Hym.
 Tritoma Geoffroy 1762, Hist. Insect. Paris, 1, 335; Mueller 1764, Fauna Ins. Friedrichsdalina, xiv.—Col. (Erotylid.).
 Tritoma Fabricius 1775, Syst. Ent., 1, 68.—Col. (Erotylid.). (See *Cyrtotriplax* Crotch 1873.)
 Tritoma Szépligeti 1908, Ann. Mus. nat. Hungar., 6, 410.—Hym. (See *Bracotritoma* Csiki 1909, *Szépligetia* Schulz 1911 & *Tritomios* Strand 1920.)
 Tritomacera Costa 1841, Rev. Zool. (Soc. Cuv.), 4, 297.—Hem.
 Tritomacrus Newman 1833, Entom. Mag., 1, 510.—Col.
 Tritomegas Amyot & Serville 1843, Roret's Suite à Buffon Hémiptères, 98.—Hem.
 Tritomegas Duméril & Bibron 1854, Herpét. gén., 9, 163.—Amph.
 Tritomicrus Fairmaire 1892, Rev. Ent. Caen, 11, 125.—Col.
 Tritomidea Motschoulsky [1860], Etudes ent., 8, 1859, 104.—Col.
 Tritomios (n.n. pro *Tritoma* Szépligeti 1908) Strand 1920, Int. ent. Z., 14, 174.—Hym.
 Tritomocera (emend. pro *-macera* Costa 1841) Agassiz 1846, Nomen. Zool. Index Univ.—Hem.
 Tritomodon Cope 1882, Amer. Natural., 16, 521.—Mamm.
 Tritomopasma Heller 1920, Arch. Naturgesch., 84, A8, 1917, 27.—Col.
 Tritomurus Frauenfeld 1854, Verh. zool.-bot. Ges. Wien, 4, S.B., 17.—Collemb.
 Triton Linnaeus 1758, Syst. Nat., ed. 10, 658; 1767, ed. 12, 1092; Bruguère (1791), Ency. Méth. (Tabl. Vers.), pl. 85.—Crust.
 Triton Laurenti 1768, Syn. Rept., 37; Bonaparte 1831, Giorn. Arcad., 52, 151.—Amph. (See *Oiacurus* Leuckart 1821.)
 Triton Montfort 1810, Conch. Syst., 2, 586.—Moll. (See *Tritonalia* Fleming 1828.)
 Tritonaclia Hampson 1898, Cat. Lep. Phalaenae Brit. Mus., 1, 135.—Lep.
 Tritonalia (n.n. pro *Triton* Montfort 1810) Fleming 1828, Hist. Brit. Anim., *corrigenda*.—Moll.
 Tritonaster Fisher 1906, Bull. U.S. Fish Comm., 23, 1017.—Echin.
 Tritonatractus (err. pro *Tritonaa*-Cossmann 1901) Dollfus 1902, J. Conchyliol., 50, 66.—Moll.

- Tritonella Swainson 1839, N.H. Fishes, etc., 2, 342.—Amph.
 Tritonella Adams 1852, Proc. zool. Soc. London, 19, 1851, 111.—Moll.
 Tritonellum Valenciennes 1858, C.R. Acad. Sci. Paris, 46, 762.—Moll.
 Tritoneura Schiner 1867, Verh. zool.-bot. Ges. Wien, 17, Abh., 312.—Dipt.
 Tritonia Cuvier 1798, Tabl. élém., 387.—Moll.
 Tritonia Meigen 1800, N. Class. Mouches, 33.—Dipt.
 Tritonia (pro -ton L. 1758) Turton 1825, Zool. Journ., 2 (7), 365.—Moll.
 Tritonia Geyer 1832, in Huebner, Zuträge z. Exot. Schmett., 4, 25.—Lep.
 Tritonidea Swainson 1840, Treat. Malacol., 74, 302.—Moll.
 Tritonidoxa Bergh 1907, Trans. S. Afric. phil. Soc., 17 (1), 86.—Moll.
 Tritoniella Eliot 1907, Nat. Antarct. Exp. 1901-04, Nat. Hist. 2 (Zool.), Nudibranch.
 1, 5.—Moll.
 Tritonifusus (err. pro -nofusus Moersch 1857) White 1887, Arch. Mus. nac. Rio de
 Janeiro, 7, 129.—Moll.
 Tritonimangilia Martin 1914, Samml. Geol. Reichs-Mus. Leiden, (N.F.) 2 (4), 126.—
 Moll.
 Tritoniopsis (n.n. pro *Tritoniopsis* Eliot 1905) Pruvot-Fol 1933, Mém. Inst. Egypte,
 21, 94.—Moll.
 Tritoniopsis Eliot 1905, Trans. R. Soc. Edinburgh, 41, 519, 30; 1905, Scott. Nat.
 Antarctic Exp., Nudibr. pt. 2, 1, 22.—Moll. (nec *Tritoniopsis* Conrad 1865 see
Tritoniopsis Pruvot-Fol 1933).
 Tritonis (err. pro -ton Montfort 1810) Hall 1867, Ann. Rep. Regents Univ. State N.
 York, 20, 36.—Moll.
 Tritoniscus Dall 1904, Smithson. misc. Coll., 47, 134.—Moll.
 Tritonium Mueller 1776, Z. Dan. Prod., 243.—Moll.
 Tritonium Bolten [non Mueller 1776] 1798, Mus. Bolten., (2) 125.—Moll.
 Tritonotractus Cossmann 1901, Essais Paléococh. comp., 4, 54.—Moll.
 Tritonocauda (n.n. pro *Ranularia* Fischer 1884) Dall 1904, Smithson. misc. Coll.,
 47, 133.—Moll.
 Tritonofusus Beck 1847, Amtl. Ber. Vers. Dtsch. Naturf., 24, 114 [*n.n.*]; Moersch
 1857, Prodr. Faun. Moll. Grönland, 85.—Moll.
 Tritonoharpa Dall 1908, Bull. Mus. comp. Zool. Harvard, 43, no. 6, 319.—Moll.
 Tritonopsis Conrad 1865, Amer. J. Conch., 1, 20.—Moll.
 Tritonopsis Gistel 1868, Blicke Leben Natur Menschen, 148.—Rept.
 Tritonoturris Dall 1924, Proc. biol. Soc. Washington, 37, 88.—Moll.
 Tritonurus (emend. pro -turus Rafinesque 1815) Agassiz 1846, Nomen. Zool. Index
 Univ.—Rept.
 Tritonus Mulsant 1844, Ann. Soc. Sci. phys. nat. Agric. Lyon, 7, 378.—Col.
 Tritopria Kieffer 1910, in André, Spec. Hym. Eur., 10, 748.—Hym.
 Tritopsylla (n.n. pro *Stenopsylla* da Cunha 1914) da Cunha 1929, Sci. med. Rio de
 Janeiro, 7, 349.—Siphonapt.
 Tritopterna Meyrick 1921, Zool. Meded., 6, 151.—Lep.
 Tritouium (err. pro -onium Mueller 1776) Monterosato 1917, Boll. Soc. zool. Ital.,
 (3) 4, 22.—Moll.
 Tritoxa Loew 1873, Monogr. Dipt. N. Amer., 3, 102.—Dipt.
 Tritozyga Loew 1862, Monogr. Dipt. N. Amer., 1, 177, 179.—Dipt.
 Tritrichomonas Kofoid 1920, Univ. Calif. Publ. Zool., 20, 160.—Prot.
 Tritro Gray 1842, Syn. Cont. Brit. Mus., ed. 44, 114 [*n.n.*].—Rept.
 Tritropidea (err. pro -dia Stål 1869) Funkhouser 1927, Gen. Cat. Hem., Membrac.,
 70.—Hem.
 Tritropidia Stål 1869, K. svenska VetenskAcad. Handl., 8, no. 1, 44.—Hem.
 Tritropidoceras Schenk 1935, Amer. Midl. Nat., 16, 401.—Moll.
 Tritropis Fitzinger 1843, Syst. Rept., 16, 59.—Rept.
 Tritropis Boeck 1871, Forh. Vidensk.-Selsk. Christiania, 1870, 158.—Crust. (See
Rhachotropis Smith 1883.)
 Tritropis Brunner 1893, Ann. Mus. Stor. nat. Genova, (2) 13, 140.—Orth. (See
Apotropis Bolivar 1906.)
 Trittame Koch 1873, Arachn. Austral., 482.—Arachn.
 Trituba Jousseau 1884, Bull. Soc. malac. France, 1, 234, 235.—Moll.
 Triturus Rafinesque 1815, Analyse, 78.—Rept.
 Tritylodon Owen 1884, J. geol. Soc. London, 40, 146.—Mamm.
 Tritymba Lower 1894, Trans. Proc. roy. Soc. S. Australia, 18, 110 [*n.n.*].—Lep.
 Tritypus Ratzeburg 1852, Ichneum. Forstinsecten, 3, 227.—Hym.
 Triumphis Gray 1856, Proc. zool. Soc. London, 1856, 41.—Moll.
 Triungulinus Dufour 1828, Ann. Sci. nat., 13 (49), 63.—Col.
 Triura Tellkampff 1844, Arch. Naturgesch., 10 (1), 321.—? Crust.
 Triurobycon Eigenmann 1909, Ann. Carnegie Mus., 6, 33.—Pisces.
 Triurus Lacépède 1800, Hist. Nat. Poiss., 2, 200.—Pisces.
 Triurus Swainson [non Lacépède 1800] 1839, N.H. Fishes, etc., 2, 185, 288.—Pisces.
 Triuterina Fuhrmann 1922, Zbl. Bakt., (1 Orig.) 87, 439.—Verm. (Cest.).
 Trivellona Iredale 1931, Rec. Australian Mus., 18, 221.—Moll.

- Trivia* Gray 1837, Penny Cyclop., 8, 256.—Moll.
Trivia Koch 1850, Uebers. Arachnidensyst., 5, 67.—Arachn.
Trivalia Malloch 1923, Proc. ent. Soc. Washington, 25, 53.—Dipt.
Triviella Jousseau 1884, Bull. Soc. zool. France, 9, 99.—Moll.
Trivirostra Jousseau 1884, Bull. Soc. zool. France, 9, 100.—Moll.
Trivitellina Johnston & Tieggs 1922, Proc. Linn. Soc. N.S. Wales, 47, 89.—Verm. (Trem.).
Trivolusia (n.n. pro *Volusia* Hulst 1890) Dyar [1903], Bull. U.S. nat. Mus., No. 52, 1902, 438.—Lep.
Trixa Meigen 1824, Syst. Besch. Zweifl. Insekt., 4, 222.—Dipt.
Trixacus (pro *-agus* Kugelann 1794) Redtenbacher 1858, Fauna Austriaca, Käfer, ed. 2, 402.—Col.
Trixagites Heer 1865, Urwelt Schweiz, 90.—Col.
Trixagus Kugelann 1794, N. Mag. Lieb. Ent. [Schneider's], 5, 534.—Col.
Trixaxoopus (err. pro *Trita*-Owen 1881) Johnston 1891, Pap. Proc. R. Soc. Tasmania, 1890, 69.—Moll.
Trixia Schummel (1833), Uebers. Arb. Schles. Ges., 1832, 71.—Dipt.
Trixoclea Villeneuve 1916, Ann. S. Afric. Mus., 15, 497.—Dipt.
Trixoclista Townsend 1892, Trans. Amer. ent. Soc., 19, 102.—Dipt.
Trixodes Coquillett 1902, Canad. Ent., 34, 201.—Dipt.
Trixodopsis Townsend 1933, Rev. Ent. Rio de Janeiro, 3, 527.—Dipt.
Trixomorpha Brauer & Bergenstamm 1890 [sep. 1889], Denkschr. Akad. Wiss. Wien, 56, 163.—Dipt.
Trixoneura Shannon 1926, Proc. ent. Soc. Washington, 28, 121.—Dipt.
Trixosarcophaga Townsend 1917, Proc. biol. Soc. Washington, 30, 191.—Dipt.
Trixoscelis Rondani 1856, Dipt. ital. Prodr., 1, 134.—Dipt.
Trixostomus Rondani 1856, Dipt. ital. Prodr., 1, 130.—Dipt.
Trizetes Berlese 1905, Redia, 2, 26.—Arachn.
Trizocarcinus Rathbun 1914, Proc. U.S. nat. Mus., 47, 117.—Crust.
Trizogeniates Ohaus 1917, Stettin. ent. Ztg., 78, 38.—Col.
Trizona Popofsky 1904, Ergebn. Plankton-Exped., 3, F. 1, 56.—Prot.
Trizonaris Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 637.—Prot.
Trizonitis Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 638.—Prot.
Trizonium Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 637.—Prot.
Trizonius Busch 1851, Beob. Anat. wirbellos. Seethiere, 112.—Moll.
Trizonoceras Girty 1909, Bull. U.S. geol. Surv., No. 377, 70.—Moll.
Trizota Macquart 1829 [teste Scudder 1882, Nomen. zool., Suppl. List, 344, *sed non comp.*].—Dipt.
Trizygia Skuse 1888, Proc. Linn. Soc. N.S. Wales, (2) 3, 1137, 1204.—Dipt.
Trobelodon Frick 1933, Bull. Amer. Mus. nat. Hist., 59, 580.—Mamm.
Trobolophya Melichar 1914, Notes Leyden Mus., 36, 92.—Hem.
Trocataella (err. pro *Trocha*-Lesson 1831) Collinge 1891, Conchologist, 1, 46.—Moll.
Trocaza Bonaparte 1854, Consp. Gen. Avium, 2, 45.—Aves.
Trochaclis Thiele 1912, Dtsch. Südpolar-Exp. 1901-03, 13, Zool. 5, 192.—Moll.
Trochactaeon Meek 1863, Amer. J. Sci., (3) 35, 87, 89.—Moll.
Trochactaeonina Meek 1863, Amer. J. Sci., (3) 35, 87, 91.—Moll.
Trochalia Sharpe 1850, Quart. J. geol. Soc. London, 6, 103.—Moll.
Trochalia Pomel 1883, Classif. méth. Echin., 60.—Echin.
Trochalodera Brunner von Wattenwyl 1878, Monogr. Phaneropteriden, 18, 143.—Orth.
Trochalodes Weise 1901, Arch. Naturgesch., 67 (1), 167.—Col.
Trochalonota Westwood [1834], Magasin de Zool., 3, 1833, pl. 95.—Col.
Trochalopteron Hodgson 1843, J. Asiat. Soc. Bengal, 12 (2), 952.—Aves.
Trochalopterum (emend. pro *-von* Hodgson 1843) Agassiz 1846, Nomen. Zool. Index Univ.—Aves.
Trochaloschema Reitter 1896, Wien. ent. Ztg., 15, 182.—Col.
Trochaloserica Brenske 1900, Berlin. ent. Z., 45, 82; 1902, 47, 20.—Col.
Trochalosoma (n.n. pro *Leiosoma* Cotteau 1860) Lambert 1896, Anat. Hefte, Arb. Wiesb., 515.—Echin.
Trochalis Laporte 1832, Magasin de Zool., 2, pl. 44.—Col. (Melolonthid.).
Trochalis (Eschscholtz MS.) Dejean 1833, Catal. Coléopt., ed. 2, 53 [n.n.].—Col. (Dytiscid.).
Trochammina Reuss 1859, S.B. böhm. Ges. Wiss., 1859, 79.—Prot.
Trochaminoides Cushman 1910, Bull. U.S. nat. Mus., No. 71, 97.—Prot.
Trochanteria Karsch 1879, Z. Naturw. Berlin, 52, 537.—Arachn.
Trochanterium von Huene 1902, Pal. Abh., (2) 6, 20.—Rept.
Trochanteroceros Canals 1934, Estudios Aracnol., 6, 6.—Arachn.
Trochantina Komai 1933, Annot. zool. japon., 14, 72.—Coel.
Trochantodon Escalera 1927, Eos, 3, 9.—Col.
Trocharanis Reitter 1885, Verh. Ver. Brünn, 23, Abh., 9, 12.—Col.
Trocharea Etallon 1864, in Thurmann & Etallon, Leth. Bruntrutana, (3) 411 (*ex* N. Denkschr. Allg. schweiz. Ges., 20).—Coel.

- Trocharion** Major 1903, Geol. Mag., (4) 10, 536.—Mamm.
- Trochastica** Meyrick 1913, Ann. Transvaal Mus., 3, 321.—Lep.
- Trochatella** Lesson 1831, Voy. "Coquille," Zool., 2 (1), 389.—Moll.
- Trochatella** Swainson 1840, Treat. Malacol., 337.—Moll. (See *Eutrochatella* Fischer 1885.)
- Trochderma** Gistel 1848, Nat. Thierr., viii.—Crust.
- Trochella** (pro *-chilla* Swainson 1840) M'Coy 1844, in Griffith, Syn. Carb. Lst. foss. Ireland, 43.—Moll.
- Trochella** Gray 1868, Proc. zool. Soc. London, 1867, 735.—Moll.
- Trocheta** Dutrochet 1817, Bull. Sci. Soc. philom. Paris, 131.—Verm. (Hirud.).
- Trochetia** (pro *-ta* Dutrochet 1817) Lamarck 1818, An. s. vert., 5, 292.—Verm. (Hirud.).
- Trochia** Swainson 1840, Treat. Malacol., 74, 302.—Moll.
- Trochiaris** Duméril 1806, Zool. Anal., 164.—Moll.
- Trochicola** Dollfus 1914, C.R. Acad. Sci. Paris, 158, 1528.—Crust.
- Trochicrinites** (err. pro *Trocho-* Portlock 1843) Wachsmuth & Springer 1881, Proc. Acad. nat. Sci. Philad., 1881, 411.—Echin.
- Trochictis** Meyer 1842, N. Jahrb. f. Min., 1842, 584; Schinz 1848, Mitt. nat. Ges. Zürich, 1 (2), no. 25, 175.—Mamm.
- Trochidon** Swainson 1840, Treat. Malacol., 226, 351.—Moll.
- Trochifusus** Gabb 1877, Proc. Acad. nat. Sci. Philad., 1876, 285.—Moll.
- Trochila** (err. pro *-ita* Schumacher 1817) Gray 1868, Proc. zool. Soc. London, 1867, 735.—Moll.
- Trochilea** Swainson 1835, Elem. Conch., 7.—Moll.
- Trochilettes** Schlotheim (1820), Denkschr. K. Akad. Wiss. München, 6, 1816-17, 32.—Moll.
- Trochilia** Dujardin 1841, (Roret's Suite à Buffon) Infusoires, 455.—Prot.
- Trochilia** (pro *-ium* Scopoli 1777) Heinemann 1859, Schmett. Dtsch. u. Schweiz, 1, Gross-Schm., 1, 120.—Lep.
- Trochilina** Gray 1868, Proc. zool. Soc. London, 1867, 741.—Moll.
- Trochilina** Felder 1874, Reise Novara, Zool. 2, Abt. 2, Lep. Het., Explan. Pls. lxxv-cvii, 9.—Lep.
- Trochilioides** Kahl 1931, Tierwelt Deutschlands, 21, 181.—Prot.
- Trochiliopora** Gregory 1909, Geol. Mag., 6, 65.—Bry.
- Trochiliopsis** Penard 1922, Etudes infus. d'eau douce, 99.—Prot.
- Trochiliscus** Ehrenberg 1858, MonatsBer. Akad. Wiss. Berlin, 1858, 311; 1862, 1862, 601.—Prot.
- Trochilites** Schlotheim 1813, Tasch. Min., 71; 1820, Die Petref., 156.—Moll.
- Trochilium** Scopoli 1777, Intr. Hist. Nat., 414; Oken 1815, Lehrbuch, 3, 748.—Lep.
- Trochilia** Swainson 1840, Treat. Malacol., 355.—Moll.
- Trochilodes** Coquillett 1903, Trans. Amer. ent. Soc., 29, 102.—Dipt.
- Trochilodexia** Townsend 1915, Proc. biol. Soc. Washington, 28, 22.—Dipt.
- Trochiloecetes** Paine & Mann 1913, Psyche, 20, 21.—Malloph.
- Trochiloglossa** Townsend 1919, Proc. U.S. nat. Mus., 56, 561.—Dipt.
- Trochiloleskia** Townsend 1917, Bull. Amer. Mus. nat. Hist., 37, 226.—Dipt.
- Trochilus** Linnaeus 1758, Syst. Nat., ed. 10, 119; 1766, ed. 12, 189.—Aves.
- Trochilus** Forster [non L. 1758] 1817, Syn. Cat. Brit. Birds, 14.—Aves.
- Trochilus** (pro *Silvia* Cuvier 1800) Wood 1835, Orn. Guide, 78.—Aves.
- Trochinus** Ayres 1852, Proc. Boston Soc. nat. Hist., 4, 243.—Echin.
- Trochiodes** Guenée 1857, Hist. nat. Ins., Spec. gén. Lép., 10, 530.—Lep.
- Trochiscia** Ehrenberg [1834], Abh. preuss. Akad. Wiss., 1833, 317.—Crust.
- Trochiscocoris** Reuter 1890, Rev. Ent. Caen, 9, 249.—Hem.
- Trochiscomerus** Meier 1931, Konowia, 10, 8.—Hym.
- Trochiscus** Heyden 1826, Isis (Oken), 1826, 613.—Arachn.
- Trochiscus** Held 1837, Isis (Oken), 1837, 915.—Moll.
- Trochiscus** Sowerby 1838, Mag. nat. Hist., (N.S.) 2, 97.—Moll. (See *Norrisia* Bayle 1880.)
- Trochiscus** Jakovlev [1879], Trudui Russ. ent. Obschtsch. St. Petersburg, 12, 1880-81, 46.—Hem.
- Trochistis** Meyrick 1892, Trans. ent. Soc. London, 1892, 110.—Lep.
- Trochita** Schumacher 1817, Essai Vers test., 57, 184.—Moll.
- Trochitaster** (err. pro *Tricho-* Wright 1873) Woodward 1874, Geol. Mag., 1, 7.—Echin.
- Trochites** Gesner 1758, Tract. Petrif., 53; Schlueter 1838, Kurzg. syst. verz. Conch., 17.—Moll.
- Trochius** Leach 1847, Ann. Mag. nat. Hist., 20, 270.—Moll.
- Trochlea** Haldeman 1842, Amer. J. Sci., 42 (1), 216.—Moll.
- Trochleiceras** Fallot & Termier 1923, Trab. Mus. nac. Ci. Nat. Madrid, Ser. Geol., No. 32, 74.—Moll.
- Trochobola** (n.n. [Pin err.] pro *Discobola* Osten-Sacken 1862) Osten-Sacken 1869, Monogr. Dipt. N. Amer., 4, 98.—Dipt.

- Trochobolus* Zittel 1878, Abh. math.-phys. Cl. Bayer. Akad. Wiss., 13, Abt. 1, 50.—Spong.
- Trochoceramus* Heinz 1932, Mitt. Min. Geol. Staatsinst. Hamburg, Lief. 13, 19.—Moll.
- Trochoceras* Barrande 1847, Ber. Mitt. Fr. Nat. Wien, 3, 266.—Moll.
- Trochocercus* Cabanis [1851], Mus. Heineanum, 1, 1850, 58.—Aves.
- Trochocerithium* (Cossmann MS.) Sacco 1897, Moll. Terr. terz. Piemonte Liguria, 22, 26.—Moll.
- Trochochaeta* Levinsen 1884, Vidensk. Medd. naturh. Foren. Kjøbenhavn, 1883, 129.—Verm. (Polych.).
- Trochocirrus* Rychkolt 1870, J. Conchyliol., 8, 187.—Moll.
- Trochoclea* (err. pro *Trochocochlea* Moerch 1852) Angas 1867, Proc. zool. Soc. London, 1867, 217.—Moll.
- Trochocochela* (err. pro *chlea* Moerch 1852) Cossmann 1918, Essais Paléoconch. comp., 11, 367.—Moll.
- Trochocochlea* (Klein MS.) Moerch 1852, Cat. Yoldi, 1, 154.—Moll.
- Trochocanolus* Reinhardt 1883, S.B. Ges. naturf. Fr. Berlin, 1883, no. 5, 86.—Moll.
- Trochocopus* Guenther 1862, Cat. Fish. Brit. Mus., 4, 67, 100.—Pisces.
- Trochocrinites* Portlock 1843, Rept. Geol. Londonderry, 345.—Echin.
- Trochocrinus* (pro *crinites* Portlock 1843) Morris 1843, Cat. Brit. Foss., 60.—Echin.
- Trochocyathina* Seguenza 1864, Mem. Accad. Sci. Torino, (2) 21, 430.—Coel.
- Trochocyathus* Milne-Edwards & Haime 1848, Ann. Sci. Nat. [3] (Zool.), 9, 300.—Coel.
- Trochocystis* (pro *cystites* Barrande 1859) Bather 1889, Nature, 40, 268.—Echin.
- Trochocystites* Barrande 1859, Bull. Soc. géol. France, (2) 16, 543 [n.n.]; De Verneuil & Barrande 1860, Bull. Soc. géol. France, (2) 17, 537.—Echin.
- Trochocystoides* Jaekel 1918, Palaeont. Z., Berlin, 3, 120.—Echin.
- Trochoderma* Théel 1877, Nova Acta Upsala, (3) vol. extraord., 11.—Echin.
- Trochoderma* Ridley & Dendy 1886, Ann. Mag. nat. Hist., (5) 18, 344.—Spong. (See *Axoniderma* Ridley & Dendy 1886.)
- Trochoderus* Sharp 1886, Biol. Centr. Amer., Zool., Col., 1 (2), 580.—Col.
- Trochodiadema* Loriol 1900, Rev. suisse Zool., 8, 70.—Echin.
- Trochodictyoceras* Foerste 1926, Denison Univ. Bull., J. Sci. Lab., 21, 372.—Moll.
- Trochodinium* Conrad 1926, Arch. Protistenk., 55, 79.—Prot.
- Trochodisculus* Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 417.—Prot.
- Trochodiscus* Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 417.—Prot.
- Trochodon* (emend. pro *chidon* Swainson 1840) Agassiz 1846, Nomen. Zool. Index Univ.—Moll.
- Trochodon* Seeley 1861, Ann. Mag. nat. Hist., (3) 7, 289.—Moll.
- Trochodota* Ludwig 1891, in Bronn, Klass. Ordn. Tierreichs, 2 (3), 359.—Echin.
- Trochoechinus* Loriol 1909, Rev. suisse Zool., 17, 234.—Echin.
- Trochogonium* Ehrenberg 1846, Vossisch. Ztg. (Apr.); 1860, Inhaltsverz. S.B. Ges. nat. Fr. Berlin, 5.—Prot.
- Trochoida* (err. pro *dea* Brown 1827) Beck 1837, Index Moll. Mus. Ch. Fred., 10.—Moll.
- Trochoidea* Brown 1827, Ill. Conch. G.B. & I., pl. xli, fig. 80.—Moll.
- Trochoides* (pro *deus* Westwood 1833) Chapuis 1876, Hist. nat. Ins., Gen. Col., 12, 147.—Col.
- Trochoideus* Westwood 1833, Trans. Linn. Soc. London, 16 (3), 673.—Col.
- Trocholeptopoma* Moellendorf & Kobelt 1897, NachrBl. dtsh. malak. Ges., 29, 80.—Moll.
- Trocholina* Paalzow 1922, Abh. naturh. Ges. Nürnberg, 22, 10.—Prot.
- Trocholites* Conrad 1838, Ann. Rep. geol. Surv. New York, 2 (Assem. 200), 118.—Moll.
- Trocholites* Emmons [? non Conrad 1838] 1842, N.H. New York (Geol. 2 distr.), 392.—Moll.
- Trocholiticeras* Hyatt 1894, Proc. Amer. phil. Soc., 32, 280.—Moll.
- Trochomorpha* (err. pro *morpha* Albers 1850) Coates 1925, Trans. Proc. Perthshire Soc. nat. Sci., 8 (2), 65.—Moll.
- Trochomorpha* Albers 1850, Die Heliceen, 116.—Moll.
- Trochomorpha* Nevill 1878, Hand List Moll. Indian Mus., 1, 80.—Moll.
- Trochomphalus* Koken 1925, Mém. Acad. Sci. Russie, (8) 37, no. 1, 112, 121.—Moll.
- Trochonanina* Mousson 1869, J. Conchyliol., 17, 330.—Moll.
- Trochonema* Salter 1859, Geol. Surv. Canada, Canad. Org. Remains, Dec. 1, 24, 27.—Moll.
- Trochonemella* Okulitch 1935, Canad. Field Nat., 49, 101.—Moll.
- Trochonemopsis* Meek 1871, Proc. Acad. nat. Sci. Philad., 1871, 83.—Moll.
- Trochonerita* Cossmann 1907, Mém. Soc. géol. France, Pal., No. 37, 23.—Moll.
- Trochophora* Konow 1905, Z. Hym. Dipt., 5, 158.—Hym.
- Trochophyllum* Milne-Edwards & Haime 1850, Brit. Foss. Corals (Pal. Soc., 3), lxxvii.—Coel.
- Trochoplegma* Gregory 1900, Pal. Ind., (9) 2, 179.—Coel.
- Trochopora* d'Orbigny 1849, Rev. Mag. Zool., (2) 1, 499.—Bry.

- Trochopora* Kettner 1913, Bull. int. Acad. François Joseph, Prague, 18, 178.—Bry.
Trochopsammia de Pourtalès 1878, Bull. Mus. comp. Zool. Harvard, 5, no. 9, 208.—Coel.
Trochopsis Ehrenberg (1834), Abh. preuss. Akad. Wiss., 1832, 277.—Coel.
Trochopsis Gemmellaro 1878, Bull. Soc. Sci. nat. Econ. Palermo, 1878, xxiii.—Moll.
Trochopus Diesing 1850, Syst. Helminth., 1, 428.—Verm. (Trem.).
Trochopus Carpenter 1898, Ent. mon. Mag., 1898, 78.—Hem.
Trochopyxis Agassiz 1862, Contrib. nat. Hist. Amer., 2, 304.—Coel.
Trochoranis Reitter 1885, Verh. Ver. Brünn, 23, 9, 12.—Col.
Trochorbis Benson 1855, J. Asiat. Soc. Bengal, 24, no. 2, 126.—Moll.
Trochorhopalus Kirsch (1877), Mitt. Mus. Dresden, 2, 156.—Col.
Trochorrhopalus (pro *-rhopalus* Kirsch 1877) Marshall 1928, Ann. Mag. nat. Hist., (10) 2, 553.—Col.
Trochosa Koch 1847, Die Arachniden, 14 (3), 95.—Arachn.
Trochosaurus Haughton 1915, Ann. S. Afric. Mus., 12, 55.—Rept.
Trochoscala Koken 1897, N. Jahrb. Min. Geol. Pal., 1897 (1), 379.—Moll.
Trochosieris Milne-Edwards & Haime 1849, C.R. Acad. Sci. (Paris), 29, 72.—Coel.
Trochoseropsis Sohle 1896 (*teste* Waterhouse 1902, Index zool., 1880–1900, 385).
Trochosmia Milne-Edwards & Haime 1848, Ann. Sci. Nat. [3] (Zool.), 10, 236.—Coel.
Trochosodon Canu & Lecointre 1925, Mém. Soc. géol. France, (N.S.) 2, Mém. 4, 11 [n.n.]; Canu & Bassler 1927, Proc. U.S. nat. Mus., 69 (14), 11.—Bry.
Trochosolarium Seguenza 1903, Boll. Soc. Geol. ital., 21, 461.—Moll.
Trochosoma (err. pro *-stoma* Danielssen & Koren 1878) Delage & Hérouard 1903, Traité Zool. concr., 3, 494.—Echin.
Trochosoma Chamberlin 1921, Ann. Mag. nat. Hist., (9) 7, 56.—Myr.
Trochosphaera Semper 1872, Zool. Aphorismen, 3, 311.—Verm. (Rotif.).
Trochospongia Roemer 1887, N. Jahrb. Min. Geol. Pal., 1887 (2), 174.—Spong.
Trochospongilla Vejdovsky 1883, Abh. böhm. Ges. Wiss., (6) 12, no. 5, 31.—Spong.
Trochosoma Danielssen & Koren 1878, Nyt Mag. Naturv., 23, 229.—Echin.
Trochosuchus Broom 1908, Ann. S. Afr. Mus., 4, 366.—Rept.
Trochotherium Fraas 1870, Jh. Ver. Vaterl. Naturk. Württemb., 26, 161.—Mamm.
Trochotiara (n.n. pro *Tiarella* Pomel 1883) Lambert 1901, in Killian & Petitclerc, Contrib. Etude Bajocien Nord Franche-Conté, 3, 223, 236.—Echin.
Trochotoma Eudes-Deslongchamps 1842, Mém. Soc. linn. Normandie, 7, 99.—Moll.
Trochotoma Lycett [*non* Deslongchamps 1842] 1848, Ann. Mag. nat. Hist., (2) 2, 253.—Moll.
Trochotremaria Ryckholt 1860, J. Conchyliol., 8, 186.—Moll.
Trochoturium Sacco 1896, Moll. Terr. terz. Piemonte Liguria, 20, 27.—Moll.
Trochoturbella Cossmann 1921, Essais Paléonch. comp., 12, 6.—Moll.
Trochovitrina (Schacko MS.) Boettger 1880, Jahrb. dtsh. malak. Ges., 7, 379.—Moll.
Trochozonites Pfeffer 1883, Abh. Geb. Natur. Hamburg, 7 (2), Beitr. Naturg., No. 6, 23.—Moll.
Trochtella (err. pro *Trochat-* Swainson 1840) Wagner 1907, Syst. Conch. Cab., (2) Lief. 526, 103.—Moll.
Trochuda Schaus 1904, Trans. Amer. ent. Soc., 30, 140.—Lep.
Trochula Schlueter 1838, Kurzg. syst. Verz. Conch., 7.—Moll.
Trochulina Agassiz 1844, Nom. Zool. (Polypi), 26 [n.n.].—Prot.
Trochulus Beck 1837, Ind. Moll. Mus. Ch. Fred., 20 [*in syn.*].—Moll.
Trochulus Westerlund [*non* Beck 1837] 1886, Faun. Paläarct. Reg. Binnenconch., 1, 26.—Moll.
Trochurus Beyrich 1845, Böhm. Trilobiten, 31.—Trilobita.
Trochus Linnaeus 1758, Syst. Nat., ed. 10, 756; 1767, ed. 12, 1227.—Moll.
Trochus (emend. pro *Trogus* Panzer 1806) Trentepohl 1825, Rev. crit. Ichneum.; 1826, Isis, 1826, 296.—Hym.
Trochylus (pro *-chilus* L. 1758) Spix 1824, Avium Brasil., 1, 78.—Aves.
Trochyta (err. pro *-chita* Schumacher 1817) Rochebrune 1881, Nouv. Ann. Mus., (2) 4, 274.—Moll.
Trochythone (pro *Trach-* Studer 1876) Delage & Hérouard 1903, Traité Zool. concr., 3, 494.—Echin.
Troctus (err. pro *-chus* L. 1758) Monterosato 1890, Nat. Sicil., 9, 144.—Moll.
Trocnada Walker 1858, Ins. Saundersiana, Hom., 103.—Hem.
Trocnadella Pruthi 1930, Mem. Indian Mus., 11, 8.—Hem.
Trococochlea (err. pro *Trocho-* Moersch 1852) Bell 1898, Trans. R. geol. Soc. Cornwall, 12 (3), 154.—Moll.
Trocrotoma (err. pro *Trocho-* Deslongchamps 1842) Gemmellaro 1879, Giorn. Sci. nat. Econ. Palermo, 14, 194.—Moll.
Troctes Burmeister 1839, Handb. Ent., 2 (2), no. 2, 773.—Psocopt.
Troctes Cabanis & Heine 1863, Mus. Hein., 4, 201.—Aves. (See *Eutroctes* Heine 1863.)
Trocticus Bertkau 1882, Arch. Naturgesch., 49, 99.—Psocopt.
Troctoceras Dognin 1905, Ann. Soc. ent. Belgique, 49, 69.—Lep.

- Troctocerus* Woldstedt 1877, Bull. Acad. imp. Sci. St. Pétersbourg, 22, 396.—Hym.
Troctontus Silvestri 1920, Boll. Lab. Zool. Portici, 14, 302.—Col.
Troctoptera Hampson 1893, Ill. typ. Spec. Lep. Het., Coll. Brit. Mus., 9, 99.—Lep.
Trocus (err. pro *-chus* L. 1758) Ponzi 1872, Atti Accad. Lincei, 25, 80.—Moll.
Trocus (pro *Trogus* Panzer 1806) Molina 1810, Sagg. stor. nat. Chile, ed. 2, 178.—Hym.
Troedssonoceras Foerster 1928, Denison Univ. Bull., J. Sci. Lab., 23, 13, 40.—Moll.
Troezon Champion 1906, Biol. Centr. Amer., Col., 4 (4), 606.—Col.
Trogacontia Hampson 1896, Fauna Brit. India, Moths, 4, 520.—Lep.
Trogactus Sharp 1887, Biol. Centr. Amer., Zool., Col., 1 (2), 702.—Col.
Trogaspidia Ashmead 1899, J.N. York ent. Soc., 7, 58.—Hym.
Trogaster Sharp 1874, Ent. mon. Mag., 11, 83.—Col.
Trogasteropsis Doderò 1918, Buttl. Inst. catal. Hist. nat., 1918, 107.—Col.
Trogatha Hampson 1910, Cat. Lep. Phalaenae Brit. Mus., 10, 283.—Lep.
Trogatia Casey 1922, Mem. Col., 10, 481.—Col.
Troginus Mulsant & Rey 1878, Ann. Soc. Agric. Lyon, (4) 10, 700.—Col.
Trogium Illiger 1798, in Kugelann, Käfer Preuss., 500.—Hym.
Troglamauropis Ganglbauer 1903, München. Kol. Z., 1, 178.—Col.
Troglarmadillidium Verhoeff 1900, Zool. Anz., 23, 126.—Crust.
Troglichthys Eigenmann 1899, Science, (2) 9, 282.—Pisces.
Trogliscus Peyron 1877, Abeille, 15 (Malach.), 232.—Col.
Troglopalochrus Pic 1919, Mélanges exot.-ent., No. 30, 12.—Col.
Troglobates (emend. pro *Palaeophrynos* Tschudi 1838) Gistel 1848, Nat. Thierr., xi.—Amph.
Troglocampa Denis 1930, Bull. Soc. zool. France, 55, 34.—Thysanura.
Trogllocarcinus Verrill 1908, Trans. Connecticut Acad. Arts Sci., 13, 427.—Crust.
Trogllocaridella Babić 1922, Glasnik hvr. prirodosl. Dr. Zagreb, 34, 303.—Crust.
Trogllocaris Dormitzer 1853, Lotos, 3, 85.—Crust.
Troglochaetus Delachaux 1921, Bull. Soc. neuchâtel. Sci. nat., 45, 3.—Verm. (Polych.).
Troglucharinus Reitter 1908, Wien. ent. Ztg., 27, 116.—Col.
Trogloderus Leconte 1879, N. Amer. Ent., 1, 2.—Col.
Troglodites (pro *-dites* Vieillot 1808) Cuvier 1817, Règne Anim., 1, 370.—Aves.
Trogloditica Winn-Sampson 1922, Ann. Mag. nat. Hist., (9) 10, 148.—Col.
Troglodromius Joseph 1882, Berlin. ent. Z., 26, 24.—Thysanura.
Troglodromus Sainte-Claire-Deville 1901, Abeille, 30, 59.—Col.
Troglodyta Linnaeus 1760, Amoen. Acad., 6, 72.—Mamm.
Troglodytella Brumpt & Joyeux 1912, Bull. Soc. Path. exot., 5, 499.—Prot.
Troglodytes Moehring 1758, Geslach. Vogel. (Nozem. & Vosm. ed.), 2, 22; Vieillot 1807, Ois. Amér. sept., (2) 52.—Aves.
Troglodytes Geoffroy 1812, Ann. Mus. Hist. nat. (Paris), 19 (110), 87.—Mamm. (See *Pseudanthropos* Reichenbach 1860 & *Pongo* Haeckel 1866.)
Troglodytes Gabriel 1876, Morph. Jahrb., 1, 536.—Prot.
Troglolganis Eigenmann 1919, Proc. Amer. phil. Soc., 58, 397.—Pisces.
Troglolyphantes Joseph 1882, Berlin. ent. Z., 1882, 18.—Arachn.
Troglolulus Manfredi 1931, Atti Soc. ital. Sci. nat., 70, 181.—Myr.
Troglonata Simon 1922, Bull. Soc. ent. France, 1922, 200.—Arachn.
Trogloneta (pro *-nata* Simon 1922) Simon 1926, Arachn. de France, 6 (2), 315.—Arachn.
Troglopagurus Henderson 1893, Trans. Linn. Soc. London, 5, 421.—Crust.
Troglopedetes Absolon 1907, Wien. ent. Ztg., 26, 335.—Collemb.
Troglophilia Brunetti 1924, Rec. Indian Mus., 26, 100.—Dipt.
Troglophiloscia Brian 1929, Boll. Lab. Zool. Portici, 22, 118.—Crust.
Troglophilus Krauss 1879, S.B. Akad. Wiss. Wien, Math.-naturw. Kl., 78 (1), 1878, 533.—Orth.
Troglomyces Abeille de Perrin 1894, Ann. Soc. ent. France, 63, Bull., xxvii.—Col.
Troglomyces Erichson 1840, Entomographien, 125.—Col.
Troglorhynchus Schmidt 1854, Verh. zool.-bot. Ges. Wien, 4, Abh., 25.—Col.
Troglorites Jeannel 1919, Bull. Soc. ent. France, 1918, 273.—Col.
Troglosternus Bickhardt 1917, Gen. Insect., 166 (B), 245.—Col.
Troglostrogylus Ververs 1923, Proc. zool. Soc. London, 1922, 906.—Verm. (Nema.).
Troglothele Fage 1929, Boll. Lab. Zool. Portici, 22, 185.—Arachn.
Troglotrema Odhner 1914, Zool. Beitr. Upsala, 3, 236.—Verm. (Trem.).
Troglomma Hampson 1910, Cat. Lep. Phalaenae Brit. Mus., 10, 796.—Lep.
Trogobriga Hampson 1912, Cat. Lep. Phalaenae Brit. Mus., 11, 616.—Lep.
Trogocarpus Rondani 1877, Bull. Soc. ent. ital., 9, 204.—Hym.
Trogocerus see *Tragocerus* Gaudry 1861.
Trogocraspis Hampson 1918, Novit. zool., 25, 162.—Lep.
Trogocryptoides Champion 1924, Ent. mon. Mag., 60, 167.—Col.
Trogocryptus Sharp 1900, Biol. Centr. Amer., Zool., Col., 2 (1), 602.—Col.
Trogodendron Spinola 1841, in Guérin, Rev. Zool. (Soc. Cuv.), 73.—Col.

- Trogodendrum* (emend. pro *-dron* Spinola 1841) Agassiz 1846, Nomen. Zool. Index Univ.—Col.
- Trogoderma* Berthold 1827, in Latreille, Nat. Fam. Thierr., 352; Latreille 1829, in Cuvier, R. Anim., ed. 2, 4, 511.—Col.
- Trogodes* Westwood 1848, in Schaum, Verz. Samm. Melitoph., 64 [n.n.].—Col.
- Trogodesmus* Pocock 1895, Ann. Mus. Stor. nat. Genova, 34, 804.—Myr.
- Trogogonia* Hampson 1926, Descr. new Genn. Spp. Noctuidae, 523.—Lep.
- Trogolaimus* Cobb 1920, Contr. Nematology, 293.—Verm. (Nema.).
- Trogolegnum* Rothschild & Jordan 1903, Novit. zool., 9, Suppl., 187.—Lep.
- Trogolemur* Matthew 1909, Mem. Amer. Mus. nat. Hist., 9, 547.—Mamm.
- Trogolinus* Sharp 1900, Ent. mon. Mag., 36, 231.—Col.
- Trogomorpha* Ashmead 1900, Proc. U.S. nat. Mus., 23, no. 1206, 15.—Hym.
- Trogon* Moehring 1758, Geslach. Vogel. (Nozem. & Vosm. ed.), 8, 78; Brisson 1760, Ornith., 4, 164; Linnaeus 1766, Syst. Nat., ed. 12, 1, 167.—Aves.
- Trogonophis* Kaup 1830, Isis (Oken), 1830, 880.—Rept.
- Trogonoptera* Rippon ?1890, Icones Ornithopt., 2, 1.—Lep.
- Trogontherium* Fischer de Waldheim 1809, Mém. Soc. imp. Nat. Moscou, 2, 250.—Mamm.
- Trogonurus* Bonaparte 1854, Ateneo Ital., 2, 129; 1854, Consp. Volucr. Zygod., 14; 1854, Ann. Sci. nat., Zool., (4) 1, 130.—Aves.
- Trogloloeus* Mannerheim 1831, Mém. présentés Acad. imp. Sci. St. Pétersbourg, 1 (5), 463.—Col.
- Trogoptera* Herrich-Schaeffer [1858 (Pls. 1856)], Samml. aussereurop. Schmett., Heteroc., 60, fig. 496.—Lep.
- Trogopterus* Heude 1898, Mém. Hist. nat. Emp. Chinois, 4 (1), 46.—Mamm.
- Trogosita* (emend. pro *-ossita* Olivier 1790) Fabricius 1792, Ent. Syst., 1 (1), 115.—Col.
- Trogossita* Olivier 1790, Entom., 2, no. 19.—Col.
- Trogosus* Leidy 1871, Proc. Acad. nat. Sci. Philad., 1871, 115.—Mamm.
- Trogotherium* (emend. pro *Trogonth-* Fischer de Waldheim 1809) Agassiz 1846, Nomen. Zool. Index Univ.—Mamm.
- Trogotorna* Hampson 1910, Cat. Lep. Phalaenae Brit. Mus., 10, 331.—Lep.
- Troxoxestia* Hampson 1914, Ann. Mag. nat. Hist., (8) 13, 222.—Lep.
- Troxoxylon* Leconte 1862, Class. Col. N. Amer., 209.—Col.
- Trogulus* Latreille (1802), Hist. Crust. Ins., 3, 61.—Arachn.
- Trogulus* (? err. pro *-gus* Leach 1817) Brodie 1874, Distrib. & Correlation Foss. Ins., 20.—Col.
- Trogus* Panzer 1806, Krit. Revis., 2, 80; Gravenhorst 1829, Ichneum. Europ., 1, Conspectus, 64; 1829, 2, 369.—Hym.
- Trogus* Leach 1817, Zool. Miscell., 3, 73.—Col.
- Troides* Huebner [1819], Verz. bekannt. Schmett., (6) 88.—Lep.
- Troilides* Huebner [1825], Exot. Schmett., 2, pl. [111].—Lep.
- Troilus* Stål 1867, Öfvers. VetenskAkad. Förh. Stockholm, 24, 498.—Hem.
- Troitskiella* Poppus 1914, Acta Soc. Sci. Fenn., 44, no. 3, 81.—Hem.
- Troitzya* Boerner 1930, Arch. klass. phyl. Ent. Wien, 1, 160.—Hem.
- Tromatobia* Foerster 1868, Verh. naturh. Ver. Rheinlande, 25, 164.—Hym.
- Trombella* Berlese 1887, Acar., Myr., Scorp., 40, no. 1.—Arachn.
- Trombicula* Berlese 1905, Acari nuovi Manip., 4, 155.—Arachn.
- Trombidion* (emend. pro *-dium* Fabricius 1775) Agassiz 1845, Nom. Zool. (Arachn.), 13.—Arachn.
- Trombidium* Fabricius 1775, Syst. Ent., 430.—Arachn.
- Tromenus* Walker 1829-30, in Curtis, Guide Brit. Ins., (4) 114 [n.n.].—Hym.
- Tromera* Foerster 1868, Verh. naturh. Ver. Rheinlande, 25, 164.—Hym.
- Tromikosoma* Mortensen 1903, Dan. Ingolf-Exped., 4, 62, 65.—Echin.
- Tromina* Dall 1918, Proc. biol. Soc. Washington, 31, 137.—Moll.
- Tromodesia* Rondani 1856, Dipt. ital. Prodr., 1, 87.—Dipt.
- Tromodesiana* Townsend 1931, Rev. Ent. São Paulo, 1, 339.—Dipt.
- Tromodesiopsis* Townsend 1927, Rev. Mus. paulista, 15 (1), 221.—Dipt.
- Tromopoea* Foerster 1868, Verh. naturh. Ver. Rheinlande, 25, 210.—Hym.
- Tromosternus* Harold 1876, Abh. Naturw. Ver. Bremen, 5, 130.—Col.
- Trompe* (emend. pro *Toxotes* Cuvier & Cloquet 1816) Gisl [1847], Handb. Naturges., 1850, 357; 1848, Nat. Thierr., xi, 109.—Pisces.
- Trona* Jousseaume 1884, Bull. Soc. zool. France, 9, 89.—Moll.
- Troncatella* (err. pro *Trun-* Risso 1826) Desmarest 1859, in Chenu, Encycl. Hist. nat., Crust. Moll. Zooph., 156.—Moll.
- Tronga* Moore 1883, Proc. zool. Soc. London, 1883, 266.—Lep.
- Trongia* Townsend 1916, Proc. U.S. nat. Mus., 51, no. 2152, 299.—Dipt.
- Trongotherium* (err. pro *Trogonth-* Fischer 1809) Pidgeon 1827, in Griffith's Cuvier, Anim. Kingd., 5, 130.—Mamm.
- Troodon* Leidy 1856, Proc. Acad. nat. Sci. Philad., 8, 72.—Rept.
- Troostella* Wade 1926, Prof. Pap. U.S. geol. Surv., No. 137, 103.—Moll.

- Troosticrinus* Shumard 1866, Trans. Acad. Sci. St. Louis, 2, 384.—Echin.
Troostoceras Foerste & Teichert 1930, J. Sci. Lab. Denison Univ. Bull., 25, 202, 266.—Moll.
Troostocrinus (pro *-ticrinus* Shumard 1866) Meek & Worthen 1869, Proc. Acad. nat. Sci. Philad., 1868, 356.—Echin.
Tropacarus Ewing 1917, Ann. ent. Soc. Amer., 10, 130.—Arachn.
Tropacme Hampson 1894, Fauna Brit. Ind., Moths, 2, 101.—Lep.
Tropaea Huebner [1819], Verz. bekannt. Schmett., (10) 152.—Lep.
Tropaeas Dall & Bartsch 1904, Proc. biol. Soc. Washington, 17, 5.—Moll.
Tropaeum Sowerby 1837, Proc. geol. Soc. London, 2 (50), 535.—Moll.
Tropatheta Bernhauer 1927, Boll. Soc. ent. ital., 59, 81.—Col.
Tropaulacus Bradley 1908, Trans. Amer. ent. Soc., 34, 125.—Hym.
Tropeblemma Obenberger 1926, Sbornik ent. Odd. narod. Mus. Praz, 4 (28), 78.—Col.
Tropeonotus (emend. pro *-pinotus* Serville 1831) Saussure 1861, Rev. Mag. Zool., (2) 13, 320.—Orth.
Tropeopeltis Jakovlev (1902), Horae Soc. ent. ross., 35, 283.—Col.
Tropha Weise 1900, Dtsch. ent. Z., 1900, 121.—Col.
Tropheus Boulenger 1898, Trans. zool. Soc. London, 15, 17.—Pisces.
Trophidiscus (err. pro *Tropi-* Stein 1850) Adams 1854, Gen. Rec. Moll., 2, 263.—Moll.
Trophimaea Meyrick 1910, Rec. Indian Mus., 5, 232.—Lep.
Trophimus Horn 1870, Trans. Amer. ent. Soc., 3, 84.—Col.
Trophithauma Schmitz 1925, Natuurb. Maandbl., 14, 40.—Dipt.
Trophocampa Schmiedeknecht 1907, Hymenopt. Mitteleuropas, 2, 598.—Hym.
Trophocleptria Holmberg 1886, An. Soc. ci. Argent., 22, 275.—Hym.
Trophocrinus Kirk 1930, J. Washington Acad. Sci., 20, 210.—Echin.
Trophoctonus Foerster 1868, Verh. naturh. Ver. Rheinlande, 25, 206.—Hym.
Trophodiscus Fisher 1917, Proc. U.S. nat. Mus., 52, 367, 368.—Echin.
Trophodon Rafinesque 1831, Enum. obj. Cab., 3.—Moll.
Trophodor Rafinesque 1818, Amer. monthly Mag., (4) 107.—Moll.
Trophoëssa Turner 1911, Ann. Queensland Mus., 10, 99.—Lep.
Tropholampas Clark 1923, Ann. S. Afr. Mus., 13, 395.—Echin.
Trophomorphoides (err. pro *Troch-* Nevill 1878) [Clessin] 1882, Malak. Bl., (N.F.) 6, 154.—Moll.
Trophomyia Aldrich 1929, Proc. U.S. nat. Mus., 76, art. 15, 11.—Dipt.
Trophon Montfort 1810, Conch. Syst., 2, 482.—Moll.
Trophones Reichenbach 1828, Zoologie, 1, 91.—Aves.
Trophonia (ex Audouin & Edwards) Johnston 1840, Ann. nat. Hist., 4, 371; Audouin & Edwards 1848, in Edwards in Cuvier, Règne Anim. (disciples' ed.) (Ann.), 46.—Verm. (Polych.).
Trophonina Roeber 1889, Exot. Schmett., 2, 222.—Lep.
Trophoniphila McIntosh 1885, Rep. Voy. Challenger Exped., Zool., 12, 368.—Crust.
Trophonites Buckman 1922, Type Ammonites, 4, pt. 34, pl. 325.—Moll.
Trophonium Berthold 1827, in Latreille, Nat. Fam. Thierreichs, 187.—Moll.
Trophonopsis Bucquoy, Dautzenberg & Dollfus 1882, Moll. Mar. Roussillon, 1, 40.—Moll.
Trophops Aldrich 1932, Proc. U.S. nat. Mus., 81, no. 2932, 22.—Dipt.
Trophora (err. pro *Tri-* Blainville 1828) Peile 1929, Proc. malac. Soc. London, 18, 138.—Moll.
Trophosycon Cooper 1894, Bull. California State Min. Bur., No. 4, 53.—Moll.
Tropia Gistel 1837, Faunus, N.F.I., 105.—Hem.
Tropibalaninus Heller 1927, Stettin. ent. Ztg., 88, 260.—Col.
Tropiceltites Mojsisovics 1893, Abh. geol. Reichsanst. Wien, 6 (2), 369.—Moll.
Tropicis Scott 1926, Trans. Linn. Soc. London, (2) 19, 30.—Col.
Tropicollis Prout 1931, in Seitz, Gross-Schmett. Erde, 16, 42.—Lep.
Tropicolobus Rochebrune 1887, Faune de Sénégal, 102.—Mamm.
Tropicolpus Marwick 1931, N. Zealand geol. Surv., Pal. Bull., No. 13, 93.—Moll.
Tropicoperdix Blyth 1859, J. Asiat. Soc. Bengal, 28, 415.—Aves.
Tropicophilus Leach 1825, in Stephens, Gen. Zool., 13 (1), 122.—Aves.
Tropicorbis Brown & Pilsbry 1914, Proc. Acad. nat. Sci. Philad., 66, 212.—Moll.
Tropicoris Hahn 1834, Wanzenart. Ins., 2 (2), 52.—Hem.
Tropicoritus Alluaud 1917, Ann. Soc. ent. France, 86, 95.—Col.
Tropicorypha Mayr 1864, Verh. zool.-bot. Ges. Wien, 14, Abh., 910.—Hem.
Tropicranus (n.n. pro *Ortholophus* Ogilvie-Grant 1892) Sclater 1922, Bull. Brit. Orn. Cl., 42, 76.—Aves.
Tropidacris Scudder 1869, Proc. Boston Soc. nat. Hist., 12, 338.—Orth.
Tropidarnis Fowler 1895, Biol. Centr. Amer., Zool., Rhynch. Homopt., 2, 60.—Hem.
Tropidaspis Stål 1869, K. svenska VetenskAkad. Handl., 8, no. 1, 49.—Hem.
Tropidaster Forbes 1850, Mem. Geol. Surv. U.K., Figures, Decade 3, pl. iii, p. 1.—Echin.

- Tropidauchen* Saussure 1887, Spic. ent., 2, 72.—Orth.
Tropidauchenia Lindholm 1924, Proc. malac. Soc. London, 16, 57.—Moll.
Tropidechis Guenther 1863, Ann. Mag. nat. Hist., (3) 12, 363.—Rept.
Tropidema Thomson 1864, Syst. Cerambycid., 88.—Col.
Tropidemys Ruetimeyer 1873, Denkschr. Schweiz. Nat. Ges., 25, 40.—Rept.
Tropiderys Bernhauer 1908, Arch. Naturgesch., 74, Bd. 1, 349.—Col.
Tropideres Schoenherr 1823, Isis (Oken), 1823, 1135; 1826, Curc. disp. meth., 35.—Col.
Tropiderinus Reitter 1916, Faun. Germ., 5, 5.—Col.
Tropideucoela (pro *-coila* Ashmead 1903) Ashmead 1903, Psyche, 10, 61.—Hym.
Tropideucoila Ashmead 1903, Proc. ent. Soc. Washington, 5, 221.—Hym.
Tropidia Meigen 1822, Syst. Besch. Zweifl. Insekt., 3, 346.—Dipt.
Tropidichthys Bleeker 1854, Nat. Tijdschr. Ned. Ind., 6, 501.—Pisces.
Tropidina Adams 1854, Gen. Rec. Moll., 1, 344.—Moll.
Tropidina Moersch [non Adams 1854] 1864, Vidensk. Medd. naturh. Foren. Kjøbenhavn, 1863, 320.—Moll.
Tropidinius Gill 1868, in Poey, Repert. Cuba, 2, 296.—Pisces.
Tropidio (err. pro *-dion* Thomson 1867) Lucas 1920, Cat. alphab. gen. et subgen. Col., 1, 659.—Col.
Tropidion Thomson 1867, Physis, Paris, 1, pt. 3, 138.—Col.
Tropidiopsis Bolivar 1911, Ann. Soc. ent. Belgique, 55, 305.—Orth.
Tropidiplus Fleutiaux 1903, Bull. Soc. ent. France, 1903, 251.—Col.
Tropidischia Scudder 1862, Boston J. nat. Hist., 7, no. 3, 440.—Orth.
Tropidiscus Stein 1850, Schneck. Musch. Berlins, 76.—Moll.
Tropidiscus Meek [non Stein 1850] 1866, Proc. Chicago Acad. Sci., 1, 9.—Moll.
Tropidoatractus Levander 1894, Beitr. Ciliaten, 39.—Prot.
Tropidobaris Casey 1922, Mem. Col., 10, 366.—Col.
Tropidobasis Jordan 1923, Novit. zool., 30, 178.—Col.
Tropidobracon Ashmead 1900, Proc. U.S. nat. Mus., 23, No. 1206, 139.—Hym.
Tropidocarabus Kraatz 1895, Dtsch. ent. Z., 1895, 366.—Col.
Tropidocardium Roemer 1868, Syst. Conch. Cab., Lief. 188, 13.—Moll.
Tropidocaris Beecher 1884, Geol. Surv. Pennsylvania, Vol. 2, PPP., 15.—Crust.
Tropidocaulus (n.n. pro *Eurycaulus* Ogilby 1908) Ogilby 1920, Proc. roy. Soc. Queensland, 31, 45.—Pisces.
Tropidocephala Stål 1853, Öfvers. VetenskAkad. Förh. Stockholm, 10, 266.—Hem.
Tropidocephalus Mueller 1882, Verh. Ges. Basel, 7, 161.—Rept.
Tropidocera Stål 1869, K. svenska VetenskAkad. Handl., 8, no. 1, 38.—Hem.
Tropidoceras Hyatt 1867, Bull. Mus. comp. Zool. Harvard, 1, no. 5, 93.—Moll.
Tropidocerca Disinger 1851, Syst. Helm., 2, 207.—Verm. (Nema.).
Tropidocercus Chaudoir 1878, Bull. Soc. imp. Nat. Moscou, 53 (2), 9.—Col.
Tropidocheila Fieber 1844, Entom. Monogr., 72.—Hem.
Tropidoclionia Cope 1860, Proc. Acad. nat. Sci. Philad., 1860, 76.—Rept.
Tropidococcyx Guenther 1860, Ann. Mag. nat. Hist., (3) 6, 428.—Rept.
Tropidocochlis Locard 1893, Echange, 9, 97, 98.—Moll.
Tropidocochlis Locard [non 1893] 1899, Arch. Mus. Hist. nat. Lyon, 7, 132 (in err. as *Tropidocochlis* p. 50).—Moll.
Tropidocochlis see *Tropidocochlis* Locard 1899.
Tropidocoris Schummel (1828), Uebers. Arb. schles. Ges., 1827, 65.—Hem.
Tropidocoris (emend. pro *Tropicoris* Hahn 1834) Agassiz 1846, Nomen. Zool. Index Univ.—Hem.
Tropidocoryphe Novak 1890, Palaeont. Abh., (N.F.) 1 (3), 10.—Trilobita.
Tropidocyathus Milne-Edwards & Haime 1848, Ann. Sci. Nat. [3] (Zool.), 9, 326.—Coel.
Tropidocyclus Dall 1903, Proc. biol. Soc. Washington, 16, 7.—Moll.
Tropidocyclus Koninck 1882, Ann. Soc. géol. Belg., 9, 81.—Moll.
Tropidocyphus Stein 1878, Organ. Infus., 3 (1), pl. x.—Prot.
Tropidocyta (err. pro *-oscyta* Stål 1869) Buckton 1903, Monogr. Membrac., 52.—Hem.
Tropidodactylus Boulenger 1885, Cat. Lizards Brit. Mus., 2, 97.—Rept.
Tropidodema (emend. pro *Tropidema* Thomson 1864) Gemminger & Harold 1873, Cat. Col., 10, 3069.—Col.
Tropidoderes (emend. pro *Tropideres* Schoenherr 1823) Gemminger & Harold 1872, Cat. Col., 9, 2733.—Col.
Tropidoderus Gray 1835, Syn. Phasmidae, 31.—Orth.
Tropidodexia Townsend 1915, J.N. York ent. Soc., 23, 66.—Dipt.
Tropidodipsas Guenther 1858, Cat. Colubr. Snakes Brit. Mus., 180.—Rept.
Tropidodiscus (emend. pro *Tropidiscus* Meek 1866) Waagen 1880, Palaeont. Indica, (13) 1, 131.—Moll.
Tropidodryas Fitzinger 1843, Syst. Rept., 26.—Rept.
Tropidodus Gill 1862, Proc. Acad. nat. Sci. Philad., 1862, 483, 489.—Pisces.
Tropidogaster Duméril & Bibron 1837, (Roret's Suite à Buffon) Erpét., 4, 329.—Rept.

- Tropidogaster* Fitzinger [non Duméril & Bibron 1837] 1843, Syst. Rept., 17, 79.—Rept.
- Tropidogastra* Ashmead 1904, J.N. York ent. Soc., 12, 323.—Hym.
- Tropidogastrella* Hendel 1914 (Apr.), Gen. Insect., 157, 134; 1914 (June), Abh. zool.-bot. Ges. Wien, 8 (1), 285.—Dipt.
- Tropidogastrites* (emend. pro *Tropigast*-Smith 1914) Lemoine 1915, Rev. crit. Paléozool., 19, 152.—Moll.
- Tropidogeophis* Mueller ? 1878, Verh. naturf. Ges. Basel, 6 (3), 1877, 411.—Rept.
- Tropidogerrhon* Fitzinger 1843, Syst. Rept., 21.—Rept.
- Tropidogerrhum* (emend. pro *-rrhon* Fitzinger 1843) Agassiz 1846, Nomen. Zool. Index Univ.—Rept.
- Tropidogynoplax* Enderlein [1909], Ent. Ztg., Stettin, 71, 1910, 141.—Plecopt.
- Tropidogyra* Wenz 1923, Senckenbergiana, 5, 117.—Moll.
- Tropidolaemus* Wagler 1830, Nat. Syst. Amph., 175.—Rept.
- Tropidolepis* (ex Cuvier) Gray 1830, in Griffith's Cuvier, Anim. Kingd., Rept., Syn., 43.—Rept.
- Tropidolepisma* (? pro *-lopisma* Duméril & Bibron 1839) Peters 1844, Ber. Verh. preuss. Akad. Wiss., 1844, 36.—Rept.
- Tropidoleptus* Hall 1857, Rep. New York State Cab. nat. Hist., 10, 151.—Brach.
- Tropidolomia* Stål 1869, in K. svenska VetenskAkad. Handl., 8, no. 1, 19.—Hem.
- Tropidolophus* Thomas 1873, Rep. U.S. geol. Surv. Terr., 5 (1), 138.—Orth.
- Tropidolopisma* Duméril & Bibron 1839, (Roret's Suite à Buffon) Erpét., 5, 744.—Rept.
- Tropidolytopelte* Simroth 1901, Nachtschneckenfauna Ross. Reiches, 174.—Moll.
- Tropidomantis* Stål 1877, Bih. svenska VetenskAkad. Handl., 4, no. 10, 26.—Orth.
- Tropidomonas* da Cunha 1915, Brazil-Medico, 29, 113.—Prot.
- Tropidomphalus* Pilsbry 1895, Man. Conch., (2) 9, 309.—Moll.
- Tropidomya* Dall & Smith 1886, Bull. Mus. comp. Zool. Harvard, 12, 301.—Moll.
- Tropidomyia* Williston 1888, Canad. Ent., 20, 11.—Dipt. (Conopid.).
- Tropidomyia* Brauer & Bergenstamm 1889, Denkschr. Akad. Wiss. Wien, 56 (1), 167.—Dipt. (Dexiid.). (See *Neotropidomyia* Townsend 1891.)
- Tropidonia* Bernhauer 1928, Arch. Naturgesch., 92, A7, 1926, 52.—Col.
- Tropidonotus* Kuhl 1826, in Férussac, Bull. Sci., 9, 237; Wagler 1830, Nat. Syst. Amph., 179.—Rept.
- Tropidonotus* (pro *Tropin*-Serville 1831) Stål 1878, Bih. svenska VetenskAkad. Handl., 5, no. 4, 14.—Orth.
- Tropidonuculites* (err. pro *Tropin*-McLearn 1918) Cossmann 1918, Rev. crit. Paléozool., 22, 69.—Moll.
- Tropidopathes* Silberfeld 1909, Zool. Anz., 34, 762.—Coel.
- Tropidopeltis* Fitzinger 1843, Syst. Rept., 25.—Rept.
- Tropidophidion* Werner 1902, Verh. zool.-bot. Ges. Wien, 52, 334.—Rept.
- Tropidophis* Cocteau & Bibron 1843, in Sagra, Cuba (Rept.), 208.—Rept.
- Tropidophis* Gray 1849, Cat. Snakes Brit. Mus., 69.—Rept. (See *Atrielium* Cope 1861.)
- Tropidopholis* Fitzinger 1843, Syst. Rept., 21.—Rept.
- Tropidophora* Troschel 1847, Z. Malakozool., 44.—Moll.
- Tropidophora* Thomson 1858, Arch. Ent., 2, 217.—Col.
- Tropidophora* Jeffreys 1882, Proc. zool. Soc. London, 1881, 943.—Moll. (See *Goniophora* Jeffreys 1883.)
- Tropidophora* Bierman 1910, Notes Leyden Mus., 33, 10.—Hem.
- Tropidophorella* Reuter 1907, Ofvers. finska VetenskSoc., 49, no. 7, 15.—Hem.
- Tropidophorus* Duméril & Bibron 1839, (Roret's Suite à Buffon) Erpét., 5, 554.—Rept.
- Tropidophorus* Jan [non Duméril & Bibron 1839] 1865, Arch. Zool. Anat. Phys., 3, 205.—Rept.
- Tropidophorus* (emend. pro *Tropiphorus* Schoenherr 1842) Gemminger & Harold 1871, Cat. Col., 8, 2307.—Col.
- Tropidophryne* Compere 1931, Univ. Calif. Publ. Ent., 5, 269.—Hym.
- Tropidophys* Karsch 1896, Ent. Ztg., Stettin, 57, 340.—Orth.
- Tropidopilus* Fitzinger 1843, Syst. Rept., 17, 66.—Rept.
- Tropidopola* Stål 1873, Recensio Orth., 1, 43, 86.—Orth.
- Tropidopora* Hall & Simpson 1887, Pal. N. York, 6, xv.—Bry.
- Tropidopria* Ashmead 1893, Bull. U.S. nat. Mus., No. 45, 416.—Hym.
- Tropidopsilus* Kieffer 1908, in André, Spec. Hym. Eur., 10, 358.—Hym.
- Tropidopsimorpha* Townsend 1927, Rev. Mus. paulista, 15 (1), 226.—Dipt.
- Tropidopsis* Brauer & Bergenstamm 1890 [sep. 1889], Denkschr. Akad. Wiss. Wien, 56, 132.—Dipt.
- Tropidopsis* Ashmead 1893, Bull. U.S. nat. Mus., No. 45, 402.—Hym.
- Tropidoptera* Ancey 1889, Bull. Soc. malac. France, 6, 191.—Moll.
- Tropidopterus* (emend. pro *Tropop*-Solier 1849) Gemminger & Harold 1868, Cat. Col., 1, 385.—Col.

- Tropidorhinella* Schmidt 1910, Ent. Ztg., Stettin, 71, 336.—Hem.
- Tropidorhynchus* Vigors & Horsfield 1826, Trans. Linn. Soc. London, 15 (1), 323.—Aves.
- Tropidorissoia* Tomlin & Shackleford 1915, J. Conch. London, 14, 307.—Moll.
- Tropidorhinus* (emend. pro *Tropirhinus* Schoenherr 1823) Gemminger & Harold 1871, Cat. Col., 8, 2325.—Col.
- Tropidosaura* Boie 1826, in Férussac, Bull. Sci., 9, 235 [n.n.]; Fitzinger 1826, Neue Classif. Rept., 22, 52.—Rept.
- Tropidosaurus* Gray (teste Agassiz 1844, Nom. Zool. (Rept.), 46, (sed non comp.).—Rept.
- Tropidoscaphula* Heller 1920, Arch. Naturgesch., 84, A8, 1918, 56.—Col.
- Tropidoscincus* Barboza de Bocage 1873, J. Sci. math., phys. nat. Lisbon, 4, 230.—Rept.
- Tropidoscincis* Enderlein 1911, Zool. Anz., 38, 12; 1911, S.B. Ges. naturf. Fr. Berlin, 1911, 187, 226.—Dipt.
- Tropidoscyta* Stål 1869, K. svenska VetenskAkad. Handl., 8, no. 1, 39.—Hem.
- Tropidosoma* Perty 1832, Del. anim. artic. Brasil., 2, 85.—Col.
- Tropidosteptes* Uhler 1878, Proc. Boston Soc. nat. Hist., 19, 404.—Hem.
- Tropidostethus* Philippi 1863, Z. Naturw., 21, 245.—Orth.
- Tropidostethus* (emend. pro *Tropistethus* Fieber 1860) Marshall 1868, Ent. mon. Mag., 4, 281.—Hem.
- Tropidostethus* Ogilby 1895, Proc. Linn. Soc. N.S. Wales, (2) 10, 323.—Pisces.
- Tropidosteus* Gross 1933, Abh. preuss. geol. Landesanst., 154, 50.—Pisces.
- Tropidostoma* Seeley 1890, Phil. Trans. roy. Soc., 180B, 1889, 232.—Rept.
- Tropidostropha* Longstaff 1912, Quart. J. geol. Soc., 68, 295.—Moll.
- Tropidostrophia* (err. pro *-pha* Longstaff 1912) Dollfus 1919, J. Conchyliol., 64, 211.—Moll.
- Tropidostrophus* (err. pro *-pha* Longstaff 1912) Cossmann 1915, Essais Paléoconch. comp., 10, 276.—Moll.
- Tropidosurcula* (emend. pro *Tropisurcula* Casey 1904) Cossmann 1906, Essais Paléoconch. comp., 7, 222.—Moll.
- Tropidotasia* Lea 1928, Trans. roy. Soc. S. Australia, 52, 158.—Col.
- Tropidothais* Cox 1925, Ann. Transvaal Mus., 11, 213.—Moll.
- Tropidothorax* (n.n. pro *Melanospilus* Stål 1868) Bergröth 1894, Ann. Soc. ent. Belgique, 38, 547.—Hem.
- Tropidotilla* Bischoff 1920, Arch. Naturgesch., 86, A1-5, 155.—Hym.
- Tropidotragops* Fitzinger 1843, Syst. Rept., 27.—Rept.
- Tropidotrechus* Jeannel 1927, Abeille, 33, 96.—Col.
- Tropidotropis* Ancey 1888, Bull. Soc. malac. France, 5, 370.—Moll.
- Tropidotylus* Stål 1876, K. svenska VetenskAkad. Handl., 14, no. 4, 4, 15.—Hem.
- Tropidamba* Hampson 1926, Descr. new Genn. Spp. Noctuidae, 544.—Lep.
- Tropiduchodes* Schmidt [1909], Ent. Ztg., Stettin, 71, 1910, 188.—Hem.
- Tropiduchus* Stål 1854, Ofvers. VetenskAkad. Förh. Stockholm, 11, 248.—Hem.
- Tropidurus* Wied 1824, Abh. Naturges. Brasil., (6); Bonaparte 1831, Giorn. Arcad., 52, 140.—Rept.
- Tropidurus* (pro *-isurus* Diesing 1835) Wiegmann 1835, Arch. Naturgesch., 1 (1), 338.—Verm. (Nema).
- Tropifer* Gould 1857, Quart. J. geol. Soc. London, 13, 361, 363.—Crust.
- Tropigastrites* Smith 1914, Prof. Pap. U.S. geol. Surv., No. 83, 12, 125.—Moll.
- Tropignorimus* Bernhauer 1915, Verh. zool.-bot. Ges. Wien, 65, 154.—Col.
- Tropihypnus* Reitter 1905, Verh. Ver. Brünn, 43, 9.—Col.
- Tropimetopa* Thomson 1864, Syst. Cerambycid., 118.—Col.
- Tropimius* Brèthes 1927, Ent. Mitt., 16, 329.—Hym.
- Tropinota* Mulsant 1842, H.N. Coléopt. France (Lam.), 575.—Col.
- Tropinotus* Kuhl & Hasselt 1822, Isis (Oken), 1822, 473.—Rept.
- Tropinotus* Audinet-Serville 1831, Ann. Sci. nat., 22 (87), 272.—Orth. (See *Xyleus* Gistel 1848 & *Diedronotus* Bolivar 1906.)
- Tropinuculites* McLearn 1918, Amer. J. Sci., (4) 45, 140.—Moll.
- Tropiocaris* (emend. pro *Tropirinus* p. 750) Spence Bate 1888, Rep. Voy. Challenger Exped., Zool., 24, 834.—Crust.
- Tropiochirus* Bernhauer 1903, Dtsch. ent. Z., 1903, 120.—Col.
- Tropiocolotes* Peters 1880, MonatsBer. Akad. Wiss. Berlin, 1880, 306.—Rept.
- Tropiometra* Clark 1907, Smithsonian misc. Collect., 50, 349.—Echin.
- Tropiopteris* Bernhauer 1915, Dtsch. ent. Z., 1915, 194.—Col.
- Tropiorhynchia* Buckman 1914, Rec. Jurass. Brach., 1; 1917, Pal. Indica, 3 (2), 33.—Brach.
- Tropiorhynchus* [Blanchard] [1851], Cat. Coll. Ent. Mus. H.N. Paris, Coléopt., 1 (2), 1850, 176.—Col. (nec *Tropidorhynchus* Vigors & Horsfield 1826 see *Dinorkina* Lacordaire 1856).
- Tropiphlepsia* Muir 1924, Mem. Queensland Mus., 8, 32.—Hem.
- Tropiphora* Waagen 1907, Abh. geol. Reichsanst. Wien, 18 (2), 149.—Moll.
- Tropiphorus* Schoenherr 1842, Gen. et Sp. Curc., 6 (2), 257.—Col.

- Tropipleurites* (Chevrolat MS.) Agassiz 1845, *Nom. Zool. (Col.)*, 167 [n.n.].—Col.
Tropipygus Jekel 1855, *Ins. Saundersiana, Col. Curc.*, 1, 71.—Col.
Tropirhinus Schoenherr 1823, *Isis (Oken)*, 1823, 1140; 1826, *Curc. disp. meth.*, 123.—Col.
Tropirinus Spence Bate 1888, *Rep. Voy. Challenger, Zool.*, 24, *Crust. Macr.*, 750 (emended to *Tropiocaris* p. 834).—Crust.
Tropis Newman 1841, *Entomologist*, 1 (3), 34; Pascoe 1863, *Trans. ent. Soc. London*, (3) 1, 568.—Col.
Tropisoma Koch 1844, *Dtschl. Crust.*, Heft 40, tab. 13; 1847, *Krit. Revision Insect. Dtschl.*, 57.—Myr.
Tropisternus Solier 1834, *Ann. Soc. ent. France*, 3, 308.—Col.
Tropistes Gravenhorst 1829, *Ichneum. Europ.*, 1, *Conspectus*, 64; 1829, 3, 442.—Hym.
Tropistethus Fieber [1860], *Europ. Hem.*, 1861, 184.—Hem.
Tropistostrochus Reuter 1894, *Acta Soc. Sci. Fenn.*, 19, no. 6, 15.—Hem.
Tropisurcula Casey 1904, *Trans. Acad. Sci. St. Louis*, 14, no. 5, 153.—Moll.
Tropisurus Diesing (1835), *Oesterr. Med. Jahrb.*, 16, 1834, 83.—Verm. (Nema.).
Tropiter Gould 1857, *Quart. J. geol. Soc. London*, 13, 360.—Crust.
Tropites Mojsisovics 1875, in Neumayr, *Z. dtsch. geol. Ges.*, 27, 889.—Moll.
Tropithorax Croissandeau 1894, *Ann. Soc. ent. France*, 63, 359.—Col.
Tropitoides Spath 1925, *Ann. Mus. Hist. nat. Marseille*, 20, 12.—Moll.
Tropitrachelus Silvestri 1897, *Abh. Mus. Dresden*, 6, 4.—Myr.
Tropizaspis Brunner 1893, *Ann. Mus. Stor. nat. Genova*, (2) 13, 187.—Orth.
Tropobracon Cameron 1905, *Spolia zeylan.*, 3, 91.—Hym.
Tropocalymma Thomson 1864, *Syst. Cerambycid.*, 138.—Col.
Tropocyclops Kiefer 1927, *Zool. Anz.*, 73, 303.—Crust.
Tropodiptomus Kiefer 1932, *Zool. Anz.*, 100, 217; 1932, *Zool. Jahrb., Syst.*, 63, 466.—Crust.
Tropodiscus (err. pro *Tropi-* Stein 1850) Clessin 1877, *Dtsch. Exk. Moll. Fauna*, 398.—Moll.
Tropodon (emend. pro *Rhinocerooides* Featherstonhaugh 1831) Rafinesque 1832, *Atlantic Journ.*, (3) 114.—Mamm.
Tropoeas (err. pro *-paeas* Dall & Bartsch 1904) Cossmann 1904, *Rev. crit. Paléozool.*, 8, 266.—Moll.
Tropophleba Schmitz 1929 (Oct.), *Dipt. Patag. & S. Chile*, 6, 28; 1929, *Rev. Phoriden*, 132, 201.—Dipt.
Tropopsis Solier 1849, in Gay, *Chili*, 4 (Col.), 179.—Col.
Tropopterus Solier 1849, in Gay, *Chili*, 4 (Col.), 211.—Col.
Troporhogas Cameron 1905, *Spolia zeylan.*, 3, 92.—Hym.
Troposalpia Bernhauer 1930, *Folia zool. hydrobiol.*, 1, 193.—Col.
Tropusia Hagen 1883, *Ent. Ztg., Stettin*, 44, 296.—Psocopt.
Tros Kirby 1896, in Allen's *Nat. Libr. Handbook Lep. I*, Butt. 2, 305 (Cf. Hemming 1934, *Gen. Names Holarctic Butterfl.*, 1, 144).—Lep.
Troschelia Moerch 1876, *J. Conchyliol.*, 24, 370.—Moll.
Troschelia Duncan & Sladen 1883, *Pal. Ind.*, 14, 67.—Echin.
Troschelviana Baker 1922, *Proc. Acad. nat. Sci. Philad.*, 74, 59.—Moll.
Troschelvindex Baker 1924, *Nautilus*, 37, 90.—Moll.
Trosia Huebner [1820], *Verz. bekannt. Schmett.*, (13) 196.—Lep.
Trossulus Jordan 1921, *Stanford Univ. Publ., Biol. Sci.*, 1, 250.—Pisces.
Trosthis Huebner 1821, *Index exot. Lepid.*, [3].—Lep.
Trothisa Huebner [1821], *Verz. bekannt. Schmett.*, (16) 256.—Lep.
Troticus Audinet-Serville 1846, in Brullé in Lepeletier (*Roret's Suite à Buffon*) *Hyménopt.*, 4, 508.—Hym.
Protocalpe Warren 1907, *Novit. zool.*, 14, 235.—Lep.
Protocraspeda Warren 1899, *Novit. zool.*, 6, 66.—Lep.
Protogonia Warren 1905, *Novit. zool.*, 12, 70.—Lep.
Trotoma (err. pro *-tomma* Kiesenwetter 1851) Leconte 1862, *Class. Col. N. Amer.*, 251.—Col.
Trotomma Kiesenwetter 1851, *Ann. Soc. ent. France*, (2) 9, 623.—Col.
Trotommidea Reitter 1883, *Wien. ent. Ztg.*, 2, 307.—Col.
Trotommideomorpha Pic 1902, *Bull. Soc. ent. France*, 1902, 335.—Col.
Trotonotus Butler 1898, *Proc. zool. Soc. London*, 1898, 431.—Lep.
Trotopera Warren 1894, *Novit. zool.*, 1, 456.—Lep.
Trotorhombia Warren 1904, *Novit. zool.*, 11, 498.—Lep.
Trotosema Butler 1879, *Ann. Mag. nat. Hist.*, (5) 4, 448.—Lep.
Trotothyris Warren 1897, *Novit. zool.*, 4, 19.—Lep.
Trotteria (n.n. pro *Choristoneura* Ruebsaamen 1892) Kieffer 1902, *Ann. Soc. ent. France*, 70, 1901, 561.—Dipt.
Trouessartella (n.n. pro *Trouessartia* Cossman 1899) Cossman 1899, in Trouessart, *Cat. Mamm.*, new ed., 1433, 1463.—Mamm.
Trouessartella Lohmann 1901, *Das Tierreich, Lief. 13*, 303.—Arachn. (See *Lohmannella* Trouessart 1901.)

- Trouessartia* (n.n. pro *Pterocolus* Haller 1878) Canestrini 1899, Tierreich, Lief. 7, 119.—Arachn.
- Trouessartia* (n.n. pro *Odontostylus* Trouessart 1898) Cossman 1899 (May), Rev. crit. Paléont., 30.—Mamm. (See *Trouessartella* Cossman 1899.)
- Trox* Fabricius 1775, Syst. Ent., 31.—Col.
- Troxalis* (emend. pro *Trox*-Fabricius 1775) Kirby 1825, Zool. Journ., 1 (4), 431.—Orth.
- Troxites* Goldenberg 1854, Palaeontographica, 4, 36.—Col.
- Troxochrota* Kulczynski 1895, Araneae Hung., 2, 124.—Arachn.
- Troxochrus* Simon 1884, Arachn. France, 5 (3), 645.—Arachn.
- Troya* Roewer 1914, Miss. géogr. Arc Méridien, 10, fasc. 2, 133.—Arachn.
- Trubatsa* Dall 1880, Bull. Mus. comp. Zool. Harvard, 18, 18, 215.—Moll.
- Trucherognathus* Branson & Mehl 1933, Univ. Missouri Stud., 8, 84.—Verm. (†Ann.).
- Trucifelis* Leidy 1868, Proc. Acad. nat. Sci. Philad., 1868, 175.—Mamm.
- Tructicus* Strand 1907, Zool. Anz., 31, 549.—Arachn.
- Trudis* Whitley 1931, Australian Zool., 6, 327.—Pisces.
- Truella* Pease 1871, Proc. zool. Soc. London, 1871, 459.—Moll.
- Truemanina* (n.n. pro *Tillyardia* Bolton 1922) Bolton 1934, Nature, 134, 183.—Odon.
- Trugon* (ex Hombron & Jacquinot) Gray 1849, Gen. Birds, App., 24; Pucheran 1853, Voy. Pôle Sud, Zool., 3, 123.—Aves.
- Trulla* Kaup 1858, Arch. Naturgesch., 24, Abt. 1, 109.—Pisces.
- Trulliflorinia* Leonardi 1906, Redia, 3, 41.—Hem.
- Trumais* Gounelle 1909, Ann. Soc. ent. France, 77, 605.—Col.
- Trumanda* Dognin 1911, Hét. nouv. Amér. Sud, 3, 19.—Lep.
- Trumechinus* Lambert & Thiéry 1911, Essai nomencl. rais. Éch., (3) 218.—Echin.
- Truncacila* Grant & Gale 1931, Mem. San Diego Soc. nat. Hist., 1, 12, 115.—Moll.
- Truncaphis* Theobald 1918, Entomologist, 51, 25.—Hem.
- Truncaria* Adams & Reeve 1850, Zool. "Samarang," (6) Moll., 33.—Moll.
- Truncaspidiotus* MacGillivray 1921, The Coccidae, 390, 431.—Hem.
- Truncatella* Risso 1826, H.N. Europe, 4, 124.—Moll.
- Truncatellina* d'Orbigny 1826, Tabl. Méth. Ceph. (teste Scudder 1882, Suppl. List, 345 *sed non comp.*).—Moll.
- Truncatellina* Lowe 1852, Ann. Mag. nat. Hist., (2) 9, 275.—Moll.
- Truncatocamaria* Pic 1922, Mélanges exot.-ent., no. 35, 27.—Col.
- Truncatophloeus* Kessel 1921, Arch. Naturgesch., 87, A6, 29.—Col.
- Truncatula* Leach 1847, Ann. Mag. nat. Hist., 20, 271.—Moll.
- Truncatula* Hagenow 1851, Bryoz. Maastr. Kreide, 34.—Bry.
- Truncatula* (err. pro *-tella* Risso 1826) Caziot 1910, Etude Moll. Princip. Monaco, 450.—Moll.
- Truncatulana* (err. pro *-liana* Servain 1881) Germain 1903, Bull. Soc. Sci. nat. Ouest France, (2) 3 (1), 177.—Moll.
- Truncatuliana* Servain 1881, Hist. Mal. Lac Balaton, 63.—Moll.
- Truncatula* d'Orbigny 1826, Ann. Sci. Nat., 7 (27), 278.—Prot.
- Truncaturus* Thor 1901, Arch. Math. Naturv. Kristiania, 23, 44.—Arachn.
- Truncilla* Rafinesque 1819, Journ. de Physique, 88, 427.—Moll.
- Truncilopsis* Ortman & Walker 1922, Occ. Pap. Mus. Zool. Univ. Michigan, No. 112, 65.—Moll.
- Truncularia* Wiegmann 1832, Handb. Zool., 596.—Bry.
- Truncularia* Monterosato 1917, Boll. Soc. zool. ital., (3) 4, 20.—Moll. (See *Trunculariopsis* Cossman 1921.)
- Trunculariopsis* (n.n. pro *Truncularia* Monterosato 1917) Cossman 1921, Rev. crit. Paléozool., 25, 79.—Moll.
- Trunculites* Rafinesque 1820, Cont. Mon. Shells Ohio, 8 [n.n.].—Brach.
- Trupanea* Schrank 1795, Briefe Donaumoor, 147.—Dipt. (Lonchaeid.).
- Trupanea* Macquart 1838, Dipt. exot., 1 (2), 91.—Dipt. (Asilid.).
- Trupheoneura* Malloch 1909, Glasgow Natural., 1, 27.—Dipt.
- Trupheopygus* Malloch 1921, Ann. Mag. nat. Hist., (9) 8, 225.—Dipt.
- Truphia* Malloch 1930, Rec. Canterbury (N.Z.) Mus., 3, 310.—Dipt.
- Trupialis* Merrem 1826, in Ersch & Gruber, Allgem. Ency., 15, 275.—Aves.
- Trupialis* Bonaparte [non Merrem 1826] 1850, Consp. Gen. Av., 1, 429.—Aves. (Cf. *Pezites* Cabanis 1851.)
- Truplaya* Edwards 1929, Proc. Linn. Soc. N.S. Wales, 54, 170.—Dipt.
- Truquia* Rondani 1864, Arch. Zool. Anat. Fisiol., 3, fasc. 1, 72.—Dipt.
- Truquiella* Champion 1913, Trans. ent. Soc. London, 1913, 87.—Col.
- Truquius* Bates 1886, Biol. Centr. Amer., Zool., Col., 2 (2), 10.—Col.
- Trutina* Brown 1827, Ill. Conch. G.B. & I., pl. xiii, fig. 5.—Moll.
- Trutta* Geoffroy 1767, Desc. 719 Plant. &c, 409; Walbaum 1792, Artedi, Ichth. (3) ed. 2, 584.—Pisces.
- Truxalis* Fabricius 1775, Syst. Ent., 279.—Orth.
- Truxomantis* Sjoestedt 1918, Ark. Zool., 11, no. 19, 31.—Orth.
- Tryblidium* Lindstroem 1880, Fragmenta Silurica, 15.—Moll.

- Trybliocrinus** Geinitz 1867, N. Jahrb. f. Min., 1867, 284.—Echin.
Trybliographa Foerster 1869, Verh. zool.-bot. Ges. Wien, 19, Abh., 359.—Hym.
Trybliolepidina Vlerk 1928, Ecl. geol. helv. Basel, 21, 183.—Prot.
Trybliophorus Audinet-Serville 1831, Ann. Sci. Nat., 22 (87), 274.—Orth.
Tryblius Fairmaire 1896, Notes Leyden Mus., 18, 228.—Col.
Trybomia Karny 1911, Zool. Anz., 38, 504.—Thysanopt.
Trybomiella Bagnall 1926, Ann. Mag. nat. Hist., (9) 18, 548.—Thysanopt.
Trycera (Koch MS.) Doederlein 1884, Man. Ittiol. Medit., 3, 242.—Pisces.
Trycheris Guenée 1845, Ann. Soc. ent. France, (2) 3, 190; Barrett 1907, Brit. Lep., 11, 246.—Lep.
Trycherodes (n.n. pro *Teratomorpha* Walsingham 1912) Meyrick 1914, Exot. Microlep., 1, 252.—Lep.
Trycherodon Forbes 1882, in Jordan & Gilbert, Bull. U.S. nat. Mus., No. 16, 247.—Pisces.
Trycherus Gerstaecker 1857, Arch. Naturgesch., 23, Abt. 1, 222.—Col.
Trychina Klug (1832), in Ehrenberg, Sym. Phys., Ins., 3, pl. xxiii.—Col.
Trychioplectus Raffray 1898, Rev. Ent. franç., 17, 272.—Col.
Trychnocrana Turner 1925, Trans. roy. Soc. S. Australia, 49, 44.—Lep.
Trychnomera Turner 1913, Proc. Linn. Soc. N.S. Wales, 38, 199.—Lep.
Trychnophylla Turner 1926, Trans. roy. Soc. S. Australia, 50, 137.—Lep.
Trychnostola Turner 1916, Trans. roy. Soc. S. Australia, 40, 502.—Lep.
Trychnomera (pro *Trychno-* Turner 1913) Fletcher 1929, Mem. Dep. Agric. India, Ent. Ser., 9, 232.—Lep.
Trychopeplus Shelford 1908, Biol. Centr. Amer., Zool., Orth., 2, 354, 356.—Orth.
Trychoproctus (err. pro *Trich-* Agassiz 1872) Lambert & Thiéry 1925, Ess. nom. rais. Echin., 9, 603.—Echin.
Trychosis Foerster 1868, Verh. naturh. Ver. Rheinlande, 25, 187.—Hym.
Trychostrongylus (pro *Trich-* Looss 1905) Kitamura 1916, J. Amer. med. Ass., 67, 1480.—Verm. (Nema.).
Trychtychia (err. pro *Triptychia* Sandberger 1875) [Clessin] 1887, Malak. Bl., (N.F.) 9, 118.—Moll.
Tryciphona Zetterstedt 1838, Ins. Lapp. descr., 851.—Dipt.
Trycocephalus (pro *Tricho-* Schrank 1788) Marzocchi 1907, Giorn. Accad. Med. Torino, 70, 261.—Verm. (Nema.).
Trydymiformis Girault 1915, Mem. Queensland Mus., 4, 188.—Hym.
Tryferos Roewer 1931, Abh. Naturw. Ver. Bremen, 28, 147.—Arachn.
Trygaeus Sharp 1874, Trans. ent. Soc. London, 1874, 420.—Col.
Trygaeus Dohrn 1881, F. Fl. Neapel, 3, 164.—Pantopoda.
Trygenycteris (n.n. pro *Megaloglossus* Pagenstecher 1885) Lydekker 1891, in Flower & Lydekker, Introd. Mamm., 655.—Mamm.
Trygetus Simon 1882, Ann. Mus. Stor. nat. Genova, (6) 2, 229.—Arachn.
Trygo Distant 1884, Biol. Centr. Amer., Zool., Rhynch. Het., 300.—Hem.
Trygodes Guenée 1857, Hist. nat. Ins., Spec. gén. Léop., 9, 426.—Lep.
Trygon (ex *Adanson*) Cuvier 1817, R. Anim., 2, 136; Jarocki 1822, Zoologia, 4, 435.—Pisces.
Trygon Brehm 1831, Handb. Vög. Deutschl., 495.—Aves. (Columbid.).
Trygon (emend. pro *Trugon* Gray 1849) Reichenbach 1852, Av. Syst. Nat., xxvi.—Aves.
Trygonalis (pro *Trigonalys* Westwood 1835) Kirchner 1867, Cat. Hym. Eur., 268.—Hym.
Trygonalys (pro *Tri-* Westwood 1835) Kirchner 1867, Cat. Hym. Eur., 213.—Hym.
Trygonella Bronn 1824, Syst. urw. Konch., Vorbemerk.—Moll.
Trygonobatus Blainville 1816, Bull. Sci. Soc. philom. Paris, 120; Desmarest 1823, Mém. Soc. Linn. Paris, 2, [6].—Pisces.
Trygonoides Brookes 1828, Cat. Mus. Brookes, 5 (2), 93.—Aves.
Trygonoptera Mueller & Henle 1841, Syst. Plagiost., (3) 174.—Pisces.
Trygonorhina (pro *-rhina* Mueller & Henle 1838) Mueller & Henle 1841, Syst. Plagiost., (3) 124.—Pisces.
Trygonorrhina Mueller & Henle 1838, Mag. Nat. Hist., (N.S.), 2, 90; 1838, Arch. Naturgesch., 4 (1), 85.—Pisces.
Trylla Heyden 1826, Isis (Oken), 1826, 611.—Arachn.
Trymalitis Meyrick 1905, J. Bombay nat. Hist. Soc., 16, 590.—Lep.
Trymalius Fairmaire 1898, Bull. Soc. ent. France, 1898, 345.—Col.
Trymaltis (err. pro *-litis* Meyrick 1905) Tillyard 1926, Ins. Australia & N. Zealand, 427 and pl. 33, fig. 7.—Lep.
Trymanus (err. pro *Drymaeus* Albers 1850) Pfeiffer 1879, Nomencl. Helic. Viv., 247.—Moll.
Trymatoderus Fairmaire 1880, Ann. Soc. ent. France, (6) 9, 55.—Col.
Trymhelia Milne-Edwards & Haime 1849, C.R. Acad. Sci. (Paris), 29, 68.—Coel.
Trymochthebius Kuwert 1887, Dtsch. ent. Z., 31, 380.—Col.
Trymodera Gerstaecker 1867, Arch. Naturgesch., 33, Abt. 1, 34.—Col.

- Trymoserica* (err. pro *Thry*-Brenske 1901) Lucas 1920, Cat. alphab. gen. et subgen. Col., 1, 660.—Col.
- Trymosternus* Chaudoir 1873, Berlin. ent. Z., 17, 106.—Col.
- Trynga* (pro *Tri*-L. 1758) Moehring 1758, Geslach. Vogel. (Nozem. & Vosm. ed.), 7, 67.—Aves.
- Tryngas* (emend. pro *Tringa* L. 1758) Gloger 1842, Gemeinnütz. Naturges., 2, 425.—Aves.
- Tryngites* Cabanis 1856, J. Orn., 4, 418.—Aves.
- Tryonia* Stimpson 1865, Amer. J. Conch., 1, 54.—Moll.
- Tryonicus* Shaw 1925, Proc. Linn. Soc. N.S. Wales, 50, 202.—Orth.
- Tryonigens* Pilsbry 1927, Proc. Acad. nat. Sci. Philad., 79, 189.—Moll.
- Tryoniopsis* Tillyard 1923, Publ. Queensland Geol. Surv., No. 273, 51.—Col.
- Tryophila* (pro *Thry*-Loew 1868) Becker 1905, Kat. paläarkt. Dipt., 4, 97.—Dipt.
- Trypa* Fallén 1812, K. VetenskAkad. Nya Handl. Stockholm, 33 (2), 126.—Hym.
- Trypaea* Dana 1852, Proc. Acad. nat. Sci. Philad., 6, 14.—Crust.
- Trypana* Guenée 1841, Ann. Soc. ent. France, 10, 58.—Lep.
- Trypanaeus* Eschscholtz 1829, Zool. Atlas, 1, 11.—Col.
- Trypanaxis* Cossmann 1889, Ann. Soc. R. malac. Belg., 24, 60.—Moll.
- Trypanea* (emend. pro *Tryp*-Schränk 1795) Agassiz 1846, Nomen. Zool. Index Univ.—Dipt.
- Trypaneoides* Tonnoir & Malloch 1926, Rec. Canterbury (N.Z.) Mus., 3, 20.—Dipt.
- Trypanidius* Dejean 1835, Catal. Coléopt., ed. 2, 337 [n.n.]; Blanchard 1846, in d'Orbigny, Amér. mérid. (Ins.), 209.—Col.
- Trypanisma* Clemens 1860, Proc. Acad. nat. Sci. Philad., 1860, 168.—Lep.
- Trypanites* Mägdefrau 1932, Paläont. Z., Berlin, 14, 151.—Verm. († Ann.).
- Trypanocentra* Hendel 1914, Wien. ent. Ztg., 33, 77.—Dipt.
- Trypanocochlea* (n.n. pro *Verania* Koken 1896) Tomlin 1931, Proc. malac. Soc. London, 19, 175.—Moll.
- Trypanocorax* Kaup 1854, J. Orn., 1854, Suppl., iv [n.n.].—Aves.
- Trypanodinium* Chatton 1912, Bull. Soc. zool. France, 37, 91.—Prot.
- Trypanoïdes* Becker 1925, Ent. Mitt., 14, 71.—Dipt.
- Trypanomonas* Danilewsky 1885, Arch. mikr. Anat., 24, 588.—Prot.
- Trypanomorpha* Woodcock 1906, Quart. J. micr. Sci., 50, 283.—Prot.
- Trypanophion* Bezzi 1924, Bull. ent. Res., 15, 91.—Dipt.
- Trypanophis* Keysselitz 1904, Arch. Protistenk., 3, 367.—Prot.
- Trypanophora* Kollar 1844, in Heugel, Kaschmir, 4 (2), 457.—Lep.
- Trypanoplasma* Laveran & Mesnil 1901, C.R. Acad. Sci. Paris, 133, 673.—Prot.
- Trypanoplasmoïdes* Martin 1913, Quart. J. micr. Sci., 59, 184.—Prot.
- Trypanopsis* Léger 1920, Ann. Inst. Pasteur Paris, 34, 482.—Prot.
- Trypanorhynchus* Scudder 1894, Mon. U.S. geol. Surv., 21, 21.—Col.
- Trypanosoma* Gruby 1843, C.R. Acad. Sci. (Paris), 17, 1134.—Prot.
- Trypanosphaera* Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 109.—Prot.
- Trypanosphaerium* Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 110.—Prot.
- Trypanosphaerula* Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 109.—Prot.
- Trypanostoma* Lea 1862, Proc. Acad. nat. Sci. Philad., 1862, 169.—Moll.
- Trypanostylus* (n.n. pro *Eustylus* Kittl 1894) Cossmann 1895, J. Conchyliol., 43, 63.—Moll.
- Trypanosyllis* Claparède 1864, Mém. Soc. phys. Hist. nat. Genève, 17, 558.—Verm. (Polych.).
- Trypanotoma* Cossmann 1896, Essais Paléococh. comp., 2, 109.—Moll.
- Trypanotrochus* Cossmann 1918, Essais Paléococh. comp., 11, 297.—Moll.
- Trypanoxyuris* Vevers 1923, J. Helminthol., 1, 39.—Verm. (Nema.).
- Trypanozoon* Luehe 1906, Handb. Tropenkrankh., Leipzig, 3 (1), 92.—Prot.
- Trypantius* Waterhouse 1887, Trans. ent. Soc. London, 1887, 179.—Col.
- Trypanurgos* (pro *Tripanurgus* Fitzinger 1843) Fitzinger 1846, in Tschudi, Fauna Peru. (Herp.), 55.—Rept.
- Trypanus* Rambur 1866, Cat. syst. Lepidopt. Andalousie, (2), 326.—Lep.
- Trypaphylum* Richiardi 1878, Atti Soc. Toscana, Proc. Verb., 1, xx.—Crust.
- Trypargilum* Richards 1934, Trans. R. ent. Soc. London, 82, 191.—Hym.
- Trypauchen* Cuvier & Valenciennes 1837, H.N. Poiss., 12, 152.—Pisces.
- Trypauchenichthys* Bleeker 1860, Acta Soc. Sci. Ind.-Ned., 8, 63.—Pisces.
- Trypauchenophrys* Franz 1911, Abh. Akad. München, Suppl., 4 (1), 68.—Pisces.
- Trypauchenopsis* Volz 1903, Zool. Anz., 26, 555.—Pisces.
- Trypaulites* Delo 1935, J. Paleont., 9, 412.—Trilobita.
- Trypematella* Canu & Bassler 1920, Bull. U.S. nat. Mus., No. 106, 417.—Bry.
- Trypemonas* Perty 1852, Kenntn. Lebensf., 161.—Prot.
- Trypeta* Meigen 1803, Mag. f. Insektenk. (Illiger), 2, 277.—Dipt.
- Trypetes* Schoenherr 1836, Gen. et Sp. Curc., 3 (2), 595.—Col.
- Trypetes* Schenck 1859, Jahrb. Ver. Naturk. Nassau, 14, 32.—Hym.

- Trypetes* (n.n. pro *Terebrella* Andreae 1887) Tomlin 1929, Proc. malac. Soc. London, 18, 256.—Moll. (See *Diatrypesis* Tomlin 1929.)
- Trypetesa* (n.n. pro *Alcippe* Hancock 1849) Norman 1903, Ann. Mag. nat. Hist., (7) 11, 369.—Crust.
- Trypeticus* Marseul 1864, Abeille, 1, 281.—Col.
- Trypetidomima* Townsend 1935, Rev. Ent. Rio de Janeiro, 5, 68.—Dipt.
- Trypetimorpha* Costa 1862, Annu. Mus. zool. Univ. Napoli, 1, 60.—Hym.
- Trypetisoma* Malloch 1925, Proc. U.S. nat. Mus., 65, art. 12, no. 2525, 9, 25.—Dipt.
- Trypetomima* de Meijere 1916, Tijdschr. Ent., 59, 266.—Dipt.
- Trypetomina* (pro *-mima* Meijere 1916) Cresson 1929, Trans. Amer. ent. Soc., 55, 172.—Dipt.
- Trypetoptera* Hendel 1900, Verh. zool.-bot. Ges. Wien, 50, Abh., 352.—Dipt.
- Tryphactothrips* Bagnall 1921, Ann. Mag. nat. Hist., (9) 7, 264.—Thysanopt.
- Tryphaena* (pro *Tri-* Ochsenheimer 1816) Meigen 1831, Syst. Besch. Europ. Schmett., 3 (2), 78.—Lep.
- Tryphaena* Gould 1849, Mon. Trochil., 3, pl. 158.—Aves (nec *Triphaena* Ochsenheimer 1816 see *Tilmatura* Reichenbach 1854).
- Tryphana* Boeck 1871, Forh. Vidensk.-Selsk. Christiania, 1870, 89.—Crust.
- Tryphanophora* (pro *Trypan-* Kollar 1844) Snellen 1903, Tijdschr. Ent., 45, 1902, 217.—Lep.
- Tryphax* Karsch 1896, Ent. Nachr., 22, 266.—Lep.
- Tryphe* Gistel 1848, Nat. Thierr., xi.—Dipt.
- Tryphera* Meigen 1838, Syst. Besch. Zweifl. Insekt., 7, 264.—Dipt.
- Trypherantis* Meyrick 1907, J. Bombay nat. Hist. Soc., 17, 740.—Lep.
- Trypherogenes* Meyrick 1931, Exot. Microlep., 4, 76.—Lep.
- Trypheromera* Butler 1881, Ill. Lep. Het., 5, 45.—Lep.
- Trypheromimus* Pic 1919, Mélanges exot.-ent., no. 31, 12.—Col.
- Trypheropsis* Cope 1868, Proc. Acad. nat. Sci. Philad., 1868, 117.—Amph.
- Trypherus* Leconte 1851, Proc. Acad. nat. Sci. Philad., 5, 346.—Col.
- Tryphetus* Faust 1895, Ann. Mus. Stor. nat. Genova, 34, 355.—Col.
- Trypheus* Gistel 1834, Ins.-Doubletten Walworth, 12 [n.n.].—Col.
- Tryphocaria* (pro *-charia* Pascoe 1866) Carter 1929, Proc. Linn. Soc. N.S. Wales, 54, 119.—Col.
- Tryphocharia* Pascoe [1866], J. Linn. Soc. London, Zool., 9, 1868, 99.—Col.
- Tryphoema* Monard 1926, Rev. suisse Zool., 33, 623.—Crust.
- Tryphomys* Miller 1910, Proc. U.S. nat. Mus., 38, 399.—Mamm.
- Tryphon* Fallén 1813, Spec. nov. Hymenopt., (1) 16.—Hym.
- Tryphon* (err. pro *Tro-* Montfort 1810) Maitland 1897, Prodr. Faune Pays-Bas et Belg. Flamande, 29.—Moll.
- Tryphonopsis* Brauns 1898, Arch. Ver. Mecklenb., 51, 62.—Hym.
- Tryphosa* Boeck 1871, Forh. Vidensk.-Selsk. Christiania, 1870, 117.—Crust.
- Tryphosella* Bonnier 1893, Bull. sci. France Belgique, 24, 170.—Crust.
- Tryphosites* Sars 1891, Crust. Norway, 81.—Crust.
- Tryphosoides* Schellenberg 1931, Further zool. Res. Swedish Antarct. Exped. 1901-03, 2 (6), 38.—Crust.
- Tryplasma* Lonsdale 1845, in Murchison, V. & K., Geol. Russia, 1, 613.—Coel.
- Trypobius* Schmidt 1893, Ent. Nachr., 19, 15.—Col.
- Trypocella* Mapleston 1902, Proc. roy. Soc. Victoria, 14, 73.—Bry.
- Trypocladus* (pro *-dus* Guérin 1845) Lucas 1849, Explor. Algér. (Artic. 2), 467.—Col.
- Trypocladus* Guérin-Ménéville 1845, Ann. Soc. ent. France, (2) 3, Bull., xvii.—Col.
- Trypocolaspis* Lea 1915, Trans. roy. Soc. S. Australia, 39, 323.—Col.
- Trypocolaspis* Motschoulsky [1860], Etudes ent., 8, 1859, 160.—Col.
- Trypocranus* Eichhoff 1878, Mém. Soc. Sci. Liège, (2) 8, 435.—Col.
- Trypodendron* Stephens 1830, Ill. Brit. Ent. (Mand. 3), 353.—Col.
- Trypodendrum* (emend. pro *-dron* Stephens 1830) Agassiz 1846, Nomen. Zool. Index Univ.—Col.
- Trypoderma* Wiedemann 1830, Aussereurop. Zweifl. Insekt., 2, 256.—Dipt.
- Trypogeus* Lacordaire 1869, Hist. nat. Ins., Gen. Col., 9 (1), 236.—Col.
- Trypolister* Bickhardt 1916, Gen. Insect., 166, 56.—Col.
- Tryponaeus* (pro *Trypan-* Eschscholtz 1829) Erichson 1834, Jahrb. Insectenk., 1, 200.—Col.
- Trypophloeus* Fairmaire [?1863], in Jacquelin Du Val, Gen. Coléopt. Europe, 4, 105.—Col.
- Trypophyllum* Karsch 1890, Ent. Nachr., 16, 22.—Orth.
- Trypopytus* Redtenbacher 1849, Fauna Austriaca, Käfer, 346.—Col.
- Tryppremnon* Pierce 1914, J. agric. Res., 1, 349.—Col.
- Trypostega* Levinsen 1902, Vidensk. Medd. naturh. Foren. Kjøbenhavn, 1902, 23.—Bry.
- Trypotes* Fieber 1875, Rev. Mag. Zool., (3) 3, 407.—Hem.
- Trypoxylon* Latreille 1796, Préc. Car. Ins., 121.—Hym.
- Trypoxylum* (emend. pro *-lon* Latreille 1796) Agassiz 1846, Nomen. Zool. Index Univ.—Hym.

- Trypoxylus* Minck 1920, Arch. Naturgesch., 84, A8, 216.—Col.
Trypteroceras (err. pro *Trip-* Hyatt 1884) Zittel 1884, Handb. Palaeont., 1 (2), Lief. 3, 370.—Moll.
Tryptochaeta (pro *Thryptocheta* Rondani 1856) Curran 1934, Famm. Genn. N. Amer. Dipt., 327.—Dipt.
Tryptodema Dietz 1905, Trans. Amer. ent. Soc., 31, 74.—Lep.
Tryptychia (err. pro *Trip-* Sandberger 1875) [Kobelt] 1910, NachrBl. dtsch. malak. Ges., 42, N. Arten u. Gatt.—Moll.
Tryschiza Foerster 1869, Verh. zool.-bot. Ges. Wien, 19, Abh., 364.—Hym.
Trysibius Schoenherr 1842, Gen. et Sp. Curc., 6 (2), 304.—Col.
Trysicampe Foerster 1868, Verh. naturh. Ver. Rheinlande, 25, 207.—Hym.
Trysimia Pascoe 1866, Trans. ent. Soc. London, (3) 3, 305.—Col.
Tryssoclitus Simon 1910, Denkschr. med.-naturw. Ges. Jena, 16, 185.—Arachn.
Tryssothele Simon 1902, Arachn. Hamb. Magalh. Sammelreise, 6.—Arachn.
Trysus Erichson 1847, Naturgesch. Ins. Dtschl., (Col. 1) 3, 654.—Col.
Tryxalis (pro *Trux-* Fabricius 1775) Blanchard 1840, in Brullé, H.N. Anim. artic. (Orth., etc.), 3, 36.—Orth.
Tryzusa (emend. pro *Turturoena* Bonaparte 1854) Heine 1890, Nomencl. Mus. Hein., 276.—Aves.
Tsaganomys Matthew & Granger 1923, Amer. Mus. Novit., No. 101, 2.—Mamm.
Tsaidamotherium Bohlin 1935, Geogr. Annaler, 1935, 66.—Mamm.
Tschagroides Roberts 1922, Ann. Transvaal Mus., 8, 248.—Aves.
Tschernyschewia Stojanov 1910, Bull. Acad. Sci. St. Pétersbourg, (6) 4, no. 11, 853.—Brach.
Tschernyschewiella Frédéricks 1924, Rec. Geol. Com. Russ. Far East, 28, 1923, 20.—Brach.
Tscherskia Ognev 1914, Dnev zool. otd. obšč. ljub. jest. Moskva, 2, 102.—Mamm.
Tschiptirra Linnaeus (1766), Amoen. Acad., 7, 450.—Aves.
Tschitraea (emend. pro *Tchitrea* Lesson 1830-31) Agassiz 1846, Nomen. Zool. Index Univ.—Aves.
Tschitscherinea (n.n. pro *Eunema* Tschitscherin 1897) Berg 1898, Comun. Mus. nac. Buenos Aires, 1, no. 1, 18.—Col.
Tschitscherinellus Csiki 1906, in Heyden, Reitter & Weise, Cat. Col. Europ. Cauc. Arm. Ross., ed. 2, 60.—Col.
Tschitscherinula Jacobson 1908, Horae Soc. ent. ross., 38, 619.—Col.
Tshaka Distant 1908, Ins. Transvaal., 1, pt. 9, 214.—Hem.
Tshimganitia Wehrli 1935, Ent. Z., 49, 101.—Lep.
Tshingisella Kiričenko 1913, Rev. russe ent., 13, 297.—Hem.
Tshitscherinella (n.n. pro *Heterochira* Tschitscherin 1897) Semenov 1905, Rev. russe Ent., 5, 55.—Col.
Tshurtshurnella Kusnezov 1927, Konowia, 6, 219.—Hem.
Tsianina Casey 1922, Mem. Col., 10, 95.—Col.
Tsinania Walcott 1914, Smithsonian. misc. Collect., 64, 43.—Trilobita.
Tsinilla Heinrich 1931, Proc. U.S. nat. Mus., 79, no. 2879, 14.—Lep.
Tsukushiaspis Kuwana 1928, Sci. Bull. Min. Agric. For., Tokyo, No. 1, 30.—Hem.
Ttigonella (err. pro *Tri-* Costa 1778) Rochebrune 1881, Bull. Soc. philom. Paris, (7) 6, 49.—Moll.
Tua (err. pro *Zua* Leach 1831) Bridgman 1850, The Zoologist, 8, 2743.—Moll.
Tuabo (err. pro *Turbo* L. 1758) Woodward 1892, J. Malac., 2, 87.—Moll.
Tuangia Marwick 1927, Trans. N. Zealand Inst., 57, 622, 623.—Moll.
Tuba Renier [1804], Tavole, vi.—Verm. (Polych.).
Tuba Oken 1815, Lehrb. Nat., 3 (1), 383 [n.n.].—Verm. (? Nemert.).
Tuba Fabricius 1823, Fortegnelse, 80.—Moll.
Tuba Lea [non Fabricius 1823] 1833, Contrib. to Geol., 127.—Moll.
Tuba Barrande [non Fabricius, Lea] 1848, in Verneuil, Bull. Soc. géol. France, (2) 5, 376.—Moll.
Tuba Duchassaing & Michelotti 1864, Natuurk. Verh. Wet. Haarlem, (3) 21, no. 3, 44.—Spong.
Tubaria Thienemann 1828, Lehrb. Zool., 12.—Prot.
Tubastraea (emend. pro *-rea* Lesson 1834) Agassiz 1846, Nomen. Zool. Index Univ.—Coel.
Tubastrea Lesson 1834, in Bélanger, Voy. Indes Orient., (8) 515.—Coel.
Tubella Carter 1881, Ann. Mag. nat. Hist., (5) 7, 96.—Spong.
Tubellites Buckman 1924, Type Ammonites, 5, pt. 46, no. 491.—Moll.
Tuberaleyrodes Takahashi 1932, Rep. Dep. Agric. Govt. res. Inst. Formosa, No. 59, 29.—Hem.
Tuberaphis Takahashi 1933, Stylops, 2, 27.—Hem.
Tuberaster Peron & Gauthier 1885, Ech. foss. l'Algér, ix, 46.—Echin.
Tubercolocera Townsend 1927, Rev. Mus. paulista, 15 (1), 246.—Dipt.
Tubercularia Blainville 1827, Dict. Sci., 48, 556.—Verm. (Polych.).
Tubercularium Attems 1899, Denkschr. Akad. Wiss. Wien, 67, 323.—Myr.

- Tuberculatus* Mordwilko 1894, Faun. & Anat. Fam. Aphididae Basin Vistula, 60.—Hem.
Tuberculina Ebray 1858, Etudes pal. dep. Nièvre, 51.—Echin.
Tuberculina Gregorio 1882, Nat. Sicil., 1, 221.—Moll.
Tuberculipora Pergens & Meunier 1887, Mém. Soc. Malac. Belge, 21, 220.—Bry.
Tuberculitermes Holmgren 1912, K. svenska VetenskAkad. Handl., 48, no. 4, 108.—Isopt.
Tuberculocentrus Goding 1895, Canad. Ent., 27, 275.—Hem.
Tuberculodolium Sacco 1891, Mem. Accad. Sci. Torino, (2) 41, 228.—Moll.
Tuberculoides van der Goot 1915, Beitr. Kenntnis Holländischen Blattläuse, 312.—Hem.
Tuberculopleura Jakowlew 1899, Truidi geol. Kom. St. Petersburg, 15, no. 3, 58.—Moll.
Tuberculopora Ringuenberg 1886, Bull. Buffalo Soc. nat. Sci., 5, 21.—? Echin.
Tubercunota Goding 1893, Canad. Ent., 25, 55.—Hem.
Tuberella Keller 1880, Arch. mikr. Anat., 18, 276.—Spong.
Tuberemaeus Sellnick 1930, Zool. Anz., 86, 229.—Arachn.
Tuberia Carpenter 1857, Cat. Mazatlan Shells Brit. Mus., 365.—Moll.
Tuberitina Galloway & Harlton 1928, J. Paleont., 2, 346.—Prot.
Tuberocallis Nevsky 1929, Zool. Anz., 82, 221.—Hem.
Tuberocephalus Shinji 1929, Lansania, 1, 39.—Hem.
Tuberocephalus Shinji 1929, Lansania, 1, 48.—Hem. (Aphid.).
Tuberocephalus Shinji [non 1929] 1932, Oyo-Dobuts. Zasshi, 4, 120.—Hem. (Aphid.).
Tuberodryobia (pro *-bius* Das 1918) Bodenheimer 1926, Bull. Soc. ent. France, 1926, 47.—Hem.
Tuberodryobius Das 1918, Mem. Indian Mus., 6, 259.—Hem.
Tuberofera Willemse 1930, Tijdschr. Ent., 73, 151.—Orth.
Tuberolachnus Mordwilko 1909, Annu. Mus. zool. Acad. St. Petersburg, 13, 1908, 374.—Hem.
Tuberosiphum Shinji 1922, Dobuts. Zasshi, 34, 789.—Hem.
Tuberta Simon 1884, Arachn. France, 5 (3), 869.—Arachn.
Tuberunio Lindholm 1932, Trans. United Geol. Prosp. Serv. U.S.S.R., Fasc. 238, 33, 38.—Moll.
Tubicanthus Swainson 1840, Treat. Malacol., 349.—Moll.
Tubicauda Jousseume 1880, Le Naturaliste, 1, no. 42, 335.—Moll.
Tubicenus Dejean 1821, Catal. Coléopt., 79 [n.n.]; Latreille 1830, Dict. Class. Hist. nat., 14, 591.—Col.
Tubicera Schmitz 1919, Jaarb. Natuurh. Gen. Limburg, 1919, 128.—Dipt.
Tubiceroides Borgmeier 1935, Arch. Inst. Biol. veg. Rio de Janeiro, 2, 127.—Dipt.
Tubicinella Lamarck 1803, Ann. Mus. Hist. nat. (Paris), 1 (6), 461.—Crust.
Tubiclava Allman 1862, Rep. Brit. Ass., Cambridge, 102; 1863, Ann. Mag. nat. Hist., (3) 11, 9.—Coel.
Tubicola Rafinesque 1815, Analyse, 136 [n.n.].—Verm. (Polych.).
Tubicola Lockington 1877, Proc. Calif. Acad. nat. Sci., 7, 55.—Crust.
Tubicolaria Lamarck 1816, An. s. vert., 2, 51.—Verm. (Rotif.).
Tubicora Latham 1930, Trans. roy. Soc. Edinburgh, 56, 277.—Coel.
Tubicularia (pro *-colaria* Lamarck 1816) Costa (1839), Fauna Regno Napoli, Infus., 20.—Verm. (Rotif.).
Tubidentalium (emend. pro *Siphonodentalium* Sars 1859) Locard 1886, Ann. Soc. Agric. Hist. nat. Arts Utiles Lyon, (5) 9, 149.—Moll.
Tubifer Piette 1856, Bull. Soc. géol. France, (2) 13, 203.—Moll.
Tubifera Meigen 1800, N. Class. Mouches, 34.—Dipt.
Tubiferoceras Hedstroem 1917, Sverig. Geol. Undersökning, (Ca) 1917, no. 15, 11.—Moll.
Tubiferum White 1844, Trans. micros. Soc. London, 1, 82.—? Crust.
Tubifex Lamarck 1816, An. s. vert., 3, 224.—Verm. (Oligoch.).
Tubigera d'Orbigny 1853, Pal. Fr. Terr. Crét., 5, 721.—Bry.
Tubigerina Canu 1911, An. Mus. nac. Buenos Aires, 21, 272.—Bry.
Tubilumbricus (ex Blainville) Agassiz 1843, Nomencl. Zool., Vermes, 13 [n.n.].—Verm. (Polych.).
Tubilustrium Distant 1916, Fauna Brit. Ind., Rhynch., 6, App., 86.—Hem.
Tubina Owen 1860, Palaeontology, 71.—Moll.
Tubinella Rhumbler 1906, Zool. Jahrb., Syst., 24, 25.—Prot.
Tubinellina Wiesner 1932, Dtsch. Südpolar Exped. 1901-1903, 20, 67, 108.—Prot.
Tubiola Adams 1863, Proc. zool. Soc. London, 1863, 74.—Moll.
Tubipora Linnaeus 1758, Syst. Nat., ed. 10, 789; 1767, ed. 12, 1270.—Coel.
Tubiporella Levinsen 1909, Morph. Stud. Bry., 305.—Bry.
Tubiporites Martin 1809, Petr. Derb., pl. 18.—Coel.
Tubiscolex Michaelsen 1935, Rev. Zool. Bot. afric., 27, 79.—Verm. (Oligoch.).
Tubitextularia Sulc 1929, Vestnik Sta. geol. Ustavu Ceskoslov. Rep., 5, 150.—Prot.
Tubithyris Buckman 1915, Rec. geol. Surv. Ind., 45 (1), 78; 1917, Pal. Indica, 3 (2), 115.—Brach.

- Tubitrabecularia Bassler 1934, J. Washington Acad. Sci., 24, 408.—Bry.
 Tubogyra Perner 1903, Syst. silur. centre Bohême, 4, Gast. 1, expl. pl. 84.—Moll.
 Tubolaimella Cobb (N.) 1933, in Cobb, (M.), J. Parasitology, 20, 82.—Verm. (Nema.).
 Tubolaimella Allgén [non Cobb 1933] 1934, Folia zool. hydrobiol., 7, 108.—Verm. (Nema.).
 Tubolaimus Allgén 1929, Zool. Jahrb., Syst., 57, 467.—Verm. (Nema.).
 Tubolana Bivona-Bernardi 1832, Effem. Sci. Lett. Sicilia, 1, 55.—Moll.
 Tubomphalus Perner 1903, Syst. silur. centre Bohême, 4, Gast. 1, explan. pl. 42.—Moll.
 Tubophora Walter 1935, Arch. Hydrobiol., 28, 92.—Arachn.
 Tubucella Canu & Bassler 1917, Bull. U.S. nat. Mus., No. 96, 62.—Bry.
 Tubucellaria d'Orbigny 1851, Ann. Sci. nat., (3) Zool., 16, 333.—Bry.
 Tubulacanthus Fritsch 1889, Fauna Gaskohle, 2, 113.—Pisces.
 Tubulanus Renier [1804], Tavole, xx.—Verm. (Nemert.).
 Tubularia Linnaeus 1758, Syst. Nat., ed. 10, 803; 1767, ed. 12, 1301.—Coel.
 Tubularia Fabricius 1780, F. Groen., 438.—Verm. (Polych.).
 Tubuliclidia Lonsdale 1844, Bull. Soc. géol. France, (2) 1, 497.—Bry. (Cf. *Stenopora* Lonsdale 1845.)
 Tubulifera Zopf 1885, in Schenk, Handb. Botanik, 3 (2), 173.—Prot.
 Tubulifera Spuler (1910), Schmett. Europas, 2, 347.—Lep. (See *Tubuliferola* Strand 1917.)
 Tubuliferola (n.n. pro *Tubulifera* Spuler 1910) Strand 1917, Int. ent. Z., 10, 137.—Lep.
 Tubulina Persoon 1794, Neu Mag. Bot., 1, 91.—Prot.
 Tubulipora Lamarck 1816, An. s. vert., 2, 161.—Bry.
 Tubulites Gesner 1758, Tract. Petrif., 40.—Verm. (? Ann.).
 Tubulodigitus Carter 1881, Ann. Mag. nat. Hist., (5) 7, 367.—Spong.
 Tubulodon Jepsen 1932, Proc. Amer. phil. Soc., 71, 255.—Mamm.
 Tubulogenerina Cushman 1927, Contrib. Cushman Lab. Foraminif. Res., 2, 78.—Prot.
 Tubulosa Ulrich 1897, Geol. nat. Hist. Surv. Minnesota, 3 (2), Fin. Rep., 963.—Moll. (See *Longstaffia* Cossmann 1908.)
 Tubuloscolytus Butovitsch 1929, Stettin. ent. Ztg., 90, 33.—Col.
 Tubulostium Stoliczka 1868, Palaeont. Indica, Cretac. Fn. S. India, 2 (5), 236.—Moll.
 Tubulovesicula Yamaguti 1934, Japan. J. Zool., 5, 468.—Verm. (Trem.).
 Tubulus Martini 1769, Conch., 1, 25, 59.—Verm. (Polych.).
 Tucaius Bonaparte 1854, Ateneo Ital., 2, 119.—Aves.
 Tucales Grouvelle 1908, Ann. Soc. ent. France, 77, 13.—Col.
 Tucana Brisson 1760, Ornith., 4, 408.—Aves.
 Tucanus Rafinesque 1815, Analyse, 59 [n.n.].—Mamm.
 Tucanus Cassin 1867, Proc. Acad. nat. Sci. Philad., 1867, 104.—Aves. (See *Dinorhamphus* Heine and Reichenow 1890.)
 Tucayaca Bruner 1920, Ann. Carnegie Mus., 13, 53.—Orth.
 Tucca Krøyer 1837, Naturhist. Tidsskrift, 1, 479.—Crust.
 Tuceta Bolten 1798, Mus. Bolten., 2, 172.—Moll.
 Tucetona Iredale 1931, Rec. Australian Mus., 18, 202.—Moll.
 Tucipora (pro *Tubi*-L. 1758) Pallas 1766, Elench., 339.—Coel.
 Tucumana (n.n. pro *Eustenia* Fairmaire 1905) Gebien 1911, Col. Cat., 37, 604.—Col.
 Tucumania Dyar 1925, Insec. Inscit. menst., 13, 224.—Lep.
 Tucumanius Pic 1903, Ann. Soc. ent. Belgique, 47, 299, 300.—Col.
 Tucuxa Gray 1866, Proc. zool. Soc. London, 1866, 213.—Mamm.
 Tudea Distant 1907, Ann. Mag. nat. Hist., (7) 19, 290.—Hem.
 Tudeniaspis Casey 1922, Mem. Col., 10, 95.—Col.
 Tudeniaspis Casey 1922, Mem. Col., 10, 147.—Col.
 Tudes Oken 1815, Lehrb. Naturg., 3 (1), Register xvii.—Moll.
 Tudicla Bolten 1798, Mus. Bolten., 2, 145.—Moll.
 Tudicula Adams 1864, Proc. zool. Soc. London, 1863, 429.—Moll.
 Tudicula (emend. pro *Tudicla* Bolten 1798) Cossmann 1901, Essais Paléonch. comp., 4, 68.—Moll.
 Tuditanus Cope 1871, Proc. Amer. phil. Soc., 12, 177.—Rept.
 Tudora Baird 1850, Nomen. Moll. Coll. Brit. Mus., (1) 48.—Moll.
 Tudora (err. pro *Eu*-Gray 1852) Pallary 1912, Mém. Inst. Egypte, 7 (3), 136.—Moll.
 Tudorata Baker 1924, Occ. Pap. Mus. zool. Univ. Michigan, No. 152, 44.—Moll.
 Tudorella Fischer 1885, Man. Conch., 747.—Moll.
 Tudorellata Henderson & Bartsch 1920, Proc. U.S. nat. Mus., 58, 58, 75.—Moll.
 Tudorisca Henderson & Bartsch 1920, Proc. U.S. nat. Mus., 58, 58, 76.—Moll.
 Tudorops Henderson & Bartsch 1920, Proc. U.S. nat. Mus., 58, 58, 77.—Moll.
 Türkckheimia Dewitz 1881, Nova Acta Acad. Leop. Carol., 42 (2), 81.—Lep.
 Tuerta Walker 1869, in Chapman, Proc. nat. Hist. Soc. Glasgow, 1, 346.—Lep.

- Tugala* (err. pro *Tugali* Gray 1843) Schaufuss 1869, Moll. Syst. Cat., 11 (as *Tugula* p. xiii).—Moll.
- Tugali* Gray 1843, in Dieffenbach, Trav. N. Zealand, 2, 240.—Moll.
- Tugalia* (emend. pro *-li* Gray 1843) Gray 1857, Guide Syst. Distr. Moll. Brit. Mus., 1, 163.—Moll.
- Tuganobia* Chamberlin 1933, Pan-Pacific Ent., 9, 122.—Arachn.
- Tugela* Ragonot 1888, Nouv. Phycitidae, 51.—Lep.
- Tugelana* Distant 1912, Ann. Mag. nat. Hist., (8) 9, 645.—Hem.
- Tugonella* Jousseaume 1891, Le Naturaliste, 13 (2), no. 107, 202.—Moll.
- Tugonia* Gray 1842 see *Tagonia*.
- Tugonia* Récluz 1846, Rev. Zool. (Soc. Cuv.), 9, 168, 174.—Moll.
- Tugoniopsis* Dall 1898, Trans. Wagner Inst. Philad., 3, 860.—Moll.
- Tugula* see *Tugala*.
- Tugurium* Fischer 1880, in Kiener, Spéc. gén. Icon. Coq. viv., 450.—Moll.
- Tuina* (n.n. pro *Ituna* Walker 1854) Butler 1877, Trans. ent. Soc. London, 1877, 326.—Lep.
- Tukugobius* Herre 1927, Monogr. Bur. Sci. Manila, 23, 119.—Pisces.
- Tulaeopoda* Townsend 1917, Proc. biol. Soc. Washington, 30, 190.—Dipt.
- Tularosa* Peckham 1903, Trans. Wisconsin Acad. Sci., 14, 246.—Arachn.
- Tularthrum* Broun 1893, Man. N. Zealand Col., 1102.—Col.
- Tulaxodus* Guettard 1770, Mém. diff. Sci., 3, 143.—Moll.
- Tulbaghia* Péringuey 1904, Trans. S. Afric. phil. Soc., 13, 88.—Col.
- Tulbaghina* (err. pro *-nia* Melvill & Ponsonby 1898) Gude 1921, Proc. malac. Soc. London, 14, 155.—Moll.
- Tulbaghinia* Melvill & Ponsonby 1898, Ann. Mag. nat. Hist., (7) 1, 28.—Moll.
- Tuleta* (err. pro *Tutela* Perrier 1897) Delage & Hérouard 1903, Traité Zool. concr., 3, 476.—Echin.
- Tulipa* Schreibers 1793, Vers. Conch., 2, 347.—Crust.
- Tuliparia* Blainville 1830, Dict. Sci. Nat., 60, 450.—Bry.
- Tuliparia* Swainson 1840, Treat. Malacol., 311.—Moll.
- Tulis* (err. pro *Tal-* Guenée 1845) Pagenstecher 1909, Geogr. Verbr. Schmett., 443.—Lep.
- Tulites* Buckman 1921, Type Ammonites, 3, pt. 28, 44.—Moll.
- Tullbergella* Bovallius 1887, Vega-Exped. Vetensk. Jakttag., 4, 38.—Crust.
- Tullbergia* Lubbock 1876, Ann. Mag. nat. Hist., (4) 18, 324.—Collemb.
- Tullbergia* Lie-Pettersen 1896, Bergens Mus. Aarbog, 1896, 15.—Collemb. (See *Pseudosinella* Schaeffer 1897 & *Pettersenia* Scherbakov 1898.)
- Tullgrenia* Van der Goot 1912, Tijdschr. Ent., 55, 96.—Hem.
- Tullgrenius* Chamberlin 1933, Ann. ent. Soc. Amer., 26, 263.—Arachn.
- Tullia* Pruvot-Fol 1933, Bull. Mus. Hist. nat. Paris, (2) 5, 400.—Moll.
- Tulodon* (err. pro *Tyl-* Gervais 1848) Zittel 1893, Handb. Palaeont., 4 (3), 599.—Mamm.
- Tulophorites* Buckman 1921, Type Ammonites, 3, pt. 28, 45.—Moll.
- Tulosites* Rafinesque 1831, Cont. Mon. Shells, title-page & p. 8.—? Moll.
- Tulostoma* (err. pro *Tulot-* Haldeman 1840) Nevill 1885, Hand List Moll. Indian Mus., 2, 32.—Moll.
- Tulotoma* Haldeman 1840, Mon. F.W. univ. Moll. U.S., 1 (2), 36.—Moll.
- Tulotus* Senna 1894, Ann. Soc. ent. Belgique, 38, 370.—Col.
- Tulpa* Stechow 1921, Arch. Naturgesch., 87, A3, 250.—Coel.
- Tulpus* Peckham 1896, Occ. Pap. nat. Hist. Soc. Wisconsin, 3, 86.—Arachn.
- Tumagenia* Banks 1934, Proc. Amer. Acad. Arts Sci., 69, 67.—Hym.
- Tumayana* Schmidt 1906, Ent. Ztg., Stettin, 67, 367.—Hem.
- Tumbesia* Loman 1899, Zool. Jahrb., Suppl., 4 (2), 10.—Arachn.
- Tumbezia* Chapman 1925, Amer. Mus. Novit., No. 205, 1.—Aves.
- Tumbeziconcha* Pilsbry & Olsson 1935, Nautilus, 48, 119.—Moll.
- Tumecauda* Goding 1930, Amer. Mus. Novit., No. 421, 2.—Hem.
- Tumeochrysa* Needham 1909, Rec. Indian Mus., 3, 204.—Neur.
- Tumerepedes* Bethune-Baker 1913, Ann. Mag. nat. Hist., (8) 11, 564.—Lep.
- Tumerepes* (emend. pro *-pedes* Bethune-Baker 1913) Aurivillius 1921, in Seitz, Gross-Schmett. Erde, 13, 347.—Lep.
- Tumicla* Wallengren 1863, Wien. ent. Monatschr., 7, 146; 1865, K. svenska VetenskAkad. Handl., (2) 5, no. 4, 45.—Lep.
- Tumida* (err. pro *-icla* Wallengren 1863) Kirby 1892, Syn. Cat. Lep. Het., 1, 306.—Lep.
- Tumidalvus* Ewing 1908, Ent. News, 19, 243.—Arachn.
- Tumidiacirsa* (n.n. pro *Pseudoacirsa* de Boury 1909) de Boury 1911, J. Conchyliol., 58, 221.—Moll.
- Tumidiana* Silva & Castro 1884, Bull. Soc. malac. France, 2, 284.—Moll.
- Tumidiclava* Girault 1911, Trans. Amer. ent. Soc., 37, 6.—Hym.
- Tumidicoxa* Girault 1911, Zool. Jahrb., Syst., 31, 378.—Hym.
- Tumidicoxella* Girault 1913, Trans. roy. Soc. S. Australia, 37, 74.—Hym.

- Tumidicoxoides Girault 1913, Arch. Naturgesch., 79, A6, 86.—Hym.
 Tumidifemur Girault 1911, Arch. Naturgesch., 77, Bd. 1, Suppl. 2, 124.—Hym.
 Tumidifrontia Hampson 1902, Ann. S. Afric. Mus., 2, 282.—Lep.
 Tumidiscapus Girault 1911, J.N. York ent. Soc., 19, 182.—Hym.
 Tumidonautilus Diener 1915, Foss. Cat., pt. 8, 357.—Moll.
 Tumidusiana (Bourguignat MS.) Locard 1889, Ann. Soc. linn. Lyon, (N.S.) 35, 175.—Moll.
 Tumularia (n.n. pro *Stylaraea* Seebach 1866) Robinson 1916, Amer. J. Sci., 42, 162.—Coel.
 Tumulitermes Holmgren 1912, K. svenska VetenskAkad. Handl., 48, no. 4, 59.—Isopt.
 Tumulitermes Sjoestedt 1924, Rev. zool. afr., 12, 256.—Isopt. (See *Hepilitermes* Sjoestedt 1926.)
 Tumulosternum McCulloch 1913, Rec. Australian Mus., 9, 334.—Crust.
 Tumulus Monterosato 1888, Boll. Soc. malac. Ital., 13, 176.—Moll.
 Tunabo Chamberlin 1917, Bull. Mus. comp. Zool. Harvard, 60, 278.—Arachn.
 Tunagyna Chamberlin & Ivie 1933, Bull. Univ. Utah, 23, 23.—Arachn.
 Tunaria Link 1807, Besch. Nat. Samml. Univ. Rostock, (3) 165.—Coel.
 Tunaria Steinmann & Hoek 1912, N. Jahrb. Min., Beil. Bd., 34, 247.—Brach.
 Tunbergonymus Amyot 1846, Ann. Soc. ent. France, (2) 4, 151.—Hem.
 Tuncatella (err. pro *Trun-* Risso 1826) Kobelt 1887, Prodr. Faun. Moll. Test. Maria Europ. Inhab., 214.—Moll.
 Tundracrinus Jakovlev 1928, Trav. Mus. Geol. Leningrad, 3, 1, 7.—Echin.
 Tunes Stål 1865, Hem. Afric., 3, 52.—Hem.
 Tunesites Pervinquière 1907, Carte Géol. Tunisie, Etudes Pal. Tunis., 1 (Cép. Terr. Second.), 255.—Moll.
 Tunetana Wagner 1897, Denkschr. Akad. Wiss. Wien, 64, 569.—Moll.
 Tunetella Brumpt & Lavie 1935, Ann. Parasit. hum. comp., 13, 544.—Prot.
 Tunga Jarocki 1838, Zoologia, 6, 50.—Siphonapt.
 Tunia (pro *Taen-* L. 1758) Gmelin 1774, Reise durch Russland, 3, 302.—Verm. (Cest.).
 Tunisia Becker 1907, Z. Hym. Dipt., 7, 399.—Dipt.
 Tunita Jordan & Gilbert 1919, Stanford Univ. Publ., Univ. Ser., [Foss. Fish. S. Calif., 2] 42.—Pisces.
 Tunodesmus Chamberlin 1922, Proc. U.S. nat. Mus., 60, art. 8, no. 2403, 52.—Myr.
 Tunza Walker 1863, List Specimens Lep. Ins. Brit. Mus., 27, 196.—Lep.
 Tuoba Chamberlin 1920, Bull. Mus. comp. Zool. Harvard, 64, 35.—Myr.
 Tupaia Raffles 1821, Trans. Linn. Soc. London, 13 (1), 256.—Mamm.
 Tupaiodon Matthew & Granger 1924, Amer. Mus. Novit., No. 105, 1.—Mamm.
 Tupaja Berthold 1827, in Latreille, Nat. Fam. Thierr., 599.—Mamm.
 Tupalus Stål 1859, Öfers. VetenskAkad. Förh. Stockholm, 16, 460.—Hem.
 Tupha Oken 1815, Lehrb. Nat., 3 (1), 78.—Spong.
 Tuphia (pro *-pha* Oken 1815) Goldfuss 1820, Handb. Zool., 1, 82.—Spong.
 Tupinambis Daudin (1802), Sonnini's Buffon, Rept., 3, 5.—Rept.
 Tuponia Reuter 1875, Bih. svenska VetenskAkad. Förh., 3, no. 1, 53.—Hem.
 Tuponia Walcott 1920, Smithsonian. misc. Collect., 67, 271.—Spong.
 Topus Sellards 1906, Amer. J. Sci., (4) 22, 249.—Odon.
 Tura Budde-Lund 1908, in Voeltzkow, Reise Ost.-Afr., 2, 282.—Crust.
 Turaco (pro *Tou-* Lacepède 1799) Fischer 1808, Tabl. Syn. Zoog., ed. 2, Aves, col. 2.—Aves.
 Turacoena Bonaparte 1854, Consp. Av., 2, 58; 1854, C.R. Acad. Sci. Paris, 39, 1954.—Aves.
 Turacus (pro *Touraco* Lacepède 1799) Cuvier 1800, Leçons Comp. Anat., 1, tab. 2.—Aves.
 Turanana (n.n. pro *Turania* Bethune-Baker 1914) Bethune-Baker 1916, Ann. Mag. nat. Hist., (8) 17, 378.—Lep.
 Turanaphis Mordvilko 1914, Faune de la Russie, Hém. 1, Aphidodea, 66.—Hem.
 Turanella (n.n. pro *Isochirus* Reitter 1892) Semenov 1905, Rev. russe Ent., 5, 140.—Col.
 Turanena (n.n. pro *Pseudonapaeus* Kobelt & Moellendorff 1902) Lindholm 1922, Annu. Mus. zool. Acad. Sci. Russie, 23, 275.—Moll.
 Turania Ragonot 1890, Ann. Soc. ent. France, (6) 10, 449.—Lep. (Pyralid.).
 Turania Bethune-Baker 1914, Ent. Rec., 26, 160.—Lep. (Lycaenid.). (See *Turanana* Bethune-Baker 1916.)
 Turanium Baeckmann 1922, Rev. russe Ent., 18, 32.—Col.
 Turanochlaenius Lučnik 1933, Acta Soc. ent. Csl., 30, 170.—Col.
 Turanochrysops Stackelberg 1926, Bull. ent. Res., 16, 326.—Dipt.
 Turanodesmus Verhoeff 1931, Zool. Jahrb., Syst., 61, 417.—Myr.
 Turanogonia Rohdendorf 1924, Zool. Anz., 60, 228.—Dipt.
 Turbacmella Thiele 1925, Handb. Zool., 5, Lief. 1, 31.—Moll.
 Turbanella Schultze 1853, Arch. Anat. Phys., 243.—Verm. (Gastrotricha).
 Turbatrix Peters, 1927, J. Helminth., London, 5, 140.—Verm. (Nema.).

- Turbella Ehrenberg 1831 (pls. 1828), *Sym. Phys., Phyt. Turb.*, sign. *a.*—Verm. (Turb.).
 Turbenella (err. pro *Turbin-* Lamarck 1799) Carpenter 1864, *Rep. Brit. Ass.*, 33, 575.—Moll.
- Turbilina Enriques 1908, *Rend. Accad. Lincei*, 17, 224.—Prot.
- Turbillonina (err. pro *-bonilla* Risso 1826) Folin 1885, *Constit. Méth. Fam. Chemnitzidae*, 15.—Moll.
- Turbina Herrmannsen 1847, *Ind. Gen. Mal. Pr.*, 2, 563.—Moll.
- Turbina Koninck [non Herrmannsen 1847] 1881, *Ann. Mus. Hist. nat. Belg., Sér. Pal.*, 6, 69.—Moll.
- Turbinacis Gregory 1900, *Quart. J. geol. Soc. London*, 56, 39.—Coel.
- Turbinalia (err. pro *-nolia* Lamarck 1816) Ehrenberg [1834], *Abh. preuss. Akad. Berlin*, 1832, 1833, 277.—Coel.
- Turbinolopsis Dana 1848, in Wilkes, *U.S. Explor. Exped. (Zooph.)*, 349, 721.—Coel.
- Turbinaria Oken 1815, *Lehrb. Nat.*, 3 (1), 67.—Coel.
- Turbinarius Duméril 1806, *Zool. Anal.*, 164.—Moll.
- Turbinastrea Blainville 1830, *Dict. Sci. Nat.*, 60, 337.—Coel.
- Turbinata Wagner 1905, *Anz. Akad. Wiss. Wien*, 42, no. 13, 218.—Moll.
- Turbinella Lamarck 1799, *Mém. Soc. Hist. nat. Paris*, 73.—Moll.
- Turbinella Bory de St. Vincent 1827, *Ency. Méth. (Zooph.)*, 525.—Prot.
- Turbinellarius Duméril 1806, *Zool. Anal.*, 166.—Moll.
- Turbinellus Lamarck 1801, *Syst. Anim.*, 83.—Moll.
- Turbinia Michelin 1845, *Icon. Zooph.*, (13-19) 177.—? Coel.
- Turbinia (err. pro *-na* Koninck 1881) Dollfus 1919, *J. Conchyliol.*, 64, 215.—Moll.
- Turbinicola Annandale & Prashad 1921, *Rec. Indian Mus.*, 22, 9.—Moll.
- Turbinilla Bory de St. Vincent 1823, *Dict. Class. H.N.*, 3, 356.—Verm. (Trem.).
- Turbinilopsis Koninck 1881, *Ann. Mus. Hist. nat. Belg., Sér. Pal.*, 6, 89.—Moll.
- Turbiniscalia De Boury 1909, *J. Conchyliol.*, 57, 257.—Moll.
- Turbinites Martin 1809, *Petr. Derb.*, pl. 38.—Coel.
- Turbinocrinites (Troost MS.) Hall 1864, *New or little known Fossils . . . Niagara*, 23 [*in syn.*].—Echin.
- Turbinolia (err. pro *-lia* Lamarck 1816) Hisinger 1837, *Lethaea Svecica*, 100.—Coel.
- Turbinolia Lamarck 1816, *An. s. vert.*, 2, 230.—Coel.
- Turbinolia Rafinesque & Clifford [non Lamarck 1816] 1820, *Ann. Sci. Phys. Bruxelles*, 5, 233.—Coel.
- Turbinolina d'Orbigny 1840, *Mém. Soc. géol. France*, 4, 35 [*in syn.*].—Prot.
- Turbinolites Berthold 1827, in Latreille, *Nat. Fam. Thierr.*, 554.—Coel.
- Turbinolopsis Lamouroux 1821, *Exp. Méth. Polyp.*, 84.—Coel.
- Turbinolopsis (err. pro *Turbinil-* Koninck 1881) Ivanov 1926, *Bull. Soc. Nat. Moscou*, 34 (Sect. Geol. 4), 175.—Moll.
- Turbinopsis Conrad 1860, *J. Acad. nat. Sci. Philad.*, (2) 4, 289.—Moll.
- Turbinoseris Duncan 1870, (*Pal. Soc. Monogr.*) *Brit. Foss. Corals*, 2 (2), 43.—Coel.
- Turbo Linnaeus 1758, *Syst. Nat.*, ed. 10, 761; 1767, ed. 12, 1232.—Moll.
- Turbocheilus Perner 1907, *Syst. silur. centre Bohême*, 4, Gast. 2, 250.—Moll.
- Turbochilus (err. pro *-cheilus* Perner 1907) Dollfus 1919, *J. Conchyliol.*, 64, 215.—Moll.
- Turboella Leach 1847, *Ann. Mag. nat. Hist.*, 20, 271.—Moll.
- Turbofusula Rovereto 1900, *Atti R. Univ. Genova*, 15, 169.—Moll.
- Turboidea Seeley 1861, *Ann. Mag. nat. Hist.*, (3) 7, 288.—Moll.
- Turbomaria Perner 1907, *Syst. silur. centre Bohême*, 4, Gast. 2, iii, 35.—Moll.
- Turbona Leach 1847, *Ann. Mag. nat. Hist.*, 20, 271.—Moll.
- Turbonella (pro *-nilla* Risso 1826) Gray 1840, *Syn. Cont. Brit. Mus.*, ed. 42, 147.—Moll.
- Turbonellina Kobelt 1881, *Ann. Mus. Hist. nat. Belg., Sér. Pal.*, 6, 76.—Moll.
- Turbonilla (Leach MS.) Risso 1826, *H.N. Europe*, 4, 224.—Moll.
- Turbonilla Leach 1847, *Ann. Mag. nat. Hist.*, 20, 270.—Moll. (See *Onoba* Adams 1852.)
- Turbonillina (err. pro *-nellina* Kobelt 1881) Simroth 1907, in Bronn, *Klass. Ordn. Tierreichs*, 3, Lief. 90-94, 1050.—Moll.
- Turbonitella Koninck 1881, *Ann. Mus. Hist. nat. Belg., (Sér. Pal.)* 6, 72.—Moll.
- Turbonopsis Grabau & Shimer 1909, *N. Amer. Index Foss.*, 1, 675.—Moll.
- Turbonus Rafinesque 1815, *Analyse*, 144.—Moll.
- Turbula Walker 1869, *Charact. undescr. Lep. Het.*, 26.—Lep.
- Turbulima Schlueter 1838, *Kurzg. syst. Verz. Conch.*, 7.—Moll.
- Turchiniella Grassé & Boissezon 1929, *Bull. Soc. zool. France*, 54, 187.—Prot.
- Turcica Adams 1854, *Gen. Rec. Moll.*, 1, 423.—Moll.
- Turcica Boettger 1877, *Clausilienstud.*, 33.—Moll. (See *Balkanica* Kennard & Woodward 1923.)
- Turricula Dall 1881, *Bull. Mus. comp. Zool. Harvard*, 9, no. 2, 42.—Moll.
- Turckheimia Dewitz 1881 see *Tuerckheimia*.
- Turckheimia Cambridge 1889, *Biol. Centr. Amer., Zool., Arachn.*, 46.—Arachn.
- Turcmenigenia Melgunov 1894, *Nachr. Ges. Liebhab. naturw. Moscou*, Tag. 30, Abt. 2, 35.—Col.
- Turcomilax Simroth 1901, *Nachtschneckenfauna Russ. Reiches*, 176.—Moll.

- Turdampelis Lesson 1844, *Echo Monde Savant*, 11, 156.—Aves.
 Turdela Webb & Berthelot 1841, *Ornith. canarienne Orn.*, 11.—Aves.
 Turdinulus Hume 1878, *Stray Feathers*, 6, 235.—Aves.
 Turdinus Blyth 1844, *J. Asiat. Soc. Bengal*, 13, 382.—Aves.
 Turdirostris Hay 1844, *Madras Journ.*, 13 (31), 164.—Aves.
 Turdoides Cretzschmar 1826, in Rueppell, *Atlas Reise nördl. Afrika*, (2) *Vögel*, 6, pl. iv.—Aves.
 Turdulus Hodgson 1844, *Zool. Miscell. (Gray)*, (6) 83 [n.n.].—Aves.
 Turdus Linnaeus 1758, *Syst. Nat.*, ed. 10, 168; 1766, ed. 12, 291.—Aves.
 Turellus Sharp 1876, *Trans. ent. Soc. London*, 1876, 423.—Col.
 Turesis Godman & Salvin 1901, *Biol. Centr. Amer., Zool., Lep. Rhopal.*, 2, 616.—Lep.
 Turgida Travassos 1920, *Mem. Inst. Oswaldo Cruz*, 12, 73.—Verm. (Nema.).
 Turhonilla (err. pro *Turbo*-Risso 1826) Folin 1870, *Fonds de la Mer*, 1, 208.—Moll.
 Turia Marwick 1927, *Trans. N. Zealand Inst.*, 57, 597, 611.—Moll.
 Turicuis Osborn 1926, *Amer. Mus. Novit.*, No. 238, 3.—Mamm.
 Turinia (n.n. pro *Cephalopterus* Powrie 1870) Traquair 1896, in Brown & Buckley, *Vert. Fauna Moray Basin*, 262.—Pisces.
 Turio Jordan & Gilbert 1920, *Stanford Univ. Publ., Univ. Ser.*, [Foss. Fish Lompoc], 15.—Pisces.
 Turitella (err. pro *Turvi*-Lamarck 1799) Zieten 1832, *Pétrif. Wurt.*, (6) 42.—Moll.
 Turitellopsis Rhumbler 1895, *Nachr. Ges. Wiss. Göttingen*, 1895, 84.—Prot. (nec *Turritellopsis* Sars 1878 see *Turritella* Rhumbler 1903).
 Turitellus Montfort 1810, *Conch. Syst.*, 2, 211.—Moll.
 Turitia Schumacher 1912, *Wien. ent. Ztg.*, 31, 248.—Hem.
 Turkmenomyia Paramonov 1930, *Trav. Mus. zool. Kiev*, No. 8, 232.—Dipt.
 Turnaca Walker 1865, *List Specimens Lep. Ins. Brit. Mus.*, 32, 454.—Lep.
 Turnacoides Gaede 1928, in Seitz, *Gross-Schmett. Erde*, 14, 427.—Lep.
 Turnagra Lesson 1837, *H.N. Mamm. et Ois. depuis [1788]*, 8, 216.—Aves.
 Turnebiella Poppius 1915, *Arch. Naturgesch.*, 80, A8, 75.—Hem.
 Turnebus Distant 1904, *Fauna Brit. India, Rhynchota*, 2, pt. 2, 485.—Hem.
 Turnerella Cockerell 1910, *Entomologist*, 43, 262.—Hym. (Apid.).
 Turnerella Rohwer 1910, *Ent. News*, 21, 349.—Hym. (Thynnid.). (See *Thynnoturneria* Rohwer 1910.)
 Turneria Forel 1895, *Ann. Soc. ent. Belgique*, 39, 419.—Hym.
 Turneria Tutt 1903, *Ent. Rec.*, 15, 76.—Lep.
 Turneria Parent 1934, *Bull. Soc. ent. Egypte*, 18, 127.—Dipt.
 Turneriola China 1923, *Entomologist*, 56, 81.—Hem.
 Turnerochrysa Kimmins 1935, *Ann. Mag. nat. Hist.*, (10) 15, 576.—Neur.
 Turnicigralla Des Murs 1845, *Rev. Zool. (Soc. Cuv.)*, 8, 276.—Aves.
 Turnix Bonnatere 1790, *Ency. Méth.*, (Orn.) 1, lxxxii, 5.—Aves.
 Turnoceras Foerste 1926, *Denison Univ. Bull., J. Sci. Lab.*, 21, 342.—Moll.
 Turnus Gabb 1864, *Geol. Surv. California, Pal.*, 1, 145.—Moll.
 Turonia Michelin 1844, *Icon. Zoophyt.*, (9-12) 125.—Coel.
 Turonifungia Fromental 1860, *Mém. Soc. linn. Normandie*, 11, no. 2, 48.—Spong.
 Turorella (err. pro *Tudo*-Fischer 1885) Wenz 1923, *Foss. Cat.*, 1, pt. 23, 1819.—Moll.
 Turpilia Stål 1874, *Recensio Orth.*, 2, 16.—Orth.
 Turpillodes Hebard 1932, *Trans. Amer. ent. Soc.*, 58, 315.—Orth.
 Turpinus Ormancey 1852, *Ann. Sci. phys. nat. Lyon*, 1850-52, 287.—Prot.
 Turpura (err. pro *Pur*-Bolten 1798) Stewart 1880, *Proc. Belfast Nat. Field Cl., App.*, 1879-80, 175.—Moll.
 Turquetia Vélain 1877, *C.R. Acad. Sci. Paris*, 83, 285 [n.n.]; 1877, *Arch. Zool. exp. gén. Paris*, 6, 134.—Moll.
 Turrana Distant 1911, *Ann. Mag. nat. Hist.*, (8) 7, 579.—Hem.
 Turrancilla Martens 1903, *Wiss. Ergebn. dtsch. Tiefsee Exped.*, 7 (1), 110.—Moll.
 Turryhssa Dall 1924, *Proc. biol. Soc. Washington*, 37, 88.—Moll.
 Turribaicalia Dybowski & Grochmalicki 1917, *Abh. zool.-bot. Ges. Wien*, 9 (3), 22.—Moll.
 Turricaspia Dybowski & Grochmalicki 1917, *Abh. zool.-bot. Ges. Wien*, 9 (3), 5.—Moll.
 Turriclavula Rhumbler 1911, *Foram. Plankton-Exped.*, 1, 1909, 85.—Prot.
 Turricola (err. pro *-cula* Hermann 1783) Issel 1885, *Ann. Mus. Stor. nat. Genova*, 22, 8.—Moll.
 Turricolumbus Cossmann 1901, *Essais Paléoconch. comp.*, 4, 239.—Moll.
 Turricula Herrmann 1783, *Tab. aff. Anim.*, ed. 2, tabula.—Moll.
 Turricula Schumacher [non Herrmann 1783] 1817, *Ess. Vers. test.*, 66, 217.—Moll.
 Turricula Fabricius [non Herrmann, Schumacher] 1823, *Fortegnelse*, 80.—Moll.
 Turricula Beck [non Herrmann et al.] 1837, *Index Moll. Mus. Ch. Fred.*, (1) 10.—Moll.
 Turricula (err. pro *Turritella* Wollaston 1878) Pilsbry 1895, *Man. Conch.*, (2) 9, 238.—Moll.

- Turriculata* Wagner 1897, Denkschr. Akad. Wiss. Wien, 64, 569.—Moll.
Turriculina Gregorio 1930, Ann. Géol. Paléont., Palermo, 53, 18.—Moll.
Turriculum Gregorio 1930, Ann. Géol. Paléont. Palermo, 52, 26.—Brach.
Turridrupa Hedley 1922, Rec. Australian Mus., 13, 226.—Moll.
Turriga Walker 1869, Charact. undescr. Lep. Het., 15.—Lep.
Turriger Kertész 1904, Ann. Mus. Hungar., 2, 73.—Dipt.
Turrilepas Woodward 1865, Quart. J. geol. Soc. London, 21, 486.—Echin.
Turriminaea Dybowski 1908, Annu. Mus. zool. Acad. imp. Sci. St. Pétersbourg, 13, 271, 282.—Moll.
Turriolina Andreae 1884, Abh. geol. Specialk. Elsass-Loth., 2, 212.—Prot.
Turriilita (pro *-lites* Lamarck 1801) Fleming 1828, Hist. Brit. Anim., 249.—Moll.
Turriilites Lamarck 1801, Syst. Anim., 102.—Moll.
Turriilithes (err. pro *-tes* Lamarck 1801) Bronn 1837, Leth. Geogn., 2 (7 & 8), 733.—Moll.
Turriilitoides Spath 1923, Proc. geol. Ass. London, 34 (1), 75.—Moll.
Turrilla (err. pro *Turritella* Lamarck 1799) Cotter 1907, Rec. Geol. Surv. India, 36, 132.—Moll.
Turris Mueller 1766, Del. Nat., 1, 129.—Moll. [? binomial].
Turris Bolten [non Mueller 1766] 1798, Mus. Bolten., 2, 123.—Moll.
Turris Montfort [non Mueller, Bolten] 1810, Conch. Syst., 2, 538.—Moll.
Turris Fabricius [non Mueller et al.] 1823, Fortegnelse, 83.—Moll.
Turris Lesson 1837, Prod. Méduses, 13; 1843, (Roret's Suite à Buffon) Acalèphes, 283.—Coel. (See *Neoturris* Hartlaub 1914.)
Turris Gray [non Mueller et al.] 1857, Guide Syst. Distrib. Moll. Brit. Mus., 1, 23.—Moll.
Turriscala de Boury 1889, Bull. Soc. malac. Ital., 14, 187.—Moll.
Turrisipho Dautzenberg & Fischer 1912, Rés. Camp. sci. Monaco, 37, 97.—Moll.
Turrisitala Iredale 1933, Rec. Australian Mus., 19, 55.—Moll.
Turrispira Conrad 1866, Smithsonian misc. Coll., 7, no. 200, 19.—Moll.
Turrispira Petho 1906, Palaeontographica, 52, 142.—Moll. (See *Fallaciturris* Tomlin 1929.)
Turrispirrillina Cushman 1927, Contrib. Cushman Lab. Foraminif. Res., 3, 73.—Prot.
Turristylus Blaschke 1905, Beitr. Paläont. Geol. Oester.-Ung., 17 (3-4), 205.—Moll.
Turrita (pro *Turritus* Westerlund 1883) Wagner 1897, Denkschr. Akad. Wiss. Wien, 64, 568.—Moll.
Turritella Lamarck 1799, Mém. Soc. Hist. nat. Paris, 74.—Moll.
Turritella Wollaston [non Lamarck 1799] 1878, Test. Atlantica, 168.—Moll.
Turritelletta (n.n. pro *Turritelopsis* Rhumbler 1895) Rhumbler 1903, Arch. Protistenk., 3, 276, 283.—Prot.
Turritelli (err. pro *-tella* Lamarck 1799) Conrad 1855, U.S. Naval Astron. Exp. S. Hemisphere, 2, App. H, 283.—Moll.
Turritellites Bronn 1835, Lethaea Geogn., 1 (2), 177.—Moll.
Turritellopsis Sars 1878, Moll. Reg. Arct. Norveg., viii, 186.—Moll.
Turritellopsis (pro *Turri-* Rhumbler 1895) Galloway 1933, Man. Foramin., 101.—Prot.
Turritellus Montfort 1810, Conch. Syst., 2, 210.—Moll.
Turrites Haan 1825, Mon. Ammon., 33.—Moll.
Turritigera Busk 1884, Rep. Voy. Challenger Exped., Zool., 10, 129.—Bry.
Turritodostomia Sacco 1892, Mem. Accad. Sci. Torino, (2) 42, 623.—Moll.
Turritoma Ulrich & Scofield 1897, Geol. Minnesota, 3 (2, Pal.), 959.—Moll.
Turritopsis McCrady 1857, Proc. Elliot Soc. nat. Hist., 1, 104.—Coel.
Turritospira (err. pro *Turritoma* Ulrich & Scofield 1897) Ulrich 1897, Geol. Minnesota, 3 (2, Pal.), 1013.—Moll.
Turritriton Dall 1904, Smithsonian misc. Coll., 47, 133.—Moll.
Turritus Westerlund 1883, Jahrb. dtsh. malak. Ges., 10, 72.—Moll.
Turrubulana Distant 1910, Ann. Mag. nat. Hist., (8) 6, 385.—Hem.
Turruilitis (pro *Turriilites* Lamarck 1801) d'Orbigny 1842, Pal. Franç., 1, 593.—Moll.
Turrum Whitley 1932, Rec. Australian Mus., 18, 337.—Pisces.
Turseodus Leidy 1857, Proc. Acad. nat. Sci. Philad., 1857, 167.—Pisces.
Tursio Fleming 1822, Phil. Zool., 2, 211.—Mamm. (Physeterid.).
Tursio Wagler 1830, Nat. Syst. Amph., 34.—Mamm. (Delphinid.).
Tursio Gray [non Wagler 1830] 1843, List Spec. Mamm. Brit. Mus., xxiii, 105.—Mamm. (Delphinid.).
Tursiops Gervais 1855, Hist. Nat. Mamm., 2, 323.—Mamm.
Turtonia Alder 1848, Trans. Tyneside Nat. Field Cl., 1 (2), 189.—Moll.
Turtonia Rosen 1910, Lundis Univ. Arsskr., (N.F.) Afd. 2, Bd. 6, no. 4, 17.—Moll. (See *Rosenia* Schepman 1914.)
Turtoniana (Bourguignat MS.) Locard 1889, Ann. Soc. linn. Lyon, (N.S.) 35, 149.—Moll.
Turtur Boddaert 1783, Tab. Planch. Enl., 10.—Aves (Columbid.).
Turtur Selby [non Boddaert 1783] 1835, Nat. Libr. (Orn. 5), 169.—Aves. (Columbid.).
Turturoena Bonaparte 1854, C.R. Acad. Sci. Paris, 39, 1104.—Aves.

- Turuenna Walker 1865, List Specimens Lep. Ins. Brit. Mus., 32, 545.—Lep.
 Turumena (pro *uenna* Walker 1865) Kirby 1892, Syn. Cat. Lep. Het., 1, 791.—Lep.
 Turumtia Blyth 1863, Ibis, 1863, 9.—Aves.
 Turuptiana Walker 1869, Charact. undescr. Lep. Het., 19.—Lep.
 Turus (err. pro *Turdus* L. 1758) Gloger 1841, Gemeinnütz. Naturges., 1, 303.—Aves.
 Turus Hilzheimer 1916, in Hilzheimer & Heck, in Brehm, Die Säugetiere, 4th ed., 4, 273.—Mamm.
 Tusalia Hodgson 1843, J. Asiat. Soc. Bengal, 12 (2), 937.—Aves.
 Tuscadora Haeckel 1879, S.B. Jena. Ges., 1879, 156.—Prot.
 Tuscarantha Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1706.—Prot.
 Tuscaretta Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1707.—Prot.
 Tuscaridium Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1709.—Prot.
 Tuscarilla Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1708.—Prot.
 Tuscarora Murray 1885, Rep. Voy. Challenger Exped., Narr., 1, 226.—Prot.
 Tuscarusa Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1707.—Prot.
 Tusitala Peckham 1902, Psyche, 9, 330.—Arachn.
 Tusoteuthis Logan 1898, Univ. Geol. Surv. Kansas, 4 (8), 497.—Moll.
 Tusus (?pro *Fusus* Helbling 1799) Fabricius 1823, Fortegnelse, 83.—Moll.
 Tuta Strand (1911), Berlin. ent. Z., 55, 1910, 169.—Lep.
 Tutaibo Chamberlin 1917, Bull. Mus. comp. Zool. Harvard, 60, 237.—Arachn.
 Tutankhamen Rathbun 1925, Bull. U.S. nat. Mus., 129, 530.—Crust.
 Tutchericeras Buckman 1919, Type Ammonites, 3, pt. 19, no. 137.—Moll.
 Tutela Perrier 1897, C.R. Acad. Sci. Paris, 123, 901.—Echin.
 Tutelina Simon 1902, Hist. nat. Araign., 2, 554.—Arachn.
 Tutcianus Simon 1897, Hist. nat. Araign., 2, 114.—Arachn.
 Tuttia Warren 1926, Trans. R. ent. Soc. London, 74, 152.—Lep.
 Tuttiola (n.n. pro *Klugia* Tutt 1907) Strand 1910, Ent. Rdsch., 27, 162.—Lep.
 Tutufa Jousseau 1881, Bull. Soc. zool. France, 6, 175.—Moll.
 Tuxophorus Wilson 1908, Proc. U.S. nat. Mus., 33, 617.—Crust.
 Tulyoceras Foerste & Savage 1927, Denison Univ. Bull. J. Sci. Lab., 22, 15, 81.—Moll.
 Tuyus Fischer 1808, Tabl. Syn. Zoog., ed. 2, Aves, col. 38 [*n.n.*].—Aves.
 Tuyus Rafinesque 1815, Analyse, 70 [*n.n.*].—Aves.
 Tuzoia Walcott 1912, Smithsonian. misc. Collect., 57, 187.—Crust.
 Tvetenia Kieffer 1922, Rep. Norwegian Exped. Novaya Zemlya, No. 2, 12.—Dipt.
 Tweedia Ward 1934, Bull. Raffles Mus., No. 9, 22.—Crust.
 Tweedielus Roewer 1933, Bull. Raffles Mus., No. 8, 49.—Arachn.
 Twingonia Pascoe 1908, Rec. geol. Surv. India, 36, 138.—Pisces.
 Twiningia Ball 1931, Bull. Brooklyn ent. Soc., 26, 93.—Hem.
 Twitchellia Lambert 1916, Rev. crit. Paléozool., 20, 171.—Echin.
 Ty Bory de St. Vincent 1827, Ency. Méth. (Zooph.), 527.—Prot.
 Tyana Walker 1866, List Specimens Lep. Ins. Brit. Mus., 35, 1776.—Lep.
 Tyanites Cameron 1903, Entomologist, 36, 95.—Hym.
 Tyanitis Westwood 1851, in Doubleday & Westwood, Gen. diurn. Lep., 2, 447.—Lep.
 Tybalmia Thomson 1867, Physis, Paris, 2, pt. 2, 44.—Col.
 Tybo (emend. pro *Myrtha* Bonaparte 1854) Heine 1890, Nomencl. Mus. Hein., 252.—Aves.
 Tycana (emend. pro *Tuc*-Brisson 1760) Agassiz 1846, Nomen. Zool. Index Univ.—Aves.
 Tychaëdon (n.n. pro *Aedonopsis* Sharpe 1883) Richmond 1917, Proc. U.S. nat. Mus., 53, 575.—Aves.
 Tychaëus Fischer 1823, Mém. Soc. imp. Nat. Moscou, 6, 266.—Col.
 Tychanopais Broun 1893, Man. N. Zealand Col., 1379.—Col.
 Tychanus Pascoe 1876, Ann. Mag. nat. Hist., (4) 18, 64.—Col.
 Tyche Bell 1836, Proc. zool. Soc. London, 3, 172.—Crust.
 Tychea Koch 1857, Pflanzenläuse Aphiden, 9, 296.—Hem.
 Tychea Passerini 1860, Gli Afidi, 30.—Hem. (See *Tycheoides* Schouteden 1906.)
 Tycheides (pro *eoides* Schouteden 1906) Dahl 1912, Beitr. Naturdenkm., 3, 435.—Hem.
 Tycheoides (n.n. pro *Tychea* Passerini 1860) Schouteden 1906, Mém. Soc. ent. Belgique, 12, 194.—Hem.
 Tychepsephenus (err. pro *psephus* Waterhouse 1876) Lucas 1920, Cat. alphab. gen. et subgen. Col., 1, 661.—Col.
 Tychepsephus Waterhouse 1876, Trans. ent. Soc. London, 1876, 15.—Col.
 Tycherus Foerster 1868, Verh. naturh. Ver. Rheinlande, 25, 192.—Hym.
 Tychicus Simon 1880, Actes Soc. linn. Bordeaux, 34, 253.—Arachn.
 Tychiodes Wollaston 1873, Trans. ent. Soc. London, 1873, 16.—Col.
 Tychiorhinus Wollaston 1877, Coleopt. Sanctae-Helenae, 151.—Col.
 Tychosoma Wollaston 1873, Trans. ent. Soc. London, 1873, 449, 519.—Col.
 Tychis Rafinesque 1815, Analyse, 118 [*n.n.*].—Orth.
 Tychius Germar 1817, Mag. Entom. (Germar), 2, 340.—Col.

- Tychobythinus* Ganglbauer 1896, Verh. zool.-bot. Ges. Wien, 46, 170.—Col.
Tychocardia Roemer 1868, Syst. Conch. Cab., Lief. 188, 5.—Moll.
Tychon Handlirsch 1906, Foss. Ins., 563.—Col.
Tychonia Koninck 1881, Ann. Mus. Hist. nat. Belg. (Sér. Pal.) 6, 7.—Moll.
Tychoptera Latreille 1804, Nouv. Dict. H.N., 24 (Tab.), 188.—Dipt.
Tychostylops Ameghino 1901, Bol. Acad. Cienc. Córdoba, 16, 396.—Mamm.
Tychotyrus Broun 1893, Ann. Mag. nat. Hist., (6) 12, 168.—Col.
Tychreus Pascoe 1870, Trans. ent. Soc. London, 1870, 475.—Col.
Tychus Leach 1817, Zool. Miscell., 3, 81.—Col.
Tycnodora Cobb 1920, Contr. Nematology, 231.—Verm. (Nema.).
Tycnosacca Angelin 1878, Iconogr. Crin. Holm., 13.—Echin.
Tycodesmus Cook 1895, Proc. U.S. nat. Mus., 18, 83.—Myr.
Tycoonina Warren 1894, Novit. zool., 1, 439.—Lep.
Tycacona Moore 1882, in Hewitson & Moore, Descr. new Indian Lep. Coll. Atkinson, (2) Heteroc., 95.—Lep.
Tydaeus Berlese 1910, Redia, 6, 212.—Arachn.
Tydaeus (pro *-deus* Koch 1837) Berlese 1908, Redia, 5, 14.—Arachn.
Tydemanela Scott 1909, Résult. Exped. Siboga, Monogr., 29 (A), 216.—Crust.
Tydemania Weber 1913, Fische Siboga Exped., 570.—Pisces.
Tydeolus (Bates MS.) Champion 1884, Biol. Centr. Amer., Zool., Col., 4 (1), 37.—Col.
Tydeus Koch 1837, Deutschl. Crust., Heft 4, tab. 11.—Arachn.
Tydeus Sauvage 1870, Ann. Sci. nat. Paris, Zool., (5) 14, no. 7, 23.—Pisces. (See *Anapterus* Sauvage 1873.)
Tydides Stål 1865, Hem. Afric., 3, 113.—Hem.
Tygarrup Chamberlin 1914, Bull. Mus. comp. Zool. Harvard, 58, 210.—Myr.
Tykonus Michaelsen 1892, Arch. Naturgesch., 58 (2), 212.—Verm. (Oligoch.).
Tylacoptera see *Talycoptera*.
Tylacus (err. pro *Thyl-* Conrad 1860) Tryon 1883, Struct. Syst. Conch., 2, 212.—Moll.
Tylana Stål 1860, K. svenska VetenskAkad. Handl., (N.F.) 3, no. 6, 67.—Hem.
Tylanthera Cope 1895, Trans. Amer. phil. Soc., 18, 205.—Rept.
Tylanthes Meyrick 1889, Trans. ent. Soc. London, 1889, 459.—Lep.
Tylas Hartlaub 1862, Proc. zool. Soc. London, 1862, 152.—Aves.
Tylaspis Munro 1935, Ent. Mem. Union S. Africa, No. 9, 31.—Dipt.
Tylaster Danielssen & Koren 1881, Nyt Mag. Naturv., 26, 186.—Echin.
Tylaster Spencer 1913, Phil. Trans. roy. Soc., (B) 204, 127.—Echin. (See *Tylasteria* Valette 1930.)
Tylasteria (n.n. pro *Tylaster* Spencer 1913) Valette 1930, Bull. Soc. géol. France, (4) 29, 418.—Echin.
Tylastridium Sacco 1896, Moll. Terr. terz. Piemonte Liguria, 21, 19.—Moll.
Tylauchenia Burmeister 1872, Stettin. ent. Ztg., 33, 377.—Col.
Tylcus Casey 1912, Mem. Col., 3, 351.—Col.
Tylecmmus (err. pro *Tyloc-* Holmgren 1873) Ashmead 1900, Proc. U.S. nat. Mus., 23, no. 1206, 82.—Hym.
Tylenchus Bastian 1865, Trans. Linn. Soc. London, 25, 125 (as *Tylenchus* p. 94).—Verm. (Nema.).
Tylemyia Giglio-Tos 1893, Bull. Mus. Zool. Anat. comp. Torino, 8, no. 158, 14.—Dipt.
Tylenchinema Goodey 1930, Trans. roy. Soc., (B) 218, 315.—Verm. (Nema.).
Tylenchodon Fuchs 1930, Zool. Jahrb., Syst., 59, 609.—Verm. (Nema.).
Tylencholaimellus Cobb 1915, Trans. Amer. micr. Soc., 34, 28.—Verm. (Nema.).
Tylencholaimus Man 1876, Tijdschr. Ned. dierk. Ver., 2, 119.—Verm. (Nema.).
Tylenchomorphus Fuchs 1914, Zool. Jahrb., Syst., 38, 183, 190.—Verm. (Nema.).
Tylenchorhynchus Cobb 1913, J. Washington Acad. Sci., 3, 438.—Verm. (Nema.).
Tylenchulus Cobb 1913, J. Washington Acad. Sci., 3, 288.—Verm. (Nema.).
Tylenchus see *Tylenchus*.
Tyleria Adams 1854, Ann. Mag. nat. Hist., (2) 14, 418.—Moll.
Tyleudacus (n.n. pro *Eudactylus* Sallé 1855) Fleutiaux 1923, Trans. ent. Soc. London, 1922, 429 (note).—Col.
Tylexocladus Toppent 1898, Mém. Soc. zool. France, 11, 242.—Spong.
Tylibyx Reichenbach 1852-53, Av. Syst. Nat., text, xviii.—Aves.
Tylicus Casey 1912, Mem. Col., 3, 10.—Col.
Tylissus Stål 1870, Ofvers. VetenskAkad. Förh. Stockh., 1870, no. 7, 739.—Hem.
Tylistus Leconte 1861, Class. Col. N. Amer., 203.—Col.
Tylites (emend. pro *Tul-* Buckman 1921) Cossmann 1922, Rev. crit. Paléozool., 26, 67.—Moll.
Tyllardia (err. pro *Tillyardia* Bolton 1922) Pruvost 1933, Ann. Soc. géol. Nord, 58, 154.—Odon.
Tyllorhynchus (pro *Tylorrh-* Grube 1866) Chamberlin 1919, Mem. Mus. comp. Zool. Harvard, 48, 194.—Verm. (Polych.).
Tylobolus Cook 1904, Harriman Alaska Exped., 8, 65.—Myr.
Tylobranchion (err. pro *-branchion* Herdman 1886) Pfeffer 1890, Polarforsch. dtisch. Exped., 2, 470.—Tunicata.

- Tylobranchion Herdman 1886, Rep. Voy. Challenger Exped., Zool., 14, 157.—Tunicata.
 Tylobranchion (err. pro *-branchion* Herdman 1886) Seeliger 1907, in Bronn, Klass. Ordn. Tierr., 3, Suppl., 1257.—Tunicata.
 Tylobronchus Eigenmann 1912, Mem. Carnegie Mus., 5, 271.—Pisces.
 Tylocapsus Van Duzee 1923, Proc. Calif. Acad. Sci., (4) 12, 151.—Hem.
 Tylocarabus Reitter 1896, Verh. Ver. Brunn., 34, 173.—Col.
 Tylocarcinus Miers 1879, J. Linn. Soc. London, Zool., 14, 664.—Crust.
 Tylocassis Woodring 1928, Mioc. Moll. Bowden (Carnegie Inst. Washington), 2, 7, 306.—Moll.
 Tylocentra Spaeth & Reitter 1926, Bestim.-Tab. europ. Coleopt., 95, 57.—Col.
 Tylocentrus Van Duzee 1908, Bull. Buffalo Soc. nat. Sci., 9, 118.—Hem.
 Tylocephalum Linton 1890, Notes Entozoa N. England, Pt. 2, 805; 1891, Rep. U.S. Fish Comm., 1887, 805.—Verm. (Cest.).
 Tylocephalus Crossman 1933, J. Parasitology, 20, 106.—Verm. (Nema.).
 Tylocerina Casey 1911, Mem. Col., 4, 335.—Col.
 Tylocerocerone Pic 1911, Echange, 27, 141.—Col.
 Tylocerus Dalman 1823, Anal. Entom., 57.—Col.
 Tylochaetus Bigot 1888, Ann. Soc. ent. France, (6) 8, Bull., xxiv.—Dipt.
 Tylochares Meyrick 1883, Ent. mon. Mag., 19, 256.—Lep.
 Tylochilus Cossmann 1889, Ann. Soc. malac. Belg., 24, 76.—Moll.
 Tylochromis Regan 1920, Ann. Mag. nat. Hist., (9) 5, 37.—Pisces.
 Tylocidaris Pomel 1883, Classif. méth. Echin., 109.—Echin.
 Tylocis Lea 1913, Trans. roy. Soc. S. Australia, 37, 423.—Col.
 Tylococcus Newstead 1897, Ent. mon. Mag., 33, 166.—Hem.
 Tylocomnus Holmgren 1873, Ofvers. VetenskAkad. Förh. Stockholm, 30, no. 4, 76.—Hym.
 Tylocomus (err. pro *-mnus* Holmgren 1873) Dalla Torre 1891, Cat. Hym., 3, 220.—Hym.
 Tylocrinus Wood 1904, Smithson. misc. Collect., 47, 66.—Echin.
 Tylocryptus Horváth 1932, Soc. ent. France, Livre centen., 146.—Hem.
 Tylodelphis (pro *-phys* Diesing 1850) Pagenstecher 1857, Helm. Beitr., Heidelberg, 1, 38.—Verm. (Trem.).
 Tylodelphus (pro *-phys* Diesing 1850) Krøyer 1840, Danmark's Fiske, 1 (2), 579.—Verm. (Trem.).
 Tylodelphys Diesing 1850, Syst. Helminth., 1, 304.—Verm. (Trem.).
 Tyloderes Schoenherr 1826, Curc. disp. meth., 206.—Col.
 Tyloderma Say 1831, Descr. new Species Curculionites N. Amer., 19.—Col.
 Tyloides Schoenherr 1823, in Sahlberg, Peric. Entom., 49.—Col.
 Tyloidesmus Cook 1896, Proc. U.S. nat. Mus., 18, no. 1042, 99.—Myr.
 Tylohexia Townsend 1926, Supplementa ent., No. 14, 27.—Dipt.
 Tylodictya Hall & Clarke 1900, Mem. N. York Mus., 2, 151.—Spong.
 Tylodina Rafinesque 1814, Specchio Sci., 2 (12), 162.—Moll.
 Tylostinella Mazzarelli 1897, Zool. Jahrb., Syst., 10, 596.—Moll.
 Tylostinus Champion 1905, Biol. Centr. Amer., Zool., Col., 4, 464.—Col.
 Tyloidiplax de Man 1895, Zool. Jahrb., Syst., 8, 598.—Crust.
 Tylodon Gervais 1848, C.R. Acad. Sci. (Paris), 26, 50.—Mamm.
 Tylodrusus Reitter 1916, Fauna germ., 5, 56.—Col.
 Tylodrusus Stierlin 1884, Mitt. schweiz. ent. Ges., 7, 61.—Col.
 Tylodus Rohon 1893, Mém. Acad. Sci. St. Pétersbourg, 41, 57.—Pisces.
 Tylognathus Heckel 1843, in Russegger, Reise, 1 (2), 1027.—Pisces.
 Tylognathus Felder 1874, Reise Novara, Zool. 2, Abt. 2, Lep. Het., Explan. Pls. lxxv-cvii, 9.—Lep.
 Tylogonus Simon 1902, Ann. Soc. ent. Belgique, 46, 384.—Arachn.
 Tylois Marseul 1864, Abeille, 1, 336.—Col.
 Tylokepon Stebbing 1904, Faun. Geogr. Maldive Arch., 2, 716.—Crust.
 Tyloaimophorus Man 1880, Tijdschr. Ned. Dierk. Ver., 5, 63.—Verm. (Nema.).
 Tylomantis Giglio-Tos 1915, Bull. Soc. ent. ital., 46, 56.—Orth.
 Tylomelania Sarasin 1897, Zool. Anz., 20, 317.—Moll.
 Tylometopon (ex Van Beneden) Bleeker 1873, Ned. Tijdschr. Dierk., 4, 133; 1876, Arch. Néerl. Sci. Nat., 11, 299.—Pisces.
 Tylominus Schoenherr 1826, Curc. disp. meth., 253.—Col.
 Tylomys Peters 1866, MonatsBer. Akad. Wiss. Berlin, 1865, 404.—Mamm.
 Tylomyza Hendel 1931, in Lindner, Flieg. Palaearct. Reg., 59, 181.—Dipt.
 Tylo-nautilus Pringle & Jackson 1928, Naturalist, No. 863, 373.—Moll.
 Tylonereis Fauvel 1911, Arch. Zool. exp. gén. Paris, (5) 6, 376.—Verm. (Polych.).
 Tylonotus Haldeman 1847, Trans. Amer. phil. Soc., (N.S.) 10 (1), 37.—Col. (Cerambycid.).
 Tylonotus Fieber 1858, Wien. ent. Monatschr., 2, 310.—Hem. (See *Plesiocoris* Fieber 1860.)
 Tylonotus Schaum 1863, J. Ent. Lond., 2, 74.—Col. (Carabid.). (See *Nototylus* Gemminger & Harold 1868.)

- Tyloonycteris Peters 1872, MonatsBer. preuss. Akad. Wiss. Berlin, 1872, 703.—Mamm.
 Tyloonyx Schulze 1897, Mamm. Europ. (ex Helios, Abh. Ges. Naturw. Berlin, 14, 83),
 sep. p. 11.—Mamm.
 Tylopathes Brook 1889, Rep. Voy. Challenger Exped., Zool., 32, 135.—Coel.
 Tylophelma Enderlein 1922, Mitt. zool. Mus. Berlin, 10, 350; 1925, 11, 399.—Dipt.
 Tylophelta Fowler 1894, Biol. Centr. Amer., Zool., Homopt., 2, 15.—Hem.
 Tylopheltis Reuter 1904, Ofvers. finska VetenskSoc. Förh., 46, no. 10, 4.—Hem.
 Tylopharinix (pro -rynx Man 1876) Aranjo 1879 (teste Stiles & Hassall 1920, Bull.
 U.S. Hyg. Lab., No. 114, 838).—Verm. (Nema.).
 Tylopharynx Man 1876, Tijdschr. Nederl. Dierk. Ver., 2, 40.—Verm. (Nema.).
 Tylopholis Marshall 1916, Fauna Brit. Ind., Col. Rhynch., 156.—Col.
 Tylophora Pavesi 1880, Rend. Ist. Lombardo Sci. Lett., (2) 13, 193.—Arachn.
 Tylophorites (emend. pro *Tul-* Buckman 1921) Cossmann 1922, Rev. crit. Paléozool.,
 25, 67.—Moll.
 Tylophorus Blessig [1873] Horae Soc. ent. ross., 9, 1872, 213.—Col.
 Tylopoma Brusina 1882, Beitr. Paläont. Osterr.-Ungarns, 2, 37.—Moll.
 Tylopora Lang 1917, Geol. Mag., 4, 257.—Bry.
 Tyloproetus (err. pro *Typhlo-* Richter 1913) Vogdes 1925, Tran. San Diego Soc. nat.
 Hist., 4, 115.—Trilobita.
 Tylopsis Fieber 1853, Lotos, 3, 172.—Orth.
 Tyloptera Christoph 1880, Bull. Soc. imp. nat. Moscou, 55, (2), 114.—Lep. (nec
Tylopterus Capiomont 1868 see *Microloba* Hampson 1895).
 Tylopterna Bezzi 1917, Philippine J. Sci., 12 (D), 131.—Dipt.
 Tylopterus Capiomont 1868, Ann. Soc. ent. France, (4) 7, 1867, 468.—Col. (Curcu-
 lionid, Hyperini).
 Tylopterus Leconte 1876, Proc. Amer. phil. Soc., 15, 215.—Col. (Curculionid,
 Tychiini).
 Tylopterus Clarke & Ruedemann 1912, Mem. N. York State Mus., 14, 216.—Eurypt-
 terida.
 Tylopteryx Hutton 1891, N. Zealand J. Sci., (2) 1, 248.—Aves.
 Tylopyge Klapálek 1913, Suppl. ent., 3, 114.—Flecopt.
 Tyloramphus Brandt 1837, Bull. Sci. Acad. imp. Sci. St. Pétersbourg, 2 (22), 348.—
 Aves.
 Tylorhynchus (pro *Tylorr-* Grube 1866) M'Intosh 1910, Mon. Brit. Ann., 2, 255.—
 Verm. (Polych.).
 Tylorida Simon 1895, Hist. nat. Araign., 1, 737.—Arachn.
 Tylorrhynchus Grube 1866, Verh. zool.-bot. Ges. Wien, 16, Abh., 177.—Verm.
 (Polych.).
 Tylorthoceras (n.n. pro *Trematoceras* Whitfield 1882) Miller 1932, Amer. J. Sci., (5)
 24, 330.—Moll.
 Tylos Meigen 1800, N. Class. Mouches, 31.—Dipt.
 Tylos Heyden 1826, Isis (Oken), 1826, 610.—Arachn.
 Tylos Latreille 1826, in Audouin in Savigny, Egypte, 1 (4) (Expl. pls. Crust.), 96.—
 Crust.
 Tylosaurus Marsh 1872, Amer. J. Sci., (3) 4, 147.—Rept.
 Tylosema Kieffer 1905, Bull. Soc. Metz, 24, 112.—Hym.
 Tylosis Leconte 1850, J. Acad. nat. Sci. Philad., 2 (1), 9.—Col.
 Tylosoma Koren & Danielsen 1875, Nyt Mag. Naturv., 21, 134.—Verm. (Geph.).
 Tylospilus Stål 1870, K. svenska VetenskAkad. Handl., 9, no. 1, 52.—Hem.
 Tylospira Harris 1897, Cat. Tert. Moll. Brit. Mus., 1, 222.—Moll.
 Tylostagnus Kirby & Spence 1828, Introd. Entom., ed. 5, 4, 266.—Col.
 Tylostega Meyrick 1894, Trans. ent. Soc. London, 1894, 457.—Lep.
 Tylosteus Leidy 1872, Proc. Acad. nat. Sci. Philad., 1872, 40.—Rept.
 Tylostoma Sharpe 1849, Quart. J. geol. Soc. London, 5, 378.—Moll.
 Tylostoma Gervais 1855, Exped. Castelnau Amérique du Sud, Zool., Mamm., 49.—
 Mamm. (See *Anthorhina* Lydekker 1891.)
 Tylostypia Enderlein 1922, Mitt. zool. Mus. Berlin, 10, 347; 1925, 11, 363.—Dipt.
 Tylostypina Enderlein 1923, Dtsch. ent. Z., 1923, 545.—Dipt.
 Tylosurus Cocco 1833, Giorn. Sci. Lett. Sicilia, 42, 18.—Pisces.
 Tylotarsus Germar 1840, Z. Entom., 2 (2), 247.—Col.
 Tylotechus (err. pro *toechus* Kobelt & Moellendorff 1897) Moellendorff 1901, NachrBl.
 dtsh. malak. Ges., 33, 81.—Moll.
 Tylotettix Morse 1900, Biol. Centr. Amer., Zool., Orth., 2, 6.—Orth.
 Tylothyris North 1920, Quart. J. geol. Soc., 76, 195.—Brach.
 Tylotia Melvill 1917, Proc. malac. Soc. London, 12, 160.—Moll.
 Tylotoechus Kobelt & Moellendorff 1897, NachrBl. dtsh. malak. Ges. 29, 145 (re-
 issue).—Moll.
 Tylotoma (emend. pro *Tul-* Haldeman 1840) Fischer 1885, Man. Conch., 734.—Moll.
 Tylotoma Grabau 1934, Palaeont. sinica, (B) 8 (3), 100 [n.n.].—Brach.
 Tylotosoma Hintz 1902, Dtsch. ent. Z., 1902, 399.—Col.
 Tylototriton Anderson 1871, Proc. zool. Soc. London, 1871, 423.—Amph.

- Tylothrocha Harring & Myers 1921, Trans. Wisconsin Acad. Sci., 20, 555.—Verm. (Rotif.).
- Tylotrichus Koken 1896, Jahrb. dtsch. geol. Reichsanst., 46 (1), 92.—Moll.
- Tylotrypidius Stål 1873, Recensio Orth., 1, 74.—Orth.
- Tylotrypes Bezzi 1914, Ann. Mag. nat. Hist., (8) 14, 161.—Dipt.
- Tylotus Schoenherr 1823, Isis (Oken), 1823, 1145.—Col.
- Tyloxoles Kriesche 1927, Dtsch. ent. Z., 1927, 155.—Col.
- Tylozygoides Matsunura 1912, Annot. zool. japon., 8, 42.—Hem.
- Tylozygus Fieber 1866, Verh. zool.-bot. Ges. Wien, 16, Abh., 501.—Hem.
- Tylparua Edwards 1929, Proc. Linn. Soc. N.S. Wales, 54, 172.—Dipt.
- Tylurus (emend. pro *Tylosurus* Cocco 1833) Agassiz 1846, Nomen. Zool. Index Univ.—Pisces.
- Tylus (emend. pro *Tylos* v. Heyden 1826 & Latreille 1829) Agassiz 1846, Nomen. Zool. Index Univ.—Arachn., Crust.
- Tymbarcha Meyrick 1908, J. Bombay nat. Hist. Soc., 18, 622.—Lep.
- Tymbodesmus Cook 1898, Brandtia, 16, 67.—Myr.
- Tymbophora Meyrick 1890, Trans. roy. Soc. S. Australia, 13, 56.—Lep.
- Tymetes Boisduval (? 1846), in Cuvier, Règne Anim., disciples' ed., expl. pl. 139.—Lep.
- Tymophorus Schmiedeknecht 1913, Opusc. Ichneumon., fasc. 34, 2709, 2714.—Hym.
- Tymnes Chapuis 1874, in Lacordaire, Hist. nat. Ins., Gen. Col., 10, 310.—Col.
- Tymnus (pro *Tim-* Costa 1842) Costa 1847, Ann. Accad. Aspir. Nat., (2) 1, 284.—Pisces.
- Tymolus Stimpson 1858, Proc. Acad. nat. Sci. Philad., 1858, 163.—Crust.
- Tympaniscus Haeckel 1887, Rep. Voy. Challenger, Exped., Zool., 18, (2), 1001.—Prot.
- Tympanistes Moore 1867, Proc. zool. Soc. London, 1867, 48.—Lep.
- Tympanistis (err. pro *-stes* Moore 1867) Prout 1925, Ann. Mag. nat. Hist., (9) 16, 400.—Lep.
- Tympanistria Reichenbach 1852-53, Av. Syst. Nat., text, xxv.—Aves.
- Tympanistria Stål 1862, Ann. Soc. ent. France, (4) 1, 1861, 619.—Hem.
- Tympanium Haeckel 1881, Jena. Z., 15, 447.—Prot.
- Tympanobasis Hampson 1926, Descr. new Genn. Spp. Noctuidae, 322.—Lep.
- Tympanoceros Bocage 1895, J. Sci. Lisboa, (2) 3, 270; 4, 18.—Amph.
- Tympanocompus Karsch 1891, Berlin. ent. Z., 36, 107.—Orth.
- Tympanocryptis Peters 1863, MonatsBer. Akad. Wiss. Berlin, 1863, 230.—Rept.
- Tympanomegapus Thor (*teste* Vitzthum 1931, in Kuekenthal & Krumbach, Handb. Zool., 3, 2. Hälfte, Teil 3, 147).—Arachn.
- Tympanomerus (n.n. pro *Dioxippe* Man 1888) Rathbun 1898, Proc. biol. Soc. Washington, 11, 164.—Crust.
- Tympanomium Ranzani 1839, N. Comm. Acad. Sci. Inst. Bonon., 3, 74; 1844, Mem. Ster. Nat., 2, Diss. Fam. Molarum, in Tabl.—Pisces.
- Tympanomma Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1003.—Prct.
- Tympanopalpus Redtenbacher [1867], Reise Novara, Zool. 2, Abt. 1, 180.—Col.
- Tympanophora White 1841, in Grey, J. Exped. Austral., 2, 468.—Orth.
- Tympanophora Laboulbène (1865), Ann. Soc. ent. France, (4) 4, 1864, 704.—Lep. (See *Cymbalophora* Rambur 1866.)
- Tympanophorus Nordmann 1837, Mém. présentés Acad. imp. Sci. St. Pétersbourg, 4 (1 & 2), 9.—Col.
- Tympanopleura Eigenmann 1912, Mem. Carnegie Mus., 5, 203.—Pisces.
- Tympanoptera (Redtenbacher MS.) Pictet & Saussure 1892, Iconogr. Sauterelles vertes, 19.—Orth.
- Tympanospinctus Berlese 1919, Redia, 13, 116.—Arachn.
- Tympanostoma (pro *-notonos* Schumacher 1817) Sowerby 1842, Conch. Man., ed. 2, 283.—Moll.
- Tympanota Warren 1895, Novit. zool., 2, 107.—Lep.
- Tympanoterpes Stål 1862, Ann. Soc. ent. France, (4) 1, 1861, 614.—Hem.
- Tympanotomus (pro *-tonos* Schumacher 1817) Gray 1840, Syn. Cont. Brit. Mus., ed. 42, 148.—Moll.
- Tympanotonos Schumacher 1817, Ess. Vers. test., 64, 211.—Moll.
- Tympanotonus (emend. pro *-nos* Schumacher 1817) Agassiz 1846, Nomen. Zool. Index Univ.—Moll.
- Tympanotos (err. pro *-tonos* Schumacher 1817) Dollfus & Dautzenberg 1886, Feuilles jeunes Nat., 16, 105.—Moll.
- Tympanotus (err. pro *-tonos* Schumacher 1817) Hall 1867, Ann. Rep. Regents Univ. State N. York, 20, 47.—Moll.
- Tympanuchus Gloger 1841, Gemeinnütz. Naturges., 1, 396.—Aves.
- Tympanura Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (2), 1003.—Prot.
- Tynacantha Dallas 1851, List Specimens Hem. Ins. Coll. Brit. Mus., 1, 106.—Hem.
- Tyndallhydrus Sharp 1882, Trans. Dublin Soc., (2) 2, 370, 854.—Col.
- Tyndaria (emend. pro *Tin-* Bellardi 1875) Fischer 1886, Man. Conch., 987.—Moll.

- Tyndarichoides Girault 1920, Proc. U.S. nat. Mus., 58, 189.—Hym.
 Tyndarichoides Mercet 1921, Faun. Iber., Hym. Encyrtidae, 649.—Hym. (See *Protyndarichus* Mercet 1923.)
 Tyndarichus Howard 1910, U.S. Dep. Agric., Ent., Tech. Ser., 19, part 1, 5.—Hym.
 Tyndaris Thomson 1857, Arch. ent. Paris, 1, 168.—Col.
 Tyndaris Felder 1860, Wien. ent. Monatschr., 4, 249.—Lep. (See *Comella* Pagenstecher 1902.)
 Tyndarisus Pascoe 1869, Ann. Mag. nat. Hist., (4) 3, 294.—Col.
 Tyndides Pascoe [1874], J. Linn. Soc. London, Zool., 12, 1876, 68.—Col.
 Tyndis Ragonot 1891, Ann. Soc. ent. France, 60, 83.—Lep.
 Tynelia Stål 1858, Ofvers. VetenskAkad. Förh. Stockholm, 15, 250; 1869, K. svenska VetenskAkad. Handl., 8, no. 1, 29.—Hem.
 Tynnichus Champion 1906, Biol. Centr. Amer., Col., 4 (4), 712.—Col.
 Tynopteryx Amyot 1846, Ann. Soc. ent. France, (2) 4, 103.—Hem.
 Tynotoma Amyot & Serville 1843, (Roret's Suite à Buffon) Hémiptères, 220.—Hem.
 Tyntheria Reitter 1896, Dtsch. ent. Z., 1896, 301.—Col.
 Tyntlobia Fairmaire 1888, Notes Leyden Mus., 10, 261.—Col.
 Tyntlastes Guenther 1862, Proc. zool. Soc. London, 1862, 194.—Pisces.
 Tyolina (err. pro *Ptio*-Zetterstedt 1842) Walker 1848, List Dipt. Coll. Brit. Mus., (1) 220; 1849, (4) 1153.—Dipt.
 Tyoma Spinola 1850, Tav. sin. Hem., 37 (ex Mem. Soc. Ital. Sci., 25 (1), 1852, 77).—Hem.
 Tyora Walker [1869], J. Linn. Soc. London, Zool., 10, 1870, 330.—Hem.
 Typacrus Kirsch 1868, Berlin. ent. Z., 12, 179.—Col.
 Typanus Nitzsch 1829, Obs. Avium art. carot., 18.—Aves.
 Typaya Sjoestedt 1921, K. svenska VetenskAk. Handl., 62, no. 3, 291.—Orth.
 Typeschata Schmidt 1920, Stettin. ent. Ztg., 81, 84.—Hem.
 Typhaea (Kirby MS.) Stephens 1829, Nom. Brit. Ins., 8; 1830, Ill. Brit. Ent. (Mand. 3), 70.—Col.
 Typhaeola Ganglbauer 1899, Käfer Mitteleur., 3, 832.—Col.
 Typhaeus Leach 1815, Brewster's Edin. Ency., 9 (1), 97.—Col.
 Typhaeus (pro *Typhoeus* Beddard 1883) Beddard 1888, Quart. J. micr. Soc., (N.S.) 29, 101, 111.—Verm. (Oligoch.).
 Typhedanus Butler 1870, Trans. ent. Soc. London, 1870, 497.—Lep.
 Typheus (pro *-phoeus* Beddard 1883) Vejdovsky 1884, Syst. Morphol. Olig., 63.—Verm. (Oligoch.).
 Typhia (pro *Tiph-* Fabricius 1775) Brischke 1886, Schr. naturf. Ges. Danzig, (N.F.) 6, Heft 3, 278.—Hym.
 Typhina Jousseume 1880, Le Naturaliste, 1, no. 42, 335.—Moll.
 Typhinellus Jousseume 1880, Le Naturaliste, 1, no. 42, 335.—Moll.
 Typhis Montfort 1810, Conch. Syst., 2, 614.—Moll.
 Typhis Risso 1816, H.N. Crust., 122.—Crust. (See *Eutyphis* Claus 1879.)
 Typhisala Jousseume 1881, Rev. Mag. Zool., (3) 7, 339.—Moll.
 Typhisopsis Jousseume 1880, Le Naturaliste, 1, no. 42, 335.—Moll.
 Typhistes Simon 1895, Hist. nat. Araign., 1, 671.—Arachn.
 Typhlachirus Hardenberg 1932, Treubia, 13, 415.—Pisces.
 Typhlacontias Barboza de Bocage 1873, J. Sci. math. phys. nat. Lisbon, 4, 213.—Rept.
 Typhlapseudes Beddard 1886, Proc. zool. Soc. London, 1886, 115.—Crust.
 Typhlarmadillidium Verhoeff 1900, Zool. Anz., 23, 126.—Crust.
 Typhlatta Smith [1857], J. Proc. Linn. Soc. London, Zool., 2, 1858, 79.—Hym.
 Typhle (emend. pro *Tiphle* Rafinesque 1810) Agassiz 1846, Nomen. Zool. Index Univ.—Pisces.
 Typhlechinus Neumayr 1889, Stämme des Thierr., 1, 362.—Echin.
 Typhleotris Petit 1933, C.R. Acad. Sci. Paris, 197, 347.—Pisces.
 Typhlia Reichenbach 1828, Zoologie, 1, 91.—Aves.
 Typhlichthys Girard 1860, Proc. Acad. nat. Sci. Philad., 1859, 63.—Pisces.
 Typhlina Wagler 1830, Nat. Syst. Amph., 196.—Rept. (Cf. *Pilidion* Duméril & Bibron 1844.)
 Typhlina Ehrenberg 1831 (pls. 1828), Sym. Phys., Phyt., sign. f.—Verm. (Rotif.).
 Typhlina Jan [non Wagler 1830] 1864, Icon. gén. Ophid., Livr. 1, pl. v, figs. 8-9.—Rept.
 Typhlinalis Gray 1845, Cat. Lizards Coll. Brit. Mus., 134.—Rept.
 Typhline Wiegmann 1834, Herpet. Mex., 11.—Rept. (nec *Typhlina* Wagler 1830 see *Typhlophihalmus* Rochebrune 1884.)
 Typhlinus Rafinesque 1815, Analyse, 90 [n.n.].—Pisces.
 Typhlobagrus Ribeiro 1907, Kosmos, Rio de Janeiro, No. 1, 21; 1908, Ark. Zool., 4, no. 19, 1.—Pisces.
 Typhlobdella Diesing 1850, Syst. Helminth., 1, 458.—Verm. (Hirud.).
 Typhlobium Kraatz 1856, Verh. zool.-bot. Ver. Wien, 6, Abh., 625.—Col.
 Typhlobius Chamberlin 1922, Bull. Mus. comp. Zool. Harvard, 57, no. 6, 272.—Myr.

- Typhloblaniulus* Broelemann 1896, Verh. Ver. Rheinlande, 53, 211.—Myr.
Typhloblanus Fitzinger 1843, Syst. Rept., 22.—Rept.
Typhlobledius Lea 1906, Proc. Linn. Soc. N.S. Wales, 31, 200.—Col.
Typhlobranchus Schneider 1801, in Bloch, Syst. Ichth., 537.—Pisces.
Typhlobunellus Roewer 1927, Abh. Naturw. Ver. Bremen, 26 (2), 369.—Arachn.
Typhlobunus Roewer 1915, Arch. Naturgesch., 81, A3, 92.—Arachn.
Typhlobythus Jeannel 1926, Encycl. ent., Sér. A, 7, 285.—Col.
Typhlocalamus Guenther 1872, Proc. zool. Soc. London, 1872, 595.—Rept.
Typhlocarcinodes Alcock 1900, J. Asiat. Soc. Bengal, 69, 326.—Crust.
Typhlocarcinops Rathbun 1909, Proc. biol. Soc. Washington, 22, 109.—Crust.
Typhlocarcinus Stimpson 1858, Proc. Acad. nat. Sci. Philad., 1858, 95.—Crust.
Typhlocaris Calman 1909, Trans. Linn. Soc. London, (2) Zool., 11, 94.—Crust.
Typhloceras Wagner 1903, Horae Soc. ent. ross., 36, 152, 154.—Siphonapt.
Typhlocharis Dieck 1869, Berlin. ent. Z., 13, 351.—Col.
Typhlochiton Dall 1921, Nautilus, 34, 4.—Moll.
Typhlochoromus Moczarski 1913, Kol. Z., 4, 10.—Col.
Typhlocirolana Racovitza 1905, Bull. Soc. zool. France, 30, 74.—Crust.
Typhlocoelum Stossich 1902, Boll. Soc. Adriat., 21, 9, 30.—Verm. (Trem.).
Typhlocolax Stimpson 1857, Proc. Acad. nat. Sci. Philad., 1857, 21.—Verm. (Turb.).
Typhlocolpura Breddin 1900, Rev. Ent. franç., 19, 195.—Hem.
Typhlocoris Herrich-Schaeffer 1840, Wanzenart. Ins., 5 (5), 79; 1850, 9 (4), 173, 175.—Hem.
Typhlocyba Germar 1833, Revue Entom., 1 (4), 180.—Hem.
Typhlocybella Baker 1903, Invert. Pacifica, 1, 3.—Hem.
Typhlocypha (err. pro *-cyba* Germar 1833) Scudder 1881, Bull. U.S. geol. geogr. Surv. Terr., 6, no. 2, 293.—Hem.
Typhlocypris Vajdovsky 1880, Opuvodu Fauny studnickne, Prague, xlix; ? 1882, Thier. Organism. Brunnen-Wasser Prag, 64.—Crust.
Typhlocyptus de Saulcy 1878, Bull. Soc. Hist. nat. Moselle, (2) 15, 124.—Col.
Typhlodes Sharp 1873, Ent. mon. Mag., 10, 1.—Col.
Typhlodon Falconer 1868, Palaeont. Memoirs & Notes, 1, 23 [n.n.].—Mamm.
Typhlodrilus Baldasseroni 1909, Monit. zool. ital., 20, 227.—Verm. (Polych.).
Typhlodromus Scheuten 1857, Arch. Naturgesch., 23, 111.—Arachn.
Typhlogammarus Schaeferna 1907, Zool. Anz., 21, 186.—Crust.
Typhlogastrura Bonnet 1930, Eos, 6, 126.—Collemb.
Typhlogophis Guenther 1879, Proc. zool. Soc. London, 1879, 77.—Rept.
Typhloglomeris Verhoeff 1898, Arch. Naturgesch., 64 (1), 161.—Myr.
Typhloglymma Dury 1901, J. Cincinnati Soc. nat. Hist., 19, 243.—Col.
Typhlogobius Steindachner 1880, S.B. Akad. Wiss. Wien, 80, Abt. 1, 141.—Pisces.
Typhloiulopsis Scheerpeltz 1931, S.B. Akad. Wiss. Wien, Abt. 1, 140, 370.—Col.
Typhloiulus Latzel 1884, Myriop. Oesterr.-Ung., 2, 67, 260.—Myr.
Typhlolabia Scudder 1876, Proc. Boston Soc. nat. Hist., 18, 400.—Dermapt.
Typhloleiodes Hatch 1935, Pan-Pacific Ent., 11, 116.—Col.
Typhlolepta Örsted 1843, Naturhist. Tidsskrift, 4 (6), 570.—Verm. (Turb.).
Typhlolinus Reitter 1908, Verh. Ver. Brünn, 46, 1907, 122.—Col.
Typhlomangelia Sars 1878, Moll. Reg. Arct. Norv., 241.—Moll.
Typhlomangilia (err. pro *-gelia* Sars 1878) Tryon 1884, Man. Conch., 6, 156.—Moll.
Typhlomicrostomum Diesing 1862, S.B. Akad. Wiss. Wien, 45, 235.—Verm. (Turb.).
Typhlomalge Stejneger 1896, Proc. U.S. nat. Mus., 18, 620.—Amph.
Typhlomorphus Fitzinger 1843, Syst. Rept., 23.—Rept.
Typhlomyrmex Mayr 1862, Verh. zool.-bot. Ges. Wien, 12, Abh., 736.—Hym.
Typhlomis Milne-Edwards 1877, Bull. Soc. philom. Paris, (6) 12, 1876, pt. 2, 9.—Mamm.
Typhlonarke Waite 1909, Rec. Canterbury (N.Z.) Mus., 1, 16.—Pisces.
Typhlonectes Peters 1879, MonatsBer. Akad. Wiss. Berlin, 1879, 940.—Amph.
Typhlonemertes Plessis 1891, Zool. Anz., 14, 416.—Verm. (Nemert.).
Typhlonereis Hansen 1882, Norske Nordhavs-Exped. 1876-78, 7, 31.—Verm. (Polych.).
Typhlonesticus Kulczyński 1914, Bull. Intern. Acad. Kraków, 1914, 379.—Arachn.
Typhlonestra Jeannel 1935, Miss. scient. Omo, 2, 73.—Col.
Typhloneta Kulczyński 1914, Bull. Intern. Acad. Kraków, 1914, 371.—Arachn.
Typhloniscus Salter (1856), Trans. geol. Soc. London, 4, 215.—Trilobita.
Typhloniscus Schoebl 1860, S.B. Akad. Wiss. Wien, 40, 279.—Crust.
Typhlonus Guenther 1878, Ann. Mag. nat. Hist., (5) 2, 21.—Pisces.
Typhlopassilia see *Typhlosipalia*.
Typhloperipatus Kemp 1913, Rec. Indian Mus., 9, 241.—Prototrach.
Typhlophhis Fitzinger 1843, Syst. Rept., 24.—Rept.
Typhlophoros Linstow 1906, J. Asiat. Soc. Bengal, 2, 270.—Verm. (Nema.).
Typhlophorus (pro *-ros* Linstow 1906) Rauther 1930, in Kuekenhal & Krumbach, Handb. Zool., 2 (4), 380.—Verm. (Nema.).
Typhlophthalmus (n.n. pro *Typhline* Wiegmann 1834) Rochebrune 1884, Rept. Sénégalamb., 130.—Rept.

- Typhloplana* Ehrenberg 1831, in Hemprich & Ehrenberg, Symb. Phys. (Phyt. Turb.), sign. *a*.—Verm. (Turb.).
- Typhloplanella* Sekera 1911, S.B. Böhm. Ges. Wiss., 1911, no. 24, 84.—Verm. (Turb.).
- Typhlopleura* Schrammen 1902, Mitt. Mus. Hildesheim, 15, 24.—Spong.
- Typhlopodura* Absolon 1900, Zool. Anz., 23, 428.—Collemb.
- Typhlopona* (pro -*ne* Westwood 1840) Lucas 1849, Explor. Algér. (Artic. 3), 302.—Hym.
- Typhlopone* Westwood 1840, Introd. class. Insect., 2, 218, 219; Shuckard 1840, Ann. nat. Hist., 5, 262.—Hym.
- Typhloponemys* Rey 1886, Rev. Ent. Caen, 5, 252.—Col.
- Typhloporus* Hampe 1864, Wien. ent. Monatschr., 8, 191.—Col.
- Typhloproetus* (Frech MS.) Richter 1913, Abh. Senckenb. Ges., 31, 351.—Trilobita.
- Typhlops* Oppel 1811, Die Ordn. Rept., 55.—Rept.
- Typhlopsaras* Gill 1883, Forest and Stream, (Nov. 1883), 284.—Pisces.
- Typhlopsylla* Taschenberg 1880, Die Flöhe, 86.—Siphonapt.
- Typhloptilium* Flach 1889, Verh. zool.-bot. Ges. Wien, 39, Abh., 509.—Col.
- Typhloreichia* Holdhaus 1924, L'Abeille, 32, 170.—Col.
- Typhlorhode* Absolon & Kratochvil 1935, Stud. Gebiete Allg. Karstforsch. Brünn, (Biol. Ser.) 1, 1.—Arachn.
- Typhlorhynchus* Laidlaw 1902, Quart. J. micr. Sci., 45, 637.—Verm. (Turb.).
- Typhlorytes* Fitzinger 1867, S.B. Akad. Wiss. Wien, Math.-nat. Kl., 55 (1), 502.—Mamm.
- Typhlosaurus* Wiegmann 1834, Herp. Mex., 54.—Rept.
- Typhloscaris* Kuntzen 1914, Dtsch. ent. Z., 1914, 455.—Col.
- Typhloschizidium* Arcangeli 1933, Arch. zool. Torino, 19, 395.—Crust.
- Typhloscincus* Peters 1864, MonatsBer. Akad. Wiss. Berlin, 1864, 271.—Amph.
- Typhloscolex* Busch 1851, Beobacht., 115.—Verm. (Polych.).
- Typhloseps* Angel 1920, Bull. Mus. Hist. nat. Paris, 1920, 4.—Rept.
- Typhlosipalia* Ganglbauer 1895, Käfer Mitteleurop., 2, 273 (as *Typhlophasilia* p. 278).—Col.
- Typhlosphaeroma* Racovitza 1910, Arch. Zool. exp. gén. Paris, (5) 4, 725.—Crust.
- Typhlosynbranchus* Pellegrin 1922, C.R. Acad. Sci. Paris, 174, 884.—Pisces.
- Typhlosyrinx* Thiele 1925, Wiss. Ergebn. dtsch. Tief-See Exped., 17 (2), Gastr. 2, 184 (218).—Moll.
- Typhlotanais* Sars 1882, Arch. math.-naturv. Christiania, 7, 33.—Crust.
- Typhloteras* Karawaiew 1925, Konowia, 4, 128.—Hym.
- Typhlotes* Fischer 1813, Zoognosia, ed. 3, 1, 81.—Pisces.
- Typhloteta* Rambur 1866, Cat. Syst. Lep. Andalousie, 377 (note).—Lep.
- Typhlothrombium* Berlese 1910 (July), Redia, 6, 358.—Arachn.
- Typhlothrombium* Oudemans 1910 (Nov.), Ent. Ber., 's-Gravenhage, 3, 105.—Arachn. (See *Gahrteipia* Oudemans 1912.)
- Typhlotrechus* Mueller 1913, Boll. Soc. Adriat. Sci. nat., 27 (1), 25.—Col.
- Typhlotriton* Stejneger 1892, Proc. U.S. nat. Mus., 15, 115.—Amph.
- Typhlotrocha* Schmarda 1859, N. wirbell. Thiere, 1, 47.—Verm. (Rotif.).
- Typhluloma* Lea 1912, Proc. Linn. Soc. N.S. Wales, 36, 475.—Col.
- Typhlultimum* Witenberg 1923, Helminth. Rossica, Moscow, 53.—Verm. (Trem.).
- Typhlus* Koch 1828, in Sturm, Deutsch. Fauna (3, Amph.), (5) 16.—Rept.
- Typhlus* (Bibron MS.) Duméril 1870, Hist. Nat. Poiss., 2, 540.—Pisces.
- Typhlusechus* Linell 1897, Ent. News, 8, 154.—Col.
- Typhlusida* Casey 1907, Trans. Acad. Sci. St. Louis, 16, 263.—Col.
- Typhobia* Pascoe 1869, Ann. Mag. nat. Hist., (4) 3, 279.—Col.
- Typhobia* (err. pro *Ti*-Smith 1880) Moore 1898, Quart. J. micr. Sci., 41, 163.—Moll.
- Typhocesis* Pascoe 1863, Trans. ent. Soc. London, (3) 1, 561.—Col.
- Typhochlaena* Koch 1850, Uebers. Arachnidensyst., 5, 75.—Arachn.
- Typhochrestus* Simon 1884, Arachn. France, 5 (3), 583.—Arachn.
- Typhoctes* Ashmead 1899, J.N. York ent. Soc., 7, 53.—Hym.
- Typhoeocoris* Breddin 1903, Soc. ent., 18, 122.—Hem.
- Typhoeus* Beddard 1883, Ann. Mag. nat. Hist., (5) 12, 219.—Verm. (Oligoch.) (nec *Typhaeus* Leach 1815 see *Eutyphaeus* Michaelsen 1900).
- Typhoeus* (pro -*phaeus* Leach 1815) Boucomont 1911, Ann. Soc. ent. France, 79, 1910, 343.—Col.
- Typhogenes* Meyrick 1919, Exot. Microlep., 2, 256.—Lep.
- Typhon* Reichenbach 1852, Av. Syst. Nat., text, xvi.—Aves.
- Typhonia* Boisduval 1834, Ic. hist. lépidopt. Europe, 2, 88.—Lep.
- Typhoptera* (n.n. pro *Capnoptera* Redtenbacher 1895) Kirby 1906, Syn. Cat. Orthopt., 2, 309.—Orth.
- Typhosia* Rothschild & Jordan 1906, Novit. zool., 13, 406.—Lep.
- Typhura* (err. pro *Typhina* Jousseau 1880) Fulton 1922, Proc. malac. Soc. London, 15, 28.—Moll.
- Typhylops* (err. pro *Typhl*-Oppel 1811) Bianconi [1849], N. Ann. Sci. Nat. Bologna, [2] 10, 1848, 106.—Rept.

- Typis* (err. pro *Typhis* Montfort 1810) Whitelegge 1889, J. Proc. R. Soc. N.S. Wales, 23, 246.—Moll.
- Typitium* Casey 1898, Ent. News, 1898, 193.—Col.
- Typlechinus* (err. pro *Typhl-* Neumayr 1889) Lambert & Thiéry 1925, Ess. nom. rais. Echin., 9, 603.—Echin.
- Typocaeta* Thomson 1864, Syst. Cerambycid., 99.—Col.
- Typocephalus* (Chevrolat MS.) Dejean 1835, Catal. Coléopt., ed. 2, 427 [*n.n.*]; Chevrolat 1841, Rev. Zool. (Soc. Cuv.), 4, 113.—Col.
- Typocerus* Leconte 1850, J. Acad. nat. Sci. Philad., 1 (4), 333.—Col.
- Typocidarid* Pomel 1883, Classif. méth. Echin., 111.—Echin.
- Typodryas* Thomson 1864, Syst. Cerambycid., 227.—Col.
- Typodus* Meyer 1847, Palaeontographica, 1 (2), 102.—Pisces.
- Typodus* Quenstedt [non Meyer 1847] 1858, Der Jura, 181.—Pisces.
- Typomys* Thomas 1911, Ann. Mag. nat. Hist., (8) 7, 382.—Mamm.
- Typonotus* Uhler 1894, Proc. zool. Soc. London, 1893, 716.—Hem.
- Typopeltis* Pocock 1894, Ann. Mag. nat. Hist., (6) 14, 121, 126.—Arachn.
- Typophaula* Thomson 1868, Physis, Paris, 2, pt. 3, 152.—Col.
- Typophorus* (Chevrolat MS.) Dejean 1835, Catal. Coléopt., ed. 2, 412 [*n.n.*]; Erichson 1847, Arch. Naturgesch., 13 (1), 163.—Col.
- Typophyllum* Audinet-Serville [1838], (Roret's Suite à Buffon) Orthopt., 1839, 439.—Orth.
- Typopsilopa* Cresson 1916, Ent. News, 27, 147.—Dipt.
- Typopus* Hitchcock 1848, Mem. Amer. Acad. Arts Sci., (N.S.) 3, 212.—Rept.
- Typostola* Simon 1897, Hist. nat. Araign., 2, 44.—Arachn.
- Typosyllis* Langerhans 1879, Z. wiss. Zool., 32, 528.—Verm. (Polych.).
- Typothericulus* Kraglievich 1930, Physis, 10, 148.—Mamm.
- Typotheriopsis* Cabrera & Kraglievich 1930, in Kraglievich, Physis, 10, 146.—Mamm.
- Typotherium* Bravard 1857, C.R. Acad. Sci. Paris, 44, 961.—Mamm.
- Typothorax* Cope 1875, Proc. Acad. nat. Sci. Philad., 1875, 265.—Rept.
- Typsiharpalus* Tschitscherin 1901, Horae Soc. ent. ross., 35, 240.—Col.
- Typton* Costa 1843, Bull. Accad. Aspir. Nat., xli; 1844, Ann. Accad. Aspir. Nat., 288; (1846), Fauna Regno Napoli, Crost., Typton, 1.—Crust.
- Typus* (err. pro *Tupus* Sellards 1906) Sellards 1909, Amer. J. Sci., (4) 27, 151.—Odon.
- Tyranion* (pro *Tyrannion* Champion 1905) Hustache 1932, Faune Colon. franç., 5, 21.—Col.
- Tyranites* Oken 1815, Lehrb. Nat., 3 (1), 323.—Moll.
- Tyranneutes* Slater & Salvin 1881, Ibis, 1881, 269.—Aves.
- Tyrannina* Bonaparte 1832, Saggio distr. met. An. vert., 78.—Aves.
- Tyrannion* Champion 1905, Biol. Centr. Amer., Col., 4 (4), 593.—Col.
- Tyrannis* (pro *-mnus* Lacepède 1799) Jameson 1831, in Jameson's ed. Wilson & Bonaparte, Amer. Orn., 4, 244.—Aves.
- Tyranniscus* Cabanis 1851, Mus. Hein., 2, 57.—Aves.
- Tyrannites* (pro *Tyrani-* Oken 1815) Berthold 1827, in Latreille, Nat. Fam. Thierr., 158.—Moll.
- Tyrannocheilifer* Chamberlin 1932, Canad. Ent., 64, 17, 20.—Arachn.
- Tyrannochthonius* Chamberlin 1929, Ann. Mag. nat. Hist., (10) 4, 74.—Arachn.
- Tyrannolamia* Kriesche 1915, Arch. Naturgesch., 80, A11, 1914, 115.—Col.
- Tyrannophaedusa* Pilsbry 1900, Proc. Acad. nat. Sci. Philad., 1900, 676.—Moll.
- Tyrannophryne* Regan & Trewavas 1932, Rep. Carlsberg Ocean. Exped. 1928-30, 2, 83.—Pisces.
- Tyrannopsis* Ridgway 1907, Proc. biol. Soc. Washington, 18, 208.—Aves.
- Tyrannozytyx* Kaeufel 1930, Arch. Molluskenk., 62, 52, 54.—Moll.
- Tyrannula* Swainson 1827 (May), Phil. Mag., (N.S.) 1 (5), 367; 1827 (Dec.), Zool. Journ., 3 (11), 358.—Aves.
- Tyrannulus* Vieillot 1816, Analyse, 31.—Aves.
- Tyrannus* Lacepède 1799, Tabl. Oiseaux, 5.—Aves.
- Tyraphus* Sharp 1874, Trans. ent. Soc. London, 1874, 489.—Col.
- Tyraquellus* Distant 1904, Fauna Brit. India, Rhynchota, 2, pt. 2, 471.—Hem.
- Tyrbula* Scudder 1890, Foss. Ins. N. Amer., 2, 221.—Orth.
- Tyreomma* Brauer & Bergenstamm 1891, Denkschr. Akad. Wiss. Wien, 58, 381 [*n.n.*]; Wulp 1896, Biol. Centr. Amer., Zool., Dipt., 2, 293.—Dipt.
- Tyria* Huebner [1819], Verz. bekannt. Schmett., (11) 166.—Lep.
- Tyria* Fitzinger 1826, Neue Classif. Rept., 29, 60.—Rept. (See *Eremophis* Gistel 1848.)
- Tyria* Scheffen 1933, Skr. Norske VidenskAkad., 1932 (5), 33.—Coel.
- Tyriacta* Walker 1862, J. Proc. Linn. Soc. London, Zool., 6, 83.—Lep.
- Tyrimnus* Rafinesque 1815, Analyse, 118 [*n.n.*].—Orth.
- Tyrina* (err. pro *-inna* Bergh 1898) Eliot 1913, J. Coll. Sci. imp. Univ. Tokyo, 35, art. 1, 21.—Moll.
- Tyrinna* Bergh 1898, Zool. Jahrb., Suppl., 4 (3), 482, 523.—Moll.
- Tyrinthia* Bates 1866, Ann. Mag. nat. Hist., (3) 17, 371.—Col.

- Tyriobapta Kirby 1889, Trans. zool. Soc. London, **12**, 294.—Odon.
 Tyrioceras Strand 1934, Norsk. Geol. Tidsskr., **14**, 49.—Moll.
 Tyriograpta Meyrick 1934, Exot. Microlep., **4**, 476.—Lep.
 Tyriomorpha Meyrick 1918, Exot. Microlep., **2**, 191.—Lep.
 Tyriotes Pascoe 1882, Ann. Mag. nat. Hist., (5) **10**, 454.—Col.
 Tyriotydeus Hustache 1928, Faune Colon. franç., **2**, 398.—Col.
 Tyriozela Meyrick 1931, Exot. Microlep., **4**, 185.—Lep.
 Tyrissa Walker 1866, List Specimens Lep. Ins. Brit. Mus., **35**, 1975.—Lep.
 Tyro Milne-Edwards 1840, (Roret's Suite à Buffon) Crustacés, **3**, 80.—Crust.
 Tyroborus Oudemans 1924, Ent. Ber., Amsterdam, **6**, 307.—Arachn.
 Tyrodes Raffray 1908, Gen. Insect., **64**, 379.—Col.
 Tyrogetus Broun 1893, Ann. Mag. nat. Hist., (6) **12**, 165.—Col.
 Tyroglyphopsis Vitzthum 1926, Zool. Jahrb., Syst., **52**, 476.—Myr.
 Tyroglyphus Latreille 1796, Préc. Car. Ins., 185.—Arachn.
 Tyrogonia (err. pro *Thyro-* Hampson 1898) Pagenstecher 1909, Geogr. Verbr. Schmett., **420**.—Lep.
 Tyrolichus Oudemans 1924, Ent. Ber., Amsterdam, **6**, 250.—Arachn.
 Tyrolimnas Meyrick 1934, Exot. Microlep., **4**, 477.—Lep.
 Tyrolites (err. pro *Tir-* Mojsisovics 1879) Waagen 1879, Mem. geol. Surv. India, Pal. Ind., (13) **1**, pt. 1, 32.—Moll.
 Tyromantis Meyrick 1918, Exot. Microlep., **2**, 217.—Lep.
 Tyromorphus Raffray 1883, Rev. Ent. Caen, **2**, 240.—Col.
 Tyronia Rafinesque 1814, Précis Som., 26; 1815, Analyse, 101 [n.n.].—Crust.
 Tyrophaga Kirby 1826, Introd. Ent., **4**, 78.—Dipt.
 Tyrophagus Oudemans 1924, Ent. Ber., Amsterdam, **6**, 250.—Arachn.
 Tyropsis Saulcy 1874, Bull. Soc. Hist. nat. Metz, **13**, 80.—Col.
 Tyroptera (err. pro *Thy-* Spix 1824) Milne-Edwards & Grandidier 1878, Bull. Soc. philom. Paris, (7) **2**, 221.—Mamm.
 Tyrpeta (err. pro *Tryp-* Meigen 1803) Giebel 1852, Dtschl. Petref., 643.—Dipt.
 Tyrpetes Heller 1908, Abh. zool. Mus. Dresden, **12**, no. 1, 30.—Col.
 Tyrannosaurus Osborn 1905, Bull. Amer. Mus. nat. Hist., **21**, 263.—Rept.
 Tyrrellia Koenike 1895, Abh. Ver. Bremen, **13**, 198.—Arachn.
 Tyrrellia Parks 1913, Ann. Rep. Bur. Mines Ontario, **22**, 193.—Coel.
 Tyrrelloceras Foerste 1925, Denison Univ. Bull., **25**, no. 3 (J. Sci. Lab., **21**), 56.—Moll.
 Tyrrehna Claparède 1868, Mém. Soc. phys. Hist. nat. Genève, **19**, 537.—Verm. (Polych.).
 Tyrrenaria Hesse 1918, NachrBl. dtsch. malak. Ges., **50**, 38.—Moll.
 Tyrreneis Kirkaldy 1909, Canad. Ent., **41**, 31.—Hem.
 Tyrreniberus Hesse & Kobelt 1904, in Rossmassler, Iconogr. Land- u. Süsw.-Moll. (N.F.) **11**, 132, 157, 199.—Moll.
 Tyrrenirius (err. pro *-niberus* Hesse & Kobelt 1904), Ihering 1929, Abh. Arch. Molluskensk., **2** (2), 40.—Moll.
 Tyrrenoturris Coen 1929, Atti Soc. ital. Mus. Milano, **68**, 297.—Moll.
 Tyrrius Thorell 1895, Descr. Cat. Spiders Burma, 38.—Arachn.
 Tyrsaecus Kittl 1892, Ann. naturh. Hofmus. Wien, **7**, 117 (54).—Moll.
 Tyse Gray 1844, Cat. Tortoises, etc., Coll. Brit. Mus., 47.—Rept.
 Tyrtaeosellus Lea 1913, Trans. roy. Soc. S. Australia, **37**, 225.—Col.
 Tyrtaeosus Pascoe 1870, Trans. ent. Soc. London, **1870**, 479.—Col.
 Tyrtaeus Champion 1913, Trans. ent. Soc. London, **1913**, 76.—Col.
 Tyrus Aubé 1833, Magasin de Zool., **3**, 15.—Col.
 Tysius Pascoe 1875, Ann. Mag. nat. Hist., (4) **16**, 218.—Col.
 Tysoa see Tisoa.
 Tyspana Moore 1885, Lep. Ceylon, **3**, 256.—Lep.
 Tyspanodes Warren 1891, Ann. Mag. nat. Hist., (6) **7**, 425.—Lep.
 Tyta Billberg 1820, Enum. Insect. in Mus. Blbg., 88.—Lep.
 Tytleria Theobald [1868], J. Linn. Soc. London, Zool., **10**, 1870, 49.—Rept.
 Tyto [Billberg] 1828, Syn. Faunae Scand., **1** (2), Tab. A *dorso*.—Aves.
 Tyto (emend. pro *Myrtha* Bonaparte 1854) Heine 1890, in Heine & Reichenow, Nomencl. Mus. Hein., Orn., 252.—Aves.
 Tytocha Schaus 1924, Proc. U.S. nat. Mus., **65**, art. 7, 45.—Lep.
 Tythaspis Crotch 1874, Rev. Coleopt. Fam. Coccinellidae, 181.—Col.
 Tythobaris Champion 1909, Biol. Centr. Amer., Col., **4** (5) 475.—Col.
 Tythoconus (n.n. pro *Microconodon* Osborn 1886) Palmer 1903, Science, (N.S.) **17**, 873.—Mamm.
 Tythocrinus Weller 1930, Rep. Invest. Illinois State geol. Surv., **21**, 35.—Echin.
 Tythomimus Champion 1909, Biol. Centr. Amer., Col., **4** (7), 37.—Col.
 Tythonyx Leconte 1851, Proc. Acad. nat. Sci. Philad., **5**, 347.—Col.
 Tythosoma (emend. pro *Tyto-* Agassiz 1845) Agassiz 1846, Nomen. Zool. Index Univ.—Col.
 Tythotyle Scudder 1897, Canad. Ent., **29**, 74.—Orth.
 Tythus Fieber 1864, Wien. ent. Monatschr., **8**, 82.—Hem.

- Tyttocharax* Fowler 1913, Proc. Acad. nat. Sci. Philad., 65, 563.—Pisces.
Tytosoma (Wesmael MS.) Agassiz 1845, Nom. Zool. (Col.), 167 [n.n.].—Col.
Tyzenhauzia Gorski 1852, Anal. Entom. Ross., 1, 172.—Dipt.
Tzarevscya Reuss 1930, Glasnik zemalsk. Mus. Bosn. Herc., 74.—Rept.

U

- Ua Girault 1929, New Pests from Australia, 6, 2 [privately printed].—Hym.
Uacaria (pro *Ouakaria* Gray 1849) Lydekker 1891, in Flower & Lydekker, Mamm., Living & Extinct, 712.—Mamm.
Uahuka Berland 1935, Bull. Bishop Mus., No. 142, 53.—Arachn.
Uapou Berland 1935, Bull. Bishop Mus., No. 142, 48.—Arachn.
Uaranus (pro *Va-Rafinesque* 1815) Gray 1845, Cat. Lizards Coll. Brit. Mus., 9.—Rept.
Uaru Heckel 1840, Ann. Wiener Mus., 2 [3], 330.—Pisces.
Ubaena Karsch 1900, Ent. Nachr., 26, 357.—Lep.
Ubaghia Jullien 1886, Bull. Soc. zool. France, 11, 610, 616.—Bry.
Ubaghia Oppenheim 1899, Z. dtsch. geol. Ges., 51, 226.—Coel.
Ubangia Gebien 1914, Ergeb. 2. dtsch. Zentral-Afr. Exped., 1, 54.—Col.
Ubanius Senna 1894, Notes Leyden Mus., 16, 221.—Col.
Uber Cotton & Godfrey 1931, S. Australian Nat., 13, 19.—Moll.
Uberaba Bruner 1915, Ann. Carnegie Mus., 9, 303.—Orth.
Uberella Finlay 1928, Trans. N. Zealand Inst., 59, 248.—Moll.
Ubida Walker 1863, List Specimens Lep. Ins. Brit. Mus., 27, 185.—Lep.
Ubius Kesteven 1913, Proc. Linn. Soc. N.S. Wales, 37, 673.—Crust.
Ubristes Walker 1852, Ins. Saundersiana, 1 (3), 217.—Dipt.
Ubychia Rost 1893, Ent. Nachr., 19, 343.—Col.
Uca Leach 1814, Brewster's Edin. Ency., 7 (3), 430; 1815, Trans. linn. Soc. London, 11 (2), 323.—Crust. (Ocyropodid).
Uca Latreille 1819, Nouv. Dict. Nat., 35, 96.—Crust. (Gecarcinid.) (See *Ucides* Rathbun 1897.)
Ucalegon Champion 1884, Biol. Centr. Amer., Zool. Col., 4 (1), 64.—Col.
Ucayalimya Townsend 1927, Rev. Mus. paulista, 15 (1), 378.—Dipt.
Ucebia Walcott 1924, Smithsonian misc. Coll., 75, 60.—Trilobita.
Ucetia Walker 1866, List Specimens Lep. Ins. Brit. Mus., 35, 1820.—Lep.
Uchauxia Cossmann 1906, Essais Paléoconch. comp., 7, 56.—Moll.
Uchida (n.n. pro *Neumannia* Uchida 1926) Ewing 1930, Proc. biol. Soc. Washington, 43, 125.—Malloph.
Uchidia (n.n. pro *Coelojoppa* Uchida 1924) Heinrich 1934, Mitt. zool. Mus. Berlin, 20, 99.—Hym.
Uchuca Giglio-Tos 1898, Boll. Mus. Zool. Anat. comp. Torino, 13, no. 311, 89.—Orth.
Ucia Walker 1867, Cat. Specimens Het.-Hem. Coll. Brit. Mus., 2, 407.—Hem.
Ucides (n.n. pro *Uca* Latreille 1819) Rathbun 1897, Proc. biol. Soc. Washington, 11, 154.—Crust.
Uclesia Girschner 1901, Wien. ent. Ztg., 20, 69.—Dipt.
Uclesiopsis Townsend 1931, Rev. Ent. São Paulo, 1, 461.—Dipt.
Uda Girault 1930, New Pests from Australia, 8, 4 [privately printed].—Hym.
Udaeus Herrich-Schaeffer [1856], Samml. aussereurop. Schmett., Heteroc., 7.—Lep.
Udaiana Distant 1885, Rhop. Malayana, 286, 300.—Lep.
Udalricus Distant 1903, Fauna Brit. India, Rhynchota, 2 (1), 49.—Hem.
Udamacantha Enderlein 1914, Zool. Anz., 43, 613.—Dipt.
Udamina Thomson 1868, Physis, Paris, 2, pt. 3, 124.—Col.
Udamocercia Enderlein 1909, Zool. Anz., 35, 418.—Plecopt.
Udamochiras Enderlein 1912, Ent. Ztg., Stettin, 73, 41.—Dipt.
Udamoctis Enderlein 1928, Arch. klass. phylog. Ent. Wien, 1, 25.—Dipt.
Udamolcia Enderlein 1920, Arch. Naturgesch., 84, 1918, AtI, 117.—Hym.
Udamolcus Enderlein 1920, Arch. Naturgesch., 84, 1918, AtI, 142.—Hym.
Udamolepis Enderlein 1912, Zool. Anz., 39, 301, 302.—Psocopt.
Udamolx Enderlein 1920, Arch. Naturgesch., 84, 1918, AtI, 97.—Hym.
Udamomitra Enderlein 1934, S.B. Ges. naturf. Fr. Berlin, 1934, 188.—Dipt.
Udamoselis Enderlein 1909, Zool. Anz., 34, 230.—Hem.
Udana Walker 1868, Cat. Specimens Hem. Het. Coll. Brit. Mus., 3, 549.—Hem.
Udanellus Reitter 1916, Fauna germ., 5, 41, 45.—Col.
Udara Toxopeus 1928, Tijdschr. Ent., 71, 219.—Lep.
Udaspes Moore 1881, Lep. Ceylon, 1, 177.—Lep.
Uddenites Boese 1917, Univ. Texas Bull., No. 1762, 55.—Moll.
Uddmania Bergroth 1915, Ann. Mag. nat. Hist., (8) 15, 487.—Hem.
Udea Guenée 1845, in Duponchel, Cat. méth. Lépid. Europe, (2) 209.—Lep.
Udebra Reitter 1896, Wien. ent. Ztg., 15, 236.—Col.