

# TOSHIBA



## **e**·STUDIO™ 6529A/7529A/9029A

Introducing a new generation of Toshiba MFPs – with high-performance, zero-trust security and cloud-ready features, these printers are the perfect choice for today's modern work environments.

- High-Speed – Up to 65, 75 & 90 PPM
- High-Volume
- Advanced Security Features
- Solutions Ready
- Environmentally Friendly



**TOSHIBA**

# CLOUD-READY AND SECURE FOR TODAY'S DIGITAL WORKPLACE



Today's new hybrid work environment demands that information be available and accessible from anywhere at any time for organizations to be efficient and productive. Yet it needs to be secure. Introducing Toshiba's newest e-STUDIO™ departmental MFPs, specifically designed to meet this need. Providing the ultimate in productivity through speed, quality and consistency, these printers also deliver a zero-trust approach for the highest level of security and cloud-ready features built-in for anywhere accessibility.

## AT TOSHIBA, PRODUCTIVITY IS A PRIORITY

Our new monochrome MFPs are faster and more productive, secure, and reliable than any other departmental models Toshiba has ever produced. With everything from a super-charged document feeder to greater maximum paper capacity to next-level finishing performance, these new models raise the bar on what an MFP can do for productivity in the modern workplace.

**65, 75 & 90 PPM** to serve the needs of busy departmental environments.

**New High-Speed, High-Capacity Dual Scan Document Feeder (DSDF) with Double Feed Detection (DFD)** for the most mission-critical scanning environments, providing up to 240 IPM duplex scan speeds.

**High-Resolution** for crisp image quality: up to 1,200 dpi x 1,200 dpi.

**Universal Print** provides support for the latest simplified driver set-up from Microsoft. Universal Print removes the hassle and expenses associated with maintaining print servers.

**65-Sheet Stapling** takes finishing to the next level and is available on both the regular and saddle stitch finisher, the latter capable of producing booklets up to 60-pages.



**8,020-Sheet Maximum Paper Capacity** thanks to an integral tandem LCF design along with multiple additional external paper options including a 2,500-sheet letter-size LCF and even a unique 2,000-sheet piggyback LCF for those really demanding environments

**10.1" Tablet-Style Full Color Tilting Touch Screen Panel** offers touch swipe User Interface (UI) featuring newly designed icons that provide access to the MFP's core functions and productivity-enhancing workflow solutions – all while offering a consistent and familiar user experience to the entire Office Collection.



**Built-in OCR (Optical Character Recognition)** allows you to quickly and easily scan paper documents to create searchable PDFs or editable document formats, such as Microsoft® Word®.

**Voice Guidance Technology** affirms your programming selections and is a great option for users with visual disabilities addressing Section 508 of the Rehabilitation Act, opening it up to a wider audience.

**Soft Closing Drawers** provide a luxurious feeling and better end user experience.

**Environmentally Friendly** is the Toshiba way: RoHS compliant, recycled plastics, Low-Power (1W) Super Sleep Mode, and our EcoSmart Recycling Program – as well as lower TEC values for more energy efficiency, earning them the newest EPA ENERGY STAR 3.1 rating.


**Higher Duty Cycles and Periodic Maintenance Intervals** provide greater volume with fewer routine service calls so you can stay focused on productivity.



Optical Character Recognition




Voice Guidance



Soft Close Drawers



Environmentally Friendly



Fewer Routine Service Calls

## SECURITY IS JOB NUMBER ONE



Security has never been a more critical consideration for any device in today's business landscape. MFPs have the extra burden of being shared by all users, and many if not all written documents pass through this device while being printed, scanned, faxed, or copied. That's why Toshiba strongly believes in zero-trust security principles while designing the applications and cloud services for MFPs. Instead of assuming that the applications and services running on MFPs behind the corporate firewall are safe, we ensure that access and communication is fully authenticated, authorized, and encrypted. We accomplish this by enhancing security using the following features:

**Trusted Platform Module 2.0** features the latest version of hardware-based security that safeguards all data on the MFP using cryptographic keys.

**Built-in Antimalware** that's stronger than antivirus protects the MFP from Trojan horses, ransomware, spyware, rogue software, and more.

**OAuth2 Token-based Identity Management** helps integrate cloud services with your existing identity management, therefore credentials are not replicated, and the chance of vulnerabilities is reduced.

**Enhanced Data Encryption with TLS 1.3** keeps the communication between MFP and other applications fully secure thanks to the latest and most secure version of transport layer security.

**New 128GB SSD** provides the latest encryption and improved reliability.

**512GB SSD** option provides additional onboard document storage capacity.

**FIPS 140-2 Validated HDD** option enables these MFPs to meet the Hardcopy Device Protection Profile (HCD-PP) when the MFP is configured in High Security Mode.

## HARNESS THE POWER OF THE CLOUD

With **Elevate Sky™** from Toshiba, you'll find cloud-based print solutions for the modern workforce, allowing workflows to seamlessly integrate your MFPs and documents with the cloud applications you're already using.

**e-BRIDGE® Global Print** allows you to fully embrace cloud technology. It simplifies and secures your print environment while providing the flexibility for users to print from anywhere – work, home office, or on the road.

**Elevate Sky™ Services** from Toshiba is a suite of cloud-based applications designed to better manage print and document environments by improving device uptime and visibility to fleet usage and performance.

Leveraging big data analytics and artificial intelligence, **Elevate Sky™ Service** can identify impending errors before they happen. In many cases, remote intervention can address the issue before affecting regular device operations.

**Elevate Sky™ MFPCoconnect** is an innovative and exclusive, cloud-based app that's ideal for remote fleet management, application and license deployment, and policy-based security management for your fleet.

**Elevate Sky™ Remote Assist** enables technicians, with the end-user's approval, to remotely access the MFP and perform diagnostics and adjustments potentially eliminating the need for what might otherwise be an onsite service call.

**Elevate Sky™ Predict** assists technicians by applying predictive analytics to anticipate an MFP's service needs thus improving uptime.



**Elevate Sky™ AI** uses machine learning models to predict parts failures within a Toshiba fleet, helping reduce service costs by optimizing technician dispatch.

**Elevate Sky™ Manage** allows IT administrators to remotely monitor fleet status, deploy licenses and applications to devices, and ensure that all Toshiba MFPs on the network have consistent and compliant security settings and policies.

**Elevate Sky™ Reports** monitors MFP usage patterns, generate, and schedule custom reports for their entire fleet to gain valuable insights into how MFPs are being utilized.

Toshiba's cloud-ready MFPs and our team of experts provide the solutions your business needs to improve workflows and print smarter. Utilizing the latest technological advancements and security standards, we provide end-to-end solutions to help you seamlessly and securely navigate today's digital workplace from consulting, cloud migration, fleet management, implementation, and technical support.

# THE ULTIMATE IN PRODUCTIVITY

## e-STUDIO™ 6529A/7529A/9029A

- 1 Dual Scan Document Feeder** with Double Feed Detection – Scans up to 240 IPM; holds up to 300 originals (refillable)
- 2 10.1" Tilttable Front Panel** makes programming jobs easier than ever – even for wheelchair users – and is Section 508 friendly
- 3 Card Reader Pocket** provides increased security and enables controlled access to MFP
- 4 65-Sheet Stapling Finishers** and an output capacity of up to 3,000 pages enable bigger jobs
- 5 Saddle Stitch Finishing** enables up to 60-page booklets, and unique avalanche tray increases exit capacity
- 6 Soft Closing Drawers** automatically pull drawer closed when initiated and provide a luxury experience
- 7 Integral Tandem LCF** gives base unit 3,520 sheet supply while refillable design allows users to add paper while MFP is in use
- 8 2,500-Sheet External LCF** boosts paper capacity to 6,020 sheets
- 9 Unique Piggyback LCF** raises capacity to an amazing 8,020 sheets for the most demanding environments



## MAIN SPECIFICATIONS

<b>Copy Process</b>	Indirect Electrostatic Photographic/OPC/Laser Printing/Heat Roller Fusing
<b>Display</b>	10.1" Color WSVGA Touch Screen Tilting Display
<b>Copy Speed</b>	65/75/90 PPM (LT)
<b>First Copy Out</b>	Monochrome: Less Than 5.2/4.5/4.1 Seconds
<b>Warm-Up Time</b>	From Powering On: Approx. 20/24/25 Seconds From Sleep: 15.4/15.4/Less Than 20 Seconds From Low Power: 15.4 Seconds
<b>Copy Resolution</b>	600 x 600 dpi
<b>Stack Feed Bypass</b>	3.9" x 5.8" to 13" x 19", 12" x 47" Banner, Envelope
<b>Multiple Copying</b>	Up to 999 Copies
<b>Paper Capacity</b>	Standard 3,520 Sheets/Max. 8,020 Sheets
<b>Original Feed</b>	300-Sheet DSDf with Double Feed Detection
<b>Max. Original Size</b>	LD/A3
<b>Paper Feed Sizes</b>	Drawers: 540 Sheets-ST-R to 12" x 18" Integral Tandem LCF: 1,160 x 2 LT Only Stack Feed Bypass: 120 Sheets-3.9" x 5.8" to 13" x 19", 12" x 47" Banner Opt. 2,500-Sheet External LCF LT Only Opt. 2,000-Sheet Piggyback External LCF LT Only Drawers: Standard 540 Sheets x 2-16lb Bond-110lb Cover Tandem LCF 1,160 Sheets x 2-16lb Bond-110lb Cover Stack Feed Bypass: 120 Sheets-16lb Bond-110lb Cover Opt. 2,500-Sheet External LCF LT Only-16lb Bond-110lb Cover Opt. 2,000-Sheet Piggyback External LCF LT Only-16lb Bond-110lb Cover Standard Automatic Duplex Unit (16lb Bond-140lb Index)
<b>Paper Weights</b>	25% to 400% Max. 590K/660K/740K Month Approx. 430lb 37.6" (W) x 27.5" (D) x 48.3" (H) 106.6K @ 5% 120 Volts, 50/60 Hz, 16 Amps Maximum 2.0kW/2.0kW/2.4kW (120V) NEMA 5-20 6GB 128GB Solid State Drive (SSD)
<b>Duplex</b>	
<b>Reproduction Ratio</b>	
<b>Max Duty Cycle</b>	
<b>Weight</b>	
<b>Approx. Dimensions</b>	
<b>Toner Yield</b>	
<b>Power Source</b>	
<b>Power Consumption</b>	
<b>Plug Type</b>	
<b>Memory</b>	
<b>Hard Disk Drive</b>	

## e-BRIDGE NEXT PRINT SPECIFICATIONS

<b>PDL</b>	PCL5e, PCL5c, PCL6 (PCL XL), PS3, PDF, XPS, JPEG
<b>Print Resolution</b>	600 x 600 dpi, 1,200 x 1,200 dpi or 3,600 (Equivalence) x 1,200 dpi (with Smoothing) (PS3 Only)
<b>Operating Systems</b>	Windows® 8.1, 10, 11, Windows Server® 2012/R2, Windows Server® 2016/19/22, Macintosh® (macOS X 10.10-15, 12), Unix®, Linux® TCP/IP (IPv4, IPv6), NetBIOS over TCP/IP, IPX/SPX® for Novell® Environments, EtherTalk for Macintosh Environments
<b>Network Protocols</b>	SMB V1-3, LPR/LPD, IPP V1.2 w/Authentication (TLS 1.2/1.3), AppleTalk® PAP or EtherTalk, Port 9100 (Bi-Directional), NetWare P-SERVER LPD w/iPrint, Bluetooth (HCRP/BIP/OPP/FTP), WS Print, FTP
<b>Printing Protocols</b>	Windows® 8.1 (32-bit, 64-bit), Windows Server® 2012/R2 (64-bit), Windows Server® 2016/19/22, Windows® 10, 11 (64-bit), macOS X 10.12-15, 11, 12
<b>Print Drivers</b>	RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (High-Speed) Optional IEEE802.11b/g/n, Wireless LAN, Optional Bluetooth
<b>Interface</b>	AirPrint®, Mopria®, e-BRIDGE Print & Capture Application on iOS and Android (Available via Apple® App Store or Google Play)
<b>Wireless Device</b>	TopAccess
<b>Device Management</b>	Up to 10,000 Users or 1,000 Departments Supports User Authentication (on Device), Login Name/Password (via Windows® Domain) or Login Name/Password (via LDAP Server) for Copy, Print, Scan, Fax, List, and User Function
<b>Account Control</b>	Tilt Front Panel, Job Programs, Universal Grip for Paper Trays, Disable Screen Timeout, Audible Beeps, Optional Voice Assist
<b>Accessibility Features</b>	



## Security Features

User Authentication, Trusted Platform Module, On-Board Data Scramble Function, SCEP, Disable, e-Filing, Disable Copy, Disk Overwrite\*, IP Address Filtering (10 Sets), MAC Address Filtering (10 Sets), Network Service Control, Network Port Control, SMB Packet Signing, SSL/TLS (HTTP, IPP, LDAP, SMTP, POP, FTP, DPWS, SYSLOG), IPsec (IKEv1, IKEv2), Security Mode Change, CC Certified (ISO/IEC15408)\* with HCD-PP v1.0, IEEE802.1X (Wired/Wireless), Digital Signature for Client Utilities, Password Policy, Password Lock, Password Expiration, Self Testing, Job Access Control, Log Access Control for Job Log, Security Stamp, Role Based Access Control, Secure PDF, Digital Signature for Firmware Update, Integrity Check Function, Image Log, Card Authentication, Biometric Authentication \*Conformance with HCD-PPV1.0 in High Security Mode

## Environmental Standards Certifications

ENERGY STAR® (V3.1), EPEAT Gold, Californian Proposition 65 WHQL (Windows® 8, 8.1, 10, 11, 2012, 2012 R2, 2016/19/22), Novell®, Citrix®, SAP, AirPrint® and Mopria®

## SCAN SPECIFICATIONS

<b>Scan Speed</b>	DSDf Scan: Up to 240 IPM Duplex, 120 IPM Simplex (Monochrome or Color)
<b>Scan Weights</b>	9.3-110lb Bond
<b>Scan Modes</b>	Standard: Full Color, Auto Color, Monochrome, Grayscale
<b>OCR</b>	DOC/XLS/PPT/PDF
<b>Scan Resolution</b>	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi
<b>File Formats</b>	Monochrome: TIFF-Multi/Single Page, PDF-Multi/Single Page, PDF/A, Searchable PDF, XPS-Multi/Single Page, DOCX, XLSX, PPTX Color/Grayscale: JPEG, TIFF-Multi/Single Page, PDF-Multi/Single Page, PDF/A, Slim PDF, Searchable PDF, XPS-Multi/Single Page, DOCX, XLSX, PPTX
<b>Image Compression</b>	Color/Grayscale: JPEG (High, Middle, Low)

## FACSIMILE SPECIFICATIONS

<b>Compatibility</b>	Super G3
<b>Data Compression</b>	MH/MR/MMR/JBIG
<b>Transmission Speed</b>	Approx. 3 Seconds Per Page
<b>Fax Modem Speed</b>	Up to 33.6 Kbps
<b>Memory Transmission</b>	100 Jobs (with HDD), 2,000 Destinations Max. 400 Destinations/Job

## e-FILING SPECIFICATIONS

<b>Operation Method</b>	Color Touch Screen Control Panel or Client PC
<b>Number of Boxes</b>	1 Public Box, 200 Private User Boxes
<b>Capacity of Boxes</b>	100 Folders Per Box, 400 Documents Per Folder/Box, 200 Pages Per Document

## ACCESSORIES (OPTIONS)

<b>Additional Paper Options</b>		<b>Miscellaneous Options</b>	
Large Capacity Feeder - 2,500 Sheet	MP2503L	Card Reader Holder	GR1320
Large Capacity Feeder - 2,000 Sheet	MP2002L	Accessory Tray	GR1330
LCF Connector (to Add 2K LCF)	KN9000	Panel 10-Key Option	GR1340
<b>Finishing Options</b>		Manual Pocket	KK5008
65-Sheet Staple Finisher	MJ1115	Harness for Coin Controller	GQ1280
65-Sheet Saddle-Stitch Finisher	MJ1116	Accessible Arm	KK2560
Hole Punch for MJ1115/MJ1116	MJ6108N	<b>Software Options</b>	
Finisher Guide Rail	KN1103	e-BRIDGE Global Print	GB2550NODE
Exit Tray	KA6551	IPSec Enabler	GP1080NODE
<b>Connectivity/Security Options</b>		Unicode Font Enabler	GS1007NODE
FAX Unit/2 <sup>nd</sup> Line for FAX Unit	GD1370N	Multi-Station Print Enabler	
Wireless LAN/Bluetooth	GN4030A3	Per Seat License	GS1090NODE
Fax Over IP License Key	GS1100NODE	e-BRIDGE Plus for OneDrive for Business V3.0	GB2300NODE
Bluetooth Keyboard	GR9001	e-BRIDGE Plus for SharePoint Online V3.0	GB2310NODE
2 <sup>nd</sup> NIC Holder	GR1430	e-BRIDGE Plus for Exchange Online V3.0	GB2320NODE
USB Hub	GR1420	Workplace Productivity Bundle	GB2330NODE
Meta Scan Enabler	GS1010NODE	e-BRIDGE Plus for Gmail	GB2380NODE
Security SSD (512GB)	GE1280	e-BRIDGE Plus for Google Workspace	GB2390NODE
FIPS HDD (320GB)	GE1260	e-BRIDGE Plus Voice Guidance	GB2540NODE

Designs and specifications subject to change without notice. Specifications may vary by conditions of use and/or environmental usage. For best results and reliable performance, always use supplies manufactured or designated by Toshiba. Not all options and accessories may be available at the time of product launch. Please contact a local Authorized Toshiba Dealership for availability. Toner yields are estimates based on 5% coverage, letter-size page. Driver and connectivity feature support varies by client/network operating system. Product names may be trademarks of their respective companies. AirPrint® and the AirPrint® logo are trademarks of Apple Inc. This is a Class 1 laser product complying with IEC60825-1. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries.

## Corporate Office

25530 Commercentre Drive, Lake Forest, CA 92630  
Tel: 949-462-6000

## East Coast

959 Route 46 East, 5th Floor, Parsippany, NJ 07054  
Tel: 973-316-2700

## Midwest

8770 W. Bryn Mawr Ave., Suite 700, Chicago, IL 60631  
Tel: 773-380-6000

## South

2037 Bakers Mill Rd., Dacula, GA 30019  
Tel: 678-546-9385

## West Coast

25530 Commercentre Drive, Lake Forest, CA 92630  
Tel: 949-462-6000

## Website

business.toshiba.com