



1 | Personal protective equipment

HELMETS + ACCESSORIES	10
SAFETY GLASSES.....	22
SAFETY GLOVES	29
HEARING	33
SAFETY CLOTHING	39
OUTERWEAR, FIRST AID, + EDUCATION	43

helmets + accessories



KASK Superplasma PL HI VIZ

SPECS

Colors Red, White, Yellow, Lime

Weight 0.93 lbs | 420 g

Size Universal adjustable from hat sizes 6³/₈ to 7³/₄

Notes *Visors are sold separately. Helmet comes with 1 set of helmet muff adapters. Make your own hi-vis helmet by adding the 3M sticker kit to your helmet.*

KASK's Superplasma PL HI VIZ is an innovative, high-visibility helmet, specifically designed for professional work-at-height and work-at-ground application. It is lightweight, compact, comfortable and well ventilated. Equipped with a rapid, simple and efficient headband/size adjustment system with a non-slippery rubberized wheel that is easy to use even when wearing protective gloves.



11.224

FEATURES

- Outer shell is made of High Density ABS Plastic and designed to withstand significant impact from the above or side.
- Inner shell is made of High Density (HD) Polystyrene and has ducts that allow for natural air flow and heat recycling.
- Inner padding consists of two different pieces (soft PE Polythene headband and disc) that are totally removable and washable.
- Liner is made of the anti-allergic, moisture-absorbent, and odor-resistant fabric.

SKU	PRODUCT
11.223	Superplasma PL Helmet HI VIZ - Red
11.224	Superplasma PL Helmet HI VIZ - Lime
11.221	Superplasma PL Helmet HI VIZ - Yellow
11.201	Superplasma PL Helmet HI VIZ - White



11.223



11.221



11.201

KASK Superplasma PL

SPECS

Colors White, Red, Orange, Yellow, Black, Blue

Weight 0.93 lbs | 420 g

Size Universal adjustable from hat sizes 6³/₈ to 7³/₄

Notes *Visors are sold separately. Helmet comes with 1 set of helmet muff adapters. Make your own hi-vis helmet by adding the 3M sticker kit to your helmet.*

KASK's innovative Superplasma PL helmet has been specifically designed for professional work-at-height and work-at-ground application. It is lightweight, compact, comfortable and well ventilated. The air intakes on the outer shell are equipped with the protective aluminum anti-intrusion grille that prevents entry of debris. Equipped with a rapid, simple and efficient headband/size adjustment system with a non-slippery rubberized wheel that is easy to use even when wearing protective gloves.



FEATURES

- Outer shell is made of High Density ABS Plastic and designed to withstand significant impact from the above or side.
- Inner shell is made of High Density (HD) Polystyrene and has ducts that allow for natural air flow and heat recycling.
- Inner padding consists of two different pieces (soft PE Polythene headband and disc) that are totally removable and washable.
- Liner is made of the anti-allergic, moisture-absorbent, and odor-resistant fabric.

SKU	PRODUCT
10.201	Superplasma PL Helmet - White
10.204	Superplasma PL Helmet - Red
10.203	Superplasma PL Helmet - Orange
WHE00036.202	Superplasma PL Helmet - Yellow
WHE00010.210 BLK	Superplasma PL Helmet - Black
WHE00036.208	Superplasma PL Helmet - Blue



10.201



10.204



10.203



WHE00036.202



WHE00010.210 BLK



WHE00036.208

KASK Superplasma Visor Screw Kit



This kit contains all the replacement parts required to fit the **KASK** visor to the for **Superplasma V2** helmet.

SKU	PRODUCT
WAC00005	Superplasma Visor Screw Kit

KASK Superplasma Mesh Visor



The full facial protection of **KASK's Superplasma Mesh Visor** is compatible with the **KASK Superplasma** and **KASK Superplasma HI VIZ** helmet series. This visor is lightweight, durable, and breathable. Note: Visor Screw Kit is sold separately.

SKU	PRODUCT
WV100006	Superplasma Mesh Visor

KASK Superplasma V2 Visor



This **Superplasma V2 Visor** is for the **KASK Superplasma** and **KASK Superplasma HI VIZ** helmet series. This visor is made of polycarbonate, is anti-fog and scratch resistant, and has a drip proof upper rubber contour. Visor Screw Kit is included.

SKU	PRODUCT
2.009	Superplasma V2 Visor - Smoke
WV100004.500	Superplasma V2 Visor - Clear
WV100002.055	Superplasma V2 Visor - Mirror

KASK Superplasma FF Visor



The full facial protection of **KASK's Superplasma FF (Full Face) Visor** shield is impact resistant even at extreme temperatures. This visor is made of polycarbonate, is anti-fog and scratch resistant, and has a drip proof upper rubber contour. Compatible with the Superplasma helmet line. Visor Screw Kit is included.

SKU	PRODUCT
WV100003.009 PLASMA	Superplasma FF Visor - Smoke
WV100003.015 PLASMA	Superplasma FF Visor - Clear
WV100003.055 PLASMA	Superplasma FF Visor - Mirror

KASK Zenith HI VIZ



SPECS

Colors White, Yellow
Weight 0.95 lbs | 430 g
Size Universal adjustable from hat sizes 6³/₈ to 7³/₄
NEW XL - Universal adjustable from hat sizes 7¹/₄ to 7⁷/₈
Notes *Visors are sold separately. Helmet fitted with lamp clips, visor attachment points, and earmuff fittings.*

The **KASK Zenith** safety helmet brings a Class E rating (protection from electrical hazards). **KASK's** Up & Down 2.0 adjustment system to give the wearer the perfect fit in width, height, and tilt. High-tech 3D liner fabric that dries very quickly, dispersing moisture to the outside and leaving a fresh feeling for the wearer. Antibacterial treatment that acts as an internal deodorant counteracting the development of unpleasant odors; hygienic function that prevents bacterial proliferation and increases freshness and comfort in the fabric in contact with the wearer's skin. ANSI Z89.1-2014 / CSA Z94.1 / Type 1 Class E

FEATURES

- Outer shell constructed of durable ABS plastic that is fitted with lamp clips, visor attachment points, and earmuff fittings.
- Inner shell is made of High Density (HD) Polystyrene and has ducts that allow for natural air flow and heat recycling.
- Eco-Leather chinstrap is hypoallergenic and washable to help avoid skin irritation.
- Incomparable level of comfort to help you keep your mind on the job and not your gear.
- Front-end padding is easily removable and washable; developed to provide maximum breathability and optimum moisture absorption.

SKU	PRODUCT
WHE00032.221	Zenith Helmet HI VIZ - Yellow
WHE00032.201	Zenith Helmet HI VIZ - White
WHE000054.224	Zenith Helmet HI VIZ - XL - Lime NEW



WHE00032.221

WHE00032.201

WHE000054.224

KASK Zenith



SPECS

Colors Black, Orange, Red, White, Yellow, Blue
Weight 0.95 lbs | 430 g
Size Universal adjustable from hat sizes 6³/₈ to 7³/₄;
NEW XL - Universal adjustable from hat sizes 7¹/₄ to 7⁷/₈
Notes *Visors are sold separately. Helmet fitted with lamp clips, visor attachment points, and earmuff fittings.*

The **KASK Zenith** safety helmet brings a Class E rating (protection from electrical hazards). **KASK's** Up & Down 2.0 adjustment system to give the wearer the perfect fit in width, height, and tilt. High-tech 3D liner fabric that dries very quickly, dispersing moisture to the outside and leaving a fresh feeling for the wearer. Antibacterial treatment that acts as an internal deodorant counteracting the development of unpleasant odors; hygienic function that prevents bacterial proliferation and increases freshness and comfort in the fabric in contact with the wearer's skin. ANSI Z89.1-2014 / CSA Z94.1 / Type 1 Class E

FEATURES

- Outer shell constructed of durable ABS plastic that is fitted with lamp clips, visor attachment points, and earmuff fittings.
- Inner shell is made of High Density (HD) Polystyrene and has ducts that allow for natural air flow and heat recycling.
- Eco-Leather chinstrap is hypoallergenic and washable to help avoid skin irritation.
- Front-end padding is easily removable and washable; developed to provide maximum breathability and optimum moisture absorption.

SKU	PRODUCT
WHE00031.210	Zenith Helmet - Black
WHE00031.204	Zenith Helmet - Red
WHE00031.201	Zenith Helmet - White
WHE000052.201	Zenith Helmet XL - White NEW
WHE00031.202	Zenith Helmet - Yellow
WHE00031.208	Zenith Helmet - Blue



WHE00031.210

WHE00031.204

WHE00031.201
XL WHE000052.201

WHE00031.202

WHE00031.208

KASK Zenith Visor Adapter Clips and Visor Carrier



WAC00009.000



WAC00010

KASK Zenith Visor Adapter Clips work with the **KASK Zenith Visor Adapters** and are needed to mount visor or mesh face screens to **KASK Zenith** climbing helmets. Note: Pieces are sold separately.

SKU	PRODUCT
WAC00009.000	Zenith Visor Adapter Clips (includes 2 clips)
WAC00010	Zenith Visor Carrier

KASK Zenith Carrier Peak



The **KASK Zenith Carrier Peak** is compatible with your **KASK Zenith Full Face/ Mesh Visor Carrier**. Requires the **KASK Zenith Full Face/Mesh Visor Carrier** and **Adapter Clips** for installation.

SKU	PRODUCT
WV100011	Zenith Carrier Peak

KASK Zenith Visor Kits



WKI00002.015



WKI00002.055

The **KASK Zenith Visor** covers lower on your nose bridge, shields your face from debris, and provides another form of protection for eyes and face. Kits contain a **Zenith Visor** and **Zenith Visor Adapter Clips**.

SKU	PRODUCT
WKI00002.015	Zenith Visor Kit - Clear
WKI00002.055	Zenith Visor Kit - Mirror

KASK Zenith FF Visor Kits



WKI00003.015



WKI00003.009

The **KASK Zenith FF (Full Face) Visor** shields your whole face from debris and provides another form of protection for eyes. Kits contain a **Zenith Full Face Visor** and **Zenith Visor Adapter Clips**.

SKU	PRODUCT
WKI00003.015	Zenith Full Face Visor Kit - Clear
WKI00003.009	Zenith Full Face Visor Kit - Smoke

KASK Zenith Visor



WV100007.500



WV100007.055

The **KASK Zenith Visor** covers lower on your nose bridge, shields your face from debris, and provides another form of protection for eyes and face. Please note: Clips are sold separately.

SKU	PRODUCT
WV100007.015	Zenith Visor - Clear
WV100007.055	Zenith Visor - Mirror

KASK Zenith PM Visor



The **KASK Zenith PM (Plastic Mesh) Helmet Visor** is a full face shield compatible with the **Zenith** helmet line. Lighter than the metal style but shares its 50% light transmission quality. Requires the **KASK Zenith Full Face/Mesh Visor Carrier** and **Adapter Clips** for installation.

SKU	PRODUCT
WV100010	Zenith PM Mesh Helmet Visor

helmets

PERSONAL PROTECTIVE EQUIPMENT / HELMETS

KASK Superplasma Reflective Stickers



KASK Superplasma Reflective Stickers make any helmet hi-visibility. Stickers are pre-cut and offer greater visibility.

SKU	PRODUCT
WAC00001	SUPERPLASMA Superplasma Reflective Stickers

KASK Superplasma Helmet Padding



KASK Superplasma Helmet Replacement Padding features sweatband and inner crown pieces which attach directly to the helmet for comfort and breathability.

SKU	PRODUCT
WPA00003	Superplasma Helmet Padding

KASK Zenith Helmet Reflective Stickers



KASK Zenith Reflective Stickers make any helmet hi-visibility. Stickers are pre-cut and offer greater visibility.

SKU	PRODUCT
UAC00002	Zenith Helmet Reflective Stickers


KASK Zenith Helmet Padding



KASK Zenith Helmet Replacement Padding is characterized by its excellent material properties. The internal padding provides hygienic protection, comfort, and breathability.

SKU	PRODUCT
WPA0006.000	Zenith Helmet Padding

KASK Zenith Helmet Neck Shade



The **KASK Neck Shade** for the **Zenith** helmet series is worn with your helmet to keep your neck protected from harmful UV rays.

SKU	PRODUCT
WAC00013.301	Zenith Helmet Neck Shade - Gray
WAC000025	Zenith Helmet Neck Shade - HI VIZ Orange

KASK Zenith Extra-Comfort Spacer



The **KASK Zenith Extra-Comfort Spacer** for the **Zenith** helmet series.

SKU	PRODUCT
WPA00008	Zenith Helmet Extra-Comfort Spacer

KASK Helmet Universal Winter Liner



Fits beautifully under any **KASK** helmet. Features dot cut outs to assist hearing through the liner and tabs on ears designed to slide chin straps through to keep liner from shifting.

SKU	PRODUCT
U00001	Helmet Universal Winter Liner

KASK Universal Helmet Carrying Bag



ECONOMICAL PROTECTION FOR YOUR HELMET AND ESPECIALLY IF YOU HAVE COMMUNICATION SYSTEMS ON YOUR HELMET

Keep your beloved **KASK** climbing helmet clean, less beat up, and out of the UV rays when not in use. General life spans of helmets are 5-10 years depending on many factors. Reduce your exposure. Features wide opening and drawstring closure.

SKU	PRODUCT
UAC00002	Helmet Carrying Bag

KASK Helmet Mount Ear Defenders

For long term use in medium noise level or shorter periods in high noise level environments. Best choice in high frequency dominated noise. The Secure helmet mounted earmuff is the ideal choice for any work that requires head and hearing protection. Its durable construction withstands rough environments and the slim design reduces the risk of snagging in branches or confined areas. Available in three protection levels, clearly indicated with bright safety colors for easy identification and selection. "Snap-in" ear cushions with minimal sweat retention and soft foam filling increases the high comfort and are easily replaced.

SPECS + FEATURES

- Soft cushions maintains a high level of comfort protection
- Color coding for easy selection and identification
- Smooth size adjustment

SKU	PRODUCT
WHP00001.205	Ear Muff KASK Defender Zenith - Green
WHP203:SC3 ORANGE	Ear Muff KASK Defender Zenith - Orange
WHP203:SC2 YELLOW	Ear Muff KASK Defender Zenith - Yellow



WHP00001.205

WHP203:SC3 ORANGE

WHP203:SC2 YELLOW

KASK Ear Muff Adapter (KASK Bayonet Adapter)

KASK Superplasma helmets come with an ear muff adapter; however, if you loose or break one, it's great to have a spare set on hand.

SPECS + FEATURES

- Fits: all Plasma/Super plasma/HP ear defenders
- Easy installation with a Phillips head screwdriver
- Material: Plastic

SKU	PRODUCT
WAC00003	Ear Muff KASK Helmet Adapter

ADAPTERS FOR SUPERPLASMA HELMETS



helmets

PERSONAL PROTECTIVE EQUIPMENT / HELMETS

KONG SPIN Helmet



SPECS

Colors Orange, White, Yellow, Red

Weight 0.85 lbs | 385 g

Size Universal size

Notes *Visors are sold separately. Helmet fitted with built in mounting points for visors and hearing protection.*

FEATURES

- Conforms to ANSI Z89.1-2009 and CE EN 397.
- New professional shock-absorbing helmet made with ABS.
- Visor and headphones can be mounted using the integrated clasp on the shell.
- Equipped with 4 durable clips for mounting headlamps.

The **SPIN helmet** is perfect for arborists. It is stamped ANSI Z89.1 and EN 357 - meaning it meets both OSHA CFR1910 and ANSI Z133 requirements. The SPIN helmet is lightweight, fully adjustable and well vented for all day comfort. The internal pads are removable for washing.

SKU	PRODUCT
99720A001KK	SPIN Helmet - Orange
99720AW10KK	SPIN Helmet - White
99720AY10KK	SPIN Helmet - Yellow
99720AR10KK	SPIN Helmet - Red



99720A001KK



99720AW10KK



99720AY10KK



99720AR10KK

KONG SPIN Visors



The **KONG SPIN Helmet visor** is resistant to surface damage caused by fine particles and mist. Made of high-quality polycarbonate of Japanese origin. Extremely robust. The included mounting kit can easily be assembled with **SPIN helmets** thanks to the pre-marked holes in the shell.

SKU	PRODUCT
997056P00KK	SPIN Visor - Clear
997056F00KK	SPIN Visor - Smoked



997056P00KK



997056F00KK



The **Pfanner Protos Helmet** is a must have for me. I've struggled to find a helmet that was both small enough for me and comfortable enough to wear the entire day. The Protos adjusts for a perfect fit and is very comfortable. The fold-away ear protection is convenient and it's great to not snag the muffs on branches. I'll definitely buy again."

– Betsy Parks, Certified Arborist, Parks Tree, OH



Pfanner Protos® Integral Helmets

SPECS

- Colors** Vary
- Weight** 5 lbs
- Size** One Size, 54 - 62 cm (21.1 - 24.4 in)
- Standards** Certified to EN397 and EN 12492, ANSI Z87.1
- Life Span** Protos outer shell should be replaced every 5 years. For hygiene and proper maintenance, washing is recommended of the main support pads regularly and replacing them every 2-3 years when used daily.

Notes *Includes chinstrap for work aloft; The only arborist helmet offering side and rear impact protection.*

The **Pfanner "Protos Integral System"** can be changed within seconds to be used for construction, forestry, arborist work, or climbing operations. The chin strap, visor, neck protection shell, and ear protection are all integrated and yet at the same time modular items. Thanks to the strongly gripping neck protector, the helmet sits perfectly even while working at an angle or upside-down and gives you a safe hold.

The **Protos** arborist helmet from **Pfanner** is the most advanced helmet system available on the market offering the best energy absorption, lightest weight, and unprecedented breath-ability. The side impact protection sets it apart from its competitors and makes it arguably the safest climbing helmet ever brought to market. **NOTE Protos** helmets are now made with a grey foam insert, **NOT** the green koroyd included with earlier versions of the helmet.

FEATURES

- Integrated hearing protection with low-profile design (limits getting caught on branches).
- Field of vision is optimized because of the swept back design
- Adjustable pressure fitting of the hearing protectors allows for a perfect fit.
- Even weight distribution design and the adjustable neck piece allow for a perfect, secure and comfortable fit, even without the chin strap.
- Adjustable vent flow on helmet (vents can be opened or closed) allows for use in wet, hot or cold work conditions.
- Features discrete channel for the included chin strap designed to prevent the chin strap from slipping under the ear protector.
- Extraordinary wicking of perspiration via large and exchangeable pads with Klima-AIR technology.
- All functions of the helmet (hearing protection, face shield, helmet adjustment, and helmet vents) can be activated with just two fingers... making operation of the helmet easy.
- Designed over a 15 year period with two things in mind: total head protection and working arborists

SKU	PRODUCT
PROTOS-GRGY	Protos Integral Helmet - Green/Grey
PROTOS-RY	Protos Integral Helmet - Red/Yellow
PROTOS-WG	Protos Integral Helmet - White/Grey
PROTOS-WB	Protos Integral Helmet - White/Black
PROTOS-GW	Protos Integral Helmet - Olive Green/White
PROTOS-BK	Protos Integral Helmet - Black
PROTOS-RDBK	Protos Integral Helmet - Red/Black
PROTOS-YB	Protos Integral Helmet - Yellow/Black
PROTOS-YG	Protos Integral Helmet - Yellow/Grey
PROTOS-ONY	Protos Integral Helmet - Orange/Yellow
PROTOS-ORGR	Protos Integral Helmet - Orange/Grey



PROTOS-WG



PROTOS-WB



PROTOS-YB



PROTOS-GW



PROTOS-BK



PROTOS-GRGY



PROTOS-ORGR



PROTOS-RDBK



PROTOS-YG



PROTOS-RY



PROTOS-ONY

helmets

PERSONAL PROTECTIVE EQUIPMENT / HELMETS

Protos Integral Clear Visor

PFANNER



The **Protos Integral Clear Visor** is an extremely lightweight polycarbonate visor. The patented rubber edge on top of the visor prevents liquids, dust, and rain from falling into the helmet. The polycarbonate visor offers a UV protection filter.

SKU	PRODUCT
204071	Protos Visor Plastic

Protos Visor Fine Mesh Replacement

PFANNER



This facial protective visor with 16 notches is designed to mount perfectly onto the **Protos Integral Helmets**. The **Protos G16** visor has a special coating that blocks reflections from sun, and snow reflections when working in freezing conditions.

SKU	PRODUCT
39777	Protos Visor Fine Mesh Replacement

Protos Ear Muffs Replacement

PFANNER



21935 GREEN



204067-1-21

These adjustable **Replacement Earmuffs** for the **Protos Integral** helmets offer lightweight protection. Fits underneath the helmet shell, reducing the chance of getting stuck on any ropes or branches.

SKU	PRODUCT
21935 GREEN	Protos Ear Muffs Replacement - Green
204067-1-21	Protos Ear Muffs Replacement - Yellow/Red

Protos Helmet Replacement Padding

PFANNER



A replacement set of pads for the **Pfanner Protos Integral** made of high-quality Cocona functional fibers. Machine washable at 30°C.

SKU	PRODUCT
204060	Protos Helmet Replacement Padding

Protos Hygiene Set / Support Pads

PFANNER



Replacement support pads for the **Protos Integral** hearing protection. Comfortable fit and no pressure marks. To maintain optimal sound absorption, the Support Pads should be replaced every 6 months.

SKU	PRODUCT
40491R REPLEAR	Protos Hygiene Set / Support Pads

Protos Helmet Klima Headband



Klima Headband with rail to clip-on made of Cocona functional fibers for high wearing comfort and quick drying. Machine washable at 30°C.

SKU	PRODUCT
204060	Protos Helmet Klima Headband

Protos Replacement Chin Strap



Protos Replacement Chin strap for the Protos Integral Helmet.

SKU	PRODUCT
39777	Protos Replacement Chin Strap

Elvex ProGuard™ Integrated Logger System Dielectric Non-vented with Nylon Screen



SPECS

Color Orange cap with Black Muffs

Standards ANSI S12.6, ANSI S3.19, ANSI Z89.1 requires that safety glasses must be worn even when wearing a face shield or screen, EN1731; Meets Class E, G & C.

ProGuard Integrated Logger System non-vented combines three highly-functional components: head, face and hearing protection. Increases on-the-job efficiency, delivers all-day comfort and maximum protection in one unit.

FEATURES

- Tectra non-vented safety cap with special contours on sides to accommodate cap mount ear muffs.
- Features 6 Point Ratchet hidden head-hugging suspension with nylon webbing for secure fit.
- QuickSnap cap mount ear muffs with 25 dB NRR feature two rest positions: flip-out muffs for short term breaks or flip-up on top of safety cap.
- Durable, lightweight Nylon mesh screen is great for outdoor applications where ventilation is required.



SKU	PRODUCT
CU-30R	Elvex ProGuard Non-vented with Nylon Screen

Elvex ProGuard™ Integrated Logger System Vented with Steel Screen



SPECS

Color Orange cap with Black Muffs

Standards ANSI S12.6, ANSI S3.19, ANSI Z87.1-2010, ANSI Z89.1 requires that safety glasses must be worn even when wearing a face shield or screen. Meets Class G & C.

ProGuard Integrated Logger System non-vented combines three highly-functional components: head, face and hearing protection. Increases on-the-job efficiency, delivers all-day comfort and maximum protection in one unit.

FEATURES

- Tectra vented safety cap with special contours on sides to accommodate cap mount ear muffs.
- Features 6 Point Ratchet hidden head-hugging suspension with nylon webbing for secure fit.
- QuickSnap cap mount ear muffs with 27 dB NRR feature two rest positions: flip-out muffs for short term breaks or flip-up on top of safety cap.
- Steel mesh screen offers impact resistance and is intended to deflect flying objects.



SKU	PRODUCT
CU-60R-V	Elvex ProGuard Vented with Steel Screen

OREGON® Professional Safety Helmet

OREGON

SPECS

Color Orange
Standards ANSI Z89.1-2014

The **Oregon Professional Helmet** is a high-impact and scratch resistant ABS helmet with 20 ventilation holes and crown shape for maximum breathability.

FEATURES

- UV-stabilized helmet shell with rain gutter
- Four-point, easy to adjust harness
- Highly absorbent, removable and washable sweatband
- Anti-slip headband with easy-to-use “pull-push” system for precise snug-fit
- Durable, lightweight stainless steel mesh visor with strong flip-up-and-down function and extended face protection
- Easy up-and-down adjusting earmuff system with optimum, consistent noise attenuation (NRR value 24 dB) and comfortable ear cushions



SKU	PRODUCT
564101	OREGON Professional Safety Helmet

MSA V-Gard® Slotted Cap with Fas-Trac III Suspension

MSA
The Safety Company

SPECS

Colors Gloss finish - White, Red, Orange, Yellow
Weight 0.833 LB (0.378 KG)
Size Standard (6-1/2" to 8")
Standards ANSI/ISEA Z89.1-2014 (Class E); CSA Z94.1-2015 (Class E)

FEATURES

- Polyethylene shell provides superior impact protection
- Self-adjusting crown straps ensure a comfortable fit

SKU	PRODUCT
MSA475360	MSA V-Gard Hard Hat - Yellow
MSA488146	MSA V-Gard Hard Hat - Orange
MSA475363	MSA V-Gard Hard Hat - Red
MSA475358	MSA V-Gard Hard Hat - White

V-Gard Slotted Cap with Fas-Trac III Suspension offers comfort, quality, and durability. Distinctive trademark “V” design. All V-Gard Helmets have UV inhibitor molded right in.



CUSTOMIZED PRODUCT

Forestry Helmet Kit

Finally a top quality forestry/grounds person helmet kit that doesn't break the bank.

SPECS + FEATURES

- MSAV-Gard ratcheting helmet with 5 point suspension
- 3M Peltor 105 muffs rated at 30dB
- 3M Peltor metal face screen with visor
- Color Options: Orange, Yellow, Red, White

SKU	COLOR	PRODUCT
009094	Orange	Forestry Helmet Kit
011066	Red	Forestry Helmet Kit
011615	White	Forestry Helmet Kit
012319	Yellow	Forestry Helmet Kit



3M Peltor Steel Mesh Helmet Visor System

Steel Mesh Helmet Visor System face protection for working and standby positions offers protection and visibility. Breathes well and flips up and down easily.

SPECS + FEATURES

- Perfect combination of protection, visibility, and safety.
- Matte black steel mesh visor for good ventilation and face protection.
- Specially designed peak protects eyes from glare and reflection.
- System can be used with a variety of hard hats or with Peltor muffs.

SKU	PRODUCT
3MRV4A-10P	3M Peltor Steel Mesh Helmet Visor System



3M

USED WITH
3M PELTOR MUFFS

ERB Helmet Sweatband Terry Cloth



SPECS + FEATURES

- 100% plush absorbent cotton
- Universal fit
- Fits around most hard hat suspensions
- Easily attaches to suspension with plastic snaps
- Machine washable

SKU	PRODUCT
10027	Helmet Sweatband Terry Cloth



KEEP YOUR HELMET SMELLING
FRESH WITH WASHABLE
REUSABLE SWEATBANDS!

Fox 40 Whistle with Retractable Lanyard



Sticky back retractable lanyard with **Fox 40** orange whistle. Be heard without yelling.

SKU	PRODUCT
0027-06COMBO	Fox 40 Whistle & Retracting Lanyard - Orange



LOUD ENOUGH TO BE
HEARD OVER EQUIPMENT!

throwline storage

Falteimer Throwline Cube

The **Falteimer Folding Cube** is the platinum standard in the cube market. In a matter of seconds, this handy triangle becomes a cube-shaped folding box which is 43 cm wide. The size of the opening makes it much easier to throw the line from and to flake back in.

SPECS + FEATURES


- Employed and deployed in a matter of seconds.
- Throw lines and weight bags have separate inside pouches and are firmly held once the bag is collapsed.
- The carry velcro strap and clip makes this cube perfect for transport.

SKU	PRODUCT
FFC DOUBLE FLOOR	Cube Double Floor
FALTEIMER	Cube Single Floor



Cube only, additional items shown not included.

YOUR VOICE WAS HEARD - THE DOUBLE FLOOR LETS YOU KEEP 2 SYSTEMS IN ONE CUBE!



Simply put, **Falteimer Cubes** are the best and worth every penny; deploying throwline out of anything but a **Falteimer Cube** falls flat."

—Bear LeVangie, Certified Arborist, WTCW, MA

Weaver Throwline Cube



Weaver's throwline cube organizes and stores throw lines and weights in a roomy cube that folds down to a compact triangle.

SPECS + FEATURES

- Durable constructed cube offers plenty of storage with a roomy outside pocket and two smaller interior pockets.
- Affordable and great for both aerial and ground arborists
- End of throw line secures with a hook and loop strap and D-ring.
- Measures: 16-1/2" (collapses to a small triangle)

SKU	PRODUCT
08-07190	Weaver Throwline Cube



Weaver Throwline Bucket Bag



This unique bag features separators that allow you to store and protect multiple throw lines and weights in one bag. Constructed from 1,200-denier polyester, this bag will hold four various-sized bags and throw lines.

SPECS + FEATURES

- Rain shield and a convenient drawstring closure for easy access
- Handy separators are included to ensure lines will not get tangled
- Multiple inside pouches with hook/loop closures for easy storage
- Interior features 4 floating D-rings to help manage the line ends
- 2 handy external pockets offer added storage options
- 1 external pocket has a clear pocket for easy labeling
- Measures: 12" in diameter x 8" high

SKU	PRODUCT
08-07165-RD	Weaver Throwline Bucket Bag



Bag only, additional items shown not included.

throwline storage

STORAGE / THROWLINE STORAGE

Weaver Throwline Storage Bag

SPECS + FEATURES

- Constructed of 600-denier coated polyester
- Convenient drawstring top closure
- Interior nickel plated rings to tie ropes to and exterior nickel plated rings for easy attachment to a work belt saddle or rope
- 2 Sizes: Small size holds 150'; Medium size holds 200'
- Small (4" D x 6" high)
- Medium (7" D x 9" high)

SKU	PRODUCT
0807140	Weaver Throwline Storage Bag - Small
0807142	Weaver Throwline Storage Bag -Medium



Bag only, additional items shown not included.

BUCK Throwline Deployment Bag

Throwline Deployment Bag allows multiple throw lines to be stored in one bag without tangling by providing four inside floating D-rings as tying off points.

SPECS + FEATURES

- 3 outside pleated mesh pockets with hook/loop closures to secure contents
- 4 inside mesh pockets for easy throw bag storage
- 4 inside floating D-rings for tying off throwlines
- Outside clear pocket for labeling contents
- Sewn in PVC ring to keep the top of the bag open
- 9" H x 12" D
- Add a Deployment Bag Frisbee Separator (44R1)

SKU	PRODUCT
4468G9	Throwline Deployment Bag
44R1	Throwline Deployment Bag Frisbee Separator



New Tribe's Line Mug

A handy little drawstring closure gear bag, for use where a compact bag is all you need. Carry either essentials or throwline.

SPECS + FEATURES

- External D-ring at the rim for attachment to your saddle or use to tether
- Webbing strap serves as a handle, or as a loop onto a belt for carrying
- Plastic swivel snap hook on rim
- Internal webbing loop
- 6" tall x 5" in diameter

SKU	COLOR	PRODUCT
29620	Black	New Tribe's Line Mug
29626	Red	New Tribe's Line Mug
29628	Camo	New Tribe's Line Mug



GREAT FOR
HUNTERS TOO!
STURDY LITTLE
GEAR BAG



4 | harnesses



HARNESS CROSS REFERENCE	100
POSITIONING	101
ACCESSORIES	115
FALL ARREST + UTILITY	123
FALL ARREST LANYARDS	126

harness cross reference

HARNESS/PRODUCT	SIZING	WEIGHT	BRIDGE TYPE	LEG/BATTEN	OPTIMAL SYSTEM*	PAGE
Arbortec TreeHog TH5000 ^W Razorback Leg Harness	S, M/L	4.5	Webbing	Leg/Batten	MRS	114
Arbortec TreeHog TH7000 ^W Batten Seat Harness	S, M/L	4.5	Webbing	Batten	MRS	114
BUCK 1371 – Economy Saddle ^W	S-XL	7.1	2 D Rings	Soft Batten	MRS	105
BUCK Ergovation Saddle ^{FW}	XS-XL	6.8	Rope/Web/D	Leg or Batten	SRS, MRS	104
BUCK 1480 – Agility Saddle ^W NEW	XS-XL	5.8	Rope Chain	Leg	SRS, MRS	104
CAMP Tree Access EVO ^{FW}	1, 2	4.4	Webbing	Leg (Batten add on)	SRS, MRS	101
Teufelberger treeMOTION EVO ^W	One Size	6	Double Bridge (Rope)	Leg	SRS, MRS	102
Teufelberger treeMOTION Super Light ^W	One Size	4	Rope	Leg	MRS	102
Weaver Denali ^W	One Size	6.5	Rope	Leg	SRS, MRS	107
Weaver Cougar WLC-700 ^W Web Bridge with Legs	S-XL	4	Webbing	Leg	MRS	106
Weaver Cougar WLC-730 ^W Web Bridge with Batten	S-XL	8.3	Webbing	Leg/Batten	MRS	107
Weaver WLC-300 ^W Double D Wide Back	S-XL	6.1	2 D Rings	Leg	MRS	108
Weaver WLC-330 ^W Floating D Wide Back	S-XL	6.05	1 Floating D Ring	Leg	MRS	108
Weaver WLC-130 ^W Floating 2D Wide Back with Legs	S-XL	6.1	2 D Rings	Leg	MRS	110
Weaver WLC-100 Fixed 2D Float Seat No Legs	S-XL	3.8	2 D Rings	Strap	MRS	110
Climb Right Classic High Back Saddle	S-XL	4.8	2 D Rings	Strap	MRS	111
Edelrid TreeCore ^F	S-XL	4	Webbing/SRS Loop	Leg	SRS, MRS	111
Edelrid TreeRex ^F	S-M, X-XL	5	Double Bridge Rope/ SRS Loop	Leg	SRS, MRS	111
New Tribe ONYX	1, 2	4.4	Rope Bridge	Leg	SRS, MRS	113
Edelrid Fraggie Kids Harness	XXS, XS	2	Full Body	Full Body	SRS, MRS	124
New Tribe Twist Kids Harness	19-32"	1.6	Webbing/SRS Loop Triangle	Leg	SRS, MRS	114

*SRS (Stationary Rope System); MRS (Moving Rope System); ^F Offers Fall Arrest option; ^W Offers Wide Back Support

GENERAL HARNESS SIZING

SADDLE SIZE	WAIST (IN CM)	LEGS (IN CM)
Small	27-30" 69-76 cm	19-21" 48-53 cm
Medium	30-33" 76-84 cm	21-23" 53-58 cm
Large	33-36" 84-91 cm	23-25" 58-63 cm
Extra Large	36-39" 91-99 cm	25-27" 63-69 cm

Sizing from Black Diamond Equipment

GENERAL SAFETY GUIDELINES

- Know and follow ANSI Z-133.1.2017 regulations
- Saddle/belt d-rings and attachment points are designed for work positioning and suspension use only and are NOT intended for fall arrest
- The use of fall arrest equipment is highly recommended in addition to the use of saddles and belts
- Only attach connecting devices meeting work positioning and suspension standards and regulations to saddle/belt and d-rings/attachment points
- Only work positioning connecting devices should be attached to side d-rings
- Never attach a chainsaw or rigging line to a saddle/belt d-ring or attachment point Positioning and suspension anchor points must support your weight plus any job related load
- Check the maximum load capacity for accessory hooks and rings
- Arborists shall be tied in/secured while ascending the tree and remain tied/secured until the work is completed and they have returned to the ground
- Arborists shall use a second point attachment, such as a work positioning lanyard or double crotched rope, when operating a chainsaw in a tree

HARNESS INSPECTION

The condition of your climbing harness is critical to your safety in the tree. Refer to the manufacturer instructions for full inspection guidelines. This list is a good place to start.

Daily

- Inspect rope bridges
- Inspect all stitching, structural, secondary, and decorative
- Inspect webbing bridges for cuts, abrasions, or damaged stitching
- Inspect hardware and attachment points

Monthly

- Inspect terminal connection points & bridges
- Inspect hard connections for corrosion or deformation
- Inspect webbing where it is attached to other webbing or turns on hardware
- Inspect all webbing; Qualify all cuts and frays as hazard unless deemed otherwise
- Check for discoloration on hardware that may indicate impact or exposure to unknown substances
- Inspect all gear loops for wear and hardware on those loops for proper functioning
- Make sure that buckles and hardware engage and disengage properly
- Document your monthly gear inspections for reference

positioning

CAMP Tree Access EVO

SPECS + FEATURES

- Mobile bridge system is manufactured from 10.5 mm semi-static rope covered with tubular webbing for the best durability. Two loops on the ends of the bridge create extra points for positioning.
- The adjustable connections to the waist belt allow the user to fine-tune the height of the bridge in order to optimize the position while hanging.
- Waist belt and leg loops are made of ergonomic padding to offer broad structural support and are connected by optimally spaced connection straps.
- STS automatic buckles on the leg loops.
- Ventral attachment features two loops: upper loop is for attaching a chest harness and chest ascender and lower loop for attaching lanyards and rope tools.
- 2 aluminum alloy side attachment points for positioning and restraint.
- Designed for use in combination with the GT Chest, with front and back connection points, to make a full body fall arrest harness.
- Weight: Size 1: 1960 g, 69.2 oz (4.31 lbs); Size 2: 2030 g, 71.7 oz (4.43 lbs)
- Size 1: S-L Waist: 80-120 cm Legs: 50-65 cm
- Size 2: L-XXL Waist: 90-140 cm Legs: 60-75 cm
- Standard(s): EN 358 – EN 813 – ANSI Z133

SKU	SIZE	PRODUCT
216301 S-L	1	Tree Access EVO
216302 L-XXL	2	Tree Access EVO
216403	1	Tree Access EVO Rep. Bridge S-L Waist: 32 cm
216404	2	Tree Access EVO Rep. Bridge L-XXL Waist: 37 cm



216403, 216404

OPTIONAL FALL ARREST HARNESS



CAMP GT Chest Harness



SPECS + FEATURES

- HMS Belay Lock connector that features an anti-rotation system for a secure attachment to the sit harness.
- 2 attachment points: 1 front, 1 back via aluminum alloy attachment rings.
- Designed to be used in combination with the GT Sit, Access Sit, and Tree Access harnesses for fall arrest.
- Size: 1 / S-L Torso Length: 55-75 cm (21.6 - 29.5"); Weight: 550 g (1.2 lbs)
- Certifications: EN 361

SKU	SIZE	PRODUCT
21660101	S-L	GT Chest Harness



CAMP Tree Access Swing Seat



SPECS + FEATURES

- A lightweight, rigid aluminum alloy seat with plush padding for prolonged work.
- Designed to integrate seamlessly with the Access Sit, Tree Access EVO, GT Sit, GT ANSI, GT Turbo harnesses using the proprietary Sicura buckles.
- Can also be connected to any EN 813 harness.
- Equipped with buckle for connection to back of harnesses when not in use.
- Weight: 1400 g | 49.4 oz

SKU	SIZE	PRODUCT
1963	-	Tree Access Swing Seat



Teufelberger treeMOTION EVO Harness



SPECS + FEATURES

- Freedom of movement and ergonomic comfort
- Adjustable load distribution between leg and back support
- Reduced pressure points due to multi layer webbing layout
- Color coded attachment hardware for improved safety
- Multiple options for approved/certified bridge hardware
- Replaceable, washable back padding
- Flexible and highly supportive back frame
- Gear brackets compatible with a range of tool carrying hardware
- Customizable gear loops
- Gear brackets on leg loops
- Rings 22"
- One Size - Waist 30-36"; Legs 26-33"

SKU	SIZE	PRODUCT
7350156	-	treeMOTION EVO Harness



Teufelberger treeMOTION Super Light



Teufelberger's treeMOTION Super Light is a stripped down, super-light, lower-cost version of the regular treeMOTION. Weight is only 1800 grams!

SPECS + FEATURES

- Removable and washable padding
- Thinner back padding similar to 1st generation treeMOTION
- Lightweight low profile slide buckles on the waist and leg
- Easy adjustable bridge
- 6 Caritool positions including on leg straps, & over 100 other position possibilities
- 2 heavy duty and vertically adjustable cord loops
- First aid kit position with two cinch straps in the lumbar area
- Load bearing chainsaw ring
- Double D-rings to disperse the weight
- Rated lower D rings
- One Size - Waist 30-38"; Legs 26-33"
- Certified Standards: EN 358/813, ANSI Z133-2012

SKU	SIZE	PRODUCT
7350139	-	treeMOTION S. Light



Teufelberger treeMOTION Hip to Leg Connection Kit

Teufelberger replacement hip/leg connector for treeMOTION climbing harness. This is a wear part and should be included in your daily gear inspection checklist.

SPECS + FEATURES

- Hip to Leg Connection Kit Replacement webbing strap simply girth-hitches in place after removal of worn out straps.
- Includes: 2 x Webbing straps; 4 x Pair of plastic rivets; 2 x Elastic loops; 1 x Instruction manual

SKU	SIZE	PRODUCT
7333208	-	treeMOTION Hip to Leg Connection Kit



Teufelberger treeMOTION Back Pad



SPECS + FEATURES

- Fits without creating folds, designed to give extra support to the lower back
- Features wide flexible grooves that support the dissipation of heat
- Designed for the lumbar region and provides additional support in that zone
- 12" W x 2" H x 2" D

SKU	SIZE	PRODUCT
7359960	-	treeMOTION Replacement Back Pad



LUMBAR SUPPORT BACK PADDING

Teufelberger treeMOTION Leg Pads



SPECS + FEATURES

- These leg padding are a direct replacement for the original leg loop padding.
- Includes 2 pads

SKU	SIZE	PRODUCT
7333209	-	treeMOTION Replacement Leg Pads



Teufelberger treeMOTION Standard or Super Light Replacement Bridge



SPECS + FEATURES

- Field replaceable, genuine original spare part for treeMOTION harness.
- Stitched 'tail' seam, factory knotted and stitched at one end
- Robust polyester sheath
- Suits use with DMM Swivels
- The stopper knots must be able to stand a 2 kN (200kg) force and the knot tail length should be 5-times the diameter of the rope bridge.

SKU	SIZE	PRODUCT
7333212	-	treeMOTION Replacement Bridge



FACTORY KNOTTED & STITCHED AT ONE END

Teufelberger treeMOTION Leg Loop Strap



SPECS + FEATURES

- Spare parts for treeMOTION Standard and treeMOTION EVO.
- Includes: 1 Instruction booklet; 2 Lengths of the rubber connection; 1 Elastic loop, 6 rivets
- Does not come with the padding

IMPORTANT INFORMATION - The leg loops may be replaced only on harnesses where the technical label is attached to the waist belt. This will be the case on all models produced in June 2009 and later. If you own a later model, it is imperative that you send your harness to the manufacturer for repair.

SKU	SIZE	PRODUCT
7333206	Right	treeMOTION Replacement Leg Loop Strap
7333207	Left	treeMOTION Replacement Leg Loop Strap



Teufelberger treeMOTION Shoulder Strap



Some climbers simply prefer to work with a shoulder system. Others like the ability to add a load carrying upper harness during tree removal operations. Another variation is to use shoulder straps to suspend a chest mounted rope clamp during ascent.

SPECS + FEATURES

- Two part system that can be configured how you want, depending on the demands of the work ahead of you.
- treeMOTION harness is for work positioning applications only.
- Suitable for both treeMOTION and treeMOTION EVO harness.

NOTE - WARNING: This Upper Assembly is NOT for use in PPE personal protective equipment) systems.

SKU	SIZE	PRODUCT
7333211	-	treeMOTION Shoulder Strap



positioning

HARNESSES / POSITIONING

BUCK Agility™ Saddle NEW



The **BUCK Agility Saddle** was designed in conjunction with Jamie Chambrelli, and the team at ArborMaster™ Training Inc. The **Agility Saddle**, handmade in the USA, was designed and built for "Work" with a focus on comfort, durability, mobility, and functionality.

SPECS + FEATURES

- Hook & Loop "stay put" waist and leg straps for easy one-time adjustment.
- Articulating legs pads and straps engineered to give you maximized mobility.
- Segmented rope bridge for added attachment options/length adjustments.
- Features options for a multi-bridge setup and a forward lower D-Ring setup.
- Specialized back pad allows for max coverage without getting into your ribs and supports your back in problem areas, where a lot of climber back injuries occur.
- Large leg pads for more support and extra comfort around your legs.
- Independent leg suspension straps adjusting leg shape and size.
- Gear loops that are easier to reach and to place hardware on.
- 4 spots for tool hangers and various loops for racking smaller gear like ascenders.

SKU	SIZE	PRODUCT
1480S	S	Agility
1480M	M	Agility
1480L	L	Agility
1480XL	XL	Agility



BUCK Ergovation™ Saddle



Fully customized waist tensioner and lumbar support gives user improved fit, abdominal stability, and promotes optimal posture when climbing.

SPECS + FEATURES

- ERGOVATION saddle has 7 different rated attachment points.
- Fully modular design for a customized fit.
- 6 accessory loops.
- Comfort with fully padded Drilex back pad to contour the pelvis and support lower back
- Closed cell padding can be removed for washing, which improves hygiene
- Load distributing design decreases pressure on pelvis
- Increased padding in pelvis and hip regions for added comfort

SKU	SIZE	PRODUCT
16906S	S	Ergovation
16906M	M	Ergovation
16906L	L	Ergovation
16906XL	XL	Ergovation

SEE SIZING CHART ON NEXT PAGE



FULL SUPPORT WITH ELASTIC CUMMERBUND WAIST SUPPORT & HIGHLY ADJUSTABLE

ADJUSTABLE LEG STRAPS





BUCK 1371 Improved Economy Saddle

An economy saddle that has all the benefits of the original economy saddles but with improvements to comfort and functionality.

SPECS + FEATURES

- Five accessory loops to stow gear while working aloft
- Piggy back snaps and ring assembly keeps tools accessible
- Four small D rings are available for suspender attachments
- Has a wide padded leather lined back that provides superior comfort and support from the 5 1/2" wide back support constructed with rubberized belting material.

SKU	SIZE	PRODUCT
1371S	S	1371 Improved Economy Saddle
1371M	M	1371 Improved Economy Saddle
1371L	L	1371 Improved Economy Saddle
1371XL	XL	1371 Improved Economy Saddle



BUCK HARNESS SIZING

SADDLE SIZE	WAIST	LEGS	SADDLE SIZE	WAIST	LEGS
Small	28-32"	23-32"	Large	36-40"	25-37"
Medium	32-36"	24-35"	Extra Large	40-44"	26-39"



BUCK TREE
BUCKINGHAM MFG



Weaver Cougar WLC-700 Saddle with Leg Straps featuring Memory Foam Pads




High-end styling combines comfortable leg straps with an easy-to-inspect sewn webbing suspension bridge for a saddle that meets all the demands of an arborist.

SPECS + FEATURES

- Suspension bridge has a striped white and dark orange Spectra fiber overlay for strength and abrasion resistance that surrounds a black nylon tubular webbing core to provide for additional wear inspection.
- Enhanced extra wide back pad extends further forward on hips.
- The 4" wide leg pads and extra wide 7" back are constructed from memory foam that conforms to the back, reduces pressure points, wicks away moisture and does not retain heat for cool, comfortable performance.
- Leg straps and straps attached to bridge are adjustable
- Replaceable sewn webbing suspension bridge features two rubber bumpers and can be used with forged aluminum rings.
- Buckle at waist features a roller for ease of use and to reduce wear to waist belt.
- 2 nylon utility straps with a chrome brass 200 snap and a 2" nickel plated ring keep tools close at hand.

Important: Not to be used for fall arrest. Only authorized replacement parts from Weaver Arborist should be used on this saddle. The use of unauthorized replacement parts will void Weaver Arborist's Warranty.

SKU	SIZE	PRODUCT
0801085XS	XS	Cougar WLC-700 Saddle
0801085SM	S	Cougar WLC-700 Saddle
0801085MD	M	Cougar WLC-700 Saddle
0801085LG	L	Cougar WLC-700 Saddle
0801085XL	XL	Cougar WLC-700 Saddle
0898135	-	Cougar WLC-700 Replacement Bridge



REPLACEMENT BRIDGE

WEAVER HARNESS SIZING

SADDLE SIZE	D-TO-D	APPROX WAIST	SADDLE SIZE	D-TO-D	APPROX WAIST
Extra Small	18"	26" to 34"	Large	24"	36" to 44"
Small	20"	30" to 38"	Extra Large	26"	40" to 48"
Medium	22"	32" to 40"			

Weaver Cougar Replacement Leg Pads



Sizing: S, M, L (fit to your corresponding harness size)

SKU	SIZE	PRODUCT
0898126S	S	Cougar WLC-700 Replacement Leg Pads
0898126M	M	Cougar WLC-700 Replacement Leg Pads
0898126L	L	Cougar WLC-700 Replacement Leg Pads



Weaver Cougar Replacement Batten Seat



SPECS + FEATURES

- 4" wide and reinforced with an aluminum bar covered in foam that provides extra support
- Adjustable straps keep the seat ideally positioned
- Ideal for arborists who are in the saddle for long periods of time
- Fits the WLC-700 and WLC-730 saddles (formerly called Cougar saddles), and the new WLC-760 and WLC-790 saddles
- Sizes: Medium, Large (40" - 44") - Fits to your corresponding harness size
- Weight: 1 lb

SKU	SIZE	PRODUCT
0898128MD	M	Cougar Replacement Batten Seat
0898128LG	L	Cougar Replacement Batten Seat





Weaver Denali Harness

The **Denali** combines patented AirFlex technology and high-performing safety features for the ultimate climbing experience. Double rope suspension bridge on this arborist saddle features a diamond knot at one end and a girth hitch on the other for replicability and security. The rope that constructs the double rope suspension bridge offers the perfect combination of durability and function. The white core within the black and orange suspension bridge makes wear and tear visible at a glance, allowing for additional wear inspection. Extra wide back pad extends further forward on hips for enhanced comfort and support. Handcrafted in the USA by the finest craftspeople who care about every last detail.

Important: Climbing harness is not intended to be used for fall arrest. Only authorized replacement parts from Weaver Arborist should be used on this arborist saddle. The use of unauthorized replacement parts will void Weaver Arborist's warranty.

SPECS + FEATURES

- Adjustable waist (28"-48")
- Adjustable position hip D-rings and leg pads
- Lightweight, high-strength aluminum hip D-rings and rigging plates
- Rugged, durable water buffalo leather forms to the shape of your body
- Double rope suspension bridge on this arborist saddle features a diamond knot at one end and a girth hitch on the other for replicability and security.
- Replaceable back pads, leg pads and bridge.
- High-strength nylon webbing with multiple gear loops for easy, personalized configuration.
- Weighs 6.5 lbs.



SKU	SIZE	PRODUCT
08-01100-A1	ALL	Denali Harness

Weaver Cougar WLC-730 Harness

SPECS + FEATURES

- Suspension bridge has a striped white and dark orange Spectra fiber overlay for strength and abrasion resistance that surrounds a black nylon tubular webbing core to provide for additional wear inspection.
- The 4" wide batten seat is reinforced with an aluminum bar covered in foam that provides extra support.
- Enhanced extra wide back pad extends further forward on hips
- The extra wide 7" back is constructed from two layers of memory foam that conform to the back, reduce pressure points, wick away moisture and do not retain heat for cool, comfortable performance.
- Batten seat and suspension bridge are replaceable.
- Adjustable accessory batten seat straps keep your batten seat positioned for optimum comfort.
- Replaceable sewn webbing suspension bridge features two rubber bumpers and can be used with forged aluminum rings.
- Buckle at waist features a roller for ease of use and to reduce wear to waist belt.
- 2 nylon utility straps with a chrome brass 200 snap and a 2" nickel plated ring keep tools close at hand.
- D-rings at front and back offer easy attachment of suspenders (sold separately).

Important: Not to be used for fall arrest. Only authorized replacement parts from Weaver Arborist should be used on this saddle. The use of unauthorized replacement parts will void Weaver Arborist's Warranty.



SKU	SIZE	PRODUCT
08-01086 XS	XS	Cougar WLC-730 Web Bridge w/ batten
0801086SM	S	Cougar WLC-730 Web Bridge w/ batten
0801086MD	M	Cougar WLC-730 Web Bridge w/ batten
0801086LG	L	Cougar WLC-730 Web Bridge w/ batten
0801086XL	XL	Cougar WLC-730 Web Bridge w/ batten

Weaver WLC-300 Harness

SPECS + FEATURES

- Nylon leg straps and extra wide back provide optimum comfort
- D-rings made from forged aluminum with a black anodized finish.
- Fixed position, angled side D-rings feature a two bar design and offer easy access; you can snap in with just one hand!
- Saddle back features two rounded nylon loops that are covered with clear rubber tubes that help resist excess wear.
- Two additional D-rings located on the bottom of the waist back for attachment of one of our ditty bag options or a first aid kit. Extra wide 6" waist back is foam filled and lined with soft oil tanned top grain steer hide leather.
- Features a loop for holding carabiners and 2 nylon utility straps with a chrome brass 200 snap and a 2" nickel plated ring to keep tools handy.
- Seat strap and leg straps are also lined with soft oil tanned top grain steer hide leather.
- Accessory loop weight capacity: 15 lbs

Important: Not to be used for fall arrest. Only authorized replacement parts from Weaver Arborist should be used on this saddle. The use of unauthorized replacement parts will void Weaver Arborist's Warranty.

SKU	SIZE	PRODUCT
0801033S	S	WLC-300 Double D Wide Back
0801033M	M	WLC-300 Double D Wide Back
0801033L	L	WLC-300 Double D Wide Back
0801033XL	XL	WLC-300 Double D Wide Back

WEAVER HARNESS SIZING

SADDLE SIZE	D-TO-D	APPROX WAIST	SADDLE SIZE	D-TO-D	APPROX WAIST
Small	20"	30" to 38"	Large	24"	36" to 44"
Medium	22"	32" to 40"	Extra Large	26"	40" to 48"



Weaver WLC-330 Saddle

Offers freedom of movement with one Floating D-ring and 2" Nylon Leg Straps

SPECS + FEATURES

- Floating D-rings provide easy maneuverability.
- D-rings are made from forged aluminum with a black anodized finish.
- Fixed position, angled side D-rings feature a two bar design and offer easy access. Saddle backs feature 2 rounded nylon loops that are covered with clear rubber tubes that help resist excess wear. Each loop will hold up to 15 lbs. of accessories.
- 2 additional D-rings located on the bottom of the waist back for attachment of one of our ditty bag options or a first aid kit.
- Front strap is reinforced with neoprene for extra durability.
- Extra wide 6" waist back is foam filled and lined with soft oil tanned top grain steer hide leather.
- Features a loop for holding carabiners and 2 nylon utility straps with a chrome brass 200 snap and a 2" nickel plated ring to keep tools close at hand.
- The 2" wide nylon leg straps are lined with soft oil tanned top grain steer hide leather for extra comfort.
- Features D-rings at front and back for attachment of suspenders (sold separately).

Important: Not to be used for fall arrest. Only authorized replacement parts from Weaver Arborist should be used on this saddle. The use of unauthorized replacement parts will void Weaver Arborist's Warranty.

SKU	SIZE	PRODUCT
0801040S	S	WLC-330 Floating D Wide Back
0801040M	M	WLC-330 Floating D Wide Back
0801040L	L	WLC-330 Floating D Wide Back





Weaver WLC-390 Saddle with Batten Seat

With a comfortable, extra wide back and a batten seat

SPECS + FEATURES

- D-rings are made from forged aluminum with black anodized finish.
- Fixed position, angled side D-rings feature a two bar design and offer easy access
- Saddle back features 2 rounded nylon loops that are covered with clear rubber tubes that help resist excess wear. Each loop will hold up to 15 lbs. of accessories.
- Leg straps help prevent slip-through and are made from heavy-duty coated webbing that is pre-cut, pre-punched and heat-sealed to prevent fraying.
- 2 additional D-rings are located on the bottom of the waist back for attachment of one of our ditty bag options or a first aid kit.
- The 4" wide batten seat is reinforced with an aluminum bar covered in foam that provides extra support.
- The 6" wide waist back is foam filled and lined with soft oil tanned top grain steer hide leather.
- Batten seat floats on waist belt for easy positioning and comfort.
- Features adjustable accessory batten seat straps that keep your batten seat properly positioned.
- Features a loop for holding carabiners and 2 nylon utility straps with a chrome brass 200 snap and a 2" nickel plated ring to keep tools handy.

Important: Not to be used for fall arrest. Only authorized replacement parts from Weaver Arborist should be used on this saddle. The use of unauthorized replacement parts will void Weaver Arborist's Warranty.

SKU	SIZE	PRODUCT
0801078S	S	WLC-390 Double D Wide Back w/Batten
0801078M	M	WLC-390 Double D Wide Back w/Batten
0801078L	L	WLC-390 Double D Wide Back w/Batten
0801078XL	XL	WLC-390 Double D Wide Back w/Batten

SEE SIZING CHART ON PREVIOUS PAGE



Weaver WLC-500 Saddle with Padded Nylon Leg Straps

Padded nylon leg straps and extra wide back make this saddle a comfortable choice.

SPECS + FEATURES

- D-rings are made from forged aluminum with a black anodized finish.
- Fixed position, angled side D-rings feature a 2 bar design and offer easy access
- Saddle back features 2 rounded nylon loops that are covered with clear rubber tubes that help resist excess wear. Each loop will hold up to 15 lbs.
- 2 additional D-rings located on the bottom of the waist back for attachment of one of our ditty bag options or a first aid kit.
- An extra wide 6" waist back provides cushioning and back support.
- Waist back is foam filled and lined with soft oil tanned top grain steer hide leather.
- Adjustable accessory leg straps keep your padded leg straps positioned for optimum comfort.
- Features a loop for holding carabiners and 2 nylon utility straps with a chrome brass 200 snap and a 2" nickel plated ring to keep tools handy.
- Slip-on, foam filled, leather lined pads give the 2" nylon leg straps extra comfort.

Important: Not to be used for fall arrest. Only authorized replacement parts from Weaver Arborist should be used on this saddle. The use of unauthorized replacement parts will void Weaver Arborist's Warranty.

SKU	SIZE	PRODUCT
0801032S	S	WLC-500 Double D Wide Back with Legs
0801032M	M	WLC-500 Double D Wide Back with Legs
0801032L	L	WLC-500 Double D Wide Back with Legs
0801032XL	XL	WLC-500 Double D Wide Back with Legs

SEE SIZING CHART ON PREVIOUS PAGE



Weaver WLC-130 Saddle with Heavy-Duty Coated Webbing Leg Straps



SPECS + FEATURES

- Four D-rings offer more positioning options and help add more stability
- D-rings are made from forged aluminum with black anodized finish
- Fixed position, angled side D-rings feature a two bar design and offer easy access
- Saddle back features 2 rounded nylon loops that are covered with clear rubber tubes that help resist excess wear. Each loop will hold up to 15 lbs. of accessories.
- Two additional D-rings located on the bottom of the waist back for attachment of one of our ditty bag options or a first aid kit.
- Heavy-duty coated webbing leg straps help prevent slip through and are pre-cut, pre-punched and heat-sealed
- Features a loop for holding carabiners and two nylon utility straps WITH a stainless steel 200 snap and a 2" plated ring to keep tools handy.
- Floating seat strap can easily be positioned for maximum comfort.
- Leg straps are lock-stitched and riveted to seat strap.

Important: Not to be used for fall arrest. Only authorized replacement parts from Weaver Arborist should be used on this saddle. The use of unauthorized replacement parts will void Weaver Arborist's Warranty.

SKU	SIZE	PRODUCT
0801010SM	S	WLC-130 with Heavy-Duty Webbing Leg Straps
0801010MD	M	WLC-130 with Heavy-Duty Webbing Leg Straps
0801010LG	L	WLC-130 with Heavy-Duty Webbing Leg Straps
0801010XL	XL	WLC-130 with Heavy-Duty Webbing Leg Straps



Weaver WLC-100 Saddle without Leg Straps



A simple choice, and basic harness with a popular four d-ring design

SPECS + FEATURES

- D-rings are made from forged aluminum with black anodized finish
- Fixed position, angled side D-rings feature a two bar design and offer easy access
- Two additional D-rings located on the bottom of the waist back for attachment of one of our ditty bag options or a first aid kit.
- Cotton webbing reinforced with nylon provides comfort and strength.
- Floating seat strap can easily be positioned for maximum comfort.
- Features a loop for holding carabiners and two nylon utility straps with a chrome brass 200 snap and a 2" nickel plated ring to keep tools handy.

Important: Not to be used for fall arrest. Only authorized replacement parts from Weaver Arborist should be used on this saddle. The use of unauthorized replacement parts will void Weaver Arborist's Warranty.

SKU	SIZE	PRODUCT
0801005SM	S	WLC-100 Saddle without Leg Straps
0801005MD	M	WLC-100 Saddle without Leg Straps
0801005LG	L	WLC-100 Saddle without Leg Straps
0801005XL	XL	WLC-100 Saddle without Leg Straps



SEE SIZING CHART ON PREVIOUS PAGE

Weaver Harness Suspenders



Elastic, Heavy-duty Harness Suspenders.

SKU	SIZE	PRODUCT
0898122	-	Harness Suspenders



Spyder Climb Right Classic High Back Saddle

This **Spyder Classic Harness** from **Climb Right** has a wide back pad that is layered for comfort and support.

SPECS + FEATURES

- Tongue style waist belt
- Soft batten seat with legs straps
- 2-D Ring Style Bridge – great simple harness for closed traditional system
- Economical harness
- 2 Hip D Rings for Lanyard
- Made in USA

SKU	SIZE	PRODUCT
83046	S	Climb Right High Back Saddle
83047	M	Climb Right High Back Saddle
83048	L	Climb Right High Back Saddle
83049	XL	Climb Right High Back Saddle

2D



Edelrid TreeCore Harness

SPECS + FEATURES

- The modular belt system comprises removable D-rings, comfortable padding and sliding D-System to guarantee optimum work positioning and easy adjustment of the waist support.
- For secure and efficient equipment management the TreeCore has four gear loops, two buckle straps and slide buckle loops, e.g. for chainsaw attachment.
- Easily-adjustable leg loops ensure optimum wear comfort and make the belt easier to put on and take off.
- The TreeCore can also be combined with Edelrid's TreeCore Top chest harness to make it fully compatible to use in a bucket truck (aerial lift)
- Color: Oasis
- Weight: 1250g
- Replaceable bridge: yes
- Waist Diameter: 71-131 cm | 27" - 52"; Thigh Diameter: 40-80 cm | 15.5" - 31.5"
- CE Certified
- Certifications: EN 361EN 358EN 813EN 1497EN 1498EN 12277ANSI Z133-2017

SKU	SIZE	PRODUCT
880360232190	S-XL	TreeCore
880730000170	-	TreeCore Replacement Bridge

EDELRID



1D

REPLACEMENT
BRIDGE



Edelrid Core Top Harness

The **Core Top** is a very comfortable chest harness which can be added to the **TreeCore harness** to transform it into a full body fall-protection harness (EN 361) to provide the required safety and stability for work at height.

The **Core Top** is a very comfortable chest harness, becoming a fall arrest harness in accordance with EN 361 when combined with the **TreeCore**.

SPECS + FEATURES

- Padded shoulders straps and aids support of the weight belt when chainsaw is attached
- Can be fitted with a tether to tend hybrid SRT/WP devices
- Two Easy Glider buckles – easily adjusted for different-sized operators/climbers

SKU	COLOR	PRODUCT
880410230170	Night	TreeCore Top

EDELRID



880410232190



880410230170

Edelrid TreeRex Harness

The most versatile tree-care harness of all times.

SPECS + FEATURES

- Increase comfort because of Innovative 3D Vent Technology
- Wide, semi-rigid padding
- Bridge lateral fasteners can be adjusted with ease to change the sit or hang position.
- Number gear attachment possibilities
- 4 large gear loops
- Device for suspending a chainsaw
- TreeRex comes to you ready to work.
- Color coded rope bridges
- An adjustable rope bridge is supplied in the lateral eyelets with aluminum connecting ring
- Great safety features: Bridges red core wear indicator tracers and Integrated RFID chip
- Optional SRT BRIDGE specifically designed to work safely and comfortably while on single line.
- Weight: 5 lbs

SKU	SIZE	PRODUCT
887020152190	1 S-M	TreeRex
887020142190	2 L-XL	TreeRex

3 BRIDGE OPTIONS;
LIGHTWEIGHT BUT
LOTS OF SUPPORT!



TREEREX TRIPLE LOCK

Versatile Tree Climbing Harness

Up to 3 rope bridge configurations and optional removeable SRT bridge for working on Stationary Rope Systems

3D Vent Technology for unbeatable fit, comfort and breathability

Triple Lock buckles on waist belt and leg loops allow it to be easily put on and taken off

Multiple gear loops and 2 attachment points designed specifically to accommodate screw on tool holders

Compatible with bosun's chair and ANSI Z133-2017 certification

Scan & Learn



CREATIVE TECHNOLOGY.





New Tribe ONYX ROPE BRIDGE Arborist Saddle

ONYX is the black beauty of professional tree saddles. It is made to move with ease anywhere your rope can take you. It is structure, not bulky padding, that delivers the superior comfort that **New Tribe** saddles are famous for. **ONYX** is compact yet clever, fitted with rings, loops and slots for the tools of the trade. The triangle leg pad offers a totally different fit than most harnesses; the design alleviates pressure on your sciatica nerve and reduces strain around your back and kidneys because more of your weight is support between your legs and the waist belt. And it's versatile, you can swap out the rope bridge for a Webbing Bridge Conversion Kit (sold separately).

SPECS + FEATURES

- Adjustable belt size and leg loop size – structured belt pad and leg pads for surprising comfort with lowest weight and bulk
- Bridge is replaceable, kit includes: 2 - SMC aluminum rigging plates and 4' - Yale Bandit 11mm
- 4 gear loops and 1 large gear loop at back (removable)
- 4 tool slots, 2 large tool loops
- 4 carabiner loops
- 1 rear rescue loop
- 3 aluminum rings and 2 accessory rings for optional suspenders
- Size 1 – Waist 26-37"; Rings 26"; Legs 25-37"
- Size 2 – Waist 33-46"; Rings 29"; Legs 25-42"
- Weight: 4 lbs 13 oz

SKU	SIZE	PRODUCT
19210	1	ONYX Rope Bridge
19410	2	ONYX Rope Bridge
29110	-	ONYX Replacement Bridge kit



ADJUST LENGTH TO YOUR PREFERENCE



New Tribe Harness Optional Leg Pads

SPECS + FEATURES

- Contoured to match the shape of the fabric leg panels.
- Made to attach to the inside of the leg pad with Velcro attachment
- Alleviates the fabric from collapsing around your thigh
- Offered as add on because some people want less weight

SKU	SIZE	PRODUCT
29112	-	ONYX Leg Pads

ADD COMFORT & SUPPORT FOR YOUR LEGS STRAPS FOR YOUR ONYX



New Tribe Pro Suspender

This is a single **suspender** for use with **New Tribe's** professional saddles. Worn across your chest like a bandoleer, this suspender will stay on your shoulder. It's so close-fitting it never gets in your way.

SPECS + FEATURES

- The strap length can be adjusted at both ends, so you can position the shoulder pad where you want it and it will stay there.
- One is enough if you hang heavy gear like your chainsaw on only one side of your belt.
- Two suspenders work together, one over each shoulder, when you want comfortable support for both sides of the belt.
- Weight: 4 oz.

SKU	COLOR	PRODUCT
29100	Black	Pro Suspender



TreeHog TH5000 Razorback Leg Harness



The **TreeHog TH5000 Razorback** is a comfortable and robust tree climbing harness at an affordable price. The length of the webbing attaching the bridge to the harness can be altered to adjust center of gravity, and different length bridges are also available for further customization. With a variety of gear loops and tool attachment points, the **TH5000** harness has everything that you need in an arborist harness.

SPECS + FEATURES

- Individual leg loops and comes equipped with quick release leg and waist buckles
- Wide back pad
- 2 side attachment points for flip line (or lanyard)
- Webbing bridge
- Complies with EN358 & EN813.
- Waist size: S: 66-7 cm (26" - 30"); M/L: 76-96 cm (30" - 38"); XL/XXL: >96 cm (38"+) (Call to special order)



SKU	SIZE	PRODUCT
AB324700 (TH5000)	S	TH5000 Razorback Leg Harness
AB324701 (TH5000)	M-L	TH5000 Razorback Leg Harness

TreeHog TH7000 Razorback Batten Seat Harness



The **TreeHog TH7000 Razorback Batten Seat Harness** is a tree climbing sit harness with a fixed swinging seat (i.e. not separate leg loops). The seat is reinforced to ensure comfort for long days in the tree.

SPECS + FEATURES

- Quick release waist and leg buckles
- Double sliding rings on replaceable/adjustable bridge
- 2 side attachment points for flip line
- 3 large gear loops
- Extra attachment points for tool holders
- Individually serial numbered for inspection/tracking
- Complies with EN358 & EN813:2008
- Waist size: S: 66-7 cm (26" - 30"); M/L: 76-96 cm (30" - 38"); XL/XXL: >96 cm (38"+) (Call to special order)



SKU	SIZE	PRODUCT
AB324703 (TH7000)	S	TH7000 Razorback Batten Seat Harness
AB324704 (TH7000)	M-L	TH7000 Razorback Batten Seat Harness

New Tribe Twist - Kids Harness



At first glance this looks harness looks like the **New Tribe's** Basic Harness that has been a signature design for almost thirty years. It has all the same benefits as the old Basic and more.

SPECS + FEATURES

- So, what's the twist? The ease of size adjustability from waist size 19" to 32"
- Hefty pads on belt and leg loops
- Special features for carrying gear such as additional climbing tools, water bottle, snack, gloves, or camera: 1 snap hook, 2 carabiner loops, 1 aluminum accessory ring, 2 slots on the belt for gear bags and carabiners
- Made with wide 1-3/4" nylon parachute webbing rated at 6,000 lbs
- Tie-in point bright red
- Steel adjuster buckles
- Adjustable leg loops fit small to large
- Turned back ends keep webbing from slipping out of the buckles accidentally



SKU	SIZE	PRODUCT
28000	19" to 32"	Twist - Kids Harness

accessories

ISC Anchor Aluminum Rings



SPECS + FEATURES

- Lightweight but strong
- Small & Large MBS: 25 kN | 5620 lbs
- Large Ring OD: 2.65", ID: 1.8"; Small Ring ID: 1.1"; Stock diameter: 12mm

SKU	ATTRIBUTE	PRODUCT
RIN0010A	SM	ISC Alum Ring
RIN0011A	LG	ISC Alum Ring



RINGS ARE GREAT FOR HARNESS
BRIDGE CONNECTORS; OR TO ADD
TO YOUR SPLICING PROJECTS


ISC Steel Ring



SPECS + FEATURES

- Small Steel Ring Diameter: Internal 27mm (1 1/8"); Outside 51mm (2")
- Large Steel Ring Diameter: Internal 45mm (1 3/4"); Outside 70mm (2 3/4")
- MBS: 70kN (15736 lbf)

SKU	ATTRIBUTE	PRODUCT
RIN0012A	SM	ISC Steel Ring
RIN0013A	LG	ISC Steel Ring



FOR ADDITIONAL RIGGING RINGS, VISIT PAGE 227

DMM Anchor Rings



Perfect for lifelines, rescue, stretcher management, tree care, etc. Rings connect beautifully with DMM Revolver Locksafe connectors to create a swinging captive eye.

SPECS + FEATURES

- CNC machined from top grade alloy for strength, durability and lightness
- Surface finish facilitates smooth rope operation
- Individually marked for traceability
- CE Certified to EN795(b):1996 (Transportable temporary anchor devices)
- Anodized to BS EN ISO 7599:2010 class 10 E1 sealed for corrosion protection
- Strength: 30 kN; SWL: 6 kN
- Size: 26 mm - Weight: 39 g Size: 28 mm - Weight: 42 g
- Size: 34 mm - Weight: 49 g Size: 40 mm - Weight: 51 g

SKU	ATTRIBUTE	PRODUCT
R500-26	26 mm	DMM Anchor Rings
R500-28	28 mm	DMM Anchor Rings
R500-34	34 mm	DMM Anchor Rings
R500-40	40 mm	DMM Anchor Rings



Bourdon Forge Steel Cable Ring



Great for hub and spoke cabling systems, as well as rigging applications. Also used as friction saver rings to allow for large eye passage or two attached lines.

SPECS + FEATURES

- Hot Forged Alloy Steel, Zinc Plated, Thermal Treated
- Ultimate Load: 150 kN (33,750 lbs.)
- Approximate weight: 10 oz.

SKU	ATTRIBUTE	PRODUCT
20041G	LARGE	Steel Cable Ring



harness accessories

HARNESSES / ACCESSORIES / SRS CHEST HARNESSES

Weaver SRT Chest Harness with Daisy Chain



SPECS + FEATURES

- Designed to help advance your SRT climbing system as you ascend, this effective chest harness has multiple hook-in loops and an adjustable fit.
- SRT tending harness constructed with 1" nylon webbing
- Four front loops allow you to hook in at various heights
- Works great as an attachment point for the HAAS and most SRT climbing systems
- Durable stainless steel ring for dependability
- Both sides adjust for a perfect fit
- Right-side, quick-release buckle for easy on and off
- Fits up to a 50" chest circumference
- Note: Not for primary life support

SKU	ATTRIBUTE	PRODUCT
08650-00		SRT Chest Harness with Daisy Chain



Weaver SRT Chest Box

Weaver's SRT Chest Box is comfortable and affordable.



SPECS + FEATURES

- Lightweight and adjustable, this chest box offers an unencumbering design.
- Constructed from 1" poly and elastic webbing
- Has 1" beveled non-rust stainless center steel D
- Black plastic loop with a quick-release buckle.
- Features 21" shoulder straps and a waist that adjusts from 33"-52"
- Great for SRT and for aerial rescue scenarios"

SKU	ATTRIBUTE	PRODUCT
0898106		SRT Chest Box



4SRT Chester Harness

The 4SRT Chester Harness has been designed specifically to aid climbing SRT. The harness offers a great balance of effectiveness and comfort. It will work with the newest SRT and hybrid work positioning devices. This is a minimal, lightweight chest harness with seven webbing loops to tend your climbing device. The DMM XSRE carabiner is recommended but not included.



SPECS + FEATURES

- 7 webbing loop center connector points
- 1 center ring attachment
- Comfortable for both men and women
- Standard: 36 - 46 inch chest; Large: 46 - 52 inch chest (available by special order)

SKU	ATTRIBUTE	PRODUCT
4SRT-CH-S	Standard	Chester Harness



SO COMFORTABLE, YOU'LL FORGET YOU'RE WEARING IT!

Carabiner not included

Edelrid TreeRex Bungee Chest Harness



Size-adjustable chest harness for comfortable ascent.

SPECS + FEATURES

- 3D mesh padding for maximum comfort and improved breathability
- Various attachment loops to secure a guided-type fall arrester
- Adjustable bungee cord for hauling a knee ascender
- Can be directly connected to the waist belt of the TreeRex tree-climbing harness

SKU	ATTRIBUTE	PRODUCT
887120012190		TreeRex Bungee Chest Harness



Edelrid Agent Chest Harness



Edelrid's Chest Harness improves on a basic figure eight design.

SPECS + FEATURES

- Figure 8 design
- Fully adjustable
- Adds vertical stability with a harness
- Breathable mesh offers excellent ventilation
- Weight: 200 g | 0.44 lbs
- Sliding closure
- Sizing: Small = chest up to 60" Large = chest up to 80"

SKU	ATTRIBUTE	PRODUCT
716160050170	Small	Agent Chest Harness
716160070170	Large	Agent Chest Harness



Melissa LaVangie, Certified Arborist, MA

harness accessories

HARNESSES / ACCESSORIES

Weaver Chainsaw Bungee Lanyard

Bungee design easily stretches when you're using saw and retracts when hanging close to your saddle or belt. Not intended for breakaway.

SPECS + FEATURES

- 1-3/16" Nylon webbing; double box-stitched with 1" elastic. Heat-sealed ends help prevent fraying
- Easily attaches to harness rings or snaps
- A half twist in the loop end helps keep equipment hanging straight
- Welded 2" nickel plated rings
- Length: 30" at rest and 45-1/2" long when fully extended
- Non-rust manganese bronze 225 snap is 4-1/4" long.

SKU	ATTRIBUTE	PRODUCT
0898225	snap/ring	Weaver Chainsaw Bungee Lanyard
0898226	ring/ring	Chainsaw Bungee Lanyard




Weaver Chainsaw Strap with Snap/Ring

Nylon straps with a half twist help keep equipment hanging straight

SPECS + FEATURES

- Constructed of 1" wide double box-stitched nylon webbing with heat-sealed ends to prevent fraying.
- Snap: 15" length; 13" length (includes hardware)
- Non-rust manganese bronze 225 snaps are 4-1/4" long
- Welded nickel plated rings are 2" in diameter

SKU	ATTRIBUTE	PRODUCT
0898211	snap	Chainsaw Strap With Snap
0898213	ring	Weaver Chainsaw Loop With Ring



BUCK Tear Away Bungee Chainsaw Lanyard

BUCK's Tear Away Bungee Chainsaw Lanyard features a built-in bungee designed for a safety and convenience. It is constructed with a tear away safety pack that activates when 200 lbs. of force is applied. This feature eliminates the possibility of the user being pulled out of a tree if the saw gets hung up on a falling limb.

SPECS + FEATURES

- 1-3/4" ring to store when not in use
- Elastic bungee designed for safety and convenience
- Bungee extends to 48"
- Not to be used with saws exceeding 15 lbs. in weight

SKU	ATTRIBUTE	PRODUCT
25Y13-48A	Hi-vis Green	Chainsaw Bungee Lanyard



US Rigging Breakaway Chainsaw Lanyard

SPECS + FEATURES

- 42" in length, 5" loop and brass swivel snap
- Breakaway design
- Constructed from kernmantle rope

SKU	ATTRIBUTE	PRODUCT
LYB-08Y-42	42"	Breakaway Chainsaw Lanyard



Teufelberger antiSHOCK Chainsaw Lanyard

The **antiSHOCK Tool Lanyard** is a versatile lanyard for various tree care tools.



SPECS + FEATURES

- In the event that more than 220-240 daN act on the lanyard, the tear webbing will be activated reducing the force that acts on the harness, the fall protection system, and the anchor point to 150-180 daN.
- The webbing is torn open until the impact force has been absorbed.
- Elastic webbing is exceptionally abrasion resistant.

SKU	ATTRIBUTE	PRODUCT
7350845		Lanyard antiSHOCK Chainsaw



Edelrid Mini Tool Lanyard

The **Edelrid Mini Tool** is a safety leash for securing tools.



SPECS + FEATURES

- 10 mm wide webbing with large girth hitch loop on the tool end has a drawstring stopper for versatility and the other end is terminated by an integrated carabiner for attaching to your harness
- Lightweight, compact
- MBS: 20 kg | 44 lbs

SKU	ATTRIBUTE	PRODUCT
814711350170	4.5'	Mini Tool Lanyard



Weaver Web Loop Runner



SPECS + FEATURES

- These lightweight loop runners are as strong and durable as rope.
- Circular construction distributes wear more evenly
- Use for medium-duty speed line chokers, line redirections, miniature false crotch support systems, a limb handle or providing a footstep where none exists.
- MBS: 6500 lbs
- Ultimate Breaking Strength: 7100 lbs

SKU	ATTRIBUTE	PRODUCT
0898230PU	Purple	12" Web Loop Runner
0898231BL	Blue	24" Web Loop Runner
0898232OY	Yellow	30" Web Loop Runner
0898233BO	Orange	36" Web Loop Runner
0898234RD	Red	48" Web Loop Runner



SO MANY USES AND RATED FOR LIFE SUPPORT!

CMI Heavy Duty Loop Runner

These are, quite simply, the strongest runners available today.



SPECS + FEATURES

- A heavy duty twist to our ever popular regular sewn runners.
- Continuous loops of 1" heavy duty webbing.
- MBS: 14,000 lbs

SKU	ATTRIBUTE	PRODUCT
AAS48HD	48"	Heavy Duty Web Loop Runner



CMI Web Loop Runner

SPECS + FEATURES

- CMI strong 1" tubular webbing runners are know for their bar-tacks.
- Great quality, great price
- Continuous 1" webbing loop
- Strength: 6000lbs



SKU	ATTRIBUTE	PRODUCT
AAS60ORANGE	60"	Web Loop Runner



AVAILABLE IN ADDITIONAL COLORS

harness accessories

HARNESSES / ACCESSORIES

Edelrid SM Clip 3R

Large gear carabiner for clear storage and organization of ice screws and other climbing equipment on the harness. Increase your carrying and equipment storage options.

SPECS + FEATURES

- Suitable for all climbing harnesses
- Made from recycled rope material
- Weight: 44 g

SKU	ATTRIBUTE	PRODUCT
744150000170	Large	SM Clip 3R

EDELRID 



Rock Exotica transPORTER Tool Carrier

The **transPORTER** is designed as a harness "tool-holder" made for ease of use and security. The gate is equipped with a manual locking mechanism and "wing" design. Unique "wings" on the gate allow the user to single-handedly retrieve and sort gear, even with gloves on. The **transPORTER** semi-permanently attaches to the harness, secured by an aluminum plate with removable screws. Machined from solid aerospace grade aluminum.

SPECS + FEATURES

- Wide, flat base keeps the transPORTER upright & secure
- Shelf provides area to stack and sort gear
- Winged gate for easier access with gloves
- Manual locking gate
- Installs on a wide range of harnesses, and thickness of webbing
- Includes 2 sets of screws to accommodate different thickness of webbing

SKU	ATTRIBUTE	PRODUCT
C5M		transPORTER Tool Carrier

rock exotica



DMM Vault Tool Holder

DMM's Vault for gear storage and organization on harnesses, kit bags or in vehicles.

SPECS + FEATURES

- Made of two part aluminum alloy, to maximize torsional rigidity
- Available with: wiregate or locking gate.
- Locking gate prevents accidental openings and provides greater security with the option to select between open and manually locked.
- One handed operation for ease of use
- Low nose profile minimizes mid-move branch grabs
- Weight Wire: 63 g
- Weight Locking: 79 g
- Locking version: 2 positions: unlocked or locked
- Max webbing size: 45 x 3 mm
- WLL: 3 kN

SKU	ATTRIBUTE	PRODUCT
A552	Locking	Vault Tool Holder
A558	Wire Gate	Vault Tool Holder

DMM





CMI Shembiner Chainsaw Clips

The **Shem** is a high grade, lightweight, aluminum hook engineered to hold your chainsaw close to your harness. Created by arborist, Shem Kendrick to address the ergonomic repetitive motion of the on/off to your harness... now easier.

The newer XL **Shembiner** is a bit bigger and with a great additional feature of an added hole at the base so you can attach a chainsaw lanyard directly to the **Shembiner** XL, or to carry more gear.

SPECS + FEATURES

- Easy stowing of your chainsaw without clips or gates
- Invert without loosening your saw
- Light weight, high strength
- No gates to fiddle with

SKU	ATTRIBUTE	PRODUCT
SHEMBINER REG	Regular	Shembiner Chainsaw Clip
SHEMBINER XL	XL	Shembiner Chainsaw Clip



CAMP Kilo Gear Carabiner – New!



Meet the lightweight and sleek **Kilo**. Featuring a proprietary design that makes it robust, stable and easy to use. Two-part aluminum alloy body connects with two stainless steel Torx TH20 screws making installation quick and simple.

SPECS + FEATURES

- Stainless steel wire gate is shaped for smooth action
- Low profile to prevent entanglement and accidental opening
- Fits harnesses onto webbing (up to 45 mm thick)
- Included: Torx TH20 allen wrench
- Weight: 1.9 oz
- WLL: 20 kg | 44 lbs
- MBS: 150 kg | 330 lbs

SKU	ATTRIBUTE	PRODUCT
012728		Kilo Gear Carabiner

SUPER LIGHTWEIGHT



DMM Captain Hook Kit



DMM Captain Hook Kit comes with 15M of 10 mm Sirius Reepshnur, an XSRE carabiner and **DMM Bag**. The **Captain** is a self-orientating, high strength throwing hook that is used as a positioning aid. It has been designed to increase stability and create work positioning options during complex jobs.

SPECS + FEATURES

- The shackle reduces torsional friction and allows the hook to pivot onto any anchor to achieve reliable location.
- Captain allows you to use remote anchors up to 90 mm in diameter to traverse the workspace in a controlled manner.
- Once the anchor has been located, DMM's high quality engineering ensures the Captain achieves a rated strength of 18 kN (dependent on anchor quality).
- Clever design allows the device to be efficiently racked when the job is done to minimize chances of snagging.
- MBS: 18 kN
- Dimensions: 310 x 150 x 190 mm
- Weight: 1771 g

SKU	ATTRIBUTE	PRODUCT
TH100-KIT	Red & Black	Captain Hook Kit
TH100	Red	Captain Hook



harness accessories

HARNESSES / ACCESSORIES

CAMP Gyro Multi-Anchor Swivel

CAMP

A compact and extremely versatile rigging system featuring CAMP's proprietary triple swivel design.

SPECS + FEATURES

- Rotates at all three connection points
- Allows for countless possibilities of connection between different elements that need freedom of movement. (Hole diameter: 3 x 16 mm)
- Prevents the accumulation of dirt and makes inspection easy.
- Main structure is carbon steel with a double corrosion preventive coating.
- Stainless steel swivel balls and attachment points also includes 3 removable silicon anti-rotation inserts.
- Weight: 155 g | 5.5 oz.
- WLL: 3 kN | 374 lbs
- MBS: 26 kN | 5845 lbs
- Certs: ANSI Z359.12

SKU	ATTRIBUTE	PRODUCT
2940		Gyro Multi-Anchor Swivel



Singing Tree Milled Quickie



Developed by Kevin Bingham, the inventor of the Rope Wrench and Rope Runner, the Original **Quickie** is a locking steel connection that can be used for nearly everything you would use a carabiner for – and more.

SPECS + FEATURES

- Half the size of standard carabiners
- Makes a great connection for a base anchor or canopy anchor because it experience the side loading problems of a standard carabiner
- The quadruple action slic pin rotates, lowering friction when used to choke a rope
- Major Axis: 30kN; Minor Axis: 15kN
- Dimensions: Length: 2.25"; Width (no slic pin): 1.5"; New Slic Pin Length: 2.5"; Sideplate Width: 0.875

The Quickie pin is not compatible with other Singing Tree devices.

SKU	ATTRIBUTE	PRODUCT
23180-80043		Singing Tree Milled Quickie



Image courtesy of Teufelberger

fall arrest + utility

CAMP FOCUS Full Body ANSI Vest



A streamlined fall arrest harness featuring with an integrated padded vest that wraps around the upper body with dual certification (ANSI + EN). Proprietary ANSI STS automatic buckles on the legs loops and sternal make this harness extremely quick and easy to put on and take off.

SPECS + FEATURES

- Equipped with 2 removable front zip pockets.
- Certified break-away parking loops for lanyards on the shoulders.
- 2 steel attachment points for fall arrest with certified load indicators: 1 sternal and 1 dorsal.
- Two gear loops.
- Weight: 1850 g, 65.3 oz
- Standard(s): EN 361 - ANSI Z359.11
- One size fits all: Waist (80-140 cm); Legs (45-75 cm); Height (50-90 cm)

SKU	SIZE	PRODUCT
2664	UNI	Focus Full Bod Vest ANSI



INCREDIBLY COMFORTABLE. EASY TO ADJUST

CAMP FOCUS Full Body Light ANSI Harness



Basic, lightweight fall arrest harness with dual certification (ANSI + EN). Focus Light ANSI satisfies the strict regulatory needs of workers at height in many parts of the world. Proprietary ANSI STS automatic buckles on the legs loops and sternal make this harness extremely quick and easy to put on and take off.

SPECS + FEATURES

- Certified break-away parking loops for lanyards on the shoulders.
- 2 steel attachment points for fall arrest: 1 dorsal with certified load indicator and 1 sternal (no load indicator).
- Two gear loops
- Weight: 3.14 lbs.
- Standard(s): EN 361 - ANSI Z359.11
- One size fits all: Waist (80-140 cm); Legs (45-75 cm); Height (50-90 cm)

SKU	SIZE	PRODUCT
2663	UNI	Focus Full Body Light ANSI Harness



BUCK Bucket Harness H-Style with Quick Clips

An H-style full body harness with a steel D dorsal attachment and split tongue quick connect buckles with leather chafes on chest and leg straps. Friction buckles are mounted on vertical shoulder strap for height adjustment.

SPECS + FEATURES

- H-style full body harness with steel D dorsal attachment
- Split tongue quick connect buckles with leather chafes on chest and leg straps
- Friction buckles mounted on vertical shoulder strap for height adjustment
- Meets all applicable ANSI, OSHA and/or ASTM standards
- Meets ASTM Electric Arc Performance Requirements

SKU	SIZE	PRODUCT
68D98C600S	S	H-Style w/ Quick Clips
68D98C600M	M	H-Style w/ Quick Clips
68D98C600L	L	H-Style w/ Quick Clips
68D98C600XL	XL	H-Style w/ Quick Clips



fall arrest + utility harnesses

HARNESSES / FALL ARREST + UTILITY HARNESSES

BUCK OSHA Harness-Lanyard Combo

SPECS + FEATURES

- Safety Green Webbing
- H-Style harness
- Interlocking Chest & Leg Buckles to ensure comfort
- Includes 4-1/2' BuckYard Lanyard, a great value add-on.
- Material: Nylon

SPECS

- Universal Size (Fits Medium- X-Large)
- Fall Protection: Class A (Fall Arrest/Fall Restraint)
- Standards: ANSI Z359.11, Z359.13 and ASTM F887-13 for ARC Flash.
- User Weight Capacity: 350 lbs
- Weight: 4.35 lbs

SKU	SIZE	PRODUCT
U64937Q6	M-XL	OSHA Harness-Lanyard Combo



Edelrid Flex Lite Full Body Harness



SPECS + FEATURES

- Fall indicator in the back padding; a red label becomes visible in the window in the back plate following a load of over 6 kN
- All load-bearing straps are equipped with indicator tape; red fibers become visible in the event of damage
- Shoulder padding with RFID pocket, labeling field and attachment option for the wireless device
- Easy Glider buckle on the shoulder straps for easy adjustment, detachable strap keeper for cleanly stowing away the straps
- Detachable leg padding
- 3D mesh with a closed surface structure prevents the adhesion of dirt and chippings and enables good air circulation
- Triple Lock buckles on the legs and hips for extra safety
- Textile fall arrest eyelets 2x type A/2 sternal and 1x A dorsal according to EN 361; remain open under preload and allow a further carabiner to be easily attached
- Standards: CE marking: CE 0123
- Sizes: S-M: 155 - 180 cm LXXL: 175 - 205 cm

SKU	SIZE	PRODUCT
880860292190	S-M	Flex Lite Full Body Harness
880860302190	LXXL	Flex Lite Full Body Harness



Edelrid Fraggie III Kids Full body Harness



SPECS + FEATURES

- Padded full body harness
- Easy to put on and to adjust- stiff construction and fixed leg loops with two Slide Block buckles
- Two large tie-in loops offer enough space for two carabiners clipped in opposite directions (e.g. for top-roping).
- Fraggie is extra special because it can be sized as the little person grows!
- Certs: The Fraggie is fully manufactured in compliance with the strict bluesign® system requirements
- Capacity: 40 kg | 88 lbs
- XXS Waist: 45 - 55 cm Legs: max. 37 cm Weight: 307 g | 10.8 oz
- XS Waist: 50 - 60 cm Legs: max. 48 cm Weight: 271 g | 9.5 oz

SKU	SIZE	PRODUCT
749080033290	XXS	Fraggle III Kids
749080043290	XS	Fraggle III Kids



Kong Sierra Duo Bucket Harness

Kong Sierra Duo Bucket Harness changes the comfort of work positioning and fall arrest when combined with positioning Safety Belt

SPECS + FEATURES

- Lightweight
- Practical and safe
- Economical
- Equipped with three anchor points (sternal, ventral and dorsal)
- Stainless steel buckles and dorsal attachment point
- Equipped with two wide gear loops
- Sizing: M/L - 28-41" XL - 35-51"

SKU	SIZE	PRODUCT
8W0053000KK	M/L	Kong Sierra Duo
8W0055000KK	XL	Kong Sierra Duo

ECONOMICAL,
COMFORTABLE,
SIMPLE DESIGN



Elk River Universal 1-D Harness

SPECS + FEATURES

- Three steel D-rings: 1 positioned in the back of the harness and the other 2 are one positioned at each hip
- Parachute mating buckle on each chest strap
- 42109 - Parachute buckles on each leg strap or 42159 - Tongue buckles on each leg strap
- Shoulder strap adjusters
- Fall indicators
- Lanyard parks
- Constructed from polyester and nylon
- One size fits most (M-2XL)
- Fall Protection: Class A

SKU	PRODUCT
42109	Universal 1 D Harness w/Parachute Leg Buckles
42159	Universal 1 D Harness w/Tongue Leg Buckles



Elk River, Inc.
Personal Fall Protection

Elk River Universal 3-D Harness with Tongue Leg Buckles

SPECS + FEATURES

- Three steel D-rings: 1 positioned in the back of the harness and the other 2 are one positioned at each hip
- Parachute mating buckle on each chest strap
- Tongue buckles on each leg strap
- Mating buckle on chest straps
- Tongue buckles on leg straps
- Shoulder strap adjusters
- Fall indicators
- Constructed from polyester and nylon
- Lanyard parks
- Fall Protection: Class A, Class P
- One size fits most (M-2XL)

SKU	PRODUCT
42359	Universal 3 D Harness w/Tongue Leg Buckles



Elk River, Inc.
Personal Fall Protection

fall arrest lanyards

BUCK BuckYard Stretch™ ANSI

SPECS + FEATURES

- Will expand/stretch to 6' when worked and will retract to 44"
- Same benefits of the standard BuckYard with the addition of an elastic bungee
- 1706 locking snap hook on one end and web loop on the other end

SKU	PRODUCT
84V714.5S1	BuckYard Lanyard ANSI Snap-Loop



BUCK BuckYard Lanyard – Snap to Snap

SPECS + FEATURES

- 1706 locking snap hook on both ends.
- Maximum Elongation: 48"; Maximum Free Fall: 6'
- Average Arresting Force: 900 lbs
- User Weight Capacity: 350 lbs
- Standards: ANSI Z359.13, ASTM F887, CSA Z259.11

SKU	LENGTH	PRODUCT
8W114S1	4'	BuckYard ASTM Snap-Snap Lanyard 4'
8W114.5S1	4.5'	BuckYard ASTM Snap-Snap Lanyard 4.5'
8W115S1	5'	BuckYard ASTM Snap-Snap Lanyard 5'



BUCK BuckYard Stretch Lanyard – Snap to Snap

SPECS + FEATURES

- 1706 locking snap hook on both ends.
- Maximum Elongation: 48"; Maximum Free Fall: 6"
- Average Arresting Force: 900 lbs
- User Weight Capacity: 350 lbs
- Standards: ANSI Z359.13, ASTM F887

SKU	PRODUCT
8W714S1	BuckYard ANSI Lanyard with Snap




Kong EAW I Bucket Lanyard with Tango Snap

SPECS + FEATURES

- Energy absorber 30 mm polyamide elastic sling reduces the impact force. The energy of the fall is absorbed by the tearing of specific webbing.
- Mesh pouch protects from abrasion, allows quick verification of condition
- Double locking, MBS: Long axis 32 kN, short axis 12 kN, open gate 15 kN
- Length: 5'

SKU	ATTRIBUTE	PRODUCT
201SETE05KK	Tango Snap 5'	EAW I Bucket Lanyard with Snap
201E090YOKK	3'	EAW I Bucket Lanyard



5 | climbing



THROW WEIGHTS, LINES, AND KITS.....	128
FRICION MANAGEMENT.....	132
CARABINERS.....	135
SNAPS.....	146
SWIVELS + PULLEYS.....	148
LANYARDS.....	152
PRUSIKS + SPLIT TAILS.....	162
MECHANICALS.....	168
ASCENDERS.....	174
BASAL ANCHORS.....	177
DESCENDERS.....	178
CLIMBERS + SPIKES.....	181

throw weights, lines, and kits

Weaver Throw Bag Cordura

Weaver's aerodynamic **Cordura** throw weights are designed to help increase the range of the throw.

SPECS + FEATURES

- The moving action of the #8 shot that fills these helps prevent the weights from hanging up in tree branches.
- The coated lead shot is contained in a latex pouch.
- A 7/8" nickel plated ring for attachment of a rope or poly pilot line is box-stitched.
- Weight: 10 oz, 12 oz, 14 oz (printed on throw weight)

SKU	ATTRIBUTE	PRODUCT
08-98318-HP	12 oz Pink	Throw Bag Cordura
08-98319-HP	14 oz Pink	Throw Bag Cordura
08-98319-HP	16 oz Pink	Throw Bag Cordura
0898320RD	16 oz Red	Throw Bag Cordura



Weaver Hi-Viz Throw Bag Bullet with Loop

SPECS + FEATURES

- Sleek, aerodynamic design features contrasting colors that are easy to see
- The moving action of the #8 shot that fills these helps prevent the weights from hanging up in tree branches.
- The coated lead shot is contained in a latex pouch for environmental protection.
- A 7/8" nickel plated ring for attachment of a rope or poly pilot line is box-stitched.
- Weights: 8 oz, 10 oz, 12 oz, 14 oz, 16 oz (printed on throw weight)

SKU	ATTRIBUTE	PRODUCT
08-98322-BK/BO	8 oz Orange	Throw Bag Hi-Viz Loop
08-98323-BK/NG	10 oz Green	Throw Bag Hi-Viz Loop
08-98324-BK/YE	12 oz Yellow	Throw Bag Hi-Viz Loop
08-98322-BK/HP	8 oz Pink	Throw Bag Hi-Viz Loop
08-98323-BK/HP	10 oz Pink	Throw Bag Hi-Viz Loop
08-98324-BK/HP	12 oz Pink	Throw Bag Hi-Viz Loop
08-98325-BK/HP	14 oz Pink	Throw Bag Hi-Viz Loop
08-98320-HP	16 oz Pink	Throw Bag Hi-Viz Loop



Jameson Throw Bag

High visibility color canvas bag with metal ring for line attachment. Attach **Jameson** throw line to **throw bag** to launch over tree limbs with Tru Shot Launcher.

SPECS + FEATURES

- Metal ring makes a quick assembly process for connecting to throw line
- Great visibility
- Flies smooth and pairs with TruShot Launcher
- Weight: 14 oz.

SKU	ATTRIBUTE	PRODUCT
TB-14	14 oz Green	Throw Bag





Wuerfsackchen European Throwbag

For those climbers who have been around a while this "little bag" will remind you a lot of the Harrison Rockets. Small, light, strong and sexy.

SPECS + FEATURES

- Lightweight and flies smooth
- Loop on bottom to attach climbing line
- Weight: 250 g | 8.8 oz

SKU	ATTRIBUTE	PRODUCT
THROWBAG	250 g Orange	Throwbag



TWO RINGS AT THE TOP TO QUICKLY CONNECT THROWLINE.

Teufelberger dynaGLIDE Throwline



Throwline of pure Dyneema **dynaGLIDE** from **TEUFELBERGER** is a coated throwline that, due to its neon colors, is easily visible in trees. **dynaGLIDE** with a coating which ensures very little elongation and better gliding characteristics on bark.

SPECS + FEATURES

- Soft hand
- Very high strong, polyurethane coating for better abrasion resistance
- Smooth surface gliding readily over rough bark
- MBF: 380 daN | 800 lbs
- Diameter: 1.8 mm | 1/14"
- Weight: 0.16 lbs per 100' | 2.4 g per meter
- Lengths: 45 m, 60 m
- 12-Strand hollow braid with a UHMPE cover

SKU	ATTRIBUTE	PRODUCT
15270200150	150' Green	dynaGLIDE Throwline
C1527-02-00200	200' Green	dynaGLIDE Throwline
15250200200 DYNAGLIDE	200' Orange	dynaGLIDE Throwline



EASILY SPICED WITH A MICRO FID!



Samson Zing-It

Zing-It! is a great throwline, tried and true.

SPECS + FEATURES

- High strength but lightweight with a low stretch
- Long wear, samthane coating
- Great knot-holding capability
- Fiber: Dyneema
- Spliceable: Yes
- Length: 180' prepackaged

SKU	ATTRIBUTE	PRODUCT
811017101850	180' of 1.75 mm	Zing-It Throwline
811022101850	180' of 2.2 mm	Zing-It Throwline



COMES IN TWO DIAMETERS

Weaver Slick Line 1/8"



Weaver's Polyethelen Slick Line is conveniently packaged in a bag. Great economical throwline for beginners or those on a tight budget.

SPECS + FEATURES

- Lightweight design is ideal for positioning other ropes.
- 1/8" Yellow Slick Line with an 8 carrier diamond braid polyethylene cover over a parallel polyethylene core.
- Comes with a 12 oz Orange Cordura Throwball
- MBS: 190 lbs

SKU	ATTRIBUTE	PRODUCT
08-98327-80	12 oz 150'	Slick Line 1/8" and 12 oz Orange Throwball
08-98025-150	150'	Slick Line 1/8" - Line Only



throw weights, lines, and kits

CLIMBING / THROW WEIGHTS, LINES, AND KITS

Yale Long Shot 1.8 mm

Meet **Yale's** throw line which is made of Ultra High Molecular Weight Polyethylene (UHMWPE) fiber.



SPECS + FEATURES

- Coated with Maxijacket for toughness and anti-snagging
- Solid-braid structure, creating a firmer, rounder construction
- Creating less friction on the surface area of the branch to line.

SKU	ATTRIBUTE	PRODUCT
91005ZMC000200	200'	Long Shot

All Gear Bulls Eye Throwline 2.5 mm

All Gear's Bulls Eye Throwline is made with Polyethylene and Dyneema to combine for added strength and a slick design.



SPECS + FEATURES

- Rot-resistant line has good memory for recoiling
- This high visibility throwline glides easily in the hands
- ABS: 450 lbs

SKU	ATTRIBUTE	PRODUCT
AGDPTL25180	180'	Bulls Eye Throwline 2.5 mm - Green
AGDPTL251000	1000'	Bulls Eye Throwline 2.5 mm - Green

All Gear Target Throwline 1/8"

All Gear's Target throwline is made to be extremely slick and strong. It has a striped pattern for visibility and is braided firmly to avoid snagging and abrasion.



SPECS + FEATURES

- Rot-resistant line has good memory for recoiling
- Color: Neon orange/yellow
- ABS: 250 lbs

SKU	ATTRIBUTE	PRODUCT
AGPTL18200-TARGET	200'	Target Throwline
AGPTL181000-TARGET	1000'	Target Throwline

All Gear Jet Set Throwline 1.75 mm

SPECS + FEATURES

- 100% Pre-stretched HMPE® Throw Line in Safety Orange - Hi Visibility
- Strong and long lasting
- Premium Husky Coating to enhance the glide and increase the abrasion resistance even further.
- Construction: 12-strand braid
- Diameter: 1.75mm
- MBS: 450 lbs



SKU	ATTRIBUTE	PRODUCT
AGTL1751000	1000'	Jet Set Throwline

Jameson Big Shot - Thowball Launcher

Designed to help launch your throwbag and throwline easier and further. Great in tight urban spaces where you can't move back from the tree or desired tie-in point.

SPECS + FEATURES

- Longer lengthened straps sewn just above the finger hold, new launch pad grips the projectile firmly until released by hand or trigger.
- Position the pole at any angle (even upside down!) without the projectile falling.
- Reinforced elastic connection points where tube meets pouch.
- Includes head, sling and pouch.
- Compatible with Jameson poles: 4', 6', 8'

SKU	PRODUCT
BS1	Big Shot -Thowball Launcher
BS-1RP	Big Shot Thowball Launcher Tube/Pouch Replacement



NOTCH Big Shot Trigger



The **Big Shot Trigger** attaches securely to any 1.25" diameter pole to increase your accuracy & ease of use.

SPECS + FEATURES

- Easy to install, just place it on your favorite pole and clamp it down.
- Add your throwball in the the pouch & pull down; secure the finger hold on the latch. Locate your ideal branch, lift the safety, stand clear and await your return audible & pull the trigger!
- 80+ feet, no problem... you got this!

SKU	ATTRIBUTE	PRODUCT
50011		Big Shot Trigger



DTX Shoulder Shot Gun



Powered by air with a bicycle pump! The **Shoulder Shot** is an awesome tool. Used by many industries when folks don't have the opportunity to get great at throwline.

SPECS + FEATURES

- This launcher is air propelled by a bicycle pump, yep that easy.
- The launcher can reach vertical heights above 100' while using a lightweight throwbag with accuracy.
- Made of solid stainless steel and all non corrosive material.
- Best used with 10 oz or 12 oz throwbags.

SKU	ATTRIBUTE	PRODUCT
0619175671528		Shoulder Shot Gun

THIS AIR-PROPELLED LAUNCHER CAN REACH HEIGHTS ABOVE 80' WITH ACCURACY!



friction management

Teufelberger flmbISAVER

The **flmbISAVER** from Teufelberger is a cambium saver provided with steel thimbles. The perfect tool for tree care operations in canopies. The **flmbISAVER** is robust and durable and impresses with its high breaking load.

SPECS + FEATURES

- 2 stainless steel thimbles [flmb] ensure that the climbing rope will move smoothly during work in the canopy.
- Friction values are only slightly higher than those with the pulleySAVER.
- 10 cm long and tapering longitudinal seam makes retrieving this saver easy.
- Easy to install from the ground, it closes the gap between the multiSAVER and the pulleySAVER.
- Diameter: 15 mm (11/32")
- MBS: 4,000 daN (8,990 lbs)
- Replaceable parts: Ocean Polyester Loop, Retrievable Cone L
- Standards: EN 795B:1996, EN 795B:2012, ANSI Z133-2012"

SKU	ATTRIBUTE	PRODUCT
008374	1.25M	flmbISAVER
008375	2M	flmbISAVER



Teufelberger pulleySAVER

The **pulleySAVER** from Teufelberger and TreeMagineers epitomizes the evolution of the friction saver.

The **pulleySAVER** can be used as anchor point on a tree and can configured four different ways: As swinging element in a double leg configuration, As choke hitch, Wound around in a double leg configuration, or Narrowed in a double leg configuration.

SPECS + FEATURES

- Climbing rope moves extremely easily on the Pinto pulley.
- Resilient eye allows the retrieval of the pulleySAVER.
- Eye will return into its original position even after a thousand cycles.
- Teufelberger's patented slaiice

SKU	ATTRIBUTE	PRODUCT
7350820	1.25M	pulleySAVER
7350835	2.5M	pulleySAVER



7350820



7350835

ART RopeGuide TwinLine Friction Saver

The **RopeGuide TwinLine** can be used in two ways. As a friction saver rope guide style anchor on a short, spliced eye sling (the Gravity Lab Sling with a sprung eye is ideal), or a long rope (10 to 12 mm diameter) in any suitable length with no need for end terminations.

SPECS + FEATURES

- Mobile anchor point – easy re-tightening of the rope when changing the anchor point by the auxiliary roller Ally (no PSA)
- Integrated ZipAbsorber (absorbing systems)
- Installation and removal of the long-rope system from the ground
- Constructed aluminum body and attachments made from the solid in the machining process
- Infinitely variable length
- Trapeze 4 shackles
- Minimum Breaking load: 18 kN
- Max service life: 10 years for all metallic and 5 years for all textile components
- According to EN 795 B (temporary stop means), CEN / TS 16415: 2013 (use with two people at the same time) and according to EN 355: 2002 (shock absorber) certified.
- Does not include ART Splice Anchor

SKU	ATTRIBUTE	PRODUCT
39799		RopeGuide Twinline



BUCK ArborMaster Friction Savers

ArborMaster Friction Savers [patented] allow for easy installation and retrieval.

SPECS + FEATURES

- Less bend radius and Less friction (easier to climb)
- Reduced wear to a rope
- Can be used as a false crotch
- Rated for human support only
- Color coded for easy retrieval: Green = go (small ring), Red = no (large ring)
- Model 57 anodized aluminum ring friction saver
- Model 57S steel ring friction saver

SKU	ATTRIBUTE	PRODUCT
5724	24"	Aluminum Friction Saver
5736	36"	Aluminum Friction Saver
5748	48"	Aluminum Friction Saver
5760	60"	Aluminum Friction Saver
5772	72"	Aluminum Friction Saver
57S24	24"	Steel Friction Saver
57S36	36"	Steel Friction Saver
57S48	48"	Steel Friction Saver



ALUMINUM OR STEEL RINGS

CAMP Herbol Friction Saver

SPECS + FEATURES

- Soft anchor system designed to create anchor points from tree branches or around horizontal man-made structures
- Strap has been designed to hold up to the rigors of tree work and protect the tree
- Color-coded anodized end rings that are different sizes to help with installation and removal from the ground when used with a length of cord and the Herbol Retrieval Ball (included)
- MBS: Webbing 22 kN; Large orange ring 30 kN; Small red ring 22 kN
- Made in Italy

SKU	ATTRIBUTE	PRODUCT
214001	90 cm	Herbol Friction Saver
214002	120 cm	Herbol Friction Saver
2141		Herbol Retrieval Ball Replacement



friction management

CLIMBING / FRICTION MANAGEMENT

Kong TreeFork Friction Saver

The **TreeFork Friction Saver** provides two differently sized and colored rings, designed to make installation and retrieval from the ground easier.

SPECS + FEATURES

- Rope friction saver allows for easier rope movement
- Breaking strength: 25 kN
- Length: 48" | 140 cm
- Webbing width: 25 cm
- Certifications: CE EN 795 / B, EN 354 and EN 566

SKU	ATTRIBUTE	PRODUCT
210A140NOKK		TreeFork Friction Saver



DMM Retrieval Cones

Conical leading edge guides cone through anchor components reliably and with little resistance, then locates in retrieval element. Max diameter tailored to a selection of common tree care anchor components/assemblies.

SPECS + FEATURES

- High performance polymer - impact resistance, UV tolerance, high dimensional accuracy combine to ensure reliable performance over extended lifespan
- Color coded - Cone S = Yellow | OD 20.5 mm; Cone L = Red | OD 22.3 mm

SKU	ATTRIBUTE	PRODUCT
AR2950C	Yellow	Small - Retrieval Cones
AR2960C	Red	Large - Retrieval Cones



Weaver Leather Friction Saver

Weaver's Leather Rope and cambium saver is a dependable and easy way to protect your climbing rope and tree bark from damage. Also known as the "Shoe" or horseshoe.

SPECS + FEATURES

- Leather is formed, sewn and riveted into a tube shape
- Easy to install and remove - simply tie a slip knot below the side you are pulling up, once over the limb hold one line tight as you pull down on the knotted side.
- Keep this device installed on rope so it's ready every time the rope is used.
- Accommodates lines: 1/2" - 9/16" or 11 - 13 mm.
- Minimum diameter: 5"

SKU	ATTRIBUTE	PRODUCT
08-98400		Weaver Leather Friction Saver



Dan House Rope Sleeve Friction Savers

Also commonly known as the "Anaconda" this simple electrical conduit is a rope friction saver and oh so much more.

SPECS + FEATURES

- Protects your rope and the bark of trees against wear of DdRt
- Provides barrier against water, condensation, snow, ice, slim and more
- Simple to install and remove
- Economical and long lasting
- 13859/13860 Diameter: for ropes of 1/2" and under
- 13861/13862 Diameter: for ropes of 3/4" and under

SKU	ATTRIBUTE	PRODUCT
007796	18"	Rope Sleeve 1/2"
008591	30"	Rope Sleeve 1/2"
008592	30"	Rope Sleeve 3/4"
008593	60"	Rope Sleeve 3/4"



carabiners

Rock Exotica Pirate Auto-Lock (Aluminum)

As an HMS, pear-shaped carabiner, the **Pirate** easily accommodates the use of a wide range of gear, webbing or ropes – either as a belay biner at the harness, or as a connector in a system. The **Pirate's** robust 0.5" diameter round frame will endure abuse from dirty ropes and metal connectors far beyond stamped carabiners with thin edges. It's durability matched with **Rock Exotica's** build quality ensures an impressive service life for the working professional or recreational enthusiast.

FEATURES

- The 3-stage Auto-Locking carabiner features a pull-down and twist action – a motion that's more intuitive and natural for your hand.
- Rock Exotica's WireEye combines the utility of a standard carabiner with the safety and capability of a lanyard pin, or captive eye. Holds gear, lanyards, and lines with enough resistance to help prevent gear from moving past the end of the carabiner, but releases easily.
- Pairs seamlessly with the Unicender and other mechanical devices.

C1 A & C1 A-B SPECS

- Major axis MBS: 24 kN
- Minor axis MBS: 9 kN
- Open gate MBS: 6 kN
- Inward against sleeve MBS: 6 kN
- Gate opening: 0.93" (22 mm)
- Weight: 2.85 oz (80 gm)

C1 WEA SPECS

- Major axis ABS: 26 kN
- Minor axis ABS: 12 kN
- Open gate ABS: 7 kN
- Gate Opening: 1" (25mm)
- Weight: 2.9 ounces

SKU	COLOR	PRODUCT
C1A	Orange	Pirate Auto-Lock
C1A-B	Black	Pirate Auto-Lock
C1WEA	Orange	Pirate WireEye Auto Lock



Rock Exotica rockD (Aluminum)

The **rockD** (C 2A) is a super-strong "D" shaped carabiner optimizes MBS. The **rockD Lanyard Pin** carabiner (C2 LPA) utilizes an easy to remove stainless steel pin which helps prevent gear from moving past the end of the carabiner. The **rockD ORCA-Lock** (C2 O) is a unique gate system that lifts up and twists just like many traditional auto-locks, but can be set to remain in the unlocked position.

FEATURES

- 3-stage Auto-Locking carabiner features a pull-down and twist action.
- High strength-to-weight ratio in standard size carabiner
- Snag-resistant keylock nose design
- Machined frame ensures tight tolerances and smooth operation

C2A SPECS

- Major axis MBS: 29 kN;
- Minor axis MBS: 9 kN;
- Open gate MBS: 9 kN;
- Inward against sleeve: 6 kN
- Gate opening: 0.98" (24.9 mm)
- Weight: 2.85 oz (80 gm)


C2LPA SPECS

- Major axis MBS: 30 kN;
- Minor axis MBS: 11 kN;
- Open gate MBS: 10 kN;
- Inward against sleeve: 6 kN
- Gate opening: 0.96" (24.3 mm)
- Weight: 3.52 oz (99 g)

C2O SPECS

- Major axis MBS: 26kN;
- Minor axis MBS: 11kN;
- Open gate MBS: 7kN
- Gate Opening: 1.0" (25 mm)
- Weight: 3.12 oz (89 gm)

SKU	COLOR	PRODUCT
C2A	Red	rockD Auto-Lock
C2LPA	Gold	rockD Auto-Lock Lanyard Pin
C2O	Red	rockD ORCA-Lock



carabiners

CLIMBING / CARABINERS / AUTO-LOCKING-ACTIONS

Rock Exotica rockO (Aluminum)

Rock Exotica designed the rockO (C3 A, C3 A-B) to be a modern oval carabiner that is stronger and features a big gate opening. The rockO ORCA-Lock (C3 O) lifts up and twists just like many traditional auto-locks, but can be set to remain in the unlocked position. Allowing it to open easily, just like a non-locker, but close with the security of an auto-lock. The rockO WireEye combines the utility of a standard carabiner with the safety and capability of a lanyard pin, or captive eye.

FEATURES

- The 3-stage Auto-Locking carabiner features a pull-down and twist action
- Designed to center gear and lines in middle of bend radius
- Flattened frame with slim profile and snag-resistant keylock nose design
- Large and ergonomic angled gate opening
- Machined frame ensures tight tolerances and smooth operation

C3A, C3A-B SPECS

- MBS: Major axis: 24 kN; Minor axis: 9 kN; Open gate: 6 kN;
- Inward against sleeve: 6 kN
- Gate opening: 0.93" (22 mm)
- Weight: 2.85 oz (80 g)

C3O-B, C3WEA SPECS

- MBS: Major axis: 24 kN; Minor axis: 11 kN; Open gate: 6 kN;
- Inward against sleeve: 6 kN
- Gate Opening: 0.93"
- Weight: 2.85 oz (80g)

SKU	COLOR	PRODUCT
C3A	Plum	rockO
C3A-B	Black	rockO
C3WEA	Plum	rockO WireEye



DMM Aero HMS Locksafe (Aluminum)



The DMM Aero HMS is elegant, pear shaped carabiner – simple to use in most working at height applications. Uses: Fall protection, rescue, rope access, arborist

SPECS + FEATURES

- Large internal volume and gate clearance
- I-Beam section for increased strength to weight ratio
- Patented Taperlock clean nose for increased gate push in and side resistance
- Hot forged and fully heat treated aluminum individually marked for traceability
- Weight: 91 g
- MBS: Major axis: 25 kN; Minor axis: 12 kN
- Gate Opening: 19 mm
- Cert(s): EN362:2004/B; Anodized to BS EN ISO 7599:2010 class 10 E1 sealed for corrosion protection

SKU	ATTRIBUTE	PRODUCT
A367 Locksafe	Titanium/green	Aero HMS Locksafe



DMM Zodiac Locksafe (Aluminum)



SPECS + FEATURES

- Auto-Locking D-shaped carabiner which maximizes the gate clearance.
- I-Beam construction for increased strength to weight ratio
- Keylock clean nose for a snag free connection.
- Hot forged and fully heat treated aluminum individually marked for traceability
- Sealed for corrosion protection.
- Weight: 79 g
- MBS: Major axis: 32 kN; Minor axis: 12 kN; Open gate: 12 kN
- Gate opening: 18 mm
- Cert(s): EN 362:2004 B/T, EN 12275:2013 B

SKU	ATTRIBUTE	PRODUCT
A827 32KN	Titanium/green	Zodiac Locksafe




DMM Ultra-O Range Locksafe (Aluminum)

DMM's Ultra-O Range or Ultra Range Locksafe triple action carabiner is a perfect companion to the DMM Hitch Climber and Pinto pulleys.

SPECS + FEATURES

- I-Beam section for increased strength to weight ratio
- Keylock clean nose for snag free connection
- Hot forged and fully heat treated aluminum individually marked for traceability
- Triple colored multipacks allow easy in-system identification
- Weight: 73g
- MBS: Major Axis: 25 kN; Minor Axis: 12 kN; Gate Open: 7kN
- Gate Opening: 19mm
- Cert(s): EN 362:2004 B/T, EN 12275:2013 B; Anodized to BS EN 7599:2010 AA10 Sealed for corrosion protection

SKU	ATTRIBUTE	PRODUCT
A327	Titanium/green	Ultra-O Range
A327-P3	Titanium/green	Ultra-O Range 3 Pack



DMM Ultra-O Durolock (Aluminum)

DMM Durolock is a patented 4-way locking gate mechanism designed to minimize the chances of accidental gate opening and maximize security.

SPECS + FEATURES

- Operable with one hand, the Ultra-O facilitates multiple connections, the round basket shape allows any of the connections to self-center when weighted.
- Symmetrical baskets mean rotation within systems is not required as they sit comfortably either way round.
- Hot forged and fully heat treated aluminum individually marked for traceability
- Weight: 76 g
- MBS: Major axis: 25 kN; Minor axis: 12 kN; Gate open: 7 kN
- Gate Opening: 20 mm
- Dimensions: 63 x 109 mm
- Cert(s): EN 362:2004 B, EN 12275:2013 B; Anodized to BS EN 7599:2010 AA10 Sealed for corrosion protection

SKU	ATTRIBUTE	PRODUCT
A324	Titanium/purple	Durolock



DMM Shadow Locksafe (Aluminum)

The DMM Shadow features a massive 9 kN gate open strength and incorporates a new keylock nose. Completely anodized to help combat corrosion and prolong life in hot, or salty environments. Also available pre-drilled with a captive bar option.

SPECS + FEATURES

- Rope quickly finds the deep basket so the rope is guided towards the spine for added safety.
- Ergonomically this small carabiner fits right in your hand and is easy to find.
- Hot forged and fully heat treated aluminum individually marked for traceability
- Weight: 58 g (2 oz)
- MBS: Major Axis: 24 kN (5,400 lb); Minor Axis: 7 kN; Gate Strength: 9 kN
- Gate Opening: 17 mm
- Dimensions: 2.5 x 4" | 62 x 102 mm
- Approved to EN362:2004/B; Anodized to BS EN 7599:2010 AA10 Sealed for corrosion protection

SKU	ATTRIBUTE	PRODUCT
A307		Shadow
A307-P3	3 Pack	Shadow 3-Pack



carabiners

CLIMBING / CARABINERS / AUTO-LOCKING-ACTIONS

DMM Rhino HMS Locksafe (Aluminum)



The **Rhino HMS** carabiner tackles cross loading head on! The horn feature on the leading edge of the spine significantly reduces the possibility of cross loading with rigging, devices, and pulleys by restricting the rotation of devices, whilst the clean nose design provides snag-free gate entry. The smooth and robust top bar is contrasted by our signature I-Beam construction on the non-ropes bearing surfaces.

SPECS + FEATURES

- Weight: 81g
- MBS: Major Axis: 27kN; Minor Axis: 9kN; Gate Open: 7kN
- Gate Opening: 19mm
- Dimensions: 75 x 100mm
- Conformance: EN 362:2004 B, EN 12275:2013 B & H

SKU	ATTRIBUTE	PRODUCT
A547	Titanium/Green	Rhino HMS Locksafe Carabiner



DMM Klettersteig Locksafe (Aluminum)



DMM'S Klettersteig carabiner's wide gate opening and long flat basket make it ideal for clipping webbing and for use in complex rope-running applications. The expanded D shape also keeps the load along the major axis maximizing strength. Large size makes it easy to use with gloved hands. **Klettersteig** connectors look and behave very similarly to Offset Ds, but are wider, helping maximize the gate opening and the internal working volume, whilst still allowing any loads to be located as close to the spine of the connector as possible.

SPECS + FEATURES

- A847 - Weight: 91g
MBS: Major Axis: 30 kN; Minor Axis: 14 kN; Gate open: 10 kN
Gate Opening: 26 mm
Dimensions: 78 x 120 mm
- A847ANSI - Weight: 109g
MBS: Major Axis: 30 kN; Minor Axis: 10 kN; Gate open: 16 kN
Gate Opening: 21 mm
Dimensions: 77 x 120 mm

SKU	ATTRIBUTE	PRODUCT
A847 Locksafe	Locksafe	Klettersteig
A847ANSI	ANSI Locksafe	Klettersteig



A847 LOCKSAFE



A847ANSI

DMM Revolver (Aluminum)




The **Revolver's** integrated pulley wheel allows ropes to run more efficiently through the carabiner. Used at changes of direction on a route, it helps reduce rope drag.

SPECS + FEATURES

- Highly useful for creating lightweight hauling systems.
- Locking gate for extra security

SKU	ATTRIBUTE	PRODUCT
A272	Screw Gate	Revolver
A273	QuicLoc	Revolver
A277	Locksafe	Revolver



DMM Perfect-O (Aluminum)



SPECS + FEATURES

- Compact true oval carabiner that maintains ease of use, even one-handed
- Its shape provides effective centering of loads and the fully rounded rope bearing areas increase carabiner and rope longevity.
- A keylock nose allows snag-free operation.
- Weight: 66 g
- MBS: Major Axis: 24 kN; Minor Axis: 7 kN; Gate Open: 7 kN
- Gate opening: 5 mm
- Dimensions: 95 x 56 mm

SKU	ATTRIBUTE	PRODUCT
A597		Perfect-O Carabiner



DMM Phantom HMS Locksafe (Aluminum)



SPECS + FEATURES

- Extremely lightweight and yet strong, true HMS-shape carabiner
- Extra-short gate means it can take two clove hitches with ease
- Weight: 62 g
- MBS: Major axis: 25 kN; Minor axis: 9 kN; Open gate: 7 kN
- Gate opening: 19 mm
- Dimensions: 71 x 96 mm
- Certification(s): EN 362:2004 B, EN EN12275:2013 B, H & K

SKU	ATTRIBUTE	PRODUCT
A577	Titanium/green	Phantom HMS Locksafe Carabiner



Edelrid HMS Bulletproof Triple FG (Aluminum)



SPECS + FEATURES

- Unique design with steel wear plate
- Great for life support systems
- Excellent for speedline applications where locking carabiners are essential
- ABS: 5,600 lbs. | 25kN
- Weight: 0.046 lbs. | 21g

SKU	ATTRIBUTE	PRODUCT
737280003290	Icemint	HMS Bulletproof Triple FG



Edelrid Oval Power 2500 Triple Locking



Oval carabiner with a very slim locking sleeve. Ideal for clipping rigging plates, pulleys, rope clamps and for positioning anchor points.

SPECS + FEATURES

- Keylock closure mechanism for optimum handling when clipping and unclipping
- MBS: Vertical: 25 kN; Minor: 9 kN; Open: 7 kN
- Gate opening: 21 mm
- Weight: 76 g

SKU	ATTRIBUTE	PRODUCT
882670000060	Silver	Oval Power 2500 Carabiner



Kong Ovalone Triple Auto-Locking (Aluminum)



SPECS + FEATURES

- Triple locking aluminum color anodized
- Dimensions: 110mm x 62.8mm x 21mm
- Major Axis: 26kN | 5,845 lbs
- Meets CE and UIAA standards
- Weight: 1.94 oz (55g)

SKU	ATTRIBUTE	PRODUCT
KNG712	Red	Ovalone



Kong Ferrata Triple Auto-Locking (Aluminum)



Its special D-shaped bend allows a large aperture (less than 26 mm!) and excellent grip. Auto Block sleeve makes it suitable for professional use on lanyards for progression and positioning.

SPECS + FEATURES

- Keylock system
- Weight: 3.35 oz (95 g)
- Dimensions: 110 mm x 62.8 mm x 21 mm
- Major Axis: 30 kN | 6,740 lbs
- Meets CE and UIAA standards

SKU	ATTRIBUTE	PRODUCT
KNG778	Black	Ferrata Auto Lock



carabiners

CLIMBING / CARABINERS / AUTO-LOCKING-ACTIONS

Kong HMS Pear-Shaped Triple Auto-Locking (Aluminum)

SPECS + FEATURES

- Improved opening and capabilities
- Keylock system
- Weight: 3.17 oz (90 g)
- Dimensions: 116mm x 78mm x 13mm
- Major Axis: 22 kN | 4,940 lbs
- Meets CE and UIAA standards

SKU	ATTRIBUTE	PRODUCT
KNG786	Red	HMS Pear-Shaped



Kong Rescue Extra Large Triple Auto-Locking (Aluminum)

SPECS + FEATURES

- Improved opening and capabilities
- Keylock system
- Weight: 3.35 oz (95 g)
- Dimensions: 114 mm x 76 mm x 13 mm
- Major Axis: 30 kN | 6,740 lbs
- Meets CE and UIAA standards

SKU	ATTRIBUTE	PRODUCT
KNG911	Blue	Rescue Extra Large



Sterling Falcon (Aluminum)

SPECS + FEATURES

- Compact, pear-shaped carabiner
- Crafted from high strength 7075-T6 aluminum
- Strong yet Lightweight
- MBS: Major Axis: 5,620 lbs | 25 kN; Minor Axis: 1,574 lbs | 7 kN;
- Open Gate: 1,574 lbs | 7 kN
- EN 12275

SKU	ATTRIBUTE	PRODUCT
HWFALCONAL	Autolock	Falcon



Sterling Osprey (Aluminum)

SPECS + FEATURES

- Oval-shaped
- Made with a high-quality, durable aluminum
- Smooth gate and sleeve action
- Key lock and Autolock design
- EN 12275

SKU	ATTRIBUTE	PRODUCT
HWOSPREYALB	Black	Osprey
HWOSPREYAL	Orange	Osprey



Sterling Safe-D Locking Pin (Aluminum)

SPECS + FEATURES

- Made from lightweight aluminum
- Removable captive eye pin – allows for attaching rope or webbing
- MBS: Major Axis: 6,295 lbs | 28 kN; Minor Axis: 2,473 lbs | 11 kN;
- Open Gate: 2,023 lbs | 9 kN
- NFPA 1983

SKU	ATTRIBUTE	PRODUCT
HWSAFEDAL		Safe-D Locking Pin Carabiner



Rock Exotica rockSteel Auto-Lock (Stainless Steel)

The **rockSteel Auto-lock** offers a smooth operating three-stage auto-locking mechanism and smooth keylock surface that won't snag your rope. Our **rockSteel** frames are CNC machined for precise fittings and exact tolerances.

SPECS + FEATURES

- Impressively strong, yet lightweight
- Rated for inward gate force
- MBS Major Axis: 50 kN; Gate/sleeve: 16 kN (3600 lbs)
- Gate Opening: 1.2" (30 mm)
- Weight: 8.80 oz (246 gm)
- Certification: CE / ANSI / NFPA G – ANSI Z359.12 (09) and NFPA G compliant

SKU	ATTRIBUTE	PRODUCT
M31TL SILVER	Steel	rockSteel Auto-Lock Stainless Carabiner
M31TLN BLACK	Steel	rockSteel Auto-Lock Stainless Carabiner



Rock Exotica's rockD (Stainless Steel)

Rock Exotica's **rockD Stainless Steel** is an auto-locking carabiner perfect for a wide range of outdoor rigging applications. Great alternative to using a throwball to reposition in the tree. Pairs well with HCP and mechanical devices.

SPECS + FEATURES

- MBS: Major axis: 41 kN; Minor axis: 17 kN; Open gate: 13 kN;
- Inward against sleeve MBS: 9 kN
- Gate opening: 1.0" (25.4 mm)
- Weight: 7.81 oz (221 gm)
- Certifications: Pending CE

SKU	ATTRIBUTE	PRODUCT
C2SA	Steel	rockD stainless steel Auto Lock
C2SS	Steel	rockD stainless steel Screw Lock



DMM 12mm Boa HMS Locksafe (Stainless Steel)

The **12mm Boa HMS** has all the versatility of its alloy sibling, but has a rated strength of 40 kN. It can be used for many applications where a large gate opening or high internal volume are required.

SPECS + FEATURES

- Cold forged
- Weight: 277 g
- MBS: Major axis: 40 kN; Minor axis: 10 kN; Open gate: 12 kN
- Gate opening: 24 mm
- Dimensions: 76 x 123 mm
- Certification(s): EN 362:2004 B, EN EN12275:2013 B, H & K

SKU	ATTRIBUTE	PRODUCT
C857-ID	Steel	Steel 12mm Boa HMS – Light Gold



Kong Asymmetric Non-Locking with Bar (Stainless Steel)

Great for pairing with webbing straps for speed line lightweight rigging applications.

SPECS + FEATURES

- Non-locking, clean Keylock nose opening – no snag opening
- Material: 316 Stainless Steel
- MBS: Major Axis: 25 kN; Minor Axis: 10 kN; Gate Open: 8 kN
- Gate Opening: 18 mm
- Dimensions: 99 x 56 mm
- Weight: 126 g

SKU	ATTRIBUTE	PRODUCT
KNG567	Non-Lock	Asymmetric Steel Non-Locking w/ Bar



carabiners

CLIMBING / CARABINERS / RIGGING

Kong X-Large C Steel Screw Sleeve (Stainless Steel)

Designed to offer a wide gate opening and a high tensile strength. The shape prevents the rotation of the carabiner and allows to distribute the load along the major axis. Fitted with screw sleeve, easy to open even wearing gloves.

SPECS + FEATURES

- Clean "keylock" gate - no snagging
- MBS: Major Axis: 50 kN; Minor Axis: 13 kN; Gate Open: 20 kN
- Weight: 240 g
- Gate Opening: 26.5mm
- CE EN 12275; CE EN 362/B; NFPA-G*; UIAA

*Testing done on this device satisfy the performances requirements posed by NFPA1983:2017

SKU	ATTRIBUTE	PRODUCT
KNG411SL	Keylock	X-Large C Steel Screw Sleeve



Kong Ovalone Inox Auto Block ANSI (Stainless Steel)

Oval carabiner with wide-opening. Fitted with Auto Block reinforced sleeve, 3 movements, that increase the resistance in case of lateral stress as required by ANSI norm. Conceived for heavy-duty applications and for connection to structural anchor points, lifelines, etc.

SPECS + FEATURES

- Keylock system
- Resistant in corrosive environments
- MBS Major Axis: 27 kN
- Weight: 240 g
- CE EN 362/M; ANSI/ASSE Z359.12

SKU	ATTRIBUTE	PRODUCT
5121100K1KK		Ovalone Inox Auto Block ANSI



Kong X-Large C Steel Auto Block ANSI (Stainless Steel)

A rigging carabiner with a wide gate opening with a triple-locking action for maximum safety. D-shape helps lessen carabiner rotation and allows it to distribute the load consistently along the major axis.

SPECS + FEATURES

- A reinforced sleeve offers greater resistance to lateral stress and decreases the chance of roll out (Meets ANSI Z359.12)
- Keylock nose prevents snagging
- Triple-locking gate requires three steps to open the gate
- MBS: Major Axis: 50 kN; Minor Axis: 20 kN
- Weight: 265 g
- CE EN 12275; CE EN 362/B; NFPA-G*; ANSI/ASSE Z359.12; UIAA

*Testing done on this device satisfy the performances requirements posed by NFPA1983:2017

SKU	ATTRIBUTE	PRODUCT
KNG411	Black	X-Large C Steel Auto Block ANSI



Kong X-Large Twist Lock Sleeve (Aluminum Alloy)

Asymmetric aluminum carabiner with Twist Lock sleeve. Designed to offer a wide gate opening and a high tensile strength. The D shape prevents the rotation of the carabiner and allows to distribute the load along the major axis. Equipped with Keylock system that prevents snagging on the rope and in the bolts.

SPECS + FEATURES

- MBS: Major Axis: 30 kN; Minor Axis: 9 kN
- Weight: 95 g
- Gate Opening: 26 mm
- CE EN 12275; CE EN 362/B; NFPA-T*

*Testing done on this device satisfy the performances requirements posed by NFPA1983:2017

SKU	ATTRIBUTE	PRODUCT
110PN7VNL	Twist-Lock	XL Steel - Orange



Spyder Climb Right HMS Carabiner (Aluminum)

Spyder
MANUFACTURING / USA

SPECS + FEATURES

- Triple Auto-Locking gate
- Snag-free design at gate opening
- Weight: 3.2 oz (90.7 g)
- Major Axis: 25 kN | 5,620 lbs
- Gate Opening: 0.94" | 24mm
- Meets CE and UIAA standards

SKU	ATTRIBUTE	PRODUCT
85206	Red	Climb Right HMS Carabiner



Spyder Climb Right Big D Triple Lock (Aluminum)

Spyder
MANUFACTURING / USA

SPECS + FEATURES

- Triple Auto-Locking gate
- Snag-free design at gate opening
- Weight: 3.2 oz (90.7 g)
- Major Axis: 30 kN | 6,744 lbs
- Gate Opening: 0.82" | 21 mm
- Meets CE standards

SKU	ATTRIBUTE	PRODUCT
85210	Green	Climb Right Big D Carabiner



US Rigging ProClimb Big D Triple Lock (Aluminum)

U.S. RIGGING
SUPPLY

SPECS + FEATURES

- Popular "D" shape
- Triple Auto-Locking
- Snag-free design
- Weight: 3.5 oz (97 g)
- Major Axis: 28 kN | 6,295 lbs
- Gate Opening: 0.88" | 22 mm
- Meets CE standards

SKU	ATTRIBUTE	PRODUCT
USR107	Silver/Blue	ProClimb Big D Triple Lock Carabiner



US Rigging ProClimb Copper Head Climber (Aluminum)

U.S. RIGGING
SUPPLY

SPECS + FEATURES

- Hybrid design between a "D" and HMS shape, Great for fliplines and lanyards
- Triple auto-locking gate
- Snag-free design at gate opening
- Weight: 3.5 oz (97 g)
- Major Axis: 24 kN | 5,395 lbs
- Gate Opening: 0.90" | 23 mm
- Meets CE standards

SKU	ATTRIBUTE	PRODUCT
USR-128	Copper	ProClimb Copper Head Climber Carabiner



US Rigging ProClimb True Oval (Aluminum)

U.S. RIGGING
SUPPLY

SPECS + FEATURES

- Triple locking gate
- ABS: 5,000 lbs | 22 kN
- Gate Opening: 19 mm

SKU	ATTRIBUTE	PRODUCT
USR-127		ProClimb True Oval Carabiner



carabiners

CLIMBING / CARABINERS / NON-LOCKING

DMM XSRE Lock Captive Bar Carabiner

Now available with an optional locking screwgate and captive bar for extra security. The removable threaded captive bar helps ensure the correct orientation with lanyards and holds components securely. The **DMM XSRE Lock Captive Bar Carabiner** is a perfectly formed, high performance accessory clip. It has a functional industrial pedigree, yet crosses over easily into everyday life situations. Widely adopted for non-PPE use on working at height sites, the **XSRE** is just as useful on a tree care harness to organize gear as it is for clipping keys onto a belt loop.


SPECS + FEATURES

- Symmetrical D shape with a removable threaded captive bar
- Anti-vibration screwgate version for added security
- Hot forged I-beam construction for high strength-to-weight ratio
- MBS: 4 kN
- Weight: 12 g

SKU	ATTRIBUTE	PRODUCT
A482CBMG	Matte Grey	XSRE Lock Captive Bar Carabiner
A482CBBL	Blue/Titanium	XSRE Lock Captive Bar Carabiner
A482CBGR	Green/Titanium	XSRE Lock Captive Bar Carabiner
A482CBLG	Lime	XSRE Lock Captive Bar Carabiner
A482CBOR	Orange	XSRE Lock Captive Bar Carabiner
A482CBPI	Pink/Titanium	XSRE Lock Captive Bar Carabiner
A482CBPR	Purple/Titanium	XSRE Lock Captive Bar Carabiner
A482CBTQ	Turquoise/Titanium	XSRE Lock Captive Bar Carabiner
A482CBRD	Red/Titanium	XSRE Lock Captive Bar Carabiner

ANTI-VIBRATION SCREWGATE

REMOVABLE THREADED CAPTIVE BAR



A482CBBL A482CBRD A482CBPR A482CBPI A482CBOR A482CBMG A482CBLG A482CBGR A482CBTQ

NOTE: NOT FOR CLIMBING; NOT PPE

DMM XSRE (Aluminum)

The **DMM XSRE Carabiner** is small but mighty (consider it a power peanut), easy on the eye and full of attitude this small racking element is the full package. Hot forged I-Beam body provides the backbone of this super strong featherweight. This is the most useful high performance accessory carabiner on the market with hundreds of potential applications. NOTE: NOT FOR CLIMBING; NOT PPE

SPECS + FEATURES

- Keylock nose aids rope piercing and reduces the chance of snagging
- Plain gate with an oval shape
- MBS: 4 kN
- Weight: 8.1 g

SKU	ATTRIBUTE	PRODUCT
A531RD	Red	XSRE carabiner
A531GR	Green	XSRE carabiner
A531GL	Gold	XSRE carabiner
A531BL	Blue	XSRE carabiner
A531TQ	Turquoise	XSRE carabiner
A531PR	Purple	XSRE carabiner



Rock Exotica rockX (Aluminum)

SPECS + FEATURES

- Frame is machined from solid aluminum
- Contours along the top and bottom profile for ease of handling
- MBS: 5kN | 1120 lbs.
- Weight: 0.37 oz (10.4 gm)

SKU	ATTRIBUTE	PRODUCT
C7NL-LG	Gray	rockX
C7NL-O	Orange	rockX
C7NL-R	Red	rockX



Kong Bent Gate L Paddle (Aluminum)

Great tool holder for chainsaw, extra length on your lanyard, holding your water bottle or cabling drill on your harness. Bright color, keylock nose.

SPECS + FEATURES

- Bent gate with a Keylock nose
- Non-Locking
- Gate: 7 kN
- MBS: Width 22 kN; Height 8 kN
- Weight: 2.8 oz

SKU	ATTRIBUTE	PRODUCT
KNG265		Bent Gate L Paddle Aluminum Carabiner



Kong Oval Straight Gate Non-Locking (Aluminum)

Oval carabiner with a circular section which makes it recommended for use with devices.

SPECS + FEATURES

- Keylock system that prevents any snagging.
- MBS: 27 kN
- Anodized body and gate

SKU	ATTRIBUTE	PRODUCT
710RN0400KK		Oval Straight Gate Non-Locking Carabiner



Edelrid Pure Slider Carabiner

Edelrid's Pure Carabiner has a locking slide-gate mechanism minimizes risk of accidental gate opening. H-profile construction ensures best possible use of material and minimal weight.

SPECS + FEATURES

- Weight: 42 g
- Dimensions: 100 mm x 58 mm
- Gate opening: 18 mm
- Load carrying capacity: 23 kN
- Load capacity transversal: 8 kN
- Load capacity open: 8 kN
- Certification: EN 362, EN 12275

SKU	ATTRIBUTE	PRODUCT
720020001380	Oasis	Pure Slider Carabiner
720020003290	Icemint	Pure Slider Carabiner
720020006630	Slate	Pure Slider Carabiner



snaps

Rock Exotica SwivaEye Auto-Lock Carabiner

rock exotica

SPECS + FEATURES

- Autolock use our ergonomic pull-down and twist mechanism.
- Utilizing high quality ball-bearings, the SwivaEye is designed for high-speed rotations with the lowest possible friction.
- MBS: 30 kN; Minor axis: 7 kN; Open gate: 12 kN
- Weight: 5.5 oz (153 gm)

SKU	ATTRIBUTE	PRODUCT
C82 A	Black	SwivaEye Auto-Lock Carabiner



Rock Exotica Omni-Block 1.1" SwivaBiner

rock exotica

SPECS + FEATURES

- Combines a swiveling carabiner and pulley into one tool.
- Unique sideplate that opens while the pulley is still attached to the anchor.
- Rope Size: 0.5" (13 mm)
- MBS: 23kN
- Weight: 4.9 oz (140 gm)

SKU	ATTRIBUTE	PRODUCT
P54 SB-B	Black	Omni-Block 1.1" SwivaBiner



US Rigging Steel Double Lock Rope Snap

U.S. RIGGING SUPPLY

SPECS + FEATURES

- A classic rope snap and USR made this snap with safety in mind.
- This ANSI certified snap hook is perfect for fall protection when you need it most.
- The Double Action Steel Double Lock Snap Hook is made from high tensile forged steel and a yellow / silver zinc plate finish.
- MBS: 23 kN

SKU	ATTRIBUTE	PRODUCT
USR01CFE	Bronze	Steel Double Lock Rope Snap



US Rigging Aluminum Rope Snap - Double Lock

U.S. RIGGING SUPPLY

SPECS + FEATURES

- Large design, easy to find on your lanyard.
- MBS: 6069 lbs
- WLL: 606 lbs
- Length: 5.9"
- Gate opening: 7/8" (22 mm)

SKU	ATTRIBUTE	PRODUCT
USR40	Red	Aluminum Rope Snap - Double Lock



US Rigging Triple Lock Carabiner with Captive Eye

U.S. RIGGING SUPPLY

SPECS + FEATURES

- MBS: 6,200 lbs | 28 kN
- Dimensions: 140 mm x 79 mm
- Weight: 3.7 oz (105 g)

SKU	ATTRIBUTE	PRODUCT
USR140		ProClimb Snap Hook Carabiner





US Rigging ProClimb Swivel Eye Carabiner

SPECS + FEATURES

- Tensile Strength: 5,600 lbs | 25 kN
- Dimensions: 180 mm x 76 mm
- No-Snag Gate™
- Weight: 6.0 oz (215g)

SKU	ATTRIBUTE	PRODUCT
USR221		ProClimb Swivel Eye Carabiner



ISC Double Action Saphook (Aluminum)

The SH901 Saphook has a Safety Heel to help reduce the risk of accidental opening. This Saphook also has a 'Blind' nose design, to minimize rope snagging.

SPECS + FEATURES

- MBS: 6070 lbs | 27 kN
- Gate Opening: 22 mm
- Eye Diameter: 20 mm
- Weight: 102 g | 3 oz

SKU	ATTRIBUTE	PRODUCT
SH901A	Gray/Red	Rope Snap Double-Action



ISC
SOLUTIONS IN METAL

ISC Triple Action Saphook (Aluminum)

Fitted with a third action catch for increased safety. Ideally suited to climbing activities where Triple action connectors are required. Safety Heel further reduces the risk of accidental opening and the Blind nose helps to prevent rope snagging.

SPECS + FEATURES

- MBN: 27 kN
- Gate opening: 23 mm
- Weight: 128 g

SKU	ATTRIBUTE	PRODUCT
SH903A	Gray/Red	Rope Snap Triple-Action



ISC
SOLUTIONS IN METAL

ISC Triple Action Swivel Saphook (Aluminum)

Triple-action gate with a smooth swivel eye snap which eliminates twisting and tangling of your line. A great choice for flielines and lanyards. Blind nose design to reduce rope snagging.

SPECS + FEATURES

- ABS: 25 kN
- Weight: 7 oz
- Gate opening: 22 mm
- CE EN 362

SKU	ATTRIBUTE	PRODUCT
SH905ASWIVEL	Gray/Red	Rope Snap Triple-Action Swivel



ISC
SOLUTIONS IN METAL

Kong Tango Rope Snap (Aluminum)

SPECS + FEATURES

- Double gate safety system
- Rope snap opening
- Rear gate is protected in order to prevent accidental opening
- Weight: 130 g
- MBS: Major axis: 33 kN; Minor axis: 10 kN; Gate opening: 15 kN

SKU	ATTRIBUTE	PRODUCT
KNG715	Red	Tango Rope Snap



KONG
ROPE SNAPS

swivels + pulleys

ISC Phlotich Pulley (Aluminum)

A multi-aperture device specifically designed for SRT and DdRT.



SPECS + FEATURES

- Profiled side plates capture the climbing line to reduce rope movement
- Perfectly parallel side plates allow for a clean carabiner connection and are perfect for a double Rope Wrench tether
- The unique kidney-shaped opening allows carabiners to self-center according to where the load is applied.
- Large enough for carabiners to rotate completely through and for attaching multiple carabiners.
- Available with bushings or bearings.
- Rope diameter: Max 13 mm | 1/2"
- MBS: 30 kN | 6744 lbs
- Weight: 145 g | 5 oz



SKU	ATTRIBUTE	PRODUCT
RP282B1-BS	Black	13 mm Phlotich Pulley
RP282F1-BS	Gold	13 mm Phlotich Pulley
RP282E1-BS	Gray	13 mm Phlotich Pulley
RP282D1-BS	Orange	13 mm Phlotich Pulley
RP282C1-BS	Purple	13 mm Phlotich Pulley
RP282A1-BS	Red	13 mm Phlotich Pulley

ISC Rope Wrench Pulley (Aluminum)

Pairs with **ISC Rope Wrench**. Inspected/proof tested; individual numbering



SPECS + FEATURES

- Mobile Sideplates
- Dimensions: 74 x 45 mm
- Weight: 79 g
- Cheek Action: Swing
- MBS: 36 kN
- Approved Standard: CE EN12278



SKU	ATTRIBUTE	PRODUCT
RP281A1	Red	13 mm Rope Wrench Pulley

Rock Exotica HYDRA Triple Swivel P4

The **HYDRA** is a triple attachment pulley which features a swivel-top connection to facilitate the pulley's use on the saddle bridge, and for use in climbing systems. Rubber o-rings line the connection points to assist in holding carabiners tightly to avoid dangerous cross-loading.



SPECS + FEATURES

- MBS: 2 x 14 kN = 28 kN
- WLL: 2 x 2.5 kN = 5 kN
- Max Rope: 13 mm
- Sheave Diameter: 2.1" | 53 mm
- Certification: CE
- Weight: 20 oz (575 g)



SKU	ATTRIBUTE	PRODUCT
P4	Gold/Gray	13 mm HYDRA Triple Swivel P4

DMM Pinto Pulleys

DMM Pinto Pulleys have a hot forged frame 7075 T6 aluminum for exceptional strength to weight ratio. The **Pinto Rig (Purple) (Large) Rigging Pulley** carries 6000-2RS series ball bearings. The **Red (small) Pinto pulley** carries an oilite bushing.

SPECS + FEATURES

- Size of attachment holes reduce probability of locking carabiner rotation.
- Compatible with DMM Ultra O and Boa carabiners.
- Small max rope diameter: <14 mm; MBS: 40 kN (9000 lbs); Working Load Limit: 8 kN (1800 lbs); Efficiency: 71%
- Large max rope diameter 16 mm; MBS: 50 kN (11,000 lbs); Working Load Limit: 10 kN (2200 lbs); Efficiency: 95%

SKU	ATTRIBUTE	PRODUCT
PUL110	Red	Pinto Pulley Red (Small)
PUL120	Purple	Pinto Rig (Purple) (Large) Rigging Pulley



DMM Pinto Pulley Spacers

DMM Pinto Pulley Spacers are an essential component for Pinto and Pinto Rig applications where textile connecting elements tend to compress the side plates.

SPECS + FEATURES

- Small for Pinto Pulley or Large for Pinto Rig Pulley

SKU	ATTRIBUTE	PRODUCT
PUL110SPA	Red	Pinto Pulley Spacer (Small)
PUL120SPA	Red	Pinto Pulley Spacer (Large)



DMM Hitch Climber Triple Attachment Pulley

The **DMM Triple Attachment Pulley** (Hitch Climber Pulley) combines the high efficiency of our pulleys with a small three hole rigging plate to give an extremely versatile piece of equipment.

SPECS + FEATURES

- MBS: 30 kN
- WLL: 7 kN
- Max Rope Size: 14 mm
- Dimensions: 94 x 68 x 33 mm
- Weight: 133 g
- Certified to EN12278:2007 (Pulleys) and NFPA 1983 (2012 Edition) Class T rating; Anodized to BS EN 7599:2010 AA10 Sealed for corrosion protection

SKU	ATTRIBUTE	PRODUCT
PUL100	Red	13 mm Triple Attachment Pulley



DMM Hitch Climber Eccentric Pulley

The new geometry of the **Eccentric Pulley** offers greater efficiency combined with a striking aesthetic. The 'pushing plates' will advance your friction hitch earlier and the optimized fairlead flairs direct rope towards the sheave when tending slack. Also features a large sheave with an efficient roller bearing and a stainless steel axle.

SPECS + FEATURES

- MBS: 30 kN
- WLL: 6 kN
- Max Rope Size: 14 mm
- Dimensions: 96 x 66 x 44 mm
- Weight: 176 g

SKU	ATTRIBUTE	PRODUCT
PUL500	Red	13 mm Hitch Climber Eccentric Pulley



swivels + pulleys

CLIMBING / SWIVELS + PULLEYS

CMI Micro Pulley

Cmi

CMI's RP110 Micro Pulley is primarily used as a slack tender for your friction hitch on a traditional system or on your lanyard. The sideplates swing open to allow placement anywhere on the line. The aluminum cheeks plates designed to work with a carabiner has a 7/8" hole. A double lock nut holds everything together on an stainless steel axle and 1 1/4" Aluminum sheave bushing.

SPECS + FEATURES

- MBS: 7,000 lbs
- WLL: 700 lbs
- Rope capacity: 1/2"
- Dimensions: 2.75" x 1.85"
- Weight: 0.15 lb

SKU	ATTRIBUTE	PRODUCT
RP110	Purple	Micro Pulley

REFER TO
PAGE 230 FOR
THE RP110D



CMI Micro Mouse Pulley

Cmi

Ideal for Arborist rigging where two independent tie-ins are required.

SPECS + FEATURES

- Purple Anodized Aluminum sideplates
- 1 1/4" Aluminum sheave
- Bushing and Stainless Steel axle
- MBS: 7,000 lbs
- WLL: 700 lbs
- Rope Capacity: 1/2"
- Dimensions: 2.75" x 2.8"
- Weight: 0.2 lb

SKU	ATTRIBUTE	PRODUCT
RP141	Purple	13 mm Micro Mouse Pulley



CMI Stainless Steel Shackle Pulley

Cmi

The **CMI RP144 Shackle Pulley** is both strong and compact. Weighing only 3 oz and it's among the smallest load-bearing pulleys available to our field.

SPECS + FEATURES

- Stainless Steel sideplates, 1.25" Aluminum sheave
- Bushing and Stainless Steel axle
- MBS: 8,000 lbs
- Rope Capacity: 1/2"
- Weight: 0.16 lbs

SKU	ATTRIBUTE	PRODUCT
RP144	Stainless	Stainless Steel Shackle Pulley



Photo by MLI,
Certified Arborist

DMM Axis Swivels

DMM Axis Swivels have been designed to be smooth, compact and incredibly strong. Made from hot forged, CNC machined bodies from heat treated, 7075 T6 aluminum alloy, with large bearings and heat treated, stainless steel axles.

SPECS + FEATURES

- SW100 - Small accommodates 2 carabiners snugly
Strength: 36 kN; Dimensions: 79 x 50 x 33 mm; Weight: 115 g
- SW200 - Large more spacious for larger connectors
Strength: 50 kN; Dimensions: 96 x 60 x 39 mm; Weight: 184 g
- BS EN 7599:2010 AA10; EN 795(b): 2012 and EN354:2010; NFPA 1983 (2012 ED) Class G

SKU	ATTRIBUTE	PRODUCT
SW100	Small	Axis Swivels (Blue)
SW200	Large	Axis Swivels (Red)



DMM Mini Swivel

The **DMM Mini Swivel** is a compact, hot-forged swivel designed for use at junctions where torsion needs management. A high-quality internal bearing ensures smooth and reliable rotation, while the textile-friendly connection points are perfect for one carabiner or cordage. All the benefits of a swivel without any bulk.

SPECS + FEATURES

- Fits in the palm of your hand extremely lightweight
- Dimensions: 65 x 31 x 21 mm; Interior Diameter: 16 mm x 15.64 mm
- MBS: 26 kN; WLL: 3 kN
- Weight: 47 g

SKU	ATTRIBUTE	PRODUCT
SW400		Mini Swivel



Rock Exotica Shackle Swivel

The **Shackle Swivel** saves valuable headspace by allowing you to connect webbing, eyes or thimbles directly to the swivel without a carabiner. The steel shackle bolt increases the longevity of the swivel when connected to other steel components.

SPECS + FEATURES

- Shackle Bolt Diameter: .375" | 9.5mm
- Weight: 5.7 oz

SKU	ATTRIBUTE	PRODUCT
SS1		Shackle Swivel



US Rigging Double Swivel

SPECS + FEATURES

- Dimensions: 108 mm x 61 mm
- Tensile Strength: 8,990 lbs | 40 kN
- Weight: 5.5 oz | 156 g

SKU	ATTRIBUTE	PRODUCT
USRDSL		Double Swivel



lanyards


US Rigging Adjustable Safety Lanyards

Constructed from three strand polyester or double braided polyester/nylon line. A non-complicated basic lanyard. A solid secondary tool for safety while tied in using climbing spurs.

SPECS + FEATURES

- Forged alloy steel, double locking safety snap hooks tested and rated at 23 kN (5,000 lbs)
- 1/2" diameter
- Length: 4-7'
- Hand spliced eyes
- Shrink tubing forms tapered cover over tails

SKU	ATTRIBUTE	PRODUCT
LYB1607	polyester	Adjustable Lanyard 3 Strand
LYT1607	polyester/nylon	Adjustable Lanyard Double Braid



U.S. RIGGING SUPPLY

US Rigging Two-In-One Adjustable Lanyard

A safety lanyard made of 1/2" diameter 3-strand polyester. Each connector is a double locking safety snap hook.

SPECS + FEATURES

- Rated: 5,000 lbs and are all 100% proof load tested
- 3-Strand White Polyester Rope
- Diameter: 1/2" | 13 mm
- Steel Rope Snaps with captive eye
- English Prusik: 20"

SKU	ATTRIBUTE	PRODUCT
LYT1610	10'	Two-In-One Adjustable Lanyard



U.S. RIGGING SUPPLY

Spyder Two-in-One Adjustable Lanyard

Constructed of 1/2" diameter 3-strand polyester line and configured as a two-in-one safety lanyard. Allows climber to be securely tied in twice, with one tool.

SPECS + FEATURES

- Length: 1-9" adjustable 3-strand lanyard
- ABS: 5000 lbs
- Diameter: 1/2" | 13 mm
- Aluminum Rope snaps - self locking, double action snaps
- 20" Prusik

SKU	ATTRIBUTE	PRODUCT
75208	1-9"	Two-In-One Adjustable Lanyard



Spyder MANUFACTURING / USA



Kong Trimmer Lanyard

Kong's Trimmer Lanyard is a new work positioning device that enables quick and accurate adjustment of length for positioning at the work station. Super smooth adjustment even under load. The **Trimmer** is the smallest and lightest length adjustment device on the market.

SPECS + FEATURES

- It is used on the work positioning D-rings on the harness waistbelt.
- Can be used from the ventral or lateral attachment points
- Fitted with protective sheath to protect the rope from the contact points
- Visible stitchings for a quick visual inspection.

SKU	ATTRIBUTE	PRODUCT
289SETU02KK	3M	Trimmer Lanyard
289SETU04KK	5M	Trimmer Lanyard



3-Strand Adjustable 3-6' Lanyard

SPECS + FEATURES

- Cordage: Teufelberger 3-strand
- Hardware: 2 x Steel rope snaps
- Adjustable prusik
- Diameter: 1/2"
- Rope Snaps: double action
- MBS: 5,000 lbs

SKU	ATTRIBUTE	PRODUCT
000184	1/2"	3-Strand Adjustable 3-6' Lanyard



CUSTOMIZED PRODUCT

Double Braid Adjustable Lanyard

SPECS + FEATURES

- Cordage: Samson Double Braid
- Adjustable 3-6' length
- Hardware: 2 x Steel rope snaps
- Adjustable prusik
- Rope Diameter: 1/2"
- Rope Snaps: double action
- MBS: 5,000 lbs

SKU	ATTRIBUTE	PRODUCT
000186	1/2"	Double Braid Adjustable Lanyard



CUSTOMIZED PRODUCT

Blue Moon Lanyard ISC Double Snap To Eye

SPECS + FEATURES

- Cordage: Yale Blue Moon
- Rope Diameter: 11.7 mm
- ISC Aluminum Double Snap, Double Action Lock SH901
MBS: 27 kN; Gate opening: 23 mm | 0.87"
- Finished end: 1" eye splice
- Weight: 128 g | 3 oz
- MBS: 6,500 lbs

SKU	ATTRIBUTE	PRODUCT
011265	10'	Blue Moon Lanyard ISC Double Snap To Eye



CUSTOMIZED PRODUCT

lanyards

CLIMBING / LANYARDS / LANYARDS + STRAPS

Blue Moon Lanyard with ISC Double Locking Rope Snap-Eye

SPECS + FEATURES

- Yale Blue Moon 24-strand 11.7 mm
- MBS: 6,500 lbs
- Hardware: ISC Aluminum Locking Rope Snap-Eye
- MBS: 27 kN
- Finished: Tight Eye splice Length: 14'

SKU	ATTRIBUTE	PRODUCT
012498	14'	Lanyard Blue Moon ISC Snap-Eye



CUSTOMIZED
PRODUCT

Blue Moon Lanyard with US Rigging Aluminum Snap-Eye

SPECS + FEATURES

- Yale Blue Moon cordage
- ABS: 6,500 lbs
- Hardware: US Rigging Red Aluminum Rope Snap-Eye
- Finished: Tight Eye splice

SKU	ATTRIBUTE	PRODUCT
011652	10'	Blue Moon Lanyard US Rigging Aluminum Snap-Eye



CUSTOMIZED
PRODUCT

Teufelberger Tachyon Lanyard with ISC Triple Rope Snap

SPECS + FEATURES

- Cordage: Teufelberger Tachyon (colors vary)
- Hardware: ISC Triple Black Rope Snap SH903E
- Finished with tight eye splice

SKU	ATTRIBUTE	PRODUCT
012534	12'	Tachyon Lanyard with ISC Triple
012512	16'	Tachyon Lanyard with ISC Triple



CUSTOMIZED
PRODUCT

Frostbight Tachyon Lanyard with CT Evo Snap to Tight Eye

SPECS + FEATURES

- Cordage: Frostbight Tachyon
- Hardware: CT Evo Rope Snap
- End termination: Tight eye splice

SKU	ATTRIBUTE	PRODUCT
011745	10'	Frostbight Lanyard with CT Aluminum Snap



CUSTOMIZED
PRODUCT

CUSTOMIZED
PRODUCT

Samson Blue Streak Lanyard with CT Blue Rope Snap to Tight Eye

SPECS + FEATURES

- Cordage: Samson BlueStreak
- Diameter: 1/2"
- Cordage ABS: 8,100 lbs
- Hardware: ISC Blue Rope Snap
- Hardware MBS: 5,600 lbs | 25 kN
- Locking: Double action
- Finished: Tight eye splice

SKU	ATTRIBUTE	PRODUCT
012603	14'	Samson Blue Streak Lanyard



Prusik Runner with Locking Snap

Equipped with a double-locking safety snap.

SPECS + FEATURES

- 1/2" x 20"
- 3 strand twisted white polyester
- Double locking safety snap hook
- 100% proof load tested
- 5,000 lbs tensile strength

SKU	IN	PRODUCT
PRT16020	1/2" x 20"	Prusik Runner with Locking Snap

PELICAN ROPE
The Most Trusted Name In Rope!



Spyder Prusik Runner With Carabiner 1/2"

20" prusik line with triple locking HMS carabiner

SPECS + FEATURES

- Cordage: 3 strand twisted white polyester
- Hardware: Auto-locking aluminum carabiner

SKU	IN	PRODUCT
75150	1/2x20"	Prusik Runner With Steel Snap

Spyder
MANUFACTURING / USA



Spyder Rope Prusik Runner with Steel Rope Snap 1/2"

20" prusik line with double locking steel snap.

SPECS + FEATURES

- Cordage: 3 strand twisted white polyester
- Hardware: Double locking safety snap hook
- 100% proof load tested
- MBS: 5,000 lbs tensile strength

SKU	IN	PRODUCT
75130	1/2x20"	Prusik Runner With Steel Snap

Spyder
MANUFACTURING / USA



Spyder Prusik Runner with Aluminum Rope Snap 1/2"

20" prusik line with double locking aluminum snap.

SPECS + FEATURES

- Cordage: 3 strand twisted white polyester
- Hardware: Double locking aluminum rope snap

SKU	IN	PRODUCT
75148	1/2x20"	Prusik Runner With Aluminum Snap

Spyder
MANUFACTURING / USA



lanyards

CLIMBING / LANYARDS / LANYARDS + STRAPS

Elk River Adjustable Webbing Lanyard

Elk River, Inc.
Personal Fall Protection

Simple and straight forward safety. Adjustable work positioning lanyard for a connection point to a pole or a tree. Adjustable web lanyard with CenturionZ snaphooks.

SPECS + FEATURES

- Constructed from Nylon web material
- CenturionZ, double locking steel rope snap with captive eye and 3.6M Gate
- Positioning, adjustable
- Length: 1" x 6'

SKU	ATTRIBUTE	PRODUCT
29506	6'	Adjustable Webbing Lanyard




Buck TreeSqueeze™ Adjustable Choking Lanyard System

BUCK
1888

Buck TreeSqueeze is used for fall restraint and work positioning. This innovative work positioning lanyard allows for a secured ascent up the tree giving you all the safety and confidence you need when conductive tree removals with gaffs.

SPECS + FEATURES

- TreeSqueeze integrates a choking lanyard system that keeps you from falling down the tree in the event of a Gaff out.
- Made from high strength 7/16" doubled the rope for extra rigidity, cut resistance and surface area
- The double rope specifically protects against cuts from handsaws and provides the user with a smoother ascent.
- Aluminum ring Prusik provides users with quick and easy adjustment for different diameter trees and a secure tie-in point when a natural tie in point doesn't exist
- Prusik is key for easy descent, self-rescue and even doubles as a friction saver.
- Overall Length: 8'
- Contains Red Wear Center
- Weight: 1.10 lbs.
- User Weight Capacity: 350 lbs





US Rigging Polyester Flipline Lanyard

SPECS + FEATURES

- 16-strand polyester double braid
- Hand spliced thimble eye on other end
- Double locking forged steel snap on one end
- Safety Steel Snap rated 5,000 lbs tensile strength
- Make a complete lanyard and pair with a 1/2" rope grab

SKU	ATTRIBUTE	PRODUCT
FL1608	8'	Polyester Core Lanyard
FL1610	10'	Polyester Core Lanyard
FL1612	12'	Polyester Core Lanyard



Sterling TriTech Flipline Lanyard



Sterling's TriTech Flipline Lanyard features their own unique Technora sheath, Dyneema inner jacket and nylon core. A great alternative to a wirecore line; TriTech offers the best cut resistance with non-conductive properties.

SPECS + FEATURES

- 11 mm Nylon Core/Technora & Spectra Sheath
- Hardware: CT Steel Rope Snap
- Splice: Sewn Eye
- Certs: Meets ANSI Z133.1
- MBS: 5418 lbs | 24.1 kN

SKU	ATTRIBUTE	PRODUCT
SCTFLSS10	10'	TriTech Flipline Lanyard
SCTFLSS12	12'	TriTech Flipline Lanyard



Yale Maxi-Flip Sport Flipline



Yale Maxi-Flip Sport Flipline wire core flip lines have Free Flex end terminations to minimize the in-use wire rope axial fatigue. This provides the climber with the safest possible end termination. Available with an aluminum ISC swivel snap on one end and terminated with a thimble eye.

SPECS + FEATURES

- 16-strand cover, 1/2" diameter and coated with Maxijacket red to maximize abrasion resistance
- 25% lighter than the standard Maxi-Flip
- Free Flex Flemish eye splice
- CE approved EN358

SKU	ATTRIBUTE	PRODUCT
93532A4010XB	10'	Maxi-Flip Sport Flipline



US Rigging Wire Core Lanyard (Flipline) Kit



SPECS + FEATURES

- Wire Core lanyard kits with double locking swivel snap
- 16-strand polyester composite over a galvanized steel aircraft cable
- Polyester Cover over Flexible 1/4" - 7x19 Wire Rope
- Bright neon orange with urethane coating for extra abrasion resistance
- Safety rope snap & thimble eye ends

SKU	ATTRIBUTE	PRODUCT
FLA1608	8'	Wire Core Flipline 1/2"
FLA1610	10'	Wire Core Flipline 1/2"
FLA1612	12'	Wire Core Flipline 1/2"
FLA2008SE-CS07	8'	Wire Core Flipline 5/8"
FLA2010SE-CS07	10'	Wire Core Flipline 5/8"
FLA2012SE-CS07	12'	Wire Core Flipline 5/8"



lanyards

CLIMBING / LANYARDS / FLIPLINES

US Rigging Steel Core Flipline 1/2" Kit

High visibility wire core flipline kit complete with double locking swivel snap, rope grab positioner and autolocking carabiner



INCLUDES

- Rope grab positioner
- Auto Locking Copperhead Carabiner (USR128)
- 16-strand polyester composite over a galvanized steel aircraft cable
- Galvanized thimbles at each end with a doublelocking swivel snap at one end

SKU	ATTRIBUTE	PRODUCT
FLK1208	8'	Steel Core Flipline 1/2" Kit
FLK1210	10'	Steel Core Flipline 1/2" Kit
FLK1212	12'	Steel Core Flipline 1/2" Kit



Not for use around electric lines.

Spyder Steel Wire Core Lanyard (Flipline)



INCLUDES

- 1 wire core lanyard
- 1 rope grab - fixed pin
- 1 HMS triple lock carabiner
- 1 steel large swivel snap

SKU	ATTRIBUTE	PRODUCT
75221	8'	Steel Wire Core Lanyard (Flipline) 1/2" Kit
75222	10'	Steel Wire Core Lanyard (Flipline) 1/2" Kit
75223	12'	Steel Wire Core Lanyard (Flipline) 1/2" Kit
75241	8'	Steel Wire Core Lanyard (Flipline) 5/8" Kit
75242	10'	Steel Wire Core Lanyard (Flipline) 5/8" Kit
75243	12'	Steel Wire Core Lanyard (Flipline) 5/8" Kit



Not for use around electric lines.


Spyder Steel Wire Core Lanyard (Flipline) 1/2" Kit



INCLUDES

- 1 wire core lanyard
- 1 rope grab - fixed pin
- 1 HMS triple lock carabiner
- 1 US Rigging aluminum swivel snap

SKU	ATTRIBUTE	PRODUCT
75191	8'	Steel Wire Core Lanyard (Flipline) 1/2" Kit
75192	10'	Steel Wire Core Lanyard (Flipline) 1/2" Kit
75193	12'	Steel Wire Core Lanyard (Flipline) 1/2" Kit



Not for use around electric lines.

Sterling Ultimate Positioning Lanyard



Sterling's all in one positioning lanyard kit comes prepared to handle multiple work and connection options. Built around Sterling's TriTech flipline. TriTech construction features durable Technora sheath over a unique inner Dyneema jacket covering a nylon core. These fibers combine to provide a rope lanyard that protects you against accidental nicks that could seriously compromise any other rope lanyard.

SPECS + FEATURES

- The UP Lanyard is designed to function as a true work positioning system.
- Multiple work and connection options allow for two-in-one positioning, one handed operation of tending slack, "M" system configuration or as a single leg up off a bridge.
- TriTech rope offers the best abrasion resistance and nonconductive properties.

SKU	ATTRIBUTE	PRODUCT
KTUPLAN12	12'	Ultimate Positioning Lanyard





Teufelberger hipSTAR FLEX Lanyard (formerly CE Lanyard)

Arborists from all around the world are using the CE lanyard and enjoying the advantages of this unique system. Our CE lanyard becomes **hipSTAR FLEX!**

SPECS + FEATURES

- Length: 3m, 4m, 5m, (7m, 10m by special order)
- Standards: EN 358:1999; EN 795B:2012; AS/NZS 5532:2013; AS/NZS 1891.1:2007; ANSI Z133-2017
- Replacement parts/Enhancements: Ocean Polyester e2e; Ocean Dyneema Loop T; CE lanyard e2e

SKU	ATTRIBUTE	PRODUCT
7351121	4 M	11.5 mm Hipstar Flex Lanyard
7350090	5 M	11.5 mm Hipstar Flex Lanyard
7351123	7 M	11.5 mm Hipstar Flex Lanyard
7351124	10 M	11.5 mm Hipstar Flex Lanyard
7350095	5 M	11.7 mm Hipstar Lanyard Replacement



Frostbight Lanyard Kit

For the arborist who wants something lightweight and adjustable with one hand.

INCLUDES

- 10' of Frostbight Tachyon 11.5 mm
- 2 - Tight eye splices
- 1 - Rock Exotica Oval carabiner
- 1 - DMM Shadow carabiner
- 1 - HRC hitch cord tied with Knut friction hitch
- 1 - Shizll hitch advancer

SKU	ATTRIBUTE	PRODUCT
010685	10'	Frostbight Lanyard Kit



CUSTOMIZED PRODUCT

Teufelberger DMM Ocean Polyester Thimble Loop

This **Ocean Polyester** sewn loop is a replacement component for the Teufelberger **fimbISAVER**.

SPECS + FEATURES

- DMM 8mm stainless steel thimble with tab (8 mm x 38cm)
- DMM 7mm stainless steel thimble no tab (7mm)

SKU	ATTRIBUTE	PRODUCT
7350606	7 mm	DMM Thimble Loop
7350841	8 mm	DMM Thimble Loop



Sterling RIT Thimble Prusik 8 mm

This unique prusik uses **RIT 500™** construction with a Twaron® sheath and nylon core for excellent heat and abrasion resistance.

SPECS + FEATURES

- Steel thimble offers a clean connection point
- Provides numerous options for adjustable anchors or connections
- MBS: 24.1 kN (5,418 lbs)
- Meets ANSI Z133

SKU	ATTRIBUTE	PRODUCT
SC08ATP013	8 mm	RIT Thimble Prusik



lanyards

CLIMBING / LANYARDS / ROPE GRABS

Gibbs Klimair Arborist Rope Grab - 1/2"

SPECS + FEATURES

- Two-in-one lanyards with dual rope snaps or carabiners
- Bi-directional; cannot adjust under load
- Great for one handed adjustment to taking up your slack on your lanyard
- Can also be used for ascending and rigging applications
- Not for self belay
- Rope diameter: 11 mm - 13 mm (7/16 - 1/2")
- Materials: 0.160 aluminum shell with stainless steel swivel eye
- MBS: 5,000 lbs
- Weight: 5.5 oz

SKU	ATTRIBUTE	PRODUCT
KLIMAIR		Klimair



Gibbs Rope Grabs

SPECS + FEATURES

- Great for wire core lanyards where one hand adjustable is key
- Spring Loaded Forged Cam
- For litter raising/load hauling, where extra strength is required. Not for self belay.
- 3/16" Aluminum Shell - Capacity: 7/16" to 1/2" (11 mm to 13 mm) Rope
MBS: 5,000 lbs
- 3/16" Stainless Steel Shell - Capacity: 5/8" to 3/4" (14 mm to 19 mm) Rope
MBS: 5,650 lbs

SKU	ATTRIBUTE	PRODUCT
G3A	Alum	Gibbs Rope Grab Push Pin 7/16-1/2
G3AB	Alum	Gibbs Rope Grab Bolt 7/16-1/2
G4A	Alum	Gibbs Rope Grab Push Pin 5/8-3/4
G4AB	Alum	Gibbs Rope Grab Bolt 5/8-3/4
G3S	Steel	Gibbs Rope Grab Push Pin 7/16-1/2
G3SB	Steel	Gibbs Rope Grab Bolt 7/16-1/2
G4S	Steel	Gibbs Rope Grab Push Pin 5/8-3/4
G4SB	Steel	Gibbs Rope Grab Bolt 5/8-3/4



ART Positioner with Swivel

ART's compact and lightweight rope grab device performs more smoothly than traditional cam style rope grabs. Made of aluminum alloy and stainless steel pins.

SPECS + FEATURES

- German-engineered Positioner with an ingenious clutch mechanism that provides users with feathered tension release while under load
- Hole for carabiner connection point
- For left or right handed people
- Compatible with 11-13 mm diameter lines
- Replaceable clutch

SKU	ATTRIBUTE	PRODUCT
29454S		Positioner 2 w/Swivel



Shizll® Rope Slider

SPECS + FEATURES

- Advantages over a pulley: Easy to use, No moving parts, No additional friction when climbing a different angle than straight up or down, Reduces twists
- Can be used in your lanyard and in your climbing system.
- Great affordable alternative to a micro-pulley.

SKU	COLOR	PRODUCT
R01	Varies	Rope Slider



FOR YOUR "FIGHTER WEIGHT" LANYARD!



Not load bearing and not made to hang on. Not Personal Protection Equipment (PPE).

Rock Exotica Rock Grab

In **Rock Exotica's** style, this sleek design offers climbers a light and strong rope grab. Streamlined and orientated where your carabiner sits more naturally when one-handed positioning. Not for vertical ascent.

SPECS + FEATURES

- Not adjustable under tension
- Requires tool to remove from lanyard; great safety feature
- Weight: RG2: 5.6 oz or RG4: 8.8 oz

SKU	ATTRIBUTE	PRODUCT
RG2-90	9-13 mm	Rock Grab
RG4-90	13.5-16 mm	Rock Grab



Spyder Climb Right Rope Grab – Fixed Pin

It's made in the U.S.A. and it's compact and lightweight, plus it works with both 1/2" and 5/8" fliplines. It has an internal spring design that is both stronger and more reliable than traditional springs. And the price is really something to smile at when you compare this rope grab to its competition.

SPECS + FEATURES

- Made from high-quality aircraft grade aluminum
- The Nyloc nut design provides double thread locking security--the pin threads into the rope grab body, and then the Nyloc nut is fastened, making for an extra secure design
- Replacement parts are available
- Rope Capacity: 1/2" - 5/8" (12-15 mm) or Micro: 3/8 -1/2" (10-12 mm)
- Weight: 7.5 oz

SKU	ATTRIBUTE	PRODUCT
85528	3/8 -1/2"	Climb Right Gibbs Rope Grab – Fixed Pin
85568	1/2" - 5/8"	Climb Right Gibbs Rope Grab – Fixed Pin



US Rigging ProClimb Mini

SPECS + FEATURES

- Fits 7/16" - 5/8" Flip Lines
- Fixed Bolt & Nut
- Aluminum Alloy
- Hard Anodized
- Removable Cam

SKU	ATTRIBUTE	PRODUCT
MRG200		ProClimb Aluminum Mini Rope Grab



Kong Duck Rope Grab

Duck, the innovative emergency rope clamp. Conceived for single ropes with a diameter between 8 and 13 mm, is the first and only clamp that also works on flat and tubular slings from 10 to 15 mm width (even if these are not certified for progression).

SPECS + FEATURES

- Due to its small dimensions, it can be easily attached with one hand.
- Big hole allows locking connectors to rotate. Born as an emergency rope clamp for retrieval, progression maneuvers and for the regulation of daisy chains.
- Weight: 70 g | 0.15 oz
- Height: 20.5"; Length: 2.4"; Width: 1"
- Rope or Webbing Capacity: 10-15 mm

SKU	ATTRIBUTE	PRODUCT
88800NG00KK		Duck Rope Grab



prusiks + split tails

Teufelberger epiCORD - Prusik 11/32" | 9.3 mm

SPECS + FEATURES

- Cover composed of polyester and Technora® which yields a tight cover that gives you the necessary heat resistance but at the same time flexible enough to easily tie your hitch.
- Core of epiCORD is a combination of Technora and Dyneema® braided for strength and performance.

SKU	IN	PRODUCT
C2413-09-00300	BULK	epiCORD - 11/32" 9.3 mm
3235284	28"	epiCORD - 11/32" 9.3 mm
3235304	30"	epiCORD - 11/32" 9.3 mm



Teufelberger epiCORD - Prusik 3/8" | 10 mm

SPECS + FEATURES

- Cover composed of polyester and Technora® which yields a tight cover that gives you the necessary heat resistance but at the same time flexible enough to easily tie your hitch.
- Core of epiCORD is a combination of Technora and Dyneema® braided for strength and performance.

SKU	IN	PRODUCT
3236284	28"	epiCORD - 3/8" 10 mm



Donaghys Armor-Prus Poly - Prusik 5/16" | 8 mm

SPECS + FEATURES

- Unique cover blend of Technora and Polyester that acts like Armor over a core of light weight Spectra® 900/Kevlar.
- Long lasting, heat resistant
- Pairs great with 7/16" | 11mm lines

SKU	IN	PRODUCT
3413284 SEWN	28"	Armor-Prus Orange - 5/16 8 mm
3413304 SEWN	30"	Armor-Prus Orange - 5/16 8 mm
3411284 SEWN	28"	Armor-Prus Green - 5/16 8 mm
3411304 SEWN	30"	Armor-Prus Green - 5/16 8 mm
3411404 SEWN	40"	Armor-Prus Green - 5/16 8 mm



Donaghys Armor-Prus Poly - Prusik 3/8" | 10 mm

SPECS + FEATURES

- Unique cover blend of Technora and Polyester that acts like Armor over a core of light weight Spectra® 900/Kevlar.
- Long lasting, heat resistant
- Pairs great with 7/16" | 11mm lines

SKU	IN	PRODUCT
3412284	28"	Armor-Prus Poly Eye /Eye Hitch Cord - 3/8 10 mm
3412304	30"	Armor-Prus Poly Eye /Eye Hitch Cord - 3/8 10 mm
3412324	32"	Armor-Prus Poly Eye /Eye Hitch Cord - 3/8 10 mm



Teufelberger HRC ThermaShield – Prusik 5/16" | 8 mm

SPECS + FEATURES

- Extremely heat resistant cover made of Technora and spun Nomex. Nomex and Technora cover over a Vectran core. Good for friction hitches with great heat resistance.
- Great hand; supple with an excellent grip
- Non-melting; Non-glazing

SKU	IN	PRODUCT
3231284	28"	HRCThermaShield – 5/16" 8mm
3231304	30"	HRCThermaShield – 5/16" 8mm
3231324	32"	HRCThermaShield – 5/16" 8mm
HRC 5/16X30	30"	HRCThermaShield –Spliced – 5/16" 8mm



Yale Bee-Line – Prusik 3/8" | 10 mm

SPECS + FEATURES

- First rope designed to wick the heat of friction away from a knot.
- Technora Aramid fiber has heat resistance through 800 degrees F and excellent cut resistance.
- Vectran, Technora/polyester cover

SKU	IN	PRODUCT
3352284	28"	Bee-Line – 3/8" 10 mm
3352304	30"	Bee-Line – 3/8" 10 mm



Sterling Flex – Prusik 5/16" | 8 mm

SPECS + FEATURES

- Ultra-strong and water-resistant polyester fibers surrounded by a blended Technora®/polyester sheath.
- Cover provides solid abrasion resistance with enough bite to hitch firmly onto ropes.

SKU	IN	PRODUCT
3523284	28"	Flex – 5/16" 8 mm
3523304	30"	Flex – 5/16" 8 mm
3523324	32"	Flex – 5/16" 8 mm



Sterling Flex – Prusik 3/8" | 10 mm

SPECS + FEATURES

- Ultra-strong and water-resistant polyester fibers surrounded by a blended Technora®/polyester sheath.
- Cover provides solid abrasion resistance with enough bite to hitch firmly onto ropes.

SKU	IN	PRODUCT
SC10AP2E028	28"	Flex – 3/8" 10 mm
SC10AP2E030	30"	Flex – 3/8" 10 mm
SC10AP2E032	32"	Flex – 3/8" 10 mm



prusiks + split tails

CLIMBING / PRUSIKS + SPLIT TAILS

Sterling RIT – Prusik 5/16" | 8 mm

SPECS + FEATURES

- Provides consistent friction in a wide variety of situation thanks to their firmer, tight Twaron sheaths.
- Made from our RIT 500 cord which provides a firm feel and solid durability.

SKU	IN	PRODUCT
SC08AN2E028	28"	RIT – 5/16" 8 mm
SC08AN2E030	30"	RIT – 5/16" 8 mm
SC08AN2E032	32"	RIT – 5/16" 8 mm



 **STERLING**

Sterling RIT – Prusik 3/8" | 9 mm

SPECS + FEATURES

- Provides consistent friction in a wide variety of situation thanks to their firmer, tight Twaron sheaths.

SKU	IN	PRODUCT
SC09AP2E030	30"	RIT Rescue – 3/8" 9 mm



 **STERLING**

Samson Ice Tail – Prusik 5/16" | 8 mm

SPECS + FEATURES

- A single carrier 12-strand hollow braid that has a great hand and a soft feel.
- With excellent grip and high heat-resistance because of the Aramid fibers Ice Tail is a popular choice as a friction hitch cord in climbing systems.

SKU	IN	PRODUCT
ICETAIL5/16X28	28"	Ice Tail – 5/16" 8 mm
ICETAIL5/16X30	30"	Ice Tail – 5/16" 8 mm
ICETAIL5/16X32	32"	Ice Tail – 5/16" 8 mm
ICETAIL5/16X36	36"	Ice Tail – 5/16" 8 mm



 **SAMSON**
THE STRONGEST NAME IN ROPE

Samson Bail Out-XL – Prusik 3/8" | 9 mm

SPECS + FEATURES

- Bail Out is a Double-Braid prusik cord that has a firm feel.
- It is incredibly durable and long lasting
- It offers the ultimate in heat resistance – it will not melt or flatten out.

SKU	IN	PRODUCT
012739	BULK	Bail Out-XL – 3/8" 9 mm



 **SAMSON**
THE STRONGEST NAME IN ROPE

Teufelberger Ocean Polyester – Prusik 5/16" | 8 mm

SPECS + FEATURES

- Highly abrasion resistant and Heat resistant
- Good grippyness
- Thanks to its long service life, the Ocean Polyester is great value for your money.

SKU	IN	PRODUCT
7350808	33.5"	Ocean Polyester – 5/16" 8 mm



 **Teufelberger**
Together in Motion

Teufelberger Ocean Polyester – Prusik 3/8" 10mm

SPECS + FEATURES

- Highly abrasion resistant and Heat resistant
- Good grippyness
- Thanks to its long service life, the Ocean Polyester is great value for your money.

SKU	IN	PRODUCT
7351007	25.5"	Ocean Polyester – 3/8" 10 mm
7351011	33.5"	Ocean Polyester – 3/8" 10 mm



 **Teufelberger**
Together in Motion

Samson Tenex Tec – Prusik 3/8" | 9.5 mm

SPECS + FEATURES

- High-strength, low-stretch rope designed with two ends per carrier allowing for more rope surface conformance to objects being lifted than standard single braid
- Samthane coated to enhance wear life.

SKU	IN	PRODUCT
3/8X24TENEX	24"	Tenex-TEC – 3/8" 9.5 mm
3/8X30TENEX	30"	Tenex-TEC – 3/8" 9.5 mm



Beeline Sewn – Prusik 5/16" | 8 mm

SPECS + FEATURES

- Machine sewn eye on each tail sewn by Pelican Rope
- A high quality polyester cord that is soft and flexible with great gripping ability.
- Tough kernmantle technora jacket over polyester core.

SKU	IN	PRODUCT
EE28	28"	Bee-Line – 5/16" 8 mm
EE30	30"	Bee-Line – 5/16" 8 mm
EE32	32"	Bee-Line – 5/16" 8 mm



Spyder Sewn Prusik 8 mm | 5/16"

Fast action eye and eye hitch cord. Great for DRS|SRS systems.

SPECS + FEATURES

- Constructed with a Technora outer sheath which is chemical, flame and wear resistant

SKU	IN	PRODUCT
36520	28"	Sewn Prusik 8 mm 5/16"
36521	30"	Sewn Prusik 8 mm 5/16"
36522	32"	Sewn Prusik 8 mm 5/16"
36523	34"	Sewn Prusik 8 mm 5/16"



Spyder Sewn Prusik 10 mm | 3/8"

Fast action eye and eye hitch cord. Great for DRS|SRS systems.

SPECS + FEATURES

- Constructed with a Technora outer sheath which is chemical, flame and wear resistant

SKU	IN	PRODUCT
36540	28"	Sewn Prusik 10mm 3/8"
36541	30"	Sewn Prusik 10mm 3/8"
36542	32"	Sewn Prusik 10mm 3/8"
36543	34"	Sewn Prusik 10mm 3/8"



prusiks + split tails

CLIMBING / PRUSIKS + SPLIT TAILS

Spyder Technora Split Tail

High melting point split tail, excellent for open double rope systems. Stop prematurely wearing the tail of your climbing line, use a split tail.

SPECS + FEATURES

- Constructed with a Technora outer sheath which is chemical, flame and wear resistant
- Light weight
- Great for DRS open systems using 24 strand climbing lines
- Diameter: 8 mm | 3/8"

SKU	ATTRIBUTE	PRODUCT
36650	5'	Technora Split Tail



Spyder
MANUFACTURING / USA

Eye Splice 16-Strand Split Tail 1/2" 3" Eye

SPECS + FEATURES

- Hand spliced
- 3" eye for girth hitches or to capture with a keeper
- 1/2" climbing line
- MBS: 5,400 lbs (often exceeds)
- Rope manufacturers and colors vary

SKU	ATTRIBUTE	PRODUCT
SPLITTAIL 1/2 3 EYE	5'	16-Strand Split Tail 1/2" 3" Eye



CUSTOMIZED
PRODUCT

Eye Splice 16-Strand Split Tail 1/2" 1" Eye

SPECS + FEATURES

- Split tail for an open system
- Replaceable Blake or Tautline Hitch
- Eye size: Tight eye
- Diameter: 1/2"
- Construction: 16-Strand
- Cordage: variable 1/2" 16 strand (Samson, Teufelberger, Yale, Sterling)
- Minimally: MBS: 5,000 lbs

SKU	ATTRIBUTE	PRODUCT
SPLITTAIL 1/2 T-EYE		16-Strand Split Tail 1/2" 1" Eye



CUSTOMIZED
PRODUCT

Eye Splice 24-Strand Split Tail 11 mm 1" Eye

SPECS + FEATURES

- Cordage varies: Samson Velocity, Teufelberger Tachyon, Yale Blaze, Yale BlueMoon, and more
- Hand spliced with a tight eye
- Diameter: 11 mm variations
- Variations: Rope manufacturer and color
- MBS: 5,400 lbs (meets or exceeds)

SKU	ATTRIBUTE	PRODUCT
SPLITTAIL 11MM T-EYE		24-Strand Split Tail 11 mm 1" Eye



CUSTOMIZED
PRODUCT



@Height Yale Beeline Split Tail Prusik 10mm - Eye splice

SPECS + FEATURES

- Great for double rope systems using and open style.
- Reduces wear to your climbing line
- High melting point
- Eye splice choice: Sewn or hand spliced
- Supplied by @Height

SKU	ATTRIBUTE	PRODUCT
008895	sewn 5'	Yale Beeline Split Tail 10 mm
007594	spliced 5'	Yale Beeline Split Tail 10 mm



HEIGHT

**CUSTOM
QUALITY
PRODUCTS**

RP280 Rope Wrench
Manufactured in UK by I/S/C
121268941392
UP

mechanicals

Rock Exotica Akimbo

The Akimbo is a long-awaited SRT (SRS) climbing device that is mid-line attachable. Opens easily to install/remove rope mid-line, without detaching from harness.



SPECS + FEATURES

- Accepts wide range of rope sizes (See list of approved ropes below).
- Friction adjusts easily without tools.
- Suitable for both SRS and MRS climbing methods.
- SRS chest attachment wire gate provides quick connect/disconnect for cord or small carabiner.
- Ascend, descend and position in the canopy without changing equipment.
- Lightweight and compact
- The initial run will not be CE certified for sale into European CE markets
- Rope Sizes: 11.5 mm – 13 mm (see approved ropes below)



SKU	ATTRIBUTE	PRODUCT
AKIMBO		Akimbo

APPROVED ROPES	WLL: Do not to exceed	WLL: Do not to exceed
The following ropes are approved for use with the Akimbo at the Working Load Limit (WLL) shown below. Only approved ropes should be used with the Akimbo. Working Load is equal to the total weight of the climber including gear. Total Working Load of the climber must not exceed the Working Load Limit (WLL) for the rope listed or slippage may occur!	- 100 kg (220 lb)	- 130 kg (286 lb)
	Samson Voyager	Cousin Atrax 11.6 mm
	Cool, 11.8 mm	Sterling Scion 12.5 mm
	Teufelberger XStatic 11.7 mm	Sterling WorkPro 12.5 mm
	Yale Poison Ivy /	Sterling HTP 12.5 mm
	Blue Moon 11.7 mm	Teufelberger Drenaline 11.8 mm
		Teufelberger Fly 11.1 mm
		Yale Scandere 11.7 mm

Rock Exotica Unicender

Since its inception in 2005, the **Unicender** has been the most flexible tool for tree climbing. With the ability to be used in both Doubled Rope Technique (DdRT) and Single Rope Technique (SRT), the **Unicender** fits the way you like to climb like no other tool.

The **Unicender** utilizes unique friction plates that allow it to advance easily with minimal friction, and virtually no "Sit Back," giving you the most efficiency per stride. Descending is just as easy: by looping the rope around the plates in SRT. Additionally, the **Unicender** attaches conveniently mid-line.

SPECS + FEATURES

- For rope sizes 11 to 13 mm (7/16" to 1/2")
- Invented by Morgan Thompson and manufactured by Rock Exotica

SKU	ATTRIBUTE	PRODUCT
RG50		Unicender



mechanicals + friction fitches

CLIMBING / MECHANICALS + FRICTION FITCHES

@Height Rope Wrench Double Tether



@Height's Wrench Tether collaborated with Eric Whipple to make this sewn tether for the Rope Wrench.

SKU	ATTRIBUTE	PRODUCT
8541104	9.5"	Rope Wrench Double Tether
8541ST4	12"	Rope Wrench Double Tether

SPECS + FEATURES

- Lightweight and stiff
- Constructed out of Sterling Ropes 6 mm Power Cord
- Sewn, 2 legs - can be used separate or together.



A brand that I use quite frequently is @height. @height supplies my rope wrench tethers for my single line access and they also sew most of the eye to eyes that I use for my prusik cords. They do a great job with making their products when it comes to construction, style and usefulness. With any @height product I have ever used, I have always had a good experience with everyday tree production to just including it into mountaineering setups or rec climbing. They always hold up and have never failed me. I would highly recommend @height products to anyone who is in the tree care industry or any type of work that includes rope ascent or decent!"

—Corey Gagne, Professional Arborist, MA

Rope Logic FIX Tethers



Rope Logic's FIX Tether is the great choice for your Rope Wrench. Both the single and double eye versions offer a small loop sewn into the tether for easy tending, and the FIX single eye works perfectly with the Pinto-style pulley and the double eye works with the Hitch Climber-style pulley.

SPECS + FEATURES

- Super rigid -Constructed of Neon Green 5/16" (8 mm) Yale Beeline
- Short loop built in for an easy connect point to your chest harness for SRS ascents
- Tensile Strength: 5,500 lbs (24.4 kN)
- WLL: 550lbs (2.4 kN)

SKU	ATTRIBUTE	PRODUCT
40066	9"	Short Single Tether
011313	10.5"	Single Tether
011312	10.5"	Double Tether



ISC Rope Wrench - 11 mm



The ISC Rope Wrench is used to create a 'bend' in the rope, above the climber's hitch. With the addition of a stiff tether, the STRW created a 'contained double rope system', on a single line of rope. This contained double rope system travels with the climber as they move around the tree, allowing a consistent level of friction on the hitch, which is impossible to achieve in double rope climbing.

SPECS + FEATURES

- Weight: 128 g | 5 oz
- Compatible with Rope Diameter Range: 11 mm (7/16")
- Wheel and Body Material: Aluminum; Body Finish: Anodized

SKU	ATTRIBUTE	PRODUCT
RP280B1	Black	Rope Wrench 11 mm
RP280F1	Gold	Rope Wrench 11 mm
RP280C1	Purple	Rope Wrench 11 mm
RP280D1	Orange	Rope Wrench 11 mm
RP280A1	Red	Rope Wrench 11 mm



ISC Rope Wrench - 13 mm

NEW! RP283 (assembled part) - Optimized for SRS/SRT climbing on 13 mm (1/2") lines. Ever use a wrench on your 1/2" line and feel it just struggle a bit? The RP283 combo is smooth as silk. This wrench was designed for 13 mm lines and you'll appreciate and love it, especially maneuvering on SRS limb walks.

Includes:

- (1) x ISC Rope Wrench RP283
- (1) x @Height's 12" double tether

SPECS + FEATURES

- Compatible with Rope Diameter: 13 mm (1/2")
- Weight: 130g | 6 oz
- Material: Aluminum; Body Finish: Anodized

SKU	ATTRIBUTE	PRODUCT
RP283	Red	Rope Wrench 13 mm

NEW
OPTIMIZED
FOR SRS/SRT
CLIMBING



Not all items pictured are included.

Taz LOV2

The **LOV2**, is the first device that allows you to replace 3 devices: Fall arrest device, Descender, and Chest ascender switching into descender. The only device of it's kind that can function on tensioned ropes, tram lines, and diagonal ropes.

SPECS + FEATURES

- Ease of use
- For single line ascents and descents
- Rope diameter: 10 - 11 mm
- EN 358 | EN 12841 A/C
- Weight max. 120 kg | 264 lbs

SKU	ATTRIBUTE	PRODUCT
PM30-BL	Black	Taz LOV2
PM30-R	Red	Taz LOV2



RopeTek™ Hitch Hiker™ 2

The **Hitch Hiker (HH) 2** system is a steel hybrid device which tends and assists your friction hitch in both SRS and MRS climbing. Popular with climbers doing crane work or want the steel feel.

NOTE Due to feedback from many the original HH users, RopeTek chose to not include the hitch cord to allow climbers to choose the cordage they feel most comfortable using.

SPECS + FEATURES

- Meet the 2 - now lighter and more compact
- Industrial, galvanized side plates made of Nickel coated AR400S
- Spine is 7075 aluminum
- Includes:
 - 1 - Hitch Hiker 2
 - 1 - Dog bone made of pre-hardened 4140 steel
 - 1 - CT Steel Pillar TG Carabiner (MPN: 3c4460a)

SKU	ATTRIBUTE	PRODUCT
HITCH HIKER		Hitch Hiker 2
BONE		Hitch Hiker 2 Replacement Bone



Hitch cord and carabiner included; rope not included.

mechanicals + friction fitches

CLIMBING / MECHANICALS + FRICTION FITCHES

Kong Futura Ascender

The **Futura** is here. A radical new approach to climbing ropes. Surprisingly simple the new designs are comfortable to use thanks to the ergonomic grips. Allows users hand to sit comfortably inside the device close to the rope the same way you would grabbing the actual rope.

SPECS + FEATURES

- Comes with 2 different sized handles for ergonomic comfort
- Available in right and left versions
- Great for open ascent events
- Very lightweight
- Rope capacity: 8 mm - 12.7 mm
- Weight: 125 g
- CE EN 567CE EN 12841/BNFPA-L 1983:06

SKU	ATTRIBUTE	PRODUCT
87600NY4DK		Futura Ascender

SMALL, LIGHT,
FITS IN PALM
OF YOUR HAND!



Kong Lift Hand Ascender

All the components are part of the latest generation of **Kong** blockers. Excellent ability to block out particularly on muddy and icy ropes thanks to the holes on the cam and on the side plate. The new material and a special chemical and thermal process give to the cam, in addition to black color, a much higher surface hardness. The result is a great wear resistance and a reduction of the fragility that usually penalizes steels by quenching to low temperatures.

SPECS + FEATURES

- New opening lever, ergonomic, easy to handle and protected from shocks and from the risk of accidental opening.
- Fitted with anti-overturning system of the cam.
- Materials: Aluminum Alloy
- Weight: 225 g
- Rope Diameter: 8-13 mm
- Certs: CE EN 567, CE EN 12841/B

SKU	ATTRIBUTE	PRODUCT
KNG896D	Right	Lift Hand Ascender
KNG896S	Left	Lift Hand Ascender



Climbing Technology Quick Roll

Innovative ascender handle with integrated pulley. Much more effective and less clumsy than the traditional ascending handles with their additional connector: the working rope runs from the descender over the integrated pulley, thus reducing friction and facilitating the ascent.

SPECS + FEATURES

- Cam opening lever usable with one hand, with a single downwards movement
- Wear-resistant steel blocking cam, with depressions to avoid the accumulation of dirt and mud and reduce force needed to slide device up the rope in difficult conditions (muddy, iced-up ropes);
- 2 additional attachment points, system to prevent cam inverting and secondary hole for connecting an etrier with a quick link.
- Great for Open Ascent Event for a quick connect to weight your line.
- Rope diameter: 10-13 mm
- Weight: 0.2 lbs

SKU	ATTRIBUTE	PRODUCT
2D663SJ	Left	Quick Roll
2D663DJ	Right	Quick Roll



GREAT FOR SRS LIMB WALKS

CMI Ultrascender Hand Ascender

The **CMI Ultrascender Large** features an ergonomic safety mechanism and thumb notch on the cam make this an easy ascender to operate. CMI guarantees their cams, springs and safeties for life.

SPECS + FEATURES

- Ascender body is extruded from aircraft grade aluminum and stainless steel, and finished with a hard powder coat to permanently protect them from the elements.
- Cams are cast from chromemoly steel and finished with a non-metallic finish that gives them the same corrosion resistance as stainless steel
- Springs are tested to over a million cycles, simulating lifetimes of the most demanding use.
- Rope Capacity: up to 5/8"
- Length: 7.4" x 3"
- MBS: 4,600 lbs
- Weight: 9.5 oz

SKU	ATTRIBUTE	PRODUCT
ULT01R	Red	Ultrascender



Rope not included.

CMI

Kong Cam-Clean Chest Ascender

The **Kong Cam-Clean Chest Ascender** rope clamp was specifically conceived for climbing, caving, rescue, work on height, and canyoning. Excellent ability to block out particularly on muddy and icy ropes thanks to the holes on the cam.

SPECS + FEATURES

- Aluminum Alloy
- Fits ropes 8 mm - 13" diameter
- Excellent ability to block out particularly on muddy and icy ropes
- Fitted with anti-overturning system of the cam
- Length: 4.52" (115 mm), Width: 3.07" (78 mm), Height: 1.49" in. (38 mm)
- Weight: 5.29 oz (150 g)
- EN 567 Certified and CE EN 12841 type B Certified

SKU	ATTRIBUTE	PRODUCT
82400R400KK	Red	Cam-Clean Ascender



KONG

CAMP Turbo Chest Ascender

Proprietary rollers increase climbing efficiency and decrease wear and tear on the device and ropes.

SPECS + FEATURES

- Super smooth action and increased safety on traversing maneuvers
- Thicker body plates and a shaped connection point reduce shifting between the device and the connector
- Can be setup as a locking pulley for light hauling
- Rope Diameter: 8-13 mm
- Weight: 4 oz
- Weight Capacity: 50 - 110 lbs
- Certification(S): EN 567, UIAA, CE, EN 12841/B, EN 12841 Type B

SKU	ATTRIBUTE	PRODUCT
2256		Turbo Chest Ascender



CAMP

ascenders

CLIMBING / KNEE ASCENDERS

Weaver HAAS Velox

The **HAAS Velox** makes the original **HAAS** even better; the *floating knee ascender*. The HAAS is a unique ascent tool designed by Michael Frankhauser from the U.S. It gives the climber an easier and faster way to ascend. It can be added to double rope systems, SRT systems, with the Rope Wrench, Hitchhiker, or without. The **HAAS** Features a fully integrated knee ascender that captures all of the advancement made by your other foot. It does this by allowing the bungee to run past the ascender all the way to the foot through a liner where it then pulls the lower tether and ascender up the line from the bottom when it is un-weighted. The result is a smooth efficient ergonomically correct ascent that uses major muscle groups evenly and drastically reduces fatigue and stress. If you ever thought it would be cool to use two foot ascenders here is your chance.

SPECS + FEATURES

- Fully integrated system, bungee, tether, and ascender, all in one piece, which operates below your hitch and only on one side.
- Additional 18" of bungee in the system
- One size fits all, zero set up, efficient rope access tool.
- Snap is tied just above the ascender and will extract out 30 inches
- Sizing setup time eliminated
- Removes 'dead spots' in return action
- 3 types: Regular fits 5'8" climbers and taller; Short: for those <5'8"; Clip N Step: clip directly to ArbPro boot loops; Works well with ArbPro Clip N Step boots, or with an added separate footloop.

SKU	ATTRIBUTE	PRODUCT
0898111	Short	HAAS Velox
0898110	Regular	HAAS Velox
0898109	Clip N Step	HAAS Velox



4SRT Floop Foot Loop for Climbing Boots



SPECS + FEATURES

- 4SRT provides a specialty range of equipment designed by arborists for SRT (Single Rope Technique) climbing.
- For climbing boots

SKU	ATTRIBUTE	PRODUCT
T4FL1		Floop Foot Loop



Edelrid PROSTEP II



The **PROSTEP** is designed for ascending ropes in combination with the ELEVATOR ascender. The foot loop made of 20 mm webbing is easy to use and allows an effective and low-fatigue ascent. The **PROSTEP** is individually adjustable thanks to the Slide Block BUCKle.

SKU	ATTRIBUTE	PRODUCT
890131200170		PROSTEP II



CAMP Turbo Foot Ascender



CAMP's small foot ascender is the latest in the group of quick-release foot ascenders.

SPECS + FEATURES

- Proprietary rollers are placed on the ascender body where the rope travels providing a smooth, fast movement of the rope
- Rollers provide less wear to rope and ascender
- Toothed cam is finished with a special anti-wear treatment
- Innovative strap design provides a secure fit to any kind of footwear; strap aligns with direction of the force being applied for optimal comfort and efficiency.
- Rollers also allow the Turbo Foot to be rigged as a locking pulley for light hauling with a max load of 50 kg, 110 lbs.
- Rope Diameter: 8mm - 13 mm
- Lightweight: 135 g (4.8 oz)

Safety Notice: Used as a locking pulley configuration is not intended for hauling or securing of bodies. The Turbo Foot is for progression only and must not be used as a safety attachment

SKU	ATTRIBUTE	PRODUCT
2258 RED	Right	Foot Turbo
2259 GRAY	Left	Foot Turbo



QUICK ROPE RELEASE (ADD LONG STRAP OR A CARABINER THROUGH HOLE TO KEEP FROM KICKING OUT.)

Climbing Technology Foot Ascender



The **CT Quick Step Foot Ascender** from Climbing Technology of Italy is lightweight, compact and efficient. Has a deeper channel and an improved cam release to prevent your climbing rope from accidentally kicking out. Thoughtful design gives the CT version an edge over other models.

SPECS + FEATURES

- Dimensions: 3.2" x 2.6" (83 x 65 mm)
- Rope Capacity: 5.16"-1.2" (8 mm - 13 mm)
- Weight: 6.95 oz (197 g)

SKU	ATTRIBUTE	PRODUCT
2D654D RIGHT	Right	Quick Step Foot Ascender
2D654S LEFT	Left	Quick Step Foot Ascender



MANUAL ROPE RELEASE

CLIMBING / FOOT ASCENDERS

Edelrid Foot Cruiser



Sophisticated foot ascender that enables efficient and low-fatigue climbing on the rope. A pre-installed but removable rope safety device prevents unintentional release. The locking mechanism of the **FOOT CRUISER** is easy to operate – even with your feet. The ascent loop is fitted with an abrasion protector.

SKU	ATTRIBUTE	PRODUCT
882500000170	Right	Foot Cruiser
882490000060	Left	Foot Cruiser



CMI Foot Ascender



This rugged, practically bomb proof foot ascender is fondly referred to as the little brick or the juice box. Tried and true, one of the original foot ascenders in the industry.

SPECS + FEATURES

- Secure webbing straps, snugly fit to your foot
- Quick and easy to adjust
- Easy to find
- Color: Blue
- Weight: 0.7 lb

SKU	ATTRIBUTE	PRODUCT
FIASCR	Right	Foot Ascender
FIASCL	Left	Foot Ascender



GREAT FOR
LARGE LUGGED
SOLED BOOTS

ISC Stryder Foot Ascender



ISC's **Stryder Foot Ascender** is created with the arborist specifically in mind. It includes a lightweight cam with a coned face for firm and reliable grip with minimal wear on your rope.

SPECS + FEATURES

- Foot-operable cam lever; can be removed
- Webbing straps tighten quickly and securely; creep-free webbing
- Tuned cam-spring for smooth and secure operation
- Rope Range: 8-13 mm (5/16 - 1/2")
- Dimensions: 75 x 52 x 25 mm (3 x 2 x 1")
- Weight: 198 g (7 oz)
- Material: Aluminum (Anodized), stainless steel cam
- MBS: 2.5 kN (562 lbf)
- WLL: 140 kg (308 lb)

SKU	ATTRIBUTE	PRODUCT
RP227A1	Right	Stryder Foot Ascender
RP228A1	Left	Stryder Foot Ascender

GREAT PULL TAB TO
REMOVE FROM FOOT;
HAS REMOVABLE ROPE
LOCKING MECHANISM



THE LOCK MECHANISM CAN BE
DISENGAGED WITH YOUR FOOT.

basal anchors

ART Snake Anchor

The **Snake Anchor** from **ART** serves as lanyard and anchoring device, it can be continuously adjusted thanks to the stitched intervals. The **Snake Anchor** can be installed open and used as friction device with pulley or biner in the desired length. It also can be installed in choking mode and continuously adjusted as well. Because of the tube shaped ring this procedure works much better than with any other tool known so far.

The one-and-only combination system of tube shaped ring, parallel sewn 8 mm polyamide rope as well as segment stitching makes for a strong, versatile and easy to use tool in everyday work situations. If you want to secure or block the choked sling, you just need to install a small binder into an open rope segment right in front of the ring. Climbing ropes can be fastened as lower anchor. This way you can for example install a lowering device for aerial rescue at any given place.

SPECS + FEATURES

- Used as basal or upper anchor
- Segment stitching makes for continuous adjustments
- Securing position in choking mode installation with non-locking carabiners
- To be used as adjustable friction saver with biners or pulleys
- Great abrasion resistance and wide contact surface based on parallel sewn 8 mm double strand polyamide rope
- High load capacity plus protection of eye with tube shaped ART ring
- Better security and tensile strength based on even load distribution onto whole of tube shape ring structure

SKU	ATTRIBUTE	PRODUCT
SA-16	16'	Snake Anchor
SA-8	8'	Snake Anchor



Sterling BARC

Sterling's BARC or Big Ass Rigging Chain is what the Sterling field testers dubbed it. Actually, **BARC** stands for Basal Anchor Rigging Chain, but who are we to argue? Try one and you'll be a believer.

Building on the popularity of Sterling's versatile Chain Reactors, the **BARC** is made from 1" T9800 nylon webbing sewn into individual full-strength loops for an adjustable and incredibly strong chain.

SPECS + FEATURES

- Designed for use as a basal anchor with your Portawrap or other friction brake lowering device
- BARC can also accommodate your rigging block aloft. BARC comes in 5ft and 8.5ft versions to accommodate trees up to 19" and 32" in diameter, respectively.
- MBS: 6,182 lb, each individual loop has a strength rating of over 11,000 lb
- Available Length: 5' (8.5' is the Red)
- Standards: ANSI Z133

SKU	ATTRIBUTE	PRODUCT
SW25498RC10	8.5'	BARC - Red
SW25498RC60	5'	BARC - Blue



descenders

DMM Anka

At 169g, the **Anka**, is the heaviest of all our abseil devices; this extra mass means it has excellent heat dissipation qualities. The added bonus of course is that it is incredibly durable.

SPECS + FEATURES

- Heavy duty abseil device
- 90 degree twist 'anchor' design optimizes loading on harness belay loop
- Larger mass offers greater heat dissipation and increased durability
- Anodized for corrosion resistance
- Wings prevent accidental lock-up
- MBS: 6,750lbs
- Weight: 169g

SKU	ATTRIBUTE	PRODUCT
A1100		Anka



DMM Cardiac Arrestor

The **Cardiac Arrestor** has a subtle kinked shape which allows for this. If you're using fatter ropes, flip it one way for a smoother ride. Conversely, if you're using skinny ropes, flip it the other way for greater control.

SPECS + FEATURES

- Kinked shape allows high or low friction options
- Anodized for corrosion resistance
- Weight: 133g

SKU	ATTRIBUTE	PRODUCT
A1110		Cardiac Arrestor



DMM Abseil Figure 8

DMM's **Abseil Figure 8** balances weight, strength, usable friction and heat control so well and is a true classic in every sense of the word. Medium in size it's a true simple, classic, and no frills design with a very affordable price tag. Lightweight, very hard wearing and exceptionally strong.

SPECS + FEATURES

- Hot forged and fully heat treated aluminum for lightness and strength
- Anodized to BS12373-2001 Class 10E1
- Sealed for corrosion protection
- MBS: 25kN
- Rope Size: 11 -16 mm
- Weight: 116g
- Color: Varied

SKU	ATTRIBUTE	PRODUCT
A1150		Abseil



Kong Rescue Figure 8



Kong's Figure 8 Descender with ears (or wings) to create a locking knot. The ears are designed to prevent the rope from slipping up to the top and forming a girth hitch which can strand the climber who is rappelling until they can remove their weight from the device. The large central opening allows you to overcome any knots.

SPECS + FEATURES

- Finish: Anodized, Hot forged
- MBS: 40Kn
- Rope Size: 9 - 16 mm
- Weight: 0.6 oz
- Color may vary between Silver, Red, or Blue

SKU	ATTRIBUTE	PRODUCT
80506R400KK	Aluminum	Rescue Figure 8



Kong Classic Figure 8 Descender



Kong's figure 8 provides one of the smoothest, easiest to control descents of any device. The **Kong Classic Figure 8** will also outlast most other rappel devices.

SPECS + FEATURES

- Smooth, easy to control
- Long lasting and affordable
- Weight: 135 grams
- Strength: 35kN
- Rope Diameter Range: 9mm - 12mm

SKU	ATTRIBUTE	PRODUCT
80503K400KK	Aluminum	Classic Figure 8 Descender



KONG USA

Quality climbing gear... since 1830

KONG USA

www.kongusa.com

descenders

CLIMBING / DESCENDERS

Kong Oka Figure 8 Descender

Ease of operation, diversity of progression techniques on ropes of different diameters, and the multitude of braking positions are characteristics achieved through its joint development with rescue technicians.

SPECS + FEATURES

- Quick, safe and effective function in all conditions
- Supplied with two spare rubber parts.
- Weight: 95g
- Certs: CE EN 15151-2

SKU	ATTRIBUTE	PRODUCT
80508N400KK	Aluminum	Oka Figure 8 Descender



US Rigging ProClimb Big 8 Stainless Steel Descender

The **Big 8 Stainless Steel Descender** meets CE and UIAA standards and is rated at 11,240 lbs tensile strength. Made from high polished stainless steel, this descender can be used in an array of activities including arboriculture, rescue, recreational climbing and more.

SPECS + FEATURES

- MBS: 50 kN (11,240 lbs)
- Rope Size: 11 -16 mm
- Weight: 1.63 lbs
- Color: Silver

SKU	ATTRIBUTE	PRODUCT
USR850S		ProClimb Big 8 Stainless Steel Descender



Spyder Climb Right Classic Figure 8 Descender

SPECS + FEATURES

- Material: Aircraft Grade Aluminum
- Length MBS: 35 kN
- Length: 5 3/4"

SKU	ATTRIBUTE	PRODUCT
85281		Climb Right Classic Figure 8 Descender



climbers + spikes

Edelrid TALON Tree Climbers

The **TALON** is one of the lightest climbing gaffs on market. Built on a completely new design that maximizes the highest level of flexibility and comfort

SPECS + FEATURES

- Impressively light at 2.43 lbs (each)
- Ergonomically designed for your leg
- Gaff length: 70 mm | 2 3/4"
- Type-C Climber
- Steel Shaft
- Calf size: 33 cm (12.99") to 48 cm (18.9")
- Length adjustability: 38 cm (14 3/4") to 47 cm (18 1/2")

SKU	ATTRIBUTE	PRODUCT
882950700170	Tree 2 3/4"	Talon Tree Climbers



EDELRID 

CAN BE OUTFITTED WITH AN ATTACHABLE FOOT ASCENDER

Edelrid Talon Pole Climbers

The **TALON** is built on a completely new design that maximizes ergonomics and allows the highest level of flexibility and comfort.

SPECS + FEATURES

- Lightweight and durable steel construction
- Ventilated mesh on the padding for better breathability
- ASTM F887-16 conformity
- 3 directional adjusting system on the lower binding for a perfect fixing of the boot
- All textile part are easy to remove and wash, as well as to replace when worn out
- Weight: 5.6 lbs | 2500 g

SKU	ATTRIBUTE	PRODUCT
882930430170	Pole 1 5/8"	Talon Pole Climbers



EDELRID 

Miller Antec AXESS Climbing Spurs

The semi-rigid plastic shell ensures excellent support for the calf and an ergonomic shape that perfectly matches the shape of the leg by adapting to the morphology of the spur for a feeling of flexibility and freedom of movement. The triangular tip is very resistant and fits easily into the tree and flat below to provide excellent support. Last but not least: the **AXESS** climbers are very light and the parts are interchangeable.

SPECS + FEATURES

- Aluminum shanks
- Ergonomically shaped, bent outward
- Shell in rigid ABS
- Adjustable in height, slightly inclined towards the front.
- Removable steel tip, affable to three sharp faces.
- Textile and velcro straps.
- Weight: 5.8 lbs

SKU	ATTRIBUTE	PRODUCT
1014990	Tree	AntecAxess Aluminum Spurs



MILLER 

climbers + spikes

CLIMBING / CLIMBERS + SPIKES / CLIMBERS

BUCK Steel Tree Spurs – Complete Kit

BUCK's Steel Tree Climber (Spurs) have a contoured shank, straight stirrup and a dowel & screw replaceable gaff.

SPECS + FEATURES

- Nylon leg straps (MPN: 2239)
- Nylon foot straps (MPN: 21391)
- Climber pads (MPN: 3122)
- Includes standard length sleeves (MPN: 9204)
- Adjustable: 16 1/4" to 18 3/4"
- Long sleeves can adjust from 19 1/4" to 21 3/4" by special order. (MPN: 9202L)
- Replaceable Gaff

SKU	ATTRIBUTE	PRODUCT
SB93059	Replaceable L-Pad 2 5/8"	Steel Tree Spurs – Complete Kit



BUCK Contoured Steel Tree Climbers (Spurs) with Foot Straps



SPECS + FEATURES

- Permanent Gaff
- Contoured Shank
- Straight Stirrup
- Nylon Foot Straps (MPN: 21391)
- Gaff Angle: 23°
- Material: Steel
- Sleeves: Standard length sleeves adjusting from 16 1/4" to 18 3/4"
- Special order Long sleeves (MPN: 9202L): Adjust from 19 1/4" to 21 3/4"

SKU	ATTRIBUTE	PRODUCT
91429R	No Pad	Buck Steel Tree Spurs w/ Foot Straps



BUCK Steel Contoured Shank Replacement Gaff Tree Climbers




SPECS + FEATURES

- Offset tree climbers with 2-3/4" screw type replaceable tree gaffs, sleeve adjustment from 16-1/4" to 18-3/4"
- Rated to 350 lbs per pair
- Black with chrome colored sleeves
- Contoured shank for ankle relief and comfort
- Offset stirrup prevent climber from moving back to heel of foot
- Dowel & screw style replaceable gaffs with, 23° angle
- SB95059 comes with footstraps, leg straps, and climber pads

SKU	ATTRIBUTE	PRODUCT
SB95059	L-Pad 2 3/4"	Steel Contoured Shank Repl. Gaff Tree Climbers



Spyder Climb Right Aluminum Spurs are lighter than steel climbers while maintaining high strength. Made by **Spyder Manufacturing** with a straight shank from tempered aluminum. The bottoms of the climbers are textured for better grip when walking on tree limbs. The gaffs are made in **Spyder's** new "Quick Change" style, with a two-screw design that lets you switch or replace gaffs quickly. The top screw is fully threaded through the gaff, giving the operator a visual guarantee the gaff is completely tightened to the climbing stirrup. Choose the right combination for your climbing needs. Climb Right recommends a combined body, clothing and tool weight of 350 lbs.




Spyder Climb Right Aluminum Spurs

SPECS + FEATURES

- No Straps; No Pads
- Straight shank and offset stirrup
- Gaffs are interchangeable
- Adjustable in height from 15 3/4" to 18 3/4"

SKU	ATTRIBUTE	PRODUCT
91260	Pole 1 5/8"	CTB Aluminum Pole Spurs
91220	Tree 2 5/8"	CTB Aluminum Tree Spurs



Spyder Climb Right Climbing Kit w/ Lower Straps Only

SPECS + FEATURES

- Lower Straps; No Pads
- Straight shank and offset stirrup
- Gaffs are interchangeable
- Adjustable in height from 15 3/4" to 18 3/4"

SKU	ATTRIBUTE	PRODUCT
91262	Pole 1 5/8" (no pads)	CTB Pole Climbing Kit w/ Lower Straps
91222	Tree 2 5/8" (no pads)	CTB Tree Climbing Kit w/ Lower Straps



Spyder Climb Right Climbing Kit w/ Straps & L Pads

SPECS + FEATURES

- Kit with Spurs, Straps, and L Pads
- Straight shank and offset stirrup
- Gaffs are interchangeable
- Adjustable in height from 15 3/4" to 18 3/4"

SKU	ATTRIBUTE	PRODUCT
91264	Pole 1 5/8"	CTB PoleClimbing Kit w/ Straps & L Pads
91224	Tree 2 5/8"	CTB Tree Climbing Kit w/ Straps & L Pads



climbers + spikes

CLIMBING / CLIMBERS + SPIKES / CLIMBERS

Spyder Climb Right Climbing Kit w/ Straps & T Pads

SPECS + FEATURES

- Kit with Spurs, Straps, and T Pads
- Straight shank and offset stirrup
- Gaffs are interchangeable
- Adjustable in height from 15 3/4" to 18 3/4"

SKU	ATTRIBUTE	PRODUCT
91266	Pole 1 5/8"	CTB Pole Climbing Kit w/ Straps & T Pads
91226	Tree 2 5/8"	CTB Tree Climbing Kit w/ Straps & T Pads



Spyder
MANUFACTURING / USA

Spyder Climb Right Climbing Ultra Kit w/ Straps

SPECS + FEATURES

- Kit with Spurs, new Ultra Lite aluminum climbing pads and composite lower straps (no upper straps needed, pads attach using velcro)
- Ultra Lite pads are very comfortable and extremely lightweight, 20.4 oz per set
- Straight shank and offset stirrup
- Gaffs are interchangeable
- Adjustable in height from 15 3/4" to 18 3/4"
- Manufactured to ASTM-F-887-97 standards

SKU	ATTRIBUTE	PRODUCT
91265	Pole 1 5/8"	CTB Pole Climbing Ultra Kit w/ Straps
91225	Tree 2 5/8"	CTB Tree Climbing Ultra Kit w/ Straps



Spyder
MANUFACTURING / USA



Image courtesy of
Buckingham Manufacturing



Edelrid Talon Upper and Lower Straps

Available separately. Washable Velcro straps for the foot.

SKU	ATTRIBUTE	PRODUCT
882980000170		Talon Calf Upper Straps (2 Pair)
883000000170		Talon Lower Straps (Pair)



882980000170



883000000170

BUCK Hook and Loop Fastener Lower Straps



The patented **Hook and Loop climber straps** are **BUCK's** newest addition to foot straps.

SPECS + FEATURES

- Offers an increased surface area for added comfort to the top and back of the foot.
- The hook and loop cinch provides a fast and easy attachment and an extra tight fit.
- Length Strapped: 17"; Length UnStrapped: 29"
- Width Hook and Loop Nylon Fastener Strap: 1.75"; Width Chaff: 3.25"
- Weight: 4.6 oz

SKU	ATTRIBUTE	PRODUCT
21401C	29"	Hook and Loop Fastener Lower Straps (Pair)




COMFORTABLE AND ALLOWS FOR TIGHT, FINE TUNE ADJUSTING!

Miller Antec AXESS Strap Kit



Comes with strap and two screws.

SKU	ATTRIBUTE	PRODUCT
1014997		Antec AXESS Upper Strap Kit
1014999		Antec AXESS Strap Ankle Strap Kit



1014997



1014999

climbers + spikes

CLIMBING / CLIMBERS + SPIKES / CLIMBING STRAPS

Weaver Latigo Leather Climber Straps

Weaver Latigo Leather Straps are pliable and comfortable.

FEATURES

- Constructed of 1" wide pliable yellow top grain Latigo steer hide leather that's riveted for extra strength.
- Roller buckles and leather wear pads reduce abrasions.
- Ten oblong holes for size adjustment.
- Overall lengths of straps are 26"



089700126

SPECS

- Nickel plated hardware.
- Sold in pairs.



SKU	ATTRIBUTE	PRODUCT
089700126	Leather	26" Upper Leg Climber Straps (Pair)
0897050	Leather	26" Split Ring Lower Climber Straps (Pair)



0897050

Weaver Neoprene Climber Straps

Heavy-duty coated webbing offers the perfect combination of durability and comfort.

FEATURES

- Riveted 1" heavy-duty coated webbing straps are extremely durable.
- Straps are pre-cut, pre-punched and heat-sealed by the manufacturer to prevent fraying and ensure a quality end product
- Roller buckles and top grain yellow Latigo steer hide leather wear pads resist abrasion
- Fourteen holes for perfect adjustment



0898001 08-98001-28

SPECS

- Nickel plated hardware.
- Sold in pairs.



SKU	ATTRIBUTE	PRODUCT
0898001	Neoprene	26" Upper Leg Climber Straps (Pair)
08-98001-28	Neoprene	28" Upper Leg Climber Straps (Pair)
0898050	Neoprene	26" Split Ring Lower Climber Straps (Pair)



0898050

climbers + spikes

CLIMBING / CLIMBERS + SPIKES / CLIMBING PADS

Edelrid Talon Calf Padding (L+R) Night



SPECS + FEATURES

- Calf padding with ventilated mesh for enhanced breathability.
- Only available in a set.
- Washable padding.

SKU	ATTRIBUTE	PRODUCT
883010000170		Talon Calf Padding (L+R) Night



Miller Antec AXESS Replacement Foam Padding



SPECS + FEATURES

- Contains two foam replacement pads.
- Weight: 0.2 lbs

SKU	ATTRIBUTE	PRODUCT
1015003		AXESS Repl Foam Padding



BUCK Cushion Wrap Pad (4")



BUCK Cushion Wrap Pad (4") compatible with: TB / SB / Perm

SPECS + FEATURES

- A hook and loop pad that features an angled shank
- Comes with a steel insert and with a cinch loop
- Material: Leather / Felt
- Width: 4" x Height: 7.5"
- Weight: 1.5 lb
- User Weight Capacity: 350 lbs

SKU	ATTRIBUTE	PRODUCT
3502C	Leather	Velcro 4" Wrap Pad with Insert



Miller Antec AXESS Plastic Leg Wrap



SPECS + FEATURES

- Blue ABS plastic protective wrap

SKU	ATTRIBUTE	PRODUCT
1015007		AXESS Pad Protecting Plastic



BUCK Steel Insert Angled



Angled replacement steel inserts for 3502C.

SPECS + FEATURES

- Width: 7"; Length: 2"
- Weight: 9.6 oz

SKU	ATTRIBUTE	PRODUCT
3502CKL		Steel Insert For 3502C



BUCK C Pad with Insert



SPECS + FEATURES

- New, stronger metal insert that will hold up to the vigorous use in the field.
- "C" pad has a new thicker, oversized felt liner for additional comfort
- Liner edge minimizes chafing on the leg and the metal insert prevents the climber shank from shifting on the calf, reducing irritation.
- Requires 26" strap sold separately

SKU	ATTRIBUTE	PRODUCT
35032	Leather/Felt	C Pad W/ Insert



Weaver Latigo Leather Climber Pad L-Shaped

SPECS + FEATURES

- Provide foam-cushioned comfort for the back of leg and calf
- Soft 1" thick foam liner layered between an outer layer of yellow top grain Latigo steer hide leather and an inner layer of soft brown oil tanned top grain steer hide leather to provide extra comfort and protection to the back of leg and calf.
- Securely lock stitched for durability.
- Sold in pairs.

SKU	ATTRIBUTE	PRODUCT
0897158	Leather	Climber Pad L-Shaped



Weaver Latigo Leather Climber Pad T Felt

Weaver's T-shaped climber pads are held more securely in place by two means. Pliable burgundy top grain Latigo steer hide leather is lock stitched and riveted to brown oil tanned top grain steer hide leather to form a tunnel for a climber shank.

SPECS + FEATURES

- One inch slots allow climber straps to be threaded through
- 1/2" felt lined for better comfort
- Felt is lock stitched and riveted to the soft brown oil tanned top grain leather
- Nickel plated rivets
- Sold in pairs

SKU	ATTRIBUTE	PRODUCT
0897156	Leather/Felt	Climber Pad T Felt



Weaver Super Climber Pad

SPECS + FEATURES

- Constructed of durable, weather-resistant top grain steer hide harness leather lined with 1/2" black felt.
- Felt liner and smoothed leather edges help prevent rubbing and chafing.
- Lock stitched for long-lasting, dependable use.
- Extra large 9" x 12", these pads evenly distribute pressure over calf for comfort.
- A tunnel for the climber shank and 1-1/4" slots for climber straps help hold pad in place.
- Requires two 26" climber straps to secure pad and climber shank to leg.
- Nickel plated rivets.
- Sold in pairs.

SKU	ATTRIBUTE	PRODUCT
0897157	Leather/Felt	12" Super Climber Pad



Weaver ProCool™ Velcro Climber Pads

SPECS + FEATURES

- Weaver ProCool Mesh Technology allows air circulation for a cooling effect.
- Velcro Strap provides adjustability around the calf.
- Fit securely on calf when combined with the appropriate metal bracket.
- Sold per pair.
- Metal formed plates are not included.
- Insert Not Included

SKU	ATTRIBUTE	PRODUCT
0897177	Leather/Mesh	12" ProCool Velcro Climber Pads



climbers + spikes

CLIMBING / CLIMBERS + SPIKES / CLIMBING PADS

Weaver Velcro Wrap Pads Angled

SPECS + FEATURES

- Sunset harness leather construction with an English toast suede lining for no-slip comfort.
- Wrap around calf with a 4" wide hook and loop strap that offers a perfect fit and distributes pressure evenly.
- Angled leather tunnel allows the climber shank to run securely when combined with the appropriate metal bracket.
- Metal formed plates are not included.
- Insert Not Included
- Sold per pair.

SKU	ATTRIBUTE	PRODUCT
0897175	Leather	4" Velcro Wrap Pads Angled



Weaver Steel Insert For Buck, Bashlin, Climb Right

SPECS + FEATURES

- 2" Green Metal Plate Inserts hold Old Buckingham, New Buckingham, Bashlin and Climb Right spike climbers. Our Shin Cup and Climber Pads are now interchangeable with these Metal Plate Inserts.
- Sold per pair.

SKU	ATTRIBUTE	PRODUCT
0897125	Green	2" Steel Insert For Buck, Bashlin, Climb Right



Weaver Steel Insert For Klein

SPECS + FEATURES

- 2" Burgundy Metal Plate Inserts hold Klein spike climbers. Our Shin Cup and Climber Pads are now interchangeable with these Metal Plate Inserts.
- Sold per pair.

SKU	ATTRIBUTE	PRODUCT
0897130	Burgundy	2" Steel Insert For Klein



Spyder Climb Right Ultra Light Velcro Pads

Climb Right's Ultra Light Pads are super-lightweight pads that offer great durability and maximum comfort.

SPECS + FEATURES

- Replaceable closed foam padding
- Wide Velcro straps for a secure fit
- Pads bolt directly to spurs
- Angular design to minimize discomfort and chafing
- Compatible with Climb Right, Bashlin, and BUCK spurs with included adapters.

SKU	ATTRIBUTE	PRODUCT
90070	Green	Climb Right Ultra Light Velcro Pad



BUCK Pin Style Replacement Tree Gaff

For use on tree climbers 9309 (straight) and 9509 (offset)



SPECS + FEATURES

- Measures 2-3/4" (7cm)
- Pin style comes with 4 drive lock pins
- For climbers issued prior to Oct. 2007

SKU	ATTRIBUTE	PRODUCT
9306	2 3/4"	Pin Style Replacement Tree Gaff



BUCK Pin Style Replacement Pole Gaff

For use on tree climbers 9309 (straight) and 9509 (offset)



SPECS + FEATURES

- Measures 2-3/4" (7cm)
- Pin style comes with 4 drive lock pins
- For climbers issued prior to Oct. 2008

SKU	ATTRIBUTE	PRODUCT
9206	1 3/4"	Pin Style Replacement Pole Gaff



BUCK Dowel & Screw Style Replaceable Gaffs



SPECS + FEATURES

- Replaceable dowel & screw tree gaff for titanium and steel tree climbers.
- Easy to change out.
- Use on climbers issued January 2011 or later.

SKU	ATTRIBUTE	PRODUCT
NB9306	2 3/4"	Dowel & Screw Style Replaceable Gaffs



BUCK Pole Gaff



SPECS + FEATURES

- To be used with BUCK T, TB & SB climbers CCA 16 degree angled replaceable dowel & screw pole gaffs
- Easy to change out
- Includes: 2 gaffs and screws
- For Climbers issued Jan. 2011 or later

SKU	ATTRIBUTE	PRODUCT
NB9106A	1 3/4"	Pole Gaff



Bashlin Replacement Pole Gaffs

Fits the BD14 and BD16B Climbers. The standard 14 gaff is 1 5/8" long.



SKU	ATTRIBUTE	PRODUCT
14	1 5/8"	Bashlin Replacement Pole Gaffs



climbers + spikes

CLIMBING / CLIMBERS + SPIKES / GAFFS + GAFF GUARDS

Edelrid Replacement Tree Gaffs



Fits Edelrid Talon Climbers 2 3/4" long.

SKU	ATTRIBUTE	PRODUCT
882970700060	70 mm	Edelrid Replacement Tree Gaffs



Edelrid Replacement Pole Gaffs



Fits Edelrid Talon Climbers 1 5/8" long.

SKU	ATTRIBUTE	PRODUCT
882960430060	43 mm	Edelrid Replacement Pole Gaffs



Spyder Quick Change Replacement Tree Gaffs



Replacement gaffs to fit CTB Climbers Quick-Change style gaffs go on & off easily using a 2-screw design, the top screw threads completely through stirrup for visual confirmation the gaff is securely attached Forged from 4340 alloy steel and are quenched and tempered to hold their point

SPECS + FEATURES

- Spike Length: 2-5/8"
- Overall Length: 4-5/8"

SKU	ATTRIBUTE	PRODUCT
90040	2 5/8"	Spyder Quick Change Replacement Tree Gaffs



Spyder Quick Change Replacement Pole Gaffs



Replacement gaffs to fit CTB Climbers Quick-Change style gaffs go on & off easily using a 2-screw design, the top screw threads completely through stirrup for visual confirmation the gaff is securely attached Forged from 4340 alloy steel and are quenched and tempered to hold their point

SPECS + FEATURES

- Spike Length: 1-5/8"
- Overall Length: 3-5/8"

SKU	ATTRIBUTE	PRODUCT
90042	1 5/8" NEW	Spyder Quick Change Replacement Pole Gaffs



Spyder Replaceable Tree Gaff Set

Replacement gaffs to fit CTB Climbers Set includes everything pictured

SPECS + FEATURES

- Spike Length: 2-5/8"
- Overall Length: 4-1/2"

SKU	ATTRIBUTE	PRODUCT
85020	2 5/8"	Spyder Replaceable Tree Gaff Set



Miller Antec AXESS Gaff Replacement Kit



Sold as a pair. Complete with tools

SKU	ATTRIBUTE	PRODUCT
1014993		Antec AXESS Gaff Replacement Kit



Miller Antec AXESS Gaff Guards



Replacement gaff guards to help protect from undue wear

SKU	ATTRIBUTE	PRODUCT
1014995	Leather/Velcro	Antec AXESS Gaff Guards



Weaver Gaff Guards



SPECS + FEATURES

- Universal fits
- Velcro closure

SKU	ATTRIBUTE	PRODUCT
0897100	Leather/Velcro	Weaver Gaff Guards



BUCK Leather Gaff Guard with Bungee



SPECS + FEATURES

- Gaff guard that fits all climbers
- Equipped with a bungee strap that attaches to the sleeve loop.

SKU	ATTRIBUTE	PRODUCT
60093	Leather	Bungee Gaff Guard



BUCK Magnetic Gaff Guard



Feature a strong magnet that keeps the guards securely attached to all manufacturer's pole and tree gaffs

SPECS + FEATURES

- Length: 1.5"
- Width: 1"
- Magnetic gaffs stay securely on gaffs
- Hi-Vis Green

SKU	ATTRIBUTE	PRODUCT
6909M2		Magnetic Gaff Guard



SUPER CONVENIENT PROTECTION!

BUCK Universal Tree Gaff Guard



SPECS + FEATURES

- Coated wire tree gaff guard that is made to fit all BUCK permanent and replaceable gaff climbers as well as Bashlin, Klein, and any domestic tree climbers with a gaff length between 2.5" - 3"

SKU	ATTRIBUTE	PRODUCT
6909TU		Universal Tree Gaff Guard



climbers + spikes

CLIMBING / CLIMBERS + SPIKES / HARDWARE

BUCK Tree or Pole Gaff Maintenance Kit

Tools and gauge for inspecting and performing gaff maintenance

KIT INCLUDES:

- A smooth single cut file (6058)
- A tree gaff gauge (6306) or a new and improved pole gaff gauge (6303), that can now gauge CCA gaffs.
- A finishing hone (6501)
- Features 3 inside pockets.
- 2-way snaps allow for the kit to be rolled and snapped shut.

SKU	ATTRIBUTE	PRODUCT
6025	Pole	Gaff Maintenance Kit
6026	Tree	Gaff Maintenance Kit



BUCK Climber Footplates

Compatible with any steel or titanium climber. Two plates, one with a rubber sole that faces down, fasten together on the climber stirrup with two screws

SPECS + FEATURES

- 9" Length
- 3.5" Width
- Not for use with aluminum climbers.

SKU	ATTRIBUTE	PRODUCT
35033		Climber Footplates



BUCK Sleeve Fasteners Threaded

Package of four replacement 10/32 threaded screws for climber sleeves. Designed for use with climbers that have threaded sleeve attachment holes.

SKU	ATTRIBUTE	PRODUCT
996		Sleeve Fasteners Threaded



BUCK Smooth Sleeve Fasteners

For smooth climber sleeves Barrel fastener and screw 5 pieces per pack

SKU	ATTRIBUTE	PRODUCT
9215		Smooth Sleeve Fasteners



Spyder Climb Right Replacement Sleeves

Climb Right Adjustment Aluminum Climber Sleeves with Screws – Replacement Climb Right Long Short Sleeves

SPECS + FEATURES

- Includes: Pair and installation screws

SKU	ATTRIBUTE	PRODUCT
85024		Climb Right Replacement Sleeves

