# Inspiration range

Developed for professionals, now adapted for you

Deliciously simple Combining steam with heat when cooking

Infinite possibilities
Any size, any shape, the hob
that fits your pots and pans



### **Key Technical Info Symbols**

### Cooking



Ultrafan



Pizza




Moist fan baking



Turbo grilling




























Gas





Gas on glass



Low temperature



X line



Ultrazone

Cooking zones x4

Rotary touch controls



Rapid power zones



Gas and Grill



Purehob



Slide touch controls



Touch controls



Microwave



Combination microwave



Capacity



Programmes 14



Noise level





Speed settings

### Cooling



Capacity

Shopping mode

Natura fresh

Multiflow



Frost Free





Fast freeze







Fresh zone



4 star

### Cleaning



Place settings



Dry tech



Noise level



Energy smart



Temp levels



Active drying



Water consumption

### Washing





Customisation



Spin speed



Extra large drum



Time manager



Inverter motor



Drying load

### CombiSteam™ Oven

### EOB8851AAX

Eclipse design CombiSteam™ Deluxe oven with touch control user interface





CombiSteam™ Deluxe also bakes, roasts, grills and more



Quarter steam



Half steam



Full steam



Ultrafan

### Features

By combining steam cooking with a hot air function, you can delight your guest with healthy and tasty dishes that are juicy inside under a wonderful crust

Get the repertoire of a chef, without that hard work! This oven's touch screen with white display takes you intuitively through the menus straight to the right settings

- Steam cleaning programme leaves you with a professionally clean oven
- Extra large 73 litre cavity and even cooking on 5 levels means that you can cook more at the same time
- Ultra Fan Plus XL fan with new air-guide design for lower temperatures and quicker cooking times
- Velvet Closing<sup>™</sup> soft close door that closes gently every time
- Food probe so you know as soon as your dish is ready
- Front lamp that illuminates the entire cavity without dazzling
- Easy-insert shelf racks for quick and easy shelf or tray replacement
- 10% more energy-efficient than A-class ovens
- Additional telescopic runner
- Removable doors and glass panes for easy cleaning

### Technical info



















•••••

**Dimensions (mm)** 594 (H) x 594 (W) x 567 (D)

Aperture dimensions (mm) 590 (H) x 560 (W) x 550 (D)

### Colours

EOB8851AAX: Anti-fingerprint stainless steel

### **Pyrolytic Oven**

### EOC5651CAX

### Eclipse design pyrolytic multifunction oven with retractable rotary controls

With the pyrolytic self-clean oven, you can reach professional levels of cleanliness in one touch. It turns residues into ash that can be wiped away with a damp cloth and even lets you know when it needs cleaning

You can have dinner ready exactly when you want it as this interface with white LED display enables you to select the cooking end-time and duration. It has retractable knobs and push buttons for access to all settings



### Features

- Extra large 74 litre cavity and even cooking on 5 levels means that you can cook more at the same time
- Ultra Fan Plus XL fan with new air-guide design for lower temperatures and quicker cooking times
- Velvet Closing<sup>™</sup> soft close door that closes gently every time
- Food probe so you know as soon as your dish is ready
- Front lamp that illuminates the entire cavity without dazzling
- Easy-insert shelf racks for guick and easy shelf or tray replacement
- 20% more energy-efficient than A-class ovens
- Additional telescopic runner
- Removable doors and glass panes for easy cleaning

### Technical info

















### Dimensions (mm)

594 (H) x 594 (W) x 567 (D)

### Aperture dimensions (mm)

590 (H) x 560 (W) x 550 (D)

### Colours

EOC5651CAX: Anti-fingerprint stainless steel

•••••



### Pyrolytic Oven

### EOC5440AAX

### Eclipse design pyrolytic multifunction oven with retractable rotary controls

With the pyrolytic self-clean oven, you can reach professional levels of cleanliness in one touch. It turns residues into ash that can be wiped away with a damp cloth and even lets you know when it needs cleaning



### Features

You can have dinner ready exactly when you want it as this interface with white LED display enables you to select the cooking end-time and duration. It has retractable knobs and push buttons for access to all settinas

- Pyrolytic self-clean oven for professional cleanliness without the scrubbing
- Extra large 69 litre cavity and even cooking on 5 levels means that you can cook more at the same time
- Ultra Fan Plus XL fan with new air-guide design for lower temperatures and quicker cooking times
- Velvet Closing<sup>™</sup> soft close door that closes gently every time
- Front lamp that illuminates the entire cavity without dazzling
- Easy-insert shelf racks for quick and easy shelf or tray replacement
- 20% more energy-efficient than A-class ovens
- · Removable doors and glass panes for easy cleaning

### Technical info

















594 (H) x 594 (W) x 567 (D)

### Aperture dimensions (mm)

590 (H) x 560 (W) x 550 (D)

### Colours

EOC5440AAX: Anti-fingerprint stainless steel

### Catalytic Oven

### EOA5651BAX/BAK

Eclipse design oven with food probe and catalytic liners

Get the same level of insight as a professional chef with our food probe. Select how you want to cook your food, and the food probe will alert you when it's ready





### **Multifunction Oven**

### EOA5450BAX/BAK

Eclipse design multifunction oven with catalytic coating

Experiment like a professional chef using this multifunction oven. Select the optimum function for the dish from roasting to baking to grilling to fan cooking

So dinner is always ready when you want it, this interface with white LED display enables you to select the cooking end-time and duration. It has retractable knobs and push buttons for access to all settings



### Features

You can have dinner ready exactly when you want it as this interface with white LED display enables you to select the cooking end-time and duration. It has retractable knobs and push buttons for access to all settings

- Catalytic cleaning program to make it easier to clean the oven
- Extra large 74 litre cavity and even cooking on 5 levels means that you can cook more at the same time
- Ultra Fan Plus XL fan with new air-guide design for lower temperatures and quicker cooking times
- Velvet Closing<sup>™</sup> soft close door that closes gently every time
- Food probe so you know as soon as your dish is ready
- Front lamp that illuminates the entire cavity without dazzling
- Easy-insert shelf racks for quick and easy shelf or tray replacement
- 20% more energy-efficient than A-class ovens
- Additional telescopic runner
- White LED display with tempeture ready

### Features

- Extra large 74 litre cavity
- · Catalytic coating
- Velvet Closing<sup>™</sup> soft close door that closes gently every time
- Ultra Fan Plus XL fan with new air-guide design for lower temperatures and quicker cooking times
- Triple glazing, easy removable door
- 20% more energy-efficient than A-class ovens
- Removable doors and glass panes for easy cleaning

### Technical info



















### Dimensions (mm)

594 (H) x 594 (W) x 567 (D)

### Aperture dimensions (mm)

590 (H)  $\times$  560 (W)  $\times$  550 (D)

### Colours

EOA5651BAX: Anti-fingerprint stainless steel EOA5651BAK: Black

.....

### Technical info

















### Dimensions (mm)

594 (H) x 594 (W) x 567 (D)

### Aperture dimensions (mm)

590 (H) x 560 (W) x 550 (D)

### Colours

EOA5450BAX: Anti-fingerprint

stainless steel

EOA5450BAK: Black



### **Multifunction Oven**

### EOD5700AAX/K

Inspiration design built-in double oven with retractable rotary controls

This double oven gives you complete flexibility when cooking. That's because both its ovens are multi-functional. You can choose how to mix and match the functions



### Features

- Cleaning this double oven is simple and straightforward. Both of the ovens have a catalytic coating, which make grease and residues much easier to remove
- Want to try out more cooking techniques and recipes? This touch-key display puts pre-set programmes, fast heat-up function and 10 heating modes at your fingertips
- Extra large 68 litre main oven and 43 litre top oven means that entertaining is easy as you can cook more at the same time
- Fast heat up option
- Removable doors and glass panes for easy cleaning

### Technical info

### Top oven











### Main oven







.....









### Dimensions (mm)

888 (H) x 594 (W) x 548 (D)

### Aperture dimensions (mm)

875 (H) x 560 (W) x 550 (D)

### Colours

EOD5700AAX: Anti-fingerprint

stainless steel EOD5700AAK: Black



### **Multifunction Oven**

### EOD5410AAX/AAK

Eclipse design built in double oven with retractable rotary controls

With a double oven, you can cook many things at once. Thanks to this double oven's catalytic coating, it will even help you clean it



### Features

- So dinner is always ready when you want it, this interface with white LED display enables you to select the cooking end-time and duration. It has retractable knobs and push buttons for access to all settings
- Multi-functional main oven for extra flexibility when cooking
- With hot-air fan cooking, you can cut your cooking times and reduce the temperature. As a result, you save time and cooking becomes more economical
- Extra large 68 litre main oven and 43 litre top oven means that entertaining is easy as you can cook more at the same time
- Removable doors and glass panes for easy cleaning

### Technical info

### Top oven













### Main oven

















### Dimensions (mm)

888 (H) x 594 (W) x 548 (D)

### Aperture dimensions (mm)

875 (H) x 560 (W) x 550 (D)

### Colours

EOD5410AAX: Anti-fingerprint stainless

EOD5410AAK: Black



### **Multifunction Oven**

### EOD5410AOX

### Inspiration design built in double oven with retractable rotary controls

You can have dinner ready exactly when you want it - this interface with amber LED display enables you to select the cooking end-time and duration. It has retractable knobs and push buttons for access to all settings



### Features

- With a double oven, you can cook many Top oven things at once. Thanks to this double oven's catalytic coating, it will even help you clean it
- Multi-functional main oven for extra flexibility when cooking
- With hot-air fan cooking, you can cut your cooking times and reduce the temperature. As a result, you save time and cooking becomes more economical
- Extra large 68 litre main oven and 43 litre top oven means that entertaining is easy as you can cook more at the same time
- Removable doors and glass panes for easy cleaning

### Technical info

### Top oven











### Main oven



















### Dimensions (mm)

888 (H) x 594 (W) x 548 (D)

### Aperture dimensions (mm)

875 (H) x 560 (W) x 550 (D)

### Colours

EOD5410AOX: Anti-fingerprint stainless steel



### **Multifunction Oven**

### EOD3410AOX/AOK

### Inspiration design built in double oven with retractable rotary controls

With hot-air fan cooking, you can cut your cooking times and reduce the temperature. As a result, you save time and cooking becomes more economical



### Features

- You can have dinner ready exactly when you want it - this interface with amber LED display enables you to select the cooking end-time and duration. It has retractable knobs and push buttons for access to all settings
- Each of this double oven's cavities are easy to clean - thanks to their enamel linings
- Multi-functional main oven for extra flexibility when cooking
- Extra large 68 litre main oven and 43 litre top oven means that entertaining is easy as you can cook more at the same time
- Removable doors and glass panes for easy cleaning

### Technical info

### Top oven











### Main oven









### Dimensions (mm)

888 (H) x 594 (W) x 548 (D)

### Aperture dimensions (mm)

875 (H) x 560 (W) x 550 (D)

### **Colours**

EOD3410AOX: Anti-fingerprint stainless steel EOD3410AOK: Black

••••••



### 80cm Induction Hob

### EHD8740FOK

80cm wide Induction PureHob with 4 Infinite zones

The Infinite Induction hob gives you maximum freedom. As long as the cross is completely covered, you can place pans with different sizes and shapes anywhere you like



### 80cm Induction Hob

### EHI8742FOK

80cm wide Induction hob with large bridged zone and red LED DirectAccessRotary controls

Use large pots and pans like a professional chef! The extra-large cooking zone on this hob gives you the freedom to easily prepare all kinds of dishes requiring large pans





### 60cm Induction Hob

### EHH6540FOK

### 60cm wide Induction hob with red LED slide touch controls

Thanks to this hob's professional induction technology, the surface never gets hot. So spills don't harden on, and it cleans up with just a quick wipe



### Features

- EcoTimer™ switches the hob off using its residual heat for the remainder of the cooking process
- Stop&Go function so you can pause cooking at any time
- CleverHeat<sup>™</sup> indicates three levels of residual heat
- CountUp timer to keep track of how long your dish has been cooking or set the timer to alert you after a certain duration
- Child lock for peace of mind
- You can instantly set the temperature with just a touch using the intuitive DirectAccessRotary controls



For instant temperature selection in just one touch, intuitive, seamless style with spectacular backlights

### Features

### The bridge feature of this hob gives you more flexibility by turning two zones into one larger zone

- DirectAccessRotary electronic for instant, precise heat control
- $\bullet$  EcoTimer  $^{\text{TM}}$  switches the hob off using its residual heat for the remainder of the cooking process
- Stop&Go function so you can pause cooking at any time
- CleverHeat<sup>™</sup> indicates three levels of residual heat

Four-zone hob for the flexibility to cook multiple dishes at once

EcoTimer™ - switches the hob off using

• Stop&Go function so you can pause

CleverHeat<sup>™</sup> indicates three levels of

its residual heat for the remainder of the

- CountUp timer to keep track of how long your dish has been cooking or set the timer to alert you after a certain duration
- Child lock for peace of mind

Features

cooking process

residual heat

cooking at any time

· Child lock for peace of mind

### Technical info











### Built in (mm)

780 (W) x 520 (D)

### Cut out (mm)

750 (W) x 490 (D)

### Colours

EHD8740FOK: Frameless, front edge bevelled

### Technical info









### Built in (mm)

780 (W) x 520 (D)

### Cut out (mm)

750 (W) x 490 (D)

### Colours

EHI8742FOK: Frameless, front edge bevelled

### Technical info









### Built in (mm)

590 (W) x 520 (D)

### Cut out (mm)

560 (W) x 490 (D)

### Colours

EHH6540FOK: Frameless, front edge bevelled

### 60cm Ceramic Hob

### EHF6747FOK

# 60cm wide ceramic hob with red LED DirectAccessRotary controls

With four cooking zones in a variety of sizes including one dual zone, this hob is suitable for large and small pans alike



### Features

You can instantly set the temperature with just a touch using the intuitive DirectAccessRotary controls

- EcoTimer<sup>™</sup> switches the hob off using its residual heat for the remainder of the cooking process
- Stop&Go function so you can pause cooking at any time
- CleverHeat<sup>™</sup> indicates three levels of residual heat
- CountUp timer to keep track of how long your dish has been cooking or set the timer to alert you after a certain duration
- Child lock for peace of mind



Technical info









### Built in (mm)

590 (W) x 520 (D)

### Colours

EHF6747FOK: Frameless, front edge bevelled



### 60cm Ceramic Hob

### EHF6241FOK

60cm wide ceramic hob with red LED touch controls



### Features

With four cooking zones in a variety of sizes including one dual zone, this hob is suitable for large and small pans alike

- Clear, compact touch controls are easy to use and easy to wipe clean
- Residual heat indicator lets you know when the hob is still hot
- Child lock for peace of mind
- Frameless
- Front edge bevelled

### Technical info









### Built in (mm)

590 (W) x 520 (D)

### Colours

EHF6241FOK: Frameless, front edge bevelled



### 60cm Ceramic Hob

### EHF6140FOK

60cm wide ceramic hob with side controls



### Features

This electric hob is the perfect everyday tool for daily cooking. It's simple and reliable and will help make sure that cooking is always a pleasure

- Four individual cooking zones in two different sizes
- Rotary side controls, they're designed to be easy to twist and turn when you change the power levels of your hob
- Residual heat indicator lets you know when the hob is still hot
- Frameless
- Front edge bevelled



### Technical info







.....

### Built in (mm)

590 (W) x 520 (D)

### Colours


EHF6140FOK: Frameless, front edge bevelled

### 75cm Stainless Steel Hob

### EGG7353NOX

75cm wide stainless steel hob with cast iron pan supports

Durable stainless steel gas hob for traditional hob cooking with instant control from simmering to boiling



### 60cm Stainless Steel Hob

### EGG6343NOX

60cm wide stainless steel hob with cast iron pan supports

Durable stainless steel gas hob for traditional hob cooking with instant control from simmering to boiling





### Features

A variety of different sized burners great for boiling or simmering, also includes a triple crown burner giving intense heat for true wok cooking

- Cast-iron supports to provide a robust and durable cooking base
- Automatic hob ignition allows you to get started without delay
- Automatic gas cut-off a practical solution for peace of mind
- High-quality knobs with high heat resistance and durability
- LPG Kits included



### Features

- A variety of different sized burners great for boiling or simmering, also includes a triple crown burner giving intense heat for true wok cooking
- Cast-iron supports to provide a robust and durable cooking base
- Automatic hob ignition allows you to get started without delay
- Automatic gas cut-off a practical solution for peace of mind
- High-quality knobs with high heat resistance and durability
- LPG Kits included

### Technical info







Built in (mm)

744 (W) x 510 (D)

**Cut out (mm)** 560 (W) x 480 (D)

Colours

EGG7353NOX: Stainless steel

### Technical info







**Built in (mm)** 594 (W) x 510 (D)

**Cut out (mm)** 560 (W) x 480 (D)

Colours

EGG6343NOX: Stainless steel

### Cooking Built-in Microwaves

### Microwave Oven and Grill

EMS26204OX/OK

# Microwave oven and grill with side opening door and white LED display

This fully integrated microwave oven will be the perfect addition to your kitchen. Its built-in design means that you'll love its clean smooth lines. What's more, it's designed to complement the rest of your Electrolux kitchen appliances, adding to the look you've chosen for your kitchen





### Features

Whether you want to keep it quick and simple or you just want to reheat something from the fridge, you can rely on this intuitively easy-to-use microwave oven

- Electronic control knob and push buttons, with white digital display
- Combine microwave and grill cooking for fast, brown, crisp results
- 900W microwave with 5 power levels
- 15 preset programmes
- 1000W quartz grill with 5 dual grill levels for fast and even grilling
- 'Quickstart' button
- Supplied with high and low grill racks
- Fully built in, no kit required for easy installation
- Suitable for under counter installation

### Technical info









### Dimensions (mm)

459 (H) x 594 (W) x 437 (D)

Aperture dimensions (mm)

450 (H) x 560 (W) x 580 (D)

### Colours

EMS26204OX: Anti-fingerprint

stainless steel

### **Chimney Hood**

### EFF55680BX / EFF80680BX

# Designer vertical chimney hood in black glass and stainless steel

Thanks to its professional Inverter Technology motor, this cooker hood does more than freshen up your kitchen: it also uses energy efficiently, and is super quiet





### Features

- The integrated LED lights in this cooker hood have a built-in dimmer – so you can adapt the illumination of your kitchen for every occasion
- These touch electronic controls give you the smoothest way to select the right extraction speed. What's more, you can also use them to adjust the light levels
- Perimeter extraction for lower energy consumption and noise levels
- Indicator to tell you when the filters needs to be changed
- 5 Speed control + intensive

### Technical info









### Dimensions (mm)

464 (H) x 550 (W) x 339 (D) 464 (H) x 800 (W) x 339 (D)

### Colours

EFF55680BX: Black glass with stainless steel (55cm)

.....

EFF80680BX: Stainless steel with black glass (80cm)

### **Chimney Hood**

### EFC50800X / EFC80800X

# Vertical designer chimney hood in stainless steel

Perimeter extraction to clean the air from any angle keeping your kitchen fresh





### Features

- The modern halogen lamps built into this cooker hood shine a bright light over your hob – so you can check up on how all your dishes are doing
- Electronic push buttons for effortless control of the hood
- Intensive extraction rate for a powerful way to clean air quickly
- Indicator to tell you when the filters need to be changed
- 6 Speed control
- Charcoal filter included

### Technical info









### Dimensions (mm)

1350-1100 (H) x 548 (W) x 420 (D) 1350-1100 (H) x 798 (W) x 420 (D)

### Colours

EFC50800X: 55cm Stainless steel EFC80800X: 80cm Stainless steel

.....

### Designer Hood

### EFC90245X

Designer hood in stainless steel with curved glass canopy





### Features

The modern halogen lamps built into this cooker hood shine a bright light over your hob – so you can check up on how all your dishes are doing

- Electronic push buttons for effortless control of the hood
- Indicator to tell you when the filters needs to be changed
- 3 Speed control
- Charcoal Filter optional accessory EFF72

### Technical info







### Dimensions (mm)

1200-870 (H) x 898 (W) x 490 (D)

.....

### Colours

EFC90245X: 90cm Stainless steel

### **Built-in Fridge**

### ERG3093AOW

Large capacity in-column fridge with NaturaFresh compartments





### Features

The dedicated NaturaFresh™ compartments cool down to a temperature that's close to 0°C – the ideal and safest temperature for storing meat and fish. The three drawers preserve the natural freshness of meat and fish for up to three times longer. As these delicate foods are stored separately, you are also preserving and protecting their flavours and textures

- ShoppingFunction quickly cools down your fridge in preparation to quickly and safely cool down your weekly shopping
- This refrigerator features a natural charcoal TasteGuard® filter, which ensures that your fridge remains free of unwanted aromas prevents the transfer of smells such strong smelling cheese
- Check out the contents of your fridge using premium LED lighting technology.
   This energy-saving lighting system gives you excellent visibility
- Visible and audible TempAlert to warn when the temperature rises
- The full width covered dairy compartment is ideal for butter and cheese as these foods can then be served straight from the fridge
- Achieve flexible food storage with the inclusion of 3 full width and 2 half depth shelves
- The innovative half-width shelf in the door can slide from left to right, giving you more options when storing your food
- The A+ energy rating means that this model is highly efficient, ensuring low running costs

### Technical info







.....





### Dimensions (mm)

1773 (H) x 540 (W) x 542 (D)

### Built in dimensions (mm)

1780 (H)  $\times$  560 (W)  $\times$  550 (D)

### **Built-in Fridge**

### ERG3313AOW

Large capacity in-column larder fridge with Intelligent FreeStore



**Built-in Freezer** 

EUG2243AOW

### Features

- ShoppingFunction quickly cools down your fridge in preparation to quickly and safely cool down your weekly shopping
- Visible and audible TempAlert to warn when the temperature rises
- Check out the contents of your fridge using premium LED lighting technology. This energy-saving lighting system gives you excellent visibility
- Holiday function to minimize energy consumption during long absence avoiding mould and bad odours
- The full width covered dairy compartment is ideal for butter and cheese as these foods can then be served straight from the fridge
- Achieve flexible food storage with the inclusion of 4 full width and 2 half depth shelves
- The innovative half-width shelf in the door can slide from left to right, giving you more options when storing your food
- The A+ energy rating means that this model is highly efficient, ensuring low running costs

### Technical info









Dimensions (mm)

1773 (H) x 540 (W) x 542 (D)

Built in dimensions (mm) 1780 (H) x 560 (W) x 550 (D)

### Features

The Intelligent FreeStore® system automatically evens out the temperature and humidity throughout the fridge so that you are free to store any item of food anywhere you like in your fridge due to to the storage conditions being identical throughout the fridge

Whatever's on the menu, you can store all your fresh ingredients in the new extra large SpacePlus® vegetable/fruit drawer. It's simple to organise, move and access

Ensure that you have precise temperature and function control with the LCD Touch Control electronic display

### Features

With this freezer, you will make savings for yourself - in terms of time and money! Its FrostFree system saves time defrosting your freezer, while its energy-efficient technology has earned an A+ rating for energy use, saving you money. And thatguarantees its leading level of energy efficiency

Ensure that you have precise temperature and function control with the LCD Touch Control electronic display

- The EcoMode on this freezer makes it easier to help save energy and costs - it identifies the most efficient temperature for freezing your food
- There's no need to worry about the temperature of your freezer rising, as the TempAlert will let you know if it happens with a warning light and alarm
- The FastFreeze function freezes fresh foods faster so vitamins, texture, flavour and all healthy qualities are preserved better
- Audible and visual open door warning
- Maximise freezer storage space with the 5 full width drawers and 2 compartments

### Technical info











Dimensions (mm)

1773 (H) x 540 (W) x 542 (D)

Built in dimensions (mm) 1780 (H) x 560 (W) x 550 (D)

### Features

Running low on chilled refreshment? Our DrinksChill function allows you to put drinks in the freezer giving them an icy blast to quickly get them ready to serve

Thanks to the generous proportions of the SpacePlus® freezer drawer, you have the space for storing oversized or bulky items. The drawer is easily accessible and manageable as well, thanks to the easy-opening system, carry handles and transparent front





### **Built-in Fridge**

### ERY1201FOW

Fully integrated built-under fridge with 4-star freezer compartment



### Features

- The A+ energy rating means that this model is highly efficient, ensuring low running costs
- The full width covered dairy compartment is ideal for butter and cheese as these foods can then be served straight from the fridge
- The 1 full width and 2 half depth glass shelves in this refrigerator have been designed to enable you to use the full width and depth of the fridge's internal space. Because there are no restrictions, you have extra loading space, and can fit more into your fridge
- Adjustable temperature control for safe food storage
- The full width recessed salad drawer with 2 glass lids makes the most of the space available
- The innovative half-width shelf in the door can slide from left to right, giving you more options when storing your food

### Technical info









.....

### Dimensions (mm)

1842 (H) x 540 (W) x 552 (D)

### Built in dimensions (mm)

1850 (H) x 560 (W) x 560 (D)

### **Built-in Fridge**

### ERY1401AOW

Fully integrated built-under larder fridge



### Features

- Adjustable temperature control for safe food storage
- The 2 full width and 2 half depth glass shelves in this refrigerator have been designed to enable you to use the full width and depth of the fridge's internal space. Because there are no restrictions, you have extra loading space, and can fit more into your fridge
- The full width recessed salad drawer with 2 glass lids makes the most of the space available
- The innovative half-width shelf in the door can slide from left to right, giving you more options when storing your food

### Technical info







### Dimensions (mm)

815 (H) x 596 (W) x 550 (D)

### Built in dimensions (mm)

820 (H) x 600 (W) x 550 (D)

### **Built-in Freezer**

### ERU1101FOW

Fully integrated built-under freezer



### Features

- There's no need to worry about the temperature of your freezer rising, as the TempAlert will let you know if it happens with a warning light and alarm
- Freezer drawer with handles and transparent front for easy use and great visibility
- Adjustable temperature control for safe food storage
- Audible and visual open door warning alarm
- Maximise freezer storage space with the 4 full width drawers
- The A+ energy rating means that this model is highly efficient, ensuring low running costs

### Technical info









### Dimensions (mm)

815 (H) x 596 (W) x 550 (D)

**Built in dimensions (mm)** 820 (H) x 600 (W) x 550 (D)

### **Built-in Fridge Freezers**

### ENN3153AOW

In-column 70:30 split SpacePlus fridge freezer with FreshZone



### Features

With this SpacePlus™ model, you can make the most of the standard kitchen unit dimension. The clever space optimisation allows you to have the largest internal capacity to fit all your shopping by using the spare space at the top of the cupboard

With this fridge freezer, you will make savings for yourself – in terms of time and money! Its FrostFree system saves time defrosting your freezer, while its energy efficient technology has earned an A+ rating for energy use, saving you money

The Intelligent FreeStore® system automatically evens out the temperature and humidity throughout the fridge so that you are free to store any item of food anywhere you like in your fridge

Every professional chef will tell you, using fresh ingredients is the key secret to fabulous cooking. That's why this refrigerator has a FreshZone, a low-temperature compartment that's 15% colder than the rest of the fridge. Especially designed to store meat and fish, they will stay naturally fresh for twice as long

- The drawer with CrispFresh<sup>™</sup> humidity control keeps all your fruit and vegetables sweet and crisp for far longer
- Ensure that you have precise temperature and function control with the LCD Touch Control electronic display
- ShoppingFunction quickly cools down your fridge in preparation to quickly and safely cool down your weekly shopping
- Check out the contents of your fridge using premium LED lighting technology
- Thanks to their new design, the 3 full width and 2 half depth glass shelves give you extra width and depth when packing the fridge
- The FastFreeze function freezes fresh foods faster so vitamins, texture, flavour and all healthy qualities are preserved better
- Visual and acoustic high temperature
- Maximise freezer storage space with the 3 full width drawers
- The full width covered dairy compartment is ideal for butter and cheese

### Technical info













**Dimensions (mm)** 1842 (H) x 540 (W) x 552 (D)

**Built in dimensions (mm)** 1850 (H) x 560 (W) x 560 (D)

### **Built-in Fridge Freezers**

### ENN2643AOW

In-column 50:50 split frost free fridge freezer





With this fridge freezer, you will make savings for yourself - in terms of time and money! Its FrostFree system saves time defrosting your freezer, while its energy-efficient technology has earned an A+ rating for energy use, saving you money. And that guarantees its leading level of energy efficiency

Ensure that you have precise temperature and function control with the LCD Touch Control electronic display

ShoppingFunction quickly cools down your fridge in preparation to quickly and safely cool down your weekly shopping

Holiday function to minimize energy consumption during long absence avoiding mould and bad odours

Keep your vegetables fresh and crisp until you need them in our 2 half width salad drawers

### Technical info













Dimensions (mm)

1772 (H) x 540 (W) x 547 (D)

Built in dimensions (mm)

1780 (H) x 560 (W) x 550 (D)

### **Built-in Fridge Freezers**

### ENN2853AOW

In-column 70:30 split frost free fridge freezer



### Features

The Intelligent FreeStore® system automatically evens out the temperature and humidity throughout the fridge so that you are free to store any item of food anywhere you like in your fridge due to the storage conditions being identical throughout the fridge

With this fridge freezer, you will make savings for yourself - in terms of time and money! Its FrostFree system saves time defrosting your freezer, while its energyefficient technology has earned an A+ rating for energy use, saving you money. And that guarantees its leading level of energy efficiency

### Technical info









Dimensions (mm)

1772 (H) x 540 (W) x 547 (D)

Built in dimensions (mm) 1780 (H) x 560 (W) x 550 (D)

### **Built-in Fridge Freezers**

### ENN2801AOW

In-column 50:50 split fridge freezer



### Features

The A+ energy rating means that this model is highly efficient, ensuring low running costs

Keep your vegetables fresh and crisp until you need them in our 2 half width salad drawers

# Adjustable temperature control for safe food storage

- Thanks to their new design, the 3 full width glass shelves give you extra width and depth when packing the fridge. With fewer restrictions, you have more flexibility
- The innovative half-width shelf in the door can slide from left to right, giving you more options when storing your food
- The full width covered dairy compartment is ideal for butter and cheese as these foods can then be served straight from the fridge

### Technical info







### Dimensions (mm)

1772 (H) x 540 (W) x 547 (D)

Built in dimensions (mm)

1780 (H) x 560 (W) x 550 (D)

- Maximise freezer storage space with the 4 full width drawers
- The freezer drawers have clear fronts, so you can quickly look for a specific item. And when you need to move the drawer to a different place, it has ergonomic carry handles

### **Built-in Fridge Freezers**

### ENN2901AOW

In-column 70:30 split fridge freezer



### Features

The A+ energy rating means that this model is highly efficient, ensuring low running costs

Keep your vegetables fresh and crisp until you need them in our 2 half with salad drawers

# Adjustable temperature control for safe food storage

The full width covered dairy compartment is ideal for butter and cheese as these foods can then be served straight from the fridge

- Thanks to their new design, the 4 full width glass shelves give you extra width and depth when stocking the fridge. With fewer restrictions, you have more flexibility
- Maximise freezer storage space with the 3 full width drawers
- The freezer drawers have clear fronts, so you can quickly look for a specific item. And when you need to move the drawer to a different place, it has ergonomic carry handles

### Technical info







**Dimensions (mm)** 1772 (H) x 540 (W) x 547 (D)

**Built in dimensions (mm)** 1780 (H) x 560 (W) x 550 (D)

### 60cm Fully Integrated Dishwasher

### ESL6370RO

The RealLife<sup>™</sup> Cleaning system has a unique FlexiSpray<sup>™</sup> arm - its double rotation ensures better coverage to every corner of the dishwasher, this together with the TopShower delivers the best wash performance



### Features

The auto off function ensures there is zero power consumption at end of the wash cycle as the dishwasher shuts down completely

- Beam on floor: The dishwasher seamlessly integrates with your kitchen and the beam on floor function shows the status of the programme. You know at a glance when your dishes are ready
- The FlexiLift system makes loading easy as it is possible to adjust the basket whist loading your dishes
- Active drying ensure dishes are completely dry and ready to put away
- Multi tab option ensures good results are achieved with the use of dishwasher multi tabs, thus saving time shopping for salt and rinse aid
- Auto programme: Select this programme and let the dishwasher do the rest. It will automatically select the right programme, adjust the water, energy and wash temperature according to the load

### Technical info













### Dimensions (mm)

818 (H) x 596 (W) x 550 (D)

### Built in dimensions (mm)

820-900 (H) x 600 (W) x 570 (D)

### **Fully Integrated Dishwasher**

### ESL6210LO

The 30 min quick wash at 60°C programme is ideal for washing recently dirty dishes whilst delivering A wash performance

Intensive 70°C programme designed specially for the heavily soiled greasy dishes such as oven trays to give the best wash results



### Features

- The FlexiLift system makes loading easy as it is possible to adjust the basket whist loading your dishes
- Active drying ensure dishes are completely dry and ready to put away
- 3hr delay start to give you the flexibility to do your dishes when it suits you
- 30m A rate wash at 60°c
- 5 programmes with 3 temperatures
- Active drying

### Technical info













### Dimensions (mm)

818 (H) x 596 (W) x 550 (D)

### Built in dimensions (mm)

820-900 (H) x 600 (W) x 570 (D)

.....

### Semi Integrated Dishwasher

### ESI6601ROX

The RealLife™ dishwasher with XXL tub has more usable space and can accommodate today's stylish crockery as well as saucepans and serving dishes of all shapes and sizes. Thus, making it easy to load and unload without being time consuming



### eatures

EnergySMART™ automatically adjusts the energy and water used to deliver the perfect wash result based on load size

The auto off function ensures there is zero power consumption at end of the wash cycle as the dishwasher shuts down completely

- Active drying ensure dishes are completely dry and ready to put away
- LCD display with its time remaining facility lets you know when your dishes are ready
- 24 hr delay start function ensures the dishes are ready when you need them
- Multi tab option ensures good results are achieved with the use of dishwasher multi tabs, thus saving time shopping for salt and rinse aid
- Auto programme: Select this programme and let the dishwasher do the rest. It will automatically select the right programme, adjust the water, energy and wash temperature according to the load

### Technical info













### Dimensions (mm)

818 (H)  $\times$  596 (W)  $\times$  570 (D)

### Built in dimensions (mm)

820-900 (H) x 600 (W) x 570 (D)

### 45cm Fully Integrated Slimline Dishwasher

### ESL4200LO

Intensive 70°C programme designed specially for the heavily soiled greasy dishes such as oven trays to give the best wash results



### Features

- Active drying ensure dishes are completely dry and ready to put away
- 30 minute wash
- A rated
- Quick wash at 65°
- 5 programmes with 3 temperatures
- 9 place settings giving you maximum storage

### Technical info















### Dimensions (mm)

818 (H) x 446 (W) x 550 (D)

### Built in dimensions (mm)

820-900 (H) x 450 (W) x 570 (D)



### **Fully Integrated Washer Dryer**

### EWX127410W

Extra large 7kg wash capacity, 1200rpm

4kg wash to dry load to complete your washing and drying in one programme. Clothes are ready to wear or store

The Time Manager function allows washing to fit your plans. You can use it to reduce the cycle time that suits you

### Features

- 4kg wash to dry load to complete your washing and drying in one programme.
   Clothes are ready to wear or to store
- 19 hr delay start which allows your laundry to be ready when needed
- Easy Iron function reduces creasing so clothes require little or no ironing

### Technical info









Dimensions (mm)

820 (H) x 596 (W) x 544 (D)

Built in dimensions (mm)

825 (H) x 600 (W) x 600 (D)





### Fully Integrated Washing Machine

### EWG127410W

Extra large 7kg wash capacity, 1200rpm

The Time Manager function allows washing to fit your plans. You can use it to reduce the cycle time that suits you

### Features

- 19 hr delay start allows your laundry to be ready when needed
- Easy Iron function reduces creasing so clothes require little or no ironing
- A+++ energy efficiency offers you one of the most energy efficient integrated washing machines in the market

### Technical info









Dimensions (mm)

820 (H) x 596 (W) x 544 (D)

Built in dimensions (mm) 825 (H) x 600 (W) x 600 (D)





# Electrolux launch new **Freestanding Range**

Electrolux is the only company to provide complete, high-performig, kitchen and laundry solutions for the professional market. The new Electrolux Inspiration range of laundry has adapted the very best features of our professional machines for the home, creating highly efficient systems that guarantee excellent results, productivity, hygiene and low operating costs.

Electrolux Professional laundry systems use steam to refresh and de-wrinkle delicate items and now our new domestic range has adapted this steam technology for the home. The steam function is so effective that it produces some garments ready to wear straight from the drum! This allows you to skip- or at least half- the time consuming ironing process for some of your clothes. What's more, steam technology is no longer reserved for the lucky elite as our new laundry range incorporates steam in every model, regardless of price.

The new Electrolux freestanding laundry range is one of the most energy efficient ranges of its 10kg capacity on the market. Washing machines within the range are rated from A+++ to the top of the range EWF1408WDL model (voted 3rd in **The Independent's** top 10 washing machines Oct 2012), which is rated A+++-20%. The AutoOff feature also ensures that the washing machine will consume zero energy when the cycle is finished, just as if it was switched off.



SteamSystem
washing machines
refresh and dewrinkle
with steam



EcoCare tumble dryers with heatpump technology



RealLife®
dishwashers
with XtraPower
and FlexiSpray arm
coverage

### Freestanding Electric Cooker

### EKC607601

Stunning electric freestanding cooker with touch control operation



### **Features**

Unique touch control for both the hob and oven. With precision temperature control at your fingertips and a stunning appearance, this freestanding cooker will look sleek in your kitchen

This cooker's huge oven capacity gives you the freedom to be truly generous when serving. In fact, you can cook so much at once, that everyone gets a second helping!

- XL fan design for even results wherever you place your dish
- Experiment like a professional chef using this multifunction oven. Select the optimum function for the dish from roasting to baking to grilling to fan cooking
- Ceramic hob with multiple zones which is easy to clean thanks to its completely flat surface
- So dinner is always ready when you want it, this interface with red LED display enables you to select the cooking end-time and duration. It has retractable knobs and push buttons for access to all settings
- Main oven 10% more energy-efficient than an A-class oven, top oven A rated
- Catalytic liners in both ovens an aid to cleaning
- Removeable glass panes for easy cleaning

### Technical info











### Top oven

Main oven




















900 (H) x 600 (W) x 600 (D)

### Colours

EKC607601X: Anti-fingerprint stainless steel EKC607601W: White

.....

### Freestanding Electric Cooker

### EKC603602X

Designer multifunction electric freestanding cooker



### Features

- XL fan design for even results wherever you place your dish
- Experiment like a professional chef using this multifunction oven. Select the optimum function for the dish from roasting to baking to grilling to fan cooking
- Ceramic hob with multiple zones which is easy to clean thanks to its completely flat surface
- So dinner is always ready when you want it, this interface with red LED display enables you to select the cooking end-time and duration. It has retractable knobs and push buttons for access to all settings
- Main oven 10% more energy-efficient than an A-class oven, top oven A rated
- Catalytic liners in both ovens an aid to cleaning
- Removeable glass panes for easy cleaning

### Technical info









### Top oven







### Main oven













### Free Standing (mm)

900 (H) x 600 (W) x 600 (D)

### Colours

EKC603602X: Stainless Steel



### Freestanding Electric Cooker

### EKC603601X / EKC603600K/W

Stunning electric freestanding cooker with double oven



### Features

- Ceramic hob with multiple zones which is easy to clean thanks to its completely flat surface
- So dinner is always ready when you want it, this interface with red LED display enables you to select the cooking end-time and duration. It has retractable knobs and push buttons for access to all settings
- Main oven 10% more energy-efficient than an A-class oven, top oven A rated
- Catalytic liners in both ovens an aid to cleaning
- Catal
- Removeable glass panes for easy cleaning
- Large viewing windows
- Closed door grilling

### Technical info











### Top oven







### Main oven





### Free Standing (mm)

900 (H) x 600 (W) x 600 (D)

### Colours

EKC603601X: Stainless steel

EKC603600K: Black EKC603600W: White



### Freestanding Gas Cooker

### EKG603202

Designer gas freestanding cooker with double oven





### **Features**

With our full gas cooker, you get the pleasure of controlling the gas flame so that the heat level is immediately adjusted. You can see at a glance how much power you are using, and always adjust the temperature and the cooking process to suit your needs

This cooker's huge oven capacity gives you the freedom to be truly generous when serving. In fact, you can cook so much at once, that everyone gets a second helping!

- So dinner is always ready when you want it, this interface with red LED display enables you to select the cooking end-time and duration. It has retractable knobs and push buttons for access to all settings
- Cast iron pan supports for stability and controlled cooking
- Gas safety thermocouples gas is cut off at the source if the flame fails
- Flush fit glass lid with gas safety shut off
- Catalytic liners in both ovens an aid to cleaning
- Removeable glass panes for easy cleaning

### Technical info





### Top oven





### Main oven



### Free Standing (mm)

900 (H) x 600 (W) x 600 (D)

### Colours

EKG603202X: Stainless steel

.....

.....

EKG603202K: Black EKG603202W: White



### Freestanding Fridge Freezers

### EN3487AOY / EN3487AOO / EN3487AOH / EN3487AOJ / EN3881AOY

### Let your appliances make a colour statement



### Features

Let your appliances lead your kitchen's colour scheme. Pick your favourite colour from the high-gloss design range from Electrolux

Electrolux TwinTech® FrostFree with MultiFlow guarantees an optimal humidity level in the fridge. Food keeps its fresh taste and texture for much longer thanks to the independent air cooling systems of the fridge and the frost free freezer

- External electronic temperature controls with LCD Touch control ensure precise temperature and function control
- With this fridge freezer, you will make savings for yourself - in terms of time and money! Its FrostFree system saves time defrosting your freezer, while its energyefficient technology has earned an A+ rating for energy use, saving you money
- Check out the contents of your fridge using premium LED lighting technology

- Every professional chef will tell you, using fresh ingredients is the key secret to fabulous cooking. That's why this refrigerator has a FreshZone, a low-temperature compartment that's 15% colder than the rest of the fridge. Especially designed to store meat and fish, they will stay naturally fresh for twice as long
- Whatever's on the menu, you can store all your fresh ingredients in the new extra large SpacePlus® vegetable/fruit drawer
- This refrigerator features a natural charcoal TasteGuard® filter, which ensures that your fridge remains free of unwanted aromas prevents the transfer of smells such strong smelling cheese
- Holiday function to minimize energy consumption during long absences
- Audible and visible warning signal for open door
- Maximise freezer storage space with the 2 full width and 1 half depth drawers

### Technical info



















.....

.....



### Dimensions (mm)

1850 (H) x 595 (W) x 658 (D) 2010 (H) x 595 (W) x 658 (D)

### Colours



EN3487AOY: Ebony stainless steel (185cm) EN3487AOO: Chocolate brown (185cm) EN3487AOH: Gloss red (185cm) EN3487AOJ: Satin lime green (185cm)



EN3881AOY: Ebony stainless steel (201cm)
EN3881AOX: Stainless steel (201cm)

### Freestanding Fridge Freezers

### EN3481AOW / EN3481AOX

### Freestanding TwinTech® Frost Free Fridge Freezer with FreshZone







### Features

Electrolux TwinTech® FrostFree with MultiFlow guarantees an optimal humidity level in the fridge. Food keeps its fresh taste and texture for much longer thanks to the independent air cooling systems of the fridge and the frost free freezer

The refrigerator compartment has a FreshZone - a low-temperature compartment that is 15% colder than the rest of the fridge. And that keeps your fresh fish and meat naturally fresh

# External electronic temperature controls with LCD touch control ensure precise temperature and function control

With this fridge freezer, you will make savings for yourself - in terms of time and money! Its FrostFree system saves time defrosting your freezer, while its energy-efficient technology has earned an A+ rating for energy use, saving you money

Check out the contents of your fridge using premium LED lighting technology

- Every professional chef will tell you, using fresh ingredients is the key secret to fabulous cooking. That's why this refrigerator has a FreshZone, a low-temperature compartment that's 15% colder than the rest of the fridge. Especially designed to store meat and fish, they will stay naturally fresh for twice as long
- Whatever's on the menu, you can store all your fresh ingredients in the new extra large SpacePlus<sup>®</sup> vegetable/fruit drawer
- This refrigerator features a natural charcoal TasteGuard® filter, which ensures that your fridge remains free of unwanted aromas prevents the transfer of smells such strong smelling cheese
- Holiday function to minimize energy consumption during long absence avoiding mould and bad odours
- Audible and visible warning signal for open door
- Maximise freezer storage space with the 2 full width and 1 half depth drawers

### Technical info









.....









### Dimensions (mm)

1850 (H) x 595 (W) x 658 (D)

### Colours

EN3481AOW: White EN3481AOX: Stainless steel

### 60cm Freestanding Dishwasher

### ESF6630ROW

### Freestanding full size dishwasher



### Features

The Electrolux RealLife™ dishwasher has been designed for modern living. It has an XXL tub with 10 litres more interior capacity than a standard size dishwasher, perfect for your big casserole pot and your large serving plates. And the double rotating satellite spray arm gives you much better cleaning result, no matter how the dishwasher is loaded. The RealLife™ dishwasher for real life use

- XXL capacity
- 10.2 litres water consumption
- Multitab option
- Adjustable upper basket
- 6 wash programmes
- 30 minute 60° wash
- Auto 45-70°
- Delay start
- Rinse & hold
- Extremely quiet in operation 44dBA
- Energy rating A++AA



## Technical info







.....



### Dimensions (mm)

850 (H) x 596 (W) x 610 (D)

### 45cm Freestanding Dishwasher

### ESF4600ROW

Slimline RealLife™ dishwasher



### Features

The Electrolux RealLife™ dishwasher has been designed for modern living. The spray arm gives you much better cleaning result, no matter how the dishwasher is loaded. The RealLife™ dishwasher for real life use

- 8.9 litres water consumption
- Multitab option
- Adjustable upper basket
- 6 wash programmes
- 30 minute 60° wash
- 4 tempertures
- Delay start
- Rinse & hold
- Extremely quiet in operation 45dBA
- Energy rating A++AA
- Auto off

### Technical info







.....



### Dimensions (mm)

850 (H) x 446 (W) x 610 (D)



### SteamSystem Washing Machine

EWF1408WDL

SteamSystem washing machine, refresh and dewrinkle with steam



SteamSystem Washing Machine

SteamSystem washing machine, refresh

EWF1486GDW

and dewrinkle with steam



### Features

Large 10kg washing machine with 1400rpm spin, jet system, steam function, load weight sensor and LCD touch display, gold woolmark. This washer helps you explore ways of improving your efficiency. Its smart weight sensor gives you load-byload advice on how much detergent to use

- Massive 10kg load
- Touch panel with white display
- Inverter motor reliable, quiet and energy efficient
- Weight sensor for automatic loading detergent dispensing
- 20% less energy than even A+++ class
- Light in drum
- Time manager putting you in control of how long your laundry takes
- A washer that also helps with the ironing
- Steam programmes smooth out creases and refreshes your clothes

### Features

8kg washing machine with 1400rpm spin, steam function, Silver Woolmark certification and large LCD display

The washing machine that puts you in control

- 8kg load
- Time manager you tell it when to start, it will tell you when it will finish
- Programmes include: duvet, lingerie, shirts, curtains, wool
- Options to tailor programmes: easy iron, delay start, extra rinse

### Technical info







.....





### Dimensions (mm)

850 (H) x 600 (W) x 605 (D)

- 1400rpm spin speed

- Energy A+AA

### Technical info











### Dimensions (mm)

850 (H) x 600 (W) x 605 (D)

# SteamSystem Washing Machine

### EWF1286GDW

SteamSystem washing machine, refresh and dewrinkle with steam





### Features

8kg washing machine with 1200rpm spin, steam function, Silver Woolmark certification and large LCD display

The washing machine that puts you in control

- 8kg load
- 1200rpm spin speed
- Time manager you tell it when to start, it will tell you when it will finish
- Options to tailor programmes: easy iron, delay start, extra rinse
- Energy A+AA

### Technical info













### Dimensions (mm)

850 (H) x 600 (W) x 605 (D)

### SteamSystem Washer Dryer

### EWW1697MDW

SteamSystem washer dryer, refresh and dewrinkle with steam





### Features

Freestanding washer dryer with large 9kg wash load and 7kg dry load, 1600rpm spin, steam function, jet system and large LCD display

- 9kg load washing and 7kg drying capacity
- 1600 spin
- Inverter motor reliable, quiet and energy efficient
- SteamSystem refresh and dewrinkle
- Time manager putting you in control of how long your laundry takes
- Super efficient energy use at every stage of laundry

### Technical info







.....



### Dimensions (mm)

850 (H) x 600 (W) x 605 (D)

### Washing Freestanding Dryers

### Condenser Dryer

### EDH3498RDL

### Condenser dryer





### Features

Freestanding condenser tumble dryer with 9kg drying load, heat pump technology, Gold Woolmark certification, senor drying, LCD touch display

- 9kg load
- Big LCD display
- Electronic sensor control
- Options to tailor programmes: delicate, delay timer
- Energy rating A -50%
- Inverter motor
- Super energy efficiency from Electrolux heat pump technology
- Gentlest drying for wool, woolmark gold certificate

### Technical info









.....

### Dimensions (mm)

850 (H)  $\times$  600 (W)  $\times$  605 (D)

### Condenser Dryer

### EDH3386GDW

Eco care tumble dryer with heatpump technology. Condenser dryer





### Features

Freestanding condenser tumble dryer with 8kg drying load, heat pump technology, Gold Woolmark certification, senor drying, LCD touch display

- 8kg load
- Big LCD display
- Electronic sensor control
- Programmes include: wool, jeans, shirts, mixed, intensive
- Options to tailor programmes: delicate, delay timer
- Energy rating A -40%
- Super energy efficiency from Electrolux heat pump technology
- Gentlest drying for wool, woolmark gold certificate

### Technical info









### Dimensions (mm)

850 (H) x 600 (W) x 605 (D)



# **Ovens**







Product EOC5651CAX



Product EOC5440AAX



Product EOA5651BAX/ BAK



Product EOA5450BAX/ BAK

Control Type					BAK	BAK
TFT display	Main Features					
Display colorur	Control Type	Touch	Retractable rotary	Retractable rotary	Retractable rotary	Retractable rotary
Menu guided cooking         •         73         74         70         74 <td>TFT display</td> <td></td> <td></td> <td></td> <td></td> <td></td>	TFT display					
Oven capacity (usable)         73         74         70         74         74           Number of functions         24         8         8         8         8         8           Fast heat up         •	Display colour	White	White	White	White	White
Number of functions	Menu guided cooking	•				
Past heat up	Oven capacity (usable)	73	74	70	74	74
VewertClosing soft close door	Number of functions	24	8	8	8	8
Fully programmable timer	Fast heat up	•	•		•	•
Food proble	VelvetClosing soft close door	•	•	•	•	•
Spot illumination	Fully programmable timer	•	•	•	•	•
Cleaning   Steam   Pyrolytic   Pyrolytic   Catalytic   Catalytic   Catalytic   Catalytic   Coven doors glazing   4	Food probe	•	•		•	•
Cleaning   Steam	Spot illumination	•	•	•	•	•
Accessories	Sidelight	•	-			
Cooling fan         • <t< td=""><td>Cleaning</td><td>Steam</td><td>Pyrolytic</td><td>Pyrolytic</td><td>Catalytic</td><td>Catalytic</td></t<>	Cleaning	Steam	Pyrolytic	Pyrolytic	Catalytic	Catalytic
Number of shelves   2	Oven doors glazing	4	4	4	3	3
Number of shelves 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Cooling fan	•	•	•	•	•
Telescopic runners 1 set 1 set 1 set 1 set 1 finfSpace™ tray Full width grill/ meat pan (with trivet)	Accessories					
Full width grill/ meat pan (with trivet)  • • • • • • • • • • • • • • • • • • •	Number of shelves	2	2	2	2	2
Full width grill/ meat pan (with trivet)  Perforated baking trays  Patisserie tray  Pilmensions  Appliance Dimensions  Height (mm) 594 594 594 594 594 594  Performance Dimensions  Height (mm) 567 567 567 567 567 567  Aperture Dimensions  Height (mm) 590 590 590 590 590 590  Width (mm) 550 550 550 550 550 550  Performance  Oven temperature range (°C) 30°C-30°C 30°C-300°C 30°C-300°C 50°C-275°C 5	Telescopic runners	1 set	1 set			
Perforated baking trays  Patisserie tray  Patisserie tray	InfiSpace™ tray					
Patisserie tray   •	Full width grill/ meat pan (with trivet)	•	•	•	•	•
Dimensions   Appliance Dimensions   Height (mm)   594   59	Perforated baking trays	•				
Dimensions   Appliance Dimensions   Height (mm)   594   59	Patisserie trav	•				
Height (mm)	Dimensions					
Width (mm)         594         596         567         560	Appliance Dimensions					
Dept (mm)         567         567         567         567         567           Aperture Dimensions         Height (mm)         590         590         590         590           Width (mm)         560         560         560         560         560           Depth (mm)         550         550         550         550         550           Performance           Oven temperature range (°C)         30°C-230°C         30°C-300°C         30°C-300°C         30°C-300°C         50°C-275°C           Energy efficiency class         A <td< td=""><td>Height (mm)</td><td>594</td><td>594</td><td>594</td><td>594</td><td>594</td></td<>	Height (mm)	594	594	594	594	594
Aperture Dimensions           Height (mm)         590	Width (mm)	594	594	594	594	594
Height (mm) 590 590 590 590 590 590 590 590 590 590	Dept (mm)	567	567	567	567	567
Width (mm)         560	Aperture Dimensions					
Performance         S50         50°C-275°C         50°C-275°C <th< td=""><td>Height (mm)</td><td>590</td><td>590</td><td>590</td><td>590</td><td>590</td></th<>	Height (mm)	590	590	590	590	590
Performance         Oven temperature range (°C)         30°C-230°C         30°C-300°C         30°C-300°C         30°C-300°C         50°C-275°C           Energy efficiency class         A	Width (mm)	560	560	560	560	560
Oven temperature range (°C)         30°C-230°C         30°C-300°C         30°C-300°C         30°C-300°C         50°C-275°C           Energy efficiency class         A	Depth (mm)	550	550	550	550	550
Oven temperature range (°C)         30°C-230°C         30°C-300°C         30°C-300°C         30°C-300°C         50°C-275°C           Energy efficiency class         A						
Energy efficiency class A A Fan						
Energy efficiency class in mode static/ fan  Fan  Fan  Fan  Fan  Fan  Fan  Fan						50°C-275°C
Energy consumption fan (kWh) 0.89 0.79 0.79 0.79 0.79 0.79  Cook time standard load fan (min) 45 43 43 43 43  Energy consumption static (kWh) 0.99 0.89 0.89 0.89 0.89 0.89  Cook time standard load static (min) 53 51 51 51 51 51  Largest baking sheet surface area (cm²) 1424 1424 1418 1418 1418  Connected load (kW) 3.5 3.5 3.5 3.5 3.5  Fuse rating (A) 16 16 16 16 16 16  Oven/grill power (max kW) 3.5/2.3 3.5/2.3 3.5/2.3 3.5/2.1 3.5/2.1	Energy efficiency class	A	A	А	А	А
Cook time standard load fan (min)       45       43       43       43       43         Energy consumption static (kWh)       0.99       0.89       0.89       0.89       0.89         Cook time standard load static (min)       53       51       51       51       51         Largest baking sheet surface area (cm²)       1424       1424       1418       1418       1418         Connected load (kW)       3.5       3.5       3.5       3.5         Fuse rating (A)       16       16       16       16         Oven/grill power (max kW)       3.5/2.3       3.5/2.3       3.5/2.3       3.5/2.1       3.5/2.1	Energy efficiency class in mode static/ fan	Fan	Fan	Fan	Fan	Fan
Energy consumption static (kWh)       0.99       0.89       0.89       0.89       0.89         Cook time standard load static (min)       53       51       51       51       51         Largest baking sheet surface area (cm²)       1424       1424       1418       1418       1418         Connected load (kW)       3.5       3.5       3.5       3.5       3.5         Fuse rating (A)       16       16       16       16       16         Oven/grill power (max kW)       3.5/2.3       3.5/2.3       3.5/2.3       3.5/2.1       3.5/2.1	Energy consumption fan (kWh)	0.89	0.79	0.79	0.79	0.79
Cook time standard load static (min)       53       51       51       51       51         Largest baking sheet surface area (cm²)       1424       1424       1418       1418       1418         Connected load (kW)       3.5       3.5       3.5       3.5       3.5         Fuse rating (A)       16       16       16       16       16         Oven/grill power (max kW)       3.5/2.3       3.5/2.3       3.5/2.3       3.5/2.1       3.5/2.1	Cook time standard load fan (min)	45	43	43	43	43
Largest baking sheet surface area (cm²)     1424     1424     1418     1418     1418       Connected load (kW)     3.5     3.5     3.5     3.5       Fuse rating (A)     16     16     16     16     16       Oven/grill power (max kW)     3.5/2.3     3.5/2.3     3.5/2.3     3.5/2.1     3.5/2.1	Energy consumption static (kWh)	0.99	0.89	0.89	0.89	0.89
Connected load (kW)     3.5     3.5     3.5     3.5       Fuse rating (A)     16     16     16     16       Oven/grill power (max kW)     3.5/2.3     3.5/2.3     3.5/2.3     3.5/2.1     3.5/2.1	Cook time standard load static (min)	53	51	51	51	51
Fuse rating (A)         16         16         16         16         16         16           Oven/grill power (max kW)         3.5/2.3         3.5/2.3         3.5/2.3         3.5/2.1         3.5/2.1	Largest baking sheet surface area (cm²)	1424	1424	1418	1418	1418
Oven/grill power (max kW) 3.5/2.3 3.5/2.3 3.5/2.3 3.5/2.1 3.5/2.1	Connected load (kW)	3.5	3.5	3.5	3.5	3.5
	Fuse rating (A)	16	16	16	16	16
Steam power output (steam only KW) 1.3	Oven/grill power (max kW)	3.5/2.3	3.5/2.3	3.5/2.3	3.5/2.1	3.5/2.1
in the state of th	Steam power output (steam only KW)	1.3				

# **Double Ovens**



Product EOD5700AAX/ AAK



Product EOD5410AAX/



Product EOD5410AOX



Product EOD3410AOX/

	AAK	AAK	EOD54 TOAOX	AOK
Main Features				
Control Type	Touch	Retractable rotary	Retractable rotary	Retractable rotary
Display colour	White	White	Amber	Amber
Oven capacity (usable)	43/68	43/68	43/68	43/68
Number of functions	7/10	5/8	5/8	5/2
Fully programmable timer	•	•	•	•
Cleaning	Catalytic	Catalytic	Catalytic	Enamel
Oven doors glazing	Triple	Double	Double	Double
Lights	1 x side	1 x back	1 x back	1 x back
Cooling fan	•	•	•	•
Accessories				
Number of shelves	1/2	1/2	1/2	1/2
Full width grill/ meat pan (with trivet)	•	•	•	•
Dimensions				
Appliance Dimensions				
Height (mm)	888	888	888	888
Width (mm)	594	594	594	594
Dept (mm)	548	548	548	548
Aperture Dimensions				
Height (mm)	875	875	875	875
Width (mm)	560	560	560	560
Depth (mm)	550	550	550	550
Performance				
Energy efficiency class	A/A	A/A	A/A	A/A
Energy efficiency class in mode static/ fan	Fan/Fan	Static/Fan	Static/Fan	Static/Fan
Energy consumption fan (kWh)	0.79/0.82	NA/0.82	NA/0.82	NA/0.82
Cook time standard load fan (min)	49/44	NA/44	NA/44	NA/44
Energy consumption static (kWh)	0.87/0.92	0.79/0.88	0.79/0.88	0.79/NA
Cook time standard load static (min)	50/46	52/49	52/49	52/NA
Largest baking sheet surface area (cm²)	1175	1175	1175	1175
Connected load (kW)	6.2	5.1	5.1	4.1
Fuse rating (A)	30	30	30	30
Oven/grill power (max kW)	2.375/3.0	2.35/2.975	2.35/2.975	2.35/1.975
Grill power (max kW)	2.3/2.9	2.3/2.9	2.3/2.9	2.3/NA

# **Induction Hobs**







Product EHI8742FOK



Product EHH6540FOK

Features			
Number of cooking zones	4	4	4
Control Type	DirectRotary Access	DirectRotary Access	Direct Slider
Display	LED	LED	LED
Display colour	Red	Red	Red
Control position	Front	Front	Front
Bridge function		•	
Automatic heat up	•	•	
Stop & Go	•	•	•
Residual heat indicator	•	•	•
EcoMode	•	•	•
Minute minder	•	•	•
Count up timer	•	•	•
Pot sensors	•	•	•
Boosters	•	•	•
Child lock	•	•	•
Zone specification			
Front left spec 1			
Front left rating (kW)	2.3/3.2	2.3/3.2	2.3/3.7
Front left diameter (mm)	210	210	210
Rear left spec 1			
Rear left rating (kW)	2.3/3.2	2.3/3.2	1.8/2.8
Rear left diameter (mm)	210	210	180
Front middle spec 1			
Front middle rating (kW)		1.4/2.5	
Front middle diameter (mm)		145	
Front right rating (kW)	2.3/3.2		1.4/2.5
Front right diameter (mm)	210		145
Rear right spec 1			
Rear right rating (kW)	2.3/3.2	2.4/3.7	1.8/2.8
Rear right diameter (mm)	210	300	180
Dimensions			
Appliance Dimensions			
F = Framless, SS = Stainless Steel			
Width (mm)	780	594	594
Depth (mm)	520	548	548
Ooper (IIIII)	320	040	J40
Aperture Dimensions			
Width (mm)	750	594	594
Depth (mm)	490	548	548
Electrical Connection			
Connected load (kW)	7.4	7.4	7.4

# **Ceramic Hobs**







Product

Product

**Product** 

	EHF6747FOK	EHF6241FOK	EHF6140FOK
Fort and			
Features			
Number of cooking zones	4	4	4
Control Type	DirectRotary Access	DirectSlider	Rotary Controls
Display	LED	LED	LED
Control position	Front	Front	Side
Automatic heat up	•		
Stop & Go	•		
Residual heat indicator	•	•	•
EcoMode	•		
Minute minder	•		
Count up timer	•		
Child lock	•	•	
Zone specification			
Front left spec 1	Triple	Dual	Single
Front left rating (kW)	0.8/1.6/2.3	0.75/2.2	1.8
Front left diameter (mm)	120/175/210	120/210	180
Rear left spec 1	Sinlge	Sinlge	Sinlge
Rear left rating (kW)	1.2	1.2	1.2
Rear left diameter (mm)	145	145	145
Front middle spec 1			
Front middle rating (kW)			
Front middle diameter (mm)			
Rear middle spec 1			
Rear middle rating (kW)			
Rear middle diameter (mm)			
Front right spec 1	Single	Single	Single
Front right rating (kW)	1.2	1.2	1.2
Front right diameter (mm)	145	145	145
Rear right spec 1	Dual	Single	Single
Rear right rating (kW)	1.5/2.4	1.8	1.8
Rear right diameter (mm)	170/265	180	180
Tiod right diamotor (min)	170/203	100	100
Dimensions			
Appliance Dimensions			
F = Framless, SS = Stainless Steel			
Width (mm)	590	590	590
Depth (mm)	520	520	520
Aperture Dimensions			
Width (mm)	560	560	560
Depth (mm)	490	490	490
Electrical Connection			
Connected load (kW)	7.1	6.4	6
Fuse rating			

# **Gas Hobs**

Electrical Connection

Fuse rating

# **Microwaves**





Product EGG7353NOX

Product EGG6343NOX



Product EMS26204OX/K

Features		
Number of cooking zones	5	4
Vertical Flame		
X-Llne		
Ignition type	Integral	Integral
Control position	Front	Front
Cast iron supports	•	•
Saftey thermocouples	•	•
, , , , , , , , , , , , , , , , , , ,		
Zone specification		
Front left spec 1	Semi-rapid	Semi-rapid
Front left rating (kW)	2.0	2.0
Front left diameter (mm)	70	70
Rear left spec 1	Semi-rapid	Semi-rapid
Rear left rating (kW)	2.0	2.0
Rear left diameter (mm)	70	70
Front middle spec 1		
Front middle rating (kW)		
Front middle diameter (mm)		
Rear middle spec 1	Wok triple crown	
Rear middle rating (kW)	4.0	
Rear middle diameter (mm)	122	
Front right spec 1	Simmer	Simmer
Front right rating (kW)	1.0	1.0
Front right diameter (mm)	54	54
Rear right spec 1	Rapid	Wok triple crown
Rear right rating (kW)	3.0	4.0
Rear right diameter (mm)	100	122
Dimensions		
Appliance Dimensions		
F = Framless, SS = Stainless Steel		
Width (mm)	744	594
Depth (mm)	510	510
Aperture Dimensions		
Width (mm)	560	560
Depth (mm)	480	490

Features	
Combi microwave, fan oven and grill	
Duo microwave and grill	•
Solo microwave	
Oven Volume (litres)	25
Auto defrost by weight programmes	7
Auto cook by weight programmes	8
Control type	Rotary with push controls
Display colour	White
Electronic clock/programmer	•
Quickstart	•
Powersave mode	•
Programme end signal	•
Drop down door	
Undercounter installation	•
1 1 1 1 1 1 1	_
In-column installation	•
Appliance Dimensions	
	459
Appliance Dimensions	459 594
Appliance Dimensions Height (mm)	
Appliance Dimensions Height (mm) Width (mm)	594
Appliance Dimensions Height (mm) Width (mm) Depth (mm)	594
Appliance Dimensions  Height (mm)  Width (mm)  Depth (mm)  Built-in Dimensions	594 437
Appliance Dimensions Height (mm) Width (mm) Depth (mm) Built-in Dimensions Built-in height (mm)	594 437 450
Appliance Dimensions  Height (mm)  Width (mm)  Depth (mm)  Built-in Dimensions  Built-in height (mm)  Built-in width (mm)	594 437 450 560
Appliance Dimensions  Height (mm)  Width (mm)  Depth (mm)  Built-in Dimensions  Built-in height (mm)  Built-in width (mm)  Built-in depth (mm)	594 437 450 560
Appliance Dimensions  Height (mm)  Width (mm)  Depth (mm)  Built-in Dimensions  Built-in height (mm)  Built-in width (mm)  Built-in depth (mm)  Performance	594 437 450 560 580
Appliance Dimensions  Height (mm)  Width (mm)  Depth (mm)  Built-in Dimensions  Built-in height (mm)  Built-in width (mm)  Built-in depth (mm)  Performance  Microwave output (IEC705) (W)	594 437 450 560 580
Appliance Dimensions  Height (mm)  Width (mm)  Depth (mm)  Built-in Dimensions  Built-in height (mm)  Built-in width (mm)  Built-in depth (mm)  Performance  Microwave output (IEC705) (W)  Heating category 1	594 437 450 560 580
Appliance Dimensions  Height (mm)  Width (mm)  Depth (mm)  Built-in Dimensions  Built-in height (mm)  Built-in width (mm)  Built-in depth (mm)  Performance  Microwave output (IEC705) (W)  Heating category 1  Microwave power levels	594 437 450 560 580 900
Appliance Dimensions  Height (mm)  Width (mm)  Depth (mm)  Built-in Dimensions  Built-in height (mm)  Built-in width (mm)  Built-in depth (mm)  Performance  Microwave output (IEC705) (W)  Heating category 1  Microwave power levels  Grill output (kW)	594 437 450 560 580 900

#### Hoods











Product EFF55680BX

Product EFF80680BX

Product EFC50800X

Product EFC80800X

Product EFC90245X

	EFF55680BX	EFF80680BX	EFC50800X	EFC80800X	EFC90245X
Specification					
an speeds	5	5	6	6	3
Control type	Touch Control	Touch Control	Touch Control	Touch Control	Push Button
ED colour					
ntensive setting	•	•			
Hob illumination (Watts)	2 x 4W	2 x 4W	2 x 20W	2 x 20W	2 x 20W
Extraction/recirculation operation	•	•	•/•	•/•	•/•
Saturation indication	•	•	•	•	
Metal grease filters	•	•	•	•	•
nstallation height from					
Electric hob	500	500	500	500	500
Gas hob (mm)	500	500	650	650	650
Performance data					
Extraction ca.m³/h (max)	730	730	590	590	620
Extraction ca.m³/h (intensive)	860	860			
Recirculation ca.m³/h (max)	395	395	387	387	356
Recirculation ca.m³/h (intensive)	460	460			
Noise (max. setting) extraction (dB(A)	67	67	66	66	68
Recirculation noise (max. setting) (dB(A)	66	66	71	71	67
Additional equipment required:					
Ventilation hose: diameter (mm)	150	150	120	120	150
For recirculation: Charcoal filter optional accessory)	Included	Included	Included	Included	Accessory
Appliance dimensions					
Height for extraction mm*	464	464	1100 - 1350	1100 - 1350	870 - 1200
Height for recirculation mm					
Vidth (mm)	550	800	548	798	898
Depth (mm)	339	339	420	420	490
Electrical connection					
Fuse rating (A)	13	13	13	13	13

Energy efficiency class (%) Energy efficiency index

Freezing capacity (kg/24hr)

Power cut safe rising time (hr)

Minimum ambient temperature (°c)

Reversible door opening
Adjustable feet

Matching fridge/freezer

Climate class

Noise (dBA)

### **Built-in Fridges**







In-column fridge ERG3313AOW

### **Built-in Freezers**



**Product** EUG2243AOW

Control			Control
Control type	Touch Control	Touch Control	Control type
Door open alarm	•	•	High temperature warning ala
Super cool function	•	•	Fast freeze function
Super freeze function			Door open warning alarm
Fridge Features			Fridge Features
Gross capacity fridge (incl. freezer compartment) (litres/cubic feet)	224 / 7.9	332 / 11.7	Gross capacity freezer (litres/o
Net capacity fridge (incl. freezer compartment) (litres/cubic feet)	216 / 7.6	330 / 11.6	Net capacity freezer (litres/cub
NaturaFresh Zero degree drawers: Gross capacity (litres/cubic feet)	78 / 2.8		Defrost
NaturaFresh Zero degree drawers: Net capacity (litres/cubic feet)	78 / 2.8		Freezer compartments (drawe
Fridge Defrost	Automatic	Automatic	Ice packs
Freestore fan system		•	Dimensions
FreshPlus multiflow cooling	•		Height (mm)
FreshZone Chiller Compartment			Width (mm)
TasteGuard Air filter	•		Depth (mm)
Metal shelves			<b>Built-in Dimensions</b>
Glass shelves (full depth / half depth)	3/2	4/2	Built-in height (mm)
Capacity (75.cl bottles)			Built-in width (mm)
Full width transparent salad drawers with 2 half width hinged glass lids			Built-in depth (mm)
Full width transparent salad drawer		•	Door fixing
2 Half width salad drawers			Douboumona
Dairy compartment with lid	•	•	Performance
Full width door shelves	3	4	Annual energy consumption (
Half width door shelves	1	1	Energy efficiency class
Egg tray	•	•	Energy efficiency index (%) Climate class
Fridge light / Internal LED lighting	-/•	-/•	Noise (dB (A))
4 star freezer compartment			, , , , ,
Freezer defrost			Freezing capacity (kg/24hr)
P			Power cut safe rising time (hr)
Dimensions	4770	4770	Minimum ambient temperatur
Height (mm)	1773	1773	Other
Width (mm)	540	540	Reversible door opening
Depth (mm)	542	542	Adjustable feet
Built-in dimensions	1700	4700	Matching fridge/freezer
Built-in height (mm)	1780	1780	
Built-in width (mm)	560	560	
Built-in depth (mm)	550	550	
Door fixing	Door on door	Door on door	
Performance			
Annual energy consumption (kWh)	172	152	

Control type	Touch Control
High temperature warning alarm	•
Fast freeze function	•
Door open warning alarm	•
Fuidas Fasturas	
Fridge Features	000 / 7.0
Gross capacity freezer (litres/cubic feet)	220 / 7.8
Net capacity freezer (litres/cubic feet)	208 / 7.3
Defrost	Automatic
Freezer compartments (drawers/flaps)	6/2
Ice packs	2
Dimensions	
Height (mm)	1773
Width (mm)	540
Depth (mm)	542
Built-in Dimensions	
Built-in height (mm)	1780
Built-in width (mm)	560
Built-in depth (mm)	550
Door fixing	Door on door
Performance	
Annual energy consumption (kWh)	321
Energy efficiency class	A+
Energy efficiency index (%)	43.9
Climate class	SN-N-ST-T
Noise (dB (A))	40
Freezing capacity (kg/24hr)	20
Power cut safe rising time (hr)	21
Minimum ambient temperature (°C)	10
Other	
Reversible door opening	•
Adjustable feet	
Matching fridge/freezer	ERG3313AOW ERG3093AOW

43.9

SN-ST

38

EUG2243AOW

43.9

SN-N-ST

34

EUG2243AOW

### **Built-under Fridges**





Built-under fridge ERY1201FOW

Built-under larder fridge ERY1401AOW

### **Built-under Freezers**



Built-under freezer ERU1101FOW

	LITOTIONOV
Control	
Control type	Electronic
High temperature warning alarm	•
Fast freeze function	•
Door open warning alarm	•
Fridge Features	
Gross capacity freezer (litres/cubic feet)	108 / 3.8
Net capacity freezer (litres/cubic feet)	98 / 3.5
Defrost	Manual
Freezer compartments (drawers/flaps)	4/0
Ice packs	2
Dimensions	
Height (mm)	815
Width (mm)	596
Depth (mm)	550
Built-in Dimensions	
Built-in height (mm)	820
Built-in width (mm)	600
Built-in depth (mm)	550
Door fixing	Door on door
Performance	
Annual energy consumption (kWh)	198
Energy efficiency class	A+
Energy efficiency index (%)	43.9
Climate class	SN-N-ST
Noise (dB (A))	38
Freezing capacity (kg/24hr)	18
Power cut safe rising time (hr)	29
Minimum ambient temperature (°C)	10
Other	
Reversible door opening	•
Adjustable feet	
Matching fridge/freezer	ERY1401AOW

Control		
Control type	Mechanical	Mechanical
Door open alarm		
Super cool function		
Super freeze function		
Fridge Features		
Gross capacity fridge (incl. freezer compartment) (litres/cubic feet)	122 / 4.3	140 / 4.9
Net capacity fridge (incl. freezer compartment) (litres/cubic feet)	117 / 4.1	136 / 4.8
NaturaFresh Zero degree drawers: Gross capacity (litres/cubic feet)		
NaturaFresh Zero degree drawers: Net capacity (litres/cubic feet)		
Fridge Defrost	Automatic	Automatic
Freestore fan system		
FreshPlus multiflow cooling		
FreshZone Chiller Compartment		
TasteGuard Air filter		
Metal shelves		
Glass shelves (full depth / half depth)	1/2	2/2
Capacity (75.cl bottles)		
Full width transparent salad drawers with 2 half width hinged glass lids	•	•
Full width transparent salad drawer		
2 Half width salad drawers		
Dairy compartment with lid	•	•
Full width door shelves	1	1
Half width door shelves	1	1
Egg tray	•	•
Fridge light / Internal LED lighting	• / -	• / -
4 star freezer compartment	•	
Freezer defrost	Manual	
Dimensions		
Height (mm)	815	815
Width (mm)	596	596
Depth (mm)	550	550
Built-in dimensions		
Built-in height (mm)	820	820
Built-in width (mm)	600	600
Built-in depth (mm)	550	550
Door fixing	Door on door	Door on door
Performance		
Annual energy consumption (kWh)	184	124
Energy efficiency class (%)	A+	124 A+
Energy efficiency index	44.98	44.8
Climate class	SN-N-ST	SN-N-ST-T
Noise (dBA)	38	38
Freezing capacity (kg/24hr)	2.5	2
	13	
		10
<u> </u>	10	
Minimum ambient temperature (°c)	10	10
Power cut safe rising time (hr) Minimum ambient temperature (°c)  Other		10
Minimum ambient temperature (°c)	10	•
Minimum ambient temperature (°c)  Other		• • ERU1101FOW/

### **Built-in Fridge Freezers**











Built-in fridge freezer ENN3153AOW

Built-in fridge freezer ENN2643AOW

Built-in fridge freezer ENN2853AOW

Built-in fridge freezer fr ENN2801AOW E

Built-in fridge freezer ENN2901AOW

	ENN3153AOW	ENN2643AOW	ENN2853AOW	ENN2801AOW	ENN2901AO
Control					
Control type	LCD Electronic	Touch Control	Electronic	Mechanical	Mechanical
Super cool function	•	•			
ast freeze function	•	•	•		
High temperature warning alarm	•	•			
Door open alarm	•	•			
Fridge Features					
Gross capacity fridge (litres/cubic feet)	230 / 8.1	164 / 5.8	214 / 7.6	173 / 6.1	214 / 7.6
Net capacity fridge (litres/cubic feet)	228 / 8.0	162 / 5.7	210 / 7.4	170 / 6.0	210 / 7.4
NaturaFresh Zero degree drawers: Gross capacity (litres/cubic feet)					
NaturaFresh Zero degree drawers: Net capacity (litres/cubic feet)					
FreeStore air technology / FreshPlus multiflow cooling	• / -	-/•	• / -		
Fridge Defrost	Automatic	Automatic	Automatic	Automatic	Automatic
Glass shelves (full depth)	3	2	3	3	4
Glass shelves (half depth)	2	2	2		
2 full width NaturaFresh Drawers					
Full width CrispFresh salad drawer	•				
FreshZone chiller drawer	•				
2 half width salad drawers with full width glass cover		•	•	•	•
FasteGuard Air Filter					
Dairy compartment with lid	•	•	•	•	•
Full width door shelves	2	2	3	2	3
Half width sliding shelf	•	•	•	•	
Egg tray		•	•		•
ridge light / Internal LED lighting	-/•	• / -	• / -	• / -	• / -
Freezer features	-/ •	• / -	• / -		• / -
Gross capacity freezer (litres/cubic feet)	75 / 2.6	91 / 3.2	68 / 2.4	110 / 3.9	76 / 2.7
	64 / 2.3	78 / 2.8	55 / 1.9	92 / 3.2	70 / 2.7
Net capacity freezer (litres/cubic feet) Defrost - freezer		Automatic	Automatic	Manual	Manual
ce maker	Automatic	Automatic	Automatic	Iviariuai	iviai iuai
	3	4	3	4	3
Freezer compartments (drawers)		2	2	2	2
ce packs	2	2	2	2	2
Dimensions					
Height (mm)	1842	1772	1772	1772	1772
Vidth (mm)	540	540	540	540	540
Depth (mm)	552	547	547	547	547
Built-in dimensions					
Built-in height (mm)	1850	1780	1780	1780	1780
Built-in width (mm)	560	560	560	560	560
Built-in depth (mm)	550	550	550	550	550
Door fixing	Slider	Slider	Slider	Slider	Slider
Performance					
Annual energy consumption (kWh)	326	311	390	298	310
Energy efficiency class (%)	A+	A+	A+	A+	A+
Energy efficiency index	43.9	43.8	43.8	43.8	43.9
Climate class	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T	SN-N-ST	SN-N-ST-T
Noise (dBA)	39	38	40	36	36
Freezing capacity (kg/24hr)	8	10	4	10	4
Power cut safe rising time (hr)	21	25	21	24	24
Minimum ambient temperature (°c)	10	10	10	10	10
Other					
Reversible door opening	•	•	•	•	•
Fridge Freezer Split	70:30	50:50	70:30	50:50	70:30

#### **Dishwashers**









Full size Dishwasher ESL6370RO

Full size Dishwasher ESL6210LO

Full size Dishwasher ESI6601ROX

Slim width Dishwasher ESL4200LO

Features				
Format	Fully Integrated	Fully Integrated	Semi Integrated	Slim Fully Integrated
Controls	Electronic	Electronic	Digital	Electronic
Visible control panel	No	No	Yes	No
Capacity (number of IEC place settings)	12	12	12	9
Number of temperatures	4	3	5	3
Number of programmes	5	5	6	5
Auto Flex	•			
Eco 50	•	•	•	•
Intensive 70°C	•	•	•	•
30 min 60°	•	•	•	•
AUTO programme	•		•	
Glass care 45°C wash				
Rinse & hold	•	•	•	•
Drytech drying	•	•	•	•
Multi-tab option	•		•	
Time saver			•	
My Favourite				
Energy saver			•	
Delay start	3 - 6h	3h	1 - 24h	
Time remaining			•	
Adjustable upper basket	•	•	•	•
Foldable plate racks - bottom basket	•		•	
Foldable cup shelves	•	•	•	•
Moveable cutlery basket	•		•	
End of programme indicator	•		•	•
Beam on floor	•			
Interior light				
Dimensions				
Appliance Height (mm)	818 - 898	818 - 898	818 - 898	818 - 898
Appliance Width (mm)	596	596	596	446
Appliance Depth (mm)	550	555	575	550
Aperture Built-in height (mm) min	820	820	820	820
Aperture Built-in height (mm) max	900	880	900	900
Aperture Built-in width (mm)	600	600	600	450
Aperture Built-in depth (mm)	570	570	570	570
Furniture Door height (mm)	670 - 820	645 - 720	570 - 655	644 - 720
Furniture Door width (mm)				
Furniture Door weight kg	1.5 - 10	2 - 10	1.5 - 8	1.5 - 6
Performance				
Declared Programme	Eco 50	Eco 50	Eco 50	Eco 50
Energy efficiency class	A+	А	A++	Α
Energy efficiency index	62.8	70.1	55.8	70.6
Annual energy consumption (kWh)	290	324	258	249
Annual water consumption (litres)	2800	4340	2860	3640
Energy consumption (kWh)	1.030	1.140	0.920	0.860
Water consumption (litres)	10.0	15.5	10.2	13.0
Drying performance	А	А	Α	Α
Maximum noise level (dB(A)	46	49	46	51
Cleaning performance	А	А	А	Α
Programme time (Minutes)	160	190	195	125
Stand-by power (W)	0.10	1.90	0.10	0.99
Off mode power (W)	0.10	0.10	0.10	0.10
Left-on mode power (W)	0.10	0.99	0.10	0.99
Left-on mode duration (Minutes)	10	N/A	10	N/A
Other				
Voltage (V)	220 - 240	220 - 240	220 - 240	220 - 240
Frequency (Hz)	50	50	50	50
Connected load (kW)	2200	2200	2200	2100
Fuse rating (A)	13	13	13	13
Minimum water pressure 1 bar	.5	.5	.5	.5
Inlet hose with 3/4" BSP thread hose connection				
Water softener				
Water supply	Cold	Cold	Cold	Cold
Salt refill indicator	•	•	•	•
Rinse aid refill indicator	•	•	•	

#### **Washer Dryers**



Fully integrated washer dryer EWX127410W

Electrical and water connection		
Wash load (kg)         Anti-foam           Wash load (kg)         7           Dry load (kg)         4           Spin speed (rpm)         1200           Control type         Push button           Time manager         •           Big porthole         •           Wide door opening         •           Extra rinse option         •           Rinse hold option         •           Delay start option         •           Drying time         •           Spin reduction option         •           Cotton programmes         •           Cotton programmes         •           Cotton economy         •           Synthetic + easy iron programmes         •           Synthetic + easy iron programmes         •           Pelicate programme         •           Handwash programme         •           Wool         •           Drying programme         •           Pinensions         820 x 596 x 544           Aperture dimensions - Height x Width x Depth (mm)         820 x 596 x 544           Aperture dimensions - Built-in Height x Width x Depth (mm)         820 x 596 x 544           Restrictal and water connection         *	Electrical and water connection	
Wash load (kg)         7           Dry load (kg)         4           Spin speed (rpm)         1200           Control type         Push button           Time manager         •           Big porthole         •           Wide door opening         •           Extra rinse option         •           Rinse hold option         •           Delay start option         •           Spin reduction option         •           Cotton programmes         •           Spin reduction option         •           Cotton programmes         •           Cotton economy         •           Synthetic + easy iron programmes         •           Synthetic + easy iron programmes         •           Delicate programme         •           Wool         •           Dying programme         •           Wool         •           Dying programme         •           Water fill         *           Electrical and water connection         *           Water fill Applications - Built-in Height x Width x Depth (mm)         *           Acconnected load (W)         2050           Performance         *           De	Display Medium	LCD
Dry load (kg)         4           Spin speed (rpm)         1200           Control type         Push button           Time manager         •           Big porthole         •           Wide door opening         •           Extra rinse option         •           Rinse hold option         •           Delay start option         •           Cotton programmes         •           Cotton programmes         •           Cotton programmes         •           Cotton economy         •           Synthetic programmes         •           Cotton economy         •           Synthetic programmes         •           Belicate programme         •           Handwash programme         •           Wool         •           Drying programme         •           Vool         •           Dimensions         •           Appliance dimensions - Built-in Height x Width x Depth (mm)         820 x 596 x 544           Applace dimensions - Built-in Height x Width x Depth (mm)         825 x 600 x 600           Electrical and water connection         820 x 596 x 544           Water fill         Cold           Fuergy exity class	Wash system	Anti-foam
Spin speed (rpm)   1200   Push button	Wash load (kg)	7
Control type Time manager Big porthole Wide door opening Extra rinse option Rinse hold option Delay start option Orying time Spin reduction option Cotton programmes Cotton + prewash programmes Cotton + prewash programmes Cotton economy Synthetic + easy iron programmes Pelicate programme  Delicate programme Plandwash programm	Dry load (kg)	4
Control type Time manager Big porthole Wide door opening Extra rinse option Rinse hold option Delay start option Orying time Spin reduction option Cotton programmes Cotton programmes Cotton economy Synthetic + easy iron programmes Synthetic + easy iron programmes Pandwash programme Handwash programme  Belicate programme Pandwash progr	Spin speed (rpm)	1200
Time manager         •           Big porthole         •           Wide door opening         •           Extra rinse option         •           Rinse hold option         •           Delay start option         •           Opting time         •           Spin reduction option         •           Cotton programmes         •           Cotton economy         •           Synthetic programmes         •           Synthetic + easy iron programmes         •           Belicate programme         •           Handwash programme         •           Wool         •           Drying programme         •           Wool         •           Drying programme         •           Polinace dimensions - Height x Width x Depth (mm)         820 x 596 x 544           Aperture dimensions - Built-in Height x Width x Depth (mm)         820 x 596 x 544           Aperture dimensions - Built-in Height x Width x Depth (mm)         820 x 596 x 544           Water fill         Cold           Fuser ating (A)         13           Connected load (W)         2050           Performance         C           Declared programmes         C Cotton 60°c		
Big porthole  Wide door opening Extra rinse option Pilese hold option Delay start option Orying time Spin reduction option Cotton programmes Cotton programmes Cotton programmes Cotton programmes Cotton economy Synthetic programmes Synthetic programmes Pilese programme Pilese programmes Pilese	**	•
Wide door opening         •           Extra rinse option         •           Rinse hold option         •           Delay start option         •           Drying time         •           Spin reduction option         •           Cotton programmes         •           Cotton + prewash programmes         •           Cotton economy         •           Synthetic + easy iron programmes         •           Synthetic + easy iron programmes         •           Delicate programme         •           Handwash programme         •           Wool         •           Drying programme         •           Wool         •           Drying programme         •           Cotton Good Good         •	•	•
Extra rinse option         •           Rinse hold option         •           Delay start option         •           Drying time         •           Spin reduction option         •           Cotton programmes         •           Cotton economy         •           Synthetic programmes         •           Synthetic programmes         •           Synthetic programme         •           Handwash programme         •           Wool         •           Drying programme         •           Wool         •           Drying programme         •           Dimensions         •           Appliance dimensions - Helight x Width x Depth (mm)         820 x 596 x 544           Aperture dimensions - Built-in Height x Width x Depth (mm)         820 x 596 x 544           Aperture dimensions - Built-in Height x Width x Depth (mm)         820 x 596 x 544           Aperture dimensions - Built-in Height x Width x Depth (mm)         820 x 596 x 544           Aperture dimensions - Built-in Height x Width x Depth (mm)         820 x 596 x 544           Aperture dimensions - Built-in Height x Width x Depth (mm)         820 x 596 x 544           Aperture dimensions - Built-in Height x Width x Depth (mm)         820 x 596 x 544		
Rinse hold option Delay start option Delay start option Drying time Spin reduction option Cotton programmes Cotton programmes Cotton programmes Cotton economy Synthetic programmes Synthetic programmes Delicate programme Handwash programme Wool Drying programme  Dimensions Appliance dimensions - Height x Width x Depth (mm) Aperture dimensions - Height x Width x Depth (mm) Ruse rating (A) Connected load (W)  Performance Declared programmes Declared programmes Cotton economy Water fill Cold Fuse rating (A) Connected load (W) Connected load (W)  Performance Declared programmes Cotton 60°c Energy consumption washing k(Wh) 1.05 Washing performance A Water consumption washing + drying (litres) Max spin speed (rpm) Residual humidity (%) Stand-by power (W) Off mode power (W) Off mode power (W) Off mode power (W) Annual energy consumption (kWh) Annual energy c		•
Delay start option Drying time Spin reduction option Cotton programmes Cotton + prewash programmes Cotton economy Synthetic programmes Synthetic + easy iron programmes Pelicate programme Handwash programme Handwash programme  Wool Drying programme Pyring programme Pyring programme Appliance dimensions - Height x Width x Depth (mm) Aperture dimensions - Built-in Height x Width x Depth (mm) Water fill Cold Fuse rating (A) Connected load (W) Connected load (W)  Performance Declared programmes Cotton 60°c Energy efficiency class C Energy consumption wash + dry (kWh) Energy consumption washing (kWh) 1.05 Washing performance A Water consumption washing + drying (litres) Max spin speed (rpm) Residual humicity (%) Stand-by power (W) Off mode power (W) Uwashing noise (dB(A) Spinning noise (	'	_
Drying time         •           Spin reduction option         •           Cotton programmes         •           Cotton + prewash programmes         •           Cotton economy         •           Synthetic programmes         •           Synthetic programme         •           Delicate programme         •           Handwash programme         •           Wool         •           Drying programme         •           World programme         •           Dimensions         *           Appliance dimensions - Height x Width x Depth (mm)         820 x 596 x 544           Aperture dimensions - Built-in Height x Width x Depth (mm)         820 x 596 x 544           Aperture dimensions - Built-in Height x Width x Depth (mm)         820 x 596 x 544           Aperture dimensions - Built-in Height x Width x Depth (mm)         820 x 596 x 544           Aperture dimensions - Built-in Height x Width x Depth (mm)         820 x 596 x 544           Aperture dimensions - Built-in Height x Width x Depth (mm)         820 x 596 x 544           Aperture dimensions - Built-in Height x Width x Depth (mm)         820 x 596 x 544           Aperture dimensions - Built-in Height x Width x Depth (mm)         60 x 600           Electrical and water consumption (kWh)         1.05	·	•
Spin reduction option         •           Cotton programmes         •           Cotton + prewash programmes         •           Cotton economy         •           Synthetic programmes         •           Synthetic + easy iron programmes         •           Delicate programme         •           Handwash programme         •           Wool         •           Drying programme         •           Drying programme         •           Dimensions         •           Appliance dimensions - Height x Width x Depth (mm)         820 x 596 x 544           Aperture dimensions - Built-in Height x Width x Depth (mm)         825 x 600 x 600           Electrical and water connection         **           Water fill         Cold           Fuse rating (A)         13           Connected load (W)         2050           Performance         C           Declared programmes         Cotton 60°c           Energy efficiency class         C           Energy consumption washing (kWh)         1.05           Mashing performance         A           Water consumption washing + drying (litres)         125           Max spin speed (rpm)         120           Residual		•
Cotton programmes Cotton + prewash programmes Cotton economy Synthetic programmes Synthetic programmes Synthetic + easy iron programmes Delicate programme Handwash programme Handwash programme  Dimensions Appliance dimensions - Height x Width x Depth (mm) Aperture dimensions - Built-in Height x Width x Depth (mm)  Electrical and water connection Water fill Cold Fuse rating (A) Connected load (W)  Performance Declared programmes Cotton 60°c Energy efficiency class Cenergy consumption washing (kWh) Cashing performance Water consumption washing + drying (litres) Max spin speed (rpm) Residual humidity (%) Stand-by power (W) Off mode power (W) Vashing noise (dB(A) Spinning noise (dB(A) Priormance (B(A) Annual energy consumption (kWh) Annual energy consumption (	, ,	•
Cotton + prewash programmes Cotton economy Synthetic programmes Synthetic programmes Synthetic programmes Pelicate programme Handwash programme Handwash programme Handwash programme  Vool Drying programme Pelicate dimensions Appliance dimensions - Height x Width x Depth (mm) Appliance dimensions - Built-in Height x Width x Depth (mm)  Electrical and water connection Water fill Cold Fuse rating (A) Connected load (W) Connected load (W)  Performance Declared programmes Cotton 60°c Energy efficiency class C Energy consumption wash + dry (kWh) Energy consumption washing (kWh) Ashing performance Water consumption washing + drying (litres) Ax spin speed (rpm) Residual humidity (%) Stand-by power (W) Off mode power (W) Vashing noise (dB(A) Spinning noise (dB(A) Spinning noise (dB(A) Prying noise (dB(A)		•
Cotton economy Synthetic programmes Synthetic + easy iron programmes Delicate programme Handwash programme Wool Drying programme  Pimensions Appliance dimensions - Height x Width x Depth (mm) Aperture dimensions - Built-in Height x Width x Depth (mm) Water fill Cold Fuse rating (A) Connected load (W) Cotton 60°c Energy consumption wash + dry (kWh) Configure or washing kWh) Configure or washing kWh) Consumption washing + drying (litres) Cotton 60°c Energy consumption washing + drying (litres) Cotton 60°c Cot		•
Synthetic programmes Synthetic + easy iron programmes Delicate programme Handwash programme  Wool Drying programme  Pimensions Appliance dimensions - Height x Width x Depth (mm) Aperture dimensions - Built-in Height x Width x Depth (mm)  Electrical and water connection Water fill Cold Fuse rating (A) Connected load (W) Connected load (W) Consumption wash + dry (kWh) Celeared programmes Cotton 60°c Energy efficiency class Cenergy consumption washing (kWh) Consumption washing (kWh) Consumption washing + drying (litres) Cotton 60°c Energy consumption washing + drying (litres) Cotton 60°c Co	Cotton + prewash programmes	•
Synthetic + easy iron programmes  Delicate programme  Handwash programme  Wool  Drying programme  Pimensions  Appliance dimensions - Height x Width x Depth (mm)  Aperture dimensions - Built-in Height x Width x Depth (mm)  Water fill  Cold  Fuse rating (A)  Connected load (W)  Performance  Declared programmes  Cotton 60°c  Energy efficiency class  Energy consumption wash + dry (kWh)  Energy consumption washing (kWh)  Washing performance  Water consumption washing + drying (litres)  Max spin speed (rpm)  Residual humidity (%)  Stand-by power (W)  Washing noise (dB(A)  Spinning noise (dB(A)  Pring (a)  Annual energy consumption (kWh)  Annual energy consumption (kWh)  Annual energy consumption (litres)  Washing & Drying  Annual water consumption (kWh)  Annual water consumption (litres)  Performance, programme  Standard cotton 60°c, full load Load (kg)  7  Standard cotton 60°c, full load Energy (kWh)  1.05  Standard cotton 60°c, full load Energy (kWh)  1.05  Standard cotton 60°c, full load Energy (kWh)  1.05  Standard cotton 60°c, full load Benergy (kWh)  1.05  Standard cotton 60°c, full load Benergy (kWh)  1.05  Standard cotton 60°c, full load Benergy (kWh)  1.05	Cotton economy	•
Delicate programme Handwash programme Wool Drying programme  Dimensions Appliance dimensions - Height x Width x Depth (mm) Aperture dimensions - Built-in Height x Width x Depth (mm)  Electrical and water connection Water fill Cold Fuse rating (A) Connected load (W)  Performance Declared programmes Cotton 60°c Energy efficiency class Cenergy consumption wash + dry (kWh) Energy consumption washing (kWh) Desidual humidity (%) Stand-by power (W) Deff mode power (W) Washing noise (dB(A) Spinning noise (dB(A) Pring Annual energy consumption (kWh) Annual water consumption (kWh) Annual energy consumption (kWh) Annual energy consumption (kWh) Annual energy consumption (kWh) Annual water consumption (kWh) Annual water consumption (kWh) Annual water consumption (kWh) Annual energy consumption (kWh) Annual water consumption (kWh) Annual energy consumption (kWh) Annual water consumption (kWh) An	Synthetic programmes	•
Handwash programme  Wool  Drying programme  Dimensions  Appliance dimensions - Height x Width x Depth (mm)  Aperture dimensions - Built-in Height x Width x Depth (mm)  Electrical and water connection  Water fill  Cold Fuse rating (A)  Connected load (W)  Performance  Declared programmes  Energy efficiency class  Energy efficiency class  Energy consumption wash + dry (kWh)  Energy consumption washing (kWh)  Water consumption washing + drying (litres)  Max spin speed (rpm)  Residual humidity (%)  Stand-by power (W)  Off mode power (W)  Washing noise (dB(A)  Spinning noise (dB(A)  Spinning noise (dB(A)  Annual energy consumption (litres)  Washing & Drying  Annual energy consumption (litres)  Performance  Stand-do of of c, full load Load (kg)  Performance  Stand-do cotton 60°c, full load Energy (kWh)  1.05  Stand-dr cotton 60°c, full load Energy (kWh)  1.05  Stand-dr cotton 60°c, full load Energy (kWh)  1.05	Synthetic + easy iron programmes	•
Wool ●   Drying programme ●   Dimensions 820 x 596 x 544   Aperture dimensions - Built-in Height x Width x Depth (mm) 825 x 600 x 600   Electrical and water connection 825 x 600 x 600   Water fill Cold   Fuse rating (A) 13   Connected load (W) 2050   Performance Cotton 60°c   Energy efficiency class C   Energy consumption wash + dry (kWh) 6.51   Energy consumption washing (kWh) 1.05   Washing performance A   Water consumption washing + drying (litres) 125   Max spin speed (rpm) 1200   Residual humidity (%) 54   Stand-by power (W) 0.1   Washing noise (dB(A) 56   Spinning noise (dB(A) 72   Drying noise (dB(A) 72   Drying noise (dB(A) re 1pW) 62   Washing Only Annual energy consumption (litres) 9800   Washing & Drying Annual energy consumption (litres) 25000   Performance, programme Standard cotton 60°c, full load Load (kg) 7   Standard cotton 60°c, full load Energy (kWh) 1.05   Standard cotton 60°c, full load Water (litres) 49	Delicate programme	•
Prying programme         Dimensions         Appliance dimensions - Height x Width x Depth (mm)       820 x 596 x 544         Aperture dimensions - Built-in Height x Width x Depth (mm)       825 x 600 x 600         Electrical and water connection         Water fill       Cold         Fuse rating (A)       13         Connected load (W)       2050         Performance         Declared programmes       Cotton 60°c         Energy efficiency class       C         Energy consumption wash + dry (kWh)       6.51         Energy consumption washing (kWh)       1.05         Washing performance       A         Water consumption washing + drying (litres)       125         Max spin speed (rpm)       1200         Residual humidity (%)       54         Stand-by power (W)       0.1         Washing noise (dB(A)       56         Spinning noise (dB(A)       72         Drying noise (dB(A) re 1pW)       62         Washing Only       4         Annual energy consumption (kWh)       210         Annual water consumption (kWh)       1302         Annual energy consumption (kWh)       1302         Annual water consumption (litres)	Handwash programme	•
Dimensions  Appliance dimensions - Height x Width x Depth (mm)  Aperture dimensions - Built-in Height x Width x Depth (mm)  B25 x 600 x 600  Electrical and water connection  Water fill  Cold  Fuse rating (A)  Connected load (W)  Performance  Declared programmes  Cotton 60°c  Energy efficiency class  C Energy consumption wash + dry (kWh)  Energy consumption washing (kWh)  Washing performance  Water consumption washing + drying (litres)  Max spin speed (rpm)  Residual humidity (%)  Stand-by power (W)  Off mode power (W)  Washing noise (dB(A)  Spinning noise (dB(A)  Spinning noise (dB(A)  Prying noise (dB(A)  Annual energy consumption (kWh)  Annual water consumption (kWh)  Annual energy consumption (kWh)  Annual water con	Wool	•
Appliance dimensions - Height x Width x Depth (mm)  Aperture dimensions - Built-in Height x Width x Depth (mm)  Electrical and water connection  Water fill  Cold  Fuse rating (A)  Connected load (W)  Performance  Declared programmes  Cotton 60°c  Energy efficiency class  C  Energy consumption wash + dry (kWh)  Energy consumption washing (kWh)  Washing performance  A  Water consumption washing + drying (litres)  Max spin speed (rpm)  Residual humidity (%)  Stand-by power (W)  Off mode power (W)  Off mode power (W)  Orlying noise (dB(A)  Spinning noise (dB(A)  Prying noise (dB(A)  Prying noise (dB(A) re 1pW)  Washing & Drying  Annual energy consumption (kWh)  Annual energy consumption (kWh)  Annual energy consumption (kWh)  Annual energy consumption (kWh)  Annual water consumption washing to consumption (kWh)  Annual wat	Drying programme	•
Appliance dimensions - Height x Width x Depth (mm)  Aperture dimensions - Built-in Height x Width x Depth (mm)  Electrical and water connection  Water fill  Cold  Fuse rating (A)  Connected load (W)  Performance  Declared programmes  Cotton 60°c  Energy efficiency class  C  Energy consumption wash + dry (kWh)  Energy consumption washing (kWh)  Washing performance  A  Water consumption washing + drying (litres)  Max spin speed (rpm)  Residual humidity (%)  Stand-by power (W)  Off mode power (W)  Off mode power (W)  Orlying noise (dB(A)  Spinning noise (dB(A)  Prying noise (dB(A)  Prying noise (dB(A) re 1pW)  Washing & Drying  Annual energy consumption (kWh)  Annual energy consumption (kWh)  Annual energy consumption (kWh)  Annual energy consumption (kWh)  Annual water consumption washing to consumption (kWh)  Annual wat	Dimensions	
Electrical and water connection  Water fill Cold Fuse rating (A) 13 Connected load (W) 2050  Performance  Declared programmes Cotton 60°c Energy efficiency class C Energy consumption wash + dry (kWh) 6.51 Energy consumption washing (kWh) 1.05 Washing performance A Water consumption washing + drying (litres) 125 Max spin speed (rpm) 1200 Residual humidity (%) 54 Stand-by power (W) 0.1 Washing noise (dB(A) 56 Spinning noise (dB(A) 72 Drying noise (dB(A) 72 Drying noise (dB(A) 72 Manual energy consumption (kWh) 210 Annual water consumption (kWh) 210 Annual water consumption (kWh) 1302 Annual energy consumption (kWh) 1302 Annual water consumption (kWh) 7 Standard cotton 60°c, full load Load (kg) 7 Standard cotton 60°c, full load Energy (kWh) 1.05 Standard cotton 60°c, full load Water (litres) 49		820 x 596 x 544
Electrical and water connection  Water fill Cold Fuse rating (A) Connected load (W)  Performance  Declared programmes Energy efficiency class Energy consumption wash + dry (kWh) Energy consumption washing (kWh)  Washing performance  A  Water consumption washing + drying (litres) Max spin speed (rpm) Residual humidity (%) Stand-by power (W) Off mode power (W) Off mode power (W)  Off mode power (W)  Orign noise (dB(A) Spinning noise (dB(A) Spinning noise (dB(A) To Drying noise (dB(A) re 1pW)  Washing & Drying Annual energy consumption (kWh) Annual water consumption (litres)  Washing & Drying Annual water consumption (kWh) Annual water consumption (litres)  Performance, programme  Standard cotton 60°c, full load Load (kg) Total Cold Standard cotton 60°c, full load Energy (kWh) Total Standard cotton 60°c, full load Water (litres)  49		825 x 600 x 600
Water fill         Cold           Fuse rating (A)         13           Connected load (W)         2050           Performance           Declared programmes         Cotton 60°c           Energy efficiency class         C           Energy consumption wash + dry (kWh)         6.51           Energy consumption washing (kWh)         1.05           Washing performance         A           Water consumption washing + drying (litres)         125           Max spin speed (rpm)         1200           Residual humidity (%)         54           Stand-by power (W)         0.1           Washing power (W)         0.1           Washing noise (dB(A)         56           Spinning noise (dB(A)         72           Drying noise (dB(A) re 1pW)         62           Washing Only         Annual energy consumption (kWh)         210           Annual water consumption (litres)         9800           Washing & Drying         Annual water consumption (litres)         25000           Performance, programme         Standard cotton 60°c, full load Load (kg)         7           Standard cotton 60°c, full load Energy (kWh)         1.05           Standard cotton 60°c, full load Water (litres)         49	Aportary aminorialistic Bank in ridight X Width X Boptin (min)	020 X 000 X 000
Fuse rating (A) 13 Connected load (W) 2050  Performance  Declared programmes Cotton 60°c Energy efficiency class C Energy consumption wash + dry (kWh) 6.51 Energy consumption washing (kWh) 1.05 Washing performance A Water consumption washing + drying (litres) 125 Max spin speed (rpm) 1200 Residual humidity (%) 54 Stand-by power (W) 1.9 Off mode power (W) 0.1 Washing noise (dB(A) 56 Spinning noise (dB(A) 72 Drying noise (dB(A) 72 Drying noise (dB(A) 72 Washing Only Annual energy consumption (kWh) 210 Annual water consumption (litres) 9800  Washing & Drying Annual energy consumption (kWh) 1302 Annual water consumption (litres) 25000  Performance, programme  Standard cotton 60°c, full load Load (kg) 7 Standard cotton 60°c, full load Energy (kWh) 1.05 Standard cotton 60°c, full load Water (litres) 49		
Performance  Declared programmes Cotton 60°c Energy efficiency class C Energy consumption wash + dry (kWh) 6.51 Energy consumption washing (kWh) 1.05 Washing performance A Water consumption washing + drying (litres) 125 Max spin speed (rpm) 1200 Residual humidity (%) 54 Stand-by power (W) 0.1 Washing noise (dB(A) 56 Spinning noise (dB(A) 72 Drying noise (dB(A) 72 Drying noise (dB(A) 72 Washing Only Annual energy consumption (kWh) 210 Annual water consumption (litres) 9800  Washing & Drying Annual energy consumption (kWh) 1302 Annual water consumption (litres) 25000  Performance, programme Standard cotton 60°c, full load Load (kg) 7 Standard cotton 60°c, full load Energy (kWh) 1.05 Standard cotton 60°c, full load Water (litres) 49	Electrical and water connection	
Performance  Declared programmes Cotton 60°c Energy efficiency class C Energy consumption wash + dry (kWh) 6.51 Energy consumption washing (kWh) 1.05 Washing performance A Water consumption washing + drying (litres) 125 Max spin speed (rpm) 1200 Residual humidity (%) 54 Stand-by power (W) 0.1 Washing noise (dB(A) Spinning noise (dB(A) Spinning noise (dB(A) T2 Drying noise (dB(A) re 1pW) Washing Only Annual energy consumption (kWh) Annual water consumption (litres) 9800 Washing & Drying Annual energy consumption (litres) Performance, programme Standard cotton 60°c, full load Load (kg) Standard cotton 60°c, full load Energy (kWh) 1.05 Standard cotton 60°c, full load Water (litres) 49		Cold
Declared programmes  Energy efficiency class  C Energy consumption wash + dry (kWh)  Energy consumption washing (kWh)  1.05  Washing performance  A Water consumption washing + drying (litres)  Max spin speed (rpm)  Residual humidity (%)  Stand-by power (W)  Off mode power (W)  Off mode power (W)  Ospinning noise (dB(A)  Spinning noise (dB(A)  Drying noise (dB(A) re 1pW)  Washing Only  Annual energy consumption (kWh)  Annual water consumption (litres)  Washing & Drying  Annual energy consumption (kWh)  Annual water consumption (litres)  Performance, programme  Standard cotton 60°c, full load Load (kg)  Standard cotton 60°c, full load Energy (kWh)  1.05  Standard cotton 60°c, full load Water (litres)  49	Water fill	
Declared programmes  Energy efficiency class  C Energy consumption wash + dry (kWh)  Energy consumption washing (kWh)  1.05  Washing performance  A Water consumption washing + drying (litres)  Max spin speed (rpm)  Residual humidity (%)  Stand-by power (W)  Off mode power (W)  Off mode power (W)  Ospinning noise (dB(A)  Spinning noise (dB(A)  Drying noise (dB(A) re 1pW)  Washing Only  Annual energy consumption (kWh)  Annual water consumption (litres)  Washing & Drying  Annual energy consumption (kWh)  Annual water consumption (litres)  Performance, programme  Standard cotton 60°c, full load Load (kg)  Standard cotton 60°c, full load Energy (kWh)  1.05  Standard cotton 60°c, full load Water (litres)  49	Water fill Fuse rating (A)	13
Energy efficiency class C Energy consumption wash + dry (kWh) Energy consumption washing (kWh) 1.05 Washing performance A Water consumption washing + drying (litres) 125 Max spin speed (rpm) 1200 Residual humidity (%) 54 Stand-by power (W) 0.1 Washing noise (dB(A) Spinning noise (dB(A) Spinning noise (dB(A) T2 Drying noise (dB(A) re 1pW) Annual energy consumption (kWh) Annual water consumption (litres) 9800 Washing & Drying Annual energy consumption (kWh) 1302 Annual water consumption (litres) 25000 Performance, programme Standard cotton 60°c, full load Load (kg) 7 Standard cotton 60°c, full load Energy (kWh) 1.05 Standard cotton 60°c, full load Water (litres) 49	Water fill Fuse rating (A) Connected load (W)	13
Energy consumption wash + dry (kWh)  Energy consumption washing (kWh)  1.05  Washing performance  A  Water consumption washing + drying (litres)  125  Max spin speed (rpm)  Residual humidity (%)  54  Stand-by power (W)  0.1  Washing noise (dB(A)  Spinning noise (dB(A)  56  Spinning noise (dB(A)  72  Drying noise (dB(A) re 1pW)  62  Washing Only  Annual energy consumption (kWh)  Annual water consumption (litres)  9800  Washing & Drying  Annual energy consumption (kWh)  1302  Annual water consumption (litres)  Performance, programme  Standard cotton 60°c, full load Load (kg)  7  Standard cotton 60°c, full load Energy (kWh)  1.05  Standard cotton 60°c, full load Water (litres)  49	Water fill Fuse rating (A) Connected load (W)  Performance	13 2050
Energy consumption washing (kWh) 1.05  Washing performance A  Water consumption washing + drying (litres) 125  Max spin speed (rpm) 1200  Residual humidity (%) 54  Stand-by power (W) 1.9  Off mode power (W) 0.1  Washing noise (dB(A) 56  Spinning noise (dB(A) 72  Drying noise (dB(A) 72  Drying noise (dB(A) 72  Washing Only  Annual energy consumption (kWh) 210  Annual water consumption (litres) 9800  Washing & Drying  Annual energy consumption (kWh) 1302  Annual water consumption (litres) 25000  Performance, programme  Standard cotton 60°c, full load Load (kg) 7  Standard cotton 60°c, full load Energy (kWh) 1.05  Standard cotton 60°c, full load Water (litres) 49	Water fill Fuse rating (A) Connected load (W)  Performance Declared programmes	13 2050 Cotton 60°c
Washing performance         A           Water consumption washing + drying (litres)         125           Max spin speed (rpm)         1200           Residual humidity (%)         54           Stand-by power (W)         0.1           Off mode power (W)         0.1           Washing noise (dB(A)         56           Spinning noise (dB(A)         72           Drying noise (dB(A) re 1pW)         62           Washing Only         Annual energy consumption (kWh)         210           Annual water consumption (litres)         9800           Washing & Drying         300           Annual energy consumption (kWh)         1302           Annual water consumption (litres)         25000           Performance, programme         300           Standard cotton 60°c, full load Load (kg)         7           Standard cotton 60°c, full load Energy (kWh)         1.05           Standard cotton 60°c, full load Water (litres)         49	Water fill Fuse rating (A) Connected load (W)  Performance Declared programmes Energy efficiency class	13 2050 Cotton 60°c C
Water consumption washing + drying (litres)         125           Max spin speed (rpm)         1200           Residual humidity (%)         54           Stand-by power (W)         1.9           Off mode power (W)         0.1           Washing noise (dB(A)         56           Spinning noise (dB(A)         72           Drying noise (dB(A) re 1pW)         62           Washing Only         210           Annual energy consumption (kWh)         210           Annual water consumption (litres)         9800           Washing & Drying         300           Annual water consumption (kWh)         1302           Annual water consumption (litres)         25000           Performance, programme         300           Standard cotton 60°c, full load Load (kg)         7           Standard cotton 60°c, full load Energy (kWh)         1.05           Standard cotton 60°c, full load Water (litres)         49	Water fill Fuse rating (A) Connected load (W)  Performance Declared programmes Energy efficiency class Energy consumption wash + dry (kWh)	13 2050 Cotton 60°c C
Max spin speed (rpm)         1200           Residual humidity (%)         54           Stand-by power (W)         1.9           Off mode power (W)         0.1           Washing noise (dB(A)         56           Spinning noise (dB(A)         72           Drying noise (dB(A) re 1pW)         62           Washing Only         40           Annual energy consumption (kWh)         210           Annual water consumption (litres)         9800           Washing & Drying         40           Annual water consumption (litres)         25000           Performance, programme         25000           Standard cotton 60°c, full load Load (kg)         7           Standard cotton 60°c, full load Energy (kWh)         1.05           Standard cotton 60°c, full load Water (litres)         49	Water fill Fuse rating (A) Connected load (W)  Performance Declared programmes Energy efficiency class Energy consumption wash + dry (kWh)	13 2050 Cotton 60°c C 6.51
Residual humidity (%)         54           Stand-by power (W)         1.9           Off mode power (W)         0.1           Washing noise (dB(A)         56           Spinning noise (dB(A) re 1pW)         62           Washing Only         40           Annual energy consumption (kWh)         210           Annual water consumption (litres)         9800           Washing & Drying         302           Annual water consumption (litres)         25000           Performance, programme         25000           Standard cotton 60°c, full load Load (kg)         7           Standard cotton 60°c, full load Energy (kWh)         1.05           Standard cotton 60°c, full load Water (litres)         49	Water fill Fuse rating (A) Connected load (W)  Performance  Declared programmes Energy efficiency class Energy consumption wash + dry (kWh) Energy consumption washing (kWh)	13 2050 Cotton 60°c C 6.51 1.05
Stand-by power (W)         1.9           Off mode power (W)         0.1           Washing noise (dB(A)         56           Spinning noise (dB(A)         72           Drying noise (dB(A) re 1pW)         62           Washing Only         8           Annual energy consumption (kWh)         210           Annual water consumption (litres)         9800           Washing & Drying         3           Annual energy consumption (kWh)         1302           Annual water consumption (litres)         25000           Performance, programme         3           Standard cotton 60°c, full load Load (kg)         7           Standard cotton 60°c, full load Energy (kWh)         1.05           Standard cotton 60°c, full load Water (litres)         49	Water fill Fuse rating (A) Connected load (W)  Performance  Declared programmes Energy efficiency class Energy consumption wash + dry (kWh) Energy consumption washing (kWh) Washing performance	13 2050 Cotton 60°c C 6.51 1.05 A
Off mode power (W)         0.1           Washing noise (dB(A)         56           Spinning noise (dB(A)         72           Drying noise (dB(A) re 1pW)         62           Washing Only         210           Annual energy consumption (kWh)         210           Annual water consumption (litres)         9800           Washing & Drying         300           Annual energy consumption (kWh)         1302           Annual water consumption (litres)         25000           Performance, programme         300           Standard cotton 60°c, full load Load (kg)         7           Standard cotton 60°c, full load Energy (kWh)         1.05           Standard cotton 60°c, full load Water (litres)         49	Water fill Fuse rating (A) Connected load (W)  Performance Declared programmes Energy efficiency class Energy consumption wash + dry (kWh) Energy consumption washing (kWh) Washing performance Water consumption washing + drying (litres)	13 2050 Cotton 60°c C 6.51 1.05 A 125
Washing noise (dB(A)         56           Spinning noise (dB(A)         72           Drying noise (dB(A) re 1pW)         62           Washing Only         210           Annual energy consumption (kWh)         210           Annual water consumption (litres)         9800           Washing & Drying         300           Annual energy consumption (kWh)         1302           Annual water consumption (litres)         25000           Performance, programme         300           Standard cotton 60°c, full load Load (kg)         7           Standard cotton 60°c, full load Energy (kWh)         1.05           Standard cotton 60°c, full load Water (litres)         49	Water fill Fuse rating (A) Connected load (W)  Performance Declared programmes Energy efficiency class Energy consumption wash + dry (kWh) Energy consumption washing (kWh) Washing performance Water consumption washing + drying (litres) Max spin speed (rpm)	13 2050 Cotton 60°c C 6.51 1.05 A 125 1200
Spinning noise (dB(A)         72           Drying noise (dB(A) re 1pW)         62           Washing Only         210           Annual energy consumption (kWh)         210           Annual water consumption (litres)         9800           Washing & Drying         300           Annual energy consumption (kWh)         1302           Annual water consumption (litres)         25000           Performance, programme         300           Standard cotton 60°c, full load Load (kg)         7           Standard cotton 60°c, full load Energy (kWh)         1.05           Standard cotton 60°c, full load Water (litres)         49	Water fill Fuse rating (A) Connected load (W)  Performance Declared programmes Energy efficiency class Energy consumption wash + dry (kWh) Energy consumption washing (kWh) Washing performance Water consumption washing + drying (litres) Max spin speed (rpm) Residual humidity (%)	13 2050 Cotton 60°c C 6.51 1.05 A 125 1200 54
Spinning noise (dB(A)         72           Drying noise (dB(A) re 1pW)         62           Washing Only         210           Annual energy consumption (kWh)         210           Annual water consumption (litres)         9800           Washing & Drying         300           Annual energy consumption (kWh)         1302           Annual water consumption (litres)         25000           Performance, programme         300           Standard cotton 60°c, full load Load (kg)         7           Standard cotton 60°c, full load Energy (kWh)         1.05           Standard cotton 60°c, full load Water (litres)         49	Water fill Fuse rating (A) Connected load (W)  Performance Declared programmes Energy efficiency class Energy consumption wash + dry (kWh) Energy consumption washing (kWh) Washing performance Water consumption washing + drying (litres) Max spin speed (rpm) Residual humidity (%) Stand-by power (W)	13 2050 Cotton 60°c C 6.51 1.05 A 125 1200 54 1.9
Drying noise (dB(A) re 1pW)  Washing Only  Annual energy consumption (kWh)  Annual water consumption (litres)  9800  Washing & Drying  Annual energy consumption (kWh)  1302  Annual water consumption (litres)  25000  Performance, programme  Standard cotton 60°c, full load Load (kg)  7  Standard cotton 60°c, full load Energy (kWh)  1.05  Standard cotton 60°c, full load Water (litres)  49	Water fill Fuse rating (A) Connected load (W)  Performance Declared programmes Energy efficiency class Energy consumption wash + dry (kWh) Energy consumption washing (kWh) Washing performance Water consumption washing + drying (litres) Max spin speed (rpm) Residual humidity (%) Stand-by power (W) Off mode power (W)	13 2050 Cotton 60°c C 6.51 1.05 A 125 1200 54 1.9 0.1
Washing Only  Annual energy consumption (kWh) 210  Annual water consumption (litres) 9800  Washing & Drying  Annual energy consumption (kWh) 1302  Annual water consumption (litres) 25000  Performance, programme  Standard cotton 60°c, full load Load (kg) 7  Standard cotton 60°c, full load Energy (kWh) 1.05  Standard cotton 60°c, full load Water (litres) 49	Water fill Fuse rating (A) Connected load (W)  Performance Declared programmes Energy efficiency class Energy consumption wash + dry (kWh) Energy consumption washing (kWh) Washing performance Water consumption washing + drying (litres) Max spin speed (rpm) Residual humidity (%) Stand-by power (W) Off mode power (W) Washing noise (dB(A)	13 2050 Cotton 60°c C 6.51 1.05 A 125 1200 54 1.9 0.1
Annual energy consumption (kWh)  Annual water consumption (litres)  9800  Washing & Drying  Annual energy consumption (kWh)  1302  Annual water consumption (litres)  25000  Performance, programme  Standard cotton 60°c, full load Load (kg)  7  Standard cotton 60°c, full load Energy (kWh)  1.05  Standard cotton 60°c, full load Water (litres)  49	Water fill Fuse rating (A) Connected load (W)  Performance Declared programmes Energy efficiency class Energy consumption wash + dry (kWh) Energy consumption washing (kWh) Washing performance Water consumption washing + drying (litres) Max spin speed (rpm) Residual humidity (%) Stand-by power (W) Off mode power (W) Washing noise (dB(A) Spinning noise (dB(A)	13 2050 Cotton 60°c C 6.51 1.05 A 125 1200 54 1.9 0.1 56 72
Annual water consumption (litres)  Washing & Drying  Annual energy consumption (kWh)  1302  Annual water consumption (litres)  25000  Performance, programme  Standard cotton 60°c, full load Load (kg)  7  Standard cotton 60°c, full load Energy (kWh)  1.05  Standard cotton 60°c, full load Water (litres)  49	Water fill Fuse rating (A) Connected load (W)  Performance  Declared programmes Energy efficiency class Energy consumption wash + dry (kWh) Energy consumption washing (kWh) Washing performance Water consumption washing + drying (litres) Max spin speed (rpm) Residual humidity (%) Stand-by power (W) Off mode power (W) Washing noise (dB(A) Spinning noise (dB(A) Drying noise (dB(A) re 1pW)	13 2050 Cotton 60°c C 6.51 1.05 A 125 1200 54 1.9 0.1 56 72
Washing & Drying  Annual energy consumption (kWh) 1302  Annual water consumption (litres) 25000  Performance, programme  Standard cotton 60°c, full load Load (kg) 7  Standard cotton 60°c, full load Energy (kWh) 1.05  Standard cotton 60°c, full load Water (litres) 49	Water fill Fuse rating (A) Connected load (W)  Performance  Declared programmes Energy efficiency class Energy consumption wash + dry (kWh) Energy consumption washing (kWh) Washing performance  Water consumption washing + drying (litres) Max spin speed (rpm) Residual humidity (%) Stand-by power (W) Off mode power (W) Washing noise (dB(A) Spinning noise (dB(A) Drying noise (dB(A) re 1pW) Washing Only	13 2050 Cotton 60°c C 6.51 1.05 A 125 1200 54 1.9 0.1 56 72 62
Annual energy consumption (kWh) 1302 Annual water consumption (litres) 25000  Performance, programme  Standard cotton 60°c, full load Load (kg) 7 Standard cotton 60°c, full load Energy (kWh) 1.05 Standard cotton 60°c, full load Water (litres) 49	Water fill Fuse rating (A) Connected load (W)  Performance  Declared programmes Energy efficiency class Energy consumption wash + dry (kWh) Energy consumption washing (kWh) Washing performance Water consumption washing + drying (litres) Max spin speed (rpm) Residual humidity (%) Stand-by power (W) Off mode power (W) Washing noise (dB(A) Spinning noise (dB(A) Drying noise (dB(A) re 1pW) Washing Only Annual energy consumption (kWh)	13 2050 Cotton 60°c C 6.51 1.05 A 125 1200 54 1.9 0.1 56 72 62
Annual water consumption (litres) 25000  Performance, programme  Standard cotton 60°c, full load Load (kg) 7  Standard cotton 60°c, full load Energy (kWh) 1.05  Standard cotton 60°c, full load Water (litres) 49	Water fill Fuse rating (A) Connected load (W)  Performance  Declared programmes Energy efficiency class Energy consumption wash + dry (kWh) Energy consumption washing (kWh) Washing performance Water consumption washing + drying (litres) Max spin speed (rpm) Residual humidity (%) Stand-by power (W) Off mode power (W) Washing noise (dB(A) Spinning noise (dB(A) Drying noise (dB(A) Prying noise (dB(A) Annual energy consumption (kWh) Annual water consumption (litres)	13 2050 Cotton 60°c C 6.51 1.05 A 125 1200 54 1.9 0.1 56 72 62
Performance, programme       Standard cotton 60°c, full load Load (kg)     7       Standard cotton 60°c, full load Energy (kWh)     1.05       Standard cotton 60°c, full load Water (litres)     49	Water fill Fuse rating (A) Connected load (W)  Performance  Declared programmes Energy efficiency class Energy consumption wash + dry (kWh) Energy consumption washing (kWh) Washing performance Water consumption washing + drying (litres) Max spin speed (rpm) Residual humidity (%) Stand-by power (W) Off mode power (W) Washing noise (dB(A) Spinning noise (dB(A) Drying noise (dB(A) Prying noise (dB(A) Annual energy consumption (kWh) Annual water consumption (litres) Washing & Drying	13 2050 Cotton 60°c C 6.51 1.05 A 125 1200 54 1.9 0.1 56 72 62
Standard cotton 60°c, full load Load (kg) 7 Standard cotton 60°c, full load Energy (kWh) 1.05 Standard cotton 60°c, full load Water (litres) 49	Water fill Fuse rating (A) Connected load (W)  Performance  Declared programmes Energy efficiency class Energy consumption wash + dry (kWh) Energy consumption washing (kWh) Washing performance Water consumption washing + drying (litres) Max spin speed (rpm) Residual humidity (%) Stand-by power (W) Off mode power (W) Washing noise (dB(A) Spinning noise (dB(A) Drying noise (dB(A) Prying noise (dB(A) Annual energy consumption (kWh) Annual water consumption (litres) Washing & Drying Annual energy consumption (kWh)	13 2050 Cotton 60°c C 6.51 1.05 A 125 1200 54 1.9 0.1 56 72 62 210 9800
Standard cotton 60°c, full load Energy (kWh) 1.05 Standard cotton 60°c, full load Water (litres) 49	Water fill Fuse rating (A) Connected load (W)  Performance Declared programmes Energy efficiency class Energy consumption wash + dry (kWh) Energy consumption washing (kWh) Washing performance Water consumption washing + drying (litres) Max spin speed (rpm) Residual humidity (%) Stand-by power (W) Off mode power (W) Washing noise (dB(A) Spinning noise (dB(A) Drying noise (dB(A) re 1pW) Washing Only Annual energy consumption (kWh) Annual water consumption (kWh) Annual energy consumption (kWh) Annual energy consumption (kWh) Annual energy consumption (kWh) Annual water consumption (litres)	13 2050 Cotton 60°c C 6.51 1.05 A 125 1200 54 1.9 0.1 56 72 62 210 9800
Standard cotton 60°c, full load Water (litres) 49	Water fill Fuse rating (A) Connected load (W)  Performance Declared programmes Energy efficiency class Energy consumption wash + dry (kWh) Energy consumption washing (kWh) Washing performance Water consumption washing + drying (litres) Max spin speed (rpm) Residual humidity (%) Stand-by power (W) Off mode power (W) Washing noise (dB(A) Spinning noise (dB(A) Drying noise (dB(A) re 1pW) Washing Only Annual energy consumption (kWh) Annual water consumption (litres) Washing & Drying Annual energy consumption (litres) Performance, programme	13 2050  Cotton 60°c C C 6.51 1.05 A 125 1200 54 1.9 0.1 56 72 62 210 9800 1302 25000
, ,	Water fill Fuse rating (A) Connected load (W)  Performance Declared programmes Energy efficiency class Energy consumption wash + dry (kWh) Energy consumption washing (kWh) Washing performance Water consumption washing + drying (litres) Max spin speed (rpm) Residual humidity (%) Stand-by power (W) Off mode power (W) Washing noise (dB(A) Spinning noise (dB(A) Drying noise (dB(A) re 1pW) Washing Only Annual energy consumption (kWh) Annual water consumption (litres) Washing & Drying Annual energy consumption (litres) Performance, programme Standard cotton 60°c, full load Load (kg)	13 2050  Cotton 60°c C C 6.51 1.05 A 125 1200 54 1.9 0.1 56 72 62  210 9800  1302 25000
	Water fill Fuse rating (A) Connected load (W)  Performance  Declared programmes Energy efficiency class Energy consumption wash + dry (kWh) Energy consumption washing (kWh) Washing performance Water consumption washing + drying (litres) Max spin speed (rpm) Residual humidity (%) Stand-by power (W) Off mode power (W) Washing noise (dB(A) Spinning noise (dB(A) Drying noise (dB(A) re 1pW) Washing Only Annual energy consumption (kWh) Annual water consumption (litres) Washing & Drying Annual energy consumption (litres) Performance, programme Standard cotton 60°c, full load Load (kg) Standard cotton 60°c, full load Energy (kWh)	13 2050  Cotton 60°c C C 6.51 1.05 A 125 1200 54 1.9 0.1 56 72 62 210 9800 1302 25000
Programme duration (minutes) 180	Water fill Fuse rating (A) Connected load (W)  Performance  Declared programmes Energy efficiency class Energy consumption wash + dry (kWh) Energy consumption washing (kWh) Washing performance Water consumption washing + drying (litres) Max spin speed (rpm) Residual humidity (%) Stand-by power (W) Off mode power (W) Washing noise (dB(A) Spinning noise (dB(A) Drying noise (dB(A) re 1pW) Washing Only Annual energy consumption (kWh) Annual water consumption (litres) Washing & Drying Annual energy consumption (litres) Performance, programme Standard cotton 60°c, full load Load (kg) Standard cotton 60°c, full load Energy (kWh)	13 2050  Cotton 60°c C C 6.51 1.05 A 125 1200 54 1.9 0.1 56 72 62 210 9800 1302 25000

### Washing Machines



Fully integrated washing machine EWG127410W

	EWG12/410W
Electrical and water connection	
Display Medium	LCD
Wash system	Anti-foam
Wash load (kg)	7
Spin speed (rpm)	1200
Motor Universal	
Control type	Push button & Rotary
Time manager	•
Big porthole	•
Wide door opening	•
Extra rinse option	•
Rinse hold option	•
Delay start option	•
	•
Easy iron option	•
Spin reduction option	
Cotton programmes	•
Cotton + prewash programmes	•
Cotton + prewash programmes	•
Cotton Economy programmes	•
Cotton Economy + prewash programmes	•
Synthetic + prewash programmes	•
Delicate programme	•
Lingerie programme	•
Handwash programme	•
Silk programme	•
Wool programme	•
Dimensions	
Appliance dimensions - Height x Width x Depth (mm)	820 x 596 x 544
Aperture dimensions - Built-in Height x Width x Depth (mm)	825 x 600 x 600
Clastical and water connection	
Electrical and water connection	0.11
Water fill	Cold
Fuse rating (A)	13
Connected load (kg)	2050
Performance	
Declared programmes	Std cotton 60 half
	& full load/Std cotton 40 half load
Energy efficiency class	A++
Energy efficiency index	49.6
Spin drying efficiency label	В
Annual energy consumption (kWh)	190
Annual water consumption (litres)	10469
Maximum spin speed (rpm)	1200
Washing noise level (dB(A)	56
Spin noise level (dB(A) re 1pw)	72
Residual humidity (%)	53
Stand-by power (W)	1.9
Off mode power (W)	0.1
Left-on mode power (W)	1.6
Left-on mode duration (Min)	5
Washing performance	A
<u> </u>	
Performance, programme	
Standard cotton 60°c, full load Load (kg)	7
Standard cotton 60°c, full load Energy (kWh)	1.01
Standard cotton 60°c, full load Water (litres)	52

# Freestanding cookers









	Product EKC607601	Product EKC603602	Product EKC603601/603600	Product EKG603202
Oven Functions				
Ultrafan®, Fan operated	•	•	•	
lefrost	•	•	<b> •</b>	
onventional cooking	• •	• •	•	
urbo grilling	•	•		
izza Setting	I•	•		
ull grill	• •	• •	• •	•
conomy grill	• •	• •		•1
op heat		• •	• •	
ottom heat	• •	•		
low cook	•			
eep warm	•			
ven features ontrol Type	Touch	Rotary	Rotary	Rotary
ully programmable electronic clock	•	•	•	•
ven doors	Triple glass	Triple glass	Triple glass	Triple glass
	• •	• •	• •	• •
atalytic liners				
ob features				
ob features umber of cooking zones	4	4	4	4
		Dual zone	Single zone	
ont Left Spec 1)	Triple zone 0.8/1.6/2.3	1.0/2.2	Single zone 2.3	Triple crown 3.8
cont Left Rating 2) (kW)		1.0/2.2	2.3	
ront Left Diameter (mm)	120/175/210 Single zeno			121
lear Left Spec 1)	Single zone	Single zone	Single zone	Semi-rapid
ear Left Rating 2) (kW)	1.2	1.2	1.2	2.0
lear Left Diameter (mm)	145	145	145	70
ront Right Spec 1)	Single zone	Single zone	Single zone	Auxillary
ront Right Rating 2) (kW)	1.8	1.2	1.2	1
ront Right Diameter (mm)	180	145	145	54
lear Right Spec 1)	Dual zone	Single zone	Single zone	Semi-rapid
lear Right Rating 2) (kW)	0.7/1.7	1.8	1.8	2.0
lear Right Diameter (mm)	120/180	180	180	70
quipment supplied		•	•	
Chrome grid runners	•	•	•	•
Chrome auto-stop non-tip shelves				
Arill/Roasting pan Energy information	Full width	Full width	Full width	Full width
nergy rinormation nergy class	A/A-10%	A/A-10%	A/A-10%	N/A
nergy consumption static	0.79/-	0.79/-	0.79/-	N/A
nergy consumption fan	-/0.89	-/0.89	-/0.89	N/A
lectrical connection	-70.09	-70.09	-70.89	IN/A
oltage (V)	220-240	220-240	220-240	220-240
requency (Hz)	50	50	50	
Connected load	11.4	11.4	11.4	
oven power (max) (kW)	2.9/2.4	2.0/1.9	2.0/1.9	1.9/1.9
irill power (max) (kW)	1.9/1.9	1.9/1.9	1.9/-	3/-
use rating (A)	30	30	30	3
use rating (h)	30	30	30	3
ppliance dimensions				
leight (mm)	900	900	900	900
Vidth (mm)	599	599	599	595
lepth (mm)	600	600	600	600
let Weight (kg)	54.96	54.96	54.96	55.5
nternal dimensions (Top / Bottom)				
olume (usage) (Litres)	40/74	40/74	40/79	34/79
leight (mm)	182/358	182/358	182/385	167/385
vidth (mm)	478/479	478/479	478/479	447/447
epth (mm)	439/411	439/411	439/411	439/442
ackaging dimensions				
ackaging dimensions	1000	1000	1000	1000
eight (mm)	1020	1020	1020	1020
/idth (mm)	660	660	660	660
lepth (mm)	740	740	740	740
Gross Weight (kg)	57.0	57.0	57.0	58.0
iterature supplied				
Operation and installation instructions	•	•	•	•
colour				
tainless Steel	EKC607601X	EKC603602X	EKC603601X	EKG603202X
	EKC607601W		EKC603600W	EKG603202W
Vhite	EI (COOT COTVV		LICOCOCCOV	

## **Freestanding Fridge Freezers**



Fridge freezer EN3487AOJ EN3487AOH EN3487AOO EN3487AOY



Fridge freezer EN3881AOX EN3881AOY



Fridge freezer EN3481AOW EN3481AOX

	_		
Control			
Control type	Touch control	Touch control	Touch control
Super cool function	•	•	•
Fast freeze function	•	•	•
High temperature warning alarm	•	•	•
Door open alarm		•	•
Fridge Features			
Gross capacity fridge (litres/cubic feet)	249 / 8.8	291 / 10.3	249 / 8.8
Net capacity fridge (litres/cubic feet)	239 / 8.4	280 / 9.9	239 / 8.4
FreeStore air technology / FreshPlus multiflow cooling	- / •	- / •	- / •
Defrost - fridge	Automatic	Automatic	Automatic
Glass shelves (full depth)	2	3	2
Full width CrispFresh salad drawer	1	1	1
reshZone chiller drawer	•	•	•
Dairy compartment with lid	•	•	•
full width door shelves	2	3	2
/2 width sliding shelf		•	•
Egg tray	•	•	•
Fridge light / Internal LED lighting	-/•	- / •	- / •
reezer features			
Gross capacity freezer (litres/cubic feet)	91 / 3.2	91 / 3.2	91 / 3.2
let capacity freezer (litres/cubic feet)	78 / 2.8	78 / 2.8	78 / 2.8
Defrost - freezer	Automatic	Automatic	Automatic
reezer compartments (drawers)	3	3	3
Dimensions			
Height (mm)	1850	2010	1859
Vidth (mm)	595	595	595
Depth (mm)	658	658	658
Performance			
annual energy consumption (kWh)	313	330	313
nergy efficiency class	A+	A+	A+
Energy efficiency index (%)	43.9	43.9	43.9
Dlimate class	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T
Noise (dB (A)) 44 42 44			
reezing capacity (kg/24hr)	10	10	10
Power cut safe rising time (hr)	18	16	18
finimum ambient temperature (°C)	10	10	10
Other			
Reversible door opening	•	•	•
Colour	Satin lime green, Gloss red, Chocolate brown, Ebony stainless steel	Stainless steel, Ebony stainless steel	White, Stainless steel

# RealLife<sup>™</sup> Freestanding Dishwashers





Full size Dishwasher ESF6630ROW

Full size Dishwasher ESF4600ROW

	ESF6630ROW	ESF4600ROW
Features		
Format	Freestanding	Slimline Freestandin
Controls	Electronic	Electronic
Visible control panel	•	•
Capacity (number of IEC place settings)	12	9
Number of temperatures	5	4
Number of programmes	6	6
Auto Flex		
Eco 50	•	•
Intensive 70°C		-
	•	•
30 min 60°	•	•
AUTO programme	•	•
Glass care 45°C wash		•
Rinse & hold	<u> </u>	•
Residual heat drying		
Multi-tab option	•	•
Time saver	•	•
My Favourite	•	•
Energy saver	•	•
Delay start	•	•
Time remaining	•	•
Adjustable upper basket	•	•
Foldable plate racks - bottom basket		•
Foldable cup shelves	•	•
		•
Moveable cutlery basket	•	•
Wine rack		
End of programme indicator	•	•
Beam on floor		
Interior light		
Dimensions Appliance Height (mm)	850	850
		446
Appliance Width (mm)	596	
Appliance Depth (mm)	610	610
Performance		
Declared Programme	Eco 50	Eco 50
Energy efficiency class	Α	A+
Energy efficiency index	55.8	62.9
Annual energy consumption (kWh)	258	222
Annual water consumption (litres)	2860	2495
Energy consumption (kWh)	1.03	0.790
Water consumption (litres)	11	8.9
Drying performance	A	A
Maximum noise level (dB(A)	44	45
Cleaning performance	A	Α
Programme time (Minutes)	195	195
Stand-by power (W)	0.1	0.10
Off mode power (W)	0.1	0.10
Left-on mode power (W)	0.1	0.10
Left-on mode duration (Minutes)	10	10
Other	000 040	000 040
Voltage (V)	220 - 240	220 - 240
Frequency (Hz)	50	50
Connected load (kW)	2200	2100
Fuse rating (A)	13	13
Minimum water pressure 1 bar	5	.5
Inlet hose with 3/4" BSP thread hose connection		
Water softener		
Water supply	Cold	Cold
Salt refill indicator	•	•
Rinse aid refill indicator	•	•

### Freestanding SteamSystem Washing Machines



Freestanding washing machine EWF1408WDL



Freestanding washing machine EWF1486GDW



Freestanding washing machine EWF1286GDW

The manager Big porthole	Electrical and water connection			.,
Wesh lood (kg)	Display Medium	Large LCD	Medium LCD	Medium LCD
Spin speed (pmm)	Wash system	Anti-foam	Anti-foam	Anti-foam
Motor Universal	Wash load (kg)	10	8	8
Digital   Rotary / Digital   Protary / Digital   P	Spin speed (rpm)	1400	1400	1200
Time manager	Motor Universal	Inverter	Inverter	Inverter
Big porthole	Control type	Digital	Rotary / Digital	Rotary / Digital
Ettra rinse option	Time manager	•	•	•
Extra rinse option	Big porthole	•	•	•
Page	Wide door opening	•	•	•
Delay start option	Extra rinse option	•	•	•
Easy iron option	Rinse hold option	•	•	•
Cotton - programmes	Delay start option	•	•	•
Cotton programmes Cotton prewash programmes Cotton + prewash programmes Cotton Economy programmes Cotton Economy programmes Cotton Economy programmes Cotton Economy programmes  Cotton Economy programme  Cotton Economy programme  Cotton Economy programme  Cotton Economy programmes  Cotton Economy programme  Cotton Economy programme  Cotton Economy programme  Cotton Economy programmes  Cotton Economy programme  Cotton Economy programmes  Cotton Economy programme  Cotton Economy programmes  Cotton Economy programme  Cotton Economy programmes  Cotton Economy programmes  Cotton Economy programmes  Cotton Economy programmes  Cotton Economy	Easy iron option	•	•	•
Cotton + prewash programmes Cotton + prewash programmes Cotton Economy programmes Cotton Economy - prewash programmes Delicate programme Lingerie	Spin reduction option	•	•	•
Cotton + prewash programmes	Cotton programmes	•	•	•
Cotton + prewash programmes		•	•	•
Cotton Economy programmes  Cotton Economy + prewash programmes  Delicate programme  Lingerie programme  Li		•	•	•
Cotton Economy + prewash programmes  Synthetic + prewash programmes  Delicate programme  Landwash programme  Handwash programme  Handwash programme  Handwash programme  Handwash programme  Handwash programme  Handwash programme  Wool programme  Polimensions  Appliance dimensions - Height x Width x Depth(mm)  Water fill  Cold  Co	· · · · ·	•	•	•
Synthetic + prewash programmes	7.1 0	•	•	•
Pelicate programme		•	•	•
Lingerie programme Handwash programme	· · · · · · · · · · · · · · · · · · ·	•		•
Handwash programme	· -		•	·
Nool programme		•	•	
Part		·	•	•
Dimensions   Appliance dimensions - Height x Width x Depth(mm)   850 x 600 x 605	2	•	•	•
Appliance dimensions - Height x Width x Depth(mm)    850 x 600 x 605   850 x 600 x 6	· -			•
Cold		050 000 005	050 000 005	050 000 005
Fuse rating (A) 13 13 13 13 13 13 13 13 13 13 13 13 13		Cold	Cold	Cold
Performance         Performance           Declared programmes - Std cotton 60 half and full load, 40 half load         • • • • • • • • • • • • • • • • • • •				
Performance           Declared programmes - Std cotton 60 half and full load, 40 half load         •				
Declared programmes - Std cotton 60 half and full load, 40 half load   Performance, programme   Performance, programme   Page 160	Connected load (kg)	2200	2200	2200
Declared programmes - Std cotton 60 half and full load, 40 half load  Energy efficiency class  A - 50%  A - 30%  A - 30%  Energy efficiency index  36.1  48.1  41.8  Spin drying efficiency label  B  Annual energy consumption (kWh)  189  180  180  180  Annual water consumption (litres)  11999  11031  11031  Maximum spin speed (rpm)  1400  1400  1200  Washing noise level (dB(A)  51  56  56  Spin noise level (dB(A) re 1pw)  76  75  73  Residual humicity (%)  52  52  53  Stand-by power (W)  48  1.00  1.00  Off mode power (W)  48  60  60  Left-on mode duration (Min)  5  5  5  Washing performance  A  Performance, programme  Standard cotton 60°c, full load Load (kg)  10  8  8	Performance			
### Full load, 40 half load  Energy efficiency class				
Energy efficiency class         A - 50%         A - 30%         A - 30%           Energy efficiency index         36.1         48.1         41.8           Spin drying efficiency label         B         B         B           Annual energy consumption (kWh)         189         180         180           Annual water consumption (litres)         11999         11031         11031           Maximum spin speed (rpm)         1400         1400         1200           Washing noise level (dB(A)         51         56         56           Spin noise level (dB(A) re 1pw)         76         75         73           Residual humidity (%)         52         52         53           Stand-by power (W)         .48         1.00         1.00           Off mode power (W)         .48         .60         .60           Left-on mode duration (Min)         5         5         5           Washing performance         A         A         A           Performance, programme         Standard cotton 60°c, full load Load (kg)         10         8         8		•	•	•
Energy efficiency index  Spin drying efficiency label  Annual energy consumption (kWh)  189  180  180  Annual water consumption (litres)  11999  11031  11031  Maximum spin speed (rpm)  1400  1400  1200  Washing noise level (dB(A)  51  56  56  Spin noise level (dB(A) re 1pw)  76  75  73  Residual humidity (%)  52  52  53  Stand-by power (W)  .48  1.00  1.00  Off mode power (W)  .48  .60  .60  Left-on mode power (W)  .48  .60  .60  Left-on mode duration (Min)  5  5  5  Washing performance  A  A  Performance, programme  Standard cotton 60°c, full load Load (kg)  10  8  B  A  48.1  41.8  41.8  48.1  48.		A - 50%	A - 30%	A - 30%
Spin drying efficiency label         B         B         B           Annual energy consumption (kWh)         189         180         180           Annual water consumption (litres)         11999         11031         11031           Maximum spin speed (rpm)         1400         1400         1200           Washing noise level (dB(A)         51         56         56           Spin noise level (dB(A) re 1pw)         76         75         73           Residual humidity (%)         52         52         53           Stand-by power (W)         .48         1.00         1.00           Off mode power (W)         .48         .60         .60           Left-on mode power (W)         .48         .60         .60           Left-on mode duration (Min)         5         5         5           Washing performance         A         A         A           Performance, programme           Standard cotton 60°c, full load Load (kg)         10         8         8				
Annual energy consumption (kWh)  Annual water consumption (litres)  11999  11031  11031  Maximum spin speed (rpm)  1400  1400  1400  1200  Washing noise level (dB(A)  51  56  56  Spin noise level (dB(A) re 1pw)  76  75  73  Residual humidity (%)  52  52  53  Stand-by power (W)  .48  1.00  1.00  Off mode power (W)  .48  .60  .60  Left-on mode power (W)  .48  .60  .60  Left-on mode duration (Min)  5  5  5  Washing performance  A  A  Performance, programme  Standard cotton 60°c, full load Load (kg)  10  8  8				
Annual water consumption (litres)  11999  11031  11031  Maximum spin speed (rpm)  1400  1400  1200  Washing noise level (dB(A)  51  56  56  Spin noise level (dB(A) re 1pw)  76  75  73  Residual humidity (%)  52  52  53  Stand-by power (W)  .48  1.00  1.00  Off mode power (W)  .48  .60  .60  Left-on mode power (W)  .48  .60  .60  Left-on mode duration (Min)  5  5  5  Washing performance  A  A  Performance, programme  Standard cotton 60°c, full load Load (kg)  10  8  8	, , , ,			
Maximum spin speed (rpm)       1400       1400       1200         Washing noise level (dB(A)       51       56       56         Spin noise level (dB(A) re 1pw)       76       75       73         Residual humidity (%)       52       52       53         Stand-by power (W)       .48       1.00       1.00         Off mode power (W)       .48       .60       .60         Left-on mode power (W)       .48       .60       .60         Left-on mode duration (Min)       5       5       5         Washing performance       A       A       A       A     Performance, programme  Standard cotton 60°c, full load Load (kg)  10  8	,			
Washing noise level (dB(A)       51       56       56         Spin noise level (dB(A) re 1pw)       76       75       73         Residual humidity (%)       52       52       53         Stand-by power (W)       .48       1.00       1.00         Off mode power (W)       .48       .60       .60         Left-on mode power (W)       .48       .60       .60         Left-on mode duration (Min)       5       5       5         Washing performance       A       A       A         Performance, programme       Standard cotton 60°c, full load Load (kg)       10       8       8	, , ,			
Spin noise level (dB(A) re 1pw)       76       75       73         Residual humidity (%)       52       52       53         Stand-by power (W)       .48       1.00       1.00         Off mode power (W)       .48       .60       .60         Left-on mode power (W)       .48       .60       .60         Left-on mode duration (Min)       5       5       5         Washing performance       A       A       A         Performance, programme       Standard cotton 60°c, full load Load (kg)       10       8       8				
Residual humidity (%)         52         52         53           Stand-by power (W)         .48         1.00         1.00           Off mode power (W)         .48         .60         .60           Left-on mode power (W)         .48         .60         .60           Left-on mode duration (Min)         5         5         5           Washing performance         A         A         A           Performance, programme         Standard cotton 60°c, full load Load (kg)         10         8         8				
Stand-by power (W)       .48       1.00       1.00         Off mode power (W)       .48       .60       .60         Left-on mode power (W)       .48       .60       .60         Left-on mode duration (Min)       5       5       5         Washing performance       A       A       A         A       A       A       A         Performance, programme       Standard cotton 60°c, full load Load (kg)       10       8       8				
Off mode power (W)       .48       .60       .60         Left-on mode power (W)       .48       .60       .60         Left-on mode duration (Min)       5       5       5         Washing performance       A       A       A         A       A       A       A         Performance, programme       Standard cotton 60°c, full load Load (kg)       10       8       8	, , ,			
Left-on mode power (W)       .48       .60       .60         Left-on mode duration (Min)       5       5       5         Washing performance       A       A       A         A       A       A       A    Performance, programme Standard cotton 60°c, full load Load (kg)       10       8       8				
Left-on mode duration (Min)         5         5         5           Washing performance         A         A         A           Performance, programme         Standard cotton 60°c, full load Load (kg)         10         8         8				
Washing performance A A A  Performance, programme  Standard cotton 60°c, full load Load (kg) 10 8 8				
Performance, programme Standard cotton 60°c, full load Load (kg)  10  8  8				
Standard cotton 60°c, full load Load (kg) 10 8 8	washing performance	А	А	A
Standard cotton 60°c, full load Load (kg) 10 8 8	Performance, programme			
1.5		10	8	8
1.10				
Standard cotton 60°c, full load Water (litres) 69 59	Standard cotton 60°c, full load Energy (kWh)	1.13	1 1 121	7 (1/21

### Freestanding SteamSystem Washer Dryer

Electrical and water connection



Freestanding washer dryer EWW1697MDW

Liectrical and water connection	LOD
Wash system	LCD
Wash load (kg)	9
Dry load (kg)	7
Spin speed (rpm)	1600
Control type	Rotary / Push Button
Time manager	•
Big porthole	•
Wide door opening	•
Extra rinse option	•
Rinse hold option	•
Delay start option	•
Drying time	•
Spin reduction option	•
Cotton programmes	•
Cotton + prewash programmes	•
Cotton economy	•
Synthetic programmes	•
Synthetic + easy iron programmes	
Delicate programme	•
Handwash programme	•
Wool	•
Drying programme	•
Dimensions	
Appliance dimensions -	
Height x Width x Depth(mm)	800 x 600 x 605
Electrical and water connection	
Water fill	Cold
	13
Fuse rating (A)	
Connected load (W)	2200
Performance	
Declared programmes	Cotton Eco 60°C
Energy efficiency class	А
Energy consumption wash + dry (kWh)	6.12
Energy consumption washing (kWh)	1.05
Washing performance	А
Water consumption washing + drying (litres)	112
Max spin speed (rpm)	1600
Residual humidity (%)	
01 11 000	44
Stand-by power (VV)	.6
Stand-by power (W)  Off mode power (W)	
	.6
Off mode power (W)	.6 0.60
Off mode power (W) Washing noise (dB(A)	.6 0.60 51
Off mode power (W) Washing noise (dB(A) Spinning noise (dB(A)	.6 0.60 51 77
Off mode power (W) Washing noise (dB(A) Spinning noise (dB(A) Drying noise (dB(A) re 1pW)	.6 0.60 51 77
Off mode power (W) Washing noise (dB(A) Spinning noise (dB(A) Drying noise (dB(A) re 1pW) Washing Only Annual energy consumption (kWh)	.6 0.60 51 77 61
Off mode power (W) Washing noise (dB(A) Spinning noise (dB(A) Drying noise (dB(A) re 1pW) Washing Only Annual energy consumption (kWh) Annual water consumption (litres)	.6 0.60 51 77 61
Off mode power (W) Washing noise (dB(A) Spinning noise (dB(A) Drying noise (dB(A) re 1pW) Washing Only Annual energy consumption (kWh) Annual water consumption (litres) Washing & Drying	.6 0.60 51 77 61 210.00
Off mode power (W) Washing noise (dB(A) Spinning noise (dB(A) Drying noise (dB(A) re 1pW) Washing Only Annual energy consumption (kWh) Annual water consumption (litres) Washing & Drying Annual energy consumption (kWh)	.6 0.60 51 77 61 210.00 12600
Off mode power (W) Washing noise (dB(A) Spinning noise (dB(A) Drying noise (dB(A) re 1pW) Washing Only Annual energy consumption (kWh) Annual water consumption (litres) Washing & Drying Annual energy consumption (kWh) Annual water consumption (litres)	.6 0.60 51 77 61 210.00
Off mode power (W) Washing noise (dB(A) Spinning noise (dB(A) Drying noise (dB(A) re 1pW) Washing Only Annual energy consumption (kWh) Annual water consumption (litres) Washing & Drying Annual energy consumption (kWh) Annual water consumption (litres) Performance, programme	.6 0.60 51 77 61 210.00 12600
Off mode power (W) Washing noise (dB(A) Spinning noise (dB(A) Drying noise (dB(A) re 1pW) Washing Only Annual energy consumption (kWh) Annual water consumption (litres) Washing & Drying Annual energy consumption (kWh) Annual water consumption (litres) Performance, programme Standard cotton 60°c, full load Load (kg)	.6 0.60 51 77 61 210.00 12600
Off mode power (W) Washing noise (dB(A) Spinning noise (dB(A) Drying noise (dB(A) re 1pW) Washing Only Annual energy consumption (kWh) Annual water consumption (litres) Washing & Drying Annual energy consumption (kWh) Annual water consumption (litres) Performance, programme Standard cotton 60°c, full load Load (kg) Standard cotton 60°c, full load Energy (kWh)	.6 0.60 51 77 61 210.00 12600 1224.00 22400
Off mode power (W) Washing noise (dB(A) Spinning noise (dB(A) Drying noise (dB(A) re 1pW) Washing Only Annual energy consumption (kWh) Annual water consumption (litres) Washing & Drying Annual energy consumption (kWh) Annual water consumption (litres) Performance, programme Standard cotton 60°c, full load Load (kg)	.6 0.60 51 77 61 210.00 12600

### Freestanding Condenser Dryer



Freestanding condenser dryer EDH3498RDL



Freestanding condenser dryer EDH3386GDW

Technology		
Display	Digital	Digital
Drying technology	Condenser	Condenser
Programme end countdown	•	•
Dimensions Height x Width x Depth(mm)	850 x 600 x 600	850 x 600 x 600
Control type	Digital / Push Button	Rotary / Digital
Sensor drying	•	•
Woolmark gold certification	•	•
Programmes		
Extra cottons / cupboard cottons / iron dry	•	•
Extra synthetics / cupboard synthetics / iron	•	•
Easy iron	•	•
Jeans	•	•
Delicate	•	
Time	•	•
Wool	•	•
Refresh	•	•
Options		
Extra dry	•	
Anti crease	•	•
Time	•	•
Textile		
Delay start	20 hrs	20 hrs
Features		
Reverse tumble	•	•
Auto-cool down	•	•
Large porthole	•	•
Condensed water capacity (litres)	5.2	5.2
Water container full indicator	•	•
Water tank position	Top panel left	Top panel left
Fluff filter	•	•
Performance		
Energy class	A++	A+
Energy consumption (kWh/cycle)	2.05	2.10
Capacity (kg)	9	8
Drying times (mins)	165	160
Colours		
White	•	•

To add a touch of professional inspiratior to your home, visit



Your Electrolux dealer