

Shirô Nosaka* A Preliminary Report on the
Phanerogam Flora of Mt. Yûbari, Prov.
Ishikari, Hokkaidô (4)

野坂志朗：北海道石狩，夕張岳，種子植物誌予報 (4)

Enumeration of plants (Continued)

135. *Rubus pseudo-japonicus* Koidz.
(*Togenashi-goyô-ichigo*, I, II, III, IV,
V, VI)
136. *Rubus Wrightii* A. Gray (*Kuma-
ichigo*, III)
137. *Sanguisorba grandiflora* Makino
(*Chisima-waremokô*).....(1)
138. *Sanguisorba stipulata* Raf. (*Takane-
tôuchisô*, IV, V, VI)
139. *Sanguisorba tenuifolia* Fisch. var.
alba Trautv. et Mey. (*Nagabono-shiro-
waremokô*, II, IV)
140. *Sorbaria sorbifolia* A. Braun var.
stellipila Maxim. (*Hozaki-nanakamado*,
I, II, III)
141. *Sorbus commixta* Hedl. (*Nanaka-
mado*, I, II, III, IV)
142. *Sorbus Matsumurana* Koehne
(*Uraziro-nanakamado*, IV, V, VI)
143. *Sorbus sambucifolia* Roem. var.
pseudogracilis C. K. Schn. (*Miyama-
nanakamado*, VI)
144. *Spiraea betulifolia* Pall. (*Maruba-
shimotsuke*, IV, V)
subsp. *Aemiliana* Hara (*Ezo-maruba-
shimotsuke*, IV, V, VI)
var. *glabra* Hara (*Akan-maruba-
shimotsuke*, VI)
145. *Spiraea media* Schm. var. *sericea*
Maxim. (*Ezo-shimotsuke*, I, II)
146. *Spiraea Miyabei* Koidz. (*Ezono-
shirobana-shimotsuke*, I, II)
147. *Spiraea salici folia* L. (*Hozaki-
shimotsuke*, II, III)
148. *Waldsteinia ternata* Fritsch (*Koki-
nbai*, II)
- FAM. FABACEAE (Mame-ka)
149. *Desmodium racemosum* DC. (*Nu-
subitohagi*, I, II)
150. *Hedysarum ussuriense* Schischk. et
Komar. (*Iwaôgi*, IV ... Gama-iwa)
151. *Lespedeza cuneata* G. Don (*Medo-
hagi*, I, II)
152. *Lotus corniculatus* L. var. *japonicus*
Regel (*Miyakogusa*, I)
153. *Maackia amurensis* Rupr. et Maxim.
var. *Buergeri* C. K. Schn. (*Inu-enji*,
II)
154. *Oxytropis rishiriensis* Matsumura
(*Rishirigenge*, IV ... Gama-iwa)
155. *Vicia Cracca* L. (*Kusafuzi*, I, II)
- FAM. GERANIACEAE (Fûroso-ka)
156. *Geranium erianthum* DC. (*Chisi-
mafûro*, IV, V, VI)

* 北海道夕張南高等学校 The Yûbari Minami Senior High School, Yûbari,
Hokkaidô.

157. *Geranium nepalense* Sweet var. *Thunbergii* Kudo (*Genmoshōko*, I, II)
FAM. OXALIDACEAE (Katabami-ka)
158. *Oxalis acetosella* L. (*Komiyamakatabami*, II, III, IV)
FAM. RUTACEAE (Mikan-ka)
159. *Phellodendron sachalinensis* Sarg. (*Hirohano-kihada*, II)
160. *Skimmia japonica* Thunb. var. *intermedia* Komatsu form. *repens* Hara (*Tsurushikimi*, III)
FAM. SIMAROUBACEAE (Nigaki-ka)
161. *Picrasma quassioides* A. Benn. var. *glabrescens* Pampan. (*Nigaki*, II)
FAM. EUPHORBIACEAE (Tōdaigusa-ka)
162. *Daphniphyllum macropodum* Miq. subsp. *humile* Hurusawa (*Ezo-yuzuriha*, II, III)
163. *Tithymalus Sieboldianus* Hara var. *montanus* Hara (*Himenatsutōdai*, s. p. f. of II, IV and V)
FAM. BUXACEAE (Tsuge-ka)
164. *Pachysandra terminalis* Sieb. et Zucc. (*Fukkisō*, I, II, III)
FAM. CALLITRICHACEAE (Awagoke-ka)
165. *Callitriche verna* L. (*Mizuhakobe*, I)
FAM. ANACARDIACEAE (Urushi-ka)
166. *Rhus ambigua* Lavall. (*Tsuta-urushi*, I, II, III, IV)
167. *Rhus trichocarpa* Miq. (*Yama-urushi*, II, III)
FAM. ACERACEAE (Kaede-ka)
168. *Acer japonicum* Thunb. (*Hauchiwa-kaede*, I, II, III)
169. *Acer Miyabei* Maxim. (*Kurobi-itaya*) (2)
170. *Acer mono* maxim. var. *Mayrii* Koidz. (*Beni-itaya*, I, II, III)
171. *Acer palmatum* Thunb. var. *Matsumurae* Makino (*Yamamomizi*, II, III)
172. *Acer Tschonoskii* Maxim. (*Mine-kaede*, III, IV)
173. *Acer ukurunduense* Trautv. et Mey. (*Ogarabana*, III, IV)
form. *Pilosum* Nakai (*Usuge-ogarabana*, III, IV)
FAM. STAPHYLEACEAE (Mitsubautsugi-ka)
174. *Staphylea Bumalda* DC. (*Mitsubautsugi*, II)
FAM. BALSAMINACEAE (Tsurifunesō-ka)
175. *Impatiens Noli-tangere* L. (*Kitsurifune*, I, II, III)
176. *Impatiens Textori* Miq. (*Tsurifunesō*, I, II, III)
FAM. AQUIFOLIACEAE (Mochinoki-ka)
177. *Ilex crenata* Thunb. (*Inutsuge*, II, III)
178. *Ilex rugosa* Fr. Schm. (*Tsurutsuge*, III)
179. *Ilex Sugeroki* Maxim. subsp. *brevipedunculata* Makino (*Akamino-inutsuge*, III, IV, VI)
FAM. CELASTRACEAE (Nishikigi-ka)
180. *Celastrus strigillosus* Nakai (*Onitsuru-umemodoki*, II)
181. *Euonymus alatus* Sieb. form. *subtriflorus* Ohwi (*Komayumi*, III)
182. *Euonymus macropterus* Rupr.

- (*Hirohanotsuribana*, III)
183. *Euonymus oxyphyllus* Miq. (*Tsuribana*, II, III)
184. *Euonymus Sieboldianus* Blume (*Mayumi*, II, III)
185. *Euonymus tricuspis* Koidz. (*Murasakitsuribana*, IV)
- FAM. RHAMNACEAE (Kuroumemodoki-ka)
196. *Rhamnus Ishidae* Miyabe et Kudo (*Miyama-han-modoki*, s. p. f. of V and VI)
- FAM. VITACEAE (Budô-ka)
187. *Vitis Coignetiae* Pulliat (*Yamabudô*, I, II, III)
- FAM. TILIACEAE (Shinanoki-ka)
188. *Tilia japonica* Simonkai (*Shinanoki*, I, II)
189. *Tilia Maximowicziana* Shirasawa (*Ôbabodaiju*, I, II, III)
- FAM. ACTINIDIACEAE (Matatabi-ka)
190. *Actinidia arguta* Planch. (*Sarunashi*, I, II)
191. *Actinidia Kolomikta* Maxim. (*Miyama-matatabi*, III)
192. *Actinidia polygama* Planch. (*Matatabi*, I, II)
- FAM. HYPERICACEAE (Otogirisô-ka)
193. *Hypericum Ascyron* L. (*Tomoesô*, II, III)
194. *Hypericum erectum* Thunb. (*Otogirisô*, IV, V)
195. *Hypericum kamschaticum* Ledeb. (*Iwaotogiri*, IV, V, VI)¹⁾
- FAM. THYMELAEACEAE (Jinchôge-ka)
196. *Daphne jezoensis* Maxim. (*Naniwazu*, II)
197. *Daphne Miyabeana* Makino (*Karasushikimi*) (Kawabata)²⁾
- FAM. VIOLACEAE (Sumire-ka)
198. *Viola biflora* L. (*Kibananokomantsume*, III, IV)
199. *Viola blandiformis* Nakai (*Usuba-sumire*, III, IV)
200. *Viola brevistipulata* W. Bckr. (*Ôbakisumire*, III, IV)
201. *Viola crassa* Makino (*Takanesumire*, V ... s. p. f.)
202. *Viola Kusanoana* Makino (*Ôtachtsubosumire*, I, II, III, V)
203. *Viola sachalinensis* H. Boiss. var. *alpina* Hara (*Apoitachtsubosumire*, s. p. f. of II and IV)
204. *Viola Selkirkii* Pursh (*Miyama-sumire*, II, III, IV)
- form. *variegata* F. Maekawa (*Fuirimiyamasumire*, II, III, IV)
205. *Viola verecunda* A. Gray (*Tsubosumire*, I, II)
206. *Viola yubariana* Nakai (*Shisobakisumire*, s. p. f. of V and VI)
- FAM. ONAGRACEAE (Akabana-ka)
207. *Chamaenerion angustifolium* Scop. (*Yanagiran*, I, II)

1) : This species in the mountain shows considerable variations; certainly includes var. *hidakense* Y. Kimura - type.

2) : after Prof. S. Kawabata, Director of Iwamizawa Branch, Hokkaidô Gakugei University.

208. *Circaea alpina* L. (*Miyamatanitade*, III, IV, V)
209. *Circaea erubescens* Franch. et Savat. (*Tanitade*, II, III)
210. *Epilobium amurense* Hausskn. (*Kegon-akabana*, I, II, III)
211. *Epilobium cephalostigma* Hausskn. (*Iwa-akabana*, I, II, III, IV)
212. *Epilobium glandulosum* Lehm. var. *asiaticum* Hara (*Kara futo-akabana*, I, II, III)
- FAM. ARALIACEAE (Ukogi-ka)
213. *Acanthopanax sciadophylloides* Franch. et Savat. (*Koshiabura*, III)
214. *Aralia cordata* Thunb. (*Udo*, I, II, III)
215. *Aralia elata* Seem. var. *canescens* Nakai (*Medara*, I, II)
216. *Kalopanax pictum* Nakai (*Harigiri*, I, II, III)
217. *Panax japonicus* C. A. Mey. (*Tochi-baninzin*, III)
- FAM. APIACEAE (Seri-ka)
218. *Aegopodium alpestre* Ledeb. (*Ezobô fû*, III, IV)
219. *Angelica anomala* Lallemand (*Ezono-yoroigusa*, III, IV, V)
220. *Angelica stenoloba* Kitagawa (*Hosobatôki*, s. p. f. of II, IV and V)
221. *Angelica ursina* Maxim. (*Ezonyû*, I, II, III)
222. *Bupleurum longiradiatum* Turcz. var. *breviradiatum* Fr. Schm. (*Hotaru-saiko*, IV ... Gamaiwa)
223. *Bupleurum triradiatum* Adams var. *alpinum* Rupr. (*Rebunsaiko*, V, VI)
224. *Coelopleurum lucidum* Fern. var. *Gmelini* Hara (*Ezono-shishiudo*, I, II, III, IV)
225. *Comioselinum filicinum* Hara (*Miyamasenkyû*, IV, V)
226. *Cryptotaenia canadensis* DC. (*Mitsuba*, I, II)
227. *Heracleum dulce* Fisch. (*Ôhanaudo*, II, III)
228. *Oenanthe javanica* DC. (*Seri*, I, II)
229. *Osmorhiza aristata* Makino et Yabe (*Yabuninzin*, I, II)
230. *Peucedanum multivittatum* Maxim. (*Hakusan-bô fû*, V, VI)
231. *Pleurospermum camtschaticum* Hoffm. (*Ôkasamochi*, II, III)
232. *Sanicula chinensis* Bunge (*Umano-mituba*, II)
233. *Tilingia ajanensis* Regel (*Chishimaminzin*, IV, V, VI)
234. *Tilingia holopetala* Kitagawa (*Ibukizeri*, III, IV, V)
235. *Torilis japonica* DC. (*Yabuzirami*, I)
- FAM. CORNACEAE (Mizuki-ka)
236. *Cornus canadensis* L. (*Gozentachibana*, II, III, IV, V, VI)
237. *Cornus controversa* Hemsl. (*Mizuki*, II)
- FAM. PYROLACEAE (Ichiyakusô-ka)
238. *Monotropastrum globosum* H. Andres (*Ginryôsô*, III)
239. *Pyrola alpina* H. Andres (*Kobano-ichiyakusô*, III, IV)
240. *Pyrola Faurieana* H. Andres (*Karafuto-ichiyakusô*, V)
241. *Pylora japonica* Klenze form. *subaphylla* Ohwi (*Hitotsuba-ichiyakusô*,

- III)
242. *Pyrola renifolia* Maxim. (*Zinyô-ichiyakusô*, I, II, III)
243. *Pyrola secunda* L. (*Ko-ichiyakusô*, III, IV)
- FAM. EMPETARACEAE (Gankôran-ka)
244. *Empetrum nigrum* L. var. *japonicum* K. Koch (*Gankôran*, IV, V, VI)
- FAM. DIAPENSIACEAE (Iwaume-ka)
245. *Diapensia japonica* L. subsp. *obovata* Hultén (*Iwaume*, IV, V, VI)
- FAM. ERICACEAE (Shakunage-ka)
246. *Andromeda polifolia* L. (*Himeshakunage*, V, VI)
247. *Arcterica nana* Makino (*Komebat sugazakura*, IV, V, VI)
248. *Arctous alpinus* Niedenzu var. *japonicus* Ohwi (*Urashima-tsutsuzi*, IV, V, VI)
249. *Bryanthus Gmelini* D. Don (*Chishima-tsugazakura*, V)
250. *Cassiope lycopodioides* D. Don (*Iwahige*, IV, V, VI)
251. *Eubotryoides Grayana* Hara var. *oblongifolia* Hara (*Hanahirinoki*, III, IV)
252. *Gaultheria adenothrix* Maxim. (*Iwahaze*, III, IV, V, VI)
253. *Gaultheria Miqueliana* Takeda (*Shiratamanoki*, IV, V, VI)
254. *Harrimanella Stelleriana* Coville (*Zimukade*, V)
255. *Ledum palustre* L. var. *diversipilosum* Nakai (*Iso-tsutsuzi*, V, VI)
256. *Loiseleuria procumbens* Desv. (*Minezûô*, IV, V, VI)
257. *Menziesia pentandra* Maxim. (*Koyôraku-tsutsuzi*, III, IV)
258. *Oxycoccus quadripetalus* Gilib. (*Tsuru-kokemomo*, V)
259. *Phyllodoce aleutica* A. Heller (*Aono-tsugazakura*, V, VI)
260. *Phyllodoce caerulea* Bab. (*Ezono-tsugazakura*, V, VI)
- form. *Takedana* Ohwi (*Yûpari-tsugazakura*, V, VI)
- form. *yesonesis* Nakai (*Ko-ezo-tsugazakura*, V, VI)
261. *Phyllodoce tsugifolia* Nakai (*Nagabatsugazakura*, V, VI)
- form. *viridiflora* Toyokuni (*Kaori-tsugazakura*, VI)
262. *Rhododendron Albrechti* Maxim. (*Murasakiyashio-tsutsuzi*, III, IV)
263. *Rhododendron aureum* Georgi (*Kibanashakunage*, V, VI)
264. *Rhododendron dauricum* L. (*Ezomurasaki-tsutsuzi*, III)
265. *Rhododendron Fauriae* Franch. (*Shirobanashakunage*, II, III)
266. *Rhododendron Tschonokii* Maxim. (*Kome-tsutsuzi*, II, III)
267. *Therorhodion camtschaticum* Small (*Ezo-tsutsuzi*, IV, V, VI)
268. *Tripetaleia bracteata* Maxim. (*Miyana-hotsutsuzi*, II ... s. p. f., IV, V)
269. *Vaccinium ovalifolium* Smith var. *coriaceum* H. Boiss. (*Ezokurousugo*, IV, V)
- var. *subcoriaceum* Honda (*Marubano- ezokurousugo*, V)
270. *Vaccinium praestans* Lamb. (*Iwa-tsutsuzi*, II, III, IV, V)

271. *Vaccinium Smalli* A. Gray (*Obasunoki*, II, III, IV)
272. *Vaccinium uliginosum* L. var. *alpinum* Bigel. (*Kobanokuromamenoki*, IV, V, VI)
273. *Vaccinium Vitis-Idaea* L. var. *minus* Lodd. (*Kokemomo*, IV, V, VI)
FAM. MYRSINACEAE (Yabukôzi-ka)
274. *Bladhia japonica* Hornstedt (*Yabukôzi*)(2)
FAM. PRIMULACEAE (Sakurasô-ka)
275. *Lysimachia Fortunei* Maxim. (*Nu-matoranoo*, I, II)
276. *Lysimachia vulgaris* L. subsp. *davurica* Tatew. form. *latifolia* Hara (*Hirohakusaredama*, II)
277. *Primula modesta* Biss. et Moore (*Yukiwariso*, IV ... Gama-iwa)
278. *Primula yûparensis* Takeda (*yûparikozakura*, s. p. f. of IV and V)
279. *Trientalis europaea* L. (*Tsumatorisô*, IV, V, VI)
FAM. SYMPLOCACEAE (Hainoki-ka)
280. *Palura chinensis* Koidz. form. *pilosa* Hara (*Sawafutagi*, I, II)
FAM. STYRACACEAE (Egonokika)
281. *Styrax Obassia* Sieb. et Zucc. (*Hakuunboku*, II)
FAM. OLEACEAE (Mokusei-ka)
282. *Fraxinus lanuginosa* Koidz. var. *serrata* Hara (*Kobanotoneriko*, II)
283. *Fraxinus mandshurica* Rupr. var. *japonica* Maxim. (*Yachidamo*, I, II)
284. *Ligustrum Tschonoskii* Decne. (*Miyama-ibota*, I, II, III)
285. *Syringa reticulata* Hara (*Hashidoi*, I)
FAM. GENTIANACEAE (Rindô-ka)
286. *Fauria crista-galli* Makino (*Iwaicho*, IV, V ... high moor)
287. *Gentiana Jamesii* Hemsl. (*Rishirindô*, V)
288. *Gentiana nipponica* Maxim. (*Miyamarindô*, IV, V, VI)
form. *leucantha* Hara (*Shirobanami-yamarindô*, V)
289. *Gentiana triflora* Pall. var. *japonica* Hara subvar. *montana* Toyokuni (*Ezooyamarindô*, IV, V, VI)
290. *Gentiana Zollingeri* Fawc. (*Fuderindô*, I, II)
291. *Gentianella yûparensis* Satake (*Yûparirindô*, s. p. f. of II, IV, V and VI) form. *albiflora* Satake (*Shirobanayûparirindô*, s. p. f. of V)
292. *Swertia obtusa* Ledeb. var. *stenopetala* Reg. et Til. (*Ezomiyama-akebonosô*, V)³⁾
293. *Tripterospermum japonicum* Maxim. (*Tsururindô*, III, IV)
FAM. ASCLEPIADACEAE (Gagaimo-ka)
294. *Cynanchum caudatum* Maxim. (*Ikema*, I)
FAM. BORAGINACEAE (Murasaki-ka)
295. *Cynoglossum asperrimum* Nakai var. *yesoense* Nakai (*Ezorurisô*, I, II)

3) The writer has a question whether the present plant belongs to var. *stenopetala* described by Regel and Tiling or not, but he uses the above name until a more satisfactory revision will be made by specialists in this group.

- III, IV)
 296. *Eritrichium nipponicum* Makino
 (Miyamamurasaki, IV ... Gama-iwa)
 297. *Trigonotis Guilielmi* A. Gray
 (Tachikamebasô, IV)
 FAM. LABIATAE (Shiso-ka)
 298. *Clinopodium sachalinense* Koidz.
 (Miyamatôbana, III, IV)
 299. *Glechoma hederacea* L. subsp.
grandis Hara (Kakidôshi, I)
 300. *Leonurus macranthus* Maxim.
 (Kisewata, I)
 301. *Lycopus uniflorus* Michx. (*Ezoshi-*
rone, I, II)
 302. *Nepeta subsessilis* Maxim. (*Miso-*
gawasô, IV)
 303. *Prunella vulgaris* L. subsp. *asiatica*
 Hara (*Utsubogusa*, III, IV, V)
 304. *Scutellaria dependens* Maxim.
 (*Hîmenamiki*, II)
 305. *Scutellaria pekinensis* Maxim. var.
ussuriensis Hand.-Mazz. (*Ezotatsuna-*
misô, I, II, III)
 306. *Teucrium viscidum* Blume var.
Miquelianum Hara (*Tsurunigakusa*, I, II)
 307. *Thymus quinquecostatus* Celak. var.
ibukiensis Hara (*Ibukijakôso*, s. p. f.
 of IV and V)
 FAM. SCROPHULARIACEAE (Goma-
 nohagusa-ka)
 308. *Lagotis glauca* Gaertner. ssp. *Ta-*
kedana Toyoc. et Nosa. (*Yûbarisô*, s. p.
 f. of V)⁴⁾
- ω09. *Mimulus inflatus* Nakai (*Mizo-*
hôzuki, I, II, III, IV)
 310. *Mimulus sessilifolius* Maxim.
 (*Ôbamizohôzuki*, III, IV)
 311. *Pedicularis Chamissonis* Stev. var.
japonica Maxim. (*Yotsubasiogama*, IV,
 V, VI)
 312. *Pedicularis resupinata* L. form.
pubescens Komar. (*Ke-shiogama*, IV,
 V, VI)
 313. *Pedicularis yezoensis* Maxim. (*Ezo-*
shiogama, IV, V, VI)
 314. *Pentstemon frutescens* Lambert
 (*Iwabukuro*., IV, V, VI)
 315. *Veronica Schmidiana* Regel var.
yezoalpina Yamazaki (*Ezomiyamato-*
ranoo. s. p. f. of IV, V and VI)
 316. *Veronica serpyllifolia* L. subsp.
humifussha Pennell (*Tengukuwagata*,
 V, VI)
 317. *Veronica Stelleri* Pall. var. *longi-*
styly Kitagawa (*Ezohimekuwagata*, IV,
 V, VI)
 FAM. LENTIBULARIACEAE (Tanuki-
 mo-ka)
 318. *Pinguicula vulgaris* L. (*Mushitori-*
sumire, IV, V, VI)
 FAM. PHRYMACEAE (Haedokusô-ka)
 319. *Phryma leptostachya* L. var. *asia-*
tica Hara (*Haedokusô*, II, III)
 FAM. PLANTAGINACEAE (Ôbako-ka)
 320. *Plantago asiatica* L. (*Ôbako*, I, II,
 III) (to be continued)

4) *Lagotis glauca* Gaertner subsp. *Takedana* (Miyabe et Tatewaki) Toyokuni et Nosa ex Toyokuni in Journ. Geobot. IX : 13, 1960. Syn. *Lagotis Takedana* in Journ. Geobot. VIII : 105 & IX : 14.