



SYNCHRONSE YOUR CHOICE

You chose a car that would be an extension of your body, responsive, adaptable, and intuitive. Why should a car entertainment system be any different? Kenwood systems are made to sync with you, virtually connecting, learning your preferences and harmonising with your needs. From the moment you switch on your Kenwood system, every nuance and inflection of pristine sound reproduction is at your fingertips. You're in the driver's seat of your own personalised entertainment experience.

TABLE OF CONTENTS

04 MULTIMEDIA

04. NETWORK

06. NAVIGATION

10. MONITOR RECEIVER

14

RECEIVERS

14. TOP OF THE LINE

16. DAB+ & BLUETOOTH

18. DIGITAL MEDIA

20. USB & AUX, ALTERNATIVE

22. 2 DIN RECEIVERS

MARINE
CAR PORTAL
ACCESSORIES



Weave your personal music, video, and entertainment into a seamless experience. Kenwood systems easily sync with your iPod, iPhone, and other smart devices. Hands-free Bluetooth technology reconnects you with the world as you talk and stream music wirelessly. All your entertainment pleasure in perfect harmony.



What sets Kenwood apart from the herd? Full range speakers, high power amplifiers and thundering subwoofers for starters. A Kenwood system transforms ordinary driving into an extraordinary experience. Add DAB radio and you've entered a whole new stratosphere of sound reproduction.



A Kenwood system is an extension of both your car and your personality. With seamless installation, Kenwood systems complement your car's interior while augmenting your personal style, allowing you to set just the right mood for the journey. Adaptable to even limited spaces, compact amplifiers and powerful speakers are designed for a perfect aesthetic and acoustic fit.



IN SYNC

Easy to use Kenwood systems offer synchronised operations with smart devices. On your iPhone use Siri to control your system while keeping your hands on the wheel. With Kenwood music search for Android, organise and control music from your receiver, while crisp displays keep you in the loop.



28

SPEAKER SYSTEMS

28. SUBWOOFERS

30. PACKAGE

31. X-SERIES, S-SERIES SPEAKERS

32. M-SERIES, E-SERIES SPEAKERS

33. CUSTOM FIT SPEAKERS

34

COMPATIBILITY CHART











7.0" WVGA Wi-Fi Network Navigation System

7" WideVGA	Touch Panel	Removable Faceplate	Photo Real Junction View	Lane Assist	Traffic Trend My Trend	MultiRoute Review	TMC Inside	Split Screen Control	PinP	Variable Colour Illumination
Display Customize	MP3 WMA AAC WAV	MPEG 1/2/4 JPEG WMV H.264	DivX	DVD±R/RW	Multi-Language Menu & Tag	Sound Excellence	USB x 2	1AVin 1AVout 2R-CAM	50W x 4 MOSFET	5V 3Preouts
Steering Remote Control Ready	Remote Supply									

SOCIAL NETWORK BY VOICE

Have you ever wished to check the latest update on your social network while driving? With DNN9230DAB you can! DNN9230DAB can read aloud posts and allows you to reply using Text to Speech and Speech to Text technology. Always keep your headunit in sync with Facebook, Twitter, Email, Google Calendar and your RSS feeds.

















NETWORK

CONNECT THROUGH THE CLOUD

KENWOOD WIRELESS LINK

Thanks to Kenwood's wireless technology, you can share video and music contents between DNN9230DAB and other Wi-Fi enabled devices such as a Smartphone, Tablet, or PC. Enjoy seamless entertainment while you are driving.



ROUTE COLLECTOR





Route Collector is a Social Network Service where you can share your trip log, route and photos with other Route Collector users. You can plan a route before leaving home using

the Route Collector website. Visit http://www.route-collector.com and create a trip plan and import your route to the unit.

KENWOOD STORAGE



Access music through Kenwood Storage found on the Route Collector website, providing you with 2GB of storage.

MIXED MEDIA SEARCH



Mixed Media Search allows content to be searched across different sources such as an iPod, USB, or Kenwood storage using STT or by entering keywords.

INTERNET BROWSER



The Browser on the top menu allows you to surf the web anytime.

BIRD'S EYE JUNCTION VIEW

A new perspective to help drivers navigate challenging interchanges, this improved junction view helps you to keep on track until the exact turn or transition, while the split screen view keeps the map visible at all times. With this feature, you'll never miss a turn.



Bird's Eye Junction View



Photo Real Junction View

3D BUILDING & 3D TERRAIN

Designed to enhance driver awareness, 3D Building & Terrain allows you to see what is in the near vicinity or ahead of the route.







DNX7230DAB PAS+ S Bluetooth o aha.











7.0" WVGA Navigation System with Built-in DAB Tuner

7" WideVGA	Touch Panel	Removable Faceplate	Junction View	Lane Assist	My Trend	MultiRoute Review	Smartphone Link	TMC Inside	Split Screen Control	PinP
Variable Colour Illumination	Colour Coordinate	MP3 WMA AAC WAV	MPEG 1/2/4 JPEG WMV H.264	DivX	DVD±R/RW	Multi-Language Menu & Tag	Sound Excellence	USB x 1	1AVin 1AVout 1R-CAM	50W x 4 MOSFET
5V 3Preouts	Steering Remote Control Ready									

GARMIN SMARTPHONE LINK



Experience seamless navigation between DNX7230DAB and your smartphone, share information and Garmin Live Services such as Local Weather, Fuel Prices, etc. between your smartphone and headunit. Smartphone Link is available via Google Play as a free download app, with optional upgrade for traffic.





BUILT-IN DAB+ TUNER



A digital radio technology for broadcasting radio stations, DAB delivers cleaner, crisper sound in comparison to traditional AM and FM radio. Furthermore in 2007 an upgraded DAB+ was released, which features a higher audio quality and better reception*. Kenwood has incorporated DAB+ into DNN9230DAB, DNX7230DAB, DNX5230DAB and DNX4230DAB navigation headunits for boosted performance.

* Where available

AHA RADIO CONTROL



Aha organises your favourite internet content from the web into on-demand radio stations. For example, you can listen to the latest Facebook updates or Tweets from your friends, or listen to other stations that include internet radio, podcasts, and audiobooks.



NAUGATION THE PERFECT ROUTE



DNX5230DAB

□ iPod □ iPhone

6.1" WVGA Navigation System with Built-in DAB Tuner

6.1" WideVGA	Touch Panel	Partial Removable Faceplate	Photo Real Junction View	Lane Assist
Traffic Trend My Trend	MultiRoute Review	Garmin Smartphone Link	TMC Inside	Split Screen Control
PinP	Variable Colour Illumination	Colour Coordinate	MP3 WMA AAC WAV	MPEG 1/2/4 JPEG WMV H.264
DivX	DVD±R/RW	Multi-Language Menu & Tag	USB x 1	1AVin 1AVout 1R-CAM
50W x 4 MOSFET	2V 3Preouts	Steering Remote		
















DNX4230DAB/BT

□iPod **□**iPhone

6.1" WVGA Navigation System with Built-in DAB Tuner

6.1" WideVGA	Touch Panel	Lane Assist	Traffic Trend My Trend	MultiRoute Review
Garmin Smartphone Link	TMC Inside	Split Screen Control	PinP	Variable Colour Illumination
Colour Coordinate	MP3 WMA AAC WAV	MPEG 1/2/4 JPEG WMV H.264	DivX	DVD±R/RW
Multi-Language Menu & Tag	USB x 1	1AVin 1AVout 1R-CAM	50W x 4 MOSFET	2V 3Preouts
Steering Remote				







DAB capability only for DNX4230DAB.

BLUETOOTH AUTO PAIRING

When you connect your iPhone via a USB cable, the unit will automatically detect and pair your iPhone. There is no more complicated Bluetooth setup.



VOICE CONTROL USING SIRI

When connecting your iPhone to DNN9230DAB, you can activate the Siri function and speak through the wired microphone by simply pressing the Voice Key.






PARTIAL REMOVABLE FACEPLATE

The DNX5230DAB navigation systems feature a partial removable faceplate that offers anti-theft security and is easy to carry.



MAP DATA COVERAGE

Don't get lost using old map data, keep up to date and download the latest maps online to an SD card or USB memory and upload to your navigation system. Map coverage includes Andorra, Austria, Belgium, Croatia, The Czech Republic, Denmark, Estonia, Finland, France, Germany, Gibraltar, Greece, Hungary, Iceland, Italy, Kosovo, Latvia, Lithuania, Liechtenstein, Luxembourg, Monaco, Montenegro, The Netherlands, Norway, Poland, Portugal, The Republic of Ireland, The Republic of Macedonia, San Marino, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey, Ukraine, the Vatican City and the UK.



TRAFFIC TREND / MY TREND

Traffic Trend calculates recommended routes based on historical traffic data, while My Trend learns your daily or frequently used destinations to provide helpful routing information by looking ahead for traffic delays.

12:00, No traffic





3:06pm, Traffic jam ahead





iPod / iPhone MUSIC PLAYBACK



All DNX Navigation systems are iPod/iPhone friendly, searching for music or a movie title is a snap via the touch panel. In addition to conventional searches for playlists, artists, albums and genres, additional search commands can also be performed for music videos, TV shows, movies, video playlists, etc. Kenwood's exclusive "My Favourite Albums" feature, for all DNX navigation systems allows the user to "flick through" album art from a connected iPod or iPhone and create their own personal "Top Ten".

TMC INSIDE *



The built-in TMC tuner offers real-time traffic information. The system can also calculate a route to avoid congestion according to the traffic information received.

* One time subscription required



EASY MAP UPDATE

Simply purchase the latest map online, download to a USB memory device and upload to your DNX navigation system. A microSD/SD card with a pre-loaded map can also be purchased online, upload to DNN9230DAB and DNX7230DAB by SD card and DNX5230DAB, DNX4230DAB and DNX4230BT by microSD card.

LANE ASSIST WITH PHOTO REAL JUNCTION VIEW

These two convenient features offer a reliable guide on the motorway and multi-lane junctions. With the combination of the split screen function, the driver may check both the route and the junction view at the same time.

Photo Real Junction View









BLUETOOTH TECHNOLOGY



All DNX navigation systems come equipped with built-in Bluetooth capability to enable hands-free mobile phone operation so you can keep your hands on the steering wheel where they belong and concentrate on the road ahead. In addition, we have integrated the capability to play music files stored in A2DP-compatible devices to bring a wireless world of seamless entertainment into your car.







DDX6023BT

7.0" WVGA DVD Receiver with Built-in Bluetooth

7" WideVGA	Touch Panel	Variable Colour Illumination	MP3 WMA AAC WAV	MPEG 1/2 JPEG	DivX	DVD-VR/±R/RW	Multi-Language Menu & Tag	USB x 1	1AVin 1AVout 1R-CAM	50W x 4 MOSFET
4V 3Preouts	Steering Remote	Remote Supplied								

iPhone SYNCHRONICITY

Kenwood performs the ultimate synchronicity between DDX receivers and your iPhone.





iPhone APP mode.*

Enjoy your applications using the Kenwood iPhone APP mode. APP mode enables the headunit to play audio and video, and also offers seven command controls for various applications.



















Bluetooth[®]

Voice Control using Siri.

When connecting your iPhone to DDX receivers, you can activate the Siri function and speak through the wired microphone by simply pressing the Voice Key.

Bluetooth Auto Pairing.



* iPhone 4 and iPhone 4S only.

MONITOR RECEIVER

EXPAND THE POSSIBILITIES



DDX4023BT

Made for Pod PiPhone


6.1" WVGA DVD Receiver with Built-in Bluetooth

6.1" WideVGA	Touch Panel	Variable Colour Illumination	MP3 WMA AAC WAV	MPEG 1/2 JPEG
DivX	DVD-VR/±R/RW	Multi-Language Menu & Tag	USB x 1	1AVin 1AVout 1R-CAM
50W x 4 MOSFET	4V 3Prenuts	Steering Remote		





DDX3023



6.1" WVGA DVD Receiver

6.1" WideVGA	Touch Panel	Variable Colour Illumination	MP3 WMA AAC WAV	MPEG 1/2 JPEG
DivX	DVD-VR/±R/RW	Multi-Language Menu & Tag	USB x 1	1AVin 1AVout 1R-CAM
50W x 4 MOSFET	4V 3Preouts	Steering Remote Control Ready		



DDX42BT

Made for iPhone

6.1" WVGA DVD Receiver with Built-in Bluetooth

6.1" WideVGA	Touch Panel	Variable Colour Illumination	MP3 WMA AAC WAV	MPEG 1/2 JPEG
DivX	DVD-VR/±R/RW	Multi-Language Menu & Tag	FRONT USB AV in	1AVin 1AVout 1R-CAM
50W x 4 MOSFET	4V 3Preouts	Steering Remote		



11

MIRROR LINK



If you're using a Samsung or Nokia smartphone, Mirror Link lets you experience the ultimate in connection. Just install the Drive Mode APP on your smartphone, then you can control Navigation, Hands-free Phone, and Music Playback from the headunit.



KCA-ML100

Mirror Link Unit
* Compatible with DDX6023BT & DDX4023BT

CX-G100

Optional GPS Antenna for Mirror Link Unit





VARIABLE COLOUR ILLUMINATION

With Variable Colour Illumination changing your unit's style is a synch. Select a preset or create your own colours that go with your car interior. You can also add your own dynamic background image that will add even more style to your ride.





KENWOOD - STATE OF THE STATE OF

KDV-5244U

Made for Pod PiPhone

USB / DVD Receiver

TDF	8 Digit FL	FRONT USB AV in	MP3 WMA AAC	MPEG 1/2/4 JPEG
DivX	50W x 4 MOSFET	DVD-VR/±R/RW	Sound Excellence	1 Video out
2.5V 2Preouts	Radio Data System	Remote Supplied		

TOP MENU CUSTOMISE

Featuring an easy and intuitive GUI, personalise your top three menu positions by simply choosing the Menu Customise option under setup, and select your favourite.

DUAL AV INPUT AND FRONT USB INTERFACE

DDX42BT offers Dual AV & Front USB, making optimal upgrades to your multimedia system possible. Merely plug in your iPhone, iPod, smartphone, and USB mass storage device. Sit back, and enjoy the ride.

SOUND EXCELLENCE

The Sound Excellence audio enhancement feature brings out all of the music masked by road noise and it includes a unique iPod/iPhone EQ function that improves iPod sound quality by deactivating the EQ setting, allowing you to select from twenty-two EQ curves optimised for iPod/iPhone playback in any vehicle.

iPod / iPhone MUSIC PLAYBACK



All DNX navigation systems are iPod/iPhone friendly, so searching for music or a movie title is a snap via the touch panel. In addition to conventional searches for playlists, artists, albums and genres, additional search commands can also be performed for music videos, TV shows, movies, video playlists, etc. Kenwood's exclusive "My Favourite Albums" feature, for all DNX navigation systems allows the user to "flick through" album art from a connected iPod or iPhone and create their own personal "Top Ten".





BLUETOOTH TECHNOLOGY

This mandatory feature for in-car entertainment has gone through a non-stop technological process. Once your phone is paired you may access your phonebook, last call, and missed calls, through the intuitive GUI on the headunit. Voice dialing, which is found on most smartphones, may also work with the receiver. Advanced audio streaming will also add spice to your in-car system, enabling seamless music transfer.

HIGH RESOLUTION UGA DISPLAY

Kenwood Visual Systems have a stunning VGA display that is equipped with White LED Backlights. These combined with Dynamic Brightness Control create a sharp and luminous display.

CMOS-310

Universal Multi View CMOS Camera










The CMOS-310 multi-view camera is equipped with an advanced image processor that is capable of altering viewing angles, increasing the number of viewing options, and adding graphical guidelines to the camera image. You can conveniently toggle between the various viewing options either from the touch screen or wired switch.













Night View

KNA-RCDV331


CMOS-210

Universal Rear View CMOS Camera

Remote Controller for Multimedia Monitor

KNA-MP15E DVD for Map Update

KNA-SD15E SD Card for Map Update







MANUAL FLIP

The protective CD door and cover keeps airborne particles from interfering with the CD mechanism. Furthermore this unique idea gives a sleek look on the dashboard, by hiding the disc slot on the front.



KENWOOD MUSIC CONTROL FOR Android™

Organise your music with the free Kenwood Music Control APP found on Google Play. Connecting your AndroidTM smartphone to a Kenwood CD receiver with a USB cable allows you to control music playback from the unit.





Please ask your dealer for phone compatibility.

DUAL USB

Support your devices at the same time with a front panel mounted USB port and a rear mounted USB port. Play your music from one USB port and use the other to charge your device. An LED status indicator for rear USB is found on the front panel and shows if it's in use.

AHA RADIO CONTROL



Aha organises your favourite internet content from the web into ondemand radio stations, no matter where you go, you will never miss a beat. (Smartphone required).

TOP OF THE LINE THE EXCLUSIVE CHOICE



KDC-BT53U

Bluetooth / USB / CD Receiver

Manual Flip	3 Line Full Dot LCD	Dual USB AUX	Variable Colour Illumination	Multi-Language Menu & Tag
Music Control for Android	Sound Excellence	2 Speed Search	MP3 WMA AAC	50W x 4 MOSFET
2.5V 3Preouts	Radio Data System RT+	Steering Remote Control Ready		

3 LINE FULL DOT LCD

Check out the stunning Full Dot LCD displays on Kenwood's high-end CD receivers. You can select between three lines of regular-size text or two lines of large-size text. Three lines per screen helps to make music searching much easier and faster, while two lines of text enables easier reading of the display.

WIRED MICROPHONE

KDC-BT73DAB and KDC-BT53U are equipped with rear wired Bluetooth microphones that deliver superb telephone sound quality. With a length of 3 metres, these wired microphones can be installed just about anywhere in your car.



KDC-5057SD

SD / USB / CD Receiver

Manual Flip	3 Line Full Dot LCD	Dual USB AUX	Variable Colour Illumination	Multi-Language Menu & Tag
Music Control for Android	2 Speed Search	MP3 WMA AAC	50W x 4 MOSFET	2.5V 3Preouts
Radio Data System	Steering Remote			

SOUND EXCELLENCE DSP

Customise your in-car audio environment with the audio control menu. The Highway Sound function boosts sound that is normally interrupted by road noise while driving. You may choose the level of sound enhancement from high and low. Sound Elevation will also help you to change the sound position depending on the speaker location.

SD PLAYBACK

Play your music files stored on your SD card with KDC-5057SD and KDC-BT92SD. SDHC is supported up to 32GB. The SD slot is located behind the faceplate, preventing dust from entering your headunit.





KDC-BT92SD

Bluetooth / USB / CD Receiver

Flip Down	5 Line Full Dot LCD	USB AUX	Variable Colour Illumination	Multi-Language Menu & Tag
Music Control for Android	Sound Excellence	2 Speed Search	MP3 WMA AAC	50W x 4 MOSFET
4V 3Preouts	Radio Data System RT+	Steering Remote Control Ready	Remote Supplied	



BUILT-IN DAB+ TUNER

DAB is a digital radio technology for broadcasting radio stations, used in various countries particularly in Europe. In comparison to traditional AM and FM radios, DAB delivers cleaner, crisper sound due to the noise reduction implemented. Furthermore an upgraded DAB+ was released in 2007, which features a higher audio quality and better reception. Kenwood's built-in DAB+* receivers are maximised in design quality, top-end performance and affordability.

* Where available



KDC-DAB4557U

DAB Tuner / USB / CD Receiver

TDF	11 Digit FL	FRONT USB AUX	Music Control for Android	2 Speed Search
MP3 WMA AAC	50W x 4 MOSFET	2.5V 1Preout	Radio Data System RT+	Steering Remote Control Ready

DAB+ & BLUETOOTH BROADCAST & RECEIVE



KDC-BT43U

Bluetooth / USB / CD Receiver

TDF	13 Digit FL	FRONT AUX	Music Control for Android	2 Speed Search
MP3 WMA AAC	50W x 4 MOSFET	2.5V 1Preout	Radio Data System RT+	Steering Remote Control Ready

VOICE CONTROL USING SIRI

When connecting your iPhone to the headunit, you can activate the Siri function and speak through the wired microphone by simply pressing the Voice Key. (KDC-DAB43U/BT43U).

BLUETOOTH AUTO PAIRING

Connect your iPhone to a Bluetooth built-in receiver via USB cable, and the unit will automatically detect and pair your iPhone, taking away the hassle of a complicated Bluetooth setup.



KDC-BT33U

Bluetooth / USB / CD Receiver

TDF	11 Digit FL	FRONT AUX	for Android	MP3 WMA AAC
50W x 4 MOSFET	2.5V 1Preout	Radio Data System RT+	Steering Remote Control Ready	

BLUETOOTH TECHNOLOGY

If you enjoy great music, talking on the phone with friends, and driving your car then we have a solution that allows you to do all three at the same time, safely. With Kenwood's Bluetooth technology you can enjoy hands-free service. Enjoy audio streaming while keeping your hands on the wheel.

FRONT USB & AUX INPUT



An AUX terminal can be used for an iPod or other digital audio player connection. The USB terminal can be used to input USB memory, attach a USB compatible digital audio player or an iPod/iPhone. It comes with a sliding cover to prevent dust and illumination for easy connection of your external device during night time.



^{*} Free Lossless Audio Codec.

FLAC PLAYABILITY

FLAC (Free Lossless Audio Codec) is a music compression format specifically designed for audio lovers, having smaller file sizes but without the loss of quality. Kenwood is the first manufacturer to step into the quality sound of FLAC in the car audio industry.



DIRECT KEY









Kenwood's receivers feature a prominent Direct Key to improve operability. DAB, Phone, SD, iPod, and Shuffle are supported for the main feature of each receiver.

hit

day

DIGITAL MEDIA

AT YOUR FINGERTIPS



KDC-4057UB

iPod / USB / CD Receiver

TDF	11 Digit FL	FRONT USB AUX	Music Control for Android	2 Speed Search
MP3 WMA AAC	50W x 4 MOSFET	2.5V 1Preout	Radio Data System RT	Steering Remote Control Ready



KDC-4057UR

iPod / USB / CD Receiver

TDF	11 Digit FL	FRONT AUX	Music Control for Android	2 Speed Search
MP3 WMA AAC	50W x 4 MOSFET	2.5V 1Preout	Radio Data System RT	Steering Remote Control Ready



KDC-4557U

iPod / USB / CD Receiver

TDF	11 Digit FL	FRONT USB AUX	Variable Colour Illumination	Music Control for Android
2 Speed Search	MP3 WMA AAC	50W x 4 MOSFET	2.5V 1Preout	Radio Data System RT
Steering Remote Control Ready				



KDC-4757SD

iPod / SD / USB / CD Receiver

TDF	13 Digit FL	FRONT USB AUX	Variable Colour Illumination	Music Control for Android
2 Speed Search	MP3 WMA AAC	50W x 4 MOSFET	2.5V 3Preouts	Radio Data System RT
Steering Remote Control Ready				

VARIABLE COLOUR ILLUMINATION

A wide palette of colours is available using Variable Colour Illumination, so you can customise your CD receiver to your taste. This function also makes it easier to match the CD receiver to a vehicle's interior lighting colour. KDC-4757SD and KDC-4557U only.

SD PLAYBACK

Play music files stored on a SD card with the SD function featured on KDC-4757SD. SDHC is supported up to 32GB.







KDC-3057UG

USB / CD Receiver

TDF	11 Digit FL	FRONT AUX	Music Control for Android	MP3 WMA AAC
50W x 4 MOSFET	2.5V 1Preout	Radio Data System RT	Steering Remote Control Ready	



KDC-317UR

USB / CD Receiver

TDF	11 Digit FL	FRONT USB AUX	Music Control for Android	MP3 WMA AAC
50W x 4 MOSFET	2.5V 1Preout	Radio Data System RT	Steering Remote Control Ready	

FRONT USB & AUX INPUT



Kenwood is the first manufacturer to incorporate a sliding cover to the USB and AUX interface. This feature prevents dust and the illumination makes it easy to connect your external device during night time.

2.5 VOLTAGE PREOUT

Equipped with a single 2.5 voltage preamp output, all Kenwood USB receivers offer the flexibility of system building. Build up your own music system by adding an extra amplifier, subwoofer or speaker.



KDC-3051G/R

CD Receiver

TDF	11 Digit FL	Front AUX	MP3 WMA	50W x 4 MOSFET
2V 1Preout	Radio Data System RT	Steering Remote Control Ready		

* R = Red Illumination



EXCLUSIVE DESIGN



KDC-U41R and KDC-U31R feature a sleek cosmetic design giving a stunning impact at first sight. The blue FL display has a cool style. The slanted shape, florescent buttons, and distinctive lighting produce a mythical atmosphere at night.

SEARCH AND RETURN KEY



Finding your favourite music is easy with the Search Key. Users can always go one step back while operating the headunit by simply pressing the Return Key.



KDC-U31R

USB / CD Receiver

TDF	8 Digit FL	FRONT USB AUX	Music Control for Android	MP3 WMA AAC
50W x 4 MOSFET	2.5V 1Preout	Radio Data System RT	Steering Remote Control Ready	

KENWOOD MUSIC CONTROL FOR Android™





Organise your music with the free Kenwood Music Control APP found on Google Play. Connecting your Android™ smartphone to a Kenwood CD receiver with a USB cable allows you to control

music playback on your Android™ smartphone from the CD receiver. Please ask your Dealer for phone compatibility.

DEDICATED AUDIO KEY



The dedicated Audio Key enables quick access to the audio settings menu where you can control bass, middle, treble, EQ, loudness, fader, balance, subwoofer settings, and more. The big rotary knob and the Return Key also offer easy operation.



AHA RADIO CONTROL*

Steering Remote Control Ready



Aha organises your favourite internet content from the web into on-demand radio stations, no matter where you go, you will never miss a beat. (Smartphone required). ${}^{*\,\mathrm{DPX405BT\,only}}$

VOICE CONTROL USING SIRI

When you are connecting your iPhone to the headunit, you may activate the Siri function by simply pressing the Voice Key, and speak through the wired microphone. In addition, using the built-in Bluetooth function you can make calls by simply using your voice.

BLUETOOTH AUTO PAIRING*

When you connect your iPhone to a DPX receiver via a USB cable, the unit will automatically detect and pair your iPhone. There is no complicated Bluetooth setup.

* DPX405BT only

OFF-HOOK AND PHONE BOOK KEY



To receive a call while your phone is paired with the headunit via Bluetooth, simply press the Off-hook Key located on the bottom right side of the unit. Browse

through your phone book by clicking the dedicated Phone Book Key and make a call by selecting the name or number of the person you're trying to call. The large LCD screen helps you find your contact in no time.

2 DIN RECEIVERS BIG STYLE



DPX305U

Made for iPhone

Double-DIN iPod / USB / CD Receiver

Fixed	13 Digit + Clock LCD	FRONT AUX	Variable Colour Illumination
Music Control for Android	2 Speed Search	MP3 WMA AAC WAV	50W x 4 MOSFET
2.5V 2Preouts	Radio Data System	Steering Remote	

This year, Kenwood's double din CD receiver has been redesigned to encompass a sleek modern style. A piano black panel, big rotary knob, and illumination lighting gives an elegant look to match your car interior.

VARIABLE COLOUR ILLUMINATION

With Variable Colour Illumination changing your unit's style is a cinch. Select a preset or create your own colours that go with your car interior.

2 SPEED SEARCH

When the control knob is turned fast while browsing your song list on an iPod/iPhone, it will automatically switch to the Alphabet Search. This feature allows you to search through the music tracks faster than ever.

BIG DISPLAY

The display size of the new LCD screen is 146% larger than last years model. Also by improving the visibility, we have significantly increased the viewing angle.



iPod FRIENDLY KEY



The iPod key allows you to jump to the iPod/iPhone source at anytime while using the headunit. On top of that, A~Z key offers excellent usability when searching songs from your connected device.

FRONT USB & AUX INPUT



The illuminated USB and AUX terminal with a slide protection cover offers easy connection at night.

MARINE

SPLASHING ENTERTAINMENT



KMR-700U

Made for iPhone

Marine iPod / USB Receiver

iPod/iPhone AND USB CONNECTIVITY

The KMR-700U is unique in that it features two USB ports for connecting an iPod and USB audio device to the headunit, allowing full control and continuous enjoyment of your favourite songs. What's more, you never have to worry about your precious devices getting wet as the KMR-700U has a compartment behind the front panel where valuable music sources can be stored.







KMR-440U

□ iPod □ iPhone

Marine iPod / USB / CD Receiver

TDF	2 Line Full Dot FL	FRONT USB AUX	Multi-Language Menu & Tag
Music Control for Android	MP3 WMA AAC	KME Light	50W x 4 MOSFET
2.5V 3Preouts	Radio Data System RT+	Marine Wired Remote Ready	



KCA-RC107MR Marine Remote Controller

IPX7



KFC-1652MRW

160mm 2-way Marine Speaker

PEAK POWER 150w



CA-EX3MR/7MR

Marine Remote Controller Extension Cable 3m / 7m



CA-Y107MR

Marine Remote Controller Branch Cable

ACCESSORIES

CMOS-310

Universal Multi View CMOS Camera










The CMOS-310 multi-view camera is equipped with an advanced image processor that is capable of altering viewing angles, increasing the number of viewing options, and adding graphical guidelines to the camera image. You can conveniently toggle between the various viewing options either from the touch screen or wired switch.










CMOS-210 Universal Rear View CMOS Camera









KNA-RCDV331 Remote Controller for Multimedia Monitor



KCA-iP302 iPod Audio / Video Cable



Made for □ iPod □ iPhone





KCA-MC10 Wired Bluetooth "Hands Free" Microphone



KCA-iP202 iPod Audio / Video Cable





KCA-iP102 iPod Audio Cable





KCA-iP22F iPod Audio / Video Cable





KCA-RC406 Remote Controller



EXTREMELY THIN AMPLIFIERS

The smallest amplifiers in their class in the world, XR400-4, KAC-X1D and KAC-X5D overcome thermal radiation issues inherent to compact amplifiers. Packing powerful Kenwood technology into a small form enables installation in tight locations previously restricted to lower performance amps. This is ideal for users who do not wish to sacrifice boot space or prefer stealth installation.

BI-AMP

Bi-amping is a perfect solution for the front speakers. It allows the tweeters and mid-range speakers to be run using four channels of the amplifier. This configuration provides separate crossover settings for the mid-range and tweeters, as well as separate level controls.

KAC-X1D

Mono Power Amplifier

MAX POWER	1500w
RATED	4ohms 600W x 1
POWER	2ohms 700W x 1











KAC-X5D

5ch Power Amplifier







THERMAL MANAGEMENT SYSTEM

Under high output, internal amp temperatures rapidly rise, and protection circuits are activated. Conventional protection systems shut down the amp to prevent damage, but Kenwood's Thermal Management System can maintain the output signal profile while detecting and suppressing the temperature increase, successfully improving uninterrupted enjoyment of music reproduction while extending the life of components.

Model Max Power Output	May Bayyar Outaut	Power Output			Infrasonic Filter High-pass Filter	High-pass Filter		Cooling	Speaker Level	Size (mm)
				Intrasonic Filter	High-pass Filter	Low-pass Filter			Size (mm)	
XR400-4	1000W	75W x 4	100W x 4	200W x 2	-	• (Variable)	● (Variable)	-	-	(W)220 x (H)35 x (D)169
KAC-X1D	1500W	600W x 1	700W x 1	-	● (Variable)	-	● (Variable)	•	-	(W)235 x (H)52 x (D)192
KAC-X5D	1200W	80W x 4 + Sub 350W	80W x 4 + Sub 350W	160W x 2	-	• (Variable)	● (Variable)	•	-	(W)235 x (H)55 x (D)192

AMPLIFIERS TURN UP THE VOLUME



KAC-9105D

Mono Power Amplifier



BASS BOOST



The Bass Boost circuit is provided as a way to compensate for deficient bass signals which our ears usually find harder to pick up. By amplifying a specific frequency band, a well-balanced sound can be obtained.



KAC-8405

4/3/2ch Power Amplifier

MAX POWER	720w
RATED POWER	4ohms 60W x 4
· OWER	





KAC-7204

Stereo Power Amplifier

MAX POWER	1000w		
RATED POWER	4ohms 170W x 2 2ohms 250W x 2 Bridged 500W x 1		





KAC-7405

4/3/2ch Power Amplifier

MAX POWER	720w
RATED POWER	4ohms 60W x 4 2ohms 90W x 4 Bridged 180W x 2



KAC-6405

4/3/2ch Power Amplifier

MAX POWER	500w
RATED POWER	4ohms 40W x 4 2ohms 60W x 4 Bridged 130W x 2



KAC-5205

Stereo Power Amplifier

MAX POWER	350w
RATED POWER	4ohms 60W x 2 2ohms 75W x 2 Bridged 150W x 1



KAC-6104D

Mono Power Amplifier

MAX POWER	600w			
RATED	4ohms 200W x 1			



KAC-6203

Stereo Power Amplifier

MAX POWER	600w
RATED POWER	4ohms 100W x 2 2ohms 150W x 1 Bridged 300W x 1

CLEAN & SLEEK DESIGN FUNCTIONAL HEAT SINK

A luxurious appearance, echoing the top-end models, is achieved by treating the central area with piano finished polymer panels. In addition, applying the thermal parts behind an aluminium cast panel, with a fin-shaped heat sink, results in both an elegant design and effective heat dissipation.

BASS EXPANDER

The Bass Expander circuit allows AMP gain to increase at a certain constant input level. The volume is reinforced according to the input level and the dynamic range is extended.

Model Max Power Output	Power Output		Infrasonic Filter	High-pass Filter	Low-pass Filter	Cooling	Speaker Level	Size (mm)		
Model	odel Max Power Output				Intrasonic Filter	nigii-pass riitei	Low-pass riitei			Size (mm)
KAC-9105D	1800W	500W x 1	900W x 1	-	•	-	● (Variable)	•	•	(W)350 x (H)59 x (D)238
KAC-8405	720W	60W x 4	90W x 4	180W x 2	-	● (Variable)	● (Variable)	•	•	(W)280 x (H)59 x (D)238
KAC-7204	1000W	170W x 2	250W x 2	500W x 1	-	● (Variable)	● (Variable)	•	•	(W)350 x (H)59 x (D)238
KAC-7405	720W	60W x 4	90W x 4	180W x 2	-	•	● (Variable)	-	•	(W)330 x (H)55 x (D)215
KAC-6405	500W	40W x 4	60W x 4	130W x 2	-	•	● (Variable)	-	•	(W)330 x (H)55 x (D)215
KAC-5205	350W	60W x 2	75W x 2	150W x 1	-	-	•	-	•	(W)225 x (H)55 x (D)180
KAC-6104D	600W	200W x 1	300W x 1	-	-	-	● (Variable)	-	•	(W)198 x (H)59 x (D)230
KAC-6203	600W	100W x 2	150W x 1	300W x 1	-	-	•	-	•	(W)330 x (H)60 x (D)230



KFC-WPS1200F

300mm Shallow Subwoofer







KFC-W3013

300mm Subwoofer







KFC-WPS1000F

250mm Shallow Subwoofer















250mm Subwoofer







Model					Impedance	Frequency Response	Magnet Weight	Mounting Depth
KFC-WPS1200F	300mm	1400W	4ohms 350W	91dB/W/m	4 ohms	30Hz - 700Hz	1370g	100mm
KFC-WPS1000F	250mm	1000W	4ohms 250W	90dB/W/m	4 ohms	35Hz - 800Hz	1080g	85mm
KFC-W3013	300mm	1200W	4ohms 400W	85dB/W/m	4 ohms	34Hz - 300Hz	1720g	153mm
KFC-W2513	250mm	1000W	4ohms 300W	82dB/W/m	4 ohms	39Hz - 300Hz	1230g	127mm

RELEASE THE BASS

CARBON POLYPROPYLENE HYBRID CONE WITH DIAMOND-ARRAY PATTERN







Etched diamond shapes all the way to the speaker edge help to reduce surface waves on the diaphragm, decrease sectional vibration, and suppress distorted sound. This diamond array pattern also increases rigidity and improves voice coil

motion response for dynamic and clear sound reproduction.

DUAL VENTILATION SYSTEM



Effective heat dissipation and bass reproduction are achieved by cutting a hole in the side of the frame and magnet, as well as in the centre of the back surface. Successful size reduction was made possible by having the vents on



the side and back surfaces, resulting in a thinner woofer enclosure.



KSC-W1200B

300mm Box Subwoofer

POWER	1200w
RATED POWER	4ohms 300W



KFC-W112S

300mm Subwoofer

PEAK POWER	800w
RATED POWER	4ohms 200W

RECOMMENDED SYSTEM CHART

SLIBW	OOFER	Rated		X-Series		F	Regular Serie	s			Entry Series		
3000	OOI ER	Power	KAC-X1D	XR400-4	KAC-X5D	KAC-9105D	KAC-7204	KAC-8405	KAC-5205	KAC-7405	KAC-6405	KAC-6104D	KAC-6203
Rated	Power at 4 ohms			Bridged 200W		500W		Bridged 180W	Bridged 150W	Bridged 180W	Bridged 130W	200W	
Rated	Power at 2 ohms					900W						300W	
X-Series	KFC-WPS1200F	350W		GOOD									
V-261162	KFC-WPS1000F	250W		GOOD									
Regular	KFC-W3013	400W				BEST*							
Series	KFC-W2513	300W				GOOD*							
Entry	KFC-W112S	200W							BEST*				
Series	KSC-W1200B	300W								GOOD			

Note: In order to obtain the best amplifier / speaker performance without failure even when according to the above chart:

1) DO NOT raise the headunit's volume to its fullest.

2) DO NOT set the amplifier's input sensitivity to its maximum, and always set it to match the combining headunit's pre-out level

If you do not follow these two rules, clipping signals will output from the amplifier which will result in speaker damage.

* Use of two subwoofers are recommended

Model	Size	Peak Power	Rated Power	Sensitivity	Impedance	Frequency Response	Magnet Weight	Mounting Depth
KFC-W112S	300mm	800W	4ohms 200W	90dB/W/m	4 ohms	28Hz-800Hz	748g	138.6mm
KSC-W1200B	300mm	1200W	4ohms 300W	84dB/W/m	4 ohms	38Hz-300Hz	7800g	
KSC-SW11	8¼ "x5½"	150W	4ohms 75W	110dB/W/m	2 ohms + 2 ohms	35Hz-150Hz	2800g	



ADVANCED HYBRID PULP CONE



With an advanced sandblasted finish, the XR-1800P surface reduces unwanted distortion caused by vibration. Additionally, an optimal mixture of pulp, hemp, and glass fibre gives you both great sound quality and long term durability.

30mm TWEETER



The coated polyester soft dome tweeter fits perfectly with the oversized driver to create a seamlessly smooth mid-range transition.

7" OVERSIZED WOOFER CONE

Bigger is better. With an impressive 7 inch oversized cone you will experience deeper bass, higher volume, and better sound efficiency.



KFC-S703P

170mm Component Speaker

PEAK POWER	280w
RATED POWER	4ohms 80W



KFC-S503P

130mm Component Speaker

PEAK POWER	240w		
RATED POWER	4ohms 45W		



Model		Peak Power	Rated Power		Impedance	Frequency Response	Magnet Weight	Mounting Depth
XR-1800P	180mm(W)30mm(T)	330W	4ohms 110W	86dB/W/m	4 ohms	57Hz - 20kHz	330g	62mm
KFC-S703P	170mm(W)/25mm(T)	280W	4ohms 80W	86dB/W/m	4 ohms	63Hz - 24kHz	330g	56mm
KFC-S503P	130mm(W)/25mm(T)	240W	4ohms 45W	86dB/W/m	4 ohms	63Hz - 24kHz	245g	60mm

SPEAKERS

RIDE THE SOUND WAVE



KFC-X712

7"x10" 3-way Speaker

PEAK POWER	400w
RATED POWER	4ohms 80W



KFC-X173

170mm 2-way Speaker

PEAK POWER	240w
RATED POWER	4ohms 80W





KFC-X693

6"x9" 3-way Speaker

PEAK POWER	300w			
RATED POWER	4ohms 130W			



KFC-X133

130mm 2-way Speaker

PEAK POWER	160w
RATED POWER	4ohms 40W





KFC-S6994

6"x9" 5-way Speaker

PEAK POWER	500w
RATED POWER	4ohms 120W



KFC-S6984

6"x9" 4-way Speaker

PEAK POWER	450w
RATED POWER	4ohms 110W



KFC-S6974

6"x9" 3-way Speaker

PEAK POWER	400w
RATED POWER	4ohms 100W





KFC-S1794

170mm 3-way Speaker

PEAK POWER	250w
RATED POWER	4ohms 70W



KFC-S1394

130mm 3-way Speaker

PEAK POWER	160w
RATED POWER	4ohms 35W



KFC-S1094

100mm 3-way Speaker

PEAK POWER	140w
RATED POWER	4ohms 35W



CARBON POLYPROPYLENE HYBRID CONE WITH DIAMOND-ARRAY PATTERN





The Package-Series, X-Series and S-Series speaker models feature a carbon-PP hybrid cone with a diamond-array pattern to ensure natural sound reproduction in all frequency ranges. Combining carbon with polypropylene helps to increase stiffness while maintaining a lighter weight. Diamond shapes are etched all the way to the speaker edge, helping to reduce surface waves on the speaker diaphragm, decrease vibration, and suppress distortion. The diamond array pattern also provides additional rigidity to the speaker to improve voice coil response for dynamic and clean audio reproduction.

Model	Size	Peak Power	Rated Power	Sensitivity	Impedance	Frequency Response	Magnet Weight	Mounting Depth
KFC-X712	7"x10"	400W	4ohms 80W	93dB/W/m	3 ohms	28Hz - 30kHz	506g	82mm
KFC-X693	6"x9"	300W	4ohms 130W	89dB/W/m	3 ohms	50Hz - 25kHz	504g	85mm
KFC-X173	170mm	240W	4ohms 80W	87dB/W/m	4 ohms	63Hz - 24kHz	330g	56mm
KFC-X133	130mm	160W	4ohms 40W	86dB/W/m	4 ohms	74Hz -24kHz	245g	60mm
KFC-S6994	6"x9"	500W	4ohms 120W	89dB/W/m	4 ohms	63Hz - 18kHz	445g	78mm
KFC-S6984	6"x9"	450W	4ohms 110W	89dB/W/m	4 ohms	63Hz - 18kHz	330g	78mm
KFC-S6974	6"x9"	400W	4ohms 100W	89dB/W/m	4 ohms	63Hz - 18kHz	275g	78mm
KFC-S1794	170mm	250W	4ohms 70W	88dB/W/m	4 ohms	63Hz - 22kHz	220g	60.5mm
KFC-S1394	130mm	160W	4ohms 35W	87dB/W/m	4 ohms	110Hz - 20kHz	150g	46mm
KFC-S1094	100mm	140W	4ohms 35W	86dB/W/m	4 ohms	110Hz - 20kHz	150g	43mm





KFC-M6944A

6"x9" 4-way Speaker









KFC-M6934A

6"x9" 3-way Speaker

PEAK POWER	360w



SQUARE-ARRAY PATTERN



By using a polypropylene woofer cone with Kenwood's Square-array Pattern, cone strength is increased and low frequency performance is enhanced.



KFC-E1764

170mm 3-way Speaker

PEAK POWER	200w
RATED	4ohms 35W



KFC-E1364

130mm 3-way Speaker

PEAK POWER	150w
RATED POWER	4ohms 28W



KFC-E1064

100mm 3-way Speaker

PEAK POWER	120w
RATED POWER	4ohms 20W



KFC-E1754

170mm Dual Cone Speaker

PEAK POWER	180w
RATED POWER	4ohms 35W



KFC-E1354

130mm Dual Cone Speaker

PEAK POWER	140w
RATED	4ohms 28W



KFC-E1054

100mm Dual Cone Speaker

PEAK POWER	110w
RATED POWER	4ohms 20W

SOLID GRILLE DESIGN

A unique "face guard" shaped grille, with various surface-processing techniques enhance the attractive design, giving the E-Series speakers a solid new look.



Model	Size	Peak Power	Rated Power	Sensitivity	Impedance	Frequency Response	Magnet Weight	Mounting Depth
KFC-M6944A	6"x9"	450W	4ohms 110W	87dB/W/m	4 ohms	63Hz - 20kHz	330g	78mm
KFC-M6934A	6"x9"	360W	4ohms 80W	88.5dB/W/m	4 ohms	63Hz - 20kHz	290g	78mm
KFC-E1764	170mm	200W	4ohms 35W	92dB/W/m	4 ohms	30Hz - 22kHz	150g	44.5mm
KFC-E1364	130mm	150W	4ohms 28W	91dB/W/m	4 ohms	40Hz - 22kHz	125g	44.6mm
KFC-E1064	100mm	120W	4ohms 20W	90dB/W/m	4 ohms	45Hz - 22kHz	100g	41.9mm
KFC-E1754	170mm	180W	4ohms 35W	92dB/W/m	4 ohms	30Hz - 20kHz	150g	44.5mm
KFC-E1354	130mm	140W	4ohms 28W	91dB/W/m	4 ohms	40Hz - 20kHz	125g	44.6mm
KFC-E1054	100mm	110W	4ohms 20W	90dB/W/m	4 ohms	45Hz - 20kHz	100g	41.9mm



KFC-E1764C

170mm 3-way Speaker

PEAK POWER	200w				
RATED POWER	4ohms 35W				

KFC-E1364C

130mm 3-way Speaker

PEAK POWER	150w
RATED POWER	4ohms 28W

KFC-E1064C

100mm 3-way Speaker

PEAK POWER	120w				
RATED POWER	4ohms 20W				



KFC-E1754C

170mm Dual Cone Speaker

PEAK POWER	180w
RATED POWER	4ohms 35W

KFC-E1354C

130mm Dual Cone Speaker

PEAK POWER	140w
RATED POWER	4ohms 28W

KFC-E1054C

100mm Dual Cone Speaker

PEAK POWER	110 w				
RATED POWER	4ohms 20W				





KFC-S6894C

6"x8" 3-way Speaker

PEAK POWER	240w
RATED POWER	4ohms 80W







KFC-S5794C

5"x7" 3-way Speaker

PEAK POWER	220w
RATED	4ohms 75W



RECOMMENDED SYSTEM CHART

CDE	AKER	Rated		X-Series			r Series	Entry Series			
SPE	JI EARER		KAC-X1D	XR400-4	KAC-X5D	KAC-7204	KAC-8405	KAC-5205	KAC-7405	KAC-6405	KAC-6203
Rated	Rated Power at 4 ohms			75W			60W	60W	60W	40W	
Rated	Rated Power at 2 ohms			100W			90W	75W	90W	60W	
	XR-1800P	110W		BEST							
X-Series	KFC-X712	80W		BEST							
X-Selles	KFC-X693	130W		GOOD							
	KFC-X173	80W					GOOD				
	KFC-S703P	80W					BEST	GOOD	GOOD		
	KFC-S1794	70W					BEST	GOOD	GOOD		
Regular	KFC-S1694	70W					BEST	GOOD	GOOD		
Series	KFC-S6994	120W					BEST		GOOD		
	KFC-S6984	110W					BEST		GOOD		
	KFC-S6974	100W					BEST		GOOD		
Entry	KFC-M6944A	110W						GOOD	GOOD		
Series	KFC-M6934A	80W						BEST	GOOD		

Note: In order to obtain the best amplifier / speaker performance without failure even when according to the above chart:

1) DO NOT raise the headunit's volume to its fullest.

2) DO NOT set the amplifier's input sensitivity to its maximum, and always set it to match the combining headunit's pre-out level.

If you do not follow these two rules, clipping signals will output from the amplifier which will result in speaker damage.

Model		Peak Power	Rated Power		Impedance	Frequency Response	Magnet Weight	Mounting Depth
KFC-E1764C	170mm	200W	4ohms 35W	92dB/W/m	4 ohms	30Hz - 22kHz	150g	45.5mm
KFC-E1364C	130mm	150W	4ohms 28W	91dB/W/m	4 ohms	40Hz - 22kHz	125g	44.6mm
KFC-E1064C	100mm	120W	4ohms 20W	90dB/W/m	4 ohms	45Hz - 22kHz	100g	41.9mm
KFC-E1754C	170mm	180W	4ohms 35W	92dB/W/m	4 ohms	30Hz - 20kHz	150g	44.5mm
KFC-E1354C	130mm	140W	4ohms 28W	91dB/W/m	4 ohms	40Hz - 20kHz	125g	44.6mm
KFC-E1054C	100mm	110W	4ohms 20W	90dB/W/m	4 ohms	45Hz - 20kHz	100g	41.9mm
KFC-S6894C	6"x8"	240W	4ohms 80W	87dB/W/m	4 ohms	63Hz - 22kHz	222g	60mm
KFC-S5794C	5"x7"	220W	4ohms 75W	87dB/W/m	4 ohms	63Hz - 22kHz	178g	52mm

		Wi-Fi Connection			8 B	luetooth ^{**}		iPod/iPhone* ² □							
		Wi-Fi O	Bluetooth Unit	Hands-free	Audio Playback	Voice Control using Siri	MIC	iPod Interface Cable	Audio Playback	Video Playback	Battery Charge	App Mode*4	Works with Siri		
NAVIGATION															
DNN9230DAB		~	Built-in	✓	~	~	Wired MIC Included	KCA-iP202	~	~	✓ *5	~	~		
DNX7230DAB			Built-in	~	~	~	Wired MIC Included	KCA-iP202	~	~	✓ *5	~	~		
DNX5230DAB			Built-in	~	~	~	Wired MIC Included	KCA-iP202	~	~	✓ *5	~	~		
DNX4230DAB	4		Built-in	✓	~	~	Wired MIC Included	KCA-iP202	~	~	✓ *5	~	~		
DNX4230BT	04		Built-in	✓	~	~	Wired MIC Included	KCA-iP202	~	~	* *5	~	~		
MONITOR RECEIV	/ERS														
DDX6023BT	1 2 1 1 1 1 N		Built-in	~	~	~	Wired MIC Included	KCA-iP202 KCA-iP102	~	~	/ *5	~	~		
DDX4023BT	0 3 2 1		Built-in	~	~	~	Wired MIC Included	KCA-iP202 KCA-iP102	~	~	✓ *5	~	~		
DDX3023	0 = 2 = 1							KCA-iP202 KCA-iP102	~	~	✓ *5	~			
1 DIN RECEIVERS															
KDC-BT92SD			Built-in	~	~		Wired MIC Included	KCA-iP102	~		✓ *5	~			
KDC-BT73DAB	- Sealing and		Built-in	✓	~	~	Wired MIC Included	KCA-iP102	~		* *5	~	~		
KDC-BT53U	National I		Built-in	✓	~	~	Wired MIC Included	KCA-iP102	~		✓ *5	~	~		
KDC-5057SD	-S							KCA-iP102	~		✓ *5	~			
KDC-DAB43U	3							KCA-iP102	~		✓ *5	~			
KDC-DAB4557U	ॐ							KCA-iP102	~		✓ *5	~			
KDC-BT43U	3		Built-in	✓	~	~	Wired MIC Included	KCA-iP102	~		✓ *5	~	~		
KDC-BT33U	<u> </u>		Built-in	✓	~		Front Panel Built-in or Optional KCA-MC10								
KDC-4757SD	3							KCA-iP102	~		✓ *5	~			
KDC-4557U								KCA-iP102	~		✓ *5	~			
KDC-4057UB/UR	8							KCA-iP102	~		√ *5	~			
KDC-3057UG/UR															
KDC-317UR	3														
KDC-U41R	St.							KCA-iP102	~		✓ *5	~			
KDC-U31R	- T														
KMM-257								KCA-iP102	~		✓ *5	~			
KDC-3051R/G	8														
2 DIN RECEIVERS															
DPX405BT	8		Built-in	✓	~	~	Wired MIC Included	KCA-iP102	~		✓ *5	~	~		
DPX305U	. 6							KCA-iP102	~		✓ *5	~			
DVD RECEIVER	DVD RECEIVER														
	*	KCA-BT300 KCA-BT300 KCA-BT300		KCA-BT300	KCA-iP22F	~	~	✓ *6	~						
MARINE															
KMR-700U			KCA-BT300	KCA-BT300	KCA-BT300		KCA-BT300	Compartment	~		✓ *6	~			
KMR-440U	0		KCA-BT300	KCA-BT300	KCA-BT300		KCA-BT300	KCA-iP102	✓		✓ *6	✓			

^{*1} If you want to check your mobile phone, visit http://www.kenwood.com/cs/ce/bt/ *2 If you want to check your iPod/iPhone generation, visit http://www.kenwood.com/cs/ce/ipod/
*3 Playable audio file specification is also available on http://www.kenwood.com/cs/ce/audiofile/ *4 Do not operate iPod or iPhone while driving. *5 1A power supply through USB is supported. *6 1A power supply through USB is not supported.
*7 Switchable AV-Input, iPod (default) or AV-IN2

USB	AV/AUX Input	AV Output	Rear Camera Input	Front Camera Control	SD Card Playback	DAB Tuner	Aha Radio Control	Playable Format* ³									Mirror Link Box
								MP3	WMA	AAC	FLAC	WAV (Linear PCM Only)	JPEG	MPEG1,2	MPEG4 / H.264 / WMV	DivX®	Ready
NAVIGAT																	
Rear x 2	Rear AV (RCA) Rear AV (Mini-jack)*7	Rear (Video: RCA / Audio: Mini-jack) Rear	~	~	~	~		~	~	~		(USB and SD only)	(USB and SD only)	~	(USB and SD only)	(Disc only)	
Rear	Rear AV (RCA) Rear AV (Mini-jack)*7	(Video: RCA / Audio: Mini-jack)	~		~	~	✓	~	~	✓		(USB and SD only)	(USB and SD only)	~	(USB and SD only)	(Disc only)	
Rear	Front AV (Mini-jack) Rear AV (Mini-jack)*7	Rear (Video: RCA / Audio: Mini-jack)	~		(microSD)	~	~	~	~	✓		(USB and SD only)	(USB and SD only)	~	(USB and SD only)	(Disc only)	
Rear	Rear AV (Mini-jack) Rear AV (Mini-jack)*7	Rear (Video: RCA / Audio: Mini-jack)	~			~	✓	~	~	✓		(USB only)	(USB only)	~	(USB only)	(Disc only)	
Rear	Rear AV (Mini-jack) Rear AV (Mini-jack)*7	Rear (Video: RCA / Audio: Mini-jack)	~				~	~	~	✓		(USB only)	(USB only)	~	(USB only)	(Disc only)	
MONITO	R RECEIVERS																
Rear	Rear AV (RCA) Rear AV (Mini-jack)*7	Rear (Video: RCA / Audio: Mini-jack)	~					~	~	✓		✓	~	~		~	KCA-ML100
Rear	Rear AV (RCA) Rear AV (Mini-jack)*7	Rear (Video: RCA / Audio: Mini-jack)	~					~	~	✓		✓	~	~		~	KCA-ML100
Rear	Rear AV (RCA) Rear AV (Mini-jack)*7	Rear (Video: RCA / Audio: Mini-jack)	~					~	~	✓		~	~	~		~	
1 DIN RE	CEIVERS																
Rear	Rear AUX (Mini-jack)				~			~	~	~							
Front & Rear	Front AUX (Mini-jack)					~	~	~	~	~		(USB only)					
Front & Rear	Front AUX (Mini-jack)						~	~	~	✓		(USB only)					
Front & Rear	Front AUX (Mini-jack)				~			~	~	~		(USB and SD only)					
Front	Front AUX (Mini-jack)					~		~	~	~							
Front	Front AUX (Mini-jack)					~		~	~	~							
Front	Front AUX (Mini-jack)							~	~	~							
Front	Front AUX (Mini-jack)							~	~	~							
Front	Front AUX (Mini-jack)				~			~	~	~							
Front	Front AUX (Mini-jack)							~	~	~							
Front	Front AUX (Mini-jack)							~	~	~							
Front	Front AUX (Mini-jack)							~	~	~							
Front	Front AUX (Mini-jack)							~	~	~							
Front	Front AUX (Mini-jack)							~	~	~							
Front	Front AUX (Mini-jack)							~	~	~							
Front	Front AUX (Mini-jack)							~	~	~	~						
	Front AUX (Mini-jack)							~	~								
2 DIN RE	CEIVERS																
Front	Front AUX (Mini-jack)						~	~	~	~		~					
Front	Front AUX (Mini-jack)							~	~	~		~					
DVD REC	EIVER																
Front	Front AV (Mini-jack)	Rear (RCA)						~	~	~		~	~	~		~	
MARINE																	
Compartment	Hide-away Unit							~	~	~		~					
Front	Front AUX (Mini-jack)							~	~	✓							

ACCESSORIES













Kenwood Electronics UK Limited

Kenwood House Dwight Road Watford Herts WD18 9EB United Kingdom

 $\label{lem:enquiries} \begin{tabular}{ll} E-mail: enquiries@kenwood-electronics.co.uk\\ www.kenwood-electronics.co.uk \end{tabular}$

JVCKENWOOD Corporation follows a policy of continuous advancement in technical development. For this reason information contained in this catalogue and specifications may be changed without notice.

Products introduced in this catalogue may not be available in some regions.

All screen pictures in the catalogue are simulated.

iPods, iPhones, SD cards, USB memory devices, CDs or any other accessories shown in this catalogue are not supplied, and must be purchased separately.

iPhone and iPod are trademarks of Apple Inc., registered in the U.S. and other countries.
"Made for iPod" and "Made for iPhone" mean that an electronic accessory has been designed to connect specifically to iPod or iPhone, respectively, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards.

The Garmin logo is a trademark of Garmin Ltd. or its subsidiaries and is registered in one or more countries.

DivX®, DivX® Certified, and associated logos are trademarks of DivX, Inc. and are used under license. The SD, SDHC and microSD logos are trademarks of the SD Card Association.

The Bluetooth word mark and logos are owned by the Bluetooth SIG, Inc. Mirrortink™ and the Mirrortink Logo are certification marks of the Car Connectivity Consortium LLC. The Wi-Fi Logo is a certification mark of the Wi-Fi Alliance.

All other brands, product names, logos, or trademarks are the property of their respective holders.



The trademarks copyrights and design rights in and associated with Lamborghini, Lamborghini with Bull and Shield Device, are used under license from Automobili Lamborghini S.p.A., Italy.