

HiPak

Efficient LED high bay luminaire




Saving you time, energy and money

Effortlessly upgrade with new HiPak.

 HiPak offers a simple, direct and cost-effective one-for-one replacement of traditional HID high bay luminaires.





Retail outlets

With an optional prismatic refractor, HiPak offers a softer lit appearance and attractive aesthetic to make it ideal for refurbishing large retail stores. A choice of four light outputs meet a wide range of ceiling heights and ensure the right amount of light is always provided.

Exhibition Halls

Exhibition halls have high ceiling heights and demand the right amount of lighting on the floor. HiPak is fully equipped to meet these needs with a choice of lumen outputs and the provision of homogeneous lighting. HiPak's optional prismatic refractor ensures the luminaire looks as good as the lighting it provides.

Logistics centres

Transportation areas and the areas where people are working both demand good quality lighting. Taking into consideration high ceiling heights and the need for energy savings across long operating hours, HiPak offers a choice of four light outputs, efficient LEDs and a choice of optics to place light where needed.

Warehouses

HiPak provides good horizontal illumination on surfaces such as forklift controls and bar code scanners while offering good coverage on vertical surfaces, particularly when searching through products amongst storage racks. With a choice of four light outputs to meet the lighting needs for a wide range of ceiling heights as well as easy installation and low maintenance, HiPak is ideal for warehouses of all sizes.

NEW!

Prismatic refractor:

- Softer lit appearance
- Attractive aesthetic
- Ideal for refurbishing large retail stores
- Reduce the glare value at the wide optic down to <19 UGR




Energy saving opportunities

Reduce energy consumption by up to 50% with HiPak.

Replacing traditional HID high bay luminaires with HiPak can reduce energy consumption by up to 50% to reduce both energy bills and carbon emissions.

Reduce energy costs by 50% with HiPak.

Energy Efficiency - Course of overall costs of solution over lifetime:



Energy savings by lumen output.

10 000lm (85W), 15 000 (125W) - 250W HID replacement:



>45% energy saving



20 000lm (150W), 25 000lm (200W)

- 400W HID replacement:




>55% energy saving



Scheme details:

100m x 100m room, 9m mounting height, 50/30/20 reflectances designed to meet 200 lux. Old scheme used 110 400W HID luminaires, replaced by 110 25,000lm HiPak.

HiPak lifetime vs other technologies



Virtually maintenance-free LED lifetime

With a long 70 000-hour lifetime, HiPak eliminates the need for costly and disruptive lamp replacements. The cooling fin housing is carefully designed to allow air through the luminaire. This prevents the components from overheating and ensures optimum performance in harsh industrial environments from -30°C up to +50°C.


HiPak optics


HiPak places light where needed with a choice of two optics.

Wide optic

HiPak's wide beam is suited to larger open areas where light from more than one direction is important. It is also ideal for areas where movement and stacking of boxes occurs without fixed shelving, as well as areas where machinery needs lighting. This includes open retail and industrial production spaces, logistical centres and warehouses.











Rack optic

HiPak's narrow beam is suited to storage spaces, warehouses or retail environments with lower ceilings and narrow spaces between the racks. These areas include narrow racked rooms where light is needed at the bottom shelf, picking areas in logistics centres and storage at normal and medium ceiling heights (4m to 12m).









Installation

HiPak is easy to install to save time, energy and money.

Single point suspension

Enables simple point for point replacement of traditional HID high bay luminaires without the cost and inconvenience of additional installation points.

Pre-installed plug and play connectors

Allows rapid installation with no internal wiring.





Mounting hook supplied with Wide optic luminaire

Mounting grid gives a flexible range of mounting options

Optional mounting accessories



Stirrup for wall/ceiling mountina*



Rod for pendant mounting*



Wire suspension 1m/2m/5m



Chain suspension (chain to be ordered separately)



Catenary suspension

^{*}Stirrup and Rod accessories MUST be ordered with the RACK optic version - to ensure that the luminaire does not rotate once installed.

Product specification

A direct one-for-one replacement of traditional HID high bay luminaires. Saving you time, energy and money.

Application

- Warehouses
- Logistics centres
- Exhibition halls
- Retail

Standards



Light source information

Life time 70 000 hours @ L70 Ta 25°C 10 000lm (85W) / 15 000lm (125W) 20 000lm (150W) / 25 000lm (200W) Up to 130Llm/W Colour temperature 4000K CRI 80 McAdams 3

Materials/Finish

Housing: die cast aluminium (RAL 9006) Lens: polycarbonate Luminaire is silicon free

Installation/Mounting

All luminaires are suitable for single point suspension and Wide optic version supplied with a mounting hook as standard (chain to be ordered separately: 96502605). Other mounting accessories to be ordered separately: stirrup for wall mounting (96642765 / 96642914), rod suspension for pendant mounting (96642766), wire suspension (96502609) and catenary suspension (96502610). All luminaires are supplied pre-wired with a quick connector plug.

Specification

To specify state:

An IP65 single point suspension LED high bay luminaire with plug and play connection for rapid installation.

Available in 10 000lm, 15 000lm, 20 000lm and 25 000lm (L70 70 000hrs), with a choice of rack or wide beam optic. Fixed output (HF) available as standard. DALI is only available on request.


As Thorn HiPak.

Ordering guide


Description	٧	Vt (kg)	SAP Code
HIPAK LED10000-840 HF WD		6.5	96665367
HIPAK LED15000-840 HF WD		6.5	96665369
HIPAK LED15000-840 HF RK		6.5	96665371
HIPAK LED20000-840 HF WD		8.0	96665373
HIPAK LED20000-840 HF RK		8.0	96665375
HIPAK LED25000-840 HF WD		8.0	96665377
HIPAK LED25000-840 HF RK		8.0	96665379
Accessories			SAP Code
HIPAK KIT COVER S (6 PCS)	Prismatic refractor acces for 100W/150W lumin		96665382
HIPAK KIT COVER L (6 PCS)	Prismatic refractor acces for 200W/250W lumin		96665383
HIPAK ROD 1,0M + CEILING ROSE (6 PCS)	Fixed mounting accessor for rack optic	ory	96642766
HIPAK STIRRUP S MCE/ MWA (6 PCS)	Wall/ceiling mount acc for 100/150W luminai		96642765
HIPAK STIRRUP L MCE/ MWA (6 PCS)	Wall/ceiling mount acc for 200/250W luminai		96642914
HIPAK CONNECTOR FEM PLUG (10 PCS) G2	3m wire with new connector - optional installation accessory		96628869

HF - High Frequency HFI-X - DALI - available on request WD - Wide optic


RK - Rack optic




10 000 - 15 000lm



20 000 - 25 000lm





10 000 - 15 000lm - Prismatic refractor

20 000 - 25 000lm - Prismatic refractor

Thorn Lighting Main Offices

Thorn Europhane S.A 156 Boulevard Haussmann 75379 Paris Cedex 08, France T +33 1 49 53 62 62 +33 1 49 53 62 40 thorn.promotion@zumtobelgroup.com www.thornlighting.fr

ZG Lighting Australia Pty Ltd 43 Newton road, Wetherhill Park, NSW 2164 T +61 2 8786 6000 F+61 2 9612 2700 infoaustralia@zumtobelgroup.com www.thornlighting.com.au

Austria

ZG Lighting Austria GmbH Wagramer Strasse 19 1220 Wien T +43 1 258 26 01-0 F+43 1 258 26 01-82845 info.at@zumtobelgroup.com www.thornlighting.at

ZG Lighting Benelux Rijksweg 47 A, Industriezone Puurs Nr. 442 BE- 2870 Puurs, Belgium T +32 3 860 93 93 F+32 3 886 25 00 infobe@thornlighting.com www.thornliahtina.be

Bosnia and Herzeaovina

ZG Lighting d.o.o. Zmaja od Bosne br. 7 – Importanne Centar BiH- 71 000 Sarajevo T +38 733 59 04 63 F +38 733 59 04 63 welcome.ba@zumtobelgroup.com www.thornlighting.ba

Thorn Lighting (Guangzhou) Limited 12A Lian Yun Road Eastern Section GETDD, Guangzhou 510530, P.R. China T +86 20 2232 6000 Sales Hotline: 400 8080 195 info.cn@zumtobelgroup.cor zumtobel.com.cn

Thorn Lighting (Guangzhou) Limited Shanghai Branch Room 802, No.H Building, No.142 Tianlin Road Shanghai 200233, P.R. China T +86 20 8551 5759

Thorn Lighting (Guangzhou) Limited Beijing Branch Room 2101, Block B, Jianwai SOHO East, 39 East 3rd Ring Road, Chaoyang District, Beijing 100022, P.R. China T +86 10 6505 4601

Thorn Lighting (Guangzhou) Limited Guangzhou Branch 23E, Sanxin Building, No. 33 Huangpu Road West, Tianhe District Guangzhou 510623, P.R.China T +86 20 8551 5759

ZG Lighting d.o.o. Ulica Petra Hektorovića 2 10000 Zagreb, Croatia T +38 516 40 40 80 F +38 516 40 40 90 welcome@zumtobel.hr www.thornlighting.hr

Cyprus, Greece, Malta and

Turkey Zumtobel Lighting GmbH Schweizer Strasse 30. A-6851 Dornbirn, Austria T +43 5572 39 00 F +43 5572 22 826 welcome@zumtobel.si www.thornlighting.com

Czech Republic

ZG Lighting Czech Republic s.r.o., Jankovcova 2, 170 00 Praha 7 T +42 266 78 22 00 F +42 266 78 22 01 thorn.cz@zumtobelgroup.com www.thornlighting.cz

Thorn Lighting A/S Stamholmen 155, 5. sal, 2650 Hvidovre T +45 76 96 36 00 kundeservice.dk@zumtobelgroup.com www.thornlighting.dk

Thorn Europhane SA 156 Boulevard Haussmann, 75379 Paris Cedex 08, France T +33 149 53 62 62 thorn.promotion@zumtobelgroup.com www.thornlighting.fr

Germany ZG Licht Süd GmbH Carl-Benz-Straße 21 60386 Frankfurt T +49 69 26 48 89-0 F +49 69 26 48 89-80 frankfurt@zumtobel.com www.thornlighting.de

Hong Kong, Taiwan ZG Lighting Hong Kong Ltd. Unit 503 – 508, 5/F, Building 16W, Phase 3, Hong Kong Science Park, New Territories, Hong Kong T +852 2578 4303 F +852 2887 0247 info.hk@zumtobelgroup.com

Hungary ZG Lighting Hungary Kft 1134 Budapest, Váci út 49 T +36 1 450 2490 F+36 1 350 0829 welcome@zumtobel.hu www.zumtobel.hu

Thorn Lighting India Pvt. Ltd. No.43, Chamiers Road, Raja Annamalaipuram, Chennai – 600028, Tamilnadu, India. T +91 44 2435 7588 F +91 44 2435 8744 info.in@thornlighting.com www.thornlighting.in

Thorn Lighting (Ireland) Limited Century House, Harolds Cross Road, Dublin 6W T +353 1 4922 877 +353 1 4922 724 dublinsales@zumtobelgroup.com www.thornlighting.co.uk

ZG Lighting Srl socio unico Via G Di Vittorio, 2, Cadriano di Granarolo. Bologna 40057, Italy T +39 051 763391 F +39 051 763088 thorn.it@zumtobelgroup.com www.thornlighting.it

Kingdom of Saudi Arabia

Zumtobel Lighting Saudi Arabia Ltd Al Rawadah District Prince Sultan St. Al Murjanah Tower Bldgt. No 8125, 2nd Floor, Office 204 P.O. Box 11911 Jeddah, 21463 +966 012 565 8823 ext.4 F +966 012 6533153 marketing.mena@zumtobelgroup.com www.thornlighting.ae

Korea

#1506, Union Center Building, 310, Gangnam road, Gangnam-gu. Seoul 06253, Korea T +82 2 565 8823 ext.4 F +82 2 565 8827 info.kr@zumtobelgroup.com

Latin America

ZG Lighting Southern Europe and Latam, S.L. Calle Orinoco 90, planta 21, Of. 03 Las Condes, Santiago de Chile (Chile) T +56 22 573 77 80 info.latam@zumtobelgroup.com www.thornlighting.es www.thornlighting.com

Luxemboura

ZG Lighting Benelux Rue de Luxembourg 177 8077 Bertrange, Luxembourg T +352 26 44 03 50 F +352 26 44 03 51 infolu@thornlighting.com www.thornlighting.lu

Middle East - Bahrain, Kuwait, Jordan, Palestine, Lebanon, Iran, Yemen, Oman

Thorn Lighting Ltd 48 Street, Al Quoz industrial area, P.O.Box: 22672, Dubai, United Arab Emirates T +971 4 294 8938 marketing.mena@zumtobelgroup.com www.thornlighting.ae

The Netherlands

SAP: 96644231 Publication Date: 06/17

ZG Lighting Benelux Piet Heinkade 55 1019 GM Amsterdam, the Netherlands T +31 20 235 23 00 F+31 20 235 23 99 infonl@thornlighting.com www.thornlighting.nl

New Zealand

ZG Lighting (NZ) Limited 27 Jomac Place, Avondale, Auckland 1026 T +64 9 828 7155 -64 9 828 *75*91 info.nz@zumtobelaroup.com www.thornlighting.co.nz

Norway

Thorn Lighting AS Bygdøy allé 4, 0257 Oslo T +47 22 82 07 00 kundeservice.no@zumtobelgroup.com www.thornlighting.no

Poland

ZG Lighting Polska Sp. Z o.o. Ul. Wołoska 9A 02-583 Warszawa Polska T +48 22 856 74 31 zapolska@zumtobelaroup.com www.thornlighting.pl

Thorn Lighting WLL Abdul Jaleel Business Centre, Office No. 304, Najma, Old Airport road Doha, P.O. Box 6026, State of Qatar T +974 4432 1445 F +974 4432 1445 dakshata.sathye@zumtobelgroup.com www.thornlighting.ae

Romania

Zumtobel Lighting Romania SRL Str. Radu Greceanu 2, Sector 1 012225, Bucuresti, Romania T +40 31225 3801 ro.welcome@zumtobelgroup.com www.thornlighting.com

Thorn Lighting Skakovaya str., h. 17, bl. 2, office 2110 125040, Moscow T +7 495 981 35 40 F +7 495 981 35 42 office.moscow@zumtobelgroup.com www.thornlighting.ru

Serbia and Montenegro

ZG Lighting d.o.o. Beton hala – Karađorđeva 2-4 11000 Beograd, Serbia T +381 (0) 11 65 57 656 welcome.rs@zumtobel.com www.thornlighting.rs

Thorn Lighting (Singapore) Pte Ltd 158 Kallang Way # 06-01/02 Singapore 349245 T +65 6844 5800 +65 6745 7707 info.sg@zumtobelgroup.com

Slovakia

ZG Lighting Slovakia s.r.o. Tomášikova 64 831 04 Bratislava T +421 220 300 044 welcome@zumtobel.sk www.thornlighting.sk

Slovenia

ZG Lighting d.o.o. Štukljeva cesta 46 1000 Ljubljana, Slo T +386 1 56 09 820 si.welcome@zumtobelgroup.com www.thornlighting.si

South + East Africa

Thorn Lighting Ltd Durhamgate, Spennymoor, County Durham, DL16 6HL Main Switchboard United Kingdom T +44 1388 42 00 42 www.thornlighting.co.uk

ZG Lighting Iberia, S.L. C/ Inocencio Fernández, 81 Bajo 28035 Madrid (Spain) +34 916 593 076 info.spain@zumtobelaroup.com www.thornlighting.es

Thorn Lighting Hyllie Boulevard 10b 215 32 Malmö T +46 40 649 20 00 F +46 418 265 74 kundservice.se@zumtobelgroup.com www.thornlighting.se

Switzerland

Zumtobel Licht AG Thuraquerstrasse 39, 8050 Zürich T +41 44 305 35 35 F+41 44 305 35 36 info@thornlighting.ch www.thornlighting.ch

United Arab Emirates - Dubai

Thorn Lighting Ltd Dubai 4B Street, Al Quoz industrial area, P.O.Box: 22672, Dubai United Arab Emirates T +971 4 294 8938 marketina.mena@zumtobelaroup.com ww.thornlighting.ae

United Kingdom

ZG Lighting (UK) Limited Durhamgate, Spennymoor, County Durham, DL16 6HL T +44 1388 42 00 42 F +44 1388 42 01 56 lightcentreuk@zumtobelgroup.com www.thornlighting.co.uk

www.thornlighting.com



5 Year Warranty

As a globally leading luminaire manufacturer, Thorn Lighting provides a five-year warranty for its complete product range within all European

www.thornlighting.com/warranty

Thorn Lighting is constantly developing and improving its products. All descriptions, illustrations, drawings and specifications in this publication present only general particulars and shall not form part of any contract. The right is reserved to change specifications without prior notification or public announcement. All goods supplied by the company are supplied subject to the company's General Conditions of Sale, a copy of which is available on request. All measurements are in millimetres and weights in kilograms unless otherwise stated.

