

KHS



DEALER CATALOG

khsbicycles.com | 2015



KHS BICYCLES

A Global Leader for 40 Years!

OVERVIEW

KHS Bicycles, one of the most respected names in all of cycling, is proud to celebrate its 40th anniversary! While many bicycle companies have trouble surviving a decade, KHS continues to grow and expand its manufacturing and distribution of bicycles delivering quality, performance, and value. Part of a global business, KHS Co. Ltd. manufactures bicycles, parts, accessories, motorcycles, and musical instruments in factories fully owned by the company.

A HISTORY OF CHAMPIONSHIPS

KHS, and its family of related brands such as Free Agent BMX, Manhattan Cruisers, and Q2 Components, has a rich history in bicycle racing. KHS sponsored riders have won countless races, championships, and set world records. This includes 2 Olympic Gold Medals, 10 World Championships, dozens of National Championships in numerous countries, State Championships and more. KHS has also been the bicycle of choice of amateur athletes, NCAA Champion teams, and hundreds of school, amateur and regional teams around the world.

FAMOUS KHS RACERS

Logan Binggeli – U.S. Pro GRT Series Champion and U.S. National Downhill Champion

Maris Strombergs – 2 time Olympic BMX Gold Medalist

Melissa Buhl – Multi-time U.S. National and UCI World Champion Downhill

John Howard – 13 U.S. National Champion, Ironman Triathlon Winner, World Speed Record

Logan Loader – U.S. National Time Trial Champion

Dave Cullinan – World Champion Downhill MTB

Cindy Whitehead – U.S. National Cyclocross Champion

Cheri Elliot – U.S. National Downhill and Dual Slalom Champion

Katrina Miller – UCI Dual Slalom Champion

Kyle Bennett – Multi-time ABA National Champion, UCI World Champion, and Olympic athlete

Dale Holmes – Most awarded UK BMX racer of all time, multi-time British National and UCI World Champion

Tom Haugen – Vans Triple Crown Winner, X-Games Medalist





KHS ACCOMPLISHMENTS

- 1953** KHS Co. Ltd. founded to build motorcycles under license from Yamaha
- 1974** KHS Inc. and KHS brand of bicycles founded in U.S.
- 1974** KHS Co. Ltd. launches bicycle factory in Taiwan
- 1979** First Taiwan-made bicycle to enter U.S. market with Reynolds 531 tubing
- 1996** Mountain Biking “Bike of the Year”
- 1997** Bicycling Magazine “Editor’s Choice”
- 1998** Mountain Bike Action’s “Best Value” full suspension bike under \$1000
- 1998** First company to introduce “softtails” into U.S. market
- 2002** Voted U.S. Bicycle Dealers “Preferred Bicycle and Parts Distributor”
- 2004** Mountain Bike Action’s “10 out of 10” dual suspension bike
- 2006** KHS Urban Xpress named Consumer Digest “Best Buy”
- 2008** KHS Racer Melissa Buhl U.S. National Downhill, Dual Slalom and 4x National Champion
- 2012** Free Agent rider, Maris Stombergs, wins Gold in BMX at the London Olympics
- 2012** Logan Binggeli Wins Pro GRT Series National Downhill Championship on KHS DH-650B
- 2014** KHS 7500 Nominated Industry Bike of the Year

KHS TODAY

- KHS bicycles are distributed in more than 35 countries worldwide
- KHS owns and operates numerous bicycle and related brands including KHS Bicycles, Free Agent BMX, Manhattan Cruisers, Q2 quality bicycle parts, PowerTools, parts and accessories, UltraCycle parts and accessories, and Robix exercise equipment
- KHS management team has more than 200 years combined bicycle industry experience
- More than 100,000 sq. ft. of manufacturing facilities
- KHS continues to grow its global business on the principles of delivering quality, value and performance



ROAD – RACING


FLITE TEAM



FEATURES

- 22 Speeds
- KHS T8 MSD Carbon™ Frame
- Shimano Dura-Ace 9000 Drivetrain
- Dura-Ace Tubeless Ready Wheelset
- MSRP: \$5899-6199

PART #	MODEL	SIZE	COLOR
95-211-001	Flite Team	XS	Team
95-211-002	Flite Team	S	Team
95-211-003	Flite Team	M	Team
95-211-004	Flite Team	L	Team
95-211-005	Flite Team	XL	Team



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XS	460 / 18.1	71°	74°	520 / 20.5	408 / 16.1	274 / 10.8	725 / 28.5	120 / 4.7	373 / 14.7	514 / 20.2
S	490 / 19.3	71.5°	72.5°	541 / 21.3	408 / 16.1	274 / 10.8	744 / 29.3	130 / 5.1	376 / 14.8	526 / 20.7
M	520 / 20.5	72°	72.5°	551 / 21.7	408 / 16.1	274 / 10.8	769 / 30.3	150 / 5.9	378 / 14.9	547 / 21.5
L	550 / 21.7	73°	72.5°	570 / 22.4	408 / 16.1	274 / 10.8	790 / 31.1	170 / 6.7	392 / 15.4	567 / 22.3
XL	580 / 22.8	73°	72.5°	590 / 23.2	408 / 16.1	274 / 10.8	811 / 31.9	190 / 7.5	406 / 16	586 / 23.1

BIKE SPECS

Frame	KHS High Modulus T800 Full MSD Carbon Monocoque, PF-30, 1-1/8-1.5 Taper, Replaceable Derailleur Hanger
Rear Shock	N/A
Fork	KHS Pro Full Carbon, 1.5 Taper, W/Alloy Dropout
Headset	FSA Orbit C-40-CF-ACB, N.42CF, 1-1/8" ~1.5" Integrated, Carbon Cap
Rims	Shimano Dura-Ace Wheel EWH9000C24-FRLX, Tubeless Compatible
Hub, Front	Shimano Dura-Ace
Hub, Rear	Shimano Dura-Ace
Tires	Maxxis Courchevel, 700X23C, 120TPI, Folding
Spokes	Shimano Dura-Ace
Derailleur, Front	Shimano 11s Dura-Ace FD9000
Derailleur, Rear	Shimano 11s Dura-Ace, RD9000
Shifters	Shimano 11s Dura-Ace, ST9001
Chain	Shimano 11s Dura-Ace, CN9000
Crankset	Shimano Dura-Ace, 53/39, XS: 165, S: 170, M-L: 172.5, XL:175
BB	Praxis Adaptor
Freewheel / Cassette	Shimano Dura-Ace, CS9000, 11-25, 11-speed
Pedals	N/A
Seatpost	FSA SLK Carbon w/20mm Setback, 31.6X350
Saddle	Velo VL-1200U Ultra Light w/Carbon Base & Carbon Rail
Handlebar	FSA SL-K Carbon Compact, 31.8, XS: 40, S-M: 42, L-XL:44
Stem	FSA SL-K, 3D Forged, 31.8, XS: 80, S: 90, M-L: 100, XL: 110
Handlebar tape	Anti Slip Cushion Tape
Brake Levers	Shimano Dura-Ace
Brakes	Shimano Dura-Ace BR9000
Color	Team
Frame Size	XS, S, M, L, XL

ROAD – PERFORMANCE

FLITE 900



FEATURES

- 22 Speeds
- KHS T8 MSD Carbon™ Frame
- Shimano Ultegra 6800 Drivetrain
- Q2 Super Light Elite R23 Wheelset
- Optional Carbon Wheel

NEW OR CHANGED FOR 2015

- Q2 Super Light Elite R23 Wheelset
- FSA Energy Compact Handlebar & Stem
- Shimano BR561 Brakes

MSRP: \$2999-3299
\$3799-4099 Carbon Wheels


PART #	MODEL	SIZE	COLOR
95-210-001	Flite 900	XS	Matte Black
95-210-002	Flite 900C	XS	Matte Black
95-210-003	Flite 900	S	Matte Black
95-210-004	Flite 900C	S	Matte Black
95-210-005	Flite 900	M	Matte Black
95-210-006	Flite 900C	M	Matte Black
95-210-007	Flite 900	L	Matte Black
95-210-008	Flite 900C	L	Matte Black
95-210-009	Flite 900	XL	Matte Black
95-210-010	Flite 900C	XL	Matte Black

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D Vt effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XS	460 / 18.1	71°	74°	520 / 20.5	408 / 16.1	274 / 10.8	725 / 28.5	120 / 4.7	373 / 14.7	514 / 20.2
S	490 / 19.3	71.5°	72.5°	541 / 21.3	408 / 16.1	274 / 10.8	744 / 29.3	130 / 5.1	376 / 14.8	526 / 20.7
M	520 / 20.5	72°	72.5°	551 / 21.7	408 / 16.1	274 / 10.8	769 / 30.3	150 / 5.9	378 / 14.9	547 / 21.5
L	550 / 21.7	73°	72.5°	570 / 22.4	408 / 16.1	274 / 10.8	790 / 31.1	170 / 6.7	392 / 15.4	567 / 22.3
XL	580 / 22.8	73°	72.5°	590 / 23.2	408 / 16.1	274 / 10.8	811 / 31.9	190 / 7.5	406 / 16	586 / 23.1

BIKE SPECS

Frame	KHS High Modulus T800 Full MSD Carbon Monocoque, PF-30, 1-1/8-1.5 Taper, Replaceable Derailleur Hanger
Rear Shock	N/A
Fork	KHS Pro Full Carbon, 1.5 Taper, W/Alloy Dropout
Headset	FSA Orbit C-40-CF-ACB, N.42CF, 1-1/8" ~1.5" Integrated, Carbon Cap
Rims	Q2 Super Light Elite R23 Wheel Set
Hub, Front	Q2 Super Light Elite R23 Straight Pull, QR, Wheel Set
Hub, Rear	Q2 Super Light Elite R23 Straight Pull, QR Cassette, Wheel Set
Tires	Maxxis Courchevel, 700X23C, 120TPI, Folding
Spokes	Q2 Super Light Elite R23 DB Bladed Straight Pull, Wheel Set
Derailleur, Front	Shimano Ultegra, FD6800
Derailleur, Rear	Shimano Ultegra, RD6800SS
Shifters	Shimano Ultegra, ST6800
Chain	Shimano Ultegra, CN6800, 11s
Crankset	Shimano Ultegra, FC6800, 53/39T, XS: 165, S: 170, M-L: 172.5, XL: 175
BB	FSA EE113, PF30 Reducer
Freewheel / Cassette	Shimano CS5800, 11-25, 11 Speed
Pedals	N/A
Seatpost	FSA SLK Carbon w/20mm Setback, 31.6X350
Saddle	Velo Lightweight Road, CrMo Rail
Handlebar	FSA Energy Compact, 31.8, XS: 40, S-M: 42, L-XL: 44
Stem	FSA Energy, 31.8, XS: 80, S: 90, M: 100, L-XL: 110
Handlebar tape	Anti Slip Cushion Tape
Brake Levers	Shimano Ultegra
Brakes	Shimano BR561 w/Cartridge Pads
Color	Matte Black
Frame Size	XS, S, M, L, XL
Extras	Flite 900C-Carbon 50mm Deep



2

All specs are subject to change without notice.



ROAD – PERFORMANCE

FLITE 780



FEATURES


- 22 Speeds
- KHS MSD Carbon™ Frame
- Shimano Ultegra 6870 Di2 Drive Train
- Q2 AR500 Lightweight Wheelset

NEW OR CHANGED FOR 2015

- Q2 AR500 Lightweight Wheelset
- Shimano Ultegra Brakes
- FSA Omega Handlebar & Stem

MSRP: \$3699-3999

PART #	MODEL	SIZE	COLOR
95-209-001	Flite 780	XS	Matte Dark Gray
95-209-002	Flite 780	S	Matte Dark Gray
95-209-003	Flite 780	M	Matte Dark Gray
95-209-004	Flite 780	L	Matte Dark Gray
95-209-005	Flite 780	XL	Matte Dark Gray



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	G s.o.	H h/L	I Reach	J Stack
XS	460 / 18.1	71°	74°	520 / 20.5	408 / 16.1	274 / 10.8	725 / 28.5	120 / 4.7	373 / 14.7	514 / 20.2
S	490 / 19.3	71.5°	72.5°	541 / 21.3	408 / 16.1	274 / 10.8	744 / 29.3	130 / 5.1	376 / 14.8	526 / 20.7
M	520 / 20.5	72°	72.5°	551 / 21.7	408 / 16.1	274 / 10.8	769 / 30.3	150 / 5.9	378 / 14.9	547 / 21.5
L	550 / 21.7	73°	72.5°	570 / 22.4	408 / 16.1	274 / 10.8	790 / 31.1	170 / 6.7	392 / 15.4	567 / 22.3
XL	580 / 22.8	73°	72.5°	590 / 23.2	408 / 16.1	274 / 10.8	811 / 31.9	190 / 7.5	406 / 16	586 / 23.1

BIKE SPECS

Frame	KHS Full MSD Carbon Monocoque w/Replaceable Derailleur Hanger, PF-30, Tapered Headset
Rear Shock	N/A
Fork	KHS Pro Full Carbon, 1.5 Taper, W/Alloy Dropout
Headset	FSA Orbit C40-ACB, N.42/ACB, 1-1/8"~1.5" Integrated Alloy Cap
Rims	Q2 AR500 Lightweight Wheel Set
Hub, Front	Q2 S/B Super Light, QR, Straight Pull
Hub, Rear	Q2 S/B Super Light, Straight Pull, Cassette, QR
Tires	Maxxis Detonator 700X25C, 60TPI, Folding
Spokes	14G Black 20X24, W/Alloy Nipples
Derailleur, Front	Shimano Ultrgra Di2
Derailleur, Rear	Shimano Ultrgra Di2, GS, RD6870GS
Shifters	Shimano Ultrgra Di2, ST6870
Chain	Shimano Ultegra, CN6800
Crankset	Shimano Ultegra, FC6800, 52/36, XS: 165, S: 170, M-L: 172.5, XL: 175
BB	FSA EE113, PF30 Reducer
Freewheel / Cassette	Shimano CS5800, 11-32, 11Speed
Pedals	N/A
Seatpost	FSA SLK Carbon w/20mm Setback, 31.6X350
Saddle	Velo Lightweight Road, CrMo Rail
Handlebar	FSA Omega Compact, 31.8, XS: 40, S-M: 42, L-XL: 44
Stem	FSA Omega, 31.8, XS: 80, S: 90, M: 100, L-XL: 110
Handlebar tape	Cushion Tape
Brake Levers	Shimano Ultrgra Di2
Brakes	Shimano Ultegra BR6800
Color	Matte Dark Gray
Frame Size	XS, S, M, L, XL

ROAD – PERFORMANCE

FLITE 750



FEATURES

- 22 Speeds
- KHS MSD Carbon™ Frame
- Shimano 105 5800 Drivetrain
- Q2 AR500 Lightweight Wheelset
- Optional Carbon Wheel

NEW OR CHANGED FOR 2015

- Shimano 105 5800 Drivetrain
- Q2 AR500 Lightweight Wheelset
- Shimano BR561 Brakes

MSRP: \$1799-1899
\$2799-2999 Carbon Wheels


PART #	MODEL	SIZE	COLOR
95-208-001	Flite 750	XS	Matte Black
95-208-002	Flite 750C	XS	Matte Black
95-208-003	Flite 750	S	Matte Black
95-208-004	Flite 750C	S	Matte Black
95-208-005	Flite 750	M	Matte Black
95-208-006	Flite 750C	M	Matte Black
95-208-007	Flite 750	L	Matte Black
95-208-008	Flite 750C	L	Matte Black
95-208-009	Flite 750C	XL	Matte Black
95-208-010	Flite 750C	XL	Matte Black

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XS	460 / 18.1	71°	74°	520 / 20.5	408 / 16.1	274 / 10.8	725 / 28.5	120 / 4.7	373 / 14.7	514 / 20.2
S	490 / 19.3	71.5°	72.5°	541 / 21.3	408 / 16.1	274 / 10.8	744 / 29.3	130 / 5.1	376 / 14.8	526 / 20.7
M	520 / 20.5	72°	72.5°	551 / 21.7	408 / 16.1	274 / 10.8	769 / 30.3	150 / 5.9	378 / 14.9	547 / 21.5
L	550 / 21.7	73°	72.5°	570 / 22.4	408 / 16.1	274 / 10.8	790 / 31.1	170 / 6.7	392 / 15.4	567 / 22.3
XL	580 / 22.8	73°	72.5°	590 / 23.2	408 / 16.1	274 / 10.8	811 / 31.9	190 / 7.5	406 / 16	586 / 23.1

BIKE SPECS

Frame	KHS Full MSD Carbon Monocoque w/Replaceable Derailleur Hanger, PF-30, Tapered Headset
Rear Shock	N/A
Fork	KHS Performance Full Carbon, 1.5 Taper, W/Alloy Dropout
Headset	FSA Orbit C40-ACB, N.42/ACB, 1-1/8"~1.5" Integrated Alloy Cap
Rims	Q2 AR500 Lightweight Wheelset, Double Wall
Hub, Front	Q2 AR500 Wheelset, S/B Super Light, Straight Pull, QR
Hub, Rear	Q2 AR500 Wheelset, S/B Super Light, Straight pull QR, Cassette
Tires	Maxxis Detonator 700X25C, 60TPI, Folding
Spokes	Q2 AR500 Wheelset, 14G Black, 20X24, W/Alloy Nipples
Derailleur, Front	Shimano 105 FD5800
Derailleur, Rear	Shimano 105 RD5800
Shifters	Shimano 105 ST5800
Chain	Shimano 105 CN5800
Crankset	Shimano FC5800 105, Outboard Bearing, 52x36 Mid Compact, w/CNC Outer C/R, XS: 165, S: 170, M: 172.5, L-XL: 175
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano CS5800, 11/32 11speed
Pedals	N/A
Seatpost	Q2 Carbon, 27.2X350
Saddle	KHS Performance Road/CrMo Rail
Handlebar	Richey COMP Curve Alloy, 31.8, XS-M: 42, L-XL: 44
Stem	Ritchey 4-Axis 31.8, XS-S: 90, M-L: 100, XL: 110
Handlebar tape	Cushion Tape
Brake Levers	Shimano 105
Brakes	Shimano BR561 w/Cartridge Pads
Color	Matte Black
Frame Size	XS, S, M, L, XL
Extras	Flite 750C--with 50mm Deep Carbon rims



All specs are subject to change without notice.



ROAD – PERFORMANCE

FLITE 750 L



FEATURES

- 22 Speeds
- KHS MSD Carbon™ Frame
- Shimano 105 5800 Drivetrain
- Q2 AR500 Lightweight Wheelset
- Optional Carbon Wheel

NEW OR CHANGED FOR 2015

- Shimano 105 5800 Drivetrain
- Q2 AR500 Lightweight Wheelset
- Shimano BR561 Brakes


MSRP: \$1799-1899
\$2799-2999 Carbon Wheels

PART # MODEL SIZE COLOR

PART #	MODEL	SIZE	COLOR
95-208-011	Flite 750 Ladies	XS	Black
95-208-012	Flite 750 C Ladies	XS	Black
95-208-013	Flite 750 Ladies	S	Black
95-208-014	Flite 750 C Ladies	S	Black

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XS	460 / 18.1	71°	74°	520 / 20.5	408 / 16.1	274 / 10.8	725 / 28.5	120 / 4.7	373 / 14.7	514 / 20.2
S	490 / 19.3	71.5°	72.5°	541 / 21.3	408 / 16.1	274 / 10.8	744 / 29.3	130 / 5.1	376 / 14.8	526 / 20.7



BIKE SPECS

Frame	KHS Full MSD Carbon Monocoque w/Replaceable Derailleur Hanger, PF-30, Tapered Headset
Rear Shock	N/A
Fork	KHS Performance Full Carbon, 1.5 Taper, W/Alloy Dropout
Headset	FSA Orbit C40-ACB, N.42/ACB, 1-1/8"~1.5" Integrated Alloy Cap
Rims	Q2 AR500 Lightweight Wheelset, Double Wall
Hub, Front	Q2 AR500 Wheelset, S/B Super Light, Straight Pull, QR
Hub, Rear	Q2 AR500 Wheelset, S/B Super Light, Straight pull QR, Cassette
Tires	Maxxis Detonator 700X25C, 60TPI, Folding
Spokes	Q2 AR500 Wheelset, 14G Black, 20X24, W/Alloy Nipples
Derailleur, Front	Shimano 105 FD5800
Derailleur, Rear	Shimano 105 RD5800
Shifters	Shimano 105 ST5800
Chain	Shimano 105 CN5800
Crankset	Shimano FC5800 105, Outboard Bearing, 52x36 Mid Compact, w/CNC Outer C/R, XS: 165, S: 170
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano CS5800, 11/32 11speed
Pedals	N/A
Seatpost	Q2 Carbon 27.2X350
Saddle	KHS Sport Road Ladies, CrMo Rail
Handlebar	Richey COMP Curve Alloy, 31.8, XS-S: 38
Stem	Ritchey 4-Axis 31.8, XS-S: 90
Grips	Cushion Tape
Brake Levers	Shimano 105
Brakes	Shimano BR561 w/Cartridge Pads
Color	Gloss Black
Frame Size	XS, S
Extras	Flite 750C--with 50mm deep carbon rims

ROAD – PERFORMANCE

FLITE 747



FEATURES

22 Speeds

Built for your 6'4" and taller Rider

Reynolds 520 Frame

Shimano 105 5800 Drivetrain


NEW OR CHANGED FOR 2015

New Shimano 105 5800 Drivetrain
11-32 5800 cassette

MSRP: \$1799-1899

PART # MODEL SIZE COLOR

95-207-001	Flite 747	XXL	Matte Black
95-207-002	Flite 747	XXXL	Matte Black



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	G h s.o.	H h/L	I Reach	J Stack	K
XXL	568 / 22.4	72°	73.5°	620 / 24.4	430 / 16.9	292 / 11.5	833 / 32.8	248 / 9.8	430 / 16.9	635 / 25	
XXXL	607 / 23.9	72°	73.5°	635 / 25	430 / 16.9	292 / 11.5	874 / 34.4	292 / 11.5	433 / 17	676 / 26.6	

BIKE SPECS

Frame	Reynolds 520 D/Butted, T/T, 38.1, D/T 40.0, S/T:32.4
Rear Shock	N/A
Fork	Full CrMo
Headset	Heavy Duty Threadless
Rims	Weinmann XP Elite, Double Wall, 36H
Hub, Front	Formula alloy QR
Hub, Rear	Formula alloy QR, Cassette
Tires	Maxxis Detonator 700X28c
Spokes	14G Black, 36X36
Derailleur, Front	Shimano 105 FD5800, 31.8
Derailleur, Rear	Shimano 105 RD5800
Shifters	Shimano 105 ST5800
Chain	Shimano CN5800
Crankset	KHS 2pc Forged w/Outboard Bearing, 52X36 Mid Compact, XXL: 200, XXXL: 210
BB	Outboard cartridge bearing
Freewheel / Cassette	Shimano CS5800, 11-32, 11speed
Pedals	Monoblock Alloy w/Toe Clips & Straps
Seatpost	Q2 Alloy, 29.8x400
Saddle	KHS Sport Road
Handlebar	FSA Gossamer, 46cm, Drop: 150mm, Reach: 80mm, 31.8
Stem	FSA GOSSAMER Forged Alloy, 130mm, 31.8
Handlebar tape	Cushion Tape
Brake Levers	Shimano 105
Brakes	Shimano BR-R451 w/Cartridge Pads
Color	Matte Black
Frame Size	XXL, XXXL

ROAD – PERFORMANCE

FLITE 500



FEATURES

- 22 Speeds
- Shimano 105 5800 Drivetrain
- Q2 AR500 Super Light Wheelset
- Ritchey Handlebar & Stem

NEW OF CHANGED FOR 2015

- New Shimano 105 5800 Drivetrain
- Q2 AR500 Super Light Wheelset
- Shimano 105 Brakes

MSRP: \$1299-1399


PART #	MODEL	SIZE	COLOR
95-206-001	Flite 500	XS	Gloss Red
95-206-002	Flite 500	S	Matte Charcoal Gray
95-206-003	Flite 500	S	Gloss Red
95-206-004	Flite 500	M	Matte Charcoal Gray
95-206-005	Flite 500	M	Gloss Red
95-206-006	Flite 500	M/L	Matte Charcoal Gray
95-206-007	Flite 500	M/L	Gloss Red
95-206-008	Flite 500	L	Matte Charcoal Gray
95-206-009	Flite 500	L	Gloss Red
95-206-010	Flite 500	XL	Gloss Red
95-206-011	Flite 500 Ladies	XS	Matte Black

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/ effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XS	440 / 17.3	71°	74.5°	508 / 20	405 / 15.9	262 / 10.3	725 / 28.5	135 / 5.3	359 / 14.1	537 / 21.1
S	475 / 18.7	71.5°	74°	524 / 20.6	405 / 15.9	265 / 10.4	752 / 29.6	150 / 5.9	366 / 14.4	550 / 21.7
M	500 / 19.7	72.5°	73.5°	544 / 21.4	410 / 16.1	265 / 10.4	773 / 30.4	165 / 6.5	375 / 14.8	570 / 22.4
M/L	520 / 20.5	72.5°	73°	565 / 22.2	410 / 16.1	265 / 10.4	790 / 31.1	180 / 7.1	386 / 15.2	585 / 23
L	545 / 21.5	72.5°	73°	580 / 22.8	410 / 16.1	267 / 10.5	812 / 32	200 / 7.9	396 / 15.6	602 / 23.7
XL	580 / 22.8	72.5°	72.5°	596 / 23.5	415 / 16.3	267 / 10.5	841 / 33.1	225 / 8.9	399 / 15.7	626 / 24.6

BIKE SPECS

Frame	Alloy 6061 w/Custom formed Double Butted TT & DT, Bi-Oval Pro Seat Stays, Replaceable Derailleur Hanger
Rear Shock	N/A
Fork	Carbon with Alloy Steerer
Headset	FSA IS-3E, Integrated
Rims	Q2 AR500 Lightweight Wheelset, Double Wall
Hub, Front	Q2 AR500 Wheelset, S/B Super Light, Straight Pull, QR
Hub, Rear	Q2 AR500 Wheelset, S/B Super Light, Straight pull QR, Cassette
Tires	Maxxis Detonator, 700x25C, 60TPI, Folding
Spokes	Q2 AR500 Wheelset, 14G Black, 20X24, W/Alloy Nipples
Derailleur, Front	Shimano 105 FD5800, 31.8
Derailleur, Rear	Shimano 105 RD5800
Shifters	Shimano 105 ST5800
Chain	Shimano 105 CN5800
Crankset	Shimano FC5800 105, Outboard Bearing, 52x36 Mid Compact, w/CNC Outer C/R, XS: 165, S: 170, M: 172.5, L-XL: 175
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano CS5800, 11-32, 11spd
Pedals	N/A
Seatpost	Q2 Carbon Micro-adjust, 27.2x350
Saddle	KHS Sport Road, Ladies: KHS Sport Road Ladies
Handlebar	Ritchey Comp Curve, 31.8, XS-M/L: 42, L-XL: 44
Stem	Ritchey 4-Axis 3.18, 7 Degree, XS-S: 90, M-L: 100, XL: 110, Ladies XS: 80
Handlebar tape	Cushion Tape
Brake Levers	Shimano 105
Brakes	Shimano BR561 w/Cartridge Pads
Color	Mens: Matte Charcoal Gray, Gloss Red, Ladies: Matte Black
Frame Size	XS, S, M, M/L, L, XL (XS & XL Red only), Ladies: XS



All specs are subject to change without notice.



ROAD – SPORT

FLITE 450

New Model




FEATURES

- 20 Speeds
- 6061 Alloy Frame
- Shimano Tiagra 4600 Drivetrain
- Tektro Mira Mechanical Disc Brakes

NEW MODEL FOR 2015

MSRP: \$999-1099

PART #	MODEL	SIZE	COLOR
95-205-001	Flite 450	XS	Gloss Gray
95-205-002	Flite 450	S	Gloss Gray
95-205-003	Flite 450	M	Gloss Gray
95-205-004	Flite 450	M/L	Gloss Gray
95-205-005	Flite 450	L	Gloss Gray
95-205-006	Flite 450 Ladies	XS	Steel Gray
95-205-007	Flite 450 Ladies	S	Steel Gray



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XS	440 / 17.3	70.7°	74.5°	512 / 20.2	415 / 16.3	262 / 10.3	725 / 28.5	135 / 5.3	362 / 14.3	538 / 21.2
S	475 / 18.7	71.5°	73.5°	524 / 20.6	415 / 16.3	265 / 10.4	451 / 17.8	150 / 5.9	366 / 14.4	550 / 21.7
M	500 / 19.7	72.5°	73.5°	544 / 21.4	415 / 16.3	265 / 10.4	773 / 30.4	165 / 6.5	375 / 14.8	570 / 22.4
M/L	520 / 20.5	72.5°	73°	565 / 22.2	415 / 16.3	265 / 10.4	790 / 31.1	180 / 7.1	386 / 15.2	585 / 23
L	545 / 21.5	72.5°	73°	580 / 22.8	415 / 16.3	267 / 10.5	812 / 32	200 / 7.9	396 / 15.6	602 / 23.7

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed Double Butted TT & DT, Bi-Oval Pro Seat Stays, Replaceable Derailleur Hanger, Disc Tabs
Rear Shock	N/A
Fork	Carbon with Alloy Steerer & Disc Tabs
Headset	FSA IS-3E, Integrated
Rims	Weinmann ZAC1800, Double Wall
Hub, Front	Formula Alloy QR Disc
Hub, Rear	Formula Alloy QR, Disc, Cassette
Tires	CST Caldera, C1719, 700X25C
Spokes	14G Black, 24x28
Derailleur, Front	Shimano FD4600 Tiagra, 31.8
Derailleur, Rear	Shimano RD4601SS Tiagra
Shifters	Shimano ST4600 Tiagra
Chain	KMC X10
Crankset	Shimano FC4650 Tiagra, 50/34, XS: 165, S-M: 170, M/L-L: 175, Ladies XS-S: 170
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano CS-4600 Tiagra, 12/30T, 10speed
Pedals	Resin w/Steel Cage
Seatpost	Q2 Carbon Micro-adjust, 27.2x350
Saddle	KHS Road Padded, Ladies: KHS Sport Road Ladies Padded
Handlebar	Alloy Drop, Compact Bend, 31.8, XS-M: 42, M/L-L: 44, Ladies XS-S: 38
Stem	KHS Alloy 3D Forged, Threadless 4 Bolt, 31.8, XS-S: 90, M-M/L: 100, L: 110, Ladies XS-S: 80
Handlebar tape	Cushion Tape
Brake Levers	Shimano ST4600 Tiagra
Brakes	Tektro Mira Mechanical Disc Brake w/160mm Rotors
Color	Mens: Gloss Gray, Ladies: Steel Gray
Frame Size	XS, S, M, M/L, L, Ladies: XS, S

ROAD – SPORT

FLITE 300



FEATURES

- 18 Speeds
- 6061 Alloy Frame
- Carbon Fork w/ Alloy Steer tube
- Shimano Sora Drivetrain

NEW OR CHANGED FOR 2015

- Shimano Sora Drivetrain
- Shimano BR2400 brakes
- Shimano Sora Crank 50/34
- KMC X9 Chain

MSRP: \$849-919


PART #	MODEL	SIZE	COLOR
95-204-001	Flite 300	XS	Gloss Black
95-204-002	Flite 300	S	Gloss Black
95-204-003	Flite 300	S	Matte White
95-204-004	Flite 300	M	Gloss Black
95-204-005	Flite 300	M	Matte White
95-204-006	Flite 300	M/L	Gloss Black
95-204-007	Flite 300	M/L	Matte White
95-204-008	Flite 300	L	Gloss Black
95-204-009	Flite 300	L	Matte White
95-204-010	Flite 300	XL	Gloss Black
95-204-011	Flite 300 Ladies	XS	Matte White
95-204-012	Flite 300 Ladies	S	Matte White

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/effectv	E c/s	F BB Height	H s.o.	I h/L	J Reach	K Stack
XS	440 / 17.3	71°	74.5°	508 / 20	405 / 15.9	262 / 10.3	725 / 28.5	135 / 5.3	359 / 14.1	537 / 21.1
S	475 / 18.7	71.5°	74°	524 / 20.6	405 / 15.9	265 / 10.4	752 / 29.6	150 / 5.9	366 / 14.4	550 / 21.7
M	500 / 19.7	72.5°	73.5°	544 / 21.4	410 / 16.1	265 / 10.4	773 / 30.4	165 / 6.5	375 / 14.8	570 / 22.4
M/L	520 / 20.5	72.5°	73°	565 / 22.2	410 / 16.1	265 / 10.4	790 / 31.1	180 / 7.1	386 / 15.2	585 / 23
L	545 / 21.5	72.5°	73°	580 / 22.8	410 / 16.1	267 / 10.5	812 / 32	200 / 7.9	396 / 15.6	602 / 23.7
XL	580 / 22.8	72.5°	72.5°	596 / 23.5	415 / 16.3	267 / 10.5	841 / 33.1	225 / 8.9	399 / 15.7	626 / 24.6

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed Double Butted TT & DT, Bi-Oval Pro Seat Stays, Replaceable Derailleur Hanger
Rear Shock	N/A
Fork	Carbon with Alloy Steerer
Headset	FSA IS-3E, Integrated
Rims	Weinmann ZAC1800, Dbl.Wall w/CNC Sidewall
Hub, Front	Formula Alloy QR
Hub, Rear	Formula Alloy QR, Cassette
Tires	CST Caldera, C1719, 700X25C
Spokes	14G Black, 24x28
Derailleur, Front	Shimano FD3500 Sora, 31.8
Derailleur, Rear	Shimano RD3500GS Sora
Shifters	Shimano ST3500 Sora
Chain	KMC X9 w/Missing Link
Crankset	Shimano FC3550 Sora, 50/34, 2-pc, XS: 165, S-M: 170, M/L-XL: 175, Ladies XS: 165, Ladies S: 170
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano HG2009, 11/32, 9 Speed
Pedals	Resin w/Steel Cage
Seatpost	KHS Alloy Micro-adjust, 27.2x350
Saddle	KHS Road Padded, Ladies: KHS Ladies Road Padded
Handlebar	Alloy Drop, Compact Bend, 31.8, XS-M: 42, M/L-XL: 44, Ladies XS-S: 38
Stem	KHS Alloy Threadless, 4 Bolt, 31.8, XS-S: 90M M-M/L: 100, L-XL: 110, Ladies XS-S: 80
Handlebar tape	Cushion Tape
Brake Levers	Shimano ST3500 Sora
Brakes	Shimano BR2400 Dual Pivot
Color	Mens: Gloss Black, Matte White, Ladies: Matte White
Frame Size	XS, S, M, M/L, L, XL (XS & XL Black Only), Ladies: XS, S



All specs are subject to change without notice.



ROAD – SPORT

FLITE 280



FEATURES

- 16 Speeds
- 6061 Alloy Frame
- Weinmann ZAC1800 Wheelsset
- Shimano Claris Drivetrain
- NEW OR CHANGED FOR 2015**
- Alloy Straight blade fork
- CST C740 700x28c Tires
- Shimano HG-200-8 12-32 Cassette

MSRP: \$649-709


PART #	MODEL	SIZE	COLOR
95-203-001	Flite 280	XS	Matte Black
95-203-002	Flite 280	S	Matte Black
95-203-003	Flite 280	S	Gloss Red
95-203-004	Flite 280	M	Matte Black
95-203-005	Flite 280	M	Gloss Red
95-203-006	Flite 280	L	Matte Black
95-203-007	Flite 280	L	Gloss Red
95-203-008	Flite 280	XL	Matte Black
95-203-009	Flite 280 Ladies	XXS	Gloss Teal
95-203-010	Flite 280 Ladies	XS	Gloss Teal
95-203-011	Flite 280 Ladies	S	Matte Silver
95-203-012	Flite 280 Ladies	S	Gloss Teal

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XXS	370 / 14.6	70.5°	75°	495 / 19.5	430 / 16.9	262 / 10.3	682 / 26.9	95 / 3.7	352 / 13.9	532 / 20.9
XS	430 / 16.9	71°	74.5°	510 / 20.1	430 / 16.9	262 / 10.3	723 / 28.5	115 / 4.5	355 / 14	553 / 21.8
S	465 / 18.3	71.5°	74°	524 / 20.6	430 / 16.9	262 / 10.3	749 / 29.5	130 / 5.1	362 / 14.3	566 / 22.3
M	490 / 19.3	72.5°	73°	555 / 21.9	430 / 16.9	265 / 10.4	775 / 30.5	155 / 6.1	374 / 14.7	595 / 23.4
L	520 / 20.5	72.5°	73°	575 / 22.6	430 / 16.9	267 / 10.5	804 / 31.7	185 / 7.3	386 / 15.2	622 / 24.5
XL	550 / 21.7	72.5°	72.5°	596 / 23.5	430 / 16.9	267 / 10.5	836 / 32.9	210 / 8.3	393 / 15.5	645 / 25.4

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed TT & DT, w/Replaceable Derailleur Hanger
Rear Shock	N/A
Fork	Alloy Straight Blade
Headset	Threadless 1-1/8"
Rims	Weinmann ZAC1800, Dbl.Wall w/CNC Sidewall
Hub, Front	Formula Alloy QR
Hub, Rear	Formula Alloy QR, Cassette
Tires	CST C740 700X28C
Spokes	14G Black, 28X32
Derailleur, Front	Shimano FD2400 Claris, 31.8
Derailleur, Rear	Shimano RD2400SS Claris
Shifters	Shimano ST2400 Claris
Chain	KMC Z8 w/Missing Link
Crankset	Shimano FC2450, Claris 50/34, Octalink, XS: 165, S-M: 170, L-XL: 175, Ladies XXS-XS: 165, Ladies S: 170
BB	Shimano ES25 Octalink Cartridge Bearing
Freewheel / Cassette	Shimano HG200-8 12/32 8Speed
Pedals	Resin w/Steel Cage
Seatpost	KHS Alloy Micro-adjust, 27.2x350mm
Saddle	KHS Road Padded, Ladies: KHS Road Ladies Padded
Handlebar	Alloy Drop, Compact Bend, 31.8, XS-M: 42, L-XL: 44, Ladies XXS-S: 38
Stem	Alloy Threadless, 4 Bolt, 31.8, XS-S: 90, M-L: 100, XL: 120, Ladies XXS-S: 75
Handlebar tape	Cushion Tape
Brake Levers	Shimano ST2400 Claris
Brakes	Promax RC-483 Dual Pivot, Long Reach
Color	Mens: Matte Black, Gloss Red, Ladies: Gloss Teal, Matte Silver
Frame Size	XS, S, M, L, XL (XS & XL M.Black Only), Ladies: XXS, XS, S



All specs are subject to change without notice.



ROAD – SPORT

FLITE 223



FEATURES

- 24 Speeds
- CrMo Double Butted Frame
- Shimano Claris Drivetrain
- Triple Shimano crank


NEW OR CHANGED FOR 2015

- CST C740 700x28c tires
- Shimano HG200-8 12-32 cassette

MSRP: \$599-659

PART # MODEL SIZE COLOR

PART #	MODEL	SIZE	COLOR
95-202-001	Flite 223	S	Gloss Gray
95-202-002	Flite 223	M	Gloss Gray
95-202-003	Flite 223	L	Gloss Gray
95-202-004	Flite 223	XL	Gloss Gray
95-202-005	Flite 223 Ladies	XS	Gloss Black
95-202-006	Flite 223 Ladies	S	Gloss Black



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XS	430 / 16.9	71°	74.5°	510 / 20.1	430 / 16.9	262 / 10.3	727 / 28.6	115 / 4.5	356 / 14	551 / 21.7
S	465 / 18.3	71.5°	74°	525 / 20.7	430 / 16.9	265 / 10.4	753 / 29.6	130 / 5.1	362 / 14.3	564 / 22.2
M	490 / 19.3	72.5°	73°	555 / 21.9	430 / 16.9	265 / 10.4	778 / 30.6	155 / 6.1	373 / 14.7	594 / 23.4
L	520 / 20.5	72.5°	73°	575 / 22.6	430 / 16.9	267 / 10.5	809 / 31.9	185 / 7.3	385 / 15.2	620 / 24.4
XL	550 / 21.7	72.5°	72.5°	596 / 23.5	430 / 16.9	267 / 10.5	835 / 32.9	210 / 8.3	393 / 15.5	644 / 25.4

BIKE SPECS

Frame	CrMo Double Butted, Rear Triangle HT Steel w/Carrier Bosses
Rear Shock	N/A
Fork	Hi-Tensile Unicrown w/CrMo Steerer
Headset	Threadless 1-1/8"
Rims	Weinmann ZAC1800, Dbl.Wall w/CNC Sidewall
Hub, Front	Formula Alloy QR
Hub, Rear	Formula Alloy QR, Cassette
Tires	CST C740, 700X28C
Spokes	14G Black, 28X32
Derailleur, Front	Shimano FD-2403 Claris, 28.6
Derailleur, Rear	Shimano RD2400GS Claris
Shifters	Shimano ST2400 Triple, Claris
Chain	KMC Z8 w/Missing Link
Crankset	Shimano FC-A073, 50/39/30, S-XL: 170, Ladies: XS: 165, Ladies S: 170
BB	Cartridge Bearing
Freewheel / Cassette	Shimano HG200-8, 12-32, 8-speed
Pedals	Resin w/Steel Cage
Seatpost	KHS Alloy Micro-adjust, 26.0x350
Saddle	KHS Road Padded, Ladies: KHS Road Ladies Padded
Handlebar	Alloy Drop, Compact Bend, 31.8, S-M: 42, L-XL: 44, Ladies XS-S: 38
Stem	Alloy Threadless, 4 Bolt, 31.8, S: 90, M-L: 100, XL: 120, Ladies XS-S: 75
Handlebar tape	Cushion Tape
Brake Levers	Shimano ST2400 Triple, Claris
Brakes	Promax RC-483 Dual Pivot, Long Reach
Color	Mens: Gloss Gray, Ladies: Gloss Black
Frame Size	S, M, L, XL, Ladies: XS, S

ROAD – SPORT

FLITE 150



FEATURES

- 14 Speeds
- 6061 Alloy Frame
- Shimano Tourney Drivetrain
- Weinmann ZAC-1800 Double wall Wheelset

NEW OR CHANGED FOR 2015
CST C740 700x28c tires

MSRP: \$529-579


PART #	MODEL	SIZE	COLOR
95-201-001	Flite 150	XS	Gloss Black
95-201-002	Flite 150	S	Gloss Black
95-201-003	Flite 150	S	Matte Red
95-201-004	Flite 150	M	Gloss Black
95-201-005	Flite 150	M	Matte Red
95-201-006	Flite 150	L	Gloss Black
95-201-007	Flite 150	L	Matte Red
95-201-008	Flite 150	XL	Gloss Black
95-201-009	Flite 150 Ladies	XXS	Matte Pea Green
95-201-010	Flite 150 Ladies	XS	Purple
95-201-011	Flite 150 Ladies	S	Matte Pea Green
95-201-012	Flite 150 Ladies	S	Purple

GEOMETRY

SIZE	A s/t c-t	B h/t*	C s/t*	D t/ effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XXS	370 / 14.6	70.5°	75°	495 / 19.5	430 / 16.9	262 / 10.3	682 / 26.9	95 / 3.7	352 / 13.9	532 / 20.9
XS	430 / 16.9	71°	74.5°	510 / 20.1	430 / 16.9	262 / 10.3	723 / 28.5	115 / 4.5	355 / 14	553 / 21.8
S	465 / 18.3	71.5°	74°	524 / 20.6	430 / 16.9	262 / 10.3	749 / 29.5	130 / 5.1	362 / 14.3	566 / 22.3
M	490 / 19.3	72.5°	73°	555 / 21.9	430 / 16.9	265 / 10.4	775 / 30.5	155 / 6.1	374 / 14.7	595 / 23.4
L	520 / 20.5	72.5°	73°	575 / 22.6	430 / 16.9	267 / 10.5	804 / 31.7	185 / 7.3	386 / 15.2	622 / 24.5
XL	550 / 21.7	72.5°	72.5°	596 / 23.5	430 / 16.9	267 / 10.5	836 / 32.9	210 / 8.3	393 / 15.5	645 / 25.4

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed TT & DT, w/Replaceable Derailleur Hanger
Rear Shock	N/A
Fork	Hi-Tensile Unicrown, Straight Blades w/CrMo steerer
Headset	Threadless 1-1/8"
Rims	Weinmann ZAC-1800Alloy Double Wall w/CNC side Wall
Hub, Front	KT Alloy QR
Hub, Rear	KT Alloy QR, Cassette
Tires	CST, C740, 700X28C
Spokes	14G Black, 28X32
Derailleur, Front	Shimano FD-A070, 31.8
Derailleur, Rear	Shimano RD-A070
Shifters	Shimano STI, ST-A070
Chain	KMC Z7
Crankset	Shimano FC-A070, 50-34T, XS: 165, S-XL: 170, Ladies XXS-XS: 165, Ladies S: 170
BB	FSA Cartridge Bearing
Freewheel / Cassette	Shimano Csst, HG20-7, 12-28T, 7-speed
Pedals	Resin w/Steel Cage
Seatpost	KHS Alloy Micro-adjust, 27.2x350
Saddle	KHS Road Padded
Handlebar	Alloy Drop, Compact Bend, 31.8, XS-M: 42, L-XL: 44, Ladies XXS-S: 38
Stem	Alloy Threadless, 4 Bolt, 31.8, XS-S: 90, M-L: 100, XL: 120, Ladies XXS-S: 75
Handlebar tape	Cushion Tape
Brake Levers	Shimano STI, ST-A070
Brakes	Promax RC-483, Dual Pivot, Long Reach
Color	Mens: Gloss Black, Matte Red, Ladies: Matte Pea Green, Purple
Frame Size	XS, S, M, L, XL (XS & XL Black Only), Ladies: XXS, XS, S



ROAD – SPECIALTY

FLITE 100



FEATURES

- Single Speed
- CrMo 4130 Double butted ZH2B Frame
- Flip-Flop rear track hub
- Promax RC462 rear brake

NEW OR CHANGED FOR 2015
1 1/8" Fork and Stem

MSRP: \$599-659


PART #	MODEL	SIZE	COLOR
95-200-001	Flite 100	51	Matte Black
95-200-002	Flite 100	53	Matte Black
95-200-003	Flite 100	55	Matte Black
95-200-004	Flite 100	57	Matte Black
95-200-005	Flite 100	60	Matte Black

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
51cm	510 / 20.1	74°	74°	543 / 21.4	387 / 15.2	281 / 11.1	746 / 29.4	102 / 4	396 / 15.6	511 / 20.1
53cm	530 / 20.9	74°	74°	549 / 21.6	387 / 15.2	281 / 11.1	783 / 30.8	120 / 4.7	397 / 15.6	528 / 20.8
55cm	550 / 21.7	74°	74°	558 / 22	387 / 15.2	281 / 11.1	803 / 31.6	143 / 5.6	400 / 15.7	550 / 21.7
57cm	570 / 22.4	74°	74°	570 / 22.4	387 / 15.2	281 / 11.1	817 / 32.2	150 / 5.9	410 / 16.1	557 / 21.9
60cm	600 / 23.6	74°	74°	580 / 22.8	387 / 15.2	281 / 11.1	830 / 32.7	157 / 6.2	418 / 16.5	564 / 22.2

BIKE SPECS

Frame	4130 Double Butted Full Chromoly w/KHS Stainless Steel Cable Clamps, ZH2B Frame
Rear Shock	N/A
Fork	Full CrMo Track
Headset	Threadless 1-1/8
Rims	Weinmann Win 18, Alloy Doublewall, 30mm Deep
Hub, Front	Alloy Track
Hub, Rear	Alloy Flip-Flop Track
Tires	Maxxis Courchevel 700x23c, 120TPI Folding
Spokes	14G Stainless Steel, 32X32
Derailleur, Front	N/A
Derailleur, Rear	N/A
Shifters	N/A
Chain	KMC Z33
Crankset	Alloy Forged Track, 165mm x 44T
BB	FSA Sealed Cartridge
Freewheel / Cassette	Q2 CrMo 16T, 1/2x3/32
Pedals	Alloy Road w/Metal Clip and Leather Strap
Seatpost	Alloy Micro-adjust, 26.8x250mm
Saddle	KHS Sport Road
Handlebar	Alloy Track Bend, 26.0, 42cm
Stem	Alloy 3D Forged, 4 Bolt, 51: 90, 53-55: 100, 57-60: 110
Handlebar tape	Cushion Tape
Brake Levers	Alloy Shorty Top Mount, Right Only
Brakes	Promax RC462 Dual Pivot, Rear Only
Color	Matte Black
Frame Size	51, 53, 55, 57, 60



ROAD – SPECIALTY

TR 101



FEATURES

- 27 Speeds
- Reynolds 520 Double Butted Frame
- Shimano Drivetrain
- Bengal MB700T Mechanical Disc Brakes

NEW OR CHANGED FOR 2015

- Shimano Sora Front derailleur
- Shimano STR350 Shifters
- Shimano FCR-453 triple crank
- Bengal MB700T Mechanical Disc Brakes

MSRP: \$999-1099


PART #	MODEL	SIZE	COLOR
89-016-005	TR-101	XS	Blue
89-016-006	TR-101	S	Blue
89-016-007	TR-101	M	Blue
89-016-008	TR-101	L	Blue

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/l°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XS	440 / 17.3	70.3°	73.5°	525 / 20.7	450 / 17.7	273 / 10.7	732 / 28.8	105 / 4.1	364 / 14.3	546 / 21.5
S	470 / 18.5	71°	73°	537 / 21.1	450 / 17.7	273 / 10.7	754 / 29.7	115 / 4.5	366 / 14.4	558 / 22
M	500 / 19.7	71.5°	73°	553 / 21.8	450 / 17.7	273 / 10.7	779 / 30.7	135 / 5.3	376 / 14.8	580 / 22.8
L	530 / 20.9	71.5°	73°	568 / 22.4	450 / 17.7	273 / 10.7	800 / 31.5	150 / 5.9	387 / 15.2	594 / 23.4

BIKE SPECS

Frame	Reynolds 520, Double Butted CrMo
Rear Shock	N/A
Fork	Full CrMo w/ Disc & Rack Bosses
Headset	Threadless 1-1/8"
Rims	Weinmann SP17 Alloy, Doublewall
Hub, Front	Shimano Alivio, QR
Hub, Rear	Shimano Alivio Cassette, QR,
Tires	Kenda Kwest 700X32C w/ K-Shield Anti-puncture
Spokes	14G Black, 36X36
Derailleur, Front	Shimano Sora FD350, 28.6
Derailleur, Rear	Shimano Deore M591
Shifters	Shimano STR350/353, 9-speed
Chain	KMC X9 w/Missing Link
Crankset	Shimano FCR-453, 50/39/30, XS-S: 170, M-L: 175
BB	Shimano Octalink Cartridge
Freewheel / Cassette	Shimano HG20, 11-34T, 9-speed
Pedals	Alloy w/Steel Cage & Half Clip
Seatpost	KHS Alloy Micro-Adjust, 26.8X350
Saddle	KHS Ultra Comfort, Soft Shell
Handlebar	Alloy Butted, 31.8, XS-M: 42, L: 44
Stem	Alloy 3D Forged, Threadless 4 Bolt, 31.8, XS-S: 90, M-L: 100
Handlebar tape	Cushion Tape
Brake Levers	Shimano STR350/353
Brakes	Bengal MB700T Cable Disc, 160/160
Color	Blue
Frame Size	XS, S, M, L
Extras	Plastic Fenders, Rear Carrier



14

All specs are subject to change without notice.





FEATURES

- 22 Speeds
- 7005 Alloy Double Butted Aero frame
- Q2 AR400 Wheelset
- Shimano 105 5800 Drivetrain
- Profile T2 Clip On

NEW MODEL FOR 2015

MSRP: \$1499-1599


PART #	MODEL	SIZE	COLOR
95-220-001	Tri Bike	XS	Matte Dark Gray
95-220-002	Tri Bike	S	Matte Dark Gray
95-220-003	Tri Bike	M	Matte Dark Gray
95-220-004	Tri Bike	L	Matte Dark Gray
95-220-005	Tri Bike	XL	Matte Dark Gray

GEOMETRY

SIZE	A s/t c-t	B h/t*	C s/l*	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XS	480 / 18.9	71°	78°	488 / 19.2	395 / 15.6	269 / 10.6	725 / 28.5	90 / 3.5	384 / 15.1	490 / 19.3
S	510 / 20.1	72.5°	78°	505 / 19.9	395 / 15.6	269 / 10.6	747 / 29.4	90 / 3.5	399 / 15.7	498 / 19.6
M	540 / 21.3	72.5°	78°	523 / 20.6	395 / 15.6	269 / 10.6	768 / 30.2	110 / 4.3	413 / 16.3	517 / 20.4
L	560 / 22	72.5°	78°	542 / 21.3	395 / 15.6	269 / 10.6	787 / 31	130 / 5.1	428 / 16.9	537 / 21.1
XL	580 / 22.8	72.5°	78°	561 / 22.1	395 / 15.6	269 / 10.6	806 / 31.7	150 / 5.9	443 / 17.4	556 / 21.9

BIKE SPECS

Frame	Alloy 7005 Double Butted w/Custom Formed TT, Aero DT & ST, Replaceable Derailleur Hanger
Rear Shock	N/A
Fork	Aero Carbon with Alloy Steerer
Headset	FSA IS-2, Integrated
Rims	Q2 AR400 Wheelset, Doublewall, 700c
Hub, Front	Q2 AR400 Wheelset, Q/R
Hub, Rear	Q2 AR400 Wheelset, Cassette, QR
Tires	Maxxis Courchevel, 700x23C, 120tpi Folding
Spokes	14G Black, 20X24
Derailleur, Front	Shimano 105 FD5800
Derailleur, Rear	Shimano 105 RD5800
Shifters	Shimano Dura-Ace Bar End
Chain	Shimano 105 CN5800
Crankset	Shimano FC-RS500, 52/36, 11s, 2-pc, XS-S: 165, M-XL: 170, XXL: 175
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano CS5800, 11-28, 11spd
Pedals	N/A
Seatpost	Aero Carbon
Saddle	KHS Tri Padded
Handlebar	Alloy Aero Cowhorn w/Profile T2 Plus Clip On, 42
Stem	Alloy 3D Forged, 4 Bolt, XS-S: 90, M-XXL: 100
Handlebar tape	Cushion Tape
Brake Levers	Tektro RX4.1 Aero
Brakes	Tektro R525, Dual Pivot Forged w/Cartridge Pads
Color	Matte Dark Gray
Frame Size	XS, S, M, L, XL



All specs are subject to change without notice.

GRAVEL GRIT 440

New Model




FEATURES

- 20 Speeds
- KHS T7 MSD Carbon™ Frame
- Shimano Tiagra Drivetrain
- Tektro MD-C400 Mechanical Disc Brakes

NEW MODEL FOR 2015

MSRP: \$1899-2099

PART #	MODEL	SIZE	COLOR
95-226-001	Grit 440	XS	Matte Carbon
95-226-002	Grit 440	S	Matte Carbon
95-226-003	Grit 440	M	Matte Carbon
95-226-004	Grit 440	L	Matte Carbon



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XS	510 / 20.1	70°	74°	520 / 20.5	425 / 16.7	285 / 11.2	776 / 30.6	110 / 4.3	369 / 14.5	527 / 20.7
S	530 / 20.9	70.5°	73°	540 / 21.3	425 / 16.7	285 / 11.2	787 / 31	120 / 4.7	376 / 14.8	538 / 21.2
M	550 / 21.7	71°	72.5°	560 / 22	425 / 16.7	285 / 11.2	807 / 31.8	140 / 5.5	384 / 15.1	559 / 22
L	570 / 22.4	71.5°	72°	580 / 22.8	425 / 16.7	285 / 11.2	828 / 32.6	160 / 6.3	392 / 15.4	579 / 22.8

BIKE SPECS

Frame	KHS Full MSD Carbon CX Design, T700 High Modulus Carbon, 1.5 Taper, Disc
Rear Shock	N/A
Fork	Full T700 Light Carbon CX Disc, 1.5 Taper
Headset	FSA Orbit C40-ACB, N.42/ACB, 1-1/8"~1.5" Integrated Alloy Cap
Rims	Weinmann XC-180, Alloy Double Wall, 700C
Hub, Front	Formula Alloy Disc QR
Hub, Rear	Formula Alloy Disc QR, Cassette
Tires	Maxxis Raze M206P, 700X33C 60tpi Folding
Spokes	14G Black, 32X32 w/Alloy Nipples
Derailleur, Front	Shimano Tiagra, 34.9
Derailleur, Rear	Shimano Tiagra
Shifters	Shimano Tiagra
Chain	KMC X10 w/Missing Link
Crankset	Shimano Tiagra, FC4650, 50/34, XS: 165, S: 170, M: 172.5, L: 175
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano Tiagra, 12-30T, 10speed
Pedals	N/A
Seatpost	Q2 Carbon, 31.6X350mm
Saddle	KHS Sport Road, CrMo Rail
Handlebar	Alloy Butted Compact, 31.8, XS: 40, S-M: 42, L: 44
Stem	Alloy 3D Forged, Threadless 4 Bolt, 31.8, XS-S: 90, M-L: 100
Handlebar tape	Cushion tape
Brake Levers	Shimano Tiagra w/Tektro RL721 Shorty
Brakes	Avid BB5 Mechanical Disc Brake w/160mm Rotors
Color	Matte Carbon
Frame Size	XS, S, M, L

GRAVEL GRIT 220

New Model




FEATURES

- 20 Speeds
- 7005 Alloy Double Butted Frame
- Shimano Tiagra Drivetrain
- Tektro MD-C400 Mechanical Disc Brakes

NEW MODEL FOR 2015

MSRP: \$1249-1349

PART #	MODEL	SIZE	COLOR
95-225-001	Grit 220	XS	Matte Almost Green
95-225-002	Grit 220	S	Matte Almost Green
95-225-003	Grit 220	M	Matte Almost Green
95-225-004	Grit 220	L	Matte Almost Green
95-225-005	Grit 220	XL	Matte Almost Green



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XS	460 / 18.1	71°	75°	512 / 20.2	432 / 17	282 / 11.1	754 / 29.7	105 / 4.1	369 / 14.5	533 / 21
S	495 / 19.5	71°	73°	533 / 21	432 / 17	282 / 11.1	778 / 30.6	120 / 4.7	366 / 14.4	547 / 21.5
M	534 / 21	72°	73°	558 / 22	432 / 17	282 / 11.1	805 / 31.7	135 / 5.3	385 / 15.2	565 / 22.2
L	572 / 22.5	72°	73°	580 / 22.8	432 / 17	282 / 11.1	834 / 32.8	160 / 6.3	400 / 15.7	589 / 23.2
XL	609 / 24	73°	72°	605 / 23.8	432 / 17	282 / 11.1	869 / 34.2	195 / 7.7	402 / 15.8	626 / 24.6

BIKE SPECS

Frame	7005 Alloy Double Butted w/Disc Mounts and Internal Cable Routing
Rear Shock	N/A
Fork	Carbon Disc w/Alloy Steerer
Headset	FSA IS-3 Integrated
Rims	Weinmann XC-180, Alloy Double Wall, 700C
Hub, Front	Formula Alloy Disc QR
Hub, Rear	Formula Alloy Disc QR, Cassette
Tires	Maxxis Raze M206P, 700X33C 60tpi Folding
Spokes	14G Black, 32X32 w/Alloy Nipples
Derailleur, Front	Shimano Tiagra, 31.8
Derailleur, Rear	Shimano Tiagra
Shifters	Shimano Tiagra
Chain	KMC X10 w/Missing Link
Crankset	Shimano Tiagra, FC4650, 50/34, XS: 165, S: 170, M: 172.5, L-XL: 175
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano Tiagra, 12-30T, 10speed
Pedals	N/A
Seatpost	Q2 Carbon, 27.2x350mm
Saddle	KHS Sport Road, CrMo Rail
Handlebar	Alloy Butted Compact, 31.8, XS: 40, S-M: 42, L-XL: 44
Stem	Alloy 3D Forged, Threadless 4 Bolt, 31.8, XS-S: 90, M: 100, L-XL: 110
Handlebar tape	Cushion Tape
Brake Levers	Shimano Tiagra w/Tektro RL721 Shorty
Brakes	Avid BB5 Mechanical Disc Brake w/160mm Rotors
Color	Matte Almost Green
Frame Size	XS, S, M, L, XL

CYCLOCROSS

CX550

New Model



FEATURES

- 11 Speeds
- KHS T8 MSD Carbon™ Frame
- Sram Force CX1 Drivetrain
- Sram Force CX1-HRD Hydraulic Disc brakes

NEW MODEL FOR 2015

MSRP: \$3999-4299


PART #	MODEL	SIZE	COLOR
95-217-001	CX-550	XS	Team
95-217-002	CX-550	S	Team
95-217-003	CX-550	M	Team
95-217-004	CX-550	L	Team

GEOMETRY

SIZE	A s/t c-t	B h/t*	C s/t*	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XS	510 / 20.1	70°	74°	520 / 20.5	425 / 16.7	285 / 11.2	776 / 30.6	110 / 4.3	369 / 14.5	527 / 20.7
S	530 / 20.9	70.5°	73°	540 / 21.3	425 / 16.7	285 / 11.2	787 / 31	120 / 4.7	376 / 14.8	538 / 21.2
M	550 / 21.7	71°	72.5°	560 / 22	425 / 16.7	285 / 11.2	807 / 31.8	140 / 5.5	384 / 15.1	559 / 22
L	570 / 22.4	71.5°	72°	580 / 22.8	425 / 16.7	285 / 11.2	828 / 32.6	160 / 6.3	392 / 15.4	579 / 22.8

BIKE SPECS

Frame	KHS Full MSD Carbon CX Design, T800 Super Light High Modulus Carbon, 1.5 Taper, Disc
Rear Shock	N/A
Fork	Full Super Light T800 Carbon CX Disc, 1.5 Taper
Headset	FSA Orbit C40-ACB, N.42/ACB, 1-1/8"~1.5" Integrated Alloy Cap
Rims	American Classic Hurricane Disc Wheel Set, Tubeless Ready
Hub, Front	American Classic Hurricane Disc Wheel Set
Hub, Rear	American Classic Hurricane Disc Wheel Set
Tires	Challenge Chicane Open Tubular, 700X33C, 300TPI, Folding
Spokes	American Classic Hurricane Disc Wheel Set
Derailleur, Front	N/A
Derailleur, Rear	Sram Force CX1
Shifters	Sram Force CX1 HRD, Hydraulic
Chain	KMC X11L
Crankset	Sram Force CX1, 40T, XS: 170, S-M: 172.5, L: 175
BB	Sram GXP
Freewheel / Cassette	Sram PG-1170, 11-28T, 11speed
Pedals	N/A
Seatpost	Q2 Carbon, 31.6X350
Saddle	Prologo Zero II
Handlebar	FSA SL-K Compact Carbon, XS: 40, S-M: 42, L: 44
Stem	FSA SL-K, XS-S: 90, M-L: 100
Handlebar tape	Cushion Tape
Brake Levers	Sram Force CX1 HRD, Hydraulic
Brakes	Sram Force CX1-HRD, Hydraulic, 160X160
Color	Team
Frame Size	XS, S, M, L



CYCLOCROSS

CX500

New Model




FEATURES

- 22 Speeds
- KHS T7 MSD Carbon™ Frame
- Shimano 105 5800 Drivetrain
- Shimano BR-RS785 Hydraulic Disc Brakes

NEW MODEL FOR 2015

MSRP: \$2899-3099

PART #	MODEL	SIZE	COLOR
95-216-001	CX-500	XS	Matte Black
95-216-002	CX-500	S	Matte Black
95-216-003	CX-500	M	Matte Black
95-216-004	CX-500	L	Matte Black



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	G s.o.	H h/t L	I Reach	J Stack	K
XS	510 / 20.1	70°	74°	520 / 20.5	425 / 16.7	285 / 11.2	776 / 30.6	110 / 4.3	369 / 14.5	527 / 20.7	
S	530 / 20.9	70.5°	73°	540 / 21.3	425 / 16.7	285 / 11.2	787 / 31	120 / 4.7	376 / 14.8	538 / 21.2	
M	550 / 21.7	71°	72.5°	560 / 22	425 / 16.7	285 / 11.2	807 / 31.8	140 / 5.5	384 / 15.1	559 / 22	
L	570 / 22.4	71.5°	72°	580 / 22.8	425 / 16.7	285 / 11.2	828 / 32.6	160 / 6.3	392 / 15.4	579 / 22.8	

BIKE SPECS

Frame	KHS Full MSD Carbon CX Design, T700 High Modulus Carbon, 1.5 Taper, Disc
Rear Shock	N/A
Fork	Full T700 Light Carbon CX Disc, 1.5 Taper
Headset	FSA Orbit C40-ACB, N.42/ACB, 1-1/8"~1.5" Integrated Alloy Cap
Rims	Weinmann XC-180, Alloy Double Wall, 700C
Hub, Front	KT-XA2F, S.B Super Light Disc
Hub, Rear	KT-XA5R, S/B Super Light, Cassette, QR
Tires	Maxxis Mud Wrestler, M209P, 700X33C, 60TPI Folding
Spokes	14G SS Black, 28HX32 w/Alloy Nipples
Derailleur, Front	Shimano 105 FD5800, 34.9
Derailleur, Rear	Shimano 105 RD5800
Shifters	Shimano Hydraulic STI, ST-RS685, 11s
Chain	KMC X11L w/missing Link
Crankset	Shimano FC-RS500, 46/36, 11s, 2-pc, XS: 170, S-M: 172.5, L: 175
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano CS-5800, 11-32T, 11-speed
Pedals	N/A
Seatpost	Q2 Carbon, 31.6X350
Saddle	KHS Sport Road, CrMo Rail
Handlebar	FSA Omega Compact, 31.8, XS: 40, S-M: 42, L: 44
Stem	FSA Omega, 31.8, XS-S: 90, M-L: 100
Handlebar tape	Cushion Tape
Brake Levers	Shimano Hydraulic STI, ST-RS685, 11s
Brakes	Shimano BR-RS785 Hydraulic Disc, 160X160
Color	Matte Black
Frame Size	XS, S, M, L

CYCLOCROSS

CX300



FEATURES

22 Speeds

Ultra light A7 Alloy Frame


Shimano 105 5800 Drivetrain

Shimano BR-RS785 Hydraulic Disc Brakes

MSRP: \$1999-2199

PART # MODEL SIZE COLOR

PART #	MODEL	SIZE	COLOR
95-215-001	CX-300	XS	White
95-215-002	CX-300	S	White
95-215-003	CX-300	M	White
95-215-004	CX-300	L	White
95-215-005	CX-300	XL	White



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XS	460 / 18.1	71°	75°	512 / 20.2	432 / 17	282 / 11.1	750 / 29.5	105 / 4.1	366 / 14.4	545 / 21.5
S	495 / 19.5	71°	73°	533 / 21	432 / 17	282 / 11.1	779 / 30.7	120 / 4.7	362 / 14.3	559 / 22
M	534 / 21	72°	73°	558 / 22	432 / 17	282 / 11.1	806 / 31.7	135 / 5.3	382 / 15	577 / 22.7
L	572 / 22.5	72°	73°	580 / 22.8	432 / 17	282 / 11.1	828 / 32.6	160 / 6.3	396 / 15.6	601 / 23.7
XL	609 / 24	73°	72°	605 / 23.8	432 / 17	282 / 11.1	871 / 34.3	195 / 7.7	398 / 15.7	638 / 25.1

BIKE SPECS

Frame	Ultra light A7 Alloy, Double Butted w/Disc Mounts, 1.5 Taper and Internal Cable Routing
Rear Shock	N/A
Fork	Full Carbon CX Disc, 1.5 Taper
Headset	FSA Orbit C40-ACB, N.42/ACB, 1-1/8"~1.5" Integrated Alloy Cap
Rims	Weinmann XC-180, Alloy Double Wall, 700C
Hub, Front	KT-XA2F, S/B Super Light Disc
Hub, Rear	KT-XA5R, S/B Super Light, Cassette, QR
Tires	Maxxis Mud Wrestler, M209P, 700X33C, 60TPI Folding
Spokes	14G SS Black, 28HX32 w/Alloy Nipples
Derailleur, Front	Shimano 105 FD5800, 31.8
Derailleur, Rear	Shimano 105 RD5800
Shifters	Shimano Hydraulic STI, ST-RS685, 11s
Chain	KMC X11L w/Missing Link
Crankset	Shimano FC-RS500, 46/36, 11s, 2-pc, XS: 170, S-M: 172.5, L-XL: 175
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano CS-5800, 11-32T, 11-speed
Pedals	N/A
Seatpost	Q2 Carbon, 27.2x350
Saddle	KHS Sport Road, CrMo Rail
Handlebar	FSA Omega Compact, 31.8, XS: 40, S-M: 42, L-XL: 44
Stem	FSA Omega, 31.8, XS-S: 90, M-L: 100, XL: 110
Handlebar tape	Cushion Tape
Brake Levers	Shimano Hydraulic STI, ST-RS685, 11s
Brakes	Shimano BR-RS785 Hydraulic Disc, 160X160
Color	White
Frame Size	XS, S, M, L, XL

XC RACING

TEAM 29 FS



FEATURES


- 11 Speeds
- KHS MSD Carbon™ front triangle w/ alloy rear Frame
- Sram XO 1 Drivetrain
- Fox front & rear Suspension
- DT X1600 29er Wheelset

NEW OR CHANGED FOR 2015

Sram Guide RSC Hydraulic Disc Brakes

MSRP: \$5099-5399

PART #	MODEL	SIZE	COLOR
95-168-001	Team 29 F/S	S	Team
95-168-002	Team 29 F/S	M	Team
95-168-003	Team 29 F/S	L	Team



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	420 / 16.5	70°	74°	570 / 22.4	449 / 17.7	330 / 13	790 / 31.1	114 / 4.5	395 / 15.6	610 / 24
M	470 / 18.5	70°	74°	590 / 23.2	449 / 17.7	330 / 13	790 / 31.1	124 / 4.9	412 / 16.2	620 / 24.4
L	516 / 20.3	70°	74°	610 / 24	449 / 17.7	330 / 13	791 / 31.1	134 / 5.3	430 / 16.9	629 / 24.8

BIKE SPECS

Frame	29" MSD Carbon Front w/AL 6061 Horst bearing linkage Rr, 100mm Travel, 1.5 taper, 12x142
Rear Shock	FOX Float CTD w/CTD Remote, Air, Rebound Adj
Fork	29" Fox 32 Evolution Float AES W/CTD Remote, 100mm, Air, Extrl Rbnd, CTD Low Speed Cmprsn, 1.5 Taper, 15Q Thru Axle
Headset	FSA Orbit C-40-ACB, N.42/ACB, 1-1/8" ~1.5" Integrated
Rims	DT X1600 Spline, 29" Disc, Straight Pull w/ 15mm Ft & 12mm Rr Thru-Axle, Wheel Set
Hub, Front	DT X1600 SPLINE, 15mm Wheel Set
Hub, Rear	DT X1600 Spline, 12mm x 142 Wheel Set
Tires	WTB Nano 2.1 Race, 29X2.1, 60 TPI, Folding
Spokes	DT X1600 Spline Wheelset
Derailleur, Front	N/A
Derailleur, Rear	Sram XO 1, 11s X-Horizon, Type 2
Shifters	Sram XO 11s Trigger, Right Only
Chain	Sram PC-XX1
Crankset	Sram X1 1400 X-Sync, Hollow Forged, PF-92, 34T, S: 170, M-L: 175
BB	Sram PF-92
Freewheel/Cassette	Sram XG-1195, 10-42T, 11-speed
Pedals	N/A
Seatpost	Q2 Team Carbon, 30.9X350
Saddle	Velo 1557 Ultra Light w/Carbon Base& Ti-Rail
Handlebar	Truvativ Noir T20, Carbon 680 x 20mm rise
Stem	Truvativ Stylo T20, 31.8, S: 75, M: 90, L: 100
Grips	Q2 Lock-on
Brake Levers	Sram Guide RSC, Match Maker X
Brakes	Sram Guide RSC Hydraulic Disc, 4 Piston, Tool Free Reach & Pad Contact Adj., 160mm Rotors
Color	Team
Frame Size	S, M, L

XC RACING PRESCOTT




FEATURES

20 Speeds
KHS MSD Carbon™ front triangle w/ alloy rear Frame
Rock Shox front & rear Suspension
Shimano SLX/ XT Drivetrain
MSRP: \$3899-4199

PART # MODEL SIZE COLOR

PART #	MODEL	SIZE	COLOR
95-167-001	Prescott	S	White/Black
95-167-002	Prescott	M	White/Black
95-167-003	Prescott	L	White/Black



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	420 / 16.5	70°	74°	570 / 22.4	449 / 17.7	330 / 13	790 / 31.1	114 / 4.5	395 / 15.6	610 / 24
M	470 / 18.5	70°	74°	590 / 23.2	449 / 17.7	330 / 13	790 / 31.1	124 / 4.9	412 / 16.2	620 / 24.4
L	516 / 20.3	70°	74°	610 / 24	449 / 17.7	330 / 13	791 / 31.1	134 / 5.3	430 / 16.9	629 / 24.8

BIKE SPECS


Frame	29" MSD Carbon Front w/AL 6061 Horst bearing linkage Rr, 100mm Travel, 1.5 taper, 12x142
Rear Shock	RockShox Monarch RT3 Solo Air with 3 Pos. Flood Gate Switch, Rebound adj.
Fork	29" Rock Shox Reba RLT 100mm, Solo Air, Motion Control, Extnl Rbnd, Extnl Fldgate, Cmprsn adj to 'Lock', 1.5 Taper, 15Q
Headset	FSA Orbit C-40-ACB, N.42/ACB, 1-1/8"~1.5" Integrated
Rims	American Classic Terrain 29 Disc, 32H, Wheel Set
Hub, Front	American Classic Terrain 29 Disc, 32H, 15mm Ft, Wheel Set
Hub, Rear	American Classic Terrain 29 Disc, 32H, 12mmThru-Axle, Wheel Set
Tires	WTB Nano 2.1 Race, 29X2.1, 60 TPI, Folding
Spokes	American Classic Terrain 29, 32H, Wheel Set
Derailleur, Front	Shimano SLX FDM676D
Derailleur, Rear	Shimano XT RDM786, Shadow Plus
Shifters	Shimano SLX SLM670, I-Spec
Chain	Shimano SLX
Crankset	Shimano SLX, Hollowtech II, 38/24, 175
BB	Shimano PF92
Freewheel/Cassette	Shimano Deore CS HG62-10, 11-36T, 10-speed
Pedals	N/A
Seatpost	Q2 Carbon, 30.9X350
Saddle	WTB Volt Comp
Handlebar	Truvativ Noir T20, Carbon, 680 x 20mm rise
Stem	Truvativ Stylo T20, 31.8, S: 75, M: 90, L: 100
Grips	Q2 Lock-on
Brake Levers	Shimano SLX Hydraulic, w/I-Spec
Brakes	Shimano SLX Hydraulic Disc, 160mm Rotors
Color	White/Black
Frame Size	S, M, L



FEATURES

- 11 Speeds
- KHS T8 MSD Carbon™ Frame
- Sram XX1 Drivetrain
- Fox 32 Float 100mm w/ remote fork
- NEW OR CHANGED FOR 2015**
- Sram Guide RSC Hydraulic Disc Brakes
- MSRP: \$5099-5399

PART #	MODEL	SIZE	COLOR
95-164-001	Team 29	S	Team
95-164-002	Team 29	M	Team
95-164-003	Team 29	L	Team



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	G h s.o.	H h/t L	I Reach	J Stack	K Stack
S	409 / 16.1	71°	73°	575 / 22.6	445 / 17.5	318 / 12.5	810 / 31.9	102 / 4	384 / 15.1	625 / 24.6	
M	447 / 17.6	71°	73°	595 / 23.4	445 / 17.5	318 / 12.5	827 / 32.6	107 / 4.2	404 / 15.9	627 / 24.7	
L	489 / 19.3	71°	73°	620 / 24.4	445 / 17.5	318 / 12.5	854 / 33.6	117 / 4.6	425 / 16.7	639 / 25.2	

BIKE SPECS

Frame	KHS High Modulus Full MSD Carbon 29er w/1.5 Taper Headtube, Disc Only, Internal Cable Routing
Rear Shock	N/A
Fork	Fox 32 Float 29", FIT CTD Remote w/Kashima, 100mm, Air, Extrl Rbnd, Remote CTD Low Speed Cmprsn, 1.5 Taper, 15mm Thru Axle
Headset	FSA Orbit C-40-CF-ACB, N.42CF, 1-1/8"~1.5" Integrated, Carbon Cap
Rims	DT X1700 Spline, 29" Disc, Straight Pull w/ 15mm Thru-Axle, Tubeless Ready, Wheel Set
Hub, Front	DT X1700 Spline, Wheel Set
Hub, Rear	DT X1700 Spline, Wheel Set
Tires	Maxxis Ikon 3C Maxx Speed W/EXO, 120TPI Folding, Triple Compound, Tubeless Ready, 29X2.2
Spokes	DT X1700 Spline, Wheel Set
Derailleur, Front	N/A
Derailleur, Rear	Sram XX 1, 11s X-Horizon, Type 2
Shifters	Sram XX1, 11s, Trigger, Right Only
Chain	Sram PC-XX1
Crankset	Sram XX1, Carbon W/Forged Alloy Spider, PF30, 34T, S: 170, M-L: 175
BB	Sram PF30
Freewheel/Cassette	Sram XG-1195, 10-42T, 11-Speed
Pedals	N/A
Seatpost	Q2 Team Full Carbon, 31.6X350
Saddle	Velo 1557 Ultra Light w/Carbon Base& Ti-Rail
Handlebar	Ritchey 2X WCS Carbon, Flat Riser, 31.8x710
Stem	Ritchey 4-Axis 44 WCS, 6D, 31.8, S: 80, M: 90, L: 100
Grips	Q2 Lock-on
Brake Levers	Sram Guide RSC, Match Maker X
Brakes	Sram Guide RSC Hydraulic Disc, 4 Piston, Tool Free Reach & Pad Contact Adj., 160mm Rotors
Color	Team
Frame Size	S, M, L


XC RACING SAGUARO



FEATURES

20 Speeds
KHS T8 MSD Carbon™ Frame
Rock Shox Reba RLT 100mm fork
Sram Guide R Brakes
MSRP: \$3099-3399

PART #	MODEL	SIZE	COLOR
95-163-001	Saguaro	S	Matte Black/Matte Gray
95-163-002	Saguaro	M	Matte Black/Matte Gray
95-163-003	Saguaro	L	Matte Black/Matte Gray



GEOMETRY

SIZE	A s/t c-t	B h/t*	C s/l*	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	409 / 16.1	71°	73°	575 / 22.6	445 / 17.5	318 / 12.5	810 / 31.9	102 / 4	384 / 15.1	625 / 24.6
M	447 / 17.6	71°	73°	595 / 23.4	445 / 17.5	318 / 12.5	827 / 32.6	107 / 4.2	404 / 15.9	627 / 24.7
L	489 / 19.3	71°	73°	620 / 24.4	445 / 17.5	318 / 12.5	854 / 33.6	117 / 4.6	425 / 16.7	639 / 25.2

BIKE SPECS

Frame	KHS High Modulus Full MSD Carbon 29er w/1.5 Taper Headtube, Disc Only, Internal Cable Routing
Rear Shock	N/A
Fork	29" Rock Shox Reba RLT 100mm, Solo Air, Motion Control, Extrl Rbnd, Extrl Fldgate, Cmprsn Remote Lockout, 1.5 Taper, 15mm
Headset	FSA Orbit C-40-CF-ACB, N.42CF, 1-1/8"~1.5" Integrated, Carbon Cap
Rims	Stan's Rapid 25, Double Wall, 29x28H, Tubeless Ready
Hub, Front	KT Lightweight S/B Alloy Disc, 15mm, Straight Pull
Hub, Rear	KT Lightweight S/B Alloy Disc, Cassette, Straight Pull
Tires	Maxxis Ikon 3C Maxx Speed W/EXO, 120TPI Folding, Triple Compound, Tubeless Ready, 29X2.2
Spokes	14/15g Black Stainless, w/Alloy Nipples 28x28
Derailleur, Front	Sram X7, 34.9
Derailleur, Rear	Sram X9 Type 2
Shifters	Sram X7 Trigger
Chain	Sram PC-1051
Crankset	Sram S1000, 38/24T, S: 170, M-L: 175
BB	Sram PF30
Freewheel/Cassette	Sram PG-1050, 11-36T, 10-speed
Pedals	N/A
Seatpost	Q2 Carbon, 31.6X350
Saddle	WTB Volt Comp
Handlebar	Ritchey 2X Comp, Flat Riser, 31.8x710
Stem	Ritchey 4-Axis WTD, S-M: 80, L: 90
Grips	Q2 Lock-on
Brake Levers	Sram Guide R Brakes, Match Maker X
Brakes	Sram Guide R Hydraulic Disc, 4-Piston, Tool Free Reach Adj, 160mm Rotors
Color	Matte Black/Matte Gray
Frame Size	S, M, L

XC SPORT FLAGSTAFF



FEATURES

20 Speeds

Stan's Rapid tubeless ready Wheelset

Shimano SLX/ XT Drivetrain

NEW OR CHANGED FOR 2015

Stan's Rapid tubeless ready Wheelset

Shimano FC-M675 38/24 Crank


Shimano M506 Hydraulic Disc Bakes

MSRP: \$2599-2799

PART #	MODEL	SIZE	COLOR
95-166-001	Flagstaff	S	Matte Red
95-166-002	Flagstaff	M	Matte Red
95-166-003	Flagstaff	L	Matte Red

GEOMETRY

SIZE	A s/t c-t	B h/t*	C s/t*	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	420 / 16.5	70°	74°	570 / 22.4	449 / 17.7	330 / 13	791 / 31.1	114 / 4.5	395 / 15.6	610 / 24
M	470 / 18.5	70°	74°	590 / 23.2	449 / 17.7	330 / 13	790 / 31.1	124 / 4.9	412 / 16.2	620 / 24.4
L	515 / 20.3	70°	74°	610 / 24	449 / 17.7	330 / 13	792 / 31.2	134 / 5.3	430 / 16.9	629 / 24.8



BIKE SPECS

Frame	29" AL 6061, Horst bearing linkage, 100mm Travel, 1.5 taper, 12X142, Internal Cable routing
Rear Shock	Rock Shox Monarch RL, Solo Air, Ext Rebound, Lockout
Fork	29" Rock Shox Recon Gold TK Solo Air 100mm, Motion Control, Extrl Rbnd, Low Speed Compression to Lock, 1.5 Taper, 15Q
Headset	FSA Orbit C-40-ACB, N.42/ACB, 1-1/8" ~1.5" Integrated
Rims	Stan's Rapid 25, Double Wall, 29x28H, Tubeless Ready
Hub, Front	KT Lightweight S/B Alloy Disc, 15mm, Straight Pull
Hub, Rear	KT Lightweight S/B Alloy Disc, Cassette, 12 x 142mm, Straight Pull
Tires	Maxxis Ikon 3C Maxx Speed, 120TPI Folding, Triple Compound, Tubeless Ready, 29X2.2
Spokes	14G Black 28X28
Derailleur, Front	Shimano SLX FDM676D
Derailleur, Rear	Shimano XT RDM786, Shadow Plus
Shifters	Shimano SLX SL670, I-Spec
Chain	KMC X10 W/Missing Link
Crankset	Shimano FC-M675, 2 Pc., 38/24, 175
BB	Shimano PF-92
Freewheel/Cassette	Shimano Deore CS HG62-10, 11-36T, 10-speed
Pedals	N/A
Seatpost	Q2 Alloy, MICRO-ADJUST, 30.9x350
Saddle	WTB Volt Comp
Handlebar	Truvativ Stylo T10, 680 x 20mm rise
Stem	Truvativ Stylo T20, 31.8, S: 75, M: 90, L: 100
Grips	Q2 Lock-on
Brake Levers	Shimano New M506, Servo Wave
Brakes	Shimano M506 Hydraulic Disc, 160mm Rotors
Color	Matte Red
Frame Size	S, M, L

XC SPORT BAJADA



FEATURES

- 20 Speeds
- Stan's Rapid tubeless ready Wheelset
- Sram X7/ X5 Drivetrain
- Kore XCD Handlebar & Stem

NEW OR CHANGED FOR 2015


- Stan's Rapid tubeless ready Wheelset
- Sram X5 FT Derailleur
- Sram X7 Type 2 RR Derailleur
- Sram X5 Trigger Shifters
- KMC X10 Chain
- Sram PG-1020 11-36 Cassette

MSRP: \$1999-2199

PART #	MODEL	SIZE	COLOR
95-165-001	Bajada	S	Matte Silver
95-165-002	Bajada	M	Matte Silver
95-165-003	Bajada	L	Matte Silver

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/l°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	420 / 16.5	70°	74°	570 / 22.4	449 / 17.7	330 / 13	791 / 31.1	114 / 4.5	395 / 15.6	610 / 24
M	470 / 18.5	70°	74°	590 / 23.2	449 / 17.7	330 / 13	790 / 31.1	124 / 4.9	412 / 16.2	620 / 24.4
L	515 / 20.3	70°	74°	610 / 24	449 / 17.7	330 / 13	792 / 31.2	134 / 5.3	430 / 16.9	629 / 24.8



BIKE SPECS

Frame	29" AL 6061, Horst bearing linkage, 100mm Travel, 1.5 taper, 12X142, Internal Cable routing
Rear Shock	X-Fusion 02RL Air, Hyrdraulic Dampening, Ext Rebound Adj & Lockout
Fork	RST First 29 Air, 100mm, Hydraulic Dampning, Ext Rebound, Lockout, 1.5 Taper, 15Q
Headset	FSA Orbit C-40-ACB, N.42/ACB, 1-1/8"~1.5" Integrated
Rims	Stan's Rapid 25, Double Wall, 29x32H, Tubeless Ready
Hub, Front	KT S/B Alloy disc w/CNC Rotor Flange, 15Q
Hub, Rear	KT S/B Alloy Disc Cassette w/CNC Rotor Flange, 12mm Thru-Axle QR
Tires	Maxxis Ikon 3C Maxx Speed, 120TPI Folding, Triple Compound, Tubeless Ready, 29X2.2
Spokes	14G Black 32X32
Derailleur, Front	Sram X5 34.9
Derailleur, Rear	Sram X7 Type 2
Shifters	Sram X5 trigger
Chain	KMC X-10 w/missing Link
Crankset	KHS 2pc Forged, 38/24, w/Alloy C/R's, S: 170, M-L: 175
BB	PF92
Freewheel/Cassette	Sram PG-1020 11/36 10speed
Pedals	N/A
Seatpost	KHS Alloy micro-adjust, 30.9x350
Saddle	WTB Volt Sport
Handlebar	Kore XCD 1 Riser, 720 x 15mm, 31.8
Stem	Kore XCD, 3D Forged, 31.8mm, S: 80, M: 90, L: 100
Grips	Q2 Lock-on
Brake Levers	Shimano M395
Brakes	Shimano M395, 160mm Rotors
Color	Matte Silver
Frame Size	S, M, L

XC SPORT TUCSON



FEATURES

- 20 Speeds
- 6061 Alloy Double Butted Custom Formed Frame
- Stan's Rapid tubeless ready Wheelset
- Shimano XT/ Deore Drivetrain

NEW OR CHANGED FOR 2015


- Stan's Rapid tubeless ready Wheelset
- Kore XCD Super Flat Handlebar
- Kore XCD Stem

MSRP: \$1349-1449

PART #	MODEL	SIZE	COLOR
95-161-001	Tucson	S	Matte White
95-161-002	Tucson	M	Matte White
95-161-003	Tucson	L	Matte White
95-161-004	Tucson	XL	Matte White

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	381 / 15	71°	72°	568 / 22.4	445 / 17.5	321 / 12.6	780 / 30.7	100 / 3.9	382 / 15	609 / 24
M	432 / 17	71.5°	72°	588 / 23.1	445 / 17.5	321 / 12.6	812 / 32	110 / 4.3	398 / 15.7	620 / 24.4
L	483 / 19	72°	72°	598 / 23.5	445 / 17.5	321 / 12.6	845 / 33.3	125 / 4.9	402 / 15.8	637 / 25.1
XL	533 / 21	72°	72°	625 / 24.6	445 / 17.5	321 / 12.6	876 / 34.5	145 / 5.7	424 / 16.7	656 / 25.8



BIKE SPECS

Frame	Alloy 6061 Dbl Butted w/Custom Formed TT & DT, 1.5 Taper, w/ Replaceable Derailleur Hanger
Rear Shock	N/A
Fork	29" Manitou Marvel Comp TS AIR, 100mm, Absolute+ Dampening, Ext Rebound Adj & Compression Adj to Lock, 1.5 Taper Alloy Steerer, 15mm
Headset	FSA Orbit 1.5E, Zero Stack, 1 1/8"~1.5
Rims	Stan's Rapid 25, Double Wall, 29x32H, Tubeless Ready
Hub, Front	KT Alloy Disc w/CNC Rotor Flange, 15mm
Hub, Rear	KT Alloy disc w/CNC Rotor Flange, QR, Cassette
Tires	Maxxis Ikon 3C Maxx Speed W/EXO, 120TPI Folding, Triple Compound, Tubeless Ready, 29X2.2
Spokes	14G Black w/Alloy Nipples, 32X32
Derailleur, Front	Shimano Deore FDM616, 34.9
Derailleur, Rear	Shimano XT RDM786 Shadow Plus
Shifters	Shimano Deore SLM610 I-Spec
Chain	KMC X10 w/missing link
Crankset	Shimano Deore, FCM615, 2-Pc, 38/24T, S: 170, M-XL: 175
BB	Shimano Outboard Bearing
Freewheel/Cassette	Shimano Deore CS HG50-10, 11-36T, 10-speed
Pedals	N/A
Seatpost	Alloy micro-adjust, 31.6X350
Saddle	WTB Volt Comp
Handlebar	Kore XCD-Super Flat 31.8 x 710mm
Stem	Kore XCD, S-M: 80, L: 90, XL: 100
Grips	Q2 Lock-on
Brake Levers	Shimano New M506, Servo Wave
Brakes	Shimano M506 Hydraulic Disc, 160mm Rotors
Color	Matte White
Frame Size	S, M, L, XL

XC SPORT TEMPE



FEATURES


- 20 Speeds
- 6061 Alloy Double Butted Custom Formed Frame
- Sram X7/ X5 Drivetrain
- Shimano BR-396 Hydraulic Disc Brakes

NEW OR CHANGED FOR 2015

- 15mm Fork and Hub
- Shimano BR-M396 Hydraulic Disc Brakes
- Weinmann U28 Disc Rims w/ eyelets

MSRP: \$1049-1149

PART #	MODEL	SIZE	COLOR
95-160-001	Tempe	S	Matte Shale Gray
95-160-002	Tempe	M	Matte Shale Gray
95-160-003	Tempe	L	Matte Shale Gray
95-160-004	Tempe	XL	Matte Shale Gray



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/L	J Reach	K Stack
S	381 / 15	71°	72°	568 / 22.4	445 / 17.5	321 / 12.6	780 / 30.7	100 / 3.9	382 / 15	609 / 24
M	432 / 17	71.5°	72°	588 / 23.1	445 / 17.5	321 / 12.6	812 / 32	110 / 4.3	398 / 15.7	620 / 24.4
L	483 / 19	72°	72°	598 / 23.5	445 / 17.5	321 / 12.6	845 / 33.3	125 / 4.9	402 / 15.8	637 / 25.1
XL	533 / 21	72°	72°	625 / 24.6	445 / 17.5	321 / 12.6	876 / 34.5	145 / 5.7	424 / 16.7	656 / 25.8

BIKE SPECS

Frame	Alloy 6061 Dbl Butted w/Custom Formed TT & DT, 1.5 Taper, w/ Replaceable Derailleur Hanger
Rear Shock	N/A
Fork	RST First 29 Air, 100mm, Alloy steerer, Magnesium lowers, Hydraulic Damp, External rebound, Lockout, 1.5 Taper, 15Q
Headset	FSA Orbit 1.5E, Zero Stack, 1 1/8"~1.5
Rims	Weinmann U28, Double Wall w/Single Eyelets, 29x32H
Hub, Front	KT Alloy Disc w/CNC Rotor Flange, 15mm
Hub, Rear	KT Alloy disc w/CNC Rotor Flange, QR, Cassette
Tires	Kenda Small Block 8, 29X2.1, 60 tpi
Spokes	14G Black w/Alloy Nipples, 32X32
Derailleur, Front	Sram X5 34.9
Derailleur, Rear	Sram X7 Type 2
Shifters	Sram X5
Chain	KMC X10 W/Missing Link
Crankset	KHS 2pc Forged W/Outboard Bearing, 38/24, w/Alloy C/R's, S: 170, M-XL: 175
BB	Outboard Bearing
Freewheel/Cassette	Sram PG-1020, 11-36T, 10-speed
Pedals	Wellgo Alloy ATB 1 pc.
Seatpost	KHS Alloy Micro-adjust, 31.6X350
Saddle	WTB Volt Sport
Handlebar	Alloy Flat Top, 720 x 5mm rise
Stem	KHS Alloy 3D Forged, 4-bolt, 7degree, 31.8, S: 70, M: 80, L: 90, XL: 100
Grips	KHS Sport, Dual Compound
Brake Levers	Shimano BR-M396
Brakes	Shimano BR-M396, Hydraulic Disc, 160mm Rotors
Color	Matte Shale Gray
Frame Size	S, M, L, XL

XC SPORT AGUILA



FEATURES


- 27 Speeds
- 6061 Alloy Custom Formed Frame
- Shimano Alivio Drivetrain
- Shimano BR-M355 Hydraulic Disc Brakes

NEW OR CHANGED FOR 2015

- Shimano Alivio FT Derailleur
- Shimano Alivio RR Derailleur
- Shimano Alivio Trigger Shifters
- Shimano Alivio Triple Crank
- Shimano BR-M355 Hydraulic Disc Brakes

MSRP: \$739-809

PART #	MODEL	SIZE	COLOR
95-159-001	Aguila	S	Black
95-159-002	Aguila	M	Black
95-159-003	Aguila	L	Black
95-159-004	Aguila	XL	Black



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/l°	D t/teffectv	E c/s	F BB Height	H s.o.	I h/L	J Reach	K Stack
S	381 / 15	71°	72°	568 / 22.4	445 / 17.5	321 / 12.6	780 / 30.7	100 / 3.9	382 / 15	609 / 24
M	432 / 17	71.5°	72°	588 / 23.1	445 / 17.5	321 / 12.6	812 / 32	110 / 4.3	398 / 15.7	620 / 24.4
L	483 / 19	72°	72°	598 / 23.5	445 / 17.5	321 / 12.6	845 / 33.3	125 / 4.9	402 / 15.8	637 / 25.1
XL	533 / 21	72°	72°	625 / 24.6	445 / 17.5	321 / 12.6	876 / 34.5	145 / 5.7	424 / 16.7	656 / 25.8

BIKE SPECS

Frame	Alloy 6061 w/custom formed TT & DT, w/replaceable derailleur hanger
Rear Shock	N/A
Fork	SR XCM LO, 100mm, Hydraulic Dampening, Fixed Rebound, w/ Hydraulic lock out
Headset	Threadless Zero Stack, 1-1/8
Rims	Weinmann U28, Double Wall, 29x32H
Hub, Front	KT Alloy Disc w/CNC Rotor Flange, QR
Hub, Rear	KT Alloy Disc w/CNC Rotor Flange, QR, Cassette
Tires	CST Critter, 29x2.1
Spokes	14G Black 32X32
Derailleur, Front	Shimano Alivio FD-M4000 34.9
Derailleur, Rear	Shimano Alivio RD-M4000
Shifters	Shimano Alivio SL4000
Chain	KMC X9 W/Missing Link
Crankset	Shimano Alivio FCM4000, Octalink, 40/30/22T, S: 170, M-XL: 175
BB	Shimano ES25 Octalink
Freewheel/Cassette	Shimano CS-HG200-9 11-34T, 9-speed
Pedals	Wellgo Resin Platform
Seatpost	Alloy Micro-adjust, 31.6X350
Saddle	KHS Sport, Dual Density
Handlebar	Alloy Flat Top, 700mm x 5mm rise
Stem	KHS Alloy 3D Forged, 4-bolt, 7degree, 31.8, S: 70, M-L: 90, XL: 100
Grips	KHS Sport, Dual Compound
Brake Levers	Shimano BR-M355
Brakes	Shimano BR-M355, Hydraulic Disc, 160mm Rotors
Color	Black
Frame Size	S, M, L, XL

XC SPORT WINSLOW



FEATURES

- 24 Speeds
- 6061 Alloy Custom Formed Frame
- Shimano Acera Drivetrain
- Bengal MB606 Mechanical Disc Brakes

NEW OR CHANGED FOR 2015

- Shimano Acera Ft Derailleur
- Shimano Acera RR Derailleur
- Shimano TX800 Trigger shifters
- Shimano TX801 Triple crank

MSRP: \$599-659

PART # MODEL SIZE COLOR


PART #	MODEL	SIZE	COLOR
95-158-001	Winslow	S	Matte Blue
95-158-002	Winslow	S	Lead Silver
95-158-003	Winslow	M	Matte Blue
95-158-004	Winslow	M	Lead Silver
95-158-005	Winslow	L	Matte Blue
95-158-006	Winslow	L	Lead Silver
95-158-007	Winslow	XL	Matte Blue

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	381 / 15	71°	72°	568 / 22.4	445 / 17.5	321 / 12.6	780 / 30.7	100 / 3.9	382 / 15	609 / 24
M	432 / 17	71.5°	72°	588 / 23.1	445 / 17.5	321 / 12.6	812 / 32	110 / 4.3	398 / 15.7	620 / 24.4
L	483 / 19	72°	72°	598 / 23.5	445 / 17.5	321 / 12.6	845 / 33.3	125 / 4.9	402 / 15.8	637 / 25.1
XL	533 / 21	72°	72°	625 / 24.6	445 / 17.5	321 / 12.6	876 / 34.5	145 / 5.7	424 / 16.7	656 / 25.8

BIKE SPECS

Frame	Alloy 6061 w/custom formed TT, w/replaceable derailleur hanger
Rear Shock	N/A
Fork	SR XCM HLO, 100mm, Hydraulic lock out
Headset	Threadless Zero Stack, 1-1/8
Rims	Weinmann XM25, Double Wall, 29x32H
Hub, Front	KT Alloy Disc w/CNC Rotor Flange, QR
Hub, Rear	KT Alloy Disc w/CNC Rotor Flange, QR, Cassette
Tires	CST Critter, 29x2.1
Spokes	14G Black 32X32
Derailleur, Front	Shimano Acera M360 34.9
Derailleur, Rear	Shimano Acera M360
Shifters	Shimano TX800 Trigger
Chain	KMC Z8
Crankset	Shimano TX801 42/32/22T, S: 170, M-XL: 175
BB	Cartridge Bearing
Freewheel/Cassette	Sram PG 820, 11-32T, 8-speed
Pedals	Wellgo resin platform
Seatpost	KHS Alloy Micro-adjust, 31.6X350
Saddle	KHS Sport Dual Density
Handlebar	Alloy Flat Top, 700mm x 5mm rise
Stem	KHS Alloy, 7 Degree, 31.8, S: 75, M-L: 90, XL: 100
Grips	KHS Sport, Dual Compound
Brake Levers	Shimano TX800
Brakes	Bengal Cable Disc MB606, 160mm rotors
Color	Matte Blue, Lead Silver
Frame Size	S, M, L, XL (XL blue Only)



30

All specs are subject to change without notice.

XC SPORT

ZACA



FEATURES

- 21 Speeds
- 6061 Alloy Custom Formed Frame
- Shimano Drivetrain
- Bengal MB606 Mechanical Disc Brakes

NEW OR CHANGED FOR 2015

Shimano FC-M171 Triple crank

MSRP: \$499-549


PART #	MODEL	SIZE	COLOR
95-157-001	Zaca	S	Matte Black
95-157-002	Zaca	S	Orange
95-157-003	Zaca	M	Matte Black
95-157-004	Zaca	M	Orange
95-157-005	Zaca	L	Matte Black
95-157-006	Zaca	L	Orange
95-157-007	Zaca	XL	Matte Black

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	381 / 15	71°	72°	568 / 22.4	445 / 17.5	321 / 12.6	780 / 30.7	100 / 3.9	382 / 15	609 / 24
M	432 / 17	71.5°	72°	588 / 23.1	445 / 17.5	321 / 12.6	812 / 32	110 / 4.3	398 / 15.7	620 / 24.4
L	483 / 19	72°	72°	598 / 23.5	445 / 17.5	321 / 12.6	845 / 33.3	125 / 4.9	402 / 15.8	637 / 25.1
XL	533 / 21	72°	72°	625 / 24.6	445 / 17.5	321 / 12.6	876 / 34.5	145 / 5.7	424 / 16.7	656 / 25.8

BIKE SPECS

Frame	Alloy 6061 w/custom formed TT, w/replaceable derailleur hanger
Rear Shock	N/A
Fork	SR XCT 29", 100mm, Preload Adj
Headset	Threadless Zero Stack, 1-1/8
Rims	Alloy Double Wall, 29x32H
Hub, Front	KT Alloy disc QR
Hub, Rear	KT Alloy disc QR, Cassette
Tires	CST Critter, 29x2.1
Spokes	14G Black 32X32
Derailleur, Front	Shimano Tourney TY10 34.9
Derailleur, Rear	Shimano RD-TX35D
Shifters	Shimano ST-EF51
Chain	KMC Z50
Crankset	Shimano FC-M171, 42/34/24T, 170mm
BB	Cartridge Bearing
Freewheel/Cassette	Shimano CS-HG20-7, 12-32, 7-speed
Pedals	Resin MTB platform w/boron axle
Seatpost	KHS Alloy Micro-adjust, 31.6X350
Saddle	KHS Sport
Handlebar	Alloy Flat Top, 700mm x 5mm rise
Stem	KHS Alloy 4-bolt, 7degree, 31.8, S: 70, M-L: 90, XL: 100
Grips	KHS Sport
Brake Levers	Shimano ST-EF51
Brakes	Bengal Cable Disc MB606, 160mm rotors
Color	Matte Black, Orange
Frame Size	S, M, L, XL (XL-Bk Only)






FEATURES

- 20 Speeds
- Reynolds 520 CrMo Double Butted Frame
- Manitou Marvel Comp TS AIR 120mm Fork
- Shimano XT/ Deore Drivetrain

NEW MODEL FOR 2015

MSRP: \$1869-1969

PART #	MODEL	SIZE	COLOR
95-162-001	BNT 29	XXL	Black
95-162-002	BNT 29	XXXL	Black



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	G s.o.	H h/t L	J Reach	K Stack
XXL	586 / 23.1	71°	73°	653 / 25.7	455 / 17.9	347 / 13.7	931 / 36.7	141 / 5.6	450 / 17.7	658 / 25.9
XXXL	626 / 24.6	71°	73°	678 / 26.7	455 / 17.9	347 / 13.7	962 / 37.9	166 / 6.5	468 / 18.4	681 / 26.8

BIKE SPECS

Frame	Reynold 520 CrMo Double Butted, T/T 38.1mm, D/T 40mm, S/T 32.4mm
Rear Shock	N/A
Fork	29" Manitou Marvel Comp TS AIR, 120mm, Absolute+ Dampening, Ext Rebound Adj & Compression Adj to Lock, 1.5 Taper Alloy Steerer, 15mm
Headset	FSA 2 (I/I), Orbit E1.5, Zero Stack, 1-1/8/1.5
Rims	Stan's Rapid 28, Double Wall, 29x36H, Tubeless Ready
Hub, Front	KT Alloy Disc w/CNC Rotor Flange, 15mm
Hub, Rear	KT Alloy disc w/CNC Rotor Flange, QR, Cassette
Tires	Maxxis Ikon 3C Maxx Speed, 120TPI Folding, Triple Compound, Tubeless Ready, 29X2.35
Spokes	14G Black w/Alloy Nipples, 36X36
Derailleur, Front	Shimano Deore FDM616, 34.9
Derailleur, Rear	Shimano XT RDM786 Shadow Plus
Shifters	Shimano Deore SLM610 I-Spec
Chain	KMC X10 w/missing Link
Crankset	KHS 2pc Forged W/Outboard Bearing, 38/24, w/Alloy C/R's, XXL: 200, XXXL: 210
BB	Outboard Bearing
Freewheel/Cassette	Shimano Deore CSHG50-10 11-36t, 10speed
Pedals	N/A
Seatpost	Q2 Alloy Micro-Adjust 29.8X400
Saddle	WTB Volt Comp
Handlebar	Kore XCD 1 Riser, 720 x 15mm
Stem	Kore XCD, XXL: 100, XXXL: 110
Grips	Q2 Lock-On
Brake Levers	Shimano New M506, Servo Wave
Brakes	Shimano M506 Hydraulic Disc, 160mm Rotors
Color	Matte Black
Frame Size	XXL, XXXL

DOWNHILL 650B

DH 650 TEAM




FEATURES

- 10 Speeds
- Manitou Dorado Pro 203mm Fork
- Shimano Saint Drivetrain
- Fox DHX RC4 shock
- MSRP: \$5999-6299

PART # MODEL SIZE COLOR

PART #	MODEL	SIZE	COLOR
95-156-001	DH650 Team	S	Team
95-156-002	DH650 Team	M	Team
95-156-003	DH650 Team	L	Team



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	380 / 15	64°	74°	551 / 21.7	455 / 17.9	350 / 13.8	755 / 29.7	110 / 4.3	378 / 14.9	603 / 23.7
M	393 / 15.5	64°	74°	576 / 22.7	455 / 17.9	350 / 13.8	747 / 29.4	110 / 4.3	403 / 15.9	603 / 23.7
L	405 / 15.9	64°	74°	601 / 23.7	455 / 17.9	350 / 13.8	743 / 29.3	110 / 4.3	428 / 16.9	603 / 23.7

BIKE SPECS

Frame	KHS 650B FSS DH Frame w/ 8.3" travel, 1.5HT, 83mm BB, ISCG05 mount
Rear Shock	Fox DHX RC4, Kashima Coat
Fork	Manitou Dorado Pro, 203mm Travel, 36mm, TPC Air, 20mm
Headset	FSA Orbit Z 1.5R
Rims	Spank Race 28 DH Evo, Doublewall, 650B/27.5x32H
Hub, Front	Sun Ringle Jumping Flea, 20mm
Hub, Rear	Sun Ringle Jumping Flea, 12 x 150mm
Tires	Maxxis High Roller II, 650B x 2.4, Maxx grip Front/60 3C Rear
Spokes	DT Swiss, 14G Black, Stainless Steel, 32x32
Derailleur, Front	N/A
Derailleur, Rear	Shimano Saint
Shifters	Shimano Saint
Chain	KMC X10 TI-N, Gold
Crankset	Shimano Saint Hollowtech 2, 36T, 170mm w/MRP Mini G3 Alloy Chain Guide System
BB	Shimano Saint
Freewheel / Cassette	Shimano CS-5700, 11-25T, 10-speed
Pedals	N/A
Seatpost	Q2, 31.6x350
Saddle	Velo Miles Race
Handlebar	JoystickDH, 800mm x 20mm, 31.8
Stem	Answer DH Direct Mount, 7075, 45/50/55 Adjustable
Grips	ODI Ruffian Lock On
Brake Levers	Shimano Saint
Brakes	Shimano Saint, 203mm Rotors
Color	Team
Frame Size	S, M, L

DOWNHILL 650B


DH 650 PRO



FEATURES

- 10 Speeds
- Manitou Dorado Expert 203mm Fork
- Rock Shox Kage RC shock
- Shimano ZEE Drivetrain
- MSRP: \$3999-4299

PART #	MODEL	SIZE	COLOR
95-155-001	DH650 Pro	S	Team
95-155-002	DH650 Pro	M	Team
95-155-003	DH650 Pro	L	Team



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	G s.o.	H h/t L	I Reach	J Stack	K
S	380 / 15	64°	74°	551 / 21.7	455 / 17.9	350 / 13.8	755 / 29.7	110 / 4.3	378 / 14.9	603 / 23.7	
M	393 / 15.5	64°	74°	576 / 22.7	455 / 17.9	350 / 13.8	747 / 29.4	110 / 4.3	403 / 15.9	603 / 23.7	
L	405 / 15.9	64°	74°	601 / 23.7	455 / 17.9	350 / 13.8	743 / 29.3	110 / 4.3	428 / 16.9	603 / 23.7	

BIKE SPECS

Frame	KHS 650B FSS DH Frame w/ 8.3" travel, 1.5HT, 83mm BB, ISCG05 mount
Rear Shock	Rock Shox Kage RC, External Rebound & Compression adj
Fork	Manitou Dorado Expert, 203mm Travel, 36mm, TPC Air, 20mm
Headset	FSA Orbit Z 1.5R
Rims	Weinmann Goliath, Doublewall, 650B/27.5x32H
Hub, Front	Formula Disc, 20mm through axle
Hub, Rear	Formula Disc, 12mm through Axle
Tires	Maxxis High Roller II, 650B x 2.4, Maxx grip Front/60 3C Rear
Spokes	14G Black, 32x32
Derailleur, Front	N/A
Derailleur, Rear	Shimano Zee
Shifters	Shimano Zee
Chain	KMC X10 TI-N, Gold
Crankset	Shimano ZEE, 36T, 165mm w/MRP Mini G3 Chain Guide System
BB	Zee
Freewheel / Cassette	Shimano CS-5700, 11-25T, 10-speed
Pedals	N/A
Seatpost	Q2, 31.6x350
Saddle	Velo Miles Race
Handlebar	Gravity 777, 800mm, 25mm, 31.8mm
Stem	Gravity Direct Mount, 45mm
Grips	Q2 Lock-on
Brake Levers	Shimano Zee
Brakes	Shimano ZEE, F: 200mm, R: 180mm Rotors w/metal fin brake pads
Color	Team
Frame Size	S, M, L

ENDURO 650B

SIXFIFTY 7500



FEATURES

- 11 Speeds
- DT M1700 27.5 Wheelset
- Sram X0 1 Drivetrain
- KS Lev DX Dropper post w/ Remote

NEW OR CHANGED FOR 2015


- Rock Shox Pike RCT3 Solo Air Fork
- Rock Shox Monarch RT3 Solo Air Shock
- Maxxis High Roller II Tubeless Ready Tires
- Kore Repute Stem
- Sram Guide RSC Hydraulic Disc Brakes

MSRP: \$5249-5549

PART #	MODEL	SIZE	COLOR
95-154-001	SixFifty 7500	S	Matte White/Gray
95-154-002	SixFifty 7500	M	Matte White/Gray
95-154-003	SixFifty 7500	L	Matte White/Gray
95-154-004	SixFifty 7500	XL	Matte White/Gray

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	380 / 15	66.5°	75°	585 / 23	435 / 17.1	345 / 13.6	712 / 28	110 / 4.3	425 / 16.7	596 / 23.5
M	420 / 16.5	66.5°	75°	605 / 23.8	435 / 17.1	345 / 13.6	732 / 28.8	110 / 4.3	445 / 17.5	596 / 23.5
L	460 / 18.1	66.5°	75°	625 / 24.6	435 / 17.1	345 / 13.6	757 / 29.8	120 / 4.7	463 / 18.2	606 / 23.9
XL	500 / 19.7	66.5°	75°	645 / 25.4	435 / 17.1	345 / 13.6	781 / 30.7	130 / 5.1	480 / 18.9	615 / 24.2



BIKE SPECS

Frame	FSS 650B 160mm, Alloy 6061 w/Custom Formed Dbl.Buttet TT & DT, 1.5 Taper, 12 x 142 rear axle, w/replaceable derailleur hanger
Rear Shock	Rock Shox Monarch RT3, KHS Tuned, Solo air with 3 Pos. Flood Gate Switch, Rebound adj.
Fork	Rock Shox Pike RCT3, 160mm, Solo Air, 1.5 Taper, 15mm Thru-Axle, External Rebound, Low Speed Compression, 3 Position Compression
Headset	FSA Orbit 1.5E, Zero Stack, 1 1/8"~1.5
Rims	DT M1700 Spline Wheel Set, 650B Disc, Straight Pull w/ 15mm Thru-Axle Ft, 12 x 142mm Rear, Tubeless Ready
Hub, Front	DT M1700 Spline Wheelset
Hub, Rear	DT M1700 Spline, Wheelset
Tires	Maxxis High Roller II, 27.5 X 2.3, 60 tpi Folding, 3C/EXO/TR, Tubeless Ready
Spokes	DT M1700 Spline, Wheel Set
Derailleur, Front	N/A
Derailleur, Rear	Sram X0 1, 11s X-Horizon, Type 2
Shifters	Sram X0 11s Trigger, Right Only
Chain	Sram PC-XX1
Crankset	Sram X1 1400 X-Sync, Hollow Forged, GXP, 30T, S: 170, M-XL: 175
BB	Sram GXP-XR
Freewheel/Cassette	Sram XG-1195, 10-42T, 11-speed
Pedals	N/A
Seatpost	Kind Shock LEV DX w/Remote, Travel Adjust, 31.6 x 385
Saddle	WTB Volt Comp
Handlebar	Q2 Carbon Riser, 740 x 20mm rise
Stem	Kore Repute, 31.8, S: 35, M-XL: 50
Grips	Q2 Lock-on
Brake Levers	Sram Guide RSC, Match Maker X
Brakes	Sram Guide RSC Hydraulic Disc, 4 Piston, Tool Free Reach & Pad Contact Adj., 180/160mm Rotors
Color	Matte White/Gray
Frame Size	S, M, L, XL

ENDURO 650B SIXFIFTY 7200

New Model




FEATURES

- 20 Speeds
- Rock Shox Pike 160mm
- Rock Shox Monarch RT3 Solo Air Shock
- Shimano XT/SLX Drivetrain

NEW MODEL FOR 2015

MSRP: \$3399-3699

PART #	MODEL	SIZE	COLOR
95-153-001	SixFifty 7200	S	Matte Black/Green
95-153-002	SixFifty 7200	M	Matte Black/Green
95-153-003	SixFifty 7200	L	Matte Black/Green
95-153-004	SixFifty 7200	XL	Matte Black/Green



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/l°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	380 / 15	66.5°	73°	570 / 22.4	435 / 17.1	345 / 13.6	712 / 28	105 / 4.1	388 / 15.3	595 / 23.4
M	420 / 16.5	66.5°	73°	595 / 23.4	435 / 17.1	345 / 13.6	732 / 28.8	110 / 4.3	412 / 16.2	599 / 23.6
L	460 / 18.1	66.5°	73°	620 / 24.4	435 / 17.1	345 / 13.6	757 / 29.8	120 / 4.7	434 / 17.1	608 / 23.9
XL	500 / 19.7	66.5°	73°	645 / 25.4	435 / 17.1	345 / 13.6	781 / 30.7	130 / 5.1	456 / 18	618 / 24.3

BIKE SPECS

Frame	FSS 650B 160mm, Alloy 6061 w/Custom Formed Dbl.Buttcd TT & DT, 1.5 Taper, 12 x 142 rear axle, w/replaceable derailleur hanger,
Rear Shock	Rock Shox Monarch RT3, KHS Tuned, Solo air with 3 Pos. Flood Gate Switch, Rebound adj.
Fork	Rock Shox Pike RCT3, 160mm, Solo Air, 1.5 Taper, 15mm Thru-Axle, External Rebound, Low Speed Compression, 3 Position Compression
Headset	FSA Orbit 1.5E, Zero Stack, 1 1/8"~1.5
Rims	WTB Frequency
Hub, Front	Lightweight S/B Alloy Disc, FT15mm
Hub, Rear	Lightweight S/B Alloy Disc, RR: Cassette, 12x142mm
Tires	Maxxis Ardent, 27.5 X 2.25, 60 tpi Folding
Spokes	14G/15G Dbl Butted Black Stnls w/Alloy Nipples, 28x28
Derailleur, Front	Shimano SLX, FDM676
Derailleur, Rear	Shimano XT, RDM786, Shadow Plus
Shifters	Shimano SLX, SLM670 w/I-Spec
Chain	KMC X10 w/Missing Link
Crankset	Shimano SLX, FCM675, 38/24, S: 170, M-XL: 175
BB	Shimano Outboard Bearing
Freewheel/Cassette	Shimano HG5010, 11-36T, 10-speed
Pedals	N/A
Seatpost	Kind Shock E-Ten w/Remote, Travel Adjust, 31.6 x 385
Saddle	WTB Volt Comp
Handlebar	Kore Durox, 740mm X 20mm, 31.8
Stem	Kore Cubix, 31.8, S: 50, M-L: 65, XL: 80
Grips	Q2 Lock-On
Brake Levers	Shimano SLX
Brakes	Shimano SLX M675 Hydraulic Disc, 180/160
Color	Matte Black/Green
Frame Size	S, M, L, XL

TRAIL 650B

SIXFIFTY 6500



FEATURES


- 11 Speeds
- Rock Shox Revelation RLT 140mm Fork
- SUN Charger Expert Wheelset
- Sram XO 1 Drivetrain

NEW OR CHANGED FOR 2015

- SUN Charger Expert Tubeless Wheelset
- KS LEV Integra Dropper post w/ remote
- Kore Mega Stem

MSRP: \$3999-4299

PART #	MODEL	SIZE	COLOR
95-152-001	SixFifty 6500	S	Matte Team Red/Matte Black
95-152-002	SixFifty 6500	M	Matte Team Red/Matte Black
95-152-003	SixFifty 6500	L	Matte Team Red/Matte Black
95-152-004	SixFifty 6500	XL	Matte Team Red/Matte Black



GEOMETRY

SIZE	A s/t c-t	B h/t*	C s/t*	D t/t effectv	E c/s	F BB Height	G s.o.	H h/t L	J Reach	K Stack
S	394 / 15.5	67.5°	72.5°	554 / 21.8	430 / 16.9	330 / 13	725 / 28.5	110 / 4.3	390 / 15.4	587 / 23.1
M	432 / 17	67.5°	72.5°	580 / 22.8	430 / 16.9	330 / 13	741 / 29.2	120 / 4.7	413 / 16.3	597 / 23.5
L	483 / 19	67.5°	72.5°	607 / 23.9	430 / 16.9	330 / 13	773 / 30.4	130 / 5.1	435 / 17.1	606 / 23.9
XL	521 / 20.5	67.5°	72.5°	633 / 24.9	430 / 16.9	330 / 13	789 / 31.1	140 / 5.5	457 / 18	615 / 24.2

BIKE SPECS

Frame	650B 140mm, Alloy 6061 w/Custom Formed Dbl.Buttet TT & DT, 1.5 Taper, 12 x 142 Rear Axle, w/Replaceable Derailleur Hanger,
Rear Shock	Rock Shox Monarch RT3 HV, Solo Air with 3 Pos. Flood Gate Switch, Rebound adj.
Fork	Rock Shox Revelation RLT, 140mm, 1-1/8-1.5 Tapered Alloy Steerer, Motion Control, External Rebound, Low Speed Compression to 'Lock' with External Floodgate, 15mm Through Axle
Headset	FSA Orbit 1.5E, Zero Stack, 1 1/8"~1.5
Rims	Sun Charger Expert Wheel set, Tubeless Ready
Hub, Front	Sun Charger Expert, Wheel Set
Hub, Rear	Sun Charger Expert, Wheel Set
Tires	Maxxis Ardent 27.5 x 2.25, Folding, Tubeless Ready
Spokes	Sun Charger Expert, Wheel set
Derailleur, Front	N/A
Derailleur, Rear	Sram XO 1, 11s X-Horizon, Type 2
Shifters	Sram XO 11s Trigger, Right Only
Chain	Sram PC-XX1
Crankset	Sram X1 1400 X-Sync, Hollow Forged, PF92, 32T, S: 170, M-XL: 175
BB	Sram PF 92
Freewheel/Cassette	Sram XG-1195, 10-42T, 11-speed
Pedals	N/A
Seatpost	Kind Shock LEV Integra w/Remote, Travel Adjust, Internal Routing, 30.9 x 335
Saddle	WTB Volt Comp
Handlebar	Kore Mega, 760 x 20mm, 31.8
Stem	Kore Durox 3D Forged, 31.8, S: 60, M-L: 75, XL: 90
Grips	Q2 Lock-on
Brake Levers	Hayes Prime Sport
Brakes	Hayes Prime Sport, 180/160mm Rotors
Color	Matte Team Red/Matte Black
Frame Size	S, M, L, XL

TRAIL 650B

SIXFIFTY 5500



FEATURES

- 20 Speeds
- X-Fusion Velvet RL 140mm Fork
- Shimano SLX Drivetrain
- Shimano M506 Hydraulic Disc Brakes

NEW OR CHANGED FOR 2015


- Maxxis Ardent Tubeless ready tires
- Shimano SLX FT Derailleur
- Shimano SLX RR Derailleur
- Shimano SLX Shifters
- Shimano SLX Cranks
- Shimano CS HG5010 11-36 Cassette

MSRP: \$2549-2749

PART #	MODEL	SIZE	COLOR
95-151-001	SixFifty 5500	S	Matte Blue w/Matte Black
95-151-002	SixFifty 5500	M	Matte Blue w/Matte Black
95-151-003	SixFifty 5500	L	Matte Blue w/Matte Black
95-151-004	SixFifty 5500	XL	Matte Blue w/Matte Black

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/ effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	394 / 15.5	67.5°	72.5°	554 / 21.8	430 / 16.9	330 / 13	725 / 28.5	110 / 4.3	390 / 15.4	587 / 23.1
M	432 / 17	67.5°	72.5°	580 / 22.8	430 / 16.9	330 / 13	741 / 29.2	120 / 4.7	413 / 16.3	597 / 23.5
L	483 / 19	67.5°	72.5°	607 / 23.9	430 / 16.9	330 / 13	773 / 30.4	130 / 5.1	435 / 17.1	606 / 23.9
XL	521 / 20.5	67.5°	72.5°	633 / 24.9	430 / 16.9	330 / 13	789 / 31.1	140 / 5.5	457 / 18	615 / 24.2



BIKE SPECS

Frame	650B 140mm, Alloy 6061 w/Custom Formed Dbl.Buttet TT & DT, 1.5 Taper, 12 x 142 Rear Axle, w/Replaceable Derailleur Hanger,
Rear Shock	X-Fusion 02RLX, Air w/hydraulic Dampening, 3 Pos Cmprsn Adj, Rebound Adj & Lock Out
Fork	X-Fusion Velvet RL, 140mm, Alloy 1-1/8-1.5 Tapered Steerer, Hydraulic Dampening, Rebound Adj, Hydraulic Lockout, 15mm
Headset	FSA Orbit 1.5E, Zero Stack, 1 1/8"~1.5
Rims	Sun Helix TR25, 28H, Double Wall w/Eyelets, Tubeless Ready
Hub, Front	KT Lightweight S/B Alloy Disc, 15mm, Straight Pull
Hub, Rear	KT Lightweight S/B Alloy Disc, Cassette, 12 x 142mm, Straight Pull
Tires	Maxxis Ardent 27.5 x 2.25, Folding, Tubeless Ready
Spokes	14G/15G Dbl Butted Black Stnls w/Alloy Nipples, 28x28
Derailleur, Front	Shimano SLX FDM675E
Derailleur, Rear	Shimano SLX RDM675, Shadow Plus
Shifters	Shimano SLX SLM670 w/l-Spec
Chain	KMC X10 W/missing Link
Crankset	Shimano SLX FCM675 38/24T, S: 170, M-XL: 175
BB	Shimano PF92
Freewheel/Cassette	Shimano CS HG5010, 11-36T, 10-speed
Pedals	N/A
Seatpost	Kind Shock E-Ten w/Remote, Travel Adjust, 30.9 x 120
Saddle	WTB Volt Sport
Handlebar	Alloy, 31.8 700X15mm
Stem	KHS Alloy 3D Forged, 4-bolt, 7degree, 31.8, S: 70, M-L: 80, XL: 90
Grips	Q2 Lock-on
Brake Levers	Shimano New M506, Servo Wave
Brakes	Shimano M506 Hydraulic Disc, 180/160mm Rotors
Color	Matte Blue/ Matte Black
Frame Size	S, M, L, XL

TRAIL 650B

SIXFIFTY 3500



FEATURES


- 20 Speeds
- Rock Shox Reba RLT 120mm Fork
- Stan's Rapid Tubeless Wheelset
- Shimano XT/SLX Drivetrain

NEW OR CHANGED FOR 2015

- Maxxis Ardent Tubeless Ready Tires
- Shimano FCM625 Cranks
- Shimano CS HG5010 11-36 Cassette
- Shimano M506 Brakes
- Stan's Rapid Tubeless Wheelset
- Shimano XT/SLX Drivetrain

MSRP: \$2749-2949

PART #	MODEL	SIZE	COLOR
95-150-001	SixFifty 3500	S	Matte Black w/Silver
95-150-002	SixFifty 3500	M	Matte Black w/Silver
95-150-003	SixFifty 3500	L	Matte Black w/Silver
95-150-004	SixFifty 3500	XL	Matte Black w/Silver



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/ effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	394 / 15.5	68.5°	73.5°	554 / 21.8	430 / 16.9	330 / 13	725 / 28.5	110 / 4.3	390 / 15.4	587 / 23.1
M	432 / 17	68.5°	73.5°	580 / 22.8	430 / 16.9	330 / 13	741 / 29.2	120 / 4.7	413 / 16.3	597 / 23.5
L	483 / 19	68.5°	73.5°	607 / 23.9	430 / 16.9	330 / 13	773 / 30.4	130 / 5.1	435 / 17.1	606 / 23.9
XL	521 / 20.5	68.5°	73.5°	633 / 24.9	430 / 16.9	330 / 13	789 / 31.1	140 / 5.5	457 / 18	615 / 24.2

BIKE SPECS

Frame	650B 120mm, Alloy 6061 w/Custom Formed Dbl.Buttet TT & DT, 1.5 Taper, 12 x 142 Rear Axle, w/Replaceable Derailleur Hanger,
Rear Shock	Rock Shox Monarch RT3 HV, Solo Air with 3 Pos. Flood Gate Switch, Rebound adj.
Fork	Rock Shox Reba RLT, 120mm, 1-1/8-1.5 Tapered Alloy Steerer, Motion Control, External rebound, Low Speed Compression to 'Lock' with External Floodgate, 15mm Through Axle
Headset	FSA Orbit 1.5E, Zero Stack, 1 1/8"~1.5
Rims	Stan's Rapid 25, Double Wall, 28H, Tubeless Ready
Hub, Front	KT Lightweight S/B Alloy Disc, 15mm, Straight Pull
Hub, Rear	KT Lightweight S/B Alloy Disc, Cassette, 12 x 142mm, Straight Pull
Tires	Maxxis Ardent 27.5 x 2.25, Folding, Tubeless Ready
Spokes	14G Black w/Alloy Nipples, 28X28
Derailleur, Front	Shimano SLX FDM675E
Derailleur, Rear	Shimano XT, RDM786, Shadow Plus
Shifters	Shimano XLS SLM670 w/I-Spec
Chain	KMC X10 w/missing Link
Crankset	Shimano FCM625 38/24
BB	Shimano PF92
Freewheel/Cassette	Shimano HG5010 11-36T, 10-speed
Pedals	N/A
Seatpost	Q2 Alloy, 30.9x350
Saddle	WTB Volt Comp
Handlebar	Kore XCD 1 Riser, 710 x 15mm, 31.8
Stem	Kore XCD, 3D Forged, 31.8mm, S-M: 80, L-XL: 90
Grips	Q2 Lock-on
Brake Levers	Shimano New M506, Servo Wave
Brakes	Shimano M506 Hydraulic Disc, 160mm Rotors
Color	Matte Black/Matte Silver
Frame Size	S, M, L, XL

TRAIL 650B

SIXFIFTY 2500



FEATURES

- 20 Speeds
- SUN Helix TR25 Tubeless ready Wheelset
- Sram X7/X5 Drivetrain
- Shimano M506 Hydraulic Disc Brakes

NEW OR CHANGED FOR 2015


- SUN Helix TR25 Tubeless ready Wheelset
- Maxxis Ardent Tubeless Ready Tires
- Sram X5 FT Derailleur
- Sram X7 RR Derailleur
- Sram X5 Trigger Shifters
- Sram PG1020 11-36 Cassette

MSRP: \$1999-2199

PART #	MODEL	SIZE	COLOR
95-149-001	SixFifty 2500	S	Matte Grey w/Red
95-149-002	SixFifty 2500	M	Matte Grey w/Red
95-149-003	SixFifty 2500	L	Matte Grey w/Red
95-149-004	SixFifty 2500	XL	Matte Grey w/Red

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/l°	D t/effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	394 / 15.5	68.5°	73.5°	554 / 21.8	430 / 16.9	330 / 13	725 / 28.5	110 / 4.3	390 / 15.4	587 / 23.1
M	432 / 17	68.5°	73.5°	580 / 22.8	430 / 16.9	330 / 13	741 / 29.2	120 / 4.7	413 / 16.3	597 / 23.5
L	483 / 19	68.5°	73.5°	607 / 23.9	430 / 16.9	330 / 13	773 / 30.4	130 / 5.1	435 / 17.1	606 / 23.9
XL	521 / 20.5	68.5°	73.5°	633 / 24.9	430 / 16.9	330 / 13	789 / 31.1	140 / 5.5	457 / 18	615 / 24.2



BIKE SPECS

Frame	650B 120mm, Alloy 6061 w/Custom Formed Dbl.Buttet TT & DT, 1.5 Taper, 12 x 142 Rear Axle, w/Replaceable Derailleur Hanger,
Rear Shock	X-Fusion 02RL, air w/Hydraulic Dampening, Rebound Adj & Lock Out
Fork	RST First 650B, Air Spring, 120mm, Alloy 1.5 Taper, Rebound Adj, Hydraulic lock out
Headset	FSA Orbit 1.5E, Zero Stack, 1 1/8"~1.5
Rims	Sun Helix TR25, 32H, Double Wall w/Eyelets, Tubeless Ready
Hub, Front	KT S/B Alloy disc w/CNC Rotor Flange, 15mm
Hub, Rear	KT S/B Alloy Disc Cassette w/CNC Rotor Flange, 12mm Thru-Axle QR
Tires	Maxxis Ardent 27.5 x 2.25, Folding, Tubeless Ready
Spokes	14G Black w/Alloy Nipples, 32X32
Derailleur, Front	Sram X5 S3 Direct
Derailleur, Rear	Sram X7 type 2
Shifters	Sram X5 Trigger
Chain	KMC X10 w/missing Link
Crankset	KHS 2pc Forged, 38/24, w/Alloy C/R's, S: 170, M-XL: 175
BB	PF92
Freewheel/Cassette	Sram PG1020 11-36T, 10-speed
Pedals	N/A
Seatpost	Alloy micro-adjust, 30.9X350
Saddle	WTB Volt Sport
Handlebar	Alloy, 700X15 rise
Stem	KHS Alloy 3D Forged, 4-bolt, 7degree, 31.8, S: 70, M: 80, L-XL: 90
Grips	Q2 Lock-on
Brake Levers	Shimano New M506, Servo Wave
Brakes	Shimano M506 Hydraulic Disc, 160mm Rotors
Color	Matte Gray/Matte Red
Frame Size	S, M, L, XL

XC RACING 650B

SIXFIFTY TEAM



FEATURES

- 11 Speeds
- KHS T8 MSD Carbon™ Frame
- DT 1501 Wheelset
- Sram XX1 Drivetrain

NEW OR CHANGED FOR 2015


- KHS T8 MSD Carbon™ Frame
- DT 1501 Wheelset
- Sram XX1 RR Derailleur
- Sram XX1 Trigger Shifter
- Sram Guide RSC Hydraulic Disc Brakes

MSRP: \$5649-5949

PART #	MODEL	SIZE	COLOR
95-148-001	SixFifty Team	S	Team
95-148-002	SixFifty Team	M	Team
95-148-003	SixFifty Team	L	Team
95-148-004	SixFifty Team	XL	Team

GEOMETRY

SIZE	A s/t c-t	B h/t*	C s/l*	D t/ effectv	E c/s	F BB Height	H s.o.	I h/L	J Reach	K Stack
S	400 / 15.7	70°	73.5°	570 / 22.4	428 / 16.9	305 / 12	768 / 30.2	101 / 4	398 / 15.7	581 / 22.9
M	435 / 17.1	70.5°	73°	594 / 23.4	428 / 16.9	305 / 12	793 / 31.2	115 / 4.5	412 / 16.2	596 / 23.5
L	480 / 18.9	71°	73°	610 / 24	428 / 16.9	305 / 12	821 / 32.3	120 / 4.7	424 / 16.7	603 / 23.7
XL	520 / 20.5	71°	73°	625 / 24.6	428 / 16.9	305 / 12	847 / 33.3	130 / 5.1	436 / 17.2	618 / 24.3



BIKE SPECS

Frame	KHS 650B Full MSD Carbon Monocoque, 1-1/8-1.5 Taper, Disc Only
Rear Shock	N/A
Fork	Fox 32 Float 27.5", FIT CTD Remote w/Kashima, 100mm, Air, Extrl Rbnd, Remote CTD Low Speed Cmprsn, 1.5 Taper, 15mm Thru Axle
Headset	FSA Orbit C-40-CF-ACB, N.42CF, 1-1/8"~1.5" Integrated, Carbon Top Cover
Rims	DT XR 1501 Spline Wheel SET, 650B Disc, Straight Pull w/ 15mm Thru-Axle, Tubeless Ready
Hub, Front	DT XR 1501 Spline, Wheel set
Hub, Rear	DT XR 1501 Spline, Wheel set
Tires	Maxxis Ikon, M319RU, 3C/EXO/TR, 27.5 x 2.2, 120 TPI Folding, 3C/EXO/Tubeless Ready
Spokes	DT XR 1501 Spline, Wheel set
Derailleur, Front	N/A
Derailleur, Rear	Sram XX 1, 11s X-Horizon, Type 2
Shifters	Sram XX 1, 11s Trigger, Right Only
Chain	Sram PC-XX1
Crankset	Sram XX1, Carbon W/Forged Alloy Spider, PF30, 36T, S: 170, M-XL: 175
BB	Sram PF30
Freewheel/Cassette	Sram XG-1195, 10-42T, 11-speed
Pedals	N/A
Seatpost	Q2 Team Full Carbon, 27.2x350
Saddle	Velo 1557 Ultra Light w/Carbon Base& Ti-Rail
Handlebar	Ritchey Low Rise WCS Carbon, 710x15mm
Stem	Ritchey 4-Axis 44 WCS, 6D, 31.8, S: 80, M: 90, L: 100, XL: 110
Grips	Q2 Lock-on
Brake Levers	Sram Guide RSC, Match Maker X
Brakes	Sram Guide RSC Hydraulic Disc, 4 Piston, Tool Free Reach & Pad Contact Adj., 160mm Rotors
Color	Team
Frame Size	S, M, L, XL

XC SPORT 650B

SIXFIFTY 800



FEATURES

- 20 Speeds
- KHS T8 MSD Carbon™ Frame
- Fox 32 Float CTD 100mm Fork
- Sram X9/X7 Drivetrain

NEW OR CHANGED FOR 2015


- KHS T8 MSD Carbon™ Frame
- Stan's Rapid 25 Tubeless Ready Wheelset
- Sram Guide R Hydraulic Disc Brakes

MSRP: \$3199-3499

PART #	MODEL	SIZE	COLOR
95-147-001	SixFifty 800	S	Matte Black/Matte Gray
95-147-002	SixFifty 800	M	Matte Black/Matte Gray
95-147-003	SixFifty 800	L	Matte Black/Matte Gray
95-147-004	SixFifty 800	XL	Matte Black/Matte Gray

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/l°	D vt effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	400 / 15.7	70°	73.5°	570 / 22.4	428 / 16.9	305 / 12	768 / 30.2	101 / 4	398 / 15.7	581 / 22.9
M	435 / 17.1	70.5°	73°	594 / 23.4	428 / 16.9	305 / 12	793 / 31.2	115 / 4.5	412 / 16.2	596 / 23.5
L	480 / 18.9	71°	73°	610 / 24	428 / 16.9	305 / 12	821 / 32.3	120 / 4.7	424 / 16.7	603 / 23.7
XL	520 / 20.5	71°	73°	625 / 24.6	428 / 16.9	305 / 12	847 / 33.3	130 / 5.1	436 / 17.2	618 / 24.3



BIKE SPECS

Frame	KHS 650B Full MSD Carbon Monocoque, 1-1/8-1.5 Taper, Disc Only
Rear Shock	N/A
Fork	Fox 32 Float 27.5", CTD 0/C, 100mm, Air, Extrnl Rbnd, CTD Low Speed Cmprsn, 1.5 Taper, 15mm Thru Axle
Headset	FSA Orbit C-40-CF-ACB, N.42CF, 1-1/8" ~1.5" Integrated, Carbon Top Cover
Rims	Stan's Rapid 25 Double Wall, 28H, Tubeless Ready
Hub, Front	KT Lightweight S/B Alloy Disc, 15mm, Straight Pull
Hub, Rear	KT Lightweight S/B Alloy Disc, Cassette, Straight Pull
Tires	Maxxis Ikon, M319RU, 3C/EXO/TR, 27.5 x 2.2, 120 TPI Folding, 3C/EXO/Tubeless Ready
Spokes	14G/15G Dbl Butted Black Strls w/Alloy Nipples, 28x28
Derailleur, Front	Sram X7 E-Type
Derailleur, Rear	Sram X9 Type 2
Shifters	Sram X7 Triggers
Chain	Sram PC-1051
Crankset	SRAM S1000, 2 pc. PF30, 39x26T, S: 170, M-XL: 175
BB	Sram PF30
Freewheel/Cassette	Sram PG-1050, 11-36T, 10-speed
Pedals	N/A
Seatpost	Q2 Carbon, 27.2x350
Saddle	WTB Volt Comp
Handlebar	Kore XCD-1 Riser, 720 x 15mm
Stem	Kore XCD, 3D Forged, 31.8, S: 80, M-L: 90, XL: 100
Grips	Q2 Lock-on
Brake Levers	Sram Guide R, Matchmaker X
Brakes	Sram Guide R Hydraulic Disc, 4 Piston, Tool Free Reach Adj., 160mm Rotors
Color	Matte Black/Matte Gray
Frame Size	S, M, L, XL

XC SPORT 650B

SIXFIFTY 700



FEATURES

- 11 Speeds
- Manitou Marvel Comp TS Air 100mm Fork
- Stan's Rapid 25 Tubeless ready Wheelset
- Sram X1 Drivetrain

NEW OR CHANGED FOR 2015


- Manitou Marvel Comp TS Air 100mm Fork
- Stan's Rapid 25 Tubeless ready Wheelset
- Sram X1 RR Derailleur
- Sram X1 Trigger Shifters
- Sram X1 Cranks
- Sram XG-1180 10-42 Cassette
- Kore XCD-1 Handlebar
- Shimano BR-M506 Hydraulic Disc Brakes

MSRP: \$1999-2199

PART #	MODEL	SIZE	COLOR
95-146-001	SixFifty 700	S	Mid Blue w/White
95-146-002	SixFifty 700	M	Mid Blue w/White
95-146-003	SixFifty 700	L	Mid Blue w/White
95-146-004	SixFifty 700	XL	Mid Blue w/White

GEOMETRY

SIZE	A s/t c-t	B h/t*	C s/l*	D vt effectv	E c/s	F BB Height	H s.o.	I h/tL	J Reach	K Stack
S	381 / 15	71°	73°	555 / 21.9	425 / 16.7	301 / 11.9	768 / 30.2	110 / 4.3	367 / 14.4	616 / 24.3
M	432 / 17	71°	73°	585 / 23	425 / 16.7	301 / 11.9	789 / 31.1	110 / 4.3	397 / 15.6	616 / 24.3
L	483 / 19	71°	73°	615 / 24.2	425 / 16.7	301 / 11.9	802 / 31.6	110 / 4.3	427 / 16.8	616 / 24.3
XL	533 / 21	71°	73°	640 / 25.2	425 / 16.7	301 / 11.9	833 / 32.8	125 / 4.9	447 / 17.6	630 / 24.8



BIKE SPECS

Frame	650B Alloy 6061 Double Butted Custom Formed TT & DT w/ Replaceable Derailleur Hanger, 1.5 Taper
Rear Shock	N/A
Fork	Manitou Marvel Comp TS AIR, 100mm, Absolute+ Dampening, Ext Rebound Adj & Compression Adj to Lock, 1.5 Taper Alloy Steerer, 15mm
Headset	FSA Orbit 1.5E, Zero Stack, 1 1/8"~1.5
Rims	Stan's Rapid 25 Double Wall, 32H, Tubeless Ready
Hub, Front	KT S/B Alloy disc w/CNC Rotor Flange, 15mm
Hub, Rear	KT S/B Alloy Disc XD w/CNC Rotor Flange
Tires	Maxxis Arent Race,, M329RU, 3C/EX0/TR, 27.5 x 2.2, 120 TPI Folding, Tubeless Ready
Spokes	14G Black w/Alloy Nipples, 32X32
Derailleur, Front	N/A
Derailleur, Rear	Sram X1, 11s X-Horizon, Type 2
Shifters	Sram X1 11s Trigger, Right Only
Chain	KMC X11L
Crankset	Sram X1 1000 X-Sync, Forged, GXP, 36T, S: 170, M-XL: 175
BB	Sram GXP
Freewheel/Cassette	Sram XG-1180, 10-42T, 11-speed
Pedals	N/A
Seatpost	KHS Alloy micro-adjust, 31.6X350
Saddle	WTB Volt Comp
Handlebar	Kore XCD 1 Riser, 720 x 15mm
Stem	Kore XCD, 3D Forged, 31.8, S: 80, M-L: 90, XL: 100
Grips	Q2 Lock-on
Brake Levers	Shimano BR-M506, Servo Wave
Brakes	Shimano BR-M506, Hydraulic Disc, 160mm Rotors
Color	Mid Blue/White
Frame Size	S, M, L, XL

XC SPORT 650B

SIXFIFTY 600



FEATURES


- 20 Speeds
- 6061 Alloy Double Butted Frame
- Sram X7/X5 Drivetrain
- Shimano BR-M396 Hydraulic Disc Brakes

NEW OR CHANGED FOR 2015

- 15mm Fork and Hub
- Sram X7/X5 2x10 Drivetrain

MSRP: \$1099-1199

PART #	MODEL	SIZE	COLOR
95-145-001	SixFifty 600	S	Matte Shale Gray w/Black
95-145-002	SixFifty 600	M	Matte Shale Gray w/Black
95-145-003	SixFifty 600	L	Matte Shale Gray w/Black
95-145-004	SixFifty 600	XL	Matte Shale Gray w/Black
95-145-005	SixFifty 600 Ladies	S	White w/Blue



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/L	J Reach	K Stack
S	381 / 15	71°	73°	555 / 21.9	425 / 16.7	301 / 11.9	768 / 30.2	110 / 4.3	367 / 14.4	616 / 24.3
M	432 / 17	71°	73°	585 / 23	425 / 16.7	301 / 11.9	789 / 31.1	110 / 4.3	397 / 15.6	616 / 24.3
L	483 / 19	71°	73°	615 / 24.2	425 / 16.7	301 / 11.9	802 / 31.6	110 / 4.3	427 / 16.8	616 / 24.3
XL	533 / 21	71°	73°	640 / 25.2	425 / 16.7	301 / 11.9	833 / 32.8	125 / 4.9	447 / 17.6	630 / 24.8

BIKE SPECS

Frame	650B Alloy 6061 Double Butted Custom Formed TT & DT w/ Replaceable Derailleur Hanger, 1.5 Taper
Rear Shock	N/A
Fork	RST First 650B, Air, 100mm, Air Spring, 1.5 Taper, Rebound Adj, Hydraulic Lock Out, 15mm QR
Headset	FSA Orbit 1.5E, Zero Stack, 1 1/8"~1.5
Rims	Weinmann U28 Disc w/Single Eyelets, 650B, Double Wall, 32H
Hub, Front	KT Alloy Disc w/CNC Rotor Flange, 15mm
Hub, Rear	KT Alloy Disc w/CNC Rotor Flange, QR, Cassette
Tires	Maxxis Crossmark 27.5 x 2.1, Folding
Spokes	14G Black w/Alloy Nipples, 32x32
Derailleur, Front	Sram X5, 34.9
Derailleur, Rear	Sram X7 Type 2
Shifters	Sram X5 Trigger
Chain	KMC X10
Crankset	KHS 2pc Forged w/Outboard Bearing, 24x38, w/Alloy C/R, S: 170, M-XL: 175
BB	Outboard Cartridge Bearing
Freewheel/Cassette	Sram PG-1020, 11-36T, 10-speed
Pedals	Wellgo Alloy ATB 1 pc. w/CNC
Seatpost	KHS Alloy Micro-adjust, 31.6x350mm
Saddle	WTB Volt Sport, Ladies: KHS Ladies Design
Handlebar	Alloy, 700x15mm, Butted, Ladies: 660
Stem	KHS Alloy 3D Forged, 4-bolt, 7degree, 31.8, S: 80, M: 90, L: 100, XL: 110, Ladies S: 80
Grips	Q2 Lock-on
Brake Levers	Shimano BR-M396
Brakes	Shimano BR-M396, Hydraulic Disc, 160mm Rotors
Color	Mens: Matte Shale Gray/Matte Black, Ladies: White/Blue
Frame Size	S, M, L, XL, Ladies: S

XC SPORT 650B

SIXFIFTY 500



FEATURES

- 27 Speeds
- 6061 Alloy Custom Formed Frame
- Shimano Alivio Drivetrain
- Shimano BR-M355 Hydraulic Brakes

NEW OR CHANGED FOR 2015

- Shimano Alivio FT Derailleur
- Shimano Alivio RR Derailleur
- Shimano Alivio Shifters
- Shimano Alivio Octalink Cranks
- Shimano CS-HG200-9 11-34 Cassette
- Shimano BR-M355 Hydraulic Brakes

MSRP: \$729-799


PART #	MODEL	SIZE	COLOR
95-144-001	SixFifty 500	S	Black w/Silver
95-144-002	SixFifty 500	S	Matte King Coal Gray w/Orange
95-144-003	SixFifty 500	M	Black w/Silver
95-144-004	SixFifty 500	M	Matte King Coal Gray w/Orange
95-144-005	SixFifty 500	L	Black w/Silver
95-144-006	SixFifty 500	L	Matte King Coal Gray w/Orange
95-144-007	SixFifty 500	XL	Black w/Silver
95-144-008	SixFifty 500	XL	Matte King Coal Gray w/Orange
95-144-009	SixFifty 500 Ladies	XS	Matte HiHo Silver w/Red
95-144-010	SixFifty 500 Ladies	XS	Tarnished Penny w/Pearl White
95-144-011	SixFifty 500 Ladies	S	Matte HiHo Silver w/Red
95-144-012	SixFifty 500 Ladies	S	Tarnished Penny w/Pearl White

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D U/effectv	E c/s	F BB Height	H s.o.	I h/t/L	J Reach	K Stack
S	381 / 15	71°	73°	555 / 21.9	425 / 16.7	301 / 11.9	768 / 30.2	110 / 4.3	367 / 14.4	616 / 24.3
M	432 / 17	71°	73°	585 / 23	425 / 16.7	301 / 11.9	789 / 31.1	110 / 4.3	397 / 15.6	616 / 24.3
L	483 / 19	71°	73°	615 / 24.2	425 / 16.7	301 / 11.9	802 / 31.6	110 / 4.3	427 / 16.8	616 / 24.3
XL	533 / 21	71°	73°	640 / 25.2	425 / 16.7	301 / 11.9	833 / 32.8	125 / 4.9	447 / 17.6	630 / 24.8

BIKE SPECS

Frame	650B Alloy 6061 w/Custom Formed TT & DT, w/Replaceable Derailleur Hanger
Rear Shock	N/A
Fork	SR XCM LO, 100mm, 1-1/8, Fixed Hydraulic Rebound + Hydraulic lock out, Preload Adj
Headset	Threadless 1-1/8, Zero Stack
Rims	Weinmann U28 Disc w/Single Eyelets, 650B, Double Wall, 32H
Hub, Front	KT Alloy Disc w/CNC Rotor Flange, QR
Hub, Rear	KT Alloy Disc w/CNC Rotor Flange, QR, Cassette
Tires	Maxxis Sphinx 650B x 2.1,
Spokes	14G Black, 32X32
Derailleur, Front	Shimano New Alivio, FD-M4000 34.9
Derailleur, Rear	Shimano New Alivio, RD-M4000
Shifters	Shimano New Alivio, ST-M4000
Chain	KMC X9
Crankset	Shimano New Alivio, FC-M4000, Octalink, 4030/22, XS-S: 170, M-XL: 175
BB	Shimano ES25 Octalink, Cartridge bearing
Freewheel/Cassette	Shimano CS-HG200-9 11-34T, 9-speed
Pedals	Wellgo Resin Platform
Seatpost	KHS Alloy Micro-adjust, 31.6X350
Saddle	KHS Sport Dual Density, Ladies: KHS Ladies Design
Handlebar	Alloy, 700X15mm, Butted, Ladies: 660
Stem	KHS Alloy 3D Forged, 4-bolt, 7degree, 31.8, S: 75, M-L: 90, XL: 100, Ladies XS-S: 75
Grips	KHS Sport, Dual Compound
Brake Levers	Shimano BR-M355
Brakes	Shimano BR-M355, Hydraulic Disc, 160mm Rotors
Color	Mens: Black/Silver; Matte Gray/Matte Orange, Ladies: Matte HiHo Silver/Red, Tarnished Penny/Pearl White
Frame Size	S, M, L, XL, Ladies: XS, S



45

All specs are subject to change without notice.



XC SPORT 650B

SIXFIFTY 300



FEATURES

- 24 Speeds
- 6061 Alloy Custom Formed Frame
- SR XCM HLO 100mm Fork
- Shimano Altus Drive Train

NEW OR CHANGED FOR 2015

- Shimano TX800 Shifters
- Shimano FC-TX801 Triple Cranks
- Shimano CS-HG200-8 12-32 Cassette

MSRP: \$599-659


PART #	MODEL	SIZE	COLOR
95-143-001	SixFifty 300	S	Matte Lime w/Grey
95-143-002	SixFifty 300	S	Red w/White
95-143-003	SixFifty 300	M	Matte Lime w/Grey
95-143-004	SixFifty 300	M	Red w/White
95-143-005	SixFifty 300	L	Matte Lime w/Grey
95-143-006	SixFifty 300	L	Red w/White
95-143-007	SixFifty 300	XL	Matte Lime w/Grey
95-143-008	SixFifty 300	XL	Red w/White
95-143-009	SixFifty 300 Ladies	XS	Matte Black w/Tulip
95-143-010	SixFifty 300 Ladies	XS	Pearl White w/Placid Blue
95-143-011	SixFifty 300 Ladies	S	Matte Black w/Tulip
95-143-012	SixFifty 300 Ladies	S	Pearl White w/Placid Blue

GEOMETRY

SIZE	A s/t c-t	B h/t*	C s/t*	D t/effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XS	330 / 13	71°	73°	550 / 21.7	430 / 16.9	297 / 11.7	737 / 29	110 / 4.3	360 / 14.2	620 / 24.4
S	381 / 15	71°	73°	555 / 21.9	430 / 16.9	297 / 11.7	764 / 30.1	110 / 4.3	366 / 14.4	620 / 24.4
M	432 / 17	71°	73°	585 / 23	430 / 16.9	297 / 11.7	786 / 30.9	110 / 4.3	395 / 15.6	621 / 24.4
L	483 / 19	71°	73°	615 / 24.2	430 / 16.9	297 / 11.7	807 / 31.8	110 / 4.3	425 / 16.7	621 / 24.4
XL	533 / 21	71°	73°	640 / 25.2	430 / 16.9	297 / 11.7	837 / 33	125 / 4.9	447 / 17.6	633 / 24.9

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed TT & replaceable der hanger
Rear Shock	N/A
Fork	SR XCM HLO, 100mm, 1-1/8, Hydraulic lock out, Preload Adj
Headset	Threadless 1-1/8, Zero Stack
Rims	Weinmann XM25, 650B, 32H, Doublewall
Hub, Front	KT Alloy Disc w/CNC Rotor Flange, QR
Hub, Rear	KT Alloy Disc w/CNC Rotor Flange, QR, Cassette
Tires	CST C1435A, 650Bx2.1
Spokes	14G Black, 32x32
Derailleur, Front	Shimano Altus, FD-M360 34.9
Derailleur, Rear	Shimano Altus, RD-M360
Shifters	Shimano ST-TX800
Chain	KMC Z8
Crankset	Shimano FC-TX801, 42/32/22T XS-S: 170, M-XL: 175
BB	Cartridge Bearing
Freewheel/Cassette	Sram PG 820, 11-32, 8-speed
Pedals	Wellgo Resin Platform
Seatpost	KHS Alloy Micro-adjust, 31.6x350
Saddle	KHS Sport Dual Density, Ladies: KHS Ladies Design
Handlebar	Alloy, 700x15mm, Butted, Ladies 660
Stem	KHS Alloy 4-bolt, 7 Degree, 31.8, S: 75, M-L: 90, XL: 100, Ladies XS-S: 75
Grips	KHS Sport, Dual Compound
Brake Levers	Shimano ST-TX800
Brakes	Bengal Cable Disc MB606, 160mm Rotors
Color	Mens: Matte Lime/Matte Gray, Red/White, Ladies: Matte Black/Tulip, Pearl White/Placid Blue
Frame Size	S, M, L, XL, Ladies: XS, S



XC SPORT 650B

SIXFIFTY 200



FEATURES

- 21 Speeds
- 6061 Alloy Custom Formed Frame
- Shimano Tourney Drivetrain
- Bengal MB606 Mechanical Disc Brakes
- MSRP: \$499-549


PART #	MODEL	SIZE	COLOR
95-142-001	SixFifty 200	S	Matte Black w/White
95-142-002	SixFifty 200	S	Matte Blue w/Silver
95-142-003	SixFifty 200	M	Matte Black w/White
95-142-004	SixFifty 200	M	Matte Blue w/Silver
95-142-005	SixFifty 200	L	Matte Black w/White
95-142-006	SixFifty 200	L	Matte Blue w/Silver
95-142-007	SixFifty 200	XL	Matte Black w/White
95-142-008	SixFifty 200	XL	Matte Blue w/Silver
95-142-009	SixFifty 200 Ladies	XS	Matte Black/Celeste
95-142-010	SixFifty 200 Ladies	XS	Pearl w/Orange
95-142-011	SixFifty 200 Ladies	S	Matte Black/Celeste
95-142-012	SixFifty 200 Ladies	S	Pearl w/Orange

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/teffectv	E c/s	F BB Height	H s.o.	I h/L	J Reach	K Stack
XS	330 / 13	71°	73°	550 / 21.7	430 / 16.9	297 / 11.7	737 / 29	110 / 4.3	360 / 14.2	620 / 24.4
S	381 / 15	71°	73°	555 / 21.9	430 / 16.9	297 / 11.7	764 / 30.1	110 / 4.3	366 / 14.4	620 / 24.4
M	432 / 17	71°	73°	585 / 23	430 / 16.9	297 / 11.7	786 / 30.9	110 / 4.3	395 / 15.6	621 / 24.4
L	483 / 19	71°	73°	615 / 24.2	430 / 16.9	297 / 11.7	807 / 31.8	110 / 4.3	425 / 16.7	621 / 24.4
XL	533 / 21	71°	73°	640 / 25.2	430 / 16.9	297 / 11.7	837 / 33	125 / 4.9	447 / 17.6	633 / 24.9

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed TT & replaceable der hanger
Rear Shock	N/A
Fork	SR Suntour XCT, 100mm, Preload Adj
Headset	Threadless 1-1/8, Zero Stack
Rims	Alloy, Doublewall, 650Bx32H
Hub, Front	KT Alloy Disc QR
Hub, Rear	KT Alloy Disc QR, Cassette
Tires	650Bx2.0
Spokes	14G Black, 32X32
Derailleur, Front	Shimano Tourney 34.9
Derailleur, Rear	Shimano RD-TX35
Shifters	Shimano ST-EF51
Chain	KMC Z50
Crankset	Shimano FC-M171, 42/34/24T, 170mm
BB	Cartridge Bearing
Freewheel/Cassette	Shimano CS-HG20-7, 12-32, 7-speed
Pedals	Resin MTB Platform w/boron axle
Seatpost	KHS Alloy Micro-adjust, 31.6 x 300
Saddle	KHS Sport
Handlebar	Alloy, 700X15mm, Butted, Ladies 660
Stem	KHS Alloy 4-bolt, 7 Degree, 31.8, S: 70, M-L: 90, XL: 100, Ladies XS-S: 70
Grips	KHS Sport
Brake Levers	Shimano ST-EF51
Brakes	Bengal Cable Disc MB606, 160mm Rotors
Color	Mens: Matte Black/White; Matte Blue/Silver, Ladies: Matte Black/Celeste, Pearl/Orange
Frame Size	S, M, L, XL, Ladies: XS, S



XC SPORT

ALITE 40



FEATURES

- 21 Speeds
- Hi-Tensile Steel Frame
- Hi-Tensile Unicrown Fork
- Shimano Tourney Drivetrain

NEW OR CHANGED FOR 2015

- Shimano FC-M171 Triple Cranks
- Weinmann Alloy Rims

MSRP: \$299-329


PART #	MODEL	SIZE	COLOR
95-135-001	Alite 40	12"	Black
95-135-002	Alite 40	15"	Black
95-135-003	Alite 40	15"	Sublime
95-135-004	Alite 40	17"	Black
95-135-005	Alite 40	17"	Sublime
95-135-006	Alite 40	19"	Black
95-135-007	Alite 40	19"	Sublime
95-135-008	Alite 40 Ladies	16"	Matte King Coal Gray
95-135-009	Alite 40 Ladies	16"	Flame Red

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D vt effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
12"	305 / 12	70°	73°	526 / 20.7	425 / 16.7	292 / 11.5	665 / 26.2	110 / 4.3	371 / 14.6	507 / 20
15"	381 / 15	71°	73°	552 / 21.7	430 / 16.9	302 / 11.9	713 / 28.1	115 / 4.5	397 / 15.6	506 / 19.9
17"	432 / 17	71°	73°	572 / 22.5	430 / 16.9	302 / 11.9	746 / 29.4	130 / 5.1	413 / 16.3	520 / 20.5
19"	483 / 19	71°	73°	592 / 23.3	430 / 16.9	302 / 11.9	779 / 30.7	145 / 5.7	429 / 16.9	534 / 21
16"L	406 / 16	71°	73°	562 / 22.1	430 / 16.9	302 / 11.9	642 / 25.3	130 / 5.1	403 / 15.9	520 / 20.5

BIKE SPECS

Frame	TIG-welded Hi-tensile Steel
Rear Shock	N/A
Fork	Hi-tensile Unicrown
Headset	VP Threadless 1-1/8"
Rims	Weinmann Alloy, 26x36H
Hub, Front	14Gx36H, Nuted
Hub, Rear	14Gx36H, Nuted
Tires	Mountain 26X1.95
Spokes	14G Black, 36X36
Derailleur, Front	Shimano Tourney
Derailleur, Rear	Shimano RD-TX35
Shifters	Shimano Revo
Chain	KMC Z50
Crankset	Shimano FC-M171, 48/38/28T, 170mm
BB	Cotterless 108mm
F/W	Shimano 14-34T, 7-speed, Mega Range Freewheel
Pedals	Resin ATB
Seatpost	KHS Alloy 28.6x350mm
Saddle	KHS Sport
Handlebar	Steel 30 rise/640, 6 Degree
Stem	KHS Alloy Threadless, 25 Degree, 80
Grips	Kraton For Twist
Brake Levers	Promax Alloy Linear Pull, 2.5F
Brakes	Promax Alloy Linear Pull
Color	Mens: Black, Sublime, Ladies: Matte King Cole Gray, Flame Red
Frame Size	12 Black Only, 15, 17, 19, Ladies: 16






FEATURES

- 20 Speeds
- KHS MSD Carbon™ Frame
- KHS MSD Carbon™ Fork
- Sram 2x10 Drivetrain

NEW MODEL FOR 2015

MSRP: \$2999-3299

PART #	MODEL	SIZE	COLOR
95-173-001	4 Season 5000	15	Matte Carbon
95-173-002	4 Season 5000	17	Matte Carbon
95-173-003	4 Season 5000	19	Matte Carbon



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
15"	381 / 15	69.5°	73°	585 / 23	468 / 18.4	320 / 12.6	763 / 30	105 / 4.1	402 / 15.8	600 / 23.6
17"	432 / 17	69.5°	73°	602 / 23.7	468 / 18.4	320 / 12.6	796 / 31.3	125 / 4.9	416 / 16.4	619 / 24.4
19"	483 / 19	69.5°	73°	622 / 24.5	468 / 18.4	320 / 12.6	828 / 32.6	140 / 5.5	427 / 16.8	633 / 24.9

BIKE SPECS

Frame	KHS High Modulus Full MSD Carbon w/1.5 Taper Headtube, Disc Only, Internal Cable Routing
Rear Shock	N/A
Fork	KHS High Modulus Full Carbon w/1.5 Taper Steertube, Disc Only, 15q
Headset	FSA Orbit C40-ACB, N.42/CF/ACB, 1-1/8"~1.5" Integrated, Carbon Cap
Rims	Weinmann HL102, 100mm Drilled, 26x32H
Hub, Front	KT Alloy Disc, Forged, S/B, 15Q,
Hub, Rear	KT Alloy Disc, Forged, S/B, Cassette, 12x190
Tires	Vee Rubber Snow Shoe XL, 26X4.8, 120 tpi, Folding
Spokes	14G Black, 32x32
Derailleur, Front	Sram X7
Derailleur, Rear	Sram X9 Type 2
Shifters	Sram X7 Trigger
Chain	KMC X10 w/Missing Link
Crankset	FSA Comet Fat Bike, Mega EXO, 36X22, 15: 170, 17-19: 175
BB	FSA Mega EXO
Freewheel / Cassette	Sram PG-1030, 11-36T, 10-speed
Pedals	N/A
Seatpost	KHS Alloy Micro-adjust, 31.6x350
Saddle	WTB Volt Comp
Handlebar	Kore XCD1 Flat Top, Flat Riser, 4.8 x 710mm, 15-17: 80, 19: 90
Stem	Kore XCD1, Alloy 3D Forged, Threadless 4-bolt, 31.8
Grips	Q2 Lock-on
Brake Levers	Hayes Prime Sport
Brakes	Hayes Prime Sport, Hydraulic Disc, 180/160mm Rotors
Color	Matte Carbon
Frame Size	15, 17, 19

4 SEASON

3000



FEATURES


- 20 speeds
- Weinmann HL 102 Drilled Rims
- Kore XCD1 Handlebar and Stem
- Hayes Prime Sport Hydraulic Disc Brakes

NEW OR CHANGED FOR 2015

- 15 mm Front hub
- 6061 Alloy Fork
- 12x190 Rear Axle System
- 1.5 Taper Headtube
- Hayes Prime Sport Hydraulic Disc Brakes

MSRP: \$1999-2199

PART #	MODEL	SIZE	COLOR
95-172-001	4 Season 3000	15	Matte Charcoal Gray
95-172-003	4 Season 3000	17	Matte Charcoal Gray
95-172-005	4 Season 3000	19	Matte Charcoal Gray
95-172-007	4 Season 3000	21	Matte Charcoal Gray



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/teffectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
15"	381 / 15	68.5°	73°	583 / 23	475 / 18.7	310 / 12.2	700 / 27.6	115 / 4.5	401 / 15.8	595 / 23.4
17"	432 / 17	68.5°	73°	602 / 23.7	475 / 18.7	310 / 12.2	740 / 29.1	135 / 5.3	414 / 16.3	612 / 24.1
19"	483 / 19	68.5°	73°	622 / 24.5	475 / 18.7	310 / 12.2	778 / 30.6	155 / 6.1	428 / 16.9	631 / 24.8
21"	533 / 21	68.5°	73°	640 / 25.2	475 / 18.7	310 / 12.2	819 / 32.2	175 / 6.9	440 / 17.3	649 / 25.6

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed TT, w/Replaceable Derailleur Hanger, 12X190, 1.5 Taper H/T
Rear Shock	N/A
Fork	Alloy Straight Blade, 15Q
Headset	FSA Orbit C40-ACB, N.42/ACB, 1-1/8"~1.5" Integrated, Alloy Cap
Rims	Weinmann HL102, 100mm Drilled, 26x32H
Hub, Front	KT Alloy Disc, Forged, S/B, 15Q,
Hub, Rear	KT Alloy Disc, Forged, S/B, Cassette, 12x190
Tires	Vee Rubber Snow Shoe XL, 26X4.8, 120 tpi, Folding
Spokes	14G Black, 32X32
Derailleur, Front	Sram X7
Derailleur, Rear	Sram X9 Type 2
Shifters	Sram X7 Trigger
Chain	KMC X10 W/Missing Link
Crankset	KHS 2pc Forged w/Outboard Bearing, 22x36, w/Alloy C/R, 15: 170, 17-21: 175
BB	Outboard Cartridge Bearing
Freewheel / Cassette	Sram PG-1030, 11-36T, 10-speed
Pedals	N/A
Seatpost	KHS Alloy Micro-adjust, 31.6X350
Saddle	WTB Volt Comp
Handlebar	Kore XCD1 Flat Top, Flat Riser, 4.8 x 710mm
Stem	Kore XCD1, Alloy 3D Forged, Threadless 4-bolt, 31.8, 15-17: 80, 19: 90, 21: 100
Grips	Q2 Lock-on
Brake Levers	Hayes Prime Sport
Brakes	Hayes Prime Sport, Hydraulic Disc, 180/160mm Rotors
Color	Matte Charcoal Gray
Frame Size	15, 17, 19, 21

4 SEASON

1000



FEATURES

- 20 Speeds
- 6061 Alloy Custom Formed Frame
- SRAM 2x10 Drivetrain
- Hayes Dyno Hydraulic Disc Brakes

NEW OR CHANGED FOR 2015

- Drilled Alloy Rims
- Sram X7 Front Derailleur
- Sram X5 Rear Derailleur
- KMC X10 Chain
- Sram PG-1020 11-36 Cassette
- KHS Alloy Flat Riser Handlebar
- Hayes Dyno Hydraulic Disc Brakes

MSRP: \$1299-1399


PART #	MODEL	SIZE	COLOR
95-171-001	4 Season 1000	15	Gloss Black
95-171-002	4 Season 1000	15	Matte Blood Red
95-171-003	4 Season 1000	17	Gloss Black
95-171-004	4 Season 1000	17	Matte Blood Red
95-171-005	4 Season 1000	19	Gloss Black
95-171-006	4 Season 1000	19	Matte Blood Red
95-171-007	4 Season 1000	21	Gloss Black
95-171-008	4 Season 1000	21	Matte Blood Red

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/l°	D v/ effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
15"	381 / 15	68.5°	73°	583 / 23	475 / 18.7	310 / 12.2	700 / 27.6	115 / 4.5	401 / 15.8	595 / 23.4
17"	432 / 17	68.5°	73°	602 / 23.7	475 / 18.7	310 / 12.2	740 / 29.1	135 / 5.3	414 / 16.3	612 / 24.1
19"	483 / 19	68.5°	73°	622 / 24.5	475 / 18.7	310 / 12.2	778 / 30.6	155 / 6.1	428 / 16.9	631 / 24.8
21"	533 / 21	68.5°	73°	640 / 25.2	475 / 18.7	310 / 12.2	819 / 32.2	175 / 6.9	440 / 17.3	649 / 25.6

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed TT, Replaceable Derailleur Hanger
Rear Shock	N/A
Fork	Full CrMo Straight Blade
Headset	Threadless 1-1/8, Zero Stack
Rims	Alloy 80mm, Drilled
Hub, Front	KT Alloy Disc, QR
Hub, Rear	KT Alloy Disc, Cassette, QR
Tires	Knobby 26x4.0, 120tpi, Folding
Spokes	14G Black, 32X32
Derailleur, Front	Sram X7
Derailleur, Rear	Sram X5
Shifters	Sram X5 Trigger
Chain	KMC X10 W/Missing Link
Crankset	KHS 2pc Forged w/Outboard Bearing, 24x38, w/Alloy C/R, 15: 170, 17-21: 175
BB	Outboard Cartridge Bearing
Freewheel / Cassette	Sram PG-1020, 11-36T, 10-speed
Pedals	VP 530 Alloy Platform
Seatpost	KHS Alloy Micro-adjust, 31.6X350
Saddle	KHS Sport Dual Density
Handlebar	Alloy Flat Riser 700 wide
Stem	KHS Alloy 3D Forged, Threadless 4-bolt, 15-17: 80, 19: 90, 21:100
Grips	Q2 Lock-on
Brake Levers	Hayes Dyno
Brakes	Hayes Dyno, Hydraulic Disc, 180/160mm Rotors
Color	Black, Matte Red
Frame Size	15, 17, 19, 21






FEATURES

- 27 Speeds
- 6061 Alloy Custom Formed Frame
- Shimano 3x9 Drive Train
- Bengal Mechanical Disc Brakes

NEW MODEL FOR 2015

MSRP: \$999-1099

PART #	MODEL	SIZE	COLOR
95-170-001	4 Season 500	15	Matte Black
95-170-002	4 Season 500	17	Matte Black
95-170-003	4 Season 500	19	Matte Black
95-170-004	4 Season 500	21	Matte Black



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
15"	381 / 15	68.5°	73°	583 / 23	475 / 18.7	310 / 12.2	700 / 27.6	115 / 4.5	401 / 15.8	595 / 23.4
17"	432 / 17	68.5°	73°	602 / 23.7	475 / 18.7	310 / 12.2	740 / 29.1	135 / 5.3	414 / 16.3	612 / 24.1
19"	483 / 19	68.5°	73°	622 / 24.5	475 / 18.7	310 / 12.2	778 / 30.6	155 / 6.1	428 / 16.9	631 / 24.8
21"	533 / 21	68.5°	73°	640 / 25.2	475 / 18.7	310 / 12.2	819 / 32.2	175 / 6.9	440 / 17.3	649 / 25.6

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed TT, Replaceable Derailleur Hanger
Rear Shock	N/A
Fork	Full CrMo Straight Blade
Headset	Threadless 1-1/8, Zero Stack
Rims	Alloy 80mm, Drilled
Hub, Front	KT Alloy Disc, QR
Hub, Rear	KT Alloy Disc, Cassette, QR
Tires	Knobby 26x4.0, 60tpi
Spokes	14G Black, 32X32
Derailleur, Front	Shimano FD661 SLX
Derailleur, Rear	Shimano RD-M370
Shifters	Shimano SL-M370 Trigger
Chain	KMC X9 W/Missing Link
Crankset	Shimano FC371, 44/32/22, 15: 170, 17-21: 175
BB	Cartridge Bearing
Freewheel / Cassette	Shimano HG200-9, 11-34T, 9-speed
Pedals	VP 530 Alloy Platform
Seatpost	KHS Alloy Micro-adjust, 31.6X350
Saddle	KHS Sport Dual Density
Handlebar	Alloy Flat Riser, 31.8X700
Stem	Alloy 3D Forged, Threadless 4-bolt 15-17: 80, 19: 90, 21: 100
Grips	Q2 Lock-ON
Brake Levers	Tektro Alloy
Brakes	Bengal MB606, Mechanical Disc, 180/160mm Rotors
Color	Matte Black
Frame Size	15, 17, 19, 21


COMFORT SMOOTHIE



FEATURES

- 7 Speed
- 6061 Alloy w/Easy Ride™ frame technology
- Shimano drivetrain
- Manhattan Comfort saddle
- MSRP: \$449-489

PART #	MODEL	SIZE	COLOR
95-129-001	Smoothie	Reg	Black
95-129-002	Smoothie	Reg	Red
95-129-003	Smoothie	Large	Black
95-129-004	Smoothie	Large	Red
95-129-005	Smoothie	Ladies	Cream
95-129-006	Smoothie	Ladies	Matte Black
95-129-007	Smoothie	Ladies	Baby Blue
95-129-008	Smoothie	Ladies	Pink
95-129-009	Smoothie	Ladies	Mint Green



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/l°	D t/teffectv	E c/s	F BB Height	H s.o.	I h/L	J Reach	K Stack
Reg	356 / 14	67°	67°	634 / 25	566 / 22.3	302 / 11.9	824 / 32.4	228 / 9	273 / 10.7	620 / 24.4
Large	432 / 17	67°	65°	686 / 27	566 / 22.3	302 / 11.9	852 / 33.5	254 / 10	288 / 11.3	644 / 25.4
Ladies	305 / 12	67°	67°	634 / 25	566 / 22.3	302 / 11.9	667 / 26.3	200 / 7.9	284 / 11.2	594 / 23.4

BIKE SPECS

Frame	Alloy 6061, TIG Welded
Rear Shock	N/A
Fork	Hi-Tensile Unicrown
Headset	1-1/8" Threaded
Rims	Alloy 26"
Hubs (F/R)	Alloy, QR
Hub, Rear	Alloy, QR
Tires	KHS 26x1.95, w/K-shield
Spokes	14G Stainless, 36X36
Derailleur, Front	N/A
Derailleur, Rear	Shimano RD-TX35
Shifters	Shimano Revo
Chain	KMC Z7
Crankset	Alloy Forged 42T, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano 14-34T, 7-speed, Mega Range Freewheel
Pedals	Platform w/Non-slip Tread
Seatpost	Alloy Micro-adjust, 27.2
Saddle	Manhattan Comfort
Handlebar	Alloy 95mm Rise/640mm
Stem	Alloy Adjustable Angle, Tall
Grips	Comfort Dual Density
Brake Levers	Tektro alloy
Brakes	Tektro Alloy Linear Pull, Long Reach
Color	Mens: Black, Red Ladies: Cream, Matte Black, Baby Blue, Pink, Mint Green
Frame Size	M:Reg & Lg, Ladies Step through
Extras	Kickstand

COMFORT SMOOTHIE 3




FEATURES

- 3 Speed
- 6061 Alloy w/Easy Ride™ frame technology
- Shimano Nexus 3 speed hub
- Manhattan Comfort saddle
- MSRP: \$479-519

PART # MODEL SIZE COLOR

95-129-011	Smoothie 3	Ladies	Tangerine
------------	------------	--------	-----------



GEOMETRY

SIZE	A s/t c-t	B h/t*	C s/t*	D t/t effectv	E c/s	F BB Height	G s.o.	H h/t L	J Reach	K Stack
Ladies	305 / 12	67°	67°	634 / 25	566 / 22.3	302 / 11.9	667 / 26.3	200 / 7.9	284 / 11.2	594 / 23.4

BIKE SPECS

Frame	Alloy 6061, TIG welded
Rear Shock	N/A
Fork	Hi-Tensile unicrown
Headset	1-1/8" Threaded
Rims	Weinmann Alloy
Hubs (F/R)	Alloy Ft, Shimano Nexus RR w/ Coaster Brake
Tires	KHS 26x1.95, w/K-shield, 30TPI
Spokes	14G Stainless 36X36
Derailleur, Front	N/A
Derailleur, Rear	Shimano Inter-3
Shifters	Microshift Twist, 3-speed
Chain	KMC Z410
Crankset	Alloy Forged 42T, 170mm
BB	Cartridge bearing
Freewheel / Cassette	Shimano 18T
Pedals	Platform w/Non-slip Tread
Seatpost	Alloy micro adjust, 27.2
Saddle	Manhattan Comfort
Handlebar	Alloy 95mm rise/640mm
Stem	Alloy Adjustable Angle, Tall
Handlebar tape/Grips	Comfort Dual Density
Brake Levers	Tektro alloy
Brakes	Tektro Alloy Linear Pull, Long Reach FT, Rear Coaster
Color	Tangerine
Frame Size	Ladies Step Through

COMFORT

TC 150



FEATURES

- 21 Speeds
- 6061 Alloy Frame
- Weinmann Double wall Wheelset
- Post Modern Solo Suspension Seatpost

NEW OR CHARGED FOR 2015

Spinner Odesa CR 63mm Fork

MSRP: \$459-499


PART #	MODEL	SIZE	COLOR
95-193-001	TC150	15"	Matte Black
95-193-002	TC150	15"	Gloss Red
95-193-003	TC150	17"	Matte Black
95-193-004	TC150	17"	Gloss Red
95-193-005	TC150	19"	Matte Black
95-193-006	TC150	19"	Gloss Red
95-193-007	TC150	21"	Matte Black
95-193-008	TC150	21"	Gloss Red
95-193-009	TC150 Ladies	16"L StepThru	Matte Patina
95-193-010	TC150 Ladies	16"L StepThru	Sand

GEOMETRY

SIZE	A s/t c-t	B h/t*	C s/t*	D t/ effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
15"	350 / 13.8	70°	72°	545 / 21.5	425 / 16.7	295 / 11.6	710 / 28	140 / 5.5	361 / 14.2	568 / 22.4
17"	400 / 15.7	70°	72°	560 / 22	425 / 16.7	295 / 11.6	747 / 29.4	160 / 6.3	370 / 14.6	586 / 23.1
19"	450 / 17.7	70°	72°	575 / 22.6	425 / 16.7	295 / 11.6	783 / 30.8	185 / 7.3	377 / 14.8	610 / 24
21"	490 / 19.3	70°	72°	590 / 23.2	425 / 16.7	295 / 11.6	809 / 31.9	200 / 7.9	387 / 15.2	624 / 24.6
16L"	375 / 14.8	70°	72°	535 / 21.1	425 / 16.7	295 / 11.6	N/A	145 / 5.7	349 / 13.7	572 / 22.5

BIKE SPECS

Frame	Alloy 6061, TIG Welded
Rear Shock	N/A
Fork	Spinner Odesa CR, 63mm
Headset	1-1/8" Threaded
Rims	Weinmann, Alloy Doublewall, 26x32H
Hubs (F/R)	Formula, Alloy, QR,
Hub, Rear	Formula, Alloy, QR
Tires	Kenda 26x1.95, Skin wall w/K-shield Antipuncture
Spokes	14G Stainless, 32X32
Derailleur, Front	Shimano TX-51, 31.8
Derailleur, Rear	Shimano Altus
Shifters	Shimano ST-EF51
Chain	KMC Z7
Crankset	Shimano FC-M171, 48/38/28 w/CG, 170
BB	Cartridge Bearing
Freewheel / Cassette	Shimano 7-speed Mega Range Freewheel, 14-34T
Pedals	Platform w/Non-slip Tread
Seatpost	Post Modern Solo Alloy Suspension, 27.2X350
Saddle	KHS Wide Comfort, Dual Density w/Elastomer Spring & Reflective Back, Ladies: KHS Ladies Wide Comfort
Handlebar	Alloy 80mm Rise, 640
Stem	Alloy Quill, 25 Degree, 15-17: 80, 19-21: 100, Ladies 16: 80
Grips	Comfort Dual Density
Brake Levers	Shimano ST-EF51
Brakes	Promax TX209 Alloy Linear Pull
Color	Matte Black; Red, Ladies: Matte Patina, Sand
Frame Size	15, 17, 19, 21, Ladies: 16L StepThru



COMFORT

TC 100



FEATURES

- 21 Speeds
- Hi-Tensile Steel Frame
- Post Modern Solo Suspension Seatpost
- Shimano Drivetrain

NEW OR CHANGED FOR 2015

- Kenda Skin-wall Tires w/K-Shield
- Shimano FC-M171 Triple Cranks

MSRP: \$389-419


PART #	MODEL	SIZE	COLOR
95-192-001	TC100	15"	Black
95-192-002	TC100	15"	Blue
95-192-003	TC100	17"	Black
95-192-004	TC100	17"	Blue
95-192-005	TC100	19"	Black
95-192-006	TC100	19"	Blue
95-192-007	TC100	21"	Black
95-192-008	TC100	21"	Blue
95-192-009	TC100 Ladies	16"L StepThru	Black
95-192-010	TC100 Ladies	16"L Step Thru	Radiant Orchid

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
15"	350 / 13.8	70°	72°	545 / 21.5	425 / 16.7	295 / 11.6	700 / 27.6	140 / 5.5	576 / 22.7	521 / 20.5
17"	400 / 15.7	70°	72°	560 / 22	425 / 16.7	295 / 11.6	734 / 28.9	160 / 6.3	385 / 15.2	539 / 21.2
19"	450 / 17.7	70°	72°	575 / 22.6	425 / 16.7	295 / 11.6	767 / 30.2	185 / 7.3	392 / 15.4	563 / 22.2
21"	490 / 19.3	70°	72°	590 / 23.2	425 / 16.7	295 / 11.6	792 / 31.2	200 / 7.9	403 / 15.9	577 / 22.7
16L	375 / 14.8	70°	72°	535 / 21.1	425 / 16.7	295 / 11.6	N/A	145 / 5.7	364 / 14.3	525 / 20.7

BIKE SPECS

Frame	TIG-Welded Hi-Tensile Steel
Rear Shock	N/A
Fork	Hi-Tensile Unicrown
Headset	1-1/8" Threaded
Rims	Weinmann Alloy, 26x32H
Hubs (F/R)	Formula, Alloy, QR
Hub, Rear	Formula, Alloy, QR
Tires	Kenda 26x1.95, Skin wall w/K-shield Antipuncture
Spokes	14G Stainless, 32X32
Derailleur, Front	Shimano TX-51, 28.6
Derailleur, Rear	Shimano RD-TX35
Shifters	Shimano Revo
Chain	KMC Z7
Crankset	Shimano FC-M171, 48/38/28 w/CG, 170
BB	Cartridge Bearing
Freewheel / Cassette	Shimano 7-speed Mega Range Freewheel, 14-34T
Pedals	Platform w/Non-slip Tread
Seatpost	Post Modern Solo Alloy Suspension, 25.4X350
Saddle	KHS Wide Comfort, Dual Density w/Elastomer Spring & Reflective Back, Ladies: KHS Ladies Wide Comfort
Handlebar	80mm rise/640
Stem	Alloy Quill, 25 Degree, 15-16L: 80, 17-21: 100
Grips	Comfort Dual Density
Brake Levers	Promax Alloy Linear Pull
Brakes	Promax TX209 Alloy Linear Pull
Color	Black, Blue, Ladies: Radiant Orchid, Black
Frame Size	15, 17, 19, 21, Ladies: 16 Step Thru



COMFORT/HYBRID

WESTWOOD



FEATURES

21 Speeds

6061 Alloy Frame

SR Suntour SF-3010 50mm Fork

Post Modern Solo Suspension Seatpost

MSRP: \$449-489


PART #	MODEL	SIZE	COLOR
95-195-001	Westwood	15"	Matte Black
95-195-002	Westwood	15"	Red
95-195-003	Westwood	17"	Matte Black
95-195-004	Westwood	17"	Red
95-195-005	Westwood	19"	Matte Black
95-195-006	Westwood	19"	Red
95-195-007	Westwood	21"	Matte Black
95-195-008	Westwood	21"	Red
95-195-009	Westwood Ladies	14" Low Step	Dazzling Blue
95-195-010	Westwood Ladies	14" Low Step	Matte Silver
95-195-011	Westwood Ladies	17" Low Step	Dazzling Blue
95-195-012	Westwood Ladies	17" Low Step	Matte Silver

GEOMETRY

SIZE	A s/t c-t	B h/t*	C s/t*	D t/ effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
15"	350 / 13.8	71°	74°	545 / 21.5	440 / 17.3	310 / 12.2	735 / 28.9	125 / 4.9	371 / 14.6	599 / 23.6
17"	400 / 15.7	71°	74°	555 / 21.9	440 / 17.3	310 / 12.2	769 / 30.3	135 / 5.3	380 / 15	610 / 24
19"	450 / 17.7	72°	73°	575 / 22.6	440 / 17.3	310 / 12.2	803 / 31.6	145 / 5.7	384 / 15.1	623 / 24.5
21"	500 / 19.7	72°	73°	585 / 23	440 / 17.3	310 / 12.2	835 / 32.9	160 / 6.3	390 / 15.4	638 / 25.1
14"L	325 / 12.8	71°	74°	540 / 21.3	440 / 17.3	310 / 12.2	N/A	135 / 5.3	365 / 14.4	610 / 24
17"L	400 / 15.7	71°	74°	550 / 21.7	440 / 17.3	310 / 12.2	N/A	145 / 5.7	372 / 14.6	619 / 24.4

BIKE SPECS

Frame	Alloy 6061, TIG welded
Rear Shock	N/A
Fork	SR/Suntour SF-3010, 50mm
Headset	1-1/8" Threaded
Rims	Weinmann Alloy, Doublewall, 700c
Hubs (F/R)	Formula Alloy, QR
Hub, Rear	Formula Alloy, QR
Tires	Kenda 700x38c, Skin Wall w/Anti-puncture K-Shield
Spokes	14G Stainless, 32X32
Derailleur, Front	Shimano TX-51, 31.8
Derailleur, Rear	Shimano Altus
Shifters	Shimano ST-EF51
Chain	KMC Z7
Crankset	Shimano FC-M171, 48/38/28 w/CG, 170
BB	Cartridge Bearing
Freewheel / Cassette	Shimano 7-speed Mega Range Freewheel, 14-34T
Pedals	Platform w/Non-slip Tread
Seatpost	Post Modern Solo Alloy Suspension, 27.2X350
Saddle	KHS Wide Comfort, Dual Density w/Elastomer Spring & Reflective Back, Ladies: KHS Ladies Wide Comfort
Handlebar	Alloy, 80mm Rise x 640
Stem	Alloy Quill, 25 Degree Rise 14L-15: 80, 17-21:100
Grips	Comfort Dual Density
Brake Levers	Shimano ST-EF51
Brakes	Promax TX209 Alloy Linear Pull
Color	Mens: Matte Black; Red, Ladies: Dazzling Blue, Matte Silver
Frame Size	15, 17, 19, 21, Ladies: 14, 17 Low Step



COMFORT/HYBRID

BRENTWOOD



FEATURES

- 21 Speeds
- Hi-Tensile Steel Frame
- Post Modern Solo Suspension Seatpost
- Shimano Drivetrain

NEW OR CHANGED FOR 2015

Shimano FC-M171 Triple Cranks

MSRP: \$369-399


PART #	MODEL	SIZE	COLOR
95-194-001	Brentwood	15"	Gloss Black
95-194-002	Brentwood	15"	Steel Blue/Silver
95-194-003	Brentwood	17"	Gloss Black
95-194-004	Brentwood	17"	Steel Blue/Silver
95-194-005	Brentwood	17"	Matte Silver
95-194-006	Brentwood	19"	Gloss Black
95-194-007	Brentwood	19"	Steel Blue/Silver
95-194-008	Brentwood	19"	Matte Silver
95-194-009	Brentwood	21"	Gloss Black
95-194-010	Brentwood	21"	Steel Blue/Silver
95-194-011	Brentwood	23"	Gloss Black
95-194-012	Brentwood	25"	Gloss Black

GEOMETRY

SIZE	A s/t c-t	B h/t*	C s/l*	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
15"	350 / 13.8	71°	74°	543 / 21.4	440 / 17.3	295 / 11.6	709 / 27.9	125 / 4.9	387 / 15.2	543 / 21.4
17"	400 / 15.7	71°	74°	555 / 21.9	440 / 17.3	295 / 11.6	740 / 29.1	135 / 5.3	397 / 15.6	553 / 21.8
19"	450 / 17.7	72°	73°	575 / 22.6	440 / 17.3	295 / 11.6	772 / 30.4	145 / 5.7	402 / 15.8	566 / 22.3
21"	500 / 19.7	72°	73°	585 / 23	440 / 17.3	295 / 11.6	805 / 31.7	160 / 6.3	408 / 16.1	581 / 22.9
23"	550 / 21.7	72°	73°	594 / 23.4	440 / 17.3	295 / 11.6	833 / 32.8	170 / 6.7	414 / 16.3	590 / 23.2
25"	600 / 23.6	72°	73°	605 / 23.8	440 / 17.3	295 / 11.6	863 / 34	180 / 7.1	422 / 16.6	600 / 23.6

BIKE SPECS

Frame	TIG-Welded Hi-Tensile Steel
Rear Shock	N/A
Fork	Hi-Tensile Unicrown
Headset	1-1/8" Threaded
Rims	Weinmann Alloy, 700c
Hubs (F/R)	Formula Alloy, QR
Hub, Rear	Formula Alloy, QR
Tires	Kenda 700x38c, Skin Wall w/Anti-puncture K-Shield
Spokes	14G Stainless, 32X32
Derailleur, Front	Shimano TX-51, 28.6
Derailleur, Rear	Shimano RD-TX35
Shifters	Shimano Revo
Chain	KMC Z7
Crankset	Shimano FC-M171, 48/38/28 w/CG, 170
BB	Cartridge Bearing
Freewheel / Cassette	Shimano 14-34T, 7-speed, Mega Range Freewheel
Pedals	Platform w/Non-slip Tread
Seatpost	Post Modern Solo Alloy Suspension, 25.4X350
Saddle	KHS Wide Comfort, Dual Density w/Elastomer Spring & Reflective Back
Handlebar	80mm rise/640
Stem	Alloy Quill, 25 Degree, 15: 80, 17-25: 100
Grips	Velo Comfort Dual Density
Brake Levers	Promax Alloy Linear Pull
Brakes	Promax TX209 Alloy Linear Pull
Color	Gloss Black, Silver/Steel Blue, Matte Silver
Frame Size	15, 17, 19, 21, 23, 25 (15 & 21 Black & Steel Blue Only, 23 & 25 Black Only)



58

All specs are subject to change without notice.



COMFORT/HYBRID

BRENTWOOD LADIES



FEATURES

- 21 Speeds
- Hi-Tensile Steel Frame
- Post Modern Solo Suspension Seatpost
- Shimano Drivetrain

NEW OR CHANGED FOR 2015

Shimano FC-M171 Triple Cranks

MSRP: \$369-399


PART #	MODEL	SIZE	COLOR
95-194-013	Brentwood Ladies	14"	Black
95-194-014	Brentwood Ladies	14"	Matte Silver/Violet
95-194-015	Brentwood Ladies	14"	Pearl White
95-194-016	Brentwood Ladies	17"	Black
95-194-017	Brentwood Ladies	17"	Matte Silver/Violet
95-194-018	Brentwood Ladies	17"	Pearl White

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/ effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
14"L	325 / 12.8	70°	73°	540 / 21.3	440 / 17.3	295 / 11.6	N/A	145 / 5.7	369 / 14.5	558 / 22
17"L	400 / 15.7	70°	73°	550 / 21.7	440 / 17.3	295 / 11.6	N/A	145 / 5.7	379 / 14.9	558 / 22

BIKE SPECS

Frame	TIG-Welded Hi-Tensile Steel
Rear Shock	N/A
Fork	Hi-Tensile Unicrown
Headset	1-1/8" Threaded
Rims	Weinmann Alloy, 700c
Hubs (F/R)	Formula Alloy, QR
Hub, Rear	Formula Alloy, QR
Tires	Kenda 700x38c, Skin Wall w/Anti-puncture K-Shield
Spokes	14G Stainless, 32X32
Derailleur, Front	Shimano TX-51 28.6
Derailleur, Rear	Shimano RD-TX35
Shifters	Shimano Revo
Chain	KMC Z7
Crankset	Shimano FC-M171, 48/38/28 w/CG, 170
BB	Cartridge Bearing
Freewheel / Cassette	Shimano 14-34T, 7-speed, Mega Range Freewheel
Pedals	Platform w/Non-slip Tread
Seatpost	Post Modern Solo Alloy Suspension, 25.4X350
Saddle	KHS Ladies Wide Comfort, Dual Density w/Elastomer Spring & Reflective Back
Handlebar	80mm rise/640mm
Stem	Alloy Quill, 25 Degree, 14L: 80, 17L: 100
Grips	Comfort Dual Density
Brake Levers	Promax Alloy Linear Pull
Brakes	Promax TX209 Alloy Linear Pull
Color	Black, Matte Silver/Violet, Pearl White
Frame Size	14L & 17L Low Step




COMMUTER GREEN 8 DELUXE



FEATURES

8 Speed
 Reynolds 520 DB CrMo frame
 Full CrMo unicrown fork w/Disc
 Bengal mechanical Disc ft brake, Nexus Hub Roller rear brake
 MSRP: \$899-979

PART #	MODEL	SIZE	COLOR
89-014-413	Green 8 Deluxe	17	Black
89-014-423	Green 8 Deluxe	20	Black
89-014-433	Green 8 Deluxe	23	Black



GEOMETRY


SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
17"	430 / 16.9	72°	73°	556 / 21.9	448 / 17.6	295 / 11.6	738 / 29.1	80 / 3.1	402 / 15.8	503 / 19.8
20"	508 / 20	72°	73°	570 / 22.4	448 / 17.6	295 / 11.6	777 / 30.6	80 / 3.1	416 / 16.4	503 / 19.8
23"	584 / 23	72°	73°	599 / 23.6	448 / 17.6	295 / 11.6	842 / 33.1	140 / 5.5	428 / 16.9	560 / 22

BIKE SPECS

Frame	Reynolds 520 DB CrMo Tubing w/Curved Seatstays and Carrier Bosses
Rear Shock	N/A
Fork	Full CrMo Unicrown, Low-rider and Fender Bosses w/Disc
Headset	1" Threaded
Rims	Weinmann X Star 18, 700x36H, Alloy Doublewall
Hubs (F/R)	Alloy Disc w/CNC Rotor Flange, QR
Hub, Rear	Shimano Nexus Inter-8 Premium, 8-speed RR
Tires	Kenda 700X32c, w/K-shield
Spokes	14G Stainless, 36X36
Derailleur, Front	N/A
Derailleur, Rear	Shimano Nexus Inter-8 Premium
Shifters	Shimano Trigger, 8-speed STI, ST-8S20
Chain	KMC Z410
Crankset	Alloy Forged, 40T, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano 18T
Pedals	Vintage Alloy
Seatpost	Alloy Micro-adjust, 25.4X300mm
Saddle	KHS City Men's
Handlebar	Alloy Touring
Stem	Alloy Quill
Grips	Comfort
Brake Levers	Shimano BL-IM65 Left
Brakes	Bengal Mechanical Disc w/160mm Rotor Ft, Shimano Hub Roller Rr
Color	Black
Frame Size	17, 20, 23
Extras	Fenders, Rear Carrier, Bell

COMMUTER GREEN 8 LTD

Limited Edition



FEATURES

- 8 Speeds
- 6061 Alloy Frame
- Shimano Nexus Inter 8 speed hub
- Fenders Rear Rack & Bell

LIMITED EDITION, ONCE THEY'RE GONE, THEY'RE GONE!

MSRP: \$599-659


PART #	MODEL	SIZE	COLOR
89-014-213	Green 8 LTD	17	Cream
89-014-214	Green 8 LTD	17	Green
89-014-223	Green 8 LTD	20	Cream
89-014-224	Green 8 LTD	20	Green
89-014-233	Green 8 LTD	23	Cream
89-014-234	Green 8 LTD	23	Green
89-014-243	Green 8 LTD	14 Mixtie	Light Blue
89-014-244	Green 8 LTD	14 Low Step	Red
89-014-253	Green 8 LTD	17 Mixtie	Light Blue
89-014-254	Green 8 LTD	17 Low Step	Red

GEOMETRY

SIZE	A s/t c-t	B h/t*	C s/l*	D t/ effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
17"	430 / 16.9	72°	73°	556 / 21.9	448 / 17.6	295 / 11.6	738 / 29.1	80 / 3.1	402 / 15.8	503 / 19.8
20"	508 / 20	72°	73°	570 / 22.4	448 / 17.6	295 / 11.6	777 / 30.6	80 / 3.1	416 / 16.4	503 / 19.8
23"	584 / 23	72°	73°	599 / 23.6	448 / 17.6	295 / 11.6	842 / 33.1	140 / 5.5	428 / 16.9	560 / 22
14"L	356 / 14	72°	73.5°	541 / 21.3	448 / 17.6	295 / 11.6	N/A	160 / 6.3	370 / 14.6	579 / 22.8
17"L	430 / 16.9	72°	73°	555 / 21.9	448 / 17.6	295 / 11.6	N/A	160 / 6.3	378 / 14.9	579 / 22.8

BIKE SPECS

Frame	Alloy 6061, TIG Welded
Rear Shock	N/A
Fork	Hi-Tensile Unicrown
Headset	1" Threaded
Rims	Weinmann ZAC-19, Doublewall
Hubs (F/R)	Alloy Nuted
Hub, Rear	Shimano Nexus 8-speed RR, F/W
Tires	Kenda 700X38c, w/K-shield
Spokes	14G Stainless, 36X36
Derailleur, Front	N/A
Derailleur, Rear	Shimano Inter-8, F/W
Shifters	Microshift Twist, 8-speed
Chain	KMC Z410
Crankset	Alloy Forged, 44T, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano 19T
Pedals	Vintage Platform
Seatpost	Alloy Micro-adjust, 25.4X300mm
Saddle	KHS City Men's, Ladies: KHS City Ladies
Handlebar	Alloy Touring
Stem	Alloy Quill
Grips	Comfort
Brake Levers	Alloy 4-Finger
Brakes	Promax Alloy Dual Pivot
Color	Cream, Green, Mixtie: Light Blue, LowStep: Red
Frame Size	17, 20, 23, Mixtie: 14, 17, LowStep: 14, 17
Extras	Fenders, Rear Carrier, Bell



COMMUTER GREEN 8E



FEATURES

- 8 Speed
- TIG-Welded Hi-Tensile Steel
- 8 Speed Cassette
- Rear Rack and Fenders
- MSRP:\$449-489


PART #	MODEL	SIZE	COLOR
89-014-050	Green 8e	17	Black
89-014-051	Green 8e	17	Cream
89-014-052	Green 8e	20	Black
89-014-053	Green 8e	20	Cream
89-014-054	Green 8e	23	Black
89-014-055	Green 8e	23	Cream
89-014-056	Green 8e Ladies	14L	Mint
89-014-057	Green 8e Ladies	14L	Red
89-014-058	Green 8e Ladies	17L	Mint
89-014-059	Green 8e Ladies	17L	Red

GEOMETRY


SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
17"	430 / 16.9	72°	73°	556 / 21.9	448 / 17.6	295 / 11.6	738 / 29.1	80 / 3.1	402 / 15.8	503 / 19.8
20"	508 / 20	72°	73°	570 / 22.4	448 / 17.6	295 / 11.6	777 / 30.6	80 / 3.1	416 / 16.4	503 / 19.8
23"	584 / 23	72°	73°	599 / 23.6	448 / 17.6	295 / 11.6	842 / 33.1	140 / 5.5	428 / 16.9	560 / 22
14"L	356 / 14	72°	73.5°	541 / 21.3	448 / 17.6	295 / 11.6	N/A	160 / 6.3	370 / 14.6	579 / 22.8
17"L	430 / 16.9	72°	73°	555 / 21.9	448 / 17.6	295 / 11.6	N/A	160 / 6.3	378 / 14.9	579 / 22.8

BIKE SPECS

Frame	TIG-Welded Hi-Tensile Steel
Rear Shock	N/A
Fork	Hi-Tensile Unicrown
Headset	1" Threaded
Rims	Weinmann ZAC-19, Doublewall
Hub, Front	Alloy Nuted
Hub, Rear	Alloy Nuted
Tires	Kenda 700X38c
Spokes	14G Stainless, 36X36
Derailleur, Front	N/A
Derailleur, Rear	Shimano Altus
Shifters	Microshift TS-70 Trigger
Chain	KMC Z8
Crankset	Alloy Forged, 48T, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS HG31-8 11-34T, 8-speed
Pedals	Vintage Platform
Seatpost	Alloy 25.4 x 300L
Saddle	KHS City Men's, Ladies: KHS City Ladies
Handlebar	Steel Touring
Stem	Alloy Quill
Grips	Comfort
Brake Levers	Promax Alloy Linear Pull
Brakes	Promax Alloy Linear Pull
Color	Mens: Black, Cream, Ladies: Mint, Red
Frame Size	Men: 17, 20, 23, Ladies: 14, 17
Extras	Fenders, Rear Carrier, Bell



COMMUTER GREEN 3



FEATURES

- 3 Speed
- Hi-Tensile steel frame
- Shimano Nexus 3 speed hub
- Steel fork
- MSRP: \$399-439


PART #	MODEL	SIZE	COLOR
89-014-113	Green 3	17	Black
89-014-114	Green 3	17	Blue
89-014-123	Green 3	20	Black
89-014-124	Green 3	20	Blue
89-014-133	Green 3	23	Black
89-014-134	Green 3	23	Blue
89-014-143	Green 3 Ladies	14L	Cream
89-014-144	Green 3 Ladies	14L	Black
89-014-153	Green 3 Ladies	17L	Cream
89-014-154	Green 3 Ladies	17L	Black

GEOMETRY

SIZE	A s/t c-t	B h/t*	C s/t*	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
17"	430 / 16.9	72°	73°	556 / 21.9	448 / 17.6	295 / 11.6	738 / 29.1	80 / 3.1	402 / 15.8	503 / 19.8
20"	508 / 20	72°	73°	570 / 22.4	448 / 17.6	295 / 11.6	777 / 30.6	80 / 3.1	416 / 16.4	503 / 19.8
23"	584 / 23	72°	73°	599 / 23.6	448 / 17.6	295 / 11.6	842 / 33.1	140 / 5.5	428 / 16.9	560 / 22
14"L	356 / 14	72°	73.5°	541 / 21.3	448 / 17.6	295 / 11.6	N/A	160 / 6.3	370 / 14.6	579 / 22.8
17"L	430 / 16.9	72°	73°	555 / 21.9	448 / 17.6	295 / 11.6	N/A	160 / 6.3	378 / 14.9	579 / 22.8

BIKE SPECS

Frame	TIG-Welded Hi-Tensile Steel
Rear Shock	N/A
Fork	Hi-Tensile Unicrown
Headset	1" Threaded
Rims	Weinmann ZAC-19, Doublewall
Hubs (F/R)	Alloy Nuted
Hub, Rear	Shimano Nexus 3-speed RR, F/W
Tires	Kenda 700X38c
Spokes	14G Stainless, 36X36
Derailleur, Front	N/A
Derailleur, Rear	Shimano Inter-3, F/W
Shifters	Microshift Twist, 3-speed
Chain	KMC Z410
Crankset	Alloy Forged, 40T, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano 18T
Pedals	Vintage Platform
Seatpost	Alloy 25.4 x 300L
Saddle	KHS City Men's, Ladies: KHS City Ladies
Handlebar	Steel Touring
Stem	Alloy Quill
Grips	Comfort
Brake Levers	Promax Alloy Linear Pull
Brakes	Promax Alloy Linear Pull
Color	Mens: Black, Blue, Ladies: Cream, Black
Frame Size	Men: 17, 20, 23, Ladies: 14, 17
Extras	Fenders, Rear Carrier, Bell




COMMUTER GREEN 1



FEATURES

Single Speed
TIG-Welded Hi-Tensile Steel
Rear Rack and Fenders
MSRP: \$299-329

PART #	MODEL	SIZE	COLOR
89-014-020	Green 1	17	Green
89-014-023	Green 1	20	Green
89-014-025	Green 1	23	Green
89-014-028	Green 1 Ladies	14L	Light Blue
89-014-029	Green 1 Ladies	17L	Light Blue



GEOMETRY

SIZE	A s/t c-t	B h/t*	C s/t*	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
17"	430 / 16.9	72°	73°	556 / 21.9	448 / 17.6	295 / 11.6	738 / 29.1	80 / 3.1	402 / 15.8	503 / 19.8
20"	508 / 20	72°	73°	570 / 22.4	448 / 17.6	295 / 11.6	777 / 30.6	80 / 3.1	416 / 16.4	503 / 19.8
23"	584 / 23	72°	73°	599 / 23.6	448 / 17.6	295 / 11.6	842 / 33.1	140 / 5.5	428 / 16.9	560 / 22
14"L	356 / 14	72°	73.5°	541 / 21.3	448 / 17.6	295 / 11.6	N/A	160 / 6.3	370 / 14.6	579 / 22.8
17"L	430 / 16.9	72°	73°	555 / 21.9	448 / 17.6	295 / 11.6	N/A	160 / 6.3	378 / 14.9	579 / 22.8

BIKE SPECS

Frame	TIG-Welded Hi-Tensile Steel
Rear Shock	N/A
Fork	Hi-Tensile Unicrown
Headset	1" Threaded
Rims	Weinmann ZAC-19, Doublewall
Hubs (F/R)	Alloy Nuted
Hub, Rear	Alloy Nuted
Tires	Kenda 700X38c
Spokes	14G Stainless, 36X36
Derailleur, Front	N/A
Derailleur, Rear	N/A
Shifters	N/A
Chain	KMC Z410
Crankset	Alloy Forged, 44T, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	18T Freewheel
Pedals	Vintage Platform
Seatpost	Alloy 25.4 x 300L
Saddle	KHS City Men's, Ladies: KHS City Ladies
Handlebar	Steel Touring
Stem	Alloy Quill
Grips	Comfort
Brake Levers	Promax Alloy Linear Pull
Brakes	Promax Alloy Linear Pull
Color	Mens: Green, Ladies: Light Blue
Frame Size	Men: 17, 20, 23, Ladies: 14 17
Extras	Fenders, Rear Carrier, Bell

URBAN

URBAN XTREME



FEATURES


- 16 Speeds
- 4130 Double butted CrMo Frame
- Shimano Claris Drivetrain
- Tektro MD-C400 Mechanical Disc Brakes

NEW OR CHANGED FOR 2015

- FSA Tempo Cranks
- CS-HG 31, 11-32 cassette

MSRP: \$799-869

PART #	MODEL	SIZE	COLOR
95-185-001	Urban Xtreme	S	Matte Black
95-185-002	Urban Xtreme	M	Matte Black
95-185-003	Urban Xtreme	L	Matte Black
95-185-004	Urban Xtreme	XL	Matte Black



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	G s.o.	H h/t L	I Reach	J Stack	K
S	495 / 19.5	71°	73°	533 / 21	432 / 17	282 / 11.1	779 / 30.7	120 / 4.7	366 / 14.4	547 / 21.5	
M	534 / 21	72°	73°	558 / 22	432 / 17	282 / 11.1	806 / 31.7	135 / 5.3	385 / 15.2	565 / 22.2	
L	572 / 22.5	72°	73°	580 / 22.8	432 / 17	282 / 11.1	835 / 32.9	160 / 6.3	400 / 15.7	589 / 23.2	
XL	609 / 24	73°	72°	605 / 23.8	432 / 17	282 / 11.1	871 / 34.3	195 / 7.7	402 / 15.8	626 / 24.6	

BIKE SPECS

Frame	4130 DB CrMo Tubing w/Carrier Bosses w/Disc
Rear Shock	N/A
Fork	Unicrown, Low-rider and Fender Bosses w/Disc
Headset	Threadless, 1-1/8
Rims	Weinmann X Star 18, 700x32H, Alloy Doublewall
Hub, Front	Formula Alloy Disc QR
Hub, Rear	Formula Alloy Disc QR, Cassette
Tires	Maxxis Overdrive Excel, 700x32C, Silkworm Anti-Puncture
Spokes	14G Black, 32X32
Derailleur, Front	Shimano Claris FD2400, 28.6
Derailleur, Rear	Shimano Claris RD2400
Shifters	Shimano Claris STI ST2400
Chain	KMC Z82
Crankset	FSA Tempo, 50/34, S: 170, M-L: 172.5, XL: 175
BB	FSA Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG31, 11-32T, 8-speed
Pedals	KHS Trekking, Alloy Body w/Alloy Cage
Seatpost	Alloy Micro-adjust, 27.2X350
Saddle	KHS Urban Sport
Handlebar	Alloy Drop, 31.8 O/S, S-M: 40, L: 42, XL: 44
Stem	Alloy 3D Forged, Threadless 4-bolt, 31.8, S: 90, M-L: 100, XL: 110
Grips	Cushion Tape
Brake Levers	Shimano Claris STI w/Tektro RL-721 Shorty
Brakes	Tektro MD-C400 Mechanical Disc Brake w/160mm Rotors
Color	Matte Black
Frame Size	S, M, L, XL

URBAN

URBAN XCEL



FEATURES


- 27 Speeds
- 6061 Alloy Frame
- Weinmann X Star 18 Double wall Wheelset
- Tektro MD-M311 Mechanical Disc Brakes

NEW OR CHANGED FOR 2015

- Shimano FDR353 FT Derailleur
- Tektro MD-M311 Mechanical Disc Brakes

MSRP: \$669-729

PART #	MODEL	SIZE	COLOR
95-184-001	Urban Xcel	S	Matte Midnight Gray
95-184-002	Urban Xcel	M	Matte Midnight Gray
95-184-003	Urban Xcel	L	Matte Midnight Gray
95-184-004	Urban Xcel	XL	Matte Midnight Gray



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	394 / 15.5	71°	73.5°	548 / 21.6	445 / 17.5	285 / 11.2	720 / 28.3	115 / 4.5	387 / 15.2	543 / 21.4
M	457 / 18	71°	73.5°	565 / 22.2	445 / 17.5	285 / 11.2	761 / 30	135 / 5.3	399 / 15.7	562 / 22.1
L	521 / 20.5	71°	73.5°	578 / 22.8	445 / 17.5	285 / 11.2	800 / 31.5	150 / 5.9	407 / 16	576 / 22.7
XL	584 / 23	71°	73.5°	590 / 23.2	445 / 17.5	285 / 11.2	841 / 33.1	170 / 6.7	414 / 16.3	595 / 23.4

BIKE SPECS

Frame	Alloy 6061 with C/S Disc Mount & Carrier Bosses
Rear Shock	N/A
Fork	Full CrMo Unicrown, Low-rider and Fender Bosses w/Disc
Headset	Threadless, 1-1/8
Rims	Weinmann X Star 18, 700x32H, Alloy Doublewall
Hub, Front	Formula Alloy Disc QR
Hub, Rear	Formula Alloy Disc QR, Cassette
Tires	Maxxis Overdrive, 700x35c w/Kevlar Inside Anti-puncture
Spokes	14G Black, 32X32
Derailleur, Front	Shimano FDR353 31.8
Derailleur, Rear	Shimano Alivio
Shifters	MicroShift R769, 3X9 Triggers
Chain	KMC X9
Crankset	FSA Tempo, 50/39/30T, S: 170, M-L: 172.5, XL: 175
BB	FSA Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG200, 11-34T, 9-speed
Pedals	KHS Trekking, Alloy Body w/Alloy Cage
Seatpost	Alloy Micro-adjust, 27.2X350
Saddle	KHS Ultra Comfort, Soft Shell
Handlebar	Alloy, 600x30mm rise, 10 Degree Back Sweep
Stem	Alloy 3D Forged, Threadless 4-bolt, 25D, S: 90, M: 100, L-XL: 110
Grips	Velo Dual density
Brake Levers	Promax Alloy Forged Trekking, Knee Saver
Brakes	Tektro MD-M311 Mechanical Disc Brake w/160mm Rotors
Color	Matte Midnight Gray
Frame Size	S, M, L, XL

URBAN

URBAN XPRESS



FEATURES

- 27 Speeds
- Reynolds Double butted CrMo Frame
- Weinmann X Star 18 Double wall Wheelset
- FSA Tempo Triple Cranks
- MSRP: \$569-619


PART #	MODEL	SIZE	COLOR
95-183-001	Urban Xpress	S	Matte Black
95-183-002	Urban Xpress	S	Matte Red
95-183-003	Urban Xpress	M	Matte Black
95-183-004	Urban Xpress	M	Matte Red
95-183-005	Urban Xpress	L	Matte Black
95-183-006	Urban Xpress	L	Matte Red
95-183-007	Urban Xpress	XL	Matte Black
95-183-008	Urban Xpress	XL	Matte Red
95-183-009	Urban Xpress	XXL	Matte Black
95-183-010	Urban Xpress Ladies	S	Matte Dazzling Blue
95-183-011	Urban Xpress Ladies	S	Matte Violet Tulip
95-183-012	Urban Xpress Ladies	M	Matte Dazzling Blue
95-183-013	Urban Xpress Ladies	M	Matte Violet Tulip

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	394 / 15.5	71°	74°	548 / 21.6	450 / 17.7	290 / 11.4	740 / 29.1	115 / 4.5	392 / 15.4	543 / 21.4
M	457 / 18	71°	74°	565 / 22.2	450 / 17.7	290 / 11.4	778 / 30.6	135 / 5.3	404 / 15.9	562 / 22.1
L	521 / 20.5	71°	74°	578 / 22.8	450 / 17.7	290 / 11.4	815 / 32.1	150 / 5.9	413 / 16.3	576 / 22.7
XL	584 / 23	71°	74°	590 / 23.2	450 / 17.7	290 / 11.4	852 / 33.5	170 / 6.7	419 / 16.5	595 / 23.4
XXL	635 / 25	71°	74°	602 / 23.7	450 / 17.7	290 / 11.4	884 / 34.8	190 / 7.5	426 / 16.8	614 / 24.2
Ladies S	394 / 15.5	71°	74°	548 / 21.6	450 / 17.7	290 / 11.4	N/A	100 / 3.9	396 / 15.6	529 / 20.8
Ladies M	432 / 17	71°	74°	555 / 21.9	450 / 17.7	290 / 11.4	N/A	115 / 4.5	399 / 15.7	543 / 21.4

BIKE SPECS

Frame	Reynolds 520 DB CrMo Tubing w/Curved Seatstays and Carrier Bosses
Rear Shock	N/A
Fork	Full CrMo Unicrown, Low-rider and Fender Bosses
Headset	1-1/8" Threaded
Rims	Weinmann X Star 18, 700x32H, Alloy Doublewall
Hub, Front	Formula, Alloy QR
Hub, Rear	Formula, Alloy QR, Cassette
Tires	Maxxis Overdrive, 700x35c w/Kevlar Inside Anti-puncture
Spokes	14G Black, 32X32
Derailleur, Front	MicroShift FD-R739, 28.6
Derailleur, Rear	Shimano Acera M390
Shifters	MicroShift R769, 3X9 Triggers
Chain	KMC X9, Ladies: KMC Z99
Crankset	FSA Tempo, 50/39/30T, S: 170, M-L: 172.5, XL-XXL: 175, Ladies S-M: 170
BB	FSA Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG200, 11-34T, 9-speed
Pedals	KHS Trekking, Alloy Body w/Alloy Cage
Seatpost	Alloy Micro-adjust, 27.2X350
Saddle	KHS Ultra Comfort, Soft Shell
Handlebar	Alloy, 600x30mm rise, 10 Degree Back Sweep
Stem	KHS Alloy Quill, 25D, 4-bolt
Grips	Velo Dual density
Brake Levers	Promax Alloy Forged Trekking, Knee Saver
Brakes	Tektro 855AL, Alloy Linear Pull, Long Reach
Color	Matte Black; Matte Red, Ladies: Matte Dazzling Blue, Matte Violet Tulip
Frame Size	S, M, L, XL, XXL (XXL Blk Only), Ladies: S, M



URBAN

URBAN XCAPE



FEATURES

24 Speeds

4130 Double Butted CrMo Frame

Shimano Drivetrain

Weinmann X Star 18 Double wall Wheelset

NEW OR CHANGED FOR 2015

Shimano Acera M360 RR Derailleur

MSRP: \$469-509

PART # MODEL SIZE COLOR


PART #	MODEL	SIZE	COLOR
95-182-001	Urban Xcape	S	Matte Slate Gray
95-182-002	Urban Xcape	S	Gloss Black
95-182-003	Urban Xcape	M	Matte Slate Gray
95-182-004	Urban Xcape	M	Gloss Black
95-182-005	Urban Xcape	L	Matte Slate Gray
95-182-006	Urban Xcape	L	Gloss Black
95-182-007	Urban Xcape	XL	Matte Slate Gray
95-182-008	Urban Xcape	XL	Gloss Black
95-182-009	Urban Xcape	XXL	Gloss Black
95-182-010	Urban Xcape Ladies	S	Tahoe Blue
95-182-011	Urban Xcape Ladies	S	Matte Paloma Gray
95-182-012	Urban Xcape Ladies	M	Tahoe Blue
95-182-013	Urban Xcape Ladies	M	Matte Paloma Gray

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D vt effectv	E c/s	F BB Height	H s.o.	I h/tL	J Reach	K Stack
S	394 / 15.5	71°	74°	548 / 21.6	450 / 17.7	290 / 11.4	740 / 29.1	115 / 4.5	392 / 15.4	543 / 21.4
M	457 / 18	71°	74°	565 / 22.2	450 / 17.7	290 / 11.4	778 / 30.6	135 / 5.3	404 / 15.9	562 / 22.1
L	521 / 20.5	71°	74°	578 / 22.8	450 / 17.7	290 / 11.4	815 / 32.1	150 / 5.9	413 / 16.3	576 / 22.7
XL	584 / 23	71°	73.5°	590 / 23.2	450 / 17.7	290 / 11.4	846 / 33.3	170 / 6.7	414 / 16.3	595 / 23.4
XXL	635 / 25	71°	74°	602 / 23.7	450 / 17.7	290 / 11.4	884 / 34.8	190 / 6.7	426 / 16.8	614 / 24.2
Ladies S	394 / 15.5	71°	74°	548 / 21.6	450 / 17.7	290 / 11.4	N/A	100 / 3.9	396 / 15.6	529 / 20.8
Ladies M	432 / 17	71°	74°	555 / 21.9	450 / 17.7	290 / 11.4	N/A	115 / 4.5	399 / 15.7	543 / 21.4

BIKE SPECS

Frame	4130 Dbl Butted CrMo Tubing w/Curved Seatstays and Carrier Bosses
Rear Shock	N/A
Fork	Hi-Tensile Unicrown w/CrMo Steer Tube
Headset	1-1/8 Threaded
Rims	Weinmann X Star 18, 700x32H, Alloy Doublewall
Hub, Front	KT Alloy, QR
Hub, Rear	KT Alloy, QR, Cassette
Tires	CST C-1429, 700X35 w/Anti-puncture
Spokes	14G Stainless, 32X32
Derailleur, Front	Shimano FD-M191, 28.6
Derailleur, Rear	Shimano Acera M360
Shifters	Shimano ST-EF51
Chain	KMC Z8
Crankset	Shimano FC-M171, 48/38/28T, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG31, 11-34T, 8-speed
Pedals	Resin platform
Seatpost	Alloy Micro-adjust, 27.2X350
Saddle	KHS Ultra Comfort, Soft Shell
Handlebar	Alloy, 30mm, 600mm, 10 Degree Back Sweep
Stem	KHS Alloy Quill, 25D, 4-bolt, S: 90, M: 100, L: 110, XL-XXL: 120, Ladies S-M: 90
Grips	Velo Kraton
Brake Levers	Shimano ST-EF51
Brakes	Promax TX-107 Alloy Linear Pull
Color	Mens: Gloss Black, Matte Slate Gray, Ladies: Tahoe Blue, Matte Paloma Gray
Frame Size	S, M, L, XL, XXL (XXL Blk Only), Ladies: S, M



URBAN URBAN X




FEATURES

24 Speeds
6061 Alloy Frame
KS Suspension Seatpost
Rack, Fender & Kickstand
MSRP: \$539-589

PART # MODEL SIZE COLOR

PART #	MODEL	SIZE	COLOR
95-181-001	Urban X	S	Matte Black
95-181-002	Urban X	M	Matte Black
95-181-003	Urban X	L	Matte Black
95-181-004	Urban X	XL	Matte Black



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	432 / 17	71°	74°	565 / 22.2	445 / 17.5	290 / 11.4	756 / 29.8	135 / 5.3	404 / 15.9	562 / 22.1
M	457 / 18	71°	74°	565 / 22.2	445 / 17.5	290 / 11.4	769 / 30.3	135 / 5.3	404 / 15.9	562 / 22.1
L	521 / 20.5	71°	74°	580 / 22.8	445 / 17.5	290 / 11.4	811 / 31.9	150 / 5.9	414 / 16.3	577 / 22.7
XL	584 / 23	71°	74°	589 / 23.2	445 / 17.5	290 / 11.4	850 / 33.5	170 / 6.7	419 / 16.5	595 / 23.4

BIKE SPECS

Frame	Alloy 6061 with C/S Disc Mount & Carrier Bosses
Rear Shock	N/A
Fork	Hi-Tensile Unicrown, 1-1/4 Tapered
Headset	1-1/8 Threaded
Rims	Weinmann X-Star 18, Alloy Double Wall, 700X36H
Hub, Front	KT Alloy Disc, QR
Hub, Rear	KT Alloy Disc, QR, Cassette
Tires	CST Traveler, C-1118, 700X38 w/Anti-puncture
Spokes	14G Stainless, 36X36
Derailleur, Front	Shimano FD-M191, 31.8
Derailleur, Rear	Shimano Altus
Shifters	Microshift TS70 Triggers, 3x8
Chain	KMC Z8
Crankset	SR Suntour NEX, 48/38/28T w/CG, 170
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG31, 11-34T, 8-speed
Pedals	KHS Trekking, Alloy Body w/Alloy Cage
Seatpost	Kind Shock KSP530 Alloy Suspension. Micro-adjust, 27.2X350
Saddle	KHS Ultra Comfort, Soft Shell
Handlebar	Alloy, 620x30mm rise, 10 Degree Back Sweep
Stem	KHS Alloy Quill, 4-bolt, S: 90, M-XL: 110
Grips	Velo Comfort Dual Density
Brake Levers	Promax Alloy Linear Pull
Brakes	Bengal MB606, Mechanical Disc, 160mm Rotors
Color	Matte Black
Frame Size	S, M, L, XL
Extras	Kickstand, Fenders, Alloy Rear carrier

URBAN

URBAN SOUL



FEATURES

Single Speed

CrMo Double Butted Frame

Weinmann XP Elite Double wall Wheelset w/ cassette rear hub

FT & RR Dual Pivot Brakes

Cassette Rear Hub

NEW OR CHANGED FOR 2015

Weinmann XP Elite Double wall Wheelset

MSRP: \$399-439

PART # MODEL SIZE COLOR


PART #	MODEL	SIZE	COLOR
95-180-001	Urban Soul	S	Matte Black
95-180-002	Urban Soul	S	Matte Silver
95-180-003	Urban Soul	M	Matte Black
95-180-004	Urban Soul	M	Matte Silver
95-180-005	Urban Soul	L	Matte Black
95-180-006	Urban Soul	L	Matte Silver
95-180-007	Urban Soul	XL	Matte Black
95-180-008	Urban Soul	XL	Matte Silver

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	394 / 15.5	72°	75°	525 / 20.7	415 / 16.3	270 / 10.6	704 / 27.7	115 / 4.5	387 / 15.2	533 / 21
M	457 / 18	72°	75°	555 / 21.9	415 / 16.3	270 / 10.6	745 / 29.3	140 / 5.5	393 / 15.5	551 / 21.7
L	521 / 20.5	72°	73.5°	575 / 22.6	415 / 16.3	270 / 10.6	792 / 31.2	165 / 6.5	403 / 15.9	580 / 22.8
XL	584 / 23	72°	73.5°	595 / 23.4	415 / 16.3	270 / 10.6	834 / 32.8	190 / 7.5	416 / 16.4	604 / 23.8

BIKE SPECS

Frame	CrMo D.buttet T/T & D/T
Rear Shock	N/A
Fork	High Tensil Straight Blades
Headset	1-1/8 Threadless
Rims	Weinmann XP Elite, Deep Dish Alloy Double Wall, 700X 32H
Hub, Front	KT Alloy Nuted
Hub, Rear	KT Alloy Cassette, Single Speed, Nuted
Tires	CST C1390, 700X25
Spokes	14G 32X32
Derailleur,Front	N/A
Derailleur, Rear	N/A
Shifters	N/A
Chain	KMC Z33
Crankset	Alloy Cotterless, 44T, 170
BB	Cartridge Bearing
Freewheel / Cassette	16T Cassette
Pedals	KHS Trekking, Resin Body w/Alloy Cage
Seatpost	Alloy Micro-adjust, 26.0x350
Saddle	KHS Road Padded
Handlebar	520x30mm rise, 10 Degree
Stem	Alloy Threadless, 15 Degree, S: 90, M-L: 100, XL: 120
Grips	Soft Kraton
Brake Levers	Tektro XL320 2F Alloy
Brakes	Promax RC-469 Alloy Dual Pivot
Color	Matte Black; Matte Silver
Frame Size	S, M, L, XL



70

All specs are subject to change without notice.



FITNESS VITAMIN C



FEATURES


- 16 Speeds
- 6061 Alloy Double Butted Frame
- Carbon Fork w/Alloy Steer tube
- Shimano Claris Drivetrain

NEW OR CHANGED FOR 2015

- Shimano Claris FT Derailleur
- Shimano Claris RR Derailleur
- Shimano Claris Trigger Shifters
- FSA Tempo Compact Cranks

MSRP: \$699-769

PART #	MODEL	SIZE	COLOR
95-188-001	Vitamin C	S	Matte Black
95-188-002	Vitamin C	M	Matte Black
95-188-003	Vitamin C	L	Matte Black
95-188-004	Vitamin C	XL	Matte Black



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	394 / 15.5	71°	73°	558 / 22	440 / 17.3	282 / 11.1	719 / 28.3	156 / 6.1	390 / 15.4	550 / 21.7
M	457 / 18	71°	73°	576 / 22.7	440 / 17.3	282 / 11.1	763 / 30	176 / 6.9	401 / 15.8	569 / 22.4
L	521 / 20.5	72°	73°	589 / 23.2	440 / 17.3	282 / 11.1	810 / 31.9	201 / 7.9	406 / 16	598 / 23.5
XL	584 / 23	72°	73°	602 / 23.7	440 / 17.3	282 / 11.1	855 / 33.7	231 / 9.1	410 / 16.1	627 / 24.7

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed Double Butted TT & DT, Bi-Oval Pro Seat Stays, Replaceable Derailleur Hanger
Rear Shock	N/A
Fork	Carbon with Alloy Steerer
Headset	FSA IS-3E, Integrated
Rims	Q2 AR400 Wheelset, Doublewall, 700c
Hub, Front	Q2 AR400 Wheelset, Q/R
Hub, Rear	Q2 AR400 Wheelset, Cassette, QR
Tires	CST C1808 Recourse, 700X28C w/Anti-puncture
Spokes	Q2 AR400 Wheelset, 14G Black 20x24
Derailleur, Front	Shimano Claris FD2400, 31.8
Derailleur, Rear	Shimano Claris RD2400SS
Shifters	Shimano Claris SL2400 Triggers
Chain	KMC Z8 w/Missing Link
Crankset	FSA Tempo, 50x34 Compact, S: 170, M-XL: 175
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG200-8, 12-32T, 8-speed
Pedals	Alloy Body w/Alloy Cage
Seatpost	KHS Alloy Micro-adjust, 27.2X350
Saddle	KHS Road Padded
Handlebar	Alloy 20mm rise
Stem	KHS Alloy 3D Forged, Threadless 4-bolt S: 90, M: 100, L-XL: 110
Grips	Dual Density Cushion Wrap
Brake Levers	Tektro Alloy
Brakes	Tektro R312, Alloy Dual Pivot w/ cartridge pads
Color	Matte Black
Frame Size	S, M, L, XL

FITNESS

VITAMIN B



FEATURES

24 Speeds

6061 Alloy Double Butted Frame

Q2AR400 Double wall Wheelset

Alloy Straight legged Fork

NEW OR CHANGED FOR 2015

CST C1808 Recourse Tires w/Anti-Puncture

Shimano FC-M311 Triple Cranks

MSRP: \$549-599


PART #	MODEL	SIZE	COLOR
95-187-001	Vitamin B	XS	Matte Slate Gray
95-187-002	Vitamin B	S	Matte Slate Gray
95-187-003	Vitamin B	S	Matte Silver
95-187-004	Vitamin B	M	Matte Slate Gray
95-187-005	Vitamin B	M	Matte Silver
95-187-006	Vitamin B	L	Matte Slate Gray
95-187-007	Vitamin B	L	Matte Silver
95-187-008	Vitamin B	XL	Matte Slate Gray
95-187-009	Vitamin B Ladies	XS	Matte Black
95-187-010	Vitamin B Ladies	S	Matte Black
95-187-011	Vitamin B Ladies	S	Cayenne

GEOMETRY

SIZE	A s/t c-t	B h/t*	C s/t*	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XS	330 / 13	71°	73°	550 / 21.7	440 / 17.3	282 / 11.1	677 / 26.7	105 / 4.1	385 / 15.2	540 / 21.3
S	394 / 15.5	71°	73°	550 / 21.7	440 / 17.3	282 / 11.1	716 / 28.2	115 / 4.5	390 / 15.4	550 / 21.7
M	457 / 18	71°	73°	576 / 22.7	440 / 17.3	282 / 11.1	760 / 29.9	135 / 5.3	402 / 15.8	568 / 22.4
L	521 / 20.5	72°	73°	589 / 23.2	440 / 17.3	282 / 11.1	806 / 31.7	160 / 6.3	406 / 16	598 / 23.5
XL	584 / 23	72°	73°	602 / 23.7	440 / 17.3	282 / 11.1	852 / 33.5	190 / 7.5	410 / 16.1	626 / 24.6
XS	330 / 13	71°	73°	550 / 21.7	440 / 17.3	282 / 11.1	605 / 23.8	105 / 4.1	385 / 15.2	540 / 21.3
S	394 / 15.5	71°	73°	558 / 22	440 / 17.3	282 / 11.1	691 / 27.2	115 / 4.5	382 / 15	550 / 21.7

BIKE SPECS

Frame	Alloy 6061, Double Butted w/Custom Formed TT, Replaceable Derailleur Hanger
Rear Shock	N/A
Fork	Alloy Straight Leg
Headset	Threadless Slimstack, 1-1/8
Rims	Q2 AR400 Wheelset, Doublewall, 700c
Hub, Front	Q2 AR400 Wheelset, Q/R
Hub, Rear	Q2 AR400 Wheelset, Cassette, QR
Tires	CST C1808 Recourse, 700X28C w/Anti-puncture
Spokes	Q2 AR400 Wheelset, 14G Black 20x24
Derailleur, Front	Shimano FD-M191, 31.8
Derailleur, Rear	Shimano Acera M360
Shifters	Shimano SL-M310 Triggers
Chain	KMC Z8
Crankset	Shimano FC-M311, 48/38/28T, 170
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG31, 11-34T, 8-speed
Pedals	Resin w/Steel Cage
Seatpost	KHS Alloy Micro-adjust, 27.2X350
Saddle	KHS Road Padded
Handlebar	Alloy 600x20mm rise
Stem	KHS Alloy 3D Forged, Threadless 4-bolt, XS: 80, S: 90, M-L: 100, XL: 110, Ladies XS: 80, Ladies S: 90
Grips	Dual Density Cushion Wrap
Brake Levers	Tekro Alloy
Brakes	Tekro 837AL Alloy Linear Pull
Color	Matte Slate Gray, Matte Silver, Ladies: Matte Black, Cayenne
Frame Size	XS, S, M, L, XL (XS & XL Only M.Gray), Ladies: XS, S



FITNESS

VITAMIN A



FEATURES

- 21 Speeds
- 6061 Alloy Double Butted Frame
- Steel Straight legged Fork
- Shimano Drivetrain

NEW OR CHANGED FOR 2015

Shimano FC-M171 Triple Cranks

MSRP: \$439-479


PART #	MODEL	SIZE	COLOR
95-186-001	Vitamin A	XS	Blue
95-186-002	Vitamin A	S	Blue
95-186-003	Vitamin A	S	Matte Red
95-186-004	Vitamin A	M	Blue
95-186-005	Vitamin A	M	Matte Red
95-186-006	Vitamin A	L	Blue
95-186-007	Vitamin A	L	Matte Red
95-186-008	Vitamin A Ladies	XS	Black
95-186-009	Vitamin A Ladies	S	Black
95-186-010	Vitamin A Ladies	S	Matte Placid Blue

GEOMETRY

SIZE	A s/t c-t	B h/t*	C s/l*	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XS	330 / 13	71°	73°	550 / 21.7	440 / 17.3	282 / 11.1	677 / 26.7	105 / 4.1	385 / 15.2	540 / 21.3
S	394 / 15.5	71°	73°	550 / 21.7	440 / 17.3	282 / 11.1	716 / 28.2	115 / 4.5	390 / 15.4	550 / 21.7
M	457 / 18	71°	73°	576 / 22.7	440 / 17.3	282 / 11.1	760 / 29.9	135 / 5.3	402 / 15.8	568 / 22.4
L	521 / 20.5	72°	73°	589 / 23.2	440 / 17.3	282 / 11.1	806 / 31.7	160 / 6.3	406 / 16	598 / 23.5
XS	330 / 13	71°	73°	550 / 21.7	440 / 17.3	282 / 11.1	605 / 23.8	105 / 4.1	385 / 15.2	540 / 21.3
S	394 / 15.5	71°	73°	558 / 22	440 / 17.3	282 / 11.1	691 / 27.2	115 / 4.5	382 / 15	550 / 21.7

BIKE SPECS

Frame	Alloy 6061, Double Butted w/Custom Formed TT, Replaceable Derailleur Hanger
Rear Shock	N/A
Fork	Hi-Tensile Unicrown Straight Leg
Headset	Threadless Slimstack, 1-1/8
Rims	Alloy, 700C, Doublewall
Hub, Front	Formula Alloy, QR
Hub, Rear	KT Alloy, QR, Cassette
Tires	CST C1597, 700X32C w/Anti-puncture
Spokes	14G Black, 24X28
Derailleur, Front	Shimano FD-M191, 31.8
Derailleur, Rear	Shimano RD-TX35
Shifters	Shimano ST-EF51
Chain	KMC Z8
Crankset	Shimano FC-M171, 48/38/28T, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG20-7, 12-32T, 7-speed
Pedals	Resin w/Steel Cage
Seatpost	KHS Alloy Micro-adjust, 27.2X350
Saddle	KHS Road Padded, Ladies: KHS Road Ladies Padded
Handlebar	Alloy 600x20mm Rise, Ladies: 580x20mm Rise
Stem	KHS Alloy 4-bolt, 15 Degree, XS-S: 90, M-L: 100, Ladies XS-S: 90
Grips	Dual Density Cushion Wrap
Brake Levers	Shimano ST-EF51
Brakes	Tektro 837AL Alloy Linear Pull
Color	Blue, Matte Red, Ladies: Black, Matte Placid Blue
Frame Size	XS, S, M, L (XS Blue Only), Ladies: XS, S



MULTISPORT ULTRASPORT 3.0




FEATURES

- 27 Speeds
- 6061 Alloy Custom Formed Frame
- Shimano Alivio/Acera Drivetrain
- Shimano BR-M355 Hydraulic Disc Brakes
- NEW OR CHANGED FOR 2015**
- SR SF15-NVX HLO 75mm Fork
- Shimano BR-M355 Hydraulic Disc Brakes

MSRP: \$649-709

PART #	MODEL	SIZE	COLOR
95-191-001	UltraSport 3.0	15"	Matte Black
95-191-002	UltraSport 3.0	17"	Matte Black
95-191-003	UltraSport 3.0	19"	Matte Black
95-191-004	UltraSport 3.0	21"	Matte Black
95-191-005	UltraSport 3.0 Ladies	17"	Matte Patina



GEOMETRY


SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
15"	381 / 15	71°	73°	575 / 22.6	450 / 17.7	290 / 11.4	744 / 29.3	90 / 3.5	390 / 15.4	604 / 23.8
17"	432 / 17	71°	73°	588 / 23.1	450 / 17.7	290 / 11.4	780 / 30.7	105 / 4.1	399 / 15.7	617 / 24.3
19"	483 / 19	71°	73°	600 / 23.6	450 / 17.7	290 / 11.4	813 / 32	120 / 4.7	406 / 16	631 / 24.8
21"	533 / 21	71°	73°	612 / 24.1	450 / 17.7	290 / 11.4	844 / 33.2	132 / 5.2	415 / 16.3	643 / 25.3

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed TT & DT w/C/S Disc Mount, w/ Replaceable Derailleur Hanger, New geometry
Rear Shock	N/A
Fork	SR SF15- NVX HLO, w/Mechanical Lockout, 75mm, Preload Adj
Headset	Threadless 1-1/8, Zero Stack
Rims	Weinmann X-Star 18, 700x32H, Doublewall
Hub, Front	KT Alloy Disc w/CNC Rotor Flange, QR
Hub, Rear	KT Alloy Disc w/CNC Rotor Flange, QR, Cassette
Tires	Kenda Happy Medium K-1083A, 700 x 40c, 60 tpi
Spokes	14G Black, 32X32
Derailleur,Front	Shimano Acera, M390, 34.9
Derailleur, Rear	Shimano Alivio, M430
Shifters	Shimano Acera SL-M390
Chain	KMC X9 W/Missing Link
Crankset	Shimano FC-M391 Acera, 48/36/26T, 15: 170, 17-21: 175
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG20 11-34T, 9-speed
Pedals	Wellgo Resin Platform
Seatpost	KHS Alloy Micro-adjust, 31.6X350
Saddle	KHS Sport Dual Density, Ladies: KHS Ladies Sport
Handlebar	Alloy, 680X25mm, Ladies: 660x25 rise
Stem	KHS Alloy 3D Forged, 4-bolt,7degree, 31.8, 15: 75, 17-19: 90, 21:100, Ladies: 90
Grips	KHS Sport, Dual Compound
Brake Levers	Shimano M355
Brakes	Shimano BR-M355, Hydraulic Disc, 160mm Rotors
Color	Matte Black, Ladies: Matte Patina Blue
Frame Size	15, 17, 19, 21, Ladies: 17

MULTISPORT

ULTRASPORT 2.0



FEATURES

- 24 Speeds
- 6061 Alloy Custom Formed Frame
- Weinmann X Star 18 Double wall Wheelset
- Bengal MB606 Mechanical Disc Brakes

NEW OR CHANGED FOR 2015

SR SF15-NVX 75mm Fork

MSRP: \$499-549


PART #	MODEL	SIZE	COLOR
95-190-001	UltraSport 2.0	15"	Matte Black
95-190-002	UltraSport 2.0	15"	Red
95-190-003	UltraSport 2.0	17"	Matte Black
95-190-004	UltraSport 2.0	17"	Red
95-190-005	UltraSport 2.0	19"	Matte Black
95-190-006	UltraSport 2.0	19"	Red
95-190-007	UltraSport 2.0	21"	Matte Black
95-190-008	UltraSport 2.0	23"	Matte Black
95-190-009	UltraSport 2.0 Ladies	15"	Matte Black
95-190-010	UltraSport 2.0 Ladies	15"	Gloss Orange
95-190-011	UltraSport 2.0 Ladies	17"	Matte Black
95-190-012	UltraSport 2.0 Ladies	17"	Gloss Orange

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/ effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
15"	381 / 15	71°	73°	575 / 22.6	450 / 17.7	290 / 11.4	744 / 29.3	90 / 3.5	390 / 15.4	604 / 23.8
17"	432 / 17	71°	73°	588 / 23.1	450 / 17.7	290 / 11.4	780 / 30.7	105 / 4.1	399 / 15.7	617 / 24.3
19"	483 / 19	71°	73°	600 / 23.6	450 / 17.7	290 / 11.4	813 / 32	120 / 4.7	406 / 16	631 / 24.8
21"	533 / 21	71°	73°	612 / 24.1	450 / 17.7	290 / 11.4	844 / 33.2	132 / 5.2	415 / 16.3	643 / 25.3
23"	584 / 23	71°	73°	626 / 24.6	450 / 17.7	290 / 11.4	874 / 34.4	145 / 5.7	425 / 16.7	655 / 25.8

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed TT w/C/S Disc Mount, w/Replaceable Derailleur Hanger, New Geometry
Rear Shock	N/A
Fork	SR SF15-NVX, 75mm, Preload adj
Headset	Threadless 1-1/8, Zero Stack
Rims	Weinmann X-Star 18, 700x32H, Doublewall
Hub, Front	KT Alloy Disc w/CNC Rotor Flange, QR
Hub, Rear	KT Alloy Disc w/CNC Rotor Flange, QR, Cassette
Tires	CST 1338, 700 x 40c
Spokes	14G Black, 32x32
Derailleur,Front	Shimano Altus M311, 34.9
Derailleur, Rear	Shimano Acera M360
Shifters	Shimano ST-EF51
Chain	KMC Z8
Crankset	SR Suntour XCE, 48/38/28T, 15: 170, 17-23: 175
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG31-8, 11-34, 8-speed
Pedals	Wellgo Resin Platform
Seatpost	KHS Alloy micro-adjust, 31.6x350MM
Saddle	KHS Sport, Dual Density, Ladies: KHS Ladies Sport
Handlebar	Alloy, 680X25, Ladies 660x25mm rise
Stem	KHS Alloy 4-bolt, 7degree, 31.8, 15: 75, 17-19: 90, 21-23: 110 Ladies 15: 75, Ladies 17: 90
Grips	KHS Sport, Dual Compound
Brake Levers	Shimano ST-EF51
Brakes	Bengal Cable Disc, MB606, 160mm Rotors
Color	Matte Black, Red, Ladies: Matte Black, Gloss Orange,
Frame Size	15, 17, 19, 21,23 (21 & 23 Black Only), Ladies: 15, 17



All specs are subject to change without notice.



MULTISPORT ULTRASPORT 1.0



FEATURES

- 21 Speeds
- 6061 Alloy Frame
- SR M3020 75mm Fork
- Shimano Drivetrain
- MSRP: \$399-439


PART #	MODEL	SIZE	COLOR
95-189-001	UltraSport 1.0	15"	Gloss Black
95-189-002	UltraSport 1.0	15"	Matte Silver
95-189-003	UltraSport 1.0	17"	Gloss Black
95-189-004	UltraSport 1.0	17"	Matte Silver
95-189-005	UltraSport 1.0	19"	Gloss Black
95-189-006	UltraSport 1.0	19"	Matte Silver
95-189-007	UltraSport 1.0	21"	Gloss Black
95-189-008	UltraSport 1.0	23"	Gloss Black
95-189-009	UltraSport 1.0 Ladies	15"	Matte Black
95-189-010	UltraSport 1.0 Ladies	15"	Tulip
95-189-011	UltraSport 1.0 Ladies	17"	Matte Black
95-189-012	UltraSport 1.0 Ladies	17"	Tulip

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
15"	381 / 15	71°	73°	575 / 22.6	450 / 17.7	290 / 11.4	744 / 29.3	90 / 3.5	390 / 15.4	604 / 23.8
17"	432 / 17	71°	73°	588 / 23.1	450 / 17.7	290 / 11.4	780 / 30.7	105 / 4.1	399 / 15.7	617 / 24.3
19"	483 / 19	71°	73°	600 / 23.6	450 / 17.7	290 / 11.4	813 / 32	120 / 4.7	406 / 16	631 / 24.8
21"	533 / 21	71°	73°	612 / 24.1	450 / 17.7	290 / 11.4	844 / 33.2	132 / 5.2	415 / 16.3	643 / 25.3
23"	584 / 23	71°	73°	626 / 24.6	450 / 17.7	290 / 11.4	874 / 34.4	145 / 5.7	425 / 16.7	655 / 25.8

BIKE SPECS

Frame	Alloy 6061 w/Replaceable Derailleur Hanger, New Geometry
Rear Shock	N/A
Fork	SR M3020, 75mm, Preload Adj
Headset	Threadless 1-1/8, Zero Stack
Rims	Alloy, 700c x 36H, Doublewall
Hub, Front	KT Alloy QR
Hub, Rear	KT Alloy QR Cassette
Tires	CST 1338, 700 x 40c
Spokes	14G Black, 36X36
Derailleur, Front	Shimano FD-M191, 34.9
Derailleur, Rear	Shimano RD-TX35D
Shifters	Shimano ST-EF51
Chain	KMC Z50
Crankset	SR Suntour XCE, 48/38/28T, 170
BB	Cartridge Bearing
Freewheel / Cassette	Shimano Cassette, CS-HG20-7, 12-32T, 7speed
Pedals	Resin ATB
Seatpost	KHS Alloy, 31.6 x 350
Saddle	KHS Sport
Handlebar	Alloy, 31.8, 680X25mm, Ladies: 660x25 rise
Stem	KHS Alloy 4-bolt, 7degree, 31.8, 15: 75, 17-21: 90, 23: 110, Ladies 15: 75, Ladies 17: 90
Grips	KHS Sport
Brake Levers	Shimano ST-EF51
Brakes	Promax Alloy Linear Pull
Color	Gloss Black, Matte Silver, Ladies: Matte Black, Tulip
Frame Size	15, 17, 19, 21, 23 (21 & 23 Blk Only), Ladies: 15, 17



YOUTH ALITE 24



FEATURES

27 Speeds
6061 Alloy Butted Frame
SR Suntour XCT-JR 50mm Fork
Shimano Altus Drivetrain


NEW OR CHANGED FOR 2015

Shimano Altus FT Derailleur
Shimano Altus RR Derailleur
Shimano ST-EF51 shifters
KMC X9 Chain
Shimano CS-HG200-9 11-34 Cassette
Suntour Xct-JR Triple Cranks

MSRP: \$499-549

PART #	MODEL	SIZE	COLOR
--------	-------	------	-------

95-134-001	Alite 24	One Size	Matte Black
------------	----------	----------	-------------



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
12"	320 / 12.6	70°	72°	518 / 20.4	424 / 16.7	275 / 10.8	666 / 26.2	110 / 4.3	354 / 13.9	505 / 19.9

BIKE SPECS

Frame	Alloy Butted 6061 w/Replaceable Der Hanger
Rear Shock	N/A
Fork	SR Suntour XCT-JR, 50mm Travel
Headset	FSA Threadless 1-1/8, Zero Stack
Rims	Alloy, Doublewall, 24x32H
Hub, Front	Alloy Disc w/CNC Rotor Flange, QR
Hub, Rear	Alloy Disc w/CNC Rotor Flange, QR, Cassette
Tires	Kenda Small Block 8, 24X1.95, 60 TPI
Spokes	14G Black, 32X32
Derailleur, Front	Shimano Altus 9s, FD-M370
Derailleur, Rear	Shimano Altus 9s, RD-M370
Shifters	Shimano ST-EF51, 9s
Chain	KMC X9
Crankset	SR Suntour XCT JR. 9s, 44/32/22T, 160mm
BB	Cartridge Bearing
F/W	Shimano CS-HG200-9, 11-34T, 9-Speed
Pedals	VP Resin w/Steel Cage w/Boron Axle
Seatpost	Alloy Micro Adjust, 27.2x 250mm
Saddle	KHS Junior ATB
Handlebar	Alloy 560mmx30mm
Stem	Alloy 4-bolt, 60mm
Grips	Soft Kraton
Brake Levers	Shimano ST-EF51
Brakes	Bengal Cable Disc, MB606, 160mm Rotors
Color	Matte Black
Frame Size	One Size
Extras	Rear Der Guard

YOUTH


T-REX



FEATURES

- 21 Speed
- TIG-welded Hi-Tensile frame
- 24" Suspension fork, w/ alloy crown, 50mm travel
- Shimano drivetrain
- MSRP: \$319-349

PART #	MODEL	SIZE	COLOR
95-132-001	T-Rex	One Size	Lime/Black
95-132-002	T-Rex Girls	One Size	Heather Blue



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
12"	320 / 12.6	70°	72°	518 / 20.4	424 / 16.7	275 / 10.8	666 / 26.2	110 / 4.3	456 / 18	467 / 18.4
12"L	320 / 12.6	70°	72°	518 / 20.4	424 / 16.7	275 / 10.8	N/A	110 / 4.3	456 / 18	467 / 18.4

BIKE SPECS

Frame	TIG-welded Hi-tensile
Rear Shock	N/A
Fork	24" Suspension-MCU/Spring, Alloy Crown, 50mm Travel
Headset	Threadless 1-1/8"
Rims	Alloy, 24"x32H
Hub, Front	Steel Nuted
Hub, Rear	Steel Nuted
Tires	24X1.75
Spokes	14G Black, 32X32
Derailleur, Front	Shimano Tourney
Derailleur, Rear	Shimano RD-TX35
Shifters	Shimano Revo
Chain	KMC Z7
Crankset	Alloy, 42/34/24 w/CG, 170
BB	Cartridge Bearing
F/W	13-28T, 7-Speed FW
Pedals	VP MTB w/Boron Axle
Seatpost	Alloy Micro Adjust, 25.4x 250
Saddle	KHS Junior
Handlebar	Alloy 30mm Rise/560mm
Stem	Alloy Threadless, 40 Degree, 90
Grips	Soft Kraton
Brake Levers	Promax, Alloy Lever, Alloy Bracket
Brakes	Promax Alloy Linear Pull
Color	Lime/Black, Girls: Heather Blue
Frame Size	One-Size
Extras	Rear Der Guard

YOUTH SYNTAUR




FEATURES

21 Speed
6061 Alloy frame
Rigid straight leg fork
Shimano drivetrain
MSRP: \$319-349

PART # MODEL SIZE COLOR

95-133-001	Syntaur	One Size	Orange Blast
95-133-002	Syntaur Girls	One Size	Magenta



GEOMETRY

SIZE	A s/t c-t	B h/t*	C s/l*	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
12"	320 / 12.6	70°	72°	518 / 20.4	424 / 16.7	275 / 10.8	666 / 26.2	110 / 4.3	456 / 18	467 / 18.4
12"L	320 / 12.6	70°	72°	518 / 20.4	424 / 16.7	275 / 10.8	N/A	110 / 4.3	456 / 18	467 / 18.4

BIKE SPECS

Frame	Alloy 6061 w/Replaceable Der Hanger
Rear Shock	N/A
Fork	Rigid Straight Leg
Headset	Threadless 1-1/8"
Rims	Alloy, 24"x32H
Hub, Front	Steel Nuted
Hub, Rear	Steel Nuted
Tires	24X1.75
Spokes	14G Black, 32X32
Derailleur, Front	Shimano Tourney
Derailleur, Rear	Shimano RD-TX35
Shifters	Shimano Revo
Chain	KMC Z7
Crankset	Alloy, 42/34/24 w/CG, 170
BB	Cartridge Bearing
F/W	13-28T, 7-Speed FW
Pedals	VP MTB w/Boron Axle
Seatpost	Alloy Micro Adjust, 27.2x 250
Saddle	KHS Junior
Handlebar	Alloy 30mm Rise/560mm
Stem	Alloy Threadless, 40 Degree, 90
Grips	Soft Kraton
Brake Levers	Promax, Alloy Lever, Alloy Bracket
Brakes	Promax Alloy Linear Pull
Color	Orange, Girls: Magenta
Frame Size	One Size
Extras	Rear Der Guard

YOUTH RAPTOR




FEATURES

- 7 speed
- 6061 Alloy frame
- Rigid straight leg fork
- Shimano drivetrain
- MSRP: \$299-329

PART # MODEL SIZE COLOR

95-131-001	Raptor Boys	One Size	Blue/Black
95-131-002	Raptor Girl	One Size	Pearl White



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/l°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
11"	280 / 11	70°	70°	488 / 19.2	385 / 15.2	248 / 9.8	579 / 22.8	110 / 4.3	332 / 13.1	431 / 17
11"L	280 / 11	70°	70°	488 / 19.2	385 / 15.2	248 / 9.8	N/A	110 / 4.3	332 / 13.1	431 / 17

BIKE SPECS

Frame	Alloy 6061 w/Replaceable Der Hanger
Rear Shock	N/A
Fork	Rigid Straight Leg
Headset	Threadless 1-1/8"
Rims	Alloy, 20", 32H
Hub, Front	Steel Nuted
Hub, Rear	Steel Nuted
Tires	20X1.75
Spokes	14G Black, 32X32
Derailleur, Front	N/A
Derailleur, Rear	Shimano RD-TX35
Shifters	Shimano Revo
Chain	KMC Z50
Crankset	Alloy, 40T w/Double Chainguard, 140
BB	Cartridge Bearing
F/W	13-28T, 7-Speed FW
Pedals	VP MTB w/Boron Axle
Seatpost	Alloy Micro Adjust, 27.2x 230
Saddle	KHS Junior
Handlebar	Alloy 560x30mm rise
Stem	Alloy Threadless, 40 Degree, 90
Grips	Soft Kraton
Brake Levers	Promax, Alloy Lever, Alloy Bracket
Brakes	Promax Alloy Linear Pull
Color	Blue/Black, Ladies: Pearl White
Frame Size	One Size
Extras	Rear Der Guard

YOUTH HOT ROD



FEATURES

- 1 speed
- 20" wheels
- Old school springer fork and banana seat
- MSRP: \$299-329

PART #	MODEL	SIZE	COLOR
95-124-001	Hot Rod	1-Size	Infinite Black
95-124-002	Hot Rod	1-Size	Orange Crate

BIKE SPECS

Frame	Steel Cantilever
Rear Shock	N/A
Fork	Retro Springer Suspension
Headset	Threaded 1"
Rims	CP Steel
Hub, Front	Steel
Hub, Rear	Steel Coaster
Tires	Kenda 20x2.125 Blackwall
Spokes	14G
Derailleur, Front	N/A
Derailleur, Rear	N/A
Shifters	N/A
Chain	KMC Z410
Crankset	1-piece Steel Chrome Plated, 14T
BB	Ball Bearing
Freewheel / Cassette	18T
Pedals	Old School Rubber Black
Seatpost	Chrome Plated Steel
Saddle	Old School Banana
Handlebar	Chrome Plated Steel, Ape Hanger
Stem	Steel Quill
Grips	
Brake Levers	N/A
Brakes	Coaster Rear
Color	Infinite Black, Orange Crate
Frame Size	1-size
Extras	Kickstand


TANDEM MILANO



FEATURES

- 27 Speed
- 6061 Alloy frame
- Weinmann X-Star 18, Doublewall wheelset w/ disc
- Bengal MB700T, Mechanical Disc brakes
- MSRP: \$1899-1999

PART #	MODEL	SIZE	COLOR
89-010-005	Tandem Milano	S	Blue Velvet Gloss
89-010-006	Tandem Milano	M	Blue Velvet Gloss



BIKE SPECS

Frame	Alloy 6061, TIG welded w/Disc Tab
Rear Shock	N/A
Fork	Oversized Chromoly Unicrown
Headset	1 1/8" Threadless
Rims	Weinmann X-Star 18, Doublewall, w/Eyelets
Hub, Front	Front: Alloy QR, S/B, Disc
Hub, Rear	Alloy QR, Cassette. S/B, Disc
Tires	Kenda Kwest w/Puncture Resistant K-shield, 700x28c
Spokes	14G Stainless 40X40
Derailleur, Front	Shimano Sora
Derailleur, Rear	Shimano Deore
Shifters	Shimano Sora STI
Chain	KMC Z99
Crankset	Truvativ Touro, 50/39/30 +39T, Alloy C/R's
BB	Truvativ Cartridge Power Spline
Freewheel / Cassette	Shimano CS-HG20, 11-34T, 9-speed
Pedals	Shimano Clipless
Seatpost	Captain: Alloy Micro Adj. Stoker: Alloy Suspension, Micro Adj
Saddle	KHS Road Padded & Ladies Road Padded
Handlebar	Alloy Drop, Dbl Butted, 31.8
Stem	Captain: Threadless 3D Forged Alloy 17D x 31.8, Stoker: Alloy, adjustable
Grips	Cushion Tape
Brake Levers	Shimano Sora STI
Brakes	Bengal MB700T, Mechanical Disc, 203mm Rotors
Color	Blue Velvet Gloss
Frame Size	S: 20" x 16", M: 23" x 21"

GEOMETRY

SIZE	A s/t c-t	A° s/t c-t	B h/t°	C s/t°	C° s/t°	D t/t	D° t/t	E c/s	F BB Height	G rake	H s.o.	H° s.o.	I h/t L
S	500 / 19.7	410 / 16.1	74	73	73	548 / 21.6	689 / 27.1	440 / 17.3	298 / 11.7	54 / 2.1	779 / 30.7	684 / 26.9	105 / 4.1
M	582 / 22.9	541 / 21.3	74	73	73	584 / 23	719 / 28.3	440 / 17.3	298 / 11.7	54 / 2.1	813 / 32	767 / 30.2	138 / 5.4


TANDEM CROSS



FEATURES

27 Speed
6061 Alloy frame
Weinmann X-Star 18, Doublewall wheelset w/ disc hubs
Bengal MB700T, Mechanical Disc brakes
MSRP: \$1699-1799

PART #	MODEL	SIZE	COLOR
89-011-007	Tandem Cross	S (20"x16")	Dark Red
89-011-008	Tandem Cross	M (23"x21")	Dark Red



BIKE SPECS

Frame	Alloy 6061, TIG welded w/Disc Tab
Rear Shock	N/A
Fork	Oversized Chromoly Unicrown
Headset	1 1/8" Threadless
Rims	Weinmann X-Star18, Doublewall, w/ eyelets & CNC sides
Hub, Front	Front: Alloy QR, S/B, Disc
Hub, Rear	Alloy QR, Cassette. S/B, Disc
Tires	Kenda Kwest w/Puncture Resistant K-shield, 700x35c
Spokes	14G Stainless 40X40
Derailleur, Front	Shimano Sora
Derailleur, Rear	Shimano Deore Shadow
Shifters	Shimano Sora Trigger
Chain	KMC Z99
Crankset	Truvativ Touro, 50/39/30 +39T
BB	Truvativ Cartridge Power Spline
Freewheel / Cassette	Shimano HG20-9, 11-34T, 9-Speed
Pedals	Shimano Clipless
Seatpost	Captain: Alloy Micro Adj. Stoker: Alloy Suspension, Micro Adj
Saddle	KHS Road Padded & Ladies Road Padded
Handlebar	Alloy, 35mm Rise
Stem	Captain: Alloy Stoker: Alloy, adjustable
Grips	
Brake Levers	Promax Alloy Linear Pull
Brakes	Bengal MB700, Mechanical Disc, 203mm Rotors
Color	Dark Red
Frame Size	S: 20" x 16", M: 23" x 21"

GEOMETRY

SIZE	A s/t c-t	A° s/t c-t	B h/t°	C s/t°	C° s/t°	D t/t	D° t/t	E c/s	F BB Height	G rake	H s.o.	H° s.o.	I h/t L
S	500 / 19.7	410 / 16.1	74	73	73	548 / 21.6	689 / 27.1	440 / 17.3	298 / 11.7	54 / 2.1	779 / 30.7	684 / 26.9	105 / 4.1
M	582 / 22.9	541 / 21.3	74	73	73	584 / 23	719 / 28.3	440 / 17.3	298 / 11.7	54 / 2.1	813 / 32	767 / 30.2	138 / 5.4

TANDEM ALITE




FEATURES

24 Speed
6061 Alloy frame
Shimano XT rear derailleur
Truvativ FiveD Tandem, 48/38/28 +39T crank
MSRP: \$1699-1799

PART # MODEL SIZE COLOR

89-009-005	Tandem Alite	S (17"x15")	Flat Black
89-009-004	Tandem Alite	M (20"x16")	Flat Black



BIKE SPECS

Frame	Alloy 6061, TIG welded w/Disc Tab
Rear Shock	N/A
Fork	Oversized Chromoly Unicrown
Headset	1 1/8" Threadless
Rims	Weinmann ZAC19, Doublewall, w/ eyelets
Hub, Front	Front: Alloy QR
Hub, Rear	Shimano Tandem 145mm, Double Threaded/QR
Tires	KHS 26" x 1.75"
Spokes	14G Stainless 40X40
Derailleur, Front	Shimano FD-C102
Derailleur, Rear	Shimano XT
Shifters	Shimano Revo ST1
Chain	KMC Z51/ Z82
Crankset	Truvativ FiveD Tandem, 48/38/28 +39T
BB	Truvativ Cartridge
Freewheel / Cassette	Shimano HG50, 11-32T, 8-Speed
Pedals	VP Resin w/Alloy Cage
Seatpost	Captain: Alloy Micro Adj. Stoker: Alloy Suspension, Micro Adj
Saddle	KHS Padded
Handlebar	Alloy
Stem	Captain: Alloy Stoker: Alloy, adjustable
Grips	KHS Dual Density
Brake Levers	Shimano Revo ST1
Brakes	Tektro Alloy Linear Pull, Long Reach
Color	Flat Black
Frame Size	S: 17" x 15", M: 20" x 16"

GEOMETRY

SIZE	A s/t c-t	A° s/t c-t	B h/t°	C s/t°	C° s/t°	D t/t	D° t/t	E c/s	F BB Height	G rake	H s.o.	H° s.o.	I h/t L
S	432 / 17	381 / 15	74	73	73	538 / 21.2	687 / 27	440 / 17.3	285 / 11.2	54 / 2.1	704 / 27.7	588 / 23.1	145 / 5.7
M	515 / 20.3	405 / 15.9	74	73	73	577 / 22.7	654 / 25.7	440 / 17.3	285 / 11.2	54 / 2.1	775 / 30.5	691 / 27.2	145 / 5.7


TANDEM SPORT



FEATURES

27 speed
6061 Alloy frame
Shimano drivetrain
Truvativ FiveD Tandem, 44/32/22 +38T crank
MSRP: \$1199-1299

PART #	MODEL	SIZE	COLOR
89-008-005	Tandem Sport	S (18"x16")	Silver
89-008-006	Tandem Sport	M (20"x16")	Silver



BIKE SPECS

Frame	Hi-Tensile w/CrMo Seat & Down Tube
Rear Shock	N/A
Fork	Oversized Chromoly Unicrown
Headset	1 1/8" Threadless
Rims	Weinmann XTB-26, Doublewall, w/ eyelets
Hub, Front	Front: Alloy QR, S/B, Disc
Hub, Rear	Alloy QR, Cassette. S/B, Disc
Tires	Kenda K-841C, 26" x 1.75
Spokes	14G Black 40X40
Derailleur, Front	Shimano Acera
Derailleur, Rear	Shimano Alivio
Shifters	Shimano Acera Rapidfire
Chain	KMC Z99
Crankset	KHS Tandem, 44/32/22 +38T
BB	Cartridge Power Spline
Freewheel / Cassette	Shimano CS-HG20, 11-34T, 9-speed
Pedals	VP Resin w/Alloy Cage
Seatpost	Captain: Alloy Stoker: Suspension
Saddle	KHS Ultra Comfort, Soft Shell
Handlebar	F: Alloy Riser 31.8, R: Alloy Riser
Stem	Captain: Threadless 3D Forged, 25D, 31.8, Stoker: Alloy, 35 Degree Adjustable
Grips	KHS Sport, Dual Compound
Brake Levers	Alloy Linear Pull
Brakes	Bengal MB700, Mechanical Disc, 203mm Rotors
Color	Silver
Frame Size	S: 18" x 16", M: 20" x 16"

GEOMETRY

SIZE	A s/t c-t	A° s/t c-t	B h/t°	C s/t°	C° s/t°	D t/t	D° t/t	E c/s	F BB Height	G rake	H s.o.	H° s.o.	I h/t L
S	475 / 18.7	406 / 16	72.5	73	73	572 / 22.5	699 / 27.5	440 / 17.3	285 / 11.2	50 / 2	714 / 28.1	715 / 28.2	145 / 5.7
M	515 / 20.3	405 / 15.9	72.5	73	73	598 / 23.5	699 / 27.5	440 / 17.3	285 / 11.2	50 / 2	785 / 30.9	690 / 27.2	160 / 6.3

FOLDING

F20A



FEATURES

- 7 Speed
- 6061 Alloy Folding Frame
- Folds to Compact Size
- Heavy Duty Rear Rack with 3 Bungee Cords
- MSRP: \$479-519

PART #	MODEL	SIZE	COLOR
--------	-------	------	-------

89-007-010	F20A	1-size	Silver
------------	------	--------	--------

BIKE SPECS

Frame	Curved Top tube 6061 Alloy, Folding
Rear Shock	N/A
Fork	Hi-ten steel 28.6 blades
Headset	VP-T3E threaded
Rims	Alloy 36Holes
Hub, Front	KT-512R Alloy w/QR 36Holes RR: Freewheel
Tires	K193 20X1.5
Spokes	14G stainless w/brass Nipples 36X36
Derailleur, Front	N/A
Derailleur, Rear	Shimano TX-35D
Shifters	Shimano SL-RS41-7 grip
Chain	KMC Z50 1/2X3/32 Brown
Crankset	RCF1552DP 52T 170L alloy ring, double Guard
BB	VB-P32
Freewheel / Cassette	MTF-TZ2111/28T 7-speed
Pedals	VP-FLD50
Seatpost	Sp200 steel 28.6X500mm w/30.4X28.6 shim
Saddle	KHS Padded
Handlebar	MTB-AL-15325.4 580W, 30H, 6 degree alloy
Stem	FB-AL-249-8 Alloy Rise:10 degree, 300mm
Brake Levers	Alloy
Brakes	Alloy TX-117 V-Brake
Color	Silver
Frame Size	1-Size
Extras	Fenders, Bell, Kickstand, Rear Rack

FOLDING MOCHA



FEATURES

6 speed
20" folding frame
Includes bell, fenders, & kickstand
MSRP: \$419-459

PART #	MODEL	SIZE	COLOR
--------	-------	------	-------

89-007-002	Mocha	1-size	Silver
------------	-------	--------	--------

BIKE SPECS

Frame	20" Folding 7005 AL
Rear Shock	N/A
Fork	High-tensile steel
Headset	Threaded 1"
Rims	Alloy 20"
Hub, Front	Alloy nudded 28 hole
Hub, Rear	Alloy nudded 28 hole
Tires	Kenda 20x1.75
Spokes	14G Stainless 28°
Derailleur, Front	N/A
Derailleur, Rear	Shimano TY18SS
Shifters	Twist, 6-speed
Chain	KMC Z51
Crankset	Alloy w/40T & Chainguard
BB	VP-B32
Freewheel / Cassette	Shimano 11-28T, 6-speed
Pedals	Foldable right side
Seatpost	CP 400mm
Saddle	KHS Comfort
Handlebar	600W x 100H, Black
Stem	Steel, Black
Brake Levers	Alloy
Brakes	Alloy Linear Pull
Color	Silver
Frame Size	1-size

FOLDING LATTE



FEATURES

Single Speed
20" folding frame
Includes bell, fenders, & kickstand
MSRP: \$329-359

PART #	MODEL	SIZE	COLOR
89-007-003	Latte	1-size	Dark Cappuccino

BIKE SPECS

Frame	20" Folding 7005 AL
Rear Shock	N/A
Fork	High-tensile steel
Headset	Threaded 1"
Rims	Alloy 20"
Hub, Front	Alloy nutted 28 hole
Hub, Rear	Coaster Rear
Tires	Kenda 20x1.75
Spokes	14G Stainless 28°
Derailleur, Front	N/A
Derailleur, Rear	N/A
Shifters	N/A
Chain	KMC Z410
Crankset	Alloy w/40T & Chainguard
BB	VP-B32
Freewheel / Cassette	18T Cog
Pedals	Foldable right side
Seatpost	CP 400mm
Saddle	KHS Comfort
Handlebar	600W x 100H, Black
Stem	Steel, Black
Brake Levers	N/A
Brakes	Coaster
Color	Dark Cappuccino
Frame Size	1-size
Extras	Bell, fenders, Kickstand, carrier

SPECIALTY

IPED



FEATURES

3 and 8 speed

MSRP: 8-speed \$389-419

3-speed \$439-479

PART #	MODEL	SIZE	COLOR
--------	-------	------	-------

89-015-001	i-ped 8-speed	1-size	Deep Blue
------------	---------------	--------	-----------

89-015-002	i-ped 3-speed	1-size	Team Red
------------	---------------	--------	----------

BIKE SPECS

Frame	AL 6061 Alloy
Rear Shock	N/A
Fork	High-Tensile steel
Headset	1-1/8 Threaded
Rims	Weinmann Alloy, 12" ft, 16" rr
Hub, Front	Alloy FT
Hub, Rear	Alloy Cassette RR, QR, (3 Speed =Shimano Nexus 3S, RR w/ Coaster Brake)
Tires	Front 12X1.75, Rear 16X1.5
Spokes	14G Stainless 16X28°
Derailleur, Front	N/A
Derailleur, Rear	Shimano Sora
Shifters	Sram MRX Twist
Chain	KMC Z82
Crankset	Alloy w/ 40T
BB	Semi-Cartridge
Freewheel / Cassette	Shimano HG40, 11-30T, 8-speed
Pedals	Foldable
Seatpost	Alloy micro-adjust
Saddle	KHS Comfort
Handlebar	Alloy Riser
Stem	Alloy foldable, Telescoping
Brake Levers	Tektro Alloy
Brakes	Alloy Linear Pull
Color	8-Speed: Deep Blue, 3-Speed: Team Red
Frame Size	1-size
Extras	Bell,



SPECIALTY


K9 POLICE



FEATURES

- Suspension Seat post
- Rack with Bag
- Rock Shox XC-28 TK Fork
- MSRP: \$999-1099

PART #	MODEL	SIZE	COLOR
89-012-010	K9 Police	15"	Infinite Black
89-012-011	K9 Police	17"	Infinite Black
89-012-012	K9 Police	19"	Infinite Black
89-012-013	K9 Police	21"	Infinite Black
89-012-014	K9 Police	23"	Infinite Black



GEOMETRY

SIZE	A s/t c-t	B h/t"	C s/t°	D t/t effectv	E c/s	F BB Height	G s.o.	H h/t L	I Reach	J Stack	K
15"	381 / 15	71	73	550 / 21.7	425 / 16.7	292 / 11.5	706 / 27.8	115 / 4.5	371 / 14.6	585 / 23	
17"	432 / 17	71	73	570 / 22.4	425 / 16.7	292 / 11.5	736 / 29	130 / 5.1	387 / 15.2	599 / 23.6	
19"	483 / 19	71	73	590 / 23.2	425 / 16.7	292 / 11.5	769 / 30.3	145 / 5.7	403 / 15.9	613 / 24.1	
21"	533 / 21	71	73	605 / 23.8	425 / 16.7	292 / 11.5	805 / 31.7	165 / 6.5	412 / 16.2	632 / 24.9	
23"	584 / 23	71	73	615 / 24.2	430 / 16.9	302 / 11.9	881 / 34.7	185 / 7.3	418 / 16.5	645 / 25.4	

BIKE SPECS

Frame	Alloy 7005, Hydroformed Double butted TT & DT, Smooth Welds w/replaceable der hanger
Rear Shock	N/A
Fork	Rock Shox XC28 Mag, 100mm, Ext Rebound w/Turnkey Lockout
Headset	Threadless 1-1/8, Zero Stack
Rims	Weinmann XM25 Disc, Doublewall, 32H
Hub, Front	Shimano Disc, QR
Hub, Rear	Shimano Disc, Cassette, QR
Tires	Kenda Semi Slick 26x1.95 w/Reflector Stripe
Spokes	14G Black 32°
Derailleur, Front	Shimano Alivio
Derailleur, Rear	Shimano Alivio
Shifters	Shimano Alivio
Chain	KMC Z99
Crankset	Shimano Alivio Octalink, 44/32/22T
BB	Shimano ES25
Freewheel / Cassette	Shimano CS-HG20, 11-32T, 9-speed
Pedals	Alloy w/ Steel cage w/ Boron Axle
Seatpost	Alloy Suspension, Micro-adjust
Saddle	KHS Ultra Comfort, Soft Shell
Handlebar	Truativ Stylo T10, 31.8
Stem	Truativ Stylo T20, 31.8
Grips	Q2 Lock on
Brake Levers	Tektro Alloy, ML-520
Brakes	Shimano BR-M375 Mechanical Disc
Color	Infinite Black
Frame Size	15, 17, 19, 21, 23
Extras	Alloy Rear Carrier Bag, Kickstand, Water Bottle Cages

SPECIALTY TRIKE



FEATURES

Single Speed and 3 Speed

Lightweight 7005 Alloy Frame

MSRP: 3 Speed \$699-769
1 Speed \$599-659

PART #	MODEL	SIZE	COLOR
89-006-001	Adult Trike	1-Speed	Champagne
89-006-002	Adult Trike	3-Speed	Champagne
89-006-003	Adult Trike	3-Speed	Red

BIKE SPECS

Frame	Alloy 7005
Rear Shock	N/A
Fork	N/A
Headset	Threaded 1"
Rims	Alloy
Hub, Front	Alloy Front
Hub, Rear	Shimano Nexus 3-speed Coaster Rear
Tires	24x1.75, White Sidewall
Spokes	14G
Derailleur, Front	N/A
Derailleur, Rear	N/A
Shifters	Shimano Revo, 3-speed
Chain	KMC Z410
Crankset	1-piece Steel Chrome Plated, 36T
BB	Ball Bearing
Freewheel / Cassette	19T
Pedals	Platform w/Non-slip Tread
Seatpost	Chrome Plated Steel
Saddle	Foam Padded w/ Coil Springs
Handlebar	Chrome Plated Steel, 650 Wide, 215 Rise
Stem	Alloy Quill
Brake Levers	Alloy
Brakes	Coaster Rear, Alloy Linear Pull Front
Color	1 Speed: Champagne. 3 Speed: Chamapage, Red
Frame Size	1-size





KHS Bicycles
2840 East Harcourt St.
Rancho Dominguez CA 90221
310.632.7173