



SAFETY DATA SHEET

According to JIS Z 7253:2019 **Revision date** 07-Jun-2023 Revision Number 9.05

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	1-Methyl-3-nitro-1-nitrosoguanidine (added water : abt. 50%)	
Product Code	138-14901	
Manufacturer	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome	
	Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-5964	
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029	
Emergency telephone number Recommended uses Restrictions on use	+81-6-6203-3741 / +81-3-3270-8571 For research use only Seek expert judgment when using for purposes other than those recommended.	

Section 2: HAZARDS IDENTIFICATION

GHS classification <u>Classification of the substance or mixture</u> Acute toxicity - Oral Skin corrosion/irritation Serious eye damage/eye irritation Skin sensitization Germ cell mutagenicity Carcinogenicity

Category 4 Category 1 Category 1 Category 1 Category 2 Category 1B

Pictograms



Hazard statements

- H314 Causes severe skin burns and eye damage
- H318 Causes serious eye damage
- H302 Harmful if swallowed
- H341 Suspected of causing genetic defects
- H350 May cause cancer
- H317 May cause an allergic skin reaction

Precautionary statements-(Prevention)

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- Wash face, hands and any exposed skin thoroughly after handling

- · Do not eat, drink or smoke when using this product
- Do not breathe dust/fume/gas/mist/vapors/spray
- Contaminated work clothing should not be allowed out of the workplace
- Wear protective gloves

Precautionary statements-(Response)

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

- · Immediately call a POISON CENTER or doctor/physician
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- Wash contaminated clothing before reuse
- If skin irritation or rash occurs: Get medical advice/attention
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth
- Do NOT induce vomiting

Precautionary statements-(Storage)

Store locked up

Precautionary statements-(Disposal)

· Dispose of contents/container to an approved waste disposal plant

Others

Formula

Other hazards

Not available

Substance

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture

CH3N(NO)C(:NH)NHNO2

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
1-Methyl-3-nitro-1-nitros	95.0	147.09	N/A	N/A	70-25-7
oguanidine	(after drying)				

Note on ISHL No.:

* in the table means announced chemical substances.

Impurities and/or Additives:

added water : abt. 50 %

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media Water spray (fog), Foam, Sand Unsuitable extinguishing media No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available Special protective actions for

Special protective actions for

fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Do not give shock. Avoid contact with strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity)

Storage

Safe storage conditions Storage conditions Safe packaging material Incompatible substances

Keep container protect from light tightly closed. Store in a cool (2-10 $^\circ\text{C})$ place. Glass

Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Personal protective equipment Respiratory protection Hand protection Eye protection

Dust mask (JIS T 8151) chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles Long-sleeved work clothes

Skin and body protection General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form	
Color	pale yellow - brown
Appearance	crystals - powder or mass
Odor	no data available
Melting point/freezing point	118 °C (dec.)
Boiling point, initial boiling point and boiling range	no data available
Flammability	no data available
Evaporation rate:	no data available
Flammability (solid, gas):	no data available
Upper/lower flammability or	
explosive limits	
Upper:	no data available
Lower:	no data available
Flash point	no data available
Auto-ignition temperature:	no data available
Decomposition temperature:	no data available
рН	no data available
Viscosity (coefficient of viscosity)	no data available
Dynamic viscosity	no data available
Solubilities	Ethanol : soluble . water : practically insoluble, or insoluble .
n-Octanol/water partition coefficient:(log Pow)	no data available
Vapour pressure	no data available
Specific Gravity / Relative density	no data available
Vapour density	no data available
Particle characteristics	no data available

Section 10: STABILITY AND REACTIVITY

Stability

 Reactivity
 This product is self-reactive. May cause runaway reaction due to heat or light.

 Chemical stability
 May be altered by light.

 Hazardous reactions
 Rreacts with alkalis to generate dizaomethane gas.

 Conditions to avoid
 Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark, Shock

 Incompatible materials
 Strong oxidizing agents

 Hazardous decomposition products
 Option products

Carbon monooxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx)

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity			
Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
1-Methyl-3-nitro-1-nitrosoguani	378 mg/kg(Rat)	N/A	N/A
dine			
Chemical Name	Acute toxicity -oral- source	Acute toxicity -dermal- source	Acute toxicity -inhalation gas-
	information	information	source information
1-Methyl-3-nitro-1-nitrosoguanic	line Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation	Acute toxicity -inhalation dust-	Acute toxicity -inhalation mist-
	vapor- source information	source information	source information
1-Methyl-3-nitro-1-nitrosoguanidine			Based on the NITE GHS classification results.

Skin irritation/corrosion				
Chemical Name		Skin corrosi	on/irritation sour	ce information
1-Methyl-3-nitro-1-nitrosoguanidine		Based on the NITE GH	IS classification re	sults.
Serious eye damage/ irritation				
Chemical Name			mage/irritation so	
1-Methyl-3-nitro-1-nitrosoguanidin	е	Based on the NITE GH	IS classification re	sults.
Respiratory or skin sensitization				
Chemical Name				source information
1-Methyl-3-nitro-1-nitrosoguanidin	е	Based on the NITE GH	IS classification re	sults.
Reproductive cell mutagenicity				
Chemical Name			utagencity sourc	
1-Methyl-3-nitro-1-nitrosoguanidin	е	Based on the NITE GH	IS classification re	sults.
Carcinogenicity				
Chemical Name		Carcinogenicity source information		
1-Methyl-3-nitro-1-nitrosoguanidin	е	Based on the NITE GH	IS classification re	sults.
Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
1-Methyl-3-nitro-1-nitrosoguanidine 70-25-7	Reasonably Anticipated	Group 2A		
Reproductive toxicity	•	•		
Chemical Name			Reproductive toxicity source information	
1-Methyl-3-nitro-1-nitrosoguanidin	e	Based on the NITE GHS classification results.		
STOT-single exposure				
Chemical Name		STOT -single exposure- source information		
1-Methyl-3-nitro-1-nitrosoguanidine		Based on the NITE GHS classification results.		
STOT-repeated exposure				
Chemical Name		STOT -repeate	ed exposure- sou	rce information
1-Methyl-3-nitro-1-nitrosoguanidin	e	Based on the NITE GH	IS classification re	sults.
Aspiration hazard				

Chemical Name	Aspiration Hazard source information		
1-Methyl-3-nitro-1-nitrosoguanidine	Based on the NITE GHS classification results.		

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

No information available

Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
1-Methyl-3-nitro-1-nitrosoguanidine		Based on the NITE GHS classification results.

Persistence and degradability Bioaccumulative potential Mobility in soil Hazard to the ozone layer No information available No information available No information available No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION		
ADR/RID UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group Marine pollutant	Not regulated - Not applicable	
IMDG UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group	Not classiable in accordance with UN regulation. / Transport forbidden	
Marine pollutant (Sea) Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable No information available	
IATA UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group	Not classifiable according to UN classification criteria / Transport forbidden -	
Environmentally Hazardous Substance	Not applicable	
Se	ction 15: REGULATORY INFORMATION	
International Inventories EINECS/ELINCS TSCA	Listed Listed	
Japanese regulations Fire Service Act Poisonous and Deleterious Substances Control Law Industrial Safety and Health Ac	Category V, nitro com pounds, dangerous grade 2 Not applicable t Not applicable	
Industrial Safety and Health Act (2024~)	[2024.4.1~] Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57,Para.1, Enforcement Order Art.18) [2024.4.1~] Notifiable Substances (Law Art.57-2, Enforcement Oder Art.18-2 Attached TableNo.9)	
Regulations for the carriage and storage of dangerous goods in ship Civil Aeronautics Law	No information available Forbidden (Ordinance Art.194)	
Pollutant Release and Transfer Register Law (2023.4.1-) Export Trade Control Order	Not applicable Not applicable	

Section 16: OTHER INFORMATION

Key literature references and
sources for data etc.NITE: National Institute of Technology and Evaluation (JAPAN)
http://www.safe.nite.go.jp/japan/db.html
IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc

Record of SDS revisions

The following contents were revised. Fire fighting measures. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet