
FLORA AND VEGETATION STUDIES

GNANGARA MOUND

STAGES 1, 2 AND 3

PART B – APPENDICES

Prepared for:

**Water and Rivers Commission
&
Water Corporation**

Prepared by:

Mattiske Consulting Pty Ltd

December 2003



MATTISKE CONSULTING PTY LTD

APPENDIX A: VASCULAR PLANT SPECIES RECORDED IN THE GNANGARA
MOUND AREA FOR STAGES 1, 2, 3

NB: * denotes introduced (weed) species

Family	Species
LYCOPIACEAE	<i>Phylloglossum drummondii</i>
SELAGINELLACEAE	<i>Selaginella gracillima</i>
OPHIOGLOSSACEAE	<i>Ophioglossum lusitanicum</i>
DENNSTAEDTIACEAE	<i>Pteridium esculentum</i>
MARSILEACEAE	<i>Pilularia novae-hollandiae</i>
AZOLLACEAE	<i>Azolla filiculoides</i>
ZAMIACEAE	<i>Macrozamia riedlei</i>
PINACEAE	* <i>Pinus radiata</i>
TYPHACEAE	<i>Typha domingensis</i> * <i>Typha orientalis</i>
JUNCAGINACEAE	<i>Triglochin centrocarpa</i> <i>Triglochin huegelii/linearis</i> <i>Triglochin linearis</i> <i>Triglochin muelleri</i> <i>Triglochin trichophora</i> <i>Triglochin</i> sp.
POACEAE	* <i>Aira caryophyllea</i> * <i>Aira cupaniana</i> * <i>Aira praecox</i> * <i>Aira</i> sp. <i>Amphibromus nervosus</i> <i>Amphipogon amphipogonoides</i> <i>Amphipogon laguroides</i> <i>Amphipogon turbinatus</i> <i>Amphipogon ?strictus</i> <i>Amphipogon</i> sp. <i>Austrodanthonia caespitosa</i> <i>Austrodanthonia occidentalis</i> <i>Austrodanthonia setacea</i> <i>Austrodanthonia</i> sp. <i>Austrostipa campylachne</i> <i>Austrostipa compressa</i> <i>Austrostipa flavescens</i> <i>Austrostipa macalpinei</i> <i>Austrostipa nitida</i>

APPENDIX A: VASCULAR PLANT SPECIES RECORDED IN THE GNANGARA
MOUND AREA FOR STAGES 1, 2, 3

NB: * denotes introduced (weed) species

Family	Species
POACEAE	<i>Austrostipa semibarbata</i> (group scps)
(Continued)	<i>Austrostipa tenuifolia</i>
	<i>Austrostipa</i> sp.
	* <i>Avellinia michelii</i>
	* <i>Avena barbata</i>
	* <i>Avena fatua</i>
	* <i>Briza maxima</i>
	* <i>Briza minor</i>
	* <i>Briza</i> sp.
	* <i>Bromus diandrus</i>
	* <i>Bromus rubens</i>
	* <i>Bromus</i> sp.
	* <i>Cynodon dactylon</i>
	<i>Deyeuxia quadriseta</i>
	<i>Dichelachne crinita</i>
	* <i>Ehrharta calycina</i>
	* <i>Ehrharta longiflora</i>
	* <i>Ehrharta</i> sp.
	* <i>Eragrostis curvula</i>
	<i>Hemarthria uncinata</i> var. <i>uncinata</i>
	* <i>Holcus setiger</i>
	<i>Lachnagrostis filiformis</i>
	<i>Lachnagrostis plebeia</i>
	<i>Lachnagrostis preissii</i>
	* <i>Lagurus ovatus</i>
	* <i>Lolium multiflorum</i>
	* <i>Lolium multiflorum</i> x <i>perenne</i>
	* <i>Lolium rigidum</i>
	<i>Microlaena stipoides</i> var. <i>stipoides</i>
	<i>Neurachne alopecuroidea</i>
	* <i>Pennisetum clandestinum</i>
	* <i>Pentaschistis airoides</i>
	* <i>Pentaschistis pallida</i>
	* <i>Phalaris minor</i>
	* <i>Poa annua</i>
	<i>Poa drummondiana</i>
	<i>Poa poiiformis</i>
	<i>Poa porphyroclados</i>
	* <i>Poa pratensis</i>
	* <i>Polypogon monspeliensis</i>
	<i>Polypogon tenellus</i>
	? <i>Puccinellia</i> sp.
	* <i>Rostraria cristata</i>
	* <i>Vulpia bromoides</i>

APPENDIX A: VASCULAR PLANT SPECIES RECORDED IN THE GNANGARA
MOUND AREA FOR STAGES 1, 2, 3

NB: * denotes introduced (weed) species

Family	Species
POACEAE	* <i>Vulpia myuros</i>
(Continued)	* <i>Vulpia</i> sp.
	Poaceae sp.
CYPERACEAE	<i>Baumea acuta</i>
	<i>Baumea arthropphylla</i>
	<i>Baumea articulata</i>
	<i>Baumea juncea</i>
	<i>Baumea ?preissii</i>
	<i>Baumea preissii</i> subsp. <i>preissii</i> (ms)
	<i>Baumea vaginalis</i>
	<i>Baumea</i> sp. (sthcst)
	<i>Baumea</i> sp.
	<i>Bolboschoenus caldwellii</i>
	<i>Carex appressa</i>
	<i>Caustis dioica</i>
	<i>Chorizandra enodis</i>
	<i>Cyathochaeta avenacea</i>
	<i>Cyathochaeta equitans</i>
	<i>Cyathochaeta teretifolia</i> (P3)
	* <i>Cyperus eragrostis</i>
	* <i>Cyperus tenellus</i>
	<i>Eleocharis acuta</i>
	<i>Eleocharis keigheryi</i> (R)
	<i>Eleocharis</i> sp.
	<i>Ficinia nodosa</i>
	<i>Gahnia decomposita</i>
	<i>Gahnia trifida</i>
	? <i>Gahnia</i> sp.
	<i>Isolepis cernua</i>
	<i>Isolepis cyperoides</i>
	* <i>Isolepis marginata</i>
	<i>Isolepis oldfieldiana</i>
	<i>Isolepis producta</i>
	<i>Lepidosperma gladiatum</i>
	<i>Lepidosperma leptostachyum</i>
	<i>Lepidosperma</i> aff. <i>leptostachyum</i>
	<i>Lepidosperma longitudinale</i>
	<i>Lepidosperma pubisquameum</i>
	<i>Lepidosperma scabrum</i>
	<i>Lepidosperma squamatum</i>
	<i>Lepidosperma squamatum</i> (narrow form)
	<i>Lepidosperma striatum</i>
	<i>Lepidosperma tenue</i>
	<i>Lepidosperma tetraquetrum</i>

**APPENDIX A: VASCULAR PLANT SPECIES RECORDED IN THE GNANGARA
MOUND AREA FOR STAGES 1, 2, 3**

NB: * denotes introduced (weed) species

Family	Species
CYPERACEAE	<i>Lepidosperma</i> sp.
(Continued)	<i>Lepidosperma</i> sp. (Coastal terete) (BJ Keighery and N Gibson 231)
	<i>Mesomelaena graciliceps</i>
	<i>Mesomelaena pseudostygia</i>
	<i>Mesomelaena stygia</i>
	<i>Mesomelaena tetragona</i>
	<i>Schoenus asperocarpus</i>
	<i>Schoenus breviculmis</i>
	<i>Schoenus brevisetis</i>
	<i>Schoenus</i> aff. <i>brevisetis</i>
	<i>Schoenus caespititius</i>
	<i>Schoenus clandestinus</i>
	<i>Schoenus curvifolius</i>
	<i>Schoenus discifer</i>
	<i>Schoenus efoliatus</i>
	<i>Schoenus grandiflorus</i>
	<i>Schoenus griffinianus</i> (P2)
	<i>Schoenus lanatus</i>
	<i>Schoenus latitans</i>
	<i>Schoenus nanus</i>
	<i>Schoenus natans</i> (P4)
	<i>Schoenus odontocarpus</i>
	<i>Schoenus pedicellatus</i>
	<i>Schoenus plumosus</i>
	<i>Schoenus rigens</i>
	<i>Schoenus subfascicularis</i>
	<i>Schoenus tenellus</i>
	<i>Schoenus trachycarpus</i>
	<i>Schoenus</i> sp.
	<i>Schoenus</i> sp. aff. <i>breviculmis</i> (sthcst)
	<i>Tetraria capillaris</i>
	<i>Tetraria octandra</i>
	Cyperaceae sp.
ARACEAE	* <i>Zantedeschia aethiopica</i>
LEMNACEAE	<i>Lemna disperma</i>
RESTIONACEAE	<i>Alexgeorgea nitens</i>
	<i>Anarthria gracilis</i>
	<i>Chaetanthus aristatus</i>
	<i>Chordifex microcodon</i> (ms)
	<i>Chordifex sinuosus</i> (ms)
	<i>Chordifex stenandrus</i>
	<i>Desmocladius asper</i>

APPENDIX A: VASCULAR PLANT SPECIES RECORDED IN THE GNANGARA
MOUND AREA FOR STAGES 1, 2, 3

NB: * denotes introduced (weed) species

Family	Species
RESTIONACEAE (Continued)	<i>Desmocladius fasciculatus</i> <i>Desmocladius flexuosus</i> <i>Dielsia stenostachya</i> <i>Ecdeiocolea monostachya</i> <i>Hypolaena exsulca</i> <i>Hypolaena pubescens</i> <i>Lepidobolus chaetocephalus</i> <i>Lepidobolus preissianus</i> subsp. <i>preissianus</i> <i>Lepidobolus</i> sp. <i>Lepyrodia muirii</i> <i>Loxocarya cinerea</i> <i>Lyginia barbata</i> <i>Lyginia imberbis</i> <i>Meeboldina cana</i> <i>Meeboldina scariosa</i> <i>Restio</i> sp.
CENTROLEPIDACEAE	<i>Aphelia cyperoides</i> <i>Aphelia nutans</i> <i>Centrolepis aristata</i> <i>Centrolepis drummondiana</i> <i>Centrolepis glabra</i> <i>Centrolepis mutica</i> <i>Centrolepis polygyna</i>
HYDATELLACEAE	<i>Trithuria bibracteata</i> <i>Trithuria submersa</i>
PHILYDRACEAE	<i>Philydrella pygmaea</i> subsp. <i>pygmaea</i>
JUNCACEAE	<i>Juncus amabilis</i> * <i>Juncus bufonius</i> * <i>Juncus capitatus</i> <i>Juncus holoschoenus</i> <i>Juncus pallidus</i> <i>Juncus</i> sp. <i>Luzula meridionalis</i>
ASPARAGACEAE	* <i>Asparagus asparagoides</i>
DASYPOGONACEAE	<i>Acanthocarpus preissii</i> <i>Acanthocarpus</i> sp. <i>Calectasia narragara</i> <i>Dasyogon bromeliifolius</i> <i>Dasyogon</i> sp. <i>Lomandra ?brittanii</i>

APPENDIX A: VASCULAR PLANT SPECIES RECORDED IN THE GNANGARA
MOUND AREA FOR STAGES 1, 2, 3

NB: * denotes introduced (weed) species

Family	Species
DASYPOGONACEAE	<i>Lomandra caespitosa</i>
(Continued)	<i>Lomandra hermaphrodita</i>
	<i>Lomandra maritima</i>
	<i>Lomandra micrantha</i> subsp. <i>micrantha</i>
	<i>Lomandra nigricans</i>
	<i>Lomandra preissii</i>
	<i>Lomandra sericea</i>
	<i>Lomandra sonderi</i>
	<i>Lomandra suaveolens</i>
	<i>Lomandra</i> sp.
XANTHORRHOEACEAE	<i>Xanthorrhoea brunonis</i>
	<i>Xanthorrhoea gracilis</i>
	<i>Xanthorrhoea preissii</i>
PHORMIACEAE	<i>Dianella revoluta</i>
	<i>Dianella revoluta</i> var. <i>divaricata</i>
	<i>Stypandra glauca</i>
ANTHERICACEAE	<i>Arnocrinum preissii</i>
	<i>Caesia micrantha</i>
	<i>Caesia occidentalis</i>
	<i>Caesia</i> sp.
	<i>Chamaescilla corymbosa</i> var. <i>corymbosa</i>
	<i>Chamaescilla versicolor</i>
	<i>Corynotheca micrantha</i>
	<i>Corynotheca micrantha</i> var. <i>elongata</i>
	<i>Corynotheca micrantha</i> var. <i>micrantha</i>
	<i>Dichopogon capillipes</i>
	<i>Hensmania turbinata</i>
	<i>Johnsonia acaulis</i>
	<i>Johnsonia pubescens</i> subsp. <i>pubescens</i>
	<i>Laxmannia ramosa</i> subsp. <i>ramosa</i>
	<i>Laxmannia sessiliflora</i>
	<i>Laxmannia sessiliflora</i> subsp. <i>australis</i>
	<i>Laxmannia squarrosa</i>
	<i>Laxmannia</i> sp.
	<i>Sowerbaea laxiflora</i>
	<i>Thysanotus arbuscula</i>
	<i>Thysanotus arenarius</i>
	<i>Thysanotus dichotomus</i>
	<i>Thysanotus manglesianus</i>
	<i>Thysanotus manglesianus/patersonii</i>
	<i>Thysanotus multiflorus</i>
	<i>Thysanotus patersonii</i>

APPENDIX A: VASCULAR PLANT SPECIES RECORDED IN THE GNANGARA
MOUND AREA FOR STAGES 1, 2, 3

NB: * denotes introduced (weed) species

Family	Species
ANTHERICACEAE (Continued)	<i>Thysanotus sparteus</i> <i>Thysanotus thyrsoideus</i> <i>Thysanotus triandrus</i> <i>Tricoryne elatior</i> <i>Tricoryne tenella</i> <i>Thysanotus</i> sp.
ASPHODELACEAE	<i>Bulbine semibarbata</i>
HYACINTHACEAE	* <i>Lachenalia reflexa</i>
COLCHICACEAE	<i>Burchardia bairdiae</i> <i>Burchardia multiflora</i> <i>Burchardia umbellata</i> <i>Wurmbea dioica</i> subsp. <i>alba</i> <i>Wurmbea monantha</i> <i>Wurmbea pygmaea</i> <i>Wurmbea</i> sp.
BORYACEAE	<i>Borya scirpoidea</i> <i>Borya sphaerocephala</i>
HAEMODORACEAE	<i>Anigozanthos humilis</i> subsp. <i>humilis</i> <i>Anigozanthos manglesii</i> subsp. <i>manglesii</i> <i>Anigozanthos viridis</i> subsp. <i>viridis</i> <i>Anigozanthos</i> sp. <i>Blancoa canescens</i> <i>Conostylis aculeata</i> <i>Conostylis aculeata</i> subsp. <i>aculeata</i> <i>Conostylis aculeata</i> x <i>candicans</i> (scps) <i>Conostylis aurea</i> <i>Conostylis candicans</i> subsp. ? <i>calcicola</i> <i>Conostylis candicans</i> subsp. <i>candicans</i> <i>Conostylis caricina</i> <i>Conostylis festucacea</i> subsp. <i>festucacea</i> <i>Conostylis juncea</i> <i>Conostylis pauciflora</i> <i>Conostylis pauciflora</i> subsp. <i>euryrhipis</i> (P3) <i>Conostylis serrulata</i> <i>Conostylis setigera</i> subsp. <i>setigera</i> <i>Conostylis setosa</i> <i>Conostylis</i> sp. <i>Haemodorum laxum</i> <i>Haemodorum paniculatum</i> <i>Haemodorum simplex</i> <i>Haemodorum</i> sp.

APPENDIX A: VASCULAR PLANT SPECIES RECORDED IN THE GNANGARA
MOUND AREA FOR STAGES 1, 2, 3

NB: * denotes introduced (weed) species

Family	Species
HAEMODORACEAE	<i>Haemodorum spicatum</i>
(Continued)	<i>Phlebocarya ciliata</i>
	<i>Tribonanthes australis</i>
	<i>Tribonanthes longipetala</i>
IRIDACEAE	* <i>Gladiolus caryophyllaceus</i>
	* <i>Gladiolus</i> sp.
	* <i>Hesperantha falcata</i>
	* <i>Moraea flaccida</i>
	<i>Orthrosanthus laxus</i> var. <i>laxus</i>
	<i>Patersonia occidentalis</i>
	<i>Patersonia occidentalis</i> (Swamp form) (N Gibson & MN Lyons 554)
	<i>Patersonia</i> sp.
	* <i>Romulea obscura</i>
	* <i>Romulea rosea</i>
ORCHIDACEAE	<i>Caladenia arenicola</i>
	<i>Caladenia bicalliata</i> subsp. <i>bicalliata</i>
	<i>Caladenia discoidea</i>
	<i>Caladenia flava</i>
	<i>Caladenia flava</i> subsp. <i>flava</i>
	<i>Caladenia hirta</i> subsp. <i>hirta</i>
	<i>Caladenia latifolia</i>
	<i>Caladenia longicauda</i> subsp. <i>eminens</i>
	<i>Caladenia longicauda</i> subsp. <i>longicauda</i>
	<i>Caladenia marginata</i>
	<i>Caladenia paludosa</i>
	<i>Caladenia</i> sp.
	<i>Cyanicula deformis</i>
	<i>Cyrtostylis huegelii</i>
	<i>Cyrtostylis robusta</i>
	<i>Cyrtostylis</i> sp.
	* <i>Disa bracteata</i>
	<i>Diuris longifolia</i>
	<i>Diuris</i> sp.
	<i>Elythranthera brunonis</i>
	<i>Epiblema grandiflorum</i> var. <i>grandiflorum</i>
	<i>Eriochilus dilatatus</i>
	<i>Eriochilus dilatatus</i> subsp. <i>dilatatus</i> (ms)
	<i>Leporella fimbriata</i>
	<i>Lyperanthus serratus</i>
	<i>Microtis alba</i>
	<i>Microtis media</i>
	<i>Oligochaetochilus sanguineus</i>
	<i>Oligochaetochilus vittatus</i>

**APPENDIX A: VASCULAR PLANT SPECIES RECORDED IN THE GNANGARA
MOUND AREA FOR STAGES 1, 2, 3**

NB: * denotes introduced (weed) species

Family	Species
ORCHIDACEAE (Continued)	<i>Prasophyllum drummondii</i> <i>Prasophyllum ovale</i> <i>Prasophyllum regium</i> <i>Prasophyllum</i> sp. <i>Pterostylis aspersa</i> <i>Pterostylis brevisepala</i> (ms) <i>Pterostylis</i> aff. <i>nana</i> sbsp GJK/NG 1867cbs <i>Pterostylis pyramidalis</i> <i>Pterostylis recurva</i> <i>Pterostylis</i> sp. <i>Pterostylis</i> sp. limestone (B.J Keighery & G.J Keighery 65) (pn) <i>Pterostylis</i> sp. short sepals (W.JacksonBJ259) (pn) <i>Pterostylis</i> sp. slender snail orchid (G.J Keighery 14516) (pn) <i>Pyrorchis nigricans</i> <i>Thelymitra antennifera</i> <i>Thelymitra benthamiana</i> <i>Thelymitra campanulata</i> <i>Thelymitra crinita</i> <i>Thelymitra flexuosa</i> <i>Thelymitra</i> sp. Orchidaceae sp.
CASUARINACEAE	<i>Allocasuarina fraseriana</i> <i>Allocasuarina huegeliana</i> <i>Allocasuarina humilis</i> <i>Casuarina obesa</i>
URTICACEAE	<i>Parietaria debilis</i>
PROTEACEAE	<i>Adenanthos barbiger</i> <i>Adenanthos cygnorum</i> subsp. <i>cygnorum</i> <i>Adenanthos obovatus</i> <i>Adenanthos</i> sp. <i>Banksia attenuata</i> <i>Banksia grandis</i> <i>Banksia ilicifolia</i> <i>Banksia littoralis</i> <i>Banksia menziesii</i> <i>Banksia prionotes</i> <i>Banksia telmatiaea</i> <i>Conospermum acerosum</i> subsp. <i>acerosum</i> <i>Conospermum canaliculatum</i> subsp. <i>canaliculatum</i> <i>Conospermum incurvum</i> <i>Conospermum stoechadis</i> subsp. <i>stoechadis</i> <i>Conospermum triplinervium</i>

APPENDIX A: VASCULAR PLANT SPECIES RECORDED IN THE GNANGARA
MOUND AREA FOR STAGES 1, 2, 3

NB: * denotes introduced (weed) species

Family	Species
PROTEACEAE	<i>Dryandra lindleyana</i> var. <i>lindleyana</i>
(Continued)	<i>Dryandra sessilis</i>
	<i>Dryandra sessilis</i> var. <i>sessilis</i>
	<i>Grevillea curviloba</i> subsp. <i>incurva</i> (R)
	<i>Grevillea obtusifolia</i>
	<i>Grevillea preissii</i> subsp. <i>preissii</i>
	<i>Grevillea vestita</i> subsp. <i>vestita</i>
	<i>Hakea costata</i>
	<i>Hakea erinacea</i>
	<i>Hakea lissocarpha</i>
	<i>Hakea prostrata</i>
	<i>Hakea ruscifolia</i>
	<i>Hakea trifurcata</i>
	<i>Hakea varia</i>
	<i>Isopogon</i> sp.
	<i>Persoonia comata</i>
	<i>Persoonia saccata</i>
	<i>Petrophile brevifolia</i>
	<i>Petrophile drummondii</i>
	<i>Petrophile linearis</i>
	<i>Petrophile macrostachya</i>
	<i>Petrophile rigida</i>
	<i>Petrophile seminuda</i>
	<i>Petrophile serruriae</i>
	<i>Petrophile</i> sp.
	<i>Stirlingia latifolia</i>
	<i>Synaphea petiolaris</i>
	<i>Synaphea spinulosa</i> subsp. <i>spinulosa</i>
	<i>Synaphea</i> sp.
SANTALACEAE	<i>Exocarpos aphyllus</i>
	<i>Exocarpos sparteus</i>
	<i>Leptomeria cunninghamii</i>
	<i>Leptomeria empetriformis</i>
	<i>Leptomeria pauciflora</i>
	<i>Leptomeria preissiana</i>
	<i>Santalum acuminatum</i>
OLACACEAE	<i>Olax benthamiana</i>
LORANTHACEAE	<i>Amyema miquelii</i>
	<i>Nuytsia floribunda</i>

**APPENDIX A: VASCULAR PLANT SPECIES RECORDED IN THE GNANGARA
MOUND AREA FOR STAGES 1, 2, 3**

NB: * denotes introduced (weed) species

Family	Species
POLYGONACEAE	* <i>Acetosella vulgaris</i> <i>Muehlenbeckia adpressa</i> <i>Muehlenbeckia polybotrya</i> * <i>Rumex crispus</i>
CHENOPODIACEAE	* <i>Atriplex prostrata</i> * <i>Chenopodium macrospermum</i> <i>Halosarcia</i> sp. <i>Rhagodia baccata</i> <i>Rhagodia baccata</i> subsp. <i>baccata</i> <i>Rhagodia baccata</i> subsp. <i>dioica</i> <i>Threlkeldia diffusa</i>
AMARANTHACEAE	<i>Ptilotus drummondii</i> <i>Ptilotus drummondii</i> var. <i>drummondii</i> <i>Ptilotus humilis</i> subsp. <i>humilis</i> <i>Ptilotus manglesii</i> <i>Ptilotus polystachyus</i> var. <i>polystachyus</i> <i>Ptilotus stirlingii</i> var. <i>stirlingii</i> <i>Ptilotus</i> sp.
GYROSTEMONACEAE	<i>Tersonia cyathiflora</i>
AIZOACEAE	* <i>Carpobrotus edulis</i> <i>Carpobrotus virescens</i> <i>Sarcozona bicarinata</i> (P3) * <i>Tetragonia decumbens</i>
MOLLUGINACEAE	<i>Macarthuria apetala</i> <i>Macarthuria australis</i>
PORTULACACEAE	<i>Calandrinia brevipedata</i> <i>Calandrinia corrigioloides</i> <i>Calandrinia granulifera</i> <i>Calandrinia liniflora</i> <i>Calandrinia</i> sp.
CARYOPHYLLACEAE	<i>Caryophyllaceae</i> sp. * <i>Cerastium glomeratum</i> * <i>Petrorhagia dubia</i> * <i>Sagina apetala</i> * <i>Silene gallica</i> * <i>Spergula arvensis</i> * <i>Stellaria media</i>

**APPENDIX A: VASCULAR PLANT SPECIES RECORDED IN THE GNANGARA
MOUND AREA FOR STAGES 1, 2, 3**

NB: * denotes introduced (weed) species

Family	Species
RANUNCULACEAE	<i>Clematis linearifolia</i>
LAURACEAE	<i>Cassytha aurea</i> <i>Cassytha flava</i> <i>Cassytha glabella</i> <i>Cassytha pomiformis</i> <i>Cassytha racemosa</i> <i>Cassytha</i> sp.
BRASSICACEAE	* <i>Brassica tournefortii</i> <i>Brassica</i> sp. * <i>Heliophila pusilla</i> <i>Lepidium rotundum</i> * <i>Lobularia maritima</i> <i>Stenopetalum gracile</i> <i>Stenopetalum robustum</i>
DROSERACEAE	<i>Drosera erythrorhiza</i> <i>Drosera erythrorhiza</i> subsp. <i>erythrorhiza</i> <i>Drosera gigantea</i> subsp. <i>gigantea</i> <i>Drosera glanduligera</i> <i>Drosera leucoblata</i> <i>Drosera macrantha</i> (SCP form)(BJ Keighery & N Gibson 228) <i>Drosera macrantha</i> subsp. <i>macrantha</i> <i>Drosera menziesii</i> <i>Drosera menziesii</i> subsp. <i>menziesii</i> <i>Drosera menziesii</i> subsp. <i>penicillaris</i> <i>Drosera neesii</i> <i>Drosera neesii</i> (Pink flowered sthn form)(BJ Keighery & N Gibson 96) <i>Drosera neesii</i> subsp. <i>neesii</i> <i>Drosera nitidula</i> <i>Drosera nitidula</i> subsp. <i>nitidula</i> <i>Drosera paleacea</i> subsp. <i>paleacea</i> <i>Drosera pallida</i> <i>Drosera pulchella</i> <i>Drosera rosulata</i> <i>Drosera stolonifera</i> subsp. <i>stolonifera</i> <i>Drosera</i> sp. <i>Drosera</i> sp. (climbing)
CRASSULACEAE	<i>Crassula colorata</i> <i>Crassula colorata</i> var. <i>acuminata</i> <i>Crassula colorata</i> var. <i>colorata</i> <i>Crassula decumbens</i> <i>Crassula exserta</i> * <i>Crassula glomerata</i>

**APPENDIX A: VASCULAR PLANT SPECIES RECORDED IN THE GNANGARA
MOUND AREA FOR STAGES 1, 2, 3**

NB: * denotes introduced (weed) species

Family	Species
CRASSULACEAE	* <i>Crassula natans</i>
(Continued)	* <i>Crassula natans</i> var. <i>minus</i>
	<i>Crassula peduncularis</i>
	<i>Crassula</i> sp.
PITTOSPORACEAE	<i>Pittosporum phylliraeoides</i>
	<i>Pronaya fraseri</i>
MIMOSACEAE	<i>Acacia alata</i> var. <i>tetrantha</i>
	<i>Acacia applanata</i>
	<i>Acacia barbinervis</i> subsp. <i>borealis</i>
	<i>Acacia benthamii</i> (P2)
	<i>Acacia cochlearis</i>
	<i>Acacia cyclops</i>
	<i>Acacia huegelii</i>
	<i>Acacia lasiocarpa</i> var. <i>lasiocarpa</i>
	<i>Acacia pulchella</i>
	<i>Acacia pulchella</i> var. <i>glaberrima</i>
	<i>Acacia pulchella</i> var. <i>pulchella</i>
	<i>Acacia rostelifera</i>
	<i>Acacia saligna</i>
	<i>Acacia sessilis</i>
	<i>Acacia stenoptera</i>
	<i>Acacia truncata</i>
	<i>Acacia xanthina</i>
	<i>Acacia willdenowiana</i>
	<i>Acacia</i> sp.
PAPILIONACEAE	<i>Aotus cordifolia</i> (P3)
	<i>Aotus gracillima</i>
	<i>Aotus intermedia</i>
	<i>Aotus procumbens</i>
	<i>Bossiaea eriocarpa</i>
	<i>Bossiaea ornata</i>
	<i>Chorizema dicksonii</i>
	<i>Cristonia biloba</i>
	<i>Daviesia decurrens</i> subsp. <i>decurrens</i> (ms)
	<i>Daviesia divaricata</i> subsp. <i>divaricata</i> (ms)
	<i>Daviesia nudiflora</i> subsp. <i>nudiflora</i>
	<i>Daviesia physodes</i>
	<i>Daviesia podophylla</i>
	<i>Daviesia quadrilatera</i>
	<i>Daviesia triflora</i>
	<i>Dillwynia dillwynioides</i> (P3)
	<i>Euchilopsis linearis</i>

APPENDIX A: VASCULAR PLANT SPECIES RECORDED IN THE GNANGARA
MOUND AREA FOR STAGES 1, 2, 3

NB: * denotes introduced (weed) species

Family	Species
PAPILIONACEAE	<i>Eutaxia virgata</i>
(Continued)	<i>Gompholobium aristatum</i>
	<i>Gompholobium capitatum</i>
	<i>Gompholobium confertum</i>
	<i>Gompholobium knightianum</i>
	<i>Gompholobium polymorphum</i>
	<i>Gompholobium scabrum</i>
	<i>Gompholobium shuttleworthii</i>
	<i>Gompholobium tomentosum</i>
	<i>Gompholobium venustum</i>
	<i>Gompholobium</i> sp.
	<i>Hardenbergia comptoniana</i>
	<i>Hovea pungens</i>
	<i>Hovea trisperma</i>
	<i>Hovea trisperma</i> var. <i>trisperma</i>
	<i>Isotropis cuneifolia</i>
	<i>Isotropis cuneifolia</i> subsp. <i>cuneifolia</i>
	<i>Isotropis cuneifolia</i> subsp. <i>glabra</i> (P2)
	<i>Isotropis</i> sp.
	<i>Jacksonia calcicola</i> (ms)
	<i>Jacksonia fasciculata</i>
	<i>Jacksonia floribunda</i>
	<i>Jacksonia furcellata</i>
	<i>Jacksonia hakeoides</i>
	<i>Jacksonia sericea</i> (P4)
	<i>Jacksonia sternbergiana</i>
	<i>Kennedia prostrata</i>
	<i>Kennedia</i> sp.
	<i>Latrobea tenella</i> var. <i>tenella</i>
	* <i>Lotus angustissimus</i>
	* <i>Lotus subbiflorus</i>
	* <i>Lupinus cosentinii</i>
	* <i>Medicago polymorpha</i>
	* <i>Medicago</i> sp.
	* <i>Melilotus indicus</i>
	<i>Nemcia capitata</i>
	<i>Nemcia reticulata</i>
	<i>Oxylobium lineare</i>
	<i>Pultenaea reticulata</i>
	<i>Sphaerolobium</i> aff. <i>macranthum</i> (G.J Keighery sn)
	<i>Sphaerolobium vimineum</i>
	<i>Sphaerolobium</i> sp.
	<i>Templetonia retusa</i>
	* <i>Trifolium arvense</i>
	* <i>Trifolium campestre</i> var. <i>campestre</i>

APPENDIX A: VASCULAR PLANT SPECIES RECORDED IN THE GNANGARA
MOUND AREA FOR STAGES 1, 2, 3

NB: * denotes introduced (weed) species

Family	Species
PAPILIONACEAE (Continued)	* <i>Trifolium cernuum</i> * <i>Trifolium dubium</i> * <i>Trifolium subterraneum</i> * <i>Trifolium</i> sp. * <i>Vicia sativa</i> <i>Viminaria juncea</i>
GERANIACEAE	* <i>Erodium botrys</i> * <i>Erodium cicutarium</i> * <i>Erodium moschatum</i> <i>Geranium retrorsum</i> <i>Geranium solanderi</i> * <i>Pelargonium capitatum</i> <i>Pelargonium littorale</i> subsp. <i>littorale</i>
OXALIDACEAE	* ? <i>Oxalis corniculata</i> <i>Oxalis perennans</i> * <i>Oxalis pes-caprae</i>
RUTACEAE	<i>Boronia purdieana</i> subsp. <i>purdieana</i> <i>Boronia ramosa</i> <i>Boronia ramosa</i> subsp. <i>anethifolia</i> <i>Boronia ramosa</i> subsp. <i>ramosa</i> <i>Diplolaena angustifolia</i> <i>Philotheca spicata</i>
TREMANDRACEAE	<i>Platytheca galioides</i>
POLYGALACEAE	<i>Comesperma calymega</i> <i>Comesperma confertum</i> <i>Comesperma flavum</i> <i>Comesperma integerrimum</i> <i>Comesperma virgatum</i> <i>Comesperma</i> sp.
EUPHORBIACEAE	<i>Adriana quadripartita</i> <i>Amperea ericoides</i> <i>Beyeria cinerea</i> * <i>Euphorbia peplus</i> * <i>Euphorbia terracina</i> <i>Monotaxis grandiflora</i> <i>Monotaxis occidentalis</i> <i>Phyllanthus calycinus</i> <i>Poranthera ericoides</i>

APPENDIX A: VASCULAR PLANT SPECIES RECORDED IN THE GNANGARA
MOUND AREA FOR STAGES 1, 2, 3

NB: * denotes introduced (weed) species

Family	Species
EUPHORBIACEAE (Continued)	<i>Poranthera microphylla</i> <i>Stachystemon axillaris</i> (P4)
CALLITRICHACEAE	* <i>Callitriche stagnalis</i>
STACKHOUSIACEAE	<i>Stackhousia monogyna</i> <i>Stackhousia</i> sp. <i>Tripterococcus brunonis</i> <i>Tripterococcus paniculatus</i> (ms) (P1)
SAPINDACEAE	<i>Diplopeltis huegelii</i> <i>Dodonaea ceratocarpa</i>
RHAMNACEAE	<i>Cryptandra mutila</i> <i>Cryptandra pungens</i> <i>Spyridium globulosum</i> <i>Stenanthemum notiale</i> subsp. <i>chamelum</i> <i>Trymalium floribundum</i> <i>Trymalium ledifolium</i> var. <i>ledifolium</i>
MALVACEAE	<i>Alyogyne huegelii</i>
STERCULIACEAE	<i>Lasiopetalum lineare</i> (P3) <i>Thomasia cognata</i> <i>Thomasia triphylla</i>
DILLENACEAE	<i>Hibbertia aurea</i> <i>Hibbertia crassifolia</i> <i>Hibbertia cuneiformis</i> <i>Hibbertia desmophylla</i> <i>Hibbertia helianthemoides</i> (P3) <i>Hibbertia</i> aff. <i>helianthemoides</i> <i>Hibbertia</i> aff. <i>helianthemoides</i> (Northern) (EA Griffin 6801) <i>Hibbertia huegelii</i> <i>Hibbertia hypericoides</i> <i>Hibbertia pachyrrhiza</i> <i>Hibbertia</i> aff. <i>pachyrrhiza</i> <i>Hibbertia racemosa</i> <i>Hibbertia spicata</i> <i>Hibbertia spicata</i> subsp. <i>leptotheca</i> (P3) <i>Hibbertia stellaris</i> <i>Hibbertia subvaginata</i> <i>Hibbertia</i> sp.

APPENDIX A: VASCULAR PLANT SPECIES RECORDED IN THE GNANGARA
MOUND AREA FOR STAGES 1, 2, 3

NB: * denotes introduced (weed) species

Family	Species
VIOLACEAE	<i>Hybanthus calycinus</i>
THYMELAEACEAE	<i>Pimelea argentea</i> <i>Pimelea calcicola</i> <i>Pimelea ferruginea</i> <i>Pimelea floribunda</i> <i>Pimelea imbricata</i> var. <i>piligera</i> <i>Pimelea leucantha</i> <i>Pimelea rosea</i> <i>Pimelea suaveolens</i> <i>Pimelea sulphurea</i> <i>Pimelea</i> sp.
MYRTACEAE	<i>Agonis flexuosa</i> <i>Astartea scoparia</i> <i>Astartea</i> sp. <i>Baeckea camphorosmae</i> <i>Baeckea robusta</i> <i>Baeckea</i> sp. <i>Beaufortia elegans</i> <i>Calothamnus lateralis</i> <i>Calothamnus quadrifidus</i> <i>Calothamnus sanguineus</i> <i>Calytrix angulata</i> <i>Calytrix flavescens</i> <i>Calytrix fraseri</i> <i>Calytrix sapphirina</i> <i>Calytrix strigosa</i> <i>Corymbia calophylla</i> <i>Darwinia foetida</i> (ms) (R) <i>Eremaea asterocarpa</i> subsp. <i>asterocarpa</i> <i>Eremaea beaufortioides</i> <i>Eremaea beaufortioides</i> var. <i>beaufortioides</i> <i>Eremaea brevifolia</i> <i>Eremaea pauciflora</i> <i>Eremaea pauciflora</i> var. <i>pauciflora</i> <i>Eremaea purpurea</i> <i>Eremaea</i> sp. <i>Eucalyptus decipiens</i> subsp. <i>decipiens</i> <i>Eucalyptus foecunda</i> <i>Eucalyptus gomphocephala</i> <i>Eucalyptus marginata</i> <i>Eucalyptus marginata</i> subsp. <i>marginata</i> <i>Eucalyptus petrensis</i> <i>Eucalyptus rudis</i> subsp. <i>rudis</i>

APPENDIX A: VASCULAR PLANT SPECIES RECORDED IN THE GNANGARA
MOUND AREA FOR STAGES 1, 2, 3

NB: * denotes introduced (weed) species

Family	Species
MYRTACEAE	<i>Eucalyptus tottiana</i>
(Continued)	<i>Eucalyptus</i> sp.
	<i>Hypocalymma angustifolium</i>
	<i>Hypocalymma robustum</i>
	<i>Hypocalymma xanthopetalum</i>
	<i>Kunzea ericifolia</i> subsp. <i>ericifolia</i>
	<i>Kunzea glabrescens</i>
	<i>Kunzea recurva</i>
	<i>Kunzea</i> aff. <i>recurva</i> (G.J Keighery 12828)
	<i>Leptospermum spinescens</i>
	<i>Melaleuca cardiophylla</i>
	<i>Melaleuca huegelii</i> subsp. <i>huegelii</i>
	<i>Melaleuca incana</i> subsp. <i>incana</i>
	<i>Melaleuca lateriflora</i> subsp. <i>acutifolia</i>
	<i>Melaleuca lateritia</i>
	<i>Melaleuca parviceps</i>
	<i>Melaleuca preissiana</i>
	<i>Melaleuca raphiophylla</i>
	<i>Melaleuca scabra</i>
	<i>Melaleuca seriata</i>
	<i>Melaleuca systema</i>
	<i>Melaleuca</i> aff. <i>systema</i>
	<i>Melaleuca teretifolia</i>
	<i>Melaleuca trichophylla</i>
	<i>Melaleuca</i> aff. <i>trichophylla</i>
	<i>Melaleuca</i> aff. <i>trichophylla</i> (scps)
	<i>Melaleuca viminea</i> subsp. <i>viminea</i>
	<i>Melaleuca</i> sp. B FPR (BJ Keighery & N Gibson 054)
	<i>Melaleuca</i> sp.
	<i>Pericalymma ellipticum</i>
	<i>Pericalymma ellipticum</i> var. <i>ellipticum</i>
	<i>Pileanthus "septentrionalis" caperg</i>
	<i>Regelia ciliata</i>
	<i>Regelia inops</i>
	<i>Scholtzia involucrata</i>
	<i>Scholtzia laxiflora</i>
	<i>Scholtzia</i> sp.
	<i>Taxandria linearifolia</i> (ms)
	<i>Verticordia densiflora</i> var. <i>densiflora</i>
	<i>Verticordia lindleyi</i> subsp. <i>lindleyi</i> (P4)
	<i>Verticordia nitens</i>
	<i>Verticordia ovalifolia</i>
	<i>Verticordia plumosa</i>
	<i>Verticordia</i> sp.
	Myrtaceae sp.

APPENDIX A: VASCULAR PLANT SPECIES RECORDED IN THE GNANGARA
MOUND AREA FOR STAGES 1, 2, 3

NB: * denotes introduced (weed) species

Family	Species
HALORAGACEAE	<i>Gonocarpus cordiger</i>
	<i>Gonocarpus pithyoides</i>
	<i>Gonocarpus</i> sp.
	<i>Haloragis tenuifolia</i> (P3)
	<i>Myriophyllum drummondii</i>
	<i>Myriophyllum echinatum</i> (P3)
APIACEAE	<i>Actinotus glomeratus</i>
	<i>Actinotus leucocephalus</i>
	<i>Centella asiatica</i>
	<i>Daucus glochidiatus</i>
	<i>Eryngium pinnatifidum</i> subsp. <i>palustre</i> (ms)
	<i>Homalosciadium homalocarpum</i>
	<i>Hydrocotyle alata</i>
	<i>Hydrocotyle blepharocarpa</i>
	<i>Hydrocotyle callicarpa</i>
	<i>Hydrocotyle hispidula</i>
	<i>Hydrocotyle pilifera</i> var. <i>glabrata</i>
	<i>Hydrocotyle tetragonocarpa</i>
	<i>Hydrocotyle</i> sp.
	<i>Schoenolaena juncea</i>
	<i>Trachymene coerulea</i>
	<i>Trachymene pilosa</i>
<i>Xanthosia candida</i>	
<i>Xanthosia ciliata</i>	
<i>Xanthosia huegelii</i>	
EPACRIDACEAE	<i>Andersonia heterophylla</i>
	<i>Andersonia involucrata</i>
	<i>Andersonia lehmanniana</i> subsp. <i>lehmanniana</i>
	<i>Andersonia</i> sp.
	<i>Astroloma microcalyx</i> (P3)
	<i>Astroloma pallidum</i>
	<i>Astroloma xerophyllum</i>
	<i>Conostephium minus</i>
	<i>Conostephium pendulum</i>
	<i>Conostephium preissii</i>
	<i>Croninia kingiana</i>
	<i>Leucopogon australis</i>
	<i>Leucopogon conostephioides</i>
	<i>Leucopogon glabellus</i>
	<i>Leucopogon leptanthus</i>
<i>Leucopogon nutans</i>	
<i>Leucopogon</i> aff. <i>nutans</i> (scps)	
<i>Leucopogon oldfieldii</i>	

APPENDIX A: VASCULAR PLANT SPECIES RECORDED IN THE GNANGARA
MOUND AREA FOR STAGES 1, 2, 3

NB: * denotes introduced (weed) species

Family	Species
EPACRIDACEAE (Continued)	<i>Leucopogon oxycedrus</i> <i>Leucopogon parviflorus</i> <i>Leucopogon polymorphus</i> <i>Leucopogon propinquus</i> <i>Leucopogon racemosus</i> <i>Leucopogon sprengelioides</i> <i>Leucopogon</i> sp. <i>Leucopogon</i> sp. (indeterminant) M137-1 <i>Leucopogon</i> sp. Moore River (M. Hislop 1695) <i>Leucopogon squarrosus</i> <i>Lysinema ciliatum</i> <i>Lysinema elegans</i> <i>Styphelia tenuiflora</i> Epacridaceae sp.
PRIMULACEAE	* <i>Anagallis arvensis</i> * <i>Anagallis arvensis</i> var. <i>arvensis</i>
LOGANIACEAE	<i>Logania vaginalis</i> <i>Phyllangium paradoxum</i>
GENTIANACEAE	* <i>Centaurium erythraea</i> * <i>Cicendia filiformis</i>
MENYANTHACEAE	<i>Villarsia albiflora</i> <i>Villarsia capitata</i>
CUSCUTACEAE	* <i>Cuscuta epithymum</i>
BORAGINACEAE	<i>Heliotropium curassavicum</i>
LAMIACEAE	<i>Hemiandra linearis</i> <i>Hemiandra pungens</i> <i>Hemigenia ?incana</i> <i>Pityrodia bartlingii</i> <i>Westringia dampieri</i>
SOLANACEAE	* <i>Solanum americanum</i> * <i>Solanum nigrum</i>
SCROPHULARIACEAE	* <i>Bartsia trixago</i> * <i>Cymbalaria muralis</i> * <i>Dischisma arenarium</i> * <i>Dischisma capitatum</i> * <i>Dischisma</i> sp.

**APPENDIX A: VASCULAR PLANT SPECIES RECORDED IN THE GNANGARA
MOUND AREA FOR STAGES 1, 2, 3**

NB: * denotes introduced (weed) species

Family	Species
SCROPHULARIACEAE (Continued)	<i>Glossostigma diandrum</i> <i>Glossostigma drummondii</i> <i>Gratiola pubescens</i> * <i>Parentucellia latifolia</i> * <i>Parentucellia viscosa</i>
OROBANCHACEAE	* <i>Orobanche minor</i>
LENTIBULARIACEAE	<i>Utricularia multifida</i> <i>Utricularia violacea</i>
MYOPORACEAE	<i>Eremophila glabra</i> <i>Eremophila glabra</i> subsp. <i>albicans</i> <i>Myoporum caprarioides</i> <i>Myoporum insulare</i>
PLANTAGINACEAE	<i>Plantago debilis</i>
RUBIACEAE	* <i>Galium murale</i> <i>Opercularia echinocephala</i> <i>Opercularia hispidula</i> <i>Opercularia spermacoceae</i> <i>Opercularia vaginata</i> <i>Opercularia</i> sp.
CAMPANULACEAE	* <i>Wahlenbergia capensis</i> <i>Wahlenbergia preissii</i>
LOBELIACEAE	<i>Isotoma hypocrateriformis</i> <i>Lobelia alata</i> <i>Lobelia heterophylla</i> <i>Lobelia tenuior</i> <i>Lobelia</i> sp. * <i>Monopsis debilis</i>
GOODENIACEAE	<i>Anthotium junciforme</i> (P4) <i>Dampiera alata</i> <i>Dampiera linearis</i> <i>Dampiera</i> sp. <i>Goodenia</i> sp. (Gibson) <i>Goodenia pulchella</i> <i>Lechenaultia biloba</i> <i>Lechenaultia expansa</i> <i>Lechenaultia floribunda</i>

APPENDIX A: VASCULAR PLANT SPECIES RECORDED IN THE GNANGARA
MOUND AREA FOR STAGES 1, 2, 3

NB: * denotes introduced (weed) species

Family	Species
GOODENIACEAE	<i>Lechenaultia linarioides</i>
(Continued)	<i>Scaevola canescens</i>
	<i>Scaevola crassifolia</i>
	<i>Scaevola crassifolia/nitida</i>
	<i>Scaevola nitida</i>
	<i>Scaevola phlebopetala</i>
	<i>Scaevola repens</i>
	<i>Scaevola repens</i> var. <i>angustifolia</i>
	<i>Scaevola repens</i> var. <i>repens</i>
	<i>Scaevola thesioides</i> subsp. <i>thesioides</i>
	<i>Scaevola</i> sp.
	<i>Velleia trinervis</i>
	<i>Verreauxia reinwardtii</i>
STYLIDIACEAE	<i>Levenhookia pusilla</i>
	<i>Levenhookia stipitata</i>
	<i>Levenhookia</i> sp.
	<i>Stylidium adpressum</i>
	<i>Stylidium amoenum</i>
	<i>Stylidium brunonianum</i> subsp. <i>brunonianum</i>
	<i>Stylidium bulbiferum</i>
	<i>Stylidium calcaratum</i>
	<i>Stylidium crossocephalum</i>
	<i>Stylidium cygnorum</i>
	<i>Stylidium dichotomum</i>
	<i>Stylidium diuroides</i> subsp. <i>diuroides</i>
	<i>Stylidium divaricatum</i>
	<i>Stylidium ecorne</i>
	<i>Stylidium guttatum</i>
	<i>Stylidium inundatum</i>
	<i>Stylidium junceum</i> subsp. <i>junceum</i>
	<i>Stylidium lateriticola</i>
	<i>Stylidium longitubum</i> (P3)
	<i>Stylidium macrocarpum</i>
	<i>Stylidium maritimum</i> (P3)
	<i>Stylidium mimeticum</i>
	<i>Stylidium miniatum</i>
	<i>Stylidium petiolare</i>
	<i>Stylidium piliferum</i>
	<i>Stylidium piliferum</i> subsp. <i>piliferum</i>
	<i>Stylidium repens</i>
	<i>Stylidium roseo-alatum</i>
	<i>Stylidium schoenoides</i>

APPENDIX A: VASCULAR PLANT SPECIES RECORDED IN THE GNANGARA
MOUND AREA FOR STAGES 1, 2, 3

NB: * denotes introduced (weed) species

Family	Species
STYLIDIACEAE	<i>Stylidium utricularioides</i>
(Continued)	<i>Stylidium</i> sp.
ASTERACEAE	* <i>Arctotheca calendula</i>
	<i>Asteridea pulverulenta</i>
	<i>Blennospora doliiformis</i> (P3)
	<i>Blennospora</i> sp.
	<i>Brachyscome iberidifolia</i>
	<i>Brachyscome pusilla</i>
	<i>Brachyscome</i> sp.
	* <i>Carduus pycnocephalus</i>
	* <i>Cirsium vulgare</i>
	* <i>Conyza bonariensis</i>
	* <i>Conyza sumatrensis</i>
	* <i>Conyza</i> sp.
	<i>Cotula australis</i>
	<i>Cotula coronopifolia</i>
	<i>Euchiton sphaericus</i>
	<i>Gnephosis drummondii</i>
	<i>Gnephosis tenuissima</i>
	<i>Hyalosperma cotula</i>
	<i>Hyalosperma demissum</i>
	* <i>Hypochoeris glabra</i>
	* <i>Hypochoeris</i> sp.
	<i>Lagenophora huegelii</i>
	<i>Leptorhynchus scaber</i>
	<i>Millotia tenuifolia</i> var. <i>tenuifolia</i>
	<i>Myriocephalus helichrysoides</i>
	<i>Olearia axillaris</i>
	<i>Olearia rudis</i>
	<i>Ozothamnus cordatus</i>
	<i>Pithocarpa corymbulosa</i> (P2)
	<i>Pithocarpa pulchella</i>
	<i>Pithocarpa</i> sp.
	<i>Podolepis gracilis</i>
	<i>Podolepis gracilis</i> (Swamp form) (GJ Keighery 13126)
	<i>Podolepis lessonii</i>
	<i>Podotheca angustifolia</i>
	<i>Podotheca angustifolia/gnaphalioides</i>
	<i>Podotheca chrysantha</i>
	<i>Podotheca gnaphalioides</i>
	<i>Podotheca</i> sp.
	<i>Pogonolepis stricta</i>
	* <i>Pseudognaphalium luteoalbum</i>
	<i>Quinetia urvillei</i>

APPENDIX A: VASCULAR PLANT SPECIES RECORDED IN THE GNANGARA
MOUND AREA FOR STAGES 1, 2, 3

NB: * denotes introduced (weed) species

Family	Species
ASTERACEAE	<i>Rhodanthe citrina</i>
(Continued)	<i>Rhodanthe corymbosa</i>
	<i>Rhodanthe manglesii</i>
	<i>Rhodanthe pyrethrum</i> (P3)
	<i>Rhodanthe spicata</i>
	<i>Rhodanthe</i> sp.
	* <i>Senecio diaschides</i>
	<i>Senecio hispidulus</i> var. <i>hispidulus</i>
	<i>Senecio lautus</i>
	<i>Senecio lautus</i> subsp. <i>dissectifolius</i>
	<i>Senecio lautus</i> subsp. <i>maritimus</i>
	<i>Senecio ramosissimus</i>
	<i>Senecio</i> sp.
	<i>Siloxerus humifusus</i>
	* <i>Sonchus asper</i>
	* <i>Sonchus oleraceus</i>
	* <i>Tripteris clandestina</i>
	* <i>Urospermum picroides</i>
	* <i>Ursinia anthemoides</i>
	* <i>Vellereophyton dealbatum</i>
	<i>Waitzia suaveolens</i> var. <i>suaveolens</i>
	<i>Waitzia</i> sp.
	Asteraceae sp.

APPENDIX B: SUMMARY OF SITE DESCRIPTIONS, LOCATIONS AND COMMUNITY DESCRIPTIONS FOR SITES IN STAGES 1, 2 AND 3

* Denotes introduced species

Map No.	Site Name	Site No.	Grid Ref		Community Descriptions
			mE	mN	
152	ELDOI				Low Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Eucalyptus tottiana</i> over <i>Adenanthos cygnorum</i> subsp. <i>cygnorum</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Xanthorrhoea preissii</i> and <i>Beaufortia elegans</i> .
561	MILT1				Woodland of <i>Banksia littoralis</i> - <i>Nuytsia floribunda</i> - <i>Banksia prionotes</i> - <i>Banksia ilicifolia</i> - <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Adenanthos cygnorum</i> subsp. <i>cygnorum</i> , <i>Pericalymma ellipticum</i> var. <i>ellipticum</i> , <i>Stirlingia latifolia</i> and <i>Petrophile seminuda</i> .
568	MILT2				Low Woodland of <i>Melaleuca rhamniphylla</i> - <i>Eucalyptus rudis</i> subsp. <i>rudis</i> - <i>Melaleuca preissiana</i> over <i>Taxandria linearifolia</i> (ms), <i>Pteridium esculentum</i> , <i>Lepidosperma gladiatum</i> and <i>Baumea juncea</i> .
569	MILT3				Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Banksia ilicifolia</i> over <i>Beaufortia elegans</i> , <i>Scholtzia involucrata</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Leucopogon conostephioides</i> , <i>Jacksonia floribunda</i> , <i>Paterersonia occidentalis</i> and <i>Stirlingia latifolia</i> .
570	MILT4				Woodland of <i>Eucalyptus tottiana</i> - <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Jacksonia sternbergiana</i> , <i>Jacksonia furcellata</i> , <i>Acacia pulchella</i> , <i>Xanthorrhoea preissii</i> , <i>Paterersonia occidentalis</i> , <i>Lomandra sericea</i> and <i>Lomandra caespitosa</i> .
571	MILT5				Low Woodland of <i>Banksia littoralis</i> - <i>Melaleuca rhamniphylla</i> - <i>Melaleuca preissiana</i> over <i>Kunzea ericifolia</i> , <i>Regelia ciliata</i> , <i>Melaleuca lateriflora</i> subsp. <i>acutifolia</i> , <i>Acacia pulchella</i> , <i>Jacksonia furcellata</i> , <i>Baumea vaginalis</i> and <i>Oligochaetochilus vittatus</i> .
572	MILT6				Woodland of <i>Corymbia calophylla</i> - <i>Banksia attenuata</i> - <i>Banksia ilicifolia</i> - <i>Banksia menziesii</i> over <i>Xanthorrhoea preissii</i> , <i>Jacksonia furcellata</i> , <i>Hibbertia subvaginata</i> , <i>Macrozamia riedlei</i> and <i>Lepidosperma squamatum</i> .
573	MILT7				Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Adenanthos cygnorum</i> subsp. <i>cygnorum</i> , <i>Jacksonia floribunda</i> , <i>Leucopogon squarrosus</i> , <i>Stirlingia latifolia</i> , <i>Dasyopogon bromeliifolius</i> and <i>Paterersonia occidentalis</i> .
574	MILT8				Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Banksia ilicifolia</i> over <i>Verticordia nitens</i> , <i>Conostephium minus</i> , <i>Adenanthos cygnorum</i> subsp. <i>cygnorum</i> , <i>Jacksonia floribunda</i> and <i>Dasyopogon bromeliifolius</i> .
	OYR01				Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Banksia ilicifolia</i> - <i>Nuytsia floribunda</i> over <i>Eremaea asterocharpa</i> subsp. <i>asterocharpa</i> , <i>Beaufortia elegans</i> , <i>Bosstiaea eriocarpa</i> , <i>Paterersonia occidentalis</i> and <i>Stirlingia latifolia</i> .
	OYR02				Shrubland of <i>Xanthorrhoea preissii</i> , <i>Hibbertia hypericoides</i> , <i>Conospermum canaliculatum</i> subsp. <i>canaliculatum</i> , <i>Hakea costata</i> , <i>Melaleuca systema</i> , <i>Hypocalymma angustifolium</i> and <i>Jacksonia calcicola</i> .
671	RAAF1				Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Acacia huegelii</i> , <i>Beaufortia elegans</i> , <i>Calytrix flavescens</i> and <i>Jacksonia floribunda</i> .
672	RAAF2				Woodland of <i>Eucalyptus tottiana</i> - <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Nuytsia floribunda</i> over <i>Allocasuarina humilis</i> , <i>Calytrix flavescens</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> and <i>Melaleuca trichophylla</i> .
673	RAAF3				Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Acacia pulchella</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Jacksonia floribunda</i> and <i>Calytrix flavescens</i> .
692	SHE1				Shrubland of <i>Dryandra sessilis</i> , <i>Conospermum triplinervium</i> , <i>Hibbertia hypericoides</i> , <i>Grevillea preissii</i> subsp. <i>preissii</i> , <i>Dryandra lindleyana</i> var. <i>lindleyana</i> , <i>Leucopogon parviflorus</i> , <i>Trachymene pilosa</i> , <i>Mesomelaena pseudostygia</i> and <i>Lepidosperma squamatum</i> .
693	SHE2				Woodland of <i>Eucalyptus tottiana</i> - <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Acacia pulchella</i> , <i>Conostephium pendulum</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Hakea ruscifolia</i> , <i>Melaleuca systema</i> , <i>Petrophile macrostachya</i> and <i>Xanthorrhoea preissii</i> .
694	SHE3				Woodland of <i>Banksia attenuata</i> over <i>Conospermum triplinervium</i> , <i>Jacksonia hakeoides</i> , <i>Petrophile macrostachya</i> , <i>Dryandra sessilis</i> , <i>Xanthorrhoea preissii</i> , <i>Melaleuca systema</i> , <i>Kennedia prostrata</i> and <i>Lomandra suaveolens</i> .

APPENDIX B: SUMMARY OF SITE DESCRIPTIONS, LOCATIONS AND COMMUNITY DESCRIPTIONS FOR SITES IN STAGES 1, 2 AND 3

* Denotes introduced species

Map No.	Site Name	Site No.	Grid Ref		Community Descriptions
			mE	mN	
695	SHE4				Shrubland of <i>Melaleuca systema</i> , <i>Baeckea robusta</i> , <i>Grevillea preissii</i> subsp. <i>preissii</i> , <i>Beyeria cinerea</i> , <i>Spyridium globulosum</i> , <i>Acacia lasiocarpa</i> , <i>Phyllanthus calycinus</i> , <i>Dryandra lindleyana</i> var. <i>lindleyana</i> , <i>Lobelia tenuior</i> , <i>Dryandra sessilis</i> and <i>Calothamnus quadrifidus</i> .
696	SHE5				Shrubland of <i>Melaleuca huegelii</i> , <i>Melaleuca systema</i> , <i>Acacia lasiocarpa</i> , <i>Acacia truncata</i> , <i>Templetonia retusa</i> , <i>Dryandra sessilis</i> , <i>Hardenbergia comptoniana</i> and <i>Rhagodia baccata</i> .
697	SHE6				Woodland of <i>Eucalyptus gomphocephala</i> - <i>Banksia attenuata</i> - <i>Nyctisia floribunda</i> over <i>Macrozamia riedlei</i> , <i>Desmodclaudus flexuosus</i> , <i>Dryandra lindleyana</i> var. <i>lindleyana</i> , <i>Hibbertia hypericoides</i> and <i>Hibbertia racemosa</i> .
739	WABL1				Shrubland of <i>Acacia lasiocarpa</i> , <i>Acacia rostellifera</i> , <i>Comesperma integerrimum</i> , <i>Conostylis candidans</i> subsp. <i>candidans</i> , <i>Dryandra sessilis</i> and <i>Melaleuca huegelii</i> .
740	WABL2				Woodland of <i>Eucalyptus decipiens</i> subsp. <i>decipiens</i> - <i>Banksia grandis</i> over <i>Acacia pulchella</i> , <i>Dryandra sessilis</i> , <i>Xanthorrhoea preissii</i> , <i>Jacksonia fasciculata</i> , <i>Melaleuca systema</i> and <i>Stirlingia latifolia</i> .
741	WABL3				Woodland of <i>Eucalyptus foecunda</i> over <i>Melaleuca systema</i> , <i>Melaleuca huegelii</i> , <i>Hibbertia hypericoides</i> , <i>Hakea lasiocarpa</i> , <i>Dryandra sessilis</i> and <i>Leucopogon parviflorus</i> .
742	WABL4				Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Adenanthos cygnorum</i> , <i>Dryandra sessilis</i> , <i>Hakea prostrata</i> , <i>Petrophile macrostachya</i> and <i>Xanthorrhoea preissii</i> .
760	WATER1				Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Nyctisia floribunda</i> over <i>Acacia pulchella</i> , <i>Calothamnus quadrifidus</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Hakea ruscifolia</i> , <i>Melaleuca systema</i> and <i>Xanthorrhoea preissii</i> .
836	TOKYU1				Shrubland of <i>Melaleuca systema</i> , <i>Acacia lasiocarpa</i> , <i>Acacia cochlearis</i> , <i>Pimelea ferruginea</i> and <i>Phyllanthus calycinus</i> .
837	TOKYU2				Shrubland of <i>Melaleuca systema</i> , <i>Acacia cyclops</i> , <i>Acacia lasiocarpa</i> , <i>Cryptandra mutila</i> , <i>Leucopogon parviflorus</i> , <i>Leucopogon racemosus</i> and <i>Lomandra maritima</i> .
838	TOKYU3				Shrubland of <i>Dryandra sessilis</i> , <i>Allocasuarina humilis</i> , <i>Calothamnus sanguineus</i> , <i>Melaleuca systema</i> and <i>Jacksonia fasciculata</i> .
847	WILB5				Shrubland of <i>Melaleuca huegelii</i> , <i>Melaleuca systema</i> , <i>Xanthorrhoea preissii</i> , <i>Phyllanthus calycinus</i> , <i>Paterosnia occidentalis</i> and <i>Dryandra lindleyana</i> var. <i>lindleyana</i> .
848	WILB6				Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Calothamnus quadrifidus</i> , <i>Hakea trifurcata</i> , <i>Dryandra sessilis</i> , <i>Melaleuca systema</i> and <i>Xanthorrhoea preissii</i> .
849	WILB7				Shrubland of <i>Calothamnus quadrifidus</i> , <i>Dryandra sessilis</i> , <i>Dryandra lindleyana</i> var. <i>lindleyana</i> , <i>Petrophile macrostachya</i> , <i>Xanthorrhoea preissii</i> and <i>Hakea costata</i> .
850	WILB8				Shrubland of <i>Acacia lasiocarpa</i> , <i>Melaleuca systema</i> , <i>Calothamnus quadrifidus</i> , <i>Calothamnus calycinus</i> , <i>Lepidosperma squamatum</i> and <i>Hibbertia racemosa</i> .
851	WILB9				Shrubland of <i>Melaleuca huegelii</i> , <i>Melaleuca systema</i> , <i>Acacia alata</i> var. <i>tetrantha</i> , <i>Calothamnus quadrifidus</i> and <i>Lepidosperma squamatum</i> .
852	WILB10				Shrubland of <i>Acacia rostellifera</i> , <i>Acacia lasiocarpa</i> var. <i>lasiocarpa</i> , <i>Calothamnus quadrifidus</i> , <i>Melaleuca systema</i> , <i>Phyllanthus calycinus</i> and <i>Leucopogon parviflorus</i> .

APPENDIX B: SUMMARY OF SITE DESCRIPTIONS, LOCATIONS AND COMMUNITY DESCRIPTIONS FOR SITES IN STAGES 1, 2 AND 3

* Denotes introduced species

Map No.	Site Name	Site No.	Grid Ref		Community Descriptions
			mE	mN	
853	WILB11				Low Open Shrubland of <i>Acacia rostellifera</i> , <i>Hemiandra pungens</i> , <i>Nemcia capitata</i> , <i>Pimelea rosea</i> and <i>Scaevola crassifolia</i> .
854	WILB12				Open Shrubland of <i>Melaleuca cardiophylla</i> , <i>Santalum acuminatum</i> , <i>Westringia dampieri</i> , <i>Acacia alata</i> var. <i>tetrantha</i> , <i>Melaleuca huegelii</i> , <i>Pimelea ferruginea</i> , <i>Melaleuca systena</i> with an abundance of introduced species.
855	WILB13				Woodland of <i>Eucalyptus gomphocephala</i> - <i>Banksia attenuata</i> over <i>Acacia cyclops</i> , <i>Hakea prostrata</i> , <i>Dryandra sessilis</i> , <i>Xanthorrhoea preissii</i> , <i>Dryandra lindleyana</i> var. <i>lindleyana</i> , <i>Austrostipa flavescens</i> , <i>Macrozamia riedlei</i> and <i>Lagenophora huegelii</i> .
	AIRF01		395519	6519312	Tall shrubland of <i>Melaleuca viminea</i> subsp. <i>viminea</i> , <i>Acacia saligna</i> , <i>Dryandra sessilis</i> var. <i>sessilis</i> , <i>Jacksonia furcellata</i> , <i>Schoenus odontocarpus</i> and <i>Centrolepis aristata</i> .
	AIRF02		396745	6519188	Shrubland of <i>Melaleuca viminea</i> subsp. <i>viminea</i> , <i>Villarsia capitata</i> , <i>Lachnagrostis filiformis</i> , <i>Bulbine semibarbata</i> , <i>Kunzea</i> aff. <i>recurva</i> , <i>Haemodorum simplex</i> with numerous introduced species.
	BAMBUN01		394869	6522426	Low Open Woodland of <i>Melaleuca raphiophylla</i> and <i>Casuarina obesa</i> over <i>Melaleuca viminea</i> subsp. <i>viminea</i> , <i>Centrolepis aristata</i> , <i>Acacia saligna</i> , <i>Baumea acuta</i> , <i>Baumea juncea</i> and <i>Verticordia densiflora</i> var. <i>densiflora</i> .
	BAMBUN02		394987	6522491	Woodland of <i>Casuarina obesa</i> over <i>Melaleuca viminea</i> subsp. <i>viminea</i> , <i>Lachnagrostis filiformis</i> , <i>Phyllanthus calycinus</i> , <i>Lemna disperma</i> , <i>Isolepis</i> sp. and <i>Cotula coronopifolia</i> .
	BAMBUN03		395091	6522470	Low Woodland of <i>Casuarina obesa</i> over <i>Acacia saligna</i> , <i>Centrolepis aristata</i> , <i>Phylidrella pygmaea</i> subsp. <i>pygmaea</i> , <i>Pogonolepis stricta</i> and <i>Schoenus rigens</i> .
	DEPOT01		385391	6488901	Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Banksia ilicifolia</i> and <i>Corymbia calophylla</i> over <i>Hibbertia hypericoides</i> , <i>Xanthorrhoea preissii</i> , <i>Mesomelaena pseudostygia</i> , <i>Conostephium pendulum</i> and <i>Lepidosperma scabrum</i> .
	ELE15		401032	6488479	Woodland of <i>Banksia attenuata</i> - <i>Banksia ilicifolia</i> and <i>Eucalyptus marginata</i> subsp. <i>marginata</i> over <i>Petrophile linearis</i> , <i>Hibbertia hypericoides</i> , <i>Bossiaea eriocarpa</i> and <i>Dasyopogon bromeliifolius</i> .
	ELE16		401039	6488479	Low Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Scholtzia involucrata</i> , <i>Paterosonia occidentalis</i> , <i>Adenanthos cygnorum</i> subsp. <i>cygnorum</i> and <i>Beaufortia elegans</i> .
	ELE17		401293	6488390	Low Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Allocasuarina humilis</i> , <i>Scholtzia involucrata</i> , <i>Conostephium pendulum</i> and <i>Beaufortia elegans</i> .
	ELE18		401642	6488393	Low Open Woodland of <i>Banksia ilicifolia</i> - <i>Banksia attenuata</i> over <i>Astartea scoparia</i> , <i>Regelia inops</i> , <i>Regelia ciliata</i> , <i>Hypocalymma angustifolium</i> , <i>Petrophile linearis</i> and <i>Dasyopogon bromeliifolius</i> .
	ELE19		402189	6487853	Woodland of <i>Melaleuca preissiana</i> - <i>Banksia littoralis</i> over <i>Astartea scoparia</i> , <i>Hibbertia stellaris</i> , <i>Baumea preissii</i> subsp. <i>preissii</i> (ms), <i>Eutaxia virgata</i> and <i>Lepyrodia muirii</i> .
	ELE20		402126	6487586	Shrubland of <i>Astartea scoparia</i> , <i>Melaleuca lateritia</i> , <i>Percalymma ellipticum</i> var. <i>ellipticum</i> , <i>Baumea juncea</i> , <i>Lechenaultia floribunda</i> and <i>Stylidium brunonianum</i> subsp. <i>brunonianum</i> .
	ELE21		402323	6487059	Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Banksia ilicifolia</i> - <i>Nuyisia floribunda</i> and <i>Eucalyptus todiiana</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Adenanthos cygnorum</i> subsp. <i>cygnorum</i> , <i>Conospermum stoechadis</i> subsp. <i>stoechadis</i> , <i>Bossiaea eriocarpa</i> , <i>Scholtzia involucrata</i> and <i>Paterosonia occidentalis</i> .

APPENDIX B: SUMMARY OF SITE DESCRIPTIONS, LOCATIONS AND COMMUNITY DESCRIPTIONS FOR SITES IN STAGES 1, 2 AND 3

* Denotes introduced species

Map No.	Site Name	Site No.	Grid Ref		Community Descriptions
			mE	mN	
	ELE22		402359	6486364	Low Woodland of <i>Banksia menziesii</i> - <i>Banksia attenuata</i> - <i>Banksia ilicifolia</i> - <i>Eucalyptus todiana</i> and <i>Melaleuca preissiana</i> over <i>Adenanthos cygnorum</i> subsp. <i>cygnorum</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Patersonia occidentalis</i> , <i>Conospermum stoechadis</i> subsp. <i>stoechadis</i> and <i>Hypocalymma angustifolium</i> .
	ELE23		402320	6486273	Low Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Banksia ilicifolia</i> over <i>Adenanthos cygnorum</i> subsp. <i>cygnorum</i> , <i>Dasygogon bromeliifolius</i> , <i>Petrophile linearis</i> , <i>Hypocalymma angustifolium</i> , <i>Regelia inops</i> and <i>Hibbertia subvaginata</i> .
	ELE24		402795	6485676	Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Eucalyptus todiana</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Scholtzia involucreta</i> , <i>Jacksonia floribunda</i> , <i>Calytrix flavescens</i> and <i>Schoenus curvifolius</i> .
	ELE25		403486	6485619	Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Eucalyptus marginata</i> subsp. <i>marginata</i> over <i>Melaleuca seritata</i> , <i>Scholtzia involucreta</i> , <i>Lyginia barbata</i> , <i>Dasygogon bromeliifolius</i> , <i>Phlebocarya ciliata</i> and <i>Xanthorrhoea preissii</i> .
	ELE26		403552	6485998	Woodland of <i>Corymbia calophylla</i> - <i>Melaleuca preissiana</i> - <i>Banksia ilicifolia</i> and <i>Banksia littoralis</i> over <i>Xanthorrhoea preissii</i> , <i>Hypocalymma angustifolium</i> , <i>Astarea scoparia</i> , <i>Baumea preissii</i> subsp. <i>preissii</i> , <i>Jacksonia furcellata</i> and <i>Dasygogon bromeliifolius</i> .
	ELE35		403769	6487691	Woodland of <i>Melaleuca preissiana</i> - <i>Banksia littoralis</i> over <i>Acacia saligna</i> , <i>Xanthorrhoea preissii</i> , <i>Hakea varia</i> , <i>Baumea juncea</i> , <i>Patersonia occidentalis</i> and <i>Baumea preissii</i> subsp. <i>preissii</i> .
	ELE36		403785	6487758	Woodland of <i>Eucalyptus rudis</i> subsp. <i>rudis</i> - <i>Melaleuca preissiana</i> - <i>Banksia littoralis</i> over <i>Acacia saligna</i> , <i>Xanthorrhoea preissii</i> , <i>Juncus pallidus</i> , <i>Baumea juncea</i> , <i>Dampiera alata</i> and <i>Baumea preissii</i> subsp. <i>preissii</i> .
	ELE37		402495	6487427	Woodland of <i>Eucalyptus rudis</i> subsp. <i>rudis</i> - <i>Banksia littoralis</i> over <i>Taxandria linearifolia</i> (ms), <i>Astarea scoparia</i> , <i>Melaleuca teretifolia</i> , <i>Melaleuca viminea</i> subsp. <i>viminea</i> , <i>Xanthorrhoea preissii</i> , <i>Baumea juncea</i> , <i>Conesperma virgatum</i> and <i>Sphaerolobium vimineum</i> .
	GNAN01		393007	6483099	Shrubland of <i>Astarea scoparia</i> , <i>Hypocalymma angustifolium</i> , <i>Patersonia occidentalis</i> (swamp form), <i>Meeboldina scariosa</i> , <i>Schoenus brevisetis</i> , <i>Prasophyllum ovale</i> and <i>Juncus amabilis</i> .
	GNAN02		392963	6483201	Woodland of <i>Eucalyptus rudis</i> subsp. <i>rudis</i> - <i>Melaleuca preissiana</i> over <i>Astarea scoparia</i> , <i>Baumea arthropophylla</i> , <i>Hypocalymma angustifolium</i> , <i>Viminaria juncea</i> , <i>Exocarpos sparteus</i> and <i>Patersonia occidentalis</i> (swamp form).
	GNAN03		393129	6483162	Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Banksia ilicifolia</i> - <i>Eucalyptus todiana</i> over <i>Bossiaea eriocarpa</i> , <i>Petrophile linearis</i> , <i>Gompholobium tomentosum</i> , <i>Patersonia occidentalis</i> , <i>Lyginia barbata</i> , <i>Conostephium pendulum</i> , <i>Jacksonia sternbergiana</i> and <i>Hibbertia hypericoides</i> .
	GOLF01		389725	6477896	Woodland of <i>Banksia attenuata</i> - <i>Banksia ilicifolia</i> - <i>Eucalyptus marginata</i> subsp. <i>marginata</i> over a dense understorey of <i>Bossiaea eriocarpa</i> , <i>Conostephium preissii</i> , <i>Hibbertia hypericoides</i> , <i>Stirlingia latifolia</i> , <i>Petrophile linearis</i> and <i>Patersonia occidentalis</i> .
	KOON01		392823	6477058	Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Banksia ilicifolia</i> - <i>Eucalyptus marginata</i> subsp. <i>marginata</i> over a dense understorey of <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Stirlingia latifolia</i> , <i>Petrophile linearis</i> , <i>Conostephium pendulum</i> and <i>Calothamnus sanguineus</i> .
	KOON02		392971	6477229	Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Eucalyptus marginata</i> subsp. <i>marginata</i> over a dense understorey of <i>Bossiaea eriocarpa</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Stirlingia latifolia</i> , <i>Hibbertia hypericoides</i> , <i>Conostephium pendulum</i> , <i>Mesomelaena pseudostygia</i> and <i>Lyginia barbata</i> .

APPENDIX B: SUMMARY OF SITE DESCRIPTIONS, LOCATIONS AND COMMUNITY DESCRIPTIONS FOR SITES IN STAGES 1, 2 AND 3

* Denotes introduced species

Map No.	Site Name	Site No.	Grid Ref		Community Descriptions
			mE	mN	
	LAND01		391110	6478888	Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Eucalyptus marginata</i> subsp. <i>marginata</i> over a dense overstorey of <i>Stirlingia latifolia</i> , <i>Boschia eriocarpa</i> , <i>Conospermum stoechadis</i> subsp. <i>stoechadis</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> and <i>Patersonia occidentalis</i> .
	MELA01		395147	6495234	Low Woodland of <i>Melaleuca preissiana</i> - <i>Banksia ilicifolia</i> - <i>Nuyisia floribunda</i> over <i>Hypocalymma angustifolium</i> , <i>Pericalymma ellipticum</i> var. <i>ellipticum</i> , <i>Lepidosperma longitudinale</i> , <i>Regelia ciliata</i> , <i>Regelia inops</i> and <i>Dasyopogon bromeliifolius</i> .
	MELA02		395145	6495413	Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Banksia ilicifolia</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Scholtzia involucrata</i> , <i>Regelia inops</i> , <i>Petrophile linearis</i> , <i>Calytrix flavescens</i> , <i>Lyginia barbata</i> and <i>Patersonia occidentalis</i> .
	MELA03		395455	6495416	Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Banksia ilicifolia</i> - <i>Nuyisia floribunda</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Scholtzia involucrata</i> , <i>Stirlingia latifolia</i> , <i>Jacksonia floribunda</i> , <i>Hibbertia subvaginata</i> , <i>Lyginia barbata</i> and <i>Patersonia occidentalis</i> .
	MELA05		395158	6495847	Woodland of <i>Banksia ilicifolia</i> - <i>Banksia attenuata</i> over <i>Petrophile linearis</i> , <i>Dasyopogon bromeliifolius</i> , <i>Melaleuca seriata</i> , <i>Scholtzia involucrata</i> , <i>Verticordia nitens</i> , <i>Conostephium pendulum</i> , <i>Phlebocarya ciliata</i> and <i>Patersonia occidentalis</i> .
	MELA06		395104	6496068	Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Calytrix flavescens</i> , <i>Scholtzia involucrata</i> , <i>Patersonia occidentalis</i> , <i>Petrophile linearis</i> , <i>Boschia eriocarpa</i> , <i>Lyginia barbata</i> and <i>Jacksonia floribunda</i> .
	MELA07		396166	6493391	Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Nuyisia floribunda</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Scholtzia involucrata</i> , <i>Lyginia barbata</i> , <i>Jacksonia floribunda</i> , <i>Patersonia occidentalis</i> , <i>Beaufortia elegans</i> and <i>Philothea spicata</i> .
	MELA08		396283	6492777	Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Scholtzia involucrata</i> , <i>Lyginia barbata</i> , <i>Calytrix flavescens</i> , <i>Patersonia occidentalis</i> , <i>Petrophile linearis</i> and <i>Jacksonia floribunda</i> .
	MELA10		398047	6495396	Woodland of <i>Banksia ilicifolia</i> - <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Petrophile linearis</i> , <i>Stylidium brunonianum</i> subsp. <i>brunonianum</i> , <i>Melaleuca seriata</i> , <i>Dasyopogon bromeliifolius</i> , <i>Xanthorrhoea preissii</i> , <i>Verticordia nitens</i> and <i>Phlebocarya ciliata</i> .
	MP01		399289	6491198	Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Allocasuarina humilis</i> , <i>Conospermum stoechadis</i> subsp. <i>stoechadis</i> , <i>Scholtzia involucrata</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Jacksonia floribunda</i> , <i>Calytrix flavescens</i> and <i>Lyginia barbata</i> .
	MP02		399241	6491541	Woodland of <i>Melaleuca preissiana</i> over <i>Pericalymma ellipticum</i> var. <i>ellipticum</i> , <i>Astartea scoparia</i> , <i>Acacia pulchella</i> var. <i>glaberrima</i> , <i>Hypolaena exsulca</i> and <i>Comesperma virgatum</i> .
	MP03		399174	6491467	Low Woodland of <i>Melaleuca preissiana</i> - <i>Banksia ilicifolia</i> over <i>Hypocalymma angustifolium</i> , <i>Pericalymma ellipticum</i> var. <i>ellipticum</i> , <i>Xanthorrhoea preissii</i> , <i>Dasyopogon bromeliifolius</i> and <i>Regelia ciliata</i> .
	MP04		399232	6492322	Woodland of <i>Banksia attenuata</i> - <i>Banksia ilicifolia</i> - <i>Banksia menziesii</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Patersonia occidentalis</i> , <i>Allocasuarina humilis</i> , <i>Jacksonia floribunda</i> , <i>Scholtzia involucrata</i> , <i>Beaufortia elegans</i> and <i>Boschia eriocarpa</i> .
	MP05		398044	6492954	Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Scholtzia involucrata</i> , <i>Jacksonia floribunda</i> , <i>Patersonia occidentalis</i> , <i>Petrophile linearis</i> , <i>Calytrix flavescens</i> and <i>Conospermum stoechadis</i> subsp. <i>stoechadis</i> .

APPENDIX B: SUMMARY OF SITE DESCRIPTIONS, LOCATIONS AND COMMUNITY DESCRIPTIONS FOR SITES IN STAGES 1, 2 AND 3

* Denotes introduced species

Map No.	Site Name	Site No.	Grid Ref		Community Descriptions
			mE	mN	
	MP06		396559	6492771	Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Banksia ilicifolia</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Scholtzia involucreta</i> , <i>Beaufortia elegans</i> , <i>Petrophile linearis</i> , <i>Calytrix flavescens</i> , <i>Hibbertia subvaginata</i> and <i>Lyginia barbata</i> .
	MP07		394665	6492926	Low Woodland of <i>Melaleuca preissiana</i> over <i>Hypocalymma angustifolium</i> , <i>Pericalymma ellipticum</i> var. <i>ellipticum</i> , <i>Xanthorrhoea preissii</i> , <i>Astartea scoparia</i> , <i>Dasyopogon bromeliifolius</i> and <i>Hypolaena exsulca</i> .
	MP08		395186	6496853	Low Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Eucalyptus todtiana</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Calytrix flavescens</i> , <i>Scholtzia involucreta</i> , <i>Bossiaea eriocarpa</i> , <i>Petrophile linearis</i> , <i>Conospermum incurvum</i> and <i>Lyginia barbata</i> .
	MP09		394906	6496949	Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Bossiaea eriocarpa</i> , <i>Patersonia occidentalis</i> , <i>Scholtzia involucreta</i> , <i>Jacksonia floribunda</i> and <i>Petrophile linearis</i> .
	MP10		401156	6491943	Woodland of <i>Banksia attenuata</i> - <i>Banksia ilicifolia</i> - <i>Banksia littoralis</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Bossiaea eriocarpa</i> , <i>Melaleuca seriata</i> , <i>Petrophile linearis</i> , <i>Patersonia occidentalis</i> , <i>Jacksonia floribunda</i> , <i>Hibbertia subvaginata</i> and <i>Lyginia barbata</i> .
	MP11		401516	6491797	Low Woodland of <i>Melaleuca preissiana</i> - <i>Banksia littoralis</i> over <i>Astartea scoparia</i> , <i>Hypocalymma angustifolium</i> , <i>Pericalymma ellipticum</i> var. <i>ellipticum</i> , <i>Xanthorrhoea preissii</i> , <i>Dasyopogon bromeliifolius</i> and <i>Hypolaena exsulca</i> .
	MPK01		397614	6496332	Woodland of <i>Banksia attenuata</i> - <i>Banksia ilicifolia</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Bossiaea eriocarpa</i> , <i>Scholtzia involucreta</i> , <i>Petrophile linearis</i> , <i>Hibbertia hypericoides</i> , <i>Patersonia occidentalis</i> and <i>Xanthorrhoea preissii</i> .
	MPK02		396396	6494867	Woodland of <i>Banksia ilicifolia</i> - <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Petrophile linearis</i> , <i>Patersonia occidentalis</i> , <i>Hypocalymma angustifolium</i> , <i>Lyginia barbata</i> , <i>Dasyopogon bromeliifolius</i> , <i>Stylidium brunonianum</i> subsp. <i>brunonianum</i> and <i>Conostephium pendulum</i> .
	MPK03		395452	6494503	Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Banksia ilicifolia</i> over <i>Scholtzia involucreta</i> , <i>Jacksonia sternbergiana</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Petrophile linearis</i> , <i>Patersonia occidentalis</i> , <i>Lomandra hermaphrodita</i> and <i>Calytrix flavescens</i> .
	MUCH01		402542	6505054	Woodland of <i>Corymbia calophylla</i> - <i>Eucalyptus todtiana</i> - <i>Banksia menziesii</i> over <i>Xanthorrhoea preissii</i> , <i>Hibbertia hypericoides</i> , <i>Acacia pulchella</i> , <i>Allocasuarina humilis</i> , <i>Jacksonia sternbergiana</i> , <i>Phlebocarya ciliata</i> and <i>Patersonia occidentalis</i> .
	MUCH02		402681	6505175	Weed dominated wetland on heavy soils with <i>Banksia telmatiaea</i> , <i>Acacia saligna</i> , <i>Hypolaena exsulca</i> , <i>Kunzea aff. recurva</i> , <i>Regelia ciliata</i> , <i>Verticordia densiflora</i> , <i>Xanthorrhoea preissii</i> , <i>Grevillea obtusifolia</i> and <i>Grevillea vestita</i> subsp. <i>vestita</i> .
	MUCH03		402699	6505045	Shrubland of <i>Kunzea aff. recurva</i> , <i>Jacksonia sternbergiana</i> , <i>Xanthorrhoea preissii</i> , <i>Lyginia barbata</i> , <i>Cyathochaeta avenacea</i> , <i>Gompholobium tomentosum</i> , <i>Acacia huegelii</i> , <i>Hibbertia aurea</i> , <i>Lepidosperma squamatum</i> and <i>Verticordia densiflora</i> .
	MUCH04		402574	6504925	Woodland of <i>Corymbia calophylla</i> - <i>Banksia littoralis</i> over <i>Acacia saligna</i> , <i>Xanthorrhoea preissii</i> , <i>Gompholobium tomentosum</i> , <i>Hakea prostrata</i> , <i>Melaleuca huegelii</i> subsp. <i>huegelii</i> , <i>Hibbertia hypericoides</i> and <i>Dryandra lindleyana</i> var. <i>lindleyana</i> .
	MUCH05		402149	6503598	Woodland of <i>Banksia littoralis</i> - <i>Melaleuca raphiophylla</i> and <i>Taxandria linearifolia</i> (ms) over <i>Croninia kingiana</i> , <i>Leucopogon australis</i> , <i>Gonocarpus pthyoides</i> , <i>Astroloma xerophyllum</i> and <i>Macarthuria apetalata</i> .
	MUCK01		384088	6531291	Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Banksia ilicifolia</i> over <i>Petrophile linearis</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Dasyopogon bromeliifolius</i> , <i>Patersonia occidentalis</i> and <i>Xanthorrhoea preissii</i> .
	MUCK02		383932	6531485	Low Woodland of <i>Melaleuca raphiophylla</i> over <i>Melaleuca viminea</i> subsp. <i>viminea</i> , <i>Centrolepis aristata</i> , <i>Melaleuca lateritia</i> , <i>Pogonolepis stricta</i> , <i>Goodenia</i> sp. (Gibson) and <i>Philydrella pygmaea</i> subsp. <i>pygmaea</i> .

APPENDIX B: SUMMARY OF SITE DESCRIPTIONS, LOCATIONS AND COMMUNITY DESCRIPTIONS FOR SITES IN STAGES 1, 2 AND 3

* Denotes introduced species

Map No.	Site Name	Site No.	Grid Ref		Community Descriptions
			mE	mN	
	MUK01		383578	6531229	Woodland of <i>Banksia attenuata</i> - <i>Banksia ilicifolia</i> over <i>Bosstea eriocarpa</i> , <i>Lyginia barbata</i> , <i>Scholtzia involucreata</i> , <i>Melaleuca parviceps/trichophylla</i> , <i>Jacksonia floribunda</i> , <i>Hibbertia subvaginata</i> and <i>Petrophile linearis</i> .
	MUK02		383885	6531217	Woodland of <i>Melaleuca preissiana</i> over <i>Xanthorrhoea preissii</i> , <i>Pericalymma ellipticum</i> var. <i>ellipticum</i> , <i>Hypocalymma angustifolium</i> , <i>Dasyopogon bromeliifolius</i> , <i>Kunzea recurva</i> . <i>Regelia ciliata</i> , <i>Phlebocarya ciliata</i> and <i>Euchilopsis linearis</i> .
	PAR01		376140	6513750	Shrubland of <i>Melaleuca cardiophylla</i> , <i>Melaleuca huegelii</i> subsp. <i>huegelii</i> , <i>Melaleuca systena</i> , <i>Grevillea preissii</i> subsp. <i>preissii</i> and <i>Hibbertia racemosa</i> .
	PINJ01		387475	6498658	Sedgeland of <i>Baumea articulata</i> , <i>Baumea vaginalis</i> , <i>Lepyrodia muirii</i> , <i>Villarsia albiflora</i> , <i>Actinotus leucocephalus</i> , <i>Epiblema grandiflorum</i> var. <i>grandiflorum</i> and <i>Tripterococcus paniculatus</i> (ms) (P1).
	PINJ02		387467	6498848	Woodland of <i>Melaleuca preissiana</i> over <i>Melaleuca laterita</i> , <i>Baumea articulata</i> , <i>Astartea scoparia</i> , <i>Calothamnus lateralis</i> , <i>Schoenus brevisetis</i> , <i>Willarsia albiflora</i> , <i>Meeboldina scariosa</i> and <i>Schoenus tenellus</i> .
	PINJ03		387707	6498800	Shrubland of <i>Melaleuca laterita</i> , <i>Melaleuca teretifolia</i> , <i>Pericalymma ellipticum</i> var. <i>ellipticum</i> , <i>Baumea articulata</i> , <i>Astartea scoparia</i> , <i>Schoenus brevisetis</i> , <i>Lepyrodia muirii</i> and <i>Eutaxia virgata</i> .
	PINJ04		387877	6498728	Woodland of <i>Eucalyptus rudis</i> subsp. <i>rudis</i> and <i>Melaleuca preissiana</i> over <i>Melaleuca laterita</i> , <i>Melaleuca teretifolia</i> , <i>Acacia saligna</i> , <i>Astartea scoparia</i> , <i>Baumea articulata</i> , <i>Baumea juncea</i> , <i>Hemarihria uncinata</i> var. <i>uncinata</i> and <i>Oxylobium lineare</i> .
	PINJ05		388152	6498919	Woodland of <i>Melaleuca preissiana</i> over <i>Xanthorrhoea preissii</i> , <i>Melaleuca teretifolia</i> , <i>Lepidosperma longitudinale</i> , <i>Hypocalymma angustifolium</i> , <i>Baumea vaginalis</i> , <i>Calothamnus lateralis</i> , <i>Pericalymma ellipticum</i> var. <i>ellipticum</i> and <i>Hypolaena exsulca</i> .
	PINJ06		388364	6498961	Woodland of <i>Eucalyptus marginata</i> subsp. <i>marginata</i> - <i>Banksia ilicifolia</i> over <i>Bosstea eriocarpa</i> , <i>Petrophile linearis</i> , <i>Dasyopogon bromeliifolius</i> , <i>Melaleuca trichophylla</i> , <i>Xanthorrhoea preissii</i> and <i>Phlebocarya ciliata</i> .
	PINJ07		388356	6498672	Woodland of <i>Melaleuca raphiophylla</i> - <i>Eucalyptus rudis</i> subsp. <i>rudis</i> - <i>Melaleuca preissiana</i> over an understorey dominated by <i>Melaleuca teretifolia</i> and <i>Astartea scoparia</i> with <i>Hypocalymma angustifolium</i> , <i>Melaleuca laterita</i> , <i>Siloxerus humifusus</i> and <i>Paterosonia occidentalis</i> (swamp form).
	PINJ08		388688	6498764	Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Eucalyptus todtiana</i> over <i>Adenanthos cygnorum</i> subsp. <i>cygnorum</i> , <i>Acacia pulchella</i> , <i>Xanthorrhoea preissii</i> , <i>Scholtzia involucreata</i> , <i>Petrophile linearis</i> , <i>Leucopogon conostephioides</i> , <i>Paterosonia occidentalis</i> and <i>Lyginia barbata</i> .
	PINJ09		386543	6499392	Shrubland of <i>Verticordia densiflora</i> var. <i>densiflora</i> , <i>Hypolaena exsulca</i> , <i>Siloxerus humifusus</i> , <i>Comesperma flavum</i> , <i>Centrolepis aristrata</i> , <i>Lechenaultia floribunda</i> and <i>Schoenus brevisetis</i> .
	PINJ10		386444	6499589	Woodland of <i>Eucalyptus rudis</i> subsp. <i>rudis</i> over <i>Melaleuca teretifolia</i> , <i>Astartea scoparia</i> , <i>Haakea varia</i> , <i>Verticordia densiflora</i> , <i>Pericalymma ellipticum</i> var. <i>ellipticum</i> , <i>Calothamnus lateralis</i> and <i>Centrolepis aristata</i> .
	PINJ11		387730	6494961	Woodland of <i>Eucalyptus rudis</i> subsp. <i>rudis</i> over <i>Astartea scoparia</i> , <i>Baumea vaginalis</i> , <i>Melaleuca teretifolia</i> , <i>Yminaria juncea</i> and <i>Acacia saligna</i> .
	PINJ12		387638	6494834	Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Banksia ilicifolia</i> over <i>Adenanthos cygnorum</i> subsp. <i>cygnorum</i> , <i>Hypocalymma angustifolium</i> , <i>Baumea vaginalis</i> , <i>Beaufortia elegans</i> , <i>Pericalymma ellipticum</i> var. <i>ellipticum</i> , <i>Dasyopogon bromeliifolius</i> and <i>Hypolaena exsulca</i> .

APPENDIX B: SUMMARY OF SITE DESCRIPTIONS, LOCATIONS AND COMMUNITY DESCRIPTIONS FOR SITES IN STAGES 1, 2 AND 3

* Denotes introduced species

Map No.	Site Name	Site No.	Grid Ref		Community Descriptions
			mE	mN	
	PINJ13		389526	6496954	Woodland of <i>Eucalyptus rudis</i> subsp. <i>rudis</i> - <i>Melaleuca preissiana</i> over <i>Taxandria linearifolia</i> (ms), <i>Astartea scoparia</i> , <i>Hypocalymma angustifolium</i> , <i>Xanthorrhoea preissiana</i> , <i>Lepidosperma squamatum</i> and <i>Cyathochaeta avenacea</i> .
	PINJ14		384575	6503615	Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Eucalyptus todtiana</i> over <i>Scholtzia involucrata</i> , <i>Bossiaea eriocarpa</i> , <i>Acacia huegelii</i> , <i>Leucopogon conotephoides</i> , <i>Gompholobium tomentosum</i> , <i>Paterosnia occidentalis</i> , <i>Jacksonia furcellata</i> and <i>Xanthorrhoea preissii</i> .
	PIP01		374918	6505475	Woodland of <i>Eucalyptus gomphocephala</i> - <i>Melaleuca raphiophylla</i> over <i>Spyridium globulosum</i> , <i>Rhagodia baccaita</i> subsp. <i>baccaita</i> , <i>Acacia pulchella</i> and <i>Hardenbergia comptoniana</i> .
	PLINE01		398027	6508177	Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Melaleuca systena</i> , <i>Petrophile linearis</i> , <i>Jacksonia floribunda</i> , <i>Bossiaea eriocarpa</i> , <i>Paterosnia occidentalis</i> , <i>Lyginia barbata</i> and <i>Beaufortia elegans</i> .
	PLINE02		396829	6508469	Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Scholtzia involucrata</i> , <i>Paterosnia occidentalis</i> , <i>Petrophile linearis</i> , <i>Jacksonia floribunda</i> , <i>Bossiaea eriocarpa</i> , <i>Acacia pulchella</i> and <i>Adenanthos cygnorum</i> subsp. <i>cygnorum</i> .
	PLINE03		392046	6507487	Woodland of <i>Eucalyptus marginata</i> subsp. <i>marginata</i> - <i>Corymbia calophylla</i> over <i>Bossiaea eriocarpa</i> , <i>Baeckea camphorosmae</i> , <i>Hibbertia hypericoides</i> , <i>Conostephium pendulum</i> , <i>Paterosnia occidentalis</i> and <i>Xanthorrhoea preissii</i> .
	PLINE04		392040	6507764	Low Woodland of <i>Melaleuca preissiana</i> - <i>Banksia ilicifolia</i> - <i>Banksia menziesii</i> over <i>Pericalymma ellipticum</i> var. <i>pericalymma</i> , <i>Xanthorrhoea preissii</i> , <i>Adenanthos obovatus</i> , <i>Phlebocarya ciliata</i> , <i>Hibbertia subvaginata</i> and <i>Regelia ciliata</i> .
	PLINE05		390261	6507686	Shrubland of <i>Calorhammus quadrifidus</i> , <i>Hakea varia</i> , <i>Kunzea glabrescens</i> , <i>Petrophile seminuda</i> , <i>Trachymene pilosa</i> , <i>Quinella urvillei</i> , <i>Siloxerus humifusus</i> with scattered <i>Banksia ilicifolia</i> and <i>Nuytsia floribunda</i> .
	PLINE06		390145	6507725	Low Open Woodland of <i>Banksia ilicifolia</i> - <i>Banksia attenuata</i> over <i>Adenanthos cygnorum</i> var. <i>cygnorum</i> , <i>Baumea juncea</i> , <i>Hakea varia</i> , <i>Lyginia barbata</i> , <i>Regelia ciliata</i> , <i>Stirlingia latifolia</i> and <i>Davesia physodes</i> .
	PLINE07		389932	6508131	Woodland of <i>Eucalyptus rudis</i> subsp. <i>rudis</i> - <i>Melaleuca preissiana</i> - <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Phlebocarya ciliata</i> , <i>Kunzea glabrescens</i> , <i>Conostephium pendulum</i> , <i>Lyginia barbata</i> , <i>Trachymene pilosa</i> , <i>Leucopogon propinquus</i> and <i>Jacksonia furcellata</i> .
	SF01		400101	6486745	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Eucalyptus todtiana</i> over <i>Adenanthos cygnorum</i> subsp. <i>cygnorum</i> , <i>Scholtzia involucrata</i> , <i>Jacksonia floribunda</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Bossiaea eriocarpa</i> and <i>Lyginia barbata</i> .
	SF02		400066	6487066	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Banksia ilicifolia</i> - <i>Eucalyptus todtiana</i> over <i>Allocasuarina humilis</i> , <i>Bossiaea eriocarpa</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Scholtzia involucrata</i> , <i>Jacksonia floribunda</i> and <i>Schoenus curvifolius</i> .
	SF03		400335	6488836	Low Woodland of <i>Banksia ilicifolia</i> - <i>Eucalyptus todtiana</i> - <i>Nuytsia floribunda</i> over <i>Melaleuca serata</i> , <i>Xanthorrhoea preissii</i> , <i>Dasyopogon bromeliifolius</i> , <i>Paterosnia occidentalis</i> , <i>Pericalymma ellipticum</i> var. <i>ellipticum</i> and <i>Eremaea pauciflora</i> var. <i>pauciflora</i> .
	SF04		400625	6489043	Woodland of <i>Melaleuca preissiana</i> over <i>Pericalymma ellipticum</i> var. <i>ellipticum</i> , <i>Astartea scoparia</i> , <i>Acacia pulchella</i> var. <i>glaberrima</i> , <i>Hypolaena exsulca</i> and <i>Comesperma virgatum</i> .
	SINT01		385567	6504633	Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Eremaea asterocarpa</i> subsp. <i>asterocarpa</i> , <i>Petrophile linearis</i> , <i>Jacksonia fasciculata</i> , <i>Hibbertia subvaginata</i> , <i>Alexgeorgia nitens</i> and <i>Paterosnia occidentalis</i> .

APPENDIX B: SUMMARY OF SITE DESCRIPTIONS, LOCATIONS AND COMMUNITY DESCRIPTIONS FOR SITES IN STAGES 1, 2 AND 3

* Denotes introduced species

Map No.	Site Name	Site No.	Grid Ref		Community Descriptions
			mE	mN	
	SVH01		383803	6496539	Shrubland of <i>Melaleuca huegelii</i> subsp. <i>huegelii</i> , <i>Melaleuca systena</i> , <i>Acacia lasiocarpa</i> , <i>Dryandra lindleyana</i> var. <i>lindleyana</i> , <i>Grevillea preissii</i> subsp. <i>preissii</i> , <i>Trymalium ledifolium</i> var. <i>ledifolium</i> , <i>Phyllanthus calycinus</i> and <i>Leucopogon parviflorus</i> .
	SVH02		383769	6496422	Low Mallee Woodland of <i>Eucalyptus petrensis</i> with <i>Astroloma microcalyx</i> (P3), <i>Melaleuca systena</i> , <i>Dryandra lindleyana</i> var. <i>lindleyana</i> , <i>Leucopogon parviflorus</i> , <i>Lysinema ciliatum</i> , <i>Lomandra maritima</i> and <i>Bossiaea eriocarpa</i> .
	WARB01		400010	6488444	Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Banksia ilicifolia</i> - <i>Eucalyptus todtiana</i> over <i>Scholtzia involucrata</i> , <i>Bossiaea eriocarpa</i> , <i>Leucopogon conostephioides</i> , <i>Petrophile linearis</i> , <i>Xanthorrhoea preissii</i> , <i>Patersonia occidentalis</i> and <i>Lyginia barbata</i> .
	WARB02		399973	6488527	Woodland of <i>Banksia ilicifolia</i> - <i>Banksia attenuata</i> over <i>Petrophile linearis</i> , <i>Dasyogon bromeliifolius</i> , <i>Hypocalymma angustifolium</i> , <i>Adenanthos cygnorum</i> subsp. <i>cygnorum</i> , <i>Vericordia nitens</i> , <i>Xanthorrhoea preissii</i> and <i>Patersonia occidentalis</i> .
	WARB03		400507	6486012	Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Scholtzia involucrata</i> , <i>Leucopogon conostephioides</i> , <i>Petrophile linearis</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Adenanthos cygnorum</i> subsp. <i>cygnorum</i> , <i>Allocasuarina humilis</i> , <i>Melaleuca seriata</i> and <i>Lyginia barbata</i> .
	WARB04		400261	6486013	Woodland of <i>Banksia ilicifolia</i> - <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Melaleuca preissiana</i> over <i>Petrophile linearis</i> , <i>Dasyogon bromeliifolius</i> , <i>Regelia ciliata</i> , <i>Vericordia nitens</i> , <i>Xanthorrhoea preissii</i> , <i>Patersonia occidentalis</i> and <i>Phlebocarya ciliata</i> .
	WAR01		387702	6477109	Woodland of <i>Eucalyptus gomphocephala</i> - <i>Banksia attenuata</i> over <i>Hibbertia hypericoides</i> , <i>Xanthorrhoea preissii</i> , <i>Mesomelaena pseudostygia</i> , <i>Acacia pulchella</i> , <i>Conostephium pendulum</i> , <i>Conostylis aculeata</i> and <i>Lomandra hermaphrodita</i> .
	WAR02		387691	6476258	Woodland of <i>Eucalyptus marginata</i> subsp. <i>marginata</i> - <i>Banksia attenuata</i> over <i>Hibbertia hypericoides</i> , <i>Xanthorrhoea preissii</i> , <i>Mesomelaena pseudostygia</i> , <i>Petrophile linearis</i> , <i>Sowerbaea laxiflora</i> , <i>Conostephium pendulum</i> and <i>Conostylis aculeata</i> .
	WHITE01		399631	6478552	Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Eucalyptus todtiana</i> over <i>Adenanthos cygnorum</i> subsp. <i>cygnorum</i> , <i>Scholtzia involucrata</i> , <i>Petrophile linearis</i> , <i>Leucopogon conostephioides</i> , <i>Calothamnus sanguineus</i> and <i>Bossiaea eriocarpa</i> .
	WHITE02		399833	6478202	Low Woodland of <i>Melaleuca preissiana</i> - <i>Corymbia calophylla</i> - <i>Banksia littoralis</i> over <i>Pericalymma ellipticum</i> var. <i>ellipticum</i> , <i>Xanthorrhoea preissii</i> , <i>Dasyogon bromeliifolius</i> , <i>Hypolaena exsulca</i> and <i>Phlebocarya ciliata</i> .
	WHITE03		399224	6477162	Woodland of <i>Corymbia calophylla</i> over <i>Hypocalymma angustifolium</i> , <i>Xanthorrhoea preissii</i> , <i>Dasyogon bromeliifolius</i> , <i>Hypolaena exsulca</i> , <i>Lepidosperma longitundinale</i> , <i>Phlebocarya ciliata</i> , <i>Hakea varia</i> , <i>Acacia pulchella</i> and <i>Acacia saligna</i> .
	WHITE04		399382	6477164	Woodland of <i>Eucalyptus rudis</i> subsp. <i>rudis</i> - <i>Melaleuca raphiophylla</i> over <i>Taxandria linearifolia</i> (TMS), <i>Astartea scoparia</i> , <i>Baumea arthrophylla</i> , <i>Baumea articulata</i> , <i>Hakea varia</i> , <i>Lepidosperma longitundinale</i> and <i>Sphaerolobium vimineum</i> .
	WHITE05		398741	6478638	Low Woodland of <i>Corymbia calophylla</i> - <i>Melaleuca preissiana</i> over <i>Kunzea recurva</i> , <i>Hypocalymma angustifolium</i> , <i>Xanthorrhoea preissii</i> , <i>Pericalymma ellipticum</i> var. <i>ellipticum</i> , <i>Patersonia occidentalis</i> , <i>Dasyogon bromeliifolius</i> , <i>Acacia stenoptera</i> and <i>Hibbertia subvaginata</i> .
	WHITE06		400818	6481065	Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Banksia ilicifolia</i> - <i>Corymbia calophylla</i> - <i>Allocasuarina fraseriana</i> and <i>Melaleuca preissiana</i> over <i>Scholtzia involucrata</i> , <i>Phlebocarya ciliata</i> , <i>Petrophile linearis</i> , <i>Kunzea recurva</i> , <i>Acacia willdenowiana</i> , <i>Adenanthos obovatus</i> , <i>Conostephium pendulum</i> , <i>Dasyogon bromeliifolius</i> and <i>Xanthorrhoea preissii</i> .

APPENDIX B: SUMMARY OF SITE DESCRIPTIONS, LOCATIONS AND COMMUNITY DESCRIPTIONS FOR SITES IN STAGES 1, 2 AND 3

* Denotes introduced species

Map No.	Site Name	Site No.	Grid Ref		Community Descriptions
			mE	mN	
	WHITE07		400294	6479703	Woodland of <i>Banksia ilicifolia</i> - <i>Banksia attenuata</i> over <i>Adenanthos cygnorum</i> subsp. <i>cygnorum</i> , <i>Verticordia nitens</i> , <i>Petrophile linearis</i> , <i>Dasygong bromelifolius</i> , <i>Andersonia heterophylla</i> , <i>Gompholobium tomentosum</i> and <i>Phelebocarya ciliata</i> ..
	WHITE08		397920	6478830	Woodland of <i>Banksia littoralis</i> - <i>Eucalyptus rudis</i> subsp. <i>rudis</i> - <i>Melaleuca preissiana</i> over <i>Taxandria linearifolia</i> (ms), <i>Xanthorrhoea preissii</i> , <i>Astartea scoparia</i> , <i>Baumea arthropophylla</i> , <i>Hypocalymma angustifolium</i> , <i>Melaleuca lateritia</i> and <i>Pericalymma ellipticum</i> var. <i>ellipticum</i> .
	WIRR01		393172	6487725	Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Eucalyptus todtiana</i> - <i>Nuyisia floribunda</i> over <i>Scholtzia involucrata</i> , <i>Bossiaea eriocarpa</i> , <i>Petrophile linearis</i> , <i>Patersonia occidentalis</i> , <i>Xanthorrhoea preissii</i> , <i>Calothamnus sanguineus</i> and <i>Hibbertia subvaginata</i> .
	WIRR02		399833	6487895	Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Allocasuarina fraseriana</i> - <i>Eucalyptus todtiana</i> over <i>Petrophile linearis</i> , <i>Leucopogon conostephioides</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Xanthorrhoea preissii</i> and <i>Phelebocarya ciliata</i> .
	WOODV01		384648	6482829	Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Eucalyptus gomphocephala</i> - <i>Allocasuarina fraseriana</i> over <i>Xanthorrhoea preissii</i> , <i>Hibbertia hypericoides</i> , <i>Hypocalymma angustifolium</i> and <i>Hakea lissocarpa</i> with numerous introduced species.
	YAN01		375799	6507643	Woodland of <i>Eucalyptus gomphocephala</i> over <i>Xanthorrhoea preissii</i> , <i>Dryandra lindleyana</i> var. <i>lindleyana</i> , <i>Jacksonia fasciculata</i> , <i>Grevillea vestita</i> subsp. <i>vestita</i> , <i>Bossiaea eriocarpa</i> , <i>Acacia pulchella</i> and <i>Leptidosperma squamatum</i> .
	YAN02		376020	6507409	Shrubland of <i>Acacia lasiocarpa</i> , <i>Melaleuca systema</i> , <i>Grevillea preissii</i> subsp. <i>preissii</i> , <i>Dryandra sessilis</i> var. <i>sessilis</i> , <i>Leucopogon parviflorus</i> , <i>Phyllanthus calycinus</i> , <i>Hakea trifurcata</i> and <i>Millolia tenuifolia</i> .
	YAN03		376255	6507270	Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Eucalyptus marginata</i> subsp. <i>marginata</i> over <i>Xanthorrhoea preissii</i> , <i>Hibbertia hypericoides</i> , <i>Acacia pulchella</i> , <i>Conostephium pendulum</i> , <i>Bossiaea eriocarpa</i> , <i>Mesomelaena pseudostygia</i> and <i>Gompholobium tomentosum</i> .
	YAN04		377737	6506489	Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Banksia grandis</i> - <i>Nuyisia floribunda</i> over <i>Xanthorrhoea preissii</i> , <i>Calothamnus quadrifidus</i> , <i>Calothamnus sanguineus</i> , <i>Acacia pulchella</i> , <i>Allocasuarina humilis</i> , <i>Mesomelaena pseudostygia</i> , <i>Hibbertia hypericoides</i> and <i>Gompholobium tomentosum</i> .
	YAN05		379063	6507242	Woodland of <i>Eucalyptus gomphocephala</i> - <i>Banksia attenuata</i> over <i>Xanthorrhoea preissii</i> , <i>Conospermum stoechadis</i> subsp. <i>stoechadis</i> , <i>Dryandra lindleyana</i> var. <i>lindleyana</i> , <i>Hibbertia hypericoides</i> , <i>Mesomelaena pseudostygia</i> , <i>Persoonia comata</i> and <i>Macrozamia riedlei</i> .
	YAN06		379079	6507346	Woodland of <i>Banksia attenuata</i> - <i>Banksia grandis</i> - <i>Banksia menziesii</i> - <i>Allocasuarina fraseriana</i> over <i>Xanthorrhoea preissii</i> , <i>Hibbertia hypericoides</i> , <i>Jacksonia sternbergiana</i> , <i>Mesomelaena pseudostygia</i> , <i>Hakea prostrata</i> , <i>Gompholobium tomentosum</i> and <i>Macrozamia riedlei</i> .
	YAN08		378984	6508771	Woodland of <i>Banksia attenuata</i> - <i>Nuyisia floribunda</i> over <i>Xanthorrhoea preissii</i> , <i>Hibbertia hypericoides</i> , <i>Melaleuca systema</i> , <i>Mesomelaena pseudostygia</i> , <i>Hakea costata</i> , <i>Conospermum stoechadis</i> subsp. <i>stoechadis</i> , <i>Acacia pulchella</i> , <i>Calothamnus quadrifidus</i> and <i>Gompholobium aristatum</i> .
	YAN09		3789739	6508962	Woodland of <i>Eucalyptus decipiens</i> subsp. <i>decipiens</i> - <i>Banksia attenuata</i> over <i>Xanthorrhoea preissii</i> , <i>Hibbertia hypericoides</i> , <i>Hakea costata</i> , <i>Acacia pulchella</i> , <i>Calothamnus sanguineus</i> , <i>Calothamnus quadrifidus</i> , <i>Dryandra lindleyana</i> var. <i>lindleyana</i> , <i>Jacksonia furcellata</i> and <i>Macrozamia riedlei</i> .

APPENDIX B: SUMMARY OF SITE DESCRIPTIONS, LOCATIONS AND COMMUNITY DESCRIPTIONS FOR SITES IN STAGES 1, 2 AND 3

* Denotes introduced species

Map No.	Site Name	Site No.	Grid Ref		Community Descriptions
			mE	mN	
	YAN10		378393	6509156	Woodland of <i>Eucalyptus gomphocephala</i> - <i>Banksia grandis</i> - <i>Nuyisia floribunda</i> over <i>Xanthorrhoea preissii</i> , <i>Hibbertia hypericoides</i> , <i>Jacksonia fasciculata</i> , <i>Acacia cyclops</i> , <i>Bossiaea eriocarpa</i> , <i>Hakea costata</i> , <i>Petrophile macrostachya</i> and <i>Macrozamia riedlei</i> .
	YAN11		378393	6509156	Woodland of <i>Eucalyptus decipiens</i> subsp. <i>decipiens</i> - <i>Banksia grandis</i> - <i>Nuyisia floribunda</i> over <i>Xanthorrhoea preissii</i> , <i>Melaleuca systema</i> , <i>Conostephium pendulum</i> , <i>Lepidosperma squamatum</i> , <i>Milloitia tenuifolia</i> and <i>Hardenbergia comptoniana</i> .
	YAN12		377039	6514023	Shrubland of <i>Melaleuca huegelii</i> , <i>Melaleuca systema</i> , <i>Acacia lasiocarpa</i> , <i>Dryandra lindleyana</i> var. <i>lindleyana</i> , <i>Conostylis pauciflora</i> subsp. <i>eurhythipis</i> (P3) and <i>Hydrocotyle hispidula</i> .
	YAN13		377014	6513968	Shrubland of <i>Melaleuca systema</i> , <i>Melaleuca huegelii</i> , <i>Dryandra sessilis</i> , <i>Dryandra lindleyana</i> var. <i>lindleyana</i> , <i>Grevillea preissii</i> subsp. <i>preissii</i> , <i>Leucopogon parviflorus</i> and <i>Acacia lasiocarpa</i> var. <i>lasiocarpa</i> .
	YAN14		376939	6513745	Woodland of <i>Eucalyptus petrensis</i> over <i>Dryandra sessilis</i> , <i>Melaleuca systema</i> , <i>Baeckea robusta</i> , <i>Acacia lasiocarpa</i> var. <i>lasiocarpa</i> , <i>Melaleuca huegelii</i>
	YAN15		376940	6513704	Low Open Shrubland of <i>Melaleuca systema</i> , <i>Melaleuca huegelii</i> , <i>Acacia lasiocarpa</i> var. <i>lasiocarpa</i> , <i>Dryandra lindleyana</i> var. <i>lindleyana</i> , <i>Wurmbea monantha</i> and <i>Calothamnus quadrifidus</i> .
	YAN16		377027	6513524	Woodland of <i>Eucalyptus decipiens</i> subsp. <i>decipiens</i> - <i>Nuyisia floribunda</i> over <i>Dryandra sessilis</i> , <i>Hakea lissocarpha</i> , <i>Leucopogon parviflorus</i> , <i>Hibbertia hypericoides</i> , <i>Acacia pulchella</i> , <i>Eremaea pauciflora</i> and <i>Kennedia prostrata</i> .
	YAN17		378445	6513565	Woodland of <i>Banksia ilicifolia</i> - <i>Banksia attenuata</i> - <i>Banksia grandis</i> - <i>Nuyisia floribunda</i> over <i>Adenanthos cygnorum</i> , <i>Verticordia nitens</i> , <i>Acacia stenoptera</i> , <i>Stirlingia latifolia</i> , <i>Petrophile linearis</i> and <i>Phlebocarya ciliata</i> .
	YAN18		378481	6513776	Low Woodland of <i>Melaleuca preissiana</i> over <i>Kunzea ericifolia</i> , <i>Pericalymma ellipticum</i> var. <i>ellipticum</i> , <i>Adenanthos cygnorum</i> , <i>Petrophile linearis</i> , <i>Jacksonia furcellata</i> , <i>Conostephium pendulum</i> , <i>Paterosonia occidentalis</i> and <i>Pyrorchis nigricans</i> .
	YAN19		379214	6513451	Low Open Woodland of <i>Nuyisia floribunda</i> - <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Banksia ilicifolia</i> over <i>Adenanthos cygnorum</i> , <i>Stirlingia latifolia</i> , <i>Xanthorrhoea preissii</i> , <i>Daviesia divaricata</i> subsp. <i>divaricata</i> (ms), <i>Synaphea spinulosa</i> and <i>Paterosonia occidentalis</i> .
	YAN20		378840	6513468	Woodland of <i>Banksia menziesii</i> - <i>Banksia attenuata</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Xanthorrhoea preissii</i> , <i>Melaleuca trichophylla</i> , <i>Conostephium pendulum</i> , <i>Calytrix flavescens</i> , <i>Hypolaena exsulca</i> and <i>Paterosonia occidentalis</i> .
	YAN21		378124	6513269	Woodland of <i>Eucalyptus rudis</i> subsp. <i>rudis</i> - <i>Melaleuca preissiana</i> over <i>Acacia saligna</i> , <i>Jacksonia furcellata</i> , <i>Kunzea ericifolia</i> , <i>Petrophile serruriae</i> , <i>Kennedia prostrata</i> and <i>Dianella revoluta</i> .
	YAN22		378319	6513480	Woodland of <i>Banksia ilicifolia</i> - <i>Banksia menziesii</i> - <i>Banksia attenuata</i> over <i>Pericalymma ellipticum</i> var. <i>ellipticum</i> , <i>Adenanthos cygnorum</i> , <i>Stirlingia latifolia</i> , <i>Petrophile linearis</i> , <i>Verticordia nitens</i> and <i>Phlebocarya ciliata</i> .
	YAN23		377480	6514716	Woodland of <i>Eucalyptus foecunda</i> over <i>Dryandra sessilis</i> , <i>Hakea lissocarpha</i> , <i>Hakea prostrata</i> , <i>Melaleuca systema</i> , <i>Acacia pulchella</i> , <i>Bossiaea eriocarpa</i> , <i>Leucopogon parviflorus</i> and <i>Trachymene pilosa</i> .
	YAN24		377403	6514717	Shrubland of <i>Dryandra sessilis</i> , <i>Hakea trifurcata</i> , <i>Astroloma microcalyx</i> (P3), <i>Hibbertia racemosa</i> , <i>Grevillea preissii</i> subsp. <i>preissii</i> , <i>Melaleuca huegelii</i> , <i>Melaleuca systema</i> , <i>Hakea lissocarpha</i> and <i>Leucopogon parviflorus</i> .
	YAN25		377495	6514967	Woodland of <i>Eucalyptus marginata</i> subsp. <i>marginata</i> - <i>Banksia attenuata</i> over <i>Hakea lissocarpha</i> , <i>Acacia pulchella</i> , <i>Petrophile linearis</i> , <i>Phyllothea spicata</i> , <i>Leucopogon polymorphus</i> , <i>Eremaea asterocarpa</i> subsp. <i>asterocarpa</i> and <i>Dryandra lindleyana</i> var. <i>lindleyana</i> .

APPENDIX B: SUMMARY OF SITE DESCRIPTIONS, LOCATIONS AND COMMUNITY DESCRIPTIONS FOR SITES IN STAGES 1, 2 AND 3

* Denotes introduced species

Map No.	Site Name	Site No.	Grid Ref		Community Descriptions
			mE	mN	
	YELA 01		385018	6488699	Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Eucalyptus marginata</i> subsp. <i>marginata</i> - <i>Allocasuarina fraseriana</i> over <i>Xanthorrhoea preissii</i> , <i>Acacia huegelii</i> , <i>Bossiaea eriocarpa</i> , <i>Conostephium pendulum</i> , <i>Gompholobium tomentosum</i> , <i>Hibbertia hypericoides</i> and <i>Mesomelaena pseudostygia</i> .
	YELA02		384734	6488626	Woodland of <i>Eucalyptus rudis</i> subsp. <i>rudis</i> - <i>Melaleuca raphiophylla</i> - <i>Banksia littoralis</i> over <i>Typha domingensis</i> , <i>Acacia saligna</i> , <i>Lepidosperma longitudinale</i> , <i>Exocarpos sparteus</i> , <i>Dianella revoluta</i> var. <i>divaricata</i> and <i>Jacksonia furcellata</i> .
	YELA03		383995	6478563	Woodland of <i>Eucalyptus gomphocephala</i> - <i>Corymbia calophylla</i> - <i>Banksia grandis</i> over <i>Macrozamia riedlei</i> , <i>Dryandra sessilis</i> var. <i>sessilis</i> , <i>Hibbertia cuneiformis</i> , <i>Leucopogon parviflorus</i> , <i>Pteridium esculentum</i> and <i>Trachymene pilosa</i> .
	XYAN10		375104	6505828	Woodland of <i>Eucalyptus gomphocephala</i> - <i>Eucalyptus rudis</i> subsp. <i>rudis</i> - <i>Melaleuca raphiophylla</i> - <i>Banksia littoralis</i> and <i>Banksia grandis</i> over <i>Xanthorrhoea preissii</i> , <i>Jacksonia furcellata</i> , <i>Acacia pulchella</i> , <i>Acacia saligna</i> , <i>Baumea juncea</i> , <i>Phyllanthus calycinus</i> , <i>Lepidosperma squamatum</i> and <i>Leucopogon australis</i> .
		152	ELD01		Low Woodland of <i>Banksia attenuata</i> , <i>Banksia menziesii</i> - <i>Eucalyptus todtiana</i> over <i>Adenanthos cygnorum</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Xanthorrhoea preissii</i> and <i>Beaufortia elegans</i> .
		561	MILT1		Woodland of <i>Banksia littoralis</i> - <i>Nuytsia floribunda</i> - <i>Banksia prionotes</i> - <i>Banksia ilicifolia</i> - <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Adenanthos cygnorum</i> , <i>Pericalymma ellipticum</i> var. <i>ellipticum</i> , <i>Stirlingia latifolia</i> and <i>Petrophile seminuda</i> .
		568	MILT2		Woodland of <i>Melaleuca raphiophylla</i> - <i>Eucalyptus rudis</i> subsp. <i>rudis</i> - <i>Melaleuca preissiana</i> over <i>Taxandria linearifolia</i> (ms), <i>Pteridium esculentum</i> , <i>Lepidosperma gladiatum</i> and <i>Baumea juncea</i> .
		569	MILT3		Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Banksia ilicifolia</i> over <i>Beaufortia elegans</i> , <i>Scholtzia involucreta</i> , <i>Eremaea pauciflora</i> , <i>Leucopogon conostephioides</i> , <i>Jacksonia floribunda</i> , <i>Patersonia occidentalis</i> and <i>Stirlingia latifolia</i> .
		570	MILT4		Woodland of <i>Eucalyptus todtiana</i> - <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Eremaea pauciflora</i> , <i>Jacksonia sternbergiana</i> , <i>Jacksonia furcellata</i> , <i>Acacia pulchella</i> , <i>Xanthorrhoea preissii</i> , <i>Patersonia occidentalis</i> , <i>Lomandra sericea</i> and <i>Lomandra caespitosa</i> .
		571	MILT5		Woodland of <i>Banksia littoralis</i> - <i>Melaleuca raphiophylla</i> - <i>Melaleuca preissiana</i> over <i>Kunzea ericifolia</i> , <i>Regelia ciliata</i> , <i>Melaleuca lateriflora</i> , <i>Acacia pulchella</i> , <i>Jacksonia furcellata</i> , <i>Baumea vaginalis</i> and <i>Oligochaetochilus vitatus</i> .
		572	MILT6		Woodland of <i>Corymbia calophylla</i> - <i>Banksia attenuata</i> - <i>Banksia ilicifolia</i> - <i>Banksia menziesii</i> over <i>Xanthorrhoea preissii</i> , <i>Jacksonia furcellata</i> , <i>Hibbertia subvaginata</i> , <i>Macrozamia riedlei</i> and <i>Lepidosperma squamatum</i> .
		573	MILT7		Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Adenanthos cygnorum</i> , <i>Jacksonia floribunda</i> , <i>Leucopogon squarrosus</i> , <i>Stirlingia latifolia</i> , <i>Dasyopogon bromeliifolius</i> and <i>Patersonia occidentalis</i> .
		574	MILT8		Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Banksia ilicifolia</i> over <i>Verticordia nitens</i> , <i>Conostephium minus</i> , <i>Adenanthos cygnorum</i> , <i>Jacksonia floribunda</i> and <i>Dasyopogon bromeliifolius</i> .
			OYR01		Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Banksia ilicifolia</i> - <i>Nuytsia floribunda</i> over <i>Eremaea asterocarpa</i> subsp. <i>asterocarpa</i> , <i>Beaufortia elegans</i> , <i>Bossiaea eriocarpa</i> , <i>Patersonia occidentalis</i> and <i>Stirlingia latifolia</i>
			OYR02		Shrubland of <i>Xanthorrhoea preissii</i> , <i>Hibbertia hypericoides</i> , <i>Conospermum canaliculatum</i> subsp. <i>canaliculatum</i> , <i>Hakea costata</i> , <i>Melaleuca systena</i> , <i>Hypocalymma angustifolium</i> and <i>Jacksonia calicicola</i> .
		671	RAAF1		Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Acacia huegelii</i> , <i>Beaufortia elegans</i> , <i>Calytrix flavescens</i> and <i>Jacksonia floribunda</i> .

APPENDIX B: SUMMARY OF SITE DESCRIPTIONS, LOCATIONS AND COMMUNITY DESCRIPTIONS FOR SITES IN STAGES 1, 2 AND 3

* Denotes introduced species

Map No.	Site Name	Site No.	Grid Ref		Community Descriptions
			mE	mN	
		672	RAAF2		Woodland of <i>Eucalyptus todtiana</i> - <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Nyctia floribunda</i> over <i>Allocasuarina humilis</i> , <i>Calytrix flavescens</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> and <i>Melaleuca trichophylla</i> .
		673	RAAF3		Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Acacia pulchella</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Jacksonia floribunda</i> and <i>Calytrix flavescens</i> .
		692	SHE1		Shrubland of <i>Dryandra sessilis</i> , <i>Conospermum triplinervium</i> , <i>Hibbertia hypericoides</i> , <i>Grevillea preissii</i> subsp. <i>preissii</i> , <i>Dryandra lindleyana</i> var. <i>lindleyana</i> , <i>Leucopogon parviflorus</i> , <i>Trachymene pilosa</i> , <i>Mesomelaena pseudostygia</i> and <i>Lepidosperma squamatum</i> .
		693	SHE2		Woodland of <i>Eucalyptus todtiana</i> - <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Acacia pulchella</i> , <i>Conostephium pendulum</i> , <i>Eremaea pauciflora</i> , <i>Hakea ruscifolia</i> , <i>Melaleuca systema</i> , <i>Petrophile macrostachya</i> and <i>Xanthorrhoea preissii</i> .
		694	SHE3		Woodland of <i>Banksia attenuata</i> over <i>Conospermum triplinervium</i> , <i>Jacksonia hakeoides</i> , <i>Petrophile macrostachya</i> , <i>Dryandra sessilis</i> , <i>Xanthorrhoea preissii</i> , <i>Melaleuca systema</i> , <i>Kenedia prostrata</i> and <i>Lomandra suaveolens</i> .
		695	SHE4		Shrubland of <i>Melaleuca systema</i> , <i>Baeckea robusta</i> , <i>Grevillea preissii</i> subsp. <i>preissii</i> , <i>Beyeria cinerea</i> , <i>Spyridium globulosum</i> , <i>Acacia lasiocarpa</i> var. <i>lasiocarpa</i> , <i>Phyllanthus calycinus</i> , <i>Dryandra lindleyana</i> var. <i>lindleyana</i> , <i>Lobelia tenuior</i> , <i>Dryandra sessilis</i> and <i>Calothamnus quadrifidus</i> .
		696	SHE5		Shrubland of <i>Melaleuca huegelii</i> , <i>Melaleuca systema</i> , <i>Acacia lasiocarpa</i> var. <i>lasiocarpa</i> , <i>Acacia truncata</i> , <i>Templetonia retusa</i> , <i>Dryandra sessilis</i> , <i>Hardenbergia comptoniana</i> and <i>Rhagodia baccata</i> .
		697	SHE6		Woodland of <i>Eucalyptus gomphocephala</i> - <i>Banksia attenuata</i> - <i>Nyctia floribunda</i> over <i>Macrozamia riedlei</i> , <i>Desmodadus flexuosus</i> , <i>Dryandra lindleyana</i> var. <i>lindleyana</i> , <i>Hibbertia hypericoides</i> and <i>Hibbertia racemosa</i> .
		836	TOKYU1		Shrubland of <i>Melaleuca systema</i> , <i>Acacia lasiocarpa</i> var. <i>lasiocarpa</i> , <i>Acacia cochlearis</i> , <i>Pimelea ferruginea</i> and <i>Phyllanthus calycinus</i> .
		837	TOKYU2		Shrubland of <i>Melaleuca systema</i> , <i>Acacia cyclops</i> , <i>Acacia lasiocarpa</i> var. <i>lasiocarpa</i> , <i>Cryptandra mutila</i> , <i>Leucopogon parviflorus</i> , <i>Leucopogon racemulosus</i> and <i>Lomandra maritima</i> .
		838	TOKYU3		Shrubland of <i>Dryandra sessilis</i> , <i>Allocasuarina humilis</i> , <i>Calothamnus sanguineus</i> , <i>Melaleuca systema</i> and <i>Jacksonia fasciculata</i> .
		739	WABL1		Shrubland of <i>Acacia lasiocarpa</i> , <i>Acacia rostellifera</i> , <i>Comesperma integerrimum</i> , <i>Conostylis candidans</i> subsp. <i>candidans</i> , <i>Dryandra sessilis</i> and <i>Melaleuca huegelii</i> .
		740	WABL2		Woodland of <i>Eucalyptus decipiens</i> subsp. <i>decipiens</i> - <i>Banksia grandis</i> over <i>Acacia pulchella</i> , <i>Dryandra sessilis</i> , <i>Xanthorrhoea preissii</i> , <i>Jacksonia fasciculata</i> , <i>Melaleuca systema</i> and <i>Stirlingia latifolia</i> .
		741	WABL3		Woodland of <i>Eucalyptus foecunda</i> over <i>Melaleuca systema</i> , <i>Melaleuca huegelii</i> , <i>Hibbertia hypericoides</i> , <i>Hakea lissocarpa</i> , <i>Dryandra sessilis</i> and <i>Leucopogon parviflorus</i> .
		742	WABL4		Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Adenanthos cygnorum</i> , <i>Dryandra sessilis</i> , <i>Hakea prostrata</i> , <i>Petrophile macrostachya</i> and <i>Xanthorrhoea preissii</i> .
		760	WATER1		Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Nyctia floribunda</i> over <i>Acacia pulchella</i> , <i>Calothamnus quadrifidus</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Hakea ruscifolia</i> , <i>Melaleuca systema</i> and <i>Xanthorrhoea preissii</i> .
		M001	375647	6524644	Sparse Low Shrubland of <i>Conospermum canaliculatum</i> subsp. <i>canaliculatum</i> and <i>Xanthorrhoea preissii</i> with <i>Melaleuca systema</i> , <i>Hakea prostrata</i> , <i>Hibbertia hypericoides</i> and <i>Mesomelaena pseudostygia</i> .

APPENDIX B: SUMMARY OF SITE DESCRIPTIONS, LOCATIONS AND COMMUNITY DESCRIPTIONS FOR SITES IN STAGES 1, 2 AND 3

* Denotes introduced species

Map No.	Site Name	Site No.	Grid Ref		Community Descriptions
			mE	mN	
		M002	375699	6526225	Low Woodland of <i>Banksia prionotes</i> over <i>Adenanthos cygnorum</i> , <i>Calytrix angulata</i> , <i>Verticordia densifolia</i> var. <i>densifolia</i> and <i>Regelia ciliata</i> .
		M003	375533	6527262	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Eucalyptus tottiana</i> over <i>Hibbertia hypericoides</i> , <i>Stirlingia latifolia</i> and <i>Paterosonia occidentalis</i> .
		M004	375736	6528336	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Allocasuarina fraseriana</i> over <i>Xanthorrhoea preissii</i> , <i>Lysinema ciliatum</i> , <i>Daviesia nudiflora</i> , <i>Mesomeleana pseudostygia</i> and <i>Stirlingia latifolia</i> .
		M005	375180	6516761	Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Nuytsia floribunda</i> over <i>Stirlingia latifolia</i> , <i>Xanthorrhoea preissii</i> , <i>Synaphea spinulosa</i> subsp. <i>spinulosa</i> , <i>Calothamnus sanguineus</i> and <i>Hakea ruscifolia</i> .
		M006	374837	6518559	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Macrozamia riedlei</i> , <i>Xanthorrhoea preissii</i> , <i>Allocasuarina humilis</i> , <i>Hibbertia hypericoides</i> and <i>Mesomeleana pseudostygia</i> .
		M007	375284	6521647	Low Shrubland of <i>Conospermum canaliculatum</i> subsp. <i>canaliculatum</i> , <i>Hibbertia hypericoides</i> , <i>Jacksonia sericea</i> (P4), <i>Grevillea preissii</i> subsp. <i>preissii</i> , <i>Melaleuca systena</i> and <i>Xanthorrhoea preissii</i> . Occasional emergents of <i>Nuytsia floribunda</i> , <i>Banksia attenuata</i> and <i>Allocasuarina fraseriana</i> .
		M008	375458	6521874	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Allocasuarina fraseriana</i> over <i>Xanthorrhoea preissii</i> , <i>Macrozamia riedlei</i> , <i>Hibbertia hypericoides</i> and <i>Stirlingia latifolia</i> .
		M009	375909	6529410	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Eucalyptus tottiana</i> over <i>Xanthorrhoea preissii</i> , <i>Hibbertia hypericoides</i> , <i>Conospermum canaliculatum</i> subsp. <i>canaliculatum</i> and <i>Calothamnus sanguineus</i> .
		M010	375777	6531090	Low Woodland of <i>Melaleuca preissiana</i> - <i>Nuytsia floribunda</i> over <i>Adenanthos cygnorum</i> subsp. <i>cygnorum</i> , <i>Xanthorrhoea preissii</i> , <i>Verticordia nitens</i> and <i>Dasyopogon bromeliifolius</i> .
		M011	367108	6535209	Low Woodland of <i>Banksia menziesii</i> - <i>Banksia ilicifolia</i> - <i>Eucalyptus tottiana</i> - <i>Allocasuarina fraseriana</i> over <i>Allocasuarina humilis</i> and <i>Adenanthos cygnorum</i> subsp. <i>cygnorum</i> . <i>Leucopogon conostephioides</i> , <i>Stirlingia latifolia</i> and <i>Eremaea pauciflora</i> var. <i>pauciflora</i> .
		M012	364716	6534800	Low Woodland of <i>Eucalyptus tottiana</i> - <i>Banksia menziesii</i> over <i>Jacksonia sternbergiana</i> , <i>Macrozamia riedlei</i> and <i>Conostylis candicans</i> subsp. <i>candicans</i> .
		M013	368041	6534650	Low Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Jacksonia sternbergiana</i> , <i>Xanthorrhoea preissii</i> and <i>Leucopogon conostephioides</i> .
		M014	367769	6530809	Low Woodland of <i>Eucalyptus tottiana</i> - <i>Banksia menziesii</i> - <i>Banksia attenuata</i> over <i>Kunzea ericifolia</i> subsp. <i>ericifolia</i> and <i>Calytrix flavescens</i> , <i>Mesomeleana pseudostygia</i> , <i>Xanthorrhoea preissii</i> and <i>Hibbertia hypericoides</i> .
		M015	367323	6530117	Low Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Xanthorrhoea preissii</i> , <i>Calytrix angulata</i> and <i>Hibbertia hypericoides</i> .
		M016	366357	6529788	Low Woodland of <i>Banksia attenuata</i> - <i>Eucalyptus tottiana</i> over <i>Hibbertia hypericoides</i> , <i>Stirlingia latifolia</i> and <i>Mesomeleana pseudostygia</i> .
		M017	369527	6528187	Low Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Xanthorrhoea preissii</i> , <i>Conostephium pendulum</i> , <i>Stirlingia latifolia</i> , <i>Mesomeleana pseudostygia</i> and <i>Hibbertia hypericoides</i> .

APPENDIX B: SUMMARY OF SITE DESCRIPTIONS, LOCATIONS AND COMMUNITY DESCRIPTIONS FOR SITES IN STAGES 1, 2 AND 3

* Denotes introduced species

Map No.	Site Name	Site No.	Grid Ref		Community Descriptions
			mE	mN	
		M018	370449	6528083	Low Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Allocasuarina fraseriana</i> - <i>Nyssia floribunda</i> over <i>Xanthorrhoea preissii</i> , <i>Stirlingia latifolia</i> and <i>Eremaea asterocharpa</i> subsp. <i>asterocarpa</i> .
		M019	371578	6528253	Low Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Eucalyptus toditiana</i> - <i>Allocasuarina fraseriana</i> over <i>Xanthorrhoea preissii</i> , <i>Stirlingia latifolia</i> and <i>Calytrix flavescens</i> .
		M020	372374	6528152	Low Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Banksia ilicifolia</i> - <i>Allocasuarina fraseriana</i> over <i>Daviesia nudiflora</i> , <i>Stirlingia latifolia</i> , <i>Hibbertia hypericoides</i> , <i>Eremaea asterocharpa</i> subsp. <i>asterocarpa</i> and <i>Xanthorrhoea preissii</i> .
		M021	368229	6527984	Low Woodland of <i>Eucalyptus decipiens</i> subsp. <i>decipiens</i> - <i>Banksia attenuata</i> - <i>Allocasuarina fraseriana</i> over <i>Hakea prostrata</i> , <i>Hakea ruscifolia</i> , <i>Xanthorrhoea preissii</i> and <i>Daviesia divaricata</i> subsp. <i>divaricata</i> .
		M022	367257	6527351	Woodland of <i>Eucalyptus gomphocephala</i> over <i>Xanthorrhoea preissii</i> , <i>Macrozamia riedlei</i> , <i>Dryandra lindleyana</i> var. <i>lindleyana</i> , <i>Hibbertia hypericoides</i> and <i>Hakea lissocarpa</i> .
		M023	370726	6525223	Low Open Forest of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Nyssia floribunda</i> over <i>Xanthorrhoea preissii</i> , <i>Conospermum canaliculatum</i> subsp. <i>canaliculatum</i> and <i>Mesomeleana psuedostygia</i> .
		M024	370034	6525144	Low Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Banksia grandis</i> - <i>Eucalyptus toditiana</i> - <i>Allocasuarina fraseriana</i> over <i>Hibbertia hypericoides</i> , <i>Xanthorrhoea preissii</i> , <i>Mesomeleana pseudostygia</i> and <i>Conospermum canaliculatum</i> subsp. <i>canaliculatum</i> .
		M025	370200	6525362	Low Woodland of <i>Eucalyptus gomphocephala</i> - <i>Banksia attenuata</i> - <i>Allocasuarina fraseriana</i> over <i>Hibbertia hypericoides</i> , <i>Hakea trifurcata</i> , <i>Conospermum canaliculatum</i> subsp. <i>canaliculatum</i> and <i>Macrozamia riedlei</i> .
		M026	369573	6525347	Low Open Woodland of <i>Banksia ilicifolia</i> over <i>Melaleuca systema</i> , <i>Melaleuca trichophylla</i> , <i>Xanthorrhoea preissii</i> , <i>Scholtzia involucrata</i> and <i>Calytrix flavescens</i> .
		M027	368765	6525236	Low Shrubland with <i>Jacksonia sericea</i> (P4), <i>Melaleuca systema</i> , <i>Xanthorrhoea preissii</i> , <i>Hibbertia hypericoides</i> , <i>Mesomeleana pseudostygia</i> , <i>Conospermum canaliculatum</i> subsp. <i>canaliculatum</i> , <i>Kunzea ericifolia</i> subsp. <i>ericifolia</i> and <i>Macrozamia riedlei</i> .
		M028	368759	6525272	Low Woodland of <i>Banksia attenuata</i> over <i>Dryandra sessilis</i> , <i>Kunzea ericifolia</i> subsp. <i>ericifolia</i> , <i>Hibbertia hypericoides</i> and <i>Jacksonia sericea</i> (P4).
		M029	367554	6525370	Low Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Eucalyptus toditiana</i> over <i>Hibbertia hypericoides</i> , <i>Dryandra sessilis</i> , <i>Kunzea ericifolia</i> subsp. <i>ericifolia</i> and <i>Melaleuca systema</i> .
		M030	367576	6526130	Woodland of <i>Eucalyptus decipiens</i> subsp. <i>decipiens</i> - <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Calytrix fraseri</i> <i>Xanthorrhoea preissii</i> , <i>Mesomeleana pseudostygia</i> and <i>Conospermum stoechadis</i> subsp. <i>stoechadis</i> .
		M031	367448	6526854	Low Open Woodland of <i>Banksia ilicifolia</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Scholtzia involucrata</i> , <i>Hakea prostrata</i> and <i>Xanthorrhoea preissii</i> .
		M032	367422	6524795	Woodland of <i>Eucalyptus gomphocephala</i> - <i>Banksia attenuata</i> over <i>Xanthorrhoea preissii</i> , <i>Hakea prostrata</i> , <i>Acacia pulchella</i> var. <i>glaberrima</i> and <i>Melaleuca systema</i> .
		M033	367602	6524285	Low Open Woodland of <i>Banksia ilicifolia</i> over <i>Dryandra lindleyana</i> var. <i>lindleyana</i> , <i>Jacksonia sericea</i> (P4), <i>Hakea prostrata</i> , <i>Petrophile brevifolia</i> and <i>Xanthorrhoea preissii</i> .
		M034	368265	6523466	Low Woodland of <i>Eucalyptus toditiana</i> - <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Xanthorrhoea preissii</i> , <i>Hibbertia hypericoides</i> , <i>Stirlingia latifolia</i> and <i>Hakea ruscifolia</i> .

APPENDIX B: SUMMARY OF SITE DESCRIPTIONS, LOCATIONS AND COMMUNITY DESCRIPTIONS FOR SITES IN STAGES 1, 2 AND 3

* Denotes introduced species

Map No.	Site Name	Site No.	Grid Ref		Community Descriptions
			mE	mN	
		M035	368883	6523079	Low Woodland of <i>Banksia attenuata</i> - <i>Nuyisia floribunda</i> over <i>Dryandra sessilis</i> , <i>Melaleuca</i> ? <i>systema</i> , <i>Xanthorrhoea preissii</i> <i>Acacia pulchella</i> var. <i>glaberrima</i> , <i>Hibbertia hypericoides</i> and <i>Conospermum canaliculatum</i> subsp. <i>canaliculatum</i> .
		M036	369324	6522247	Low Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Nuyisia floribunda</i> over <i>Melaleuca systema</i> , <i>Hibbertia hypericoides</i> , <i>Stirlingia latifolia</i> and <i>Xanthorrhoea preissii</i> .
		M037	368984	6520989	Low Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Eucalyptus toditiana</i> over <i>Dryandra sessilis</i> , <i>Macrozamia riedlei</i> , <i>Xanthorrhoea preissii</i> , <i>Hibbertia hypericoides</i> and <i>Allocasuarina humilis</i> .
		M038	370684	6520694	Low Woodland of <i>Banksia menziesii</i> over <i>Xanthorrhoea preissii</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Dryandra lindleyana</i> , <i>Melaleuca trichophylla</i> and <i>Conostephium pendulum</i> .
		M039	370812	6520280	Low Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Banksia ilicifolia</i> over <i>Calytrix flavescens</i> , <i>Scholtzia involuocrata</i> , <i>Hakea prostrata</i> , <i>Melaleuca systema</i> and <i>Xanthorrhoea preissii</i> .
		M040	371500	6519450	Forest of <i>Eucalyptus gomphocephala</i> - <i>Banksia attenuata</i> over <i>Xanthorrhoea preissii</i> , <i>Dryandra lindleyana</i> , <i>Petrophile macrostachya</i> , <i>Hakea prostrata</i> and <i>Leucopogon propinquus</i> .
		M041	371900	6519200	Low Woodland of <i>Eucalyptus decipiens</i> subsp. <i>decipiens</i> over <i>Daviesia divaricata</i> subsp. <i>divaricata</i> (ms), <i>Rhagodia baccata</i> subsp. <i>baccata</i> , <i>Mesomelaena pseudostygia</i> and numerous introduced species.
		M042	372300	6517500	Woodland of <i>Eucalyptus gomphocephala</i> - <i>Banksia prionotes</i> - <i>Banksia attenuata</i> - <i>Allocasuarina fraseriana</i> over <i>Jacksonia furcellata</i> , <i>Grevillea vestita</i> subsp. <i>vestita</i> and numerous introduced species.
		M043	370300	6521200	Open Heath of <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Hakea prostrata</i> and <i>Melaleuca trichophylla</i> over <i>Lyginia barbata</i> <i>Schoenus caespitius</i> , <i>Xanthorrhoea preissii</i> and <i>Mesomelaena pseudostygia</i> .
		M044	371432	6521166	Woodland of <i>Eucalyptus gomphocephala</i> - <i>Banksia attenuata</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Mesomelaena pseudostygia</i> , <i>Acacia sessilis</i> , <i>Xanthorrhoea preissii</i> , <i>Calytrix flavescens</i> and <i>Conostephium pendulum</i> .
		M045	372516	6521140	Low Woodland of <i>Banksia attenuata</i> - <i>Eucalyptus toditiana</i> - <i>Allocasuarina fraseriana</i> over <i>Hibbertia hypericoides</i> , <i>Melaleuca systema</i> <i>Xanthorrhoea preissii</i> and <i>Daviesia divaricata</i> subsp. <i>divaricata</i> .
		M046	371900	6521700	Woodland of <i>Eucalyptus gomphocephala</i> - <i>Banksia grandis</i> over <i>Conospermum stoechadis</i> subsp. <i>stoechadis</i> , <i>Jacksonia sericea</i> (P4), <i>Hakea prostrata</i> , <i>Petrophile brevifolia</i> and <i>Bossiaea eriocarpa</i> .
		M047	371350	6522000	Low Forest of <i>Eucalyptus toditiana</i> - <i>Banksia attenuata</i> - <i>Nuyisia floribunda</i> over <i>Conospermum canaliculatum</i> subsp. <i>canaliculatum</i> , <i>Xanthorrhoea preissii</i> , <i>Hibbertia hypericoides</i> and <i>Jacksonia sericea</i> (P4).
		M048	370363	6522236	Low Woodland of <i>Banksia menziesii</i> - <i>Banksia attenuata</i> over <i>Eremaea asterocarpa</i> subsp. <i>asterocarpa</i> , <i>Xanthorrhoea preissii</i> , <i>Hakea ruscifolia</i> and <i>Melaleuca trichophylla</i> .
		M049	372617	6523550	Low Forest of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Xanthorrhoea preissii</i> , <i>Calytrix flavescens</i> , <i>Stirlingia latifolia</i> , <i>Hibbertia hypericoides</i> , <i>Jacksonia sternbergiana</i> and <i>Leucopogon racemulosus</i> .
		M050	373674	6523736	Low Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Allocasuarina fraseriana</i> over <i>Stirlingia latifolia</i> , <i>Hibbertia hypericoides</i> , <i>Jacksonia sternbergiana</i> , <i>Hakea ruscifolia</i> and <i>Xanthorrhoea preissii</i> .
		M051	374600	6523700	Low Shrubland of <i>Conospermum canaliculatum</i> subsp. <i>canaliculatum</i> , <i>Xanthorrhoea preissii</i> and <i>Petrophile macrostachya</i> .

APPENDIX B: SUMMARY OF SITE DESCRIPTIONS, LOCATIONS AND COMMUNITY DESCRIPTIONS FOR SITES IN STAGES 1, 2 AND 3

* Denotes introduced species

Map No.	Site Name	Site No.	Grid Ref		Community Descriptions
			mE	mN	
		M052	375364	6524213	Low Open Shrubland of <i>Calothamnus sanguineus</i> , <i>Melaleuca systena</i> , <i>Hibbertia hypericoides</i> , <i>Eremaea asterocarpa</i> subsp. <i>asterocarpa</i> and <i>Scholtzia involucrata</i> under scattered <i>Eucalyptus todtiana</i> - <i>Banksia attenuata</i> - <i>Nuytsia floribunda</i> .
		M053	377500	6524250	Open Forest of <i>Eucalyptus rudis</i> - <i>Melaleuca preissiana</i> - <i>Banksia attenuata</i> over <i>Kennedia prostrata</i> , <i>Lyginia barbata</i> , <i>Lepidosperma tenue</i> , <i>Jacksonia furcellata</i> and <i>Bossiaea eriocarpa</i> .
		M054	378321	6523322	Open Forest of <i>Eucalyptus rudis</i> subsp. <i>rudis</i> - <i>Melaleuca preissiana</i> over <i>Leucopogon propinquus</i> and <i>Xanthorrhoea preissii</i> .
		M055	379353	6523500	Low Woodland of <i>Banksia menziesii</i> - <i>Banksia ilicifolia</i> over <i>Beaufortia elegans</i> , <i>Leucopogon polymorphus</i> , <i>Melaleuca systena</i> , <i>Calytrix angulata</i> , <i>Calytrix flavescens</i> and <i>Xanthorrhoea preissii</i> .
		M056	379936	6522715	Woodland of <i>Melaleuca preissiana</i> - <i>Nuytsia floribunda</i> over <i>Xanthorrhoea preissii</i> , <i>Verticordia nitens</i> , <i>Leucopogon oxycedrus</i> , <i>Leucopogon squarrosus</i> and <i>Boronia purdieana</i> subsp. <i>purdieana</i> .
		M057	380401	6521769	Low Forest of <i>Eucalyptus todtiana</i> - <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Xanthorrhoea preissii</i> , <i>Hibbertia subvaginata</i> , <i>Calytrix flavescens</i> , <i>Melaleuca systena</i> and <i>Calytrix angulata</i> .
		M058	381111	6521160	Open Forest of <i>Eucalyptus rudis</i> - <i>Melaleuca preissiana</i> - <i>Nuytsia floribunda</i> - <i>Banksia ilicifolia</i> - <i>Banksia menziesii</i> over <i>Gompholobium scabrum</i> .
		M059	382000	6520600	Low Forest of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Xanthorrhoea preissii</i> , <i>Calytrix flavescens</i> , <i>Calytrix angulata</i> , <i>Acacia pulchella</i> , <i>Melaleuca systena</i> and <i>Stirlingia latifolia</i> .
		M060	382037	6520086	Woodland of <i>Corymbia calophylla</i> over <i>Xanthorrhoea preissii</i> , <i>Hibbertia subvaginata</i> and <i>Gompholobium scabrum</i> .
		M061	376323	6531358	Low Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Eremaea</i> sp., <i>Hibbertia hypericoides</i> , <i>Stirlingia latifolia</i> with occasional <i>Xanthorrhoea preissii</i> .
		M062	377234	6531536	Low Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Adenanthos cygnorum</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Scholtzia involucrata</i> and <i>Melaleuca scabra</i> .
		M063	377658	6530884	Tall Shrubland of <i>Beaufortia elegans</i> , <i>Kunzea ericifolia</i> subsp. <i>ericifolia</i> and <i>Hypocalymma angustifolium</i> with scattered <i>Banksia attenuata</i> and <i>Melaleuca preissiana</i> .
		M064	377873	6531103	Low Open Forest of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Xanthorrhoea preissii</i> , <i>Dasygogon bromeliifolius</i> , <i>Calytrix fraseri</i> and <i>Adenanthos cygnorum</i> .
		M065	379525	6530377	Low Open Woodland of <i>Banksia menziesii</i> - <i>Banksia attenuata</i> - <i>Eucalyptus todtiana</i> over <i>Verticordia nitens</i> and <i>Beaufortia elegans</i> .
		M066	380026	6531335	Woodland of <i>Eucalyptus rudis</i> subsp. <i>rudis</i> - <i>Melaleuca preissiana</i> - <i>Banksia littoralis</i> over <i>Xanthorrhoea preissii</i> and <i>Lepidosperma longitudinale</i> .
		M067	380548	6532247	Low Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Eremaea</i> sp. and <i>Dasygogon bromeliifolius</i> .
		M068	380971	6532886	Woodland of <i>Banksia attenuata</i> over <i>Kunzea ericifolia</i> subsp. <i>ericifolia</i> , <i>Acacia pulchella</i> and <i>Dasygogon bromeliifolius</i> with scattered <i>Banksia menziesii</i> .

APPENDIX B: SUMMARY OF SITE DESCRIPTIONS, LOCATIONS AND COMMUNITY DESCRIPTIONS FOR SITES IN STAGES 1, 2 AND 3

* Denotes introduced species

Map No.	Site Name	Site No.	Grid Ref		Community Descriptions
			mE	mN	
		M069	381760	6531020	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Adenanthos cygnorum</i> , <i>Hibbertia hypericoides</i> , <i>Eremaea</i> sp., <i>Scholtzia involucrata</i> and <i>Conospermum incurvum</i> .
		M070	382009	6530525	Low Open Woodland of <i>Melaleuca preissiana</i> over <i>Pericalymma ellipticum</i> var. <i>ellipticum</i> , <i>Xanthorrhoea preissii</i> and <i>Hypocalymma angustifolium</i> .
		M071	385700	6529700	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Xanthorrhoea preissii</i> , <i>Verticordia nitens</i> , <i>Calytrix flavescens</i> and <i>Eremaea</i> sp.
		M072	386192	6528667	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia ilicifolia</i> - <i>Nuyisia floribunda</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Xanthorrhoea preissii</i> and <i>Hibbertia subvaginata</i> .
		M073	387078	6527648	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Adenanthos cygnorum</i> and <i>Xanthorrhoea preissii</i> .
		M074	387509	6526572	Low Open Woodland of <i>Banksia menziesii</i> - <i>Banksia attenuata</i> over <i>Adenanthos cygnorum</i> and <i>Beaufortia elegans</i> .
		M075	388094	6525952	Woodland of <i>Banksia attenuata</i> - <i>Nuyisia floribunda</i> - <i>Melaleuca preissiana</i> over <i>Macrozamia riedlei</i> and introduced pasture species.
		M076	388018	6525727	Open Forest of <i>Melaleuca preissiana</i> - <i>Eucalyptus rudis</i> subsp. <i>rudis</i> over <i>Baumea juncea</i> and <i>Lepidosperma longitudinale</i> .
		M077	387414	6526504	Low Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Adenanthos cygnorum</i> and <i>Jacksonia floribunda</i> .
		M078	386250	6526500	Low Open Forest of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Banksia ilicifolia</i> over <i>Xanthorrhoea preissii</i> .
		M079	385807	6526427	Open Heath of Myrtaceae - Proteaceae species over <i>Dasyopogon bromeliifolius</i> , <i>Xanthorrhoea preissii</i> and <i>Paterstonia occidentalis</i> with occasional emergent <i>Banksia menziesii</i> and <i>Banksia ilicifolia</i> .
		M080	385600	6526600	Low Open Forest of <i>Melaleuca preissiana</i> over <i>Hypocalymma angustifolium</i> , <i>Pericalymma ellipticum</i> var. <i>ellipticum</i> and <i>Baeckea</i> sp.
		M081	385440	6529674	Closed Heath of <i>Astarea scoparia</i> - <i>Kunzea recurva</i> - <i>Hypocalymma angustifolium</i> over <i>Drosera</i> sp., <i>Centrolepis aristata</i> and <i>Siloxerus humifusus</i> .
		M082	383971	6529411	Closed Heath of <i>Regelia ciliata</i> - <i>Adenanthos cygnorum</i> over <i>Hypolaena exsulca</i> and <i>Hypocalymma angustifolium</i> .
		M083	383500	6530000	Open Heath of <i>Beaufortia elegans</i> - <i>Jacksonia floribunda</i> with scattered emergent <i>Banksia attenuata</i> and <i>Nuyisia floribunda</i> .
		M084	379274	6530548	Low Woodland of <i>Eucalyptus todiana</i> - <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Xanthorrhoea preissii</i> , <i>Melaleuca scabra</i> , <i>Dasyopogon bromeliifolius</i> and <i>Calytrix flavescens</i> .
		M085	378611	6530475	Low Woodland of <i>Eucalyptus todiana</i> - <i>Nuyisia floribunda</i> - <i>Banksia menziesii</i> over <i>Hibbertia hypericoides</i> and <i>Jacksonia sternbergiana</i> .

APPENDIX B: SUMMARY OF SITE DESCRIPTIONS, LOCATIONS AND COMMUNITY DESCRIPTIONS FOR SITES IN STAGES 1, 2 AND 3

* Denotes introduced species

Map No.	Site Name	Site No.	Grid Ref		Community Descriptions
			mE	mN	
		M086	377877	6531063	Low Woodland of <i>Melaleuca preissiana</i> - <i>Nuyisia floribunda</i> - <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Xanthorrhoea preissii</i> and <i>Dasyopogon bromeliifolius</i> .
		M087	376161	6524476	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Calothamnus sanguineus</i> , <i>Xanthorrhoea preissii</i> , <i>Melaleuca scabra</i> , <i>Stirlingia latifolia</i> and <i>Conostephium pendulum</i> .
		M088	376418	6524457	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia grandis</i> over <i>Conospermum stoechadis</i> subsp. <i>stoechadis</i> , <i>Xanthorrhoea preissii</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> and <i>Jacksonia calcicola</i> (ms).
		M089	377639	6524811	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Banksia ilicifolia</i> over <i>Scholtzia involucrata</i> .
		M090	378240	6524792	Low Woodland of <i>Melaleuca preissiana</i> - <i>Eucalyptus totitiana</i> over <i>Xanthorrhoea preissii</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> and <i>Leucopogon conostephioides</i> .
		M091	378962	6525067	Woodland of <i>Eucalyptus marginata</i> subsp. <i>marginata</i> - <i>Eucalyptus totitiana</i> over <i>Xanthorrhoea preissii</i> , <i>Hibbertia hypericoides</i> and <i>Phlebocarya ciliata</i> .
		M092	379831	6525129	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Banksia ilicifolia</i> over <i>Adenanthos cygnorum</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> and <i>Leucopogon conostephioides</i> .
		M093	380821	6525423	Low Woodland of <i>Eucalyptus totitiana</i> - <i>Banksia attenuata</i> over <i>Adenanthos cygnorum</i> subsp. <i>cygnorum</i> , <i>Eremaea</i> sp., <i>Scholtzia involucrata</i> and <i>Xanthorrhoea preissii</i> .
		M094	382469	6525630	Low Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Banksia ilicifolia</i> over <i>Xanthorrhoea preissii</i> and <i>Lyginia barbata</i> .
		M095	383250	6526000	Open Woodland of <i>Melaleuca preissiana</i> over <i>Kunzea ericifolia</i> subsp. <i>ericifolia</i> , <i>Regelia ciliata</i> and <i>Astartea scoparia</i> .
		M096	379735	6527661	Woodland of <i>Allocasuarina fraseriana</i> - <i>Banksia menziesii</i> over <i>Melaleuca scabra</i> and <i>Calytrix fraseri</i> .
		M097	379513	6528273	Low Woodland of <i>Banksia attenuata</i> - <i>Melaleuca preissiana</i> - <i>Nuyisia floribunda</i> - <i>Banksia littoralis</i> over <i>Dasyopogon bromeliifolius</i> .
		M098	379783	6529926	Woodland of <i>Melaleuca preissiana</i> - <i>Nuyisia floribunda</i> over <i>Dasyopogon bromeliifolius</i> , <i>Xanthorrhoea preissii</i> , <i>Adenanthos cygnorum</i> and <i>Regelia ciliata</i> .
		M099	380250	6526500	Low Woodland of <i>Melaleuca preissiana</i> over <i>Kunzea ericifolia</i> subsp. <i>ericifolia</i> , <i>Regelia ciliata</i> and <i>Hypolaena exsulca</i> .
		M100	384144	6525533	Open Forest of <i>Melaleuca rhamniphylla</i> - <i>Banksia ilicifolia</i> over <i>Adenanthos cygnorum</i> , <i>Dasyopogon bromeliifolius</i> and <i>Regelia ciliata</i> .
		M101	384850	6525243	Low Open Woodland of <i>Banksia attenuata</i> over a low understorey of <i>Scholtzia involucrata</i> and <i>Leucopogon conostephioides</i> .
		M102	392627	6520054	Low Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Banksia ilicifolia</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Conostephium minus</i> , <i>Xanthorrhoea preissii</i> and <i>Patersonia occidentalis</i> .

APPENDIX B: SUMMARY OF SITE DESCRIPTIONS, LOCATIONS AND COMMUNITY DESCRIPTIONS FOR SITES IN STAGES 1, 2 AND 3

* Denotes introduced species

Map No.	Site Name	Site No.	Grid Ref		Community Descriptions
			mE	mN	
		M103	393175	6520903	Low Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Banksia ilicifolia</i> over <i>Dasyopogon bromeliifolius</i> , <i>Xanthorrhoea preissii</i> and <i>Paterersonia occidentalis</i> .
		M104	393150	6521300	Very disturbed seasonal lake with Low Shrubland of <i>Melaleuca viminea</i> subsp. <i>viminea</i> and an abundance of introduced species.
		M105	392350	6521600	Low Forest of mixed <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Banksia ilicifolia</i> - <i>Nyctisia floribunda</i> over <i>Xanthorrhoea preissii</i> and <i>Macrozamia riedlei</i> .
		M106	391300	6522150	Low Open Woodland of <i>Banksia menziesii</i> over <i>Jacksonia floribunda</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> and <i>Conostephium incurvum</i> .
		M107	393010	6517574	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> with <i>Verticordia niens</i> , <i>Jacksonia floribunda</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> and <i>Beaufortia elegans</i> .
		M108	383631	6516750	Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Nyctisia floribunda</i> over <i>Melaleuca systena</i> , <i>Allocasuarina humilis</i> and <i>Xanthorrhoea preissii</i> .
		M109	384027	6516581	Low Open Woodland of <i>Eucalyptus rudis</i> subsp. <i>rudis</i> - <i>Melaleuca preissiana</i> over <i>Kunzea ericifolia</i> subsp. <i>ericifolia</i> and <i>Sitoxerus humifusus</i> with occasional emergent <i>Banksia menziesii</i> .
		M110			No Site established with this number
		M111	386010	6516876	Low Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Hibbertia hypericoides</i> , <i>Stirlingia latifolia</i> , <i>Calothamnus sanguineus</i> , <i>Beaufortia elegans</i> and <i>Phlebocarya ciliata</i> .
		M112	386976	6517000	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Melaleuca scabra</i> , <i>Phlebocarya ciliata</i> , <i>Hibbertia pachyrrhiza</i> and <i>Xanthorrhoea preissii</i> .
		M113	390626	6522031	Woodland of <i>Melaleuca preissiana</i> - <i>Banksia ilicifolia</i> - <i>Banksia prionotes</i> - <i>Nyctisia floribunda</i> over <i>Regelia ciliata</i> , <i>Kunzea ericifolia</i> subsp. <i>ericifolia</i> and <i>Pultenaea reticulata</i> .
		M114	390550	6522250	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Verticordia niens</i> , <i>Dasyopogon bromeliifolius</i> , <i>Melaleuca serjata</i> and <i>Paterersonia occidentalis</i> .
		M115	389850	6523000	Woodland of <i>Corymbia calophylla</i> - <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Melaleuca preissiana</i> over <i>Xanthorrhoea preissii</i> , <i>Regelia ciliata</i> and <i>Jacksonia furcellata</i> .
		M116	389550	6524151	Tall Shrubland of <i>Regelia ciliata</i> , <i>Adenanthos cygnorum</i> and <i>Kunzea ericifolia</i> subsp. <i>ericifolia</i> .
		M117	392250	6519500	Low Open Woodland of <i>Eucalyptus todtiana</i> - <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Nyctisia floribunda</i> over <i>Beaufortia elegans</i> , <i>Melaleuca systena</i> , <i>Paterersonia occidentalis</i> and <i>Hibbertia subvaginata</i> .
		M118	390375	6519375	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over low sparse understorey.
		M119	388250	6517373	Low Open Woodland of <i>Banksia attenuata</i> over <i>Allocasuarina humilis</i> , <i>Jacksonia floribunda</i> and <i>Pteroonia comata</i> .

APPENDIX B: SUMMARY OF SITE DESCRIPTIONS, LOCATIONS AND COMMUNITY DESCRIPTIONS FOR SITES IN STAGES 1, 2 AND 3

* Denotes introduced species

Map No.	Site Name	Site No.	Grid Ref		Community Descriptions
			mE	mN	
		M120	386200	6517855	Low Open Woodland of <i>Eucalyptus todtiana</i> - <i>Banksia menziesii</i> - <i>Banksia attenuata</i> over <i>Calytrix flavescens</i> and <i>Eremaea pauciflora</i> var. <i>pauciflora</i> .
		M121	386044	6519659	Low Woodland of <i>Melaleuca preissiana</i> - <i>Banksia menziesii</i> - <i>Banksia attenuata</i> - <i>Eucalyptus todtiana</i> over <i>Dasyopogon bromeliifolius</i> <i>Kunzea ericifolia</i> subsp. <i>ericifolia</i> , <i>Xanthorrhoea preissii</i> and <i>Leucopogon conostephioides</i> .
		M122	386260	6521590	Low Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Verticordia nitens</i> and <i>Astroloma xerophyllum</i> .
		M123	386058	6523269	Low Open Woodland of <i>Banksia menziesii</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Beaufortia elegans</i> , <i>Scholtzia involucreta</i> and <i>Jacksonia floribunda</i> .
		M124	385442	6523195	Open Woodland of <i>Eucalyptus rudis</i> subsp. <i>rudis</i> over <i>Melaleuca viminea</i> subsp. <i>viminea</i> , <i>Astartea scoparia</i> and <i>Kunzea ericifolia</i> subsp. <i>ericifolia</i> .
		M125	384949	6523791	Low Woodland of <i>Melaleuca preissiana</i> - <i>Banksia attenuata</i> - <i>Banksia ilicifolia</i> over <i>Dasyopogon bromeliifolius</i> <i>Xanthorrhoea preissii</i> , <i>Adenanthos cygnorum</i> and <i>Pericalymma ellipticum</i> var. <i>ellipticum</i> .
		M126	384601	6524630	Low Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Melaleuca viminea</i> , <i>Dasyopogon bromeliifolius</i> , <i>Kunzea ericifolia</i> subsp. <i>ericifolia</i> , <i>Xanthorrhoea preissii</i> , <i>Phlebocarya ciliata</i> and <i>Hibbertia subvaginata</i> .
		M127	385846	6524200	Low Woodland of <i>Melaleuca preissiana</i> over <i>Kunzea ericifolia</i> subsp. <i>ericifolia</i> , <i>Xanthorrhoea preissii</i> , <i>Gahnia</i> sp., <i>Pericalymma ellipticum</i> var. <i>ellipticum</i> and <i>Hypocalymma angustifolium</i> .
		M128	387375	6523900	Low Open Woodland of <i>Eucalyptus rudis</i> subsp. <i>rudis</i> - <i>Melaleuca preissiana</i> over <i>Pultenaea reticulata</i> , <i>Hypocalymma angustifolium</i> and <i>Regelia ciliata</i> .
		M129	388033	6524027	Low Open Woodland of <i>Banksia menziesii</i> over <i>Jacksonia floribunda</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Beaufortia elegans</i> and <i>Scholtzia involucreta</i> .
		M130	376375	6527850	Low Open Woodland of <i>Eucalyptus todtiana</i> - <i>Allocasuarina fraseriana</i> - <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Verticordia nitens</i> , <i>Hibbertia hypericoides</i> , <i>Philotheca spicata</i> , <i>Bossiaea eriocarpa</i> and <i>Eremaea pauciflora</i> var. <i>pauciflora</i> .
		M131	376700	6527450	Low Woodland of <i>Melaleuca preissiana</i> - <i>Nyctia floribunda</i> - <i>Banksia menziesii</i> - <i>Allocasuarina fraseriana</i> over <i>Xanthorrhoea preissii</i> , <i>Dasyopogon bromeliifolius</i> and <i>Jacksonia furcellata</i> .
		M132	376827	6528000	Woodland of <i>Eucalyptus todtiana</i> - <i>Banksia menziesii</i> over <i>Xanthorrhoea preissii</i> , <i>Bossiaea eriocarpa</i> , <i>Tetraria capillaris</i> , <i>Conostephium pendulum</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> and <i>Hibbertia subvaginata</i> .
		M133	377626	6527805	Woodland of <i>Eucalyptus todtiana</i> - <i>Allocasuarina fraseriana</i> - <i>Banksia menziesii</i> over <i>Xanthorrhoea preissii</i> , <i>Dasyopogon bromeliifolius</i> and <i>Melaleuca scabra</i> .
		M134	378283	6527803	Woodland of <i>Melaleuca preissiana</i> - <i>Banksia menziesii</i> - <i>Allocasuarina fraseriana</i> over <i>Xanthorrhoea preissii</i> , <i>Kunzea ericifolia</i> subsp. <i>ericifolia</i> , <i>Lagenophora huegelii</i> , <i>Hibbertia hypericoides</i> and <i>Conostephium pendulum</i> .
		M135	380570	6525634	Low Open Woodland of <i>Eucalyptus todtiana</i> over <i>Adenanthos cygnorum</i> , <i>Kunzea ericifolia</i> subsp. <i>ericifolia</i> , <i>Xanthorrhoea preissii</i> , <i>Regelia ciliata</i> and <i>Leucopogon conostephioides</i> .
		M135b	378625	6527794	Low Open Forest of <i>Eucalyptus rudis</i> subsp. <i>rudis</i> - <i>Banksia littoralis</i> over <i>Acacia saligna</i> , <i>Hakea varia</i> and various introduced species.

APPENDIX B: SUMMARY OF SITE DESCRIPTIONS, LOCATIONS AND COMMUNITY DESCRIPTIONS FOR SITES IN STAGES 1, 2 AND 3

* Denotes introduced species

Map No.	Site Name	Site No.	Grid Ref		Community Descriptions
			mE	mN	
		M136	381150	6529050	Low Open Woodland of <i>Melaleuca preissiana</i> over <i>Astartea scoparia</i> , <i>Periclymna ellipticum</i> var. <i>ellipticum</i> , <i>Beaufortia elegans</i> and <i>Hypolaena exsulca</i> .
		M137	380844	6527408	Low Open Woodland of <i>Melaleuca preissiana</i> - <i>Banksia attenuata</i> - <i>Eucalyptus todtiana</i> over <i>Xanthorrhoea preissii</i> , <i>Calytrix flavescens</i> and <i>Dasyopogon bromeliifolius</i> .
		M138	383601	6526850	Woodland of <i>Melaleuca preissiana</i> - <i>Nyctia floribunda</i> - <i>Banksia ilicifolia</i> over <i>Xanthorrhoea preissii</i> , <i>Beaufortia elegans</i> , <i>Bossiaea eriocarpa</i> and <i>Verticordia nitens</i> .
		M139	383283	6526988	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Banksia ilicifolia</i> over <i>Verticordia nitens</i> , <i>Xanthorrhoea preissii</i> , <i>Kunzea ericifolia</i> subsp. <i>ericifolia</i> and <i>Scholtzia involucreata</i> .
		M140	389913	6521322	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Melaleuca trichophylla</i> , <i>Beaufortia elegans</i> , <i>Lyginia barbata</i> and <i>Hibbertia subvaginata</i> .
		M141	389780	6521250	Low Open Woodland of <i>Banksia menziesii</i> - <i>Banksia attenuata</i> over <i>Adenanthos cygnorum</i> , <i>Verticordia nitens</i> , <i>Patersonia occidentalis</i> , <i>Dasyopogon bromeliifolius</i> and <i>Beaufortia elegans</i> .
38		M142	389460	6508423	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Conospermum stoechadis</i> subsp. <i>stoechadis</i> , <i>Hibbertia hypericoides</i> , <i>Beaufortia elegans</i> , <i>Acacia pulchella</i> , <i>Stirlingia latifolia</i> and <i>Eremaea pauciflora</i> var. <i>pauciflora</i> .
38		M143	389503	6508237	Low Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Hibbertia hypericoides</i> and <i>Beaufortia elegans</i> .
38		M144	389828	6508429	Open Woodland of <i>Corymbia calophylla</i> - <i>Eucalyptus marginata</i> subsp. <i>marginata</i> over <i>Xanthorrhoea preissii</i> , <i>Acacia pulchella</i> , <i>Bossiaea eriocarpa</i> , <i>Phlebocarya ciliata</i> , <i>Macrozamia riedlei</i> and <i>Persoonia comata</i> .
38		M145	389887	6508418	Low Woodland of <i>Eucalyptus marginata</i> subsp. <i>marginata</i> - <i>Banksia menziesii</i> over <i>Xanthorrhoea preissii</i> , <i>Phlebocarya ciliata</i> , <i>Conostephium pendulum</i> and <i>Macrozamia riedlei</i> .
38		M146	390024	6508280	Open Woodland of <i>Eucalyptus rudis</i> subsp. <i>rudis</i> over <i>Xanthorrhoea preissii</i> , <i>Hibbertia hypericoides</i> , <i>Hyalosperma cotula</i> and <i>Calytrix fraseri</i> .
38		M147	390021	6508413	Low Open Woodland of <i>Banksia menziesii</i> - <i>Banksia attenuata</i> over <i>Scholtzia involucreata</i> , <i>Xanthorrhoea preissii</i> , <i>Verticordia nitens</i> and <i>Hibbertia hypericoides</i> .
38		M148	390103	6508267	Woodland of <i>Eucalyptus rudis</i> subsp. <i>rudis</i> over <i>Adenanthos cygnorum</i> , <i>Kunzea ericifolia</i> , <i>Jacksonia furcellata</i> , <i>Regelia ciliata</i> and <i>Verticordia nitens</i> .
38		M149	390106	6508427	Low Open Woodland of <i>Banksia attenuata</i> over <i>Xanthorrhoea preissii</i> , <i>Hibbertia hypericoides</i> , <i>Acacia pulchella</i> and <i>Calytrix flavescens</i> .
38		M150	390380	6508239	Low Open Woodland of <i>Banksia ilicifolia</i> over a low diversity understorey of <i>Kunzea ericifolia</i> , <i>Schoenus subfascicularis</i> and <i>Petrophile linearis</i> .
38		M151	390330	6508427	Low Woodland of <i>Banksia attenuata</i> - <i>Melaleuca preissiana</i> - <i>Eucalyptus rudis</i> subsp. <i>rudis</i> over <i>Phlebocarya ciliata</i> , <i>Bossiaea eriocarpa</i> and <i>Leucopogon propinquus</i> .
38		M152	391176	6508283	Woodland of <i>Eucalyptus rudis</i> subsp. <i>rudis</i> - <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Lepidosperma squamatum</i> , <i>Jacksonia furcellata</i> , <i>Xanthorrhoea preissii</i> , <i>Bossiaea eriocarpa</i> and <i>Jacksonia sternbergiana</i> .

APPENDIX B: SUMMARY OF SITE DESCRIPTIONS, LOCATIONS AND COMMUNITY DESCRIPTIONS FOR SITES IN STAGES 1, 2 AND 3

* Denotes introduced species

Map No.	Site Name	Site No.	Grid Ref		Community Descriptions
			mE	mN	
38		M153	391222	6508291	Low Woodland of <i>Melaleuca preissiana</i> - <i>Banksia grandis</i> - <i>Allocasuarina fraseriana</i> over <i>Kunzea ericifolia</i> , <i>Jacksonia furellata</i> , <i>Hypocalymma angustifolium</i> , <i>Phlebocarya ciliata</i> and <i>Exocarpos sparteus</i> .
38		M154	391749	6508226	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Melaleuca preissiana</i> over <i>Regelia ciliata</i> dominated understory with <i>Phlebocarya ciliata</i> , <i>Melaleuca trichophylla</i> and <i>Xanthorrhoea preissii</i> .
38		M155	391736	6508158	Low Open Woodland of <i>Melaleuca preissiana</i> - <i>Banksia attenuata</i> - <i>Banksia ilicifolia</i> over <i>Beaufortia elegans</i> , <i>Jacksonia furellata</i> , <i>Hypocalymma angustifolium</i> and <i>Dasypogon bromeliifolius</i> .
38		M156	393695	6508291	Low Woodland of <i>Eucalyptus todtiana</i> - <i>Banksia menziesii</i> over <i>Calothamnus sanguineus</i> , <i>Hibbertia hypericoides</i> , <i>Conostephium pendulum</i> , <i>Comesperma calymega</i> and <i>Patersonia occidentalis</i> .
38		M157	393697	6508438	Woodland of <i>Eucalyptus marginata</i> subsp. <i>marginata</i> - <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Eremaea pauciflora</i> , <i>Jacksonia floribunda</i> , <i>Patersonia occidentalis</i> , <i>Melaleuca trichophylla</i> and <i>Stirlingia latifolia</i> .
38		M158	395607	6508323	Low Woodland of <i>Eucalyptus todtiana</i> - <i>Banksia attenuata</i> over <i>Eremaea pauciflora</i> , <i>Adenanthos cygnorum</i> , <i>Regelia ciliata</i> , <i>Stirlingia latifolia</i> , <i>Hibbertia hypericoides</i> and <i>Melaleuca trichophylla</i> .
38		M159	395622	6508452	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Beaufortia elegans</i> , <i>Hibbertia hypericoides</i> , <i>Eremaea pauciflora</i> , <i>Lyginia ?imberbis</i> , <i>Astroloma pallidum</i> and <i>Scholtzia involucrata</i> .
38		M160	395232	6507253	Low Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Eremaea pauciflora</i> , <i>Hibbertia hypericoides</i> , <i>Stirlingia latifolia</i> , <i>Beaufortia elegans</i> and <i>Jacksonia floribunda</i> .
38		M161	395155	6507256	Low Open Woodland of <i>Eucalyptus todtiana</i> - <i>Banksia attenuata</i> over <i>Jacksonia floribunda</i> , <i>Lechenaultia floribunda</i> , <i>Calothamnus sanguineus</i> , <i>Hibbertia hypericoides</i> and <i>Stirlingia latifolia</i> .
38		M162	395098	6506485	Low Open Woodland of <i>Banksia menziesii</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Hibbertia ?hypericoides</i> , <i>Calothamnus sanguineus</i> , <i>Stirlingia latifolia</i> and <i>Lechenaultia floribunda</i> .
38		M163	395095	6506554	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Stirlingia latifolia</i> , <i>Mesomelaena pseudospygia</i> , <i>Hibbertia hypericoides</i> , <i>Croninia kingiana</i> and <i>Calothamnus sanguineus</i> .
38		M164	394772	6506549	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Banksia ilicifolia</i> over <i>Eremaea pauciflora</i> , <i>Melaleuca serata</i> , <i>Patersonia occidentalis</i> and <i>Stirlingia latifolia</i> .
38		M165	394785	6506476	Low Woodland of <i>Banksia menziesii</i> - <i>Banksia attenuata</i> - <i>Eucalyptus todtiana</i> over <i>Melaleuca serata</i> , <i>Lechenaultia floribunda</i> , <i>Hibbertia subvaginata</i> , <i>Beaufortia elegans</i> and <i>Patersonia occidentalis</i> .
38		M166	394129	6506467	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Allocasuarina humilis</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Stirlingia latifolia</i> , <i>Bossiaea eriocarpa</i> , <i>Jacksonia floribunda</i> and <i>Verticordia nitens</i> .
38		M167	394128	6506512	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Stirlingia latifolia</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Allocasuarina humilis</i> , <i>Jacksonia floribunda</i> , <i>Acacia pulchella</i> and <i>Hibbertia hypericoides</i> .
38		M168	393387	6506434	Open Woodland of <i>Eucalyptus todtiana</i> - <i>Banksia grandis</i> over <i>Kunzea ericifolia</i> , <i>Xanthorrhoea preissii</i> and <i>Phlebocarya ciliata</i> .
38		M169	393388	6506508	Very Low Open Woodland of <i>Banksia menziesii</i> over <i>Allocasuarina humilis</i> , <i>Astroloma xerophyllum</i> , <i>Hibbertia hypericoides</i> , <i>Beaufortia elegans</i> and <i>Xanthorrhoea preissii</i> .

APPENDIX B: SUMMARY OF SITE DESCRIPTIONS, LOCATIONS AND COMMUNITY DESCRIPTIONS FOR SITES IN STAGES 1, 2 AND 3

* Denotes introduced species

Map No.	Site Name	Site No.	Grid Ref		Community Descriptions
			mE	mN	
38		M170	392460	6506477	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Verticordia nitens</i> , <i>Calothamnus sanguineus</i> and <i>Jacksonia floribunda</i> .
38		M171	392443	6506392	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Beaufortia elegans</i> , <i>Jacksonia floribunda</i> , <i>Stirlingia latifolia</i> and <i>Melaleuca ?irichophylla</i> .
38		M172	390361	6506387	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Regelia ciliata</i> , <i>Adenanthos cygnorum</i> and <i>Hibbertia subvaginata</i> .
38		M173	390348	6506303	Low Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Phlebocarya ciliata</i> , <i>Bossiaea eriocarpa</i> , <i>Petrophile linearis</i> , <i>Acacia pulchella</i> and <i>Regelia ciliata</i> .
38		M174	389270	6506252	Low Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Conospermum stoechadis</i> subsp. <i>stoechadis</i> , <i>Hibbertia hypericoides</i> , <i>Gompholobium tomentosum</i> and <i>Daviesia divaricata</i> .
38		M175	389263	6506344	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Beaufortia elegans</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Stirlingia latifolia</i> and <i>Hibbertia hypericoides</i> .
		M176	390599	6503910	Low Open Woodland of <i>Banksia menziesii</i> - <i>Banksia attenuata</i> over <i>Xanthorrhoea preissii</i> , <i>Scholtzia involucrata</i> , <i>Xanthorrhoea preissii</i> , <i>Verticordia nitens</i> , <i>Leucopogon conostephioides</i> , <i>Bossiaea eriocarpa</i> and <i>Dasyopogon bromeliifolius</i> .
		M177	390642	6503831	Low Open Woodland of <i>Banksia menziesii</i> - <i>Banksia attenuata</i> - <i>Banksia ilicifolia</i> over <i>Melaleuca seritata</i> , <i>Dasyopogon bromeliifolius</i> , <i>Xanthorrhoea preissii</i> , <i>Croninia kingiana</i> and <i>Conostephium pendulum</i> .
		M178	390930	6503845	Woodland of <i>Corymbia calophylla</i> - <i>Banksia attenuata</i> over dense <i>Xanthorrhoea preissii</i> with <i>Dasyopogon bromeliifolius</i> and <i>Kunzea ericifolia</i> .
		M179	390949	6503903	Low Open Woodland of <i>Melaleuca preissiana</i> - <i>Corymbia calophylla</i> - <i>Banksia ilicifolia</i> over <i>Kunzea ericifolia</i> subsp. <i>ericifolia</i> dominated understory.
		M180	391484	6503839	Low Woodland of <i>Corymbia calophylla</i> over <i>Xanthorrhoea preissii</i> , <i>Kunzea ericifolia</i> , <i>Dasyopogon bromeliifolius</i> and <i>Calothamnus sanguineus</i> .
		M181	391482	6503908	Open Woodland of <i>Eucalyptus marginata</i> subsp. <i>marginata</i> - <i>Nuyssia floribunda</i> - <i>Banksia grandis</i> - <i>Banksia attenuata</i> over <i>Kunzea ericifolia</i> subsp. <i>ericifolia</i> , <i>Xanthorrhoea preissii</i> , <i>Periclymenum ellipticum</i> var. <i>ellipticum</i> and <i>Dasyopogon bromeliifolius</i> .
		M182	391897	6503902	Low Woodland of <i>Eucalyptus todiana</i> over <i>Regelia inops</i> , <i>Adenanthos cygnorum</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> and <i>Calothamnus sanguineus</i> .
		M183	391895	6503859	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Astroloma xerophyllum</i> , <i>Hibbertia hypericoides</i> , <i>Adenanthos cygnorum</i> , <i>Jacksonia floribunda</i> , <i>Verticordia nitens</i> and <i>Stirlingia latifolia</i> .
		M184	392309	6503865	Low Open Woodland of <i>Eucalyptus todiana</i> - <i>Banksia attenuata</i> over <i>Xanthorrhoea preissii</i> , <i>Hibbertia hypericoides</i> , <i>Macrozamia riedlei</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> and <i>Regelia inops</i> .
		M185	392308	6503912	Low Open Woodland of <i>Banksia attenuata</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Adenanthos cygnorum</i> and <i>Conospermum stoechadis</i> .
		M186	392707	6503872	Low Open Woodland of <i>Banksia attenuata</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Verticordia nitens</i> , <i>Beaufortia elegans</i> , <i>Calothamnus sanguineus</i> and <i>Leucopogon</i> sp. Moore River (M.Hislop 1695).

APPENDIX B: SUMMARY OF SITE DESCRIPTIONS, LOCATIONS AND COMMUNITY DESCRIPTIONS FOR SITES IN STAGES 1, 2 AND 3

* Denotes introduced species

Map No.	Site Name	Site No.	Grid Ref		Community Descriptions
			mE	mN	
		M187	392709	6503923	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Beaufortia elegans</i> , <i>Astroloma xerophyllum</i> , <i>Leptomeria empetrifomis</i> and <i>Croninia kingiana</i> with scattered <i>Nuytsia floribunda</i> .
		M188	393900	6503964	Low Open Woodland of <i>Banksia attenuata</i> over <i>Regelia ciliata</i> , <i>Jacksonia floribunda</i> , <i>Verticordia nitens</i> , <i>Astroloma xerophyllum</i> , <i>Hibbertia hypericoides</i> and <i>Alexgeorgea nitens</i> .
		M189	393882	6503885	Low Open Woodland of <i>Banksia menziesii</i> - <i>Banksia attenuata</i> over <i>Regelia inops</i> , <i>Hibbertia hypericoides</i> , <i>Patersonia occidentalis</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> and <i>Stirlingia latifolia</i> .
		M190	394974	6503945	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Regelia ciliata</i> , <i>Adenanthos cygnorum</i> , <i>Lyginia barbata</i> , <i>Hibbertia hypericoides</i> and <i>Leucopogon conostephioides</i> .
		M191	394999	6503901	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Verticordia nitens</i> , <i>Regelia ciliata</i> , <i>Croninia kingiana</i> , <i>Regelia inops</i> , <i>Jacksonia floribunda</i> and <i>Adenanthos cygnorum</i> .
		M192	395094	6503957	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Nuytsia floribunda</i> over <i>Adenanthos cygnorum</i> subsp. <i>cygnorum</i> , <i>Beaufortia elegans</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Croninia kingiana</i> and <i>Astroloma xerophyllum</i> .
		M193	395084	6503899	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Adenanthos cygnorum</i> subsp. <i>cygnorum</i> , <i>Beaufortia elegans</i> , <i>Verticordia nitens</i> , <i>Jacksonia floribunda</i> and <i>Hibbertia hypericoides</i> .
		M194	395574	6503665	Low Open Woodland of <i>Melaleuca preissiana</i> - <i>Banksia attenuata</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Xanthorrhoea preissii</i> , <i>Melaleuca seriata</i> , <i>Patersonia occidentalis</i> and <i>Schoenus caespitius</i> within a seasonally inundated depression.
		M195	395607	6503733	Low Open Woodland of <i>Melaleuca preissiana</i> - <i>Banksia attenuata</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Xanthorrhoea preissii</i> , <i>Dasyopogon bromeliifolius</i> and <i>Acacia pulchella</i> within a seasonally inundated depression.
		M196	396063	6503516	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Jacksonia floribunda</i> , <i>Lyginia barbata</i> , <i>Melaleuca seriata</i> and <i>Conostephium pendulum</i> .
		M197	396065	6503558	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Beaufortia elegans</i> and <i>Lyginia barbata</i> .
		M198	397374	6503138	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Adenanthos cygnorum</i> , <i>Beaufortia elegans</i> , <i>Verticordia nitens</i> , <i>Scholtzia involucrata</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> and <i>Andersonia heterophylla</i> .
		M199	397435	6503113	Low Open Woodland of <i>Banksia attenuata</i> over <i>Beaufortia elegans</i> , <i>Adenanthos cygnorum</i> subsp. <i>cygnorum</i> , <i>Croninia kingiana</i> , <i>Calytrix flavescens</i> and <i>Astroloma xerophyllum</i> .
		M200	398473	6502685	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Regelia inops</i> , <i>Schoenus caespitius</i> , <i>Dasyopogon bromeliifolius</i> and <i>Melaleuca trichophylla</i> .
		M201	398425	6502698	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Verticordia nitens</i> , <i>Regelia inops</i> , <i>Dasyopogon bromeliifolius</i> and <i>Leucopogon conostephioides</i> .
		M202	398078	6501851	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Verticordia nitens</i> , <i>Beaufortia elegans</i> , <i>Regelia ciliata</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> and <i>Pericalymma ellipticum</i> var. <i>ellipticum</i> .
		M203	398036	6501887	Low Open Woodland of <i>Banksia menziesii</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Pericalymma ellipticum</i> var. <i>ellipticum</i> and <i>Beaufortia elegans</i> .

APPENDIX B: SUMMARY OF SITE DESCRIPTIONS, LOCATIONS AND COMMUNITY DESCRIPTIONS FOR SITES IN STAGES 1, 2 AND 3

* Denotes introduced species

Map No.	Site Name	Site No.	Grid Ref		Community Descriptions
			mE	mN	
		M204	397099	6501512	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Nuyisia floribunda</i> over <i>Regelia ciliata</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> and <i>Beaufortia elegans</i> .
		M205	397068	6501566	Low Open Woodland of <i>Banksia attenuata</i> over <i>Paterersonia occidentalis</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Beaufortia elegans</i> and <i>Melaleuca seriata</i> .
		M206	391136	6498632	Low Woodland of <i>Eucalyptus rudis</i> subsp. <i>rudis</i> - <i>Melaleuca preissiana</i> over <i>Kunzea ericifolia</i> subsp. <i>ericifolia</i> , <i>Acacia saligna</i> and <i>Lepidosperma longitudinale</i> .
		M207	391153	6498589	Low Woodland of <i>Eucalyptus rudis</i> subsp. <i>rudis</i> - <i>Melaleuca preissiana</i> - <i>Banksia littoralis</i> over <i>Lepidosperma longitudinale</i> , <i>Hypocalymma angustifolium</i> and <i>Cyathochaeta avenacea</i> .
		M208	388933	6499021	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Xanthorrhoea preissii</i> , <i>Jacksonia floribunda</i> , <i>Lyginia barbata</i> and <i>Acacia pulchella</i> .
		M209	388917	6499057	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia ilicifolia</i> - <i>Eucalyptus todtiana</i> over <i>Beaufortia elegans</i> , <i>Acacia pulchella</i> and <i>Xanthorrhoea preissii</i> .
		M210	388549	6499896	Low Open Woodland of <i>Nuyisia floribunda</i> - <i>Banksia menziesii</i> - <i>Banksia attenuata</i> - <i>Banksia ilicifolia</i> - <i>Eucalyptus todtiana</i> over <i>Xanthorrhoea preissii</i> , <i>Beaufortia elegans</i> , <i>Lyginia barbata</i> and <i>Phlebocarya ciliata</i> .
		M211	388497	6499931	Low Open Woodland of <i>Banksia attenuata</i> - <i>Nuyisia floribunda</i> over <i>Acacia pulchella</i> var. <i>pulchella</i> , <i>Xanthorrhoea preissii</i> , <i>Phlebocarya ciliata</i> and <i>Beaufortia elegans</i> .
		M212	389944	6497270	Low Open Woodland of <i>Banksia menziesii</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Beaufortia elegans</i> and <i>Alexgeorgea nitens</i> .
		M213	389917	6497228	Low Open Woodland of <i>Banksia menziesii</i> - <i>Banksia attenuata</i> - <i>Banksia ilicifolia</i> over <i>Alexgeorgea nitens</i> , <i>Beaufortia elegans</i> and <i>Stirlingia latifolia</i> .
		M214	390102	6496205	Low Open Woodland of <i>Banksia menziesii</i> - <i>Banksia attenuata</i> over <i>Phlebocarya ciliata</i> , <i>Alexgeorgea nitens</i> , <i>Scholtzia involucrata</i> and <i>Lyginia barbata</i> .
		M215	389985	6496213	Low Open Woodland of <i>Banksia attenuata</i> over a <i>Beaufortia elegans</i> dominated understorey with <i>Xanthorrhoea preissii</i> and <i>Macrozamia riedlei</i> .
		M216	390011	6495604	Low Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Beaufortia elegans</i> , <i>Leucopogon conostephioides</i> , <i>Paterersonia occidentalis</i> and <i>Alexgeorgea nitens</i> .
		M217	390093	6495651	Low Woodland of <i>Banksia attenuata</i> over <i>Beaufortia elegans</i> , <i>Adenanthos cygnorum</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Scholtzia laxiflora</i> and <i>Lyginia barbata</i> .
		M218	390025	6495230	Low Open Woodland of <i>Banksia menziesii</i> - <i>Banksia ilicifolia</i> over <i>Hypocalymma angustifolium</i> , <i>Leucopogon sprengelioides</i> and <i>Hibbertia subvaginata</i> .
		M219	390164	6495236	Low Shrubland dominated by <i>Beaufortia elegans</i> with <i>Hypocalymma angustifolium</i> , <i>Pericalymma ellipticum</i> var. <i>ellipticum</i> , <i>Leucopogon sprengelioides</i> and <i>Xanthorrhoea preissii</i> .
		M220	390267	6494619	Low Open Woodland of <i>Banksia menziesii</i> - <i>Allocasuarina fraseriana</i> - <i>Allocasuarina huegeliana</i> over <i>Xanthorrhoea preissii</i> , <i>Hibbertia hypericoides</i> , <i>Calytrix flavescens</i> and <i>Alexgeorgea nitens</i> .

APPENDIX B: SUMMARY OF SITE DESCRIPTIONS, LOCATIONS AND COMMUNITY DESCRIPTIONS FOR SITES IN STAGES 1, 2 AND 3

* Denotes introduced species

Map No.	Site Name	Site No.	Grid Ref		Community Descriptions
			mE	mN	
		M221	390367	6494596	Low Open Woodland of <i>Eucalyptus todtiana</i> - <i>Banksia menziesii</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Allocasuarina humilis</i> and <i>Xanthorrhoea preissii</i> .
		M222	388778	6493461	Low Forest of <i>Banksia littoralis</i> - <i>Melaleuca preissiana</i> over <i>Astartea scoparia</i> , <i>Cyathochaeta teretifolia</i> (P3) and <i>Hypocalymma angustifolium</i> .
		M223	388759	6493490	Low Woodland of <i>Melaleuca preissiana</i> - <i>Banksia littoralis</i> over <i>Baumea ?preissii</i> , <i>Trachymene pilosa</i> and several introduced species within a seasonal wetland.
		M224	391436	6493747	Low Open Woodland of <i>Nuytsia floribunda</i> - <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Melaleuca seriata</i> , <i>Xanthorrhoea preissii</i> , <i>Scholtzia involucrata</i> , <i>Adenanthos cygnorum</i> and <i>Bossiaea eriocarpa</i> .
		M225	391393	6493584	Low Open Woodland of <i>Banksia ilicifolia</i> - <i>Banksia menziesii</i> over <i>Verticordia nitens</i> dominated understorey with <i>Dasyopogon bromeliifolius</i> and <i>Regelia inops</i> .
		M226	391397	6494760	Low Woodland of <i>Melaleuca preissiana</i> over <i>Regelia ciliata</i> , <i>Pericalymma ellipticum</i> var. <i>ellipticum</i> , <i>Astartea scoparia</i> , <i>Jacksonia furcellata</i> and <i>Phlebocarya ciliata</i> within a seasonal dampland.
		M227	391361	6494667	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Melaleuca trichophylla</i> , <i>Philothea spicata</i> and <i>Acacia pulchella</i> .
		M228	392646	6493452	Low Woodland of <i>Banksia menziesii</i> over <i>Phlebocarya ciliata</i> , <i>Xanthorrhoea preissii</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Melaleuca trichophylla</i> and <i>Melaleuca seriata</i> .
		M229	392749	6493444	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Beaufortia elegans</i> , <i>Hibbertia hypericoides</i> , <i>Patersonia occidentalis</i> and <i>Calytrix flavescens</i> .
		M230	392726	6493981	Low Open Woodland of <i>Banksia ilicifolia</i> - <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Xanthorrhoea preissii</i> and <i>Dasyopogon bromeliifolius</i> .
		M231	392678	6493987	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Xanthorrhoea preissii</i> , <i>Hibbertia helianthemoides</i> (P3), <i>Melaleuca trichophylla</i> and <i>Eremaea pauciflora</i> var. <i>pauciflora</i> .
		M232	392652	6494546	Low Woodland of <i>Banksia menziesii</i> - <i>Banksia attenuata</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Astroloma xerophyllum</i> , <i>Jacksonia floribunda</i> and <i>Acacia pulchella</i> .
		M233	392725	6494545	Open Shrubland of <i>Adenanthos cygnorum</i> subsp. <i>cygnorum</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Lyginia barbata</i> and <i>Beaufortia elegans</i> with scattered <i>Nuytsia floribunda</i> .
		M234	392711	6494771	Low Open Woodland of <i>Nuytsia floribunda</i> over <i>Dasyopogon bromeliifolius</i> , <i>Xanthorrhoea preissii</i> , <i>Melaleuca seriata</i> and <i>Podotrochea gnaphalioides</i> .
		M235	392675	6494818	Low Open Woodland <i>Eucalyptus todtiana</i> over <i>Xanthorrhoea preissii</i> , <i>Dasyopogon bromeliifolius</i> , <i>Melaleuca seriata</i> and <i>Calothamnus sanguineus</i> .
		M236	392912	6494989	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Stirlingia latifolia</i> , <i>Xanthorrhoea preissii</i> and <i>Beaufortia elegans</i> .
		M237	392835	6495025	Low Open Woodland of <i>Banksia menziesii</i> - <i>Banksia attenuata</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Melaleuca trichophylla</i> , <i>Calytrix flavescens</i> and <i>Acacia pulchella</i> .

APPENDIX B: SUMMARY OF SITE DESCRIPTIONS, LOCATIONS AND COMMUNITY DESCRIPTIONS FOR SITES IN STAGES 1, 2 AND 3

* Denotes introduced species

Map No.	Site Name	Site No.	Grid Ref		Community Descriptions
			mE	mN	
		M238	392158	6495297	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Stirlingia latifolia</i> , <i>Acacia pulchella</i> and <i>Beaufortia elegans</i> .
		M239	392247	6495305	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Stirlingia latifolia</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Calytrix flavescens</i> and <i>Adenanthos cygnorum</i> .
		M240	393271	6495350	Low Open Woodland of <i>Melaleuca preissiana</i> over <i>Astartea scoparia</i> , <i>Hypocalymma angustifolium</i> and <i>Lepidobolus preissianus</i> subsp. <i>preissianus</i> .
		M241	393272	6495234	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Hibbertia subvaginata</i> , <i>Astroloma xerophyllum</i> , <i>Calytrix flavescens</i> and <i>Acacia pulchella</i> .
		M242	372501	6516419	Low Woodland of <i>Banksia menziesii</i> - <i>Banksia attenuata</i> over <i>Calytrix angulata</i> , <i>Xanthorrhoea preissii</i> , <i>Hibbertia hypericoides</i> , <i>Calytrix flavescens</i> , <i>Conospermum stoechadis</i> subsp. <i>stoechadis</i> and <i>Acacia pulchella</i> .
		M243	372508	6515405	Low Woodland of <i>Allocasuarina fraseriana</i> - <i>Eucalyptus todtiana</i> - <i>Eucalyptus gomphocephala</i> - <i>Banksia menziesii</i> over <i>Acacia pulchella</i> , <i>Xanthorrhoea preissii</i> , <i>Macrozamia riedlei</i> and <i>Hibbertia hypericoides</i> .
		M244	374092	6515558	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Xanthorrhoea preissii</i> , <i>Hakea ruscifolia</i> and <i>Acacia pulchella</i> .
		M245	372668	6514293	Low Open Woodland of <i>Allocasuarina fraseriana</i> - <i>Banksia attenuata</i> - <i>Banksia grandis</i> over <i>Xanthorrhoea preissii</i> , <i>Acacia pulchella</i> , <i>Hakea prostrata</i> and <i>Calytrix flavescens</i> .
		M246	372427	6514234	Low Woodland of <i>Eucalyptus gomphocephala</i> - <i>Banksia grandis</i> - <i>Allocasuarina fraseriana</i> over <i>Melaleuca viminea</i> subsp. <i>viminea</i> , <i>Xanthorrhoea preissii</i> , <i>Hibbertia hypericoides</i> and <i>Acacia saligna</i> .
		M247	374143	6513936	Woodland of <i>Eucalyptus gomphocephala</i> over <i>Conostephium pendulum</i> , <i>Xanthorrhoea preissii</i> , <i>Hibbertia hypericoides</i> , <i>Acacia pulchella</i> and <i>Hakea prostrata</i> .
		M248	374600	6513942	Low Open Woodland of <i>Banksia attenuata</i> over <i>Hibbertia hypericoides</i> , <i>Xanthorrhoea preissii</i> , <i>Melaleuca systena</i> , <i>Acacia pulchella</i> and <i>Jacksonia furcellata</i> .
		M249	376091	6512900	Low Woodland of <i>Eucalyptus marginata</i> - <i>Banksia grandis</i> - <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Hibbertia hypericoides</i> and <i>Xanthorrhoea preissii</i> .
		M250	375758	6511796	Low Woodland of <i>Banksia attenuata</i> - <i>Nuytsia floribunda</i> over <i>Jacksonia calcicola</i> (ms), <i>Hibbertia hypericoides</i> , <i>Xanthorrhoea preissii</i> and <i>Hyalosperma cotula</i> .
		M251	375741	6511740	Low Open Shrubland of <i>Dryandra sessilis</i> , <i>Xanthorrhoea preissii</i> , <i>Melaleuca systena</i> , <i>Calothamnus quadrifidus</i> with <i>Austrostipa nitida</i> .
		M252	375013	6510716	Woodland of <i>Eucalyptus gomphocephala</i> over <i>Scaevola nitida</i> , <i>Acacia pulchella</i> , <i>Rhagodia baccata</i> subsp. <i>baccata</i> , <i>*Asparagus asparagoides</i> and <i>Templetonia retusa</i> .
		M253	378019	6510640	Woodland of <i>Eucalyptus marginata</i> subsp. <i>marginata</i> with occasional <i>Banksia grandis</i> over <i>Xanthorrhoea preissii</i> , <i>Hibbertia hypericoides</i> and <i>Conostylis setigera</i> .
		M254	378376	6510623	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Hibbertia hypericoides</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Leucopogon polymorphus</i> and <i>Acacia pulchella</i> .

APPENDIX B: SUMMARY OF SITE DESCRIPTIONS, LOCATIONS AND COMMUNITY DESCRIPTIONS FOR SITES IN STAGES 1, 2 AND 3

* Denotes introduced species

Map No.	Site Name	Site No.	Grid Ref		Community Descriptions
			mE	mN	
		M255	379335	6510375	Low Open Woodland of <i>Banksia menziesii</i> - <i>Banksia attenuata</i> over <i>Hibbertia hypericoides</i> , <i>Melaleuca parviceps</i> , <i>Hakea costata</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> and <i>Petrophile macrostachya</i> .
		M256	381541	6510905	Low Open Woodland of <i>Banksia menziesii</i> over <i>Calothamnus quadrifidus</i> , <i>Allocasuarina humilis</i> , <i>Dryandra sessilis</i> , <i>Conospermum stoechadis</i> subsp. <i>stoechadis</i> and <i>Calothamnus sanguineus</i> .
		M257	384199	6514237	Low Open Woodland of <i>Banksia attenuata</i> over <i>Calothamnus quadrifidus</i> , <i>Conospermum stoechadis</i> , <i>Xanthorrhoea preissii</i> , <i>Acacia pulchella</i> and <i>Hibbertia hypericoides</i> .
		M258	384579	6515019	Low Open Woodland of <i>Banksia menziesii</i> - <i>Banksia attenuata</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Conostephium pendulum</i> and <i>Stirlingia latifolia</i> .
		M259	387274	6506495	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Xanthorrhoea preissii</i> , <i>Phlebocarya ciliata</i> and <i>Comespernum stoechadis</i> .
		M260	387197	6505584	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Phlebocarya ciliata</i> , <i>Xanthorrhoea preissii</i> , <i>Patersonia occidentalis</i> and <i>Melaleuca trichophylla</i> .
		M261	387128	6504764	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Beaufortia elegans</i> , <i>Leucopogon sprengelioides</i> and <i>Phlebocarya ciliata</i> .
		M262	385851	6504830	Low Open Woodland of <i>Banksia menziesii</i> over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Phlebocarya ciliata</i> , <i>Conostephium pendulum</i> , <i>Xanthorrhoea preissii</i> and <i>Patersonia occidentalis</i> .
		M263	375692	6505774	Woodland of <i>Eucalyptus gomphocephala</i> over <i>Xanthorrhoea preissii</i> , <i>Hibbertia hypericoides</i> , <i>Trymalium floribundum</i> and <i>Lepidosperma ?pubisquamum</i> with occasional <i>Banksia grandis</i> .
		M264	375765	6506433	Forest of <i>Eucalyptus marginata</i> over <i>Hibbertia hypericoides</i> , <i>Xanthorrhoea gracilis</i> , <i>Xanthorrhoea preissii</i> and introduced weed species.
		M265	375569	6506451	Open Woodland of <i>Eucalyptus gomphocephala</i> over <i>Hibbertia hypericoides</i> , <i>Trymalium floribundum</i> , <i>Dryandra sessilis</i> , <i>Macrozamia riedlei</i> and <i>Jacksonia floribundum</i> .
		M266	375117	6508102	Very disturbed Forest of <i>Eucalyptus gomphocephala</i> - <i>Melaleuca rhaphiophylla</i> - <i>Banksia littoralis</i> over * <i>Cynodon dactylon</i> , <i>Lepidosperma gladiatum</i> and * <i>Pennisetum clandestinum</i> on the fringe of a wetland.
		M267	374713	6508393	Low Open Woodland of <i>Allocasuarina fraseriana</i> over <i>Dryandra sessilis</i> , <i>Petrophile macrostachya</i> , <i>Hakea lissocephala</i> , <i>Petrophile serratae</i> and <i>Acacia pulchella</i> .
		M268	373672	6508647	Woodland of <i>Eucalyptus gomphocephala</i> with occasional <i>Banksia grandis</i> over <i>Xanthorrhoea preissii</i> , <i>Acacia saligna</i> , * <i>Carpobrotus edulis</i> and <i>Macrozamia riedlei</i> .
		M269	378538	6506093	Low Open Woodland of <i>Allocasuarina fraseriana</i> - <i>Banksia attenuata</i> over <i>Hibbertia hypericoides</i> , <i>Calothamnus quadrifidus</i> , <i>Mesomelaena pseudostygia</i> and <i>Xanthorrhoea preissii</i> .
		M270	381287	6506001	Woodland of <i>Eucalyptus gomphocephala</i> over <i>Xanthorrhoea preissii</i> , <i>Conospermum stoechadis</i> subsp. <i>stoechadis</i> , <i>Hakea prostrata</i> and <i>Macrozamia riedlei</i> .
		M271	382432	6506065	Low Forest of <i>Allocasuarina huegeliana</i> - <i>Banksia menziesii</i> over <i>Hibbertia hypericoides</i> , <i>Daviesia divaricata</i> subsp. <i>divaricata</i> and <i>Xanthorrhoea preissii</i> .

APPENDIX B: SUMMARY OF SITE DESCRIPTIONS, LOCATIONS AND COMMUNITY DESCRIPTIONS FOR SITES IN STAGES 1, 2 AND 3

* Denotes introduced species

Map No.	Site Name	Site No.	Grid Ref		Community Descriptions
			mE	mN	
		M272	382524	6502305	Woodland of <i>Banksia grandis</i> - <i>Eucalyptus marginata</i> subsp. <i>marginata</i> - <i>Allocasuarina fraseriana</i> - <i>Banksia attenuata</i> over <i>Hibbertia hypericoides</i> , <i>Philothea spicata</i> , <i>Xanthorrhoea preissii</i> and <i>Hakea lissocarpha</i> .
		M273	383558	6499075	Low Woodland of <i>Melaleuca preissiana</i> over <i>Kunzea ericifolia</i> , <i>Hypolaena exsulca</i> , <i>Hakea varia</i> , <i>Phlebocarya ciliata</i> and <i>Xanthorrhoea preissii</i> .
		M274	384132	6497801	Woodland of <i>Corymbia calophylla</i> - <i>Banksia grandis</i> over <i>Xanthorrhoea preissii</i> , <i>Xanthorrhoea gracilis</i> , <i>Jacksonia sternbergiana</i> and <i>Haemodorum spicatum</i> .
		M275	384693	6496645	Woodland of <i>Corymbia calophylla</i> - <i>Banksia grandis</i> over <i>Xanthorrhoea preissii</i> , <i>Stirlingia latifolia</i> and <i>Jacksonia furcellata</i> with occasional <i>Eucalyptus marginata</i> .
		M276	384702	6496374	Low Woodland of <i>Corymbia calophylla</i> - <i>Banksia grandis</i> - <i>Banksia attenuata</i> over <i>Xanthorrhoea preissii</i> , <i>Macrozamia riedlei</i> and <i>Tetraria octandra</i> .
		M277	395348	6489830	Very Disturbed Low Woodland of <i>Melaleuca preissiana</i> - <i>Melaleuca rhapsiphylla</i> over <i>*Ehrharta calycina</i> <i>*Lotus angustissimus</i> , <i>*Pentstemonis airoides</i> , <i>Baumea articulata</i> and <i>*Carpobrotus edulis</i> .
		M278	395223	6487761	Low Woodland of <i>Melaleuca preissiana</i> over <i>Xanthorrhoea preissii</i> , <i>Dasyopogon bromeliifolius</i> , <i>*Ehrharta calycina</i> , <i>*Pentstemonis airoides</i> , <i>Lomandra caespitosa</i> and <i>Kunzea ericifolia</i> .
		M279	392407	6488005	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Patersonia occidentalis</i> , <i>Stirlingia latifolia</i> , <i>Scholtzia involucreta</i> and <i>Jacksonia floribunda</i> .
		M280	391452	6488125	Low Open Woodland of <i>Banksia menziesii</i> over <i>Xanthorrhoea preissii</i> , <i>Alexgeorgea nitens</i> , <i>*Pentstemonis airoides</i> , <i>*Gladiolus caryophyllaceus</i> , <i>Bossiaea eriocarpa</i> and <i>Acacia huegelii</i> .
		M281	399660	6487505	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia ilicifolia</i> - <i>Banksia menziesii</i> over <i>Xanthorrhoea preissii</i> , <i>Jacksonia furcellata</i> , <i>Dasyopogon bromeliifolius</i> and <i>Petrophile linearis</i> .
		M282	394114	6483615	Low Woodland of <i>Melaleuca preissiana</i> - <i>Banksia menziesii</i> over <i>Xanthorrhoea preissii</i> , <i>Dasyopogon bromeliifolius</i> , <i>Lepidosperma squamatum</i> and <i>Schoenus curvifolius</i> .
		M283	372259	6531566	Low Woodland of <i>Melaleuca preissiana</i> - <i>Banksia prionotes</i> over <i>Kunzea ericifolia</i> , <i>Regelia ciliata</i> , <i>Gompholobium tomentosum</i> , <i>Xanthorrhoea preissii</i> and <i>Hypocalymma angustifolium</i> .
		M284	373111	6531041	Woodland of <i>Melaleuca preissiana</i> - <i>Melaleuca rhapsiphylla</i> over <i>Hypocalymma angustifolium</i> , <i>Xanthorrhoea preissii</i> , <i>*Briza maxima</i> , <i>Juncus pallidus</i> and <i>*Sonchus oleraceus</i> .
		M285	386455	6533099	Thicket of <i>Kunzea ericifolia</i> , <i>Xanthorrhoea preissii</i> and <i>*Hypochaeris glabra</i> with the occasional <i>Nuytsia floribunda</i> and <i>Astartea scoparia</i> within a historically grazed paddock.
		M286	388655	6527902	Forest of <i>Melaleuca rhapsiphylla</i> over understorey dominated by introduced species.
		M287	384428	6486996	Woodland of <i>Melaleuca rhapsiphylla</i> over <i>*Ehrharta calycina</i> , <i>*Pelargonium capitatum</i> , <i>Villarsia ?albiflora</i> , <i>Baumea articulata</i> and <i>Hibbertia cuneiformis</i> on fringe of wetland.
		M288	391256	6524303	Woodland of <i>Melaleuca rhapsiphylla</i> - <i>Melaleuca preissiana</i> - <i>Eucalyptus rudis</i> - <i>Corymbia calophylla</i> over <i>Kunzea ericifolia</i> subsp. <i>ericifolia</i> , <i>Astartea scoparia</i> and <i>Lepidosperma squamatum</i> with various introduced species.

APPENDIX B: SUMMARY OF SITE DESCRIPTIONS, LOCATIONS AND COMMUNITY DESCRIPTIONS FOR SITES IN STAGES 1, 2 AND 3

* Denotes introduced species

Map No.	Site Name	Site No.	Grid Ref		Community Descriptions
			mE	mN	
		M289	390280	6524046	Open Woodland of <i>Eucalyptus tottiana</i> - <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Eremaea pauciflora</i> , <i>Calytrix flavescens</i> , <i>Acacia pulchella</i> , <i>Dasyopogon bromeliifolius</i> , <i>Lyginia imberbis</i> , <i>Regelia inops</i> , <i>Jacksonia furcellata</i> and <i>Hibbertia subvaginata</i> .
		M290	380087	6532745	Low Open Woodland of <i>Melaleuca preissiana</i> over <i>Kunzea ericifolia</i> subsp. <i>ericifolia</i> , <i>Astartea scoparia</i> , <i>Regelia ciliata</i> , <i>Hypocalymma angustifolium</i> , <i>Hypolaena exsulca</i> and <i>Aotus gracillima</i> .
		M291	379486	6532883	Low Open Woodland of <i>Eucalyptus todtiana</i> - <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Xanthorrhoea preissii</i> , <i>Adenanthos cygnorum</i> , <i>Eremaea pauciflora</i> , <i>Dasyopogon bromeliifolius</i> , <i>Scholtzia involucrata</i> and <i>Hibbertia hypericoides</i> .
		M292	388496	6530727	Woodland of <i>Eucalyptus rudis</i> subsp. <i>rudis</i> - <i>Melaleuca rhaphiophylla</i> over <i>Astartea scoparia</i> , <i>Kunzea ericifolia</i> and <i>Jacksonia furcellata</i> with various introduced species.
		M293	390235	6532957	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> - <i>Nuyistia floribunda</i> over <i>Calytrix fraseri</i> and <i>Astroloma xerophyllum</i> with various introduced species dominating the understorey.
		M294	382908	6534594	Low Open Woodland of <i>Banksia menziesii</i> - <i>Banksia attenuata</i> - <i>Banksia ilicifolia</i> over <i>Hibbertia hypericoides</i> , <i>Melaleuca trichophylla</i> , <i>Scholtzia involucrata</i> , <i>Jacksonia furcellata</i> and <i>Patersonia occidentalis</i> .
		M295	384878	6535101	Open Woodland of <i>Allocasuarina fraseriana</i> - <i>Banksia menziesii</i> - <i>Banksia attenuata</i> over <i>Xanthorrhoea preissii</i> , <i>Eremaea pauciflora</i> , <i>Jacksonia furcellata</i> , <i>Acacia pulchella</i> , <i>Hibbertia hypericoides</i> and <i>Phlebocarya ciliata</i> .
		M296	377847	6532565	Open Woodland of <i>Eucalyptus rudis</i> subsp. <i>rudis</i> - <i>Melaleuca rhaphiophylla</i> - <i>Banksia littoralis</i> over <i>Lepidosperma longiuinale</i> with various introduced species dominating the understorey.
		M297	376769	6502332	Low Open Woodland of <i>Banksia attenuata</i> - <i>Banksia menziesii</i> over <i>Allocasuarina humilis</i> , <i>Hibbertia hypericoides</i> , <i>Stirlingia latifolia</i> , <i>Xanthorrhoea preissii</i> , <i>Mesomelaena pseudostygia</i> and <i>Melaleuca trichophylla</i> .
		M298	397129	6519961	Low Woodland of <i>Melaleuca rhaphiophylla</i> over <i>Melaleuca viminea</i> subsp. <i>viminea</i> and an understorey dominated by introduced species in open water.

**APPENDIX C: RARE AND PRIORITY VASCULAR PLANT SPECIES IN THE WIDER
GNANGARA MOUND AREA, 2003**

CC - State Conservation Code

EPBC - Federal Conservation Code

Family	Species	SCC	EPBC
CYPERACEAE	<i>Cyathochaeta teretifolia</i>	P3	
	<i>Eleocharis keigheryi</i>	R	V
	<i>Schoenus griffinianus</i>	P2	
	<i>Schoenus natans</i>	P4	
ANTHERICACEAE	<i>Chamaescilla gibsonii</i>	P3	
HAEMODORACEAE	<i>Conostylis bracteata</i>	P3	
	<i>Conostylis pauciflora</i> subsp. <i>euryrhipis</i>	P3	
	<i>Conostylis pauciflora</i> subsp. <i>pauciflora</i>	P4	
ORCHIDACEAE	<i>Caladenia huegelii</i>	R	E
	<i>Caladenia speciosa</i>	P4	
	<i>Cyanicula ixioides</i> subsp. <i>ixioides</i> (ms)	P4	
PROTEACEAE	<i>Adenanthos cygnorum</i> subsp. <i>chamaephyton</i>	P3	
	<i>Grevillea curviloba</i> subsp. <i>curviloba</i>	R	E
	<i>Grevillea curviloba</i> subsp. <i>incurva</i>	R	E
	<i>Grevillea evanescens</i>	P1	V
	<i>Grevillea thelemanniana</i>	P4	
AIZOACEAE	<i>Sarcozona bicarinata</i>	P3	
BRASSICACEAE	<i>Lepidium pseudotasmanicum</i>	P4	
DROSERACEAE	<i>Drosera occidentalis</i> subsp. <i>occidentalis</i>	P4	
MIMOSACEAE	<i>Acacia anomala</i>	R	V
	<i>Acacia benthamii</i>	P2	
PAPILIONACEAE	<i>Aotus cordifolia</i>	P3	
	<i>Dillwynia dillwynioides</i>	P3	
	<i>Isotropis cuneifolia</i> subsp. <i>glabra</i>	P2	
	<i>Jacksonia sericea</i>	P4	
POLYGALACEAE	<i>Comesperma acerosum</i>	P3	
EUPHORBIACEAE	<i>Stachystemon axillaris</i>	P4	
STACKHOUSIACEAE	<i>Tripterococcus paniculatus</i> (ms)	P1	
RHAMNACEAE	<i>Stenanthemum sublineare</i>	P2	

APPENDIX C: RARE AND PRIORITY VASCULAR PLANT SPECIES IN THE WIDER
GNANGARA MOUND AREA, 2003

CC - State Conservation Code

EPBC - Federal Conservation Code

Family	Species	SCC	EPBC
STERCULIACEAE	<i>Guichenotia tuberculata</i>	P3	
	<i>Lasiopetalum lineare</i>	P3	
	<i>Lasiopetalum membranaceum</i>	P3	
	<i>Thomasia triloba</i>	P3	
DILLENIACEAE	<i>Hibbertia helianthemoides</i>	P3	
	<i>Hibbertia spicata</i> subsp. <i>leptotheca</i>	P3	
MYRTACEAE	<i>Calytrix sylvana</i>	P4	
	<i>Chamelaucium</i> sp. Gingin (N.Marchant s.n. 4/11/88)	R	E
	<i>Darwinia foetida</i>	R	
	<i>Eucalyptus argutifolia</i>	R	V
	<i>Verticordia lindleyi</i> subsp. <i>lindleyi</i>	P4	
	<i>Verticordia serrata</i> var. <i>linearis</i>	P3	
HALORAGACEAE	<i>Haloragis aculeolata</i>	P2	
	<i>Haloragis tenuifolia</i>	P3	
	<i>Myriophyllum echinatum</i>	P3	
APIACEAE	<i>Platysace ramosissima</i>	P3	
EPACRIDACEAE	<i>Conostephium minus</i>	P4	
LAMIACEAE	<i>Pityrodia axillaris</i>	P1	
GOODENIACEAE	<i>Anthotium junciforme</i>	P4	
	<i>Scaevola paludosa</i>	P2	
STYLIDIACEAE	<i>Stylidium longitubum</i>	P3	
	<i>Stylidium maritimum</i>	P3	
ASTERACEAE	<i>Blennospora doliiformis</i>	P3	
	<i>Pithocarpa corymbulosa</i>	P2	
	<i>Rhodanthe pyrethrum</i>	P3	

