

MOUNTAINS *of* MYSTERY

APPENDIX

Flora list and synopsis of the flora of the Stirling Range National Park



DEPARTMENT OF CONSERVATION AND LAND MANAGEMENT

Published by:

Dr Syd Shea, Executive Director, Department of Conservation and Land Management,
50 Hayman Road, Como, WA 6152.

Managing Editor:

Ron Kawalilak

Editor:

Greg Keighery

Design and Production:

Modified by Marg Wilke with assistance from Sue Marais and advice from Robyn Mundy

Cover:

From an original painting by Dale Couper (reproduced with permission from Annabel Palmer)

Illustrations:

Greg Keighery

Acknowledgements:

The author would like to thank the many members of the public and staff of Kings Park, the former National Parks Board and the Department of Conservation and Land Management who have assisted in the often arduous task of compiling this list. Special thanks must go to Chris Robinson, Gary and Richard Sounness, Martin Lloyd, Neville Marchant, Jeni Alford, Marg Wilke, Allan Rose and last but not least Carolyn Thomson. Without their support and competence none of this would have been possible.

Film Preparation and Printing:

Scott Four Colour Print




© Copyright CALM 1993. ISBN 0 7309 6104 4

All material in this book is copyright and may not be reproduced
except with the written permission of the publishers.

SYNOPSIS

by Greg Keighery



Brother brother
Gastrolobium tetragonophyllum
- the Stirling Range form

NON FLOWERING PLANTS

FERNS: 10 species, none endemic. 3 at inland limits of range

GYMNOSPERMS: 3 species

FLOWERING PLANTS

MONOCOTYLEDONS

401 taxa

Largest Families

Orchidaceae	:	123 species
Cyperaceae	:	61
Poaceae	:	59
Restionaceae	:	34
Anthericaceae	:	35

Largest Genera

<i>Caladenia</i>	:	31 species
<i>Schoenus</i>	:	22
<i>Thysanotus</i>	:	14

Weeds: 33 species (27 are grasses!)

ENDEMICS

Lepidosperma sp. nov. (GK2316) (Cyperaceae) Widespread, thicket, wind pollinated, resprouts.

Lepidosperma sp. nov. (GK 2310) (Cyperaceae) Eastern Peaks, thicket, wind pollinated, resprouts.

Schoenus sp. nov. (GK 3427) (Cyperaceae) Seepage line on cliffs on Bluff Knoll, related to unnamed species occurring between Busselton and Albany, wind pollinated, killed by fire.

Caustis sp. nov. (GK 1127) (Cyperaceae) Central and Eastern Peaks, thicket, related to an unnamed *Caustis* which occurs between Boyanup and Walpole, wind pollinated, killed by fire.

Restio ornatus (Restionaceae), Lowlands, Central and Eastern Stirlings, poorly known species rediscovered by author in 1981, perhaps more widespread.

Xyris sp. nov. (GK 7951), (Xyridaceae) Bogs on Bluff Knoll Plateau, bee pollinated, killed by fire, late spring flowering.

SYNOPSIS

NOTES:

(1) *Anigozanthos gabriellae* (dwarf kangaroo paw); almost endemic to the park but also found on the adjacent Camel Lake Nature Reserve.

(2) *Juncus meianthus* (Juncaceae); an aquatic rush, the population of this species in the Bluff Knoll waterfall creek is the only W.A. record of this Eastern Australian species.

(3) *Restio serialis* (Restionaceae); usually given as endemic, but also occurs at South Stirlings and Wellstead.

GEOGRAPHICALLY SIGNIFICANT RECORDS

1. Inland limit : 27 species
2. Western range limit : 7
3. Eastern range limit : 8

DICOTYLEDONS

1 116 Taxa

Largest Families		Largest Genera	
Myrtaceae	: 160 taxa	<i>Stylidium</i>	: 39
Proteaceae	: 141	<i>Eucalyptus</i>	: 52
Fabaceae	: 144	<i>Melaleuca</i>	: 30
Asteraceae	: 92	<i>Leucopogon</i>	: 28
Epacridaceae	: 66	<i>Acacia</i>	: 28
		<i>Dryandra</i>	: 25
		<i>Hakea</i>	: 24


Weeds: 60 species

ENDEMIC: 82 taxa

APIACEAE: *Xanthosia rotundifolia* var *hypoleuca* : Widespread, Peaks, thicket and heath; closely related to *X. rotundifolia* var *rotundifolia* from Busselton to Albany region. Insect pollinated, resprouts, spring and summer.

Xanthosia collina: Widespread, Peaks, thicket and heath, related jarrah/karri forest species. Insect pollinated, resprouts, spring.

DILLENIACEAE: *Hibbertia selkii*: Valleys central Stirlings, mallee heath, related to *H. miniata*, a jarrah forest species, bee pollinated, killed by fire, autumn-winter.



Bird's eye view of the flower of
Cosmelia rubra (spindle heath)

EPACRIDACEAE:

Andersonia axilliflora: Eastern Peaks, thicket, related to *A. echinocephala* (Stirlings - Fitzgerald Peaks). Bee pollinated, killed by fire, spring-summer.

Leucopogon acicularis: Bluff Knoll valleys, mallee heath, related to an unnamed species in Albany region. Bee pollinated, killed by fire, spring.

L. bracteolaris: Eastern Peaks. No data.

L. corifolius: Central Peaks. No data.

L. gnaphalioides: Eastern Peaks and Mondurup, thicket, relatives unknown, bee-wasp pollinated, killed by fire, spring.

L. lasiophyllum: Several taxa currently under this name, Royce 6109 is Stirling Range Form. Bluff Knoll Plateau and Toolbrunup. Thicket. This and the next two taxa related to a complex of species from the Jarrah/Karri, spring.

L. lasiostachys: Central and Western Peaks, thicket and mallee, insect pollinated, killed by fire, spring.

L.? *lasiostachys* (Powell 1241): Bluff Knoll valleys, mallee heath and woodland, insect pollinated, killed by fire, spring.

Sphenotoma drummondii Scree slopes and rocks, central and eastern peaks, relatives unknown, insect pollinated, killed by fire, spring.

S. sp (Wilson 4235): Peaks and valleys Mondurup to Ellens Peak. Mallee heath, related to *S. dracophylloides* of the Albany region. Insect pollinated, killed by fire, spring.

FABACEAE

Aotus aff. *genistoides* (GK 1227): Mondurup to Bluff Knoll, thicket, closely related to *A. genistoides* but has broader leaves and is a larger plant (*A. genistoides* from jarrah/karri forest), bee pollinated, killed by fire, spring.


Daviesia glossantha/*D. pseudophylla*: S.W. slopes of Bluff Knoll plateau, mallee heath unknown, spring.

Daviesia mesophylla: Eastern Peaks, thicket, unknown, bee pollinated, resprouts, spring.

Gompholobium aff. *burtonioides* (GK 3506): Central and Eastern Peaks, thicket and Mallee heath, bee pollinated, spring.

Gastrolobium aff. *velutinum* (GK 5407): Central and Eastern Stirlings (Pk. Donnelly to Mondurup), thicket and mallee, bee pollinated, killed by fire, spring.

SYNOPSIS



Blue banded native bee forcing open a flower of blood root (Haemodorum discolor) to obtain nectar

Latrobea aff. *genistoides* (Strid 21563): Bluff Knoll Plateau, thicket, pollination unknown, fire response unknown, spring.

NEMCIA

A major group of endemics; at least 9 taxa appear confined to the Range. Appears to be a natural grouping of closely related taxa. All spring flowering.

N. crenulata: Central and Eastern Peaks, mallee and thicket, bee pollinated, killed by fire. Related to a taxon from Thumb Peak.

[Note: A collection reputed to be this taxon from Thumb Peak (F.R.N.P.) does not have crenulate leaves.]

N. leakeana: Widespread, throughout range, thicket and mallee, bird pollinated, killed by fire.

N. lehmannii: Western Stirlings, not collected since 1909, ? ,?

N. formosa: Western Stirlings, thicket and mallee heath, bee pollinated, fire response unknown.

N. pulchella: Bluff Knoll Plateau and valleys, thicket and mallee heath, bird pollinated, killed by fire.

N. pyramidale: Western Stirlings, mallee heath, pollination and fire response unknown.

N. rubra: Widespread (including Hamilla Hills), thicket and mallee heath, bird pollinated, killed by fire.

N. vestita: Toolbrunup and Mt Hassell, thicket, bird pollinated, killed by fire.

N. sp. aff. rubra (GK 3446): Mondurup/Little Mondurup, thicket, bird pollinated, killed by fire.

N. aff. retusa (GK 3379): Eastern Peaks, thicket, bird pollinated, killed by fire.

Pultenaea aff. *aspalanthoides* (Royce 6067): Mondurup to Ellens Peak, thicket and mallee heath, bee pollinated, resprouts.

GOODENIACEAE

Selliera exigua (actually a *Velleia*): Collected by Drummond in 1854, rediscovered in 1981 by the author. Occurs around salt lakes, probably not endemic to the park but only known from here. Summer flowering.

Velleia foliosa: Lowland Central Stirlings and Peak; mallee heath and thicket, related to *V. macrophylla* of the jarrah and karri forest, bee pollinated, killed by fire, spring.

HALORAGACEAE

Gonocarpus aff. diffusus (GK 1222): Creeklines around Bluff Knoll, mallee heath and woodlands, wind pollinated, resprouts, spring.

G. rudis: Middle Stirling Peaks, thicket and mallee heath, wind pollinated resprouts, spring.

MIMOSACEAE

Acacia aswestoniana: Chester Pass, wandoo woodland, insect pollinated, killed by fire, winter.

A. veronica: Widespread, Donnelly Peak to Wedge Hill, and valleys; thicket, mallee and woodland. Insect pollinated, killed by fire, winter and spring.

MYRTACEAE

Agonis linearifolia var. *conspicua*: Lowland areas, a doubtfully distinct variant of the widespread *A. linearifolia*., insect pollinated, fire response unknown, spring.

Calothamnus affinis: Chester Pass valleys and slopes of Eastern Peaks, mallee heath, bird pollinated, resprouts, related to *C. huegelii* a southern wheatbelt species, summer.

Darwinia collina/*D. hypericifolia*/*D. lejustyla*/*D. macrostegia*/*D. meeboldii*/*D. oxylepis*/*D. squarrosa*/*D. wittwerorum*/*D. sp.* (See Chapter 7 of *Mountains of Mystery*).


Hypocalymma speciosum: Widespread on hills and slopes, mallee heath, insect pollinated, resprouts, winter and spring.

H. myrtifolium: Western and Central Peaks, mallee heath and thicket, insect pollinated, fire response unknown, spring.

H. phillipsii: Eastern Peaks only, thicket, insect pollinated, resprouts, spring.

The above three species appear related to *H. cordifolium* a swamp species of the jarrah/karri forest.

Kunzea montana: Widespread (including Hamilla Hills) on



SYNOPSIS



Needhamiella pumilio - a small heath at the inland margin of its range

hills, thicket and mallee heath, insect pollinated, killed by fire, spring and summer.

K. recurva var. *robusta*: Widespread on hills, mallee heath and thicket, related to widespread *K. recurva* of jarrah/karri forest, killed by fire, spring.

Eucalyptus erectifolia: Widespread, at low to mid slope elevations, pollination unknown, resprouts, summer.

Melaleuca propinqua: Central valleys, mallee heath, pollination and fire response unknown.

Rinzia morrisonii: Central Stirling Valleys and Peaks, mallee heath and thicket, insect pollinated, resprouts, spring.

Verticordia brevifolia ssp. *stirlingensis*: Central and northern valleys and plains, mallee heath, insect pollinated, fire response unknown, spring.

V. carinata: Slopes of Ellens Peak, mallee heath, pollination unknown, killed by fire, spring.

PROTEACEAE

Adenanthos filifolia: Widespread, Hamilla Hills to Eastern Peaks, thicket, bird pollinated, killed by fire, spring.

A. linearis: Lowland areas, northern margins of Stirling Range, bird pollinated, fire response unknown, winter and spring.

Banksia aculeata: Lowland areas around Western Peaks, mallee heath, bird pollinated, killed by fire. Related to *B. caleyi* a south coastal species, summer and autumn.

B. brownii ssp. nov.: Peaks from Mondurup to Bluff Knoll, thicket, bird pollinated, killed by fire, spring.

B. solandri: Windspread, all major peaks, and some valleys, thicket and mallee, bird pollinated, killed by fire, related to ?*B. grandis* a widespread forest and woodland species, spring.

Conospermum caerulescens ssp. *dorrienii*: Widespread (including Hamilla Hills), thicket and mallee heath, bee pollinated, killed by fire. Related to widespread *C. caerulescens*, spring.

C. spectabilis: Lowland areas around Central and Eastern Peaks, mallee heath, bee pollinated, killed by fire, spring.

Dryandra concinna: Central and Eastern Peaks, thicket and mallee heath, bird pollinated, killed by fire, spring and summer.

D. c.f. armata: Widespread, hills and slopes, mallee heath and thicket, bird pollinated, killed by fire, spring.

D. sp. nov.: Bluff Knoll Plateau, thicket, bird pollinated, killed by fire, summer.

D. sp. nov.: Central Stirlings, mallee heath, bird pollinated, fire response unknown.

Hakea ambigua (See notes)

Lambertia ericifolia (See notes)

L. fairallii: Rare, ridgelines of Ellens Peak, thicket, bird pollinated, killed by fire, spring.

Isopogon latifolius: Widespread, on peaks and valleys, thicket and mallee heath, bee pollinated, killed by fire. Related to *I. cuneatus* of the Albany region, spring.

Petrophile anceps: Low hills and valleys of Eastern and Central Stirlings, mallee heath, killed by fire, spring.

P. carduacea: Central Stirlings, valleys, mallee heath, bee pollinated, killed by fire, related to *P. diversifolia* of jarrah/karri forests, spring.

Persoonia sp. nov.: Bluff Knoll Plateau, thicket, bee pollinated, killed by fire, related to *P. graminifolia* of karri/jarrah forest, summer.

PORTULACACEAE

Rumicistrum chaemacladum: Central Stirling Valleys, mallee heath and woodland, insect pollinated, annual post fire species, spring.

RHAMNACEAE

Spyridium sp. aff. *globulosum* (GK 6193): Valleys of Mondurup, Mt Hassell and Bluff Knoll, mallee heath and thicket, insect pollinated, killed by fire. Related to unnamed species of *Spyridium* from Albany region, spring.

STERCULIACEAE

Thomasia sp. nov.: Eastern Peaks, thicket, bee pollinated, killed by fire, related to *T. brachystachya* a karri forest species, spring.

Lasiopetalum dielsii: Eastern Peak valleys, mallee heath, pollination unknown, killed by fire, spring.

STYLIDIACEAE

Stylidium keigheryi: Bluff Knoll Plateau, edges exposed rock slabs, bee pollinated, killed by fire, related to *S. pritzelianum* of the karri forest, summer.

S. spinulosum ssp. *montana*: Widespread, Western to Eastern Peaks, thicket, pollination, fire response unknown, *S. spinulosum* is a jarrah/karri forest species, spring.

SYNOPSIS

S. verticillatum: Widespread, on peaks and valleys, thicket and mallee heath, rarely banksia woodland, bee pollinated, killed by fire, related to *S. scandens* a jarrah/karri forest species, spring and summer.

S. sp. nov. (GK 1217): Mondurup to Bluff Knoll Plateau, on sheet rock faces in clefts, pollination and fire response unknown. Related to *S. glaucum* a jarrah and karri forest species, summer.

NOTES: (1) *Andersonia echinocephala* (Epacridaceae): Often considered endemic to the range but also extends to the Barren Ranges.

(2) *Amperea conferta* (Euphorbiaceae): Again largely confined to the ranges but one collection from East Mt Barren.

(3) *Jacksonia calycina* (Fabaceae): Almost confined to park, but also occurs on Sukey's Peak, near Cranbrook and on small sandstone hills near Woogenillup Road.

(4) *Mirbelia subcordata* (Fabaceae): Extends marginally to areas outside the park, around Cranbrook and the hills to the south.

(5) *Calothamnus crassus* (Myrtaceae): One collection reputed to be this species has been recorded from Scott River Plain, near Augusta. This appears to be a different taxon and this species is probably endemic to the Range.

(6) *Chamelaucium confertiflorum* (Myrtaceae): Extends marginally outside the park to siltstones along Pillenorup Road, since cleared. Probably now confined to the park.

(7) *Eucalyptus talyuberlup* (Myrtaceae): Almost confined to the park, except for the outlying population on Pallinup siltstone on Tackalcharup Creek.

(8) *Adenanthos velutinus* (Proteaceae): This species is confined to Geekabee Hill, although not in the park, it is geologically part of the Stirling Range, and could be considered endemic. Closely related to *A. filifolius*.

(9) *Hakea ambigua* (Proteaceae): This species extends to Sukey's Peak and Geekabee Hill, Mallee heath, and thicket. Insect pollinated, killed by fire. Closely related to *H. falcata*, a karri/Jarrah forest species.

(10) *Lambertia ericifolia* (Proteaceae): Widespread at middle altitudes in Stirlings, also occurs on the Hamilla Hills and Sukeys Peak, mallee heath and thicket, bird pollinated, killed by fire.

(11) *Isopogon baxteri* (Proteaceae): Usually considered endemic to the Range, hence common name Stirling Range cone-flower but also extends south of the park to South Sister, Waychinicup and Mount Manypeaks.

(12) *Muiriantha hassellii* (Rutaceae): Almost confined to the Stirling Range, however outlying populations are found along the ridgeline of Mount Manypeaks.


(13) *Cryptandra pumila* (Rhamnaceae): Usually considered an endemic, but one population reputed to be this species has been recorded in jarrah forest on Brookton Highway.

(14) *Platytheca juniperina* (Tremandraceae): Mainly confined to the Range, but populations also known from Mount Lindesay and the Barren Ranges.

(15) *Tetratheca pubescens* (Tremandraceae): Virtually confined to the park, except for one record from South Stirling Nature Reserve, another from Pallinup Siltstone on Napier Creek near Porongurups.

RANGE ENDS	SPECIES
Inland Margin of Range	: 113
Southern Margin of Range	: 28
Western Margin of Range	: 34
Eastern Margin of Range	: 17

Prickly poison (*Gastrolobium spinosum*). The southern wheatbelt form of this species reaches the south-western margin of its range in the park.




FLORA LIST

KEY to the following table

COLUMNS

- E** : Endemic to Park
RE : Range End
* : inland margin
x : S, W or E margin
- SL** : Salt Lakes
GR : Granite Rock
DIST : Disturbed Areas (Road sides, campsites, picnic sites)
SWP : Swamps, Creeklines
Wand : Wandoo or Yate Woodland
J/M : Jarrah-Marri Woodland
B : Banksia Woodland
H : Mallee Heath
T : Thicket



Sphenotoma drummondii (*mountain paper heath*) endemic to Stirling Range.
Grows on rock faces and scree slopes.

FLORA LIST

TAXON	E	RE	SL	GR	DIST	SWP	WAND	J/M	B	H	T
FERNS											
<i>Adiantum aethiopicum</i>		x									x
<i>Asplenium aethiopicum</i>											x
<i>Asplenium flabellifolium</i>								x			x
<i>Cheilanthes austrotenuifolia</i>				x			x	x			x
<i>Lindsaea linearis</i>		x				x		x			
<i>Phylloglossum drummondii</i>						x					
<i>Pitularia novae-hollandiae</i>		x				x					
<i>Pleurosorus rutifolius</i>				x							x
<i>Schizaea fistulosa</i>		x				x					x
<i>Selaginella gracillima</i>						x					
GYMNOSPERMS											
CUPRESSACEAE											
<i>Actinostrobus pyramidalis</i>						x					
<i>Callitris drummondii</i>			x								
<i>C. roei</i>									x	x	
ALISMATACEAE											
<i>Damasonium minus</i>		x				x					
MONOCOTYLEDONS											
ANTHERICACEAE											
<i>Borya laciniata</i>						x					
<i>Borya scirpoidea</i>							x	x	x	x	
<i>Borya sphaerocephala</i>				x							
<i>Caesia micrantha</i>							x	x	x	x	
<i>Caesia occidentalis</i>		*				x					
<i>Chamaescilla corymbosa</i>							x	x	x	x	x
<i>Chamaescilla spiralis</i>							x				
<i>Corynotheca micrantha</i>									x	x	
<i>Dichopogon fimbriatus</i>				x							
<i>Johnsonia acaulis</i>								x	x	x	
<i>Johnsonia teretifolia</i>		*								x	
<i>Laxmannia brachyphylla</i>		x							x	x	
<i>L. omnifertilis</i>										x	
<i>L. grandiflora</i>		x								x	
<i>L. minor</i>						x	x				
<i>L. sessiliflora</i> ssp. <i>australis</i>							x	x	x	x	x

TAXON	E	RE	SL	GR	DIST	SWP	WAND	J/M	B	H	T
<i>L. squarrosa</i>									X	X	
<i>Sowerbaea laxiflora</i>							X	X	X	X	
<i>Stawellia gymnocephala</i>		X					X				
<i>Tricoryne eyreana</i>		X								X	
<i>T. humilis</i>								X		X	
<i>Thysanotus arenarius</i>										X	X
<i>T. brevifolius</i>									X		
<i>T. gageoides</i>										X	
<i>T. glaucifolius</i>		X								X	
<i>T. manglesianus</i>						X		X	X	X	X
<i>T. multiflorus</i>									X		
<i>T. parviflorus</i>								X		X	X
<i>T. patersonii</i>			X	X				X		X	
<i>T. pseudojunceus</i>										X	
<i>T. pauciflorus</i>										X	X
<i>T. sparteus</i>							X	X			
<i>T. tenellus</i>						X					
<i>T. triandrus</i>									X	X	
<i>T. thyrsoides</i>								X	X	X	
ASPHODELACEAE											
<i>Bulbine semibarbata</i>				X		X	X				
CENTROLEPIDACEAE											
<i>Aphelia cyperoides</i>				X			X	X	X	X	
<i>Brizula muelleri</i>			X	X			X				
<i>Brizula nutans</i>						X					
<i>Centrolepis aristata</i>				X		X	X	X	X	X	X
<i>C. drummondiana</i>							X	X	X	X	
<i>C. glabra</i>						X					
<i>C. pilosa</i>						X		X			
<i>C. polygyna</i>			X	X							
<i>C. strigosa</i>									X		
<i>Trithuria bibracteata</i>						X					
<i>T. submersa</i>						X					
COLCHICACEAE											
<i>Burchardia multiflora</i>				X		X					
<i>B. umbellata</i>								X	X	X	

TAXON	E	RE	SL	GR	DIST	SWP	WAND	J/M	B	H	T
<i>Wurmbea dioica</i> ssp. <i>alba</i>						x	x				
<i>W. tenella</i>				x							
CYPERACEAE											
<i>Baumea acuta</i>						x					
<i>Baumea articulata</i>						x					
<i>Baumea juncea</i>						x					
<i>Carex inversa</i>							x				
<i>Caustis dioica</i>										x	
<i>Caustis</i> sp. aff. <i>pentandra</i> (GK 1127)	x									x	x
<i>Chorizandra enodis</i>						x					
<i>Cyathochaeta avenacea</i>									x	x	x
* <i>Cyperus tenellus</i>				x	x	x	x				
<i>Eleocharis acuta</i>						x					
<i>Gahnia ancistrophylla</i>							x			x	
<i>Gahnia aristata</i>			x							x	
<i>Gahnia preissii</i>						x					
<i>Gahnia trifida</i>			x								
<i>Isolepis cyperoides</i>				x					x		
<i>I. fluitans</i>						x					
<i>I. marginatus</i>								x	x	x	
<i>I. nodosa</i>				x		x					
<i>I. stellata</i>				x						x	
<i>I. congrua</i>						x				x	
<i>I. cernua</i>						x				x	
<i>Lepidosperma angustatum</i>							x	x	x	x	
<i>L. carphoides</i>									x	x	
<i>L. effusum</i>						x					
<i>L. leptostachyum</i>										x	
<i>L. longitudinale</i>			x				x		x	x	
<i>L. scabrum</i>								x		x	
<i>L. tenue</i>							x			x	x
<i>L. tetraquetrum</i>		x				x					
<i>L.</i> sp. nov (GK 2310)	x										x
<i>L.</i> sp. (GK 2316)	x										x
<i>Mesomelaena graciliceps</i>								x			x
<i>M. pseudostygia</i>								x		x	x
<i>M. stygia</i>									x	x	x
<i>M. tetragona</i>						x		x		x	x
<i>Schoenus andrewsii</i>								x			x
<i>S. brevisetis</i>											

TAXON	E	RE	SL	GR	DIST	SWP	WAND	J/M	B	H	T
<i>S. brevifolius</i>		x									
<i>S. caespitius</i>						x	x	x	x	x	
<i>S. curvifolius</i>									x	x	
<i>S. ? humilis</i> (GK 7206)										x	
<i>S. grammatophyllus</i>										x	
<i>S. laevigatus</i>								x	x	x	
<i>S. nanus</i>									x	x	
<i>S. obtusifolius</i>		x							x	x	
<i>S. odontocarpus</i>									x	x	x
<i>S. pedicellatus</i>										x	
<i>S. pleiostemoneus</i>									x	x	
<i>S. submicrostachyus</i>						x					
<i>S. trachycarpus</i>										x	
<i>S. subbarbatus</i>								x	x	x	
<i>S. subflavus</i>									x	x	
<i>S. sp. aff. pleiostemoneus</i> (GK 5856)										x	
<i>S. sp. aff. pennisetis</i> (GK 1272)									x		
<i>S. sp.</i> (GK 5573)										x	
<i>S. sp.</i> (GK 3427)	x										x
<i>S. sp.</i> (GK 5408)										x	
<i>Tetraria capillaris</i>						x					
<i>Tetraria octandra</i>									x		
<i>Tetraria sp.</i> (GK 5760)						x		x			
<i>Tricostularia neesii</i>						x					
DASYPOGONACEAE											
<i>Chamaexeros serra</i>							x				
<i>Kingia australis</i>		*					x	x		x	x
<i>Lomandra andrewsii</i>									x		
<i>L. caespitosa</i>							x				
<i>L. effusa</i>							x				
<i>L. hastilis</i>									x	x	
<i>L. micrantha</i>							x	x			
<i>L. integra</i>							x	x			
<i>L. nigricans</i>							x	x	x	x	
<i>L. nutans</i>		x								x	
<i>L. pauciflora</i>		*								x	x
<i>L. preissii</i>											
<i>L. rupestris</i>									x		
<i>L. sericea</i>										x	
<i>Xanthorrhoea platyphylla</i>		*					x	x	x	x	x

HAEMODORACEAE

*Anigozanthos humilis**A. gabrielae**A. onycis**A. gabrielae* x *A. humilis**A. rufus**Conostylis deplexa**C. misera**C. petrophiloides**C. pusilla**C. seorsiflora* ssp. *seorsiflora**C. setigera* ssp. *setigera**C. serrulata**C. vaginata**Haemodorum brevisepalum**H. laxum**H. discolor**H. simplex**H. sparsiflorum**H. spicatum**Phlebocarya ciliata*

IRIDACEAE

* *Gynandiris setifolia** *Homeria flaccida**Orthrosanthus laxus* var. *laxus**Orthrosanthus laxus* var. *gramineus**Orthrosanthus muelleri**Orthrosanthus multiflorus**Patersonia juncea**Patersonia lanata**Patersonia limbata**Patersonia occidentalis**Patersonia pygmaea**Patersonia umbrosa* var. *umbrosa** *Romulea rosea** *Watsonia bulbillifera*

TAXON	E	RE	SL	GR	DIST	SWP	WAND	J/M	B	H	T
<i>Anigozanthos humilis</i>									X		
<i>A. gabrielae</i>		X								X	
<i>A. onycis</i>		*							X	X	
<i>A. gabrielae</i> x <i>A. humilis</i>					X				X	X	
<i>A. rufus</i>		*							X	X	
<i>Conostylis deplexa</i>		X							X	X	
<i>C. misera</i>		*								X	
<i>C. petrophiloides</i>										X	
<i>C. pusilla</i>		*								X	
<i>C. seorsiflora</i> ssp. <i>seorsiflora</i>		*					X	X			
<i>C. setigera</i> ssp. <i>setigera</i>								X			
<i>C. serrulata</i>								X		X	
<i>C. vaginata</i>		*							X	X	
<i>Haemodorum brevisepalum</i>		X							X	X	
<i>H. laxum</i>							X			X	
<i>H. discolor</i>							X				
<i>H. simplex</i>						X					
<i>H. sparsiflorum</i>				X		X					
<i>H. spicatum</i>								X	X	X	
<i>Phlebocarya ciliata</i>		*						X	X		
IRIDACEAE											
* <i>Gynandiris setifolia</i>					X						
* <i>Homeria flaccida</i>					X		X				
<i>Orthrosanthus laxus</i> var. <i>laxus</i>								X	X	X	
<i>Orthrosanthus laxus</i> var. <i>gramineus</i>									X		
<i>Orthrosanthus muelleri</i>		X								X	
<i>Orthrosanthus multiflorus</i>		*						X		X	
<i>Patersonia juncea</i>								X		X	
<i>Patersonia lanata</i>		*								X	
<i>Patersonia limbata</i>		*					X		X	X	
<i>Patersonia occidentalis</i>								X	X	X	
<i>Patersonia pygmaea</i>								X		X	
<i>Patersonia umbrosa</i> var. <i>umbrosa</i>		*					X	X			
* <i>Romulea rosea</i>					X		X	X			
* <i>Watsonia bulbillifera</i>					X						

TAXON	E	RE	SL	GR	DIST	SWP	WAND	J/M	B	H	T
<i>C. longicauda</i> ssp. "eminens"							X	X	X	X	
<i>C. macrostylis</i>							X	X	X		
<i>C. marginata</i>							X	X	X	X	X
<i>C. multiclavata</i>							X				
<i>C. nana</i> ssp. <i>nana</i>							X	X			
<i>C. nana</i> ssp. "unita"							X		X		
<i>C. pectinata</i>							X				
<i>C. plicata</i>							X				
<i>C. "polychroma</i> ssp. <i>polychroma</i> "							X	X	X	X	
<i>C. reptans</i>							X	X			
<i>C. roei</i>							X				
<i>C. saccharata</i>							X	X		X	
<i>C. "serotina"</i>							X	X	X		X
<i>C. x triangularis</i>							X				
<i>C. reptans</i> x <i>flava</i>							X		X		
<i>C. "ultima</i> ssp. <i>ultima</i> "							X		X		
<i>C. "varians</i> ssp. <i>varians</i> "							X		X		
<i>C. "varians</i> ssp. <i>horistes</i> "							X		X		
<i>Corybas recurva</i>	X							X		X	X
<i>Calochilus ?campestris</i>	X							X			
<i>Cryptostylis ovata</i>				X						X	X
<i>Cyanicula caerulea</i> ssp. "apertata"	X		X								
<i>C. deformis</i>	X										
<i>C. gemmata</i>							X	X	X		
<i>C. sericea</i>							X	X			
<i>Diuris amplissima</i>							X				
<i>D. corymbosa</i>							X				
<i>D. emarginata</i>						X		X			
<i>D. laxiflora</i>							X				
<i>D. laevis</i>						X					
<i>D. longifolia</i>				X			X	X	X	X	X
<i>D. setacea</i>				X		X				X	
<i>Drakaea confluens</i>										X	
<i>D. glyptodon</i>								X	X	X	
<i>D. "gracilis"</i>										X	
<i>D. "livida"</i>										X	
<i>D. micrantha</i>										X	
<i>Drakonorchis barbarossa</i>							X	X			
<i>Elythranthera brunonis</i>							X	X	X	X	X
<i>E. emarginata</i>							X				
<i>Eriochilus dilatatus</i> ssp. <i>multiflorus</i>							X	X			X
<i>E. dilatatus</i> ssp. <i>undulatus</i>							X				

TAXON	E	RE	SL	GR	DIST	SWP	WAND	J/M	B	H	T
<i>E. "helonomos"</i>						X	X				
<i>E. scaber ssp. scaber</i>							X	X			
<i>E. tenuis</i>							X	X		X	
<i>Gastrodia lacista</i>						X		X			
<i>Leporella fimbriata</i>							X			X	
<i>Leptoceras menziesii</i>							X	X		X	
<i>Lyperanthus serratus</i>						X		X	X	X	X
<i>Microtis alba</i>						X	X				
<i>M. atrata</i>						X					
<i>M. orbicularis</i>						X					
<i>M. rara</i>						X	X				
<i>M. media ssp. media</i>						X	X	X	X	X	
<i>M. sp. aff. alba</i>						X	X				
<i>*Monadenia bracteata</i>				X			X	X	X	X	X
<i>Paracaleana nigrita</i>							X	X		X	
<i>Praecoxanthus aphyllus</i>								X	X		
<i>Prasophyllum cucullata</i>							X				
<i>P. cyphochilum</i>						X					
<i>P. elatum</i>						X					
<i>P. fimbria</i>							X				
<i>P. gibbosum</i>							X				
<i>P. hians</i>							X				
<i>P. macrostachyum</i>				X		X					
<i>P. ovale var. triglochis</i>							X				
<i>P. parvifolium</i>										X	
<i>P. plumaeforme</i>							X			X	
<i>P. regium</i>							X			X	
<i>P. ringens</i>				X							
<i>P. sargentii</i>							X				X
<i>P. triangulare</i>							X				
<i>P. sp. aff. parvifolium</i>							X				
<i>Pterostylis angustata</i>										X	
<i>P. aspera</i>							X	X		X	
<i>P. barbata</i>							X	X	X	X	
<i>P. ciliata</i>							X	X			
<i>P. concava</i>							X	X			
<i>P. dilatata</i>							X	X		X	
<i>P. hamiltonii</i>							X	X			
<i>P. nana</i>				X			X	X	X	X	X
<i>P. recurva</i>							X	X	X	X	X
<i>P. sargentii</i>							X			X	
<i>P. scabra</i>										X	

TAXON	E	RE	SL	GR	DIST	SWP	WAND	J/M	B	H	T
<i>P. vittata</i> var. <i>vittata</i>							X	X		X	X
<i>P. vittata</i> var. <i>subdifformis</i>							X	X			
<i>Thelymitra antennifera</i>				X			X				
<i>T. azurea</i>							X				
<i>T. benthamiana</i>							X				
<i>T. campanulata</i>							X	X		X	
<i>T. canaliculata</i>							X	X		X	
<i>T. cornicina</i>							X				
<i>T. crinita</i>				X			X	X		X	
<i>T. cucullata</i>						X		X		X	
<i>T. flexuosa</i>				X						X	X
<i>T. fuscolutea</i>							X	X		X	
<i>T. macrophylla</i>							X				
<i>T. mucida</i>							X				
<i>T. nuda</i>							X	X	X	X	
<i>T. pauciflora</i>				X						X	
<i>T.x psammophila</i>										X	
<i>T. spiralis</i>							X			X	
<i>T. variegata</i>										X	X
<i>T. villosa</i>										X	
<i>T. sp. aff. macrophylla</i>							X			X	
PHILYDRACEAE											
<i>Philydrella drummondii</i>						X					
<i>P. pygmaea</i>			X	X		X	X				
POACEAE											
(Grasses)											
<i>Agropyron scabrum</i>								X		X	
<i>Agrostis avenacea</i>				X			X	X			
<i>A. preissii</i>						X	X				
* <i>Aira cupaniana</i>				X	X		X				X
* <i>A. elegantissima</i>				X	X		X				
<i>Amphipogon amphipogonoides</i>		*						X	X		
<i>A. avenaceus</i>										X	
<i>A. strictus</i>										X	X
<i>A. turbinatus</i>							X	X	X	X	
<i>Aristida contorta</i>				X			X				
* <i>Avena barbata</i>					X		X				
* <i>A. sativa</i>					X						
* <i>Briza maxima</i>				X	X		X		X		

TAXON	E	RE	SL	GR	DIST	SWP	WAND	J/M	B	H	T
<i>*B. minor</i>				X	X		X				
<i>*Bromus diandrus</i>					X		X				
<i>*B. hordeaceus</i>					X		X				
<i>*B. sp. (GK 5660)</i>					X		X				
<i>*B. rubens</i>					X		X				
<i>Cymbopogon ambiguus</i>				X							
<i>*Cynodon dactylon</i>					X						
<i>Cyperochloa hirsuta</i>		*	X				X			X	
<i>Danthonia acerosa</i>								X		X	
<i>Danthonia caespitosa</i>								X	X	X	X
<i>D. pilosa</i>								X	X	X	
<i>D. racemosa</i>											
<i>D. setacea</i> var. <i>setacea</i>								X			
<i>D. setacea</i> var. <i>brevisetata</i>		X						X			
<i>Deyeuxia quadriseta</i>		X								X	
<i>*Ehrharta calycina</i>					X						
<i>*E. longiflora</i>					X		X				
<i>Eragrostis benthamiana</i>							X				
<i>*E. curvula</i>					X						
<i>E. elongata</i>				X			X	X			
<i>*Lagurus ovatus</i>				X	X						
<i>*Lolium rigidum</i>				X	X		X				
<i>*L. perenne</i>					X						
<i>*L. temulentum</i>							X				
<i>Neurachne alopecuroidea</i>								X	X	X	
<i>*Pentaschistis airoides</i>					X		X	X			
<i>*Poa annua</i>					X	X					
<i>*Phalaris minor</i>			X			X					
<i>Poa drummondiana</i>				X			X				
<i>P. porphyroclados</i>										X	
<i>*Phalaris paradoxa</i>			X		X						
<i>*Parapholis incurva</i>			X								
<i>*Polypogon monspeliensis</i>			X								
<i>Puccinellia stricta</i>			X								
<i>Stipa elegantissima</i>							X			X	
<i>S. hemipogon</i>							X			X	
<i>S. juncifolia</i>			X								
<i>S. macalpinei</i>						X	X	X	X	X	X
<i>S. pycnostachya</i>							X			X	
<i>S. trichophylla</i>							X				
<i>S. sp. aff. trichophylla (GK 5462)</i>							X				
<i>S. variabilis</i>							X				

TAXON	E	RE	SL	GR	DIST	SWP	WAND	J/M	B	H	T
<i>Tetrarrhena laevis</i>	x							x			
* <i>Triticum aestivum</i>					x					x	
* <i>Vulpia bromoides</i>			x	x	x		x				
* <i>V. membranacea</i>					x		x				
POTAMOGETONACEAE											
<i>Potamogeton drummondii</i>						x					
RESTIONACEAE											
<i>Anarthria gracilis</i>										x	
<i>A. humilis</i>	x						x	x		x	x
<i>A. laevis</i>										x	x
<i>A. polyphylla</i>	x									x	
<i>A. prolifera</i>								x	x	x	x
<i>A. scabra</i>							x	x	x	x	x
<i>Harperia lateriflora</i>							x				
<i>Leptocarpus aristatus</i>						x					
<i>L. canus</i>						x					
<i>L. coangustus</i>						x					
<i>L. humilis</i>	*	x				x				x	
<i>L. tenellus</i>						x				x	
<i>Lepyrodia drummondiana</i>										x	
<i>L. monoica</i>									x	x	x
<i>L. stricta</i>										x	
<i>Lepidobolus preissianus</i>		x					x	x	x	x	
<i>Hypolaena exsulca</i>									x	x	
<i>H. fastigiata</i>							x	x		x	
<i>H. ramosissima</i>										x	
<i>Loxocarya aspera</i>									x	x	
<i>L. castanea</i>	*									x	
<i>L. fasciculata</i>							x			x	
<i>L. flexuosa</i>							x	x	x	x	
<i>L. tenuis</i>	x									x	
<i>Lyginia barbata</i>								x	x	x	
<i>Onychosepalum laxiflorum</i>	*								x	x	
<i>Restio abortivus</i>	*									x	
<i>R. capillaceus</i>	*									x	
<i>R. confertospicatus</i>	*								x	x	
<i>R. laxus</i>								x		x	
<i>R. leptocarpoides</i>						x	x	x			

TAXON	E	RE	SL	GR	DIST	SWP	WAND	J/M	B	H	T
-------	---	----	----	----	------	-----	------	-----	---	---	---

R. leucoblephara

R. ornatus

R. serialis

R. sphacelatus

XYRIDACEAE

Xyris sp. nov. (GK 7951)

DICOTYLEDONS

AIZOACEAE

Carpobrotus modestus

Disphyma crassifolium

Macarthuria sp. (GK 12713)

AMARANTACEAE

Ptilotus humilis

P. manglesii

P. spathulatus

P. stirlingii

APIACEAE

Actinotus glomeratus

A. minor

Apium annuum

Daucus glochidiatus

Eryngium pinnatifidum

Homaloscadium homalocarpum

Hydrocotyle alata

H. blepharocarpa

H. callicarpa

H. diantha

H. medicaginoides

H. pilifera var. *glabrata*

H. rugulosa

Platysace compressa

P. commutata

P. sp. aff. filiformis

P. teres

Schoenolaena tenuior

		*	x								
x		*								x	
		*						x			
x											x
			x	x			x				
			x								
	x									x	
		x	x							x	
								x	x	x	
										x	
										x	
										x	
										x	
										x	
										x	
										x	
										x	
										x	
										x	
										x	
										x	
										x	
										x	
										x	
		*								x	
						x					

TAXON	E	RE	SL	GR	DIST	SWP	WAND	J/M	B	H	T
<i>Trachymene croniniana</i>		x								x	
<i>T. cyanopetala</i>							x			x	x
<i>T. pilosa</i>							x	x	x	x	x
<i>Xanthosia</i> aff. <i>ciliata</i> (GK 1143)		x						x			
<i>X. collina</i>	x									x	x
<i>X. pusilla</i>								x	x	x	
<i>X. rotundifolia</i> var. <i>rotundifolia</i>								x		x	
<i>X. rotundifolia</i> var. <i>hypoleuca</i>	x									x	x
<i>X. singuliflora</i>		*							x	x	
ASTERACEAE											
<i>Actinobole uliginosum</i>			x	x							
<i>Angianthus drummondii</i>			x								
<i>A. preissianus</i>			x								
<i>A. tomentosus</i>			x								
* <i>Arctotheca calendula</i>				x	x		x			x	
<i>Asteridea asteroides</i>		x									
<i>Asteridea nivea</i>											
<i>Brachycome ciliaris</i>							x				
<i>B. glandulosa</i>			x								
<i>B. iberidifolia</i>							x	x	x	x	
<i>B. perpusilla</i> var. <i>perpusilla</i>			x	x			x	x			
<i>B. perpusilla</i> var. <i>tenella</i>							x				x
<i>B. pusilla</i>				x			x				
* <i>Carduus pycnocephalus</i>				x			x				
<i>Centipeda minima</i>		x		x							
* <i>Centaurea melitensis</i>					x		x				
<i>Chrysocoryne drummondii</i>			x								
<i>C. pusilla</i>				x							
<i>C. tridens</i>		x	x								
* <i>Cirsium vulgare</i>				x							
* <i>Conyza albida</i>					x						
* <i>C. bonariensis</i>					x						
* <i>C. parva</i>					x						
<i>Cotula australis</i>			x	x		x					
* <i>C. bipinnata</i>					x						
<i>C. coronopifolia</i>						x					
<i>C. cotuloides</i>			x								
<i>C. drummondii</i>				x		x					
* <i>C. turbinata</i>					x						
<i>Craspedia pleiocephala</i>		*					x	x		x	
* <i>Dittrichia graveolens</i>					x						

TAXON	E	RE	SL	GR	DIST	SWP	WAND	J/M	B	H	T
<i>*Gnaphalium claviceps</i>				X		X					
<i>G. gymnocephalum</i>	*					X				X	X
<i>G. indutum</i>	*			X							
<i>*G. subfalcatum</i>						X					
<i>G. sphaericum</i>				X		X		X			
<i>Helichrysum apiculatum</i>	X						X	X			
<i>H. davenportii</i>	X						X				
<i>H. lepidophyllum</i>							X		X		
<i>H. leucopsidium</i>								X		X	
<i>H. macranthum</i>	*										X
<i>H. obtusifolium</i>										X	
<i>Helipterum demissum</i>				X							
<i>H. manglesii</i>							X				
<i>H. polycephalum</i>	X								X		
<i>H. pygmaeum</i>				X			X	X	X		X
<i>H. tenellum</i>	X						X				
<i>Hyalospermum cotula</i>				X		X	X			X	
<i>*Hypochaeris glabra</i>				X	X		X			X	
<i>* H. radicata</i>											X
<i>Ixiolaena viscosa</i>									X	X	
<i>Lagenifera huegelii</i>						X	X	X	X	X	X
<i>L. stipitata</i>						X					
<i>Millotia myosotidifolia</i>			X	X		X	X	X	X	X	X
<i>M. tenuifolia</i>								X	X		
<i>Myriocephalus rhizocephalus</i>	*					X					
<i>Olearia ciliata</i>							X				
<i>O. elaeophila</i>										X	
<i>O. paucidentata</i>								X			
<i>O. rudis</i>							X	X		X	
<i>Pithocarpa melanostigma</i>	*							X		X	
<i>Podolepis capillaris</i>										X	
<i>P. lessonii</i>	X					X					
<i>P. gracilis</i>										X	
<i>Podotheca angustifolia</i>				X			X	X	X	X	X
<i>P. gnaphalioides</i>							X		X		
<i>Pogonolepis muelleriana</i>	X					X					
<i>*Pseudognaphalium luteo-album</i>			X		X	X	X				
<i>Quinetia urvillei</i>				X					X		X
<i>Rutidosia multiflorus</i>				X			X			X	X
<i>Senecio lautus ssp.maritimus</i>			X	X						X	X
<i>S. glossanthus</i>			X	X							
<i>S.? hispidulus (GK 5556)</i>									X		

TAXON	E	RE	SL	GR	DIST	SWP	WAND	J/M	B	H	T
<i>S. minimus</i>							X	X	X	X	
<i>S. picridioides</i>							X				
<i>S. quadridentatus</i>									X		X
* <i>S. vulgaris</i> (CK 3433)										X	
<i>Siloxerus humifusus</i>									X	X	X
* <i>Soliva pterosperma</i>				X							
* <i>Sonchus asper</i>						X					
* <i>S. oleraceus</i>				X	X		X				X
<i>Stuartina muelleri</i>	X	X									
* <i>Trichocline spathulata</i>	*					X					
* <i>Ursinia anthemoides</i>				X			X		X	X	
* <i>Vellereophyton dealbatum</i>			X	X	X						
<i>Vittadinia australasica</i>							X	X			
<i>V. gracilis</i>	X						X				
<i>Waitzia acuminata</i>							X			X	
<i>W. aurea</i>							X				
<i>W. citrina</i>							X			X	
<i>W. paniculata</i>							X		X		X
<i>W. suaveolens</i>				X		X	X			X	
BRASSICACEAE											
* <i>Brassica tournefortii</i>				X	X						
* <i>Hymenolobus procumbens</i>			X								
<i>Lepidium aschersonii</i>			X								
* <i>L. africanum</i>							X		X		
<i>L. rotundum</i>			X	X			X				
* <i>Raphanus raphanistrum</i>					X						
CAESALPINIACEAE											
<i>Cassia nemophila</i>	X			X							
CALLITRICHACEAE											
* <i>Callitriche stagnalis</i>					X	X					
CARYOPHYLLACEAE											
* <i>Cerastium glomeratum</i>					X		X	X			
* <i>Petrorhagia velutina</i>					X						
* <i>Sagina apetala</i>			X		X						
* <i>Spergularia rubra</i>			X		X						

TAXON	E	RE	SL	GR	DIST	SWP	WAND	J/M	B	H	T
* <i>S. diandra</i>				x			x				
* <i>Silene gallica</i>									x		
CASUARINACEAE											
<i>Allocasuarina decussata</i>	*										*
<i>A. huegeliana</i>				x							
<i>A. humilis</i>							x	x	x	x	
<i>A. lehmanniana</i>							x			x	
<i>A. microstachya</i>										x	
<i>A. thuyoides</i>							x	x		x	
<i>A. trichodon</i>										x	
<i>Casuarina dorrenii</i>	*									x	x
CHENOPODIACEAE											
<i>Atriplex exilifolia</i>			x								
<i>A. paludosa</i>			x								
<i>A. semibaccata</i>			x								
* <i>Chenopodium album</i>				x	x						
<i>Enchylaena tomentosa</i>			x								
<i>Halosarcia halocnemoides</i>			x								
<i>H. indica</i>			x								
<i>H. lepidosperma</i>			x								
<i>H. pergranulata</i>			x								
<i>H. syncarpa</i>			x								
<i>Rhagodia baccata</i>			x								
<i>Sarcocornia quinqueflora</i>			x								
<i>Tegicornia uniflora</i>			x								
<i>Threlkeldia diffusa</i>			x								
CRASSULACEAE											
<i>Crassula colorata</i> var <i>colorata</i>				x		x	x	x			x
<i>C. colorata</i> var <i>miriamiae</i>								x			x
<i>C. decumbens</i> var <i>decumbens</i>			x		x	x					
<i>C. exserta</i>			x				x	x	x	x	x
* <i>C. natans</i>			x	x		x					
<i>C. pedicellosa</i>							x	x			
<i>C. peduncularis</i>				x			x				x
<i>C. sieberana</i> ssp. <i>tetramera</i>											x

TAXON	E	RE	SL	GR	DIST	SWP	WAND	J/M	B	H	T
CAMPANULACEAE											
* <i>Wahlenbergia capensis</i>					x	x			x		
<i>W. preissii</i>				x		x	x	x	x	x	x
<i>W. simplicicaulis</i>		*						x			
CUCURBITACEAE											
* <i>Cucumis myriocarpus</i>					x						
CONVOLVULACEAE											
<i>Cuscuta tasmanica</i>		x				x					
<i>Convolvulus erubescens</i>				x							
<i>Dichondra repens</i>						x	x				
<i>Wilsonia humilis</i>			x			x					
<i>W. rotundifolia</i>			x			x					
DILLENIACEAE											
<i>Hibbertia acerosa</i>							x	x	x	x	
<i>H. amplexicaulis</i>		*						x			
<i>H. argentea</i>		*								x	x
<i>H. commutata</i>		x								x	
<i>H. cunninghamii</i>						x		x		x	
<i>H. enervia</i>								x		x	x
<i>H. graciliceps</i>										x	
<i>H. inclusa</i>		x								x	
<i>H. inconspicua</i>		*						x			
<i>H. lineata</i>						x				x	
<i>H. microphylla</i>						x					
<i>H. pulchra</i>		*						x		x	
<i>H. recurvifolia</i>										x	
<i>H. selkii</i>	x									x	
<i>H. subvaginata</i>										x	
DROSERACEAE											
<i>Drosera androsacea</i>											
<i>D. bulbosa</i>						x		x		x	
<i>D. dichrosepala</i>								x			
<i>D. erythrorhiza</i>		x								x	
<i>D. gigantea</i>						x	x	x	x	x	
<i>D. glanduligera</i>						x			x		x

TAXON	E	RE	SL	GR	DIST	SWP	WAND	J/M	B	H	T
<i>D. huegelii</i>		*				x	x				
<i>D. leucoblasta</i>										x	
<i>D. macrantha</i> ssp. <i>macrantha</i>							x	x			
<i>D. microphylla</i>				x				x			
<i>D. menziesii</i> ssp. <i>menziesii</i>						x	x				
<i>D. modesta</i>						x					
<i>D. neesii</i> ssp. <i>neesii</i>		*					x				
<i>D. paleacea</i>			x						x	x	x
<i>D. pallida</i>							x	x	x	x	x
<i>D. platypoda</i>		*				x	x	x		x	
<i>D. platystigma</i>								x		x	
<i>D. ramellosa</i>						x					
<i>D. scorpioides</i>										x	
<i>D. stolonifera</i> ssp. <i>compacta</i>										x	x
ELATINACEAE											
<i>Elatine gratioloides</i>				x		x					
EPACRIDACEAE											
<i>Acrotriche ramiflora</i>		x	x	x							
<i>Andersonia axilliflora</i>	x										x
<i>A. caerulea</i>											
<i>A. carinata</i>		x									
<i>A. echinocephala</i>		x								x	x
<i>A. grandiflora</i>	x									x	x
<i>A. lehmanniana</i> ssp. <i>lehmanniana</i>										x	
<i>A. micrantha</i>		*							x		
<i>A. parvifolia</i>		x								x	
<i>Astroloma baxteri</i>		*								x	
<i>A. ciliatum</i>		*						x			
<i>A. compactum</i>							x			x	
<i>A. drummondii</i>		*					x				
<i>A. epacridis</i>							x				
<i>A. humifusum</i>							x	x		x	
<i>A. pallidum</i>		x					x			x	
<i>A. prostratum</i>		*					x		x	x	
<i>A. tectum</i>		x							x	x	
<i>Brachyloma concolor</i>										x	
<i>Coleanthera coelophylla</i>		x								x	
<i>Cosmelia rubra</i>		*				x					

TAXON	E	RE	SL	GR	DIST	SWP	WAND	J/M	B	H	T
<i>Leucopogon acicularis</i>	x									x	x
<i>L. assimilis</i>										x	
<i>L. australis</i>								x		x	
<i>L. bracteolaris</i>	x									x	x
<i>L. concinnus</i>								x		x	
<i>L. conostephioides</i>							x	x		x	
<i>L. corifolius</i>	x									x	x
<i>L. corynocarpus</i>		x							x	x	
<i>L. cryptanthus</i>		*						x		x	x
<i>L. cucullatus</i>							x			x	
<i>L. cymbiformis</i>										x	
<i>L. distans</i>		*						x		x	
<i>L. fimbriatus</i>								x	x	x	
<i>L. flavescens</i>									x	x	x
<i>L. gibbosus</i>								x		x	
<i>L. glaucifolius</i>		x								x	
<i>L. gnaphalioides</i>	x									x	x
<i>L. lasiophyllus</i>	x									x	x
<i>L. lasiostachys</i>	x									x	x
<i>L. mollis</i>	x									x	x
<i>L. multiflorus</i>										x	x
<i>L. obovatus</i>								x		x	
<i>L. oppositifolius</i>										x	
<i>L. oxycedrus</i>							x	x	x	x	
<i>L. parviflorus</i>								x		x	
<i>L. pendulus</i>										x	
<i>L. propinquus</i>								x		x	
<i>L. sprengelioides</i>										x	
<i>L. strictus</i>										x	
<i>L. unilateralis</i>									x	x	
<i>Lysinema ciliatum</i>							x	x	x	x	
<i>L. fimbriatum</i>										x	x
<i>L. obovatum</i>		*								x	
<i>Monotoca oligarrhenoides</i>		x								x	x
<i>M. tamariscina</i>										x	x
<i>Needhamiella pumilio</i>		*								x	
<i>Oligarrhena micrantha</i>								x	x	x	x
<i>Sphenotoma capitatum</i>		*						x	x	x	
<i>S. dracophylloides</i>		*				x		x		x	
<i>S. drummondii</i>								x		x	x
<i>S. gracile</i>	x										x
<i>S. squarrosus</i>		*				x					

TAXON	E	RE	SL	GR	DIST	SWP	WAND	J/M	B	H	T
<i>S. sp.</i> (Wilson 4235)	x									x	x
<i>Styphelia tenuiflora</i>				x			x	x			
<i>Trochocarpa parviflora</i>		x	x	x							
EUPHORBIACEAE											
<i>Amperea conferta</i>		x								x	x
<i>A. ericoides</i>		*								x	
<i>A. micrantha</i>		*									x
* <i>Euphorbia peplus</i>					x		x				
<i>Phyllanthus calycinus</i>				x							
<i>Pseudanthus virgatus</i>								x		x	
<i>Poranthera ericoides</i>											x
<i>P. microphylla</i>								x	x	x	
<i>Ricinocarpus glaucus</i>								x			
<i>R. tuberculatus</i>		x								x	
FABACEAE											
<i>Aotus diffusa</i>		x								x	
<i>A. aff. genistoides</i> (GK1227)	x									x	x
<i>A. intermedia</i>						x					
<i>A. procumbens</i>		x								x	
<i>Bossiaea concinna</i>							x		x		
<i>B. eriocarpa</i>							x	x	x		
<i>B. linophylla</i>							x	x	x	x	x
<i>B. ornata</i>		*				x					
<i>B. preissii</i>										x	
<i>B. rufa</i>		*						x		x	
<i>B. spinescens</i>			x								
<i>Brachysema celsianum</i>							x	x			
<i>B. latifolium</i>										x	
<i>B. praemorsum</i>		x					x				
<i>B. sericeum</i>		*								x	
<i>Callistachys lanceolata</i>		*				x					
<i>Chorizema aciculare</i>							x	x	x	x	
<i>C. cytisoides</i>							x			x	
<i>C. glycinifolium</i>								x		x	
<i>C. rhombeum</i>								x	x	x	
<i>C. uncinatum</i>										x	
<i>Cupulanthus bracteolosum</i>		*						x	x	x	
<i>Daviesia alternifolia</i>		*								x	x
<i>D. brevifolia</i>										x	x

TAXON	E	RE	SL	GR	DIST	SWP	WAND	J/M	B	H	T
<i>D. colletioides</i>										X	
<i>D. cordata</i>		*						X		X	
<i>D. crenulata</i>										X	
<i>D. decurrens</i>										X	
<i>D. flexuosa</i>									X	X	
<i>D. glossantha</i>	X									X	
<i>D. gracilis</i>		X					X	X	X	X	
<i>D. incrassata</i>							X	X	X	X	
<i>D. inflata</i>										X	
<i>D. lancifolia</i>										X	
<i>D. mesophylla</i>	X									X	X
<i>D. obovata</i>										X	
<i>D. obtusifolia</i>										X	
<i>D. oppositifolia</i>		*								X	X
<i>D. preissii</i>								X	X	X	
<i>D. pseudaphylla</i>	X									X	
<i>D. trigonophylla</i>										X	X
<i>Dillwynia cinerascens</i>							X			X	
<i>Gompholobium aristatum</i>								X	X	X	
<i>G. cf. burtonioides</i> (GK3506)	X								X	X	X
<i>G. burtonioides</i>								X	X	X	
<i>G. conferta</i>		*		X						X	
<i>G. knightianum</i>							X	X	X	X	
<i>G. marginatum</i>							X	X	X	X	
<i>G. polymorphum</i>						X	X	X		X	
<i>G. preissii</i>										X	X
<i>G. scabrum</i>									X	X	
<i>G. tomentosum</i>									X	X	
<i>G. venustum</i>								X		X	X
<i>G. villosa</i>									X	X	
<i>G. viscidulum</i>							X			X	
<i>G. sp. aff. capitatum</i> (Newbey 1704)		*								X	
<i>Goodia lotifolia</i>				X							
<i>Eutaxia densiflora</i>											X
<i>E. microphylla</i>			X	X							
<i>E. obovata</i>										X	
<i>E. virgata</i>								X		X	
<i>Isotropis cuneifolia</i>				X			X	X		X	
<i>I. drummondii</i>						X					
<i>I. juncea</i>										X	
<i>Hovea chorizemifolia</i>								X	X	X	X
<i>H. elliptica</i>		*							X		

TAXON	E	RE	SL	GR	DIST	SWP	WAND	J/M	B	H	T
<i>H. pungens</i>						x				x	
<i>H. trisperma</i>							x	x	x	x	
<i>Gastrolobium bilobum</i>				x				x	x	x	x
<i>G. heterophyllum</i>								x		x	
<i>G. humile</i>		*						x		x	
<i>G. oblongum</i>										x	
<i>G. pyramidale</i>										x	x
<i>G. spinosum</i> var. <i>angustifolium</i>				x			x			x	
<i>G. tetragonophylla</i>							x	x		x	
<i>G. velutinum</i>										x	x
<i>G. aff. velutinum</i> (GK5407)	x										x
<i>Jacksonia alata</i>		*						x		x	
<i>J. aphylla</i>									x		
<i>J. calycina</i>							x	x		x	
<i>J. capitata</i>		*								x	x
<i>J. condensata</i>								x	x	x	
<i>J. furcellata</i>						x			x		
<i>J. grevilleoides</i>										x	x
<i>J. racemosa</i>										x	
<i>J. spinosa</i>		*								x	
<i>J. sp.</i> (GK5557)							x			x	
<i>Kennedia coccinea</i>										x	x
<i>K. eximia</i>							x				
<i>K. prostrata</i>							x	x	x		
<i>Latrobea ?diosmifolia</i>									x	x	
<i>L. hirtella</i>										x	
<i>L. sp. aff. genistoides</i> (Strid 21563)	x										x
<i>L. sp.</i> (K. Newbey 614)	x									x	
* <i>Lupinus angustifolius</i>				x							
<i>Nemcia corinata</i>							x		x	x	
<i>N. coriacea</i>		*								x	
<i>N. crenulata</i>	x									x	x
<i>N. emarginatum</i>										x	
<i>N. formosa</i>	x									x	
<i>N. leakeana</i>	x									x	x
<i>N. lehmannii</i>	x										x
<i>N. pulchella</i>	x									x	x
<i>N. pyramidale</i>	x									x	
<i>N. retusa</i>										x	
<i>N. rubra</i>	x									x	x
<i>N. vestita</i>	x										x
<i>N. reticulata</i>										x	

TAXON	E	RE	SL	GR	DIST	SWP	WAND	J/M	B	H	T
<i>N. aff. retusa</i> (GK3379)	x										x
<i>N. sp. aff. rubra</i> (CK 3466)	x										x
<i>Oxylobium carinatum</i>		x						x		x	
<i>O. cuneatum</i>										x	
<i>O. tricuspidatum</i>		*				x	x				
<i>O. spathulatum</i>										x	
* <i>Medicago laciniata</i>					x						
* <i>M. polymorpha</i>					x						
* <i>Lotus angustissimus</i>					x		x				
<i>Mirbelia dilatata</i>										x	
<i>M. floribunda</i>										x	
<i>M. ovata</i>										x	
<i>M. spinosa</i>											
<i>M. subcordata</i>		*						x		x	x
<i>M. trichocalyx</i>						x				x	
<i>Phyllota barbata</i>										x	x
<i>P. adunca</i>										x	
<i>Pultenaea barbata</i>		x								x	
<i>P. calycina</i>		*								x	
<i>P. ericifolia</i>		*								x	
<i>P. neurocalyx</i>										x	x
<i>P. strobilifera</i>										x	
<i>P. verruculosa</i>										x	x
<i>P. ?aspalathoides</i> (R. Royce 6067)	x										x
<i>Sphaerolobium alatum</i>		*						x		x	
<i>S. linophyllum</i>		x						x		x	
<i>S. macranthum</i>								x	x	x	
<i>S. medium</i>							x	x	x	x	
<i>S. nudiflorum</i>		*								x	
<i>S. vimineum</i>										x	x
<i>Templetonia retusa</i>		*		x							
* <i>Trifolium arvense</i>					x		x				
* <i>T. campestre</i>				x	x		x				
* <i>T. dubium</i>					x		x				
* <i>T. stellatum</i>					x		x				
* <i>T. subterraneum</i>					x		x				
* <i>T. tomentosum</i>					x		x				
* <i>Vicia sativa</i>					x	x		x			
GENTIANACEAE											
<i>Centaureum spicatum</i>					x		x	x		x	x

TAXON	E	RE	SL	GR	DIST	SWP	WAND	J/M	B	H	T
<i>M. lenticularis</i>										X	X
<i>M. pimelioides</i>	*									X	
<i>M. virgata</i>								X	X	X	
<i>Prostanthera baxteri</i>	X									X	
<i>P. canaliculata</i>										X	
* <i>Stachys arvensis</i>			X	X							
LINACEAE											
<i>Linum marginale</i>							X	X		X	X
* <i>L. usitatissimum</i>					X						
LOGANIACEAE											
<i>Logania campanulata</i>									X	X	
<i>L. fasciculata</i>										X	
<i>L. serpyllifolia</i>	*							X			
<i>Mitrasacme paradoxa</i>			X				X	X	X		X
<i>M. sp. (GK 343)</i>	*					X					
LAURACEAE											
<i>Cassytha flava</i>								X		X	X
<i>C. glabella</i>									X	X	X
<i>C. melantha</i>										X	
<i>C. pomiformis</i>								X		X	X
<i>C. micrantha</i>	*					X					
LENTIBULARIACEAE											
<i>Polypompholyx multifida</i>	*	X				X					
<i>P. tenella</i>		X				X					
<i>Utricularia hookeri</i>						X					
<i>U. menziesii</i>				X							X
<i>U. simplex</i>						X					
LOBELIACEAE											
<i>Isotoma hypocrateriformis</i>							X	X	X		
<i>I. scapigera</i>			X			X					
<i>Lobelia alata</i>						X					
<i>L. gibbosa</i>				X			X				

TAXON	E	RE	SL	GR	DIST	SWP	WAND	J/M	B.	H	T
<i>L. heterophylla</i>						x	x			x	x
<i>L. rariflora</i>										x	
<i>L. rhombifolia</i>						x				x	
<i>L. tenuior</i>										x	
<i>L. sp. aff. heterophylla</i> (GK5826)				x							
LORANTHACEAE											
<i>Amyema miquelii</i>							x	x			
<i>Nuytsia floribunda</i>								x	x	x	
LYTHRACEAE											
<i>Lythrum hyssopifolium</i>					x	x					
MALVACEAE											
<i>Alyogyne huegelii</i>				x							
<i>Laurencia squamata</i>			x								
<i>Sida hookerana</i>							x	x		x	
MIMOSACEAE											
<i>A. acanthoclada</i>							x				
<i>Acacia awestoniana</i>	x						x				
<i>A. baxteri</i>										x	
<i>A. bidentata</i>										x	
<i>A. biflora</i>							x	x		x	
<i>A. browniana</i> var. <i>intermedia</i>										x	
<i>A. chrysocephala</i>										x	
<i>A. cochlearis</i>						x			x	x	
<i>A. cyclops</i>									x	x	
<i>A. declinata</i>										x	x
<i>A. divergens</i>										x	
<i>A. drummondii</i> ssp. <i>elegans</i>										x	
<i>A. ferocior</i>							x	x		x	
<i>A. harveyi</i>		x	x				x			x	
<i>A. heteroclita</i> ssp. <i>heteroclita</i>						x					
<i>A. glaucoptera</i>			x				x				
<i>A. luteola</i>											
<i>A. moirii</i> ssp. <i>moirii</i>										x	
<i>A. myrtifolia</i>										x	
<i>A. pulchella</i> var. <i>goadbyi</i>							x				

TAXON	E	RE	SL	GR	DIST	SWP	WAND	J/M	B	H	T
<i>A. pulchella</i> var. <i>pulchella</i>								x	x	x	x
<i>A. saligna</i>				x		x		x			
<i>A. subcaerulea</i>										x	
<i>A. sulcata</i>										x	
<i>A. stenoptera</i>									x	x	
<i>A. tetanophylla</i>										x	
<i>A. tetragonocarpa</i>										x	
<i>A. varia</i> var. <i>parviflora</i>							x				
<i>A. veronica</i>	x							x		x	x
<i>A. willdenowiana</i>							x		x	x	
MYOPORACEAE											
<i>Myoporum insulare</i>		x	x								
MYRTACEAE											
<i>Actinodium cunninghamii</i>						x				x	
<i>Agonis flexuosa</i> var. <i>latifolia</i>		*				x		x			
<i>A. floribunda</i>		*								x	
<i>A. hypericifolia</i>		*								x	x
<i>A. linearifolia</i> var. <i>linearifolia</i>		*								x	
<i>A. linearifolia</i> var. <i>conspicua</i>	x								x	x	
<i>A. parviceps</i>		*				x		x			
<i>A. spathulata</i>									x	x	x
<i>A. undulata</i>		*								x	
<i>Astartea ambigua</i>										x	
<i>A. fascicularis</i>						x					
<i>Baeckea pachyphylla</i>										x	
<i>B. preissiana</i>									x	x	
<i>Beaufortia anisandra</i>										x	x
<i>B. cyrtodonta</i>										x	
<i>B. decussata</i>										x	x
<i>B. empetrifolia</i>									x	x	x
<i>B. interstans</i>										x	
<i>B. micrantha</i>									x		
<i>B. schaueri</i>									x	x	x
<i>B. sparsa</i>						x		x		x	x
<i>Calothamnus affinis</i>	x									x	x
<i>C. crassus</i>	?x									x	x
<i>C. gracilis</i>										x	
<i>C. graniticus</i> ssp. <i>leptophyllus</i>		x								x	

TAXON	E	RE	SL	GR	DIST	SWP	WAND	J/M	B	H	T
<i>C. huegelii</i>										X	
<i>C. lehmanii</i>										X	
<i>C. microcarpus</i>										X	
<i>C. preissii</i>										X	
<i>C. quadrifidus</i>							X	X	X	X	
<i>C. sanguineus</i>									X	X	
<i>C. schaueri</i>		*			X				X	X	
<i>C. villosus</i>										X	
<i>Calytrix acutifolia</i>						X		X		X	
<i>C. asperula</i>										X	
<i>C. flavescens</i>									X		
<i>C. habrantha</i>										X	
<i>C. leschenaultii</i>						X	X				
<i>C. simplex</i>		X								X	
<i>C. tetragona</i>										X	
<i>C. variabilis</i>										X	
<i>Darwinia collina</i>	X									X	X
<i>D. drummondii</i>		X	X								
<i>D. hypericifolia</i>	X									X	X
<i>D. lelostyla</i>	X									X	X
<i>D. macrostegia</i>	X									X	X
<i>D. meeboldii</i>	X									X	X
<i>D. oxylepis</i>	X									X	X
<i>D. squarrosa</i>	X									X	X
<i>D. vestita</i>						X				X	
<i>D. wittwerorum</i>	X									X	X
<i>D. sp. (GK5732)</i>	X									X	
<i>D. collina</i> x <i>D. lelostyla</i>											X
<i>D. lelostyla</i> x <i>D. hypericifolia</i>											X
<i>D. macrostegia</i> x <i>D. oxylepis</i>										X	
<i>Chamelaucium ciliatum</i>		*						X		X	
<i>C. confertiflorum</i>	?X						X			X	
<i>C. juniperinum</i>		*				X					
<i>C. pauciflorum</i>				X							
<i>Eremaea pauciflora</i>										X	
<i>Homalospermum firmum</i>		*				X					
* <i>Kunzea baxteri</i>					X					X	
<i>K. micromera</i>										X	
<i>K. montana</i>	X									X	X
<i>K. preissiana</i>									X	X	
<i>K. recurva</i> var. <i>recurva</i>						X					
<i>K. recurva</i> var. <i>robusta</i>	X									X	X

TAXON	E	RE	SL	GR	DIST	SWP	WAND	J/M	B	H	T
<i>Hypocalymma angustifolium</i>						x					
<i>H. myrtifolium</i>	x									x	x
<i>H. phillipsii</i>	x										x
<i>H. speciosum</i>	x									x	
<i>H. strictum</i> ssp. <i>strictum</i>										x	
<i>H. strictum</i> ssp. <i>nov.</i>		*								x	
<i>Leptospermum oligandrum</i>							x		x	x	
<i>L. spinescens</i>									x		
<i>Conothamnus aureus</i>		x	x								
<i>C. neglectus</i>		*					x	x		x	
<i>Eucalyptus anceps</i>										x	
<i>E. angulosa</i>										x	
<i>E. annulata</i>							x			x	
<i>E. astringens</i> ssp. <i>astringens</i>										x	
<i>E. astringens</i> ssp. <i>oligocorma</i>										x	
<i>E. buprestium</i>										x	
<i>E. calophylla</i>								x		x	x
<i>E. cornuta</i>						x	x				
<i>E. conglobata</i>										x	
<i>E. decurva</i>		x								x	
<i>E. decipiens</i> ssp. <i>adesmophloia</i>										x	
<i>E. decipiens</i> ssp. <i>chalara</i>									x	x	
<i>E. decurva</i>										x	
<i>E. doratoxylon</i>										x	
<i>E. erectifolia</i>	x									x	
<i>E. falcata</i>										x	
<i>E. flocktoniae</i>							x			x	
<i>E. goniantha</i> ssp. <i>goniantha</i>										x	
<i>E. incrassata</i>										x	
<i>E. lehmannii</i>							x			x	
<i>E. ligulata</i>		x								x	
<i>E. aff. longicornis</i>			x								
<i>E. loxophleba</i>				x							
<i>E. macranda</i>										x	
<i>E. marginata</i> ssp. <i>marginata</i>								x		x	x
<i>E. medialis</i>										x	
<i>E. megacarpa</i>		*								x	x
<i>E. occidentalis</i>						x	x				
<i>E. phaenophylla</i> ssp. <i>phaenophylla</i>								x		x	
<i>E. pachyloma</i>										x	
<i>E. pluricaulis</i> ssp. <i>porphyrea</i>										x	
<i>E. preissiana</i>										x	

TAXON	E	RE	SL	GR	DIST	SWP	WAND	J/M	B	H	T
<i>E. recondita</i>		x									x
<i>E. redacta</i> ssp. <i>redacta</i>		*									
<i>E. redacta</i> ssp. <i>thamnoides</i>							x				
<i>E. rudis</i>							x				x
<i>E. sporadica</i>						x					
<i>E. staeri</i>		*									x
<i>E. talyuberlup</i>		*						x			x
<i>E. tetragona</i>							x				x
<i>E. tetraptera</i>											x
<i>E. aff. transcontinentalis</i>							x				x
<i>E. ?uncinata</i>											x
<i>E. wandoo</i> ssp. <i>wandoo</i>						x	x				
<i>E. xanthonema</i> ssp. <i>xanthonema</i>		x									x
<i>E. xanthonema</i> ssp. <i>apposita</i>											x
HYBRIDS											
<i>E. x erthrandra</i> (<i>incrassata</i> x <i>tetraptera</i>)											x
<i>E. x kalganensis</i> (<i>pachyloma</i> x <i>preissii</i>)									x		
<i>E. buprestium</i> x <i>erectifolia</i>											x
<i>E. buprestium</i> x <i>ligulata</i>											x
<i>E. buprestium</i> x <i>marginata</i>											x
<i>E. buprestium</i> x <i>pachyloma</i>											x
<i>E. buprestium</i> x <i>staeri</i>											x
<i>E. cornuta</i> x <i>macrandra</i>											x
<i>E. cornuta</i> x <i>talyuberlup</i>						x					x
<i>E. erectifolia</i> x <i>marginata</i>											x
<i>E. erectifolia</i> x <i>pachyloma</i>											x
<i>E. incrassata</i> x <i>medialis</i>											x
<i>E. ligulata</i> x <i>marginata</i>								x			x
<i>E. ligulata</i> x <i>pachyloma</i>											x
<i>E. ligulata</i> x <i>preissiana</i>											x
<i>E. ligulata</i> x <i>staeri</i>											x
<i>E. marginata</i> x <i>pachyloma</i>											x
<i>E. marginata</i> x <i>preissii</i>											x
<i>E. marginata</i> x <i>staeri</i>								x	x		x
<i>E. pachyloma</i> x <i>staeri</i>									x		x
<i>E. wandoo</i> x <i>xanthonema</i>											x
<i>Melaleuca acuminata</i>			x			x					x
<i>M. apodocephala</i>							x				x
<i>M. blairii</i> folia						x					x
<i>M. bracteosa</i>											x

TAXON	E	RE	SL	GR	DIST	SWP	WAND	J/M	B	H	T
<i>M. brevifolia</i>						x					
<i>M. camptoclada</i>										x	
<i>M. cuticularis</i>			x			x					
<i>M. densa</i>				x							
<i>M. depauperata</i>								x			
* <i>M. diosmifolia</i>					x		x			x	
<i>M. divaricata</i>										x	x
<i>M. hamulosa</i>		x									
<i>M. micromera</i>										x	x
<i>M. microphylla</i>			x			x					
<i>M. ordinifolia</i>			x								
<i>M. pentagona</i>										x	
<i>M. preissiana</i>						x					
<i>M. pritzelii</i>										x	
<i>M. propinqua</i>	x									x	x
<i>M. pungens</i>										x	
<i>M. scabra</i>										x	
<i>M. spathulata</i>										x	
<i>M. striata</i>										x	
<i>M. suberosa</i>									x	x	
<i>M. subfalcata</i>										x	
<i>M. tenella</i>										x	
<i>M. thymoides</i>										x	
<i>M. thyoides</i>			x								
<i>M. uncinata</i>			x	x		x				x	
<i>M. violacea</i>										x	
<i>M. viminea</i> ssp. <i>viminea</i>			x			x					
<i>Regelia inops</i>						x					
<i>Rinzia communis</i>										x	
<i>R. morrisonii</i>	x									x	
<i>R. oxycoccoides</i>										x	
<i>R. schollerifolia</i>										x	
<i>Verticordia brachypoda</i>										x	
<i>V. brevifolia</i> ssp. <i>stirlingensis</i>	x									x	
<i>V. carinata</i>	x									x	
<i>V. chrysantha</i>									x	x	
<i>V. coronata</i>		x								x	
<i>V. densiflora</i> var. <i>caespitosa</i>						x				x	
<i>V. endlicheriana</i> var. <i>endlicheriana</i>									x		
<i>V. grandiflora</i>										x	
<i>V. habrantha</i>									x	x	
<i>V. huegelii</i> var. <i>tridens</i>						x				x	

TAXON	E	RE	SL	GR	DIST	SWP	WAND	J/M	B	H	T
<i>V. lindleyi</i> ssp. <i>purpurea</i>										X	
<i>V. pennigera</i>										X	
<i>V. picta</i>										X	
<i>V. plumosa</i> var. <i>brachyphylla</i>										X	
<i>V. sieberi</i>		*								X	
<i>V. subulata</i>										X	
OXALIDACEAE											
<i>Oxalis perennans</i>							X	X		X	X
* <i>O. pres-caprae</i>						X	X				
PROTEACEAE											
<i>Adenanthos apiculata</i>		*							X	X	
<i>A. cuneata</i>									X	X	
<i>A. filifolia</i>	X									X	X
<i>A. flavidiflora</i>		X								X	
<i>A. linearis</i>	X									X	
<i>A. obovata</i>								X	X	X	
<i>A. pungens</i> ssp. <i>pungens</i>		X									X
<i>Banksia aculeata</i>	X									X	
<i>B. attenuata</i>									X	X	
<i>B. baueri</i>									X	X	
<i>B. baxteri</i>		*							X	X	
<i>B. brownii</i> ssp. nov.	X							X		X	X
<i>B. caleyi</i>		X								X	
<i>B. coccinea</i>		*							X	X	
<i>B. gardneri</i> var. <i>brevidentata</i>		X								X	X
<i>B. gardneri</i> var. <i>gardneri</i>										X	
<i>B. grandis</i>								X	X	X	
<i>B. littoralis</i>		*				X				X	
<i>B. media</i>		X								X	
<i>B. meisneri</i> var. <i>meisneri</i>		X							X	X	
<i>B. nutans</i> var. <i>nutans</i>										X	
<i>B. nutans</i> var. <i>cernuella</i>										X	
<i>B. oreophila</i>		X									X
<i>B. quercifolia</i>		*									
<i>B. repens</i>							X				
<i>B. solandri</i>	X									X	X
<i>B. sphaerocarpa</i> var. <i>sphaerocarpa</i>										X	X
<i>B. sphaerocarpa</i> var. <i>caesia</i>		X					X			X	
<i>Conospermum bracteolosum</i>		X							X	X	

TAXON	E	RE	SL	GR	DIST	SWP	WAND	J/M	B	H	T
<i>C. caeruleum</i>		*						x	x		
<i>C. caerulescens</i> ssp. <i>dorrienii</i>	x									x	x
<i>C. filifolium</i> ssp. <i>filifolium</i>									x	x	
<i>C. filifolium</i> ssp. <i>glabratum</i>										x	
<i>C. floribundum</i>										x	
<i>C. petiolare</i>		*						x		x	x
<i>C. spectabilis</i>	x								x	x	x
<i>C. teretifolium</i>		*							x	x	
<i>C. triplinervium</i>								x	x	x	
<i>Dryandra arctotidis</i>										x	
<i>D. baxteri</i>								x		x	
<i>D. calophylla</i>							x			x	
<i>D. cirsioides</i>							x			x	
<i>D. concinna</i>	x									x	x
<i>D. conferta</i>										x	
<i>D. cuneata</i>										x	
<i>D. drummondii</i>							x	x			
<i>D. erythrocephala</i>										x	
<i>D. falcata</i>										x	
<i>D. foliolata</i>										x	
<i>D. formosa</i>										x	x
<i>D. fraseri</i>		x					x				
<i>D. mucronulata</i>										x	
<i>D. nervosa</i>										x	
<i>D. nivea</i>							x	x	x	x	x
<i>D. plumosa</i>										x	x
<i>D. preissii</i>								x			
<i>D. seneciifolia</i>										x	x
<i>D. sessilis</i>				x			x	x	x	x	
<i>D. tenuifolia</i>										x	x
<i>D. ?armata</i>	x									x	x
<i>Franklandia fucifolia</i>									x	x	
<i>Grevillea brownii</i>								x	x	x	
<i>G. diversifolia</i>						x		x			
<i>G. fasciculata</i> var. <i>fasciculata</i>										x	x
<i>G. fasciculata</i> var. <i>dubia</i>										x	
<i>G. fasciculata</i> var. <i>linearis</i>										x	
<i>G. huegelii</i>							x	x			
<i>G. manglesioides</i> (loboana)									x	x	
<i>G. muelleri</i>								x		x	
<i>G. nudiflora</i>				x		x			x		
<i>G. pulchella</i>								x		x	

TAXON	E	RE	SL	GR	DIST	SWP	WAND	J/M	B	H	T
<i>G. oligantha</i>							x				
<i>G. tripartita</i>		x							x	x	
<i>Lambertia ericifolia</i>	x									x	x
<i>L. fairallii</i>	x										x
<i>L. inermis</i>									x	x	
<i>L. uniflora</i>										x	
<i>Hakea ambigua</i>	x									x	x
<i>H. baxteri</i>										x	
<i>H. ceratophylla</i>						x				x	
<i>H. corymbosa</i>							x		x	x	
<i>H. crassifolia</i>										x	
<i>H. cucullata</i>										x	
<i>H. dolichostyla</i>		*				x					
<i>H. ferruginea</i>							x	x	x	x	
<i>H. florida</i>		*						x			
<i>H. lasiantha</i>		*								x	
<i>H. laurina</i>						x	x				
<i>H. lehmanniana</i>										x	
<i>H. lissocarpa</i>							x	x	x	x	
<i>H. marginata</i>								x		x	
<i>H. nitida</i>						x	x				
<i>H. oldfieldii</i>										x	
<i>H. obliqua</i>							x			x	
<i>H. prostrata</i>						x	x	x	x	x	
<i>H. rubriflora</i>		x								x	
<i>H. ruscifolia</i>									x	x	
<i>H. sulcata</i>						x					
<i>H. trifurcata</i>							x	x	x	x	
<i>H. undulata</i>							x	x		x	
<i>H. varia</i>						x	x				
<i>Isopogon attenuatus</i>								x			
<i>I. baxteri</i>		*								x	x
<i>I. buxifolius</i>										x	
<i>I. formosus</i>								x		x	
<i>I. heterophyllus</i>										x	
<i>I. latifolius</i>	x										
<i>I. longifolius</i>		*						x	x		
<i>I. polycephalus</i>							x	x	x		
<i>I. teretifolius</i> var. <i>petrophiloides</i>		x					x		x	x	
<i>I. trilobus</i>		*							x	x	
<i>I. tripartitus</i>									x		
<i>I. villosus</i>										x	

TAXON	E	RE	SL	GR	DIST	SWP	WAND	J/M	B	H	T
<i>I. sp.</i> (GK5423)										X	
<i>Petrophile anceps</i>	X										X
? <i>P. biternata</i>										X	
<i>P. carduacea</i>	X									X	
<i>P. divaricata</i>							X	X			
<i>P. diversifolia</i>		*						X		X	
<i>P. ericifolia</i>						X				X	
<i>P. heterophylla</i>						X		X			
<i>P. longifolia</i>							X	X	X	X	
<i>P. media</i>									X	X	
<i>P. phyllicoides</i>										X	
<i>P. rigida</i>		*				X		X			
<i>P. semifurcata</i>										X	
<i>P. seminuda</i>						X					
<i>P. serruriae</i>						X	X	X			
<i>P. squamata</i>							X				
<i>P. teretifolia</i>										X	
<i>Persoonia striata</i>							X				
<i>P. teretifolia</i>										X	
<i>P. sp.</i> (GK3370)	X										X
<i>Stirlingia latifolia</i>								X	X	X	
<i>S. tenuifolia</i>								X	X	X	
<i>S. teretifolia</i>										X	
<i>Synaphea favosa</i>		*								X	
<i>S. obtusata</i>										X	
<i>S. polymorpha</i>							X	X		X	
<i>S. reticulata</i>										X	
<i>S. spinulosum</i>							X			X	
PITTOSPORACEAE											
<i>Cheiranthra filifolia</i> var. <i>brevifolia</i>											X
<i>Billardiera erubescens</i>							X			X	
<i>B. laxiflora</i>										X	X
<i>B. sericea</i>								X		X	X
<i>B. variifolia</i>								X			
<i>Sollya fusiformis</i>										X	X
<i>S. heterophylla</i>						X		X		X	X
PORTULACACEAE											
<i>Calandrinia calyptrata</i>							X		X	X	

TAXON	E	RE	SL	GR	DIST	SWP	WAND	J/M	B	H	T
<i>C. corrigioloides</i>							x	x	x	x	
<i>C. granulifera</i>							x		x	x	
<i>Rumicrastrum chamaecladum</i>	x						x	x		x	
OLACACEAE											
<i>Olax benthamiana</i>							x		x	x	
<i>O. phyllanthi</i>								x		x	x
ONAGRACEAE											
<i>Epilobium billardierianum</i> ssp. <i>billardierianum</i>						x					
POLYGONACEAE											
<i>Muehlenbeckia adpressa</i>						x	x	x			
<i>Polygonum prostratum</i>						x					
* <i>Rumex acetosella</i>				x							
* <i>R. conglomeratus</i>				x							
POLYGALACEAE											
<i>Comesperma ciliatum</i>								x		x	x
<i>C. confertum</i>								x			
<i>C. flavum</i>									x	x	
<i>C. virgatum</i>										x	
OROBANCHACEAE											
<i>Orobanche minor</i>				x		x	x	x	x	x	x
RAFFLESIAACEAE											
<i>Pilostyles collina</i>	x										x
RANUNCULACEAE											
<i>Clematis pubescens</i>				x				x		x	
<i>Ranunculus colonorum</i>	*					x		x			
<i>R. sessiliflorum</i>						x					

TAXON	E	RE	SL	GR	DIST	SWP	WAND	J/M	B	H	T
ROSACEAE											
<i>*Acaena agnipila</i> var. <i>tenuispica</i>						x	x				
<i>A. echinata</i> var. <i>echinata</i>							x				
<i>*Prunus domestica</i>					x						
RHAMNACEAE											
<i>Cryptandra glabriflora</i>										x	
<i>C. nutans</i>										x	
<i>C. pumila</i>		x								x	x
<i>C. pungens</i>										x	
<i>Spyridium tridentatum</i>							x				
<i>S. westringii</i> folium										x	
<i>S. sp. aff. globulosum</i> (GK6193)	x										x
<i>T. floribundum</i>		*				x		x			
<i>Trymalium ledifolium</i>							x	x			
RUBIACEAE											
<i>*Galium divaricatum</i>							x				x
<i>G. murale</i>						x					
<i>Opercularia apiciflora</i>		*						x		x	x
<i>O. hispidula</i>										x	x
<i>O. liberiflora</i>		x									x
<i>O. vaginata</i>							x	x	x		
<i>O. volubilis</i>						x		x			
RUTACEAE											
<i>Boronia albiflora</i>										x	
<i>B. crassifolia</i>			x							x	
<i>B. crenulata</i> var. <i>crenulata</i>								x	x	x	x
<i>B. coerulescens</i>											x
<i>B. denticulata</i>						x		x			
<i>B. heterophylla</i>		*				x					
<i>B. inconspicua</i>							x	x	x		
<i>B. nematophylla</i>											x
<i>B. pulchella</i>		*								x	x
<i>B. ramosa</i>								x	x	x	
<i>B. scabra</i>										x	
<i>B. spatulata</i>						x		x		x	

TAXON	E	RE	SL	GR	DIST	SWP	WAND	J/M	B	H	T
<i>B. stricta</i>						x					
<i>Eriostemon nodiflorus</i> ssp. <i>nodiflorus</i>								x		x	
<i>E. nodiflorus</i> ssp. <i>lasiocalyx</i>		x									x
<i>Muirantha hasselli</i>		*								x	x
SAPINDACEAE											
<i>Dodonaea caespitosa</i>										x	
<i>D. humifusa</i>		x								x	
<i>D. pinifolia</i>		x					x			x	
<i>D. viscosa</i> ssp. <i>angustissima</i>			x	x							
SANTALACEAE											
<i>Choretrum glomeratum</i>							x				
<i>Exocarpus sparteus</i>			x				x			x	x
<i>Leptomeria cunninghamii</i>										x	x
<i>L. pauciflora</i>								x		x	
<i>L. penduliflora</i>		*						x	x	x	x
<i>L. scrobiculata</i>								x			
<i>L. spinosa</i>						x	x	x			
<i>L. squarrolosa</i>								x			
<i>Santalum acuminatum</i>							x			x	
<i>S. murrayanum</i>		x	x							x	
PLUMBAGINACEAE											
<i>Samolus caespitosa</i>		x	x								
<i>S. junceus</i>			x			x					
<i>S. repens</i>			x								
PRIMULACEAE											
* <i>Anagallis arvensis</i> var. <i>arvensis</i>				x	x	x	x				x
* <i>A. arvensis</i> var. <i>caerulea</i>				x	x	x	x				
PLANTAGINACEAE											
<i>Plantago debilis</i>							x				

TAXON	E	RE	SL	GR	DIST	SWP	WAND	J/M	B	H	T
<i>Stylidium amoenum</i>								x			
<i>S. breviscapum</i>										x	
<i>S. brunonianum</i> ssp. <i>minor</i>		x							x	x	x
<i>S. calcaratum</i>								x	x	x	x
<i>S. carnosum</i>		*								x	
<i>S. corymbosum</i>		*	x			x					
<i>S. crassifolium</i>		*			x		x				
<i>S. dichotomum</i>						x					
<i>S. diuroides</i> ssp. <i>nanum</i>		x				x		x		x	
<i>S. ecorne</i>						x					
<i>S. emarginatum</i>						x					
<i>S. fasciculatum</i>		*						x			
<i>S. guttatum</i>						x				x	
<i>S. hirsutum</i>									x	x	
<i>S. imbricatum</i>										x	
<i>S. inundatum</i>						x					
<i>S. insensitivum</i>		x				x					
<i>S. junceum</i> ssp. <i>brevis</i>		x					x			x	x
<i>S. keigheryi</i>	x										x
<i>S. lepidium</i>		x				x					
<i>S. leptophyllum</i>						x	x			x	
<i>S. luteum</i> ssp. <i>luteum</i>		*						x		x	
<i>S. luteum</i> ssp. <i>glaucifolium</i>		*								x	
<i>S. perpusillum</i>							x	x	x	x	
<i>S. piliferum</i> ssp. <i>minor</i>		x								x	
<i>S. piliferum</i> ssp. <i>piliferum</i>								x	x	x	
<i>S. plantagineum</i>		*								x	
<i>S. repens</i> var. <i>repens</i>										x	
<i>S. repens</i> var. <i>dipectroglossum</i>										x	
<i>S. rhyncocarpum</i>										x	
<i>S. roseonanum</i>						x					
<i>S. rupestre</i>		*				x		x		x	
<i>S. scandens</i>		*						x	x	x	
<i>S. schoenoides</i>								x	x	x	
<i>S. spathulatum</i>		*								x	
<i>S. spinulosum</i> ssp. <i>spinulosum</i>										x	
<i>S. spinulosum</i> ssp. <i>montana</i>	x									x	x
<i>S. mimeticum</i>						x					
<i>S. verticillatum</i>	x							x	x	x	
<i>S. sp. aff. glaucum</i> (GK1217)	x										x

TAXON	E	RE	SL	GR	DIST	SWP	WAND	J/M	B	H	T
THYMELEACEAE											
<i>Pimelea argentea</i>				x							
<i>P. angustifolia</i>								x		x	
<i>P. brevifolia</i> ssp. <i>brevifolia</i>										x	
<i>P. ciliata</i> ssp. <i>ciliata</i>								x	x	x	
<i>P. cracens</i> ssp. <i>cracens</i>										x	
<i>P. hispida</i>										x	
<i>P. imbricata</i> var. <i>imbricata</i>				x		x					
<i>P. imbricata</i> var. <i>piligera</i>										x	
<i>P. lehmanniana</i> ssp. <i>lehmanniana</i>								x		x	
<i>P. longiflora</i> ssp. <i>longiflora</i>										x	
<i>P. suaveolens</i> ssp. <i>suaveolens</i>								x			
<i>P. sulphurea</i>									x	x	
<i>P. sylvestris</i>						x					
TREMANDRACEAE											
<i>Platytheca galioides</i> var. <i>crassifolia</i>		*							x	x	
<i>P. juniperina</i>		*							x	x	
<i>Tetratheca affinis</i>		*						x		x	
<i>T. hirsuta</i>								x		x	
<i>T. pubescens</i>								x	x	x	
<i>T. virgata</i>								x		x	
<i>Tremandra diffusa</i>		*						x		x	x
<i>T. stelligera</i>		*						x		x	
URTICACEAE											
<i>Parietaria debilis</i>				x			x				
* <i>Urtica urens</i>					x						
VIOLACEAE											
<i>Hybanthus floribundus</i>								x		x	