
CONSERVATION AND LAND MANAGEMENT

CM301**WILDLIFE CONSERVATION ACT 1950****WILDLIFE CONSERVATION (RARE FLORA) NOTICE 1997**

Made by the Minister under section 23F of the Act.

Citation

1. This order may be cited as the *Wildlife Conservation (Rare Flora) Notice 1997*.

Interpretation

2. In this notice —

“extant” means known to be living in a wild state;

“protected flora” means any flora belonging to the classes of flora declared by the Minister under section 6 of the Act to be protected flora by notice published in *Gazette* 9 October 1987, p. 3855;

“taxon” includes any taxon that is described by a genus name or any other name or description.

Note: The plural form of “taxon” is “taxa”.

Rare flora

3. Subject to clause 4, protected flora —

- (a) specified in Schedule 1, being taxa that are extant and considered likely to become extinct or rare and therefore in need of special protection; and
- (b) specified in Schedule 2, being taxa that are presumed to be extinct in the wild and therefore in need of special protection,

are declared to be rare flora for the purposes of section 23F of the Act throughout the State.

Application

4. Clause 3 does not apply to those plants of a taxon of protected flora specified in Schedule 1 or 2 that have been planted for any purpose other than such plants that have been planted for the purpose of conservation of that taxon and in accordance with approval given by the Executive Director.

Revocation

5. The *Wildlife Conservation (Rare Flora) Notice 1996* is revoked.

SCHEDULE 1 — EXTANT TAXA

[Clause 3 (a)]

Division 1 — Spermatophyta (flowering plants, conifers and cycads)

1. *Acacia anomala*
2. *Acacia aphylla*
3. *Acacia aprica ms*

4. *Acacia auratiflora* ms
5. *Acacia awestoniana*
6. *Acacia brachypoda*
7. *Acacia cochlocarpa* subsp. *cochlocarpa*
8. *Acacia denticulosa*
9. *Acacia depressa*
10. *Acacia forrestiana*
11. *Acacia insolita* subsp. *recurva* ms
12. *Acacia lanuginophylla*
13. *Acacia leptalea* ms
14. *Acacia lobulata*
15. *Acacia pharangites*
16. *Acacia pygmaea* ms
17. *Acacia recurvata* ms
18. *Acacia rhamphophylla* ms
19. *Acacia semicircinalis*
20. *Acacia sciophanes*
21. *Acacia vassalii*
22. *Acacia volubilis*
23. *Acacia* sp. Dandaragan (S. van Leeuwen 269)
24. *Adenanthes cunninghamii*
25. *Adenanthes dobagii*
26. *Adenanthes ellipticus*
27. *Adenanthes eyrei*
28. *Adenanthes illeticos*
29. *Adenanthes pungens*
30. *Adenanthes velutinus*
31. *Allocasuarina fibrosa*
32. *Allocasuarina tortiramula*
33. *Andersonia axilliflora*
34. *Andersonia gracilis*
35. *Andersonia* sp. Two Peoples Bay (G. Keighery 8229)
36. *Anigozanthos bicolor* subsp. *minor*
37. *Anigozanthos humilis* subsp. *chrysanthus*
38. *Anigozanthos viridis* subsp. *terraspectans*
39. *Anthocercis gracilis*
40. *Apium prostratum* subsp. *phillipii* ms
41. *Aponogeton hexatepalus*
42. *Asterolasia grandiflora*
43. *Asterolasia nivea*
44. *Banksia brownii*
45. *Banksia cuneata*
46. *Banksia goodii*
47. *Banksia oligantha*
48. *Banksia sphaerocarpa* var. *dolichostyla*
49. *Banksia verticillata*
50. *Bentleya spinescens*
51. *Beyeria lepidopetala*
52. *Billardiera mollis*
53. *Boronia adamsiana*
54. *Boronia capitata* subsp. *capitata*
55. *Boronia exilis* ms
56. *Boronia revoluta*
57. *Brachysema modestum* ms
58. *Brachysema papilio* ms
59. *Caladenia bryceana*
60. *Caladenia busselliana* ms
61. *Caladenia caesarea* subsp. *maritima* ms
62. *Caladenia christineae* ms
63. *Caladenia dorrienii*
64. *Caladenia elegans* ms
65. *Caladenia excelsa* ms
66. *Caladenia extans* ms
67. *Caladenia harringtoniae* ms
68. *Caladenia hoffmanii* ms
69. *Caladenia huegelii*
70. *Caladenia viridescens* ms
71. *Caladenia voigtii* ms
72. *Caladenia wanosa*
73. *Caladenia winfieldii* ms
74. *Calectasia arnoldii* ms
75. *Calytrix breviseta* subsp. *breviseta*
76. *Centrolepis caespitosa*
77. *Chamelaucium griffini* ms

78. *Chamelaucium roycei* ms
79. *Chamelaucium* sp. Gingin (N. Marchant s.n. 4.11.88)
80. *Chorizema humile*
81. *Chorizema varium*
82. *Conospermum densiflorum* subsp. *unicephalatum*
83. *Conospermum undulatum*
84. *Conospermum toddii*
85. *Conostylis dielsii* subsp. *teres*
86. *Conostylis drummondii*
87. *Conostylis lepidospermoides*
88. *Conostylis micrantha*
89. *Conostylis misera*
90. *Conostylis rogeri*
91. *Conostylis seorsiflora* subsp. *trichophylla*
92. *Conostylis setigera* subsp. *dasy*
93. *Conostylis wonganensis*
94. *Coopernochla georgei*
95. *Corybas limpidus*
96. *Cyphanthera odgersii* subsp. *occidentalis*
97. *Darwinia acerosa*
98. *Darwinia apiculata*
99. *Darwinia carnea*
100. *Darwinia chapmaniana* ms
101. *Darwinia collina*
102. *Darwinia ferricola* ms
103. *Darwinia macrostegia*
104. *Darwinia masonii*
105. *Darwinia meeboldii*
106. *Darwinia oxylepis*
107. *Darwinia squarrosa*
108. *Darwinia wittwerorum*
109. *Darwinia* sp. Carnamah (J. Coleby-Williams 148)
110. *Darwinia* sp. Stirling Range (G.J. Keighery 5732)
111. *Darwinia* sp. Williamson (G.J. Keighery 12717)
112. *Daviesia bursarioides*
113. *Daviesia cunderdin* ms
114. *Daviesia euphorbioides*
115. *Daviesia megacalyx*
116. *Daviesia microcarpa*
117. *Daviesia pseudaphylla*
118. *Daviesia speciosa*
119. *Daviesia spiralis*
120. *Diuris drummondii*
121. *Diuris micrantha*
122. *Diuris purdiei*
123. *Drakaea concolor* ms
124. *Drakaea confluens* ms
125. *Drakaea elastica*
126. *Drakaea isolata* ms
127. *Drakaea micrantha* ms
128. *Drakonorchis barbarella* ms
129. *Drakonorchis drakeoides* ms
130. *Drosera fimbriata*
131. *Drummondita ericoides*
132. *Drummondita hassellii* var. *longifolia*
133. *Dryandra anatona*
134. *Dryandra aurantia*
135. *Dryandra ionthocarpa*
136. *Dryandra mimica*
137. *Dryandra montana*
138. *Dryandra nivea* subsp. *uliginosa*
139. *Dryandra serratuloides* subsp. *perissa*
140. *Dryandra serratuloides* subsp. *serratuloides*
141. *Dryandra squarrosa* subsp. *argillacea*
142. *Eleocharis keigheryi* ms
143. *Epiblema grandiflorum* var. *cyanea* ms
144. *Eremophila caerulea* subsp. *merrallii* ms
145. *Eremophila denticulata*
146. *Eremophila lactea*
147. *Eremophila microtheca*
148. *Eremophila nivea*
149. *Eremophila pinnatifida* ms
150. *Eremophila resinosa*
151. *Eremophila scaberula*

152. *Eremophila subteretifolia* ms
 153. *Eremophila ternifolia*
 154. *Eremophila veneta* ms
 155. *Eremophila verticillata*
 156. *Eremophila virens*
 157. *Eremophila viscosa*
 158. *Eriostemon wonganensis*
 159. *Eucalyptus absita*
 160. *Eucalyptus argutifolia*
 161. *Eucalyptus articulata*
 162. *Eucalyptus balanites*
 163. *Eucalyptus beardiana*
 164. *Eucalyptus bennettiae*
 165. *Eucalyptus blaxellii*
 166. *Eucalyptus brevipes*
 167. *Eucalyptus burdettiana*
 168. *Eucalyptus ceracea*
 169. *Eucalyptus cerasiformis*
 170. *Eucalyptus coronata*
 171. *Eucalyptus crispata*
 172. *Eucalyptus crucis* subsp. *crucis*
 173. *Eucalyptus crucis* subsp. *praecipua*
 174. *Eucalyptus cuprea*
 175. *Eucalyptus dolorosa*
 176. *Eucalyptus goniantha* subsp. *goniantha*
 177. *Eucalyptus graniticola* ms
 178. *Eucalyptus impensa*
 179. *Eucalyptus insularis*
 180. *Eucalyptus johnsoniana*
 181. *Eucalyptus lateritica*
 182. *Eucalyptus leprophloia*
 183. *Eucalyptus merrickiae*
 184. *Eucalyptus mooreana*
 185. *Eucalyptus olivacea* ms
 186. *Eucalyptus phylacis*
 187. *Eucalyptus platydisca* ms
 188. *Eucalyptus pruiniramis*
 189. *Eucalyptus rhodantha*
 190. *Eucalyptus steedmanii*
 191. *Eucalyptus suberea*
 192. *Eucalyptus synandra*
 193. *Gastrolobium appressum*
 194. *Gastrolobium glaucum*
 195. *Gastrolobium graniticum*
 196. *Gastrolobium hamulosum*
 197. *Glyceria drummondii*
 198. *Grevillea althoferorum*
 199. *Grevillea batrachioides*
 200. *Grevillea calliantha*
 201. *Grevillea christineae*
 202. *Grevillea elongata*
 203. *Grevillea dryandroides*
 204. *Grevillea flexuosa*
 205. *Grevillea humifusa*
 206. *Grevillea inconspicua*
 207. *Grevillea infundibularis*
 208. *Grevillea involucrata*
 209. *Grevillea maccutcheonii*
 210. *Grevillea maxwellii*
 211. *Grevillea murex*
 212. *Grevillea pythara*
 213. *Grevillea scapigera*
 214. *Hakea aculeata*
 215. *Hakea megalosperma*
 216. *Halosarcia bulbosa*
 217. *Hemiandra gardneri*
 218. *Hemiandra rutilans*
 219. *Hemiandra* sp. Watheroo (S. Hancocks 4)
 220. *Hemigenia exilis*
 221. *Hemigenia viscosa*
 222. *Hensmania chapmanii*
 223. *Hibbertia* sp. Porongurups (R.D. Hoogland 12186)
 224. *Hydatellla dioica*
 225. *Hydrocotyle lemnoides*

226. *Hypocalymma longifolium*
 227. *Isopogon uncinatus*
 228. *Jacksonia pungens* ms
 229. *Jacksonia quairading* ms
 230. *Kennedia beckxiana*
 231. *Kennedia glabrata*
 232. *Kennedia macrophylla*
 233. *Kunzea pauciflora*
 234. *Lambertia echinata* subsp. *echinata*
 235. *Lambertia echinata* subsp. *occidentalis*
 236. *Lambertia fairallii*
 237. *Lambertia orbifolia*
 238. *Laxmannia jamesii*
 239. *Lechenaultia chlorantha*
 240. *Lechenaultia loricina*
 241. *Lechenaultia pulvinaris*
 242. *Lepidium catapycnon*
 243. *Lepidosperma rostratum*
 244. *Leptomeria dielsiana*
 245. *Leucopogon gnaphaloides*
 246. *Leucopogon marginatus*
 247. *Leucopogon obtectus*
 248. *Macarthuria keigheryi*
 249. *Melaleuca sciostylo*
 250. *Menkeia draboides*
 251. *Meziella trifida*
 252. *Microcorys eremophiloides*
 253. *Microtis globula*
 254. *Myoporum cordifolium*
 255. *Myoporum turbinatum*
 256. *Myriophyllum lapidicola*
 257. *Myriophyllum petraeum*
 258. *Orthrosanthus muelleri*
 259. *Pandanus spiralis* var. *flammeus*
 260. *Paracaleana dixonii* ms
 261. *Patersonia spirafolia*
 262. *Persoonia micranthera*
 263. *Petrophile latericola* ms
 264. *Phlegmatospermum drummondii*
 265. *Pimelea rara*
 266. *Pittosporum moluccanum*
 267. *Pityrodia augustensis*
 268. *Pityrodia scabra*
 269. *Plectrachne bromoides*
 270. *Prostanthera carrickiana*
 271. *Pterostylis* sp. Northampton (S. D. Hopper 3349)
 272. *Ptychosema pusillum*
 273. *Pultenaea pauciflora*
 274. *Restio abortivus*
 275. *Restio chaunocoleus*
 276. *Rhagodia acicularis*
 277. *Rhizanthella gardneri*
 278. *Ricinocarpus trichophorus*
 279. *Roxea pycnophylloides*
 280. *Rulingia* sp. Trigwell Bridge (R. Smith s.n. 20.6.89)
 281. *Scaevola macrophylla*
 282. *Schoenus natans*
 283. *Sphenotoma drummondii*
 284. *Spirogardnera rubescens*
 285. *Stawellia dimorphantha*
 286. *Stylidium coroniforme*
 287. *Stylidium galoides*
 288. *Stylidium merrallii*
 289. *Symonanthus bancroftii*
 290. *Tetradenia australiensis*
 291. *Tetratheca aphylla*
 292. *Tetratheca deltoidea*
 293. *Tetratheca harperi*
 294. *Tetratheca paynterae*
 295. *Thelymitra manginiae* ms
 296. *Thelymitra psammophila*
 297. *Thelymitra stellata*
 298. *Thomasia glabripetala*
 299. *Thomasia montana*

300. *Thomasia* sp. Green Hill (S. Paust 1322)
 301. *Thryptomene wittweri*
 302. *Tribonanthes purpurea*
 303. *Verticordia albida*
 304. *Verticordia carinata*
 305. *Verticordia crebra*
 306. *Verticordia densiflora* var. *pedunculata*
 307. *Verticordia fimbriilepis*
 308. *Verticordia harveyi*
 309. *Verticordia helichrysantha*
 310. *Verticordia hughanii*
 311. *Verticordia pityrhops*
 312. *Verticordia plumosa* var. *ananeotes*
 313. *Verticordia plumosa* var. *vassensis*
 314. *Verticordia spicata* subsp. *squamosa*
 315. *Verticordia staminosa*
 316. *Villarsia calthifolia*
 317. *Wurmbea calcicola*
 318. *Wurmbea tubulosa*
 319. *Xyris* sp. Stirling Range (G.J. Keighery 7951)

Division 2 — Pteridophyta (ferns and fern allies)

1. *Asplenium obtusatum*

Division 3 — Bryophyta (mosses and liverworts)

1. *Pleurophascum occidentale*

SCHEDEULE 2 — TAXA PRESUMED TO BE EXTINCT

[Clause 3 (b)]

Spermatophyta (flowering plants, conifers and cycads)

1. *Acacia kingiana*
 2. *Acacia prismifolia*
 3. *Calothamnus accedens*
 4. *Coleanthera virgata*
 5. *Deyeuxia drummondii*
 6. *Eremophila vernicosa* ms
 7. *Eriostemon falcatus*
 8. *Frankenia conferta*
 9. *Frankenia decurrens*
 10. *Frankenia parvula*
 11. *Gyrostemon reticulatus*
 12. *Haloragis platycarpa*
 13. *Hydatella leptogyne*
 14. *Lasiopetalum rotundifolium*
 15. *Lepidium aschersonii*
 16. *Lepidium drummondii*
 17. *Leucopogon cryptanthus*
 18. *Nemcia lehmannii*
 19. *Opercularia acolytantha*
 20. *Pseudanthus nematophorus*
 21. *Ptilotus fasciculatus*
 22. *Ptilotus pyramidatus*
 23. *Taraxacum cygnorum*
 24. *Tetrapetra fasciculata*
 25. *Thomasia gardneri*



WESTERN
AUSTRALIAN
GOVERNMENT
Gazette

6983



PERTH, FRIDAY, 28 NOVEMBER 1997 No. 213

PUBLISHED BY AUTHORITY JOHN A. STRIJK, GOVERNMENT PRINTER AT 3.30 PM

PUBLISHING DETAILS

The Western Australian *Government Gazette* is published by State Law Publisher for the State of Western Australia on Tuesday and Friday of each week unless disrupted by Public Holidays or unforeseen circumstances (changes to this arrangement will be advertised beforehand on the inside cover).

Special *Government Gazettes* and Extraordinary *Government Gazettes* are published periodically, all gazettes are included in the subscription price.

The following guidelines should be followed to ensure publication in the *Government Gazette*.

- Material submitted to the Executive Council and which requires gazettal will require a copy of the signed Executive Council Minute Paper and in some cases the Parliamentary Counsel's Certificate.
- Copy should be received by the Manager (Sales and Editorial), State Law Publisher no later than 12 noon on Wednesday (Friday edition) or 12 noon on Friday (Tuesday edition).
- Lengthy or complicated notices should be forwarded several days before advertised closing date for copy. This is to ensure inclusion in current edition. Failure to observe this request could result in the notice being held over until the following edition.
- Proofs will be supplied only when requested.
- No additions or amendments to material for publication will be accepted by telephone.

Send copy to:

The Manager (Sales and Editorial),
State Law Publisher

Ground Floor, 10 William Street, Perth, 6000
Telephone: 9321 7688 Fax: 9321 7536

ADVERTISERS SHOULD NOTE:

- All Notices should be written in 'plain English'.
- Signatures (in particular) and proper names must be legible.
- All copy should be typed and double spaced.
- If it is necessary through isolation or urgency to communicate by facsimile, confirmation is not required by post. If original copy is forwarded later and published, the cost will be borne by the advertiser.
- Documents not clearly prepared and in the required format for gazettal, will be returned to the sender unpublished.
- Late copy received at State Law Publisher will be placed in the following issue irrespective of any date/s mentioned in the copy.