



# CONVERTING TECHNOLOGIES

# DISPLAYPORT CONVERTER RANGE

The Lindy DisplayPort converter range brings seamless integration of different video signals to your office PC and laptop.

Available with HDMI, DVI and VGA connections, including multi interface versions.

## DISPLAYPORT 1.2 TO HDMI 2.0 18G ACTIVE CONVERTER



- Connect a DisplayPort computer to an HDMI 4k display
- Supports resolutions up to 3840x2160@60Hz
- Audio pass-through if supported by the video source

▶ No. 41068

## MINI DISPLAYPORT 1.2 TO HDMI 2.0 18G ACTIVE CONVERTER



- Connect a Mini DisplayPort computer to an HDMI 4k display
- Supports resolutions up to 3840x2160@60Hz
- Audio pass-through if supported by the video source

▶ No. 41069

## DISPLAYPORT 1.2 TO HDMI 1.4 CONVERTER



- Converts a DisplayPort signal into HDMI
- Supports resolutions up to 4K 3840x2160@30Hz
- Audio pass-through if supported by the video source

▶ No. 41718

## MINI DISPLAYPORT 1.2 TO HDMI 1.4, DVI & VGA CONVERTER



- Converts a DisplayPort signal into HDMI
- Supports HDMI resolutions up to 4K@30Hz, VGA up to Full HD and DVI up to and above Full HD
- Easily connect with a single legacy or modern display at any one time

▶ No. 41035

## DISPLAYPORT 1.2 TO DVI CONVERTER



- Converts a DisplayPort signal into DVI
- Supports resolutions up to 1920x1080@60Hz / 1920x1200@60Hz
- Add a DVI monitor as a secondary display

▶ No. 41004

### MINI DISPLAYPORT 1.2 TO DISPLAYPORT 1.2, HDMI 1.4 & DVI CONVERTER



- Converts a DisplayPort signal to HDMI, DP or DVI
- Supports HDMI resolutions up to 4K@30Hz, DP up to 3840x2160@60Hz and DVI up to and above Full HD
- Audio pass-through for HDMI and DisplayPort

▶ No. 41039

### DISPLAYPORT 1.4 TO HDMI 48G ACTIVE CONVERTER



- Connects a DisplayPort 1.4 computer to an HDMI 8K display
- Supports resolutions up to 7680x4320@60Hz and 3840x2160 @120Hz
- Audio pass-through if supported by the video source

▶ No. 41094

### DISPLAYPORT 1.2 TO HDMI 1.3 CONVERTER CONVERTER



- Converts a DisplayPort signal into HDMI
- Supports resolutions up to 1920x1080@60Hz
- Add an HDMI monitor as a secondary display

▶ No. 41005

### DISPLAYPORT 1.2 TO VGA ACTIVE CONVERTER CONVERTER



- Converts a DisplayPort signal into VGA
- Supports resolutions up to 1920x1080@60Hz
- Add a VGA monitor as a secondary display

▶ No. 41006

### 0.20m MINI DISPLAYPORT TO DISPLAYPORT ADAPTER CABLE



- Mini DisplayPort Male to DisplayPort Female
- Supports all DisplayPort resolutions
- Fully compatible with the DisplayPort specification

▶ No. 41021

### DISPLAYPORT 1.2 TO HDMI 1.4, DVI & VGA ACTIVE CONVERTER



- Converts a DisplayPort signal to HDMI, DVI or VGA
- Supports HDMI resolutions up to 4K@30Hz, VGA up to Full HD and DVI up to and above Full HD
- Easily connect with a single legacy or modern display at any one time

▶ No. 41028

### DISPLAYPORT TO MINI DISPLAYPORT ADAPTER

---



- DisplayPort Male to Mini DisplayPort Female Adapter
- Gold plated contacts
- DPCP & HDCP compliant

▶ No. 41089

### MINI DISPLAYPORT TO DVI ACTIVE CONVERTER

---

- Converts a DisplayPort signal into DVI
- Supports resolutions up to 1920x1200@60Hz
- Add a DVI monitor as a secondary display



▶ No. 41733

### DISPLAYPORT TO DVI ACTIVE CONVERTER

---



- Converts a DisplayPort signal into DVI
- Supports resolutions up to 1920x1200@60Hz
- Add a DVI monitor as a secondary display

▶ No. 41734

## DVI CONVERTER RANGE

With Lindy DVI converters you can connect a range of legacy devices together. With VGA and HDMI versions these are the ideal solutions for use with existing projector and display installations.

### DVI-D TO VGA CONVERTER



- Converts DVI-D signals into VGA
- Supports resolutions up to 1920x1200 including 1080p
- Add a VGA monitor as a secondary display

▶ No. 38189

### DVI-D FEMALE TO HDMI MALE ADAPTER CABLE, 0.2m

- Allows DVI-D signal cables to be connected to a display with an HDMI input
- This adapter supports digital signals only, analogue connections are not supported
- Connectors: DVI-D Female to HDMI Male



▶ No. 41227

### 0.2m DVI-I FEMALE (ANALOGUE) TO VGA MALE ADAPTER CABLE

- Connectors: DVI-I (Analogue) Female to VGA 15 Way HD Male
- 10 Year Warranty
- Length: 20cm



▶ No. 41223

### PREMIUM DVI-I COUPLER, MALE TO FEMALE

- Compact, moulded black plastic construction with internal shielding and gold plated connectors and contacts
- DVI-I Male to DVI-I Female
- Supports DVI Analogue / DVI Digital Single & Dual Link signals



▶ No. 41099

## HDMI CONVERTER RANGE

Lindy HDMI to VGA and DVI converters are the ideal solution for using modern laptops and PCs with older VGA and DVI equipped displays.

The USB 3.0 to HDMI Video Grabber Converter is a useful device that captures video and audio from an HDMI source.

### HDMI CEC LESS ADAPTER, FEMALE TO MALE

- Correct CEC connection issues
- No connection on Pin 13 stops issues between your HDMI devices and switches
- High quality HDMI adapter with gold plated connectors and contacts



▶ No. 41232

### HDMI 1.4 TO DISPLAYPORT 1.1 CONVERTER



- Converts an HDMI input into a DisplayPort signal
- Supports resolutions up to 3840x2160@30Hz
- Supports 7.1 channel surround audio

▶ No. 38146

### HDMI TO VGA AND AUDIO CONVERTER



- Connects an HDMI equipped device to a VGA display and analogue speakers
- Supports resolutions up to 1920x1200 including 1080p
- Direct signal conversion, without scaling

▶ No. 38285

### HDMI 1.3 TO VGA CONVERTER



- Converts HDMI signals into VGA
- Supports resolutions up to 1920x1200@60Hz
- Add a VGA monitor as a secondary display

▶ No. 38194

### HDMI TO VGA CONVERTER




- Connects an HDMI equipped device to a VGA display
- Supports resolutions up to 1920x1200 including 1080p
- Direct signal conversion, without scaling

▶ No. 38291

### HDMI FEMALE TO DVI-D MALE ADAPTER

---

- Allows HDMI Type A cables to be connected to a device with a DVI-D or DVI-I input
- Supports digital signals only
- Connectors: HDMI Type A Female to DVI-D Single Link Male



▶ No. 41228

### HDMI TO USB 3.0 VIDEO CAPTURE DEVICE

---



- Capture video and audio from a HDMI source device
- High USB Bandwidth, enabling video capture up to 1080p@60Hz
- Compatible with Windows 7, 8 and 10, Mac OS X 10.8 and above (not compatible with macOS 10.14 or higher)

▶ No. 43235

# USB CONVERTER RANGE

Lindy's USB converter products are compact and versatile solutions for connecting laptops and PCs to a large range of devices, including displays and computer peripherals.

Perfect for combined legacy and new technology installations.

## USB TYPE C TO DISPLAYPORT 4K60 ADAPTER CABLE WITH HDR



- Connects a 4K DP display to a computer equipped with a USB Type C port
- Supports DisplayPort resolutions up to 4K 3840x2160@60Hz with HDR
- Perfect for connecting Macbooks, laptops and PCs to modern DP displays

LENGTH	NO.
1m	43301
2m	43302
3m	43303

## USB TYPE C TO HDMI 4K60 CONVERTER



- Converts a USB Type C port to an HDMI port
- Supports HDMI resolutions up to 4K 3840x2160@60Hz 8bit RGB
- Requires DisplayPort Alternate Mode support by the USB Port/Bus

▶ No. 43247

## USB TYPE C TO HDMI 4K60 ADAPTER CABLE WITH HDR



- Connect a 4K HDMI display to your computer's USB Type C port
- Supports HDMI resolutions up to 4K 4096x2160@60Hz
- High Dynamic Range support provides deeper blacks, brighter whites and a wider colour gamut

LENGTH	NO.
1m	43291
2m	43292
3m	43293

## USB TYPE C TO VGA CONVERTER

- Converts a USB Type C port to a VGA port
- Supports VGA resolutions up to 1920x1200@60Hz
- Requires DisplayPort Alternate Mode support by the USB Port/Bus



▶ No. 43242

## USB TYPE C TO DVI CONVERTER

- Converts a USB Type-C port to a DVI-D port
- Requires DisplayPort Alternate Support by the USB Port/Bus
- Supports resolutions up to 1920x1200 & 1080p



▶ No. 43243



### USB TYPE C TO HDMI CONVERTER



- Converts a USB Type C port to an HDMI port
- Supports HDMI resolutions up to 4K 3840x2160@30Hz
- Requires DisplayPort Alternate Mode support by the USB 3.1 Port/Bus

▶ No. 43244

### USB TYPE C TO DISPLAYPORT CONVERTER



- Converts a USB Type C port to a DP port
- Supports DP resolutions up to 4K 3840x2160@60Hz
- Requires DisplayPort Alternate Mode support by the USB Port/Bus

▶ No. 43245

### USB 2.0 TYPE A MALE TO TYPE C FEMALE ADAPTER



- Connect USB Type C devices to a USB Type A port on a Laptop, Computer or Charger
- USB 2.0 Adapter for data transfer rates of up to 480Mbps
- Reversible Type C female port ensures an easy connection for all Type C devices

▶ No. 41884

### USB TO SERIAL CONVERTER



- Connects to any standard serial device via USB Type A
- Built-in COM Port Retention feature allows COM port settings to be stored within the converter
- USB bus-powered with no external power supply required

▶ No. 42686

### USB TO SERIAL CONVERTER LITE



- Connects to any standard serial device via USB Type A
- 9 Way D Male to USB A Male connectors
- Plug & Play - USB bus-powered with no external power supply required

▶ No. 42855

### USB TO 2 PORT SERIAL CONVERTER



- Connects two standard serial devices via USB Type A
- Two 9 Way D Male to 1x USB A Male connector
- Plug & Play - USB bus-powered with no external power supply required

▶ No. 42889

### USB TO RS485 CONVERTER



- Connects to any serial RS485 device via USB Type A
- 9 Way D Male to USB A Male connectors
- Plug & Play - USB bus-powered with no external power supply required

▶ No. 42845

### USB TO RS422 CONVERTER



- Connects to any serial RS422 device via USB Type A
- 9 Way D Male to USB A Male connectors
- Plug & Play - USB bus-powered with no external power supply required

▶ No. 42844

### USB TYPE A TO AUDIO CONVERTER



- Add 3.5mm audio interfaces to your ultrabook, notebook or tablet
- Connect a 3.5mm stereo headphone or speaker
- Connect an external 3.5mm microphone

▶ No. 42926

### USB TYPE C TO 2X DP SPLITTER - 2 PORT MST HUB

- Connect 2 DisplayPort displays to a USB Type C Port with DisplayPort Alternate Mode support
- Supports resolutions up to 4K 3840x2160@60Hz or 2560x1600@30Hz if two displays are connected simultaneously
- Open applications on separate displays or expanded across multiple monitors



▶ No. 43232

### USB 3.1 NOTEBOOK DOCKING STATION

- Adds a USB 3.0 Type A port, an HDMI and a Gigabit Ethernet port to your notebook
- Supports Ultra HD 4K 30Hz for HDMI displays
- DisplayPort Alternate Mode



▶ No. 43239

### USB 3.1 HUB & ETHERNET CONVERTER

- Connects a USB 3.1 Type C computer to a Gigabit Ethernet network
- Provides three USB 3.1 Gen 1 / 3.0 Type A ports
- Supports 10/100/1000BASE-T, full and half duplex mode



▶ No. 43249

### USB TYPE C TO TRIPLE DISPLAY CONVERTER



- Converts a USB 3.1 Type C port to an HDMI, DVI or VGA port
- Requires DisplayPort Alternate Support by the USB Port/Bus
- Supports resolutions up to 4096x2160@30Hz RGB (HDMI) / 1920x1200@60Hz (DVI) / 1920x1080@60Hz (VGA)

▶ No. 43273

### USB TYPE C TO HDMI CONVERTER WITH HDR



- Converts a USB Type C port to a HDMI port
- Supports HDMI resolutions up to 3840x2160@60Hz 4:4:4 8bit and 3840x2160@60Hz 4:2:2 12bit with additional support for HDR
- Requires DisplayPort Alternate Mode support by the USB Port/Bus

▶ No. 43276

### USB TYPE C TO MULTI-AV CONVERTER



- Allows users to connect a DisplayPort, HDMI, DVI or VGA device to a USB Type C port
- Supports HDMI and DP resolutions up to 4K@60Hz, VGA and DVI up to 1920x1200@60Hz
- Requires DisplayPort Alternate support from the USB Port/Bus

▶ No. 43279

### USB TYPE C TO DVI CONVERTER



- Converts a USB Type C port to a DVI-D port
- Supports DVI resolutions up to 1920x1200@60Hz
- Requires DisplayPort Alternate Mode support by the USB Port/Bus

▶ No. 43296

### USB 3.2 TYPE C MINI LAPTOP DOCK - 4K HDMI & DP, PD 3.0 100W, USB 3.2, GIGABIT ETHERNET, SD, AUDIO



- Adds 2 USB Type A ports & 1 USB Type C port (5Gbps), a 4K HDMI and DP port, Gigabit Ethernet and an Audio port to a laptop
- Supports 840x2160@30Hz for an HDMI or DP display and Full HD 1920x1080 for simultaneous use of HDMI and DP displays
- Features DisplayPort Alternate Mode

▶ No. 43323

### USB TYPE C TO HDMI 8K CONVERTER



- Converts a USB Type C port to an 8K capable HDMI connection
- Supports HDMI resolutions up to 7680x4320@60Hz and 3840x2160@120Hz
- Requires DisplayPort 1.4 Alternate Mode support by the USB Port/Bus

▶ No. 43327

LINDY International Limited  
Stockton-on-Tees  
t: +44 1642 754020  
e: InternationalSales@lindy.com  
www.lindy-international.com

**[www.lindy-international.com](http://www.lindy-international.com)**