

***Marchantia* literature 2007-2014
Genome Project thru 2014**

- Abe, J., S. Hori, Y. Tsuchikane, N. Kitao, M. Kato *et al.*, 2011 Stable Nuclear Transformation of the *Closterium peracerosum-strigosum-littorale* Complex. *Plant and Cell Physiology* 52: 1676-1685.
- Adams, D. G., and P. S. Duggan, 2008 Cyanobacteria-bryophyte symbioses. *Journal of Experimental Botany* 59: 1047-1058.
- Akiyama, H., T. Matsuoka and T. Yamaguchi, 2012 Biosystematic studies of the *Dumontiera hirsuta* complex (Dumontieraceae, Hepaticae), 2. Monoploid and diploid diversification in the Hawaiian Islands. *Polish Botanical Journal* 57: 81-93.
- Akter, K., M. Kato, Y. Sato, Y. Kaneko and D. Takezawa, 2014 Abscisic acid-induced rearrangement of intracellular structures associated with freezing and desiccation stress tolerance in the liverwort *Marchantia polymorpha*. *Journal of Plant Physiology* 171: 1334-1343.
- Akter, K., K. Tougane, M. Kaneko and D. Takezawa, 2011 Effect of sugar and abscisic acid on freezing and desiccation tolerance in the liverwort *Marchantia polymorpha*. *Cryobiology and Cryotechnology* 57: 83-86.
- Althoff, F., S. Kopischke, O. Zobell, K. Ide, K. Ishizaki *et al.*, 2014 Comparison of the MpEF1 α and CaMV35 promoters for application in *Marchantia polymorpha* overexpression studies. *Transgenic Research* 23: 234-244.
- Altland, J. E., G. Wehtje, M. L. McKee and C. H. Gilliam, 2008 Liverwort (*Marchantia polymorpha*) response to quinoclamine in a pine bark substrate. *Weed Science* 56: 762-766.
- Altland, J. E., G. Wehtje, J. Sibley, M. E. Miller, C. H. Gilliam *et al.*, 2011 Differential Response of Liverwort (*Marchantia polymorpha*) Tissue to POST-Applied Quinoclamine. *Weed Technology* 25: 580-585.
- Aoyama, T., Y. Hiwatashi, M. Shigyo, R. Kofuji, M. Kubo *et al.*, 2012 AP2-type transcription factors determine stem cell identity in the moss *Physcomitrella patens*. *Development* 139: 3120-3129.
- Arnold, A. E., L. J. Lamit, C. A. Gehring, M. I. Bidartondo and H. Callahan, 2010 Interwoven branches of the plant and fungal trees of life. *New Phytologist* 185: 874-878.
- Asakawa, Y., A. Ludwiczuk and F. Nagashima, 2013 Phytochemical and biological studies of bryophytes. *Phytochemistry* 91: 52-80.
- Asakawa, Y., A. Ludwiczuk, F. Nagashima, M. Toyota, T. Hashimoto *et al.*, 2009 Bryophytes: Bio- and Chemical Diversity, Bioactivity and Chemosystematics. *Heterocycles* 77: 99-150.
- Awasthi, V., A. K. Asthana and V. Nath, 2013 In vitro Study on the Reproductive Behavior of the Endemic and Threatened Indian Liverwort- *Cryptomitrium himalayense Kashyap* (Aytobiaceae). *Cryptogamie, Bryologie* 34: 313-323.
- Aya, K., Y. Hiwatashi, M. Kojima, H. Sakakibara, M. Ueguchi-Tanaka *et al.*, 2011 The Gibberellin perception system evolved to regulate a pre-existing GAMYB-mediated system during land plant evolution. *Nature Communications* 2: 544.
- Bainard, J. D., L. L. Forrest, B. Goffinet and S. G. Newmaster, 2012 Nuclear DNA content variation and evolution in liverworts. *Molecular Phylogenetics and Evolution* 68: 619-627.
- Bainard, J. D., and S. G. Newmaster, 2010 Endopolyploidy in Bryophytes: Widespread in Mosses and Absent in Liverworts. *Journal of Botany* 2010: 316356.
- Bartholomew-Began, S., 2009 Juvenile gametophyte development in the Blasiales. 3. Sporeling ontogeny of *Cavicularia densa*. *The Bryologist* 112: 354-358.
- Basile, A., S. Sorbo, B. Conte, M. Cardi and S. Esposito, 2013 Ultrastructural changes and Heat Shock Proteins 70 induced by atmospheric pollution are similar to the effects observed under in vitro heavy metals stress in *Conocephalum conicum* (Marchantiales - Bryophyta). *Environmental Pollution* 182: 209-216.
- Becker, B., and B. Marin, 2009 Streptophyte algae and the origin of embryophytes. *Annals of Botany* 103: 999-1004.
- Bell, D. M., J. T. Hunter and R. J. Haworth, 2008 Montane lakes (lagoons) of the New England Tablelands Bioregion. *Cunninghamia* 10: 475-492.

- Bidartondo, M. I., and J. G. Duckett, 2010 Conservative Ecological and Evolutionary Patterns in Liverwort-Fungal Symbioses. *Proceedings: Biological Sciences* 277: 485-492.
- Bidartondo, M. I., D. J. Read, J. M. Trappe, V. Merckx, R. Ligrone *et al.*, 2011 The dawn of symbiosis between plants and fungi. *Biology Letters* 7: 574-577.
- Bomfleur, B., M. Krings, J. Kastovský and H. Kerp, 2009 An enigmatic non-marine thalloid organism from the Triassic of East Antarctica. *Review of Palaeobotany and Palynology* 157: 317-325.
- Bowman, J. L., 2013 Walkabout on the long branches of plant evolution. *Current Opinion in Plant Biology* 16: 70-77.
- Boyce, C. K., and C. L. Hotton, 2010 Prototaxites Was Not a Taphonomic Artifact. *American Journal of Botany* 97: 1073-1073.
- Boyce, C. K., C. L. Hotton, M. L. Fogel, G. D. Cody, R. M. Hazen *et al.*, 2007 Devonian landscape heterogeneity recorded by a giant fungus. *Geology* 35: 399-402.
- Briggs, W. R., 2014 Phototropism: Some History, Some Puzzles, and a Look Ahead. *Plant Physiology* 164: 13-23.
- Brown, R. C., and B. E. Lemmon, 2007 The pleiomorphic plant MTOC: An evolutionary perspective. *Journal of Integrative Plant Biology* 49: 1142-1153.
- Brown, R. C., and B. E. Lemmon, 2008 gamma-Tubulin and microtubule organization during meiosis in the liverwort Ricciocarpus natans (Ricciaceae). *American Journal of Botany* 95: 664-671.
- Brown, R. C., and B. E. Lemmon, 2011 Spores before sporophytes- hypothesizing the origin of sporogenesis at the algal–plant transition. *New Phytologist* 190: 875-881.
- Brown, R. C., and B. E. Lemmon, 2013 Sporogenesis in Bryophytes: Patterns and Diversity in Meiosis. *Botanical Review* 79: 178-280.
- Brown, R. C., B. E. Lemmon and M. Shimamura, 2007 Transformations of the Pleiomorphic Plant MTOC during Sporogenesis in the Hepatic Marchantia polymorpha. *Journal of Integrative Plant Biology* 49: 1244-1252.
- Brown, R. C., B. E. Lemmon and M. Shimamura, 2010 Diversity in meiotic spindle origin and determination of cytokinetic planes in sporogenesis of complex thalloid liverworts (Marchantiopsida). *Journal of Plant Research* 123: 589-605.
- Brzyski, J. R., K. J. Adams, C. M. Walter, K. H. Gale and D. N. McLetchie, 2012 Characterization of 12 Polymorphic Microsatellite Markers in the Liverwort *Marchantia Inflexa* (Marchantiaceae). *American Journal of Botany* 99: E440-E442.
- Brzyski, J. R., W. Taylor and D. N. McLetchie, 2014 Reproductive allocation between the sexes, across natural and novel habitats, and its impact on genetic diversity. *Evolutionary Ecology* 28: 247-261.
- Cao, J.-G., X.-L. Dai, H.-M. Zou and Q.-X. Wang, 2014 Formation and development of rhizoids of the liverwort Marchantia polymorpha. *The Journal of the Torrey Botanical Society* 141: 126-134.
- Cao, J.-G., G. Wang, X.-L. Dai and Q.-X. Wang, 2012 Ultrastructural Observation and Cytochemical Analysis of Oogenesis in Marchantia polymorpha L. *Plant Science Journal* 30: 476-483.
- Cao, J.-G., G. Wang and Q.-X. Wang, 2011 Microstructural Observations and Cytochemical Studies on the Archegonial Development and Oogenesis of Marchantia polymorpha. *Plant Science Journal* 29: 607-612.
- Cao, J.-G., Q.-X. Wang, H.-M. Zou, X.-L. Dai and T. Cao, 2013 New Observations on the Morphology and Structure of Marchantia polymorpha Gametophores in Sexual Reproduction Adaption. *Plant Science Journal* 31: 555-561.
- Cargill, D. C., and J. Milne, 2013 A new terrestrial genus and species within the aquatic liverwort family Riellaceae (Sphaerocarpales) from Australia. *Polish Botanical Journal* 58: 71-80.
- Carvalho-Santos, Z., J. Azimzadeh, J. B. Pereira-Leal and M. Bettencourt-Dias, 2011 Tracing the origins of centrioles, cilia, and flagella. *Journal of Cell Biology* 194: 165-175.
- Cheng, A. X., L. Wang, Y. Sun and H. X. Lou, 2013 Identification and expression analysis of key enzymes of the terpenoids biosynthesis pathway of a liverwort *Plagiochasma appendiculatum* by EST analysis. *Acta Physiologiae Plantarum* 35: 107-118.

- Chiyoda, S., K. Ishizaki, H. Kataoka, K. T. Yamato and T. Kohchi, 2008 Direct transformation of the liverwort *Marchantia polymorpha* L. by particle bombardment using immature thalli developing from spores. *Plant Cell Reports* 27: 1467-1473.
- Chiyoda, S., P. J. Linley, K. T. Yamato, H. Fukuzawa, A. Yokota *et al.*, 2007 Simple and efficient plastid transformation system for the liverwort *Marchantia polymorpha* L. suspension-culture cells. *Transgenic Research* 16: 41-49.
- Chiyoda, S., K. T. Yamato and T. Kohchi, 2014 Plastid Transformation of Sporelings and Suspension-Cultured Cells from the Liverwort *Marchantia polymorpha* L, pp. 439-447 in *Chloroplast Biotechnology - Methods and Protocols*. Springer Science+Business Media, New York.
- Clarke, J. T., R. C. M. Warnock and P. C. J. Donoghue, 2011 Establishing a time-scale for plant evolution. *New Phytologist* 192: 266-301.
- Coelho, S. M., O. Godfroy, A. Arun, G. L. Corguillé, A. F. Petersd *et al.*, 2011 *OUBOROS* is a master regulator of the gametophyte to sporophyte life cycle transition in the brown alga *Ectocarpus*. *Proc. Natl. Acad. Sci. U.S.A.* 108: 11518-11523.
- Colloff, M. J., and A. Cairns, 2011 A novel association between oribatid mites and leafy liverworts (Marchantiophyta: Jungermanniidae), with a description of a new species of Birobates Balogh, 1970 (Acari: Oribatida: Oripodidae). *Australian Journal of Entomology* 50: 72-77.
- Cook, C., L. Martin and R. Bastow, 2014 Opportunities in plant synthetic biology. *Journal of Experimental Botany* 65: 1921-1926.
- Cooper, E. D., 2014 Overly simplistic substitution models obscure green plant phylogeny. *Trends in Plant Science* 19: 576-582.
- Cooper, E. D., M. J. Henwood and E. A. Brown, 2012 Are the liverworts really that old? Cretaceous origins and Cenozoic diversifications in Lepidoziaceae reflect a recurrent theme in liverwort evolution. *Biological Journal of the Linnean Society* 107: 425-441.
- Cordle, A. R., L. T. Bui, E. E. Irish and C.-L. Cheng, 2010 Laboratory-Induced Apogamy and Apospory in Ceratopteris richardii in *Working with Ferns: Issues and Applications*, edited by H. Fernández. Springer Science+Business Media.
- Cox, C. J., B. Li, P. G. Foster, T. M. Embley and P. Civan, 2014 Conflicting Phylogenies for Early Land Plants are Caused by Composition Biases among Synonymous Substitutions. *Systematic Biology* 63: 272-279.
- Crandall-Stotler, B., R. E. Stotler and D. G. Long, 2009 Phylogeny and classification of the Marchantiophyta. *Edinburgh Journal of Botany* 66: 155-198.
- Cronberg, N., 2009 Who found *Haplomitrium hookeri*? *Botaniska Notiser* 142: 7-8.
- Daunay, M.-C., J. Janick and H. S. Paris, 2009 Tacuinum Sanitatis: Horticulture and Health in the Late Middle Ages. *Chronica Horticulturae* 49: 22-29.
- Degola, F., M. De Benedictis, A. Petraglia, A. Massimi, L. Fattorini *et al.*, 2014 A Cd-Fe-Zn-Responsive Phytochelatin Synthase is Constitutively Present in the Ancient Liverwort *Lunularia cruciata* (L.) Dumort. *Plant & Cell Physiology* 55: 1884-1891.
- Delaux, P.-M., A. K. Nanda, c. Mathé, N. Sejalon-Delmas and C. Dunand, 2012 Molecular and biochemical aspects of plant terrestrialization. *Perspectives in Plant Ecology, Evolution and Systematics* 14: 49-59.
- Delgadillo-Moya, C., and C. Juárez-Martinez, 2014 Biodiversidad de Anthocerotophyta y Marchantiophyta en México. *Revista de Biodiversidad* 85S: S106-S109.
- Desiró, A., J. G. Duckett, S. Pressel, J. C. Villarreal and M. I. Bidartondo, 2013 Fungal symbioses in hornworts- a chequered history. *Proceedings of the Royal Society Series B* 280: 2013.0207.
- Desiro, A., m. Naumann, S. Epis, M. Novero, C. Bandi *et al.*, 2013 Mollicutes-related endobacteria thrive inside liverwort-associated arbuscular mycorrhizal fungi. *Environmental Microbiology* 15: 822-836.
- Diéguez, C., J. P. Rodríguez-López and N. Meléndez, 2007 Marchantiopsid colonization mats from the Upper Aptian-Lower Albian of the Escucha Formation (Oliete Sub-Basin, Iberian Ranges, eastern Spain). *Comptes Rendus Palevol* 6: 413-422.
- Duckett, J. G., R. Ligrone, K. Renzaglia and P. Silvia, 2014 Pegged and smooth rhizoids in complex thalloid liverworts (Marchantiopsida): structure, function and evolution. *Botanical Journal of the Linnean Society* 174: 68-92.

- Duckett, J. G., and S. Pressel, 2009 Extraordinary features of the reproductive biology of *Marchantia* at Thursley Common. *FieldBryology* 97: 2-11.
- During, H. J., 2007a Episodic bryophytes in the diaspose bank of a Zimbabwean savanna. *Lindbergia* 32: 55-61.
- During, H. J., 2007b Relations between clonal growth, reproduction and breeding system in the bryophytes of Belgium and The Netherlands. *Nova Hedwigia*, Beiheft 131: 133-145.
- Edstam, M. M., L. Viitanen, T. A. Salminen and J. Edqvist, 2011 Evolutionary History of the Non-Specific Lipid Transfer Proteins. *Molecular Plant* 4: 947-964.
- Edwards, D., J. L. Morris, J. B. Richardson and P. Kenrick, 2014 Cryptospores and cryptophytes reveal hidden diversity in early land floras. *New Phytologist* 202: 50-78.
- Edwards, D., J. B. Richardson, L. Axe and K. L. Davies, 2012 A new group of Early Devonian plants with valvate sporangia containing sculptured permanent dyads. *Botanical Journal of the Linnean Society* 168: 229-257.
- Emiliani, G., M. Fondi, R. Fani and S. Gribaldo, 2009 A horizontal gene transfer at the origin of phenylpropanoid metabolism- a key adaptation of plants to land. *Biology Direct* 4: 7.
- Era, A., N. Kutsuna, T. Higaki, S. Hasezawa, A. Nakano *et al.*, 2013 Microtubule stability affects the unique motility of F-actin in *Marchantia polymorpha*. *Journal of Plant Research* 126: 113-119.
- Era, A., M. Tominaga, K. Ebine, C. Awai, C. Saito *et al.*, 2009 Application of Lifeact Reveals F-Actin Dynamics in *Arabidopsis thaliana* and the Liverwort, *Marchantia polymorpha*. *Plant and Cell Physiology* 50: 1041-1048.
- Espineira, J. M., E. N. Uzal, L. V. G. Ros, J. S. Carrion, F. Merino *et al.*, 2011 Distribution of lignin monomers and the evolution of lignification among lower plants. *Plant Biology* 13: 59-68.
- Fang, Y., R.-L. Zhu and B. D. Mishler, 2014 Evolution of Oleosin in Land Plants. *PLOS One* 9: e103806.
- Feldberg, K., J. Heinrichs, A. R. Schmidt, J. Vana and H. Schneider, 2013 Exploring the impact of fossil constraints on the divergence time estimates of derived liverworts. *Plant Systematics and Evolution* 299: 585-601.
- Feldberg, K., H. Schneider, T. Stadler, A. Schäfer-Verwimp, A. R. Schmidt *et al.*, 2014 Epiphytic leafy liverworts diversified in angiosperm-dominated forests. *Scientific Reports* 4: DOI: 10.1038/srep05974.
- Fernández-Marín, B., F. Míguez, J. M. Becerril and J. I. García-Plazoala, 2011 Dehydration-mediated activation of the xanthophyll cycle in darkness- is it related to desiccation tolerance? *Planta* 234: 579-588.
- Finet, C., R. E. Timme, C. F. Delwiche and F. Marletta, 2010 Multigene Phylogeny of the Green Lineage Reveals the Origin and Diversification of Land Plants. *Current Biology* 20: 2217-2222.
- Finet, C., R. E. Timme, C. F. Delwiche and F. Marlétaz, 2012 Multigene Phylogeny of the Green Lineage Reveals the origin and Diversification of Land Plants. *Current Biology* 22: 1456-1457.
- Fiz-Palacios, O., H. Schneider, J. Heinrichs and V. Savolainen, 2011 Diversification of land plants: insights from a family-level phylogenetic analysis. *Bmc Evolutionary Biology* 11: 341.
- Fonseca, H. M. A. C., and R. L. L. Berbara, 2008 Does *Lunularia cruciata* form symbiotic relationships with either *Glomus proliferum* or *G. intraradices*? *Mycological Research* 112: 1063-1068.
- Fonseca, H. M. A. C., R. L. L. Berbara and M. L. Pereira, 2014 Monoxenic cultures of light sensitive arbuscular mycorrhizal fungi with *Lunularia cruciata* (Marchantiopsida). *Nova Hedwigia* 98: 79-87.
- Fonseca, H. M. A. C., J. I. L. Ferreira, R. L. L. Berbara and N. P. Zatorre, 2009 Dominance of Paris-type morphology on mycothallus of *Lunularia cruciata* colonised by *Glomus proliferum*. *Brazilian Journal of Microbiology* 40: 96-101.
- Forrest, L. L., N. S. Allen, J. A. Gudiño, H. Korpelainen and D. G. Long, 2011 Molecular and morphological evidence for distinct species in *Dumontiera* (Dumontieraceae). *The Bryologist* 114: 102-115.
- Frahm, J.-P., 2012 Two Centuries of Systematics of Bryophytes - what will bring the Future? *Archive for Bryology* 120: 1-16.

- Fraile-Escanciano, A., B. Garciaeblas, A. Rodriguez-Navarro and B. Benito, 2009 Role of ENA ATPase in Na⁺ efflux at high pH in bryophytes. *Plant Molecular Biology* 71: 599-608.
- Franková, L., and S. C. Fry, 2011 Phylogenetic variation in glycosidases and glycanases acting on plant cell wall polysaccharides, and the detection of transglycosidase and trans-b-xylanase activities. *The Plant Journal* 67: 662-681.
- Frett, T. J., M. J. Frelich and N. C. Maravolo, 2013 The influence of spermine and hydrogen peroxide on programmed cell death in tuberculate rhizoids of *Marchantia polymorpha*. *Bryologist* 116: 134-145.
- Frey, W., T. Pfeiffer and M. Stech, 2010 Geomolecular divergence patterns of Gondwanan and Palaeoaustral bryophytes - An overview Studies in austral temperate rain forest bryophytes 34. *Nova Hedwigia* 91: 317-348.
- Fuselier, L., 2008 Variation in life history characteristics between asexual and sexual populations of *Marchantia inflexa*. *Bryologist* 111: 248-259.
- Gaff, D. F., and M. Oliver, 2013 The evolution of desiccation tolerance in angiosperm plants- a rare yet common phenomenon. *Functional Plant Biology* 40: 315-328.
- Gahtori, D., and P. Chaturvedi, 2011 Antifungal and antibacterial potential of methanol and chloroform extracts of *Marchantia polymorpha* L. *Archives of Phytopathology and Plant Protection* 44: 726-731.
- Garcia-Ramos, G., C. Stieha, D. N. Mcletchie and P. H. Crowley, 2007 Persistence of the sexes in metapopulations under intense asymmetric competition. *Journal of Ecology* 95: 937-950.
- Gensel, P. G., 2008 The earliest land plants. *Annual Review of Ecology, Evolution, and Systematics* 39: 349-377.
- Gerrienne, P., and P. Gómez, 2011 Early evolution of life cycles in embryophytes: A focus on the fossil evidence of gametophyte/sporophyte size and morphological complexity. *Journal of Systematics and Evolution* 49: 1-16.
- Glime, J. M., 2007 *Bryophyte Ecology. Volume 1. Physiological Ecology*. Michigan Technological University and the International Association of Bryologists.
- Gökbüyük, A., B. Satilmis, K. Batçioğlu, B. Çetin and E. Sarer, 2012 Antioxidant activity and luteolin content of *Marchantia polymorpha* L. *Turkish Journal of Biology* 36: 381-385.
- Goméz Ros, L. V., C. Gabaldón, F. Pomar, F. Merino, M. A. Pedreño *et al.*, 2007 Structural motifs of syringyl peroxidases predate not only the gymnosperm–angiosperm divergence but also the radiation of tracheophytes. *New Phytologist* 173: 63-78.
- Goodenough, U., and J. Heitman, 2014 Origins of Eukaryotic Sexual Reproduction. *Cold Spring Harbor Perspectives in Biology* 6:a016154: 1-21.
- Gorelova, O. A., and O. I. Baulina, 2009 Ultrastructure of *Cyanobacterium Nostoc* sp. f. *Blasia* cell forms in persisting populations. *Mikrobiologiya* 78: 674-683.
- Graham, L. E., M. E. Cook, D. T. Hanson, K. B. Pigg and J. M. Graham, 2010a Rolled Liverwort Mats Explain Major Prototaxites Features: Response to Commentaries. *American Journal of Botany* 97: 1079-1086.
- Graham, L. E., M. E. Cook, D. T. Hanson, K. B. Pigg and J. M. Graham, 2010b Structural, Physiological, and Stable Carbon Isotopic Evidence That the Enigmatic Paleozoic Fossil Prototaxites Formed from Rolled Liverwort Mats. *American Journal of Botany* 97: 268-275.
- Groen, K. E., C. R. Stieha, P. H. Crowley and D. N. McLetchie, 2010a Sex-specific plant responses to light intensity and canopy openness: implications for spatial segregation of the sexes. *Oecologia* 162: 561-570.
- Groen, K. E., C. R. Stieha, P. H. Crowley and D. N. McLetchie, 2010b Sex-specific plant responses to two light levels in the liverwort *Marchantia inflexa* (Marchantiaceae). *Bryologist* 113: 81-89.
- Grosche, C., H. T. Funk, U. G. Maier and S. Zauner, 2012 The Chloroplast Genome of *Pellia endiviifolia*- Gene Content, RNA-Editing Pattern, and the Origin of Chloroplast Editing. *Genome Biology and Evolution* 4: 1349-1357.
- Groth-Malonek, M., U. Wahrmund, M. Polsakiewicz and V. Knoop, 2007 Evolution of a pseudogene: Exclusive survival of a functional mitochondrial nad7 gene supports *Haplomitrium* as the earliest liverwort lineage and proposes a secondary loss of RNA editing in marchantiidae. *Molecular Biology and Evolution* 24: 1068-1074.

- Gruhn, N., M. Halawa, B. Snel, M. F. Seidl and A. Heyl, 2014 A Subfamily of Putative Cytokinin Receptors Is Revealed by an Analysis of the Evolution of the Two-Component Signaling System of Plants. *Plant Physiology* 165: 227-237.
- Guo, C. Q., D. Edwards, P. C. Wu, J. G. Duckett, F. M. Hueber *et al.*, 2012 Riccardiothallus devonicus gen. et sp nov., the earliest simple thalloid liverwort from the Lower Devonian of Yunnan, China. *Review of Palaeobotany and Palynology* 176: 35-40.
- Haig, D., 2008 Homologous Versus Antithetic Alternation of Generations and the Origin of Sporophytes. *Botanical Review* 74: 395-418.
- Haig, D., 2010 What do we know about charophyte (Streptophyta) life cycles? *Journal of Phycology* 46: 860-867.
- Hall, B. G., 2008 *Phylogenetic trees made easy: A how-to manual*. Sinauer Associates, Inc., Sunderland, Massachusetts.
- Hall, J. D., K. G. Karol, R. M. McCourt and C. F. Delwiche, 2008 Phylogeny of the conjugating green algae based on chloroplast and mitochondrial nucleotide sequence data. *Journal of Phycology* 44: 467-477.
- Harris, E. S. J., 2008 Ethnobryology- traditional uses and folk classification of bryophytes. *The Bryologist* 111: 169-217.
- Hatanaka, R., T. Furuki, T. Shimizu, D. Takezawa, T. Kikiwada *et al.*, 2014 Biochemical and structural characterization of an endoplasmic reticulum-localized late embryogenesis abundant (LEA) protein from the liverwort *Marchantia polymorpha*. *Biochemical and Biophysical Research Communications* 454: 588-593.
- Hatanaka, R., and Y. Sugawara, 2010 Development of desiccation tolerance and vitrification by preculture treatment in suspension-cultured cells of the liverwort *Marchantia polymorpha*. *Planta* 231: 965-976.
- He, X. L., Y. Sun and R. L. Zhu, 2013 The Oil Bodies of Liverworts: Unique and Important Organelles in Land Plants. *Critical Reviews in Plant Sciences* 32: 293-302.
- Heinrichs, J., J. Hentschel, R. Wilson, K. Feldberg and H. Schneider, 2007 Evolution of Leafy Liverworts (Jungermanniidae, Marchantiophyta)- Estimating Divergence Times from Chloroplast DNA Sequences Using Penalized Likelihood with Integrated Fossil Evidence. *Taxon* 56: 31-44.
- Heinrichs, J., and E. Reiner-Drehwald, 2012 Surface wax in *Dinckleria*, *Lejeunea* and *Mytilopsis* (Jungermanniidae). *Cryptogamie Bryologie* 33: 81-86.
- Heinrichs, J., M. E. Reiner-Drehwald, K. Feldberg, D. A. Grimaldi, P. C. Nascimbene *et al.*, 2011 *Kaolakia borealis* nov. gen. et sp. (Porellales, Jungermanniopsida)- A leafy liverwort from the Cretaceous of Alaska. *Review of Palaeobotany and Palynology* 165: 235-240.
- Heinrichs, J., M. E. Reiner-Drehwald, K. Feldberg, M. von Konrat, J. Hentschel *et al.*, 2012 The leafy liverwort *Frullania* (Jungermanniopsida) in the Cretaceous amber forest of Myanmar. *Review of Palaeobotany and Palynology* 169: 21-28.
- Heinrichs, J., A. Schafer-Verwimp, K. Feldberg and A. R. Schmidt, 2014 The extant liverwort *Gackstroemia* (Lepidolaenaceae, Porellales) in Cretaceous amber from Myanmar. *Review of Palaeobotany and Palynology* 203: 48-52.
- Hernick, L. V., E. Landing and K. E. Bartowski, 2008 Earth's oldest liverworts - *Metzgeriothallus sharonae* sp nov from the Middle Devonian (Givetian) of eastern New York, USA. *Review of Palaeobotany and Palynology* 148: 154-162.
- Ho, B.-C., 2013 The liverwort genus *Marchantia* L. (Marchantiophyta-Marchantiopsida) in Singapore, with a new species record. *Nature in Singapore* 6: 187-190.
- Hoang, Q. T., S. H. Cho, S. F. McDaniel, S. H. Ok, R. S. Quatrano *et al.*, 2009 An actinoporin plays a key role in water stress in the moss *Physcomitrella patens*. *The New Phytologist* 184: 502-510.
- Hock, Z., P. Szovenyi, J. J. Schneller, Z. Toth and E. Urmi, 2008 Bryophyte diaspore bank: A genetic memory? Genetic structure and genetic diversity of surface populations and diaspore bank in the liverwort *Mannia fragrans* (Aytoniaceae). *American Journal of Botany* 95: 542-548.
- Hock, Z., P. Szovenyi, J. J. Schneller, E. Urmi and Z. Toth, 2009 Population genetic consequences of the reproductive system in the liverwort *Mannia fragrans*. *Plant Ecology* 202: 123-134.

- Hodges, M. E., B. Wickstead, K. Gull and J. A. Langdale, 2012 The evolution of land plant cilia. *New Phytologist* 195: 526-540.
- Hola, E., T. Vesalainen, J. Tesitel and S. Laaka-Lindberg, 2014 Sex ratio, sex-specific pattern in vegetative growth and gemma production in an aquatic liverwort, *Scapania undulata* (Marchantiophyta: Scapaniaceae). *Botanical Journal of the Linnean Society* 175: 229-241.
- Holá, E., T. Vesalainen, J. Těšitel and S. Laaka-Lindberg, 2014 Sex ratio, sex-specific pattern in vegetative growth and gemma production in an aquatic liverwort, *Scapania undulata* (Marchantiophyta- Scapaniaceae). *Botanical Journal of the Linnean Society* 175: 229-241.
- Hollingsworth, M. L., A. A. Clark, L. L. Forrest, J. Richardson, R. T. Pennington *et al.*, 2009 Selecting barcoding loci for plants- evaluation of seven candidate loci with species-level sampling in three divergent groups of land plants. *Molecular Ecology Resources* 9: 439-457.
- Holzinger, A., F. Kaplan, K. Blaas, B. Zechmann, K. Komsic-Buchmann *et al.*, 2014 Transcriptomics of Desiccation Tolerance in the Streptophyte Green Alga Klebsormidium Reveal a Land Plant-Like Defense Reaction. *PLOS ONE* 9: e110630.
- Hooijmajers, C., 2008 Membrane integrity, oxidative damage and chlorophyll fluorescence during dehydration of the thalloid liverwort *Monoclea forsteri* Hook. *Journal of Bryology* 30: 217-222.
- Hooijmajers, C. A. M., and K. S. Gould, 2007 Photoprotective pigments in red and green gametophytes of two New Zealand liverworts. *New Zealand Journal of Botany* 45: 451-461.
- Hori, K., F. Maruyama, T. Fujisawa, T. Togashi, N. Yamamoto *et al.*, 2014 Klebsormidium flaccidum genome reveals primary factors for plant terrestrial adaptation. *Nature Communications* 5: 4978.
- Horrocks, M., J. Salter, J. Braggins, S. Nichol, R. Moorhouse *et al.*, 2008 Plant microfossil analysis of coprolites of the critically endangered kakapo (*Strigops habroptilus*) parrot from New Zealand. *Review of Palaeobotany and Palynology* 149: 229-245.
- Huang, W.-J., C.-L. Wu, C.-W. Lin, L.-L. Chi, P.-Y. Chen *et al.*, 2010 Marchantin A, a cyclic bis(bibenzyl ether), isolated from the liverwort *Marchantia emarginata* subsp. *tosana* induces apoptosis in human MCF-7 breast cancer cells. *Cancer Letters* 291: 108-119.
- Hübers, M., and H. Kepr, 2012 Oldest known mosses discovered in Mississippian (late Visean) strata of Germany. *Geology* 40: 755-758.
- Hugonnot, V., 2010 Towards an improved understanding of the taxonomy of *Riccia ciliata* Hoffm. (Marchantiopsida: Ricciaceae). *Journal of Bryology* 32: 300-303.
- Humphreys, C. P., P. J. Franks, M. Rees, M. I. Bidartondo, J. R. Leake *et al.*, 2010 Mutualistic mycorrhiza-like symbiosis in the most ancient group of land plants. *Nature Communications* 1:103: 1-7.
- Iamonico, D., 2014 Lectotypification of the Linnaean name *Marchantia cruciata* L. (Lunulariaceae). *Journal of Bryology* 36: 253-254.
- Iamonico, D., and M. Iberite, 2013 Lectotypification of the Linnaean Name *Marchantia hemisphaerica* L. (Aytoniaceae). *Cryptogamie, Bryologie* 34: 89-91.
- Imada, Y., A. Kawakita and M. Kato, 2011 Allopatric distribution and diversification without niche shift in a bryophyte-feeding basal moth lineage (Lepidoptera- Micropterigidae). *Proceedings of the Royal Society B-Biological Sciences* 278: 3026-3033.
- Ishizaki, K., S. Chiyoda, K. T. Yamato and T. Kohchi, 2008 Agrobacterium-mediated transformation of the haploid liverwort *Marchantia polymorpha* L., an emerging model for plant biology. *Plant and Cell Physiology* 49: 1084-1091.
- Ishizaki, K., Y. Johzuka-Hisatomi, S. Ishida, S. Iida and T. Kohchi, 2013a Homologous recombination-mediated gene targeting in the liverwort *Marchantia polymorpha* L. *Scientific Reports* 3: 1532.
- Ishizaki, K., M. Mizutani, M. Shimamura, A. Masuda, R. Nishihama *et al.*, 2013b Essential Role of the E3 Ubiquitin Ligase NOPPERABO1 in Schizogenous Intercellular Space Formation in the Liverwort *Marchantia polymorpha*. *Plant Cell* 25: 4075-4084.
- Ishizaki, K., M. Nonomura, H. Kato, K. T. Yamato and T. Kohchi, 2012 Visualization of auxin-mediated transcriptional activation using a common auxin-responsive reporter system in the liverwort *Marchantia polymorpha*. *Journal of Plant Research* 125: 643-651.

- Jackson, O., O. Taylor, D. G. Adams and J. P. Knox, 2012 Arabinogalactan Proteins Occur in the Free-Living Cyanobacterium Genus *Nostoc* and in Plant–*Nostoc* Symbioses. *Molecular Plant-Microbe Interactions* 25: 1338-1349.
- Jacobs, J., S. Glanz, A. Bunse-Grassmann, O. Kruse and U. Kuck, 2010 RNA trans-splicing: Identification of components of a putative chloroplast spliceosome. *European Journal of Cell Biology* 89: 932-939.
- Janick, J., and J. Stolarczyk, 2012 Ancient Greek Illustrated Dioscoridean Herbals- Origins and Impact of the Juliana Anicia Codex and the Codex Neopolitanus. *Notulae Botanicae Horti Agrobotanici* 40: 9-17.
- Janick, J., A. L. Whipkey and J. Stolarczyk, 2013 Synteny of Images in Three Illustrated Dioscoridean Herbals- Juliana Anicia Codex, Codex Neopolitanus, and Morgan 652. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca* 41: 333-339.
- Jeffree, C. E., 2008 The fine structure of the plant cuticle, pp. 11-125 in *Annual Plant Reviews, Biology of the Plant Cuticle*, edited by M. Riederer and C. Müller. Blackwell Publishing.
- Jensen, J. S. R. E., S. Omarsdottir, J. B. Thorsteinsdottir, H. M. Ogmundsdottir and E. S. Olafsdottir, 2012a Synergistic Cytotoxic Effect of the Microtubule Inhibitor Marchantin A from *Marchantia polymorpha* and the Aurora Kinase Inhibitor MLN8237 on Breast Cancer Cells In Vitro. *Planta Medica* 78: 448-454.
- Jensen, S., S. Omarsdottir, A. G. Bwalya, M. A. Nielsen, D. Tasdemir *et al.*, 2012b Marchantin A, a macrocyclic bisbibenzyl ether, isolated from the liverwort *Marchantia polymorpha*, inhibits protozoal growth in vitro. *Phytomedicine* 19: 1191-1195.
- Jobson, R. W., and Y.-L. Qiu, 2011 Amino Acid Compositional Shifts During Streptophyte Transitions to Terrestrial Habitats. *Journal of Molecular Evolution* 72: 204-214.
- Jones, N. L., and S. Bartholomew-Began, 2007 Juvenile gametophyte development in the Blasiales (Metzgeriidae). 2. Gemma/gemmaling ontogeny of *Cavicularia densa*. *The Bryologist* 110: 453-464.
- Jones, V. A. S., and L. Dolan, 2012 The evolution of root hairs and rhizoids. *Annals of Botany* 110: 205-212.
- Kajikawa, M., K. Matsui, M. Ochiai, Y. Tanaka, Y. Kita *et al.*, 2008 Production of Arachidonic and Eicosapentaenoic Acids in Plants Using Bryophyte Fatty Acid Δ6-Desaturase, Δ6-Elongase, and Δ5-Desaturase Genes. *Bioscience, Biotechnology, and Biochemistry* 72: 435-444.
- Kanamoto, H., M. Takemura and K. Ohyama, 2009 Detection of 5-Lipoxygenase Activity in the Liverwort *Marchantia polymorpha* L. *Bioscience Biotechnology and Biochemistry* 73: 2549-2551.
- Kanamoto, H., M. Takemura and K. Ohyama, 2012 Cloning and expression of three lipoxygenase genes from liverwort, *Marchantia polymorpha* L., in *Escherichia coli*. *Phytochemistry* 77: 70-78.
- Kanazawa, T., K. Ishizaki, T. Kohchi, M. Hanaoka and K. Tanaka, 2013 Characterization of Four Nuclear-Encoded Plastid RNA Polymerase Sigma Factor Genes in the Liverwort *Marchantia polymorpha*: Blue-Light- and Multiple Stress-Responsive SIG5 was Acquired Early in the Emergence of Terrestrial Plants. *Plant and Cell Physiology* 54: 1736-1748.
- Karatygina, I. V., N. S. Snigirevskaya and S. V. Vikulin, 2009 The Most Ancient Terrestrial Lichen *Winfrenatia reticulata*: A New Find and New Interpretation. *Paleontological Journal* 43: 107-114.
- Karol, K. G., K. Arumuganathan, J. L. Boore, A. M. Duffy, K. D. E. Everett *et al.*, 2010 Complete plastome sequences of *Equisetum arvense* and *Isoetes flaccida*: implications for phylogeny and plastid genome evolution of early land plant lineages. *BMC Evolutionary Biology* 10: 321.
- Karsten, U., and A. Holzinger, 2014 Green algae in alpine biological soil crust communities- acclimation strategies against ultraviolet radiation and dehydration. *Biodivers Conserv* 23: 1845-1858.
- Kasinsky, H. E., S. Ellis, G. Martens and J. Ausió, 2014 Dynamic aspects of spermiogenic chromatin condensation patterning by phase separation during the histone-to-protamine transition in charalean algae and relation to bryophytes. *Tissue and Cell* 46: 415-432.

- Kenrick, P., C. H. Wellman, H. Schneider and G. D. Edgecombe, 2012 A timeline for terrestrialization: consequences for the carbon cycle in the Palaeozoic. *Philosophical Transactions of the Royal Society B-Biological Sciences* 367: 519-536.
- Kihara, H., M. Tanaka, K. T. Yamato, A. Horibata, A. Yamada *et al.*, 2014 Arachidonic acid-dependent carbon-eight volatile synthesis from wounded liverwort (*Marchantia polymorpha*). *Phytochemistry* 107: 42-49.
- Kisiel, K., H. Miwa and I. J. Odrzykoski, 2011 Taxonomic identification of chloroplast genome of *Marchantia polymorpha* using DNA barcode sequences, pp. A43 in *Fourth International Barcode of Life Conference*.
- Knauth, L. P., and M. J. Kennedy, 2009 The late Precambrian greening of the Earth.pdf. *Nature* 460: 728-732.
- Knoop, V., 2013 Plant mitochondrial genome peculiarities evolving in the earliest vascular plant lineages. *Journal of Systematics and Evolution* 51: 1-12.
- Knoop, V., U. Volkmar, J. Hecht and F. Grewe, 2011 Mitochondrial Genome EvolutionIn in *Plant Mitochondria, Advances in Plant Biology*, edited by F. Kempken. Springer Science+Business Media.
- Komala, I., T. Ito, Y. Yagi, F. Nagashima and Y. Asakawa, 2010 Volatile Components of Selected Liverworts, and Cytotoxic, Radical Scavenging and Antimicrobial Activities of Their Crude Extracts. *Natural Product Communications* 5: 1375-1380.
- Komatsu, A., M. Terai, K. Ishizaki, N. Suetsugu, H. Tsuboi *et al.*, 2014 Phototropin Encoded by a Single-Copy Gene Mediates Chloroplast Photorelocation Movements in the Liverwort *Marchantia polymorpha*. *Plant Physiology* 166: 411-427.
- Konrat, M. v., L. Söderström, M. A. Renner, A. Hagborg, L. Briscoe *et al.*, 2010 Early Land Plants Today (ELPT): How many liverwort species are there? *Phytotaxa* 9: 22-40.
- Kraichak, E., 2012 Asexual Propagules as an Adaptive Trait for Epiphyll in Tropical Leafy Liverworts (Lejeuneaceae). *American Journal of Botany* 99: 1436-1444.
- Krasnikova, M. S., D. V. Goryunov, A. V. Troitsky, A. G. Solovyev, L. V. Ozerova *et al.*, 2013 Peculiar Evolutionary History of miR390-Guided TAS3-Like Genes in Land Plants. *Scientific World Journal*: doi.org/10.1155/2013/924153.
- Krause, C., S. Garnica, R. Bauer and M. Nebel, 2011 Aneuraceae (Metzgeriales) and tulasnelloid fungi (Basidiomycota) - a model for early steps in fungal symbiosis. *Fungal Biology* 115: 839-851.
- Krings, M., T. N. Taylor, H. Hass, H. Kerp, N. Dotzler *et al.*, 2007a An Alternative Mode of Early Land Plant Colonization by Putative Endomycorrhizal Fungi. *Plant Signaling & Behavior* 2: 125-126.
- Krings, M., T. N. Taylor, H. Hass, H. Kerp, N. Dotzler *et al.*, 2007b Fungal Endophytes in a 400-million-yr-old Land Plant- Infection Pathways, Spatial Distribution, and Host Responses. *New Phytologist* 174: 648-657.
- Kubota, A., K. Ishizaki, M. Hosaka and T. Kohchi, 2013 Efficient Agrobacterium-Mediated Transformation of the Liverwort *Marchantia polymorpha* Using Regenerating Thalli. *Bioscience Biotechnology and Biochemistry* 77: 167-172.
- Kubota, A., S. Kita, K. Ishizaki, R. Nishihama, K. T. Yamato *et al.*, 2014 Co-option of a photoperiodic growth-phase transition system during land plant evolution. *Nature Communications* 5:3668: DOI: 10.1038/ncomms4668.
- Kump, L. R., 2014 Hypothesized link between Neoproterozoic greening of the land surface and the establishment of an oxygen-rich atmosphere. *Proceedings of the National Academy of Sciences USA* 111: 14062-14065.
- Kutschera, U., J. Thomas and M. Hornschuh, 2007 Cluster formation in liverwort-associated methylobacteria and its implications. *Naturwissenschaften* 94: 687-692.
- Labandeira, C. C., S. L. Tremay, K. E. Bartowski and L. V. Hernick, 2014 Middle Devonian liverwort herbivory and antiherbivore defence. *New Phytologist* 202: 247-258.
- Laenen, B., B. Shaw, H. Schneider, B. Goffinet, E. Paradis *et al.*, 2014 Extant diversity of bryophytes emerged from successive post-Mesozoic diversification bursts. *Nature Communications* 5.
- Laurin-Lemay, S., H. Brinkmann and H. Philippe, 2012 Origin of land plants revisited in the light of sequence contamination and missing data. *Current Biology* 22: R593-R594.

- Lee, J.-H., H. Lin, S. Joo and U. Goodenough, 2008 Early Sexual Origins of Homeoprotein Heterodimerization and Evolution of the Plant KNOX/BELL Family. *Cell* 133: 829–840.
- Leliaert, F., D. R. Smith, H. Moreau, M. D. Herron, H. Verbruggen *et al.*, 2012 Phylogeny and Molecular Evolution of the Green Algae. *Critical Reviews in Plant Sciences* 31: 1-46.
- Lenton, T. M., M. Crouch, M. Johnson, N. Pires and L. Dolan, 2012 First plants cooled the Ordovician. *Nature Geoscience* 5: 86–89.
- Li, J. L. Y., M. Sulaiman, R. P. Beckett and F. V. Minibayeva, 2010 Cell wall peroxidases in the liverwort *Dumontiera hirsuta* are responsible for extracellular superoxide production, and can display tyrosinase activity. *Physiologia Plantarum* 138: 474-484.
- Li, R., B. Sun, H. Wang, Y. He, G. Yang *et al.*, 2014 *Marchantites huolinensis* sp. nov. (Marchantiales) – A new fossil liverwort with gemma cups from the Lower Cretaceous of Inner Mongolia, China. *Cretaceous Research* 50: 16-26.
- Li, X., and C. Chapple, 2010 Understanding Lignification: Challenges Beyond Monolignol Biosynthesis. *Plant Physiology* 154: 449-452.
- Liang, Y., K. Tóth, Y. Cao, K. Tanaka, C. Espinoza *et al.*, 2014 Lipochitooligosaccharide recognition—an ancient story. *New Phytologist* 204: 289-296.
- Ligrone, R., A. Carafa, J. G. Duckett, K. S. Renzaglia and K. Ruel, 2008 Immunocytochemical detection of lignin-related epitopes in cell walls in bryophytes and the charalean alga *Nitella*. *Plant Systematics and Evolution* 270: 257-272.
- Ligrone, R., A. Carafa, E. Lumini, V. Bianciotto, P. Bonfante *et al.*, 2007 Glomeromycotan associations in liverworts- a molecular, cellular, and taxonomic analysis. *American Journal of Botany* 94: 1756-1777.
- Ligrone, R., J. G. Duckett and K. S. Renzaglia, 2012a Major transitions in the evolution of early land plants: a bryological perspective. *Annals of Botany* 109: 851-871.
- Ligrone, R., J. G. Duckett and K. S. Renzaglia, 2012b The origin of the sporophyte shoot in land plants: a bryological perspective. *Annals of Botany* 110: 935-941.
- Liu, Y., C. J. Cox, W. Wang and B. Goffinet, 2014 Mitochondrial phylogenomics of early land plants: mitigating the effects of saturation, compositional heterogeneity, and codon-usage bias. *Systematic Biology* 63: 862-878.
- Liu, Y., J. Y. Xue, B. Wang, L. B. Li and Y. L. Qiu, 2011 The Mitochondrial Genomes of the Early Land Plants *Treubia lacunosa* and *Anomodon rugelii*: Dynamic and Conservative Evolution. *Plos One* 6: e25836. doi:25810.21371/journal.pone.0025836.
- Ludwiczuk, A., and Y. Asakawa, 2008 Distribution of Terpenoids and Aromatic Compounds in Selected Southern Hemispheric Liverworts. *Fieldiana Botany* 47: 37-58.
- Ludwiczuk, A., I. J. Odrzykoski and Y. Asakawa, 2013 Identification of cryptic species within liverwort *Conocephalum conicum* based on the volatile components. *Phytochemistry* 95: 234-241.
- Ludwiczuk, A., P. Raharivelomanana, A. Pham, J.-P. Bianchini and Y. Asakawa, 2014 Chemical variability of the Tahitian *Marchantia hexaptera* Reich. *Phytochemistry Letters* 10: xcix-ciii.
- Ludwig-Müller, J., 2011 Auxin conjugates- their role for plant development and in the evolution of land plants. *Journal of Experimental Botany* 62: 1757-1773.
- Magallón, S., K. W. Hilu and D. Quandt, 2013 Land plant evolutionary timeline: gene effects are secondary to fossil constraints in relaxed clock estimation of age and substitution rates. *American Journal of Botany* 100: 556–573.
- Mander, L., M. E. Collinson, W. G. Chaloner, A. P. R. Brain and D. G. Long, 2012 The Ultrastructure and Botanical Affinity of the Problematic Mid-Mesozoic Palynomorph *Ricciisporites Tuberculatus* Lundblad. *International Journal of Plant Sciences* 173: 429-440.
- Maoka, T., M. Takemura, H. Tokuda, N. Suzuki and N. Misawa, 2014 4-Ketozeinoxanthin, a novel carotenoid produced in *Escherichia coli* through metabolic engineering using carotenogenic genes of bacterium and liverwort. *Tetrahedron Letters* 55: 6708-6710.
- Maslen, R. W., 2008 The Healing Dialogues of Doctor Bullein. *The Yearbook of English Studies* 38: 119-135.
- McDaniel, S. F., J. Atwood and J. G. Burleigh, 2012 Recurrent evolution of dioecy in bryophytes. *Evolution* 67: 567-572.

- Meagher, D., 2008 Studies on Victorian bryophytes 8- The genus *Treubia* Goebel. *The Victorian Naturalist* 125: 36-38.
- Mewari, N., and P. Kumar, 2008 Antimicrobial Activity of Extracts of *Marchantia polymorpha*. *Pharmaceutical Biology* 46: 819-822.
- Meyer, M., U. Seibt and H. Griffiths, 2008 To concentrate or ventilate? Carbon acquisition, isotope discrimination and physiological ecology of early land plant life forms. *Philosophical Transactions of the Royal Society B-Biological Sciences* 363: 2767-2778.
- Mikkelsen, M. D., J. Harholt, P. Ulvskov, I. E. Johansen, J. U. Fangel *et al.*, 2014 Evidence for land plant cell wall biosynthetic mechanisms in charophyte green algae. *Annals of Botany* 114: 1217-1236.
- Miller, I. M., and L. J. Hickey, 2008 The Fossil Flora of the Winthrop Formation (Albian-Early Cretaceous) of Washington State, USA. Part I- Bryophyta and Pteridophytina. *Bulletin of the Peabody Museum of Natural History* 49: 135-180.
- Miller, N. G., 2010 Asa Gray and the development of bryology in the United States. *Harvard Papers in Botany* 15: 287-304.
- Minamisawa, N., M. Sato, K.-H. Cho, H. Ueno, K. Takechi *et al.*, 2011 ANGUSTIFOLIA, a plant homolog of CtBP/BARS, functions outside the nucleus. *Plant Journal* 68: 788-799.
- Mirbel, C.-F. B. d., 2008 Complete Dictionary of Scientific Biography, pp. Encyclopedia.com.
- Moisan, P., S. Voigt, J. W. Schneider and H. Kerp, 2012 New fossil bryophytes from the Triassic Madygen Lagerstätte (SW Kyrgyzstan). *Review of Palaeobotany and Palynology* 187: 29-37.
- Morita, H., K. Zaima, I. Koga, A. Saito, H. Tamamoto *et al.*, 2011 Vasorelaxant effects of macrocyclic bis(bibenzyls) from liverworts. *Bioorganic & Medicinal Chemistry* 19: 4051-4056.
- Morris, J. L., D. Edwards, J. B. Richardson, L. Axe and K. L. Davies, 2011 New plant taxa from the Lower Devonian (Lochkovian) of the Welsh Borderland, with a hypothesis on the relationship between hilate and trilete spore producers. *Review of Palaeobotany and Palynology* 167: 51-81.
- Morris, J. L., D. Edwards, J. B. Richardson and K. L. Davies, 2012 Further insights into trilete spore producers from the Early Devonian (Lochkovian) of the Welsh Borderland, U.K. *Review of Palaeobotany and Palynology* 185: 35-63.
- Mosquna, A., A. Katz, E. L. Decker, S. A. Rensing, R. Reski *et al.*, 2009 Regulation of stem cell maintenance by the Polycomb protein FIE has been conserved during land plant evolution. *Development* 136: 2433-2444.
- Nagaya, S., M. Takemura and K. Ohyama, 2011 Endogenous promoter, 5'-UTR and transcriptional terminator enhance transient gene expression in a liverwort, *Marchantia polymorpha* L. *Plant Biotechnology* 28: 493-496.
- Nakayama, S., K. T. Yamato, M. Fujishita and K. Ohyama, 2007 Distinct differentiation of sex chromosomes in liverwort (*Marchantia polymorpha* L.). *Chromosome Research* 15: 78-78.
- Nardin, E., Y. Goddérus, Y. Donnadieu, G. Le Hir, R. C. Blakey *et al.*, 2011 Modeling the early Paleozoic long-term climatic trend. *Geological Society of America Bulletin* 123: 1181-1192.
- Nath, V., V. Sahu, A. K. Asthana and M. Yunus, 2009 Heavy metal indicator *Marchantia paleacea* Bertol. (Liverwort): A case study of Nainital (Uttarakhand). *Proceedings of the National Academy of Sciences India Section B-Biological Sciences* 79: 147-152.
- Nebojša, J., P. B. Andrade, P. Valentão and M. Sabovljević, 2008 HPLC-DAD of phenolics in bryophytes *Lunularia cruciata*, *Brachythecium velutinum* and *Kindbergia praelonga*. *Journal of the Serbian Chemical Society* 73: 1161-1167.
- Newby, A., J. E. Altland, C. H. Gilliam and G. Wehtje, 2007a Pre-emergence Liverwort Control in Nursery Containers. *HortTechnology* 17: 496-500.
- Newby, A., J. E. Altland, C. H. Gilliam and G. Wehtje, 2007b Pre-emergence liverwort control in nursery containers. *Horttechnology* 17: 496-500.
- Newsham, K. K., 2010 The biology and ecology of the liverwort *Cephalozziella varians* in Antarctica. *Antarctic Science* 22: 131-143.
- Nobre, C. P., O. C. T. Huertas, J. R. F. Tardin, O. J. J. Saggin, H. M. A. C. Fonseca *et al.*, 2013 Biostimulation of inoculation with *Glomus proliferum* and application of humic acid in the in vitro growth of *Lunularia cruciata*. *Acta Botanica Brasilica* 27: 773-778.

- O'Donoghue, M. T., C. Chater, S. Wallace, J. E. Gray, D. J. Beerling *et al.*, 2013 Genome-wide transcriptomic analysis of the sporophyte of the moss *Physcomitrella patens*. *Journal of Experimental Botany* 64: 3567-3581.
- Ogasawara, Y., K. Ishizaki, T. Kohchi and Y. Kodama, 2013 Cold-induced organelle relocation in the liverwort *Marchantia polymorpha* L. *Plant Cell and Environment* 36: 1520-1528.
- Ohyama, K., M. Takemura, K. Oda, H. Fukuzawa, T. Kohchi *et al.*, 2009 Gene content, organization and molecular evolution of plant organellar genomes and sex chromosomes - Insights from the case of the liverwort *Marchantia polymorpha*. *Proceedings of the Japan Academy Series B-Physical and Biological Sciences* 85: 108-124.
- Ohyama, K., and M. Takeura, 2008 Molecular evolution of mitochondrial introns in the liverwort *Marchantia polymorpha*. *Proceedings of the Japan Academy Series B-Physical and Biological Sciences* 84: 17-23.
- Okano, Y., N. Aonoa, Y. Hiwatashia, T. Murata, T. Nishiyama *et al.*, 2009 A polycomb repressive complex 2 gene regulates apogamy and gives evolutionary insights into early land plant evolution. *Proc. Natl. Acad. Sci. U.S.A.* 106: 16321-16326.
- Okumura, M., S. Inoue, K. Takahashi, K. Ishizaki, T. Kohchi *et al.*, 2012 Characterization of the Plasma Membrane H⁺-ATPase in the Liverwort *Marchantia polymorpha*. *Plant Physiology* 159: 826-834.
- Oyarzun, R., P. Higueras, J. M. Esbri and J. Pizarro, 2007 Mercury in air and plant specimens in herbaria: A pilot study at the MAF Herbarium in Madrid (Spain). *Science of the Total Environment* 387: 346-352.
- Pangua, E., I. Pérez-Ruzafa and S. Pajarón, 2011 Gametophyte Features in a Peculiar Annual Fern, *Anogramma leptophylla*. *Annales Botanici Fennici* 48: 465-472.
- Parnell, J., and S. Foster, 2012 Ordovician ash geochemistry and the establishment of land plants. *Geochemical Transactions* 13.7: 1-7.
- Parsons, J. G., A. Cairns, C. N. Johnson, S. K. A. Robson, L. A. Shilton *et al.*, 2007 Bryophyte dispersal by flying foxes: a novel discovery. *Oecologia* 152: 112-114.
- Peña, M. J., A. G. Darvill, S. Eberhard, W. S. York and M. A. O'Neill, 2008 Moss and liverwort xyloglucans contain galacturonic acid and are structurally distinct from the xyloglucans synthesized by hornworts and vascular plants. *Glycobiology* 18: 891-904.
- Peumans, W. J., E. Fouquaert, A. Jauneau, P. Rougé, N. Lannoo *et al.*, 2007 The Liverwort *Marchantia polymorpha* Expresses Orthologs of the Fungal *Agaricus bisporus* Agglutinin Family. *Plant Physiology* 144: 637-647.
- Pokorny, L., B. C. Ho, J. P. Frahm, D. Quandt and A. J. Shaw, 2012 Phylogenetic analyses of morphological evolution in the gametophyte and sporophyte generations of the moss order Hookeriales (Bryopsida). *Molecular Phylogenetics and Evolution* 63: 351-364.
- Possart, A., C. Fleck and A. Hiltbrunner, 2014 Shedding (far-red) light on phytochrome mechanisms and responses in land plants. *Plant Science* 217: 36-46.
- Potemkin, A. D., 2007 Marchantiophyta, Bryophyta, Anthocerotophyta - the specific ways of gametophyte trend of evolution of the land plants. *Botanical Journal* 92: 1625-1652.
- Pressel, S., M. I. Bidartondo, R. Ligrone and J. G. Duckett, 2010 Fungal symbioses in bryophytes- New insights in the Twenty First Century. *Phytotaxa* 9: 238-253.
- Pressel, S., J. G. Duckett, R. Ligrone and M. C. F. Proctor, 2009 Effects of De- and Rehydration in Desiccation-Tolerant Liverworts: A Cytological and Physiological Study. 170: 182-199.
- Promis, A., S. Gärtner, A. Reif and G. Cruz, 2012 Effects of canopy gaps on forest floor vascular and non-vascular plant species composition and diversity in an uneven-aged *Nothofagus betuloides* forest in Tierra del Fuego, Chile. *Community Ecology* 13: 145-154.
- Qiu, Y.-L., L. Li, B. Wang, Z. Chen, O. Dombrowska *et al.*, 2007 A Nonflowering Land Plant Phylogeny Inferred from Nucleotide Sequences of Seven Chloroplast, Mitochondrial, and Nuclear Genes. *International Journal of Plant Sciences* 168: 691-708.
- Qu, J.-B., C.-F. Xie, M. Ji, Y.-Q. Shi and H.-X. Lou, 2007 Water-Soluble Constituents from the Liverwort *Marchantia polymorpha*. *Helvetica Chimica Acta* 90: 2109-2115.
- Rajkowska, K., A. Otlewska, A. Kozirog, M. Piotrowska, P. Nowicka-Krawczyk *et al.*, 2014 Assessment of biological colonization of historic buildings in the former Auschwitz II-Birkenau concentration camp. *Annals of Microbiology* 64: 799-808.

- Ramírez, M., N. kamiya, S. Popich, Y. Asakawa and A. Bardón, 2010 Insecticidal Constituents from the Argentine Liverwort *Plagiochila bursata*. *Chemistry & Biodiversity* 7: 1855-1861.
- Remesh, M., and C. N. Manju, 2009 Ethnobryological notes from Western Ghats, India. *The Bryologist* 112: 532-537.
- Renner, M. A. M., N. Devos, E. A. Brown and M. J. v. Konrat, 2013 Three modes of heterochrony explain lobule diversity in *Radula* subgenus *Cladoradula* (Porellales- Jungermanniopsida), a small lineage of early land plants today. *Botanical Journal of the Linnean Society* 173: 153-175.
- Rensing, S. A., D. Lang, A. D. Zimmer, A. Terry, A. Salamov *et al.*, 2008 The *Physcomitrella* genome reveals evolutionary insights into the conquest of land by plants. *Science* 319: 64-69.
- Renzaglia, K. S., S. Schuette, R. J. Duff, R. Ligrone, A. J. Shaw *et al.*, 2007 Bryophyte Phylogeny- Advancing the Molecular and Morphological Frontiers. *The Bryologist* 110: 179-213.
- Retallack, G. J., 2012 Ediacaran life on land. *Nature* 493: 89-92.
- Ricardi-Branco, F., R. S. Faria, A. Jasper and M. Guerra-Sommer, 2011 *Hepaticites iporangae* n. sp., Rio Bonito Formation, Early Permian (Sakmarian), Paraná Basin, Brazil, Western Gondwana. *Journal of Paleontology* 85: 360-368.
- Richardson, J. G., and W. I. Ausich, 2007 Some plant microfossils of possible terrestrial origin from the Ordovician of Central Bohemia. *Canadian Journal of Earth Science* 44: 1-7.
- Rikkinen, J., and V. Virtanen, 2008 Genetic diversity in cyanobacterial symbionts of thalloid bryophytes. *Journal of Experimental Botany* 59: 1013-1021.
- Romero-Sarmiento, M.-F., A. Riboulleau, M. Vecoli and G. J.-M. Versteegh, 2011 Aliphatic and aromatic biomarkers from Gondwanan sediments of Late Ordovician to Early Devonian age- An early terrestrialization approach. *Organic Geochemistry* 42: 605-617.
- Royles, J., A. B. Horwath and H. Griffiths, 2014 Interpreting bryophyte stable carbon isotope composition: Plants as temporal and spatial climate recorders. *Geochemistry, Geophysics, Geosystems* 14: 1462-1475.
- Rubasinghe, S. C. K., R. Milne, L. L. Forrest and D. G. Long, 2011 Realignment of the genera of Cleveaceae (Marchantiopsida, Marchantiidae). *The Bryologist* 114: 116-127.
- Rubinstein, C. V., P. Gerrienne, G. S. de la Puenta, R. A. Astini and P. Steemans, 2010 Early Middle Ordovician evidence for land plants in Argentina (eastern Gondwana). *New Phytologist* 188: 365-369.
- Rüdiger, M., m. polsakiewicz and V. Knoop, 2008 Organellar RNA Editing and Plant-Specific Extensions of Pentatricopeptide Repeat Proteins in Jungermanniid but not in Marchantiid Liverworts. *Mol. Biol. Evol.* 25: 1405-1414.
- Rüdinger, M., U. Volkmar, H. Lenz, M. Groth-Malonek and V. Knoop, 2012 Nuclear DYW-Type PPR Gene Families Diversify with Increasing RNA Editing Frequencies in Liverwort and Moss Mitochondria. *Journal of Molecular Evolution* 74: 37-51.
- Ruhfel, B. R., M. A. Gitzendanner, P. S. Soltis, D. E. Soltis and J. G. Burleigh, 2014 From algae to angiosperms-inferring the phylogeny of green plants (Viridiplantae) from 360 plastid genomes. *BMC Evolutionary Biology* 14: 23.
- Sabot, H. K., and O. S. Sarate, 2007 A marchantialean thallus from the lower Gondwana sequence of Godavari Basin, Andhra Pradesh. *Journal of the Geological Society of India* 70: 1089-1090.
- Sakakibara, K., S. Ando, H. K. Yip, Y. Tamada, Y. Hiwatashi *et al.*, 2013 KNOX2 genes regulate the haploid-to-diploid morphological transition in land plants. *Science* 339: 1067-1070.
- Saliba, G., and L. Komaroff, 2008 Illustrated Books May Be Hazardous to Your Health - A New Reading of the Arabic Reception and Rendition of the "Materia Medica" of Dioscorides. *Ars Orientalis* 35: 7-65.
- Sarate, O. S., and N. Budhraja, 2007 A Marchantialean thallus from the Lower Gondwana sequence of Godavari Basin, Andhra Pradesh. *Journal of the Geological Society of India* 70: 90-96.
- Sasaki, G., K. Katoh, N. Hirose, H. Suga, K.-i. Kuma *et al.*, 2007 Multiple receptor-like kinase cDNAs from liverwort *Marchantia polymorpha* and two charophycean green algae, *Closterium ehrenbergii* and *Nitella axillaris*: Extensive gene duplications and gene shufflings in the early evolution of streptophytes. *Gene* 401: 135-144.
- Schauer, S., P. Kämpfer, S. Wellner, C. Spröer and U. Kutschera, 2011 *Methylobacterium marchantiae* sp. nov., a pink pigmented, facultatively methylotrophic bacterium isolated from

- the thallus of a liverwort. International Journal of Systematic and Evolutionary Microbiology 61: 870-876.
- Scheck, J. E., and N. C. Maravolo, 2013 The effects of flavonoids on PARP-like activity in UV-C irradiated *Marchantia polymorpha* thalli. Bryologist 116: 330-336.
- Schill, D. B., D. G. Long and L. L. Forrest, 2010 A molecular phylogenetic study of Mannia (Marchantiophyta, Aytoniaceae) using chloroplast and nuclear markers. The Bryologist 113: 164-179.
- Schill, D. B., L. Miserere and D. G. Long, 2009 Typification of *Sphaerocarpos michelii* Bellardi, *S. terrestris* Sm. and *Targionia sphaerocarpos* Dicks. (Marchantiophyta, Sphaerocarpaceae). Taxon 58: 638-640.
- Schwab, K. W., G. S. Bayliss, M. A. Smith and N. B. Yoder, 2011 Dwarf hepatic floral fragments (possibly liverworts) from the upper Mississippian Barnett Shale in the Fort Worth Basin of North Central Texas. American Association of Petroleum Geologists; Search and Discovery Article #70091.
- Segarra-Moragues, J. G., and F. Puche, 2014 Advances in the knowledge of South African Riella (Sphaerocarpales) and a new endemic species, *Riella trigonospora*. South African Journal of Botany 94: 166-176.
- Segarra-Moragues, J. G., F. Puche, M. Sabovljević, M. Infante and P. Heras, 2014 Taxonomic revision of *Riella* subgenus *Trabutiella* (Riellaceae, Sphaerocarpales). Phytotaxa 159: 131-174.
- Sharma, N., P. L. Bhalla and M. B. Singh, 2013 Transcriptome-wide profiling and expression analysis of transcription factor families in a liverwort, *Marchantia polymorpha*. Bmc Genomics 14: 915.
- Sharma, N., C.-H. Jung, P. L. Bhalla and M. B. Singh, 2014 RNA Sequencing Analysis of the Gametophyte Transcriptome from the Liverwort, *Marchantia polymorpha*. PLOS ONE 9: e97497.
- Sharma, S., 2007 *Marchantia polymorpha* L.- A Bioaccumulator. Aerobiologia 23: 181-187.
- Shaw, A. J., P. Szovenyi and B. Shaw, 2011 Bryophyte Diversity and Evolution: Windows into the Early Evolution of Land Plants. American Journal of Botany 98: 352-369.
- Shi, Y.-q., C.-j. Zhu, H.-q. Yuan, B.-q. Li, J. Gao *et al.*, 2009 Marchantin C, a novel microtubule inhibitor from liverwort with anti-tumor activity both in vivo and in vitro. Cancer Letters 276: 160-170.
- Shibaya, T., and Y. Sugawara, 2007 Involvement of arabinogalactan proteins in the regeneration process of cultured protoplasts of *Marchantia polymorpha*. Physiologia Plantarum 130: 271-279.
- Shibaya, T., and Y. Sugawara, 2009 Induction of multinucleation by \square -glucosyl Yariv reagent in regenerated cells from *Marchantia polymorpha* protoplasts and involvement of arabinogalactan proteins in cell plate formation. Planta 230: 581-588.
- Shimamura, M., 2012 An introduction to the taxonomy and morphology of *Marchantia polymorpha*. The Botanical Society of Japan Review 3: 84-113.
- Shimamura, M., M. Itouga and H. Tsubota, 2012 Evolution of apolar sporocytes in marchantialean liverworts- implications from molecular phylogeny. Journal of Plant Research 125: 197-206.
- Shimamura, M., T. Yamaguchi and H. Deguchi, 2008 Airborne sperm of *Conocephalum conicum* (Conocephalaceae). Journal of Plant Research 121: 69-71.
- Sierocka, I., L. P. Kozłowski, J. M. Bujnicki, A. Jarmolowski and Z. Szweykowska-Kulinska, 2014 Female-specific gene expression in dioecious liverwort *Pellia endiviifolia* is developmentally regulated and connected to archegonia production. BMC Plant Biology 14: 168.
- Sierocka, I., A. Rojek, D. Bielewicz, W. Karłowski, A. Jarmolowski *et al.*, 2011 Novel genes specifically expressed during the development of the male thalli and antheridia in the dioecious liverwort *Pellia endiviifolia*. Gene 485: 53-62.
- Silvani, V. A., C. P. Rothen, M. A. Rodríguez, A. Godeas and S. Fracchia, 2012 The thalloid liverwort *Plagiochasma rupestre* supports arbuscular mycorrhiza-like symbiosis in vitro. World J Microbiol Biotechnol 28: 3393-3397.
- Singh, D., and D. K. Singh, 2013 An Appraisal of the genus *Marchantia* in India with a Note on *Marchantia emarginata* subspecies *emarginata* in Indian Himalayan Region. Proc Natl Acad Sci, India, Sect B Biol Sci 83: 15-26.

- Singh, R. K. H., and R. K. Kishor, 2009 *Riccia thongjaorokensis* - A new fossil liverwort from Oligocene beds of the Tertiary, Northeast India. *Journal of the Geological Society of India* 73: 606-608.
- Smith, S. A., J. M. Beaulieu and M. J. Donoghue, 2009 Mega-phylogeny approach for comparative biology: an alternative to supertree and supermatrix approaches. *Bmc Evolutionary Biology* 9: 37.
- Smith, S. E., and D. J. Read, 2008 Fungal symbioses in lower land plants in *Mycorrhizal Symbiosis*. Academic Press.
- Snell, K. R. S., T. Kokubun, H. BGriffiths, P. Convey, D. A. Hodgson *et al.*, 2009 Quantifying the metabolic cost to an Antarctic liverwort of responding to an abrupt increase in UVB radiation exposure. *Global Change Biology* 15: 2563-2573.
- Sørensen, I., Z. J. Fei, A. Andreas, W. G. T. Willats, D. S. Domozych *et al.*, 2014 Stable transformation and reverse genetic analysis of *Penium margaritaceum*: a platform for studies of charophyte green algae, the immediate ancestors of land plants. *Plant Journal* 77: 339-351.
- Speicher, A., and J. Holz, 2010 Synthesis of marchantin C, a novel microtubule inhibitor from liverworts. *Tetrahedron Letters* 51: 2986-2989.
- Steemans, P., A. Le Hérisse, J. Melvin, M. A. Miller, F. Paris *et al.*, 2009 Origin and Radiation of the Earliest Vascular Land Plants. *Science* 324: 353-353.
- Steemans, P., K. Lepot, C. P. Marshall, A. Le Herisse and E. J. Javaux, 2010a FTIR characterisation of the chemical composition of Silurian miospores (cryptospores and trilete spores) from Gotland, Sweden. *Review of Palaeobotany and Palynology* 162: 577-590.
- Steemans, P., C. H. Wellman and P. Gerrienne, 2010b Palaeogeographic and palaeoclimatic considerations based on Ordovician to Lochkovian vegetation, pp. 49–58 in *The terrestrialization process: modelling complex interactions at the biosphere–geosphere interface*, edited by M. Vecoli, G. Clément and B. Meyer-Berthaud. The Geological Society, Special Publications, London.
- Stieha, C. R., A. R. Middleton, J. K. Stieha, S. H. Trott and D. N. McLetchie, 2014 The dispersal process of asexual propagules and the contribution to population persistence in *Marchantia* (*Marchantiaceae*). *American Journal of Botany* 101: 348-356.
- Stotler, R. E., and B. J. Crandall-Stotler, 2008 Correct author citations for some upper rank names of liverworts (*Marchantiophyta*). *Taxon* 57: 289-292.
- Strother, P. K., 2010 Thalloid carbonaceous incrustations and the asynchronous evolution of embryophyte characters during the Early Paleozoic. *International Journal of Coal Geology* 83: 154-161.
- Strother, P. K., L. Battison, M. D. Brasier and C. H. Wellman, 2011 Earth's earliest non-marine eukaryotes. *Nature* 473: 505-509.
- Strullu-Derrien, C., P. Kenrick, S. Pressel, J. G. Duckett, J.-P. Rioult *et al.*, 2014 Fungal associations in *Horneophytion ligneri* from the Rhynie Chert (c. 407 million year old) closely resemble those in extant lower land plants: novel insights into ancestral plant-fungus symbioses. *New Phytologist* 203: 964-979.
- Strullu-Derrien, C., and D.-G. Strullu, 2007 Mycorrhization of fossil and living plants. *Comptes Rendus Palevol* 6: 483-494.
- Sugano, S. S., M. Shirakawa, J. Takagi, Y. Matsuda, T. Shimada *et al.*, 2014 CRISPR/Cas9-Mediated Targeted Mutagenesis in the Liverwort *Marchantia polymorpha* L. *Plant and Cell Physiology* 55: 475-481.
- Sun, Y., X. He and D. Glenny, 2014 Transantarctic disjunctions in *Schistochilaceae* (*Marchantiophyta*) explained by early extinction events, post Gondwanan radiations and palaeoclimatic changes. *Molecular Phylogenetics and Evolution* 76: 189-201.
- Szovenyi, P., S. A. Rensing, D. Lang, G. A. Wray and A. J. Shaw, 2011 Generation-Biased Gene Expression in a Bryophyte Model System. *Molecular Biology and Evolution* 28: 803-812.
- Szövényi, P., M. Ricca, Z. Hock, J. A. Shaw, K. K. Shimizu *et al.*, 2013 Selection Is No More Efficient in Haploid than in Diploid Life Stages of an Angiosperm and a Moss. *Molecular Biology and Evolution* 30: 1929-1939.

- Takemura, M., T. Hamada, H. Kida and K. Ohyama, 2012 Cold-Induced Accumulation of omega-3 Polyunsaturated Fatty Acid in a Liverwort, *Marchantia polymorpha* L. Bioscience Biotechnology and Biochemistry 76: 785-790.
- Takemura, M., T. Maoka and N. Misawa, 2014 Carotenoid Analysis of a Liverwort *Marchantia polymorpha* and Functional Identification of its Lycopene beta- and epsilon-Cyclase Genes. Plant and Cell Physiology 55: 194-200.
- Takemura, M., Y. Okimura, H. Kida, T. Hamada and K. Ohyama, 2011 Blue light enhances the accumulation of eicosapentaenoic acid in a liverwort, *Marchantia polymorpha* L. Plant Biotechnology 28: 489-492.
- Takezawa, D., K. Komatsu and Y. Sakata, 2011 ABA in bryophytes- how a universal growth regulator in life became a plant hormone? Journal of Plant Research 124: 437-453.
- Takikawa, Y., Y. Senga, T. Nonomura, Y. Matsuda, K. Kakutani *et al.*, 2014 Targeted destruction of fungal structures of *Erysiphe trifoliorum* on flat leaf surfaces of *Marchantia polymorpha*. Plant Biology 16: 291-295.
- Taylor, P. J., S. M. Eppley and L. K. Jesson, 2007 Sporophytic Inbreeding Depression in Mosses Occurs in a Species with Separate Sexes but Not in a Species with Combined Sexes.pdf. American Journal of Botany 94: 1853-1859.
- Taylor, T., E. Taylor and M. Krings, 2009 *Paleobotany: the Biology and evolution of fossil plants*. Academic Press, Elsevier, New York.
- Taylor, T. N., E. L. Taylor, A. L. Decombeix, A. Schwendemann, R. Serbet *et al.*, 2010 The Enigmatic Devonian Fossil Prototaxites Is Not a Rolled-up Liverwort Mat: Comment on the Paper by Graham Et Al. (Ajb 97: 268-275). American Journal of Botany 97: 1074-1078.
- Taylor, W. A., and P. K. Strother, 2008 Ultrastructure of some Cambrian palynomorphs from the Bright Angel Shale, Arizona, USA. Review of Palaeobotany and Palynology 151: 41-50.
- Teich, R., C. Grauvogel and J. Petersen, 2007 Intron distribution in Plantae: 500 million years of stasis during land plant evolution. Gene 394: 96-104.
- Temsch, E. M., J. Greilhuber and R. Krisai, 2010 Genome size in liverworts. Preslia 82: 63-80.
- Timme, R. E., T. R. Bachvaroff and C. F. Delwiche, 2012 Broad Phylogenomic Sampling and the Sister Lineage of Land Plants. Plos One 7: e29696.
- Tomescu, A. M. F., R. Honegger and G. W. Rothwell, 2008 Earliest fossil record of bacterial-cyanobacterial mat consortia- the early Silurian Passage Creek biota (440 Ma, Virginia, USA). Geobiology 6: 120-124.
- Tomescu, A. M. F., L. M. Pratt, G. W. Rothwell, P. K. Strother and G. C. Nadon, 2009 Carbon isotopes support the presence of extensive land floras pre-dating the origin of vascular plants. Palaeogeography, Palaeoclimatology, Palaeoecology 283: 46-59.
- Tomescu, A. M. F., R. W. Tate, N. G. Mack and V. J. Calder, 2010 Simulating fossilization to resolve the taxonomic affinities of thalloid fossils in Early Silurian (ca. 425 Ma) terrestrial assemblages, pp. 183-190 in *Biology of Lichens - Symbiosis, Ecology, Environm. Monitoring, Systematics, Cyber Applications*, edited by T. H. N. I. e. al. J. Cramer in der Gebrüder Borntraeger Verlagsbuchhandlung, Stuttgart.
- Tougane, K., K. Komatsu, S. B. Bhyan, Y. Sakata, K. Ishizaki *et al.*, 2010 Evolutionarily Conserved Regulatory Mechanisms of Abscisic Acid Signaling in Land Plants: Characterization of ABSCISIC ACID INSENSITIVE1-Like Type 2C Protein Phosphatase in the Liverwort *Marchantia polymorpha*. Plant Physiology 152: 1529-1543.
- Touwaide, A., 2009 Translation and transliteration of plant names in □Hunayn b. Ish□aq's and Istifan b. Basil's Arabic version of Dioscorides, De materia medica. Al-Qantara 30: 557-580.
- Trebacz, K., G. Schönknecht, H. Dziubinska and A. Hanaka, 2007 Characteristics of Anion Channels in the Tonoplast of the Liverwort *Conocephalum conicum*. Plant and Cell Physiology 48: 1747-1757.
- Troitsky, A. V., M. S. Ignatov, V. K. Bobrova and I. A. Milyutina, 2007 Contribution of Genosystematics to Current Concepts of Phylogeny and Classification of Bryophytes. Biochemistry (Moscow) 72: 1368-1376.
- Tsuboyama, S., and Y. Kodama, 2014 AgarTrap: A Simplified Agrobacterium-Mediated Transformation Method for Sporelings of the Liverwort *Marchantia polymorpha* L. Plant and Cell Physiology 55: 229-236.

- Turmel, M., C. Otis and C. Lemieux, 2013 Tracing the evolution of streptophyte algae and their mitochondrial genome. *Genome Biology and Evolution* 5: 1817-1835.
- Turmel, M., J.-F. Pombert, P. Charlebois, C. Otis and C. Lemieux, 2007 The Green Algal Ancestry of Land Plants as Revealed by the Chloroplast Genome. *International Journal of Plant Sciences* 168: 679-689.
- Ueda, M., T. Kuniyoshi, H. Yamamoto, K. Sugimoto, K. Ishizaki *et al.*, 2012 Composition and physiological function of the chloroplast NADH dehydrogenase-like complex in *Marchantia polymorpha*. *Plant Journal* 72: 683-693.
- Ueda, M., T. Takami, L. W. Peng, K. Ishizaki, T. Kohchi *et al.*, 2013 Subfunctionalization of Sigma Factors during the Evolution of Land Plants Based on Mutant Analysis of Liverwort (*Marchantia polymorpha* L.) MpsIG1. *Genome Biology and Evolution* 5: 1836-1848.
- Ueda, M., A. Tanak, K. Sugimoto, T. Shikanai and Y. Nishimura, 2014 chlB Requirement for Chlorophyll Biosynthesis under Short Photoperiod in *Marchantia polymorpha* L. *Genome Biol Evol* 6: 620-628.
- Vecoli, M., A. Delabroye, A. Spina and O. Hints, 2011 Cryptospore assemblages from Upper Ordovician (Katian–Hirnantian) strata of Anticosti Island, Québec, Canada, and Estonia-Palaeophytogeographic and palaeoclimatic implications. *Review of Palaeobotany and Palynology* 166: 76-93.
- Vermeij, G. J., 2011 The energetics of modernization: The last one hundred million years of biotic evolution. *Paleontological Research* 15: 54-61.
- Volkmar, U., M. Groth-Malonek, J. Heinrichs, H. Muhle, M. Polsakiewicz *et al.*, 2012 Exclusive conservation of mitochondrial group II intron nad4i548 among liverworts and its use for phylogenetic studies in this ancient plant clade. *Plant Biology* 14: 382-391.
- Vujičić, M., T. Cvetic, A. Saboljevic and M. Saboljevic, 2010 Axenically culturing the bryophytes- A case study of the liverwort *Marchantia polymorpha* L. ssp. *ruderaria*. *Kragujevac J. Sci.* 32: 73-81.
- Wahrmund, U., M. Groth-Malonek and V. Knoop, 2008 Tracing plant mitochondrial DNA evolution: Rearrangements of the ancient mitochondrial gene cluster trnA-trnT-nad7 in liverwort phylogeny. *Journal of Molecular Evolution* 66: 621-629.
- Wallace, S., A. Fleming, C. H. Wellman and D. J. Beerling, 2011 Evolutionary development of the plant spore and pollen wall. *Aob Plants prl027: doi:10.1093/aobpla/prl1027*.
- Wang, L., L. N. Wang, Y. Zhao, H. X. Lou and A. X. Cheng, 2013 Secondary metabolites from *Marchantia paleacea* calluses and their allelopathic effects on *Arabidopsis* seed growth. *Natural Product Research* 27: 274-276.
- Wellman, C. H., 2010 The invasion of the land by plants: when and where? *New Phytologist* 188: 306-309.
- Wellman, C. H., P. Steemans and M. Vecoli, 2013 Palaeophytogeography of Ordovician–Silurian land plants, pp. 461-476 in *Early Palaeozoic Biogeography and Palaeogeography*, edited by D. A. T. Harper and T. Servais. Geological Society, London, Memoirs, London.
- Wickett, N. J., Y. Fan, P. O. Lewis and B. Goffinet, 2008a Distribution and Evolution of Pseudogenes, Gene Losses, and a Gene Rearrangement in the Plastid Genome of the Nonphotosynthetic Liverwort, *Aneura mirabilis* (Metzgeriales, Jungermanniopsida). *J Mol Evol* 67: 111-122.
- Wickett, N. J., L. L. Forrest, J. M. Budke, B. Shaw and B. Goffinet, 2011 Frequent Pseudogenization and Loss of the Plastid-Encoded Sulfate-Transport Gene *CysA* Throughout the Evolution of Liverworts. *American Journal of Botany* 98: 1263-1275.
- Wickett, N. J., and B. Goffinet, 2008 Origin and relationships of the myco-heterotrophic liverwort *Cryptothallus mirabilis* Malmb. (Metzgeriales, Marchantiophyta). *Botanical Journal of the Linnean Society* 156: 1-12.
- Wickett, N. J., S. Mirarab, N. Nguyen, T. Warnow, E. Carpenter *et al.*, 2014 Phylogenomic analysis of the origin and early diversification of land plants. *Proceedings of the National Academy of Sciences of the United States of America* 111: E4859-E4868.
- Wickett, N. J., Y. Zhang, S. K. Hansen, J. M. Roper, J. V. Kuehl *et al.*, 2008b Functional Gene Losses Occur with Minimal Size Reduction in the Plastid Genome of the Parasitic Liverwort *Aneura mirabilis*. *Mol Biol Evol* 25: 393-401.

- Wodniok, S., H. Brinkmann, G. Glockner, A. J. Heidel, H. Philippe *et al.*, 2011 Origin of land plants: Do conjugating green algae hold the key? *Bmc Evolutionary Biology* 11.
- Xie, C. F., and H. X. Lou, 2009 Secondary Metabolites in Bryophytes: An Ecological Aspect. *Chemistry & Biodiversity* 6: 303-312.
- Xu, B., M. Ohtani, M. Yamaguchi, K. Toyooka, M. Wakazaki *et al.*, 2014 Contribution of NAC Transcription Factors to Plant Adaptation to Land. *Science* 343: 1505-1508.
- Xue, J. Y., Y. Wang, P. Wu, Q. Wang, L. T. Yang *et al.*, 2012 A Primary Survey on Bryophyte Species Reveals Two Novel Classes of Nucleotide-Binding Site (NBS) Genes. *Plos One* 7.
- Yamato, K. T., K. Ishizaki, M. Fujisawa, S. Okada, S. Nakayama *et al.*, 2007 Gene organization of the liverwort Y chromosome reveals distinct sex chromosome evolution in a haploid system. *Proceedings of the National Academy of Sciences of the United States of America* 104: 6472-6477.
- Yavuz, M., 2012 Lichens Mentioned by Pedanios Dioscorides. *Studies on Ethno-Medicine* 6: 103-109.
- Yu, H.-N., X.-Y. Liu, S. Gao, X.-J. Han, A.-X. Cheng *et al.*, 2014 Molecular cloning and functional characterization of a phenylalanine ammonia-lyase from liverwort *Plagiochasma appendiculatum*. *Plant Cell Tissue and Organ Culture* 117: 265-277.
- Yu, Y., T. Pócs, A. Schäfer-Verwimp, J. Heinrichs, R.-L. Zuu *et al.*, 2013 Evidence for Rampant Homoplasy in the Phylogeny of the Epiphyllous Liverwort Genus *Cololejeunea* (Lejeuneaceae). *Systematic Botany* 38: 553-563.
- Yue, J., X. Hu, H. Sun, Y. Yang and J. Huang, 2012 Widespread impact of horizontal gene transfer on plant colonization of land. *Nature Communications* 3: 1152.
- Zhong, B., Z. Xi, V. V. Goremykin, R. Fong, P. A. Mclenachan *et al.*, 2013 Streptophyte algae and the origin of land plants revisited using heterogeneous models with three new algal chloroplast genomes. *Molecular Biology and Evolution* 31: 177-183.
- Zobell, O., W. Faigl, H. Saedler and T. Munster, 2010 MIKC* MADS-Box Proteins: Conserved Regulators of the Gametophytic Generation of Land Plants. *Molecular Biology and Evolution* 27: 1201-1211.