

# PRODUCT OVERVIEW 2019



## PIRELLI IN NUMBERS

#### 1.800

PEOPLE INVOLVED
IN **R&D** IN 11
COUNTRIES

#### 100

PARTNERSHIPS WITH PREMIUM OEM PROJECTS

6.100 PATENTS

#### **71**

COLLABORATIONS WITH UNIVERSITIES

#### 6.5%

OF HIGH VALUE REVENUES DEVOTED TO R&D IN 2017

#### 150

OUTSOURCED PROJECTS IN MATERIALS, PROCESSES, SOFTWARE AND ELECTRONICS



## PIRELLI CYCLING RANGE

### 



P ZERO $^{\text{\tiny{IM}}}$  Velo family tyres are designed with maximum performance in mind, whether they are tailored for racing against the clock with P ZERO Velo TT, or in bad weather conditions with the 4S, or simply on any circumstance all year long with the more versatile P ZERO $^{\text{\tiny{IM}}}$  Velo, they all are built over grip, handling, light weight and rolling efficiency as primary object. Whether it is a climb, a long flat or a descent, P ZERO $^{\text{\tiny{IM}}}$  Velo tyres make you faster.

### Cinturato" VELO

Pirelli automotive know-how allowed to create the first tyre of its category which doesn't compromise maximum protection with riding quality and handling Pirelli has become famous for. With innovation coming straight from the car industry tyres, Pirelli has created a cycling clincher tyre which has a level of protection and confort never seen before at the same time in a robust bicycle tyre, allowing Pirelli to grow its size range to widths which make it ready for any surface and any weather condition. Cinturato Velo makes you riding better, and longer.

### Cinturato W GRAVEL & CROSS



Pirelli offroad know-how brings a series of tyres made to enhance your experience on any offroad condition, whether it is dry or wet. With a wide and succesfull offroad pedigree that goes from rally car world titles to motocross ones, Pirelli knows a thing or two when it comes to tackle demanding offroad terrains without sacrificing rolling efficiency and mileage. Cinturato Gravel range allow you to forget about weather and punctures and focus only on riding longer, more comfortably and explore new territories of riding experiences.

#### SCORPION MATE



Pirelli Scorpion™ MTB range is tailor developed in all the sizes needed to cover any different riding style, regardless of the weather. The innovative SmartGRIP Compound closes the gap between tear resistance and wet grip, ensuring high performances both on dry and wet surfaces. The shape of the knobs is based on the experience and technology behind the Scorpion™ MX range, with its 70+ World Championship Titles speaking for itself. Available for Hard, Mixed or Soft terrains plus Rear specific, the Pirelli Scorpion™ MTB range allows you to forget the weather variable and focus your choice only on the consistency of the terrain you are going to ride.

### CYCL-e










Pirelli CYCL-e™ range is developed with commuting eBikes in mind, but of course compatible with any normal bicycle too. It is available in 4 versions: GranTurismo, DownTown, CrossTerrain and Winter and they offer great safety in unforeseen situations, whether they be sudden steering or emergency braking, dry or wet, hot or cold, without compromising rolling efficiency and puncture resistance. A complete and innovative range, designed for the needs and style of each rider which intend cycling as a commuting or leisure activity, in or just outside the city boundaries.





Years of top-level racing expertise deliver their crowning jewel: the P ZERO™ Velo, here to challenge the best bicycle clincher performance. At its core, Pirelli's SmartNET™ Silica: enjoy reliable grip in both dry and wet, as well as enviable rolling resistance and handling.

#### **DETAILS**



|   | DESCRIPTION                        | RIM  | IPCODE  | CONSTRUCTION | PROTECTION     | WEIGHT | COMPOUND         | SRP     |
|---|------------------------------------|------|---------|--------------|----------------|--------|------------------|---------|
| П | P ZERO™ Velo 23-622                | 15 C | 2908800 | 127tpi, tube | Aramid breaker | 190g   | SMARTNET™ SILICA | 42,90 € |
|   | P ZERO™ Velo 25-622                | 15 C | 2908900 | 127tpi, tube | Aramid breaker | 205g   | SMARTNET™ SILICA | 42,90 € |
| П | P ZERO™ Velo 28-622                | 15 C | 2909000 | 127tpi, tube | Aramid breaker | 230g   | SMARTNET™ SILICA | 44,90 € |
| W | P ZERO™ Velo 25-622 <i>Classic</i> | 15 C | 3833300 | 127tpi, tube | Aramid breaker | 205g   | SMARTNET™ SILICA | 48,90 € |
| W | P ZERO™ Velo 28-622 <i>Classic</i> | 15 C | 3833400 | 127tpi, tube | Aramid breaker | 230g   | SMARTNET™ SILICA | 48,90 € |
|   | P ZERO™ Velo 25-622 Red            | 15 C | 3571000 | 127tpi, tube | Aramid breaker | 205g   | SMARTNET™ SILICA | 48,90 € |
| П | P ZERO™ Velo 25-622 Yellow         | 15 C | 3571100 | 127tpi, tube | Aramid breaker | 205g   | SMARTNET™ SILICA | 48,90 € |
|   | P ZERO™ Velo 25-622 White          | 15 C | 3571200 | 127tpi, tube | Aramid breaker | 205g   | SMARTNET™ SILICA | 48,90 € |

ALL WEATHER PERFORMANCE

COLD / RAIN

HANDLING


SPEED

SMARTNET\*\*

SILICA

With outstanding wet and cold weather grip and handling, this tyre delivers a high-performing ride even in winter season. Its unique tread design and compound allows you to enjoy formidable control, even in challenging weather conditions.

#### **DETAILS**




| DESCRIPTION                     | RIM  | IPCODE  | CONSTRUCTION | PROTECTION     | WEIGHT | COMPOUND         | SRP     |
|---------------------------------|------|---------|--------------|----------------|--------|------------------|---------|
| P ZERO™ Velo <b>4</b> \$ 23-622 | 15 C | 2909100 | 127tpi, tube | Aramid breaker | 200g   | SMARTNET™ SILICA | 46,90 € |
| P ZERO™ Velo <b>4S</b> 25-622   | 15 C | 2909200 | 127tpi, tube | Aramid breaker | 215g   | SMARTNET™ SILICA | 46,90 € |
| P ZERO™ Velo 45 28-622          | 15 C | 2909300 | 127tpi, tube | Aramid breaker | 245g   | SMARTNET™ SILICA | 48,90 € |

Classic = TAN sidewall



Designed for high speeds and providing minimal rolling resistance, this is the fastest and lightest tyre in the P ZERO™ Velo family. With Pirelli SmartNET™ Silica compound delivering outstanding grip, you can confidently ride this clincher on wet and dry.

#### **DETAILS**



| DESCRIPTION                   | RIM  | IPCODE  | CONSTRUCTION | PROTECTION | WEIGHT | COMPOUND         | SRP     |
|-------------------------------|------|---------|--------------|------------|--------|------------------|---------|
| P ZERO™ Velo 77 23-622        | 15 C | 2908700 | 127tpi, tube |            | 165g   | SMARTNET™ SILICA | 42,90 € |
| P ZERO™ Velo <b>77</b> 25-622 | 15 C | 3371100 | 127tpi, tube |            | 185g   | SMARTNET™ SILICA | 42,90 € |




Developed on the fields of World Tour racing and already winner of a Grand Tour in its debut year with Team Mitchelton-Scott, the P ZERO $^{\text{\tiny M}}$  Velo TUBULAR brings the handling and cornering behavior Pirelli is famous for to the finest handmade tubular construction. Now available for your own #pureperformance.

#### The TUBULAR in short:

- Corespun 320tpi w/aramid reinforced casing
- Anti-puncture belt under the tread
- FGD tread pattern design technology tuned for tubular structure
- Sizes available: 25-28" and 28-28"

- Latex inner tube for better rolling and anti-puncture
- Yellow Soft racing compound
- Designed for modern wide tubular rims
- 48mm RVC valve

#### **DETAILS**



| DESCRIPTION                    | RIM | IPCODE  | CONSTRUCTION    | PROTECTION             | WEIGHT | COMPOUND   | SRP     |
|--------------------------------|-----|---------|-----------------|------------------------|--------|------------|---------|
| P ZERO™ Velo <i>TUB</i> 25-28" |     | 3605300 | 320tpi, tubular | Breaker, aramid reinf. | 310g   | YELLOWSOFT | 89,90 € |
| P ZERO™ Velo <i>TUB</i> 28-28" |     | 3605400 | 320tpi, tubular | Breaker, aramid reinf. | 335g   | YELLOWSOFT | 89,90 € |



**PROTECTION** 

COMFORT

**GRIP** 






**TUBELESS READY** 

Crafted around protection and comfort, without compromising performances, this tyre is either tube type and tubeless-ready compatible with ease. Pirelli's SmartNET $^{\text{\tiny M}}$  Silica and Armour Tech $^{\text{\tiny M}}$  technologies created a tyre perfect for long-distances and various terrains.

#### **DETAILS**




|    | DESCRIPTION            | RIM  | IPCODE  | CONSTRUCTION      | PROTECTION   | WEIGHT | COMPOUND         | SRP     |
|----|------------------------|------|---------|-------------------|--------------|--------|------------------|---------|
| EW | CINTURATO™ Velo 24-622 | 15 C | 3756500 | 60tpi, tube & TLR | Armour Tech™ | 285g   | SMARTNET™ SILICA | 49,90 € |
|    | CINTURATO™ Velo 26-622 | 15 C | 3370700 | 60tpi, tube & TLR | Armour Tech™ | 300g   | SMARTNET™ SILICA | 49,90 € |
|    | CINTURATO™ Velo 28-622 | 17 C | 3370800 | 60tpi, tube & TLR | Armour Tech™ | 340g   | SMARTNET™ SILICA | 49,90 € |
|    | CINTURATO™ Velo 32-622 | 19 C | 3370900 | 60tpi, tube & TLR | Armour Tech™ | 360g   | SMARTNET™ SILICA | 52,90 € |
|    | CINTURATO™ Velo 35-622 | 19 C | 3371000 | 60tpi, tube & TLR | Armour Tech™ | 410g   | SMARTNET™ SILICA | 52,90 € |

## TECHNOLOGY OVERVIEW ROAD





Directly from its Motorsport expertize, Pirelli introduced its first innovation in cycling compound technology: a particular Silica with an elongated shape molecule, against industry-standard Silica which has it round. This allowed Pirelli technicians to enhance the level of sophistication: orientation of such molecules to the rolling direction of the tyre is now possible, increasing the energy efficiency of the tyre in many aspects. Further to that, the natural attitude of the SmartNET™ Silica to dispose itself in an ordered network of polymer chains, allows for better interaction with other components, such as aramid fibers which thus can be dispersed into the rubber in very high density: better mechanical resistance of the material itself and exten ded mileage and puncture protection when compared to standard Silica compounds.



The result is a tyre which has at the same time:

- high grip on both dry and wet (handling)
- high rolling efficiency (speed)
- good mechanical properties (protection and mileage)





Another innovation straight from Motorsport expertize, where Pirelli technicians focus has now been pointed to increase puncture protection of road racing bicycle tyres to a whole new level: small aramid fibers are directly dispersed into the rubber blend of the base tread, in a high density amount as never before, working as a spider net to trap any sharp object before it even hit the textile breaker underneath. This effect dramatically drops the capability to penetrate of any external object, exponentially increasing the protection capability of the textile layers built within the rest of the tyre structure, such as the aramid breaker and the woven Nylon bead-to-bead layer, while retaining the possibility to use high performing compound on the outer tread in order to maintain high handling, grip, rolling and mileage.

Aramid SmartNET™ Silica compound w/aramid fiber

TLR bead

Bead-to-bead protective layer


#### FGD - FUNCTIONAL GROOVE DESIGN

Under this name it is summarized the know-how and expertize of designing the tread pattern and overall shape of a two-wheel tyre. For Pirelli, this means to source design criteria and dynamic analysis from its SBK (World Superbike) background, where lean angles and handling is taken to the extreme, and where pilots demand for maximum feedback from the tyre: it is key for a racing tyre to precisely tell to the pilot how far he is from the limit, at each and every moment.

This is what Pirelli tyre designers focused also for bicycle tyres: maximum confidence on every riding situation, being it in full lean down a hill or in an emergency braking/steering situation at lower speed.

So the "flash" design, a Pirelli iconic landmark:

- · slick on the center for maximum rolling and traction at high loads, such as when sprinting or braking
- open angles in the first phase of the lean, at the beginning of the turn when thespeed is usually still high
- · mid-grooved portion on the side tread to provide an optimal footprint and feedback
- slick again for the very side of the tread, when maximum grip is mandatory again




SHOÙLDER



Low profile and compact tread spacing for riding quickly and confidently over any kind of hardpack terrain, whether for dry or wet.

#### For DRY & WET

| Hardpack | Rocky | Mixed | Loose | Soft soil |
|----------|-------|-------|-------|-----------|
| DETAILS  |       |       |       |           |



|          | DESCRIPTION                               | RIM  | IPCODE  | CONSTRUCTION | PROTECTION         | WEIGHT | COMPOUND  | SRP     |
|----------|-------------------------------------------|------|---------|--------------|--------------------|--------|-----------|---------|
|          | Cinturato™ CROSS # 33-622                 | 21 C | 3770500 | 127tpi, TLR  | Nylon bead-to-bead | 390g   | SPEEDGRIP | 49,90 € |
|          | Cinturato™ GRAVEL # 35-622                | 21 C | 3770900 | 127tpi, TLR  | Nylon bead-to-bead | 435g   | SPEEDGRIP | 49,90 € |
|          | Cinturato™ GRAVEL # 40-622                | 23 C | 3771100 | 127tpi, TLR  | Nylon bead-to-bead | 485g   | SPEEDGRIP | 49,90 € |
|          | Cinturato™ GRAVEL # 45-622                | 23 C | 3833900 | 127tpi, TLR  | Nylon bead-to-bead | 540g   | SPEEDGRIP | 52,90 € |
| <b>A</b> | Cinturato™ GRAVEL # 45-584                | 23 C | 3771300 | 127tpi, TLR  | Nylon bead-to-bead | 505g   | SPEEDGRIP | 52,90 € |
| U<br>Z   | Cinturato™ GRAVEL # 50-584                | 23 C | 3834100 | 127tpi, TLR  | Nylon bead-to-bead | 530g   | SPEEDGRIP | 52,90 € |
|          | Cinturato™ GRAVEL # 35-622 Classic        | 21 C | 3770700 | 127tpi, TLR  | Nylon bead-to-bead | 435g   | SPEEDGRIP | 52,90 € |
|          | Cinturato™ GRAVEL # 40-622 <i>Classic</i> | 23 C | 3874500 | 127tpi, TLR  | Nylon bead-to-bead | 485g   | SPEEDGRIP | 52,90 € |
|          | Cinturato™ GRAVEL # 45-622 Classic        | 23 C | 3832500 | 127tpi, TLR  | Nylon bead-to-bead | 540g   | SPEEDGRIP | 54,90 € |
|          | Cinturato™ GRAVEL # 45-584 <i>Classic</i> | 23 C | 3874600 | 127tpi, TLR  | Nylon bead-to-bead | 505g   | SPEEDGRIP | 54,90 € |
|          | Cinturato™ GRAVEL # 50-584 Classic        | 23 C | 3874400 | 127tpi, TLR  | Nylon bead-to-bead | 530g   | SPEEDGRIP | 54,90 € |



Medium profile and tread spacing for riding quickly and confidently over a **mixed** variety of **terrains**, from hard to soft, whether for **dry** or **wet**.

#### For DRY & WET

|          |       |       |       |           | Ī |
|----------|-------|-------|-------|-----------|---|
| Hardpack | Rocky | Mixed | Loose | Soft soil |   |
| DETAILS  |       |       |       |           |   |



| DESCRIPTION                                      | RIM  | IPCODE  | CONSTRUCTION | PROTECTION         | WEIGHT | COMPOUND  | SRP     |
|--------------------------------------------------|------|---------|--------------|--------------------|--------|-----------|---------|
| Cinturato™ CROSS M 33-622                        | 21 C | 3770600 | 127tpi, TLR  | Nylon bead-to-bead | 400g   | SPEEDGRIP | 49,90 € |
| Cinturato™ GRAVEL M 35-622                       | 21 C | 3771000 | 127tpi, TLR  | Nylon bead-to-bead | 445g   | SPEEDGRIP | 49,90 € |
| Cinturato™ GRAVEL M 40-622                       | 23 C | 3771200 | 127tpi, TLR  | Nylon bead-to-bead | 495g   | SPEEDGRIP | 49,90 € |
| Cinturato™ GRAVEL M 45-622                       | 23 C | 3834000 | 127tpi, TLR  | Nylon bead-to-bead | 550g   | SPEEDGRIP | 52,90 € |
| Cinturato™ GRAVEL M 45-584                       | 23 C | 3771400 | 127tpi, TLR  | Nylon bead-to-bead | 515g   | SPEEDGRIP | 52,90 € |
| Cinturato™ GRAVEL M 50-584                       | 23 C | 3834200 | 127tpi, TLR  | Nylon bead-to-bead | 540g   | SPEEDGRIP | 52,90 € |
| Cinturato™ GRAVEL M 35-622 Classic               | 21 C | 3770800 | 127tpi, TLR  | Nylon bead-to-bead | 445g   | SPEEDGRIP | 52,90 € |
| Cinturato™ GRAVEL M 40-622 Classic               | 23 C | 3833000 | 127tpi, TLR  | Nylon bead-to-bead | 495g   | SPEEDGRIP | 52,90 € |
| Cinturato™ GRAVEL M 45-622 Classic               | 23 C | 3832600 | 127tpi, TLR  | Nylon bead-to-bead | 550g   | SPEEDGRIP | 54,90 € |
| Cinturato™ GRAVEL <b>M</b> 45-584 <i>Classic</i> | 23 C | 3833200 | 127tpi, TLR  | Nylon bead-to-bead | 515g   | SPEEDGRIP | 54,90 € |
| Cinturato™ GRAVEL M 50-584 Classic               | 23 C | 3832800 | 127tpi, TLR  | Nylon bead-to-bead | 540g   | SPEEDGRIP | 54,90 € |

Classic = TAN sidewall



2019 Official Tyre Supplier - Team TREK-Selle San Marco



#### UNCONDITIONAL PERFORMANCE





#### **TUBELESS READY**



Low profile and compact tread spacing for riding quickly and confidently over any kind of hardpack terrain, whether for dry or wet.

LITE is the version of the H for an even lower rolling resistance and weight.

#### For DRY & WET

Hardpack Rocky Mixed Loose Soft soil

#### **DETAILS**

SmartGRIP Compound for a zerocompromise control and speed on dry and wet surfaces, with high tear resistance. See pag. 19 for more details

2.2 > Multi-ply 120tpi TLR Nylon casing for speed & stability at low pressure riding

2.4 > Multi-ply 60tpi TLR Nylon casing for added control & reliability on demanding terrains

2.2 LITE > No sidewall protection for

2.2/2.4 LITE/2.4 > 120tpi sidewall reinforcment for improved handling and added protection

Designed for easy mounting and reliability on modern TLR wide rims



SmartGRIP Compound for a zerocompromise control and speed on dry and wet surfaces, with high tear resistance. See pag. 19 for more details

2.4/2.6 > Multi-ply 60tpi TLR Nylon casing + bead-to-bead woven Nylon layer for extra strength and reliability

2.4/2.6 > Innovative patent pending HYPER WALL™ construction with bead flipper. See pag 19 for more details

Designed for easy mounting and reliability on modern TLR wide rims

| DESCRIPTION                        | RIM  | IPCODE  | CONSTRUCTION | PROTECTION                           | WEIGHT | COMPOUND  | SRP     |
|------------------------------------|------|---------|--------------|--------------------------------------|--------|-----------|---------|
| Scorpion™ MTB # 29x2.2             | 25 C | 3704100 | 120tpi, TLR  | 120tpi sidewall reinf.               | 690g   | SMARTGRIP | 49,90 € |
| Scorpion™ MTB # 29x2.2 <i>LITE</i> | 25 C | 3703800 | 120tpi, TLR  |                                      | 640g   | SMARTGRIP | 49,90 € |
| Scorpion™ MTB # 29x2.4             | 30 C | 3704800 | 60tpi, TLR   | 120tpi sidewall reinf.               | 850g   | SMARTGRIP | 52,90 € |
| Scorpion™ MTB # 29x2.4 <i>LITE</i> | 30 C | 3704500 | 120tpi, TLR  | 120tpi sidewall reinf.               | 800g   | SMARTGRIP | 52,90 € |
| Scorpion™ MTB # 29x2.6             | 35 C | 3833500 | 60tpi, TLR   | 120tpi bead-to-<br>bead + HyperWall™ | 1180g  | SMARTGRIP | 58,90 € |
| Scorpion™ MTB # 27,5x2.4           | 30 C | 3771500 | 60tpi, TLR   | 120tpi bead-to-<br>bead + HyperWall™ | 940g   | SMARTGRIP | 58,90 € |
| Scorpion™ MTB # 27,5x2.6           | 35 C | 3756600 | 60tpi, TLR   | 60tpi bead-to-<br>bead + HyperWall™  | 1160g  | SMARTGRIP | 58,90 € |
| Scorpion™ MTB # 29x2.2 Yellow      | 25 C | 3774900 | 120tpi, TLR  | 120tpi sidewall reinf.               | 690g   | SMARTGRIP | 54,90 € |



UNCONDITIONAL PERFORMANCE





#### **TUBELESS READY**



Medium profile and tread spacing for riding quickly and confidently over a **mixed** variety of **terrains**, from hard to soft, whether for **dry** or **wet**.

LITE is the version of the M for an even lower rolling resistance and weight.

#### For DRY & WET

| Hardpack | Rocky | Mixed | Loose | Soft soil |
|----------|-------|-------|-------|-----------|

#### **DETAILS**

SmartGRIP Compound for a zerocompromise control and speed on dry and wet surfaces, with high tear resistance. See pag. 19 for more details

2.2 > Multi-ply 120tpi TLR Nylon casing for speed & stability at low pressure riding

2.4 > Multi-ply 60tpi TLR Nylon casing for added control & reliability on demanding terrains

2.2 LITE > No sidewall protection for lighter weight"

2.2/2.4 LITE/2.4 > 120tpi sidewall reinforcment for improved handling and added protection

Designed for easy mounting and reliability on modern TLR wide rims



SmartGRIP Compound for a zerocompromise control and speed on dry and wet surfaces, with high tear resistance. See pag. 19 for more details

2.4/2.6 > Multi-ply 60tpi TLR Nylon casing + bead-to-bead woven Nylon layer for extra strength and reliability

2.4/2.6 > Innovative patent pending HYPER WALL™ construction with bead flipper. See pag 19 for more details

Designed for easy mounting and reliability on modern TLR wide rims

|    | DESCRIPTION                          | RIM  | IPCODE  | CONSTRUCTION | PROTECTION                           | WEIGHT | COMPOUND  | SRP     |
|----|--------------------------------------|------|---------|--------------|--------------------------------------|--------|-----------|---------|
|    | Scorpion™ MTB M 29x2.2               | 25 C | 3704200 | 120tpi, TLR  | 120tpi sidewall reinf.               | 720g   | SMARTGRIP | 49,90 € |
|    | Scorpion™ MTB M 29x2.2 LITE          | 25 C | 3703900 | 120tpi, TLR  |                                      | 660g   | SMARTGRIP | 49,90 € |
|    | Scorpion™ MTB M 29x2.4               | 30 C | 3704900 | 60tpi, TLR   | 120tpi sidewall reinf.               | 850g   | SMARTGRIP | 52,90 € |
|    | Scorpion™ MTB M 29x2.4 LITE          | 30 C | 3704600 | 120tpi, TLR  | 120tpi sidewall reinf.               | 800g   | SMARTGRIP | 49,90 € |
|    | Scorpion™ MTB M 29x2.6               | 35 C | 3833600 | 60tpi, TLR   | 120tpi bead-to-<br>bead + HyperWall™ | 1180g  | SMARTGRIP | 58,90 € |
| EW | Scorpion™ MTB M 27,5x2.4             | 30 C | 3771600 | 60tpi, TLR   | 120tpi bead-to-<br>bead + HyperWall™ | 940g   | SMARTGRIP | 58,90 € |
|    | Scorpion™ MTB M 27,5x2.6             | 35 C | 3756700 | 60tpi, TLR   | 60tpi bead-to-<br>bead + HyperWall™  | 1160g  | SMARTGRIP | 58,90 € |
| EW | Scorpion™ MTB <i>M</i> 29x2.2 Yellow | 25 C | 3775100 | 120tpi, TLR  | 120tpi sidewall reinf.               | 720g   | SMARTGRIP | 54,90 € |
|    | Scorpion™ MTB M 29x2.4 Yellow        | 30 C | 3775300 | 60tpi, TLR   | 120tpi sidewall reinf.               | 850g   | SMARTGRIP | 56,90 € |



#### UNCONDITIONAL PERFORMANCE





#### **TUBELESS READY**



Tall profile and widely spaced tread to cut into and grip any kind of **loose** and **soft terrain**, whether for **dry** or **wet**.

LITE is the version of the S for an even lower rolling resistance and weight.

#### For DRY & WET

| Hardpack | Rocky | Mixed | Loose | Soft soil |
|----------|-------|-------|-------|-----------|

#### **DETAILS**

SmartGRIP Compound for a zerocompromise control and speed on dry and wet surfaces, with high tear resistance. See pag. 19 for more details

2.2 > Multi-ply 120tpi TLR Nylon casing for speed & stability at low pressure riding

2.4 > Multi-ply 60tpi TLR Nylon casing for added control & reliability on demanding terrains

2.2 *LITE* > No sidewall protection for lighter weight"

2.2/2.4 LITE/2.4 > 120tpi sidewall reinforcment for improved handling and added protection

Designed for easy mounting and reliability on modern TLR wide rims



SmartGRIP Compound for a zerocompromise control and speed on dry and wet surfaces, with high tear resistance. See pag. 19 for more details

2.4/2.6 > Multi-ply 60tpi TLR Nylon casing + bead-to-bead woven Nylon layer for extra strength and reliability

2.4/2.6 > Innovative patent pending HYPER WALL™ construction with bead flipper. See pag 19 for more details

Designed for easy mounting and reliability on modern TLR wide rims

| DESCRIPTION                 | RIM  | IPCODE  | CONSTRUCTION | PROTECTION                           | WEIGHT | COMPOUND  | SRP     |
|-----------------------------|------|---------|--------------|--------------------------------------|--------|-----------|---------|
| Scorpion™ MTB S 29x2.2      | 25 C | 3704300 | 120tpi, TLR  | 120tpi sidewall reinf.               | 730g   | SMARTGRIP | 49,90 € |
| Scorpion™ MTB 5 29x2.2 LITE | 25 C | 3704000 | 120tpi, TLR  |                                      | 660g   | SMARTGRIP | 49,90 € |
| Scorpion™ MTB S 29x2.4      | 30 C | 3705000 | 60tpi, TLR   | 120tpi sidewall reinf.               | 850g   | SMARTGRIP | 52,90 € |
| Scorpion™ MTB 5 29x2.4 LITE | 30 C | 3704700 | 120tpi, TLR  | 120tpi sidewall reinf.               | 800g   | SMARTGRIP | 52,90 € |
| V Scorpion™ MTB \$ 29x2.6   | 35 C | 3833700 | 60tpi, TLR   | 120tpi bead-to-<br>bead + HyperWall™ | 1220g  | SMARTGRIP | 58,90 € |
| V Scorpion™ MTB \$ 27,5x2.4 | 30 C | 3771700 | 60tpi, TLR   | 120tpi bead-to-<br>bead + HyperWall™ | 970g   | SMARTGRIP | 58,90 € |
| V Scorpion™ MTB S 27,5x2.6  | 35 C | 3756800 | 60tpi, TLR   | 60tpi bead-to-<br>bead + HyperWall™  | 1210g  | SMARTGRIP | 58,90 € |



UNCONDITIONAL PERFORMANCE





#### **TUBELESS READY**



Medium profile and tread spacing and added traction and durability without compromising performance over a **mixed** variety of **terrains**, whether for **dry** or **wet**.

The R model is our rear specific design.

#### For DRY & WET

|          |       |       |       |           | _ |
|----------|-------|-------|-------|-----------|---|
|          |       |       |       |           |   |
| Hardpack | Rocky | Mixed | Loose | Soft soil |   |

#### **DETAILS**


SmartGRIP Compound for a zerocompromise control and speed on dry and wet surfaces, with high tear resistance. See pag. 19 for more details

2.2 > Multi-ply 120tpi TLR Nylon casing for speed & stability at low pressure riding 2.4 > Multi-ply 60tpi TLR Nylon casing for added control & reliability

on demanding terrains

2.2/2.4 > 120tpi sidewall reinforcment for improved handling and added protection

Designed for easy mounting and reliability on modern TLR wide rims



SmartGRIP Compound for a zerocompromise control and speed on dry and wet surfaces, with high tear resistance. See pag. 19 for more details

2.4/2.6 > Multi-ply 60tpi TLR Nylon casing + bead-to-bead woven Nylon layer for extra strength and reliability

2.4/2.6 > Innovative patent pending HYPER WALL™ construction with bead flipper. See pag 19 for more details

Designed for easy mounting and reliability on modern TLR wide rims

|     | DESCRIPTION              | RIM  | IPCODE  | CONSTRUCTION | PROTECTION                           | WEIGHT | COMPOUND  | SRP     |
|-----|--------------------------|------|---------|--------------|--------------------------------------|--------|-----------|---------|
|     | Scorpion™ MTB R 29x2.2   | 25 C | 3704400 | 120tpi, TLR  | 120tpi sidewall reinf.               | 730g   | SMARTGRIP | 49,90 € |
|     | Scorpion™ MTB R 29x2.4   | 30 C | 3705100 | 60tpi, TLR   | 120tpi sidewall reinf.               | 850g   | SMARTGRIP | 52,90 € |
| NEW | Scorpion™ MTB ₹ 29x2.6   | 35 C | 3833800 | 60tpi, TLR   | 120tpi bead-to-<br>bead + HyperWall™ | 1180g  | SMARTGRIP | 58,90 € |
|     | Scorpion™ MTB R 27,5x2.4 | 30 C | 3771800 | 60tpi, TLR   | 120tpi bead-to-<br>bead + HyperWall™ | 940g   | SMARTGRIP | 58,90 € |
| NEW | Scorpion™ MTB R 27,5x2.6 | 35 C | 3756900 | 60tpi, TLR   | 60tpi bead-to-<br>bead + HyperWall™  | 1160g  | SMARTGRIP | 58,90 € |

## TECHNOLOGY OVERVIEW OFF ROAD



Decades of Motorsport successes brought Pirelli engineers to develop a cutting edge compound that puts together two diametrically opposed characteristics:

- tear resistance: it guarantees maximum mechanical grip in dry conditions and an higher puncture protection
- chemical grip on wet conditions: no need to be worried if it's going to rain or if you find muddy or slippery sections on the trails



The properties of the new Pirelli compound formulation SpeedGRIP are tailored for any weather condition, regardless if the terrain is dry or wet. As developed into the Scorpion™ MTB rubber formulation – SmartGRIP

- the new SpeedGRIP Compound retains the same polymer matrix, improving in the rolling efficiency.

The higher need for speed or mileage with the same effort riding gravel, with a combination of tarmac, gravel and more aggressive terrain as well as a mix of intended uses – from racing to bike packing and adventures – pushed Pirelli technicians to fine tune this new rubber towards a better energy management.

The SpeedGRIP Compound retains the same tear resistance of its MTB counterpart (SmartGRIP) as well as its high chemical grip (known as the wet grip), with a more efficient energy management decreasing the rolling resistance to a level very close to pure road racing tyres.





The third innovation Pirelli brings to the cycling world from its Motorsport background: a newly designed construction of the bead and sidewall area that increases even further the tyre performances in terms of handling at low pressure and pinch flat resistance. Key in offroad applications, especially in the most demanding ones such as gravity and eMTB, the integrity of the bead area and the stability of the sidewalls are a founding pillar for the overall tyre performance: the tread with its sophisticated rubber compound highly relies on, and strictly behaves dependently to the stability and integrity of the bead and sidewall themselves.

Pirelli introduced a construction that solidly anchors the bead and the rubber sidewall insert with a woven fabric flipper, making them behave as one whole solid piece instead of as separate components with relative movements to each other, as it is with industry standard constructions.

#### The benefit of this innovation in numbers:

- Improved bead stability (+10%\*)
- More protection against pinch-flats (+50%\*\*)
- Better handling at low pressure (+25%\*\*\*)
- Higher strength against sidewall cuts

### **DEVELOPED FOR E-BIKES**

Granturismo is a tyre developed to enhance the dynamic characteristics of the modern riding style, whether it is taken in the city in the twisty roads of the country side: here is the Pirelli's famous 2-wheels expertize shines.



- •Sportive handling and feeling
- Moto-derived tread design



| DESCRIPTION             | IPCODE  | WEIGHT | VERSION            | CONSTRUCTION           | SRP     |
|-------------------------|---------|--------|--------------------|------------------------|---------|
| CYCL-E <b>67</b> 37-622 | 3372000 | 780g   | rigid bead, reflex | 30tpi, Cap & Base tech | 39,90 € |
| CYCL-E <b>67</b> 42-622 | 3372100 | 1000g  | rigid bead, reflex | 30tpi, Cap & Base tech | 39,90 € |
| CYCL-E <b>67</b> 50-622 | 3372200 | 1150g  | rigid bead, reflex | 30tpi, Cap & Base tech | 42,90 € |
| CYCL-E <b>67</b> 54-559 | 3372300 | 1180g  | rigid bead, reflex | 30tpi, Cap & Base tech | 39,90 € |
| CYCL-E <b>67</b> 57-584 | 3372400 | 1310g  | rigid bead, reflex | 30tpi, Cap & Base tech | 39,90 € |

Specifically designed to perform like no other in winter conditions that are commonly found in, or just outside, city boundaries: cold tarmac, thin snow layers, iced water splashes, frost. As well as Pirelli Winter car tyres, this Cycl-e WT is just made for that.



| DESCRIPTION             | IPCODE  | WEIGHT | VERSION            | CONSTRUCTION           | SRP     |
|-------------------------|---------|--------|--------------------|------------------------|---------|
| CYCL-E <i>WT</i> 37-622 | 3790300 | 780g   | rigid bead, reflex | 30tpi, Cap & Base tech | 49,90 € |
| CYCL-E <i>WT</i> 42-622 | 3790400 | 1035g  | rigid bead, reflex | 30tpi, Cap & Base tech | 49,90 € |
| CYCL-E <i>WT</i> 50-584 | 3790500 | 1110g  | rigid bead, reflex | 30tpi, Cap & Base tech | 49,90 € |

<sup>\*</sup> Pirelli internal laboratory multi-axis stiffness test

<sup>\*\*</sup> Pirelli internal laboratory obstacle impact test
\*\*\* Pirelli Field Testing Dep. evaluation score on blind outdoor test

Downtown and Downtown Sport are tyres developed for urban and commuting use, where rolling efficency, reliability and maximum grip on any surface and on any weather conditions are essential.

CYCL-Cot DOWNTOWN

Grip & Reliability



| DESCRIPTION             | IPCODE  | WEIGHT | VERSION            | CONSTRUCTION           | SRP     |
|-------------------------|---------|--------|--------------------|------------------------|---------|
| CYCL-E <b>DT</b> 37-622 | 3371200 | 780g   | rigid bead, reflex | 30tpi, Cap & Base tech | 39,90 € |
| CYCL-E <b>DT</b> 42-622 | 3371300 | 1040g  | rigid bead, reflex | 30tpi, Cap & Base tech | 39,90 € |
| CYCL-E <b>DT</b> 47-622 | 3371400 | 1065g  | rigid bead, reflex | 30tpi, Cap & Base tech | 42,90 € |
| CYCL-E <i>DT</i> 50-622 | 3371500 | 1150g  | rigid bead, reflex | 30tpi, Cap & Base tech | 42,90 € |



CYCL-E DT Sport 32-622 3371600 730g 30tpi, Cap & Base tech 39,90 € rigid bead, reflex CYCL-E DT Sport 37-622 3371700 30tpi, Cap & Base tech 39,90 € 780g rigid bead, reflex CYCL-E DT Sport 42-622 3371800 1035g 30tpi, Cap & Base tech rigid bead, reflex 39,90 € CYCL-E DT Sport 47-622 3371900 30tpi, Cap & Base tech rigid bead, reflex 42,90 € Crossterrain and Crossterrain Sport are tyres designed to benefit from the reliability and total safety of Pirelli technology even on gravel roads and extend the pleasure of using the bike even outside the city boundaries.



Grip & Reliability



| DESCRIPTION      | IPCODE  | WEIGHT | VERSION            | CONSTRUCTION           | SRP     |
|------------------|---------|--------|--------------------|------------------------|---------|
| CYCL-E XT 37-622 | 3372500 | 770g   | rigid bead, reflex | 30tpi, Cap & Base tech | 39,90 € |
| CYCL-E XT 42-622 | 3372600 | 1020g  | rigid bead, reflex | 30tpi, Cap & Base tech | 39,90 € |
| CYCL-E XT 47-622 | 3372700 | 1120g  | rigid bead, reflex | 30tpi, Cap & Base tech | 42,90 € |
| CYCL-E XT 50-622 | 3372800 | 1180g  | rigid bead, reflex | 30tpi, Cap & Base tech | 42,90 € |

CYCL-C CROSSTERRAIN SPORT

Comfort (multi pitch design)

Speed (-5% rolling)



| DESCRIPTION            | IPCODE  | WEIGHT | VERSION            | CONSTRUCTION           | SRP     |
|------------------------|---------|--------|--------------------|------------------------|---------|
| CYCL-E XT Sport 32-622 | 3372900 | 730g   | rigid bead, reflex | 30tpi, Cap & Base tech | 39,90 € |
| CYCL-E XT Sport 37-622 | 3373000 | 780g   | rigid bead, reflex | 30tpi, Cap & Base tech | 39,90 € |
| CYCL-E XT Sport 42-622 | 3373100 | 1090g  | rigid bead, reflex | 30tpi, Cap & Base tech | 39,90 € |
| CYCL-E XT Sport 47-622 | 3373200 | 1110g  | rigid bead, reflex | 30tpi, Cap & Base tech | 42,90 € |

## TECHNOLOGY OVERVIEW URBAN



#### CAP

- +15% in WET grip
- anti-tacking feature
- efficient rolling

#### BASE

- thickness from 3mm to 3,5mm depending on the sizes
- favor deformation against ext objects
- keep better dynamic properties

This solution avoids compromising the dynamic properties and allows optimal footprint to be maintained, unlike solutions formulated on very hard base mixtures which, on the other hand, negatively impact these characteristics Pirelli Cycl-e tyre is built to match market standard on rolling resistance and puncture protection, while **outperform it on SAFETY**.

All Pirelli tyres are developed, manufactured and tested to internal safety standards which exceed ECE/R75.

### PIRELLI URBAN RANGE

| DESCRIPTION               | IPCODE  | WEIGHT | VERSION            | CONSTRUCTION           | SRP     |
|---------------------------|---------|--------|--------------------|------------------------|---------|
| CYCL-E <b>GT</b> 37-622   | 3372000 | 780g   | rigid bead, reflex | 30tpi, Cap & Base tech | 39,90 € |
| CYCL-E <b>GT</b> 42-622   | 3372100 | 1000g  | rigid bead, reflex | 30tpi, Cap & Base tech | 39,90 € |
| CYCL-E <b>G7</b> 50-622   | 3372200 | 1150g  | rigid bead, reflex | 30tpi, Cap & Base tech | 42,90 € |
| CYCL-E <b>GT</b> 54-559   | 3372300 | 1180g  | rigid bead, reflex | 30tpi, Cap & Base tech | 39,90 € |
| CYCL-E <b>G7</b> 57-584   | 3372400 | 1310g  | rigid bead, reflex | 30tpi, Cap & Base tech | 39,90 € |
| V CYCL-E <i>WT</i> 37-622 | 3790300 | 780g   | rigid bead, reflex | 30tpi, Cap & Base tech | 49,90 € |
| CYCL-E <i>WT</i> 42-622   | 3790400 | 1035g  | rigid bead, reflex | 30tpi, Cap & Base tech | 49,90 € |
| CYCL-E <i>WT</i> 50-584   | 3790500 | 1110g  | rigid bead, reflex | 30tpi, Cap & Base tech | 49,90 € |
| CYCL-E <b>DT</b> 37-622   | 3371200 | 780g   | rigid bead, reflex | 30tpi, Cap & Base tech | 39,90 € |
| CYCL-E <i>DT</i> 42-622   | 3371300 | 1040g  | rigid bead, reflex | 30tpi, Cap & Base tech | 39,90 € |
| CYCL-E <b>DT</b> 47-622   | 3371400 | 1065g  | rigid bead, reflex | 30tpi, Cap & Base tech | 42,90 € |
| CYCL-E <i>DT</i> 50-622   | 3371500 | 1150g  | rigid bead, reflex | 30tpi, Cap & Base tech | 42,90 € |
| CYCL-E DT Sport 32-622    | 3371600 | 730g   | rigid bead, reflex | 30tpi, Cap & Base tech | 39,90 € |
| CYCL-E DT Sport 37-622    | 3371700 | 780g   | rigid bead, reflex | 30tpi, Cap & Base tech | 39,90 € |
| CYCL-E DT Sport 42-622    | 3371800 | 1035g  | rigid bead, reflex | 30tpi, Cap & Base tech | 39,90 € |
| CYCL-E DT Sport 47-622    | 3371900 | 1075g  | rigid bead, reflex | 30tpi, Cap & Base tech | 42,90 € |
| CYCL-E XT 37-622          | 3372500 | 770g   | rigid bead, reflex | 30tpi, Cap & Base tech | 39,90 € |
| CYCL-E XT 42-622          | 3372600 | 1020g  | rigid bead, reflex | 30tpi, Cap & Base tech | 39,90 € |
| CYCL-E XT 47-622          | 3372700 | 1120g  | rigid bead, reflex | 30tpi, Cap & Base tech | 42,90 € |
| CYCL-E XT 50-622          | 3372800 | 1180g  | rigid bead, reflex | 30tpi, Cap & Base tech | 42,90 € |
| CYCL-E XT Sport 32-622    | 3372900 | 730g   | rigid bead, reflex | 30tpi, Cap & Base tech | 39,90 € |
| CYCL-E XT Sport 37-622    | 3373000 | 780g   | rigid bead, reflex | 30tpi, Cap & Base tech | 39,90 € |
| CYCL-E XT Sport 42-622    | 3373100 | 1090g  | rigid bead, reflex | 30tpi, Cap & Base tech | 39,90 € |
| CYCL-E XT Sport 47-622    | 3373200 | 1110g  | rigid bead, reflex | 30tpi, Cap & Base tech | 42,90 € |

### PIRELLI ROAD & GRAVEL RANGE

|             | DESCRIPTION                                      | RIM  | IPCODE  | CONSTRUCTION      | PROTECTION             | WEIGHT | COMPOUND         | SRP     |
|-------------|--------------------------------------------------|------|---------|-------------------|------------------------|--------|------------------|---------|
|             | P ZERO™ Velo 23-622                              | 15 C | 2908800 | 127tpi, tube      | Aramid breaker         | 190g   | SMARTNET™ SILICA | 42,90 € |
|             | P ZERO™ Velo 25-622                              | 15 C | 2908900 | 127tpi, tube      | Aramid breaker         | 205g   | SMARTNET™ SILICA | 42,90 € |
|             | P ZERO™ Velo 28-622                              | 15 C | 2909000 | 127tpi, tube      | Aramid breaker         | 230g   | SMARTNET™ SILICA | 44,90 € |
|             | P ZERO™ Velo 25-622 <i>Classic</i>               | 15 C | 3833300 | 127tpi, tube      | Aramid breaker         | 205g   | SMARTNET™ SILICA | 48,90 € |
|             | P ZERO™ Velo 28-622 <i>Classic</i>               | 15 C | 3833400 | 127tpi, tube      | Aramid breaker         | 230g   | SMARTNET™ SILICA | 48,90 € |
|             | P ZERO™ Velo 25-622 Red                          | 15 C | 3571000 | 127tpi, tube      | Aramid breaker         | 205g   | SMARTNET™ SILICA | 48,90 € |
|             | P ZERO™ Velo 25-622 Yellow                       | 15 C | 3571100 | 127tpi, tube      | Aramid breaker         | 205g   | SMARTNET™ SILICA | 48,90 € |
|             | P ZERO™ Velo 25-622 White                        | 15 C | 3571200 | 127tpi, tube      | Aramid breaker         | 205g   | SMARTNET™ SILICA | 48,90 € |
|             | P ZERO™ Velo <i>48</i> 23-622                    | 15 C | 2909100 | 127tpi, tube      | Aramid breaker         | 200g   | SMARTNET™ SILICA | 46,90 € |
|             | P ZERO™ Velo <i>4\$</i> 25-622                   | 15 C | 2909200 | 127tpi, tube      | Aramid breaker         | 215g   | SMARTNET™ SILICA | 46,90 € |
|             | P ZERO™ Velo <i>48</i> 28-622                    | 15 C | 2909300 | 127tpi, tube      | Aramid breaker         | 245g   | SMARTNET™ SILICA | 48,90 € |
|             | P ZERO™ Velo <b>77</b> 23-622                    | 15 C | 2908700 | 127tpi, tube      | -                      | 165g   | SMARTNET™ SILICA | 42,90 € |
|             | P ZERO™ Velo <b>17</b> 25-622                    | 15 C | 3371100 | 127tpi, tube      | -                      | 185g   | SMARTNET™ SILICA | 42,90 € |
|             | P ZERO™ Velo <i>TUB</i> 25-28"                   | -    | 3605300 | 320tpi, tubular   | Breaker, aramid reinf. | 310g   | YELLOWSOFT       | 89,90 € |
|             | P ZERO™ Velo <i>TUB</i> 28-28"                   | -    | 3605400 | 320tpi, tubular   | Breaker, aramid reinf. | 335g   | YELLOWSOFT       | 89,90 € |
|             | CINTURATO™ Velo 24-622                           | 15 C | 3756500 | 60tpi, tube & TLR | Armour Tech™           | 285g   | SMARTNET™ SILICA | 49,90 € |
|             | CINTURATO™ Velo 26-622                           | 15 C | 3370700 | 60tpi, tube & TLR | Armour Tech™           | 300g   | SMARTNET™ SILICA | 49,90 € |
|             | CINTURATO™ Velo 28-622                           | 17 C | 3370800 | 60tpi, tube & TLR | Armour Tech™           | 340g   | SMARTNET™ SILICA | 49,90 € |
|             | CINTURATO™ Velo 32-622                           | 19 C | 3370900 | 60tpi, tube & TLR | Armour Tech™           | 360g   | SMARTNET™ SILICA | 52,90 € |
|             | CINTURATO™ Velo 35-622                           | 19 C | 3371000 | 60tpi, tube & TLR | Armour Tech™           | 410g   | SMARTNET™ SILICA | 52,90 € |
|             | Cinturato™ CROSS # 33-622                        | 21 C | 3770500 | 127tpi, TLR       | Nylon bead-to-bead     | 390g   | SPEEDGRIP        | 49,90 € |
|             | Cinturato™ CROSS M 33-622                        | 21 C | 3770600 | 127tpi, TLR       | Nylon bead-to-bead     | 400g   | SPEEDGRIP        | 49,90 € |
|             | Cinturato™ GRAVEL # 35-622                       | 21 C | 3770900 | 127tpi, TLR       | Nylon bead-to-bead     | 435g   | SPEEDGRIP        | 49,90 € |
|             | Cinturato™ GRAVEL # 40-622                       | 23 C | 3771100 | 127tpi, TLR       | Nylon bead-to-bead     | 485g   | SPEEDGRIP        | 49,90 € |
|             | Cinturato™ GRAVEL # 45-622                       | 23 C | 3833900 | 127tpi, TLR       | Nylon bead-to-bead     | 540g   | SPEEDGRIP        | 52,90 € |
|             | Cinturato™ GRAVEL # 45-584                       | 23 C | 3771300 | 127tpi, TLR       | Nylon bead-to-bead     | 505g   | SPEEDGRIP        | 52,90 € |
|             | Cinturato™ GRAVEL # 50-584                       | 23 C | 3834100 | 127tpi, TLR       | Nylon bead-to-bead     | 530g   | SPEEDGRIP        | 52,90 € |
|             | Cinturato™ GRAVEL # 35-622 Classic               | 21 C | 3770700 | 127tpi, TLR       | Nylon bead-to-bead     | 435g   | SPEEDGRIP        | 52,90 € |
|             | Cinturato™ GRAVEL # 40-622 <i>Classic</i>        | 23 C | 3874500 | 127tpi, TLR       | Nylon bead-to-bead     | 485g   | SPEEDGRIP        | 52,90 € |
|             | Cinturato™ GRAVEL # 45-622 Classic               | 23 C | 3832500 | 127tpi, TLR       | Nylon bead-to-bead     | 540g   | SPEEDGRIP        | 54,90 € |
| <b>&gt;</b> | Cinturato™ GRAVEL # 45-584 <i>Classic</i>        | 23 C | 3874600 | 127tpi, TLR       | Nylon bead-to-bead     | 505g   | SPEEDGRIP        | 54,90 € |
| NE          | Cinturato™ GRAVEL # 50-584 <i>Classic</i>        | 23 C | 3874400 | 127tpi, TLR       | Nylon bead-to-bead     | 530g   | SPEEDGRIP        | 54,90 € |
|             | Cinturato™ GRAVEL M 35-622                       | 21 C | 3771000 | 127tpi, TLR       | Nylon bead-to-bead     | 445g   | SPEEDGRIP        | 49,90 € |
|             | Cinturato™ GRAVEL M 40-622                       | 23 C | 3771200 | 127tpi, TLR       | Nylon bead-to-bead     | 495g   | SPEEDGRIP        | 49,90 € |
|             | Cinturato™ GRAVEL M 45-622                       | 23 C | 3834000 | 127tpi, TLR       | Nylon bead-to-bead     | 550g   | SPEEDGRIP        | 52,90 € |
|             | Cinturato™ GRAVEL M 45-584                       | 23 C | 3771400 | 127tpi, TLR       | Nylon bead-to-bead     | 515g   | SPEEDGRIP        | 52,90 € |
|             | Cinturato™ GRAVEL <i>M</i> 50-584                | 23 C | 3834200 | 127tpi, TLR       | Nylon bead-to-bead     | 540g   | SPEEDGRIP        | 52,90 € |
|             | Cinturato™ GRAVEL <i>M</i> 35-622 <i>Classic</i> | 21 C | 3770800 | 127tpi, TLR       | Nylon bead-to-bead     | 445g   | SPEEDGRIP        | 52,90 € |
|             | Cinturato™ GRAVEL M 40-622 Classic               | 23 C | 3833000 | 127tpi, TLR       | Nylon bead-to-bead     | 495g   | SPEEDGRIP        | 52,90 € |
|             | Cinturato™ GRAVEL <b>M</b> 45-622 <i>Classic</i> | 23 C | 3832600 | 127tpi, TLR       | Nylon bead-to-bead     | 550g   | SPEEDGRIP        | 54,90 € |
|             | Cinturato™ GRAVEL <i>M</i> 45-584 <i>Classic</i> | 23 C | 3833200 | 127tpi, TLR       | Nylon bead-to-bead     | 515g   | SPEEDGRIP        | 54,90 € |
|             | Cinturato™ GRAVEL <i>M</i> 50-584 <i>Classic</i> | 23 C | 3832800 | 127tpi, TLR       | Nylon bead-to-bead     | 540g   | SPEEDGRIP        | 54,90 € |

Classic = TAN sidewall

## PIRELLI MTB RANGE

| DESCRIPTION                          | RIM  | IPCODE  | CONSTRUCTION | PROTECTION                           | WEIGHT | COMPOUND  | SRP     |
|--------------------------------------|------|---------|--------------|--------------------------------------|--------|-----------|---------|
| Scorpion™ MTB # 29x2.2               | 25 C | 3704100 | 120tpi, TLR  | 120tpi sidewall reinf.               | 690g   | SMARTGRIP | 49,90 € |
| Scorpion™ MTB # 29x2.2 LITE          | 25 C | 3703800 | 120tpi, TLR  | -                                    | 640g   | SMARTGRIP | 49,90 € |
| Scorpion™ MTB # 29x2.4               | 30 C | 3704800 | 60tpi, TLR   | 120tpi sidewall reinf.               | 850g   | SMARTGRIP | 52,90 € |
| Scorpion™ MTB # 29x2.4 LITE          | 30 C | 3704500 | 120tpi, TLR  | 120tpi sidewall reinf.               | 800g   | SMARTGRIP | 52,90 € |
| Scorpion™ MTB # 29x2.6               | 35 C | 3833500 | 60tpi, TLR   | 120tpi bead-to-<br>bead + HyperWall™ | 1180g  | SMARTGRIP | 58,90 € |
| Scorpion™ MTB # 27,5x2.4             | 30 C | 3771500 | 60tpi, TLR   | 120tpi bead-to-<br>bead + HyperWall™ | 940g   | SMARTGRIP | 58,90 € |
| Scorpion™ MTB # 27,5x2.6             | 35 C | 3756600 | 60tpi, TLR   | 60tpi bead-to-<br>bead + HyperWall™  | 1160g  | SMARTGRIP | 58,90 € |
| Scorpion™ MTB # 29x2.2 Yellow        | 25 C | 3774900 | 120tpi, TLR  | 120tpi sidewall reinf.               | 690g   | SMARTGRIP | 54,90 € |
| Scorpion™ MTB <i>M</i> 29x2.2        | 25 C | 3704200 | 120tpi, TLR  | 120tpi sidewall reinf.               | 720g   | SMARTGRIP | 49,90 € |
| Scorpion™ MTB M 29x2.2 LITE          | 25 C | 3703900 | 120tpi, TLR  | -                                    | 660g   | SMARTGRIP | 49,90 € |
| Scorpion™ MTB <i>M</i> 29x2.4        | 30 C | 3704900 | 60tpi, TLR   | 120tpi sidewall reinf.               | 850g   | SMARTGRIP | 52,90 € |
| Scorpion™ MTB M 29x2.4 LITE          | 30 C | 3704600 | 120tpi, TLR  | 120tpi sidewall reinf.               | 800g   | SMARTGRIP | 49,90 € |
| Scorpion™ MTB <i>M</i> 29x2.6        | 35 C | 3833600 | 60tpi, TLR   | 120tpi bead-to-<br>bead + HyperWall™ | 1180g  | SMARTGRIP | 58,90 € |
| Scorpion™ MTB <i>M</i> 27,5x2.4      | 30 C | 3771600 | 60tpi, TLR   | 120tpi bead-to-<br>bead + HyperWall™ | 940g   | SMARTGRIP | 58,90 € |
| Scorpion™ MTB <i>M</i> 27,5x2.6      | 35 C | 3756700 | 60tpi, TLR   | 60tpi bead-to-<br>bead + HyperWall™  | 1160g  | SMARTGRIP | 58,90 € |
| Scorpion™ MTB <i>M</i> 29x2.2 Yellow | 25 C | 3775100 | 120tpi, TLR  | 120tpi sidewall reinf.               | 720g   | SMARTGRIP | 54,90 € |
| Scorpion™ MTB <i>M</i> 29x2.4 Yellow | 30 C | 3775300 | 60tpi, TLR   | 120tpi sidewall reinf.               | 850g   | SMARTGRIP | 56,90 € |
| Scorpion™ MTB § 29x2.2               | 25 C | 3704300 | 120tpi, TLR  | 120tpi sidewall reinf.               | 730g   | SMARTGRIP | 49,90 € |
| Scorpion™ MTB § 29x2.2 LITE          | 25 C | 3704000 | 120tpi, TLR  | -                                    | 660g   | SMARTGRIP | 49,90 € |
| Scorpion™ MTB § 29x2.4               | 30 C | 3705000 | 60tpi, TLR   | 120tpi sidewall reinf.               | 850g   | SMARTGRIP | 52,90 € |
| Scorpion™ MTB § 29x2.4 LITE          | 30 C | 3704700 | 120tpi, TLR  | 120tpi sidewall reinf.               | 800g   | SMARTGRIP | 52,90 € |
| Scorpion™ MTB § 29x2.6               | 35 C | 3833700 | 60tpi, TLR   | 120tpi bead-to-<br>bead + HyperWall™ | 1220g  | SMARTGRIP | 58,90 € |
| Scorpion™ MTB § 27,5x2.4             | 30 C | 3771700 | 60tpi, TLR   | 120tpi bead-to-<br>bead + HyperWall™ | 970g   | SMARTGRIP | 58,90 € |
| Scorpion™ MTB § 27,5x2.6             | 35 C | 3756800 | 60tpi, TLR   | 60tpi bead-to-<br>bead + HyperWall™  | 1210g  | SMARTGRIP | 58,90 € |
| Scorpion™ MTB R 29x2.2               | 25 C | 3704400 | 120tpi, TLR  | 120tpi sidewall reinf.               | 730g   | SMARTGRIP | 49,90 € |
| Scorpion™ MTB R 29x2.4               | 30 C | 3705100 | 60tpi, TLR   | 120tpi sidewall reinf.               | 850g   | SMARTGRIP | 52,90 € |
| Scorpion™ MTB R 29x2.6               | 35 C | 3833800 | 60tpi, TLR   | 120tpi bead-to-<br>bead + HyperWall™ | 1180g  | SMARTGRIP | 58,90 € |
| Scorpion™ MTB R 27,5x2.4             | 30 C | 3771800 | 60tpi, TLR   | 120tpi bead-to-<br>bead + HyperWall™ | 940g   | SMARTGRIP | 58,90 € |
| Scorpion™ MTB R 27,5x2.6             | 35 C | 3756900 | 60tpi, TLR   | 60tpi bead-to-<br>bead + HyperWall™  | 1160g  | SMARTGRIP | 58,90 € |



## velo.pirelli.com



**STRAYA**Pirelli Club

