

# AUSTRALIAN MUSEUM SCIENTIFIC PUBLICATIONS

Daniels, Greg, 1978. A catalogue of the type specimens of Diptera in the Australian Museum. *Records of the Australian Museum* 31(11): 411–471. [30 June 1978].

doi:10.3853/j.0067-1975.31.1978.222

ISSN 0067-1975

Published by the Australian Museum, Sydney

nature culture discover

Australian Museum science is freely accessible online at  
[www.australianmuseum.net.au/publications/](http://www.australianmuseum.net.au/publications/)  
6 College Street, Sydney NSW 2010, Australia



# A CATALOGUE OF THE TYPE SPECIMENS OF DIPTERA IN THE AUSTRALIAN MUSEUM

GREG DANIELS

Associate, The Australian Museum, Sydney

## CONTENTS

Introduction .....	411
List of Australian Types .....	412
List of Pacific Island Types .....	448
List of Types from other Regions .....	452
List of Damaged Hardy Types .....	452
References .....	455
Alphabetical List of Specific, Subspecific and Variety Names .....	465

The following names occur in this catalogue as new combinations:

<i>Cerioides euphara</i> Riek	= <i>Ceriana euphara</i> (Riek)
<i>Cerioides alboseta</i> Ferguson	= <i>Ceriana alboseta</i> (Ferguson)
<i>Cerioides platypus</i> Ferguson	= <i>Ceriana platypus</i> (Ferguson)
<i>Cerioides apicalis</i> Ferguson	= <i>Ceriana apicalis</i> (Ferguson)
<i>Cerioides mastersi</i> Ferguson	= <i>Ceriana mastersi</i> (Ferguson)
<i>Cerioides alaplicata</i> Hardy	= <i>Ceriana alaplicata</i> (Hardy)
<i>Strumeta aquilonis</i> May	= <i>Dacus aquilonis</i> (May)
<i>Strumeta tenuifascia</i> May	= <i>Dacus tenuifascia</i> (May)
<i>Hendelina australina</i> Hardy	= <i>Myoleja australina</i> (Hardy)
<i>Rioxa confusa</i> Hardy	= <i>Dirioxa confusa</i> (Hardy)
<i>Czernyola australis</i> McAlpine	= <i>Craspedochaeta australis</i> (McAlpine)
<i>Czernyola bisignata</i> McAlpine	= <i>Craspedochaeta bisignata</i> (McAlpine)
<i>Czernyola delta</i> McAlpine	= <i>Craspedochaeta delta</i> (McAlpine)
<i>Ephydroschinis raymenti</i> Curran	= <i>Lasiopleura raymenti</i> (Curran)
<i>Hypsomyia goilala</i> McAlpine	= <i>Rhadinomyia goilala</i> (McAlpine)

## INTRODUCTION

The Diptera type-collection in the Australian Museum comprises 3040 specimens representing 620 nominal species. Of the species represented 590 are Australian, 47 are from New Guinea and the Pacific Islands and seven are from other regions. According to published data, 10 type specimens representing nine species have not been located in the collection.

The terms "holotype", "paratype" and "syntype" are used in accordance with Article 73 of the International code of Zoological Nomenclature (1961). Although the term "allotype" is not recognised in the Code it has been used here because many of the types in the collection are labelled as such. The term refers to a single specimen of opposite sex to the holotype designated in the original description (Mayr, et al., 1953:239). Such specimens are now normally referred to as paratypes. So far as possible, specimens listed as paratypes have been checked with the original descriptions to ensure they were available to the author at the time the species was described.

Several workers, especially Hardy, Taylor and Ferguson, believed it possible to designate an "allotype" of another person's species. In the collection, 14 specimens of nine species were regarded as allotypes by these authors, but in fact the specimens have no type status.

Authors, such as Skuse, Ferguson and Hardy, labelled specimens as types without validly designating them as such. When the description of a species was based on more than one specimen and no holotype designated, in this catalogue these specimens are regarded as syntypes.

The catalogue is divided into three faunal areas, viz: Australia, being mainland Australia and Tasmania only; Pacific Islands, comprising New Guinea, New Hebrides, Norfolk Island, Lord Howe Island and New Zealand; and other regions of which only one or two species are represented.

The systematic arrangement follows the order given in Colless and McAlpine, 1970. The arrangement of genera and species within a family generally follows that given in the latest revision of the group concerned, but otherwise follows the organisation of the Museum collection.

The name under which each type was originally described is given, incorrect generic spellings not being noted. This is followed by details of the original publication and a full reference is provided at the end of the catalogue. Then follows a list of the types, sexes of specimens, type localities and the Museum registration number assigned to each type. Finally, if the original name has been changed, the name under which the species is presently placed is noted, together with details of the relevant publication.

There are many cases of discrepancy between the collection data as published and that appearing on the label. Wherever such instances have been detected they are here recorded. All distances recorded in the catalogue are given in kilometres, even though the collection data may be in miles. Throughout the catalogue subgeneric names are omitted.

The following abbreviations have been used throughout the catalogue: HT (holotype), AT (allotype), PT (paratype(s) ) and ST (syntype(s) ).

When the G.H.H. Hardy collection was presented to the Museum, it was found that many specimens had been severely damaged by *Anthrenus*, several specimens being represented by a pin bearing a slide with genitalia, collection data and a determination label. These damaged specimens are listed separately at the end of the catalogue.

#### AUSTRALIAN TYPES

Suborder NEMATOCERA  
Division TIPULOMORPHA  
Family TIPULIDAE  
Subfamily LIMNOBIINAE

*Geranomyia lutulenta* Skuse, 1890:779.

ST ♀, Mount Kosciusko, N.S.W. .... K36766  
Labelled "♀ type". The specimen is badly damaged.

*Dicranomyia helmsi* Skuse, 1890:763.

ST ♂, Mount Kosciusko, N.S.W. .... K36850  
Labelled "♂ type".

- Molophilus montivagus* Skuse, 1890:808.  
 HT ♀, Jindabyne, N.S.W. .... K36762
- Molophilus helmsi* Skuse, 1890:805.  
 ST ♂, Kosciusko, N.S.W. .... K36763  
 Labelled "♂ type". This specimen is represented by the head and part of the thorax.
- Teucholabis meridiana* Skuse, 1890:798.  
 HT ♂, Victoria .... K36859  
 This specimen is represented by a wing and one leg mounted on a slide.
- Rhypholophus maculosus* Skuse, 1890:802.  
 HT ♀, Mount Kosciusko, N.S.W. .... K36761
- Limnophila imitatrix* Skuse, 1890:847.  
 ST 1♂, 1♀, Kosciusko, N.S.W. .... K36759  
 Labelled "type ♂" and "type ♀". The ♂ specimen is in poor condition.
- Limnophila fergusoni* Alexander, 1923:384.  
 HT ♂, Mount Kosciusko, N.S.W. .... K48205
- Limnophila serraticornis* Alexander, 1923:386.  
 HT ♀, Blue Mountains, N.S.W. .... K48204
- Limnophila aurantiipennis* Alexander, 1923:386.  
 HT ♀, Blue Mountains, N.S.W. .... K48203
- Limnophila pauciseta* Alexander, 1924b:508.  
 HT ♂, Blue Mountains, N.S.W. .... K49464
- Paralimnophila fraudulenta* Alexander, 1924b:512.  
 HT ♀, Blue Mountains, N.S.W. .... K49463
- Gynoplistia viridithorax* Skuse, 1890:882.  
 HT ♀, Moonbar, N.S.W. .... K36757
- Gynoplistia fergusoniana* Alexander, 1924b:516.  
 HT ♂, Blue Mountains, N.S.W. .... K49468
- Gynoplistia bimaculata nigrotibialis* Alexander, 1924b:515.  
 HT ♂, Blue Mountains, N.S.W. .... K49467
- Gynoplistia patruelis* Alexander, 1924b:513.  
 HT ♂, Mount Kosciusko, N.S.W. .... K49466
- Gynoplistia bella atripes* Alexander, 1924b:514.  
 HT ♀, Kosciusko, N.S.W. .... K49469
- Subfamily TIPULINAE
- Dolichopeza longidigitalis* Alexander, 1924:182.  
 HT ♂, AT ♀, Blue Mountains, N.S.W. .... K48201-2  
 This is a synonym of *Dolichopeza cinerea* (Macquart) (Dobrotworsky, 1974c:7).
- Clytocosmus helmsi* Skuse, 1890a:76.  
 ST 2♂, Moonbar, N.S.W. .... K70503  
 One specimen labelled "type ♂", this specimen having the head and five legs missing.
- Clytocosmus alexanderi* Dobrotworsky, 1968a:509.  
 HT ♂, National Park, McPherson Range, Qld. .... K68654
- Platyphasia rawlinsoni* Dobrotworsky, 1971:9.  
 PT ♀, Smiggin Holes, Mount Kosciusko, N.S.W. .... K70504

<i>Platyphasia princeps</i> Skuse, 1890a:85.		
HT♂, Moonbar, N.S.W. ....	K36765	
<i>Acracantha inornata</i> Skuse, 1890a:113.		
HT♀, King George Sound, W.A. ....	K36767	
<i>Polymoria electa</i> Alexander, 1924b:506.		
HT♀, Blue Mountains, N.S.W. ....	K49465	
<i>Ischnotoma immaculipennis</i> Alexander, 1924:186.		
HT♀, Blue Mountains, N.S.W. ....	K48197	
Dobrotworsky (1971a:40) states the holotype is lost.		
<i>Ischnotoma episema</i> Alexander, 1924:184.		
HT♀, Mount Kosciusko, N.S.W. ....	K48198	
<i>Ischnotoma scutellumnigrum</i> Alexander, 1924:185.		
HT♂, AT♀, Mount Kosciusko, N.S.W. ....	K48199-200	
<i>Ischnotoma goldfinchi</i> Alexander, 1924b:520.		
HT♂, Kosciusko, N.S.W. ....	K49462	
<i>Habromastix cinerascens</i> Skuse, 1890a:94.		
Paralectotype ♂, Moonbar, N.S.W. ....	K70405	
<i>Leptotarsus cinerascens</i> (Skuse) (Dobrotworsky, 1974a:16).		
<i>Macromastix tenuirostris</i> Alexander, 1924a:377.		
HT♂, Taree, N.S.W. ....	K48196	
Dobrotworsky (1974:11) states the holotype is lost.		
<i>Leptotarsus tenuirostris</i> (Alexander) (Dobrotworsky, 1974:11).		
<i>Macromastix luteicosta</i> Alexander, 1924:193.		
HT♂, PT 3♂, Blue Mountains, N.S.W. ....	K48191	
<i>Leptotarsus luteicostus</i> (Alexander) (Dobrotworsky, 1974b:45).		
<i>Macromastix fergusoni</i> Alexander, 1924:192.		
HT♂, PT 5♂, Blue Mountains, N.S.W. ....	K48190	
<i>Leptotarsus fergusoni</i> (Alexander) (Dobrotworsky, 1968:485).		
<i>Macromastix albicollis</i> Alexander, 1924:188.		
HT♀, PT ♀, Blue Mountains, N.S.W. ....	K48192	
<i>Leptotarsus albicollis</i> (Alexander) (Dobrotworsky, 1974b:46).		
<i>Macromastix aurantioceps</i> Alexander, 1924:190.		
HT♀, Megan, E. Dorrigo, N.S.W. ....	K48194	
<i>Leptotarsus aurantioceps</i> (Alexander) (Dobrotworsky, 1974b:56).		
<i>Macromastix aurantioceps subnitida</i> Alexander, 1924:192.		
HT♀, PT 2♀, Blue Mountains, N.S.W. ....	K48195	
<i>Leptotarsus aurantioceps</i> (Alexander) (Dobrotworsky, 1974b:56).		
<i>Macromastix obscurirostris</i> Skuse, 1890a:135.		
ST♂, Kosciusko, N.S.W. (Labelled "type ♂"). ....	K36764	
ST♀, Kosciusko, N.S.W. (Labelled "type ♀"). ....	K36851	
<i>Leptotarsus obscurirostris</i> (Skuse) (Dobrotworsky, 1974b:41).		
<i>Leptotarsus barringtoniensis</i> Dobrotworsky, 1974b:48.		
PT♂, Barrington House, N.S.W. ....	K70406	
<i>Macromastix dorrigensis</i> Alexander, 1924:189.		
HT♀, Lowanna, E. Dorrigo, N.S.W. ....	K48193	
<i>Leptotarsus dorrigensis</i> (Alexander) (Dobrotworsky, 1974b:51).		
<i>Macromastix helmsi</i> Skuse, 1890a:132.		
Lectotype ♂, paralectotype ♀, Mount Kosciusko, N.S.W. ....	K36858	
<i>Leptotarsus helmsi</i> (Skuse) (Dobrotworsky, 1974b:36).		

*Leptotarsus gargettensis* Dobrotworsky, 1974b:52.  
HT♂, Gargett, near Mackay, Qld. .... K70507

Division PSYCHODOMORPHA  
Family PSYCHODIDAE

*Telmatoscopus aberrans* Tonnoir, 1953:441.  
PT♂, Eaglehawk Neck, Tas. .... K67607

*Telmatoscopus viduatus* Tonnoir, 1953:439.  
PT♂, Burnie, Tas. .... K67609

*Telmatoscopus variegatus* Satchell, 1953:394.  
PT♂, Hobart, Tas. .... K67606

*Telmatoscopus festivus* Satchell, 1953:399.  
PT 1♂, 1♀, Fitzroy Falls, N.S.W. .... K67612-3

*Atrichobrunettia alternata* Satchell, 1953:413.  
PT♀, Blundell's, A.C.T. .... K67603  
PT♀, Ferntree Gully, Vic. .... K67604  
PT♂, Burnie, Tas. .... K67605

*Pericoma albipes* Tonnoir, 1953:427.  
PT♂, Waterfall, N.S.W. .... K67602

*Pericoma illustrata* Tonnoir, 1953:422.  
PT♀, Mount Wellington, Tas. .... K67600

*Pericoma intricatoria* Tonnoir, 1953:430.  
PT♂, Blundell's, A.C.T. .... K67601

*Notiocharis dimorpha* Satchell, 1953:364.  
PT♂, Blundell's, A.C.T. .... K67597  
PT♀, Burnie, Tas. .... K67598  
The Blundell's specimen is labelled *Pericoma dimorpha albipes* Tonn. Paratype.

Division CULICOMORPHA  
Family DIXIDAE

*Dixa nicholsoni* Tonnoir, 1923:64.  
HT♂, Allyn River, N.S.W. .... K49120

Family CULICIDAE

*Hodgesia cairnsensis* Taylor, 1919:842.  
PT♀, Cairns, Qld. .... K42254

Family SIMULIIDAE

*Simulium ornatipes* Skuse, 1890c:632.  
ST 2♂, 2♀, near Louth, Darling River, N.S.W. .... K36731  
The two male specimens are mounted on separate pins and the two female specimens are mounted on a common card. One of the males bears a locality label in Skuse's handwriting and also has a small round red label attached. This specimen has been remounted. The other three specimens (on two pins) have locality labels presumably written by Musgrave. The females have been remounted and bear a written allotype label, as well as a small round blue label, whilst the male is affixed to its original mount. I have assumed that Skuse's specimens were remounted and relabelled by Musgrave.

- Simulium fergusoni* Tonnnoir, 1925:238.  
 HT♀, Bumberry, N.S.W. .... K48711  
*Cnephia fergusoni* (Tonnnoir) (Mackerras and Mackerras, 1949:386).  
 Mackerras and Mackerras (1949:386) state that the location of the type is not known.
- Simulium aurantiacum* Tonnnoir, 1925:234.  
 PT 3♀, Mount Wilson, N.S.W. .... K51170  
 PT♂, Sassafras, Vic. .... K51171  
*Cnephia aurantiacum* (Tonnnoir) (Smart, 1945:498).
- Austrosimulium cornutum* Tonnnoir, 1925:243.  
 PT 2♀, Sassafras, Vic. .... K51172  
 PT♀, Burnie, Tas. .... K51173  
 PT♀, Strahan, Tas. .... K51174
- Austrosimulium weindorferi* Tonnnoir, 1925:248.  
 PT 3♀, Cradle Valley, Tas. .... K51179  
 This is a synonym of *Austrosimulium furiosum* (Skuse) (Mackerras and Mackerras, 1949:397).
- Austrosimulium torrentium* Tonnnoir, 1925:247.  
 PT 1♂, 1♀, Launceston, Tas. .... K51178

Division BIBIONOMORPHA  
 Family PERISSOMMATIDAE

- Perissomma fusca* Colless, 1962:525.  
 PT 1♂, 1♀, Mount Majura, A.C.T. .... K68248-9
- Perissomma mcalpinei* Colless, 1962:528.  
 HT♀, Mount Wilson, N.S.W. .... K68250

Family BIBIONIDAE

- Dilophus varipes* Skuse, 1890c:635.  
 ST 9♂, Kosciusko, N.S.W. .... K70520  
 A pin with two carded specimens bears the label "Type". The remainder have similar locality labels to the specimens labelled type.

Family SCIARIDAE

- Sciara infixa* Skuse, 1890b:400.  
 HT♀, Mount Kosciusko, N.S.W. .... K36717
- Sciara helmsi* Skuse, 1890b:408.  
 ST 2♀, Mount Kosciusko, N.S.W. .... K36718  
 One specimen is labelled "♀ type". The other specimen has a similar locality label as the specimen labelled type.
- Sciara serenipennis* Skuse, 1890b:402.  
 ST♂, Mount Kosciusko, N.S.W. .... K36719  
 Labelled "♂ type". This specimen is represented by three legs, a wing and part of the abdomen.
- Sciara tepperi* Skuse, 1890:393.  
 ST♀, Adelaide, S.A. .... K36720  
 Labelled "♀ type".
- Sciara contermina* Skuse, 1890b:395.  
 ST♀, Kosciusko, N.S.W. .... K36721  
 Labelled "♀ type".
- Sciara promiscua* Skuse, 1890b:394.  
 ST♀, Kosciusko, N.S.W. .... K36722  
 Labelled "♀ type".

## Family MYCETOPHILIDAE

<i>Sciophila mccoyi</i> Skuse, 1890c:606.	
ST♀ , Victoria .....	K36716
Labelled "♀ type".	
<i>Mycomyia mccoyi</i> (Skuse) (Tonnoir, 1929:599).	
<i>Clastobasis tryoni</i> Skuse, 1890c:619.	
ST♀ , Brisbane, Qld. ....	K2319
Labelled "♀ type".	
<i>Arachnocampa richardsae</i> Harrison, 1966:881.	
HT♂ , PT 1♂ , 2♀ , Newnes railway tunnel, N.S.W. ....	K68575-8
PT♂ , Hazelbrook, Blue Mountains, N.S.W. ....	K68579

Suborder BRACHYCERA  
Division ORTHORRHAPHA  
Superfamily TABANOIDEA  
Family PELECORHYNCHIDAE

<i>Pelecorhynchus olivei</i> G. Hardy, 1933:413.	
ST 1♂ , 1♀ , Strahan, Tas. ....	K70521
Labelled "HT" and "AT".	
<i>Pelecorhynchus igniculus</i> G. Hardy, 1918:64.	
ST 1♂ , 1♀ , Cradle Mountain, Tas. ....	K42683
Labelled "HT" and "AT".	
<i>Pelecorhynchus albolineatus</i> G. Hardy, 1918:64.	
ST 1♂ , 2♀ , Cradle Mountain, Tas. ....	K42684-5
Labelled "HT", "AT" and "PT".	
<i>Pelecorhynchus eristaloides</i> subsp. <i>montanus</i> G. Hardy, 1916:269.	
HT♂ , AT♀ , Mount Wellington, Tas. ....	K42686
<i>Pelecorhynchus montanus</i> G. Hardy, 1918:65.	
<i>Pelecorhynchus occidens</i> G. Hardy, 1933:414.	
HT♂ , AT♀ , Cradle Mountain, Tas. ....	K42687
Both specimens are labelled " <i>P. montanus</i> var. A." (G. Hardy, 1918:65) and were redescribed by Hardy as <i>P. occidens</i> .	
<i>Pelecorhynchus fulvus</i> Ricardo, 1910:406.	
There is, in the collection, a ♂ labelled allotype and described by Ferguson (1921:2), although not designated as the allotype by Ricardo or Ferguson. The species was originally described from a ♀ and this ♂ specimen cannot be an allotype.	
1♂ , Bright, Vic. ....	K42742
<i>Pelecorhynchus distinctus</i> Taylor, 1918:53.	
ST 2♀ , Dorrigo, N.S.W. ....	K31966
Labelled "HT" and "PT"	
<i>Pelecorhynchus deuqueti</i> G. Hardy, 1920a:38.	
HT♀ , Blackheath, N.S.W. ....	K42688
<i>Pelecorhynchus tillyardi</i> Taylor, 1918:54.	
HT♀ , Dorrigo, N.S.W. ....	K31967

## Family RHAGIONIDAE

<i>Chrysopilus mcalpinei</i> Paramonov, 1962:121.	
HT♂ , Kuranda, Qld. ....	K68251
<i>Chrysopilus androgynus</i> Paramonov, 1962:123.	
HT♂ , Williams River, Barrington Tops, N.S.W. ....	K68252

<i>Austroleptis rhyphoides</i> G. Hardy, 1920:127.		
HT♂, AT♀, PT 2♂, Mount Wellington, Tas. ....	K42674	
<i>Austroleptis multimaculata</i> G. Hardy, 1920:128.		
HT♂, Cradle Mountain, Tas. ....	K42675	
<i>Spaniopsis longicornis</i> Ferguson, 1915:242.		
PT♀, Gosford, N.S.W. (Labelled "cotype"). ....	K68253	
<i>Spaniopsis marginipennis</i> Ferguson, 1915:239.		
HT♀, Gosford, N.S.W. ....	K42740	
PT♀, Gosford, N.S.W. (Labelled "cotype"). ....	K42258	
<i>Spaniopsis tabaniformis</i> White, 1914a:44.		
ST 2♀, Freycinet's Peninsula, Tas. ....	K36468	
Both specimens are labelled "cotype gen. & sp."		
ST♀, Freycinet's Peninsula, Tas. (Labelled HT). ....	K70522	
<i>Spaniopsis vexans</i> Ferguson, 1915:238.		
PT 2♀, Milson Island, N.S.W. ....	K68254-5	
<i>Spaniopsis clelandi</i> Ferguson, 1915:240.		
HT♀, Hawkesbury River, N.S.W. ....	K42741	
PT 2♀, Blue Mountains, N.S.W. ....	K68256-7	
<i>Dasyomma mcalpinei</i> Paramonov, 1962:147.		
HT♀, Wentworth Falls, Blue Mountains, N.S.W. ....	K68259	
<i>Dasyomma maculipennis</i> G. Hardy, 1920:123.		
HT♂, AT♀, PT 1♂, 1♀, Cradle Mountain, Tas. ....	K42668	
<i>Dasyomma dissimilis</i> G. Hardy, 1920:124		
HT♂, AT♀, Cradle Mountain, Tas. ....	K42666-7	
<i>Dasyomma hydrophila</i> Paramonov, 1962:152.		
HT♀, Wentworth Falls, Blue Mountains, N.S.W. ....	K68263	
<i>Atherimorpha vernalis occidens</i> Hardy, 1927:126.		
ST♂, Strahan, Tas. (Labelled PT). ....	K70697	
This specimen has traces of mould.		
<i>Atherimorpha occidens</i> Hardy (Paramonov, 1962:166).		
<i>Atherimorpha mcalpinei</i> Paramonov, 1962:167.		
HT♂, Mount Wilson, Blue Mountains, N.S.W. ....	K68263	

Family TABANIDAE  
Subfamily PANGONIINAE

<i>Austroplex goldfinchi</i> Mackerras, 1955:467.		
PT 1♂, 1♀, Mackay, Qld. ....	K67856-7	
<i>Ectenopsis vulpecula</i> var. <i>nigripennis</i> Taylor, 1918:63.		
HT♀, Norton's Basin, Nepean River, N.S.W. ....	K39647	
<i>Ectenopsis vulpecula</i> (Wiedemann) (Ferguson, 1921:11).		
<i>Ectenopsis australis</i> Ricardo, 1917:217.		
ST♀, Sydney, N.S.W. ....	K42729	
Labelled "type".		
<i>Ectenopsis occidentalis</i> Mackerras, 1956:425.		
HT♂, King George Sound, W.A. ....	K67858	
<i>Demoplatus nigrovittatus</i> Ferguson and Hill, 1920:460.		
HT♂, Kendall, N.S.W. ....	K43468	
<i>Caenoprosopon nigrovittatus</i> (Ferguson and Hill) (Henry, 1927:195).		

<i>Silvius minor</i> Taylor, 1918:62.		
ST 2♂, South Australia (Labelled "HT" and "PT") .....	K40779	
<i>Caenoprosopon minor</i> (Taylor) (Mackerras, 1956:440).		
<i>Therevopangonia insolita</i> Mackerras, 1955:475.		
PT ♂, Geraldton, W.A. ....	K67859	
PT ♂, Eradu, W.A. ....	K67860	
<i>Erephopsis aureovestita</i> Ferguson and Henry, 1920:834.		
HT ♀, Kendall, N.S.W. ....	K42731	
<i>Scaptia aureovestita</i> (Ferguson and Henry) (Ferguson, 1926:295).		
<i>Scaptia aurinotum</i> Mackerras, 1960:49.		
HT ♀, Ebor, N.S.W. ....	K70523	
<i>Diatomineura crocea</i> Taylor, 1917:747.		
ST ♂, Kuranda, Qld. (Labelled PT) ....	K70524	
This is a synonym of <i>Scaptia berylensis</i> (Ricardo) (Mackerras, 1960:53).		
<i>Scaptia auranticula</i> Mackerras, 1960:54.		
PT ♂, King George Sound, W.A. ....	K36781	
<i>Scaptia alpina alpina</i> Mackerras, 1960:67.		
PT ♂, Yarrangobilly, N.S.W. ....	K70535	
<i>Diatomineura fulgida</i> Ferguson and Henry, 1920:837.		
ST ♀, Kendall, N.S.W. (Labelled HT) ....	K42730	
<i>Scaptia fulgida</i> (Ferguson and Henry) (Enderlein, 1925:278).		
<i>Scaptia orientalis</i> Mackerras, 1960:89.		
PT 2♀, Jervis Bay, A.C.T. ....	K70525	
<i>Erephopsis vicina</i> Taylor, 1918:57.		
HT ♂, Wentworth Falls, Blue Mountains, N.S.W. ....	K36658	
<i>Scaptia vicina</i> (Taylor) (Ferguson, 1926:297).		
<i>Diatomineura regis-georgii</i> Taylor, 1918:60.		
ST ♀, King George Sound, W.A. ....	K36783	
<i>Scaptia regisgeorgii</i> (Taylor) (Enderlein, 1925:278).		
<i>Erephopsis neotricolor</i> Taylor, 1918:55.		
ST 2♀, King George Sound, W.A. ....	K36777	
Labelled HT and PT		
<i>Scaptia neotricolor</i> (Taylor) (Ferguson, 1926:297).		
<i>Erephopsis vicina</i> var. <i>georgii</i> Taylor, 1918:57.		
HT ♀, King George Sound, W.A. ....	K36772	
<i>Scaptia georgii</i> (Taylor) (Ferguson, 1926:296).		
<i>Diatomineura bicolorata</i> Taylor, 1918:60.		
ST 1♂, 1♀, King George Sound, W.A. ....	K36780	
<i>Scaptia bicolorata</i> (Taylor) (Enderlein, 1925:278).		
<i>Scaptia calabyi</i> Mackerras, 1960:106.		
PT ♀, 28km SSE of Manjimup, W.A. ....	K70527	
<i>Erephopsis xanthopilis</i> Ferguson, 1921:7.		
HT ♀, Hawkesbury River, N.S.W. ....	K44005	
<i>Scaptia xanthopilis</i> (Ferguson) (Ferguson, 1926:296).		
<i>Erephopsis subcontigua</i> Ferguson, 1921:5.		
HT ♀, Meldrum, N.S.W. ....	K44003	
<i>Scaptia subcontigua</i> (Ferguson) (Ferguson, 1926:296).		

- Erephopsis rufoniger* Ferguson, 1921:6.
- ST ♀ , Armidale, N.S.W. .... K44004  
*Scaptia rufoniger* (Ferguson) (Ferguson, 1926:296).
- Scaptia neoconcolor* Mackerras, 1960:115.
- PT ♀ , Kuranda, Qld. .... K70528
- Erephopsis cinerea* Ricardo, 1915:26.  
 There is, in the collection a ♂ labelled as the AT, and designated by Taylor (1918:55).  
 As this specimen was not included in the type series it has no status as a type.
- 1 ♂ , King George Sound, W.A. .... K36770  
*Scaptia cinerea* (Ricardo) (Ferguson, 1926:298).
- Erephopsis clelandi* Ferguson, 1921:4.
- HT ♀ , Narrabri, N.S.W. .... K44006  
*Scaptia clelandi* (Ferguson) (Ferguson, 1926:298).

#### Subfamily CHRYSOPINAE

- Silvius paraluridus* Ferguson and Henry, 1920:839.
- ST ♀ , Kendall, N.S.W. (Labelled "HT") .... K42933  
*Mesomyia paralurida* (Ferguson and Henry) (Mackerras, 1955a:606).
- Silvius sulcifrons* Ferguson, 1921:14.
- HT ♀ , Perth, W.A. .... K44407  
*Mesomyia sulcifrons* (Ferguson) (Mackerras, 1955a:609).
- Diatomineura cydister* Taylor, 1918:58.
- ST ♂ , King George Sound, W.A. (Labelled "HT") .... K37694  
*Mesomyia cydister* (Taylor) (Mackerras, 1955a:609).

#### Subfamily TABANINAE

- Tabanus wentworthi* Ferguson and Hill, 1922:259.
- HT ♂ , Blue Mountains, N.S.W. .... K47513  
*Cydistomyia wentworthi* (Ferguson and Hill) (Mackerras, 1959:168).
- Tabanus musgravii* Taylor, 1918:64.
- HT ♀ , Underbank, N.S.W. .... K37744  
*Cydistomyia musgravii* (Taylor) (Mackerras, 1959:168).
- Tabanus rivularis* Ferguson and Hill, 1922:264.
- ST ♀ , Kew, N.S.W. (Labelled "HT") .... K42735  
*Cydistomyia rivularis* (Ferguson and Hill) (Mackerras, 1959:168).
- Tabanus rainbowi* Taylor, 1918:66.
- HT ♂ , King George Sound, W.A. .... K37703  
*Dasybasis rainbowi* (Taylor) (Mackerras, 1959:170).
- Tabanus ochreoflavus* Ferguson and Henry, 1920:845.
- ST ♀ , Kendall, N.S.W. (Labelled "HT") .... K42739  
*Dasybasis ochreoflava* (Ferguson and Henry) (Mackerras, 1959:173).
- Tabanus tasmanicus* Ferguson, 1921:20.
- HT ♀ , Dinally, Tas. .... K44409  
 This is a synonym of *Dasybasis neocirrus* (Ricardo) (Mackerras, 1959:173).
- Tabanus postponens* Walker, 1848:179.  
 There is, in the collection, a ♂ labelled as the allotype, and designated by Taylor (1918:69). As this specimen was not included in the type series, it can have no status as a type.
- 1 ♂ , Gayndah, Qld. .... K37702  
 Mackerras (personal comm.) writes saying the status of this specimen is uncertain.

- Tabanus diemanensis* Ferguson, 1921:25.  
 ST 1♂, 1♀, Bream Creek, Tas. .... K44410  
 Labelled "HT ♀" and "AT ♂".  
*Dasybasis spadix diemanensis* (Ferguson) (Mackerras, 1959:175).
- Tabanus vespiformis* Ferguson and Henry, 1920:840.  
 HT ♀, Kendall, N.S.W. .... K42737  
*Dasybasis vespiformis* (Ferguson and Henry) (Mackerras, 1959:175).
- Tabanus pseudobasalis* Taylor, 1918:68.  
 ST 2♀, King George Sound, W.A. .... K37699  
 Labelled "HT" and "PT"  
 This is a synonym of *Dasybasis postica* (Wiedemann) (Mackerras, 1959:176).
- Tabanus trilinealis* Ferguson and Henry, 1920:841.  
 ST ♀, Kendall, N.S.W. (Labelled "HT") .... K43736  
*Dasybasis trilinealis* (Ferguson and Henry) (Mackerras, 1959:178).
- Tabanus kewensis* Ferguson and Henry, 1920:843.  
 ST ♀, Kew, N.S.W. (Labelled "HT") .... K42738  
*Dasybasis kewensis* (Ferguson and Henry) (Mackerras, 1959:178).
- Tabanus neolatifrons* Ferguson and Hill, 1922:264.  
 HT ♀, AT ♂, Cradle Mountain, Tas. .... K44408  
*Dasybasis neolatifrons* (Ferguson and Hill) (Mackerras, 1959:180).
- Tabanus imperfectus* Walker, 1848:179.  
 There is, in the collection, a ♂ labelled allotype and designated by Taylor (1918:66).  
 As this specimen was not included in the type series, it cannot be considered to be a type.  
 1♂, Wedge Bay, Tas. .... K38462  
*Dasybasis imperfecta* (Walker) (Mackerras, 1959:180).
- Tabanus indefinitus* Taylor, 1918:68.  
 ST ♀, Nepean River, N.S.W. (Labelled "HT") .... K41041  
*Dasybasis dubiosa indefinita* (Taylor) (Mackerras, 1959:181).
- Tabanus innotatus* Ferguson and Henry, 1920:847.  
 ST ♀, Kendall, N.S.W. (Labelled "HT") .... K42734  
*Dasybasis innotata* (Ferguson and Henry) (Mackerras, 1959:183).

Family STRATIOMYIDAE  
Subfamily CHIROMYZINAE

- Metoponia gemina* G. Hardy, 1921a:535.  
 HT ♀, AT ♂, Leura, N.S.W. .... K43463  
*Inopus geminus* (Hardy) (Nagatomi and Yukawa, 1968:523).
- Boreoides subulatus* G. Hardy, 1921a:540  
 PT 3♀, Bago Forest, via Batlow, N.S.W. .... K39952  
 PT ♂, Kosciusko, N.S.W. .... K70530  
 PT ♂, Moonbar, N.S.W. .... K70531

Subfamily ANTISSINAE

- Lecogaster cyanea* White, 1916:79.  
 This species was described from 2 ♀ collected at Milson Island, Hawkesbury River, N.S.W. There is, in the collection, a ♀ from Brisbane, Qld, labelled paratype, which cannot be considered to be a type as it was not included in the type series.  
 1♀, Brisbane, Qld. .... K67723  
*Lecomomyia cyanea* (White) (Hardy, 1932a:45).

<i>Lecomyia notha</i> G. Hardy, 1932a:46.	
ST 2♂, Brisbane, Qld (Labelled PT) .....	K67722
Subfamily STRATIOMYINAE	
<i>Odontomyia carinifacies</i> var. <i>minima</i> G. Hardy, 1920d:55.	
ST 2♀, Mount Wellington, Tas. ....	K43451
Labelled "HT" and "AT".	
This is a synonym of <i>Odontomyia stricta</i> Erichson (G. Hardy, 1938:72).	
<i>Odontomyia carinifacies</i> var. <i>grandimaculata</i> G. Hardy, 1920d:56.	
ST ♂, Lymington, Tas. (Labelled "HT") .....	K43450
ST 2♀, Bream Creek, Tas. (Labelled "PT") .....	K43450
<i>Odontomyia grandimaculata</i> Hardy (G. Hardy, 1938:72).	
Subfamily PACHYGASTRINAE	
<i>Pachygaster whitei</i> G. Hardy, 1920d:44.	
HT ♀, AT ♂, Hobart, Tas. ....	K43458
<i>Damaromyia whitei</i> (Hardy) (G. Hardy, 1931:126).	
<i>Pachygaster nitens</i> G. Hardy, 1922:194.	
HT ♀, National Park, Qld .....	K45269
<i>Damaromyia nitens</i> (Hardy) (G. Hardy, 1931:125).	
<i>Dochmiocera aurilineata</i> G. Hardy, 1922:195.	
HT ♀, National Park, Qld .....	K45268
Family XYLOMYIDAE	
<i>Solva laeta</i> Daniels, 1977:456.	
HT ♂, Mulgrave River, 6km W of Gordonvale, Qld. ....	K70379
PT ♀, Iron Range, Qld. ....	K70380
Family NEMESTRINIDAE	
<i>Trichopthalma bivittata</i> var. <i>coerulea</i> Paramonov, 1953:267.	
HT ♂, AT ♀, Gundamain, Port Hacking, near Sydney, N.S.W. ....	K52173
<i>Trichopthalma costalis apicalis</i> Mackerras, 1925:512.	
PT 2♂, King George Sound, W.A. ....	K51998
<i>Trichopthalma rufonigra</i> Mackerras, 1925:513.	
PT 1♂, 1♀, Barrington Tops, N.S.W. ....	K53025
<i>Trichopthalma subcostalis</i> Mackerras, 1925:514.	
HT ♂, Tulka, S.A. ....	K42952
<i>Trichopthalma fusca</i> Mackerras, 1925:516.	
HT ♂, AT ♀, Gayndah, Qld. ....	K52002
<i>Trichopthalma punctata orientalis</i> Mackerras, 1925:519.	
PT ♂, Barrington Tops, N.S.W. ....	K53028
<i>Trichopthalma confusa</i> Mackerras, 1925:521.	
PT 3♂, Como, N.S.W. ....	K47031
<i>Trichopthalma ruficosta</i> Mackerras, 1925:522.	
HT ♂, King George Sound, W.A. ....	K37155
<i>Trichopthalma bivitta nigricosta</i> Mackerras, 1925:524.	
PT ♀, Barrington Tops, N.S.W. ....	K53029
<i>Trichopthalma harrisoni</i> Mackerras, 1925:525.	
PT 1♂, 1♀, Barrington Tops, N.S.W. ....	K53030

*Trichophthalma griseolineata* Mackerras, 1925:528.  
HT♂, AT♀, South Australia ..... K52003

*Trichophthalma nigrovittata* Mackerras, 1925:531.  
PT 1♂, 1♀, Barrington Tops, N.S.W. ..... K53026

*Trichophthalma bancrofti* Mackerras, 1925:533.  
PT ♀, Eidsvold, Qld. ..... K53022

#### Family ACROCERIDAE

*Panops flavipes* Latreille, 1811:710.  
Neotype ♀, Lane Cove, N.S.W. ..... K70533

*Mesophysa flavipes* (Latreille) (Brunetti, 1926:580).

*Oncodes tenuipes* Paramonov, 1957:542.  
HT♂, Victoria ..... K70640  
PT ♂, Gayndah, Qld. ..... K70641

*Oncodes hirtifrons* Paramonov, 1957:543.  
PT 6♂, 3♀, Mount Kosciusko, N.S.W. ..... K59897

*Oncodes glomerosus* Paramonov, 1957:544.  
HT♂, Spencer's Creek, Mount Kosciusko, N.S.W. ..... K70642

#### Superfamily ASILOIDEA Family THEREVIDAE

*Acupalpa albifarsa* Mann, 1929:24.  
PT♂, Brisbane, Qld. ..... K70534

*Psilocephala aggera* Mann, 1933:327.  
PT♀, Chinchilla, Qld.  
This specimen is represented by a pin bearing Mann's determination label.

*Psilocephala duocoloris* Mann, 1933:329.  
PT♂, Denman, N.S.W. ..... K70537  
This specimen has the abdomen and a wing missing.

*Anabarrhynchus manni* G. Hardy, 1955:178.  
ST 1♂, 2♀, Katoomba, N.S.W. ..... K70538  
Labelled "HT", "AT" and "PT".

#### Family SCENOPINIDAE

*Scenopinus minutus* Kelsey, 1969:78.  
HT♂, PT♂, Bronte, N.S.W. ..... K68436-7  
PT♀, Como, N.S.W. ..... K68438

*Paramonova brevipalpa* Kelsey, 1970:127.  
HT♀, PT♀, Euowie, 97km N of Broken Hill, N.S.W. ..... K70364-5

#### Family ASILIDAE Subfamily DASYPOGONINAE

*Broticosia caliginea* Daniels, 1975:185.  
HT♂, PT♀, Tubrabucca, upper Hunter district, N.S.W. ..... K70364-5

*Stichopogon minor* G. Hardy, 1934a:513.  
ST 2♂, Collaroy, N.S.W. (Labelled "PT") ..... K66877

*Clinopogon maritima* G. Hardy, 1934a:511.  
ST♂, Sydney, N.S.W. (Labelled "PT") ..... K66875  
ST♀, Eden, N.S.W. (Labelled "PT") ..... K66875

- Bathypogon robustus* Hull, 1956:97.  
 PT ♀, Canberra, A.C.T. .... K70536
- Questopogon lineatus* Daniels, 1976:227.  
 PT 1♂, 1♀, Carnarvon Range, Qld. .... K70366-7
- Saropogon nigritarsus* Hull, 1956a:131.  
 PT ♂, Canberra, A.C.T. .... K70539
- Subfamily LAPHRIINAE
- Tricella calcar* Daniels, 1975a:189.  
 HT ♂, PT 1♂, 1♀, Claudio River, near Mount Lamond, Qld. .... K70368-70
- Subfamily ASILINAE
- Ommatius levis* White, 1916a:170.  
 HT ♂, Launceston, Tas. .... K43187
- Ommatius distinctus* Ricardo, 1918:66.  
 PT ♂, Eidsvold, Qld. .... K42885  
 PT ♂, Kuranda, Qld. .... K42253
- Neoaratus rosevillensis* G. Hardy, 1935:183.  
 ST 1♂, 3♀, Sydney, N.S.W. .... K52825  
 The ♂ has a Gibbons' "type" label.
- Asilus illingworthi* G. Hardy, 1922:196.  
 HT ♂, AT ♀, Cairns, Qld. .... K45267  
*Neoaratus illingworthi* (Hardy) (G. Hardy, 1935:180).
- Neoaratus bancrofti* G. Hardy, 1935:180.  
 ST, Eidsvold, Qld. .... K70540  
 The abdomen is missing from this specimen.
- Asilus genitalis* G. Hardy, 1920c:252.  
 HT ♂, Cairns, Qld. .... K43206  
*Neoaratus genitalis* (Hardy) (G. Hardy, 1935:179).
- Neoitamus maculatoides* G. Hardy, 1920b:197.  
 HT ♂, AT ♀, Sydney, N.S.W. .... K43194
- Cerdistus conformis* G. Hardy, 1926:655.  
 ST 11♂, 2♀, Sydney, N.S.W. .... K70542  
 This is a synonym of *Cerdistus varimystaceus* Macquart (G. Hardy, 1935a:414).
- Neoitamus maculatus* White, 1914:278.  
 ST ♀, Armadale, W.A. (Labelled "HT") .... K43196
- Neoitamus setosus* G. Hardy, 1920b:199.  
 HT ♂, AT ♀, Roseville, N.S.W. .... K43199  
 PT ♂, Katoomba, N.S.W. .... K43198  
 PT ♀, Sydney, N.S.W. .... K43199  
*Cerdistus setosus* (Hardy) (Hull, 1962:515).
- Neoitamus abditus* White, 1916a:178.  
 There are, in the collection, a ♂ labelled allotype and 2 ♂ and a ♀ labelled paratypes, and designated by Hardy (1920b:190). As these specimens were not included in the type series, they have no status as types.  
 2♂, Hobart, Tas. (Labelled "AT" and "PT") .... K43188  
 1♂, 1♀, Melbourne, Vic. (Labelled "PT") .... K43188  
 This is a synonym of *Neocerdistus acutangularis* (Macquart) (G. Hardy, 1926:647).

*Cerdistus australis* Ricardo, 1918:62.

PT ♂ , Sydney, N.S.W. .... K52774

Both wings are missing from this specimen.

This species is a synonym of *Cerdistus caliginosus* White (Hull, 1962:515).

#### Family MYDAIDAE

*Diochlistus hackeri* Paramonov, 1950:25.

PT ♀ , no data. .... K70541

*Diochlistus apollinosus* Paramonov, 1950:23.

HT ♀ , 655km E. W. Line, S.A.

This specimen has not been located in the collection.

#### Family BOMBYLIIDAE

##### Subfamily SYSTROPINAE

*Systropus clavifemoratus* G. Hardy, 1921b:61.

HT ♂ , AT ♀ , Blackheath, N.S.W. .... K44413

*Zaclava clavifemoratus* (Hardy) (Hull, 1973:250).

##### Subfamily CYRTOSIINAE

*Pachyneres australis* Malloch, 1924a:205.

HT ♂ , Como, N.S.W. .... K57588

*Glabellula australis* (Malloch) (Hull, 1973:271).

##### Subfamily LOMATINAE

*Docidomyia swani* Paramonov, 1951:750

PT ♀ , Fraser Park, N.S.W. .... K70543

*Antonia roddi* Paramonov, 1950a:530.

HT ♀ , Lane Cove, near Sydney, N.S.W. .... K70639

The abdomen and head are missing from this specimen.

##### Subfamily PHTHIRIINAE

*Phthiria hilaris* Walker, 1852:194.

There are, in the collection, 2 ♂ specimens labelled allotype and paratype, and designated by Hardy (1921b:66). As these specimens were not included in the type series, they have no status as types.

1 ♂ , Blackheath, N.S.W. (Labelled "AT") .... K44411

1 ♂ , Blackheath, N.S.W. (Labelled "PT") .... K70639

*Eclimus longipalpis* G. Hardy, 1921b:63.

HT ♂ , La Perouse, N.S.W. .... K44412

There is, in the collection, a ♀ labelled allotype, designated by Roberts (1929:577). As this specimen was not included in the type series, it cannot be considered to be a type.

1 ♀ , Chinchilla, Qld. (not Westwood as recorded by Roberts) .... K60172

*Thevenemyia longipalpis* (Hardy) (Hall, 1969:43).

#### Superfamily EMPIDOIDEA

##### Family EMPIDIDAE

*Asymphyloptera quadriseta* Smith, 1960:245.

HT ♂ , AT ♀ , Katoomba, N.S.W. .... K68284-5

*Microphorella iota* Colless, 1964:320.

PT 2 ♀ , Springwood, N.S.W. .... K68439-40

- Empis alata* G. Hardy, 1934b:177.  
 ST ♂ , Blackheath, N.S.W. (Labelled "HT") ..... K68572
- Family DOLICHOPODIDAE
- Paraliptpus mirabilis* Bezzi, 1923b:181.  
 HT ♀ , Southport, Qld. ..... K48702
- Division CYCLORRHAPHA  
 Series ASCHIZA  
 Superfamily PHOROIDEA  
 Family PLATYPEZIDAE
- Platypeza denticulata* Tonnoir, 1925a:309.  
 HT ♂ , Sydney, N.S.W. ..... K48706
- Platypeza fergusoni* Tonnoir, 1925a:307.  
 HT ♂ , Hobart, Tas. ..... K48707  
 PT ♀ , Sydney, N.S.W. ..... K48708
- Platypeza acuminata* Tonnoir, 1925a:310.  
 HT ♂ , Sydney, N.S.W. ..... K48709
- Platypeza griseola* Tonnoir, 1925a:309.  
 HT ♂ , Sydney, N.S.W. ..... K48710
- Superfamily SYRPHOIDEA  
 Family SYRPHIDAE  
 Subfamily MILESIINAE
- Cerioides euphara* Riek, 1954:107.  
 ST 1♂, 1♀ , Westwood, Qld. (Labelled "HT ♂ " and "PT ♀ "). ..... K53603-4  
 ST ♀ , Gayndah, Qld. (Labelled "PT"). ..... K52032  
 ST ♀ , Gayndah, Qld. (Labelled "PT"). ..... K52034  
*Ceriana euphara* (Riek) comb. nov.
- Cerioides alboseta* Ferguson, 1926a:145.  
 ST ♂ , Gordonvale, Qld. (Labelled "HT"). ..... K53605  
*Ceriana alboseta* (Ferguson) comb. nov.
- Cerioides platypus* Ferguson, 1926a:144.  
 HT ♂ , AT ♀ , South Australia ..... K36977  
*Ceriana platypus* (Ferguson) comb. nov.
- Cerioides apicalis* Ferguson, 1926a:147.  
 HT ♂ , Gayndah, Qld. ..... K52033  
*Ceriana apicalis* (Ferguson) comb. nov.
- Cerioides mastersi* Ferguson, 1926a:151.  
 HT ♀ , South Australia ..... K52035  
*Ceriana mastersi* (Ferguson) comb. nov.
- Cerioides alaplicata* G. Hardy, 1945:83.  
 ST 1♂, 1♀ , Goondiwindi, Qld. ..... K70544  
*Ceriana alaplicata* (Hardy) comb. nov.
- Criorrhina multicolor* Ferguson, 1926b:523.  
 HT ♂ , Eccleston, N.S.W. ..... K55146
- Criorrhina spadix* G. Hardy, 1921:17.  
 HT ♂ , Hobart, Tas ..... K70545

## Subfamily MICRODONTINAE

- Microdon waterhousei* Ferguson, 1926a:174.  
 HT ♀, Killara, N.S.W. .... K55145
- Microdon dimorphon* Ferguson, 1926a:177.  
 ST 1♂, 1♀, Armadale, W.A. .... K55144  
 Both specimens are on a common pin labelled paratype. The ♂ has the head missing.
- Microdon chalybeus* Ferguson, 1926a:176.  
 HT ♂, no data.  
 This specimen is represented by a damaged wing.

## Subfamily SYRPHINAE

- Chrysotoxum elongatum* G. Hardy, 1921:13.  
 HT ♂, Geeveston, Tas. .... K70546  
 AT ♀, Hobart, Tas. .... K70547  
*Hardimyia elongata* (Hardy) (Ferguson, 1926b:534).
- Citrogramma notiale* Vockeroth, 1969:95.  
 PT ♀, Sydney, N.S.W.  
 This specimen has not been located in the collection.

## Series SCHIZOPHORA

Superfamily TEPHRITOIDEA  
Family PLATYSTOMATIDAE

- Mesostenia australis* D. McAlpine, 1973:35.  
 HT ♂, PT 2♂, 5♀, Thornton Range to Daintree River ferry, Qld. .... K70162-9
- Plagiostenopterina claudiana* D. McAlpine, 1973:41.  
 HT ♂, PT 10♂, 8♀, Cludie River, near Mount Lamond, Qld. .... K70143-61
- Plagiostenopterina crinita* D. McAlpine, 1973:42.  
 PT ♂, Mount Bartle Frere, Qld. .... K70548
- Lamprogaster tricauda* D. McAlpine, 1973:48.  
 HT ♂, PT 7♂, 1♀, Mary's Creek, near Gympie, Qld. .... K70170-5
- Lamprogaster pseudelongata* Malloch, 1930a:432.  
 PT ♀, Cairns, Qld. .... K67932  
 This is a synonym of *Lamprogaster indistincta* Malloch (D. McAlpine, 1973:50).
- Lamprogaster nigrihirta* D. McAlpine, 1973:51.  
 HT ♂, PT ♂, Mulgrave River, 6km W of Gordonvale, Qld. .... K70176-7  
 PT ♂, Thornton Range to Daintree River ferry, Qld. .... K70178  
 PT ♂, Lake Barrine, Atherton Tableland, Qld. .... K70179
- Lamprogaster flavihirta* D. McAlpine, 1973:52.  
 PT 2♂, Herberton, Qld. .... K70180-1
- Lamprogaster rugifacies* D. McAlpine, 1973:52.  
 PT ♂, Iron Range, Qld. .... K70182
- Lamprogaster imperialis* D. McAlpine, 1973:53.  
 HT ♂, PT 27♂, 18♀, Millstream Falls, near Ravenshoe, Qld. .... K70183-228  
 PT 1♂, 2♀, Kuranda, Qld. .... K70229-33  
 PT ♀, Almaden, near Chillagoe, Qld. .... K57663  
 PT ♀, Cairns, Qld. .... K70234
- Lamprogaster viola* Malloch, 1929b:515.  
 PT ♂, Herberton, Qld. .... K67933

<i>Lamprogaster corax</i> D. McAlpine, 1973:57.		
PT ♀, Coen River, Qld. ....	K70238	
<i>Lamprogaster excelsa</i> D. McAlpine, 1973:62.		
HT ♂, PT ♀, Mount Kosciusko, N.S.W. ....	K70236-7	
PT ♀, Buckenderra, near Adaminaby, N.S.W. ....	K70238	
<i>Lamprogaster relucens</i> D. McAlpine, 1973:65.		
HT ♂, Northmead, near Parramatta, N.S.W. ....	K70239	
PT ♂, Royalla, near Queenbeyan, N.S.W. ....	K70240	
PT ♀, Hay, N.S.W. ....	K70241	
<i>Duomyia personata</i> D. McAlpine, 1973:80.		
PT ♂, Black Mountain, A.C.T. ....	K70058	
<i>Duomyia convallis</i> D. McAlpine, 1973:80.		
PT ♀, Carnarvon Gorge, Qld. ....	K70059	
<i>Duomyia pallipes</i> D. McAlpine, 1973:82.		
PT ♀, Sydney, N.S.W. ....	K70060	
PT ♂, Bondi sandhills, near Sydney, N.S.W. ....	K70061	
<i>Duomyia monteithi</i> D. McAlpine, 1973:84.		
PT ♀, Claudie River, near Mount Lamond, Qld. ....	K70062	
<i>Duomyia foliata</i> D. McAlpine, 1973:85.		
PT ♂, Red Island Point, near Cape York, Qld. ....	K70063	
<i>Duomyia eremia</i> D. McAlpine, 1973:89		
PT ♂, 77km WSW of Alice Springs, N.T. ....	K70064	
<i>Duomyia smaragdina</i> D. McAlpine, 1973:89.		
PT ♀, Cocoa Beach, Trimouille Island, W.A. ....	K70065	
<i>Duomyia lacunosa</i> D. McAlpine, 1973:90.		
PT 2♂, 1♀, Nedlands, near Perth, W.A. ....	K70066-8	
PT ♂, Wyperfield National Park, Vic. ....	K70069	
<i>Duomyia marginalis</i> D. McAlpine, 1973:91.		
PT ♀, Bannyabba, c. 64km N of Grafton, N.S.W. ....	K70070	
<i>Duomyia chaetostigma</i> D. McAlpine, 1973:92.		
HT ♂, "Wheogo", 19km NE of Dunedoo, N.S.W. ....	K70071	
<i>Duomyia curta</i> D. McAlpine, 1973:97.		
HT ♂, PT 2♂, 9♀, Iluka, Clarence River, N.S.W. ....	K70072-81	
<i>Duomyia octoseta</i> D. McAlpine, 1973:98.		
HT ♂, PT 3♂, 4♀, Iluka, Clarence River, N.S.W. ....	K70082-9	
<i>Duomyia capnodes</i> D. McAlpine, 1973:103.		
PT ♂, Cape Naturaliste, W.A. ....	K70090	
PT ♀, 6km W of Margaret River, W.A. ....	K70091	
<i>Duomyia ustulata</i> D. McAlpine, 1973:104.		
PT 1♂, 1♀, 8km N of Nannup, W.A. ....	K70092-3	
<i>Duomyia brevicornis</i> D. McAlpine, 1973:105.		
HT ♀, Flat Rock Crossing, Royal National Park, N.S.W. ....	K70094	
<i>Duomyia capitalis</i> D. McAlpine, 1973:108.		
PT 3♂, 1♀, Black Mountain, A.C.T. ....	K70095-8	
<i>Duomyia picta</i> D. McAlpine, 1973:108.		
HT ♂, PT ♂, Iluka, Clarence River, N.S.W. ....	K70099-100	

- Duomyia rasa* D. McAlpine, 1973:109.  
 HT♀, Kuranda, Qld. .... K70101
- Duomyia latipilus* D. McAlpine, 1973:110.  
 HT♂, PT♂, Iluka, Clarence River, N.S.W. .... K70102-3
- Duomyia parallela* D. McAlpine, 1973:111.  
 PT♂, Dongara, W.A. .... K70104
- Duomyia adelaidae* D. McAlpine, 1973:112.  
 PT♂, National Park, S.A. .... K70105
- Duomyia iris* D. McAlpine, 1973:113.  
 HT♂, PT 2♀, Bunbury, W.A. .... K70106-8  
 PT 2♀, Capel district, 29km S of Bunbury, W.A. .... K70109-10
- Duomyia acrogena* D. McAlpine, 1973:113.  
 PT♂, 38km W of Moora, W.A. .... K70111
- Duomyia uptoni* D. McAlpine, 1973:114.  
 PT♂, 30km W of Watheroo, W.A. .... K70112
- Duomyia viridaurea* D. McAlpine, 1973:115.  
 PT♂, 66km E of Esperance, W.A. .... K70113
- Duomyia scintilla* D. McAlpine, 1973:118.  
 PT♀, National Park, N.S.W. .... K70114  
 PT 1♂, 1♀, Halfway Creek, 29km S of Grafton, N.S.W. .... K70115-6
- Duomyia hypene* D. McAlpine, 1973:121.  
 HT♂, PT 6♂, 8♀, Goonoo State Forest, 8km S of Mendooran, N.S.W. .... K70117-30
- Duomyia loxocerina* D. McAlpine, 1973:127.  
 HT♂, McCarr's Creek, Ku-ring-gai Chase, near Sydney, N.S.W. .... K70132  
 PT♀, West Head, Ku-Ring-gai Chase, N.S.W. .... K70133  
 PT 1♂, 1♀, Towler's Bay, Pittwater, near Sydney, N.S.W. .... K70134
- Duomyia cancellata* D. McAlpine, 1973:128.  
 HT♂, PT♂, Iluka, Clarence River, N.S.W. .... K70135-6  
 PT 2♂, Shoal Bay, near Port Stephens, N.S.W. .... K70137-8
- Duomyia hebes* D. McAlpine, 1973:129.  
 PT 1♂, 1♀, Shute Harbour, near Proserpine, Qld. .... K70139-40
- Duomyia brevifurca* D. McAlpine, 1973:131.  
 PT♂, Mingela, Charters Towers district, Qld. .... K70141
- Duomyia rudis* D. McAlpine, 1973:131.  
 PT♀, Burnett River, Eidsvold, Qld. .... K70142
- Euprosopia rete* D. McAlpine, 1973:140.  
 HT♂, Kuranda, Qld.  
 PT 2♂, 2♀, Mulgrave River, 6km W of Gordonvale, Qld. .... K69577-80
- Euprosopia acula* D. McAlpine, 1973:142.  
 HT♂, PT♂, Barron River, The Crater, near Herberton, Qld. .... K69581-2
- Euprosopia xanthops* D. McAlpine, 1973:144.  
 HT♂, 3km E of Cardstone, Tully River, Qld. .... K69583  
 PT♂, Mulgrave River, 6km W of Gordonvale, Qld. .... K69584  
 PT 5♀, 3km N of Tully River bridge, E of Cardstone, Qld. .... K69585-91
- Euprosopia lenticula* D. McAlpine, 1973:146.  
 PT♂, Palm Island, near Ingham, Qld. .... K69592

- Euprosopia sericata* D. McAlpine, 1973:146.
- |   |            |
|---|------------|
| HT ♀ , 3km NW of Mount Mowbullan, Bunya Mountains, Qld. ....        | K69593     |
| PT ♂ , Mary's Creek, near Gympie, Qld. ....                         | K69594     |
| PT 9♂, 3♀ , 3-4km NW of Mount Mowbullan, Bunya Mountains, Qld. .... | K69595-606 |
- Euprosopia crassa* C. McAlpine, 1973:148.
- |  |          |
|--|----------|
| PT 1♂, 1♀ , Nerang River, near Springbrook Forest, 21km S of Nerang, Qld. .... | K69608-9 |
|--|----------|
- Euprosopia piperata* D. McAlpine, 1973:150.
- |  |           |
|--|-----------|
| HT ♂ , PT 3♂, 13♀ , Upper Allyn, near Eccleston, N.S.W. .... | K69610-26 |
|--|-----------|
- Euprosopia conferta* D. McAlpine, 1973:151.
- |  |           |
|--|-----------|
| HT ♀ , PT 5♂, 10♀ , Birthday Creek Falls, near Paluma, Qld. .... | K69627-42 |
| PT ♀ , Birthday Creek, near Paluma, Qld. ....                    | K69643    |
| PT 1♂, 2♀ , 3km W of Paluma, Qld. ....                           | K69644-6  |
| PT 6♂, 14♀ , Paluma, Qld. ....                                   | K69647-66 |
- Euprosopia integra* D. McAlpine, 1973:153.
- |   |           |
|---|-----------|
| HT ♀ , PT 3♂, The Crater, near Herberton, Qld. .... | K69667-70 |
| PT ♂ , Atherton, Qld. ....                          | K69671    |
- Euprosopia kurandae* D. McAlpine, 1973:154.
- |                                  |          |
|----------------------------------|----------|
| HT ♀ , PT 4♂, Kuranda, Qld. .... | K69672-6 |
|----------------------------------|----------|
- Euprosopia mica* D. McAlpine, 1973:156.
- |   |          |
|---|----------|
| HT ♀ , PT ♀ , The Crater, near Herberton, Qld. .... | K69677-8 |
|---|----------|
- Euprosopia remota* D. McAlpine, 1973:156.
- |  |           |
|--|-----------|
| HT ♂ , PT 7♀ , Tucker's Rock, near Repton, N.S.W. .... | K69679-86 |
| PT ♀ , Shoal Bay, near Port Stephens, N.S.W. ....      | K69687    |
- Euprosopia hollowayi* D. McAlpine, 1973:158.
- |  |           |
|--|-----------|
| HT ♂ , PT 2♂, 2♀ , 3km NW of Mount Mowbullan, Bunya Mountains, Qld. .... | K69688-92 |
| PT ♂ , 5km NW of Mount Mowbullan, Bunya Mountains, Qld. ....             | K69693    |
- Euprosopia megastigma* D. McAlpine, 1973:159.
- |   |            |
|---|------------|
| HT ♂ , PT 19♂, 6♀ , Ottoway, N.S.W. ....              | K69694-719 |
| PT 6♂, 20♀ , Upper Allyn, near Eccleston, N.S.W. .... | K69720-45  |
| PT ♂ , Roseville, near Sydney, N.S.W. ....            | K69746     |
- Euprosopia crispa* D. McAlpine, 1973:160.
- |  |           |
|--|-----------|
| HT ♂ , PT 2♂, 2♀ , Newport, near Sydney, N.S.W. .... | K69747-51 |
| PT ♀ , West Head, Ku-ring-gai Chase, N.S.W. ....     | K69752    |
| PT ♂ , Katoomba, N.S.W. ....                         | K69753    |
| PT 1♂, 1♀ , Ku-ring-gai Chase, N.S.W. ....           | K70245-6  |
- Euprosopia albipila* D. McAlpine, 1973:161.
- |  |           |
|--|-----------|
| HT ♂ , PT 4♂, 2♀ , Katoomba, N.S.W. ....             | K69754-60 |
| PT ♂ , Rennix Gap, Snowy Mountains, N.S.W. ....      | K70549    |
| PT ♀ , Perisher Valley, Snowy Mountains, N.S.W. .... | K70550    |
- Euprosopia vitrea* D. McAlpine, 1973:165.
- |  |            |
|--|------------|
| HT ♂ , PT 6♂, 21♀ , Mount Boyce, N.S.W. .... | K69761-88  |
| PT 6♂, 3♀ , 3km W of Katoomba, N.S.W. ....   | K69789-97  |
| PT 2♂, 1♀ , Katoomba, N.S.W. ....            | K69798-800 |
| PT 1♂, 1♀ , Boyd River, N.S.W. ....          | K69801-2   |

- Euprosopia alpina* D. McAlpine, 1973:167.
- |   |          |
|---|----------|
| PT 5♀, Moonbar, N.S.W. ....                                 | K69803-7 |
| PT ♀, Wilson's Valley, N.S.W. ....                          | K69808   |
| PT ♂, Lee's Springs, Brindabella Range, A.C.T. ....         | K70551   |
| The A.C.T. specimen has not been located in the collection. |          |
- Euprosopia celsa* D. McAlpine, 1973:168.
- |  |           |
|--|-----------|
| HT ♂, PT 1♂, 2♀, Point Lookout, New England National Park,<br>near Ebor, N.S.W. .... | K69809-12 |
|--|-----------|
- Euprosopia hypostigma* D. McAlpine, 1973:168.
- |  |          |
|--|----------|
| HT ♀, PT ♀, Upper Allyn, near Eccleston, N.S.W. .... | K69813-4 |
|--|----------|
- Euprosopia subacuta* D. McAlpine, 1973:169.
- |   |        |
|---|--------|
| PT ♀, Picnic Rock, Lamington National Park, Qld. .... | K69815 |
|---|--------|
- Euprosopia filicornis* D. McAlpine, 1973:170.
- |  |           |
|--|-----------|
| HT ♂, PT 8♂, 5♀, Kurnell, N.S.W. ....            | K69816-29 |
| PT ♀, Bronte, N.S.W. ....                        | K69830    |
| PT ♀, Centennial Park, near Sydney, N.S.W. ....  | K69831    |
| PT ♀, Shoal Bay, near Port Stephens, N.S.W. .... | K69832    |
| PT 2♂, 2♀, Coogee, N.S.W. ....                   | K47949    |
- Euprosopia ramosa* D. McAlpine, 1973:172.
- |   |        |
|---|--------|
| HT ♀, The Crater, near Herberton, Qld. .... | K69833 |
|---|--------|
- Euprosopia subula* D. McAlpine, 1973:174.
- |   |           |
|---|-----------|
| HT ♀, PT 10♂, 14♀, Royal National Park, N.S.W. .... | K69834-58 |
| PT 4♂, 6♀, Oford, N.S.W. ....                       | K69859-68 |
| PT ♂, Ourimbah, near Gosford, N.S.W. ....           | K70553    |
| PT ♀, Nepean River, N.S.W. ....                     | K70554    |
- Euprosopia armipes* D. McAlpine, 1973:177.
- |   |            |
|---|------------|
| HT ♀, PT 21♂, 26♀, Iluka, Clarence River, N.S.W. .... | K69869-916 |
| PT ♂, Brisbane, Qld. ....                             | K69917     |
- Euprosopia monodon* D. McAlpine, 1973:178.
- |   |           |
|---|-----------|
| HT ♂, PT 1♂, 1♀, Tully River, 3km E of Cardstone, Qld. .... | K69918-20 |
|---|-----------|
- Euprosopia comes* D. McAlpine, 1973:181.
- |  |          |
|--|----------|
| HT ♂, PT ♂, Mulgrave River, 6km W of Gordonvale, Qld. .... | K69921-2 |
| PT ♀, Claudio River, near Mount Lamond, Qld. ....          | K69923   |
| PT ♂, Townsville, Qld. ....                                | K69924   |
- Euprosopia inermis* D. McAlpine, 1973:183.
- |  |        |
|--|--------|
| HT ♀, Daintree River, 10km NW of Daintree, Qld. .... | K69925 |
|--|--------|
- Family PYRGOTIDAE
- Pyrgella carnei* Paramonov, 1958:117.
- |  |        |
|--|--------|
| PT ♂, Little Desert, 8km S of Kiata, Vic. .... | K70557 |
|--|--------|
- Austromyia neglecta* D. Hardy, 1954:328.
- |                                       |          |
|---------------------------------------|----------|
| HT ♀, AT ♂, PT ♂, Tuross, N.S.W. .... | K70555-6 |
|---------------------------------------|----------|
- Neotoxura neglecta* (Hardy) (Paramonov, 1958:114).
- Musgravrena anthonyi* Paramonov, 1958:117.
- |   |        |
|---|--------|
| HT ♀, Little Desert, 14km S of Kiata, Vic. .... | K67918 |
|---|--------|
- According to Steyskal (1965:447) this species is a synonym of  
*Musgravrena nova* (Walker).
- Family TEPHRITIDAE  
Subfamily DACINAE
- Callantra pusilla* May, 1965:58.
- |                           |          |
|---------------------------|----------|
| PT 2♂, Kuranda, Qld. .... | K68422-3 |
|---------------------------|----------|

<i>Dacus visendus</i> D. Hardy, 1951:135.		
PT 2♂, 2♀, Babinda, Qld. ....	K67713	
<i>Dacus breviaculeus</i> D. Hardy, 1951:145.		
PT ♂, Cairns, Qld. ....	K67716	
PT ♀, Atherton Tableland, Qld. ....	K67716	
<i>Dacus kraussi</i> D. Hardy, 1951:156.		
PT 4♂, 1♀, Deeral, Qld. ....	K67714	
PT 3♂, 2♀, Atherton, Qld. ....	K67715	
<i>Dacus laticaudus</i> D. Hardy, 1950:87.		
PT 6♂, 3♀, Deeral, Qld. ....	K70558-9	
<i>Strumeta aquilonis</i> May, 1965:62.		
PT 2♂, Nightcliff, N.T. ....	K68424-5	
<i>Dacus aquilonis</i> (May) comb. nov.		
<i>Strumeta tenuifascia</i> May, 1965:64.		
PT 2♂, Berrimah, N.T. ....	K68426-7	
<i>Dacus tenuifascia</i> (May) comb. nov.		
<i>Dacus algaiae</i> D. Hardy, 1951:132.		
PT ♂, Atherton Tableland, Qld. ....	K67712	

## Subfamily TRYPETINAE

<i>Ceratitella bifasciata</i> D. Hardy, 1967:133.		
PT ♂, Ravensbourne, Qld. ....	K70552	
<i>Ceratitella unifasciata</i> D. Hardy, 1967:137.		
PT ♀, Cairns, Qld. ....	K70560	
<i>Hendelina australina</i> D. Hardy, 1951:180.		
PT 1♂, 1♀, Hartley's Creek, Qld. ....	K67711	
<i>Myoleja australina</i> (Hardy) comb. nov.		
<i>Rioxoa confusa</i> D. Hardy, 1951:183.		
PT 1♂, 2♀, Julatten, Qld. ....	K67721	
PT 4♂, Atherton, Qld. ....	K67721	
<i>Dirioxoa confusa</i> (Hardy) comb. nov.		

## Superfamily MICROPEZOIDEA

## Family CYPSELOSOMATIDAE

<i>Cypselosoma australis</i> D. McAlpine, 1966:676.		
HT ♂, PT 63♂, 39♀, Bat cave, Carrai, via Kempsey, N.S.W. ....	K70562-4	

## Superfamily HELEOMYZOIDEA

## Family HELEOMYZIDAE

<i>Tapeigaster marginifrons</i> Bezz, 1923:74.		
ST ♂, Blue Mountains, N.S.W. (Labelled "Type ♂") ....	K47510	
ST ♀, Sydney, N.S.W. (Labelled "Type ♀") ....	K47510	
<i>Tapeigaster argyrospila</i> Bezz, 1923:77.		
HT ♂, Blue Mountains, N.S.W. ....	K47512	
<i>Tapeigaster luteipennis</i> Bezz, 1923:76.		
HT ♂, Eccleston, N.S.W. ....	K47511	
<i>Leriopsis montana</i> D. McAlpine, 1967:76.		
HT ♀, PT 10♂, 8♀, Lake Wilks to Lake Dove, Cradle Mountain, Tas. ....	K68786-92	
PT 3♂, 6♀, Hanson's Peak to Cradle Mountain, Tas. ....	K68793-5	

PT ♂ , Waldheim, Cradle Mountain, Tas. ....	K68797
PT ♂ , 26km NE of Cradle Mountain, Tas. ....	K68796
PT ♂ , Mount Barrow, near Launceston, Tas. ....	K68798
PT ♂ , Franklin River crossing, Lyell Highway, Tas. ....	K68799
PT 1♂, 2♀ , Lake Esperance, Hartz Mountains, Tas. ....	K68800
<i>Trixoleria maculata</i> D. McAlpine, 1967:78.	
HT ♂ , Mount York, Blue Mountains, N.S.W. ....	K68801
PT 4♂, 2♀ , Mount Boyce, Blue Mountains, N.S.W. ....	K68803-7
PT ♂ , Wentworth Falls, Blue Mountains, N.S.W. ....	K68802
PT ♀ , Burke's Creek, near The Rock, N.S.W. ....	K68808
<i>Austrolieria extensa</i> D. McAlpine, 1967:80.	
HT ♂ , PT 47♂, 56♀ , Mount Wilson, Blue Mountains, N.S.W. ....	K68809-42
PT ♀ , Mount York, Blue Mountains, N.S.W. ....	K68843
PT 2♂, below Govett's Leap, Blue Mountains, N.S.W. ....	K68844
PT ♀ , Katoomba, N.S.W. ....	K68846
PT 2♂, 2♀ , Wentworth Falls, N.S.W. ....	K68847-50
PT ♂ , Kurrajong, near Richmond, N.S.W. ....	K68845
PT 3♂, 2♀ , Tubrabucca, Upper Hunter district, N.S.W. ....	K68854-5
PT 2♂, 1♀ , Oftord, Illawarra district, N.S.W. ....	K68851-2
PT 2♀ , Clyde Mountain, near Braidwood, N.S.W. ....	K68853
<i>Austrolieria truncata</i> D. McAlpine, 1967:81.	
HT ♂ , PT 49♂, 59♀ , Mount Wilson, Blue Mountains, N.S.W. ....	K68954-91
PT ♂ , below Govett's Leap, Blue Mountains, N.S.W. ....	K68993
PT ♀ , Wentworth Falls, N.S.W. ....	K68992
PT ♀ , Kurrajong, near Richmond, N.S.W. ....	K68994
<i>Diplogeomyza incisa</i> D. McAlpine, 1967:85.	
HT ♂ , Fernshaw, 10km E of Healesville, Vic. ....	K68856
<i>Diplogeomyza wirthi</i> D. McAlpine, 1967:86.	
HT ♂ , Colo Vale, near Mittagong, N.S.W. ....	K68857
PT 8♂, Clyde Mountain, near Braidwood, N.S.W. ....	K68858-9
PT ♂ , Mount York, Blue Mountains, N.S.W. ....	K68860
PT 7♂, 4♀ , Mount Wilson, Blue Mountains, N.S.W. ....	K68861-3
<i>Diplogeomyza conformis</i> D. McAlpine, 1967:88.	
PT ♂ , Clyde Mountain, near Braidwood, N.S.W. ....	K68867
PT 3♂, 5♀ , Black Mountain, Canberra, A.C.T. ....	K68864-6
PT 1♂, 1♀ , Paddy's River, near Marulan, N.S.W. ....	K68868
<i>Diplogeomyza immaculata</i> D. McAlpine, 1967:89.	
HT ♀ , PT 5♂, 8♀ , Barron River, The Crater, Herberton, Qld. ....	K68869-75
<i>Diplogeomyza hardyi hardyi</i> D. McAlpine, 1967:90.	
HT ♂ , PT 2♂, 14♀ , Katoomba, N.S.W. ....	K68876-94
PT 41♂, 35♀ , Mount Wilson, Blue Mountains, N.S.W. ....	K68895-914
<i>Diplogeomyza hardyi tasmanica</i> D. McAlpine, 1967:92.	
HT ♂ , PT 3♂, 4♀ , Anne River, near Geeveston, Tas. ....	K68915-7
PT ♀ , Hartz Mountains, Tas. ....	K68931
PT 3♂, 4♀ , Ferntree, near Hobart, Tas. ....	K68929-30
PT ♂ , near Russell Falls, Mount Field National Park, Tas. ....	K68927
PT 3♂, Eaglehawk Neck, Tas. ....	K68928
PT 2♂, Lake Saint Clair, Tas. ....	K68926
PT ♀ , Renison Bell, Tas. ....	K68925
PT 2♂, 1♀ , Pieman River, near Roseberry, Tas. ....	K68923-4

PT♀ , Waldheim, near Cradle Mountain, Tas. ....	K68922
PT 1♂, 1♀ , Marakoopa Caves, near Mole Creek, Tas. ....	K68919-20
PT ♂ , Western Tiers, Lake Highway, Tas. ....	K68921
PT ♀ , Mount Barrow, near Launceston, Tas. ....	K68918
<i>Diplogeomyza flavigalpis</i> D. McAlpine, 1967:93.	
HT♂ , PT ♀ , Mount Boyce, near Blackheath, N.S.W. ....	K69044-5
PT ♀ , Mount Wilson, Blue Mountains, N.S.W. ....	K69046
<i>Diplogeomyza tridens</i> D. McAlpine, 1967:94.	
HT♂ , PT 4♂, 4♀ , Binna Burra, Lamington National Park, Qld. ....	K69003-6
PT 11♂, 14♀ , Tamborine Mountain, Qld. ....	K69014-20
PT 2♂, Mount Glorious, near Brisbane, Qld. ....	K69013
PT 8♂, 12♀ , Summer Creek, near Kennilworth, Qld. ....	K69008-12
PT ♀ , Mapleton, Qld. ....	K69007
PT ♀ , Huonbrook, near Mullumbimby, N.S.W. ....	K69021
PT ♂ , Bruxner Park, near Coff's Harbour, N.S.W. ....	K69022
PT 4♀ , Dorrigo National Park, N.S.W. ....	K69023-4
<i>Diplogeomyza victoriae</i> D. McAlpine, 1967:96.	
HT♂ , PT ♂ , Mount Donna Buang, near Warburton, Vic. ....	K69025-6
PT 5♂, 6♀ , Cement Creek, near Warburton, Vic. ....	K69027-31
PT 2♀ , Warburton, Vic. ....	K69032
PT ♀ , Ferntree Gully, Vic. ....	K69033
PT ♂ , 21km W of Matlock, Vic. ....	K69034
PT ♂ , Frenchman's Gap, near Wood's Point, Vic. ....	K69035
<i>Diplogeomyza annularis</i> D. McAlpine, 1967:96.	
HT♂ , PT 3♂, 2♀ , Royal National Park, N.S.W. ....	K69036-41
PT 1♂, 1♀ , Ottford, N.S.W. ....	K69042-3
<i>Diplogeomyza spinosa</i> D. McAlpine, 1967:98.	
HT♂ , PT 19♂, 32♀ , Royal National Park, N.S.W. ....	K69047-69
PT 10♂, Ottford, N.S.W. ....	K69070-5
PT 10♂, 6♀ , Minnamurra Falls, near Kiama, N.S.W. ....	K69076-83
PT ♂ , Clyde Mountain, near Braidwood, N.S.W. ....	K69084
PT ♀ , Springwood, N.S.W. ....	K69098
PT 4♂, 3♀ , Wentworth Falls, N.S.W. ....	K69095-7
PT ♀ , below Govett's Leap, Blue Mountains, N.S.W. ....	K69094
PT 6♂, 3♀ , Mount Wilson, Blue Mountains, N.S.W. ....	K69087-93
PT ♀ , near Mangrove Mountain, Hawkesbury River, N.S.W. ....	K69085
PT ♂ , Mooney Mooney Creek, near Gosford, N.S.W. ....	K69086
<i>Diplogeomyza signata</i> D. McAlpine, 1967:99.	
HT♂ , PT 2♂, 3♀ , Wentworth Falls, N.S.W. ....	K69099-102
PT ♂ , below Govett's Leap, Blue Mountains, N.S.W. ....	K69105
PT ♀ , Mount Wilson, Blue Mountains, N.S.W. ....	K69104
PT ♂ , Mooney Mooney Creek, near Gosford, N.S.W. ....	K69103
PT 10♂, 7♀ , Royal National Park, N.S.W. ....	K69106-22
PT 1♂, 1♀ , Ottford, N.S.W. ....	K69123-4
PT 1♂, 4♀ , Minnamurra Falls, near Kiama, N.S.W. ....	K69126-30
<i>Diplogeomyza media</i> D. McAlpine, 1967:100.	
HT♂ , PT 7♂, 7♀ , Mount Wilson, Blue Mountains, N.S.W. ....	K69132-44
PT ♀ , Mount York, Blue Mountains, N.S.W. ....	K69145
PT ♂ , Wentworth Falls, N.S.W. ....	K69146
PT ♀ , Gowee Gulch, near Rylstone, N.S.W. ....	K69151

PT 2♂, 1♀, Royal National Park, N.S.W. ....	K69147-9
PT 3♂, Clyde Mountain, near Braidwood, N.S.W. ....	K69150
<i>Diplogeomyza pectinervis</i> D. McAlpine, 1967:104.	
HT♂, PT 1♂, 2♀, Kurrajong, N.S.W. ....	K69152-5
PT ♀, Mount Wilson, Blue Mountains, N.S.W. ....	K69172
PT ♀, Wollombi, near Cessnock, N.S.W. ....	K69169
PT 3♀, Mooney Mooney Creek, near Gosford, N.S.W. ....	K69170
PT 4♂, 9♀, Royal National Park, N.S.W. ....	K69156-67
PT ♀, Palm Grove, near Wyong, N.S.W. ....	K69171
PT ♂, Colo Vale, near Mittagong, N.S.W. ....	K69168
<i>Cairnsimyia sydneiensis</i> D. McAlpine, 1968:270.	
PT ♀, Sydney, N.S.W. ....	K69173
<i>Cairnsimyia excavata</i> D. McAlpine, 1968:271.	
PT 1♂, 1♀, Stanthorpe, Qld. ....	K69174-5
<i>Cairnsimyia uniseta</i> D. McAlpine, 1968:272.	
HT♂, Kurrajong, N.S.W. ....	K69176
<i>Cairnsimyia cavifrons</i> Malloch, 1931:294.	
PT ♂, Cairns, Qld. ....	K68580

## Family SPHAEROROCERIDAE

<i>Leptocera papuana</i> Richards, 1973:308.	
PT ♂, Lake Placid, near Cairns, Qld. ....	K70407
<i>Leptocera territorialis</i> Richards, 1973:313.	
PT ♀, Kuranda, Qld. ....	K70428
PT 2♀, near head of Clohesy River, Atherton Tableland, Qld. ....	K70429
<i>Leptocera peculiaris</i> Richards, 1973:324.	
PT 2♂, 7♀, Kurnell, N.S.W. ....	K70430-2
<i>Leptocera fucicola</i> Richards, 1973:326.	
HT ♂, Long Reef, near Sydney, N.S.W. ....	K70433
PT 1♂, 1♀, Careel Bay, near Avalon, N.S.W. ....	K70434
Both paratypes are slightly damaged.	
<i>Leptocera subsinuata</i> Richards, 1973:331.	
PT ♂, Otford, N.S.W. ....	K70440
PT ♂, Northmead, N.S.W. ....	K70441
PT 1♂, 1♀, Royal National Park, N.S.W. ....	K70442-3
PT ♂, Mount Wilson, Blue Mountains, N.S.W. ....	K70444
PT ♀, Kuranda, Qld. ....	K70439
PT ♀, Broken River, Eungella, Qld. ....	K70438
<i>Leptocera dorrigoensis</i> Richards, 1973:333.	
HT ♂, Dorrigo National Park, N.S.W. ....	K70435
PT ♂, Royal National Park, N.S.W. ....	K70436
PT ♀, Otford, N.S.W. ....	K70437
PT ♂, Mount Glorious, near Brisbane, Qld. ....	K70491
The Queensland specimen is represented by a wing mounted on a slide.	
<i>Leptocera nitidipleura</i> Richards, 1973:336.	
HT ♂, PT 3♂, 3♀, Royal National Park, N.S.W. ....	K70445-51
PT 2♂, Mount Wilson, Blue Mountains, N.S.W. ....	K70457-8
PT ♀, Minnamurra Falls, near Kiama, N.S.W. ....	K70459
PT ♀, Mooney Mooney Creek, near Gosford, N.S.W. ....	K70460

<i>Leptocera fuscata</i> Richards, 1973:338.		
HT♀ , PT♀ , Katoomba, N.S.W. ....	....	K70461-2
The paratype has the head missing.		
<i>Leptocera trivittata</i> Richards, 1973:340.		
HT♂ , Otford, N.S.W. ....	....	K70463
PT♀ , below Govett's Leap, Blue Mountains, N.S.W. ....	....	K70464
PT♀ , Katoomba, N.S.W. ....	....	K70465
PT♂ , Binna Burra, Lamington National Park, Qld. ....	....	K70466
<i>Leptocera percostata</i> Richards, 1973:342.		
PT♀ , Clyde Mountain, near Braidwood, N.S.W. ....	....	K70467
<i>Leptocera wilsoni</i> Richards, 1973:343.		
HT♀ , PT 1♂, 1♀ , Mount Wilson, Blue Mountains, N.S.W. ....	....	K70468-70
The ♂ paratype is represented by a wing and two legs.		
<i>Leptocera capitalis</i> Richards, 1973:343.		
PT 3♀ , Burke's Creek, near The Rock, N.S.W. ....	....	K70471
One specimen has the head missing.		
<i>Leptocera wentworthi</i> Richards, 1973:355.		
HT♂ , Wentworth Falls, Blue Mountains, N.S.W. ....	....	K70475
<i>Leptocera hardyi</i> Richards, 1973:347.		
HT♂ , PT♀ , Mount Wilson, Blue Mountains, N.S.W. ....	....	K70472-3
PT♀ , Katoomba, N.S.W. ....	....	K70474
<i>Leptocera kurandensis</i> Richards, 1973:358.		
HT♀ , PT 4♀ , Kuranda, Qld. ....	....	K70477-9
<i>Leptocera cercalis</i> Richards, 1973:362.		
HT♀ , Otford, N.S.W. ....	....	K70481
<i>Leptocera aestivalis</i> Richards, 1973:368.		
PT♂ , Otford, N.S.W. ....	....	K70482
PT 2♂, Huonbrook, near Mullumbimby, N.S.W. ....	....	K70483
PT♂ , Springwood, N.S.W. ....	....	K70484
<i>Leptocera popularis</i> Richards, 1973:378.		
HT♂ , PT 3♀ , Royal National Park, N.S.W. ....	....	K70488-9
<i>Leptocera fenestrata</i> Richards, 1973:379.		
HT♀ , Binna Burra, Lamington National Park, Qld. ....	....	K70486
PT♂ , Otford, N.S.W. ....	....	K70487

Superfamily OPOMYZOIDEA  
Family LONCHAEIDAE

<i>Dasiops spathistilus</i> J. McAlpine, 1964:672.		
HT♀ , AT♂ , PT♀ , Dee Why Lagoon, near Sydney, N.S.W. ....	....	K68351-3
<i>Dasiops ruidifrons</i> J. McAlpine, 1964:678.		
HT♀ , Katoomba, N.S.W. ....	....	K68354
PT ♀ , Kuranda, Qld. ....	....	K68355
<i>Dasiops phrikosifrons</i> J. McAlpine, 1964:678.		
HT♂ , AT♀ , PT 16♂ , Bronte, near Sydney, N.S.W. ....	....	K68356-73
<i>Lamprolonchaea fulgida</i> J. McAlpine, 1964:695.		
PT♂ , 29km S of Bunbury, Capel district, W.A. ....	....	K68374
<i>Silba adelosa</i> J. McAlpine, 1964a:701.		
PT♂ , Otford, N.S.W. ....	....	K68375

<i>Silba vanemdeni</i> J. McAlpine, 1975:998.		
PT 1♂, 1♀, Claudio River, near Mount Lamond, Qld.	.....	K70688
<i>Silba ramuscula</i> J. McAlpine, 1964a:710.		
HT ♂, Mulgrave River, 6km W of Gordonvale, Qld.	.....	K68381
<i>Silba horridomedea</i> J. McAlpine, 1964a:711.		
HT ♂, AT ♀, PT ♂, Daintree River, Qld.	.....	K68382-4
<i>Silba zopherosa</i> J. McAlpine, 1964a:704.		
HT ♂, PT 4♂, Lake Placid, near Cairns, Qld.	.....	K68376-80
This species is a synonym of <i>Lonchaea obscuripennis</i> de Meijere (J. McAlpine, 1975:996).		
<i>Lonchaea choreoides</i> Bezzi, 1923c:184.		
ST 1♂, 1♀, Sydney, N.S.W.	.....	K48705
<i>Lonchaea cuneifrons</i> J. McAlpine, 1964a:748.		
HT ♂, Lake Placid, near Cairns, Qld.	.....	K68502
AT ♀, Canal Creek, near Russel River, Qld.	.....	K68503

## Family CLUSIIDAE

<i>Tetrameringga ustulata</i> D. McAlpine, 1960:69.		
HT ♂, PT ♀, Sassafras Gully, Springwood, N.S.W.	.....	K67954-5
PT 2♂, 2♀, Wentworth Falls, N.S.W.	.....	K67956-8
PT ♂, Royal National Park, N.S.W.	.....	K67959
PT 4♂, 9♀, Otford, N.S.W.	.....	K67960-4
<i>Tetrameringga pubescens</i> D. McAlpine, 1960:70.		
HT ♂, Mount Wilson, Blue Mountains, N.S.W.	.....	K67965
<i>Heteromeringga pulla</i> D. McAlpine, 1960:73.		
HT ♂, PT 8♂, 1♀, Royal National Park, N.S.W.	.....	K67966-70
PT ♀, Otford, N.S.W.	.....	K67971
<i>Heteromeringga spinulosa</i> D. McAlpine, 1960:74.		
HT ♂, below Govett's Leap, Blue Mountains, N.S.W.	.....	K67972
PT ♂, Otford, N.S.W.	.....	K67973
<i>Heteromeringga norrisi</i> D. McAlpine, 1960:74.		
PT 1♂, 1♀, Applecross, near Perth, W.A.	.....	K67974-5
<i>Heteromeringga hardyi</i> D. McAlpine, 1960:75.		
HT ♂, PT 2♂, 7♀, Katoomba, N.S.W.	.....	K67976-85
<i>Heteromeringga laticornis</i> D. McAlpine, 1960:76.		
HT ♂, Royal National Park, N.S.W.	.....	K67986
PT ♂, Otford, N.S.W.	.....	K67987
<i>Czernyola australis</i> D. McAlpine, 1960:78.		
PT ♀, Katoomba, N.S.W.	.....	K67988
<i>Craspedochara australis</i> (McAlpine) comb. nov.		
<i>Czernyola bisignata</i> D. McAlpine, 1960:78.		
HT ♂, PT ♀, Kuranda, Qld.	.....	K67989-90
<i>Craspedochara bisignata</i> (McAlpine) comb. nov.		
<i>Czernyola delta</i> D. McAlpine, 1960:79.		
HT ♂, PT 2♂, 2♀, Lake Placid, near Cairns, Qld.	.....	K67991-4
PT ♂, Kuranda, Qld.	.....	K67995
<i>Craspedochara delta</i> (McAlpine) comb. nov.		

*Clusiodes gladiator* D. McAlpine, 1960:81.

HT ♂ , PT ♀ , Royal National Park, N.S.W. ....	K67999-8000
PT 3♂, 1♀ , Ottord, N.S.W. ....	K68001-3
PT 4♂, 3♀ , Wentworth Falls, N.S.W. ....	K68004-7
PT 4♂, below Govett's Leap, Blue Mountains, N.S.W. ....	K68008-10
PT 3♂, 1♀ , Mount Wilson, Blue Mountains, N.S.W. ....	K68011-3
PT ♂ , Barron River, near The Crater, Atherton Tableland, Qld. ....	K68014

*Clusiodes arguta* D. McAlpine, 1960:82.

HT ♂ , PT 4♀ , Wentworth Falls, N.S.W. ....	K67996-8
---	----------

*Clusiodes megaspilos* D. McAlpine, 1960:83.

HT ♂ , PT 3♂, 5♀ , Wentworth Falls, N.S.W. ....	K68015-20
PT ♂ , Mount Wilson, Blue Mountains, N.S.W. ....	K68021

*Clusiodes clara* D. McAlpine, 1960:83.

HT ♀ , Silkwood, near Innisfail, Qld. ....	K68022
--	--------

*Parahendelia latifrons* D. McAlpine, 1960:84.

HT ♂ , PT ♀ , Wentworth Falls, N.S.W. ....	K68023-4
PT 3♂, Mount Wilson, Blue Mountains, N.S.W. ....	K68025-7

*Parahendelia nigriceps* D. McAlpine, 1960:85.

HT ♂ , Mount Wilson, Blue Mountains, N.S.W. ....	K68028
--	--------

*Allometopon striatum* D. McAlpine, 1960:87.

HT ♀ , Kuranda, Qld. ....	K68029
---------------------------	--------

## Family AGROMYZIDAE

*Agromyza testacea* Spencer, 1963:308.

HT ♀ , Kuranda, Qld. ....	K68596
---------------------------	--------

*Japanagromyza eucalypti* Spencer, 1963:309.

HT ♂ , Lisarow, N.S.W. ....	K68597
-----------------------------	--------

*Melanagromyza apii* Hering, 1951:736.

PT ♀ , Mona Vale, N.S.W. ....	K70561
PT 2♂, 1♀ , Mascot, N.S.W. ....	K70565

*Melanagromyza cassiae* Spencer, 1963:314.

PT ♀ , Careel Bay, near Avalon, N.S.W. ....	K68598
---	--------

*Melanagromyza placida* Spencer, 1963:319.

HT ♂ , Lake Placid, near Cairns, Qld. ....	K68599
--	--------

*Melanagromyza seneciophila* Spencer, 1963:319.

PT ♀ , Waterfall, Royal National Park, N.S.W. ....	K68600
--	--------

*Ophiomyia solanicola* Spencer, 1963:324.

PT ♀ , Clyde Mountain, near Braidwood, N.S.W. ....	K68620
--	--------

*Phytobia caliginosa* Spencer, 1963:327.

HT ♀ , Sassafras Gully, Springwood, N.S.W. ....	K68601
Amauromyza caliginosa (Spencer) (Spencer, in press).	

*Phytobia poemyzina* Spencer, 1963:328.

HT ♂ , PT ♀ , Ottord, N.S.W. ....	K68602
-----------------------------------	--------

PT ♂ , Katoomba, N.S.W. ....	K68603
------------------------------	--------

PT ♀ , Mount Wilson, Blue Mountains, N.S.W. ....	K68604
--	--------

*Cerodontha poemyzina* (Spencer) (Spencer, in press).

*Phytobia triplicata* Spencer, 1963:328.

HT ♀ , PT 3♂, Pacific Highway, south side of Hawkesbury River, N.S.W. ....	K70566
--	--------

PT ♂ , Wentworth Falls, N.S.W. ....	K70567
-------------------------------------	--------

PT 1♂, 1♀, Royal National Park, N.S.W. ....	K70568
PT 2♂, Hartley, N.S.W. ....	K70569
PT 1♂, 3♀, Bargo, N.S.W. ....	K70570
<i>Cerodontha triplicata</i> (Spencer) (Spencer, in press).	
<i>Liriomyza australina</i> Spencer, 1963:331.	
HT♀, Sassafras Gully, near Springwood, N.S.W. ....	K68605
PT ♂, Otford, N.S.W. ....	K68606
<i>Liriomyza helichrysi</i> Spencer, 1963:333.	
PT ♂, Mount Gibraltar, near Bowral, N.S.W. ....	K68607
<i>Liriomyza obscurata</i> Spencer, 1963:334.	
HT ♂, Tubrabucca to Moonan, Upper Hunter district, N.S.W. ....	K68608
PT ♂, Mount Wilson, Blue Mountains, N.S.W. ....	K68612
PT 1♂, 1♀, Belltrees, near Scone, N.S.W. ....	K68613
PT 2♀, Bronte, near Sydney, N.S.W. ....	K68609
PT ♀, Mount Tomah, Blue Mountains, N.S.W. ....	K68610
PT ♀, Lawson, Blue Mountains, N.S.W. ....	K68611
<i>Phytoliriomyza australensis</i> Spencer, 1963:335.	
HT ♂, Royal National Park, N.S.W. ....	K68614
PT 2♀, Sassafras Gully, Springwood, N.S.W. ....	K68617
PT 2♂, Jenolan camping ground, Blue Mountains, N.S.W. ....	K68615
PT ♂, head of Clohesy River, Atherton Tableland, Qld. ....	K68618
PT 2♂, Lawson, Blue Mountains, N.S.W. ....	K68616
The Queensland specimen has not been located in the collection.	
<i>Phytobia pittosporocaulis</i> Hering, 1962:84.	
PT 2♂, 1♀, Normanhurst, near Sydney, N.S.W. ....	K70571
PT 2♀, Sydney, N.S.W. ....	K70572
<i>Phytoliriomyza pittosporocaulis</i> (Hering) (Spencer, in press).	
<i>Phytobia pittosporophylli</i> Hering, 1962:89.	
PT 8♂, 4♀, Roseville, near Sydney, N.S.W. ....	K68624
<i>Phytoliriomyza pittosporophylli</i> (Hering) (Spencer, in press).	
<i>Phytomyza clematidicolla</i> Spencer, 1963:337.	
PT ♂, Sassafras Gully, near Springwood, N.S.W. ....	K68619
Superfamily ASTEIOIDEA	
Family ASTEIIDAE	
<i>Leiomyza nitidula</i> Malloch, 1924c:338.	
HT ♀, Sydney, N.S.W. ....	K70573
Superfamily DROSOPHILOIDEA	
Family DROSOPHILIDAE	
<i>Drosophila versicolor</i> Mather, 1955:573.	
ST 3♂, 3♀, Moggill, near Brisbane, Qld. ....	K67825-30
Specimens are labelled "HT ♂", "AT ♀" and PT.	
This is a synonym of <i>Drosophila buzzatii</i> Paterson and Wheeler (Mather, 1957:224).	
<i>Drosophila setifemur</i> Malloch, 1924d:351.	
HT ♀, Sydney, N.S.W. ....	K50090
This species is a synonym of <i>Drosophila sulfurigaster</i> (Duda) (Wilson, et al., 1969:211).	

- Drosophila serrata birchii* Dobzhansky and Mather, 1961:464.  
 ST 1♂, 1♀, Crystal Cascades, near Cairns, Qld. .... K70574-5  
 Labelled HT and AT.
- Drosophila birchii* Dobzhansky and Mather (Ayala, 1965:538).
- Drosophila smithersi* Bock, 1976:17.  
 HT ♂, Mulgrave River, 6km W of Gordonvale, Qld. .... K70576
- Drosophila dispar* Mather, 1955:570.  
 ST 3♂, 3♀, Samford, Qld. .... K67819-24  
 Labelled HT ♂, AT ♀, and PT.
- Drosophila pinnitarsus* Bock, 1976:21.  
 HT ♂, PT 1♂, 1♀, Huonbrook, near Mullumbimby, N.S.W. .... K70577-8
- Drosophila progastor* Bock, 1976:24.  
 HT ♂, Birthday Creek, 11km W of Paluma, Qld. .... K70579
- Drosophila polypori* Malloch, 1924d:351.  
 HT ♀, Ourimbah, N.S.W. .... K50088  
 This specimen is damaged, having the abdomen and a wing missing.
- Drosophila mycetophaga* Malloch, 1924d:351.  
 HT ♂, Ourimbah, N.S.W. .... K50089
- Drosophila allynensis* Bock, 1976:29.  
 PT ♀, Dorrigo National Park, N.S.W. .... K70580
- Drosophila whianensis* Bock, 1976:30.  
 HT ♀, Whian Whian State Forest, near Lismore, N.S.W. .... K70581
- Drosophila macalpinei* Bock, 1976:30.  
 HT ♀, Whian Whian State Forest, near Lismore, N.S.W. .... K70582  
 PT ♂, Upper Allyn, near Eccleston, N.S.W. .... K70583
- Drosophila mixtura* Bock, 1976:32.  
 HT ♂, PT ♂, Lake Barrine, Atherton Tableland, Qld. .... K70584-5
- Drosophila palumae* Bock, 1976:38.  
 HT ♀, 3km SW of Paluma, Qld. .... K70586
- Drosophila lativittata* Malloch, 1923a:618.  
 HT ♀, Sydney, N.S.W. .... K48513
- Drosophila cancellata* Mather, 1955:550.  
 ST 3♂, 3♀, Moggill, near Brisbane, Qld. .... K67778-83  
 Labelled HT ♂, AT ♀, and paratypes.
- Drosophila obsoleta* Malloch, 1923a:616.  
 HT ♀, Sydney, N.S.W. .... K48516
- Drosophila inornata* Malloch, 1923a:617.  
 HT ♀, Blue Mountains, N.S.W. .... K48514  
 The head, abdomen, a wing and the legs are missing from this specimen.
- Drosophila rhabdote* Bock, 1976:53.  
 HT ♀, Marakopa Caves, near Mole Creek, Tas. .... K70587  
 PT ♂, Templestowe, Vic. .... K70588
- Drosophila barkeri* Bock, 1976:56.  
 HT ♀, Otford, N.S.W. .... K70589  
 PT ♂, Upper Allyn, near Eccleston, N.S.W. .... K70590
- Drosophila exemplar*, Bock, 1976:57.  
 HT ♀, Iluka, Clarence River, N.S.W. .... K70591

- Drosophila concolor* Bock, 1976:60.  
 HT ♂, Claudio River, near Mount Lamond, Qld. .... K70592
- Drosophila mulgravei* Bock, 1976:61.  
 HT ♂, PT ♂, Mulgrave River, 6km W of Gordonvale, Qld. .... K70593-4
- Drosophila brunneipennis* Malloch, 1923a:617.  
 HT ♀, Sydney, N.S.W. .... K48515
- Drosophila levis* Mather, 1955:561.  
 ST 3♂, 3♀, Maroochydore, Qld. .... K67805-10  
 Labelled HT ♂, AT ♀, and PT.  
 This is a synonym of *Drosophila bryani* Malloch (Mather, 1956:65).
- Drosophila albostriata* Malloch, 1924c:352.  
 HT ♀, PT 2♀, Eidsvold, Qld. .... K50091
- Drosophila opaca* Mather, 1955:558.  
 ST 3♂, 3♀, Noosa, Qld. .... K67793-8  
 Labelled HT ♂, AT ♀, and PT.  
 This is a synonym of *Drosophila subnitida* Malloch (Bock, 1976:74).
- Drosophila maculosa* Mather, 1955:560.  
 ST 3♂, 3♀, Moggill, Qld. .... K67799-804  
 Labelled HT ♂, AT ♀ and PT.  
*Drosophila novamaculosa* Mather, 1956:65 (*maculosa* preoccupied).
- Drosophila megagenys* Bock, 1976:79.  
 HT ♀, Brown Mountain, near Nimmitabel, N.S.W. .... K70595
- Drosophila parsonsi* Bock, 1976:80.  
 HT ♀, Wilson's Promontory, Vic. .... K70596  
 PT ♂, Fernshaw, near Healesville, Vic. .... K70597
- Drosophila fimbriata* Bock, 1976:85.  
 HT ♂, St. Helen's Creek, Mackay district, Qld. .... K70598
- Drosophila crocata* Bock, 1976:93.  
 HT ♂, Mulgrave River, 6km W of Gordonvale, Qld. .... K70599
- Leucophenga poeciliventris* Malloch, 1923a:614.  
 HT ♀, Blue Mountains, N.S.W. .... K48520
- Leucophenga scutellata* Malloch, 1923a:614.  
 HT ♀, Sydney, N.S.W. .... K48517
- Leucophenga niveifasciata* Malloch, 1923a:614.  
 HT ♂, Woolgoolga, N.S.W. .... K48518
- Leucophenga polita* Malloch, 1923a:615.  
 HT ♀, Woolgoolga, N.S.W. .... K48521
- Leucophenga conjuncta* Malloch, 1924d:350.  
 HT ♂, no data. .... K50092
- Amiota annulata* Malloch, 1923a:612.  
 HT ♂, Eidsvold, Qld. .... K48523

## Family MILICHIIDAE

- Hypsipistomyia albipennis* Malloch, 1924c:336.  
 HT ♂, Belaringar, N.S.W. .... K50093  
 This specimen is damaged.

## Family CRYPTOCHETIDAE

- Librella demetrius* D. McAlpine, 1976:46.  
HT ♀, Wingabutta Creek, 37km N of Mendooran, N.S.W. .... K70600

## Family CANACEIDAE

- Trichocanace marksae* Wirth, 1964:226.  
PT 1♂, †♀, Cairns, Qld. .... K68627-8

## Family CHLOROPIDAE

- Ephydroschinis raymenti* Curran, 1930:1.  
PT 2♀, Port Phillip, Vic. .... K66965  
*Lasiopleura raymenti* (Curran) comb. nov.
- Parahippelates costomaculata* Malloch, 1924c:329.  
HT ♂, Sydney, N.S.W. .... K50094  
*Lasiopleura costomaculata* (Malloch) (Malloch, 1940:270).
- Parahippelates albisetosa* Malloch, 1924c:330.  
HT ♂, Eidsvold, Qld. .... K50096  
*Lasiopleura albisetosa* (Malloch) (Malloch, 1940:272).

## Superfamily MUSCOIDEA

## Family MUSCIDAE

## Subfamily MUSCINAE

- Musca terraereginae* Johnston and Bancroft, 1920:31.  
Paralectotypes, 1♂, 1♀, no data (possibly Eidsvold, Qld.). .... K70601
- Musca hilli* Johnston and Bancroft, 1920:35.  
Paralectotype ♀, no data (possibly Eidsvold, Qld.). .... K70602  
This is a synonym of *Musca terraereginae* Johnston and Bancroft, (Pont, 1973:180).

## Subfamily FANNIINAE

- Fannia australis* Malloch, 1923a:605.  
HT ♂, Sydney, N.S.W. .... K50114

## Subfamily EGNIINAE

- Neohelina flavomarginata* Malloch, 1925:329.  
HT ♀, Myponga, S.A. .... K50101
- Neohelina semivittata* Malloch, 1924:415.  
HT ♂, Lowanna, East Dorrigo, N.S.W. .... K48522

## Subfamily COENOSIINAE

- Pectiniseta similis* Pont, 1972:147.  
HT ♂, Mulgrave River, 6km W of Gordonvale, Qld. .... K70603  
PT ♂, Kuranda, Qld. .... K70604  
PT 2♀, North Maria Creek, near Silkwood, Qld. .... K70605  
PT ♀, Mopo, near Babinda, Qld. .... K70606  
The holotype has not been located in the collection.
- Pectiniseta occulta* Pont, 1972:149,  
HT ♂, PT 1♂, 1♀, Claudio River, near Mount Lamond, Qld. .... K70607-8  
The holotype has not been located in the collection.
- Coenosia spumicola* Pont, 1973a:179.  
PT 3♂, Vaucluse, near Sydney, N.S.W. .... K70609-10

- Atherigona tibiseta* Malloch, 1924b:145.  
HT ♂, Mosman, near Sydney, N.S.W. .... K50112
- Subfamily PHAONIINAE
- Prohardyia macalpinei* Pont, 1969a:947.  
HT ♀, Fernshaw, near Healesville, Vic. .... K70611  
This specimen has not been located in the collection.
- Ophyra pallicornis* Pont, 1973:247.  
HT ♀, Claudie River, near Mount Lamond, Qld. .... K70613
- Helina flavofusca* Malloch, 1924b:143.  
HT ♀, Narrabeen, near Sydney, N.S.W. .... K50100
- Helina hirtibasis* Malloch, 1923:671.  
HT ♂, Barrington Tops, N.S.W. .... K50099
- Phaonia fergusoni* Malloch, 1924b:141.  
HT ♂, Allyn River, N.S.W. .... K50111
- Xenolispa nigrimana* Malloch, 1923a:611.  
HT ♂, Burnett River, Qld. .... K50119  
The head is missing from this specimen.
- Anaclysta oblitterata* Malloch, 1923a:602.  
HT ♂, Belaringar, Nevertire, N.S.W. .... K50109  
*Gymnodia oblitterata* (Malloch) (Pont, in press).
- Anaclysta ruficornis* Malloch, 1923a:602.  
HT ♂, AT ♀, Eidsvold, Qld. .... K50108  
*Gymnodia ruficornis* (Malloch) (Pont, in press).
- Dichaetomyia parimpars* Pont, 1969:219.  
PT ♂, Upper Allyn, near Eccleston, N.S.W. .... K70614  
PT ♂, Goondi Hill, near Innisfail, Qld. .... K70615  
PT ♀, Mount Gibraltar National Park, N.S.W. .... K70616  
PT ♀, Mulgrave River, 6km W of Gordonvale, Qld. .... K70617  
PT ♀, North Bondi, near Sydney, N.S.W. .... K70168  
PT ♂, Springwood, Blue Mountains, N.S.W. .... K70619
- Dichaetomyia rufaeformis* Pont, 1969:234.  
PT 1♂, 2♀, Claudie River, near Mount Lamond, Qld. .... K70620-1  
PT 2♂, Kuranda, Qld. .... K70622-23  
PT ♂, Mulgrave River, 6km W of Gordonvale, Qld. .... K70624
- Dichaetomyia australis* Pont, 1969:239.  
HT ♂, 4km N of Kuranda, Qld. .... K70625  
PT 2♀, Mulgrave River, 6km W of Gordonvale, Qld. .... K70626-7  
The holotype has not been located in the collection.
- Dichaetomyia collessi* Pont, 1969:257.  
PT 2♀, Claudie River, near Mount Lamond, Qld. .... K70628-9  
PT ♀, Kuranda, Qld. .... K70630
- Dichaetomyia aseta* Pont, 1969:260.  
PT ♀, Claudie River, near Mount Lamond, Qld. .... K70631  
PT 1♂, 4♀, Kuranda, Qld. .... K70632-5
- Dichaetomyia fusconota* Pont, 1969:266.  
PT ♀, Kuranda, Qld. .... K70636
- Dichaetomyia arrogans* Pont, 1969:270.  
PT 2♀, The Intake, via Redlynch, Qld. .... K70637  
PT ♀, Mulgrave River, 6km W of Gordonvale, Qld.  
PT ♀, Thornton Range, near Daintree River, Qld.  
The last two specimens have not been located in the collection.

Family CALLIPHORIDAE  
Subfamily CALLIPHORINAE

- Calliphora canimicans* G. Hardy, 1930:447.  
 ST 5♂, Brisbane, Qld. (Labelled paratypes) ..... K63652
- Calliphora fallax* G. Hardy, 1930:446.  
 ST ♀, Brisbane, Qld. (Labelled paratype) ..... K63651
- Calliphora fulvicoxa* G. Hardy, 1930:445.  
 ST 2♂, 1♀, Brisbane, Qld. (Labelled paratypes) ..... K63650
- Calliphora perida* G. Hardy, 1937:22.  
 ST 1♂, 1♀, Brisbane, Qld. (Labelled paratypes) ..... K67516

Subfamily AMENIINAE

- Amenia sexpunctata* Malloch, 1933:76.  
 PT ♂, Palmerston, N.T. ..... K67931

Family SARCOPHAGIDAE

- Helicobia australis* Johnston and Tiegs, 1921:50.  
 PT ♂, Brisbane, Qld. ..... K44358
- Phytosarcophaga australis* (Johnston and Tiegs) (de Souza Lopes, 1967:145).
- Sarcophaga alpha* Johnston and Tiegs, 1921:57.  
 PT ♂, Brisbane, Qld. ..... K44348
- Tricholioproctia alpha* (Johnston and Tiegs) (de Souza Lopes, 1954:244).
- Sarcophaga zeta* Johnston and Tiegs, 1921:76.  
 PT ♂, Brisbane, Qld. ..... K45067
- Tricholioproctia zeta* (Johnston and Tiegs) (de Souza Lopes, 1954:240).
- Sarcophaga beta* Johnston and Tiegs, 1921:58.  
 PT 1♂, 2♀, Brisbane, Qld. ..... K44347
- Tricholioproctia beta* (Johnston and Tiegs) (de Souza Lopes, 1954:242).
- Sarcophaga tryoni* Johnston and Tiegs, 1921:54.  
 PT 2♂, 1♀, Brisbane, Qld. ..... K44350
- Tricholioproctia tryoni* (Johnston and Tiegs) (de Souza Lopes, 1954:258).
- Sarcophaga hardyi* Johnston and Tiegs, 1922:181.  
 ST 1♂, 1♀, Launceston, Tas. (Labelled "HT" and "AT") ..... K44452
- Tricholioproctia hardyi* (Johnston and Tiegs) (de Souza Lopes, 1954:261).
- Sarcophaga theta* Johnston and Tiegs, 1921:78.  
 PT 1♂, 2♀, Brisbane, Qld. ..... K44343-4
- This is a synonym of *Tricholioproctia froggatti* (Taylor) (de Souza Lopes, 1954:268).
- Sarcophaga epsilon* Johnston and Tiegs, 1922:180.  
 HT ♂, Brisbane, Qld. ..... K44337
- Tricholioproctia epsilon* (Johnston and Tiegs) (de Souza Lopes, 1954:264).
- Sarcophaga howensis* Johnston and Hardy, 1923:65.  
 There is, in the collection, a ♂ labelled paratype, from Brisbane. As this specimen was not included in the type series, it has no status as a type.
- 1♂, Brisbane, Qld. ..... K70673
- Tricholioproctia howensis* (Johnston and Hardy) (de Souza Lopes, 1954:274).
- Sarcophaga littoralis* Johnston and Tiegs, 1922:183.  
 ST 1♂, 1♀, Caloundra, Qld. ..... K44338
- Hardyella littoralis* (Johnston and Tiegs) (de Souza Lopes, 1959:38).

<i>Sarcophaga fergusoni</i> Johnston and Tiegs, 1922a:186.		
HT ♂ , Allyn River, Eccleston, N.S.W. ....	K44863	
This is a synonym of <i>Fergusonomyia bancrofti</i> (Johnston and Tiegs) (de Souza Lopes, 1958:547).		
<i>Sarcophaga eta</i> Johnston and Tiegs, 1921:65.		
PT ♂ , Brisbane, Qld. ....	K44346	
<i>Parasarcophaga eta</i> (Johnston and Tiegs) (de Souza Lopes, 1959:64).		
<i>Sarcophaga sigma</i> Johnston and Tiegs, 1921:84.		
PT 1 ♂ , 1 ♀ , Brisbane, Qld. ....	K44339	
This is a synonym of <i>Parasarcophaga aurifrons</i> (Macquart) (Johnston and Hardy, 1923a:115).		
<i>Miltogramma rex</i> Malloch, 1930a:442.		
HT ♂ , King George Sound, W.A. ....	K57967	
Family TACHINIDAE		
Subfamily PHASIINAE		
<i>Hyalomyia nigrisquama</i> Malloch, 1929:110.		
HT ♂ , French's Forest, near Sydney, N.S.W. ....	K52617	
<i>Alophora nigrisquama</i> (Malloch) (Crosskey, 1973a:110).		
<i>Cylindromyia fenestrata</i> Paramonov, 1956:363.		
HT ♂ , Gayndah, Qld. ....	K68306	
<i>Cylindromyia westratica</i> Paramonov, 1956:367.		
HT ♂ , King George Sound, W.A. ....	K68307	
<i>Cylindromyia angustissimifrons</i> Paramonov, 1956:365.		
PT ♂ , Canberra, A.C.T. ....	K68308	
Subfamily PROSENINAE		
<i>Heterometopia argentea</i> Macquart, 1846:298.		
There are, in the collection, two specimens from Dunalley, Tasmania, one of which is labelled allotype and designated by Hardy (1922a:199). As this specimen was not included in the type series, it cannot be considered to be a type.		
1 ♀ , Dunalley, Tas. ....	K45270	
<i>Chaetogastrina stolida</i> Malloch, 1929a:313.		
HT ♂ , PT 3 ♂ , Barrington Tops, N.S.W. ....	K57973	
<i>Amphibolia stolida</i> (Malloch) (Crosskey, 1973:101).		
<i>Formosia smaragdina</i> Malloch, 1929a:312.		
HT ♀ , Gordonvale, Qld. ....	K41527	
PT ♀ , Cairns, Qld. ....	K70638	
<i>Prodiaphania georgei</i> Malloch, 1929a:292.		
HT ♂ , PT ♂ , King George Sound, W.A. ....	K57954	
<i>Prodiaphania testacea</i> var. <i>claripennis</i> Malloch, 1929a:292.		
HT ♂ , King George Sound, W.A. ....	K57941	
<i>Prodiaphania claripennis</i> Malloch (Paramonov, 1968:390).		
<i>Rutilia formosa</i> var. <i>subvittata</i> Malloch, 1929a:295.		
HT ♀ , King George Sound, W.A. ....	K57927	
<i>Rutilia micropalpis</i> Malloch, 1929a:298.		
HT ♀ , Como, near Sydney, N.S.W. ....	K50140	
PT ♀ , Gunnamatta Bay, Port Hacking, N.S.W. ....	K55837	
<i>Rutilia micans</i> Malloch, 1929a:299.		
HT ♀ , PT 3 ♀ , Kosciusko, N.S.W. ....	K57937	

<i>Rutilia hirticeps</i> Malloch, 1929a:305.		
HT ♂, Moonbar, N.S.W. ....	K57939	
PT ♂, Ulong, near Dorrigo, N.S.W. ....	K43218	
<i>Rutilia albovirida</i> Malloch, 1929a:307.		
HT ♀, Yeppoon, Qld. ....	K50695	
PT ♀, Yeppoon, Qld. ....	K50700	
<i>Rutilia nigriceps</i> Malloch, 1929a:306.		
HT ♂, PT 2 ♂, Ulong, East Dorrigo, N.S.W. ....	K43219-20	
PT ♂, Ulong, East Dorrigo, N.S.W. ....	K44234	
<i>Rutilia dubitata</i> Malloch, 1929a:303.		
HT ♀, Jindabyne, N.S.W. ....	K57934	
This species is a synonym of <i>Rutilia analoga</i> Macquart (Crosskey, 1973:72).		
<i>Formosia confusa</i> Malloch, 1929a:309.		
HT ♂, PT 1 ♂, 2 ♀, Deep Creek, 32km from Kingscote, Kangaroo Island, S.A. ....	K42773	
PT 2 ♀, Jindabyne, N.S.W. ....	K57934	
PT 3 ♀, Kosciusko, N.S.W. ....	K57933	
PT ♀, Berowra, near Hawkesbury River, N.S.W. ....	K50223	
<i>Rutilia confusa</i> (Malloch) (Enderlein, 1936:429).		
<i>Formosia frontosa</i> Malloch, 1929a:310.		
HT ♂, PT ♂, Jindabyne, N.S.W. ....	K57965	
This is a synonym of <i>Rutilia argentifera</i> Bigot (Crosskey, 1973:54).		

#### Subfamily TACHININAE

<i>Chlorotachina nigrocaerulea</i> Malloch, 1929a:324.		
HT ♂, King George Sound, W.A. ....	K57942	
<i>Macrochloria calliphorosoma</i> Malloch, 1929a:326.		
HT ♂, Barrington Tops, N.S.W. ....	K57974	
AT ♀, PT 1 ♂, 1 ♀, Kosciusko, N.S.W. ....	K57962	
This is a synonym of <i>Macrochloria nitidiventris</i> (Macquart) (Crosskey, 1973a:132).		
<i>Microtropesa latimana</i> Malloch, 1929a:287.		
HT ♀, Queensland ....	K36825	
This is a synonym of <i>Microtropesa sinuata</i> (Donovan) (Hardy, 1939:34).		
<i>Microtropesa flavitarsis</i> Malloch, 1929a:288.		
HT ♂, Tasmania ....	K57938	

#### Subfamily GONIINAE

<i>Schizotachina fergusoni</i> Bezzi, 1923a:657.		
HT ♂, Sydney, N.S.W. ....	K48398	
<i>Ceromya fergusoni</i> (Bezzi) (Crosskey, 1973a:137).		
<i>Zenargomyia moorei</i> Crosskey, 1964:20.		
HT ♂, Matong S.F., N.S.W. ....	K68324	
PT ♂, Wentworth Falls, Blue Mountains, N.S.W. ....	K68325	
PT ♂, Corringle S.F., N.S.W. ....	K68326	
PT ♀, Buckingbong S.F., N.S.W. ....	K68327	
PT ♀, Corringle S.F., N.S.W. ....	K68328	
PT ♀, Olney S.F., N.S.W. ....	K68329	
PT ♀, Corringle S.F., N.S.W. ....	K68330	
PT ♂, Lakeview S.F., N.S.W. ....	K68331	
PT ♀, Olney S.F., N.S.W. ....	K68332	
PT ♀, Dubbo, N.S.W. ....	K68333	
PT ♀, Olney S.F., N.S.W. ....	K68334	

PT ♂ , Mandalong, N.S.W.	K68335
PT ♂ , Olney S.F., N.S.W.	K68336
PT ♂ , Maroote, N.S.W.	K68337
PT ♂ , Mandalong, N.S.W.	K68338
<i>Quadra ornata</i> Malloch, 1929a:320.	
HT ♂ , King George Sound, W.A.	K57948
<i>Zebromyia obesa</i> Malloch, 1929a:321.	
HT ♂ , PT ♂ , Tasmania	K57951
This species is a synonym of <i>Zebromyia ornata</i> (Macquart) (Hardy, 1938a:59).	
<i>Metaphryno bella</i> Crosskey, 1967:29.	
PT ♂ , Sawpit Creek, Mount Kosciusko, N.S.W.	
This specimen has not been located in the collection.	
<i>Phorocerosoma setiventris</i> Malloch, 1929a:327.	
HT ♂ , National Park, Macpherson Range, Qld.	
<i>Phorocerostoma setiventris</i> (Malloch) (Malloch, 1930:326).	
This specimen has not been located in the collection.	

## Family HIPPOBOSCIDAE

<i>Orthofersia bequaerti</i> Maa, 1962:606.	
HT ♂ , AT ♀ , Moreton Bay, Qld.	K36959

## Family STREBLIDAE

<i>Brachytarsina mackeani</i> Maa, 1971:10.	
HT ♂ , Lankelly Creek, Coen, Qld.	K68767
<i>Brachytarsina amboinensis uniformis</i> Maa, 1971:11.	
HT ♀ , PT 22 ♂ , 20 ♀ , Possession Island, Torres Strait, Qld.	K68677-8
PT 1 ♂ , 3 ♀ , Carrai, via Kempsey, N.S.W.	K68679
PT ♂ , Whitsunday Island, Qld.	K68680
PT 1 ♂ , 8 ♀ , Elizabeth Bay House, Sydney, N.S.W.	K68681
PT 5 ♀ , Fitzroy Vale, near Rockhampton, Qld.	K68682
PT 1 ♂ , 2 ♀ , Prospect Reservoir, N.S.W.	K68683
PT ♀ , Cairns, Qld.	K68684
PT ♀ , Lindeman Island, Qld.	K68771

## Family NYCTERIBIIDAE

<i>Cyclopodia similis</i> Speiser, 1900:292.	
Lectotype ♀ , paralectotype ♀ , Mapoon Mission, Batavia River, Qld.	K15789
This species is a synonym of <i>Cyclopodia albertisii</i> Rondani (Maa, 1971:21).	
<i>Basilia techna</i> Maa, 1971:38.	
PT ♂ , The Cave, near Mount Cityan, Qld.	K68769
PT ♀ , Louie Creek, 13km SW of Adel's Grove, via Lawn Hill, Qld.	K68770
<i>Nycteribia longispinosa</i> Musgrave, 1927:274.	
HT ♀ , PT 3 ♀ , Sans Souci, Sydney, N.S.W.	K51807-10
AT ♂ , Sans Souci, Sydney, N.S.W.	K51805
<i>Basilia longispinosa</i> (Musgrave) (Maa, 1965:30).	
<i>Nycteribia multispinosa</i> Musgrave, 1927:268.	
HT ♀ , Berrima, N.S.W.	K55122
AT ♂ , PT 3 ♂ , 3 ♀ , Berrima, N.S.W.	K55125-31
<i>Basilia multispinosa</i> (Musgrave) (Maa, 1965:380).	
<i>Basilia hamsmithi</i> Maa, 1971:46.	
PT ♀ , Cunnamulla, Qld.	K68772

<i>Basilia aitkeni</i> Maa, 1971:49.		
PT ♂, 2km N of Lawn Hill Station, Qld. ....	K68768	
<i>Basilia barbareae</i> Maa, 1971:51.		
PT 4♂, 3♀, near Bircheno, Tas. ....	K51812-8	
<i>Nycteribia falcozi</i> Musgrave, 1925:292.		
HT ♂, PT 1♂, 1♀, Mount Lyndhurst, 48km E of Farina, S.A. ....	K48158	
AT ♀, PT ♀, Mount Lyndhurst, 48km E of Farina, S.A. ....	K48163-4	
PT 3♂, Mount Lyndhurst, 48km E of Farina, S.A. ....	K42924	
<i>Basilia falcozi</i> (Musgrave) (Maa, 1965:380).		
<i>Nycteribia halei</i> Musgrave, 1927:271.		
HT ♀, cave at Arkaba, S.A. ....	K51821	
AT ♂, cave at Arkaba, S.A. ....	K51819	
<i>Basilia halei</i> (Musgrave) (Maa, 1965:380).		
<i>Basilia nodulata</i> Maa, 1971:59.		
HT ♂, Hazelbrook, Blue Mountains, N.S.W. ....	K49851	
<i>Nycteribia brevicauda</i> Musgrave, 1925:295.		
HT ♂, Hazelbrook, Blue Mountains, N.S.W. ....	K49848	
AT ♀, Hazelbrook, Blue Mountains, N.S.W. ....	K49850	
<i>Basilia brevicauda</i> (Musgrave) (Maa, 1965:380).		
<i>Nycteribia troughtoni</i> Musgrave, 1927:265.		
HT ♀, PT ♀, Glenroy, Hartley, N.S.W. ....	K51801-2	
PT 2♀, Smithfield, near Fairfield, N.S.W. ....	K51803-4	
PT ♂, Munni, Williams River, N.S.W. ....	K47880	
<i>Basilia troughtoni</i> (Musgrave) (Maa, 1965:380).		
<i>Nycteribia burrelli</i> Musgrave, 1927:272.		
HT ♀, AT ♂, Caermarthen, Manilla, N.S.W. ....	K51822-3	
<i>Basilia burrelli</i> (Musgrave) (Maa, 1965:380).		
<i>Nycteribia allotopa meridiana</i> Maa, 1971:90.		
PT ♀, Whitsunday Island, Qld. ....	K68674	
<i>Nycteribia parilis vicaria</i> Maa, 1971:90.		
PT 28♂, Prospect Reservoir, N.S.W. ....	K68685	
PT 32♀, Piano Cave, Coolong Caves, N.S.W. ....	K68687	
PT 14♂, Elizabeth Bay House, near Sydney, N.S.W. ....	K68688	
PT 4♀, Bulladelah, N.S.W. ....	K68689	
PT ♂, Carrai, via Kempsey, N.S.W. ....	K68690	
PT 9♂, 4♀, Ashford Downs, N.S.W. ....	K68691	
PT 3♂, 2♀, Possession Island, Torres Strait, Qld. ....	K68692	
PT 2♂, 1♀, Whitsunday Island, Qld. ....	K68693	
PT 31♂, Piano Cave, Coolong Caves, N.S.W. ....	K68694	
PT 16♀, Elizabeth Bay House, N.S.W. ....	K68695	
PT 9♀, Prospect Tunnel, Prospect Reservoir, N.S.W. ....	K68696	

PACIFIC ISLAND TYPES  
 Suborder NEMATOCERA  
 Division CULICOMORPHA  
 Family SIMULIIDAE

<i>Austrosimulium longicorne</i> Tonnoir, 1925:254.		
PT 2♂, Nihotapu, New Zealand ....	K51180	

<i>Austrosimulium ungulatum</i> Tonnoir, 1925:250.		
PT ♀, Kaikoura, New Zealand .....	K51181	
PT ♀, Reefton, New Zealand .....	K51182	
<i>Austrosimulium tillyardi</i> Tonnoir, 1925:253.		
PT 1♂, 1♀, Nelson, New Zealand .....	K51183	
Suborder BRACHYCERA		
Division ORTHORRHAPHA		
Superfamily TABANOIDEA		
Family RHAGIONIDAE		
<i>Chrysopilus howei</i> Paramonov, 1962:119.		
HT ♂, AT ♀, PT ♂, Erskine Valley, Lord Howe Island .....	K68557-9	
Family XYLOMYIDAE		
<i>Solva atrata</i> Daniels, 1977:456.		
HT ♂, Musgrave River, near Port Moresby, Papua New Guinea .....	K70374	
PT 7♂, 1♀, Kuminibus, near Maprik, Papua New Guinea .....	K70376-7	
PT 7♂, Imbia, near Maprik, Papua New Guinea .....	K70375	
PT ♀, Awala Estate, Popondetta subdistrict, Papua New Guinea .....	K70378	
<i>Solva melanogaster</i> Daniels, 1977:455.		
HT ♀, Aroana Estate, Aroa River, Papua New Guinea .....	K70371	
PT 1♂, 1♀, Upper Manki Logging area, near Bulolo, Papua New Guinea .....	K70372-3	
<i>Solva laeta</i> Daniels, 1977:456.		
PT ♂, Aroana Estate, Aroa River, Papua New Guinea .....	K70381	
<i>Solva bergi</i> James, 1951:149.		
PT 1♂, 1♀, Guadalcanal, Solomon Islands .....	K70382-3	
Division CYCLORRHAPHA		
Series SCHIZOPHORA		
Superfamily TEPHRITOIDEA		
Family OTITIDAE		
<i>Hypsomyia goilala</i> D. McAlpine, 1964:218.		
HT ♂, PT 3♂, 3♀, Sidibamul, Wharton Range, Papua New Guinea ..	K68428-34	
<i>Rhadinomyia goilala</i> (McAlpine) comb. nov.		
Family PLATYSTOMATIDAE		
<i>Achiosoma nigrifacies</i> Malloch, 1939:131.		
HT ♀, Mount Lamington district, Papua New Guinea .....	K68639	
<i>Duomyia howensis</i> D. McAlpine, 1973:123.		
PT ♀, Lord Howe Island .....	K70131	
PT ♀, Lord Howe Island .....	K45773	
Superfamily MICROPEZOIDEA		
Family MICROPEZIDAE		
<i>Papeza szentivanyi</i> D. McAlpine, 1975:242.		
HT ♂, PT 2♂, Woitape, Wharton Range, Papua New Guinea .....	K70254-5	
Superfamily HELEOMYZOIDEA		
Family COELOPIDAE		
<i>Chaetocoelopa buttoni</i> Harrison, 1959:103.		
PT ♂, Little Barrier Island, New Zealand .....	K70706	
PT ♀, Boulder Beach, Little Barrier Island, New Zealand .....	K70707	

## Family HELEOMYZIDAE

- Cairnsimyia crosskeyi* D. McAlpine, 1968:274.  
 PT ♂, Wau, Morobe District, Papua New Guinea ..... K69177  
*Cairnsimyia aroana* D. McAlpine, 1968:275.  
 HT ♂, PT 3♂, 2♀, "Aroana", Aroa River, Papua New Guinea ..... K69178-83

## Family SPHAEROERCERIDAE

- Leptocera papuana* Richards, 1973:308.  
 HT ♂, PT ♀, Bainyik, Papua New Guinea ..... K70403-4  
 PT ♀, Buri, near Sasembata, Popondetta subdistrict, Papua New Guinea K70405  
 PT ♀, Woitope, Wharton Range, Papua New Guinea ..... K70406  
*Leptocera aroana* Richards, 1973:310.  
 HT ♂, PT 6♂, 18♀, Aroana Estate, Aroa River, Papua New Guinea ... K70408-10

- Leptocera macalpinei* Richards, 1973:311.  
 HT ♂, PT 7♂, 5♀, Bainyik, Papua New Guinea ..... K70411-7  
 PT 2♀, Kuminibus, near Maprik, Papua New Guinea ..... K70418

- Leptocera territorialis* Richards, 1973:313.  
 HT ♂, PT 15♂, 15♀, Bainyik, Papua New Guinea ..... K70419-23  
 PT 1♂, 2♀, Aroana Estate, Aroa River, Papua New Guinea ..... K70426-7  
 PT ♂, Woitope, Wharton Range, Papua New Guinea ..... K70424  
 PT ♂, Musgrave River, near Port Moresby, Papua New Guinea ..... K70425

- Leptocera vittigera* Richards, 1973:357.  
 HT ♂, Buri, near Sasembata, Popondetta subdistrict, Papua New Guinea K70476

- Leptocera scrobifera* Richards, 1973:360.  
 HT ♂, Bainyik, Papua New Guinea ..... K70480

- Leptocera awalensis* Richards, 1973:374.  
 HT ♂, Awala Estate, Popondetta subdistrict, Papua New Guinea ..... K70485

- Leptocera tetrasticha* Richards, 1973:380.  
 HT ♂, Bainyik, Papua New Guinea ..... K70490

## Superfamily DROSOPHILOIDEA

## Family EPHYDRIDAE

- Stratiothyrea cheesmanae* Cogan and Wirth, 1969:176.  
 PT 54♂, 27♀, Bainyik, Papua New Guinea ..... K70689-90  
 PT 1♂, 2♀, Apangai, near Maprik, Papua New Guinea ..... K70691-2  
 PT ♂, Musgrave River, near Port Moresby, Papua New Guinea ..... K70693  
 PT ♀, Imbia, near Maprik, Papua New Guinea ..... K70694  
 PT 2♂, Embala River, near Ajeka, Popondetta subdistrict,  
 Papua New Guinea ..... K70695

## Family DROSOPHILIDAE

- Drosophila pseudotetrachaeta* Angus, 1967:37.  
 HT ♂, AT ♀, Brown River, Papua New Guinea ..... K68730-1  
*Drosophila pseudomayri* Baimai, 1970:22.  
 ST 1♂, 1♀, Bulolo, Papua New Guinea ..... K70643-4  
 Each specimen is labelled holotype.  
*Drosophila silvistriata* Bock and Baimai, 1967:20.  
 HT ♂, AT ♀, Bulolo, Papua New Guinea ..... K68670  
*Drosophila nigrilineata* Angus, 1967:32.  
 HT ♂, AT ♀, Bulolo, Papua New Guinea ..... K68728-9

- Drosophila tetrachaeta* Angus, 1964:156.  
 HT ♂, AT ♀, Bulolo, Papua New Guinea ..... K70645-6
- Drosophila szentivani* Mather and Dobzhansky, 1962:247.  
 HT ♂, Lae, Papua New Guinea ..... K70647  
 This specimen is represented by a micropin mounted in pith and labelled holotype.
- Drosophila mayri* Mather and Dobzhansky, 1962:245.  
 HT ♂, Bulolo, Papua New Guinea ..... K70648  
 The abdomen is missing from this specimen.
- Drosophila argentostriata* Bock, 1966:273.  
 HT ♂, AT ♀, Bisianumu, Papua New Guinea ..... K68625-6
- Superfamily MUSCOIDEA  
 Family MUSCIDAE  
 Subfamily MUSCINAE
- Ebenia fieldi* Rainbow, 1897:98.  
 HT ♀, Funafuti Atoll, Ellice Islands ..... K70649  
 This is a synonym of *Musca sorbens* Wiedemann (Pont, 1968:90).
- Ebenia nigricruris* Rainbow, 1897:98.  
 HT ♂, Funafuti Atoll, Ellice Islands ..... K70650  
 This is a synonym of *Musca sorbens* Wiedemann, (Pont, 1968:90).
- Degeeria dawsoni* Rainbow, 1897:97.  
 Lectotype ♂, paralectotypes 1♂, 2♀, Funafuti Atoll, Ellice Islands ..... K70651  
 This is a synonym of *Musca domestica* Linné (Pont, 1968:89).
- Subfamily COENOSIINAE
- Lispe vittata* Rainbow, 1897:97.  
 HT ♀, Funafuti Atoll, Ellice Islands ..... K70652
- Atherigona vittata* (Rainbow) (Pont, 1968:90).
- Subfamily PHAONIINAE
- Helina liepae* Pont, 1973a:185.  
 HT ♂, PT 2♂, 4♀, near Ned's Beach, Lord Howe Island ..... K70657-60  
 PT 2♀, Old Settlement, Lord Howe Island ..... K70661-2  
 PT ♀, Blinky Beach, Lord Howe Island ..... K70663
- Spilogona ferrari* Pont, 1973a:191.  
 PT 1♂, 2♀, Ball Bay, Norfolk Island ..... K70664
- Subfamily MYDAEINAE
- Papuaria asternata* Vockeroth, 1972:25.  
 PT ♀, Kunai Creek, Wau, Morobe District, Papua New Guinea ..... K70665
- Gymnopapuaria conformis* Vockeroth, 1972:35.  
 PT ♂, Aroana Estate, Aroa River, Papua New Guinea ..... K70666
- Gymnopapuaria clavipalpis* Vockeroth, 1972:38.  
 PT ♂, Imbia, near Maprik, Papua New Guinea ..... K70667  
 PT 1♂, 1♀, Mount Lamington district, Papua New Guinea ..... K70668
- Hebecnemia rufula* Vockeroth, 1972:68.  
 PT ♀, Musgrave River, near Port Moresby, Papua New Guinea ..... K70669
- Family CALLIPHORIDAE
- Calliphora neozealandica* Murray, 1954:713.  
 PT 1♂, 10♀, Orongaronga, New Zealand ..... K70670  
 PT 2♂, 5♀, Wallaceville, New Zealand ..... K70671

## Family SARCOPHAGIDAE

- Sarcophaga milleri* Johnston and Tiegs, 1922:185.  
 ST 1♂, 1♀, New Zealand (Labelled HT and AT) ..... K44352  
 This is a synonym of *Hybopygia varia* Walker (de Souza Lopes and Albuquerque, 1955:113).

- Sarcophaga howensis* Johnston and Hardy, 1923:65.  
 HT ♂, PT 2♂, Lord Howe Island ..... K70672  
*Tricholioprotia howensis* (Johnston and Hardy) (de Souza Lopes, 1954:274).

- Sarcophaga multicolor* Johnston and Tiegs, 1922:187  
 HT ♂, Rabaul, New Britain ..... K40167  
*Johnstonimyia multicolor* (Johnston and Tiegs) (de Souza Lopes, 1959:55).

## Family NYCTERIBIIDAE

- Cyclopodia planipyga* Maa, 1968:19.  
 PT 2♂, 1♀, Tanna, New Hebrides ..... K68675

## NORTH AMERICAN TYPES

## Family OTITIDAE

- Haigia nevadana* Steyskal, 1961:406.  
 PT ♂, Winnemucca, Nevada, U.S.A. ..... K70675

## Family MICROPEZIDAE

- Compsobata columbiana* Merritt and Peterson, 1976:1494.  
 PT 1♂, 1♀, 51km SW of Terrace, British Columbia, Canada ..... K70674

## Family HELEOMYZIDAE

- Borboropsis steyskali* Mathis, 1973:374.  
 PT 1♂, 1♀, H. J. Andrews Experimental Forest, near Blue River, Oregon,  
 U.S.A. ..... K70705

## AFRICAN TYPES

(MADAGASCAN SUBREGION)

## Family NYCTERIBIIDAE

- Nycteribia fryeri* Scott, 1914:217.  
 ST 1♂, 1♀, Assumption Islands, southern Indian Ocean ..... K53065  
 Labelled paratypes.

## ORIENTAL TYPES

## Family CANACEIDAE

- Trichocanace atra* Wirth, 1964:227.  
 PT 1♂, 2♀, Bangphra, Cholburi, Thailand ..... K68629-31

## LIST OF DAMAGED HARDY TYPES

## Family RHAGIONIDAE

- Austroleptis rhyphoides* G. Hardy, 1920:127.  
 PT ♂, Mount Wellington, Tas.  
 A wing is damaged, four legs and the antennae are missing from this specimen.  
 2 PT Mount Wellington, Tas.  
 The wings, part of the thorax and some legs are all that remain of each specimen.

- Atherimorpha vernalis montana* G. Hardy, 1927:125.  
 PT Mount Wellington, Tas.  
 This specimen has the abdomen missing, and has a covering of mould.  
 PT Cradle Mountain, Tas.

The wings, part of the thorax and two legs mounted on a pin are all that remain of this specimen.

*Atherimorpha montana* Hardy (Paramonov, 1962:161).

*Atherimorpha fulva* G. Hardy, 1927:126.

There is a ♂ from Zeehan, Tasmania, labelled paratype and in relatively good condition, in the collection. As this specimen was not included in the type series, it cannot be considered to be a type.

#### Family STRATIOMYIDAE

*Antisella angustifrons* G. Hardy, 1932a:47.

HT ♀, Brisbane, Qld.

A pin with the remains of the thorax, two legs and a slide with the abdomen are all that remain of the specimen.

*Lecogaster cyanea* White, 1916:79.

There is a badly damaged ♀ labelled allotype and a ♂ and a ♀, each labelled paratype, with the heads missing and traces of mould that cannot be considered as types as they were not part of the type series.

*Lecomyia cyanea* (White) (Hardy, 1932a:45).

*Lecomyia notha* G. Hardy, 1932a:46.

ST 2♂, Cleveland, Qld. (Labelled AT and PT). .... K70529

Both these specimens are badly damaged.

*Actina brevihirta* G. Hardy, 1932a:42.

ST 2♂, Brisbane, Qld.

The head is missing from each specimen.

*Actina ocinis* G. Hardy, 1932:52.

7 ST, Brisbane, Qld. (Labelled PT).

Six of these specimens are all badly damaged, the wings and thorax being intact on five specimens.

*Damaromyia clivosa* G. Hardy, 1931:128.

ST ♀, Brisbane, Qld. (Labelled HT). .... K70532

This specimen has the head missing and is in bad condition.

#### Family NEMESTRINIDAE

*Cyclopsidea hardyi* Mackerras, 1925:559.

HT ♂, Inglewood, Qld.

This specimen is represented only by the genitalia, mounted on a slide and pinned.

*Trichophthalma rufonigra* Mackerras, 1925:513.

PT ♂, Barrington Tops, N.S.W.

This specimen is represented only by the genitalia, mounted on a slide and pinned.

#### Family ASILIDAE

*Clinopogon maritima* G. Hardy, 1934a:511.

ST 2♂, Southport, Qld. (Labelled HT and AT).

Both these specimens are represented by the genitalia, mounted on a slide and pinned.

*Nerterhaptomenus morus* G. Hardy, 1934a:523.

4 ST, Brisbane, Qld. (Labelled HT and PT).

Each of these specimens is represented by a poorly made slide of various parts of the specimen. Nothing otherwise remains of the specimens except for one pin with the remains of the hind legs and abdomen.

*Leptogaster occidentalis* White, 1914:267.

HT ♂, Perth, W.A.

This specimen is glued to a card. The wings, part of the abdomen including the genitalia and parts of the legs remain.

#### Family APIOCERIDAE

*Apiocera maritima* G. Hardy, 1933:416.

ST 1 ♂, 1 ♀, Southport, Qld. (Labelled PT).

These specimens are represented by the genitalia, mounted on a slide and pinned.

#### Family EMPIDIDAE

*Empis tibialis* G. Hardy, 1934b:178.

ST 2 ♂, Cradle Mountain, Tas. (Labelled PT).

Two legs, a wing and part of the thorax are the only remains of one specimen. The other specimen has the abdomen and three legs missing.

*Empis tenuirostris* Thomson, 1868:473.

There are eight pins labelled as paratypes of this species from Blackheath, N.S.W. Five specimens are completely destroyed, two have the remains of the thorax, a wing and some legs, whilst the remaining specimen is in relatively good condition. Hardy (1934b:177) designated these specimens as types, but as they were not from the type series, they can have no status as types.

#### Family DOLICHOPODIDAE

*Heterospilosus squamifer* G. Hardy, 1958:295.

5 ST, Katoomba, N.S.W. (Labelled PT).

All specimens have extensive areas of damage.

#### Family CALLIPHORIDAE

*Calliphora canimicans* G. Hardy, 1930:447.

ST 38 ♂, Brisbane, Qld. (Labelled HT and PT).

Most of these specimens are represented only by the genitalia, mounted on a slide and pinned. Six specimens remain on the pins, but these are all badly damaged.

*Calliphora fulvicoxa* G. Hardy, 1930:445.

ST ♂, Brisbane, Qld. (Labelled PT).

This specimen is badly damaged.

*Calliphora perida* G. Hardy, 1937:22.

ST 12 ♂, Brisbane, Qld. (Labelled HT and PT).

These specimens are represented by the genitalia, mounted on a slide and pinned. Two badly damaged specimens remain on the pins.

*Calliphora bezzii* G. Hardy, 1932c:551.

ST 11 ♂, Seaford, Vic. (Labelled PT)

One specimen has a wing missing, another has the head missing. The remaining specimens are represented by the genitalia mounted on a slide and pinned

*Pollenia flindersi* G. Hardy, 1932b:338.

ST 3 ♂, Flinders, Vic. (Labelled HT and PT). .... K68566

These specimens are represented by three pins, each with genitalia, mounted on a slide, one pin bearing the thorax and a wing of the specimen.

*Pollenia calamisessa* G. Hardy, 1932b:340.

ST ♂, Brisbane, Qld. .... K68567

This specimen is represented by a pin with genitalia, mounted on a slide, nothing otherwise remaining of the specimen.

#### Family SARCOPHAGIDAE

*Sarcophaga kohla* Johnston and Hardy, 1923a:113.

There is, in the collection, the remains of a specimen labelled allotype from Great Palm Island, Qld. As this specimen was not included in the type series it has no status as a type. Only the empty pupal case remains.

*Parasarcophaga kolha* (Johnston and Hardy) (de Souza Lopes, 1959:62).

*Sarcophaga karnyi* G. Hardy, 1927a:454.

PT 1♂, 1♀, Buitenzorg, Java

Only the empty pupal cases remain of these specimens.

*Boettcherisca karnyi* (Hardy) (de Souza Lopes, 1958a:32).

*Sarcophaga antilopoides* G. Hardy, 1927a:448.

13 PT, Buitenzorg, Java

Only the wings, part of the thorax and some legs remain of one specimen. The remainder are represented only by empty pupal cases.

#### Family TACHINIDAE

*Zosteromyia longicornis* G. Hardy, 1934:36.

Paralectotype ♂, Mount Glorious, Brisbane, Qld.

This specimen is badly damaged.

This is a synonym of *Zosteromeigenia mima* Townsend (Crosskey, 1973a:141).

*Zosteromyia morgani* G. Hardy, 1934:37.

Paralectotype ♂, Binniguy, N.S.W.

The remains of a wing and a pupal case are all that remain of this specimen.

*Medinodexia morgani* (Hardy) (Crosskey, 1973a:140).

*Tritaxys heterocera* (Macquart), 1844:153.

There is in the collection, the remains of a specimen of this species labelled paratype from Melbourne, Victoria, and designated by G. Hardy (1938a:62). As this specimen was not included in the type series, it has no status as a type. The specimen is represented by a pin with genitalia mounted on a slide, nothing otherwise remaining of the specimen.

#### ACKNOWLEDGEMENTS

I am indebted to Dr. D. K. McAlpine, Australian Museum, for considerable assistance given in the preparation of this catalogue. I would also like to thank Dr. R. W. Crosskey, Prof. D. E. Hardy and Dr. K. A. Spencer for their assistance with various taxonomic problems.

#### REFERENCES

- Alexander, C. P., 1923. New or little-known Tipulidae (Diptera). — XVIII. Australasian species. *Ann. Mag. nat. Hist.* (9) 12:376-393.
- 1924. New or little-known Tipulidae (Diptera). — XX. Australasian species. *Ann. Mag. nat. Hist.* (9) 13: 177-194.
- 1924a. New or little-known Tipulidae (Diptera). — XXI. Australasian species. *Ann. Mag. nat. Hist.* (9) 13:359-380.
- 1924b. New or little-known Tipulidae (Diptera). — XXII. Australasian species. *Ann. Mag. nat. Hist.* (9) 13: 499-523.

- Angus, D. S., 1964. *D. tetrachaeta*: a new species of *Drosophila* from New Guinea. *Pap. Dep. Zool. Univ. Qd* 2: 155-159.
- 1967. Additions to the *Drosophila* fauna of New Guinea. *Pap. Dep. Zool. Univ. Qd* 3: 31-42.
- Ayala, F. J., 1965. Sibling species of the *Drosophila serrata* group. *Evolution*, N.Y. 19: 538-545.
- Baimai, V., 1970. *Drosophila pseudomayri*, a new species from New Guinea (Diptera: Drosophilidae). *Pacif. Insects* 12: 21-23.
- Bezzi, M., 1923. Note on the Australian genus *Tapeigaster* Macq. (Diptera) with descriptions of new species. *Aust. Zool.* 3: 72-78.
- 1923a. Fissicorn Tachinidae, with description of new forms from Australia and South America. *Proc. Linn. Soc. N.S.W.* 48: 647-659, 8 text figs.
- 1923b. A new genus of Dolichopodidae (Diptera) from Australia. *Aust. Zool.* 3: 179-182.
- 1923c. On the Australian Lonchaeidae (Diptera.) *Aust. Zool.* 3: 183-185.
- Bock, I. R., 1966. *D. argentostriata*: a new species of *Drosophila* from New Guinea. *Pap. Dep. Zool. Univ. Qd* 2: 271-276.
- 1976. Drosophilidae of Australia. I. *Drosophila* (Insecta: Drptera). *Aust. J. Zool. Suppl.* 40, 105 pp, 109 figs.
- Bock, I. R., and Baimai, V., 1967. *D. silvistriata*: a new species of *Drosophila* from New Guinea. *Pap. Dep. Zool. Univ. Qd* 3: 19-25.
- Brunetti, E., 1926. New and little-known Cyrtidae (Diptera). *Ann. Mag. nat. Hist.* (9) 18: 561-606.
- Cogan, B. H., and Wirth, W. W., 1969. The shore flies of the genus *Stratiothyrea* de Meijere (Diptera: Ephydriidae). *Proc. R. ent. Soc. Lond.* (B) 38: 174-178.
- Colless, D. H., 1962. A new Australian genus and family of Diptera (Nematocera: Perissommatidae). *Aust. J. Zool.* 10: 519-535, 4 figs.
- 1964. An Australian species of *Microphorella* (Diptera: Empididae), with notes on the phylogenetic significance of the genus. *Proc. Linn. Soc. N.S.W.* 88: 320-323, 1 fig.
- Colless, D. H., and McAlpine, D. K., 1970. Diptera (Flies). In CSIRO, "The insects of Australia" (Melbourne University Press). Chapter 34.
- Crosskey, R. W., 1964. A new genus and species of Australian Tachinidae (Diptera) parasitic on the sawfly *Zenarge turneri* Rohwer (Hymenoptera: Argidae). *J. ent. Soc. Qd* 3: 18-22.
- 1967. Two new genera and species of eryciine Tachinidae (Diptera) from Australia. *J. Aust. ent. Soc.* 6: 27-35, 7 figs.
- 1973. A revisionary classification of the Rutiliini (Diptera: Tachinidae), with keys to the described species. *Bull. Br. Mus. nat. Hist. (Ent.). Suppl.* 19: 1-167.
- 1973a. A conspectus of the Tachinidae (Diptera) of Australia, including keys to the supraspecific taxa and taxonomic and host catalogues. *Bull. Br. Mus. nat. Hist. (Ent.). Suppl.* 21: 1-221, 95 text figs.
- Curran, C. H., 1930. Four new Diptera from Australia. *Am. Mus. Novit.* No. 422: 1-4.
- Daniels, G., 1975. A new species of *Broticosia* Hull (Diptera: Asilidae) from eastern Australia. *J. Aust. ent. Soc.* 14: 185-187, 7 figs.
- 1975a. A new genus and species of Asilidae (Diptera). *J. Aust. ent. Soc.* 14: 189-191, 7 figs.
- 1976. Three new species of *Questopogon* Dakin and Fordham (Diptera: Asilidae) from Australia. *Proc. Linn. Soc. N.S.W.* 100: 223-230.

- 1977. The Xylomyidae (Diptera) of Australia and Papua New Guinea. *J. Aust. ent. Soc.* 15: 453-460, 17 figs.
- Dobrotworsky, N. V., 1968. The Tipulidae (Diptera) of Australia I. A review of the genera of the subfamily Tipulinae. *Aust. J. Zool.* 16: 459-494.
- 1968a. The Tipulidae (Diptera) of Australia II. The genus *Clytocosmus* Skuse. *Aust. J. Zool.* 16: 495-510.
- 1971. The Tipulidae (Diptera) of Australia IV. The genus *Platyphasia* Skuse. *Aust. J. Zool. Suppl.* 5: 1-20.
- 1971a. The Tipulidae (Diptera) of Australia V. The genus *Ischnotoma* Skuse. *Aust. J. Zool. Suppl.* 5: 21-45.
- 1974. The Tipulidae (Diptera) of Australia VIII. The genus *Leptotarsus* Guérin; the subgenus *Phymatopsis* Skuse. *Aust. J. Zool. Suppl.* 25: 1-14.
- 1974a. The Tipulidae (Diptera) of Australia IX. The genus *Leptotarsus* Guérin: the subgenus *Habromastix* Skuse. *Aust. J. Zool. Suppl.* 25: 15-30.
- 1974b. The Tipulidae (Diptera) of Australia X. The genus *Leptotarsus* Guérin: the subgenus *Macromastix* Osten-Sacken. *Aust. J. Zool. Suppl.* 25: 31-62.
- 1974c. The Tipulidae (Diptera) of Australia XII. The genus *Dolichopeza* Curtis. *Aust. J. Zool. Suppl.* 32: 1-27.
- Dobzhansky, T., and Mather, W. B., 1961. The evolutionary status of *Drosophila serrata*. *Evolution, N.Y.* 15: 461-467.
- Enderlein, G., 1925. Studien an blutsaugenden insekten. I. Grundlagen eines neuen systems der Tabaniden. *Mitt. zool. Mus. Berl.* 11: 253-409.
- 1936. Klassification der Rutiliinen. *Veröff. dt. Kolon.-u. Übersee-Mus. Bremen* 1: 397-446.
- Ferguson, E. W., 1915. Descriptions of new Australian blood-sucking flies belonging to the family Leptidae. *J. Proc. R. Soc. N.S.W.* 49: 233-43, pl. 26.
- 1921. New Australian Tabanidae, with notes on previously described species. *Proc. R. Soc. Vict.* 33: 1-29, pls 1 and 2.
- 1926. Additional notes on the nomenclature of Australian Tabanidae. *Bull. ent. Res.* 16: 293-306.
- 1926a. Revision of Australian Syrphidae (Diptera). Part i. *Proc. Linn. Soc. N.S.W.* 51: 137-183, pl. 14.
- 1926b. Revision of Australian Syrphidae (Diptera). Part ii, with a supplement to part i. *Proc. Linn. Soc. N.S.W.* 51: 517-544, 16 text figs.
- Ferguson, E. W., and Henry, M., 1920. Tabanidae from Camden Haven district, New South Wales, with descriptions of new species. *Proc. Linn. Soc. N.S.W.* 44: 828-849, pl. 46.
- Ferguson, E. W., and Hill, G. F., 1920. Notes on Australian Tabanidae. *Proc. Linn. Soc. N.S.W.* 45: 460-467.
- 1922. Notes on Australian Tabanidae. Part ii. *Proc. Linn. Soc. N.S.W.* 47: 245-265.
- Hall, J. C., 1969. A review of the subfamily Cyleniinae with a world revision of the genus *Thevenemyia* Bigot (*Eclimus* auct.) (Diptera: Bombyliidae). *Univ. Calif. Pubs Ent.* 56: 1-85.
- Hardy, D. E., 1950. A new *Dacus* from Australia (Diptera: Tephritidae). *Proc. Hawaii. ent. Soc.* 14: 87-89.
- 1951. The Krauss collection of Australian fruit flies (Tephritidae-Diptera). *Pacif. Sci.* 5: 115-189. 32 figs.

- 1954. Notes and descriptions on Australian fruit flies (Diptera: Tephritidae). *Proc. Hawaii. ent. Soc.* 15: 327-333.
- 1967. Studies of fruitflies associated with mistletoe in Australia and Pakistan with notes and descriptions on genera related to *Perilampsis* Bezz. *Beitr. Ent.* 17: 127-149.
- Hardy, G. H. H., 1916. Notes on Tasmanian Diptera and descriptions of new species, etc. *Pap. Proc. R. Soc. Tasm.* 1916: 267-272.
- 1918. Notes on Tasmanian Diptera and description of new species. *Pap. Proc. R. Soc. Tasm.* 1917: 60-66.
- 1920. Australian Rhypidae and Leptidae (Diptera). *Pap. Proc. R. Soc. Tasm.* 1919: 117-129, pl. 27.
- 1920a. Notes on flies of the genus *Pelecorhynchus* (Tabanidae). *Rec. Aust. Mus.* 13: 33-39, pl. 9.
- 1920b. Descriptions of Australian flies of the family Asilidae (Diptera) with synonyms and notes. *Proc. Linn. Soc. N.S.W.* 45: 185-202.
- 1920c. On the male genitalia of some robberflies belonging to the subfamily Asilinae (Diptera). *Proc. Linn. Soc. N.S.W.* 45: 250-259.
- 1920d. Australian Stratiomyidae. *Pap. Proc. R. Soc. Tasm.* 1920: 33-64, pl. 8.
- 1921. Notes on some Australian Syrphidae (Diptera). *Aust. Zool.* 2: 12-18, pl. 1.
- 1921a. A Revision of the Chiromyzini (Diptera). *Proc. Linn. Soc. N.S.W.* 45: 532-542, pls 29-30.
- 1921b. Australian Bombyliidae and Cyrtidae (Diptera). *Pap. Proc. R. Soc. Tasm.* 1921: 41-83, pls 16-17.
- 1921c. A preliminary revision of some genera belonging to the Diptera Brachycera of Australia. *Proc. Linn. Soc. N.S.W.* 46: 285-300, 16 text figs.
- 1922. Descriptions of some Australian flies belonging to the Diptera Brachycera. *Rec. Aust. Mus.* 13: 193-197, pl. 36.
- 1922a. A description of *Heterometopia argentea* Macquart (Diptera Dexiidae). *Rec. Aust. Mus.* 13: 198-200, pl. 37.
- 1926. A reclassification of Australian robberflies of the *Cerdistus-Neoitamus* complex (Diptera-Asilidae). *Proc. Linn. Soc. N.S.W.* 51: 643-657, 7 text figs.
- 1927. Notes on Tasmanian flies of the genus *Atherimorpha*. *Proc. R. Soc. Qd* 38: 123-126.
- 1927a. Notes on Australian and exotic sarcophagid flies. *Proc. Linn. Soc. N.S.W.* 52: 447-459, 11 text figs.
- 1930. The Queensland species of *Calliphora* subgenus *Neopollenia*. *Bull. ent. Res.* 21: 441-448.
- 1931. On the genus *Damaromyia*, Kertesz (Stratiomyidae). *Ann. Mag. nat. Hist.* (10) 8: 120-128.
- 1932. Australian flies of the genus *Actina* (Stratiomyidae). *Proc. R. Soc. Qd* 43: 50-55.
- 1932a. Notes on Australian Stratiomyidae. *Proc. R. Soc. Qd* 44: 41-49.
- 1932b. Two new Australian species of *Pollenia*. *Proc. Linn. Soc. N.S.W.* 57: 338-340.
- 1932c. Some Australian species of *Calliphora* (subgenera *Neopollenia* and *Proekon*). *Bull. ent. Res.* 23: 549-558.
- 1933. Miscellaneous notes on Australian Diptera. I. *Proc. Linn. Soc. N.S.W.* 58: 408-420.
- 1934. Notes on Australian Muscoidea (Calyprata). *Proc. R. Soc. Qd* 45: 30-37.
- 1934a. The Asilidae of Australia. — Part 1. *Ann. Mag. nat. Hist.* (10) 13: 498-525.

- 1934b. Miscellaneous notes on Australian Diptera. II. *Proc. Linn. Soc. N.S.W.* 59: 173-178.
- 1935. The Asilidae of Australia. — Part III. *Ann. Mag. nat. Hist.* (10) 16: 161-187.
- 1935a. The Asilidae of Australia. — Part IV. *Ann. Mag. nat. Hist.* (10) 16: 405-426.
- 1937. Notes on genus *Calliphora* (Diptera). Classification, synonymy, distribution and phylogeny. *Proc. Linn. Soc. N.S.W.* 62: 17-26.
- 1938. Miscellaneous notes on Australian Diptera. IV. Genus *Odontomyia* (Stratiomyiidae). *Proc. Linn. Soc. N.S.W.* 63: 70-74.
- 1938a. Notes on Australian Muscoidea III. Dexiinae, Phasiinae, some Tachininae and appendix. *Proc. R. Soc. Qd* 49: 53-70.
- 1939. Notes on Australian Muscoidea IV. The genus *Microtropoza* and some Phaoniinae. *Proc. R. Soc. Qd* 50: 33-39.
- 1945. A new *Ceroides* with folding wings (Diptera-Syrphidae). *Proc. R. Soc. Qd* 56: 81-84.
- 1955. The Diptera of Katoomba. Part I. — Therevidae. *Proc. Linn. Soc. N.S.W.* 80: 177-179, figs 1-4.
- 1958. The Diptera of Katoomba. Part 2. Leptidae and Dolichopodidae. *Proc. Linn. Soc. N.S.W.* 83: 291-302, 9 figs.
- Harrison, R. A., 1959. Acalyptrate Diptera of New Zealand. *Bull. N.Z. Dep. scient industr Res.* 128: i-vii, 1-382, 438 figs.
- 1966. Australian glow-worms of the genus *Arachnocampa* Edwards (Diptera: Mycetophilidae). *Pacif. Insects* 8: 877-883.
- Henry, M., 1927. Investigations into onchocerciasis in New South Wales. II. Final report of the special committee. *Rep. Dir. publ. Hlth N.S.W.* 1925, pp. 195-200.
- Hering, E.M., 1951. Ein neuer Sellerie-Feind, *Melanagromyza apii* sp.n. (Dipt. Agromyz.). *Ann. Mag. nat. Hist.* (12) 4: 736-745.
- 1962. Galls of Agromyzidae (Dipt.) on *Pittosporum undulatum* Andr. *Proc. Linn. Soc. N.S.W.* 87: 84-91, pl. 2.
- Hull, F. M., 1956. Some new species of *Bathypogon* (Diptera: Asilidae). *Ent. News* 67: 93-98.
- 1956a. Some Asilidae (Diptera). *Ent. News* 67: 131-135.
- 1962. Robberflies of the world; the genera of the family Asilidae. *Bull. U.S. natn. Mus.* 224, 2 parts, 907 pp.
- 1973. Bee flies of the world. The genera of the family Bombyliidae. *Bull. U.S. nat. Mus.* 286, 687 pp.
- International code of zoological nomenclature adopted by the XV International Congress of Zoology. 176 pp. London, 1961.
- James, M. T., 1951. A new species of *Solva* (Diptera: Erinnidae) from Guadalcanal Island. *Wasmann J. Biol.* 9: 149-150.
- Johnston, T. H., and Bancroft, M. J., 1920. Notes on the biology of some Queensland flies. *Mem. Qd Mus.* 7: 31-43.
- Johnston, T. H., and Hardy, G. H. H., 1923. Some sarcophagid flies from Lord Howe Island. *Rec. Aust. Mus.* 14: 62-71.
- 1923a. A revision of the Australian Diptera belonging to the genus *Sarcophaga*. *Proc. Linn. Soc. N.S.W.* 48: 94-129.
- Johnston, T. H., and Tiegs, O. W., 1921. New and little-known sarcophagid flies from south-eastern Queensland. *Proc. R. Soc. Qd.* 33: 46-90.

- 1922. Sarcophagid flies in the Australian Museum collection. *Rec. Aust. Mus.* 13: 175-190, pl. 35.
- 1922a. New and known Australian sarcophagid flies. *Proc. R. Soc. Qd.* 34: 181-190.
- Kelsey, L. P., 1969. A revision of the Scenopinidae (Diptera) of the world. *Bull. U.S. natn. Mus.* 277, 336 pp.
- 1970. The Scenopinidae (Diptera) of Australia; including the descriptions of one new genus and six new species. *J. Aust. ent. Soc.* 9: 103-148, 31 figs.
- Latreille, P. A., 1811. In Olivier, A.G.: *Encyclopédie Méthodique. Histoire Naturelle. Insectes.* 8; 722 pp.
- Maa, T.C., 1962. Notes on the Hippoboscidae (Diptera), 1. *Pacif. Insects* 4: 583-614.
- 1965. An interim world list of batflies. *J. med. Ent.* 1: 377-386.
- 1968. Additions to the Cyclopodiinae. Part I, *Pacif. Insects* 10: 1-23.
- 1971. Revision of the Australian batflies (Diptera: Streblidae and Nycteribiidae). *Pacif. Insects Monogr.* 28: 1-118.
- McAlpine, D. K., 1960. A review of the Australian species of Clusiidae (Diptera, Acalyptrata). *Rec. Aust. Mus.* 25: 63-94.
- 1964. A new genus and species of Pallopteridae (Diptera, Schizophora) from Papua. *Proc. Linn. Soc. N.S.W.* 89: 218-220.
- 1966. Description and biology of an Australian species of Cypselosomatidae (Diptera), with a discussion of family relationships. *Aust. J. Zool.* 14: 673-685.
- 1967. The Australian species of *Diplogeomyza* and allied genera (Diptera, Heleomyzidae). *Proc. Linn. Soc. N.S.W.* 92: 74-106, 30 text figs.
- 1968. The genus *Cairnsimyia* Malloch (Diptera, Heleomyzidae, Rhinotorini). *Rec. Aust. Mus.* 27: 263-283.
- 1973. The Australian Platystomatidae (Diptera, Schizophora) with a revision of five genera. *Mem. Aust. Mus.* 15: 256 pp.
- 1975. The subfamily classification of the Micropezidae and the genera of Eurybatinae (Diptera: Schizophora). *J. Ent. (B).* 43: 231-245, 8 figs.
- 1976. A new genus of flies possibly referable to Cryptochetidae (Diptera, Schizophora). *Aust. ent. Mag.* 3: 45-56.
- McAlpine, J. F., 1964. Descriptions of new Lonchaeidae (Diptera). I. *Can. Ent.* 96: 661-700.
- 1964a. Descriptions of new Lonchaeidae (Diptera) II. *Can. Ent.* 96: 701-757.
- 1975. Identities of lance flies (Diptera: Lonchaeidae) described by de Meijere, with notes on related species. *Can. Ent.* 107: 989-1007, 57 figs.
- Mackerras, I. M., 1925. The Nemestrinidae (Diptera) of the Australasian region. *Proc. Linn. Soc. N.S.W.* 50: 489-561, pl. 50.
- 1955. The classification and distribution of Tabanidae (Diptera) II. History: Morphology: Classification: Subfamily Pangoniinae. *Aust. J. Zool.* 3: 439-511, 39 figs.
- 1955a. The classification and distribution of Tabanidae (Diptera) III. Subfamilies Scepsidinae and Chrysopinae. *Aust. J. Zool.* 3: 583-633, 26 figs.
- 1956. The Tabanidae (Diptera) of Australia II. Subfamily Pangoniinae, tribe Pangoniini. *Aust. J. Zool.* 4: 408-443, pl. I, text figs. 1-9.

- 1959. An annotated catalogue of described Australian Tabaninae (Diptera, Tabanidae). *Proc. Linn. Soc. N.S.W.* 84: 160-185.
- 1960. The Tabanidae (Diptera) of Australia III. Subfamily Pangoniinae, tribe Scionini and supplement to Pangoniini. *Aust. J. Zool.* 8:1-152, pls. 1-4. 185 text figs.
- Mackerras, I. M., and Mackerras, M. J., 1949. Revisional notes on Australasian Simuliidae (Diptera). *Proc. Linn. Soc. N.S.W.* 73: 372-405, 20 text figs.
- Macquart, J., 1844. Diptères exotiques nouveaux ou peu connus. Supplément. *Mem. Soc. Sci. Agric.* Lille 133-366 (5-238), 20 pls.
- 1846. Diptères exotiques nouveaux ou peu connus. 2.e Supplément. *Mem. Soc. Sci. Agric.* Lille 21-120 (5-104), 6 pls.
- Malloch, J. R., 1923. Exotic Muscaridae (Diptera). — IX. *Ann. Mag. nat. Hist.* (11) 9: 664-675.
- 1923a. Notes on Australian Diptera with descriptions. *Proc. Linn. Soc. N.S.W.* 48: 601-622.
- 1924. Exotic Muscaridae (Diptera). — XII. *Ann. Mag. nat. Hist.* (13) 9: 409-424.
- 1924a. A new bombyliid fly from New South Wales. *Aust. Zool.* 3: 205.
- 1924b. Notes on Australian Diptera. No. ii. *Proc. Linn. Soc. N.S.W.* 49: 138-146.
- 1924c. Notes on Australian Diptera. No. iii. *Proc. Linn. Soc. N.S.W.* 49: 329-338.
- 1924d. Notes on Australian Diptera. No. iv. *Proc. Linn. Soc. N.S.W.* 49: 348-359.
- 1925. Notes on Australian Diptera with descriptions of thirteen new species. *Aust. Zool.* 3: 322-338.
- 1929. Notes on Australian Diptera. No. xix. *Proc. Linn. Soc. N.S.W.* 54: 107-117.
- 1929a. Notes on Australian Diptera. XX. *Proc. Linn. Soc. N.S.W.* 54: 283-343.
- 1929b. Notes on Australian Diptera. XXII. *Proc. Linn. Soc. N.S.W.* 54: 505-516.
- 1930. Notes on Australian Diptera. XXIV. *Proc. Linn. Soc. N.S.W.* 55: 303-353.
- 1930a. Notes on Australian Diptera. XXV. *Proc. Linn. Soc. N.S.W.* 55: 429-450.
- 1931. Notes on Australian Diptera. XXIX. *Proc. Linn. Soc. N.S.W.* 56: 292-298.
- 1933. Notes on Australian Diptera. XXXIII. *Proc. Linn. Soc. N.S.W.* 58: 74-79.
- 1939. The Diptera of the Territory of New Guinea. VII. Family Otitidae (Ortalidae). *Proc. Linn. Soc. N.S.W.* 64: 97-154, pls 4 and 5.
- 1940. Notes on Australian Diptera. XXXVIII. Family Chloropidae, part ii. *Proc. Linn. Soc. N.S.W.* 65: 261-288.
- Mann, J. S., 1929. Revisional notes on Australian Therevidae. Part 2. *Aust. Zool.* 6: 17-49.
- 1933. Revisional notes on Australian Therevidae. Part 3. *Aust. Zool.* 7: 325-344.
- Mather, W. B., 1955. The genus *Drosophila* (Diptera) in eastern Queensland I. Taxonomy. *Aust. J. Zool.* 3: 545-582, 8 tables, 12 text figs.
- 1956. The genus *Drosophila* (Diptera) in eastern Queensland II. Seasonal changes in a natural population 1952-1953. *Aust. J. Zool.* 4: 65-75.
- 1957. Genetic relationships of four *Drosophila* species from Australia (Diptera: Drosophilidae). *Univ. Tex. Publs* No. 5721, pp. 221-225.
- Mather, W. B., and Dobzhansky, Y., 1962. Two new species of *Drosophila* from New Guinea (Diptera: Drosophilidae). *Pacif. Insects* 4: 245-249.

- Mathis, W. N., 1973. A review of the genus *Borboropsis* (Diptera: Heleomyzidae). *Pan-Pacif. Ent.* 49: 373-377, 1 fig.
- May, A. W. S., 1965. New species and records of Dacinae (Diptera: Trypetidae) from northern Australia. *J. ent. Soc. Qd.* 4: 58-66, 12 figs.
- Mayr, E., Linsley, E. G., and Usinger, R. L., 1953. Methods and principles of systematic zoology. McGraw-Hill Book Co., New York, pp. i-ix, 1-328.
- Merritt, R. W., and Peterson, B. V., 1976. A synopsis of the Micropezidæ (Diptera) of Canada and Alaska, with descriptions of four new species. *Can. J. Zool.* 54: 1488-1506.
- Murray, M. D., 1954. *Calliphora neozealandica* sp. nov., a new blowfly from New Zealand. *Trans. R. Soc. N.Z.* 82: 713-720.
- Musgrave, A., 1925. Australian Nycteribiidae. *Rec. Aust. Mus.* 14: 289-300, pls. 44 and 45.
- 1927. Some new Australian Nycteribiidae (Diptera Pupipara). *Rec. Aust. Mus.* 15: 263-276, pls. 22 and 23.
- Nagatomi, A., and Yukawa, J., 1968. The genus *Inopus* (=*Metoponia*, *Altermetoponia*) (Diptera: Stratiomyidae). *Pacif. Insects* 10: 521-528.
- Paramonov, S. J., 1950. A review of the Australian Mydaidae (Diptera). *Bull. Commonw. Scient. ind. Res. Org.* No. 255, 32 pp.
- 1950a. Notes on Australian Diptera (I-V.). A review of Australian species of the genus *Antonia* (Bombyliidae). *Ann. Mag. nat. Hist.* (12) 3: 515-534.
- 1951. Notes on Australian Diptera (VI-VIII). VI. A review of the genus *Dociomyia* White (Bombyliidae). *Ann. Mag. nat. Hist.* (12) 4: 745-779.
- 1953. A review of Australian Nemestrinidae (Diptera). *Aust. J. Zool.* 1: 242-290, 5 text figs.
- 1956. A review of the Australian species of *Cylindromyia* Meigen and *Saralba* Walker (Tachinidae: Diptera). *Aust. J. Zool.* 4: 358-375, 2 figs.
- 1957. A review of Australian Acroceridae (Diptera). *Aust. J. Zool.* 5: 521-546.
- 1958. A review of Australian Pygotidae (Diptera). *Aust. J. Zool.* 6: 89-137, pls. 1 and 2, 17 text figs.
- 1962. A review of Australian Leptidae (Diptera). *Aust. J. Zool.* 10: 113-169, 1 text fig.
- 1968. A review of the tribe *Rutiliini* (Diptera: Tachinidae) I. Genera other than *Rutilia* Robineau-Desvoidy and *Formosia* Guérin-Méneville. *Aust. J. Zool.* 16: 349-404.
- Pont, A. C., 1968. The Diptera described by W. J. Rainbow from Funafuti Atoll, Ellice Islands. *Proc. R. ent. Soc. Lond.* (B) 37: 89-90.
- 1969. Studies on Australian Muscidae (Diptera) II. A revision of the tribe Dichaetomyiini Emden. *Bull. Br. Mus. nat. Hist. (Ent.)* 23: 193-286, 105 text figs.
- 1969a. Studies on Australian Musicidae (Diptera) III. A revision of the genera with a facial carina. *Aust. J. Zool.* 17: 919-960, 70 text figs.
- 1972. Australasian *Pectiniseta* Stein, with notes on the genus (Diptera, Muscidae). *Rec. Aust. Mus.* 28: 141-160, 32 text figs.
- 1973. Studies on Australian Muscidae (Diptera). IV. A revision of the subfamilies of Muscinae and Stomoxyinae. *Aust. J. Zool. Suppl.* 21: 129-296, 171 text figs.
- 1973a. Studies on Australian Muscidae (Diptera). V. Muscidae and Anthomyiidae from Lord Howe Island and Norfolk Island. *J. Aust. ent. Soc.* 12: 175-194, 18 figs.
- Rainbow, W. J., 1897. The atoll of Funafuti, Ellice Group: Its zoology, botany, ethnology, and general

- structure, based on collections made by Mr. Charles Hedley, of The Australian Museum, Sydney, N.S.W., IV. The insect fauna. *Mem. Aust. Mus.* 3: 89-102, pl. 1.
- Ricardo, G., 1910. A revision of the genus *Pelecorhynchus* of the family Tabanidae. *Ann. Mag. nat. Hist.* (8) 5: 402-409.
- 1915. Notes on the Tabanidae of the Australian region. *Ann. Mag. nat. Hist.* (8) 16: 16-40.
- 1917. New species of Tabanidae from Australia and the Fiji Islands. *Ann. Mag. nat. Hist.* (8) 19: 207-224.
- 1918. Further notes on the Asilidae of Australia. *Ann. Mag. nat. Hist.* (9) 1: 57-66.
- Richards, O. W., 1973. The Sphaerocoridae (=Borboridae or Cypselidae; Diptera, Cyclorrhapha) of the Australian region. *Aust. J. Zool. Suppl.* 22: 297-401.
- Riek, E. F., 1954. The Australian syrphid flies of the subfamily Ceriodinae (Diptera:Syrphidae): Systematics and wing folding. *Aust. J. Zool.* 2: 100-130, pls. 1-2.
- Roberts, F. H. S., 1929. A revision of the Australian Bombyliidae (Diptera). III. *Proc. Linn. Soc. N.S.W.* 54: 553-583.
- Satchell, G. H., 1953. The Australian Psychodidae (Diptera), part I. *Aust. J. Zool.* 1: 357-418, 31 text figs.
- Scott, H., 1914. On some Oriental Nycteribiidae. *Ann. Mag. Nat. Hist.* (8) 14: 209-235, pls. 10-12.
- Skuse, F. A. A., 1890. Diptera of Australia. Part VII. — The Tipulidae brevipalpi. *Proc. Linn. Soc. N.S.W.* 4: 757-892, pls. 21-24.
- 1890a. Diptera of Australia. Part VIII. — The Tipulidae longipalpi. *Proc. Linn. Soc. N.S.W.* 5: 53-139, pls. 4-6.
- 1890b. Diptera of Australia. Nematocera. — Supplement I. *Proc. Linn. Soc. N.S.W.* 5: 373-412, pl. 16.
- 1890c. Diptera of Australia. Nematocera. — Supplement II. *Proc. Linn. Soc. N.S.W.* 5: 595-640, pl. 19.
- Smart, J., 1945. The classification of the Simuliidae (Diptera). *Trans. R. ent. Soc. Lond.* 95: 463-528.
- Smith, K. G. V., 1960. A new species of *Asymphyloptera* Collin (Dipt., Empididae, Clinocerinae) from Australia. *Entomologist's mon. Mag.* 96: 245.
- de Souza Lopes, H., 1954. Contribution to the knowledge of the Australian sarcophagid flies belonging to the genus "Tricholioproctia" Baranov, 1938 (Diptera). *Anais Acad. bras. Ciênc.* 26: 235-276.
- 1958. A remarkable new genus of Sarcophagidae from Australia (Diptera). *Studia ent.* 1: 545-552.
- 1958a. Sarcophagidae. *Insects Micronesia.* 13 (2): 15-49.
- 1959. A revision of Australian Sarcophagidae (Diptera). *Studia ent.* 2: 33-67.
- 1967. Some Sarcophagidae (Diptera) from the Bismarck Islands and the Philippines. *Ent. Meddr.* 35: 143-176.
- de Souza Lopes, H., and de O. Albuquerque, D., 1955. Los insectos de las islas Juan Fernández 22. Calliphoridae et Sarcophagidae (Diptera). *Revta chil., Ent.* 4: 95-119.
- Speiser, P. G. E., 1900. Übersicht der Dipterengattung *Cyclopodia* Kol. *Ent. Nachr.* 26: 289-293.
- Spencer, K. A., 1963. The Australian Agromyzidae. *Rec. Aust. Mus.* 25: 305-354.

- Steyskal, G. C., 1961. The genera of Platystomatidae and Otitidae known to occur in America north of Mexico (Diptera, Acalyptratae). *Ann. ent. Soc. Am.* 54: 401-410.
- 1965. Notes on types of some species described in *Sciomyza* and *Tetanocera* by Loew, Walker and van der Wulp (Diptera: Sciomyzidae, Muscidae, Neriidae, Pyrgotidae). *Studia ent.* 8: 445-448.
- Taylor, F. H., 1917. Australian Tabanidae (Diptera). No. ii. *Proc. Linn. Soc. N.S.W.* 41: 746-762.
- 1918. Studies in Australian Tabanidae. *Rec. Aust. Mus.* 12: 53-70.
- 1919. Contributions to a knowledge of Australian Culicidae. No. iv. *Proc. Linn. Soc. N.S.W.* 43: 826-843, pls. 80-83.
- Thomson, C. G., 1868. Kongliga Svenska fregatten Eugenies Resa omkring jorden under befäl af C. A. Virgin aren 1851-1853. Vol. 2 (Zool) 1, Insecta, pp 443-614, pl. 9.
- Tonnoir, A. L., 1923. Australian Dixidae (Dipt.). *Pap. Proc. R. Soc. Tasm.* 1923: 58-71.
- 1925. Australasian Simuliidae. *Bull. ent. Res.* 15: 213-255.
- 1925a. Australian Platopezidae (Diptera). *Rec. Aust. Mus.* 14: 306-312.
- 1929. Australian Mycetophilidae. Synopsis of the genera. *Proc. Linn. Soc. N.S.W.* 54: 584-614, pls. 22-23.
- 1953. The Australian Psychodidae (Diptera), part II. *Aust. J. Zool.* 1: 419-448, 14 text figs.
- Vockeroth, J. R., 1969. A revision of the genera of the Syrphini (Diptera: Syrphidae). *Mem. ent. Soc. Canad.* 62: 176 pp.
- 1972. A review of the world genera of Mydaeinae, with a revision of the species of New Guinea and Oceania (Diptera: Muscidae). *Pacif. Insects Monogr.* 29, 134 pp.
- Walker, F., 1848. List of specimens of Dipterous insects in the collection of the British Museum. Part I: 1-229.
- 1852. Insecta Saundersiana: or characters of undescribed insects in the collection of William Wilson Saunders, Esq. Diptera. Part III. pp. 157-252, pls. 5 and 6.
- White, A., 1914. New Australian Asilidae (Diptera). *Pap. Proc. R. Soc. Tasm.* 1913: 264-280.
- 1914a. The Diptera-Brachycera of Tasmania. Part I. Families Leptidae, Stratiomyidae, Nemestrinidae & Cyrtidae. *Pap. Proc. R. Soc. Tasm.* 1914: 35-74.
- 1916. A revision of the Stratiomyidae of Australia. *Proc. Linn. Soc. N.S.W.* 41:71-100.
- 1916a. The Diptera-Brachycera of Tasmania. Part III. Families Asilidae, Bombylidae, Empidae, Dolichopodidae, & Phoridae. *Pap. Proc. R. Soc. Tasm.* 1916: 148-266.
- Wilson, F. D., Wheeler, M. R., Harget, M., and Kambysellis, M., 1969. Cytogenetic relations in the *Drosophila nasuta* subgroup of the *immigrans* group of species. *Univ. Tex. Publs.* no. 6918, pp. 207-253.
- Wirth, W. W., 1964. New species and records of the genus *Trichocanace* Wirth (Diptera, Canaceidae). *Pacif. Insects* 6: 225-227, 2 figs.

## LIST OF SPECIFIC, SUBSPECIFIC AND VARIETY NAMES

465

abditus	424	aroana, <i>Leptocera</i>	450
aberrans	415	arrogans	443
acrogenae	429	aseta	443
acula	469	asternata	451
acuminata	426	atra	452
acutangularis	424	atrata	449
adelaidae	429	atrides	413
adelosa	436	aurantiacum	416
aestivalis	436	auranticula	419
aggera	423	aurantiipennis	413
aitkeni	448	aurantioceps	414
alaplicata	426	aureovestita	419
alata	426	aurifrons	445
albertisii	447	aurilineata	422
albicollis	414	aurinotum	419
albipennis	441	australensis	439
albipes	415	australina, <i>Liriomyza</i>	439
albipila	430	australina, <i>Myoleja</i>	432
albiseta	442	australis, <i>Cerdistus</i>	425
albitarsa	423	australis, <i>Craspedochaeta</i>	437
albolineatus	417	australis, <i>Cyphosoma</i>	432
alboseta	426	australis, <i>Dichaetomyia</i>	443
albostriata	441	australis, <i>Ectenopsis</i>	418
albovirida	446	australis, <i>Fannia</i>	442
alexanderi	413	australis, <i>Glabellula</i>	425
algiae	432	australis, <i>Phytosarcophaga</i>	444
allotopa	448	australis, <i>Mesoctenia</i>	427
allynensis	440	awalensis	450
alpha	444		
alpina, <i>Euprosopia</i>	431	bancrofti, <i>Fergusoniomyia</i>	445
alpina, <i>Scaptia</i>	419	bancrofti, <i>Neoaratus</i>	424
alternata	415	bancrofti, <i>Trichophthalma</i>	423
amboinensis	447	barbarae	448
analoga	446	barringtoniensis	414
androgynus	417	barkeri	440
angustifrons	453	bella, <i>Gynoplistia</i>	413
angustissimifrons	445	bella, <i>Metaphyrno</i>	447
annularis	434	bequaerti	447
annulata	441	bergi	449
anthonyi	431	berylensis	419
antilopoides	455	beta	444
apicalis, <i>Ceriana</i>	426	bezzi	454
apicalis, <i>Trichophthalma</i>	422	bicolorata	419
apii	438	bifasciata	432
apollinosus	425	bimaculata	413
aqilonis	432	birchii	440
argentea	445	bisignata	437
argentifera	446	bivitta	422
argentostriata	451	bivittata	422
arguta	438	breviaculeus	432
argyrospila	432	brevicauda	448
armipes	431	brevicornis	428
aroana, <i>Cairnsimyia</i>	450	brevifurca	429

brevihirta	453	confusa, <i>Rutilia</i>	446
brevipalpa	423	confusa, <i>Trichophthalma</i>	422
brunneipennis	441	conjuncta	441
bryani	441	contermina	416
burrelli	448	convallis	428
buzzatii	439	corax	428
		cornutum	416
cairnsensis	415	costalis	422
calabyi	419	costomaculata	442
calamisessa	454	crassa	430
calcar	424	crinita	427
caliginosa	438	crispa	430
caliginosus	425	crocata	441
caliginea	423	crocea	419
calliphorosoma	446	crosskeyi	450
cancellata, <i>Drosophila</i>	440	cuneifrons	437
cancellata, <i>Duomyia</i>	429	curta	428
canimicans	444, 454	cyanea	421, 453
capitalis, <i>Duomyia</i>	428	cydister	420
capitalis, <i>Leptocera</i>	436		
capnodes	428	dawsoni	451
carinifacies	422	delta	437
carnei	431	demetrius	442
cassiae	438	denticulata	426
cavifrons	435	deuqueti	417
celsa	431	diemanensis	421
cercalis	436	dimorpha	415
chaetostigma	428	dimorphon	427
chalybeus	427	dispar	440
cheesmanae	450	dissimilis	418
choreoides	437	distinctus, <i>Ommatius</i>	424
cinerascens	414	distinctus, <i>Pelecorhynchus</i>	417
cinerea, <i>Dolichopeza</i>	413	domestica	451
cinerea, <i>Scaptia</i>	420	dorrigenis	414
clara	438	dorrigonis	435
claripennis	445	dubiosa	421
claudiana	427	dubitata	446
clavifemoratus	425	duicoloris	423
clavipalpis	451		
clelandi, <i>Scaptia</i>	420	electa	414
clelandi, <i>Spaniopsis</i>	418	elongata	427
clematidicolla	439	episema	414
clivosa	453	epsilon	444
coerulea	422	eremia	428
collessi	443	eristaloides	417
columbiana	452	eta	445
comes	431	eucalypti	438
concolor	441	euphara	426
conferta	430	excavata	435
conformis, <i>Cerdistus</i>	424	exelsa	428
conformis, <i>Diplogeomysa</i>	433	exemplar	440
conformis, <i>Gymnopapuaia</i>	451	extensa	433
confusa, <i>Dirioxa</i>	432		

falcozi	448	grandimaculata	422
fallax	444	griseola	426
fenestrata, Cylindromyia	445	griseolineata	423
fenestrata, Leptocera	436		
fergusoni, Ceromya	446	hackeri	425
fergusoni, Cnephia	416	halei	448
fergusoni, Leptotarsus	414	hamsmithi	447
fergusoni, Limnophila	413	hardyi, Cyclopidea	453
fergusoni, Phaonia	443	hardyi, Diplogeomyza	433
fergusoni, Platypeza	426	hardyi, Heteromeringia	437
fergusoni, Sarcophaga	445	hardyi, Tricholioprotia	444
fergusoniana	413	hardyina	436
ferrari	451	harrisoni	422
festivus	415	hebes	429
fieldi	451	helichrysi	439
filicornis	431	helmsi, Clytocosmus	413
fimbriata	441	helmsi, Dicranomyia	412
flavihirta	427	helmsi, Leptotarsus	414
flavipalpis	434	helmsi, Molophilus	413
flavipes	423	helmsi, Sciara	416
flavitarsis	446	heterocera	455
flavofusca	443	hilaris	425
flavomarginata	442	hilli	442
flindersi	454	hirtibasis	443
foliata	428	hirticeps	446
formosa	445	hirtifrons	423
fraudulenta	413	hollowayi	430
froggatti	444	horridomedea	437
frontosa	446	howei	449
fryeri	452	howensis, Duomyia	449
fucicola	435	howensis, Tricholioprotia	444, 452
fulgida, Lampralonchaea	436	huttoni	449
fulgida, Scaptia	419	hydrophila	418
fulva	453	hypene	429
fulvicoxa	444, 454	hypostigma	431
fulvus	417		
furiosum	416	igniculis	417
fusca, Perissomma	416	illingworthi	424
fusca, Trichophthalma	422	illustrata	415
fuscalis	436	imitatrix	413
fusconota	443	immaculata	433
		immaculipennis	414
gargettensis	415	imperfecta	421
geminus	421	imperialis	427
genitalis	424	incisa	433
georgei	445	indefinita	421
georgii	419	indistincta	427
gladiator	438	inermis	431
glomerosus	423	infixa	416
goilala	449	innotata	421
goldfinchi, Austroplex	418	inornata, Acracantha	414
goldfinchi, Ischnotoma	414	inornata, Drosophila	440

insolita	419	marksae	442
integra	430	mastersi	426
intricatoria	415	mayri	451
iota	425	mcalpinei, Atherimorpha	418
iris	429	mcalpinei, Chrysopilus	417
karnyi	455	mcalpinei, Dasyomma	418
kewensis	421	mcalpinei, Perissomma	416
kohla	455	mccoyi	417
kraussi	432	media	434
kurandae	430	megagenys	441
kurandensis	436	megaspilos	438
lacunosa	428	megastigma	430
laeta	422, 449	melanogaster	449
laticordus	432	meridiana, Nycteribia	448
laticornis	437	meridiana, Teucholabis	413
latifrons	438	mica	430
latimana	446	micans	445
latipilus	429	micropalpis	445
lativittata	440	milleri	452
lenticula	429	mima	455
levis, <i>Drosophila</i>	441	minima	422
levis, <i>Ommatius</i>	424	minor, <i>Caenoprosopon</i>	419
liepae	451	minor, <i>Stichopogon</i>	423
lineatus	424	minutus	423
litoralis	444	mirabilis	426
longicorne	448	mixtura	440
longicornis, <i>Spaniopsis</i>	418	monodon	431
longicornis, <i>Zosteromyia</i>	455	montana, Atherimorpha	453
longidigitalis	413	montana, Leriopsis	432
longipalpis	425	montanus	417
longispinosa	447	monteithi	428
loxocerina	429	montivagus	413
luteicostus	414	moorei	446
luteipennis	432	morgani	455
lutulenta	412	morus	453
macalpinei, <i>Drosophila</i>	440	mulgravei	441
macalpinei, <i>Leptocera</i>	450	multicolor, <i>Criorhina</i>	426
macalpinei, <i>Prohardyia</i>	443	multicolor, <i>Johnstonimyia</i>	452
mackeani	447	multimaculata	418
maculata	433	multispinosa	447
maculatooides	424	musgravii	420
maculatus	424	mycetophaga	440
maculipennis	418		
maculosa	441	neglecta	431
maculosus	413	neocirrus	420
manni	423	neoconcolor	420
marginalis	428	neolatifrons	421
marginifrons	432	neotricolor	419
marginipennis	418	neozealandica	451
maritima, <i>Apiocera</i>	454	nevadana	452
maritima, <i>Clinopogon</i>	423, 453	nicholsoni	415
		nigriceps, <i>Parahendelia</i>	438

nigriceps, <i>Rutilia</i>	446	parallela	429
nigricosta	422	paralurida	420
nigricruris	451	parilis	448
nigrifacies	449	parimpar	443
nigrihirta	427	parsonsi	441
nigritinea	450	patruelis	413
nigrimana	443	pauciseta	413
nigripennis	418	pectinervis	435
nigrisquama	445	peculiaris	435
nigritarsus	424	percostata	436
nigrocaerulea	446	perida	444, 454
nigrotibialis	413	personata	428
nigrovittata	423	phrikosifrons	436
nigrovittatus	418	picta	428
nitens	422	pinnatarsus	440
nitidipleura	435	piperata	430
nitidiventris	446	pittosporocaulis	439
nitidula	439	pittosporophylli	439
niveifasciata	441	placida	438
nodulata	448	planipyga	452
norrisi	437	platypus	426
notha	422, 453	poeciliventris	441
notiale	427	poemyzina	438
nova	431	polita	441
novamaculosa	441	polypori	440
		popularis	436
obesa	447	postica	421
obliterata	443	postponens	420
obscurata	439	princeps	414
obscuripennis	437	progastor	440
obscurirostris	414	promiscua	416
obsoleta	440	pseudelongata	427
occidens, <i>Atherimorpha</i>	418	pseudobasalis	421
occidens, <i>Pelecorhynchus</i>	417	pseudomayri	450
occidentalis, <i>Ectenopsis</i>	418	pseudotetrachaeta	450
occidentalis, <i>Leptogaster</i>	454	pubescens	437
occulta	442	punctata	422
ochreoflava	420	pulla	437
ocinis	453	pusilla	431
octoseta	428		
olivei	417	quadriseta	425
opaca	441		
orientalis, <i>Scaptia</i>	419		
orientalis, <i>Trichophthalma</i>	422	rainbowi	420
ornata, <i>Quadra</i>	447	ramosa	431
ornata, <i>Zebromyia</i>	447	ramuscula	437
ornatipes	415	rasa	429
		rawlinsoni	413
		raymenti	442
pallicornis	443	regisgeorgii	419
pallipes	428	relucens	428
palumae	440	remota	430
papuana	435, 450	rete	429

rex	445	striatum	438
rhabdote	440	stricta	422
rhyphoides	418, 452	subacuta	431
richardsae	417	subcontigua	419
rivularis	420	subcostalis	422
robustus	424	subnitida, <i>Drosophila</i>	441
roddi	425	subnitida, <i>Leptotarsus</i>	414
rosevillensis	424	subsinguata	435
rudis	429	subula	431
rufaeformis	443	subulatus	421
ruficornis	443	subvittata	445
ruficosta	422	sulcifrons	420
rufoniger	420	sulfurigaster	439
rufonigra	422, 453	swani	425
rufula	451	sydneyensis	435
rugifacies	427	szentivanii	451
ruidifrons	436	szentivanyi	449
scintilla	429	tabaniformis	418
scrobifera	450	tasmanica	433
scutellata	441	tasmanicus	420
scutellumnigrum	414	techna	447
semivittata	442	tenuifascia	432
seneciophila	438	tenuipes	423
serenipennis	416	tenuirostris, <i>Empis</i>	454
sericata	430	tenuirostris, <i>Leptotarsus</i>	414
serrata	440	tepperi	416
serraticornis	413	terraereginae	442
setifemur	439	territorialis	435, 450
setiventris	447	testacea, <i>Agromyza</i>	438
setosus	424	testacea, <i>Prodiaphania</i>	445
sexpunctata	444	tetrachaeta	451
sigma	445	tetrastricha	450
signata	434	theta	444
silvistriata	450	tibialis	454
similis, <i>Cyclopodia</i>	447	tibiseta	443
similis, <i>Pectiniseta</i>	442	tillyardi, <i>Austrosimulium</i>	449
sinuata	446	tillyardi, <i>Pelecorhynchus</i>	417
smaragdina, <i>Duomyia</i>	428	torrentium	416
smaragdina, <i>Formosia</i>	445	tricauda	427
smithersi	440	tridens	434
solanicola	438	trilenealis	421
sorbens	451	triplicata	438
spadix, <i>Criorhina</i>	426	trivittata	436
spadix, <i>Dasybasis</i>	421	roughtoni	448
spathistilus	436	truncata	433
spinosa	434	tryoni, <i>Clastobasis</i>	417
spinulosa	437	tryoni, <i>Tricholioproctia</i>	444
spumicola	442	ungulatum	449
squamifer	454	unifasciata	432
steyskali	452	uniformis	447
stolida	445		

uniseta	435	visendus	432
uptoni	429	vitrea	430
ustulata, Duomyia	428	vittata	451
ustulata, Tetrameritingia	437	vittigera	450
		vulpecula	418
vanemdeni	437		
varia	452	waterhousei	427
variegatus	415	weindorferi	416
varimystaceus	424	wentworthi, Cydistomyia	420
varipes	416	wentworthi, Leptocera	436
vernalis	418	westralica	445
versicolor	439	whianensis	440
vespiformis	421	whitei	422
vexans	418	wilsoni	436
vicaria	448	wirthi	433
vicina	419		
victoriae	434	xanthopilis	419
viduatus	415	xanthops	429
viola	427		
viridaurea	429	zeta	444
viridithorax	413	zopherosa	437

ADDENDA  
AUSTRALIAN ASILIDAE

*Neoitamus neoclarpes* G. Hardy 1921c: 295.

PT 2♂, 2♀, Blackheath, N.S.W. .... K43197  
*Cerdistus neoclarpes* (Hardy) (Hardy 1926:648).

*Neoitamus gibbonsi* Ricardo, 1918:64.

ST 1♂, 1♀, Sydney, N.S.W. (labelled PT) .... K70915  
*Cerdistus gibbonsi* (Ricardo) (Hardy, 1926:652).

