CALCULATOR COLLECTION

Intelligently designed home, office & education solutions



Canon

EXP

Ans

F-7895GA



Design and sustainability

With the user in mind, Canon creates a range of calculators for each and every requirement. Our design is the integration of simplicity, style and functionality.











Categories index


























| Calculator Functionality | P.32 |
|------------------------------|-----------|
| Calculator Specifications | P.33 - 41 |
| Function Highlights | P.42 - 43 |
| Packing list | P.44 |
| Barcode | P.45 |
| Glossary of Functions | P.46 |
| Symbol Guide | P.46 |











SIZE: 95 x 160 x 10.8mm WEIGHT: 138g

FEATURES • Business calculation

- ♦ Aluminium lower case
- ♦ Solar powered only
- Grand total memory
- Laser engraved keys
- Internal angled LCD display











Features Highlight

mage with laser engraved aluminium



Internal angled splay for comfort



d body and matt ish upper case





reddot design award best of the best 2013

reddot Design Award: best of the best 2013

Reddot design award breaks down into three disciplines: product design, communication design and design concept. It serves as a platform for design-relevant innovations. Since 1955, it has been recognized as an international label and quality seal. The award is given to X Mark I & X Mark I Print in 2011, and X Mark II in 2013 for their outstanding product design achievement. The degree of innovation, quality, ecology and symbolic content excels other products in their respective categories.



X Mark I Presenter

8-digit calculator with

presenter function

SIZE: 143 x 43.5 x 19.5mm WEIGHT: 54g (without battery) / 77g (AAA battery x 2)



- ♦ Red laser pointer
 - Built-in presentation keys
 - Compatible with PowerPoint® and Keynote
 - Aluminium upper case
 - Pouch case included























X Series — Design x Ecology

You desire a calculator that makes a difference and can own with pride.

Canon presents you the trendsetter - the X Mark I series, which excels in style, efficiency and environmental accountability. Incorporated with two core elements - design & ecology, the X Mark I series represents a breakthrough from traditional calculator image and serves as a stylish & sophisticated office assistant in all occasions.

Windows [®], Windows Vista [®] and PowerPoint [®] are trademarks or registered trademarks of Microsoft Corporation in the United States and other countries All other trademarks and registered trademarks are the property of their respective holders





12-digit AC/DC ink roller printing calculator



reddot design award

winner 2011

SIZE: 223 x 108 x 48mm

WEIGHT: 390g (without battery) / 458g (AA battery x 4) PRINTING SPEED: 2.3 lines/sec

FEATURES • Tax and business calculation

- Currency conversion
- ♦ IT touch keys
- Backlight LCD display
- · Low battery indicator
















ving under back

Polished and

reddot Design Award: winner 2011

Reddot design award breaks down into three disciplines: product design, communication design and design concept. It serves as a platform for design-relevant innovations. Since 1955, it has been recognized as an international label and quality seal. The award is given to X Mark I & X Mark I Print in 2011, and X Mark II in 2013 for their outstanding product design achievement. The degree of innovation, quality, ecology and symbolic content excels other products in their respective categories.



X Mark I Pro

610 functions dual way textbook display



SIZE: 160 x 76 x 11.3mm WEIGHT: 110.5g

FEATURES * High contrast dual way textbook display

- ♦ Convenient Apps shortcut key to recall useful functions • High accuracy calculation result: Internal calculation up to
- 18 digits • Matrix calculation (up to 4x4) and vector calculations
- Equation operation up to quartic & 4 unknowns
- · Ratio calculations
- Summation (Σ) and product (Π) calculations
- · Pouch case included $\begin{array}{c|c} 610 \\ \hline \text{Functions} \end{array} \boxed{ z = \frac{\pi}{12} } \begin{array}{c} + \\ \hline \end{array}$





Features Highlight 1. High contrast extbook display for









X Series — Design x Ecology

You desire a calculator that makes a difference and can own with pride.

Canon presents you the trendsetter - the X Mark I series, which excels in style, efficiency and environmental accountability. Incorporated with two core elements - design & ecology, the X Mark I series represents a breakthrough from traditional calculator image and serves as a stylish & sophisticated office assistant in all occasions.

Hi III Series

Practical x Handy Office Tool






I C-210Hi III-BI I C-210Hi III-PP

I C-210Hi III-OR


LC-210Hi III SIZE: 97 x 60 x 11.4mm WEIGHT: 41g 8-digit handheld

- FEATURES 360° upward folding hard cover
 - Portable palm size
 - · Battery power only






LS-120Hi III



LS-120Hi III-GR



LS-120Hi III-BW



LS-120Hi III-RD

(LS-120Hi III only)


LS-120Hi III SIZE: 140 x 105 x 32mm WEIGHT: 122g

Canon

12-digit mini desktop FEATURES • Mark up and reverse functions

- Grand total memory
- Executive finish metallic topcoating

12-digit desktop





Hi III SERIES





(LS-88Hi III and LS-88Hi III-BK only)



TX-1210Hi III SIZE: 176 x 126 x 40mm

WEIGHT: 192g 12-digit desktop

FEATURES • IT touch keys

4 5 6

%± ×

- Mark up and reverse functions
- Grand total memory
- Decimal (+4320F) and rounding selections














WS-1210Hi III SIZE: 198 x 150 x 38mm WEIGHT: 236g

FEATURES • IT touch keys

- Mark up and reverse functions
- Grand total memory
- ♦ Adjustable display
- Decimal (+4320F) and rounding selections







SIZE: 143 x 89.5 x 25mm WEIGHT: 90g

FEATURES • Large display

LS-88Hi III-PPK

• Portable compact size



Hi III SERIES

COLOR SERIES

Integrates a Swirl of Color

to the Chic Design









LS-270V II-R

LS-270V II-O

0 + =

LS-270V II-G

LS-270V II-B

LS-270V II

SIZE: 102 x 61 x 10mm

FEATURES • Mark up function

· Large display

♦ Durable plastic keytops















LS-123T-BL

LS-123T-GR

LS-123T-PK

LS-123T-OR

LS-123T

SIZE: 145 x 104 x 25mm

12-digit mini desktop FEATURES • Tax calculation

WEIGHT: 119g

- · Grand total memory
- ♦ Large display
- Slim body design with trendy colors













Adds Vitality to Working Life






AS-120V-PPK

AS-120V

SIZE: 145 x 100 x 33.5mm









COLOR SERIES













AS-120R 12-digit mini desktop SIZE: 145 x 100 x 33.5mm WEIGHT: 108g

FEATURES ◆ 120 steps check and correct function

Auto check function





AS-220RTS 12-digit desktop

WEIGHT: 41g

SIZE: 150 x 134 x 36mm WEIGHT: 150g

FEATURES • Tax and business calculations

- 120 steps check and correct function
- Auto check function
- ♦ Large upright display










ARC Design

Arc Series is distinctively designed with a unique arc shape, featuring sleek, large LCD angled display, the upward curve throughout the calculator adds style to its impressive performance. With pursuit of Green concept, some parts are manufactured from recycled Canon product materials to avoid unnecessary energy waste.

The entire series caters to users in difference sectors from budget-conscious type to professional financiers. In this way, Calculation made easy with Canon.

13









ARC SERIES

12-digit semi desktop

ing selections





SIZE: 192 x 140 x 32mm FEATURES • Double memory ♦ Mark up function

AS-2400

AS-2200

12-digit desktop

AS-2400

14-digit desktop

AS-2600

16-digit desktop





SIZE: 198 x 140 x 34mm WEIGHT: 212g

FEATURES • Mark up and reverse functions

- Grand total memory
- Decimal (+4320F) and rounding selections
- Adjustable display



GT *****☆



Canon

AS-2200

SIZE: 177 x 119 x 37mm **AS-2222** WEIGHT: 198g 12-digit desktop FEATURES • Mark up and reverse func- Grand total memory • Decimal (+4320F) and round-• Decimal (+4320F) and rounding selections

Μ± MU GT 2 00

AS-2200 12signs

SCIENTIFIC

Smart Choice & Essential Partner

for Secondary and University Students







F-789SGA 605 functions

dual way textbook display

SIZE: 168 x 80 x 13.2mm (without hard case) / 171 x 86 x 17.3mm (with hard case) WEIGHT: 88g (body only) / 120g (with hard case)


FEATURES • Convenient Apps shortcut key to recall useful functions

- ♦ Matrix calculation (up to 4x4)
- 19 store and recall memories
- ♦ Equation operation up to quartic and 4 unknowns
- 79 scientific constants and 172 metric conversions
- · Prime factorization
- Antibacterial keys











Apps Key

Useful functions can be easily recalled with [Apps] key subject to different modes.



Durable companion Battery life of more than 4 years







Base-N (32 digits)

4 BIN 1111 1111


Refreshing Mind by Vivid Color

Dot Matrix Scientific Calculator









JPO122123A0004C

(F-718SA-WH)

(F-718SGA-BK / PK)

(F-718SGA-BK and F-718SGA-PK only)

F-718S series SIZE: 168 x 80 x 14.5mm (without hard case) / 171 x 86 x 18.8mm (with hard case) WEIGHT: 96g (body only) / 128g (with hard case)

264 functions dual way textbook display

FEATURES • 17 store and recall memories

- LCM, GCD and quotient remainder calculations
- Table formated data input and edit function for statistics calculation
- Advance fraction input
- ♦ High accuracy calculation result: Internal calculation up to 18 digits











F-715SG-BK F-715SG-WHB

1 2 3 + -

F-715SG-WHM



F-715SG series SIZE: 165 x 80 x 14mm (without hard case) / 168 x 86.3 x 17.8mm (with hard case) WEIGHT: 89g (body only) / 124g (with hard case)

250 functions 2-line display

- FEATURES 10 digits mantissa + 2 digits exponent display
 - ♦ 17 store and recall memories
 - ♦ Undo or copy function for easy input or edition
 - Statistics and trigonometric calculations
 - LCM, GCD and quotient remainder calculations




Simple Solution to Complex Problems

Standard 2-Line Display Scientific Calculator









F-788SG 488 functions 2-line display

SIZE: $165 \times 80 \times 14$ mm (without hard case) / $168 \times 86.3 \times 17.8$ mm (with hard case) WEIGHT: 89g (body only) / 124g (with hard case)

FEATURES • Integration and differentiation

- ♦ Matrix and vector calculations · Statistics and trigonometric calculations
- ♦ 79 scientific constants & 172 metric conversions
- Undo or copy function for easy input or edition
- Quick reference card included





F-788dx 497 functions 2-line display

SCIENTIFIC

SIZE: 155 x 80 x 14.5mm (without hard case) / 158 x 84 x 18mm (with hard case) WEIGHT: 100g (body only) / 135g (with hard case)


FEATURES • 10 digits mantissa + 2 digits exponent display

- ♦ 20 store and recall memories
- Integration and differentiation
- ♦ 79 scientific constants & 170 metric conversions
- Matrix and vector calculations
- Battery power only





Maths Made Easy



F-604 142 functions 1 line display


SIZE: $150 \times 74.5 \times 12$ mm (without hard case) / $152 \times 75 \times 18$ mm (with hard case) WEIGHT: 73g (body only) / 96g (with hard case)

FEATURES • 10 digits mantissa + 2 digits exponent display

- Complex number calculation
- Fraction & trigonometric calculations
- Base-N calculation and conversion
- Battery power only







Canon recycled material calculators

Over 55% of our calculator collection is partially made of recycled Canon materials. This supports ral resources.





The logo indicates that the product is partially manufactured using recycled Canon material.







HS-20TG 12-digit semi desktop

SIZE: 164 x 105 x 33mm WEIGHT: 152g

- FEATURES Tax calculation • Grand total memory
 - · Large upright display
 - Decimal (+43210F) and
 - rounding selections
 - ◆ Durable aluminium faceplate







TS-1200TG 12-digit desktop

WEIGHT: 241g FEATURES • Tax calculation

- · Grand total memory
- Large adjustable tilt display
- Decimal (+43210F) and














CLOCK & TIMER

23

HANDHELD







KC-30 8-digit key chain calculator

SIZE: 75 x 42 x 13mm WEIGHT: 28g

FEATURES • Ideal item for gift

♦ Customizable lower case

· Battery power only

8 digits (+

12345678 00000

LS-270H 8-digit handheld SIZE: 102 x 61 x 10mm WEIGHT: 37g

FEATURES ◆ Large display

· Mark up function

• Executive finish - metallic

topcoating

· Wallet case included













LS-153TS 10-digit handheld SIZE: 125 x 80 x 13mm WEIGHT: 73g

FEATURES • Large display

♦ Tax and business calculations

♦ Executive finish - metallic topcoating

Wallet case included











LS-12TC 12-digit handheld SIZE: 120 x 73 x 10mm WEIGHT: 56g

FEATURES • Large display

Tax calculation

Currency conversion

Grand total memory

Wallet case included















LC-10 10-digit credit card size handheld

SIZE: 90 x 50 x 5.4mm

WEIGHT: 20g FEATURES • Slim and flat body design

◆ Trendy gadget with strap

hole for strap attachment • Touch feeling membrane

Battery power only





LS-12H 12-digit handheld SIZE: 120 x 72 x 9.5mm WEIGHT: 52.7g

FEATURES • Mark up function

 Sleek design with strap hole for strap attachment

♦ Large display

· Wallet case included












12345678







HS-1200RS

HS-1200RS-GD

LS-88L 8-digit mini desktop SIZE: 139 x 90 x 28mm WEIGHT: 83g

FEATURES • Large display

Portable compact size

LS-82Z 8-digit mini-mini

LS-82Z

desktop

LS-102Z 10-digit mini-mini

desktop

SIZE: 111 x 88 x 32mm WEIGHT: 64g

Canon 15-12085

은 | →

4 5 6 1 2 3

0 00

₽ (234567890 t2

7 8 9 %± RM

FEATURES • Large display

Portable compact size

• Large plastic key tops







LS-102Z

LS-100TS 10-digit mini desktop

SIZE: 135 x 103 x 32mm WEIGHT: 102g

FEATURES • Tax and business calculations

♦ Executive finish - metallic topcoating



Canon





HS-1200RS 12-digit desktop

SIZE: 174 x 123 x 38mm WEIGHT: 170g

FEATURES ◆ 100 steps check & correct function

Business calculation

 Decimal (+43210F) and rounding selections

• Executive finish - metallic topcoating





Canon



TS-120TS [24.





LS-101H 10-digit mini desktop

DESKTOP

SIZE: 132 x 106 x 31mm WEIGHT: 100g

FEATURES • Large display

Large plastic key tops







SIZE: 135 x 103 x 32mm WEIGHT: 102g

FEATURES • 100 steps check & correct

function

 Business calculation ♦ Executive finish - metallic







SIZE: 149 x 96.5 x 12.5mm WEIGHT: 97.5g

0 00 0

FEATURES • Large internal angled display

Tax calculation

CA (2) (8M) (M± (M=) (7) (8) (9) (9± (-)

♦ Unique design with glossy finish on top









TS-120TS 12-digit semi desktop

SIZE: 163 x 108 x 28mm WEIGHT: 168g

8

5

0 00

2 3

6

FEATURES * Large adjustable display

• Tax and business calculations

 Decimal (+43210F) and rounding selections

♦ Executive finish - metallic topcoating

















WS-112H 12-digit mini desktop SIZE: 148 x 109 x 30.5mm WEIGHT: 110g

FEATURES • Large display

- ♦ Wide keyboard
 - ♦ Mark up function
- Grand total memory









WS-1212H 12-digit desktop

SIZE: 173.5 x 131 x 34.7mm WEIGHT: 164a


Canon WS-1212H

1234567890 12

FEATURES • Large display

- ♦ Wide keyboard
- Retractable stand
- Decimal (+43210F) and rounding selections
- Mark up function
- Grand total memory





HS-1200TS 12-digit desktop

DESKTOP

SIZE: 174 x 123 x 38mm WEIGHT: 170g

FEATURES • Tax and business calculations

- - ♦ Large display
 - Decimal (+43210F) and rounding selections
 - · Grand total memory
 - ♦ Executive finish metallic
- topcoating













WS-1610H 16-digit desktop

WEIGHT: 224g

SIZE: 197 x 152 x 30mm

FEATURES ◆ Mark up function

- Grand total memory
- ♦ IT touch keys
- · Large adjustable display
- Decimal (+4320F) and rounding selections















WS-220TC

12-digit desktop

WS-240TC 14-digit desktop

WS-260TC 16-digit desktop

WS-2222

12-digit desktop

WS-2224

14-digit desktop

WS-2226

16-digit desktop

SIZE: 145 x 145 x 35mm WEIGHT: 165g

FEATURES • Tax calculation

- ♦ Currency conversion
- Large display
- Decimal (+43210F) and rounding selections









1234567890 123456

7 8 9 ÷ x

3 4 5 6 ×

1 2 3



WS-220TC

1234567890 12

RM/CMI M≡II M±II

RM M≡ M±

Canon



CURRENCY CONVERSION



SIZE: 192 x 143 x 37mm WEIGHT: 187g

FEATURES + Double memory

- Mark up function
- Decimal (+01234F) and rounding selections
- Spacious keyboard with large plastic key tops



. ☆











2

00

0

3



WS-1210T 12-digit desktop

WS-1410T 14-digit desktop

WS-1610T 16-digit desktop

SIZE: 198 x 150 x 38mm WEIGHT: 238g

FEATURES • Tax calculation

Mark up and reverse functions

WS-1610T


- ♦ IT touch keys
- ♦ Adjustable display
- Decimal (+4320F) and rounding selections
- Grand total memory





WS-1210T

26 27



MP37-MG 12-digit AC ink ribbon

MP25-MG-es 12-digit AC

ink ribbon



SIZE: 332 x 207 x 73.5mm (MP37-MG) / 320 x 193 x 71mm (MP25-MG) WEIGHT: 1590g (MP37-MG) / 1506g (MP25-MG)

PRINTING SPEED: 4.8 lines/sec (MP37-MG) / 4.3 lines/sec (MP25-MG)

FEATURES • Large fluorescent tube display

- ♦ Ergonomic keyboard
- Antibacterial keys
- ♦ Durable double-injection keys
- ♦ Canola layout (MP37-MG only)
- · Tax and business calculations
- Currency conversion (MP37-MG only)
- Clock and calendar functions
- Grand total memory and item count functions
- With 0,00,000 keys (MP37-MG only)







Features Highlight



1. Sleeping mode for energy-



2. Ergonomic keyboard with Canola layout







P1-DTSC 12-digit AC/DC

ink roller

P23-DTSC

12-digit AC/DC ink roller

SIZE: 203 x 102 x 48mm (P1-DTSC) / 235 x 155 x 55mm (P23-DTSC)

WEIGHT: 336g (with AA battery x 4) (P1-DTSC) / 480g (with AA battery x 4) (P23-DTSC)

PRINTING SPEED: 2.0 lines/sec (P1-DTSC) / 2.3 lines/sec (P23-DTSC)

FEATURES • Large display

- · Tax and business calculations
- ♦ Currency conversion
- ♦ Clock and calendar functions (P23-DTSC only)
- Decimal (+023F) and rounding selections
- Low battery indicator



















P1-DHV G

P23-DHV G Printing colors:





P1-DHV G 12-digit AC/DC ink roller

P23-DHV G

12-digit AC/DC ink roller

SIZE: 204 x 100 x 48mm (P1-DHV G) / 217 x 162 x 56mm (P23-DHV G) WEIGHT: 332g (with AA battery x 4) (P1-DHV G) / 558g (with AA battery x 4) (P23-DHV G)

PRINTING SPEED: 2.0 lines/sec (P1-DHV G) / 2.3 lines/sec (P23-DHV G)

FEATURES . Large display

- ♦ Time calculation
- Tax and business calculations
- ♦ Clock and calendar functions (P23-DHV G only)
- Decimal (+023F) and rounding selections
- · Low battery indicator

















MP120-MG-es SIZE: 294 x 210 x 74mm WEIGHT: 825g


12-digit AC ink roller

PRINTING SPEED: 2.7 lines/sec

- FEATURES Tax and business calculations
 - Currency conversion
 - Decimal (+0234F)and rounding selections
 - Clock and calendar functions
 - Grand total memory
 - ♦ Illuminated 2-color display (green for positive & red for negative













MP121-MG-es SIZE: 258 x 189.2 x 60.5mm WEIGHT: 635g

12-digit AC ink roller

PRINTING SPEED: 2.3 lines/sec

- FEATURES Tax and business calculations
 - Currency conversion
 - Clock and calendar functions
 - Grand total memory
 - Decimal (+01234F) and rounding selections







12-digit AC ink ribbon

MP1200-FTS SIZE: 325 x 221 x 79mm WEIGHT: 1700g

PRINTING SPEED: 3.7 lines/sec

FEATURES * Fluorescent tube display

- Tax and business calculations
- Mark up function
- Grand total memory
- Decimal (+02346F) and rounding selections





MP1211-LTSC

12-digit AC ink ribbon

MP1411-LTSC 14-digit AC ink ribbon

MP1611-LTSC-es

16-digit AC

ink ribbon

PRINTING SPEED: 4.3 lines/sec

WEIGHT: 1600g

FEATURES • Illuminated 2-color display (green for positive & red for negative figures)

- Stable stroke keyboard
- Tax and business calculations
- Currency conversion
- Cash change function
- Grand total memory
- Decimal (+02346F) and rounding selections



12 digits 14 digits 16 digits 2 colors print 2 colors



TAX COST SELL CURRENCY CONVERSION



31

Functionality Highlights

| | | Basic Functions only | Business Calculation | Double Memory | Check and Correct | Tax calculation | Currency Conversion | Time calculation | Decimal and Rounding Selection | Clock and Calendar | Recycled Material |
|---------------|--------------------|----------------------|----------------------|---------------|-------------------|-----------------|---------------------|------------------|--------------------------------|--------------------|-------------------|
| | X Mark II | | | | | | | | | | |
| ES | X Mark I Presenter | • | | | | | | | | | |
| X SERIES | X Mark I Print | • | | | | | | | | | • |
| × | A Mark I Print | | • | | | • | • | | • | | • |
| | X Mark I Pro | | | | | | | | | | • |
| (0 | LC-210Hi III | • | | | | | | | | | • |
| ZES | LS-88Hi III | • | | | | | | | | | |
| SEF | LS-120Hi III | • | | | | | | | | | |
| Hi III SERIES | TX-1210Hi III | | | | | • | | | • | | • |
| _ | WS-1210Hi III | | | | | • | | | | | • |
| ES | | • | | | | | | | | | |
| SER | LS-123T | | | | | | | | | | |
| COLOR SERIES | AS-120V | | | | | · | | | | | |
| ŏ | | • | | | | | | | | | |
| | AS-8 | • | | | | | | | | | • |
| | AS-120R | | | | • | | | | | | • |
| | AS-220RTS | | • | | • | • | | | | | • |
| S | AS-120 | • | | | | | | | | | • |
| ER | AS-1200 | • | | | | | | | • | | • |
| ARC SERIES | AS-2222 | | | • | | | | | • | | • |
| AR | AS-2200R | | | | • | | | | • | | |
| | AS-2200 | | | | | | | | | | |
| | AS-2400 | | | | | | | | | | |
| | AS-2600 | | | | | | | | | | Ť |
| | F-789SGA | | | | | | | | • | | |
| | F 7400 | | | | | | | | | | • |
| SCIENTIFIC | F-718S series | | | | | | | | | | |
| Ę | F-715SG series | | | | | | | | | | • |
| SCE | F-788SG | | | | | | | | | | • |
| 0) | r-760ux | | | | | | | | | | |
| | F-604 | | | | | | | | | | |
| RIES | LS-154TG | | | | | • | | | | | • |
| GREEN SERIES | HS-20TG | | | | | • | | | • | | • |
| | | | | | | • | | | • | | • |
| PRO SERIES | KS-1220TG | | | | | • | | | • | | • |
| PRO S | BS-1220TG | | | | | • | | • | | | • |
| CLOCK & TIMER | CT-40 | | | | | | | | | | |
| | | • | | | | | | | | | |
| HANDHELD | LS-270H | | | | | | | | | | |
| ELC | LC-10 | | | | | | | | | | |
| A H | LS-153TS | | _ | | | | | | | | |
| HA | LS-12TC | | · | | | | | | | | |
| | LS-12H | | | | | • | • | | | | |
| | LO-12FI | • | | | | | | | | | |



32

TAX CALCULATION

Models featuring convenient tax calculation keys save your time by simplifying complex calculations. Just press the relevant keys to add or subtract predetermined tax rates at a



BUSINESS CALCULATION
Perform complex calculation
ness calculation Perform complex calculations quickly and easily with our business calculators and save time. Cost, Sell and Margin keys allow you to calculate profit margins automatically without the need of memorizing complicated formulae.

CURRENCY CONVERSION

Our calculators with currency conversion enable you to make quick conversions between currencies at the push of a button. This handy function is available on selected models of printing and non-printing calculators for added convenience.

| | | Basic Functions only | Business Calculation | Double Memory | Check and Correct | Tax calculation | Currency Conversion | Time calculation | Decimal and Rounding Selection | Clock and Calendar | Recycled Material |
|---------------------|----------------|----------------------|----------------------|---------------|-------------------|-----------------|---------------------|------------------|--------------------------------|--------------------|-------------------|
| | LS-88L | • | | | | | | | | | |
| | LS-82Z | • | | | | | | | | | |
| | LS-102Z | • | | | | | | | | | |
| | LS-101H | • | | | | | | | | | |
| | LS-100TS | | • | | | • | | | | | |
| | LS-1200T | | | | | • | | | | | |
| | LS-120RS | | • | | • | | | | | | |
| | HS-1200RS | | • | | • | | | | • | | |
| | HS-1200TS | | • | | | • | | | • | | |
| | TS-120TS | | • | | | • | | | • | | |
| DESKTOP | WS-112H | • | | | | | | | | | |
| DES | WS-1212H | • | | | | | | | • | | |
| | WS-220TC | | | | | • | • | | • | | |
| | WS-240TC | | | | | • | • | | • | | |
| | WS-260TC | | | | | • | • | | • | | |
| | WS-2222 | | | • | | | | | • | | |
| | WS-2224 | | | • | | | | | • | | |
| | WS-2226 | | | • | | | | | • | | |
| | WS-1210T | | | | | • | | | • | | |
| | WS-1410T | | | | | • | | | • | | |
| | WS-1610T | | | | | • | | | • | | |
| | WS-1610H | • | | | | | | | • | | |
| | P1-DTSC | | • | | | • | • | | • | | |
| | P23-DTSC | | • | | | • | • | | • | • | |
| | P1-DHV G | | • | | | • | | • | • | | • |
| N. | P23-DHV G | | • | | | • | | • | • | • | • |
| JLATC | MP120-MG-es | | • | | | • | • | | • | • | • |
| PRINTING CALCULATOR | MP121-MG-es | | • | | | • | • | | • | • | • |
| NG C | MP37-MG | | • | | | • | • | | • | • | • |
| NIN NIN | MP25-MG | | • | | | • | | | • | • | • |
| ď | MP1200-FTS | | • | | | • | | | • | | |
| | MP1211-LTSC | | • | | | • | • | | • | | |
| | MP1411-LTSC | | • | | | • | • | | • | | |
| | MP1611-LTSC-es | | • | | | • | • | | • | | |



DOUBLE MEMORY

Models equipped with Double Memory function enable you to work accurately on complex calculations. With 2 versatile memories, it helps to accumulate or deduct results automati-



RECYCLED MATERIAL

Calculators that are partially made from recycled Canon materials. Canon has long been making great efforts in reducing the environmental impact of its products.



Our calculators with a check & correct function bring added accuracy and precision to long and complex calculations. You can move forwards or backwards through a calculation up to 100/120 steps and make any corrections that are required instantly. This eliminates the risk of calculation errors.



Built-in clock and calendar allows users to keep track of the time and date on the display. The calculator also has the function of printing out time and date.

Calculator Specifications

X Series (P.4-7)



X Mark II







X Mark I Pro²

X Mark I Presenter

| Туре | Premium display calculator | Wireless presenter with pointer, calculator and timer | Palm size AC/DC Printing Calculator | Stylish textbook display scientific calculator |
|-------------------------|----------------------------|--|--|--|
| Digits | 12 | 8 | 12 | Up to 18 |
| Memory | 1 | - | ī | 19 (store & recall memory) + 1 (indepentent memory) |
| Power Source | Solar only | Battery | AC/DC power (AD-11 / AA battery x 4) | Battery |
| Battery | _ | AAA battery x 2 | AA battery x 4 | CR2032 x 1 |
| Preset Decimal | - | - | +4320F | • |
| Rounding | _ | _ | 5/4 → | • |
| Tax Calculation | - | - | • | _ |
| Business Calculation | • | - | • | - |
| Currency Conversion | - | - | • | - |
| GT | • | - | _ | _ |
| %± | • | • | • | • |
| √ | • | - | - | • |
| C | • | - | • | • |
| \rightarrow | • | - | - | • |
| 00 | • | - | - | - |
| Recycled Plastic | • | • | • | • |
| Special Features | Laser engraved keys | Aluminium upper case | 1. Backlight LCD display 2. Durable IT touch keys | 610 functions |

 $^{1\,}For\,specification\,of\,X\,Mark\,I\,Print,\,please\,also\,refer\,to\,Portable\,Printing\,Calculators\,for\,details.\\2\,For\,specification\,of\,X\,Mark\,I\,Pro,\,please\,refer\,to\,scientific\,category.$

Specifications are subject to change without notice.

Hi III Series

(P.8-9)



LC-210Hi III



LS-88Hi III



LS-120Hi III





| TX-1210Hi III | WS-1210Hi III |
|---------------|---------------|
| TX-1210Hi III | WS-1210H |

| Digits | 8 | 8 | 12 | 12 | 12 |
|-------------------|--------------------------------|-----------------------|--|-----------------------|------------------------------------|
| Memory | 1 | 1 | 1 | 1 | 1 |
| Power Source | Battery | Dual power | Dual power | Dual power | Dual power |
| Battery | LR1130 x 1 | LR1130 x 1 | LR44 x 1 | LR44 x 1 | LR44 x 1 |
| Decimal Selection | - | - | - | +4320F | +4320F |
| Rounding | - | - | - | 1 5/4 √ | 1 5/4 1 |
| Tax Calculation | - | - | - | • | • |
| GT | - | - | • | • | • |
| MU | - | - | • | • | • |
| RV | - | - | • | • | • |
| %± | • | • | • | • | • |
| $\sqrt{}$ | • | • | • | • | • |
| C | - | • | • | • | • |
| \rightarrow | - | - | • | • | • |
| 00 | - | - | • | • | • |
| Recycled Plastic | • | (Except color series) | (Except color series) | • | • |
| Special Features | 360° upward folding hard cover | Large display | Metallic topcoating (Color series only) | IT Touch keys | Adjustable display Though keys |

Color Series (P.10-11)











| | LO-270VII | EO-1231 | AG-120V |
|------------------|---------------|---|---------------|
| Digits | 8 | 12 | 12 |
| Memory | 1 | 1 | 1 |
| Power Source | Dual power | Dual power | Dual power |
| Battery | LR1130 x 1 | LR44 x 1 | LR44 x 1 |
| Tax Calculation | _ | • | _ |
| GT | _ | • | • |
| MU | • | - | • |
| RV | _ | _ | • |
| %± | • | • | • |
| $\sqrt{}$ | • | • | • |
| G | • | • | • |
| \rightarrow | _ | • | • |
| 00 | _ | • | • |
| Special Features | Large display | 1. Large display 2. Slim body design | Large display |

Specifications are subject to change without notice.

Arc Series



























| 200 | AS-2400 |
|-----|---------------|
| P. | 2 |
| (A) | 15 4 5 4 (41) |
| WV | WINE FIRST |



| Com. | - 10 | 9 | H | i |
|------|----------|------|---|--|
| | A 31 H R | 1001 | | 20 00 00 00 00 00 00 00 00 00 00 00 00 0 |
| = | 3 | | | |

| | AS-8 | AS-120R | AS-220RTS | AS-120 | AS-1200 | AS-2222 | AS-2200R | AS-2200 | AS-2400 | AS-2600 |
|-------------------------|------------|------------------|------------------|------------|------------|-----------------------|------------------|-----------------------|-----------------------|-----------------------|
| Digits | 8 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 14 | 16 |
| Memory | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 |
| Power Source | Battery | Dual power | Dual power | Dual power | Dual power | Dual power | Dual power | Dual power | Dual power | Dual power |
| Battery | LR1130 x 1 | LR44 x 1 | LR44 x 1 | LR44 x 1 | LR44 x 1 | LR44 x 1 | LR44 x 1 | LR44 x 1 | LR44 x 1 | LR44 x 1 |
| Decimal Selection | - | - | - | - | +4320F | +4320F | +4320F | +4320F | +4320F | +4320F |
| Rounding | - | - | - | - | 15/4→ | 1 5/4 √ | 15/4→ | 1 5/4 √ | 1 5/4 → | 1 5/4 → |
| Tax Calculation | - | - | • | - | - | - | - | - | - | - |
| Business Calculation | - | - | • | - | - | - | - | - | - | - |
| Check & Correct | - | • (120 steps) | • (120 steps) | _ | _ | _ | • (120 steps) | _ | _ | _ |
| GT | - | - | - | • | • | - | - | • | • | • |
| MU | _ | - | - | • | • | • | - | • | • | • |
| RV | - | - | - | • | • | - | - | • | • | • |
| %± | • | • | • | • | • | • | • | • | • | • |
| $\sqrt{}$ | • | • | - | • | • | • | - | • | • | • |
| € | - | - | • | • | • | • | • | • | • | • |
| \rightarrow | - | • | • | • | • | • | • | • | • | • |
| 00 | - | • | • | • | • | • | • | • | • | 000 |
| Recycled Plastic | • | • | • | • | • | • | • | • | • | • |

Scientific













| | (0.000) | | | | | | |
|--|----------------------|--------------------|----------------|----------------|--------------------|--------------------|------------|
| | X Mark I Pro | F-789SGA | F-718S series | F-715SG series | F-788SG | F-788dx | F-604 |
| No. of Functions & Features | 610 | 605 | 264 | 250 | 488 | 497 | 142 |
| Memory | | | | | | | |
| No. of Store Memory | 19 | 19 | 17 | 17 | 9 | 20 | 10 |
| Independent Memory (M+ & M-) | | • | • | • | | • | • |
| Scientific Constants | 79 | 79 | _ | _ | 79 | 79 | _ |
| Metric Units Conversion | 172 | 172 | - | _ | 172 | 170 | _ |
| Basic Mathematics Calculations | | | | | | | |
| Fractions Calculation & Decimal Conversion | | | | | | | |
| Calculation Expression Direct Input | | • | | | • | | _ |
| Parentheses | 99 | 99 | 99 | 24 | 24 | 24 | 15 |
| Square, Cube, Reciprocal | | • | | • | • | • | • |
| Square Root, Cube Root | • | • | | • | • | • | • |
| Multiple Root, Power Square | | • | • | • | • | • | • |
| Decimal Point Selection | • | • | • | • | • | • | • |
| Exponential & Logarithmic | • | • | • | • | • | • | • |
| Loga ^b | | • | • | • | • | • | _ |
| Absolute Value Calculation | • | • | • | • | • | • | - |
| Least Common Multiplier (LCM) & Greatest Common Divider (GCD) | • | • | • | • | - | _ | - |
| Quotient Remainder (Qr) | | • | • | • | _ | - | _ |
| Sum & Product of The Input Function (∑ & ∏) | • | • | - | - | _ | - | _ |
| Prime Factorization (Pfact) | • | • | - | _ | _ | _ | _ |
| Max & Min Value in Number Series | • | • | _ | _ | _ | _ | _ |
| Modulus After Division (Mod) | a:b = X: d | • | _ | _ | _ | _ | _ |
| Ratio Calculation | a:b = c : X | _ | _ | _ | _ | _ | _ |
| Statistics | | | | | | | |
| Table-Formated Data Input & Edit | • | • | • | - | - | - | - |
| 1- / 2- Variable | • | • | • | • | • | • | 1-variable |
| Mean, Standrad Deviation, Sum Of Value | • | • | • | • | • | • | • |
| Maximum Value, Minimum Value, Median Value | | • | only Max & Min | • | - | - | _ |
| Q1 & Q3 Value | • | • | _ | _ | - | _ | - |
| Factorials, Permutations & Combinations | • | • | • | • | • | • | • |
| Regression Analysis | • | • | • | • | • | • | • |
| Correlation Coefficient (r) | • | • | - | _ | • | • | _ |
| Probability Distribution Calculations Random Number Generation (Rand) | | • | _ | - | | • | - |
| Integer Random Number Generation (I-Rand) | | • | | • | • | | _ |
| Trigonometry | | | | | | | |
| Angles & DRG Conversions | | | | | | | |
| Trigonometry & Inverse Trigonometry | | • | | • | • | • | • |
| Hyperbolic & Inverse Hyperbolic | | • | | • | • | | • |
| Degree-Minutes-Seconds ← Decimal Degrees / Sexagesimal Cal. | | | | | | | |
| Algebra | _ | | | | | | |
| Complex Number Calculation | | | | | | | |
| Solve Function | | • | _ | _ | • | • | - |
| Calc Function | | | _ | _ | | | _ |
| Matrix Calculations | 4 x 4 (4 memories) | 4 x 4 (4 memories) | - | _ | 3 x 3 (3 memories) | 3 x 3 (3 memories) | _ |
| Inequality Calculations (INEQ) | Quad / Cubic / Quart | _ | _ | _ | _ | _ | _ |
| Equation Operation | Up to Quartic & 4 | Up to Quartic & 4 | _ | _ | Up to Cubic & 3 | Up to Cubic & 3 | _ |
| Function Table | unknowns | unknowns | | | unknowns | unknowns | |
| | • | | | | | | |
| Calculus | | | | | | | |
| Integration Calculation | | • | _ | = | • | • | = |
| Differential Calculation | | • | | | • | • | |
| Geometry | | | | | | | |
| Vector Calculations | • | • | - | _ | • | • | _ |
| Coordination Conversion (Rectangular ↔ Polar) | | • | ٠ | • | • | • | • |
| Computer maths | | | | | | | |
| Base-N Calculation (Bin, Oct, Dec, Hex) | • | • | - | - | • | • | • |
| Transformation between DHBO | | • | - | - | • | • | • |
| Logic Operation | | | _ | _ | | | |

Scientific (P.16-19)













| Special Features | | | | | | | |
|--|----------------------------------|-------------------------------------|---|-------------------|-------------------|-----------------|-------------------|
| Multiple Replay & Last Digit Correction | • | • | • | • | • | • | _ |
| Undo/ Input Recovery | - | - | - | • | • | • | - |
| Internal Calculation Digits | 18 digits | 18 digits | 18 digits | 16 digits | 16 digits | 16 digits | 12 digits |
| Apps Key (Quick Function Key) | • | • | - | - | - | _ | - |
| Display | | | | | | | |
| Lines | | | | 2 | 2 | 2 | 1 |
| Upper Line Display | Textbook Display 31 x 96 dots | Textbook Display 31 x 96 dots | Textbook Display 31 x 96 dots | 12 | 12 | 12 | - |
| Lower Line Display | | | | 10 + 2 | 10 + 2 | 10 + 2 | 10 + 2 |
| LCD Contrast Selection | • | • | • | _ | _ | _ | - |
| Low Battery Indicator | • | • | • | • | _ | • | - |
| Fixed decimal, Sci and Eng Notation | • | • | • | • | • | • | • |
| ENG Mode | • | • | • | • | • | • | • |
| Specifications | | | | | | | |
| Power Source | Battery | Solar + Battery | Solar + Battery | Solar + Battery | Solar + Battery | Solar + Battery | Battery |
| Battery | CR2032 x 1 | CR2032 x 1 | CR2032 x 1 | LR44 x 1 | LR44 x 1 | CR2032 x 1 | LR44 x 2 |
| Auto-Power Off | 7 min. | 7 min. | 7 min. | 7 min. | 7 min. | 7 min. | 7 min. |
| Dimensions L x W x H (mm) - with Hard Case | _ | 171 x 86 x 17.3 | 171 x 86 x 18.7 | 168 x 86.3 x 17.8 | 168 x 86.3 x 17.8 | 158 x 84 x 18 | 152 x 78 x 18 |
| Dimensions L x W x H (mm) - Body Only | 160 x 76 x 11.3 | 168 x 80 x 13.1 | 168 x 80 x 14.5 | 165 x 80 x 14 | 165 x 80 x 14 | 155 x 80 x 14.5 | 150 x 74.5 x 11.5 |
| Weight (g) - with Hard Case | - | 120 | 128 | 124 | 124 | 135 | 96 |
| Weight (g) - Body Only | 110.5 | 88 | 95 | 89 | 89 | 100 | 73 |
| Casing Material | Recycled Plastic | Recycled Plastic & Antibacterial | S: Plastic SG: Recycled Plastic SA: Antibacterial SGA: Recycled Plas- tic & Antibacterial | Recycled Plastic | Recycled Plastic | Plastic | Plastic |
| Hard Cover | Pouch case | • | • | • | • | • | • |

Specifications are subject to change without notice.

Pro series (P.22)



KS-1220TG



BS-1220TG

Clock & Timer



| \sim | r_⊿n | |
|--------|------|--|

Electronic Timer

LR44 X 1

| Digits | 12 | 12 | Туре | |
|-------------------------|--|--|------------------------|----|
| Memory | 1 | 1 | | |
| Power Source | Dual power | Dual power | Battery | |
| Battery | CR2032 x 1 | CR2032 x 1 | | |
| Decimal Selection | +43210F | +43210F | Clock Display | |
| Rounding | 15/4→ | 15/4→ | Alarm Clock | |
| Tax Calculation | • | • | / Harri Clock | |
| Business Calculation | _ | _ | Count Down Timer | |
| Time Calculation | _ | • | | |
| GT | • | • | World Time | |
| MU | - | _ | Optional Keytone | |
| RV | • | • | | |
| %± | • | • | Currency Conversion | |
| $\sqrt{}$ | - | • | | |
| € | • | • | Calendar | |
| \rightarrow | • | • | Calculator | |
| 00 | • | • | culculator | |
| Special Features | Non-slip rubber Adjustable display Metallic topcoating | Non-slip rubber Adjustable display Metallic topcoating | Special Features | |
| | | | | Sr |

Specifications are subject to change without notice.

Magnet on the back for mounting

Handheld (P.23)





LS-270H



LS-153TS



LS-12TC



LC-10



| LS-12H |
|--------|

| Digits | 8 | 8 | 10 | 12 | 10 | 12 |
|-------------------------|---------------------|------------------|---------------------|------------|------------------------------|------------------|
| Memory | - | 1 | 1 | 1 | 1 | 1 |
| Power Source | Battery | Dual power | Dual power | Dual power | Battery | Dual power |
| Battery | LR44 x 1 | LR54 x 1 | LR54 x 1 | CR2016 x 1 | CR2016 x 1 | LR54 x 1 |
| Tax Calculation | - | - | • | • | - | _ |
| Business Calculation | - | - | • | _ | - | _ |
| Currency Conversion | _ | - | - | • | _ | _ |
| GT | - | - | _ | • | - | - |
| MU | - | • | _ | _ | - | • |
| %± | • | • | • | • | - | • |
| $\sqrt{}$ | - | • | • | • | - | • |
| € | - | • | • | • | • | • |
| \rightarrow | - | - | • | • | - | • |
| 00 | - | - | _ | • | - | • |
| Wallet Case | - | • | • | • | - | • |
| Special Features | Keychain calculator | 1. Large display | Metallic topcoating | _ | 1. Slim and flat body design | Stran attachable |

Green Series (P.20-21)







| 20 5 | 15 | 9 | Ŀ | 61 |
|------|-----|----|----|----|
| 13 E | 7 | | | |
| | 12 | 16 | IΕ | T÷ |
| | 12 | 3 | Т | Œ |
| 20 E | DX. | | ľ | E |

| | LS-154TG | HS-20TG | TS-1200TG |
|-------------------------|-------------------------|-----------------------------|--------------------|
| Digits | 12 | 12 | 12 |
| Memory | 1 | 1 | 1 |
| Power Source | Dual power | Dual power | Dual power |
| Battery | CR2016 x 1 | CR2032 x 1 | CR2032 x 1 |
| Decimal Selection | _ | +43210F | +43210F |
| Rounding | _ | 5/4 ₹ | 5/4 ▼ |
| Tax Calculation | • | • | • |
| Business Calculation | - | - | - |
| GT | _ | • | • |
| %± | • | • | • |
| $\sqrt{}$ | • | • | • |
| C | • | • | • |
| \rightarrow | _ | • | • |
| 00 | _ | • | • |
| Recycled Plastic | • | • | • |
| Special Features | 360° folding hard cover | Durable aluminium faceplate | Adjustable display |

Specifications are subject to change without notice.

Specifications are subject to change without notice.

Desktop (P.24-27)



Specifications are subject to change without notice.

Desktop (P.24-27)





· 63428.880,634





| | WS-1610H | WS-220TC | WS-240TC | WS-260TC | WS-2222 |
|------------------------|---|-----------------------|-----------------------|-----------------------|---------------------------|
| Digits | 16 | 12 | 14 | 16 | 12 |
| Memory | 1 | 1 | 1 | 1 | 2 |
| Power Source | Dual power | Dual power | Dual power | Dual power | Dual power |
| Battery | LR1130 x 1 | LR44 x 1 | LR44 x 1 | LR44 x 1 | LR44 x 1 |
| Decimal Selection | +4320F | +43210F | +43210F | +43210F | +43210F |
| Rounding | 1 5/4 √ | 1 5/4 √ | 1 5/4 √ | 1 5/4 → | 1 5/4 → |
| Tax Calculation | - | • | • | • | _ |
| Currency Conversion | - | • | • | • | - |
| GT | • | - | _ | - | _ |
| MU | • | - | _ | - | • |
| RV | - | - | - | - | - |
| %± | • | • | • | • | • |
| $\sqrt{}$ | • | • | • | • | • |
| € | • | • | - | - | • |
| \rightarrow | • | • | • | • | • |
| 00 | 00/000 | - | • | • | • |
| Special Features | 1. Adjustable display 2. IT touch keys | Wide keyboard | Wide keyboard | Wide keyboard | Double independent memory |

Specifications are subject to change without notice.

Desktop (P.24-27)

Digits Memory Power Source Battery Decimal Selection Rounding Tax Calculation Business Calculation Check & Correct GT MU

€

00

Special Features



















| | WS-2224 |
|-------------------------|-----------------------|
| Digits | 14 |
| Memory | 2 |
| Power Source | Dual power |
| Battery | LR44 x 1 |
| Decimal Selection | +43210F |
| Rounding | 1 5/4 √ |
| Tax Calculation | _ |
| Business Calculation | - |

Desktop (P.24-27)











| LS-120RS | LS-100TS | HS-1200RS | TS-120TS | HS-1200TS | WS-112H | WS-1212H |
|---------------------|---------------------|---------------------|--|---------------------|---------------|-------------------|
| 12 | 10 | 12 | 12 | 12 | 12 | 12 |
| 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Dual power | Dual power | Dual power | Dual power | Dual power | Dual power | Dual power |
| LR44 x 1 | LR44 x 1 | LR44 x 1 | CR2032 x 1 | LR44 x 1 | CR2032 x 1 | CR2032 x 1 |
| - | - | +43210F | +43210F | +43210F | - | +43210F |
| _ | - | 1 5/4 → | 5/4→ | 1 5/4 → | - | 1 5/4 → |
| _ | • | - | • | • | - | - |
| • | • | • | • | • | - | - |
| • (100 steps) | _ | (100 steps) | _ | - | - | _ |
| - | - | - | _ | • | • | • |
| - | - | - | _ | - | • | • |
| • | • | • | • | • | • | • |
| - | • | • | _ | • | • | • |
| • | • | • | • | • | • | • |
| • | • | • | • | • | • | • |
| - | - | • | • | • | • | • |
| Metallic topcoating | Metallic topcoating | Metallic topcoating | Adjustable display Metallic topcoating | Metallic topcoating | Wide keyboard | Retractable stand |

Specifications are subject to change without notice.

Printing Calculators (P.28-31)













| | X Mark I Print | MP37-MG | MP25-MG-es | P1-DTSC | P23-DTSC | P1-DHV G | P23-DHV G |
|-------------------------------|---|---|-------------------------------------|-------------------------------------|-------------------------------------|----------------------------------|----------------------------------|
| Digits | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| Display Type | LCD | Fluorescent Tube | Fluorescent Tube | LCD | LCD | LCD | LCD |
| Power Source | AC/DC (AD-11 /AA battery x 4) | AC (detachable power cord) | AC (detachable power cord) | AC/DC (AD-11 /AA battery x 4) | AC/DC (AD-11 /AA battery x 4) | AC/DC (AD-11 /AA battery x 4) | AC/DC (AD-11 /AA battery x 4) |
| Back-up Battery | CR2032 x 1 | CR2032 x 1 | CR2032 x 1 | CR2032 x 1 | CR2032 x 1 | CR2032 x 1 | CR2032 x 1 |
| Printer Type | Ink roller | Ink ribbon | Ink ribbon | Ink roller | Ink roller | Ink roller | Ink roller |
| Printing Color | 2 | 2 | 2 | 1 | 2 | 2 | 2 |
| Printing Speed (lines/sec) | 2.3 | 4.8 | 4.3 | 2 | 2.3 | 2 | 2.3 |
| IT Touch Key | • | • | • | - | - | - | - |
| Decimal Selection | +0234F | +02346F | +02346F | +0234F | +023F | +0234F | +023F |
| Rounding | 5/4 → | 15/4 → | 1 5/4 → | 5/4 → | 1 5/4 → | 5/4 → | 1 5/4 √ |
| Tax Calculation | • | • | • | • | • | • | • |
| Business Calculation | • | • | • | • | • | • | • |
| Currency Conversion | • | • | - | • | • | - | _ |
| Clock & Calendar | - | • | • | - | • | - | • |
| Time Calculation | - | - | - | - | - | • | • |
| Cash Change Function | - | - | - | - | - | - | - |
| GT | - | • | • | - | - | - | _ |
| Item Count | - | • | • | - | • | - | • |
| %± | • | • | • | • | • | • | • |
| * | - | • | • | - | • | - | • |
| #/◊ | # | • | • | # | • | # | • |
| C | • | - | • | • | • | • | • |
| \rightarrow | - | • | • | - | • | - | • |
| 0/00/000 | 0 | 0/00/000 | 0/00 | 0 | 0/00 | 0 | 0/00 |
| Recycled Plastic | • | • | • | - | - | • | • |
| Ink Cartridge | CP-13 II | EP-102 | EP-102 | CP-16 II | CP-13 II | CP-13 II | CP-13 II |
| Roll Paper | MP-57 | MP-57 | MP-57 | MP-57 | MP-57 | MP-57 | MP-57 |
| Special Features | Backlight LCD display IT touch keys | Antibacterial double injection keys Canola key layout | Antibacterial double injection keys | Silver metallic spray on upper case | Silver metallic spray on upper case | Low battery Indicator | Low battery Indicator |

Printing Calculators (P.28-31)












| | MP120-MG-es | MP121-MG-es | MP1200-FTS | MP1211-LTSC | MP1411-LTSC | MP1611-LTSC-es |
|-------------------------------|-------------|-------------|------------------|-----------------------|-----------------------|-----------------------|
| Digits | 12 | 12 | 12 | 12 | 14 | 16 |
| Display Type | 2-color LCD | LCD | Fluorescent Tube | 2-color LCD | 2-color LCD | 2-color LCD |
| Power Source | AC | AC | AC | AC | AC | AC |
| Back-up Battery | CR2032 x 1 | CR2032 x 1 | - | CR2032 x 1 | CR2032 x 1 | CR2032 x 1 |
| Printer Type | Ink roller | Ink roller | Ink ribbon | Ink ribbon | Ink ribbon | Ink ribbon |
| Printing Color | 2 | 2 | 2 | 2 | 2 | 2 |
| Printing Speed (lines/sec) | 2.7 | 2.3 | 3.7 | 4.3 | 4.3 | 4.3 |
| IT Touch Key | • | - | - | • | • | • |
| Decimal Selection | +0234F | +01234F | +02346F | +02346F | +02346F | +02346F |
| Rounding | 15/4 → | 15/4 → | 15/4 → | 1 5/4 → | 1 5/4 → | 1 5/4 → |
| Tax Calculation | • | • | • | • | • | • |
| Business Calculation | • | • | • | • | • | • |
| Currency Conversion | • | • | - | • | • | • |
| Clock & Calendar | • | • | - | - | - | _ |
| Time Calculation | - | - | - | - | - | _ |
| Cash Change Function | - | - | - | • | • | • |
| GT | • | • | • | • | • | • |
| Item Count | • | • | • | • | • | • |
| %± | • | • | • | • | • | • |
| * | • | • | • | • | • | • |
| #/◊ | • | • | • | • | • | • |
| € | - | - | • | - | - | _ |
| \rightarrow | • | • | • | • | • | • |
| 0/00/000 | 0/000 | 0/00/000 | 0/00 | 0/00/000 | 0/00/000 | 0/00/000 |
| Recycled Plastic | • | • | - | - | - | - |
| Ink Cartridge | CP-13 II | CP-13 II | EP-102 | EP-102 | EP-102 | EP-102 |
| Roll Paper | MP-57 | MP-57 | MP-57 | MP-57 | MP-57 | MP-57 |
| Special Features | - | - | - | - | - | - |

Consideration of the state of t



- Tax calculation

| Storing Tax Rate | | |
|------------------|---------|-----|
| Rate: 5% | | |
| Operation | Display | |
| 5 RATE SET | (TAX% | 5.) |
| Recall Tax Rate | | |
| Operation | Display | |
| RATE RECALL | (TAX% | 5.) |

| E.g. Price \$2000 without tax | | | | | | |
|-------------------------------|------------|-------|---------|--|--|--|
| Calculation Operation Display | | | | | | |
| Selling price with tax=? | 2000 TAX + | (TAX+ | 2′100.) | | | |
| Tax=? | TAX + | (TAX | 100.) | | | |

| E.g. Price \$3150 with tax | | | | | | |
|----------------------------|------------|---------|---------|--|--|--|
| Calculation | Operation | Display | | | | |
| Price without tax=? | 3150 TAX - | (TAX- | 3′000.) | | | |
| Tax=? | TAX - | (TAX | 150.) | | | |

Grand total

(2.)

| Example | | | | | | |
|-------------|-----------------------|---------|---------|--|--|--|
| Calculation | Operation | Display | | | | |
| 30 x 40 | 30 × 40 = | (GT | 1′200.) | | | |
| +) 50 x 60 | 50 X 60 = | (GT | 3′000.) | | | |
| 4200 | GT | (GT | 4′200.) | | | |
| +) 25 x 30 | 25 × 30 = | (GT | 750.) | | | |
| 4950 | GT (Recalling memory) | (GT | 4′950.) | | | |
| | GT (Clearing memory) | (| 4′950.) | | | |

-- Memory keys

5 😛 10 RV 😑

| Example | Example | | | | | | |
|-------------|--------------------|----------------|-------|--|--|--|--|
| Calculation | Operation | Display | | | | | |
| 3 x 4 | 3 × 4 M± | (^M | 12.) | | | | |
| -) 6÷0.2 | 6 : 2 ME | (^M | 30.) | | | | |
| -18 | RMCM | (^M | -18.) | | | | |
| +) 200 | 200 M± | (M | 200.) | | | | |
| 182 | (Recalling memory) | (M | 182.) | | | | |
| l | (Clearing memory) | (| 182.) | | | | |

Mark-up function

| E.g. Cost \$2000, Profit= 20% of selling price | | | | | |
|--|----------|--|--|--|--|
| Selling price=? | | | | | |
| Operation | Display | | | | |
| 2000 20 MU | (2′500.) | | | | |
| Profit=? | | | | | |
| Operation | Display | | | | |
| MU | (500.) | | | | |

Currency conversion •-----

| Storing Currency Rate | | | | | | |
|-------------------------------|-----------|---------|---------|--|--|--|
| (US\$) and [LOCAL] = 1 (Euro) | | | | | | |
| Operation | | Display | | | | |
| 1.2809 RATE LOCAL | | (RATE | 1.2809) | | | |
| Recall Currency Rate | | | | | | |
| Operation | | Display | | | | |
| RATE | | (RATE | 1.2809) | | | |
| Converting Curr | ency | | | | | |
| Calculation | Operation | Display | | | | |
| Euro 78 = US ? 78 LOCAL | | (LOCAL | 99.91) | | | |
| Calculation Operation | | Display | | | | |
| US\$ 48 = Euro ? | 48 | (®) | 37.47) | | | |





* WS-220TC as an example.

Business calculation •-----

| Examples | | | | | |
|----------|--------|--------|-------------------------------|--|--|
| Cost | Sell | Margin | Calculation | | |
| ? | \$2000 | 30% | ON 2000 SELL 30 MARGIN - 1400 | | |
| \$1500 | ? | 20% | ON 1500 COST 20 MARGIN - 1875 | | |
| \$1500 | \$2000 | ? | ON 1500 COST 2000 SELL - 25 | | |

120 steps check-and-correct function • - - - - -





^{*} AS-220RTS as an example.

42

Package List

| | Model | Package Type | QTY/ CTN | G/W (kg) | Length (mm) | Width (mm) | Height (mm) | М3 |
|---------------|------------------------------------|------------------|-------------|-------------|----------------|---------------|-------------|-------|
| | X MARK II-BK | EMEA HWB | 40 | 11.45 | 517 | 331 | 305 | 0.052 |
| S | X MARK II-WH | EMEA HWB | 40 | 11.45 | 517 | 331 | 305 | 0.052 |
| SERIES | X MARK I PRESENTER | EMEA HWB | 40 | 9.21 | 449 | 247 | 366 | 0.041 |
| | X MARK I PRINT-BK | EMEA HWB | 10 | 8.64 | 359 | 269 | 341 | 0.032 |
| × | X MARK I PRINT-WH | EMEA HWB | 10 | 8.64 | 359 | 269 | 341 | 0.032 |
| | X MARK I PRO | EXP HWB | 20 | 13.9 | 485 | 283 | 302 | 0.041 |
| | LC-210Hi III-BL | ASA HB | 80 | 5.06 | 385 | 252 | 182 | 0.017 |
| | LC-210Hi III-OR LC-210Hi III-PP | ASA HB ASA HB | 80 | 5.06 | 385 385 | 252 252 | 182 182 | 0.017 |
| | LS-88Hi III | ASA HB | 80 | 10.00 | 323 | 315 | 230 | 0.017 |
| | LS-88Hi III-PGR | ASA HB | 80 | 9.40 | 323 | 315 | 428 | 0.043 |
| S | LS-88Hi III-PPP | ASA HB | 80 | 9.40 | 323 | 315 | 428 | 0.043 |
| SERIES | LS-88Hi III-PPK | ASA HB | 80 | 9.40 | 323 | 315 | 428 | 0.043 |
| ິ = | LS-88Hi III-BK | ASA HB | 80 | 9.40 | 323 | 315 | 428 | 0.044 |
| Ī | LS-120Hi III | ASA HB | 60 | 10.46 | 343 | 318 | 390 | 0.042 |
| | LS-120Hi III-RD | ASA HB | 60 | 10.46 | 343 | 318 | 390 | 0.042 |
| | LS-120Hi III-BW | ASA HB | 60 | 10.46 | 343 | 318 | 390 | 0.042 |
| | LS-120Hi III-GR TX-1210Hi III | ASA HB ASA HB | 60 | 10.46 | 343 412 | 318 404 | 390 | 0.042 |
| | WS-1210Hi III | ASA HB | 40 | 14.74 | 443 | 393 | 375 | 0.065 |
| | LS-270V II-R | ASA HB | 120 | 6.75 | 272 | 258 | 331 | 0.003 |
| | LS-270V II-O | ASA HB | 120 | 6.75 | 272 | 258 | 331 | 0.023 |
| | LS-270V II-G | ASA HB | 120 | 6.75 | 272 | 258 | 331 | 0.023 |
| | LS-270V II-B | ASA HB | 120 | 6.75 | 272 | 258 | 331 | 0.023 |
| S | LS-123T-PK | ASA HB | 40 | 6.64 | 332 | 305 | 268 | 0.027 |
| SERIES | LS-123T-GR | ASA HB | 40 | 6.64 | 332 | 305 | 268 | 0.027 |
| | LS-123T-BL | ASA HB | 40 | 6.64 | 332 | 305 | 268 | 0.027 |
| LOR | LS-123T-OR | ASA HB | 40 | 6.64 | 332 | 305 | 268 | 0.027 |
| S | AS-120V-PBL | ASA HB | 40 | 6.76 | 371 | 337 | 268 | 0.033 |
| | AS-120V-PPP AS-120V-PGY | ASA HB ASA HB | 40 | 6.25 | 371 371 | 337 | 268 268 | 0.033 |
| | AS-120V-PPK | ASA HB | 40 | 6.76 | 371 | 337 | 268 | 0.033 |
| | AS-120V-POR | ASA HB | 40 | 6.25 | 371 | 337 | 268 | 0.033 |
| | AS-120V-LG | ASA HB | 40 | 6.25 | 371 | 337 | 268 | 0.033 |
| | AS-8 | ASA HB | 80 | 5.20 | 385 | 252 | 182 | 0.017 |
| | AS-120R | ASA HB | 40 | 6.70 | 371 | 337 | 268 | 0.033 |
| | AS-220RTS | ASA HB | 40 | 8.75 | 380 | 348 | 334 | 0.044 |
| ES | AS-120 | ASA HB | 40 | 6.76 | 371 | 337 | 268 | 0.033 |
| SERIES | AS-1200 | ASA HB | 40 | 9.70 | 464 | 369 | 296 | 0.050 |
| ARC 3 | AS-2222 | ASA HB | 40 | 11.40 | 431 | 363 | 348 | 0.054 |
| ₹ | AS-2200R | ASA HB | 40 | 12.16 | 446 | 378 | 344 | 0.058 |
| | AS-2200 | ASA HB | 40 | 12.20 | 446 | 378 | 344 | 0.058 |
| | AS-2400 AS-2600 | ASA HB ASA HB | 40 | 11.86 | 446 446 | 378 378 | 344 | 0.058 |
| | F-789SGA | ASA HB | 40 | 11.50 | 391 | 373 | 246 | 0.035 |
| | F-718SGA-BK | ASA HB | 40 | 7.77 | 395 | 303 | 245 | 0.029 |
| | F-718SA-WH | ASA HB | 40 | 7.77 | 395 | 303 | 245 | 0.029 |
| | F-718S-BL | ASA HB | 40 | 7.77 | 395 | 303 | 245 | 0.029 |
| | F-718SGA-PK | ASA HB | 40 | 9.12 | 395 | 303 | 245 | 0.029 |
| 2 | F-715SG-BK | ASA HB | 40 | 9.12 | 395 | 303 | 245 | 0.029 |
| SCIENTIFIC | F-715SG-WHB | ASA HB | 40 | 9.12 | 395 | 303 | 245 | 0.029 |
| CIEI | F-715SG-WHM | ASA HB | 40 | 9.12 | 395 | 303 | 245 | 0.029 |
| S | F-788SG-NV | ASA HB | 40 | 8.80 | 387 | 317 | 245 | 0.030 |
| | F-788SG-WHP | ASA HB | 40 | 8.80 | 387 | 317 | 245 | 0.030 |
| | F-788SG-BL | ASA HB | 40 | 8.80 | 387 | 317 | 245 | 0.030 |
| | F-788dx-GY F-788dx-W | ASA HB ASA HB | 40 | 11.60 | 424 424 | 354 354 | 233 | 0.035 |
| | F-604 | EXP HB | 40 | 10.20 | 410 | 410 | 210 | 0.035 |
| SIES | LS-154TG | CAN HWB | 120 | 16.52 | 435 | 347 | 404 | 0.061 |
| EN SERIES | HS-20TG | CAN HWB | 40 | 9.84 | 465 | 393 | 276 | 0.050 |
| GREEN | TS-1200TG | CAN HWB | 40 | 13.86 | 479 | 379 | 344 | 0.062 |
| SERIES | KS-1220TG | ASA HB | 40 | 9.27 | 394 | 221 | 286 | 0.024 |
| PRO | BS-1220TG | ASA HB | 40 | 10.95 | 414 | 221 | 321 | 0.029 |
| CLOCK & TIMER | CT-40 | ASA SB | 120 | 10.01 | 579 | 272 | 290 | 0.045 |

| | | | Model | Package Type | QTY/ CTN | G/W (kg) | Length (mm) | Width (mm) | Height (mm) | М3 |
|----|---------------------|--------------------|----------------|--------------|-------------|-------------|----------------|---------------|-------------|--------|
| ij | | Τ | KC-30 | USA BL | 80 | 5.54 | 413 | 385 | 260 | 0.0413 |
| J | | 8-DIGIT | KC-30-B | EXP GB | 180 | 8.98 | 332 | 261 | 346 | 0.0300 |
| Ч | <u>م</u> | 8 | LS-270H W | EXP HB | 120 | 9.50 | 482 | 238 | 272 | 0.0312 |
| d | | L | LC-10-BK | ASA HB | 240 | 8.27 | 422 | 256 | 265 | 0.0286 |
| | HANDHEL | 10-DIGIT | LC-10-WH | ASA HB | 240 | 8.27 | 422 | 256 | 265 | 0.0286 |
| П | I | - | LS-153TS | EXP HB | 120 | 12.64 | 343 | 327 | 290 | 0.0325 |
| Н | | 12-DIGIT | LS-12TC | EXP CP | 40 | 8.40 | 489 | 309 | 415 | 0.0627 |
| ı | | 12-D | LS-12H | EU/AS HB | 80 | 8.90 | 415 | 275 | 206 | 0.0235 |
| | | 8-DIGIT | LS-88L | EMB HB | 80 | 10.40 | 625 | 321 | 251 | 0.0504 |
| П | | 8-D | LS-82Z | EXP HB | 80 | 8.86 | 535 | 327 | 224 | 0.0392 |
| Н | | ⊨ | LS-102Z | EXP HB | 80 | 8.05 | 535 | 327 | 224 | 0.0392 |
| ı | | 10-DIGIT | LS-101H | J/E GB CHI | 80 | 12.20 | 471 | 315 | 324 | 0.0481 |
| | | | LS-100TS | EXP HB CHI | 60 | 9.57 | 467 | 362 | 259 | 0.0438 |
| П | | | LS-1200T-WH | ASA HB | 60 | 8.13 | 334 | 220 | 336 | 0.0247 |
| Н | | | LS-120RS-S | ASA HB | 60 | 10.01 | 330 | 311 | 384 | 0.0394 |
| ı | | | HS-1200RS | EXP HB N | 40 | 10.80 | 446 | 428 | 316 | 0.0603 |
| | | 12-DIGIT | HS-1200RS-GD | ASA HB | 40 | 10.80 | 446 | 428 | 316 | 0.0603 |
| J | | 12- | HS-1200TS | EXP HB N | 40 | 10.35 | 446 | 428 | 316 | 0.0603 |
| ч | 9 | | TS-120TS | ASA HB | 40 | 9.60 | 387 | 305 | 279 | 0.0329 |
| d | DESKTOP | | WS-112H | ASA HB | 40 | 6.93 | 348 | 329 | 279 | 0.0319 |
| 1 | | | WS-1212H | ASA HB | 40 | 9.79 | 377 | 354 | 321 | 0.0428 |
| П | | | WS-220TC | EMB HB | 40 | 9.92 | 377 | 342 | 358 | 0.0462 |
| d | | | WS-240TC | EMB HB | 40 | 9.80 | 377 | 342 | 358 | 0.0462 |
| ٦ | | | WS-260TC | EMB HB | 40 | 9.94 | 377 | 342 | 358 | 0.0462 |
| ı | | S | WS-2222 | EMB HB N | 40 | 12.36 | 425 | 415 | 346 | 0.0610 |
| . | | 12/14/16 SERIES | WS-2224 | EMB HB | 40 | 12.45 | 425 | 415 | 346 | 0.0610 |
| ч | | 12/14/ | WS-2226 | EMB HB | 40 | 12.41 | 425 | 415 | 346 | 0.0610 |
| П | | | WS-1210T | EMB HB | 40 | 14.35 | 443 | 393 | 375 | 0.0653 |
| ı | | | WS-1410T | EMB HB | 40 | 14.55 | 443 | 393 | 375 | 0.0653 |
| П | | | WS-1610T | EMB HB | 40 | 14.55 | 443 | 393 | 375 | 0.0653 |
| Ч | | | WS-1610H | EXP HB CHI | 40 | 14.00 | 510 | 366 | 356 | 0.0665 |
| Н | | TER | P1-DTSC | ASA HWB | 20 | 11.60 | 599 | 377 | 288 | 0.0650 |
| 1 | | PRINTER | P23-DTSC | ASA HWB | 12 | 12.56 | 607 | 272 | 412 | 0.0680 |
| ı | | AC/DC | P1-DHV G | USA HWB | 10 | 5.66 | 324 | 294 | 354 | 0.0340 |
| Н | ~ | ~ | P23-DHV G | CHI HWB | 12 | 10.26 | 574 | 259 | 406 | 0.0600 |
| ١ | ULATOR | INK ROLLER PRINTER | MP120-MG-es | EMEA GB | 4 | 6.24 | 433 | 252 | 394 | 0.0430 |
| 1 | PRINTING CALCULATOR | INK ROLL | MP121-MG-es | EMEA HWB | 12 | 14.45 | 479 | 389 | 471 | 0.0880 |
| ij | E N | | MP25-MG-es | EMEA GB | 6 | 14.90 | 542 | 404 | 458 | 0.1003 |
| J | PRI | TER | MP37-MG | EMEA GB | 6 | 13.50 | 541 | 399 | 471 | 0.1017 |
| ч | | A PRIN | MP1200-FTS | EXP GB | 6 | 13.90 | 542 | 355 | 437 | 0.0841 |
| d | | RIBBON PRINTER | MP1211-LTSC | ASA GB | 6 | 13.70 | 536 | 419 | 464 | 0.1042 |
| | | IN | MP1411-LTSC | EMEA GB | 6 | 14.59 | 536 | 419 | 464 | 0.1042 |
| ij | | | MP1611-LTSC-es | EMB GB | 6 | 14.59 | 536 | 419 | 464 | 0.1042 |
| d | \(| \triangleright | Package Type | | | | | | | |

| Package Type | | | |
|-----------------------|-----------------------------|---------------------------|------------------------------|
| | | | |
| Gift box (GB) | Hangable box (HB) | Hangable window box (HWB) | Blister (BL) |
| 9/0 1 | | | 8 |
| Slide blister (SB) | Slide open blister (SOB) | Clam pack (CP) | Double card Blister (DBL) |

Barcode List

| | Model | Product Code | Barcode |
|--------------|-------------------------------|--------------------------|--------------------------------|
| | X MARK II-BK EMEA HWB | 8339B001AA | 4960999975221 |
| | X MARK II-WH EMEA HWB | 8339B002AA | 4960999975238 |
| SERIES | X MARK I PRESENTER EMEA HWB | 7955B001AA | 4960999922492 |
| SEF | X MARK I PRINT-BK EMEA HWB | 4413B002AA | 4960999665337 |
| × | X MARK I PRINT-WH EMEA HWB | 4413B001AA | 4960999664866 |
| | X MARK I PRO EXP HWB | 6755B001AA | 4960999916767 |
| | LC-210Hi III-BL ASA HB | 4628B002AA | 4960999674865 |
| | LC-210Hi III-OR ASA HB | 4628B003AA | 4960999674902 |
| | LC-210Hi III-PP ASA HB | 4628B001AA | 4960999674513 |
| | LS-88Hi III ASA HB | 4425B001AA | 4960999665016 |
| | LS-88Hi III-PGR ASA HB | 4425B003AA | 4960999814315 |
| S | LS-88Hi III-PPP ASA HB | 4425B004AA | 4960999814322 |
| SERIES | LS-88Hi III-PPK ASA HB | 4425B002AA | 4960999814285 |
| Ξ | LS-88Hi III-BK ASA HB | 4425B005AA | 4960999994468 |
| Ξ | LS-120Hi III ASA HB | 4629B001AA | 4960999674520 |
| | LS-120Hi III-RD ASA HB | 4629B002AA | 4960999814391 |
| | LS-120Hi III-BW ASA HB | 4629B004AA | 4960999814414 |
| | LS-120Hi III-GR ASA HB | 4629B003AA | 4960999814407 |
| | TX-1210Hi III ASA HB | 4630B001AA | 4960999674537 |
| | WS-1210Hi III ASA HB | 4631B001AA | 4960999674544 |
| | LS-270V II-R ASA HB | 3181B006AA | 4960999657493 |
| | LS-270V II-O ASA HB | 3181B007AA | 4960999657509 |
| | LS-270V II-G ASA HB | 3181B005AA | 4960999657486 |
| | LS-270V II-B ASA HB | 3181B008AA | 4960999657516 |
| m | LS-123T-PK ASA HB | 8107B001AA | 4960999966489 |
| RE | LS-123T-GR ASA HB | 8107B002AA | 4960999966496 |
| S SE | LS-123T-BL ASA HB | 8107B003AA | 4960999966502 |
| COLOR SERIES | LS-123T-OR ASA HB | 8107B004AA | 4960999966519 |
| 8 | AS-120V-PBL ASA HB | 5476B003AA | 4960999814339 |
| | AS-120V-PPP ASA HB | 5476B007AA | 4960999814377 |
| | AS-120V-PGY ASA HB | 5476B005AA | 4960999814353 |
| | AS-120V-PPK ASA HB | 5476B006AA | 4960999814360 |
| | AS-120V-POR ASA HB | 5476B008AA | 4960999814384 4960999814346 |
| | AS-120V-LG ASA HB | 5476B004AA | |
| | AS-8 ASA HB AS-120R ASA HB | 4598B002AA 4583B002AA | 4960999676258 4960999676265 |
| | AS-220RTS ASA HB | 4898B002AA | 4960999684109 |
| | AS-120 ASA HB | 4582B002AA | 4960999673622 |
| RES | AS-1200 ASA HB | 4599B002AA | 4960999676272 |
| C SERIES | AS-2222 ASA HB | 4586B002AA | 4960999676296 |
| ARG | AS-2200R ASA HB | 9591B001AA | 4549292012163 |
| | AS-2200 ASA HB | 4584B002AA | 4960999676289 |
| | AS-2400 ASA HB | 4585B003AA | 4960999784021 |
| | AS-2600 ASA HB | 4997B002AA | 4960999784038 |
| | F-789SGA ASA HB | 6467B004AA | 4960999917276 |
| | F-718SGA-BK ASA HB | 4299B005AA | 4960999780535 |
| | F-718SA-WH ASA HB | 4298B005AA | 4960999780788 |
| | F-718S-BL ASA HB | 4177B003AB | 4960999658230 |
| | F-718SGA-PK ASA HB | 4299B017AA | 4960999986340 |
| O | F-715SG-BK ASA HB | 5730B019AA | 4960999986524 |
| E | F-715SG-WHB ASA HB | 5730B012AA | 4960999810850 |
| SCIENTIFIC | F-715SG-WHM ASA HB | 5730B011AA | 4960999810843 |
| SC | F-788SG-NV ASA HB | 6878B002AA | 4960999919478 |
| | F-788SG-WHP ASA HB | 6878B004AA | 4960999989761 |
| | F-788SG-BL ASA HB | 6878B003AA | 4960999989754 |
| | F-788dx-GY ASA HB | 9961A001AA | 4960999250854 |
| | F-788dx-W ASA HB | 9961A002AA | 4960999253893 |
| | F-604 EXP HB | 7102A002AA | 4960999033570 |
| RIES | LS-154TG CAN HWB | 1075B002AA | 013803091922 |
| REEN SERIES | HS-20TG CAN HWB | 1074B007AA | 013803091915 |
| GREE | TS-1200TG CAN HWB | 1072B004AB | 013803091892 |

| | | Model | Product Code | Barcode |
|---------------------|--------------------|----------------------|--------------|---------------------------|
| IES | KS- | 1220TG ASA HB | 8994B001AA | 496099998848 |
| PRO SERIES | BS- | 1220TG ASA HB | 8995B001AA | 496099998855 |
| CLOCK & TIMER | CT-+ | 40 ASA SB | 8701B004AA | 4549292014754 |
| 0 | | KC-30 USA BL | 2291B001AA | 013803083705 |
| | 8-DIGIT | KC-30-B EXP GB | 2291B002AA | 4960999621821 |
| | 9-0 | LS-270H W EXP HB | 5932A004AA | 4960999110103 |
| ELD | | LC-10-BK | 9728B001AA | 4549292014723 |
| HANDHEL | 10-DIGIT | LC-10-WH | 9728B002AA | 4549292014730 |
| Ĭ | -01 | LS-153TS EXP HB | 7838A001AA | 4960999049458 |
| | E | LS-12TC EXP CP | 1556B001AA | 4960999395821 |
| | 12-DIGIT | LS-12H EU/AS HB | 6876B001AA | 4960999916743 |
| | E | LS-88L EMB HB | 1051B002AA | 4960999327198 |
| | 8-DIGIT | LS-82Z EXP HB | 4075A004AA | 4960999044293 |
| | | LS-102Z EXP HB | 4076A004AA | 4960999044323 |
| | 10-DIGIT | LS-101H J/E GB CHI | 4068A001AA | 4960999721651 |
| | -01 | LS-100TS EXP HB CHI | 5936A004AA | 4960999032115 |
| | | LS-1200T-WH ASA HB | 3221B003AA | 4960999784007 |
| | | LS-120RS-S ASA HB | 8289A010AA | 4960999642031 |
| | 12-DIGIT | HS-1200RS EXP HB N | 8288A006AA | 4960999350738 |
| | | HS-1200RS-GD ASA HB | 8288A011AA | 4960999639505 |
| | | HS-1200TS EXP HB N | 7438A016AA | 4960999352442 |
| n | | TS-120TS ASA HB | 0374B005AA | 4960999481159 |
| DESKTOR | | WS-112H ASA HB | 0825B003AA | 4960999355429 |
| DES | | WS-1212H ASA HB | 0823B002AA | 4960999355405 |
| | | WS-220TC EMB HB | 1582B001AB | 4960999399201 |
| | | WS-240TC EMB HB | 1583B001AA | 4960999399218 |
| | | WS-260TC EMB HB | 1584B001AB | 4960999399225 |
| | | WS-1210T EMB HB | 0694B002AB | 4960999291253 |
| | RIES | WS-1410T EMB HB | 0695B001AB | 4960999291260 |
| | 12/14/16 SERIES | WS-1610T EMB HB | 0696B001AB | 4960999291277 |
| | 12/ | WS-2222 EXP HB N | 8290A007AA | 4960999293097 |
| | | WS-2224 EMB HB | 8291A004AA | 4960999292380 |
| | | WS-2226 EMB HB N | 8292A005AA | 4960999293080 |
| | | WS-1610H EXP HB CHI | 5941A001AA | 4960999002132 |
| | | P1-DTSC ASA HWB | 2494B004AA | 4960999784069 |
| | NTER | P23-DTSC ASA HWB | 2495B002AA | 4960999784076 |
| | AC/DC PRINTER | P1-DHV G USA HWB | 3832B001AA | 013803111828 |
| | AÇ | P23-DHV G CHI HWB | 3831B004AA | 4897020131373 |
| ATOR | RINTER | MP120-MG-es EMEA GB | 8018B001AA | 4960999571898 |
| PRINTING CALCULATOR | INK ROLLER PRINTER | MP121-MG-es EMEA HWB | 8019B001AA | 4960999571904 |
| NIL | | MP25-MG-es EMEA GB | 4641B002AB | 4960999677767 |
| PRI | o- | MP37-MG EMEA GB | 4755B001AA | 4960999677781 |
| | RIBBON PRINTER | MP1200-FTS EXP GB | 1539B001AB | 4960999394770 |
| | BBONP | MP1211-LTSC ASA GB | 2496B006AA | 4960999970530 |
| | IN R | MP1411-LTSC EMEA GB | 2497B001AB | 4960999538488 |
| | | MP1611-LTSC-es | 9717B001AA | 4549292014617 |
| | | | | ct to change without noti |

Specifications are subject to change without notice.

Glossary of functions

ALGEBRAIC OPERATING SYSTEM

Algebraic expressions can be entered just as they are written. A predetermined priority level exists which first calculates high priority then low priority operators e.g.: Multiplication and division completed prior to addition and subtraction i.e.: $4 + 6 \times 4 = 28$

ADDING MACHINE OPERATING SYSTEM

Also described as Business Machine Logic. Numbers entered need to be denoted whether they are positive (debits) or negative (credits). In general it is used with the printing calculators.

OPERATION KEY SWITCHES/ BUTTONS

Decimal Point Selection +4 3 2 1 0 F

Fixed

Results are calculated to a pre-selected number of decimal places e.g. 2, 3 or 4 etc in accordance with the

Floating (F)

Results are displayed and printed with no limit on decimal places except the capacity of the display.

Add Mode (+)

Decimal point placed before last two digits on display and printout. No decimal point entry is needed, therefore suitable for currency cash calculations.

Rounding Selection € 5/4 →

Rounding off (5/4)

Result of multiplication and division rounded to a whole number e.g. 2.4 = 2 and 2.5 = 3

Rounding down (5/4→)

Result reduced to nearest whole number e.g. 2.6=2

Rounding up (1.5/4)

Result increased to nearest whole number e.g. 2.2 = 3



Item (OFF / n+ / n+/-)

Each addition and subtraction entry is counted and printed on the left side of the paper roll.

Accumulation

Entries or results automatically accumulated in the first

Constant

Performs multiplication and division calculations by a manual constant.

FUNCTION KEY BUTTONS

BUSINESS CALCULATION



Performs cost, selling price and profit margin calculation. Enter to obtain the balance value item.

TAX CALCULATION



Adds or subtracts the predetermined sales tax rate (%) to/from the calculation.



Set switch to "RATE" for setting or recalling the TAX rate.

CURRENCY CONVERSION CALCULATION





Perform currency conversion if the corresponding rate

CHECK & CORRECT CALCULATION







Correct key allows for correcting calculation contents in the Replay mode.



Automatically scrolls through the calculation step from beginning to end.

BASIC FUNCTION KEYS



Performs standard percentages along with add on or discount calculations.



Mark up-selling price calculated based on the cost price and profit margin percentage. Mark down-cost price calculated from the selling price and profit (loss) margin percentage.



Reverse key automatically swaps the operator and operand of calculation e.g. "8 \div 4" change to "4 \div 8".



When the calculations are performed with the GT switch set to "ON", the totals are accumulated in the grand total



Used for changing the sign (+ or -) of the displayed numbers

CANCEL KEYS



Clear indication key cancels the displayed numbers and corrects an entry as a whole.



Clear entry key cancels an incorrect entry.





Clear key cancels an incorrect entry or command and exercise must be restarted.



Shift key moves displayed numbers to the right thereby deleting numbers each time the key is pressed.

INDEPENDENT MEMORY KEYS

Accumulating / storing in memory



Check & correct function Timer (Presenter)

A. Results of multiplication and division automatically added to the memory. Also adds a number to the

M- / M=

B. Results of multiplication and division automatically subtracted from the memory. Also subtracts a number from the memory.

DOUBLE MEMORY KEYS

Accumlatina / storina in memory I/II



Refer A & memory + I/ II



Refer B & memory + I/II

Recalling / clearing memory.



Recalling the contents of the memory.



Clearing the contents of the memory (for non-printing

PRINTING CALCULATOR KEYS



Used for calculating the change amount, it performs accurate and fast cash change calculation.




Non add key allows the printing of dates, reference numbers etc. to be printed on left side of the paper roll without affecting the calculation.



Sub total key allows intermediate result of a calculation to be printed on the left side of paper roll.









Paper Feed. Used for inserting the paper.



The print quality can be checked by pressing "TEST" key.



Used to switch between calendar or clock mode.

PRESENTER KEYS



Hold to point out the red laser beam.



Start or end a presentation.





Perform the previous animation or return to the previous slide.



Display a blank black slide, or return to the presentation from a blank black slide.

Specifications are subject to change without notice

8-digit calculation capacity

Symbol guide



Dual power















M M Double men





Solar powered only

12-digit calculation











Battery only

14-digit calculation $x = \frac{\pi}{12}$ Textbook display

TAX Tax calculation







Tim@r Timer (Clock & timer)

Wallet case

CURRENCY CONVERSION Currency conversion COST SELL Business calculation (Cost. sell. margin)















Reverse function



Headquarter): Malaysia

Canon Subsidiaries

Block D, Peremba Squar Sauiana Resort, Section U2. 40150 Shah Alam, Selangor Darul Ehsan, Malaysia Tel: (603) 7844 6000 Fax: (603) 7844 6048

Website: www.canon.com.my

Canon Subsidiaries

(South East Asia Regional

Canon Marketing (Malaysia) Sdn. Bhd.

Canon Calculator Authorized Distributors

Indonesia, Surabaya PT GADING MURNI

Jl. Tunjungan 27 Surabaya 60275, Indonesia Tel: (031) 5353201 (hunting) Fax: (031) 5470176, 5315337

(South East Asia Region):

Indonesia, Jakarta

PT MEGA MITRA JAYA SAKTI

Jl.Jembatan Dua, Gg.Jangkung No.11D-11J, Jakarta Utara 14450 Indonesia Tel: (62-21) 6626906, 6619968, 6613585 Fax: (62-21) 6619968, 6617376, 6618107

LE BAO MINH JOINT STOCK COMPANY 95B-97-99 Tran Hung Dao Str, 1st Dist, Ho Chi Minh City, Vietnam Tel: (848) 3838 6666 Fax: (848) 3837 6666

Nepal INTERNATIONAL ELECTRONICS CON-CERN PVT. LTD

Kha 14 1st Floor Haratibhawan Putalisadak Ramshah Path, Kathmandu, Nepal, Tel: 977-1-4422107, 4421991 Fax: 977-1-4421909

INTERHOUSE COMPANY

No.5-7, Bunut Jaya Complex, Spg.574, Jalan Tutong, Bandar Seri Begawan BF1320, Negara Brunei Darussalam Tel: (673) 2653 001(6 lines) Fax: (673) 2653 003

Cambodia

I-QLICK (CAMBODIA) PTE. LTD. No. 142-146, Preah Sihanouk Boulevard, Phnom Penh. Kingdom of Cambodia

Tel: +855(023) 996 638 Fax: +855(023) 996 639

Pakistan

CREST CORPORATION

708-710. Chapal Plaza, Hasrat Mohani Road. Karachi, 74000 Pakistan Tel: +92 (0) 21 246 1180 - 83 Fax: +92 (0) 21 242 7255

Mvanmar

Singapore

Sri Lanka

MYANMAR GOLDEN ROCK INTERNA-TIONAL CO. LTD. Unit 7-8, Aung San Stadium (South Wing), Mingalar Taung Nyunt Township, Yangon,

Union of Myanmar Tel: (95-1) 243036, 243037, 243038 Fax: (95-1) 249451

Tel: +65 6376 0881, 6376 0882

DURALINK (S) PTE.LTD. 102F Pasir Panjang Road, #04-11, Citilink Warehouse Complex, Singapore 118530

Fax: +94 11 2685322

Fax: +65 6376 0883

METROPOLITAN OFFICE PVT. LTD. 12, Magazine Road, Colombo 08, Sri Lanka Tel: +94 11 2696183

Canon Subsidiaries

Korea Canon Korea Business Solutions Inc. 607, Teheran-ro, Gangnam-gu,

Seoul, Korea Zip Code: 135-090 Tel: (82) 1588 2500 Fax: (82) 2851 0371 Website: www.canon-bs.co.kr

Hong Kong Canon Hongkong Company Limited

19/F., The Metropolis Tower, 10 Metropolis Drive, Hung Hom, Kowloon, Hong Kong Tel: (852) 2170 2828 Fax: (852) 2723 9684 Website: www.canon.com.hk

Canon Calculator Authorized Distributors

Hong Kong

Fax: (852) 2805 2569

Broad Win Marketing Development Limited Room 1911-12, 19/F., Nan Fung Tower 173 Des Voeux Road, Central, Hong Kong Tel: (852) 2805 2566

Philippines Solid Business Machines Center Inc.

Suite 303, Singson Building Plaza Moraga, Binondo Manila, Philippines Tel: (632) 242 1111 Fax: (632) 242 1345 / 242 1348

Thailand

Welltech Group Co., Ltd 13/27, 13/28, Prasertmanukit Road, Nuanchan Bungkum Bangkok 10230, Thailand Tel: (66) 2793 9000 Fax: (66) 2793 9099 Website: www.welltechgroup.co.th

Website: www.solidmac.com.ph

The models handled in each Asian country may vary. For more information, please contact the sales companies or distributors as mentioned above. For enquiries in other parts of South Asia Region, please contact Canon Electronic Business Machines (H.K.) Co., Ltd.

Some images are simulated for clarity of reproduction. All data is based on Canon's standard testing methods. Specifications are subject to change without notice. $^{\infty}$ and $^{\circ}$. All company and/ or product names are trademarks and/ or registered trademarks of their respective manufacturers in their markets and/ or countries.

CANON ELECTRONIC BUSINESS MACHINES (H.K.) CO., LTD.

17/F., Tower One, Ever Gain Plaza, 82-100 Container Port Road, Kwai Chung, New Territories, Hong Kong Website: www.canon-ebm.com.hk

