

Bibliography of Marine Benthic Algae in Micronesia¹

ROY T. TSUDA and FRIEDA O. WRAY

*The Marine Laboratory, University of Guam, P. O. Box EK,
Agana, Guam 96910*

Abstract.—A bibliography of marine benthic algae reported from Micronesia is presented in four sections—I. Classification of Micronesian algae, II. Species-reference index, III. Island-reference index, and IV. References.

Introduction

In 1966, the senior author prepared a preliminary bibliography (Tsuda, 1966) of those papers pertinent to the marine benthic algae in Polynesia and Micronesia and this was issued as a technical report of the Hawaii Institute of Marine Biology. Since 1967, the senior author has focused much of his attention to the algae of the Micronesian region and, thus, has continued to accumulate references pertinent to the algae in this region. In addition, a few of the references not cited in the 1966 report have been found through the persistent search in Pacific related journals by the junior author.

The bibliography presented here represents all of the algal references that we believe are pertinent to the Micronesian region. We, however, would greatly appreciate your calling our attention to any references we may have missed. In this paper, we are defining the Micronesian region to encompass five island groups—Mariana Islands, Caroline Islands, Marshall Islands, Gilbert Islands and Ellice Islands.

The Micronesian algal bibliography consists of four sections which researchers, even the nonphytologists, should find useful. The first section (I. Classification of Micronesian Algae) provides a listing of the classes, orders, families and genera of those marine benthic algae reported in published papers under each of the four major Divisions—Cyanophyta, Chlorophyta, Phaeophyta and Rhodophyta.

The second section (II. Species-Reference Index) provides an alphabetized checklist of all algal species reported from published papers and the references which mention the species in Micronesia. Synonyms are enclosed in brackets wherever appropriate. Species reported in technical reports or other unpublished

¹ Contribution No. 91, University of Guam Marine Laboratory. This bibliography was sponsored in part by the Office of Sea Grant, NOAA, through an award to the University of Guam (Grant No. 04-4-158-4). We acknowledge L. G. Eldredge for providing us with English translations (prepared by the U. S. Geological Survey) to several papers published in the Japanese language.

reports are not included. All species described as new from Micronesia are designated in boldface and the type locality is cited in parenthesis. Researchers who are interested in a particular species can merely search this listing and find the pertinent reference, if any. Those individuals who are interested in the various species within a particular family or order need only to examine the generic names in section I and subsequently obtain the pertinent references from section II.

The third section (III. Island-Reference Index) provides a listing of all the islands or atolls where algae have been reported under their respective Island groups. In the case of the large island chain of the Caroline Islands, the islands and atolls are listed under their geographical and political Districts. In this section, both published and unpublished accounts are cited after each island or atoll. The reason for including unpublished reports here is that useful information is contained here which will be of interest to those visiting a particular island or atoll.

The fourth section (IV. References) provides an alphabetized listing of all references pertinent to the marine benthic algae of Micronesia. References discussing phytogeographic trends of Micronesian algae (Doty, 1962; Hackett, 1969; Silva, 1962; Taylor, 1950a; and Yamada, 1926) are also included even though species or specific islands and atolls may not be mentioned.

I. Classification of Micronesian Algae

Division CYANOPHYTA (blue-green algae)

Class CYANOPHYCEAE

Order Chroococcales

FAMILY CHAMAESIPHONACEAE (*Entophysalis*).

FAMILY CHROOCOCCACEAE (*Agmenellum*, *Anacystis*, *Coccochloris*, *Gloeo-capsa*, *Gomphosphaeria*).

Order Oscillatoriiales

FAMILY OSCILLATORIACEAE (*Arthrosira*, *Hydrocoleum*, *Lyngbya*, *Microcoleus*, *Oscillatoria*, *Phormidium*, *Plectonema*, *Porphyrosiphon*, *Schizothrix*, *Sirocoleum*, *Spirulina*, *Symploca*).

FAMILY NOSTOCACEAE (*Hormothamnion*).

FAMILY RIVULARIACEAE (*Brachythrichia*, *Calothrix*, *Dichothrix*, *Rivularia*).

FAMILY SCYTONEMATACEAE (*Scytonema*, *Tolyphothrix*).

FAMILY STIGONEMATACEAE (*Fischerella*, *Mastigocoleus*).

Division CHLOROPHYTA (green algae)

Class CHLOROPHYCEAE

Order Tetrasporales

FAMILY CHLORANGIACEAE (*Collinsiella*).

FAMILY PALMELLACEAE (*Palmogloea*).

Order Ulotrichales

FAMILY CHAETOPHORACEAE (*Entocladia*, *Ulvella*).

FAMILY GOMONTIACEAE (*Gomontia*).

FAMILY PROTOCOCCACEAE (*Protococcus*).

FAMILY ULVACEAE (*Enteromorpha*, *Ulva*).

Order Siphonales

FAMILY BRYOPSIDACEAE (*Bryopsis*).

FAMILY CAULERPACEAE (*Caulerpa*).

FAMILY CODIACEAE (*Avrainvillea*, *Chlorodesmis*, *Codium*, *Geppella*, *Hali-meda*, *Pseudochlorodesmis*, *Rhipilia*, *Tydemannia*, *Udotea*).

FAMILY DERBESIACEAE (*Derbesia*).

FAMILY DICHTOMOSIPHONACEAE (*Pseudodichotomosiphon*).

FAMILY PHYLLOSIPHONACEAE (*Ostreobium*).

Order Siphonocladales

FAMILY BOODLEACEAE (*Boodlea*, *Boodleopsis*, *Struvea*).

FAMILY SIPHONOCLADACEAE (*Cladophoropsis*, *Siphonocladus*, *Spongocladia*).

FAMILY VALONIACEAE (*Boergesenia*, *Dictyosphaeria*, *Valonia*, *Valoniopsis*).

Order Dasycladales

FAMILY DASYCLADACEAE (*Acetabularia*, *Bornetella*, *Halicryne*, *Neomeris*).

Order Cladophorales

FAMILY ANADYOMENACEAE (*Anadyomene*, *Microdictyon*, *Rhipidiphyllon*).

FAMILY CLADOPHORACEAE (*Chaetomorpha*, *Cladophora*, *Rhizoclonium*).

Division PHAEOPHYTA (brown algae)

Class PHAEOPHYCEAE

Order Ectocarpales

FAMILY ECTOCARPACEAE (*Ectocarpus*, *Feldmannia*).

FAMILY RALFSIACEAE (*Ralfsia*).

Order Sphaelariales

FAMILY SPHAELARIACEAE (*Sphaelaria*).

Order Dictyotales

FAMILY DICTYOTACEAE (*Dictyopteris*, *Dictyota*, *Dilophus*, *Lobophora*, *Padina*, *Spatoglossum*, *Stylopodium*, *Zonaria*).

Order Scytophionales

FAMILY SCYTOSIPHONACEAE (*Colpomenia*, *Hydroclathrus*, *Rosenvingea*).

Order Dictyosiphonales

FAMILY CHNOOSPORACEAE (*Chnoospora*)

Order Fucales

FAMILY NOTHEIACEAE (*Notheia*).

FAMILY SARGASSACEAE (*Sargassum*, *Turbinaria*).

Division RHODOPHYTA (red algae)

Class BANGIOPHYCEAE

Order Bangiales

FAMILY ERYTHROPELTIDACEAE (*Erythrotrichia*).

Order Porphyridiales

FAMILY GONIOTRICHACEAE (*Asterocystis, Goniotrichum*).

Class FLORIDEOPHYCEAE

Order Nemaliales

FAMILY ACROCHAETIACEAE (*Acrochaetium, Kylinia*).

FAMILY BONNEMAISONIACEAE (*Asparagopsis*).

FAMILY CHAETANGIACEAE (*Actinotrichia, Galaxaura*).

FAMILY GELIDIACEAE (*Gelidiella, Gelidium, Pterocladia, Wurdemannia*).

FAMILY HELMINTHOCLADIACEAE (*Liagora*).

Order Cryptonemiales

FAMILY CORALLINACEAE (*Amphiroa, Cheilosporum, Chorenema, Corallina, Fosliella, Heteroderma, Hydrolithon, Jania, Lithophyllum, Lithoporella, Lithothamnion, Mastophora, Mesophyllum, Neogoniolithon, Porolithon, Sporolithon*).

FAMILY CRYPTONEMIACEAE (*Grateloupia, Halymenia*).

FAMILY DUMONTIACEAE (*Gibsmithia*).

FAMILY HILDENBRANDIACEAE (*Hildenbrandia*).

FAMILY PEYSSONELIACEAE (*Cruoriella, Peyssonelia*).

FAMILY RHIZOPHYLLIDACEAE (*Desmia*).

Order Gigartinales

FAMILY DICRANEMACEAE (*Dicranema*).

FAMILY FURCELLARIACEAE (*Halarachnion*).

FAMILY GRACILARIACEAE (*Ceratodictyon, Gelidiopsis, Gracilaria*).

FAMILY HYPNEACEAE (*Hypnea*).

FAMILY SOLIERIACEAE (*Eucheuma*).

Order Rhodymeniales

FAMILY CHAMPIACEAE (*Champia, Chylocladia, Lomentaria*).

FAMILY RHODYMENIACEAE (*Botryocladia, Chrysomenia, Coelarthurum, Coelothrix, Erythrocolon, Rhodymenia*).

Order Ceramiales

FAMILY CERAMIACEAE (*Acanthophora, Amansia, Antithamnion, Callithamnion, Centroceras, Ceramium, Corynospora, Crouania, Dasyphila, Endosiphonia, Griffithsia, Haloplegma, Herposiphonia, Leveillea, Lophosiphonia, Mesothamnion, Murrayella, Polysiphonia, Spermatophyllum, Spyridia, Sympyocladia, Taenioma, Tolypio-cladia, Wrangelia*).

FAMILY DASYACEAE (*Dasya, Dasyopsis, Dictyurus*).

FAMILY DELESSERIACEAE (*Caloglossa, Cottoniella, Hypoglossum, Martensia, Vanvoortia*).

FAMILY RHODOMELACEAE (*Abbottella, Botrychzia, Chondria, Dawsoniella, Laurencia, Malaconema, Womersleyella*).

II. Species-Reference Index

Division CYANOPHYTA

- Agmenellum quadruplicatum* (Menegh.) Breb.—Catala (1957), May (1966).
- Anacystis aeruginosa* (Zanard.) Dr. & Daily—Newhouse (1969).
- Anacystis dimidiata* (Kütz.) Dr. & Daily—Catala (1957), Dawson (1957), Drouet and Daily (1956), May (1966), Moul (1957).
- Anacystis montana* (Lightf.) Dr. & Daily—Catala (1957), Drouet and Daily (1956), May (1966), Moul (1957), Trono (1968).
- Anacystis thermalis* Dr. & Daily—Catala (1957), Drouet and Daily (1956), May (1966).
- Arthrospira brevis* (Kütz.) Drouet—Drouet (1968).
- Brachytrichia quoyi* (C. Ag.) B. & Fl.—Kanda (1944).
- Calothrix confervicola* Ag. [= *Calothrix crustacea* Schousboe & Thuret sensu Drouet, 1973]—Belk and Belk (1975), Chapman (1955), Trono (1968), Tsuda (1972c), Tsuda and Belk (1972).
- Calothrix crustacea* Schousboe & Thuret—Bakus (1967), Dawson (1957), Drouet (1973), Glassman (1952), Newhouse (1969), Trono (1968), Tsuda (1964), Tsuda and Bryan (1973), Tsuda and Kami (1973), Webb et al. (1975), Wiebe et al. (1975).
- Calothrix parietina* (Nag.) Thur.—Taylor (1950b).
- Calothrix pilosa* Harv. [= *Scytonema hofmannii* Ag. sensu Drouet, 1973]—Belk and Belk (1975), Bryan (1974), May (1966), Moul (1957), Newhouse (1969), Trono (1968), Tsuda and Belk (1972).
- Calothrix scopulorum* (Web. & Mohr) Ag. [= *Calothrix crustacea* Schousboe & Thuret sensu Drouet, 1973]—Taylor (1950b).
- Coccochloris elabens* (Breb.) Dr. & Daily—Catala (1957), Drouet and Daily (1956), May (1966).
- Coccochloris stagnina* Sprengel—Dawson (1957), Drouet and Daily (1956), Moul (1957), Newhouse (1969).
- Dichothrix bornetiana* Howe—Newhouse (1969).
- Entophysalis conferta* (Kütz.) Dr. & Daily—Belk and Belk (1975), Dawson (1957), Moul (1957), Newhouse (1969).
- Entophysalis crustacea* (J. Ag.) Dr. & Daily—Moul (1957).
- Entophysalis deusta* (Menegh.) Dr. & Daily—Dawson (1957), Drouet and Daily (1956), Moul (1957), Newhouse (1969), Trono (1968), Tsuda et al. (1972).
- Entophysalis granulosa* Kütz.—Taylor (1950b).
- Fischerella ambigua* (Nag.) Gomont—Moul (1957), Taylor (1950b).
- Gloeocapsa alpicola* (Lyngb.) Bornet [= *Anacystis montana* (Lightf.) Dr. & Daily sensu Drouet and Daily, 1956]—Taylor (1950b).
- Gloeocapsa turgida* (Kütz.) Hollenbach [= *Anacystis dimidiata* (Kütz.) Dr. & Daily sensu Drouet and Daily, 1956]—Taylor (1950b).
- Gomphosphaeria aponina* Kütz.—Dawson (1957), Drouet and Daily (1956), Taylor, (1950b).
- Hormothamnion enteromorphoides* B. & Fl.—Bryan (1975), Dawson (1957), Gil-

- martin (1960), Newhouse (1969), Taylor (1950b), Trono (1968), Tsuda (1964), Tsuda and Bryan (1973), Webb et al. (1975).
- Hormothamnion solutum* B. & Fl.—Belk and Belk (1975), Tsuda (1972c), Tsuda and Belk (1972), Tsuda and Kami (1973).
- Hydrocoleum cantharidosmum* (Mont.) Gomont [= *Microcoleus lyngbyaceus* (Kütz.) Crouan sensu Drouet, 1968]—Taylor (1950b), Tsuda (1964).
- Hydrocoleum coccineum* Gomont [= *Microcoleus lyngbyaceus* (Kütz.) Crouan sensu Drouet, 1968]—Chapman (1955), Dawson (1957), Newhouse (1969), Taylor (1950b).
- Hydrocoleum comoides* (Harv.) Gomont [= *Microcoleus lyngbyaceus* (Kütz.) Crouan sensu Drouet, 1968]—Dawson (1957), Gilmartin (1960), Taylor (1950b).
- Hydrocoleum confluens* (S. & G.) Drouet [= *Oscillatoria lutea* Ag. sensu Drouet, 1968]—Taylor (1950b).
- Hydrocoleum floccosum* (Hauck) Gomont [= *Microcoleus lyngbyaceus* (Kütz.) Crouan sensu Drouet, 1968]—Moul (1957).
- Hydrocoleum glutinosum* (C. Ag.) Gomont [= *Microcoleus lyngbyaceus* (Kütz.) Crouan sensu Drouet, 1968]—Dawson (1957), Gilmartin (1960), Newhouse (1969).
- Hydrocoleum lyngbyaceum* Kütz. [= *Microcoleus lyngbyaceus* (Kütz.) Crouan sensu Drouet, 1968]—Chapman (1955), Dawson (1957), Newhouse (1969), Trono (1968), Tsuda (1964).
- Lyngbya aestuarii* (Mert.) Lyngb. [= *Microcoleus lyngbyaceus* (Kütz.) Crouan sensu Drouet, 1968]—Dawson (1957), Moul (1957), Taylor (1950b), Trono (1968), Tsuda (1964).
- Lyngbya confervoides* C. Ag. [= *Microcoleus lyngbyaceus* (Kütz.) Crouan sensu Drouet, 1968]—Chapman (1955), Dawson (1957), Moul (1957), Newhouse (1969), Taylor (1950b), Trono (1968).
- Lyngbya gracilis* (Menegh.) Rabenhorst [= *Schizothrix mexicana* Gomont sensu Drouet, 1968]—Dawson (1957), Newhouse (1969), Taylor (1950b).
- Lyngbya guaymensis* Drouet [= *Schizothrix calcicola* (Ag.) Gomont sensu Drouet, 1968]—Moul (1957).
- Lyngbya lutea* (Ag.) Gomont [= *Oscillatoria lutea* Ag. sensu Drouet, 1968]—Glassman (1952), Newhouse (1969), Tsuda (1964).
- Lyngbya majuscula* (Dillw.) Harv. [= *Microcoleus lyngbyaceus* (Kütz.) Crouan sensu Drouet, 1968]—Chapman (1955), Dawson (1957), Gilmartin (1960), Kanda (1944), Newhouse (1969), Okamura (1904), Reinbold (1901), Taylor (1950b), Tokida (1939a), Trono (1968).
- Lyngbya meneghiniana* (Kütz.) Gomont [= *Microcoleus lyngbyaceus* (Kütz.) Crouan sensu Drouet, 1968]—Dawson (1957), Moul (1957), Taylor (1950b).
- Lyngbya semiplena* (Ag.) J. Ag. [= *Microcoleus lyngbyaceus* (Kütz.) Crouan sensu Drouet, 1968]—Catala (1957), Chapman (1955), Dawson (1957), May (1966), Moul (1957), Tsuda (1964).
- Lyngbya sordida* (Zanard.) Gomont [= *Schizothrix mexicana* Gomont sensu Drouet,

1968]—Dawson (1957), Gilmartin (1960), Moul (1957), Newhouse (1969), Taylor (1950b).

Lyngbya versicolor (Wartm.) Gomont [= *Schizothrix calcicola* (Ag.) Gomont sensu Drouet, 1968]—Catala (1957), May (1966), Moul (1957).

Mastigocoleus testarum (Lagerh.) B. & Fl.—Emery et al. (1954), Newhouse (1969), Tsuda (1964).

Microcoleus acutissimus Gardn. [= *Schizothrix tenerrima* (Gomont) Drouet sensu Drouet, 1968]—Taylor (1950b).

Microcoleus chthonoplastes (Mert.) Zanard. [= *Schizothrix arenaria* (Berk.) Gomont sensu Drouet, 1968]—Moul (1957), Newhouse (1969), Trono (1968), Tsuda (1964).

Microcoleus lyngbyaceus (Kütz.) Crouan—Belk and Belk (1975), Bryan (1975), Drouet (1968), Tsuda (1971, 1972c), Tsuda and Bryan (1973), Tsuda and Kami (1973), Tsuda et al. (1972, In Press).

Microcoleus tenerrimus Gomont [= *Schizothrix tenerrima* (Gomont) Drouet sensu Drouet, 1968]—Dawson (1957), Newhouse (1969).

Oscillatoria amphibia Ag. [= *Schizothrix calcicola* (Ag.) Gomont sensu Drouet, 1968]—Newhouse (1969).

Oscillatoria chalybea Mert. [= *Porphyrosiphon notarisii* (Menegh.) Kütz. sensu Drouet, 1968]—Newhouse (1969).

Oscillatoria lutea C. Ag.—Drouet (1968).

Oscillatoria margaritifera Kütz. [= *Microcoleus lyngbyaceus* (Kütz.) Crouan sensu Drouet, 1968]—Newhouse (1969).

Oscillatoria nigro-viridis Thw. [= *Porphyrosiphon notarisii* (Mengh.) Kütz. sensu Drouet, 1968]—Catala (1957), Chapman (1955), Dawson (1957), May (1966), Moul (1957).

Oscillatoria submembranacea Ard. & Straff.—Drouet (1968).

Phormidium corium (Ag.) Kütz. [= *Schizothrix rubella* Gomont sensu Drouet, 1968]—Chapman (1955).

Phormidium crosbyanum Tilden [= *Schizothrix calcicola* (Ag.) Gomont sensu Drouet, 1968]—Dawson (1957), Moul (1957), Taylor (1950b), Trono (1968).

Phormidium penicillatum Gomont [= *Oscillatoria submembranacea* Ard. & Straff. sensu Drouet, 1968]—Dawson (1957), Newhouse (1969), Taylor (1950b).

Phormidium valderianum Gomont [= *Schizothrix calcicola* (Ag.) Gomont sensu Drouet, 1968]—Moul (1957).

Plectonema golekinianum Gomont [= *Schizothrix calcicola* (Ag.) Gomont sensu Drouet, 1968]—Taylor (1950b).

Plectonema nostocorum Bornet [= *Schizothrix calcicola* (Ag.) Gomont sensu Drouet, 1968]—Catala (1957), Dawson (1957), May (1966), Moul (1957), Taylor (1950b).

Plectonema terebrans B. & Fl. [= *Schizothrix calcicola* (Ag.) Gomont sensu Drouet, 1968]—Dawson (1957), Emery et al. (1954).

Porphyrosiphon notarisii (Mengh.) Kütz.—Drouet (1968), Newhouse (1969).

Rivularia atra Roth—Dawson (1957).

- Rivularia polyotis* (J. Ag.) B. & Fl.—Dawson (1957), Newhouse (1969).
- Schizothrix calcicola* (Ag.) Gomont—Bakus (1967), Belk and Belk (1975), Bryan (1975), Cooper (1964), Drouet (1968), Marsh (1974), Newhouse (1969), Taylor (1950b), Trono (1968), Tsuda (1964, 1972c), Tsuda and Bryan (1973), Tsuda and Kami (1973), Tsuda et al. (1972).
- Schizothrix cresswellii* Harv. [= *Schizothrix calcicola* (Ag.) Gomont sensu Drouet, 1968]—Moul (1957), Taylor (1950b).
- Schizothrix heufleri* Grun. [= *Schizothrix calcicola* (Ag.) Gomont sensu Drouet, 1968]—Moul (1957).
- Schizothrix lacustris* A. Br. [= *Schizothrix calcicola* (Ag.) Gomont sensu Drouet, 1968]—Catala (1957), Dawson (1957), May (1966), Taylor (1950b).
- Schizothrix longiarticulata* Gardn. [= *Schizothrix arenaria* (Berk.) Gomont sensu Drouet, 1968]—Newhouse (1969), Taylor (1950b).
- Schizothrix mexicana* Gomont—Belk and Belk (1975), Bryan (1975), Drouet (1968), Tsuda (1972c), Tsuda and Belk (1972), Tsuda and Bryan (1973), Tsuda and Kami (1973), Tsuda et al. (1972).
- Schizothrix tenerrima* (Gomont) Dr.—Drouet (1968).
- Scytonema figuratum* Ag. [= *Scytonema hofmannii* Ag. sensu Drouet, 1973]—Glassman (1953).
- Scytonema guyanense* (Mont.) B. & Fl. [= *Scytonema hofmannii* Ag. sensu Drouet, 1973]—Moul (1957).
- Scytonema hofmannii* Ag.—Drouet (1973), Glassman (1952), Moul (1957), Newhouse (1969).
- Scytonema mirabile* (Dillw.) Bornet [= *Scytonema hofmannii* Ag. sensu Drouet, 1973]—Newhouse (1969).
- Scytonema myochrous* (Dillw.) C. Ag. [= *Scytonema hofmannii* Ag. sensu Drouet, 1973]—Dawson (1957), Taylor (1950b).
- Scytonema polycystum* B. & Fl. [= *Scytonema hofmannii* Ag. sensu Drouet, 1973]—Dawson (1957), Gilmartin (1960).
- Sirocoleum guianense* Kütz. [= *Schizothrix arenaria* (Berk.) Gomont sensu Drouet, 1968]—Taylor (1950b).
- Sirocoleum kurzii* (Zell.) Gomont [= *Porphyrosiphon kurzii* (Zell.) Drouet, 1968]—Newhouse (1969).
- Spirulina major* Kütz. [= *Spirulina subsalsa* Oersted sensu Drouet, 1968]—Dawson (1957).
- Spirulina subsalsa* Oersted—Belk and Belk (1975), Catala (1957), Dawson (1957), Drouet (1968), Gilmartin (1960), May (1966), Newhouse (1969), Stone (1966), Trono (1968), Tsuda (1972c), Tsuda and Belk (1972), Tsuda et al. (1972).
- Spirulina tenerrima* Kütz. [= *Spirulina subsalsa* Oersted sensu Drouet, 1968]—Dawson (1957).
- Symploca hydnoides* (Harv.) Kütz. [= *Schizothrix mexicana* Gomont sensu Drouet, 1968]—Dawson (1957), May (1966), Newhouse (1969), Trono (1968), Tsuda (1964).

Symploca laete-viridis Gomont [= *Schizothrix arenaria* (Berk.) Gomont sensu Drouet, 1968]—Dawson (1957), Gilmartin (1960), Taylor (1950b).

Symploca muscorum (C. Ag.) Gomont [= *Oscillatoria retzii* Ag. sensu Drouet, 1968]—Taylor (1950b).

Tolyphothrix byssoidaea (Berk.) Kirchner [= *Scytonema hofmannii* Ag. sensu Drouet, 1973]—Taylor (1950b) as *Hassallia byssoidaea* (Berk.) Hassall and *H. byssoidaea* f. *saxicola* Grunow.

Division CHLOROPHYTA

Acetabularia clavata Yamada—Trono (1968), Tsuda (1972c).

Acetabularia exigua Solms-Laubach—Dawson (1956), Trono (1968).

Acetabularia moebii Solms-Laubach—Dawson (1956, 1957), Gilmartin (1960), Trono (1968), Tsuda (1964).

Acetabularia parvula Solms-Laubach—Abbott (1961), Chapman (1955), Newhouse (1969), Taylor (1950b).

Anadyomene wrightii Gray—Abbott (1961), Dawson (1956, 1957), Kanda (1942, 1944), Newhouse (1969), Okamura (1916), Schmidt (1928).

Avrainvillea amadelpha Gepp—Newhouse (1969).

Avrainvillea erecta A. & E. S. Gepp—Kanda (1940a, 1944), Schmidt (1928), Trono (1968).

Avrainvillea hollenbergii Trono, 1971 (Ifaluk, Carolines).

Avrainvillea lacerata Harvey—Dawson (1957), Doty (1954), Kanda (1944), Taylor (1950b), Trono (1968), Tsuda and Belk (1972).

Avrainvillea nigricans Decaisne—Dawson (1956), Gilmartin (1960), Taylor (1950b), Trono (1968).

Avrainvillea obscura J. Ag.—Abbott (1961), Bryan (1975), Cloud (1959), Schmidt (1928), Taylor (1950b, 1966).

Avrainvillea pacifica Gepp—Chapman (1955), Dawson (1962), Schmidt (1928).

Avrainvillea papuana (Zand.) Murray—Reinbold (1901).

Boergesenia forbesii (Harv.) Feldmann [= *Valonia forbesii* Harv.]—Bryan (1975), Dawson (1957), Schmidt (1928), Taylor (1950b), Trono (1968), Tsuda (1972c).

Boodlea coacta (Dickie) Murray & de Toni—Okamura (1916), Schmidt (1928).

Boodlea composita (Harv.) Brand—Abbott (1961), Bryan (1975), Dawson (1956, 1957), Emery (1962), Gilmartin (1960), Newhouse (1969), Taylor (1950b), Trono (1968), Tsuda (1964).

Boodlea siamensis Reinbold—Chapman (1955), Dawson (1957), Kanda (1944), Okamura (1904, 1916), Taylor (1950b), Trono (1968), Yamada (1944b).

Boodlea trukensis Trono, 1971 (Truk, Carolines).

Boodlea vanbosseae Reinbold—Dawson (1956), Moul (1957), Newhouse (1969), Okamura (1916), Schmidt (1928), Trono (1968), Yamada (1928).

Boodleopsis carolinensis Trono, 1971 (Palau, Carolines).

Bornetella nitida (Harvey) Munier-Chalmas—Trono (1968).

Bornetella oligospora Solms-Laubach—Kanda (1944).

- Bornetella sphaerica* (Zanard.) Solms-Laubach [= *Bornetella ovalis* Yamada]—Kanda (1944), Trono (1968).
- Bryopsis harveyana* J. Ag.—May (1966).
- Bryopsis hypnoides* Lamx.—Dawson (1957).
- Bryopsis indica* A. & E. Gepp—Dawson (1956, 1957), Newhouse (1969), Taylor (1950b).
- Bryopsis pennata* Lamx.—Bryan (1975), Dawson (1956, 1957), Gilmartin (1960), Moul (1957), Newhouse (1969), Taylor (1950b), Tsuda (1972c), Tsuda and Belk (1972), Tsuda and Bryan (1973).
- Bryopsis plumosa* (Huds.) Ag.—May (1966), Newhouse (1969), Okamura (1916), Prowazek (1913), Safford (1905), Schmidt (1928), Tokida (1937a).
- Caulerpa acuta* (Yamada) Yamada—Dawson (1957), Gilmartin (1960), Yamada (1944b).
- Caulerpa ambigua* Okamura—Abbott (1961), Dawson (1956), Doty (1962), Newhouse (1969), Tsuda (1972c), Tsuda et al. (In Press).
- Caulerpa antoensis* Yamada, 1944a (Ant, Carolines)—Abbott (1961), Dawson (1956, 1957), Newhouse (1969), Trono (1968), Yamada (1940, 1944b).
- Caulerpa arenicola* Taylor, 1950b (Rongelap, Marshalls).
- Caulerpa bikinensis* Taylor, 1950b (Bikini, Marshalls)—Abbott (1961), Dawson (1957).
- Caulerpa boryana* Harv.—Glassman (1952).
- Caulerpa brachypus* Harv.—Dawson (1957), Gilmartin (1960), Kanda (1944), Taylor (1950b), Tokida (1937a), Trono (1968), Tsuda (1972c), Tsuda et al. (In Press), Yamada (1940, 1944b).
- Caulerpa crassifolia* (C. Ag.) J. Ag.—Taylor (1950b).
- Caulerpa cupressoides* (West) C. Ag.—Chapman (1955), Glassman (1952), Kanda (1944), Okamura (1916), Schmidt (1928), Taylor (1966), Trono (1968), Tsuda (1972c), Yamada (1940, 1944b).
- Caulerpa elongata* W. v. Bosse—Cloud (1959), Dawson (1956, 1957), Moul (1957, 1959), Odum and Odum (1955), Taylor (1950b), Tsuda and Belk (1972).
- Caulerpa fastigiata* Montagne—Trono (1968), Yamada (1940).
- Caulerpa filicoides* Yamada—Tsuda (1972c), Tsuda et al. (In Press), Yamada (1940).
- Caulerpa freycinetti* Ag.—Glassman (1952), Okamura (1904, 1916), Schmidt (1928).
- Caulerpa lentillifera* J. Ag.—Kanda (1944), Okamura (1904, 1916), Schmidt (1928), Taylor (1950b), Trono (1968), Tsuda (1972c), Tsuda et al. (In Press), Yamada (1940, 1944a).
- Caulerpa lessonii* Bory—Schmidt (1928).
- Caulerpa matsueana* Yamada, 1944a (Ant, Carolines)—Yamada (1940, 1944b).
- Caulerpa okamurai* W. v. Bosse—Glassman (1952), Okamura (1916), Schmidt (1928), Yamada (1926).
- Caulerpa peltata* Lamx.—Gilmartin (1960), Kanda (1944), May (1966), Okamura (1916), Reinbold (1901), Schmidt (1928), Taylor (1950b), Tokida (1939a), Trono (1968), Yamada (1940, 1944b).

- Caulerpa pickeringii* Harvey & Bailey—Trono (1968).
- Caulerpa plumaris* (Forsk.) W. v. Bosse—Glassman (1952), Okamura (1904, 1916), Safford (1905), Schmidt (1928).
- Caulerpa racemosa* (Forsk.) J. Ag.—Bryan (1975), Chapman (1955), Cloud (1959), Dawson (1956, 1957), Emery (1962), Gilmartin (1960), Glassman (1952), Kanda (1944), Newhouse (1969), Okamura (1916), Peterson (1972), Reinbold (1901), Safford (1905), Schmidt (1928), Taylor (1950b, 1966), Trono (1968), Tsuda (1964, 1972c), Tsuda and Bryan (1973), Tsuda et al. (In Press), Yamada (1940, 1944b).
- Caulerpa serrulata* (Forsk.) J. Ag.—Abbott (1961), Dawson (1956, 1957), Gilmartin (1960), Kanda (1944), May (1966), Moul (1957, 1959), Newhouse (1969), Taylor (1950b, 1966), Trono (1968), Tsuda (1964, 1972c), Yamada (1940, 1944b).
- Caulerpa serularioides* (Gmel.) Howe—Dawson (1956), Gilmartin (1960), Kanda (1944), Taylor (1966), Tokida (1939a), Trono (1968), Tsuda (1964, 1972c), Yamada (1940).
- Caulerpa taxifolia* (Vahl) C. Ag.—Cloud (1959), Dawson (1956, 1957), Kanda (1944), Okamura (1916), Schmidt (1928), Trono (1968), Tsuda (1972c), Yamada (1940, 1944b).
- Caulerpa urvilliana* Montagne—Abbott (1961), Chapman (1955), Cloud (1959), Dawson (1956, 1957), Moul (1959), Newhouse (1969), Schmidt (1928), Taylor (1950b, 1966), Trono (1968), Tsuda (1964, 1972c), Yamada (1940, 1944b).
- Caulerpa verticillata* J. Ag.—Dawson (1956), Gilmartin (1960), Kanda (1944), Newhouse (1969), Taylor (1950b), Trono (1968), Tsuda (1972c), Yamada (1940, 1944b).
- Caulerpa vickersiae* Boerg.—Dawson (1956, 1957), Gilmartin (1960).
- Caulerpa webbiana* Montagne—Dawson (1957), Gilmartin (1960), Kanda (1944), Okamura (1916), Schmidt (1928), Yamada (1940).
- Chaetomorpha antennina* (Bory) Kütz.—Abbott (1961).
- Chaetomorpha crassa* (C. Ag.) Kütz.—Trono (1968), Tsuda and Belk (1972).
- Chaetomorpha indica* Kütz.—Dawson (1956, 1957), Tsuda and Kami (1973).
- Chaetomorpha linum* (Dan) Kg.—Reinbold (1901), Schmidt (1928).
- Chaetomorpha rigida* Kg.—Reinbold (1901).
- Chlorodesmis dotyi* Trono, 1971 (Mokil, Carolines).
- Chlorodesmis fastigiata* (C. Ag.) Ducker—Bryan (1975), Ducker (1967), Glassman (1952), Kanda (1944), Schmidt (1928), Trono (1968), Tsuda and Bryan (1973).
- Chlorodesmis hildebrandtii* A. & E. S. Gepp—Glassman (1952), Okamura (1916), Schmidt (1928), Taylor (1966), Trono (1968), Tsuda (1964, 1972c).
- Cladophora albida* (Hudson) Kütz.—Gilmartin (1960).
- Cladophora boodeleoides* Boerg.—Trono (1968).
- Cladophora crystallina* (Roth) Kütz.—Dawson (1956, 1957).
- Cladophora fuliginosa* Kütz.—Abbott (1961).
- Cladophora gracilis* (Griffiths) Kütz.—Gilmartin (1960).

- Cladophora inserta* Dickie—Dawson (1957).
- Cladophora patentiramea* (Mont.) Kütz.—Glassman (1952), Schmidt (1928).
- Cladophora repens* (J. Ag.) Harvey—Tsuda (1964).
- Cladophora sibogae* Reinbold—Kanda (1942, 1944).
- Cladophora socialis* Kütz.—Dawson (1956, 1957), Gilmartin (1960), Yamada (1944b).
- Cladophora trichotoma* (Ag.) Kütz.—Trono (1968).
- Cladophoropsis carolinensis*** Trono, 1971 (Kusaie, Carolines).
- Cladophoropsis fascicularis* (Kjellm.) Boerg.—Cloud (1959).
- Cladophoropsis gracillima* Dawson—Dawson (1956, 1957), Gilmartin (1960).
- Cladophoropsis herpestica* (Mont.) Howe—Trono (1968).
- Cladophoropsis membranacea* (Ag.) Boerg.—Belk and Belk (1975), Bryan (1975), Chapman (1955), Taylor (1966), Trono (1968), Tsuda (1972c), Tsuda and Bryan (1973).
- Cladophoropsis palauensis*** Trono, 1971 (Palau, Carolines).
- Cladophoropsis sundanensis* Reinbold—Dawson (1956, 1957), Gilmartin (1960).
- Cladophoropsis zollingeri* (Kütz.) Boerg.—Chapman (1955), Kanda (1942, 1944), Taylor (1950b).
- Codium arabicum* Kütz.—Dawson (1956, 1957), Newhouse (1969), Trono (1968).
- Codium edule* Silva—Dawson (1957), Odum and Odum (1955), Trono (1968), Tsuda 1964, 1972c).
- Codium geppii* O. C. Schmidt—Dawson (1956, 1957), Gilmartin (1960), Newhouse (1969).
- Codium intricatum* Okamura—Kanda (1944).
- Codium ovale* Zanard.—Dawson (1956).
- Codium reediae* Silva—Tsuda (1964).
- Codium repens* (Crouan) Vickers—Tokida (1939a).
- Codium saccatum* Okamura—Dawson (1957).
- Codium tenue* Kütz.—Taylor (1950b).
- Codium tomentosa* (Huds.) Stackh.—Schmidt (1928).
- Collinsiella tuberculata* Setch. & Gard.—Glassman (1953).
- Derbesia attenuata* Dawson—Dawson (1956, 1957).
- Derbesia marina* (Lyngb.) Solier—Dawson (1956, 1957).
- Derbesia minima* W. v. Bosse—Newhouse (1969), Taylor (1950b).
- Derbesia neglecta* Reinbold—Gilmartin (1960).
- Derbesia padinae*** Trono, 1971 (Palau, Carolines).
- Derbesia ryukiuensis* Yamada & Tanaka—Dawson (1956, 1957).
- Dictyosphaeria bokotensis* Yamada—Dawson (1956), Newhouse (1969), Yamada (1944b).
- Dictyosphaeria cavernosa* (Forssk.) Boerg. [= *Dictyosphaeria favulosa* (Mert.) Decaisne]—Abbott (1961), Chapman (1955), Dawson (1956, 1957), Glassman (1953), Kanda (1944), May (1966), Moul (1957), Newhouse (1969), Okamura (1904, 1916), Schmidt (1928), Taylor (1950b), Tokida (1939a), Trono (1968), Tsuda (1964, 1972c), Tsuda et al. (In Press), Yamada (1944b).

- Dictyosphaeria intermedia* W. v. Bosse—Dawson (1956, 1957), Moul (1957), Odum and Odum (1955), Taylor (1950b, 1966).
- Dictyosphaeria mutica* Yamada, 1944b (Ant, Carolines)—Newhouse (1969), Trono (1968).
- Dictyosphaeria setchellii* Boerg.—Moul (1957).
- Dictyosphaeria versluysii* W. v. Bosse—Abbott (1961), Chapman (1955), Dawson (1956, 1957), Emery (1962), Okamura (1916), Schmidt (1928), Trono (1968), Tsuda and Belk (1972).
- Enteromorpha acanthophora* Kütz.—Dawson (1957).
- Enteromorpha clathrata* (Roth) J. Ag.—Belk and Belk (1975), Bryan (1975) as *Enteromorpha compressa* (L.) Greville, Dawson (1956, 1957), Prowazek (1913), Safford (1905), Schmidt (1928), Trono (1968).
- Enteromorpha compressa* (L.) Greville—Dawson (1956), Moul (1957), Safford (1905), Schmidt (1928).
- Enteromorpha intestinalis* (L.) Link—Dawson (1957), Tsuda (1964).
- Enteromorpha kylinii* Bliding—Dawson (1956, 1957), Trono (1968), Tsuda and Belk (1972).
- Enteromorpha lingulata* J. Ag.—Abbott (1961), Taylor (1950b, 1966).
- Enteromorpha procera* Ahl.—Chapman (1955).
- Enteromorpha prolifera* (Muller) J. Ag.—Newhouse (1969).
- Enteromorpha ralfsii* Harvey—Dawson (1956, 1957).
- Enteromorpha salina* Kütz.—Trono (1968).
- Enteromorpha torta* (Mert.) Reinbold—Abbott (1961), Taylor (1950b).
- Enteromorpha tubulosa* (Kütz.) Kütz—Dawson (1957).
- Entocladia viridis* Reinke—Dawson (1957).
- Geppella martensenii* Boerg.—Dawson (1956).
- Gomontia polyrhiza* (Lagerh.) B. & Fl.—Emery et al. (1954).
- Halicoryne wrightii* Harvey—Abbott (1961).
- Halimeda bikinensis* Taylor, 1950b (Bikini, Marshalls)—Hillis (1959), Moul (1957).
- Halimeda copiosa* Goreau & Graham [= *Halimeda hederacea* (Barton) Hillis, *H. opuntia* v. *hederacea* (Barton) Hillis]—Abbott (1961), Colinvaux (1968), Dawson (1957), Gilmartin (1960), Hillis (1959), Moul (1964), Newhouse (1969), Taylor (1950b), Tsuda (1972c), Tsuda et al. (In Press).
- Halimeda cuneata* Hering—Barton (1900), Dawson (1956), Glassman (1952), Kanda (1944), Okamura (1916), Schmidt (1928), Tokida (1939a), Yamada (1941a, 1941b).
- Halimeda cylindracea* Decaisne—Hillis (1959), Moul (1964), Newhouse (1969), Trono (1968), Tsuda (1972c).
- Halimeda discoidea* Decaisne [= *Halimeda papyracea* Zanard?—Emery (1962), Gilmartin (1960), Hillis (1959), Moul (1964), Newhouse (1969), Reinbold (1901), Safford (1905), Taylor (1950b), Trono (1968), Tsuda (1972c), Tsuda et al. (In Press).
- Halimeda distorta* (Yamada) Colinvaux, 1968 (Ant, Carolines); [= *Halimeda in-*

- crassata* f. *distorta* Yamada, *Halimeda opuntia* v. *hederacea* (Barton) Hillis].
- Halimeda fragilis* Taylor, 1950b (Enewetak, Marshalls)—Abbott (1961), Dawson (1956), Gilmartin (1960, 1966), Hillis (1959), Moul (1957, 1959, 1964), Newhouse (1969), Trono (1968).
- Halimeda gigas* Taylor, 1950b (Enewetak, Marshalls)—Dawson (1957), Hillis (1959), Tsuda (1972c), Tsuda and Belk (1972), Tsuda et al. (In Press).
- Halimeda gracilis* Harvey—Abbott (1961), Barton (1900), Chapman (1955), Cloud (1959), Dawson (1956), Gilmartin (1960), Johnson (1957), Kanda (1944), Schmidt (1928), Taylor (1950b), Trono (1968), Tsuda (1964, 1972c), Yamada (1941a, 1941b, 1944b).
- Halimeda incrassata* (Ellis) Lamx. [= *Halimeda tridens* (E. & S.) Lamx.]—Abbott (1961), Bryan (1975), Chapman (1955), Dawson (1957), Gilmartin (1960), Hillis (1959), Kanda (1940a, 1944), Moul (1957, 1959, 1964), Newhouse (1969), Okamura (1916), Schmidt (1928), Taylor (1950b), Tokida (1939a), Trono (1968), Tsuda (1964, 1972c), Tsuda et al. (In Press), Yamada (1941a, 1941b, 1944a, 1944b).
- Halimeda lacunalis* Taylor, 1950b (Enewetak, Marshalls)—Abbott (1961), Dawson (1957), Gilmartin (1960), Hillis (1959), Moul (1964), Newhouse (1969).
- Halimeda macroloba* Decaisne—Barton (1900), Bryan (1975), Glassman (1952), Hillis (1959), Kanda (1940a, 1942, 1944), May (1966), McKee (1956), Merten (1971), Motoda (1939), Moul (1964), Okamura (1904, 1916), Reinbold (1901), Schmidt (1928), Taylor (1966), Tokida (1939a), Trono (1968), Tsuda (1972c), Yamada (1941a, 1941b).
- Halimeda macrophysa* Askenasy—Dawson (1957), Hillis (1959), Kanda (1944), Trono (1968), Tsuda (1972c), Tsuda et al. (In Press), Yamada (1941a).
- Halimeda micronesica* Yamada, 1944a (Ant, Carolines) [= *Halimeda orientalis* Gilbert]—Abbott (1961), Hillis (1959), Moul (1957, 1964), Newhouse (1969), Taylor (1950b), Trono (1968), Tsuda (1972c), Yamada (1941a, 1944b).
- Halimeda minima* (Taylor) Colinvaux, 1968 (Bikini, Marshalls); [= *Halimeda opuntia* f. *minima* Taylor].
- Halimeda monile* (Solander) Lamx.—Dawson (1956, 1957), Gilmartin (1960, 1966), Taylor (1950b).
- Halimeda opuntia* (L.) Lamx. [= *Halimeda cordata* J. Ag.]—Abbott (1961), Barton (1900), Bryan (1975), Cloud (1959), Dawson (1956, 1957), Emery (1962), Gilmartin (1960), Glassman (1952, 1953), Hillis (1959), Johnson (1957), Kanda (1940a, 1942, 1944), McKee (1956), Moul (1957, 1959, 1964), Newhouse (1969), Okamura (1916), Reinbold (1901), Schmidt (1928), Taylor (1950b, 1966), Tokida (1939a), Trono (1968), Tsuda (1964, 1972c), Tsuda et al. (In Press), Yamada (1941a, 1941b, 1944b).
- Halimeda simulans* Howe—Hillis (1959), Tsuda (1972c), Tsuda and Belk (1972).
- Halimeda stuposa* Taylor, 1950b (Rongelap, Marshalls)—Abbott (1961), Dawson (1956, 1957), Hillis (1959), Moul (1957, 1959, 1964), Newhouse (1969), Trono (1968), Tsuda (1972c).

- Halimeda taenicola*** Taylor, 1950b (Rongerik, Marshalls)—Abbott (1961), Dawson (1956, 1957), Gilmartin (1960), Hillis (1959), Moul (1957, 1959, 1964), Newhouse (1969), Trono (1968).
- Halimeda tuna*** (E. & S.) Lamx.—Barton (1900), Chapman (1955), Cloud (1959), Glassman (1952), Schmidt (1928), Taylor (1950b), Trono (1968).
- Microdictyon japonicum*** Setchell—Chapman (1955), Dawson (1957).
- Microdictyon mokilensis*** Trono, 1971 (Mokil, Carolines).
- Microdictyon okamurae*** Setch.—Abbott (1961), Dawson (1956, 1957), Glassman (1953), Kanda (1944), Newhouse (1969), Taylor (1950b), Trono (1968), Tsuda (1972c), Yamada (1944b).
- Microdictyon pseudohaptera*** A. & E. S. Gepp—Dawson (1956), Newhouse (1969), Okamura (1916), Schmidt (1928).
- Microdictyon setchellianum*** Howe—[=*Microdictyon umbilicatum* (Velley) Zanard.]—Chapman (1955), Dawson (1956), May (1966), Moul (1957).
- Neomeris annulata*** Dickie—Abbott (1961), Bryan (1975), Dawson (1956).
- Neomeris bilimbata*** Koster—Dawson (1956, 1957).
- Neomeris dumetosa*** Lamx.—Okamura (1904), Schmidt (1928).
- Neomeris mucosa*** Howe—Dawson (1956).
- Neomeris vanbosseae*** Howe—Abbott (1961), Chapman (1955), Kanda (1944), May (1966), Newhouse (1969), Taylor (1950b), Trono (1968), Tsuda (1972c), Tsuda and Belk (1972).
- Ostreobium reineckii*** Bornet—Belk and Belk (1975), Dawson (1957), Taylor (1950b).
- Palmogloea protuberans*** (Sm. & Sow.) Kütz.—Catala (1957), May (1966).
- Protococcus grevillei*** (Ag.) Crouan—Catala (1957), May (1966).
- Pseudochlorodesmis furcellata*** (Zanard.) Boerg.—Belk and Belk (1975), Bryan (1975), Dawson (1956, 1957), Gilmartin (1960).
- Pseudodichotomosiphon constricta*** Yamada—Abbott (1961).
- Rhipidiphyllum reticulatum*** Askenasy—Dawson (1956, 1957), Newhouse (1968), Taylor (1950b), Trono (1968).
- Rhipilia diaphana*** Taylor, 1950b (Bikini, Marshalls)—Abbott (1961).
- Rhipilia geppii*** Taylor, 1950b (Bikini, Marshalls)—Abbott (1961), Dawson (1957), Doty (1954).
- Rhipilia micronesica*** Yamada, 1944b (Ant, Carolines).
- Rhipilia orientalis*** A. & E. S. Gepp—Abbott (1961), Dawson (1956, 1957), Moul (1957), Taylor (1950b), Trono (1968), Tsuda (1972c).
- Rhipilia tomentosa*** Kütz.—Tsuda (1972c).
- Rhizoclonium hieroglyphicum*** (Ag.) Kütz.—Catala (1957), May (1966), Moul (1957), Newhouse (1969).
- Rhizoclonium implexum*** (Dillwyn) Kütz.—Dawson (1957).
- Rhizoclonium samoense*** Setchell—Abbott (1961), Dawson (1956), Trono (1968), Tsuda (1972c).
- Rhizoclonium tortuosum*** Kütz.—Safford (1905), Schmidt (1928).
- Siphonocladus rigidus*** Howe—Dawson (1956, 1957), Newhouse (1969).

- Spongocladia dichotoma* (Zand.) Murr. & Boodle—Kanda (1944), Tokida (1939a).
Spongocladia vaucheriaeformis Aresch.—Glassman (1952), Kanda (1942, 1944), Okamura (1916), Schmidt (1928).
- Struvea anastomosans* (Harv.) Piccone—Chapman (1955), Dawson (1956, 1957), Emery (1962), Trono (1968).
- Struvea delicatula* Kütz.—Kanda (1944), May (1966), Okamura (1904), Schmidt (1928), Tokida (1939a).
- Struvea tenuis* Zanard.—Okamura (1904), Schmidt (1928).
- Tydemannia expeditionis* W. v. Bosse—Bryan (1974), Dawson (1956, 1957), Gilmartin (1960, 1966), Glassman (1952), Kanda (1944), Okamura (1916), Schmidt (1928), Taylor (1950b), Trono (1968), Tsuda (1972c), Tsuda et al. (In Press), Yamada (1944b).
- Udotea argentea* Zanard.—Abbott (1961), Bryan (1975), Moul (1964), Okamura (1916), Schmidt (1928), Trono (1968), Tsuda (1972c), Yamada (1944b).
- Udotea geppii* Yamada—Kanda (1940a, 1942, 1944), Tokida (1937a), Trono (1968), Tsuda (1972c), Tsuda et al. (In Press), Yamada (1930).
- Udotea indica* A. & E. S. Gepp.—Abbott (1961), Gilmartin (1960), Moul (1964), Nizamuddin (1963), Taylor (1950b), Trono (1968).
- Udotea javensis* (Mont.) A. & E. S. Gepp—Dawson (1956, 1957), Gilmartin (1960), Kanda (1944), Taylor (1950b), Trono (1968).
- Udotea orientalis* A. & E. S. Gepp—Abbott (1961), Gilmartin (1960), May (1966), Taylor (1950b).
- Udotea palmetta* Decaisne—Dawson (1956, 1957), Tsuda (1972c).
- Udotea polychotomis* Cordero, 1974 (Mokil, Carolines).
- Ulva lactuca* L.—May (1966), Tsuda (1964, 1968).
- Ulvella lens* Crouan—Abbott (1961).
- Valonia aegagropila* C. Ag.—Abbott (1961), Chapman (1955), Dawson (1956, 1957), Gilmartin (1960), Glassman (1952), Kanda (1940b, 1944), May (1966), Moul (1957), Newhouse (1969), Schmidt (1928), Taylor (1950b), Trono (1968), Tsuda (1964).
- Valonia fastigiata* Harvey—Bryan (1975), Dawson (1957), Kanda (1940b, 1944), Trono (1968).
- Valonia utricularis* (Roth) C. Ag.—Abbott (1961), Dawson (1956, 1957), Gilmartin (1960), Newhouse (1969), Okamura (1916), Schmidt (1928), Taylor (1950b), Trono (1968).
- Valonia ventricosa* J. Ag.—Abbott (1961), Bryan (1975), Chapman (1955), Dawson (1956, 1957), Gilmartin (1960), Kanda (1940b, 1944), Newhouse (1969), Tokida (1939a), Trono (1968), Tsuda (1972c).
- Valoniopsis pachynema* (Martens) Boerg.—Dawson (1957), Taylor (1950b), Trono (1968).

Division PHAEOPHYTA

Chnoospora implexa (Hering) J. Ag.—Dawson (1957), Tsuda (1972a).

- Chnoospora minima* (Hering) Papenfuss—Bryan (1975), Tsuda (1972a, 1974).
Colpomenia sinuosa (Roth) Dérbes & Solier—Glassman (1952), Okamura (1904, 1916), Schmidt (1928), Tsuda (1972a, 1974).
- Dictyopteris delicatula* Lamx.—Taylor (1950b).
- Dictyopteris repens* (Okamura) Boerg. [= *Haliseris repens* Okamura, 1916 (Truk, Carolines); *Neurocarpus repens* Okamura]—Dawson (1956, 1957), Gilmartin (1960, 1966), Kanda (1944), Schmidt (1928), Tokida (1939a), Trono (1969), Tsuda (1972a, 1972c), Tsuda et al. (In Press).
- Dictyota apiculata* J. Ag.—Trono (1969), Tsuda (1972c), Tsuda and Belk (1972).
- Dictyota bartayresii* Lamx. [= *Dictyota bartayresiana* Lamx.]—Bryan (1975), Chapman (1955), Kanda (1942, 1944), Tsuda (1972a, 1972c, 1974), Tsuda and Kami (1973), Tsuda et al. (In Press), Yamada (1944b).
- Dictyota cervicornis* Kütz.—Gilmartin (1960), Tsuda (1972a), Tsuda and Belk (1972).
- Dictyota crenulata* J. Ag.—Tsuda (1964).
- Dictyota dichotoma* Lamx.—Chapman (1955), Gilmartin (1960).
- Dictyota divaricata* Lamx.—Belk (1971), Dawson (1957), Gilmartin (1960, 1966), Lowman and Palumbo (1962), Okamura (1904), Schmidt (1928), Trono (1969), Tsuda (1972a).
- Dictyota friabilis* Setchell—Newhouse (1969), Trono (1969), Tsuda (1964, 1972a).
- Dictyota patens* J. Ag.—Dawson (1957), Glassman (1952), Kanda (1944), Newhouse (1969), Okamura (1916), Schmidt (1928), Tsuda (1972a, 1972c).
- Dictyota pinnatifida* Kütz.—Taylor (1950b).
- Dilophus radicans* Okamura—Dawson (1962), Glassman (1952), Kanda (1944), Schmidt (1928), Tokida (1939a).
- Ectocarpus breviarticulatus* J. Ag.—Dawson (1956, 1957), Trono (1969), Tsuda (1972a, 1974).
- Ectocarpus columellaris* Boerg.—Trono (1969).
- Ectocarpus mitchellae* Harv.—Abbott (1961), Dawson (1956, 1957), Newhouse (1969), Taylor (1950b).
- Feldmannia indica* (Sonder) Womersley & Bailey [= *Ectocarpus indicus* Sonder]—Belk and Belk (1975) as *Giffordia indica* (Sonder) Papenfuss & Chihara, Bryan (1975), Chapman (1955), Dawson (1956, 1957), Newhouse (1969), Taylor (1950b), Trono (1969), Tsuda (1972a, 1974), Tsuda and Belk (1972), Tsuda and Bryan (1973), Tsuda and Kami (1973), Tsuda et al. (1972).
- Feldmannia irregularis* (Kütz.) Hamel [= *Ectocarpus irregularis* Kütz.]—Dawson (1957), Trono (1969), Tsuda (1972a).
- Hydroclathrus clathratus* (Bory) Howe [= *Hydroclathrus cancellatus* Bory]—Bryan (1975), Cloud (1959), Dawson (1957), Glassman (1952), Kanda (1944), Okamura (1904, 1916), Reinbold (1901), Schmidt (1928), Taylor (1950b, 1966), Trono (1969), Tsuda (1972a, 1972c, 1974).
- Lobophora papenfussii* (Taylor) Womersley [= *Pocockiella papenfussii* Taylor, 1950b (Bikini, Marshalls)]—Dawson (1956, 1967).
- Lobophora variegata* (Lamx.) Womersley [= *Zonaria variegata* (Lamx.) Mertens,

- Pocockiella variegata* (Lamx.) Papenfuss]—Abbott (1961), Bryan (1975), Chapman (1955), Dawson (1956, 1957), Gilmartin (1960), Newhouse (1969), Odum and Odum (1955), Smith and Marsh (1973), Taylor (1950a, 1950b), Trono (1969), Tsuda (1972a, 1972c, 1974), Tsuda and Kami (1973), Tsuda et al. (In Press), Yamada (1944b).
- Notheia anomala* Bail. & Harv.—May (1966).
- Padina australis* Hauck—Dawson (1957), Kanda (1942, 1944), Tokida (1939a), Trono (1969).
- Padina gymnospora* (Kütz.) Vickers—Schmidt (1928).
- Padica japonica* Yamada—Trono (1969).
- Padina jonesii* Tsuda, 1972a (Guam, Marianas)—Tsuda and Kami (1973), Tsuda et al. (In Press).
- Padina minor* Yamada—Trono (1969), Tsuda (1972a, 1974), Tsuda and Belk (1972), Yamada (1944b).
- Padina pavonia* (L.) Gaill.—Glassman (1952), Okamura (1904, 1916), Prowazek (1913), Reinbold (1901), Safford (1905), Schmidt (1928).
- Padina tenuis* Bory [= *Padina commersonii* Bory, *Padina boryana* Thivy]—Bryan (1975), Chapman (1955), Cloud (1959), Dawson (1956, 1957), Emery (1962), Gilmartin (1960, 1966), Newhouse (1969), Safford (1905), Schmidt (1928), Taylor (1950b), Tsuda (1972a, 1972c, 1974).
- Ralfsia expansa* J. Ag.—Dawson (1956), Trono (1969).
- Ralfsia pangoensis* Setchell—Tsuda (1972a).
- Rosenvingea fastigiata* (Zanard.) Boerg.—Taylor (1950b).
- Rosenvingea intricata* (J. Ag.) Boerg. [= *Asperococcus intricatus* J. Ag.]—Dawson (1957), Okamura (1904), Schmidt (1928), Taylor (1950b), Tsuda (1972a), Tsuda and Kami (1973).
- Rosenvingea orientalis* (J. Ag.) Boerg.—Gilmartin (1960).
- Sargassum crassifolium* J. Ag.—Taylor (1966), Tsuda (1976).
- Sargassum cristaefolium* C. Ag. [= *Sargassum duplicatum* J. Ag.]—Bryan (1975), Glassman (1952), Marsh (1974), Okamura (1916), Reinbold (1901), Schmidt (1928), Taylor (1966), Tsuda (1972a, 1972b, 1972c, 1974, 1976).
- Sargassum ilicifolium* (Turn.) J. Ag.—Glassman (1952).
- Sargassum microphyllum* Ag.—Cloud (1959), Kanda (1944).
- Sargassum polycystum* C. Ag.—Bryan (1975), Taylor (1966), Tsuda (1972a, 1972b, 1974, 1976).
- Sargassum tenerimum* J. Ag.—Tsuda (1972a).
- Spatoglossum schroederi* (Mert.) J. Ag.—Gilmartin (1960).
- Sphacelaria carolinensis* Trono, 1971 (Kusaie, Carolines).
- Sphacelaria furcigera* Kütz.—Belk and Belk (1975), Dawson (1956, 1957), Gilmartin (1960), Kanda (1942, 1944), Tokida (1939a), Trono (1969), Tsuda (1972a).
- Sphacelaria novaehollandiae* Sonder—Dawson (1957), Emery (1962), Newhouse (1969), Taylor (1950b), Tsuda (1972a), Yamada (1944b).
- Sphacelaria rigida* (Hering) Kütz.—Trono (1969).

Sphacelaria tribuloides Meneghini—Bryan (1975), Dawson (1956, 1957), Kanda (1944), Reinbold (1901), Schmidt (1928), Tokida (1939a), Tsuda (1972, 1974), Tsuda and Kami (1973), Tsuda et al. (1972).

Stylopodium lobatum Kütz.—Trono (1969).

Turbinaria condensata Sonder—Taylor (1964).

Turbinaria conoides Kütz.—May (1966), Trono (1969).

Turbinaria decurrens Bory—Trono (1969).

Turbinaria ornata (Turn.) J. Ag.—Bryan (1975), Cloud (1959), Dawson (1956, 1957), Glassman (1952), Kanda (1944), Marsh (1974), Moul (1957), Newhouse (1969), Okamura (1916), Reinbold (1901), Schmidt (1928), Taylor (1950b, 1964), Trono (1969), Tsuda (1964, 1972a, 1972c, 1974), Tsuda et al. (In Press), Yamada (1944b).

Turbinaria trialata (J. Ag.)—Dawson (1956), Emery (1962).

Zonaria hawaiiensis Doty & Newhouse—Tsuda (1972c).

Zonaria stipitata Tanaka & K. Nozawa—Tsuda (1972a).

Division RHODOPHYTA

Abbottella concinna Hollenberg—Hollenberg (1967a).

Acanthophora spicifera (Vahl) Boerg. [= *Acanthophora orientalis* J. Ag. and *A. mucoides* Bory]—Bryan (1975), Cloud (1959), Kanda (1942, 1944), Okamura (1904, 1916), Safford (1905), Schmidt (1928), Tokida (1939a), Trono (1969), Tsuda (1964, 1972c), Yamada (1944b).

Acrochaetium gracile Boerg.—Dawson (1957).

Acrochaetium robustum Boerg.—Dawson (1957), Gilmartin (1960), Trono (1969).

Acrochaetium rongelapense Abbott in Taylor, 1950b (Rongelap, Marshalls).

Actinotrichia fragilis Boerg. [= *Actinotrichia rigida* (Lamx.) Decne]—Bryan (1975), Dawson (1956), Kanda (1944), Okamura (1904), Schmidt (1928), Trono (1969), Tsuda (1972c).

Amansia glomerata C. Ag.—Emery (1962), Kanda (1942, 1944), Tokida (1939a, 1939b).

Amphiroa anastomosans W. v. Bosse—Dawson (1956).

Amphiroa foliacea Lamx.—Dawson (1956), Trono (1969), Tsuda (1972c).

Amphiroa fragilissima Lamx.—Bryan (1975), Dawson (1956), Kanda (1944), Okamura (1916), Reinbold (1901), Schmidt (1928), Trono (1969).

Amphiroa taylorii Dawson—Dawson (1956).

Antithamnion antillanum Boerg.—Trono (1969).

Antithamnion breviramnos Dawson—Dawson (1957).

Antithamnion iherminieri (Crouan & Crouan) Nasr—Dawson (1956, 1957), Gilmartin (1960).

Antithamnion percurrens Dawson, 1957 (Enewetak, Marshalls).

Asparagopsis taxiformis (Delile) Collins & Hervey [= *Falkenbergia hillebrandii* (Bornet) Falken.]—Dawson (1956, 1957), Gilmartin (1960), Trono (1969), Tsuda (1964), Tsuda and Bryan (1973).

- Asterocystis ornata* (C. Ag.) Hamel—Abbott (1961), Dawson (1957), Taylor (1950b).
Bostrychia binderi Harvey—Trono (1969).
Bostrychia tenella (Vahl) J. Ag.—Kanda (1942, 1944), Tokida (1939a, 1939b).
Botryocladia kuckuckii (W. v. Bosse) Yamada & Tanaka—Taylor (1950b).
Botryocladia microphysa (Hauck) Kylin—Kanda (1942, 1944), Tokida (1939a).
Botryocladia skottsbergii (Boerg.) Levring—Dawson (1956, 1957), Gilmartin (1960).
Callithamnion marshallensis Dawson, 1957 (Enewetak, Marshalls).
Caloglossa adnata (Zanard.) De Toni—Dawson (1956).
Caloglossa leprieurii (Mont.) J. Ag.—Dawson (1956), Taylor (1950b).
Centroceras apiculatum Yamada, 1944b (Ant, Carolines)—Dawson (1956, 1957), Hollenberg (1969d).
Centroceras clavulatum (C. Ag.) Mont.—Abbott (1961), Belk and Belk (1975), Bryan (1975), Chapman (1955), Dawson (1956, 1957), Gilmartin (1960), May (1966), Moul (1957), Taylor (1950b), Trono (1969).
Centroceras huysmanii W. v. Bosse—Kanda (1944), Tokida (1939a).
Centroceras minimum Yamada—Dawson (1957).
Centroceras minutum Yamada, 1944b (Ant, Carolines)—Abbott (1961), Belk and Belk (1975), Dawson (1956), Trono (1969).
Ceramium affine Setch. & Gard.—Trono (1969).
Ceramium byssoides Harv.—Kanda (1944), Taylor (1950b), Tokida (1939a).
Ceramium camouii Dawson—Dawson (1956).
Ceramium clarionense Setch. & Gardn.—Dawson (1956, 1957).
Ceramium clavulatum Ag.—Glassman (1952), Okamura (1916), Reinbold (1901), Schmidt (1928), Tokida (1939a).
Ceramium fimbriatum Setch. & Gardn.—Dawson (1956), Trono (1969), Tsuda (1964).
Ceramium gracillimum Griff. & Harv.—Dawson (1956, 1957), Gilmartin (1960), May (1966), Trono (1969).
Ceramium huysmansii W. v. Bosse—Belk and Belk (1975), Dawson (1956), Trono (1969).
Ceramium kororensis Trono, 1971 (Palau, Carolines).
Ceramium marshallense Dawson, 1957 (Enewetak, Marshalls).
Ceramium mazatlanense Dawson—Dawson (1956, 1957), Gilmartin (1960), Trono (1969).
Ceramium personatum Setch. & Gardn.—Chapman (1955).
Ceramium serpens Setch. & Gardn.—Dawson (1956, 1957).
Ceramium sympodiale Dawson, 1957 (Enewetak, Marshalls).
Ceramium taylori Dawson—Dawson (1957).
Ceramium vagabunde Dawson, 1957 (Enewetak, Marshalls)—Belk and Belk (1975), Dawson (1962), Trono (1969).
Ceratodictyon spongiosum Zanard.—Kanda (1944), Okamura (1916), Schmidt (1928), Trono (1969), Tsuda (1972c).
Champia compressa Harv.—Schmidt (1928), Tsuda (1972c), Tsuda et al. (In Press).

- Champia parvula* (Ag.) J. Ag.—Bryan (1975), Dawson (1956, 1957), Gilmartin (1960), Glassman (1952), Kanda (1944), Okamura (1904, 1916), Schmidt (1928), Trono (1969).
- Champia vieillardii* Kütz.—Dawson (1956, 1957).
- Chondria baileyana* (Montagne) Harvey—Gilmartin (1960).
- Chondria minutula* W. v. Bosse—Dawson (1957).
- Chondria polyrhiza* Collins & Hervey—Dawson (1957).
- Chondria repens* Boerg.—Bryan (1974), Dawson (1956, 1957), Gilmartin (1960), Trono (1969), Tsuda (1964).
- Chondria simpliciuscula* W. v. Bosse—Yamada (1944b).
- Choreonema thureti* (Bornet) Schmitz—Taylor (1950b).
- Chrysymenia kairnbackii* Grunow—Dawson (1956).
- Chylocladia rigens* (Grev.) J. Ag.—Reinbold (1901).
- Coelarthrulum boergesenii* W. v. Bosse—Dawson (1956).
- Coelothrix irregularis* (Harvey) Boerg.—Dawson (1957), Trono (1969).
- Corallina pinnatifolia* Dawson—Trono (1969).
- Corynospora pedicellata* (Smith) J. Ag. [= *Neomonospora pedicellata* v. *tenuis* Feld.—Mazoyer]—Dawson (1957).
- Cottoniella triseriata* Hollenberg—Hollenberg (1967b), Trono (1969).
- Crouania attenuata* (Bonnemaison) J. Ag.—Gilmartin (1960), Kanda (1944), Tokida (1939a).
- Crouania minutissima* Yamada, 1944b (Ant, Carolines)—Dawson (1956), Trono (1969), Tsuda (1972c).
- Cruoriella dubyi* (Crouan & Crouan) Schmidt—Dawson (1956, 1957).
- Dasya adhaerens* Yamada, 1944b (Ant, Carolines)—Abbott (1961), Dawson (1962), Taylor (1950b).
- Dasya corymbifera* J. Ag.—Gilmartin (1960).
- Dasya iyengarii* Boerg.—Dawson (1957), Gilmartin (1960).
- Dasya mollis* Harvey—Dawson (1957), Gilmartin (1960).
- Dasya pacifica* Harvey—Taylor (1950b).
- Dasyopsis geppii* W. v. Bosse—Dawson (1957).
- Dasyopsis pilosa* W. v. Bosse—Tsuda (1972c).
- Dasyopsis tenella* W. v. Bosse—Taylor (1950b).
- Dasyphila plumariooides* Yendo—Bryan (1975).
- Dawsoniella bulborhiza* Hollenberg—Hollenberg (1967a).
- Desmia hornemannii* Lyngb. [= *Chondrococcus hornemannii* (Mert.) Schmidt]—Bryan (1975), Okamura (1916), Schmidt (1928), Trono (1969), Tsuda (1964).
- Dicranema rosaliae* Setch. & Gardn.—Dawson (1957).
- Dictyurus purpurascens* Bory—Dawson (1956, 1957), Moul (1957), Taylor (1950b).
- Endosiphonia spinuligera* Zanard.—Dawson (1956), May (1966).
- Erythrocolon podagricum* (Harvey) J. Ag.—Trono (1969).
- Erythrotrichia carneae* (Dillwyn) J. Ag.—Abbott (1961), Dawson (1956, 1957), Glassman (1952), Taylor (1950b), Trono (1969).

- Erythrotrichia parietalis* Tanaka—Dawson (1957), Trono (1969).
- Eucheuma striatum* Schmitz—Kanda (1944).
- Fosliella farinosa* (Lamx.) Howe—Abbott (1961), Chapman (1955), Dawson (1956, 1957), Gordon et al. (1976), Taylor (1950b), Trono (1969), Tsuda (1972c).
- Galaxaura acuminata* Kjellman—Dawson (1956).
- Galaxaura elongata* Ag.—Cloud (1959).
- Galaxaura fascicularis* Kjellman—Dawson (1956), Kanda (1942, 1944), Tanaka (1936), Trono (1969), Tsuda (1972c).
- Galaxaura fastigiata* Decaisne—Abbott (1961), Dawson (1957), Tanaka (1936), Tsuda (1972c).
- Galaxaura filamentosa* Chou—Abbott (1961), Bryan (1975), Chapman (1955), Dawson (1956, 1957), Gilmartin (1960), Trono (1969), Tsuda and Kami (1973).
- Galaxaura glabriuscula* Kjellman—Emery (1962).
- Galaxaura marginata* Lamx.—Bryan (1975).
- Galaxaura oblongata* (E. & S.) Lamx.—Bryan (1975), Cloud (1959), Trono (1969), Tsuda (1972c).
- Gelidiella acerosa* (Forssk.) Feldmann & Hamel—Bryan (1975), Emery (1962), Kanda (1944), Trono (1969).
- Gelidiella adnata* Dawson—Dawson (1956).
- Gelidiella bornetii* (W. v. Bosse) Feldmann & Hamel—Dawson (1957).
- Gelidiella tenuissima* Feldmann & Hamel—Dawson (1956, 1957).
- Gelidiopsis acrocarpa* (Harv.) Schmitz—Okamura (1916), Schmidt (1928).
- Gelidiopsis intricata* (Ag.) Vickers—Dawson (1956, 1957), Gilmartin (1960), Kanda (1942, 1944), Schmidt (1928), Trono (1969), Tsuda (1964, 1972c), Yamada (1944b).
- Gelidiopsis pannosa* (Grun.) Schmitz—Okamura (1916), Schmidt (1928).
- Gelidiopsis repens* (Kütz.) Schmitz—Dawson (1956).
- Gelidiopsis rigida* (Vahl) W. v. Bosse—Schmidt (1928).
- Gelidium crinale* (Turn.) Lamx.—Dawson (1957).
- Gelidium intricatum* (Kg.) Grun.—Reinbold (1901).
- Gelidium pulchellum* (Turn.) Kütz.—Tsuda (1964), Tsuda and Belk (1972).
- Gelidium pusillum* (Stackh.) LeJolis—Bryan (1975), Dawson (1956, 1957), Kanda (1942, 1944), Okamura (1916), Reinbold (1901), Schmidt (1928), Trono (1969), Tsuda (1964).
- Goniotrichum alsidii* (Zanard.) Howe—Glassman (1952), Taylor (1950b).
- Goniotrichum elegans* (Chauvin) Zanard.—Abbott (1961), Dawson (1957).
- Gracilaria arcuata* Zanard.—Kanda (1944).
- Gracilaria cacalia* (J. Ag.) Grev. [= *Corallopsis cacalia* J. Ag.]—Okamura (1904, 1916), Schmidt (1928).
- Gracilaria coronopifolia* J. Ag.—Chapman (1955), Kanda (1944), Yamada (1941).
- Gracilaria crassa* Harvey—Trono (1969).
- Gracilaria eucheumoides* Harv.—Kanda (1944), Trono (1969).
- Gracilaria lichenoides* (L.) J. Ag.—Bryan (1975).

- Gracilaria minor* (Sond.) Grev. [= *Corallopsis minor* (Sond.) J. Ag.]—Glassman (1952), Kanda (1944), Okamura (1904), Reinbold (1901), Schmidt (1928), Tokida (1939a).
- Gracilaria radicans* Hauck—Okamura (1916), Schmidt (1928).
- Gracilaria salicornia* (Mert.) Grev. [*Corallopsis salicornia* Mert.]—Bryan (1975), Safford (1905), Schmidt (1928), Trono (1969).
- Gracilaria verrucosa* (Hudson) Papenfuss [= *Gracilaria confervoides* (L.) Grev.]—Safford (1905).
- Grateloupia filicina* (Wulfen) C. Ag.—Dawson (1957).
- Griffithsia metcalfii* Tseng—Dawson (1956).
- Griffithsia ovalis* Harvey—Dawson (1957).
- Griffithsia rhizophora* (Grun.) W. v. Bosse—Abbott (1961), Taylor (1950b).
- Griffithsia tenuis* C. Ag.—Abbott (1961), Belk and Belk (1975), Dawson (1956, 1957), Gilmartin (1960).
- Halarachnion calcareum* Okamura, 1916 (Ponape, Carolines)—Glassman (1952), Schmidt (1928).
- Haloplegma duperreyi* Montagne—Abbott (1961), Gilmartin (1960), Taylor (1950b).
- Halymenia dilatata* Zanard.—Kanda (1942, 1944).
- Halymenia durvillaei* Bory—Bryan (1975), Emery (1962), Kanda (1944), Trono (1969).
- Halymenia floresia* (Chem.) C. Ag.—Trono (1969).
- Halymenia lacerata* Sond.—Okamura (1916), Schmidt (1928).
- Herposiphonia arcuata* Hollenberg—Hollenberg (1968c), Trono (1969).
- Herposiphonia delicatula* Hollenberg, 1968c (Truk, Carolines)—Trono (1969), Tsuda (1972c).
- Herposiphonia dendroidea* Hollenberg—Hollenberg (1968c), Trono (1969).
- Herposiphonia nuda* Hollenberg—Hollenberg (1968c).
- Herposiphonia obscura* Hollenberg—Hollenberg (1968c).
- Herposiphonia pacifica* Hollenberg—Hollenberg (1968c), Trono (1969).
- Herposiphonia parca* Setch.—Hollenberg (1968c), Trono (1969).
- Herposiphonia secunda* (C. Ag.) Ambronn.—Chapman (1955), Dawson (1956, 1957), Emery (1962), Kanda (1942, 1944), Reinbold (1901), Schmidt (1928), Taylor (1950b), Tokida (1939a).
- Herposiphonia tenella* (C. Ag.) Naegeli—Abbott (1961), Chapman (1955), Dawson (1956, 1957), Hollenberg (1968c), Kanda (1942, 1944), Taylor (1950b), Tokida (1939a), Trono (1969).
- Herposiphonia trichia* Hollenberg, 1968c (Yap, Carolines)—Trono (1969).
- Herposiphonia variabilis* Hollenberg—Hollenberg (1968c).
- Heterosiphonia wurdemannii* (Bailey) Falkenberg—Abbott (1961), Dawson (1956, 1957), Gilmartin (1960), Taylor (1950b), Yamada (1944b).
- Heteroderma minutula* Foslie—Dawson (1956, 1957).
- Heteroderma subtilissima* Foslie—Dawson (1956, 1957).
- Hildenbrandia prototypus* Nardo—Dawson (1956).

- Hydrolithon reinboldii* (W. v. Bosse & Foslie) Foslie [= *Goniolithon reinboldii* W. v. Bosse & Foslie]—Gordon et al. (1976), Johnson (1957, 1964).
- Hypoglossum attenuatum* Gardner—Tsuda (1972c).
- Hypoglossum barbatum* Okamura—Kanda (1942, 1944).
- Hypoglossum minimum* Yamada—Abbott (1961), Dawson (1957), Gilmartin (1960), Yamada (1944b).
- Hypnea cervicornis* J. Ag.—Tsuda (1964).
- Hypnea esperi* Bory—Dawson (1956, 1957), Gilmartin (1960), Trono (1969), Tsuda (1964, 1972c), Yamada (1944b).
- Hypnea nidulans* Setchell—Abbott (1961), Dawson (1957), Kanda (1942, 1944), Tokida (1939a), Tsuda (1964).
- Hypnea pannosa* J. Ag.—Belk and Belk (1975), Bryan (1975), Dawson (1956, 1957), Glassman (1952), Kanda (1944), May (1966), Okamura (1904, 1916), Schmidt (1928), Trono (1969), Tsuda and Bryan (1973).
- Hypnea spinella* (C. Ag.) Kütz.—Abbott (1961), Taylor (1950b).
- Hypnea valentiae* (Turn.) Montagne—Trono (1969), Tsuda (1964).
- Jania adhaerens* Lamx.—Tsuda (1964).
- Jania antennina* Kütz—Taylor (1950b).
- Jania capillacea* Harvey—Belk (1975), Bryan (1975), Dawson (1956, 1957), Gilmartin (1960), Moul (1957), Smith and Marsh (1973), Taylor (1950b), Trono (1969), Tsuda (1964, 1972c).
- Jania constricta* Kütz.—Taylor (1950b).
- Jania decussato-dichotoma* (Yendo) Yendo—Dawson (1956, 1957), Gilmartin (1960), Moul (1957), Trono (1969).
- Jania micranthrodia* Lamx.—Dawson (1956, 1957).
- Jania radiata* (Yendo) Yendo—Emery (1962).
- Jania rubens* Lamx.—Chapman (1955), May (1966), Taylor (1950b).
- Jania tenella* Kütz.—Dawson (1956, 1957), Schmidt (1928), Trono (1969), Tsuda (1964).
- Jania ungulata* Yendo—Trono (1969), Tsuda (1964).
- Kylinia secunda* (Lyngb.) Papenfuss—Dawson (1957).
- Laurencia carolinensis* Saito, 1969 (Helen Reef, Carolines).
- Laurencia cartilaginea* Yamada—Trono (1969).
- Laurencia ceylanica* J. Ag.—Okamura (1904), Schmidt (1928).
- Laurencia cruciata* Harvey—Taylor (1950b).
- Laurencia flexilis* Setchell—Yamada (1944b).
- Laurencia intricata* Lamx.—Chapman (1955), Glassman (1952), Okamura (1916), Schmidt (1928).
- Laurencia majuscula* (Harv.) Lucas—Belk and Belk (1975), Trono (1969), Tsuda (1972c), Tsuda and Belk (1972).
- Laurencia mariannensis* Yamada, 1931 (Saipan, Marianas)—Abbott (1961), Dawson (1956, 1957), Saito (1969), Taylor (1950b), Trono (1969).
- Laurencia nana* Howe—Dawson (1957), Tokida (1939a).

- Laurencia obtusa* (Huds.) Lamx.—Kanda (1944), May (1966), Okamura (1904), Saito (1969), Schmidt (1928), Tsuda (1964), Yamada (1931).
- Laurencia okamurai* Yamada—Tsuda (1964).
- Laurencia paniculata* (Ag.) J. Ag.—Tsuda (1964).
- Laurencia papillosa* (Forssk.) Grev.—Kanda (1944), Okamura (1904, 1916), Reinbold (1901), Schmidt (1928), Trono (1969).
- Laurencia parvipapillata* Tseng—Dawson (1957), Tsuda (1972c).
- Laurencia perforata* (Bory) Mont.—Abbott (1961), Cloud (1959), Reinbold (1901), Taylor (1950b).
- Laurencia rigida* J. Ag.—Okamura (1904), Schmidt (1928).
- Laurencia tropica* Yamada—Yamada (1931).
- Laurencia yamadana* Howe—Trono (1969).
- Leveillea jungermannioides* (Mart. & Hering) Harv.—Abbott (1961), Glassman (1952), Okamura (1916), Schmidt (1928), Trono (1969).
- Liagora ceranoides* Lamx.—Abbott (1961), Taylor (1950b).
- Liagora farinosa* Lamx.—Dawson (1957), Taylor (1950b), Trono (1969).
- Liagora hawaiiana* Butters—Dawson (1957), Taylor (1950b).
- Liagora kahukuana* Abbott—Abbott (1961).
- Liagora megagyna* Boerg.—Taylor (1950b).
- Liagora orientalis* J. Ag.—Dawson (1957).
- Liagora pinnata* Harv.—Dawson (1957).
- Liagora robusta* Yamada—Dawson (1957).
- Liagora valida* Harv.—Taylor (1950b).
- Lithophyllum kotschyanum* (Unger) Foslie—Cloud (1959), Gordon et al. (1976), Johnson (1957, 1964).
- Lithophyllum moluccense* Foslie—Cloud (1959), Gordon et al. (1976), Ishijima (1942), Johnson (1957, 1964), Kanda (1944).
- Lithoporella melobesioides* (Foslie) Foslie—Gordon et al. (1976), Johnson (1957).
- Lithoporella pacifica* (Heydr.) Foslie—Dawson (1956), Gordon et al. (1976).
- Lithothamnion asperulum* Foslie—Gordon et al. (1976).
- Lithothamnion funafutiense* Foslie—Schmidt (1928).
- Lithothamnion philippii* Foslie—Foslie (1899, 1900), Schmidt (1928).
- Lithothamnion simulans* (Foslie) Foslie—Emery (1962).
- Lomentaria hakodatensis* Yendo—Dawson (1956, 1957), Trono (1969).
- Lophosiphonia bermudensis* Collins & Hervey—Dawson (1956, 1957).
- Lophosiphonia cristata* Falkenberg—Hollenberg (1968d).
- Lophosiphonia obscura* (Ag.) Falkenberg—Dawson (1957), Gilman (1960), Tsuda (1964).
- Lophosiphonia villum* (J. Ag.) Setch. & Gardn.—Dawson (1956), Gilman (1960).
- Malaconema minimum* Hollenberg, 1963 (Bikini, Marshalls).
- Martensia elegans* Hering—Kanda (1944).
- Martensia fragilis* Harvey [= *Hermitrema fragilis* (Harvey) Dawson]—Dawson (1956, 1957), Okamura (1916), Schmidt (1928).

- Mastophora lamourouxii* (Decaisne) Harv.—Safford (1905), Schmidt (1928).
- Mastophora macrocarpa* Mont.—Bryan (1975).
- Mastophora plana* (Sonder) Harv.—Schmidt (1928).
- Mastophora rosea* (C. Ag.) Setch.—Emery (1962).
- Mesophyllum erubescens* (Foslie) Lemoine—Gordon et al. (1976).
- Mesophyllum mesomorphum* (Foslie) Adey—Gordon et al. (1976).
- Mesothamnion caribaeum* Boerg.—Gilmartin (1960).
- Murrayella periclados* (C. Ag.) Schmidt—Bryan (1975).
- Neogoniolithon conicum* (Dawson) Gordon, Masaki & Akioka—Gordon et al., (1976).
- Neogoniolithon fosliei* (Heyr.) Setch. & Mason [= *Goniolithon fosliei* (Heyd.) Foslie] —Gordon et al. (1976), Johnson (1964).
- Neogoniolithon fructescens* (Foslie) Setch. & Mason [= *Goniolithon fructescens* Foslie] —Abbott (1961), Cloud (1959), Foslie (1900), Gordon et al. (1976), Johnson (1957, 1964), Taylor (1950b).
- Neogoniolithon medioramus* (Johnson) Setch. & Mason—[= *Goniolithon medioramus* Johnson, 1964 (Guam, Marianas)].
- Neogoniolithon pacificum* (Foslie) Setch. & Mason—Gordon et al. (1976).
- Neogoniolithon reinboldi* (W. v. Bosse & Foslie) Setch. & Mason—Cloud (1959).
- Peyssonnelia conchicola* Piccone & Grunow—Dawson (1956).
- Peyssonnelia corallis* (Ag.) Kylin [= *Gymnosorus corallis* (Ag.) J. Ag.]—Kanda (1944), Okamura (1916), Schmidt (1928).
- Peyssonnelia gunniana* J. Ag.—May (1966).
- Peyssonnelia rubra* (Grev.) J. Ag.—Dawson (1956, 1957), Taylor (1950b), Trono (1969), Tsuda (1972c).
- Polysiphonia anomala* Hollenberg, 1968a (Bikini, Marshalls).
- Polysiphonia apiculata* Hollenberg—Hollenberg (1968a), Trono (1969).
- Polysiphonia coacta* Tseng—Dawson (1956, 1957).
- Polysiphonia delicatula* Hollenberg—Hollenberg (1968a), Trono (1969).
- Polysiphonia dotyi* Hollenberg, 1968b (Bikini, Marshalls)—Trono (1969).
- Polysiphonia exilis* Harv.—Hollenberg (1968b), Trono (1969).
- Polysiphonia flaccidissima* Hollenberg—Hollenberg (1968a).
- Polysiphonia herpa* Hollenberg—Hollenberg (1968a), Trono (1969).
- Polysiphonia howei* Hollenberg—Taylor (1950b).
- Polysiphonia pentamera* Hollenberg, 1968b (Enewetak, Marshalls)—Trono (1969).
- Polysiphonia pokok* Hollenberg—Hollenberg (1968a), Trono (1969).
- Polysiphonia quadrata* Hollenberg, 1968a (Marakei, Gilberts)—Tsuda (1964) as *P. coacta* Tseng.
- Polysiphonia saratieri* Hariot—Hollenberg (1968a), Trono (1969).
- Polysiphonia scopulorum* Harvey—Belk and Belk (1975), Hollenberg (1968a), Trono (1969), Tsuda (1972c), Tsuda and Belk (1972), Tsuda and Kami (1973), Tsuda et al. (1972).
- Polysiphonia setacea* Hollenberg—Hollenberg (1968a), Trono (1969).

- Polysiphonia sparsa* (Setchell) Hollenberg—Hollenberg (1968a).
- Polysiphonia sphaerocarpa* Boerg.—Hollenberg (1968a), Trono (1969), Tsuda (1964) as *P. fragilis* Suringar.
- Polysiphonia subtilissima* Montagne—Abbott (1961), Dawson (1956, 1957), Gilmartin (1960), Tsuda (1964).
- Polysiphonia tongatensis* Harvey—Dawson (1956, 1957), Gilmartin (1960), Tsuda (1964).
- Polysiphonia upolensis* (Grunow) Hollenberg—Hollenberg (1968a), Trono (1969).
- Porolithon aequinoctiale* (Foslie) Foslie—Abbott (1961), Taylor (1950b).
- Porolithon craspedium* (Foslie) Foslie—Cloud (1959), Dawson (1957), Emery et al. (1954), Foslie (1900), Johnson (1957, 1964), Lee (1967), Moul (1957), Schmidt (1928), Taylor (1950b), Tsuda (1972c).
- Porolithon gardineri* (Foslie) Foslie—Abbott (1961), Dawson (1957), Emery et al. (1954), Johnson (1962), Lee (1967), Moul (1957), Taylor (1950b).
- Porolithon marshallense* Taylor, 1950b (Rongelap, Marshalls).
- Porolithon onkodes* (Heyd.) Foslie—Abbott (1961), Cloud (1959), Dawson (1957), Doty (1962), Foslie (1899, 1900), Gordon et al. (1976), Johnson (1957, 1962, 1964), Lee (1967), Marsh (1974), McKee (1956), Moul (1957), Schmidt (1928), Smith and Marsh (1973), Taylor (1950b).
- Pterocladia parva* Dawson—Belk (1975), Belk and Belk (1975).
- Pterocladia pinnata* (Huds.) Papenf.—May (1966).
- Rhodymenia anastomosans* W. v. Bosse—Dawson (1956, 1957), Gilmartin (1960).
- Rhodymenia divaricata* Dawson—Trono (1969).
- Spermothamnion orientale* W. v. Bosse—Taylor (1950b).
- Spermothamnion saccorrhiza* (Setch. & Gardn.) Feldmann-Mazoyer—Dawson (1956), Gilmartin (1960).
- Sporolithon erythraeum* (Rothpletz) Kylin—Ishijima (1942).
- Sporolithon schmidii* (Foslie) Gordon, Masaki and Akioka—Gordon et al. (1976).
- Spyridia filamentosa* (Wulf.) Harv.—Bryan (1975), Dawson (1956, 1957), Gilmartin (1960), Kanda (1942, 1944), Okamura (1904, 1916), Schmidt (1928), Taylor (1950b), Tokida (1939a), Tsuda and Kami (1973).
- Spyridia velasquezii* Trono, 1971 (Palau, Carolines).
- Symphyocladia marchantioides* (Harv.) Falkenberg—Okamura (1916), Schmidt (1928).
- Taenioma perpusillum* J. Ag.—Dawson (1957).
- Tolypiocladia calodictyon* (Harv.) Silva [= *Rochera calodictyon* (Harv.) W. v. Bosse]—Chapman (1955), Dawson (1956, 1957), Gilmartin (1960), Taylor (1950b), Tsuda (1964).
- Tolypiocladia condensata* (W. v. Bosse) Silva [= *Rochera condensata* W. v. Bosse]—Kanda (1944), Tokida (1939a).
- Tolypiocladia glomerulata* (Ag.) Schmidt [= *Roschera glomerulata* (Ag.) W. v. Bosse]—Bryan (1975), Glassman (1952), Kanda (1944), Okamura (1904, 1916), Schmidt (1928), Tokida (1939a), Trono (1969), Tsuda (1972c), Tsuda et al. (1972).

- Vanvoorstia coccinea* J. Ag.—Kanda (1944).
Vanvoorstia spectabilis Harvey—Trono (1969).
Womersleyella pacifica Hollenberg—Hollenberg (1967a).
Wrangelia anastomosans Yamada, 1944b (Ant, Marshalls)—Dawson (1957).
Wrangelia argus (Mont.) Montagne—Dawson (1956, 1957).
Wrangelia bicuspidata Boerg.—Trono (1969).
Wrangelia penicillata C. Ag.—Dawson (1957), Taylor (1950b).
Wurdemannia miniata (Lmk. & D. C.) Feldmann and Hamel—Abbott (1961), Chapman (1955), Dawson (1956, 1957), Tsuda (1964).

III. Island-Reference Index

MARIANA ISLANDS

GUAM—Belk (1971, 1975), Belk and Belk (1975), Bryan (1975), Chave (1954), De Wreede (1973), Dickinson and Tsuda (1975), Drouet (1968, 1973), Ducker (1967), Emery (1962) FitzGerald (1976), Gordon (1976), Gordon et al. (1976), Hohman (1972), Hohman and Tsuda (1976), Hollenberg (1968a, 1968c), Johnson (1964), Jones and Randall (1971), Jones et al. (1974a, 1976), Marsh (1974), Marsh and Doty (1975, 1976), Marsh and Gordon (1974), Merten (1971), Moul (1974), Peterson (1972), Prowazek (1913), Randall (1974), Randall et al. (1974, 1975), Safford (1905), Schmidt (1928), Stone (1966), Taylor (1964, 1966), Tobias (1976), Tsuda (1968, 1970, 1971, 1972a, 1972b, 1974), Tsuda and Bryan (1973), Tsuda and Kami (1973), Tsuda et al. (1972), Zaneveld (1955).

ROTA—Tsuda (1969).

SAIPAN—Cloud (1959), Goreau et al. (1972), Ishijima (1942), Johnson (1957), Moul (1964), Okamura (1904, 1916), Schmidt (1928), Taylor (1964, 1966), Yamada (1931, 1940, 1941a).

TINIAN—Jones et al. (1974b).

CAROLINE ISLANDS

PALAU DISTRICT

HELEN REEF—Hollenberg (1968a, 1968b, 1968c), Saito (1969), Trono (1968, 1969).
 KAYANGEL—Lowenstam (1955), Tsuda (1976).

PALAU—Birkeland et al. (1976), Chave (1954), De Wreede (1973), Hollenberg (1968a, 1968b, 1968c), Ishijima (1942), Kanda (1940a, 1940b, 1942, 1944), Motoda (1939), Okamura (1904, 1916), Saito (1969), Schmidt (1928), Tanaka (1936), Tokida (1939a, 1939b), Trono (1968, 1969, 1971), Yamada (1930, 1940, 1941a, 1941b, 1944).

PULO ANNA—Hollenberg (1968a, 1968c), Trono (1968, 1969).

YAP DISTRICT

IFALUK—Abbott (1961), Drouet (1968), Trono (1968, 1969, 1971).

SOROL—Trono (1968, 1969).

ULITHI—De Wreede (1973), Trono (1968, 1969), Tsuda (1976).

YAP—Amesbury et al. (1976), De Wreede (1973), Hollenberg (1968a, 1968c), Okamura (1904, 1916), Reinbold (1901), Schmidt (1928), Sugiyama (1942), Tsuda and Belk (1972).

TRUK DISTRICT

KUOP—Tsuda (1972).

OROLUK—Trono (1968, 1969).

PULUWAT—Hollenberg (1968a), Trono (1968, 1969).

TRUK—Cordero (1974), De Wreede (1973), Hollenberg (1967a, 1968a, 1968b, 1968c), Okamura (1916), Schmidt (1928), Taylor (1966), Trono (1968, 1969, 1971), Tsuda (1972c), Tsuda et al. (1975, In Press), Yamada (1940, 1941a).

ULUL—Trono (1968, 1969).

PONAPE DISTRICT

ANT—Colinvaux (1968), Yamada (1940, 1941a, 1944a, 1944b).

KAPINGAMARANGI—Colinvaux (1968), Drouet (1968), McKee (1956), Moul (1964), Newhouse (1969).

KUSAIE—Drouet (1968), Hollenberg (1968a, 1968c), Okamura (1916), Schmidt (1928), Trono (1968, 1969, 1971), Yamada (1940, 1941a).

MOKIL—Cordero (1974), Glassman (1953), Trono (1968, 1969, 1971).

PINGELAP—Trono (1968, 1969).

PONAPE—De Wreede (1973), Drouet (1968), Glassman (1952), Hollenberg (1968a, 1968b, 1968c), Okamura (1916), Schmidt (1928), Trono (1968, 1969), Tsuda et al. (1974), Yamada (1940, 1941a, 1941c).

MARSHALL ISLANDS

AILUK—Moul (1964), Taylor (1966).

ARNO—Dawson (1956), Drouet and Daily (1956), Hollenberg (1967a, 1968a, 1968b), Moul (1964), Taylor (1966).

BIKAR—Drouet and Daily (1956), Moul (1964), Taylor (1966).

BIKINI—Colinvaux (1968), Drouet and Daily (1956), Emery et al. (1954), Hillis (1959), Hollenberg (1963, 1967a, 1967b, 1968b, 1968c), Nizamuddin (1963), Palumbo (1950), Taylor (1950b, 1964).

ENEWETAK (ENIWETOK)—Bakus (1967), Dawson (1957), Drouet and Daily (1956), Gilmartin (1960, 1966), Hillis (1959), Hollenberg (1967a, 1968a, 1968b, 1968c, 1968d), Lowman and Palumbo (1962), Marsh (1970), Odum and Odum (1955), Palumbo (1950, 1955, 1959), Smith and Marsh (1973), Taylor (1950b, 1964), Webb et al. (1975), Wiebe et al. (1975).

JALUIT—Dawson (1956), Taylor (1964).

KWAJALEIN—Amesbury et al. (1975a), Dawson (1956), Drouet and Daily (1956), Moul (1964), Taylor (1964, 1966).

LAE—Moul (1964), Taylor (1966).

LIKIEP—Moul (1964), Palumbo (1950), Taylor (1966).

MAJURO—Amesbury et al. (1975b), Dawson (1956), Hollenberg (1968a), Taylor (1964).

POKAK—Drouet and Daily (1956), Moul (1964).

RONGELAP—Hillis (1959), Lee (1967), Taylor (1950b).

RONGERIK—Hillis (1959), Taylor (1950b).

TAKA—Drouet and Daily (1956).

UJAE—Moul (1964), Taylor (1966).

UJELANG—Moul (1964), Taylor (1966).

UTIRIK—Drouet and Daily (1956), Taylor (1966).

WOTHO—Drouet and Daily (1956), Moul (1964), Taylor (1966).

GILBERT ISLANDS

ABEMAMA—Hollenberg (1968c), May (1966), Tsuda (1964).

BERU—Catala (1957), Drouet and Daily (1956).

BONRIKI—May (1966).

BUTARITARI—May (1966).

MARAKEI—Cooper (1964), Hollenberg (1968a, 1968c), Tsuda (1964).

NONOUTI—Tsuda (1964).

NUKUNAU—Catala (1957), Tsuda (1964).

ONOTOA—Cloud (1952), Colinvaux (1968), Drouet and Daily (1956), Hillis (1959), Howe (1912), Moul (1957, 1959), Setchell (1928), Taylor (1964).

TAMANA—Tsuda (1964).

TARAWA—May (1966), Tsuda (1964).

ELLICE ISLANDS

FUNAFUTI—Barton (1900), Chapman (1955), Colinvaux (1968), Drouet (1968), Finckh (1904), Foslie (1899, 1900), Howe (1912), Schmidt (1928), Setchell (1928).

IV. References

- Abbott, I. A.** 1961. A checklist of marine algae from Ifaluk Atoll, Caroline Islands. *Atoll Res. Bull.* (77): 1-5.
- Amesbury, S. S., R. T. Tsuda, R. H. Randall, C. E. Birkeland and F. Cushing.** 1976. Limited current and underwater biological survey of the Donitsch sewer outfall site, Yap, Western Caroline Islands. *Univ. Guam Marine Lab., Tech. Rept.* 24. 48 p.
- Amesbury, S. S., R. T. Tsuda, W. J. Zolan and T. L. Tansy.** 1975a. Limited current and underwater biological survey of proposed sewer outfall sites in the Marshall Island District: Ebeye, Kwajalein Atoll. *Univ. Guam Marine Lab., Tech. Rept.* 22. 30 p.
- . 1975b. Limited current and underwater biological surveys of proposed sewer outfall sites in the Marshall Island District: Darrit-Uliga-Dalap area, Majuro Atoll. *Univ. Guam Marine Lab., Tech. Rept.* 23. 31 p.
- Bakus, G. J.** 1967. The feeding habits of fishes and primary production at Eniwetok, Marshall Islands. *Micronesica* 3 (2): 135-149.
- Barton, E. S.** 1900. On the forms, with a new species of *Halimeda*, from Funafuti. *J. Linn. Soc. (Bot.)* 34: 479-482.

- Belk, M. S.** 1971. A contribution to the comparative ecology of *Pomacentrus lividus* and *Pomacentrus albofasciatus* (Pisces: Pomacentridae) Tumon Bay, Guam. Univ. Guam, M. S. Thesis Biology. 40 p.
- _____. 1975. Habitat partitioning in two tropical reef fishes, *Pomacentrus lividus* and *P. albofasciatus*. Copeia (4): 603-607.
- Belk, M. S., and D. Belk.** 1975. An observation of algal colonization on *Acropora aspera* killed by *Acanthaster planci*. Hydrobiologia 46 (1): 29-32.
- Birkeland, C., R. T. Tsuda, R. H. Randall, S. S. Amesbury and F. Cushing.** 1976. Limited current and underwater biological surveys of proposed sewer outfall site at Koror, Palau. Univ. Guam Marine Lab., Tech. Rept. 25. 58 p.
- Bryan, P.** 1975. Food habits, functional digestive morphology, and assimilation efficiency of the rabbitfish, *Siganus spinus* (Pisces, Siganidae) on Guam. Pac. Sci. 29 (3): 269-277.
- Catala, R. L. A.** 1957. Report on the Gilbert Islands: Some aspects of human ecology, Atoll Res. Bull. (59): 1-187. [Algae: p. 187.]
- Chapman, V. J.** 1955. Algal collection from Funafuti Atoll. Pac. Sci. 9 (3): 354-356.
- Chave, K. E.** 1954. Aspect of the biogeochemistry of magnesium. I. Calcareous marine organisms. J. Geol. 62: 266-283.
- Cloud, P. E., Jr.** 1952. Preliminary report on geology and marine environment of Onotoa Atoll, Gilbert Islands. Atoll Res. Bull. (12): 1-73.
- _____. 1959. Geology of Saipan, Mariana Islands. Part 4. Submarine topography and shoal-water ecology. U. S. Geol. Surv. Prof. Pap. 280-K: 416.
- Colinvaux, L. H.** 1968. New species of *Halimeda*: A taxonomic reappraisal. J. Phycol. 4 (1): 30-35.
- Cooper, M. J.** 1964. Ciguatera and other marine poisoning in the Gilbert Islands. Pac. Sci. 18 (4): 411-440.
- Cordero, P. A., Jr.** 1974. *Udotea polychotomis*, a new species of Chlorophyta from the Caroline Islands. Micronesica 10 (2): 243-249.
- Dawson, E. Y.** 1956. Some marine algae of the southern Marshall Islands. Pac. Sci. 10 (1): 25-66.
- _____. 1957. An annotated list of marine algae from Eniwetok Atoll, Marshall Islands. Pac. Sci. 11 (1): 92-132.
- _____. 1962. New taxa of benthic green, brown and red algae. Published since De Toni 1889, 1895, 1924, respectively, as compiled from the Dawson Algal Library. Contrib. Beaudette Found., Biol. Res. (Santa Ynez, Calif). 105 p.
- De Wrede, R. E.** 1973. The ecology of *Sargassum* in Hawaii, with reference to the species in Micronesia. Univ. Hawaii, Ph. D. Dissertation Botanical Science. 363 p.
- Dickinson, R. E., and R. T. Tsuda.** 1975. A candidate marine environmental impact survey for the potential development of the Uruno Point reef area on Guam, Mariana Islands. Univ. Guam Marine Lab., Tech. Rept. 19. 57 p.
- Doty, M. S.** 1954. Distribution of the algal genera *Rhipilia* and *Sargassum* in the central Pacific. Pac. Sci. 8 (3): 367-368.
- _____. 1962. Functions of the algae in the central Pacific. Proc. Ninth Pac. Sci. Congr. (Bangkok) 4: 148-155.
- Drouet, F.** 1968. Revision of the classification of the Oscillatoriaceae. Acad. Nat. Sci., Philad., Monogr. 15. 370 p.
- _____. 1973. Revision of the Nostocaceae with cylindrical trichomes. Hafner Press, N. Y. 292 p.
- Drouet, F., and W. A. Daily.** 1956. Revision of the coccoid Myxophyceae. Butler Univ. Bot. Stud. 12. 218 p.
- Ducker, S. C.** 1967. The genus *Chlorodesmis* (Chlorophyta) in the Indo-Pacific region. Nova Hedwigia 13 (1-3): 145-182.

- Emery, K. O.** 1962. Marine geology of Guam. U. S. Geol. Surv. Prof. Pap. 403-B: 1-76.
- Emery, K. O., J. I. Tracey and H. S. Ladd.** 1954. Geology of Bikini and nearby atolls. U. S. Geol. Surv. Prof. Pap. 260-A: 1-265.
- Finckh, A. H.** 1904. Biology of the reef-forming organisms at Funafuti Atoll, Section VI. In Rept. Coral Reef Comm. Roy. Soc. (London). 125-150.
- FitzGerald, W. J.** 1976. Environmental parameters influencing the growth of *Enteromorpha clathrata* (Roth) J. Ag. in the intertidal zone of Guam. Univ. Guam, M. S. Thesis Biology. 43 p.
- Foslie, M.** 1899. Notes on two Lithothamnions from Funafuti. Kgl. Norske Vidensk. Selsk. Skrifter (2): 1-5.
- _____. 1900. Calcareous algae from Funafuti. Kgl. Norske Vidensk. Selsk. Skrifter (1): 1-12.
- Gilmartin, M.** 1960. The ecological distribution of the deep water algae of Eniwetok Atoll. Ecology 41 (1): 210-221.
- _____. 1966. Ecology and morphology of *Tydemania expeditionis*, a tropical deep water siphonous green algae. J. Phycol. 2 (3): 100-105.
- Glassman, S. F.** 1952. List of non-vascular plants from Ponape, Caroline Islands. Amer. Midl. Natur. 48: 735-740.
- _____. 1953. New plant records from the eastern Caroline Islands with a comparative study of native plant names. Pac. Sci. 7 (3): 291-311.
- Gordon, G.** 1976. Effect of heated water on two species of crustose coralline algae, *Porolithon onkodes* and *Hydrolithon reinboldi*. p. 193-202. In R. S. Jones, R. H. Randall, and M. J. Wilder, Biological impact caused by changes on a tropical reef. U. S. EPA, Ecological Research Series, EPA-600/3-76-027. 209 p.
- Gordon, G. D., T. Masaki and H. Akioka.** 1976. Floristic and distributional account of the common crustose coralline algae on Guam. Micronesica 12 (2): 247-277.
- Goreau, T. F., J. C. Lang, E. A. Graham and P. D. Goreau.** 1972. Structure and ecology of the Saipan reefs in relation to predation by *Acanthaster planci* (Linnaeus). Bull. Mar. Sci. 22 (1): 113-152.
- Hackett, H. E.** 1969. Marine algae in the atoll environment: Maldives. Proc. Sixth Intern. Seaweed Symp. (Madrid). 187-191.
- Hillis, L. W.** 1959. A revision of the genus *Halimeda* (Order Siphonales). Publ. Inst. Mar. Sci. Univ. Texas 6: 321-403.
- Hohman, T. C.** 1972. Diurnal periodicity in the photosynthetic activity of *Caulerpa racemosa* (Forsskal) J. Agardh. Univ. Guam, M. S. Thesis Biology 43 p.
- Hohman, T. C., and R. T. Tsuda.** 1976. Thermal stress in *Caulerpa racemosa* (Forssk.) J. Ag. as measured by the oxygen technique. p. 186-192. In R. S. Jones, R. H. Randall, and M. J. Wilder, Biological impact caused by changes on a tropical reef. U. S. EPA, Ecological Research Series, EPA-600/3-76-027. 209 p.
- Hollenberg, G. J.** 1963. A new species of *Malaconema* (Rhodophyta) from the Marshall Islands. Phycologia 2 (4): 169-172.
- _____. 1967a. New genera in the Rhodomelaceae from the central Pacific. Bull. S. Calif. Acad. Sci 66 (3): 201-221.
- _____. 1967b. New marine algae from the central tropical Pacific Ocean. Amer. J. Bot. 54 (10): 1198-1203.
- _____. 1968a. An account of the species of *Polysiphonia* of the central and western tropical Pacific Ocean. I. Oligosiphonia. Pac. Sci. 22 (1): 56-98.
- _____. 1968b. An account of the species of the red alga *Polysiphonia* of the central and western tropical Pacific Ocean. II. *Polysiphonia*. Pac. Sci. 22 (2): 198-207.
- _____. 1968c. An account of the species of the red alga *Herposiphonia* occurring in the central and western tropical Pacific Ocean. Pac. Sci. 22 (4): 536-559.

- _____. 1968d. Phycological notes. III. New records of marine algae from the central tropical Pacific Ocean. *Brittonia* 20 (1): 74-82.
- Howe, M. A.** 1912. The building of coral reefs. *Science* II, 35: 837-842.
- Ishijima, W.** 1942. Calcareous algae as the reef-building organism. *Taiwan no Kagaku* 10 (3-4): 1-4.
- Johnson, J. H.** 1957. Geology of Saipan, Mariana Islands. Part 3. Calcareous algae. U. S. Geol. Surv. Prof. Pap. 280-E: 209-246.
- _____. 1962. Comparison of the calcareous algal floras of recent and fossil reefs. *Proc. Ninth Pac. Sci. Congr. (Bangkok)* 4: 156-160.
- _____. 1964. Fossil and recent calcareous algae from Guam. U. S. Geol. Surv. Prof. Pap. 403-G: 1-40.
- Jones, R. S., and R. H. Randall.** 1971. An annual cycle study of biological, chemical and oceanographic phenomena associated with the Agana ocean outfall. Univ. Guam Marine Lab., Tech. Rept. 1. 67 p.
- Jones, R. S., R. H. Randall and R. D. Strong.** 1974a. An investigation of the biological and oceanographic suitability of Toguan Bay, Guam, as a potential site for an ocean outfall. Univ. Guam Marine Lab., Tech. Rept. 11. 97 p.
- Jones, R. S., R. H. Randall and R. T. Tsuda.** 1974b. A candidate marine environmental impact survey for potential U. S. military projects on Tinian Island, Mariana Islands. Univ. Guam Marine Lab., Tech. Rept. 9. 143 p.
- Jones, R. S., R. H. Randall and M. J. Wilder.** 1976. Biological impact caused by changes on a tropical reef. U. S. EPA, Ecological Research Series, EPA-600/3-76-027. 209 p.
- Kanda, C.** 1940a. Notes on *Halimeda macroloba* Decne. *Kagaku Nanyo* 3 (1): 20-26.
- _____. 1940b. Studies on the genus *Valonia* from Palao. *Kagaku Nanyo* 3 (2): 23-32.
- _____. 1942. The seaweeds in Garu-berugairu watercourse in Palao. *Kagaku Nanyo* 5 (1): 144-150.
- _____. 1944. Ecological studies on the marine algae from Kororu and adjacent islands in the South Sea Islands. *Palao Trop. Biol. Stat. Stud.* 2 (4): 737-800.
- Lee, R. K. S.** 1967. Taxonomy and distribution of the melobesiod algae on Rongelap Atoll, Marshall Islands. *Can. J. Bot.* 45: 985-1001.
- Lowenstam, H. A.** 1955. Aragonite needles secreted by algae and some sedimentary implications. *J. Sed. Petrol.* 25 (4): 270-272.
- Lowman, F. G., and R. F. Palumbo.** 1962. Occurrence of Bismuth-207 at Eniwetok Atoll. *Nature* 193: 796-797.
- Marsh, J. A., Jr.** 1970. Primary productivity of reef-building calcareous red algae. *Ecology* 51 (2): 255-263.
- _____. 1974. Preliminary observations on the productivity of a Guam reef flat community. *Proc. Second Internat. Symp. Coral Reef (Australia)*, Vol. 1. 139-145.
- Marsh, J. A., Jr., and J. E. Doty.** 1975. Power plants and the marine environment: Additional observations in Piti Bay and Piti Channel, Guam. Univ. Guam Marine Lab., Tech. Rept. 21. 44 p.
- _____. 1976. The influence of power plant operations on the marine environment in Piti Channel, Guam: 1975-76 Observations. Univ. Guam Marine Lab., Tech. Rept. 26. 59 p.
- Marsh, J. A., Jr., and G. D. Gordon.** 1974. Marine environmental effects of dredging and power-plant construction in Piti Bay and Piti Channel, Guam. Univ. Guam Marine Lab., Tech. Rept. 8. 56 p.
- May, V.** 1966. Algae of the Gilbert Islands. *Contrib. N. S. W. Nat. Herb.* 4: 14-16.
- McKee, E. D.** 1956. Geology of Kapingamarangi Atoll, Caroline Islands. *Atoll Res. Bull.* (50): 1-38.
- Merten, M. J.** 1971. Ecological observations of *Halimeda macroloba* Decaisne (Chlorophyta) on Guam. *Micronesica* 7 (1-2): 27-44.

- Motoda, S.** 1939. A preliminary survey on Garamado Bay, Palau main island. *Kagaku Nanyo* 2 (1): 30-36.
- Moul, E. T.** 1957. Preliminary report of the flora of Onotoa Atoll, Gilbert Islands. *Atoll Res. Bull.* (57): 1-48.
- _____. 1959. The *Halimeda* and *Caulerpa* of Onotoa, Gilbert Islands. *Bull. Torrey Bot. Club* 86 (3): 159-165.
- _____. 1964. New records of *Halimeda* and *Udotea* for the Pacific area. *Atoll Res. Bull.* (106): 1-10.
- Newhouse, J.** 1969. The algae of Kapingamarangi Atoll, Caroline Islands. Pt. 1. Checklist of the Cyanophyta, Chlorophyta, and Phaeophyta. *Atoll Res. Bull.* (121): 1-7.
- Nizamuddin, M.** 1963. Studies on the green alga, *Udotea indica* A. and E. S. Gepp, 1911. *Pac. Sci.* 17 (2): 243-245.
- Odum, H. T., and E. P. Odum.** 1955. Trophic structure and productivity of a windward coral reef community on Eniwetok Atoll. *Ecol. Monog.* 25 (3): 291-320.
- Okamura, K.** 1904. List of marine algae collected in Caroline Islands and Australia. *Bot. Mag. (Tokyo)* 18: 77-96.
- _____. 1916. List of marine algae collected in Caroline Islands and Mariana Islands, 1915. *Bot. Mag. (Tokyo)* 30: 1-14.
- Palumbo, R. F.** 1950. Algae. p. 108-118. In Radiobiological survey of Bikini, Eniwetok, and Likiep Atolls, July-August 1949. U. S. Atomic Energy Comm., AECD-3446. 145 p.
- _____. 1955. Uptake of Iodine-131 by the red alga *Asparagopsis taxiformis*. U. S. Atomic Energy Comm., UWFL-44. 8 p.
- _____. 1959. Gross beta radioactivity of the algae at Enewetak Atoll, 1954-1956. U. S. Atomic Energy Comm., UWFL-61. 32 p.
- Peterson, R. D.** 1972. Effects of light intensity on the morphology and productivity of *Caulerpa racemosa* (Forsskal) J. Agardh. *Micronesica* 8 (1-2): 63-86.
- Prowazek, S. von.** 1913. Verzeichnis der aus Saipan, Tinian und Rota bestimmten Pflanzen. Die Deutschen Marianen. p. 113.
- Randall, R. H.** 1974. Talofofo Bay coastal survey. Univ. Guam Marine Lab., Tech. Rept. 13. 77 p.
- Randall, R. H., R. T. Tsuda, M. Gawel, R. Rechebei and J. Chase.** 1974. Field ecological survey of the Agana-Chaot River Basin. Univ. Guam Marine Lab., Tech. Rept. 12. 64 p.
- Randall, R. H., R. T. Tsuda, R. S. Jones, M. J. Gawel, J. A. Chase and R. Rechebei.** 1975. Marine biological survey of the Cocos barrier reefs and enclosed lagoon. Univ. Guam Marine Lab., Tech. Rept. 17. 160 p.
- Reinbold, T.** 1901. Meeresalgen von den Karolinen (meist von Yap) welche Prof. Dr. Volkens gesammelt hat. *Hedwigia* 40: 350-351.
- Safford, W. E.** 1905. The useful plants of the island of Guam, with an introductory account of the physical features and natural history of the island, of the character and history of its people, and of their agriculture. *Contrib. U. S. Nat. Herb.* 9: 1-416.
- Saito, Y.** 1969. The algal genus *Laurencia* from the Hawaiian Islands, the Philippine Islands and adjacent areas. *Pac. Sci.* 23 (2): 148-160.
- Schmidt, O. C.** 1928. Verzeichnis der Meeresalgen von Neu-Guinea und dem westlichen Oceanien. *Hedwigia* 68: 19-86.
- Setchell, W. A.** 1928. Coral reefs as zonal plant formations. *Science* 68: 119-121.
- Silva, P. C.** 1962. Comparison of algal floristic patterns in the Pacific with those in the Atlantic and Indian Oceans, with special reference to *Codium*. *Proc. Ninth Pac. Sci. Congr. (Bangkok)* 4: 201-216.
- Smith, S. V., and J. A. Marsh, Jr.** 1973. Organic carbon production on the windward reef flat of Eniwetok Atoll. *Limnol. Oceanogr.* 18 (6): 953-961.
- Stone, B. C.** 1966. Further additions to the flora of Guam, III. *Micronesica* 2 (2): 133-141.

- Sugiyama, T. 1942. Reef-building corals and fringing reefs of Yap Islands. Tohoku Imperial Univ., Geological and Paleontological Inst., Study Rept. (39): 7-26.
- Tanaka, T. 1936. The genus *Galaxaura* from Japan. Sci. Pap. Inst. Algol. Res., Hokkaido Univ. 1 (2): 141-173.
- Taylor, W. R. 1950a. Marine algal vegetation of the Marshall Islands in comparison with other tropical areas. Proc. Seventh Intern. Bot. Congr. (Stockholm). 826-827.
- _____. 1950b. Plants of Bikini and other northern Marshall Islands. Univ. Mich. Press, Ann Arbor. ix+220 p.
- _____. 1964. The genus *Turbinaria* in eastern seas. J. Linn. Soc. (Bot.) 58: 475-490.
- _____. 1966. Records of Asian and western Pacific marine algae, particularly from Indonesia and the Philippines. Pac. Sci. 30 (3): 342-359.
- Tobias, W. J. 1976. Ecology of *Siganus argenteus* (Pisces: Siganidae) in relation to its mariculture potential on Guam. Univ. Guam, M. S. Thesis Biology. 48 p.
- Tokida, S. 1939a. A list of marine algae from Micronesia. Kagaku Nanyo 2 (1): 16-26.
- _____. 1939b. On some little known marine algae of Japan, with special reference to the species of *Bostrychia*. Bot. Zool. 7 (3): 522-530.
- Trono, G. C., Jr. 1968. The marine benthic algae of the Caroline Islands, I. Introduction, Chlorophyta and Cyanophyta. Micronesica 4 (2): 137-206.
- _____. 1969. The marine benthic algae of the Caroline Islands, II. Phaeophyta and Rhodophyta. Micronesica 5 (1): 25-121.
- _____. 1971. Some new species of marine benthic algae from the Caroline Islands, western central Pacific. Micronesica 7 (1-2): 45-78.
- Tsuda, R. T. 1964. Floristic report on the marine benthic algae of selected islands in the Gilbert Group. Atoll Res. Bull. (105): 1-13.
- _____. 1966. Preliminary bibliography on the marine benthic algae in the central Pacific, Polynesia and Micronesia. Univ. Hawaii, Hawaii Inst. Marine Biol., Tech. Rept. 10. 13 p.
- _____. 1968. Distribution of *Ulva* (Chlorophyta) on Pacific Islands. Micronesica 4 (2): 365-368.
- _____. 1969. Benthic algae. p. 3-14. In R. T. Tsuda (Ed.), Biological results of an expedition to Rota, Mariana Islands. Univ. Guam, Div. of Biosciences and Marine Studies, Misc. Rept. 37 p.
- _____. 1970. A floristic and distributional account of the Phaeophyta (brown algae) on Guam, Mariana Islands. Univ. Wisconsin-Milwaukee, Ph. D. Dissertation Botany. 205 p.
- _____. 1971. Preliminary study on the effect of an ocean sewage outfall on a marine benthic algal community on Guam. p. 60-67. In R. S. Jones and R. H. Randall, An annual cycle study of biological, chemical, and oceanographic phenomena associated with the Agana Ocean outfall. Univ. Guam Marine Lab., Tech. Rept. 1. 67 p.
- _____. 1972a. Marine benthic algae of Guam. I. Phaeophyta. Micronesica 8 (1-2): 87-115.
- _____. 1972b. Morphological, zonational, and seasonal studies on two species of *Sargassum* on the reefs of Guam. Proc. Seventh Intern. Seaweed Symp. (Sapporo). Univ. Tokyo Press 40-44.
- _____. 1972c. Some marine benthic algae from Truk and Kuop, Caroline Islands. Atoll Res. Bull. (155): 1-10.
- _____. 1974. Seasonal aspects of the Guam Phaeophyta (brown algae). Proc. Second Intern. Coral Reef Symp. (Australia), Vol. 1. 43-47.
- _____. 1976. Occurrence of the genus *Sargassum* (Phaeophyta) on two Pacific atolls. Micronesica 12 (2): 279-282.
- Tsuda, R. T., S. S. Amesbury and S. C. Moras. In Press. Preliminary observations on the algae, corals, and fishes inhabiting the sunken ferry "Fujikawa Maru" in Truk Lagoon. Atoll Res. Bull.
- Tsuda, R. T., S. S. Amesbury, S. C. Moras and P. P. Beeman. 1975. Limited current and under-

- water biological survey on Moen, Truk. Univ. Guam Marine Lab., Tech. Rept. 20. 39 p.
- Tsuda, R. T., and M. S. Belk.** 1972. Additional records of marine benthic algae from Yap, western Caroline Islands. Atoll Res. Bull. (156): 1-5.
- Tsuda, R. T., and P. G. Bryan.** 1973. Food preference of juvenile *Siganus rostratus* and *S. spinus* in Guam. Copeia (3): 604-606.
- Tsuda, R. T., and H. T. Kami.** 1973. Algal succession on artificial reefs in a marine lagoon environment in Guam. J. Phycol. 9: 260-264.
- Tsuda, R. T., H. K. Larson and R. J. Lujan.** 1972. Algal growth on beaks of live parrotfishes. Pac. Sci. 26 (1): 20-23.
- Tsuda, R. T., R. H. Randall and J. A. Chase.** 1974. Limited current and biological study in the Tuanmokot Channel, Ponape. Univ. Guam Marine Lab., Tech. Rept. 15. 58 p.
- Webb, K. L., W. D. DuPaul, W. Wiebe, W. Sottile and R. E. Johannes.** 1975. Enewetak (Eniwetok) Atoll: Aspects of the nitrogen cycle on a coral reef. Limnol. Oceanogr. 20 (2): 198-210.
- Wiebe, W. J., K. L. Webb and R. E. Johannes.** 1975. Nitrogen fixation in a coral reef community. Science 188: 257-259.
- Yamada, Y.** 1926. The phyto-geographical relation between the Chlorophyceae of the Mariannes, Carolines and Marshall Islands and those of the Malay Archipelago, Australia and Japan. Proc. Third Pan-Pacific Sci. Congr. (Tokyo) 1: 964-966.
- _____. 1930. Une nouvelle espece d'*Udotea* du Pacifique: *Udotea geppi* sp. nov. Revue Algologique 5: 140-142.
- _____. 1931. Notes on *Laurencia* with special reference to Japanese species. Univ. Calif. Publ. Bot. 16 (7): 185-310.
- _____. 1940. *Caulerpa* in Micronesia. Kagaku Nanyo 3 (2): 11-23.
- _____. 1941a. *Halimeda* from Micronesia. Kagaku Nanyo 4 (2): 12-25.
- _____. 1941b. Species of *Halimeda* in the south sea. Kagaku Nanyo 4 (2): 108-121.
- _____. 1941c. Notes on some Japanese algae. IX. Sci. Pap. Inst. Algol. Res., Hokkaido Univ. 2 (2): 195-215.
- _____. 1944a. New Caulerpas and Halimedas from Micronesia. Sci. Pap. Inst. Algol. Res., Hokkaido Univ. 3 (1): 27-29.
- _____. 1944b. List of marine algae from the Atoll of Ant. Sci. Pap. Inst. Algol. Res., Hokkaido Univ. 3 (1): 31-45.
- Zaneveld, J. S.** 1955. Economic marine algae of tropical south and east Asia and their utilization. FAO Indo Pacific Fisheries Council. Special Publ. 3: 1-55.