


The Newsletter of the Freshwater Mollusk Conservation Society

Volume 7 – Number 2

August 2005



In this issue:

2005 Symposium Report 2004 Freshwater Mollusk Bibliography 2005 Membership List

Ellipsaria Editor

Christine Mayer Illinois Natural History Survey 607 E. Peabody Drive, Champaign, IL 61820 cmayer@inhs.uiuc.edu

Reviewers

Holly Blalock-Herod, U.S. Fish and Wildlife Service, 1601 Balboa Avenue, Panama City, FL 32405 Kevin Cummings, Illinois Natural History Survey, 607 E Peabody Drive, Champaign, IL 61820 Mark Hove, University of Minnesota, Department of Fisheries, 1980 Folwell Avenue, St. Paul, MN 55105 Kevin Roe, Iowa State University, Department of Nat. Res. Ecology & Management, 339 Science II, Ames, IA 50011 Bob Szafoni, Illinois DNR, 1660 W. Polk Street, Charleston, IL 61920 Rita Villella, USGS - BRD, Leetown Science Center, Kearneysville, WV 25430

Freshwater Mollusk Conservation Society Officers

President

Robert M. Anderson U.S. Fish and Wildlife Service 312 South Allen Street, Suite 322 State College, PA 16801 814-234-4090 Robert_M_Anderson@fws.gov

Secretary

Patricia Morrison USFWS, Ohio River Islands NWR P.O. Box 1811 Parkersburg, WV 26102 304-422-0752 patricia_morrison@fws.gov

Past President

G. Thomas Watters Museum of Biological Diversity The Ohio State University 1315 Kinnear Road Columbus, OH 43212 614-292-6170 Watters.1@osu.edu

President Elect

Steve A. Ahlstedt USGS 1820 Midpark Drive Knoxville, TN 37828 865-545-4140 x 17 Fax: 4496 ahlstedt@usgs.gov

Treasurer


Heidi L. Dunn Ecological Specialists Inc. 1417 Hoff Industrial Park O'Fallon, MO 63366 636-281-1982 Fax: 0973 Hdunn@ecologicalspecialists.com

Submissions for the December 2005 issue of *Ellipsaria* may be sent to the editor at any time but are due by **November 8, 2005**. Anyone may submit an article but you must be a member of FMCS to receive *Ellipsaria*. Please limit submissions to about one page. Categories for contributions include news, new publications, meeting announcements, current issues affecting mollusks, job postings, contributed articles (including ongoing research projects), abstracts, and society committee reports. Electronic submissions are preferred; contact the editor with any questions. Note that submissions are not peer reviewed, but are checked for content and general editing.

Please send change of address information to the Secretary, Patty Morrison.

Ellipsaria

NEWSLETTER OF THE FRESHWATER MOLLUSK CONSERVATION SOCIETY



President's Message

The Freshwater Mollusk Conservation Society has completed its Fourth Biennial Symposium. Those of you unable to attend the meeting last May in St. Paul missed an exceptional opportunity to hear about and discuss new insights into a wide variety of issues, including increased genetic understanding, behavioral differences in species, advances in conservation technology and captive husbandry, and improved measures of contaminant sensitivity. FMCS developed, in part, because other professional societies addressing freshwater invertebrate biology and conservation failed to recognize the unique challenges involved in insuring that the diversity of freshwater mollusks in North America persists. To many outside of our Society, including many in resource management and regulatory agencies, these animals are simply mussels, clams, or snails. The research that is occurring and the results that were presented in St. Paul continue to elucidate how important understanding even subtle differences can be in developing effective conservation strategies. Numerous people approached me in St. Paul to express their appreciation of the effort the meeting organizers put into developing a professional, informative meeting. I again want to thank Kurt Welke for taking the lead in organizing this meeting, and again recognize the effort and time the other organizers contributed.

The exchange of information and education regarding freshwater mollusk conservation are among the primary missions of FMCS, along with advocating mollusk conservation, promoting science-based management decisions, and facilitating the *National Strategy for the Conservation of Native Freshwater Mussels*. We accomplish these goals through symposia and workshops on alternating years, the publication of *Ellipsaria*, occasionally promoting more substantial publications, and, we hope in the near future, with the publication of a professional journal. At the last Board meeting, we agreed to review the *National Strategy* and update the tasks to keep the document relevant. If you have thoughts you would like to have considered in a revised *National Strategy*, I ask that you send them to me or to one of the Committee Chairs.

The goals of the Society are primarily accomplished by the nine standing Committees. These Committees identify issues and opportunities to advance mollusk conservation, and their success depends on members sharing their talents. Ours is a voluntary society – accomplishments are achieved solely by the time and efforts donated by our members. The ability to commit time to a particular issue is at the member's discretion and can be substantial or relatively minor, but is always important. Those who have been in FMCS for a few years may have noticed a core of a relatively few people serving on the board, although our by-laws are designed to keep membership rotating through these positions. There are many opportunities for you to lend your experience and passion to help meet the Society's goals. I encourage every Society member to become involved with the committees that interest you by contacting the appropriate Committee Chair.

This issue of *Ellipsaria* should reach most you in toward the end of the field season – I hope your summer has been safe and productive.

Bob Anderson, FMCS President

FMCS Reports

FMCS Officer Election Results

Steven Ahlstedt (USGS (retired), Knoxville, Tennessee) was elected as President. He will serve for 6 years – President-Elect (2 yrs), President (2 yrs), Past President (2 yrs) – beginning in May 2005.

Patricia Morrison (USFWS – Ohio River Islands NWR, Parkersburg, West Virginia) was elected as Secretary and will serve for 2 years beginning in May 2005.

FMCS Business Meeting Minutes

FMCS Business Meeting May 24, 2005 St. Paul, Minnesota

Treasurer's Report

The society has taken in approximately \$31,000 this year, \$10,000 brought in with this symposium. Approximately \$90,000 is in the society account, some of which will be used to pay the expenses associated with the symposium and start up funds for the journal. The 2003 symposium auction generated about \$4000, which went to paying for student travel awards and best student platform and poster presentation awards.

Tom Watters as president urged the membership to join and become active in the committees of the society and restated that the board meeting is open to all members. The society plans to revise the strategy for conservation of freshwater mussels, which will be handled through the committees. Join a committee and be a part of revising this important document.

2006 Workshop

The society sponsored 2 very successful workshops in 2004. The Columbus Zoo and Aquarium is proposing a workshop for March 2006, focusing on propagation and holding, health and condition of animals in captivity. Other topics are also under consideration.

2007 Symposium

The 5th biennial symposium will be held in Little Rock, Arkansas. A brief summary of the board's discussion on options for the symposium and workshop was presented and the membership was given 3 options on which to vote:

- 1) Hold a 2006 workshop on both propagation/holding and habitat restoration and expand the workshop by 1 day;
- 2) Hold a special session on habitat restoration at the 2007 symposium; and
- 3) Hold a 1-day workshop on habitat restoration the day before the 2007 symposium.

The membership voted for option 3.

A presentation was made to the membership about Little Rock, Arkansas that was put together by the convention and visitors bureau. Bids have been received from the Peabody Hotel, Doubletree Hotel and the Wyndham Riverfront. Bids have been presented to the board for review and evaluation. The proposed symposium date is March 17-20, 2007 to accommodate the added day for the workshop.

Committees

The new committee chairs were introduced.

Awards – Greg Cope

- Environmental Quality and Affairs Dick Biggins and Al Buchanan
- Gastropod Status and Distribution Paul Johnson, chair and Ellen Strong, co-chair

Guidelines and Techniques - John van Hassel

Information Exchange – Kevin Cummings

Mussel Status and Distribution - Kevin Roe

Outreach - Kurt Welke

Propagation, Restoration & Introduction – Jess Jones

New Business

The subject of forming chapters was brought to the board for discussion. Chapters may be more effective in dealing with local issues affecting freshwater mollusks. Forming chapters will require a change to the society bylaws. This topic will be in the next *Ellipsaria*.

Awards Presentations

A special UMRCC award was presented to Kurt Welke in recognition of his tireless work and efforts for conservation of freshwater mussels in the upper Mississippi River.

Student Awards

Almost a third of the 130 presentations at this symposium are being given by students. Greg Cope thanked the members of the awards committee, Catherine Gatenby, David Berg, Theresa Newton, and Cristi Milam Bishop, and encouraged more members to participate on the committee.

The Student Travel Award has expanded from the previous symposium with awards presented to 14 students to help defray the cost of travel to participate in this symposium. The society was able to fund every student that applied with a cash award of \$285 each. These students also volunteered to work various activities (registration, raffle, etc.) at this symposium.

Best Student Presentation Awards:

The Best Student Platform Presentation was awarded to Daniel Spooner of the University of Oklahoma. Daniel's presentation was titled "Physiological ecology of freshwater mussel communities: effects of temperature on community structure and ecological services." Honorable mention was awarded to Pascal Irmscher of the University of Wisconsin for his presentation titled "The use of acoustic doppler current profiler system in acquiring complex hydraulic variables for the prediction of freshwater mussel distribution in a large river." The Best Student Poster Presentation was awarded to Elizabeth Ashcraft of Arkansas State University for her poster titled "Use of relic shells to determine time since mortality." Honorable mention was awarded to Benjamin Dodd of Southwest Missouri State University for his poster titled "Persistence of acquired resistance of largemouth bass to glochidia of a unionid mussel."

Winners of the best student platform and poster presentations were awarded a plaque and a \$500 cash award for which they are encouraged to use to fund travel to another scientific meeting to present their award winning presentations. The award winners will be posted to the society web page. The committee recognized all judges and moderators that facilitated getting judges for the student platform presentations. The awards committee has decided that an honorable mention will be awarded at future symposiums to student platform and poster runner-up.

FMCS Professional Award Presentation

The society has several professional awards to recognize the accomplishments of full members of the society and the membership is encouraged to submit nominations. The Lifetime Achievement Award was established in 1998 and has been presented every 2 years at the society symposiums. The 2005 recipient of the FMCS Lifetime Achievement Award was Steve Ahlstedt in recognition of more than 30 years of dedicated service to conservation of freshwater mollusks and as one of the founding members of FMCS. The award was presented by Dick Neves, Tom Watters, Bob Butler, and Dick Biggins.

New FMCS Officers

The new president-elect is Steve Ahlstedt and the new secretary is Patricia Morrison. Tom Watters as outgoing president presented the president's hat to Bob Anderson as the new president. Thank you Tom for serving as president of FMCS, an extended term at that.

FMCS Board Meeting Minutes

FMCS Board Meeting May 23, 2005 St. Paul, MN

A brief report on funding and membership status was presented. The society has approximately \$90,000 in operating funds. Money for the symposium was received from MICRA, \$1000 from the Virginia Department of Game and Inland Fisheries, \$5000 from the Mussel Mitigation Trust, and \$5000 from UMRCC. There were 180 preregistrations for the 4th biennial symposium with a number of walk-ins expected. The society membership [presymposium] includes 280 members that have paid 2005 dues and 199 who are current through 2004 for a total of 479.

Business Meeting

The business meeting will be held Tuesday evening at 8 pm. The committee chairs will be introduced and Tom will emphasize to the membership to become active committee members.

Committee Reports

It was suggested by all committee chairs that the committees should not all be meeting at the same time at future symposiums.

Awards

Greg Cope reported that approximately 25-30% of the 130 presentations are being given by students, a sign the society is healthy and growing. Dave Berg handled the student travel awards. In 2005 there were 14 applicants compared to 4 applicants at the 2003 symposium. Each student has been awarded \$285 to defray travel costs of attending the symposium. There will be 2 student award presentations: best student platform and best student poster presentations. Judges are being chosen 2 ways: session moderators will request full FMCS members to evaluate student presentations and the awards committee has chosen a number of judges to evaluate the presentations. Judges for poster presentations were chosen prior to the symposium. The results of the platform and poster evaluations will be tallied and ready to hand out awards at the business meeting Tuesday evening. Students will receive a plaque and \$500 cash award. Student award winners will be encouraged to use the cash award to present their award winning presentation at another professional meeting. Greg requested the membership be reminded at the auction that all money raised goes directly to the student awards. If the auction generates \$5000 the society should clear between \$3000 and \$4000. Professional level awards will be given at the business meeting. The society needs to do a better job at recognizing its full members. The FMCS professional awards are the Lifetime Achievement Award, the William J. Clench Memorial Award and the Meritorious Service Award.

Commercial

Don Hubbs reported there are 250 commercial shellers operating in the states of TN, AL, KY and AR with 95% of the shell coming out of TN. About 2000 to 3000 tons of mussel shell is being exported annually. Competition from China, which uses mostly non-bead pearly, will likely keep exports low.

Environmental Quality and Affairs

The new committee co-chairs are Dick Biggins and Al Buchanan. Several issues were discussed:

- 1. The Big Sunflower EIS is due this fall and the committee will review the document with the help of Paul Hartfield.
- 2. A subcommittee was formed to work on the black water events in the Clinch and Powell Rivers due to coal fines. Jerry Ferris, Bill Henley and John Schmerfeld are the subcommittee members. They will draft a letter focusing on a strategy to solve the problem.

- 3. Potential draining of Devil's Lake. Though the lake goes through wet and dry cycles it does have a mussel fauna. During a long dry cycle people have moved in and now they are being flooded. The Army COE is trying to fight draining the lake but the state of North Dakota wants it drained. Heidi Dunn will keep the committee apprised of a decision, letting the committee know when it is time to send a letter to the COE.
- 4. The committee decided to pass in writing a recommendation to the Propagation Committee to develop a white paper on issues dealing with the collecting and over-collecting of host fish, such as disease and genetic issues, and collecting from stream where numbers are already low. The out-going chair will prepare the recommendation to send to the chair of the Propagation Committee.
- 5. Upcoming workshop (2008?) focusing on the topic of water quality, demonstrating the new techniques coming out of SETAC. This topic could also be a special session at the 2007 symposium. The new techniques should be out by this fall. Chris Ingersoll of USGS will be sending a second draft of a standard entitled "Standard Guide for Conducting Laboratory Toxicity Tests with Freshwater Mussels" for balloting through ASTM Subcommittee E47.03 on sediment assessment and toxicology and through the E47 Main Committee on Biological Effects and Environmental Fate. The guidelines will meet EPA rigor and will be included in future water quality criteria.

Gastropod Status and Distribution

Paul Johnson was re-elected committee chair and Ellen Strong was elected co-chair. The gastropod list, similar to the Williams et al paper on mussels documenting what species are where, will go to the AFS endangered species committee and will be given as a poster at the 2005 AFS Symposium this summer. There is still time to comment on the list. As soon as the list is formalized the gastropod committee will begin developing a conservation strategy for gastropods in North America. Of note, 3 species thought to be extinct were found during a recent survey.

Guidelines and Techniques

John van Hassel is chair of the committee. The committee will review the Army COE experimental dredge protocol, which proposes to skim the top 68 inches of shoal sediment and the mussels (mostly F. ebena) within that layer to relocate elsewhere. The board discussed several options. One is for the committee to draft an alternative protocol with funding for mitigation, propagation, and restoration using the mussel kill guidelines. The second option is for FMCS to come out against the experimental dredging protocol. There is no way to determine whether the "experiment" will work. The board recommended to the committee that another letter be drafted stating the society's concerns stated in the 2003 letter were not addresses, the project should not go forward, and the COE needs to look at alternatives. After the letter is finalized a copy should be sent to FWS.

Kevin Cummings is the committee chair. Chris Mayer handles the society web page and the society newsletter *Ellipsaria*. Award winners will be placed on the web page; committee pages are available. The mailing of *Ellipsaria* is a major effort/cost, so the committee agreed that after FMCS starts publishing *Walkerana*, future newsletters be sent as a pdf file to the membership, leaving a few to be mailed to those members without email. The committee met with Jack Burch to discuss *Walkerana*. Dr. Burch will publish a 2003/2004 issue before turning the journal over to the society. FMCS will use the \$3000 approved by the board at its last meeting to print 500 copies of the next issue for FMCS members.

Mussel Status and Distribution

Committee chair is Kevin Roe. The mussel distribution accounts that have been received will be posted on the society webpage. The committee has not yet decided whether to have pdf files of the accounts or print a single page to be mailed with the newsletter.

Outreach

Committee chair is Kurt Welke. The pop-up society display is available for members to use at other meetings and can be changed/updated.

Propagation, Restoration and Introduction

Committee chair is Jess Jones. He reported 18 members attended the committee meeting. Issues discussed include:

- 1. Gathering the information to develop a database on juvenile releases and monitoring of juveniles, broodstock, what species are being propagated and where, survival rates, etc. and post to the website.
- 2. Prioritizing taxa how to focus resources. Currently there is no prioritization scheme for mussels.
- 3. Compile information to develop guidelines on the nutritional requirements of juveniles.
- 4. Explore a white paper on host fish collection/over collection. The white paper can be used as an impetus to pursue research support to propagate host species.

2006 Workshop

A workshop focused on habitat restoration was discussed at the previous board meeting. Tom Watters said that the Columbus Zoo would like to host a workshop on holding/propagation. Use of the facility would be free, so lodging would be the only cost. The zoo will hold the workshop whether or not FMCS is a sponsor. The workshop will be held in September or November 2006. Discussion followed on possibly combining the 2 topics into an extended workshop: half focused on propagation/holding and half spent on habitat restoration/water quality, or have a special session/workshop on habitat restoration before the 2007 symposium. A session on health and condition, and long-term chronic effects would also fit with a holding/propagation workshop.

2007 Symposium

The folks in Arkansas are interested in hosting the 2007 symposium. The Little Rock Visitor Bureau put together a

presentation and has solicited several bids. The proposed date is 18-21 March 2007. The board accepted the Arkansas presentation and will review the bids. A theme has not yet been proposed, and they are open to a special session dedicated to habitat restoration and water quality. A presentation will be made at the business meeting.

The membership will be given the opportunity to vote on 3 options pertaining to the workshop and symposium at the business meeting: 1) an expanded workshop, 2) habitat restoration special session at the symposium, 3) one day workshop before the symposium.

New Business

It has been 10 years since the strategy for conservation of freshwater mussels was published. A proposal was made to the board to have the FMCS committees review pertinent sections of the strategy focusing on what has been successful and what remains to be accomplished. The strategy is a valuable resource for states and other agencies, is used to obtain funding for research and other work on freshwater mussels, and has formed the basis of the society. The goal is to have a revised strategy for the 2007 symposium. This item will be presented at the business meeting and published in *Ellipsaria*. Rachel Muir has volunteered to organize this effort.

The society has been approached about setting up a subcommittee on terrestrial gastropods. Discussion was tabled and it will be brought before the membership at the business meeting.

Elections

Steve Ahlstedt is the new President-elect and Patricia Morrison is the new Secretary.

Leroy Koch has offered to look into why more of the membership is not interested in being considered for office and getting involved in committees. Bill Henley has offered to set up an email survey and Rita will forward a list of membership emails to Bill. Discussion followed on setting term limits for committee chairs and officers. This item was put under further study before proposing an amendment to the bylaws.

FMCS Committee Reports

Propagation and Restoration Committee

Meeting Minutes, St. Paul, MN

The committee met for 1 hour on Monday, May 16 at the 4th Biennial Symposium of the FMCS, St. Paul, MN. About 20 people were in attendance to discuss new ideas for the committee to pursue over the next 2 years. The following project ideas were proposed: (1) categorize endangered mussel taxa based on relative levels of imperilment, (2) create a website and database to deposit data on propagation, release and monitoring of hatchery reared mussels, and (3) organize existing information on mussel nutrition and

dietary requirements. Interested members volunteered to work-on and develop each project as part of a team. The committee anticipates that by the next FMCS symposium in 2007, progress updates will be given on the team projects. A short synopsis of each project follows:

• Biologists are aware that varying degrees of imperilment exist for mussel species listed as endangered. For example, some species are truly on the verge of extinction, such as purple catspaw (Epioblasma obliquata) and the Clinch River form of tan riffleshell (Epioblasma florentina walkeri). These species exist only as single small populations and are vulnerable to an array of potential threats. Whereas other endangered species, such as the fanshell (Cyprogenia stegaria) and dwarf wedgemussel (Alasmidonta heterodon), exist as multiple, large populations that generally are well protected. Hence, the goal of this project is to rank endangered mussel taxa in the United States based on level of imperilment. Criteria for ranking will be based on expert opinion, IUCN Red List criteria and other methods used to assess population viability. Our intent is to create a list of endangered mussel species that are ranked by their relative levels of imperilment. Ideally, the list would help agencies prioritize recovery activities based on a species susceptibility to extinction.

• Propagation and release of cultured juveniles has become one of the primary tools to help recover mussel species. However, no central database exists to deposit information on propagation and recovery efforts. Thus, the goal of this project is to create a user friendly website and database where folks can input basic data and information on their propagation projects, such as which species and how many were released, location information, and monitoring efforts. Data would be collected and stored in a standardized format and made available to interested and qualified individuals. Concerns were expressed about level of access to the public, types of data and information that would be stored in the database, and various aspects of website design and maintenance.

• Improving our understanding of adult and juvenile mussel nutritional requirements has become one of the hot topics in unionid research and recovery. Several recent papers have implicated natural river water, various algae species, feed additives, and bacteria as important dietary constituents for mussels. To further stimulate future research into developing better diets for use in the captive care and propagation of mussels, the committee will conduct an annotated literature review on freshwater mussel diets and nutritional requirements, and create a list of people and facilities involved in such research.

The committee welcomes input and participation on these projects from any interested members of the FMCS, especially students. If folks have a paper on bivalve (freshwater or marine) nutrition that you think the membership should be aware of, please send the citation my way to Jess_Jones@fws.gov. We hope to announce and make the results of these projects available in upcoming issues of *Ellipsaria*. It was great seeing everyone in St. Paul, kudos to another outstanding FMCS symposium!

News & Announcements

Graduate Research Assistantship

Auburn University is offering a Graduate Research Assistantship within the Department of Biological Sciences, beginning Spring 2006. Funding is available for up to 3 years (2006-2008), with additional support provided by Graduate Teaching Assistantships in Biological Sciences on a competitive basis (total annual stipend \$16,000). A full tuition waiver also will be awarded. Both M.S. and Ph.D. students are encouraged to apply. The successful applicant will conduct descriptive and experimental research designed to evaluate the impact of low-head impoundments on freshwater mussel, snail, and crayfish assemblages within streams of Alabama. Students are expected to interact with faculty and graduate students from Auburn University on parallel studies involving stream fish assemblages.

Selection will be based on grades, GREs, and letters of reference from at least 3 persons with sufficient knowledge of the applicant's potential for research. Those with a strong research background in stream ecology and/or crayfish ecology or malacology will be given top consideration. For more information please contact Drs. Jack Feminella, feminjw@auburn.edu / 334-844-3906, or Michael Gangloff, ganglmm@auburn.edu / 334-844-7345, Department of Biological Sciences and Auburn University Museum, 331 Funchess Hall, Auburn University, AL 36849_5407, http://www.auburn.edu/academic/science_math/biology/facu lty/feminella.htm

MUSSEL Project Database

We are pleased to announce the MUSSEL Project Database: Freshwater Mussels of the Congo & Zambezi Basins (beta): http://clade.acnatsci.org/mussel/proj/congo-zambezi.html

The Congo-Zambezi database is arranged hierarchically, allowing you to browse the diversity of the various taxonomic levels, from the families of the order down to the individual specimen lots for each species. At both the genus and species levels, there is the option to get a complete synonymy of each taxon. These data were obtained from various sources relevant to the problem Central African mussel diversity, including Pilsbry & Bequaert (1927), Mandahl-Barth (1988) and Daget (1998). Specimen records were obtained by visiting various collections and digitally photographing each lot, including the original label material. Images of over 900 lots are provided. The copyrights to reproduce particular specimen images are retained by the collections from which they were obtained. Inquiries about image use should be addressed to the curators of those collections. We are grateful to be able to use the specimen images as part of this database project.

Comments to either Dan (graf@acnatsci.org) or Kevin (ksc@inhs.uiuc.edu) are welcome!

Publications

David C. Campbell, Jeanne M. Serb, Jennifer E. Buhay, Kevin J. Roe, Russell L. Minton, and Charles Lydeard.
2005. Phylogeny of North American amblemines (Bivalvia, Unionoida): prodigious polyphyly proves pervasive across genera. Invertebrate Biology 124(2): 131–164.

Megan E. Brown, Michal Kowalewski, Richard J. Neves, Donald S. Cherry, and Madeline E. Schreiber. 2005.
Freshwater Mussel Shells as Environmental Chronicles: Geochemical and Taphonomic Signatures of Mercury-Related Extirpations in the North Fork Holston River, Virginia. Environ. Sci. Technol., 39 (6), 1455 -1462.

Full manuscript: http://pubs.acs.org/cgibin/article.cgi/esthag/2005/39/i06/html/es048573p.html

Contributed Articles

Freshwater Mussel Diversity: The Importance of Spatial Scale

Principal Investigator- Dr. Ken Brown, Research Assistant- Raynie Bambarger Louisiana State University - Dept. of Biological Sciences 383 Life Science Bldg. Baton Rouge, LA Ph: 225-578-1740; abamba1@lsu.edu

The nested-hierarchical nature of ecological processes is becoming an accepted concept in ecology. The mechanisms controlling diversity are at work within and across nestedhierarchical spatial scales, from microhabitat interactions to interactions at the landscape level. Many freshwater mussel studies have focused on describing local scale diversity based on microhabitat variables only, but have had little success in explaining or predicting the observed pattern. The large variation in diversity and distribution observed in studies of freshwater mussels at such small spatial scales has always blurred how we as scientists interpret and understand causes and effects of species richness decline.

In our on-going study, we investigate how incorporating variables across multiple spatial scales improves our ability to describe and interpret patterns in mussel species richness throughout the Florida Parish region of Southeast Louisiana.

As of July 14, 2005, we have sampled 29 sites in four subbasins: Upper Tickfaw sub-basin (11 sites), Upper Tangipahoa (9 sites), Lower Tickfaw (5 sites), and Lower Tangipahoa (4 sites). We collected microhabitat variables at each site (water quality, flow, and sediment type). Using GIS techniques, we were able to calculate percent geology and land-use for a 1-Km buffer zone around each site and for each of the four sub-basins.

Armed with a large dataset including 33 variables spanning three spatial scales, we are in the analysis stage of our study. To expose a pattern in species richness, we averaged estimates of species richness over the four sub-basins. A significant difference in species richness and abundance (CPUE) is apparent. The upper sub-basins have significantly lower species richness and abundance than the lower sub-basins (ANOVA p<.002).

We initially planned to identify the relative contribution of each set of variables, across the spatial scales, to the pattern of species richness using multiple regression techniques. Unfortunately, our data violates several critical independence assumptions necessary to implement these techniques. We quickly realized that, due to the nestedhierarchical nature of this system, the variables at the microhabitat scale are highly correlated to the buffer zone variables, which are in turn highly correlated with the subbasin variables. The analysis does suggest that both percent fine sediment and water hardness are the most important variables influencing species richness from the microhabitat variable set. Land-use, specifically cropland and forested wetland, coupled with geology from the sub-basin variable set seem to be driving the large-scale pattern of species richness we see across the four sub-basins in our study. Currently, we are exploring multivariate statistical techniques such as the discriminant function and factor analysis to overcome the collinearity violations within our data.

A recent literature review has revealed several articles focused on hierarchical theory as a means to explain and interpret the spatial organization of the mechanisms driving freshwater mussel diversity and distribution. We plan to further investigate hierarchical theory as a method to explain the pattern of species richness and abundance in our study area.

We hope to elucidate the statistical issues that arise when dealing with data that span multiple spatial scales. We also hope to improve management of these imperiled invertebrates by identifying functional linkages among scales that influence species richness in freshwater mussels of the southeastern coastal plains.

Historic Records for State Threatened and Endangered Unionids in Southeastern Wisconsin

Joan P. Jass Invertebrate Zoology, Milwaukee Public Museum Milwaukee, WI 53233 jass@mpm.edu Increase A. Lapham (1852, 1860) published the first lists of Wisconsin mollusk species but, in keeping with the standards of his day, he did not tie the records to voucher specimens. A half century later in the summer of 1902, George H. Chadwick initiated an effort to document the Wisconsin molluscan fauna with the support of the Natural History Society and later reported these findings in two publications (1905, 1906), the second of which included locality data from voucher specimens in the Milwaukee Public Museum (MPM) collection. It was meant to be only the initial step in a survey of the entire state, but Chadwick's collaboration with the Wisconsin Natural History Society began with work in the Milwaukee vicinity in southeastern Wisconsin and never got any further. In terms of the records presented here, southeastern Wisconsin is the quarter bounded geographically on the east by Lake Michigan and on the south by the northern Illinois border, though one record extends the northwestern corner of this area on a diagonal roughly 200 miles up into the central Wisconsin county of Clark. Of the 19 unionid species currently given status as threatened or endangered under the Endangered Resources Program of the Wisconsin Department of Natural Resources, three have a range confined to the southeastern portion of the state according to Cummings and Mayer (1992): the threatened Alasmidonta viridis and Venustaconcha ellipsiformis and the endangered Villosa iris. Because of the potential conservation importance of historic records from this region, the locality information from these voucher specimens in the MPM collection is reviewed here. Where it has been possible to determine, the data for township/range/section is added in parentheses.

Alasmidonta viridis (Rafinesque 1820)

The MPM collection contains records from waterways in 8 Wisconsin counties for the state threatened unionid Alasmidonta viridis, the slippershell mussel. The first Wisconsin MPM specimen of this species, then designated as A. calceolus Lea, was one donated by the Wisconsin Natural History Society and collected from the Milwaukee River. Chadwick (1906) reported 3 county records: Lake Michigan shore at Lake Park (T07N R22E Sec 14) in Milwaukee County, Jambo Creek (T20N R24E Sec 4) in Manitowoc County, and Sheshepecomeo Park on Beasley Creek (T21N R11E Sec 4) in Waupaca County. Four counties were added by the Harold A. Mathiak survey work (Mathiak 1979) in the 1970s: Milwaukee River (T13N R19E Sec 33) in Fond du Lac County, Onion River (T14N R21E Sec 6) in Sheboygan County, Allenton Creek and East Branch of the Rock River (both T11N R18E Sec 15) in Washington County, and Rush Creek (T18N R14E Sec 25) in Winnebago County. Another Sheboygan County specimen, from the Mullet River (T15N R20E Sec 10), was received as by-catch from the Wisconsin Department of Natural Resources Fish Distribution Study. Marian E. Havlik donated a specimen collected from the Wolf River at County Highway A in Shawano County in 1992.

Venustaconcha ellipsiformis (Conrad 1836)

The MPM collection contains records from waterways in 7 Wisconsin counties for the state threatened unionid *Venustaconcha ellipsiformis*, the ellipse. The earliest Wisconsin record in the MPM mollusk catalogs for the bivalve then designated as *Unio spatulatus* Lea is from Mrs. E.C. Wiswall, who specified only "southern Wisconsin" as the locality data for species that she listed (Wiswall 1897). The 1898 MPM catalog indicates that the museum purchased 97 freshwater mussel specimens from Mrs. Wiswall, including two of this species (one of them being polished), and gives 1897 as the year of collection.

Among the collection of state unionids received from the Wisconsin Natural History Society was *V. ellipsiformis* from the Fox and Milwaukee rivers. MPM catalog entries for these donations were made in the 1880s, but no collecting date or more detailed location was given. Chadwick (1906) adds detail to the river records previously noted, giving Milwaukee County sites for the Milwaukee, near Big Bend in Waukesha County for the Fox, and also adds "mill pond at Hika, Manitowoc Co." as a third county record.

It was not until the 1970s that additional, documented specimens of this species were added to the MPM collection. Brian Witzke donated an ellipse from the Crawfish River (T09N R14E Sec 19) in Dodge County, and Harold A. Mathiak added records for the Milwaukee River (T13N R19E Sec 33) and its West Branch (T13N R18E Sec 36) in Fond du Lac County, Sugar Creek (T03N R18E Sec 15) in Walworth County, and the Mukwonago River (T05N R18E Sec 35) in Waukesha County. The Wisconsin Department of Natural Resources donated specimens collected in 1977 from the South Fork of the Poplar River (T28N R01W Sec 15) in Clark County and the Bark River (T07N R17E Sec 34) in Waukesha County.

Villosa iris (I. Lea 1829)

The MPM collection contains records from waterways in 2 Wisconsin counties for the state endangered unionid *Villosa iris*, the rainbow. Again, the earliest Wisconsin record in the MPM collection is a specimen donated by the Wisconsin Natural History Society from the Milwaukee River. Under *Lampsilis iris* Lea, Chadwick (1906) specifies a Milwaukee County site on this river. Four Waukesha County specimens from the Mukwonago River at Mukwonago were received from Harold A. Mathiak.

Literature Cited

- Chadwick, G.H. 1905. List of Wisconsin shells. The Nautilus, 19(5):57-60, 20(2):22-24.
- Chadwick, G.H. 1906. Notes on Wisconsin Mollusca. Bulletin of the Wisconsin Natural History Society, 4(3):67-99.
- Cummings, K.S. & Mayer, C.A. 1992. Field guide to freshwater mussels of the Midwest. Illinois Natural History Survey, Champaign. 194 pp.
- Lapham, I.A. 1852. Flora and fauna of Wisconsin. Transactions of the Wisconsin State Agricultural Society, II:367-370 [Mollusca].
- Lapham, J[I].A. 1860. A list of the shells of the state of Wisconsin. Proceedings of the Academy of Natural Sciences of Philadelphia, 12:154-156.

- Mathiak, H.A. 1979. A river survey of the unionid mussels of Wisconsin 1973-1977. Sand Shell Press, Horicon, Wisconsin. 75 pp.
- Wiswall, E.C. 1897. Shells of southern Wisconsin. Natural Science Journal, I(2):47-48.

New World Physids Don't Know Borders: Exotic Physidae in Indonesia

Henk K. Mienis National Mollusc Collection Zoological Museum Tel Aviv University IL-69978 Tel Aviv, Israel mienis@netzer.org.il

A few years ago I received from one of my correspondents in Indonesia several samples of freshwater molluscs, which had been collected in part under natural conditions and in part in shops selling aquarium fish. To my surprise all seven samples turned out to belong to the family Physidae. Since the natural range of the majority of the recognized species within the Physidae is largely confined to the Americas, with only a handful of species originating in Europe (Taylor, 2003), it does not come as a surprise that most probably all the samples belong to New World species.

Three different types of shells could be clearly recognized; however, due to the fact that all of the samples consisted of empty shells only, no definitive identifications are given here.

Shell type I: Stenophysa species.

One sample consisting of a single specimen belongs clearly to the genus *Stenophysa* von Martens, 1898. It had been collected in Indonesia, South Borneo, Kelua, Tanjung, on floating wood in a swamp, December 1995.

It is impossible to distinguish this shell from shells of *Stenophysa marmorata* (Guilding, 1828) from various localities on Caribbean Islands, present in the National Mollusc Collection of the Hebrew University of Jerusalem (HUJ), and from those recently collected in large numbers in several artificial pools in the Botanical Garden of the Tel Aviv University (Mienis, 2005). However, shells of the recently described *Stenophysa spathidophallus* Taylor, 2003, from Singapore (but more likely originating from northeastern South-America), are also almost inseparable from those of *S. marmoratus*.

Shell type II: Mayabina species.

Two samples are provisionally placed in the Aplexinid genus *Mayabina* Taylor, 2003. They were collected at the following localities: Indonesia, Java, Tawakal, Jakarta, on leaves in stagnant water, April 1986 (2 ex.) and Java, Jakarta, in aquarium shop, September 1995 (2 ex). Species belonging to this genus are confined in their distribution to the Central America and the west coast of South America, as far south as northern-most Chile.

Shell type III: Haitia species.

The following four samples: Indonesia, West Java, Patenggang Lake, South Bandung, at an altitude of 1550 m, August 1995 (8 ex.); West Java, Cipanas, at an altitude of 1100 m, May 2001 (8 ex.); West Java, aquarium shop in Jakarta, September 1995 (4 ex.); Mid Java, Guci, Tegal, on stones in small river, October 2000 (3 ex.), belong apparently to one and the same species.

If these specimens had been found somewhere in Europe or in Israel then I would classify them without doubt as *Haitia acuta* (Draparnaud, 1805). However, I prefer to call them simply *Haitia* species due to the absence of preserved animals.

All three species have to be considered as exotic species of New World origin in Indonesia. They probably reached that country by means of the international aquarium fish and plant trade. Since this trade is becoming more and more popular in S.E.-Asia, more records of introduced Physidae may be expected from that part of the world in future.

References

- Mienis, H.K. 2005. A first record of *Stenophysa marmorata* from Israel. Ellipsaria, 7(1): 9.
- Taylor, D.W. 2003. Introduction to Physidae (Gastropoda: Hygrophila) Biogeography, classification, morphology. Revista de Biologia Tropical, 51(Supplement 1): 1-287.

The Freshwater Mussels/Naiades of Upper and Medium Sessions of the Uruguay River Basin, Southern Brazil: A Brief Approach to its Knowledge

A. Ignacio Agudo Projeto Naiade (Naiade Project) Avulsos Malacológicos – AM Caixa Postal (P. O. Box) 010, 88010-970 Centro, Florianópolis, Santa Catarina – SC, Brasil iagudo@lycos.com – http://www.malacologia.com.br

The great Uruguay River is geographically born from the fork of the rivers "Pelotas" and "Canoas" of Santa Catarina's State, in the Municipal district of Celso Ramos – Campos de Lages region, emblem with the neighbor State of Rio Grande do Sul.

In the upper and medium sessions of the Uruguay River Basin, 43 species are cited in the literature (41 natives and 2 exotic invasives, distributed in 37 Unionoida – 16 Mycetopodidae, 21 Hyriidae, 6 Veneroida – 3 Sphaeriidae, 3 Corbiculidae). Of these, 20 are confirmed/included in the Santa Catarina's State territorial inventory (Agudo 2004b) for 6 localities (Agudo 2004a).

The zoogeographical occurrence of mussels/naiades species in this South American region has been revised in the specialized literature (Ortmann 1921; Morretes 1949; Parodiz & Bonetto 1963; Bonetto 1964; Parodiz 1968; Haas 1969; Mansur 1970; Mansur et al. 1987; Ituarte 1994; Callil & Mansur 2002; among others). For a general overview of the zoogeographical records in the Santa Catarina State, see Agudo (2005).

Systematic Species List

Class BIVALVIA Order UNIONOIDA Family MYCETOPODIDAE (16) -Anodontites clessini (Fischer, 1890) -Anodontites crispatus tenebricosus (Lea, 1834) * -Anodontites tenebricosus (Lea, 1834) * -Anodontites ferrarisi (d'Orbigny, 1835) * -Anodontites felix (Pilsbry, 1896) -Anodontites iheringi (Clessing, 1882) * -Anodontites lucidus (d'Orbigny, 1835) * -Anodontites patagonicus (Lamarck, 1819) -Anodontites trapesialis (Lamarck, 1819) * -Anodontites trapezeus (Spix, 1827) -Fossula fossiculifera (d'Orbigny, 1835) -Leila blainvilliana (Lea, 1834) * -Monocondylaea corrientesensis d'Orbigny, 1835 -Monocondylaea minuana d'Orbigny, 1835 * -Monocondylaea paraguayana d'Orbigny, 1835 -Mycetopoda legumen (Martens, 1888) * Family HYRIIDAE (21) -Castalia ambigua inflata d'Orbigny, 1835 -Castalia psammoica (d'Orbigny, 1835) -Castalia martensi (Ihering, 1891) -Diplodon aethiops (Lea, 1860) * -Diplodon burroughianus (Lea, 1834) -Diplodon charruanus (d'Orbigny, 1835) -Diplodon delodontus (Lamarck, 1819) -Diplodon delodontus wymani (Lea, 1860) -Diplodon ellipticus (Wagner in Spix, 1827) * -Diplodon expansus (Kuster, 1856) * -Diplodon funebralis (Lea, 1860) -Diplodon hildae Ortmann, 1921 * -Diplodon martensi (Ihering, 1893) * -Diplodon parallelipipedon (Lea, 1834) -Diplodon peraeformis (Lea, 1860) -Diplodon piceus (Lea, 1860) -Diplodon pilsbryi Marshall, 1928 * -Diplodon rotundus gratus (Lea, 1860) -Diplodon rhuacoicus (d'Orbigny, 1835) * -Diplodon uruguayensis (Lea, 1860) -Diplodon uruguayensis x expansus (Parodiz, 1968) Order VENEROIDA Family CORBICULIDAE (3) -Corbicula fluminea (Muller, 1774) * -Corbicula largillierti (Philippi, 1844) * -Neocorbicula limosa (Maton, 1811) Family SPHAERIIDAE (3) -Eupera guaraniana Ituarte, 1994 -Eupera platensis Doello-Jurado, 1921 * -Sphaerium observationis (Pilsbry, 1911) * *Species occurs in Santa Catarina State.

References

- Agudo, A. Ignacio. 2004 a. Zoogeographical distribution on the freshwater mussels/naiades (Bivalvia: Unionoida & Veneroida) in Santa Catarina State's territory, Southern Brazil. FMCS Newsletter *Ellipsaria*, 6 (2):20-21.
- Agudo, A. Ignacio. 2004 b. Preliminary general inventory of continental mollusks (Gastropoda & Bivalvia) from Santa Catarina State, Southern Brazil. FMCS Newsletter Ellipsaria, 6 (3):14-16.
- Agudo, A. Ignacio. 2005. Levantamento Atualizado Espécies em Santa Catarina (Up-to-date rising – Species in Santa Catarina). Florianópolis, SC: AVULSOS MALACOLÓGICOS – AM, Internet Brazilian Website: http://www.malacologia.com.br
- Bonetto, Argentino A. 1964. Las espécies del género Diplodon (MOLL. UNIONACEA) en los ríos de la Pendiente Atlántica del Sur del Brasil. PHYSIS, 24 (68):323-328.
- Callil, C.T. & M.C. Dreher Mansur. 2002. Corbiculidae in the Pantanal: history of invasion in southeast and central South America and biometrical data. Amazoniana, 17 (1/2):153-167.
- Haas, Fritz. 1969. Superfamilia Unionacea. In: Das Tierreich. Berlin:Walter de Gruyter & Co., Vol. 88, I-X + 663 p.

- Ituarte, Cristian F. 1994. Corbicula and Neocorbicula (Bivalvia: Corbiculidae) in the Parana, Uruguay, and Rio de La Plata Basins. The Nautilus, 107 (4):129-135.
- Mansur, Maria Cristina Dreher. 1970. Lista dos moluscos bivalves das familias Hyriidae e Mycetopodidae para o Estado do Rio Grande do Sul. Iheringia (Porto Alegre), Sér. Zool., (39):33-95.
- Mansur, Maria Cristina Dreher; Carla Schulz & Liana Mercedes Maria Pares Garces. 1987. Moluscos bivalves de água doce:identificação dos gêneros do Sul e Leste do Brasil. Acta Biol. Leopoldensia, 9 (2):181-202.
- Morretes, Frederico Lange de. 1949. Ensaio de Catálogo dos Moluscos do Brasil. Curitiba, PR: Arquivos do Museu Paranaense, Vol. VII, Art. 1, pp. 5-216.
- Ortmann, A.E. 1921. South American Naiades; a contribution to the knowledge of the freshwater mussels of South America. Mem. Carnegie Mus., 8 (3): 451-671.
- Parodiz, J.J. 1968. Annotated catalogue of the genus *Diplodon* (UNIONACEA – HYRIIDAE). Sterkiana, (30):1-22.
- Parodiz, J.J. & Argentino A. Bonetto. 1963. Taxonomy and Zoogeographic relationships of the South American Naiades (Pelecypoda: Unionacea and Mutelacea). Malacologia, 1 (2):179-213.

Host Identifications or Confirmations

G. Thomas Watters, Trisha Menker, Sara Thomas & Kody Kuehnl Columbus Zoo & Aquarium Freshwater Mussel Research & Conservation Facility & The Ohio State University

All transformations at 20° C. * - apparently new host identification. Studies funded through the Ohio Division of Wildlife and the US Fish and Wildlife Service.

 Epioblasma triquetra (June) Suitable host: Mottled Sculpin (days to transformation – 18; % transformed – 2%) Hosts yielding no transformation: Greenside Darter
 2) Elliptio complanata (June) Suitable hosts: Bluegill (days to transformation – 10; % transformed – 38%) * Pumpkinseed (days to transformation – 10; % transformed – 55%) *
 3) Lampsilis cardium (OctJune) Suitable hosts: Largemouth Bass (days to transformation – 24; % transformed – not measured)
 4) Lampsilis radiata luteola (NovJuly) Suitable hosts: Largemouth Bass (days to transformation – 21; % transformed – not measured) Green Sunfish (days to transformation – 21; % transformed – not measured) *
 5) Lasmigona costata (April) Suitable hosts: Bluegill (days to transformation – 10; % transformed – not measured) * Creek Chub (days to transformation – 10; % transformed – not measured) * Goldfish (days to transformation – 10; % transformed – not measured) * Central Stoneroller (days to transformation – 10; % transformed – not measured)*
 6) Plethobasus cyphyus (May-June) Suitable hosts: Central Stoneroller (days to transformation – 16; % transformed – 19%) * Hosts yielding no transformation: Bluegill, Brown Trout, Goldfish, Greenside Darter, Largemouth Bass, Silverjaw Minnow, Yellow Bullhead, White Crappie
 7) Pleurobema cordatum (May) Suitable hosts: Brook Stickleback (days to transformation – 27; % transformed – not measured) Creek Chub (days to transformation – 27; % transformed – not measured) Guppy (days to transformation – 27; % transformed – not measured) Hosts yielding no transformation: Bluegill, Goldfish, Green Darter, Green Sunfish, Stonecat, White Crappie
 8) Pleurobema sintoxia (June) Suitable hosts: Bluegill (days to transformation – 13; % transformed – 1%) Creek Chub (days to transformation – 13; % transformed – 18%) * Southern Redbelly Dace (days to transformation – 13; % transformed – 1%) Hosts yielding no transformation: Goldfish, Mottled Sculpin
 9) Ptychobranchus fasciolaris (April) Suitable hosts: Brook Stickleback (days to transformation – 50; % transformed – not measured) * Hosts yielding no transformation: Creek Chub, Johnny Darter, Rainbow Darter, Spotfin Shiner,

Bluegill (days to transformation – 9; % transformed – not measured) Creek Chub (days to transformation – 11; % transformed – not measured) * Guppy (days to transformation – 9; % transformed – not measured) * Largemouth Bass (days to transformation – 10; % transformed – not measured) * Largemouth Bass (days to transformation – 10; % transformed – not measured) Pumpkinseed (days to transformation – 12; % transformed – not measured) Round Goby (days to transformation – 9; % transformed – not measured) Round Goby (days to transformation – 9; % transformed – not measured) Round Goby (days to transformation – 9; % transformed – not measured) Round Goby (days to transformation – 9; % transformed – not measured) Hosts yielding no transformation: Green Sunfish 11) Strophitus undulatus (April) Suitable hosts: Rainbow Darter (days to transformation – 13; % transformed – 5%) * Red-eared Sunfish (days to transformation – 15; % transformed – 31%) Hosts yielding no transformation: Goldfish 12) Toxolasma parvus (June) Suitable hosts: Johnny Darter (days to transformation – 12; % transformed – 3%) * Hosts yielding no transformation: Bluegill, Creek Chub, Mottled Sculpin 13) Villosa iris iris (April) Suitable hosts: Mottled Sculpin (days to transformation – 26; % transformed – not measured) * Smallmouth Bass (days to transformation – 26; % transformed – not measured) Hosts yielding no transformation: Banded Darter, Bluegill, Brook Stickleback, Central Stoneroller, Creek Chub, Johnny Darter, Rainbow Darter, Spotfin	10) Pyganodon grandis (DecFeb.)
Creek Chub (days to transformation – 11; % transformed – not measured) * Goldfish (days to transformation – 9; % transformed – not measured) * Guppy (days to transformation – 12; % transformed – not measured) * Largemouth Bass (days to transformation – 10; % transformed – not measured) Pumpkinseed (days to transformation – 9; % transformed – not measured) Round Goby (days to transformation – 9; % transformed – not measured) * White Crappie (days to transformation – 9; % transformed – not measured) Hosts yielding no transformation – 9; % transformed – not measured) Hosts yielding no transformation – 9; % transformed – not measured) II) <i>Strophitus undulatus</i> (April) Suitable hosts: Rainbow Darter (days to transformation – 13; % transformed – 5%) * Red-eared Sunfish (days to transformation – 15; % transformed – 31%) Hosts yielding no transformation: Goldfish I2) <i>Toxolasma parvus</i> (June) Suitable hosts: Johnny Darter (days to transformation – 12; % transformed – 3%) * Hosts yielding no transformation – 12; % transformed – 3%) * Hosts yielding no transformation – 12; % transformed – 3%) * Mottled Sculpin (days to transformation – 26; % transformed – not measured) * Smallmouth Bass (days to transformation – 26; % transformed – not measured) * Smallmouth Bass (days to transformation – 26; % transformed – not measured) * Smallmouth Bass (days to transformation – 26; % transformed – not measured) * Smallmouth Bass (days to transformation – 26; % transformed – not measured) * Smallmouth Bass (days to transformation – 26; % transformed – not measured) * Smallmouth Bass (days to transformation – 26; % transformed – not measured) *	Suitable hosts:
 Goldfish (days to transformation – 9; % transformed – not measured) * Guppy (days to transformation – 12; % transformed – not measured) * Largemouth Bass (days to transformation – 10; % transformed – not measured) Pumpkinseed (days to transformation – 12; % transformed – not measured) Round Goby (days to transformation – 9; % transformed – not measured) Round Goby (days to transformation – 9; % transformed – not measured) White Crappie (days to transformation – 9; % transformed – not measured) Hosts yielding no transformation: Green Sunfish 11) Strophitus undulatus (April) Suitable hosts: Rainbow Darter (days to transformation – 13; % transformed – 5%) * Red-eared Sunfish (days to transformation – 15; % transformed – 31%) Hosts yielding no transformation: Goldfish 12) Toxolasma parvus (June) Suitable hosts: Johnny Darter (days to transformation – 12; % transformed – 3%) * Hosts yielding no transformation: Bluegill, Creek Chub, Mottled Sculpin 13) Villosa iris iris (April) Suitable hosts: Mottled Sculpin (days to transformation – 26; % transformed – not measured) * Smallmouth Bass (days to transformation – 26; % transformed – not measured) * Smallmouth Bass (days to transformation – 26; % transformed – not measured) * 	
 Guppy (days to transformation – 12; % transformed – not measured) * Largemouth Bass (days to transformation – 10; % transformed – not measured) Pumpkinseed (days to transformation – 12; % transformed – not measured) Round Goby (days to transformation – 9; % transformed – not measured) Round Goby (days to transformation – 9; % transformed – not measured) Hosts yielding no transformation: Green Sunfish 11) Strophitus undulatus (April) Suitable hosts: Rainbow Darter (days to transformation – 13; % transformed – 5%) * Red-eared Sunfish (days to transformation – 15; % transformed – 31%) Hosts yielding no transformation: Goldfish 12) Toxolasma parvus (June) Suitable hosts: Johnny Darter (days to transformation – 12; % transformed – 3%) * Hosts yielding no transformation: Bluegill, Creek Chub, Mottled Sculpin 13) Villosa iris iris (April) Suitable hosts: Mottled Sculpin (days to transformation – 26; % transformed – not measured) * Smallmouth Bass (days to transformation – 26; % transformed – not measured) Hosts yielding no transformation – 26; % transformed – not measured) 	
 Largemouth Bass (days to transformation – 10; % transformed – not measured) Pumpkinseed (days to transformation – 12; % transformed – not measured) Round Goby (days to transformation – 9; % transformed – not measured) * White Crappie (days to transformation – 9; % transformed – not measured) Hosts yielding no transformation: Green Sunfish 11) Strophitus undulatus (April) Suitable hosts: Reinbow Darter (days to transformation – 15; % transformed – 5%) * Red-eared Sunfish (days to transformation – 15; % transformed – 31%) Hosts yielding no transformation: Goldfish 12) Toxolasma parvus (June) Suitable hosts: Johnny Darter (days to transformation – 12; % transformed – 3%) * Hosts yielding no transformation: Bluegill, Creek Chub, Mottled Sculpin 13) Villosa iris iris (April) Suitable hosts: Mottled Sculpin (days to transformation – 26; % transformed – not measured) * Smallmouth Bass (days to transformation – 26; % transformed – not measured) * Smallmouth Bass (days to transformation – 26; % transformed – not measured) * Smallmouth Bass (days to transformation – 26; % transformed – not measured) * 	
 Pumpkinseed (days to transformation – 12; % transformed – not measured) Round Goby (days to transformation – 9; % transformed – not measured) * White Crappie (days to transformation – 9; % transformed – not measured) Hosts yielding no transformation: Green Sunfish 11) Strophitus undulatus (April) Suitable hosts: Rainbow Darter (days to transformation – 13; % transformed – 5%) * Red-eared Sunfish (days to transformation – 15; % transformed – 31%) Hosts yielding no transformation: Goldfish 12) Toxolasma parvus (June) Suitable hosts: Johnny Darter (days to transformation – 12; % transformed – 3%) * Hosts yielding no transformation: Bluegill, Creek Chub, Mottled Sculpin 13) Villosa iris iris (April) Suitable hosts: Mottled Sculpin (days to transformation – 26; % transformed – not measured) * Smallmouth Bass (days to transformation – 26; % transformed – not measured) Hosts yielding no transformation: Banded Darter, Bluegill, Brook Stickleback, Central Stoneroller, Creek Chub, Johnny Darter, Rainbow Darter, Spotfin 	
 Round Goby (days to transformation – 9; % transformed – not measured) * White Crappie (days to transformation – 9; % transformed – not measured) Hosts yielding no transformation: Green Sunfish 11) Strophitus undulatus (April) Suitable hosts: Rainbow Darter (days to transformation – 13; % transformed – 5%) * Red-eared Sunfish (days to transformation – 13; % transformed – 5%) * Red-eared Sunfish (days to transformation – 15; % transformed – 31%) Hosts yielding no transformation: Goldfish 12) Toxolasma parvus (June) Suitable hosts: Johnny Darter (days to transformation – 12; % transformed – 3%) * Hosts yielding no transformation: Bluegill, Creek Chub, Mottled Sculpin 13) Villosa iris iris (April) Suitable hosts: Mottled Sculpin (days to transformation – 26; % transformed – not measured) * Smallmouth Bass (days to transformation – 26; % transformed – not measured) Hosts yielding no transformation: Banded Darter, Bluegill, Brook Stickleback, Central Stoneroller, Creek Chub, Johnny Darter, Rainbow Darter, Spotfin 	
 White Crappie (days to transformation – 9; % transformed – not measured) Hosts yielding no transformation: Green Sunfish 11) Strophitus undulatus (April) Suitable hosts: Rainbow Darter (days to transformation – 13; % transformed – 5%) * Red-eared Sunfish (days to transformation – 15; % transformed – 31%) Hosts yielding no transformation: Goldfish 12) Taxolasma parvus (June) Suitable hosts: Johnny Darter (days to transformation – 12; % transformed – 3%) * Hosts yielding no transformation: Bluegill, Creek Chub, Mottled Sculpin 13) Villosa iris iris (April) Suitable hosts: Mottled Sculpin (days to transformation – 26; % transformed – not measured) * Smallmouth Bass (days to transformation – 26; % transformed – not measured) Hosts yielding no transformation: Banded Darter, Bluegill, Brook Stickleback, Central Stoneroller, Creek Chub, Johnny Darter, Rainbow Darter, Spotfin 	
 Hosts yielding no transformation: Green Sunfish 11) Strophitus undulatus (April) Suitable hosts: Rainbow Darter (days to transformation – 13; % transformed – 5%) * Red-eared Sunfish (days to transformation – 15; % transformed – 31%) Hosts yielding no transformation: Goldfish 12) Toxolasma parvus (June) Suitable hosts: Johnny Darter (days to transformation – 12; % transformed – 3%) * Hosts yielding no transformation: Bluegill, Creek Chub, Mottled Sculpin 13) Villosa iris iris (April) Suitable hosts: Mottled Sculpin (days to transformation – 26; % transformed – not measured) * Smallmouth Bass (days to transformation – 26; % transformed – not measured) Hosts yielding no transformation: Banded Darter, Bluegill, Brook Stickleback, Central Stoneroller, Creek Chub, Johnny Darter, Rainbow Darter, Spotfin 	
Green Sunfish 11) Strophitus undulatus (April) Suitable hosts: Rainbow Darter (days to transformation – 13; % transformed – 5%) * Red-eared Sunfish (days to transformation – 15; % transformed – 31%) Hosts yielding no transformation: Goldfish 12) Toxolasma parvus (June) Suitable hosts: Johnny Darter (days to transformation – 12; % transformed – 3%) * Hosts yielding no transformation: Bluegill, Creek Chub, Mottled Sculpin 13) Villosa iris iris (April) Suitable hosts: Mottled Sculpin (days to transformation – 26; % transformed – not measured) * Smallmouth Bass (days to transformation – 26; % transformed – not measured) Hosts yielding no transformation: Banded Darter, Bluegill, Brook Stickleback, Central Stoneroller, Creek Chub, Johnny Darter, Rainbow Darter, Spotfin	
 11) Strophitus undulatus (April) Suitable hosts: Rainbow Darter (days to transformation – 13; % transformed – 5%) * Red-eared Sunfish (days to transformation – 15; % transformed – 31%) Hosts yielding no transformation: Goldfish 12) Toxolasma parvus (June) Suitable hosts: Johnny Darter (days to transformation – 12; % transformed – 3%) * Hosts yielding no transformation: Bluegill, Creek Chub, Mottled Sculpin 13) Villosa iris iris (April) Suitable hosts: Mottled Sculpin (days to transformation – 26; % transformed – not measured) * Smallmouth Bass (days to transformation – 26; % transformed – not measured) Hosts yielding no transformation: Banded Darter, Bluegill, Brook Stickleback, Central Stoneroller, Creek Chub, Johnny Darter, Rainbow Darter, Spotfin 	
 Suitable hosts: Rainbow Darter (days to transformation – 13; % transformed – 5%) * Red-eared Sunfish (days to transformation – 15; % transformed – 31%) Hosts yielding no transformation: Goldfish 12) <i>Toxolasma parvus</i> (June) Suitable hosts: Johnny Darter (days to transformation – 12; % transformed – 3%) * Hosts yielding no transformation: Bluegill, Creek Chub, Mottled Sculpin 13) <i>Villosa iris iris</i> (April) Suitable hosts: Mottled Sculpin (days to transformation – 26; % transformed – not measured) * Smallmouth Bass (days to transformation – 26; % transformed – not measured) Hosts yielding no transformation: Banded Darter, Bluegill, Brook Stickleback, Central Stoneroller, Creek Chub, Johnny Darter, Rainbow Darter, Spotfin 	Green Sunfish
 Rainbow Darter (days to transformation – 13; % transformed – 5%) * Red-eared Sunfish (days to transformation – 15; % transformed – 31%) Hosts yielding no transformation: Goldfish 12) <i>Toxolasma parvus</i> (June) Suitable hosts: Johnny Darter (days to transformation – 12; % transformed – 3%) * Hosts yielding no transformation: Bluegill, Creek Chub, Mottled Sculpin 13) <i>Villosa iris iris</i> (April) Suitable hosts: Mottled Sculpin (days to transformation – 26; % transformed – not measured) * Smallmouth Bass (days to transformation – 26; % transformed – not measured) Hosts yielding no transformation: Banded Darter, Bluegill, Brook Stickleback, Central Stoneroller, Creek Chub, Johnny Darter, Rainbow Darter, Spotfin 	11) Strophitus undulatus (April)
 Red-eared Sunfish (days to transformation – 15; % transformed – 31%) Hosts yielding no transformation: Goldfish 12) <i>Toxolasma parvus</i> (June) Suitable hosts: Johnny Darter (days to transformation – 12; % transformed – 3%) * Hosts yielding no transformation: Bluegill, Creek Chub, Mottled Sculpin 13) <i>Villosa iris iris</i> (April) Suitable hosts: Mottled Sculpin (days to transformation – 26; % transformed – not measured) * Smallmouth Bass (days to transformation – 26; % transformed – not measured) Hosts yielding no transformation: Banded Darter, Bluegill, Brook Stickleback, Central Stoneroller, Creek Chub, Johnny Darter, Rainbow Darter, Spotfin 	Suitable hosts:
 Hosts yielding no transformation: Goldfish 12) <i>Toxolasma parvus</i> (June) Suitable hosts: Johnny Darter (days to transformation – 12; % transformed – 3%) * Hosts yielding no transformation: Bluegill, Creek Chub, Mottled Sculpin 13) <i>Villosa iris iris</i> (April) Suitable hosts: Mottled Sculpin (days to transformation – 26; % transformed – not measured) * Smallmouth Bass (days to transformation – 26; % transformed – not measured) Hosts yielding no transformation: Banded Darter, Bluegill, Brook Stickleback, Central Stoneroller, Creek Chub, Johnny Darter, Rainbow Darter, Spotfin 	Rainbow Darter (days to transformation – 13; % transformed – 5%) *
Goldfish 12) <i>Toxolasma parvus</i> (June) Suitable hosts: Johnny Darter (days to transformation – 12; % transformed – 3%) * Hosts yielding no transformation: Bluegill, Creek Chub, Mottled Sculpin 13) <i>Villosa iris iris</i> (April) Suitable hosts: Mottled Sculpin (days to transformation – 26; % transformed – not measured) * Smallmouth Bass (days to transformation – 26; % transformed – not measured) Hosts yielding no transformation: Banded Darter, Bluegill, Brook Stickleback, Central Stoneroller, Creek Chub, Johnny Darter, Rainbow Darter, Spotfin	Red-eared Sunfish (days to transformation -15 ; % transformed -31 %)
 12) <i>Toxolasma parvus</i> (June) Suitable hosts: Johnny Darter (days to transformation – 12; % transformed – 3%) * Hosts yielding no transformation: Bluegill, Creek Chub, Mottled Sculpin 13) <i>Villosa iris iris</i> (April) Suitable hosts: Mottled Sculpin (days to transformation – 26; % transformed – not measured) * Smallmouth Bass (days to transformation – 26; % transformed – not measured) Hosts yielding no transformation: Banded Darter, Bluegill, Brook Stickleback, Central Stoneroller, Creek Chub, Johnny Darter, Rainbow Darter, Spotfin 	Hosts yielding no transformation:
 Suitable hosts: Johnny Darter (days to transformation – 12; % transformed – 3%) * Hosts yielding no transformation: Bluegill, Creek Chub, Mottled Sculpin 13) Villosa iris iris (April) Suitable hosts: Mottled Sculpin (days to transformation – 26; % transformed – not measured) * Smallmouth Bass (days to transformation – 26; % transformed – not measured) Hosts yielding no transformation: Banded Darter, Bluegill, Brook Stickleback, Central Stoneroller, Creek Chub, Johnny Darter, Rainbow Darter, Spotfin 	Goldfish
 Suitable hosts: Johnny Darter (days to transformation – 12; % transformed – 3%) * Hosts yielding no transformation: Bluegill, Creek Chub, Mottled Sculpin 13) Villosa iris iris (April) Suitable hosts: Mottled Sculpin (days to transformation – 26; % transformed – not measured) * Smallmouth Bass (days to transformation – 26; % transformed – not measured) Hosts yielding no transformation: Banded Darter, Bluegill, Brook Stickleback, Central Stoneroller, Creek Chub, Johnny Darter, Rainbow Darter, Spotfin 	12) Toxolasma parvus (June)
 Hosts yielding no transformation: Bluegill, Creek Chub, Mottled Sculpin 13) Villosa iris iris (April) Suitable hosts: Mottled Sculpin (days to transformation – 26; % transformed – not measured) * Smallmouth Bass (days to transformation – 26; % transformed – not measured) Hosts yielding no transformation: Banded Darter, Bluegill, Brook Stickleback, Central Stoneroller, Creek Chub, Johnny Darter, Rainbow Darter, Spotfin 	
 Hosts yielding no transformation: Bluegill, Creek Chub, Mottled Sculpin 13) Villosa iris iris (April) Suitable hosts: Mottled Sculpin (days to transformation – 26; % transformed – not measured) * Smallmouth Bass (days to transformation – 26; % transformed – not measured) Hosts yielding no transformation: Banded Darter, Bluegill, Brook Stickleback, Central Stoneroller, Creek Chub, Johnny Darter, Rainbow Darter, Spotfin 	Johnny Darter (days to transformation -12 ; % transformed -3%) *
 13) Villosa iris iris (April) Suitable hosts: Mottled Sculpin (days to transformation – 26; % transformed – not measured) * Smallmouth Bass (days to transformation – 26; % transformed – not measured) Hosts yielding no transformation: Banded Darter, Bluegill, Brook Stickleback, Central Stoneroller, Creek Chub, Johnny Darter, Rainbow Darter, Spotfin 	
Suitable hosts: Mottled Sculpin (days to transformation – 26; % transformed – not measured) * Smallmouth Bass (days to transformation – 26; % transformed – not measured) Hosts yielding no transformation: Banded Darter, Bluegill, Brook Stickleback, Central Stoneroller, Creek Chub, Johnny Darter, Rainbow Darter, Spotfin	Bluegill, Creek Chub, Mottled Sculpin
Suitable hosts: Mottled Sculpin (days to transformation – 26; % transformed – not measured) * Smallmouth Bass (days to transformation – 26; % transformed – not measured) Hosts yielding no transformation: Banded Darter, Bluegill, Brook Stickleback, Central Stoneroller, Creek Chub, Johnny Darter, Rainbow Darter, Spotfin	13) Villosa iris iris (April)
Smallmouth Bass (days to transformation – 26; % transformed – not measured) Hosts yielding no transformation: Banded Darter, Bluegill, Brook Stickleback, Central Stoneroller, Creek Chub, Johnny Darter, Rainbow Darter, Spotfin	
Smallmouth Bass (days to transformation – 26; % transformed – not measured) Hosts yielding no transformation: Banded Darter, Bluegill, Brook Stickleback, Central Stoneroller, Creek Chub, Johnny Darter, Rainbow Darter, Spotfin	
Hosts yielding no transformation: Banded Darter, Bluegill, Brook Stickleback, Central Stoneroller, Creek Chub, Johnny Darter, Rainbow Darter, Spotfin	
Banded Darter, Bluegill, Brook Stickleback, Central Stoneroller, Creek Chub, Johnny Darter, Rainbow Darter, Spotfin	
Sniner, Stonecat	Shiner, Stonecat

Specific Gravity and Freshwater Mussels

John J. Jenkinson, 305 Revere Avenue, Clinton, TN 37716 jjjenkinson@hotmail.com

Specific gravity (SG) can be defined as the relationship between the mass of an object and its volume. This physical characteristic is calculated by dividing the weight of an object by its displacement in water. By definition in the metric system, one gram of water occupies one milliliter of volume and, therefore, has an SG of 1.0. With regard to freshwater mussels and their habitats, SG is a quantitative way to compare the tendency of an animal to float higher or lower in the substrate than objects around it. I have not found any previous examination of SG in freshwater mussel literature.

During this exploratory study, I used a battery-powered postal scale (1g increments) to determine the weight of objects and a 100-ml graduated cylinder (1 ml increments) to determine their volume. Objects that would not fit into the graduated cylinder were put in a water-filled container, the overflow was collected, and the volume of that water was measured. All substrate materials were tested wet: either as they came from a waterbody or after soaking in water for at least 24 hours. All mussels were tested alive and prodded to ensure their shells had closed under water (without air in the mantle cavity).

So far, I have calculated SG values for 24 native mussel species, *Corbicula fluminea*, and examples of 15 actual or potential substrate materials (numerical results on reverse). SG values for substrate materials range from 1.2 (some coal rocks) to 11.9 (some lead weights). Most typical [= sedimentary] substrate materials have SG values between 2.0 and 2.5.

With regard to native mussels, SG values calculated so far range between 1.1 (*Alasmidonta arcula*) and 2.4 (*Obliquaria reflexa*). When several representatives of a species were tested, they strongly suggested that SG does not vary with size: small and large individuals (at least within the same population) yielded very similar SG values. I have not yet compared SG values among different populations of the same species.

As might be expected, representatives of the two (classic) Anodontine species that have been tested yielded low SG values, *most* of the eight Lampsiline species yielded mid-range values, and *most* of the 14 Unionine species yielded higher SG values. More interestingly, however, almost all of the species yielded SG values comparable to the SG values of the substrates where they are found in large numbers, regardless of their phylogenetic relationships. Coastal Plain and sand-dwelling species have low SG values (1.3 - 1.7, comparable to sand and clay) while big-river shoal-dwelling species have relatively high SG values (1.9 - 2.0, comparable to mixed [sedimentary] rocks).

These initial results suggest that native mussels maintain their position in the substrate, in part at least, because of the physical similarity of their SG to the SG of the surrounding particles. Changes in the SG of the substrate (e.g., after the introduction of much lighter coal particles) could create strictly physical conditions in which some species would be unable to maintain their normal position in the bottom.

Specific gravity appears to be an informative but, until now, overlooked physical characteristic of native mussel species. When evaluated more fully, SG probably will help explain the presence or absence of mussel species in various types of habitats, may point out unexpected variations in mussel behavior, and could help identify the principles controlling the range and apparent convergences in mussel shell shapes and ornamentation.

valve Species	N*	Specific Gravity Value	95% Confidence Interval	Substrate Materials	N *	Specific Gravity Value		
Alasmidonta arcula	12/4	1.15	± 0.07	Coal - Stream Rocks	12/4	1.24	Ì	
Pyganodon grandis	8/4	1.19	± 0.01	Coal - Stream Rocks	10/2	1.39		
Hamiota (=Lampsilis) altilis	15/5	1.34	± 0.06	Clay Hardpan	9/3	1.43		
Potamilus alatus	3/3	1.37	± 0.03	Clay Hardpan	9/3	1.48	••	
Cantheria spinosa	12/4	1.49	± 0.17	Fine Creek Sediment	10/2	1.68	••	
Lampsilis fasciola	3/2	1.55	± 0.10	Sand -Emory River, TN	15/3	1.80	••	
Villosa iris	2/2	1.56	± 0.41	Sand -Padre Island, TX	15/5	1.86	•	
Elliptio icterina	8/4	1.64	± 0.10	Creek Gravel	9/3	2.08	••	
Lampsilis teres	1/1	1.70		Limestone Riprap	3/1	2.24	••	
Corbicula fluminea	4/4	1.71	± 0.18	Rocks -Emory R., TN	20/5	2.28	**	
Megalonaias nervosa	3/3	1.76	± 0.04	Stained Glass Pieces	10/1	2.40		
Lampsilis claibornensis	1/1	1.88		Limestone Riprap	12/4	2.56	••	
Fusconaia subrotunda ?	2/2	1.91	± 0.03	Quartz Gravel	9/3	2.58	••	
Elliptio dilatata	1/1	1.91		Vermont Marble	10/2	2.59	••	
Amblema plicata	3/3	1.94	± 0.08	Steel/Iron	8/2	7.29	••	
Tritogonia verrucosa	5/5	1.94	± 0.26	Brass	4/1	7.53	•	
Quadrula metanevra	2/2	1.97	± 0.06	Copper	4/1	8.28	•	
Elliptio crassidens	15/13	1.97	± 0.05	Lead Fishing Weights	6/2	10.78	••	
Cyclonaias tuberculata	10/9	1.98	± 0.05	Lead Fishing Weights	6/2	11.97	••	
Plethobasus cooperianus	14/14	1.99	± 0.04	<u>.</u>		•		
Ellipsaria lineolata	8/6	1.99	± 0.08					
Quadrula pustulosa	13/8	2.03	± 0.08	*Number of Observations/Number of different animals or same				
Fusconaia ebena	10/6	2.03	± 0.10					
Pleurobema cordatum	4/4	2.05	± 0.05					
Obliquaria reflexa	2/2	2.43	± 0.04					

Specific Gravity Values for Some Freshwater Bivalves and Substrate Materials

FMCS 2004 Freshwater Mollusk Bibliography

Compiled by Kevin S. Cummings Illinois Natural History Survey, Champaign, Illinois

This bibliography lists freshwater mollusk papers that have been published up to and including 2004 and that have not appeared in previous FMCS bibliographies. Citations are split into five groups: Unionoida, Sphaeriidae, Corbiculidae, Other Bivalves, and Gastropoda. Papers that list taxa from more than one category are included in each group. A searchable database of over 15,000 references on freshwater mollusks (including all previous FMCS bibliographies on freshwater mollusks) is available on the web at

http://ellipse.inhs.uiuc.edu:591/mollusk/

To insure that papers are cited correctly, researchers are encouraged to send reprints to: Kevin S. Cummings, Illinois Natural History Survey, 607 E. Peabody Drive, Champaign, Illinois 61820 or ksc@inhs.uiuc.edu

UNIONOIDA (FRESHWATER MUSSELS)

- Abdallah, A.M., and D.R. Barton. 2004. Environmental factors controlling the distributions of benthic invertebrates on rocky shores of Lake Malawi, Africa. Journal of Great Lakes Research 29(Supplement 2):202-215.
- Anderson, B.C., T. Bell, P. Hodson, J. Marsalek, and W.E. Watt. 2004. Accumulation of trace metals in freshwater invertebrates in stormwater management facilities. Water Quality Research Journal of Canada 39(4):362-373.
- Anon. 2004. Virginia Tech opens new mollusk research center. Aquaculture 30(6):48.
- Attrill, M.J., S.D. Rundle, and R.M. Thomas. 1996. The influence of drought-induced low freshwater flow on an upper-estuarine macroinvertebrate community. Water Research 30(2):261-268.
- Badra, P.J. 2002. Freshwater mussel (Unionidae) survey of three sites in Duck and Kearsley Creeks, Genesee and Oakland Counties, Michigan. Report number MNFI 2002-22 Report to Tilton and Associates, Inc. 3 pp.
- Badra, P.J. 2004. Monitoring of clubshell (*Pleurobema clava*) populations and surveys for the Northern Riffleshell (*Epioblasma torulosa rangiana*) in Michigan. Report number MNFI 2004-17. Report to U.S. Fish and Wildlife Service. 11 pp.
- Badra, P.J. 2004. Aquatic animal life of the St. Joseph River (Maumee drainage, Hillsdale County, MI). Report number MNFI 2004-16. Report to U.S. Fish and Wildlife Service. 26 pp.
- Badra, P.J. 2004. Freshwater mussel surveys of Great Lakes tributary rivers in Michigan. Report number MNFI 2004-22. Report to Michigan Dept. of Environmental Quality, Coastal Management Program, Lansing, MI. 34 pp.
- Badra, P.J. 2004. Surveys for freshwater mussels (Unionidae) in the Bean Creek watershed, Hillsdale and Lenawee Counties, Michigan. Report number MNFI 2004-19. Report to the Mackinac Chapter of the Sierra Club. 8 pp.

- Badra, P.J., and R.R. Goforth. 2001. Surveys for the clubshell (*Pleurobema clava*) and other rare clams in Michigan: Final Report 2000. Report number MNFI 2001-07. Report to USFWS Region 3 Endangered Species Office, Twin Cities, MN. 59 pp.
- Badra, P.J., and R.R. Goforth. 2002. Surveys of native freshwater mussels in the lower reaches of Great Lakes tributary rivers in Michigan. Report number MNFI 2002-03. Report to Michigan Dept. of Environmental Quality, Coastal Zone Management Unit, Lansing, MI. 39 pp.
- Badra, P.J., and R.R. Goforth. 2003. Freshwater mussel surveys of Great Lakes tributary rivers in Michigan. Report number MNFI 2003-15. Report to Michigan Dept. of Environmental Quality, Coastal Zone Management Unit, Lansing, MI. 40 pp.
- Baker, A.M., F. Sheldon, J. Somerville, K.F. Walker, and J.M. Hughes. 2004. Mitochondrial DNA phylogenetic structuring suggests similarity between two morphologically plastic genera of Australian freshwater mussels (Unionoida: Hyriidae). Molecular Phylogenetics and Evolution 32(3):902-912.
- Barlocher, F., and H. Brendelberger. 2004. Clearance of aquatic hyphomycete spores by a benthic suspension feeder. Limnology & Oceanography 49(6):2292-2296.
- Beaty, B.B., and R.J. Neves. 2004. Use of a natural river water flow-through culture system for rearing juvenile freshwater mussels (Bivalvia: Unionidae) and evaluation of the effects of substrate size, temperature, and stocking density. American Malacological Bulletin 19(1-2):14-23.
- Blaylock-Herod, H.N. 2000. Community ecology of three freshwater mussel species (Bivalvia: Unionidae) from the New River, Suwanee drainage, Florida. M.S. Thesis. University of Florida 72 pp.
- Bogan, A.E., and J.M. Alderman. 2004. Workbook and key to the freshwater bivalves of South Carolina. North Carolina Museum of Natural Sciences, Raleigh, NC 64 pp. + 5 plates.
- Bordelon, V.L., and R.C. Harrel. 2004. Freshwater mussels (Bivalvia: Unionidae) of the Village Creek drainage basin in southeast Texas. Texas Journal of Science 56(1):63-72.
- Bowers, R., and F.A. De Szalay. 2004. Effects of hydrology on unionids (Unionidae) and zebra mussels (Dreissenidae) in a Lake Erie coastal wetland. American Midland Naturalist 151(2):286-300.
- Brown, P.L., R.A. Jeffree, and S.J. Markich. 1996. Kinetics of 45Ca, 60Co, 210Pb, 54Mn and 109Cd in the tissue of the freshwater bivalve *Velesunio angasii*: further development of a predictive and mechanistic model of metal bioaccumulation. Science of the Total Environment 188:139-166.
- Burr, B.M., J.T. Sipiorski, M.R. Thomas, K.S. Cummings, and C.A. Taylor. 2004. Fishes, mussels, crayfishes, and aquatic habitats of the Hoosier-Shawnee Ecological Assessment Area. pp. 109-171 in F.R. Thompson, III, (ed.). The Hoosier-Shawnee Ecological Assessment. General Technical Report NC-244. St. Paul Minnesota: U.S. Dept. of Agriculture, Forest Service, North Central Research Station 267 pp.

Butler, R.S., and R.G. Biggins. 2004. Recovery plan for Cumberland elktoe (*Alasmidonta atropurpurea*), oyster mussel (*Epioblasma capsaeformis*), Cumberland combshell (*Epioblasma brevidens*), purple bean (*Villosa perpurpurea*), and rough rabbitsfoot (*Quadrula cylindrica strigillata*).
U.S. Fish & Wildlife Service, Atlanta, Georgia. 168 pp.

Chadd, R., and C. Existence. 2004. The conservation of freshwater macroinvertebrate populations: a communitybased classification scheme. Aquatic Conservation: Marine and Freshwater Ecosystems 14:597-624.

Chaty, S., F. Rodius, and P. Vasseur. 2004. A comparative study of the expression of CYP1A and CYP4 genes in aquatic invertebrate (freshwater mussel, *Unio tumidus*) and vertebrate (rainbow trout, *Oncorhynchus mykiss*). Aquatic Toxicology 69(1):81-93.

Christian, A.D., J. Vouldin, N. Bickford, S.B. McCord, A. Sako, J. Faris, L. Kanieski, and A. McBride. 2004. Winter and spring water quality of the Big Creek watershed, Craighead County, Arkansas: Nutrients, habitat, and macroinvertebrates. Journal of the Arkansas Academy of Science 57:27-36.

Christian, A.D., B.N. Smith, D.J. Berg, J.C. Smoot, and R.H. Findlay. 2004. Trophic position and potential food sources of 2 species of unionid bivalves (Mollusca: Unionidae) in 2 small Ohio streams. Journal of the North American Benthological Society 23(1):101-113.

Coan, E.V., and A.R. Kabat. 2004. Annotated catalogue of malacological meetings, including symposia and workshops in malacology. Privately printed. 51 pp.

Conners, D.E., and M.C. Black. 2004. Evaluation of lethality and genotoxicity in the freshwater mussel *Utterbackia imbecillis* (Bivalvia: Unionidae) exposed singly and in combination to chemicals used in lawn care. Archives of Environmental Contamination and Toxicology 46(3):362-371.

Cowie, R.H., N.J. Cazzaniga, and M. Glauubrecht. 2004. The South American Mollusca of Johann Baptist Ritter von Spix and their publication by Johann Andreas Wagner. Nautilus 188(2):71-87.

Curole, J.P. 2004. Universal primers for the specific amplification of the male mitotype of the Unionoidea (Bivalvia). Conservation Genetics 5(5):733-735.

Curole, J.P., D.W. Foltz, and K.A. Brown. 2004. Extensive allozyme monomorphism in a threatened species of freshwater mussel, *Margaritifera hembeli* Conrad (Bivalvia: Margaritiferidae). Conservation Genetics 5(2):271-278.

Das, S., and B.B. Jana. 2004. Distribution pattern of ambient cadmium in wetland ponds distributed along an industrial complex. Chemosphere 55(2):175-185.

Davidson, C.L., and D. Gosse. 2004. Status and distribution of freshwater mussels (Unionacea) inhabiting the Saline River/Holly Creek Bottoms Area, Saline County, Arkansas. Journal of the Arkansas Academy of Science 57(2003):187-192.

de Lange, H.J., J. de Jonge, P.J. den Besten, J. Oosterbaan, and E.T.H.M. Peeters. 2004. Sediment pollution and predation affect structure and production of benthic macroinvertebrate communities in the Rhine-Meuse delta, The Netherlands. Journal of the North American Benthological Society 23(3):557-579. Dettman, D.L., A.K. Reische, and K.C. Lohmann. 1999. Controls on the stable isotope composition of seasonal growth bands in aragonitic fresh-water bivalves (Unionidae). Geochimica et Cosmochimica Acta 63(7-8):1049-1057.

Drent, J., P.C. Luttikhuizen, and T. Piersma. 2004. Morphological dynamics in the foraging apparatus of a deposit feeding marine bivalve: phenotypic plasticity and heritable effects. Functional Ecology 18(3):349-356.

Edwards, D.D. 2004. Effects of low pH and high temperature on hatching and survival of the water mite *Unionicola foili* (Acari: Unionicolidae). Proceedings of the Indiana Academy of Science 113(1):26-32.

Evans, R., and R. Coxe. 2004. The freshwater mussels (Bivalvia: Unionidae) of the Shenango River: past and present. (Abstract). Journal of the Pennsylvania Academy of Science 77:130-131.

Focarelli, R., M.G. Grace, R. Seraglia, and F. Rosati. 1997. A nonglycosylated, 68-kDa alpha-L-Fucosidase is bound to the mollusc bivalve *Unio elongatulus* sperm plasma membrane and differs from a glycosated 56-kDa form present in the seminal fluid. Biochemical and Biophysical Research Communications 234:54-58.

Gagne, F., C. Blaise, and J. Hellou. 2004. Endocrine disruption and health effects of caged mussels, *Elliptio complanata*, placed downstream from a primary-treated municipal effluent plume for 1 year. Comparative Biochemistry & Physiology. C. Toxicology & Pharmacology 138(1):33-44.

Gagne, F., M. Fournier, and C. Blaise. 2004. Serotonergic effects of municipal effluents: Induced spawning activity in freshwater mussels. Fresenius Environmental Bulletin 13(11A):1099-1103.

Gagnon, P., S.W. Golladay, W.K. Michener, and M.C. Freeman. 2004. Drought responses of freshwater mussels (Unionidae) in coastal plain tributaries of the Flint River Basin, Georgia. Journal of Freshwater Ecology 19(4):667-679.

Golladay, S.W., P. Gagnon, M. Kearns, J.M. Battle, and D.W. Hicks. 2004. Response of freshwater mussel assemblages (Bivalvia: Unionidae) to a record drought in the Gulf Coastal Plain of southwestern Georgia. Journal of the North American Benthological Society 23(3):494-506.

Good, S.C. 2004. Paleoenvironmental and paleoclimatic significance of freshwater bivalves in the Upper Jurassic Morrison Formation, Western Interior, USA. Sedimentary Geology 167(3-4):163-176.

Gridsada, D., Y. Unakornsawat, P. Rattanadaeng, C. Sutcharit, I. Kong, O. Bang, and S. Panha. 2003. A new species of *Solenaia* from Thailand (Bivalvia: Unionidae: Ambleminae). Natural History Journal of Chulalongkrn University 3(2):53-58.

Gundacker, C. 2000. Comparison of heavy metal bioaccumulation in freshwater molluscs of urban river habitats in Vienna. Environmental Pollution 110:61-71.

Gurevitch, J., and D.K. Padilla. 2004. Response to Ricciardi. Assessing species invasions as a cause of extinction. Trends in Ecology and Evolution 19(12):620. Gurevitch, J., and D.K. Padilla. 2004. Are invasive species a major cause of extinctions? Trends in Ecology and Evolution 19(9):470-474.

Hada, N., T. Takeda, and Y. Ogihara. 1994. Synthetic studies on oligosaccharide of a glycolipid from the spermatozoa of bivalve IX. Synthesis of lipids I, II, and IV. Carbohydrate Research 258:93-104.

Hamilton, S.K., J.L. Tank, D.E. Raikow, E.R. Siler, N.J. Dorn, and N.E. Leonard. 2004. The role of instream vs allochthonous N in stream food webs: modeling the results of an isotope addition experiment. Journal of the North American Benthological Society 23(3):429-448.

Hanlon, S.D., and J.F. Levine. 2004. Notes on the life history and demographics of the Savannah lilliput (*Toxolasma pullus*) (Bivalvia: Unionidae) in University Lake, NC. Southeastern Naturalist 3(2):289-296.

Hart, R.A., J.W. Grier, and A.C. Miller. 2004. Simulation models of harvested and zebra mussel colonized threeridge mussel populations in the Upper Mississippi River. American Midland Naturalist 151(2):301-317.

Hastie, L.C., S.L. Cooksley, F. Scougall, M.R. Young, P.J. Boon, and M.J. Gaywood. 2004. Applications of extensive survey techniques to describe freshwater pearl mussel distribution and macrohabitat in the River Spey, Scotland. River Research and Application 20(8):1001-1013.

Heath, D., R. Benjamin, K. von Rudin, and J. Janvrin. 2004. A survey of freshwater mussel aggregations on the Lower Black River, Wisconsin. Final Report. Wisconsin Dept. of Natural Resources, LaCrosse, Wisconsin 57 pp.

Helms, D. 2004. The first monitoring survey at the BP pipeline crossing site on the Kankakee River near Wilmington, Illinois. Final Report prepared for Stanley Consultants, Inc., Coralville, Iowa 14 pp + 3 appendices

Helms, D. 2004. Results of the first mussel/sediment monitoring survey for the J.T. Cullen barge docking site located at Mississippi River Pool 14, river mile 518.8, Whiteside County, Illinois. Final Report prepared for J.T. Cullen Company, Inc., Fulton, Illinois 17 pp + appendices.

Helms, D. 2004. Results of the first mussel monitoring survey at the River Trading Company dock facility, Mississippi River Pool 17 (river mile 451) near Muscatine, Iowa. Final Report prepared for River Trading Company, Maple Grove, Minnesota 21 pp + appendices.

Henley, W.F. 2004. A guide to sampling freshwater mussel populations (Review). Fisheries 29(5):41.

Hoke, E. 2004. The freshwater mussels (Mollusca: Bivalvia: Unionidae) of the Little Blue River drainage of northeastern Kansas and southeastern Nebraska. Transactions of the Nebraska Academy of Sciences 29:7-24.

Hovingh, P. 2004. Intermountain freshwater mollusks, USA (*Margaritifera*, *Anodonta*, *Gonidea*, *Vavata*, *Ferrissia*):
Geography, conservation, and fish management implications. Monographs of the Western North American Naturalist 2:109-135.

Hubbs, D.W. 2004. 2003 statewide commercial mussel report. Tennessee Wildlife Resources Agency, Fisheries Report 04-11:iii-29.

Huff, S.W., D. Campbell, D.L. Gustafson, C. Lydeard, C.R. Altaba, and G. Giribet. 2004. Investigations into the phylogenetic relationships of freshwater pearl mussels (Bivalvia: Margaritiferidae) based on molecular data: Implications for their taxonomy and biogeography. Journal of Molluscan Studies 70(4):379-388.

Hughes, J., A.M. Baker, C. Bartlett, S. Bunn, K. Goudkamp, and J. Somerville. 2004. Past and present patterns of connectivity among populations of four cryptic species of freshwater mussels *Velesunio* spp. (Hyriidae) in central Australia. Molecular Ecology 13(10):3197-3212.

Jass, J., and J. Glenn. 2004. Sexual dimorphism in *Lampsilis siliquoidea* (Barnes, 1823) (Bivalvia: Unionidae). American Malacological Bulletin 18(1-2):45-47.

Johnson, R.I. 2004. The rise and fall of the Boston Society of Natural History. Northeastern Naturalist 11(1):81-108.

Jones, J.W. 2004. A holistic approach to taxonomic evaluation of two closely related endangered freshwater mussel species, the oyster mussel (*Epioblasma capsaeformis*) and tan riffleshell (*Epioblasma florentina walkeri*) (Bivalvia: Unionidae). M.S. Thesis. Virginia Tech. University 191 pp.

Jones, J.W., M. Culver, V. David, J. Struthers, N.A. Johnson, R.J. Neves, S.J. O'Brien, and E.M. Hallerman. 2004. Development and characterization of microsatellite loci in the endangered oyster mussel *Epioblasma capsaeformis* (Bivalvia: Unionidae). Molecular Ecology Notes 4(4):649-652.

Jones, J.W., R.J. Neves, S.A. Ahlstedt, and R.A. Mair. 2004. Life history and propagation of the endangered dromedary pearlymussel (*Dromus dromas*) (Bivalvia: Unionidae) Journal of the North American Benthological Society 23(3):515-525.

Keller, A.E., D.S. Ruessler, and C.M. Chaffee. 1998. Testing the toxicity of sediments contaminated with diesel fuel using glochidia and juvenile mussels (Bivalvia, Unionidae). Aquatic Ecosystem Health and Management 1:37-47.

Klocker, C.A., and D.L. Strayer. 2004. Interactions among an invasive crayfish (*Orconectes rusticus*), a native crayfish (*Orconectes limosus*), and native bivalves (Sphaeriidae and Unionidae). Northeastern Naturalist 11(2):167-178.

Krebs, R.A. 2004. Combining paternally and maternally inherited mitochondrial DNA for analysis of population structure in mussels. Molecular Ecology 13(6):1701-1705.

Lableniec, M., and T. Gabryelak. 2004. Response of DNA, proteins and membrane bilayer in the digestive gland cells of freshwater mussel *Unio tumidus* to tannins exposure. Toxicology in Vitro 18(6):773-781.

Lewter, J.A., A.L. Szalanski, and T. Yamashita. 2004. DNA sequence analysis of the freshwater mussels *Lampsilis hydiana* (Bivalvia: Unionidae) in select Ozark and Ouachita mountain streams of Arkansas. Journal of the Arkansas Academy of Science 57(2003):216-220.

Lima, P., F. Carvalho, V. Vasconcelos, and J. Machado. 2004. Studies on growth in the early adult of the freshwater mussel, *Anodonta cygnea*. Invertebrate Reproduction & Development 45(2):117-125.

Lydeard, C., R.H. Cowie, W.F. Ponder, A.E. Bogan, P. Bouchet, S.A. Clark, K.S. Cummings, T.J. Frest, O. Gargominy, D.G. Herbert, R. Hershler, K.E. Perez, B. Roth, M. Seddon, E.E. Strong, and F.G. Thompson. 2004. The global decline of nonmarine mollusks. Bioscience 54(4):321-330.

Martin, S.M. 2004. Autobiography of Norman Wallace Lermond, Maine's Naturalist/Socialist. Northeastern Naturalist 11(2):197-228.

McGregor, S.W., and J.T. Garner. 2004. Changes in the freshwater mussel (Bivalvia: Unionidae) fauna of the Bear Creek system of northwest Alabama and northeast Mississippi. American Malacological Bulletin 18(1-2): 61-70.

McGregor, S.W., and W.R. Haag. 2004. Freshwater mussel (Bivalvia: Unionidae) and habitat conditions in the upper Tombigbee River System, Alabama and Mississippi, 1993-2001. Geological Survey of Alabama Bulletin 176:1-75.

McRae, S.E., D. Allan, and J.B. Burch. 2004. Reach- and catchment-scale determinants of the distribution of freshwater mussels (Bivalvia: Unionidae) in south-eastern Michigan, USA. Freshwater Biology 49(2):127-142.

Meyer, J.L., L.A. Kaplan, D. Newbold, D L. Strayer, C.J. Woltemade, J.B. Zedler, R. Beilfuss, Q. Carpenter, R. Semlitsch, M.C. Watzin, and P.H. Zedler. 2003. Where rivers are born: The scientific imperative for defending small streams and wetlands. American Rivers and The Sierra Club, Washington, D.C. 23 pp.

Mienis, H.K. 2004. Aquatic Molluscs. pp 332-334 in P. Figueras (ed.). Horvat Karkur 'Illit. Beer-Sheva Arcaeological Monographs 1:332-334.

Mienis, H.K. 2004. Additions to the mollusc fauna of the Broekermeer, the Netherlands. Spirula 340:93.

Mienis, H.K. 2004. The Nile mussel *Aspatharia rubens* has got a new name: *Chambardia rubens arcuata*. The Archaeo+Malacology Group Newsletter 6:4.

Miller, A.C., and B.S. Payne. 2004. Reducing risks of maintenance dredging on freshwater mussels (Unionidae) in the Big Sunflower River, Mississippi. Journal of Environmental Management 73(2):147-154.

Mills, S.C., and J.D. Reynolds. 2004. The importance of species interactions in conservation: the endangered European bitterling *Rhodeus sericeus* and its freshwater mussel hosts. Animal Conservation 7(Part 3):257-263.

Mirarchi, R.E., J.T. Garner, M.F. Mettee, and P.E. O'Neil (eds.). 2004. Alabama Wildlife. Volume 2. Imperiled aquatic mollusks and fishes. University of Alabama Press, Tuscaloosa 255 pp.

Mock, K.E., J.C. Brim-Box, M.P. Miller, M.E. Downing, and W.R. Hoeh. 2004. Genetic diversity and divergence among freshwater mussel (*Anodonta*) populations in the Bonneville Basin of Utah. Molecular Ecology 13:1085-1098.

Morales, J.J., A.I. Negro, M. Lizana, A. Martinez, and J. Palacios. 2004. Preliminary study of the endangered populations of pearl mussel *Margaritifera margaritifera* (L.) in the River Tera (north-west Spain): habitat analysis and management considerations. Aquatic Conservation: Marine and Freshwater Ecosystems 14:587-596.

Mueller, C.R., A.G. Eversole, H. Turker, and D.E. Brune. 2004. Effect of silver carp *Hypophthalmichthys molitrix* and freshwater mussel *Elliptio complanata* filtration on the phytoplankton community of partitioned aquaculture system units. Journal of the World Aquaculture Society 35(3):372-382. Nagel, K.-O. 2004. Observations on the reproductive period of the freshwater mussel *Potomida littoralis* (Unionidae). Iberus 22(2):1-8.

Negri, A.P., and G.J. Jones. 1995. Bioaccumulation of paralytic shellfish poisoning (PSP) toxins from the cyanobacterium *Anabaena circinalis* by the freshwater mussel *Alathyria condola*. Toxicon 33(5):667-678.

Neves, R.J. 2004. Book Review. A guide to the freshwater mussels of Kentucky. Cicerello and Schuster, 2003. Journal of the North American Benthological Society 23(2):394-395.

O'Rourke, S., K.G. Drouillard, and G.D. Haffner. 2004. Determination of laboratory and field elimination rates of polychlorinated biphenyls (PCBs) in the freshwater mussel, *Elliptio complanata*. Archives of Environmental Contamination & Toxicology 47(1):74-83.

Orlova, M.I., and V.E. Panov. 2004. Establishment of the zebra mussel, *Dreissena polymorpha* (Pallas), in the Neva Estuary (Gulf of Finland, Baltic Sea): distribution, population structure and possible impact on local unionid bivalves. Hydrobiologia 514(1-3):207-217.

Ottino, P., and P. Giller. 2004. Distribution, density, diet and habitat use of the otter in relation to land use in the Araglin Valley, Southern Ireland. Biology and Environment: Proceedings of the Royal Irish Academy 104B(1):1-17.

Parmalee, P.W., and R.R. Polhemus. 2004. Prehistoric and pre-impoundment populations of freshwater mussels (Bivalvia: Unionidaue [sic]) in the South Fork Holston River, Tennessee. Southeastern Naturalist 3(2):231-240.

Peeples, G.E. 2004. Dick Biggins, recovery hero. Endangered Species Bulletin 28(4):24-25.

Pereira, P., E. Dias, S. Franca, E. Pereira, M. Carolino, and V. Vasconcelos. 2004. Accumulation and depuration of cyanobacterial paralytic shellfish toxins by the freshwater mussel *Anodonta cygnea*. Aquatic Toxicology 68(4):339-350.

Ponder, W.F., and M. Bayer. 2004. A new species of Lortiella (Mollusca: Bivalvia: Unionoidea: Hyriidae) from northern Australia. Molluscan Research 24(2):89-102.

Poole, K.E., and J.A. Downing. 2004. Relationship of declining mussel biodiversity to stream-reach and watershed characteristics in an agricultural landscape. Journal of the North American Benthological Society 23(1):114-125.

Prezant, R.S., and E.J. Chapman. 2004. Freshwater molluscs of the United States Military Academy drainages (West Point, NY) and comparative regional biodiversity of gastropods. Northeastern Naturalist 11(3):273-294.

Reichard, M., C. Smith, and W.C. Jordan. 2004. Genetic evidence reveals density-dependent mediated success of alternative mating behaviours in the European bitterling (*Rhodeus sericeus*). Molecular Ecology 13(6):1569-1578.

Renaud, C.B., A.L. Martel, K.L.E. Kaiser, and M.E. Comba. 2004. A comparison of organochlorine contaminant levels in the zebra mussel, *Dreissena polymorpha*, versus its unionid attachment, *Elliptio complanata*, in the Rideau River, Ontario. Water Quality Research Journal of Canada 39(2):83-92.

Ricciardi, A. 2004. Assessing species invasions as a cause of extinction. Trends in Ecology and Evolution 19(12):619.

Sabine, D.L., S. Makepeace, and D.F. McAlpine. 2004. The yellow lampmussel (*Lampsilis cariosa*) in New Brunswick: A population of significant conservation value. Northeastern Naturalist 11(4):407-420.

Saker, M.L., J.S. Metcalf, G.A. Codd, and V.M. Vasconcelos. 2004. Accumulation and depuration of the cyanobacterial toxin cylindrospermopsin in the freshwater mussel *Anodonta cygnea*. Toxicon 43(2):185-194.

Schanzle, R.W., G.W. Kruse, J.A. Kath, R.A. Klocek, and K.S. Cummings. 2004. The freshwater mussels (Bivalvia: Unionidae) of the Fox River basin, Illinois and Wisconsin. Illinois Natural History Survey Biological Notes 141:1-35.

Schone, B.R., E. Dunca, H. Mutvei, and U. Norlund. 2004. A 217-year record of summer air temperature reconstructed from freshwater pearl mussels (*M. margaritifera*, Sweden). Quaternary Science Reviews 23:1803-1816.

Sethi, S.A., A.R. Selle, M.W. Doyle, E.H. Stanley, and H.E. Kitchel. 2004. Response of unionid mussels to dam removal in Koshkonong Creek, Wisconsin. Hydrobiologia 525:157-165.

Sherraden-Chance, S.A., and D.R. Edds. 2004. Mussel assemblages in a developing oxbow and a newly-cut channel of the Neosho River, Kansas. American Midland Naturalist 152(2):347-359.

Sherraden, S.A 2002. Mussel assemblages in a developing oxbow and a newly-cut channel of the Neosho River, Kansas. M.S. Thesis. Emporia State University, Emporia, Kansas 26 pp.

Siegele, R., I. Orlic, D.D. Cohen, S.J. Markich, and R.A. Jeffree. 2001. Manganese profiles in freshwater mussel shells. Nuclear Instruments and Methods in Physics Research B 181:593-597.

Sietman, B.E., E.A. Anderson, R. Nyboer, and F.R. Hutto. 2004. Native freshwater mussels (Bivalvia: Unionidae) and infestation by zebra mussels at the Lost Mound Unit of the Upper Mississippi River National Wildlife and Fish Refuge. Transactions of the Illinois State Academy of Science 97(3-4):234-254.

Simmons, B. 2004. Mussel treasure. Kansas Wildlife and Parks 61(2):11-14.

Smith, C., M. Reichard, P. Jurajda, and M. Przybylski. 2004. The reproductive ecology of the European bitterling (*Rhodeus sericeus*). Journal of Zoology (London) 262(2):107-124.

Souza do Vale, R., C.R. Beasley, and C.H. Tagliaro. 2004. Seasonal variation in the reproductive cycle of a neotropical freshwater mussel (Hyriidae). American Malacological Bulletin 18(1-2):71-78.

Stewart, P.M., D.N. Shelton, J.M. Miller, M.M. Pilarczyk, and W.H. Heath. 2004. Continued biological investigations (fish and mussel) of the Conecuh River near and below the Point A and Gantt Reservoirs, and two sites each on the Upper Conecuh, Patsaliga Creek, and Sepulga River in southern Alabama. Report to the Alabama Electric Cooperative as part of the Gantt and Point A Hydroelectric Project Relicensing Agreement for Federal Energy Regulatory Commission Project Number 2586-023 pp.1-64.

Stone, J., S. Barndt, and M. Gangloff. 2004. Spatial distribution and habitat use of the western pearlshell mussel

(*Margaritifera falcata*) in a western Washington stream. Journal of Freshwater Ecology 19(3):341-352.

Strayer, D. 2004. The crisis for freshwater invertebrates. Wings. Essays on Invertebrate Conservation, The Xerces Society Fall:6-11.

Strayer, D.L., and D.R. Smith. 2003. A guide to sampling freshwater mussel populations. American Fisheries Society Monograph 8, Bethesda, Maryland 103 pp.

Strayer, D.L., J.A. Downing, W.R. Haag, T.L. King, J.B. Layzer, T.J. Newton, and S.J. Nichols. 2004. Changing perspectives on pearly mussels, North America's most imperiled animals. Bioscience 54(5):429-439.

Strenth, N.E., R.G. Howells, and A. Correa-Sandoval. 2004. New records of the Texas hornshell *Popenaias popeii* (Bivalvia: Unionidae) from Texas and northern Mexico. Texas Journal of Science 56(3):223-230.

Swift, M.C., and G.E. Wagenbach. 1999. A survey of mussel faunas in the Cannon River and Superior National Forest. Final Report. Prepared for the Minnesota Department of Natural Resources 39 pp.

Tablado, A., and J. Mantinian. 2004. Catalogo de ejemplares tipo de la Division Invertebrados del Museo Argentino de Ciencias naturales. II. Mollusca. Revista del Museo Argentino de Ciencias Naturales, N.S. 6(2):363-384.

Thorsen, W.A., D. Forestier, T. Sandifer, P.R. Lazaro, W.G. Cope, and D. Shea. 2004. Elimination rate constants of 46 polycyclic aromatic hydrocarbons in the unionid mussel, *Elliptio complanata*. Archives of Environmental Contamination and Toxicology 47(3):332-340.

Tiemann, J.S., and B.L. Tiemann. 2004. A review of the fishes and freshwater mussels of the Tippecanoe River basin in Indiana, with comments on freshwater mussel life history. American Currents 30(3):7-13.

U.S. Fish and Wildlife Service. 2004. Higgins Eye pearlymussel (*Lampsilis higginsii*) recovery plan: First revision. Prepared by Higgins' Eye Recovery Team, for U.S. Fish and Wildlife Service, Ft. Snelling, Minnesota 126 pp.

U.S. Fish and Wildlife Service. 2004. Scaleshell mussel draft recovery plan (*Leptodea leptodon*). U.S. Fish & Wildlife Service, Fort Snelling, Minnesota 90 pp.

Vasseur, P., and C. Leguille. 2004. Defense systems of benthic invertebrates in response to environmental stressors. Environmental Toxicology 19(4):433-436.

Vaughn, C.C. 2003. The mussel fauna of the Glover River, Oklahoma. Proceedings of the Oklahoma Academy of Science 83(2003):1-6.

Vaughn, C.C., and D.E. Spooner. 2004. Status of the mussel fauna of the Poteau River and implications for commercial harvest American Midland Naturalist 152(2):336-346.

Vaughn, C.C., K.B. Gido, and D.E. Spooner. 2004. Ecosystem processes performed by unionid mussels in stream mesocosms: species roles and effects of abundance. Hydrobiologia 527(1):35-47.

Villella, R.F., D.R. Smith, and D.P. Lemarie. 2004. Estimating survival and recruitment in a freshwater mussels population using mark-recapture techniques. American Midland Naturalist 151(1):114-133.

Wagner, A., and J. Boman. 2004. Biomonitoring of trace elements in Vietnamese freshwater mussels.

Spectrochimica Acta Part B-Atomic Spectroscopy 59(8):1125-1132.

Walks, D.J., and H. Cyr. 2004. Movement of plankton through lake-stream systems. Freshwater Biology 49(6):745-759.

Waller, D.L., T.D. Bills, M.A. Boogaard, D.A. Johnson, and T.C.J. Doolittle. 2004. Effects of lampricide exposure on the survival, growth, and behavior of the unionid mussels *Elliptio complanata* and *Pyganadon cataracta*. Journal of Great Lakes Research 29(Supplement 1):542-551.

Wesselingh, F.P., M.E. Rasanen, G. Irion, H.B. Vonhof, R. Kaandorp, and E. Renema. 2001. Lake Pebas: a palaeological reconstruction of a Miocene, long-lived lake complex in western Amazonia. Cainozoic Research 1(1-2):35-81.

Whaley, R.A., A.M. Cvancara, and K.A. Lippincott. 2004. House of pearl. Wyoming Wildlife 68(7):12-17.

Woznicki, P. 2004. Chromosomes of the Chinese mussel *Anodonta woodiana* (Lea 1834) (Bivalvia, Unionidae) from the heated Konin Lakes system in Poland. Malacologia 46(1):205-209.

Woznicki, P., and M. Jankun. 2004. Chromosome study of *Anodonta anatina* (L., 1758) (Bivalvia, Unionidae). Folia Biologica 52(3-4):171-174.

Woznicki, P., M. Jankun, and A.M. Wisniewska. 2004. A new in vivo method for increasing the mitotic index for teleost fish. Caryologia 57(3):259-261.

Wu,-X., -Y. Liang, and -H. Wang. 1999. A comparative study on glochidial morphology of Unionidae (Bivalvia). 1. Unio douglasiae, Cuneopsis pisciulus, Acuticosta chinensis and Acuticosta ovata. Acta Hydrobiologica Sinica 23(2):141-145.

SPHAERIIDAE (FINGERNAIL AND PILL CLAMS)

Attrill, M.J., S.D. Rundle, and R.M. Thomas. 1996. The influence of drought-induced low freshwater flow on an upper-estuarine macroinvertebrate community. Water Research 30(2):261-268.

Auer, N.A., and J.E. Kahn. 2004. Abundance and distribution of benthic invertebrates, with emphasis on *Diporeia*, along the Keweenaw Peninsula, Lake Superior. Journal of Great Lakes Research 30(Suppl. 1):340-359.

Barton, D.R. 2004. Differences in wave-zone benthic invertebrate communities in Lake Huron and Georgian Bay, 1974-2003. Journal of Great Lakes Research 30(4):508-518.

Beekey, M.A., and D.J. Hornbach. 2004. The effect of sizelimited brood capacity on brood size in a freshwater bivalve. American Midland Naturalist 151(2):274-285.

Beekey, M.A., and R.H. Karlson. 2004. Apparent sibling rivalry in the freshwater fingernail clam *Sphaerium striatinum*. Behavioral Ecology & Sociobiology 57(1):17-22.

Bogan, A.E., and J.M. Alderman. 2004. Workbook and key to the freshwater bivalves of South Carolina. North Carolina Museum of Natural Sciences, Raleigh, NC 64 pp. + 5 plates.

Buebner, C.B., and M.R. Vinson. 2004. Groundwater invertebrate fauna of the Bear River Range, Utah. Western North American Naturalist 64(1):131-134. Chadd, R., and C. Existence. 2004. The conservation of freshwater macroinvertebrate populations: a communitybased classification scheme. Aquatic Conservation: Marine and Freshwater Ecosystems 14:597-624.

Christian, A.D., J. Vouldin, N. Bickford, S.B. McCord, A. Sako, J. Faris, L. Kanieski, and A. McBride. 2004. Winter and spring water quality of the Big Creek watershed, Craighead County, Arkansas: Nutrients, habitat, and macroinvertebrates. Journal of the Arkansas Academy of Science 57:27-36.

De Mattia, W. 2003. Subterranean Mollusca of the Trieste's Karst (Friuli - Venezia Giulia, Italy) (Gastropoda: Prosobranchia, Basommatophora, Stylommatophora; Bivalvia: Pteriodea). Check-list of species, taxonomy, systematic, ecology, and biogeography. Atti. Mus. Civ. Stor. Nat., Trieste 50:89-218.

Dugel, M., and N. Kazanci. 2004. Assessment of water quality of the Büyük Menderes River (Turkey) by using ordination and classification of macroinvertebrates and environmental variables. Journal of Freshwater Ecology 19(4):605-612.

Gong, Z.J., Y.L. Li, and P. Xie. 2004. Life history and production of *Sphaerium lacustre* (Mollusca: Sphaeriidae) in a shallow subtropical Chinese lake. Journal of Freshwater Ecology 19(4):709-711.

Guralnick, R. 2004. Life-history patterns in the brooding freshwater bivalve *Pisidium* (Sphaeriidae). Journal of Molluscan Studies 70(4):341-351.

Guralnick, R., E. Hall, and S. Perkins. 2004. A comparative approach to understanding causes and consequences of mollusc-digenean size relationships: A case study with allocreadiid trematodes and *Cyclocalyx* clams. Journal of Parasitology 90(6):1253-1262.

Horsak, M., and K. Neumanova. 2004. Distribution of *Pisidium globulare* Clessin, 1873 (Mollusca: Bivalvia) in the Czech Republic and Slovakia with notes to its ecology and morphological characters. Journal of Conchology 38(Part 4):373-381.

Ituarte, C.F. 2004. Sphaeriidae (Bivalvia) from Peruvian Amazon floodplains, with the description of *Pisidium iquito* new species. Nautilus 118(4):167-174.

Johnson, R.K., W. Goedkoop, and L. Sandin. 2004. Spatial scale and ecological relationships between the macroinvertebrate communities of stony habitats of streams and lakes. Freshwater Biology 49(9):1179-1194.

Kirkagac, M.U., S. Pulatsu, and G. Koksal. 2004. Effects of land-based trout farms on the benthic macroinvertebrate community in a Turkish brook. Israeli Journal of Aquaculture-Bamidgeh 56(1):59-67.

Klocker, C.A., and D.L. Strayer. 2004. Interactions among an invasive crayfish (*Orconectes rusticus*), a native crayfish (*Orconectes limosus*), and native bivalves (Sphaeriidae and Unionidae). Northeastern Naturalist 11(2):167-178.

Kornyushin, A.V. 2004. Revision of the type collection of W. Dybowski and notes on the fauna and taxonomy of small bivalves (Bivalvia, Sphaeriidae) from Lake Baikal [Russian]. Zoologichesky Zhurnal 83(3):275-287.

Lee, T. 2004. Morphology and phylogenetic relationships of genera of North American Sphaeriidae (Bivalvia, Veneroida). American Malacological Bulletin 19(1-2):1-13.

Mérigoux, S., and S. Dolédec. 2004. Hydraulic requirements of stream communities: a case study on invertebrates. Freshwater Biology 49(4):600-613.

Mienis, H.K. 2004. When shells begin to talk archaeomalacology: An important tool for the archaeologist with examples from the excavation of Mallaha, Hula Valley, Israel. pp. 111-116 in B Öztürk, and A. Salman (eds.). 1st National Malacology Congress, Izmir, Turkey. Turkish Journal of Aquatic Life 2(2):111-116

Mouthon, J. 2004. Life cycle of *Musculium lacustre* (Bivalvia: Sphaeriidae) in the Saone River at Lyon (France): a curious life strategy. Annales de Limnologie-International Journal of Limnology 40(4):279-284.

Mouthon, J., and M. Magny. 2004. Malacological history of Lake Annecy (France): a comparison of Late Holocene (since 4700 BC) and present mollusc assemblages. Archiv fur Hydrobiologie 160(4):555-573.

O'Rourke, S., K.G. Drouillard, and G.D. Haffner. 2004. Determination of laboratory and field elimination rates of polychlorinated biphenyls (PCBs) in the freshwater mussel, *Elliptio complanata*. Archives of Environmental Contamination & Toxicology 47(1):74-83.

Prezant, R.S., and E.J. Chapman. 2004. Freshwater molluscs of the United States Military Academy drainages (West Point, NY) and comparative regional biodiversity of gastropods. Northeastern Naturalist 11(3):273-294.

Stanczak, M., and J.B. Keiper. 2004. Benthic invertebrates in adjacent created and natural wetlands in northeastern Ohio, USA. Wetlands 24(1):212-218.

Tablado, A., and J. Mantinian. 2004. Catalogo de ejemplares tipo de la Division Invertebrados del Museo Argentino de Ciencias naturales. II. Mollusca. Revista del Museo Argentino de Ciencias Naturales, N.S. 6(2):363-384.

Tzilkowski, C.J., and J.R. Stauffer, Jr. 2004. Biology and diet of the northern madtom (*Noturus stigmosus*) and stonecat (*Noturus flavus*) in French Creek, Pennsylvania. Journal of the Pennsylvania Academy of Science 78(1):3-11.

Wesselingh, F.P., M.E. Rasanen, G. Irion, H.B. Vonhof, R. Kaandorp, and E. Renema. 2001. Lake Pebas: a palaeological reconstruction of a Miocene, long-lived lake complex in western Amazonia. Cainozoic Research 1(1-2):35-81.

CORBICULIDAE (ASIAN CLAMS)

Achard, M., M. Baudrimont, A. Boudou, and J.P. Bourdineaud. 2004. Induction of a multixenobiotic resistance protein (MXR) in the Asiatic clam *Corbicula fluminea* after heavy metals exposure. Aquatic Toxicology 67(4):347-357.

Amestoy, F., M. Spinetti, and G. Fabino. 1998. Aquatic species introduced in Uruguay. Verhandlungen Internationale Vereinigung für Theoretische und Angewandte Limnologie 26(5):2170-2173.

Baba, K., T. Kawajiri, Y. Kuwahara, and S. Nakao. 2004. An environmentally based growth model that uses finite difference calculus with maximum likelihood method: its application to the brackish water bivalve *Corbicula japonica* in Lake Abashiri, Japan. Fishery Bulletin 102(1):14-24. Basseres, A., F. Simonet, M. Lafont, M. Coste, and J.F. Narbonne. 2004. Validation of biomarkers for impact evaluation of aqueous industrial waste in mesocosms. Water Science & Technology 49(1):123-130.

Bogan, A.E., and J.M. Alderman. 2004. Workbook and key to the freshwater bivalves of South Carolina. North Carolina Museum of Natural Sciences, Raleigh, NC 64 pp. + 5 plates.

Christian, A.D., J. Vouldin, N. Bickford, S.B. McCord, A. Sako, J. Faris, L. Kanieski, and A. McBride. 2004. Winter and spring water quality of the Big Creek watershed, Craighead County, Arkansas: Nutrients, habitat, and macroinvertebrates. Journal of the Arkansas Academy of Science 57:27-36.

Croteau, M.N., S.N. Luoma, B.R. Topping, and C.B. Lopez. 2004. Stable metal isotopes reveal copper accumulation and less dynamics in the freshwater bivalve *Corbicula*. Environmental Science and Technology 38(19):5002-5009.

de Lange, H.J., J. de Jonge, P.J. den Besten, J. Oosterbaan, and E.T.H.M. Peeters. 2004. Sediment pollution and predation affect structure and production of benthic macroinvertebrate communities in the Rhine-Meuse Delta, The Netherlands. Journal of the North American Benthological Society 23(3):557-579.

Eichhorst, T. 2004. Invasive species. American Conchologist 32(2):11-12.

Fournier, E., D. Tran, F. Denison, J.C. Massabuau, and J. Garnier-Laplace. 2004. Valve closure response to uranium exposure for a freshwater bivalve (*Corbicula fluminea*): Quantification of the influence of pH. Environmental Toxicology & Chemistry 23(5):1108-1114.

Gifford, S., R.H. Dunstan, W. O'Connor, T. Roberts, and R. Toia. 2004. Pearl aquaculture - profitable environmental remediation? Science of the Total Environment 319(1-3):27-37.

Howard, D.R., C.M. Trantow, and C.D. Thaler. 2004. Motility of a biflagellate sperm: Waveform analysis and cyclic nucleotide activation. Cell Motility & the Cytoskeleton 59(2):120-130.

Hull, M.S., D.S. Cherry, and T.C. Merricks. 2004. Effect of cage design on growth of transplanted Asian clams: implications for assessing bivalve responses in streams. Environmental Monitoring and Assessment 96(1-3):1-14.

Hwang, S.J., H.S. Kim, J.K. Shin, J.M. Oh, and D.S. Kong. 2004. Grazing effects of a freshwater bivalve (*Corbicula leana* Prime) and large zooplankton on phytoplankton communities in two Korean lakes. Hydrobiologia 515(1-3):161-179.

Hyland, J.L., W.L. Balthis, M. Posey, C.T. Hackney, and T. Alphin. 2004. The soft-bottom macrobenthos of North Carolina estuaries. Estuaries 27(3):501-514.

Izumi, T., Y. Itoh, K. Yagita, T. Endo, and T. Ohyama. 2004. Brackish water benthic shellfish (*Corbicula japonica*) as a biological indicator for *Cryptosporidium parvum* oocysts in river water. Bulletin of Environmental Contamination and Toxicology 72(1):29-37.

Kesler, D.H. 2004. Influence of a lentic area on condition indices of *Corbicula fluminea* in the Wolf River, Tennessee. Journal of Freshwater Ecology 19(3):445-453.

Lecoeur, S., B. Videmann, and P. Berny. 2004. Evaluation of metallothionein as a biomarker of single and combined Cd/Cu exposure in *Dreissena polymorpha*. Environmental Research 94(2):184-191.

Mienis, H.K. 2004. When shells begin to talk archaeomalacology: An important tool for the archaeologist with examples from the excavation of Mallaha, Hula Valley, Israel. pp. 111-116 in B Öztürk, and A. Salman (eds.). 1st National Malacology Congress, Izmir, Turkey. Turkish Journal of Aquatic Life 2(2):111-116

Mouthon, J., and T. Parghentanian. 2004. Comparison of the life cycle and population dynamics of two *Corbicula* species, *C. fluminea* and *C. fluminalis* (Bivalvia: Corbiculidae) in two French canals. Archiv fur Hydrobiologie 161(2):267-287.

Newell, R.I.E., and E.W. Koch. 2004. Modeling seagrass density and distribution in response to changes in turbidity stemming from bivalve filtration and seagrass sediment stabilization. Estuaries 27(5):793-806.

Oshima, K., N. Suzuki, M. Nakamura, and K. Sakuramoto. 2004. Shell growth and age determination of the brackish water bivalve *Corbicula japonica* in Lake Shinji, Japan. Fisheries Science 70(4):601-610.

Park, G.-M., and E.-Y. Chung. 2004. Histological studies on hermaphroditism, gametogenesis and cyclic changes in the structures of marsupial gills of the introduced Asiatic clam, *Corbicula fluminea*, and the Korean clam, *Corbicula leana*. Journal of Shellfish Research 23(1):179-184.

Park, J.K., B.L. Choe, and K.S. Eom. 2004. Two mitochondrial lineages in Korean freshwater *Corbicula* (Corbiculidae: Bivalvia). Molecules & Cells 17(3):410-414.

Rife, G.S., and D.L. Moody. 2004. Aquatic macroinvertebrate communities from the Portage River watershed headwater streams (Wood County, Ohio). Ohio Journal of Science 104(2):29-35.

Schanzle, R.W., G.W. Kruse, J.A. Kath, R.A. Klocek, and K.S. Cummings. 2004. The freshwater mussels (Bivalvia: Unionidae) of the Fox River basin, Illinois and Wisconsin. Illinois Natural History Survey Biological Notes 141:1-35.

Simon, O., and J. Garnier-Laplace. 2004. Kinetic analysis of uranium accumulation in the bivalve *Corbicula fluminea*: effect of pH and direct exposure levels. Aquatic Toxicology 68(2):95-108.

Stewart, P.M., D.N. Shelton, J.M. Miller, M.M. Pilarczyk, and W.H. Heath. 2004. Continued biological investigations (fish and mussel) of the Conecuh River near and below the Point A and Gantt Reservoirs, and two sites each on the Upper Conecuh, Patsaliga Creek, and Sepulga River in southern Alabama. Report to the Alabama Electric Cooperative as part of the Gantt and Point A Hydroelectric Project Relicensing Agreement for Federal Energy Regulatory Commission Project Number 2586-023 pp.1-64.

Takeuchi, M., C. Mizuta, K. Uda, N. Fujimoto, M. Okamoto, and T. Suzuki. 2004. Unique evolution of Bivalvia arginine kinases. Cellular & Molecular Life Sciences 61(1):110-117.

Tei, J., S. Kani, K. Hanai, T. Miyaguchi, and K. Yamamoto. 2004. Formation of polar-body-like structures induced in polyspermic starfish oocytes that had been inseminated at the germinal vesicle stage. Development Growth & Differentiation 46(5):439-447.

Tran, D., J.C. Massabuau, and J. Garnier-Laplace. 2004. Effect of carbon dioxide on uranium bioaccumulation in the freshwater clam *Corbicula fluminea*. Environmental Toxicology & Chemistry 23(3):739-747.

Tzilkowski, C.J., and J.R. Stauffer, Jr. 2004. Biology and diet of the northern madtom (*Noturus stigmosus*) and stonecat (*Noturus flavus*) in French Creek, Pennsylvania. Journal of the Pennsylvania Academy of Science 78(1):3-11.

Uchisawa, H., A. Sato, J. Ichita, H. Matsue, and T. Ono. 2004. Influence of low-temperature processing of the brackish-water bivalve, *Corbicula japonica*, on the ornithine content of its extract. Bioscience, Biotechnology & Biochemistry 68(6):1228-1234.

Wesselingh, F.P., M.E. Rasanen, G. Irion, H.B. Vonhof, R. Kaandorp, and E. Renema. 2001. Lake Pebas: a palaeological reconstruction of a Miocene, long-lived lake complex in western Amazonia. Cainozoic Research 1(1-2):35-81.

OTHER BIVALVES

(DREISSENIDAE, MYTILIDAE, ETC.)

Aldridge, D.C., P. Elliott, and G.D. Moggridge. 2004. The recent and rapid spread of the zebra mussel (*Dreissena polymorpha*) in Great Britain. Biological Conservation 119(2):253-261.

Alexander, J.E., and R.F. McMahon. 2004. Respiratory response to temperature and hypoxia in the zebra mussel *Dreissena polymorpha*. Comparative Biochemistry & Physiology. Part A, Molecular & Integrative Physiology 137(2):425-434.

Amestoy, F., M. Spinetti, and G. Fabino. 1998. Aquatic species introduced in Uruguay. Verhandlungen Internationale Vereinigung für Theoretische und Angewandte Limnologie 26(5):2170-2173.

Anteau, M.J., and A.D. Afton. 2004. Nutrient reserves of Lesser scaup (*Aythya affinis*) during spring migration in the Mississippi Flyway: A test of the spring condition hypothesis. Auk 121(3):917-929.

Arnot, J.A., and F.A.P.C. Gobas. 2004. A food web bioaccumulation model for organic chemicals in aquatic ecosystems. Environmental Toxicology & Chemistry 23(10):2343-2355.

Barbiero, R.P., and M.L. Tuchman. 2004. Long-term dreissenid impacts on water clarity in Lake Erie. Journal of Great Lakes Research 30(4):557-565.

Barton, D.R. 2004. Differences in wave-zone benthic invertebrate communities in Lake Huron and Georgian Bay, 1974-2003. Journal of Great Lakes Research 30(4):508-518.

Beekey, M.A., D.J. McCabe, and J.E. Marsden. 2004. Zebra mussel colonisation of soft sediments facilitates invertebrate communities. Freshwater Biology 49(5):535-545.

Bervoets, L., G. Meregalli, W. De Cooman, B. Goddeeris, and R. Blust. 2004. Caged midge larvae (*Chironomus riparius*) for the assessment of metal bioaccumulation from sediments in situ. Environmental Toxicology & Chemistry 23(2):443-454. Bervoets, L., J. Voets, S.G. Chu, A. Covaci, P. Schepens, and R. Blust. 2004. Comparison of accumulation of micropollutants between indigenous and transplanted zebra mussels (*Dreissena polymorpha*). Environmental Toxicology & Chemistry 23(8):1973-1983.

Binelli, A., F. Ricciardi, and A. Provini. 2004. Present status of POP contamination in Lake Maggiore (Italy). Chemosphere 57(1):27-34.

Binelli, A., R. Bacchetta, P. Mantecca, F. Ricciardi, A. Provini, and G. Vailati. 2004. DDT in zebra mussels from Lake Maggiore (N. Italy): level of contamination and endocrine disruptions. Aquatic Toxicology 69(2):175-188.

Bogan, A.E., and J.M. Alderman. 2004. Workbook and key to the freshwater bivalves of South Carolina. North Carolina Museum of Natural Sciences, Raleigh, NC 64 pp. + 5 plates.

Bolognesi, C., A. Buschini, E. Branchi, P. Carboni, M. Furlini, A. Martino, M. Monteverd, P. Poli, and C. Rossi . 2004. Comet and micronucleus assays in zebra mussel cells for genotoxicity assessment of surface drinking water treated with three different disinfectants. Science of the Total Environment 333(1-3):127-136.

Boron, A., P. Woznicki, L. Skuza, and R. Zielinski. 2004. Cytogenetic characterization of the zebra mussel *Dreissena polymorpha* (Pallas) from Miedwie Lake, Poland. Folia Biologica 52(1-2):33-38.

Buschini, A., A. Martino, B. Gustavino, M. Monfrinotti, P. Poli, C. Rossi, A. Santoro, A.M. Dorr, and M. Rizzoni. 2004. Comet assay and micronucleus test in circulating erythrocytes of *Cyprinus carpio* specimens exposed in situ to lake waters treated with disinfectants for potabilization. Mutation Research-Genetic Toxicology & Environmental Mutagenesis 557(2):119-129.

Carr, M.L., C.R. Rehmann, J.A. Stoeckel, D.K. Padilla, and D.W. Schneider. 2004. Measurements and consequences of retention in a side embayment in a tidal river. Journal of Marine Systems 49(1-4):41-53.

Carrick, H.J. 2004. Algal distribution patterns in Lake Erie: Implications for oxygen balances in the eastern basin. Journal of Great Lakes Research 30(1):133-147.

Cho, Y.C., R.C. Frohnhoefer, and G.Y. Rhee. 2004. Bioconcentration and redeposition of polychlorinated biphenyls by zebra mussels (*Dreissena polymorpha*) in the Hudson River. Water Research 38(3):769-777.

Closs, G., B. Downes, and A. Boulton. 2004. Freshwater Ecology. A scientific introduction. Blackwell Publishing 221 pp.

Colautti, R.I., and H.J. MacIsaac. 2004. A neutral terminology to define 'invasive' species. Diversity & Distributions 10(2):135-141.

Coons, K., D.J. McCabe, and J.E. Marsden. 2004. The effects of strobe lights on zebra mussel settlement and movement patterns. Journal of Freshwater Ecology 19(1):1-8.

Cristescu, M.E.A., J.D.S. Witt, I.A. Grigorovich, P.D.N. Hebert, and H.J. MacIssac. 2004. Dispersal of the Ponto-Caspian amphipod *Echinogammarus ischnus*: invasion waves from the Pleistocene to the present. Heredity 92(3):197-203. Czarnoleski, M., L. Michalczyk, and A. Pajdak-Stos. 2004. Substrate preference in settling zebra mussels *Dreissena polymorpha*. Archiv fur Hydrobiologie 159(2):263-270.

Darrigran, G.A., M.E. Maronas, and D.C. Colautti. 2004. Air exposure as a control mechanism for the golden mussel, *Limnoperna fortunei* (Bivalvia: Mytilidae). Journal of Freshwater Ecology 19(3):461-464.

de Lange, H.J., J. de Jonge, P.J. den Besten, J. Oosterbaan, and E.T.H.M. Peeters. 2004. Sediment pollution and predation affect structure and production of benthic macroinvertebrate communities in the Rhine-Meuse delta, The Netherlands. Journal of the North American Benthological Society 23(3):557-579.

Diers, J.A., H.K. Pennaka, J.N. Peng, J.J. Bowling, S.O. Duke, and M.T. Hamann. 2004. Structural activity relationship studies of zebra mussel antifouling and antimicrobial agents from verongid sponges. Journal of Natural Products 67(12):2117-2120.

Dieterich, A., M. Mortl, and R. Eckmann. 2004. The effects of zebra mussels (*Dreissena polymorpha*) on the foraging success of Eurasian perch (*Perca fluviatilis*) and ruffe (*Gymnocephalus cernuus*). International Review of Hydrobiology 89(3):229-237.

Diggins, T.P., M. Weimer, K.M. Stewart, R.E. Baier, A.E. Meyer, R.F. Forsberg, and M.A. Goehle. 2004. Epiphytic refugium: are two species of invading freshwater bivalves partitioning spatial resources? Biological Invasions 6(1):83-88.

Drake, J.M., and J.M. Bossenbroek. 2004. The potential distribution of zebra mussels in the United States. Bioscience 54(10):931-941.

Effler, S.W., D.A. Matthews, C.M. Brooks-Matthews, M.G. Perkins, C.A. Siegfried, and J.M. Hassett. 2004. Water quality impacts and indicators of metabolic activity of the zebra mussel invasion of the Seneca River. Journal of the American Water Resources Association 40(3):737-754.

Eggleton, M.A., and H.L. Schramm. 2004. Feeding ecology and energetic relationships with habitat of blue catfish, *Ictalurus furcatus*, and flathead catfish, *Pylodictis olivaris*, in the lower Mississippi River, USA. Environmental Biology of Fishes 70(2):107-121.

Eggleton, M.A., L.E. Miranda, and J.P. Kirk. 2004. Assessing the potential for fish predation to impact zebra mussels (*Dreissena polymorpha*): insight from bioenergetics models. Ecology of Freshwater Fish 13(2):85-95.

Eichhorst, T. 2004. Invasive species. American Conchologist 32(2):11-12.

Elderkin, C.L., E.J. Perkins, P.L. Leberg, P.L. Klerks, and R.F. Lance. 2004. Amplified fragment length polymorphism (AFLP) analysis of the genetic structure of the zebra mussel, *Dreissena polymorpha*, in the Mississippi River. Freshwater Biology 49(11):1487-1494.

Elderkin, C.L., J.A. Stoeckel, P.L. Klerks, and D.J. Berg. 2004. Heritability of heat tolerance in zebra mussel veligers. Journal of Great Lakes Research 30(3):360-366.

Geret, F., H. Manduzio, R. Company, F. Leboulenger, M.J. Bebianno, and J.M. Danger. 2004. Molecular cloning of superoxide dismutase (Cu/Zn-SOD) from aquatic molluscs. Marine Environmental Research 58(2-5):619-623. Gifford, S., R.H. Dunstan, W. O'Connor, T. Roberts, and R. Toia. 2004. Pearl aquaculture - profitable environmental remediation? Science of the Total Environment 319(1-3):27-37.

Graczyk, T.K., D.B. Conn, F. Lucy, D. Minchin, L. Tamang, L.N.S. Moura, and A.J. DaSilva. 2004. Human waterborne parasites in zebra mussels (*Dreissena polymorpha*) from the Shannon River drainage area, Ireland. Parasitology Research 93(5):385-391.

Gurevitch, J., and D.K. Padilla. 2004. Response to Ricciardi. Assessing species invasions as a cause of extinction. Trends in Ecology and Evolution 19(12):620.

Gurevitch, J., and D.K. Padilla. 2004. Are invasive species a major cause of extinctions? Trends in Ecology and Evolution 19(9):470-474.

Hanari, N., K. Kannan, Y. Horii, S. Taniyasu, N. Yamashita, D.J. Jude, and M.B. Berg. 2004. Polychlorinated naphthalenes and polychlorinated biphenyls in benthic organisms of a Great Lakes food chain. Archives of Environmental Contamination and Toxicology 47(1):84-93.

Harzhauser, M., and O. Mandic. 2004. The muddy bottom of Lake Pannon - a challenge for dreissenid settlement (Late Miocene; Bivalvia). Palaeogeography Palaeoclimatology Palaeoecology 204(3-4):331-352.

Hecky, R.E., R.E.H. Smith, D.R. Barton, S.J. Guildford, W.D. Taylor, M.N. Charlton, and T. Howell. 2004. The nearshore phosphorus shunt: a consequence of ecosystem engineering by dreissenids in the Laurentian Great Lakes. Canadian Journal of Fisheries & Aquatic Sciences 61(7):1285-1293.

Holeck, K.T., E.L. Mills, H.J. MacIsaac, M.R. Dochoda, R.I. Colautti, and A. Ricciardi. 2004. Bridging troubled waters: Biological invasions, transoceanic shipping, and the Laurentian Great Lakes. Bioscience 54(10):919-929.

Hunter, R.D., and K.A. Simons. 2004. Dreissenids in Lake St. Clair in 2001: evidence for population regulation. Journal of Great Lakes Research 30(4):528-537.

Jonker, M.T.O., A.M. Hoenderboom, and A.A. Koelmans. 2004. Effects of sedimentary sootlike materials on bioaccumulation and sorption of polychlorinated biphenyls. Environmental Toxicology & Chemistry 23(11):2563-2570.

Jurkiewicz-Karnkowska, E., and J. Zbikowski. 2004. Longterm changes and spatial variability of mollusc communities in selected habitats within the dam reservoir (Wloclawek Reservoir, Vistula River, Central Poland). Polish Journal of Ecology 52(4):491-503.

Kobak, J. 2004. Recruitment and small-scale spatial distribution of *Dreissena polymorpha* (Bivalvia) on artificial materials. Archiv fur Hydrobiologie 160(1):25-44.

L'vova, A.A. 2004. On invasion of *Dreissena bugensis* (Bivalvia, Dreissenidae) in the Ucha Reservoir (Moscow oblast) and the Moscow River [Russian]. Zoologichesky Zhurnal 83(6):766-768.

Lajtner, J., Z. Marusic, G.I.V. Klobucar, I. Maguire, and R. Erben. 2004. Comparative shell morphology of the zebra mussel, *Dreissena polymorpha* in the Drava river (Croatia). Biologia 59(5):595-600.

Lammens, E.H.R.R., E.H. van Nes, M.L. Meijer, and M.S. van den Berg. 2004. Effects of commercial fishery on the

bream population and the expansion of *Chara aspera* in Lake Veluwe. Ecological Modelling 177(3-4):233-244.

Lauer, T.E., and A. Spacie. 2004. An association between freshwater sponges and the zebra mussel in a southern Lake Michigan harbor. Journal of Freshwater Ecology 19(4):631-637.

Lauer, T.E., and A. Spacie. 2004. Space as a limiting resource in freshwater systems: competition between zebra mussels (*Dreissena polymorpha*) and freshwater sponges (Porifera). Hydrobiologia 517(1-3):137-145.

Lecoeur, S., B. Videmann, and P. Berny. 2004. Evaluation of metallothionein as a biomarker of single and combined Cd/Cu exposure in *Dreissena polymorpha*. Environmental Research 94(2):184-191.

Leung, B., J.M. Drake, and D.M. Lodge. 2004. Predicting invasions: Propagule pressure and the gravity of allee effects. Ecology 85(6):1651-1660.

MacIsaac, H.J., J.V.M. Borbely, J.R. Muirhead, and P.A. Graniero. 2004. Backcasting and forecasting biological invasions of inland lakes. Ecological Applications 14(3):773-783.

Maronas, M.E., G.A. Darrigran, E.D. Sendra, and G. Breckon. 2003. Shell growth of the golden mussel, *Limnoperna fortunei* (Dunker, 1857) (Mytilidae), in the Rio de la Plata, Argentina. Hydrobiologia 495(1):41-45.

Marsden, JE., and S.R. Robillard. 2004. Decline of yellow perch in southwestern Lake Michigan, 1987-1997. North American Journal of Fisheries Management 24(3):952-966.

Martin, J.W., D.M. Whittle, D.G.C. Muir, and S.A. Mabury. 2004. Perfluoroalkyl contaminants in a food web from Lake Ontario. Environmental Science and Technology 38(20):5379-5385.

Mouthon, J., and M. Magny. 2004. Malacological history of Lake Annecy (France): a comparison of Late Holocene (since 4700 BC) and present mollusc assemblages. Archiv fur Hydrobiologie 160(4):555-573.

Nagaya, K., Y. Matsui, H. Ohira, A. Yuasa, H. Yamamoto, K. Ohkaw, and Y. Magara. 2001. Attachment strength of an adhesive nuisance mussel, *Limnoperna fortunei*, against water flow. Biofouling 17(4):263-274.

O'Rourke, S., K.G. Drouillard, and G.D. Haffner. 2004. Determination of laboratory and field elimination rates of polychlorinated biphenyls (PCBs) in the freshwater mussel, *Elliptio complanata*. Archives of Environmental Contamination & Toxicology 47(1):74-83.

Ogawa, K., T. Nakatsugawa, and M. Yasuzaki. 2004. Heavy metacercarial infections of cyprinid fishes in Uji River. Fisheries Science 70(1):132-140.

Orlova, M., S. Golubkov, L. Kalinina, and N. Ignatieva. 2004. *Dreissena polymorpha* (Bivalvia: Dreissenidae) in the Neva Estuary (eastern Gulf of Finland, Baltic Sea): Is it a biofilter or source for pollution? Marine Pollution Bulletin 49(3):196-205.

Orlova, M.I., and V.E. Panov. 2004. Establishment of the zebra mussel, *Dreissena polymorpha* (Pallas), in the Neva Estuary (Gulf of Finland, Baltic Sea): distribution, population structure and possible impact on local unionid bivalves. Hydrobiologia 514(1-3):207-217.

Orlova, M.I., J.R. Muirhead, P.I. Antonov, G.K. Shcherbina, Y.I. Starobogatov, G.I. Biochino, T.W. Therriault, and H.J. MacIsaac. 2004. Range expansion of quagga mussels *Dreissena rostriformis bugensis* in the Volga River and Caspian Sea basin. Aquatic Ecology 38(4):561-573.

Osman, A.M., S. Rotteveel, P.J. den Besten, and P.C.M. van Noort. 2004. In vivo exposure of *Dreissena polymorpha* mussels to the Quinones menadione and lawsone: Menadione is more toxic to mussels than lawsone. Journal of Applied Toxicology 24(2):135-141.

Palmer, M.E., and A. Ricciardi. 2004. Physical factors affecting the relative abundance of native and invasive amphipods in the St. Lawrence River. Canadian Journal of Zoology 82(12):1886-1893.

Pires, L.M.D., K.M. Karlsson, J.A.O. Meriluoto, E. Kardinaal,
P.M. Visser, K. Siewertsen, E. Van Donk, and B.W.
Ibelings. 2004. Assimilation and depuration of microcystin-LR by the zebra mussel, *Dreissena polymorpha*. Aquatic Toxicology 69(4):385-396.

Pires, L.M.D., R.R. Jonker, E. Van Donk, and H.J. Laanbroek. 2004. Selective grazing by adults and larvae of the zebra mussel (*Dreissena polymorpha*): application of flow cytometry to natural seston. Freshwater Biology 49(1):116-126.

Pointier, J.P., R.J. DeJong, L.A.T. Tchuente, T.K. Kristensen, and E.S. Loker. 2004. A neotropical snail host of *Schistosoma mansoni* introduced into Africa and consequences for the schistosomiasis transmission *Biomphalaria tenagophila* in Kinshasa (Democratic Republic of Congo). Acta Tropica 93(2):191-199.

Quinn, B., F. Gagne, M. Costello, C. McKenzie, J. Wilson, and C. Mothersill. 2004. The endocrine disrupting effect of municipal effluent on the zebra mussel (*Dreissena polymorpha*). Aquatic Toxicology 66(3):279-292.

Raikow, D.F. 2004. Food web interactions between larval bluegill (*Lepomis macrochirus*) and exotic zebra mussels (*Dreissena polymorpha*). Canadian Journal of Fisheries & Aquatic Sciences 61(3):497-504.

Rajagopal, S., G. van der Velde, M. van der Gaag, and H.A. Jenner. 2004. Byssal detachment underestimates tolerance of mussels to toxic compounds. Marine Pollution Bulletin 50(1):20-29.

Ram, J.L., V. Shukla, and K.N. King. 2004. Zebra mussels at the freshwater/sea interface: Ionic and osmotic challenges to oocyte integrity. Invertebrate Reproduction & Development 45(1):83-89.

Reed, T., S.J. Wielgus, A.K. Barnes, J.J. Schiefelbein, and A.L. Fettes. 2004. Refugia and local controls: benthic invertebrate dynamics in lower Green Bay, Lake Michigan following zebra mussel invasion. Journal of Great Lakes Research 30(3):390-396.

Renaud, C.B., A.L. Martel, K.L.E. Kaiser, and M.E. Comba. 2004. A comparison of organochlorine contaminant levels in the zebra mussel, *Dreissena polymorpha*, versus its unionid attachment, *Elliptio complanata*, in the Rideau River, Ontario. Water Quality Research Journal of Canada 39(2):83-92.

Ricciardi, A. 2004. Assessing species invasions as a cause of extinction. Trends in Ecology and Evolution 19(12):619.

Ricciardi, A., and F.G. Whoriskey. 2004. Exotic species replacement: shifting dominance of dreissenid mussels in the Soulanges Canal, upper St. Lawrence River, Canada. Journal of the North American Benthological Society 23(3):507-514.

Rudstam, L.G., A.J. VanDeValk, C.M. Adams, J.T.H. Coleman, J.L. Forney, and M.E. Richmond. 2004. Cormorant predation and the population dynamics of walleye and yellow perch in Oneida Lake. Ecological Applications 14(1):149-163.

Sano, L.L., M.A. Mapili, A. Krueger, E. Garcia, D. Gossiaux, K. Phillips, and P.F. Landrum. 2004. Comparative efficacy of potential chemical disinfectants for treating unballasted vessels. Journal of Great Lakes Research 30(1):201-216.

Schanzle, R.W., G.W. Kruse, J.A. Kath, R.A. Klocek, and K.S. Cummings. 2004. The freshwater mussels (Bivalvia: Unionidae) of the Fox River basin, Illinois and Wisconsin. Illinois Natural History Survey Biological Notes 141:1-35.

Scharold, J.V., S.J. Lozano, and T.D. Corry. 2004. Status of the amphipod *Diporeia* spp. in Lake Superior, 1994-2000. Journal of Great Lakes Research 30(Suppl 1):360-368.

Shi, D.L., and W.X. Wang. 2004. Modification of trace metal accumulation in the green mussel *Perna viridis* by exposure to Ag, Cu, and Zn. Environmental Pollution 132(2):265-277.

Siniscalchi, A., S. Cavallini, D. Sonetti, G. Sbrenna, S. Capuano, L. Barbin, E. Turolla, and R. Rossi. 2004. Serotonergic neurotransmission in the bivalve *Venus verrucosa* (Veneridae): a neurochemical and immunohistochemical study of the visceral ganglion and gonads. Marine Biology 144(6):1205-1212.

Siu, W.H.L., E. Mak, J. Cao, S.B. De Luca-Abbott, B.J. Richardson, and P.K.S. Lam. 2004. Micronucleus induction in gill cells of green-lipped mussels (*Perna viridis*) exposed to mixtures of polycyclic aromatic hydrocarbons and chlorinated pesticides. Environmental Toxicology & Chemistry 23(5):1317-1325.

Smital, T., T. Luckenbach, R. Sauerborn, A.A. Hamdoun, R.L. Vega, and D. Epel. 2004. Emerging contaminants pesticides, PPCPs, microbial degradation products and natural substances as inhibitors of multixenobiotic defense in aquatic organisms [Review]. Mutation Research -Fundamental & Molecular Mechanisms of Mutagenesis 552(1-2):101-117.

Smolders, R., L. Bervoets, and R. Blust. 2004. In situ and laboratory bioassays to evaluate the impact of effluent discharges on receiving aquatic ecosystems. Environmental Pollution 132(2):231-243.

Smolders, R., L. Bervoets, W. De Coen, and R. Blust. 2004. Cellular energy allocation in zebra mussels exposed along a pollution gradient: linking cellular effects to higher levels of biological organization. Environmental Pollution 129(1):99-112.

Stoeckel, J.A., C.R. Rehmann, D.W. Schneider, and D.K. Padilla. 2004. Retention and supply of zebra mussel larvae in a large river system: importance of an upstream lake. Freshwater Biology 49(7):919-930.

Stoeckel, J.A., D.K. Padilla, D.W. Schneider, and C.R. Rehmann. 2004. Laboratory culture of *Dreissena polymorpha* larvae: spawning success, adult fecundity, and larval mortality patterns. Canadian Journal of Zoology -Revue Canadienne de Zoologie 82(9):1436-1443. Strayer, D.L., K.A. Hattala, and A.W. Kahnle. 2004. Effects of an invasive bivalve (*Dreissena polymorpha*) on fish in the Hudson River estuary. Canadian Journal of Fisheries & Aquatic Sciences 61(6):924-941.

Sundelin, B., A.K.E. Wiklund, G. Lithner, and O. Gustafsson. 2004. Evaluation of the role of black carbon in attenuating bioaccumulation of polycyclic aromatic hydrocarbons from field-contaminated sediments. Environmental Toxicology & Chemistry 23(11):2611-2617.

Therriault, T.W., M.F. Docker, M.I. Orlova, D.D. Heath, and H.J. MacIsaac. 2004. Molecular resolution of the family Dreissenidae (Mollusca: Bivalvia) with emphasis on Ponto-Caspian species, including first report of *Mytilopsis leucophaeata* in the Black Sea basin. Molecular Phylogenetics and Evolution 30(3):479-489.

Thielen, F., S. Zimmermann, F. Baska, H. Taraschewski, and B. Sures. 2004. The intestinal parasite *Pomphorhynchus laevis* (Acanthocephala) from barbel as a bioindicator for metal pollution in the Danube River near Budapest, Hungary. Environmental Pollution 129(3):421-429.

Tuchman, N.C., R.L. Burks, C.A. Call, and J. Smarrelli.
2004. Flow rate and vertical position influence ingestion rates of colonial zebra mussels (*Dreissena polymorpha*).
Freshwater Biology 49(2):191-198.

Valbonesi, P., F. Caselli, A. Capuzzo, and E. Fabbri. 2004. Modulation of adenyl cyclase activity in the gills of *Tapes philippinarum*. Journal of Experimental Zoology Part A-Comparative Experimental Biology 301A(12):952-960.

Vidal, M., P.B. Hamilton, and F.R. Pick. 2004. Zebra mussel (*Dreissena polymorpha*) veliger larvae: distribution and relationship to phytoplankton biomass and composition in the Rideau River, Ontario, Canada. Archiv fur Hydrobiologie 161(1):113-131.

 Voets, J., L. Bervoets, and R. Blust. 2004. Cadmium bioavailability and accumulation in the presence of humic acid to the zebra mussel, *Dreissena polymorpha*. Environmental Science and Technology 38(4):1003-1008.

Walks, D.J., and H. Cyr. 2004. Movement of plankton through lake-stream systems. Freshwater Biology 49(6):745-759.

Ward, J.E., and S.E. Shumway. 2004. Separating the grain from the chaff: particle selection in suspension- and depositfeeding bivalves [Review]. Journal of Experimental Marine Biology & Ecology 300(1-2):83-130.

Watson, S.B. 2004. Aquatic taste and odor: A primary signal of drinking-water integrity. Journal of Toxicology & Environmental Health Part A 67(20-22):1779-1795.

Watson, S.B., and J. Ridal. 2004. Periphyton: a primary source of widespread and severe taste and odour. Water Science & Technology 49(9):33-39.

Wenzel, A., W. Bohmer, J. Muller, H. Rudel, and C. Schroter-Kermani. 2004. Retrospective monitoring of alkylphenols and alkylphenol monoethoxylates in aquatic biota from 1985 to 2001: Results from the German Environmental Specimen Bank. Environmental Science and Technology 38(6):1654-1661.

Yong, Z., and K.A. Frank. 2003. Factors affecting technology uses in schools: An ecological perspective. American Educational Research Journal 40(4):807-840. Zhulidov, A.V., D.F. Pavlov, T.F. Nalepa, G.H. Scherbina,
D.A. Zhulidov, and T.Y. Gurtovaya. 2004. Relative
distributions of *Dreissena bugensis* and *Dreissena polymorpha* in the lower Don River system, Russia.
International Review of Hydrobiology 89(3):326-333.

Zimmermann, S., and B. Sures. 2004. Significance of platinum group metals emitted from automobile exhaust gas converters for the biosphere [Review]. Environmental Science & Pollution Research 11(3):194-199.

GASTROPODS (SNAILS)

Albrecht, C., T. Wilke, K. Kuhn, and B. Streit. 2004. Convergent evolution of shell shape in freshwater limpets: the African genus *Burnupia*. Zoological Journal of the Linnean Society 140(4):577-586.

Attrill, M.J., S.D. Rundle, and R.M. Thomas. 1996. The influence of drought-induced low freshwater flow on an upper-estuarine macroinvertebrate community. Water Research 30(2):261-268.

Attwood, S.W., E.S. Upatham, Y.-P. Zhang, Z.-Q. Yang, and V.R. Southgate. 2004. A DNA-sequence based phylogeny for triculine snails (Gastropoda: Pomatiopsidae: Triculinae), intermediate hosts for *Schistosoma* (Trematoda: Digenea): phylogeography and the origin of *Neotricula*. Journal of Zoology (London) 262(1):47-56.

Attwood, S.W., I. Campbell, E.S. Upatham, and D. Rollinson. 2004. Schistosomes in the Xe Kong river of Cambodia: the detection of *Schistosoma mekongi* in a natural population of snails and observations on the intermediate host's distribution. Annals of Tropical Medicine & Parasitology 98(3):221-230.

Barton, D.R. 2004. Differences in wave-zone benthic invertebrate communities in Lake Huron and Georgian Bay, 1974-2003. Journal of Great Lakes Research 30(4):508-518.

Beekey, M.A., D.J. McCabe, and J.E. Marsden. 2004. Zebra mussel colonisation of soft sediments facilitates invertebrate communities. Freshwater Biology 49(5):535-545.

Beran, L., and M. Horsák. 2002. *Anisus septemgyratus* (Mollusca: Gastropoda) in the Czech Republic, with notes to its anatomy. Acta Societatis Zoologicae Bohemicae 66(2):231-234.

Beran, L., and M. Horsák. 2002. *Gyraulus parvus* (Mollusca: Gastropoda) in the Czech Republic. Acta Societatis Zoologicae Bohemicae 66(2):81-84.

Bobkova, M.V., J. Gal, V.V. Zhukov, I.P. Shepeleva, and V.B. Meyer-Rochow. 2004. Variations in the retinal designs of pulmonate snails (Mollusca, Gastropoda): squaring phylogenetic background and ecophysiological needs (I). Invertebrate Biology 123(2):101-115.

Britton, D.K., and R.F. McMahon. 2004. Environmentally and genetically induced shell-shape variation in the freshwater pond snail *Physa (Physella) virgata* (Gould, 1855). American Malacological Bulletin 19(1-2):93-100.

Britton, D.K., and R.F. McMahon. 2004. Seasonal and artificially elevated temperatures influence bioenergetic allocation patterns in the common pond snail, *Physella virgata*. Physiological & Biochemical Zoology 77(2):187-196.

Broekhuizen, N., S. Parkyn, D. Miller, and R. Rose. 2002. The relationship between food density and short term assimilation rates in *Potamopyrgus antipodarum* and *Deleatidium* sp. Hydrobiologia 477:181-188.

Brown, K.M., and P.D. Johnson. 2004. Comparative conservation ecology of pleurocerid and pulmonate gastropods of the United States. American Malacological Bulletin 19(1-2):57-62.

Buebner, C.B., and M.R. Vinson. 2004. Groundwater invertebrate fauna of the Bear River range, Utah. Western North American Naturalist 64(1):131-134.

Caldeira, R.L., L.K. Jannotti-Passos, P.M. Lira, and O.S. Carvalho. 2004. Diagnostic of *Biomphalaria* snails and *Schistosoma mansoni*: DNA obtained from traces of shell organic materials. Memórias do Instituto Oswaldo Cruz, Rio de Janeiro 99(5):499-502.

Canete, R., M. Yong, J. Sanchez, L. Wong, and A. Gutierrez. 2004. Population dynamics of intermediate snail hosts of *Fasciola hepatica* and some environmental factors in San Juan y Martinez municipality, Cuba. Memórias do Instituto Oswaldo Cruz, Rio de Janeiro 99(3):257-262.

Carlsson, N., A. Kestrup, M. Martensson, and P. Nystrom. 2004. Lethal and non-lethal effects of multiple indigenous predators on the invasive golden apple snail (*Pomacea canaliculata*). Freshwater Biology 49(10):1269-1279.

Carvalho, O.S., P.C.M. Cardoso, P.M. Lira, A. Rumi, A. Roche, E. Berne, G. Müller, and R.L. Caldeira. 2004. The use of Polymerase chain reaction and restriction fragment length polymorphism technique associated with the classical morphology for characterization of *Lymnaea collumella*, *L. viatrix*, and *L. diaphana*. Memórias do Instituto Oswaldo Cruz, Rio de Janeiro 99(5):503-507.

Chadd, R., and C. Existence. 2004. The conservation of freshwater macroinvertebrate populations: a community-based classification scheme. Aquatic Conservation: Marine and Freshwater Ecosystems 14:597-624.

Chingwena, G., S. Mukaratirwa, M. Chimbari, T.K. Kristensen, and H. Madsen. 2004. Population dynamics and ecology of freshwater gastropods in the highveld and lowveld regions of Zimbabwe, with emphasis on schistosome and amphistome intermediate hosts. African Zoology 39(1):55-62.

Christian, A.D., J. Vouldin, N. Bickford, S.B. McCord, A. Sako, J. Faris, L. Kanieski, and A. McBride. 2004. Winter and spring water quality of the Big Creek watershed, Craighead County, Arkansas: Nutrients, habitat, and macroinvertebrates. Journal of the Arkansas Academy of Science 57:27-36.

Closs, G., B. Downes, and A. Boulton. 2004. Freshwater Ecology. A scientific introduction. Blackwell Publishing 221 pp.

Coeurdassier, M., A. de Vaufleury, R. Scheifler, E. Morhain, and P.-M. Badot. 2004. Effects of cadmium on the survival of three life-stages if the freshwater pulmonate *Lymnaea stagnalis* (Mollusca: Gastropoda). Bulletin of Environmental Contamination and Toxicology 72(5):1083-1090.

Collyer, M.L., and C.A. Stockwell. 2004. Experimental evidence for costs of parasitism for a threatened species, White Sands pupfish (*Cyprinodon tularosa*). Journal of Animal Ecology 73(5):821-830.

Cope, N.J., and M.J. Winterbourn. 2004. Competitive interactions between two successful molluscan invaders of

freshwaters: an experimental study. Aquatic Ecology 38(1):83-91.

Cowie, R.H., N.J. Cazzaniga, and M. Glauubrecht. 2004. The South American Mollusca of Johann Baptist Ritter von Spix and their publication by Johann Andreas Wagner. Nautilus 188(2):71-87.

Crichton, C.A., A.U. Conrad, and D.J. Baird. 2004. Assessing stream grazer response to stress: A post-exposure feeding bioassay using the freshwater snail *Lymnaea peregra* (Müller). Bulletin of Environmental Contamination and Toxicology 72(3):564-570.

da Silva, M.C.P., and I.L. Veitenheimer-Mendes. 2004. Redescricao de *Potamolithus catherinae* com base em topotipos (Gastropoda, Hydrobiidae), Rio Hercilio, Santa Catarina, Brasil. Iheringia Série Zoologia 94(1):83-88.

de Boer, M.G., M. Stift, and E. Michel. 2004. Two new highly polymorphic microsatellite loci and inadvertent minisatellite loci for *Lymnaea auricularia*. Journal of Molluscan Studies 70(1):95-96.

de Kock, K.N., C.T. Wolmarans, and M. Bornman. 2004. Distribution and habitats of *Biomphalaria pfeifferi*, snail intermediate host of *Schistosoma mansoni*, in South Africa. Water SA 30(1):29-36.

de Lange, H.J., J. de Jonge, P.J. den Besten, J. Oosterbaan, and E.T.H.M. Peeters. 2004. Sediment pollution and predation affect structure and production of benthic macroinvertebrate communities in the Rhine-Meuse delta, The Netherlands. Journal of the North American Benthological Society 23(3):557-579.

De Mattia, W. 2003. Subterranean Mollusca of the Trieste's Karst (Friuli - Venezia Giulia, Italy) (Gastropoda: Prosobranchia, Basommatophora, Stylommatophora; Bivalvia: Pteriodea). Check-list of species, taxonomy, systematic, ecology, and biogeography. Atti. Mus. Civ. Stor. Nat., Trieste 50:89-218.

Dillon, R.T., Jr. 2004. The biology and conservation of freshwater gastropods: Introduction to the symposium. American Malacological Bulletin 19(1-2):31.

Dillon, R.T., Jr., and R.C. Frankis, Jr. 2004. High levels of mitochondrial DNA sequence divergence in isolated populations of freshwater snails of the genus *Goniobasis* Lea, 1862. American Malacological Bulletin 19(1-2):69-77.

Dillon, R.T., Jr., C.E. Earnhardt, and T.P. Smith. 2004. Reproductive isolation between *Physa acuta* and *Physa gyrina* in joint culture. American Malacological Bulletin 19(1-2):63-68.

Dobson, M. 2004. Replacement of native freshwater snails by the exotic *Physa acuta* (Gastropoda: Physidae) in southern Mozambique; a possible control mechanism for schistosomiasis. Annals of Tropical Medicine & Parasitology 98(5):543-548.

Donohue, I., and K. Irvine. 2004. Seasonal patterns of sediment loading and benthic invertebrate community dynamics in Lake Tanganyika, Africa. Freshwater Biology 49(3):320-331.

Dugel, M., and N. Kazanci. 2004. Assessment of water quality of the Büyük Menderes River (Turkey) by using ordination and classification of macroinvertebrates and environmental variables. Journal of Freshwater Ecology 19(4):605-612. Eichhorst, T. 2004. Invasive species. American Conchologist 32(2):11-12.

Evans, R.T., B. Fried, and J. Sherma. 2004. Effects of diet and larval trematode parasitism on lutein and beta-carotene concentrations in planorbid snails as determined by quantitative high performance reversed phase thin layer chromatography. Comparative Biochemistry & Physiology. Part B, Biochemistry & Molecular Biology 137(2):179-186.

Facon, B., E. Machline, J.P. Pointier, and P. David. 2004. Variation in desiccation tolerance in freshwater snails and its consequences for invasion ability. Biological Invasions 6(3):283-293.

Foote, B.A., and J.B. Keiper. 2004. The snail-killing flies of Ohio (Insecta: Diptera: Sciomyzidae). Kirtlandia 54:43-90.

Gal, J., M.V. Bobkova, V.V. Zhukov, I.P. Shepeleva, and V.B. Meyer-Ruchow. 2004. Fixed focal-length optics in pulmonate snails (Mollusca, Gastropoda): squaring phylogenetic background and ecophysiological needs (II). Invertebrate Biology 123(2):116-127.

Genner, M.J., E. Michel, D. Erpenbeck, N. De Voogd, F. Witte, J.P. Pointier. 2004. Camouflaged invasion of Lake Malawi by an Oriental gastropod. Molecular Ecology 13(8):2135-2141.

Gerard, C. 2004. First occurrence of Schistosomatidae infecting *Aplexa hypnorum* (Gastropoda, Physidae) in France. Parasite 11(2):231-234.

Glaubrecht, M. 2004. Leopold von Buch's legacy: Treating species as dynamic natural entities, or why geography matters. American Malacological Bulletin 19(1-2):111-134.

Glaubrecht, M., and E.E. Strong. 2004. Spermatophores of thalassoid gastropods (Paludomidae) in Lake Tanganyika, East Africa, with a survey of their occurrence in Cerithioidea: functional and phylogenetic implications. Invertebrate Biology 123(3):218-236.

Gonzalez, J.M., A. Basaguren, and J. Pozo. 2004. Macroinvertebrate communities along a third-order Iberian stream. Annales de Limnologie - International Journal of Limnology 39(4):287-296.

Gow, J.L., L.R. Noble, D. Rollinson, R. Mimpfoundi, and C.S. Jones. 2004. Breeding system and demography shape population genetic structure across ecological and climatic zones in the African freshwater snail, *Bulinus forskalii* (Gastropoda, Pulmonata), intermediate host for schistosomes [Review]. Molecular Ecology 13(11):3561-3573.

Graening, G.O. 2004. Subterranean biodiversity of Arkansas, Part 2: Status update of the Foushee Cavesnail, *Amnicola cora* Hubright, 1979 (Mollusca: Gastropoda: Hydrobiidae). Journal of the Arkansas Academy of Science 57(2003):195-196.

Gundacker, C. 2000. Comparison of heavy metal bioaccumulation in freshwater molluscs of urban river habitats in Vienna. Environmental Pollution 110:61-71.

Guralnick, R.P. 2004. Integrating historical and functional data to examine feeding in gastropods. American Malacological Bulletin 19(1-2):24-29.

Haase, M. 2003. Clinal variation in shell morphology of the freshwater gastropod *Potamopyrgus antipodarum* along two hill country streams in New Zealand. Journal of the Royal Society of New Zealand 33(2):549-560.

Hamilton-Bruce, R., B.P. Kear, and B.J. Smith. 2004. A new non-marine Early Cretaceous gastropod species from Lightning Ridge, New South Wales. Alcheringa 28(2):485-492.

Hershler, R., and H.-P. Liu. 2004. Taxonomic reappraisal of species assigned to the North American freshwater gastropod subgenus *Natricola* (Rissooidea: Hydrobiidae). Veliger 47(1):88-81.

Hershler, R., and H.P. -Liu. 2004. A molecular phylogeny of aquatic gastropods provides a new perspective on biogeographic history of the Snake River Region.Molecular Phylogenetics and Evolution 32(3):927-937.

Hershler, R., H.-P. Liu, and M. Mulvey. 1999. Phylogenetic relationships within the aquatic snail genus *Tryonia*: Implications for biogeography of the North American southwest. Molecular Phylogenetics and Evolution 13(2):377-391.

Hovingh, P. 2004. Intermountain freshwater mollusks, USA (*Margaritifera*, *Anodonta*, *Gonidea*, *Vavata*, *Ferrissia*): Geography, conservation, and fish management implications. Monographs of the Western North American Naturalist 2:109-135.

Jass, J.P. 2004. Distributions of gastropods in Wisconsin. Milwaukee Public Museum Contributions in Biology and Geology 99:1-28.

Jensen, A., V.E. Forbes, and E.D. Parker. 2001. Variation in cadmium uptake, feeding rate, and lifehistory effects in the gastropod *Potamopyrgus antipodarum*: Linking toxicant effects on individuals to the population level. Environmental Toxicology and Chemistry 20(11):2503-2513.

Johnson, P.T.J., D.R. Sutherland, J.M. Kinsella, and K.B. Lunde. 2004. Review of the trematode genus *Ribeiroia* (Psilostomidae): Ecology, life history and pathogenesis with special emphasis on the amphibian malformation problem [Review]. Advances in Parasitology 57:191-253.

Jorgensen, A., T.K. Kristensen, and J.R. Stothard. 2004. An investigation of the "Ancyloplanorbidae" (Gastropoda, Pulmonata, Hygrophila): preliminary evidence from DNA sequence data. Molecular Phylogenetics and Evolution 32(3):778-787.

Kadolsky, D. 2004. Comment on the proposed conservation of *Melania curvicostata* Reeve, 1861 and *Goniobasis paupercula* Lea, 1862 (Mollusca, Gastropoda) by designation of a neotype for *M. curvicostata*. Bulletin of Zoological Nomenclature 61(2):106-108.

Kawano, T., L.C. Watanabe, E. Nakano, C.M.M.Y. Araujo,
W. Caldeira, A.D. Ribeir, and H. Spring. 2004.
Observation of some key stages of the embryonic development of *Biomphalaria straminea* (Dunker, 1848) (Molluska, Planorbidae). Invertebrate Reproduction & Development 46(2-3):85-91.

Kefford, B.J., A. Dalton, C.G. Palmer, and D. Nugegoda. 2004. The salinity tolerance of eggs and hatchlings of selected aquatic macroinvertebrates in south-east Australia and South Africa. Hydrobiologia 517(1-3):179-192.

Kefford, B.J., C.G. Palmer, L. Pakhomova, and D. Nugegoda. 2004. Comparing test systems to measure the salinity tolerance of freshwater invertebrates. Water SA 30(4):499-506. Kiehn, L., S.T. Mukai, and A.S.M. Saleuddin. 2004. The role of calcium on protein secretion of the albumen gland in *Helisoma duryi* (Gastropoda). Invertebrate Biology 123(4):304-315.

Killeen, I.J., and B. McFarland. 2004. The distribution and ecology of *Gyraulus acronicus* (Ferussac, 1807) (Gastropoda: Planorbidae) in England. Journal of Conchology 38(Part 4):441-456.

Kirkagac, M.U., S. Pulatsu, and G. Koksal. 2004. Effects of land-based trout farms on the benthic macroinvertebrate community in a Turkish brook. Israeli Journal of Aquaculture-Bamidgeh 56(1):59-67.

Kleiman, F., S. Pietrokovsky, W.L. Paraense, and C.
Wisnivesky-Colli. 2004. Southernmost finding of *Lymnaea viatrix* Orbigny, 1835 (Pulmonata: Lymnaeidae), intermediate host of *Fasciloa hepatica* (Linnaeus, 1758) (Trematoda: Digenea), in urban and rural areas of Patagonia, Argentina. Memórias do Instituto Oswaldo Cruz, Rio de Janeiro 99(1):23-24.

Kloos, H., L.K.J. Passos, P. LoVerde, R.C. Oliveira, and A. Gazzinelli. 2004. Distribution and *Schistosoma mansoni* infection of *Biomphalaria glabrata* in different habitats in a rural area in the Jequitinhonha Valley, Minas Gerais, Brazil: Environmental and epidemiological aspects. Memorias do Instituto Oswaldo Cruz 99(7):673-681.

Koch, M. 2004. Faunal survey. I. The distribution of aquatic gastropods of the New England tablelands. Memoirs of the Queensland Museum 49(2):653-658.

Lombardo, P., and G.D. Cooke. 2004. Resource use and partitioning by two co-occurring freshwater gastropod species. Archiv fur Hydrobiologie 159(2):229-251.

Lydeard, C., R.H. Cowie, W.F. Ponder, A.E. Bogan, P. Bouchet, S.A. Clark, K.S. Cummings, T.J. Frest, O. Gargominy, D.G. Herbert, R. Hershler, K.E. Perez, B. Roth, M. Seddon, E.E. Strong, and F.G. Thompson. 2004. The global decline of nonmarine mollusks. Bioscience 54(4):321-330.

MacKenzie, R.A., J.L. Kaster, and J. Val Klump. 2004. The ecological patterns of benthic invertebrates in a Great Lakes coastal wetland. Journal of Great Lakes Research 30(1):58-69.

Makoni, P., M.J. Chimbari, and H. Madsen. 2004. Predator avoidance in *Bulinus globosus* (Morelet, 1866) and *B. tropicus* (Krauss, 1848) (Gastropoda: Planorbidae) exposed to predatory and non-predatory fish. Journal of Molluscan Studies 70(4):353-358.

Mangum, F.A., and J.L. Madrigal. 1999. Rotenone effects on aquatic macroinvertebrates of the Strawberry River, Utah: A five-year summary. Journal of Freshwater Ecology 14(1):125-1

Mantel, S.K., and D. Dudgeon. 2004. Dietary variation in a predatory shrimp *Macrobrachium hainanense* (Palaemonidae) in Hong Kong forest streams. Archiv fur Hydrobiologie 160(3):305-328.

McCarthy, T.M. 2004. Effects of pair-type andisolation time on mating interactions of a freshwater snail, *Physa gyrina* (Say, 1821). American Malacological Bulletin 19(1-2): 47-55.

McMahon, R.F. 2004. A 15-year study of interannual shellshape in a population of freshwater limpets (Pulmonata: Basammatophora: Ancylidae). American Malacological Bulletin 19(1-2):101-109.

Mérigoux, S., and S. Dolédec. 2004. Hydraulic requirements of stream communities: a case study on invertebrates. Freshwater Biology 49(4):600-613.

Michel, E. 2004. *Vinundu*, a new genus of gastropod (Cerithioidea: 'Thiaridae') with two species from Lake Tanganyika, East Africa, and its molecular phylogenetic relationships. Journal of Molluscan Studies 70(1):1-19.

Mienis, H.K. 2004. When shells begin to talk archaeomalacology: An important tool for the archaeologist with examples from the excavation of Mallaha, Hula Valley, Israel. pp. 111-116 in B Öztürk, and A. Salman (eds.). 1st National Malacology Congress, Izmir, Turkey. Turkish Journal of Aquatic Life 2(2):111-116

Mienis, H.K. 2004. Finally a confirmation of the presence of the pointed fountain snail (*Haitia acuta*) on the Isle of Terschelling. Spirula 340:97.

Mienis, H.K. 2004. Smurfslak ook op Marken. Voelspriet November:1.

Minton, R.L., A.E. Bogan, J.A. Brooks, and D.M. Hayes. 2004. Taxonomic revision of *Elimia christyi* and *E. interrupta* (Mollusca: Caenogastropoda: Pleuroceridae). Zootaxa 735:1-9.

Mirarchi, R.E., J.T. Garner, M.F. Mettee, and P.E. O'Neil (eds.). 2004. Alabama Wildlife. Volume 2. Imperiled aquatic mollusks and fishes. University of Alabama Press, Tuscaloosa 255 pp.

Moline, A.B., S.M. Shuster, D.A. Hendrickson, and J.C. Marks. 2004. Genetic variation in a desert aquatic snail (*Nymphophilus minckleyi*) from Cuatro Cienegas, Coahuila, Mexico. Hydrobiologia 522(1-3):179-192.

Moura, K.R.S., W.R. Terra, and A.F. Ribeiro. 2004 The functional organization of the salivary gland of *Biomphalaria straminea* (Gastropoda: Planorbidae): Secretory mechanisms and enzymatic determinations. Journal of Molluscan Studies 70(1):21-29.

Mouthon, J., and M. Magny. 2004. Malacological history of Lake Annecy (France): a comparison of Late Holocene (since 4700 BC) and present mollusc assemblages. Archiv fur Hydrobiologie 160(4):555-573.

Mower, C.M., and A.M. Turner. 2004. Behavior, morphology, and the coexistence of two pulmonate snails with molluscivorous fish: A comparative approach. American Malacological Bulletin 19(1-2):39-46.

Mukai, S.T., T. Hoque, F. Morishita, and A.S.M. Saleuddin. 2004. Cloning and characterization of a candidate nutritive glycoprotein from the albumen gland of the freshwater snail, *Helisoma duryi* (Mollusca: Pulmonata). Invertebrate Biology 123(1):83-92.

Nakano, T., and T. Ozawa. 2004. Phylogeny and historical biogeography of limpets of the order Patellogastropoda based on mitochondrial DNA sequences. Journal of Molluscan Studies 70(1):31-41.

Nolan, M.J., and T.H. Cribb. 2004. The life cycle of *Paracardicoloides yamagutii* Martin, 1974 (Digenea: Sanguinicolidae). Folia Parasitologica 51(4):320-326.

Ondrackova, M., A. Simkova, M. Gelnar, and P. Jurajda. 2004. *Posthodiplostomum cuticola* (Digenea: Diplostomatidae) in intermediate fish hosts: factors contributing to the parasite infection and prey selection by the definitive bird host. Parasitology 129(6):761-770.

Overstreet, R.M., and S.S. Curran. 2004. Defeating diplostomoid dangers in USA catfish aquaculture. Folia Parasitologica 51(2-3):153-165.

Padilla, D.K., and S.L. Williams. 2004. Beyond ballast water; aquarium and ornamental trades as sources of invasive species in aquatic ecosystems. Frontiers in Ecology and the Environment 2(3):131-138.

Papadopoulos, L.N., J.A. Todd, and E. Michel. 2004. Adulthood and phylogenetic analysis in gastropods: character recognition and coding in shells of *Lavigeria* (Cerithioidea, Thiaridae) from Lake Tanganyika. Zoological Journal of the Linnean Society 140(2):223-240.

Paraense, W.L. 2004. Planorbidae, Lymnaeidae and Physidae of Ecuador (Mollusca: Basommatophora). Memórias do Instituto Oswaldo Cruz, Rio de Janeiro 99(4):357-362.

Perez, A.M., and S.J. Lopez. 2003. Listado de la malacofauna continental (Mollusca: Gastropoda) del pacifico de Nicaragua. Revista de Biología Tropical 51(3):405-451.

Pip, E. 2004. A new species of *Physella* (Gastropoda: Physiidae) endemic to lake Winnipeg, Canada. Visaya 2:42-48.

Pointier, J.P., and P. David. 2004. Biological control of *Biomphalaria glabrata*, the intermediate host of schistosomes, by *Marisa cornuarietis* in ponds of Guadeloupe: long-term impact on the local snail fauna and aquatic flora. Biological Control 29(1):81-89.

Pointier, J.P., R.J. DeJong, L.A.T. Tchuente, T.K. Kristensen, and E.S. Loker. 2004. A neotropical snail host of *Schistosoma mansoni* introduced into Africa and consequences for the schistosomiasis transmission *Biomphalaria tenagophila* in Kinshasa (Democratic Republic of Congo). Acta Tropica 93(2):191-199.

Ponder, E.L., and B. Fried. 2004. Effects of snail size and diet on encystment of *Echinostoma caproni* cercariae in juvenile *Helisoma trivolvis* (Colorado strain) and observations on survival of infected snails. Journal of Parasitology 90(2):422-424.

Prezant, R.S., and E.J. Chapman. 2004. Freshwater molluscs of the United States Military Academy drainages (West Point, NY) and comparative regional biodiversity of gastropods. Northeastern Naturalist 11(3):273-294.

Puurtinen, M., K.E. Knott, S. Suonpaa, T. van Ooik, and V. Kaitala. 2004. Genetic variability and drift load in populations of an aquatic snail. Evolution 58(4):749-756.

Puurtinen, M., M. Hytonen, K.E. Knott, J. Taskinen, K. Nissinen, and V. Kaitala. 2004. The effects of mating system and genetic variability on susceptibility to trematode parasites in a freshwater snail, *Lymnaea stagnalis*. Evolution 58(12)2747-2753.

Richards, D.C., and D.C. Cazier Shinn. 2004. Intraspecific competition and development of size structure in the invasive snail *Potamopyrgus antipodarum* (Gray, 1853). American Malacological Bulletin 19(1-2):33-37.

Rife, G.S., and D.L. Moody. 2004. Aquatic macroinvertebrate communities from the Portage River

watershed headwater streams (Wood County, Ohio). Ohio Journal of Science 104(2):29-35.

Rikihisa, Y., C. Zhang, M. Kanter, Z.H. Cheng, N. Ohashi, and T. Fukuda. 2004. Analysis of p51, groESL, and the major antigen P51 in various species of *Neorickettsia*, an obligatory intracellular bacterium that infects trematodes and mammals. Journal of Clinical Microbiology 42(8):3823-3826.

Ropstorf, P., and F. Riedel. 2004. Deep-water gastropods endemic to Lake Baikal - An SEM study on protoconchs and radulae. Journal of Conchology 38(3):253-282.

Rosa, F.M., R.L. Caldeira, O. dos Santos Carvalho, A.L. Brunialti Godard, and P.M. Zech Coelho. 2004. Dominant character of the molecular marker of a *Biomphalaria tenagophila* strain (Mollusca: Planorbidae) resistant to *Schistosoma mansoni*. Memórias do Instituto Oswaldo Cruz, Rio de Janeiro 99(1):85-87.

Rumi, A., D.E.G. Gregoric, M.A. Roche, and M.P. Tassara. 2004. Population structure in *Drepanotrema kermatoides* and D-cimex (Gastropoda, Planorbidae) in natural conditions. Malacologia 45(2):453-458.

Schmidt, C.K., and H.-J. Brauch. 2004. Impact of amonipolycarboxylates on aquatic organisms and eutrophication: Overview of available data. Environmental Toxicology 19(6):620-637.

Schneck, J.L., and B. Fried. 2004. Effects of snail size on encystment of *Echinostoma caproni* in juvenile *Biomphalaria glabrata* (NMRI strain) and observations on the survival of infected snails. Journal of Helminthology 78(3):277-279.

Schneck, J.L., B. Fried, and J. Sherma. 2004. Effects of aging on the neutral and polar lipid composition of *Biomphalaria glabrata* under laboratory conditions. Veliger 47(2):100-102.

Schneck, J.L., S.R. Bandstra, B. Fried, and J. Sherma. 2004. Thin layer chromatographic analysis of neutral lipids in snail conditioned water and feces of *Biomphalaria* glabrata infected with *Echinostoma caproni*. Journal of Liquid Chromatography & Related Technologies 27(13):2039-2045.

Singh, A., and D.K. Singh. 2004. Effect of herbal molluscicides and their combinations on the reproduction of the snail *Lymnaea acuminata*. Archives of Environmental Contamination and Toxicology 46(4):362-371.

Stewart, P.M., D.N. Shelton, J.M. Miller, M.M. Pilarczyk, and W.H. Heath. 2004. Continued biological investigations (fish and mussel) of the Conecuh River near and below the Point A and Gantt Reservoirs, and two sites each on the Upper Conecuh, Patsaliga Creek, and Sepulga River in southern Alabama. Report to the Alabama Electric Cooperative as part of the Gantt and Point A Hydroelectric Project Relicensing Agreement for Federal Energy Regulatory Commission Project Number 2586-023 pp.1-64.

Stewart, T.W., and R.T. Dillon, Jr. 2004. Species composition and geographic distribution of Virginia's freshwater gastropod fauna: A review using historical records. American Malacological Bulletin 19(1-2):79-91.

Szarowska, M., and T. Wilke. 2004. *Sadleriana pannonica* (Frauenfeld, 1865): A lithoglyphid, hydrobiid or amnicolid taxon? Journal of Molluscan Studies 70(1):49-57.

Tablado, A., and J. Mantinian. 2004. Catalogo de ejemplares tipo de la Division Invertebrados del Museo Argentino de Ciencias naturales. II. Mollusca. Revista del Museo Argentino de Ciencias Naturales, N.S. 6(2):363-384.

Thiengo, S.C., A.C. Mattos, M.F. Boaventura, M.S. Loureiro, S.B. Santos, and M.A. Fernandez. 2004. Freshwater snails and *Schistosomiasis mansoni* in the state of Rio de Janeiro, Brazil: V - Norte Fluminense Mesoregion. Memórias do Instituto Oswaldo Cruz, Rio de Janeiro 99(Suppl. 1):99-103.

Tiwari, F., and D.K. Singh. 2004. Attraction to amino acids by *Lymnaea acuminata*, the snail host of *Fasciola* species. Brazilian Journal of Medical & Biological Research 37(4):587-590.

Turner, R.L., and P.M. Mikkelsen. 2004. Annotated bibliography of the Florida applesnail, *Pomacea paludosa* (Say) (Gastropoda: Ampullariidae), from 1824 to 1999. Nemouria 48:1-188.

Tzilkowski, C.J., and J.R. Stauffer, Jr. 2004. Biology and diet of the northern madtom (*Noturus stigmosus*) and stonecat (*Noturus flavus*) in French Creek, Pennsylvania. Journal of the Pennsylvania Academy of Science 78(1):3-11.

U.S. Fish and Wildlife Service. 2004. Technical/Agency draft recovery plan for 6 Mobile River basin aquatic snails. U.S. Fish & Wildlife Service, Jackson, Mississippi 53 pp.

Urabe, M., and M. Hinoue. 2004. Component community dynamics of larval trematodes in the freshwater snail *Semisulcospira nakasekoae* in the Uji River, central Japan. Journal of Helminthology 78(4):361-370.

Vidigal, T.H.D.A., L. Spatz, J.C. Kissinger, R.A.F. Redondo, E.C.R. Pires, A.J.G. Simpson, and O.S. Carvalho. 2004. Analysis of the first and second internal transcribed spacer sequences of the ribosomal DNA in *Biomphalaria tenagophila* complex (Mollusca: Planorbidae). Memórias do Instituto Oswaldo Cruz, Rio de Janeiro 99(2):153-158.

Watson, A.M., and S.J. Ormerod. 2004. The microdistribution of three uncommon freshwater gastropods in the drainage ditches of British grazing marshes. Aquatic Conservation: Marine and Freshwater Ecosystems 14(3):221-236.

Wesselingh, F.P., M.E. Rasanen, G. Irion, H.B. Vonhof, R. Kaandorp, and E. Renema. 2001. Lake Pebas: a palaeological reconstruction of a Miocene, long-lived lake complex in western Amazonia. Cainozoic Research 1(1-2): 35-81.

- Wethington, A.R., and R.T. Dillon, Jr. 2004. Are populations of physids from different hot springs distinctive lineages? American Malacological Bulletin 19(1-2):135-144.
- Yusa, Y. 2004. Inheritance of colour polymorphism and the pattern of sperm competition in the apple snail *Pomacea canaliculata* (Gastropoda: Ampullariidae). Journal of Molluscan Studies 70(1):43-48.
- Yusa, Y. 2004. Brood sex ratio in the apple snail *Pomacea canaliculata* (Gastropoda: Ampullariidae) is determined genetically and not by environmental factors. Journal of Molluscan Studies 70(3):269-275.

Zbikowska, E. 2004. Infection of snails with bird schistosomes and the threat of swimmer's itch in selected Polish lakes. Parasitology Research 92(1):30-35.

Helpful Hints from Hoppy:



Hoppy Says — Big time heat wave...excellent sampling conditions...great time for shelling!!!

Submitted by Steve Ahlstedt

Freshwater Mollusk Conservation Society Membership List - August 2005

Please contact Patty Morrison, FMCS secretary, with any corrections/changes.

Jae Abel Santa Clara Valley Water District 310 Victoria Place Palo Alto, CA 94306 408-265-2607 yerolpal@earthlink.net

Steve Ahlstedt 1820 Midpark Drive, Suite A Knoxville, TN 37828 865-545-4140 ahlstedt@usgs.gov

John Alderman 244 Red Gate Road Pittsboro, NC 27312 919-542-5331 aldermjm@mindspring.com

Dan Allen P.O. Box 5114 Cookeville, TN 38505 931-372-6355 dallen@tntech.edu

Dennis Anderson USACE 190 5th St. E St Paul, MN 55101-1638 651-290-5272 dennis.d.anderson@usace.army.mil

Richard Anderson Western Illinois Univ. Dept. Biological Sciences Waggoner Hall 381 Macomb, IL 61455 309-298-2408 r-anderson1@wiu.edu

Robert Anderson USFWS 315 South Allen Street, Suite 322 State College, PA 16801 814-234-4090 robert_m_anderson@fws.gov

Tamara Anderson University of Colorado Museum 285 Smith Street Lander, WY 82520 307-335-8662 tamara.anderson@ucolorado.edu Rafael Araujo Museo Nacional De Ciencias Naturales Jose Guttierrez Abascal, 2 Madrid, 28006 Spain rafael@mncn.csic.es

Brian Armitage Midwest Biodiversity Institute, Inc. 5580 Olentangy River Rd. Columbus, OH 43235-3444 614-899-7417 barmitage@columbus.rv.com

Elizabeth Ashcroft Arkansas State University P.O. Box 444 Horn Lake, MS 38637 662-393-0878 eashcroft@astate.edu

James Atkinson Michigan State University Dept. Zoology East Lansing, MI 48824-1115 517-353-2269 atkinso9@msu.edu

Peter Badra MI Natural Features Inventory Mason Building P.O. Box 30444 Lansing, MI 48909 517-241-4179 badrap@michigan.gov

Nolan Banish NC Wildlife Resources Commission 1212 Norris Street Raleigh, NC 27604 919-828-7638 nolan.banish@earthlink.net

Lee Barclay USFWS 446 Neal St. Cookeville, TN 38501 931-528-6481 lee_barclay@fws.gov Chris Barnhart

Southwest Missouri State Univ. 901 S. National Ave. Springfield, MO 65804 417-836-5166 chrisbarnhart@smsu.edu

Michelle Bartsch USGS-UMESC 2630 Fanta Reed Road La Crosse, WI 54603 608-781-6285 mbartsch@usgs.gov

Chris Bedel Cincinnati Museum Center 19 Abner Hollow Road Lynx, OH 45650 937-544-2880 eoa@bright.net

Eric Belt Ecological Specialists, Inc. 1417 Hoff Industrial Drive O'Fallon, MO 63366 636-281-1982 ebelt@ecologicalspecialists.com

David Berg Dept. of Zoology Miami University Oxford, OH 45056 513-529-3174 bergdj@muohio.edu

Matt Berg Grantsburg High School 9816 Elbow Lake Road Siren, WI 54872 715-463-5165 mberg@grantsburg.k12.wi.us

Randall Bernot University of Notre Dame 107 Galvin Life Science Center Dept. of Biological Notre Dame, IN 46556-0369 574-631-2665 rbernot@nd.edu

Richard Biggins 55 Pyfrom Drive Swannanoa, NC 28778 828-299-9128 rgbiggins@aol.com Juan Felipe Blanco Dept. Biol. Univ. Puerto Rico FB-241 University Station P.O. Box 23360 San Juan, PR 00917 787-565-7531 jblanco@lternet.edu

Arthur Bogan NC Museum Natural Sciences 4301 Reedy Creek Road Raleigh, NC 27607 919-733-7450 x 753 arthur.bogan@ncmail.net

Susan Bolden Yale University 370 Prospect Street New Haven, CT 06511 203-432-5321 susan.bolden@yale.edu

Francisco Borrero Cincinnati Museum Center 1301 Western Avenue Cincinnati, OH 45203 513-368-6515 borrerof@countryday.net

Bonnie Bowen Iowa State University Dept. Ecology, Evolution & Organismal Biol., Bessey Hall Ames, IA 50011-1020 515-294-6391 bsbowen@iastate.edu

Jolene Bowers Southwest Missouri State Univ. 80 Camden Ave Camdenton, MO 65020 jrb6005@smsu.edu

Rick Bowers Edwards-Pitman Environmental, Inc. 1250 Winchester Parkway, Suite 200 Smyrna, GA 30080 770-333-9484 rbowers@edwards-pitman.com

Laura Bowley Bureau of Water Quality 5150 W Kilgore Ave. Muncie, IN 47304 765-747-4896 labowley@msdeng.com David Braatz Streamside Systems P.O. Box 245 Boonville, NC 27011 336-367-7999 dbraatz@streamsidesystems.com

Megan Bradburn University of Missouri 302 ABNR Bldg. Columbia, MO 65211 573-884-8530 mmb257@missouri.edu

Tony Brady Genoa Fish Hatchery S 5689 State Road 35 Genoa, WI 54632 608-689-2605 tony_brady@fws.gov

Robert Bringolf NC State Univ. 3000 Simonton Ct. Apex, NC 27539 919-513-7767 robert_bringolf@ncsu.edu

Mike Brittsan Columbus Zoo & Aquarium 9990 Riverside Drive Powell, OH 43065 614-724-3580 mike.brittsan@columbuszoo.org

Joy Broach USACE-Nashville District P.O. Box 1070 (PM-P) Nashville, TN 37202-1070 615-736-7956 joy.I.broach@lrn02.usace.army.mil

Alan Buchanan 1001 S. Johnmeyer Lane Columbia, MO 65203 573-445-1521 gandalfpoint@yahoo.com

Jennifer Buhay Brigham Young Univ. Dept. of Integrative Biology 401 Widtsoe Building Provo, UT 84602 801-422-9375 crayfish@email.byu.edu John Burch Univ. of Michigan Museum of Zoology 1109 Geddes Ave. Ann Arbor, MI 48109-1079 734-647-2189 jbburch@umich.edu

Summer Burdick NC State University 1212 Norris Street Raleigh, NC 919-609-2051 smburdic@ncsu.edu

Jennifer Bury Univ. Minnesota 3675 Highland Ave., Apt. D24 White Bear Lake, MN 55110 651-762-1048 bury0008@umn.edu

Amy Bush Virginia Tech 105 Flagg Ct. Christiansburg, VA 24073 540-381-1865 abush37@hotmail.com

Janet Butler USFWS 1444 Washington Ave. Parkersburg, WV 26101-3427 304-422-0752 janet_butler@fws.gov

Robert Butler USFWS 160 Zillicoa Street Asheville, NC 28801 828-258-3939 bob_butler@fws.gov

Scott Byrne 73 Elm Street Dover, NJ 07801-2813 973-989-5326 scottbyrne@gmail.com

Geoff Call USFWS 446 Neal Street Cookeville, TN 38501 931-528-6481 geoff_call@fws.gov David Campbell University of Alabama 425 Scientific Collections Bldg. Box 870345 Tuscaloosa, AL 35487-0345 205-348-0380 amblema@bama.ua.edu

Stephanie Carman New Mexico Dept. of Game & Fish Conservation Services Division P.O. Box 25112 Sante Fe, NM 87504 505-476-8092 scarman@state.nm.us

Gail Carmody USFWS 1601 Balboa Avenue Panama City, FL 32405 850-769-0552 gail_carmody@fws.gov

Joe Carney Lakehead University Dept. of Biology 955 Oliver Road Thunder Bay, ON P7B 5E1 Canada 807-766-7223 jcarney@lakeheadu.ca

Stephanie Chance TVA 400 W. Summit Hill Dr. Knoxville, TN 37902 865-632-3403 sachance@tva.gov

Alan Christian Arkansas State University Dept Biological Sciences P.O. Box 599 State University, AR 72467 870-972-3296 achristian@astate.edu

Stephanie Clark University of Alabama School of Biological Sciences Box 870345 Tuscaloosa, AL 35487 205-348-1792 saclark@bama.ua.edu Janet Clayton WV Div. Natural Resources P.O. Box 67 Ward Road Elkins, WV 26241 304-637-0245 janetclayton@wvdnr.gov

Jeffrey Cole 25 Queen Street Wellsboro, PA 16901 301-689-7142 jcole@umces.edu

Ken Cook USACE P.O. Box 2004 Rock Island, IL 61204-2004 309-794-5285 kenneeth.n.cook@usace.army.mil

Joyce Coombs University of TN 274 Ellington PSB Knoxville, TN 37996-4563 865-974-7229 jcoombs@utk.edu

W. Gregory Cope North Carolina State Univ. Dept. Environmental Toxicology Box 7633 Raleigh, NC 27695-7633 919-515-5296 greg_cope@ncsu.edu

Marla Coppolino American Museum of Natural History Central Park West at 79th Street New York, NY 10024-5192 212-769-5720 marlacop@amnh.org

James Cordeiro Nature Serve 11 Avenue de Lafayette, 5th Floor Boston, MA 02111 617-542-1908 jay_cordeiro@natureserve.org

Mark Cornish US Army Corps of Engineers Clock Tower Bldg., P.O. Box 2004 Rock Island, IL 61204-2004 309-794-5385 mark.a.cornish@usace.army.mil Peter Cosgrove Aberdeen University Coilintra House, High Street Grantown on Spey Morayshire, Scotland PH26 3EN UK 147-987-3151 pearlmussel@coilintra.freeserve.co.uk

Matthew Cox Macalester College 1600 Grand Ave. St Paul, MN 55105 651-646-7349 mcox@macalester.edu

Darran Crabtree TNC Allegheny College P.O. Box 310 Meadville, PA 16335 814-332-2946 dcrabtree@tnc.org

John Crane P.O. Box 1633 Plymouth, MA 02362 508-747-5021

Betty Crump USDA Forest Service P.O. Box 1270 Hot Springs, AR 71902 501-321-5236 bcrump@fs.fed.us

Kevin Cummings Illinois Natural History Survey 607 E Peabody Drive Champaign, IL 61820 217-333-1623 ksc@inhs.uiuc.edu

Chris Davidson USFWS 1500 Museum Road, Suite 105 Conway, AR 72032 501-513-4481 chrid_davidson@fws.gov

Mike Davis MN DNR 1801 S. Oak Street Lake City, MN 55041 651-345-3331 mike.davis@dnr.state.mn.us Sara Denham McHenry County Conservation District 6419 Giant Oaks Road Wonder Lake, IL 60097-8126 815-728-8307 sdenham@mccdistrict.org

David Dettman Univ. of Arizona/Geosciences 1040 4th Street, Room 208 Tucson, AZ 85721 520-621-4618 dettman@geo.arizona.edu

Julie Devers USFWS 400 E. Main Street White Sulphur Springs, WV 24986 304-536-1361 julie_boyles@fws.gov

Tom Dickson The Catena Group 410-B Millstone Drive Hillsborough, NC 27278 919-7321300 tdickinson@thecatenagroup.com

Carmen Dillon Marshall Univ. 2469 Third Ave, Apt. 102 Huntington, WV 25703 304-617-9063 dillon33@marshall.edu

Rob Dillon, Jr. College of Charleston, Dept. of Biology 66 George St. Charleston, SC 29424 843-943-8087 dillonr@cofc.edu

Ron Dimock Wake Forest University P.O. Box 7325 Winston-Salem, NC 27106 336-758-5567 dimock@wfu.edu

Gerald Dinkins Dinkins Biological Consulting 3716 W. Beaver Creek Drive Powell, TN 37849 865-938-7739 biodink@covenantmail.net Benjamin Dodd Iowa DNR 24570 US Highway 34 Charlton, IA 50049 641-774-2958 benjamindodd79@hotmail.com

Barbara Douglas US FWS 694 Beverly Pike Elkins, WV 26241 304-636-6586 barbara_douglas@fws.gov

Kari Duncan USFWS 8544 Electric Ave. Vienna, VA 22182 703-358-2464 kari duncan@fws.gov

Heidi Dunn Ecological Specialists, Inc. 1417 Hoff Industrial Park O'Fallon, MO 63366 636-281-1982 hdunn@ecologicalspecialists.com

Jon Duyvejonck UMRCC 4469 48th Ave Ct. Rock Island, IL 61201 309-793-5800 jon duyvejonck@fws.gov

Stan Dvorak FMNH 3512 Woodside Ave. Brookfield, IL 60513 708-387-0687

Chris Eads NCSU 4700 Hillsborough St. Raleigh, NC 27606 919-513-6655 chris_eads@ncsu.edu

EBSCO Industries New Brunswick Museum 277 Douglas Ave. St. John, NB E2K 1E5 Canada 205-991-1234 David Edds Emporia State University 1200 Commercial Street Emporia, KS 66801-5087 620-341-5622 eddsdavi@emporia.edu

William Ettinger Normandeau Assoc. 23723 Woods Dr. Lewes, DE 19958-3314 302-945-3567 wettinger@normandeau.com

Brian Evans USFWS 330 Cummings St. Abingdon, VA 24210 276-623-1233 brian_evans@fws.gov

Ryan Evans Western PA Conservancy 209 Fourth Avenue Pittsburgh, PA 15222 412-586-2332 revans@paconserve.org

Todd Fabian Southwest Missouri State Univ. 437 East Cherry, Apt. 18 Springfield, MO 65806 660-287-5527 tbf9895@smsu.edu

Mark Fagg TN Wildlife Res. Agency 3030 Wildlife Way Morristown, TN 37814 423-587-7037 mark.fagg@state.tn.us

Mark Farr USACE 3909 Halls Ferry Road EL-EE-A Vicksburg, MS 39180 601-634-3049 mark.d.farr@erdc.usace.army.mil

Jerry Farris Arkansas State University Environmental Sciences P.O. Box 847 State University, AR 72467 870-972-2007 jlfarris@astate.edu Pete Fasbender USFWS 1 Federal Drive Fort Snelling, MN 55111 612-713-5343 pete_fasbender@fws.gov

Chad Ferguson Wright State University 51 Mound Street Dayton, OH 45402 937-219-8950 chad.ferguson@wright.edu

Randy Ferrin NPS St. Croix National Scenic Riverway 23290 Quentin Ave Scandia, MN 55073 715-483-3284 randy_ferrin@nps.gov

Brant Fisher IN Dept. Natural Resources Atterbury Fish & Wildlife Area 7970 S. Rowe St., P.O. Box 3000 Edinburgh, IN 46124-3000 812-526-5816 bfisher@dnr.in.gov

James Flowers NC State University 525 Walnut Grove Church Road Hurdle Mills, NC 27541 919-513-6404 james_flowers@ncsu.edu

Brook Fluker Univ. Louisiana at Monroe Dept. Biology 101 Garrett Hall Monroe, LA 71209-0520 318-342-3299 flukerbl@tribe.ulm.edu

Steve Fraley NC Wildlife Resources Commission 10257 Rush Fork Rd. Clyde, NC 28721 828-627-8414 fraleysj@earthlink.net

Steve Galarneau Wisconsin DNR 1155 Pilgrim Road Plymouth, WI 53073 920-892-8756 stephen.galarneau@dnr.state.wi.us Heather Galbraith Univ of Oklahoma Oklahoma Biological Survey 111 E. Chesapeake St. Norman, OK 73019 405-325-2753 hgalbraith@ou.edu

Michael Gangloff Auburn Univ. Dept Biological Sciences 101 Cary Hall Auburn, AL 36849 334-844-7345 ganglmm@auburn.edu

Jochen Gerber Field Museum of Natural History Div. of Invertebrates 1400 S. Lake Shore Drive Chicago, IL 60605-2496 312-665-7577 jgerber@fieldmuseum.org

Leighann Gipson USACE 167 N. Main St., Room B202 Memphis, TN 38103 901-544-4015 leighann.c.gipson@usace.army.mil

Stephanie Goodman Indiana University Purdue Univ. 2424 Bluewater Trail Ft. Wayne, IN 46804 260-434-1616 goodmans@repsrv.com

Don Gowan TNC 146 East Main St. Abingdon, VA 24210 276-676-2209 dgowan@tnc.org

Jeff Grabarkiewicz Lucas Soil and Water Conservation District 1517 Temperance Temperance, MI 48182 734-850-0349 threehorn_wartyback@yahoo.com Daniel Graf Academy of Natural Sciences 1900 Benjamin Franklin Parkway Philadelphia, PA 19103 215-299-1132 graf@acnatsci.org

Lane C. Graham The University of Manitoba Dept. of Zoology Winnipeg, Manitoba R3T 2N2 Canada 204-474-9245 lcgrahm@cc.umanitoba.ca

Jennifer Guyot Virginia Tech 149 Cheatham Hall Blacksburg, VA 24060 540-231-5320 guyot@vt.edu

Shane Hanlon USFWS 330 Cummings St. Abingdon, VA 24210 276-623-1233 shane_hanlon@fws.gov

Willard Harman SUNY - Oneonta Biological Field Station 5838 State Hwy 80 Cooperstown, NY 13326 607-547-8778 harmanwn@oneonta.edu

Fred A. Harris NC Wildlife Resources Commission 1701 Mail Service Center Raleigh, NC 27699-1701 919-733-3391 fred.harris@ncwildlife.org

John L. Harris Welch/Harris, Inc. 12301 Pleasant Forest Drive Little Rock, AR 72212 501-223-3867 omibob@aol.com

Julian R. Harrison, Ph.D. College of Charleston 738 Swanson Avenue Charleston, SC 29412-9140 843-795-1694 harrisonj@cofc.edu Kristen Hase Kansas Dept. Wildlife & Parks 512 SE 25th Ave. Pratt, KS 67124-8174 620-672-0710 kristenm@wp.state.ks.us

Cassandra Hauswald TNC 227 N. Mulberry St., P.O. Box 5 Corydon, IN 47112 812-738-2087 chauswald@tnc.org

Marian Havlik Malacological Consultants 1603 Mississippi Street La Crosse, WI 54601-4969 608-782-7958 havlikme@aol.com

Thomas Hayes Pittsburgh Zoo and PPG Aquarium One Wild Place Pittsburgh, PA 15206 412-365-2596 mqhayes@aol.com

David Heath WI DNR 3550 Mormon Coulee Road La Crosse, WI 54601 608-785-9993 david.heath@dnr.state.wi.us

Don Helms Helms & Associates 814 North 7th Street Bellevue, IA 52031-9321 563-872-4563 helmsdon@cistelecom.net

Nathan Henderson Metcalf & Eddy 701 Edgewater Drive Wakefield, MA 01880 781-224-6504 nathan.henderson@m-e.com

Bill Henley Virginia Tech 106 Cheatham Hall Blacksburg, VA 24061-0321 540-231-7241 whenley@vt.edu Richard Henry USFWS 2890 Woodbridge Ave., Bldg. #18 Edison, NJ 08837 732-906-6987 richard_henry@fws.gov

Max Henschen IN Dept Environmental Mgmt. 3023 Winfield Avenue Indianapolis, IN 46222-1951 317-926-6430 mhensche@idem.in.gov

Randy Hoeh Kent State University 130 Cunningham Hall Kent, OH 44242 440-840-3480 whoeh@kent.edu

Michael Hoggarth Otterbein College Dept. Life & Earth Sciences Westerville, OH 43081 614-823-1667 mhoggarth@otterbein.edu

Jessica Hoisington Miami University 212 Pearson Hall Oxford, OH 45056 513-529-6691 hoisinjl@muohio.edu

Ellet Hoke Midwest Malacology, Inc. 1878 Ridgeview Circle Drive Manchester, MO 63021 636-391-9459 ellethoke@charter.net

Mike Holliman NC Coop Fish & Wildl Unit NCSU, Box 7617 Raleigh, NC 27695-7617 919-515-4594 mike_holliman@ncsu.edu

David Hopper US FWS 1387 S. Vinnell Way, Suite 368 Biose, ID 83709 208-685-6957 dave_hopper@fws.gov Daniel Hornbach Macalester College 1600 Grand Ave. St. Paul, MN 55105 651-696-6160 hornbach@macalester.edu

Mark Hove Macalester College 1600 Grand Ave. St. Paul, MN 55105 651-696-6827 mark_hove@umn.edu

Charles Howard Enviroscience, Inc. 3781 Darrow Road Stow, OH 44224 330-688-0111 choward@enviroscienceinc.com

Daryl Howell Iowa DNR Wallace State Office Bldg 502 East Ninth Des Moines, IA 50319 515-281-8524 daryl.howell@dnr.state.ia.us

Robert G. Howells Texas Parks & Wildlife Dept. Heart of the Hills Fisheries Science Center 5103 Junction Highway Ingram, TX 78025 830-866-3356 robert.howells@tpwd.state.tx.us

Dan Hua Virginia Tech Fisheries & Wildlife Science Blacksburg, VA 24060 540-231-7241 huad@vt.edu

Don Hubbs TN Wildlife Resources Agency 3905 Highway 641S P.O. Box 70 Camden, TN 38320 731-584-9032 tnmussels@aol.com Fred Huber USDA Forest Service 5162 Valleypointe Parkway Roanoke, VA 24019 540-265-5157 fhuber@fs.fed.us

Patrick Hubert Illinois Natural History Survey 13498 N. 200E Road Fairmount, IL 61841 217-896-3025 phubert@uiuc.edu

Robert G. Hudson Presbyterian College Biology Dept. 503 S. Broad Street Clinton, SC 29325 864-833-8448 rhudson@presby.edu

R. Douglas Hunter Oakland University Dept. of Biological Sciences 2200 N. Squirrel Rd. Rochester, MI 48309-4476 248-370-3552 hunter@oakland.edu

Pascal Irmscher 1125 Emerald Street Madison, Wi 53715 262-939-0187 pirmscher@wisc.edu

Joan Jass Milwaukee Public Museum 800 W. Wells Street Milwaukee, WI 53233 414-278-2761 jass@mpm.edu

John Jenkinson 305 Revere Avenue Clinton, TN 37716 865-457-0174 jjjenkinson@hotmail.com

Kurt Jirka Ichthyological Assoc., Inc. 50 Ludlowville Road Lansing, NY 14882 607-533-8801 kjjirka@yahoo.com Nathan Johnson Virginia Tech Dept Fish & Wildlife 107 Cheatham Hall Blacksburg, VA 24061 540-239-0876 najohns4@vt.edu

Paul D. Johnson Tennessee Aquarium Research Institute 5385 Red Clay Road Cohutta, GA 30710 706-694-4419 pdj@tnari.org

Richard I. Johnson 124 Chestnut Hill Road Chestnut Hill, MA 02467 617-493-2468

Steven Johnson USACE Clock Tower Building Rock Island, IL 61201-2004 309-794-5704 steven.m.johnson@usace.army.mil

Thomas Johnson Fish Pro Consulting Engineers 5201 South 6th Street Road Springfield, IL 62703 217-585-8333 tjohnson@fishpro.com

Anneli Jokela McGill University 859 Sherbrooke St. West Redpath Museum Montreal, Quebec H3A 2K6 Canada 514-398-4086 anneli.jokela@mail.mcgill.ca

Jess Jones USFWS 146 Cheatham Hall Virginia Tech Blacksburg, VA 24061-0321 540-231-2266 jess_jones@fws.gov

Brianna Kaiser SW Missouri State Univ. 2020 E Bennett St., Apt G-16 Springfield, MO 65804 417-823-8594 bek656s@smsu.edu David Kamms 7784 E. Linden Lane Parma, OH 44130 440-845-7545 dvdsak@aol.com

Cindy Kane USFWS Virginia Field Office 6669 Short Lane Gloucester, VA 23061 804-693-6694 cindy_kane@fws.gov

Byron Karns National Park Service/Univ. of MN 15237 63rd Street N Stillwater, MN 55082 715-483-3284 byron_karns@nps.gov

Reuben Keller Univ. of Notre Dame Dept. of Biological Sciences Notre Dame, IN 46637 574-631-4153 rkeller2@nd.edu

Morgan Kelly Univ. of Maine Dept. of Wildlife Ecology Orono, ME 04473 512-695-9229 morgan_kelly@mail.utexas.edu

Daniel Kelner USACE 190 5th Street East St. Paul, MN 55101 651-290-5277 daniel.e.kelner@usace.army.mil

John Kent 394 Cub Creek Road Chapel Hill, NC 27517-6327 919-933-5650 jkent@tmug.org

David Kesler Rhodes College 2000 N. Parkway Memphis, TN 38112 901-843-3557 kesler@rhodes.edu Sheila Kirk USFWS 50 Fish Hatchery Road Celina, TN 38551 931-243-2443 sheila_kirk@fws.gov

Roger Klocek Shedd Aquarium 22713 Bass Lake Road Plainfield, IL 60544 312-692-3233 rklocek@sheddaquarium.org

Stephen Kneeland Univ of Maine Dept of Wildlife Ecology 5755 Nutting Hall Orono, ME 04469 207-581-2921 stephen.kneeland@umit.maine.edu

Karen Kobey Three Rivers Park District 711 Timber Lane Shoreview, MN 55126 651-483-0328 kkobey@threeriversparkdistrict.org

Leroy Koch USFWS 3761 Georgetown Road Frankfort, KY 40601 502-695-0468 leroy_koch@fws.gov

Martin Kohl TN Dept. of Environ. & Conservation 3003 Greenway Drive Knoxville, TN 37918 865-689-5732 mkohl1@aol.com

L. Russert Kraemer Univ. of Arkansas Dept. Biological Sciences, SCEN-632 Fayetteville, AR 72701 479-575-3251 rkraemer@uark.edu

George Krause Environmental Steward 1020 West Main Street Wytheville, VA 24382 276-228-6497 mmgkrause@aol.com Danielle Kreeger Academy of Natural Sciences 1900 Ben Franklin Parkway Philadelphia, PA 19103 215-299-1184 kreeger@acnatsci.org

Eric Krueger The Nature Conservancy P.O. Box 20246 Charleston, SC 29413 843-937-8807 ekrueger@tnc.org

Kelli Krueger Friends of the Chicago River 407 S Dearborn, Suite 1580 Chicago, IL 60605 312-939-0490 kkrueger@chicagoriver.org

Kody Kuehnl Ohio State Univ. 1314 Kinnear Rd. Columbus, OH 43212 614-292-2186 kuehnl.2@osu.edu

Jennifer Kurth Univ of Maine 5755 Nutting Hall Orono, ME 04469 207-581-1340 jennifer.kurth@umit.maine.edu

Gerald Lang Carnegie Museum of Natural History 22317 Highway 285 Cochranton, PA 16314 814-332-0390 jerrylang1@hotmail.com

Raven Lawson Arkansas State University 3711 Highland Drive Jonesboro, AR 72401 501-940-5814 raven.lawson@smail.astate.edu

James Layzer TN Coop. Fish. Res. Unit TN Tech Univ. Box 5114 Cookeville, TN 38505 931-372-3032 jim_layzer@tntech.edu Keith LeClaire USACE 190 5th Street East St Paul, MN 55101-1638 651-290-5491 keith.r.leclaire@usace.army.mil

William Lellis USGS Leetown Science Center 176 Straight Run Road Wellsboro, PA 16901 570-724-3322 wlellis@usgs.gov

Todd Levine Miami University Zoology Dept., Pearson Hall 700 E High St Oxford, OH 45056 513-529-3387 levinetd@muohio.edu

Chad Lewis Mainstream Commercial Divers, Inc. P.O. Box 1426 Murray, KY 42071 270-753-9654 chad@mainstreamdivers.com

Appleton Liath Univ. of Michigan Museum of Zoology 1109 Geddes Ave Ann Arbor, MI 48109-1079 734-764-2398 liath@umich.edu

Cynthia Loftin ME Coop. Fish & Wildlife Unit Univ. of Maine 5755 Nutting Hall Orono, ME 04469-5755 207-581-2843 cyndy_loftin@umenfa.maine.edu

Charles Lydeard Univ. of Alabama 309 Ayito Rd SE Vienna, VA 22180 clydeard@nsf.gov

Rachel Mair Virginia Tech 610 N. Main St, Suite 260 Blacksburg, VA 24060 540-231-7241 rmair@vt.edu Rebecca Marfurt Southwestern Univ. SU Box 7605 Georgetown, TX 78626 512-819-7435 marfurtr@southwestern.edu

Kevin Markham Environmental Services, Inc. 524 South New Hope Road Raleigh, NC 27610 919-212-1760 kmarkham@esinc.cc

Scott Martin 712 Harley Drive Columbus, OH 43202-1808 614-447-3600 smartin@cas.org

David Martinez USFWS 6315 E. 57th Place Tulsa, OK 74135-8122 918-581-7458 david_martinez@fws.gov

Charles Mather Univ. Sci. & Arts of Oklahoma 1727 W. Alabama St. Chickasha, OK 73018 405-574-1282 facmathercm@usao.edu

Christine Mayer Illinois Natural History Survey 607 E Peabody Drive Champaign, IL 61820 217-244-2354 camayer@uiuc.edu

Jason Mays North Carolina DOT 1324 Takeaway Place Morrisville, NC 27560 919-270-9213 jasonmays@mac.com

Katherine McCafferty Georgia DOT 1000 St. Charles Ave., Apt. 2 Atlanta, GA 30306 770-712-2126 kamccafferty@yahoo.com Mary McCann Devine Tarbell & Assoc. 970 Baxter Blvd. Portland, ME 04103 207-775-4495 mary.mccann@devinetarbell.com

Brent McClane McClane Environmental Services 10566 Decker Ave. St. Louis, MO 63114 314-890-8524 bmcclane@swbell.net

James McDougal 102 Ridgeview Circle Guilford, CT 06437 203-457-1179 jemcdougal@aol.com

Daryl McGoldrick Environment Canada Natl. Water Res. Inst., P.O. Box 5050 867 Lakeshore Dr. Burlington, Ontario L7R 4A6 Canada 905-336-4790 daryl.mcgoldrick@ec.gc.ca

Stuart McGregor Geological Survey of AL P.O. Box 869999 Tuscaloosa, AL 35486 205-247-3629 smcgregor@gsa.state.al.us

Dan McGuire McGuire Consulting 95607 Reata Road Kennewick, WA 99338 509-628-8772

Heidi McIntyre Arkansas State Univ. 7692 Highway 351N Jonesboro, AR 72401 870-802-4863 hmcintyre@astate.edu

Colleen McLean Mich State Univ./MNFI 141 Theo Ave. Lansing, MI 48917 517-980-0571 mcleanc2@msu.edu Stephen McMurray MO Dept. of Conservation 1110 S. College Ave. Columbia, MO 65201 573-882-9909 stephen.mcmurray@mdc.mo.gov

Trisha Menker Ohio State Univ. 1315 Kinnear Road Columbus, OH 43212 614-724-3611 menker.1@osu.edu

Henk Mienis Hebrew University of Jerusalem National Mollusc Collection Dept. Evolution, Systematics & Ecology IL-91904 Jerusalem Israel mienis@netzer.org.il

Cristi Milam EA Engineering 15 Loveton Circle Sparks, MD 21152 410-771-4950 cmilam@eaest.com

Glenn Miller US FWS 2800 E. Lakeshore Drive Ashland, WI 54806 715-682-6185 glenn_miller@fws.gov

Grace Miller Arkansas State University 508 Lindenhurst North Little Rock, AR 72118 501-831-1780 amanda.miller@smail.astate.edu

Thomas Miller 902 Crestview Drive Laredo, TX 78045 956-717-1250 tmiller@laredo.edu

Russ Minton Univ of Louisiana at Monroe Dept Biology, ULM 700 University Monroe, LA 71209-0520 318-342-1795 minton@ulm.edu Denise Moldenhauer US FWS 160 Zillicoa Street Asheville, NC 28801 828-258-3939 denise_moldenhauer@fws.gov

Kendall Moles TN Tech Univ 1100 North Dixie 205 Pennebaker Hall Cookeville, TN 38505 931-372-6205 kmoles@tntech.edu

Emy Monroe Miami University Zoology Dept., Rm 212 Pearson Hall Oxford, OH 45056 513-529-8183 monreoem@muohio.edu

William Montgomery 66 Gorman Lane #B Cincinnati, OH 45215-3626 513-769-6724

Yenory Morales Chaves Rotterdamseweg 185 PO Box 177, 2600 MH Delft, 2600 MH Netherlands yenory.morales@wldelft.nl

Todd Morris Fisheries & Oceans Canada 867 Lakeshore Road Burlington, ON L7R 4A6 Canada 905-336-4734 morrist@dfo-mpo.gc.ca

Cheryl Morrison US Geological Survey Leetown Science Center 11649 Leetown Road Kearneysville, WV 25430 304-724-4464 cheryl_morrison@usgs.gov

Patricia Morrison USFWS Ohio River Islands NWR P.O. Box 1811 Parkersburg, WV 26102-1811 304-422-0752 patricia_morrison@fws.gov Rachel Muir US Geological Survey 1967 B Villa Ridge Drive Reston, VA 20191 703-648-5114 rachel muir@usgs.gov

Melody Myers-Kinzie 261 Pennwood Lane Brownsburg, IN 46112 317-297-7713 mmk7119@cs.com

Tatsuaki Nakato LACMRERS 2288 Highway 22 Muscatine, IA 52761-8307 563-288-2888 tatsuaki-nakato@uiowa.edu

Ethan Nedeau Biodrawversity 36 Longmeadow Road Amherst, MA 01002 413-253-6561 ejnedeau@comcast.net

Richard Neves USGS Dept Fish & Wildlife Virginia Tech Blacksburg, VA 24061-0321 540-231-5927 mussel@vt.edu

Teresa Newton USGS Upper Midwest Environ. Sci. Center 2630 Fanta Reed Rd LaCrosse, WI 54603 608-781-6217 tnewton@usgs.gov

Robert Nichols NC Wildlife Resources Commission 1142 I-85 Service Road Creedmoor, NC 27522 919-528-9806 rob.nichols@ncwildlife.org

S. Jerrine Nichols USGS 1451 Green Road Ann Arbor, MI 48105 734-214-7218 sjnichols@usgs.gov Betsy Nightingale TNC 319 S. River St. Harrisburg, PA 17104 717-948-3840 c-bnightin@state.pa.us

Sabrina Novak Tennessee Aquarium Research Inst. 5385 Red Clay Road Cohutta, GA 30710 706-694-4666 snovak@tnari.org

Christine O'Brien Browns River Environ. Consultants 279 River Road Underhill, VT 05489 802-899-1768 amblema@adelphia.net

Susan Oetker USFWS 4101 E 80th Street Bloomington, MN 55123 612-725-3548 susan_oetker@fws.gov

Brett Ostby Virginia Tech 149 Cheatham Hall Blacksburg, VA 24061-0321 540-230-1042 bostby@vt.edu

Gary Pace Univ of Michigan-Flint 8375 Coldwater Road Davison, MI 48423 gpace@umflint.edu

David Parise Civil & Environmental Consultants 333 Baldwin Road Pittsburgh, PA 15205 412-429-2324 dparise@cecinc.com

Paul Parmalee Frank H. McClung Museum University of Tennessee 1327 Circle Park Dr. Knoxville, TN 37996-3200 865-974-2144 pparmale@utk.edu Tim Pearce Carnegie Museum of Natural History 4400 Forbes Ave. Pittsburgh, PA 15213 412-622-1916 pearcet@carnegiemnh.org

Andrew Peck Arkansas State Univ. P.O. Box 599 State University, AR 72467 870-972-3082 andrew.peck@astate.edu

Wendell Pennington 250 McGee Lane Cookeville, TN 38501 931-526-6038 kingpenn@citlink.net

Kathryn Perez Univ. of Alabama Box 870345 Tuscaloosa, AL 35487 205-239-2871 perez005@bama.ua.edu

Melissa Petty Virginia Tech 610 Montgomery St. Blacksburg, VA 24060 540-250-2182 mepetty@vt.edu

Malcolm Pierson Alabama Power Company 204 Stetson Lane Alabaster, AL 35007-4708 205-664-6177 jmpierso@southernco.com

Randal Piette Wisconsin DNR 625 E County Road Y, Suite 700 OshKosh, WI 54901 920-424-3839 randal.piette@dnr.state.wi.us

Michael Pinder VDGIF 2206 S. Main Street, Suite C Blacksburg, VA 24060 540-961-8387 mike.pinder@dgif.virginia.gov Kristine Playfoot USGS 176 Straight Run Road Wellsboro, PA 16901 570-724-3322 kplayfoot@usgs.gov

Gerald Pottern Robert J. Goldstein & Assoc. 8480 Garvey Drive Raleigh, NC 27616 919-872-1174 gpottern@rjgacarolina.com

Jeffrey Powell USFWS 1208-B Main Street Daphne, AL 36526 251-441-5858 jeff_powell@fws.gov

Jennifer Price South Carolina DNR 1921 Vanboklen Road Eastover, SC 29044 803-353-8232 pricej@dnr.sc.gov

James Pritchard 1206 Orchard Drive Ames, IA 50010 515-292-9145 jpritch@iastate.edu

Warren Pryor University of St. Francis Biology Department 2701 Spring Street Fort Wayne, IN 46808 260-385-5659 wpryor@sf.edu

Mark Pyron Ball State Univ. Dept. of Biology Muncie, IN 47306 765-285-8852 mpyron@bsu.edu

Brenda Rashleigh US EPA 960 College Station Road Athens, GA 30605 706-355-8148 rashleigh.brenda@epa.gov Joe Rathbun Michigan DEQ 3313 W. Mt. Hope Ave., #113 Lansing, MI 48911 517-482-1709 rathbunj@michigan.gov

Sally Ray Western Pennsylvania Conservancy 960 Alpine Road Wellsville, PA 17365 717-292-4881 sray960@ptd.net

Kathleen Reagan Univ. of Oklahoma 111 E. Chesapeake Street Norman, OK 73019 405-325-2753 kathleen.l.reagan@ou.edu

Marsha May Reimer Texas Parks & Wildlife Dept. 9602 Cheryl Lynn Drive Austin, TX 78747 512-965-6714 marsha.reimer@tpwd.state.tx.us

Judith Rhymer University of Maine Dept Wildlife Ecology Orono, ME 04469-5755 207-581-2863 judith.rhymer@umit.maine.edu

Brian Richards Marshall Univ. 5940 Mahood Drive, Apt. 17 Huntington, WV 25705 richards28@marshall.edu

David Richards 102 Paisley Bozeman, MT 59715

Angie Rodgers NC Wildlife Resources Commission 1424 Park Summit Blvd. Apex, NC 27523 919-460-7350 angie.rodgers@earthlink.net

Kevin Roe Dept. Nat.l Res. Ecology & Management 339 Science II Iowa State University Ames, IA 50011-3221 515-294-1458 kjroe@iastate.edu Bill Roston Box 623 Forsyth, MO 65653 417-546-5597 roston@tri-lakes.net

Nick Rowse USFWS 4101 American Blvd E Bloomington, MN 55425-1665 612-725-3548 nick_rowse@fws.gov

Christian Ruiz Altaba Univ. of the Balearic Islands Passatge Can Faixina, 19 Palma, Illes Balears 07005 Spain ieacra4@clust.uib.es

Louie Rundo 2295 Ashurst Road University Heights, OH 44118 216-321-3117 louie.rundo@lnoca.org

Jennifer Sauer USGS 2630 Fanta Reed Road La Crosse, WI 54603 608-781-6376 jsauer@usgs.gov

Tim Savidge The Catena Group, Inc. 410-B Millstone Drive Hillsborough, NC 27278 919-417-2314 tsavidge@thecatenagroup.com

Charles Saylor TVA 516 Vista Drive Clinton, TN 37716 865-403-2316 cfsaylor@tva.gov

Robert Schanzle IL DNR One Natural Resources Way Springfield, IL 62702-1271 217-785-4863 bschanzle@dnrmail.state.il.us

Frieda Schilling Greater St. Louis Shell Club 3707 Lan Drive St. Louis, MO 63125-4415 314-892-3454 Beth Schilling 11931 Couch Mill Road Knoxville, TN 37932 865-691-8267 schillingem@ornl.gov

John Schmerfeld US FWS 6669 Short Lane Glouchester, VA 23061 804-693-6694 john_schmerfeld@fws.gov

Jeffrey Schmid 2404 Buchenhorst Road State College, PA 16801 814-234-2102

Kathryn Schneider Stuyvesant Envir. Consulting 16 Frisbee Lane Stuyvesant, NY 12173 518-799-3457 fallline@berk.com

Guenter Schuster Eastern Kentucky University Dept. Biological Sciences 521 Lancaster Ave Richmond, KY 40475 859-622-1016 guenter.schuster@eku.edu

John Schwegman 3626 RiverPoint Lane Metropolis, IL 62960 618-543-9429 botany@midwest.net

Josh Seagraves Ecological Specialists 1417 Hoff Industrial Dr. O'Fallon, MO 63366 636-281-1982 jseagraves@ecologicalspecialists.com

Sara Seagraves Arkansas State Univ. Dept Biological Sciences PO Box 599 State University, AR 72467 870-892-9781 sara.seagraves@smail.astate.edu Jeanne Serb Iowa State University Ecology, Evolution & Organismal Biol. 353 Bessey Ames, IA 50011-1020 515-294-3523 serb@iastate.edu

Adam Sharpe NC State 400 Garrison Ave. Clayton, NC 27520 919-749-4414 ajsharpe@ncsu.edu

Adam Shepard KY Dept. Fish and Wildlife Resources #1 Game Farm Road Frankfort, KY 40601 502-573-1462 shepardclan@hotmail.com

Peggy Shute TVA 400 W-Summit Hill Dr. WT 11C-416 Knoxville, TN 37902-1499 865-632-1661 pwshute@tva.gov

James Sickel Murray State University 1708 Olive Street Murray, KY 42071 270-762-6326 jim.sickel@murraystate.edu

Jeffrey Sides TNARI 5385 Red Clay Road Cohutta, GA 30710 706-694-3957 jeffrey.sides@tnari.org

Jeff Simmons NC Wildlife Resources Commission 18 Sunrise Lane Candler, NC 28715 828-665-4717 jeff.simmons@earthlink.net

Thomas Simpson McHenry County Conservation District 6512 Harts Road Ringwood, IL 60072 815-678-7644 tsimpson@mccdistrict.org Allan K. Smith Pacific NW Native Freshwater Mussel Workgroup 16661 SW Chehalem Way Hillsboro, OR 97123 503-628-7825 mxasmith@pacifier.com

Brooke Smith TNARI 5385 Red Clay Road Cohutta, GA 30710 706-694-3957 brooke.smith@tnari.org

David R. Smith USGS 11649 Leetown Rd. Kearneysville, WV 25430 304-724-4467 drsmith@usgs.gov

James Smith NC Museum of Natural Sciences 4301 Reedy Creek Road Raleigh, NC 27607 919-733-7450 jamie.smith@ncmail.net

Janice Smith Environment Canada Natl. Water Res. Inst., P.O. Box 5050 867 Lakeshore Rd. Burlington, Ontario L7R 4A6 Canada 905-336-4685 Janice.Smith@ec.gc.ca

Mark Smith USACE 1651 Dorset Drive Memphis, TN 38117 901-544-0670 mark.r.smith@mvm02.usace.army.mil

Matthew Smith Environmental Services, Inc. 524 South New Hope Road Raleigh, NC 27610 919-212-1760 msmith@esinc.com

Tamara Smith Western Pennsylvania Conservancy 11881 Valley Road Union City, PA 16438 814-739-9991 tsmith@paconserve.org James Spence U.S. Army Corps of Engineers 135 Oney Ave Huntington, WV 25705 304-523-2060 james.b.spence@lrh01.usace.army.mil

Daniel Spooner Oklahoma Biological Survey 111 E. Chesapeake Street Norman, OK 73071 405-808-0823 dspooner@ou.edu

Beverly Spurlock Cabell County WV Health Dept. 6676 Merritts Creek Rd. Huntington, WV 25702 304-736-2238 bspurloc@ezwv.com

Channing St. Aubin TNARI 5385 Red Clay Road Cohutta, GA 30710 706-694-3957 channing.staubin@tnari.org

David Stansbery Museum of Biological Diversity Ohio State University 1315 Kinnear Rd Columbus, OH 43212-1192 614-292-8560 stansbery.1@osu.edu

George Stanton Columbus State University 301 LeNoirt Hall 4225 University Ave. Columbus, GA 31907 706-568-2056 stanton george@colstate.edu

Cliff Starliper USGS Leetown Science Center 11649 Leetown Road Kearneysville, WV 25430 304-724-4433 cliff_starliper@usgs.gov

Elliott Stefanik USACE 190 5th Street E St Paul, MN 55101-1638 651-290-5260 elliott.1.stefanik@usace.army.mil James Steffen Chicago Botanic Garden 1000 Lake Cook Road Glencoe, IL 60022 847-835-8266 jsteffen@chicagobotanic,org

Mark Steingraeber USFWS 555 Lester Ave. Onalaska, WI 54650 608-783-8436 mark_steingraeber@fws.gov

Bruce Stephen Southeast Community College 8800 O Street Lincoln, NE 68520 402-437-2544 bstephen@southeast.edu

Janet Sternburg MO Dept. of Conservation P.O. Box 180 Jefferson City, MO 65102 573-522-4115 janet.sternburg@mdc.mo.gov

Jeff Steuer USGS 8505 Research Way Middleton, WI 53562 608-821-3830 jjsteuer@usgs.gov

Timothy Stewart Iowa State Univ. 339 Science II Ames, IA 50011 515-294-1644 twstewar@iastate.edu

Craig Stihler WV DNR P.O. Box 67 Ward Road Elkins, WV 26241 304-637-0245 craigstihler@wvdnr.gov

David Strayer Institute of Ecosystem Studies P.O. Box AB Millbrook, NY 12545 845-677-5343 strayerd@ecostudies.org Carson Stringfellow Columbus State University P.O. Box 186 Waverly Hall, GA 31831 706-568-8384 stringfellow_carson@colstate.edu

Ellen Strong Smithsonian Institution NMNH P.O. Box 37012 MRC 163 Washington, DC 20013-7012 202-633-1742 stronge@si.edu

Gregory Styborski Civil & Environ. Consultants, Inc. 333 Baldwin Road Pittsburgh, PA 15205 412-429-2324 gstyborski@cecinc.com

Gerald Summers University of Missouri 114 Lefevre Hall Columbia, MO 65211 573-882-4369 summersg@missouri.edu

Stacy Surgenor Mammoth Cave NP P.O. Box 7 Mammoth Cave, KY 42259 270-758-2162 stacy_surgenor@nps.gov

Beth Swartz ME Dept. Inland Fish & Wildl. 650 State Street Bangor, ME 04401 207-941-4476 beth.swartz@maine.gov

Robert Szafoni Illinois DNR 1660 W. Polk Street Charleston, IL 61920 217-345-2420 rszafoni@dnrmail.state.il.us

Marilyn Tarver 28 Nancy Place Savannah, GA 31406 912-355-9087 m_tarver45@bellsouth.net Ralph Taylor Marshall University 2 Francis Circle Huntington, WV 25504 304-696-2338 ralph.taylor@marshall.edu

John Tetzloff Darby Creek Association 606 Woodbury Avenue Columbus, OH 43223 614-288-0313 jftetzloff@aol.com

Leslie Tewinkel USFWS 1 Federal Drive Fort Snelling, MN 55111 612-713-5164 leslie_tewinkel@fws.gov

Sara Thomas Ohio State 1315 Kinnear Road Columbus, OH 43212 614-724-3611 thomas.834@osu.edu

Fred Thompson Florida Museum of Natural History P.O. Box 117800 Gainesville, FL 32611-7800 352-392-1721 fgt@flmnh.ufl.edu

Jeremy Tiemann Illinois Natural History Survey 607 E. Peabody Drive Champaign, IL 61820 217-244-4594 jtiemann@inhs.uiuc.edu

Richard Tippit USACE 212 Glenwood Drive Goodlettsville, TN 37072 615-736-7958 richard.n.tippit@usace.army.mil

John Van Hassel American Electric Power 1 Riverside Plaza, 10th Floor Columbus, OH 43215 614-223-1249 jhvanhassel@aep.com Caryn Vaughn Oklahoma Biological Survey University of Oklahoma 111 E. Chesapeake St. Norman, OK 73019 405-325-4034 cvaughn@ou.edu

Rita Villella USGS Leetown Science Center 11649 Leetown Road Kearneysville, WV 25430 304-724-4472 rvillella@usgs.gov

Fritz Vorisek Kentucky State University 212 Rancho Drive Frankfort, KY 40601 502-545-8321 beeman@zensearch.com

Gary Wagenbach Carleton College One North College Street Northfield, MN 55057 507-646-4390 gwagenba@carleton.edu

Craig Walker Office of Surface Mining 530 Gay Street, Suite 500 Knoxville, TN 37902 865-545-4103 cwalker@osmre.gov

David Walker Field Museum, Chicago 218 South Edgewood Avenue La Grange, IL 60525 708-482-7399 dhwalkerr@hotmail.com

Andrea Walther University of Michigan 1109 Geddes Ave. Ann Arbor, MI 48109-1079 734-647-2189 awalther@umich.edu

Ning Wang USGS 4200 New Haven Road Columbia, MO 65201 573-441-2946 nwang@usgs.gov Rocky Ward USGS 176 Straight Run Road Wellsboro, PA 16901 570-724-3322 rward@usgs.gov

Doug Warmolts Columbus Zoo & Aquarium P.O. Box 400 Powell, OH 43065-0400 614-724-3524 doug.warmolts@columbuszoo.org

Mel Warren USDA Forest Service Southern Research Station 1000 Front Street Oxford, MS 38655 662-234-2744 fswarren@olemiss.edu

Brian Watson VA Dept of Game & Inland Fisheries 1143 Bell Lane Forest, VA 24551 434-525-7522 brian.watson@dgif.virginia.gov

Charles Watson SoBran, Inc. 1564 Wessels Dr. #6 Fort Wright, KY 41011 859-491-6401 procladius@aol.com

G. Thomas Watters Ohio State University Museum of Biological Diversity 1315 Kinnear Rd. Columbus, OH 43212 614-292-6170 watters.1@osu.edu

Gary Wege US FWS 4101 E 80th Street Bloomington, MN 55425 612-725-3548 gary_wege@fws.gov

Kurt Welke Wisconsin DNR, SCR HQ 3911 Fish Hatchery Road Fitchburg, WI 53711 608-273-5946 kurt.welke@dnr.state.wi.us Nevin Welte Tennessee Tech 1100 N. Dixie Ave. 205 Pennebaker Hall Cookeville, TN 38505 931-372-4028 ntwelte21@tntech.edu

Kara Wendeln Wright State University 2562 Conwood Drive Beavercreek, OH 45434 937-689-3681 wendeln.4@wright.edu

Joshua Westbrook Marshall University 411 Cabell Ct. Huntington, WV 25701 304-412-4123 westbrook3@marshall.edu

Amy Wethington Purdue University Dept. of Biological Sciences West Lafayette, IN 47907 765-494-9103 awething@purdue.edu

Barbara White Penn State, School of Forest Resources 9 Ferguson Bldg University Park, PA 16802 814-235-4873 bsw159@psu.edu

Barry Wicklow Saint Anselm College 100 Saint Anselm Drive Manchester, NH 03102-1310 603-641-7160 bwicklow@anselm.edu

Deborah Wills 304 Sobotka Street Hartselle, AL 35640 256-773-7641 dwills@hiwaay.net

Jason Wisniewski Georgia DNR 1021 Timbermill Run Watkinsville, GA 30677 931-510-9161 jason_wisniewski@dnr.state.ga.us Michael Wood The Catena Group 410-B Millstone Drive Hillsborough, NC 27278 919-732-1300 mwood@thecatenagroup.com

Daelyn Woolnough Iowa State University 1400 Gateway Hills Park Dr, Apt. 902 Ames, IA 50014 515-292-1770 daelyn@iastate.edu

Paul Yokley, Jr. 3698 Chisholm Road Florence, AL 35630 256-764-3780 pyj@hiwaay.net

David Zanatta University of Toronto Royal Ontario Museum 100 Queen's Park Toronto, ON M5S 2C6 Canada 416-586-8094 dave.zanatta@utoronto.ca

Steve Zigler USGS 2630 Fanta Reed Road Lacrosse, WI 54603 608-781-6395 szigler@usgs.gov

Greg Zimmerman EnviroScience, Inc. Columbus Field Office 8301 Schleppi Road Westerville, OH 43081 614-855-8711 gzimmerman@enviroscienceinc.com

Lora Zimmerman US Fish and Wildlife Service 176 Croghan Spur Road, Suite 200 Charleston, SC 29407 843-727-4707 lora_zimmerman@fws.gov

Jeffrey Zuiderveen Columbus State Univ. 4420 Hudson Mill Rd. Cataula, GA 31804 706-569-3019 zuiderveen_jeffrey@colstate.edu

HABITAT AND LIFESTYLE CHOICES OF FRESHWATER MUSSELS (UNIONIDAE) IN WEST TENNESSEE

ANNA DONNA GRANDIS and T. VERRUCOSA Bilology Department, Unio University, Podunk, TN

ABSTRACT: During many grueling years of field research, some of which was conducted in the actual outdoors, we pursued the slimy trail of the freshwater mussel (Unionidae) across the trammeled wilderness of western Tennessee. We had brief yet surprisingly poignant encounters with 10,113 individuals of twenty-eight species in thirty-two ZIP Codes, and our lives were changed forever by communing with these brave bivalves whose quiet dignity belies their wretched poverty and unsanitary living conditions. But perhaps this abstract is becoming a little *too* abstract; we apologize. We seem to have developed a crippling inability to relate to *H. sapiens*. To summarize for the impatient, most of whom have skipped to the results section by now, we found a clear correlation between local environmental factors (i.e., water temperature, pollution levels and irritable cottonmouths) and the presence or absence of mussels.

The freshwater mussel fauna of the United States is among the richest in the world (Money Magazine, 2001). The noble class *Bivalvia* first arrived on this planet 300 million years ago, give or take an epoch, and they were doing just fine, thank you very much, until you showed up. Because of the greedy, cruel, selfish and essentially vile nature of human beings (Bible, ca 1600 BCE—90 CE), this century has witnessed a steep decline in freshwater mussel populations. Human attitudes toward mussels are largely either negative (Shakespeare, 1610-11), for which we may thank the divine injunction against aquatic biota that lack fins and scales (Bible, ca 1405 BCE), or purely culinary, for which we may thank legions of hungry heretics whose names have been, rightfully, cleansed from the history books.

Our research is an ongoing attempt to speak for the shellfish who have been silenced, to stand up for those who lack legs of their own, to help the mussels tell their heartbreaking story in their own burbles (Lofting, 1922). It is in pursuit of these simple goals that we find our purpose in life (Spurge, 2003). The bulk of our research is elsewhere described, in the scientifically incisive yet heartwarming film, *It's a Wonderful Mollusc!* (rated PG-13 for profanity and casual sex), but we also recorded a number of peripheral observations on the attitudes and lifestyles of our tiny subjects. These observations we now share with the world in the fervent hope that our work will shed the pure light of selfless science upon the shadowy suffering of shellfish (Poetry Techniques, 2002).

MATERIALS AND METHODS

In order to stalk, capture and identify the wily and elusive freshwater mussel, we employed a cornucopia of sampling methods (Smith, 1994). First we tried luring our prey with gravy-soaked biscuit crumbs and aromatic bits of fruit peel, which we placed at the water's edge atop a small redtablecloth. This method proved uniformly checkered disappointing, as the frenetic pace of scavenging ants and beetles set an impossible standard of competition. We moved on to an escalating series of mussel snares that ranged from simple (tiny string noose) to complex (tiny mechanical "girly mussel," gaping slightly, waving plump superconglutinate in provocative manner). All of these seemingly foolproof traps ultimately failed to capture any mussels, for a variety of reasons that we are unable to think about without feeling very silly (Horst, 1999).

Finally, in sheer desperation, we resorted to a technique that we had earlier rejected as "primitive and undignified" (ADG, pers. comm.) and "Yeah, um, I don't THINK so!" (TV, pers. comm.). To be brutally frank, we *groped* for mussels, and most of them seemed to enjoy it. This technique is best illustrated by the condition of our garments at the end of a day's work: sopping wet, permanently soiled with muck and botanical effluvia, and generally gross-o-rama. At one point we attempted to calculate the total mass of filthy socks we discarded on roadsides during the course of our research, but were daunted by the complexity of the equation (Guo, 1999).

Our materials consisted of endless changes of clothing (we later realized that nudity would have been more economical) and little waterproof notebooks in which we doodled potential designs for mussel-related tattoos whenever we got bored. We used a handheld GPS receiver to identify the precise locations of our sampling areas, except when the secret spy satellites were blocked by the alien space rays (Southern Baptist Reader, 2001). We also verified beyond all doubt the healing powers of chocolate and cheese (Pansy, 2001).


RESULTS AND DISCUSSION

Our results were statistically significant (Bulger, 1992) and somewhat surprising (Schmeerl, 1967). Through our intimate contact with 10,113 individual mussels of twenty-eight species in thirty-two ZIP codes, we formulated a multi-part hypothesis regarding the habitat and lifestyle choices of these enigmatic beasts. At first it may appear that our hypothesis is based on wild conjecture, but we promise that all of the really important bits are firmly grounded in accurate field observations and totally objective facts (Custer, 1867).


Most of the mussels we studied exhibited a strong preference for stable and relatively unpolluted aquatic habitat, with a notable exception being *Utterbackia imbecillis* which was found to survive and even thrive in such inhospitable habitats as exposed sand bars, drying puddles, and treetops. Fortunately for us, given our obsessive Calvinistic need to divide the natural world into tidy and predictable categories, the other species we studied were more tractable and quickly learned to play by the rules (Gazpacho, 1999). Our research shows distinct trends of behavior among these "good" mussels as follows.

Trend 1: Mussels prefer to live in habitat that is free of leeches, snapping turtles and excessively active fish; mussels


are *never* found in areas frequented by poisonous snakes (Fig. 1). This last "cottonmouth effect" is evidenced by the sharp drop we noted in the numbers of mussels collected in the vicinity of *Agkistrodon piscivorus*.




Trend 2: Mussels are highly influenced in their habitat choices by seasonal temperature changes, preferring air and water temperatures roughly equivalent to those preferred by the average human (Brody, 1974). Our data show that mussels actively seek comfortable temperatures by moving to the sunnier side of the river in cold weather and moving to the shadier side in hot weather (Fig. 2). When the weather is intermediate such trends become less clear, with some mussels (usually younger males) moving to shady areas, and others (usually older females) opting for sunny areas.



Trend 3: Mussels exhibit avoidance behaviors during inclement weather. When a light rain shower begins, mussels undertake a rapid migration toward the deepest portion of the sampling area, quickly moving out of reach of all but the most long-armed researchers (Cabbage, 1982). By the time a light rain shower turns into a thunderstorm, the local mussel populations have effectively disappeared (Fig. 3). At such times, we have found it best to seek hot showers and microbrews until the mussels choose to return to the surface. In a similar behavior not yet observed by us personally, it has been reliably reported that mussels in colder climates often migrate southward in wintertime by clinging to the backs of geese (Old man who lives under bridge, pers. comm., 2001).



Trend 4: Mussels prefer to live in pristine, unpolluted water (Fig. 4) within five miles of a park, library, grocery store, and movie theater (Uvula, 1999). Mussels are seldom found immediately downstream of industrial or municipal wastewater outfall pipes. Our data also indicate that mussels have the ability to distinguish between types of wastewater discharges, possibly on the basis of smell, taste, texture, or official signage. For example, we found that large numbers of mussels will inhabit the area immediately downstream from the cooling water outfall for a chocolate factory, but mussels are seldom found in conjunction with the "chunky style" wastewater discharge of a large metropolis (Juniper, 1996). Mussels are never found immediately downstream from hog and chicken farms, metal-plating facilities or nuclear reactors (Jerkins, 2000).



After taking a few minutes to analyze the clear trends outlined above (Klezmer, 1954), we reached the conclusion that freshwater mussels are capable of making complex choices regarding habitat and lifestyle (Cornball, 1997). Until now many scientists and normal people have assumed that mussels are without intelligence, free will, or emotional baggage, but we trust that our findings will open such closed minds to a pearly dawn of new understanding and empathy for this most maligned and neglected of creatures, this tiny glob of dirty mucus in a calcium-based casket, this shy voluptuous beauty with whom we have shared so many hours of silent, yet deeply passionate, joy.

ACKNOWLEDGMENTS

We wish to thank the many bivalves who helped to make our research possible, except for *U. imbecillis* which was not as helpful as it could have been. We thank the legions of former and current employees of the U.S. Army Corps of Engineers, the U.S. Soil Conservation Service, and the West Tennessee Basin Authority for ensuring that most of the rivers and creeks in our region have been permanently stripped of their natural meanders, woody debris, riparian vegetation and freshwater mussels, thus greatly reducing our sampling obligations. We thank the five anonymous reviewers who told us that our manuscript was a delusional piece of crap, because we know they were just kidding (Vito, 2002). Ha ha! Finally, and most importantly, thanks to Doctor Dolittle for solving the Shellfish Riddle and teaching us the importance of being a Good Noticer.

LITERATURE CITED

- Bible, The Holy. Circa 1600 BCE 586 CE, Genesis 6:5, Job 5:7, Lamentations 5:7. Various locations in the Middle East.
- ———— Circa 1405 BCE. Leviticus 11:10-12. General vicinity of Mt. Sinai, Egypt.
- Brody, N. 1974. Meet Bob & Darla, the Average Humans. Hot Buttered Books, Des Moines (Out of Print).
- Bulger, P.K. 1992. Statistics: Are they significant? J. of Num. Hokum. 23:4-5.
- Cabbage, H. 1982. You'll Never Escape the Long Arm of the Malacologist. Wild West Books, New York City.
- Cornball, T.R. 1997. How to make any old hypothesis sound plausible: what every slacker scientist needs to know. J. of Decept. Rhet. Techniques. 99:1-300.
- Custer, G.A. 1867. Blending truth and lies, and other useful tactics for the egotistical sociopath. Popular Psychosis, 12:90-128.
- Gazpacho, W. 1999. Beating Mother Nature Into Submission: God's Plan for the Planet. Alpha-Omega Press, Salt Lake City.
- Guo Chun Wen. 1999. Linear and Nonlinear Parabolic Complex Equations. Peking University, China.
- Horst, W. 1999. The effects of alcohol on field researchers: how much is too much? J. of Ineb. Biol. 2:9.
- Jerkins, P.K. 2000. Liberal Media Lies: Why radioactive manure was given a bad rap. Pontotoc Rebel-Sentinel Weekly, 10:1.
- Juniper, J.C. 1996. Female Whistles and Animal Balloons: A Layperson's Guide to Poorly Treated Sewage. Urban Hobbyist Books, Cleveland.
- Klezmer, B.B. 1954. Helpful Tips to Get Your Own Way: Nobody will dare to question your ludicrous statements if

you use big words and act really confident. Good Housekeeping, 7:12.

- Lofting, H. 1922. The Voyages of Doctor Dolittle. Part One, Chapter VII: Shellfish Talk; Part Four, Chapter I: Shellfish Talk Again; Part Six, Chapter V: The Shellfish Riddle Solved At Last.
- Money Magazine. 2001. Mussel Moguls, Bivalve Billionaires. 2:10-19.
- Old man who lives under bridge. Personal comm. 04-01-01.
- Pansy, R.M. 2001. Who Moved My Cheese and Chocolate? Random Souse, New York.
- Poetry Techniques. 2002. All About Alliteration. 4:44.
- Schmeerl, J.J. 1967. Surprise Your Pals With Science! Bug Brain Press, Gainesville.
- Shakespeare, W. 1610-11. The Tempest. Act I, Scene 2, Lines 464-5.
- Smith, Z. 1994. A Cornucopia of Sampling Methods. Boringass Books, Omaha.
- Southern Baptist Reader. 2001. Everything you ever thought you knew about science is a demonic un-American godless pagan treehugger feminazi communist fiction created by an unholy alliance between the United Nations, public television, and the little green men from outer space. 6:66.
- Spurge, C. 2003. Simple Goals For Simple People. Selfpublished, Tupelo.
- Uvula, T.H. 1999. Trends in the recreational and spending habits of the North American shellfish population. Demographics On Demand Inc., Reykjavik.
- Vito, That's Mister Vito To You. 2002. Yeah, youse guys think it's so damn funny, picking on the geeks and freaks, huh? Well, it ain't so damn funny now, is it? You thought the review process was anonymous? Nothin's anonymous to Vito. Yeah, you think this hurts, what I'm doing now, huh? You don't know what hurt is. I'll show you hurt. Youse guys seen one-a these before? Yeah, that's right, it's a bikini-waxing kit. Stop that crying. Youse guys better say you're sorry you picked on those kids. Someday they'll be driving Porsches and you'll still be cleaning toilets. Yeah, Vito's gonna make sure of that. From now on, you fart in this town, Vito hears about it. Now get outta here. Goddamn crybabies.

ERRATA

The authors are available for awards ceremonies, lavish dinner parties in their honor, or for any social function that includes free alcohol. Contact the authors via their amanuensis and factotum, Naomi Van Tol (naomi@spiny.com).

© Journal of Spurious Science, 2003

(reprinted with permission of the human author)

Freshwater Mollusk Conservation Society Standing Committees and Chairs

If you are interested in joining a committee, please contact the appropriate chair.

Awards

W. Gregory Cope North Carolina State Dept. Environ. & Molecular Toxicology Box 7633 Raleigh, NC 27695-7633 919-515-5296 greg_cope@ncsu.edu

Environmental Quality and Affairs

Richard Biggins 55 Pyfrom Drive Swannanoa, NC 28778 828-299-9128 rgbiggins@aol.com

Al Buchanan 1001 S. Johnmeyer Lane Columbia, MO 65203 573-445-1521 gandalfpoint@yahoo.com

Gastropod Status and Distribution

Paul Johnson Tennessee Aquatic Research Institute 5835 Red Clay Road Cohutta, GA 30710 706- 694-4419 Fax: 3957 pdj@sari.org

Guidelines and Techniques

John Van Hassel American Electric Power 1 Riverside Plaza Columbus, OH 43216 614-223-1249 Fax: 1252 jhvanhassel@aep.com

Information Exchange

Kevin Cummings Illinois Natural History Survey 607 E. Peabody Drive Champaign, IL 61820 217-333-1623 ksc@inhs.uiuc.edu

Mussel Status and Distribution

Kevin J. Roe Iowa State University Department of Natural Resource Ecology & Management 339 Science II Ames, IA 50011-3221 515-294-1458 kjroe@iastate.edu

Outreach

Kurt Welke Wisconsin - DNR 3911 Fish Hatchery Road Fitchburg, WI 53711 608-275-3266 welkek@dnr.state.wi.us

Propagation, Restoration, and Introduction

Jess Jones Virginia Tech 606 Broce Drive Blacksburg, VA 24060 540-231-5927 vtaquaculture@hotmail.com

Symposium Committee Arkansas - TBD

Join the UNIO Listserver http://my.fit.edu/~rtankers/unio.htm



... dedicated to the advocacy and conservation science of freshwater molluscan resources