

## Checklist of the Crustacea collected by the Western Australian Museum/ Woodside Energy Ltd. partnership to explore the Marine Biodiversity of the Dampier Archipelago, Western Australia, 1998–2002

**Jennifer Hutchins and Oliver Gomez**

Woodside Technical Officers, Department of Aquatic Zoology, Western Australian Museum,  
Locked Bag 49, Welshpool DC, 6986, Western Australia, Australia  
email: jennifer.hutchins@museum.wa.gov.au oliver.gomez@museum.wa.gov.au

Lots (Exp.) = number of specimen lots collected during Woodside Dampier Archipelago Expeditions

Lots (Other) = number of specimen lots collected from Dampier Archipelago prior to or after Woodside Dampier Archipelago Expeditions

UN = species collected from the Dampier Archipelago during the expedition, from an unofficial station

00 = species collected from the Dampier Archipelago during the expedition, with station data missing

Taxa	Lots (Exp.)	Lots (Other)	Diving Stn Nos 1-70 DA1/98 & DA3/99	Dredging Stn Nos 1-100 DA2/99	Workshop & Irregular Stns DA4/00 & DA1rr
<b>Order DECAPODA</b>					
<b>Family Albuneidae</b>					
<i>Paralbunea dayriti</i> (Serène and Umali, 1965)	4	1		24, 25, 55, 87	
<i>Paralbunea occultus</i> Boyko, 2002	1			42	
<i>Squillalbunea mariellae</i> (Serène, 1973)	3			24, 58, 89	
<b>Family Alpheidae</b>					
<i>Alphaeopsis yaldwyni</i> Banner and Banner, 1973	1		49		
<i>Alpheus audouini</i> (Coutière, 1905)		1			
<i>Alpheus bidens</i> (Olivier, 1811)	1		29		
<i>Alpheus bisincisus</i> De Haan, 1844	19	1	1, 11, 31, 35, 37, 44, 54, 61, 68	4, 12, 26, 38, 50, 70, 73, 85, 99	
<i>Alpheus</i> sp. "brevirostris group" (Olivier, 1811)		1			
<i>Alpheus bucephalus</i> Coutière, 1905	5		12, 34, 42, 52	77	
<i>Alpheus distinguendus</i> de Man, 1909	1		11		
<i>Alpheus dolerus</i> Banner, 1956	1			5	
<i>Alpheus edamensis</i> de Man, 1888		3			
<i>Alpheus edwardsii</i> (Adouin, 1827)		2			
<i>Alpheus ?eulimene</i> de Man, 1909	1		1		
<i>Alpheus facetus</i> de Man, 1908	1		34		
<i>Alpheus inopinatus</i> Holthuis and Gottlieb, 1958	2		38, 66		
<i>Alpheus lobidens</i> De Haan, 1844	1		41		
<i>Alpheus lottini</i> Guérin-Méneville, 1829	5		4, 44		14, 40
<i>Alpheus ?macrodactylus</i> Ortmann, 1894	1		49		
<i>Alpheus malleodigitus</i> (Bate, 1888)	3	1	70	77, 95	
<i>Alpheus miersi</i> Coutière, 1898	1			50	
<i>Alpheus obesomanus</i> Dana, 1852	5		8, 13, 60	76, 84	
<i>Alpheus pacificus</i> Dana, 1852	9		3, 9, 42, 45, 48		
<i>Alpheus paralcione</i> Coutière, 1905	1			76	
<i>Alpheus pareuchirus</i> Coutière, 1905	4		1	32, 47	
<i>Alpheus parvirostris</i> Dana, 1852	17		1, 6, 8, 31, 33, 35, 37, 41, 45, 47, 61, 64	76	
<i>Alpheus polyxo</i> de Man, 1909	3			4, 79, 84	
<i>Alpheus rapacida</i> de Man, 1908	5		62	17, 34, 61, 68	
<i>Alpheus serenei</i> Tiwari, 1963	25		45, 56	6, 8, 9, 10, 33, 42, 50, 58, 65, 68, 75, 77, 82, 84, 85, 95, 99	

Taxa	Lots (Exp.)	Lots (Other)	Diving Stn Nos 1-70 DA1/98 & DA3/99	Dredging Stn Nos 1-100 DA2/99	Workshop & Irregular Stns DA4/00 & DA1rr
<i>Alpheus spongiarum</i> Coutière, 1897	20	2	4, 13, 42, 53, 61, 64	4, 10, 12, 37, 39, 70, 75, 77, 82, 95, 99	
<i>Alpheus strenuus strenuus</i> Dana, 1852	4	1	35, 38, 62		
<i>Alpheus sulcatus</i> Kingsley, 1878	2	2	45, 48		
<i>Alpheus ?tasmanicus</i> Banner and Banner, 1982	1		62		
<i>Alpheus villosus</i> (Olivier, 1811)	4		37	50, 58, 99	
<i>Athanas dimorphus</i> Ortmann, 1894	11		11, 42, 45, 48, 54, 59, 62	13, 73	22
<i>Athanas djiboutensis</i> Coutière, 1897	1		47		
<i>Athanas japonicus</i> Kubo, 1936	1		48		
<i>Athanas sibogae</i> de Man, 1910	14	1	45, 48, 49, 50, 52, 54, 56, 64	5, 66, 68, 75	
<i>Racilius compressus</i> Paul'son, 1875	2				8, 10
<i>Salmoneus serratidigitus</i> (Coutière, 1896)	1			91	
<i>Synalpheus ancistrohynchus</i> de Man, 1909	13		1, 11, 12, 34, 42, 47, 70	37, 70, 95, 99	
<i>Synalpheus bispinosus</i> de Man, 1910	1			73	
<i>Synalpheus comatularum</i> (Haswell, 1882)	13			6, 7, 9, 18, 41, 42, 50, 62, 65, 68, 73, 75	
<i>Synalpheus coutierei</i> Banner, 1953	5		7, 33, 35	82	
<i>Synalpheus fossor</i> (Paul'son, 1875)	1			95	
<i>Synalpheus harpagatrus</i> Banner and Banner, 1975	1				35
<i>Synalpheus hastilicrassus</i> Coutière, 1905	15		1, 4, 13, 31, 32, 41, 52, 54	10, 13, 65, 95	
<i>Synalpheus neomeris</i> (de Man, 1897)	53		4, 7, 15, 30, 31, 32, 37, 39, 41, 47, 55, 56, 65, 67, 68	4, 5, 6, 8, 9, 13, 22, 32, 37, 39, 49, 60, 63, 65, 71, 72, 73, 75, 83, 91, 95, 99	6, 15, 42A, NR
<i>Synalpheus neptunus</i> (Dana, 1852)	7		7, 56	10, 33, 50, 68, 85	
<i>Synalpheus paraneomeris</i> Coutière, 1905	1		61		
<i>Synalpheus pococki</i> Coutière, 1898	1			99	
<i>Synalpheus quadriarticulatus</i> Banner and Banner, 1975	12		31, 33, 52	9, 50, 65, 84, 98	
<i>Synalpheus stimpsonii</i> (de Man, 1888)	30	2	33, 37, 41, 61, 67	5, 9, 13, 23, 24, 25, 33, 41, 43, 50, 58, 62, 77, 78	4, 8, 12, 20, 22, 39, 41, NR
<i>Synalpheus streptodactylus</i> Coutière, 1905	8		7	32, 38, 49, 68, 71, 98	40
<i>Synalpheus theano</i> de Man, 1910	1		32		
<i>Synalpheus tumidomanus</i> (Paulson, 1875)	4		8	38, 58	40
<b>Family Anchistioididae</b>					
<i>Anchistioides compressus</i> Paul'son, 1875	1		1		
<i>Anchistioides willeyi</i> (Borradaile, 1900)	1			68	
<b>Family Axiidae</b>					
<i>Paraxiopsis diana</i> Poore, 2007	2		40	92	
<i>Scytoleptus serripes</i> Gerstaecker, 1856		4			
<b>Family Calappidae</b>					
<i>Calappa clypeata</i> Borradaile, 1903	19	4		1, 3, 23, 24, 26, 27, 29, 34, 44, 54, 55, 56, 59, 68, 69, 73, 81, 90	
<i>Calappa hepatica</i> (Linnaeus, 1758)	1		10		
<b>Family Callianassidae</b>					
<i>Biffarius melissae</i> Poore, 2007	2			3	
<i>Callianassa amboinensis</i> de Man, 1888	2	2		84, 99	

Taxa	Lots (Exp.)	Lots (Other)	Diving Stn Nos 1-70 DA1/98 & DA3/99	Dredging Stn Nos 1-100 DA2/99	Workshop & Irregular Stns DA4/00 & DA1rr
<b>Family Coenobitidae</b>					
<i>Coenobita perlatus</i> H. Milne Edwards, 1837		1			
<b>Family Corystidae</b>					
<i>Gomeza bicornis</i> Gray, 1831	1			66	
<b>Family Cryptochiridae</b>					
<i>Hapalocarcinus marsupialis</i> Stimpson, 1859	2	1	4, 46		
<b>Family Diogenidae</b>					
<i>Clibanarius taeniatus</i> (H. Milne Edwards, 1848)	11		2, 9, 23, 37, 38, 54, 58		
<i>Clibanarius virescens</i> (Krauss, 1843)	1		5		
<i>Dardanus crassimanus</i> (H. Milne Edwards, 1836)	1		3		
<i>Dardanus deformis</i> (H. Milne Edwards, 1836)	1	1	45		
<i>Dardanus megistos</i> (Herbst, 1804)	1	1	19		
<i>Dardanus pedunculatus</i> (Herbst, 1804)	5		6, 16, 43, 67		
<i>Dardanus setifer</i> (H. Milne Edwards, 1836)	5	1		50, 52, 73, 81, 91	
<i>Paguristes alegrias</i> Morgan, 1987	4		27, 32, 47		
<i>Paguristes breviostris</i> Baker, 1905		1			
<i>Paguristes dampierensis</i> McLaughlin, 2007	12			23, 24, 25, 26, 52, 54, 56, 71, 75, 79	
<i>Paguristes kimberleyensis</i> Morgan and Forest, 1991	4		37, 56, 65		
<i>Pseudopaguristes monoporus</i> (Morgan, 1987c)	13		9, 37, 42, 48, 56, 61, 65, 70	57, 73, 76	
<i>Strigopagurus strigimanus</i> (White, 1847)		1			
<b>Family Domeciidae</b>					
<i>Domecia glabra</i> Alcock, 1899	1		46		
<b>Family Dorippidae</b>					
<i>Dorippe frascone</i> (Herbst, 1785)		2			
<i>Dorippe quadridens</i> (Fabricius, 1793)	7			12, 25, 46, 62, 73, 74, 91	
<i>Paradorippe australiensis</i> (Miers, 1884)	2			36, 59	
<b>Family Dromiidae</b>					
<i>Austrodromidia australis</i> Baird, 1865		1			
<i>Austrodromidia insignis</i> (Rathbun, 1923)		1			
<i>Fultodromia nodipes</i> (Guérin-Méneville, 1832)		1			
<b>Family Galatheidae</b>					
<i>Allogalatea elegans</i> (Adams & White, 1848)	26		65	6, 12, 21, 23, 24, 25, 32, 37, 38, 40, 41, 43, 47, 49, 56, 74, 78, 85, 87	22
<i>Galathea orientalis</i> Stimpson, 1858	27		30, 32, 41, 44, 49, 53, 55, 56, 61, 64, 68, 69	13, 18, 29, 36, 48, 49, 65, 72, 98, 99	
<i>Galathea subsquamata</i> Stimpson, 1858	38		1, 8, 12, 33, 36, 37, 40, 49, 52, 53, 60, 61, 63, 64, 67, 70	8, 13, 32, 41, 42, 48, 49, 58, 59, 60, 62, 65, 70, 75, 79, 82, 84, 85, 95	
<i>Lauriea gardineri</i> (Laurie, 1926)	2			39, 82	
<i>Phylladorhynchus integrirostris</i> (Dana, 1852)	3		50, 59, 67		
<i>Phylladorhynchus nudus</i> MacPherson, 2007	3		61, 64		
<b>Family Goneplacidae</b>					
<i>Eucrate affinis</i> Haswell, 1881	8			29, 38, 57, 58, 65, 81, 94, 99	
<i>Eucrate dorsalis</i> (White, 1849)	3			17, 64, 93	

Taxa	Lots (Exp.)	Lots (Other)	Diving Stn Nos 1-70 DA1/98 & DA3/99	Dredging Stn Nos 1-100 DA2/99	Workshop & Irregular Stns DA4/00 & DA1rr
<b>Family Grapsidae</b>					
<i>Grapsus albolineatus</i> Lamarck, 1818	2	4	5		Irr/00
<i>Metopograpsus frontalis</i> Miers, 1880	13	1	2, 14, 17, 27, 54, 59, 62, 66		
<i>Metopograpsus thukuhar</i> (Owen, 1839)		1			
<i>Plagusia squamosa</i> (Herbst, 1790)		1			
<b>Family Hippolytidae</b>					
<i>Gelastocaris paronae</i> (Nobili, 1905)	3		41, 65		
<i>Latreutes mucronatus</i> (Stimpson, 1860)	2		51, 68		
<i>Latreutes pymoeus</i> Nobili, 1904	1		68		
<i>Lysmata dispar</i> Hayashi, 2007	3		48, 65		
<i>Lysmata multiscissa</i> (Nobili, 1904)	1			82	
<i>Lysmata vittata</i> (Stimpson, 1860)	1		31		
<i>Lysmatella prima</i> Borradaile, 1915	3		56	13, 85	
<i>Saron marmoratus</i> (Oliver, 1811)	1		42		
<i>Thor paschalis</i> (Heller, 1862)	7		10, 36, 37, 48, 51, 64, 68		
<i>Tozeuma armatum</i> Paul'son, 1875	1		68		
<b>Family Hymenosomatidae</b>					
<i>Halicarcinus ?bedfordi</i> Montgomery, 1931	1		48		
<i>Trigonoplax longirostris</i> McCulloch, 1908		1			
<i>Trigonoplax spathulifera</i> Lucas, 1980	3		9, 68		
<i>Trigonoplax ?spathulifera</i> Lucas, 1980	2			85	Irr/SP
<b>Family Leucosiidae</b>					
<i>Arcania gracilis</i> (Henderson, 1893)	1			55	
<i>Arcania undecimspinosa</i> De Haan, 1841	1			90	
<i>Ixa acuta</i> Tyndale-Biscoe and George, 1962	2			59, 60	
<i>Ixa edwardsi</i> Lucas, 1858	5			24, 25, 35, 44, 56	
<i>Leucosia anatum</i> (Herbst, 1783)		1			
<i>Leucosia haswelli</i> Miers, 1886		5			
<i>Leucosia moresbiensis</i> Haswell, 1880	3	2	2, 62		
<i>Leucosia ocellata</i> Bell, 1855	7	1		34, 45, 59, 60, 67, 68, 92	
<i>Leucosia punctata</i> Bell, 1855	1		11		
<i>Myra affinis</i> Bell, 1855		3			
<i>Myra australis</i> Haswell, 1879	17	4	38	4, 23, 24, 29, 37, 38, 49, 55, 57, 62, 69, 73, 76, 79, 81, 88	
<i>Myra celeris</i> Galil, 2001	2			55, 90	
<i>Myrine kessleri</i> (Paul'son, 1875)	1			24	
<i>Myra mammillaris</i> Bell, 1855		1			
<i>Myrodes eudactylus</i> Bell, 1855	1	1		24	
<i>Nucia speciosa</i> Dana, 1852	2		12, 37		
<i>Oreophorus reticulatus</i> Adams and White, 1849	3		54	4, 57	
<i>Seulocia laevimana</i> (Miers, 1884)	11			17, 20, 34, 36, 44, 53, 59, 60, 61, 65, 69	
<i>Urnalana elata</i> (A. Milne Edwards, 1874)	2		48, 59		
<i>Urnalana haematosticta</i> (Adams and White, 1849)		1			
<i>Urnalana margaritata</i> (A. Milne Edwards, 1874)	1			38	
<i>Urnalana thysanotus</i> (George and Clark, 1976)	4	3		29, 46, 58, 78	
<i>Urnalana whitei</i> (Bell, 1855)	4	2		4, 55, 75, 88	
<b>Family Majidae</b>					
<i>Achaeus ?japonicus</i> De Haan, 1839	1			62	
<i>Austrolibinia gracilipes</i> (Miers, 1879)		1			
<i>Anacinetops stimpsoni</i> (Miers, 1879)		1			
<i>Huenaia halei</i> Griffin and Tranter, 1986		1			

Taxa	Lots (Exp.)	Lots (Other)	Diving Stn Nos 1-70 DA1/98 & DA3/99	Dredging Stn Nos 1-100 DA2/99	Workshop & Irregular Stns DA4/00 & DA1rr
<i>Huenia heraldica</i> (De Haan, 1837)	3		41, 68	31	
<i>Hyastenus convexus</i> Miers, 1884	2		10, 40		
<i>Hyastenus diacanthus</i> (De Haan, 1837)	21	4	4, 41, 68	6, 8, 9, 18, 29, 31, 32, 55, 58, 59, 65, 68, 74, 75, 83, 85	
<i>Hyastenus sebae</i> White, 1847	6	4	65	33, 39, 62, 65, 95	
<i>Menaethius monoceros</i> (Latreille, 1825)	19	1	6, 11, 12, 37, 38, 41, 42, 45, 47, 48, 51, 54, 56, 61	62, 95	
<i>Micippa curtispina</i> Haswell, 1880	2			62, 96	
<i>Micippa philyra</i> (Herbst, 1803)	1		55		
<i>Micippa platipes</i> Ruppell, 1830	1	1	62		
<i>Micippa thalia</i> (Herbst, 1803)	3		30	62, 73	
<i>Oncinopus aranea</i> De Haan, 1839	3			57, 62, 88	
<i>Paranaxia serpulifera</i> (Guerin-Meneville, 1829)	3			37, 38, 62	
<i>Phalangipus australiensis</i> Rathbun, 1918	9	2		1, 23, 33, 49, 52, 56, 57, 58, 69	
<i>Schizophrys aspera</i> (H. Milne Edwards, 1834)	10	3	6, 8, 12, 25, 42, 45, 58	4, 95	
<i>Schizophrys dama</i> (Herbst, 1804)	12	2	42, 65	8, 9, 10, 13, 38, 41, 58, 59, 77, 98	
<i>Tiarinia cornigera</i> (Latreille, 1825)	2		25, 64		
<i>Tiarinia cf. gracilis</i> Dana, 1852	2		6, 48		
<b>Family Matutidae</b>					
<i>Ashtoret granulosa</i> (Miers, 1877)	3	2		8, 18	19
<i>Ashtoret lunaris</i> (Forskål, 1775)	1	4	10		
<i>Izanami inermis</i> (Miers, 1884)	13	1		6, 12, 25, 29, 32, 33, 41, 49, 56, 76, 78, 89	
<i>Matuta planipes</i> Fabricius, 1798		7			
<b>Family Menippidae</b>					
<i>Epixanthus frontalis</i> (H. Milne Edwards, 1834)	2		27, 63		
<i>Eriphia sebana</i> (Shaw and Nodder, 1803)		1			
<i>Lydia annulipes</i> (H. Milne Edwards, 1834)	2	2	5, 45		
<b>Family Micheleidae</b>					
<i>Michelea dampieri</i> Poore, 2007	1		31		
<b>Family Ocypodidae</b>					
<i>Macrophthalmus (Chaenostoma) boscii</i> Audouin, 1826	10		2, 7, 11, 17, 20, 31, 54, 63		
<i>Macrophthalmus (Chaenostoma) ?boscii</i> Audouin, 1826	8		10, 31, 38, 48, 51, 54, 62		
<i>Macrophthalmus (Macrophthalmus)</i> <i>crassipes</i> (H. Milne Edwards, 1852)	1				26
<i>Macrophthalmus (Macrophthalmus)</i> <i>telescopicus</i> (Owen, 1839)	1	1		96	
<i>Ocypode ceratophthalma</i> (Pallas, 1772)		2			
<i>Ocypode fabricii</i> H. Milne Edwards, 1837	1	3	25		
<i>Uca capricornis</i> Crane, 1975	6	2	62		WC, Irr/WC
<i>Uca dampieri</i> Crane, 1975	15		2, 34, 54, 59, 62, 66		WC, WB, Irr/WB, Irr/WC
<i>Uca elegans</i> George and Jones, 1982	15	4			KB, WC, Irr/CC
<i>Uca flammula</i> Crane, 1975	2	4			WC, Irr/WC
<i>Uca mjoebergi</i> Rathbun, 1924	3	3			KB, WC, Irr/WC
<i>Uca polita</i> Crane, 1975	3		31		Irr/KB
<i>Uca ?polita</i> Crane, 1975		1			
<i>Uca seismella</i> Crane, 1975		2			

Taxa	Lots (Exp.)	Lots (Other)	Diving Stn Nos 1-70 DA1/98 & DA3/99	Dredging Stn Nos 1-100 DA2/99	Workshop & Irregular Stns DA4/00 & DA1rr
<b>Family Ogyrididae</b>					
<i>Ogyrides mjobergi</i> (Balss, 1921)	3			12	HC
<i>Ogyrides ?mjobergi</i> (Balss, 1921)	1			46	
<b>Family Paguridae</b>					
<i>Nematopagurus ostlingochirus</i> McLaughlin, 1997	3			7, 57, 88	
<i>Paguritta harmsi</i> (Gordon, 1935)	1		66		
<i>Pagurus sticticus</i> McLaughlin, 2007	5			41, 73, 85	
<b>Family Palaemonidae</b>					
<i>Anchistus custos</i> (Forskål, 1775)	4				4, 6, 8, 41
<i>Anchistus miersi</i> (de Man, 1888)	3				4, 10, 12
<i>Conchodytes maculatus</i> Bruce, 1989	3				8, 33, 41
<i>Conchodytes meleagrinae</i> Peters, 1852	1		3		
<i>Conchodytes monodactylus</i> Holthuis, 1952	2		39		27
<i>Coralliocaris nudirostris</i> (Heller, 1861)	1		3		
<i>Coralliocaris viridis</i> Bruce, 1974	2		36, 42		
<i>Hamodactylus boschmai</i> Holthuis, 1952	6				9, 15, 27, 41, 42A
<i>Hamodactylus noumeae</i> Bruce, 1970	8				4, 9, 14, 15, 16, 17, 20
<i>Harpiliopsis beaupresii</i> (Audouin, 1826)	10		6, 36, 49		8, 14, 16, 23, 40
<i>Harpilius bayeri</i> (Holthuis, 1981)	1		13		
<i>Ischnopontonia lophos</i> (Barnard, 1962)	3				8, 10, 37
<i>Kemponia amymone</i> (de Man, 1902)	9		1, 3, 6, 8, 29, 36		
<i>Kemponia andamanensis</i> (Kemp, 1922)	1			75	
<i>Kemponia elegans</i> (Paul'son, 1875)	5			18	4, 15, 27, 42A
<i>Kemponia grandis</i> (Stimpson, 1860)	8		6, 11, 59, 62, 68		14, 27
<i>Kemponia aff. grandis</i> (Stimpson, 1860)	2		31, 38		
<i>Kemponia sp. "grandis group"</i> (Stimpson, 1860)	3		1, 9, 68		
<i>Palaemonella pottsii</i> (Borradaile, 1915)	19		10, 33, 37, 47, 55, 68	10	4, 8, 9, 17, 20, 22, 39, 43, NR
<i>Palaemonella rotumana</i> (Borradaile, 1898)	6		8, 31, 64	36, 62, 76	
<i>Palaemonella ?rotumana</i> (Borradaile, 1898)	1		29		
<i>Palaemonella spinulata</i> Yokoya, 1936	2		68	73	
<i>Palaemonetes atrinubes</i> Bray, 1976	1		62		
<i>Periclimenaeus arabicus</i> (Calman, 1939)	1		36		
<i>Periclimenaeus hecate</i> (Nobili, 1904)	1		32		
<i>Periclimenella spinifera</i> (de Man, 1902)	1		64		
<i>Periclimenes affinis</i> (Zehntner, 1894)	2		55, 68		
<i>Periclimenes alegrias</i> Bruce, 1987	1		68		
<i>Periclimenes burrup</i> Bruce, 2007	7		30	56, 71	
<i>Periclimenes commensalis</i> Borradaile, 1915	5				6, 39, 42, NR
<i>Periclimenes galene</i> Holthuis, 1952	1				27
<i>Periclimenes holthuisi</i> Bruce, 1969	1		41		
<i>Periclimenes incertus</i> Borradaile, 1915	11		55, 65, 68	31, 56, 75	6, 22, 33, 41, 42
<i>Periclimenes magnificus</i> Bruce, 1979	1		70		
<i>Periclimenes novaffinis</i> Bruce and Coombes, 1997	1		41		
<i>Periclimenes soror</i> Nobili, 1904	5		4		14, 28, 41
<i>Philarius gerlachei</i> (Nobili, 1905)	1				4
<i>Philarius imperialis</i> (Kubo, 1940)	2		3, 36		
<i>Platyponetia hyotis</i> Hipeau-Jacquotte, 1974	1				14
<i>Thaumastocaris streptopus</i> Kemp, 1922	2				27, 28
<b>Family Palicidae</b>					
<i>Neopalicus jukesii</i> (White, 1847)	1			91	
<b>Family Palinuridae</b>					
<i>Panulirus versicolor</i> (Latreille, 1804)		1			
<b>Family Pandalidae</b>					
<i>Chlorotocella gracilis</i> Balss, 1914	1				42A
? <i>Chlorotocella gracilis</i> Balss, 1914	2		55, 68		

Taxa	Lots (Exp.)	Lots (Other)	Diving Stn Nos 1-70 DA1/98 & DA3/99	Dredging Stn Nos 1-100 DA2/99	Workshop & Irregular Stns DA4/00 & DA1rr
<b>Family Parthenopidae</b>					
<i>Aulacolambrus diacanthus</i> (De Haan, 1837)	7	1	55	6, 37, 60, 62, 91, 98	
<i>Aulacolambrus longioculis</i> (Miers, 1879)	7			29, 35, 38, 59, 60, 61, 69	
<i>Cryptopodia fistulosa</i> Chiong and Ng, 1994	3			21, 70, 78	
<i>Cryptopodia</i> cf. <i>pan</i> Laurie, 1906	1			24	
<i>Cryptopodia queenslandi</i> Chiong and Ng, 1994	4			6, 25, 51, 69	
<i>Cryptopodia spatulifrons</i> Chiong and Ng, 1994		1			
<i>Parthenope longimanus</i> (Linnaeus, 1758)	3			54, 56, 90	
<i>Parthenope nodosa</i> (Jacquinot, 1854)	6	2		1, 40, 65, 68, 69, 72	
<i>Parthenope ?nodosa</i> (Jacquinot, 1854)	1			40	
<i>Pseudolambrus ?bicornis</i> (Flipse, 1930)	3		30	10, 69	
<i>Pseudolambrus bidentatus</i> (Adams and White, 1848)	2			72, 74	
<i>Pseudolambrus ?bidentatus</i> (Adams and White, 1848)	6			33, 62, 73, 76	
<i>Pseudolambrus</i> aff. <i>bidentatus</i> (Adams and White, 1848)	1			73	
<i>Pseudolambrus harpax</i> (Adams and White, 1848)	4			29, 37, 54, 73	
<i>Pseudolambrus</i> cf. <i>harpax</i> (Adams and White, 1848)	3			69, 73, 93	
<b>Family Pasiphaeidae</b>					
<i>Leptocheila (Leptocheila) robusta</i> Stimpson, 1860	1			88	
<b>Family Penaeidae</b>					
<i>Metapenaeopsis crassissima</i> Racek and Dall, 1965		3			
<i>Metapenaeopsis dura</i> Kubo, 1949		2			
<i>Metapenaeopsis rosea</i> Racek and Dall, 1965		1			
<i>Penaeus esculentus</i> Haswell, 1879		1			
<i>Penaeus latisulcatus</i> Kishinouye, 1896		1			
<b>Family Pilumnidae</b>					
<i>Ceratocarcinus longimanus</i> White, 1847	6		47, 50	57, 73	22, 35
<i>Ceratocarcinus</i> cf. <i>longimanus</i> White, 1847	3			13, 50, 77	
<i>Ceratoplax glaberrima</i> (Haswell, 1881)		1			
<i>Halimede</i> cf. <i>fragifer</i> De Haan, 1835	2	1		35, 96	
<i>Halimede ochtodes</i> (Herbst, 1783)	1	1		32	
<i>Pilumnus pulcher</i> Miers, 1884	4	1	7, 10		
<i>Pilumnus vespertilio</i> (Fabricius, 1793)	6		2, 7, 10, 38, 66		
<b>Family Pinnotheridae</b>					
<i>Pinnotheres boninensis</i> Stimpson, 1858	1	1	7		
<i>Pinnotheres cardii</i> Burger, 1895	4		4, 38, 56	10	
<i>Pinnotheres edwardsi</i> de Man, 1888		1			
<b>Family Pontiidae</b>					
<i>Pontonia sibogae</i> Bruce, 1972	1				1
<b>Family Porcellanidae</b>					
<i>Aliaporcellana suluensis</i> (Dana, 1852)	42		41, 55, 56, 65, 68	4, 5, 6, 8, 9, 10, 22, 24, 31, 32, 37, 38, 39, 41, 48, 49, 50, 58, 59, 60, 71, 72, 73, 75, 77, 79, 82, 85, 91, 99	
<i>Aliaporcellana ?suluensis</i> (Dana, 1852)	2			22, 85	
<i>Enosteoides ornatus</i> (Stimpson, 1858)		1			
<i>Lissoporcellana furcillata</i> Haig, 1965	32		41, 55, 56, 65, 66	9, 10, 13, 18, 22, 29, 31, 32, 33, 39, 41, 48, 59, 60, 65, 70, 72, 73, 75, 76, 77, 79, 84, 85, 95, 98, 99	

Taxa	Lots (Exp.)	Lots (Other)	Diving Stn Nos 1-70 DA1/98 & DA3/99	Dredging Stn Nos 1-100 DA2/99	Workshop & Irregular Stns DA4/00 & DA1rr
<i>Lissoporcellana quadrilobata</i> (Miers, 1884)	1			71	
<i>Lissoporcellana spinuligera</i> (Dana, 1853)	40	1	1, 3, 4, 8, 9, 10, 12, 20, 29, 30, 31, 32, 36, 37, 40, 44, 46, 49, 51, 55, 57, 60, 65	9, 39, 60, 65, 70, 72, 73, 74, 75, 77, 94, 95, 99	
<i>Neopetrolisthes maculatus</i> (H. Milne Edwards, 1837)		1			
<i>Pachycheles johnsoni</i> Haig, 1965	5	2	7, 13, 37	9	
<i>Pachycheles sculptus</i> (H. Milne Edwards, 1837)	32	3	7, 10, 36, 41, 47, 56, 65, 70	4, 5, 8, 10, 12, 13, 18, 33, 37, 41, 62, 65, 68, 70, 71, 72, 73, 75, 82, 85, 91, 99	
<i>Petrolisthes bosicii</i> (Audouin, 1826)	1	6	45		
<i>Petrolisthes cf. bosicii</i> (Audouin, 1826)		1			
<i>Petrolisthes coccineus</i> (Owen, 1839)		1			
<i>Petrolisthes haswelli</i> Miers, 1884	9	3	7, 27, 42, 45, 48, 59, 62	41	
<i>Petrolisthes cf. lamarckii</i> (Leach, 1820)		1			
<i>Petrolisthes militaris</i> (Heller, 1862)	36	4	47, 49, 50, 56, 65	4, 6, 8, 9, 10, 13, 18, 31, 32, 37, 38, 41, 42, 49, 50, 58, 59, 60, 61, 72, 73, 74, 75, 76, 77, 82, 84, 85, 91, 99	
<i>Petrolisthes tomentosus</i> (Dana, 1852)		1			
<i>Pisidia ?dispar</i> (Stimpson, 1858)	23		11, 34, 37, 38, 47, 48, 56, 61	9, 18, 32, 39, 46, 49, 57, 72, 75, 88, 99	
<i>Pisidia gordonii</i> (Johnson, 1970)	9		9, 64	18, 37, 38, 65, 68, 70, 72	
<i>Pisidia cf. gordonii</i> (Johnson, 1970)	3		54	43, 65	
<i>Polyonyx biunguiculatus</i> (Dana, 1852)	13	3	1, 4, 11, 32, 33, 65	37, 39, 49, 65, 70, 81, 95	
<i>Polyonyx telestophilus</i> Johnson, 1958	5			8, 9, 60, 63, 67	
<i>Polyonyx triunguiculatus</i> Zehntner, 1894	14	1	7, 54	9, 10, 37, 39, 50, 68, 76, 82, 84, 85, 91	
<i>Porcellana nitida</i> Haswell, 1882	3			59, 71, 73	
<i>Porcellanella triloba</i> White, 1851		2			
<b>Family Portunidae</b>					
<i>Charybdis (Charybdis) anisodon</i> (De Haan, 1833)	1		2		
<i>Charybdis (Charybdis) feriata</i> (Linnaeus, 1758)		1			
<i>Charybdis (Charybdis) jaubertensis</i> Rathbun, 1924	10		68	12, 32, 42, 49, 54, 72, 74, 91	
<i>Charybdis (Charybdis) ?lucifera</i> (Fabricius, 1798)	1		47		
<i>Charybdis (Charybdis) natator</i> (Herbst, 1794)	6		9, 14, 41, 54	18, 85	
<i>Charybdis (Charybdis) orientalis</i> Dana, 1852	4		33, 55, 70	38	
<i>Charybdis (Charybdis) ?orientalis</i> Dana, 1852	1		9		
<i>Charybdis (Goniohellenus) truncata</i> (Fabricius, 1798)	11			3, 12, 20, 34, 45, 48, 55, 60, 69, 90	
<i>Libystes paucidentatus</i> Stephenson and Campbell, 1960	2			20, 93	
<i>Lissocarcinus polybioides</i> Adams and White, 1849	4			24, 52, 75	
<i>Lupocyclus rotundatus</i> Adams and White, 1849	1	4		88	
<i>Podophthalmus vigil</i> (Weber, 1795)	2			39, 60	
<i>Portunus ?cf. andersoni</i> (de Man, 1887b)	17			1, 2, 16, 17, 20, 21, 31, 34, 36, 38, 39, 67, 70, 87, 90	



Taxa	Lots (Exp.)	Lots (Other)	Diving Stn Nos 1-70 DA1/98 & DA3/99	Dredging Stn Nos 1-100 DA2/99	Workshop & Irregular Stns DA4/00 & DA1rr
<i>Portunus samoensis</i> (Ward, 1939)		1			
<i>Portunus (Achelous) orbitosinus</i> Rathbun, 1911		2			
<i>Portunus (Cycloachelous) granulatus</i> (H. Milne Edwards, 1834)	22	1		4, 8, 12, 24, 29, 32, 41, 46, 52, 55, 56, 57, 58, 74, 76, 78, 79, 81, 88, 89	
<i>Portunus (Lupocycloporus) gracilimanus</i> (Stimpson, 1858)	12			4, 6, 24, 25, 29, 45, 51, 55, 56, 69, 81, 90	
<i>Portunus (Monomia) argentatus</i> (A. Milne Edwards, 1861)		1			
<i>Portunus (Monomia) curvipenis</i> Stephenson, 1961	1			68	
<i>Portunus (Monomia) haani</i> (Stimpson, 1858)	9			7, 17, 25, 29, 41, 49, 55, 57, 76	
<i>Portunus (Monomia) rubromarginatus</i> (Lanchester, 1900)	17			1, 15, 21, 23, 28, 29, 40, 45, 47, 48, 56, 71, 74, 78, 79, 91	
<i>Portunus (Monomia) ?rubromarginatus</i> (Lanchester, 1900)	5			9, 29, 62, 69, 73	
<i>Portunus (Portunus) pelagicus</i> (Linnaeus, 1758)	3		23, 51	17	
<i>Portunus (Xiphonectes) brockii</i> (de Man, 1888)	6			25, 44, 54, 55, 79, 81	
<i>Portunus (Xiphonectes) tenuipes</i> De Haan, 1833	24			5, 25, 28, 37, 38, 40, 44, 45, 51, 55, 56, 57, 71, 72, 73, 82, 83, 85, 98	
<i>Scylla serrata</i> (Forskål, 1775)		1			
<i>Thalamita admete</i> (Herbst, 1803)	25		2, 6, 10, 11, 27, 31, 35, 36, 38, 42, 44, 45, 48, 49, 51, 54, 58, 61, 64, 66		
<i>Thalamita bouvieri</i> Nobili, 1906	4		4	76, 95	
<i>Thalamita crenata</i> Ruppell, 1830	4	1	2, 11, 54		
<i>Thalamita danae</i> Stimpson, 1858	2		31, 62		
<i>Thalamita ?danae</i> Stimpson, 1858	1		63		
<i>Thalamita intermedia</i> Miers, 1886	15	5	68	29, 32, 33, 50, 62, 65, 71, 76, 82, 84, 99	
<i>Thalamita picta</i> Stimpson, 1858	4		53, 68	91, 92	
<i>Thalamita prymna</i> (Herbst, 1803)	5		8, 29, 34, 42, 53		
<i>Thalamita quadrilobata</i> Miers, 1884	1		20		
<i>Thalamita sexlobata</i> Miers, 1886	11			29, 33, 48, 57, 59, 72, 76, 81, 88, 89	
<i>Thalamita sima</i> H. Milne Edwards, 1834	16		1, 2, 6, 10, 34, 44, 54, 59	37, 59, 62, 70, 91, 96	
<i>Thalamita ?sima</i> H. Milne Edwards, 1834	2		35	96	
<i>Thalamita spinimana</i> Dana, 1852	6	1	12, 17, 27, 42, 66		
<b>Family Processidae</b>					
<i>Processa aequimana</i> (Paul'son, 1875)	3		1, 9	42	
<i>Processa ?aequimana</i> (Paul'son, 1875)	2		4	94	
<i>Processa australiensis</i> Baker, 1907	1		9		
<i>Processa japonica</i> (De Haan, 1844)	1			67	
<b>Family Raninidae</b>					
<i>Cosmonotus grayi</i> Adams and White, 1848	5	1		23, 29, 53, 55, 56	
<i>Notopus dorsipes</i> (Linnaeus, 1758)	1			4	

Taxa	Lots (Exp.)	Lots (Other)	Diving Stn Nos 1-70 DA1/98 & DA3/99	Dredging Stn Nos 1-100 DA2/99	Workshop & Irregular Stns DA4/00 & DA1rr
<b>Family Scyllariidae</b>					
<i>Acantharctus ornatus</i> (Holthius, 1960)	1	1			
<i>Acantharctus ?ornatus</i> (Holthius, 1960)	1			33	
<i>Biarctus vitiensis</i> (Dana, 1852)		1			
<i>Eduarctus martensii</i> (Pfeffer, 1881)	1	1		73	
<i>Petrarctus demani</i> (Holthuis, 1946)	4	2		6, 21, 40, 73	
<i>Petrarctus rugosus</i> (H. Milne Edwards, 1837)	1			24	
<i>Thenus orientalis</i> (Lund, 1793)	2	2		21, 91	
<b>Family Spongicolidae</b>					
<i>Microprosthema validum</i> Stimpson, 1860	3		35, 38		18
<b>Family Stenopodidae</b>					
<i>Stenopus hispidus</i> (Olivier, 1811)	2			85	14
<b>Family Thalassinidae</b>					
<i>Thalassina squamifera</i> de Man, 1915	1		10		
<b>Family Trapeziidae</b>					
<i>Tetralia cinctipes</i> Paul'son, 1875	1				14
<i>Tetralia fulva</i> Serène, 1984	5	1	47, 67		1, 14, 27
<i>Tetralia nigrolineata</i> Serène and Dat, 1957	24	6	3, 8, 36, 37, 40, 46, 48, 53, 58		1, 4, 8, 10, 14, 23, 32, 35, 37
<i>Tetralia cf. nigrolineata</i> Serène and Dat, 1957	1		1		
<i>Tetralia rubridactyla</i> Garth, 1971	7	2	3, 8, 40		14, 16, 35
<i>Tetralia vanninii</i> Galil and Clark, 1988	1		8		
<i>Trapezia cymodoce</i> (Herbst, 1801)	20	11	1, 3, 4, 6, 13, 18, 29, 44, 46, 49, 58	95	8, 14, 16, 23, 35, 37, 38
<i>Trapezia digitalis</i> Latrielle, 1828		1			
<i>Trapezia formosa</i> Smith, 1869		1			
<i>Trapezia lutea</i> Castro, 1997	4	2	36		14, 23, 40
<i>Trapezia septata</i> Dana, 1852	3	1	3		14, 38
<i>Trapezia ?septata</i> Dana, 1852		1			
<i>Trapezia serenei</i> Odinetz, 1984	1	1			14
<b>Family Upogebiidae</b>					
<i>Gebiacantha dampieri</i> Ngoc-Ho, 2007	1			3	
<i>Gebiacantha priochea</i> Sakai, 1993	1			25	
<i>Upogebia barbata</i> (Strahl, 1862)	2		4, 63		
<i>Upogebia carinicauda</i> (Stimpson, 1860)	5		1, 31, 61		
<i>Upogebia darwinii</i> (Miers, 1884)	8	2	1, 11, 33, 67	5	
<b>Family Xanthidae</b>					
<i>Actaea glandifera</i> Rathbun, 1914	2		31, 42		
<i>Actaea ?glandifera</i> Rathbun, 1914	1		23		
<i>Actaea jacquelinae</i> Guinot, 1976	10		68	32, 33, 37, 70, 71, 72, 73, 74	
<i>Actaea peronii</i> H. Milne Edwards, 1834		1			
<i>Actaea polyacantha</i> (Heller, 1861)	8		2, 6, 42, 45, 47, 48, 51		
<i>Actaea savignyi</i> (H. Milne Edwards, 1834)	16		42, 49, 55	4, 6, 8, 9, 10, 62, 70, 73, 76, 99	
<i>Actaeodes mutatus</i> Guinot, 1976	13		3, 8, 10, 37, 42, 45, 47	13, 62, 76, 84	
<i>Atergatis floridus</i> (Linnaeus, 1767)	13	1	5, 8, 10, 29, 31, 37, 42, 44, 45, 49	95	
<i>Atergatis integerrimus</i> (Lamarck, 1801)		1			
<i>Atergatis cf. integerrimus</i> (Lamarck, 1801)	4		10, 14, 59		UN
<i>Banareia ?kraussi</i> (Heller, 1861)	2		55	68	
<i>Chlorodiella nigra</i> (Forskål, 1775)	11		29, 34, 35, 60, 64		

Taxa	Lots (Exp.)	Lots (Other)	Diving Stn Nos 1-70 DA1/98 & DA3/99	Dredging Stn Nos 1-100 DA2/99	Workshop & Irregular Stns DA4/00 & DA1rr
<i>Cymo andreosyi</i> (Audouin, 1826)	3		22, 29, 42		
<i>Cymo cerasma</i> Morgan, 1990	5		31, 32, 36, 37, 47		
<i>Cymo deplanatus</i> A. Milne Edwards, 1873	3		13, 36, 46		
<i>Demania splendida</i> Laurie, 1906	1			12	
<i>Etisus anaglyptus</i> H. Milne Edwards, 1834	1		18		
<i>Etisus australis</i> (Ward, 1936)	11		9, 10, 11, 38, 48, 51, 54, 64		
<i>Etisus ?australis</i> (Ward, 1936)	1		49		
<i>Etisus demani</i> Odhner, 1925	12		6, 9, 16, 35, 44, 46, 47, 54, 61, 64, 66	98	
<i>Etisus laevimanus</i> Randall, 1840	1		17		
<i>Euxanthus exsculptus</i> (Herbst, 1790)	2		9, 45		
<i>Euxanthus huoni</i> Jacquinet, 1846	1		23		
<i>Gaillardiiella rueppelli</i> (Krauss, 1843)	13		6, 23, 41, 54, 55, 61	9, 13, 42, 65, 76, 99	
<i>Hypocolpus maculatus</i> (Haswell, 1882)	1			8	
<i>Leptodius exaratus</i> (H. Milne Edwards, 1834)	13		7, 10, 27, 38, 42, 54, 62		
<i>Leptodius gracilis</i> (Dana, 1852)	6		42, 45, 54, 59		
<i>Leptodius ?gracilis</i> (Dana, 1852)	1		67		
<i>Liomera</i> cf. <i>striolata</i> (Odhner, 1925)	4			4, 8, 84	
<i>Liomera venosa</i> (H. Milne Edwards, 1834)	16		9, 11, 31, 34, 37, 42, 45, 48	8, 10, 13, 68, 76, 77, 84, 95	
<i>Lophozozymus pictor</i> (Fabricius, 1798)	12		6, 9, 10, 11, 31	13, 62, 70, 76, 91	
<i>Lophozozymus ?pictor</i> (Fabricius, 1798)	1		1		
<i>Medaeops neglectus</i> (Balss, 1922)	12		2, 37, 49, 54	4, 6, 9, 65, 72, 73, 76	
<i>Neoxanthops rotundus</i> Guinot, 1968	2		9, 14		
<i>Palapedia integra</i> (De Haan, 1837)	1		16		
<i>Palapedia</i> cf. <i>integra</i> (De Haan, 1837)	2		48	76	
<i>Palapedia nitida</i> (Stimpson, 1858)		1			
<i>Palapedia quadriceps</i> (Yokoya, 1936)	4			24, 54, 58, 91	
<i>Palapedia roycei</i> (Serène, 1972)		1			
<i>Palapedia ?wilsoni</i> (Serène, 1972)	4			7, 62, 76, 91	
<i>Paramedaeus simplex</i> (A. Milne Edwards, 1873)	6	1	2, 10, 62		
<i>Pilodius</i> cf. <i>flavus</i> Rathbun, 1894	40		1, 2, 4, 6, 8, 10, 11, 12, 29, 31, 34, 35, 36, 38, 39, 42, 45, 51, 54, 59, 61, 64, 66		
<i>Pilodius granulatus</i> Stimpson, 1858	22		3, 4, 8, 12, 32, 40, 45, 47, 48, 53	8, 9, 42, 50, 76, 82, 84, 95	
<i>Pilodius pilumnoides</i> (White, 1848)	1		51		
<i>Platypodia granulosa</i> (Ruppell, 1830)	2		6, 23		
<i>Platypodia pseudogranulosa</i> Serène, 1984		1			
<i>Psaumis cavipes</i> (Dana, 1852)	1		57		
<i>Xanthias elegans</i> (Stimpson, 1858)	18		9, 34, 37, 45, 50, 51		
<i>Xanthias ?elegans</i> (Stimpson, 1858)	1		45		
<b>Order ISOPODA</b>					
<b>Family Cirolanidae</b>					
<i>Cartetolana integra</i> (Miers, 1884)	1		65		
<i>Cirolana improceros</i> Bruce, 1986	2		66	4	
<i>Cirolana mekista</i> Bruce, 1986	6		56, 59, 66	4, 12	
<i>Cirolana</i> sp. "parva group"	1			81	
<i>Cirolana</i> sp. "tuberculata group"	1		38		
<i>Neocirolana excisa</i> (Richardson, 1910)	3		65	62	

Taxa	Lots (Exp.)	Lots (Other)	Diving Stn Nos 1-70 DA1/98 & DA3/99	Dredging Stn Nos 1-100 DA2/99	Workshop & Irregular Stns DA4/00 & DA1rr
<b>Family Corallanidae</b>					
<i>Argathona confine</i> Hale, 1925	4		56, 66	72	
<i>Argathona macronema</i> (Bleeker, 1857)	1			4	
<i>Lanocira gardineri</i> Stebbing, 1904b	1		63		
<b>Order MYSIDACEA</b>					
<b>Family Leptanthuridae</b>					
<i>Accalathura indica</i> Nierstrasz, 1941	6		34, 37, 38, 49, 52, 61		
<b>Family Mysidae</b>					
<i>Haplostylus similis</i> Panampunnayil, 1997		1			
<i>Haplostylus tenuicaudus</i> Hanamura, 1998		2			
<i>Heteromysis harpaxoides</i> Băcescu and Bruce, 1980	1			76	
<i>Siriella hanseni</i> Tattersall, 1922	1		51		
<b>Order PEDUNCULATA</b>					
<b>Family Iblidae</b>					
<i>Ibla cumingi</i> Darwin, 1851	9	10	2, 7, 27, 45, 66		CC, WC
<b>Family Lepadidae</b>					
<i>Lepas pectinata</i> Spengler, 1793		1			
<b>Family Lithotryidae</b>					
<i>Lithotrya valentiana</i> (Gray, 1825)	1	30	48		
<b>Family Poecilasmataidae</b>					
<i>Octolasmis angulata</i> (Aurivillius, 1894)		1			
<i>Octolasmis cf. bullata</i> (Aurivillius, 1892)	4				WC, Irr/WC
<i>Temnaspis excavatum</i> (Hoek, 1907)		1			
<b>Order SESSILIA</b>					
<b>Family Archaeobalanidae</b>					
<i>Acasta fenestrata</i> Darwin, 1854		2			
<i>Acasta sulcata</i> Lamarck, 1818		3			
<i>Armatobalanus arcuatum</i> Hoek, 1913	1			57	
<i>Armatobalanus cf. cepa</i> (Darwin, 1854)	3		8, 30, 31		
<i>Armatobalanus quadrivittatus</i> (Darwin, 1854)	4	4	13, 33, 50	90	
<i>Armatobalanus terebratus</i> (Darwin, 1854)	1			65	
<i>Conopea calceolus</i> (Ellis, 1758)	11			5, 9, 13, 49, 59, 65, 74, 75, 94	
<i>Conopea</i> sp.1 cf. <i>navicula</i> (Darwin, 1854)	1			65	
<i>Conopea</i> sp.2 cf. <i>dentifer</i> (Broch, 1922)	1			65	
<i>Solidobalanus auricoma</i> (Hoek, 1913)		1			
<i>Solidobalanus ciliatus</i> (Hoek, 1913)	4	2		13, 84, 99	WC
<i>Striatobalanus amaryllis</i> (Darwin, 1854)	39	15	2, 17, 30, 33, 41, 55	5, 6, 8, 9, 10, 12, 29, 33, 35, 37, 40, 42, 46, 47, 49, 50, 51, 56, 57, 59, 62, 65, 66, 72, 73, 74, 75, 76, 82, 83, 94, 96	
<i>Striatobalanus bimae</i> (Hoek, 1913)	2	4		33	WC
<i>Striatobalanus tenuis</i> (Hoek, 1883)	4	4	30	24, 26, 67	
<b>Family Balanidae</b>					
<i>Amphibalanus amphitrite</i> Darwin, 1854	22	5	2, 11, 27, 54, 62		CC, PC, WB, WC, UN, Irr/DB, Irr/FB, Irr/WB

Taxa	Lots (Exp.)	Lots (Other)	Diving Stn Nos 1-70 DA1/98 & DA3/99	Dredging Stn Nos 1-100 DA2/99	Workshop & Irregular Stns DA4/00 & DA1rr
<i>Amphibalanus ?amphitrite</i> Darwin, 1854	5		2, 8, 11, 31		WC
<i>Amphibalanus cirratus</i> Darwin, 1854	20	8	2, 9, 27, 56		PC, WC, UN, Irr/CP, Irr/FB, Irr/WB, Irr/WC
<i>Amphibalanus reticulatus</i> Utinomi, 1967	13		2, 8, 9, 10, 17, 27, 31		PC, WC, Irr/CP, Irr/WB, Irr/WC
<i>Amphibalanus ?reticulatus</i> Utinomi, 1967		1			
<i>Balanus trigonus</i> Darwin, 1854		2			
<i>Megabalanus ajax</i> (Darwin, 1854)		1			
<i>Megabalanus cf. ajax</i> (Darwin, 1854)	1				WC
<i>Megabalanus rosa</i> (Pilsbry, 1916)	3		16, 27, 42		
<i>Megabalanus tintinnabulum</i> (Linnaeus, 1758)	11	37	3, 4, 7, 14, 17, 24, 27, 39, 42, UN		
<b>Family Chelonibiidae</b>					
<i>Chelonibia caretta</i> (Spengler, 1790)	1	1			WC
<i>Chelonibia cf. caretta</i> (Spengler, 1790)	2	2			WC
<i>Chelonibia patula</i> (Ranzani, 1818)	5				WC, Irr/CP
<i>Chelonibia testudinaria</i> (Linnaeus, 1758)	1	2			WC
<b>Family Chthamalidae</b>					
<i>Caudoeuraphia caudata</i> (Pilsbry, 1916)	1				Irr/FB
<i>Chthamalus malayensis</i> Pilsbry, 1916	30	7	7, 11, 14, 27, 31, 45, 54, 57, 59, 66		PC, WB, WC, Irr/CP, Irr/DB, Irr/FB, Irr/WB, Irr/WC
<i>Chthamalus ?malayensis</i> Pilsbry, 1916		1			
<i>Microeuraphia withersi</i> (Pilsbry, 1916)	21	5	11, 31, 34, 66		PC, WC, WB, Irr/FB, Irr/WB, Irr/WC
<i>Microeuraphia ?withersi</i> (Pilsbry, 1916)		1			
<b>Family Platylepadidae</b>					
<i>Platylepas decorata</i> Darwin, 1854		1			
<i>Platylepas hexastylus</i> (Fabricius, 1798)		1			
<b>Family Pyrgomatidae</b>					
<i>Savignium dentatum</i> (Darwin, 1854)	14	2	1, 3, 4, 8, 10, 13, 33, 39, 49, 53		13, 33, 99
<b>Family Tetracelitidae</b>					
<i>Newmanella vitiata</i> (Darwin, 1854)	16	7	2, 10, 11, 23, 35, 38, 51		PC, WC, UN, Irr/ SP, Irr/DB, Irr/FB
<i>Tetracelita squamosa</i> (Bruguère, 1789)	18	27	7, 11, 27, 31, 42, 45, 48, 51, 59		CC, PC, WC, Irr/ CP, Irr/WB, Irr/WC
<i>Tetracelitella multicosata</i> (Nilsson-Cantell, 1930)	1	7			Irr/CP
<i>Tetracelitella purpurascens</i> (Wood, 1815)		2			
<b>Order SIPHONOSTOMATOIDA</b>					
<b>Family Caligidae</b>					
<i>Caligus oculicola</i> Tan and Newbound, 2004		1			
<b>Order STOMATOPODA</b>					
<b>Family Gonodactylidae</b>					
<i>Gonodactylaceus falcatus</i> (Forskål, 1775)	8	1	1, 29, 34, 35, 38, 42, 45		
<i>Gonodactylaceus graphurus</i> (Miers, 1875)	18	4	33, 54, 58	13, 18, 31, 39, 65, 68, 72, 76, 84, 91, 95, 99	PC

Taxa	Lots (Exp.)	Lots (Other)	Diving Stn Nos 1-70 DA1/98 & DA3/99	Dredging Stn Nos 1-100 DA2/99	Workshop & Irregular Stns DA4/00 & DA1rr
<i>Gonodactylellus affinis</i> (de Man, 1902)	17		33, 53	4, 6, 9, 10, 13, 33, 50, 51, 57, 76, 84, 88, 91	
<i>Gonodactylellus diana</i> e Ahyong, 2007	4		6, 9, DA3/99/00		
<i>Gonodactylellus rubriguttatus</i> Erdmann and Manning, 1998	1		56		
<i>Gonodactylus chiragra</i> (Fabricius, 1781)	2	3	14, 31		
<i>Gonodactylus smithii</i> Pocock, 1893	2	2	13, 35		
<b>Family Nannosquillidae</b>					
<i>Acanthosquilla melissae</i> Ahyong, 2007	1			7	
<b>Family Protosquillidae</b>					
<i>Haptosquilla corrugata</i> Ahyong, 2001	20	1	6, 53, 64	6, 10, 33, 39, 42, 50, 56, 70, 72, 75, 76, 84, 85, 95, 98, 99	
<i>Haptosquilla glyptocercus</i> (Wood-Mason, 1875)	2		6, 51		
<b>Family Squillidae</b>					
<i>Anchisquilla subfasciata</i> (Tate, 1883)	2			34, 48	
<i>Carinosquilla carita</i> Ahyong, 2001	2			88, 96	
<i>Clorida obtusa</i> Ahyong, 2001	2			61, 69	
<i>Levisquilla jurichi</i> (Makarov, 1979)	4			61, 88, 93, 94	