

The first updated checklist of novel fungi in Pakistan (1947–2021)

Mubashar Raza^{1, 2, *}, Lei Cai¹, Muhammad Waseem Abbasi³, Rahila Hafeez^{4, 5}, Marium Tariq⁶, Paul M. Kirk⁷, Muzammil Hussain^{1, 2}, Nalin N. Wijayawardene^{8, 9}

¹State Key Laboratory of Mycology, Institute of Microbiology, Chinese Academy of Sciences, Chaoyang District, Beijing 100101, P.R. China. ^{2, †}Department of Plant Pathology, University College of Agriculture, University of Sargodha, Sargodha 40100, Pakistan. ³Department of Botany, University of Karachi, Karachi 75270, Pakistan. ⁴State Key Laboratory of Rice Biology, Ministry of Agriculture Key Lab of Molecular Biology of Crop Pathogens and Insects, Institute of Biotechnology, College of Agricultural and Biotechnology, Zhejiang University, Hangzhou 310058, P.R. China. ⁵Department of Plant Pathology, Faculty of Agricultural Sciences, University of the Punjab, Lahore 54590, Pakistan. ⁶M.A.H. Qadri Biological Research Centre, University of Karachi, Karachi-75270, Pakistan. ⁷Biodiversity Informatics & Spatial Analysis, Royal Botanic Garden Kew, Richmond, Surrey, TW9 3AE, UK. ⁸Center for Yunnan Plateau Biological Resources Protection and Utilization, Qujing Normal University, Qujing 655011, Yunnan Province, P.R. China. ⁹Section of Genetics, Institute for Research and Development in Health and Social Care, No: 393/3, Lily Avenue, Off Robert Gunawardane Mawatha, Battaramulla 10120, Sri Lanka.

* Correspondence: mubasharaza73@yahoo.com, [†]Alma mater

Abstract

The role of fungi in both natural and managed ecosystem processes is unequivocal with mycotaxa being key drivers of soil, plant and animal health. Recent advances in DNA-based species identification and classification have enforced mycologists to update national checklists for proper exploitation of fungal traits and functions. However, in some countries like Pakistan, a comprehensive checklist of fungal diversity, distribution, and their host range is still lacking. Herein, we summarize novel fungal species (including both macro- and micro-fungi) for the first time from distinct geographical locations of Pakistan. A total of 742 novel fungal species in 7 phyla have been reported in Pakistan since 1947, including 136 ambiguous species (as a result of cryptic species, taxonomy revisions, and lack of DNA sequence data) and 113 species with DNA sequence data. The compilation of the fungal name list provides an overview of the currently known fungal taxa in Pakistan and enables the assessment of the knowledge gap on the fungal biodiversity in comparison to the rest of the world. The current checklist will serve as a foundation for new fungi names to be added in the future and can be used as a reference by mycologists to retrieve fungal species from existing culture banks in Pakistan mentioned on the website, www.fungiofpakistan.com, to exploit their functional traits in the food industry, health sectors and for sustainable agriculture in Pakistan.

Keywords: Asia, macro- and micro-fungi, nomenclature, novel species list, taxonomy

Raza M, Cai L, Abbasi MW, Hafeez R, Tariq M, Kirk PM, Hussain M, Wijayawardene NN (2022) The first updated checklist of novel fungi in Pakistan (1947–2021). MycoAsia 2022/03.

Received: 26.01.2022 | Accepted: 15.03.2022 | Published: 16.03.2022

Handling Editor: Dr. Samina Sarwar

Reviewers: Dr. Rajesh Jeewon, Dr. Samantha C. Karunaratne, Anonymous reviewer

Introduction

Fungal classification, as one of seven kingdoms in two superkingdoms of living organisms, all with equal status in taxonomy, has been a useful one until recently (Williams et al. 2013, Ruggiero et al. 2015). It has

been shown in detail how fungi differ and are similar throughout the phylogeny during cladistics and molecular studies (Choi et al. 2017, Spatafora et al. 2017, Tedersoo et al. 2018, Naranjo - Ortiz et al. 2019, Lücking et al. 2020, Galindo et al. 2021). Phylogenetic reconstruction methods (parsimony, likelihood and bayesian approaches) have proven to be reliable indicators of evolutionary relationships and this has led to the discovery of new taxa (Barton et al. 2007). As eukaryotes, many fungi can be grown in pure cultures with high growth rates and if necessary, in large amounts (Álvarez-Pérez et al. 2011, Rämä and Quandt 2021). These characteristics (metabolites production and biocontrol of plant diseases) have made fungi as attractive research materials to use in industrial and biotechnological applications. Detailed uses of fungi in fundamental biological research from the standpoint of practical applications are highlighted by Hyde et al. (2019). Fungi, which can cause some of the most serious diseases in agricultural crops (Diao et al. 2017, Liu et al. 2017, Raza et al. 2019), are of particular interest to plant pathologists. Medical and veterinary mycologists deal with fungi that cause diseases in humans and domestic animals (Jabeen et al. 2017, Seyedmousavi et al. 2018). There are many fungi that cause food spoilage (Hussain et al. 2016a, Wu et al. 2019a), damage manufactured goods, and decay timber (Garnier et al. 2017, Snyder and Worobo 2018, Saleh and Al-Thani 2019, Goodell et al. 2020, Tennakoon 2021). The vast majority of fungal species in the fungal kingdom have never been cultivated and studied for their growth characteristics and physiology, which makes them virtually untapped for potential applications. It is necessary for this purpose to develop new methods and protocols, which means extensive basic research should be conducted prior to exploiting these organisms.

The number of species discovered so far represents only a small fraction of all the species that exist (Hawksworth 2001, Blackwell 2011, Hawksworth and Lücking 2017, Wu et al. 2019b, Baldrian et al. 2021, Lücking et al. 2021, Phukhamsakda et al. 2022). This is because only a few habitats and regions have been extensively studied. The Yungui Plateau (Guizhou Province and Yunnan Province) in southwestern China and various areas of Thailand and countries in West Africa such as Benin Burkina Faso, Gambia, Ghana, Guinea, Guinea-Bissau, Ivory Coast, Liberia, Mali, Niger, Nigeria, Senegal, Sierra Leone, and Togo are well known for their biodiversity (Hyde et al. 2018, Piepenbring et al. 2020, Wijayawardene et al. 2021). It is further proposed that a large proportion of new species are yet to be discovered, perhaps in more tropical areas such as Bangladesh, India, Laos, Pakistan, Sri Lanka, Thailand and Vietnam (Hyde et al 2018, Kaur et al. 2019, Raza et al. 2021, Wijayawardene et al. 2022a).

Pakistan is extremely diverse with respect to geography and climate. The climate mainly varies from tropical to temperate with the existence of hot deserts and the Himalayan peaks with a cold climate (Khan 2019). With such diverse conditions, Pakistan has only scant information on the diversity of micro- and macro-fungi. The reason is likely due to lack of human capacities while most national monographs on biodiversity have not included fungi. The lack of an up-to-date checklist for the country is one of the largest gaps in knowledge concerning fungal conservation. There is also a bias in assessing biodiversity, lack of awareness of fungi as important components of ecosystem functioning, and frustration among end-users due to a lack of information. It is still not possible to provide a complete picture of fungi in Pakistan without a comprehensive checklist of all taxa reported from the country.

A number of fungal species have previously been combined based on morphological observations and reported in the printed book "Fungi of Pakistan" by Sultan and co-authors in 1997 (Ahmad et al. 1997). Since then, there have been changes and improvements to the methodology for the classification of fungi, which have led to continuous updates in taxonomy and systematics of fungi in the 21st century, and checklists are essential tools for these endeavors (Amrani et al. 2019, Abdel-Azeem et al. 2020). In order

to help mycologists, pathologists, microbiologists, ecologists, farmers, we compiled a first up-to-date checklist of all reported novel fungal species based on current knowledge and resources. Moreover, this list could help in further research on the biogeography and endemicity of fungi.

Materials and methods

The list was compiled using a literature search of fungi in Pakistan (sourced from library data, personal data of specific authors, or books that were not easily accessible to the public), and only novel fungal species from the region were included in this list. The phyla, orders, families, genera, and species are listed alphabetically according to Kirk et al. (2008) and Index Fungorum (2022). Fungal taxa whose taxonomy is not well established are placed under '*incertae sedis*'. Index Fungorum (www.indexfungorum.org) Index Fungorum (2022) was used to verify fungal taxa that are reported in this study.

Results and the checklist

A checklist of novel macro- and micro-fungal species reported from Pakistan is presented for the first time in this paper. This checklist includes current names of fungal species with updated taxonomy, host records, and localities (Table 1). Nevertheless, the fungal species previously described based on morphological observations (136 ambiguous species) are also presented (Table 2). There are a total of 742 reported new species in the Pakistan checklist which represents 258 genera, 153 families, 66 orders, 23 classes, and 7 phyla (Fig. 1).

The Ascomycota with 393 species were divided into 165 genera and 96 families. Within Ascomycota, at the class level, Dothideomycetes had the greatest number of species (237 species), genera (51 genera), and families (35 families), accounting for 53.09 % of all novel species. According to the statistics, most of the species were found in Pleosporales (109 species), followed by Amphisphaerales (10 species), Botryosphaerales (96 species), Capnodiales (24 species), Diaporthales (11 species), Helotiales (12 species), Rhytismatales (9 species), Sordariales (15 species) and Teloschistales (12 species). Asterinales, Dothideales, Cephalothecales, Chaetothyriales, Eurotiales, Lecideales, Leprocaulales, Microascales, Microthyriales, Patellariales, Phaeotrichales, Phomatosporales, Saccharomycetales, Tubeufiales, and Verrucariales were reported as the orders with one species. Furthermore, there are other listed orders in the checklist, each one having less than ten species.

Basidiomycota was the second most abundant phylum, with 198 species belonging to 83 genera and 49 families. A total of 89 types were found in the Basidiomycetes, 32 in the Bartheletiomycetes, 45 in the Pucciniomycetes, 16 in the Tritirachiomycetes, and less than 10 in Agaricostilbomycetes, Basidiomycetes, Exobasidiomycetes, Microbotryomycetes, Ustilaginomycetes, and Tremellomycetes (Fig. 1B, Table 1). Furthermore, phyla Chytridiomycota, Glomeromycota, Kickxellomycota, Mucoromycota, and Zoopagomycota possess 2, 2, 1, 9, and 1 species, respectively (Table 1). Indicated with an asterisk, a total of 113 novel species with DNA sequence data are represented.




Fig. 1 Taxonomic distribution of novel fungal species reported from Pakistan since 1947. (A) Total number of fungal taxa at different taxonomic ranks. (B) Number of orders, families, genera and species within different classes/higher rank taxa belonging to seven phyla.

Checklist

There are two sections of this checklist: i. novel species with updated taxonomy or current status (Table 1) and ii. novel ambiguous species with their current status (Table 2).

In the first section, we present 258 genera with 606 species based on current fungal classification, however, there are a few *incertae sedis* genera and their species need further clarification. For example, *Septogloeum dalbergiae* (current name: *Colletogloeum dalbergiae*). *Colletogloeum* morphologically resembles *Pseudocercospora* and *Ahmadia* (Videira et al. 2017). The genus is typified by *Colletogloeum dalbergiae* but this species lacks DNA sequence data. Crous et al. (2009) showed that *C. sissoo* (IMI 119162), is closely related to *Pseudocercospora*. Hence, Kirk et al. (2013) and Wijayawardene et al. (2020) did not list this genus in their studies. One species (the type of *Colletogloeum*) has been reported from Pakistan but the accuracy of this needs to be restudied based on new collections and epitypification.

Table 1 Checklist of novel fungal species reported from Pakistan. Species with DNA sequence data are indicated with *.

Taxon	Current name/status	Host	Localities	References
<i>Ascomycota</i>				
<i>Dothideomycetes</i>				
<i>Capnodiales</i>				
<i>Capnodiaceae</i>				
<i>Capnodium</i>				
<i>C. berberidis</i>		Leaves and branches of <i>Berberis</i> sp.		Ahmad 1978b
<i>Cladosporiaceae</i>				
<i>Cladosporium</i>				
<i>C. heterophragmatis</i>		Leaves of <i>Heterophragma adenophyllum</i>	Tandojam	Khan and Kamal 1962c
<i>C. neriicola</i>		Leaves of <i>Nerium indicum</i>		Khan and Kamal 1974
<i>Mycosphaerellaceae</i>				
<i>Cercospora</i>				
<i>C. tandojameensis</i>	<i>Pseudocercospora tandojamensis</i>	Leaves of <i>Ziziphus nummularia</i>		Khan and Kamal 1974, Crous and Braun 2003
<i>C. ahmadii</i>	<i>Passalora ahmadii</i>	Leaves of <i>Marsdenia roylei</i>		Petrak 1955b, Crous and Braun 2003
<i>C. dichanthii</i>	<i>Zasmidium dichanthii</i>	Leaves of <i>Dichanthium annulatum</i>		Khan and Kamal 1969, Braun et al. 2010
<i>C. ehretiicola</i>		Leaves of <i>Ehretia acuminata</i>		Saleem and Mirza 1977
<i>C. launaeicola</i>		Leaves of <i>Launaea nudicaulis</i>		Khan and Kamal 1974

<i>C. mehran</i>		Leaves of <i>Artocarpus heterophyllus</i>		Khan and Kamal 1974
<i>C. oxystelmatis</i>	<i>Pseudocercospora oxystelmatis</i>	<i>Oxystelma esculentum</i>		Khan and Kamal 1974, Rai and Moses 1991
<i>C. pakistanica</i>		Leaves of <i>Phyllanthus niruri</i>	Tandojam	Khan and Kamal 1963
<i>C. pentatropidis</i>	<i>Pseudocercospora pentatropidis</i>	Leaves of <i>Pentatropis cynanchoides</i>		Khan 1962, Deighton 1976
<i>C. phyllanthicola</i>		Leaves of <i>Phyllanthus niruri</i>		Khan and Kamal 1962a
<i>Cercospora</i>				
<i>Ce. justiciae</i>		Leaves of <i>Justicia simplex</i>	Jhelum	Ahmad 1967
<i>Ce. cadabae</i>	<i>Pseudocercospora ahmadiana</i>	Leaves of <i>Cadaba farinosa</i>		Ahmad 1960, Braun 1995
<i>Passalora</i>				
<i>P. foeniculi</i>		Leaves, stem, and pedicels of <i>Foeniculum vulgare</i>		Kamal and Khan 1962
<i>P. heliotropii-gena</i>		Leaves of <i>Heliotropium eichwaldii</i>	Oderolal Farm, Tandojam	Braun 2002
<i>P. tephrosiae</i>		Leaves of <i>Tephrosia tenuis</i>		Khan and Kamal 1962d
<i>Ramularia</i>				
<i>R. pakistanica</i>		Leaves of <i>Rumex dentatus</i>		Khan and Kamal 1969
<i>Septoria</i>				
<i>S. ahmadii</i>		<i>Abelia triflora</i>		Petrak and Ahmad 1954
<i>S. hederaehimalaicae</i>		Leaves of <i>Hedera himalaica</i>		Ahmad 1964a
<i>S. launaeae</i>		<i>Launaea nudicaulis</i>		Khan and Kamal 1962b
<i>S. leptosphaeriicola</i>		<i>Leptosphaeria rumicis</i>		Cavalc and Iqbal 1967
<i>S. salvadorae</i>		Dead branch of <i>Salvadora persica</i>		Abbas et al. 2000b
<i>Dothideales</i>				
<i>Saccotheciaceae</i>				
<i>Selenophoma</i>				
<i>S. scrophulariae</i>		Dead stems of <i>Scrophularia</i> sp.		Sutton 1980a
<i>Microthyriales</i>				
<i>Microthyriaceae</i>				
<i>Microthyrium</i>				
<i>M. nerii</i>		Fallen leaves of <i>Nerium odoratum</i>	Gujrat	Ahmad 1971b

<i>Patellariales</i> <i>Patellariaceae</i> <i>Haematomyxa</i>				
<i>H. pakistani</i>	<i>Tryblidaria pakistani</i>	Branches of <i>Berberis</i> sp.		Müller and Ahmad 1955, Kutorga and Hawksworth 1997
<i>Phaeotrichales</i> <i>Phaeotrichaceae</i> <i>Echinoascotheca</i>				
<i>E. duplooformis</i>		Soil		Matsushima 1995
<i>Pleosporales</i> <i>Camarosporiaceae</i> <i>Camarosporium</i>				
<i>C. acaciigenum</i>		Dead branches of <i>Acacia arabica</i>	Sheikhupura	Ahmad 1967
<i>C. boerhaviae</i>		Branches of <i>Boerhavia verticillata</i>	Karachi	Ahmad 1967
<i>C. capparis</i>	<i>Camarosporiopsis capparis</i>	<i>Capparis aphylla</i>	Ladhar, Sheikhupura	Ahmad 1951, Abbas et al. 2000a
<i>C. farsetiana</i>	<i>Camarosporium farsetianum</i> (orthographic variant)	Dead branches of <i>Farsetia jacquemontii</i>	Bhakar	Ahmad 1967
<i>C. ficina</i>	<i>Camarosporium ficum</i> (orthographic variant)	Branches of <i>Ficus palmata</i>	Muzaffarabad	Ahmad 1967
<i>C. fruticosae</i>		Dead branches of <i>Suaeda fruticosa</i>		Ahmad 1967
<i>C. fruticosae</i> var. <i>minus</i>		Dead branches of <i>Suaeda fruticosa</i>		Ahmad 1967
<i>C. javanicae</i>		Branches of <i>Aerva javanica</i>	Bahawalpur	Ahmad 1967
<i>C. lonicerae</i>		Branches of <i>Lonicera</i> sp.	Doonga Gali	Ahmad 1971b
<i>C. pentatropidis</i>		Dead branches of <i>Pentatropis cynanchoides</i>		Ahmad 1964a
<i>C. plectranthi</i>		Branches of <i>Plectranthus rugosus</i>	Swat	Ahmad 1971b
<i>C. sarcinosporum</i> var. <i>microsporum</i>		Dead branches of <i>Haloxylon recurvum</i>		Ahmad 1967
<i>C. solani</i>		Branches of <i>Solanum melongena</i>	Hangu	Ahmad and Arshad 1972b
<i>C. suaedae</i>		<i>Suaeda fruticose</i>		Ahmad 1967
<i>C. suaedaefruticosae</i>		Dead branches of <i>Suaeda fruticose</i>		Ahmad 1967

<i>C. vernoniae</i>		Branches of <i>Vernonia cinerascens</i>	Fort Monro	Ahmad 1971b
<i>C. viniferum</i>		Dead branches of <i>Vitis vinifera</i>		Ahmad 1967
<i>Coniothyriaceae</i>				
<i>Coniothyrium</i>				
<i>C. calotropidis</i>		Dead branches of <i>Calotropis procera</i>		Ahmad 1964a
<i>C. capparicola</i>		Branches of <i>Capparis aphylla</i>		Ahmad 1967
<i>C. capparis</i>		Branches of <i>Capparis aphylla</i>		Ahmad 1971b
<i>C. clerodendri</i>		Dead branches of <i>Clerodendrum inerme</i>		Ahmad 1964c
<i>C. grewiae</i>		Dead branches of <i>Grewia villosa</i>		Ahmad 1964c
<i>C. indicum</i>		Twigs of <i>Salix</i> sp.		Cooke and Massee 1888
<i>C. ismailii</i>		Dead stem of <i>Salvadora oleoides</i>		Abbas et al. 1999
<i>C. leptadeniae</i>		Dead branches of <i>Leptadenia spartium</i>		Ahmad 1967
<i>C. macrosporum</i>		Dead roots of <i>Cenchrus biflorus</i>		Ahmad 1964a
<i>C. maqsoodii</i>		Dead twigs of <i>Salvadora oleoides</i>		Abbas et al. 1999
<i>C. moricola</i>		Branches of <i>Morus alba</i>		Ahmad 1971b
<i>C. pakistanicum</i>		Dead twigs of <i>Salvadora oleoides</i>		Abbas et al. 1999
<i>C. pentatropidis</i>		Dead branches of <i>Pentatropis cynanchoides</i>		Ahmad 1964a
<i>C. punithalingamii</i>		Dead stem of <i>Salvadora oleoides</i>		Abbas et al. 1999
<i>C. salvadorina</i>	<i>Avettaea salvadorae</i>	Dead branches of <i>Salvadora oleoides</i>		Ahmad 1964a, Abbas and Sutton 1988a
<i>C. sivanesanii</i>		Dead twigs of <i>Salvadora oleoides</i>		Abbas et al. 1999
<i>C. sultani</i>		Dead stem of <i>Salvadora oleoides</i>		Abbas et al. 1999
<i>C. suttonii</i>		Dead stem of <i>Salvadora oleoides</i>		Abbas et al. 1999
<i>C. truncatum</i>		Dead stem of <i>Salvadora oleoides</i>		Abbas et al. 1999
<i>C. undulatum</i>		Dead twigs of <i>Salvadora persica</i>		Abbas et al. 1999
<i>C. withaniae</i>		<i>Withania somnifera</i>		Ahmad 1951
<i>C. ziziphinum</i>		Leaves of <i>Ziziphus jujuba</i>		Ahmad 1968a
<i>Cucurbitariaceae</i>				
<i>Cucurbitaria</i>				
<i>C. ahmadii</i>		Dead branches of <i>Caragana</i>		Mirza 1968a
<i>C. indigoferae</i>		Branches of <i>Indigofera gerardiana</i>		Müller and Ahmad 1957
<i>C. pakistanica</i>		Dead <i>Acacia modesta</i>		Petrak and Ahmad 1954
<i>C. pilosa</i>		Dead branches of <i>Hedera helix</i>		Mirza 1968a

Cyclothyriellaceae Massariosphaeria				
<i>M. websteri</i>		Decaying culms of <i>Phragmites karka</i> submerged in fresh water		Tanaka et al. 2011
<i>M. pakistana</i>		Dried stem		Crivelli 1983
Delitschiaceae Semidelitschia				
<i>S. tetraspora</i>		Dung of <i>Capra hircus</i>		Mirza and Khan 1979
Diademaceae Diadema				
<i>D. ahmadii</i>		Dead branches of <i>Rosa moschata</i>	Lalazar, Kaghan Valley	Tanaka et al. 2010
Didymellaceae Ascochyta				
<i>A. ahmadii</i>		Runner of <i>Sporobolus arabicus</i>		Punithalingam 1979
<i>A. cymbopogo-</i> <i>nis</i>		Dead leaves of <i>Cymbopogon</i> <i>iwarancusa</i>		Punithalingam 1979
<i>A. pegani</i>		Branches of <i>Peganum harmala</i>		Ahmad 1971b
<i>A. skimmiae</i>		Fallen leaves of <i>Skimmia</i> <i>laureola</i>		Ahmad 1960
<i>A. typhaeangu-</i> <i>statae</i>		Leaves of <i>Typha angustata</i>		Punithalingam 1988
Didymella				
<i>D. rhododendri</i>		Dead leaves of <i>Rhododendron</i> <i>arboreum</i>	Kaghan valley	Ahmad 1972c
Phoma				
<i>P. acaciigena</i>		Fallen pods of <i>Acacia modesta</i>	Attock	Ahmad and Arshad 1972a
<i>P. cadabae</i>		Dead branches of <i>Cadaba</i> <i>fruticosa</i>	Changa manga	Ahmad 1967
<i>P. changana</i>		Dead stem of <i>Atriplex crassifolia</i>		Ahmad 1954
<i>P. cryptostegi-</i> <i>ae</i>		Branches of <i>Cryptostegia</i> <i>grandiflora</i>		Ahmad 1964c
<i>P. mangiferae</i>		<i>Mangifera indica</i>		Ahmad 1948
<i>P. nyctaginea</i> var. <i>boerhaaviae</i>	<i>Phoma</i> <i>nyctaginea</i>	<i>Boerhavia diffusa</i>		Tassi 1900, Ahmad 1948,
<i>P. pyrenophor-</i> <i>icola</i>		<i>Pyrenophora</i> sp.		Peres and Iqbal 1967
<i>P. saccharicola</i>		Dead culms of <i>Saccharum munja</i>		Ahmad 1960
<i>P. zizophina</i>		Dead branch of <i>Ziziphus jujuba</i>		Ahmad 1948

Didymosphaeriaceae				
Didymosphaeria				
<i>D. casuarinae</i>		Stems of <i>Casuarina equisetifolia</i>		Wehmeyer and Ahmad 1964
<i>D. culmicola</i>		Dead stem of <i>Panicum antidotale</i>		Müller and Ahmad 1959
<i>D. spinosa</i>		Unknown		Müller and Ahmad 1959
<i>D. verrucispora</i>	<i>Phaeosphaerella verrucispora</i>	Dead branches of <i>Gossypium</i> sp.	Ladhar, Sheikhupura	Ahmad 1948, Batista and Vital 1959
Karstenula				
<i>K. capparis</i>		<i>Capparis aphylla</i>		Petrak and Ahmad 1954
Leptosphaeriaceae				
Leptosphaeria				
<i>L. ahmadii</i>		<i>Capparis aphylla</i>		Petrak and Ahmad 1954
Lophiostomataceae				
Platystomum				
<i>P. compressum</i> var. <i>macrosporum</i>	<i>Lophiostoma compressum</i>	Unknown		Cesati and De Notaris 1863, Ahmad 1978b
Massarinaceae				
Helminthosporium				
<i>H. ahmadii</i>		Dead branches of <i>Quercus</i> sp.	Murree	Ellis 1961
<i>H. dalbergiae</i>		Dead branches of <i>Dalbergia sissoo</i>		Ellis 1961
Massarina				
<i>M. albiziae</i>		Branches of <i>Albizia lebbek</i>	Lahore	Ahmad 1971b
<i>M. oleina</i>		Branches of <i>Olea cuspidate</i>	Tret	Ahmad and Arshad 1972b
Stagonospora				
<i>S. alhagiae</i>		Leaves, stem, and spines of <i>Alhagi maurorum</i>		Mirza et al. 1967
<i>S. alhagicola</i>		Branches of <i>Alhagi maurorum</i>		Ahmad 1971a
<i>S. asparagi</i>		Dead branches of <i>Asparagus adscendens</i>		Ahmad 1969a
<i>S. doemiae</i>		Branches of <i>Doemia extensa</i>		Ahmad 1971a
<i>S. eriobotryae</i>		Fallen leaves of <i>Eriobotrya japonica</i>		Ahmad 1960
<i>S. pyricola</i>		Branches of <i>Pyrus communis</i>	Lahore	Ahmad 1971b
<i>S. saccharicola</i>		Culms of <i>Saccharum spontaneum</i>		Ahmad 1971a
<i>S. saccharina</i>		Culms of <i>Saccharum spontaneum</i>	Hasan abdal	Ahmad 1971a

Melanommataceae				
Aposphaeria				
<i>A. lignicola</i>		Dead wood of <i>Acacia arabica</i>		Ahmad 1964c
<i>A. pakistanica</i>		Dead wood		Ahmad 1971b
Phaeosphaeriaceae				
Nodulosphaeria				
<i>N. setosa</i>		Dead branches of <i>Sambucus ebulus</i>		Müller and Ahmad 1958
Ophiobolus				
<i>O. indigoferae</i>		Associated with bark of <i>Indigofera</i> sp.		Müller and Ahmad 1955
<i>O. spirosporus</i>		<i>Saccharum spontaneum</i>		Ahmad 1948
Pleosporaceae				
Alternaria				
<i>A. cassia</i>		Leaves of <i>Cassia holosericea</i>		Jurair and Khan 1960
<i>A. cicina</i>		Leaves of <i>Ricinus communis</i>		Simmons 1994
<i>A. enydrae</i>		Leaves of <i>Enydra fluctuans</i>		Khan and Kamal 1974
Curvularia				
<i>C. ellisii</i>		Air		Ahmad and Quraishi 1960
<i>C. siddiquii*</i>		Air		Ahmad and Quraishi 1960, Marin-Felix et al. 2020
Roussellaceae				
Cytoplea				
<i>C. mangiferae</i>		Branches of <i>Mangifera indica</i>	Bhopalwala	Ahmad 1971b
<i>C. ziziphina</i>		Dead branches of <i>Ziziphus oxyphylla</i>		Ahmad 1961
Sporomiaceae				
Sporormia				
<i>S. fimbicola</i>		Dung of <i>Capra aegagrus hircus</i>		Ahmed and Asad 1967a
Sporormiella				
<i>Sp. hexamera</i>		Goat dung		Ahmed et al. 1985
<i>Sp. inaequalis</i>		Dung of <i>Capra aegagrus hircus</i>		Ahmed and Asad 1967a
<i>Sp. sultani</i>	<i>Preussia sultani</i>	Camel dung		Sultana and Malik 1980, Guarro et al. 1997
Teichosporaceae				
Teichospora				

<i>T. ellipsoidea</i>		Decorticated wood of <i>Perovskia abrotanoides</i>		Wehmeyer and Ahmad 1964
<i>T. fusiformis</i>		Decorticated wood of <i>Perovskia abrotanoides</i>		Wehmeyer and Ahmad 1964
<i>Trematosphaeriaceae</i>				
<i>Trematosphaeria</i>				
<i>T. verrucosa</i>		Wood		Müller and Ahmad 1959
<i>Zopfiaceae</i>				
<i>Rechingeriella</i>				
<i>R. eutypoides</i>	<i>Monosporascus eutypoides</i>	Dead roots		Petrak and Ahmad 1954, Von Arx 1975
<i>Zopfia</i>				
<i>Z. pakistanica</i>		Soil of <i>Juniperus</i> sp.		Matsushima 1995
<i>Pleosporales</i> genera incertae sedis				
<i>Chaetodiplodia</i>				
<i>C. grewiae</i>		Decorticated branches of <i>Grewia populifolia</i>	Kharian	Ahmad 1971a
<i>Pyrenopochaeta</i>				
<i>P. dalbergiae</i>		Branches of <i>Dalbergia sissoo</i>	Sohawa	Ahmad 1972b
<i>P. grewiae</i>		Decorticated branches of <i>Grewia populifolia</i>	Kharian	Ahmad 1971a
<i>P. origani</i>		Dead branches of <i>Origanum vulgare</i>		Ahmad 1964a
<i>P. saccharina</i>		Culms of <i>Saccharum griffithii</i>	Parachinar	Ahmad 1971a
<i>Pleosporomycetidae</i> genus incertae sedis				
<i>Hysterographium</i>				
<i>H. dalbergiae</i>		<i>Dalbergia sissoo</i>		Ahmad 1950a
<i>H. pleosporoides</i>		Decayed wood		Wehmeyer and Ahmad 1964
<i>Tubeufiales</i>				
<i>Tubeufiaceae</i>				
<i>Acanthostigma</i>				
<i>A. lahorensense</i>		Wood		Ahmad 1954
<i>Dothideomycetes</i> genus incertae sedis				
<i>Bactrodesmium</i>				
<i>B. cedricola</i>		Branches of <i>Cedrus deodara</i>		Ellis 1959
<i>Dothideomycetes</i> orders incertae sedis				
<i>Asterinales</i>				
<i>Morenoinaceae</i>				
<i>Morenoina</i>				
<i>M. parvula</i>		Dead leaves of <i>Hedera nepalensis</i>	Ghora Gali	Cannon 1986

<i>Botryosphaeriales</i>				
<i>Aplosporellaceae</i>				
<i>Aplospora</i>				
A. astragalina		Branches of <i>Astragalus</i> sp.	Rawalpindi	Ahmad 1971a
A. beaumontiana		Dead branches of <i>Beaumontia grandiflora</i>		Ahmad 1962
A. cadabae		Dead branches of <i>Cadaba farinosa</i>		Ahmad 1962
A. cephalandræ		Dead branches of <i>Cephalandra indica</i>		Ahmad 1964c
A. cupressicola		Branches of <i>Cupressus</i>	Lahore	Ahmad 1971a
A. cynanchina		Dead branches of <i>Cynanchum</i>		Ahmad 1962
A. doemiae		Branches of <i>Doemia extensa</i>	Changa manga	Ahmad 1971a
A. ephedricola		Branches of <i>Ephedra foliata</i>	Changa manga	Ahmad 1971a
A. grewiae		Branches of <i>Grewia villosa</i>	Kharian	Ahmad 1969a
A. ipomoeae		Dead branches of <i>Ipomoea carnea</i>		Ahmad 1964c
A. leucaenicolae		Branches of <i>Leucaena glauca</i>	Lahore	Ahmad 1969a
A. lonicerae		Branches of <i>Lonicera</i> sp.		Ahmad 1971b
A. madablotae		Dead branches of <i>Hiptage madablotae</i>		Ahmad 1962
A. maloti		Dead branches of <i>Mallotus philippensis</i>		Ahmad 1972b
A. murrayae		Dead branches of <i>Murraya exotica</i>		Ahmad 1962
A. pentatropidis		Dead branches of <i>Pentatropis cynanchoides</i>		Ahmad 1962
A. peristrophes		Dead branches of <i>Peristrophe bicalyculata</i>		Ahmad and Arshad 1972a
A. prosopidina		<i>Prosopis juliflora</i>		Petrak and Ahmad 1954
A. prosopidincola		<i>Prosopis juliflora</i>		Petrak and Ahmad 1954
A. quisqualidis		Dranches of <i>Quisqualis indica</i>		Ahmad 1962
A. salvadorae		<i>Salvadora oleoides</i>		Petrak and Ahmad 1954
A. tabernaemontanae		<i>Tabernaemontana dichotoma</i>		Ahmad 1962
A. vallaridis		Dead branches of <i>Vallaris heynii</i>		Ahmad 1962
A. vernoniae		Dead branches of <i>Vernonia elaeagnifolia</i>		Ahmad 1962
A. xanthii		Branches of <i>Xanthium strumarium</i>		Ahmad 1971b
A. zizophina		Dead branches of <i>Ziziphus jujuba</i>		Ahmad 1962
<i>Botryosphaeriaceae</i>				

Diplodia				
<i>D. abutilonis</i>		Dead branches of <i>Abutilon indicum</i>	Zafarwal	Ahmad 1967
<i>D. adhatodae</i>		Dead branches of <i>Adhatoda vasica</i>	Shakargar	Ahmad 1967
<i>D. alhagi</i>		Dead branches of <i>Alhagi pseudalhagi</i>	Salt Range, Rawal	Ahmad 1967
<i>D. andrachnes</i>		<i>Andrachne cordifolia</i>	Swat	Ahmad 1967
<i>D. bombacina</i>		<i>Bombax malabaricum</i>		Ahmad 1951
<i>D. buteae</i>		Dead branches of <i>Butea frondosa</i>		Ahmad 1964b
<i>D. calotropidis</i>		Dead branches of <i>Calotropis procera</i>		Ahmad 1962
<i>D. carissae</i>		Branches of <i>Carissa spinarum</i>	Shakargar	Ahmad 1967
<i>D. cedrelae</i>		Branches of <i>Cedrela toona</i>	Dargai	Ahmad and Arshad 1972b
<i>D. compressa</i> var. <i>pakistani</i>		Dead branches of <i>Maclura aurantiicola</i>		Ahmad 1962
<i>D. ehretiae</i>		Branches of <i>Ehretia laevis</i>	Kharian	Ahmad 1971a
<i>D. ficina</i>		Dead branches of <i>Ficus palmata</i>	Changa manga	Ahmad 1967
<i>D. ficireligiosa</i>		Fallen leaves of <i>Ficus religiosa</i>	Kharian	Ahmad 1969b
<i>D. grevilleae</i>		Leaves of <i>Grevillea robusta</i>	Changa manga	Ahmad 1972b
<i>D. gymnosporiae</i>		<i>Maytenus royleana</i>		Ahmad 1967
<i>D. gymnosporina</i>		Branches of <i>Gymnosporia</i> sp.		Ahmad 1971a
<i>D. ipomoeae</i>		Branches of <i>Ipomoea carnea</i>		Ahmad 1971b
<i>D. lantanicola</i>		Dead branches of <i>Lantana indica</i>		Ahmad 1967
<i>D. maloti</i>		Dead branches of <i>Mallotus philippensis</i>	Tret	Ahmad and Arshad 1972a
<i>D. mimosae</i>		Branches of <i>Mimosa himalayana</i>		Ahmad 1971b
<i>D. mimosae himalayanae</i>		Branches of <i>Mimosa himalayana</i>		Ahmad 1971b
<i>D. myrsines</i>		Dead branches of <i>Myrsine Africana</i>		Ahmad 1964c
<i>D. oxystelmatits</i>		Branches of <i>Oxystelma esculentum</i>		Ahmad 1971b
<i>D. pentatropidis</i>		Dead branches of <i>Pentatropis cynanchoides</i>		Ahmad 1969a
<i>D. peristrophes</i>		Dead branches of <i>Peristrophe bicalyculata</i>		Ahmad 1962
<i>D. prosopidina</i>		Dead branches of <i>Prosopis juliflora</i>		Ahmad 1967
<i>D. prunicola</i>		Branches of <i>Prunus amygdalus</i>		Ahmad 1971b
<i>D. psidii</i>		Dead branches of <i>Psidium guajava</i>		Ahmad 1967

<i>D. rumicina</i>		Branches of <i>Rumex hastatus</i>		Ahmad 1971a
<i>D. saccharina</i>		Culms of <i>Saccharum officinarum</i>		Ahmad 1971a
<i>D. saccharisp-ontanei</i>		Culms of <i>Saccharum spontaneum</i>		Ahmad 1971a
<i>D. salvadora</i>		<i>Salvadora oleoides</i>		Ahmad 1951
<i>D. sarocococc-ae</i>		Branches of <i>Sarcococca pruniformis</i>		Ahmad 1971b
<i>D. suttonii</i>		Dead branches of <i>Cocculus villosus</i>		Ahmad 1962
<i>D. withaniae</i>		<i>Withania somnifera</i>		Ahmad 1951
<i>D. xanthii</i>		Branches of <i>Xanthium strumarium</i>		Ahmad 1967
<i>D. ziziphina</i>		Dead branches of <i>Ziziphus sativa</i>		Ahmad 1962
<i>Dothiorella</i>				
<i>Do. arundinacea</i>		Dead culms of <i>Phragmites karka</i>		Ahmad 1964c
<i>Do. calotropidis</i>		Branches of <i>Calotropis procera</i>		Ahmad 1972b
<i>Do. carthami</i>		Branches of <i>Carthamus oxyacantha</i>	Sheikhupura	Ahmad 1971a
<i>Do. cephalandrae</i>		Branches of <i>Cephalandra indica</i>	Lahore	Ahmad 1969b
<i>Do. chenopodii</i>		Stem of <i>Chenopodium album</i>		Ahmad 1954
<i>Do. chrysopogonis</i>		Culms of <i>Chrysopogon fulvus</i>	Kharian	Ahmad 1971a
<i>Do. desmostachya</i>		Rhizomes of <i>Desmostachya bipinnata</i>	Khanke headworks	Ahmad 1971a
<i>Do. erythrinae</i>		Branches of <i>Erythrina suberosa</i>	Lahore	Ahmad 1971a
<i>Do. ficina</i>		Dead <i>Ficus palmata</i>		Ahmad 1951
<i>Do. graminicola</i>		Dead stem of <i>Cynodon dactylon</i>		Ahmad 1951
<i>Do. ipomoeae</i>		Branches of <i>Ipomoea carnea</i>	Attock	Ahmad 1972b
<i>Do. ladharensis</i>		<i>Mangifera indica</i>		Ahmad 1954
<i>Do. lagerstroemiae</i>		Bark of <i>Lagerstroemia alba</i>		Ahmad 1951
<i>Do. leucaenicola</i>		Branches of <i>Leucaena glauca</i>	Lahore	Ahmad 1969b
<i>Do. meliae</i>		Leaf rachis of <i>Melia azedarach</i>	Changa manga	Ahmad 1972b
<i>Do. peucedani</i>		<i>Peucedanum graveolens</i>		Ahmad 1954
<i>Do. phoenicis</i>		Rachides of <i>Phoenix dactylifera</i>	Lahore	Ahmad 1971a
<i>Do. pinicola</i>		Needles of <i>Pinus excelsa</i>	Murree	Ahmad 1971a
<i>Do. prosopidi-na</i>		Fallen pods of <i>Prosopis glandulosa</i>	Kharian	Ahmad 1969b
<i>Do. pyricola</i>		Branches of <i>Pyrus</i> sp.	Fort Monro	Ahmad 1971b

<i>Do. saccharina</i>		Peelings of <i>Saccharum officinarum</i>	Lahore	Ahmad 1971a
<i>Do. tecomae</i>		Branches of <i>Tecoma stans</i>	Lahore	Ahmad 1971a
<i>Do. viticis</i>		Branches of <i>Vitex negundo</i>	Lahore	Ahmad 1971a
<i>Sphaeropsis</i>				
<i>S. cadabae</i>		Branches of <i>Cadaba farinose</i>	Changa manga	Ahmad 1971b
<i>S. capparis</i>		Branches of <i>Capparis aphylla</i>	Changa manga	Ahmad 1971b
<i>S. carthami</i>		Branches of <i>Carthamus oxyacantha</i>	Kasur	Ahmad 1971b
<i>S. cordiana</i>		Branches of <i>Cordia rothii</i>	Karachi	Ahmad 1971b
<i>S. karachiensis</i>		Dead stem of <i>Salvadora persica</i>	Karachi	Abbas et al. 2000c
<i>S. leptadeniae</i>		Branches of <i>Leptadenia spartium</i>	Bahawalpur	Ahmad 1971b
<i>S. polianthina</i>		Stems of <i>Polianthes tuberosa</i>		Ahmad 1960
<i>S. salvadorae</i>	<i>Avettaea salvadorae</i>	Branches of <i>Salvadora oleoides</i>	Kasur	Ahmad 1971b, Abbas and Sutton 1988a
<i>Phyllostictaceae</i>				
<i>Phyllosticta</i>				
<i>P. ambigua</i>	<i>Phyllosticta ambiguaella</i>	Branches of <i>Salvadora oleoides</i>		Saccardo 1912, Saccardo and Trotter 1913
<i>P. ficina</i>		Leaves of <i>Ficus elastica</i>		Ahmad 1948
<i>P. kausarica</i>		Leaves of <i>Ophiopogon japonicus</i>		Khan 1962
<i>P. graminis</i>		<i>Capparis aphylla</i>	Bhakar	Ahmad 1971a
<i>P. zeina</i>		Leaves of <i>Zea mays</i>		Panas 1929, Ahmad et al. 1997
<i>Eurotiomycetes</i>				
<i>Chaetothyriales</i>				
<i>Herpotrichiellaceae</i>				
<i>Capronia</i>				
<i>C. pinicola</i>	<i>Tyrannosorus pinicola</i>	Decorticated wood of <i>Pinus</i> immersed in stream		Müller et al. 1987, Untereiner et al. 1995
<i>Eurotiales</i>				
<i>Aspergillaceae</i>				
<i>Penicillium</i>				
<i>P. mole</i>		Soil		Pitt 1979
<i>Verrucariales</i>				
<i>Verrucariaceae</i>				
<i>Plurisperma</i>				
<i>P. dalbergiae</i>		Dead twigs of <i>Dalbergia sissoo</i>	Bhagat, West Pakistan	Sivanesan 1970

<i>Laboulbeniomycetes</i>				
<i>Laboulbeniales</i>				
<i>Laboulbeniaceae</i>				
<i>Eucanthalomyces</i>				
<i>E. ohbae</i>		<i>Agonums</i> sp.		Sugiyama 1982
<i>Stigmatomyces</i>				
<i>S. mosilli</i>		<i>Mosillus subsultans</i>	Gilgit	Rossi and Weir 2011
<i>Lecanoromycetes</i>				
<i>Lecanorales</i>				
<i>Catillariaceae</i>				
<i>Placolecis</i>				
<i>P. kashmirens-is*</i>		Calcareous rocks	Azad Jammu & Kashmir	Kousar et al. 2021
<i>Lecanoraceae</i>				
<i>Lecanora</i>				
<i>L. pachyrrhiza</i>		In pasture and on rocks		Poelt and Grube 1993
<i>Parmeliaceae</i>				
<i>Protoparmelia</i>				
<i>P. badia</i> var. <i>nectans</i>		Rocky slopes		Poelt and Grube 1992
<i>P. gesamia</i>		In pasture and on rocks		Poelt and Grube 1992
<i>Ramalinaceae</i>				
<i>Bacidina</i>				
<i>B. iqbalii*</i>		Granitic (crystalline) rock	Different sites of Pakistan	Fatima et al. 2020
<i>B. margallen-sis*</i>		Bark of <i>Ficus infectoria</i>	Different sites of Pakistan	Fatima et al. 2020
<i>Lecideales</i>				
<i>Lecideaceae</i>				
<i>Lecidea</i>				
<i>L. aptrootii*</i>		Rocks	Gabin valley, Jabba Swat district	Khan et al. 2018b
<i>Leprocaulales</i>				
<i>Leprocaulaceae</i>				
<i>Halecania</i>				
<i>H. pakistanica</i>		Calcareous rocks		Boom and Elix 2005
<i>Ostropales</i>				
<i>Stictidaceae</i>				
<i>Acarosporina</i>				

<i>A. berberidis</i>		Dead branch of <i>Berberis ceratophylla</i>	Muzarrabad	Sherwood 1977a
<i>Schizoxylon</i>				
<i>S. crissum</i>		<i>Quercus</i> sp.		Sherwood 1977a
<i>S. juniperinum</i>		Dead branches of <i>Juniperus</i> sp.		Sherwood 1977a
<i>S. pseudocyanosporum</i>		Decorticated wood of <i>Pinus excelsa</i>		Sherwood 1977b
<i>Stictis</i>				
<i>St. lumbricus</i>		Decorticated wood of <i>Pinus</i> sp.		Sherwood 1977a
<i>Teloschistales</i>				
<i>Teloschistaceae</i>				
<i>Caloplaca</i>				
<i>C. ahmadiana</i>		Rocks		Poelt and Hinteregger 1993
<i>C. atranulata</i>		Rocks		Poelt and Hinteregger 1993
<i>C. cerina</i> var. <i>swatica</i>		Bark of <i>Quercus ilex</i>		Poelt and Hinteregger 1993
<i>C. cyanotrop-ha</i>		Unknown		Poelt and Hinteregger 1993
<i>C. juniperi</i>		Hard dry bark of <i>Juniperus indica</i>		Poelt and Hinteregger 1993
<i>C. lecidellae</i>		<i>Lecidella stigmataea</i>		Poelt and Hinteregger 1993
<i>C. microsporella</i>		Siliceous rock		Poelt and Hinteregger 1993
<i>C. psammophila</i>		Fine sand		Poelt and Hinteregger 1993
<i>C. reducta</i>		Siliceous rock		Poelt and Hinteregger 1993
<i>C. rinodinae</i>		<i>Rinodina milvina</i>		Poelt and Hinteregger 1993
<i>C. scrobiculata</i> var. <i>ignea</i>	<i>Caloplaca anularis</i>	Unknown		Poelt and Hinteregger 1993, Clauzade and Poelt 1972
<i>C. stipulate</i>		On rock		Poelt and Hinteregger 1993
<i>Leotiomycetes</i>				
<i>Chaetomellales</i>				
<i>Chaetomellaceae</i>				
<i>Chaetomella</i>				
<i>C. acutiseta</i>		Rotting leaves of <i>Acer</i> sp.		Sutton and Sarbhoy 1976

<i>Helotiales</i>				
<i>Cenangiaceae</i>				
<i>Moellerodiscus</i>				
<i>M. berberidis</i>		Leaves of <i>Berberis</i> sp.		Dumont 1976
<i>Dermateaceae</i>				
<i>Coleophoma</i>				
<i>C. mangiferae</i>		<i>Mangifera indica</i>		Petrak and Ahmad 1954
<i>Erysiphaceae</i>				
<i>Erysiphe</i>				
<i>E. sambuci</i>		<i>Sambucus ebulus</i>		Ahmad 1960
<i>Phyllactinia</i>				
<i>P. dalbergiae</i>		Leaves of <i>Dalbergia sissoo</i>		Pirozynski 1965
<i>Godroniaceae</i>				
<i>Ascocalyx</i>				
<i>A. asiaticus</i>		Bark of <i>Abies pindrow</i>		Groves 1968
<i>Hyaloscyphaceae</i>				
<i>Hyaloscypha</i>				
<i>H. luteola</i>		Branch of <i>Prosopis juliflora</i>		Ahmad 1978a
<i>Myxotrichaceae</i>				
<i>Myxotrichum</i>				
<i>M. dendromor-phum</i>		Soil of coniferous forest		Matsushima 1995
<i>Pezizellaceae</i>				
<i>Chalara</i>				
<i>C. emodensis</i>		Leaves of <i>Quercus incana</i>		Raj and Kendrick 1976
<i>Ploettnerulaceae</i>				
<i>Pyrenopeziza</i>				
<i>P. lavaterae</i>		Dead stems of <i>Lavatera kashmiriana</i>		Müller and Ahmad 1955
<i>Solenopeziaceae</i>				
<i>Lasiobelonium</i>				
<i>L. parksii</i> var. <i>album</i>	<i>Lasiobelonium parksii</i>	Fallen branches		Raitviír 1980
<i>Mycofalcella</i>				
<i>M. iqbalii</i>		Decaying culm of <i>Saccharum munja</i> submerged in canal		Firdaus-e-Bareen and Braun 2007
<i>Leotiales</i> genus <i>incertae sedis</i>				
<i>Flagellospora</i>				
<i>F. minuta</i>		Decaying leaves submerged in fresh water		Iqbal and Bhatty 1980

Rhytismatales				
Rhytismataceae				
Cocomyces				
<i>C. papillatus</i>		Dead bark of <i>Pinus excelsa</i>		Ahmad 1978a
Hypoderma				
<i>H. skimmiae</i>	<i>Davisomycella skimmiae</i>	Leaves of <i>Skimmia laureola</i>		Peres and Iqbal 1967, Ahmad 1978a
Hypodermella				
<i>Hy. quercina</i>	<i>Myriophacidium quercinum</i>	Fallen leaves of <i>Quercus incana</i>	Ghora Gali	Ahmad 1971b, Cannon and Minter 1986
Lirula				
<i>L. pakistanensis</i>		Needles of <i>Abies pindrow</i>		Kaneko 1993
Lophodermium				
<i>Lo. hedericola</i>		Leaves of <i>Hedera himalaica</i>	Ghora Gali	Ahmad 1971b
<i>Lo. orientale</i>		Needles of <i>Pinus excels</i>		Minter 1981
<i>Lo. Piniexcels-ae</i>		Dying needles of <i>Pinus excelsa</i>		Ahmad 1954
Leotiomycetes genera incertae sedis				
Holwaya				
<i>H. salicis</i>	<i>Durandiella salicis</i>	Stem of <i>Salix</i> sp.		Müller and Ahmad 1959, Korf and Abawi 1971
Trullula				
<i>T. pulvinata</i>		Dead branches of <i>Spiraea</i> sp.		Ahmad 1960
Pezizomycetes				
Pezizales				
Ascodesmidaceae				
Lasiobolus				
<i>L. trichoboloides</i>		Dung		Bezerra and Kimbrough 1975
Discinaceae				
Gyromitra				
<i>G. khanspurensis*</i>		<i>Cedrus deodara</i>		Krisai-Greilhuber et al. 2017
Morchellaceae				
Morchella				
<i>M. pakistaniaca*</i>		Loamy soil		Hernández-Restrepo et al. 2016
Pezizaceae				
Ahmadea				

<i>A. dalanensis*</i>		Sorghum fields	Dera Ghazi Khan, Lahore	Aman et al. 2020
<i>Pyronemataceae</i>				
<i>Aleuria</i>				
<i>A. murreana</i>		Ground soil		Ahmad 1955a
<i>Aleurina</i>				
<i>Al. pakistanica</i>	<i>Peziza pakistanica</i>	Ground soil		Ahmad 1955c, Ahmad 1978a
<i>Anthracobia</i>				
<i>An. korfii</i>				Ahmad 1978a
<i>Geopora</i>				
<i>G. ahmadii*</i>		Soil		Saba et al. 2019b
<i>Humaria</i>				
<i>H. ahmadii</i>	<i>Scutellinia ahmadii</i>	Ground soil	Lahore	Cash 1948, Kaushal et al. 1983
<i>Saccharomycetes</i>				
<i>Saccharomycetales</i>				
<i>Dipodascaceae</i>				
<i>Geotrichum</i>				
<i>G. candidum</i> var. <i>thermoideum</i>	<i>Dipodascus geotrichum</i>	Camel dung		Qureshi and Mirza 1981, Von Arx 1977
<i>Sordariomycetes</i>				
<i>Amphisphaeriales</i>				
<i>Amphisphaeriaceae</i>				
<i>Amphisphaeria</i>				
<i>A. pakistanae</i>		Dead stems of <i>Indigofera</i> sp.	Kalam, Swat	Müller and Ahmad 1957
<i>Pseudomassariaceae</i>				
<i>Leiosphaerella</i>				
<i>L. phoenicis</i>		On dead rachis of <i>Phoenix dactylifera</i>		Müller and Ahmad 1957
<i>Sporocadaceae</i>				
<i>Broomella</i>				
<i>B. excelsa</i>		Dead branches of <i>Clematis</i> sp.		Shoemaker and Müller 1963
<i>Discosia</i>				
<i>D. jambolanae</i>		Fallen leaves of <i>Eugenia jambolana</i>		Ahmad 1960
<i>Monochaetia</i>				
<i>M. dalbergiae</i>		Dead branches of <i>Dalbergia sissoo</i>	Sohawa	Ahmad 1972b
<i>M. vernoniae</i>		Branches of <i>Vernonia cinerascens</i>	Salt Range, Rawal	Ahmad 1971b

<i>Neopestalotiopsis</i>				
<i>N. guajavae*</i>		Fruit and branches of <i>Psidium guajava</i>	Punjab	Ul haq et al. 2021
<i>N. guajavicola*</i>		Fruit and branches of <i>Psidium guajava</i>	Punjab	Ul haq et al. 2021
<i>N. perukae*</i>		Fruit and branches of <i>Psidium guajava</i>	Punjab	Ul haq et al. 2021
<i>N. psidii*</i>		From fruit and branches of <i>Psidium guajava</i>	Punjab	Ul haq et al. 2021
<i>Cephalothecales</i>				
<i>Cephalothecaceae</i>				
<i>Cephalotheca</i>				
<i>C. pakistanica</i>		Soil of <i>Juniperus</i> wood		Matsushima 1995
<i>Chaetosphaeriales</i>				
<i>Chaetosphaeriaceae</i>				
<i>Dendrophoma</i>				
<i>D. arundinacea</i>		Culms of <i>Phragmites karka</i>	Swat	Ahmad 1971b
<i>Polynema</i>				
<i>P. triaristatum</i>		Decorticated branch	Salt Range, Rawal	Ahmad 1968c
<i>Coronophorales</i>				
<i>Ceratostomataceae</i>				
<i>Melanospora</i>				
<i>M. fusispora</i> var. <i>parvispora</i>	<i>Microthecium fusisporum*</i>	Soil of coniferous forest		Matsushima 1995, Marin- Felix et al. 2018
<i>Nitschkiaceae</i>				
<i>Nitschchia</i>				
<i>N. salvadorae</i>		<i>Salvadora oleoides</i>		Ahmad 1954
<i>Diaporthales</i>				
<i>Coryneaceae</i>				
<i>Coryneum</i>				
<i>C. pyricola</i>		Dead branches of <i>Pyrus</i> sp.		Ahmad 1960
<i>Cytosporaceae</i>				
<i>Cytospora</i>				
<i>C. ipomoeae</i>		Dead branches of <i>Ipomoea carnea</i>		Ahmad and Arshad 1972a
<i>C. woodfordiae</i>		Dead branches of <i>Woodfordia floribunda</i>		Ahmad 1972b
<i>Diaporthaceae</i>				
<i>Diaporthe</i>				
<i>D. ahmadii</i>		Stems of <i>Hedera nepalensis</i>		Wehmeyer and Ahmad 1964

<i>D. indigoferae</i>		Dead branches of <i>Indigofera gerardiana</i>		Müller and Ahmad 1958
Gnomoniaceae				
Dictyoporthe				
<i>D. ahmadii</i>		Dry stems of <i>Spiraea</i> sp.		Petrak 1955a
Lamproconiaceae				
Hercospora				
<i>H. ahmadii</i>		Branches of <i>Morus alba</i>		Petrak 1968
Schizopharmaceae				
Coniella				
<i>C. oryzae</i>		Culms of <i>Oryza sativa</i>		Ahmad 1968a
Stilbosporaceae				
Stegonsporium				
<i>S. fici</i>		Dead branches of <i>Ficus palmata</i>		Ahmad 1960
<i>S. parrotiae</i>	<i>Stigmina parrotiae</i>	Dead branches of <i>Parrotia jacquemontiana</i>		Ahmad 1960, Sutton 1972
<i>S. sophorinum</i>		Dead branches of <i>Sophora mollis</i>	Fort Monro	Ahmad 1967
Hypocreales				
Bionectriaceae				
Acremonium				
<i>A. phoenicis</i>		Leaf of <i>Phoenix dactylifera</i>		Gams 1971
Nectriaceae				
Fusarium				
<i>F. humicola</i> *		Soil		Lombard et al. 2019
Thyronectria				
<i>T. lamyi</i> var. <i>Pakistani</i>	<i>Thyronectria lamyi</i>	Dead stems of <i>Berberis</i> sp.		Seeler 1940, Müller and Ahmad 1962
Niessliaceae				
Pseudonectriella				
<i>P. ahmadii</i>		Dead twigs of <i>Cadaba farinose</i>		Petrak 1959
Stachybotryaceae				
Didymostilbe				
<i>D. coprophila</i>		Dung of <i>Bubalus bubalis</i>	Lyallpur or Faisalabad	Mirza 1970
Microascales				
Microascaceae				
Scopulariopsis				
<i>S. striata</i>	<i>Penicillium restrictum</i>	Soil		Gilman and Abbott 1927, Müller and Pacha-Aue 1969

<i>Phomatosporales</i> <i>Phomatosporaceae</i> <i>Phomatospora</i>				
<i>P. salvadorina</i>		<i>Salvadora oleoides</i>		Ahmad 1948
<i>Phyllachorales</i> <i>Phyllachoraceae</i> <i>Diachora</i>				
<i>D. lespedezae</i>	<i>Vitreostroma desmodii</i>	<i>Lespedeza</i> sp.		Müller 1986, Cannon 1991
<i>Linochora</i>				
<i>L. lasiuri</i>		<i>Lasiurus hirsutus</i>	Bahawalpur	Ahmad 1971a
<i>L. rhododendri</i>		Leaves of <i>Rhododendron arboreum</i>	Kaghan Valley	Ahmad 1971b
<i>Sordariales</i> <i>Chaetomiaceae</i> <i>Achaetomium</i>				
<i>A. variosporum</i>		Leaf litter		Sultana et al. 1988
<i>Chaetomium</i>				
<i>C. giganigrosporum</i>		Dung of <i>Capra hircus</i>		Millner 1975
<i>C. muelleri</i>		From twig		Von Arx et al. 1986
<i>Collariella</i>				
<i>Co. virescens*</i>		Soil		Von Arx 1970, Wang et al. 2016
<i>Subramaniula</i>				
<i>S. thieliaviooides</i>		Leaves of <i>Typha angustata</i>		Von Arx 1985
<i>Thielavia</i>				
<i>T. pakistanica</i>		Dung of <i>Canis aureus</i>		Batra et al. 1975
<i>Lasiosphaeriaceae</i> <i>Lasiosphaeria</i>				
<i>L. disjuncta</i>	<i>Sporormia disjuncta</i>	Dead wood		Ahmad and Lodhi 1953, Petrak 1955b
<i>Strattonia</i>				
<i>S. karachiensis</i>	<i>Zopfiella karachiensis</i>	Dung of <i>Capra hircus</i>		Ahmed and Asad 1967b, Guarro and Cano 1988
<i>Zygopleurage</i>				
<i>Z. multicaudata</i>		Dung of <i>Bos taurus</i>		Mirza and Nasir 1968
<i>Podosporaceae</i> <i>Podospora</i>				

<i>P. badia</i>		Dung of <i>Capra hircus</i>		Sultana 1987
<i>P. clavispora</i>	<i>Camptosphaeria clavispora</i>	Dung of <i>Bos taurus</i>	Chittagong, East Pakistan	Mirza and Ahmed 1970, Krug and Jeng 1977
<i>P. karachiensis</i>		Dung of <i>Equus asinus</i>		Mirza and Cain 1969
<i>P. pseudoinquinata</i>		Dung of camel		Ahmed et al. 1993
<i>Sordariaceae</i>				
<i>Neurospora</i>				
<i>N. lineolate</i>		Soil	Lahore	Frederick et al. 1969
<i>N. udagawae</i>		Soil		Khan and Krug 1989
<i>Xylariales</i>				
<i>Diatrypaceae</i>				
<i>Anthostoma</i>				
<i>A. nannorrhopis</i>	<i>Anthostomella nannorrhopis</i>	Leaf rachis of <i>Nannorrhops ritchieana</i>	Parachinar	Ahmad 1971b, Hyde 1996
<i>Hypoxylaceae</i>				
<i>Daldinia</i>				
<i>D. graminis</i>		Burnt stems of grass		Dargan and Thind 1985
<i>D. sacchari</i>		Burnt stems of <i>Saccharum munja</i>		Dargan and Thind 1985
<i>Myelospermataceae</i>				
<i>Myelosperma</i>				
<i>M. muellerianum</i>		Dead branches of <i>Grewia tenax</i>	Nagar Parker	Ahmad 1971b
<i>Xylariaceae</i>				
<i>Anthostomella</i>				
<i>A. lodhii</i>		<i>Palmae</i> sp.		Ahmad 1948
<i>Xylariales</i> genus <i>incertae sedis</i>				
<i>Leptomassaria</i>				
<i>L. capparis</i>	<i>Anthostoma capparis</i>	Dead branches of <i>Capparis aphylla</i>		Ahmad and Lodhi 1953, Ahmad 1969
<i>Ascomycota</i> genera <i>incertae sedis</i>				
<i>Ahmadia</i>				
<i>A. pentatropidis</i>		Living leaves of <i>Pentatropis cynanchoides</i>		Sydow 1939, Ahmad et al. 1997
<i>Ahmadinula</i>				
<i>Ah. excelsa</i>	<i>Truncatella excelsa</i>	<i>Clematis</i> sp.		Petrak 1953a, Shoemaker et al. 1989
<i>Alpakesiopsis</i>				

<i>Al. ghaffarii</i>		Dead twigs		Abbas et al. 2003
<i>Amphidiidymella</i>				
<i>Am. ahmadii</i>	<i>Keissleriella cladophila</i>	Dead stems of <i>Smilax parvifolia</i> and <i>Berberis</i>		Müller and Corbaz 1955, Corbaz 1956
<i>Aphanofalx</i>				
<i>Ap. irregularis</i>		Dead twigs of <i>Salvadora oleoides</i>		Sutton and Abbas 1986
<i>Chaetopyrena</i>				
<i>C. ruminina</i>		Branches of <i>Rumex</i> sp.	Baragali	Ahmad 1971a
<i>Cryptosporium</i>				
<i>Cr. capparis</i>		Dead branches of <i>Capparis aphylla</i>		Ahmad 1968c
<i>Cytosporella</i>				
<i>Cy. corticola</i>		<i>Cordia obliqua</i>		Ahmad 1951
<i>Cy. lignicola</i>		<i>Acacia arabica</i>		Ahmad 1951
<i>Cy. panicina</i>		Culms of <i>Panicum antidotale</i>	Daska	Ahmad 1971a
<i>Cy. verrucosa</i>		Bark of <i>Salvadora oleoides</i>		Petrak and Ahmad 1954
<i>Davisiella</i>				
<i>D. botryodiplodiae</i>		Dead branches of <i>Botryodiplodias</i>		Ahmad 1961
<i>Euryachora</i>				
<i>E. paeoniae</i>		Dead stems of <i>Paeonia</i> sp.		Müller and Ahmad 1955
<i>Gilmaniella</i>				
<i>G. thermophila</i>		Goat dung		Qureshi and Mirza 1983
<i>Hendersonula</i>				
<i>H. dalbergiae</i>		Branches of <i>Dalbergia sissoo</i>	Changa manga	Ahmad and Arshad 1972b
<i>H. saccharina</i>		Culms of <i>Saccharum</i> sp.	Zafarwal	Ahmad 1971a
<i>H. tecomaee</i>		Branches of <i>Tecoma</i> sp.	Hasan abdal	Ahmad and Arshad 1972b
<i>Leptostromella</i>				
<i>L. dichanthii</i>		Leaves of <i>Dichanthium annulatum</i>	Sheikhupura	Ahmad 1971a
<i>L. lasiuri</i>		Culms of <i>Lasiurus hirsutus</i>	Bahawalpur	Ahmad 1971a
<i>Leptothyrium</i>				
<i>Le. gleditsiae</i>		Spines on <i>Gleditsia triacanthos</i>		Ahmad 1955d
<i>Libertella</i>				
<i>Li. aeluropodis</i>		Leaf sheaths of <i>Aeluropus repens</i>	Bahawalpur	Ahmad 1968b
<i>Li. asparagine</i>		Branches of <i>Asparagus adscendens</i>	Changa manga	Ahmad 1971b
<i>Li. moricola</i>		Branches of <i>Morus alba</i>	Changa manga	Ahmad 1971b

<i>Myrotheciastrum</i>				
<i>M. salvadorae</i>		Dead twigs of <i>Salvadora oleoides</i>	Karachi	Abbas and Sutton 1988b
<i>Pleurophomopsis</i>				
<i>P. strictae</i>		Branch of <i>Rhazya stricta</i>		Ahmad 1967
<i>Pseudodiplodia</i>				
<i>Ps. farsetiae</i>		Dead stems of <i>Farsetia linearis</i>		Riedl 1966
<i>Pucciniopsis</i>				
<i>Pu. quercina</i>	<i>Acantharia sinensis</i>	Leaves of <i>Quercus dilatata</i>		Wakefield 1931, Von Arx 1954
<i>Pycnopharknessia</i>				
<i>Py. pakistani-ca</i>		Cultivated soil		Matsushima 1996
<i>Seimatosporiopsis</i>				
<i>S. salvadorae</i>		Stems of <i>Salvadora oleoides</i>		Sutton et al. 1972
<i>Selenosira</i>				
<i>Se. unica</i>		Dead stems of <i>Scrophularia</i>		Sutton 1980a
<i>Septogloeum</i>				
<i>Sep. dalbergiae</i>	<i>Colletogloeum dalbergiae</i>	Pods of <i>Dalbergia sissoo</i>		Ahmad and Lodhi 1953, Petrak 1953b
<i>Sirophoma</i>				
<i>Si. grewiae</i>		Branches of <i>Grewia villosa</i>	Kharian	Ahmad 1969b
<i>Stagonopsis</i>				
<i>St. psidii</i>		Dead branches of <i>Psidium guajava</i>	Bahawalpur	Ahmad 1967a
<i>Stagonostromella</i>				
<i>Sta. sacchari</i>		Culms of <i>Saccharum spontaneum</i>	Gujrat	Ahmad 1971
<i>Verrucariella</i>				
<i>V. capparicola</i>		Dead branches of <i>Capparis aphylla</i>	Kasur	Ahmad 1967
<i>Basidiomycota</i>				
<i>Basidiomycetes</i>				
<i>Agaricales</i>				
<i>Agaricaceae</i>				
<i>Agaricus</i>				
<i>A. atroumbona-tus*</i>		Decomposing needles under <i>Abies pindrow</i>	Swat District, Miandam valley	Bashir et al. 2021
<i>A. bambusetor-um*</i>		Thick layer of dry leaf litter under Bamboo trees	Changa Manga Forest	Bashir et al. 2021
<i>A. bisporiticus*</i>		Grass leaf litter on rich loamy soil of garden		Thongklang et al. 2014

<i>A. campestris</i> var. <i>pleurocystidia-tus</i> *	<i>Agaricus campestris</i>	Humicolous, grassy soil		Kaur et al. 2016 Linné 1753
<i>A. fumidicolor</i> *		Forest ground near bamboo trees	Changa Manga Forest, Kasur	Bashir et al. 2021
<i>A. glabriusculus</i> *		Unknown	Malakand	Hussain and Sher 2019
<i>A. griseovariiegatus</i> *		Decomposing needles	Khanspur	Bashir et al. 2021
<i>A. latiumbonatus</i> *		Unknown	Malakand	Hussain and Sher 2019
<i>A. macropeplus</i> *		Grass under deciduous trees	Swat District	Bashir et al. 2021
<i>A. pakistanicus</i> *			Lahore, Toba Tek Singh and Malakand	Bashir et al. 2018
<i>A. parviniveus</i> *		Rich loamy soil	Lahore	Bashir et al. 2021
<i>A. porphyrocephalus</i> var. <i>cheilocystidiatus</i> *	<i>Agaricus porphyrocephalus</i>	Wet leaf litter and humicolous soil		Møller 1952, Kaur et al. 2016,
<i>A. punjabensis</i> *		Rich loamy soil		Chen et al. 2016
<i>A. sparsisquamosus</i> *		Unknown	Lahore, Toba Tek Singh and Malakand	Bashir et al. 2018
<i>A. swaticus</i> *		Ground under Cedrus deodara	Swat	Bashir et al. 2021
<i>A. xanthochromaticus</i> *		<i>Pinus wallichiana</i>	Khanspur	Bashir et al. 2021
<i>Lepiota</i>				
<i>L. albogranulosa</i> *		Decaying litter and wood		Qasim et al. 2015b
<i>L. cholistanensis</i> *		Sandy soil	Bahawalpur	Bashir et al. 2020b
<i>L. himalayensis</i> *		Moist ground under <i>Abies pindrow</i>		Razaq et al. 2012
<i>L. lahorensis</i> *		Rich loamy soil	Lahore	Qasim et al. 2016
<i>L. vellingana</i> *		Rich loamy soil in garden		Nawaz et al. 2013
<i>Leucoagaricus</i>				
<i>Le. lahorensis</i> *		Rich loamy soil	Lahore	Qasim et al. 2015a
<i>Le. asiaticus</i> *		Soil	Lahore	Ge et al. 2015
<i>Le. brunneus</i> *		Soil associated with <i>Quercus oblongata</i>	Swat district	Zia et al. 2019
<i>Melanophyllum</i>				

<i>M. globisporum</i>		Unknown		Baroni 1981
Tulostoma				
<i>T. ahmadii*</i>		Soil associated with <i>Justicia adhatoda</i> and <i>Convolvulus</i> sp.	Qaldara Dargai	Hussain et al. 2016b
<i>T. crassipes</i>		Unknown		Long and Ahmad 1947
<i>T. exitum</i>		Unknown		Long and Ahmad 1947
<i>T. hygrophilum</i>		Unknown		Long and Ahmad 1947
<i>T. inonotum</i>		Unknown		Long and Ahmad 1947
<i>T. perplexum</i>		Unknown		Long and Ahmad 1947
<i>T. pluriosteum</i>		Unknown		Long and Ahmad 1947
<i>T. puncticulosum</i>		Unknown		Long and Ahmad 1947
<i>T. vulgare</i>		Unknown		Long and Ahmad 1947
Amanitaceae				
<i>Amanita</i>				
<i>A. ahmadii*</i>		Forests	Swat district, Gabin Jabba, Kumrat valley, Mashkun	Jabeen et al. 2019
<i>A. cinis*</i>		Soil, associated with <i>Abies pindrow</i>	District Shangla, Mansehra	Ullah et al. 2019
<i>A. emodotrygon*</i>		Sandy soil under <i>Pinus roxburghii</i>	Shangla District	Ullah et al. 2019
<i>A. glareosa*</i>		Soil associated with <i>Cedrus deodara</i>	Swat district, Mashkun	Jabeen et al. 2017a
<i>A. mansehraensis*</i>		<i>Pinus roxburghii</i>	Mansehra District, Batrasi	Saba et al. 2019a
<i>A. olivovaginata*</i>		Sandy to loamy soil under <i>Pinus roxburghii</i>	Shangla District	Ullah et al. 2019
<i>A. pakistanica</i>		<i>Abies pindrow</i>	Northwest Frontier Province	Tulloss et al. 2001
Zhuliangomyces				
<i>Z. pakistanicus*</i>		Unknown		Usman and Khalid 2020b
Bolbitiaceae				
<i>Descolea</i>				
<i>D. quercina*</i>		<i>Quercus</i> sp.	Malam Jabba, Toa valley	Khan et al. 2017b

Cortinariaceae				
<i>Cortinarius</i>				
<i>C. brunneocarpus</i> *		Soil, associated with <i>Abies pindrow</i> , and <i>Pinus wallichiana</i>	Khanspur	Song et al. 2019
<i>C. longistipitatus</i> *		<i>Pinus wallichiana</i>	Swat, Mankial	Saba et al. 2017
Hygrophoraceae				
<i>Hygrophorus</i>				
<i>H. alboflavescens</i> *		Soil under <i>Quercus incana</i>	Swat, Shawar Valley	Naseer et al. 2019a
<i>H. scabrellus</i> *		Soil under <i>Quercus incana</i>	Swat, Toa	Naseer et al. 2019a
Hymenogastraceae				
<i>Gymnopilus</i>				
<i>G. dunensis</i> *		Wood of <i>Eucalyptus camaldulensis</i>	Bahawalpur, Narowal.	Bashir et al. 2020a
<i>G. swaticus</i> *		Decomposing cavities of <i>Picea smithiana</i>	Swat district	Khan et al. 2017a
Phaeocollybia				
<i>P. pakistaniaca</i> *		Forest soil near <i>Abies pindrow</i> and <i>Pinus wallichiana</i>		Khan et al. 2016
Inocybaceae				
<i>Inocybe</i>				
<i>I. ahmadii</i> *		On ground associated with <i>Pinus wallichiana</i>	Khanspur, Miandam	Farooqi et al. 2017
<i>I. kohistanensis</i> *		On soil	Swat	Jabeen et al. 2016
<i>I. shawarensis</i> *		On soil, associated with <i>Quercus oblongata</i>	Swat district	Naseer et al. 2018
Pseudosperma				
<i>P. brunneoumbonatum</i> *		On the forest floor in stands of <i>Pinus roxburghii</i>	Abbottabad, Shimla	Saba et al. 2020
<i>P. flavorimosum</i> *		On soil under <i>Pinus wallichiana</i>	Kaghan valley, Hazara division, Mansehra district	Jabeen and Khalid 2020
<i>P. pinophilum</i> *		Under <i>Pinus wallichiana</i>	Abbottabad, Shimla	Saba et al. 2020
<i>P. triaciculare</i> *		Under <i>Pinus roxburghii</i>	Mansehra, Batrasi	Saba et al. 2020
Lycoperdaceae				
<i>Bovista</i>				
<i>B. concinna</i>		On ground, associated with <i>Taxus baccata</i>		Ahmad 1949
<i>B. himalaica</i> *		Grass in moist temperate forests		Yousaf et al. 2013
<i>Calvatia</i>				
<i>C. ahmadii</i> *		Ground soil		Khalid and Iqbal 2004

<i>Lycoperdon</i>				
<i>L. lahorense</i> *		Soil, associated with <i>Poaceae</i>	Lahore	Yuan et al. 2020
<i>L. pseudocurtisii</i> *		Soil associated with <i>Poaceae</i>	Lahore	Yuan et al. 2020
<i>L. setiferum</i>		Unknown	Murree	Demoulin 1976
<i>Lyophyllaceae</i>				
<i>Termitomyces</i>				
<i>T. acriumbonatus</i> *		Moist soil, associated with <i>Acacia modesta</i>	Gujrat	Usman and Khalid 2020a
<i>T. sheikhupurensis</i> *		Honeycomb pieces	Sheikhupura	Izhar et al. 2020
<i>Omphalotaceae</i>				
<i>Marasmiellus</i>				
<i>M. longistipes</i> *		Unknown	Abbottabad District, Ayubia National Park	Haelewaters et al. 2020
<i>Rhodocollybia</i>				
<i>R. utrorensis</i> *		Forest	Swat District, Utror valley	Sattar et al. 2018
<i>Physalacriaceae</i>				
<i>Xerula</i>				
<i>X. japonica</i> var. <i>ahmadii</i> *	<i>Hymenopellis ahmadii</i>	Soil		Dörfelt 1984, Petersen and Hughes 2010
<i>Psathyrellaceae</i>				
<i>Coprinellus</i>				
<i>C. campanulatus</i> *		Wood chip	Qaldara, Dargai, Malakand	Hussain et al. 2018
<i>C. disseminatessimilis</i> *		Leaf litter under <i>Populus alba</i> and <i>Morus alba</i>	Malakand, Sarogai	Hussain et al. 2018
<i>C. ovatus</i> *		Soil under broadleaf trees	Islamabad, Murree Express Road	Kamran and Jabeen 2020
<i>C. pakistanicus</i> *		Moist soil, under trees of <i>Acacia nilotica</i> and <i>A. modesta</i>	Pabbi Forest Park, Punjab	Hussain et al. 2018
<i>C. punjabensis</i> *		On soil, associated with <i>Acacia modesta</i>	Pabbi forest park, Punjab	Saranyaphat et al. 2021
<i>C. tenuis</i> *		Leaf litter under <i>Acacia modesta</i>	Malakand, Qaldara	Hussain et al. 2018
<i>Parasola</i>				
<i>P. lilinctoides</i>		Unknown		Voto 2019
<i>P. malakanden-sis</i> *		Leaf litter of <i>Acacia modesta</i>	Qaldara Dargai - Malakand	Hussain et al. 2017

<i>Strophariaceae</i>				
<i>Stropharia</i>				
<i>S. atroferruginea</i> *		In forests of <i>Pinus roxburghii</i>	Battagram district	Khan et al. 2019
<i>Agaricales</i> genera incertae sedis				
<i>Infundibulicybe</i>				
<i>I. macrospora</i> *		Woody debris in moist temperate forest	Abbottabad district, Ayubia National Park	Ali et al. 2020
<i>Melanoleuca</i>				
<i>M. dirensis</i> *		Rich loamy soil near river	Dir Upper district, Kumrat Valley	Nawaz et al. 2017
<i>Mucronella</i>				
<i>Mu. pulchra</i>		Burnt wood		Corner 1970
<i>Boletales</i>				
<i>Boletaceae</i>				
<i>Boletus</i>				
<i>B. himalayensis</i> *		Soil	Swat District	Sarwar et al. 2018
<i>B. Pakistani-</i> <i>cus</i> *		<i>Pinus</i> sp.		Sarwar and Khalid 2014
<i>Butyriboletus</i>				
<i>Bu. parachinensis</i>		<i>Quercus baloot</i>	Parachinar	Crous et al. 2021
<i>Hortiboletus</i>				
<i>H. kohistanensis</i> *		<i>Quercus incana</i>	Swat Valley, Toa	Naseer et al. 2019b
<i>Tylopilus</i>				
<i>T. sultani</i> *		Ground soil		Sarwar et al. 2014
<i>Xerocomellus</i>				
<i>X. fulvus</i> *		Soil	Swat, Ushu Kalam	Hernández-Restrepo et al. 2016
<i>Gomphidiaceae</i>				
<i>Chroogomphus</i>				
<i>C. pruinosis</i> *		Moisture rich loamy soil	Kumrat valley	Kiran et al. 2020
<i>C. Pakistani-</i> <i>cus</i> *		Forest floor	Kumrat valley	Kiran et al. 2020
<i>Suillaceae</i>				
<i>Suillus</i>				
<i>S. marginiele-vatus</i> *		Ground under <i>Quercus incana</i>	Dunga Gali	Sarwar et al. 2015

<i>Agaricostilbomycetes</i> <i>Agaricostilbales</i> <i>Chionosphaeraceae</i> <i>Stilbum</i>				
<i>S. mycetophilum</i>		<i>Poria</i> sp.		Ahmad 1960
<i>Bartheletiomycetes</i> <i>Gastrales</i> <i>Gastraceae</i> <i>Gastrum</i>				
<i>G. lageniforme</i> var. <i>ahmadii</i>	<i>Gastrum lageniforme</i>	Unknown		Staněk 1958, Vittadini 1842
<i>G. panjabense</i>		In deserts		Ahmad 1950b
<i>Gomphales</i> <i>Clavariadelphaceae</i> <i>Clavariadelphus</i>				
<i>C. pakistanicus*</i>		Moist temperate forests	Khanspur-Ayubia	Hanif et al. 2014
<i>Gomphaceae</i> <i>Gomphus</i>				
<i>G. megasporus</i>		Unknown		Corner 1970
<i>Ramaria</i>				
<i>R. flavescentoides*</i>		Unknown		Hanif et al. 2019
<i>Hymenochaetales</i> <i>Hymenochaetaceae</i> <i>Inonotus</i>				
<i>I. peristrophidis</i>		Branches of <i>Peristrophe bicalyculata</i>		Ahmad 1972a
<i>Phallales</i> <i>Phallaceae</i> <i>Lysurus</i>				
<i>L. pakistanicus</i>		Grass lawn		Iqbal et al. 2006
<i>Phallus</i>				
<i>P. calongei</i>		Ground soil		Moreno et al. 2009
<i>Polyporales</i> <i>Podoscyphaceae</i> <i>Podoscypha</i>				
<i>P. petalodes</i> sub sp. <i>rosulata</i>		Unknown		Reid 1965
<i>Polyporaceae</i> <i>Fomes</i>				

<i>F. ajazii</i>		<i>Lonicera quinquelocularis</i>		Hussain 1952
Ganoderma				
<i>G. ahmadii</i>		<i>Dalbergia sissoo</i>		Steyaert 1972
Perenniporia				
<i>P. ahmadii</i>	<i>Pseudopiptoporus chocolatus</i>	Wood		Ryvarden 1983, Decock and Ryvarden 2003
Trametes				
<i>T. sultani-</i> <i>ahmadii</i>		Dead trunk of <i>Dalbergia sissoo</i>		Corner 1989
Russulales				
<i>Albatrellaceae</i>				
<i>Albatrellopsis</i>				
<i>A. flettoides*</i>		Soil under <i>Pinus wallichiana</i>	Miandam valley, District Swat	Haelewaters et al. 2020
Albatrellus				
<i>A. roseus*</i>		Ground under <i>Picea smithiana</i>	Gabin Jabba Valley, District Swat	Khan et al. 2018a
Bondarzewiaceae				
<i>Heterobasidion</i>				
<i>H. amyloideo-</i> <i>psis*</i>		Stump of <i>Pinus wallichiana</i>	Mansehra, Chattar Plain	Zhao et al. 2017
Peniophoraceae				
<i>Peniophora</i>				
<i>P. sedimentico-la</i>	<i>Phlebia sedimenticola</i>	Silt on sides of watercourses		Ahmad 1955b, Ahmad 1972a
Scytinostroma				
<i>S. ahmadii</i>		Wood		Boidin and Lanquetin 1987
<i>S. cystidiatum</i>		Stump of <i>Morus alba</i>		Boidin 1960
Russulaceae				
<i>Russula</i>				
<i>R. abbottabad-</i> <i>ensis*</i>		<i>Pinus roxburghii</i>	Abbottabad, Shimla	Caboň et al. 2019
<i>R. ahmadii*</i>		Ground under <i>Cedrus deodara</i>	Abbottabad district, Kuzah Gali	Jabeen et al. 2017c
<i>R. aurantiofla-</i> <i>va*</i>		Mixed coniferous forest	Dir upper district, Kumrat	Adamčík et al. 2019
<i>R. brunneopu-</i> <i>rpurea*</i>		Soil under <i>Cedrus deodara</i>	Malakand division, Swat district, Kalam	Jabeen et al. 2017b
<i>R. foetentoid-</i> <i>es*</i>		Ground near <i>Abies pindrow</i>		Razaq et al. 2014

<i>R. quercus-floribundae*</i>		Unknown		Munazza et al. 2019
<i>R. rubricolor*</i>		On soil, associated with <i>Cedrus deodara</i>	Hazara division Abbottabad district, Shimla Hill	Jabeen et al. 2020
<i>R. shanglaensis*</i>		Humus soil	District Shangla	Ullah et al. 2020
<i>R. shawaren-sis*</i>		Floor of <i>Quercus floribunda</i>	Swat district, Lower Shawar	Crous et al. 2020
Stereaceae				
Aleurodiscus				
<i>A. jacksonii</i>		Bark of <i>Abies pindrow</i>		Ahmad 1962
Stereum				
<i>S. ahmadii</i>	<i>Acanthofungus ahmadii</i>	Rotten wood		Boidin 1956, Wu et al. 2000
Thelephorales				
Thelephoraceae				
Thelephora				
<i>T. iqbalii*</i>		Unknown		Khalid and Hanif 2017
Tomentella				
<i>T. griseocinnamomea</i>	<i>Tomentella asperula</i>	Ground, fallen branches and leaves	Patriata	Höhnel and Litsch 1906, Wakefield 1966
Cantharellales				
Aphelariaceae				
Aphelaria				
<i>A. ceracea</i>		Dead wood of <i>Quercus dilatata</i>		Corner 1970
Exobasidiomycetes				
Entylomatales				
Entylomataceae				
Entyloma				
<i>E. cyperi</i>		Leaves of <i>Cyperus rotundus</i>		Ahmad 1960
<i>E. medicaginis</i>		Leaves of <i>Medicago polymorpha</i>		Vánky 2002
Microstromatales				
Microstromataceae				
Microstoma				
<i>M. cassiicola</i>		Leaves of <i>Cassia holosericea</i>		Khan and Kamal 1969
Tilletiales				
Tilletiaceae				
Tilletia				

<i>T. eleusines</i>		Ovaries of <i>Eleusine aegyptiaca</i>		Sydow 1934, Ahmad et al. 1997
<i>Microbotryomycetes</i>				
<i>Microbotryales</i>				
<i>Microbotryaceae</i>				
<i>Sphacelotheca</i>				
<i>S. consueta</i>		Flowers of <i>Cymbopogon parkeri</i>		Sydow and Ahmad 1939, Ahmad et al. 1997
<i>S. microstegii*</i>	<i>Sporisorium microstegii</i>	Inflorescence of <i>Microstegium nudum</i>		Ahmad 1956d, Guo 2001
<i>S. pakistanica</i>		Inflorescence of <i>Capillipedium parviflorum</i>		Ahmad 1956d
<i>S. panjabensis</i>		Ovaries of <i>Cenchrus biflorus</i>		Sydow 1939, Ahmad et al. 1997
<i>S. pennisetina*</i>	<i>Anthracocystis pennisetina</i>	Inflorescence of <i>Pennisetum flaccidum</i>		Ahmad 1956d, McTaggart et al. 2012
<i>S. stewartii</i>		<i>Pennisetum flaccidum</i>		Mundkur 1944, Ahmad et al. 1997
<i>Sporidiobolales</i>				
<i>Sporidiobolaceae</i>				
<i>Sporobolomyces</i>				
<i>S. coprophilus</i>		Dung of <i>Capra aegagrus hircus</i>		Sugiy and Goto 1967
<i>Pucciniomycetes</i>				
<i>Pucciniales</i>				
<i>Melampsoraceae</i>				
<i>Melampsora</i>				
<i>M. euphorbia-epilosae</i>		Leaves of <i>Euphorbia Pilosa</i>		Vattiprolu and Agarwal 2001
<i>M. pakistanica*</i>		Leaves of <i>Euphorbia helioscopia</i>	Islamabad	Ali et al. 2016
<i>Phakopsoraceae</i>				
<i>Phakopsora</i>				
<i>P. anaphalidi-sadnatae</i>		<i>Anaphalis adnate</i>		Khalid and Iqbal 1996a
<i>Phragmidiaceae</i>				
<i>Phragmidium</i>				
<i>P. punjabense*</i>		<i>Rosa brunonis</i>		Ali et al. 2017b
<i>P. shogranense</i>		Leaves of <i>Rubus</i> sp.		Petrak and Ahmad 1954
<i>Pucciniaceae</i>				
<i>Puccinia</i>				

<i>P. agrostidis-caninae</i>		<i>Agrostis canina</i>		Afshan et al. 2008
<i>P. aizazii*</i>		<i>Jasminum humile</i>	Islamabad	Ali et al. 2017a
<i>P. anaphalidis-virgatae</i>		Stems of <i>Anaphalis virgate</i>		Afshan et al. 2010b
<i>P. carthami</i> var. <i>oxyacanthae</i>	<i>Puccinia oxyacanthae</i>	<i>Carthamus</i> sp.	<i>Oxyacantha</i>	Ahmad 1960, Savile 1970
<i>P. chitralensis</i>		<i>Pleurospermum</i> sp.	<i>stylosum</i>	Jørstad 1952
<i>P. cypericola</i>		<i>Cyperus rotundus</i>		Ahmad 1960
<i>P. deosaiensis</i>		Leaves of <i>Epipactis helleborine</i>	Deosi Plains, northern Pakistan	Khalid and Iqbal 1997
<i>P. dichanthii</i>		Leaves of <i>Dichanthium annulatum</i>	Nathia Gali	Afshan et al. 2010c
<i>P. eriocyclae</i>		Lower surface of leaves of <i>Eriocycla stewartii</i>	Gilgit Agency, Naltar Valley	Khalid and Iqbal 1996b
<i>P. helictotrichi</i> var. <i>pakistanica*</i>	<i>Puccinia helictotrichi</i>	Leaves of <i>Helictotrichon virescens</i>	Northern Areas, Fairy Meadows	Afshan et al. 2010b, Jørstad 1959
<i>P. khanspurica</i>		<i>Sorghum halepense</i>	Khanspur	Khalid and Afshan 2009
<i>P. leersiae</i>		Leaves of <i>Leersia oryzoides</i>	Nathia Gali	Afshan et al. 2010c
<i>P. narcissi</i>		<i>Narcissus</i> sp.		Laundon 1965
<i>P. pakistani</i>		<i>Narcissus</i> sp.		Laundon 1965
<i>P. pennisetila-nati</i>		Leaves of <i>Pennisetum lanatum</i>		Ahmad 1960
<i>P. ranunculifolia-cati</i>		<i>Ranunculus falcatus</i>		Ahmad 1954
<i>P. silenigena</i>		<i>Silene</i> sp.	Fairy Meadows	Iqbal et al. 2009
<i>P. sporoboliar-abici</i>		Leaves of <i>Sporobolus arabicus</i>		Afshan et al. 2008
<i>P. sporoboli-coromandelia-ni</i>		Leaves of <i>Sporobolus coromandelianus</i>		Afshan et al. 2010c
<i>P. stapfiolae</i>		Leaves of <i>Stapfiola bipinata</i>		Mundkur and Thirumalachar 1946
<i>P. subepidermalis</i>		<i>Carex curta</i>		Afshan et al. 2009
<i>Uromyces</i>				
<i>U. ciceris-soongaricae</i>		<i>Cicer songaricum</i>		Ahmad 1960

<i>U. heteromallus</i>		Stems and on leaves of <i>Haloxylon recurvum</i>		Sydow and Ahmad 1939, Ahmad et al. 1997
<i>U. klotzschianus</i>		Leaves of <i>Rumex dentatus</i>		Song et al. 2019
<i>U. lespedezae-sericeae</i>		Leaves of <i>Lespedeza sericea</i>		Ahmad 1956c
<i>U. longipedicellaris</i>		Leaves of <i>Rumex vesicarius</i>		Ramachar and Rao 1985
<i>U. penniseti</i>		<i>Pennisetum lanatum</i>		Ahmad 1960
<i>Pucciniastaceae</i>				
<i>Hyalopsora</i>				
<i>H. nodispora</i>		<i>Adiantum capillus-veneris</i>	Dunga Gali	Saba et al. 2012
<i>Milesia</i>				
<i>M. kashmiriana</i>		<i>Athyrium dentigerum</i>	Jammu-Kashmir	Afshan et al. 2010a
<i>Raveneliaceae</i>				
<i>Diorchidium</i>				
<i>D. digitariae</i>		Leaves of <i>Digitaria bicornis</i>		Ahmad 1956a
<i>Ravenelia</i>				
<i>R. mimosae-himalayanae</i>		Leaves of <i>Mimosa himalayana</i>		Ahmad 1956c
<i>Pucciniales genera incertae sedis</i>				
<i>Aecidium</i>				
<i>A. colchici</i>		Leaves of <i>Colchicum luteum</i>		Ahmad 1956c
<i>A. haqii</i>		Leaves of <i>Rosa</i> sp.		Sultan et al. 2008
<i>A. hederae</i>		Leaves of <i>Hedera helix</i>		Wakefield 1931, Ahmad et al. 1997
<i>A. pakistani-cum</i>		<i>Spiraea tomentosa</i>		Sultan et al. 2008
<i>Caeoma</i>				
<i>C. ahmadii</i>		Leaves of <i>Rosa microphylla</i>	Kozshawar Swat district	Afshan et al. 2012
<i>C. khanspure-nse</i>		Leaves or stems of <i>Rosa webbiana</i>	Kozshawar Swat district	Afshan et al. 2012
<i>C. rosicola</i>		Leaves or petioles of <i>Rosa webbiana</i>	Kozshawar Swat district	Afshan et al. 2012
<i>Uredo</i>				
<i>U. capilli-veneris</i>		<i>Adiantum capillus-veneris</i>		Jørstad and Iqbal 1967
<i>U. otostegiae</i>		Leaves of <i>Otostegia limbata</i>		Ahmad 1956c
<i>Tremellomycetes</i>				
<i>Tremellales</i>				
<i>Cryptococcaceae</i>				
<i>Cryptococcus</i>				

<i>C. albidus</i> var. <i>ovalis</i> *	<i>Naganishia albida</i>	Dung of <i>Capra hircus</i>		Sugiyama and Goto 1967, Liu et al. 2015
Tritirachiomycetes				
<i>Ustilaginales</i>				
<i>Anthracoideaceae</i>				
<i>Anthracoidea</i>				
<i>A. mulenkoi</i>		Ovaries of inflorescence of <i>Kobresia capillifolia</i>	Kashmir	Marcin 2006
Cintractia				
<i>C. kobresiae</i>		<i>Kobresia laxa</i>		Mundkur 1944
Tolyposporium				
<i>T. aristidae</i>	<i>Sporisorium aristidae</i>	Inflorescence of <i>Aristida cyanantha</i>		Ahmad 1956d, Vánky 2001
<i>T. evernium</i>		Ovaries of <i>Paspalum distichum</i> , of <i>Dalbergia sissoo</i> , of <i>Peganum harmala</i> , and of <i>Cynodon dactylon</i>		Sydow 1939, Ahmad et al. 1997
Ustilaginaceae				
<i>Sporisorium</i>				
<i>S. divisum</i>		Spikelets of <i>Pennisetum divisum</i>		Vánky 2003
<i>S. murreeanum</i>		<i>Microstegium</i> sp.		Kakishima and Ono 1993
<i>S. pakistanense</i>		Shoots of <i>Pennisetum lanatum</i>		Denchev et al. 2013
<i>Ustilago</i>				
<i>U. boissiereae</i>		Ovary of <i>Boissiera squarrosa</i>		Vánky 1997
<i>U. combensis</i> *	<i>Kalmanago combensis</i>	Flowers of <i>Commelina benghalensis</i>		Vánky 1994, Denchev et al. 2020
<i>U. chrysopogonis</i>	<i>Macalpinomyces chrysopogonis</i>	Inflorescence of <i>Chrysopogon gryllus</i>		Ahmad 1956d, Vánky 1997
<i>U. euphorbiae</i>	<i>Ahmadago euphorbiae</i>	<i>Euphorbia dracunculoides</i>		Mundkur 1940, Vánky 2004
<i>U. idonea</i>		Flowers of <i>Eleusine aristate</i>		Sydow and Ahmad 1939, Ahmad et al. 1997
<i>U. merxmuelle-rana</i>		<i>Trisetaria cavanillesii</i>		Scholz 1980
<i>U. pulveracea</i>		Male florettes of <i>Zea mays</i>		Cooke 1876, Ahmad et al. 1997
<i>U. stewartii</i>	<i>Microbotryum stewartii</i>	<i>Rheum webbiana</i>		Zundel 1944, Vánky 1998
<i>U. trachyniae</i>		Inflorescence of <i>Trachynia beludshistanica</i>		Karjagin and Uljanishchev 1948

<i>Ustilaginomycetes</i> <i>Urocystidales</i> <i>Glomosporiaceae</i> <i>Thecaphora</i>				
<i>T. pakistanica</i>		Capsules of <i>Androsace rotundifolia</i>	Islamabad, Khanspur	Vánky et al. 2007
<i>Urocystidaceae</i> <i>Urocystis</i>				
<i>U. colchici-lutei</i>		<i>Colchicum luteum</i>		Zundel 1944, Ahmad et al. 1997
<i>Chytridiomycota</i> <i>Chytridiomycetes</i> genus incertae sedis <i>Sagittospora</i>				
<i>S. cameronii</i>		<i>Eudiplodinium maggi</i> in the rumen of goats		Lubinsky 1955
<i>Synchytriomycetes</i> <i>Synchytriales</i> <i>Synchytriaceae</i> <i>Synchytrium</i>				
<i>S. marsileae</i>		<i>Marsilea minuta</i>		Ahmad and Lodhi 1953
<i>Glomeromycota</i> <i>Glomeromycetes</i> <i>Glomerales</i> <i>Glomeraceae</i> <i>Sclerocystis</i>				
<i>S. microcarpus</i>		Rhizosphere of ferns		Iqbal and Bushra 1980
<i>S. pakistanica</i>	<i>Glomus sinuosum</i>	Rhizosphere of <i>Oryza sativa</i>		Iqbal and Bushra 1980, Almeida and Schenck 1990
<i>Kickxellomycota</i> <i>Kickxellomycetes</i> <i>Kickxellales</i> <i>Kickxellaceae</i> <i>Spiromyces</i>				
<i>S. aspiralis</i>		Mouse dung		O'Donnell et al. 1998
<i>Mucoromycota</i> <i>Mucoromycete</i> <i>Mucorales</i> <i>Cunninghamellaceae</i> <i>Absidia</i>				

<i>A. inflata</i>		Soil		Mirza et al. 1979
Lichtheimiaceae				
Dichotomocladium				
<i>D. sphaerospororum</i>		Rat dung		Benny and Benjamin 1993
Fennellomyces				
<i>F. gigacellularis</i>		Sheep dung		Mirza et al. 1979
<i>F. verticillatus</i>		Mouse dung		Mirza et al. 1979
Rhizomucor				
<i>R. pakستانicus</i>		Groundnut seeds		Mirza et al. 1979
Mucoraceae				
Mucor				
<i>M. faisalabadensis</i>	<i>Protomycocladus faisalabadensis</i>	Rodent dung		Mirza et al. 1979, Schipper and Samson 1994
<i>M. lahorensis</i>		Soil		Mirza et al. 1979
<i>M. pakistaniicus</i>		Goat dung		Mirza et al. 1979
<i>M. punjabensis</i>		Bat dung		Mirza et al. 1979
Zoopagomycota				
Zoopagomycetes				
Zoopagales				
Piptocephalidaceae				
Piptocephalis				
<i>P. macrocephala</i>		Horse dung		Mirza et al. 1979

In the second section, 136 species were included and all these species are currently ambiguous that require consideration from fungal taxonomists. Herein, we briefly explained the ambiguous species within genera *Amphichaeta*, *Diplodiella*, and *Diplodina* as examples.

Amphichaeta McAlpine, Proc. Linn. Soc. N.S.W. 29: 118 (1904)

Current name: **SEIMATOSPORIUM** Corda, in Sturm, Deutschl. Fl., 3 Abt. (Pilze Deutschl.) 3(13): 79 (1837)

Notes: The genus *Amphichaeta* was regarded as a synonym of *Seimatosporium* by Shoemaker (1964). Subsequent publications followed this synonymy (Sutton 1980b, Nag Raj 1993) thus Kirk et al. (2008, 2013) did not list it in the Dictionary of Fungi and the list of without-prejudice list of generic names, respectively. Index Fungorum (2022) listed 17 species epithets, and one novel species has been reported from Pakistan. It is necessary to recollect these fungal taxa and study them to confirm their relationships with *Seimatosporium*.

Diplodiella (P. Karst.) Sacc., Syll. fung. (Abellini) 3: 375 (1884) **nom. dub.**

Notes: Kirk et al. (2008) regarded that this generic name is doubtful. Two novel species have been reported from Pakistan which needs to be resolved.

Diplodina Westend., Bull. Acad. R. Sci. Belg., Cl. Sci., sér. 2 2(7): 562 (1857)

Current name: **PLAGIOSTOMA** Fuckel, Jb. nassau. Ver. Naturk. 23-24: 118 (1870) [1869-70]

Notes: Rossman et al. (2015), proposed to adopt the younger, sexual typified name, *Plagiostoma* over *Diplodina*, the older, asexual typified name. Twelve novel species have been reported from Pakistan however, it is essential to revisit the older taxa and epitypify them.

Table 2 Checklist of novel fungal species, which are treated as doubtful, reported from Pakistan.

Species	Current name/status	Host	Localities	References
<i>Amphichaeta gerardiana</i>		Dead branches of <i>Indigofera gerardiana</i>	Muzaffarabad	Ahmad 1968b
<i>Ascochytella albiziae</i>		Fallen pods of <i>Albizia lebbeck</i>		Ahmad 1964c
<i>A. asparagi</i>		Dead branches of <i>Asparagus</i>		Ahmad 1969b
<i>A. eremopogonis</i>		Culms of <i>Eremopogon foveolatus</i>		Ahmad 1971
<i>A. sacchari</i>		Peelings of <i>Saccharum officinarum</i>		Ahmad 1971b
<i>A. tephrosiae</i>		Branches of <i>Tephrosia purpurea</i>		Ahmad 1971b
<i>Ascochytula culmicola</i>	<i>Ascochyta culmicola</i>	Culms of <i>Erianthus ravennae</i>		Ahmad 1971b, Punith 1979
<i>Bacillispora inflata</i>		Decaying leaves submerged in fresh water		Iqbal and Bhatty 1980
<i>Benjaminia aristata</i>	<i>Pycnomoreletia aristata</i>	Stems of <i>Poaceae</i>		Ahmad 1967, Rulamort 1990
<i>Botryodiplodia asparagi</i>		Branches of <i>Asparagus</i> sp.		Ahmad and Arshad 1972b
<i>B. capparis</i>		On dead branches of <i>Capparis aphylla</i>		Ahmad 1969b
<i>B. carissae</i>		Branches of <i>Carissae spinarum</i>		Ahmad 1972b
<i>B. deodarae</i>		Dead <i>Cedrus deodara</i>		Petrak and Ahmad 1954
<i>B. gymnosporiae</i>		Branches of <i>Gymnosporia royleana</i>		Ahmad and Arshad 1972b
<i>B. ipomoeae</i>		Branches of <i>Ipomoea carnea</i>		Ahmad 1972b
<i>B. lantanicola</i>		Branches of <i>Lantana indica</i>		Ahmad 1971b

<i>B. opuntiae</i>		Phylloclades of <i>Opuntia</i> sp.	Mingora	Ahmad and Arshad 1972b
<i>B. oxystelmatis</i>		Branches of <i>Oxystelma esculentum</i>		Ahmad 1971b
<i>B. pakistanica</i>		Branches of <i>Aegle marmelos</i>		Ahmad 1971b
<i>B. prosopidina</i>		Branches of <i>Prosopis glandulosa</i>		Ahmad 1969b
<i>B. ricinincola</i>		Dead <i>Ricinus communis</i>		Petrak and Ahmad 1954
<i>B. solani</i>		Branches of <i>Solanum melongena</i>	Hangu	Ahmad and Arshad 1972b
<i>B. xanthii</i>		Branches of <i>Xanthium strumarium</i>	Changa manga	Ahmad 1971a
<i>Botryogene maydis</i>		Culms of <i>Zea mays</i>	Swat	Ahmad 1971a
<i>Catharinia cynodontis</i>		Dead stems of <i>Cynodon dactylon</i>		Müller and Ahmad 1957
<i>Chaetosclerophoma strictae</i>		Dead branches of <i>Rhazya stricta</i>	Bhakar	Ahmad 1967
<i>Chaetosphaeropsis pakistanica</i>		Dead wood		Ahmad 1964a
<i>C. seriata</i>		Branches of <i>Mallotus philippensis</i>	Tret	Ahmad and Arshad 1972a
<i>Cleistobombardia pakistani</i>	<i>Cercophora pakistani</i>	Dung of <i>Equus caballus</i>	Faisalabad	Mirza 1968b, Von Arx 1973
<i>Cytodiplospora alhagi</i>		Branches of <i>Alhagi maurorum</i>	Bahawalpur	Ahmad 1971b
<i>Diaporthopsis spiraeae</i>		Dead stems of <i>Spiraea sorbifolia</i>		Müller and Ahmad 1955
<i>Dichomera gymnosporiae</i>		<i>Gymnosporia royleana</i>		Ahmad 1955d
<i>D. macrospora</i>		Dead branches of <i>Berberis lycium</i>		Ahmad 1955d
<i>D. moricola</i>		Branches of <i>Morus alba</i>	Kohat	Ahmad and Arshad 1972b
<i>D. rosarum</i>		Dead branches of <i>Rosa</i>		Ahmad 1964a
<i>Didymosporium culmicola</i>		Stems of <i>Phragmites karka</i>	Swat	Ahmad 1967
<i>Diplodiella milleri</i>		<i>Ziziphus jujuba</i>		Ahmad 1951
<i>Di. tamaricina</i>		Branches of <i>Tamarix articulata</i>		Ahmad 1968d
<i>Diplodina abutilonis</i>		Dead branches of <i>Abutilon indicum</i>		Ahmad 1967
<i>Dip. aloina</i>		Inflorescence axes of <i>Aloe vera</i>		Ahmad and Arshad 1972b
<i>Dip. capparincola</i>		Dead <i>Capparis aphylla</i>		Petrak and Ahmad 1954

<i>Dip. cymbopogonis</i>		Culms of <i>Cymbopogon schoenanthus</i>		Ahmad 1971a
<i>Dip. doemiae</i>		Branches of <i>Doemia extensa</i>		Ahmad 1971a
<i>Dip. panici</i>		Dead <i>Panicum antidotale</i>		Ahmad 1951
<i>Dip. pentatropidis</i>		Dead branches of <i>Pentatropis cynanchooides</i>		Ahmad 1964a
<i>Dip. phoenicina</i>		Leaves of <i>Phoenix dactylifera</i>	Lahore	Ahmad 1971a
<i>Dip. saccharina</i>	<i>Ascochyta saccharophila</i>	Culms of <i>Saccharum munja</i>	Zafarwal	Ahmad 1971a, Punith 1979
<i>Dip. sorghina</i>		Culms of <i>Sorghum vulgare</i>	Hasanabdal	Ahmad 1971a
<i>Dip. tecomaee</i>		Branches of <i>Tecoma</i> sp.	Hasanabdal	Ahmad and Arshad 1972b
<i>Dip. zeicola</i>		Culms of <i>Zea mays</i>	Swat	Ahmad 1971a
<i>Eupenicilliu mole</i>	<i>Penicillium molle</i>	Soil		Malloch and Cain 1972, Pitt 1980
<i>Foveostroma salvadorae</i>		Dead branches of <i>Salvadora oleoides</i>		Abbas et al. 2001
<i>Fusicoccum asparagi</i>		Dead <i>Asparagus</i> sp.		Ahmad 1951
<i>F. euphorbiae</i>		Dead branches of <i>Euphorbia pulcherrima</i>		Ahmad 1951
<i>F. lahoreanum</i>		Dead <i>Thevetia nerifolia</i>		Ahmad 1951
<i>Haplovalsaria allantosporiformis</i>	<i>Endoxylina allantosporiformis</i>	Fallen wood		Müller and Ahmad 1957, Müller and von Arx 1962
<i>Helicodendron pinicola</i>	<i>Tyrannosorus pinicola</i>	Submerged decorticated wood of <i>Pinus</i> sp.		Unter and Malloch 1995, Voglmayr and Fisher 1997
<i>Hendersonia abutilonis</i>		Branches of <i>Abutilon indicum</i>	Fort Monro	Ahmad 1967
<i>H. andrachnes</i>		Dead branches of <i>Andrachne cordifolia</i>		Ahmad 1968b
<i>H. buteae</i>		Dead branches of <i>Butea monosperma</i>	Salt Range, Rawal	Ahmad 1967
<i>H. calotropidis</i>		Dead branches of <i>Calotropis procera</i>	Hasanabdal	Ahmad 1968b
<i>H. cenchrina</i>		Culms of <i>Cettchirus ciliaris</i>	Karachi	Ahmad 1971a
<i>H. crotalariae</i>		Dead branches of <i>Crotalaria burhia</i>	Talagang	Ahmad 1967

<i>H. cymbopogonis</i>		Culms of <i>Cymbopogon schoenanthus</i>	Muzaffarabad	Ahmad 1971b
<i>H. cynodontis</i>		Runners of <i>Cynodon dactylon</i>	Hasan abdal	Ahmad 1968c
<i>H. eleusines</i>		Runners of <i>Eleusine compressa</i>	Karachi	Ahmad 1968c
<i>H. eremopogonis</i>		Culms of <i>Eremopogon foveolatus</i>	Kharian	Ahmad 1971a
<i>H. ficina</i>		Branches of <i>Ficus palmata</i>	Fort Monro	Ahmad 1968c
<i>H. leptostromatis</i>		<i>Leptostroma ahmadii</i>		Petrak and Ahmad 1954
<i>H. panici-antidotalis</i>		Culms of <i>Panicum antidotale</i>		Ahmad 1961
<i>H. plectranthi</i>		Branches of <i>Plectranthus rugosus</i>	Swat	Ahmad 1971b
<i>H. sacchari-spontanei</i>		Culms of <i>Saccharum spontaneum</i>		Ahmad 1961
<i>H. salsolicola</i>		Dead branches of <i>Salsola foetida</i>	Kalar kahar	Ahmad 1967
<i>H. viticola</i>		Branches of <i>Vitis vinifera</i>	Zafarwal	Ahmad 1967
<i>Humaria plumbeoatra</i>	<i>Octospora plumbeoatra</i>	Ground soil	Ladhar, Sheikhupura	Cash 1948, Pant and Tewari 1978
<i>Hu. umbrina</i>	<i>Octospora umbrina</i>	Ground soil	Lahore	Cash 1948, Ahmad 1978a
<i>Hu. ziziphi</i>	<i>Kompsoscypha ziziphin</i>	Dead branches of <i>Ziziphus jujuba</i>		Cash 1948, Pfister 1989
<i>Leptostroma ahmadii</i>	<i>Bifusella ahmadii</i>	<i>Pinus excelsa</i>		Petrak 1954, Rossman et al. 2016
<i>Macrophoma albizziae</i>		Fallen leaves of <i>Albizziae lebbek</i>	Lahore	Ahmad 1971a
<i>M. asphodeli</i>		Dead <i>Asphodelus tenuifolius</i>		Ahmad 1948
<i>M. cruciferarum</i>		Dead branch of <i>Cruciferae</i> sp.	Fort Monro	Ahmad 1967
<i>M. fagoniae</i>		Branches of <i>Fagonia cretica</i>	Bahawalpur	Ahmad 1971a
<i>M. ficina</i>		Fallen leaves of <i>Ficus religiosa</i>	Lahore	Ahmad 1969b
<i>M. graminicola</i>		Stolons of <i>Eleusine compressa</i>	Kasur	Ahmad 1967
<i>M. heptapleuri</i>		Leaves of <i>Heptapleurum venulosum</i>	Lahore	Ahmad 1971a
<i>M. launaeae</i>		Branches of <i>Launaea nudicaulis</i>	Lahore	Ahmad 1971a

<i>M. pegani</i>		Capsules of <i>Peganum harmala</i>	Lahore	Ahmad 1971a
<i>M. pentatropidis</i>		Branches of <i>Pentatropis cynanchoides</i>	Fort Monro	Ahmad 1971b
<i>M. prosopidis</i>		Leaves of <i>Prosopis glandulosa</i>		Khan and Kamal 1974
<i>M. rumicicola</i>		Branches of <i>Rumex dentatus</i>	Sheikhupura	Ahmad 1971a
<i>M. sisymbrii</i>		Branches of <i>Sisymbrium irio</i>	Lahore	Ahmad 1971a
<i>M. triticina</i>		Dead <i>Triticum</i> sp.		Ahmad 1948
<i>Marssonina pakistanica</i>		Leaves of <i>Fragaria vesca</i>	Changla Gali	Sutton and Webster 1984
<i>Massarinula dubia</i>		Stems of <i>Tamarix articulata</i>		Wehmeyer and Ahmad 1964
<i>Ma. orientalis</i>		Decayed wood		Wehmeyer and Ahmad 1964
<i>Microdiplodia salvadorina</i>		Dead branches of <i>Salvadora oleoides</i>		Ahmad 1962
<i>Mi. agavicola</i>		Leaves of <i>Agave</i>	Shakargar	Ahmad 1971b
<i>Mi. astragalina</i>		Dead branches of <i>Astragalus</i> sp.		Ahmad 1969a
<i>Mi. cadabae</i>		Branches of <i>Cadaba fruticosa</i>		Ahmad 1964a
<i>Mi. ficina</i>		Branches of <i>Ficus palmata</i>	Swat	Ahmad 1971b
<i>Mi. lonicerae</i>		Dead branches of <i>Lonicera</i> sp.		Ahmad 1964c
<i>Mi. nannorrhopsis</i>		Leaves of <i>Nannorrhops ritchieana</i>		Ahmad 1969a
<i>Mi. othonnopsisidis</i>		Branches of <i>Othonnopsis intermedia</i>	Ziarat	Ahmad and Arshad 1972b
<i>Mi. prunicola</i>		Branches of <i>Prunus amygdalus</i>	Lahore	Ahmad 1971a
<i>Mycosphaerella adhatodae</i>		Falllen leaves of <i>Adhatoda vasica</i>	Swat	Ahmad 1969b
<i>My. dalbergiae</i>		Dead leaves of <i>Dalbergia sissoo</i>		Müller and Ahmad 1955
<i>My. skimmiae</i>		Dead leaves of <i>Skimmia laureola</i>		Müller and Ahmad 1957
<i>Otthiella clavata</i>	<i>Otthia clavata</i>	Dead branches of <i>Spiraea lindleyana</i>		Müller and Ahmad 1957, Müller and Von Arx 1962
<i>Peltosphaeria acacia</i>		Branches of <i>Acacia modesta</i>		Müller and Ahmad 1957
<i>Penzigia quercus</i>		Bark of <i>Quercus dilatata</i>		Müller and Ahmad 1955

<i>Phomopsis clematidis</i>		Branches of <i>Clematis</i> sp.	Doonga Gali	Ahmad 1971b
<i>P. daturicola</i>		Branches of <i>Datura alba</i>	Murree	Ahmad 1971b
<i>P. mangiferae</i>		Dead leaves of <i>Mangifera indica</i>		Petrak and Ahmad 1954
<i>P. salmalica</i>		Dead trunk and branches of <i>Bombax malabaricum</i>		Khan 1961
<i>Pilidiella jambolanae</i>		Leaf of <i>Eugenia jambolana</i>	Murree	Ahmad 1967
<i>Pi. tamaricina</i>		Dead branches of <i>Tamarix articulata</i>	Kasur	Ahmad 1967
<i>Pleospora aggregate</i>		Stems of <i>Berberis ceratophylla</i>		Wehmeyer and Ahmad 1964
<i>Pl. cephalandrae</i>		Dead stems of <i>Cephalandra indica</i>		Müller and Ahmad 1957
<i>Pl. iqbalii</i>		Dead branches of <i>Tricholepis furcata</i>		Lucas and Iqbal 1969
<i>Polystigmina pallescens</i>		<i>Prunus cornuta</i>		Petrak and Ahmad 1954
<i>Rhabdospora mirabilis</i>		Dead branches of <i>Mirabilis jalapa</i>	Ghora Gali	Ahmad 1967
<i>R. ranunculacearum</i>		Stems of <i>Ranunculus arvensis</i>	Rawalakot	Ahmad 1971b
<i>R. rumicina</i>		Branches of <i>Rumex dentatus</i>	Shakargar	Ahmad 1971a
<i>R. zeina</i>		Culms of <i>Zea mays</i>		Ahmad 1971a
<i>Sorosporium aeluropodis</i>		Inflorescence of <i>Aeluropus lagopoides</i>		Ahmad 1956d
<i>S. arthraxonis</i>		Inflorescence of <i>Arthraxon lanceolatus</i>		Ahmad 1956d
<i>S. baluchistani</i>		Inflorescence of <i>Bothriochloa</i>		Ahmad 1956d
<i>S. ladharense</i>		Flowers of <i>Cymbopogon iwarancusa</i>		Sydow and Ahmad 1939
<i>Spilocaea ahmadii</i>	<i>Fusicladium ahmadii</i>	Leaves of <i>Pyrus pashia</i>	Swat, Mingora	Ellis 1976, Ritschel et al. 2003
<i>Suttonia eriobotryae</i>		Fallen leaves of <i>Eriobotrya japonica</i>		Ahmad 1960
<i>Su. gaubae</i>		Unknown		Ahmad 1960
<i>Thielaviella humicola</i>	<i>Boothiella tetraspora</i>	Soil	Lahore	Von Arx and Mahmood 1968, Lodhi and Mirza 1962
<i>Valsella moricola</i>		Dead <i>Morus alba</i>		Ahmad 1948

<i>Vermicularia arthraxonis</i>	<i>Colletotrichum arthraxonis</i>	Leaves of <i>Arthraxon serrulatus</i>		Ahmad 1955d, Ahmad 1956b
<i>Xylosphaeria ahmadii</i>	<i>Mycothyridium ahmadii</i>	Wood		Petrak and Ahmad 1954, Ahmad 1969a
<i>X. pakistani</i>	<i>Mycothyridium pakistani</i>	Dead branches of <i>Astragalus</i>		Müller and Ahmad 1958, Müller and Ahmad 1969

Discussion

This checklist presents, for the first time, an exhaustive overview of novel fungi reported from Pakistan; and a comprehensive outline of those species that have been collected and published so far. In Pakistan, a more complete list of fungi will be possible only by cataloging the existing species and identifying new ones because the fungi of this region are still largely unexplored compared to other regions of the world that were fairly well explored (Tedersoo et al. 2014, Hyde et al. 2018, Piepenbring et al. 2020, Wijayawardene et al. 2021).

Pakistan has a long history of mycology (Raza et al. 2021). Based on what was published in the available field guides on fungi of Pakistan (Mirza and Qureshi 1978, Ahmad et al. 1997, Ahmad et al. 2014), the most common fungal species reported across all the years belong to several genera, including *Ascochyta*, *Aplosporella*, *Caloplaca*, *Camarosporium*, *Cercospora*, *Coniothyrium*, *Diplodia*, *Dothiorella*, *Phoma*, *Sphaeropsis* and *Stagonospora* in Ascomycota, while *Agaricus*, *Amanita*, *Coprinellus*, *Puccinia*, *Russula*, *Sphacelotheca*, *Tulostoma*, *Uromyces* and *Ustilago* in Basidiomycota. It is true that species mentioned in multiple field guides overlap, but each guide also features distinctive species, and none of the guides is complete or comprehensive because of publishing restrictions. However, even these guides do not provide an accurate picture of the diversity of novel species reported from or living in Pakistan.

Over the last decade (2010–2021), several new species were discovered based on both morphology and phylogeny. During this timeframe, a total of 83 species were introduced in Basidiomycota as compared to Ascomycota (13 species). These include genera *Agaricus* (16 species), *Lepiota* (5 species), *Leucoagaricus* (3 species), *Tulostoma* (1 species), *Amanita* (6 species), *Zhuliangomyces* (1 species), *Cortinarius* (2 species), *Hygrophorus* (2 species), *Gymnopilus* (2 species), *Phaeocollybia* (1 species), *Pseudosperma* (4 species), *Bovista* (1 species), *Calvatia* (1 species), *Lycoperdon* (2 species), *Termitomyces* (2 species), *Marasmiellus* (1 species), *Rhodocollybia* (1 species), *Xerula* (1 species), *Coprinellus* (6 species), *Stropharia* (1 species), *Infundibulicybe* (1 species), *Melanoleuca* (1 species), *Hortiboletus* (1 species), *Tylopilus* (1 species), *Chroogomphus* (2 species), *Suillus* (1 species), *Clavariadelphus* (1 species), *Ramaria* (1 species), *Albatrellopsis* (1 species), *Albatrellus* (1 species), *Heterobasidion* (1 species), *Russula* (9 species), *Thelephora* (1 species), *Melampsora* (1 species) and *Phragmidium* (1 species). The *Agaricus* species including *A. atroumbonatus*, *A. bambusetorum*, *A. bisporiticus*, *A. campestris*, *A. fumidicolor*, *A. glabriusculus*, *A. glabriusculus*, *A. griseovariegatus*, *A. latiumbonatus*, *A. macropeplus*, *A. pakistanicus*, *A. parviniveus*, *A. porphyrocephalus*, *A. punjabensis*, *A. sparsisquamulosus*, *A. swaticus*, and *A. xanthochromaticus* were described from different ecological regions of Pakistan based on large-subunit ribosomal RNA gene (LSU), internal transcribed spacer (ITS), and translational elongation factor (TEF1) (Thongklang et al. 2014, Chen et al. 2016, Kaur et al. 2016, Hussain and Sher 2019, Bashir et al. 2021). The *Russula* species, *R. abbottabadensis*, *R. ahmadii*, *R. aurantioflava*, *R. brunneopurpurea*, *R. foetentoides*, *R. quercus-floribundae*, *R. rubricolor*, *R. shanglaensis*, and *R. shawarensis*, were found to be associated with coniferous forest in Khyber Pakhtunkhwa (KPK) province (Razaq et al. 2014, Jabeen et al. 2017, Adamčík et al. 2019, Crous et al. 2020, Jabeen et al. 2020, Ullah et al. 2020). The majority of

fungal species in Basidiomycota are reported from northern Pakistan, including KPK provinces. All *Amanita*, *Coprinellus*, and *Pseudosperma* species have been reported from the KPK (Hussain et al. 2018, Jabeen et al. 2019, Saba et al. 2019, Ullah et al. 2019, Kamran and Jabeen 2020, Saba et al. 2020, Jabeen and Khalid 2020, Saranyaphat et al. 2021), whereas the species of *Lepiota* and *Leucoagaricus* (*Le. lahorensis* and *Le. asiaticus*) have been recorded from Punjab province (Razaq et al. 2012, Nawaz et al. 2013, Ge et al. 2015, Qasim et al. 2016, Zia et al. 2019, Bashir et al. 2020).

Ascomycota is generally the most dominant fungal phylum in nature compared to Basidiomycota according to mycobiome studies (Trivedi et al. 2020, Bai et al. 2022). Over the last decade, Pakistan has reported more fungi belonging to Basidiomycota (macrofungi) (Table 1). A low rate of discovering new fungi from other phyla might be due to bias on the part of researchers or a lack of interest in investigating microfungi. However, there have been a few studies identifying novel Ascomycota species. For example, Fatima et al. (2020) and Ul haq et al. (2021) introduced 2 species in the genus *Bacidina* from two different habitats and 4 species in the genus *Neopestalotiopsis* from fruit and branches of *Psidium guajava*, respectively, with DNA sequence data. Only one species was introduced in each of the genera *Ahmadea*, *Fusarium*, *Geopora*, *Gyromitra*, *Lecidea*, *Morchella* and *Placolecis* (Hernández et al. 2016, Krisai-Greilhuber et al. 2017, Khan et al. 2018, Lombard et al. 2019, Saba et al. 2019, Aman et al. 2020, Kousar et al. 2021), and Marin-Felix et al. (2020) provided DNA sequence data of a previously reported *Curvularia* species (*C. siddiquii*) from Pakistan. There are many known natural habitats that support fungal species in Pakistan, many of which are still unexplored, and given the vast area of habitats in Pakistan, more species are likely to exist. Unless these fungi are characterized and described, they will disappear before we know them or remain unknown.

Species identification based on morphology is not reliable since some species are cryptic, thus, been incorrectly identified. Consequently, molecular-based approaches are more challenging since many fungal species lack molecular data including reference sequences (Bhunjun et al. 2021). A total of 629 out of 742 fungal species reported from Pakistan lack DNA sequence data. The majority of asexually typified genera are cryptic and polyphyletic (for example, *Coniothyrium*, *Phoma*, *Camarosporium*) (Wijayawardene et al. 2022c). It is, therefore, necessary to recollect these fungal taxa for epitypification and subject them to DNA-based identification and phylogenetic analyses to ensure that species must be identified with precision and that higher-level classifications can be confidently achieved. Since *Camarosporium*-like taxa are highly polyphyletic (Wijayawardene et al. 2014, 2016, Wanasinghe et al. 2017), *Camarosporium* taxa published from Pakistan are doubtful and may belong to other genera (Wijayawardene et al. 2022b), such as *Pseudocamarosporium* or *Paracamarosporium*.

Due to the morphological plasticity of *Diplodia* and *Phoma*, in recent studies, species identification is solely based on DNA sequences. Overall, 37 and 9 species of *Diplodia* and *Phoma* are, respectively, described from Pakistan, but they lack DNA sequence data (de Gruyter et al. 2012, Phillips et al. 2013). Thus, epitypification of these old taxa is crucial. The type specimens of these species, especially holotypes, may be found in herbarium collections. In previous studies, DNA was successfully extracted from herbarium samples older than 100 and 200 years (Larsson and Jacobsson 2004, Lehtonen and Christenhusz 2010, Redchenko et al. 2012). So, the existence of DNA sequence data from these herbarium samples might help to resolve taxonomic controversies since these specimens are the only link to a specific name; these important samples, therefore, have a great scientific value. In addition, the present checklist includes the information on the host or source of isolation of reported fungi, and based on that information these can be isolated again from the same host and habitat.

Concluding remarks

The present checklist has been thoroughly vetted to eliminate potential synonyms, and provide the most recent names for the species listed under previous names (Table 1 and 2; Species Fungorum, 2022). Further, we have shown in table 2 that there are ~130 ambiguous fungal species that may belong to different taxonomic groups. Despite this, there should be a lot of new fungi in Pakistan that have not yet been discovered. Based on the initial working list presented here, it is expected that future revisions and additions will be made, especially if linked to specific targets, priorities, or areas of expertise already in place or newly formed. There is also an observation that most of the reported fungal species lack DNA sequence data, and in some cases, a fungal species has been reported but without an accession number for the culture. In addition, most of the species reported in the last decade belonged to a particular group of fungi, Basidiomycota (macrofungi). Therefore, characterization and description of both macro- and micro-fungi species according to the latest methodology in taxonomic classification are crucial, otherwise, these fungi will remain obscure.

Acknowledgments

The authors would like to thank late Prof. Sultan Ahmad, late Prof. Syed Hussain Iqbal, Prof. Abdul Nasir Khalid and other eminent taxonomists for their contributions in deciphering the novel fungi from Pakistan. Mubashar Raza and Muzammil Hussain are thankful to the Chinese Academy of Sciences (CAS) for the award of President's International Fellowship (PIFI).

Conflict of interest

The authors declare no conflict of interest.

References

- Abbas SQ, Sutton BC (1988a) An addition to *Avettaea* (Coelomycetes) from Pakistan. Transactions of the British Mycological Society 90(3):491–494. [https://doi.org/10.1016/S0007-1536\(88\)80163-3](https://doi.org/10.1016/S0007-1536(88)80163-3).
- Abbas SQ, Sutton BC (1988b) *Myrotheciastrum* gen. nov., an addition to the *Coelomycetes*. Transactions of the British Mycological Society 91(2):352–357. [https://doi.org/10.1016/S0007-1536\(88\)80230-4](https://doi.org/10.1016/S0007-1536(88)80230-4).
- Abbas SQ, Sutton BC, Ghaffar A (1999) New species of *Coniothyrium* on *Salvadora* from Pakistan. Pakistan Journal of Botany 31(2):407–436.
- Abbas SQ, Sutton BC, Ghaffar A (2000a) Additions to *Coelomycetes* from Pakistan - *Camarosporiopsis* Abbas, Sutton & Ghaffar gen. nov., and *C. capparidis* (Ahmad) Abbas, Sutton & Ghaffar comb. nov. Pakistan Journal of Botany 32(2):239–246.
- Abbas SQ, Sutton BC, Ghaffar A (2000b) An addition to *Septoria* from Pakistan. Pakistan Journal of Botany 32(2):247–250.
- Abbas SQ, Sutton BC, Ghaffar A (2000c) An addition to *Sphaeropsis* from Pakistan. Pakistan Journal of Botany 32(1):35–39.
- Abbas SQ, Sutton BC, Ghaffar A (2001) *Foveostroma salvadorae* sp. nov., from Pakistan. Pakistan Journal of Botany 33(1):1–6.
- Abbas SQ, Sutton BC, Ghaffar A, Abbas A (2003) *Alpakesiopsis* gen. nov., an addition to *Coelomycetes* from Pakistan. Pakistan Journal of Botany 35(2):249–255.
- Abdel-Azeem AM, Abu-Elsaoud A, Darwish A, Balbool B, Abo Nouh F, Abo Nahas H, Abd El-Azeem M, Ali N, Kirk P (2020) The Egyptian Ascomycota 1: Genus *Aspergillus*. Microbial Biosystems 5(1):61–99. <https://doi.org/10.21608/mb.2020.100044>.

- Adamčík S, Looney B, Caboň M, Jančovičová S, Adamčíková K, Avis PG, Barajas M, Bhatt RP, Corrales A, Das K, Hampe F, Ghosh A, Gates G, Kälviäinen V, Khalid AN, Kiran M, De Lange R, Lee H, Lim YW, Kong A, Manz C, Ovrebo C, Saba M, Taipale T, Verbeken A, Wisitrassameewong K, Buyck B (2019) The quest for a globally comprehensible *Russula* language. *Fungal Diversity* 99(1):369–449. <https://doi.org/10.1007/s13225-019-00437-2>.
- Afshan NS, Berndt R, Khalid AN, Niazi AR (2008) New graminicolous rust fungi from Pakistan. *Mycotaxon* 104:123–130.
- Afshan NS, Iqbal SH, Khalid AN, Niazi AR (2010a) A new anamorphic rust fungus with a new record of *Uredinales* from Azad Kashmir, Pakistan. *Mycotaxon* 112:451–456.
- Afshan NS, Khalid AN, Iqbal SH, Niazi AR, Sultan A (2009) *Puccinia subepidermalis* sp. nov. and new records of rust fungi from Fairy Meadows, northern Pakistan. *Mycotaxon* 110:173–182.
- Afshan NS, Khalid AN, Iqbal SH, Niazi AR, Sultan A (2010b) *Puccinia anaphalidis-virgatae*, a new species, and a new variety of rust fungi from Fairy Meadows, Northern Pakistan. *Mycotaxon* 112:483–490. <https://doi.org/10.5248/112.483>.
- Afshan NS, Khalid AN, Niazi AR (2010c) Three new species of rust fungi from Pakistan. *Mycological Progress* 9(4):485–490. <https://doi.org/10.1007/s11557-010-0655-8>.
- Afshan NS, Khalid AN, Niazi AR (2012) Three new *Caeoma* species on *Rosa* sp. from Pakistan. *Mycotaxon* 120:239–246. <http://dx.doi.org/10.5248/120.239>.
- Ahmad S (1948) Fungi of Pakistan I. *Sydowia* 2(1–6):72–79.
- Ahmad S (1949) Studies in the *Gasteromycetes* I. A new species of *Bovista*. *Sydowia* 3(1–6):333–335.
- Ahmad S (1950a) Fungi of Pakistan - II. *Sydowia* 4(1–6):82–83.
- Ahmad S (1950b) Studies on *Gasteromycetes* -V. *Sydowia* 4(1–6):124–129.
- Ahmad S (1951) Fungi of Pakistan - III. *Sydowia* 5(3–6):390–395.
- Ahmad S (1955a) In: *Biologia*, Lahore 1: 5. – via Catalogue of Life.
- Ahmad S (1955b) A new species of *Peniophora* from West Pakistan. *Biologia Lahore* 1(2):265–265.
- Ahmad S (1955c) *Pezizales* of West Pakistan. *Biologia Lahore* 1(1):1–24.
- Ahmad S (1955d) Six new *Deutromycetes* from West Pakistan. *Biologia Lahore* 1:197–265.
- Ahmad S (1956a) Fungi of West Pakistan. *Biologia Lahore* 2:31–94.
- Ahmad S (1956b) Fungi of West Pakistan. Monograph Biological Society of Pakistan 1:1–126.
- Ahmad S (1956c) *Uredinales* of West Pakistan. *Biologia* 2(1):29–101.
- Ahmad S (1956d) *Ustilaginales* of West Pakistan. *Mycological Papers* 64:1–17.
- Ahmad S (1960) Further contributions to the Fungi of West Pakistan I. *Biologia Lahore* 6(2):117–136.
- Ahmad S (1961) In: *Biologia*, Lahore 6(2): 128. – via Catalogue of Life.
- Ahmad S (1962) Further Contributions to the Fungi of Pakistan II. *Biologia Lahore* 8(2):123–150.
- Ahmad S (1964a) Contribution to the Fungi of West Pakistan IV. *Biologia Lahore* 10(1):1–6.
- Ahmad S (1964b) Contributions to the Fungi of West Pakistan IV. *Biologia Lahore* 10(1):91.
- Ahmad S (1964c) Contribution to the Fungi of West Pakistan V. *Biologia Lahore* 10(2):89–98.
- Ahmad S (1967) Contribution to the Fungi of West Pakistan VI. *Biologia Lahore* 13(1):15–42.
- Ahmad S (1968a) Contribution to the Fungi of West Pakistan VII. *Biologia*, Lahore 14:1–11.
- Ahmad S (1968b) Contribution to the Fungi of West Pakistan VII. *Biologia*, Lahore 14(1–2):3–8.
- Ahmad S (1968c) Contribution to the Fungi of West Pakistan VIII. *Biologia Lahore* 14:1–13.
- Ahmad S (1968d) Contribution to the Fungi of West Pakistan VIII. *Biologia Lahore* 14(6):68.
- Ahmad S (1969a) Fungi of West Pakistan. Supplement I. Monograph Biological Society of Pakistan 5:1–110.
- Ahmad S (1969b) Contribution to the Fungi of West Pakistan IX. *Biologia Lahore* 15(1–2):1–10.
- Ahmad S (1971a) Contributions to the Fungi of West Pakistan X. *Biologia Lahore* 17(1):1–26.

- Ahmad S (1971b) Contribution to the Fungi of West Pakistan XI. *Biologia Lahore* 17(2):67–85.
- Ahmad S (1972a) Basidiomycetes of West Pakistan 1–141.
- Ahmad S (1972b) Contribution to the Fungi of West Pakistan XIII. *Biologia Lahore* 18(1):1–6.
- Ahmad S (1972c) Contribution to Fungi of West Pakistan XIV. *Biologia Lahore* 18(2):98.
- Ahmad S (1978a) *Ascomycetes* of Pakistan. Monograph I. Biological Society of Pakistan 7:1–236.
- Ahmad S (1978b) *Ascomycetes* of Pakistan. Monograph II. The Biological Society of Pakistan 8:1–144.
- Ahmad S, Arshad M (1972a) Contribution to the Fungi of West Pakistan XII. *Biologia Lahore* 18(1):7–17.
- Ahmad S, Arshad M (1972b) Contribution to the Fungi of West Pakistan XV. *Biologia Lahore* 18(2):101–119.
- Ahmad S, Bilal C, Imran C and Maaria C (2014) Fungi of Pakistan. 2nd edn. Khalid Chaudhry, USA pp. 1–136.
- Ahmad S, Iqbal SH and Khalid AN (1997) Fungi of Pakistan. Mycological Society of Pakistan. Department of Botany, University of the Punjab, Lahore Pakistan.
- Ahmad S, Lodhi SA (1953) Some new or unreported fungi from West Pakistan. *Sydowia* 7(1–4):266–269.
- Ahmad SI, Quraishi MS (1960) Two new species of genus *Curvularia*. *Curvularia siddiqui* sp. nov. and *Curvularia ellisi* sp. nov. *Pakistan Journal of Scientific and Industrial Research* 3:177–178.
- Ahmed SI, Masood, Ahmedunisa (1993) *Podospora pseudoinquinata* sp. nov. *Pakistan Journal of Scientific and Industrial Research* 36(1):41–43.
- Ahmed SI, Ahmedunnisa, Anwar N (1985) *Sporormiella hexamera* sp. nov. from Turkham, Pakistan. *Pakistan Journal of Scientific and Industrial Research* 28(4):254–256.
- Ahmed SI, Asad F (1967a) *Sporormia fimicola* sp. nov. and *Sporormiella inaequalis* sp. nov. from West Pakistan. *Sydowia* 21(1–6):290–294.
- Ahmed SI, Asad F (1967b) *Strattonia karachiensis* sp. nov. from West Pakistan. *Sydowia* 21:282–284.
- Ali B, Sohail Y, Mumtaz AS (2017a) *Puccinia aizazii*, a new rust fungus on *Jasminum humile* from foothills of Himalayan ranges. *Sydowia* 69:131. <https://doi.org/10.12905/0380.sydowia69-2017-0131>.
- Ali B, Sohail Y, Mumtaz AS, Berndt R (2017b) *Phragmidium punjabense*, a new species of rust fungus on *Rosa brunonii* in the outer Himalayan ranges of Murree, Pakistan. *Nova Hedwigia* 105(3):385–396. https://doi.org/10.1127/nova_hedwigia/2017/0418.
- Ali B, Sohail Y, Toome-Heller M, Mumtaz AS (2016) *Melampsora pakistanica* sp. nov., a new rust fungus on *Euphorbia helioscopia* (Sun spurge) from Pakistan. *Mycological Progress* 15(12):1285–1292. <https://doi.org/10.1007/s11557-016-1244-2>.
- Ali M, Khan J, Bashir H, Niazi AR, Sher H, Khalid AN (2020) *Infundibulicybe macrospora* sp. nov., a new and noteworthy species from Himalayan moist temperate forests of Pakistan. *Phytotaxa* 452 (4):268–277. <https://doi.org/10.11646/phytotaxa.452.4.2>.
- Almeida RT, Schenck NC (1990) A revision of the genus *Sclerocystis* (*Glomaceae, Glomales*). *Mycologia* 82(6):703–714. <https://doi.org/10.1080/00275514.1990.12025951>.
- Álvarez-Pérez S, Blanco JL, Alba P, García ME (2011) Fungal growth in culture media simulating an extreme environment. *Revista iberoamericana de micología* 28(4):159–165. <https://doi.org/10.1016/j.riam.2011.03.005>.
- Aman N, Khalid AN, Moncalvo JM (2020) *Ahmadea dalanensis* gen. and sp. nov., an edible truffle from Pakistan. *Studies in Fungi* 5(1):452–461. <https://doi.org/10.5943/sif/5/1/26>.
- Amrani S, Abdel-Azeem AM (2019) Check-list of Algerian fungi – Part 3: *Laboulbeniales* (*Ascomycota*). *Microbial Biosystems* 4(1):17–30. <https://doi.org/10.21608/mb.2019.37826>.
- Bai Y, Li B, Xu C, Raza M, Wang Q, Wang QZ, Fu Y, Hu J, Imoulan A, Hussain M, Xu Y (2022)

- Intercropping walnut and tea: Effects on soil nutrients, enzyme activity and microbial communities. *Frontiers in Microbiology*. <https://doi.org/10.3389/fmicb.2022.852342>.
- Baldrian P, Větrovský T, Lepinay C, Kohout P (2021) High-throughput sequencing view on the magnitude of global fungal diversity. *Fungal Diversity* 1–9. <https://doi.org/10.1007/s13225-021-00472-y>.
- Barton NH, Briggs DE, Eisen JA, Goldstein DB, Patel NH (2007) Phylogenetic reconstruction. *Evolution*. 1–55.
- Baroni TJ (1981) New species of *Melanophyllum* and *Gastrocybe*, type studies in *Armillaria* and *Stropharia*. *Mycologia* 73:181–197. <https://doi.org/10.1080/00275514.1981.12021331>.
- Blackwell M, (2011) The Fungi: 1, 2, 3... 5.1 million species. *American journal of Botany* 98(3):426–438. <https://doi.org/10.3732/ajb.1000298>.
- Bhunjun CS, Phillips AJ, Jayawardena RS, Promputtha I, Hyde KD (2021) Importance of Molecular Data to Identify Fungal Plant Pathogens and Guidelines for Pathogenicity Testing Based on Koch's Postulates *Pathogens* 10(9):1096. <https://doi.org/10.3390/pathogens10091096>.
- Boom PPG van den, Elix JA (2005) Notes on *Halecania* species, with descriptions of two new species from Asia. *The Lichenologist* 37(3):237–246. <https://doi.org/10.1017/S0024282905014787>.
- Boonmee S, Wanasinghe DN, Calabon MS, Huanraluek N, Chandrasiri SK, Jones GE, Rossi W, Leonardi M, Singh SK, Rana S, Singh PN, Maurya DK, Lagashetti AC, Choudhary D, Dai YC, Zhao CL, Mu YH, Yuan YS, He SH, Phookamsak R, Jiang HB, Martín MP, Dueñas M, Telleria MT, Kałucka IL, Jagodziński AM, Liimatainen K, Pereira DS, Phillips AJL, Suwannarach N, Kumla J, Khuna S, Lumyong S, Potter TB, Shivas RG, Sparks AH, Vaghefi N, Abdel-Wahab MA, Abdel-Aziz MA, Li GJ, Lin WF, Singh U, Bhatt RP, Lee HB, Nguyen TTT, Kirk PM, Dutta AK, Acharya K, Sarma VV, Niranjan M, Rajeshkumar KC, Ashtekar N, Lad S, Wijayawardene NN, Bhat DJ, Xu RJ, Wijesinghe SN, Shen HW, Luo ZL, Zhang JY, Sysouphanthong P, Thongklang N, Bao DF, Aluthmuhandiram JV, Abdollahzadeh J, Javadi A, Dovana F, Usman M, Khalid AN, Dissanayake AJ, Telagathoti A, Probst M, Peintner U, Garrido-Benavent I, Bóna L, Merényi Z, Boros L, Zoltán B, Stielow JB, Jiang N, Tian CM, Shams E, Dehghanizadeh F, Pordel A, Javan-Nikkhah M, Denchev TT, Denchev CM, Kemler M, Begerow D, Deng CY, Harrower E, Bozorov T, Kholmuradova T, Gafforov Y, Abdurazakov A, Xu JC, Mortimer PE, Ren GC, Jeewon R, Maharanachchikumbura SSN, Phukhamsakda C, Mapook A and Hyde KD (2021) Fungal diversity notes 1387–1511: Taxonomic and phylogenetic contributions on genera and species of fungal taxa. *Fungal Diversity* 111(1):1–335. <https://doi.org/10.1007/s13225-021-00489-3>.
- Braun U (1995) A monograph of *Cercosporaella*, *Ramularia* and allied genera (phytopathogenic Hyphomycetes). Eching: Ihw-Verlag 1:1–333.
- Braun U, Crous PW, Schubert K, Shin HD (2010) Some reallocations of *Stenella* species to *Zasmidium*. *Schlechtendalia* 20: 99–104.
- Bashir H, Chen J, Jabeen S, Ullah S, Khan J, Niazi AR, Zhang M, Khalid AN, Parra LA, Callac P (2021) An overview of *Agaricus* section *Hondenses* and *Agaricus* section *Xanthodermatei* with description of eight new species from Pakistan. *Scientific Reports* 11(1):1–35. <https://doi.org/10.1038/s41598-021-92261-5>.
- Bashir H, Hussain S, Khalid AN, Niazi ARK, Parra LA, Calac P (2018) First report of *Agaricus* sect. *Brunneopicti* from Pakistan with descriptions of two new species. *Phytotaxa* 357(3):167–178. <https://doi.org/10.11646/phytotaxa.357.3.1>.
- Bashir H, Jabeen S, Bashir H, Khalid AN (2020a) *Gymnopilus dunensis*, a new species from Punjab province, Pakistan. *Phytotaxa* 428(1):051–059. <https://doi.org/10.11646/phytotaxa.428.1.5>.
- Bashir H, Usman M, Khalid AN (2020b) *Lepiota cholistanensis* a new species of *Lepiota* (Agaricaceae: Basidiomycota) from Cholistan desert, Pakistan. *Phytotaxa* 455(4):267–276.

- https://doi.org/10.11646/phytotaxa.455.4.4.
- Batista AC, Vital AF (1959) Novas combinações de Phaeosphaerella: *P. banksiae* (Cke.) Bat. e Vital e *P. verrucispora*. Atti dell'Istituto Botanico della Università e Laboratorio Crittogramico di Pavia 16:115–117.
- Batra LR, Ahmad S, Millner (1975) In: in Batra, Biologia, Lahore 21(1): 29. – via Catalogue of Life.
- Benny GL, Benjamin RK (1993) Observations on *Thamniidiaceae (Mucorales)* VI. Two new species of *Dichotomocladium* and the zygospores of *D. hesseltinei (Chaetocladiaceae)*. Mycologia 85(4):660–671. https://doi.org/10.1080/00275514.1993.12026318.
- Bezerra JL, Kimbrough JW (1975) The genus *Lasiobolus (Pezizales, Ascomycetes)*. Canadian Journal of Botany 53(12):1206–1229. https://doi.org/10.1139/b75-146.
- Boidin J (1956) *Stereum ahmadi* nov. sp. (basidiomycète: thelephoracée). Biologia Lahore 2(2):217–220.
- Boidin J (1960) Le genre *Stereum* Pers. sl au Congo belge. Bulletin du Jardin botanique de l'État à Bruxelles 30:283–355.
- Boidin J, Lanquetin P (1987) Le Genre *Scytonostroma* Donk (Basidiomycètes, Lachnocladiaceae). Bibliotheca Mycologica 114:1–130.
- Braun U (2002) Miscellaneous notes on some micromycetes (II). Schlechtendalia 8:33–38.
- Caboň M, Li GJ, Saba M, Kolařík M, Jančovičová S, Khalid AN, Moreau PA, Wen HA, Pfister DH, Adamčík S (2019) Phylogenetic study documents different speciation mechanisms within the *Russula globispora* lineage in boreal and arctic environments of the Northern Hemisphere. IMA Fungus 10(1):1–16. https://doi.org/10.1186/s43008-019-0003-9.
- Cannon PF (1986) A New species of *Morenoina* from Pakistan. Transactions of the British Mycological Society 86(1):190–192. https://doi.org/10.1016/S0007-1536(86)80142-5.
- Cannon PF, Minter DW (1986) The *Rhytidmataceae* of the Indian subcontinent. Mycological Papers 155:1–123.
- Cannon PF (1991) A revision of *Phyllachora* and some similar genera on the host family *Leguminosae*. Mycological Papers 163:1–302.
- Cash EK (1948) Six new Indian Discomycetes. Mycologia 40:724–727. https://doi.org/10.1080/00275514.1948.12017740.
- Cavalc Bat, Iqbal SH (1967) In: in Batista, Peres & Iqbal, Atas Inst. Micol. 4: 139. – via Catalogue of Life.
- Cesati V, De Notaris G (1863) Schema di classificazione degl' sferiacei italici aschigeri piu' o meno appartenenti al genere *Sphaeria* nell'antico significato attribuitoglide Persono. Commentario della Società Crittogramologica Italiana 1(4):177–420.
- Chen J, Parra LA, De Kesel A, Khalid AN, Qasim T, Ashraf A, Bahkali AH, Hyde KD, Zhao R, Callac P (2016) Inter- and intra-specific diversity in *Agaricus endoxanthus* and allied species reveals a new taxon, *A. punjabensis*. Phytotaxa 252(1):001–016. https://doi.org/10.11646/phytotaxa.252.1.1.
- Choi J, Kim SH (2017) A genome tree of life for the fungi kingdom. Proceedings of the National Academy of Sciences 114(35):9391–9396. https://doi.org/10.1073/pnas.1711939114.
- Clauzade G, Poelt J (1972) *Caloplaca anularis*, eine neue Flechte aus den Westalpen. Herzogia 2:305–311.
- Cooke MC (1876) Some Indian fungi. Grevillea 4(31):114–118.
- Cooke, Massee (1888) Grevillea 16(no. 79): 70. Index Fungorum.
- Corbaz R (1956) Recherches sur le genre *Didymella* Sacc. Phytopathologische Zeitschrift 28(4):375–414. https://doi.org/10.3929/ethz-a-000097565.
- Corner EJH (1970) Supplement to A Monograph of *Clavaria* and allied Genera. Beih. Nova Hedwigia 33:175.

- Corner EJH (1989) Ad *Polyporaceas* VI. The genus Trametes. Beih. Nova Hedwigia 97:197. Crivelli PG (1983) Über die heterogene Ascomycetengattung Pleospora Rabh 1–213. <https://doi.org/10.3929/ethz-a-000300166>.
- Crous PW, Braun U (2003) *Mycosphaerella* its anamorphs: 1. Names published in *Cercospora* and *Passalora*. Centraalbureau voor Schimmelcultures (CBS) 1:1–571.
- Crous PW, Cowan DA, Maggs-Kölling G, Yilmaz N, Larsson E, Angelini C, Brandrud TE, Dearnaley JDW, Dima B, Dovana F, Fechner N, García D, Gené J, Halling RE, Houbraken J, Leonard P, Luangsa-Ard JJ, Noisripoon W, Rea-Ireland AE, Ševčíková H, Smyth CW, Vizzini A, Adam JD, Adams GC, Alexandrova AV, Alizadeh A, Duarte EÁ, Andjic V, Antonín V, Arenas F, Assabgui R, Ballarà J, Banwell A, Berraf-Tebbal A, Bhatt VK, Bonito G, Botha W, Burgess TI, Caboň M, Calvert J, Carvalhais LC, Courtecuisse R, Cullington P, Davoodian N, Decock CA, Dimitrov R, Di Piazza S, Drenth A, Dumez S, Eichmeier A, Etayo J, Fernández I, Fiard JP, Fournier J, Fuentes-Aponte S, Ghanbari MAT, Ghorbani G, Giraldo A, Glushakova AM, Gouliamova DE, Guarro J, Halleen F, Hampe F, Hernández-Restrepo M, Iturrieta-González I, Jeppson M, Kachalkin AV, Karimi O, Khalid AN, Khonsanit A, Kim JI, Kim K, Kiran M, Krisai-Greilhuber I, Kučera V, Kušan I, Langenhoven SD, Lebel T, Lebeuf R, Liimatainen K, Linde C, Lindner DL, Lombard L, Mahamedi AE, Matočec N, Maxwell A, May TW, McTaggart AR, Meijer M, Mešić A, Mileto AJ, Miller AN, Molia A, Mongkolsamrit S, Cortés CM, Muñoz-Mohedano J, Morte A, Morozova OV, Mostert L, Mostowfizadeh-Ghalamfarsa R, Nagy LG, Navarro-Ródenas A, Örstadius L, Overton BE, Papp V, Para R, Peintner U, Pham THG, Pordel A, Pošta A, Rodríguez A, Romberg M, Sandoval-Denis M, Seifert KA, Semwal KC, Sewall BJ, Shivas RG, Slovák M, Smith K, Spetik M, Spies CFJ, Syme K, Tasanathai K, Thorn RG, Tkalčec Z, Tomashevskaya MA, Torres-Garcia D, Ullah Z, Visagie CM, Voitk A, Winton LM, Groenewald JZ (2020) Fungal Planet description sheets: 1112–1181. *Persoonia* 45:251–409. <https://doi.org/10.3767/persoonia.2020.45.10>.
- Crous PW, Cowan DA, Maggs-Kölling G, Yilmaz N, Thangavel R, Wingfield MJ, Noordeloos ME, Dima B, Brandrud TE, Jansen GM, Morozova OV, Vila J, Shivas RG, Tan YP, Bishop-Hurley S, Lacey E, Marney TS, Larsson E, Le Floch G, Lombard L, Nodet P, Hubka V, Alvarado P, Berraf-Tebbal A, Reyes JD, Delgado G, Eichmeier A, Jordal JB, Kachalkin AV, Kubatova A, Macia-Vicente JG, Malysheva EF, Papp V, Rajeshkumar KC, Sharma A, Sharma A, Spetik M, Szaboova D, Tomashevskaya MA, Abad JA, Abad ZG, Alexandrova AV, Anand G, Arenas F, Ashtekar N, Balashov S, Banares A, Baroncelli R, Bera I, Biketova AYu, Blomquist CL, Boekhout T, Boertmann D, Bulyonkova TM, Burgess TI, Carnegie AJ, Cobo-Diaz JF, Corriol G, Cunningham JH, da Cruz MO, Damm U, Davoodian N, Santiago ALCMde A, Dearnaley J, de Freitas LWS, Dhileepan K, Dimitrov R, Di Piazza S, Fatima S, Fuljer F, Galera H, Ghosh A, Giraldo A, Glushakova AM, Gorczak M, Gouliamova DE, Gramaje D, Groenewald M, Gunsch CK, Gutierrez A, Holdom D, Houbraken J, Ismailov AB, Istel L, Iturriaga T, Jeppson M, Jurjevic Z, Kalinina LB, Kapitonov VI, Kautmanova I, Khalid AN, Kiran M, Kiss L, Kovacs A, Kurose D, Kusan I, Lad S, Laessoe T, Lee HB, Luangsa-ard JJ, Lynch M, Mahamedi AE, Malysheva VF, Mateos A, Matocec N, Mesic A, Miller AN, Mongkolsamrit S, Moreno G, Morte A, Mostowfizadeh-Ghalamfarsa R, Naseer A, Navarro-Rodenas A, Nguyen TTT, Noisripoon W, Ntandu JE, Nuytinck J, Ostry V, Pankratov TA, Pecenka J, Pham THG, Polhorsky A, Posta A, Raudabaugh DB, Reschke K, Rodriguez A, Romero M, Rooney-Latham S, Roux J, Sandoval-Denis M, Smith M Th, Steinrucken TV, Svetasheva TY, van der Linde EJ, Vegte MVD Vauras J, Verbeken A, Visagie CM, Vitelli JS, Volobuev SV, Weill A, Wrzosek M, Zmitrovich IV, Zvyagina EA, Groenewald JZ (2021) Fungal planet description sheets: 1182–1283. *Persoonia: Molecular Phylogeny and Evolution of Fungi* 46:313–528. <https://doi.org/10.3767/persoonia.2021.46.11>.

- Crous PW, Summerell BA, Carnegie AJ, Wingfield MJ, Hunter GC, Burgess TI, Andjic V, Barber PA, Groenewald JZ (2009) Unravelling Mycosphaerella: do you believe in genera? Persoonia 23:99–118. <https://doi.org/10.3767/003158509X479487>.
- Dargan JS, Thind KS (1985) *Xylariaceae* of India. VIII Genus *Daldinia* Ces & de Not - a further segregation into two new subgenera. Kavaka 12:113–118.
- Decock C, Ryvarden L (2003) Studies in *Perenniporia* (*Basidiomycetes*, *Perenniporiales*) *Pseudopiptoporus chocolatus* comb. nov., a synonym of *Perenniporia ahmadii*, and a note on *Pseudopiptoporus*. Nova Hedwigia 77(1-2):199–211. <https://doi.org/10.1127/0029-5035/2003/0077-0199>.
- de Gruyter J, Woudenberg JHC, Aveskamp MM, Verkley GJM, Groenewald JZ, Crous PW (2013) Redisposition of Phoma-like anamorphs in Pleosporales. Study in Mycology 75:1–36 <https://doi.org/10.3114/sim0004>.
- Demoulin V (1976) Species of *Lycoperdon* with a setose exoperidium. Mycotaxon 3(2):275–296.
- Denchev CM, Fiaz M, Denchev TT, Ahmad H, Khalid AN (2013) Additions to the smut fungi of Pakistan. Mycotaxon 121:165–170. <https://doi.org/10.5248/121.165>.
- Denchev TT, Denchev CM, Kemler M, Begerow D (2020) *Kalmanago* gen. nov. (*Microbotryaceae*) on *Commelina* and *Tinantia* (*Commelinaceae*). Mycobiota 10:21–37. <https://doi.org/10.12664/mycobiota.2020.10.03>.
- Deighton FC (1976) Studies on *Cercospora* and allied genera. VI. *Pseudocercospora* Speg., *Pantospora* Cif. and *Cercoseptoria* Petr. Mycological Papers 140:1–168.
- Diao YZ, Zhang C, Liu F, Wang WZ, Liu L, Cai L, Liu XL (2017) *Colletotrichum* species causing anthracnose disease of chili in China. Persoonia: Molecular Phylogeny and Evolution of Fungi 38:20. <https://doi.org/10.3767/003158517X692788>.
- Dörfelt H (1984) Taxonomische Studien in der Gattung Xerula R. Maire - IX. Feddes Repertorium Specierum Novarum Regni Vegetabilis 95:189–200.
- Dumont KP (1976) *Sclerotiniaceae* XII. On some selected species from India. Mycologia 68(4):842–873. <https://doi.org/10.2307/3758802>.
- Ellis MB (1959) *Clasterosporium* and some allied *dematiaceae-phragmosporae*. II. Mycological Papers 72:1–75.
- Ellis MB (1961) Dematiaceous hyphomycetes III. Mycological Papers 82: 1–55.
- Ellis MB (1976) More Dematiaceous hyphomycetes. Commonwealth Mycological Institute, Kew, Surrey, England 1–507. Farooqi A, Aqdas F, Niazi AR, Jabeen S, Khalid AN (2017) *Inocybe ahmadii* sp. nov. and a new record of *I. leptocystis* from Pakistan. Mycotaxon 132(2):257–269. <https://doi.org/10.5248/132.257>.
- Fatima M, Habib K, Czarnota P, Khalid AN (2020) Two new *Bacidina* species (*Lecanorales*, *Ascomycota*) from Pakistan. Folia Cryptogamica Estonica 58:25–34. <https://doi.org/10.12697/fce.2021.58.03>.
- Firdaus-e-Bareen, Braun U (2007) *Mycofalcella iqbali*, a new aquatic hyphomycete, and a discussion about the generic concept of *Anguillospora* and similar genera. Mycotaxon 102: 356.
- Frederick L, Uecker FA, Benjamin CR (1969) A New Species of *Neurospora* from Soil of West Pakistan. Mycologia 61(6):1077–1084. <https://doi.org/10.1080/00275514.1969.12018837>.
- Fungorum I (2022) Index Fungorum Home Page. URL: <http://www.index fungorum.org>. (accessed on Jan. 04, 2022).
- Galindo LJ, López-García P, Torruella G, Karpov S, Moreira D (2021) Phylogenomics of a new fungal phylum reveals multiple waves of reductive evolution across *Holomycota*. Nature Communications 12(1):1–14. <https://doi.org/10.1038/s41467-021-25308-w>.
- Gams W (1971) In: *Cephalosporium-artige Schimmelpilze* (Stuttgart): 96. – via Catalogue of Life.

- Garnier L, Valence F, Mounier J (2017) Diversity and control of spoilage fungi in dairy products: an update. *Microorganisms* 5(3):42. <https://doi.org/10.3390/microorganisms5030042>.
- Ge ZW, Yang ZL, Qasim T, Nawaz R, Khalid AN, Vellinga EC (2015) Four new species in *Leucoagaricus* (Agaricaceae, Basidiomycota) from Asia. *Mycologia* 107(5):1033–1044. <https://doi.org/10.3852/14-351>.
- Gilman, J. C., & Abbott, E. V. (1927). A summary of the soil fungi. Editorial Board of the Iowa State College Journal of Science 1–120.
- Goodell B, Winandy JE, Morrell JJ (2020) Fungal degradation of wood: Emerging data, new insights and changing perceptions. *Coatings* 10(12):1210. <https://doi.org/10.3390/coatings10121210>.
- Groves JW (1968) Two new species of *Ascocalyx*. *Canadian Journal of Botany* 46(10):1273–1278.
- Guarro J, Al-Saadon AH, Abdullah SK (1997) Two new coprophilous species of *Preussia* (Ascomycota) from Iraq. *Nova Hedwigia* 64:177–183.
- Guarro J, Cano J (1988) The genus *Triangularia*. *Transactions of the British Mycological Society* 91(4):587–591. [https://doi.org/10.1016/S0007-1536\(88\)80031-7](https://doi.org/10.1016/S0007-1536(88)80031-7).
- Guo L (2001) A new combination and new records of smut fungi from tropical China. *Mycotaxon* 77:339–341.
- Haelewaters D, Dima B, Abdel-Hafiz A, Abdel-Wahab MA, Abul-Ezz SR, Acar I, Aguirre-Acosta E, Aime MC, Aldemir S, Ali M, Ayala-Vásquez O, Bakhit MS, Bashir H, Battistin E, Bendiksen E, Castro-Rivera R, Çolak ÖF, De Kesel A, de la Fuente JI, Dizkırıcı A, Hussain S, Jansen GM, Kaygusuz O, Khalid AN, Khan J, Kiyashko AA, Larsson E, Martínez-González CR, Morozova OV, Niazi AR, Noordeloos ME, Pham THG, Popov ES, Psurtseva NV, Schouteten N, She H, Türkekul İ, Verbeken A, Ahmad H, Afshan NS, Christe P, Fiaz M, Glaizot O, Liu J, Majeed J, Markotter W, Nagy A, Nawaz H, Papp V, Péter Á, Pflieger WP, Qasim T, Riaz M, Sándor AD, Szentiványi T, Voglmayr H, Yousaf N, Krisai-Greilhuber I (2020) Fungal Systematics and Evolution: FUSE 6. *Sydowia* 72:231–356. <https://doi.org/10.12905/0380.sydowia72-2020-0271>.
- Hanif M, Khalid AN, Exeter RL (2014) *Clavariadelphus pakistanicus* sp. nov., a new club fungus (Basidiomycota: Gomphales) from Himalayan moist temperate forests of Pakistan. *Botany* 92(7):471–476. <https://doi.org/10.1139/cjb-2013-0073>.
- Hanif M, Khalid AN, Exeter RL (2019) *Ramaria flavescentoides* sp. nov. with clamped basidia from Pakistan. *Mycotaxon* 134(2):399–406. <https://doi.org/10.5248/134.399>.
- Hawksworth DL, Lücking R (2017) Fungal diversity revisited: 2.2 to 3.8 million species. *Microbiology Spectrum* 5(4):5–4. <https://doi.org/10.1128/microbiolspec.FUNK-0052-2016>.
- Hawksworth DL (2001) The magnitude of fungal diversity: the 1· 5 million species estimate revisited. *Mycological Research* 105(12):1422–1432. <https://doi.org/10.1017/S0953756201004725>.
- Hernández-Restrepo M, Schumacher RK, Wingfield MJ, Ahmad I, Cai L, Duong TA, Edwards J, Gené J, Groenewald JZ, Jabeen S, Khalid AN, Lombard L, Madrid H, Marin-Felix Y, Marincowitz S, Miller AN, Rajeshkumar KC, Rashid A, Sarwar S, Stchigel AM, Taylor PWJ, Zhou N, Crous PW (2016) Fungal Systematics and Evolution: FUSE 2. *Sydowia* 68:193–230. <https://doi.org/10.12905/0380.sydowia68-2016-0193>.
- Höhnel F von, Litschauer V (1906) Beiträge zur Kenntnis der Corticieen: I. Sitzungsberichte der Kaiserlichen Akademie der Wissenschaften Math-naturw. Klasse Abt. I. 115:1549–1620.
- Hussain M, Hamid MI, Ghazanfar MU, Akhtar N, Raza M (2016a) First report of fruit rot of strawberry caused by *Geotrichum candidum* in Pakistan. *Plant Disease* 100(9):1948. <https://doi.org/10.1094/PDIS-03-16-0277-PDN>.
- Hussain S, Afshan NS, Ahmad H, Khalid AN, Niazi AR (2017) *Parasola malakandensis* sp. nov. (Psathyrellaceae; Basidiomycota) from Malakand, Pakistan. *Mycoscience* 58(2):69–76.

- https://doi.org/10.1016/j.myc.2016.09.002.
- Hussain S, Sher H (2019) Study in *Agaricus* section Minores in Pakistan with the description of two new species. *Mycological Progress* 18(6):795–804. <https://doi.org/10.1007/s11557-019-01493-3>.
- Hussain SM (1952) A new species of fomes from Pakistan. *Mycologia* 44(6): 823–826. <https://doi.org/10.1080/00275514.1952.12024240>.
- Hussain S, Usman M, Afshan NS, Ahmad H, Khan J, Khalid AN (2018) The genus *Coprinellus* (*Basidiomycota; Agaricales*) in Pakistan with the description of four new species. *MycoKeys* 39:111–126. <https://doi.org/10.3897/mycokeys.39.26743>.
- Hussain S, Yousaf N, Afshan N, Niazi AR, Ahmad H, Khalid AN (2016b) *Tulostoma ahmadii* sp. nov. and *T. squamosum* from Pakistan. *Turkish Journal of Botany* 40:218–225. doi:10.3906/bot-1501-9
- Hyde KD (1996) Fungi from palms. XXVI. The genus *Anthostomella*, with ten new species. *Nova Hedwigia* 62:273–340.
- Hyde KD, Norphanphoun C, Abreu VP, Bazzicalupo A, Chethana KWT, Clericuzio M, Dayarathne MC, Dissanayake AJ, Ekanayaka AH, He MQ, Hongsanan Q, Huang SK, Jayasiri SC, Jayawardena RS, Karunaratna A, Konta S, Kušan I, Lee H, Li J, Lin CG, Liu NG, Lu YJ, Luo ZL, Manawasinghe IS, Mapook A, Perera RH, Phookamsak R, Phukhamsakda, C, Siedlecki I, Soares AM, Tennakoon DS, Tian Q, Tibpromma S, Wanasinghe DN, Xiao YP, Yang J, Zeng XY, Abdel-Aziz FA, Li WG, Senanayake IC, Shang QJ, Daranagama DA, Silva NDI, Thambugala KM, Abdel-Wahab MA, Bahkali AH, Berbee ML, Boonmee S, Bhat DJ, Bulgakov TS, Buyck B, Camporesi E, Castañeda-Ruiz RF, Chomnunti P, Doilom M, Dovana F, Gibertoni TB, Jadan M, Jeewon R, Jones EBG, Kang JC, Karunaratna SC, Lim YW, Liu JK, Liu ZY, Plautz HL, Lumyong S, Maharachchikumbura SSN, Matočec N, McKenzie EHC, Mešić A, Miller D, Pawłowska J, Pereira OL, Promputtha I, Romero AI, Ryvarden L, Su HY, Suetrong S, Tkalc̆ec Z, Vizzini A, Wen TC, Wisittrassameewong K, Wrzosek M, Xu JC, Zhao Q, Zhao RL, Mortimer PE (2018) Thailand's amazing diversity: Up to 96% of fungi in northern Thailand may be novel. *Fungal Diversity* 93:215–239. <https://doi.org/10.1007/s13225-018-0415-7>.
- Hyde KD, Xu J, Rapior S, Jeewon R, Lumyong S, Niego AGT, Abeywickrama PD, Aluthmuhandiram JV, Brahamanage RS, Brooks S, Chaiyasen A (2019) The amazing potential of fungi: 50 ways we can exploit fungi industrially. *Fungal Diversity* 97(1):1–136. <https://doi.org/10.1007/s13225-019-00430-9>.
- Iqbal SH, Afshan NS, Khalid AN, Niazi AR, Sultan A (2009) Additions to the rust fungi of Fairy Meadows, the Northern Areas of Pakistan. *Mycotaxon* 109:1–7. <https://doi.org/10.5248/109.1>.
- Iqbal SH, Bhatty SF (1980) New freshwater hyphomycetes from Pakistan. *Transactions of the Mycological Society of Japan* 21:71–75.
- Iqbal SH, Kasuya Khalid AN, Niazi AR (2006) *Lysurus pakistanicus*, a new species of *Phallales* from Pakistan. *Mycotaxon* 98:163–168.
- Iqbal SH, Perveen B (1980) Some species of *Sclerocystis* (*Endogonaceae*) from Pakistan. *Transactions of the Mycological Society of Japan* 21:57–63.
- Izhar A, Khalid AN, Bashir H (2020) *Termitomyces sheikhupurensis* sp. nov. (*Lyophyllaceae, Agaricales*) from Pakistan, evidence from morphology and DNA sequences data. *Turkish Journal of Botany* 44:694–704. <https://doi.org/10.3906/bot-2003-51>.
- Jabeen K, Farooqi J, Mirza S, Denning D, Zafar A (2017) Serious fungal infections in Pakistan. *European Journal of Clinical Microbiology & Infectious Diseases* 36(6):949–956. <https://doi.org/10.1007/s10096-017-2919-6>.
- Jabeen S, Ahmad I, Rashid A, Khalid AN (2016) *Inocybe kohistanensis*, a new species from Swat, Pakistan. *Turkish Journal of Botany* 40:312–318. <https://doi.org/10.3906/bot-1501-17>.

- Jabeen S, Khalid AN (2020) *Pseudosperma flavorimosum* sp. nov. from Pakistan. Mycotaxon 135(1):183–193. <https://doi.org/10.5248/135.183>.
- Jabeen S, Kiran M, Khan J, Ahmad I, Ahmad H, Sher H, Khalid AN (2019) *Amanita ahmadii*, a new species of *Amanita* subgenus *Amanitina* section *Validae* from Pakistan. MycoKeys 56:81–99. <https://doi.org/10.3897/mycokeys.56.31819>.
- Jabeen S, Kiran M, Ullah S, Wilson AW, Mueller GM, Fiaz M, Khalid AN (2017a) *Amanita glarea*, a new species in section *Vaginatae* from Pakistan. Phytotaxa 306(2):135–145. <https://doi.org/10.11646/phytotaxa.306.2.3>.
- Jabeen S, Naseer A, Khalid AN (2020) *Russula rubricolor* sp. nov. from Himalayan forests of Pakistan. Mycotaxon 135(4):765–776. <https://doi.org/10.5248/135.765>.
- Jabeen S, Niazi AR, Khalid AN (2017b) *Russula brunneopurpurea* sp. nov. and its ectomycorrhiza from Pakistan. Mycosphere 8(8):1059–1069. <https://doi.org/10.5943/mycosphere/8/8/7>.
- Jabeen S, Razaq A, Niazi ARK, Ahmad I, Grebenc T, Khalid AN (2017c) *Russula ahmadii* (*Basidiomycota, Russulales*), a new species in section *Ingratae* and its ectomycorrhiza from coniferous forests of Pakistan. Phytotaxa 321(3): 241. <https://doi.org/10.11646/phytotaxa.321.3.2>.
- Jørstad I (1952) Parasitic fungi, chiefly *Uredineae*, from Tirich Mir in the state of Chitral, N. Pakistan. Nytt Magasin for Botanik 1:71–87.
- Jørstad I (1959) *Uredinales* from South America and tropical North America. Chiefly collected by Swedish botanists. II. Arkiv før Botanik 4(5):59–103.
- Jørstad I, Iqbal SH (1967) *Uredinales* from West Pakistan. Nytt Magasin for Botanik 14:31–38.
- Jurair AMM, Khan A (1960) A new species of *Alternaria* on *Cassia holosericea* Fresen. Pakistan Journal of Scientific and Industrial Research 3:71–72.
- Kakishima M, Ono Y (1993) Smut fungi (*Ustilaginales*) collected in Pakistan. Cryptogamic flora of Pakistan 2 (2):187–214.
- Kamal M, Khan S.A (1962) Biologia, Lahore 8: 62. – via Catalogue of Life.
- Kamran M, Jabeen S (2020) *Coprinellus ovatus* sp. nov. from Pakistan. Mycotaxon 135(2):321–332. <https://doi.org/10.5248/135.321>.
- Kaneko S (1993) Parasitic fungi on woody plants from Pakistan Himalaya. Cryptogamic flora of Pakistan 2(2):149–168.
- Karjagin II, Uljanishchev VI (1948) Doklady Akademii Nauk Azerbaidzhanskoi S.S.R. 4(11):489–492.
- Kaur M, Kaur H, Malik NA (2016) Identification and Characterization of six new taxa of genus *Agaricus* L.:Fr. (*Agaricaceae* Chevall.) from India. World Journal of Pharmacy and Pharmaceutical Science 5(7):1518–1533.
- Kaur K, Kaur R, Thakur S, Kumar A, Singh H, Verma RK (2019) Fungi: Diversity in India and its Potential Applications. International Journal of Current Microbiology and Applied Sciences. 8(2): 2717–2725. <https://doi.org/10.20546/ijcmas.2019.802.318>.
- Kaushal SC, Kaushal R, Rawla GS (1983) Genus *Scutellinia* from India, its taxonomy, nomenclature and affinities. Bibliotheca Mycologica 91:583–608.
- Khalid AN, Afshan NS (2009) Additions to the graminicolous rust fungi of Pakistan. Mycotaxon 108:175–183.
- Khalid AN, Hanif M (2017) *Thelephora iqbalii* sp. nov. from the Himalayan moist temperate forests of Pakistan. Mycotaxon 132(4):943–950. <https://doi.org/10.5248/132.943>.
- Khalid AN, Iqbal SH (1996a) New rusts from Pakistan. Canadian Journal of Botany 74(3):506–508. <https://doi.org/10.1139/b96-061>.
- Khalid AN, Iqbal SH (1997) *Puccinia deosaiensis* sp. nov. on *Epipactis helleborine* (L.) Crantz. Canadian Journal of Botany 75(5):864–866. <https://doi.org/10.1139/b97-095>.

- Khalid AN, Iqbal SH (1996b) *Puccinia eriocyclae* sp. nov. on *Eriocycla stewartii* from Northern Pakistan. Mycoscience 37(4):437–438. <https://doi.org/10.1007/BF02461000>.
- Khalid AN, Iqbal SH (2004) *Calvatia ahmadii* sp. nov., from Pakistan. Pakistan Journal of Botany 36(3):669–671.
- Khan AH (1961) Some new diseases of hardwoods and bamboo in Pakistan. Mycopathologia et Mycologia Applicata 14(4):241–262.
- Khan IU (1962) Leaf blight of lily turf. Biologia Lahore 8:49–50.
- Khan J, Kiran M, Jabeen S, Sher H, Khalid AN (2017a) *Gymnopilus penetrans* and *G. swaticus* sp. nov. (*Agaricomycota: Hymenogastraceae*); a new record and a new species from northwest Pakistan. Phytotaxa 312(1):060–070. <https://doi.org/10.11646/phytotaxa.312.1.4>.
- Khan J, Sher H, Bussmann RW, Hart R, Khalid AN (2018a) *Albatrellus roseus* sp. nov. (*Albatrellaceae; Basidiomycota*), the first representative of the genus from Pakistan. Mycoscience 59(1):12–17. <https://doi.org/10.1016/j.myc.2017.07.002>.
- Khan J, Sher H, Khalid AN (2016) *Phaeocollybia pakistanica* sp. nov., the first representative of the genus from Pakistan. Mycotaxon 131(4): 889–896. <http://dx.doi.org/10.5248/131.889>.
- Khan J, Sher H, Naseer A, Khalid AN (2017b) *Descolea quercina* (*Bolbitiaceae*), a new species from moist temperate forests in Pakistan. MycoKeys 27: 65–76. <http://dx.doi.org/10.3897/mycokeys.27.14730>.
- Khan M, Khalid AN, Lumbsch TH (2018b) A new species of *Lecidea* (*Lecanorales, Ascomycota*) from Pakistan. MycoKeys 38:25–34. <http://doi.org/10.3897/mycokeys.38.26960>.
- Khan MB, Ishaq M, Kiran M, Fiaz M, Khalid AN (2019) *Stropharia atroferruginea* (*Agaricales, Strophariaceae*), a new species from Battagram district, Pakistan. Phytotaxa 409(2):83–92. <https://doi.org/10.11646/phytotaxa.409.2.4>.
- Khan RS, Krug JC (1989) A new terricolous species of *Gelasinospora*: In: Sydowia 41:180.
- Khan S (2019) Climate classification of Pakistan. International Journal of Economic and Environmental Geology 10(2):60–71. <https://doi.org/10.46660/ijeege.Vol10.Iss2.2019.264>.
- Khan SA (1962) Biologia Lahore 8: 59– Index Fungorum
- Khan SA, Kamal M (1962a) A new species of *Cercospora* on *Phyllanthus niruri* Linn. Indian Phytopathology 15(3–4):296–297.
- Khan SA, Kamal M (1962b) A new species of *Septoria* Sacc. On *Launea nudicaulis*. Mycopathologia et Mycologia Applicata 18(1–2):115–116.
- Khan SA, Kamal M (1962c) A new species of *Cladosporium* on *Heterophragma adenophyllum* seem. Mycopathologia et Mycologia Applicata 18(4):246–248. <https://doi.org/10.1007/BF02051443>.
- Khan SA, Kamal M (1962d) In: Biologia, Lahore 8: 63. – via Catalogue of Life.
- Khan SA, Kamal M (1963) *Cercospora pakistanica*, a new species from Pakistan. Mycopathologia et Mycologia Applicata 21(2):112–113. <https://doi.org/10.1007/BF02049172>.
- Khan SA, Kamal M (1969) Additions to the parasitic fungi of west Pakistan - I. Mycopathologia et Mycologia Applicata 39(2):197–208. <https://doi.org/10.1007/BF02053493>.
- Khan SA, Kamal M (1974) Additions to the parasitic fungi of West Pakistan III. Mycopathologia et Mycologia Applicata 52(1):29–43. <https://doi.org/10.1007/BF02128734>.
- Kiran M, Sattar A, Zamir K, Haelewaters D, Khalid AN (2020) Additions to the genus *Chroogomphus* (*Boletales, Gomphidiaceae*) from Pakistan. MycoKeys 66:23–38.
- Kirk PM, Cannon PF, Minter DW, Stalpers JA (2008) Dictionary of the Fungi. (10th edn). Wallingford, UK.
- Kirk PM, Stalpers JA, Braun U, Crous PW et al (2013) A without-prejudice list of generic names of fungi for protection under the International Code of Nomenclature for algae, fungi, and plants. IMA

- Fungus 4:381–443. <https://doi.org/10.5598/imafungus.2013.04.02.17>.
- Korf RP., Abawi GS (1971) On *Holwaya*, *Crinula*, *Claussenomyces*, and *Corynella*. Canadian Journal of Botany 49(11):1879–1883.
- Kousar R, Zulfiqar R. and Khalid AN (2021). *Placolecis kashmirensis* sp. nov. (Lichenized Ascomycota, Catillariaceae) from Azad Jammu & Kashmir, Pakistan. *Folia Cryptogamica Estonica*, 58, 87–92. <https://doi.org/10.12697/fce.2021.58.11>.
- Krisai-Greilhuber I, Chen Y, Jabeen S, Madrid H, Marincowitz S, Razaq A, Ševčíková H, Voglmayr H, Yazici K, Aptroot A, Aslan A (2017) Fungal systematics and evolution: FUSE 3. *Sydowia* 69:229–264. <https://doi.org/10.12905/0380.sydowia69-2017-0229>.
- Krug JC, Jeng RS (1977). The genus *Camptosphaeria*. *Sydowia* 29(1–6):71–74.
- Kutorga E, Hawksworth DL (1997) A reassessment of the genera referred to the family *Patellariaceae* (Ascomycota). *Systema Ascomycetorum* 15:1–110.
- Larsson E. and Jacobsson S (2004). Controversy over *Hygrophorus cossus* settled using ITS sequence data from 200 year-old type material. *Mycological Research* 108:781–786. <https://doi.org/10.1017/S0953756204000310>.
- Laundon GF (1965) Rust fungi III: on *Alangiaceae*, *Amaranthaceae* and *Amaryllidaceae*. *Mycological Papers* 102:39.
- Lehtonen S. and Christenhusz M (2010) Historical herbarium specimens in plant molecular systematics - an example from the fern genus *Lindsaea* (Lindsaeaceae). *Biologia* 65:204–205. <https://doi.org/10.2478/s11756-010-0008-8>.
- Linné C (1753) Species *Plantarum*, exhibentes plantas rite cognitas, ad genera relatas, cum differentiis specificis, nominibus tuivialibus, synonymis selectis, locis natalibus, secundum systema sexuale digestas. Verbesina 902.
- Liu F, Hou L, Raza M, Cai L (2017). *Pestalotiopsis* and allied genera from *Camellia*, with description of 11 new species from China. *Scientific Reports* 7(1):1–19. <https://doi.org/10.1038/s41598-017-00972-5>.
- Liu XZ, Wang QM, Göker M, Groenewald M, Kachalkin AV, Lumbsch HT, Millanes AM, Wedin M, Yurkov AM, Boekhout T, Bai FY (2015) Towards an integrated phylogenetic classification of the *Tremellomycetes*. *Studies in Mycology* 81:85–147. <https://doi.org/10.1016/j.simyco.2015.12.001>.
- Lombard L, van Doorn R, Crous PW (2019) Neotypification of *Fusarium chlamydosporum* - a reappraisal of a clinically important species complex. *Fungal Systematics and Evolution* 4:183–200. <https://doi.org/10.3114/fuse.2019.04.10>.
- Lodhi SA, Mirza RF (1962) A new genus of the *Eurotiales*. *Mycologia* 54:217–219. <https://doi.org/10.1080/00275514.1962.12024993>.
- Long WH, Ahmad S (1947) The genus *Tylostoma* in India. *Farlowia* 3:225–267. Lubinsky G (1955) On some parasites of parasitic protozoa. II. *Sagittospora cameroni* gen. n., sp. n. - a phycomycete parasitizing *Ophryoscoleciidae*. *Canadian Journal of Microbiology* 1(8):675–684. <https://doi.org/10.1139/m55-081>.
- Lucas MT, Iqbal SH (1969) Studies on some West Pakistan species of *Pleospora*. *Transactions of the British Mycological Society* 52(1):87–97. [https://doi.org/10.1016/S0007-1536\(69\)80162-2](https://doi.org/10.1016/S0007-1536(69)80162-2).
- Lücking R, Aime MC, Robbertse B, Miller AN, Aoki T, Ariyawansa HA, Cardinali G, Crous PW, Druzhinina IS, Geiser DM, Hawksworth DL (2021) Fungal taxonomy and sequence-based nomenclature. *Nature Microbiology* 6(5):540–548. <https://doi.org/10.1038/s41564-021-00888-x>.
- Lücking R, Aime MC, Robbertse B, Miller AN, Ariyawansa HA, Aoki T, Cardinali G, Crous PW, Druzhinina IS, Geiser DM, Hawksworth DL (2020) Unambiguous identification of fungi: where do we stand and how accurate and precise is fungal DNA barcoding? *IMA Fungus* 11(1):1–32.

- https://doi.org/10.1186/s43008-020-00033-z.
- Malloch D, Cain RF (1972) New species and combinations of cleistothelial *Ascomycetes*. Canadian Journal of Botany 50(1):61–72. https://doi.org/10.1139/b72-011.
- Marcin P (2006). *Anthracoidea mulenkoi* (*Ustilaginomycetes*), a new *Cypericolous* smut fungus from Pakistan. Nova Hedwigia 83(1–2):109–116. doi:10.1127/0029-5035/2006/0083-0109.
- Marin-Felix Y, Guarro J, Cano-Lira JF, García D, Miller AN, Stchigel AM (2018) *Melanospora* (*Sordariomycetes*, *Ascomycota*) and its relatives. MycoKeys 44:81–122. https://doi.org/10.3897/mycokeys.44.29742.
- Marin-Felix Y, Hernández-Restrepo M, Crous PW (2020) Multi-locus phylogeny of the genus *Curvularia* and description of ten new species. Mycological Progress. 19(6):559–588. https://doi.org/10.1007/s11557-020-01576-6.
- Matsushima T (1995) Matsushima Mycological Memoirs No. 8. Matsushima Mycological Memoirs 8:1–44.
- Matsushima T (1996) Matsushima mycological memoirs No. 9. Matsushima Mycological Memoirs 9.
- McTaggart AR, Shivas RG, Geering ADW, Vánky K, Scharaschkin T (2012) Taxonomic revision of *Ustilago*, *Sporisorium* and *Macalpinomyces*. Persoonia 29:116–132. https://doi.org/10.3767/003158512X661462.
- Millner PD (1975) *Ascomycetes* of Pakistan: *Chaetomium*. Biologia Lahore 21(1):39–73.
- Minter DW (1981) *Lophodermium* on pines. Mycological Papers 147:1–54.
- Mirza F (1968a) Taxonomic investigations on the ascomycetous genus *Cucurbitaria*. Nova Hedwigia 16:161–213. https://doi.org/10.3929/ethz-a-000093438.
- Mirza JH (1968b) *Cleistobombardia*, A New Cleistothelial Genus in the Family *Sordariaceae*. Mycologia 60(3):704–707. https://doi.org/10.2307/3757439.
- Mirza JH (1970) *Didymostilbe coprophila* sp. nov. Transactions of the British Mycological Society 54(1): 148–150. https://doi.org/10.1016/S0007-1536(70)80135-8.
- Mirza JH, Cain RF (1969) Revision of the genus *Podospora*. Canadian Journal of Botany 47(12):1999–2048. https://doi.org/10.1139/b69-293.
- Mirza JH, Khan SM, Begum S, Shagufta (1979) *Mucorales* of Pakistan, (Univ. Agric. Faisalabad) (Faisalabad)1–181.
- Mirza JH, Ahmed SI (1970) A New Species of *Podospora* from Pakistan. Mycologia 62(5): 1003–1007. https://doi.org/10.1080/00275514.1970.12019042.
- Mirza JH, Khan RS (1979) Studies on *Coprophilous Ascomycetes* of Pakistan III: *Semidelitschia tetraspora* sp. nov. Pakistan Journal of Botany 11(1):99–101.
- Mirza JH, Nasir MA (1968) Additions to the coprophilous fungi of West Pakistan II. Nova Hedwigia 16:283–288.
- Mirza JH, Qureshi MSA (1978) Fungi of Pakistan. University of Agriculture, Pakistan 311:202.
- Mirza JH, Zakauallah, Nasir MA (1967) In: Pakist. J. Agric. Sci. 4: 307-309. – via Catalogue of Life.
- Møller FH (1952) *Danish Psalliota* Species. Preliminary Studies for a Monograph on the Danish Psalliotae. Part 2. Friesia 4(3):135–242.
- Moreno G, Khalid AN, Alvarado P (2009) A new species of *Phallus* from Pakistan. Mycotaxon 108:457–462. https://doi.org/10.5248/108.457.
- Müller E (1986) On the genus *Diachora* J. Müller (Ascomycetes). In Transactions of the Botanical Society of Edinburgh 45(S1):69-75. Taylor & Francis Group.
- Müller E, Ahmad S (1955) Über einige neue oder bemerkenswerte Ascomyceten aus Pakistan. I. Sydowia 9(1–6):233–245.
- Müller E, Ahmad S (1957) Über einige neue oder bemerkenswerte Ascomyceten aus Pakistan II. Biologia

- Lahore 3:1–18.
- Müller E, Ahmad S (1958) In: Biologia, Lahore 4: 25–27. – via Catalogue of Life.
- Müller E, Ahmad S (1959) Über einige neue oder bemerkenswerte Ascomyceten aus Pakistan. IV. Biologia Lahore 5(1):1–18.
- Müller E, Ahmad S (1962) Über einige neue oder bemerkenswerte Ascomyceten aus Pakistan. V. Biologia Lahore 8(2):151–162.
- Müller E, Ahmad S (1969) In: in Ahmad, Monogr. Biol. Soc. Pakistan 5: 14. – via Catalogue of Life.
- Müller E, Von Arx JA (1962) Die Gattungen der didymosporen Pyrenomyceten. Beiträge zur Kryptogamenflora der Schweiz 11(2):1–922.
- Müller E, Corbaz E (1955) Kulturversuche mit Ascomyceten II. Sydowia 9(1–6):256–259.
- Müller E, Pacha-Aue R (1969) Über zwei neue Arten von Scopulariopsis Bainier. Nova Hedwigia 18:159–162.
- Müller E, Petrini O, Fisher PJ, Samuels GJ, Rossman AY (1987) Taxonomy and anamorphs of the *Herpotrichiellaceae* with notes on generic synonymy. Transactions of the British Mycological Society 88(1):63–74.
- Mundkur BB (1940) A second contribution towards a knowledge of Indian *Ustilaginales*, Fragments XXVI-L. Transactions of the British Mycological Society 24:312–336. [https://doi.org/10.1016/S0007-1536\(40\)80031-4](https://doi.org/10.1016/S0007-1536(40)80031-4).
- Mundkur BB (1944) Fungi of the Northwestern Himalayas: *Ustilaginales*. Mycologia 36:286–293. <https://doi.org/10.1080/00275514.1944.12017550>.
- Mundkur BB, Thirumalachar MJ (1946) Revisions of and additions to Indian fungi I. Mycological Papers 16:1–27.
- Munazza K, Khalid AN, Junaid K, Adamčík S, Caboň M (2019) *Russula quercus-floribundae*. Persoonia 43:399.
- Nag Raj TR, Kendrick WB (1976) A monograph of *Chalara* and allied genera. 1–201.
- Nag Raj TR (1993) Coelomycetous anamorphs with appendage-bearing conidia. Waterloo, Ontario.
- Naranjo-Ortiz MA, Gabaldón T (2019) Fungal evolution: Diversity, taxonomy and phylogeny of the Fungi. Biological Reviews 94(6):2101–2137. <https://doi.org/10.1111/brv.12550>.
- Naseer A, Khalid AN, Healy R, Smith ME (2019a) Two new species of *Hygrophorus* from temperate Himalayan Oak forests of Pakistan. MycoKeys 56:33–47. <https://doi.org/10.3897/mycokeys.56.30280>.
- Naseer A, Khalid AN, Smith ME (2018) *Inocybe shawarensis* sp. nov. in the Inosperma clade from Pakistan. Mycotaxon 132(4):909–918. <https://doi.org/10.5248/132.909>.
- Naseer A, Sarwar S, Khalid AN, Healy R, Smith ME (2019b) *Hortiboletus kohistanensis* (*Boletaceae*), a new bolete species from temperate and subalpine oak forests of Pakistan. Phytotaxa 388(3):239–246. <https://doi.org/10.11646/phytotaxa.388.3.3>.
- Nawaz F, Jabeen S, Khalid AN (2017) New and noteworthy *Melanoleuca* (*Pluteaceae*) from Pakistan. Phytotaxa 311(2):175. <https://doi.org/10.11646/phytotaxa.311.2.5>.
- Nawaz R, Khalid AN, Hanif M, Razaq A (2013) *Lepiota vellingana* sp. nov. (*Basidiomycota, Agaricales*), a new species from Lahore, Pakistan. Mycological Progress 12(4):727–732. <https://doi.org/10.1007/s11557-012-0884-0>.
- O'Donnell K, Cigelnik E, Benny GL (1998) Phylogenetic relationships among the *Harpellales* and *Kickxellales*. Mycologia 90(4): 624–639. <https://doi.org/10.2307/3761222>.
- Panas (1929) In: Mater. Mycol. Phytopath. Leningrad 8(1): 203. – via Catalogue of Life.
- Pant DC, Tewari VP (1978) In: in Khare & Tewari, Monogr. Biol. Soc. Pakistan 7: 182. – via Catalogue of Life.

- Petersen RH, Hughes KW (2010) The *Xerula/Oudemansiella* complex (Agaricales). Beihefte zur Nova Hedwigia 137:1–625.
- Peres Bat, Iqbal SH (1967) In: Atas Inst. Micol. 4: 133-1137. – via Catalogue of Life.
- Petrak F (1953a) *Ahmadinula* n.gen. eine neue Gattung der Pseudographiaceen. Sydowia 7(5–6):375-377.
- Petrak F (1953b) *Colletogloeum* n. gen., eine neue Melanconieen-Gattung. Sydowia 7(5-6):367-369.
- Petrak F (1955a) *Dictyoporthe* ngen, eine neue Gattung der Diaportheen. Sydowia 9(1–6):556–558.
- Petrak F (1955b) Mykologische Bemerkungen. Sydowia 9(1–6):483–496.
- Petrak F (1959) *Pseudonectriella* n.gen., eine neue Gattung der Nectriaceen aus Pakistan. Sydowia 13(1–6):127-130.
- Petrak (1968) In: Sydowia 21(1-6): 231 ('1967'). – via Catalogue of Life.
- Petrak F, Ahmad S (1954) Beiträge zur Pilzflora Pakistans. Sydowia 8(1–6):162–185.
- Pfister DH (1989) *Kompsocypha*: A new genus related to *Nanoscypha* (*Sarcoscyphaceae*). Memoirs of the New York Botanical Garden 49:339–343.
- Phillips AJL, Alves A, Abdollahzadeh J, Slippers B, Wingfield MJ, Groenewald JZ, Crous PW (2013) The Botryosphaeriaceae: genera and species known from culture. Study in Mycology 76:51–167. <https://doi.org/10.3114/sim0021>.
- Phukhamsakda C, Nilsson RH, Bhunjun CS, Gomes de Farias AR, Sun YR, Wijesinghe SN, Raza M, Bao DF, Lu L, Tibpromma S, Dong W, Tennakoon DS, Tian XG, Xiong YR, Karunarathna SC, Cai L, Luo ZL, Wang Y, Manawasinghe IS, Camporesi E, Kirk PM, Promputtha I, Kuo CH, Su HY, Doilom M, Li Y, Fu YP, Hyde KD (2022). The numbers of fungi: contributions from traditional taxonomic studies and challenges of metabarcoding. Fungal Diversity. <https://doi.org/10.1007/s13225-022-00502-3>.
- Piepenbring M, Maciá-Vicente JG, Codjia JEI., Glatthorn C, Kirk P, Meswaet Y, Minter D, Olou BA, Reschke K, Schmidt M, Yorou N S (2020) Mapping mycological ignorance—checklists and diversity patterns of fungi known for West Africa. IMA fungus, 11(1):1–22. <https://doi.org/10.1186/s43008-020-00034-y>.
- Pirozynski KA (1965) *Ovulariopsis* state of *Pleochaeta*. Mycologia 57:826–828.
- Pitt JI (1979) The genus *Penicillium* and its teleomorphic States *Eupenicillium* and *Talaromyces*. London: Academic Press 1–634.
- Poelt J, Grube M (1992) Beiträge zur Kenntnis der Flechtenflora des Himalaya V. - Die Gattung *Protoparmelia* Choisy. Nova Hedwigia 55(3–4):381–395.
- Poelt J, Grube M (1993) Beiträge zur Kenntnis der Flechtenflora des Himalaya VIII – *Lecanora* subgen. *Placodium*. Nova Hedwigia 57(3–4):305–352.
- Poelt J, Hinteregger E (1993) Beiträge zur Kenntnis der Flechtenflora des Himalaya VII. Die Gattungen *Caloplaca*, *Fulgensia* Phylogenetic reassessment of the Teloschistaceae 545 und *Ioplaca* (mit englischem Bestimmungsschlüssel). Bibliotheca Lichenologica 50:1–247.
- Punithalingam E (1979) Graminicolous *Ascochyta* species. Mycological Papers. 142:1–214.
- Punithalingam E (1988) *Ascochyta* II. Species on monocotyledons (excluding grasses), cryptogams and gymnosperms. Mycological Papers 159:1–235.
- Qasim T, Amir T, Nawaz R, Niazi AR, Khalid AN (2015a) *Leucoagaricus lahorensis*, a new species of L. sect. *Rubrotincti*. Mycotaxon 130:533–541. <http://dx.doi.org/10.5248/130.533>.
- Qasim T, Khalid AN, Vellinga EC (2016) A new species of *Lepiota*, *Lepiota lahorensis*, from Lahore, Pakistan. Turkish Journal of Botany 40:419–426. <https://doi.org/10.3906/bot-1507-31>.
- Qasim T, Khalid AN, Vellinga EC, Razaq A (2015b) *Lepiota albogranulosa* sp.nov. (Agaricales, Agaricaceae) from Lahore, Pakistan. Mycological Progress 14(5):1–6. <https://doi.org/10.1007/s11557-015-1037-z>.

- Qureshi M, Mirza JH (1981) *Geotrichum candidum* Link var. *Thermoideum* var. nov. new thermotolerant fungus from Pakistan. *Biologia Lahore* 27(2):143.
- Qureshi MSA, Mirza JH (1983) *Gilmaniella thermophila* sp. nov. a new thermophilic fungus from Pakistan. *Biologia* 29:341–342.
- Rai AN, Moses AS (1991) Some new species and a new combination in *Pseudocercospora* from India. *Mycological Research* 95(4):401–404. [https://doi.org/10.1016/S0953-7562\(09\)80836-8](https://doi.org/10.1016/S0953-7562(09)80836-8).
- Raitviír A (1980) The genus *Lasiobelonium*. *Scripta Mycologica Tartu* 9:99–132.
- Rämä T, Quandt CA (2021) Improving Fungal Cultivability for Natural Products Discovery. *Frontiers in Microbiology* 2673. <https://doi.org/10.3389/fmicb.2021.706044>.
- Ramachar P, Rao S (1984) *Uromyces longipedicellaris* sp. nov. on *Rumex vesicarius* L. Kavaka, *Transactions of the Mycological Society of India* 12(2):71–72.
- Raza M, Cai L, Abbasi MW, Tariq M, Wijayawardene NN (2021) <https://www.fungiofpakistan.com>: a continuously updated online database of fungi in Pakistan. Database Vol. 2021: article ID baab080; <https://doi.org/10.1093/database/baab080>.
- Raza M, Zhang ZF, Hyde KD, Diao YZ, Cai L (2019) Culturable plant pathogenic fungi associated with sugarcane in southern China. *Fungal Diversity* 99(1):1–104. <https://doi.org/10.1007/s13225-019-00434-5>.
- Razaq A, Ilyas S, Khalid AN, Niazi AR (2014) *Russula foetentoides* (*Russulales, Russulaceae*) – a new species from Pakistan. *Sydowia* 66:289–298.
- Razaq A, Khalid AN, Vellinga EC (2012) *Lepiota himalayensis* (*Basidiomycota, Agaricales*), a new species from Pakistan. *Mycotaxon* 121:319–325. <https://doi.org/10.5248/121.319>.
- Redchenko, O., Vondrák, J., Košnar, J. (2012). The oldest sequenced fungal herbarium sample. *Lichenologist* 44, 715–718. <https://doi.org/10.1017/S002428291200031X>.
- Reid DA (1965) A monograph of the stipitate stereoid fungi. *Beihefte zur Nova Hedwigia* 18:1–382.
- Riedl H (1966) (1968) *Pseudodiplodia farsetiae* spec. nov., eine neue Spaeropsidee aus West-Pakistan. *Sydowia* 20(1–6):351–358.
- Rossi W, Weir A (2011) New species of *Stigmatomyces* from Asia. *Mycologia* 103(1):131–134. <http://www.jstor.org/stable/27920469>.
- Rossman AY, Adams GC, Cannon PF, Castlebury LA, Crous PW, Gryzenhout M, Jaklitsch WM, Mejia LC, Stoykov D, Udayanga D, Voglmayr H (2015) Recommendations of generic names in *Diaporthales* competing for protection or use. *IMA Fungus* 6(1):145–154. <https://doi.org/10.5598/imafungus.2015.06.01.09>.
- Rossman AY, Allen WC, Castlebury LA (2016) New combinations of plant-associated fungi resulting from the change to one name for fungi. *IMA Fungus* 7(1):1–7. <https://doi.org/10.5598/imafungus.2016.07.01.01>.
- Ruggiero MA, Gordon DP, Orrell TM, Bailly N, Bourgoin T, Brusca RC, Cavalier-Smith T, Guiry MD, Kirk PM (2015) A higher level classification of all living organisms. *PloS one* 10(4): e0119248. <https://doi.org/10.1371/journal.pone.0130114>.
- Rulamort M de (1990) *Remarques taxonomiques et nomenclaturales sur quelques micromycètes. II.* Bulletin de la Société Botanique du Centre-Ouest 21:511–512.
- Ryvarden L (1983) Two *Perenniporia* species from Pakistan. *Mycotaxon* 17:517–520.
- Saba M, Haelewaters D, Fiaz M, Khalid AN, Pfister DH (2019a) *Amanita mansehraensis*, a new species in section *Vaginatae* from Pakistan. *Phytotaxa* 409(4):189–201. <https://doi.org/10.11646/phytotaxa.409.4.1>.
- Saba M, Haelewaters D, Iturriaga T, Ashraf T, Khalid AN, Pfister DH (2019b) *Geopora ahmadii* sp. nov. from Pakistan. *Mycotaxon* 134(2):377–389. <https://doi.org/10.5248/134.377>.

- Saba M, Haelewaters D, Pfister DH, Khalid AN (2020) New species of *Pseudosperma* (*Agaricales, Inocybaceae*) from Pakistan revealed by morphology and multi-locus phylogenetic reconstruction. *MycoKeys* 69:1–31. <https://doi.org/10.3897/mycokeys.69.33563>.
- Saba M, Khalid AN, Berndt R (2012) *Hyalopsora nodispore* is the new holomorph name for *Uredo capilli-veneris* (Uredinales, Pucciniastaceae) from Pakistan. *Mycological Progress* 11(4):967–969. <https://doi.org/10.1007/s11557-012-0828-8>.
- Saba M, Khalid AN, Jabeen S, Dima B (2017) *Cortinarius longistipitatus*, a new species in subgenus *Telamonia*, section *Cinnabarinii*, from Pakistan. *Phytotaxa* 328(3):257. <https://doi.org/10.11646/phytotaxa.328.3.4>.
- Saccardo PA (1912) Notae mycologicae. Series XIV. *Annales Mycologici* 10(3):310–322.
- Saccardo PA, Trotter A (1913) Supplementum Universale, Pars IX. *Sylloge Fungorum* 22:1–1612.
- Saleem A, Mirza JH (1977) Studies on the *Cercospora* of Pakistan. *Pakistan Journal of Botany* 9(2):149–153.
- Saleh I, Al-Thani R (2019) Fungal food spoilage of supermarkets' displayed fruits. *Veterinary World* 12(11):1877. <https://doi.org/10.14202/vetworld.2019.1877-1883>.
- Sarwar S, Jabeen S, Ahmad I, Dentinger BM, Khalid AN (2018) *Boletus himalayensis* (*Basidiomycota; Boletales*), a new porcini species from Pakistan. *Turkish Journal of Botany* 42:790–800. <https://doi.org/10.3906/bot-1711-19>.
- Sarwar S, Khalid AN (2014) Addition to the Boletes: *Boletus pakistanicus* sp. nov. from coniferous forests of Pakistan based on molecular characterization. *International Journal of Agriculture and Biology* 16:663–667.
- Sarwar S, Khalid AN, Niazi AR (2014) *Tylopilus*: a new species and a new record from Pakistan. *Mycotaxon* 128:1–10. <https://doi.org/10.5248/128.1>.
- Sarwar S, Saba M, Khalid AN, Dentinger BM (2015) *Suillus marginielevatus*, a new species and *S. triacicularis*, a new record from Western Himalaya, Pakistan. *Phytotaxa* 203(2):169. <http://dx.doi.org/10.11646/phytotaxa.203.2.6>.
- Sattar A, Kiran M, Khalid AN (2018) *Rhodocollybia utroreensis* (*Agaricales, Basidiomycota*): a new species and a first record of the genus *Rhodocollybia* from Pakistan. *Phytotaxa* 369(4):269. <http://dx.doi.org/10.11646/phytotaxa.369.4.4>.
- Savile DBO (1970) Some Eurasian *Puccinia* species attacking Cardueae. *Canadian Journal of Botany* 48(9):1553–1566.
- Schipper MAA, Samson RA (1994) Miscellaneous notes on *Mucoraceae*. *Mycotaxon* 50:475–491.
- Scholz H (1980) Eine neue Ustilago-Art aus Pakistan. *Mitteilungen aus der Botanischen Staatssammlung München* 16:47–49.
- Schubert K, Ritschel A, Braun U (2003) A monograph of *Fusicladium* s.lat. (*hyphomycetes*). *Schlechtendalia* 9:1–132.
- Seeler EV (1940) A monographic study of the genus *Thyronectria*. *Journal of the Arnold Arboretum* 21:429–460.
- Seyedmousavi S, Bosco SDM, De Hoog S, Ebel F, Elad D, Gomes RR, Jacobsen ID, Jensen HE, Martel A, Mignon B, Pasman F (2018) Fungal infections in animals: a patchwork of different situations. *Medical Mycology* 56(1):S165–S187. <http://dx.doi.org/10.1093/mmy/myx104>.
- Sherwood MA (1977a) The *Ostropalean* fungi. *Mycotaxon* 5(1):1–277.
- Sherwood MA (1977b) The *Ostropalean* fungi II: Schizoxylon with notes on Stictis, *Acarosporina*, *Coccopeziza*, and *Carestiella*. *Mycotaxon* 6(2):215–260.
- Shoemaker RA (1964) *Seimatosporium* (= *Cryptostictis*) parasites of Rosa, Vitis, and Cornus. *Canadian Journal of Botany* 42:411–417. <https://doi.org/10.1139/b64-041>.

- Shoemaker RA, Babcock CE, Müller E (1989) A new *Broomella* with a *Truncatella* anamorph on Clematis. *Sydowia* 41:308–313.
- Shoemaker RA, Müller E (1963) Generic correlations and concepts: *Broomella* and *Pestalotia*. Canadian Journal of Botany 41(8):1235–1244. <https://doi.org/10.1139/b63-103>.
- Simmons EG (1994) *Alternaria* themes and variations (74–105). *Mycotaxon* 50:219–270.
- Sivanesan A (1970) *Plurisperma dalbergiae* gen. et sp.nov. Transactions of the British Mycological Society 54(3):495–496, IN15. [https://doi.org/10.1016/S0007-1536\(70\)80169-3](https://doi.org/10.1016/S0007-1536(70)80169-3).
- Snyder AB, Worobo RW (2018) Fungal spoilage in food processing. *Journal of Food Protection* 81(6):1035–1040. <https://doi.org/10.4315/0362-028X.JFP-18-031>.
- Song J, Liang JF, Mehrabi-Koushki M, Krisai-Greilhuber I, Ali B, Bhatt VK, Cerna-Mendoza A, Chen B, Chen ZX, Chu HL, Corazon-Guivin MA, da Silva GA, De Kesel A, Dima B, Dovana F, Farokhinejad R, Ferisin G, Guerrero-Abad JC, Guo T, Han LH, Ilyas S, Justo A, Khalid AN, Khodadadi-Pourarpanahi S, Li TH, Liu C, Lorenzini M, Lu JK, Mumtaz AS, Oehl F, Pan XY, Papp V, Qian W, Razaq A, Semwal KC, Tang LZ, Tian XL, Vallejos-Tapullima A, van der Merwe NA, Wang SK, Wang CQ, Yang RH, Yu F, Zapparoli G, Zhang M, Antonín V, Aptroot A, Aslan A, Banerjee A, Chatterjee S, Dirks AC, Ebrahimi L, Fotouhifar KB, Ghosta Y, Kalinina LB, Karahan D, Liu J, Maiti MK, Mookherjee A, Nath PS, Panja B, Saha J, Ševčíková H, Voglmayr H, Yazıcı K, Haelewaters D (2019) Fungal Systematics and Evolution: FUSE 5. *Sydowia* 71:141–245. <https://doi.org/10.12905/0380.sydowia71-2019-0141>.
- Spatafora JW, Aime MC, Grigoriev IV, Martin F, Stajich JE, Blackwell M (2017) The fungal tree of life: from molecular systematics to genome-scale phylogenies. *The Fungal Kingdom* 1–34. <https://doi.org/10.1128/9781555819583.ch1>.
- Staněk VJ (1958) In: Fl. ČSR, B-1, Gasteromycetes: 490, 794. – via Catalogue of Life.
- Steyaert RL (1972) Species of *Ganoderma* and related genera mainly of the Bogor and Leiden Herbaria. *Persoonia- Molecular Phylogeny and Evolution of Fungi* 7(1):55–118.
- Sugiyama K (1982) In: Trans. Mycol. Soc. Japan 22(4): 416. - via Catalogue of Life.
- Sugiyama J, Goto S, (1967) *Coprophilous* fungi from Karakorum I. *Journal of Japanese Botany* 42:75–84.
- Sultan MA, Ikram-ul-Haq, Khalid AN, Mukhtar H (2008) Two new anamorphic rust fungi from northern areas of Pakistan. *Mycotaxon* 105:23–27.
- Sultana FK (1987) Some *pyrenomycetous* fungi from Lahore. *Biologia Lahore* 33(2):265–270.
- Sultana FK, Malik KA, Batra LR (1988) Taxonomy and physiology of *Achaetomium* species from Pakistan. *Biologia Lahore* 34(2):257–267.
- Sultana K, Malik KA (1980) A new *Coprophilous Ascomycete* from Pakistan. *Bulletin of Mycology* Faisalabad 1:33–35.
- Sutton BC (1972) *Sciniatosporium Kalchbr.* *Transactions of the British Mycological Society* 58(1):164–167.
- Sutton BC (1980a) The *Coelomycetes*. Fungi imperfecti with pycnidia, acervuli and stromata. Commonwealth Mycological Institute 1–696.
- Sutton BC (1980b) The coelomycetes. Kew.
- Sutton BC, Abbas SQ (1986) *Aphanofalx irregularis* sp. nov. from Pakistan. *Transactions of the British Mycological Society* 87:640–642.
- Sutton BG, Ghaffar A, Abbas SQ (1972) *Seimatosporiopsis* gen. nov. (*Sphaeropsidales*). *Transactions of the British Mycological Society* 59(2):295–300. [https://doi.org/10.1016/S0007-1536\(72\)80014-7](https://doi.org/10.1016/S0007-1536(72)80014-7).
- Sutton BC, Sarbhoy AK (1976) Revision of *Chaetomella*, and comments upon *Vermiculariopsis* and *Thyriochaetum*. *Transactions of the British Mycological Society* 66(2):297–303.

- Sutton BC, Webster J (1984) *Septogloeum japonicum* and *Marssonina pakistanica* spp.nov., coelomycetes with Tricellula-like conidia. Transactions of the British Mycological Society 83(1):59–64.
- Sydow H (1934) Novaes fungorum species. XXII. Annales Mycologici 32(3–4):286–299.
- Sydow H, Ahmad S (1939) Fungi *Panjabensis*. Annales Mycologici 37: 439–447.
- Tanaka K, Hirayama K, Iqbal SH (2010) *Diadema ahmadii* (*Pleosporales*), a new ascomycetous species from Pakistan. Mycotaxon 113:337–342.
- Tanaka K, Hirayama K, Iqbal SH (2011) (2010) *Massariosphaeria websteri* sp. nov. and several members of the *Pleosporales* noteworthy to Pakistan. In Cvetomir Denchev (eds), Mycologia Balcanic 7(2–3):77–85.
- Tassi F (1900) *Novaes micromycetum* species descriptae et iconibus illustratae. Bollettino del Laboratorio de Orto Botanico Reale Universita Siena 3:14–21.
- Tedersoo L, Bahram M, Põlme S, Kõljalg U, Yorou NS, Wijesundera R, Ruiz RV, Vasco-Palacios AM, Thu PQ, Suija A, Smith ME, Sharp C, Saluveer E, Saitta A, Rosas M, Riit T, Ratkowsky D, Pritsch K, Põldmaa K, Piepenbring M, Phosri C, Peterson M, Parts K, Pärte K, Otsing E, Nouhra E, Njouonkou AL, Nilsson RH, Morgado LN, Mayor J, May TW, Majuakim L, Lodge DJ, Lee SS, Larsson KH, Kohout P, Hosaka K, Hiiesalu I, Henkel TW, Harend H, Guo L, Greslebin A, Grelet G, Geml J, Gates G, Dunstan W, Dunk C, Drenkhan R, Dearnaley J, De Kesel A, Dang T, Chen X, Buegger F, Brearley FQ, Bonito G, Anslan S, Abell S, Abarenkov K (2014) Global diversity and geography of soil fungi. Science 346(6213). <https://doi.org/10.1126/science.1256688>.
- Tedersoo L, Sánchez-Ramírez S, Kõljalg U, Bahram M, Döring M, Schigel D, May T, Ryberg M, Abarenkov K (2018) High-level classification of the Fungi and a tool for evolutionary ecological analyses. Fungal Diversity 90(1):135–159. <https://doi.org/10.1007/s13225-018-0401-0>.
- Tehon (1935) Illinois Biol. Monogr. (Urbana) 13(4): 284 (54 sepr.). Index Fungorum.
- Trivedi P, Leach JE, Tringe SG, Sa T, Singh BK (2020) Plant–microbiome interactions: from community assembly to plant health. Nature Reviews Microbiology 18(11):607–621. <https://doi.org/10.1038/s41579-020-0412-1>.
- Tennakoon DS, Kuo CH, Maharachchikumbura SS, Thambugala KM, Gentekaki E, Phillips AJ, Bhat DJ, Wanasinghe DN, de Silva NI, Promputtha I, Hyde KD (2021) Taxonomic and phylogenetic contributions to *Celtis formosana*, *Ficus ampelas*, *F. septica*, *Macaranga tanarius* and *Morus australis* leaf litter inhabiting microfungi. Fungal Diversity 108:1–215. <https://doi.org/10.1007/s13225-021-00474-w>.
- Thongklang N, Nawaz R, Khalid AN, Chen J, Hyde KD, Zhao R, Parra LA, Hanif M, Moinard M, Callac P (2014) Morphological and molecular characterization of three *Agaricus* species from tropical Asia (Pakistan, Thailand) reveals a new group in section Xanthodermatei. Mycologia 106(6):1220–1232. <https://doi.org/10.3852/14-076>.
- Tulloss RE, Iqbal SH, Khalid AN, Bhatt RP, Bhatt VK (2001) Studies in *Amanita* (*Amanitaceae*) from southern Asia. I. Some species of Pakistan's Northwest Frontier Province Mycotaxon 77:455–490.
- Ul haq I, Ijaz S, Khan NA (2021) Genealogical concordance of phylogenetic species recognition-based delimitation of *Neopestalotiopsis* species associated with leaf spots and fruit canker disease affected guava plants. Pakistan Journal of Agricultural Sciences 58(4):1301–1313. <https://doi.org/10.21162/PAKJAS/21.1045>.
- Ullah S, Wilson AW, Fiaz M, Hussain S, Mueller GM, Khalid AN (2020) *Russula shanglaensis* sp. nov. (*Basidiomycota: Russulales*), a new species from the mixed coniferous forests in District Shangla, Pakistan. Turkish Journal of Botany 44(1):85–92. doi:10.3906/bot-1907-3.
- Ullah S, Wilson AW, Tulloss RE, Fiaz M, Mueller GM, Khalid AN (2019) *Amanita cinis* and *A. olivovaginata* (*Basidiomycota, Amanitaceae*), two new species, and the first record of *A.*

- emodotrygon*, from Northwestern Pakistan. Turkish Journal of Botany 43(6):831–849. <https://doi.org/10.3906/bot-1903-21>.
- Untereiner WA, Straus NA, Malloch D (1995) A molecular-morphotaxonomic approach to the systematics of the Herpotrichiellaceae and allied black yeasts. Mycological Research 99:897–913.
- Usman M, Khalid AN (2020a) *Termitomyces acrimumbonatus* sp. nov. (*Lyophyllaceae, Agaricales*) from Pakistan. Phytotaxa 477(2):217–228. <https://doi.org/10.11646/phytotaxa.477.2.6>.
- Usman M, Khalid AN (2020b) *Zhuliangomyces pakistanicus*, a new species of *Zhuliangomyces* (*Amanitaceae: Basidiomycota*) from Pakistan. Phytotaxa 443(2):198–206. <https://doi.org/10.11646/phytotaxa.443.2.7>.
- Vánky K (1994) *Ustilaginales of Commelinaceae*. Mycoscience 35(4):353–360.
- Vánky K (1997) Taxonomical studies on *Ustilaginales* XVII. Mycotaxon 65:159–182.
- Vánky K (1998) The genus *Microbotryum* (smut fungi). Mycotaxon 67:33–60.
- Vánky K (2001) Taxonomical studies in *Ustilaginales* XXI. Mycotaxon 78:265–326.
- Vánky K (2002) Taxonomical studies on *Ustilaginales* XXII. Mycotaxon 81:367–430.
- Vánky K (2003) Taxonomical studies on *Ustilaginales* XXIII. Mycotaxon 85:1–66.
- Vánky K (2004) Taxonomic studies on *Ustilaginomycetes* - 24. Mycotaxon 89(1):55–118.
- Vánky K, Iqbal SH, Khalid AN (2007) *Thecaphora pakistanica* sp. nov. (*Ustilaginomycetes*) on *Androsace* (*Primulaceae*). In Cvetomir Denchev (eds), Mycologia Balcanica 4(1–2):83–85.
- Vattiprolu PK, Agarwal DK (2001) *Melampsora euphorbiae-pilosae* sp. nov. from India. Indian Phytopathology 54(3):398–399.
- Videira SI, Groenewald JZ, Nakashima C, Braun U, Barreto RW, de Wit PJ, Crous PW (2017) *Mycosphaerellaceae*—chaos or clarity? Studies in Mycology 87:257–421. <https://doi.org/10.1016/j.simyco.2017.09.003>.
- Vittadini C (1842) *Monographia Lycoperdineorum*. Mem. Accad. Torino 5:145–238.
- Voglmayr H, Fisher PJ (1997) *Helicondendron fuscum* and its allies. Mycological Research 101(9):1122–1126.
- Von Arx JA (1954) Revision einiger Gattungen der Ascomyceten. Acta Botanica Neerlandica 3(1):83–93.
- Von Arx JA (1970) The genera of fungi sporulating in pure culture. Cramer publisher 1–288.
- Von Arx JA (1973) Ostiolate and nonostiolate *Pyrenomycetes*. Proceedings van de Koninklijke Nederlandse Akademie van Wetenschappen Section C 76(3):289–296.
- Von Arx JA (1975) On *Thielavia angulata* and some recently described *Thielavia* species. Kavaka 3:33–36.
- Von Arx JA (1977) Notes on *Dipodascus*, *Endomyces* and *Geotrichum* with the description of two new species. Antonie van Leeuwenhoek 43(3–4):333–340.
- Von Arx JA (1985) On *Achaetomium* and a new genus *Subramaniula* (Ascomycota). Proceedings: Plant Sciences 94(2):341–345.
- Von Arx JA, Guarro J, Figueras MJ (1986) The ascomycete genus *Chaetomium*. Beihefte zur Nova Hedwigia 84:1–162.
- Von Arx JA, Mahmood T (1968) *Thielaviella humicola* gen. et sp. nov. from Pakistan. Transactions of the British Mycological Society 51(3–4):611–613.
- Voto P (2019) Novelties in the family *Psathyrellaceae*. Part I. Rivista Micologica Romana, Bollettino dell'Associazione Micologica Ecologica Romana 107:94–95.
- Wakefield EM (1931) Fungi Exotici: XXVII. Bulletin of Miscellaneous Information. Royal Botanic Gardens, Kew 4:201–206.
- Wakefield EM (1966) Some extra-european species of *Tomentella*. Transactions of the British

- Mycological Society 49(3):357–362.
- Wanasinghe DN, Hyde KD, Jeewon R, Crous PW, Wijayawardene N, Jones EBG, Bhat DJ, Phillips AJL, Groenewald JZ, Dayarathne MC, Phukhamsakda C, Thambugala KM, Bulgakov TS, Camporesi E, Gafforov YS, Mortimer PE, Karunarathna SC (2017) Phylogenetic revision of *Camarosporium* (Pleosporineae, Dothideomycetes) and allied genera. *Study in Mycology* 87:207–256. <https://doi.org/10.1016/j.simyco.2017.08.001>.
- Wang XW, Houbraken J, Groenewald JZ, Meijer M, Andersen B, Nielsen KF, Crous PW, Samson RA (2016) Diversity and taxonomy of *Chaetomium* and chaetomium-like fungi from indoor environments. *Studies in Mycology* 84:145–224. <https://doi.org/10.1016/j.simyco.2016.11.005>.
- Wehmeyer LE, Ahmad S (1964) Some Ascomycetes of West Pakistan. *Biologia Lahore* 10:7–21.
- Wijayawardene NN, Hyde KD, Bhat DJ, Camporesi E, Schumacher RK, Chethana KT, Wikee S, Bahkali AH, Wang Y (2014) *Camarosporium*-like species are polyphyletic in Pleosporales; introducing *Paracamarosporium* and *Pseudocamarosporium* gen. nov. in Montagnulaceae. *Cryptogamie, Mycologie* 35(2):177–98. *Cryptogamie, Mycologie*, 2014, 35 (2): 177–198. <https://doi.org/10.7872/crym.v35.iss2.2014.177>.
- Wijayawardene NN, Hyde KD, Wanasinghe DN, Papizadeh M, Goonasekara ID, Camporesi E, Bhat DJ, McKenzie EH, Phillips AJ, Diederich P, Tanaka K (2016) Taxonomy and phylogeny of dematiaceous coelomycetes. *Fungal diversity*. 77(1):1–316. <https://doi.org/10.1007/s13225-016-0360-2>.
- Wijayawardene NN, Hyde KD, Al-Ani LKT, Tedersoo L, Haelewaters D, Rajeshkumar KC, Zhao RL, Aptroot A, Leontyev DV, Saxena RK, Tokarev YS, Dai DQ, Letcher PM, Stephenson SL, Ertz D, Lumbsch HT, Kukwa M, Issi IV, Madrid H, Phillips AJL, Selbmann L, Pflieger WP, Horváth E, Bensch K, Kirk PM, Kolaříková K, Raja HA, Radek R, Papp V, Dima B, Ma J, Malosso E, Takamatsu S, Rambold G, Gannibal PB, Triebel D, Gautam AK, Avasthi S, Suetrong S, Timdal E, Fryar SC, Delgado G, Réblová M, Doilom M, Dolatabadi S, Pawłowska JZ, Humber RA, Kodsueb R, Sánchez-Castro I, Goto BT, Silva DKA, de Souza FA, Oehl F, da Silva GA, Silva IR, Błaszkowski J, Jobim K, Maia LC, Barbosa FR, Fiúza PO, Divakar PK, Shenoy BD, Castañeda-Ruiz RF, Somrithipol S, Lateef AA, Karunarathna SC, Tibpromma S, Mortimer PE, Wanasinghe DN, Phookamsak R, Xu J, Wang Y, Tian F, Alvarado P, Li DW, Kušan I, Matočec N, Mešić A, Tkalčec Z, Maharanachchikumbura SSN, Papizadeh M, Heredia G, Wartchow F, Bakhshi M, Boehm E, Youssef N, Hustad VP, Lawrey JD, Santiago ALCMA, Bezerra JDP, Souza-Motta CM, Firmino AL, Tian Q, Houbraken J, Hongsanan S, Tanaka K, Dissanayake AJ, Monteiro JS, Grossart HP, Suija A, Weerakoon G, Etayo J, Tsurykau A, Vázquez V, Mungai P, Damm U, Li QR, Zhang H, Boonmee S, Lu YZ, Becerra AG, Kendrick B, Brearley FQ, Motiejūnaitė J, Sharma B, Khare R, Gaikwad S, Wijesundara DSA, Tang LZ, He MQ, Flakus A, Rodriguez-Flakus P, Zhurbenko MP, McKenzie EHC, Stadler M, Bhat DJ, Liu JK, Raza M, Jeewon R, Nassonova ES, Prieto M, Jayalal RGU, Erdoğdu M, Yurkov A, Schnittler M, Shchepin ON, Novozhilov YK, Silva-Filho AGS, Gentekaki E, Liu P, Cavender JC, Kang Y, Mohammad S, Zhang LF, Xu RF, Li YM, Dayarathne MC, Ekanayaka AH, Wen TC, Deng CY, Pereira OL, Navathe S, Hawksworth DL, Fan XL, Dissanayake LS, Kuhnert E, Grossart HP, Thines M (2020) Outline of fungi and fungus-like taxa. *Mycosphere* 11:1060–1456. <https://doi.org/10.5943/mycosphere/11/1/8>.
- Wijayawardene NN, Dissanayake LS, Dai DQ, Li QR, Xiao Y, Wen TC, Karunarathna SC, Wu HX, Zhang H, Tibpromma S, Kang JC (2021) Yunnan–Guizhou Plateau: a mycological hotspot. *Phytotaxa* 523(1):1–31. <https://doi.org/10.11646/phytotaxa.523.1.1>.
- Wijayawardene NN, Rajakaruna S, Dai DQ, Jayasekara S, Warnakula L, Ariyawansa KGSU, Fernando EY, Jayasekera P, Karunarathna SC, Singhalage D, Ukuwela K, Jayalal RGU, Jayasinghe RPPK,

- Muthumala CK, Madawala S, Hewajulige IGN, Rajawardana DU, Ediriweera A, Ediriweera S, Alawathugoda D, Rajawatta KMW, Jin XC, Chandana EPS, Nanayakkara C and Wijesundara S. (2022a) Necessity of a national fungarium and a culture collection for fungi in Sri Lanka. *Chiang Mai Jurnal of Science.* 49:1–24.
- Wijayawardene NN, Hyde KD, Dai DQ, Sánchez-García M, Goto BT, Saxena RK, Erdoğdu M, Selçuk F, Rajeshkumar KC, Aptroot A, Błaszkowski J, Boonyuen N, da Silva GA, de Souza FA, Dong W4, Ertz D, Haelewaters D, Jones EBG, Karunarathna SC, Kirk PM, Kukwa M, Kumla J, Leontyev DV, Lumbsch HT, Maharachchikumbura SSN, Marguno F, Martínez-Rodríguez P, Mešić A, Monteiro JS, Oehl F, Pawłowska J, Pem D, Pfleigler WP, Phillips AJL, Pošta A, He MQ, 55 Li JX, Raza M, Sruthi OP, Suetrong S, Suwannarach N, Tedersoo L, Thiyagaraja V, Tibpromma S, Tkalc̆ec Z, Tokarev YS, Wanasinghe DN, Wijesundara DSA, Wimalaseana SDMK, Madrid H, Zhang GQ, Gao Y, Sánchez-Castro I, Tang LZ, Stadler M, Yurkov A, Thines M (2022b) Outline of Fungi and fungus-like taxa – 2021. *Mycosphere* 13(1), 53–453. <https://doi.org/10.5943/mycosphere/13/1/2>.
- Wijayawardene NN, Phillips AJL, Pereira DS, Dai DQ, Aptroot A, Monteiro JS, Druzhinina IS, Cai F, Fan XL, Selbmann L, Coleine C, Castañeda-Ruiz RF, Kukwa M, Flakus A, Fiúza PO, Kirk PM, Rajesh Kumar KC, Arachchi ISL, Suwannarach N, Tang LZ, Boekhout T, Tan CS, Jayasinghe RPPK, Thines M (2022c) Forecasting the number of species of asexually reproducing fungi (Ascomycota and Basidiomycota). *Fungal Diversity.* <https://doi.org/10.1007/s13225-022-00500-5>.
- Williams TA, Foster PG, Cox CJ, Embley TM (2013) An archaeal origin of eukaryotes supports only two primary domains of life. *Nature* 504(7479):231–236. <https://doi.org/10.1038/nature12779>.
- Wu B, Hussain M, Zhang W, Stadler M, Liu X, Xiang M (2019b) Current insights into fungal species diversity and perspective on naming the environmental DNA sequences of fungi. *Mycology* 10(3):127–140. <https://doi.org/10.1080/21501203.2019.1614106>.
- Wu SH, Boidin J, Chien CY (2000) *Acanthofungus rimosus* gen. et sp. nov., with reevaluation of the related genera. *Mycotaxon* 76:153–161. <https://doi.org/10.2307/3761826>.
- Wu W, Lei J, Hussain M, Cao S, Du B, Wang R (2019a) Structure and function of the fruit microbiome in healthy and diseased kiwifruit. *Pakistan Journal of Agricultural Sciences* 56(3):577–585. <https://doi.org/10.21162/PAKJAS/19.8820>.
- Yousaf N, Kreisel H, Khalid AN (2013) *Bovista himalaica* sp. nov. (gasteroid fungi; *Basidiomycetes*) from Pakistan. *Mycological Progress* 12(4):570. <https://doi.org/10.1007/s11557-012-0864-4>.
- Yuan HS, Lu X, Dai YC, Hyde KD, Kan YH, Kušan I, He SH, Liu NG, Sarma VV, Zhao CL, Cui BK, Yousaf N, Sun GY, Liu SY, Wu F, Lin CG, Dayarathne MC, Gibertoni TB, Conceição LB, Garibay-Orijel R, Villegas-Ríos M, Salas-Lizana R, Wei TZ, Qiu JZ, Yu ZF, Phookamsak R, Zeng M, Paloi S, Bao DF, Abeywickrama PD, Wei DP, Yang J, Manawasinghe IS, Harishchandra D, Brahmanage RS, de Silva NI, Tennakoon DS, Karunarathna A, Gafforov Y, Pem D, Zhang SN, Azevedo Santiago ALCM, Bezerra JDP, Dima B, Acharya K, Alvarez-Manjarrez J, Bahkali AH, Bhatt VK, Brandrud TE, Bulgakov TS, Camporesi E, Cao T, Chen YX, Chen YY, Devadatha B, Elgorban EM, Fan LF, Du X, Gao L, Gonçalves CM, Gusmão LFP, Huanraluek N, Jadan M, Jayawardena RS, Khalid AN, Langer E, Lima DX, Lima-Júnior NC, Sousa de Lira SR, Liu JK, Liu S, Lumyong S, Luo ZL, Matočec N, Nirajan M, Oliveira-Filho JRC, Papp V, Pérez-Pazos V, Phillips AJL, Qiu PL, Ren YH, Castañeda Ruiz RF, Semwal KC, Soop K, Souza CAF, Souza-Motta CM, Sun LH, Xie ML, Yao YJ, Zhao Q, Zhou LW (2020) Taxonomic and phylogenetic contributions to fungal taxa. *Fungal Diversity* 104(1):1–266. <https://doi.org/10.1007/s13225-020-00461-7>.
- Zhao CL, Saba M, Khalid AN, Song J, Pfister DH (2017) *Heterobasidion amyloideopsis* sp. nov. (*Basidiomycota, Russulales*) evidenced by morphological characteristics and phylogenetic analysis. *Phytotaxa* 317(3):199–210. <https://doi.org/10.11646/phytotaxa.317.3.4>.

- Zia U, Sana J, Muhammad F, Habib A, Abdul NK (2019) *Leucoagaricus brunneus* sp. nov. from Khyber Pakhtunkhwa, Pakistan. Mycotaxon 134(4):601–611. <https://doi.org/10.5248/134.601>.
- Zundel GL (1944) Notes on the *Ustilaginales* of the world. IV. Mycologia 36(4):400–412. <https://doi.org/10.1080/00275514.1944.12017562>.



Published by Managing Editor, MycoAsia, Email: mycoasiajournal@gmail.com