



# NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),  
Proposed Sites for Community Importance (pSCI),  
Sites of Community Importance (SCI) and

for Special Areas of Conservation (SAC)

SITE BG0000209

SITENAME Pirin

## TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

## 1. SITE IDENTIFICATION

<b>1.1 Type</b> C	<b>1.2 Site code</b> BG0000209	<a href="#">Back to top</a>
----------------------	-----------------------------------	-----------------------------

### 1.3 Site name

Pirin
-------

<b>1.4 First Compilation date</b> 2006-01	<b>1.5 Update date</b> 2021-11
--	-----------------------------------

### 1.6 Respondent:

<b>Name/Organisation:</b>	Ministry of Environment and Water, "National Nature Protection Service" Directorate
<b>Address:</b>	Sofia Kn. Maria Luiza Blvd. 22 1000 Sofia
<b>Email:</b>	natura2000@moew.government.bg

### 1.7 Site indication and designation / classification dates

<b>Date site classified as SPA:</b>	2007-03
<b>National legal reference of SPA designation</b>	Site classified as SPA by Council of Ministers Decision No. 122/02.03.2007 (promulgated SG 21/2007).
<b>Date site proposed as SCI:</b>	2007-03
<b>Date site confirmed as SCI:</b>	2008-12
<b>Date site designated as SAC:</b>	2021-03
<b>National legal reference of SAC designation:</b>	Designation Order No. RD - 284/ 31.03.2021 (promulgated SG 45 /2021) issued by the Minister of Environment and Water.
<b>Explanation(s):</b>	Site classified as SPA and adopted as pSCI by Council of Ministers Decision No. 122/02.03.2007 (promulgated SG 21/2007). Issued designation order by the Minister of Environment and Water with prohibitions and restrictions on activities contradicting the conservation objectives of the SPA - Order No. RD - 572/08.09.2008 (promulgated SG 84/2008). Issued by the Minister of Environment and Water designation Order No. RD - 284/ 31.03.2021 (promulgated SG 45/2021) with prohibitions and restrictions on activities contradicting the conservation objectives of the SAC.

## 2. SITE LOCATION

[Back to top](#)

### 2.1 Site-centre location [decimal degrees]:

Longitude

23.4303

Latitude

41.7419

### 2.2 Area [ha]:

40382.3813

### 2.3 Marine area [%]

0.0

### 2.4 Sitelength [km]:

0.0

### 2.5 Administrative region code and name

NUTS level 2 code

Region Name

BG41	Югозападен / Yugozapaden
------	--------------------------

### 2.6 Biogeographical Region(s)

Alpine (100.0  
%)

## 3. ECOLOGICAL INFORMATION

[Back to top](#)

### 3.1 Habitat types present on the site and assessment for them

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
3130B			142.1		G	A	A	A	A
3160B			10.9		G	A	A	A	B
3260B			14.3		G	A	C	B	B
4060B			1054.2		G	A	B	A	A
4070B			4565.0		G	A	A	A	A
6150B			1959.3		G	A	A	A	A
6170B			690.9		G	A	A	A	A
6230B			1876.7		G	A	B	A	A
62D0B			2510.1		G	A	B	A	A
6430B			37.0		G	B	C	A	A
6520B			70.0		G	B	C	B	B
7140B			21.1		G	B	B	B	A
8110B			2893.8		G	A	A	A	A
8120B			415.2		G	A	A	A	A
8210B			1134.0		G	A	B	A	A
8220B			2116.4		G	A	A	A	A
8310B				142	G	A	B	A	A
9110B			50.6		G	C	C	B	B
9130B			1165.8		G	A	C	A	A
91BA			713.7		G	A	B	A	A

91CA			4524.3		G	A	B	A	A
91D0			1.7		G	C	C	B	B
9410			1635.8		G	A	C	A	A
9530			94.3		G	B	C	B	B
95A0			7207.6		G	A	A	A	A

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

### 3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species				Population in the site							Site assessment			
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A402	<a href="#">Accipiter brevipes</a>			r	1	1	p		G	C	B	C	C
B	A402	<a href="#">Accipiter brevipes</a>			c	10	10	i		G	C	B	C	C
B	A086	<a href="#">Accipiter nisus</a>			p	20	20	p		G	C	A	C	C
B	A168	<a href="#">Actitis hypoleucos</a>			r	6	6	p		G	C	A	C	C
B	A223	<a href="#">Aegolius funereus</a>			p	100	160	p		G	A	A	C	A
B	A465	<a href="#">Alectoris graeca graeca</a>			p	42	100	p		G	B	A	B	A
B	A052	<a href="#">Anas crecca</a>			c				P	DD	D			
B	A053	<a href="#">Anas platyrhynchos</a>			c				P	DD	D			
B	A255	<a href="#">Anthus campestris</a>			r	5	5	p		G	C	B	C	C
B	A091	<a href="#">Aquila chrysaetos</a>			p	1	2	p		G	B	A	C	A
B	A089	<a href="#">Aquila pomarina</a>			r	2	2	p		G	C	B	C	C
I	1093	<a href="#">Austropotamobius torrentium</a>			p	6491	6491	i	C	G	C	A	C	A
M	1308	<a href="#">Barbastella barbastellus</a>			p	87	159	i	R	M	C	B	C	C
A	1193	<a href="#">Bombina variegata</a>			p	1	1	localities	V	P	C	A	B	A
B	A104	<a href="#">Bonasa bonasia</a>			p	80	100	p		G	B	A	C	A
B	A215	<a href="#">Bubo bubo</a>			c	1	1	i		G	C	B	C	C
B	A087	<a href="#">Buteo buteo</a>			c				P	DD	C	A	C	C
B	A087	<a href="#">Buteo buteo</a>			p	20	20	p		G	C	A	C	C
B	A403	<a href="#">Buteo rufinus</a>			r	1	1	p		G	C	B	C	C
P	1386	<a href="#">Buxbaumia viridis</a>			p	75	75	logs	R	M	B	A	A	A
M	1352	<a href="#">Canis lupus</a>			p	12	20	i	P	M	C	A	C	A
B	A224	<a href="#">Caprimulgus europaeus</a>			c				P	DD	B	A	C	B
B	A224	<a href="#">Caprimulgus europaeus</a>			r	20	20	p		G	B	A	C	B
B	A136	<a href="#">Charadrius dubius</a>			c				P	DD	C	B	C	C
B	A031	<a href="#">Ciconia ciconia</a>			c				P	DD	C	B	C	C
B	A030	<a href="#">Ciconia nigra</a>			c				P	DD	C	B	C	C
B	A080	<a href="#">Circaetus gallicus</a>			r	1	1	p		G	C	A	C	C
B	A080	<a href="#">Circaetus gallicus</a>			c				P	DD	C	A	C	C
B	A082	<a href="#">Circus cyaneus</a>			c				P	DD	C	B	C	C

I	4046	<a href="#">Cordulegaster heros</a>			p	1	1	localities	R	G	C	A	C	A
B	A122	<a href="#">Crex crex</a>			c				P	DD	C	B	C	C
B	A122	<a href="#">Crex crex</a>			r	26	26	males			C	B	C	C
B	A239	<a href="#">Dendrocopos leucotos</a>			p	7	13	p		G	B	A	C	A
B	A236	<a href="#">Dryocopus martius</a>			p	190	210	p		G	B	A	C	A
B	A027	<a href="#">Egretta alba</a>			c	1	1	i		G	C	B	C	C
B	A379	<a href="#">Emberiza hortulana</a>			c				P	DD	C	B	C	C
B	A379	<a href="#">Emberiza hortulana</a>			r	25	25	p		G	C	B	C	C
I	1065	<a href="#">Euphryas aurinia</a>			p				R	DD	C	A	B	A
I	6199	<a href="#">Euplagia quadripunctaria</a>			p	31	224	i	V	P	C	B	C	B
B	A511	<a href="#">Falco cherrug</a>			c	1	1	i		G	C	A	B	A
B	A511	<a href="#">Falco cherrug</a>			r		1	i		G	C	A	B	A
B	A511	<a href="#">Falco cherrug</a>			r	1	2	i		G	C	A	B	A
B	A103	<a href="#">Falco peregrinus</a>			r	3	4	p		G	B	A	C	A
B	A099	<a href="#">Falco subbuteo</a>			r	2	2	p		G	C	B	C	C
B	A099	<a href="#">Falco subbuteo</a>			c				P	DD	C	B	C	C
B	A096	<a href="#">Falco tinnunculus</a>			p	25	25	p		G	C	A	C	C
B	A097	<a href="#">Falco vespertinus</a>			c	10	10	i		G	C	B	C	C
B	A442	<a href="#">Ficedula semitorquata</a>			c				P	DD	C	B	C	C
B	A442	<a href="#">Ficedula semitorquata</a>			r	1	3	p		G	C	B	C	C
B	A123	<a href="#">Gallinula chloropus</a>			c				P	DD	D			
B	A217	<a href="#">Glaucidium passerinum</a>			p	2	4	p		G	B	A	A	A
B	A078	<a href="#">Gyps fulvus</a>			c	1	1	i		G	C	B	C	C
B	A092	<a href="#">Hieraetus pennatus</a>			c	2	2	i		G	C	B	C	C
B	A338	<a href="#">Lanius collurio</a>			r	150	170	p		G	C	B	C	C
B	A338	<a href="#">Lanius collurio</a>			c				P	DD	C	B	C	C
B	A339	<a href="#">Lanius minor</a>			c				P	DD	C	B	C	C
B	A459	<a href="#">Larus cachinnans</a>			c				P	DD	D			
B	A246	<a href="#">Lullula arborea</a>			c				P	DD	C	A	C	B
B	A246	<a href="#">Lullula arborea</a>			p	80	120	p		G	C	A	C	B
B	A230	<a href="#">Merops apiaster</a>			c	1000	1000	i		G	C	A	B	C
B	A073	<a href="#">Milvus migrans</a>			c	1	1	i		G	C	B	C	C
I	1089	<a href="#">Morimus funereus</a>			p	15268	17735	i	R	M	C	A	C	A
M	1323	<a href="#">Myotis bechsteinii</a>			p	101	250	i	R	M	C	B	C	C
M	1307	<a href="#">Myotis blythii</a>			p	101	250	i	C	G	C	A	C	C
M	1321	<a href="#">Myotis emarginatus</a>			p	11	50	i	R	G	C	A	C	C
M	1324	<a href="#">Myotis myotis</a>			p	101	250	i	C	G	C	A	C	C
B	A077	<a href="#">Neophron percnopterus</a>			c	1	1	i		G	C	B	C	C
B	A023	<a href="#">Nycticorax nycticorax</a>			c	1	1	i		G	C	B	C	C
B	A094	<a href="#">Pandion haliaetus</a>			c	1	1	i		G	C	B	C	C
I	4053	<a href="#">Paracaloptenus caloptenoides</a>			p	1	1	localities	V	M	C	C	C	C
B	A072	<a href="#">Pernis apivorus</a>			c	10	10	i		G	B	A	C	B
B	A072	<a href="#">Pernis apivorus</a>			r	5	5	p		G	B	A	C	B
B	A241	<a href="#">Picoides tridactylus</a>			p	20	20	p		G	B	A	A	A
B	A234	<a href="#">Picus canus</a>			p	50	50	p		G	B	A	C	A



I		<a href="#">rhodopensis</a>					P				X		
I		<a href="#">Anyphaena accentuata</a>					P			X			
I		<a href="#">Apatura iris</a>					P						X
P		<a href="#">Arabis ferdinandi-coburgi</a>					P			X			
I		<a href="#">Araeoncus anguineus</a>					P			X			
I		<a href="#">Araeoncus clivifrons</a>					P				X		
I		<a href="#">Araeoncus humilis</a>					P			X			
I		<a href="#">Araneus angulatus</a>					P			X			
I		<a href="#">Araneus circe</a>					P			X			
I		<a href="#">Arctosa maculata</a>					P			X			
P		<a href="#">Arctostaphylos uva-ursi</a>					C			X			
P		<a href="#">Arenaria pirinica</a>					R			X			
P		<a href="#">Armeria rumelica</a>					P				X		
P		<a href="#">Artemisia eriantha</a>					P			X			
P		<a href="#">Asperula suberosa</a>					R				X		
P		<a href="#">Asyneuma limonifolium</a>					P				X		
B	A218	<a href="#">Athene noctua</a>		16	16	p						X	
I		<a href="#">Atipus piceus</a>					P			X			
P		<a href="#">Atropa bella-donna</a>					R			X			
P		<a href="#">Aubrieta gracilis</a>					P				X		
P		<a href="#">Bartsia alpina</a>					P			X			
I		<a href="#">Bathyphantes gracilis</a>					P			X			
I		<a href="#">Bathyphantes nigrinus</a>					P			X			
I		<a href="#">Bolyphantes alticeps</a>					P			X			
P		<a href="#">Brassica jordanoffii</a>					R			X			
A		<a href="#">Bufo bufo</a>					P					X	
A		<a href="#">Bufo viridis</a>					P					X	
P		<a href="#">Callitriche hamulata</a>					P			X			
I		<a href="#">Calobius balcanicus</a>					P				X		
I		<a href="#">Calosoma sycophanta</a>					P			X			
P		<a href="#">Campanula abietina</a>					P					X	
M		<a href="#">Capreolus capreolus</a>		254	254	i						X	
I		<a href="#">Carabus gigas</a>					R			X			
I		<a href="#">Carabus intricatus</a>					C					X	
B	A366	<a href="#">Carduelis cannabina</a>		460	460	p						X	
B	A363	<a href="#">Carduelis chloris</a>		650	650	p						X	
P		<a href="#">Carex ferruginea</a>					P			X			
P		<a href="#">Carex parviflora</a>					V				X		
P		<a href="#">Carex rupestris</a>					P			X			
I		<a href="#">Carterocephalus palaemon</a>					P						X
P		<a href="#">Carum graecum</a>					P				X		
P		<a href="#">Centaurea achtarovii</a>					R				X		
P		<a href="#">Centaurea kernerana</a>					P				X		
P		<a href="#">Centaurea mannagetae</a>					R				X		
P		<a href="#">Centranthus kellereri</a>					V				X		

I		<a href="#">Centromerita bicolor</a>					P			X			
I		<a href="#">Centromerus lakatnikensis</a>					P			X			
I		<a href="#">Centromerus paucidentatus</a>					P				X		
M		<a href="#">Cervus elaphus</a>					P					X	
I		<a href="#">Cheiracanthium macedonicum</a>					P			X			
I		<a href="#">Cheiracanthium mildei</a>					P			X			
I		<a href="#">Cheiracanthium punctorium</a>					P			X			
P		<a href="#">Chondrilla urumoffii</a>					P				X		
I		<a href="#">Cicurina cicur</a>					P			X			
I		<a href="#">Cineta gradata</a>					P			X			
M		<a href="#">Clethrionomys glareolus</a>					P				X		
I		<a href="#">Clubiona alpicola</a>					P			X			
I		<a href="#">Clubiona corticalis</a>					P			X			
I		<a href="#">Clubiona saxatilis</a>					P			X			
R		<a href="#">Coronella austriaca</a>					P					X	
B	A347	<a href="#">Corvus monedula</a>		33	33	p							X
B	A113	<a href="#">Coturnix coturnix</a>		60	60	p						X	
I		<a href="#">Cryphoeca pirini</a>					P				X		
I		<a href="#">Cryphoeca silvicola</a>					P			X			
I		<a href="#">Cyclosa sierae</a>					P			X			
P		<a href="#">Daphne cneorum</a>					R			X			
P		<a href="#">Daphne kosaninii</a>					P				X		
P		<a href="#">Daphne oleoides</a>					C			X			
I		<a href="#">Dictyna pusilla</a>					P			X			
I		<a href="#">Diplocephalus altimontanus</a>					P				X		
I		<a href="#">Dipoenia melanogaster</a>					P			X			
P		<a href="#">Draba korabensis</a>					P						X
P		<a href="#">Draba lasiocarpa</a>					P						X
I		<a href="#">Drapestisca socialis</a>					P			X			
I		<a href="#">Drepanotylus pirinicus</a>					P				X		
M		<a href="#">Dryomys nitedula</a>					P					X	
P		<a href="#">Dryopteris villarii</a>					R			X			
I		<a href="#">Dysdera erythrina</a>					P			X			
R		<a href="#">Elaphe longissima</a>					P			X			
B	A377	<a href="#">Emberiza cirius</a>		10	10	p						X	
P		<a href="#">Empetrum nigrum</a>					P			X			
I		<a href="#">Enoplognatha thoracica</a>					P			X			
I		<a href="#">Entelecara media</a>					P			X			
I		<a href="#">Episinus truncatus</a>					P			X			
I		<a href="#">Erebia medusa</a>					P						X
I		<a href="#">Erebia pronoe</a>					P				X		
I		<a href="#">Erebia rhodopensis</a>					P			X			

I		<a href="#">Eresus cinnaberinus</a>					P			X			
P		<a href="#">Eriginon vihrensis</a>					R				X		
I		<a href="#">Erigone pirini</a>					P				X		
B	A269	<a href="#">Erithacus rubecula</a>			16000	16000	p					X	
I		<a href="#">Ero furcata</a>					P			X			
P		<a href="#">Euphrasia drosocalyx</a>					P			X			
I		<a href="#">Euryopis flavomaculata</a>					P			X			
I		<a href="#">Evansia merens</a>					P			X			
M		<a href="#">Felis silvestris</a>			20	20	i			X			
P		<a href="#">Festuca pirinica</a>					R				X		
B	A359	<a href="#">Fringilla coelebs</a>			21000	21000	p					X	
P		<a href="#">Galanthus nivalis</a>					P			X			
B	A244	<a href="#">Galerida cristata</a>			55	55	p					X	
P		<a href="#">Galium stojanovii</a>					P				X		
P		<a href="#">Gentiana lutea</a>					C			X			
P		<a href="#">Gentiana punctata</a>					R			X			
P		<a href="#">Gentianella engadinensis</a>					C			X			
P		<a href="#">Geranium bohemicum</a>					V			X			
I		<a href="#">Glaucopsyche alexis</a>					P						X
I		<a href="#">Gnaphosa luciphuga</a>					P			X			
I		<a href="#">Gonatium orientale</a>					P				X		
I		<a href="#">Gongylidiellum latebricola</a>					P			X			
I		<a href="#">Harpactea hombergi</a>					P			X			
I		<a href="#">Harpactea lepida</a>					P			X			
P		<a href="#">Heracleum angustisectum</a>					P				X		
P		<a href="#">Hieracium stefanoffii</a>					R				X		
B	A251	<a href="#">Hirundo rustica</a>			200	200	p					X	
A		<a href="#">Hyla arborea</a>					C					X	
P		<a href="#">Isoetes setacea</a>					P			X			
P		<a href="#">Jasione bulgarica</a>					P				X		
P		<a href="#">Jovibarba heuffelii</a>					R				X		
B	A233	<a href="#">Jynx torquilla</a>			25	25	p					X	
P		<a href="#">Kernera saxatilis</a>					R			X			
R		<a href="#">Lacerta agilis</a>					P					X	
R		<a href="#">Lacerta viridis</a>					C					X	
P		<a href="#">Laserpitium siler</a>					P			X			
P		<a href="#">Leontopodium alpinum</a>					R			X			
I		<a href="#">Lepthyphantes alacris</a>					P			X			
I		<a href="#">Lepthyphantes centromeroides</a>					P				X		
I		<a href="#">Lepthyphantes improbulus</a>					P			X			
I		<a href="#">Lepthyphantes lithoclasticolus</a>					P				X		
I		<a href="#">Lepthyphantes mansuetus</a>					P			X			





I		<a href="#">Ostearius melanopygius</a>					P			X			
B	A214	<a href="#">Otus scops</a>		100	100	p						X	
P		<a href="#">Oxytropis kozuharovii</a>					P			X			
P		<a href="#">Oxytropis urumovii</a>					R			X			
P		<a href="#">Papaver degenii</a>					P			X			
I		<a href="#">Pardosa drenskii</a>					P			X			
I		<a href="#">Pardosa ferruginea</a>					P		X				
I		<a href="#">Pardosa incerta</a>					P				X		
I		<a href="#">Pardosa nigra</a>					P		X				
I		<a href="#">Pardosa palustris</a>					P		X				
I		<a href="#">Parnassius apollo</a>					P		X				
I		<a href="#">Parnassius mnemosine</a>					P				X		
B	A329	<a href="#">Parus caeruleus</a>		350	350	p						X	
B	A443	<a href="#">Parus lugubris</a>		55	55	p						X	
P		<a href="#">Peucedanum oligophyllum</a>					P			X			
B	A235	<a href="#">Picus viridis</a>		5	5	p						X	
P		<a href="#">Pinus leucodermis</a>					C			X			
P		<a href="#">Pinus peuce</a>					C			X			
M		<a href="#">Pipistrellus pipistrellus</a>					P					X	
I		<a href="#">Pirata hygrophilus</a>					P		X				
I		<a href="#">Pirata latitans</a>					P		X				
P		<a href="#">Pirinia koenigii</a>					P			X			
I		<a href="#">Plebeius sephirus</a>					P						X
M		<a href="#">Plecotus austriacus</a>					P					X	
P		<a href="#">Poa pirinica</a>					R			X			
R		<a href="#">Podarcis erhardii</a>					P			X			
R		<a href="#">Podarcis muralis</a>					P					X	
I		<a href="#">Poecilochroa conspicna</a>					P		X				
I		<a href="#">Poeciloneta variegata</a>					P		X				
I		<a href="#">Porrhomma convexum</a>					P		X				
P		<a href="#">Potentilla apenina</a>					P			X			
P		<a href="#">Potentilla apennina</a>					P		X				
P		<a href="#">Potentilla regis-borisii</a>					P			X			
P		<a href="#">Primula halleri</a>					R		X				
B	A267	<a href="#">Prunella collaris</a>		250	250	p			X				
I		<a href="#">Pseudosinella duodecimocellata</a>					P						X
I		<a href="#">Pyrgus cacaliae</a>					P			X			
B	A345	<a href="#">Pyrrhocorax graculus</a>		124	124	p						X	
A		<a href="#">Rana dalmatina</a>					P					X	
P		<a href="#">Ranunculus fontanus</a>					P		X				
B	A317	<a href="#">Regulus regulus</a>		3320	3320	p						X	
P		<a href="#">Rhinanthus javorkae</a>					R				X		
P		<a href="#">Rhynchocorys elephas</a>					P		X				
I		<a href="#">Robertus mediterraneus</a>					P		X				

F		<a href="#">Salmo trutta</a>					P				X		
P		<a href="#">Saxifraga androsacea</a>					P			X			
P		<a href="#">Saxifraga ferdinandi-coburgj</a>					R				X		
P		<a href="#">Saxifraga spruneri</a>					P				X		
P		<a href="#">Saxifraga stribrnyi</a>					P				X		
I		<a href="#">Scotophaeus quadripunctatus</a>					P			X			
I		<a href="#">Scotophaeus scutulatus</a>					P			X			
P		<a href="#">Scrophularia bulgarica</a>					P				X		
I		<a href="#">Scytodes thoracica</a>					P			X			
P		<a href="#">Sedum kostovii</a>					R				X		
I		<a href="#">Segestria senoculata</a>					P				X		
P		<a href="#">Sibbaldia procumbens</a>					P			X			
P		<a href="#">Silene velenovskiyana</a>					R				X		
I		<a href="#">Sintula retroversus</a>					P			X			
M		<a href="#">Sorex araneus</a>					P					X	
M		<a href="#">Sorex minutus</a>					P					X	
B	A210	<a href="#">Streptopelia turtur</a>		80	80	p						X	
P		<a href="#">Subularia aquatica</a>					P			X			
B	A311	<a href="#">Sylvia atricapilla</a>		3300	3300	p						X	
I		<a href="#">Tapinopa longidens</a>					P			X			
P		<a href="#">Taxus baccata</a>					V			X			
I		<a href="#">Tegenaria montana</a>					P				X		
I		<a href="#">Textrix denticulata</a>					P			X			
I		<a href="#">Theridion betteni</a>					P			X			
I		<a href="#">Theridion bimaculatum</a>					P			X			
I		<a href="#">Theridion nigrovariegatum</a>					P			X			
I		<a href="#">Theridion petraeum</a>					P			X			
I		<a href="#">Theridion tinctum</a>					P			X			
I		<a href="#">Thymelicus acteon</a>					P						X
P		<a href="#">Thymus perinicus</a>					R				X		
B	A333	<a href="#">Tichodroma muraria</a>		65	65	p				X			
I		<a href="#">Titanoecca quadriguttata</a>					P			X			
P		<a href="#">Trollius europaeus</a>					P			X			
B	A283	<a href="#">Turdus merula</a>		9500	9500	p						X	
B	A282	<a href="#">Turdus torquatus</a>		1900	1900	p						X	
P		<a href="#">Utricularia minor</a>					R			X			
P		<a href="#">Valeriana montana</a>					P			X			
P		<a href="#">Verbascum davidofii</a>					P				X		
P		<a href="#">Veronica austriaca</a>					R				X		
P		<a href="#">Veronica kellereri</a>					P				X		
M		<a href="#">Vespertilio murinus</a>					P					X	
P		<a href="#">Viola grisebachiana</a>					R				X		
P		<a href="#">Viola orbelica</a>					P				X		
P		<a href="#">Viola orphanidis</a>					R				X		

P		<a href="#">Viola perinensis</a>						R				X		
P		<a href="#">Viola pyrenaica</a>						P				X		
I		<a href="#">Walckenaera capito</a>						P				X		
I		<a href="#">Walckenaeria vigilax</a>						P				X		
I		<a href="#">Zelotes hermani</a>						P				X		
I		<a href="#">Zodarion morosum</a>						P				X		

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

## 4. SITE DESCRIPTION

### 4.1 General site character

[Back to top](#)

Habitat class	% Cover
N17	34.0
N16	3.0
N22	12.0
N23	1.0
N19	2.0
N06	1.0
N20	3.0
N08	44.0
<b>Total Habitat Cover</b>	<b>100</b>

### Other Site Characteristics

Pirin Mountain as a morphological unit represents a complex horst high mountain structure, rising in the middle part of the Rila-Rhodopes massif between the graben valleys of the Struma and Mesta Rivers. The main orographic and hydrographic ridge stretches from northwest to south - southeast and lies closer to the northeastern parts of the mountain. Pirin is divided from Rila by Predel saddle (1140 m) and in the south it ends at the Parilska saddle (1170 m), which divides it from the border mountains Slavianka and Stargach. In morphographic aspect Pirin Mountain is divided into three parts: Northern, Middle and Southern. The Pirin National Park covers the high elevation areas in its northern part, which is distinguished by welldeveloped alpine relief. In morphological aspect two parts are differentiated here: northern part - sharp, marble Vihren ridge (including Vihren peak - 2915 m, Kutelo - 2908 m, Banski and Razlozhki Suhodol), along the eastern slope of which the deep and waterless cirques Banski Suhodol, Bayuvi dupki and Kazanite are curved into, and a southern part - a granite ridge along which the Banderishki chukar (2737 m), Momin dvorand other peaks rise. Middle Pirin is located between the Todorova polyana and Popovi livadi saddles. It is comparatively lower (the highest is Oreliak peak - 2099 m). Southern Pirin is the lowest part of the mountain. It stretches between the Popovi livadi saddle and the Parila saddle. Its rounded ridge is almost at the level of the saddles in Northern Pirin (Sveshtnik peak 1973 m). The geological fundament of the mountain belongs to the Rhodopian Supergroup - metamorphic rocks. Biotite schists and gneisses, amphibolites, quartzites and marbles are the predominant rocks. They appear in the northern parts of the park as the marbles of the Dobrostan formation occupy the largest area (about 25% of the territory).

### 4.2 Quality and importance

Pirin is a territory with a high biological diversity, compared to the whole country and other Bulgarian mountains. What determine the significant role of the National park in the protection activities. The uniqueness of Pirin ensues from its relative isolation from the other mountain chains. Compared with them the Mediterranean influence, penetrating along the river valleys of Struma and Mesta Rivers, here is stronger. This results in the unique combination of the widespread Mediterranean species (12%) and the much less represented Arctic-Alpine species (less than 1%), although the relief of the mountain is a typical Alpine one. National significance Pirin have because of the different species of mammals, birds, reptiles, amphibians, plants which occur in this place. In terms of flora, Pirin is among the most unique Bulgarian and Balkan mountain ranges. The shaping of the contemporary composition of the flora and the formation of the vegetation cover has continued after the last glaciating, when the species preserved so far in the refuges have re-colonized their former habitats. Of all the habitats described on the territory of Pirin, the rock habitat is the most representative for the unique character of the mountain. Refuges of the unique rock flora and fauna are the 35 cirque valleys, the 180 glacial lakes, the pyramidal and conic summits and the picturesque rock phenomena. European

value Pirin have as a center for protection of many rare , endemic and protected species of flora, vegetation, medicinal plants and fishes. This territory is inhabited from 38 species of birds from Annex I of Bird Directive, 9 species of mammals, 1 species of reptile, 1 species amphibian, 1 sp. fish, 4 sp. invertebrates, 1 sp. plant from Annex II of Habitat Directive and 25 habitat types of Annex I of Habitat Directive. Universal value Exceptional biological diversity and high percent of the endemic component characterize Pirin. Pirin endemic species are fourteen higher plants, which is more than half of all the Bulgarian endemic plants; 17 higher plants and two animals are Bulgarian endemic species; 86 higher plants and 6 representatives of the vertebrate fauna are Balkan endemic species. Despite the fact that only two groups of invertebrates have been studied in Pirin - Arthropods and Mollusks, the richness of the invertebrate fauna is indisputable: 216 endemics and 176 relicts. The identification of Pirin NP as a CORINE Site in 1998 confirmed its value as a key territory of a high conservation importance. The Pirin NP has been inscribed as one of the 114 Important Plant Areas of Bulgaria under the criteria of occurrence of threatened species, threatened habitats and floral richness.

### 4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
M	H07		o
H	D01.02		o
H	L09		o
M	A04		i
L	G02.08		i
M	L04		i
L	L09		i
M	G05.01		i
M	C02		o
M	G01.08		i
M	G05		i
M	D01.01		i
H	E03		o
H	A04.03		i
M	G01.08		o
H	J02.05.02		o
L	A05.01		i
M	F04		i
M	D02.01		o
M	F03.02.03		i
H	J02		o
L	J02.05.02		i
M	E01.03		i
M	I03.01		o
H	H06.01		i
L	B		i
H	G01.06		i
M	H06.01		o
M	D05		o
M	H07		i
M	B02.04		i
L	D02.02		i
H	K01.01		i
M	E01		i
H	E01.01		i
H	G02.10		o
M	G01.05		i
M	G01.03		i
H	E03.04		i
M	E03.01		i
M	B03		o

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside /outside [i o b]
M	D01.01		o
L	G03		o
H	D01.02		o
M	E01.03		i
M	B02.01		i
M	G01.06		o
L	B02.01		o
M	G01.08		i
H	D05		i
M	G01.04		o
M	G01.08		o
M	B02.02		o
M	D05		o
M	G01.02		o
M	K02		i
L	G02.08		i

H	D05		i
M	D01.02		i
M	G01.03		o
H	G01.02		i
M	G01.04		o
M	F03.01		i
M	L10		o
H	F03.02.03		o
M	A03		i
H	G02		i
H	G02.02		o
H	F03.02		o
M	D04.02		o
L	D02.01		i
L	J02		i
H	F02.03		i
L	I03.01		i
M	K02		i
M	D01.01		o
H	G02.02		i
H	G02.04		i
M	D04.02		i
M	G01.04		i
M	G02.01		o
M	G01.06		o
H	E01.01		o

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification, T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

#### 4.4 Ownership (optional)

#### 4.5 Documentation

Initial proposal and description of the site made by Pirin National Park Directorate, Bansko 2770, 4 Bulgaria str, pirin\_np@abv.bg; E. Topuzova, T. Semerdgiev; B. Furnadgieva; P. Shurolinkov; P. Tzvetkov; St. Beshkov - NMNH; Dr. Zh. Spiridonov - Wilderness Fund; P. Yankov, D. Georgiev, S. Nikolov, V. Delov, B. Barov - BSPB. Initially listed publications: Meshinev, T., Apostolova, I., Vasilev, P., Velchev, V., Ganeva, A., Georgiev, N. 1994 Ecology of the plant communities Sakalian, M., Maini, K., National strategy for protection of the biodiversity vol.1 basic reports, Sofia: 125-148 /Bulgarian and English/Panov Panaiot. Floristic materials and notes. III-Phytology, 1975, 1-2 p.68-77 Bondev, Iv.. Plant map. Atlas NRB.S., GUGK. 1973 Kitanov, Boris P. Pirin flora. Sofia 1990 Stoyanov, N., Stefanov, B. Bulgarian flora. S.1948 Peoples republic of Bulgaria Flora. Daki Jordanov vol.1 - S. BAS 1963 Asiov, B., Jordanova, M. Bulgarian interesting plants. S. 2004 Data revised by a team of Bulgarian Academy of Sciences (<http://www.bas.bg>). New data provided by project "Mapping and assessment of the conservation status of the natural habitats and species - Phase 1" (see link) and Pirin National Park draft Management Plan for 2014-2023, Annex: SUMMARY "Biological characteristic", 2016, p.23-26, Table 4 - "Area of the habitats in NP "Pirin" and ecological assessment of the Natural habitats under Annex I of Council Directive 92/43/EEC".

Link(s): <http://natura2000.moew.government.bg/Home/ProtectedSite?code=BG0000209&siteType=HabitatDirective>  
<http://natura2000.moew.government.bg/Home/ProtectedSite?code=BG0000209&siteType=BirdsDirective>

### 5. SITE PROTECTION STATUS (optional)

#### 5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
BG01	15.484545066449625	BG00		BG02	100.0

#### 5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
BG01	Yulen	+	8.078666858403063
BG01	Bauvi dupki - Dzhindzhiritza	+	7.405878208046563
BG02	Pirin	=	100.0

designated at international level:

Type	Site name	Type	Cover [%]
Other	Bajuvi dupki - Djindjirica Rezerve	+	7.0
	IBA	-	100.0
	Pirin People's park	+	65.0

### 5.3 Site designation (optional)

By an Order <sup>1</sup> 395/ 15. 10. 1999 of the Minister of Environment and Water Pirin People's Park was recategorized as a National Park according paragraph 2 of the Transitory and concluding regulations of the PAA. Art. 18. (1) Designated as national parks shall be areas without any settlements within their boundaries and which include natural ecosystems with large diversity of plant and animal species and habitats, with typical and remarkable landscapes and abiotic objects of nature. (2) The national parks shall be managed for the purpose of: 1. maintenance of the diversity of the ecosystems and wild nature protection; 2. conservation and maintenance of the biological diversity within the ecosystems; 3. providing of opportunities for development of scientific, educational and recreational activities; 4. creation of prerequisites for development of tourism, environmentally friendly livelihood of the population and other activities in harmony with the goals under the preceding items. Art. 20. The reserves and managed reserves within the national parks shall retain their regimes defined with the declaration orders thereof. PAA SG, issue 133/11.11.98, amended SG, issue 98/99, amended SG, issue 28/04.04.2000, SG, issue 48/13.06.2000, SG issue 78/26.09.2000.

## 6. SITE MANAGEMENT

### 6.1 Body(ies) responsible for the site management:

[Back to top](#)

Organisation:	Regional Inspectorate of Environment and Water: Blagoevgrad
Address:	
Email:	

### 6.2 Management Plan(s):

An actual management plan does exist:

<input checked="" type="checkbox"/> Yes	Name: Management Plan for Pirin National Park, adopted by Council of Ministers Decision No. 646/06.08.2014 (promulgated SG 73/2004). Link: <a href="https://www.moew.government.bg/static/media/ups/tiny/filebase/Nature/Protected_areas/Planove_za_upravlenie/PU_Pirin_2004.pdf">https://www.moew.government.bg/static/media/ups/tiny/filebase/Nature/Protected_areas/Planove_za_upravlenie/PU_Pirin_2004.pdf</a>
<input type="checkbox"/> No, but in preparation	
<input type="checkbox"/> No	

### 6.3 Conservation measures (optional)

National park Pirin management plan - from August 2004 to 2013

## 7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes  No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

