

Tribe Sceloenoplini Uhmann 1930

- Cephalodontites Chapuis 1875:313 (in part). Handlirsch 1925:666 (classification); Bouchard *et al.* 2011:518 (nomenclature).
- Cephalodontini Weise 1910b:69. Weise 1911a:16 (catalog), 1911b:22 (redescription); Handlirsch 1925:666 (classification); Papp 1953:38 (catalog).
- Cephalodontinae Chapuis. Guérin 1953:99 (faunal list).
- Sceloenoplini Uhmann 1930e:238. Type genus:*Sceloenopla* Chevrolat. Uhmann 1940g:119 (claws), 1949:4, 1957b:65 (catalog), 1959d:8 (scutellum), 1964a:408 (catalog), 1964b:5 (faunal list); Monrós & Viana 1947:184 (Argentina species); Buck 1958:146 (museum list); Wilcox 1975:139 (catalog); Petitpierre *et al.* 1988:179 (chromosomes); Jolivet 1989b:304 (host plant); Jolivet & Hawkeswood 1995:145 (host plants); Cox 1996a:173 (pupa); Santiago-Blay *et al.* 1996:421 (noted); Jolivet & Verma 2002:62 (noted); Staines 1997b:419 (Uhmann species list), 2002a:746 (genera), 2002b:1 (Central America species); Roig-Juñent 2004:119 (faunal list); Chaboo 2007:183 (phylogeny); Bouchard *et al.* 2011:79, 518 (nomenclature); Liao *et al.* 2015:162 (host plants).

Acentroptera Guérin-Ménéville 1844a

- Acentroptera* Chevrolat 1836:388 (Nomen Nudum). Baly 1858:121 (type species); Chenu & Desmarest 1870:341 (noted); Chapuis 1875:307 (redescription).
- Acentroptera* Guérin-Ménéville 1844a:271. Type species:*Acentroptera dejeani* Guérin-Ménéville, designated by Staines 2010b. Staines 2010b:1 (nomenclature).
- Acentroptera* Thomson 1856:479 (unjustified emendation).
- Acentroptera* Baly. Gemminger & Harold 1876:3608 (misattribution, catalog); Chenu 1884:341 (noted); Donckier 1899:568 (catalog); Weise 1910b:115 (noted), 1911a:19 (catalog), 1911b:26 (catalog); Monrós & Viana 1947:191 (Argentina species); Guérin 1953:100 (faunal list); Papp 1953:50 (catalog); Uhmann 1957b:65 (catalog), 1964a:412 (catalog); Descarpentries & Villiers 1959a:144 (types); Wilcox 1975:140 (catalog); Jolivet 1989b:304 (host plant); Jolivet & Hawkeswood 1995:145 (host plants); Staines & Staines 1999:522 (Baly species list); Staines 2002a:746 (genera), 2002b:1 (noted).

Acentroptera basilica Thomson 1858

- Acentroptera basilica* Thomson 1856:479 (type: Brazil, depository unknown).
- Acentroptera basilica* Thomson. Baly 1858:124 (noted); Gemminger & Harold 1876:3608 (catalog); Donckier 1899:568 (catalog); Weise 1911a:19 (catalog), 1911b:27 (catalog); Monrós & Viana 1947:191 (Argentina species); Guérin 1953:100 (faunal list); Papp 1953:50 (catalog); Uhmann 1957b:66 (catalog), 1959c:622 (noted), 1964a:412 (catalog), 1964b:6 (faunal list); Roig-Juñent 2004:119 (faunal list); Santiago-Blay 2004:53 (host plant); Staines 2010b:1 (noted), 2014:3 (revision).
- Acentroptera basilica reducta* Pic 1932a:14 (type: America Meridionale, MNHN). Papp 1953:50 (catalog); Uhmann 1957b:66 (catalog), 1964a:412 (catalog); Descarpentries & Villiers 1959a:144 (types).

Distribution: Argentina, Brazil (Rio de Janeiro, São Paulo), French Guyana, Paraguay.
Food plant: *Ananas macrodens* E. Morren (Bromeliaceae) (Monrós & Viana 1947).

***Acentroptera bita* Staines 2014**

Acentroptera bita Staines 2014:4 (type: Panama, Cerro Campana, USNM).

Distribution: Panama.

Food plant: Unknown.

***Acentroptera dejeanii* Guérin-Méneville 1844a**

Acentroptera dejeanii Guérin-Méneville 1844a:271 (type: Brazil, depository unknown). Baly 1858:123 (noted); Gemminger & Harold 1876:3608 (catalog); Weise 1911a:19 (catalog), 1911b:27 (catalog); Guérin 1953:100 (faunal list); Papp 1953:50 (catalog); Uhmann 1957b:66 (catalog), 1966d:272 (noted); Staines 2010b:1 (type species), 2014:5 (revision).

Acentroptera dejeani Guérin-Méneville. Donckier 1899:568 (catalog).

Acentroptera alapista Thomson 1856:479 (type: Brazil, depository unknown). Baly 1858:123 (synonymy); Staines 2010b:1 (noted).

Distribution: Brazil (Rio de Janeiro), Colombia.

Food plant: Unknown.

***Acentroptera emdeni* Uhmann 1930i**

Acentroptera emdeni Uhmann 1930i:152 (type: Colombia, Bogotá, SMTD). Uhmann 1943b:116 (noted), 1957b:66 (catalog); Papp 1953:50 (catalog); Staines 1997b:411 (Uhmann species list), 2014:6 (revision).

Distribution: Bolivia, Brazil (Rio de Janeiro), Colombia, Ecuador, Panama, Peru.

Food plant: Unknown.

***Acentroptera lacordairei* Lucas 1859**

Acentroptera lacordairei Dejean 1837:388 Nomen Nudum.

Acentroptera lacordairei Lucas 1859:193 (type: Brazil, depository unknown). Gemminger & Harold 1876:3608 (catalog); Donckier 1899:568 (catalog); Weise 1911a:19 (catalog), 1911b:27 (catalog); Papp 1953:50 (catalog); Uhmann 1957b:66 (catalog); Staines 2014:6 (revision).

Distribution: Bolivia, Brazil (Espírito Santo).

Food plants: Unknown.

***Acentroptera lineata* Staines 2014**

Acentroptera lineata Staines 2014:7 (type: Panama, Cerro Campana, USNM).

Distribution: Panama.

Food plant: Unidentified Bromeliaceae (Staines 2014).

***Acentroptera maculata* Pic 1932a**

Acentroptera maculata Pic 1932a:14 (type: Brazil, Therezopolis, MNHN). Papp 1953:50 (catalog); Uhmman 1957b:66 (catalog), 1964a:412 (catalog); Descarpentries & Villiers 1959a:144 (types); Staines 2014:8 (revision).

Distribution: Brazil.

Food plant: Unknown.

***Acentroptera nevermanni* Uhmman 1930e**

Acentroptera nevermanni Uhmman 1930e:244 (type: Costa Rica, Coronado, USNM). Uhmman 1943b:116 (noted), 1957b:66 (catalog); Papp 1953:50 (catalog); Wilcox 1975:140 (catalog); Staines & Staines 1997:14 (types); Staines 1997b:411 (Uhmman species list), 2014:8 (revision).

Distribution: Costa Rica, Guatemala, Honduras, México.

Food plant: Adults collected from bromeliads (Bromeliaceae) (Staines 2014).

***Acentroptera norrisii* Guérin-Méneville 1844a**

Acentroptera norrisii Guérin-Méneville 1844a:271 (type: Cayenne, depository unknown). Baly 1858:123 (noted); Gemminger & Harold 1876:3608 (catalog); Donckier 1899:568 (catalog); Weise 1911a:19 (catalog), 1911b:27 (catalog); Papp 1953:50 (catalog); Uhmman 1957b:66 (catalog), 1966d:272 (noted); Staines 2010b:1 (noted), 2014:9.

Distribution: Brazil (Parana, Rio de Janeiro, Santa Catharina, São Paulo), French Guiana.

Food plant: Unknown.

***Acentroptera ohausi* Weise 1910b**

Acentroptera ohausi Weise 1910b:116 (type: Ecuador, Loja, USNM). Weise 1911a:19 (catalog), 1911b:27 (catalog); Papp 1953:50 (catalog); Uhmman 1957b:66 (catalog); Staines & Staines 1997:16 (types); Staines 2014:10 (revision).

Distribution: Ecuador.

Food plant: Bromeliaceae (Weise 1910b).

***Acentroptera pulchella* Guérin-Méneville 1830**

Hispa pulchella Guérin-Méneville 1830:141 (type: Brazil, Santa Catherina, MNHN?). GuérinMéneville 1838:233 (noted); Uhmman 1966d:272 (noted)

Acentroptera pulchella (Guérin-Méneville). Baly 1858:121 (redescription); Gemminger & Harold 1876:3608 (catalog); Donckier 1899:568 (catalog); Weise 1911a:19 (catalog), 1911b:27 (catalog); Guérin 1953:100 (faunal list); Papp 1953:51 (catalog); Uhmman 1957b:66 (catalog), 1964b:6 (faunal list); Mantovani *et al.* 2005:153 (host plant); Frank & Lounibos 2009:143 (noted); Staines 2010b:1 (nomenclature), 2014:10 (revision); Campos & Fernández 2011:11 (noted); Magalhães *et al.* 2012:944 (biology).

Distribution: Brazil (Minas Gerais, Rio de Janeiro, Santa Catharina, São Paulo).

Food plants: *Aechmea blanchetiana* (Baker) L. B. Sm., *Neoregelia cruenta* (Grah.) L. B. Sm. (Bromeliaceae) (Mantovani *et al.* 2005).

***Acentroptera rubronotata* Pic 1932a**

Acentroptera rubronotata Pic 1932a:15 (type: Brazil, Tapera, MNHN). Carvalho & Carvalho 1939:54 (faunal list); Papp 1953:51 (catalog); Uhmman 1957b:66 (catalog), 1964a:412 (catalog); Descarpentries & Villiers 1959a:144 (types); Staines 2014:11 (revision).

Distribution: Brazil (Para).

Food plant: Unknown.

***Acentroptera strandi* Uhmman 1943b**

Acentroptera strandi Uhmman 1943b:115 (type: Panamá, Lino, DEI). Papp 1953:51 (catalog); Uhmman 1957b:66 (catalog); Gaedike & Döbler 1971:360 (types); Wilcox 1975:140 (catalog); Staines 1997b:411 (Uhmman species list), 2011b:55 (faunal list), 2014:12 (revision).

Distribution: Costa Rica, Panamá.

Food plant: Adults collected fogging *Pentaclethra macroloba* Kuntze (Fabaceae) (Staines 2011b).

***Acentroptera tessellata* Baly 1858**

Acentroptera tessellata Baly 1858:122 (type: Brazil, BMNH). Gemminger & Harold 1876:3608 (catalog); Donckier 1899:568 (catalog); Weise 1911a:19 (catalog), 1911b:27 (catalog); Papp 1953:51 (catalog); Uhmman 1957b:66 (catalog); Staines & Staines 1999:522 (Baly species list); Staines 2014:13 (revision).

Acentroptera tessellata Baly. Guérin 1953:100 (lapsus calami, faunal list).

Distribution: Brazil (Bahia, Rio de Janeiro).

Food plant: Unknown.

***Acentroptera zikani* Uhmman 1935d**

Acentroptera zikani Uhmman 1935d:50 (type: Brazil, Minas Gerais, Virginia, Faz. Campos, DEI). Papp 1953:51 (catalog); Uhmman 1957b:66 (catalog); Gaedike & Döbler 1971:363 (types); Staines 1997b:411 (Uhmman species list). 2014:13 (revision).

Distribution: Brazil (Minas Gerais).

Food plant: Unknown.

***Ocnosispa* Weise 1910b**

Sceloenopla (*Ocnosispa*) 1910b:113. Type species: *Chalepus cardinalis* Guérin-Méneville, by original designation. Weise 1911a:19 (catalog), 1911b:26 (catalog); Uhmman 1937c:205 (noted); Uhmman 1954g:357 (nomenclature), 1957b:63 (catalog), 1964a:411 (catalog); Papp 1953:49 (catalog); Descarpentries & Villiers 1959a:144 (types); Wilcox 1975:140 (catalog); Staines 1997b:419 (Uhmman species list).

Ocnosispa Weise. Staines 2002a:748 (genera), 2002b:3 (Central America species).

***Ocnosispa aemula* (Weise 1910a)**

Cephalodonta (Ocnosispa) aemula Weise 1910a:120 (type: Brazil, Aragua, ZMHB). Weise 1911a:19 (catalog), 1911b:26 (catalog); Guérin 1953:100 (faunal list).

Sceloenopla (Ocnosispa) aemula (Weise). Papp 1953:49 (catalog); Uhmman 1957b:63 (catalog).

Distribution: Brazil.

Food plant: Unknown.

***Ocnosispa armata* (Baly 1858)**

Cephalodonta armata Dejean 1837:388 Nomen Nudum.

Cephalodonta armata Baly 1858:129 (type: Paraguay, Montevideo, BMNH). Gemminger & Harold 1876:3615 (catalog); Donckier 1899:594 (catalog); Guérin 1953:100 (faunal list); Staines & Staines 1999:523 (Baly species list).

Cephalodonta (Ocnosispa) armata Baly. Weise 1911a:19 (catalog), 1911b:26 (catalog).

Sceloenopla (Ocnosispa) armata (Baly). Uhmman 1937c:213 (noted), 1957b:63 (catalog); Papp 1953:49 (catalog).

Distribution: Paraguay.

Food plants: Unknown.

***Ocnosispa arrowi* (Uhmman 1938c)**

Sceloenopla (Ocnosispa) arrowi Uhmman 1938c:109 (type: Colombia, Magdalena Valley, El Blanco, BMNH). Uhmman 1950b:337 (type), 1957b:63 (catalog); Papp 1953:49 (catalog); Gaedike & Döbler 1971:342 (types); Staines 1997b:419 (Uhmman species list).

Distribution: Colombia.

Food plants: Unknown.

***Ocnosispa atripennis* (Pic 1929d)**

Sceloenopla (Ocnosispa) atripennis Pic 1929d:11 (type: Peru, Huallaga, MNHN). Papp 1953:49 (catalog); Uhmman 1953d:50 (faunal list); Descarpentries & Villiers 1959a:144 (types).

Sceloenopla atripennis Pic. Uhmman 1957b:64 (catalog), 1964a:411 (catalog).

Distribution: Peru.

Food plants: Unknown.

***Ocnosispa batesii* (Baly 1858)**

Cephalodonta batesii Baly 1858:126 (type: Amazonas, BMNH). Gemminger & Harold 1876:3615 (catalog); Donckier 1899:594 (catalog); Staines & Staines 1999:523 (Baly species list).

Cephalodonta (Ocnosispa) batesii (Baly). Weise 1911a:19 (catalog), 1911b:26 (catalog).

Sceloenopla (Ocnosispa) batesii (Baly). Uhmman 1957b:64 (catalog).

Sceloenopla (Ocnosispa) batesi (Baly). Papp 1953:49 (lapsus calami, catalog).

Distribution: Brazil (Amazonas).

Food plants: Unknown.

***Ocnosispa bilineaticollis* (Pic 1937e)**

Sceloenopla (*Pseudispa*) *bilineaticollis* Pic 1937e:16 (type: Brazil, MNHN). Descarpentries & Villiers 1959a:144 (type).

Sceloenopla (*Ocnosispa*) *bilineaticollis* Pic. Papp 1953:49 (catalog); Uhmman 1957b:64 (catalog).

Distribution: Brazil.

Food plants: Unknown.

***Ocnosispa cardinalis* (Guérin-Méneville 1844a)**

Sceloenopla cardinalis Dejean 1837:388 Nomen Nudum.

Chalepus cardinalis Guérin-Méneville 1844a:269 (type: Brazil, depository unknown). Uhmman 1966d:271 (noted).

Sceloenopla cardinalis (Guérin-Méneville). Chevrolat 1848a:412 (noted); Gemminger & Harold 1876:3615 (catalog).

Cephalodonta cardinalis (Guérin-Méneville). Baly 1858:126 (noted); Donckier 1899:595 (catalog).

Cephalodonta (*Ocnosispa*) *cardinalis* (Guérin-Méneville). Weise 1911a:19 (catalog), 1911b:26 (catalog).

Sceloenopla (*Ocnosispa*) *cardinalis* (Guérin-Méneville). Uhmman 1950b:337 (noted), 1957b:64 (catalog); Papp 1953:49 (catalog).

Distribution: Brazil.

Food plants: Unknown.

***Ocnosispa coccinea* (Guérin-Méneville 1844a)**

Hispa coccinea Dejean 1821:115 Nomen Nudum.

Cephalodonta coccinea Guérin-Méneville 1844a:276 (type: Cayenne, depository unknown). Baly 1858:128 (noted); Gemminger & Harold 1876:3615 (catalog); Donckier 1899:595 (catalog); Uhmman 1966d:271 (noted).

Cephalodonta (*Ocnosispa*) *coccinea* (Guérin-Méneville). Weise 1911a:19 (catalog), 1911b:26 (catalog).

Sceloenopla (*Ocnosispa*) *coccinea* (Guérin-Méneville). Uhmman 1937c:212 (noted), 1957b:64 (catalog); Papp 1953:49 (catalog).

Cephalodonta generosa Dejean 1837:388 Nomen Nudum.

Cephalodonta generosa Guérin-Méneville 1844a:276 (type: Cayenne, depository unknown). Baly 1858:130 (noted); Gemminger & Harold 1876:3615 (catalog); Donckier 1899:595 (catalog); Uhmman 1937:212 (synonymy), 1966d:272 (noted).

Cephalodonta (*Ocnosispa*) *generosa* Guérin-Méneville. Weise 1911a:19 (catalog), 1911b:26 (catalog).

Distribution: French Guyana.

Food plants: Unknown.

***Ocnosispa condyla* Staines 2002b**

Ocnosispa condyla Staines 2002b:3 (type: Costa Rica, Prov. Cartago, Quebrada Segunda Ref. Nac. Fauna Silv. Tapanti, INBio).

Distribution: Costa Rica.

Food plant: Unknown.

***Ocnosispa conicicollis* (Baly 1858)**

Cephalodonta conicicollis Baly 1858:128 (type: Brazil; Amazonas, BMNH). Staines & Staines 1999:523 (Baly species list).

Cephalodonta (Ocnosispa) conicicollis (Baly). Weise 1905g:93 (subgenus placement), 1911a:19 (catalog), 1911b:26 (catalog).

Sceloenopla (Ocnosispa) conicicollis (Baly). Uhmann 1935d:50 (faunal list), 1937c:213 (noted), 1950b:325 (museum list), 1957b:64 (catalog), 1964b:5 (faunal list); Papp 1953:49 (catalog).

Distribution: Brazil (Amazonas, Minas Gerais, São Paulo).

Food plants: Unknown.

***Ocnosispa denieri* (Uhmann 1940f)**

Sceloenopla (Ocnosispa) denieri Uhmann 1940f:119 (type: Bolivia, S. Yungas, Chulumani, DEI). Papp 1953:49 (catalog); Uhmann 1957b:64 (catalog); Gaedike & Döbler 1971:347 (types); Staines 1997b:419 (Uhmann species list); Cabrera & Roig-Juñent 1998:13 (types).

Distribution: Bolivia.

Food plants: Unknown.

***Ocnosispa depressa* Staines 2002b**

Ocnosispa depressa Staines 2002b:5 (type: Costa Rica, Prov. Cartago, Grano de Oro, Chirripó Turrialba, INBio).

Distribution: Costa Rica.

Food plant: Unknown.

***Ocnosispa flohri* (Weise 1910a)**

Cephalodonta (Ocnosispa) flohri Weise 1910a:118 (type: México, ZMHB). Weise 1911a:19 (catalog), 1911b:26 (catalog).

Sceloenopla (Ocnosispa) flohri (Weise). Papp 1953:49 (catalog); Uhmann 1957b:64 (catalog); Wilcox 1975:140 (catalog).

Ocnosispa flohri (Weise). Staines 2002b:3 (Central America species).

Distribution: México.

Food plant: Unknown.

***Ocnosispa humerosa* Staines 2002b**

Ocnosispa humerosa Staines 2002b:5 (type: Costa Rica, Heredia, Est. Biol. La Selva, INBio). Santiago-Blay 2004:68 (host plants); Staines 2011b:55 (faunal list).

Distribution: Costa Rica.

Food plant: Taken fogging *Conceveiba pleiostemona* Donn. Smith (Euphorbiaceae) (Staines 2002b).

***Ocnosispa lateralis* (Baly 1858)**

Cephalodonta lateralis Baly 1858:131 (type: Peru, BMNH). Gemminger & Harold 1876:3615 (catalog); Donckier 1899:596 (catalog); Staines & Staines 1999:523 (Baly species list).

Cephalodonta (Ocnosispa) lateralis (Baly). Weise 1911a:19 (catalog), 1911b:26 (catalog).

Sceloenopla (Ocnosispa) lateralis (Baly). Papp 1953:49 (catalog); Uhmman 1953d:50 (faunal list), 1957b:64 (catalog).

Distribution: Peru.

Food plants: Unknown.

***Ocnosispa magnifica* (Uhmman 1932c)**

Sceloenopla (Ocnosispa) magnifica Uhmman 1932c:263 (type: Bolivia, Coroico, DEI). Papp 1953:49 (catalog); Uhmman 1957b:64 (catalog); Gaedike & Döbler 1971:353 (types); Staines 1997b:419 (Uhmman species list).

Distribution: Bolivia.

Food plants: Unknown.

***Ocnosispa nubila* (Weise 1910a)**

Cephalodonta (Ocnosispa) nubila Weise 1910a:119 (type: México, ZMHB). Weise 1911a:19 (catalog), 1911b:26 (catalog).

Sceloenopla (Ocnosispa) nubila (Weise). Uhmman 1937c:212 (noted), 1957b:64 (catalog); Papp 1953:49 (catalog); Wilcox 1975:140 (catalog).

Ocnosispa nubila (Weise). Staines 2002b:3 (Central America species).

Distribution: México.

Food plant: Unknown.

***Ocnosispa pectoralis* (Uhmman 1950a)**

Sceloenopla (Ocnosispa) pectoralis Uhmman 1950a:263 (type: Brazil, Bahia, BMNH). Uhmman 1957b:64 (catalog); Gaedike & Döbler 1971:356 (types); Staines 1997b:419 (Uhmman species list).

Distribution: Brazil (Bahia).

Food plants: Unknown.

***Ocnosispa sachtlebeni* Uhmman 1957g**

Sceloenopla (Ocnosispa) sachtlebeni Uhmman 1957g:39 (type: Bolivia, Buenavista, DEI).

Uhmman 1964a:411 (catalog); Gaedike & Döbler 1971:359 (types); Staines 1997b:419 (Uhmman species list).

Distribution: Bolivia.

Food plant: Unknown.

***Ocnosispa sallei* (Baly 1858)**

Cephalodonta sallei Baly 1858:150 (type: México, Cordova, BMNH). Gemminger & Harold 1876:3616 (catalog); Baly 1885:37 (noted); Donckier 1899:597 (catalog); Weise 1911a:19 (catalog), 1911b:26 (catalog); Staines & Staines 1999:523 (Baly species list).

Sceloenopla (*Ocnosispa*) *sallei* (Baly). Papp 1953:50 (catalog); Uhmann 1957b:64 (catalog); Wilcox 1975:140 (catalog).

Ocnosispa sallei (Baly). Staines 2002b:3 (Central America species).

Distribution: Belize, México.

Food plant: Unknown.

***Ocnosispa simoni* (Pic 1934b)**

Sceloenopla (*Ocnosispa*) *simoni* Pic 1934b:156 (type: Venezuela, San Esteban, MNHN?). Papp 1953:50 (catalog); Uhmann 1957b:64 (catalog).

Cephalodonta simoni (Pic). Bryant 1942:205 (faunal list).

Distribution: Venezuela.

Food plant: Unknown.

***Ocnosispa trifasciata* (Weise 1910a)**

Cephalodonta (*Ocnosispa*) *trifasciata* Weise 1910a:119 (type: Colombia, St. Antonio, ZMHB). Weise 1911a:19 (catalog), 1911b:26 (catalog).

Sceloenopla (*Ocnosispa*) *trifasciata* (Weise). Uhmann 1937c:212 (noted), 1957b:64 (catalog); Papp 1953:50 (catalog).

Distribution: Colombia.

Food plant: Unknown.

***Pseudispa* Chapuis 1875**

Cephalodonta (*Pseudispa*) Chapuis 1875:328. Type species: *Cephalodonta marginata* GuérinMénéville, by original designation. Weise 1904b:441 (noted), 1911a:17 (catalog), 1911b:25 (catalog); Uhmann 1937c:205 (noted); Bryant 1942:205 (faunal list).

Sceloenopla (*Pseudispa*) Chapuis. Monrós & Viana 1947:187 (Argentina species); Papp 1953:44 (catalog); Uhmann 1954g:357 (nomenclature), 1957b:65 (catalog), 1964a:411 (catalog); Descarpentries & Villiers 1959a:144 (types); Wilcox 1975:140 (catalog); Staines 1997b:419 (Uhmann species list).

Pseudispa Chapuis. Heyne & Taschenberg 1908:252 (noted); Staines 2002a:748 (genera), 2002b:6 (Central America species).

***Pseudispa annulicornis* (Pic 1934b)**

Cephalodonta (*Pseudispa*) *annulicornis* Pic 1934b:156 (type: Venezuela, San Esteban, MNHN).

Cephalodonta annulicornis Pic. Bryant 1942:205 (faunal list).

Sceloenopla (*Pseudispa*) *annulicornis* (Pic). Papp 1953:44 (catalog); Uhmann 1956e:563 (noted), 1957b:65 (catalog), 1964a:411 (catalog).

Distribution: Venezuela.

Food plant: Unknown.

***Pseudispa baeri* Pic 1928d**

Pseudispa baeri Pic 1928:36 (type: Peru, Huallaga, MNHN).

Cephalodonta (Pseudispa) baeri Pic. Descarpentries & Villiers 1959a:144 (types).

Sceloenopla (Pseudispa) baeri (Pic). Papp 1953:44 (catalog); Uhmman 1953d:50 (faunal list), 1957b:65 (catalog), 1964a:411 (catalog).

Distribution: Peru.

Food plant: Unknown.

***Pseudispa bellula* Staines 2002b**

Pseudispa bellula Staines 2002b:7 (type: Costa Rica, Prov. Limon, Sector Cerro Cocori, Fca. De E. Rojas, INBio).

Distribution: Costa Rica.

Food plant: Unknown.

***Pseudispa breveapicalis* (Pic 1934c)**

Cephalodonta (Pseudispa) breveapicalis Pic 1934c:7 (type: México, NMNH).

Sceloenopla (Pseudispa) breveapicalis (Pic). Papp 1953:44 (catalog); Uhmman 1957b:65 (catalog); Descarpentries & Villiers 1959a:144 (types); Wilcox 1975:140 (catalog).

Pseudispa breveapicalis (Pic). Staines 2002b:7 (Central America species).

Distribution: México.

Food plant: Unknown.

***Pseudispa bruchi* (Weise 1904b)**

Cephalodonta bruchi Weise 1904b:443 (type: Argentina, Buenos Aires, ZMHB, MACN).

Weise 1906b:222 (noted); Bachmann & Cabrera 2010:61 (types).

Cephalodonta (Pseudispa) bruchi (Weise). Weise 1911a:17 (catalog), 1911b:25 (catalog); Bruch 1915:376 (faunal list).

Sceloenopla (Pseudispa) bruchi (Weise). Bruch 1928b:203 (faunal list); Spaeth 1937a:144 (faunal list); Monrós & Viana 1947:189 (Argentina species); Papp 1953:44 (catalog); Uhmman 1957b:65 (catalog).

Distribution: Argentina.

Food plant: Unknown.

***Pseudispa brunni* (Weise 1910a)**

Cephalodonta (Pseudispa) brunni Weise 1910a:122 (type: Brazil, Humboldt, Colonie HansaJoinville, ZMUH). Weise 1911a:17 (catalog), 1911b:25 (catalog).

Sceloenopla (Pseudispa) brunni (Weise). Papp 1953:44 (catalog); Uhmman 1932a:36 (museum list), 1957b:65 (catalog), 1964a:411 (catalog).

Distribution: Brazil.

Food plant: Unknown.

***Pseudispa clara* (Weise 1904b)**

Cephalodonta clara Weise 1904b:442 (type: Brazil, Goyaz, Jatahy, MNHN). Descarpentries & Villiers 1959a:144 (types).

Cephalodonta (Pseudispa) clara (Weise). Weise 1911a:17 (catalog), 1911b:25 (catalog).

Sceloenopla (Pseudispa) clara (Weise). Monrós & Viana 1947:188 (Argentina species); Papp 1953:44 (catalog); Uhmman 1957b:65 (catalog).

Cephalodonta (Pseudispa) clara separata Pic 1934e:143 (type: Brazil, MNHN).

Sceloenopla (Pseudispa) clara separata Pic. Papp 1953:44 (catalog); Uhmman 1964a:411 (catalog).

Distribution: Argentina, Brazil (Goyaz).

Food plant: Unknown.

***Pseudispa donckieri* (Weise 1904b)**

Cephalodonta donckieri Weise 1904b:443 (type: Brazil, Goyaz, Jatahy, MNHN). Descarpentries & Villiers 1959a:143 (types).

Cephalodonta (Pseudispa) donckieri Weise. Weise 1911a:17 (catalog), 1911b:25 (catalog); Monrós & Viana 1947:190 (Argentina species).

Sceloenopla (Pseudispa) donckieri (Weise). Spaeth 1937a:144 (faunal list); Papp 1953:44 (catalog).

Sceloenopla donckieri (Weise). Uhmman 1937c:205 (noted), 1957b:55 (catalog).

Distribution: Argentina, Brazil (Goyaz).

Food plant: Unknown.

***Pseudispa fulvolimbata* (Baly 1858)**

Cephalodonta fulvolimbata Baly 1858:144 (type: Brazil, BMNH). Gemminger & Harold 1876:3615 (catalog); Donckier 1899:596 (catalog); Staines & Staines 1999:523 (Baly species list).

Sceloenopla (Pseudispa) fulvolimbata (Baly). Weise 1911a:17 (catalog), 1911b:25 (catalog); Papp 1953:44 (catalog); Papp 1953:44 (catalog); Uhmman 1957b:65 (catalog).

Pseudispa fulvolimbata (Baly). Staines 2002b:7 (Central America species), 2011b:55 (faunal list); Flowers & Hanson 2003:51 (distribution).

Distribution: Costa Rica, Panamá.

Food plant: Unknown.

***Pseudispa gemmans* (Baly 1885)**

Cephalodonta gemmans Baly 1885:32 (type: Costa Rica, Las Mercedes, BMNH). Donckier 1899:596 (catalog); Weise 1911a:16 (catalog), 1911b:24 (catalog); Staines & Staines 1999:523 (Baly species list).

Sceloenopla gemmans (Baly). Uhmman 1937c:206 (transfer); Papp 1953:40 (catalog); Uhmman 1957b:57 (catalog); Wilcox 1975:139 (catalog).

Cephalodonta generosa Baly 1885:32 (not Guérin-Méneville). Name preoccupied.

Pseudispa gemmans (Baly). Staines 2002b:10 (transfer).

Distribution: Guatemala, Costa Rica.

Food plant: Unknown.

***Pseudispa humerosa* (Weise 1904b)**

Cephalodonta humerosa Weise 1904b:441 (type: Brazil, ZMUH).

Cephalodonta (Pseudispa) humerosa Weise. Weise 1910a:123 (noted), 1911a:17 (catalog), 1911b:25 (catalog).

Sceloenopla (Pseudispa) humerosa (Weise). Papp 1953:44 (catalog); Uhmman 1957b:65 (catalog).

Distribution: Brazil.

Food plant: Unknown.

***Pseudispa marginata* (Guérin-Méneville 1844a)**

Cephalodonta marginata Guérin-Méneville 1844a:276 (type: Brazil, depository unknown). Baly 1858:144 (noted); Donckier 1899:596 (catalog); Weise 1904b:441 (noted); Guérin 1953:100 (faunal list); Uhmman 1966d:272 (noted).

Cephalodonta (Pseudispa) marginata (Guérin-Méneville). Chapuis 1875:329 (noted); Weise 1910a:123 (noted), 1911a:17 (catalog), 1911b:25 (catalog).

Sceloenopla (Pseudispa) marginata (Guérin-Méneville). Uhmman 1935d:49 (faunal list), 1957b:65 (catalog), 1964a:411 (catalog), 1964b:6 (faunal list); Papp 1953:44 (catalog).

Sceloenopla marginata (Guérin-Méneville). Buck 1958:147 (museum list).

Distribution: Brazil (Parana, Rio Grande do Sul, São Paulo).

Food plant: Unknown.

***Pseudispa postfasciata* (Pic 1934e)**

Cephalodonta (Pseudispa) postfasciata Pic 1934e:143 (type: Brazil, Jatahy, MNHN).

Sceloenopla postfasciata Pic. Papp 1953:42 (catalog).

Sceloenopla (Pseudispa) postfasciata (Pic). Uhmman 1964a:411 (catalog).

Distribution: Brazil (Goyaz).

Food plant: Unknown.

***Pseudispa quadricolor* (Weise 1921a)**

Sceloenopla (Pseudispa) quadricolor Weise 1921a:263 (type: Peru, Callanga, ZMHB). Papp 1953:44 (catalog); Uhmman 1957b:65 (catalog), 1959c:622 (museum list), 1964a:411 (catalog); Gaedike & Döbler 1971:358 (types).

Pseudispa basicornis Pic 1928d:36 (type: Peru, Marcapata, MNHN).

Cephalodonta (Pseudispa) basicornis Pic. Descarpentries & Villiers 1959a:144 (type).

Sceloenopla (Pseudispa) basicornis (Pic). Uhmman 1953d:50 (faunal list), 1957b:65 (catalog), 1959c:622 (noted), 1961b:43 (noted), 1964a:411 (catalog).

Distribution: Peru.

Food plant: Unknown.

***Pseudispa sinuata* Staines 2002b**

Pseudispa sinuata Staines 2002b:8 (type: Costa Rica, Prov. Heredia, 16 km SSE La Virgen, INBio).

Distribution: Costa Rica, Panamá.

Food plant: Unknown.

***Pseudispa tuberculata* Staines 2002b**

Pseudispa tuberculata Staines 2002b:9 (type: Costa Rica, Prov. Punt., Fca. Cafrosa, Est. La Mellizas, P. N. Armistad, INBio). Naczi & Staines 2011:4 (faunal list).

Distribution: Belize, Costa Rica, México, Panamá.

Food plant: Unknown.

***Pseudispa viridis* (Pic 1934c)**

Cephalodonta (Pseudispa) viridis Pic 1934c:7 (type: Brazil, MNHN). Descarpentries & Villiers 1959a:144 (types).

Sceloenopla (Pseudispa) viridis (Pic). Papp 1953:44 (catalog); Uhmman 1957b:65 (catalog).

Distribution: Brazil.

Food plant: Unknown.

***Pseudispa zikani* (Uhmman 1935d)**

Sceloenopla (Pseudispa) zikani Uhmman 1935d:49 (type: Brazil, Espírtio Santo, DEI). Papp 1953:44 (catalog); Uhmman 1957b:65 (catalog); Gaedike & Döbler 1971:363 (types); Staines 1997b:419 (Uhmman species list).

Distribution: Brazil.

Food plant: Unknown.

***Sceloenopla* Chevrolat 1836**

Sceloenopla Chevrolat 1836:388. Type species:*Hispa maculata* Olivier [=*Hispa spinipes* Fabricius], designated by Baly 1858. Blanchard 1845:181 (noted); Chevrolat 1848a:411 (redescription); Heyne & Taschenberg 1908:252 (noted); Weise 1916:38 (nomenclature); Bruch 1928b:202 (faunal list); Uhmman 1937c:205 (noted), 1953d:49 (faunal list), 1954g:357 (nomenclature), 1957b:52 (catalog), 1964a:408 (catalog); Barber & Bridwell 1940:7 (nomenclature); Monrós & Viana 1947:185 (Argentina species); Papp 1953:39 (catalog); Monrós & Bechyné 1956:1135 (type species); Buck 1958:146 (museum list); Descarpentries & Villiers 1959a:142 (types); Sanderson 1967:135 (noted); Wilcox 1975:139 (catalog); Jolivet 1989b:301 (noted), 1997:56, 105 (noted); Maes & Staines 1991:39 (faunal list); Jolivet & Hawkeswood 1995:145 (host plants); Staines 1997b:418 (Uhmman species list), 2002a:748 (redescription), 2002b:11 (noted), 2005:48 (Spaeth species list), 2009b:24 (redescription); Santiago-Blay 2004:78 (host plants); Chaboo 2007:34 (noted); Perez-Gelabert 2008:125 (faunal list).

Cephalodonta Chevrolat 1836:388 Nomen Nudum. Barber & Bridwell 1940:7 (nomenclature).

Cephalodonta Chevrolat 1843:272. Type species:*Chalepus goniapterus* Perty, designated by Baly 1858. Guérin-Méneville 1844a:269 (noted); Orbigny 1845:60 (noted); Baly 1858:124 (redescription), 1885:32 (distribution); Chenu & Desmarest 1870:341 (noted); Chenu 1884:341 (noted); Weise 1910a:113 (noted), 1910b:115 (noted), 1911a:16

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera:Chrysomelidae:Cassidinae). Sceloenoplini.

(catalog), 1911b:23 (redescription); Bruch 1915:376 (faunal list); Handlirsch 1925:666 (classification); Barber & Bridwell 1940:7 (nomenclature); Staines & Staines 1999:523 (Baly species list); Chaboo 2007:62 (noted).

Cephalodonta Baly. Chapuis 1875:323 (misattribution, redescription); Donckier 1899:594 (catalog); Gahan 1900:438 (stridulation), 1913:36 (mimicry); Weise 1916:38 (nomenclature); Bryant 1942:205 (faunal list); Guérin 1953:99 (faunal list); Tavakilian 2004:1 (mimicry).

Microdonta Chevrolat 1836:388 (not Hope 1837). Type species: *Hispa serraticornis* Fabricius, designated by Chevrolat 1846. Guérin-Ménéville 1844a:269 (noted); Chevrolat 1846:197 (noted), 1847:7 (noted); Orbigny 1846:197 (noted); Chenu & Desmarest 1870:341 (noted); Chenu 1884:341 (noted); Heyne & Taschenberg 1908:252 (noted); Barber & Bridwell 1940:7 (nomenclature); Monrós & Bechyné 1956:1135 (type species).

Cephalodonta (Microdonta). Baly 1858:151 (redescription); Chapuis 1875:328 (redescription); Weise 1911a:18 (catalog), 1911b:25 (catalog); Uhmman 1937c:204 (noted), 1954g:357 (synonymy); Papp 1953:44 (catalog).

Cephalodonta Baly. Gemminger & Harold 1876:3614 (catalog).

Chalepotatus (Macrochalepus) Pic 1929a:4. Type species: *Chalepotatus antennalis* (Weise), by monotypy. Monrós & Viana 1947:186 (Argentina species).

Chalepus Girard 1873:785 (not Thunberg). Uhmman 1964a:408 (catalog).

***Sceloenopla abbreviata* (Baly 1885)**

Cephalodonta abbreviata Baly 1885:42 (type: Panamá, Bugabá, BMNH). Donckier 1899:594 (catalog); Weise 1911a:16 (catalog), 1911b:24 (catalog); Staines & Staines 1999:523 (Baly species list).

Sceloenopla abbreviata (Baly). Papp 1953:39 (catalog); Uhmman 1957b:53 (catalog); Wilcox 1975:139 (catalog).

Distribution: Panamá.

Food plant: Unknown.

***Sceloenopla albofasicata* Pic 1937b**

Sceloenopla (Microdonta) albofasicata Pic 1937b:25 (type: French Guyana, St. Laurent du Maroni, MNHN). Papp 1953:45 (catalog); Descarpentries & Villiers 1959a:142 (types).

Sceloenopla albofasicata Pic. Uhmman 1957b:53 (catalog), 1964a:408 (catalog).

Distribution: French Guyana.

Food plant: Unknown.

***Sceloenopla ampliata* (Baly 1885)**

Cephalodonta ampliata Baly 1885 (type: Nicaragua, Chontales, Santo Domingo, BMNH). Donckier 1899:594 (catalog); Weise 1911a:16 (catalog), 1911b:24 (catalog); Staines & Staines 1999:523 (Baly species list).

Sceloenopla (Microdonta) ampliata (Baly). Papp 1953:45 (catalog).

Sceloenopla ampliata (Baly). Uhmman 1957b:53 (catalog); Wilcox 1975:139 (catalog); Maes & Staines 1991:39 (faunal list); Staines 1996(1997):51 (Nicaragua species).

Distribution: Nicaragua.

Food plant: Unknown.

***Sceloenopla anchoralis* (Baly 1858)**

Cephalodonta anchoralis Baly 1858:146 (type: Peru, BMNH). Gemminger & Harold 1876:3614 (catalog); Donckier 1899:594 (catalog); Weise 1911a:16 (catalog), 1911b:24 (catalog); Staines & Staines 1999:523 (Baly species list).

Sceloenopla anchoralis (Baly). Uhmman 1937c:207 (noted), 1953d:49 (faunal list), 1957b:53 (catalog); Papp 1953:45 (catalog); Staines 2002b:12 (noted).

Distribution: Peru.

Food plant: Unknown.

***Sceloenopla annulipes* Pic 1932**

Cephalodonta (Microdonta) annulipes Pic 1932a:15 (type: Peru, Marcapata, MNHN).

Sceloenopla (Microdonta) annulipes Pic. Papp 1953:45 (catalog); Descarpentries & Villiers 1959a:142 (types).

Sceloenopla annulipes Pic. Uhmman 1953d:49 (faunal list), 1957b:53 (catalog), 1961b:34 (noted), 1964a:408 (catalog).

Distribution: Peru.

Food plant: Unknown.

***Sceloenopla antennata* (Baly 1885)**

Cephalodonta antennata Baly 1885:40 (type: Panamá, Volcán de Chiriquí, BMNH). Donckier 1899:594 (catalog); Weise 1911a:16 (catalog), 1911b:24 (catalog); Staines & Staines 1999:523 (Baly species list).

Sceloenopla (Microdonta) antennata (Baly). Uhmman 1930e:240 (faunal list), 1937c:207 (noted); Papp 1953:45 (catalog).

Sceloenopla antennata (Baly). Uhmman 1957b:53 (catalog); Wilcox 1975:139 (catalog); Staines 2002b:13 (noted), 2011b:55 (faunal list); Flowers & Hanson 2003:51 (distribution).

Distribution: Costa Rica.

Food plant: Unknown.

***Sceloenopla apicalis* (Baly 1858)**

Cephalodonta (Microdonta) apicalis Baly 1858:158 (type: Brazil, Ega; Villa Nova; Upper Amazonas, BMNH). Gemminger & Harold 1876:3615 (catalog); Weise 1911a:18 (catalog), 1911b:26 (catalog); Staines & Staines 1999:523 (Baly species list).

Cephalodonta apicalis Baly. Donckier 1899:594 (catalog).

Sceloenopla (Microdonta) apicalis (Baly). Papp 1953:45 (catalog).

Sceloenopla apicalis (Baly). Uhmman 1957b:53 (catalog).

Distribution: Brazil (Amazonas).

Food plant: Unknown.

***Sceloenopla apicicornis* (Guérin-Méneville 1844a)**

Cephalodonta (Microdonta) apicicornis Guérin-Méneville 1844a:272 (type: Colombia, Santa Fe de Bogotá, depository unknown). Baly 1858:155 (noted); Weise 1911a:18 (catalog), 1911b:25 (catalog); Uhmman 1966d:271 (noted).

Cephalodonta apicicornis Guérin-Méneville. Gemminger & Harold 1876:3615 (catalog); Donckier 1899:594 (catalog).

Sceloenopla (Microdonta) apicicornis (Guérin-Méneville). Uhmman 1937c:207 (noted); Papp 1953:45 (catalog).

Sceloenopla apicicornis (Guérin-Méneville). Uhmman 1957b:53 (catalog); Staines 2002b:13 (noted).

Sceloenopla (Microdonta) apicicornis perroudi Pic 1934c:2 (type: Colombia, MNHN?). Papp 1953:45 (catalog).

Distribution: Colombia.

Food plant: Unknown.

***Sceloenopla apicispina* Staines 2002b**

Sceloenopla apicispina Staines 2002b:16 (type: Costa Rica, Tierras Morenas, Bajo Los Cartagos, San Lorenzo, INBio).

Distribution: Costa Rica.

Food plant: Unknown.

***Sceloenopla atricollis* (Weise 1910a)**

Cephalodonta (Microdonta) atricollis Weise 1910a:116 (type: Ecuador, Santa Inez, ZMHB). Weise 1911a:18 (catalog), 1911b:25 (catalog); Gaedike & Döbler 1971:343 (types).

Sceloenopla (Microdonta) atricollis (Weise). Uhmman 1937c:207 (noted); Papp 1953:45 (catalog).

Sceloenopla atricollis (Weise). Uhmman 1957b:53 (catalog); Staines 2002b:13 (noted).

Cephalodonta (Microdonta) atricollis var. A Weise 1910a:116.

Cephalodonta (Microdonta) atricollis var. B Weise 1910a:116.

Distribution: Ecuador.

Food plant: Unknown.

***Sceloenopla atricornis* Pic 1929d**

Sceloenopla (Microdonta) atricornis Pic 1929d:6 (type: Brazil, MNHN). Descarpentries & Villiers 1959a:142 (types).

Sceloenopla atricornis Pic. Uhmman 1957b:53 (catalog).

Distribution: Brazil.

Food plant: Unknown.

***Sceloenopla atrospina* Pic 1929d**

Cephalodonta atrospina Pic 1929d:10 (type: French Guyana, Maroni, MNHN). Descarpentries & Villiers 1959a:143 (types).

Sceloenopla atrospina Pic. Papp 1953:39 (catalog); Uhmman 1957b:53 (catalog), 1961b:35 (noted), 1964a:408 (catalog).

Distribution: French Guyana.

Food plant: Unknown.

***Sceloenopla bahiana* Uhmman 1938d**

Sceloenopla bahiana Uhmman 1938d:412 (type: Brazil, Bahia, BMNH). Bondar 1938:18 (host plants); Papp 1953:39 (catalog); Lima 1955:208 (faunal list); Gaedike & Döbler 1971:343 (types); Silva *et al.* 1985:40 (museum list); Staines 1997b:418 (Uhmman species list).

Distribution: Brazil (Bahia).

Food plant: Rubiaceae (Bondar 1938).

***Sceloenopla balyi* (Grimshaw 1897)**

Cephalodonta balyi Grimshaw 1897:10 (replacement name). Donckier 1899:594 (catalog).

Cephalodonta maculata Baly 1885:35 (not Olivier) (type: Guatemala, Vera Paz, Sinanja, BMNH). Staines & Staines 1999:523 (Baly species list).

Sceloenopla balyi (Grimshaw). Papp 1953:39 (catalog); Uhmman 1957b:53 (catalog); Wilcox 1975:139 (catalog).

Distribution: Guatemala.

Food plant: Unknown.

***Sceloenopla basalis* (Pic 1929a)**

Cephalodonta (Microdonta) basalis Pic 1929a:148 (type: Peru, Huallaga, MNHN).

Sceloenopla (Microdonta) basalis Pic. Papp 1953:45 (catalog); Descarpentries & Villiers 1959a:143 (types).

Sceloenopla basalis Pic. Uhmman 1953d:49 (faunal list), 1957b:53 (catalog), 1961b:35 (noted), 1964a:408 (catalog).

Distribution: Peru.

Food plant: Unknown.

***Sceloenopla bicolorata* Staines 2002b**

Sceloenopla bicolorata Staines 2002b:16 (type: Costa Rica, Prov. Heredia, F. La Selva, 3 km S Pto. Viejo, INBio). Santiago-Blay 2004:77 (host plants); Staines 2011b:55 (faunal list).

Sceloenopla sp. 3. Hespenheide & Dang 1999:383 (host plant).

Distribution: Costa Rica.

Food plant: Taken on the undersides of leaves of *Sterculia recordiana papyracea* E. Taylor (Sterculiaceae) (Hespenheide & Dang 1999).

***Sceloenopla bicoloricornis* Pic 1929d**

Sceloenopla (Microdonta) bicoloricornis Pic 1929d:5 (type: Bolivia, Cochabamba, MNHN).

Papp 1953:45 (catalog); Descarpentries & Villiers 1959a:143 (types).

Sceloenopla bicoloricornis Pic. Uhmman 1957b:53 (catalog), 1961b:37 (noted), 1964a:408 (catalog).

Distribution: Bolivia.

Food plant: Unknown.

***Sceloenopla bidens* (Fabricius 1792)**

Hispa bidens Fabricius 1792:73 (type: Suriname, MNHN?). Olivier 1792:97 (noted), 1808:770 (noted); Fabricius 1801b:64 (noted); Gyllenhal 1817:5 (noted); Schönherr 1817:7 (catalog); Zimsen 1964:126 (types).

Cephalodonta bidens (Fabricius). Baly 1858:145 (transfer); Gemminger & Harold 1876:3615 (catalog); Donckier 1899:594 (catalog); Weise 1911a:16 (catalog), 1911b:24 (catalog).

Sceloenopla bidens (Fabricius). Uhmman 1937c:206 (noted), 1953d:49 (faunal list), 1954g:359 (noted), 1957b:53 (catalog), 1964a:408 (catalog); Papp 1953:39 (catalog); Costa *et al.* 1988:247 (larva); Lurenção *et al.* 1991:77 (biology); Cox 1996a:173 (pupa); Staines 2002b:12 (noted); Santiago-Blay 2004:77 (host plants).

Distribution: Brazil, Colombia, Ecuador, French Guyana, Peru, Suriname.

Food plant: *Philodendron renauxii* Reitz (Costa *et al.* 1988); *Philodendron* sp. (Araceae) (Lurenção *et al.* 1991).

***Sceloenopla bidentata* Staines 2002b**

Sceloenopla bidentata Staines 2002b:18 (type: Costa Rica:Heredia, Est. Biol. La Selva, INBio). Staines 2011b:55 (faunal list).

Distribution: Costa Rica.

Food plant: Unknown.

***Sceloenopla bilineata* Pic 1929d**

Sceloenopla (Microdonta) bilineata Pic 1929d:4 (type: Bolivia, Cochabamba, MNHN). Descarpentries & Villiers 1959a:143 (types).

Chalepus (Macrochalepus) bilineata (Pic). Papp 1953:83 (catalog).

Sceloenopla bilineata Pic. Uhmman 1957b:53 (catalog), 1964a:408 (catalog).

Distribution: Bolivia.

Food plant: Unknown.

***Sceloenopla bimaculaticollis* (Pic 1948)**

Cephalodonta bimaculaticollis Pic 1948:11 (type: Brazil, São Paulo, MNHN). Descarpentries & Villiers 1959a:143 (types).

Sceloenopla bimaculaticollis (Pic). Uhmman 1957b:53 (catalog), 1964a:408 (catalog).

Distribution: Bolivia.

Food plant: Unknown.

***Sceloenopla boliviensis* Pic 1929d**

Sceloenopla (Microdonta) boliviensis Pic 1929d:5 (type: Bolivia, Cochabamba, MNHN). Papp 1953:45 (catalog); Descarpentries & Villiers 1959a:143 (types).

Sceloenopla boliviensis Pic. Uhmman 1957b:54 (catalog), 1961b:36 (noted), 1964a:409 (catalog).

Distribution: Bolivia.

Food plant: Unknown.

***Sceloenopla brevispina* (Pic 1929d)**

Cephalodonta brevispina Pic 1929d:11 (type: Ecuador, Loja, MNHN). Descarpentries & Villiers 1959a:143 (types).

Sceloenopla brevipennis (Pic) (sic). Papp 1953:39 (lapsus calami, catalog).

Sceloenopla brevispina (Pic). Uhmman 1957b:54 (catalog), 1964a:409 (catalog).

Distribution: Ecuador.

Food plant: Unknown.

***Sceloenopla callangana* Pic 1929d**

Sceloenopla (Microdonta) callangana Pic 1929d:8 (type: Peru, Callanga, MNHN). Papp 1953:45 (catalog); Descarpentries & Villiers 1959a:143 (types).

Chalepus (Macrochalepus) callangana (Pic). Papp 1953:83 (catalog).

Sceloenopla callangana Pic. Uhmman 1953d:49 (faunal list), 1957b:54 (catalog), 1964a:409 (catalog).

Distribution: Peru.

Food plant: Unknown.

***Sceloenopla calopteroides* (Weise 1904b)**

Cephalodonta calopteroides Weise 1904b:439 (type: Bolivia, Yungas de La Paz). Weise 1911a:18 (catalog), 1911b:25 (catalog).

Sceloenopla (Microdonta) calopteroides (Weise). Uhmman 1937c:207 (noted); Papp 1953:45 (catalog).

Sceloenopla calopteroides (Weise). Papp 1953:39 (catalog); Uhmman 1957b:54 (catalog); Staines 2002b:12 (noted).

Distribution: Bolivia.

Food plant: Unknown.

***Sceloenopla carinata* (Fabricius 1801b)**

Hispa carinata Fabricius 1801b:63 (type: America meridionali, ZUMC). Schönherr 1817:7 (catalog); Zimsen 1964:126 (types).

Cephalodonta (Microdonta) carinata (Fabricius). Baly 1858:157 (transfer); Gemminger & Harold 1876:3615 (catalog); Weise 1905g:60 (noted), 1911a:18 (catalog), 1911b:26 (catalog).

Cephalodonta carinata (Fabricius). Donckier 1899:595 (catalog); Guérin 1953:100 (faunal list).
Sceloenopla (*Cephalodonta*) *carinata* (Fabricius). Bondar 1938:18 (host plants); Lima 1955:208 (faunal list).

Sceloenopla carinata (Fabricius). Uhmman 1937c:207 (noted), 1938d:414 (distribution), 1951b:73 (noted), 1957b:54 (catalog), 1957h:113 (type), 1959d:9 (scutellum), 1961b:38 (noted), 1964a:409 (catalog); Papp 1953:39 (catalog); Silva *et al.* 1985:40 (museum list); Staines 2002b:12 (noted).

Sceloenopla carinata corumbica Uhmman 1937c:210 (type: Brazil, Matto Grosso, Corumba, DEI?). Papp 1953:39 (catalog); Uhmman 1964a:409 (catalog); Gaedike & Döbler 1971:345 (types); Staines 1997b:418 (Uhmman species list).

Sceloenopla (*Microdonta*) *guyanensis* Pic 1929d:7 (type: French Guyana, Cayenne, MNHN). Papp 1953:46 (catalog); Descarpentries & Villiers 1959a:143 (types).

Sceloenopla guyanensis Pic. Uhmman 1957b:57 (catalog).

Sceloenopla carinata guyanensis Pic. Uhmman 1961b:38 (transfer), 1964a:409 (catalog), 1965a:114 (museum list).

Cephalodonta (*Microdonta*) *jatahyensis* Pic 1929d:9 (type: Brazil, Jatahy, Goyaz, MNHN). Descarpentries & Villiers 1959a:143 (types).

Sceloenopla (*Microdonta*) *jatahyensis* (Pic). Papp 1953:46 (catalog).

Sceloenopla jatahyensis (Pic). Uhmman 1957b:57 (catalog).

Sceloenopla carinata jatahyensis (Pic). Uhmman 1961b:39 (status), 1964a:409 (catalog).

Distribution: Brazil (Amazonas, Bahia, Goyaz), French Guyana.

Food plant: Palms (Arecaceae) (Bondar 1938).

***Sceloenopla carinaticornis* Pic 1929d**

Sceloenopla (*Microdonta*) *carinaticornis* Pic 1929d:6 (type: French Guyana, Cayenne, MNHN). Descarpentries & Villiers 1959a:143 (types).

Sceloenopla carinaticornis Pic. Uhmman 1940d:168 (museum list), 1957b:54 (catalog), 1961b:40 (noted).

Chalepus (*Macrochalepus*) *carinaticornis* (Pic). Papp 1953:84 (catalog).

Distribution: French Guyana.

Food plant: Unknown.

***Sceloenopla cassidiformis* Pic 1929d**

Sceloenopla (*Microdonta*) *cassidiformis* Pic 1929d:8 (type: Costa Rica, MNHN). Uhmman 1935f:104 (noted); Papp 1953:45 (catalog); Descarpentries & Villiers 1959a:143 (types).

Sceloenopla cassidiformis Pic. Uhmman 1937c:206 (noted), 1957b:54 (catalog); Wilcox 1975:139 (catalog); Staines 2002b:12 (noted).

Sceloenopla rotunda Uhmman 1930e:239 (type: Costa Rica, Carillo, USNM). Uhmman 1935f:104 (synonymy); Staines 1997b:419 (Uhmman species list); Staines & Staines 1997:19 (types).

Distribution: Costa Rica.

Food plant: Unknown.

***Sceloenopla cayennensis* Pic 1929d**

Sceloenopla (Microdonta) cayennensis Pic 1929d:6 (type: French Guyana, Cayenne, MNHN).

Papp 1953:45 (catalog); Descarpentries & Villiers 1959a:143 (types).

Sceloenopla cayennensis Pic. Uhmman 1957b:54 (catalog).

Distribution: French Guyana.

Food plant: Unknown.

***Sceloenopla championi* (Baly 1885)**

Cephalodonta championi Baly 1885:36 (type: Panamá, Bugabá; Chiriquí, Caldera, BMNH).

Donckier 1899:595 (catalog); Weise 1911a:16 (catalog), 1911b:24 (catalog); Staines & Staines 1999:523 (Baly species list).

Sceloenopla championi (Baly). Papp 1953:39 (catalog); Uhmman 1957b:54 (catalog); Wilcox 1975:139 (catalog).

Distribution: Panamá.

Food plant: Unknown.

***Sceloenopla chevrolatii* (Baly 1858)**

Cephalodonta chevrolatii Baly 1858:148 (type: Amazonas, BMNH). Weise 1911a:16 (catalog), 1911b:24 (catalog); Staines & Staines 1999:523 (Baly species list).

Cephalodonta chevrolatii Baly. Gemminger & Harold 1876:3615 (catalog); Donckier 1899:595 (catalog).

Sceloenopla chevrolatii (Baly). Papp 1953:39 (catalog); Uhmman 1957b:54 (catalog).

Distribution: Brazil.

Food plant: Unknown.

***Sceloenopla cincta* (Weise 1905g)**

Cephalodonta cincta Weise 1905g:58 (type: Brazil, Goyaz, Jatahy, MNHN). Weise 1911a:16 (catalog), 1911b:24 (catalog); Descarpentries & Villiers 1959a:143 (types).

Sceloenopla cincta (Weise). Uhmman 1937c:206 (noted), 1957b:55 (catalog); Papp 1953:40 (catalog); Staines 2002b:12 (noted).

Distribution: Brazil (Goyaz).

Food plant: Unknown.

***Sceloenopla cognata* (Baly 1858)**

Cephalodonta (Microdonta) cognata Baly 1858:154 (type: Upper Amazonas, BMNH).

Gemminger & Harold 1876:3615 (catalog); Weise 1911a:18 (catalog), 1911b:25 (catalog); Staines & Staines 1999:523 (Baly species list).

Cephalodonta cognata Baly. Donckier 1899:595 (catalog).

Sceloenopla (Microdonta) cognata (Baly). Papp 1953:45 (catalog).

Sceloenopla cognata (Baly). Uhmman 1937c:207 (noted), 1957b:55 (catalog); Staines 2002b:13 (noted).

Distribution: Amazonas.

Food plant: Unknown.

***Sceloenopla collaris* (Baly 1858)**

Cephalodonta collaris Baly 1858:140 (type: Peru, BMNH). Gemminger & Harold 1876:3615 (catalog); Donckier 1899:595 (catalog); Weise 1911a:16 (catalog), 1911b:24 (catalog); Staines & Staines 1999:523 (Baly species list).

Sceloenopla collaris (Baly). Papp 1953:40 (catalog); Uhmman 1953d:49 (faunal list), 1957b:55 (catalog).

Distribution: Peru.

Food plant: Unknown.

***Sceloenopla columbica* (Weise 1910a)**

Cephalodonta columbica Weise 1910a:122 (type: Colombia, St. Antonio, ZMHB?). Weise 1911a:16 (catalog), 1911b:24 (catalog).

Sceloenopla columbica (Weise). Uhmman 1937c:206 (noted), 1957b:55 (catalog); Papp 1953:40 (catalog); Staines 2002b:12 (noted).

Distribution: Colombia.

Food plant: Unknown.

***Sceloenopla contraria* Weise 1921b**

Sceloenopla contraria Weise 1921b:175 (type: Brazil, Amazonas, Manáos, NHRS). Papp 1953:40 (catalog); Uhmman 1957b:55 (catalog).

Distribution: Brazil (Amazonas).

Food plant: Unknown.

***Sceloenopla costaricea* Uhmman 1930e**

Sceloenopla (Microdonta) costaricea Uhmman 1930e:241 (type: Costa Rica, Reventazon, USNM). Uhmman 1937c:207 (noted).

Sceloenopla (Microdonta) costaricae Uhmman. Papp 1953:46 (catalog).

Sceloenopla costaricea Uhmman. Uhmman 1957b:55 (catalog), 1961b:40 (noted); Gaedike & Döbler 1971:346 (types); Wilcox 1975:139 (catalog); Staines 1997b:418 (Uhmman species list), 2002b:13 (noted); Staines & Staines 1997:6 (types).

Distribution: Costa Rica.

Food plant: Unknown.

***Sceloenopla crassicornis* Pic 1929d**

Sceloenopla (Microdonta) crassicornis Pic 1929d:5 (type: Peru, Chinchamayo, MNHN). Papp 1953:46 (catalog); Descarpentries & Villiers 1959a:143 (types).

Sceloenopla crassicornis Pic. Uhmman 1953d:49 (faunal list), 1957b:55 (catalog), 1964a:409 (catalog).

Distribution: Peru.

Food plant: Unknown.

***Sceloenopla decens* (Weise 1913)**

Cephalodonta (Microdonta) decens Weise 1913:105 (type: Colombia, Pacho, ZMHB?).

Sceloenopla (Microdonta) decens (Weise). Uhmann 1937c:207 (museum list); Papp 1953:46 (catalog).

Sceloenopla decens (Weise). Uhmann 1957b:55 (catalog); Staines 2002b:13 (noted).

Distribution: Colombia.

Food plant: Unknown.

***Sceloenopla deyrollei* (Baly 1858)**

Cephalodonta (Microdonta) deyrollei Baly 1858:153 (type: locality unknown, BMNH). Weise 1911a:18 (catalog), 1911b:25 (catalog); Staines & Staines 1999:523 (Baly species list).

Cephalodonta deyrollei Baly. Gemminger & Harold 1876:3615 (catalog); Donckier 1899:595 (catalog).

Sceloenopla (Microdonta) deyrollei (Baly). Papp 1953:46 (catalog).

Sceloenopla deyrollei (Baly). Uhmann 1957b:55 (catalog).

Distribution: South America.

Food plant: Unknown.

***Sceloenopla dilatata* (Guérin-Méneville 1844a)**

Hispa dilatata Dejean 1821:115 Nomen Nudum.

Microdonta dilatata Guérin-Méneville 1844a:273 (type: Cayenne, depository unknown). Uhmann 1966d:271 (noted).

Cephalodonta (Microdonta) dilatata (Guérin-Méneville). Baly 1858:161 (noted); Weise 1911a:18 (catalog), 1911b:25 (catalog).

Cephalodonta dilatata (Guérin-Méneville). Gemminger & Harold 1876:3615 (catalog); Donckier 1899:595 (catalog).

Sceloenopla (Microdonta) dilatata (Guérin-Méneville). Papp 1953:46 (catalog).

Sceloenopla dilatata (Guérin-Méneville). Uhmann 1957b:55 (catalog).

Distribution: French Guyana.

Food plant: Unknown.

***Sceloenopla elevata* (Fabricius 1801b)**

Hispa elevata Fabricius 1801b:62 (type: America meridionali, ZUMC). Gyllenhal 1817:5 (noted); Schönherr 1817:7 (catalog); Zimsen 1964:126 (types).

Cephalodonta elevata (Fabricius). Gemminger & Harold 1876:3615 (catalog); Donckier 1899:595 (catalog); Weise 1910a:115 (noted); Soukup 1942:317 (museum list).

Cephalodonta (Microdonta) elevata (Fabricius). Baly 1858:155 (redescription); Weise 1910a:117 (noted), 1911a:18 (catalog), 1911b:26 (catalog).

Sceloenopla (Microdonta) elevata (Fabricius). Weise 1921:177 (noted); Uhmann 1937c:207 (noted); Papp 1953:46 (catalog).

Sceloenopla elevata (Fabricius). Uhmann 1953e:875 (noted), 1957b:55 (catalog), 1957h:117 (type), 1961b:40 (noted), 1964a:409 (catalog), 1965a:114 (museum list); Staines 2002b:12 (noted).

Distribution: Brazil, French Guyana, Guyana, Suriname.

Food plant: Unknown.

***Sceloenopla elongata* (Guérin-Méneville 1844a)**

Microdonta elongata Guérin-Méneville 1844a:272 (type: Cayenne, depository unknown).
Uhmann 1966d:271 (noted).

Cephalodonta elongata Guérin-Méneville. Gemminger & Harold 1876:3615 (catalog); Donckier 1899:595 (catalog).

Sceloenopla (Microdonta) elongata (Guérin-Méneville). Baly 1858:159 (redescription); Weise 1910b:117 (noted), 1911a:18 (catalog), 1911b:26 (catalog); Papp 1953:46 (catalog).

Sceloenopla elongata (Guérin-Méneville). Uhmann 1940d:168 (museum list), 1957b:56 (catalog), 1959d:9 (scutellum), 1964a:409 (catalog).

Distribution: French Guyana.

Food plant: Unknown.

***Sceloenopla emarginata* (Fabricius 1792)**

Hispa emarginata Fabricius 1792:72 (type: Suriname, ZUMC). Olivier 1792:97 (noted), 1808:771 (noted); Fabricius 1801b:62 (noted); Gyllenhal 1817:5 (noted); Schönherr 1817:7 (catalog); Guérin-Méneville 1844a:277 (noted); Zimsen 1964:126 (types).

Cephalodonta emarginata (Fabricius). Baly 1858:161 (transfer); Gemminger & Harold 1876:3615 (catalog); Donckier 1899:595 (catalog).

Cephalodonta (Microdonta) emarginata (Fabricius). Weise 1911a:18 (catalog), 1911b:26 (catalog).

Sceloenopla (Microdonta) emarginata (Fabricius). Papp 1953:46 (catalog).

Sceloenopla emarginata (Fabricius). Uhmann 1937c:207 (noted), 1957b:56 (catalog), 1957h:117 (type), 1964a:409 (catalog), 1965a:114 (museum list); Staines 2002b:12 (noted).

Distribution: French Guyana, Suriname.

Food plant: Unknown.

***Sceloenopla erudita* (Baly 1885)**

Cephalodonta erudita Baly 1885:39 (type: Nicaragua, Chontales, Santo Domingo, BMNH).
Champion 1894:234 (distribution); Donckier 1899:595 (catalog); Weise 1911a:16 (catalog), 1911b:24 (catalog), 1913:104 (noted); Staines & Staines 1999:523 (Baly species list).

Sceloenopla erudita (Baly). Uhmann 1930e:238 (faunal list), 1937c:210 (noted), 1944:61 (host plant), 1949d:1 (immatures), 1957b:56 (catalog), 1964a:409 (catalog); Papp 1953:40 (catalog); Wilcox 1975:139 (catalog); Maes & Staines 1991:39 (faunal list); Staines 1996(1997):51 (Nicaragua species), 2002b:12 (noted), 2011b:56 (faunal list); Hespeneide & Dang 1999:382 (host plant); Santiago-Blay 2004:77 (host plants); Naczi & Staines 2011:4 (faunal list).

Sceloenopla (Microdonta) nevermanni Uhmann 1930e:242 (type: Costa Rica, Las Mercedes; Hamburg Farm, USNM). Uhmann 1937c:210 (noted); Gaedike & Döbler 1971:355 (types); Staines & Staines 1997:15 (types).

Sceloenopla nevermanni Uhmann. Uhmann 1950b:336 (type); Staines 1997b:418 (Uhmann species list), 2002b:12 (noted), 2011b:56 (faunal list).

Distribution: Belize, Colombia, Costa Rica, México, Nicaragua, Panamá, Venezuela.

Food plant: *Anthurium* sp. (Araceae) (Uhmann 1944); *Cluspania* sp. (Clusiaceae) (Hespenheide & Dang 1999).

***Sceloenopla evanida* Uhmann 1937c**

Sceloenopla evanida Uhmann 1937c:208 (type: Bolivia, Yungus de La Paz, ZMHB). Papp 1953:40 (catalog); Uhmann 1953d:49 (faunal list), 1957b:56 (catalog); Gaedike & Döbler 1971:348 (types); Staines 1997b:418 (Uhmann species list), 2002b:12 (noted).

Distribution: Bolivia, Peru.

Food plant: Unknown.

***Sceloenopla expanda* Staines 2002b**

Sceloenopla expanda Staines 2002b:19 (type: Costa Rica, Est. Cuerici, Sendero el Carbon, INBio).

Distribution: Costa Rica.

Food plant: Unknown.

***Sceloenopla femoralis* (Weise 1910a)**

Cephalodonta (Microdonta) femoralis Weise 1910a:116 (type: Colombia, Villa Elvira, St. Antonio, ISNB, DEI). Weise 1911a:18 (catalog), 1911b:25 (catalog); Gaedike & Döbler 1971:348 (types).

Sceloenopla femoralis (Weise). Uhmann 1937c:210 (noted), 1957b:56 (catalog); Staines 2002b:12 (noted).

Sceloenopla (Microdonta) femoralis (Weise). Papp 1953:46 (catalog).

Cephalodonta (Microdonta) femoralis funesta Weise 1910a:116 (type: Colombia, NHRS). Weise 1911a:18 (catalog), 1911b:25 (catalog).

Sceloenopla (Microdonta) femoralis funesta (Weise). Papp 1953:46 (catalog).

Distribution: Colombia.

Food plant: Unknown.

***Sceloenopla ferox* (Baly 1885)**

Cephalodonta ferox Baly 1885:44 (type: Nicaragua, Chontales, Santo Domingo, BMNH). Donckier 1899:595 (catalog); Weise 1911a:16 (catalog), 1911b:24 (catalog); Staines & Staines 1999:523 (Baly species list).

Sceloenopla ferox (Baly). Uhmann 1937c:206 (noted), 1957b:56 (catalog); Papp 1953:40 (catalog); Wilcox 1975:139 (catalog); Maes & Staines 1991:39 (faunal list); Staines 1996(1997):52 (Nicaragua species), 2002b:11 (noted).

Distribution: Nicaragua.

Food plant: Unknown.

***Sceloenopla flava* Staines 2002b**

Sceloenopla flava Staines 2002b:20 (type: Costa Rica, Puntarenas, Costa Rica, Punta Blanco, INBio).

Distribution: Costa Rica.

Food plant: Unknown.

***Sceloenopla fraterna* (Baly 1885)**

Cephalodonta fraterna Baly 1885 (type: Nicaragua, Chontales, Santo Domingo, BMNH).

Donckier 1899:595 (catalog); Weise 1911a:16 (catalog), 1911b:24 (catalog); Staines & Staines 1999:523 (Baly species list).

Sceloenopla (Microdonta) fraterna (Baly). Papp 1953:46 (catalog).

Sceloenopla fraterna (Baly). Uhmman 1957b:56 (catalog); Wilcox 1975:139 (catalog); Maes & Staines 1991:39 (faunal list); Staines 1996(1997):52 (Nicaragua species).

Distribution: Nicaragua.

Food plant: Unknown.

***Sceloenopla fryella* (Baly 1858)**

Cephalodonta fryella Baly 1858:137 (type: Brazil, BMNH). Gemminger & Harold 1876:3615 (catalog); Donckier 1899:595 (catalog); Weise 1911a:16 (catalog), 1911b:24 (catalog); Staines & Staines 1999:523 (Baly species list).

Sceloenopla fryella (Baly). Uhmman 1937c:206 (noted), 1957b:56 (catalog); Papp 1953:40 (catalog); Staines 2002b:11 (noted).

Distribution: Brazil.

Food plant: Unknown.

***Sceloenopla fryi* Uhmman 1956e**

Sceloenopla fryi Uhmman 1956e:562 (type: Venezuela, Maracay, Rancho Grande, NHMB).

Uhmman 1964a:409 (catalog); Gaedike & Döbler 1971:349 (types); Staines 1997b:418 (Uhmman species list).

Distribution: Bolivia, Venezuela.

Food plant: Unknown.

***Sceloenopla gigantea* (Guérin-Méneville 1844a)**

Chalepus giganteus Guérin-Méneville 1844a:269 (type: Cayenne, depository unknown).

Uhmman 1966d:271 (noted).

Cephalodonta gigantea (Guérin-Méneville). Baly 1858:125 (transfer); Gemminger & Harold 1876:3615 (catalog); Donckier 1899:596 (catalog); Weise 1911a:16 (catalog), 1911b:23 (catalog).

Sceloenopla gigantea (Guérin-Méneville). Papp 1953:40 (catalog); Uhmman 1957b:57 (catalog).

Sceloenopla aristocratica Thomson 1856:478 (type: Cayenne, depository unknown). Baly 1858:125 (synonymy).

Distribution: French Guyana.

Food plant: Unknown.

***Sceloenopla godmani* (Baly 1885)**

Cephalodonta godmani Baly 1885 (type: Nicaragua, Chontales, Santo Domingo, BMNH).
Donckier 1899:596 (catalog); Weise 1911a:16 (catalog), 1911b:24 (catalog), 1913:104
(noted); Staines & Staines 1999:523 (Baly species list).

Sceloenopla godmani (Baly). Uhmman 1930e:238 (faunal list), 1937c:209 (noted), 1957b:57
(catalog), 1959d:10 (scutellum), 1964a:409 (catalog); Papp 1953:40 (catalog); Wilcox
1975:139 (catalog); Maes & Staines 1991:39 (faunal list); Staines 1996(1997):52
(Nicaragua species), 2002b:12 (noted), 2011b:56 (faunal list); Hespeneheide & Dang
1999:382 (host plant); Santiago-Blay 2004:77 (host plants).

Distribution: Nicaragua, Panamá.

Food plant: *Clusia flava* Jacq. (Clusiaceae) Hespeneheide & Dang 1999).

***Sceloenopla goniaptera* (Perty 1832)**

Chalepus goniapterus Perty 1832:100 (type: Brazil, Amazonas, depository unknown).

Cephalodonta goniaptera (Perty). Chevrolat 1842:272 (genotype); Orbigny 1845:60 (noted);
Baly 1858:130 (noted); Gemminger & Harold 1876:3615 (catalog); Donckier 1899:596
(catalog); Weise 1911a:16 (catalog), 1911b:24 (catalog).

Sceloenopla goniaptera (Perty). Papp 1953:41 (catalog); Uhmman 1957b:57 (catalog).

Distribution: Brazil (Amazonas).

Food plant: Unknown.

***Sceloenopla gracilentia* (Baly 1885)**

Cephalodonta gracilentia Baly 1885:37 (type: Panamá, Bugabá, BMNH, USNM). Donckier
1899:596 (catalog); Weise 1911a:16 (catalog), 1911b:24 (catalog); Staines & Staines
1997:10 (types), 1999:523 (Baly species list).

Sceloenopla gracilentia (Baly). Papp 1953:41 (catalog); Uhmman 1957b:57 (catalog); Wilcox
1975:139 (catalog); Staines 2002b:12 (noted), 2011b:56 (faunal list).

Distribution: Panamá.

Food plant: Unknown.

***Sceloenopla gratiosa* (Baly 1858)**

Cephalodonta gratiosa Baly 1858:142 (type: Brazil, BMNH). Donckier 1899:596 (catalog);
Weise 1911a:17 (catalog), 1911b:25 (catalog); Staines & Staines 1999:523 (Baly species
list).

Sceloenopla gratiosa (Baly). Papp 1953:41 (catalog); Uhmman 1957b:57 (catalog).

Distribution: Brazil.

Food plant: Unknown.

***Sceloenopla haroldi* (Baly 1878)**

Cephalodonta haroldi Baly 1878:44 (type: Colombia, Magdalena River, BMNH). Donckier
1899:596 (catalog); Weise 1911a:17 (catalog), 1911b:24 (catalog); Staines & Staines
1999:523 (Baly species list).

Sceloenopla haroldi (Baly). Uhmann 1937c:206 (noted), 1957b:57 (catalog); Papp 1953:41 (catalog); Staines 2002b:12 (noted).

Distribution: Colombia.

Food plant: Unknown.

***Sceloenopla humeralis* Pic 1929d**

Sceloenopla (Microdonta) humeralis Pic 1929d:5 (type: Bolivia, Cochabamba, MNHN). Papp 1953:46 (catalog); Descarpentries & Villiers 1959a:143 (types).

Sceloenopla humeralis Pic. Uhmann 1957b:57 (catalog), 1964a:409 (catalog).

Distribution: Bolivia.

Food plant: Unknown.

***Sceloenopla integra* Uhmann 1930i**

Sceloenopla (Microdonta) integra Uhmann 1930i:139 (type: Costa Rica, Turrialba, DEI, USNM). Papp 1953:46 (catalog); Gaedike & Döbler 1971:351 (types); Staines & Staines 1997:10 (types).

Sceloenopla integra Uhmann. Uhmann 1937c:207 (noted), 1951d:340 (type), 1957b:57 (catalog), 1964a:409 (catalog); Wilcox 1975:139 (catalog); Staines 1997b:418 (Uhmann species list), 2002b:13 (noted).

Distribution: Costa Rica.

Food plant: Unknown.

***Sceloenopla javeti* (Baly 1858)**

Cephalodonta (Microdonta) javeti Baly 1858:160 (type: México, Tuxtla, San Andres, BMNH). Baly 1885:40 (distribution); Donckier 1899:596 (catalog); Weise 1911a:18 (catalog), 1911b:25 (catalog); Staines & Staines 1999:523 (Baly species list).

Cephalodonta javeti Baly. Gemminger & Harold 1876:3615 (catalog).

Sceloenopla (Microdonta) javeti (Baly). Papp 1953:47 (catalog).

Sceloenopla javeti (Baly). Uhmann 1957b:57 (catalog); Wilcox 1975:139 (catalog).

Distribution: México.

Food plant: Unknown.

***Sceloenopla kaestneri* Uhmann 1957g**

Sceloenopla kaestneri Uhmann 1957g:37 (type: Colombia, Rio Dagua, DEI). Uhmann 1964a:410 (catalog); Gaedike & Döbler 1971:351 (types); Staines 1997b:418 (Uhmann species list).

Distribution: Colombia.

Food plant: Unknown.

***Sceloenopla kolbei* (Weise 1910a)**

Cephalodonta (Microdonta) kolbei Weise 1910a:113 (type: Peru, Chanchamayo, ZMHB, DEI). Weise 1911a:18 (catalog), 1911b:25 (catalog); Gaedike & Döbler 1971:352 (types).

Sceloenopla (Microdonta) kolbei (Weise). Papp 1953:47 (catalog).

Sceloenopla kolbei (Weise). Uhmann 1937c:212 (noted), 1953d:49 (faunal list), 1957b:57 (catalog); Staines 2002b:12 (noted).

Distribution: Peru.

Food plant: Unknown.

***Sceloenopla kraatzi* (Weise 1921a)**

Cephalodonta (Microdonta) kraatzi Weise 1921a:264 (type: Peru, Vitcanota, DEI).

Sceloenopla (Microdonta) kraatzi (Weise). Papp 1953:47 (catalog).

Sceloenopla kraatzi (Weise). Uhmann 1953d:49 (faunal list), 1957b:58 (catalog); Gaedike & Döbler 1971:352 (types).

Distribution: Peru.

Food plant: Unknown.

***Sceloenopla laeta* (Baly 1858)**

Cephalodonta laeta Dejean 1837:388 Nomen Nudum.

Cephalodonta laeta Baly 1858:141 (type: Cayenne, BMNH). Gemminger & Harold 1876:3615 (catalog); Donckier 1899:596 (catalog); Weise 1911a:17 (catalog), 1911b:25 (catalog); Staines & Staines 1999:523 (Baly species list).

Sceloenopla laeta (Baly). Papp 1953:41 (catalog); Uhmann 1957b:58 (catalog).

Distribution: French Guyana.

Food plant: Unknown.

***Sceloenopla lampyridiformis* Staines 2002b**

Sceloenopla lampyridiformis Staines 2002b:21 (type: Costa Rica, Heredia, La Selva Biol. Sta., INBio). Santiago-Blay 2004:77 (host plants); Staines 2011b:56 (faunal list).

Distribution: Costa Rica.

Food plant: Unidentified Visaceae (Staines 2002b).

***Sceloenopla lineolata* Uhmann 1953e**

Sceloenopla lineolata Uhmann 1953e:874 (type: Ecuador, Macas, BMNH). Uhmann 1957b:58 (catalog), 1959d:9 (scutellum), 1964a:410 (catalog); Gaedike & Döbler 1971:352 (types); Staines 1997b:418 (Uhmann species list).

Distribution: Ecuador, Peru.

Food plant: Unknown.

***Sceloenopla lojaensis* (Pic 1932b)**

Cephalodonta lojaensis Pic 1932b:30 (type: Ecuador, Loja, MNHN). Descarpentries & Villiers 1959a:143 (types).

Sceloenopla lojaensis (Pic). Papp 1953:41 (catalog); Uhmann 1957b:58 (catalog).

Distribution: Ecuador.

Food plant: Unknown.

***Sceloenopla longula* (Baly 1885)**

Cephalodonta elongata Baly 1885:38 (not Guérin-Méneville) (type: Panamá, Bugabá, BMNH).

Cephalodonta longula Baly 1885:120 (replacement name). Weise 1911a:17 (catalog), 1911b:24 (catalog); Staines & Staines 1999:523 (Baly species list).

Sceloenopla longula (Baly). Papp 1953:41 (catalog); Uhmman 1957b:58 (catalog); Wilcox 1975:139 (catalog); Staines 2002b:12 (noted), 2011b:56 (faunal list); Hespenheide & Dang 1999:382 (host plant); Santiago-Blay 2004:77 (host plants).

Cephalodonta elongatula Donckier 1899:595 (invalid replacement name). Donckier 1899:595 (catalog).

Distribution: Panamá.

Food plant: Unidentified Araceae (Hespenheide & Dang 1999).

***Sceloenopla lugubris* (Weise 1910a)**

Cephalodonta (Microdonta) lugubris Weise 1910a:113 (type: Colombia, Ascension, ZMHB).

Weise 1911a:18 (catalog), 1911b:25 (catalog); Gaedike & Döbler 1971:353 (types).

Sceloenopla (Microdonta) lugubris (Weise). Papp 1953:47 (catalog).

Sceloenopla lugubris (Weise). Uhmman 1937c:211 (noted), 1957b:58 (catalog); Staines 2002b:13 (noted).

Cephalodonta (Microdonta) lugubris apicipennis Weise 1910a:115 (type: Colombia, ZMHB?).

Weise 1911a:18 (catalog), 1911b:25 (catalog).

Sceloenopla (Microdonta) lugubris apicipennis (Weise). Papp 1953:47 (catalog).

Distribution: Colombia.

Food plant: Unknown.

***Sceloenopla lutena* Staines 2002b**

Sceloenopla lutena Staines 2002b:22 (type: Costa Rica, Heredia:Est. Biol. La Selva, INBio).

Staines 2011b:56 (faunal list).

Distribution: Costa Rica.

Food plant: Collected fogging *Virola koschnyi* Warb. (Myristicaceae) (Staines 2002b).

***Sceloenopla lycoides* (Waterhouse 1881)**

Cephalodonta lycoides Waterhouse 1881:269 (type: Ecuador, Chiguinda, BMNH). Donckier 1899:596 (catalog); Weise 1904b:440 (noted).

Cephalodonta (Microdonta) lycoides Waterhouse. Weise 1911a:18 (catalog), 1911b:25 (catalog), 1913:104 (noted).

Sceloenopla (Microdonta) lycoides (Waterhouse). Uhmman 1937c:207 (noted); Papp 1953:47 (catalog).

Sceloenopla lycoides (Waterhouse). Uhmman 1957b:58 (catalog); Staines 2002b:12 (noted).

Distribution: Colombia, Ecuador.

Food plant: Unknown.

***Sceloenopla lydiae* Uhmman 1954g**

Sceloenopla lydiae Uhmman 1954g:355 (type: Peru, Rio Chirinos, DEI). Uhmman 1957b:58 (catalog), 1959d:9 (scutellum), 1964a:410 (catalog); Gaedike & Döbler 1971:353 (types); Staines 1997b:418 (Uhmman species list).

Distribution: Peru.

Food plant: Unknown.

***Sceloenopla maculata* (Olivier 1793)**

Hispa maculata Olivier 1793:96 (type: Suriname:French Guyana, RSME). Fabricius 1794:448 (noted); Staines & Whittington 2003:5 (types).

Cephalodonta maculata (Olivier). Gemminger & Harold 1876:3615 (catalog); Donckier 1899:596 (catalog); Heyne & Taschenberg 1908:252 (noted); Weise 1911a:17 (catalog), 1911b:23 (catalog); Bondar 1931a:74 (host plant), 1931b:134 (host plant); Lima 1936:325 (faunal list, 1955:208 (faunal list); Soukup 1942:317 (museum list); Guérin 1953:100 (faunal list); Linsley 1959:129 (mimicry).

Sceloenopla maculata (Olivier). Uhmman 1931a:178 (noted), 1932a:36 (museum list), 1935d:49 (faunal list), 1937c:208 (noted), 1953d:49 (faunal list), 1957b:58 (catalog), 1964a:410 (catalog); Papp 1953:41 (catalog); Buck 1958:146 (museum list); de Andrade 1984:102 (biology); Jolivet 1989a:393 (host plant), 1997:56, 105 (noted); Jolivet & Verma 2002:63 (noted); Staines 2002b:11 (noted); Santiago-Blay 2004:77 (host plants); Marques *et al.* 2007:262 (biology).

Cephalodonta angusticostata Blanchard 1843:211 (type: Bolivia, Chiquitos, depository unknown). Gemminger & Harold 1876:3614 (catalog); Donckier 1899:594 (catalog); Weise 1904c:457 (synonymy).

Hispa spinipes Fabricius 1794:448 (type: Suriname, ZMUK). Fabricius 1801b:60 (noted); Olivier 1808:761 (noted); Gyllenhal 1817:3 (noted); Schönherr 1817:5 (catalog); Dejean 1821:115 (collection list), 1837:388 (collection list); Berge 1844:87 (noted); Zimsen 1964:125 (types).

Chalepus spinipes (Fabricius). Castelnau 1840:511 (noted); Guérin-Méneville 1844a:48 (redescription).

Hispa (*Chalepus*) *spinipes* (Fabricius). Latreille 1829:142 (noted).

Sceloenopla spinipes (Fabricius). Chevrolat 1848a:412 (noted).

Cephalodonta spinipes (Fabricius). Baly 1858:125 (noted).

Cephalodonta (*Sceloenopla*) *spinipes* (Fabricius). Gemminger & Harold 1876:3615 (synonymy); Maulik 1919:10 (mimicry).

Distribution: Bolivia, Brazil (Bahia), French Guyana, Suriname.

Food plant: *Cecropia lyratiloba* Andr. & Car. (Cecropiaceae) (Bondar 1931a); *Lonchocarpus* sp. (Fabaceae) (Caldera & Vieira 1938); *Cocos nucifera* L. (Arecaceae) (Vieira 1943); *Struthanthus marginatus* (Desr.) Blume (Loranthaceae) (Marques *et al.* 2007).

***Sceloenopla maculipes* (Weise 1913)**

Cephalodonta (Microdonta) maculipes Weise 1913:104 (type: Colombia, Sosomoco, ZMHB?).

Sceloenopla (Microdonta) maculipes (Weise). Uhmman 1937c:211 (noted); Papp 1953:47 (catalog).

Sceloenopla maculipes (Weise). Uhmman 1957b:59 (catalog); Staines 2002b:13 (noted).

Distribution: Colombia.

Food plant: Unknown.

***Sceloenopla major* Pic 1929d**

Sceloenopla (Microdonta) major Pic 1929d:7 (type: Bolivia, Cochabamba, MNHN). Papp 1953:47 (catalog); Descarpentries & Villiers 1959a:143 (types).

Sceloenopla major Pic. Uhmman 1957b:59 (catalog), 1964a:410 (catalog).

Distribution: Bolivia.

Food plant: Unknown.

***Sceloenopla mantecada* Sanderson 1967**

Sceloenopla mantecada Sanderson 1967:135 (type: Puerto Rico, El Toro Negro, INHS).

Petitpierre *et al.* 1988:179 (chromosomes); Virkki *et al.* 1992:31 (chromosomes); Staines & Staines 1997:13 (types), 2009b:25 (noted); Santiago-Blay 2004:77 (host plants); Chaboo 2007:151 (phylogeny); Julio *et al.* 2010:30 (noted).

Distribution: Puerto Rico.

Food plant: Adults collected on *Rapanea ferruginea* (Myrsinaceae) (Sanderson 1967).

***Sceloenopla marcapatana* (Pic 1932a)**

Cephalodonta (Microdonta) marcapatana Pic 1932a:15 (type: Peru, Marcapata, MNHN).

Descarpentries & Villiers 1959a:143 (types).

Sceloenopla marcapatana (Pic). Papp 1953:41 (catalog); Uhmman 1953d:49 (faunal list), 1957b:59 (catalog), 1964a:410 (catalog).

Distribution: Peru.

Food plant: Unknown.

***Sceloenopla maronica* Uhmman 1940d**

Sceloenopla maronica Uhmman 1940d:167 (type: French Guyana, Saint-Joan du Maroni, MCSN). Uhmman 1959b:59 (catalog).

Distribution: French Guyana.

Food plant: Unknown.

***Sceloenopla matronalis* (Weise 1905g)**

Cephalodonta matronalis Weise 1905g:61 (type: Peru, Callanga, Marcapata, ZMHB).

Cephalodonta (Microdonta) matronalis Weise. Weise 1911a:18 (catalog), 1911b:25 (catalog).

Sceloenopla matronalis (Weise). Uhmman 1937c:207 (transfer), 1957b:59 (catalog).

Distribution: Bolivia, Peru.

Food plant: Unknown.

***Sceloenopla mauliki* Uhmann 1930e**

Sceloenopla (Microdonta) mauliki Uhmann 1930e:243 (type: Costa Rica, Hamburg Farm, USNM). Papp 1953:47 (catalog); Staines & Staines 1997:14 (types).

Sceloenopla mauliki Uhmann. Uhmann 1957b:59 (catalog); Wilcox 1975:139 (catalog); Staines 1997b:418 (Uhmann species list).

Distribution: Costa Rica.

Food plant: Unknown.

***Sceloenopla melanospila* (Weise 1905g)**

Cephalodonta melanospila Weise 1905g:60 (type: Peru, Rio Toro, ZMHB).

Cephalodonta (Microdonta) melanospila Weise. Weise 1911a:18 (catalog), 1911b:25 (catalog).

Sceloenopla (Microdonta) melanospila (Weise). Papp 1953:47 (catalog).

Sceloenopla melanospila (Weise). Uhmann 1937c:210 (noted), 1953d:49 (faunal list), 1957b:59 (catalog); Staines 2002b:12 (noted).

Distribution: Bolivia, Peru.

Food plant: Unknown.

***Sceloenopla meridionalis* (Weise 1910)**

Cephalodonta (Microdonta) meridionalis Weise 1910a:118 (type: Guyana; Brazil, Goyaz, Jatahy, ZMHB). Weise 1911a:18 (catalog), 1911b:26 (catalog); Gaedike & Döbler 1971:354 (types).

Sceloenopla (Microdonta) meridionalis (Weise). Weise 1921b:177 (noted); Uhmann 1937c:209 (noted); Papp 1953:47 (catalog).

Sceloenopla meridionalis (Weise). Uhmann 1957b:59 (catalog), 1964b:17 (faunal list); Staines 2002b:12 (noted).

Cephalodonta (Microdonta) elevata Baly 1858:155 (not Fabricius) (type: Upper Amazonas, BMNH). Weise 1910b:118 (synonymy).

Cephalodonta (Microdonta) uhmanni Pic 1929d:9 (type: Brazil, Goyaz, Jatahy, MNHN). Uhmann 1935d:50 (faunal list), 1937c:209 (synonymy), 1964a:410 (catalog); Descarpentries & Villiers 1959a:143 (types).

Sceloenopla (Microdonta) uhmanni diversa Pic 1929d:10 (type: Brazil, Goyaz, Jatahy, MNHN). Papp 1953:47 (catalog); Descarpentries & Villiers 1959a:143 (types); Uhmann 1964a:410 (catalog).

Sceloenopla (Microdonta) uhmanni submarginata Pic 1929d:10 (type: Brazil, Goyaz, Jatahy, MNHN). Papp 1953:47 (catalog); Descarpentries & Villiers 1959a:143 (types); Uhmann 1964a:410 (catalog).

Sceloenopla (Microdonta) uhmanni subsuturalis Pic 1929d:10 (type: Brazil, Goyaz, Jatahy, MNHN). Papp 1953:48 (catalog); Descarpentries & Villiers 1959a:143 (types); Uhmann 1964a:410 (catalog).

Sceloenopla (Microdonta) uhmanni hebetata Uhmann 1937:209 (type: Bolivia, Coroico, DEI). Papp 1953:47 (catalog); Uhmann 1964a:410 (catalog), 1964d:734 (museum list); Gaedike & Döbler 1971:354 (types).

Sceloenopla meridionalis hebetata Uhmman. Uhmman 1957a:2 (faunal list); Staines 1997b:418 (Uhmman species list).

Distribution: Bolivia, Brazil (Goyaz, Matto Grosso), Peru.

Food plant: Unknown.

***Sceloenopla minuta* Staines 2002b**

Sceloenopla minuta Staines 2002b:23 (type: Costa Rica, Est. Pitilla, INBio). Staines 2011b:56 (faunal list).

Distribution: Costa Rica.

Food plant: Unknown.

***Sceloenopla mitis* (Weise 1905g)**

Cephalodonta mitis Weise 1905g:62 (type: Peru, Callanga, ZMHB, DEI). Weise 1911a:17 (catalog), 1911b:24 (catalog); Gaedike & Döbler 1971:354 (types).

Sceloenopla mitis (Weise). Uhmman 1937c:206 (noted), 1953d:50 (faunal list), 1957b:59 (catalog), 1961b:42 (noted), 1964a:410 (catalog); Papp 1953:41 (catalog); Staines 2002b:12 (noted).

Distribution: Peru.

Food plant: Unknown.

***Sceloenopla moesta* Weise 1921b**

Sceloenopla (Microdonta) moesta Weise 1921b:179 (type: Brazil, Amazonas, Rio Autáz, NHRS). Papp 1953:48 (catalog).

Sceloenopla moesta (Weise). Uhmman 1957b:59 (catalog).

Distribution: Brazil (Amazonas).

Food plant: Unknown.

***Sceloenopla monrosi* Uhmman 1959c**

Sceloenopla monrosi Uhmman 1959c:619 (type: Peru, Amazonas, Cavallo-Cocho, DEI). 1959d:9 (scutellum), Uhmman 1964a:410 (catalog); Gaedike & Döbler 1971:354 (types); Staines 1997b:418 (Uhmman species list).

Distribution: Peru.

Food plant: Unknown.

***Sceloenopla multistriata* Uhmman 1930e**

Sceloenopla multistriata Uhmman 1930e:238 (type: Costa Rica, Tres Rios, USNM). Papp 1953:41 (catalog); Uhmman 1957b:59 (catalog); Wilcox 1975:139 (catalog); Staines 1997b:418 (Uhmman species list), 2011b:56 (faunal list); Staines & Staines 1997:14 (types); Maes 2004:168 (host plant).

Distribution: Costa Rica.

Food plant: *Persea americana* Mill. (Lauraceae) (Maes 2004).

***Sceloenopla munda* (Weise 1905g)**

Cephalodonta munda Weise 1905g:60 (type: Peru, Marcapata, ZMHB). Weise 1911a:17 (catalog), 1911b:24 (catalog).

Sceloenopla munda (Weise). Uhmann 1937c:207 (noted), 1953d:50 (faunal list), 1957b:59 (catalog); Papp 1953:41 (catalog); Staines 2002b:12 (noted).

Distribution: Peru.

Food plant: Unknown.

***Sceloenopla nigripes* (Weise 1910a)**

Cephalodonta nigripes Weise 1910a:122 (type: Colombia, Bogotá, ZMHB). Weise 1911a:17 (catalog), 1911b:24 (catalog).

Sceloenopla nigripes (Weise). Uhmann 1937c:206 (noted), 1957b:60 (catalog); Papp 1953:41 (catalog); Staines 2002b:12 (noted).

Distribution: Colombia.

Food plant: Unknown.

***Sceloenopla nigropicta* Staines 2002b**

Sceloenopla nigropicta Staines 2002b:24 (type: Costa Rica, Heredia, Est. Biol. La Selva, INBio). Santiago-Blay 2004:77 (host plants); Staines 2011b:56 (faunal list).

Distribution: Costa Rica.

Food plant: Collected fogging *Virola koschnyi* Warburg (Myristiaceae) (Staines 2002b).

***Sceloenopla obscurovittata* (Baly 1885)**

Cephalodonta obscurovittata Baly 1885 (type: Nicaragua, Chontales, Santo Domingo, BMNH). Donckier 1899:596 (catalog); Weise 1911a:17 (catalog), 1911b:24 (catalog); Staines & Staines 1999:523 (Baly species list).

Sceloenopla obscurovittata (Baly). Uhmann 1930e:238 (faunal list), 1937c:206 (noted), 1953e:875 (noted), 1957b:50 (catalog), 1964a:410 (catalog); Papp 1953:42 (catalog); Wilcox 1975:139 (catalog); Maes & Staines 1991:39 (faunal list); Staines 1996(1997):53 (Nicaragua species), 2002b:12 (noted), 2011b:56 (faunal list); Hespenheide & Dang 1999:382 (host plant); Santiago-Blay 2004:77 (host plants).

Distribution: Costa Rica, Nicaragua, Panamá.

Food plant: *Philodendron radiatum radiatum* Schott (Araceae) (Hespenheide & Dang 1999).

***Sceloenopla obsoleta* (Baly 1858)**

Cephalodonta obsoleta Baly 1858:135 (type: Peru, BMNH). Gemminger & Harold 1876:3615 (catalog); Donckier 1899:597 (catalog); Weise 1911a:17 (catalog), 1911b:24 (catalog); Staines & Staines 1999:523 (Baly species list).

Sceloenopla obsoleta (Baly). Papp 1953:42 (catalog); Uhmann 1953d:50 (faunal list), 1957b:60 (catalog).

Distribution: Peru.

Food plant: Unknown.

***Sceloenopla octopunctata* (Baly 1858)**

Cephalodonta octopunctata Baly 1858:134 (type: Amazonas, BMNH). Gemminger & Harold 1876:3615 (catalog); Donckier 1899:597 (catalog); Weise 1911a:17 (catalog), 1911b:24 (catalog); Staines & Staines 1999:523 (Baly species list).

Sceloenopla octopunctata (Baly). Uhmman 1937c:206 (noted), 1957b:60 (catalog); Papp 1953:42 (catalog); Staines 2002b:11 (noted).

Distribution: Brazil (Amazonas).

Food plant: Unknown.

***Sceloenopla ornata* Uhmman 1954n**

Sceloenopla ornata Uhmman 1954n:516 (type: Brazil, BMNH). Uhmman 1957b:60 (catalog), 1961b:8 (noted); Gaedike & Döbler 1971:356 (types); Staines 1997b:419 (Uhmman species list).

Distribution: Brazil (Bahia).

Food plant: Unknown.

***Sceloenopla ovata* (Weise 1910a)**

Cephalodonta (Microdonta) ovata Weise 1910a:114 (type: Colombia, St. Antonio, ZMHB?). Weise 1911a:18 (catalog), 1911b:25 (catalog).

Sceloenopla ovata (Weise). Uhmman 1937c:210 (noted), 1957b:60 (catalog); Staines 2002b:12 (noted).

Sceloenopla (Microdonta) ovata (Weise). Papp 1953:48 (catalog).

Cephalodonta (Microdonta) ovata amicta Weise 1910a:114 (type: Colombia, Villa Elvira, ZMHB). Weise 1911a:18 (catalog), 1911b:25 (catalog).

Sceloenopla ovata amicta (Weise). Uhmman 1937c:206 (noted), 1957b:60 (catalog).

Distribution: Colombia.

Food plant: Unknown.

***Sceloenopla pallida* (Baly 1885)**

Cephalodonta pallida Baly 1885 (type: Nicaragua, Chontales, Santo Domingo, BMNH).

Donckier 1899:597 (catalog); Weise 1911a:18 (catalog), 1911b:26 (catalog); Staines & Staines 1999:523 (Baly species list).

Sceloenopla (Microdonta) pallida (Baly). Papp 1953:48 (catalog).

Sceloenopla pallida (Baly). Uhmman 1957b:60 (catalog); Wilcox 1975:139 (catalog); Maes & Staines 1991:39 (faunal list); Staines 1996(1997):53 (Nicaragua species).

Distribution: Nicaragua.

Food plant: Unknown.

***Sceloenopla parvula* (Baly 1858)**

Cephalodonta parvula Baly 1858:143 (type: Upper Amazonas, BMNH). Gemminger & Harold 1876:3615 (catalog); Donckier 1899:597 (catalog); Weise 1911a:17 (catalog), 1911b:

25 (catalog); Guérin 1953:100 (faunal list); Staines & Staines 1999:523 (Baly species list).

Sceloenopla parvula (Baly). Papp 1953:42 (catalog); Uhmman 1957b:60 (catalog).

Distribution: Brazil (Amazonas).

Food plant: Unknown.

***Sceloenopla pascoei* (Baly 1858)**

Cephalodonta pascoei Baly 1858:139 (type: Brazil, BMNH). Gemminger & Harold 1876:3615 (catalog); Donckier 1899:597 (catalog); Weise 1911a:17 (catalog), 1911b:24 (catalog); Staines & Staines 1999:523 (Baly species list).

Sceloenopla pascoei (Baly). Uhmman 1950b:325 (noted), 1957b:60 (catalog); Papp 1953:42 (catalog).

Distribution: Brazil.

Food plant: Unknown.

***Sceloenopla peruviana* Pic 1929d**

Sceloenopla (Microdonta) peruviana Pic 1929d:9 (type: Peru, Chinchamayo, MNHN). Papp 1953:48 (catalog); Descarpentries & Villiers 1959a:143 (types).

Sceloenopla peruviana Pic. Uhmman 1953d:50 (faunal list), 1957b:60 (catalog), 1964a:410 (catalog).

Distribution: Peru.

Food plant: Unknown.

***Sceloenopla posticata* (Baly 1885)**

Cephalodonta posticata Baly 1885:41 (type: Panamá, Bugabá, BMNH). Donckier 1899:597 (catalog); Weise 1911a:17 (catalog), 1911b:24 (catalog); Staines & Staines 1999:523 (Baly species list).

Sceloenopla posticata (Baly). Papp 1953:42 (catalog); Uhmman 1957b:60 (catalog); Wilcox 1975:139 (catalog).

Distribution: Panamá.

Food plant: Unknown.

***Sceloenopla pretiosa* (Baly 1858)**

Cephalodonta pretiosa Baly 1858:135 (type: Brazil, BMNH). Gemminger & Harold 1876:3615 (catalog); Donckier 1899:597 (catalog); Weise 1911a:17 (catalog), 1911b:24 (catalog), 1921a:275 (noted); Guérin 1953:100 (faunal list); Staines & Staines 1999:523 (Baly species list).

Cephalodonta pretiosa Baly. Silva *et al.* 1985:36 (lapsus calami, faunal list).

Sceloenopla pretiosa (Baly). Uhmman 1935d:49 (faunal list), 1937c:208 (noted), 1938d:414 (distribution), 1954n:517 (museum list), 1957b:60 (catalog), 1964a:410 (catalog), 1964b:5 (faunal list); Monrós & Viana 1947:186 (Argentina species); Papp 1953:42 (catalog); Lima 1955:208 (faunal list); Buck 1958:147 (museum list); Staines 2002b:12 (noted); Santiago-Blay 2004:77 (host plants); Casari & Quieroz 2005:49 (larva).

Sceloenopla (Cephalodonta) pretiosa Baly. Bondar 1938:18 (host plant).
Sceloenopla (Sceloenopla) pretiosa Baly. Roig-Juñent 2004:119 (faunal list).
Cephalodonta juncta Weise 1906b:222 (type: Brazil, ZMHB). Weise 1911a:17 (catalog),
1911b:24 (catalog); Bruch 1915:376 (faunal list); Uhmman 1937c:208 (synonymy);
Monrós & Viana 1947:186 (synonymy); Guérin 1953:100 (faunal list); Bachmann &
Cabrera 2010:66 (types).
Sceloenopla juncta (Weise). Bruch 1928b:203 (faunal list).
Distribution: Argentina, Brazil (Bahia, Rio de Janeiro, São Paulo), Paraguay.
Food plant: Palms (Arecaceae) (Bondar 1938); *Philodendron* sp. (Araceae), *Esembeckia*
febrifuga (A. St-Hil.) A. Jussieu ex Martinez (Rutaceae) (Monrós & Viana 1947);
Philodendron selloum C. Koch (Buck 1958); *Anthurium* sp. (Araceae) (Casari &
Quiroz 2005).

***Sceloenopla proxima* (Baly 1885)**

Cephalodonta proxima Baly 1885:39 (type: Nicaragua, Chontales, Santo Domingo, BMNH).
Donckier 1899:597 (catalog); Weise 1911a:18 (catalog), 1911b:25 (catalog).
Sceloenopla (Microdonta) proxima (Baly). Papp 1953:48 (catalog); Staines & Staines 1999:523
(Baly species list).
Sceloenopla proxima (Baly). Uhmman 1957b:61 (catalog); Wilcox 1975:139 (catalog); Maes &
Staines 1991:39 (faunal list); Staines 1996(1997):54 (Nicaragua species), 2011b:56
(faunal list).
Sceloenopla (Microdonta) testaceipennis Pic 1929d:6 (type: Costa Rica, Turrialba, MNHN).
Papp 1953:48 (catalog); Descarpentries & Villiers 1959a:143 (types).
Sceloenopla testaceipennis Pic. Uhmman 1957b:63 (catalog), 1964a:411 (catalog); Wilcox
1975:139 (catalog); Staines 2002b:30 (synonymy).
Distribution: Costa Rica, Nicaragua.
Food plant: Unknown.

***Sceloenopla pulchella* (Baly 1858)**

Cephalodonta pulchella Baly 1858:147 (type: Brazil, Santarem; Ega; Upper Amazonas,
BMNH). Gemminger & Harold 1876:3615 (catalog); Donckier 1899:597 (catalog);
Weise 1911a:17 (catalog), 1911b:24 (catalog); Guérin 1953:100 (faunal list); Staines &
Staines 1999:523 (Baly species list).
Sceloenopla pulchella (Baly). Papp 1953:42 (catalog); Uhmman 1957b:61 (catalog), 1964a:410
(catalog).
Distribution: Brazil (Amazonas).
Food plant: (Uhmman 1959c).

***Sceloenopla pulcherrima* (Baly 1858)**

Cephalodonta pulcherrima Baly 1858:132 (type: Brazil, BMNH). Gemminger & Harold
1876:3615 (catalog); Donckier 1899:597 (catalog); Weise 1911a:17 (catalog), 1911b:24
(catalog); Guérin 1953:100 (faunal list); Staines & Staines 1999:523 (Baly species list).

Sceloenopla pulcherrima (Baly). Uhmman 1935d:49 (faunal list), 1937c:206 (noted), 1940g:120 (claws), 1957b:61 (catalog), 1959c:624 (host plant); Papp 1953:42 (catalog); Staines 2002b:11 (noted).

Distribution: Brazil, Paraguay.

Food plant: Rutaceae (Uhmman 1959c).

***Sceloenopla quinquemaculata* (Guérin-Ménéville 1844a)**

Metazycera quinquemaculata Guérin-Ménéville 1844a:270 (type: Colombia, Santa Fe de Bogota, depository unknown). Uhmman 1966d:271 (noted).

Cephalodonta (Metazycera) quinquemaculata (Guérin-Ménéville). Baly 1885:35 (distribution).

Chalepus quinquemaculata (Guérin-Ménéville). Gemminger & Harold 1876:3614 (catalog); Donckier 1899:591 (catalog).

Cephalodonta quinquemaculata (Guérin-Ménéville). Baly 1858:127 (redescription); Gemminger & Harold 1876:3615 (catalog); Donckier 1899:597 (catalog); Weise 1911a:17 (catalog), 1911b:23 (catalog).

Sceloenopla quinquemaculata (Guérin-Ménéville). Uhmman 1931a:178 (noted), 1937c:208 (noted), 1957b:61 (catalog); Papp 1953:42 (catalog); Staines 2002b:12 (noted).

Distribution: Colombia, Suriname.

Food plant: Unknown.

***Sceloenopla rectelineata* (Pic 1929d)**

Cephalodonta rectelineata Pic 1929d:11 (type: Bolivia, MNHN?).

Sceloenopla rectelineata (Pic). Papp 1953:42 (catalog); Uhmman 1953d:50 (faunal list), 1954g:359 (noted), 1957b:61 (catalog), 1961b:43 (noted), 1964a:410 (catalog).

Distribution: Bolivia, Peru.

Food plant: Unknown.

***Sceloenopla robinsonii* (Baly 1858)**

Cephalodonta (Microdonta) robinsonii Baly 1858:151 (type: Peru, BMNH). Donckier 1899:597 (catalog); Weise 1910a:117 (noted), 1911a:18 (catalog), 1911b:25 (catalog); Staines & Staines 1999:523 (Baly species list).

Cephalodonta robinsoni Baly. Gemminger & Harold 1876:3615 (catalog); Soukup 1942:317 (museum list).

Sceloenopla (Microdonta) robinsoni (Baly). Papp 1953:48 (catalog).

Sceloenopla robinsonii (Baly). Uhmman 1937c:211 (noted), 1953d:50 (faunal list), 1957b:61 (catalog), 1964a:410 (catalog); Staines 2002b:13 (noted).

Distribution: Peru.

Food plant: Unknown.

***Sceloenopla roseicollis* Spaeth 1953**

Sceloenopla roseicollis Spaeth 1953:166 (type: Brazil, Bahia, Bondar). Lima 1955:208 (faunal list); Uhmman 1953g:166 (redescription), 1957b:61 (catalog); Silva *et al.* 1985:40 (museum list); Staines 2005:48 (Spaeth species list).

Sceloenopla sp. Bondar 1938:18 (host plant).

Distribution: Brazil.

Food plant: *Pourouma* sp. (Cecropiaceae) (Bondar 1938).

***Sceloenopla rubivittata* Staines 2002b**

Sceloenopla rubivittata Staines 2002b:25 (type: Costa Rica, Est. Sirena, P. N. Corcovado, INBio).

Distribution: Costa Rica.

Food plant: Unknown.

***Sceloenopla rubrosinuata* (Pic 1929d)**

Cephalodonta rubrosinuata Pic 1929d:10 (type: Peru, Marcapata, MNHN). Descarpentries & Villiers 1959a:143 (types).

Sceloenopla rubrosinuata (Pic). Uhmman 1937c:208 (noted), 1953d:50 (faunal list), 1957b:61 (catalog), 1961b:41 (noted), 1964a:410 (catalog); Papp 1953:42 (catalog); Staines 2002b:12 (noted).

Distribution: Peru.

Food plant: Unknown.

***Sceloenopla sanguinea* Staines 2002b**

Sceloenopla sanguinea Staines 2002b:26 (type: Costa Rica, 16 km SSE La Virgen, INBio).

Distribution: Costa Rica.

Food plant: Unknown.

***Sceloenopla scherzeri* (Baly 1858)**

Cephalodonta (Microdonta) scherzeri Baly 1858:157 (type: Cordilleras, BMNH). Baly 1885:43 (distribution); Chapuis 1875:328 (noted); Donckier 1899:597 (catalog); Weise 1910b:117 (noted), 1911a:18 (catalog), 1911b:26 (catalog); Staines & Staines 1999:523 (Baly species list).

Cephalodonta scherzeri Baly. Gemminger & Harold 1876:3615 (catalog).

Sceloenopla (Microdonta) scherzeri (Baly). Uhmman 1930e:244 (faunal list), 1937c:210 (noted); Papp 1953:48 (catalog).

Sceloenopla scherzeri (Baly). Uhmman 1957b:61 (catalog), 1961b:42 (noted), 1964a:410 (catalog); Wilcox 1975:139 (catalog); Maes & Staines 1991:39 (faunal list); Staines 1996(1997):41 (Nicaragua species), 2002b:12 (noted), 2011b:56 (faunal list); Hespenheide & Dang 1999:382 (host plant); Santiago-Blay 2004:78 (host plants).

Sceloenopla (Microdonta) biolleyi Pic 1929a:5 (type: Costa Rica, NMNH). Uhmman 1957b:54 (catalog); Papp 1953:45 (catalog); Descarpentries & Villiers 1959a:143 (types).

Sceloenopla biolleyi Pic. Uhmman 1961b:42 (synonymy), 1964a:408 (catalog); Staines 2002b:31 (synonymy).

Cephalodonta (Microdonta) scherzeri var. B. Uhmman 1930e:244 (noted).

Sceloenopla scherzeri tertiaria Uhmman 1961b:42 (type: Costa Rica, Reventazon, DEI).

Uhmann 1964a:410 (catalog); Staines 1997b:419 (Uhmann species list).

Distribution: Costa Rica, Guatemala, Nicaragua, Panamá.

Food plant: *Davilla nitida* (Vahl) Kubitzki (Dilleniaceae) (Hespenheide & Dang 1999).

***Sceloenopla schildi* Uhmann 1930i**

Sceloenopla schildi Uhmann 1930i:138 (type: Costa Rica, Turriabla, USNM). Uhmann 1937c:206 (noted), 1957b:61 (catalog); Gaedike & Döbler 1971:359 (types); Wilcox 1975:139 (catalog); Staines & Staines 1997:20 (types); Staines 2002b:12 (noted).

Sceloenopla schmidti Uhmann. Uhmann 1950b:336 (type); Papp 1953:42 (catalog); Staines 1997b:419 (Uhmann species list).

Distribution: Costa Rica.

Food plants: Unknown.

***Sceloenopla serraticornis* (Fabricius 1792)**

Hispa serraticornis Fabricius 1792:73 (type: Suriname, MNHN?). Fabricius 1801b:64 (noted); Olivier 1792:96 (noted), 1808:767 (noted); Linnaeus 1788:1733 (noted); Gyllenhal 1817:5 (noted); Schönherr 1817:7 (catalog); Zimsen 1964:126 (types).

Microdonta serraticornis (Fabricius). Chevrolat 1836:388 (collection list); Orbigny 1846:197 (noted).

Cephalodonta (Microdonta) serraticornis (Fabricius). Baly 1858:152 (transfer); Weise 1911a:18 (catalog), 1911b:25 (catalog).

Cephalodonta serraticornis (Fabricius). Gemminger & Harold 1876:3615 (catalog); Donckier 1899:597 (catalog).

Sceloenopla (Microdonta) serraticornis (Fabricius). Papp 1953:48 (catalog).

Sceloenopla serraticornis (Fabricius). Uhmann 1937c:207 (noted), 1957b:61 (catalog), 1964a:411 (catalog); Staines 2002b:13 (noted).

Distribution: French Guyana.

Food plants: Unknown.

***Sceloenopla sheppardi* (Baly 1858)**

Cephalodonta sheppardi Baly 1858:133 (type: Brazil, BMNH). Gemminger & Harold 1876:3616 (catalog); Donckier 1899:597 (catalog); Weise 1911a:17 (catalog), 1911b:24 (catalog); Bondar 1931a:74 (host plant), 1931b:134 (host plant); Lima 1936:325 (faunal list), 1955:208 (faunal list); Staines & Staines 1999:523 (Baly species list).

Sceloenopla sheppardi (Baly). Uhmann 1937c:206 (noted), 1957b:62 (catalog); Papp 1953:42 (catalog); Jolivet 1989a:393 (host plant); Staines 2002b:11 (noted); Santiago-Blay 2004:78 (host plants).

Cephalodonta bryanti Bondar 1937:478 (type: Brazil, Bahia, MGAP?). Lima 1955:208 (faunal list); Gaedike & Döbler 1971:344 (types); Silva *et al.* 1985:36 (museum list).

Sceloenopla bryanti (Bondar). Papp 1953:39 (catalog); Uhmann 1957b:54 (catalog); Staines 2002b:31 (synonymy).

Distribution: Brazil (Bahia).

Food plants: *Cecropia peltata* L. (Cecropiaceae) (Bondar 1931a); *Persea gratissima* Gaertn. (Lauraceae) (Bondar 1937).

***Sceloenopla simplex* (Weise 1910a)**

Cephalodonta simplex Weise 1910a:123 (type: Ecuador, Santa Inez, ZMHB). Weise 1911a:17 (catalog), 1911b:24 (catalog).

Sceloenopla simplex (Weise). Uhmman 1937c:206 (noted), 1957b:62 (catalog); Papp 1953:42 (catalog); Staines 2002b:12 (noted).

Distribution: Ecuador.

Food plants: Unknown.

***Sceloenopla singularis* (Weise 1910a)**

Cephalodonta singularis Weise 1910a:123 (type: Colombia, St. Antonio, ZMHB). Weise 1911a:17 (catalog), 1911b:24 (catalog).

Sceloenopla singularis (Weise). Uhmman 1937c:206 (noted), 1957b:62 (catalog); Papp 1953:42 (catalog); Staines 2002b:12 (noted).

Distribution: Colombia.

Food plants: Unknown.

***Sceloenopla sinuaticollis* (Pic 1932a)**

Cephalodonta (Microdonta) sinuaticollis Pic 1932a:16 (type: Peru, Marcapata, MNHN). Descarpentries & Villiers 1959a:143 (types).

Sceloenopla sinuaticollis (Pic). Papp 1953:43 (catalog); Uhmman 1953d:50 (faunal list), 1957b:62 (catalog), 1964a:411 (catalog).

Distribution: Peru.

Food plants: Unknown.

***Sceloenopla smithii* (Baly 1858)**

Cephalodonta (Microdonta) smithii Baly 1858:155 (type: Brazil, Upper Amazonas, Ega, BMNH). Gemminger & Harold 1876:3616 (catalog); Donckier 1899:597 (catalog); Weise 1911a:19 (catalog), 1911b:25 (catalog); Staines & Staines 1999:523 (Baly species list).

Sceloenopla (Microdonta) smithi (Baly). Papp 1953:48 (lapsus calami, catalog).

Sceloenopla smithii (Baly). Uhmman 1957b:62 (catalog).

Distribution: Brazil (Amazonas).

Food plants: Unknown.

***Sceloenopla soluta* (Weise 1905g)**

Cephalodonta soluta Weise 1905g:58 (type: Brazil, Goyaz, Jatahy, ZMHB, MNHN, DEI). Weise 1910a:115 (noted), 1911a:17 (catalog), 1911b:24 (catalog); Gaedike & Döbler 1971:359 (types).

Sceloenopla soluta (Weise). Uhmman 1937c:208 (lectotype), 1957b:62 (catalog); Papp 1953:43 (catalog); Staines 2002b:12 (noted).

Cephalodonta soluta obliterata Pic 1929d:11 (type: Brazil, Goyaz, Jatahy, MNHN).

Descarpentries & Villiers 1959a:143 (types).

Sceloenopla soluta obliterata (Pic). Uhmann 1937c:208 (noted), 1957b:62 (catalog), 1964a:411 (catalog); Papp 1953:43 (catalog).

Distribution: Brazil (Goyaz), Colombia.

Food plants: Unknown.

***Sceloenopla sparsa* (Weise 1910a)**

Cephalodonta sparsa Weise 1910a:121 (type: Brazil, ZMHB). Weise 1911a:17 (catalog), 1911b:24 (catalog); Guérin 1953:100 (faunal list).

Sceloenopla sparsa (Weise). Uhmann 1935d:49 (faunal list), 1937c:208 (noted), 1957b:62 (catalog), 1964a:411 (catalog); Papp 1953:43 (catalog); Staines 2002b:11 (noted).

Distribution: Brazil.

Food plants: Unknown.

***Sceloenopla spectabilis* (Baly 1858)**

Cephalodonta spectabilis Baly 1858:139 (type: Colombia, BMNH). Gemminger & Harold 1876:3616 (catalog); Donckier 1899:597 (catalog); Weise 1911a:17 (catalog), 1911b:24 (catalog); Staines & Staines 1999:523 (Baly species list).

Sceloenopla spectabilis (Baly). Uhmann 1937c:208 (noted), 1957b:62 (catalog); Papp 1953:43 (catalog).

Distribution: Colombia, French Guyana.

Food plants: Unknown.

***Sceloenopla stevensii* (Baly 1858)**

Cephalodonta stevensii Baly 1858:148 (type: Upper Amazonas, BMNH). Donckier 1899:597 (catalog); Weise 1911a:17 (catalog), 1911b:24 (catalog); Staines & Staines 1999:523 (Baly species list).

Cephalodonta stevensii Baly. Gemminger & Harold 1876:3616 (catalog).

Sceloenopla stevensii (Baly). Uhmann 1957b:62 (catalog).

Sceloenopla stevensii (Baly). Papp 1953:43 (catalog).

Distribution: Brazil (Amazonas).

Food plants: Unknown.

***Sceloenopla subcornuta* (Baly 1858)**

Cephalodonta subcornuta Baly 1858:138 (type: Amazonas, BMNH). Gemminger & Harold 1876:3616 (catalog); Donckier 1899:597 (catalog); Weise 1911a:17 (catalog), 1911b:24 (catalog); Staines & Staines 1999:523 (Baly species list).

Sceloenopla subcornuta (Baly). Papp 1953:43 (catalog); Uhmann 1957b:62 (catalog).

Distribution: Brazil (Amazonas).

Food plants: Unknown.

***Sceloenopla subfasciata* Pic 1929d**

Sceloenopla (Microdonta) subfasciata Pic 1929d:4 (type: Brazil, MNHN). Papp 1953:48 (catalog); Descarpentries & Villiers 1959a:143 (types).

Sceloenopla subfasciata Pic. Uhmann 1957b:62 (catalog).

Distribution: Brazil.

Food plants: Unknown.

***Sceloenopla subparallela* (Baly 1885)**

Cephalodonta subparallela Baly 1885:42 (type: Panamá, Volcán de Chiriquí, BMNH).

Donckier 1899:597 (catalog); Staines & Staines 1999:523 (Baly species list).

Cephalodonta (Microdonta) subparallela Baly. Weise 1911a:19 (catalog), 1911b:26 (catalog).

Sceloenopla (Microdonta) subparallela (Baly). Papp 1953:48 (catalog).

Sceloenopla subparallela (Baly). Uhmann 1957b:62 (catalog); Wilcox 1975:139 (catalog);
Staines 2002b:12 (noted), 2011b:56 (faunal list).

Distribution: Costa Rica, Panamá.

Food plants: Unknown.

***Sceloenopla tarsata* (Baly 1858)**

Cephalodonta tarsata Baly 1858:127 (type: Colombia, BMNH). Gemminger & Harold

1876:3616 (catalog); Donckier 1899:597 (catalog); Weise 1911a:17 (catalog), 1911b:24
(catalog); Staines & Staines 1999:523 (Baly species list).

Sceloenopla tarsata (Baly). Uhmann 1937c:206 (noted), 1957b:62 (catalog); Papp 1953:43
(catalog); Staines 2002b:12 (noted).

Distribution: Colombia.

Food plants: Unknown.

***Sceloenopla tetracantha* (Champion 1920)**

Cephalodonta tetracantha Champion 1920:223 (type: Costa Rica, Cascajal, BMNH).

Sceloenopla tetracantha (Champion). Uhmann 1937c:206 (noted), 1957b:63 (catalog); Papp
1953:43 (catalog); Wilcox 1975:139 (catalog); Staines 2002b:11 (noted).

Distribution: Costa Rica.

Food plants: Unknown.

***Sceloenopla trivittata* Staines 2002b**

Sceloenopla trivittata Staines 2002b:27 (type: Costa Rica, Rio San Lorenzo, Tierras Morenas,
INBio).

Distribution: Costa Rica.

Food plant: Unknown.

***Sceloenopla unicostata* Staines 2002b**

Sceloenopla unicostata Staines 2002b:29 (type: Costa Rica, Est. Pitilla, 9 km S Sta. Cecilia,
INBio). Santiago-Blay 2004:78 (host plants).

Distribution: Costa Rica.

Food plant: A leaf-miner in an unidentified species of Visaceae (Staines 2002b).

***Sceloenopla unidentata* (Olivier 1792)**

Hispa unidentata Olivier 1792:96 (type: French Guyana, MNHN?). Olivier 1808:767 (noted); Gyllenhal 1817:3 (noted); Schönherr 1817:5 (catalog).

Cephalodonta unidentata (Olivier). Baly 1858:149 (transfer); Gemminger & Harold 1876:3616 (catalog); Donckier 1899:597 (catalog); Weise 1911a:17 (catalog), 1911b:24 (catalog).

Sceloenopla unidentata (Olivier). Papp 1953:43 (catalog); Uhmman 1957b:63 (catalog).

Distribution: French Guyana, Suriname.

Food plants: Unknown.

***Sceloenopla univittata* Staines 2002b**

Sceloenopla univittata Staines 2002b:29 (type: Costa Rica, Est. Sirena, INBio).

Distribution: Costa Rica.

Food plant: Unknown.

***Sceloenopla varia* Uhmman 1930i**

Sceloenopla varia Uhmman 1930i:139 (type: Costa Rica, Turrialba, DEI, USNM). Uhmman 1937c:206 (noted), 1951d:340 (type), 1957b:63 (catalog), 1964a:411 (catalog); Papp 1953:43 (catalog); Gaedike & Döbler 1971:362 (types); Wilcox 1975:139 (catalog); Staines 1997b:419 (Uhmman species list), 2002b:12 (noted); Staines & Staines 1997:22 (types).

Distribution: Costa Rica.

Food plants: Unknown.

***Sceloenopla varipes* Weise 1921b**

Sceloenopla (Microdonta) varipes Weise 1921b:177 (type: Brazil, Amazonas, Rio Autáz, NHRS). Papp 1953:48 (catalog).

Sceloenopla varipes Weise. Uhmman 1957b:63 (catalog).

Distribution: Brazil (Amazonas).

Food plants: Unknown.

***Sceloenopla violaceipennis* (Pic 1929a)**

Cephalodonta (Cephalodonta) violaceipennis Pic 1929a:7 (type: Venezuela, Caracas, MNHN).

Sceloenopla (Microdonta) violaceipennis Pic. Descarpentries & Villiers 1959a:143 (types).

Sceloenopla violaceipennis (Pic). Uhmman 1937c:206 (noted), 1957b:63 (catalog), 1964a:411 (catalog); Papp 1953:43 (catalog).

Cephalodonta violaceipennis (Pic). Bryant 1942:205 (faunal list).

Distribution: Venezuela.

Food plants: Unknown.

***Sceloenopla viridifasciata* Pic 1929d**

Cephalodonta viridifasciata Pic 1929d:10 (type: Bolivia, Cochabamba, MNHN). Descarpentries & Villiers 1959a:143 (types).

Sceloenopla (Microdonta) viridifasciata (Pic). Papp 1953:48 (catalog).

Sceloenopla viridifasciata Pic. Uhmann 1957b:63 (catalog), 1964a:411 (catalog).

Distribution: Bolivia.

Food plants: Unknown.

***Sceloenopla viridiotata* (Pic 1929d)**

Cephalodonta viridiotata Pic 1929:10 (type: Bolivia, Cochabamba, MNHN). Descarpentries & Villiers 1959a:143 (types).

Sceloenopla viridiotata (Pic). Uhmann 1937c:208 (noted), 1957b:63 (catalog), 1964a:411 (catalog); Papp 1953:43 (catalog); Staines 2002b:12 (noted).

Distribution: Bolivia, Peru.

Food plants: Unknown.

***Sceloenopla vitticollis* (Weise 1905g)**

Cephalodonta vitticollis Weise 1905g:59 (type: Peru, Marcapata, ZMHB). Weise 1911a:17 (catalog), 1911b:24 (catalog); Gaedike & Döbler 1971:363 (types).

Sceloenopla vitticollis (Weise). Uhmann 1937c:210 (lectotype), 1953d:50 (faunal list), 1957a:2 (faunal list), 1957a:2 (faunal list), 1957b:63 (catalog), 1961b:43 (noted), 1964a:411 (catalog); Papp 1953:43 (catalog), 1964d:734 (museum list), 1967a:103 (faunal list); Staines 2002b:12 (noted).

Sceloenopla (Microdonta) germaini Pic 1929d:9 (type: Bolivia, Cochabamba, MNHN). Papp 1953:46 (catalog); Descarpentries & Villiers 1959a:143 (types).

Sceloenopla (Microdonta) germaini reducta Pic 1929d:9 (type: Bolivia, MNHN?).

Sceloenopla germaini Pic. Uhmann 1953d:49 (faunal list), 1957b:57 (catalog), 1964a:409 (catalog).

Chalepus (Macrochalepus) gamblei Papp 1953:84 (unnecessary replacement name).

Distribution: Bolivia, Peru.

Food plants: Unknown.

***Sceloenopla westwoodii* (Baly 1858)**

Cephalodonta westwoodii Baly 1858:143 (type: Venezuela, BMNH). Gemminger & Harold 1876:3616 (catalog); Donckier 1899:597 (catalog); Staines & Staines 1999:523 (Baly species list).

Cephalodonta (Pseudispa) westwoodii Baly. Weise 1911a:17 (catalog), 1911b:25 (catalog); Bryant 1942:205 (faunal list).

Sceloenopla (Pseudispa) westwoodii (Baly). Uhmann 1931f:219 (museum list).

Sceloenopla westwoodii (Baly). Uhmann 1937c:205 (noted), 1957b:63 (catalog), 1964a:411 (catalog); Papp 1953:43 (catalog); Staines 2002b:11 (noted).

Cephalodonta (Pseudispa) westwoodii testaceonotata Pic 1934a:84 (type: Venezuela, San Esteban, MNHN). Bryant 1942:205 (faunal list); Descarpentries & Villiers 1959a:143 (types).

Sceloenopla westwoodii testaceonotata (Pic). Papp 1953:43 (catalog); Uhmann 1957b:63 (catalog), 1964a:411 (catalog).

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera:Chrysomelidae:Cassidinae). Sceloenoplini.

Distribution: Colombia, Venezuela.

Food plants: Unknown.

***Sceloenopla whitei* (Baly 1858)**

Cephalodonta (Microdonta) whitei Baly 1858:152 (type: Colombia, BMNH). Donckier 1899:598 (catalog); Weise 1911a:19 (catalog), 1911b:25 (catalog); Staines & Staines 1999:523 (Baly species list).

Cephalodonta whitei Baly. Gemminger & Harold 1876:3616 (catalog).

Sceloenopla (Microdonta) whitei (Baly). Uhmman 1937c:207 (noted); Papp 1953:48 (catalog).

Sceloenopla whitei (Baly). Uhmman 1957b:63 (catalog); Staines 2002b:13 (noted).

Distribution: Colombia.

Food plants: Unknown.

Fossil Species

***Sceloenopla ambarensis* Santiago-Blay *et al.* 1996**

Sceloenopla ambarensis Santiago-Blay *et al.* 1996:421 (type: OSUC). Arillo & Ortuño 2005:25 (catalog); Perez-Gelabert 2008:125 (faunal list); Staines 2009b:25 (noted).
Dominican amber.

***Sceloenopla dominicana* Samuelson & Staines 2000**

Sceloenopla dominicana Samuelson & Staines 2000:61 (type: BPBM). Arillo & Ortuño 2005:25 (catalog); Perez-Gelabert 2008:125 (faunal list); Staines 2009b:25 (noted).
Dominican amber.

***Sceloenopla stainesorum* Santiago-Blay & Craig 1999**

Sceloenopla stainesorum Santiago-Blay & Craig 1999:22 (type: CASC). Arillo & Ortuño 2005:25 (catalog); Perez-Gelabert 2008:125 (faunal list); Staines 2009b:25 (noted).
Dominican amber.

Incerte Sedis

***Sceloenopla cyanea* (Brême 1844)**

Alurnus cyanea Brême 1844:312 (type: Colombia, depository unknown).

Cephalodonta cyanea (Brême). Waterhouse 1881:269; Donckier 1899:595 (catalog).

Cephalodonta (Microdonta) cyanea (Brême). Weise 1911a:18 (catalog), 1911b:25 (catalog).

Sceloenopla cyanea (Brême). Uhmman 1957a:55 (catalog).

Distribution: Colombia.

Food plant: Unknown.

***Serratispa* Staines 2002a**

Serratispa Staines 2002a:749. Type species:*Serratispa quadricosta* Staines, by monotypy.

***Serratispa quadricosta* Staines 2002a**

Serratispa quadricosta Staines 2002a:749 (type: Brazil, São Paulo d'Oliverça, USNM).

Distribution: Brazil.

Food plant: Unknown.