



TIJDSCHRIFTARTIKELLEN JOURNAL PAPERS

W. Faber

Artikelen over mariene weekdieren in andere tijdschriften. Buikpotigen en tweekleppigen per familie in alfabetische volgorde. [] redactionele opmerkingen.

Papers about marine molluscs in other magazines. Gastropods and bivalves per family in alphabetical order. [] editorial notes.

GENERAL / ALGEMEEN

- * GOLDING, R.E. & A.S. JONES, 2007. – Micro-CT as a novel technique for 3D reconstruction of molluscan anatomy. – *Moll. Res.* 27(3): 123-128.

REGIONAL / REGIONAAL

- * DELONGUEVILLE, C. & R. SCAILLET, 2007. – Les espèces invasives de mollusques en Méditerranée. [with English abstract] – *Novapex* 8(2): 47-70.
- * GONZÁLEZ, A.R., M.J. MAESTRE, E. SÁNCHEZ-MOYANO & J.C. GARCIA-GÓMEZ,

2007. – Comunidades de moluscos de las praderas de fanerógamas marinas (*Zostera marina* y *Cymodocea nodosa*) del sur de la Península Ibérica. [con riassunto italiano; with English abstract] – *Boll. Malac.* 43(1-8): 13-20.

- * GRACE, T., 2007. – Exotic Molluscan Introductions to the San Francisco Bay Area. – *Am. Conch.* 35(3): 19-22.
- * KAISER, K.L., 2007. – The Recent Molluscan Fauna of the Île Clipperton (Tropical Eastern Pacific). – *The Festivus* 39(suppl.): i-iii.1-162.

- * NOSEWORTHY, R.G., N.-R. LIM & K.S. CHOI, 2007. – A Catalogue of the Mollusks of Jeju Island, South Korea. – *Korean J. Malac.* 23(1): 65-104.
- * ORLIN, Z., 2007. – Australian Marine Mollusks. – *Am. Conch.* 35(3): 18.
- * PANETTA, P., F. MASTROTOTARO & A. MATARRESE, 2007. – Malacofauna dei fondi incoerenti del Golfo di Manfredonia. [with English abstract] – *Boll. Malac.* 43(1-8): 57-61.
- * ROLÁN, E., 2007. – Nuevas citas de especies de aguas profundas de Galicia. [Lepe-

tidae, Fissurellidae, Rissoidae, Vaniloridae, Pectinidae] – Noticiario SEM No. 47: 31-36.


- * SOPPELSA, O., F. CROCIETTA & G. FASULO, 2007. – I molluschi marini di Punta di Pioppeto. [with English abstract] – Boll. Malac. 43(1-8): 21-32.
- * VANWALLEGHEM, R., Y. VERHAEGHE & F. SWINNEN, 2007. – Seashells taken by Belgian trawlers in the eastern Bay of Biscay, Western France. [aussi en Français] – Xenophora No. 120: 10-14.

MONOPLACOPHORA (Class)

- * See under Fissurellidae.

POLYPLACOPHORA (Class)

- * DELL'ANGELO, B., M. GRIGIS & A. BONFITTO, 2007. – Notes on fossil chitons. 2. Polyplacophora from the Middle Miocene of Lăpugiu (Romania) [con riassunto italiano] – Boll. Malac. 43(1-8): 39-50.
- * GORDILLO, S., 2007. – Análisis tafonómico de quitones holocenos de Tierra del Fuego, Argentina. – Ameghiniana 44(2): 407-416.
- * ÖZTÜRK, B., A. DOĞAN, M. ÖNEN & C. ÇEVİK, 2007. – *Lepidopleurus cimicoides* (Monterosato, 1879) and *Lepidochitona furtiva* (Monterosato, 1879): two new reports for the Polyplacophora fauna of the Aegean Sea. [con riassunto italiano] – Boll. Malac. 43(1-8): 33-38.
- * SAITO, H., 2006. – Shallow Water Chitons from Puerto Galera, Mindoro Island, the Philippines. – Mem. Natn. Sci. Mus., Tokyo No. 44: 119-133.



Acanthopleura spinosa. 85.3 mm. Laguna Point. – Mem. Natn. Sci. Mus. Tokyo No. 44: 130.

GASTROPODA

GENERAL / ALGEMEEN

- * NN., 2007. – Are you familiar with the shells from South America? – Xenophora No. 120: 24-25, 34.
- * VERMEIJ, G.J., 2007. – The ecology of invasion: acquisition and loss of the siphonal canal in gastropods. – Paleobiology 33(3): 469-493.

ARCHITECTONICIDAE

- * NIELSEN, S.N. & D. FRASSINETTI, 2007. – The Miocene Architectonicidae of Chile. [mit deutscher Kurzfassung] – Paläont. Zeitschrift 81(3): 291-303.

BUCCINIDAE

- * BURN, B., 2007. – Yes, No, Probably: *Engina australis* in Victoria. – Australian Shell News No. 132: 5.

* FABER, M.J., 2007. – Marine Gastropods from the ABC Islands and other localities. 18. The genus *Engina* Gray, 1839. – Miscellanea Malacologica 2(4): 73-77.

- * FRAUSSEN, K. & G.T. POPPE, 2007. – The Genus *Nassaria* in the Central Philippines. – Vasaya 2(2): 43-56.
- * WATTERS, G.Z., 2007. – Small Western Atlantic Buccinidae. Part 1. The Genus *Bailya* M. Smith, 1944. – Am. Conch. 35(3): 10-11.
- * WIESE, V. & I. RICHLING, 2007. – *Pyrulofusus deformis* in Nordostgrönland. – Schr. Malakozool. 23: 30.

CALLIOSTOMATIDAE

- * ROLÁN, E. & M. SUÁREZ, 2007. – Primera cita de *Calliostoma leptophyma* para aguas de la Península Ibérica. – Noticiario SEM No. 47: 39-43.

CALYPTRAEIDAE

- * ROLÁN, E., 2007. – Especies introducidas en Galicia: algunos nuevos datos. – Noticiario SEM No. 47: 37-38.

CERITHIOPSIDAE

- * FABER, M.J., 2007. – Marine Gastropods from the ABC Islands and other localities. 19. The genera *Cerithiella* and *Retilaskeya* – Miscellanea Malacologica 2(4): 79-83.

COLLONIIDAE

- * MCCLEAN, J.H. & S. KIEL, 2007. – Cretaceous and living Colloniidae of the redefined subfamily Petromatinae, ..., with notes on opercular evolution in turbinoidaeans, and the fossil record of Liotiidae. – Paläont. Zeitschrift 81(3): 254-266.

COLUMBELLIDAE

- * BEECHEY, D.L. & R.C. WILLAN, 2007. – Establishment of the East Asian Dove Snail *Mitrella bicincta* (Gould, 1860) in Australia. – Moll. Res. 27(2): 51-59.
- * BEECHEY, D., 2007. – East Asian Dove Snail *Mitrella bicincta* introduced in NSW. – Austr. Shell News No. 132: 7-8.
- * MONSECOUR, K. & D., 2007. – The *Aesopus* (*Lavesopus*) *spiculus* Species Complex in the Tropical Indo-Pacific. – Visaya 2(2): 57-61.

CONIDAE

- * FRANKLIN, B., S.A. FERNANDO, B.A. CHALKE & K.S. KRISHAN, 2007. – Radular morphology of *Conus* from India. – Moll. Res. 27(3): 111-122.
- * KOHN, A.J. & D.L.N. VINK, 2007. – *Conus jaspideus* Gmelin, 1791: proposed conservation of the specific name by designation of a neotype. – Bull. Zool Nomenclature 64(3): 144-148.
- * SMRIGLIO, G., A. DI GIULIO, F. GUBBIOLO & P. MARIOTTINI, 2007. – *Brachycythara atlantidea* (Knudsen, 1952), first report from the Western Mediterranean Sea. – Basteria 71(1-3): 29-32.
- * TRENCART, A., 2007. – Moments rares et intenses au Sénégal. – Xenophora No. 120: 7.

* TUCKER, J.K., 2007. – Distribution of *Conus kohni* McLean and Nybakken, 1979. – The Festivus 39(8): 81-85.

- * TUCKER, J.K., F. SICILIA-GUILLÉN & M.J. TENORIO, 2007. – *Conus lucidus* in the Solomon Islands. – The Festivus 39(10): 101-103.

CORALLIOPHILIDAE

- * HERTZ, C.M., 2007. – Filling in a gap on *Rhizochilus antipathum* Steenstrup, 1850. – The Festivus 39(9): 89-91.

COSTELLARIIDAE

- * TURNER, H., S. GORI & R. SALISBURY, 2007. – Costellariidae of the Maldive Islands, – Vita Malacologica No. 5: 1-47.

CYLINDROBULLIDAE

- * See under Volvatellidae.

CYPRAEIDAE

- * HEIMAN, E.L., 2007. – About *Cribrarula cribraria esontropia*. – Pallidula 37(2): 13-15.
- * HEIMAN, E.L., 2007. – *Erosaria caputdraconis* Poppei needs further confirmation. – Triton No. 16: 5.
- * HEIMAN, E.L., 2007. – About the subspecies *Cribrarula cribraria esontropia*. – Triton No. 16: 10-16.
- * HEIMAN, E.L., 2007. – About *Luria lurida minima*. – Triton No. 16: 17-20.
- * HEIMAN, E.L., 2007. – "Intraspecific variation in living cowries" Nomenclatural results of Part 3. – Triton No. 16: 21-26.
- * HEIMAN, E.L., 2007. – Additional conchological information on *Schilderia achatidea*. – Triton No. 16: 27.
- * LORENZ, F. & M. CHAPPONI, 2007. – The deep water subspecies of *Zoila friendii* Gray 1831. – Schr. Malakozool. 23: 39-44.
- * RAWLINGS, C.E., 2007. – *Erosaria guttata* (Gmelin, 1791) : the Great Spotted Cowrie. – Am. Conch. 35(3): 12-13.
- * YOUTTOU, D., 2007. – Quoi de neuf du côté d'Hyères? Ou la quête de la porcelaine orangée.... – Xenophora No. 120: 32-33.

ELLOBIIDAE

- * MATSUMURA, I., 2007. – The first record of *Ellobium chinense* from Hyogo Prefecture, Japan. – Chiribotan 38(1-2): 8-11.

EPITONIIDAE

- * KOKSHOORN, B., J. GOUD, E. GITTEBERGER & A. GITTEBERGER, 2007. – Epitoniid parasites and their host sea anemones in the Spermonde archipelago, Sulawesi, Indonesia. – Basteria 71(1-3): 33-56.
- * SCHMELZ, G.W. & R.W. PORTELL, 2007. – The Epitoniidae from the lower Alum Bluff Group (lower to middle Miocene) of Florida, – The Nautilus 121(3): 105-130.
- * See also under Janthinidae.

EULIMIDAE

- * HALES, J., 2007. – A New Live Eulimid Gastropod Record in Victoria. – Australian Shell News No. 132: 3.

FASCIOLARIIDAE

- * CALLOMON, P. & M.A. SNYDER, 2007. – On the Genus *Fusinus* in Japan III: Nine Further Species with Type Selections. – *Venus* 66(1-2): 19-47.

FISSURELLIDAE

- * PONDER, W.F., P.YU. PARKHAEV & D.L. BEECHY, 2007. – A remarkable similarity in scaly shell structure in Early Cambrium univalved limpets (Monoplacophora) and a Recent fissurellid limpet with a review of Maikhanellidae. – *Moll. Res.* 27(3): 129-139.

HALIOTIDAE

- * CAZALIS, P., 2007. – Un haliotide bien nommé: *Haliotis diversicolor* Reeve, 1846. – *Xenophora* No. 120: 40.
- * HUANG, B., ZR. DENG, XB. WANG, JL. LIU & Z. ZHOU, 2007. – The ultrastructure of the spermatozoon of the ear abalone *Haliotis asinina*. [in Chinese with English abstract] – *Acta. Zool. Sinica* 55(3): 552-556.
- * NAJMUDEEN, T.M., 2007. – Gonad maturation of the tropical abalone *Haliotis varia* Linnaeus 1758. – *Moll. Res.* 27(3): 140-146.

HYDROBIIDAE

- * ROLÁN, E. & A. DE OLIVEIRA, 2007. – Nueva información sobre *Mercuria tachonsis*. – *Noticiario SEM* No. 47: 44-46.

JANTHINIDAE

- * ROBERTSON, R., 2007. – *Janthina*: floating *Epitonium* (wentletrap) relatives. – *Am. Conch.* 35(3): 4-9.

LITTORINIDAE

- * CARDOSO, R.S., D.S. COSTA & V.F. LOUREIRO, 2007. – Mating behaviour of the marine snail *Littoraria flava* on a bouldet shore of south-east Brazil. – *J. Marine Biol. Ass. U.K.* 87(4): 947-952.
- * DANCE, S.P., 2007. – Beaded periwinkles alive in the North of England! – *Pallidula* 37(2): 20-21.
- * FOKIN, M.V., 2005. – The microgeographic genetic structure of the White Sea periwinkles *Littorina obtusata* (Linnaeus, 1758) and *L. fabilis* (W. Turton, 1825). – *Proc. Zool. Inst. Russ. Acad. Sci.* 308: 29-34.

LOTTIIDAE


- * SASAKI, T. & T. NAKANO, 2007. – The Southernmost Record of *Nipponacmea fuscoviridis* from Iriomote Island, Okinawa. – *Venus* 66(1-2): 99-102.
- * TAKADA, Y., 2007. – Seasonal and Long-term Fluctuations in a Population of *Patelloida heroldi* on a Boulder Shore in Japan. – *Venus* 66(1-2): 85-97.
- * WRIGHT, W.G. & J.W. NYBAKKEN, 2007. – Effect wave action on movement in the owl limpet, *Lottia gigantea*, in Santa Cruz, California. – *Bull. Marine Sci.* 81(20): 235-244.

MATHILDIDAE

- * BIELER, R. & D.T. DOCKERY, 2007. –

Recognition of the Paleocene gastropod "*Solariella*" *alabamensis* (Aldrich, 1886) as a member of lower heterobranchs (Mathildidae), with description of *Toulminella* n. gen. – *Paläont. Zeitschrift* 81(3): 283-290.

- * GUZHOV, A.V., 2007. – Systematics and Evolution of the Genus *Clathrobaculus* Cossmann, 1912. – *Paleont. J.* 41(4): 382-394.



Clathrobaculus fahrenheiti (Rouillier, 1846). Bank of Oka River, Middle Oxfordian. Scale bars 100µ. – *Paleont. J.* 41(40): 388.

MELANOPSIDAE

- * BLANDEL, K., N. SIVAN & J. HELLER, 2007. – *Melanopsis* from Al-Qarn, Jordan Valley. [mit deutscher Kurzfassung] – *Paläont. Zeitschrift* 81(3): 304-315.

MITRIDAE

- * MIFSUD, C., 2007. – On the identity of *Mitra exigua* Von Maltzan 1884. – *Schr. Malakozool.* 23: 31-32.

MURICIDAE

- * AMOR, M.J., M. RAMÓN & M. DURFORT, 2007. – Aspectos morfológicos y ultraestructurales de la glándula de la cápsula de *Bolinus brandaris*. [con riassunto italiano; with English abstract] – *Boll. Malac.* 43(1-8): 78-86.
- * FABER, M.J., 2007. – Marine gastropods from the ABC islands and other localities 15. *Pterynotus xenos* Harasewych, 1982, range extension to Curaçao and a note on its variability. – *Miscellanea Malacologica* 2(3): 56..
- * CASTELLAZZI, M., D. SAVINI & A. OCCHIPINTI AMBROGI, 2007. – Shell morphotypes of the invasive gastropod *Rapana venosa* in the Northern Adriatic Sea. [con riassunto italiano] – *Boll. Malac.* 43(1-8): 103-107.


- * DELONGUEVILLE, C. & R. SCAILLET, 2007. – *Ocenebrellus inornatus* (Ocenebra inornatus) (Récluz, 1851) en baie du Mont-Saint-Michel (France). *Novapex/Société* 8(3): 96-99.

- * GHOSH, A., S. BARUA & A. DEY, 2006. – Report of *Pterynotus pinnatus* Swainson from Shanarpur Mohona, Digha, West Bengal. – *Rec. Zool. Surv. India* 106(4): 99-100.

- * HARDING, J.M. & M.G. HARASEWYCH, 2007. – Two new modern records of the southern oyster drill *Stramonita haemastoma floridana* (Conrad, 1837) in Chesapeake Bay, USA. – *The Nautilus* 121(3): 146-158.

- * HEIMAN, E.L., 2007. – Two forms of *Chicoreus ramosus*. – *Triton* No. 16: 28.

- * MORTON, B., M. PEHARDA & E.M. HARPER, 2007. – Drilling and chipping patterns of bivalve prey shell penetration by *Hexaplex trunculus*. – *J. Marine Biol. Ass. U.K.* 87(4): 933-940.



A *Hexaplex trunculus* individual drilling *Mytilus galloprovincialis*. – *J. Marine Biol. Ass. UK* 87(4): 937.

- * ROLÁN, E. & R. BAÑÓN DIAZ, 2007. – Primer hallazgo de la especie invasora *Rapana venosa* y nueva información sobre *Hexaplex trunculus* en Galicia. – *Noticiario SEM* No. 47: 57-59.

- * SAGLAM, H. & E. DUZGUNES, 2007. – Deposition of egg capsule and larval development of *Rapana venosa* from the south-eastern Black Sea. – *J. Marine Biol. Ass. U.K.* 87(4): 933-957.

- * TRIGUI EL-MENIF ET AL., 2007. – Impossex in the marine neogastropod *Hexaplex trunculus* from Tunisian coasts: geographical distribution and development intensity. – *Vie et Milieu (Life and Environment)* 57(1-2): 37-42.

NASSARIIDAE

- * FABER, M.J., 2007. – Marine Gastropods from the ABC Islands and other localities. 17. A note on the presumed holotype of *Buccinum polygonatum* Lamarck, 1822. – *Miscellanea Malacologica* 2(4): 61-62.
- * KOOL, H. & H. DEKKER, 2007. – Review of the *Nassarius pauper* (Gould, 1850) Complex. Part 2, the Western Indian Ocean Species, with and introducing a Nomen Novum. – *Visaya* 2(2): 62-77.

OLIVIDAE

- * KANTOR, Y.I. & PH. BOUCHET, 2007. – Out of Australia: *Belloiliva* in the Coral Sea and New Caledonia. – *Am. Malac. Bull.* 22(1-2): 27-73.

OVULIDAE

- * HEIMAN, E.L., 2007. – *Cypraeovula alfrendensis*. – A Bleu Form of *Cypraeovula edentula*. – *Am. Conch.* 35(3): 23-25.

PATELLIDAE

- * LINDBERG, D.R., 2007. – Reproduction, ecology, and evolution of the Indo-Pacific limpet *Scutellastra flexuosa*. – *Bull. Marine Sci.* 81(2): 219-234.

POTAMIDIDAE

- * OTITOLOJU, A.A. & K.N. DON-PEDRO, 2006. – Influence of joint application of heavy metals on level of each metal accumulated in the periwinkle *Tympanotomus fuscatus*. [con resumen español] – Rev. Biol. Trop. 54(3): 803-814.

RANELLIDAE

- * LÓPEZ VINCENTE, J., 2007. – The Family Ranelidae in the Canary Islands, with special emphasis on Lanzarote. – Visaya 2(2): 7-31.

RINGICULIDAE

- * MIMOTO, K., 2007. – *Ringicula shimaensis* from Pleistocene deposits in Kochi Prefecture and putative Recent records from the Ryukyu Islands, southern Japan. [in Japanese with English abstract] – Chiribotan 38(1-2): 1-7.

RISSOIDAE

- * HASEGAWA, K., 2006. – A Small Collection of Rissoid Gastropods Collected from Puerto Galera, Mindoro Island, the Philippines. – Mem. Natn. Sci. Mus., Tokyo No. 44: 105-118.

TONNIDAE

- * SKOGLUND, C., 2007. – Growth series for *Malea ringens* (Swainson, 1822) and *Semicassis centiquadrata* (Valenciennes, 1832). – The Festivus 39(11): 107-109.

TRIPHORIDAE

- * AMITROV, O.V. & E.A. ZHEGALLO, 2007. – Trophorids from the Upper Eocene of Ukraine. – Paleont. J. 41(4): 370-381.
- * JAY, M., 2007. – Triphoridae of Reunion Island (Indian Ocean): types revisited. [avec un résumé en français] – Novapex 8(2): 31-42.

TROCHIDAE

- * BURN, B., 2007. – Way out of place: *Pseudostomatella papyracea* (Gmerlin, 1791) in South Australia. – Australian Shell News No. 132: 6.
- * SINGER, B.S., 2007. – Shells of east Sinai, an illustrated list. Stomatellidae. – Triton No. 16: 6-7.
- * SINGER, B.S., 2007. – *Stomatolina danblumi* in Elat. – Triton No. 16: 35.

TURBINIDAE

- * ANDRÉS, L.J., 2007. – Contribution al conocimiento de la protoconcha de *Bolma rugosa* (Linné, 1758). – Noticiario SEM No. 47: 55-56.
- * HOLGUIN QUIÑONES, O.E. & J.E. MICHELMORFIN, 2006. – Population structure and accompanying biota of the snail *Turbo (Callopora) funiculosus* on Socorro Island, Revillagigedo Archipelago, Mexico. [con resumen español] – Revista Biol. Tropical 54(4): 1079-1084.
- * SMITH, S. M. MÖHRING & A. DAVEY, 2007. – Variation in the external morphology of *Turbo militaris* Reeve, 1848. – Australian Shell News No. 132: 4-5.

TURRIDAE

- * CLEMOT, M., 2007. – Turridae de Nouvelle-Calédonie. – Xenophora No. 120: 39.
- * HERALDE, F.M. ET AL., 2007. – Molecular phylogeny of some Indo-Pacific genera in the subfamily Turrinae H. Adams and A. Adams, 1853 (1838). – The Nautilus 121(3): 131-138.

VITRINELLIDAE

- * FABER, M.J., 2007. – Marine Gastropods from the ABC Islands and other localities. 20. *Solariorbis semipunctus* Moore, 1965, first records for Florida, U.S.A. and Curaçao. – Miscellanea Malacologica 2(4): 84.

VOLVATELLIDAE

- * FABER, M.J., 2007. – Marine Gastropods from the ABC Islands and other localities. 21. *Cylindrobullidae* and *Volvatellidae*. – Miscellanea Malacologica 2(4): 85-86.

SLUGS / NAAKTSLAKKEN

- * CAMACHO-GARCÍA, Y. Y T.M. GOSLINER, 2007. – The Genus *Paradoris* Bergh, 1884 in the Tropical Americas, and South Africa with the description of a New Species. – The Veliger 49(3): 105-119.
- * DOMÍNGUEZ, P., QUINTAS & J.S. TRONCOSO, 2007. – Phyllidiidae from Papua New Guinea with description of a new species of *Phyllidiella*. – Am. Malac. Bull. 22(1-2): 89-117.
- * HERMOSILLO, A. & Á. VALDÉS, 2007. – Five new species of Aeolid nudibranchs from the tropical eastern Pacific. – Am. Malac. Bull. 22(1-2): 119-137.
- * JAUX, G., 2007. – Sympathique rencontre avec un alien méditerranéen. [*Aplysia*] – Xenophora No. 120: 30.
- * MUNIAN, C., C.S. GALLARDO & P.E. PENCHASZADEH, 2007. – Reproductive biology of the nudibranch *Doris fontainei* d'Orbigny, 1835 from the Magellanic Region. – The Nautilus 121(3): 139-145.
- * RUDMAN, W.B. & P.R. BERGQUIST, 2007. – A review of feeding specificity in the sponge-feeding Chromodorididae. – Moll. Res. 27(2): 60-88.
- * UESHIMA, R., 2007. – Morphology and taxonomy of the Japanese common sea slug, *Peronia* sp. cf. *verruculata* and related species. [in Japanese] – Chiribotan 38(1-2): 43-47.

BIVALVIA

GENERAL / ALGEMEEN

- * TAYLOR, J.D., S.T. WILLIAMS, E.A. GLOVER & P.DYAL, 2007. – A molecular phylogeny of heterodont bivalves: new analyses of 18S and 28S rRNA genes. – Zoologica Scripta 36(6): 587-606.

REGIONAL / REGIONAAL

- * OKUTANI, T., 2006. – Supplement and New Records to Bivalve and Scaphopod Fauna around the Nansei Islands, Southwestern Japan. – Bull. Natl. Sci. Mus., Tokyo, Series A, 32(4): 144-152.

ARCIDAE

- * KIM, B.-H. ET AL., 2007. – Effects of Size and Environmental Conditions on Burrowing of Artificial Seedling of Ark Shell, *Scapharca broughtonii* (Schrenk). [in Korean with English abstract] – Korean J. Malac. 23(1): 1-8.
- * MIRANDA-BAEZA, A., D. VOLTOLINA & B. CORDERO-ESQUIVEL, 2006. – Filtration and clearance rates of *Anadara grandis* juveniles with different temperatures and suspended matter concentrations. [con resumen español] – Rev. Biol. Trop. 54(3): 787-792.

CARDIIDAE

- * MUNASYPOVA-MOTYASH, I.A., 2006. – Morphometrical Characters of the Shell of the Bivalvial Mollusks of the Subfamily Limnocardinae and its Significance in their Taxonomy. [in Russian with English abstract] – Vestnik zoologii 40(6): 521-527.
- * POORTEN, J.J. TER, 2007. – Notes on the identity of *Cardium costatum* Linnaeus, 1758, – Basteria 71(1-3): 57-69.
- * WILLAN, R.C., 2007. – Comment on the proposed conservation of usage of *Cardium egmontianum* Shuttleworth, 1856 (currently *Trachycardium egmontianum*). – Bull. Zool. Nomenclature 64(3): 185.

CORBULIDAE

- * RYU, D.-K. & Y.-H. KIM, 2007. – Age and Growth of the Asian Clam *Potamocorbula ustulata ustulata* (Reeve, 1844) in the West Coast of Korea. [in Korean with English abstract] – Korean J. Malac. 23(1): 17-23.

GLYCIMERIDAE

- * ROGALLA, N.S. & R.W. AMLER, 2007. – Statistic approach on taphonomic phenomena in shells of *Glycymeris glycymeris* and its significance in the fossil record. – Paläont. Zeitschrift 81(3): 334-355.
- * SINGER, B.S., 2007. – Shells of east Sinai: an illustrated list. Glycymeridae. – Triton No. 16: 8-9.

LUCINIDAE

- * KURIHARA, Y., 2007. – Occurrence of *Epilucina californica* from the Neogene of Japan, with notes on the biogeographical history of *Epilucina*. – Paleont. Res. 11(1): 29-39.

MACTRIDAE

- * CLIFTON, T., 2007. – Mass Stranding of *Lutraria lutraria* at Abergele. – Mollusc World No. 14: 19.
- * LA VALLE, P., D. VANI, A. LIBONI & C. SMRIGLIO, 2007. – *Eastonia rugosa* (Helbling, 1799) occurring along the Latium coasts. – Basteria 71(1-3): 93-95.

MYTILIDAE

- * BABARRO, J.M.F., U. LABARTA & M.J. FERNÁNDEZ REIRIZ, 2007. – Energy metabolism and performance of *Mytilus galloprovincialis* under anaerobiosis. – J. Marine Biol. Ass. U.K. 87(4): 931-946.

- * STAFFORD, H., R.C. WILLAN & K.N. NEIL, 2007. – The invasive Asian Green Mussel, *Perna viridis* (Linnaeus, 1758), breeds in Trinity Inlet, tropical northern Australia. – *Moll. Res.* 27(2): 105-109.
- * TERRANOVA, M.S., S. LO BRUTTO, M. ARCULEO & J.B. MITTON, 2007. – A mitochondrial phylogeography of *Brachidontes variabilis* reveals three cryptic species. [con riassunto italiano] – *J. Zool. Syst. and Evol. Res.* 45(4): 289-298.

NEILONELLIDAE

- * LA PERNA, R., 2007. – Taxonomy of the Family Neilonellidae: Miocene and Plio-Pleistocene Species of *Pseudoneilonella* Laghi, 1986 from Italy. – *The Veliger* 49(3): 196-208.

NUCULIDAE

- * LA PERNA, R. 2007. – The deep-water protobranch *Deminucula* in the Mediterranean Plio-Pleistocene and the contribution of palaeobiogeography to taxonomy. [con riassunto italiano] – *Boll. Malac.* 43(1-8): 3-12.

OSTREIDAE

- * LE PENNEC, G. ET AL., 2007. – Polyploidisation et gamétogenèse chez un mollusque bivalve cultivé, l'ostreïde *Crassostrea gigas*. [con riassunto italiano; with English abstract] – *Boll. Malac.* 43(1-8): 87-95.
- * TUROLLA, E., F. SAVORELLI, D. PALAZZI & F. GELLI, 2007. – Impiego di tecniche di induzione all'emissione dei gameti in *Crassostrea gigas* per l'esecuzione di test di embriotossicità. [with English abstract] – *Boll. Malac.* 43(1-8): 73-77.

PECTINIDAE

- * LÓPEZ GAPPA, J. & N.A. LANDONI, 2007. – Smaller host size and monopolization of space in Patagonian scallops, *Psychochlamys patagonica*, covered by the sponge *Iophon proximum*. – *J. Marine Biol. Ass. U.K.* 87(4): 927-931.
- * SCHEJTER, L. & C. BREMEC, 2007. – Repaired shell damage in the commercial scallop *Zygochlamys patagonica* (King & Broderip, 1832), Argentine Sea. – *J. Sea Res.* 58(2): 156-162.
- * SCHEJTER, L. & C. BREMEC, 2007. – Benthic richness in the Argentine continental shelf: the role of *Zygochlamys patagonica* as settlement substrate. – *J. Marine Biol. Ass. U.K.* 87(4): 917-925.
- * SCHEJTER, L. & C. BREMEC, 2007. – Epibionts on *Flexopecten felipponei* (Dall, 1922), an uncommon scallop from Argentina. – *Am. Malac. Bull.* 22(1-2): 75-82.
- * SILINA, A.V., 2007. – Growth Responses of the Scallop *Patinopecten yessoensis* to Shell Bioerosion and Bottom Type. – *Korean J. Malac.* 23(1): 9-16.
- * WALLER, Th., 2007. – The evolutionary and biogeographic origins of the endemic Pectinidae of the Galápagos Islands. – *J. Paleont.* 81(5): 929-950.

SOLECURTIDAE

- * ROSENTHAL, S., 2007. – True Tales of *Tagelus*. – *Am. Conch.* 35(3): 34-35.

SOLENIIDAE

- * FRANCISCO-CANDEIRA, M., A. GONZÁLEZ-TIZÓN, M.A. VARELA & A. MARTÍNEZ-LAGE, 2007. – Development of microsatellite markers in the razor clam *Solen marginatus*. – *J. Marine Biol. Ass. U.K.* 87(4): 977-978.

SPONDYLIDAE

- * LIÑERO ARANA, I. & O. DIAZ, 2006. – Poliquetos (Annelida: Polychaeta) epibiontes de *Spondylus americanus* en el Parque Nacional Mochima, Venezuela. [with English abstract] – *Rev. Biol. Trop.* 54(3): 765-772.

TELLINIDAE

- DEY, A., 2006. – Contribution to the knowledge of Indian Marine Molluscs (Part - IV) Family Tellinidae. – *Rec. Zool. Survey India, Occ. Paper No.* 249: 1-124.
- * KIMURA, S., 2007. – Occurrence of *Moerella culter* (Hanley, 1844) from the mainland of Japan. [in Japanese] – *Chiribotan* 38(1-2): 27-31.

VENERIDAE

- * CHO, S.M. & W.G. JEANG, 2007. – Ecological Study of Shortnecked Clam *Ruditapes philippinarum* from the Jindu Coast of Hansan Island, Korea. [in Korean with English abstract] – *Korean J. Malac.* 23(1): 25-30.
- * DELGADO, M. & A. PÉREZ-CAMACHO, 2007. – Comparative study of gonadal development of *Ruditapes philippinarum* (Adams & Reeve) and *Ruditapes decussatus* (L.): Influence of temperature. – *Scientia Marina* 71(3): 471-484.
- * KIM, Y.H. ET AL., 2007. – Stock Assessment of Purplish Washington Clam, *Saxidomus purpuratus* in the Southern Coastal Waters of Korea. [in Korean with English abstract] – *Korean J. Malac.* 23(1): 31-38.
- * MATSUBARA, T., 2007. – Redescription of *Pitar japonica* Ando, 1953 and Proposal of a New Replacement Name for *Pitar*

(*Agriopoma*) *japonicum* Kuroda & Kawamoto, 1956. – *Venus* 66(1-2): 75-83.

SCAPHOPODA (Class)

- * See under Bivalvia Regional.


CEPHALOPODA

- * AKYOL, H. ŞEN & H. TUNCAK KINACIGIL, 2007. – Reproductive biology of *Eledone moschata* in the Aegean Sea (Izmir, Turkey). – *J. Marine Biol. Ass. U.K.* 87(4): 967-970.
- * FARMER, W.M., 2007. – Fishing for a giant mollusk *Dosidicus gigas* (Orbigny, 1835). – *The Festivus* 39(9): 92-93.
- * HUFFARD, C.L., 2007. – Four new species of shallow water pygmy octopus from the Kingdom of Tonga. – *Moll. Res.* 27(3): 147-170.
- * OKUTANI, T., D. LINDSAY & T. KUBODERA, 2007. – Cephalopods observed from submersibles and ROVs-IV. The first *in situ* observation of *Ctenopteryx siculus*. [in Japanese with English abstract] – *Chiribotan* 38(1-2): 32-36.
- * WAKABAYASHI, T., T. KUBODERA, M. SAKAI, T. ICHII & S. CHOW, 2007. – Molecular evidence for synonymy of the genera *Morotheutis* and *Onykia* and identification of their paralarvae from northern Hawaiian waters. – *J. Marine Biol. Ass. U.K.* 87(4): 959-965.

FOSSILS / FOSSIELEN

CEPHALOPODA


- * AGUIRRE-URRETA, B., M. SUÁREZ, R. DE LA CRUZ & V.A. RAMOS, 2007. – Ammonoids (Crioceratitinae, Hauterivian) from the Austral Basin, Chile. – *Ameghiniana* 44(2): 387-397.
- * BAROSSO-BARCELLA, F., 2007. – Revision and New Data of the Ammonite Family Acanthoceratidae De Grossouvre, 1894, from the Lower Turonian of the Iberian Trough, Spain. [mit deutscher Zusammenfassung] – *Palaeontographica* 280(4-6): 123-163.
- * BOLETZKY, S. VON, 2007. – Origin of the lower jaw in Cephalopods: a biting issue. – *Paläont. Zeitschrift* 81(3): 328-333.
- * FUCHS, D., T. ENGESER & H. KEUPP, 2007. – Gladius shape variation in coleoid cephalopod *Trachyteuthis* from Upper Jurassic Nusplingen and Solnhofen Plattenkalks. – *Acta Palaeont. Polonica* 52(3): 575-589.
- * KRÖGER, B., 2007. – Concentrations of juvenile and small adult cephalopods in the Hirnantian cherts (Late Ordovician) of Porkuni, Estonia. – *Acta Palaeont. Polonica* 52(3): 591-608.
- * KRÖGER, B. & E. LANDING, 2007. – The earliest Ordovician cephalopods of eastern Laurentia – Ellesmerocerids of the Tribes Hill Formation, eastern New York. – *J. Paleont.* 81(5): 841-857.
- * KRÖGER, B. & R.H. MAPES, 2007. – On the origin of bactritoids. – *Paläont. Zeitschrift* 81(3): 316-327.
- * LEHMAN, J., O. FRIEDRICH, F.W. LUPPOLD, W. WEISS & J. ERBACHER, 2007. –



Leopecten stillmani (Dijkstra, 1998). – *J. Paleont.* 81(5).

Ammonites and associated macrofauna from around the Middle/Upper Albian boundary of the Hannover-Lahe core, northern Germany. – *Cretaceous Res.* 28(5): 719-742.

- * LIN MU, Y.D. ZAKHAROV, W.-Z. LI & S.-Z. SHEN, 2007. – Early Induan (early Triassic) cephalopods from the Daye Formation at Guiding, Guizhou Province, South China. – *J. Paleont.* 81(5): 858-872.
- * MAPES, R.H., S. NIKO, J. FRYDA & A. NÜTZEL, 2007. – A newly hatched coiled nautiloid from the Permian of Italy. – *J. Paleont.* 81(5): 1118-1121.
- * OLIVERO, E., 2007. – Taphonomy of ammonites from the Santonian-Lower Campanian Santa Marta Formation, Antarctica: sedimentological controls on vertically embedded ammonites. – *Palaios* 22(6): 586-597.
- * PÉREZ-CLAROS, J.A., F. OLÓRIZ & P. PALMQUIST, 2007. – Sutural complexity in Late Jurassic ammonites and its relationship with phragmocone size and shape: a multidimensional approach using fractal analysis. – *Lethaia* 40(3): 253-272.
- * SIMONSEN, S., 2007. – Fossilien aus der Herforder Liasmulde. [with English abstract] – *Fossilien* 2007(5): 282-287.



Polymorphytes (Uptonia?) bronni. – *Fossilien* 2007(5): 282-287.

OTHER FOSSILS / ANDERE FOSSIELEN

- * GRÜNDEL, J., 2007. – Gastropoden aus dem oberen Toarcium/unteren Aalenium (Jura). [with English abstract] – *Paläont. Zeitschrift* 81(3): 238-253.
- * HARZHAUSER, M. (with contribution of D. FEHSE), 2007. – Oligocene and Aquitanian Gastropod Faunas from the Sultanate of Oman and their biogeographic implications for the early western Indo-Pacific. [mit deutscher Zusammenfassung] – *Palaeontographica* 280(4-6): 75-121, pls. 1-6.
- * HE, W., Q. FENG, E.A. WELDON, S. GU, Y. MENG, F. ZHANG & S. WU, 2007. – A late Permian to early Triassic bivalve fauna from the Dongpan Section, southern Guangxi, South China. – *J. Paleont.* 81(5): 1009-1019.
- * HEIDELBERER, D., 2007. – Neue Erkenntnisse zu mikromorphen Gastropoden aus Sötenich (Givetium, Mittel-Devon). [with

English abstract] – *Paläont. Zeitschrift* 81(3): 229-237.

- * JANSSEN, A.W., 2007. – Holoplanktonic Mollusca (Gastropoda) from the Gulf of Aqaba, Red Sea and Gulf of Aden (Late Holocene-Recent). – *The Veliger* 49(3): 140-195.
- * JOHNSON, A.L.A., M.N. LIQUORISH & J. SHA †, 2007. – Variation in growth-rate and form of a Bathonian (Middle Jurassic) oyster in England, and its environmental implications. – *Palaeontology* 50(5): 1155-1173.
- * KOMATSU, & T.H. DANG, 2007. – Lower Triassic bivalve fossils from Song Da and An Chau Basins, North Vietnam. – *Paleont. Res.* 11(2): 135-144.
- * LOZOUET, P. & J. LE RENARD, 2007. – *Praecuvierina lura* (holoplanktonic Mollusca; Gastropoda, Euthecosomata) a biostratigraphic marker on the Middle Eocene of Aquitaine basin. [avec un résumé en français] – *Cossmanniana* 11(1-4): 1-5.
- * MACÉ-BORDY, J., 2007. – Révision des rudistes crétaqués (Bivalvia) de la Paléontologie française. [with English abstract] – *Ann. de Paléont.* 93(3): 149-178.
- * NÜTZEL, A. ET AL., 2007. – Larval shells of Late Palaeozoic naticopsid gastropods with a discussion of the early neritimorph evolution. [mit deutscher Kurzfassung] – *Paläont. Zeitschrift* 81(3): 213-228.
- * PACAUD, J.-M. & D. LEDON, 2007. – Sur les espèces de mollusques du Ludien (Priabonien, Éocène supérieur) du bassin de Paris introduites par Périen en 1941. [with Eng. abstract] – *Cossmanniana* 11(1-4): 7-25.
- * PINILLA, K., N. SABATTINI & J. HLEBSZEVITSCH, 2007. – Nuevos gastrópodos del Pérmico inferior de la Formación Mojón de Hierro, provincia del Chubut, Argentina. [with English abstract] – *Ameghiniana* 44(2): 399-405.
- * RIVADENEIRA, M.M. & P.A. MARQUET, 2007. – Selective extinction of late Neogene bivalves on the temperate Pacific coast of South America. – *Paleobiology* 33(3): 455-468.
- * VARDALA-THEODOROU & A. NICOLAIDOU, 2007. – On the Recent and fossil malacofauna of "Vouliagmeni Lake", Petachora (Korinthiakos Gulf, Greece) [con riassunto italiano] – *Boll. Malac.* 43(1-8): 62-70.
- * YAO, H. ET AL., 2007. – Late Triassic megadolodontids (Bivalvia) from the headwaters of the Yangtze River, Qinghai province, west China. – *J. Paleont.* 81(6): 1327-1347.
- * See also Polyplacophora; Gastropoda: General, Epitonidae, Mathildidae,

Triphoridae; Bivalvia: Lucinidae, Neilonellidae, Nuculidae, Pectinidae.

FIELD TRIPS / VELDWERK

- * BROKENSHIRE, A., 2007. – Recent/Subfossil Molluscs from Carnick Roads, Falmouth, Cornwall (or the length to which some people will go to collect shells) – *Pallidula* 37(2): 10-12.
- * KUNTZ, P., 2007. – *Fusiturris* sp. de Tunisie. – *Xenophora* No. 120: 37-38.
- * LACROIX, M. & J.-P., 2007. – Quiproquos à Mexico. – *Xenophora* No. 120: 26-28.
- * LEFÈBVRE, A. & P., 2007. – Premier voyage à Madagascar. – *Xenophora* No. 120: 8-9.
- * See under Fossils/Cephalopoda: Simonsen.

MISCELANIOUS / VARIA

- * BARTON, N., 2007. – Shell ornaments provide group identity in the Palaeolithic. – *Mollusc World* No. 14: 8-9.
- * BASSET, J., 2007. – Tricentenaire de la naissance de Linné. – *Xenophora* No. 120: 22-23.
- * GEIGER, D.L., B.A. MARSHALL, W.F. PONDER, T. SASAKI & A. WARÉN, 2007. – Techniques for collecting, handling, preparing, storing and examining small molluscan specimens. – *Moll. Res.* 27(1): 1-50.
- * LEE, J.-S. & D.-K. MIN, 2007. – Korean Names Introduced to Korea. – *Korean J. Malac.* 23(1): 104-154.
- * MIENIS, H.K., 2007. – Archaeomalacological finds from Tel Te'o, Hula Valley, Israel. – *Triton* No. 16: 29-31.
- * MIENIS, H.K., 2007. – Archaeomalacological material from Tel Kitan, Israel. – *Triton* No. 16: 32-34.
- * NICOLOSI, P. ET AL., 2007. – Recupero delle collezioni storiche di molluschi appartenenti al Museo di Zoologia dell'Università di Padova. [with English abstract] – *Boll. Malac.* 43(1-8): 111-118.
- * SCUDERI, D., 2007. – The recent discovery of a new section of the malacological collection of Andres Aradas. [con riassunto italiano] – *Boll. Malac.* 43(1-8): 125-129.

Quarterly devoted

NOVAPEX

to Malacology

Edited by the

Société Belge de Malacologie

[Belgian Malacological Society]

Founded in 1966

B.P. 3

B-1370 Jodoigne -Belgium

Subscription (yearly)

Belgium: 35 EURO

Other countries: 50 EURO

e-mail: roland.houart@skynet.be

Internet: <http://www.sbm.be/f>