



THE BEST NAVARA EVER

# EXPECT TOUGH, DISCOVER MORE

The all-new, all-capable Nissan Navara is an evolutionary leap in premium all terrain pickup standards, across the board.

Expect unprecedented levels of dynamic styling, luxury interior comfort, the latest in connectivity and all terrain driver safety technology, in a package that honours 85 years of proven LCV heritage.

The new Navara dominates on all terrains, with true off-road capability and on-road performance built in Africa for African conditions.

Welcome to the best Navara ever, a pickup built of more.



PERFORMANCE ON DEMAND

# THE POWER TO KEEP **PUSHING FORWARD**

The all-new Navara combines horse power and brain power in a way that gives you the confidence to conquer all rugged terrains, as well as the city streets and wide open roads. Purpose built for unique and unforgiving African conditions, this boldly styled and technologically advanced pickup arrives fully loaded with features to keep you and your loved ones connected, safe and comfortable, no matter where the road takes you.





2.5 DDTI INTERCOOLED TURBO DIESEL ENGINE

2.5 MULTIPOINT MANIFOLD INJECTION PETROL ENGINE

Choose between smooth petrol efficiency or turbo-charged diesel torque, across the Navara range. Various power output engines are now on offer in both petrol and diesel, to suit every leisure or business need. Combined with a 7-speed automatic or a 6-speed manual transmission, you'll be sure to have all the power to load, haul or cruise when you need it most.

Mid Output

POWER 120kW 403Nm

High Output

140kW 450Nm

Mid Output

POWER 118kW

233Nm

High Output POWER

125kW 244Nm

**ULTRA-LOW NVH** 

Improvements in Noise, Vibration and Harshness translate into a noticeably smoother and more refined on-road driving experience.

\*AVAILABLE ON SELECTED MODELS.



**VEHICLE DYNAMIC CONTROL (VDC)\*** 

Seven Sensors in the Navara monitor driver inputs and vehicle motion, gently aiding the vehicle's ability to stay on the driver's intended path. Vehicle Dynamic Control helps control and limit both understeer and oversteer, maintains optimum traction and even applies brake pressure to reduce wheel slip on loose road surfaces.

**ELECTRONIC BRAKE FORCE DISTRIBUTION** (EBD) WITH BRAKING ASSIST (BA)

Reduce stopping distances in emergencies by up to 15% with Braking Assist. The Navara detects panic braking and automatically increases pedal pressure for confident, controlled braking to avoid collisions at high speed.

TRAILER STABILITY ASSIST (TSA)\*

New to the Nissan Range and standard across all models, TSA inspires towing confidence by detecting any instability, sway or "fishtailing" in the trailer while driving and quickly brings the trailer back into a safe axis.

#### ROCK SOLID OFF-ROAD CAPABILITY

# ANY TERRAIN. ANY TIME.

Take on the most challenging environments that Africa has to offer with ultimate confidence. The latest in electronic driver technology meets decades of hardworking Nissan pickup heritage to create the toughest Navara ever, purpose built to conquer and built to last. The all-new Navara merges capability and sophistication for you to cruise rolling dunes, tackle river crossings with ease or navigate an extreme rocky trail with rock solid confidence.



#### ON THE FLY 4X4\*

Easily shift from 2WD to 4 High thanks to the Navara's On The Fly 4X4 system. Whether it's 4WD High you need for a bit of light off-roading, or 4WD Low for navigating obstacles, deep sand, snow, or mud it's an easy switch. For every day driving, 2WD mode helps keep your trip more fuel-efficient.



#### HILL DESCENT CONTROL (HDC)\*

Hill Descent Control makes going down steep gradients manageable by automatically adjusting your speed and brake pressure to help keep you safely in control, at a constant speed.



#### HILL START ASSIST (HSA)\*

It's never an uphill battle with Hill Start Assist to prevent from rolling backwards on steep inclines.



KNOWLEDGE IS POWER

# ADVANCED DRIVER-ASSIST DISPLAY\*

It's easy to be in control of the situation with Navara's Advanced Drive-Assist Display. Helping to keep your eyes on the road with less distraction means you're focused and relaxed, whether you're off the beaten track or negotiating city traffic. Navara's ultra-clear 7-inch Advanced Drive-Assist Display puts key information right where you'll want it. With a quick glance down, you have info on everything from music information to navigation directions and other key driver's aid alerts.







# NISSAN MOBILITY INTELLIGENT INTEGRATION TECH TO CONNECT WITH INTUITIVE NAVIGATION AND INFOTAINMENT Seamlessly integrate your digital life with the best Navara ever and bring your world on the road with you, wherever you go.

#### 8-INCH TOUCH-SCREEN INFOTAINMENT\*

Navara PRO-4X and LE Grade models are equipped with an 8-inch touch-screen display vehicle infotainment.





Equipped with Siri®, Apple CarPlay®\*\* brings on board your contacts, favorite audio apps, Apple Maps® and more.

The driver can use the steering wheel controls to adjust volume and toggle through screens.

- Apple CarPlay® can be used by connecting the lightning cable at one of the USB ports to the iPhone.
- The driver can instantly see all the compatible apps on the display screen such as maps, music and podcasts.
- **Apple CarPlay®** is Plug and Play, which means no additional software is required for your iPhone and all updates reflect in real time for greater convenience.





Helps the driver Navigate, Communicate and entertain in the vehicle.

- Android Auto<sup>TM\*\*</sup> automatically provides drivers useful information like suggested destinations, upcoming appointments and weather conditions.
- Google Maps\*\* and Waze\*\* allows the driver to get real time alerts of traffic conditions, best routes and even petrol stations on the selected route. The hands-free tech gives voice-guided navigation, live traffic information, lane guidance, and warnings to the driver.
- With on-demand access to 40 million songs,
   Google Play Music allows you to stream virtually endless music and podcasts on the road.
- Google Assistant can read your messages out loud and you can write back by talking. From making calls to using chat apps with just your voice, Android Auto™ makes driving less distracting.

#### **DOOR-TO-DOOR NAVIGATION POWERED BY TOMTOM\***

The Nissan Door-to-Door navigation guides the driver from one destination to another, to their vehicle and back. Say goodbye to looking for your vehicle in crowded mall parking lots or events, through seamless integration with your smartphone.

#### **ON-BOARD NAVIGATION\***

This feature is perfect for adventure drivers who may not always have access to a phone but still need the convenience of navigation. The built in Navigation in the all-new Nissan Navara allows the driver to select destination address, zoom in and out of the screen to get better perspective and even look for points of interest on the selected route or close by.

<sup>\*</sup>AVAILABLE ON SELECTED MODELS.

<sup>\*\*</sup>APPLE CARPLAY®, ANDROID AUTO™, GOOGLE MAPS AND WAZE FUNCTIONALITY IS COUNTRY DEPENDANT. CHECK LOCAL MARKET FOR ACTIVATION.

FIRST CLASS FOR ALL

# IMPRESSIVE FROM EVERY SEAT

Everyone wins in the all-new Navara. Rear seats provide improved comfort for rear passengers. Higher seat cushions increase the leg room while a rear center armrest with built-in cup holder storage for a mobile phone, add thoughtful conveniences to the comfort. The Navara features rear seat air conditioning ducts and an easy access USB port for the ultimate back seat driver experience.

NOISE REDUCING ACOUSTIC GLASS

FATIGUE REDUCING FRONT SEATS COMFORT REAR SEATING CUSHIONS 8-WAY POWER ADJUSTABLE DRIVERS SEAT (LE Plus & PRO-4X)

REAR PASSENGER AIR-CONDITIONER DUCTS



#### BEYOND PREMIUM

# WORLD CLASS INTERIOR COMFORT

With this much comfort and style, you'll never want to leave. Whether you're clocking up the miles on a long road trip with the family, or doing the every day office city commute, experience perfectly premium in the all-new Nissan Navara. Attention to detail abound with upscale accommodations of unique interior trim, special orange-accented logos and stitching of the PRO-4X logo and anodised black panels. Feel relaxed and protected thanks to noise dampening materials in the windshield, dashboard console and floor. Fatigue-reducing Zero Gravity front seats with leather, complete an SUV-like cabin in a pickup, like never before.





CLEVER COMPARTMENTS

# FLEXIBILITY OUT OF THE ORDINARY

Navara maximises storage inside and out. The rear seats feature secure under-seat storage and boast the ability to remain conveniently flipped up to help transport taller items.











\*AVAILABLE ON SELECTED MODELS.





#### **AVM WITH OFF-ROAD MODE**

On rough terrain, Navara's Intelligent Around View Monitor becomes your extra set of eyes. With a specialized Off-Road Mode activated at slow speeds in 4 LO mode, this advanced driver technology gives you a crystal clear view of the surrounding terrain as you navigate confidently and boldly across any surface type.



#### AVM WITH MOD

Navara's intelligent cameras are also able to detect moving objects around the vehicle, making it easier and safer to park in tight spaces. Moving Object Detection (MOD) alerts the driver through audible and visual information by displaying a yellow frame where a moving object has been detected, inspiring total driver confidence around every corner.



#### LEADING DRIVE ANGLES

Generous ground clearance and a wading depth of 600mm means you can keep going when the terrain gets tough. Designed with a superior approach angle of 33° and a departure angle of 27°, tackle steep conditions with the confidence to keep moving forward.



#### TRAILER HOOK-UP

Having a 360° view is especially useful when connecting to a trailer. Active guidelines help you place your Navara perfectly every time for the perfect trailer hook-up's, especially when there's no one else around to assist.

A BIRD'S EYE VIEW

# AROUND VIEW MONITOR\*

Experience confidence in the most confined spaces. Around View Monitor technology makes use of four cameras, giving you a complete composite 360° overhead view of every obstacle in your immediate vicinity. Combine that with Navara's efficient steering angles and take on the most challenging tight parking spaces with ease and confidence every time.



Nissan tackles the everyday situations with innovative engineering. The Navara's steering ratios help when changing direction quickly or manoeuvring through tight parking spaces.

# NAVARA THE PERFECT BALANCE HAVE IT ALL IN THE NAVARA LE MODEL The all-new stylish Navara LE Model arrives with a bold new masculine design that commands attention everywhere you go. This overachieving all-rounder offers chrome finishes, signature C-Shaped Boomerang Style LED headlamps and 18-inch wheels. Whether you are heading out to a special occasion with friends or family, or leaving the city for an off-road adventure - you are guaranteed to show up in style and get the job done every time.

HARDWORKING AND GOOD LOOKING

# ALL THE CAPABILITY WITHOUT ANY COMPROMISE

Gone are the days where a choice has to be made between hardworking and good looking. The all-new Navara boasts extensive range model depth, catering for every driver need and requirement, with several model and grade options across the board. The LE Model offers exceptional levels of bold and dynamic styling, with generous levels of premium interior comfort, safety and connectivity technology; without compromising on tough hardworking credentials to tackle the harshest African conditions.





#### UTILI-TRACK CHANNEL SYSTEM

Work smarter and not harder in the new Nissan Navara. Ideal for securing your cargo, this practical and innovative cargo system consists of two channels running the length of the pickup bed with four heavy-duty cleats. Position and move stable tie-down points anywhere along the load bed walls for maximum flexibility.

UPGRADED STRENGTH

Special focus has been placed on towing and payload, so the new Navara features a stronger rear axle to allow for heavier loads with even more confidence. To accommodate the more powerful engine plus greater towing and payload capabilities, the rear brake size has been increased to reduce fade and provide more balanced stopping power.





1509mm

1560mm

TAIL GATE OPENING

1358mm



RAISE THE BAR

# ENJOY MORE FEATURES IN A PICKUP READY TO WORK

The purpose-built SE Model\* offers exceptional levels of bold and dynamic exterior styling, with generous levels of practical interior comfort like electric windows, Bluetooth® radio connectivity and driver safety technology.



#### A REFINED WORKSPACE

The all-new Navara SE Model offers a cabin workspace environment which boasts levels of comfort beyond the expected. A soft touch steering wheel with multi-function controls, Bluetooth® radio integration and electric windows complete this hardworking, but comfortable package.



#### **BUILT FOR BUSINESS**

Special focus has been placed on towing and payload, so the new Navara features a stronger rear axle to allow for heavier loads with even more confidence. To accommodate the more powerful engine plus greater towing and payload capabilities, the rear brake size has been increased to reduce fade and provide more balanced stopping power.



#### ENGINE POWER

Navara SE Models are powered by reliable and fuel-efficient petrol and diesel engines, paired with all-new 6 speed manual gearboxes to offer low speed torque and high-speed efficiency, wherever the work may take you.



PURPOSE BUILT

# A LEGACY OF RELIABILITY YOU CAN TRUST

The all-new Nissan Navara range has more depth and more options than ever before. For true workhorse capability look no further than the XE Model. Bred from legendary Nissan toughness and more than 85 years of proven LCV heritage, the hardworking Navara XE Model exceeds traditional category standards. Expect hard working credentials in a package that's honest and to the point.



#### READY TO WORK

The Navara XE Model offers impressive category towing and payload figures, as a workhorse that's truly built to do more. Load 1054 kg of payload and haul up to 3.5 tons, under braked towing conditions.



#### A PRODUCTIVE WORKSPACE

Step into a quieter cabin with minimal vibration and road noise. Experience an ergonomically designed driver cockpit with air-conditioning, power steering and a 6-way driver adjustable front seat. Additional conveniences include USB charging ports, front and rear cup holders as well as storage pockets.



#### SAFETY FEATURES

In addition to Airbags, Brake Assist and Vehicle Dynamic Control, the all-new Navara XE Plus Model boasts intelligent Trailer Stability Assist and Hill Decent Control for a hard-working pickup that's safer than ever.



# A PICKUP RANGE BUILT OF MORE AND READY TO WORK

The all-new Nissan Navara combines legendary Japanese technology, designed and built in Africa for Africa. Enjoy more range depth than ever before, with three purpose-built core models to choose from.

#### THE NEW NAVARA'S EXPANDED RANGE NOW INCLUDES A SINGLE CAB

Designed to suit your functional needs in whatever hardworking industry or business environment you are in, the all-new Nissan Navara now offers a Single Cab XE and XE Plus Model in both petrol and diesel.

## COLOURS



## TRIMS

Red (S) - AX6



Forged Copper (M) - CAU

CLOTH SEATS (LE, SE Plus, SE and XE\* Plus Single Cab Model)

BLACK LEATHER SEATS (LE Plus Model) \*Grey vinyl option available for XE Single Cab only

BLACK LEATHER SEATS (PRO-4X Model)

## WHEELS



16" STEEL (SINGLE CAB)



17" STEEL



17" ALLOY



Blue (M) - B16

18" ALLOY (LE Grade)



Warrior Grey (PM) - KBY Available on PRO-2X and PRO-4X only

(PRO-2X and PRO-4X)



BODY TYPE	Double Cab	INTERIOR AND	Black Interior
SEATING CAPACITY	• 5	CONVENIENCE	<ul><li>Power Leather Se</li><li>8-Inch Display Au</li></ul>
ENGINE	Diesel, Common Rail Direct Injection, 2488 cc     Petrol, Multipoint Manifold Injection, 2488 cc		Voice Recognition Auto™)
POWER AND TORQUE	<ul> <li>Diesel: 140kW @ 3600 rpm &amp; 450Nm @ 2000 rpm</li> <li>Petrol: 125kW @ 6000 rpm &amp; 244Nm @ 4000 rpm</li> </ul>		<ul><li>Navigation</li><li>6 Speakers</li><li>Cruise Control</li></ul>
TRANSMISSION	6 Speed Manual Transmission (Petrol Only)     7 Speed Automatic Transmission		<ul><li>Auto Air-Conditio</li><li>Auto Dimming Re</li></ul>
WHEELS	• 17" Alloy		<ul> <li>Intelligent Key wit</li> <li>Power Slide Rear</li> </ul>
EXTERIOR	<ul> <li>Body Colour Bumpers</li> <li>Black Coloured Mirrors</li> <li>Black Grill</li> <li>Rear Step Bumper</li> <li>Auto Folding &amp; Electric Adjust Mirrors</li> <li>Black Door Handles</li> <li>LED Headlights &amp; Daytime         Running Lights &amp; Fog lamps     </li> <li>Roof Rails Black</li> <li>2 channel Utili-Track™ System on Load Bed</li> </ul>	SAFETY	Dual Front, Side, C     ABS, EBD, Brake A     Vehicle Dynamic     Descent Control     Trailer Stability As     Around View Mon     Speed Sensing Do     ISOFIX Child Seat

- Seats
- Audio (AM/FM+ RDS + USB + BT + ion + Apple Carplay® + Andriod
- tioner
- Rear-View Mirror
- with Push Start Button
- ear Screen
- e, Curtain & Driver Knee Airbags
- e Assist
- ic Control, Hill Start Assist & Hill
- Assist
- onitor & Moving Object Detection
- Door Lock
- eat Anchorage













BODY TYPE	Double Cab
SEATING CAPACITY	• 5
ENGINE	<ul><li>Diesel, Common Rail Direct Injection, 2488 cc</li><li>Petrol, Multipoint Manifold Injection, 2488 cc</li></ul>
POWER AND TORQUE	<ul> <li>Diesel: 140kW @ 3600 rpm &amp; 450Nm @ 2000 rpm</li> <li>Petrol: 125kW @ 6000 rpm &amp; 244Nm @ 4000 rpm</li> </ul>
TRANSMISSION	<ul><li> 6 Speed Manual Transmission</li><li> 7 Speed Automatic Transmission (Diesel Only)</li></ul>
WHEELS	- 18" Alloy
EXTERIOR	<ul> <li>Body Colour Bumpers</li> <li>Body Coloured Mirrors</li> <li>Auto Folding &amp; Electric Adjust Mirrors</li> <li>Chrome Door Handles</li> <li>LED Headlights &amp; Daytime Running Lights &amp; Fog Lamps</li> <li>Roof Rail Silver</li> <li>2 Channel Utili-Track™ System on Load Bed</li> </ul>

INTERIOR AND CONVENIENCE	Manual Cloth Seats or Power Leather Seats (Plus model)     8-Inch Display Audio (AM/FM + RDS + USB + BT + Voice recognition + Apple Carplay® + Andriod Auto™)     Navigation (Plus Models)     6 Speakers     Cruise Control     Auto Air-Conditioner     Auto Dimming Rear-view Mirror (Plus Models)     Intelligent Key with Push Start Button
SAFETY	<ul> <li>Dual Front, Side, Curtain &amp; Driver Knee Airbags</li> <li>ABS, EBD, Brake Assist</li> <li>Vehicle Dynamic Control, Hill Start Assist &amp; Hill Descent Control</li> <li>Trailer Stability Assist</li> <li>Around View Monitor &amp; Moving Object Detection</li> <li>Speed Sensing Door Lock</li> <li>ISOFIX Child Seat Anchorage</li> </ul>













BODY TYPE	Double Cab
SEATING CAPACITY	• 5
ENGINE	<ul> <li>Diesel, Common Rail Direct Injection, 2488 cc</li> <li>Petrol, Multipoint Manifold Injection, 2488 cc</li> </ul>
POWER AND TORQUE	<ul> <li>Diesel: 120kW @ 3600 rpm &amp; 403Nm @ 2000 rpm</li> <li>Petrol: 125kW @ 6000 rpm &amp; 244Nm @ 4000 rpm</li> </ul>
TRANSMISSION	6 Speed Manual Transmission
WHEELS	• 17" Alloy
EXTERIOR	<ul> <li>Body Colour Bumpers</li> <li>Black Grill</li> <li>Black Coloured Mirrors</li> <li>Auto Folding &amp; Electric Adjust Mirrors</li> <li>Black Door Handles</li> <li>Halogen Headlights</li> <li>12V Outlet Inside Load Bed</li> </ul>

INTERIOR AND CONVENIENCE	<ul> <li>Manual Cloth Seats</li> <li>Audio - CD, AM/FM, RDS, Bluetooth Connectivity</li> <li>Steering Wheel Controls</li> <li>4 Speakers</li> <li>Cruise Control (Plus Models)</li> <li>Manual Air-Conditioner</li> <li>Sunglass Holder</li> <li>Manual Slide Rear Screen</li> </ul>
SAFETY	<ul> <li>Dual Front Airbags</li> <li>Side, Curtain Driver Knee Airbags (Plus Models)</li> <li>ABS, EBD, Brake Assist</li> <li>Vehicle Dynamic Control, Hill Start Assist</li> <li>Hill Descent Control (4X4 Models)</li> <li>Trailer Stability Assist</li> <li>Speed Sensing Door Lock</li> <li>ISOFIX Child Seat Anchorage</li> </ul>













BODY TYPE	Double Cab	INTERIOR
SEATING CAPACITY	• 5	CONVENI
ENGINE	<ul><li>Diesel, Common Rail Direct Injection, 2488 cc</li><li>Petrol, Multipoint Manifold Injection, 2488 cc</li></ul>	
POWER AND TORQUE	<ul> <li>Diesel: 120kW @ 3600 rpm &amp; 403Nm @ 2000 rpm</li> <li>Petrol: 125kW @ 6000 rpm &amp; 244Nm @ 4000 rpm</li> </ul>	SAFETY
TRANSMISSION	6 Speed Manual Transmission	
WHEELS	• 17" Steel	
EXTERIOR	<ul> <li>Body Colour Bumpers</li> <li>Black Grill</li> <li>Black Coloured Mirrors</li> <li>Manual Folding &amp; Manual Adjust Mirrors</li> <li>Black Door Handles</li> <li>Halogen Headlights</li> <li>12V Outlet Inside Load Bed</li> </ul>	

INTERIOR AND CONVENIENCE	Manual Cloth Seats     Without Audio Head Unit (With/Pre-Wire)     Rear Seat Armrest with Cup Holders     Manual Air-Conditioner     Manual Slide Rear Screen
SAFETY	Dual Front Airbags     Side, Curtain Driver Knee Airbags (Plus Models)     ABS, EBD, Brake Assist     Vehicle Dynamic Control, Hill Start Assist     Hill Descent Control (Plus Models)     Trailer Stability Assist     ISOFIX Child Seat Anchorage     Anti-theft system (Immobiliser)     Front Brakes - Ventilated Discs













BODY TYPE	Single Cab	INT
SEATING CAPACITY	• 2	COI
ENGINE	<ul><li>Diesel, Common Rail Direct Injection, 2488 cc</li><li>Petrol, Multipoint Manifold Injection, 2488 cc</li></ul>	
POWER AND TORQUE	<ul> <li>Diesel: 120kW @ 3600 rpm &amp; 403Nm @ 2000 rpm</li> <li>Petrol: 118kW @ 6000 rpm &amp; 233Nm @ 4000 rpm</li> </ul>	SAF
TRANSMISSION	6 Speed Manual Transmission	
WHEELS	- 16" Steel	
EXTERIOR	<ul> <li>Black Bumpers</li> <li>Black Grill</li> <li>Black Mirrors</li> <li>Manual Folding &amp; Manual Adjust Mirrors</li> <li>Black Door Handles</li> <li>Halogen Headlights</li> </ul>	

INTERIOR AND CONVENIENCE	Manual Cloth Seats (Plus Models)     Front Cup Holders     Front Door Storage Pockets & Bottle Holder     Without Audio Head Unit (With/Pre-Wire)     Manual Air-Conditioner     Fixed Rear Screen
SAFETY	<ul> <li>Dual Front Airbags</li> <li>Side, Curtain Driver Knee Airbags (Plus Models)</li> <li>ABS, EBD, Brake Assist</li> <li>Vehicle Dynamic Control, Hill Start Assist</li> <li>Hill Descent Control (Plus Models)</li> <li>Trailer Stability Assist (Plus Models)</li> <li>Anti-theft system (Immobiliser)</li> <li>Front Brakes - Ventilated Discs</li> </ul>











## Nissan Navara - 4 Wheel Drive

## Specifications & Features

MODEL - Double Cab		2.5i XE 4X4 MT	2.5i XE Plus 4X4 MT	2.5D XE 4X4 MT	2.5D XE Plus 4X4 MT	2.5i SE 4X4 MT	2.5i SE Plus 4X4 MT
ENGINE							
Engine		2.5i High Output	2.5i High Output	2.5D Mid Output	2.5D Mid Output	2.5i High Output	2.5i High Output
Displacement	сс	2488	2488	2488	2488	2488	2488
Number of Cylinders		4	4	4	4	4	4
Bore and Stroke	mm	89.0 x 100.0					
Maximum Power	kW/rpm	125/6000	125/6000	120/3600	120/3600	125/6000	125/6000
Maximum Torque	Nm/rpm	244/4000	244/4000	403/2000	403/2000	244/4000	244/4000
Fuel Type		Petrol	Petrol	Diesel	Diesel	Petrol	Petrol
Fuel Supply		Multipoint, Manifold Injection	Multipoint, Manifold Injection	Common Rail Direct Injection	Common Rail Direct Injection	Multipoint, Manifold Injection	Multipoint, Manifold Injection
Fuel Tank Capacity	l	80	80	80	80	80	80
TRANSMISSION & DRIVE TRAIN							
Transmission		6-Speed Manual					
Driven Wheels		4WD	4WD	4WD	4WD	4WD	4WD
Rear Limited Slip Differential		Std	Std	Std	Std	Std	Std
SUSPENSION							
Front Suspension		Independent Double- Wishbone + Stabiliser					
Rear Suspension		Leaf Spring					
WEIGHTS & CAPACITY							
Gross Combination Mass (GCM)	kg	4150	4150	6130	6130	4150	4150
Gross Vehicle Mass (GVM)	kg	2750	2750	3035	3035	2750	2750
Tare Mass	kg	2671	2671	2956	2956	2671	2671
Min Kerb Weight	kg	1930	1930	2049	2049	1988	1988
Max Kerb Weight	kg	1937	1937	2056	2056	2005	2005
Payload	kg	987	987	987	987	920	920
Gross Axle Mass (Front - Laden)	kg	1490	1490	1490	1490	1490	1490
Gross Axle Mass (Rear - Laden)	kg	1785	1785	1785	1785	1785	1785
Maximum Towing Capacity Unbraked	kg	750	750	750	750	750	750
Maximum Towing Capacity Braked	kg	1588	1588	3500	3500	1588	1588
DIMENSIONS							
Overall Length	mm	5210	5210	5210	5210	5210	5260
Overall Width (Excluding Mirrors)	mm	1850	1850	1850	1850	1850	1850
Overall Height	mm	1810	1810	1810	1810	1810	1810
Wheelbase	mm	3150	3150	3150	3150	3150	3150
Ground Clearance (Rear Axle)	mm	223	223	223	223	223	223
Front Track	mm	1570	1570	1570	1570	1570	1570
Rear Track	mm	1570	1570	1570	1570	1570	1570
Front Overhang	mm	885	885	885	885	885	885
Rear Overhang	mm	1175	1175	1175	1175	1225	1175
Turning Circle (Kerb to Kerb)	m	6,3	6,3	6,3	6,3	6,3	6,3
Approach Angle	Degrees	33,0	33,0	33,0	33,0	33,0	33,0
Departure Angle	Degrees	27,4	27,4	27,4	27,4	27,4	24,9
Ramp Break-Over Angle	Degrees	23,8	23,8	23,8	23,8	23,8	23,8
1	mm	1509	1509	1509	1509	1509	1509
Load Box Length - Floor		.507	1507	.507	1507		
Load Box Length - Floor  Load Box Length - Top	mm	1471	1471	1471	1471	1471	1471

## Nissan Navara - 4 Wheel Drive

2.5i LE 4X4 MT	2.5i LE Plus 4X4 MT	2.5i PRO-4X 4X4 MT	2.5D LE 4X4 MT	2.5D LE Plus 4X4 MT	2.5D LE 4X4 AT	2.5D LE Plus 4X4 AT	2.5D PRO-4X 4X4 AT
2.5i High Output	2.5i High Output	2.5i High Output	2.5D High Output				
2488	2488	2488	2488	2488	2488	2488	2488
4	4	4	4	4	4	4	4
89.0 x 100.0	89.0 x 100.0	89.0 x 100.0	89.0 x 100.0	89.0 x 100.0	89.0 x 100.0	89.0 x 100.0	89.0 x 100.0
125/6000	125/6000	125/6000	140/3600	140/3600	140/3600	140/3600	140/3600
244/4000	244/4000	244/4000	450/2000	450/2000	450/2000	450/2000	450/2000
Petrol	Petrol	Petrol	Diesel	Diesel	Diesel	Diesel	Diesel
Multipoint, Manifold Injection	Multipoint, Manifold Injection	Multipoint, Manifold Injection	Common Rail Direct Injection	Common Rail Direct Injection	Common Rail Direct Injection	Common Rail Direct Injection	Common Rail Direction
80	80	80	80	80	80	80	80
6-Speed Manual	6-Speed Manual	6-Speed Manual	6-Speed Manual	6-Speed Manual	7-Speed Automatic	7-Speed Automatic	7-Speed Automatic
4WD	4WD	4WD	4WD	4WD	4WD	4WD	4WD
Std	Std	Std	Std	Std	Std	Std	Std
ndependent Double- Vishbone + Stabiliser	Independent Double- Wishbone + Stabiliser	Independent Double Wishbone + Stabilise					
Leaf Spring	Leaf Spring	Leaf Spring	Leaf Spring	Leaf Spring	Leaf Spring	Leaf Spring	Leaf Spring
4150	4150	4150	6130	6130	6130	6130	6130
2750	2750	2750	3035	3035	3035	3035	3035
2671	2671	2671	2956	2956	2956	2956	2956
1988	1988	1988	2105	2105	2120	2120	2120
2005	2005	2005	2121	2121	2137	2137	2137
915	915	915	915	915	915	915	915
1490	1490	1490	1490	1490	1490	1490	1490
1850	1850	1785	1785	1785	1785	1785	1785
750	750	750	750	750	750	750	750
1588	1588	1588	3500	3500	3500	3500	3500
5260	5260	5260	5260	5260	5260	5260	5260
1850	1850	1875	1850	1850	1850	1850	1875
1810	1840	1840	1810	1840	1810	1840	1840
3150	3150	3150	3150	3150	3150	3150	3150
223	223	223	223	223	223	223	223
1570	1570	1570	1570	1570	1570	1570	1570
1570	1570	1570	1570	1570	1570	1570	1570
885	885	885	885	885	885	885	885
1225	1225	1225	1225	1225	1225	1225	1225
6,3	6,3	6,3	6,3	6,3	6,3	6,3	6,3
33,0	33,0	33,0	33,0	33,0	33,0	33,0	33,0
24,9	24,9	24,9	24,9	24,9	24,9	24,9	24,9
23,8	23,8	23,8	23,8	23,8	23,8	23,8	23,8
1509	1509	1509	1509	1509	1509	1509	1509
		i e					

Specifications & Features

### Nissan Na

Std

2

Std

Std

Std

2

3 Std

Std

Holder Sunglass Holder

USB Port

Air-Conditioning

Down Button

Rear Seat Aarmrest with Cup Holders

Rear Air Vents in Centre Console

Power Windows with Driver Auto Up/

12V Outlet Inside Cabin

MODEL - Double Cab		2.5i XE 4X4 MT	2.5i XE Plus 4X4 MT	2.5D XE 4X4 MT	2.5D XE Plus 4X4 MT	2.5i SE 4X4 MT	2.5i SE Plus 4X4 MT
DIMENSIONS (Continued)							
Load Box Width - Top	mm	1492	1492	1492	1492	1492	1492
Load Box Width - Between Wheel Arches	mm	1134	1134	1134	1134	1134	1134
Load Box Width - Tailgate Opening	mm	1358	1358	1358	1358	1358	1358
Load Box Height	mm	493-500	493-500	493-500	493-500	493-500	493-500
Wading Depth	mm	600	600	600	600	600	600
WHEELS & TYRES							
Wheel Size and Type		17" Steel	17" Steel	17" Steel	17" Steel	17" Steel	17" Alloy
Tyre		255/65 R17 AT	255/65 R17 AT	255/65 R17 AT	255/65 R17 AT	255/65 R17 AT	255/65 R17 AT
Spare Wheel		Full Size Steel	Full Size Steel	Full Size Steel	Full Size Steel	Full Size Steel	Full Size Steel
Spare Wheel Lock		Option	Option	Option	Option	Option	Option
EXTERIOR							
Grill		Black	Black	Black	Black	Black	Black
Front Bumper		Body Coloured	Body Coloured	Body Coloured	Body Coloured	Body Coloured	Body Coloured
Rear Bumper		-	-	-	-	-	Body Coloured
Side Steps		-	-	-	-	-	Black
Over-Fender		-	-	-	-	-	-
Roof Rails		-	-	-	-	-	-
Door Mirror Finish		Black	Black	Black	Black	Black	Black
Door Mirrors		Manual Adjustment + Manual Fold	Power Adjustment + Auto Fold	Power Adjustment + Auto Fold			
Door Handles		Black	Black	Black	Black	Black	Black
Front and Rear Mud Flaps		Std	Std	Std	Std	Std	Std
Front Towing Hook		Std	Std	Std	Std	Std	Std
Headlights		Halogen	Halogen	Halogen	Halogen	Halogen	Halogen
Fog Lights		-	-	-	-	-	-
Daytime Running Lights		-	-	-	-	-	-
2 Channel Utili-Track™ System		-	-	-	-	-	-
12V Outlet Inside Load Box		Std	Std	Std	Std	Std	Std
COMFORT & CONVENIENCE							
Seating Capacity		5	5	5	5	5	5
Front Seat Type		Separate Seat	Separate Seat	Separate Seat	Separate Seat	Separate Seat	Separate Seat
Driver Seat Adjustment		6-Way Manual	6-Way Manual	6-Way Manual	6-Way Manual	6-Way Manual	6-Way Manual
Passenger Seat Adjustment		4-Way Manual	4-Way Manual	4-Way Manual	4-Way Manual	4-Way Manual	4-Way Manual
Seat Upholstery		Fabric	Fabric	Fabric	Fabric	Fabric	Fabric
Floor Material		Carpet	Carpet	Carpet	Carpet	Carpet	Carpet
Front Cup Holders		2	2	2	2	2	2
Front Door Storage Pockets and Bottle Holder		2	2	2	2	2	2
Rear Door Storage Pockets and Bottle Holder		2	2	2	2	2	2

Std

2

Std

Std

Std

2

Std

Std

Std

Std

2

Std

Std

Std

Std

Std

Std

Std

Std

### / Nulla a al Disi

2.5i LE 4X4 MT	2.5i LE Plus 4X4 MT	2.5i PRO-4X 4X4 MT	2.5D LE 4X4 MT	2.5D LE Plus 4X4 MT	2.5D LE 4X4 AT	2.5D LE Plus 4X4 AT	2.5D PRO-4X 4X4 AT
1492	1492	1492	1492	1492	1492	1492	1492
1134	1134	1134	1134	1134	1134	1134	1134
1358	1358	1358	1358	1358	1358	1358	1358
493-500	493-500	493-500	493-500	493-500	493-500	493-500	493-500
600	600	600	600	600	600	600	600
18" Alloy	18" Alloy	17" Alloy	18" Alloy	18" Alloy	18" Alloy	18" Alloy	17" Alloy
255/60 R18 HT	255/60 R18 HT	255/65 R17 AT	255/60 R18 HT	255/60 R18 HT	255/60 R18 HT	255/60 R18 HT	255/65 R17 AT
Full Size Alloy							
Option							
Chrome	Chrome	Black	Chrome	Chrome	Chrome	Chrome	Black
Body Coloured							
Body Coloured							
Silver	Silver	Black	Silver	Silver	Silver	Silver	Black
-	-	Black	-	-	-	-	Black
	Silver	Black	-	Silver	-	Silver	Black
Body Coloured	Body Coloured	Black	Body Coloured	Body Coloured	Body Coloured	Body Coloured	Black
Power Adjustment + Auto Fold							
Chrome	Chrome	Black	Chrome	Chrome	Chrome	Chrome	Black
Std							
Std							
LED + Auto + Follow Me Home							
Std							
Std							
Std							
Std							
-	5	-	5	5	5	-	-
5 Separate Seat	Separate Seat	5 Separate Seat	Separate Seat	Separate Seat	Separate Seat	5 Separate Seat	5 Separate Seat
6-Way Manual	8-Way Power	8-Way Power	6-Way Manual	8-Way Power	6-Way Manual	8-Way Power	8-Way Power
4-Way Manual							
Fabric	Leather	Leather	Fabric	Leather	Fabric	Leather	Leather
Carpet							
2	2	2	2	2	2	2	2
2	2	2	2	2	2	2	2
2	2	2	2	2	2	2	2
Std							
Std							
2	2	2	2	2	2	2	2
3	3	3	3	3	3	3	3
Dual Zone AT							
Std							
Std							

# Nissan Navara - 4 Wheel Drive

# Specifications & Features

Nissan Navara - 4 Wheel Drive Specifications & Features

MODEL - Double Cab	2.5i XE 4X4 MT	2.5i XE Plus 4X4 MT	2.5D XE 4X4 MT	2.5D XE Plus 4X4 MT	2.5i SE 4X4 MT	2.5i SE Plus 4X4 MT
COMFORT & CONVENIENCE (Continued)						
Rear Screen	Manual Slide	Manual Slide	Manual Slide	Manual Slide	Manual Slide	Manual Slide
Central Locking	-	-	-	-	Std	Std
Speed Sensing Auto Door Lock	-	-	-	-	Std	Std
Intelligent Key with Keyless Entry and Push Start Button	-	-	-	-	-	-
Auto Dimming Rear View Mirror	-	-	-	-	-	-
AUDIO & CONNECTIVITY						
Audio - CD, AM/FM, RDS, Bluetooth Connectivity	-	-	-	-	Std	Std
W2DIN Audio (CD + AM + FM)	-	-	-	-	-	-
Audio Harness/Wiring	-	-	-	-	Std	Std
Steering Wheel Controls	-	-	-	-	Std	Std
Nissan Connect (with Android Auto™ and Apple Car Play®)	-	-	-	-	-	-
8" Touch Screen Display	-	-	-	-	-	-
Navigation	-	-	-	-	-	-
SAFETY & SECURITY						
Driver and Front Passenger Airbags	Std	Std	Std	Std	Std	Std
Side Airbags	-	Std	-	Std	-	Std
Curtain Airbags	-	Std	-	Std	-	Std
Driver Knee Airbag	-	Std	-	Std	-	Std
Front Seat Belts 3-Point ELR with Pre-Tensioner, Load Limiter and Seatbelt Reminder	Std	Std	Std	Std	Std	Std
Rear Seat Belts (3) 3-Point ELR	Std	Std	Std	Std	Std	Std
ISOFIX Child Seat Anchorage	Std	Std	Std	Std	Std	Std
Anti-Theft System (Immobiliser)	Std	Std	Std	Std	Std	Std
Alarm	-	-	-	-	Std	Std
Anti-Lock Braking System (ABS)	Std	Std	Std	Std	Std	Std
Electronic Brake Force Distribution (EBD)	Std	Std	Std	Std	Std	Std
Brake Assist (BA)	Std	Std	Std	Std	Std	Std
Vehicle Dynamic Control (VDC)	-	Std	-	Std	Std	Std
Trailer Stability Assist (TSA)	-	Std	-	Std	Std	Std
Hill Start Assist (HSA)	-	Std	-	Std	Std	Std
Hill Descent Control (HDC)	-	Std	-	Std	Std	Std
Around View Monitor with Moving Object Detection	-	-	-	-	-	-
Reverse Camera and Sensors	-	-	-	-	-	-
Cruise Control	-	-	-	-	-	Std
Front Brakes - Ventilated Discs	Std	Std	Std	Std	Std	Std
Rear Brakes - Drum	Std	Std	Std	Std	Std	Std
Windscreen Wipers	 Variable Intermittent	Variable Intermittent				
SERVICE						
Service Interval	5,000 km	5,000 km	5,000 km	5,000 km	5,000 km	5,000 km

2.5i LE 4X4 MT	2.5i LE Plus 4X4 MT	2.5i PRO-4X 4X4 MT	2.5D LE 4X4 MT	2.5D LE Plus 4X4 MT	2.5D LE 4X4 AT	2.5D LE Plus 4X4 AT	2.5D PRO-4X 4X4 A
Manual Slide	Manual Slide	Power Sliding	Manual Slide	Manual Slide	Manual Slide	Manual Slide	Power Sliding
Std	Std	Std	Std	Std	Std	Std	Std
Std	Std	Std	Std	Std	Std	Std	Std
Std	Std	Std	Std	Std	Std	Std	Std
-	Std	Std	-	Std	-	Std	Std
Std	Std	Std	Std	Std	Std	Std	Std
-	-	-	-	-	-	-	-
Std	Std	Std	Std	Std	Std	Std	Std
Std	Std	Std	Std	Std	Std	Std	Std
Std	Std	Std	Std	Std	Std	Std	Std
Std	Std	Std	Std	Std	Std	Std	Std
-	Std	Std	-	Std	-	Std	Std
Std	Std	Std	Std	Std	Std	Std	Std
Std	Std	Std	Std	Std	Std	Std	Std
Std	Std	Std	Std	Std	Std	Std	Std
-	Std	Std	-	Std	-	Std	Std
Std	Std	Std	Std	Std	Std	Std	Std
Std	Std	Std	Std	Std	Std	Std	Std
Std	Std	Std	Std	Std	Std	Std	Std
Std	Std	Std	Std	Std	Std	Std	Std
Std	Std	Std	Std	Std	Std	Std	Std
Std	Std	Std	Std	Std	Std	Std	Std
Std	Std	Std	Std	Std	Std	Std	Std
Std	Std	Std	Std	Std	Std	Std	Std
Std	Std	Std	Std	Std	Std	Std	Std
Std	Std	Std	Std	Std	Std	Std	Std
Std	Std	Std	Std	Std	Std	Std	Std
Std	Std	Std	Std	Std	Std	Std	Std
-	Std	Std	-	Std	-	Std	Std
Std	Std	Std	Std	Std	Std	Std	Std
Std	Std	Std	Std	Std	Std	Std	Std
Std	Std	Std	Std	Std	Std	Std	Std
Std	Std	Std	Std	Std	Std	Std	Std
ariable Intermittent, Rain Sensing	Variable Intermitte Rain Sensing						
5,000 km	5,000 km	5,000 km	5,000 km	5,000 km	5,000 km	5,000 km	Std

# Nissan Navara - 2 Wheel Drive

S	ре	cifi	cat	ions	5 &	Fe	at	ur	es
---	----	------	-----	------	-----	----	----	----	----

MODEL - Double Cab		2.5i SE 4X2 MT	2.5i SE Plus 4X2 MT	2.5D SE 4X2 MT	2.5D SE Plus 4X2 MT
ENGINE					
Engine		2.5i Low Output	2.5i Low Output	2.5D Mid Output	2.5D Mid Output
Displacement	сс	2488	2488	2488	2488
Number of Cylinders		4	4	4	4
Bore and Stroke	mm	89.0 x 100.0	89.0 x 100.0	89.0 x 100.0	89.0 x 100.0
Maximum Power	kW/rpm	118/6000	118/6000	120/3600	120/3600
Maximum Torque	Nm/rpm	233/4000	233/4000	403/2000	403/2000
Fuel Type		Petrol	Petrol	Diesel	Diesel
Fuel Supply		Multipoint, Manifold Injection	Multipoint, Manifold Injection	Common Rail Direct Injection	Common Rail Direct Injection
Fuel Tank Capacity	ę	80	80	80	80
TRANSMISSION & DRIVE TRAIN					
Transmission		6-Speed Manual	6-Speed Manual	6-Speed Manual	6-Speed Manual
Driven Wheels		2WD	2WD	2WD	2WD
Rear Limited Slip Differential		Std	Std	Std	Std
SUSPENSION					
Front Suspension		Independent Double-Wishbone + Stabiliser	Independent Double-Wishbone + Stabiliser	Independent Double-Wishbone + Stabiliser	Independent Double-Wishbone + Stabiliser
Rear Suspension		Leaf Spring	Leaf Spring	Leaf Spring	Leaf Spring
WEIGHTS & CAPACITY					
Gross Combination Mass (GCM)	kg	4150	4150	6130	6130
Gross Vehicle Mass (GVM)	kg	2750	2750	3035	3035
Tare Mass	kg	2671	2671	2956	2956
Min Kerb Weight	kg	1862	1862	1978	1978
Max Kerb Weight	kg	1898	1898	2014	2014
Payload	kg	1057	1057	1057	1057
Gross Axle Mass (Front - Laden)	kg	1490	1490	1490	1490
Gross Axle Mass (Rear - Laden)	kg	1785	1785	1785	1785
Maximum Towing Capacity Unbraked	kg	750	750	750	750
Maximum Towing Capacity Braked	kg	1588	1588	3500	3500
DIMENSIONS					
Overall Length	mm	5210	5260	5210	5260
Overall Width (Excluding Mirrors)	mm	1850	1850	1850	1850
Overall Height	mm	1805	1805	1805	1805
Wheelbase	mm	3150	3150	3150	3150
Ground Clearance (Rear Axle)	mm	223	223	223	223
Front Track	mm	1570	1570	1570	1570
Rear Track	mm	1570	1570	1570	1570
Front Overhang	mm	885	885	885	885
Rear Overhang	mm	1175	1225	1175	1225
Turning Circle (Kerb to Kerb)	m	6,3	6,3	6,3	6,3
Approach Angle	Degrees	31,8	31,8	31,8	31,8
Departure Angle	-	27,6	25,1		25,1
Ramp Break-Over Angle	Degrees			27,6	
	Degrees	23,2	23,2	23,2	23,2
Load Box Length - Floor	mm	1509	1509	1509	1509
Load Box Length - Top	mm	1471	1471	1471	1471
Load Box Width - Floor	mm	1560	1560	1560	1560

# Nissan Navara - 2 Wheel Drive

Specifications	&	Features
----------------	---	----------

MODEL - Double Cab		2.5i SE 4X2 MT	2.5i SE Plus 4X2 MT	2.5D SE 4X2 MT	2.5D SE Plus 4X2 MT
DIMENSIONS (Continued)					
Load Box Width - Top	mm	1492	1492	1492	1492
Load Box Width - Between Wheel Arches	mm	1134	1134	1134	1134
Load Box Width - Tailgate Opening	mm	1358	1358	1358	1358
Load Box Height	mm	493-500	493-500	493-500	493-500
Wading Depth	mm	600	600	600	600
WHEELS & TYRES					
Wheel Size and Type		17" Steel	17" Alloy	17" Steel	17" Alloy
Tyre		255/65 R17 AT	255/65 R17 AT	255/65 R17 AT	255/65 R17 AT
Spare Wheel		Full Size Steel	Full Size Steel	Full Size Steel	Full Size Steel
Spare Wheel Lock		Option	Option	Option	Option
EXTERIOR		·			
Grill		Black	Black	Black	Black
Front Bumper		Body Coloured	Body Coloured	Body Coloured	Body Coloured
Rear Bumper			Body Coloured  Body Coloured	-	Body Coloured
Side Steps		<u>-</u>	Black	-	Black
Over-Fender		<u>-</u>	- DidCk	-	- Black
Roof Rails		<u>-</u>	-	-	<u>-</u>
Door Mirror Finish		Black	Black	Black	Black
Door Mirrors		Power Adjustment + Manual Fold	Power Adjustment + Manual Fold	Power Adjustment + Auto Fold	Power Adjustment + Auto Fold
Door Handles		Black	Black	Black	Black
Front and Rear Mud Flaps		Std	Std	Std	Std
Front Towing Hook		Std	Std	Std	Std
Headlights		Halogen	Halogen	Halogen	Halogen
Fog Lights		-	-	-	-
Daytime Running Lights		_	_	_	-
2 Channel Utili-Track™ System		_	_	_	_
12V Outlet Inside Load Box		Std	Std	Std	Std
COMFORT & CONVENIENCE		Std	3.0	3.0	314
		-	-	-	-
Seating Capacity		5	5	5	5
Front Seat Type		Separate Seat	Separate Seat	Separate Seat	Separate Seat
Driver Seat Adjustment		6-Way Manual	6-Way Manual	6-Way Manual	6-Way Manual
Passenger Seat Adjustment		4-Way Manual	4-Way Manual	4-Way Manual	4-Way Manual
Seat Upholstery		Fabric	Fabric	Fabric	Fabric
Floor Material		Carpet	Carpet	Carpet	Carpet
Front Cup Holders		2	2	2	2
Front Door Storage Pockets and Bottle Holder		2	2	2	2
Rear Door Storage Pockets and Bottle Holder		2	2	2	2
Sunglass Holder		Std	Std	Std	Std
Rear Seat Aarmrest with Cup Holders		Std	Std	Std	Std
12V Outlet Inside Cabin		2	2	2	2
USB Port		3	3	3	3
Air-Conditioning		Std	Std	Std	Std
Rear Air Vents in Centre Console		Std	Std	Std	Std
Power Windows with Driver Auto Up/					

# Nissan Navara - 2 Wheel Drive

## Specifications & Features

MODEL - Double Cab	2.5i SE 4X2 MT	2.5i SE Plus 4X2 MT	2.5D SE 4X2 MT	2.5D SE Plus 4X2 MT
COMFORT & CONVENIENCE (Continued)				
Rear Screen	Manual Slide	Manual Slide	Manual Slide	Manual Slide
Central Locking	Std	Std	Std	Std
Speed Sensing Auto Door Lock	Std	Std	Std	Std
Intelligent Key with Keyless Entry and Push Start Button	-	-	-	-
Auto Dimming Rear View Mirror	-	-	-	-
AUDIO & CONNECTIVITY				
Audio - CD, AM/FM, RDS, Bluetooth Connectivity	Std	Std	Std	Std
W2DIN Audio (CD + AM + FM)	-	-	-	-
Audio Harness/Wiring	Std	Std	Std	Std
Steering Wheel Controls	Std	Std	Std	Std
Nissan Connect (with Android Auto™ and Apple Car Play®)	-	-	-	-
8" Touch Screen Display	-	-	-	-
Navigation	-	-	-	-
SAFETY & SECURITY				
Driver and Front Passenger Airbags	Std	Std	Std	Std
Side Airbags	-	Std	-	Std
Curtain Airbags	-	Std	-	Std
Driver Knee Airbag	-	Std	-	Std
Front Seat Belts 3-Point ELR with Pre-Tensioner, Load Limiter and Seatbelt Reminder	Std	Std	Std	Std
Rear Seat Belts (3) 3-Point ELR	Std	Std	Std	Std
ISOFIX Child Seat Anchorage	Std	Std	Std	Std
Anti-Theft System (Immobiliser)	Std	Std	Std	Std
Alarm	Std	Std	Std	Std
Anti-Lock Braking System (ABS)	Std	Std	Std	Std
Electronic Brake Force Distribution (EBD)	Std	Std	Std	Std
Brake Assist (BA)	Std	Std	Std	Std
Vehicle Dynamic Control (VDC)	Std	Std	Std	Std
Trailer Stability Assist (TSA)	Std	Std	Std	Std
Hill Start Assist (HSA)	Std	Std	Std	Std
Hill Descent Control (HDC)	-	-	-	-
Around View Monitor with Moving Object Detection	-	-	-	-
Reverse Camera and Sensors	-	-	-	-
Cruise Control	-	Std	-	Std
Front Brakes - Ventilated Discs	Std	Std	Std	Std
Rear Brakes - Drum	Std	Std	Std	Std
Windscreen Wipers	Variable Intermittent	Variable Intermittent	Variable Intermittent	Variable Intermittent
SAFETY & SECURITY				
Service Interval	5,000 km	5,000 km	5,000 km	5,000 km

# Nissan Navara - 2 & 4 Wheel Drive

Profess   Pro	MODEL - Single Cab		2.5i XE 4X2 MT	2.5i XE Plus 4X2 MT	2.5D XE 4X2 MT	2.5D XE Plus 4X2 MT	2.5D XE 4X4 MT	2.5D XE Plus 4X4 MT
Deplet certain   Sect	ENGINE							
Marchand Scylinders	Engine		2.5i Low Output	2.5i Low Output	2.5D Mid Output	2.5D Mid Output	2.5D Mid Output	2.5D Mid Output
Bee and State	Displacement	сс	2488	2488	2488	2488	2488	2488
Manuma Proper   Manuma Prope	Number of Cylinders		4	4	4	4	4	4
Manifum Torque	Bore and Stroke	mm	89.0 x 100.0	89.0 x 100.0	89.0 x 100.0	89.0 x 100.0	89.0 x 100.0	89.0 x 100.0
Public Name	Maximum Power	kW/rpm	118/6000	118/6000	120/3600	120/3600	120/3600	120/3600
Pure Supply	Maximum Torque	Nm/rpm	233/4000	233/4000	403/2000	403/2000	403/2000	403/2000
Part	Fuel Type		Petrol	Petrol	Diesel	Diesel	Diesel	Diesel
Transmission	Fuel Supply							
Transmission   Parameter	Fuel Tank Capacity	ę	80	80	80	80	80	80
Private   Priv	TRANSMISSION & DRIVE TRAIN							
Profit Suspension   Profit Suspension   Profit Suspension   Independent Double Windoone   Stabiliser   Windoone   Stabiliser Windoone   Stabiliser   Windoone   Stabil	Transmission		6-Speed Manual	6-Speed Manual	6-Speed Manual	6-Speed Manual	6-Speed Manual	6-Speed Manual
Front Suspension         Independent Doublew Wishbors 1 Stabilism Wishbors 1 Stabi	Driven Wheels		2WD	2WD	2WD	2WD	4WD	4WD
Front Subpersion         (wishbone stabilise)         (wishbone sta	SUSPENSION							
Wildfalts & CANCITY         Kg         6130         7000         7000         7000         2880         2880         2880         2980         2980         2980         2980         2980         2980         2980         2980         1980 <td>Front Suspension</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	Front Suspension							
Gross Combination Mass (CCM)         kg         6130 <th< td=""><td>Rear Suspension</td><td></td><td>Leaf Spring</td><td>Leaf Spring</td><td>Leaf Spring</td><td>Leaf Spring</td><td>Leaf Spring</td><td>Leaf Spring</td></th<>	Rear Suspension		Leaf Spring	Leaf Spring	Leaf Spring	Leaf Spring	Leaf Spring	Leaf Spring
Gross vehicle Mass (CVM)         kg         2950         2950         2950         2950         3000         3000           Tare Mass         kg         2680         2680         2880         2880         2930         2930           Max Kerb Weight         kg         1685         1685         1891         1891         1895         1895           Max Kerb Weight         kg         1706         1706         1822         1822         1906         1906           Payload         kg         1710         1710         1822         1822         1920         1152         1152           Gross Akel Mass (Fornt - Laden)         kg         1320         1320         1320         1320         1320         1320         1320         1320         1320         1785         1780         1780         1780         1780         1780         1780         1780         1780         1780         1780         1780         1780	WEIGHTS & CAPACITY							
Tark Mess         1g         2680         2680         2880         2880         2930         2930           Min Kerb Weight         1g         1685         1685         1891         1801         1801         1895         1885           Max Kerb Weight         1g         1706         1706         1822         1822         1906         1906           Max Kerb Weight         1g         1706         1706         1822         1822         1926         1922           Gross Avide Mass (Front - Laden)         1g         1320 <td< td=""><td>Gross Combination Mass (GCM)</td><td>kg</td><td>6130</td><td>6130</td><td>6130</td><td>6130</td><td>6130</td><td>6130</td></td<>	Gross Combination Mass (GCM)	kg	6130	6130	6130	6130	6130	6130
Min Kerb Weight         Kg         1685         1685         1801         1801         1885         1885           Max Kerb Weight         kg         1706         1706         1822         1822         1926         1906         1906           Payload         kg         1111         1111         1182         1182         1152         1152         1152           Cross Ade Mass (Feor - Laden)         kg         1320         1690         1690         1785         1780	Gross Vehicle Mass (GVM)	kg	2950	2950	2950	2950	3000	3000
Max Kerb Weight         lig         1706         1706         1822         1822         1822         1906         1906           Payload         lkg         1111         1111         1182         1182         1152         1152           Gross Akle Mass (Front - Laden)         lkg         1320	Tare Mass	kg	2680	2680	2880	2880	2930	2930
Payload         kg         1111         1111         1182         1182         1182         1152         1152           Cross Akle Mass (Front - Laden)         kg         1320 <t< td=""><td>Min Kerb Weight</td><td>kg</td><td>1685</td><td>1685</td><td>1801</td><td>1801</td><td>1885</td><td>1885</td></t<>	Min Kerb Weight	kg	1685	1685	1801	1801	1885	1885
Cross Axle Mass (Front - Laden)         kg         1320	Max Kerb Weight	kg	1706	1706	1822	1822	1906	1906
Gross Akle Mass (Rear - Laden)         kg         1690         1690         1785         1785         1785         1785         1785           Maximum Towing Capacity Unbraked         kg         750	Payload	kg	1111	1111	1182	1182	1152	1152
Meximum Towing Capacity Unbraked         kg         750	Gross Axle Mass (Front - Laden)	kg	1320	1320	1320	1320	1320	1320
Maximum Towing Capacity Braked         kg         1588         1588         3500         3500         3500         3500           DIMENSIONS           Overall Length         mm         5235         5235         5235         5235         5235         5335           Overall Width (Excluding Mirrors)         mm         1790         1750         1750         1750         1750         <	Gross Axle Mass (Rear - Laden)	kg	1690	1690	1785	1785	1785	1785
DMENSIONS           Overall Length         mm         5235         5235         5235         5235         5235         5335           Overall Width (Excluding Mirrors)         mm         1790         <	Maximum Towing Capacity Unbraked	kg	750	750	750	750	750	750
Overall Length         mm         5235         5235         5235         5235         5235         5335           Overall Width (Excluding Mirrors)         mm         1790	Maximum Towing Capacity Braked	kg	1588	1588	3500	3500	3500	3500
Overall Width (Excluding Mirrors)         mm         1790	DIMENSIONS							
Overall Height         mm         1755         1755         1755         1755         1760         1760           Wheelbase         mm         3150	Overall Length	mm	5235	5235	5235	5235	5235	5335
Wheelbase         mm         3150	Overall Width (Excluding Mirrors)	mm	1790	1790	1790	1790	1790	1790
Cround Clearance (Rear Axle)         mm         214<	Overall Height	mm	1755	1755	1755	1755	1760	1760
Front Track         mm         1550	Wheelbase	mm	3150	3150	3150	3150	3150	3150
Rear Track         mm         1550         1560         1560         1560         1560         1560         1560         1560         1560         1560         1560         1560         1560         1560         1560         1560	Ground Clearance (Rear Axle)	mm	214	214	214	214	214	214
Front Overhang         mm         885         885         885         885         885         885         885           Rear Overhang         mm         1200         60         60         60         60         60         60         60         60         60         60         60         60         266         266         266         266         266         266         266         222         222<	Front Track	mm	1550	1550	1550	1550	1550	1550
Rear Overhang         mm         1200         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         7.0         7.0         7.0         7.0         7.0         7.0         7.0         7.0         7.0         7.0         7.0         7.0         7.0         7.0         7.0         7.0         7.0         7.	Rear Track	mm	1550	1550	1550	1550	1550	1550
Turning Circle (Kerb to Kerb) m 6,0 6,0 6,0 6,0 6,0 6,0 6,0 6,0 6,0 6,0	Front Overhang	mm	885	885	885	885	885	885
Approach Angle         Degrees         30,7         30,7         30,7         30,7         31,8         31,8           Departure Angle         Degrees         26,6         26,6         26,6         26,6         26,3         26,3           Ramp Break-Over Angle         Degrees         22,2         22,2         22,2         22,2         22,2         22,2         22,2         22,8         22,8           Load Box Length - Floor         mm         2353         2353         2353         2353         2353         2353         2353           Load Box Length - Top         mm         2311         2311         2311         2311         2311         2311         2311           Load Box Width - Floor         mm         1560         1560         1560         1560         1560         1560	Rear Overhang	mm	1200	1200	1200	1200	1200	1200
Departure Angle         Degrees         26,6         26,6         26,6         26,6         26,6         26,3         26,3           Ramp Break-Over Angle         Degrees         22,2         22,2         22,2         22,2         22,2         22,8         22,8           Load Box Length - Floor         mm         2353         2353         2353         2353         2353         2353           Load Box Length - Top         mm         2311         2311         2311         2311         2311         2311         2311           Load Box Width - Floor         mm         1560         1560         1560         1560         1560         1560	Turning Circle (Kerb to Kerb)	m	6,0	6,0	6,0	6,0	6,0	6,0
Ramp Break-Over Angle         Degrees         22,2         22,2         22,2         22,2         22,2         22,8         22,8           Load Box Length - Floor         mm         2353	Approach Angle	Degrees	30,7	30,7	30,7	30,7	31,8	31,8
Load Box Length - Floor         mm         2353         2353         2353         2353         2353         2353         2353           Load Box Length - Top         mm         2311	Departure Angle	Degrees	26,6	26,6	26,6	26,6	26,3	26,3
Load Box Length - Top         mm         2311 </td <td>Ramp Break-Over Angle</td> <td>Degrees</td> <td>22,2</td> <td>22,2</td> <td>22,2</td> <td>22,2</td> <td>22,8</td> <td>22,8</td>	Ramp Break-Over Angle	Degrees	22,2	22,2	22,2	22,2	22,8	22,8
Load Box Width - Floor         mm         1560         1560         1560         1560         1560	Load Box Length - Floor	mm	2353	2353	2353	2353	2353	2353
	Load Box Length - Top	mm	2311	2311	2311	2311	2311	2311
Load Box Width - Top mm 1552 1552 1552 1552 1552 1552 1552	Load Box Width - Floor	mm	1560	1560	1560	1560	1560	1560
	Load Box Width - Top	mm	1552	1552	1552	1552	1552	1552

#### Nissan Navara - 2 & 4 Wheel Drive

#### Specifications & Features

MODEL - Single Cab		2.5i XE 4X2 MT	2.5i XE Plus 4X2 MT	2.5D XE 4X2 MT	2.5D XE Plus 4X2 MT	2.5D XE 4X4 MT	2.5D XE Plus 4X4 MT
DIMENSIONS (Continued)							
Load Box Width - Between Wheel Arches	mm	1134	1134	1134	1134	1134	1134
Load Box Width - Tailgate Opening	mm	1360	1360	1360	1360	1360	1360
Load Box Height	mm	472	472	472	472	472	472
Wading Depth	mm	600	600	600	600	600	600
WHEELS & TYRES							
Wheel Size and Type		16" Steel					
Tyre		205/R16 AT					
Spare Wheel		Full Size Steel					
Spare Wheel Lock		Option	Option	Option	Option	Option	Option
EXTERIOR							
Grill		Black	Black	Black	Black	Black	Black
Front Bumper		Black	Black	Black	Black	Black	Black
Side-Door Mirror Finish		Black	Black	Black	Black	Black	Black
Side-Door Mirrors		Manual Adjustment + Manual Fold					
External Door Handles		Black	Black	Black	Black	Black	Black
Front and Rear Mud Flaps		Std	Std	Std	Std	Std	Std
Front Towing Hook		Std	Std	Std	Std	Std	Std
Headlights		Halogen	Halogen	Halogen	Halogen	Halogen	Halogen
Fog Lights		-	-	-	-	-	-
COMFORT & CONVENIENCE							
Seating Capacity		2	2	2	2	2	2
Front Seat Type		Separate seat					
Driver Seat Adjustment		4-Way Manual	6-Way Manual	4-Way Manual	6-Way Manual	4-Way Manual	6-Way Manual
Passenger Seat Adjustment		2-Way Manual	4-Way Manual	2-Way Manual	4-Way Manual	2-Way Manual	4-Way Manual
Seat Upholstery		Vinyl	Fabric	Vinyl	Fabric	Vinyl	Fabric
Floor Material		Vinyl	Carpet	Vinyl	Carpet	Vinyl	Carpet
Front Cup Holders		2	2	2	2	2	2
Front Door Storage Pockets and Bottle Holder		2	2	2	2	2	2
Sunglass Holder		-	-	-	-	-	-
12V Outlet Inside Cabin		1	2	1	2	1	2
USB Port		-	-	-	-	-	-
Air-Conditioning		Std	Std	Std	Std	Std	Std
Manual Windows		Std	Std	Std	Std	Std	Std
Power Windows with Driver Auto Up/ Down Button		-	-	-	-	-	-
Rear Screen		Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
Auto Dimming Rear View Mirror		-	-	-	-	-	-
Manual Dimming Rear View Mirror		Std	Std	Std	Std	Std	Std
AUDIO & CONNECTIVITY							
Without Audio Head Unit (With Pre-Wire)		Std	Std	Std	Std	Std	Std
SAFETY & SECURITY							
Driver and Front Passenger Airbags		Std	Std	Std	Std	Std	Std
Side Airbags		-	Std	-	Std	-	Std

#### Nissan Navara - 2 & 4 Wheel Drive

#### Specifications & Features

MODEL - Single Cab	2.5i XE 4X2 MT	2.5i XE Plus 4X2 MT	2.5D XE 4X2 MT	2.5D XE Plus 4X2 MT	2.5D XE 4X4 MT	2.5D XE Plus 4X4 MT
SAFETY & SECURITY (Continued)						
Curtain Airbags	-	Std	-	Std	-	Std
Driver Knee Airbag	-	Std	-	Std	-	Std
Front Seat Belts 3-Point ELR with Pre- Tensioner, Load Limiter and Seatbelt Reminder	Std	Std	Std	Std	Std	Std
ISOFIX Child Seat Anchorage	-	-	-	-	-	-
Immobiliser	Std	Std	Std	Std	Std	Std
Alarm	-	-	-	-	-	-
Anti-Lock Braking System (ABS)	Std	Std	Std	Std	Std	Std
Electronic Brake Force Distribution (EBD)	Std	Std	Std	Std	Std	Std
Brake Assist (BA)	Std	Std	Std	Std	Std	Std
Vehicle Dynamic Control (VDC)	-	Std	-	Std	-	Std
Trailer Stability Assist (TSA)	-	Std	-	Std	-	Std
Hill Start Assist (HSA)	-	Std	-	Std	-	Std
Hill Descent Control (HDC)	=	-	-	-	-	Std
Front Brakes - Ventilated Discs	Std	Std	Std	Std	Std	Std
Rear Brakes - Drum	Std	Std	Std	Std	Std	Std
Windscreen Wipers	Variable Intermittent					
SERVICE						
Service Interval	5,000 km					

FEATURES AND SPECIFICATIONS ARE SUBJECT TO CHANGE DEPENDING ON MARKET AND GRADE. PLEASE CONSULT YOUR LOCAL NISSAN DEALERSHIP FOR MORE INFORMATION.



#### AT NISSAN WE KEEP OUR PROMISES AND TAKE CARE OF OUR FAMILY

Servicing and repairing your Nissan at an authorised Nissan dealership is the way to go. Our Nissan technicians are highly trained specialists that know your Nissan better than anyone. They will use Genuine Nissan Parts, Genuine Nissan Accessories to ensure quality, reliability and to keep your vehicle performing to optimum standards. Nissan aims to keep you and your vehicle on the road with total peace of mind - for as long as possible. That is the Nissan Aftersales commitment.

Nissan's commitment to quality: To provide all customers with a consistently high level of quality, Nissan applies the same standards worldwide, to ensure that all Nissan owners enjoy peace of mind for the lives of their vehicles. The approach is based on quality from the customer's perspective on three key elements: First, the expectation of a smooth driving experience with complete peace of mind. Second, the intangible appeal of a vehicle, its power to captivate and excite, with features that capture attention and imagination. Third, the level of attentiveness and service during the sales process, and long after the sale is concluded.

Legal notice: Every effort has been made to ensure that the contents of this brochure is correct at the time of going to print (October 2021). This brochure may be produced featuring prototype or accessorised vehicles exhibited at motorshows and in accordance with the company's policy of continuously improving its products. Nissan South Africa reserves the right to change the specifications and the vehicles described and shown in this brochure at any time. Nissan dealers will be informed of any such modifications as quickly as possible. Please check with your local Nissan dealer to receive the most up-to-date information. Due to the limitations of the printing process used, the colours shown in this brochure may differ slightly from the actual colours of the paint and interior trim material used. All rights reserved. Reproduction in whole or part of this brochure without the written permission from Nissan is forbidden.



#### Nissan's commitment to the environment

Nissan's environmental philosophy embraces people, vehicles and nature. In the pursuit of a sustainable mobile society, the Nissan Green Program aims to reduce the environmental impact of Nissan vehicles at every stage of the vehicle life cycle, while corporate activities address environmental challenges.



Nissan Intelligent Mobility moves you one step ahead. In cars that feel like an extension of you, helping you see more and sense more, reacting with you, and sometimes even for you. Nissan Intelligent Mobility is about a better future - moving us to a world that's safer, more sustainable, and exciting.

