# OVENS / COMPACT APPLIANCES 6551 SERIES







# + Awarded Design

Over 60 design awards, 1 Iconic Award: Best of the Best 2017, 11 Red dot Awards over the last 5 years, 1 Best-of-the-Best Award in 2012, 1 Plus X Award in 2015, as well as 2 German Design Awards in 2016 and since 2015, member of the German Design Council.

### Individual Concept

Several handles and stripes enable maximum individuality in your kitchen. Stylish and variable, for your individual style.

# → ökotherm® catalytic converter

Unique and only at Küppersbusch! The catalytic converter ensures the appliance stays clean on the inside, saves energy and optimises the cooking results.

# Full glass inner door

The quality full glass inner door with triple glazing ensures perfect insulation. Clear advantages: Energy-saving, easy to clean, highest safety and longevity.

# Learn from the professionals

The know-how of commercial kitchens, perfectly tailored to your needs at home. Our sister company's vast experience contributes to the product development of our household appliances.

## + 140 years of experiences

Rooted in the Ruhr area since 1875: A region that – like no other – stands for reliability and down-to-earthness. Quality from tradition.

# + Full-range

A broad portfolio of products – covering everything from built-in ovens to sinks.

For more information, please contact your nearest certified Küppersbusch dealer or visit us at www.kuppersbusch.com and www.facebook.com/kuppersbuschcom

#### OVEN.

#### Premium+



Black, Design Stainless Steel (pre-assembled)



White, Design Stainless Steel (pre-assembled)



















#### EEB 6551.0

#### Features:

- 10 oven functions
- 2 special functions
- 16 Automatic programmes
- 3,9" TFT graphic display
- Electronic oven control by means of back-lit sensor touch controls
- Electronic timer (cooking time, end of cooking time, minute minder, starting time) with white Display
- Full glass inner door with a stainless steel frame, triple glazed, removable
- Rapid heating
- Stand-by-modus
- 57 litres capacity
- Halogen lighting
- Door contact switch
- Drop-down large-area grill

#### Technical data:

- Electrical connection 3,3 kW

- Niche dimensions W x H x D approx. 560 x 590 x 550 mm

#### Standard accessories:

- 1 enamel baking tray; 1 enamel universal/deep tray; 1 roasting grid

#### Optional accessories:

Telescopic glide-out shelves


(2 standard glide-outs) Acc. no. 1085 Telescopic glide-out shelves Acc. no. 1094 (2 standard glide-outs, 1 glide-out with PerfectStop)

Telescopic glide-out shelves Acc. no. 1096 (1 standard glide-out, 2 glide-outs with PerfectStop)

#### Design kits:

- Design Black Chrome	Acc. no. 3001
- Design Silver Chrome	Acc. no. 4001
- Design Gold	Acc. no. 5001
- Design Black Velvet	Acc. no. 6001
- Design Copper	Acc. no. C6000
- Design Hot Chili	Acc. no. R6000

EEB 6551.0 JX1 Black Design Stainless Steel Black + Design kit Acc. no. ... EEB 6551.0 JX EEB 6551.0 WX1 White Design Stainless Steel EEB 6551.0 WX White + Design kit Acc. no. ...



#### COMPACT. OVEN.

#### Premium +



Black, Design Stainless Steel (pre-assembled)



White, Design Stainless Steel (pre-assembled)

















#### EEBK 6551.0

#### Features:

- 10 oven functions
- 2 special functions
- 16 Automatic programmes
- 3,9" TFT graphic display
- Electronic oven control by means of back-lit sensor touch controls
- Electronic timer (cooking time, end of cooking time, minute minder, starting time) with white Display
- Full glass inner door with a stainless steel frame, triple glazed, removable
- Rapid heating
- Stand-by-modus
- 46 litres capacity
- Oven lighting
- Door contact switch
- Drop-down large-area grill

#### Technical data:

- Electrical connection 3,2 kW
- Appliance dimensions W x H x D approx. 595 x 455 x 562 mm

(incl. front 22 mm)

W x H x D approx. 560 x 450 x 550 mm - Niche dimensions

#### Standard accessories:

- 1 enamel baking tray, 1 enamel universal/deep tray, 1 roasting grid


#### Optional accessories:

Telescopic glide-out shelve Acc. no. 1089 (1 standard glide-out)

#### Design kits:

- Design Black Chrome Acc. no. 3001 Acc. no. 4001 - Design Silver Chrome - Design Gold Acc. no. 5001 - Design Black Velvet Acc. no. 6001 - Design Copper Acc. no. C6000 - Design Hot Chili Acc. no. R6000

EEBK 6551.0 JX1 Black Design Stainless Steel EEBK 6551.0 JX Black + Design kit Acc. no. ... EEBK 6551.0 WX1 White Design Stainless Steel EEBK 6551.0 WX White + Design kit Acc. no. ...



#### COMPACT, OVEN, STEAMER.

#### Premium+



Black, Design Stainless Steel (pre-assembled)



White, Design Stainless Steel (pre-assembled)



















#### **EKDG 6551.0**

#### Features:

- 2 oven functions
- 4 steam functions
- 45 Automatic programmes
- 5 favorite programmes for saving own processes
- 3,9" TFT graphic display
- Electronic oven control by means of back-lit sensor touch controls
- Electronic timer (cooking time, end of cooking time, minute minder, starting time) with white Display
- Full glass inner door, triple glazed, removable
- Stainless steel oven cavity
- Stand-by-modus
- 35 litres capacity
- Oven lighting
- Door contact switch
- Grill

#### Technical data:

- Electrical connection 2,9 kW

- Appliance dimensions W x H x D approx. 595 x 455 x 562 mm

(incl. front 22 mm)

W x H x D approx. 560 x 450 x 550 mm - Niche dimensions

#### Standard accessories:

- 1 roasting grid; 1 cooking trivet, non-perforated, flat;

1 Cooking trivet, perforated, deep


#### Optional accessories:

- Cooking trivet, non-perforated, deep Acc. no. 1117 - Cooking trivet, perforated, flat Acc. no. 1116

#### Design kits:

· ·	
- Design Black Chrome	Acc. no. 3001
- Design Silver Chrome	Acc. no. 4001
- Design Gold	Acc. no. 5001
- Design Black Velvet	Acc. no. 6001
- Design Copper	Acc. no. C6000
- Design Hot Chili	Acc. no. R6000

EKDG 6551.0 J1 Black Design Stainless Steel EKDG 6551.0 J Black + Design kit Acc. no. ... EKDG 6551.0 W1 White Design Stainless Steel EKDG 6551.0 W White + Design kit Acc. no. ...



#### COMPACT. STEAMER.

#### Premium +



Black, Design Stainless Steel (pre-assembled)



White, Design Stainless Steel (pre-assembled)

















#### EDG 6551.0

#### Features:

- 2 steam functions
- 25 Automatic programmes
- 3,9" TFT graphic display
- Electronic oven control by means of back-lit sensor touch controls
- Electronic timer (cooking time, end of cooking time, minute minder, starting time) with white Display
- Full glass inner door, triple glazed, removable
- Stainless steel oven cavity
- Stand-by-modus
- 35 litres capacity
- Oven lighting
- Door contact switch

#### Technical data:

- Electrical connection 1,5 kW

- Appliance dimensions W x H x D approx. 595 x 455 x 562 mm

(incl. front 22 mm)

- Niche dimensions W x H x D approx. 560 x 450 x 550 mm

#### Standard accessories:

- 1 roasting grid; 1 cooking trivet, non-perforated, flat; 1 Cooking trivet, perforated, deep


#### Optional accessories:

- Cooking trivet, non-perforated, deep Acc. no. 1117 - Cooking trivet, perforated, flat Acc. no. 1116

#### Design kits:

- Design Black Chrome	Acc. no. 3001
- Design Silver Chrome	Acc. no. 4001
- Design Gold	Acc. no. 5001
- Design Black Velvet	Acc. no. 6001
- Design Copper	Acc. no. C6000
- Design Hot Chili	Acc. no. R6000

EDG 6551.0 J1 Black Design Stainless Steel EDG 6551.0 J Black + Design kit Acc. no. ... EDG 6551.0 W1 White Design Stainless Steel EDG 6551.0 W White + Design kit Acc. no. ...



#### COMPACT, OVEN, MICROWAVE,

#### Premium +



Black, Design Stainless Steel (pre-assembled)



White, Design Stainless Steel (pre-assembled)















#### EMWK 6551.0

#### Features:

- 3 oven functions
- 3 microwave functions (microwave only, microwave + grill and microwave + hot air)
- 16 Automatic programmes
- 5 microwave output levels
- Microwave output 1000 watts
- Grill 1500 watts
- 3,9" TFT graphic display
- Electronic oven control by means of back-lit sensor touch controls
- Electronic timer (cooking time, end of cooking time, minute minder, starting time) with white Display
- Full glass inner door, douple glazed, removable
- Stainless steel oven cavity
- Stand-by-modus
- 35 litres capacity
- Oven lighting
- Door contact switch
- Turntable with switch-off function
- Grill

#### Technical data:

- Electrical connection 2,9 kW

- Appliance dimensions WxHxD approx. 595 x 455 x 562 mm

(incl. front 22 mm)

- Niche dimensions Wx Hx D approx. 560 x 450 x 550 mm

#### Standard accessories:

- 1 universal/deep tray, glass; 1 roasting grid; 1 grid

#### Optional accessories:


Cooking trivet, non-perforated, deep Acc. no. 1117
 Cooking trivet, perforated, flat Acc. no. 1116

#### Design kits:

- Design Black Chrome	Acc. no. 3001
- Design Silver Chrome	Acc. no. 4001
- Design Gold	Acc. no. 5001
- Design Black Velvet	Acc. no. 6001
- Design Copper	Acc. no. C6000
- Design Hot Chili	Acc. no. R6000

EMWK 6551.0 J1 Black Design Stainless Steel
Black + Design kit Acc. no. ...

EMWK 6551.0 W1 White Design Stainless Steel
White + Design kit Acc. no. ...



#### COMPACT, COFFEE, FULLY-AUTOMATIC.

#### Premium +



Black, Design Stainless Steel



White, Design Stainless Steel













#### EKV 6500.1

#### Features:

- LCD-Display with clear text and graphic display
- Electronic control with touch control sensors
- 5 programmable cup sizes (espresso cup, small cup, medium cup, large cup, mug)
- Dispenser for 1 or 2 cups
- Real milk function for cappuccino or coffee latte
- Removable milk container with cleaning function
- Suitable for use with coffee beans and coffee powder
- Height-adjustable coffee dispenser
- Boiling pressure approx. 15 bar
- 3 selectable coffee temperatures
- Selectable coffee flavour (5 preset coffee strengths)
- Separate boiler for coffee and for hot water
- Decalcification programme
- Automatic cleaning when switching on and off
- Hot water function
- Water container removable from the front
- Electronic timer with red display\*
- Programmable starting time
- Stand-by-modus
- Telescopic rails for easy re-filling

#### Technical data:

- Electrical connection 1.35 kW

- Appliance dimensions W x H x D approx. 595 x 455 x 475 mm

(incl. front 20 mm and telescopic rails)

- Niche dimensions W x H x D approx. 560 x 450 x 550 mm

#### Design kits:

- Design Stainless Steel Acc. no. 2002 - Design Black Chrome Acc. no. 3002 - Design Silver Chrome Acc. no. 4002 - Design Gold Acc. no. 5002 Acc. no. 6002 - Design Black Velvet Acc. no. C6001 - Design Copper - Design Hot Chili Acc. no. R6001


EKV 6500.1 J1 Black Design Stainless Steel EKV 6500.1 J Black + Design kit Acc. no. ... EKV 6500.1 W1 White Design Stainless Steel EKV 6500.1 W White + Design kit Acc. no. ...

Further Information about Individual and Individual Plus see page 28-31 of the current catalogue 2017/2018.





Velvet



<sup>\*</sup> Red display, that can be turned off by the Stand-by-modus

#### COMPACT. TV.

#### Profession+





Black, Design Stainless Steel (pre-assembled)



White, Design Stainless Steel (pre-assembled)

















#### ETV 6800.2

#### Features:

- 19" LED-colour television (48 cm screen diagonal)
- HD ready
- Videotext function
- Sleep-timer function
- Selectable picture size (16:10 / 16:9)
- Integrated DVB-T tuner / Cable tuner
- Integrated DVD-player
- USB recording
- Memory settings for 200 programmes
- Lift-up mechanism with Touch to open function

#### Technical data:

- Energy consumption 26 kWh (per year)

- Electrical connection 18 watts


Appliance dimensions W x H x D approx. 595 x 455 x 150 mm
 Niche dimensions W x H x D approx. 560 x 450 x 200 mm
 Connectivity 1 x HDMI, 1 x Scart, AV/S-Video in,

VGA, USB, CI, headphones

#### Design kits:

Design Black Chrome Acc. no. 3002
Design Silver Chrome Acc. no. 4002
Design Gold Acc. no. 5002
Design Black Velvet Acc. no. 6002
Design Copper Acc. no. C6001
Design Hot Chili Acc. no. R6001

ETV 6800.2 J1 Black Design Stainless Steel
ETV 6800.2 J Black + Design kit Acc. no. ...
ETV 6800.2 W1 White Design Stainless Steel
ETV 6800.2 W White + Design kit Acc. no. ...



# Küppersbusch installation options: Diversity in possibilities

The **vertical** arrangement of two appliances creates a harmonious overall look and also shortens distances to make work processes easier. Oven and steam oven, microwave oven and fully automatic coffee machine – with Küppersbusch there is no limit to the diversity of combination options.

Arranging several appliances **horizontally** at eye level is a clear commitment to more design homogeneity for kitchen planners: the horizontal arrangement dominates the overall picture, and several appliances complement one another and create a continuous line. Küppersbusch compact appliances also provide genuine planning diversity here. We recommend ConceptLine of the horizontal combination of a 60-cm oven and a 45-cm compact appliance.



# Product series black/white

#### Installation recommendation for ovens and compact appliances

Combinations		Vertical		Horizontal											
Product Individual/Indidvidual Plus poss shown here only in stainless st		EEB 6551.0 JX1 / EEB 6551.0 WX1	EKDG 6551.0 J1 / EKDG 6551.0 W1	EDG 6551.0 J1 / EDG 6551.0 W1	EEBK 6551.0 JX1 / EEBK 6551.0 WX1	EMWK 6551.0 JX1 / EMWK 6551.0 WX1	ETV 6800.2 J1 / ETV 6800.2 W1	EKV 6500.1 J1* / EKV 6500.1 W1*	EEB 6551.0 JX1 / EEB 6551.0 WX1	EKDG 6551.0 J1 / EKDG 6551.0 W1	EDG 6551.0 J1 / EDG 6551.0 W1	EEBK 6551.0 JX1 / EEBK 6551.0 WX1	EMWK 6551.0 JX1 / EMWK 6551.0 WX1	ETV 6800.2 J1 / ETV 6800.2 W1	EKV 6500.1 J1* / EKV 6500.1 W1*
	EEB 6551.0 JX1 / EEB 6551.0 WX1		-	-	-	-	-	•	-						
	EKDG 6551.0 J1 / EKDG 6551.0 W1		-	-	-	-	-	•		-	-	-	-	-	-
	EDG 6551.0 J1 / EDG 6551.0 W1		-			-					-		-		-
	EEBK 6551.0 JX1 / EEBK 6551.0 WX1		-		-	-							-		-
	EMWK 6551.0 JX1 / EMWK 6551.0 WX1		•	•	•	-	•	•		-	•		-	-	-
	ETV 6800.2 J1 / ETV 6800.2 W1		-	•	-	-	-	•		-	•	-	-	-	-
	EKV 6500.1 J1* / EKV 6500.1 W1*		•	•	-	-	•	•					•	-	-

<sup>\*</sup> Red display, that can be turned off by the Stand-by-modus



# Küppersbusch

#### Küppersbusch Hausgeräte GmbH

Küppersbuschstraße 16, D-45883 Gelsenkirchen www.keppersbusch.com www.facebook.com/kuppersbuschcom finfo@kueppersbusch.de