

8-Channel 720P CCTV Surveillance Kit

The Conceptronic 8-Channel CCTV Surveillance Kit offers an ideal way to monitor a large house or building premises, for situations requiring professional-level surveillance. With superior quality, high-definition cameras stationed on all sides of the building, all access points can be securely watched at all times of the day and night. Sophisticated software allows easy monitoring of all eight cameras from any PC, laptop, tablet or smartphone. Cameras all conform to Weatherproof standard IP66, and operate in temperatures from -10°C to 55°C. Built-in infrared LEDs support night monitoring for distances up to 20 metres, providing crystal-clear images at any time, under any conditions. The quality cameras also offer full-screen, high resolution recording and playback. Everything you need for safe, secure surveillance of your home or business, providing the utmost in peace-of-mind.















Highlights

- > 4 x 1/3" CMOS 720P Day/Night Outdoor Cameras with an 8-CH Digital Video Recorder included
- > Compatible with HDTVI, AHD and CVBS analog cameras
- > One 3.5" disk slot supports disk capacity of up to 6TB
- > Built-in infrared LEDs for night viewing of up to 20m
- > Weatherproof IP66-rated
- > Wide operating temperature (-10°C to 55°C)
- > 720P real time, full screen, high resolution recording
- > H.264 compression for efficient data transfer and storage
- > Built-in USB port for backup, firmware upgrade and mouse
- > Supports VGA, HDMI output
- > Supports iPhone/Android remote viewing over the Internet

Specifications

System Specifications

Image sensor

1/3" CMOS

Lens

Tuesday, April 16, 2019 Page 1 of 6



3.6mm, 720P

Frames per second

8*720p @ 25fps (P)/30fps (N)

Hard Disk Type

SATA

Resolution

VGA/HDMI @ 1920*1080, 1280*1024, 1280*720, 1024*768

Port

8 BNC (Video input)

1 VGA (Video output)

1 HDMI (Video output)

1 RCA (Audio Input)

1 RCA (Audio output)

1 RJ-45 10/100Mbps

2 USB

1 GND

1 Power input (12VDC)

Protocols

TCP/IP

PPPoE

DHCP

Cloud P2P

DNS

DDNS

NTP

SADP

SMTP

NFS

iSCSI

UPnP™

HTTPS

Video Compression (Format)

H.264+, H.264, HDTVI, AHD, CVBS

Hard Disk Capacity

1 SATA, up to 6TB

Audio Compression (Format)

G.711u

View Angle

Tuesday, April 16, 2019 Page 2 of 6



70.9 degrees

Shutter speed

1/25(1/30)s to 1/50,000s

Connections / interfaces

USB ports

2

USB

USB 2.0

Features

Web Based Administrative Configuration

Yes

Led indicator

Yes

Mouse support

Yes

IR-cut

Yes

Performance

Signal to Noise Ratio

Night viewing distance

20m

Minimum illumination

0.1 Lux @ (F1.2,AGC ON), 0 Lux with IR

Environment

Storage Humidity

10%

Operating Temperature

Tuesday, April 16, 2019 Page 3 of 6



-10

Physical Specifications

Length (in mm)

200 (DVR)

Width (in mm)

200 (DVR)

Height (in mm)

45 (DVR)

Weight (in grams)

800 (DVR)

Enclosure

IP66-rated waterproof

Order Information

Order Code: C8CHCCTVKITD

P/N code: 100750203

EAN Code: 4015867193112

In a Box: 2

Package content

- > C8CHCCTVKITD
- > Power adapter
- > Power splitter cable
- > Resource CD
- > USB Mouse
- > QIG

Smartphone / Tablet

- > 8 Channel DVR
- > Camera x 4
- > 18m BNC Cables (4x)

Optional accessory

> Order code: CCAM700D30



Page 4 of



Description: 700TVL Dome CCTV Camera

P/N: 1007200

EAN: 8714909027557 > Order code: CCAM720TVI

Description: 720P TVI CCTV Camera

P/N: 100751407

EAN: 4015867199268

> Order code: CCAMP720TVI

Description: 720P TVI CCTV Camera

P/N: 100751307 EAN: 4015867199251

Tuesday, April 16, 2019 Page 5 of 6















Tuesday, April 16, 2019 Page 6 of 6