

Crustacés - Taxons modifiés

Migration du référentiel TAXREF version 4.0 (12/10/2011) à la version 6.0 (08/04/2013)

(source: <http://inpn.mnhn.fr/programme/referentiel-taxonomique-taxref>)

TAXREF v.4.0	TAXREF v.6.0
R: Animalia	Animalia
E: Arthropoda	Arthropoda
C: Branchiopoda	Branchiopoda
O: Diplostraca	Diplostraca
F: Bosminidae	Bosminidae
- <i>Bosmina longispina</i>	- <i>Bosmina coregoni</i>
F: Chydoridae	Chydoridae
- <i>Chydorus sphaericus</i>	- <i>Chydorus sphaericus</i> (O.F. Müller, 1785)
F: Daphniidae	Daphniidae
- <i>Simocephalus exspinosus</i>	- <i>Simocephalus exspinosus</i> (Koch, 1841)
F: Eurycercidae	Chydoridae
- <i>Acroperus angustatus</i>	- <i>Acroperus angustatus</i>
- <i>Acroperus elongatus</i>	- <i>Acroperus elongatus</i>
- <i>Acroperus harpae</i>	- <i>Acroperus harpae</i>
- <i>Alona affinis</i>	- <i>Alona affinis</i>
- <i>Alona bessei</i>	- <i>Alona bessei</i>
- <i>Alona costata</i>	- <i>Alona costata</i>
- <i>Alona guttata</i>	- <i>Alona guttata</i>
- <i>Alona intermedia</i>	- <i>Alona intermedia</i>
- <i>Alona nuragica</i>	- <i>Alona nuragica</i>
- <i>Alona phreatica</i>	- <i>Alona phreatica</i>
- <i>Alona protzi</i>	- <i>Alona protzi</i>
- <i>Alona quadrangularis</i>	- <i>Alona quadrangularis</i>
- <i>Alona rectangula</i>	- <i>Alona rectangula</i>
- <i>Alona rustica</i>	- <i>Alona rustica</i>
- <i>Alona weltneri</i>	- <i>Alona weltneri</i>
- <i>Alonella excisa</i>	- <i>Alonella excisa</i>
- <i>Alonella exigua</i>	- <i>Alonella exigua</i>
- <i>Alonella nana</i>	- <i>Alonella nana</i>
- <i>Alonopsis elegans</i>	- <i>Alona elegans</i>
- <i>Anchistropus emarginatus</i>	- <i>Anchistropus emarginatus</i>
- <i>Camptocercus lilljeborgi</i>	- <i>Camptocercus lilljeborgi</i>
- <i>Camptocercus rectirostris</i>	- <i>Camptocercus rectirostris</i>
- <i>Dunhevedia crassa</i>	- <i>Dunhevedia crassa</i>
- <i>Graptoleberis testudinaria</i>	- <i>Graptoleberis testudinaria</i>
- <i>Kurzia latissima</i>	- <i>Kurzia latissima</i>
- <i>Leydigia acanthocercoides</i>	- <i>Leydigia acanthocercoides</i>
- <i>Leydigia leydigi</i>	- <i>Leydigia leydigi</i>
- <i>Monospilus dispar</i>	- <i>Monospilus dispar</i>
- <i>Oxyurella tenuicaudis</i>	- <i>Oxyurella tenuicaudis</i>
- <i>Pleuroxus aduncus</i>	- <i>Pleuroxus aduncus</i>
- <i>Pleuroxus denticulatus</i>	- <i>Pleuroxus denticulatus</i>
- <i>Pleuroxus laevis</i>	- <i>Pleuroxus laevis</i>
- <i>Pleuroxus striatus</i>	- <i>Pleuroxus striatus</i>
- <i>Pleuroxus trigonellus</i>	- <i>Pleuroxus trigonellus</i>
- <i>Pleuroxus truncatus</i>	- <i>Pleuroxus truncatus</i>
- <i>Pleuroxus uncinatus</i>	- <i>Pleuroxus uncinatus</i>
- <i>Pseudochydorus globosus</i>	- <i>Pseudochydorus globosus</i>
- <i>Rynchotalona falcata</i>	- <i>Rhynchotalona falcata</i>
- <i>Rynchotalona kistarae</i>	- <i>Rhynchotalona kistarae</i>
- <i>Tretocephala ambigua</i>	- <i>Tretocephala ambigua</i>
F: Macrothricidae	Acantholeberidae
- <i>Acantholeberis curvirostris</i>	- <i>Acantholeberis curvirostris</i>
F: Macrothricidae	Ilyocryptidae
- <i>Ilyocryptus acutifrons</i>	- <i>Ilyocryptus acutifrons</i>
- <i>Ilyocryptus agilis</i>	- <i>Ilyocryptus agilis</i>

Crustacés - Taxons modifiés

Migration du référentiel TAXREF version 4.0 (12/10/2011) à la version 6.0 (08/04/2013)

(source: <http://inpn.mnhn.fr/programme/referentiel-taxonomique-taxref>)

TAXREF v.4.0	TAXREF v.6.0
R: Animalia	Animalia
E: Arthropoda	Arthropoda
C: Branchiopoda	Branchiopoda
O: Diplostraca	Diplostraca
F: Macrothricidae	Ilyocryptidae
- <i>Ilyocryptus sordidus</i>	- <i>Ilyocryptus sordidus</i>
C: Insecta	Malacostraca
O: Coleoptera	Decapoda
F: Cerambycidae	Parthenopidae
- <i>Distolambrus maltzami</i>	- <i>Distolambrus maltzami</i>
C: Malacostraca	Malacostraca
O: Amphipoda	Amphipoda
F: Corophiidae	Corophiidae
- <i>Monocorophium ascherusicum</i>	- <i>Monocorophium acherusicum</i>
F: Gammaridae	Eulimnogammaridae
- <i>Echinogammarus anisocheirus</i>	- <i>Eulimnogammarus anisocheirus</i>
F: Gammaridae	Gammaridae
- <i>Gammarus roeseli</i>	- <i>Gammarus roeseli</i>
F: Gammaridae	Pontogammaridae
- <i>Dikerogammarus haemobaphes</i>	- <i>Dikerogammarus haemobaphes</i>
- <i>Dikerogammarus villosus</i>	- <i>Dikerogammarus villosus</i>
F: Hyalidae	Dogielinotidae
- <i>Parhyalella richardi</i>	- <i>Parhyalella richardi</i>
F: Lysianassidae s.l.	Lysianassidae s.l.
- <i>Acidostoma laticorne</i>	- <i>Acidostoma laticornis</i>
F: Lysianassidae	Lysianassidae
- <i>Paracentromedon crenulatum</i>	- <i>Paracentromedon crenulatus</i>
- <i>Tryphosella laevis</i>	- <i>Centromedon laevis</i>
F: Lysianassidae	Uristidae
- <i>Stephonyx biscayensis</i>	- <i>Stephonyx biscayensis</i>
F: Melitidae	Pseudoniphargidae
- <i>Pseudoniphargus adriaticus</i>	- <i>Pseudoniphargus adriaticus</i>
- <i>Pseudoniphargus africanus</i>	- <i>Pseudoniphargus africanus</i>
- <i>Pseudoniphargus obritus</i>	- <i>Pseudoniphargus obritus</i>
F: Niphargidae	Niphargidae
- <i>Niphargopsis casparyi</i>	- <i>Niphargopsis casparyi</i>
- <i>Niphargus longicaudatus corsicanus</i>	- <i>Niphargus corsicanus</i>
F: Stenothoidae	Stenothoidae
- <i>Metopa tenuimana</i>	- <i>Metopa tenuimana Gurjanova, 1933</i>
O: Decapoda	Decapoda
F: Aristeidae	Aristeidae
- <i>Aristeus antennatus</i>	- <i>Aristeus antennatus</i>
F: Atyidae	Atyidae
- <i>Atyaephyra desmaresti</i>	- <i>Atyaephyra desmarestii</i>
F: Dorippidae	Ethusidae
- <i>Ethusa mascarone</i>	- <i>Ethusa mascarone</i>
- <i>Ethusa microphthalma</i>	- <i>Ethusa microphthalma</i>
- <i>Ethusina alba</i>	- <i>Ethusina alba</i>
- <i>Ethusina talismani</i>	- <i>Ethusina talismani</i>
F: Galatheidae	Munididae
- <i>Munida curvimana</i>	- <i>Munida curvimana</i>
- <i>Munida intermedia</i>	- <i>Munida intermedia</i>
- <i>Munida microphthalma</i>	- <i>Munida microphthalma</i>
- <i>Munida rugosa</i>	- <i>Munida rugosa</i>
- <i>Munida rutllanti</i>	- <i>Munida rutllanti</i>
- <i>Munida sanctipauli</i>	- <i>Munida sanctipauli</i>
- <i>Munida sarsi</i>	- <i>Munida sarsi</i>

Crustacés - Taxons modifiés

Migration du référentiel TAXREF version 4.0 (12/10/2011) à la version 6.0 (08/04/2013)

(source: <http://inpn.mnhn.fr/programme/referentiel-taxonomique-taxref>)

TAXREF v.4.0	TAXREF v.6.0
R: Animalia	Animalia
E: Arthropoda	Arthropoda
C: Malacostraca	Malacostraca
O: Decapoda	Decapoda
F: Galatheidae	Munididae
- <i>Munida tenuimana</i>	- <i>Munida tenuimana</i>
F: Galatheidae	Munidopsidae
- <i>Galacantha rostrata</i>	- <i>Galacantha rostrata</i>
F: Grapsidae	Percnidae
- <i>Percnon gibbesi</i>	- <i>Percnon gibbesi</i>
F: Grapsidae	Plagusidae
- <i>Euchirograpsus liguricus</i>	- <i>Euchirograpsus liguricus</i>
- <i>Plagusia depressa</i>	- <i>Plagusia depressa</i>
F: Hippolytidae	Hippolytidae
- <i>Spirontocaris lilljeborgii</i>	- <i>Spirontocaris liljeborgii</i>
- <i>Thoralus sollaudi</i>	- <i>Eualus sollaudi</i>
F: Inachidae	Inachidae
- <i>Ergasticus clouei</i>	- <i>Ergasticus clouei</i> A. Milne-Edwards, 1882
F: Inconnue [Ordre: Decapoda]	Callianassidae
- <i>Gourettia denticulata</i>	- <i>Gourettia denticulata</i>
F: Majidae	Epialtidae
- <i>Acanthonyx brevifrons</i>	- <i>Acanthonyx brevifrons</i>
- <i>Acanthonyx lunulatus</i>	- <i>Acanthonyx lunulatus</i>
F: Munidopsidae	Munidopsidae
- <i>Munidopsis vaillanti</i>	- <i>Munidopsis vaillantii</i>
F: Oplophoridae	AcanthePHYridae
- <i>AcanthePHYra brevirostris</i>	- <i>AcanthePHYra brevirostris</i>
- <i>AcanthePHYra eximea</i>	- <i>AcanthePHYra eximia</i>
- <i>AcanthePHYra pelagica</i>	- <i>AcanthePHYra pelagica</i>
- <i>AcanthePHYra purpurea</i>	- <i>AcanthePHYra purpurea</i>
F: Palaemonidae	Palaemonidae
- <i>Periclimenes calmani</i>	- <i>Cuapetes calmani</i>
F: Potamonidae	Potamidae
- <i>Potamon ibericum</i>	- <i>Potamon ibericum</i>
F: Sergestidae	Sergestidae
- <i>Sergestes arcticus</i>	- <i>Eusergestes arcticus</i>
- <i>Sergestes sargassi</i>	- <i>Allosergestes sargassi</i>
- <i>Sergestes vigilax</i>	- <i>Parasergestes vigilax</i>
F: Xanthidae	Pseudoziidae
- <i>Euryozius bouvieri</i>	- <i>Euryozius bouvieri</i>
O: Isopoda	Isopoda
F: Aegidae	Aegidae
- <i>Rocinela dumerili</i>	- <i>Rocinela dumerilii</i>
F: Armadillidiidae	Armadillidiidae
- <i>Armadillidium nasutum</i>	- <i>Armadillidium nasatum</i>
F: Bopyridae	Bopyridae
- <i>Pleurocrypta porcellanae</i>	- <i>Pleurocrypta porcellanaelongicornis</i>
F: Cymothoidae	Cymothoidae
- <i>Livonectus pomatoï</i>	- <i>Livoneca pomatoï</i>
F: Idoteidae	Idoteidae
- <i>Synisoma appendiculatum</i>	- <i>Stenosoma appendiculatum</i>
F: Platyarthridae	Platyarthridae
- <i>Platyarthrus hoffmannseggii</i>	- <i>Platyarthrus hoffmannseggii</i>
F: Sphaeromatidae	Sphaeromatidae
- <i>Caecosphaeroma burgundum</i>	- <i>Caecosphaeroma (Vireia) burgundum</i>
O: Leptostraca	Nebaliacea
F: Nebaliidae	Nebaliidae
- <i>Nebalia bipes</i>	- <i>Nebalia bipes</i>

Crustacés - Taxons modifiés

Migration du référentiel TAXREF version 4.0 (12/10/2011) à la version 6.0 (08/04/2013)

(source: <http://inpn.mnhn.fr/programme/referentiel-taxonomique-taxref>)

TAXREF v.4.0	TAXREF v.6.0
R: Animalia	Animalia
E: Arthropoda	Arthropoda
C: Malacostraca	Malacostraca
O: Mysida	Mysida
F: Mysidae	Mysidae
- <i>Amblyops abbreviata</i>	- <i>Amblyops abbreviatus</i>
- <i>Amblyops spinifera</i>	- <i>Amblyops spiniferus</i>
- <i>Gastrosaccus lobatus</i>	- <i>Haplostylus lobatus</i>
O: Stomatopoda	Stomatopoda
F: Gonodactylidae	Gonodactylidae
- <i>Gonodactylus falcatus</i>	- <i>Gonodactylaceus falcatus</i>
C: Maxillopoda	Maxillopoda
O: Calanoida	Calanoida
F: Calocalanidae	Inconnue [Ordre: Calanoida]
- <i>Calocalanus contractus</i>	- <i>Calocalanus contractus</i>
- <i>Calocalanus elegans</i>	- <i>Calocalanus elegans</i>
- <i>Calocalanus elongatus</i>	- <i>Calocalanus elongatus</i>
- <i>Calocalanus equalicauda</i>	- <i>Calocalanus equalicauda</i>
- <i>Calocalanus fusiformis</i>	- <i>Calocalanus fusiformis</i>
- <i>Calocalanus gresei</i>	- <i>Calocalanus gresei</i>
- <i>Calocalanus kristalli</i>	- <i>Calocalanus kristalli</i>
- <i>Calocalanus latus</i>	- <i>Calocalanus latus</i>
- <i>Calocalanus lomonosovi</i>	- <i>Calocalanus lomonosovi</i>
- <i>Calocalanus longisetosus</i>	- <i>Calocalanus longisetosus</i>
- <i>Calocalanus minor</i>	- <i>Calocalanus minor</i>
- <i>Calocalanus neptunus</i>	- <i>Calocalanus neptunus</i>
- <i>Calocalanus ovalis</i>	- <i>Calocalanus ovalis</i>
- <i>Calocalanus parelongatus</i>	- <i>Calocalanus parelongatus</i>
- <i>Calocalanus pavo</i>	- <i>Calocalanus pavo</i>
- <i>Calocalanus plumulosus</i>	- <i>Calocalanus plumulosus</i>
- <i>Calocalanus styliremis</i>	- <i>Calocalanus styliremis</i>
- <i>Calocalanus tenuis</i>	- <i>Calocalanus tenuis</i>
- <i>Calocalanus vivesei</i>	- <i>Calocalanus vivesei</i>
F: Diaptomidae	Diaptomidae
- <i>Mixodiaptomus laciniatus laciniatus</i>	- <i>Mixodiaptomus laciniatus laciniatus</i> (Lilljeborg, 1889)
F: Phaennidae	Scolecitrichidae
- <i>Xanthocalanus obtusifrons</i>	- <i>Pseudoamallothrix obtusifrons</i>
F: Scolecitrichidae	Scolecitrichidae
- <i>Amallothrix emarginata</i>	- <i>Pseudoamallothrix emarginata</i>
- <i>Amallothrix laminata</i>	- <i>Pseudoamallothrix laminata</i>
- <i>Scolecithricella ovata</i>	- <i>Pseudoamallothrix ovata</i>
O: Cyclopoida	Cyclopoida
F: Cyclopidae	Cyclopidae
- <i>Eucyclops graeteri graeteri</i>	- <i>Eucyclops subterraneus</i>
O: Harpacticoida	Harpacticoida
F: Arenopontiidae	Arenopontiidae
- <i>Arenopontia (Arenopontia) subterranea</i>	- <i>Arenopontia subterranea</i>
F: Canthocamptidae	Canthocamptidae
- <i>Bryocamptus alosensis</i>	- <i>Bryocamptus (Rheocamptus) alosensis</i>
- <i>Bryocamptus alpestris</i>	- <i>Bryocamptus (Arcticocamptus) alpestris</i>
- <i>Bryocamptus bryobates</i>	- <i>Bryocamptus (Arcticocamptus) bryobates</i>
- <i>Bryocamptus dentatus</i>	- <i>Bryocamptus (Rheocamptus) dentatus</i>
- <i>Bryocamptus echinatus</i>	- <i>Bryocamptus (Echinocamptus) echinatus</i>
- <i>Bryocamptus hoferi</i>	- <i>Bryocamptus (Echinocamptus) hoferi</i>
- <i>Bryocamptus laccophilus</i>	- <i>Bryocamptus (Arcticocamptus) laccophilus</i>
- <i>Bryocamptus praegeri</i>	- <i>Bryocamptus (Echinocamptus) praegeri</i>

Crustacés - Taxons modifiés

Migration du référentiel TAXREF version 4.0 (12/10/2011) à la version 6.0 (08/04/2013)

(source: <http://inpn.mnhn.fr/programme/referentiel-taxonomique-taxref>)

TAXREF v.4.0	TAXREF v.6.0
R: Animalia	Animalia
E: Arthropoda	Arthropoda
C: Maxillopoda	Maxillopoda
O: Harpacticoida	Harpacticoida
F: Canthocamptidae	Canthocamptidae
- <i>Bryocamptus pyrenaicus</i>	- <i>Bryocamptus (Rheocamptus) pyrenaicus</i>
- <i>Bryocamptus unisaetosus</i>	- <i>Bryocamptus (Rheocamptus) typhlops</i>
- <i>Bryocamptus vandouwei</i>	- <i>Bryocamptus (Arcticocamptus) vandouwei</i>
- <i>Bryocamptus weberi</i>	- <i>Bryocamptus (Rheocamptus) weberi</i>
- <i>Bryocamptus zschokkei tatrensis</i>	- <i>Bryocamptus (Rheocamptus) tatrensis</i>
F: Canthocamptidae	Parastenocarididae
- <i>Ceuthonectes bulbiseta</i>	- <i>Parastenocaris bulbiseta</i>
F: Clytemnestridae	Inconnue [Ordre: Harpacticoida]
- <i>Clytemnestra rostrata</i>	- <i>Clytemnestra rostrata</i>
- <i>Clytemnestra scutellata</i>	- <i>Clytemnestra scutellata</i>
F: Inconnue [Ordre: Harpacticoida]	Nannopodidae
- <i>Nannopus palustris</i>	- <i>Nannopus palustris</i>
F: Laophontidae	Laophontidae
- <i>Laophonte cornuta cornuta</i>	- <i>Laophonte cornuta</i>
F: Miraciidae	Miraciidae
- <i>Stenhelia (Stenhelia) aemula</i>	- <i>Beatricella aemula</i>
- <i>Stenhelia bocqueti</i>	- <i>Delavalia bocqueti</i>
- <i>Stenhelia coineauae</i>	- <i>Delavalia coineauae</i>
- <i>Stenhelia giesbrechti</i>	- <i>Delavalia giesbrechti</i>
- <i>Stenhelia palustris bispinosa</i>	- <i>Delavalia palustris var. bispinosa</i>
- <i>Stenhelia palustris palustris</i>	- <i>Delavalia palustris var. palustris</i>
- <i>Stenhelia tethysensis</i>	- <i>Delavalia tethysensis</i>
F: Parastenocarididae	Parastenocarididae
- <i>Parastenocaris micheli</i>	- <i>Michelicaris micheli</i>
F: Zosimidae	Zosimeidae
- <i>Zosime atlantica</i>	- <i>Zosime atlantica</i>
- <i>Zosime major</i>	- <i>Zosime major</i>
- <i>Zosime paramajor</i>	- <i>Zosime paramajor</i>
O: Siphonostomatoida	Siphonostomatoida
F: Caligidae	Caligidae
- <i>Scienophilus tenuis</i>	- <i>Sciaenophilus tenuis</i>
F: Cecropidae	Cecropidae
- <i>Orthagoriscicola muricatus</i>	- <i>Orthagoriscicola muricatus</i>
- <i>Philorthagoriscus serratus</i>	- <i>Philorthagoriscus serratus</i>
F: Lernaepodidae	Lernaepodidae
- <i>Parabrachiella merlucci</i>	- <i>Parabrachiella merluccii</i>
O: Thoracica	Lepadiformes
F: Lepadidae	Lepadidae
- <i>Conchoderma auritum</i>	- <i>Conchoderma auritum</i>
- <i>Conchoderma virgatum</i>	- <i>Conchoderma virgatum</i>
- <i>Dosima fascicularis</i>	- <i>Dosima fascicularis</i>
- <i>Lepas anatifera</i>	- <i>Lepas anatifera</i>
- <i>Lepas anserifera</i>	- <i>Lepas anserifera</i>
- <i>Lepas hilli</i>	- <i>Lepas hilli</i>
- <i>Lepas pectinata</i>	- <i>Lepas pectinata</i>
O: Thoracica	Pedunculata
F: Anelasmataidae	Anelasmataidae
- <i>Anelasma squalicola</i>	- <i>Anelasma squalicola</i>
O: Thoracica	Scalpelliformes
F: Pollicipedidae	Pollicipedidae
- <i>Pollicipes pollicipes</i>	- <i>Pollicipes pollicipes</i>

Crustacés - Taxons modifiés

Migration du référentiel TAXREF version 4.0 (12/10/2011) à la version 6.0 (08/04/2013)

(source: <http://inpn.mnhn.fr/programme/referentiel-taxonomique-taxref>)

TAXREF v.4.0	TAXREF v.6.0
R: Animalia	Animalia
E: Arthropoda	Arthropoda
C: Maxillopoda	Maxillopoda
O: Thoracica	Scalpelliformes
F: Scalpellidae	Scalpellidae
- <i>Amigdoscalpellum rigidum</i>	- <i>Amigdoscalpellum rigidum</i>
- <i>Scalpellum scalpellum</i>	- <i>Scalpellum scalpellum</i>
O: Thoracica	Sessilia
F: Archaeobalanidae	Archaeobalanidae
- <i>Acasta spongites</i>	- <i>Acasta spongites</i>
- <i>Chirona hameri</i>	- <i>Chirona hameri</i>
- <i>Elminius modestus</i>	- <i>Elminius modestus</i>
- <i>Semibalanus balanoides</i>	- <i>Semibalanus balanoides</i>
- <i>Solidobalanus fallax</i>	- <i>Solidobalanus fallax</i>
F: Balanidae	Balanidae
- <i>Balanus amphitrite</i>	- <i>Amphibalanus amphitrite</i>
- <i>Balanus balanus</i>	- <i>Balanus balanus</i>
- <i>Balanus crenatus</i>	- <i>Balanus crenatus</i>
- <i>Balanus eburneus</i>	- <i>Balanus eburneus</i>
- <i>Balanus improvisus</i>	- <i>Amphibalanus improvisus</i>
- <i>Balanus perforatus</i>	- <i>Perforatus perforatus</i>
- <i>Balanus trigonus</i>	- <i>Balanus trigonus</i>
- <i>Megabalanus tintinnabulum</i>	- <i>Megabalanus tintinnabulum</i>
- <i>Megabalanus tulipiformis</i>	- <i>Megabalanus tulipiformis</i>
F: Chelonibiidae	Chelonibiidae
- <i>Chelonibia testudinaria</i>	- <i>Chelonibia testudinaria</i>
F: Chthamalidae	Chthamalidae
- <i>Chthamalus montagui</i>	- <i>Chthamalus montagui</i>
- <i>Chthamalus stellatus</i>	- <i>Chthamalus stellatus</i>
- <i>Euraphia depressa</i>	- <i>Euraphia depressa</i>
F: Coronulidae	Coronulidae
- <i>Coronula diadema</i>	- <i>Coronula diadema</i>
- <i>Xenobalanus globicipitis</i>	- <i>Xenobalanus globicipitis</i>
F: Platylepadidae	Platylepadidae
- <i>Platylepas hexastylus</i>	- <i>Platylepas hexastylus</i>
- <i>Stomatolepas elegans</i>	- <i>Stomatolepas elegans</i>
F: Pyrgomatidae	Pyrgomatidae
- <i>Megatrema anglicum</i>	- <i>Megatrema anglicum</i>
F: Verrucidae	Verrucidae
- <i>Verruca stroemia</i>	- <i>Verruca stroemia</i>
C: Ostracoda	Ostracoda
O: Halocyprida	Halocyprida
F: Polycopidae	Polycopidae
- <i>Polycope striata</i>	- <i>Pseudopolycope (Pseudopolycope) striata</i>
O: Mydocopida	Mydocopida
F: Inconnue [Ordre: Mydocopida]	Cylindroleberididae
- <i>Parasterope muelleri</i>	- <i>Parasterope muelleri</i>
- <i>Prionotoleberis norvegica</i>	- <i>Prionotoleberis norvegica</i>
O: Podocopida	Podocopida
F: Pontocyprididae	Pontocyprididae
- <i>Propontocypris trigonella</i>	- <i>Propontocypris (Propontocypris) trigonella</i>
F: Trachyleberididae	Trachyleberididae
- <i>Carinocythereis quadridentata</i>	- <i>Celtia quadridentata</i>