

# ZEBRA MC55X MC65 MC67

# **ACCESSORIES GUIDE**







# One set of accessories for four different mobile computers

Our complete family of accessories allows you to easily customize your MC55X, MC65 and MC67 mobile computers to best meet the needs of your applications, your workers and your IT department. Choose from four slot or single slot cradles, a vehicle mount kit, a snap-on trigger handle for those scan intensive jobs, a magnetic stripe reader for on-the-spot payment processing and more. A single accessory pool serves all four models, delivering a better return on your accessory investment. You can stock fewer spares. And since your existing accessories can be used with the new MC67, you can put the latest mobile computer in the hands of your workers — very cost-effectively.

	Single Slot USB Charging Cradle with a bay for spare battery charging — CRD5500-1000UR
	Requires Power Supply PWR-BGA12V50W0WW, DC cable CBL-DC-388A1-01 and country specific three wire grounded AC power line cord.
	Four Slot Charge Only Cradle - CRD5501-4000CR
KKKK	Charges four terminals at one time. Requires Power Supply PWR-BGA12V108W0WW, DC line cord CBL-DC-381A1-01 and country specific three wire grounded AC power line cord.
RAMA	Four Slot Ethernet Charging Cradle — CRD5501-4000ER  Charges and provides Ethernet connectivity to four terminals at one time. Requires Power Supply PWR-BGA12V108W0WW,  DC line cord CBL-DC-381A1-01 and country specific three wire grounded AC power line cord.
0	Single Slot Cradle — CRD5501-1000XR Single Slot cradle with a bay for spare battery charging. Supports Ethernet, USB and Modem connectivity. Requires Power Supply PWR-BGA12V50W0WW, DC cable CBL-DC-388A1-01 and country specific three wire grounded AC power line cord.
0	Vehicle Cradle — VCD5500-1001R Charges a terminal only. Does not accommodate spare battery charging.
	Wall Mount Cradle Bracket — KT-136648-01R For mounting four slot cradles only.
adle Kits	
0.00	Single Slot Cradle Kit (U.S.) — CRD5500-100UES Includes Single Slot USB cradle (CRD5500-1000UR), Power Supply (PWR-BGA12V50W0WW, DC cable CBL-DC-388A1-01), and US three wire grounded AC power line cord (23844-00-00R).
<b>4</b> 09	Single Slot Cradle Kit (International) — CRD5500-101UES Includes Single Slot USB cradle (CRD5500-1000UR) and Power Supply (PWR-BGA12V50W0WW, DC cable CBL-DC-388A1-01) Purchase country specific three wire grounded line cord separately.
	Four Slot Charge Only Cradle Kit -CRD5501-401CES Includes Four Slot Charge Only cradle (CRD5501-4000CR) and Power Supply (PN PWR-BGA12V108W0WW) with DC line cord (CBL-DC-381A1-01). Purchase country specific three wire grounded AC power line cord separately.
	Four Slot Ethernet Cradle Kit — CRD5501-401EES Includes Four Slot Ethernet cradle (CRD5501-4000ER) and Power Supply (PN PWR-BGA12V108W0WW) with DC line cord (CBL-DC-381A1-01). Purchase country specific three wire grounded AC power line cord separately.
	Vehicle Holder Kit — VCH5500-111R Holder (VCH5500-1000R) and Auto Charge adapter (VCA5500-01R)
ttery Chargers and Ch	narger Accessories
	Standard Capacity Spare Battery — BTRY-MC55EAB00 2400 mAh standard capacity spare battery. (For WLAN devices)
	Extended Capacity Spare Battery — BTRY-MC55EAB02 3600 mAh extended capacity spare battery.
	Standard Capacity Battery 10 pack — BTRY-MC55EAB00-10 2400 mAh standard capacity spare battery, 10 pack. (For WLAN devices)
	Standard Capacity Battery 50 pack — BTRY-MC55EAB00-50 2400 mAh standard capacity spare battery, 50 pack. (For WLAN devices)

	Extended Capacity Battery 10 pack — BTRY-MC55EAB02-10
	3600 mAh extended capacity spare battery, 10 pack.
*********	Extended Capacity Battery 50 pack — BTRY-MC55EAB02-50 3600 mAh extended capacity spare battery, 50 pack
	4 Slot Battery Charger — SAC5500-4000CR Charges up to 4 MC55X/MC65/MC67 Batteries.
949	4 Slot Battery Charger Kit — SAC5500-400CES Includes 4 Slot Battery Charger PWR-BGA12V50W0WW Power Supply, CBL-DC-388A1-01 DC cable Power Supply and 23: 00R US AC Line Cord.
<b>D</b> 19	4 Slot Battery Charger Kit — SAC5500-401CES Includes 4 Slot Battery Charger SAC5500-4000CR and Power Supply PWR-BGA12V50W0WW and and DC cable CBL-DC-38 DC cable. Purchase country specific three wire grounded AC power line cord separately.
Accessories	
	USB Charge and Communication Cable from the Terminal to Host system — 25-108022-04R Charging requires Power Supply (PWR-BUA5V16W0WW, DC Cable (CBL-DC-383A1-01) and country specific two wire ungrounded AC power line cord.
5	Charge-only Cable — 25-112560-01R  Charging requires Power Supply (PWR-BUA5V16W0WW, DC Cable (CBL-DC-383A1-01) and country specific two wire ungrounded AC power line cord.
	USB Client Communication-only Cable — 25-68596-01R From Cradle to the host system.
	<b>DEX Cable — 25-127558-01R DEX Cable.</b>
er Supplies and Adap	ters
	AC power supply with barrel jack — PWR-BUA5V16W0WW  Allows for charging of an MC55X/MC65/MC67 terminal with either USB (25-108022-01R) or Charge only (25-112560-01R)  Order country specific two wire AC power line cord separately.
	Power Supply — PWR-BGA12V50W0WW  Provides power to the Single Slot Cradle (CRD5500-1000UR) and Four Slot Battery Charger (SAC5500-4000CR). Order of specific three wire grounded AC line cord separately.
	Power Supply — PWR-BGA12V108W0WW  Provides power to the Four Slot Charge Only and Ethernet Cradles (CRD5501-4000CR and CRD5501-4000ER). Order co specific three wire grounded AC line cord separately.
200	Auto Charge Cable — VCA5500-01R 12/24 volt (cigarette lighter adapter)
	Printer Cable — 25-136283-01R Cable for MC55X/MC65/MC67 that allows connection to a Monarch/Paxar Serial printer to terminal
er Line Cords	
0	DC Cable — CBL-DC-381A1-01 For power supply PWR-BGA12V108W0WW.
40	DC Cable — CBL-DC-388A1-01 For power supply PWR-BGA12V50W0WW.

## **US AC Line Cords**



### US AC Line Cord — 23844-00-00R

Grounded, three wire for power supplies PWR-BGA12V50W0WW and PWR-BGA12V108W0WW.



### US AC Line Cord — 50-16000-182R

1.8 m, ungrounded, two wire for power supply PWR-BUA5V16W0WW.

International A	AC Line Cords	
Country	Grounded (For power supplies PWR-BGA12V50W0WW and PWR-BGA12V108W0WW)	Ungrounded (For power supply PWR-BUA5V16W0WW)
Abu Dhabi	<b>50-16000-220R</b> — 1.8 m, grounded, three wire CEE 7/7plug	
Australia	<b>50-16000-217R</b> — 1.8 m, grounded, three wire, AS 3112 plug	<b>50-16000-666R</b> — 1.8 m ungrounded, two wire AS 3112 plug
Bermuda		<b>50-16000-670R</b> — 1.8 m ungrounded, two wire, BS 1363 Plug
Bolivia	<b>50-16000-220R</b> — 1.8 m, grounded, three wire CEE 7/7plug	
Brazil	<b>50-16000-727R</b> — 1.8 m grounded, three wire, NBR 14136 plug	
China	<b>50-16000-217R</b> — 1.8 m, grounded, three wire, AS 3112 plug <b>50-16000-257R</b> — 1.8 m, grounded, three wire, IEC 60320 C13 plug	<b>50-16000-664R</b> — 1.8 m ungrounded, two wire, GB 2099-1-1996 plug
Dubai	<b>50-16000-220R</b> — 1.8 m, grounded, three wire CEE 7/7plug	
Egypt	<b>50-16000-220R</b> — 1.8 m, grounded, three wire CEE 7/7plug	
Europe	<b>50-16000-220R</b> — 1.8 m, grounded, three wire CEE 7/7plug	
Hong Kong	<b>50-16000-219R</b> — 1.8 m, grounded, three wire, BS 1363 plug	<b>50-16000-670R</b> — 1.8 m ungrounded, two wire, BS 1363 Plug
India	<b>50-16000-669R</b> — 1.8 M grounded, three wire, BS 546 Plug	
Iran	<b>50-16000-220R</b> — 1.8 m, grounded, three wire CEE 7/7plug	
Iraq	<b>50-16000-219R</b> — 1.8 m, grounded, three wire, BS 1363 plug	<b>50-16000-670R</b> — 1.8 m ungrounded, two wire, BS 1363 Plug
Israel	<b>50-16000-672R</b> — 1.8 m grounded, three wire, S132 Plug	
Italy	<b>50-16000-671R</b> — 1.8 m grounded, CIE 23-16 plug	
Japan	<b>50-16000-218R</b> — 1.8 m, grounded, three wire, NEMA 1-15P plug	
Korea	<b>50-16000-220R</b> — 1.8 m, grounded, three wire CEE 7/7plug <b>50-16000-256R</b> — 1.8 m, grounded, CEE7/7 plug	
Malaysia	<b>50-16000-219R</b> — 1.8 m, grounded, three wire, BS 1363 plug	<b>50-16000-670R</b> — 1.8 m ungrounded, two wire, BS 1363 Plug
New Guinea	<b>50-16000-217R</b> — 1.8 m, grounded, three wire, AS 3112 plug	
Russia	<b>50-16000-220R</b> — 1.8 m, grounded, three wire CEE 7/7plug	
Singapore	<b>50-16000-219R</b> — 1.8 m, grounded, three wire, BS 1363 plug	<b>50-16000-670R</b> — 1.8 m ungrounded, two wire, BS 1363 Plug
United Kingdom	<b>50-16000-219R</b> — 1.8 m, grounded, three wire, BS 1363 plug	<b>50-16000-670R</b> — 1.8 m ungrounded, two wire, BS 1363 Plug
United States	<b>50-16000-221R</b> — 1.8 m, grounded, USA NEMA 5-15P <b>50-16000-678R</b> — 36 inch grounded, three wire	
Vietnam	<b>50-16000-220R</b> — 1.8 m, grounded, three wire CEE 7/7plug	

# Miscellaneous



### Vehicle Holder Mount — VCD5501-1000R

Accommodates the standard and extended battery.



# IHV Compatible Active Holder with Cigarette Lighter Cable — 249003\*

Compatible with MC55/MC65/MC67



IHV Compatible Active Holder with Straight Power Cable for Fixed Installation —249004\* Compatible with MC55/MC65/MC67.

 $<sup>{}^*\!</sup>Available\ through\ Proclip:\ To\ order\ visit\ \underline{www.proclipusa.com}.\ Not\ available\ through\ Zebra\ directly.$ 

Miscellaneous (Continued)	
	Hard Case — SG-MC5511110-01R Rigid holster with large swivel clip for rugged applications.
	Soft Case — SG-MC5521110-01R Holster with plastic belt clip
\\\/	Spare Stylus, 3 pack — KT-119150-03R
\  1//////	Spare Stylus, 50 pack — KT-119150-50R
\\ 11/11/1	Spring Loaded Stylus, 10 pack — Stylus-00001-10R Optional spare spring loaded stylus, 10 pack
	Stylus with tether, 3 pack — Stylus-00003-03R Spare stylus with tether, 3 pack
	Stylus with tether, 50 pack — Stylus-00003-50R Spare stylus with tether, 50 pack
	Spare tether, 3 pack — KT-122621-03R
	Spare tether, 50 pack — KT-122621-50R
	Magnetic Stripe Reader — MSR5500-100R Reads all 3 tracks of a magnetic stripe card and accommodates power and communication pass through while cradled in a single slot or four slot cradle as well as when a charging cable is attached.
	MC55X/MC65/MC67 Snap-on Trigger Handle — TRG5500-101R For use with Windows OS only.
Char	Hand Strap for the TRG5500-100R Snap-on Trigger Handle — 21-138874-01R
	Spare Screen Protectors, 3 pack — KT-137521-03R
*	MC55/65/67 Standard Hand Strap with Pin — SG-MC5523341-03R
Healthcare Specific (availa	able for MC55x-HC only)
	Extended Capacity Spare Battery Health Care — BTRY-MC55EAB02-H White
	10 pack, Extended Capacity Spare Battery Health Care — BTRY-MC55EAB02-10H White

Healthcare Specific (available for MC55x-HC only) (Continued)		
	50 Pack, Extended Capacity Spare Battery Health Care — BTRY-MC55EAB02-50H White	
lmage not available	Spare Stylus, 3 pack. — KT-152738-03R Blue	
lmage not available	Spare Stylus, 50 pack. — KT-152738-50R Blue	
lmage not available	Spare Stylus with Tether, 3 pack. — Stylus-HC005-03R Blue	
lmage not available	Spare Stylus with Tether, 50 pack. — Stylus-HC005-50R Blue	
100	MC55X0/MC65/MC67 Disinfectant Ready Hand Strap — SG-MC5523341-01R	
<b>Discontinued Accessories</b>		
REFER TO SERVICE AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON ADDRESS OF THE PERSON ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON ADDRESS OF TH	Four Slot Charge Only Cradle — CRD5500-4000CR Charges four terminals at one time. Requires Power Supply PWR-BGA12V108W0WW, DC line cord CBL-DC-381A1-01 and country specific three wire grounded AC power line cord.	
	Single Slot Cradle — CRD5500-1000XR Single Slot cradle with a bay for spare battery charging. Supports Ethernet, USB and Modem connectivity. Requires Power Supply PWR-BGA12V50W0WW, DC cable CBL-DC-388A1-01 and country specific three wire grounded AC power line cord.	
	Four Slot Charge Only Cradle Kit — CRD5500-400CES Includes Four Slot Charge Only cradle (CRD5500-4000CR), Power Supply (PWR-BGA12V108W0WW) with DC line cord (CBL-DC-381A1-01), and US three wire grounded AC power line cord (23844-00-00R).	
	Four Slot Charge Only Cradle Kit — CRD5500-401CES Includes Four Slot Charge Only cradle (CRD5500-4000CR) and Power Supply (PWR-BGA12V108W0WW) with DC line cord CBL-DC-381A1-01). Purchase country specific three wire grounded AC power line cord separately.	
\1/	Spring loaded stylus, 3 pack — Stylus-00001-03R Optional spare spring loaded stylus, 3 pack	

