

Threatened species or ecological community	Descriptor	Threat status
Flora (224)		CR (Critically Endangered) EN (Endangered)
<i>Acacia aprica</i>		CR
<i>Acacia ataxiphylla</i> subsp. <i>magna</i>		EN
<i>Acacia awestoniana</i>		CR
<i>Acacia chapmanii</i> subsp. <i>australis</i>		EN
<i>Acacia cochlocarpa</i> subsp. <i>cochlocarpa</i>		CR
<i>Acacia cochlocarpa</i> subsp. <i>velutinos</i>		CR
<i>Acacia imitans</i>		CR
<i>Acacia insolita</i> subsp. <i>recurva</i>		CR
<i>Acacia leptoneura</i>		CR
<i>Acacia lobulata</i>		EN
<i>Acacia pharangites</i>		CR
<i>Acacia pygmaea</i>		EN
<i>Acacia rhamphophylla</i>		CR
<i>Acacia sciophanes</i>		CR
<i>Acacia splendens</i>		CR
<i>Acacia subflexuosa</i> subsp. <i>capillata</i>		CR
<i>Acacia unguicula</i>		CR
<i>Acacia vassalii</i>		CR
<i>Acacia volubilis</i>		CR
<i>Acacia wilsonii</i>		EN
<i>Acacia woodmaniorum</i>		EN
<i>Adenanthos eyrei</i>		EN
<i>Adenanthos pungens</i> subsp. <i>effusus</i>		CR
<i>Andersonia annelsii</i>		CR
<i>Andersonia axilliflora</i>		CR
<i>Androcalva adenothalia</i> (was <i>Commersonia adenothalia</i>)		CR
<i>Androcalva bivillosa</i>		CR
<i>Androcalva perlaria</i> (was <i>Commersonia</i> sp. Mt Groper (R. Cranfield and D. Kabay 9157))		EN
<i>Austrostipa bronwenae</i>		EN
<i>Austrostipa jacobsiana</i>		CR
<i>Banksia anatona</i>		CR
<i>Banksia brownii</i>		CR
<i>Banksia cuneata</i>		EN
<i>Banksia fuscobractea</i>		CR
<i>Banksia ionthocarpa</i> subsp. <i>chrysophoenix</i>		CR

<i>Banksia ionthocarpa</i> subsp. <i>ionthocarpa</i>	CR
<i>Banksia montana</i>	CR
<i>Banksia nivea</i> subsp. <i>uliginosa</i>	EN
<i>Banksia oligantha</i>	EN
<i>Banksia pseudoplumosa</i>	EN
<i>Banksia serratuloides</i> subsp. <i>perissa</i>	CR
<i>Banksia verticillata</i>	CR
<i>Boronia clavata</i>	EN
<i>Boronia exilis</i>	EN
<i>Brachyscias verecundus</i>	CR
<i>Caladenia bryceana</i> subsp. <i>bryceana</i>	EN
<i>Caladenia busselliana</i>	CR
<i>Caladenia caesarea</i> subsp. <i>maritima</i>	CR
<i>Caladenia drakeoides</i>	CR
<i>Caladenia elegans</i>	CR
<i>Caladenia graniticola</i> (was <i>C. hoffmanii</i> subsp. <i>graniticola</i>)	EN
<i>Caladenia granitora</i>	EN
<i>Caladenia hopperiana</i> (was <i>C. sp. Quindanning</i> (K. Smith & P. Johns 231))	EN
<i>Caladenia huegelii</i>	CR
<i>Caladenia leucochila</i>	EN
<i>Caladenia lodgeana</i>	CR
<i>Caladenia luteola</i>	CR
<i>Caladenia melanema</i>	CR
<i>Caladenia procera</i>	CR
<i>Caladenia viridescens</i>	CR
<i>Caladenia williamsiae</i>	CR
<i>Caladenia winfieldii</i>	EN
<i>Calectasia cyanea</i>	CR
<i>Calochilus pruinusus</i>	CR
<i>Calytrix breviseta</i> subsp. <i>breviseta</i>	CR
<i>Chorizema humile</i>	CR
<i>Commersonia apella</i>	CR
<i>Commersonia erythrogyna</i> (was <i>Rulingia</i> sp. Trigwell Bridge (R Smith s.n. 20.6.89))	CR
<i>Conospermum densiflorum</i> subsp. <i>unicephalatum</i>	EN
<i>Conospermum galeatum</i>	CR
<i>Conostylis seorsiflora</i> subsp. <i>trichophylla</i>	EN
<i>Conostylis setigera</i> subsp. <i>dasys</i>	CR
<i>Cooperhooikia georgei</i>	EN

<i>Cyphanthera odgersii</i> subsp. <i>occidentalis</i>		CR
<i>Darwinia apiculata</i>		EN
<i>Darwinia carnea</i>		CR
<i>Darwinia collina</i>		CR
<i>Darwinia ferricola</i>		EN
<i>Darwinia masonii</i>		CR
<i>Darwinia oxylepis</i>		EN
<i>Darwinia whicherensis</i> (was <i>D. sp.</i> Williamson (GJ Keighery 12717))		CR
<i>Darwinia wittwerorum</i>		EN
<i>Dasymalla axillaris</i> (was <i>Pityrodia axillaris</i>)		CR
<i>Daviesia bursarioides</i>		CR
<i>Daviesia cunderdin</i>		CR
<i>Daviesia dielsii</i>		EN
<i>Daviesia euphorbioides</i>		CR
<i>Daviesia glossosema</i>		CR
<i>Daviesia megacalyx</i>		EN
<i>Daviesia microcarpa</i>		CR
<i>Daviesia ovata</i>		CR
<i>Daviesia pseudaphylla</i>		CR
<i>Diplolaena andrewsii</i>		EN
<i>Drakaea confluens</i>		CR
<i>Drakaea elastica</i>		CR
<i>Drakaea isolata</i>		CR
<i>Duma horrida</i> subsp. <i>abdita</i> (was <i>Muehlenbeckia horrida</i> subsp. <i>abdita</i>)		EN
<i>Eremophila ciliata</i>		EN
<i>Eremophila denticulata</i> subsp. <i>trisulcata</i>		EN
<i>Eremophila glabra</i> subsp. <i>chlorella</i>		EN
<i>Eremophila koobabbiensis</i>		CR
<i>Eremophila lactea</i>		CR
<i>Eremophila nivea</i>		CR
<i>Eremophila pinnatifida</i>		CR
<i>Eremophila resinosa</i>		EN
<i>Eremophila rostrata</i> subsp. <i>rostrata</i>		CR
<i>Eremophila rostrata</i> subsp. <i>trifida</i>		CR
<i>Eremophila scaberula</i>		CR
<i>Eremophila subangustifolia</i> (was <i>E. microtheca</i> subsp. narrow leaves and <i>E. sp.</i> narrow leaves (J.D. Start D12-150))		CR
<i>Eremophila subterretifolia</i>		CR

<i>Eremophila verticillata</i>		CR
<i>Eremophila virens</i>		EN
<i>Eremophila viscida</i>		EN
<i>Eucalyptus absita</i>		CR
<i>Eucalyptus coronata</i>		EN
<i>Eucalyptus crucis</i> subsp. <i>praecipua</i>		EN
<i>Eucalyptus cuprea</i>		EN
<i>Eucalyptus dolorosa</i>		CR
<i>Eucalyptus impensa</i>		CR
<i>Eucalyptus leprophloia</i>		EN
<i>Eucalyptus</i> x <i>balanites</i>		CR
<i>Eucalyptus</i> x <i>phylacis</i>		CR
<i>Frankenia parvula</i>		EN
<i>Gastrolobium appressum</i>		EN
<i>Gastrolobium diabolophyllum</i>		CR
<i>Gastrolobium glaucum</i>		CR
<i>Gastrolobium hamulosum</i>		CR
<i>Gastrolobium luteifolium</i>		CR
<i>Gastrolobium papilio</i> (was <i>Brachysema papilio</i>)		CR
<i>Gastrolobium vestitum</i>		CR
<i>Goodenia integerrima</i>		EN
<i>Grevillea acropogon</i>		EN
<i>Grevillea althoferorum</i> subsp. <i>althoferorum</i>		CR
<i>Grevillea althoferorum</i> subsp. <i>fragilis</i>		CR
<i>Grevillea batrachioides</i>		CR
<i>Grevillea brachystylis</i> subsp. <i>grandis</i> (was <i>G. brachystylis</i> subsp. <i>Busselton</i> (GJ Keighery s.n. 28/8/1985))		CR
<i>Grevillea bracteosa</i> subsp. <i>howatharra</i>		CR
<i>Grevillea calliantha</i>		CR
<i>Grevillea curviloba</i> subsp. <i>curviloba</i>		CR
<i>Grevillea curviloba</i> subsp. <i>incurva</i>		EN
<i>Grevillea dryandroides</i> subsp. <i>dryandroides</i>		CR
<i>Grevillea elongata</i>		EN
<i>Grevillea humifusa</i>		CR
<i>Grevillea involuocrata</i>		EN
<i>Grevillea maccutcheonii</i>		CR
<i>Grevillea maxwellii</i>		CR
<i>Grevillea murex</i>		EN

<i>Grevillea phanerophlebia</i>		CR
<i>Grevillea pythara</i>		CR
<i>Grevillea rara</i>		EN
<i>Grevillea scapigera</i>		CR
<i>Grevillea</i> sp. Gillingarra (R.J. Cranfield 4087)		CR
<i>Guichenotia seorsiflora</i>		CR
<i>Gyrostemon reticulatus</i>		CR
<i>Haloragis platycarpa</i>		CR
<i>Hemiandra gardneri</i>		CR
<i>Hemiandra rutilans</i>		CR
<i>Hemigenia ramosissima</i>		CR
<i>Hibbertia abyssus</i>		CR
<i>Hybanthus cymulosus</i>		CR
<i>Hypocalymma sylvestre</i>		EN
<i>Isopogon robustus</i>		CR
<i>Isopogon uncinatus</i>		CR
<i>Jacksonia pungens</i>		CR
<i>Lambertia echinata</i> subsp. <i>echinata</i>		CR
<i>Lambertia echinata</i> subsp. <i>occidentalis</i>		CR
<i>Lambertia fairallii</i>		CR
<i>Lambertia orbifolia</i> subsp. <i>orbifolia</i> ms		CR
<i>Lambertia orbifolia</i> subsp. Scott River Plains (LW Sage 684)		EN
<i>Lasiopetalum pterocarpum</i>		CR
<i>Latrobea colophona</i>		CR
<i>Lepidosperma gibsonii</i>		EN
<i>Leucopogon gnaphalioides</i>		CR
<i>Leucopogon marginatus</i>		EN
<i>Leucopogon nitidus</i>		EN
<i>Leucopogon obtectus</i>		EN
<i>Leucopogon</i> sp. Flynn (F. Hort, J. Hort & A. Lowrie 859)		CR
<i>Leucopogon spectabilis</i>		CR
<i>Lysiosepalum abollatum</i>		CR
<i>Macarthuria keigheryi</i>		EN
<i>Marianthus aquilonaris</i>		CR
<i>Marianthus paralius</i>		EN
<i>Myriophyllum lapidicola</i>		EN
<i>Ornduffia calthifolia</i> (was <i>Villarsia calthifolia</i>)		EN
<i>Pandanus spiralis</i> var. <i>flammeus</i>		EN

<i>Patersonia spirifolia</i>		EN
<i>Persoonia micranthera</i>		CR
<i>Petrophile latericola</i>		CR
<i>Philothea basistyla</i>		CR
<i>Pityrodia scabra</i>		CR
<i>Pterostylis sinuata</i>		CR
<i>Ptilotus pyramidatus</i>		CR
<i>Rhacocarpus rehmannianus</i> var. <i>webbianus</i>		CR
<i>Rhizanthella gardneri</i>		CR
<i>Ricinocarpos brevis</i>		EN
<i>Scaevola macrophylla</i>		CR
<i>Schoenia filifolia</i> subsp. <i>subulifolia</i>		EN
<i>Seringia exastia</i> (was <i>Keraudrenia exastia</i>)		CR
<i>Sphenotoma drummondii</i>		EN
<i>Stylidium amabile</i>		CR
<i>Stylidium applanatum</i>		CR
<i>Stylidium coroniforme</i> subsp. <i>amblyphyllum</i>		EN
<i>Stylidium coroniforme</i> subsp. <i>coroniforme</i>		EN
<i>Stylidium semaphorum</i>		CR
<i>Symonanthus bancroftii</i>		CR
<i>Synaphea quartzitica</i>		EN
<i>Synaphea</i> sp. <i>Fairbridge Farm</i> (D. Papenfus 696)		CR
<i>Synaphea</i> sp. <i>Pinjarra</i> (R Davis 6578)		CR
<i>Synaphea</i> sp. <i>Pinjarra Plain</i> (A.S. George 17182)		EN
<i>Synaphea</i> sp. <i>Serpentine</i> (G.R. Brand 103)		CR
<i>Synaphea stenoloba</i>		CR
<i>Tetratheca deltoidea</i>		CR
<i>Tetratheca paynterae</i> subsp. <i>paynterae</i>		CR
<i>Thelymitra dedmaniarum</i>		CR
<i>Thomasia</i> sp. <i>Green Hill</i> (S. Paust 1-3122)		CR
<i>Trithuria occidentalis</i>		CR
<i>Verticordia albida</i>		CR
<i>Verticordia apecta</i>		CR
<i>Verticordia hughanii</i>		EN
<i>Verticordia pityrhops</i>		EN
<i>Verticordia plumosa</i> var. <i>ananeotes</i>		CR
<i>Verticordia spicata</i> subsp. <i>squamosa</i>		CR
<i>Verticordia staminosa</i> subsp. <i>staminosa</i>		CR

<i>Verticordia staminosa</i> var. <i>erecta</i>		CR
Fauna (79)		
<i>Anous tenuirostris melanops</i>	Australian lesser noddy	EN
<i>Atrichornis clamosus</i>	noisy scrub-bird	EN
<i>Balaenoptera borealis</i>	sei whale	EN
<i>Balaenoptera musculus</i>	blue whale	EN
<i>Balaenoptera physalus</i>	fin whale	EN
<i>Bettongia penicillata ogilbyi</i>	woylie, brush-tailed bettong	CE
<i>Botaurus poiciloptilus</i>	Australasian bittern	EN
<i>Bunderia misophaga</i>		CE
<i>Calidris canutus</i>	red knot	EN
<i>Calidris ferruginea</i>	curlew sandpiper	CE
<i>Calidris tenuirostris</i>	great knot	CE
<i>Calyptorhynchus baudinii</i>	Baudin's black-cockatoo	EN
<i>Calyptorhynchus latirostris</i>	Carnaby's black-cockatoo	EN
<i>Caretta caretta</i>	loggerhead turtle	EN
<i>Charadrius mongolus</i>	lesser sand plover	EN
<i>Cristilabrum bubulum</i>	a camaenid land snail	EN
<i>Cristilabrum buryillum</i>	a camaenid land snail	CE
<i>Cristilabrum grossum</i>	a camaenid land snail	CE
<i>Cristilabrum isolatum</i>	a camaenid land snail	EN
<i>Cristilabrum monodon</i>	a camaenid land snail	CE
<i>Cristilabrum primum</i>	a camaenid land snail	CE
<i>Cristilabrum rectum</i>	a camaenid land snail	CE
<i>Cristilabrum simplex</i>	a camaenid land snail	CE
<i>Cristilabrum solitudum</i>	a camaenid land snail	CE
<i>Cristilabrum spectaculum</i>	a camaenid land snail	EN
<i>Dasyornis longirostris</i>	western bristlebird	EN
<i>Dasyurus hallucatus</i>	northern quoll	EN
<i>Diomedea amsterdamensis</i> (<i>Diomedea exulans amsterdamensis</i>)	Amsterdam albatross	CE
<i>Diomedea antipodensis gibsoni</i> (<i>Diomedea exulans gibsoni</i>) (formerly <i>Diomedea gibsoni</i>)	Gibson's albatross	EN
<i>Diomedea dabbenena</i> (<i>Diomedea exulans dabbenena</i>)	Tristan albatross	CE
<i>Diomedea sanfordi</i>	northern royal albatross	EN
<i>Engaewa pseudoreducta</i>	Margaret River burrowing crayfish	CE

<i>Engaewa reducta</i>	Dunsborough burrowing crayfish	EN
<i>Engaewa walpolea</i>	Walpole burrowing crayfish	EN
<i>Galaxias truttaceus</i> (Western Australian population)	western trout minnow, western spotted galaxias	EN
<i>Geocrinia alba</i>	white-bellied frog	CE
<i>Hurleya</i> sp. (WAM C23193)	Crystal Cave crangonyctoid amphipod, cave shrimp	CE
<i>Indohya damocles</i>	Cameron's Cave pseudoscorpion	CE
<i>Kumonga exleyi</i>	Cape Range remipede	CE
<i>Lagorchestes hirsutus</i> subsp. (Central Australia) (formerly as (NTM U2430))	rufous hare-wallaby (central Australia), mala	EN
<i>Lepidochelys olivacea</i>	olive ridley turtle	EN
<i>Liagoceradocus branchialis</i>	Cape Range liagoceradocus amphipod	EN
<i>Limosa lapponica menzbieri</i>	bar-tailed godwit (northern Siberian)	CE
<i>Myrmecobius fasciatus</i>	numbat, walpurti	EN
<i>Ningbingia australis australis</i>	a camaenid land snail	CE
<i>Ningbingia australis elongata</i>	a camaenid land snail	CE
<i>Ningbingia bulla</i>	a camaenid land snail	CE
<i>Ningbingia dentiens</i>	a camaenid land snail	CE
<i>Ningbingia laurina</i>	a camaenid land snail	CE
<i>Ningbingia octava</i>	a camaenid land snail	CE
<i>Ningbingia res</i>	a camaenid land snail	CE
<i>Numenius madagascariensis</i>	eastern curlew	CE
<i>Ordtrachia elegans</i>	a camaenid land snail	CE
<i>Parantechinus apicalis</i>	dibbler	EN
<i>Petrogale lateralis lateralis</i>	black-flanked rock-wallaby, black-footed rock-wallaby, moororong	EN
<i>Petrogale lateralis</i> subsp. (West Kimberley) (formerly ssp. (WAM M15135))	west Kimberley rock-wallaby, black-footed rock-wallaby (west Kimberley)	EN
<i>Pezoporus flaviventris</i> (<i>Pezoporus wallicus flaviventris</i>)	western ground parrot	CE
<i>Pezoporus occidentalis</i>	night parrot	CE
<i>Phoebetria fusca</i>	sooty albatross	EN
<i>Potorous gilbertii</i>	Gilbert's potoroo	CE

<i>Prionospio thalangi</i>	a bristle worm	CE
<i>Pseudemydura umbrina</i>	western swamp tortoise	CE
<i>Pseudocheirus occidentalis</i>	western ringtail possum, ngwayir	CE
<i>Psophodes nigrogularis nigrogularis</i>	western whipbird (western heath)	EN
<i>Speleophria bunderae</i>	a copepod	CE
<i>Stygiochiropus peculiaris</i>	Camerons Cave millipede	CE
<i>Stygocyclopia australis</i>		CE
<i>Teyl</i> sp (BY Main 1953/2683, 1984/13)	minnivale trapdoor spider	CE
<i>Thalassarche carteri</i> (<i>Thalassarche chlororhynchos carteri</i>)	Indian yellow-nosed albatross	EN
<i>Thalassarche melanophrls</i>	black-browed albatross	EN
<i>Turgenitubulus christenseni</i>		EN
<i>Turgenitubulus costus</i>		CE
<i>Turgenitubulus depressus</i>		CE
<i>Turgenitubulus foramenus</i>		CE
<i>Turgenitubulus opiranus</i>		CE
<i>Turgenitubulus tanmurrana</i>		CE
<i>Turnix varius scintillans</i>	Abrolhos painted button-quail	EN
<i>Welesina kornickeri</i>		CE
<i>Zyzomys pedunculatus</i>	central rock-rat, antina	CE
Communities (30)		
Perched wetlands of the Wheatbelt region with extensive stands of living swamp sheoak (<i>Casuarina obesa</i>) and paperbark (<i>Melaleuca strobophylla</i>) across the lake floor	2. TOOLIBIN	CR
Shrublands on southern Swan Coastal Plain Ironstones (Busselton area) (floristic community type 10b as defined in Gibson et al. 1994)	3. SCP10b	CR
Sedgeland in Holocene dune swales of the southern Swan Coastal Plain (floristic community type 19 as defined in Gibson et al. 1994)	4. SCP19	CR
Stromatolite like freshwater microbialite community of coastal brackish lakes (Lake Clifton)	5. Clifton-microbialite	CR
Stromatolite like microbialite community of coastal freshwater lakes (Lake Richmond)	6. Richmond-microbial	CR
Communities of Tumulus Springs (Organic Mound Springs, Swan Coastal Plain)	7. Mound Springs SCP	CR
Shrublands and woodlands of the eastern side of the Swan Coastal Plain (floristic community type 20c as defined in Gibson et al. 1994)	8. SCP20c	CR
Perth to Gingin Ironstone Association	10. NTHIRON	CR
<i>Corymbia calophylla</i> - <i>Kingia australis</i> woodlands on heavy soils, Swan Coastal Plain (floristic community type 3a as described in Gibson et al. 1994)	16. SCP3a	CR
<i>Corymbia calophylla</i> - <i>Xanthorrhoea preissii</i> woodlands and shrublands, Swan Coastal Plain (floristic community type 3c as defined in Gibson et al. 1994)	17. SCP3c	CR

Aquatic Root Mat Community Number 1 of Caves of the Swan Coastal Plain	24. CAVES SCP01	CR
Aquatic Root Mat Community Number 1 of Caves of the Leeuwin Naturaliste Ridge (Easter and Jewel Caves)	25. CAVES LEEUWIN01	CR
Aquatic Root Mat Community Number 2 of Caves of the Leeuwin Naturaliste Ridge (Strongs Cave)	26. CAVES LEEUWIN02	CR
Aquatic Root Mat Community Number 3 of Caves of the Leeuwin Naturaliste Ridge (Kudjal Yolgah and Budjur Mar Caves)	27. CAVES LEEUWIN03	CR
Aquatic Root Mat Community Number 4 of Caves of the Leeuwin Naturaliste Ridge (Calgardup Cave)	28. CAVES LEEUWIN04	CR
Montane Thicket of the eastern Stirling Range	29. MONTANE	CR
Camerons Cave Troglobitic Community	39. Camerons	CR
Unwooded freshwater wetlands of the southern Wheatbelt of Western Australia, dominated by <i>Duma horrida</i> subsp. <i>adbata</i> and <i>Tecticornia verrucosa</i> across the lake floor (Lake Bryde)	40. Bryde	CR
Cape Range Remipede Community (Bundera Sinkhole)	41. Bundera	CR
Lesueur-Coomallo Floristic Community D1 as described by Griffin and Hopkins (1990)	76. Lesueur-Coomallo Floristic Community D1	CR
<i>Banksia attenuata</i> woodlands over species rich dense shrublands (floristic community type 20a as defined in Gibson et al. 1994)	1. SCP20a	EN
Shrublands and woodlands on Muchea Limestone of the Swan Coastal Plain	11. MUCHEA LIMESTONE	EN
Scott River Ironstone Association	19. SCOTT IRONSTONE	EN
<i>Banksia attenuata</i> and/or <i>Eucalyptus marginata</i> woodlands of the eastern side of the Swan Coastal Plain (Floristic community type 20b) as described in Gibson et al. 1994	20. SCP20b	EN
Shrublands on dry clay flats (floristic community type 10a as defined in Gibson et al. 1994)	35. SCP10a	EN
Herbaceous plant assemblages on Bentonite Lakes	49. Bentonite Lakes	EN
Vegetation alliances on ridges and slopes of the chert hills of the Coomberdale floristic region	55. Coomberdale chert hills	EN
<i>Melaleuca huegelii</i> - <i>Melaleuca systena</i> shrublands on limestone ridges (Floristic community type 26a as described by Gibson et al. 1994)	62. Limestone ridges (SCP 26a)	EN
Lesueur-Coomallo Floristic Community A1.2 as described by Griffin and Hopkins (1990)	77. Lesueuer-Coomallo Floristic Community A1.2	EN
Assemblages of the organic mound springs of the Three Springs area	97. Mound Springs (Three Springs area)	EN