End-of-Sale and End-of-Life Announcement for the Cisco UCS C200 M1 High-Density Rack-Mount Server

EOL7265

Cisco announces the end-of-sale and end-of life dates for the Cisco UCS C200 M1 High-Density Rack-Mount Server. The last day to order the affected product(s) is February 4, 2011. Customers with active service contracts will continue to receive support from the Cisco Technical Assistance Center (TAC) as shown in Table 1 of the EoL bulletin. Table 1 describes the end-of-life milestones, definitions, and dates for the affected product(s). Table 2 lists the product part numbers affected by this announcement. For customers with active and paid service and support contracts, support will be available until the termination date of the contract, even if this date exceeds the Last Date of Support shown in Table 1.

Milestone	Definition	Date
End-of-Life Announcement Date	The date the document that announces the end of sale and end of life of a product is distributed to the general public.	November 5, 2010
End-of-Sale Date	The last date to order the product through Cisco point-of-sale mechanisms. The product is no longer for sale after this date.	February 4, 2011
Last Ship Date: HW	The last-possible ship date that can be requested of Cisco and/or its contract manufacturers. Actual ship date is dependent on lead time.	May 5, 2011
End of Routine Failure Analysis Date: HW	The last-possible date a routine failure analysis may be performed to determine the cause of hardware product failure or defect.	February 4, 2012
End of New Service Attachment Date: HW	For equipment and software that is not covered by a service-and-support contract, this is the last date to order a new service-and-support contract or add the equipment and/or software to an existing service-and-support contract.	February 4, 2012
End of Service Contract Renewal Date: HW		
.ast Date of Support: HW The last date to receive service and support for the product. After this date, all support services for the product are unavailable, and the product becomes obsolete.		February 29, 2016

 Table 1.
 End-of-Life Milestones and Dates for the Cisco UCS C200 M1 High-Density Rack-Mount Server

HW = Hardware, OS SW = Operating System Software, App. SW = Application Software

Table 2.	Product Part Numbers Affected by This Announcement
----------	--

End-of-Sale Product Part Number	Product Description	Replacement Product Part Number	Replacement Product Description	Additional Information
R200-1120402	UCS C200M1 Rack Srvr w/1PSU,DVD, w/o CPU, mem, HDD, PCIe crd	R200-1120402W	UCS C200 M2 Srvr w/1PSU, DVD w/o CPU, mem, HDD or PCIe card	—
R200-1120402=	UCS C200 M1 Rack Srvr w/o CPU, mem, HDD, PCIe cards, or PSUs	R200-1120402W=	UCS C200 M2 Srvr w/DVD w/o CPU, mem, HDD, PSU or PCIe card	_
R200-STAND-BUNDLE	UCS C200,2xE5520,6x4GB ddr3, 2PS, Quad Nic,2x500gb hd	R200-BUN-3	UCS C200 M2 Rack Svr, 1x E5620, 1x4GB, 1PS	—

Product Migration Options

Customers are encouraged to migrate to the Cisco UCS C200 M2 High-Density Rack-Mount Server. Information about this product can be found at: <u>http://www.cisco.com/en/US/products/ps10891/index.html</u>.

 Table 3.
 Product Comparisons

Feature	Cisco UCS C200 M1 High-Density Rack-Mount Server	Cisco UCS C200 M2 High-Density Rack-Mount Server
Processor Sockets	2	2
Processors Supported	Intel Xeon 5500 Series	Intel Xeon 5600 Series
Memory Capacity	12 DIMMs; up to 96 GB	12 DIMMs; up to 192 GB
Memory Size and Speed	2, 4, and 8 GB DDR3; 1066 MHz and 1333 MHz	2, 4, 8 and 16 GB DDR3; 1066 MHz and 1333 MHz
Internal Disk Drive	4x 3.5" SAS or SATA	4x 3.5" SAS or SATA
Integrated Raid	0,1	0,1
Mezzanine I/O Adapter Slots	1	1
I/O Throughput	Up to 20 Gbps	Up to 20 Gbps
Form Factor	1RU	1RU
Max. Servers per Chassis	1	1

Service prices for Cisco products are subject to change after the product End of Sale date.

The Cisco Takeback and Recycle program helps businesses dispose properly of surplus products that have reached their end of useful life. The program is open to all business users of Cisco equipment and its associated brands and subsidiaries. For more information, go to:

http://www.cisco.com/web/about/ac227/ac228/ac231/about_cisco_takeback_recycling.html

For More Information

For more information about the Cisco UCS C200 M2 High-Density Rack-Mount Server, visit http://www.cisco.com/en/US/products/ps10891/index.html, or contact your local account representative.

For more information about the Cisco End-of-Life Policy, go to:

http://www.cisco.com/en/US/products/products_end-of-life_policy.html

To subscribe to receive end-of-life/end-of-sale information, go to:

http://www.cisco.com/cisco/support/notifications.html

Subscribe for RSS Notifications for End-of-Life and End-of-Sale Notices

To subscribe to the End-of-Life and End-of-Sale RSS Feed, insert the following URL into your RSS application: <u>http://www.cisco.com/web/feeds/products/end_of_life_rss.xml</u>

Any authorized translation issued by Cisco Systems or affiliates of this end-of-life Product Bulletin is intended to help customers understand the content described in the English version. This translation is the result of a commercially reasonable effort; however, if there are discrepancies between the English version and the translated document, please refer to the English version, which is considered authoritative.

uluilu cisco.

Americas Hesdquarters Ciaco Systems, Inc. San Jose, CA

Asia Pacific Headquartera Cisco Systems (USA) Pic. Ltd. Singapore Europe Headquarters Cisco Systems International BV Amsterdam, The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at www.cisco.com/go/offices.

Oleop and the Oleop Logo are trademarks of Oleop Systems, inc. and/or hs affiliates in the U.S. and other countries. A listing of Oleock Indemarks can be found at waveleop consign/molemarks. Third carry trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a pertnership relationship between Oleop and any other company. (100018)

Printed in USA