

Check List of Wild Angiosperms of Bhagwan Mahavir (Molem) National Park, Goa, India

Mandar Nilkanth Datar^{1*} and P. Lakshminarasimhan²

1 Agharkar Research Institute, G. G. Agarkar Road, Pune - 411 004. Maharashtra, India.

2 Central National Herbarium, Botanical Survey of India, P. O. Botanic Garden, Howrah - 711 103. West Bengal, India.

* Corresponding author E-mail: datarmandar@gmail.com

ABSTRACT: Bhagwan Mahavir (Molem) National Park, the only National park in Goa, was evaluated for its diversity of Angiosperms. A total number of 721 wild species belonging to 119 families were documented from this protected area of which 126 are endemics. A checklist of these species is provided here.

INTRODUCTION

Protected areas are most important in many ways for conservation of biodiversity. Worldwide there are 102,102 Protected Areas covering 18.8 million km². India has a network of 660 Protected Areas including 99 National Parks, 514 Wildlife Sanctuaries, 43 Conservation Reserves and 4 Community Reserves covering a total of 158,373 km² of geographical area of the country which is approximately 4.82% (National Wildlife Database 2011). There are also 15 Biosphere Reserves and 30 Tiger Reserves as well. The Government of India has declared 2 biosphere reserves and 13 National Parks in the Western Ghats. (National Wildlife Database 2011).

Though fragmented, protected areas in Western Ghats of India are important from conservation point of view, because most of these areas are under threat of rapid destruction. Goa is an important state located along Western Ghats occupying an area of c. 600 km² out of the total 3702 km² geographical area of the state. Western Ghats range extends over the length of c. 125 km in Goa. Due to existence of two and recent declaration of two new protected areas, the prospects of conserving the rich biodiversity have increased. Bhagwan Mahavir National Park is one such habitat with tremendous diversity and forms an important constituent in the green jewel of Western ghats ranges in Goa.

Bhagwan Mahavir National Park also known as Molem National Park is the only National Park in Goa, spreading over a total area of 107 km² on the western escarpment of Western Ghats in the Sanguem Taluka of Goa between 15°14'09.82"-15°24'34.3" N latitude, 74°13'20.6"-74°20'02.92" E longitude (Figure 1). Dudhsagar waterfall, second largest waterfall in India, lies in Bhagwan Mahavir National Park. The National Park forms the core area of Bhagwan Mahavir Wildlife Sanctuary and is located on National Highway 4A (Panaji- Belgaum) c. 60 km from Panaji and c. 85 km from Belgaum. The National Park area is mountainous in terrain with succession of hills and valleys. The altitude ranges from 80 m to about 750 m above m. s. l. in the National Park. Tallest peak in the National Park is a hill near Karanzol railway station, which is about 753 m above m. s. l. The major types of rocks seen

in the National Park are Laterite and Deccan trap Basalt (Naik, 1995). Soil in most places of the National Park area is laterite of high and low level type formed by natural metamorphosis and degradation of undulation rocks. Minerals like bauxite, iron and manganese are obtained from these soils. The general climate of the area is tropical with high percentage of humidity throughout the year. The variation in temperature does not exceed 20°C. The minimum temperature during the coldest month is about 15°C while maximum in summer is about 37°C (Naik, 1995). Monsoon starts during the first week of June. It extends up to the middle of October.

According to Champion and Seth (1968), the forest types in the National Park falls within the biogeographical province 5A/5B and contains pristine vegetation which



FIGURE 1. Location of Bhagwan Mahavir National Park.

is classified into three main forest types as explained below.

a. West Coast Tropical Evergreen Forests

The tall trees found in West Coast Tropical Evergreen Forests of the National Park include *Actinodaphne angustifolia*, *Canarium strictum*, *Diospyros buxifolia*, *Diospyros pruriens*, *Garcinia gummi-gutta*, *Holigarna grahamii*, *Knema attenuata*, *Mammea suriga*, *Polyalthia fragrans*, *Syzygium laetum*, *Vitex altissima*, etc. The middle-sized trees found are *Litsea coriacea*, *Aporosa cardiosperma*, *Antidesma acidum*, *Blachia andamanica* subsp. *denudata*, *Ixora nigricans*, *Psychotria dalzellii*, *Memecylon terminale*, *Dracaena terniflora*, etc. The trees found in the riparian forests are *Calophyllum calaba*, *Lophopetalum wightianum* and *Hydnocarpus pentandrus*. Some woody climbers or lianas found in this type of forests are *Entada rheedei*, *Gnetum ula*, *Chonemorpha fragrans*, *Ancistrocladus heyneanus*, *Luvunga eleutherandra*, *Paramignya monophylla* and *Toddalia asiatica*. Undergrowth is formed by shrubby species like *Dracaena terniflora*, *Ixora coccinea* and herbaceous species of families Cyperaceae, Zingiberaceae, Commelinaceae and Asteraceae.

Epiphytic plants in evergreen forests are restricted to family Orchidaceae (belonging to the genera like *Aerides*, *Bulbophyllum*, *Cymbidium*, *Eria* and *Vanda*) and Apocynaceae (*Hoya wightii*). Other epiphytes or lithophytes like *Utricularia striatula* and *Argostemma courtallense* are also found in the crevices of rocks and on trunks of tall trees where there is little soil and moisture. The herbaceous flora includes *Costus speciosus*, *Impatiens* spp., *Phyllanthus* spp., *Urena lobata*, *Gynura nitida*, etc.

b. West Coast Semi - Evergreen Forests

This type of forest is found in upper parts of ghats and lower elevations near stream beds. These forests are transitional between moist deciduous forests and evergreen forests. The semi- evergreen formations are seen with isolated patches of evergreen forests in ravines and valleys.

The following two edaphic types are found depending on local variation in soil and moisture within semi-evergreen forests.

A) Cane Breaks - These occur on the slopes of the ghat region. *Calamus thwaitesii* is more common in lower elevation areas.

B) Lateritic Semi - evergreen forests - These forests are distributed over elevations above 200 m. Important species found in these forests are *Actinodaphne angustifolia*, *Canthium dicoccum*, *Macaranga peltata*, *Careya arborea*, *Lagerstroemia lanceolata*, *Pterospermum diversifolium*, *Macaranga peltata*, etc. The second storey includes *Glochidion hohenackeri*, *Olea dioica*, *Ixora nigricans*, *Celtis timorensis*, etc. The shrubs found in undergrowth are *Chassalia curviflora* var. *ophioxyloides*, *Glycosmis pentaphylla*, *Maesa indica*, *Leea asiatica*, *L. indica*, *Crotalaria retusa* and *Gnidia glauca*. These species are often associated with climbing shrubs like *Connarus monocarpus* and *Clematis gouriana*. Some of the common herbs include *Impatiens balsamina*, *Cyperus* spp., *Asystasia dalzelliana*, *Cynarospermum asperrimum*, *Lindernia* spp., grasses such as *Apluda mutica*, *Eragrostis uniolooides*, *Garnotia arboreum* and *Ischaemum* spp.

c. Moist Deciduous Forests

Most of the forest in the National Park between the altitudes from 80 to 200 m lies in this category. Important plants found in these areas are *Careya arborea*, *Dillenia pentagyna*, *Grewia tiliifolia*, *Lannea coromandelica*, *Terminalia* spp., *Schleichera oleosa*, *Xylia xylocarpa*, *Haldina cordifolia*, etc. Other trees found in moist deciduous forests are *Falconeria insignis*, *Wrightia* sp., *Flacourtia montana*, etc. The dominant families are Rubiaceae (*Ixora*, *Mitragyna*), Bignoniaceae (*Heterophragma*, *Stereospermum*, *Oroxylum*) Euphorbiaceae (*Mallotus*, *Glochidion*, *Antidesma*, *Bridelia*) and Leguminosae (*Dalbergia*, *Acacia*, *Albizia*). These elements are sometimes intermixed with species of *Dendrocalamus* and *Bambusa*. In the riparian patches, *Hopea ponga* and *Crateva magna* are seen. The shrubs or second storey of trees include *Catunaregam spinosa*, *Flemingia strobilifera*, *Canthium* spp., *Strychnos nux-vomica*, *Meyna laxiflora*, *Ziziphus xylopyrus*, *Xantolis tomentosa*. Common epiphyte, especially on most of the *Terminalia* spp. is *Rhynchosstylis retusa*. *Aerides crispa* and *A. maculosa* are also found epiphytic on many trees. The ground flora in forest clearings and exposed situations comprises members of Leguminosae: Papilionoideae (*Geissaspis*, *Crotalaria*, *Indigofera*, *Alysicarpus*, *Desmodium*, *Tadehagi*), Acanthaceae (*Justicia*, *Lepidagathis*, *Rungia*), Rubiaceae (*Spermacoce*, *Neanotis*, *Hedyotis*), Euphorbiaceae (*Phyllanthus*, *Euphorbia*), Asteraceae (*Blumea*, *Elephantopus*, *Senecio*, *Phyllocephalum*) and Lamiaceae (*Leucas*, *Platostoma*, *Pogostemon*, *Hyptis*). In open areas climbers and twiners of Convolvulaceae, Leguminosae: Papilionoideae, Smilacaceae, Ranunculaceae have been recorded.

In addition to these forests, there are some plateaus and grasslands in the National Park. This varied vegetation is responsible for the diversity of the national park.

MATERIALS AND METHODS

The present checklists of wild angiosperms of Bhagwan Mahavir National Park is an outcome of intensive and extensive field collections and laboratory work between the years 2001-2006. Plants were collected during regular field visits and were processed using standard methods. The identification was done using local and regional flora. (Dalgado 1898; Vartak 1966; Rao 1985-86; Naithani *et al.* 1997). The identity of the plants were confirmed by comparing with authentic specimens deposited at Agharkar Research Institute herbarium (AHMA), Botanical Survey of India, Pune (BSI), Central National Herbarium, Howrah (CAL), Forest Research Institute, Dehra Dun (DD) and Goa University Herbarium. In addition, specimens collected by other collectors from Bhagwan Mahavir National Park in these herbaria were also studied. All the specimens collected during the work were deposited in Botanical Survey of India, Pune (BSI). A comprehensive checklist for wild angiosperms in the National Park is presented here giving their family, updated botanical names (Karthikeyan, *et al.* 2009; The Plant List 2010), local name if any, status of endemism and voucher specimen of that taxon (Table 1).

RESULTS AND DISCUSSION

Intensive and extensive exploration tours covering all seasons in various ecosystems of Bhagwan Mahavir National Park have resulted in collection of about 1100

field numbers. The Angiosperm Flora of Bhagwan Mahavir National Park comprises of 119 families, 7 subfamilies, 490 genera and 721 species, which occur in the wild. The dicots are represented by 563 species (about 78% of the angiosperm flora) belonging to 381 genera and 93 families while monocots are represented by 158 species (about 22%) belonging to 109 genera and 26 families.

The largest family in the National Park according to number of species is Leguminosae represented by 63 species, followed by Poaceae (40), Rubiaceae (38), Euphorbiaceae, Orchidaceae and Acanthaceae (34 each). Some of the large genera found in Molem National Park are *Ficus* (12 species), *Eriocaulon* (09 species), *Diospyros* (08 species), *Utricularia* (07 species), *Habenaria*, *Impatiens*, *Lindernia*, *Murdannia*, and *Syzygium* (06 species each) and *Acacia*, *Crotalaria*, *Ixora*, *Ipomoea*, *Phyllanthus* and *Strobilanthes* (05 species each). Largest family according to number of genera in Bhagwan Mahavir National Park is Leguminosae (37 genera), followed by Poaceae (32), Rubiaceae (25), Orchidaceae (24), Apocynaceae and Euphorbiaceae (22 each) and Asteraceae (21). Fifty six families are represented by single genus and 44 families are represented by single species. The pattern of dominance amongst families is almost similar to pattern discussed by Karthikeyan (2000) for Indian flora. Distribution as per the habit of the plant reveals that the flora constitutes

346 herbs, 103 shrubs, 192 trees, 66 climbers and 18 lianas. Habitats like lateritic plateaus and open areas show dominance of herbaceous elements while forested areas show dominance of arboreal members and lianas.

A total number of 126 species of endemic plants (Figures 2-5) are documented here. The endemic plants occurring in the National Park show a peculiar pattern of distribution. About 58% of the total endemic species, i.e. 74 species occurring in the National Park are endemic to Western Ghats while about 31 endemic species are endemic to Peninsular India. Rest other are endemic to India (7 species), Western India (3 species), Southern and Northern Western India (2 species each) and strictly endemic to Goa (2 Species), etc. Bhagvan Mahaveer National Park, a comparatively smaller protected area, occupies 0.05% of the total area of Western Ghats but harbours about 8.4% of species of endemics that are endemic to Western Ghats. Leguminosae and Orchidaceae (12 species each) followed by Rubiaceae and Acanthaceae (10 species each) are dominant families in Endemic plants of National Park. Family Eriocaulaceae is not species rich but rich in endemic species.

The National Park area is just 2.5% of the total area of Goa, but it harbours about half of the species that occur in entire Goa. This point highlights the importance of the protected areas is conservation of the flora.




FIGURE 2. Some endemic species from the National Park . A) *Aerides maculosa*. B) *Ancistrocladus heyneanus*. C) *Ardisia solanacea*. D) *Begonia trichocarpa*. E) *Callicarpa tomentosa*. F) *Curcuma decipiens*.




FIGURE 3. Some endemic species from the National Park . A) *Eranthemum roseum*. B) *Gastrochilus flabelliformis*. C) *Habenaria heyneana*. D) *Impatiens pulcherrima*. E) *Impatiens acaulis*. F) *Hopea ponga*.




FIGURE 4. Some endemic species from the National Park . A) *mammea suriga*. B) *Moullava spicata*. C) *Mussaenda glabrata*. D) *Polyalthia fragrans*. E) *Rauvolfia serpentina*. F) *Saraca asoca*.




FIGURE 5. Some endemic species from the National Park . A) *Smithsonia viridiflora*. B) *Strobilanthes callosa*. C) *Syzygium laetum*. D) *Theriophonum dalzellii*. E) *Urena lobata*. F) *Zeuxine longilabris*.

TABLE 1. Wild Angiosperms of Bhagwan Mahavir National Park, Goa, India.

Abbreviations used for Endemism. WG- Western Ghats; PI -Peninsular India; PI and AN-Peninsular India, Andaman and Nicobar islands; IND- India; SWI- South West India; NWG- Northern Western Ghats; WI- Western India; WSI- Western and Southern India; PCI-Peninsular and Central India; WPI- Western Peninsular India; Goa- Goa state.

Acronyms and shortforms of herbaria to which Voucher specimens are referred: AHMA: Herbarium of Agharkar Research Institute, Pune, India; BLAT: Blatter Herbarium, St. Xavier College Mumbai, India; DD: Forest Research Institute Herbarium, Dehradun, India; GU : Goa University herbarium, Goa, India (GU is not standard acronym- this is shortform used for convenience); BSI : Botanical Survey of India, Western Circle Herbarium, Pune, India;

*All the voucher specimens without any herbarium acronym in bracket are referred to BSI.

SPECIES / FAMILY	LOCAL NAME	ENDEMISM	VOUCHER NUMBER *
ACANTHACEAE			
<i>Andrographis paniculata</i> (Burm. f.) Wall. ex Nees	Chirayat		188542
<i>Asystasia dalzelliana</i> Santapau		Endemic WG	179008
<i>Barleria prattensis</i> Santapau			410(GU)
<i>Barleria prionitis</i> L.			179224
<i>Barleria terminalis</i> Nees			188582
<i>Cynarospermum asperrimum</i> (Nees) Vollesen		Endemic PCI	179098
<i>Dicliptera foetida</i> (Forssk.) Blatt.			179073
<i>Ecbolium ligustrinum</i> (Vahl) Vollesen			186798
<i>Eranthemum capense</i> L. var. <i>concanensis</i> (T. Anderson ex C. B. Clarke) Santapau		Endemic WG	186720
<i>Eranthemum roseum</i> (Vahl) R. Br.		Endemic WG	179225
<i>Gymnostachyum glabrum</i> (Dalzell) T. Anderson			186989
<i>Haplanthodes tentaculatus</i> (L.) R. B. Majumdar			187596
<i>Hemigraphis latebrosa</i> (B. Heyne ex Roth) Nees			186202
<i>Hygrophila pinnatifida</i> (Dalzell) Sreem.			188583
<i>Hygrophila ringens</i> (L.) R. Br. ex Steud.			187557
<i>Hygrophila schulli</i> (Buch.-Ham.) M. R. Almeida and S. M. Almeida			179058
<i>Justicia adhatoda</i> L.	Adulsa		124002
<i>Justicia procumbens</i> L.			124218
<i>Justicia simplex</i> D. Don			179019
<i>Justicia wynaadensis</i> (Nees) Heyne ex T. Anderson		Endemic WG	187501
<i>Lepidagathis cuspidata</i> Nees			187547
<i>Lepidagathis incurva</i> Buch.- Ham. ex D. Don var. <i>mucronata</i> (Nees) C. B. Clarke ex T. Cooke			186207
<i>Lepidagathis lutea</i> Dalzell	Koche		179260
<i>Lepidagathis prostrata</i> Dalzell			187597
<i>Nelsonia canescens</i> (Lam.) Spreng.			186220
<i>Phaulopsis imbricata</i> (Forssk.) Sweet			187566
<i>Pseuderanthemum malabaricum</i> (C. B. Clarke) Gamble			186232
<i>Rostellularia japonica</i> (Thunb.) Ellis			179253
<i>Rungia parviflora</i> (Retz.) Nees subsp. <i>pectinata</i> (L.) L. H. Cramer			186303
<i>Strobilanthes callosus</i> Nees	Karaw	Endemic WI	124217
<i>Strobilanthes ciliata</i> Nees		Endemic WG	179264
<i>Strobilanthes heyneanus</i> Nees	Karaw	Endemic PI	187534
<i>Strobilanthes integrifolia</i> (Dalzell) Kuntze		Endemic WG	186978
<i>Strobilanthes ixiocephalus</i> Benth.	Kaarw	Endemic WG	188537
ALISMATACEAE			
<i>Wiesneria triandra</i> (Dalzell) Micheli			863(GU)
AMARANTHACEAE			
<i>Achyranthes aspera</i> L.			188588
<i>Alternanthera sessilis</i> (L.) R. Br. ex DC.			187912
<i>Amaranthus spinosus</i> L.			179014
<i>Celosia argentea</i> L.			179223
<i>Cyathula prostrata</i> (L.) Blume			84994
AMARYLLIDACEAE			
<i>Crinum lorifolium</i> Roxb. ex Ker Gawl.			189325
<i>Crinum viviparum</i> (Lam.) R. Ansari and V. J. Nair			187983
<i>Pancratium triflorum</i> Roxb.			187947
ANACARDIACEAE			
<i>Anacardium occidentale</i> L.	Kaju		186976
<i>Buchanania lanzan</i> Spreng.	Char		178922
<i>Holigarna arnottiana</i> Hook. f.	Bibba	Endemic WG	186208

TABLE 1. CONTINUED.

SPECIES / FAMILY	LOCAL NAME	ENDEMISM	VOUCHER NUMBER *
<i>Holigarna grahamii</i> (Wight) Kurz		Endemic WG	179294
<i>Lannea coromandelica</i> (Houtt.) Merr.			188545
<i>Mangifera indica</i> L.	Amba		186972
<i>Nothopegia beddomei</i> Gamble		Endemic WG	188575
<i>Nothopegia castaneifolia</i> (Roth) Ding Hou		Endemic WG	186249
ANCISTROCLADACEAE			
<i>Ancistrocladus heyneanus</i> Wall. ex J. Graham		Endemic WG	186923
ANNONACEAE			
<i>Miliusa tomentosa</i> (Roxb.) Finet and Gagnep.			187918
<i>Orophea zeylanica</i> Hook. f. and Thomson			1718(GU)
<i>Polyalthia fragrans</i> (Dalzell) Bedd.		Endemic WG	179293
<i>Sageraea laurina</i> Dalzell	Sadni	Endemic WG	179203
<i>Uvaria narnum</i> (Dunal) Blume			186284
ANTHERICACEAE			
<i>Chlorophytum heynei</i> Rottl. ex Baker			186357
APIACEAE			
<i>Centella asiatica</i> (L.) Urb.			186724
<i>Pimpinella wallichiana</i> (Miq. ex Hohen.) Gandhi			186916
APOCYNACEAE: SUBFAMILY ASCLEPIADOIDEAE			
<i>Asclepias curassavica</i> L.			186234
<i>Calotropis gigantea</i> (L.) R. Br.			85065
<i>Cynanchum callialata</i> Buch.-Ham. ex Wight			1136(GU)
<i>Dregea volubilis</i> (L. f.) Benth. ex Hook. f.			186715
<i>Genianthus laurifolius</i> (Roxb.) Hook. f.			188585
<i>Gymnema sylvestre</i> (Retz.) R. Br. ex Schult.			187574
<i>Holostemma annulare</i> (Roxb.) K. Schum.			124358
<i>Hoya wightii</i> Hook. f.		Endemic PI	188569
<i>Tylophora fasciculata</i> Buch.-Ham. ex Wight and Arn.			186723
APOCYNACEAE: SUBFAMILY APOCYNOIDAE			
<i>Aganosma cymosa</i> (Roxb.) G. Don			186316B
<i>Anodendron paniculatum</i> (Roxb.) A. DC.			187536
<i>Chonemorpha fragrans</i> (Moon) Alston			186297
<i>Holarrhena pubescens</i> (Buch.-Ham) Wall. ex G. Don			186263
<i>Ichnocarpus frutescens</i> (L.) W. T. Aiton			179229
<i>Parsonsia alboflavescens</i> (Dennst.) Mabb.			88510
<i>Wrightia arborea</i> (Dennst.) Mabb.			1476(GU)
<i>Wrightia tinctoria</i> (Roxb.) R. Br.			3372(DD)
APOCYNACEAE: SUBFAMILY-RAUVOLFIOIDEAE			
<i>Alstonia scholaris</i> (L.) R. Br.			188557
<i>Carissa spinarum</i> L.			186312
<i>Rauvolfia serpentina</i> (L.) Benth. ex Kurz			124437
<i>Tabernaemontana alternifolia</i> L.		Endemic WSI	179113
APOCYNACEAE: SUBFAMILY PERIPLOCOIDEAE			
<i>Cryptolepis buchananii</i> R. Br. ex Roem. and Schult.			187545
<i>Hemidesmus indicus</i> (L.) R. Br.			186953
ARACEAE			
<i>Amorphophallus bulbifer</i> (Roxb.) Blume			179138
<i>Amorphophallus commutatus</i> (Schott) Engl. var. <i>commutatus</i>		Endemic PI	186339
<i>Amorphophallus commutatus</i> var. <i>anmodensis</i> Sivad. and Jaleel		Endemic Goa	187920
<i>Amorphophallus paeoniifolius</i> (Dennst.) Nicolson			179180
<i>Ariopsis peltata</i> Nimmo			187924
<i>Arisaema sivasadanii</i> S. R. Yadav, K. S. Patil and Janarth.		Endemic WG	1886338
<i>Arisaema tortuosum</i> (Wall.) Schott			186711
<i>Cryptocoryne retrospiralis</i> (Roxb.) Kunth			179231
<i>Lagenandra ovata</i> (L.) Thwaites			179291
<i>Pothos scandens</i> L.			179106
<i>Theriophonum dalzelli</i> Schott.		Endemic WG	186356

TABLE 1. CONTINUED.

SPECIES / FAMILY	LOCAL NAME	ENDEMISM	VOUCHER NUMBER *
ARALIACEAE			
<i>Schefflera elliptica</i> (Blume) Harms			187544
ARECACEAE			
<i>Arenga wightii</i> Griff		Endemic WG	186356
<i>Calamus pseudotenuis</i> Becc.	Wet		189336
<i>Calamus thwaitesii</i> Becc.	Wet		179104
<i>Caryota urens</i> L.	Bherli mad		186942
ARISTROLOCHIACEAE			
<i>Thottea siliquosa</i> (Lam.) Ding Hou			177573
ASPARAGACEAE			
<i>Asparagus racemosus</i> Willd.			179044
ASTERACEAE			
<i>Acanthospermum hispidum</i> DC.			188541
<i>Ageratum conyzoides</i> L.			187956
<i>Bidens biternata</i> (Lour.) Merr. and Sherff			186910
<i>Blumea belangeriana</i> DC.		Endemic PI	186960
<i>Blumea membranacea</i> DC.			186241
<i>Blumea oxyodonta</i> DC.			186240
<i>Blumea virens</i> DC.			186967
<i>Cyathocline purpurea</i> (Buch.- Ham. ex D. Don) Kuntze			179068
<i>Dichrocephala integrifolia</i> (L. f.) Kuntze			186(GU)
<i>Eclipta prostrata</i> (L.) L.			179038
<i>Elephantopus scaber</i> L.			179074
<i>Emilia sonchifolia</i> (L.) DC.			179025
<i>Erigeron sublyratus</i> DC.			186327
<i>Eupatorium odoratum</i> L.			188544
<i>Gnaphalium polycaulon</i> Pers.			186224
<i>Grangea maderaspatana</i> (L.) Poir.			188523
<i>Gynura nitida</i> DC.			186264
<i>Phyllocephalum phyllolaenum</i> (DC.) Narayana			179002
<i>Phyllocephalum ritchiei</i> (Hook. f.) Narayana		Endemic PI	179075
<i>Senecio belgaumensis</i> (Wight) C. B. Clarke			179001
<i>Senecio gibsonii</i> Hook. f.		Endemic WG	124060
<i>Spilanthes paniculata</i> Wall. ex DC.			179219
<i>Synedrella nodiflora</i> (L.) Gaertn.			187549
<i>Tricholepis glaberrima</i> DC.			179096
<i>Tridax procumbens</i> L.			179096
<i>Vernonia cinerea</i> (L.) Less.			179177
BALSAMINACEAE			
<i>Impatiens acaulis</i> Arn.			179102
<i>Impatiens balsamina</i> L.	Terda		179195
<i>Impatiens lawii</i> Hook. f. and Thomson			125370
<i>Impatiens minor</i> (DC.) Bennet		Endemic WG	187963
<i>Impatiens oppositifolia</i> L.			124290
<i>Impatiens pulcherrima</i> Dalzell		Endemic WG	179063
BEGONIACEAE			
<i>Begonia crenata</i> Drynad.			179170
<i>Begonia trichocarpa</i> Dalzell		Endemic NWG	187995
BIGNONIACEAE			
<i>Heterophragma quadriloculare</i> (Roxb.) K. Schum.	Kuski		186973
<i>Oroxylum indicum</i> (L.) Benth. ex Kurz			179050A
<i>Pajanelia longifolia</i> (Willd.) K. Schum.	Padwal		186720
<i>Stereospermum colais</i> (Buch.- Ham. ex Dillw.) Mabb.			186370
BOMBACACEAE			
<i>Bombax ceiba</i> L.	Sawar		186291
<i>Bombax insigne</i> Wall.			188574
BORAGINACEAE			
<i>Coldenia procumbens</i> L.			189313

TABLE 1. CONTINUED.

SPECIES / FAMILY	LOCAL NAME	ENDEMISM	VOUCHER NUMBER *
<i>Cynoglossum zeylanicum</i> (Vahl ex Hornem.) Thunb. ex Lehm.			1099(GU)
<i>Ehretia canarensis</i> (C. B. Clarke) Gamble			186944
<i>Paracaryopsis coelestina</i> (Lindl.) R. R. Mill			187996
<i>Rotula aquatica</i> Lour.			186770
BUDDLEJACEAE			
<i>Buddleja asiatica</i> Lour.			179071
BURMANNIACEAE			
<i>Burmanna pusilla</i> (Wall. ex Miers) Thwaites			179048
BURSERACEAE			
<i>Canarium strictum</i> Roxb.	Dhup		187530
CAMPANULACEAE			
<i>Lobelia alsinoides</i> Lam.			179266
<i>Lobelia nicotianaefolia</i> Roth ex Roem. and Schult.	Rantambaku		186309
CAPPARACEAE			
<i>Capparis rheedei</i> DC.		Endemic WG	188571
<i>Cleome viscosa</i> L.			189307
CARYOPHYLLACEAE			
<i>Polycarpon prostratum</i> (Forssk.) Asch. and Schweinf.			186347
CELASTRACEAE			
<i>Celastrus paniculata</i> Willd			186292
<i>Euonymus indicus</i> B. Heyne ex Wall.		Endemic PI and AN	186945
<i>Hippocratea grahamii</i> Wight			1256(GU)
<i>Hippocratea indica</i> Willd.			179257
<i>Hippocratea obtusifolia</i> Roxb.			2614(DD)
<i>Lophopetalum wigtianum</i> Arn.			187558
<i>Maytenus rothiana</i> (Walp.) Lobreau- Callen			188553
<i>Salacia chinensis</i> L.	Narbundi		186290
<i>Salacia oblonga</i> Wall ex Wight and Arn.			186298
CLEOMACEAE			
<i>Crateva magna</i> (Lour.) DC.			186336
CLUSIACEAE			
<i>Calophyllum calaba</i> L.	Wiray	Endemic WG	186769
<i>Calophyllum polyanthum</i> Wall. ex Choisy			187532
<i>Garcinia gummi-gutta</i> (L.) N. Robson		Endemic WG	187531
<i>Garcinia indica</i> (Thouars) Choisy	Bhirand, Kokam, Aamsul	Endemic WG	179213
<i>Garcinia morella</i> (Gaertn.) Desr.			179242
<i>Mammea suriga</i> (Buch.-Ham. ex Roxb.) Kosterm.	Surangi		186272
<i>Mesua ferrea</i> L.	Nag-Chapha		179206
COLCHICACEAE			
<i>Gloriosa superba</i> L.			179039
<i>Iphiginea indica</i> (L.) A. Grey ex Kunth			868(GU)
COMBRETACEAE			
<i>Combretum latifolium</i> Blume			187585
<i>Getonia floribunda</i> Roxb.	Uski		186961
<i>Terminalia bellirica</i> (Gaertn.) Roxb.			186921
<i>Terminalia chebula</i> Retz.			188563
<i>Terminalia elliptica</i> Willd.	Matti, Madat		188591
<i>Terminalia paniculata</i> Roth	Kindal	Endemic PI	179026
COMMELINACEAE			
<i>Commelina benghalensis</i> L.			124075
<i>Commelina forsskalaei</i> Vahl			186384
<i>Cyanotis fasciculata</i> (B. Heyne ex Roth) Schult. and Schult. f.			124006
<i>Cynotis cristata</i> (L.) D. Don			124120
<i>Floscopa scandens</i> Lour.			179288
<i>Murdannia dimorpha</i> (Dalzell) G. Brückn.			124119
<i>Murdannia japonica</i> (Thunb.) Faden			186943
<i>Murdannia semiteres</i> (Dalzell) Santapau			187980

TABLE 1. CONTINUED.

SPECIES / FAMILY	LOCAL NAME	ENDEMISM	VOUCHER NUMBER *
<i>Murdannia simplex</i> (Vahl) Brenan			179188
<i>Murdannia spirata</i> (L.) G. Bruckn.			124341
<i>Murdannia versicolor</i> (Dalzell) G. Brückn.			179183
CONNARACEAE			
<i>Connarus monocarpus</i> L.	Ghagrya		186250
CONVALLARIACEAE			
<i>Ophiopogon intermedius</i> D. Don			186773
CONVOLVULACEAE			
<i>Argyreia elliptica</i> (Roth) Choisy			186949
<i>Argyreia involucrata</i> C. B. Clarke			186216
<i>Erycibe paniculata</i> Roxb.			179240
<i>Evolvulus nummularius</i> (L.) L.			179215
<i>Ipomoea campanulata</i> L.			186205
<i>Ipomoea nil</i> (L.) Roth			188507
<i>Ipomoea obscura</i> (L.) Ker Gawl.			187926
<i>Ipomoea sinensis</i> (Desv.) Choisy			179161
<i>Ipomoea violacea</i> L.			186940
<i>Merremia umbellata</i> (L.) Hall f.	Washel		186212
<i>Merremia vitifolia</i> (Burm. f.) Hall f.			186223
CORNACEAE			
<i>Mastixia arborea</i> (Wight.) Bedd.			6116 (DD)
COSTACEAE			
<i>Costus speciosus</i> (J. J.König) J. E. Sm.			124226
CRASSULACEAE			
<i>Kalanchoe pinnata</i> (Lam.) Pers.			188526
CUCURBITACEAE			
<i>Coccinia grandis</i> (L.) Voigt	Tendli		186722
<i>Cucumis melo</i> L.			2684(DD)
<i>Momordica dioica</i> Roxb. ex Willd.			186365
<i>Mukia maderaspatana</i> (L.) M. Roem.			179166B
<i>Solena amplexicaulis</i> (Lam.) Gandhi			186744
<i>Trichosanthes cucumerina</i> L.	Kondal, Fagal		187951
<i>Zanonia indica</i> L.			179062
CYPERACEAE			
<i>Carex caricina</i> (D. Don) Ghildyal and U. C. Bhattach. var. <i>caricina</i> .			124430
<i>Carex caricina</i> (D. Don) Ghildyal and U. C. Bhattach. var. <i>glauca</i> (Boeck.) Ghildyal and U. C. Bhattach.		Endemic PI	543(BLAT)
<i>Cyperus haspan</i> L. subsp. <i>haspan</i> .			124077
<i>Cyperus haspan</i> L. subsp. <i>juncooides</i> (Lam.) Kuk.			144252
<i>Cyperus iria</i> L.			179150
<i>Diplacrum caricinum</i> R. Br.			186778
<i>Eleocharis acutangula</i> (Roxb.) Schult.			186751
<i>Fimbristylis dichotoma</i> (L.) Vahl			179121
<i>Fimbristylis lawiana</i> (Boeck.) J. Kern			186727
<i>Fimbristylis ovata</i> (Burm. f.) J. Kern			186772
<i>Fimbristylis woodrowii</i> C. B. Clarke		Endemic WPI	174234
<i>Hypolytrum nemorum</i> (Vahl) Spreng.			186951
<i>Kyllinga brevifolia</i> Rottb.			186764
<i>Lipocarpha squarrosa</i> (L.) Goetgh.			124081
<i>Mariscus compactus</i> (Retz.) Bold.			186924
<i>Mariscus paniceus</i> (Rottb.) Vahl			186738
<i>Pycreus flavidus</i> (Retz.) T. Koyma			179199
<i>Pycreus malabaricus</i> C. B. Clarke			186390
<i>Pycreus pumilus</i> (L.) Nees			124235
<i>Pycreus sanguinolentus</i> (Vahl) Nees			179145
<i>Rhynchospora wightiana</i> (Nees) Steud.			179047
<i>Scleria terrestris</i> (L.) Fassett			85008

TABLE 1. CONTINUED.

SPECIES / FAMILY	LOCAL NAME	ENDEMISM	VOUCHER NUMBER *
DATISACEAE			
<i>Tetrameles nudiflora</i> R. Br.			187523
DILLENIACEAE			
<i>Dillenia pentagyna</i> Roxb.	Karmal		1711(DD)
DIOSCOREACEAE			
<i>Dioscorea bulbifera</i> L.			179137
<i>Dioscorea hispida</i> Dennst.			179021
<i>Dioscorea pentaphylla</i> L.			187959
DIPTEROCARPACEAE			
<i>Hopea ponga</i> (Dennst.) Mabb.		Endemic WG	186975
DRACAENACEAE			
<i>Dracaena terniflora</i> Roxb.			107153
DROSERACEAE			
<i>Drosera indica</i> L.			186704
EBENACEAE			
<i>Diospyros buxifolia</i> (Blume) Hiern			188532
<i>Diospyros candolleana</i> Wight			186288
<i>Diospyros crumenata</i> Thwaites			1261A(GU)
<i>Diospyros montana</i> Roxb.	Kalakonda		186396
<i>Diospyros neilgerrensis</i> (Wight) Kosterm.		Endemic PI	186296
<i>Diospyros oocarpa</i> Thw.			186231
<i>Diospyros paniculata</i> Dalzell		Endemic IND	186214
<i>Diospyros pruriens</i> Dalzell			179178
ELAEAGNACEAE			
<i>Elaeagnus conferta</i> Roxb.			187507
ERIOCAULACEAE			
<i>Eriocaulon dalzellii</i> Koern.		Endemic WG	1671(GU)
<i>Eriocaulon eurypeplon</i> Koern.		Endemic WG	84990
<i>Eriocaulon heterolepis</i> Steud.		Endemic WI	124357
<i>Eriocaulon lanceolatum</i> Miq. ex Koern.		Endemic WG	1075(GU)
<i>Eriocaulon robusto-brownianum</i> Ruhland			867A(GU)
<i>Eriocaulon sexangulare</i> L.			187985
<i>Eriocaulon stellulatum</i> Koern.		Endemic WG	124156
<i>Eriocaulon xeranthemum</i> Mart.			124122
<i>Eriocaulon palghatense</i> R. Ansari and N. P. Balakr.		Endemic WG	187972
EUPHORBIACEAE s.l.			
<i>Actephila excelsa</i> (Dalzell) Mull. Arg.			179269
<i>Agrostistachys indica</i> Dalzell			187527
<i>Antidesma acidum</i> Retz.			179164
<i>Antidesma menasu</i> (Tul.) Mull. Arg.			176967
<i>Aporosa cardiosperma</i> (Gaertn.) Merr.			179268
<i>Baliospermum montanum</i> (Willd.) Mull. Arg.			186209
<i>Blachia andamanica</i> (Kurz) Hook. f. subsp. <i>denudata</i> (Benth.) N. P. Balakr. and Chakrab.		Endemic WG	186922
<i>Breynia retusa</i> (Dennst.) Alston			179169
<i>Bridelia retusa</i> (L.) A. Juss.			186315
<i>Bridelia stipularis</i> Blume			179070
<i>Croton persimilis</i> Mull. Arg.			1250(GU)
<i>Dimorphocalyx glabellus</i> Thwaites var. <i>lawianus</i> (Mull. Arg.) Chakrab. and N. P. Balakr.		Endemic WG	186926
<i>Drypetes venusta</i> (Wight) Pax and K. Hoffm.			1355(GU)
<i>Euphorbia erythroclada</i> Boiss		Endemic PCI	853(GU)
<i>Euphorbia hirta</i> L.			186222
<i>Euphorbia ligularia</i> Roxb.			189337
<i>Euphorbia notoptera</i> Boiss.		Endemic WG	179029
<i>Falconeria insignis</i> Royle			186931
<i>Glochidion hohenackeri</i> (Mull.- Arg.) Bedd.		Endemic NWG	179124
<i>Glochidion zeylanicum</i> (Gaertn.) A. Juss.			88504

TABLE 1. CONTINUED.

SPECIES / FAMILY	LOCAL NAME	ENDEMISM	VOUCHER NUMBER *
<i>Homonoia riparia</i> Lour.			186268
<i>Jatropha curcas</i> L.			187941
<i>Macaranga peltata</i> (Roxb.) Mull. Arg.	Chanda		188555
<i>Mallotus ferrugineus</i> (Roxb.) Mull. Arg.			189331
<i>Mallotus philippensis</i> (Lam.) Mull. Arg.			179256
<i>Mallotus resinous</i> (Blanco) Merr. var. <i>stenanthus</i> (Mull. Arg.) Susila and N. P. Balakr.		Endemic WG	179245
<i>Margaritaria indica</i> (Dalzell) Airy Shaw			1580(GU)
<i>Microstachys chamaelea</i> (L.) Mull. Arg.			179211
<i>Phyllanthus amarus</i> Schumach. and Thonn.			179136
<i>Phyllanthus emblica</i> L.	Awla		186228
<i>Phyllanthus juniperinus</i> Mull. Arg.			186771
<i>Phyllanthus simplex</i> Retz.			189302
<i>Phyllanthus urinaria</i> L.			124854
<i>Tragia praetervis</i> Chakrab. and N. P. Balakr.			179090
FLACOURTIACEAE			
<i>Casearia ovata</i> (Lam.) Willd.			186313
<i>Flacourtia montana</i> J. Graham	Chaper	Endemic WG	179060
<i>Homalium ceylanicum</i> (Gardn.) Benth.			187914
<i>Hydnocarpus pentandrus</i> (Buch.-Ham.) Oken	Kastal	Endemic WG	186210
GENTIANACEAE			
<i>Canscora diffusa</i> (Vahl) R. Br. ex Roem and Schult.			186204
<i>Canscora perfoliata</i> Lam.		Endemic WG	179234
<i>Exacum pumilum</i> Griseb.			179036
<i>Exacum tetragonum</i> Roxb.			179185
<i>Hoppea fastigiata</i> (Griseb.) C. B. Clarke			124291
GESNERIACEAE			
<i>Rhynchoglossum notonianum</i> (Wall.) Burt			179026
<i>Rhynchoglossum obliquum</i> Blume var. <i>parviflorum</i> C. B. Clarke			186761
HYCINTHACEAE			
<i>Ledebouria revoluta</i> (L. f.) Jessop			187948
HYDROCHARITACEAE			
<i>Blyxa aubertii</i> Rich.			1072(GU)
<i>Vallisneria spiralis</i> L.			186750
HYACINTHACEAE			
<i>Curculigo orchioides</i> Gaertn.			179003
ICACINACEAE			
<i>Gomphandra tetrandra</i> (Wall.) Sleumer			186915
<i>Nothapodytes nimmoniana</i> (J. Graham) Mabb.			179110
<i>Sarcostigma kleinii</i> Wight and Arn.			2872(DD)
LAMIACEAE			
<i>Anisomeles indica</i> (L.) Kuntze		Endemic WG	179095
<i>Callicarpa tomentosa</i> (L.) L.			179235
<i>Clerodendrum infortunatum</i> L.			179130
<i>Colebrookea oppositifolia</i> Sm.			187508
<i>Gmelina arborea</i> Roxb.	Shiwan		187555
<i>Hyptis capitata</i> Jacq.			179232
<i>Hyptis suaveolens</i> (L.) Poit.			84333
<i>Leucas biflora</i> (Vahl) R. Br. ex Sm.			179148
<i>Leucas ciliata</i> Benth.			179083
<i>Leucas lavendulifolia</i> Sm.			124125
<i>Leucas stelligera</i> Wall.			85010
<i>Platostoma hispidum</i> (L.) A. J. Paton			186783
<i>Pogostemon paniculatus</i> (Willd.) Benth			186211
<i>Pogostemon purpurascens</i> Dalzell			1277(GU)
<i>Premna coriacea</i> C. B. Clarke			186305
<i>Rotheca serrata</i> (L.) D. A. Steane and Mabb.			124145
<i>Scutellaria discolor</i> Colebr.			179263

TABLE 1. CONTINUED.

SPECIES / FAMILY	LOCAL NAME	ENDEMISM	VOUCHER NUMBER *
<i>Tectona grandis</i> L. f.	Sagon		2389(DD)
<i>Vitex altissima</i> L. f.	Bailado		186266
<i>Vitex leucoxydon</i> L. f.			186968
<i>Vitex negundo</i> L.			187931
LAURACEAE			
<i>Actinodaphne angustifolia</i> (Blume) Nees			186293
<i>Beilschmiedia dalzellii</i> (Meisn.) Kosterm.	Miryo		185688
<i>Cinnamomum nitidum</i> (Roxb.) Hook.			1407(GU)
<i>Cinnamomum sulphuratum</i> Nees	TiKki		179239
<i>Cinnamomum verum</i> J. Presl	TiKki		1711(GU)
<i>Cryptocarya lawsonii</i> Gamble		Endemic WG	1702(GU)
<i>Litsea coriacea</i> (Heyne ex Meisn.) Hook. f.		Endemic WG	186914
<i>Litsea ghatica</i> C. J. Saldanha		Endemic WG	188567
<i>Persea macrantha</i> (Nees) Kosterm.	Olamb		187583
LECYTHIDACEAE			
<i>Carey arborea</i> Roxb.	Kumyo		6187(DD)
LEEACEAE			
<i>Leea asiatica</i> (L.) Ridsdale			179230
<i>Leea indica</i> (Burm. f.) Merr.	Dino		186770
LEGUMINOSAE: SUBFAMILY CAESALPINIOIDEAE			
<i>Bauhinia malabarica</i> Roxb.			188572
<i>Bauhinia racemosa</i> Lam.	Apto		188520
<i>Caesalpinia mimosoides</i> Lam.	Pansi		186213
<i>Cassia fistula</i> L.	Bayo		186314
<i>Chamaecrista absus</i> (L.) H. S. Irwin and Barneby			179200
<i>Moullava spicata</i> (Dalzell) Nicolson	Shamachi Wal	Endemic PI	88495
<i>Saraca asoca</i> (Roxb.) W. J. de Wilde	Ashok		186227
<i>Senna hirsuta</i> (L.) H. S. Irwin and Barneby	Taykolo		540(GU)
<i>Senna obtusifolia</i> (L.) H. S. Irwin and Barneby			179267
<i>Senna tora</i> (L.) Roxb.			188509
LEGUMINOSAE: SUBFAMILY MIMOSOIDEAE			
<i>Acacia caesia</i> (L.) Willd.			185737
<i>Acacia chundra</i> (Roxb. and Rottl.) Willd.			186754
<i>Acacia concinna</i> (Willd.) DC.	Shikekai		188577
<i>Acacia pennata</i> (L.) Willd.			179057
<i>Acacia torta</i> (Roxb.) Craib.			88501
<i>Albizia chinensis</i> (Osbeck.) Merr.			188558
<i>Albizia odoratissima</i> (L. f.) Benth.			187903
<i>Entada rheedei</i> Spreng.	Garmbi		187988
<i>Mimosa pudica</i> L.			183635
<i>Xylia xylocarpa</i> (Roxb.) Taub.	Jambha		187970
LEGUMINOSAE: SUBFAMILY PAPILIONOIDEAE			
<i>Abrus pulchellus</i> Wall. ex Thwaites	Gunj		188508
<i>Aeschynomene indica</i> L.			179281
<i>Alysicarpus bupleurifolius</i> (L.) DC.			186782
<i>Alysicarpus glumaceus</i> (Vahl.) DC.			186936
<i>Butea monosperma</i> (Lam.) Taub.	Palas		186966
<i>Cajanus lineatus</i> (Wight and Arn.) Maesen			186251
<i>Crotalaria filipes</i> Benth.		Endemic WG	179227
<i>Crotalaria lutescens</i> Dalzell		Endemic WG	187966
<i>Crotalaria pallida</i> Aiton			179222
<i>Crotalaria prostrata</i> Rottl.			186318
<i>Crotalaria retusa</i> L.			186988
<i>Dalbergia horrida</i> (Dennst.) Mabb.		Endemic WG	179274
<i>Dalbergia latifolia</i> Roxb.	Sisam		3448(DD)
<i>Dalbergia rubiginosa</i> Roxb.		Endemic PI	2869(DD)
<i>Dendrolobium triangulare</i> (Retz.) Schindl.			179127
<i>Derris heyneana</i> (Wight and Arn.) Benth.		Endemic PI	187595

TABLE 1. CONTINUED.

SPECIES / FAMILY	LOCAL NAME	ENDEMISM	VOUCHER NUMBER *
<i>Desmodium heterocarpon</i> (L.) DC.			186767
<i>Desmodium laxiflorum</i> DC.			186787
<i>Desmodium motorium</i> (Houtt.) Merr.			179283
<i>Desmodium triflorum</i> (L.) DC.			186941
<i>Erithrina stricta</i> Roxb.	Pangaro		189327
<i>Flemingia macrophylla</i> (Willd.) Kuntze ex Merr.			186948
<i>Flemingia strobilifera</i> (L.) R. Br. ex W. T. Aiton			186201
<i>Flemingia tuberosa</i> Dalzell		Endemic PI	179043
<i>Geissaspis cristata</i> Wight and Arn.			179159
<i>Geissaspis tenella</i> Benth.		Endemic PI	179015
<i>Indigofera dalzelli</i> T. Cooke		Endemic WG	179040
<i>Indigofera prostrata</i> Willd.		Endemic PI	186785
<i>Mucuna monosperma</i> DC.			187586
<i>Paraderris canarensis</i> (Dalzell) Adema			88499
<i>Pongamia pinnata</i> (L.) Pierre	Karanji		186979
<i>Sesbania bispinosa</i> (Jacq.) W. Wight			186939
<i>Smithia bigemina</i> Dalzell			207(GU)
<i>Smithia conferta</i> J. E. Sm			187895
<i>Smithia salsuginea</i> Hance		Endemic PI	186765
<i>Spatholobus parviflorus</i> (Roxb. ex DC.) Kuntze			187570
<i>Spatholobus purpureus</i> Benth. ex Prain			1260(GU)
<i>Tadehagi triquetrum</i> (L.) H. Ohashi			179076
<i>Tephrosia candida</i> (Roxb.) DC.			1163(GU)
<i>Tephrosia coccinea</i> Wall.		Endemic PI	179023
<i>Teramnus labialis</i> (L. f.) Spreng.			179042
<i>Uraria rufescens</i> (DC) Schindl.			179282
<i>Vigna vexillata</i> (L.) A. Rich.			179041
LENTIBULARIACEAE			
<i>Utricularia caerulea</i> L.			186378
<i>Utricularia graminifolia</i> Vahl			179001
<i>Utricularia lazulina</i> P. Taylor			188519
<i>Utricularia purpurascens</i> J. Graham			124008
<i>Utricularia reticulata</i> Sm.			187982
<i>Utricularia striatula</i> Sm.			186737
<i>Utricularia uliginosa</i> Vahl.			124273
LOGANIACEAE			
<i>Strychnos nux-vomica</i> L.	Kajro		186766
<i>Strychnos minor</i> Dennst.			188546
LORANTHACEAE			
<i>Dendrophthoe falcata</i> (L. f.) Blume			6124(DD)
<i>Elytranthe capitellata</i> (Wight and Arn.) Engl.			186319
<i>Scurrula parasitica</i> L.			177981
<i>Taxillus tomentosus</i> (B. Heyne ex W. Roth) Tiegh.			2127(DD)
<i>Tolypanthus lagenifer</i> (Wight) Tiegh.		Endemic WG	186340
LYTHRACEAE			
<i>Lagerstroemia microcarpa</i> Wight	Nana		124361
<i>Lagerstroemia parviflora</i> Roxb.			187945
<i>Rotala densiflora</i> (Roth ex Roem. and Schult.) Koehne			179056
<i>Rotala rotundifolia</i> (Buch.- Ham. ex Roxb.) Koehne			187540
<i>Woodfordia fruticosa</i> (L.) Kurz	Dhayti		187512
MALPIGHIACEAE			
<i>Aspidopterys canarensis</i> Dalzell		Endemic WG	187593
MALVACEAE			
<i>Abelmoschus manihot</i> (L.) Medik.	Ambadi		187964
<i>Abutilon persicum</i> (Burm. f.) Merr.			85055
<i>Daceschistia trilobata</i> Wight		Endemic WG	124138
<i>Hibiscus hirtus</i> L.			179086
<i>Hibiscus hispidissimus</i> Griff.			179082

TABLE 1. CONTINUED.

SPECIES / FAMILY	LOCAL NAME	ENDEMISM	VOUCHER NUMBER *
<i>Kydia calycina</i> Roxb.			6098 (DD)
<i>Sida acuta</i> Burm f.			179226
<i>Sida cordata</i> (Burm. f.) Borss.			179092
<i>Sida rhombifolia</i> L.	Tupkadi		179034
<i>Thespesia lampas</i> (Cav.) Dalzell ex Dalzell and A. Gibson			187998
<i>Urena lobata</i> L.			179078
MARANTACEAE			
<i>Schumannianthus virgatus</i> (Roxb.) Rolfe			179270
MELASTOMACEAE			
<i>Melastoma malabathiricum</i> L.			179250
<i>Memecylon talbotianum</i> D. Brandis			179049
<i>Memecylon terminale</i> Dalzell		Endemic PI	179285
<i>Memecylon umbellatum</i> Burm. f.			187584
<i>Memecylon wightii</i> Thwaites			85016
<i>Osbeckia muralis</i> Naud.			179006
MELIACEAE			
<i>Aglaia eleagnioidea</i> (A. Juss.) Benth.			1663 (DD)
<i>Aglaia lawii</i> (Wight) C. J. Saldanha ex Ramamoorthy	Maharsangal		186306
<i>Chukrasia tabularis</i> A. Juss.		Endemic IND	186997
<i>Naregamia alata</i> Wight and Arn.	Pitmado	Endemic IND	179133
<i>Toona ciliata</i> M. Roem.			3706(DD)
<i>Trichlia connaroides</i> (Wigh and Arn.) Benth.			186323
<i>Turraea villosa</i> A. W. Benn.			1572A(GU)
<i>Walsura trifoliata</i> (A. Juss.) Harms			1710(GU)
MENISPERMACEAE			
<i>Anamirta cocculus</i> (L.) Wight and Arn.			186946
<i>Cocculus hirsutus</i> (L.) Theob.			186259
<i>Cyclea peltata</i> (Lam.) Hook. f. and Thomson,			186287
<i>Diploclisia glaucescens</i> (Blume) Diels	Ramwel, Ramrukhi		187911
<i>Stephania elegans</i> Hook. f. and Thomson			6143(DD)
<i>Stephania japonica</i> (Thunb.) Miers			179016
MOLLUGINACEAE			
<i>Glinus oppositifolius</i> (L.) A. DC.			186328
MORACEAE			
<i>Artocarpus gomezianus</i> Wall. ex Trecul subsp. <i>zeylanicus</i> Jarrett	Patphanas		186238
<i>Artocarpus heterophyllus</i> Lam.	Patphanas	Endemic WG	179135
<i>Artocarpus hirsutus</i> Lam.	Patphanas		193006
<i>Ficus arnottiana</i> (Miq.) Miq.	Payar		187952
<i>Ficus benghalensis</i> L.	Wad		88509
<i>Ficus callosa</i> Willd.			189338
<i>Ficus drupacea</i> Thunb. var. <i>pubescens</i> (Roth) Corner			88506
<i>Ficus exasperata</i> Vahl			186993
<i>Ficus heterophylla</i> L. f.			187580
<i>Ficus hispida</i> L. f.	Karwat		179115
<i>Ficus microcarpa</i> L. f.	Nandangol		186239
<i>Ficus nervosa</i> Heyne ex Roth			187987
<i>Ficus racemosa</i> L.	Rumad		188536
<i>Ficus tinctoria</i> G. Forst. subsp. <i>parasitica</i> (Koenig ex Willd.) Corner			186321
<i>Ficus tsjahela</i> Burm. f.	Kel		186330
MUSACEAE			
<i>Ensete superbum</i> (Roxb.) Cheesman		Endemic WG	188512
<i>Musa x paradisiaca</i> L.	Keli		189335
MYRISTICACEAE			
<i>Knema attenuata</i> (Wall. ex Hook. f. and Thomson) Warb.		Endemic WG	187521
<i>Myristica malabarica</i> Lam.		Endemic WG	187533
MYRSINACEAE			
<i>Ardisia solanacea</i> Roxb.	Bugadi		186285
<i>Embelia tsjeriam-cottam</i> (Roem. and Schult.) DC.			187949

TABLE 1. CONTINUED.

SPECIES / FAMILY	LOCAL NAME	ENDEMISM	VOUCHER NUMBER *
<i>Maesa indica</i> (Roxb.) DC.			186258
MYRTACEAE			
<i>Eugenia mooniana</i> Wight			186947
<i>Eugenia roxburghii</i> DC.			186261
<i>Syzygium caryophyllum</i> (L.) Alston	Bhirand		187913
<i>Syzygium cumini</i> (L.) Skeels	Bhirand		187938
<i>Syzygium hemisphericum</i> (Wight) Alston	Zamlo		186341
<i>Syzygium laetum</i> (Buch.-Ham.) Gandhi		Endemic SWI	129287
<i>Syzygium salicifolium</i> (Wight) J. Graham		Endemic SWI	186342
<i>Syzygium zeylanicum</i> (L.) DC.			186793
OCHNACEAE			
<i>Ochna obtusata</i> DC.			187943
OLACACEAE			
<i>Olex imbricata</i> Roxb.			187569
OLEACEAE			
<i>Jasminum coarctatum</i> Roxb.			186348
<i>Jasminum malabaricum</i> Wight		Endemic PI	6146(DD)
<i>Jasminum multiflorum</i> (Burm. f.) Andr.			1481(GU)
<i>Jasminum ritchiei</i> C. B. Clarke			186360
<i>Ligustrum perrottetii</i> A. DC.		Endemic WG	179238
<i>Olea dioica</i> Roxb.			186260
<i>Schrebera swietenoides</i> Roxb.			187936
ONAGRACEAE			
<i>Ludwigia hyssopifolia</i> (G. Don) Exell			187554
<i>Ludwigia octovalvis</i> (Jacq.) P. H. Raven subsp. <i>octovalvis</i>			179009
<i>Ludwigia octovalvis</i> (Jacq.) P. H. Raven subsp. <i>sessiliflora</i> (Micheli) P. H. Raven			187565
ORCHIDACEAE			
<i>Acampe praemorsa</i> (Roxb.) Blatt. and McCann			187592
<i>Aerides crispa</i> Lindl.		Endemic WG	187901
<i>Aerides maculosa</i> Lindl.		Endemic PI	187932
<i>Aerides ringens</i> (Lindl.) C. E. C. Fisch.			189323
<i>Bulbophyllum neilgherrense</i> Wight	Bendli	Endemic WG	186795
<i>Cleisostoma tenuifolium</i> (L.) Garay			179065
<i>Conchidium microchilos</i> (Dalzell) Rauschert		Endemic PI	186394
<i>Cottonia peduncularis</i> (Lindl.) Rchb. f.			186982
<i>Cymbidium aloifolium</i> (L.) Sw.			129284
<i>Dendrobium barbatulum</i> Lindl.		Endemic WG	189324
<i>Gastrochilus flabelliformis</i> (Blatt. and McCann) C. J. Saldanha		Endemic WG	186797
<i>Habenaria diphylla</i> (Nimmo) Dalzell			188524
<i>Habenaria heyneana</i> Lindl.		Endemic PI	124151
<i>Habenaria longicorniculata</i> J. Graham		Endemic PI	124015
<i>Habenaria marginata</i> Coleb.			188524
<i>Habenaria multicaudata</i> Sedgew.		Endemic WG	124207
<i>Habenaria plantaginea</i> Lindl.			187971
<i>Liparis deflexa</i> Hook. f.			179179
<i>Liparis nervosa</i> (Thunb.) Lindl.			179193
<i>Luisia tenuifolia</i> Blume		Endemic WG	179064
<i>Malaxis versicolor</i> (Lindl.) Abeyw.			186349
<i>Nervilia aragoana</i> Gaudich.			187925
<i>Oberonia brachyphylla</i> Blatt. and McCann		Endemic WG	1528(GU)
<i>Pecteilis gigantea</i> (J. E. Sm.) Raf.			124428
<i>Peristylus plantagineus</i> (Lindl.) Lindl.			179194
<i>Pholidota imbricata</i> Hook.			176977
<i>Porpax jerdoniana</i> (Wight) Rolfe		Endemic WG	124438
<i>Porpax reticulata</i> Lindl.			186928
<i>Rhynchostylis retusa</i> (L.) Blume			187908
<i>Smithsonia viridiflora</i> (Dalzell) C. J. Saldanha			186300
<i>Tropidia angulosa</i> (Lindl.) Blume			187515

TABLE 1. CONTINUED.

SPECIES / FAMILY	LOCAL NAME	ENDEMISM	VOUCHER NUMBER *
<i>Vanda tessellata</i> (Roxb.) Hook. ex G. Don			189322
<i>Vanda testacea</i> (Lindl.) Rchb.			189321
<i>Zeuxine longilabris</i> (Lindl) Trim			534(GU)
OROBANCHACEAE			
<i>Aeginetia indica</i> L.			124140
OXALIDACEAE			
<i>Biophytum sensitivum</i> (L.) DC.			179141
<i>Oxalis corniculata</i> L.			186276
PANDANACEAE			
<i>Pandanus odorifer</i> (Forssk.) Kuntze			186245
PAPAVERACEAE			
<i>Argemone mexicana</i> L.			179296
PASSIFLORACEAE			
<i>Adenia hondala</i> (Gaertn.) J. Wilde	Salkando		186310
PEDALIACEAE			
<i>Sesamum orientale</i> L.			187572
PIPERACEAE			
<i>Peperomia pellucida</i> (L.) Humb.			179174
<i>Piper argyrophyllum</i> Miq.	Miri		862(GU)
<i>Piper nigrum</i> L.			179251
PITTOSPORACEAE			
<i>Pittosporum dasycaulon</i> Miq.		Endemic WG	186373
POACEAE			
<i>Apluda mutica</i> L.			421(GU)
<i>Arundinella leptochloa</i> (Nees ex Steud.) Hook. f.		Endemic PI	186911
<i>Arundinella metzii</i> Hocht ex Micq.		Endemic PI	179100
<i>Arundinella pumila</i> (Hochst. ex A. Rich.) Steud.			1142(GU)
<i>Bambusa bambos</i> (L.) Voss			6090(DD)
<i>Brachiaria ramosa</i> (L.) Stapf			179030
<i>Capillipedium filiculme</i> (Hook. f.) Stapf		Endemic PI	413(GU)
<i>Centotheca lappacea</i> (L.) Desv.			179221
<i>Cynodon dactylon</i> (L.) Pers.			186324
<i>Cyrtococcum oxyphyllum</i> (Hochst. ex Steud.) Stapf			179088
<i>Dendrocalamus strictus</i> (Roxb.) Nees			3366(DD)
<i>Dichanthium annulatum</i> (Forssk.) Stapf			88485
<i>Dimeria stapfiana</i> C. E. Hubb. ex Pilger			179278
<i>Echinochloa colona</i> (L.) Link			186702
<i>Eragrostis gangetica</i> (Roxb.) Steud.			179152
<i>Eragrostis unioloides</i> (Retz.) Nees ex Steud.			188505
<i>Eulalia trispicata</i> (Schant.) Henrard			179205
<i>Garnotia arborum</i> Stapf. ex T. Cooke		Endemic PI	204(GU)
<i>Glyphochloa acuminata</i> (Hack.) Clayton		Endemic WG	186781
<i>Glyphochloa veldkampii</i> M. A. Fonseca et Janarth.		Endemic Goa	186907
<i>Isachne globosa</i> (Thunb.) Kuntze			179182
<i>Ischaemum barbatum</i> Retz.			188531
<i>Ischaemum dalzellii</i> Stapf. ex Bor			1149(GU)
<i>Ischaemum semisagittatum</i> Roxb.			179207
<i>Jansenella griffithiana</i> (C. Muell.) Bor			179207
<i>Ochlandra talboti</i> Brandis			6135(DD)
<i>Oplismenus burmanni</i> (Retz.) P. Beauv.			1159(GU)
<i>Oplismenus compositus</i> (L.) P. Beauv.			179089
<i>Panicum antidotile</i> Retz.			1148(GU)
<i>Paspalum canarae</i> (Steud.) Veldk.			1121(GU)
<i>Paspalum scrobiculatum</i> L.			179189
<i>Pennisetum pedicellatum</i> Trin.			187578
<i>Pennisetum polystachion</i> (L.) Schult.			187504
<i>Polytrias indica</i> (Houtt.) Veldkamp			179204
<i>Pseudanthistiria heteroclita</i> (Roxb.) Hook. f.			179153

TABLE 1. CONTINUED.

SPECIES / FAMILY	LOCAL NAME	ENDEMISM	VOUCHER NUMBER *
<i>Pseudoxytenanthera stocksii</i> (Munro) T. Q. Nguyen			1896(DD)
<i>Sacciolepis indica</i> (L.) A. Chase			179187
<i>Setaria pumila</i> (Poir.) Roem. and Schult.			42(GU)
<i>Spodiopogon rhizophorus</i> (Steud.) Pilger			1150(GU)
<i>Themeda triandra</i> Forssk.			186780
PODOSTEMACEAE			
<i>Dalzellia ceylanica</i> (Gardn.) Wight			1002 (AHMA)
<i>Zeylanidium sessile</i> (Willis) C. D. K. Cook and Rutish.			12630 (AHMA)
POLYGALACEAE			
<i>Polygala elongata</i> Klein ex Willd.		Endemic IND	186726
<i>Salmonia ciliata</i> (L.) DC.			179066
POLYGONACEAE			
<i>Persicaria glabra</i> (Willd.) M. Gomez			179254
<i>Persicaria auriculata</i> (Meissn.) S. K. Dixit, B. Datt and G. P. Roy			189318
<i>Polygonum plebeium</i> R. Br.			186969
PONTEDERIACEAE			
<i>Monochoria vaginalis</i> (Burm. f.) C. Presl			187950
PORTULACACEAE			
<i>Portulaca oleracea</i> L.	Gungune		187579
RANUNCULACEAE			
<i>Clematis gauriana</i> Roxb. ex DC.			179255
<i>Naravelia zeylanica</i> (L.) DC.			186367
RHIZOPHORACEAE			
<i>Carallia brachiata</i> (Lour.) Merr.	Phanshi		179259
RHAMNACEAE			
<i>Gauania microcarpa</i> DC.			188589
<i>Scutia myrtina</i> (Burm. f.) Kurz.			187543
<i>Smythea bombaiensis</i> (Dalzell) S. P. Banerjee and P. K. Mukh.		Endemic WG	1280(GU)
<i>Ventilago denticulata</i> Willd.		Endemic IND	186317
<i>Ziziphus mauritiana</i> Lam.			187917
<i>Ziziphus oenoplia</i> (L.) Mill.			186790
<i>Ziziphus rugosa</i> Lam.	Churan		187535
<i>Ziziphus xylopyra</i> (Retz.) Willd.			179258
RUBIACEAE			
<i>Argostemma courtallense</i> Arn.		Endemic WG	186777
<i>Argostemma verticillatum</i> Wall.			186753
<i>Canthium rheedei</i> DC.			186233
<i>Catunaregam spinosa</i> (Thunb.) Tirveng.	Gela		189334
<i>Chassalia curviflora</i> (Wall.) Thwaites var. <i>ophioxylodes</i> (Wall.) Deb and B. Krishna			179077
<i>Discospermum sphaerocarpum</i> Dalzell ex Hook. f.			187524
<i>Haldina cordifolia</i> (Roxb.) Ridsdale	Hedu		179168
<i>Hedyotis auricularia</i> L.			179107
<i>Hedyotis corymbosa</i> (L.) Lam.			186757
<i>Hedyotis herbacea</i> L.			179210
<i>Hedyotis trinervia</i> (Retz.) Roem. and Schult.			186345
<i>Hymenodictyon obovatum</i> Wall.		Endemic IND	186927
<i>Ixora brachiata</i> Roxb.		Endemic IND	186269
<i>Ixora coccinia</i> L.	Pentkul		186278
<i>Ixora elongata</i> B. Heyne ex G. Don			2398(DD)
<i>Ixora malabarica</i> (Dennst.) Mabb.			179292
<i>Ixora nigricans</i> R. Br. ex Wight and Arn.			186267
<i>Meyna laxiflora</i> Robyns			179244
<i>Mitragyna parvifolia</i> (Roxb.) Korth.			186758
<i>Mussaenda glabrata</i> (Hook. f.) Hutch. ex Gamble	Sharwad	Endemic PI	179125
<i>Mussaenda laxa</i> (Hook. f.) Hutch. ex Gamble	Sharwad	Endemic WI	124109
<i>Neanotis rheedei</i> (Wall. ex Wight and Arn.) W. H. Lewis		Endemic WG	179144
<i>Neanotis subtilis</i> (Miq.) Govaerts		Endemic WG	186382

TABLE 1. CONTINUED.

SPECIES / FAMILY	LOCAL NAME	ENDEMISM	VOUCHER NUMBER *
<i>Neolamarckia cadamba</i> (Roxb.) Bosser	Kadamb		187590
<i>Neonauclea purpurea</i> (Roxb.) Merr.			1610 (BLAT)
<i>Ophiorrhiza rugosa</i> Wall. var. <i>prostrata</i> (D. Don) Deb and D. C. Mondal			124256
<i>Oxyceros rugulosus</i> (Thw) Tirveng.			188584
<i>Pavetta crassicaulis</i> Bremek.			187923
<i>Pavetta indica</i> L. var. <i>tomentosa</i> (Roxb. ex Sm.) Hook. f.			179055
<i>Psychotria dalzellii</i> Hook. f.	Endi	Endemic WG	179165
<i>Psydrax umbellata</i> (Wight) Bridson	Tupya		186935
<i>Rubia cordifolia</i> L.			186243
<i>Saprosma glomeratum</i> (Gardn.) Bedd.		Endemic PI	27757 (BLAT)
<i>Spermacoce articularis</i> L.			179012
<i>Spermacoce ocymoides</i> Burm. f.			186763
<i>Spermacoce pusilla</i> Wall.			186221
<i>Tamilnadia uliginosa</i> (Retz.) Tirveng. and Sastre			124347
<i>Wendlandia thyrsoidea</i> (Roth) Steud.		Endemic WG	186229
RUTACEAE			
<i>Atlantia racemosa</i> Wight	Malkadlimbi		179237
<i>Atlantia wightii</i> Tanaka		Endemic WG	1360(GU)
<i>Glycosmis pentaphylla</i> (Retz.) DC.	Menaka		179081
<i>Luvunga eleutherandra</i> Dalzell		Endemic WG	179241
<i>Milicope lunu-ankenda</i> (Gaertn.) T. G. Hartely			186996
<i>Murraya koenigii</i> (L.) Spreng.	Karpil		186248
<i>Murraya paniculata</i> Jack			179072
<i>Paramigna monophylla</i> Wight			186909
<i>Toddalia asiatica</i> (L.) Lam.			12197 (AHMA)
<i>Zanthoxylum rhetsa</i> (Roxb.) DC.	Tirphal		186918
SANTALACEAE			
<i>Osyris quadripartita</i> Salzm. ex Decne.			85039
SAPINDACEAE			
<i>Allophylus cobbe</i> (L.) Raeusch.			179120
<i>Dimocarpus longan</i> Lour.			187910
<i>Harpullia arborea</i> (Blanco) Radlk.			1775(GU)
<i>Lepisanthus tetraphylla</i> (Vahl) Radlk.			187902
<i>Schleichera oleosa</i> (Lour.) Oken	Koshim		189317
SAPOTACEAE			
<i>Chrysophyllum roxburghii</i> G. Don			713(GU)
<i>Mimusops elengi</i> L.	Owal		88513 (DD)
<i>Palaquium ellipticum</i> (Dalzell) Baill.			179243
<i>Xantolis tomentosa</i> (Roxb.) Raf.	Kumbal		179126
SCROPHULARIACEAE			
<i>Angelonia gardneri</i> Hook.			186708
<i>Centranthera indica</i> (L.) Gamble			179018
<i>Dopatrium junceum</i> (Roxb.) Buch.-Ham. ex Benth.			186902
<i>Lindernia antipoda</i> (L.) Alston.			186933
<i>Lindernia caespitosa</i> (Blume) Panigrahi			187561
<i>Lindernia ciliata</i> (Colsm.) Pennell			186375
<i>Lindernia crustacea</i> (L.) F. Muell.			179050A
<i>Lindernia multiflora</i> (Roxb.) Mukerjee			186762
<i>Lindernia oppositifolia</i> (Retz.) Mukerjee			186344
<i>Mecardonia procumbens</i> (Mill.) Small			187576
<i>Rhamphicarpa longiflora</i> (Arn.) Benth.		Endemic WG	186386
<i>Scoparia dulcis</i> L.			186226
<i>Striga asiatica</i> (L.) Kuntze			179175
<i>Striga gesnerioides</i> (Willd.) Vatke ex Engl.			186716
<i>Torenia indica</i> C. J. Saldanha		Endemic WG	179154
<i>Torenia violacea</i> (Azaolo ex Blanco) Pennell			186775
SMILACACEAE			
<i>Smilax zeylanica</i> L.			179128

TABLE 1. CONTINUED.

SPECIES / FAMILY	LOCAL NAME	ENDEMISM	VOUCHER NUMBER *
SOLANACEAE			
<i>Lycianthes laevis</i> (Dunal) Bitter			186709
<i>Physalis minima</i> L.			179160
<i>Solanum anguivi</i> Lam.			179172
STERCULIACEAE			
<i>Helicteres isora</i> L.	Kewan		179035
<i>Melochia corchorifolia</i> L.			179158
<i>Pterospermum diversifolium</i> Blume	Mothi Daman		186906
<i>Sterculia guttata</i> Roxb. ex DC.			179024
SYMPLOCACEAE			
<i>Symplocos cochinchinensis</i> (Lour.) S. Moore subsp. <i>laurina</i> (Retz.) Noot.			92999
<i>Symplocos racemosa</i> Roxb.			186257
THYMELAEACEAE			
<i>Gnidia glauca</i> (Fresen.) Gilg.			186255
TILIACEAE			
<i>Corchorus capsularis</i> L.			186938
<i>Corchorus oltorius</i> L.			179027
<i>Grewia nervosa</i> (Lour.) Panigrahi	Asoli, Chiwar		179143
<i>Grewia serrulata</i> DC.	Chopdi		179271
<i>Grewia tillifolia</i> Vahl	Dhaman		186281
<i>Triumfetta rhomboidea</i> Jacq.			179094
ULMACEAE			
<i>Celtis timorensis</i> Spanoghe			186302
<i>Holoptelea integrifolia</i> (Roxb.) Planch.	Wawal		179114
<i>Trema orientalis</i> (L.) Blume			179022
URTICACEAE			
<i>Boehmeria macrophylla</i> Hornem.			178958
<i>Debregeasia longifolia</i> (Burm f.) Wedd.			186322
<i>Laportea interrupta</i> (L.) Chew			186701
<i>Pilea microphylla</i> (L.) Liebm.			186395
VERBENACEAE			
<i>Lantana camara</i> L.			188556
VISCACEAE			
<i>Viscum monoicum</i> Roxb. ex DC.			186282
VITACEAE			
<i>Ampelocissus indica</i> (L.) Planch.			186714
<i>Ampelocissus latifolia</i> (Roxb.) Planch.			186705
<i>Caryatia tenuifolia</i> (Wight and Arn.) Gagnep.			1357(GU)
<i>Caryatia trifolia</i> (L.) Domin			186799
<i>Cissus elongata</i> Roxb.			179265
<i>Cissus javanica</i> DC.			179033
<i>Cissus rependa</i> Vahl	Palkonde		186307
<i>Cyphostemma auriculatum</i> (Roxb.) P. Singh and B. V. Shetty			2574(DD)
<i>Tetrastigma sulcatum</i> (M. A. Lawson) Gamble			189329
ZINGIBERACEAE			
<i>Alpinia galanga</i> (L.) Willd.			179295
<i>Curcuma decipiens</i> Dalzell		Endemic PI	124305
<i>Curcuma zanthorrhiza</i> Roxb.			124007
<i>Kaempferia scaposa</i> (Nimmo) Benth.		Endemic WG	186740
<i>Zingiber neesatum</i> (J. Graham) Ramamoorthy		Endemic PI	12203
<i>Zingiber nimmonii</i> (J. Graham) Dalzell		Endemic PI	179118
<i>Zingiber zerumbet</i> (L.) Roscoe ex J. E. Sm.			188516

ACKNOWLEDGMENTS: The authors are grateful to Directors, Botanical Survey of India, Kolkata and Agharkar Research Institute, Pune and also the Joint Director, Botanical Survey of India, Pune for facilities. We thank the Forest Department at Molem for their immense help during the field

work. We are thankful to Dr. M. K. Janarthanam, Professor, Goa University and Dr. V. S. Ghatge, Head of Botany group, Agharkar Research Institute, Pune for their help. Our thanks are also due to the authorities of BSI, CAL, DD and Goa University herbaria.

LITERATURE CITED

- Champion, H.G. and S.K. Seth. 1968. *A Revised Survey of the Forest Types of India*. Delhi: Manager of Publications. 404 p.
- Dalgado, D.G. 1898. *Fl. de Goa e Sawantwadi*. Lisbon : William F. Halle Books. 290 p.
- Karthikeyan, S. 2000. *A Statistical Analysis of Flowering Plants of India*; pp. 201-217 In N.P. Singh, D. K. Singh, P. K. Hajra and B.D. Sharma (ed.). *Flora of India- Introductory Volume (Part II)*. Kolkata : Botanical Survey of India.
- Karthikeyan, S., M. Sanjappa and S. Moorthy. 2009. *Flowering Plants of India, Dicotyledones*, vol 1. Kolkata: Botanical Survey of India. 365 p.
- Naik, R.N. 1995. *Management Plan for Bhagwan Mahaveer Wildlife Sanctuary, Molem*. Goa: Forest Department Goa. 147 p.
- Naithani, H.B., K.C. Sahni and S.S.R. Bennet. 1997. *Forest Flora of Goa*. Dehra Dun: International Book Distributors. 666 p.
- National Wildlife Database, Wildlife Institute of India. 2010. *Database of Protected areas of India*. Electronic Database accessible at http://www.wii.gov.in/index.php?option=com_content&view=article&id=144&Itemid=318. Captured on 12 August 2011.
- Rao, R.S. 1985-86. *Flora of Goa, Diu, Daman, Dadra and Nagarhaveli*. Vol. 1 & 2. Calcutta: Botanical Survey of India. 546 p.
- The Plant List 2010. Version 1. Electronic database available on <http://www.theplantlist.org> Captured on 26 November 2012.
- Vartak, V.D. 1966. *Enumeration of Plants from Gomantak*. Pune: Maharashtra Association for Cultivation of Science. 144 p.

RECEIVED: August 2011

ACCEPTED: December 2012

PUBLISHED ONLINE: April 2013

EDITORIAL RESPONSIBILITY: Angelo Gilberto Manzatto

Check List of Wild Angiosperms of Bhagwan Mahavir (Molem) National Park, Goa, India

Mandar Nilkanth Datar^{1*} and P. Lakshminarasimhan²

1 Agharkar Research Institute, G. G. Agarkar Road, Pune - 411 004. Maharashtra, India.

2 Central National Herbarium, Botanical Survey of India, P. O. Botanic Garden, Howrah - 711 103. West Bengal, India.

* Corresponding author E-mail: datarmandar@gmail.com

ERRATUM

Though most species in the figures are endemic, a few of them are not. So the legend of **Figures 2-5** (pages 188-191) should be: "Some plant species from the National Park (...)".

In **FIGURE 4**, page 190, "*mammea suriga*" should be *Mammea suriga*.

The authors regret these errors.

June 2013