

OPEN ACCESS



The Journal of Threatened Taxa (JoTT) is dedicated to building evidence for conservation globally by publishing peer-reviewed articles online every month at a reasonably rapid rate at www.threatenedtaxa.org. All articles published in JoTT are registered under [Creative Commons Attribution 4.0 International License](#) unless otherwise mentioned. JoTT allows unrestricted use, reproduction, and distribution of articles in any medium by providing adequate credit to the author(s) and the source of publication.

Journal of Threatened Taxa

Building evidence for conservation globally

www.threatenedtaxa.org

ISSN 0974-7907 (Online) | ISSN 0974-7893 (Print)

SHORT COMMUNICATION

A CHECKLIST OF FISHES OF TELANGANA STATE, INDIA

Kante Krishna Prasad & Chelmala Srinivasulu

26 April 2021 | Vol. 13 | No. 5 | Pages: 18324–18343

DOI: [10.11609/jott.6714.13.5.18324-18343](https://doi.org/10.11609/jott.6714.13.5.18324-18343)



For Focus, Scope, Aims, and Policies, visit https://threatenedtaxa.org/index.php/JoTT/aims_scope

For Article Submission Guidelines, visit <https://threatenedtaxa.org/index.php/JoTT/about/submissions>

For Policies against Scientific Misconduct, visit https://threatenedtaxa.org/index.php/JoTT/policies_various

For reprints, contact <ravi@threatenedtaxa.org>

The opinions expressed by the authors do not reflect the views of the Journal of Threatened Taxa, Wildlife Information Liaison Development Society, Zoo Outreach Organization, or any of the partners. The journal, the publisher, the host, and the partners are not responsible for the accuracy of the political boundaries shown in the maps by the authors.

Member



Publisher & Host





A checklist of fishes of Telangana State, India

Kante Krishna Prasad¹ & Chelmala Srinivasulu²

^{1,2} Natural History Museum and Wildlife Biology and Taxonomy Lab, Department of Zoology, University College of Science, Osmania University, Hyderabad, Telangana 500007, India.

² Centre for Biodiversity and Conservation Studies, Osmania University, Hyderabad, Telangana 500007, India.

² Systematics, Ecology & Conservation Laboratory, Zoo Outreach Organization, No. 12 Thiruvannamalai Nagar, Saravanampatti, Coimbatore, Tamil Nadu 641035, India.

¹ kpmanjeera@gmail.com, ² chelmala.srinivasulu@osmania.ac.in (corresponding author)

Abstract: A checklist of freshwater fishes of Telangana State, India including accepted common name, vernacular name, IUCN status, and endemism is presented. Freshwater fish diversity of Telangana State is represented by 143 species belonging to 14 orders and 34 families. Two species, *Rita bakalu* and *Indoreonectes telanganaensis* are endemic to Telangana State.

Keywords: Freshwater fish, ichthyofauna, Godavari River basin, Krishna River basin.

Telangana State (15.835–19.917 °N, 77.238–81.307 °E), located on the Deccan Plateau in the south central part of peninsular India, was part of the erstwhile united Andhra Pradesh (1956–2014). Before this the region contributed to the major land area of Hyderabad State (1948–1956) and the erstwhile Princely State of Hyderabad (1724–1948). It encompasses an area of 1,12,077 km², and is drained by two major rivers, namely the Godavari and the Krishna along with their major and minor tributaries. Some important minor rivers

include Dhundhubhi, Dindi, Haridra, Indravati, Kadam, Kagna, Kinnerasani, Manair, Manjeera, Munneru, Musi, Paleru, Peddavagu, Taliperu, Tungabhadra, Wainganga, and Wyra. Numerous natural and man-made water bodies also dot the landscape among which the major ones include Alisagar Reservoir, Annaram Barrage, Chelmanavagu Project, Devadula, Dindi, Dummugudem, Gollavagu, Gundrevula, Himayath Sagar, Icchampally, Jonnalaboguda, Jurala, Kadam, Kanthapally, Kinnerasani, Koilsagar, Laknavaram, Lendi, Lower Jurala Lower Manair, Manjeera, Medigadda, Mid Manair, Musi Reservoir, Mylaram Reservoir, Nagarjuna Sagar Reservoir, Nawabpet, Neelwai, Nizam Sagar, Osman Sagar, Pakhala, Palair, Palakurthy, Pedavagu, Pocharam, Pranahita Chevella, Rajolibanda, Ralevagu, Ramanpad, Rangaiah-Yerraiah, Sadarmat, Salivagu, Sathnala, Shanigaram, Shankara Samudram Balancing Reservoir, Singotam, Singur, Sriram Sagar, Tapaspalli Reservoir, Thotapally Reservoir, Udaya Samudram, Upper Manair

Editor: Rajeev Raghavan, Kerala University of Fisheries & Ocean Studies, Kochi, India.

Date of publication: 26 April 2021 (online & print)

Citation: Prasad, K.K. & C. Srinivasulu (2021). A checklist of fishes of Telangana State, India. *Journal of Threatened Taxa* 13(5): 18324–18343. <https://doi.org/10.11609/jott.6714.13.5.18324-18343>

Copyright: © Prasad & Srinivasulu 2021. Creative Commons Attribution 4.0 International License. JoTT allows unrestricted use, reproduction, and distribution of this article in any medium by providing adequate credit to the author(s) and the source of publication.

Funding: University Grants Commission, New Delhi, and RUSA 2.0 project of MHRD, Govt. of India.

Competing interests: The authors declare no competing interests.

Acknowledgements: We acknowledge the head, Department of Zoology, University College of Science, Osmania University, Hyderabad for providing facilities and encouragement. We acknowledge the research fundings from University Grants Commission (UGC), New Delhi (to KKP) and from MHRD-RUSA 2.0 project (to CS). We also thank all our friends and colleagues to have assisted us in the field surveys.





Dam, Vattivagu, Wyra, and Yellampalli.

Studies on the freshwater fish diversity of Telengana State dates back to late 19th century (Day 1876). This was followed by the work of Das (1924, 1944) who presented and published accounts of fishes in Hyderabad in the proceedings of the Indian Science Congress, and later by Rahimullah & Das (1935, 1936) in 12th volume of Bulletin de la Société Portugaise des Sciences Naturelles. Comprehensive research on fishes of the erstwhile Hyderabad State was initiated by Rahimullah (1943a,b, 1944) and Mahmood & Rahimullah (1947). Other significant literature on the fishes of Godavari and Krishna river basins in the erstwhile Hyderabad State, Madras Presidency, and united Andhra Pradesh include those by David (1963a,b), Jhingran (1983), Rao & Reddy (1984), Talwar & Jhingran (1991a,b), Menon (1999, 2004), and Jayaram (1981, 1995, 1999, 2010).

Freshwater fish diversity of united Andhra Pradesh was studied and documented by Barman (1993) who reported the occurrence of 158 species belonging to 68 genera in 27 families and 10 orders. Later, Barman (2003) reported 39 species belonging to 26 genera, 12 families, and five orders occurring in the Koil Sagar, Mahabubnagar District. Chandrasekhar (2004) reported 65 species belonging to 36 genera spread over 13 families and five orders from tanks, lakes, and reservoirs in Hyderabad and environs. Recently, Rao et al. (2010, 2011) reported 24 species of fish belonging to 12 families and six orders from Pocharam Lake, and 22 species under 11 families and six orders from Wyra Lake, respectively.

Over the last few years, several new species of fish were described from this region. This includes a new species of bagrid catfish *Rita bakalu* from Pranahita River (Lal et al. 2017) and a new species of hillstream loach *Indoreonectes telanganaensis* (Prasad et al. 2020b). Prasad & Srinivasulu (2019a,b) provided new records of fishes from Telangana State, while Shyamsundar et al. (2017) and Prasad et al. (2020a) reported the checklist of freshwater fish fauna in the Udayasamudram and Manjeera reservoirs, respectively.

In recent years, numerous research papers in conference proceedings, theses, and predatory journals have been published on fish diversity of various lakes, reservoirs and rivers of Telengana State. Attempts have also been made to provide a comprehensive list of fishes known to occur in water bodies in Telengana State, including two such compilations by Srivastava et al. (2017), and Khartade et al. (2019).

METHODS

For the present checklist, we researched and critically analysed all published (both peer-reviewed and non peer-reviewed) literature and also relied on field surveys conducted since 2010 in various parts of Telengana State. We have also provided explanation for deletion of the taxa earlier recorded in literature, and appeal to future workers to collect voucher specimens to report additions to the fish diversity of Telengana State.

RESULTS AND DISCUSSION

In this checklist, 143 species of freshwater fishes in 14 orders and 34 families are listed (Table 1; Images 1–86), of which two species (*Rita bakalu* Lal et al., 2017 and *Indoreonectes telanganaensis* Prasad et al., 2020) are endemic to Telengana State, while 39 are endemic to India (30 to peninsular India), 11 species endemic to southern Asia (eight species from India and Sri Lanka, three species from peninsular India, three species from Bangladesh and India), and one species from India and Myanmar. As per the IUCN Red List of Threatened Species, the fish diversity of Telengana State includes 12 threatened species (including seven endangered species, namely, *Bangana nukta*, *Clarias magur*, *Hypselobarbus curmuca*, *Hypselobarbus mussullah*, *Labeo potail*, *Thynnichthys sandkhola* and *Silonia childreni*, and five vulnerable species, namely, *Cirrhinus cirrhirosus*, *Gagata itchkeea*, *Hypselobarbus kolas*, *Salmostoma horai* and *Wallago attu*). As many as 13 species (*Clarias gariepinus*, *Ctenopharyngodon idella*, *Cyprinus carpio*, *Gambusia affinis*, *Hypophthalmichthys molitrix*, *H. nobilis*, *Oreochromis mossambicus*, *O. niloticus*, *Osphronemus goramy*, *Pangasianodon hypophthalmus*, *Piaractus brachypomus*, *Poecilia reticulata*, and *Pterygoplichthys pardalis*) are introduced or exotic species, some of which have negative impacts on native fish fauna.

While compiling this list 43 species which were included in earlier publications and checklist have been removed due to taxonomic reasons and / or distribution mismatch (Table 2).

REFERENCES

- Abraham, R. (2011a).** *Amblypharyngodon meletinus*. The IUCN Red List of Threatened Species 2011: e.T172316A6866139. Downloaded on 06 June 2020. <https://doi.org/10.2305/IUCN.UK.2011-1.RLTS.T172316A6866139.en>
- Abraham, R. (2011b).** *Longischistura striatus*. The IUCN Red List of Threatened Species 2011: e.T172494A6903647. Downloaded on 12 June 2020. <https://doi.org/10.2305/IUCN.UK.2011-1.RLTS.T172494A6903647.en>
- Abraham, R. (2011c).** *Mystus malabaricus*. The IUCN Red List of Threatened Species 2011: e.T172343A6872439. Downloaded on 12 June 2020. <https://doi.org/10.2305/IUCN.UK.2011-1.RLTS.T172343A6872439.en>

**Table 1. Checklist of fishes of Telangana State, India**

	English name	Species	Authority	Vernacular name	IUCN RL	Endemicity
I. ORDER ANGUILLIFORMES						
1. Family Ophichthidae						
1	Rice-paddy Eel ¹	<i>Pisodonophis boro</i>	(Hamilton, 1822)		LC	
2. Family Anguillidae						
2	Indian Mottled Eel	<i>Anguilla bengalensis</i>	(Gray, 1831)	Dungoo Maigoo	NT	
II. ORDER OSTEOGLOSSIFORMES						
3. Family Notopteridae						
3	Bronze Featherback	<i>Notopterus synurus</i>	(Bloch & Schneider, 1801)	Mangalikatti	LC	
4	Knifefish ²	<i>Chitala chitala</i>	(Hamilton, 1822)	Mangalikatti	NT	
III. ORDER CLUPEIFORMES						
4. Family Clupeidae						
5	Ganges River Sprat ³	<i>Corica soborna</i>	Hamilton, 1822		LC	
6	Ilisha	<i>Tenualoasa ilisha</i>	(Hamilton, 1822)	Pulasa	LC	
IV. ORDER CYPRINIFORMES						
5. Family Cobitidae						
7	Guntia Loach	<i>Lepidocephalichthys guntea</i>	(Hamilton, 1822)	Ulchal	LC	
8	Common Spiny Loach	<i>Lepidocephalichthys thermalis</i>	(Valenciennes, 1846)	Asira	LC	PI & SL
6. Family Nemacheilidae						
9	Telangana Loach ⁴	<i>Indoreonectes telanganaensis</i>	Prasad et al., 2020	Sanna ulshalu	NE	TS
10	Mottled Loach	<i>Paracanthocobitis cf. botia</i>	(Hamilton, 1822)	Buddulche	LC	
11	Murangi	<i>Paracanthocobitis mooreh</i>	(Sykes, 1839)	Jerri chepa	LC	PI
12	Denison's Loach	<i>Schistura denisoni</i>	(Day, 1867)	Ulsha	LC	IN
7. Family Cyprinidae						
13	Nukta ⁵	<i>Bangana nukta</i>	(Sykes, 1839)	Mukkidichepa	EN	PI
14	Carnatic Carp ⁶	<i>Barbodes carnaticus</i>	(Jerdon, 1849)		LC	PI
15	Mrigal Carp	<i>Cirrhinus cirrhosus</i>	(Bloch, 1795)	Aruzu	VU	
16	Mrigal Carp	<i>Cirrhinus mrigala</i>	(Hamilton, 1822)	Yerra Mosu	LC	
17	Reba Carp	<i>Cirrhinus reba</i>	(Hamilton, 1822)	Eele Mosu	LC	
18	Common Carp	<i>Cyprinus carpio*</i>	Linnaeus, 1758	Bangaru Teega		
19	Blackspot Barb	<i>Dawkinsia filamentosa</i>	(Valenciennes, 1844)	Chevalle-sevvali	LC	PI
20	Sucker Head	<i>Garra gotyla</i>	(Gray 1830)	Banda Pakiri	LC	
21	Sucker Fish	<i>Garra mullya</i>	(Sykes, 1839)	Banda Pakiri	LC	PI
22	Nilgiris Garra	<i>Garra stenorhynchus</i>	(Jerdon, 1849)	Kalgawa	LC	PI
23	Reba	<i>Gymnostomus ariza</i>	(Hamilton, 1807)	Arju	LC	
24	Deccan White Carp	<i>Gymnostomus fulungee</i>	(Sykes, 1839)	Mosu	LC	PI
25	Curmuca Barb ⁷	<i>Hypselobarbus curmuca</i>	(Hamilton, 1807)	Curmuca	EN	PI
26	Jerdon's Carp	<i>Hypselobarbus jerdoni</i>	(Day, 1870)	Cha-meen	LC	PI
27	Kolus	<i>Hypselobarbus kolus</i>	(Sykes, 1839)	Nilusu	VU	PI
28	Humpback Mahseer	<i>Hypselobarbus mussullah</i>	(Sykes, 1839)	Goonimansoor	EN	PI
29	Bata	<i>Labeo bata</i>	(Hamilton, 1822)	Kangu	LC	
30	Boga Labeo	<i>Labeo boga</i>	(Hamilton, 1822)	Ariza	LC	



	English name	Species	Authority	Vernacular name	IUCN RL	Endemicity
31	Boggut Labeo	<i>Labeo boggut</i>	(Sykes, 1839)	Nusigadu	LC	
32	Orangefin Labeo	<i>Labeo calbasu</i>	(Hamilton, 1822)	Kaki-bocha	LC	
33	Catla	<i>Labeo catla</i>	(Hamilton, 1822)	Bocha	LC	
34	Fringed-lipped Peninsula Carp	<i>Labeo fimbriatus</i>	(Bloch, 1795)	Chitra	LC	
35	Kuria Labeo ⁸	<i>Labeo gonioides</i>	(Hamilton, 1822)	Mosoo	LC	
36	Deccan Labeo	<i>Labeo kawrus</i>	(Sykes, 1839)		LC	PI
37	Pangusia Labeo	<i>Labeo pangusia</i>	(Hamilton, 1822)	Done-chepa	NT	
38	Bombay Labeo	<i>Labeo porcellus</i>	(Heckel, 1844)	Moyya	LC	PI
39	Deccan Labeo	<i>Labeo potail</i>	(Sykes, 1839)	Baman-chapra	EN	PI
40	Roho Labeo	<i>Labeo rohita</i>	(Hamilton, 1822)	ROUTA	LC	
41	Peninsular Osteobrama	<i>Osteobrama peninsularis</i>	Silas, 1952	Dammisa	NE	PI
42	Nilgiri Osteobrama	<i>Osteobrama neilli</i>	(Day, 1873)		LC	PI
43	Godavari Osteobrama	<i>Osteobrama vigorsii</i>	(Sykes, 1839)	Kaydam-chepa	LC	PI
44	Konti Barb ⁹	<i>Osteochilichthys thomassi</i>	(Day, 1877)	Pedda Parka	LC	PI
45	Rosy Barb	<i>Pethia conchonius</i>	(Hamilton, 1822)	Perka-chepa	LC	
46	Golden Barb ¹⁰	<i>Pethia gelius</i>	(Hamilton, 1822)		LC	BD & IN
47	Ticto Barb	<i>Pethia ticto</i>	(Hamilton, 1822)	Parigi	LC	
48	Scarlet-banded Barb	<i>Puntius amphibius</i>	(Valenciennes, 1842)	Perka-chepa	DD	IN
49	Redside Barb	<i>Puntius bimaculatus</i>	(Bleeker, 1863)		LC	IN & SL
50	Swamp Barb	<i>Puntius chola</i>	(Hamilton, 1822)	Pakki	LC	
51	Long snouted Barb	<i>Puntius dorsalis</i>	(Jerdon, 1849)	Perka	LC	IN & SL
52	Wynaad Barb ¹¹	<i>Puntius melanostigma</i>	(Day, 1878)	Perka	NE	IN
53	Pool Barb	<i>Puntius sophore</i>	(Hamilton, 1822)	Chedu Parigi	LC	
54	Greenstripe Barb	<i>Puntius vittatus</i>	Day, 1865	Parigi chepa	LC	IN & SL
55	Vatani Rohtee	<i>Rohtee ogilbii</i>	Sykes, 1839	Aku chepa	LC	PI
56	Olive Barb	<i>Systemorus sarana</i>	(Hamilton, 1822)	Kanugu	LC	
57	Stone Roller ¹²	<i>Tariqilabeo latius</i>	(Hamilton, 1822)		LC	
58	Sandkholt Carp	<i>Thynnichthys sandkhol</i>	(Sykes, 1839)	Thalasigadu	EN	PI
59	Deccan Mahseer	<i>Tor khudree</i>	(Sykes, 1839)	Kudis	LC	IN & SL

8. Family Danionidae

60	Mola Carplet	<i>Amblypharyngodon mola</i>	(Hamilton, 1822)	Alan Chepa	LC	
61	Barred Baril	<i>Barilius barila</i>	(Hamilton, 1822)	Kodipe	LC	
62	Morari	<i>Cabdia morar</i>	(Hamilton, 1822)	Gitsu	LC	
63	Silver Hatchet Chela	<i>Chela cachius</i>	(Hamilton, 1822)	Getchu	LC	
64	Zebra Danio	<i>Danio rerio</i>	(Hamilton, 1822)	Chintaku-parega	LC	
65	Giant Danio	<i>Devario aequipinnatus</i>	(McClelland, 1839)	Nooltu	LC	
66	Sind Danio	<i>Devario devario</i>	(Hamilton, 1822)	Nooltu	LC	
67	Indian Flying Barb	<i>Esomus danica</i>	(Hamilton, 1822)	Meesagadu	LC	
68	Flying Barb ¹³	<i>Esomus thermocicos</i>	(Valenciennes, 1842)	Meesagadu	LC	PI & SL
69	Indian Glass Barb	<i>Laubuka laubuca</i>	(Hamilton, 1822)	Getchu	LC	
70	Barna Baril	<i>Opsarius barna</i>	(Hamilton, 1822)	Kodipe	LC	
71	Hamilton's Baril	<i>Opsarius bendelisis</i>	(Hamilton, 1807)	Kodipe	LC	



	English name	Species	Authority	Vernacular name	IUCN RL	Endemicity
72	Slender Rasbora	<i>Rasbora daniconius</i>	(Hamilton, 1822)	Narangi	LC	
73	Gangetic Scissortail Rasbora	<i>Rasbora rasbora</i>	(Hamilton, 1822)	Kodipe-chepta	LC	
74	Silver Razorbelly Minnow	<i>Salmostoma acinaces</i>	(Valenciennes, 1844)		LC	PI
75	Large Razorbelly Minnow	<i>Salmostoma bacaila</i>	(Hamilton, 1822)	Chandamama	LC	
76	Bloch Razorbelly Minnow	<i>Salmostoma balookee</i>	(Sykes, 1839)	Ichkey	LC	PI
77	Boopis Razorbelly Minnow	<i>Salmostoma boopis</i>	(Day, 1874)	Chela	LC	PI
78	Hora Razorbelly Minnow	<i>Salmostoma horai</i>	(Silas, 1951)	Chela	VU	IN
79	Novacula Razorbelly Minnow	<i>Salmostoma novacula</i>	(Valenciennes, 1838)	Chandamama	LC	PI
80	Finescale Razorbelly Minnow	<i>Salmostoma phulo</i>	(Hamilton, 1822)	Blancha	LC	
81	Mahanadi Razorbelly Minnow	<i>Salmostoma untrahi</i>	(Day, 1869)	Chela	LC	IN

9. Family Xenocyprididae

82	Grass Carp	<i>Ctenopharyngodon idella</i> *	(Valenciennes, 1844)	Ela-mosa		
83	Silver Carp	<i>Hypophthalmichthys molitrix</i> *	(Valenciennes, 1844)	Vendi chepta		
84	Big-head Carp	<i>Hypophthalmichthys nobilis</i> *	(Richardson, 1845)			

V. ORDER CHARACIFORMES**10. Family Characidae**

85	Red-bellied Pacu	<i>Piaractus brachypomus</i> *	(Cuvier, 1818)	Pacu		
----	------------------	--------------------------------	----------------	------	--	--

VI. ORDER SILURIFORMES**11. Family Loricariidae**

86	Amazon Sailfin Catfish	<i>Pterygoplichthys pardalis</i> *	(Castelnau, 1855)	Dayyam-chepta		
----	------------------------	------------------------------------	-------------------	---------------	--	--

12. Family Ailiidae

87	Goongwaree Vacha	<i>Eutropiichthys goongwaree</i>	(Sykes, 1839)	Gaddamsiluva	DD	IN & MM
88	Indian Taakree	<i>Proeutropiichthys taakree</i>	(Sykes, 1839)	Siriva-jella	LC	IN
89	Schilbid Catfish	<i>Silonia childreni</i>	(Sykes, 1839)	Pedda-jella	EN	PI

13. Family Horabagridae

90	Khavalchor Catfish ¹⁴	<i>Pachypterus khavalchor</i>	(Kulkarni, 1952)		DD	PI
----	----------------------------------	-------------------------------	------------------	--	----	----

14. Family Bagridae

91	Krishna Mystus	<i>Hemibagrus maydelli</i>	(Rössel, 1964)	Ponduga	LC	PI
92	Day's Mystus	<i>Mystus bleekeri</i>	(Day, 1877)	Narjella	LC	
93	Gangetic Mystus	<i>Mystus cavasius</i>	(Hamilton, 1822)	Thella-jella	LC	
94	Long Whiskers Catfish	<i>Mystus gulio</i>	(Hamilton, 1822)	Jella	LC	
95	Tengara Catfish	<i>Mystus tengara</i>	(Hamilton, 1822)	Jella	LC	BD & IN
96	Striped Dwarf Catfish	<i>Mystus vittatus</i>	(Bloch, 1794)	Erra-jella	LC	
97	Gogra Rita	<i>Rita gogra</i>	(Sykes, 1839)	Banki-yeddu	LC	IN
98	Deccan Rita	<i>Rita kuturnee</i>	(Sykes, 1839)	Bondu	LC	PI
99	Bakalu Rita ¹⁵	<i>Rita bakalu</i>	Lal et al., 2017	Bakalu	NE	TS
100	Long Whiskered Cat-fish	<i>Sperata aor</i>	(Hamilton, 1822)	Mukkul-jella	LC	
101	Giant River-catfish	<i>Sperata seenghala</i>	(Sykes, 1839)	Nara-jella	LC	



	English name	Species	Authority	Vernacular name	IUCN RL	Endemicity
15. Family Sisoridae						
102	Goonch	<i>Bagarius bagarius</i>	(Hamilton, 1822)	Raati jella	NT	
103	Deccan Nangra	<i>Gagata itchkeea</i>	(Sykes, 1839)	Menamama Bakkalu	VU	PI
104	Mountain Catfish	<i>Glyptothorax ionah</i>	(Sykes, 1839)		LC	IN
16. Family Pangasiidae						
105	Pangas Catfish	<i>Pangasius pangasius</i>	(Hamilton, 1822)	Banka-jella	LC	
106	Sutchi Catfish	<i>Pangasianodon hypophthalmus*</i>	(Sauvage, 1878)	Choluva-jella		
107	Silas' Catfish ¹⁶	<i>Pangasius silasi</i>	Dwivedi et al. 2017	Banka-jella	NE	PI
17. Family Siluridae						
108	Butter Catfish	<i>Ompok bimaculatus</i>	(Bloch, 1794)	Theenuva	NT	
109	Pabdah Catfish	<i>Ompok pabda</i>	(Hamilton, 1822)	Gogli	NT	BD & IN
110	Pabo Catfish	<i>Ompok pabo</i>	(Hamilton, 1822)	Theduva	NT	
111	Wallago	<i>Wallago attu</i>	(Bloch & Schneider, 1801)	Valuga	VU	
18. Family Clariidae						
112	Magur	<i>Clarias magur</i>	(Hamilton, 1822)	Marpo	EN	
113	African Catfish	<i>Clarias gariepinus*</i>	(Burchell, 1822)			
19. Family Heteropneustidae						
114	Stinging Catfish	<i>Heteropneustes fossilis</i>	(Bloch, 1794)	Mapu-jella	LC	
VII. ORDER GOBIIFORMES						
20. Family Gobiidae						
115	Tank goby	<i>Glossogobius giuris</i>	(Hamilton, 1822)	Bullee-kokah	LC	
VIII. ORDER SYNBRANCHIFORMES						
21. Family Mastacembelidae						
116	Lesser Spiny Eel ¹⁷	<i>Macrognathus aral</i>	(Bloch & Schneider, 1801)	Bommidai	LC	
117	Barred Spiny Eel	<i>Macrognathus pancalus</i>	Hamilton, 1822	Parparaal	LC	
118	Zig-zag Eel	<i>Mastacembelus armatus</i>	(Lacepède, 1800)	Kontemukku	LC	
IX. ORDER ANABANTIFORMES						
22. Family Anabantidae						
119	Climbing Perch	<i>Anabas testudineus</i>	(Bloch, 1792)	Goraka Chepa	LC	
23. Family Osphronemidae						
120	Giant Gourami	<i>Osphronemus goramy*</i>	Lacepède, 1801	Gourami		
121	Dwarf Gourami ¹⁸	<i>Trichogaster lalius</i>	(Hamilton, 1822)	Chinna Gourami	LC	
122	Banded Gourami	<i>Trichogaster fasciata</i>	Bloch & Schneider, 1801	Raika-punjee	LC	
24. Family Channidae						
123	Dwarf Snakehead	<i>Channa gachua</i>	(Hamilton, 1822)	Erra Matta	LC	
124	Great Snakehead	<i>Channa marulius</i>	(Hamilton, 1822)	Poola Matta	LC	
125	Spotted Snakehead	<i>Channa punctata</i>	(Bloch, 1793)	Matta	LC	
126	Striped Snakehead	<i>Channa striata</i>	(Bloch, 1793)	Koramata	LC	
25. Family Nandidae						
127	Gangetic Leaffish	<i>Nandus nandus</i>	(Hamilton, 1822)	Pindiperka	LC	
26. Family Badidae						
128	Badis ¹⁹	<i>Badis badis</i>	(Hamilton, 1822)	Kundala	LC	



	English name	Species	Authority	Vernacular name	IUCN RL	Endemicity
X. ORDER CICHLIFORMES						
27. Family Cichlidae`						
129	Pearlspot	<i>Etroplus suratensis</i>	(Bloch, 1790)	Duvvena-chepta	LC	IN & SL
130	Mozambique Tilapia	<i>Oreochromis mossambicus*</i>	(Peters, 1852)	Jilebi		
131	Nile Tilapia	<i>Oreochromis niloticus*</i>	(Linnaeus, 1758)	Tilapia		
132	Orange Chromide	<i>Pseudetroplus maculatus</i>	(Bloch, 1795)	Burakasu	LC	PI & SL
XI. ORDER CYPRINODONTIFORMES						
28. Family Aplocheilidae						
133	Striped Panchax	<i>Aplocheilus lineatus</i>	(Valenciennes, 1846)	Minnow Chepa	LC	IN
134	Blue Panchax	<i>Aplocheilus panchax</i>	(Hamilton, 1822)	Minnow Chepa	LC	
29. Family Poeciliidae						
135	Mosquito Fish	<i>Gambusia affinis*</i>	(Baird & Girard, 1853)	Gambusia		
136	Guppy	<i>Poecilia reticulata*</i>	Peters, 1859	Guppy Cheppa		
XII. ORDER BELONIFORMES						
30. Family Belonidae						
137	Freshwater Garfish	<i>Xenentodon cancila</i>	(Hamilton, 1822)	Vadla-mukku	LC	
31. Family Hemiramphidae						
138	Congaturi Halfbeak	<i>Hyporhamphus limbatus</i>	(Valenciennes, 1847)	Konga-mukku	LC	
32. Family Adrianichthyidae						
139	Rice Fish	<i>Oryzias dancena</i>	(Hamilton, 1822)	Chukku-chepta	LC	
XIII. ORDER MUGILIFORMES						
33. Family Mugilidae						
140	Corsula	<i>Rhinomugil corsula</i>	(Hamilton, 1822)	Pai-kalla Chepa	LC	
XIV. ORDER PERCIFORMES						
34. Family Ambassidae						
141	Elongate Glass-perchlet	<i>Chanda nama</i>	Hamilton, 1822	Sarawara	LC	
142	Highfin Glassy-perchlet	<i>Parambassis lala</i>	(Hamilton, 1822)		NT	
143	Indian Glassy Fish	<i>Parambassis ranga</i>	(Hamilton, 1822)	Sarawa	LC	

DD—Data Deficient | EN—Endangered | LC—Least Concern | NE—Not Evaluated | NT—Near Threatened | VU—Vulnerable | BD—Bangladesh | IN—India | MM—Myanmar | PI—Peninsular India | SL—Sri Lanka | TS—Telangana State | *—Introduced / exotic species

¹Known from Udayasamudram Reservoir, Nalgonda District (R. Shyamsundar pers. comm.)

²Known from Talai near Bejjur, Komaram Bheem Asifabad District (present study)

³Known from Komaram Bheem Asifabad District (Prasad et al. 2020c)

⁴Known from the type locality- Maisamma Loddii, In Kaval Tiger Reserve, Mancheriyal District (Prasad et al. 2020b)

⁵Known from Srisailam Reservoir, Nagarkurnool District (Jayaram 1995)

⁶Known from Jamkhandi to Lingalagattu and up to Nagarjunasagar Reservoir (Jayaram 1995)

⁷Known from Nizam Sagar Reservoir, Kamareddy District (Barman 1993)

⁸Known from Godavari River flowing through Bhadravati Kothagudem District (Barman 1993)

⁹Known from Krishna River between Rekulampally to Nagarjunasagar Dam (Jayaram 1995)

¹⁰Known from Godavari River, Peddapalli district and Nizam Sagar Reservoir, Kamareddy District (Barman 1993)

¹¹Known from Krishna River (no exact location known, vide David 1963a), and Bejjur, Komaram Bheem Asifabad District (present study)

¹²Known from Krishna River between Rekulampally to Srisailam Dam (Jayaram 1995), and Hyderabad environs (Chandrasekhar 2004)

¹³Known from Janampeta and Koil Sagar Reservoir in Mahabubnagar District (Barman 1993, 2003)

¹⁴Known from Krishna River between Jamkhandi to Lingalagattu (Jayaram 1995)

¹⁵Known from type locality - Talai near Bejjur, Komaram Bheem Asifabad District (Lal et al. 2017; present study)

¹⁶Known from Nagarjunasagar Reservoir, Krishna River in Nalgonda District (Dwivedi et al. 2017)

¹⁷Known from Phulang River, Nizamabad District (Barman 1993)

¹⁸Known from Pocharam Lake, Medak district and Molachintalpally, Nagarkurnool District (present study)

¹⁹Known only from Manjeera Reservoir (Prasad & Srinivasulu 2019b, Prasad et al. 2020a), and Wardha River, Komaram Bheem Asifabad District (present study)

**Table 2. Doubtful species removed from the final list of fishes known from Telangana State, India.**

Family	Order	Species	Reason	Reference
Anguilliformes	Anguillidae	<i>Anguilla bicolor</i> McClelland, 1844	On the eastern side of Indian peninsula, this species is known only from the coastal areas	Pike et al. (2019)
Beloniformes	Adrianichthyidae	<i>Oryzias melastigma</i> (McClelland, 1839)	This species is known only from Wyanad in Kerala and along east coast of India from Tamil Nadu to West Bengal	Abraham (2011d)
Cypriniformes	Hemiraphidae	<i>Hyporhamphus xanthopterus</i> (Valenciennes, 1847)	This species is endemic to the lakes of southern Kerala, Western Ghats	Shaji (2011)
	Cobitidae	<i>Lepidocephalichthys berdmorei</i> (Blyth, 1860)	This species is known only from Irrawaddy drainage in Manipur	Daniels & Dahanukar (2020)
		<i>Bangana diplostomus</i> (Heckel, 1838)	This species is known from Indus & Gangetic drainages in northern India and Pakistan	Vishwanath (2010a)
	Cyprinidae	<i>Garra lamta</i> (Hamilton, 1822)	Reports of this species from southern India needs verification	Singh (2010)
		<i>Garra mcclellandi</i> (Jerdon, 1849)	This species is endemic to Western Ghats, known from Tamil Nadu, Kerala, and Karnataka	Dahanukar (2011b)
		<i>Haludaria melanampyx</i> (Day, 1865)	This species is endemic to Western Ghats, known from Kerala and Karnataka	Abraham (2015)
		<i>Hypseleotris dobsoni</i> (Day, 1876)	Taxonomic uncertainty. This species is endemic to Western Ghats, known from Tamil Nadu, Kerala, Maharashtra, and Karnataka	Devi et al. (2005), Raghavan & Ali (2011b)
		<i>Labeo dussumieri</i> (Valenciennes, 1842)	This species is endemic to Western Ghats, known from southern Kerala	Raghavan & Ali (2011c)
		<i>Labeo dyocheilus</i> (McClelland, 1839)	This species is restricted to the Gangetic Plains and along the Himalayas in Assam, Uttar Pradesh, Uttarakhand, West Bengal, and Bihar	Dahanukar (2010b)
		<i>Labeo kontius</i> (Jerdon, 1849)	This species is restricted to the Cauveri river and its tributaries	Manimekalan (2011)
		<i>Labeo microphthalmus</i> Day, 1877	This species is restricted to Punjab, Uttar Pradesh, and Uttarakhand	Dahanukar (2010c)
		<i>Labeo nigrescens</i> Day, 1870	This species is restricted to Kerala and Karnataka	John & John (2004)
		<i>Osteobrama belangeri</i> (Valenciennes, 1844)	Presently <i>O. belangeri</i> is known only from Myanmar	Vishwanath (2010b)
		<i>Osteobrama cotio</i> (Hamilton, 1822)	All earlier records (Rahimullah 1943a,b, 1944; Mahmood & Rahimullah 1947; Barman 1993; Jayaram 1995; Prasad et al. 2020) assigned to this taxon are considered as <i>Osteobrama peninsularis</i> due to recent taxonomic changes recognizing specific status of taxa <i>cunma</i> and <i>peninsularis</i> , earlier considered subspecies of <i>Osteobrama cotio</i>	Rahman et al. (2018)
		<i>Osteobrama cunma</i> (Day, 1888)	See above remarks. All earlier records (Rahimullah 1943a,b, 1944; Mahmood & Rahimullah 1947; Barman 1993; Jayaram 1995) assigned to <i>O. peninsularis</i> . Presently <i>O. cunma</i> is known only from northeast India and Myanmar	Vishwanath (2010c)
		<i>Osteochilus nashii</i>	This species is restricted to Maharashtra, Karnataka, Kerala and Tamil Nadu. Earlier records of this taxon from Godavari and Krishna river basins could possibly represent <i>Osteochilichthys godavarensis</i> Babu Rao, 1977	Ali et al. (2011)
		<i>Pethia stoliczkanai</i> (Day, 1871)	This species is currently treated as restricted to Chindwin in Manipur, India and Myanmar and extends in range to Thailand and Laos	Dahanukar (2015)
		<i>Puntius parrah</i> Day, 1865	This species is restricted to Maharashtra, Karnataka, Kerala and Tamil Nadu.	Abraham (2011e)
		<i>Puntius terio</i> (Hamilton 1822)	This species' occurrence in Hyderabad needs validation, as this species occurs in Uttar Pradesh, Orissa, Assam, Meghalaya, West Bengal, Bihar, and Manipur	Dahanukar (2010a)
	Danionidae	<i>Amblypharyngodon microlepis</i> (Bleeker, 1853)	The records of this species from Andhra Pradesh comes from literature that reports its presence from Kadapa district with no exact location mentioned.	Barman (1993)


Family	Order	Species	Reason	Reference
Cypriniformes		<i>Amblypharyngodon meletinus</i> (Valenciennes, 1844)	This species is distributed along the coastal water bodies in Karnataka, Kerala, and Tamil Nadu	Abraham (2011a)
		<i>Bengala elanga</i> (Hamilton, 1822)	This species is restricted to West Bengal, Bihar, Assam, and Arunachal Pradesh	Vishwanath (2018)
		<i>Devario malabaricus</i> (Jerdon, 1849)	This species is restricted to Western Ghats, known from Karnataka, Goa, Tamil Nadu, Maharashtra, and Kerala, and Sri Lanka	Raghavan et al. (2019)
		<i>Opsarius bakeri</i> (Day, 1865)	This species is restricted to Western Ghats, known from Karnataka, Tamil Nadu, and Kerala	Dahanukar (2011a)
		<i>Rasbora caverii</i> (Jerdon, 1849)	Although, Barman (1993) mention collection of this taxon from Kalwala Reservoir, Karimnagar district, we discount this record as it could be misidentified <i>Rasbora</i> species, as the lateral line scales of the specimens are mentioned as 32, while <i>Rasbora caverii</i> has 36 to 37 lateral line scales	
	Nemacheilidae	<i>Nemacheilus anguilla</i> Annandale, 1919	This species is restricted to Western Ghats, known from Karnataka, Maharashtra, and Kerala	Ali & Raghavan (2011)
		<i>Schistura striata</i> (Day, 1867)	This species is restricted to Western Ghats, known from Karnataka, Tamil Nadu, and Kerala	Abraham (2011b)
Gobiiformes	Gobiidae	<i>Awaous grammepomus</i> (Bleeker, 1849)	This species is known from the coastal areas of India	Larson (2019)
Siluriformes	Ailiidae	<i>Ailia coila</i> (Hamilton, 1822)	This species does not occur in Godavari and Krishna river drainages, and occurs in northern river drainages in India	Ng & Dahanukar (2011)
		<i>Eutropiichthys vacha</i> (Hamilton, 1822)	This species does not occur in Godavari and Krishna river drainages, and occurs in Ganges and Mahanadi river drainages	Ng (2010a)
	Bagridae	<i>Hemibagrus menoda</i> (Hamilton, 1822)	This species is known from the Brahmaputra, Ganges and Mahanadi river drainages in India, Nepal, and Bangladesh	Ng (2010b)
		<i>Hemibagrus microphthalmus</i> (Day, 1877)	This species is known from the Irrawaddy, Sittang, and Salween river drainages in northeast India	Ng (2010c)
		<i>Hemibagrus punctatus</i> (Jerdon, 1849)	This species is endemic to Western Ghats, known from Tamil Nadu, Kerala, and Karnataka	Raghavan & Ali (2011a)
		<i>Mystus malabaricus</i> (Jerdon, 1849)	This species is endemic to Western Ghats, known from Tamil Nadu, Kerala, Maharashtra, and Karnataka	Abraham (2011c)
		<i>Mystus montanus</i> (Jerdon, 1849)	This species is endemic to Western Ghats, known from Tamil Nadu, Kerala, and Karnataka	Dahanukar (2011c)
		<i>Rita chrysea</i> Day, 1877	This species is restricted to Mahanadi river drainage, known from Odisha and Chhattisgarh	Dahanukar (2010d)
	Clariidae	<i>Clarias batrachus</i> (Linnaeus, 1758)	Due to recent taxonomic change this species has been restricted in distribution to Java, Indonesia, while the nomen <i>Clarias magur</i> (Hamilton, 1822) has been applied to this taxon occurring in Indian subcontinent. Hence, the nomen is not applicable to India	Ng & Kottelat (2008)
	Horabagridae	<i>Pachypterus atherinoides</i> (Bloch, 1794)	Although it is opined that the species may be probably extant in Telangana State, no confirmed record exists	Ng (2010d)
	Siluridae	<i>Ompok malabaricus</i> (Valenciennes, 1840)	This species is endemic to the Indian peninsula with its distribution ranging in Maharashtra, Goa and Karnataka and Kerala along the Western Ghats mountain range	Jayaram (2010)
		<i>Gogangra viridescens</i> (Hamilton, 1822)	This species is known from the Ganges and Brahmaputra river drainages in India and Nepal	Ng (2010e)
Synbranchiformes	Mastacembelidae	<i>Macrognathus guentheri</i> (Day, 1865)	This species is endemic to Western Ghats, known from Kerala	Dahanukar (2011d)



© K. Krishna Prasad

Image 1. *Anguilla bengalensis* (Gray, 1831)

© K. Krishna Prasad

Image 2. *Notopтерus synurus* (Bloch & Schneider, 1801)

© K. Krishna Prasad

Image 3. *Chitala chitala* (Hamilton, 1822)

© K. Krishna Prasad

Image 4. *Corica soborna* Hamilton, 1822

© K. Krishna Prasad

Image 5. *Lepidocephalichthys guntea* (Hamilton, 1822)

© K. Krishna Prasad

Image 6. *Lepidocephalichthys thermalis* (Valenciennes, 1846)

© K. Krishna Prasad

Image 7. *Indoreonectes telanganaensis* Prasad et al., 2020

© K. Krishna Prasad

Image 8. *Paracanthocobitis cf. botia* (Hamilton, 1822)

© K. Krishna Prasad

Image 9. *Paracanthocobitis cf. mooreh* (Sykes, 1839)

© K. Krishna Prasad

Image 10. *Schistura denisoni* (Day, 1867)



Image 11. *Cirrhinus reba* (Hamilton, 1822)



Image 12. *Cyprinus carpio* Linnaeus, 1758



Image 13. *Dawkinsia filamentosa* (Valenciennes, 1844)



Image 14. *Garra mullya* (Sykes, 1839)



Image 15. *Gymnostomus ariza* (Hamilton, 1807)



Image 16. *Hypselobarbus kolas* (Sykes, 1839)



Image 17. *Labeo calbasu* (Hamilton, 1822)



Image 18. *Labeo catla* (Hamilton, 1822)



Image 19. *Labeo porcellus* (Heckel, 1844)



Image 20. *Labeo rohita* (Hamilton, 1822)



© K. Krishna Prasad

Image 21. *Osteobrama peninsularis* Silas, 1952

© K. Krishna Prasad

Image 22. *Osteobrama vigorsii* (Sykes, 1839)

© K. Krishna Prasad

Image 23. *Pethia conchonius* (Hamilton, 1822)

© K. Krishna Prasad

Image 24. *Pethia gelius* (Hamilton, 1822)

© K. Krishna Prasad

Image 25. *Pethia ticto* (Hamilton, 1822)

© K. Krishna Prasad

Image 26. *Puntius amphibius* (Valenciennes, 1842)

© K. Krishna Prasad

Image 27. *Puntius bimaculatus* (Bleeker, 1863)

© K. Krishna Prasad

Image 28. *Puntius chola* (Hamilton, 1822)

© K. Krishna Prasad

Image 29. *Puntius sophore* (Hamilton, 1822)

© K. Krishna Prasad

Image 30. *Puntius vittatus* Day, 1865



© K. Krishna Prasad

Image 31. *Systemus sarana* (Hamilton, 1822)

© K. Krishna Prasad

Image 32. *Amblypharyngodon mola* (Hamilton, 1822)

© K. Krishna Prasad

Image 33. *Barilius barila* (Hamilton, 1822)

© K. Krishna Prasad

Image 34. *Danio rerio* (Hamilton, 1822)

© K. Krishna Prasad

Image 35. *Devario aequipinnatus* (McClelland, 1839)

© K. Krishna Prasad

Image 36. *Devario devario* (Hamilton, 1822)

© K. Krishna Prasad

Image 37. *Esmomus danrica* (Hamilton, 1822)

© K. Krishna Prasad

Image 38. *Laubuka laubuca* (Hamilton, 1822)

© K. Krishna Prasad

Image 39. *Opsarius bendelisis* (Hamilton, 1807)

© K. Krishna Prasad

Image 40. *Rasbora daniconius* (Hamilton, 1822)



© K. Krishna Prasad

Image 41. *Salmostoma bacaila* (Hamilton, 1822)

© K. Krishna Prasad

Image 42. *Salmostoma balookee* (Sykes, 1839)

© K. Krishna Prasad

Image 43. *Salmostoma phulo* (Hamilton, 1822)

© K. Krishna Prasad

Image 44. *Ctenopharyngodon idella* (Valenciennes, 1844)

© K. Krishna Prasad

Image 45. *Hypophthalmichthys molitrix* (Valenciennes, 1844)

© K. Krishna Prasad

Image 46. *Piaractus brachypomus* (Cuvier, 1818)

© K. Krishna Prasad

Image 47. *Proeutropiichthys taakree* (Sykes, 1839)

© K. Krishna Prasad

Image 48. *Mystus bleekeri* (Day, 1877)

© K. Krishna Prasad

Image 49. *Mystus cavasius* (Hamilton, 1822)

© K. Krishna Prasad

Image 50. *Mystus cf. vittatus* (Bloch, 1794)



Image 51. *Rita gogra* (Sykes, 1839)



Image 52. *Rita kuturnee* (Sykes, 1839)



Image 53. *Sperata aor* (Hamilton, 1822)



Image 54. *Sperata seenghala* (Sykes, 1839)



Image 55. *Bagarius bagarius* (Hamilton, 1822)



Image 56. *Gagata itchkeea* (Sykes, 1839)



Image 57. *Pangasius pangasius* (Hamilton, 1822)



Image 58. *Pangasianodon hypophthalmus* (Sauvage, 1878)




Image 59. *Ompok bimaculatus* (Bloch, 1794)



Image 60. *Wallago attu* (Bloch & Schneider, 1801)



© K. Krishna Prasad

Image 61. *Clarias magur* (Hamilton, 1822)

© K. Krishna Prasad

Image 62. *Heteropneustes fossilis* (Bloch, 1794)

© K. Krishna Prasad

Image 63. *Glossogobius giuris* (Hamilton, 1822)

© K. Krishna Prasad

Image 64. *Macrognathus panodus* Hamilton, 1822

© K. Krishna Prasad

Image 65. *Mastacembelus armatus* (Lacepède, 1800)

© K. Krishna Prasad

Image 66. *Trichogaster fasciata* Bloch & Schneider, 1801

© K. Krishna Prasad

Image 67. *Trichogaster iarius* (Hamilton, 1822)

© K. Krishna Prasad

Image 68. *Channa gachua* (Hamilton, 1822)

© K. Krishna Prasad

Image 69. *Channa marulius* (Hamilton, 1822)

© K. Krishna Prasad

Image 70. *Channa punctata* (Bloch, 1793)



Image 71. *Channa striata* (Bloch, 1793)



Image 72. *Badis badis* (Hamilton, 1822)



Image 73. *Etroplus suratensis* (Bloch, 1790)



Image 74. *Oreochromis mossambicus* (Peters, 1852)



Image 75. *Oreochromis niloticus* (Linnaeus, 1758)



Image 76. *Pseudetroplus maculatus* (Bloch, 1795)



Image 77. *Aplocheilus panchax* (Hamilton, 1822)



Image 78. *Gambusia affinis* (Baird & Girard, 1853)



Image 79. *Poecilia reticulata* Peters, 1859



Image 80. *Xenentodon cancila* (Hamilton, 1822)



© K. Krishna Prasad

Image 81. *Hyporhamphus limbatus* (Valenciennes, 1847)

© K. Krishna Prasad

Image 82. *Oryzias dancena* (Hamilton, 1822)

© K. Krishna Prasad

Image 83. *Rhinomugil corsula* (Hamilton, 1822)

© K. Krishna Prasad

Image 84. *Chanda nama* Hamilton, 1822

© K. Krishna Prasad

Image 85. *Parambassis lala* (Hamilton, 1822)

© K. Krishna Prasad

Image 86. *Parambassis ranga* (Hamilton, 1822)

T172343A6872439.en

Abraham, R. (2011d). *Oryzias melastigma*. The IUCN Red List of Threatened Species 2011: e.T172408A6886249. Downloaded on 13 June 2020. <https://doi.org/10.2305/IUCN.UK.2011-1.RLTS.T172408A6886249.en>

Abraham, R. (2011e). *Puntius parrah*. The IUCN Red List of Threatened Species 2011: e.T172380A6879630. Downloaded on 13 June 2020. <https://doi.org/10.2305/IUCN.UK.2011-1.RLTS.T172380A6879630.en>

Abraham, R. (2015). *Haludaria melanamphyx*. The IUCN Red List of Threatened Species 2015: e.T172427A70225441. Downloaded on 13 June 2020. <https://doi.org/10.2305/IUCN.UK.2015-1.RLTS.T172427A70225441.en>

Ali, A. & R. Raghavan (2011). *Nemacheilus anguilla*. The IUCN Red List of Threatened Species 2011: e.T172347A6873280. Downloaded on 12 June 2020. <https://doi.org/10.2305/IUCN.UK.2011-1.RLTS.T172347A6873280.en>

Ali, A., R. Raghavan & N. Dahanukar (2011). *Osteochilus nashii*. The IUCN Red List of Threatened Species 2011: e.T172453A6895151. Downloaded on 16 February 2021. <https://doi.org/10.2305/IUCN.UK.2011-1.RLTS.T172453A6895151.en>

Barman, R.P. (1993). Pisces - Freshwater fishes, pp. 89–334. In: *State Fauna Series 5, Fauna of Andhra Pradesh, Part I*. Zoological Survey of India, Kolkata, 334pp.

Barman, R.P. (2003). On the fish fauna of Koil Sagar, Mahbubnagar District, Andhra Pradesh, South India with suggestions for conservation of its vulnerable species. *Records of the Zoological*

Survey of India 101(3&4): 109–114.

Chandrasekhar, S.V.A. (2004). Fish fauna of Hyderabad and its environs. *Zoos' Print Journal* 19(7): 1530–1533. <https://doi.org/10.11609/JOT.ZPJ.900.1530-3>

Dahanukar, N. (2010a). *Puntius terio*. The IUCN Red List of Threatened Species 2010: e.T166560A6236743. Downloaded on 08 June 2020. <https://doi.org/10.2305/IUCN.UK.2010-4.RLTS.T166560A6236743.en>

Dahanukar, N. (2010b). *Labeo dyocheilus*. The IUCN Red List of Threatened Species 2010: e.T166625A6249964. Downloaded on 26 July 2020. <https://doi.org/10.2305/IUCN.UK.2010-4.RLTS.T166625A6249964.en>

Dahanukar, N. (2010c). *Labeo microphthalmus*. The IUCN Red List of Threatened Species 2010: e.T168354A6481613. Downloaded on 26 July 2020. <https://doi.org/10.2305/IUCN.UK.2010-4.RLTS.T168354A6481613.en>

Dahanukar, N. (2010d). *Rita chrysea*. The IUCN Red List of Threatened Species 2011: e.T172484A6901658. Downloaded on 26 July 2020. <https://doi.org/10.2305/IUCN.UK.2011-1.RLTS.T172484A6901658.en>

Dahanukar, N. (2011a). *Barilius bakeri*. The IUCN Red List of Threatened Species 2011: e.T169603A6652158. Downloaded on 08 June 2020. <https://doi.org/10.2305/IUCN.UK.2011-1.RLTS.T169603A6652158.en>

Dahanukar, N. (2011b). *Garra mcclellandii*. The IUCN Red List of Threatened Species 2011: e.T166457A6213592. Downloaded on 10 June 2020. <https://doi.org/10.2305/IUCN.UK.2011-1.RLTS.T166457A6213592.en>

- T166457A6213592.en
- Dahanukar, N. (2011c).** *Mystus montanus*. The IUCN Red List of Threatened Species 2011: e.T166516A6226438. Downloaded on 12 June 2020. <https://doi.org/10.2305/IUCN.UK.2011-1.RLTS.T166516A6226438.en>
- Dahanukar, N. (2011d).** *Macrognathus guentheri*. The IUCN Red List of Threatened Species 2011: e.T166473A6216778. Downloaded on 26 July 2020. <https://doi.org/10.2305/IUCN.UK.2011-1.RLTS.T166473A6216778.en>
- Dahanukar, N. (2015).** *Pethia stoliczkanai*. The IUCN Red List of Threatened Species 2015: e.T168504A70417496. Downloaded on 08 June 2020. <https://doi.org/10.2305/IUCN.UK.2015-1.RLTS.T168504A70417496.en>
- Daniels, A. & N. Dahanukar (2020).** *Lepidocephalichthys berdmorei*. The IUCN Red List of Threatened Species 2020: e.T166401A91092813. Downloaded on 26 July 2020. <https://doi.org/10.2305/IUCN.UK.2020-2.RLTS.T166401A91092813.en>
- David, A. (1963a).** Studies on fish and fisheries of the Godavari and Krishna river systems. Part I. *Proceedings of the National Academy of Science, India* 33B(2): 263–286.
- David, A. (1963b).** Studies on fish and fisheries of the Godavari and Krishna river systems. Part II. *Proceedings of the National Academy of Science, India* 33B(2): 287–293.
- Day, F. (1876).** On some of the Fishes of the Deccan. *Journal of the Linnean Society of London, Zoology* 12(64), 565–578. <https://doi.org/10.1111/j.1096-3642.1876.tb00232.x>
- Devi, K.R., T.J. Indra, M.B. Raghunathan & M.S. Ravichandran (2005).** Fish fauna of the Anamalai Hill Ranges, Western Ghats, India. *Zoos' Print Journal* 20(3): 1809–1811. <https://doi.org/10.11609/jotZPJ.1164a.1809-11>
- Dwivedi, A.K., B.K. Gupta, R.K. Singh, V. Mohindra, S. Chandra, S. Easawarn, J. Jena & K.K. Lal (2017).** Cryptic diversity in the Indian clade of the catfish family Pangasiidae resolved by the description of a new species. *Hydrobiologia* 797(1): 351–370. <https://doi.org/10.1007/s10750-017-3198-z>
- Jayaram, K.C. (1981).** *The Freshwater Fishes of India, Pakistan, Bangladesh, Burma and Sri Lanka - A Handbook*. Zoological Survey of India, Calcutta, xxii+475pp.
- Jayaram, K.C. (1995).** *The Krishna River System: A bioresources study*. Records of the Zoological Survey of India, Occasional Paper No. 160, 167pp.
- Jayaram, K.C. (1999).** *The Freshwater Fishes of the Indian Region*. Narendra Publishing House, Delhi, 551pp.
- Jayaram, K.C. (2010).** *The Freshwater Fishes of the Indian Region. 2nd edition*. Narendra Publishing House, Delhi, 616pp.
- Jhingran, V.G. (1983).** *Fish and Fisheries of India (Revised 2nd edition)*. Hindustan Publishing Corporation, New Delhi, 666pp.
- John, P.T. & K.C. John (2004).** *Labeo nigriceps* Day, 1870 (Pisces: Cypriniformes: Cyprinidae), a new record from Kerala. *Zoos' Print Journal* 19(7): 1520–1521. <https://doi.org/10.11609/jotZPJ.1073.1520-1>
- Khartade, K.S., C. Srinivasulu, C.S. Reddy, D. Jaiswal, D. Ramaiyan, F. Tampal, G. Sailu, J. Swamy, Karuthapandi, L. Rasingam, S.S. JadHAV & V.V. Rao (2019).** *Telangana State Biodiversity Field Guide*. Telangana State Biodiversity Board, Hyderabad, Telangana State, India, xvii+293pp.
- Lal, K.K., A.K. Dwivedi, R.K. Singh, V. Mohindra, S. Chandra, B.K. Gupta, S. Dhawan & J. Jena (2017).** A new bagrid catfish species, *Rita bakalu* (Siluriformes: Bagridae), from the Godavari River basin, India. *Hydrobiologia* 790: 67–81. <https://doi.org/10.1007/s10750-016-3019-9>
- Larson, H. (2019).** *Awaous grammepomus* (errata version published in 2020). The IUCN Red List of Threatened Species 2019: e.T151066406A174798726. Downloaded on 27 August 2020. <https://doi.org/10.2305/IUCN.UK.2019-2.RLTS.T151066406A174798726.en>
- Mahmood, S. & M. Rahimullah (1947).** Fish survey of Hyderabad state. Part IV. Fishes of Nizamabad District. *Journal of the Bombay Natural History Society* 47: 102–111.
- Manimekalan, A. (2011).** *Labeo kontius*. The IUCN Red List of Threatened Species 2011: e.T172407A6885940. Downloaded on 26 July 2020. <https://doi.org/10.2305/IUCN.UK.2011-1.RLTS.T172407A6885940.en>
- Menon, A.G.K. (1999).** *Check list - Fresh water fishes of India*. Records of the Zoological Survey of India, Occasional Paper No. 175, xxix+366pp.
- Menon, A.G.K. (2004).** *Threatened fishes of India and their conservation*. Zoological Survey of India, Calcutta, 170pp.
- Ng, H.H. & M. Kottelat (2008).** The identity of *Clarias batrachus* (Linnaeus, 1758), with the designation of a neotype (Teleostei: Clariidae). *Zoological Journal of Linnean Society* 153: 725–732.
- Ng, H.H. & N. Dahanukar (2011).** *Ailia coila*. The IUCN Red List of Threatened Species 2011: e.T166451A6212182. Downloaded on 26 July 2020. <https://doi.org/10.2305/IUCN.UK.2011-1.RLTS.T166451A6212182.en>
- Ng, H.H. (2010a).** *Eutropiichthys vacha*. The IUCN Red List of Threatened Species 2010: e.T166491A6220391. Downloaded on 26 July 2020. <https://doi.org/10.2305/IUCN.UK.2010-4.RLTS.T166491A6220391.en>
- Ng, H.H. (2010b).** *Hemibagrus menoda*. The IUCN Red List of Threatened Species 2010: e.T166448A6211013. Downloaded on 12 June 2020. <https://doi.org/10.2305/IUCN.UK.2010-4.RLTS.T166448A6211013.en>
- Ng, H.H. (2010c).** *Hemibagrus microphthalmus*. The IUCN Red List of Threatened Species 2010: e.T168431A6490953. Downloaded on 26 July 2020. <https://doi.org/10.2305/IUCN.UK.2010-4.RLTS.T168431A6490953.en>
- Ng, H.H. (2010d).** *Neotropius atherinoides*. The IUCN Red List of Threatened Species 2010: e.T166637A6252491. Downloaded on 27 August 2020. <https://doi.org/10.2305/IUCN.UK.2010-4.RLTS.T166637A6252491.en>
- Ng, H.H. (2010e).** *Gogangra viridescens*. The IUCN Red List of Threatened Species 2010: e.T166474A6216983. Downloaded on 10 June 2020. <https://doi.org/10.2305/IUCN.UK.2010-4.RLTS.T166474A6216983.en>
- Pike, C., V. Crook, M. Gollock & D. Jacoby (2019).** *Anguilla bicolor*. The IUCN Red List of Threatened Species 2019: e.T166894A96228348. Downloaded on 22 August 2020. <https://doi.org/10.2305/IUCN.UK.2019-3.RLTS.T166894A96228348.en>
- Prasad, K.K. & C. Srinivasulu (2019a).** Range extension of Redside Barb, *Puntius bimaculatus* (Bleeker, 1863) (Cypriniformes, Cyprinidae), from the Nallamalla and Sheshachalam Hill Ranges of the Eastern Ghats, India. *Check List* 15(3): 441–446. <https://doi.org/10.15560/15.3.441>
- Prasad, K.K. & C. Srinivasulu (2019b).** New record of Blue Perch *Badis badis* (Anabantiformes: Badidae) from Godavari River basin of Telangana State, India. *Journal of Threatened Taxa* 11(9): 14212–14215. <https://doi.org/10.11609/jott.4820.11.9.14212-14215>
- Prasad, K.K., M. Younus & C. Srinivasulu (2020a).** Ichthyofaunal diversity of Manjeera Reservoir, Manjeera Wildlife Sanctuary, Telangana, India. *Journal of Threatened Taxa* 12(10): 16357–16367. <https://doi.org/10.11609/jott.5408.12.10.16357-16367>
- Prasad, K.K., C. Srinivasulu, A. Srinivasulu, V.K. Anoop & N. Dahanukar (2020b).** *Indoreonectes telanganaensis*, a new species of loach (Teleostei: Nemacheilidae) from the Godavari Basin of India. *Zootaxa* 4878(2): 335–348. <https://doi.org/10.11646/zootaxa.4878.2.7>
- Prasad, K.K., M. Younus & C. Srinivasulu (2020c).** Occurrence of *Corica soborna* Hamilton, 1822 (Clupeiformes: Clupeidae) in the Godavari Basin, India. *Journal of Threatened Taxa* 12(17): 17361–17365. <https://doi.org/10.11609/jott.5983.12.17.17361-17365>
- Raghavan, R. & Ali, A. (2011a).** *Hemibagrus punctatus*. The IUCN Red List of Threatened Species 2011: e.T172430A6890986. Downloaded on 12 June 2020. <https://doi.org/10.2305/IUCN.UK.2011-1.RLTS.T172430A6890986.en>
- Raghavan, R. & A. Ali (2011b).** *Hypselobarbus dobsoni*. The IUCN Red List of Threatened Species 2011: e.T172317A6866357. Downloaded on 26 July 2020. <https://doi.org/10.2305/IUCN.UK.2011-1.RLTS.T172317A6866357.en>
- Raghavan, R. & A. Ali (2011c).** *Labeo dussumieri*. The IUCN Red List of Threatened Species 2011: e.T172430A6890986. Downloaded on 12 June 2020. <https://doi.org/10.2305/IUCN.UK.2011-1.RLTS.T172430A6890986.en>

- of Threatened Species 2011: e.T172424A6889533. Downloaded on 26 July 2020. <https://doi.org/10.2305/IUCN.UK.2011-1.RLTS.T172424A6889533.en>
- Raghavan, R., K.R.R. Devi, S. Goonatilake, M. Fernando & O. Kotagama (2019).** *Devario malabaricus*. The IUCN Red List of Threatened Species 2019: e.T169602A60597039. Downloaded on 10 June 2020. <https://doi.org/10.2305/IUCN.UK.2019-3.RLTS.T169602A60597039.en>
- Rahimullah, M. (1943a).** Fish survey of Hyderabad state. Part 1. A preliminary report on fishes found in the Godavari, Purna, Kistna, Tungabhadra and Siddha Rivers. *Journal of the Bombay Natural History Society* 43(3 & 4): 648–653.
- Rahimullah, M. (1943b).** Fish survey of Hyderabad state. Part II. Fishes of Hyderabad city and its suburbs. *Journal of the Bombay Natural History Society* 44 (1&2): 88–91.
- Rahimullah, M. (1944).** Fish Survey of Hyderabad State Part III – Fishes of the Medak District. *Journal of the Bombay Natural History Society* 45: 73–77.
- Rahman, M.M., M. Norén, A.R. Mollah & S. Kullander (2018).** The identity of *Osteobrama cotio*, and the status of “*Osteobrama serrata*” (Teleostei: Cyprinidae: Cyprininae). *Zootaxa* 4504(1): 105–118.
- Rao, C.A.N., J. Deepa & M. Hakeel (2011).** Comparative account on ichthyofauna of Pocharam and Wyra lakes of Andhra Pradesh, India. *Journal of Threatened Taxa* 3(2): 1564–1566. <https://doi.org/10.11609/JoTT.o1933.1564-6>
- Rao, C.A.N., M. Hakeel & J. Deepa (2010).** Ichthyofauna, pp. 75–98. In: *Limnological and Faunistic Studies of Pocharam Lake, Nizamabad-Medak District, Andhra Pradesh. Wetland Ecosystem Series*, 13. Zoological Survey of India, Kolkata, 181pp.
- Rao, M.B. & Y.S. Reddy (1984).** Fish fauna of Hussainsagar. *Jantu* 2: 1–16.
- Shaji, C.P. (2011).** *Hyporhamphus xanthopterus*. The IUCN Red List of Threatened Species 2011: e.T172458A6896116. Downloaded on 26 July 2020. <https://doi.org/10.2305/IUCN.UK.2011-1.RLTS.T172458A6896116.en>
- T172458A6896116.en**
- Shyamsundar, R., K.K. Prasad & C. Srinivasulu (2017).** Ichthyofauna of Udayasamudram Reservoir in Nalgonda District, Telangana State, India. *Journal of Threatened Taxa* 9(12): 11087–11094. <https://doi.org/10.11609/jot.3417.9.12.11087-11094>
- Singh, L.K. (2010).** *Garra lamta*. The IUCN Red List of Threatened Species 2010: e.T166527A6229042. Downloaded on 10 June 2020. <https://doi.org/10.2305/IUCN.UK.2010-4.RLTS.T166527A6229042.en>
- Srivastava, A.K., B. Laxmappa, B.R. Rao & G. Sailu (2017).** *Fish Biodiversity of Telangana State*. Telangana State Biodiversity Board, Hyderabad, Telangana State, India, iv+52pp.
- Talwar, P.K. & A.G. Jhingran (1991a).** *Inland Fishes of India and Adjacent Countries - Vol. I*. Oxford & IBH Publishing Co. Pvt. Ltd., New Delhi, 1–542pp.
- Talwar, P.K. & A.G. Jhingran (1991b).** *Inland Fishes of India and Adjacent Countries - Vol. II*. Oxford & IBH Publishing Co. Pvt. Ltd., New Delhi, 543–1158pp.
- Vishwanath, W. (2010a).** *Bangana diplostoma*. The IUCN Red List of Threatened Species 2010: e.T168300A6477390. Downloaded on 13 June 2020. <https://doi.org/10.2305/IUCN.UK.2010-4.RLTS.T168300A6477390.en>
- Vishwanath, W. (2010b).** *Osteobrama belangeri*. The IUCN Red List of Threatened Species 2010: e.T168218A6467894. Downloaded on 13 June 2020. <https://doi.org/10.2305/IUCN.UK.2010-4.RLTS.T168218A6467894.en>
- Vishwanath, W. (2010c).** *Osteobrama cunma*. The IUCN Red List of Threatened Species 2010: e.T168602A6523134. Downloaded on 13 June 2020. <https://doi.org/10.2305/IUCN.UK.2010-4.RLTS.T168602A6523134.en>
- Vishwanath, W. (2018).** *Bengala elanga* (amended version of 2010 assessment). The IUCN Red List of Threatened Species 2018: e.T166419A128734771. Downloaded on 26 July 2020. <https://doi.org/10.2305/IUCN.UK.2010-4.RLTS.T166419A128734771.en>





OPEN ACCESS



The Journal of Threatened Taxa (JoTT) is dedicated to building evidence for conservation globally by publishing peer-reviewed articles online every month at a reasonably rapid rate at www.threatenedtaxa.org. All articles published in JoTT are registered under Creative Commons Attribution 4.0 International License unless otherwise mentioned. JoTT allows unrestricted use, reproduction, and distribution of articles in any medium by providing adequate credit to the author(s) and the source of publication.

ISSN 0974-7907 (Online) | ISSN 0974-7893 (Print)

April 2021 | Vol. 13 | No. 5 | Pages: 18099–18410

Date of Publication: 26 April 2021 (Online & Print)

DOI: 10.11609/jott.2021.13.5.18099-18410

www.threatenedtaxa.org

Articles

Spatiotemporal movement pattern of Asian Elephants *Elephas maximus* Linnaeus, 1758 in Sindhudurg District, Maharashtra, India

– Milind Digambar Patil, Vinayak Krishna Patil & Ninad Avinash Mungi, Pp. 18099–18109

Conservation ecology of birds in Mt. Hilong-hilong, a Key Biodiversity Area on Mindanao Island, the Philippines

– Arturo G. Gracia Jr., Alma B. Mohagan, Janezel C. Burlat, Welfredo L. Yu Jr., Janine Mondalo, Florfe M. Acma, Hannah P. Lumista, Riah Calising & Krizler Cejuela Tanalgo, Pp. 18110–18121

Nesting and hatching behaviour of Olive Ridley Turtles *Lepidochelys olivacea* (Eschscholtz, 1829) (Reptilia: Cryptodira: Cheloniidae) on Dr. Abdul Kalam Island, Odisha, India

– P. Poornima, Pp. 18122–18131

Communications

Feeding ecology of Walia Ibex *Capra walie* (Mammalia: Artiodactyla: Bovidae) in Simien Mountains National Park, Ethiopia

– D. Ejigu, A. Bekele & L. Powell, Pp. 18132–18140

Assessment of crop and property damage caused by *Semnopithecus vetulus nestor* (Bennett, 1833) (Mammalia: Primates: Cercopithecidae) in Gampaha District, Sri Lanka

– Sunil Wijethilaka, Lakshani S. Weerasekara, Saumya Bandara & Kithsiri B. Ranawana, Pp. 18141–18147

Habitat preference of the Indian Pangolin *Manis crassicaudata* inhabiting Margalla Hills National Park, Islamabad, Pakistan

– Tariq Mahmood, Shaista Andleeb & Faraz Akrim, Pp. 18148–18155

The endangered Himalayan Red Panda: first photographic evidence from its westernmost distribution range

– Saroj Shrestha, Sony Lama, Ang Phuri Sherpa, Sonam Tashi Lama & Dinesh Ghale, Pp. 18156–18163

Ecological niche modelling predicts significant impacts of future climate change on two endemic rodents in eastern Africa

– Aditya Srinivasulu, Alembrian Assefa & Chelmala Srinivasulu, Pp. 18164–18176

Avian diversity in a fragmented landscape of central Indian forests (Bhopal Forest Circle)

– Amit Kumar, Yogesh Dubey & Advait Edgaonkar, Pp. 18177–18188

Nest tree preference shown by Ring-necked Parakeet *Psittacula krameri* (Scopoli, 1769) in northern districts of Tamil Nadu, India

– M. Pandian, Pp. 18189–18199

Two new species of *Euphaea* Selys, 1840 (Odonata: Zygoptera: Euphaeidae) from northern Western Ghats, India

– Shriram Dinkar Bhakare, Vinayan P Nair, Pratima Ashok Pawar, Sunil Hanmant Bhoite & Kalesh Sadasivan, Pp. 18200–18214

Two new light attracted rove beetle species of *Astenus* Dejean, 1833 (Coleoptera: Staphylinidae: Paederinae) from Kerala, India

– P. Sreevidhya, S.V. Akhil & C.D. Sebastian, Pp. 18215–18226

A new distribution record of mason wasp *Pison punctifrons* Shuckard, 1838 (Hymenoptera: Sphecidae: Larrinae) from Noida, Uttar Pradesh, India

– Rajiv K. Singh Bais & Akash Singh Bais, Pp. 18227–18236

Diversity of freshwater molluscs from the upper Brahmaputra Basin, Assam, India

– Jyotish Sonowal, Munmi Puzari & Devid Kardong, Pp. 18237–18246

Diversity of understory flowering plants in the forest patches of Marilog District, Philippines

– Florfe M. Acma, Noe P. Mendez, Noel E. Lagunday & Victor B. Amoroso, Pp. 18247–18256

Legumes of Kerala, India: a checklist

– Anoop P. Balan & S.V. Predeep, Pp. 18257–18282

Member



Legumes (Angiosperms: Fabaceae) of Bagalkot District, Karnataka, India

– Jagdish Dalavi, Ramesh Pujar, Sharad Kambale, Varsha Jadhav-Rathod & Shrirang Yadav, Pp. 18283–18296

Indigenous knowledge of ethnomedicinal plants by the Assamese community in Dibrugarh District, Assam, India

– Pranati Gogoi & Namita Nath, Pp. 18297–18312

Short Communications

Marine mammal strandings in the northern Palk Bay from 2009 to 2020

– Vedharajan Balaji & Veeramuthu Sekar, Pp. 18313–18318

First distribution record of the Asiatic Toad *Bufo gargarizans* Cantor, 1842 from India – Dibang Valley in Arunachal Pradesh

– Sahil Nijhawan, Jayanta Kumar Roy, Iho Mitapo, Gata Miwu, Jibi Pulu & M. Firoz Ahmed, Pp. 18319–18323

A checklist of fishes of Telangana State, India

– Kante Krishna Prasad & Chelmala Srinivasulu, Pp. 18324–18343

Report on the stingless bees of Bhutan (Hymenoptera: Apidae: Meliponini)

– Tshering Nidup, Pp. 18344–18348

New records of six termite (Blattodea: Termitidae) species from Kerala, India

– Poovoli Amina & K. Rajmohana, Pp. 18349–18354

Status, abundance, and seasonality of butterfly fauna at Kuvempu University Campus, Karnataka, India

– M.N. Harisha & B.B. Hosetti, Pp. 18355–18363

Observations on butterflies of non-protected areas of Titabar, Assam, India

– Abhijit Konwar & Manashi Bortamuly, Pp. 18364–18377

Three new distribution records of Conidae (Gastropoda: Neogastropoda: Conoidea) from the Andaman Islands, India

– Jayaseelan Benjamin Franklin & Deepak Arun Apte, Pp. 18378–18384

A new record of an endangered and endemic rare Rein Orchid *Habenaria rariflora* from Gujarat, India

– Mital R. Bhatt, Pp. 18385–18389

Glimpse of climber diversity in Saharanpur District, Uttar Pradesh, India

– Lalita Saini, Archasvi Tyagi, Inam Mohammad & Vijai Malik, Pp. 18390–18397

First report of the fleshy mushroom *Trichaleurina javanica* (Rehm) M. Carbone et al.

(Ascomycota: Pezizales: Chorioactidaceae) from southern India

– Munuswamy Kumar, Sekar Nithya & Antony Agnes Kayalvizhi, Pp. 18398–18402

Notes

Photographic record of Temminck's Tragopan *Tragopan temminckii* (Gray, 1831) (Aves: Galliformes: Phasianidae) from eastern Bhutan: an evidence of its westward range expansion

– Tshering Dorji, Kinley Kinley, Letro Letro, Dawa Tshering & Prem Nanda Maidali, Pp. 18403–18405

The Malay Cardamom *Meistera aculeata* (Roxb.) Škorníčk. & M.F. Newman (Zingiberaceae: Alpinioideae) from the Palghat gap: a new record to Kerala, India

– Vadakkeveedu Jagadeesh Aswani, Manjakulam Khadhersha Jabeena & Maya Chandrashekaran Nair, Pp. 18406–18410

Publisher & Host

