

# Thailand

15 February – 2 March 2020

Rob Gordijn & Helen Rijkjes ([gordijnrob@gmail.com](mailto:gordijnrob@gmail.com)) - <http://www.penguinbirding.com>

## Introduction

It had been 10 years since our first birdwatching trip to Thailand. The number of high-quality birds combined with the easy travelling and great food makes Thailand a very nice birding destination. We decided on a two-week trip with the main focus on the species that we had not seen yet. Sander Bot joined us which made for great fun and a good extra pair of eyes. Overall, we had a successful trip with around 430 species observed and a very smooth travel experience. In 15 days we visited the following sites: Pak Thale & Laem Pak Bia, Kaeng Krachan, Huai Kha Kaeng, Mae Wong, Doi Inthanon, Doi Ang Kang, Doi Lang West & East, Chiang Saen and Khoa Yai. In hindsight this trip was on the brink of the total collapse of international travel due to COVID-19, and a few weeks later this trip had no longer been possible. For some photos see: <https://photos.app.goo.gl/svaolRxLspJ485rB9>

## Itinerary

Day 1	Saturday 15 Feb	Amsterdam – flight to Bangkok (transit in Dubai)
Day 2	Sunday 16 Feb	Arrive at Bangkok (7.35AM) to Lam Pak Bia – boat to sandspit – night at Lam Pak Bia
Day 3	Monday 17 Feb	Birding Pak Thale – drive to Kaeng Krachan – night at Ba’an Maka
Day 4	Tuesday 18 Feb	Birding Kaeng Krachan – night at Ban Krang campsite (Kaeng Krachan)
Day 5	Wednesday 19 Feb	Birding Kaeng Krachan – night at Kum Nangpaya (just outside Kaeng Krachan)
Day 6	Thursday 20 Feb	Long drive to + birding at Huai Kha Kaeng NR – night just outside Mae Wong NP
Day 7	Friday 21 Feb	Birding Mae Wong NP – night at Chong Yen campsite (Mae Wong)
Day 8	Saturday 22 Feb	Birding Mae Wong NP – drive to + birding Doi Inthanon – night at Mr Daeng
Day 9	Sunday 23 Feb	Birding Doi Inthanon (summit, km 37, km 34,5) – night at Mr Daeng
Day 10	Monday 24 Feb	Birding Doi Inthanon – drive to + birding Doi Ang Kang – night at campsite
Day 11	Tuesday 25 Feb	Birding Doi Ang Kang – drive to + birding Doi Lang West – night at Fang
Day 12	Wednesday 26 Feb	Birding Doi Lang West – drive to + birding Doi Lang East – night at campsite
Day 13	Thursday 27 Feb	Birding Doi Lang East – drive to Pied Harrier roost – night at Chiang Saen
Day 14	Friday 28 Feb	Birding Nam Kham, Rom Kong restaurant, Doi Tung, Nong Luang – start driving to the south again - night at Lampang
Day 15	Saturday 29 Feb	Drive back south with several birding stops – night just outside Khao Yai
Day 16	Sunday 1 Mar	Birding Khao Yai NP – drive back to airport – flight back to Amsterdam (8.35PM)
Day 17	Monday 2 Mar	Arrival at Amsterdam (7.50AM)

Thailand has many interesting birding sites and since we only had 15 days, we had to make some choices. We chose a high pace itinerary mainly focusing on the species that were new for us. Sander agreed to this schedule since a lot more was new anyways, and even in this high paced schedule he found some time to catch flowerflies. Most people spend more time at each of the places; especially at Doi Inthanon and Khao Yai you need several days each to do the site justice. Note that initially we decided to skip Khao Yai entirely and focus more on the north (we had visited Khao Yai 10 years ago + this would make an easier place to visit in a possible future visit to Bangkok). In the end we realized that Khao Yai would be a perfect finish for our last day given that it is close to the airport. Since we experienced no delays in the rest of our trip we were able to squeeze in an afternoon and a morning. Sander flew one day earlier and visited Pak Thale and a few marshy sites in the area and had a few species (e.g. white-browed crane) not mentioned in the trip list.

We focused on the new species. Even though we tried hard we missed some species, for completeness we mention the targets that we did not see but tried for (note that there are easily 100 extra species possible that we did not encounter nor searched for on this short trip).

- Coral-billed Ground-cuckoo: the most sought-after species at Khao Yai. Even though we only had an afternoon + morning in the area we tried hard to hear or see this species. Based on ebird we found quite some observations (mostly heard only) along the radar road so we decided that we would focus all our efforts on this area.
- Jerdon's Bush-chat: We tried for the Bush-chat at the Nam Kham reserve where a female was seen recently in the Cettia Hide. We skipped Thaton, in hindsight would have been smart to try here for Jerdon's bush chat as well.
- Bamboo Woodpecker: tried at several places where it has been seen in the past (for example around the visitor center of Mae Wong & KK) but no luck.
- Collared Babbler: Occurs at higher elevations. We searched for it several times but no response.
- Black-backed Forktail: The bridge at the start of the km 13 road at Doi Inthanon is a known stakeout. We scanned the river several times here but no luck.
- Yellow-bellied Flowerpecker: A tricky species that occurs at higher elevations (summit of Doi Inthanon, Doi Ang Kang and Doi Lang). Most trip reports have none or only single encounters. Sander got a glimpse of a flowerpecker that flew over at the summit of Doi Inthanon but it was too short to write down.
- Starlings: We did poorly with the Starlings during our trip. Spot-winged and Vinous-breasted were possible at roost near Kaeng Krachan but this place was no longer active. En route we had some chances for White-shouldered Starling but the spots we checked did not produce any.

### **What would we do different in hindsight.**

Overall we were very happy with the trip. We were lucky with the weather and also we did not encounter any delays due to roadworks, traffic etc. Therefore we were able to move fast between birding sites and keep a high pace. Giving that we did not book any accommodation in advance we were flexible on the spot to decide when to move on and where to sleep. This worked out perfectly.

### **Other birders**

While we were in Thailand we met several other birders and photographers. A group of 4 British birders (Dan Pointon et al.) had the same start of the trip and after meeting each other at Pak Thale we met them again at Kaeng Krachan and Doi Inthanon. Especially at Pak Thale it helps if there are more people searching (in our case 4 different groups) and we were very grateful where Dan Pointon et al found two Spoon-billed Sandpipers. Also in Kaeng Krachan we saw many birding groups and tours. Doi Inthanon was relatively quiet with other birders, here we only saw Dan Pointon et al. again. At Doi Lang we met several photographers that were using the many stake-outs that are available there.

## **Practicalities**

### **Guiding**

We used the services of Mr Deang at Laem Pak Bia to reach the sand spit but didn't use the services of other guides, Thailand is a very easy country to travel around and bird by yourself, but expert guides are available for a complete tours or day trips. You do need some tolerance for hides and bird feeding at stake-outs in this trip. We only doled out mealworms ourselves at Baan Maka (available for sale at the reception) and used one of the hides near Kaeng Krachan (see site-account).

## Literature

We mostly used the Birds of Thailand by Lynx. Occasionally we looked up some extra information in The Birds of South-East Asia (Helm Field Guides) that we brought as an ebook on our phone. For sounds we gratefully received a set from Alex Berryman that we expanded with extra recordings from Xeno-Canto.org. For information we used a combination of tripreports found on [www.cloudbirders.com](http://www.cloudbirders.com) and recent sighting on ebird. Especially the following tripreports were very useful: Berryman (2019), Wittmann (2019), Vlot (2016) and Poelstra (2014). Also the website by Dave Sargeant - <http://www.norththailandbirding.com> and Nick Upton - <http://thaibirding.com/> were very useful with detailed information per birding spot including checklists.

## Travelling

We booked tickets with Emirates to fly Amsterdam – Dubai, Dubai Bangkok. Both on our way there and back we had 2,5 hours for the transit. Emirates offers a comfortable flight and we had smooth travels both ways. For the 15 days we rented a Toyota Fortuner with Chick Car Rent which was more than adequate for all roads.

Doi Lang east is the only site where you need a higher clearance vehicle, but 4wd was not necessary in dry conditions. In (very) wet conditions you might struggle without 4wd.

## Eating & Sleeping

Thailand is very easy to travel around with great food and cheap accommodation easily available. We did not book any accommodation up front to stay flexible which worked out perfectly. At the airport we bought a local sim-card with internet so that we could look up hotels on booking.com while traveling. We usually checked in the afternoon what were the options and prices for that night.

## Weather

February is top season for visiting birdwatchers since it is the end of the dry season. We had perfect weather throughout the trip with no rain at all and pleasant temperatures at most sites (only the lowlands at Pak Thale and Khoa Yai are a little warm but still very doable).

## Health and safety

Thailand is generally safe to travel around. We only drank bottled water and had no real issues anywhere. One of our party decided to try to pet a few stray dogs and one of the them was probably somewhat surprised by this. It only caused a small scratch but since the reasonably high prevalence of rabies in the country (and the fact it's untreatable and deadly) we decided to visit a few regional hospitals throughout our trip to get some shots. All were pretty well organized.

## Money

ATMs were available at many places.

## Costs

Tickets: We paid 670 euro per person for our flight Amsterdam – Bangkok. The car rental was 586 euro for 15 days. Additionally, we spend around 600 per person on accommodation, food, park entrance and diesel. Note that we did not chose the cheapest options for accommodation or food so if you want you can do this trip a lot cheaper.

## Visited Sites

We took a few GPS points of sites and specific birds, those are available here <https://drive.google.com/open?id=19nP6jNduZGORBQnpKePrSwFQYhbAL8ZQ&usp=sharing> , and can downloaded as .kml there..

## **Pak Thale & Laem Pak Bia**

We spent one afternoon and one morning in the area visiting 3 different areas: Laem Pak Bia, Pak Thale and rice paddy area northwest of Petchaburi.

**Laem Pak Bia:** After arriving at 7.35 at the airport in Bangkok we picked up our rental car and drove straight to Laem Pak Bia. We arrived just around 11:30 at Mr Deang (13.04088, 100.08889). We were told that he was full for the rest of the day but after asking again we could join another group at 1:30pm that afternoon. We had lunch at Mr Deang and relaxed for a moment after a tiring night in the airplane. At 1:30pm we left with 2 boats to the sandspit (gps: 13.05711, 100.10452). Malaysian Plover was quickly found and a bit further we ran into a beautiful White-faced Plover. Mr Deang clearly seemed to know where they usually hang out. On the other side of the sandspit there were two Chinese Egrets among some Little and Great Egrets. In the evening we visited the "Abandoned building area" to search for Indian Nightjar. This proved to be easy and around here 13.02975, 100.07533 we heard and saw several nightjars just after dusk.

The next day after a visit to Pak Thale we drove back to the Salt pans of Laem Pak Bia. This is the best area for Nordmann's Greenshank. You can scan from the main road (13.05523, 100.07028) or go into a small road (13.05541, 100.07612) that winds through the area. From the main road we could see a couple of far groups of Great Knot but the light was difficult and hard to pick out any other birds. We then tried from the small road but still the groups were far away in the middle of the salt pan area. We decided to walk towards the groups over the small dikes to get a better position. After a short distance we started to pick out the first Nordmann's Greenshanks and by going a bit further we could see that there were at least 100 Nordmann's present, this time with perfect light from behind (13.05646, 100.0743).

**Pak Thale:** We arrived at dawn (park here: 13.1498, 100.05914) and started scanning the first saltpans. The number of waders was lower than we expected (mainly Lesser Sand Plover). Since there were several birding groups that started searching we decided to go directly to one of the far pans where we could see from a distance that there were higher numbers of birds (13.14728, 100.06411). We carefully scanned with the telescope through the group that hold quite some numbers of Red-necked Stints and Broad-billed Sandpipers but no Spoonies. We moved on to another corner and slowly started to get a bit worried since it was now almost 9AM and heating up quickly. But then the Dan Pointon et al. came with the good news: they had found 2 Spoon-billed Sandpipers – they were foraging in between 2 dikes in just a small group of other waders, how sneaky. (13.1449, 100.06434)

**Rice paddy area northwest of Petchaburi:** After finding the Nordmann's Greenshanks we drove north for some final stops in the area. It was hot at the middle of the day but none the less we quickly found our target species. We first stopped at the Ban Khum fish ponds (gps 13.17585, 99.94144) that provided the hoped for Asian Golden and Baya Weavers. A bit further we explored another side track (gps: 13.17257, 99.93419) resulting in the first Bronze-winged Jacanas and also a Streaked Weaver. The last stop was for Yellow-breasted Bunting (gps: 13.14984, 99.87455); according to several tripreports and ebird sightings this is a very reliable wintering spot for this species and we quickly found many birds here.

## **Kaeng Krachan**

We spent one afternoon and 2 full days in the area. The first afternoon we arrived at the Baan Maka lodge in the afternoon and birded around there, the next morning we drove into the Kaeng Krachan NP when it opened at 6am and spent the rest of the day in the park; in the morning birding the lower section + exploring the forest above the camping. In the afternoon we again walked the trail and road above the camping. Note that during our visit the road was still blocked after the camping for reconstruction, but it feels doubtful whether this part will ever open again. We camped one night at the Ban Krang campsite. The next morning we birded the lower section again and left the park

around noon to have lunch outside and visit the Neung hide in the afternoon. Since the Baan Maka lodge was fully booked we spend the last night at Kum Nangpaya lodge, close the park entrance. Some notes on finding the birds:

Outside the park:

- En route to Kaen Krachan we made a short stop to search for Indian stone-curlew. We found one at 12.8925,99.7205
- The Baan Maka lodge (12.8423,99.5917) is not only a very pleasant place to stay, the garden offers good birding as well with a few feeding areas. We were very happy with a tame Slaty-legged crane at one of the hides (at 12.8433,99.5894). The reception has logbook, information about the hides in the surroundings and the staff is very knowledgeable. We didn't book in advance and were lucky on the first night but the next night they were full so you might want to book in advance.
- The Starling pre-roost that Wittmann 2019 mentioned seems no longer to exist. We tried for a few hours end of the day but nothing happened. We were then told by Dutch birder living in Thailand the location is seasonal and dependent on local crops.
- Nueng's hide (12.84728, 99.52195): Very interesting hide that has a long list of bird species coming in regularly (Grey Peacock-pheasant, Bar-backed and Green-legged Partridge, Blue Pitta etc). Access and instruction to get there can be arranged through Baan Maka, don't just go there yourself without arrangement. Since we asked too late the first night they gave us the telephone number so we could call ourselves the next day (tel nr 081-0120259). They did not speak any English but with help of locals on the campsite we were able to make a reservation (although?). When we arrived the next afternoon according to the instructions from Baan Maka we had trouble finding someone who understood that we wanted to go to the hide. In the end several locals got involved and with some patience we finally got to the hide. Highlight was a beautiful male Grey-Peacock pheasant but unfortunately the partridges were only heard and did not come into view.

Inside the Kaeng Krachan Park

- Lower section: we walked long stretches of the road in around km8 – 9 on two morning (in our view a very good strategy to just leave the car and bird on foot). Highlights were a group of Tickell's Brown Hornbill on the final morning at 12.8050, 99.4947, several Black-tighted Falconets (present on both visits around 12.8076, 99.4994), two Golden-crested Mynas that perched for a while at 12.8023,99.4876 together with some Hill Mynas, a group of Rosy minivet in a flock moving along the road and several Blue Flycatchers. Our first Kalij pheasant was seen at 12.8108,99.5049.
- Campsite Ban Krang: Our main target here was White-fronted scops-owl. After dark it took an hour or so before we heard any sign of a bird, and in the end we were able to locate a nice calling individual next to entrance gate of the camping at 12.7992,99.4551. The sound of Scops-owls is soft and they are usual closer by then it seems. We had to enter the vegetation for a couple of meters to get a good view on this one.
- The road above the camping offers nice birding. You can walk along the road or on the nature trail on the other side of the river (they connect at the first stream crossing). The furthest point we walked to was the 3<sup>rd</sup> stream crossing at 12.80424, 99.43183. A Kalij Pheasant was seen along the river at 12.8017,99.4441.

## Huai Kha Kaeng

Not many people visit the Huai Kha Kaeng reserve, but this is the only place in Thailand where you can see wild Green Peafowl from the watchtower. We arrived at 1:30 after a long drive from Kaeng Krachan (faster than expected). When we arrived at the parking area (15.60806, 99.32012) we were told that at 3pm the guard could bring us to the watchtower. We birded a short round on the compound in the heat. At 3pm we follow the guard by car together with another group of visiting birdwatchers. When we arrived at the watchtower it was already quite full with photographers but part of them left when we arrived. It did not take long before we spotted the first Green Peafowl at the far-right end of the open field. It was a male with two females and the male started displaying several times. In the next 1,5 hours more and more Peafowls arrived bringing the total to 13 (4 males and 9 females). This totally exceeded our expectations. Bonus was a group of wild cows that came through the field. There was rumor of a recent Tiger

sighting At 4.30pm we were asked to leave again, after which we drove to the last hour to one of the resorts at the start of the Mae Wong road.

## Mae Wong

We spent 1,5 day in Mae Wong NP, which offers nice birding on different altitudes. The camping at the top is a perfect place to spend the night and continue birding right away the next morning.

- Lower area: With first light we arrived at the visitor center (gps: 16.03878, 99.2332) and birded around here for a while since we had to wait for the office to open and buy our ticket (opens at 8am). We could then proceed through the next checkpoint just above the visitor center. First stop was 16km further at the viewpoint (gps: 16.11514, 99.16068). Large Scimitar Babbler is mentioned by Dave Sargeant to occur here but our stop was sunny and quiet with almost no activity.
- Upper part of the road: We birded the road between the 2 upper campsites twice by walking down from Chong Yen. Birding was entertaining and we encountered several big flocks. Nice surprise was a group of Bar-backed Partridges just next to road (at 16.0935, 99.1184). Since we had seen Kalij Pheasant at Kaeng Krachan we did not put extra effort in this species, driving up and down the road in early morning or late evening would be a good strategy.
- Chong Yen campsite: The campsite Chong Yen (gps: 16.10008, 99.10777) and surroundings offers great birding. At the end of the campsite a trail continues, 50 meters into the trail there is a feeding place on the left: we did not see Grey peacock pheasant here when we visited (many were heard in the forest however) but a group of Rufous-throated Partridges showed very well (feeding place at 16.0992, 99.1076). White-necked Laughingthrush and Black-throated Laughingthrush were also seen here. When we arrived at the Chong Yen the ranger told us he had photographed a Rufous-necked Hornbill that morning from the campsite, which is very rare this time of the year. We spent some time scanning the valley in the afternoon from the campsite and we were very lucky when 2 Rufous-necked Hornbills flew by just before sunset.

## Doi Inthanon

Doi Inthanon is one of the most popular birding destinations in Thailand and due to the variety of habitats you can easily spend several days here. We only did a short visit this trip (one afternoon, a full day and another morning) since we had been here already on our previous trip and time was limited. We slept inside the park at Mr Deang (18.5334, 98.52234) where we were the only guests. The place is a bit run down by now, and it looked like nothing had changed in the last 10 years since we were last here. We visited the standard places around the park which are described in many tripreports. Some notes on the birding:

- Km 13: We started the first afternoon at km 13 and walked up the road (18.52527, 98.65155). Collared Falconet was quickly found. Black-headed woodpecker took a little bit longer, but on the way back down 3 birds showed very well. When we were almost back at the start of the road two times a small group of Blossom-headed parakeet flew over (Maybe since it was the end of the day the birds were on their way to roost?)
- Around the summit (18.58845, 98.48614): All the usual suspects were quickly found here but we had no luck with Dark-sided Thrush along the boardwalk (we started searching at dawn until it became very crowded with tourists). Nice sighting was a group of Rufous throated partridges at the end of the boardwalk and a Grey-sided Thrush feeding in one of the trees.
- Siriphum Waterfall: After missing the Dark-sided Thrush at the summit we searched on ebird and found out there is a relatively new hide near the Siriphum Waterfall where the Thrush is seen regularly (18.5473, 98.5149). We paid a small fee at the entrance and sat down in the hide around lunch time. Several birds came into the feeder and after 1,5 hours also a much hoped for Dark-sided Thrush. Yes!

## Doi Ang Kang

Doi Ang Kang offers some nice birding on higher altitudes. We birded here one afternoon and one morning. It turned out that all accommodation that is shown on googlemaps and maps.me no longer exists and was closed down in recent years. After some driving around it turned out the only option still available is to camp; there a couple campsites along the road here 19.86128, 99.04844 which worked out fine (they even provide tents and sleeping mattresses if you want). The dinner option at the campsite was some selfboil/bbq type of disaster, not really recommended. Places we birded:

- Royal Agricultural station: In the afternoon we paid a visit to the restaurant at the end of the Royal Agricultural station. Black-breasted Thrush was quickly found at the compost heap behind the restaurant (19.91008, 99.04269). A further walk produced several Crested Finchbill and a nice Spot-winged Grosbeak.
- Along the road at 19.84124, 99.04858 we tried in the evening and early morning for Mrs Humes Pheasant based on where Poelstra 2014 had seen them... but no luck. A week or so before our visit one male pheasant was seen behind the small garbage place (gps 19.8478, 99.04842) but also here we good not find any sign of the birds. We did have a group of Mountain Bamboo partridges crossing the road here.
- Early morning stop at 19.8632, 99.0511: this was our first stop of the day after leaving the campsite. We found a burst of activity just after dawn with highlights being a Scarlet-faced Liocichla next to the road and Giant nuthatch close by in tree.
- Trail at km 21 (gps 19.87566, 99.05272): We walked up the trail that starts at km 21 which first goes through some nice forest. At the point where the trail arrives at ridge we had an unexpected group of 3 Himalayan Cutia at 19.8799, 99.0553. Also our first Striated Bulbul here.

## Doi Lang West

The West side of Doi Lang is the most easily accessible and it can get very busy with birders and photographers, especially in the weekend. It was not too busy during our visit but we encountered many active feeding spots with often birds already coming in curiously by the sight of humans. We visited an afternoon and next morning. While driving down the first night and driving up again the next morning we tried for Hodgson's Frogmouth on the way (a few heard, closest one at 20.0098, 99.1125). We did not go any further than the check-point (where the gate was closed) and in recent years it is no longer allowed to continue by car.

Our most important was target Mrs Humes pheasant: The first afternoon we did not see any. We spent the last 1,5 hours of daylight at the known stakeout (20.06119, 99.09838) but no luck. The next morning after looking for frogmouths we slowly drove up the road in the first light. This worked out and we found a first male walking on the road at 06.41AM at 20.0381, 99.10539. It was still half dark and views through the front window were not optimal but nevertheless the target was in the pocket! We then proceeded to the roadside feeding place. A 2-hour wait gave us a beautiful male with 2 females that showed endlessly and perfect light. What a show. When we arrived only three photographers were on the road in their private tents, on a busy day it might me difficult to get good views when you arrive late... Also several Mountain Bamboo Partridges here. Later while walking and birding further up the road another male Mrs Humes Pheasant crossed the road at 20.0749,99.0984. We found a very cooperative Spot-breasted parrotbill at 20.07639, 99.0988, also a group of Plain flowerpeckers was present at the same spot. We came very close to a Green Cochoa at 20.08727, 99.0974. The bird called a couple of times and responded for a moment close by, but we were not able to locate the bird in a fruiting tree.

## Doi Lang East

The road going up the east side of Doi Lang is known to be in a bad state. With our Toyota Fortuner (and the dry season) we had no problem at all driving up and were pleasantly surprised. We drove up the first afternoon, slept at the campsite (gps 20.12555, 99.18041) and birded until around 2pm the next day before driving down again. Some birding notes:

- Behind the upper army camp: You can park your car at the checkpoint (20.13253, 99.15879) and walk further from here along the road. The army staff was very friendly and only asked us to register. They are used to

birders and also maintain some feeding spots around the checkpoint. This part of the forest is still in a good state and a bit higher in altitude than the west side. Nice birds we found here included a couple of Fire-tailed sunbird at 20.1288,99.1502. This is the only known location in Thailand where they are found. We saw several immature males foraging on a flowering tree – they had already bright red tails. This walk also resulted in our second sighting of Striated bulbul and nice views of both Wedge-tailed and Pin-tailed green pigeon on two separate occasions where we were lucky enough that the group of Green-pigeons did not flush fully but we could observe the birds in the back of the tree.

- The campsite: It is a nice place to camp and be close to the birds. They recently build a new toilet building and there is a nice view over the valley. In the morning we walked around the area in first light. We flushed a couple of Buntings but did not get good enough views.
- Dry rice paddies (20.11168, 99.20722): Halfway along the road is an agricultural valley with some rice paddies. We walked around here looking for Buntings (none were found) but a Grey-faced Buzzard flying by was a nice addition.

## **Around Chiang Saen**

Around Chiang Saen are several interesting birding stops with short driving distances in between. We slept in a hotel in the city.

- Pied Harrier roost: We arrived at 5pm after coming down from Doi Lang East. This is still very early and we first walked around a bit. We started scanning from the watchtower (20.23126, 100.01471) but then we realized the view was probably better from the other side of the field at gps 20.22983, 100.01621. Around 6:30pm the majority of the birds arrived, almost in the dark but still a spectacle. It is worth it to be there at 5.30 the see the first birds come in when the light is still good.
- Nam Kham reserve (20.28792, 100.05736): We visited one morning until around 10am (by then it was already very hot). The reserve is mostly scrub but also has some hides. The most famous one is the Cettia hide that has produced many rarities over the last years. We posted for a while inside the hide but it was very quiet. The hoped for Jerdon's Bushchat did not show up but we did see a Chestnut-crowned Bush warbler (which had also been reported in the last week). Walking around in the rest of the reserve resulted in Chestnut-capped babbler, Red Avadavat, Freckle-breasted Woodpecker.
- Rim Khong river side restaurant: We had lunch at the river side restaurant at 20.30349, 100.09219 along the Mekong River. Before having lunch we scanned the river islands in front of the restaurant for half an hour and quickly found several Small Pratincole and a River Lapwing.

## **En route stops driving from Chiang Saen to Khao Yai**

This final part of the trip was a long drive, but we made a few stops en route. Even though it was very hot in the middle of the day when we tried for the Parakeet and the Wren babbler we were successful and the targets quickly found.

- Doi Tung: Based on ebird we decided to include an extra stop to try for some Thrushes that were recently seen in this flower garden. We visited only for one hour in the beginning of the afternoon and quickly found a couple of Grey-winged Thrushes (among the more common Eye-browed Thrushes) at a corner of the garden where the birds are being fed. An unexpected bonus was Rusty-naped pitta at another feeding spot (20.3348,99.8119) that showed up after a 30-minute wait.
- Chiang Rai: Recently a Baer's Pochard was found at this lake and since the species was new for Sander we gave it a try end of the day after leaving the Chiang Saen area. Other birders had used a boat to get closer to the bird but we were very happy that when we started scanning we quickly found the Pochard. The light was perfect from this corner (19.8425, 99.92871)
- Blossom-headed Parakeet (from ebird) at a temple complex 15.0024,100.3368
- Limestone Wren Babbler (more info in several trip reports) along the stairs up the rock at 14.6513,100.9794



## Khao Yai

Initially we did not plan on visited Khao Yai on this trip. But since we had no delays in the other birding areas we decided to add a final night at Khao Yai. We had one late afternoon and a full morning to do some birding and focused mainly on the Radar road. A marathon-start at the entrance gate at 05.30 almost prevented us from entering on time but we somehow got through.

Some birding notes:

- Red-breasted Parakeet, a colony just outside park at 14.53458, 101.37909. Hard to miss the birds here.
- Lower part of radar road: Our main targets were birds on the forest floor, so we carefully birded along the road paying close attention to any movement or sound from the undergrowth. Blue pitta was found the first afternoon, with a beautiful male at 14.4034,101.3748. Our search for Siamese Firebacks took longer than expected. At was already after 10am when we found a first bird here: 14.3926, 101.3852. When we were almost back at the car a second group was found here; 14.4028, 101.3756. Unfortunately, we heard no sound of the ground cuckoo, despite some recent observations.
- Further up the radar road we successfully tried for White-throated Rock Thrush that was seen along the boardwalk and found it at 14.3666, 101.4061

# ANNOTATED SPECIES LIST

We have tried to accurately indicate the proper subspecies for all our observations, usually based on geographic locations based on the IOC World Bird List version 10.1. We tried to keep detailed notes throughout the trip but especially commoner species might not have been written down daily. Triplist generated with iGoterra trips, see [www.igoterra.com](http://www.igoterra.com) for details. Sander saw a few additional species not noted down here.

- 1 **Chinese Francolin** *Francolinus pintadeanus phayrei*  
1 Chiang Saen 27.2 and 3 heard Chiang Saen 28.2
- 2 **Rufous-throated Partridge** *Arborophila rufogularis tickelli*  
5 Mae Wong NP 21.2, 3 Doi Inthanon NP 23.2 and 2 heard Doi Lang (East) 27.2
- 3 **Bar-backed Partridge** *Arborophila brunneopectus brunneopectus*  
2 heard Kaeng Krachan NP 18.2, 3 heard Kaeng Krachan NP 19.2 and 4 Mae Wong NP 21.2
- 4 **Green-legged Partridge** *Arborophila chloropus*  
*chloropus*: 1 heard Khao Yai NP 29.2 and 2 heard Khao Yai NP 1.3  
*peninsularis*: 1 heard Kaeng Krachan NP 19.2
- 5 **Ferruginous Partridge** *Caloperdix oculus oculus*  
1 Kaeng Krachan NP 18.2
- 6 **Mountain Bamboo Partridge** *Bambusicola fytchii fytchii*  
4 Doi Lang (West) 25.2
- 7 **Red Junglefowl** *Gallus gallus spadiceus*  
1 heard Kaeng Krachan NP 18.2, 5 Kaeng Krachan NP 19.2, 1 Huai Kha Kheang WS 20.2, 1 Mae Wong NP 21.2, 2 heard Doi Inthanon NP 22.2, 2 heard Doi Ang Khang 25.2 and 6+6 heard Khao Yai NP 1.3
- 8 **Kalij Pheasant** *Lophura leucomelanos crawfurdii*  
2 Kaeng Krachan NP 18.2
- 9 **Siamese Fireback** *Lophura diardi*  
6 Khao Yai NP 1.3
- 10 **Mrs. Hume's Pheasant** *Syrnaticus humiae burmanicus*  
5 Doi Lang (West) 26.2
- 11 **Grey Peacock-pheasant** *Polyplectron bicalcaratum*  
1 Kaeng Krachan NP 19.2, 5 heard Mae Wong NP 21.2, 5 heard Mae Wong NP 22.2 and 2 heard Doi Lang (West) 25.2
- 12 **Green Peafowl** *Pavo muticus imperator*  
13 Huai Kha Kheang WS 20.2
- 13 **Lesser Whistling Duck** *Dendrocygna javanica*  
50 Chiang Saen 28.2 and 30 en route 29.2
- 14 **Ruddy Shelduck** *Tadorna ferruginea*  
2 Chiang Saen 28.2
- 15 **Cotton Pygmy Goose** *Nettapus coromandelianus coromandelianus*  
2 Chiang Saen 28.2
- 16 **Garganey** *Spatula querquedula*  
4 Chiang Saen 28.2
- 17 **Indian Spot-billed Duck** *Anas poecilorhyncha haringtoni*  
5 Chiang Saen 28.2
- 18 **Baer's Pochard** *Aythya baeri*  
1 Chiang Saen 28.2
- 19 **Ferruginous Duck** *Aythya nyroca*  
10 Chiang Saen 27.2 and 20 Chiang Saen 28.2
- 20 **Hodgson's Frogmouth** *Batrachostomus hodgsoni indochinae*  
1 heard Doi Lang (West) 25.2 and 3 heard Doi Lang (West) 26.2
- 21 **Great Eared Nightjar** *Lyncornis macrotis cerviniceps*  
2 Kaeng Krachan NP 18.2
- 22 **Grey Nightjar** *Caprimulgus jotaka hazarae*  
1 Doi Lang (West) 25.2 and 2 Doi Lang (West) 26.2
- 23 **Large-tailed Nightjar** *Caprimulgus macrurus bimaculatus*  
4 heard Kaeng Krachan NP 18.2 and 1+1 heard Kaeng Krachan NP 19.2
- 24 **Indian Nightjar** *Caprimulgus asiaticus asiaticus*  
2+2 heard Laem Phak Bia 16.2 and 2 heard Laem Phak Bia 17.2

- 25 **Himalayan Swiftlet** *Aerodramus brevirostris*  
1 Chiang Saen 27.2 and 2 Chiang Saen 28.2
- 26 **Germain's Swiftlet** *Aerodramus germani germani*  
20 Laem Phak Bia 16.2, 20 Laem Phak Bia 17.2 and 8 Khao Yai NP 1.3
- 27 **Brown-backed Needletail** *Hirundapus giganteus indicus*  
6 Khao Yai NP 1.3
- 28 **Asian Palm Swift** *Cypsiurus balasiensis infumatus*  
2 en route 16.2, 1 Kaeng Krachan NP 17.2, 10 Kaeng Krachan NP 19.2, 10 en route 20.2, 10 Mae Wong NP 21.2 and 10 en route 29.2  
**Pacific Swift** *Apus pacificus*  
[2 Kaeng Krachan NP 18.2]
- 29 **Cook's Swift** *Apus cooki*  
1 Doi Inthanon NP 22.2, 25 Doi Lang (West) 25.2, 50 Doi Lang (West) 26.2, 25 Doi Ang Khang 25.2 and 30 Doi Lang (East) 27.2
- 30 **House Swift** *Apus nipalensis subfurcatus*  
2 Doi Inthanon NP 22.2
- 31 **Greater Coucal** *Centropus sinensis intermedius*  
2 Laem Phak Bia 16.2, 1 Laem Phak Bia 17.2, 1 heard Kaeng Krachan NP 17.2, 5 heard Kaeng Krachan NP 18.2, 3 heard Kaeng Krachan NP 19.2, 2 heard Chiang Saen 27.2 and 5 Chiang Saen 28.2
- 32 **Lesser Coucal** *Centropus bengalensis bengalensis*  
1 Doi Inthanon NP 23.2
- 33 **Raffles's Malkoha** *Rhinorhiza chlorophaea*  
1 Kaeng Krachan NP 19.2
- 34 **Green-billed Malkoha** *Phaenicophaeus tristis tristis*  
4 Kaeng Krachan NP 18.2, 3 Kaeng Krachan NP 19.2 and 2 Mae Wong NP 21.2
- 35 **Asian Koel** *Eudynamis scolopaceus*  
4 Kaeng Krachan NP 18.2, 1 heard Huai Kha Kheang WS 20.2, 3 heard en route 26.2, 5 Chiang Saen 28.2 and 2 en route 29.2. Observed 7 days in total
- 36 **Asian Emerald Cuckoo** *Chrysococcyx maculatus*  
1 Kaeng Krachan NP 18.2
- 37 **Banded Bay Cuckoo** *Cacomantis sonneratii sonneratii*  
1 heard Mae Wong NP 21.2, 3 heard Doi Inthanon NP 23.2, 1 heard Doi Lang (West) 25.2 and 1 Chiang Saen 27.2
- 38 **Plaintive Cuckoo** *Cacomantis merulinus querulus*  
3 en route 17.2 and 1 Mae Wong NP 22.2
- 39 **Square-tailed Drongo-cuckoo** *Surniculus lugubris*  
1 Mae Wong NP 21.2
- 40 **Large Hawk-cuckoo** *Hierococcyx sparverioides*  
1 heard Doi Inthanon NP 23.2, 1 Doi Inthanon NP 24.2, 1 heard Doi Lang (West) 25.2 and 1 heard Doi Lang (West) 26.2
- 41 **Himalayan Cuckoo** *Cuculus saturatus*  
1 Mae Wong NP 22.2 and 2 Doi Inthanon NP 23.2
- 42 **Oriental Turtle Dove** *Streptopelia orientalis*  
4 Doi Lang (West) 25.2
- 43 **Red Turtle Dove** *Streptopelia tranquebarica humilis*  
15 Laem Phak Bia 16.2 and 10 Pak Thale 17.2
- 44 **Spotted Dove** *Spilopelia chinensis tigrina*  
1 Laem Phak Bia 16.2, 4 Pak Thale 17.2, 5 Kaeng Krachan NP 19.2, 5 Huai Kha Kheang WS 20.2, 5 Doi Inthanon NP 22.2, 10 Doi Inthanon NP 23.2, 10 Chiang Saen 27.2 and Fairly Common Chiang Saen 28.2
- 45 **Barred Cuckoo-dove** *Macropygia unchall minor*  
1 Khao Yai NP 1.3
- 46 **Little Cuckoo-dove** *Macropygia ruficeps assimilis*  
1 Mae Wong NP 22.2
- 47 **Common Emerald Dove** *Chalcophaps indica indica*  
5 Kaeng Krachan NP 18.2, 5 Kaeng Krachan NP 19.2, 1 Doi Ang Khang 24.2, 1 Khao Yai NP 29.2 and 3 Khao Yai NP 1.3
- 48 **Thick-billed Green Pigeon** *Treron curvirostra nipalensis*  
1 Kaeng Krachan NP 18.2, 5 Kaeng Krachan NP 19.2 and 2 Khao Yai NP 1.3

- 49 **Pin-tailed Green Pigeon** *Treron apicauda*  
1 Doi Lang (East) 26.2
- 50 **Wedge-tailed Green Pigeon** *Treron sphenurus sphenurus*  
5 Doi Lang (East) 27.2
- 51 **Mountain Imperial Pigeon** *Ducula badia griseicapilla*  
5 Mae Wong NP 21.2, 2 heard Mae Wong NP 22.2, 2 heard Doi Ang Khang 25.2, 2 Doi Lang (East) 26.2, 3 Doi Lang (East) 27.2, 5 Doi Lang (West) 26.2, 15 Khao Yai NP 29.2 and 10 Khao Yai NP 1.3
- 52 **Slaty-legged Crake** *Rallina eurizonoides telmatophila*  
1 Kaeng Krachan NP 17.2
- 53 **White-breasted Waterhen** *Amaurornis phoenicurus phoenicurus*  
2 Laem Phak Bia 16.2, 2 en route 17.2, 1 Kaeng Krachan NP 18.2, 1 Doi Lang (East) 27.2, 2 Chiang Saen 28.2 and 2 en route 29.2
- 54 **Ruddy-breasted Crake** *Porzana fusca fusca*  
1 Kaeng Krachan NP 17.2
- 55 **Grey-headed Swampphen** *Porphyrio poliocephalus poliocephalus*  
60 Chiang Saen 27.2 and 5 Chiang Saen 28.2
- 56 **Common Moorhen** *Gallinula chloropus chloropus*  
5 Chiang Saen 28.2 and 5 en route 29.2
- 57 **Eurasian Coot** *Fulica atra atra*  
30 Chiang Saen 28.2
- 58 **Little Grebe** *Tachybaptus ruficollis poggei*  
1 Laem Phak Bia 16.2, 1 en route 17.2 and 5 Chiang Saen 28.2
- 59 **Indian Stone-curlew** *Burhinus indicus*  
1 en route 17.2
- 60 **Black-winged Stilt** *Himantopus himantopus*  
25 Laem Phak Bia 16.2, 25 Pak Thale 17.2, 50 en route 20.2, 20 Chiang Saen 28.2 and 20 en route 29.2
- 61 **Pied Avocet** *Recurvirostra avosetta*  
25 Laem Phak Bia 16.2
- 62 **River Lapwing** *Vanellus duvaucelii*  
2 Chiang Saen 28.2
- 63 **Red-wattled Lapwing** *Vanellus indicus atronuchalis*  
20 en route 16.2, 5 Kaeng Krachan NP 19.2, 10 Huai Kha Kheang WS 20.2 and 5 Khao Yai NP 1.3
- 64 **Pacific Golden Plover** *Pluvialis fulva*  
1 Laem Phak Bia 16.2 and 1 Laem Phak Bia 17.2
- 65 **Grey Plover** *Pluvialis squatarola squatarola*  
50 Pak Thale 16.2
- 66 **Little Ringed Plover** *Charadrius dubius*  
5 Chiang Saen 28.2
- 67 **Kentish Plover** *Charadrius alexandrinus*  
*alexandrinus*: 5 Laem Phak Bia 16.2 and 5 Pak Thale 17.2  
*dealbatus*: 1 Laem Phak Bia 16.2
- 68 **Malaysian Plover** *Charadrius peronii*  
2 Laem Phak Bia 16.2
- 69 **Lesser Sand Plover** *Charadrius mongolus*  
200 Pak Thale 17.2
- 70 **Greater Sand Plover** *Charadrius leschenaultii leschenaultii*  
25 Laem Phak Bia 16.2 and 2 Pak Thale 17.2
- 71 **Pheasant-tailed Jacana** *Hydrophasianus chirurgus*  
3 en route 17.2 and 5 Chiang Saen 28.2
- 72 **Bronze-winged Jacana** *Metopidius indicus*  
4 en route 17.2 and 2 Chiang Saen 27.2
- 73 **Far Eastern Curlew** *Numenius madagascariensis*  
10 Pak Thale 17.2
- 74 **Eurasian Curlew** *Numenius arquata orientalis*  
250 Pak Thale 17.2
- 75 **Bar-tailed Godwit** *Limosa lapponica menzbieri*  
1 Laem Phak Bia 16.2
- 76 **Black-tailed Godwit** *Limosa limosa melanuroides*  
200 Pak Thale 17.2

- 77 **Ruddy Turnstone** *Arenaria interpres interpres*  
4 Pak Thale 17.2
- 78 **Great Knot** *Calidris tenuirostris*  
250 Laem Phak Bia 17.2
- 79 **Broad-billed Sandpiper** *Calidris falcinellus sibirica*  
80 Pak Thale 17.2
- 80 **Curlew Sandpiper** *Calidris ferruginea*  
50 Pak Thale 17.2
- 81 **Temminck's Stint** *Calidris temminckii*  
3 Chiang Saen 28.2
- 82 **Long-toed Stint** *Calidris subminuta*  
5 Laem Phak Bia 17.2 and 5 Pak Thale 17.2
- 83 **Spoon-billed Sandpiper** *Calidris pygmaea*  
2 Pak Thale 17.2
- 84 **Red-necked Stint** *Calidris ruficollis*  
5 Laem Phak Bia 16.2 and 35 Pak Thale 17.2
- 85 **Sanderling** *Calidris alba*  
3 Laem Phak Bia 16.2 and 2 Pak Thale 17.2
- 86 **Terek Sandpiper** *Xenus cinereus*  
15 Laem Phak Bia 17.2 and 45 Pak Thale 17.2
- 87 **Common Sandpiper** *Actitis hypoleucos*  
4 Pak Thale 17.2
- 88 **Common Redshank** *Tringa totanus*  
25 Laem Phak Bia 16.2 and 2 Pak Thale 17.2
- 89 **Marsh Sandpiper** *Tringa stagnatilis*  
10 Laem Phak Bia 16.2 and 25 Pak Thale 17.2
- 90 **Wood Sandpiper** *Tringa glareola*  
1 Laem Phak Bia 17.2
- 91 **Spotted Redshank** *Tringa erythropus*  
2 Laem Phak Bia 16.2 and 2 Pak Thale 17.2
- 92 **Common Greenshank** *Tringa nebularia*  
45 Laem Phak Bia 16.2, 2 Laem Phak Bia 17.2 and 5 Pak Thale 17.2
- 93 **Nordmann's Greenshank** *Tringa guttifer*  
100 Laem Phak Bia 16.2
- 94 **Small Pratincole** *Glareola lactea*  
10 Chiang Saen 28.2
- 95 **Brown-headed Gull** *Chroicocephalus brunnicephalus*  
25 Laem Phak Bia 16.2 and 25 Pak Thale 17.2
- 96 **Gull-billed Tern** *Gelochelidon nilotica nilotica*  
5 en route 1.3
- 97 **Caspian Tern** *Hydroprogne caspia*  
10 Laem Phak Bia 16.2 and 15 Pak Thale 17.2
- 98 **Greater Crested Tern** *Thalasseus bergii cristatus*  
15 Laem Phak Bia 16.2
- 99 **Little Tern** *Sternula albifrons sinensis*  
50 Laem Phak Bia 16.2 and 30 Pak Thale 17.2
- 100 **Whiskered Tern** *Chlidonias hybrida hybrida*  
15 Laem Phak Bia 16.2 and 10 Pak Thale 17.2
- 101 **White-winged Tern** *Chlidonias leucopterus*  
15 en route 1.3
- 102 **Painted Stork** *Mycteria leucocephala*  
25 en route 16.2, 2 Laem Phak Bia 17.2 and 5 en route 1.3
- 103 **Asian Openbill** *Anastomus oscitans*  
25 en route 16.2, 3 en route 17.2, 1 Kaeng Krachan NP 19.2, 5 en route 20.2, 5 en route 24.2, 5 Chiang Saen 27.2, 20 Chiang Saen 28.2, 25 en route 29.2 and 10 en route 1.3
- 104 **Little Cormorant** *Microcarbo niger*  
10 Laem Phak Bia 16.2 and 1 Kaeng Krachan NP 19.2
- 105 **Indian Cormorant** *Phalacrocorax fuscicollis*  
5 Laem Phak Bia 16.2, 1 Huai Kha Kheang WS 20.2 and 2 Khao Yai NP 1.3

- 106 **Great Cormorant** *Phalacrocorax carbo sinensis*  
2 Chiang Saen 27.2
- 107 **Oriental Darter** *Anhinga melanogaster*  
1 Chiang Saen 28.2
- 108 **Yellow Bittern** *Ixobrychus sinensis*  
1 en route 17.2 and 2 en route 29.2
- 109 **Black-crowned Night Heron** *Nycticorax nycticorax nycticorax*  
2 Laem Phak Bia 16.2
- 110 **Striated Heron** *Butorides striata javanica*  
1 Pak Thale 16.2
- 111 **Chinese Pond Heron** *Ardeola bacchus*  
2 Doi Lang (East) 27.2 and 5 Chiang Saen 27.2
- 112 **Javan Pond Heron** *Ardeola speciosa continentalis*  
1 en route 1.3
- 113 **Eastern Cattle Egret** *Bubulcus coromandus*  
15 en route 16.2
- 114 **Grey Heron** *Ardea cinerea jouyi*  
5 Pak Thale 17.2
- 115 **Purple Heron** *Ardea purpurea manilensis*  
2 Pak Thale 17.2, 2 Chiang Saen 27.2 and 1 Chiang Saen 28.2
- 116 **Great Egret** *Ardea alba modesta*  
5 Pak Thale 17.2
- 117 **Little Egret** *Egretta garzetta garzetta*  
5 Pak Thale 17.2, 5 Huai Kha Kheang WS 20.2, 5 Chiang Saen 28.2 and 1 Khao Yai NP 1.3
- 118 **Pacific Reef Heron** *Egretta sacra sacra*  
3 Laem Phak Bia 16.2
- 119 **Black-winged Kite** *Elanus caeruleus vociferus*  
1 en route 20.2, 2 Chiang Saen 28.2 and 1 en route 29.2
- 120 **Crested Honey Buzzard** *Pernis ptilorhynchus*  
1 en route 17.2, 1 Kaeng Krachan NP 19.2, 1 Mae Wong NP 21.2, 2 Doi Inthanon NP 23.2 and 1 Doi Ang Khang 24.2
- 121 **Black Baza** *Aviceda leuphotes*  
3 Khao Yai NP 1.3
- 122 **Crested Serpent Eagle** *Spilornis cheela burmanicus*  
1 Kaeng Krachan NP 18.2 and 2 Kaeng Krachan NP 19.2
- 123 **Changeable Hawk-eagle** *Nisaetus cirrhatus limnaeetus*  
1 Doi Lang (East) 27.2
- 124 **Black Eagle** *Ictinaetus malaiensis malaiensis*  
1+1 heard Kaeng Krachan NP 19.2
- 125 **Crested Goshawk** *Accipiter trivirgatus indicus*  
1 Kaeng Krachan NP 18.2 and 2 Kaeng Krachan NP 19.2
- 126 **Shikra** *Accipiter badius poliopsis*  
2 Doi Inthanon NP 22.2
- 127 **Japanese Sparrowhawk** *Accipiter gularis sibiricus*  
1 Doi Inthanon NP 22.2
- 128 **Eastern Marsh Harrier** *Circus spilonotus*  
50 Chiang Saen 27.2
- 129 **Pied Harrier** *Circus melanoleucos*  
80 Chiang Saen 27.2 and 1 Chiang Saen 28.2
- 130 **Black Kite** *Milvus migrans govinda*  
4 en route 16.2, 2 en route 17.2 and 5 en route 1.3
- 131 **Brahminy Kite** *Haliastur indus indus*  
5 Laem Phak Bia 16.2
- 132 **Rufous-winged Buzzard** *Butastur liventer*  
1 Khao Yai NP 1.3
- 133 **Grey-faced Buzzard** *Butastur indicus*  
1 Doi Lang (East) 27.2
- 134 **Eastern Buzzard** *Buteo japonicus japonicus*  
1 en route 20.2 and 2 Doi Ang Khang 24.2

- 135 **Common Buzzard** *Buteo buteo vulpinus*  
1 en route 26.2
- 136 **White-fronted Scops Owl** *Otus sagittatus*  
1 Kaeng Krachan NP 18.2
- 137 **Mountain Scops Owl** *Otus spilocephalus latouchi*  
2 heard Doi Lang (East) 26.2
- 138 **Collared Scops Owl** *Otus lettia lettia*  
2 heard Kaeng Krachan NP 17.2
- 139 **Brown Wood Owl** *Strix leptogrammica ticehursti*  
1 heard Doi Lang (West) 26.2
- 140 **Collared Owlet** *Glaucidium brodiei brodiei*  
1 heard Kaeng Krachan NP 17.2, 2 heard Kaeng Krachan NP 18.2, 3 heard Mae Wong NP 21.2, 2 heard Doi Ang Khang 24.2, 2 heard Doi Lang (West) 25.2, 2 heard Doi Lang (West) 26.2, 3 heard Doi Lang (East) 27.2, 1 heard Khao Yai NP 29.2 and 1+3 heard Khao Yai NP 1.3
- 141 **Asian Barred Owlet** *Glaucidium cuculoides bruegeli*  
3 Kaeng Krachan NP 18.2, 2 Kaeng Krachan NP 19.2, 2 heard Mae Wong NP 21.2 and 1 heard Doi Inthanon NP 24.2
- 142 **Brown Hawk-owl** *Ninox scutulata burmanica*  
1 Kaeng Krachan NP 17.2
- 143 **Orange-breasted Trogon** *Harpactes oreskios stellae*  
5 Kaeng Krachan NP 18.2
- 144 **Red-headed Trogon** *Harpactes erythrocephalus*  
*erythrocephalus*: 1 Mae Wong NP 21.2  
*annamensis*: 2 Khao Yai NP 1.3
- 145 **Eurasian Hoopoe** *Upupa epops longirostris*  
2 en route 17.2, 1 Huai Kha Kheang WS 20.2, 1 Doi Ang Khang 24.2, 2 Doi Lang (West) 26.2 and 1 en route 29.2
- 146 **Great Hornbill** *Buceros bicornis*  
1 Kaeng Krachan NP 18.2, 1 Mae Wong NP 21.2 and 2 Khao Yai NP 1.3
- 147 **Oriental Pied Hornbill** *Anthracoceros albirostris albirostris*  
15 Kaeng Krachan NP 18.2, 8 Kaeng Krachan NP 19.2 and 1 Khao Yai NP 29.2
- 148 **Tickell's Brown Hornbill** *Anorrhinus tickelli*  
5 Kaeng Krachan NP 19.2
- 149 **Rufous-necked Hornbill** *Aceros nipalensis*  
2 Mae Wong NP 21.2
- 150 **Wreathed Hornbill** *Rhyticeros undulatus*  
1 Khao Yai NP 1.3
- 151 **Indochinese Roller** *Coracias affinis*  
2 Kaeng Krachan NP 17.2, 4 Kaeng Krachan NP 18.2, 1 Kaeng Krachan NP 19.2, 2 Laem Phak Bia 17.2, 5 Huai Kha Kheang WS 20.2, 1 Mae Wong NP 21.2, 2 Doi Inthanon NP 22.2 and 2 en route 29.2
- 152 **Oriental Dollarbird** *Eurystomus orientalis*  
10 Kaeng Krachan NP 18.2 and 5 Kaeng Krachan NP 19.2
- 153 **Banded Kingfisher** *Lacedo pulchella amabilis*  
1 heard Khao Yai NP 29.2 and 1 Khao Yai NP 1.3
- 154 **Stork-billed Kingfisher** *Pelargopsis capensis burmanica*  
1 Huai Kha Kheang WS 20.2
- 155 **White-throated Kingfisher** *Halcyon smyrnensis perpulchra*  
1 Laem Phak Bia 17.2, 1 Kaeng Krachan NP 18.2, 1 Kaeng Krachan NP 19.2, 1 Chiang Saen 27.2, 2 Chiang Saen 28.2 and 3 en route 29.2
- 156 **Black-capped Kingfisher** *Halcyon pileata*  
1 Laem Phak Bia 16.2
- 157 **Collared Kingfisher** *Todiramphus chloris armstrongi*  
1 Laem Phak Bia 16.2
- 158 **Common Kingfisher** *Alcedo atthis bengalensis*  
1 Laem Phak Bia 16.2, 1 Kaeng Krachan NP 18.2 and 5 Chiang Saen 27.2
- 159 **Blue-bearded Bee-eater** *Nyctyornis athertoni athertoni*  
2 Kaeng Krachan NP 18.2 and 1 Huai Kha Kheang WS 20.2
- 160 **Green Bee-eater** *Merops orientalis ferrugiceps*  
2 Laem Phak Bia 16.2, 5 en route 20.2, 1 Chiang Saen 28.2, 5 Khao Yai NP 29.2 and 5 Khao Yai NP 1.3

- 161 **Blue-tailed Bee-eater** *Merops philippinus*  
1 en route 29.2
- 162 **Chestnut-headed Bee-eater** *Merops leschenaulti leschenaulti*  
2 Kaeng Krachan NP 18.2, 2 Kaeng Krachan NP 19.2 and 2 Mae Wong NP 21.2
- 163 **Great Barbet** *Psilopogon virens virens*  
5 heard Mae Wong NP 21.2, 2 heard Mae Wong NP 22.2, 2 Doi Inthanon NP 22.2, 3 heard Doi Inthanon NP 23.2, 2 heard Doi Ang Khang 24.2 and 2 heard Doi Lang (East) 27.2
- 164 **Lineated Barbet** *Psilopogon lineatus hodgsoni*  
2 heard Kaeng Krachan NP 18.2, 10 Mae Wong NP 21.2 and 3 heard Chiang Saen 27.2
- 165 **Green-eared Barbet** *Psilopogon faiostrictus faiostrictus*  
4 Kaeng Krachan NP 18.2, 5 heard Kaeng Krachan NP 19.2 and 2 heard Doi Inthanon NP 22.2
- 166 **Golden-throated Barbet** *Psilopogon franklinii ramsayi*  
4 heard Mae Wong NP 21.2, 5 heard Doi Inthanon NP 23.2, 1 Doi Lang (West) 25.2, 1+0 heard Doi Lang (West) 26.2, 1+5 heard Doi Ang Khang 25.2 and 5 Doi Lang (East) 27.2
- 167 **Blue-throated Barbet** *Psilopogon asiaticus*  
1 Doi Ang Khang 24.2 and 1+5 heard Doi Lang (East) 27.2  
*davisoni*: 5 heard Mae Wong NP 21.2
- 168 **Moustached Barbet** *Psilopogon incognitus elbeli*  
1+4 heard Khao Yai NP 1.3
- 169 **Blue-eared Barbet** *Psilopogon duvaucelii stuarti*  
4 Kaeng Krachan NP 18.2 and 5 heard Khao Yai NP 1.3
- 170 **Coppersmith Barbet** *Psilopogon haemacephalus indicus*  
2 Kaeng Krachan NP 17.2, 2 Kaeng Krachan NP 18.2, 3 Kaeng Krachan NP 19.2 and 1 heard Huai Kha Kheang WS 20.2
- 171 **Speckled Piculet** *Picumnus innominatus malayorum*  
3 Mae Wong NP 21.2
- 172 **White-browed Piculet** *Sasia ochracea reichenowi*  
1 Kaeng Krachan NP 19.2
- 173 **Heart-spotted Woodpecker** *Hemicircus canente*  
1 Kaeng Krachan NP 18.2 and 1 Khao Yai NP 29.2
- 174 **Grey-capped Pygmy Woodpecker** *Yungipicus canicapillus canicapillus*  
1 Mae Wong NP 21.2, 2 Doi Inthanon NP 22.2, 1 Doi Inthanon NP 23.2, 1 Doi Lang (West) 26.2 and 1 Doi Lang (East) 27.2
- 175 **Freckle-breasted Woodpecker** *Dendrocopos analis longipennis*  
3 Chiang Saen 28.2
- 176 **Stripe-breasted Woodpecker** *Dendrocopos atratus atratus*  
1 Doi Lang (West) 25.2
- 177 **White-bellied Woodpecker** *Dryocopus javensis feddeni*  
1 Huai Kha Kheang WS 20.2
- 178 **Greater Yellownape** *Chrysophlegma flavinucha flavinucha*  
5 Kaeng Krachan NP 18.2 and 1 Doi Inthanon NP 23.2
- 179 **Lesser Yellownape** *Picus chlorolophus chlorolophus*  
1 Huai Kha Kheang WS 20.2
- 180 **Streak-breasted Woodpecker** *Picus viridanus*  
3 Kaeng Krachan NP 18.2
- 181 **Black-headed Woodpecker** *Picus erythropygius nigrigenis*  
4 Doi Inthanon NP 22.2
- 182 **Grey-headed Woodpecker** *Picus canus hessei*  
1 Kaeng Krachan NP 18.2
- 183 **Common Flameback** *Dinopium javanense intermedium*  
1 Huai Kha Kheang WS 20.2
- 184 **Greater Flameback** *Chrysocolaptes guttacristatus guttacristatus*  
2 Kaeng Krachan NP 17.2, 4 Kaeng Krachan NP 18.2 and 2 Kaeng Krachan NP 19.2
- 185 **Bay Woodpecker** *Blythipicus pyrrhotis pyrrhotis*  
3 heard Mae Wong NP 21.2, 3 heard Mae Wong NP 22.2, 2 heard Doi Inthanon NP 23.2, 2 heard Doi Ang Khang 24.2, 2 heard Doi Lang (West) 25.2, 2 heard Doi Lang (West) 26.2, 1 heard Doi Lang (East) 26.2 and 1 heard Doi Lang (East) 27.2
- 186 **Collared Falconet** *Microhierax caerulescens burmanicus*  
2 Doi Inthanon NP 22.2



- 187 **Black-thighed Falconet** *Microhierax fringillarius*  
2 Kaeng Krachan NP 18.2 and 1 Kaeng Krachan NP 19.2
- 188 **Peregrine Falcon** *Falco peregrinus*  
1 Laem Phak Bia 16.2
- 189 **Blossom-headed Parakeet** *Psittacula roseata juneae*  
5 Doi Inthanon NP 22.2 and 1 Khao Yai NP 29.2
- 190 **Red-breasted Parakeet** *Psittacula alexandri fasciata*  
4 Khao Yai NP 29.2
- 191 **Vernal Hanging Parrot** *Loriculus vernalis vernalis*  
1+2 heard Khao Yai NP 29.2
- 192 **Long-tailed Broadbill** *Psarisomus dalhousiae*  
*dalhousiae*: 2 Mae Wong NP 21.2, 1 Doi Inthanon NP 24.2 and 8 Doi Lang (West) 25.2  
*cyanicauda*: 5 Khao Yai NP 1.3
- 193 **Silver-breasted Broadbill** *Serilophus lunatus lunatus*  
3 Doi Inthanon NP 23.2
- 194 **Black-and-yellow Broadbill** *Eurylaimus ochromalus*  
5 Kaeng Krachan NP 18.2
- 195 **Rusty-naped Pitta** *Hydrornis oatesi oatesi*  
1 Chiang Saen 28.2
- 196 **Blue Pitta** *Hydrornis cyaneus aurantiacus*  
1+1 heard Khao Yai NP 29.2 and 3 heard Khao Yai NP 1.3
- 197 **Golden-bellied Gerygone** *Gerygone sulphurea sulphurea*  
1 heard Laem Phak Bia 16.2 and 2 heard Pak Thale 17.2
- 198 **Bar-winged Flycatcher-shrike** *Hemipus picatus*  
*capitalis*: 2 Doi Lang (West) 25.2 and 1 Doi Ang Khang 25.2  
*intermedius*: 1 Kaeng Krachan NP 17.2 and 2 Kaeng Krachan NP 19.2
- 199 **Large Woodshrike** *Tephrodornis virgatus jugans*  
1 Doi Inthanon NP 22.2
- 200 **Ashy Woodswallow** *Artamus fuscus*  
4 en route 16.2, 10 Kaeng Krachan NP 17.2, 15 Kaeng Krachan NP 18.2, 2 Kaeng Krachan NP 19.2, 1 en route 20.2, 20 en route 24.2, 4 Doi Lang (West) 25.2 and 15 en route 29.2
- 201 **Common Iora** *Aegithina tiphia*  
*philipi*: 1 Huai Kha Kheang WS 20.2, 2 Doi Lang (West) 26.2, 2 Chiang Saen 27.2 and 5 Chiang Saen 28.2  
*horizoptera*: 1 en route 17.2
- 202 **Great Iora** *Aegithina lafresnayei innotata*  
4 Kaeng Krachan NP 18.2 and 5 Kaeng Krachan NP 19.2
- 203 **Grey-chinned Minivet** *Pericrocotus solaris rubrolimbatus*  
5 Mae Wong NP 21.2, 10 Doi Inthanon NP 22.2, 5 Doi Inthanon NP 24.2, 10 Doi Lang (West) 26.2 and 5 Doi Lang (East) 27.2
- 204 **Short-billed Minivet** *Pericrocotus brevirostris neglectus*  
5 Doi Lang (West) 26.2 and 5 Doi Lang (East) 27.2
- 205 **Long-tailed Minivet** *Pericrocotus ethologus ethologus*  
2 Doi Ang Khang 25.2
- 206 **Scarlet Minivet** *Pericrocotus speciosus flammifer*  
1 Kaeng Krachan NP 18.2 and 5 Doi Ang Khang 24.2
- 207 **Swinhoe's Minivet** *Pericrocotus cantonensis*  
2 Kaeng Krachan NP 18.2, 3 Kaeng Krachan NP 19.2 and 5 Khao Yai NP 1.3
- 208 **Rosy Minivet** *Pericrocotus roseus*  
5 Kaeng Krachan NP 19.2
- 209 **Large Cuckooshrike** *Coracina macei siamensis*  
1 Doi Lang (West) 26.2 and 1 Doi Lang (East) 27.2
- 210 **Black-winged Cuckooshrike** *Lalage melaschistos*  
1 Kaeng Krachan NP 18.2 and 2 Khao Yai NP 1.3
- 211 **Brown Shrike** *Lanius cristatus*  
4 en route 17.2, 1 Huai Kha Kheang WS 20.2, 1 Mae Wong NP 21.2 and 1 Doi Inthanon NP 23.2
- 212 **Burmese Shrike** *Lanius collurioideus collurioideus*  
2 Doi Lang (West) 25.2 and 2 Doi Lang (West) 26.2

- 213 **Long-tailed Shrike** *Lanius schach*  
*tricolor*: 1 Doi Ang Khang 24.2, 2 Doi Ang Khang 25.2 and 1 Doi Lang (West) 26.2  
*schach*: 1 Chiang Saen 28.2
- 214 **Grey-backed Shrike** *Lanius tephronotus tephronotus*  
1 Doi Lang (East) 27.2
- 215 **White-bellied Erpornis** *Erpornis zantholeuca zantholeuca*  
1 Kaeng Krachan NP 19.2, 3 Mae Wong NP 21.2 and 2 Khao Yai NP 1.3
- 216 **Blyth's Shrike-babbler** *Pteruthius aeralatus aeralatus*  
3 Mae Wong NP 21.2, 1 Doi Inthanon NP 23.2, 1 Doi Ang Khang 25.2 and 1 Doi Lang (East) 26.2
- 217 **Black-eared Shrike-babbler** *Pteruthius melanotis melanotis*  
1 Doi Lang (East) 26.2 and 1 Doi Lang (East) 27.2
- 218 **Clicking Shrike-babbler** *Pteruthius intermedius intermedius*  
1 Doi Inthanon NP 23.2
- 219 **Maroon Oriole** *Oriolus traillii traillii*  
5 Mae Wong NP 21.2, 2 Doi Ang Khang 24.2, 3 Doi Ang Khang 25.2, 2 Doi Inthanon NP 24.2, 5 Doi Lang (West) 25.2, 2 Doi Lang (West) 26.2, 2 Doi Lang (East) 26.2 and 5 Doi Lang (East) 27.2
- 220 **Black-hooded Oriole** *Oriolus xanthornus xanthornus*  
2 Doi Inthanon NP 22.2
- 221 **Black-naped Oriole** *Oriolus chinensis diffusus*  
4 Kaeng Krachan NP 18.2, 10 Kaeng Krachan NP 19.2, 15 Mae Wong NP 21.2 and 1 Khao Yai NP 1.3
- 222 **Slender-billed Oriole** *Oriolus tenuirostris tenuirostris*  
2 Doi Lang (West) 26.2 and 1 Doi Lang (East) 27.2
- 223 **Black Drongo** *Dicrurus macrocercus*  
4 Laem Phak Bia 16.2, 2 Pak Thale 17.2, 3 Kaeng Krachan NP 19.2 and 1 Huai Kha Kheang WS 20.2
- 224 **Ashy Drongo** *Dicrurus leucophaeus*  
4 Kaeng Krachan NP 18.2, 5 Kaeng Krachan NP 19.2, 5 Doi Lang (West) 26.2, 3 Doi Lang (East) 27.2, 10 Khao Yai NP 29.2 and 4 Khao Yai NP 1.3
- 225 **Bronzed Drongo** *Dicrurus aeneus aeneus*  
3 Mae Wong NP 21.2 and 1 Doi Lang (West) 25.2
- 226 **Lesser Racket-tailed Drongo** *Dicrurus remifer*  
*tectirostris*: 5 Doi Inthanon NP 23.2, 5 Doi Inthanon NP 24.2, 3 Doi Ang Khang 24.2, 8 Doi Lang (West) 26.2 and 2 Doi Lang (East) 27.2  
*peracensis*: 5 Mae Wong NP 21.2
- 227 **Hair-crested Drongo** *Dicrurus hottentottus hottentottus*  
2 Kaeng Krachan NP 18.2, 5 Kaeng Krachan NP 19.2, 50 Mae Wong NP 22.2 and 4 Khao Yai NP 1.3
- 228 **Greater Racket-tailed Drongo** *Dicrurus paradiseus*  
*rangoonensis*: 5 Doi Inthanon NP 22.2  
*paradiseus*: 2 en route 17.2, 4 Kaeng Krachan NP 18.2, 3 Kaeng Krachan NP 19.2, 2 Huai Kha Kheang WS 20.2 and 2 Khao Yai NP 1.3
- 229 **White-throated Fantail** *Rhipidura albicollis celsa*  
10 Mae Wong NP 21.2, 1 en route 29.2 and 1 Khao Yai NP 1.3
- 230 **Malaysian Pied Fantail** *Rhipidura javanica longicauda*  
2 Laem Phak Bia 16.2
- 231 **Black-naped Monarch** *Hypothymis azurea* Endemic  
*montana*: 4 Doi Inthanon NP 22.2 and 1 Chiang Saen 28.2  
*galerita*: 2 Kaeng Krachan NP 17.2, 5 Kaeng Krachan NP 18.2, 5 Kaeng Krachan NP 19.2, 2 Huai Kha Kheang WS 20.2 and 10 Mae Wong NP 21.2
- 232 **Blyth's Paradise Flycatcher** *Terpsiphone affinis indochinensis*  
2 Kaeng Krachan NP 18.2, 5 Kaeng Krachan NP 19.2 and 1 Mae Wong NP 21.2
- 233 **Eurasian Jay** *Garrulus glandarius leucotis*  
4 Doi Inthanon NP 22.2
- 234 **Red-billed Blue Magpie** *Urocissa erythroryncha magnirostris*  
10 Huai Kha Kheang WS 20.2 and 10 Mae Wong NP 21.2
- 235 **Common Green Magpie** *Cissa chinensis chinensis*  
2 Kaeng Krachan NP 18.2
- 236 **Rufous Treepie** *Dendrocitta vagabunda saturatior*  
1 Mae Wong NP 21.2 and 2 Mae Wong NP 22.2
- 237 **Grey Treepie** *Dendrocitta formosae*  
1 Doi Lang (West) 25.2 and 5 Doi Lang (East) 27.2

- 238 **Racket-tailed Treepie** *Crypsirina temia*  
1 Laem Phak Bia 16.2, 1 Kaeng Krachan NP 17.2, 1 Kaeng Krachan NP 18.2, 2 Kaeng Krachan NP 19.2, 5 Chiang Saen 27.2, 5 Chiang Saen 28.2 and 5 en route 1.3
- 239 **Eastern Jungle Crow** *Corvus leuallantii*  
5 en route 16.2, 25 en route 20.2, 5 Doi Inthanon NP 23.2, 10 en route 24.2 and 20 en route 29.2
- 240 **Yellow-bellied Fantail** *Chelidorhynch hypoxanthus*  
5 Doi Inthanon NP 23.2, 3 Doi Lang (East) 26.2 and 2 Doi Lang (East) 27.2
- 241 **Grey-headed Canary-flycatcher** *Culicicapa ceylonensis*  
*calochrysea*: 3 Doi Inthanon NP 23.2, 2 Doi Ang Khang 25.2 and 1 en route 29.2  
*antioxantha*: 1 Kaeng Krachan NP 18.2, 3 Kaeng Krachan NP 19.2 and 2 Mae Wong NP 21.2
- 242 **Yellow-browed Tit** *Sylviparus modestus modestus*  
1 Doi Lang (East) 26.2
- 243 **Sultan Tit** *Melanochlora sultanea flavocristata*  
10 Kaeng Krachan NP 18.2 and 5 Kaeng Krachan NP 19.2
- 244 **Japanese Tit** *Parus minor nubicolus*  
3 Doi Ang Khang 24.2 and 4 Doi Lang (West) 26.2
- 245 **Yellow-cheeked Tit** *Machlolophus spilonotus subviridis*  
5 Doi Inthanon NP 23.2, 5 Doi Inthanon NP 24.2, 3 Doi Ang Khang 25.2, 2 Doi Lang (East) 26.2 and 5 Doi Lang (East) 27.2
- 246 **Indochinese Bush Lark** *Mirafra erythrocephala*  
5 en route 17.2
- 247 **Crested Finchbill** *Spizixos canifrons ingrami*  
2 Doi Ang Khang 24.2, 8 Doi Lang (West) 26.2 and 2 Doi Lang (East) 27.2
- 248 **Striated Bulbul** *Pycnonotus striatus paulus*  
1 Doi Ang Khang 25.2, 2 Doi Lang (East) 26.2 and 1 Doi Lang (East) 27.2
- 249 **Black-crested Bulbul** *Pycnonotus flaviventris*  
*xanthops*: 5 Doi Inthanon NP 23.2  
*johnsoni*: 10 Khao Yai NP 29.2 and 5 Khao Yai NP 1.3  
*negatus*: 10 Mae Wong NP 21.2  
*caecili*: 15 Kaeng Krachan NP 18.2 and 10 Kaeng Krachan NP 19.2
- 250 **Red-whiskered Bulbul** *Pycnonotus jocosus*  
*emeria*: 3 Mae Wong NP 21.2  
*pattani*: 25 Doi Ang Khang 24.2 and 10 en route 24.2
- 251 **Brown-breasted Bulbul** *Pycnonotus xanthorrhous xanthorrhous*  
3 Doi Ang Khang 24.2
- 252 **Sooty-headed Bulbul** *Pycnonotus aurigaster*  
*latouchei*: 10 Doi Ang Khang 24.2, 5 Doi Ang Khang 25.2, 3 Doi Lang (West) 25.2, 10 Doi Lang (West) 26.2 and 15 Doi Lang (East) 27.2  
*thais*: 2 Kaeng Krachan NP 17.2 and 5 Kaeng Krachan NP 19.2
- 253 **Stripe-throated Bulbul** *Pycnonotus finlaysoni*  
*eous*: 2 Khao Yai NP 29.2  
*finlaysoni*: 2 Kaeng Krachan NP 17.2, 10 Kaeng Krachan NP 18.2 and 10 Kaeng Krachan NP 19.2
- 254 **Flavescens Bulbul** *Pycnonotus flavescens vividus*  
10 Mae Wong NP 21.2, 2 Doi Ang Khang 24.2, 5 Doi Ang Khang 25.2, 5 Doi Lang (West) 25.2, 15 Doi Lang (West) 26.2 and 10 Doi Lang (East) 27.2
- 255 **Streak-eared Bulbul** *Pycnonotus conradi*  
2 Kaeng Krachan NP 17.2, 4 Kaeng Krachan NP 18.2, 5 Kaeng Krachan NP 19.2, 5 Chiang Saen 28.2, 5 Khao Yai NP 29.2 and 2 Khao Yai NP 1.3
- 256 **White-throated Bulbul** *Alophoixus flaveolus burmanicus*  
2 Mae Wong NP 21.2
- 257 **Puff-throated Bulbul** *Alophoixus pallidus*  
*henrici*: 1 Doi Inthanon NP 23.2  
*isani*: 5 Khao Yai NP 1.3
- 258 **Ochraceous Bulbul** *Alophoixus ochraceus ochraceus*  
15 Kaeng Krachan NP 18.2 and 2 Kaeng Krachan NP 19.2
- 259 **Olive Bulbul** *Iole viridescens cinnamomeiventris*  
4 Kaeng Krachan NP 18.2 and 5 Kaeng Krachan NP 19.2
- 260 **Grey-eyed Bulbul** *Iole propinqua propinqua*  
1 Khao Yai NP 29.2

- 261 **Mountain Bulbul** *Ixos mccllellandii tickelli*  
20 Mae Wong NP 21.2, 5 Mae Wong NP 22.2, 5 Doi Inthanon NP 23.2, 5 Doi Inthanon NP 24.2, 3 Doi Ang Khang 24.2, 5 Doi Ang Khang 25.2, 15 Doi Lang (East) 26.2 and 10 Doi Lang (East) 27.2
- 262 **Ashy Bulbul** *Hemixos flavala hildebrandi*  
5 Mae Wong NP 21.2
- 263 **Black Bulbul** *Hypsipetes leucocephalus*  
3 Mae Wong NP 21.2 and 1 Mae Wong NP 22.2
- 264 **Grey-throated Martin** *Riparia chinensis chinensis*  
1 Chiang Saen 28.2
- 265 **Sand Martin** *Riparia riparia*  
1 Chiang Saen 27.2
- 266 **Barn Swallow** *Hirundo rustica gutturalis*  
10 Laem Phak Bia 16.2, 25 Kaeng Krachan NP 17.2, 5 Kaeng Krachan NP 19.2, 25 en route 20.2, 15 Mae Wong NP 21.2, 50 Chiang Saen 27.2, 50 Chiang Saen 28.2 and 25 en route 29.2
- 267 **Wire-tailed Swallow** *Hirundo smithii filifera*  
3 en route 24.2
- 268 **Asian House Martin** *Delichon dasypus dasypus*  
25 Doi Inthanon NP 23.2
- 269 **Red-rumped Swallow** *Cecropis daurica*  
15 Khao Yai NP 1.3
- 270 **Striated Swallow** *Cecropis striolata stanfordi*  
1 Doi Inthanon NP 23.2, 3 Doi Ang Khang 25.2 and 1 Doi Lang (West) 26.2
- 271 **Pygmy Cupwing** *Pnoepyga pusilla pusilla*  
5 Doi Inthanon NP 23.2 and 1 heard Doi Inthanon NP 24.2
- 272 **Mountain Tailorbird** *Phyllergates cucullatus coronatus*  
2 Doi Lang (East) 26.2 and 3 Doi Lang (East) 27.2
- 273 **Aberrant Bush Warbler** *Horornis flavolivaceus intricatus*  
1 Doi Ang Khang 25.2
- 274 **Slaty-bellied Tesia** *Tesia olivea chiangmaiensis*  
1 heard Mae Wong NP 21.2, 4+5 heard Doi Inthanon NP 23.2, 2 heard Doi Lang (East) 26.2 and 1+5 heard Doi Lang (East) 27.2
- 275 **Asian Stubtail** *Urosphena squameiceps*  
1 Mae Wong NP 22.2, 1 Doi Inthanon NP 23.2 and 1 Doi Ang Khang 25.2
- 276 **Black-throated Bushtit** *Aegithalos concinnus pulchellus*  
5 Doi Lang (West) 25.2, 5 Doi Lang (West) 26.2 and 5 Doi Lang (East) 27.2
- 277 **Buff-barred Warbler** *Phylloscopus pulcher vegetus*  
1 Doi Inthanon NP 23.2
- 278 **Ashy-throated Warbler** *Phylloscopus maculipennis maculipennis*  
2 Doi Inthanon NP 23.2
- 279 **Hume's Leaf Warbler** *Phylloscopus humei mandellii*  
1 Doi Inthanon NP 23.2
- 280 **Yellow-browed Warbler** *Phylloscopus inornatus*  
1 heard Kaeng Krachan NP 17.2, 5+0 heard Kaeng Krachan NP 18.2, Fairly Common Kaeng Krachan NP 19.2, Common Mae Wong NP 21.2, Common Doi Inthanon NP 23.2, Common Doi Inthanon NP 24.2, Fairly Common Doi Ang Khang 24.2, Common Doi Ang Khang 25.2, Common Doi Lang (West) 25.2, Common Doi Lang (East) 27.2 and 1 heard Khao Yai NP 29.2
- 281 **Pallas's Leaf Warbler** *Phylloscopus proregulus*  
1 heard Doi Lang (West) 25.2 and 2 heard Doi Lang (East) 27.2
- 282 **Radde's Warbler** *Phylloscopus schwarzi*  
10 Kaeng Krachan NP 18.2, 5 Kaeng Krachan NP 19.2, 1 Mae Wong NP 21.2, 1 Mae Wong NP 22.2 and 1 Chiang Saen 27.2
- 283 **Dusky Warbler** *Phylloscopus fuscatus*  
1 Kaeng Krachan NP 17.2, 20 Chiang Saen 28.2 and 2 Khao Yai NP 1.3
- 284 **Buff-throated Warbler** *Phylloscopus subaffinis*  
2 Doi Lang (West) 26.2
- 285 **Eastern Crowned Warbler** *Phylloscopus coronatus*  
10 Kaeng Krachan NP 18.2 and 2 Kaeng Krachan NP 19.2
- 286 **Grey-crowned Warbler** *Phylloscopus tephrocephalus*  
3 Chiang Saen 28.2

- 287 **Alström's Warbler** *Phylloscopus soror*  
1 Khao Yai NP 1.3
- 288 **Martens's Warbler** *Phylloscopus omeiensis*  
1 Doi Inthanon NP 24.2 and 1 Doi Lang (East) 27.2
- 289 **Two-barred Warbler** *Phylloscopus plumbeitarsus*  
2 Kaeng Krachan NP 19.2, 1 Mae Wong NP 21.2 and 1 Doi Ang Khang 24.2
- 290 **Greenish Warbler** *Phylloscopus trochiloides*  
1 Doi Ang Khang 24.2 and 2 Doi Ang Khang 25.2
- 291 **Arctic Warbler** *Phylloscopus borealis*  
1 Khao Yai NP 1.3
- 292 **Chestnut-crowned Warbler** *Phylloscopus castaniceps collinsi*  
1 Doi Inthanon NP 23.2 and 5 Doi Lang (East) 27.2
- 293 **Sulphur-breasted Warbler** *Phylloscopus ricketti*  
4 Kaeng Krachan NP 18.2, 30 Mae Wong NP 21.2, 10 Doi Inthanon NP 23.2 and 2 Khao Yai NP 1.3
- 294 **Blyth's Leaf Warbler** *Phylloscopus reguloides*  
3 Doi Inthanon NP 23.2
- 295 **Claudia's Leaf Warbler** *Phylloscopus claudiae*  
3 Mae Wong NP 21.2 and 2 Khao Yai NP 1.3
- 296 **Davison's Leaf Warbler** *Phylloscopus intensior muleyitensis*  
3 Doi Inthanon NP 23.2, 5 Doi Ang Khang 25.2, 20 Doi Lang (West) 26.2 and Common Doi Lang (East) 27.2
- 297 **Oriental Reed Warbler** *Acrocephalus orientalis*  
1 Laem Phak Bia 16.2 and 1 en route 17.2
- 298 **Black-browed Reed Warbler** *Acrocephalus bistrigiceps*  
2 en route 17.2
- 299 **Thick-billed Warbler** *Arundinax aedon*  
1 Kaeng Krachan NP 18.2, 2 Kaeng Krachan NP 19.2 and 1 Chiang Saen 28.2
- 300 **Baikal Bush Warbler** *Locustella davidi*  
1 Mae Wong NP 22.2 and 2 Chiang Saen 28.2
- 301 **Striated Grassbird** *Megalurus palustris toklao*  
1 Chiang Saen 28.2
- 302 **Hill Prinia** *Prinia superciliaris erythropleura*  
2 Doi Lang (West) 26.2 and 1 Doi Lang (East) 27.2
- 303 **Rufescent Prinia** *Prinia rufescens beavani*  
3 Doi Lang (West) 25.2
- 304 **Yellow-bellied Prinia** *Prinia flaviventris delacouri*  
1 en route 17.2 and 5 Chiang Saen 28.2
- 305 **Plain Prinia** *Prinia inornata*  
*blanfordi*: 2 Chiang Saen 28.2  
*herberti*: 2 Laem Phak Bia 16.2
- 306 **Common Tailorbird** *Orthotomus sutorius inexpectatus*  
1 en route 17.2, 5 Kaeng Krachan NP 18.2, 2 Mae Wong NP 21.2, 2 Chiang Saen 28.2 and 2 Khao Yai NP 29.2
- 307 **Dark-necked Tailorbird** *Orthotomus atrogularis nitidus*  
10 Kaeng Krachan NP 18.2 and 2 heard Khao Yai NP 1.3
- 308 **Large Scimitar Babbler** *Pomatorhinus hypoleucos tickelli*  
3 Khao Yai NP 1.3
- 309 **Rusty-cheeked Scimitar Babbler** *Pomatorhinus erythrogegens celatus*  
3 Doi Lang (West) 25.2 and 10 Doi Lang (West) 26.2
- 310 **White-browed Scimitar Babbler** *Pomatorhinus schisticeps*  
*ripponi*: 2 Doi Lang (West) 25.2 and 5 Doi Lang (West) 26.2  
*olivaceus*: 4 Kaeng Krachan NP 18.2, 1 Kaeng Krachan NP 19.2, 2 Mae Wong NP 21.2 and 1 Mae Wong NP 22.2
- 311 **Grey-throated Babbler** *Stachyris nigriceps spadix*  
2 Mae Wong NP 21.2 and 3 Doi Inthanon NP 23.2
- 312 **Rufous-fronted Babbler** *Stachyridopsis rufifrons*  
*rufifrons*: 2 heard Doi Ang Khang 25.2 and 3 heard Doi Lang (East) 27.2  
*obscura*: 1 heard Kaeng Krachan NP 18.2 and 2 heard Mae Wong NP 21.2
- 313 **Golden Babbler** *Stachyridopsis chrysaea*  
*aurata*: 3 Doi Inthanon NP 23.2, 5 Doi Inthanon NP 24.2, 2 Doi Lang (West) 25.2 and 5 Doi Lang (East) 27.2  
*assimilis*: 1 Mae Wong NP 21.2

- 314 **Pin-striped Tit-babbler** *Macronus gularis*  
*sulphureus*: 3 Mae Wong NP 21.2  
*saraburiensis*: 5 Khao Yai NP 1.3  
*connectens*: 15 Kaeng Krachan NP 18.2 and 10 Kaeng Krachan NP 19.2
- 315 **Chestnut-capped Babbler** *Timalia pileata smithi*  
 2 Chiang Saen 28.2
- 316 **Rufous-winged Fulvetta** *Alcippe castaneiceps castaneiceps*  
 5 Doi Inthanon NP 23.2, 5 Doi Inthanon NP 24.2, 15 Doi Lang (East) 26.2 and 10 Doi Lang (East) 27.2
- 317 **Brown-cheeked Fulvetta** *Alcippe poioicephala davisoni*  
 15 Kaeng Krachan NP 19.2
- 318 **Yunnan Fulvetta** *Alcippe fratercula fratercula*  
 25 Mae Wong NP 21.2, 5 Doi Inthanon NP 23.2, 5 Doi Inthanon NP 24.2, 10 Doi Lang (West) 25.2, 15 Doi Ang Khang 25.2 and 20 Doi Lang (East) 27.2
- 319 **Limestone Wren-babbler** *Napothera crispifrons calcicola* Endemic  
 1 en route 29.2
- 320 **Streaked Wren-babbler** *Napothera brevicaudata brevicaudata*  
 1 Doi Ang Khang 24.2
- 321 **Abbott's Babbler** *Malacocincla abbotti abbotti*  
 1 Kaeng Krachan NP 19.2
- 322 **Puff-throated Babbler** *Pellorneum ruficeps*  
*acrum*: 3 Kaeng Krachan NP 17.2, 4 Kaeng Krachan NP 18.2 and 5 Kaeng Krachan NP 19.2  
*indistinctum*: 1 Doi Lang (East) 27.2
- 323 **Himalayan Cutia** *Cutia nipalensis melanchima*  
 3 Doi Ang Khang 25.2
- 324 **Silver-eared Laughingthrush** *Trochalopteron melanostigma*  
*melanostigma*: 5 Doi Inthanon NP 23.2 and 3 Doi Inthanon NP 24.2  
*schistaceum*: 1 Doi Lang (West) 25.2 and 10 Doi Lang (East) 27.2
- 325 **Bar-throated Minla** *Actinodura strigula castanicauda*  
 5 Doi Inthanon NP 23.2
- 326 **Spectacled Barwing** *Actinodura ramsayi ramsayi*  
 5 Doi Lang (West) 25.2, 2 Doi Lang (West) 26.2 and 1 Doi Lang (East) 27.2
- 327 **Blue-winged Minla** *Actinodura cyanouroptera wingatei*  
 2 Doi Inthanon NP 24.2, 5 Doi Ang Khang 25.2 and 2 Doi Lang (East) 27.2
- 328 **Rufous-backed Sibia** *Leioptila annectens saturata*  
 2 heard Doi Inthanon NP 23.2 and 2 heard Doi Inthanon NP 24.2
- 329 **Silver-eared Mesia** *Leiothrix argentauris galbana*  
 5 Mae Wong NP 21.2, 3 Doi Inthanon NP 24.2 and 2 Doi Ang Khang 25.2
- 330 **Scarlet-faced Liocichla** *Liocichla ripponi ripponi*  
 2 Doi Ang Khang 25.2, 2 Doi Lang (East) 26.2, 2 Doi Lang (East) 27.2 and 2 Doi Lang (West) 26.2
- 331 **Dark-backed Sibia** *Heterophasia melanoleuca*  
*radcliffei*: 20 Doi Inthanon NP 23.2, 5 Doi Inthanon NP 24.2, 3 Doi Ang Khang 24.2, Common Doi Ang Khang 25.2, Common Doi Lang (West) 25.2, 25 Doi Lang (West) 26.2 and Common Doi Lang (East) 27.2  
*melanoleuca*: 1 Mae Wong NP 21.2
- 332 **Lesser Necklaced Laughingthrush** *Garrulax monileger fuscatus*  
 2 Kaeng Krachan NP 17.2, 15 Kaeng Krachan NP 19.2 and 2 Kaeng Krachan NP 20.2
- 333 **White-crested Laughingthrush** *Garrulax leucolophus*  
*belangeri*: 10 Kaeng Krachan NP 19.2 and 3 Kaeng Krachan NP 20.2  
*diardi*: 15 Khao Yai NP 1.3
- 334 **White-necked Laughingthrush** *Garrulax strepitans*  
 5 Mae Wong NP 21.2 and 4 Mae Wong NP 22.2
- 335 **Black-throated Laughingthrush** *Pterorhinus chinensis propinquus*  
 4 Mae Wong NP 21.2
- 336 **Greater Necklaced Laughingthrush** *Pterorhinus pectoralis subfusus*  
 5 Kaeng Krachan NP 17.2, 10 Kaeng Krachan NP 18.2 and 10 Kaeng Krachan NP 19.2
- 337 **White-browed Laughingthrush** *Pterorhinus sannio comis*  
 5 Doi Lang (West) 25.2, 15 Doi Lang (West) 26.2 and 2 Doi Ang Khang 25.2
- 338 **Yellow-eyed Babbler** *Chrysomma sinense sinense*  
 1 Doi Lang (East) 27.2

- 339 **Spot-breasted Parrotbill** *Paradoxornis guttaticollis*  
2 Doi Lang (West) 26.2
- 340 **Striated Yuhina** *Yuhina castaniceps striata*  
15 Mae Wong NP 21.2
- 341 **Whiskered Yuhina** *Yuhina flavicollis rogersi* Endemic  
5 Doi Lang (East) 26.2 and 3 Doi Lang (East) 27.2
- 342 **Chestnut-flanked White-eye** *Zosterops erythropleurus*  
15 Mae Wong NP 21.2, 10 Doi Lang (East) 27.2 and 5 Khao Yai NP 1.3
- 343 **Indian White-eye** *Zosterops palpebrosus siamensis*  
25 Mae Wong NP 21.2 and 5 Doi Ang Khang 24.2
- 344 **Asian Fairy-bluebird** *Irena puella puella*  
2 Kaeng Krachan NP 18.2 and 3 Khao Yai NP 29.2
- 345 **Chestnut-vented Nuthatch** *Sitta nagaensis montium*  
1 Doi Inthanon NP 23.2, 2 Doi Inthanon NP 24.2, 2 Doi Ang Khang 24.2, 3 Doi Ang Khang 25.2 and 5 Doi Lang (East) 26.2
- 346 **Velvet-fronted Nuthatch** *Sitta frontalis frontalis*  
2 Mae Wong NP 21.2 and 3 Doi Inthanon NP 22.2
- 347 **Giant Nuthatch** *Sitta magna magna*  
1 Doi Lang (West) 25.2, 2 Doi Ang Khang 25.2 and 4 Doi Lang (East) 26.2
- 348 **Hume's Treecreeper** *Certhia manipurensis shanensis*  
1 Doi Inthanon NP 24.2
- 349 **Golden-crested Myna** *Ampeliceps coronatus*  
2 Kaeng Krachan NP 19.2
- 350 **Common Hill Myna** *Gracula religiosa intermedia*  
5 Kaeng Krachan NP 19.2, 2 Huai Kha Kheang WS 20.2 and 2 Khao Yai NP 29.2
- 351 **Great Myna** *Acridotheres grandis*  
2 Laem Phak Bia 16.2, 5 Doi Lang (East) 27.2, 10 Chiang Saen 28.2, 10 en route 29.2 and 5 en route 1.3
- 352 **Common Myna** *Acridotheres tristis tristis*  
50 en route 20.2, 15 en route 22.2, 5 Doi Lang (East) 27.2, 25 Chiang Saen 28.2, 10 en route 29.2 and 10 en route 1.3
- 353 **Black-collared Starling** *Gracupica nigricollis*  
2 Doi Lang (East) 27.2 and 3 Chiang Saen 28.2
- 354 **Pied Myna** *Gracupica contra floweri*  
5 en route 17.2, 10 en route 29.2 and 5 en route 1.3
- 355 **Chestnut-tailed Starling** *Sturnia malabarica nemoricola*  
3 Laem Phak Bia 16.2 and 5 Chiang Saen 28.2
- 356 **White's Thrush** *Zoothera aurea*  
1 Kaeng Krachan NP 19.2
- 357 **Dark-sided Thrush** *Zoothera marginata*  
2 Doi Inthanon NP 23.2
- 358 **Black-breasted Thrush** *Turdus dissimilis*  
10 Doi Ang Khang 24.2 and 2 Doi Ang Khang 25.2
- 359 **Grey-winged Blackbird** *Turdus boulboul*  
3 Chiang Saen 28.2
- 360 **Grey-sided Thrush** *Turdus feae*  
3 Doi Inthanon NP 23.2, 2 Doi Lang (East) 27.2 and 4 Khao Yai NP 1.3
- 361 **Eyebrowed Thrush** *Turdus obscurus*  
20 Chiang Saen 28.2
- 362 **Green Cochoa** *Cochoa viridis*  
1 heard Doi Lang (West) 25.2
- 363 **Oriental Magpie-robin** *Copsychus saularis*  
*sularis*: 1 Huai Kha Kheang WS 20.2, 2 Doi Ang Khang 24.2, 3 Doi Ang Khang 25.2, 2 Chiang Saen 27.2 and 5 Chiang Saen 28.2  
*musicus*: 5 Laem Phak Bia 16.2
- 364 **White-rumped Shama** *Copsychus malabaricus macrourus*  
6 Kaeng Krachan NP 17.2, 5 Kaeng Krachan NP 18.2, 10 Kaeng Krachan NP 19.2 and 1 Mae Wong NP 22.2
- 365 **Dark-sided Flycatcher** *Muscicapa sibirica rothschildi*  
1 Kaeng Krachan NP 19.2 and 1 en route 29.2

- 366 **Asian Brown Flycatcher** *Muscicapa dauurica dauurica*  
1 Kaeng Krachan NP 19.2 and 1 Doi Inthanon NP 22.2
- 367 **White-gorgeted Flycatcher** *Anthipes monileger leucops*  
2 Doi Inthanon NP 23.2, 1 Doi Ang Khang 25.2, 2 Doi Lang (West) 26.2 and 2 Doi Lang (East) 27.2
- 368 **Hainan Blue Flycatcher** *Cyornis hainanus hainanus*  
2 Kaeng Krachan NP 19.2
- 369 **Pale Blue Flycatcher** *Cyornis unicolor unicolor*  
1 Kaeng Krachan NP 18.2
- 370 **Hill Blue Flycatcher** *Cyornis whitei whitei*  
2 Kaeng Krachan NP 18.2, 1 Kaeng Krachan NP 19.2, 1 Mae Wong NP 22.2, 1 Doi Inthanon NP 23.2 and 1 Doi Lang (West) 25.2
- 371 **Indochinese Blue Flycatcher** *Cyornis sumatrensis indochina*  
2 Kaeng Krachan NP 19.2
- 372 **Blue-throated Blue Flycatcher** *Cyornis rubeculoides dialilaemus*  
1 Kaeng Krachan NP 18.2 and 2 Kaeng Krachan NP 19.2
- 373 **Chinese Blue Flycatcher** *Cyornis glaucicomans*  
2 Kaeng Krachan NP 18.2 and 2 Kaeng Krachan NP 19.2
- 374 **Rufous-bellied Niltava** *Niltava sundara denotata*  
1 Doi Inthanon NP 23.2
- 375 **Large Niltava** *Niltava grandis grandis*  
Fairly Common Doi Inthanon NP 23.2, 2 Doi Inthanon NP 24.2, 3 heard Doi Ang Khang 25.2, 2 Doi Lang (East) 26.2 and 5 Doi Lang (East) 27.2
- 376 **Small Niltava** *Niltava macgrigoriae signata*  
1 Mae Wong NP 21.2, 1 Doi Inthanon NP 23.2 and 1 Doi Inthanon NP 24.2
- 377 **Verditer Flycatcher** *Eumyias thalassinus thalassinus*  
1 Kaeng Krachan NP 18.2, 2 Doi Ang Khang 24.2, 3 Doi Ang Khang 25.2 and 1 Doi Lang (East) 27.2
- 378 **Himalayan Shortwing** *Brachypteryx cruralis*  
2 Doi Inthanon NP 23.2
- 379 **Siberian Blue Robin** *Larvivora cyane cyane*  
1 Doi Inthanon NP 23.2
- 380 **Siberian Rubythroat** *Calliope calliope*  
1 Kaeng Krachan NP 17.2, 1 Doi Lang (West) 25.2 and 5 Chiang Saen 28.2
- 381 **White-tailed Robin** *Myiomela leucura leucura*  
2 Mae Wong NP 21.2, 1 Mae Wong NP 22.2 and 1 Doi Ang Khang 24.2
- 382 **Himalayan Bluetail** *Tarsiger rufilatus rufilatus*  
4 Doi Lang (East) 26.2, 3 Doi Lang (East) 27.2 and 2 Chiang Saen 28.2
- 383 **Blue Whistling Thrush** *Myophonus caeruleus*  
1 Kaeng Krachan NP 17.2, 2 Mae Wong NP 21.2, 4 Mae Wong NP 22.2, 5 Doi Inthanon NP 23.2, 5 Doi Inthanon NP 24.2, 3 Doi Ang Khang 24.2, 2 Doi Lang (West) 25.2 and 2 Doi Lang (East) 27.2
- 384 **Rufous-gorgeted Flycatcher** *Ficedula strophinata strophinata*  
1 Doi Lang (West) 25.2, 2 Doi Lang (West) 26.2 and 1 Doi Lang (East) 27.2
- 385 **Taiga Flycatcher** *Ficedula albicilla*  
2 en route 17.2, 25 Kaeng Krachan NP 18.2, Fairly Common Kaeng Krachan NP 19.2, 10 Mae Wong NP 21.2, 10 Mae Wong NP 22.2, 3 Doi Inthanon NP 23.2, 3 Doi Lang (West) 25.2 and 1 Khao Yai NP 1.3
- 386 **Little Pied Flycatcher** *Ficedula westermanni australorientis*  
2 Doi Inthanon NP 23.2, 1 Doi Inthanon NP 24.2, 2 Doi Ang Khang 25.2, 2 Doi Lang (West) 26.2 and 5 Doi Lang (East) 27.2
- 387 **Slaty-blue Flycatcher** *Ficedula tricolor*  
1 Doi Lang (West) 25.2
- 388 **Plumbeous Water Redstart** *Phoenicurus fuliginosus fuliginosus*  
1 Doi Inthanon NP 23.2
- 389 **Blue Rock Thrush** *Monticola solitarius pandoo*  
1 Doi Inthanon NP 22.2, 1 Doi Ang Khang 25.2 and 1 en route 29.2
- 390 **Chestnut-bellied Rock Thrush** *Monticola rufiventris*  
1 Doi Ang Khang 25.2
- 391 **White-throated Rock Thrush** *Monticola gularis*  
1 Khao Yai NP 1.3
- 392 **Stejneger's Stonechat** *Saxicola stejnegeri*  
1 en route 17.2 and 2 Chiang Saen 27.2



- 393 **Pied Bush Chat** *Saxicola caprata burmanicus*  
1 en route 24.2
- 394 **Grey Bush Chat** *Saxicola ferreus ferreus*  
3 Doi Ang Khang 24.2, 2 Doi Ang Khang 25.2, 10 Doi Lang (West) 26.2 and 2 Doi Lang (East) 27.2
- 395 **Lesser Green Leafbird** *Chloropsis cyanopogon septentrionalis*  
1 Kaeng Krachan NP 19.2
- 396 **Blue-winged Leafbird** *Chloropsis cochinchinensis chlorocephala*  
10 Kaeng Krachan NP 18.2 and 5 Kaeng Krachan NP 19.2
- 397 **Golden-fronted Leafbird** *Chloropsis aurifrons pridii*  
1 Doi Inthanon NP 22.2
- 398 **Orange-bellied Leafbird** *Chloropsis hardwickii hardwickii*  
1 Doi Ang Khang 24.2 and 1 Doi Lang (East) 27.2
- 399 **Plain Flowerpecker** *Dicaeum minullum olivaceum*  
4 Doi Lang (West) 26.2
- 400 **Fire-breasted Flowerpecker** *Dicaeum ignipectus ignipectus*  
1 Doi Lang (East) 27.2
- 401 **Scarlet-backed Flowerpecker** *Dicaeum cruentatum cruentatum*  
1 en route 17.2, 1 Kaeng Krachan NP 18.2, 5 Kaeng Krachan NP 19.2 and 1 Chiang Saen 28.2
- 402 **Ruby-cheeked Sunbird** *Chalcoparia singalensis internota*  
2 Kaeng Krachan NP 18.2, 3 Kaeng Krachan NP 19.2 and 1 Mae Wong NP 21.2
- 403 **Purple Sunbird** *Cinnyris asiaticus intermedius*  
2 Doi Inthanon NP 22.2 and 2 Chiang Saen 28.2
- 404 **Olive-backed Sunbird** *Cinnyris jugularis flammixillaris*  
1 en route 17.2, 5 Kaeng Krachan NP 19.2 and 2 en route 29.2
- 405 **Mrs. Gould's Sunbird** *Aethopyga gouldiae dabryii*  
3 Doi Inthanon NP 23.2, 10 Doi Ang Khang 24.2, 10 Doi Ang Khang 25.2 and 2 Doi Lang (East) 27.2
- 406 **Green-tailed Sunbird** *Aethopyga nipalensis angkanensis* Endemic  
10 Doi Inthanon NP 23.2
- 407 **Black-throated Sunbird** *Aethopyga saturata* Endemic  
*galenae*: 2 Doi Inthanon NP 23.2 and 1 Doi Lang (East) 27.2  
*anomala*: 3 Mae Wong NP 21.2 and 2 Mae Wong NP 22.2
- 408 **Crimson Sunbird** *Aethopyga siparaja cara*  
3 Kaeng Krachan NP 18.2
- 409 **Fire-tailed Sunbird** *Aethopyga ignicauda ignicauda*  
3 Doi Lang (East) 26.2
- 410 **Little Spiderhunter** *Arachnothera longirostra longirostra*  
1 Kaeng Krachan NP 18.2 and 3 Mae Wong NP 21.2
- 411 **Streaked Spiderhunter** *Arachnothera magna pagodarum*  
5 Mae Wong NP 21.2 and 1 Doi Lang (East) 27.2
- 412 **Plain-backed Sparrow** *Passer flaveolus*  
2 Kaeng Krachan NP 17.2
- 413 **Eurasian Tree Sparrow** *Passer montanus malaccensis*  
15 Laem Phak Bia 16.2, 5 Pak Thale 17.2, 10 Doi Inthanon NP 23.2, 15 Doi Ang Khang 24.2, 10 Doi Ang Khang 25.2, 20 en route 24.2 and 15 en route 1.3
- 414 **Asian Golden Weaver** *Ploceus hypoxanthus chryseus*  
4 en route 17.2
- 415 **Streaked Weaver** *Ploceus manyar williamsoni*  
1 Pak Thale 17.2
- 416 **Baya Weaver** *Ploceus philippinus angelorum*  
4 en route 17.2
- 417 **Red Avadavat** *Amandava amandava*  
2 Chiang Saen 28.2
- 418 **Scaly-breasted Munia** *Lonchura punctulata topela*  
15 Chiang Saen 28.2
- 419 **Chestnut Munia** *Lonchura atricapilla deignani*  
4 en route 17.2
- 420 **Forest Wagtail** *Dendronanthus indicus*  
2 Kaeng Krachan NP 18.2 and 1 Huai Kha Kheang WS 20.2

- 421 **Citrine Wagtail** *Motacilla citreola citreola*  
1 Chiang Saen 28.2
- 422 **Grey Wagtail** *Motacilla cinerea cinerea*  
3 Kaeng Krachan NP 18.2, 1 Huai Kha Kheang WS 20.2, 3 Doi Inthanon NP 23.2, 2 Doi Ang Khang 24.2, 2 Doi Lang (East) 26.2 and 3 Doi Lang (East) 27.2
- 423 **White Wagtail** *Motacilla alba leucopsis*  
2 Chiang Saen 28.2
- 424 **Paddyfield Pipit** *Anthus rufulus rufulus*  
2 Kaeng Krachan NP 17.2
- 425 **Olive-backed Pipit** *Anthus hodgsoni*  
5 Kaeng Krachan NP 18.2, 10 Mae Wong NP 22.2, 5 Doi Ang Khang 24.2, 10 Doi Ang Khang 25.2 and 10 Doi Lang (East) 27.2
- 426 **Red-throated Pipit** *Anthus cervinus*  
3 Chiang Saen 27.2
- 427 **Spot-winged Grosbeak** *Mycerobas melanozanthos*  
1 Doi Ang Khang 24.2
- 428 **Yellow-breasted Bunting** *Emberiza aureola*  
5 en route 17.2
- 429 **Chestnut Bunting** *Emberiza rutila*  
1 Doi Ang Khang 25.2