

SERVICIO NACIONAL DE SANIDAD, INOCUIDAD Y CALIDAD AGROALIMENTARIA

DIRECCION GENERAL DE SANIDAD VEGETAL

LISTA DE PLAGAS REGLAMENTADAS DE MEXICO 2011 a FEBRERO 2019

Plaga	Descriptor
Acacia ringspot virus	
<i>Acalitus gossypii</i>	Banks
<i>Acanthospermum australe</i>	(Loefl.) Kuntze
<i>Acanthospermum hispidum</i>	DeCandolle
<i>Acarus siro</i>	Linnaeus
<i>Aceria sheldoni</i>	(Erwing)
<i>Aceria tulipae</i>	(Keifer, 1938)
<i>Acidovorax avenae</i> subsp. <i>avenae</i>	(Manns, 1909) Willemse et al., 1992
<i>Acidovorax avenae</i> subsp. <i>cattleyae</i>	(Pavarino, 1911) Willemse et al., 1992
<i>Acidovorax avenae</i> subsp. <i>citrulli</i>	(Schaad et al., 1978) Willemse et al., 1992
<i>Acremonium maydis</i>	
<i>Acrobasis nuxvorella</i>	Neunzig, 1970
<i>Acrobasis pyrivorella</i>	(Matsumura)
<i>Acrolepiopsis assectella</i>	Zeller
<i>Acrophialophora fusispora</i>	(Saksena, 1953) Samson, 1970
<i>Acrospermum maxoni</i>	
<i>Aculops fuchsiae</i>	Keifer
<i>Aculus fockeui</i>	Nalepa y Trouessart
<i>Adoxophyes orana</i>	Fischer von Röeslerstamm, 1834
<i>Aegilops cylindrica</i>	Host
<i>Aeolothrips collaris</i>	Priesner, 1919
<i>Aeolothrips intermedius</i>	Bagnall, 1934
<i>Aeolothrips scabiosatibia</i>	Moulton, 1930
<i>Aeolothrips tenuicornis</i>	Bagnall, 1926
<i>Agasphaerops nigra</i>	Horn, 1876
<i>Agriotes lineatus</i>	
<i>Agrostemma githago</i>	Linnaeus
<i>Alcidodes dentipes</i>	(Olivier, 1790)
<i>Aleurocanthus spiniferus</i>	(Quaintance, 1903)
<i>Aleurocanthus woglumi</i>	
<i>Aleurodicus destructor</i>	Mackie, 1912
<i>Aleurodicus dispersus</i>	Russell, 1965
<i>Aleurothrixus floccosus</i>	(Maskell, 1896)
Alfalfa mosaic virus	
<i>Alopecurus myosuroides</i>	Huds. (1762)
<i>Alsophila pometaria</i>	Harris, 1841
<i>Alternaria brassicicola</i>	(Schwein., 1832) Wiltshire, 1947
<i>Alternaria cucumerina</i>	(Ellis y Everh., 1895) Elliott, 1917

<i>Alternaria dauci</i>	(Kühn, 1855) Groves y Skolko, 1944
<i>Alternaria dianthi</i>	Stevens y Hall, 1909
<i>Alternaria gaisen</i>	Nagano, 1928
<i>Alternaria helianthi</i>	(Hansf.) Tubaki y Nishih.
<i>Alternaria japonica</i>	Yoshii, 1941
<i>Alternaria macrospora</i>	Zimmerm., 1931
<i>Alternaria mali</i>	Roberts, 1914
<i>Alternaria radicina</i>	Meier et al., 1922
<i>Alternaria ricini</i>	(Yoshii, 1929) Hansf., 1943
<i>Alternaria stanphylioides</i>	
<i>Alternaria steviae</i>	Ishiba et al., 1982
<i>Alternaria tenuissima</i>	(Kunze, 1818) Wiltshire, 1933
<i>Alternaria triticina</i>	Prasada y Prabhu, 1963
<i>Alternaria zinniae</i>	Ellis, 1972
<i>Amaranthus blitum</i>	Linnaeus, 1753
<i>Amblypelta cocophaga</i>	China
<i>Amblypelta lutescens</i>	(Distant)
<i>Amblyptilia pica</i>	Walsingham, 1880
American plum line pattern virus	
<i>Amerrhynus ynca</i>	Sahlberg, 1823
<i>Amitermes desertorum</i>	(Desneaux)
<i>Ammannia baccifera</i>	Linnaeus, 1753
<i>Amphitetranychus viennensis</i>	(Zacher)
<i>Amrasca biguttula biguttula</i>	Ishida, 1912
<i>Amrineus cocofolius</i>	Flechtmann, 1994
<i>Anarsia lineatella</i>	Zeller, 1839
<i>Anastrepha fraterculus</i>	Wiedemann, 1830
<i>Anastrepha grandis</i>	Macquart, 1846
<i>Anastrepha ludens</i>	Loew, 1873
<i>Anastrepha obliqua</i>	Macquart, 1835
<i>Anastrepha serpentina</i>	Wiedemann, 1830
<i>Anastrepha striata</i>	Schiner, 1868
<i>Anastrepha suspensa</i>	Loew, 1862
Andean potato latent virus	
Andean potato mottle virus	
Anemone ringspot virus	
<i>Anguina agrostis</i>	(Steinbuch, 1799) Filipjev, 1936
<i>Anguina tritici</i>	(Steinbuch, 1799) Chitwood, 1935
<i>Anomis flava</i>	Fabricius 1775
<i>Anoplophora chinensis</i>	(Forster, 1771)
<i>Anthonomus eugenii</i>	Cano , 1894
<i>Anthonomus grandis</i>	Boheman , 1843
<i>Anthonomus pomorum</i>	Linnaeus
<i>Anthonomus signatus</i>	Say , 1831
<i>Anthonomus vestitus</i>	Boheman, 1859
<i>Anthoxanthum odoratum</i>	Linnaeus
<i>Anthoxanthum puelii</i>	Lecoq y Lamotte

<i>Apera spica-venti</i>	(Linnaeus) Beauv.
<i>Aphanomyces euteiches</i>	Drechsler, 1925
<i>Aphelenchoides besseyi</i>	Christie, 1942
<i>Aphelenchoides fragariae</i>	(Ritzema-Bos, 1891) Christie, 1932
<i>Aphelenchoides parietinus</i>	(Bastian, 1865) Steiner, 1932
<i>Aphelenchoides ritzemabosi</i>	(Schwartz, 1911) Steiner y Buhrer, 1932
<i>Aphelenchoides tagetae</i>	Steiner, 1941
<i>Aphis nasturtii</i>	Kaltenbach, 1843
<i>Apion soleatum</i>	Wagner
<i>Apiospora camptospora</i>	Penz. y Sacc., 1897
<i>Apomyelois ceratoniae</i>	Zeller, 1839
Apple chlorotic leaf spot virus	
Apple mosaic virus	
Apple ringspot disease	
Apple rubbery wood phytoplasma	
Apple stem grooving virus	
Apricot pseudo-chlorotic leaf spot virus	
Arabis mosaic virus	
<i>Archips argyrospilus</i>	Walker, 1863
<i>Archips rosana</i>	Linnaeus
<i>Argyrotaenia citrana</i>	(Fernald, 1889)
<i>Argyrotaenia ljungiana</i>	(Thunberg)
<i>Argyrotaenia velutinana</i>	Walker, 1863
<i>Armillaria tabescens</i>	(Scop., 1772) Emel, 1921
Arracacha virus A	
Artichoke latent virus	
<i>Artona catoxantha</i>	(Hampson, 1892)
<i>Asclepias syriaca</i>	Linnaeus
<i>Ascochyta cycadina</i>	Scalia
<i>Ascochyta hyalospora</i>	(Cooke & Ellis, 1878) Boerema et al., 1977
<i>Ascochyta plumbaginicola</i>	Henn.
Asparagus virus 1	
Asparagus virus 2	
<i>Aspergillus terreus</i>	Thom, 1918
<i>Asperisporium pongamiae</i>	(Syd., 1913) Deighton, 1976
<i>Asphondylia ilicicola</i>	Foote, 1953
<i>Aspidiotus nerii</i>	Bouché, 1833
Aster yellows phytoplasma group	
<i>Asteromyella pongamiae</i>	(Sydow y Sydow) Aa, 2002
<i>Athelia rolfsii</i>	(Curzi, 1932) Tu y Kimbr., 1978
<i>Athelia rolfsii</i> var. <i>delphinii</i>	(Curzi) Tu y Kimbrough
<i>Aulacaspis rosae</i>	(Bouché, 1833)
<i>Aulacaspis tegalensis</i>	(Zehntner, 1898)
<i>Aulacorthum solani</i>	(Kaltenbach, 1843)
<i>Autographa gamma</i>	(Linnaeus, 1758)
<i>Avena sterilis</i>	Linnaeus
<i>Bactericera cockerelli</i>	(Sulc, 1909)

<i>Bactrocera carambolae</i>	Drew y Hancock, 1994
<i>Bactrocera cucurbitae</i>	Coquillett, 1899
<i>Bactrocera dorsalis</i>	(Hendel, 1912)
<i>Bactrocera latifrons</i>	(Hendel, 1915)
<i>Bactrocera minax</i>	(Enderlein, 1920)
<i>Bactrocera musae</i>	(Tryon, 1927)
<i>Bactrocera oleae</i>	Gmelin, 1790
<i>Bactrocera passiflorae</i>	(Froggatt, 1911)
<i>Bactrocera pedestris</i>	(Bezzi, 1914)
<i>Bactrocera psidii</i>	Froggatt, 1899
<i>Bactrocera tryoni</i>	(Froggatt, 1897)
<i>Bactrocera tsuneonis</i>	(Miyake, 1919)
<i>Bactrocera zonata</i>	(Saunders, 1841)
Balansia oryzae-sativae	Hashioka, 1971
Banana bunchy top virus	
Barley yellow dwarf viruses	
<i>Batrachedra amydraula</i>	Meyrick, 1916
Bean leafroll virus	
Beet curly top virus	
Beet western yellows virus	
<i>Bemisia tabaci</i>	(Gennadius, 1889)
<i>Bemisia tabaci biot. B</i>	(Gennadius, 1889)
Bidens mottle virus	
Blueberry leaf mottle virus	
<i>Boeremia foveata</i>	(Foister, 1940) Aveskamp et al., 2010
<i>Boerhavia diffusa</i>	Linnaeus, 1753
<i>Bondia comonana</i>	(Kearfott, 1907)
Botryosphaeria berengeriana f.sp. pyricarpa	(Nose, 1933) Koganezawa y Sakuma, 1984
<i>Botryosphaeria cocogena</i>	Subileau et al., 1994
<i>Botryosphaeria obtusa</i>	(Schweinitz, 1822) Shoem.
Botryosphaeria protearum	Denman & Crous, 2003
Botryosphaeria ribis	Grossenb. y Duggar, 1911
Botryotinia convoluta	(Drayton, 1937) Whetzel, 1945
Botryotinia fuckeliana	(de Bary) Whetzel, 1945
Botryotinia porri	(Beyma, 1927) Whetzel, 1945
<i>Botryotinia ricini</i>	(Godfrey, 1919) Whetzel, 1945
Botryotinia squamosa	Vienn., 1953
Botrytis aclada	Fresen., 1850
Botrytis paeoniae	Oudem., 1897
Botrytis tulipae	(Lib., 1830) Lind, 1913
<i>Brachycaudus helichrysi</i>	Kaltenbach 1843
<i>Brachycerus albidentatus</i>	Gyllenhal , 1840
<i>Brachystola sp.</i>	
<i>Bradyzia sp.</i>	
<i>Bregmatothrips iridis</i>	Watson, 1924
Bremia lactucae	Regel, 1843
Brenneria rubrifaciens	(Wilson et al., 1967) Hauben et al., 1999

<i>Brevipalpus californicus</i>	(Banks, 1904)
<i>Brevipalpus chilensis</i>	Baker, 1949
<i>Brevipalpus phoenicis</i>	(Geijskes, 1936)
Broad bean mottle virus	
Broad bean wilt virus	
<i>Bromus sterilis</i>	Linnaeus
<i>Brontispa longissima</i>	Gestro, 1885
<i>Buglossoides arvensis</i>	(Linnaeus) Johnston
Burkholderia andropogonis	(Smith, 1911) Gillis et al., 1995
Burkholderia caryophylli	(Burkholder, 1942) Yabuuchi et al., 1993
Burkholderia cepacia	(ex Burkholder) Yabuuchi et al., 1993
Burkholderia gladioli pv. alliicola	(Burkholder 1942) comb. nov.
Burkholderia gladioli pv. gladioli	(Severini, 1913) Yabuuchi et al., 1993
Burkholderia glumae	(Kurita y Tabei, 1967) Urakami et al., 1994
<i>Busseola fusca</i>	Fuller, 1901
<i>Byturus fumatus</i>	Schreiber, 1910
Cacao swollen shoot virus	
Cacao yellow mosaic virus	
<i>Cacoecimorpha pronubana</i>	Hübner 1800
<i>Cactoblastis cactorum</i>	Berg, 1885
Cactus virus X	
<i>Cacyreus marshalli</i>	Butler, 1898
<i>Callopistria floridensis</i>	(Guenée, 1852)
<i>Callosobruchus analis</i>	Fabricius
Calonectria kyotensis	Terashita, 1968
<i>Calystegia sepium</i>	(Linnaeus) Br.
Candidatus Liberibacter asiaticus	Jagoueix, Bové y Garnier
Candidatus Liberibacter solanacearum	
Candidatus Phytoplasma aurantifolia	Zreik et al., 1995
Candidatus Phytoplasma mali	Seemüller y Schneider, 2004
Candidatus Phytoplasma prunorum	Seemüller y Schneider, 2004
Candidatus Phytoplasma pyri	Seemüller y Schneider, 2004
Carnation etched ring virus	
Carnation necrotic fleck virus	Inouye & Mitsuhashata, 1973
<i>Carposina sasakii</i>	Matsumura, 1900
<i>Carthamus lanatus</i>	Linnaeus
<i>Carthamus oxyacantha</i>	Bieb.
<i>Castniomera licus</i>	(Drury)
Caulotops distantii	(Reuter, 1905)
Celery latent virus	
Celery mosaic virus	
<i>Cephaleuros virescens</i>	Künze
<i>Cerataphis brasiliensis</i>	(Hempel)
<i>Cerataphis orchidearum</i>	(Westwood)
<i>Ceratitis capitata</i>	(Wiedemann, 1824)
<i>Ceratitis cosyra</i>	(Walker, 1849)
<i>Ceratitis quinaria</i>	(Bezzi, 1918)

<i>Ceratitis rosa</i>	Karsch, 1887
<i>Ceratitis rubivora</i>	Coquillett, 1901
<i>Ceratocystis paradoxa</i>	(Dade, 1928) Moreau, 1952
<i>Ceratorhiza decidua</i>	(Davis, 1919) Roberts, 1999
<i>Ceratothrips discolor</i>	(Karny, 1907)
<i>Cercospora amaryllidis</i>	Ellis y Everh.
<i>Cercospora beticola</i>	Sacc., 1876
<i>Cercospora callae</i>	Peck y Clinton, 1876
<i>Cercospora callicarpae</i>	Cooke
<i>Cercospora dendrobii</i>	Burnett
<i>Cercospora kikuchii</i>	(Matsumoto y Tomoy., 1925) Gardner, 1927
<i>Cercospora steviae</i>	
<i>Ceriporiopsis carnegiae</i>	(Baxter, 1941) Gilb. y Ryvarden, 1985
<i>Ceroplastes destructor</i>	Newstead, 1917
<i>Ceroplastes rubens</i>	Maskell, 1893
<i>Ceruraphis viburnicola</i>	(Gillette, 1909)
<i>Ceutorhynchus pleurostigma</i>	(Marsham) Stephens, 1829
<i>Chaetanaphothrips orchidii</i>	(Moulton, 1907)
<i>Chalara elegans</i>	Raj y Kendrick, 1975
<i>Chenopodium petiolare</i>	Kunth
Cherry leaf roll virus	
Cherry necrotic rusty mottle virus	
Cherry rasp leaf virus	
Cherry rusty mottle disease	
<i>Chilo partellus</i>	(Swinhoe, 1885)
<i>Chloroclystis rectangulata</i>	Linnaeus, 1758
<i>Choanephora cucurbitarum</i>	(Berk. y Ravenel, 1875) Thaxt., 1903
<i>Choristoneura rosaceana</i>	(Harris, 1841)
<i>Chromatomyia syngenesiae</i>	Hardy, 1849
Chrysanthemum chlorotic mottle pelamoviroid	
Chrysanthemum flower distortion virus	
Chrysanthemum stunt pospiviroid	
Chrysanthemum virus B	
<i>Chrysodeixis includens</i>	(Walker, 1858)
<i>Chrysomyxa rhododendri</i>	(DC., 1815) De Bary, 1879
<i>Chrysopogon aciculatus</i>	(Retz.) Trin.
<i>Cirsium arvense</i>	(Linnaeus) Scop., 1772
Citrus blight disease	
Citrus cachexia hostuviroid	
Citrus exocortis pospiviroid	
Citrus impietratura disease	Ruggieri, 1955
Citrus infectious variegation virus	
Citrus leprosis virus	
Citrus psorosis B	
Citrus tristeza virus	
Citrus vein enation disease	
<i>Cladosporium iridis</i>	(Fautrey y Roumeguère) Vries, 1952

<i>Cladosporium tenuissimum</i>	Cooke, 1878
<i>Clavibacter michiganensis</i> subsp. <i>insidio</i> (McCulloch, 1925) Davis et al., 1984	
<i>Clavibacter michiganensis</i> subsp. <i>michig</i> (Smith, 1910) Davis et al., 1984	
<i>Clavibacter michiganensis</i> subsp. <i>nebras</i> (Vidaver y Mandel, 1974) Davis et al., 1984	
<i>Clavibacter michiganensis</i> subsp. <i>sepedo</i> (Spieckermann y Kotthoff, 1914) Dye y Kemp	
<i>Clavibacter michiganensis</i> subsp. <i>tessell</i> (Carlson y Vidaver, 1982) Davis et al., 1984	
<i>Claviceps africana</i>	Frederickson et al., 1991
<i>Claviceps sorghi</i>	Kulk. et al., 1976
<i>Cleome viscosa</i>	Linnaeus
<i>Cocomyces coronatus</i>	(Schumacher, 1803) De Notaris, 1859
<i>Coccus viridis</i>	(Green, 1889)
<i>Cochliobolus carbonum</i>	Nelson, 1959
Cocoa necrosis virus	
Coconut cadang-cadang cocadviroid	
<i>Coelaenomenodera elaeidis</i>	Maulik
<i>Coelogyne pulverula</i>	Teijsm. y Binn., 1862
Coffee ringspot virus	
<i>Coleosporium asterum</i>	(Ditel, 1899) Syd. y Syd., 1914
<i>Coleosporium tussilaginis</i>	(Pers., 1801) Lév., 1849
<i>Coleosporium tussilaginis</i> f.sp. <i>campanulae-trachel</i>	
<i>Colletotrichum acutatum</i>	Simmonds, 1968
<i>Colletotrichum boninense</i>	Moriwaki et al., 2003
<i>Colletotrichum capsici</i>	(Sydow & Sydow, 1913) Butler & Bisby, 1931
<i>Colletotrichum coccodes</i>	(Wallr., 1833) Hughes, 1958
<i>Colletotrichum coffeatum</i> var. <i>virulans</i>	Noack
<i>Colletotrichum dematium</i>	(Pers., 1801) Grove, 1918
<i>Colletotrichum sublineolum</i>	Henn., 1913
<i>Colletotrichum truncatum</i>	(Schwein., 1832) Andrus y Moore, 1935
<i>Commelina benghalensis</i>	Linnaeus, 1753
<i>Coniothyrium callicarpae</i>	Cooke
<i>Coniothyrium wernsdorffiae</i>	Laubert, 1905
<i>Conoderus falli</i>	Lane, 1956
<i>Conogethes punctiferalis</i>	(Guenée)
<i>Conotrachelus aguacatae</i>	Barber, 1923
<i>Conotrachelus nenuphar</i>	(Herbst) Harris , 1841
<i>Conotrachelus perseae</i>	Barber, 1919
<i>Conringia orientalis</i>	(Linnaeus) Dumort.
<i>Copitarsia consueta</i>	(Walker, 1857)
<i>Copturus aguacatae</i>	Kissinger
<i>Corynespora cassiicola</i>	(Berk. y Curtis, 1868) Wei, 1950
<i>Corythucha marmorata</i>	(Uhler, 1878)
Cotton anthocyanosis virus	
Cotton leaf curl virus	
<i>Crioceris asparagi</i>	(Linnaeus, 1758)
Crocus mosaic virus	
<i>Crupina vulgaris</i>	Pers. ex Cass.
<i>Cryptosporella umbrina</i>	(Jenkins, 1918) Jenkins y Wehmeyer, 1935

<i>Ctnicera pruinina</i>	Horn, 1871
Cucumber green mottle mosaic virus	
Cucumber leaf spot virus	
Cucumber mosaic virus	
<i>Curculio caryae</i>	Horn, 1873
<i>Curculio elephas</i>	Gyllenhal, 1836
Curtobacterium flaccumfaciens pv. flacc (Hedges, 1922) Collins y Jones, 1983	
Curtobacterium flaccumfaciens pv. poin (Starr y Pirone, 1942) Collins y Jones, 1983	
Curvularia spp.	
<i>Curvularia trifolii</i>	(Kauffman, 1920) Boedijn, 1933
<i>Cuscuta campestris</i>	
<i>Cuscuta corymbosa</i>	
<i>Cuscuta corymbosa</i> var. <i>stylosa</i>	
<i>Cuscuta europaea</i>	Linnaeus, 1753
<i>Cuscuta indecora</i>	
<i>Cuscuta potosina</i> var. <i>globifera</i>	
<i>Cuscuta squamata</i>	
<i>Cuscuta</i> spp.	
<i>Cuscuta umbellata</i>	
<i>Cydia caryana</i>	Fitch, 1856
<i>Cydia latiferreana</i>	(Walsingham, 1879)
<i>Cydia splendana</i>	(Hübner, 1796) Hübner, 1799
Cylindrocladium circumscriptum	
Cylindrocladium pteridis	Wolf, 1926
Cymbidium mosaic virus	
Cymbidium ringspot virus	
<i>Cynthia cardui</i>	Linnaeus, 1758
<i>Dacus ciliatus</i>	Loew, 1862
Daedalea ambigua	Berk., 1845
Dahlia mosaic stunt virus	
Dahlia mosaic virus	
Dasheen mosaic virus	
Datana major	Grote & Robinson
Davidiella macrospora	(Kleb., 1924) Crous y Braun, 2003
Davidiella tassiana	(De Notaris, 1863) Crous y Braun, 2003
<i>Delia antiqua</i>	Meigen, 1826
<i>Delia floralis</i>	(Fallén, 1824)
<i>Delia florilega</i>	Zetterstedt, 1945
<i>Delia platura</i>	(Meigen, 1826)
Dendrobium mosaic virus	
<i>Dendrothrips ornatus</i>	(Jablonowski, 1894)
Dendryphiella vinoso	(Berkeley y Curtis) Reisinger, 1968
<i>Deroceras</i> spp.	
Desmella superficialis	Sydow y Sydow, 1919
<i>Diaphorina citri</i>	Kuwayama, 1908
Diaporthe phaseolorum var. meridional Fernández, 1996	
Diaporthe phaseolorum var. sojae	(Lehman, 1922) Wehm., 1933

<i>Diaporthe vaccinii</i>	Shear, 1931
<i>Diaporthe vexans</i>	Gratz, 1942
<i>Diaprepes abbreviatus</i>	(Linnaeus, 1758) Hustache, 1929
<i>Diaspis bromeliae</i>	(Kerner, 1778) Kerner
<i>Diaspis echinocacti</i>	(Bouché, 1833)
<i>Diatraea indigenella</i>	Dyar y Heinrich, 1927
<i>Dichromothrips corbetti</i>	(Priesner, 1936)
<i>Dickeya chrysanthemi</i>	(Burkholder et al., 1953) Samson et al., 2005
<i>Dickeya dianthicola</i>	Samson et al., 2005
<i>Dickeya paradisiaca</i>	(Fernández y López, 1970) Samson et al., 2005
<i>Dickeya zeae</i>	Samson et al., 2005
<i>Dicladispa armigera</i>	(Olivier, 1808)
<i>Didymella bryoniae</i>	(Auersw., 1869) Rehm, 1881
<i>Didymella fuchsiae</i>	Cooke Y Harkn.
<i>Didymella holci</i>	(Tehon, 1937) Arx, 1987
<i>Didymella ligulicola</i>	(Baker et al., 1949) Arx, 1962
<i>Didymella rabiei</i>	(Kovatschevski, 1936) Arx, 1962
<i>Digitaria abyssinica</i>	(Rich.) Stapf, 1907
<i>Digitaria velutina</i>	(Forssk.) Beauv.
<i>Dinoderus minutus</i>	(Fabricius, 1775)
<i>Diparopsis tephragramma</i>	Baker, 1911
<i>Diplotaxis erucooides</i>	(Linnaeus) DeCandolle
<i>Diplotheca tunae</i>	(Spreng., 1820) Starbäck, 1893
<i>Ditylenchus angustus</i>	(Butler, 1913) Filipjev, 1936
<i>Ditylenchus destructor</i>	Thorne, 1945
<i>Ditylenchus dipsaci</i>	(Kühn, 1857) Filip'ev, 1936
<i>Dothiorella rot</i>	Especie inexistente
<i>Dothiorella spp.</i>	
<i>Dracaena mottle virus</i>	
<i>Draeculacephala minerva</i>	Ball, 1927
<i>Drosophila suzukii</i>	(Matsumura, 1931)
<i>Dysaphis tulipae</i>	Boyer de Fonscolombe, 1841
<i>Dysdercus cingulatus</i>	(Fabricius, 1775)
<i>Dysdercus fasciatus</i>	Signoret
<i>Dysmicoccus neobrevipes</i>	Beardsley
<i>Earias biplaga</i>	Walker, 1866
<i>Earias cupreoviridis</i>	Walker, 1862
<i>Earias insulana</i>	Boisduval, 1833
<i>Earias vittella</i>	(Fabricius, 1794)
<i>Echidnodes bromeliacearum</i>	(Rehm) Theiss. y Sydow, 1918
<i>Echinochloa frumentacea</i>	(Roxb.) Link
<i>Echinochloa oryzoides</i>	(Ard.) Fritsch
<i>Echium vulgare</i>	Linnaeus
Eggplant latent elaviroid	
Eggplant mottled dwarf virus	
<i>Eldana saccharina</i>	Walker, 1865
<i>Elsinoë brasiliensis</i>	Bitancourt & Jenkins, 1942

<i>Elymus repens</i>	(Linnaeus) Gould, 1947
<i>Emericella nidulans</i>	(Eidam, 1883) Vuillemin, 1927
<i>Emex australis</i>	Steinh.
<i>Emex spinosa</i>	(Linnaeus) Campd.
<i>Endothenia hebesana</i>	Walker, 1863
<i>Enneadesmus obtusedentatus</i>	Lesne
<i>Enneadesmus trispinosus</i>	(Olivier, 1795)
<i>Entopeltis interrupta</i>	(Winter, 1884) Höhnel, 1910
<i>Entyloma eryngii</i>	(Corda, 1839) de Bary, 1874
<i>Entyloma lobeliae</i>	Farlow, 1883
<i>Entyloma veronicae</i>	(Halsted, 1890) Lagerheim, 1891
<i>Epicaerus cognatus</i>	Sharp , 1891
<i>Epicauta pensylvanica</i>	(De Geer, 1775)
<i>Epichoristodes acerbella</i>	(Walker, 1864)
<i>Epiphyas postvittana</i>	Walker, 1863
<i>Epitrix tuberis</i>	Gentner, 1944
<i>Eriophyes eucricotesi</i>	
<i>Eriophyes hibisci</i>	Nalepa
<i>Eriophyes pyri</i>	(Pagenstecher)
<i>Erwinia amylovora</i> pv. <i>crenatoserrata</i>	
<i>Erwinia chrysanthemi</i> pv. <i>chrysanthemi</i>	(Burkholder et al., 1953) Dye, 1969
<i>Erwinia herbicola</i> pv. <i>gypsophilae</i>	(Brown, 1934) Miller et al., 1981
<i>Erwinia</i> sp.	
<i>Erwinia tracheiphila</i>	(Smith, 1895)
<i>Erynnis lucilius</i>	Scudder y Burgess, 1870
<i>Erysiphe australiana</i>	(McAlpine, 1899) Braun y Takam., 2000
<i>Eudocima fullonia</i>	(Clerck, 1764)
<i>Eulophonotus myrmeleon</i>	Felder, 1874
<i>Eumerus funeralis</i>	Meigen, 1822
<i>Eupalamides cyparissias</i>	Fabricius, 1777
<i>Euphorbia esula</i>	Linnaeus
<i>Euphorbia helioscopia</i>	Linnaeus, 1753
<i>Euphranta canadensis</i>	(Loew, 1873)
<i>Euphydryas viburnii</i>	
<i>Euplatypus segnis</i>	Bright & Skidmore, 2002
<i>Eplexia benesimilis</i>	McDunnough, 1922
<i>Eplexia similis</i>	
<i>Eupoecilia ambiguella</i>	Hübner, 1796
<i>Euproctis chrysorrhoea</i>	(Linnaeus, 1758)
<i>Euscepes postfasciatus</i>	(Fairmaire, 1849)
<i>Eutetraphytes buxi</i>	
<i>Eutetraphytes orientalis</i>	Klein
<i>Eutinobothrus brasiliensis</i>	(Hambleton, 1937) Lima, 1938
<i>Euwallacea fornicatus</i>	(Eichhoff, 1868) Wood y Bright, 1992
<i>Exartema ferriferanum</i>	(Walker, 1863) Clemens y Zeller
<i>Fiji disease virus</i>	
<i>Frankliniella cestrum</i>	Moulton

<i>Frankliniella intonsa</i>	(Trybom, 1895)
<i>Frankliniella occidentalis</i>	(Pergande, 1895)
<i>Frankliniella schultzei</i>	(Trybom, 1910)
Freesia mosaic virus	
<i>Fumaria officinalis</i>	Linnaeus, 1753
<i>Fusarium cerealis</i>	(Cooke, 1878) Saccardo, 1886
Fusarium incarnatum	(Roberge, 1849) Saccardo, 1886
Fusarium oxysporum f.sp. aechmeae	Gordon, 1965
Fusarium oxysporum f.sp. asparagi	Cohen, 1946
Fusarium oxysporum f.sp. cattleyae	Foster
<i>Fusarium oxysporum</i> f.sp. <i>cepae</i>	(Hanzawa, 1914) Snyder & Hansen, 1940
<i>Fusarium oxysporum</i> f.sp. <i>conglutinans</i>	(Wollenweber, 1913) Snyder & Hansen, 1940
Fusarium oxysporum f.sp. <i>cubense</i>	(Smith, 1910) Snyder y Hansen, 1940
Fusarium oxysporum f.sp. <i>cubense raza</i>	(Smith, 1910)
Fusarium oxysporum f.sp. <i>gladioli</i>	(Massey, 1926) Snyder y Hansen, 1940
Fusarium oxysporum f.sp. <i>melongenae</i>	Matuo y Ishigami, 1958
Fusarium oxysporum f.sp. <i>radicis-cucum</i>	Vakalounakis, 1996
<i>Fusarium oxysporum</i> f.sp. <i>ricini</i>	(Wollenweber, 1940) Gordon, 1965
Fusarium oxysporum f.sp. <i>sesami</i>	Jacz.
Fusarium oxysporum f.sp. <i>vasinfectum</i>	(Atkinson, 1892) Snyder y Hansen, 1940
<i>Fusarium solani</i> f.sp. <i>cucurbitae</i>	Snyder y Hansen, 1941
<i>Fusarium solani</i> f.sp. <i>pisi</i>	(Jones, 1923) Snyder y Hansen, 1941
Fusarium sp.	
Gaeumannomyces graminis var. <i>Gramin</i>	(Saccardo) Arx y Olivier
<i>Galega officinalis</i>	Linnaeus
<i>Galeopsis tetrahit</i>	Linnaeus
<i>Gangara thyrsis</i>	(Fabricius, 1775)
<i>Ganoderma lucidum</i>	(Curtis, 1781) Karsten, 1881
<i>Gastrolobium grandiflorum</i>	Muell., 1862
Gibberella acuminata	Wollenweber
Gibberella avenacea	Cook
Gibberella fujikuroi	(Sawada, 1919) Wollenw., 1931
Gibberella intricans	Wollenw., 1930
Gibberella stilbooides	Gordon ex Booth
Gladiolus grassines (MLO)	
<i>Globodera pallida</i>	(Stone, 1973) Behrens, 1975
<i>Globodera rostochiensis</i>	(Wollenweber, 1923) Behrens, 1975
<i>Gloeosporium convallariae</i>	Allescher, 1895
<i>Glomerella tucumanensis</i>	(Spegazzini) Arx y Müller, 1954
Golovinomyces orontii	(Castagne) Heluta
Grapevine enation disease	
Grapevine flavesceince doree phytoplasma	
Grapevine leafroll-associated viruses	
Grapevine vein necrosis virus	
Grapevine virus A	
<i>Grapholita funebrana</i>	Treitschke, 1835
<i>Grapholita inopinata</i>	Heinrich, 1928

<i>Grapholita molesta</i>	(Busck, 1916)
<i>Grapholita packardi</i>	Zeller
<i>Grapholita prunivora</i>	(Walsh)
Green mosaic virus	
<i>Guignardia musae</i>	Raciborsky, 1909
<i>Gymnaspis aechmeae</i>	Newstead, 1898
<i>Gymnosporangium clavipes</i>	Cooke y Peck, 1873
<i>Gymnosporangium globosum</i>	Farlow, 1880
<i>Gymnosporangium juniperi-virginianae</i>	Schweinitz, 1822
<i>Hadula trifolii</i>	(Hufnagel, 1766)
<i>Halticus bractatus</i>	(Say, 1832)
<i>Haplobasidion musae</i>	Ellis, 1957
<i>Haplorthips kurdjumovi</i>	Karny, 1913
<i>Harrisina brillians</i>	
<i>Heilipus lauri</i>	Boheman , 1845
<i>Helicotylenchus pseudorobustus</i>	(Steiner, 1914) Golden, 1956
<i>Helicoverpa armigera</i>	(Hübner, 1809)
<i>Helicoverpa zea</i>	(Boddie, 1850)
<i>Heliothis virescens</i>	(Fabricius, 1777)
<i>Heliothrips haemorrhoidalis</i>	(Bouché, 1833)
<i>Helminthosporium solani</i>	Durieu y Montagne, 1848
<i>Hemiberlesia rapax</i>	(Comstock, 1881)
<i>Hemileia coffeicola</i>	Maublanc y Roger, 1934
<i>Hemileia vastatrix</i>	Berkeley y Broome, 1869
<i>Henderinia cerei</i>	
<i>Heracleum mantegazzianum</i>	Sommier y Levier, 1895
<i>Hercinothrips bicinctus</i>	(Bagnall, 1919)
<i>Hercinothrips femoralis</i>	(Reuter, 1891)
<i>Heterodera avenae</i>	Wollenweber, 1924
<i>Heterodera glycines</i>	Ichinohe, 1952
<i>Heterodera oryzae</i>	Luc y Brizuela, 1961
<i>Heterodera schachtii</i>	Schmidt, 1871
<i>Heterodera trifolii</i>	Goffart, 1932
<i>Heterodera zeae</i>	Koshy et al., 1971
<i>Heterosporium fulvarosae</i>	
<i>Hibiscus trionum</i>	Linnaeus
Hollyhock yellow-vein mosaic disease	
<i>Homalodisca vitripennis</i>	Germar, 1821
<i>Homoeosoma heinrichi</i>	Pastrana, 1961
Hop stunt hostuviroid	
<i>Horcias nobilellus</i>	(Berg, 1883)
Hydrangea ringspot virus	
Hydrangea virescense MLO	
<i>Hylemya sp.</i>	
<i>Hypera zoilus</i>	(Fabricius, 1763)
<i>Hypothenemus hampei</i>	(Ferrari, 1867) Wood y Bright , 1992
<i>Icerya aegyptiaca</i>	(Douglas, 1890)

<i>Idiopterus nephrelepidis</i>	Davis, 1909
Impatiens necrotic spot virus	
<i>Imperata cylindrica</i>	(Linnaeus) Raeuschel, 1797
Indian citrus ringspot virus	
<i>Ipomoea carnea</i>	Jacq.
<i>Ipomoea polymorpha</i>	Roem. & Schult.
Irenopsis cupaniae	(Stevens, 1916) Stevens, 1927
Iris fulva mosaic virus	
Iris mild mosaic virus	
Iris severe mosaic virus	
<i>Ischaemum rugosum</i>	Salisb., 1791
Jasmine infectious variegation disease	
<i>Kabatiella lini</i>	(Lafferty, 1921) Karakulin, 1957
<i>Kabatiella microsticta</i>	Bubák, 1907
<i>Kellermania anomala</i>	(Cooke) Höhnel, 1915
<i>Khuskia oryzae</i>	Hudson, 1963
Lasiodiplodia theobromae	(Pat., 1892) Griffiths y MaUBL., 1909
Lavender yellow decline (MLO)	
<i>Leifsonia xyli</i> subsp. <i>xyli</i>	(Davis et al., 1984) Evtushenko et al., 2000
<i>Lepidosaphes ulmi</i>	(Linnaeus, 1758)
<i>Leptinotarsa decemlineata</i>	Say, 1824
<i>Leptochloa chinensis</i>	(Linnaeus) Nees, 1824
<i>Leptopharsa gibbicarina</i>	Froeschner
Leptothyrium rosarum	Cooke
Lettuce big-vein virus	
Lettuce mosaic virus	
<i>Ligniera vasculorum</i>	(Matz) Cook
<i>Ligyrus ebenus</i>	(De Geer, 1774)
<i>Ligyrus gibbosus</i>	(Degeer, 1774)
<i>Lilioceris lilii</i>	(Scopoli, 1763)
Lily mottle virus	
Lily rosette virus	
<i>Limonioides californicus</i>	Mannerheim, 1843
<i>Linaria vulgaris</i>	Miller
<i>Liriomyza bryoniae</i>	(Kaltenbach, 1858)
<i>Liriomyza huidobrensis</i>	(Blanchard, 1926)
<i>Liriomyza pusilla</i>	(Meigen, 1830)
<i>Liriomyza sativae</i>	Blanchard, 1938
<i>Liriomyza trifolii</i>	(Burgess in Comstock, 1880) Burgess, 1880
<i>Lissachatina fulica</i>	(Bowdich, 1822)
<i>Listroderes costirostris</i>	Schönherr, 1826
Little cherry virus	
<i>Lobesia botrana</i>	Denis y Schiffermüller, 1776
<i>Lolium rigidum</i>	Gaudin, 1811
<i>Longicaudus trirhodus</i> subsp. <i>trirhodus</i>	
<i>Longidorus elongatus</i>	(de Man, 1876) Micoletzky, 1922
<i>Lophodermium exaridum</i>	(Cooke y Peck, 1878) Saccardo, 1883

<i>Lophodermium schweinitzii</i>	Wilson & Robertson, 1947
<i>Lopholeucaspis japonica</i>	(Cockerell, 1897)
<i>Lopidea davisi</i>	Knight, 1917
<i>Ludwigia hyssopifolia</i>	(Don) Exell
<i>Lycium ferocissimum</i>	Miers
<i>Lyctus africanus</i>	Lesne
<i>Lymantria dispar</i>	Linnaeus, 1758
<i>Maconellicoccus hirsutus</i>	(Green, 1908)
<i>Macronoctua onusta</i>	Grote, 1874
<i>Macrophoma pandani</i>	(Léveillé, 1846) Berlese y Voglino, 1886
<i>Macrophya simillima</i>	Rohwer, 1917
<i>Macrosiphoniella artemisiae subsp. <i>arte</i></i>	(Harrington, 1985)
<i>Macrosiphoniella sanborni</i>	(Gillette, 1908)
<i>Macrosiphum euphorbiae</i>	Thomas, 1878
<i>Malacosoma americanum</i>	Fabricius, 1793
<i>Malacosoma disstria</i>	Hübner, 1819
<i>Maladera castanea</i>	(Arrow, 1913)
Maple mosaic disease	
<i>Marasmia trapezalis</i>	(Guenée)
<i>Marasmius palmivorus</i>	Sharples, 1928
<i>Marmara gulosa</i>	Guillén y Davis, 2001
<i>Mayetiola destructor</i>	(Say, 1817)
<i>Megalopyge opercularis</i>	Smith y Abbot, 1797
<i>Melaleuca quinquenervia</i>	(Cav.) Blake
Melanconium pandani	Léveillé, 1845
<i>Melanomma dothideasporum</i>	
<i>Melanoplus sp.</i>	
<i>Melanotus communis</i>	Gyllenhal , 1817
<i>Melanthrips fuscus</i>	(Stutzer, 1776)
<i>Melastoma malabathricum</i>	Linnaeus
<i>Meliola dracaena</i>	Stevens, 1925
<i>Meliola praetervisa</i>	Gaillard, 1892
<i>Melochia corchorifolia</i>	Linnaeus
<i>Meloidogyne arenaria</i>	(Neal, 1889) Chitwood, 1949
<i>Meloidogyne chitwoodi</i>	Golden et al., 1980
<i>Meloidogyne exigua</i>	Goeldi, 1892
<i>Meloidogyne hapla</i>	Chitwood, 1949
<i>Meloidogyne javanica</i>	(Treub, 1885) Chitwood, 1949
<i>Meloidogyne marioni</i>	(Cornu, 1879) Chitwood y Oteifa, 1952
<i>Meloidogyne spp.</i>	
<i>Melolontha melolontha</i>	(Linnaeus, 1758)
Melon necrotic spot virus	
<i>Merodon equestris</i>	Fabricius, 1794
<i>Metcalfa pruinosa</i>	(Say, 1830)
<i>Microbotryum violaceum</i>	(Persoon) Deml y Oberwinkler, 1982
<i>Microcephalothonips abdominalis</i>	(Crawford, 1910)
Microdochium dimerum	(Penzig, 1882) Arx, 1984

<i>Microlophium carnosum</i>	(Buckton, 1876)
<i>Microsphaeropsis hellebori</i>	(Cooke y Massee, 1887) Aa, 2002
<i>Mikania micrantha</i>	Kunth
<i>Milesia insularis</i>	Faull, 1932
<i>Monarthropalpus buxi</i>	(Laboulbène)
<i>Monilinia fructigena</i>	(Aderh. y Ruhland) Honey, 1945
<i>Moniliophthora perniciosa</i>	(Stahel) Aime y Mora, 2006
<i>Moniliophthora roreri</i>	(Ciferri, 1933) Evans et al., 1978
<i>Monochoria vaginalis</i>	(Burm.) Presl, 1827
<i>Monographella albescens</i>	(Thümen, 1889) Parkinson et al., 1981
<i>Mononychus vulpeculus</i>	Schoenherr , 1825
<i>Mycoleptodiscus indicus</i>	(Sahni) Sutton, 1973
<i>Mycosphaerella anthurii</i>	Miles, 1917
<i>Mycosphaerella fijiensis</i>	Morelet, 1969
<i>Mycosphaerella opuntia</i>	(Ellis y Everhart, 1888) Dearness, 1919
<i>Mycosphaerella pinodes</i>	(Berk. & Bloxam) Vestergren
<i>Myndus crudus</i>	Van Duzee, 1907
<i>Myrothecium roridum</i>	Tode, 1790
<i>Mythimna unipuncta</i>	Haworth
<i>Myzaphis rosarum</i>	(Kaltenbach, 1843)
<i>Nacoleia octasema</i>	Meyrick (1886)
<i>Nandina mosaic virus</i>	(Link) Spooner, 1999
<i>Naohidemyces vacciniorum</i>	
<i>Narcissus mosaic virus</i>	
<i>Narcissus yellow stripe virus</i>	
<i>Nassella trichotoma</i>	(Nees) Hackel ex Arech., 1896
<i>Naupactus leucoloma</i>	Boheman , 1840
<i>Naupactus xanthographus</i>	(Germar) Boheman in Schoenh. , 1833
<i>Nectria magnoliae</i>	Lohman y Hepting, 1943
<i>Nectriella pironii</i>	Alfieri y Samuels, 1980
<i>Nemorimyza maculosa</i>	(Malloch, 1913)
<i>Neomyzus circumflexum</i>	(Buckton, 1876)
<i>Neonectria radicicola</i>	(Gerlach y Nilsson) Mantiri y Samuels, 2001
<i>Neoscytalidium dimidiatum</i>	(Penzig) Crous y Slippers, 2006
<i>Neosilba pendula</i>	(Bezzi, 1919)
<i>Neslia paniculata</i>	(Linnaeus) Desv.
<i>Nodonota puncticollis</i>	(Say)
<i>Oberea bimaculata</i>	(Olivier, 1795)
<i>Odontoglossum ringspot virus</i>	
<i>Oligonychus coffeae</i>	(Nietner)
<i>Oligonychus ilicis</i>	
<i>Olpidium brassicae</i>	(Woronin, 1878) Dangeard, 1886
<i>Omophlus lepturoides</i>	(Fabricius, 1787)
<i>Omphoita aequinoctialis</i>	(Linnaeus, 1758)
<i>Oncidium ringspot virus</i>	
<i>Onion yellow dwarf virus</i>	
<i>Operophtera brumata</i>	Linnaeus, 1758

<i>Opogona sacchari</i>	Bojer, 1856
<i>Orchamoplatus mammaeferus</i>	(Quaintancer y Baker, 1917)
<i>Orchidophilus aterrimus</i>	(Waterhouse)
<i>Orgyia leucostigma</i>	(Smith, 1797)
<i>Orgyia postica</i>	(Walker, 1855)
<i>Orobanche cernua</i>	Loefl., 1758
<i>Orobanche ramosa</i>	Linnaeus (1753)
<i>Orobanche spp.</i>	
<i>Orseolia oryzivora</i>	Harris y Gagné, 1982
<i>Orthosia hibisci</i>	(Guenée, 1852)
<i>Oryza longistaminata</i>	Chev. y Roehr., 1914
<i>Oryza punctata</i>	Kotschy ex Steud.
<i>Oryza rufipogon</i>	Griffiths
<i>Ostrinia nubilalis</i>	(Hübner)
<i>Otala lactea</i>	(Muller, 1774)
<i>Otiorhynchus sulcatus</i>	(Fabricius, 1775) Germar
<i>Ovalisia virgata</i>	(Motschulsky)
<i>Pachnaeus azurescens</i>	Gyllenhal , 1834
<i>Pachymerus nucleorum</i>	(Fabricius)
<i>Pachysandra terminalis</i>	Siebold y Zucc.
<i>Paecilomyces variotii</i>	Bainier, 1907
<i>Paeonia virus 1</i>	
<i>Paleacrita vernata</i>	(Peck, 1795)
Palm lethal yellowing phytoplasma	
<i>Pandemis heparana</i>	Denis y Schiffermüller
<i>Pantoea stewartii</i>	(Smith, 1898) Mergaert et al., 1993
<i>Pantomorus cervinus</i>	(Bohemian)
<i>Papaipema cataphracta</i>	Grote, 1864
<i>Papaipema nebris</i>	Guenée, 1852
<i>Papaipema purpurifasciata</i>	Grote y Robinson, 1868
Papaya meleira virus	
<i>Parabemisia myricae</i>	(Kuwana, 1927)
<i>Paratachardina lobata lobata</i>	(Chamberlin, 1923)
Paratrichodorus minor	(Colbran, 1956) Siddiqi, 1974
Paratrichodorus porosus	(Allen, 1957) Siddiqi, 1974
<i>Parlatoria blanchardi</i>	(Targioni Tozzetti) Leonardi, 1899
<i>Parlatoria ziziphi</i>	(Lucas, 1853)
<i>Paspalum scrobiculatum</i>	Linnaeus
Passalora bataticola	(Cif. y Bruner, 1931) Braun y Crous, 2003
Passalora crotonis	(Ellis y Everhart, 1893) Crous y Braun, 2003
Passalora sojina	(Hara, 1915) Shin y Braun, 1996
Pea enation mosaic virus-1	
Pea seed-borne mosaic virus	
Pea streak virus	
Peach latent mosaic pelamoviroid	
Peach rosette mosaic virus	
Peach rosette phytoplasma	

Peach X disease phytoplasma	
Peach yellows phytoplasma	
Peanut stunt virus	
Pear blister canker apscaviroid	
Pear bud drop disease	
<i>Pectinophora gossypiella</i>	Saunders, 1843
<i>Pectinophora scutigera</i>	Holdaway, 1926
Pectobacterium atrosepticum	(van Hall, 1902) Gardan et al., 2003
Pectobacterium carnegieanum	(Standring, 1942) Brenner et al., 1973
Pectobacterium carotovorum subsp. <i>caeruleum</i>	(Jones, 1901) Hauben et al., 1999
Pectobacterium cypripedii	(Hori, 1911) Brenner et al., 1973
Pelargonium leaf curl virus	
Penicillium expansum	Link, 1809
<i>Pennisetum macrourum</i>	Trin.
<i>Pennisetum pedicellatum</i>	Trin.
<i>Pennisetum polystachyon</i>	(Linnaeus, 1759) Schultes (1824)
Pepper mottle virus	
Periconia circinata	(Mangin, 1899) Saccardo, 1905
<i>Peridroma saucia</i>	Hübner, 1803/808
<i>Perkinsiella saccharicida</i>	Kirkaldy, 1903
<i>Perofascia lepidii</i>	(McAlpine, 1895) Constant., 2002
Peronosclerospora maydis	(Raciborski, 1897) Shaw, 1978
Peronosclerospora philippinensis	(Weston) Shaw, 1978
Peronosclerospora sacchari	(Miyake) Shirai y Hara, 1927
Peronospora farinosa f.sp. <i>chenopodii</i>	Byford
Peronospora farinosa f.sp. <i>spinaciae</i>	Byford
Pestalotiopsis palmarum	(Cooke, 1875) Steyaert, 1949
<i>Petrobia latens</i>	(Müller, 1776)
Peyronellaea curtisii	(Berkeley, 1878) Aveskamp et al., 2010
Phaeochoropsis palmicola	(Stevens, 1920) Hyde y Cannon, 1999
Phakopsora cherimoliae	Cummins, 1941
Phakopsora pachyrhizi	Sydow y Sydow, 1914
Phialophora cinerescens	(Wollenweber, 1930) Beyma, 1940
<i>Phoenicococcus marlatti</i>	Cockerell, 1899
Phoma anemones	Kauffman, 1936
Phoma destructiva	Plowright, 1881
Phoma exigua var. <i>exigua</i>	Saccardo, 1879
Phoma iowana	Saccardo
Phoma sp.	
Phoma tracheiphila	(Petri) Kantachveli y Gikachvili, 1948
Phomopsis longicolla	Hobbs, 1985
<i>Phthorimaea operculella</i>	(Zeller 1873)
Phyllachora pomigena	(Schweinitz) Saccardo, 1883
<i>Phyllachora torrendiella</i>	(Batista, 1948) Subileau et al., 1993
Phyllachora yapensis subsp. <i>pongamiae</i>	(Berkeley y Broome, 1875) Cannon, 1991
<i>Phylloconistis citrella</i>	Stainton, 1856
<i>Phyllognathus excavatus</i>	(Forster, 1771)

<i>Phyllonorycter blancardella</i>	(Fabricius, 1781)
<i>Phyllosticta ghaesembillae</i>	Koorders, 1907
<i>Phyllosticta maculicola</i>	Halsted, 1894
<i>Phyllosticta solitaria</i>	Ellis y Everhart, 1895
<i>Phyllosticta telopeae</i>	Yip, 1989
<i>Phyllotreta cruciferae</i>	(Goeze, 1777)
<i>Phymatotrichopsis omnivora</i>	(Duggar, 1916) Hennebert, 1973
<i>Phytomonas staheli</i>	McGhee y McGhee, 1979
<i>Phytomyza aconiti</i>	Hendel, 1920
<i>Phytomyza ilicis</i>	Curtis, 1846
<i>Phytomyza minuscula</i>	Goureau, 1851
<i>Phytomyza rufipes</i>	Meigen, 1830
<i>Phytonemus pallidus</i>	(Banks)
<i>Phytophthora cactorum</i>	(Lebert y Cohn) Schröter, 1886
<i>Phytophthora capsici</i>	Leonian, 1922
<i>Phytophthora cinnamomi</i>	Rands, 1922
<i>Phytophthora cryptogea</i>	Pethybridge y Lafferty, 1919
<i>Phytophthora erythroseptica</i> var. <i>erythr</i>	(Waterhouse, 1963)
<i>Phytophthora fragariae</i>	Hickman, 1940
<i>Phytophthora infestans</i>	(Montagne) de Bary, 1876
<i>Phytophthora megakarya</i>	Brasier y Griffin, 1979
<i>Phytophthora ramorum</i>	Werres et al., 2001
<i>Phytophthora richardiae</i>	Buisman, 1927
<i>Phytophthora rubi</i>	(Wilcox y Duncan, 1993) Man in't Veld, 2007
<i>Phytophthora sojae</i>	Kaufmann y Gerdemann, 1958
<i>Pinnaspis buxi</i>	(Bouché)
<i>Pinnaspis dysoxyli</i>	(Maskell, 1885)
<i>Planococcus citri</i>	(Risso, 1813)
<i>Planococcus ficus</i>	Signoret, 1875
<i>Planococcus kenyae</i>	(Le Pelley, 1935)
<i>Planococcus lilacinus</i>	Cockerell, 1905
<i>Planococcus minor</i>	(Maskell, 1897)
<i>Plasmopara halstedii</i>	(Farlow) Berlese y de Toni, 1888
<i>Platycarpa scaly bark disease</i>	
<i>Platynota idaealis</i>	Walker, 1859
<i>Pleospora betaе</i>	(Berlese) Nevodovsky, 1915
<i>Plowrightia circumscissa</i>	Tracy y Earle, 1901
Plum pox virus	
<i>Plutella xylostella</i>	Linnaeus, 1767
<i>Pococera atramentalis</i>	(Lederer)
<i>Podischnus agenor</i>	(Olivier, 1789)
<i>Poecilocapsus lineatus</i>	(Fabricius, 1798)
<i>Polygonum barbatum</i>	Linnaeus
<i>Polygonum convolvulus</i>	Linnaeus
<i>Polygonum lapathifolium</i>	Linnaeus
<i>Polyphagotarsonemus latus</i>	Banks
<i>Polyscytalum pustulans</i>	(Owen y Wakefield, 1919) Ellis, 1919

<i>Popillia japonica</i>	Newman
Porroca	Ferrand, 1960
Potato black ringspot virus	
Potato deforming mosaic virus	
Potato latent virus	
Potato leaflet stunt disease	
Potato leafroll virus	
Potato mop-top virus	
Potato spindle tuber pospiviroid	
Potato stolbur phytoplasma	
Potato virus A	
Potato virus M	
Potato virus S	
Potato virus T	
Potato virus X	
Potato virus Y	
Potato virus Yn	
Potato virus Yntn	
Potato witches' broom phytoplasma	
Potato yellow dwarf virus	
Potato yellow vein virus	
<i>Prathoda longissima</i>	(Deighton & MacGarvie, 1968) Simmons, 2007
<i>Pratylenchus coffeae</i>	(Zimmermann, 1898) Filipjev y Stekhoven, 1941
<i>Pratylenchus penetrans</i>	(Cobb, 1917) Filipjev y Stekhoven, 1941
<i>Pratylenchus pratensis</i>	(de Man, 1880) Filipjev, 1936
<i>Pratylenchus vulnus</i>	Allen y Jensen, 1951
<i>Pratylenchus zea</i>	Graham, 1951
<i>Prays citri</i>	Milliére, 1873
<i>Premnotrypes latithorax</i>	(Pierce)
<i>Premnotrypes sanfordi</i>	(Pierce)
<i>Premnotrypes solani</i>	Pierce , 1913
<i>Premnotrypes vorax</i>	(Hustache)
Privet infectious variegation disease	
<i>Proeulia auraria</i>	(Clarke, 1949)
<i>Proeulia chrysopteris</i>	(Butler, 1883)
Prune dwarf virus	Saponari Maria
Prunus necrotic ringspot virus	
<i>Psammotermes hypostoma</i>	Desmeux
<i>Pseudaulacaspis cockerelli</i>	(Cooley, 1897)
<i>Pseudaulacaspis pentagona</i>	(Targioni Tozzetti, 1886) MacGillivray, 1921
<i>Pseudischnaspis bowreyi</i>	(Cockerell, 1893)
Pseudocercospora pongamiae-pinnatae	Ram y Mallaiah, 1993
<i>Pseudocneorhinus bifasciatus</i>	(Roelofs)
<i>Pseudococcus comstocki</i>	(Kuwana, 1902)
<i>Pseudococcus longispinus</i>	(Targioni Tozzetti, 1867) Targioni Tozzetti
<i>Pseudococcus viburni</i>	(Signoret, 1875) Signoret
Pseudocoeliotholobus pallescens	Tsuda y Ueyama, 1983

<i>Pseudomonas cichorii</i>	(Swingle, 1925) Stapp, 1928
<i>Pseudomonas erodii</i>	Lewis
<i>Pseudomonas fluorescens</i>	(Trevisan, 1889) Migula, 1895
<i>Pseudomonas gardeniae</i>	
<i>Pseudomonas marginalis</i>	(Brown, 1918) Stevens, 1925
<i>Pseudomonas marginalis</i> pv. <i>marginalis</i>	(Brown, 1918) Stevens, 1925
<i>Pseudomonas savastanoi</i> pv. <i>glycinea</i>	(Coerper, 1919) Gardan et al., 1992
<i>Pseudomonas savastanoi</i> pv. <i>savastanoi</i>	(ex Smith, 1908) Gardan et al., 1992
<i>Pseudomonas syringae</i> pv. <i>aptata</i>	(Brown y Jamieson, 1913) Young et al., 1978
<i>Pseudomonas syringae</i> pv. <i>atrofaciens</i>	(McCulloch, 1920) Young et al., 1978
<i>Pseudomonas syringae</i> pv. <i>coronafacier</i>	(Elliott, 1920) Young et al., 1978
<i>Pseudomonas syringae</i> pv. <i>delphinii</i>	(Smith, 1904) Young et al., 1978
<i>Pseudomonas syringae</i> pv. <i>garcae</i>	(Amaral et al., 1956) Young et al., 1978
<i>Pseudomonas syringae</i> pv. <i>lachrymans</i>	(Smith y Bryan, 1915) Young et al., 1978
<i>Pseudomonas syringae</i> pv. <i>lapsa</i>	(Ark, 1940) Young et al., 1978
<i>Pseudomonas syringae</i> pv. <i>maculicola</i>	(McCulloch, 1911) Young et al., 1978
<i>Pseudomonas syringae</i> pv. <i>morsprunorum</i>	(Wormald, 1931) Young et al., 1978
<i>Pseudomonas syringae</i> pv. <i>primulae</i>	(Ark y Gardner, 1936) Young et al., 1978
<i>Pseudomonas syringae</i> pv. <i>sesami</i>	(Malkoff, 1906) Young et al., 1978
<i>Pseudomonas syringae</i> pv. <i>syringae</i>	van Hall, 1902
<i>Pseudomonas syringae</i> pv. <i>tomato</i>	(Okabe) Young et al.
<i>Pseudomonas syringae</i> pv. <i>zizaniae</i>	(ex Bowden y Percich, 1983) Young et al., 1991
<i>Pseudomonas viridiflava</i>	(Burkholder, 1930) Dowson, 1939
<i>Pseudomonas xanthochlora</i>	(Schuster) Stapp, 1928
<i>Pseudospriopes indicus</i>	Rai y Rai, 1995
<i>Psylla buxi</i>	(Linné, 1758)
<i>Puccinia albulensis</i>	Magnus, 1890
<i>Puccinia allii</i>	(DeCandolle, 1815) Rudolphi, 1829
<i>Puccinia andina</i>	Ditel y Neger, 1899
<i>Puccinia andropogonis</i>	Schweinitz, 1832
<i>Puccinia anisacanthi</i>	Ditel y Holw., 1901
<i>Puccinia arenariae</i>	(Schumacher, 1803) Winter, 1880
<i>Puccinia aristidae</i>	Tracy, 1893
<i>Puccinia arundiariae</i>	Schweinitz, 1822
<i>Puccinia bartholomaei</i>	Ditel, 1892
<i>Puccinia calcitrapae</i>	DeCandolle, 1805
<i>Puccinia campanulae</i>	Carmichael, 1836
<i>Puccinia cannae</i>	Hennings, 1902
<i>Puccinia caricina</i> var. <i>caricina</i>	DeCandolle, 1815
<i>Puccinia chelonis</i>	Ditel y Holway, 1897
<i>Puccinia chrysanthemi</i>	Roze, 1900
<i>Puccinia cirsii-lanceolati</i>	Schröter, 1887
<i>Puccinia cnici-oleracei</i>	Persoon, 1823
<i>Puccinia concrescens</i>	Ellis y Everhart, 1915
<i>Puccinia conocephalii</i>	Seymour, 1885
<i>Puccinia cooperiae</i>	Long, 1902
<i>Puccinia cyani</i>	Passerini, 1874

<i>Puccinia cyperi</i>	Arthur, 1891
<i>Puccinia delphinii</i>	Ditel y Holway, 1893
<i>Puccinia dichondrae</i>	Montagne, 1852
<i>Puccinia dioicae</i> var. <i>extensicola</i>	(Plowright, 1889) Henderson, 1961
<i>Puccinia douglasii</i>	Ellis y Everhart, 1893
<i>Puccinia dulichii</i>	Sydow y Sydow, 1904
<i>Puccinia eleocharidis</i>	Arthur, 1884
<i>Puccinia ellisiana</i>	Thümen, 1878
<i>Puccinia enceliae</i>	Ditel y Holway, 1897
<i>Puccinia extensicola</i> var. <i>asteris</i>	(Thümen, 1877) Arthur
<i>Puccinia gentianae</i>	(Strauss) Martius, 1824
<i>Puccinia graminis</i> f.sp. <i>tritici</i> raza TTKS	Erikssoon y Henning
<i>Puccinia grindeliae</i>	Peck, 1879
<i>Puccinia heliconiae</i>	(Ditel, 1897) Arthur, 1918
<i>Puccinia horiana</i>	Hennings, 1901
<i>Puccinia iridis</i>	Wallroth, 1844
<i>Puccinia iridis</i> f.sp. <i>floridana</i>	Sobers, 1966
<i>Puccinia irrequisita</i>	Jackson, 1921
<i>Puccinia kuehnii</i>	(Krüger, 1890) Butler, 1914
<i>Puccinia lateritia</i>	Schweinitz, 1853
<i>Puccinia leonotidicola</i>	Hennings, 1903
<i>Puccinia liatridis</i>	(Bethel ex Arthur y Fromme, 1920) Arthur, 1934
<i>Puccinia limosae</i>	Magnus, 1877
<i>Puccinia lobeliae</i>	Gerard, 1873
<i>Puccinia mcleanii</i>	
<i>Puccinia melampodii</i>	Ditel y Holway, 1897
<i>Puccinia obtecta</i>	Peck, 1873
<i>Puccinia panici</i>	Ditel y Holway, 1895
<i>Puccinia pelargonii-zonalis</i>	Doidge, 1926
<i>Puccinia peridermiospora</i>	(Ellis y Tracy, 1890) Arthur, 1899
<i>Puccinia physostegiae</i>	Peck y Clinton, 1878
<i>Puccinia pimpinellae</i>	(Strauss, 1810) Link, 1824
<i>Puccinia poarum</i>	Nielsen, 1877
<i>Puccinia probabilis</i>	Arthur y Cummins, 1934
<i>Puccinia psidii</i>	Winter, 1884
<i>Puccinia punctiformis</i>	(Strauss, 1810) Röhling, 1813
<i>Puccinia rhaetica</i>	Fischer, 1899
<i>Puccinia rubigo-vera</i> var. <i>agropyri</i>	(Erikss.) Arthur
<i>Puccinia stipae</i>	(Opiz, 1852) Arthur, 1884
<i>Puccinia tenuis</i>	Bonorden
<i>Puccinia tillandsiae</i>	Cummins y Pollack, 1974
<i>Puccinia triticina</i>	Eriksson, 1899
<i>Puccinia vagans</i>	(DeCandolle) Arthur, 1934
<i>Puccinia venustula</i>	(Arthur, 1916) Arthur, 1918
<i>Puccinia verbesinae</i>	Schweinitz, 1822
<i>Pucciniastrum epilobii</i>	Otth, 1861
<i>Pyrenophora chaetomioides</i>	Spegazzini, 1899

<i>Pyricularia setariae</i>	Nisikado, 1927
<i>Pyrilla perpusilla</i>	(Walker, 1851) Walker
<i>Pyrrhia umbra</i>	Hüfnagel, 1766
<i>Pythium myriotylum</i>	Drechsler, 1930
<i>Pythium splendens</i>	Braun, 1925
<i>Radopholus similis</i>	(Cobb, 1893) Thorne, 1949
Ralstonia solanacearum	(Smith, 1896) Yabuuchi et al., 1996
Ralstonia solanacearum raza 2	(Smith, 1896) Yabuuchi et al., 1996
Ralstonia solanacearum raza 3	(Smith, 1896) Yabuuchi et al., 1996
<i>Ranunculus repens</i>	Linnaeus
<i>Raoiella indica</i>	Hirst
Raspberry bushy dwarf virus	
Raspberry leaf curl virus	
Raspberry ringspot virus	
<i>Ravenelia hobsonii</i>	Cooke, 1880
<i>Ravenelia humphreyana</i>	Hennings, 1898
<i>Ravenelia spegazziniana</i>	Lindquist, 1946
<i>Ravenelia texensis</i>	Ellis y Galloway, 1894
Red clover vein mosaic virus	
<i>Retithrips syriacus</i>	(Mayet, 1890)
<i>Retracrus elaeis</i>	Keifer
<i>Rhabdoscelus obscurus</i>	(Boisduval)
<i>Rhabdospora oudemansii</i>	Hennings, 1900
<i>Rhadinaphelenchus cocophilus</i>	(Cobb, 1919) Goodey, 1960
<i>Rhagoletis basiola</i>	(Sacken, 1877)
<i>Rhagoletis cerasi</i>	Linnaeus, 1758
<i>Rhagoletis indifferens</i>	Curran, 1932
<i>Rhagoletis pomonella</i>	Walsh, 1867
<i>Rhagoletis suavis</i>	Loew, 1862
<i>Rhagoletis tomatis</i>	Foote, 1981
<i>Rhigopsis tucumanus</i>	Heller, 1906
<i>Rhinostomus barbirostris</i>	(Fabricius) Rafinesque
Rhizobium radiobacter	(Beijerinck y van Delden, 1902) Young et al., 2001
Rhizobium rhizogenes	(Riker et al., 1930) Young et al., 2001
Rhizoctonia crocorum	(Persoon) DeCandolle, 1815
<i>Rhizoecus falcifer</i>	Herculais, 1878
<i>Rhizoecus floridanus</i>	Hambleton, 1973
Rhodococcus fascians	(Tilford, 1936) Goodfellow, 1984
<i>Rhopalosiphoninus latysiphon</i>	(Davidson, 1912)
<i>Rhopobota ilicifoliana</i>	Kearfott, 1907
<i>Rhopographus filicinus</i>	(Fries, 1823) Nitschke ex Fuckel, 1870
<i>Rhynchites foveipennis</i>	Fairm. , 1888
<i>Rhynchophorus ferrugineus</i>	(Olivier, 1790)
<i>Rhyssomatus subtilis</i>	Fiedler , 1937
Rice black streaked dwarf virus	
Rice hoja blanca virus	
Rice stripe virus	

<i>Richardia brasiliensis</i>	Gomes, 1801
<i>Richardia grandiflora</i>	(Cham. & Schltld.) Steud.
<i>Richardia stellaris</i>	(Cham. & Schltld.) Steud.
Rose wilt disease	
Rose X disease	
<i>Rottboellia cochinchinensis</i>	(Lour.) Clayton (1981)
<i>Rotylenchulus parvus</i>	(Williams, 1960) Sher, 1961
<i>Rubus fruticosus</i>	Linnaeus
<i>Rubus moluccanus</i>	Linnaeus
Rubus stunt phytoplasma	Seemüller et al., 1998
<i>Sabulodes aegrotata</i>	(Guenée, 1858)
<i>Sacadodes pyralis</i>	Dyar, 1912
<i>Saccharata proteae</i>	(Wakefield, 1922) Denman & Crous, 2004
<i>Saccharum spontaneum</i>	Linnaeus, 1771
<i>Salsola vermiculata</i>	Linnaeus
Sandal spike phytoplasma	
<i>Sarocladium oryzae</i>	(Sawada, 1922) Gams y Hawksworth, 1975
<i>Schistocerca piceifrons piceifrons</i>	(Walker, 1870)
<i>Schoenoplectiella juncoides</i>	(Roxb.) Lye
<i>Scirtothrips aurantii</i>	Faure, 1929
<i>Scirtothrips dorsalis</i>	Hood, 1919
<i>Sclerophoma eustomonis</i>	Taubenhaus y Ezekiel
<i>Sclerophthora rayssiae</i> var. <i>zeae</i>	Payak y Renfro, 1967
<i>Sclerotinia denigriicans</i>	
<i>Sclerotinia minor</i>	Jagger, 1920
<i>Sclerotinia trifoliorum</i>	Eriksson, 1880
<i>Sclerotium denigrans</i>	Pape, 1943
<i>Scolytus rugulosus</i>	(Müller)
<i>Scolytus schevyrewi</i>	Semenov, 1902
<i>Scutellonema brachyurus</i>	(Steiner, 1938) Andrassy, 1958
<i>Senecio vulgaris</i>	Linnaeus, 1753
<i>Septoria atriplicis</i>	(Westendorp, 1851) Fuckel, 1870
<i>Septoria helianthi</i>	Ellis y Kellerman, 1883
<i>Septoria steviae</i>	Ishiba et al., 1982
<i>Sesamia calamistis</i>	Hampson, 1910
<i>Sesamia cretica</i>	Lederer, 1857
<i>Sesamia inferens</i>	(Walker, 1856)
<i>Setaria pumila</i>	(Poir.) Roemer y Schultes, 1817
<i>Setaria spp.</i>	
<i>Sigmodon hispidus</i>	Say y Ord, 1825
<i>Silene noctiflora</i>	Linnaeus
<i>Silybum marianum</i>	(Linnaeus) Gaertn.
<i>Sinapis arvensis</i>	Linnaeus
<i>Sitodiplosis mosellana</i>	(Gehin, 1857)
<i>Solanum carolinense</i>	Linnaeus (1753)
<i>Solanum peruvianum</i>	Linnaeus
<i>Solanum ptycanthum</i>	Dunal

<i>Solanum viarum</i>	Dunal
<i>Sonchus arvensis</i>	Linnaeus, 1753
Sonchus yellow net virus	
Sowbane mosaic virus	
<i>Sparganothis sulfureana</i>	Clemens, 1860
<i>Sphaceloma poinsettiae</i>	Jenkins y Röhle, 1942
<i>Sphaceloma venezuelanum</i>	Bitancourt y Jenkins
<i>Sphacelotheca erianthi</i>	(Sydow y Sydow) Mundkur, 1942
<i>Sphacelotheca macrospora</i>	Yen y Wang, 1955
<i>Sphacelotheca reiliana</i>	(Kühn, 1875) Clinton, 1902
<i>Sphaeraspis vitis</i>	Jakubski, 1965
<i>Sphaeropsis hedericola</i>	(Spegazzini) Saccardo, 1884
<i>Sphenarium sp.</i>	
<i>Sphenoclea zeylanica</i>	Gaertn., 1788
<i>Sphenophorus venatus vestitus</i>	Chittenden
<i>Spilonota albicana</i>	Motschulsky
<i>Spilonota ocellana</i>	(Denis y Schiffermüller) Schiffermüller
<i>Spilosoma virginica</i>	Fabricius, 1798
<i>Spiroplasma citri</i>	Saglio et al., 1973
<i>Spodoptera exigua</i>	(Hübner- 1803-1808)
<i>Spodoptera littoralis</i>	(Boisduval, 1833)
<i>Spodoptera litura</i>	(Fabricius, 1775)
<i>Spodoptera mauritia</i>	Boisduval, 1833
<i>Spoladea recurvalis</i>	(Fabricius, 1775)
<i>Spongospora subterranea</i>	(Wallr.) Lagerh., 1892
Squash mosaic virus	
<i>Steneotarsonemus concavuscum</i>	Lofego & Gondim
<i>Steneotarsonemus laticeps</i>	(Halbert)
<i>Steneotarsonemus spinki</i>	Smiley, 1967
<i>Stenoma catenifer</i>	Walsingham, 1912
Stigmina palmivora	(Saccardo, 1898) Hughes, 1952
Strawberry crinkle virus	
Strawberry latent C virus	
Strawberry latent ringspot virus	
Strawberry mild yellow edge virus	
Strawberry mottle virus	
Strawberry pseudo mild yellow edge virus	
Strawberry vein banding virus	
Strawberry witches' broom phytoplasma	
<i>Streptomyces scabiei</i>	(ex Thaxter, 1892) Lambert y Loria, 1989
<i>Striga angustifolia</i>	(Don) Saldanha, 1963
<i>Striga asiatica</i>	(Linnaeus, 1753) Kuntze, 1891
<i>Striga densiflora</i>	(Benth., 1835) Benth., 1863
<i>Striga hermonthica</i>	(Del., 1813) Benth., 1836
<i>Striga spp.</i>	
<i>Stromatinia cepivora</i>	(Berkeley, 1841) Whetzel, 1945
Sugarcane bacilliform virus	

Sugarcane sereh disease	
Sugarcane streak virus	
Sugarcane yellow leaf virus	
<i>Symmetrischema tangolia</i>	Turner, 1919
<i>Synchytrium aureum</i>	Schröter, 1870
<i>Synchytrium edgertonii</i>	Cook, 1945
<i>Synchytrium endobioticum</i>	(Schilberszky) Percival, 1909
<i>Synchytrium fulgens</i>	Schröter, 1873
<i>Synchytrium nigrescens</i>	Davis, 1924
<i>Synchytrium vaccinii</i>	Thomas, 1889
<i>Taeniothrips eucharii</i>	(Whetzel, 1923)
<i>Taphrina bullata</i>	(Berkeley y Broome, 1855) Tulasne, 1866
<i>Teratosphaeria jonkershoekensis</i>	(Wyk ET AL., 1975) Crous y Braun, 2007
<i>Tetraleurodes ursorum</i>	(Cockerell, 1910)
<i>Thanatephorus cucumeris</i>	(Frank) Donk, 1956
<i>Thanatephorus theobromae</i>	(Talbot y Keane) Roberts, 1999
<i>Thaumatotibia leucotreta</i>	Meyrick
<i>Thecaphora solani</i>	Barrus, 1944
<i>Thekopsora areolata</i>	(Fries, 1818) Magnus, 1875
<i>Themeda quadrivalvis</i>	(Linnaeus) Kuntze
<i>Theretra oldenlandiae</i>	(Fabricius, 1775)
<i>Thlaspi arvense</i>	Linnaeus (1753)
<i>Thrips angusticeps</i>	Uzel, 1895
<i>Thrips flavus</i>	Schrank
<i>Thrips hawaiiensis</i>	(Morgan, 1913)
<i>Thrips meridionalis</i>	(Priesner, 1926)
<i>Thrips nigropilosus</i>	Uzel
<i>Thrips palmi</i>	Karny, 1925
<i>Thrips simplex</i>	(Morison, 1930)
<i>Thrips sumatrensis</i>	(Priesner, 1934)
<i>Tilletia barclayana</i>	(Brefeld) Saccardo y Sydow, 1899
<i>Tilletia controversa</i>	Kühn, 1874
<i>Tilletia indica</i>	Mitra, 1931
<i>Tilletia tritici</i>	(Bjerkander, 1775) Winter, 1874
<i>Tipula paludosa</i>	Meigen, 1830
Tobacco etch virus	
Tobacco mosaic virus	
Tobacco necrosis virus	
Tobacco rattle virus	
Tobacco ringspot virus	
Tobacco streak virus	
Tomato aspermy virus	
Tomato black ring virus	
Tomato bushy stunt virus	
Tomato mottle virus	
Tomato ringspot virus	
Tomato spotted wilt virus	

<i>Toxoptera citricida</i>	(Kirkaldy)
<i>Toxotrypana</i> sp.	
<i>Tremex fuscicornis</i>	(Fabricius, 1787)
<i>Tretendophragmia palmivora</i>	Subramanian, 1994
<i>Trialeurodes vaporariorum</i>	(Westwood, 1856)
<i>Trichoconiella padwickii</i>	(Ganguly, 1948) Jain, 1976
<i>Trichodorus</i> spp.	
<i>Trichodorus viruliferus</i>	Hooper, 1963
<i>Trichothecium roseum</i>	(Persoon, 1794) Link, 1809
<i>Trichromothrips xanthius</i>	(Williams, 1917)
<i>Trioza alacris</i>	Flor, 1861
<i>Tripleurospermum inodorum</i>	(Linnaeus) Sch.
<i>Tripleurospermum maritimum</i>	(Linnaeus) Koch
<i>Trirhithrum coffeae</i>	Bezzi, 1918
<i>Trogoderma granarium</i>	Everts, 1899
Tulip breaking virus	
<i>Tuta absoluta</i>	(Meyrick, 1917) Povolny (1994)
<i>Tylenchorhynchus claytoni</i>	Steiner, 1937
<i>Typophorus nigritus</i>	(Fabricius, 1801)
<i>Udea rubigalis</i>	(Guenée) Guenée, 1854
<i>Uleodothis pteridis</i>	Stevens, 1920
<i>Ulex europaeus</i>	Linnaeus
<i>Unaspis citri</i>	(Comstock, 1883)
<i>Unaspis yanonensis</i>	(Kuwana, 1923)
<i>Uredo behnickiana</i>	Hennings, 1905
<i>Uredo gladioli-buettneri</i>	Bubák, 1911
<i>Urocarpidium peruvianum</i>	(Linnaeus, 1753) Krapov.
<i>Urochloa panicoides</i>	Beauv.
<i>Urocystis sorosporioides</i>	Körnicke ex von Waldheim, 1877
<i>Uromyces asclepiadis</i>	Cooke, 1877
<i>Uromyces compactus</i>	Peck, 1882
<i>Uromyces dianthi</i>	(Persoon) Niessl 1872
<i>Uromyces euphorbiae</i>	Cooke y Peck, 1873
<i>Uromyces funci</i>	
<i>Uromyces gentianae</i>	Arthur, 1891
<i>Uromyces holwayi</i>	Lagerheim, 1889
<i>Uromyces houstoniatus</i>	Sheldon, 1909
<i>Uromyces junci</i>	(Desmazières) Tulasne y Tulasne, 1854
<i>Uromyces limonii</i>	(DeCandolle, 1805) Léveillé, 1849
<i>Uromyces lupini</i>	Berkeley y Curtis, 1860
<i>Uromyces occidentalis</i>	Ditel, 1903
<i>Uromyces pisi-sativi</i>	(Persoon) Liro, 1908
<i>Uromyces probus</i>	Arthur 1911
<i>Uromyces sparganii</i>	Cooke y Peck, 1874
<i>Uromyces triquetrus</i>	Cooke, 1862
<i>Uromycladium tepperianum</i>	(Saccardo, 1889) McAlpine, 1906
<i>Ustilago cissi</i>	Tulasne y Tulasne

<i>Ustilago nuda</i> f.sp. <i>tritici</i>	Schaffnit, 1928
<i>Ustilago scitaminea</i>	Sydow, 1924
<i>Vaccaria hispanica</i>	(Miller) Rauschert
<i>Vankya vaillantii</i>	<i>Vankya vaillantii</i> (Tul. & C. Tul.) Ershad 2000
<i>Verticillium albo-atrum</i>	Reinke y Berthold, 1879
<i>Verticillium dahliae</i>	Klebahn, 1913
<i>Verticillium heterocladium</i>	Penzig, 1882
<i>Villosiclava virens</i>	(Sakurai ex Nakata) Tanaka y Tanaka, 2009
<i>Vinsonia stellifera</i>	(Westwood, 1871)
<i>Virachola bimaculata</i>	Hewitson, 1874
<i>Virus marchitez variegada</i>	
<i>Viteus vitifoliae</i>	(Fitch, 1851)
<i>Volutella albido-pila</i>	Boudier, 1891
<i>Watermelon mosaic virus-II</i>	Wang et al., 1993
<i>Wheat streak mosaic virus</i>	
<i>Xanthomonas albilineans</i>	(Ashby, 1929) Dowson, 1943
<i>Xanthomonas arboricola</i> pv. <i>pruni</i>	(Smith, 1903) Vauterin et al.
<i>Xanthomonas axonopodis</i> pv. <i>alfalfa</i>	(Riker et al., 1935) Vauterin et al., 1995
<i>Xanthomonas axonopodis</i> pv. <i>begoniae</i>	(Takimoto 1934) Vauterin et al. 1995
<i>Xanthomonas axonopodis</i> pv. <i>citri</i>	(Hasse, 1915) Vauterin et al., 1995
<i>Xanthomonas axonopodis</i> pv. <i>dieffenba</i>	(McCulloch y Pirone, 1939) Vauterin et al., 1995
<i>Xanthomonas axonopodis</i> pv. <i>malvacea</i>	(Smith, 1901) Vauterin et al., 1995
<i>Xanthomonas axonopodis</i> pv. <i>poinsettii</i>	(Patel et al., 1951) Vauterin et al., 1995
<i>Xanthomonas axonopodis</i> pv. <i>ricini</i>	(Yoshii & Takimoto, 1928) Vauterin et al., 1995
<i>Xanthomonas axonopodis</i> pv. <i>vasculoru</i>	(Cobb, 1893) Vauterin et al., 1995
<i>Xanthomonas campestris</i>	(Pammel, 1895) Dowson, 1939
<i>Xanthomonas campestris</i> pv. <i>aberrans</i>	(Knösel, 1961) Dye, 1978
<i>Xanthomonas campestris</i> pv. <i>armoracia</i>	(McCulloch, 1929) Dye, 1978
<i>Xanthomonas campestris</i> pv. <i>campestri</i>	(Pammel, 1895) Dowson, 1939
<i>Xanthomonas campestris</i> pv. <i>sesami</i>	(Sabet y Dowson, 1960) Dye, 1978
<i>Xanthomonas cucurbitae</i>	(Bryan, 1926) Vauterin et al., 1995
<i>Xanthomonas fragariae</i>	Kennedy y King, 1962
<i>Xanthomonas hortorum</i> pv. <i>carotae</i>	(Kendrick, 1934) Vauterin et al., 1995
<i>Xanthomonas hortorum</i> pv. <i>hederae</i>	(Arnaud, 1920) Vauterin et al., 1995
<i>Xanthomonas hortorum</i> pv. <i>pelargonii</i>	(Brown, 1923) Vauterin et al., 1995
<i>Xanthomonas hyacinthi</i>	(Wakker, 1883) Vauterin et al., 1995
<i>Xanthomonas oryzae</i> pv. <i>oryzae</i>	(Ishiyama, 1922) Swings et al., 1990
<i>Xanthomonas oryzae</i> pv. <i>oryzicola</i>	(Fang et al., 1957) Swings et al., 1990
<i>Xanthomonas translucens</i> pv. <i>cerealis</i>	(Hagborg, 1942) Vauterin et al., 1995
<i>Xanthomonas vasicola</i> pv. <i>holcicola</i>	(Elliott, 1930) Vauterin et al., 1995
<i>Xanthomonas vesicatoria</i>	(Dodge, 1920) Dowson, 1939
<i>Xanthopastis timais</i>	(Cramer, 1782)
<i>Xestia c-nigrum</i>	(Linnaeus, 1758)
<i>Xiphinema coxi</i>	Tarjan, 1964
<i>Xiphinema diversicaudatum</i>	(Micoletzky, 1927) Thorne, 1939
<i>Xiphinema index</i>	Thorne y Allen, 1950
<i>Xiphinema rivesi</i>	Dalmasso, 1969

<i>Xylella fastidiosa</i> subsp. <i>fastidiosa</i>	(Wells et al., 1987)
<i>Xylella fastidiosa</i> subsp. <i>multiplex</i>	(Wells et al., 1987)
<i>Xylella fastidiosa</i> subsp. <i>pauca</i>	(Wells et al., 1987)
<i>Xylomyges curialis</i>	(Grote, 1873)
<i>Xylophilus ampelinus</i>	(Panagopoulos, 1969) Willems et al., 1987
<i>Xyphon fulgida</i>	(Nottingham, 1932)
<i>Yucca bacilliform virus</i>	
<i>Yuccaborus frontalis</i>	LeConte, 1876
<i>Zeuzera pyrina</i>	Linnaeus, 1761
<i>Zonosemata electa</i>	(Say, 1830)
<i>Zygotylenchus guevarai</i>	(Jiménez, 1963) Braun y Loof, 1966

<b>SERVICIO NACIONAL DE SANIDAD, INOCUIDAD Y CALIDAD AGROALIMENTARIA</b>
<b>DIRECCION GENERAL DE SANIDAD VEGETAL</b>
<b>LISTA DE MALEZAS REGLAMENTADAS DE MEXICO 2012</b>

1. *Aira elegantissima* Schur, 1853 \*
2. *Barbarea vulgaris* W.T. Aiton, 1812
3. *Bromus scoparius* L., 1755
4. *Bromus squarrosus* L., 1753
5. *Centaurea iberica* Trevir. Ex Spreng., 1826
6. *Cortaderia jubata* (Lemoine) Stapf., 1898
7. *Crepis capillaries* (L.) Wallr., 1840
8. *Cyperus* sp. 1753
9. *Epilobium ciliatum* Raf., 1808
10. *Epilobium tetragonum* L., 1753
11. *Fallopia convolvulus* (L.) Á. Löve, 1970
12. *Geranium dissectum* L., 1755
13. *Holcus mollis* L., 1759
14. *Hypochaeris glabra* L., 1753
15. *Hypochaeris radicata* L., 1753
16. *Oenothera affinis* Cambess., 1829
17. *Oenothera biennis* L., 1753
18. *Oenothera glazioviana* Micheli., 1875
19. *Oenothera stricta* Ledeb. ex Link, 1821
20. *Oenothera villosa* Thunb. Subsp. *strigosa* (Rydb.) W, Dietr. & P. H. Raven, 1976
21. *Orobanche* spp., 1753
22. *Oxalis articulata* Savigny., 1798
23. *Oxalis perdicaria* (Molina) Bertero, 1829
24. *Hieracium aurantiacum* L. 1753
25. *Hieracium pilosella* L., 1753
26. *Scirpus atrocinctus* Fernald, 1899

27. *Setaria pumila* subsp. *pallide-fusca* (Schumach.) B.K. Simon, 1984
28. *Spergularia rubra* (L.) J. Presl & C. Presl, 1819
29. *Sphaeralcea miniata* (Cav.) Spach., 1834
30. *Verbena bonariensis* L., 1753
31. *Verbena incompta* P.W. Michael, 1995