

Plates and Gates

Louise Huffman

Director of Education and Outreach

US Ice Drilling Program Office

Dartmouth College

louise.t.huffman@dartmouth.edu

Plates and Gates

Activity modeled on research by Strugnell, et al, about a cold water octopus that lives near Antarctica.

Megaleledone setebos

A shallow water species of octopus found all around Antarctic and only in the Southern Ocean. It is a close relative of the deep sea species. The picture is a juvenile. Adults can reach nearly 1 m.

(Ask Jose about the one recently found that was 1.2 m!!)



An excellent example of why interdisciplinary science is so important to understanding Earth as a “system of systems.”

www.andrill.org/education

Directions: Timeline

- ✦ Using the colored paper strip, mark :
- ✦ “0”—present on the right end of the strip
- ✦ “100 mya” on the left
- ✦ Mark distance between “0” and “100” in approximately equal intervals of “10” (you might want to have your students use a meter stick and a meter length of paper)

Directions: Map Cards

- ✦ Place your map cards on the appropriate position on your timeline. (some may not be on the paper—figure approximately where they should be placed on the table/desktop)
 1. What changes occur between the first card and last card?
 2. Which continents moved closer to the Poles?
 3. Which continents moved to latitudes closer to the Equator?

Directions: Climate Cards

These cards represent how the climate of Antarctica changed over geologic time.

1. Look at the Climate Cards.

How has the average temperature changed over time?

2. Place them in order using the dates at the bottom of each card.

What changes occur in the global position of Antarctica between the first and last card?

What role did ocean currents play in the change in climate?

Octopus Background

Marine animals depend on dissolved oxygen in the water to survive. Cold water holds more oxygen than warm water and can support more organisms.


Many species of octopuses squirt ink to distract and confuse predators. In the deep water, light is very low and squirting ink as a defense mechanism is of little value and of high metabolic demand. Because of this, deep-water species of octopuses have very small ink sacs with little or no ink in them, and some have no ink sacs at all.

Directions: Biology Cards

Place the cards in order based on the date at the bottom of the card.

1. What changes in diversity and location of octopuses occurred between the first card and the last card?
2. What could have happened between 35 mya and 15-20 mya so that the Pacific octopus species were able to move to the Atlantic Ocean?

These cards tell the story of how deep sea species of octopuses grew in diversity in the Southern Ocean and extended their habitat range, deeper and deeper as the oceans grew colder.



2 MYA

35 MYA

65 MYA

Biology Card
Water around Antarctica becomes colder, and more oxygen is available in the deeper regions.
New species of octopus develop and migrate to deep-water habitats losing their ability to make ink, and some don't have ink sacs at all.

Biology Card
The ocean water around Antarctic is warm.
Oxygen is not available at deep levels to sustain many marine species.
Some species of shallow water Antarctica.

Biology Card
Ocean water cools around Antarctica.
As the oxygen level in the deeper water increases, new lineages of octopus migrate to deeper habitats.

Climate Card
Antarctica is cooling.
Plants are no longer able to survive, and the continent loses its vegetation cover.

Biology Card
Ocean water cools around Antarctica.
As the oxygen level in the deeper water increases, new lineages of octopus migrate to deeper habitats.

Climate Card
Antarctica is cold.
The ice sheets are at a maximum.
Plants are no longer able to survive, and the continent loses its vegetation cover.

Climate Card
Antarctica is cold.
Fossils show that during this time, ferns and pine trees were in abundance.
The average Temperature = 23oC (74oF)

Learn more:



Strugnell, J., Rogers, A.D., Prodöhl, P.A., Collins, M.A. & Allcock, A.L. (2008) The thermohaline expressway: the Southern Ocean as a centre of origin for deep sea octopuses. *Cladistics*. 24: 853-860.

The Big Ideas


- ✦ **Notice that the events are scattered along the timeline except for one card in each group that occurs around 35 mya.**
- ✦ **These events (one geographic, one climate and one biological) are related and driven by the opening of the Drake Passage. Plate tectonics, although slow, have a large affect on climate change, and in this case triggered the isolation of Antarctica from warm northern waters.**
- ✦ **Cold water can hold more oxygen, so the deeper water could then sustain life. The octopuses, which before could only survive on the shallow ocean shelf, began to diversify and invade the deeper waters.**

Big Ideas...continued

- ✦ **With the cooling of the oceans, Antarctica's climate cooled, which triggered the growth of the ice sheets.**
- ✦ **When the Drake Passage opened, the ocean currents were no longer restricted by the presence of South America and began to circle Antarctica creating the Antarctic Circumpolar Current. The waters around Antarctica became very cold.**
- ✦ **This resulted in isolation and cooling of Antarctica, and ice sheets began to form.**

How will melting ice affect sea level?

1. Build land with gravel on one side of each of the pans
2. Pour water into the pan, leaving part of the land above water
3. In one pan--add ice to the water; in the other, add ice to the land
4. Mark the water level with a Vis-a-Vis on the outside of the pan



Make a prediction:

Will melting *sea ice* affect sea level?

Will melting *land-based* ice affect sea level?

Add a Post-it note to the statement with which you agree.



| Ice Sheet | Estimated Sea-Level Rise |
|-----------------|--------------------------|
| Greenland | 7 meters |
| West Antarctica | 7 meters |
| East Antarctica | 70 meters |



Life in an Acid Bath



www.andrill.org/education