



**Holotype of *Lampranthus francesiae*
H.E.K.Hartmann [family
MESEMBRYANTHEMACEAE]**

<http://www.aluka.org/action/showMetadata?doi=10.5555/AL.AP.SPECIMEN.BOL134275>

Use of the Aluka digital library is subject to Aluka's Terms and Conditions, available at <http://www.aluka.org/page/about/termsConditions.jsp>. By using Aluka, you agree that you have read and will abide by the Terms and Conditions. Among other things, the Terms and Conditions provide that the content in the Aluka digital library is only for personal, non-commercial use by authorized users of Aluka in connection with research, scholarship, and education.

The content in the Aluka digital library is subject to copyright, with the exception of certain governmental works and very old materials that may be in the public domain under applicable law. Permission must be sought from Aluka and/or the applicable copyright holder in connection with any duplication or distribution of these materials where required by applicable law.

Aluka is a not-for-profit initiative dedicated to creating and preserving a digital archive of materials about and from the developing world. For more information about Aluka, please see <http://www.aluka.org>

Holotype of *Lampranthus francesiae* H.E.K.Hartmann [family MESEMBRYANTHEMACEAE]

Collector	Leighton, F.M., No# BOL 21422
Collection date	1934/9
Locality	Clanwilliam Division, Kromme Rivier, in the Cedarberg.
Country	South Africa (South Africa)
Identifications	Holotype of <i>Lampranthus francesiae</i> H.E.K.Hartmann [family MESEMBRYANTHEMACEAE]; Holotype of <i>Ruschia leightoniae</i> L.Bolus [family MESEMBRYANTHEMACEAE]; <i>Phiambolia unca</i> (L.Bolus) Klak [family MESEMBRYANTHEMACEAE] (stored under name); Verified by Klak, C., 2003/8
Repository	The Bolus Herbarium, Botany Department, University of Cape Town, South Africa, BOL134275
Data last modified	2006-03-09

<http://www.aluka.org/action/showMetadata?doi=10.5555/AL.AP.SPECIMEN.BOL134275>



Plumbago
 Conf.
 Det. C. Alali 8/8/2003

Luy/qu/68

This does not seem to be a robust form of
R. dubitans f. Böhm, I suggest that the
 name *R. leightonae* f. B. having been
 published is up label.

The fruits are very different in size &
 form. The habit of the plant is
 different too Nov 6/55

Clavipes

Ruschia dubitans
 Mex. Mexo, II: 220 (1950) L. Bol.

is perhaps a good variety or variant
 of the smaller-leaved *R. dubitans*.
 See *Botanica* 20, 460 from the same
 locality 12/5, 12/25, 12/26 etc. is still recorded

Type

UNIVERSITY OF CAPE TOWN. Type
 HERBARIUM AFRICANUM BOLUSIANUM
 FLORA South Western Region
 No. 21422
Ruschia leightonae, L. Bol.
 Kromme Rivier in the Gederburg
 Stannilheim Division.
 Alt.
 Flor. Dept. Anno 1936 legit H.M. Leighton

Ruschia leightonae
 L. Bol.
 valves rounded
 tubercle small
 2 prisms on the sides
 1 rather membranous

Herbarium Haussknoggenae
Lacynodictyon fraxcescens
 H. E. Hartmann
 27.5.02 H. E. Hartmann

BOLUS HERBARIUM
 BOL134275

HERBARIUM
 21422
 BOLUSIANUM

(= *Ruschia leightonae*, L. Bol.)

Mex. II, 499
 (Lacynodictyon fraxcescens H. E. Hartmann
 1949)