



Lenovo® ThinkPad T530



Lenovo ThinkPad T530



Lenovo ThinkPad T530



Lenovo ThinkPad T530



Lenovo ThinkPad T530



Lenovo ThinkPad T530

# ThinkPad T530 2359 (TopSeller)

Product Specifications Reference (PSREF)

Type-model	Processor	Memory	Wide-screen display	Camera	Disk SATA GB <sup>8</sup> rpm	Backlit key-board	PCIe Mini Card WLAN	PCIe Mini Card WWAN /mSATA	Carrier	Finger print reader	Bat-Blue- tooth	tery Intel AMT	Intel vPro	Pre-load	Ann Date (mm/yy)
2359-2HU	i5-3320M	4GBx1	15.6" HD	720p	500G 7200	None	Intel 6205 <sup>28</sup>	WWAN upg	None	None	None	6 iAMT vPro	Pro 64	06/12	
2359-2GU	i5-3320M	4GBx2	15.6" HD	720p	320G 7200	None	Intel 6205	WWAN upg	None	None	None	6 iAMT vPro	Pro 64	06/12	
2359-2FU	i5-3320M	4GBx1	15.6" HD	720p	320G 7200	None	Intel 6205	WWAN upg	None	None	None	6 iAMT vPro	Pro 64	06/12	
2359-2EU	i5-3210M	4GBx1	15.6" HD+	720p	500G 7200	None	Intel 2200	WWAN upg	None	None	None	6 None	None	Pro 64	06/12
2359-2DU	i5-3210M	4GBx1	15.6" HD	720p	500G 7200	None	Intel 2200	WWAN upg	None	None	None	6 None	None	Pro 64	06/12
2359-2CU	i5-3210M	4GBx1	15.6" HD+	720p	320G 7200	None	Intel 2200	WWAN upg	None	None	None	6 None	None	Pro 64	06/12
2359-2BU	i5-3210M	4GBx1	15.6" HD	720p	320G 7200	None	Intel 2200	WWAN upg	None	None	None	6 None	None	Pro 64	06/12

• **Small and medium business (SMB) model(s), part of the US TopSeller™ Program**

Positioning Processor	<i>Premiere performance; two spindles</i> <b>Intel® Core™ i5-3210M processor (2 cores, 2.50GHz, 3MB cache), Intel HD Graphics 4000,</b> DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.10GHz), HT technology <b>Intel Core i5-3320M processor (2 cores, 2.60GHz, 3MB cache), Intel HD Graphics 4000,</b> DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.30GHz), HT technology	<b>Preloaded operating system<sup>20</sup></b> Genuine Windows® 7 Professional 64 <b>Ready to install applications<sup>14</sup></b> (only some listed) • Rescue and Recovery™ • Password Manager
Memory	16GB max <sup>7</sup> / PC3-12800 1600MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	<b>Preloaded applications<sup>14</sup></b> (only some listed) • Lenovo® Solution Center • Lenovo Message Center Plus • ThinkVantage Product Recovery • Access Connections™ • Fingerprint Software (fingerprint models) • ThinkVantage System Update • ThinkVantage Power Manager • Lenovo Cloud Storage by SugarSync • Lenovo SimpleTap • Microsoft® Office preloaded; purchase a product key to activate • Norton™ Internet Security 2012 (30 days of virus definitions) • Adobe® Reader® • Skype™ for Windows • Evernote® • Intel Small Business Advantage • RapidBoot HDD Accelerator • Symantec™ VIP • Windows Live™ Essentials • Corel® WinDVD® (DVD±RW) • Corel Burn.Now™ Lenovo Edition (DVD±RW) • Corel DVD MovieFactory® Lenovo Edition (DVD±RW)
Optical Ultrabay SATA disk	DVD burner, 12.7mm Ultrabay Enhanced, removable One bay for removable devices, Ultrabay Slim-compatible, 12.7mm high, bottom access <i>Some:</i> Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" wide, 7mm high <i>Some:</i> HDD / SATA 3.0Gb/s, 2.5" wide, 7mm or 9.5mm high, Active Protection System™ <i>All:</i> removable, upgradable, supports the second disk, Shock Mounted Hard Drive	
mSATA™ SSD	None	
Widescreen display	<i>Some:</i> <b>15.6"</b> (396mm) <b>HD (1366x768) color</b> , anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio, 60% Gamut <i>Some:</i> <b>15.6"</b> (396mm) <b>HD+ (1600x900) color</b> , anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio, 60% Gamut <i>Some:</i> <b>15.6"</b> (396mm) <b>Full HD (1920x1080) color</b> , anti-glare, LED backlight, 270 nits, 16:9 aspect ratio, 500:1 contrast ratio, 95% Gamut	
Camera	HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus	
Graphics	<b>Intel HD Graphics 4000</b> in processor, supports external analog monitor via VGA DB-15 and digital monitor via Mini DisplayPort; supports dual independent display; <i>Maximum external resolution:</i> 2560x1600@60Hz (DisplayPort via optional Mini DP cable); 1920x1200@60Hz (single-link DVI-I via optional Mini DP cable); 2048x1536@75Hz (VGA)	
Keyboard TrackPoint® Touchpad ThinkLight™	6-row, 84-key, ThinkVantage button, spill-resistant, multimedia Fn keys, optional LED backlight TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass UltraNav™, wide touchpad below keyboard, Tap Zones, scrolling, multi-touch Illuminates the keyboard to improve visibility in low-light conditions	
Dimensions <sup>3</sup> Weight <sup>2</sup> Case material	<i>15.6W" (WxDxH):</i> 14.68" x 9.65" x 1.25-1.40"; 372.8mm x 245.1mm x 31.8-35.6mm <i>6-cell:</i> starting at 5.39 lb (2.45kg); <i>9-cell:</i> starting at 5.76 lb (2.62kg) <i>Display cover:</i> Carbon-fiber / Glass-fiber hybrid; <i>Bottom:</i> Glass-fiber reinforced plastic without paint	
Battery - type Battery - life <sup>10</sup>	Lithium Ion 6-cell or 9-cell, supports optional Slice battery as 2nd battery, HW Authentication <i>6-cell (57Whr):</i> up to 9.1 hr; <i>9-cell (94Whr):</i> up to 15.3 hr; <i>6-cell plus 9-cell Slice battery (94Whr, 0A36304):</i> up to 30.6 hr	
Chipset ExpressCard Smart Card Reader Multicard Reader Ports	<b>Mobile Intel QM77 Express Chipset</b> One slot (ExpressCard/34) None 4-in-1 reader (MMC, SD, SDHC, SDXC) Two USB 3.0, two USB 2.0 (one powered), VGA DB-15, Mini DisplayPort, ethernet (RJ-45)	
PCIe Mini Card PCIe WLAN <sup>4</sup> PCIe WWAN Carrier Modem IEEE 1394 Bluetooth™ Ethernet Intel AMT Audio support	Two PCI Express Mini Card slots <i>Some:</i> 11b/g/n, PCIe Half Mini Card, Intel Centrino® Wireless-N 2200, 2x2 <i>Some:</i> 11a/b/g/n, PCIe Half Mini Card, Intel Centrino Advanced-N 6205, 2x2 Wireless WAN upgradable None None None None Intel 82579LM Gigabit Network Connection (Lewisville), PHY, PCIe x1 <i>Some:</i> Intel Active Management Technology (iAMT) HD Audio, Realtek® ALC3202 codec, Dolby® Advanced Audio™ v2 / stereo speakers, 1W x 2 / volume up, down, mute buttons / dual array mic, mic mute button, combo audio/mic jack	<b>Supports ThinkVantage® technologies</b>  65-watt AC adapter ThinkPad Roll Cage (one-piece magnesium frame) EPEAT™ Gold rating ENERGY STAR® 5.0-compliant GREENGUARD® certified RoHS-compliant International Warranty Service <sup>17</sup> 24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup>
Security Security chip Fingerprint reader	Power-on password, hard disk password, supervisor password, security keyhole Trusted Platform Module, TCG 1.2-compliant None	For compatible accessories, please go to O-T530 sheet; For Lenovo service <sup>22</sup> upgrade options, please go to QP-TA sheet
Limited warranty <sup>12</sup> <b>1-year</b> - depot repair service / service upgrades <sup>22</sup> available		

See footnotes for more detailed information

© Lenovo (KN4-1) June 2012

# ThinkPad T530 2359 (TopSeller) - Windows 8

Product Specifications Reference (PSREF)

Type-model	Processor	Memory	Wide-screen display	Camera	Disk SATA GB <sup>3</sup> rpm	Backlit key-board	PCIe Mini Card WLAN	PCIe Mini Card WWAN /mSATA	Finger print reader	Blue-tooth	Battery cells	Intel AMT	Intel vPro	Preload	Ann Date (mm/yy)
2359-4DU	i5-3210M	4GBx1	15.6" HD	720p	500G 7200	None	Intel 2200	WWAN upg	None	None	6	None	None	Win7 Pro64	10/12
2359-2YU	i5-3320M	4GBx1	15.6" HD	720p	500G 7200	None	Intel 6205 <sup>28</sup>	WWAN upg	None	None	6	iAMT	vPro	Win8 Pro64	10/12
2359-5CU	i5-3230M	4GBx1	15.6" HD	720p	500G 7200	None	Intel 2200	WWAN upg	None	None	6	None	None	Win8 Pro64	02/13
2359-4LU	i5-3230M	4GBx1	15.6" HD	720p	500G 7200	None	Intel 2200	WWAN upg	None	None	6	None	None	Win7 Pro64	02/13
2359-5JU	i5-3320M	4GBx1	15.6" HD	720p	500G 7200	None	Intel 6205	WWAN upg	None	None	6	iAMT	vPro	Win7 Pro64	04/13

• **Small and medium business (SMB) model(s), part of the US TopSeller™ Program**

Positioning Processor	<i>Premiere performance; two spindles</i> <b>Intel® Core™ i5-3210M processor (2 cores, 2.50GHz, 3MB cache), Intel HD Graphics 4000</b> , DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.10GHz), HT technology <b>Intel Core i5-3230M processor (2 cores, 2.60GHz, 3MB cache), Intel HD Graphics 4000</b> , DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.20GHz), HT technology <b>Intel Core i5-3320M processor (2 cores, 2.60GHz, 3MB cache), Intel HD Graphics 4000</b> , DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.30GHz), HT technology	<b>Preloaded operating system<sup>20</sup></b> - Some: Windows® 7 Professional 64 preinstalled through downgrade rights in Windows 8 Pro 64-bit - Some: Windows 8 Pro 64-bit
Memory	16GB max <sup>7</sup> / PC3-12800 1600MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	<b>Preloaded applications<sup>5</sup></b> (only some listed)  - <b>Windows 7 models</b> • Lenovo® Message Center Plus • ThinkVantage Product Recovery • Access Connections™ • ThinkVantage Power Manager • Lenovo SimpleTap • Corel® WinDVD® (DVD±RW) • Corel Burn.Now™ Lenovo Edition (DVD±RW) • Corel DVD MovieFactory® Lenovo Edition (DVD±RW)  - <b>Windows 8 models</b> • Lenovo Support • Lenovo Companion • Lenovo QuickLaunch • PC Device Stage • Cyberlink Power2Go (DVD±RW) • Cyberlink PowerProducer (DVD±RW)  - <b>All models</b> • Lenovo Solution Center • Password Manager • ThinkVantage System Update • Fingerprint Software (fingerprint models) • Lenovo Cloud Storage by SugarSync • Microsoft® Office preloaded; purchase a product key to activate • Norton™ Internet Security (30 days of virus definitions) • Skype™
Optical Ultrabay SATA disk	DVD burner, 12.7mm Ultrabay Enhanced, removable One bay for removable devices, Ultrabay Slim-compatible, 12.7mm high, bottom access <i>Some:</i> Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" wide, 7mm high <i>Some:</i> HDD / SATA 3.0Gb/s, 2.5" wide, 7mm or 9.5mm high, Active Protection System™ <i>All:</i> removable, upgradable, supports the second disk, Shock Mounted Hard Drive	
mSATA™ SSD	None	
Widescreen display	<i>Some:</i> <b>15.6"</b> (396mm) <b>HD (1366x768) color</b> , anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio, 60% Gamut <i>Some:</i> <b>15.6"</b> (396mm) <b>HD+ (1600x900) color</b> , anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio, 60% Gamut <i>Some:</i> <b>15.6"</b> (396mm) <b>Full HD (1920x1080) color</b> , anti-glare, LED backlight, 270 nits, 16:9 aspect ratio, 500:1 contrast ratio, 95% Gamut	
Camera	HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus	
Graphics	<b>Intel HD Graphics 4000</b> in processor, supports external analog monitor via VGA DB-15 and digital monitor via Mini DisplayPort; supports dual independent display; <i>Maximum external resolution:</i> 2560x1600@60Hz (DisplayPort via optional Mini DP cable); 1920x1200@60Hz (single-link DVI-I via optional Mini DP cable); 2048x1536@75Hz (VGA)	
Keyboard TrackPoint® Touchpad ThinkLight™	6-row, 84-key, ThinkVantage button, spill-resistant, multimedia Fn keys, optional LED backlight TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass UltraNav™, wide touchpad below keyboard, Tap Zones, scrolling, multi-touch Illuminates the keyboard to improve visibility in low-light conditions	
Dimensions <sup>3</sup> Weight <sup>2</sup> Case material	<i>15.6W" (WxDxH):</i> 14.68" x 9.65" x 1.25-1.40"; 372.8mm x 245.1mm x 31.8-35.6mm <i>6-cell:</i> starting at 5.39 lb (2.45kg); <i>9-cell:</i> starting at 5.76 lb (2.62kg) <i>Display cover:</i> Carbon-fiber / Glass-fiber hybrid; <i>Bottom:</i> Glass-fiber reinforced plastic without paint	
Battery - type Battery - life <sup>10</sup>	Lithium Ion 6-cell or 9-cell, supports optional Slice battery as 2nd battery, HW Authentication <i>6-cell (57Whr):</i> up to 9.1 hr; <i>9-cell (94Whr):</i> up to 15.3 hr; <i>9-cell plus 9-cell Slice battery (94Whr, 0A36304):</i> up to 30.6 hr	
Chipset ExpressCard Smart Card Read Multicard Reader Ports	<b>Mobile Intel QM77 Express Chipset</b> One slot (ExpressCard/34) None 4-in-1 reader (MMC, SD, SDHC, SDXC) Two USB 3.0, two USB 2.0 (one powered), VGA DB-15, Mini DisplayPort, ethernet (RJ-45)	
PCIe Mini Card PCIe WLAN <sup>4</sup>	Two PCI Express Mini Card slots <i>Some:</i> 11b/g/n, PCIe Half Mini Card, Intel Centrino® Wireless-N 2200, 2x2 <i>Some:</i> 11a/b/g/n, PCIe Half Mini Card, Intel Centrino Advanced-N 6205, 2x2	Supports ThinkVantage® technologies
PCIe WWAN Carrier Modem IEEE 1394 Bluetooth™ Ethernet Intel AMT Audio support	Wireless WAN upgradable None None None None Intel 82579LM Gigabit Network Connection (Lewisville), PHY, PCIe x1 <i>Some:</i> Intel Active Management Technology (iAMT) HD Audio, Realtek® ALC3202 codec, Dolby® Advanced Audio™ v2 / stereo speakers, 1W x 2 / volume up, down, mute buttons / dual array mic, mic mute button, combo audio/mic jack	65-watt AC adapter ThinkPad Roll Cage (one-piece magnesium frame) EPEAT™ Gold rating ENERGY STAR® 5.0-compliant GREENGUARD® certified RoHS-compliant International Warranty Service <sup>17</sup> 24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup>
Security Security chip Fingerprint reader	Power-on password, hard disk password, supervisor password, security keyhole Trusted Platform Module, TCG 1.2-compliant None	For compatible accessories, please go to O-T530 sheet; For Lenovo service <sup>22</sup> upgrade options, please go to QP-TA sheet
Limited warranty <sup>12</sup> <b>1-year</b> - depot repair service / service upgrades <sup>22</sup> available		

See footnotes for more detailed information

© Lenovo  
(KN4-9) April 2013

# ThinkPad T530 2392 (TopSeller)

Product Specifications Reference (PSREF)

Type-model	Processor	Memory	Wide-screen display	Camera	Disk SATA GB <sup>8</sup> rpm	Backlit keyboard	PCIe Mini Card WLAN	PCIe Mini Card WWAN /mSATA	Carrier	Finger print reader	Blue-tooth	Battery Intel vPro	Pre-load	Ann Date (mm/yy)
2392-4AU	i7-3520M	4GBx1	15.6" HD+	720p	500G 7200	None	Intel 6205 <sup>28</sup>	WWAN upg	None	Finger	BT	6 iAMT vPro	Pro 64	06/12
2392-49U	i7-3520M	4GBx2	15.6" HD	720p	500G 7200	None	Intel 6205	WWAN upg	None	Finger	BT	6 iAMT vPro	Pro 64	06/12
2392-48U	i7-3520M	4GBx1	15.6" HD	720p	500G 7200	None	Intel 6205	WWAN upg	None	Finger	BT	6 iAMT vPro	Pro 64	06/12
2392-46U	i5-3320M	4GBx1	15.6" HD+	720p	180G SSD	None	Intel 6205	WWAN upg	None	Finger	BT	6 iAMT vPro	Pro 64	06/12
2392-44U	i5-3320M	4GBx1	15.6" HD+	720p	500G 7200	None	Intel 6205	WWAN upg	None	Finger	BT	6 iAMT vPro	Pro 64	06/12
2392-43U	i5-3320M	4GBx2	15.6" HD	720p	500G 7200	None	Intel 6205	WWAN upg	None	Finger	BT	6 iAMT vPro	Pro 64	06/12
2392-42U	i5-3320M	4GBx1	15.6" HD	720p	500G 7200	None	Intel 6205	WWAN upg	None	Finger	BT	6 iAMT vPro	Pro 64	06/12
2392-3ZU	i5-3210M	4GBx1	15.6" HD+	720p	128G SSD	None	Intel 6205	WWAN upg	None	Finger	BT	6 None	None	Pro 64 06/12
2392-3YU	i7-3520M	4GBx1	15.6" HD+	720p	500G 7200	None	Intel 6205	Gobi 3000	select	Finger	BT	6 iAMT vPro	Pro 64	06/12
2392-3XU	i5-3320M	4GBx1	15.6" HD	720p	500G 7200	None	Intel 6205	Gobi 3000	select	Finger	BT	6 iAMT vPro	Pro 64	06/12

- Small and medium business (SMB) model(s), part of the US TopSeller™ Program
- A depot repair service 3-year limited warranty

Positioning Processor	<i>Premiere performance; two spindles</i> <b>Intel® Core™ i5-3210M processor (2 cores, 2.50GHz, 3MB cache), Intel HD Graphics 4000,</b> DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.10GHz), HT technology <b>Intel Core i5-3320M processor (2 cores, 2.60GHz, 3MB cache), Intel HD Graphics 4000,</b> DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.30GHz), HT technology <b>Intel Core i7-3520M processor (2 cores, 2.90GHz, 4MB cache), Intel HD Graphics 4000,</b> DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.60GHz), HT technology	<b>Preloaded operating system<sup>20</sup></b> Genuine Windows® 7 Professional 64 <b>Ready to install applications<sup>14</sup></b> (only some listed) • Rescue and Recovery™ • Password Manager
Memory	16GB max <sup>7</sup> / PC3-12800 1600MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	<b>Preloaded applications<sup>14</sup></b> (only some listed) • Lenovo® Solution Center • Lenovo Message Center Plus • ThinkVantage Product Recovery • Access Connections™ • Fingerprint Software (fingerprint models) • ThinkVantage System Update • ThinkVantage Power Manager • Lenovo Cloud Storage by SugarSync • Lenovo SimpleTap • Microsoft® Office preloaded; purchase a product key to activate • Norton™ Internet Security 2012 (30 days of virus definitions) • Adobe® Reader® • Skype™ for Windows • Evernote® • Intel Small Business Advantage • RapidBoot HDD Accelerator • Symantec™ VIP • Windows Live™ Essentials • Corel® WinDVD® (DVD±RW) • Corel Burn.Now™ Lenovo Edition (DVD±RW) • Corel DVD MovieFactory® Lenovo Edition (DVD±RW)
Optical Ultrabay SATA disk	DVD burner, 12.7mm Ultrabay Enhanced, removable One bay for removable devices, Ultrabay Slim-compatible, 12.7mm high, bottom access <i>Some:</i> Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" wide, 7mm high <i>Some:</i> HDD / SATA 3.0Gb/s, 2.5" wide, 7mm or 9.5mm high, Active Protection System™ <i>All:</i> removable, upgradable, supports the second disk, Shock Mounted Hard Drive	
mSATA™ SSD	None	
Widescreen display	<i>Some:</i> <b>15.6"</b> (396mm) <b>HD (1366x768) color</b> , anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio, 60% Gamut <i>Some:</i> <b>15.6"</b> (396mm) <b>HD+ (1600x900) color</b> , anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio, 60% Gamut <i>Some:</i> <b>15.6"</b> (396mm) <b>Full HD (1920x1080) color</b> , anti-glare, LED backlight, 270 nits, 16:9 aspect ratio, 500:1 contrast ratio, 95% Gamut	
Camera	HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus	
Graphics	<b>Intel HD Graphics 4000</b> in processor, supports external analog monitor via VGA DB-15 and digital monitor via Mini DisplayPort; supports dual independent display; <i>Maximum external resolution:</i> 2560x1600@60Hz (DisplayPort via optional Mini DP cable); 1920x1200@60Hz (single-link DVI-I via optional Mini DP cable); 2048x1536@75Hz (VGA)	
Keyboard TrackPoint® Touchpad ThinkLight™	6-row, 84-key, ThinkVantage button, spill-resistant, multimedia Fn keys, optional LED backlight TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass UltraNav™, wide touchpad below keyboard, Tap Zones, scrolling, multi-touch Illuminates the keyboard to improve visibility in low-light conditions	
Dimensions <sup>3</sup> Weight <sup>2</sup> Case material	<b>15.6W"</b> (WxDxH): 14.68" x 9.65" x 1.25-1.40"; 372.8mm x 245.1mm x 31.8-35.6mm <i>6-cell:</i> starting at 5.39 lb (2.45kg); <i>9-cell:</i> starting at 5.76 lb (2.62kg) <i>Display cover:</i> Carbon-fiber / Glass-fiber hybrid; <i>Bottom:</i> Glass-fiber reinforced plastic without paint	
Battery - type Battery - life <sup>10</sup>	Lithium Ion 6-cell or 9-cell, supports optional Slice battery, HW Authentication <i>6-cell (57Whr):</i> up to 9.1 hr; <i>9-cell (94Whr):</i> up to 15.3 hr; <i>9-cell plus 9-cell Slice battery (94Whr, 0A36304):</i> up to 30.6 hr	
Chipset ExpressCard Smart Card Reader Multicard Reader Ports	<b>Mobile Intel QM77 Express Chipset</b> One slot (ExpressCard/34) None 4-in-1 reader (MMC, SD, SDHC, SDXC) Two USB 3.0, two USB 2.0 (one powered), VGA DB-15, Mini DisplayPort, ethernet (RJ-45)	
PCIe Mini Card PCIe WLAN <sup>4</sup> PCIe WWAN	Two PCI Express Mini Card slots 11a/b/g/n, PCIe Half Mini Card, Intel Centrino® Advanced-N 6205, 2x2 <i>Some:</i> Wireless WAN upgradable <i>Some:</i> Wireless WAN, Qualcomm® Gobi™ 3000 chipset, PCIe Mini Card, EV-DO Rev. A, GPRS/WCDMA/HSPA, GPS	Supports ThinkVantage® technologies
Carrier Modem IEEE 1394 Bluetooth™ Ethernet Intel AMT Audio support	<i>Some:</i> User selectable, AT&T®, Verizon®, or Sprint®, contract required with service provider None None Bluetooth 4.0 wireless Intel 82579LM Gigabit Network Connection (Lewisville), PHY, PCIe x1 <i>Some:</i> Intel Active Management Technology (iAMT) HD Audio, Realtek® ALC3202 codec, Dolby® Advanced Audio™ v2 / stereo speakers, 1W x 2 / volume up, down, mute buttons / dual array mic, mic mute button, combo audio/mic jack	65-watt AC adapter ThinkPad Roll Cage (one-piece magnesium frame) EPEAT™ Gold rating ENERGY STAR® 5.0-compliant GREENGUARD® certified RoHS-compliant International Warranty Service <sup>17</sup> 24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup>
Security Security chip Fingerprint reader	Power-on password, hard disk password, supervisor password, security keyhole Trusted Platform Module, TCG 1.2-compliant AuthenTec fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip	For compatible accessories, please go to O-T530 sheet; For Lenovo service <sup>22</sup> upgrade options, please go to QP-TA sheet
Limited warranty <sup>12</sup>	<b>3-years/1-yr battery - depot repair service / service upgrades<sup>22</sup> available</b>	

See footnotes for more detailed information

# ThinkPad T530 2392 (TopSeller) - II

Product Specifications Reference (PSREF)

Type-model	Processor	Memory	Wide-screen display	Camera	Disk SATA GB <sup>3</sup> rpm	Backlit key-board	PCIe Mini Card WLAN	PCIe Mini Card WWAN /mSATA	Finger print reader	Blue-tooth	Battery cells	Intel AMT	Intel vPro	Preload (mm/yy)	Ann Date
2392-6EU	i5-2520M	4GBx1	15.6" HD	720p	500G 7200	Backlit	Intel 2200	WWAN upg	None	No	6	None	None	Pro 64	07/12
2392-6DU	i7-3520M	4GBx1	15.6" HD	720p	500G 7200	Backlit	Intel 6205 <sup>28</sup>	WWAN upg	Finger	BT	6	iAMT	vPro	Pro 64	07/12
2392-6AU	i5-3320M	4GBx1	15.6" HD+	720p	180G SSD	Backlit	Intel 6205	WWAN upg	Finger	BT	9	iAMT	vPro	Pro 64	07/12
2392-64U	i5-3320M	4GBx1	15.6" HD+	720p	500G 7200	Backlit	Intel 6205	WWAN upg	Finger	BT	6	iAMT	vPro	Pro 64	07/12

- **Small and medium business (SMB) model(s), part of the US TopSeller™ Program**
- **A depot repair service 3-year limited warranty**

Positioning Processor	<i>Premiere performance; two spindles</i> <b>Intel® Core™ i5-2520M processor (2 cores, 2.50GHz, 3MB cache), Intel HD Graphics 3000,</b> DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (3.20GHz), HT technology <b>Intel Core i5-3320M processor (2 cores, 2.60GHz, 3MB cache), Intel HD Graphics 4000,</b> DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.30GHz), HT technology <b>Intel Core i7-3520M processor (2 cores, 2.90GHz, 4MB cache), Intel HD Graphics 4000,</b> DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.60GHz), HT technology	<b>Preloaded operating system<sup>20</sup></b> Genuine Windows® 7 Professional 64 <b>Ready to install applications<sup>14</sup></b> (only some listed) • Rescue and Recovery™ • Password Manager
Memory	16GB max <sup>7</sup> / PC3-12800 1600MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	<b>Preloaded applications<sup>14</sup></b> (only some listed) • Lenovo® Solution Center • Lenovo Message Center Plus • ThinkVantage Product Recovery • Access Connections™ • Fingerprint Software (fingerprint models) • ThinkVantage System Update • ThinkVantage Power Manager • Lenovo Cloud Storage by SugarSync • Lenovo SimpleTap • Microsoft® Office preloaded; purchase a product key to activate • Norton™ Internet Security 2012 (30 days of virus definitions) • Adobe® Reader® • Skype™ for Windows • Evernote® • Intel Small Business Advantage • RapidBoot HDD Accelerator • Symantec™ VIP • Windows Live™ Essentials • Corel® WinDVD® (DVD±RW) • Corel Burn.Now™ Lenovo Edition (DVD±RW) • Corel DVD MovieFactory® Lenovo Edition (DVD±RW)
Optical Ultrabay SATA disk	DVD burner, 12.7mm Ultrabay Enhanced, removable One bay for removable devices, Ultrabay Slim-compatible, 12.7mm high, bottom access <i>Some:</i> Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" wide, 7mm high <i>Some:</i> HDD / SATA 3.0Gb/s, 2.5" wide, 7mm or 9.5mm high, Active Protection System™ <i>All:</i> removable, upgradable, supports the second disk, Shock Mounted Hard Drive	
mSATA™ SSD	None	
Widescreen display	<i>Some:</i> <b>15.6"</b> (396mm) <b>HD (1366x768) color</b> , anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio, 60% Gamut <i>Some:</i> <b>15.6"</b> (396mm) <b>HD+ (1600x900) color</b> , anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio, 60% Gamut <i>Some:</i> <b>15.6"</b> (396mm) <b>Full HD (1920x1080) color</b> , anti-glare, LED backlight, 270 nits, 16:9 aspect ratio, 500:1 contrast ratio, 95% Gamut	
Camera	HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus	
Graphics	<b>Intel HD Graphics 3000 or 4000</b> in processor, supports external analog monitor via VGA DB-15 and digital monitor via Mini DisplayPort; supports dual independent display; <i>Maximum external resolution:</i> 2560x1600@60Hz (DisplayPort via optional Mini DP cable); 1920x1200@60Hz (single-link DVI-I via optional Mini DP cable); 2048x1536@75Hz (VGA)	
Keyboard TrackPoint® Touchpad ThinkLight™	6-row, 84-key, ThinkVantage button, spill-resistant, multimedia Fn keys, optional LED backlight TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass UltraNav™, wide touchpad below keyboard, Tap Zones, scrolling, multi-touch Illuminates the keyboard to improve visibility in low-light conditions	
Dimensions <sup>3</sup> Weight <sup>2</sup> Case material	<i>15.6W" (WxDxH):</i> 14.68" x 9.65" x 1.25-1.40"; 372.8mm x 245.1mm x 31.8-35.6mm <i>6-cell:</i> starting at 5.39 lb (2.45kg); <i>9-cell:</i> starting at 5.76 lb (2.62kg) <i>Display cover:</i> Carbon-fiber / Glass-fiber hybrid; <i>Bottom:</i> Glass-fiber reinforced plastic without paint	
Battery - type Battery - life <sup>10</sup>	Lithium Ion 6-cell or 9-cell, supports optional Slice battery as 2nd battery, HW Authentication <i>6-cell (57Whr):</i> up to 9.1 hr; <i>9-cell (94Whr):</i> up to 15.3 hr; <i>9-cell plus 9-cell Slice battery (94Whr, 0A36304):</i> up to 30.6 hr	
Chipset ExpressCard Smart Card Reader Multicard Reader Ports	<b>Mobile Intel QM77 Express Chipset</b> One slot (ExpressCard/34) None 4-in-1 reader (MMC, SD, SDHC, SDXC) Two USB 3.0, two USB 2.0 (one powered), VGA DB-15, Mini DisplayPort, ethernet (RJ-45)	
PCIe Mini Card PCIe WLAN <sup>4</sup> PCIe WWAN Carrier Modem IEEE 1394 Bluetooth™ Ethernet Intel AMT Audio support	Two PCI Express Mini Card slots <i>Some:</i> 11b/g/n, PCIe Half Mini Card, Intel Centrino® Wireless-N 2200, 2x2 <i>Some:</i> 11a/b/g/n, PCIe Half Mini Card, Intel Centrino Advanced-N 6205, 2x2 Wireless WAN upgradable None None None <i>Some:</i> Bluetooth 4.0 wireless Intel 82579LM Gigabit Network Connection (Lewisville), PHY, PCIe x1 <i>Some:</i> Intel Active Management Technology (iAMT) HD Audio, Realtek® ALC3202 codec, Dolby® Advanced Audio™ v2 / stereo speakers, 1W x 2 / volume up, down, mute buttons / dual array mic, mic mute button, combo audio/mic jack	Supports ThinkVantage® technologies
Security Security chip Fingerprint reader	Power-on password, hard disk password, supervisor password, security keyhole Trusted Platform Module, TCG 1.2-compliant <i>Some:</i> AuthenTec fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip	65-watt AC adapter ThinkPad Roll Cage (one-piece magnesium frame) EPEAT™ Gold rating ENERGY STAR® 5.0-compliant GREENGUARD® certified RoHS-compliant International Warranty Service <sup>17</sup> 24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup>
Limited warranty <sup>12</sup>	<b>3-years/1-yr battery - depot repair service / service upgrades<sup>22</sup> available</b>	For compatible accessories, please go to O-T530 sheet; For Lenovo service <sup>22</sup> upgrade options, please go to QP-TA sheet

See footnotes for more detailed information

# ThinkPad T530 2392 (TopSeller) - Windows 8

Product Specifications Reference (PSREF)

Type-model	Processor	Memory	Wide-screen display	Camera	Disk SATA GB <sup>3</sup> rpm	Backlit key-board	PCIe Mini Card WLAN	PCIe Mini Card WWAN /mSATA	Finger print reader	Blue-tooth	Bat-tery Intel AMT	Intel vPro	Preload	Ann Date (mm/yy)
2392-ARU	i5-3320M	4GBx1	15.6" HD+	720p	180G SSD	Backlit	Intel 6205 <sup>28</sup>	WWAN upg	Finger	BT	6 iAMT	vPro	Win7 Pro64	10/12
2392-APU	i5-3320M	4GBx1	15.6" HD+	720p	500G 7200	Backlit	Intel 6205	WWAN upg	Finger	BT	6 iAMT	vPro	Win7 Pro64	10/12
2392-ANU	i5-3320M	4GBx1	15.6" HD+	720p	500G 7200	None	Intel 6205	WWAN upg	None	No	6 iAMT	vPro	Win7 Pro64	10/12
2392-6HU	i5-2520M	4GBx1	15.6" HD	720p	500G 7200	Backlit	Intel 2200	WWAN upg	None	No	6 None	None	Win8 Pro64	10/12
2392-6CU	i7-3520M	4GBx1	15.6" HD	720p	500G 7200	Backlit	Intel 6205	WWAN upg	Finger	BT	6 iAMT	vPro	Win8 Pro64	10/12
2392-6BU	i5-3320M	4GBx1	15.6" HD+	720p	180G SSD	Backlit	Intel 6205	WWAN upg	Finger	BT	6 iAMT	vPro	Win8 Pro64	10/12
2392-65U	i5-3320M	4GBx1	15.6" HD+	720p	500G 7200	Backlit	Intel 6205	WWAN upg	Finger	BT	6 iAMT	vPro	Win8 Pro64	10/12
2392-B3U	i5-3320M	4GBx1	15.6" HD	720p	500G 7200	None	Intel 6205	WWAN upg	None	No	6 iAMT	vPro	Win7 Pro64	10/12
2392-DYU	i5-3230M	4GBx1	15.6" HD+	720p	128G SSD	None	Intel 6205	WWAN upg	Finger	BT	6 None	None	Win7 Pro64	02/13
2392-ECU	i5-3320M	4GBx1	15.6" HD+	720p	500G 7200	None	Intel 6205	WWAN upg	None	BT	6 iAMT	vPro	Win8 Pro64	06/13
2392-FPU	i5-3320M	4GBx1	15.6" HD+	720p	180G SSD	None	Intel 6205	WWAN upg	None	BT	6 iAMT	vPro	Win7 Pro64	07/13
2392-FMU	i5-3320M	4GBx1	15.6" HD+	720p	256G SSD OPAL	None	Intel 6205	WWAN upg	None	BT	6 iAMT	vPro	Win7 Pro64	07/13
2392-FJU	i5-3320M	4GBx1	15.6" HD+	720p	256G SSD OPAL	Backlit	Intel 6205	WWAN upg	None	BT	6 iAMT	vPro	Win7 Pro64	07/13
2392-FHU	i5-3320M	4GBx1	15.6" HD+	720p	256G SSD OPAL	Backlit	Intel 6205	WWAN upg	Finger	BT	6 iAMT	vPro	Win7 Pro64	07/13
Positioning Processor	<i>Premiere performance; two spindles</i> <b>Intel® Core™ i5-2520M processor (2 cores, 2.50GHz, 3MB cache), Intel HD Graphics 3000</b> , DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (3.20GHz), HT technology <b>Intel Core i5-3230M processor (2 cores, 2.60GHz, 3MB cache), Intel HD Graphics 4000</b> , DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.20GHz), HT technology <b>Intel Core i5-3320M processor (2 cores, 2.60GHz, 3MB cache), Intel HD Graphics 4000</b> , DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.30GHz), HT technology <b>Intel Core i7-3520M processor (2 cores, 2.90GHz, 4MB cache), Intel HD Graphics 4000</b> , DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.60GHz), HT technology										<b>Preloaded operating system<sup>20</sup></b> - Some: Windows® 7 Professional 64 preinstalled through downgrade rights in Windows 8 Pro 64-bit - Some: Windows 8 Pro 64-bit <b>Preloaded applications<sup>5</sup></b> (only some listed)			
Memory	16GB max <sup>7</sup> / PC3-12800 1600MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller										<b>Windows 7 models</b> <ul style="list-style-type: none"> <li>Lenovo® Message Center Plus</li> <li>ThinkVantage Product Recovery</li> <li>Access Connections™</li> <li>ThinkVantage Power Manager</li> <li>Lenovo SimpleTap</li> <li>Adobe® Reader®</li> <li>Corel® WinDVD® (DVD±RW)</li> <li>Corel Burn.Now™ Lenovo Edition (DVD±RW)</li> <li>Corel DVD MovieFactory® Lenovo Edition (DVD±RW)</li> </ul> <b>Windows 8 models</b> <ul style="list-style-type: none"> <li>Lenovo Support</li> <li>Lenovo Companion</li> <li>Lenovo QuickLaunch</li> <li>PC Device Stage</li> <li>Cyberlink Power2Go (DVD±RW)</li> <li>Cyberlink PowerProducer (DVD±RW)</li> </ul> <b>All models</b> <ul style="list-style-type: none"> <li>Lenovo Solution Center</li> <li>Password Manager</li> <li>ThinkVantage System Update</li> <li>Fingerprint Software (fingerprint models)</li> <li>Lenovo Cloud Storage by SugarSync</li> <li>Microsoft® Office preloaded; purchase a product key to activate</li> <li>Norton™ Internet Security (30 days of virus definitions)</li> <li>Skype™</li> </ul>			
Optical	DVD burner, 12.7mm Ultrabay Enhanced, removable													
Ultrabay	One bay for removable devices, Ultrabay Slim-compatible, 12.7mm high, bottom access													
SATA disk	<i>Some:</i> Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" wide, 7mm high <i>Some:</i> HDD / SATA 3.0Gb/s, 2.5" wide, 7mm or 9.5mm high, Active Protection System™ <i>All:</i> removable, upgradable, supports the second disk, Shock Mounted Hard Drive													
mSATA™ SSD	None													
Widescreen display	<i>Some:</i> <b>15.6"</b> (396mm) <b>HD (1366x768) color</b> , anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio, 60% Gamut <i>Some:</i> <b>15.6"</b> (396mm) <b>HD+ (1600x900) color</b> , anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio, 60% Gamut <i>Some:</i> <b>15.6"</b> (396mm) <b>Full HD (1920x1080) color</b> , anti-glare, LED backlight, 270 nits, 16:9 aspect ratio, 500:1 contrast ratio, 95% Gamut													
Camera	HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus													
Graphics	<b>Intel HD Graphics 3000 or 4000</b> in processor, supports external analog monitor via VGA DB-15 and digital monitor via Mini DisplayPort; supports dual independent display; <i>Maximum external resolution:</i> 2560x1600@60Hz (DisplayPort via optional Mini DP cable); 1920x1200@60Hz (single-link DVI-I via optional Mini DP cable); 2048x1536@75Hz (VGA)													
Keyboard	6-row, 84-key, ThinkVantage button, spill-resistant, multimedia Fn keys, optional LED backlight													
TrackPoint®	TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass													
Touchpad	UltraNav™, wide touchpad below keyboard, Tap Zones, scrolling, multi-touch													
ThinkLight™	Illuminates the keyboard to improve visibility in low-light conditions													
Dimensions <sup>3</sup>	15.6W" (WxDxH): 14.68" x 9.65" x 1.25-1.40"; 372.8mm x 245.1mm x 31.8-35.6mm													
Weight <sup>2</sup>	6-cell: starting at 5.39 lb (2.45kg); 9-cell: starting at 5.76 lb (2.62kg)													
Case material	<i>Display cover:</i> Carbon-fiber / Glass-fiber hybrid; <i>Bottom:</i> Glass-fiber reinforced plastic without paint													
Battery - type	Lithium Ion 6-cell or 9-cell, supports optional Slice battery as 2nd battery, HW Authentication													
Battery - life <sup>10</sup>	6-cell (57Whr): up to 9.1 hr; 9-cell (94Whr): up to 15.3 hr; 9-cell plus 9-cell Slice battery (94Whr, 0A36304): up to 30.6 hr													
Chipset	<b>Mobile Intel QM77 Express Chipset</b>													
ExpressCard	One slot (ExpressCard/34)													
Smart Card Reader	None													
Multicard Reader	4-in-1 reader (MMC, SD, SDHC, SDXC)													
Ports	Two USB 3.0, two USB 2.0 (one powered), VGA DB-15, Mini DisplayPort, ethernet (RJ-45)													
PCIe Mini Card	Two PCI Express Mini Card slots										Supports ThinkVantage® technologies  65-watt AC adapter ThinkPad Roll Cage (one-piece magnesium frame) EPEAT™ Gold rating ENERGY STAR® 5.0-compliant GREENGUARD® certified RoHS-compliant International Warranty Service <sup>17</sup> 24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup>  For compatible accessories, please go to O-T530 sheet; For Lenovo service <sup>22</sup> upgrade options, please go to QP-TA sheet			
PCIe WLAN <sup>4</sup>	Some: 11b/g/n, PCIe Half Mini Card, Intel Centrino® Wireless-N 2200, 2x2 Some: 11a/b/g/n, PCIe Half Mini Card, Intel Centrino Advanced-N 6205, 2x2													
PCIe WWAN	Wireless WAN upgradable													
Carrier	None													
Modem	None													
IEEE 1394	None													
Bluetooth™	Some: Bluetooth 4.0 wireless													
Ethernet	Intel 82579LM Gigabit Network Connection (Lewisville), PHY, PCIe x1													
Intel AMT	Some: Intel Active Management Technology (iAMT)													
Audio support	HD Audio, Realtek® ALC3202 codec, Dolby® Advanced Audio™ v2 / stereo speakers, 1W x 2 / volume up, down, mute buttons / dual array mic, mic mute button, combo audio/mic jack													
Security	Power-on password, hard disk password, supervisor password, security keyhole													
Security chip	Trusted Platform Module, TCG 1.2-compliant													
Fingerprint reader	Some: AuthenTec fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip													
Limited warranty <sup>12</sup>	3-years/1-yr battery - depot repair service / service upgrades <sup>22</sup> available													

See footnotes for more detailed information

# ThinkPad T530 2392 (Optimus) - TopSeller

Product Specifications Reference (PSREF)

Type-model	Processor	Memory	Wide-screen display	Camera	Disk SATA GB <sup>3</sup> rpm	Backlit key-board	PCIe Mini Card WLAN	PCIe Mini Card WWAN /mSATA	Finger print reader	Blue-tooth	Bat-tery cells	Intel AMT	Intel vPro	Preload (mm/yy)	Ann Date
2392-4EU	i7-3520M	4GBx2	15.6" FHD	720p	180G SSD	None	Intel 6205 <sup>28</sup>	WWAN upg	Finger	BT	9	iAMT	vPro	Pro 64	06/12
2392-4DU	i7-3520M	4GBx1	15.6" HD+	720p	180G SSD	None	Intel 6205	WWAN upg	Finger	BT	9	iAMT	vPro	Pro 64	06/12
2392-4CU	i7-3520M	4GBx2	15.6" HD+	720p	500G 7200	None	Intel 6205	WWAN upg	Finger	BT	9	iAMT	vPro	Pro 64	06/12
2392-4BU	i7-3520M	4GBx1	15.6" HD+	720p	500G 7200	None	Intel 6205	WWAN upg	Finger	BT	9	iAMT	vPro	Pro 64	06/12
2392-47U	i5-3320M	4GBx1	15.6" HD+	720p	180G SSD	None	Intel 6205	WWAN upg	Finger	BT	9	iAMT	vPro	Pro 64	06/12
2392-45U	i5-3320M	4GBx1	15.6" HD+	720p	500G 7200	None	Intel 6205	WWAN upg	Finger	BT	9	iAMT	vPro	Pro 64	06/12
2392-6FU	i5-2520M	4GBx1	15.6" HD	720p	500G 7200	Backlit	Intel 2200	WWAN upg	None	No	6	None	None	Pro 64	07/12
2392-69U	i7-3520M	4GBx1	15.6" HD+	720p	500G 7200	Backlit	Intel 6205	WWAN upg	Finger	BT	9	iAMT	vPro	Pro 64	07/12
2392-66U	i5-3320M	4GBx1	15.6" HD+	720p	500G 7200	Backlit	Intel 6205	WWAN upg	Finger	BT	9	iAMT	vPro	Pro 64	07/12

- **Small and medium business (SMB) model(s), part of the US TopSeller™ Program**
- **A depot repair service 3-year limited warranty**

Positioning Processor	<i>Premiere performance; two spindles</i> <b>Intel® Core™ i5-2520M processor (2 cores, 2.50GHz, 3MB cache), Intel HD Graphics 3000,</b> DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (3.20GHz), HT technology <b>Intel Core i5-3320M processor (2 cores, 2.60GHz, 3MB cache), Intel HD Graphics 4000,</b> DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.30GHz), HT technology <b>Intel Core i7-3520M processor (2 cores, 2.90GHz, 4MB cache), Intel HD Graphics 4000,</b> DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.60GHz), HT technology	<b>Preloaded operating system<sup>20</sup></b> Genuine Windows <sup>®</sup> 7 Professional 64 <b>Ready to install applications<sup>14</sup></b> (only some listed) • Rescue and Recovery™ • Password Manager
Memory	16GB max <sup>7</sup> / PC3-12800 1600MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	<b>Preloaded applications<sup>14</sup></b> (only some listed) • Lenovo® Solution Center • Lenovo Message Center Plus • ThinkVantage Product Recovery • Access Connections™ • Fingerprint Software (fingerprint models) • ThinkVantage System Update • ThinkVantage Power Manager • Lenovo Cloud Storage by SugarSync • Lenovo SimpleTap • Microsoft® Office preloaded; purchase a product key to activate • Norton™ Internet Security 2012 (30 days of virus definitions) • Adobe® Reader® • Skype™ for Windows • Evernote® • Intel Small Business Advantage • RapidBoot HDD Accelerator • Symantec™ VIP • Windows Live™ Essentials • Corel® WinDVD® (DVD±RW) • Corel Burn.Now™ Lenovo Edition (DVD±RW) • Corel DVD MovieFactory® Lenovo Edition (DVD±RW)
Optical	DVD burner, 12.7mm Ultrabay Enhanced, removable	
Ultrabay	One bay for removable devices, Ultrabay Slim-compatible, 12.7mm high, bottom access	
SATA disk	<i>Some:</i> Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" wide, 7mm high <i>Some:</i> HDD / SATA 3.0Gb/s, 2.5" wide, 7mm or 9.5mm high, Active Protection System™ <i>All:</i> removable, upgradable, supports the second disk, Shock Mounted Hard Drive	
mSATA™ SSD	None	
Widescreen display	<i>Some:</i> <b>15.6"</b> (396mm) <b>HD (1366x768) color</b> , anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio, 60% Gamut <i>Some:</i> <b>15.6"</b> (396mm) <b>HD+ (1600x900) color</b> , anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio, 60% Gamut <i>Some:</i> <b>15.6"</b> (396mm) <b>Full HD (1920x1080) color</b> , anti-glare, LED backlight, 270 nits, 16:9 aspect ratio, 500:1 contrast ratio, 95% Gamut	
Camera	HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus	
Graphics	NVIDIA® Optimus™ technology, auto-switch between discrete and integrated graphics, <b>Intel HD Graphics 3000</b> or <b>4000</b> in processor, and <b>NVIDIA NVS™ 5400M</b> , PCI Express® x16, <b>1GB</b> memory, supports external analog monitor via VGA DB-15 and digital monitor via Mini DisplayPort; supports three independent displays; <i>Maximum external resolution:</i> 2560x1600@60Hz (DisplayPort via optional Mini DP cable); 1920x1200@60Hz (single-link DVI-I via optional Mini DP cable); 2048x1536@85Hz (VGA)	
Keyboard	6-row, 84-key, ThinkVantage button, spill-resistant, multimedia Fn keys, optional LED backlight	
TrackPoint®	TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass	
Touchpad	UltraNav™, wide touchpad below keyboard, Tap Zones, scrolling, multi-touch	
ThinkLight™	Illuminates the keyboard to improve visibility in low-light conditions	
Dimensions <sup>3</sup>	<i>15.6W" (WxDxH):</i> 14.68" x 9.65" x 1.25-1.40"; 372.8mm x 245.1mm x 31.8-35.6mm	
Weight <sup>2</sup>	<i>6-cell:</i> starting at 5.73 lb (2.60kg); <i>9-cell:</i> starting at 6.10 lb (2.77kg)	
Case material	<i>Display cover:</i> Carbon-fiber / Glass-fiber hybrid; <i>Bottom:</i> Glass-fiber reinforced plastic without paint	
Battery - type	Lithium Ion 6-cell or 9-cell, supports optional Slice battery as 2nd battery, HW Authentication	
Battery - life <sup>10</sup>	<i>6-cell (57Whr):</i> up to 7.7 hr; <i>9-cell (94Whr):</i> up to 12.8 hr; <i>9-cell plus 9-cell Slice battery (94Whr, 0A36304):</i> up to 25.6 hr	
Chipset	<b>Mobile Intel QM77 Express Chipset</b>	
ExpressCard	One slot (ExpressCard/34)	
Smart Card Read	None	
Multicard Reader	4-in-1 reader (MMC, SD, SDHC, SDXC)	
Ports	Two USB 3.0, two USB 2.0 (one powered), VGA DB-15, Mini DisplayPort, ethernet (RJ-45)	
PCIe Mini Card	Two PCI Express Mini Card slots	Supports ThinkVantage® technologies  90-watt AC adapter ThinkPad Roll Cage (one-piece magnesium frame) EPEAT™ Gold rating ENERGY STAR® 5.0-compliant GREENGUARD® certified RoHS-compliant International Warranty Service <sup>17</sup> 24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup>  For compatible accessories, please go to O-T530 sheet; For Lenovo service <sup>22</sup> upgrade options, please go to QP-TA sheet
PCIe WLAN <sup>4</sup>	<i>Some:</i> 11b/g/n, PCIe Half Mini Card, Intel Centrino® Wireless-N 2200, 2x2 <i>Some:</i> 11a/b/g/n, PCIe Half Mini Card, Intel Centrino Advanced-N 6205, 2x2	
PCIe WWAN	Wireless WAN upgradable	
Carrier	None	
Modem	None	
IEEE 1394	IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)	
Bluetooth™	<i>Some:</i> Bluetooth 4.0 wireless	
Ethernet	Intel 82579LM Gigabit Network Connection (Lewisville), PHY, PCIe x1	
Intel AMT	<i>Some:</i> Intel Active Management Technology (iAMT)	
Audio support	HD Audio, Realtek® ALC3202 codec, Dolby® Advanced Audio™ v2 / stereo speakers, 1W x 2 / volume up, down, mute buttons / dual array mic, mic mute button, combo audio/mic jack	
Security	Power-on password, hard disk password, supervisor password, security keyhole	
Security chip	Trusted Platform Module, TCG 1.2-compliant	
Fingerprint reader	<i>Some:</i> AuthenTec fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip	
Limited warranty <sup>12</sup>	<b>3-years/1-yr battery - depot repair service / service upgrades<sup>22</sup> available</b>	

See footnotes for more detailed information

# ThinkPad T530 2392 (Optimus) - TopSeller (Windows 8)

Product Specifications Reference (PSREF)

Type-model	Processor	Memory	Wide-screen display	Disk SATA GB <sup>3</sup> rpm	Backlit key-board	PCIe Mini Card WLAN	PCIe Mini Card WWAN /mSATA	Finger print reader	Blue-tooth	Bat-tery cells	Intel AMT	Intel vPro	Preload	Ann Date (mm/yy)
2392-ASU	i7-3520M	4GBx1	15.6" HD+	500G 7200	Backlit	Intel 6205 <sup>28</sup>	WWAN upg	Finger BT	9	iAMT vPro	Win7 Pro64	10/12		
2392-AQU	i5-3320M	4GBx1	15.6" HD+	500G 7200	Backlit	Intel 6205	WWAN upg	Finger BT	9	iAMT vPro	Win7 Pro64	10/12		
2392-6GU	i5-2520M	4GBx1	15.6" HD	500G 7200	Backlit	Intel 2200	WWAN upg	None No	6	None None	Win8 Pro64	10/12		
2392-68U	i7-3520M	4GBx1	15.6" HD+	500G 7200	Backlit	Intel 6205	WWAN upg	Finger BT	9	iAMT vPro	Win8 Pro64	10/12		
2392-67U	i5-3320M	4GBx1	15.6" HD+	500G 7200	Backlit	Intel 6205	WWAN upg	Finger BT	9	iAMT vPro	Win8 Pro64	10/12		
2392-EDU	i5-3320M	4GBx1	15.6" HD+	500G 7200	None	Intel 6205	WWAN upg	None BT	9	iAMT vPro	Win7 Pro64	06/13		
2392-FSU	i7-3520M	4GBx1	15.6" HD+	256G SSD OPAL	None	Intel 6205	WWAN upg	None BT	9	iAMT vPro	Win7 Pro64	07/13		
2392-FQU	i7-3520M	4GBx1	15.6" HD+	500G 7200	None	Intel 6205	WWAN upg	None BT	9	iAMT vPro	Win7 Pro64	07/13		
2392-FNU	i5-3320M	4GBx1	15.6" HD+	256G SSD OPAL	None	Intel 6205	WWAN upg	None BT	9	iAMT vPro	Win7 Pro64	07/13		

- Small and medium business (SMB) model(s), part of the US TopSeller™ Program
- A depot repair service 3-year limited warranty

Positioning Processor	<i>Premiere performance; two spindles</i> <b>Intel® Core™ i5-2520M processor (2 cores, 2.50GHz, 3MB cache), Intel HD Graphics 3000,</b> DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (3.20GHz), HT technology <b>Intel Core i5-3320M processor (2 cores, 2.60GHz, 3MB cache), Intel HD Graphics 4000,</b> DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.30GHz), HT technology <b>Intel Core i7-3520M processor (2 cores, 2.90GHz, 4MB cache), Intel HD Graphics 4000,</b> DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.60GHz), HT technology	<b>Preloaded operating system<sup>20</sup></b> - Some: Windows® 7 Professional 64 preinstalled through downgrade rights in Windows 8 Pro 64-bit - Some: Windows 8 Pro 64-bit
Memory	16GB max <sup>7</sup> / PC3-12800 1600MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	<b>Preloaded applications<sup>5</sup></b> (only some listed) - <b>Windows 7 models</b> • Lenovo® Message Center Plus • ThinkVantage Product Recovery • Access Connections™ • ThinkVantage Power Manager • Lenovo SimpleTap • Adobe® Reader® • Corel® WinDVD® (DVD±RW) • Corel Burn.Now™ Lenovo Edition (DVD±RW) • Corel DVD MovieFactory® Lenovo Edition (DVD±RW) - <b>Windows 8 models</b> • Lenovo Support • Lenovo Companion • Lenovo QuickLaunch • PC Device Stage • Cyberlink Power2Go (DVD±RW) • Cyberlink PowerProducer (DVD±RW) - <b>All models</b> • Lenovo Solution Center • Password Manager • ThinkVantage System Update • Fingerprint Software (fingerprint models) • Lenovo Cloud Storage by SugarSync • Microsoft® Office preloaded; purchase a product key to activate • Norton™ Internet Security (30 days of virus definitions) • Skype™
Optical Ultrabay SATA disk	DVD burner, 12.7mm Ultrabay Enhanced, removable One bay for removable devices, Ultrabay Slim-compatible, 12.7mm high, bottom access <i>Some:</i> Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" wide, 7mm high <i>Some:</i> HDD / SATA 3.0Gb/s, 2.5" wide, 7mm or 9.5mm high, Active Protection System™ <i>All:</i> removable, upgradable, supports the second disk, Shock Mounted Hard Drive	
mSATA™ SSD	None	
Widescreen display	<i>Some:</i> <b>15.6"</b> (396mm) <b>HD (1366x768) color</b> , anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio, 60% Gamut <i>Some:</i> <b>15.6"</b> (396mm) <b>HD+ (1600x900) color</b> , anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio, 60% Gamut <i>Some:</i> <b>15.6"</b> (396mm) <b>Full HD (1920x1080) color</b> , anti-glare, LED backlight, 270 nits, 16:9 aspect ratio, 500:1 contrast ratio, 95% Gamut	
Camera	HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus	
Graphics	NVIDIA® Optimus™ technology, auto-switch between discrete and integrated graphics, <b>Intel HD Graphics 3000</b> or <b>4000</b> in processor, and <b>NVIDIA NVS™ 5400M</b> , PCI Express® x16, <b>1GB</b> memory, supports external analog monitor via VGA DB-15 and digital monitor via Mini DisplayPort; supports three independent displays; <i>Maximum external resolution:</i> 2560x1600@60Hz (DisplayPort via optional Mini DP cable); 1920x1200@60Hz (single-link DVI-I via optional Mini DP cable); 2048x1536@85Hz (VGA)	
Keyboard TrackPoint® Touchpad ThinkLight™	6-row, 84-key, ThinkVantage button, spill-resistant, multimedia Fn keys, optional LED backlight TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass UltraNav™, wide touchpad below keyboard, Tap Zones, scrolling, multi-touch Illuminates the keyboard to improve visibility in low-light conditions	
Dimensions <sup>3</sup> Weight <sup>2</sup> Case material	<i>15.6W"</i> (WxDxH): 14.68" x 9.65" x 1.25-1.40"; 372.8mm x 245.1mm x 31.8-35.6mm <i>6-cell:</i> starting at 5.73 lb (2.60kg); <i>9-cell:</i> starting at 6.10 lb (2.77kg) <i>Display cover:</i> Carbon-fiber / Glass-fiber hybrid; <i>Bottom:</i> Glass-fiber reinforced plastic without paint	
Battery - type Battery - life <sup>10</sup>	Lithium Ion 6-cell or 9-cell, supports optional Slice battery as 2nd battery, HW Authentication <i>6-cell (57Whr):</i> up to 7.7 hr; <i>9-cell (94Whr):</i> up to 12.8 hr; <i>9-cell plus 9-cell Slice battery (94Whr, 0A36304):</i> up to 25.6 hr	
Chipset ExpressCard Smart Card Read Multicard Reader Ports	<b>Mobile Intel QM77 Express Chipset</b> One slot (ExpressCard/34) None 4-in-1 reader (MMC, SD, SDHC, SDXC) Two USB 3.0, two USB 2.0 (one powered), VGA DB-15, Mini DisplayPort, ethernet (RJ-45)	
PCIe Mini Card PCIe WLAN <sup>4</sup> PCIe WWAN Carrier Modem IEEE 1394 Bluetooth™ Ethernet Intel AMT Audio support	Two PCI Express Mini Card slots <i>Some:</i> 11b/g/n, PCIe Half Mini Card, Intel Centrino® Wireless-N 2200, 2x2 <i>Some:</i> 11a/b/g/n, PCIe Half Mini Card, Intel Centrino Advanced-N 6205, 2x2 Wireless WAN upgradable None None IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard) <i>Some:</i> Bluetooth 4.0 wireless Intel 82579LM Gigabit Network Connection (Lewisville), PHY, PCIe x1 <i>Some:</i> Intel Active Management Technology (iAMT) HD Audio, Realtek® ALC3202 codec, Dolby® Advanced Audio™ v2 / stereo speakers, 1W x 2 / volume up, down, mute buttons / dual array mic, mic mute button, combo audio/mic jack	<b>Supports ThinkVantage® technologies</b> 90-watt AC adapter ThinkPad Roll Cage (one-piece magnesium frame) EPEAT™ Gold rating ENERGY STAR® 5.0-compliant GREENGUARD® certified RoHS-compliant International Warranty Service <sup>17</sup> 24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup>
Security Security chip Fingerprint reader	Power-on password, hard disk password, supervisor password, security keyhole Trusted Platform Module, TCG 1.2-compliant <i>Some:</i> AuthenTec fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip	For compatible accessories, please go to O-T530 sheet; For Lenovo service <sup>22</sup> upgrade options, please go to QP-TA sheet
Limited warranty <sup>12</sup>	<b>3-years/1-yr battery</b> - depot repair service / service upgrades <sup>22</sup> available	

See footnotes for more detailed information



Type-model	Processor	Memory	Wide-screen display	Camera	Disk SATA GB <sup>3</sup> rpm	Backlit key-board	PCIe Mini Card WLAN	PCIe Mini Card WWAN	Mini Card Carrier	Smart Card Reader	Finger print reader	Bat-Blue- tery toothcells	Global (G) Intel vPro (P)	GMP Pre-load	Ann Date (mm/yy)		
2394-5UU	i5-3320M	4GBx1	15.6" HD+	720p	180G SSD	None	Intel 6205 <sup>28</sup>	upg	None	None	Finger	BT 6	vPro	G	Pro 64	06/12	
2394-5VU	i5-3320M	4GBx1	15.6" HD+	720p	128G SSD	None	Intel 6205	upg	None	None	Finger	BT 6	vPro	G	Pro 64	06/12	
2394-5YU	i7-3520M	4GBx1	15.6" HD+	720p	500G 7200	None	Intel 6205	upg	None	None	Finger	BT 6	vPro	G	Pro 64	06/12	
2394-62U	i5-3320M	4GBx1	15.6" HD+	720p	500G 7200	None	Intel 6205	upg	None	None	Finger	BT 6	vPro	G	Pro 64	06/12	
2394-63U	i5-3320M	4GBx1	15.6" HD	720p	500G 7200	None	Intel 6205	upg	None	None	Finger	BT 6	vPro	G	Pro 64	06/12	
2394-64U	i5-3320M	4GBx1	15.6" HD	None	320G 7200	None	Intel 6205	upg	None	Smart	None	No	9	vPro	G	Pro 64	06/12
2394-36U	i5-3320M	4GBx1	15.6" HD	720p	320G 7200	None	Intel 6205	Gobi select	None	None	Finger	BT 6	vPro		Pro 64	06/12	
2394-35U	i7-3520M	4GBx1	15.6" HD	None	500G 7200	None	Intel 6205	upg	None	None	None	No	6	vPro		Pro 64	06/12
2394-34U	i5-3320M	4GBx1	15.6" HD	None	320G 7200	None	Intel 6205	upg	None	None	None	No	6	vPro		Pro 64	06/12
2394-2SU	i5-3320M	4GBx1	15.6" HD+	720p	320G 7200	None	Intel 6205	upg	None	None	Finger	BT 6	vPro		Pro 64	06/12	
2394-2GU	i5-3320M	4GBx1	15.6" HD	720p	320G 7200	None	Intel 6205	upg	None	None	Finger	BT 6	vPro		Pro 64	06/12	
2394-23U	i7-3520M	4GBx1	15.6" HD	720p	500G 7200	None	Intel 6205	upg	None	None	Finger	BT 6	vPro	G	Pro 64	06/12	
2394-22U	i5-3320M	4GBx1	15.6" HD	720p	320G 7200	None	Intel 6205	upg	None	None	Finger	BT 6	vPro	G	Pro 64	06/12	
2394-70U	i5-3320M	4GBx1	15.6" HD+	720p	320G 7200	None	Intel 6205	upg	None	Smart	Finger	BT 6	vPro	G	Pro 64	07/12	

• A depot repair service 3-year limited warranty

Positioning Processor	<i>Premiere performance; two spindles</i> <b>Intel® Core™ i5-3320M processor (2 cores, 2.60GHz, 3MB cache), Intel HD Graphics 4000,</b> DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.30GHz), HT technology <b>Intel Core i7-3520M processor (2 cores, 2.90GHz, 4MB cache), Intel HD Graphics 4000,</b> DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.60GHz), HT technology	<b>Preloaded operating system<sup>20</sup></b> Genuine Windows® 7 Professional 64  <b>Ready to install applications<sup>14</sup></b> (only some listed) • Rescue and Recovery™ • Password Manager  <b>Preloaded applications<sup>14</sup></b> (only some listed) • Lenovo® Solution Center • Lenovo Message Center Plus • ThinkVantage Product Recovery • Access Connections™ • Fingerprint Software (fingerprint models) • ThinkVantage System Update • ThinkVantage Power Manager • Lenovo Cloud Storage by SugarSync • Lenovo SimpleTap • Microsoft® Office preloaded; purchase a product key to activate • Norton™ Internet Security 2012 (30 days of virus definitions) • Adobe® Reader® • Skype™ for Windows • Evernote® • Intel Small Business Advantage • RapidBoot HDD Accelerator • Symantec™ VIP • Windows Live™ Essentials • Corel® WinDVD® (DVD±RW) • Corel Burn.Now™ Lenovo Edition (DVD±RW) • Corel DVD MovieFactory® Lenovo Edition (DVD±RW)
Memory	16GB max <sup>7</sup> / PC3-12800 1600MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	
Optical Ultrabay SATA disk	DVD burner, 12.7mm Ultrabay Enhanced, removable One bay for removable devices, Ultrabay Slim-compatible, 12.7mm high, bottom access <i>Some:</i> Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" wide, 7mm high <i>Some:</i> HDD / SATA 3.0Gb/s, 2.5" wide, 7mm or 9.5mm high, Active Protection System™ <i>All:</i> removable, upgradable, supports the second disk, Shock Mounted Hard Drive	
mSATA™ SSD	None	
Widescreen display	<i>Some:</i> <b>15.6"</b> (396mm) <b>HD (1366x768) color</b> , anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio, 60% Gamut <i>Some:</i> <b>15.6"</b> (396mm) <b>HD+ (1600x900) color</b> , anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio, 60% Gamut <i>Some:</i> <b>15.6"</b> (396mm) <b>Full HD (1920x1080) color</b> , anti-glare, LED backlight, 270 nits, 16:9 aspect ratio, 500:1 contrast ratio, 95% Gamut	
Camera	<i>Some:</i> HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus	
Graphics	<b>Intel HD Graphics 4000</b> in processor, supports external analog monitor via VGA DB-15 and digital monitor via Mini DisplayPort; supports dual independent display; <i>Maximum external resolution:</i> 2560x1600@60Hz (DisplayPort via optional Mini DP cable); 1920x1200@60Hz (single-link DVI-I via optional Mini DP cable); 2048x1536@75Hz (VGA)	
Keyboard TrackPoint® Touchpad ThinkLight™	6-row, 84-key, ThinkVantage button, spill-resistant, multimedia Fn keys, optional LED backlight TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass UltraNav™, wide touchpad below keyboard, Tap Zones, scrolling, multi-touch Illuminates the keyboard to improve visibility in low-light conditions	
Dimensions <sup>3</sup> Weight <sup>2</sup> Case material	<b>15.6W" (WxDxH):</b> 14.68" x 9.65" x 1.25-1.40"; 372.8mm x 245.1mm x 31.8-35.6mm <i>6-cell:</i> starting at 5.39 lb (2.45kg); <i>9-cell:</i> starting at 5.76 lb (2.62kg) <i>Display cover:</i> Carbon-fiber / Glass-fiber hybrid; <i>Bottom:</i> Glass-fiber reinforced plastic without paint	
Battery - type Battery - life <sup>10</sup>	Lithium Ion 6-cell or 9-cell, supports optional Slice battery as 2nd battery, HW Authentication <i>6-cell (57Whr):</i> up to 9.1 hr; <i>9-cell (94Whr):</i> up to 15.3 hr; <i>9-cell plus 9-cell Slice battery (94Whr, 0A36304):</i> up to 30.6 hr	
Chipset ExpressCard Smart Card Read Multicard Reader Ports	<b>Mobile Intel QM77 Express Chipset</b> One slot (ExpressCard/34) <i>Some:</i> Smart Card reader 4-in-1 reader (MMC, SD, SDHC, SDXC) Two USB 3.0, two USB 2.0 (one powered), VGA DB-15, Mini DisplayPort, ethernet (RJ-45)	
PCIe Mini Card PCIe WLAN <sup>4</sup> PCIe WWAN	Two PCI Express Mini Card slots 11a/b/g/n, PCIe Half Mini Card, Intel Centrino® Advanced-N 6205, 2x2 <i>Some:</i> Wireless WAN upgradable <i>Some:</i> Wireless WAN, Qualcomm® Gobi™ 3000 chipset, PCIe Mini Card, EV-DO Rev. A, GPRS/WCDMA/HSPA, GPS	
Carrier Modem IEEE 1394 Bluetooth™ Ethernet Intel AMT Audio support	<i>Some:</i> User selectable, AT&T®, Verizon®, or Sprint®, contract required with service provider None None <i>Some:</i> Bluetooth 4.0 wireless Intel 82579LM Gigabit Network Connection (Lewisville), PHY, PCIe x1 Intel Active Management Technology (iAMT) HD Audio, Realtek® ALC3202 codec, Dolby® Advanced Audio™ v2 / stereo speakers, 1W x 2 / volume up, down, mute buttons / dual array mic, mic mute button, combo audio/mic jack	
Security Security chip Fingerprint reader	Power-on password, hard disk password, supervisor password, security keyhole Trusted Platform Module, TCG 1.2-compliant <i>Some:</i> AuthenTec fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip	
Limited warranty <sup>12</sup> <b>3-years/1-yr battery</b> - depot repair service / service upgrades <sup>22</sup> available		Supports ThinkVantage® technologies  65-watt AC adapter ThinkPad Roll Cage (one-piece magnesium frame) EPEAT™ Gold rating ENERGY STAR® 5.0-compliant GREENGUARD® certified RoHS-compliant International Warranty Service <sup>17</sup> 24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup>  For compatible accessories, please go to O-T530 sheet; For Lenovo service <sup>22</sup> upgrade options, please go to QP-TA sheet

See footnotes for more detailed information

# ThinkPad T530 2394 (Windows 8)

Product Specifications Reference (PSREF)

Type-model	Processor	Memory	Wide-screen display	Camera	Disk SATA GB <sup>3</sup> rpm	Backlit key-board	PCIe Mini Card WLAN	PCIe Mini Card WWAN /mSATA	Finger print reader	Battery Blue-tooth cells	Global (G) Intel vPro (P)	Preload	Ann Date (mm/yy)
2394-6EU	i7-3520M	4GBx1	15.6" HD	None	500G 7200	None	Intel 6205 <sup>28</sup>	WWAN upg	None	No	6 vPro	Win8 Pro64	10/12
2394-6DU	i5-3320M	4GBx1	15.6" HD	None	320G 7200	None	Intel 6205	WWAN upg	None	No	6 vPro	Win8 Pro64	10/12
2394-42U	i7-3520M	4GBx1	15.6" HD+	720p	500G 7200	None	Intel 6205	WWAN upg	Finger	BT	6 vPro	Win8 Pro64	10/12
2394-43U	i5-3320M	4GBx1	15.6" HD+	720p	180G SSD	None	Intel 6205	WWAN upg	Finger	BT	6 vPro	Win8 Pro64	10/12
2394-44U	i5-3320M	4GBx1	15.6" HD+	720p	500G 7200	None	Intel 6205	WWAN upg	Finger	BT	6 vPro	Win8 Pro64	10/12
2394-45U	i5-3320M	4GBx1	15.6" HD	720p	320G 7200	None	Intel 6205	WWAN upg	Finger	BT	6 vPro	Win8 Pro64	10/12
2394-7NU	i5-3320M	4GBx1	15.6" HD+	720p	500G 7200	None	Intel 6205	WWAN upg	Finger	BT	6 vPro	Win7 Pro64	12/12
2394-7MU	i5-3320M	4GBx1	15.6" HD	720p	500G 7200	None	Intel 6205	WWAN upg	Finger	BT	6 vPro	Win7 Pro64	12/12

• A depot repair service 3-year limited warranty

Positioning Processor	<i>Premiere performance; two spindles</i> <b>Intel® Core™ i5-3320M processor (2 cores, 2.60GHz, 3MB cache), Intel HD Graphics 4000,</b> DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.30GHz), HT technology <b>Intel Core i7-3520M processor (2 cores, 2.90GHz, 4MB cache), Intel HD Graphics 4000,</b> DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.60GHz), HT technology	<b>Preloaded operating system<sup>20</sup></b> - Some: Windows® 7 Professional 64 preinstalled through downgrade rights in Windows 8 Pro 64-bit - Some: Windows 8 Pro 64-bit
Memory	16GB max <sup>7</sup> / PC3-12800 1600MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	<b>Preloaded applications<sup>5</sup></b> (only some listed)
Optical Ultrabay SATA disk	DVD burner, 12.7mm Ultrabay Enhanced, removable One bay for removable devices, Ultrabay Slim-compatible, 12.7mm high, bottom access <i>Some:</i> Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" wide, 7mm high <i>Some:</i> HDD / SATA 3.0Gb/s, 2.5" wide, 7mm or 9.5mm high, Active Protection System™ <i>All:</i> removable, upgradable, supports the second disk, Shock Mounted Hard Drive	- <b>Windows 7 models</b> • Lenovo® Message Center Plus • ThinkVantage Product Recovery • Access Connections™ • ThinkVantage Power Manager • Lenovo SimpleTap • Corel® WinDVD® (DVD±RW) • Corel Burn.Now™ Lenovo Edition (DVD±RW) • Corel DVD MovieFactory® Lenovo Edition (DVD±RW)
mSATA™ SSD	None	- <b>Windows 8 models</b> • Lenovo Support • Lenovo Companion • Lenovo QuickLaunch • PC Device Stage • Cyberlink Power2Go (DVD±RW) • Cyberlink PowerProducer (DVD±RW)
Widescreen display	<i>Some:</i> <b>15.6"</b> (396mm) <b>HD (1366x768) color</b> , anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio, 60% Gamut <i>Some:</i> <b>15.6"</b> (396mm) <b>HD+ (1600x900) color</b> , anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio, 60% Gamut <i>Some:</i> <b>15.6"</b> (396mm) <b>Full HD (1920x1080) color</b> , anti-glare, LED backlight, 270 nits, 16:9 aspect ratio, 500:1 contrast ratio, 95% Gamut	- <b>All models</b> • Lenovo Solution Center • Password Manager • ThinkVantage System Update • Fingerprint Software (fingerprint models) • Lenovo Cloud Storage by SugarSync • Microsoft® Office preloaded; purchase a product key to activate • Skype™
Camera	<i>Some:</i> HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus	
Graphics	<b>Intel HD Graphics 4000</b> in processor, supports external analog monitor via VGA DB-15 and digital monitor via Mini DisplayPort; supports dual independent display; <i>Maximum external resolution:</i> 2560x1600@60Hz (DisplayPort via optional Mini DP cable); 1920x1200@60Hz (single-link DVI-I via optional Mini DP cable); 2048x1536@75Hz (VGA)	Supports ThinkVantage® technologies
Keyboard TrackPoint®	6-row, 84-key, ThinkVantage button, spill-resistant, multimedia Fn keys, optional LED backlight	
Touchpad	UltraNav™, wide touchpad below keyboard, Tap Zones, scrolling, multi-touch	
ThinkLight™	Illuminates the keyboard to improve visibility in low-light conditions	
Dimensions <sup>3</sup>	<b>15.6W"</b> (WxDxH): 14.68" x 9.65" x 1.25-1.40"; 372.8mm x 245.1mm x 31.8-35.6mm	
Weight <sup>2</sup>	<i>6-cell:</i> starting at 5.39 lb (2.45kg); <i>9-cell:</i> starting at 5.76 lb (2.62kg)	
Case material	<i>Display cover:</i> Carbon-fiber / Glass-fiber hybrid; <i>Bottom:</i> Glass-fiber reinforced plastic without paint	
Battery - type	Lithium Ion 6-cell or 9-cell, supports optional Slice battery as 2nd battery, HW Authentication	
Battery - life <sup>10</sup>	<i>6-cell (57Whr):</i> up to 9.1 hr; <i>9-cell (94Whr):</i> up to 15.3 hr; <i>9-cell plus 9-cell Slice battery (94Whr, 0A36304):</i> up to 30.6 hr	
Chipset	<b>Mobile Intel QM77 Express Chipset</b>	
ExpressCard	One slot (ExpressCard/34)	
Smart Card Read	None	
Multicard Reader	4-in-1 reader (MMC, SD, SDHC, SDXC)	
Ports	Two USB 3.0, two USB 2.0 (one powered), VGA DB-15, Mini DisplayPort, ethernet (RJ-45)	
PCIe Mini Card	Two PCI Express Mini Card slots	
PCIe WLAN <sup>4</sup>	11a/b/g/n, PCIe Half Mini Card, Intel Centrino® Advanced-N 6205, 2x2	
PCIe WWAN	Wireless WAN upgradable	
Carrier	None	
Modem	None	
IEEE 1394	None	
Bluetooth™	<i>Some:</i> Bluetooth 4.0 wireless	
Ethernet	Intel 82579LM Gigabit Network Connection (Lewisville), PHY, PCIe x1	
Intel AMT	Intel Active Management Technology (iAMT)	
Audio support	HD Audio, Realtek® ALC3202 codec, Dolby® Advanced Audio™ v2 / stereo speakers, 1W x 2 / volume up, down, mute buttons / dual array mic, mic mute button, combo audio/mic jack	
Security	Power-on password, hard disk password, supervisor password, security keyhole	
Security chip	Trusted Platform Module, TCG 1.2-compliant	
Fingerprint reader	<i>Some:</i> AuthenTec fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip	
Limited warranty <sup>12</sup>	<b>3-years/1-yr battery - depot repair service / service upgrades<sup>22</sup> available</b>	For compatible accessories, please go to O-T530 sheet; For Lenovo service <sup>22</sup> upgrade options, please go to QP-TA sheet

See footnotes for more detailed information

© Lenovo  
(KN4-12) December 2012

# ThinkPad T530 2394 (Optimus)

Product Specifications Reference (PSREF)

Type-model	Processor	Memory	Wide-screen display	Camera	Disk SATA GB <sup>8</sup> rpm	Backlit key-board	PCIe Mini Card WLAN	PCIe Mini Card WWAN /mSATA	Finger print reader	Blue-tooth	Bat-tery cells	Global (G) Intel vPro (P) GMP (P)	Ann Date (mm/yy)
2394-5RU	i7-3520M	4GBx1	15.6" FHD	720p	180G SSD	None	Intel 6205 <sup>28</sup>	WWAN upg	Finger	BT	9	vPro G	Pro 64 06/12
2394-5TU	i7-3520M	4GBx1	15.6" HD+	720p	180G SSD	None	Intel 6205	WWAN upg	Finger	BT	9	vPro G	Pro 64 06/12
2394-5WU	i7-3520M	4GBx1	15.6" FHD	720p	500G 7200	None	Intel 6205	WWAN upg	Finger	BT	9	vPro G	Pro 64 06/12
2394-5XU	i7-3520M	4GBx1	15.6" HD+	720p	500G 7200	None	Intel 6205	WWAN upg	Finger	BT	9	vPro G	Pro 64 06/12
2394-5ZU	i5-3320M	4GBx1	15.6" FHD	720p	500G 7200	None	Intel 6205	WWAN upg	Finger	BT	9	vPro G	Pro 64 06/12
2394-61U	i5-3320M	4GBx1	15.6" HD+	720p	500G 7200	None	Intel 6205	WWAN upg	Finger	BT	9	vPro G	Pro 64 06/12
2394-65U	i5-3320M	4GBx1	15.6" HD+	720p	320G 7200	None	Intel 6205	WWAN upg	Finger	BT	9	vPro G	Pro 64 06/12

• A depot repair service 3-year limited warranty

Positioning Processor	<i>Premiere performance; two spindles</i> <b>Intel® Core™ i5-3320M processor (2 cores, 2.60GHz, 3MB cache), Intel HD Graphics 4000,</b> DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.30GHz), HT technology <b>Intel Core i7-3520M processor (2 cores, 2.90GHz, 4MB cache), Intel HD Graphics 4000,</b> DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.60GHz), HT technology	<b>Preloaded operating system<sup>20</sup></b> Genuine Windows® 7 Professional 64  <b>Ready to install applications<sup>14</sup></b> (only some listed) • Rescue and Recovery™ • Password Manager  <b>Preloaded applications<sup>14</sup></b> (only some listed) • Lenovo® Solution Center • Lenovo Message Center Plus • ThinkVantage Product Recovery • Access Connections™ • Fingerprint Software (fingerprint models) • ThinkVantage System Update • ThinkVantage Power Manager • Lenovo Cloud Storage by SugarSync • Lenovo SimpleTap • Microsoft® Office preloaded; purchase a product key to activate • Norton™ Internet Security 2012 (30 days of virus definitions) • Adobe® Reader® • Skype™ for Windows • Evernote® • Intel Small Business Advantage • RapidBoot HDD Accelerator • Symantec™ VIP • Windows Live™ Essentials • Corel® WinDVD® (DVD±RW) • Corel Burn.Now™ Lenovo Edition (DVD±RW) • Corel DVD MovieFactory® Lenovo Edition (DVD±RW)
Memory	16GB max <sup>7</sup> / PC3-12800 1600MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	
Optical Ultrabay SATA disk	DVD burner, 12.7mm Ultrabay Enhanced, removable One bay for removable devices, Ultrabay Slim-compatible, 12.7mm high, bottom access <i>Some:</i> Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" wide, 7mm high <i>Some:</i> HDD / SATA 3.0Gb/s, 2.5" wide, 7mm or 9.5mm high, Active Protection System™ <i>All:</i> removable, upgradable, supports the second disk, Shock Mounted Hard Drive	
mSATA™ SSD	None	
Widescreen display	<i>Some:</i> <b>15.6"</b> (396mm) <b>HD (1366x768) color</b> , anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio, 60% Gamut <i>Some:</i> <b>15.6"</b> (396mm) <b>HD+ (1600x900) color</b> , anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio, 60% Gamut <i>Some:</i> <b>15.6"</b> (396mm) <b>Full HD (1920x1080) color</b> , anti-glare, LED backlight, 270 nits, 16:9 aspect ratio, 500:1 contrast ratio, 95% Gamut	
Camera	HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus	
Graphics	NVIDIA® Optimus™ technology, auto-switch between discrete and integrated graphics, <b>Intel HD Graphics 4000</b> in processor, and <b>NVIDIA NVS™ 5400M</b> , PCI Express® x16, <b>1GB</b> memory, supports external analog monitor via VGA DB-15 and digital monitor via Mini DisplayPort; supports three independent displays; <i>Maximum external resolution:</i> 2560x1600@60Hz (DisplayPort via optional Mini DP cable); 1920x1200@60Hz (single-link DVI-I via optional Mini DP cable); 2048x1536@85Hz (VGA)	
Keyboard TrackPoint® Touchpad ThinkLight™	6-row, 84-key, ThinkVantage button, spill-resistant, multimedia Fn keys, optional LED backlight TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass UltraNav™, wide touchpad below keyboard, Tap Zones, scrolling, multi-touch Illuminates the keyboard to improve visibility in low-light conditions	
Dimensions <sup>3</sup> Weight <sup>2</sup> Case material	<i>15.6W" (WxDxH):</i> 14.68" x 9.65" x 1.25-1.40"; 372.8mm x 245.1mm x 31.8-35.6mm <i>6-cell:</i> starting at 5.73 lb (2.60kg); <i>9-cell:</i> starting at 6.10 lb (2.77kg) <i>Display cover:</i> Carbon-fiber / Glass-fiber hybrid; <i>Bottom:</i> Glass-fiber reinforced plastic without paint	
Battery - type Battery - life <sup>10</sup>	Lithium Ion 6-cell or 9-cell, supports optional Slice battery as 2nd battery, HW Authentication <i>6-cell (57Whr):</i> up to 7.7 hr; <i>9-cell (94Whr):</i> up to 12.8 hr; <i>9-cell plus 9-cell Slice battery (94Whr, 0A36304):</i> up to 25.6 hr	
Chipset ExpressCard Smart Card Read Multicard Reader Ports	<b>Mobile Intel QM77 Express Chipset</b> One slot (ExpressCard/34) None 4-in-1 reader (MMC, SD, SDHC, SDXC) Two USB 3.0, two USB 2.0 (one powered), VGA DB-15, Mini DisplayPort, ethernet (RJ-45)	
PCIe Mini Card PCIe WLAN <sup>4</sup> PCIe WWAN Carrier Modem IEEE 1394 Bluetooth™ Ethernet Intel AMT Audio support	Two PCI Express Mini Card slots 11a/b/g/n, PCIe Half Mini Card, Intel Centrino® Advanced-N 6205, 2x2 Wireless WAN upgradable None None IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard) Bluetooth 4.0 wireless Intel 82579LM Gigabit Network Connection (Lewisville), PHY, PCIe x1 Intel Active Management Technology (iAMT) HD Audio, Realtek® ALC3202 codec, Dolby® Advanced Audio™ v2 / stereo speakers, 1W x 2 / volume up, down, mute buttons / dual array mic, mic mute button, combo audio/mic jack	
Security Security chip Fingerprint reader	Power-on password, hard disk password, supervisor password, security keyhole Trusted Platform Module, TCG 1.2-compliant AuthenTec fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip	
Limited warranty <sup>12</sup>	<b>3-years/1-yr battery - depot repair service / service upgrades<sup>22</sup> available</b>	
Supports ThinkVantage® technologies		
90-watt AC adapter ThinkPad Roll Cage (one-piece magnesium frame) EPEAT™ Gold rating ENERGY STAR® 5.0-compliant GREENGUARD® certified RoHS-compliant International Warranty Service <sup>17</sup> 24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup>		
For compatible accessories, please go to O-T530 sheet;		
For Lenovo service <sup>22</sup> upgrade options, please go to QP-TA sheet		

See footnotes for more detailed information

© Lenovo  
(KN4-5) June 2012

# ThinkPad T530 2394 (Optimus) - Windows 8

Product Specifications Reference (PSREF)

Type-model	Processor	Memory	Wide-screen display	Camera	Disk SATA GB <sup>3</sup> rpm	Backlit key-board	PCIe Mini Card WLAN	PCIe Mini Card WWAN /mSATA	Finger print reader	Battery cells	Global (G) Intel vPro	GMP (P)	Preload	Ann Date (mm/yy)
2394-41U	i7-3520M	4GBx1	15.6" HD+	720p	500G 7200	None	Intel 6205 <sup>28</sup>	WWAN upg	Finger	9	vPro	G	Win8 Pro64	10/12
2394-7PU	i7-3520M	4GBx1	15.6" HD+	720p	180G SSD	Backlit	Intel 6205	WWAN upg	Finger	9	vPro		Win7 Pro64	12/12

• A depot repair service 3-year limited warranty

Positioning Processor	<i>Premiere performance; two spindles</i> <b>Intel® Core™ i7-3520M processor (2 cores, 2.90GHz, 4MB cache), Intel HD Graphics 4000.</b> DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.60GHz), HT technology	<b>Preloaded operating system<sup>20</sup></b> - Some: Windows® 7 Professional 64 preinstalled through downgrade rights in Windows 8 Pro 64-bit - Some: Windows 8 Pro 64-bit  <b>Preloaded applications<sup>5</sup></b> (only some listed)  <b>- Windows 7 models</b> • Lenovo® Message Center Plus • ThinkVantage Product Recovery • Access Connections™ • ThinkVantage Power Manager • Lenovo SimpleTap • Adobe® Reader® • Corel® WinDVD® (DVD±RW) • Corel Burn.Now™ Lenovo Edition (DVD±RW) • Corel DVD MovieFactory® Lenovo Edition (DVD±RW)  <b>- Windows 8 models</b> • Lenovo Support • Lenovo Companion • Lenovo QuickLaunch • PC Device Stage • Cyberlink Power2Go (DVD±RW) • Cyberlink PowerProducer (DVD±RW)  <b>- All models</b> • Lenovo Solution Center • Password Manager • ThinkVantage System Update • Fingerprint Software (fingerprint models) • Lenovo Cloud Storage by SugarSync • Microsoft® Office preloaded; purchase a product key to activate • Skype™
Memory	16GB max <sup>7</sup> / PC3-12800 1600MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	
Optical Ultrabay SATA disk	DVD burner, 12.7mm Ultrabay Enhanced, removable One bay for removable devices, Ultrabay Slim-compatible, 12.7mm high, bottom access <i>Some:</i> Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" wide, 7mm high <i>Some:</i> HDD / SATA 3.0Gb/s, 2.5" wide, 7mm or 9.5mm high, Active Protection System™ <i>All:</i> removable, upgradable, supports the second disk, Shock Mounted Hard Drive	
mSATA™ SSD	None	
Widescreen display	<i>Some:</i> <b>15.6"</b> (396mm) <b>HD (1366x768) color</b> , anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio, 60% Gamut <i>Some:</i> <b>15.6"</b> (396mm) <b>HD+ (1600x900) color</b> , anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio, 60% Gamut <i>Some:</i> <b>15.6"</b> (396mm) <b>Full HD (1920x1080) color</b> , anti-glare, LED backlight, 270 nits, 16:9 aspect ratio, 500:1 contrast ratio, 95% Gamut	
Camera	HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus	
Graphics	NVIDIA® Optimus™ technology, auto-switch between discrete and integrated graphics, <b>Intel HD Graphics 4000</b> in processor, and <b>NVIDIA NVS™ 5400M</b> , PCI Express® x16, <b>1GB</b> memory, supports external analog monitor via VGA DB-15 and digital monitor via Mini DisplayPort; supports three independent displays; <i>Maximum external resolution:</i> 2560x1600@60Hz (DisplayPort via optional Mini DP cable); 1920x1200@60Hz (single-link DVI-I via optional Mini DP cable); 2048x1536@85Hz (VGA)	
Keyboard TrackPoint® Touchpad ThinkLight™	6-row, 84-key, ThinkVantage button, spill-resistant, multimedia Fn keys, optional LED backlight TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass UltraNav™, wide touchpad below keyboard, Tap Zones, scrolling, multi-touch Illuminates the keyboard to improve visibility in low-light conditions	
Dimensions <sup>3</sup> Weight <sup>2</sup> Case material	<i>15.6W"</i> (WxDxH): 14.68" x 9.65" x 1.25-1.40"; 372.8mm x 245.1mm x 31.8-35.6mm <i>6-cell:</i> starting at 5.73 lb (2.60kg); <i>9-cell:</i> starting at 6.10 lb (2.77kg) <i>Display cover:</i> Carbon-fiber / Glass-fiber hybrid; <i>Bottom:</i> Glass-fiber reinforced plastic without paint	
Battery - type Battery - life <sup>10</sup>	Lithium Ion 6-cell or 9-cell, supports optional Slice battery as 2nd battery, HW Authentication <i>6-cell (57Whr):</i> up to 7.7 hr; <i>9-cell (94Whr):</i> up to 12.8 hr; <i>9-cell plus 9-cell Slice battery (94Whr, 0A36304):</i> up to 25.6 hr	
Chipset ExpressCard Smart Card Read Multicard Reader Ports	<b>Mobile Intel QM77 Express Chipset</b> One slot (ExpressCard/34) None 4-in-1 reader (MMC, SD, SDHC, SDXC) Two USB 3.0, two USB 2.0 (one powered), VGA DB-15, Mini DisplayPort, ethernet (RJ-45)	
PCIe Mini Card PCIe WLAN <sup>4</sup> PCIe WWAN Carrier Modem IEEE 1394 Bluetooth™ Ethernet Intel AMT Audio support	Two PCI Express Mini Card slots 11a/b/g/n, PCIe Half Mini Card, Intel Centrino® Advanced-N 6205, 2x2 Wireless WAN upgradable None None IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard) Bluetooth 4.0 wireless Intel 82579LM Gigabit Network Connection (Lewisville), PHY, PCIe x1 Intel Active Management Technology (iAMT) HD Audio, Realtek® ALC3202 codec, Dolby® Advanced Audio™ v2 / stereo speakers, 1W x 2 / volume up, down, mute buttons / dual array mic, mic mute button, combo audio/mic jack	
Security Security chip Fingerprint reader	Power-on password, hard disk password, supervisor password, security keyhole Trusted Platform Module, TCG 1.2-compliant AuthenTec fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip	
Limited warranty <sup>12</sup>	<b>3-years/1-yr battery - depot repair service / service upgrades<sup>22</sup> available</b>	
Supports ThinkVantage® technologies		
90-watt AC adapter ThinkPad Roll Cage (one-piece magnesium frame) EPEAT™ Gold rating ENERGY STAR® 5.0-compliant GREENGUARD® certified RoHS-compliant International Warranty Service <sup>17</sup> 24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup>		
For compatible accessories, please go to O-T530 sheet; For Lenovo service <sup>22</sup> upgrade options, please go to QP-TA sheet		

See footnotes for more detailed information

© Lenovo  
(KN4-13) December 2012

# ThinkPad T530 2429 (Onsite)

Type-model	Processor	Memory	Wide-screen display	Camera	Disk SATA GB <sup>3</sup> rpm	Backlit keyboard	PCIe Mini Card WLAN	PCIe Mini Card WWAN	Mini Card Carrier	Smart Card Reader	Finger print reader	Bat-Blue-tooth	Bat-tery cells	Global (G) Intel vPro (P)	GMP (P)	Pre-load	Ann Date (mm/yy)
2429-5UU	i5-3320M	4GBx1	15.6" HD+	720p	180G SSD	None	Intel 6205 <sup>28</sup>	upg	None	None	Finger	BT	6	vPro	G P	Pro 64	06/12
2429-5VU	i5-3320M	4GBx1	15.6" HD+	720p	128G SSD	None	Intel 6205	upg	None	None	Finger	BT	6	vPro	G P	Pro 64	06/12
2429-5YU	i7-3520M	4GBx1	15.6" HD+	720p	500G 7200	None	Intel 6205	upg	None	None	Finger	BT	6	vPro	G P	Pro 64	06/12
2429-62U	i5-3320M	4GBx1	15.6" HD+	720p	500G 7200	None	Intel 6205	upg	None	None	Finger	BT	6	vPro	G P	Pro 64	06/12
2429-64U	i5-3320M	4GBx1	15.6" HD+	720p	320G 7200	None	Intel 6205	upg	None	None	Finger	BT	6	vPro	G P	Pro 64	06/12
2429-2EU	i5-3320M	4GBx1	15.6" HD	720p	320G 7200	None	Intel 6205	Gobi select	None	None	Finger	BT	6	vPro		Pro 64	06/12
2429-2CU	i7-3520M	4GBx1	15.6" HD	None	500G 7200	None	Intel 6205	upg	None	None	None	No	6	vPro		Pro 64	06/12
2429-2BU	i5-3320M	4GBx1	15.6" HD	None	320G 7200	None	Intel 6205	upg	None	None	None	No	6	vPro		Pro 64	06/12
2429-26U	i5-3320M	4GBx1	15.6" HD	720p	500G 7200	None	Intel 6205	upg	None	None	Finger	BT	6	vPro		Pro 64	06/12
2429-23U	i7-3520M	4GBx1	15.6" HD	720p	500G 7200	None	Intel 6205	upg	None	None	Finger	BT	6	vPro	G P	Pro 64	06/12
2429-22U	i5-3320M	4GBx1	15.6" HD	720p	320G 7200	None	Intel 6205	upg	None	None	Finger	BT	6	vPro	G P	Pro 64	06/12
2429-70U	i5-3320M	4GBx1	15.6" HD+	720p	320G 7200	None	Intel 6205	upg	None	Smart	Finger	BT	6	vPro	G P	Pro 64	07/12

• Some models are part of the Global Models Plus program with limited onsite service<sup>24</sup> 3-year limited warranty

Positioning Processor	<i>Premiere performance; two spindles</i> <b>Intel® Core™ i5-3320M processor (2 cores, 2.60GHz, 3MB cache), Intel HD Graphics 4000, DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.30GHz), HT technology</b> <b>Intel Core i7-3520M processor (2 cores, 2.90GHz, 4MB cache), Intel HD Graphics 4000, DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.60GHz), HT technology</b>	<b>Preloaded operating system<sup>20</sup></b> Genuine Windows® 7 Professional 64 <b>Ready to install applications<sup>14</sup> (only some listed)</b> • Rescue and Recovery™ • Password Manager <b>Preloaded applications<sup>14</sup> (only some listed)</b> • Lenovo® Solution Center • Lenovo Message Center Plus • ThinkVantage Product Recovery • Access Connections™ • Fingerprint Software (fingerprint models) • ThinkVantage System Update • ThinkVantage Power Manager • Lenovo Cloud Storage by SugarSync • Lenovo SimpleTap • Microsoft® Office preloaded; purchase a product key to activate • Norton™ Internet Security 2012 (30 days of virus definitions) • Adobe® Reader® • Skype™ for Windows • Evernote® • Intel Small Business Advantage • RapidBoot HDD Accelerator • Symantec™ VIP • Windows Live™ Essentials • Corel® WinDVD® (DVD±RW) • Corel Burn.Now™ Lenovo Edition (DVD±RW) • Corel DVD MovieFactory® Lenovo Edition (DVD±RW)
Memory	16GB max <sup>7</sup> / PC3-12800 1600MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	
Optical Ultrabay SATA disk	DVD burner, 12.7mm Ultrabay Enhanced, removable One bay for removable devices, Ultrabay Slim-compatible, 12.7mm high, bottom access <i>Some:</i> Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" wide, 7mm high <i>Some:</i> HDD / SATA 3.0Gb/s, 2.5" wide, 7mm or 9.5mm high, Active Protection System™ <i>All:</i> removable, upgradable, supports the second disk, Shock Mounted Hard Drive	
mSATA™ SSD	None	
Widescreen display	<i>Some:</i> <b>15.6"</b> (396mm) <b>HD (1366x768) color</b> , anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio, 60% Gamut <i>Some:</i> <b>15.6"</b> (396mm) <b>HD+ (1600x900) color</b> , anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio, 60% Gamut <i>Some:</i> <b>15.6"</b> (396mm) <b>Full HD (1920x1080) color</b> , anti-glare, LED backlight, 270 nits, 16:9 aspect ratio, 500:1 contrast ratio, 95% Gamut	
Camera	<i>Some:</i> HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus	
Graphics	<b>Intel HD Graphics 4000</b> in processor, supports external analog monitor via VGA DB-15 and digital monitor via Mini DisplayPort; supports dual independent display; <i>Maximum external resolution:</i> 2560x1600@60Hz (DisplayPort via optional Mini DP cable); 1920x1200@60Hz (single-link DVI-I via optional Mini DP cable); 2048x1536@75Hz (VGA)	
Keyboard TrackPoint® Touchpad ThinkLight™	6-row, 84-key, ThinkVantage button, spill-resistant, multimedia Fn keys, optional LED backlight TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass UltraNav™, wide touchpad below keyboard, Tap Zones, scrolling, multi-touch Illuminates the keyboard to improve visibility in low-light conditions	
Dimensions <sup>3</sup> Weight <sup>2</sup> Case material	<i>15.6W" (WxDxH):</i> 14.68" x 9.65" x 1.25-1.40"; 372.8mm x 245.1mm x 31.8-35.6mm <i>6-cell:</i> starting at 5.39 lb (2.45kg); <i>9-cell:</i> starting at 5.76 lb (2.62kg) <i>Display cover:</i> Carbon-fiber / Glass-fiber hybrid; <i>Bottom:</i> Glass-fiber reinforced plastic without paint	
Battery - type Battery - life <sup>10</sup>	Lithium Ion 6-cell or 9-cell, supports optional Slice battery as 2nd battery, HW Authentication <i>6-cell (57Whr):</i> up to 9.1 hr; <i>9-cell (94Whr):</i> up to 15.3 hr; <i>9-cell plus 9-cell Slice battery (94Whr, 0A36304):</i> up to 30.6 hr	
Chipset ExpressCard Smart Card Read Multicard Reader Ports	<b>Mobile Intel QM77 Express Chipset</b> One slot (ExpressCard/34) <i>Some:</i> Smart Card reader 4-in-1 reader (MMC, SD, SDHC, SDXC) Two USB 3.0, two USB 2.0 (one powered), VGA DB-15, Mini DisplayPort, ethernet (RJ-45)	
PCIe Mini Card PCIe WLAN <sup>4</sup> PCIe WWAN	Two PCI Express Mini Card slots 11a/b/g/n, PCIe Half Mini Card, Intel Centrino® Advanced-N 6205, 2x2 <i>Some:</i> Wireless WAN upgradable <i>Some:</i> Wireless WAN, Qualcomm® Gobi™ 3000 chipset, PCIe Mini Card, EV-DO Rev. A, GPRS/WCDMA/HSPA, GPS	
Carrier Modem IEEE 1394 Bluetooth™ Ethernet Intel AMT Audio support	<i>Some:</i> User selectable, AT&T®, Verizon®, or Sprint®, contract required with service provider None None <i>Some:</i> Bluetooth 4.0 wireless Intel 82579LM Gigabit Network Connection (Lewisville), PHY, PCIe x1 Intel Active Management Technology (iAMT) HD Audio, Realtek® ALC3202 codec, Dolby® Advanced Audio™ v2 / stereo speakers, 1W x 2 / volume up, down, mute buttons / dual array mic, mic mute button, combo audio/mic jack	
Security Security chip Fingerprint reader	Power-on password, hard disk password, supervisor password, security keyhole Trusted Platform Module, TCG 1.2-compliant <i>Some:</i> AuthenTec fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip	
Limited warranty <sup>12</sup>	<b>3-years/1-year battery, limited onsite service<sup>24</sup>, 8 am - 5 pm, Mon - Fri coverage</b> excluding holidays, next business day response time / service upgrades <sup>22</sup> available	<b>Supports ThinkVantage® technologies</b> 65-watt AC adapter ThinkPad Roll Cage (one-piece magnesium frame) EPEAT™ Gold rating ENERGY STAR® 5.0-compliant GREENGUARD® certified RoHS-compliant International Warranty Service <sup>17</sup> 24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup> For compatible accessories, please go to O-T530 sheet; For Lenovo service <sup>22</sup> upgrade options, please go to QP-TA sheet

See footnotes for more detailed information

# ThinkPad T530 2429 (Onsite) - Windows 8

Product Specifications Reference (PSREF)

Type-model	Processor	Memory	Wide-screen display	Camera	Disk SATA GB <sup>3</sup> rpm	Backlit key-board	PCIe Mini Card WLAN	PCIe Mini Card WWAN /mSATA	Finger print reader	Bat-tery tooth-cells	Global (G) Intel vPro (P)	Ann Date (mm/yy)
2429-42U	i7-3520M	4GBx1	15.6" HD	720p	500G 7200	None	Intel 6205 <sup>28</sup>	WWAN upg	Finger	BT	6 vPro	Win8 Pro64 10/12
2429-43U	i5-3320M	4GBx1	15.6" HD+	720p	180G SSD	None	Intel 6205	WWAN upg	Finger	BT	6 vPro	Win8 Pro64 10/12
2429-44U	i5-3320M	4GBx1	15.6" HD+	720p	500G 7200	None	Intel 6205	WWAN upg	Finger	BT	6 vPro	Win8 Pro64 10/12
2429-45U	i5-3320M	4GBx1	15.6" HD	720p	320G 7200	None	Intel 6205	WWAN upg	Finger	BT	6 vPro	Win8 Pro64 10/12
2429-7DU	i5-3320M	4GBx1	15.6" HD+	720p	500G 7200	None	Intel 6205	WWAN upg	Finger	BT	6 vPro	Win7 Pro64 12/12
2429-7CU	i5-3320M	4GBx1	15.6" HD	720p	500G 7200	None	Intel 6205	WWAN upg	Finger	BT	6 vPro	Win7 Pro64 12/12

• Some models are part of the Global Models Plus program with limited onsite service<sup>24</sup> 3-year limited warranty

Positioning Processor	<i>Premiere performance; two spindles</i> <b>Intel® Core™ i5-3320M processor (2 cores, 2.60GHz, 3MB cache), Intel HD Graphics 4000,</b> DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.30GHz), HT technology <b>Intel Core i7-3520M processor (2 cores, 2.90GHz, 4MB cache), Intel HD Graphics 4000,</b> DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.60GHz), HT technology	<b>Preloaded operating system<sup>20</sup></b> - Some: Windows® 7 Professional 64 preinstalled through downgrade rights in Windows 8 Pro 64-bit - Some: Windows 8 Pro 64-bit
Memory	16GB max <sup>7</sup> / PC3-12800 1600MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	<b>Preloaded applications<sup>5</sup></b> (only some listed)
Optical Ultrabay SATA disk	DVD burner, 12.7mm Ultrabay Enhanced, removable One bay for removable devices, Ultrabay Slim-compatible, 12.7mm high, bottom access <i>Some:</i> Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" wide, 7mm high <i>Some:</i> HDD / SATA 3.0Gb/s, 2.5" wide, 7mm or 9.5mm high, Active Protection System™ <i>All:</i> removable, upgradable, supports the second disk, Shock Mounted Hard Drive	- <b>Windows 7 models</b> • Lenovo® Message Center Plus • ThinkVantage Product Recovery • Access Connections™ • ThinkVantage Power Manager • Lenovo SimpleTap • Corel® WinDVD® (DVD±RW) • Corel Burn.Now™ Lenovo Edition (DVD±RW) • Corel DVD MovieFactory® Lenovo Edition (DVD±RW) - <b>Windows 8 models</b> • Lenovo Support • Lenovo Companion • Lenovo QuickLaunch • PC Device Stage • Cyberlink Power2Go (DVD±RW) • Cyberlink PowerProducer (DVD±RW)
mSATA™ SSD	None	- <b>All models</b> • Lenovo Solution Center • Password Manager • ThinkVantage System Update • Fingerprint Software (fingerprint models) • Lenovo Cloud Storage by SugarSync • Microsoft® Office preloaded; purchase a product key to activate • Norton™ Internet Security (30 days of virus definitions) • Skype™
Widescreen display	<i>Some:</i> <b>15.6"</b> (396mm) <b>HD (1366x768) color</b> , anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio, 60% Gamut <i>Some:</i> <b>15.6"</b> (396mm) <b>HD+ (1600x900) color</b> , anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio, 60% Gamut <i>Some:</i> <b>15.6"</b> (396mm) <b>Full HD (1920x1080) color</b> , anti-glare, LED backlight, 270 nits, 16:9 aspect ratio, 500:1 contrast ratio, 95% Gamut	Supports ThinkVantage® technologies
Camera	HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus	65-watt AC adapter ThinkPad Roll Cage (one-piece magnesium frame) EPEAT™ Gold rating ENERGY STAR® 5.0-compliant GREENGUARD® certified RoHS-compliant International Warranty Service <sup>17</sup> 24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup>
Graphics	<b>Intel HD Graphics 4000</b> in processor, supports external analog monitor via VGA DB-15 and digital monitor via Mini DisplayPort; supports dual independent display; <i>Maximum external resolution:</i> 2560x1600@60Hz (DisplayPort via optional Mini DP cable); 1920x1200@60Hz (single-link DVI-I via optional Mini DP cable); 2048x1536@75Hz (VGA)	For compatible accessories, please go to O-T530 sheet;
Keyboard TrackPoint® Touchpad ThinkLight™	6-row, 84-key, ThinkVantage button, spill-resistant, multimedia Fn keys, optional LED backlight TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass UltraNav™, wide touchpad below keyboard, Tap Zones, scrolling, multi-touch Illuminates the keyboard to improve visibility in low-light conditions	For Lenovo service <sup>22</sup> upgrade options, please go to QP-TA sheet
Dimensions <sup>3</sup> Weight <sup>2</sup> Case material	<i>15.6W" (WxDxH):</i> 14.68" x 9.65" x 1.25-1.40"; 372.8mm x 245.1mm x 31.8-35.6mm <i>6-cell:</i> starting at 5.39 lb (2.45kg); <i>9-cell:</i> starting at 5.76 lb (2.62kg) <i>Display cover:</i> Carbon-fiber / Glass-fiber hybrid; <i>Bottom:</i> Glass-fiber reinforced plastic without paint	
Battery - type Battery - life <sup>10</sup>	Lithium Ion 6-cell or 9-cell, supports optional Slice battery as 2nd battery, HW Authentication <i>6-cell (57Whr):</i> up to 9.1 hr; <i>9-cell (94Whr):</i> up to 15.3 hr; <i>9-cell plus 9-cell Slice battery (94Whr, 0A36304):</i> up to 30.6 hr	
Chipset ExpressCard Smart Card Reader Multicard Reader Ports	<b>Mobile Intel QM77 Express Chipset</b> One slot (ExpressCard/34) None 4-in-1 reader (MMC, SD, SDHC, SDXC) Two USB 3.0, two USB 2.0 (one powered), VGA DB-15, Mini DisplayPort, ethernet (RJ-45)	
PCIe Mini Card PCIe WLAN <sup>4</sup> PCIe WWAN Carrier Modem IEEE 1394 Bluetooth™ Ethernet Intel AMT Audio support	Two PCI Express Mini Card slots 11a/b/g/n, PCIe Half Mini Card, Intel Centrino® Advanced-N 6205, 2x2 Wireless WAN upgradable None None None Bluetooth 4.0 wireless Intel 82579LM Gigabit Network Connection (Lewisville), PHY, PCIe x1 Intel Active Management Technology (iAMT) HD Audio, Realtek® ALC3202 codec, Dolby® Advanced Audio™ v2 / stereo speakers, 1W x 2 / volume up, down, mute buttons / dual array mic, mic mute button, combo audio/mic jack	
Security Security chip Fingerprint reader	Power-on password, hard disk password, supervisor password, security keyhole Trusted Platform Module, TCG 1.2-compliant AuthenTec fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip	
Limited warranty <sup>12</sup>	<b>3-years/1-year battery, limited onsite service<sup>24</sup>, 8 am - 5 pm, Mon - Fri coverage</b> excluding holidays, next business day response time / service upgrades <sup>22</sup> available	

See footnotes for more detailed information

© Lenovo  
(KN4-14) December 2012

# ThinkPad T530 2429 (Optimus) - Onsite

Product Specifications Reference (PSREF)

Type-model	Processor	Memory	Wide-screen display	Camera	Disk SATA GB <sup>8</sup> rpm	Backlit key-board	PCIe Mini Card WLAN	PCIe Mini Card WWAN /mSATA	Finger print reader	Blue-tooth	Battery cells	Global (G) Intel vPro (P)	Ann Date (mm/yy)
2429-5RU	i7-3520M	4GBx1	15.6" FHD	720p	180G SSD	None	Intel 6205 <sup>28</sup>	WWAN upg	Finger	BT	9	vPro G P	Pro 64 06/12
2429-5TU	i7-3520M	4GBx1	15.6" HD+	720p	180G SSD	None	Intel 6205	WWAN upg	Finger	BT	9	vPro G P	Pro 64 06/12
2429-5WU	i7-3520M	4GBx1	15.6" FHD	720p	500G 7200	None	Intel 6205	WWAN upg	Finger	BT	9	vPro G P	Pro 64 06/12
2429-5XU	i7-3520M	4GBx1	15.6" HD+	720p	500G 7200	None	Intel 6205	WWAN upg	Finger	BT	9	vPro G P	Pro 64 06/12
2429-5ZU	i5-3320M	4GBx1	15.6" FHD	720p	500G 7200	None	Intel 6205	WWAN upg	Finger	BT	9	vPro G P	Pro 64 06/12
2429-61U	i5-3320M	4GBx1	15.6" HD+	720p	500G 7200	None	Intel 6205	WWAN upg	Finger	BT	9	vPro G P	Pro 64 06/12
2429-63U	i5-3320M	4GBx1	15.6" HD+	720p	320G 7200	None	Intel 6205	WWAN upg	Finger	BT	9	vPro G P	Pro 64 06/12
2429-65U	i5-3320M	4GBx1	15.6" HD	720p	320G 7200	None	Intel 6205	WWAN upg	Finger	BT	9	vPro G P	Pro 64 06/12

• Part of the Global Models Plus program with limited onsite service<sup>24</sup> 3-year limited warranty

Positioning Processor	<i>Premiere performance; two spindles</i> <b>Intel® Core™ i5-3320M processor (2 cores, 2.60GHz, 3MB cache), Intel HD Graphics 4000,</b> DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.30GHz), HT technology <b>Intel Core i7-3520M processor (2 cores, 2.90GHz, 4MB cache), Intel HD Graphics 4000,</b> DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.60GHz), HT technology	<b>Preloaded operating system<sup>20</sup></b> Genuine Windows® 7 Professional 64
Memory	16GB max <sup>7</sup> / PC3-12800 1600MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	<b>Ready to install applications<sup>14</sup></b> (only some listed) • Rescue and Recovery™ • Password Manager
Optical Ultrabay SATA disk	DVD burner, 12.7mm Ultrabay Enhanced, removable One bay for removable devices, Ultrabay Slim-compatible, 12.7mm high, bottom access <i>Some:</i> Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" wide, 7mm high <i>Some:</i> HDD / SATA 3.0Gb/s, 2.5" wide, 7mm or 9.5mm high, Active Protection System™ <i>All:</i> removable, upgradable, supports the second disk, Shock Mounted Hard Drive	<b>Preloaded applications<sup>14</sup></b> (only some listed) • Lenovo® Solution Center • Lenovo Message Center Plus • ThinkVantage Product Recovery • Access Connections™ • FingerPrint Software (fingerprint models) • ThinkVantage System Update • ThinkVantage Power Manager • Lenovo Cloud Storage by SugarSync • Lenovo SimpleTap • Microsoft® Office preloaded; purchase a product key to activate • Norton™ Internet Security 2012 (30 days of virus definitions) • Adobe® Reader® • Skype™ for Windows • Evernote® • Intel Small Business Advantage • RapidBoot HDD Accelerator • Symantec™ VIP • Windows Live™ Essentials • Corel® WinDVD® (DVD±RW) • Corel Burn.Now™ Lenovo Edition (DVD±RW) • Corel DVD MovieFactory® Lenovo Edition (DVD±RW)
mSATA™ SSD	None	
Widescreen display	<i>Some:</i> <b>15.6"</b> (396mm) <b>HD (1366x768) color</b> , anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio, 60% Gamut <i>Some:</i> <b>15.6"</b> (396mm) <b>HD+ (1600x900) color</b> , anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio, 60% Gamut <i>Some:</i> <b>15.6"</b> (396mm) <b>Full HD (1920x1080) color</b> , anti-glare, LED backlight, 270 nits, 16:9 aspect ratio, 500:1 contrast ratio, 95% Gamut	
Camera	HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus	
Graphics	NVIDIA® Optimus™ technology, auto-switch between discrete and integrated graphics, <b>Intel HD Graphics 4000</b> in processor, and <b>NVIDIA NVS™ 5400M</b> , PCI Express® x16, <b>1GB</b> memory, supports external analog monitor via VGA DB-15 and digital monitor via Mini DisplayPort; supports three independent displays; <i>Maximum external resolution:</i> 2560x1600@60Hz (DisplayPort via optional Mini DP cable); 1920x1200@60Hz (single-link DVI-I via optional Mini DP cable); 2048x1536@85Hz (VGA)	
Keyboard TrackPoint® Touchpad ThinkLight™	6-row, 84-key, ThinkVantage button, spill-resistant, multimedia Fn keys, optional LED backlight TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass UltraNav™, wide touchpad below keyboard, Tap Zones, scrolling, multi-touch Illuminates the keyboard to improve visibility in low-light conditions	
Dimensions <sup>3</sup> Weight <sup>2</sup> Case material	<i>15.6W" (WxDxH):</i> 14.68" x 9.65" x 1.25-1.40"; 372.8mm x 245.1mm x 31.8-35.6mm <i>6-cell:</i> starting at 5.73 lb (2.60kg); <i>9-cell:</i> starting at 6.10 lb (2.77kg) <i>Display cover:</i> Carbon-fiber / Glass-fiber hybrid; <i>Bottom:</i> Glass-fiber reinforced plastic without paint	
Battery - type Battery - life <sup>10</sup>	Lithium Ion 6-cell or 9-cell, supports optional Slice battery as 2nd battery, HW Authentication <i>6-cell (57Whr):</i> up to 7.7 hr; <i>9-cell (94Whr):</i> up to 12.8 hr; <i>9-cell plus 9-cell Slice battery (94Whr, 0A36304):</i> up to 25.6 hr	
Chipset ExpressCard Smart Card Read Multicard Reader Ports	<b>Mobile Intel QM77 Express Chipset</b> One slot (ExpressCard/34) None 4-in-1 reader (MMC, SD, SDHC, SDXC) Two USB 3.0, two USB 2.0 (one powered), VGA DB-15, Mini DisplayPort, ethernet (RJ-45)	
PCIe Mini Card PCIe WLAN <sup>4</sup> Carrier Modem IEEE 1394 Bluetooth™ Ethernet Intel AMT Audio support	Two PCI Express Mini Card slots 11a/b/g/n, PCIe Half Mini Card, Intel Centrino® Advanced-N 6205, 2x2 Wireless WAN upgradable None None IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard) Bluetooth 4.0 wireless Intel 82579LM Gigabit Network Connection (Lewisville), PHY, PCIe x1 Intel Active Management Technology (iAMT) HD Audio, Realtek® ALC3202 codec, Dolby® Advanced Audio™ v2 / stereo speakers, 1W x 2 / volume up, down, mute buttons / dual array mic, mic mute button, combo audio/mic jack	<b>Supports ThinkVantage® technologies</b>
Security Security chip FingerPrint reader	Power-on password, hard disk password, supervisor password, security keyhole Trusted Platform Module, TCG 1.2-compliant AuthenTec fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip	90-watt AC adapter ThinkPad Roll Cage (one-piece magnesium frame) EPEAT™ Gold rating ENERGY STAR® 5.0-compliant GREENGUARD® certified RoHS-compliant International Warranty Service <sup>17</sup> 24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup>
Limited warranty <sup>12</sup>	<b>3-years/1-year battery, limited onsite service<sup>24</sup></b> , 8 am - 5 pm, Mon - Fri coverage excluding holidays, next business day response time/ service upgrades <sup>22</sup> available	For compatible accessories, please go to O-T530 sheet; For Lenovo service <sup>22</sup> upgrade options, please go to QP-TA sheet

See footnotes for more detailed information

© Lenovo  
(KN4-7) June 2012

# ThinkPad T530 2429 (Optimus) - Onsite (Windows 8)

Product Specifications Reference (PSREF)

Type-model	Processor	Memory	Wide-screen display	Camera	Disk SATA GB <sup>3</sup> rpm	Backlit key-board	PCIe Mini Card WLAN	PCIe Mini Card WWAN /mSATA	Finger print reader	Battery cells	Intel vPro	Global (G) GMP (P)	Preload	Ann Date (mm/yy)
2429-41U	i7-3520M	4GBx1	15.6" HD+	720p	500G 7200	None	Intel 6205 <sup>28</sup>	WWAN upg	Finger	9	vPro	G P	Win8 Pro64	10/12
2429-7FU	i7-3520M	4GBx1	15.6" HD+	720p	180G SSD	Backlit	Intel 6205	WWAN upg	Finger	9	vPro		Win7 Pro64	12/12

• Some models are part of the Global Models Plus program with limited onsite service<sup>24</sup> 3-year limited warranty

Positioning Processor	<i>Premiere performance; two spindles</i> <b>Intel® Core™ i7-3520M processor (2 cores, 2.90GHz, 4MB cache), Intel HD Graphics 4000,</b> DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.60GHz), HT technology										Preloaded operating system <sup>20</sup> - Some: Windows® 7 Professional 64 preinstalled through downgrade rights in Windows 8 Pro 64-bit - Some: Windows 8 Pro 64-bit
Memory	16GB max <sup>7</sup> / PC3-12800 1600MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller										
Optical Ultrabay SATA disk	DVD burner, 12.7mm Ultrabay Enhanced, removable One bay for removable devices, Ultrabay Slim-compatible, 12.7mm high, bottom access <i>Some:</i> Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" wide, 7mm high <i>Some:</i> HDD / SATA 3.0Gb/s, 2.5" wide, 7mm or 9.5mm high, Active Protection System™ <i>All:</i> removable, upgradable, supports the second disk, Shock Mounted Hard Drive										Preloaded applications <sup>5</sup> (only some listed)  - <b>Windows 7 models</b> • Lenovo® Message Center Plus • ThinkVantage Product Recovery • Access Connections™ • ThinkVantage Power Manager • Lenovo SimpleTap • Adobe® Reader® • Corel® WinDVD® (DVD±RW) • Corel Burn.Now™ Lenovo Edition (DVD±RW) • Corel DVD MovieFactory® Lenovo Edition (DVD±RW)  - <b>Windows 8 models</b> • Lenovo Support • Lenovo Companion • Lenovo QuickLaunch • PC Device Stage • Cyberlink Power2Go (DVD±RW) • Cyberlink PowerProducer (DVD±RW)  - <b>All models</b> • Lenovo Solution Center • Password Manager • ThinkVantage System Update • Fingerprint Software (fingerprint models) • Lenovo Cloud Storage by SugarSync • Microsoft® Office preloaded; purchase a product key to activate • Norton™ Internet Security (30 days of virus definitions) • Skype™
mSATA™ SSD	None										
Widescreen display	<i>Some:</i> <b>15.6"</b> (396mm) <b>HD (1366x768) color</b> , anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio, 60% Gamut <i>Some:</i> <b>15.6"</b> (396mm) <b>HD+ (1600x900) color</b> , anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio, 60% Gamut <i>Some:</i> <b>15.6"</b> (396mm) <b>Full HD (1920x1080) color</b> , anti-glare, LED backlight, 270 nits, 16:9 aspect ratio, 500:1 contrast ratio, 95% Gamut										
Camera	HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus										
Graphics	NVIDIA® Optimus™ technology, auto-switch between discrete and integrated graphics, <b>Intel HD Graphics 4000</b> in processor, and <b>NVIDIA NVS™ 5400M</b> , PCI Express® x16, <b>1GB</b> memory, supports external analog monitor via VGA DB-15 and digital monitor via Mini DisplayPort; supports three independent displays; <i>Maximum external resolution:</i> 2560x1600@60Hz (DisplayPort via optional Mini DP cable); 1920x1200@60Hz (single-link DVI-I via optional Mini DP cable); 2048x1536@85Hz (VGA)										
Keyboard TrackPoint®	6-row, 84-key, ThinkVantage button, spill-resistant, multimedia Fn keys, optional LED backlight										
Touchpad UltraNav™	TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass										
ThinkLight™	Illuminates the keyboard to improve visibility in low-light conditions										
Dimensions <sup>3</sup>	15.6W" (WxDxH): 14.68" x 9.65" x 1.25-1.40"; 372.8mm x 245.1mm x 31.8-35.6mm										
Weight <sup>2</sup>	6-cell: starting at 5.73 lb (2.60kg); 9-cell: starting at 6.10 lb (2.77kg)										
Case material	<i>Display cover:</i> Carbon-fiber / Glass-fiber hybrid; <i>Bottom:</i> Glass-fiber reinforced plastic without paint										
Battery - type	Lithium Ion 6-cell or 9-cell, supports optional Slice battery as 2nd battery, HW Authentication										
Battery - life <sup>10</sup>	6-cell (57Whr): up to 7.7 hr; 9-cell (94Whr): up to 12.8 hr; 9-cell plus 9-cell Slice battery (94Whr, 0A36304): up to 25.6 hr										
Chipset	<b>Mobile Intel QM77 Express Chipset</b>										
ExpressCard	One slot (ExpressCard/34)										
Smart Card Read	None										
Multicard Reader	4-in-1 reader (MMC, SD, SDHC, SDXC)										
Ports	Two USB 3.0, two USB 2.0 (one powered), VGA DB-15, Mini DisplayPort, ethernet (RJ-45)										
PCIe Mini Card	Two PCI Express Mini Card slots										
PCIe WLAN <sup>4</sup>	11a/b/g/n, PCIe Half Mini Card, Intel Centrino® Advanced-N 6205, 2x2										
PCIe WWAN	Wireless WAN upgradable										
Carrier	None										
Modem	None										
IEEE 1394	IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)										
Bluetooth™	Bluetooth 4.0 wireless										
Ethernet	Intel 82579LM Gigabit Network Connection (Lewisville), PHY, PCIe x1										
Intel AMT	Intel Active Management Technology (iAMT)										
Audio support	HD Audio, Realtek® ALC3202 codec, Dolby® Advanced Audio™ v2 / stereo speakers, 1W x 2 / volume up, down, mute buttons / dual array mic, mic mute button, combo audio/mic jack										
Security	Power-on password, hard disk password, supervisor password, security keyhole										
Security chip	Trusted Platform Module, TCG 1.2-compliant										
Fingerprint reader	AuthenTec fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip										
Limited warranty <sup>12</sup>	<b>3-years/1-year battery, limited onsite service<sup>24</sup>, 8 am - 5 pm, Mon - Fri coverage</b> excluding holidays, next business day response time / service upgrades <sup>22</sup> available										Supports ThinkVantage® technologies  90-watt AC adapter ThinkPad Roll Cage (one-piece magnesium frame) EPEAT™ Gold rating ENERGY STAR® 5.0-compliant GREENGUARD® certified RoHS-compliant International Warranty Service <sup>17</sup> 24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup>  For compatible accessories, please go to O-T530 sheet;  For Lenovo service <sup>22</sup> upgrade options, please go to QP-TA sheet

See footnotes for more detailed information

© Lenovo  
(KN4-15) December 2012



# ThinkPad T530i 2359 (TopSeller)

Product Specifications Reference (PSREF)

Type-model	Processor	Memory	Wide-screen display	Camera	Disk SATA GB <sup>8</sup> rpm	Backlit keyboard	PCIe Mini Card WLAN	PCIe Mini Card WWAN /mSATA	Carrier	Finger print reader	Blue-tooth	Bat-tery cells	Intel vPro	Preload (mm/yy)	Ann Date
2359-2AU	i3-2370M	4GBx1	15.6" HD	720p	500G 7200	None	Intel 2200	WWAN upg	None	None	None	6	None	Pro 64	06/12
2359-29U	i3-2370M	4GBx1	15.6" HD	720p	320G 7200	None	Intel 2200	WWAN upg	None	None	None	6	None	Pro 64	06/12

Positioning Processor	<i>Premiere performance; two spindles</i> <b>Intel® Core™ i3-2370M processor (2 cores, 2.40GHz, 3MB cache), Intel HD Graphics 3000,</b> DDR3 memory controller (up to 1333MHz), HT technology										<b>Preloaded operating system<sup>20</sup></b> Genuine Windows® 7 Professional 64				
Memory	16GB max <sup>7</sup> / PC3-12800 1600MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller										<b>Ready to install applications<sup>14</sup></b> (only some listed) • Rescue and Recovery™ • Password Manager				
Optical	DVD burner, 12.7mm Ultrabay Enhanced, removable										<b>Preloaded applications<sup>14</sup></b> (only some listed) • Lenovo® Solution Center • Lenovo Message Center Plus • ThinkVantage Product Recovery • Access Connections™ • Fingerprint Software (fingerprint models) • ThinkVantage System Update • ThinkVantage Power Manager • Lenovo Cloud Storage by SugarSync • Lenovo SimpleTap • Microsoft® Office preloaded; purchase a product key to activate • Norton™ Internet Security 2012 (30 days of virus definitions) • Adobe® Reader® • Skype™ for Windows • Evernote® • Intel Small Business Advantage • RapidBoot HDD Accelerator • Symantec™ VIP • Windows Live™ Essentials • Corel® WinDVD® (DVD±RW) • Corel Burn.Now™ Lenovo Edition (DVD±RW) • Corel DVD MovieFactory® Lenovo Edition (DVD±RW)				
Ultrabay	One bay for removable devices, Ultrabay Slim-compatible, 12.7mm high, bottom access														
SATA disk	<i>Some:</i> Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" wide, 7mm high <i>Some:</i> HDD / SATA 3.0Gb/s, 2.5" wide, 7mm or 9.5mm high, Active Protection System™ <i>All:</i> removable, upgradable, supports the second disk, Shock Mounted Hard Drive														
mSATA™ SSD	None														
Widescreen display	<i>Some:</i> <b>15.6"</b> (396mm) <b>HD (1366x768) color</b> , anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio, 60% Gamut <i>Some:</i> <b>15.6"</b> (396mm) <b>HD+ (1600x900) color</b> , anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio, 60% Gamut <i>Some:</i> <b>15.6"</b> (396mm) <b>Full HD (1920x1080) color</b> , anti-glare, LED backlight, 270 nits, 16:9 aspect ratio, 500:1 contrast ratio, 95% Gamut														
Camera	HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus														
Graphics	<b>Intel HD Graphics 3000</b> in processor, supports external analog monitor via VGA DB-15 and digital monitor via Mini DisplayPort; supports dual independent display; <i>Maximum external resolution:</i> 2560x1600@60Hz (DisplayPort via optional Mini DP cable); 1920x1200@60Hz (single-link DVI-I via optional Mini DP cable); 2048x1536@75Hz (VGA)														
Keyboard	6-row, 84-key, ThinkVantage button, spill-resistant, multimedia Fn keys, optional LED backlight														
TrackPoint®	TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass														
Touchpad	UltraNav™, wide touchpad below keyboard, Tap Zones, scrolling, multi-touch														
ThinkLight™	Illuminates the keyboard to improve visibility in low-light conditions														
Dimensions <sup>3</sup>	<i>15.6W" (WxDxH):</i> 14.68" x 9.65" x 1.25-1.40"; 372.8mm x 245.1mm x 31.8-35.6mm														
Weight <sup>2</sup>	<i>6-cell:</i> starting at 5.39 lb (2.45kg); <i>9-cell:</i> starting at 5.76 lb (2.62kg)														
Case material	<i>Display cover:</i> Carbon-fiber / Glass-fiber hybrid; <i>Bottom:</i> Glass-fiber reinforced plastic without paint														
Battery - type	Lithium Ion 6-cell or 9-cell, supports optional Slice battery as 2nd battery, HW Authentication														
Battery - life <sup>10</sup>	<i>6-cell (57Whr):</i> up to 9.1 hr; <i>9-cell (94Whr):</i> up to 15.3 hr; <i>9-cell plus 9-cell Slice battery (94Whr, 0A36304):</i> up to 30.6 hr														
Chipset	<b>Mobile Intel QM77 Express Chipset</b>														
ExpressCard	One slot (ExpressCard/34)														
Smart Card Read	None														
Multicard Reader	4-in-1 reader (MMC, SD, SDHC, SDXC)														
Ports	Two USB 3.0, two USB 2.0 (one powered), VGA DB-15, Mini DisplayPort, ethernet (RJ-45)										Supports ThinkVantage® technologies				
PCIe Mini Card	Two PCI Express Mini Card slots										65-watt AC adapter ThinkPad Roll Cage (one-piece magnesium frame) EPEAT™ Gold rating ENERGY STAR® 5.0-compliant GREENGUARD® certified RoHS-compliant International Warranty Service <sup>17</sup> 24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup>				
PCIe WLAN <sup>4</sup>	11b/g/n, PCIe Half Mini Card, Intel Centrino® Wireless-N 2200, 2x2														
PCIe WWAN	Wireless WAN upgradable														
Carrier	None														
Modem	None														
IEEE 1394	None														
Bluetooth™	None														
Ethernet	Intel 82579LM Gigabit Network Connection (Lewisville), PHY, PCIe x1														
Intel AMT	None														
Audio support	HD Audio, Realtek® ALC3202 codec, Dolby® Advanced Audio™ v2 / stereo speakers, 1W x 2 / volume up, down, mute buttons / dual array mic, mic mute button, combo audio/mic jack														
Security	Power-on password, hard disk password, supervisor password, security keyhole										For compatible accessories, please go to O-T530 sheet;				
Security chip	Trusted Platform Module, TCG 1.2-compliant										For Lenovo service <sup>22</sup> upgrade options, please go to QP-TA sheet				
Fingerprint reader	None														
Limited warranty <sup>12</sup>	<b>1-year</b> - depot repair service / service upgrades <sup>22</sup> available														

See footnotes for more detailed information

© Lenovo  
(KN4i-1) April 2013

# ThinkPad T530 Accessories

## Memory

2GB PC3-12800 DDR3 SODIMM	0A65722	ann 06/05/12
4GB PC3-12800 DDR3 SODIMM	0A65723	ann 06/05/12
8GB PC3-12800 DDR3 SODIMM	0A65724	ann 06/05/12

## Ultrabay Enhanced 12.7mm

Serial ATA Hard Drive 12.7mm Bay Adapter III	0A65623	ann 02/28/12
DVD Burner Ultrabay Enhanced Drive III	0A65625	ann 06/05/12

## Storage and removable storage

ThinkPad 16GB mSATA Solid State Cache Drive	0B47309	ann 12/11/12
500GB 5400rpm SATA 3.0Gb/s 7mm 4K HDD <sup>41</sup>	0A65631	ann 06/05/12
500GB 7200rpm SATA 3.0Gb/s 7mm 4K HDD <sup>41</sup>	0A65632	ann 06/05/12
1TB 5400rpm SATA 3.0Gb/s 9.5mm 4K HDD <sup>41</sup>	0A65633	ann 06/05/12
320GB 7200rpm SATA 3.0Gb/s 7mm 4K HDD <sup>41</sup>	0A65635	ann 06/05/12
320GB 7200rpm SATA 3.0Gb/s 7mm Self Encrypting (SED) OPAL Capable HDD <sup>41</sup>	0A65636	ann 08/21/12
128GB SATA 6.0Gb/s 7mm Solid State Drive <sup>41</sup>	0A65629	ann 06/05/12
180GB SATA 6.0Gb/s 7mm Solid State Drive <sup>41</sup>	0A65630	ann 06/05/12
256GB 2.5" SATA 6.0Gb/s OPAL-capable SSD <sup>41</sup>	0A65620	ann 05/15/12

<sup>41</sup> Can be used as the main HDD or with  
Serial ATA Hard Drive 12.7mm Bay Adapter III 0A65623 in the Ultrabay.

USB 2.0 Portable 500GB Hard Disk	45K1690	ann 05/26/09
USB 3.0 Secure 500GB Hard Drive	0A65619	ann 11/29/11
USB 3.0 Secure 750GB Hard Drive	0A65616	ann 11/29/11
USB 3.0 Secure 1TB Hard Drive	0A65621	ann 08/28/12
Lenovo Slim USB Portable DVD Burner	0A33988	ann 06/14/11

## Wireless WAN (Mini PCI Express)

Only WWAN upgradable models: ThinkPad Gobi™ 3000 Mobile Broadband	0A36185	ann 04/12/11
--	---------	--------------

## ThinkPad Expansion

Lenovo® Essential Notebook Stand	45J9292	ann 05/12/09
ThinkPad Port Replicator Series 3 with USB 3.0 <sup>62</sup>	433615W	ann 06/05/12
ThinkPad Mini Dock Series 3 - 90W	433710U	ann 06/23/09
ThinkPad Mini Dock Series 3 w/ USB 3.0 - 90W <sup>62</sup>	433715U	ann 06/05/12
TP Mini Dock Plus Series 3 w/ USB 3.0 - 90W <sup>62</sup>	433815U	ann 06/05/12
TP Mini Dock Plus Series 3 w/ USB 3.0 - 170W	433835U	ann 06/05/12

<sup>62</sup> Compatible only with dual core models.

## Keyboard

TrackPoint Cap Collection	73P2698	ann 12/16/03
Ultralim Plus Wireless Keyboard and Mouse <sup>52</sup>	0A34032	ann 04/05/11
USB Numeric Keypad	33L3225	ann 05/01/00
Preferred Pro USB Keyboard	73P5220	ann 06/21/05
Enhanced Performance USB Keyboard	73P2620	ann 03/23/04
ThinkPad USB Keyboard with TrackPoint	55Y9003	ann 08/18/09
Lenovo® USB Fingerprint Keyboard	73P4730	ann 02/22/05
Lenovo USB Smartcard Keyboard	51J0155	ann 03/24/09

<sup>52</sup> Wireless via 2.4GHz technology using a micro-size USB receiver.

## Mouse

Lenovo Optical Mouse (USB)	06P4069	ann 05/21/03
Lenovo Laser Mouse (USB)	41U3074	ann 01/23/07
ThinkPad USB Laser Mouse	57Y4635	ann 12/15/09
Lenovo ScrollPoint® Mouse (USB, Optical)	31P7405	ann 08/27/02
ThinkPad Travel Mouse (USB, Optical)	31P7410	ann 06/04/02
ThinkPad Bluetooth Laser Mouse	0A36407	ann 06/26/12
Lenovo Wireless Laser Mouse <sup>52</sup>	0A36188	ann 12/20/11

## Multimedia

ThinkPad In-Ear Headphones with microphone	57Y4488	ann 01/07/10
--	---------	--------------

## Modem

USB 2.0 Lenovo Modem	43R1814	ann 02/26/08
----------------------	---------	--------------

## Security

3M 15.6W Privacy Filter from Lenovo	0A61771	ann 04/05/11
Kensington® MicroSaver® Cable Lock	73P2582	ann 12/29/03
Kensington Twin Head Cable Lock	45K1620	ann 09/30/08
Lenovo Security Cable Lock	57Y4303	ann 08/24/10
USB Gemplus GemPC Smart Card Reader	41N3040	ann 02/21/06

## Batteries

ThinkPad Battery 70+ (6-cell)	0A36302	ann 06/05/12
ThinkPad Battery 70++ (9-cell)	0A36303	ann 06/05/12
ThinkPad Battery 28++ (9 cell, slice) <sup>43</sup>	0A36304	ann 06/05/12

<sup>43</sup> To be used along with system battery for all-day computing; attaches under ThinkPad using docking connector (not supported when using Series 3 Port Replicator or Docks).

ThinkPad External Battery Charger <sup>44</sup>	40Y7625	ann 09/20/05
---	---------	--------------

<sup>44</sup> Requires the *ThinkPad 90W AC Adapter 40Y7659* or the adapter provided with the system.

More information at [www.lenovo.com/alldaycomputing](http://www.lenovo.com/alldaycomputing)

ThinkPad 65W AC Adapter <sup>45, 62</sup>	40Y7696	ann 01/05/06
ThinkPad 90W AC Adapter <sup>62</sup>	40Y7659	ann 09/20/05
ThinkPad 135W AC Adapter	55Y9317	ann 01/07/10
90W Ultralim AC/DC Combo Adapter <sup>62</sup>	41R4493	ann 09/22/09

<sup>45</sup> Only compatible with the integrated graphics models.  
<sup>62</sup> Compatible only with dual core models.

More info at [www.lenovo.com/support/poweradapters](http://www.lenovo.com/support/poweradapters)

Charging tips for 90W Ultralim AC/DC Combo Adapter 41R4493

• iPod and iPhone Charge Tip (L10a)	41R4481	ann 12/18/07
• Generic Micro USB charge tip (L18)	41R4490	ann 01/06/09

More information at [www.lenovopowertips.com](http://www.lenovopowertips.com)

## Carrying Cases

Up to 15.6" widescreen models:

Lenovo Messenger Max	41U5253	ann 05/01/07
Lenovo Performance BackPack	41U5254	ann 05/01/07
ThinkPad Business Topload Case	43R2476	ann 05/13/08
ThinkPad Business Backpack	43R2482	ann 05/13/08
ThinkPad Deluxe Expander Case	43R2478	ann 05/13/08
ThinkPad Executive Leather Case	43R2480	ann 05/13/08
Lenovo Sport Backpack - Red	0A33896	ann 02/28/12
Lenovo Sport Slimcase - Red	0A33897	ann 02/28/12
Lenovo Sport Messenger - Red	0A33898	ann 02/28/12
Lenovo Sport Backpack - Blue	0B47298	ann 08/28/12
Lenovo Sport Slimcase - Blue	0B47300	ann 08/28/12
Lenovo Sport Messenger - Blue	0B47299	ann 08/28/12
Lenovo Sport Backpack - Grey	0B47301	ann 08/28/12
Lenovo Sport Slimcase - Grey	0B47303	ann 08/28/12
Lenovo Sport Messenger - Grey	0B47302	ann 08/28/12

More information at [www.lenovo.com/support/cases](http://www.lenovo.com/support/cases)

## Monitors

ThinkVision LT1952p Wide 19" (VGA, DP, DVI-D) <sup>69</sup>	2448MB6	ann 09/13/11
ThinkVision L2251x Wide 22" (VGA, DP) <sup>69</sup>	2578HB6	ann 10/20/09

<sup>69</sup> DisplayPort cable is not included.

ThinkVision LT1421 Wide 14" Mobile Monitor with Protective Screen Cover (USB 2.0)	1452DS6	ann 08/16/11
ThinkVision LT1421 Wide 14" Mobile Monitor with Protective Case (USB 2.0)	1452DB6	ann 08/16/11

More information at [www.lenovo.com/support/monitors](http://www.lenovo.com/support/monitors)  
[www.lenovo.com/support/thinkpad/optimus-monitors](http://www.lenovo.com/support/thinkpad/optimus-monitors)

## Monitor Accessories<sup>46</sup>

Lenovo USB 3.0 to DVI/VGA Monitor Adapter	0B47072	ann 08/14/12
Lenovo Mini-DisplayPort to VGA Monitor Cable	0A36536	ann 05/17/11
Mini-DisplayPort to Single-link DVI Monitor Cable	0B47090	ann 06/26/12
Mini-DisplayPort to DisplayPort Monitor Cable	0B47091	ann 07/24/12
Lenovo USB Soundbar	0A36190	ann 05/01/12
Kensington MicroSaver Cable Lock	73P2582	ann 12/29/03
Kensington Twin Head Cable Lock	45K1620	ann 09/30/08
Lenovo Security Cable Lock	57Y4303	ann 08/24/10
Lenovo Easy Reach Monitor Stand	55Y9258	ann 09/22/09

<sup>46</sup> Compatible on selected Lenovo and ThinkVision monitors.

More information at [www.lenovo.com/support/monitoraccessories](http://www.lenovo.com/support/monitoraccessories)

For more information on accessories:

[www.lenovo.com/accessories](http://www.lenovo.com/accessories)

Purchase Lenovo accessories

[www.lenovo.com/support/accessories](http://www.lenovo.com/support/accessories)

Product specifications on Lenovo Support

[www.lenovo.com/accessoriesguide](http://www.lenovo.com/accessoriesguide)

Option Compatibility Matrix (OCM) and accessory brochures

[www.lenovoquickpick.com](http://www.lenovoquickpick.com)

An Options Compatibility Configurator for Lenovo systems