

UNITED STATES DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

List of published articles on mineralogy and geochemistry  
for which translations by U.S. Geological Survey members  
are deposited at the USGS Library in Reston, Va.

by

Constance M. Schafer, Constance J. Conte,  
and Michael Fleischer

OPEN-FILE REPORT 82-982

This report is preliminary and has not  
been reviewed for conformity with  
U.S. Geological Survey editorial standards.

1982

## List of Translations

- Abdulkabirova, M.A. (1958) Thorium in some granitic rocks of Kalba and Altai  
Izv. Akad. Nauk Kaz. SSR, Ser. Geol., 1958, no. 2, p. 78-90 (by M. Fleischer)
- Abramovich, I.I. (1960) Rare alkalies in granitic rocks of Tuva  
Zap. Vses. Mineral. O-va., v. 89, p. 577-582 (by M. Fleischer)
- Abramovich, I.I. (1963) Radioactive elements in Lower Paleozoic intrusives of the Kuznetsk Alatau  
Tr. Vses. Nauchno-Issled. Geol. Inst., no. 95, p. 107-114 (by M. Fleischer)
- Afaneseva, E.L., Vyal'sov, L.N., Il'in, N.P. (1972) First occurrence of Lazarevicite in the USSR  
Dokl. Akad. Nauk SSSR, v. 202, p. 169-171 (by M. Fleischer)
- Akimtsev, V.A., Kudrin, B.V. (1976) Primary inclusions in tantalite-columbite from rare-metal pegmatites  
Sovesnich. Molod. Uchen. Mineral., Geokhim. Metod. Issled. Mineral., Tezisy Dokladov, Vladivostok, 1976, p. 34 (by M. Fleischer)
- Aksenov, V.S., Kosiak, E.A., Mergenov, Sh.K., Rafikov, T.K. (1968) The new bismuth telluride  $\text{Bi}_2\text{Te}_5$   
Dokl. Akad. Nauk SSSR, v. 181, no. 2, p. 443-446 (by M. Fleischer)
- Alekin, O.A., Moricheva, N.P. (1956) The saturation of Volga water by calcium carbonate  
Dokl. Akad. Nauk SSSR, v. 109, no. 4, p. 803-806 (by J. Kotcherba, Ill. Geol. Survey)
- Alieva, A.G., Pinsker, Z.G. (1961) Electronographic (electron diffraction) study of structures of phases of composition  $\text{Cu}_3\text{SbS}_4$   
Kristallografiia, v. 6, no. 2, p. 204-209 (by M. Fleischer)
- Amichba, T.A., Dubakina, L.S. (1976) Wolframo-ixiolite in ores of tin-tungsten

deposits of Yakutia

Nov. Mineral. Issled., [Mater. Nauchn. Konf. Mosk. Utd. Vses. Mineral. O-va.], 1st (Sb. Nauchn. Tr. Mosk. Utd. Vses. Mineral. O-va., March), 1974, p. 14-18 (pub. 1976) (by M. Fleischer)

Amirian, Sh.O. (1970) Some considerations on the source of gold-ore mineralization according to data of neutron-activation analysis

Dokl. Akad. Nauk Arm. SSR, 1970, v. 2, p. 110-114 (by M. Fleischer)

Andruschenko, P.F. (1965) Report of conference on basic genetic types and geochemistry of manganese deposits in the USSR

Geol. Rudn. Mestorozhd., v. 7, no. 4, p. 105-108 (by M. Fleischer)

Ankinovich, E.A. (1959) The new vanadium minerals satpaevite and al'vanite

Zap. Vses. Mineral. O-va., v. 88, no. 2, p. 157-164 (by M. Fleischer)

Ankinovich, E.A. (1960) A new vanadium mineral, rusakovite

Zap. Vses. Mineral. O-va., v. 89, p. 440-447 (by M. Fleischer)

Ankinovich, E.A. (1962) A new vanadium mineral, vanalite

Zap. Vses. Mineral. O-va., v. 91, p. 307-314 (by M. Fleischer)

Ankinovich, E.A. (1963) A new vanadium mineral, bokite

Zap. Vses. Mineral. O-va., v. 92, p. 51-59 (by M. Fleischer)

Ankinovich, E.A. (1963) New data on steigerite from southern Kazakhstan

Tr. Inst. Geol. Nauk, Akad. Nauk Kaz. SSR, v. 7, p. 207-217 (1963) (by M. Fleischer)

Ankinovich, E.A., Gekht, I.I., Zaitseva, R.I. (1963) A new variety of cyanotrichite-carbonate-cyanotrichite

Zap. Vses. Mineral. O-va., v. 92, p. 458-463 (by M. Fleischer)

Ankinovich, E.A., Vileshina, G.L., Gekht, I.I. (1963) Volborthite from the vanadiferous shales of the Middle Cambrian of Kazakhstan

Vestn. Akad. Nauk Kaz. SSR, 1963, no. 5, p. 54-67 (by M. Fleischer)

- Ankinovich, S.G., Ankinovich, E.A., Rozhdestvenskaia, I.V., Frank-Kamenetskii, V.A. (1972) Chernykhite, a new barium-vanadium mica from northwestern Karatau  
Zap. Vses. Mineral. O-va., v. 101, p. 451-458 (by M. Fleischer)
- Anosov, V.V., Lebedev-Zinov'ev, A.A., Egorov, D.B. (1969) Distribution of uranium, thorium and potassium in the Dal'nensk intrusive of potassic granitic rocks, northern Kazakhstan  
Izv. Akad. Nauk SSSR, Ser. Geol., 1969, no. 12, 60-68
- Arkhangelskaia, A.D., Kopchenova, E.D. (1934) In reference to dependence of chemical composition of sedimentary iron ores on conditions of their formation  
Byull. Mosk. O-va. Ispyt. Prir., Otd. Geol., v. 12, no. 2, p. 263-277 (by V.P. Sokoloff)
- Arkhangelskaia, V.V., Rozov, B.S., Bykovskii, L.Z., Chetyrobskaia, I.I. (1963) New forms of scandium-bearing raw materials  
Kazved. Okhr. Nedr, 1963, no. 6, p. 9-14 (by M. Fleischer)
- Arhipchuk, R.L., Rosiknina, A.I. (1969) Conditions of formation of the formation of the fluorite mineralization of western Transbaikal from data of mineral thermometry  
Geol. Rudn. Mestorozhd., v. 11, no. 5, p. 110-113 (by M. Fleischer)
- Arnautov, N.V., Bazarov, L.Sh., Dolgov, Iu.A., Kireev, A.D., Tiuleneva, L.S., Shugurova, N.A. (1965) The character of the changes of the composition of solutions in the process of formation of fluorite-bearing chambered pegmatites  
Dokl. Akad. Nauk SSSR, v. 164, no. 5, p. 1147-1150 (by M. Fleischer)
- Atrashenok, L.Ia., Krylov, A.Ia. (1963) Radioactive equilibrium in rocks of eastern Antarctica

- Radiokhimiia, v. 5, no. 2, p. 170-172 (by M. Fleischer)
- Azimov, P.T., Khamrabaev, I.Kh. (1965) Distribution of rare-earth elements in rocks and minerals of the Aktau intrusive  
Uzb. Geol. Zh., 1965, no. 5, p. 28-36 (by M. Fleischer)
- Azimov, P.T., Kharambaev, I.Kh (1966) The distribution of niobium and tantalum in granitic rock of the Aktau intrusive (western Uzbekistan) Uzb. Geol. Zh., 1966, no. 3, p. 39-44 (by M. Fleischer)
- Badalov, S.T. (1961) The geochemistry of rhenium in the Almalyk copper-molybdenum deposits  
Renii, Tr. Vses. Soveshch. Probl. Renia (May 26-27), 1958 (pub. 1961), p. 32-36 (by M. Fleischer)
- Badalov, S.T. (1966) On one of the criteria for the separation of geochemical provinces of rare elements  
Uzb. Geol. Zh., 1966, no. 4, p. 51-55 (by M. Fleischer)
- Badalov, S.T., Kalinin, S.K., Terekhovich, S.L., Turesbekov, A. (1970) The distribution of platinum and palladium in the syenite-diorite massif of the Almalyk ore region  
Uzb. Geol. Zh., 1970, v. 6, p. 44-47 (by M. Fleischer)
- Badalov, S.T., Ruzmatov, S. (1960) The geochemistry of selenium and tellurium in the Almalyk ore deposit  
Tr., Inst. Mineral., Geokhim. Kristallokim. Redk. Elem., Akad. Nauk SSSR, v. 4, p. 24-27 (by M. Fleischer)
- Badalov, S.T., Terekhovich, S.L. (1966) Geochemistry of the platinum group in the Almalyk ore region  
Dokl. Akad. Nauk Uzb. SSR, v. 168, no. 6, p. 1397-1399 (by M. Fleischer)
- Bakumenko, I.T., Kolyago, S.S., Sobolev, V.S. (1967) The problem of the interpretation of thermometric studies of vitreous inclusions in minerals

- and the first check results on artificial inclusions  
Dokl. Akad. Nauk SSSR, v. 175, p. 1127-1130 (by M. Fleischer)
- Balabonin, N.L., Voloshin, A.V., Pakhomovskii, Ia.A., Polyakov, K.I. (1980)  
Composition of djerfisherite from alkaline complexes of the Kola Peninsula  
Mineral. Zh., v. 2, no. 1, p. 90-99 (by M. Fleischer)
- Balashov, Iu.A. (1960) The lanthanum maximum of the rare earths in  
lamprophyllite  
Geokhimiia, 1960, no. 7, p. 618-623 (by M. Fleischer)
- Balashov, Iu.A. (1965) Analogies of the distribution of rare-earth elements in  
meteorites and in rocks of the Earth's crust  
Probl. Geokhim. (Vinogradov Vol.), 1965, p. 81-90 (by M. Fleischer)
- Balashov, Iu.A., Dorfman, M.D., Turanskaia, N.V. (1965) The separation of  
cerium from rare-earth elements during the weathering of eudialyte  
Tr. Mineral. Muz., Akad. Nauk SSSR, v. 16, p. 205-208 (by M. Fleischer)
- Balashov, Iu.A., Kazakov, G.A. (1968) The source of the rare-earth elements in  
glaucophanes of the Pacific Ocean  
Dokl. Akad. Nauk SSSR, v. 179, p. 440-442 (by M. Fleischer)
- Balitskii, U.S., Samoilovich, M.I., Noyozhilov, A.I., Stupakov, G.P. (1966)  
The influence of temperature conditions of quartz on the content of the  
structural aluminum impurity  
Mineral. Sb., Lvov Gos. Univ., no. 20, p. 430-434 (by M. Fleischer)
- Baranov, G.M., Smyslov, A.A., Kharlamov, M.G. (1963) Content of radioactive  
elements in intrusive rocks of the Selety-Korzhunkol'skii region of  
Central Kazakhstan  
Tr. Vses. Nauchno-Issled. Geol. Inst., no. 95, p. 61-69 (by M. Fleischer)
- Baranov, V.I., Ronov, A.B., Kunasheva, K.G. (1956) The geochemistry of  
dispersed thorium and uranium in clays and carbonate rock of the Russian

platform

Geokhimiia, 1956, no. 3, p. 3-8 (by V.P. Sokoloff)

Barsukov, V.L., Kuril'chikova, G.E. (1957) The boron content of serpentinites

Geokhimiia, 1957, no. 5, p. 389-391 (by M. Fleischer)

Barsukov, V.L., Pavlenko, L.I. (1956) The distribution of tin in granitoidal rocks

Dokl. Akad. Nauk SSSR, v. 109, no. 3, p. 589-592 (by M. Fleischer)

Basharina, L.A. (1958) Aqueous extracts of ash, and gases of the ash clouds of the Bezmyanny Volcano

Byull. Vulkanol. Stn., Akad. Nauk SSSR, no. 27, p. 38-42 (by M. Fleischer)

Basharina, L.A. (1958) Fumarolic gases of the Volcanoes Klyuchevsky and Sheveluch

Tr. Lab. Vulkanol., Akad. Nauk SSSR, v. 13, p. 155-159 (by M. Fleischer)

Basina, V.A., Kashaev, A.A., Tarasova, T.B. (1981) A mineral of the erlichmanite-laurite series from a placer of the Far East

Mineral. Zh., v. 3, no. 1, p. 97-98 (by M. Fleischer)

Basitova, S.M. (1961) The occurrence of rhenium in molybdenites

Renii, Tr. Vses. Soveshch. Probl. Reniia (May 26-27), 1958 (pub. 1961), p. 7-11 (by M. Fleischer)

Baskova, Z.A., Novikov, O.I. (1957) The evolution of small amounts of land by a reducing calcination in vacuum

Geokhimiia, 1957, no. 7, p. 580-583 (by Leonard Shapiro)

Batulin, S.G. (1962) Some features of the geochemistry of uranium in seas and lakes

Tr. Inst. Geol. Rudn. Mestorozhd., Petrogr., Mineral. Geokhim., Akad. Nauk SSSR, no. 70, p. 15-19 (by M. Fleischer)

Baturin, G.N., Bliskovskii, V.Z., Mineev, D.A. (1972) Rare-earth elements in

- phosphorites from ocean bottoms  
 Dokl. Akad. Nauk SSSR, v. 207, p. 954-957 (by M. Fleischer)
- Baturin, G.N., Dubinchuk, V.T. (1978) The forms of uranium in oceanic phosphorites  
 Okeanologiya (Moscow), v. 18, no. 6, p. 1036-1041 (by M. Fleischer)
- Baulina, M.V. (1976) Conditions of formation of the Tagarsk iron-ore deposit  
 Soveshch. Molod. Uchen. Mineral., Geokhim. Metod. Issled. Mineral., Tezisy Dokladov, Vladivostok, 1976, p. 30-31 (by M. Fleischer)
- Bazarov, L.Sh. (1965) Changes of temperature and pressure of the process of formation of a fluorite-bearing pegmatite  
 Dokl. Akad. Nauk SSSR, v. 165, no. 4, p. 915-917 (by M. Fleischer)
- Bazarov, L.Sh., Motorina, I.V. (1967) Determination of the composition of solutions in individual multiphase inclusions by the method of freezing  
 Dokl. Akad. Nauk SSSR, v. 176, p. 1385-1387 (by M. Fleischer)
- Begizov, V.D., Batashev, E.V. (1978) Platinoid minerals of the Lukhulaisvaara massif  
 Dokl. Akad. Nauk SSSR, v. 243, p. 1265-1278 (by M. Fleischer)
- Begizov, V.D., Borisenko, L.F., Uskov, E.D. (1975) Sulfides and natural solid solutions of platinoids from the ultrabasites of the Gusevogor massif, Urals  
 Dokl. Akad. Nauk SSSR, v. 225, p. 1408-1411 (by M. Fleischer)
- Begizov, V.D., Meshchankina, V.I., Dubakina, L.S. (1974) Palladoarsenide,  $Pd_2As$ , a new natural palladium arsenide from the copper-nickel ores of the Uktyabr deposits  
 Zap. Vses. Mineral. O-va., v. 103, p. 104-107 (by M. Fleischer)
- Begizov, V.D., Zav'ialov, E.N., Pavlov, E.G. (1982) New data on taimyrite,  $(Pd,Cu,Pt)_3Sn$ , from copper-nickel ores of the Talnakh deposit



- Zap. Vses. Mineral. O-va., v. 111, p. 78-83 (by M. Fleischer)
- Begizov, V.D., Zaval'yov, E.N., Pavlov, E.G. (1981) Palarstanide  
 $Pd_8(Sn,As)_3$ , a new mineral  
 Zap. Vses. Mineral. O-va., v. 110, p. 487-492 (by M. Fleischer)
- Bekbotaev, A.T. (1971) Thorium and uranium in alkalic rocks of the Karasyr  
 massif, Nygodzher  
 Izv. Akad. Nauk Kaz. SSR, Ser. Geol., 1971, v. 5, p. 72-74 (by M.  
 Fleischer)
- Beliaev, Iu.I., Mikhailova, G.V. (1955) Experiment in utilizing color  
 photography for the interpretation of spectra obtained by diffraction  
 grating spectrographs  
 Dokl. Akad. Nauk SSSR, v. 104, p. 38-39 (by W. Nichiporuk, Calif. Inst.  
 Tech.)
- Beliakov, A.Iu., Kravchenko, S.M. (1979) Composition of the rare earths of  
 apatite, an indicator of the alkalinity and genesis of comagmatic series  
 Dokl. Akad. Nauk SSSR, v. 248, p. 1216-1220 (by M. Fleischer)
- Beliankin, D.S., Lapin, V.V. (1943) On the mineralogy of the Uralian manganese  
 ores  
 Zap. Vses. Mineral. O-va., v. 72, no. 3-4, p. 161-166 (by M. Fleischer)
- Bel'kov, I.V., Kolesnikov, N.N. (1967) The ratio zirconia to hafnia in  
 granites of the kola Peninsula  
 Mater. Mineral. Kol'sk. Poluostrova, no. 5, p. 115-118 (by M. Fleischer)
- Belov, N.V. (1959) Developed formulas of beryl  
 Geokhimiia, 1959, no. 8, p. 734-736 (by M. Fleischer)
- Belov, N.V. (1959) On the calciotalc of D.P. Serdyuchenko  
 Zap. Vses. Mineral. O-va., v. 88, p. 305-308 (by M. Fleischer)
- Belova, L.N. (1958) Arsenuranylite--the arsenic analogue of phosphuranylite

- Zap. Vses. Mineral. O-va., v. 87, p. 598-602 (by M. Fleischer)
- Belova, L.N., Boyarskaia, R.V. (1979) Two crystalline phases of schoepite, or schoepite and paraschoepite (?)  
Izv. Akad. Nauk SSSR, Ser. Geol., 1979, no. 7, p. 140-142 (by M. Fleischer)
- Berzina, A.P., Sotnikov, V.I. (1965) Some data on the temperatures and pressures during the formation of the Sorsk deposits  
Dokl. Akad. Nauk SSSR, v. 163, no. 1, p. 179-182 (by M. Fleischer)
- Berzina, I.G., Maksimova, I.G., Tishkin, A.I. (1979) Rare and radioactive minor elements in apatites from carbonate rocks of Archean age  
Izv. Akad. Nauk SSSR, Ser. Geol., 1979, no. 6, p. 90-96 (by M. Fleischer)
- Betekhtin, A.G. (1937) A new mineral species of the group of hydrous manganese oxides  
Zap. Vses. Mineral. O-va., v. 66, no. 4, p. 703-712 (by M. Fleischer)
- Beus, A.A. (1953) On the isomorphism of beryllium in connection with its dispersion and concentration  
Dokl. Akad. Nauk SSSR, v. 90, p. 425-428 (by M. Fleischer)
- Beus, A.A. (1959) The position of the alkali metals in the structure of beryl  
Geokhimiia, 1959, no. 3, p. 278-281 (by M. Fleischer)
- Beus, A.A. (1959) The relations among the contents of lithium, sodium and cesium in alkali beryls  
Geokhimiia, 1959, no. 8, p. 731-733 (by M. Fleischer)
- Beus, A.A., Fedorchuk, S.N. (1955) The clarkes of beryllium in granitic pegmatites  
Dokl. Akad. Nauk SSSR, v. 104, p. 108-111 (by M. Fleischer)
- Beus, A.A., Sazhina, L.I. (1956) The clarkes of beryllium in acid magmatic rocks of USSR

- Dokl. Akad. Nauk SSSR, v. 109, p. 807-810 (by M. Fleischer)
- Beus, A.A., Sitnin, A.A. (1967) Geochemical features of the Kukulbeish granitic intrusive complex in eastern Transbaikal  
Sov. Geol., 1967, no. 9, p. 104-109 (by M. Fleischer)
- Bezmen, N.I., Smolyarova, T.A. (1976) The enthalpy of formation of monoclinic pyrrhotite and its stability in the system Fe-S  
Geol. Rudn. Mestorozhd., 1976, no. 1, p. 115-120 (by M. Fleischer)
- Bezsmertnaia, M.S., Soboleva, L.N. (1965) Volynskite, a new telluride of bismuth and silver  
Eksp.-Metod. Issled. Rudn. Miner., 1965, p. 129-141 (by M. Fleischer)
- Bibikova, V.I. (1946) Rhenium in the dusts of the molybdenum works of the Balkhash Plant  
Tsvetn. Metall., v. 19, no. 4, p. 44-48 (by M. Fleischer)
- Blazko, L.N., Kondrat'eva, V.V., Yarzhemskii, Ia.Ia. (1962) Aksaite, a new hydrous magnesium borate  
Zap. Vses. Mineral. O-va., v. 91, p. 447-454 (by M. Fleischer)
- Bliskovskii, V.Z., Mineev, D.A., Kholodov, V.N. (1969) The composition of lanthanides in phosphorites  
Dokl. Akad. Nauk SSSR, v. 186, no. 4, p. 932-935 (by M. Fleischer)
- Blokh, A.M. (1961) Rare earths in remains of Paleozoic fishes of the Russian platform  
Geokhimiia, 1961, no. 5, p. 390-400 (by M. Fleischer)
- Bobkov, N.A., Kazitsyn, Iu.V. (1951) The new mineral magnalumoxide  
Zap. Vses. Mineral. O-va., v. 80, p. 108-121 (by V.L. Skitsky)
- Bocharov, V.M., Khalturina, I.I., Avrova, N.P., Shipovalov, Iu.V. (1969) The new mineral satimolite, a hydrous chlorine-containing borate of aluminum and alkalies

- Tr. Mineral. Muz., Akad. Nauk SSSR, v. 19, p. 121-125 (by M. Fleischer)
- Bogomolov, M.A., Nikitina, I.B., Pertsev, N.N. (1969) Olshanskyite, a new mineral  
Dokl. Akad. Nauk SSSR, v. 184, no. 6, p. 1398-1401 (by M. Fleischer)
- Borisenko, L.F. (1957) The geochemistry of scandium  
Tr. Inst. Mineral., Geokhim., Kristalloghim., Redk. Elementov, v. 1, p. 14-22 (by M. Fleischer)
- Borisenko, L.F. (1959) Scandium in deposits of various genetic types  
Izv. Akad. Nauk SSSR, Ser. Geol., 1959, no. 4, p. 53-60 (by M. Fleischer)
- Borisenko, L.F. (1959) The distribution of scandium in igneous rocks on the example of some massifs of the Soviet Union  
Geokhimiia, 1959, no. 7, p. 623-627 (by M. Fleischer)
- Borisenko, L.F. (1972) The new mineral shcherbinaite  
Zap. Vses. Mineral. Obshch., v. 101, p. 464 (by M. Fleischer)
- Borisenko, L.F., Delitsin, L.M. (1965) Scandium in minerals of hyperbasites of the Tagilo-Baranchinsk massif, Urals  
Tr. Mineral. Muz., Akad. Nauk SSSR, no. 16, p. 45-56 (by M. Fleischer)
- Borisenko, L.F., Kaganovich, S.Ia. (1961) Scandium in different forms of mineral raw materials  
Tsvetn. Metall., v. 34, no. 7, p. 61-64 (by M. Fleischer)
- Borisenko, L.F., Komissarova, L.N. (1960) Scandium in minerals of the wolframite group  
Dokl. Akad. Nauk SSSR, v. 135, p. 430-433 (by M. Fleischer)
- Borisenko, L.F., Maksimova, N.V., Kazakova, M.E. (1969) Scandian ixiolite, a new variety of tantalate-niobate of composition  $(A,B)_n O_{2n}$   
Dokl. Akad. Nauk SSSR, no. 189, p. 619-622 (by M. Fleischer)
- Borisenko, L.F., Rodionov, D.A. (1961) The distribution of scandium in

intrusive rocks

Geokhimiia, 1961, no. 9, p. 765-770 (by M. Fleischer)

Borisenko, L.F., Serafimova, E.K., Kazakova, M.E., Shumyatskaia, N.G. (1970)

First find of crystalline  $V_2O_5$  in the products of volcanic eruption  
in Kamchatka

Dokl. Akad. Nauk SSSR, v. 193, no. 3, p. 683-686 (by M. Fleischer)

Borisenko, L.F., Shcherbina, V.V. (1960) The geochemistry of scandium

Mezhdunarod. Geol. Kongress, 21-ya [Dvadtsat Pervaya] Sessiya, Dokl.

Sovet. Geologov, Problema 1 (Int. Geol. Congress, 21st Session, Pap. Sov.

Geol., Pt. I, Geochem. Cycles), 1960, p. 84-92 (by M. Fleischer)

Borisenko, L.F., Zhuravlev, L.T., Sosnovskaia, L.I. (1961) The correlation

between the average contents of scandium and certain rock-forming  
elements in intrusive rocks

Dokl. Akad. Nauk SSSR, v. 138, p. 203-206 (by M. Fleischer)

Borneman-Starynkevich, I.D., Rudnitskaia, E.S., Loseva, T.I., Amelina, V.S.

(1976) Once again, wolframo-ixiolite

Nov. Mineral. Issled., [Mater. Nauchn. Konf. Mosk. Otd. Vses. Mineral.

O-va.], 1st (Sb. Nauchn. Tr. Mosk. Otd. Vses. Mineral. O-va., March),

1974, p. 25-28 (pub. 1976) (by M. Fleischer)

Borodaev, Iu.S., Mozgova, N.N., Ozerova, N.A., Bornikova, N.S., Oivanen, P.,

Iletuinen, V. (1981) Pääkkonenite,  $Sb_2AsS_2$ , a new mineral from  
Seinäjäoki ore region, Finland

Zap. Vses. Mineral. O-va., v. 110, p. 480-487 (by M. Fleischer)


Borodaev, Iu.S., Sveshnikova, O.L., Mozgova, N.N. (1971) The inhomogeneity of

ramdohrite

Dokl. Akad. Nauk SSSR, v. 199, p. 1138-1141 (by M. Fleischer)

Borodin, L.S. (1955) On mineral-indicators of niobium in nepheline syenites

- Dokl. Akad. Nauk SSSR, v. 103, no. 6, p. 865-866 (by M. Fleischer)
- Borodin, L.S. (1955) Some characteristics of the concentration of niobium in nepheline syenites
- Dokl. Akad. Nauk SSSR, v. 103, p. 1061-1063 (by M. Fleischer)
- Borodin, L.S. (1956) On the distribution of beryllium in the Khibina alkaline massif and on the content of beryllium in nepheline syenites
- Dokl. Akad. Nauk SSSR, v. 109, no. 4, p. 811-812 (by M. Fleischer)
- Borodin, L.S. (1962) Some basic problems of the geochemistry of the rare earths
- Tr., Inst. Mineral., Geokhim. Kristallogim. Redk. Elem., Akad. Nauk SSSR, v. 9, p. 94-124 (by M. Fleischer)
- Borodin, L.S., Bykova, A.V. (1961) Zirconium-bearing schorlonite
- Dokl. Akad. Nauk SSSR, v. 141, no. 6, p. 1454-1456 (by M. Fleischer)
- Borodin, L.S., Bykova, A.V., Kapitonova, T.A., Pyatenko, Iu.A. (1960) New data on zirconolite and its niobian variety
- Dokl. Akad. Nauk SSSR, v. 134, no. 5, p. 1188-1191 (by M. Fleischer)
- Borodin, L.S., Kazakova, M.E. (1954) Belovite, a new mineral from an alkaline pegmatite
- Dokl. Akad. Nauk SSSR, v. 96, p. 613-616 (by M. Fleischer)
- Borodin, L.S., Nazarenko, I.I., Richter, T.L. (1956) The new mineral zirconolite - a complex oxide of the  $AB_3O_7$  type
- Dokl. Akad. Nauk SSSR, v. 110, no. 5, p. 845-848 (by M. Fleischer)
- Borovskii, I.B., Deev, A.N., Marchukova, I.D. (1959) Application of the method of local x-ray spectrographic analysis to the study of minerals of the platinum group
- Geol. Rudn. Mestorozhd., 1959, no. 6, p. 68-75 (by M. Fleischer)
- Botvinkin, O.K., Popova, T.A. (1937) Diagram of fusibility of the system



Tr. Soveshch. po Eksp. Mineral. i Petrogr., 2nd, Moscow (Trans. 2nd Conf. Exper. Mineral., Acad. Sci. USSR), May 7-10, 1936 (pub. 1937), p. 87-93  
(by V.L. Skitsky)

Bratus, M.D., Stasyuk, Z.V., Panchishin, R.S. (1968) Determination of the composition of individual inclusions in quartz from pegmatite by the omegation mass-spectrometer

Dokl. Akad. Nauk SSSR, v. 183, p. 928-930 (by M. Fleischer)

Bruevich, S.V. (1953) On the geochemistry of silicon in the sea

Izv. Akad. Nauk SSSR, Ser. Geol., 1953, no. 4, p. 67-79 (by V.L. Skitsky)

Bud'ko, I.A., Kulayov, E.A. (1968) The new mineral talnakhite - a cubic variety of chalcopyrite

Zap. Vses. Mineral. O-va., v. 97, p. 63 (by M. Fleischer)

Budanov, V.I. (1963) The origin of rapakivi in geosynclinal regions (using the rapakivi of the Dzhamaksk intrusive, Pamir, as an example)

Dokl. Akad. Nauk SSSR, v. 151, no. 6, p. 1395-1398 (by M. Fleischer)

Buialov, N.I., Shviraeva, A.M. (1955) Geobotanical methods for geological investigation

Tr. Vses. Aero-geol. Tresta, no. 1 (Trans. All-Union Aero-Geol. Trust), p. 135-146 (p. 206-222 in trans.) (by G. Hughes)

Bulakh, A.G. (1961) Rare-metal carbonatites of the Sebl'Yavr massif, Kola Peninsula

Mater. Vses. Nauchno-Issled. Geol. Inst., no. 45 (Mineral. Sb., no. 2), p. 3-14 (by M. Fleischer)

Bulakh, A.G. (1973) Introduction of corrections for impurities in the measured specific gravity of minerals

Zap. Vses. Mineral. O-va., v. 102, p. 364-366 (by M. Fleischer)

- Bulakh, A.G., Kondrat'eva, V.V., Baranova, E.N. (1961) Carbocernaite, a new rare earth carbonate  
 Zap. Vses. Mineral. O-va., v. 90, p. 42-49 (by M. Fleischer)
- Bulanova, G.P., Shestakova, O.E., Leskova, N.V. (1980) Djerfisherite in sulfide inclusions of diamond  
 Dokl. Akad. Nauk SSSR, v. 255, p. 430-433 (1980) (by M. Fleischer)
- Bur'ianova, E.Z. (1958) A new hydrous uranium silicate-bilibinite  
 Zap. Vses. Mineral. O-va., v. 87, no. 6, p. 667-674 (by M. Fleischer)
- Bur'ianova, E.Z., Komkov, A.I. (1955) A new mineral, ferroselite  
 Dokl. Akad. Nauk SSSR, v. 105, no. 4, p. 812-813 (by M. Fleischer)
- Bur'ianova, E.Z., Kovalev, G.A., Komkov, A.I. (1957) The new mineral cadmoselite  
 Zap. Vses. Mineral. O-va., v. 86, no. 5, p. 626-628 (by M. Fleischer)
- Bur'ianova, E.Z., Strokova, G.S., Shitov, V.A. (1965) Vanuranylite, a new mineral  
 Zap. Vses. Mineral. O-va., v. 94, p. 437-443 (by M. Fleischer)
- Burkov, V.V., Podporina, E.K. (1965) Rare elements in kimberlitic rocks  
 Dokl. Akad. Nauk SSSR, v. 163, p. 197-200 (by M. Fleischer)
- Burkov, V.V., Podporina, E.K. (1967) Rare earths in the crusts of weathering of granitic rocks  
 Dokl. Akad. Nauk SSSR, v. 177, p. 691-694 (by M. Fleischer)
- Bussen, I.V., Denisov, A.P., Zabavnikova, N.I., Kozyreva, L.V., Men'shikov, Iu.P., Lipatova, E.A. (1973) Vuonnemite, a new mineral  
 Zap. Vses. mineral. O-va., v. 102, p. 423-426 (by M. Fleischer)
- Bussen, I.V., Gannibal, L.F., Goiko, E.A., Merkov, A.N., Nedorezova, A.P. (1972) Ilmajokite, a new mineral from the Lovozero Tundra  
 Zap. Vses. Mineral. O-va., v. 101, p. 75-79 (by M. Fleischer)



- Bussen, I.V., Men'shikov, Iu.P., Mer'kov, A.N., Nedorezova, A.P., Uspenskaia, E.I., Khomiakov, A.P. (1974) Penkvilksite, a new hydrous silicate of titanium and sodium  
Dokl. Akad. Nauk SSSR, v. 217, p. 1161-1164 (by M. Fleischer)
- Buturlinov, N.V., Latysh, I.K. (1970) Gold and silver in magmatic rocks of the Donets Basin  
Geol. Zh. (Russ. Ed.), v. 30, no. 5, 69-75 (by M. Fleischer)
- Butuzov, V.P., Ikornikova, N.Iu. (1955) Liquid inclusions in artificial quartz  
Dokl. Akad. Nauk SSSR, v. 104, p. 76-77 (by V.P. Sokoloff)
- Bykov, A.D. (1964) Proarizonite as a secondary mineral of the supergene alteration of ilmenite  
Dokl. Akad. Nauk SSSR, v. 156, p. 567-570 (by M. Fleischer)
- Unaikina, M.V., Nikol'skaia, Iu.P. (1970) Distribution of minor elements in Siberian phosphorites  
Geol. Geofiz., 1970, no. 2, p. 132-137 (by M. Fleischer)
- Chang, P'ei-Shan (1962) Huanhite and the series bastnaesite-beta-BaCO<sub>3</sub>  
Sci. Sin., v. 11, no. 2, p. 251-258 (1962) (in Russian) (by M. Fleischer)
- Chang, P'ei-Shan (1963) Dimorphism and isomorphism in the system  
CeNbTiO<sub>6</sub>-YNbTiO<sub>6</sub>  
Sci. Sin., v. 12, no. 2, p. 237-243 (in Russian) (by M. Fleischer)
- Chaska, A.I., Marchenko, E.Ia. (1976) A new rare-earth niobate from carbonatites  
Geol. Geofiz., 1976, no. 4, p. 141-143 (by M. Fleischer)
- Chentsov, I.G. (1956) The form of entry of uranium into phosphate rock  
At. Energ., 1956, no. 5, p. 113-114 (by V.P. Sokoloff)
- Chentsov, I.G. (1959) Selenium in some Paleogene sediments of Central Asia  
Tr. Inst. Geol. Rudn. Mestorozhd., Petrogr., Mineral. Geokhim., Akad.

- Nauk SSSR, v. 28, p. 83-89 (by M. Fleischer)
- Chentsov, I.G. (1959) The entry of uranium into some rock-forming minerals  
Tr. Inst. Geol. Rudn. Mestorozhd., Petrogr., Mineral. Geokhim., Akad.  
Nauk SSSR, v. 28, p. 142-147 (by M. Fleischer)
- Chepizhnyi, K.I. (1964) Scandium in minerals from deposits of rock crystal in  
the near-Polar Urals  
Dokl. Akad. Nauk SSSR, v. 156, no. 3, p. 582-585 (by M. Fleischer)
- Chernikov, A.A., Krutetskaia, O.V., Organov, N.I. (1957) Sodium-autunite  
At. Energ., v. 3, p. 135-140 (by M. Fleischer)
- Chernikov, A.A., Pokrovskaiia, T.L., Nesterova, Iu.S., Organova, N.I. (1960)  
Uranium-containing wulfenite  
Zap. Vses. Mineral. O-va., v. 89, p. 180-186 (by M. Fleischer)
- Chernikov, A.A., Shashkin, D.P., Gavrilova, I.N. (1975) Sodium boltwoodite  
Dokl. Akad. Nauk SSSR, v. 221, p. 195-197 (by M. Fleischer)
- Chernikov, A.A., Sidorenko, G.A. (1978) New data on the minerals named  
phosphuranylite, phosphurancalcilite and the phosphate analogue of  
troegerite  
Miner. Paragenizisy Mineralov., 1978, p. 168-174 (by M. Fleischer)
- Chernikov, A.A., Sidorenko, G.A., Valueva, A.A. (1977) New data on the  
minerals of the uranyl group ursilite-weeksite  
Zap. Vses. Mineral. O-va., v. 106, p. 553-564 (by M. Fleischer)
- Cherviakovskii, S.G., Cherviakovskaia, V.V. (1974) Lanthanides as an indicator  
of physico-chemical conditions of formation of rocks, rock-forming  
minerals, and accessory minerals  
Ezhey., Inst. Geol. Geokhim., Akad. Nauk SSSR, Ural. Nauchn. Tsentr, 1973  
(pub. 1974), p. 113-115 (by M. Fleischer)
- Chetyrbotskaia, I.I. (1966) Tantalum-bearing capacity of wolframites and

cassiterites

Geol. Rudn. Mestorozhd., v. 8, no. 3, p. 15-30 (by M. Fleischer)

Chetyrbotskaia, I.I. (1967) Features of the distribution of Ta, Nb, and Sc in wolframites

Mineral. Geokhim. Vol'framitovykh Mestorozhd., Tr. Vses. Soveshch., 1st, 1965 (pub. 1967), p. 112-129 (by M. Fleischer)

Ch'ien, Tzu-Ch'iang, Ch'en, Shu-Chen (1965) Preliminary results of study of a new borate mineral, hydrochlorborite,  $\text{Ca}_4\text{B}_8\text{O}_{15}\text{Cl}_2 \cdot 22\text{H}_2\text{O}$   
Sci. Sin., v. 14, p. 945-946 (in Russian) (by M. Fleischer)

Chistiakova, M.B., Moleva, V.A., Razmanova, Z.P. (1966) The first find of bazzite in the USSR

Dokl. Akad. Nauk SSSR, v. 169, p. 1421-1424 (1966) (by M. Fleischer)

Ch'u, I-Hua; Han, Yu-T'ien; Ch'ien, Tzu-Ch'iang; Liu, Lai-Pao; Min, Ling-Sheng (1965) The occurrences in China of a new hydrous magnesium borate-trigonomagneborite

Sci. Sin., v. 14, no. 8, p. 1246-1248 (in Russian) (by M. Fleischer)

Ch'u, I-Hua; Hsieh, Hsien-Te; Ch'ien, Tzu-Ch'iang; Liu, Lai-Pao (1964) Occurrence of a new hydrous borate - hunchaoite,  $\text{MgO} \cdot 2\text{B}_2\text{O}_3 \cdot 9\text{H}_2\text{O}$ , in China

Sci. Sin., v. 13, no. 3, p. 525-527 (in Russian) (by M. Fleischer)

Chukhrov, F.V. (1947) Migration of gold in the zone of oxidation

Izv. Akad. Nauk SSSR, Ser. Geol., 1947, no. 4, p. 117-125 (by M. Fleischer)

Chukhrov, F.V. (ed.) (1978) Sulfides

In Mineralogija Khibinskogo Massiva: Moscow, "Nauka," v.2, Mineraly, p. 363-396 (1978) (by M. Fleischer)

Chukhrov, F.V., Anosov, F.Ia. (1950) Medmonite, a copper-bearing mineral of

the montmorillonite group

Zap. Vses. Mineral. O-va., v. 79, p. 23-27 (by V.L. Skitsky)

Chukhrov, F.V., Berkhin, S.I., Moleva, V.A. (1960) The copper-bearing clay minerals

Dokl. Sobr. Mezhdunar. Kom. Izuch. Glin (Acad. Sci. USSR, Comm. Study Clays, Rep. to Meeting Int. Comm. Study Clays), 1960, p. 29-44

Chukhrov, F.V., Gorshkov, A.I., Berezovskaia, V.V., Sivtsov, A.V. (1982) Mineralogy of lake ores

Izv. Akad. Nauk SSSR, Ser. Geol., 1982, no. 4, p. 55-59 (by M. Fleischer)

Chukhrov, F.V., Gorshkov, A.I., Ermilova, L.P., Berezovskaia, V.V., Sivtsov, A.V. (1981) Mineral forms of occurrence of manganese and iron in oceanic sediments

Izv. Akad. Nauk SSSR, Ser. Geol., 1981, no. 4, p. 5-21 (by M. Fleischer)

Chukhrov, F.V., Gorshkov, A.I., Rudnitskaia, E.S., Berezovskaia, V.V., Sivtsov, A.V. (1978) On vernadite

Izv. Akad. Nauk SSSR, Ser. Geol., 1978, no. 6, p. 5-19 (by M. Fleischer)

Chukhrov, F.V., Gorshkov, A.I., Rudnitskaia, E.S., Berezovskaia, V.V., Sivtsov, A.V. (1980) New data on supergene manganese oxides

Dokembr., Dokl. Sov. Geol., Mezhdunar. Geol. Kongr., 26th (Akad. Nauk SSSR, Int. Geol. Congress, Paris, Rep. Soviet Geologists, Geochem. Mineral.), p. 143-159 (by M. Fleischer)

Chukhrov, F.V., Gorshkov, A.I., Sivtsov, A.V. (1981) A new structural variety of todorokite

Izv. Akad. Nauk SSSR, Ser. Geol., 1981, no. 5, p. 88-91 (by M. Fleischer)

Chukhrov, F.V., Gorshkov, A.I., Sivtsov, A.V., Berezovskaia, V.V. (1978) Structural varieties of todorokite

Izv. Akad. Nauk SSSR, Ser. Geol., 1978, no. 12, p. 86-95 (by M.

Fleischer)

- Chukhrov, F.V., Gorshkov, A.I., Sivtsov, A.V., Berezovskaia, V.V. (1979) New mineral phases of ocean manganese microconcretions  
Izv. Akad. Nauk SSSR, Ser. Geol., 1979, no. 1, p. 83-90 (by M. Fleischer)
- Chukhrov, F.V., Gorshkov, A.I., Sivtsov, A.V., Berezovskaia, V.V., Rudnitskaia, E.S. (1979) The nature of rancieite  
Izv. Akad. Nauk SSSR, Ser. Geol., 1979, no. 11, p. 71-81 (by M. Fleischer)
- Chukhrov, F.V., Gorshkov, A.I., Sivtsov, A.V., Dikov, Iu.P., Berezovskaia, V.V. (1982) A natural analogue of epsilon-MnO<sub>2</sub>  
Izv. Akad. Nauk SSSR, Ser. Geol., 1982, no. 1, p. 56-65 (by M. Fleischer)
- Chukhrov, F.V., Gorshkov, A.I., Vitovskaia, I.V., Drits, V.A., Sivtsov, A.I., Dikov, Iu.P. (1980) Crystallochemical nature of Ni asbolan  
Izv. Akad. Nauk SSSR, Ser. Geol., 1980, no. 9, p. 108-120 (by M. Fleischer)
- Chukhrov, F.V., Gorshkov, A.I., Vitovskaia, I.V., Drits, V.A., Sivtsov, A.V., Rudnitskaia, E.S. (1980) Crystallochemical nature of Co-Ni-asbolan  
Izv. Akad. Nauk SSSR, Ser. Geol., 1980, no. 6, p. 73-81 (by M. Fleischer)
- Chukhrov, F.V., Moleva, V.A., Ermilova, L.P. (1958) New data on mitridatite  
Izv. Akad. Nauk SSSR, Ser. Geol., 1958, no. 8, p. 16-26 (by M. Fleischer)
- Chukhrov, F.V., Rudnitskaia, E.S., Sivtsov, A.V. (1978) The characteristics of birnessite  
Izv. Akad. Nauk SSSR, Ser. Geol., 1978, no. 9, p. 67-76 (by M. Fleischer)
- Chukhrov, F.V., Zvyagin, B.B., Borshkov, A.I., Ermilova, L.P., Rudnitskaia, E.S. (1968) The nature of medmontite  
Izv. Akad. Nauk SSSR, Ser. Geol., 1968, no. 7, p. 67-71 (by M. Fleischer)
- Chukhrov, F.V., Zvyagin, B.B., Gorshkov, A.I., Ermilova, L.P. (1969)

Copper-bearing halloysites

- Izv. Akad. Nauk SSSR, Ser. Geol., 1969, no. 5, p. 55-60 (by M. Fleischer)  
Chukhrov, F.V., Zvyagin, B.B., Gorshkov, A.I., Ermilova, L.P., Balashova, V.V.  
(1973) Ferrihydrite
- Izv. Akad. Nauk SSSR, Ser. Geol., 1973, no. 4, p. 23-33 (by M. Fleischer)  
Chukhrov, F.V., Zvyagin, B.B., Gorshkov, A.I., Ermilova, L.P., Korovushkin,  
V.V., Rudnitskaia, E.S., Iakubovskaia, N.Iu. (1976) Feroxyhyte, a new  
modification of FeO(OH)
- Izv. Akad. Nauk SSSR, Ser. Geol., 1976, no. 5, p. 5-24 (by M. Fleischer)  
Chukhrov, F.V., Zvyagin, B.B., Gorshkov, A.I., Ermilova, L.P., Rudnitskaia,  
E.S. (1968) Chrysocolia
- Izv. Akad. Nauk SSSR, Ser. Geol., 1968, no. 6, p. 29-44 (by M. Fleischer)  
Commission on New Minerals (1975) On the course of approval and the  
requirements for characterization of new minerals
- Zap. Vses. Mineral. O-va., v. 104, p. 521-525 (by M. Fleischer)  
Commission on New Minerals and Mineral Names, All-Union Mineralogical Soc.  
(1978) Criteria used in considering new minerals
- Zap. Vses. Mineral. O-va., v. 106, p. 686-688 (by M. Fleischer)  
Danilova, V.V. (1949) On the content of fluorine in rocks
- Tr. Biogeokhim. Lab., Akad. Nauk SSSR, v. 9, p. 129-134 (by M. Fleischer)  
Demin, A.M., Polyakov, V.V., Sitnin, A.A. (1968) Features of the distribution  
of molybdenum, copper, and zinc in granitic rocks of the Megri pluton,  
Little Caucasus
- Izv. Akad. Nauk SSSR, Ser. Geol., 1968, no. 11, p. 27-33 (by M.  
Fleischer)
- D'iakonov, Iu.S. (1963) X-ray study of cerolite
- Tr. Vses. Nauchn.-Issled Geol. Inst., v. 96 (Mineral. Sb. Vses.

- Nauchn.-Issled. Geol. Inst., no. 3), p. 203-212 (by M. Fleischer)
- Diman, E.N., Nekrasov, I.Ia. (1969) Experimental study of the conditions of formation of the tin borate, hulsite  
Dokl. Akad. Nauk SSSR, v. 189, p. 1351-1354 (by M. Fleischer)
- Dmitrieva, M.T. (1976) The crystallochemical formula of djerfisherite according to structural positions  
Izv. Akad. Nauk SSSR, Ser. Geol., 1976, no. 4, p. 97-101 (by M. Fleischer)
- Dobrovol'skaia, M.G., Rogova, V.P., Tsepin, A.I., Malov, V.S. (1980) The sulfide mineralization of the charoite rocks of the Murunskii massif  
Mineral. Zh., v. 2, no. 6, p. 3-13 (by M. Fleischer)
- Dobrovol'skaia, M.G., Sokolova, M.N., Khomiakov, A.P., Tsepin, A.I. (1980) Potassium- and sodium-containing sulfides as indicators of the conditions of formation in alkaline rocks and kimberlites  
Dokl. Akad. Nauk SSSR, Int. Geol. Congress, Paris, Rep. Soviet Geol., Geochem. Mineral.), p. 199-205 (by M. Fleischer)
- Dobrovol'skaia, M.G., Tsepin, A.I., Evstigneeva, T.L., Vyal'sov, L.N., Zaozerina, A.O. (1981) Murunskite,  $K_2Cu_3FeS_4$ , a new sulfide of potassium, copper, and iron  
Zap. Vses. Mineral. Obshch., v. 110, no. 4, p. 468-473 (by M. Fleischer)
- Dobrovol'skaia, M.G., Tsepin, A.I., Ilupin, I.P., Ponomarenko, A.I. (1975) Djerfisherite from kimberlites of Yakutia  
Miner. Paragenезisy Mineral., p. 3-11 (by M. Fleischer)
- Dobrovol'skaia, M.G., Tsepin, A.I., Vyal'sov, L.N., Ilupin, I.P., Muravyeva, I.V., Basova, G.V., and Belyayevskaia, G.P. (1975) Iron, nickel, and copper isomorphism in djerfisherite

- In Izomorfizm v Mineralakh, 1975, p. 162-169 (by M. Fleischer)
- Dobrovol'skii, V.V. (1955) Mineral. of carbonate concentrations from Quaternary clays  
Zap. Vses. Mineral. O-va., v. 84, p. 198-208 (by V.P. Sokoloff)
- Dolgov, Iu.A. (1968) Pressures and temperatures in the process of formation of chambered pegmatites  
Dokl. Akad. Nauk SSSR, v. 178, p. 1171-1174 (by M. Fleischer)
- Dolgov, Iu.A. (1968) The composition of gases in processes of endogenic mineral formation  
Dokl. Sov. Geol. Sess. Mezhdunar. Geol. Kongr., 23rd, Probl. 7 (Endog. Rudn. Mestorozhd.), 1968, p. 101-111 (by M. Fleischer)
- Dolgov, Iu.A., Makayon, V.M., Sobolev, V.S. (1967) Liquid inclusions in kyanite from metamorphic rocks and pegmatites of the Mamsk region (northeastern Transbaikal)  
Dokl. Akad. Nauk SSSR, v. 175, no. 2, p. 444-447 (by M. Fleischer)
- Dolgov, Iu.A., Shugarova, N.A. (1966) The gases of post-magmatic process of mineral formation  
Dokl. Akad. Nauk SSSR, v. 170, no. 6, p. 1422-1425 (by M. Fleischer)
- Dolishnii, B.V. (1977) Slavyanskite, a new mineral  
Zap. Vses. Mineral. O-va., v. 106, p. 331-335 (by M. Fleischer)
- Dolishnii, B.V. (1981) The identity of slavyanskite and tunisite  
Zap. Vses. Mineral. O-va., v. 110, no. 1, p. 96 (by M. Fleischer)
- Dolivo-Dobrovol'skii, V.V. (1961) Three-phase curves in the systems "rock-forming silicate-water"  
Zap. Vses. Mineral. O-va., v. 90, p. 162-167 (by M. Fleischer)
- Dolivo-Dobrovol'skiy, V.V. (1925) Crystals of tyuyamunite  
Zap. Vses. Mineral. O-va., v. 54, p. 359-376 (by V.L. Skitsky)



- Dolomanova, E.I. (1976) The chemical composition of gas-liquid inclusions in minerals of tin-ore deposits  
Nov. Mineral. Issled., [Mater. Nauchn. Konf. Mosk. Otd. Vses. Mineral. O-va.], 1st (Sb. Nauchn. Tr. Mosk. Otd. Vses. Mineral. O-va., March), 1974, p. 176-177 (pub. 1976) (by M. Fleischer)
- Dolomonova, E.I., Borisovskii, S.E. (1979) New data on the chemical composition of smirnovskite  
Nov. Dannye Miner. SSSR (New Data Miner. USSR), v. 28, p. 168-171 (1979) (by M. Fleischer)
- Dolomonova, E.I., Senderova, V.M., Yanchenko, M.T. (1962) Zavaritskite (BiOF), a new mineral of the oxyfluoride group  
Dokl. Akad. Nauk SSSR, v. 146, p. 680-682 (by M. Fleischer)
- Dono, T., Yoshida, T., Aoki, M., Nakagawa, G., Iga, M. (1951) Geochemical investigation of lignite. II. Spectrochemical analysis of lignite  
Bull. Nagayo Inst. Technol., v. 3, p. 199-209 (Engineer Intelligence Div. (EID), Office of Engineers, U.S. Army, Tokyo)
- Dontsova, E.I. (1950) Investigation of the conditions of formation of some minerals by the isotope method  
Dokl. Akad. Nauk SSSR, v. 71, p. 905-906 (by V.L. Skitsky)
- Dorfman, M.D. (1952) The problem of the determination of the genesis of beryl  
Dokl. Akad. Nauk SSSR, v. 82, p. 623-624 (by M. Fleischer)
- Dorfman, M.D. (1954) A new manganese mineral of the chinglusuite type  
Tr. Mineral. Muz., Akad. Nauk SSSR, no. 6, p. 117-121 (by M. Fleischer)
- Dorfman, M.D. (1958) New data on minerals of Yukspor in the Khibina Tundras  
Vopr. Geol. Mineral. Kol'sk. Poluostrova, v. 1, p. 146-164 (1958) (by M. Fleischer)
- Dorfman, M.D., Abrashev, K.K. (1963) Supergene sodium phosphate in the Khibina

massif nepheline syenite

Tr. Mineral. Muz., Akad. Nauk SSSR, no. 14, p. 226-230 (by M. Fleischer)

Dorfman, M.D., Chiragov, M.I. (1979) Hydrodelhayelite, a product of supergene alteration of delhayelite

Nov. Dannye Miner. SSSR (New Data Miner. USSR), v. 28, p. 172-175 (by M. Fleischer)

Dorfman, M.D., Ilokhin, V.V., Burova, T.A. (1963) Barsanovite, a new mineral  
Dokl. Akad. Nauk SSSR, v. 153, p. 1164-1167 (by M. Fleischer)

Dorfman, M.D., Ilokhin, V.V., Burova, T.A. (1965) New data on barsanovite  
Tr. Mineral. Muz., Akad. Nauk SSSR, v. 16, p. 219-224 (by M. Fleischer)

Dorfman, M.D., Rogachev, D.D., Goroshchenko, Z.I., Nokretsova, A.V. (1959)  
Fenaksite, a new mineral

Tr. Mineral. Muz., Akad. Nauk SSSR, no. 9, p. 152-157 (by M. Fleischer)

Dorfman, M.D., Rogachev, D.D., Goroshchenko, Z.I., Uspenskaia, E.I. (1959)  
Canasite, a new mineral

Tr. Mineral. Muz., Akad. Nauk SSSR, no. 9, p. 158-166 (by M. Fleischer)

Drits, V.A., Kossovskaja, A.G. (1963) Sangarite, a new clay mineral with ordered mixed-layer structure

Dokl. Akad. Nauk SSSR, v. 151, p. 934-937 (by M. Fleischer)

Drits, V.A., Zvyagin, B.B., Tokmakov, P.P. (1966) Gumbelite, a dioctahedral  $2M_2$  mica

Dokl. Akad. Nauk SSSR, v. 170, p. 1390-1393 (by M. Fleischer)

Drobkov, A.A. (1951) The biological meaning of natural radioactivity  
In Progress in Contemporary Biology, p. 82-98

Dubinina, V.N., Kornilovich, I.A., Sokolova, E.P. (1968) Some copper arsenates from Trans-Baikal

Tr. Vses. Nauchno-Issled. Geol. Inst., v. 131, p. 3-21 (partial

translation) (by M. Fleischer)

- Dudykina, A.S. (1959) Paragenetic associations of element-admixtures in cassiterites of different genetic types of tin-ore deposits  
Tr. Inst. Geol. Rudn. Mestorozhd., Petrogr., Mineral. Geokhim., Akad. Nauk SSSR, v. 28, p. 111-121 (by M. Fleischer)
- Dumler, F.L., Skornyakova, K.P., Shul'ga, G.G. (1969) Rhabdophane-La in the crust of weathering of limestones  
Zap. Vses. Mineral. O-va., v. 98, p. 593-600 (by M. Fleischer)
- Dunin-Barkovskaia, E.A., Luder, V.V. (1973) A new sulfide of lead in kobellite from the Ustarasai deposits  
Issled. Obl. Rudn. Mineral., 1973, p. 156-159 (by M. Fleischer)
- Dusmatov, V.D., Efimov, A.F., Alkhazov, V.Iu., Kazakova, M.E., Mummyatskaia, N.G. (1967) Tien Shanite, a new mineral  
Dokl. Akad. Nauk SSSR, v. 177, p. 678-680 (by M. Fleischer)
- Dusmatov, V.D., Efimov, A.F., Kataeva, Z.T., Khoroshilova, L.A., Yamlov, K.P. (1968) Soydzianite, a new mineral  
Dokl. Akad. Nauk SSSR, v. 182, no. 5, p. 1176-1177 (by M. Fleischer)
- Dusmatov, V.D., Semenov, E.I., Khomiakov, A.P., Bykova, A.V., Dzhaifarov, N.Kh (1975) Baratovite, a new mineral  
Zap. Vses. Mineral. O-va., v. 104, p. 580-582 (by M. Fleischer)
- Dymkov, Iu.M., Loseva, T.I., Zav'ialov, E.N., Ryzhov, B.I., Bochek, L.I. (1982) Mgriite,  $(\text{Cu,Fe})_3\text{AsSe}_3$ , a new mineral  
Zap. Vses. Mineral. O-va., v. 111, p. 215-219 (by M. Fleischer)
- Dzhamaletkinov, N.K. (1968) The distribution of Be, Nb, Ta and Sn in granitic rocks of the Lolabulak-Kemenchinsk zone  
Uzb. Geol. Zh., 1968, no. 2, p. 39-43 (by M. Fleischer)
- Dzhaminov, K. (1968) Distribution of rhenium in Dzhezkazhan ores

- Izv. Akad. Nauk Kaz. SSR, Ser. Geol., 1968, no. 5, p. 59-62 (by M. Fleischer)
- Efimov, A.F., Dusmatov, V.D., Alkhazov, V.Iu., Pudovkina, Z.G., Kazakova, M.E. (1970) Tadzhi-kite, a new borosilicate of the rare earths of the hellandite group  
Dokl. Akad. Nauk SSSR, v. 195, no. 5, p. 1190-1193 (by M. Fleischer)
- Efimov, A.F., Dusmatov, V.D., Ganzeev, A.A., Kataeva, Z.T. (1971) Cesium kupletskite, a new mineral  
Dokl. Akad. Nauk SSSR, v. 197, p. 1394-1397 (by M. Fleischer)
- Efimov, A.F., Es'kova, E.M., Kataeva, S.T. (1967) First discovery of neighborite in the USSR  
Dokl. Akad. Nauk SSSR, v. 174, p. 1182-1184 (by Charles Milton)
- Efimov, A.F., Kravchenko, S.M., Vasil'eva, Z.V. (1962) Strontium-apatite, a new mineral  
Dokl. Akad. Nauk SSSR, v. 142, p. 439-442 (by M. Fleischer)
- Egorov, B.L., Dara, A.D., Senderova, V.M. (1969) Melkovite, a new phosphate-molybdate from the zone of oxidation  
Zap. Vses. Mineral. O-va., v. 98, p. 207-212 (by M. Fleischer)
- Eliseev, E.N. (1962) Monoclinic pyrrhotite  
Vestn. Leningr. Univ., Geol. Geogr., 1962, no. 6, p. 16-23 (by M. Fleischer)
- Eliseev, E.N., Rudenko, L.E., Sinev, L.A., Koshurnikov, B.L., Solovov, N.I. (1964) Polymorphism of copper sulfides in the system  $\text{Cu}_2\text{S}-\text{Cu}_{1.8}\text{S}$   
Mineral. Sb., Lvov, v. 18, p. 385-400 (by M. Fleischer)
- Emelina, L.N., Mitenkov, G.A., Karpenkov, A.M., Rudashevskii, N.S., Shishkin, N.N. (1982) The chemical composition of valleriite  
Zap. Vses. Mineral. O-va., v. 111, p. 84-92 (by M. Fleischer)

- Enikeev, M.K. (1958) A new mineral, nasledovite, from the Altyn-Topkansh ore field  
Dokl. Akad. Nauk Uzb. SSR, no. 5, p. 13-16 (by M. Fleischer)
- Epshtein, G.Iu. (1959) On the molybdates of uranium-moluranite and iriginite  
Zap. Vses. Mineral. O-va., v. 88, p. 564-570 (by M. Fleischer)
- Eremenko, G.K., Bel'ko, V.A. (1982) Khanneshite,  
 $(\text{Na,Ca})_3(\text{Ba,Sr,RE,Ca})_3(\text{CO}_3)_5$ , a new mineral of the burbankite group  
Zap. Vses. Mineral. O-va., v. 111, p. 321-324 (by M. Fleischer)
- Ermakov, N.P. (1965) The state and activity of the fluids in granitic pegmatites of the chambered type  
Mineral. i Genezis Pegmatitov (Moscow, Nedra) Sb. (Internat. Geol. Congress, 22nd Session, 1964 (New Delhi), Reports of Sov. Geologists, Problem 6), 1965, p. 140-160 (by M. Fleischer)
- Ermilova, L.P., Moleva, V.A., Klevtsova, R.F. (1960) Chukhrovite, a new mineral from Kazakhstan  
Zap. Vses. Mineral. O-va., v. 89, no. 1, p. 15-25 (by M. Fleischer)
- Ermilova, L.P., Senderova, V.M. (1961) Betpakdalite, a new mineral from the oxidation zone of the Karaoba wolframite deposit  
Zap. Vses. Mineral. O-va., v. 90, p. 425-430 (by M. Fleischer)
- Ershov, V.M. (1961) Rare-earth elements in coals of the Kizelov coal basin  
Geokhimiia, 1961, no. 3, p. 274-275 (by M. Fleischer)
- Ershova, K.S., Kashirtseva, M.F., Sidorenko, G.A., Solntseva, L.S. (1969) New data on some properties of natroautunite  
Tr. Mineral. Muz., Akad. Nauk SSSR, v. 19, p. 12-20 (by M. Fleischer)
- Es'kova, E.M. (1960) Principal features of the geochemistry of niobium and tantalum in nepheline syenites of the USSR

- Mezhdunarod. Geol. Kongress, 21-ya [Dvadtsat Pervaya] Sessiya, Dokl. Sovet. Geologov, Problema 1 (Int. Geol. Congress, 21st Session, Dokl. Sov. Geol., Prop. Geokh., v. 1), 1960, p. 101-109 (by M. Fleischer)
- Es'kova, E.M., Kazahova, M.E. (1954) Shcherbakovite, a new mineral  
Dokl. Akad. Nauk SSSR, v. 99, p. 837-841 (by M. Fleischer)
- Es'kova, E.M., Semenov, E.I., Khomiakov, A.P., Kazakova, M.E., Shumyatskaia, N.G. (1974) Sazhinite, a new silicate of sodium and rare earths  
Zap. Vses. Mineral. O-va., v. 103, no. 1, p. 338-341 (by M. Fleischer)
- Es'kova, E.M., Semenov, E.I., Khomiakov, A.P., Mer'kov, A.N., Lebedeva, S.I., Dubakina, L.S. (1974) Umbozerite, a new mineral  
Dokl. Akad. Nauk SSSR, v. 216, p. 169-171 (by M. Fleischer)
- Evstigneeva, T.L., Genkin, A.D. (1980) Nickel-containing Pt and Pd minerals  
Dokembr., Dokl. Sov. Geol., Mezhdunar. Geol. Kongr., 26th (Akad. Nauk SSSR, Int. Geol. Congress, Paris, Rep. Soviet Geol., Geochem. Mineral.), 1980, p. 114-120 (by M. Fleischer)
- Evstigneeva, T.L., Genkin, A.D., Kovalenker, V.A. (1975) A new bismuthide of palladium sobolevskite and the nomenclature of minerals of the system Pdbi-PdTe-PdSb  
Zap. Vses. Mineral. O-va., v. 104, p. 568-579 (by M. Fleischer)
- Evstigneeva, T.L., Genkin, A.D., Troneva, N.V., Filimonova, A.A., Tsepin, A.I. (1973) Shadlunite, a new sulfide of copper, iron, lead, manganese, and cadmium from copper-nickel ores  
Zap. Vses. Mineral. O-va., v. 102, p. 63-74 (by M. Fleischer)
- Fain, E.E. (1967) Some problems of the geochemistry of rhenium and the genesis of the ores of the Dzhezkazgan deposit  
Vestn. Akad. Nauk Kaz. SSR, v. 23, p. 45-53 (by M. Fleischer)
- Faramazian, A.S. (1961) Regularities of the distribution of rhenium in ores of

the Kadzharan deposits

Izv. Akad. Nauk Arm. SSR, Geol. Geogr. Nauki, v. 14, no. 1, p. 39-56  
(1961) (by M. Fleischer)

Faramazian, A.S., Akopyan, A.G. (1963) Rhenium in some molybdenum ore showings  
of the Aiotsdzor ore region

Izv. Akad. Nauk Arm. SSR, Geol. Geogr. Nauki, v. 16, no. 3, p. 61-66 (by  
M. Fleischer)

Fedorov, O.V. (1963) Second occurrence of calcium uranium molybdate in the  
USSR

Zap. Vses. Mineral. O-va., v. 92, p. 464-465 (by M. Fleischer)

Feklichev, V.G. (1962) Study of zoned crystals of beryl from cavities of  
pegmatites

Tr., Inst. Mineral., Geokhim. Kristallokhim. Redk. Elem., Akad. Nauk  
SSSR, no. 8 (partial translation of part dealing with inclusions, p.  
171-178 only) (by M. Fleischer)

Feodot'ev, K.M., Shlepov, V.K. (1958) Solubility of salts of some elements in  
supercritical water vapor

Tr. Pyatogo Soveshch. Eksp. Tekh. Mineral. Petrogr., p. 230-236 (Proc.  
5th Conf. Exper. Tech. Mineral. Petrogr., 1956) (by M. Fleischer)

Feoktistov, G.D., Ivanov, S.I., Kashaev, A.A., Klyuchenskii, L.N., Taskina,  
N.G., Ushchapovskaia, Z.F. (1978) The occurrence of chlormanasseite in  
the USSR

Zap. Vses. Mineral. O-va., 1978, v. 107, p. 321-325 (by M. Fleischer)

Fesenko, N.G. (1950) Foaming of boiling solutions of mixtures of electrolytes  
predominating in the water of boilers

Dokl. Akad. Nauk SSSR, v. 72, p. 547-550 (by V.L. Skitsky)

Filimonova, A.A., Evstigneeva, T.L., Laputina, I.P. (1980) Putoranite and

- nickel-bearing putoranite, new minerals of the chalcopyrite group  
Zap. Vses. Mineral. O-va., v. 109, p. 335-341 (by M. Fleischer)
- Fin'ko, V.I. (1964) The problem of the abundance of rare and rare-earth  
elements and minerals in effusive rocks  
Izv. Akad. Nauk SSSR, Ser. Geol., 1964, no. 11, p. 90-94 (by M.  
Fleischer)
- Florenskii, K.P. (1958) Problems of the study of volcanic gases  
Tr. Lab. Vulkanol., Akad. Nauk SSSR, v. 13, p. 160-165 (by M. Fleischer)
- Frank-Kamenetskii, V.A. (1959) Discussion of the position of the alkali metals  
in the structure of beryl  
Geokhimiia, 1959, no. 7, p. 656-657 (by M. Fleischer)
- Frank-Kamenetskii, V.A., Logvinenko, N.V., Drits, V.A. (1963) A dioctahedral  
mixed-layer clay mineral-tosudite  
Zap. Vses. Mineral. O-va., v. 92, p. 560-565 (by M. Fleischer)
- Frank-Kamenetskii, V.A., Sosedko, T.A. (1958) The character of the isomorphism  
in alkali-bearing beryls  
Dokl. Akad. Nauk SSSR, v. 118, p. 815-817 (by M. Fleischer)
- Frolov, S.M. (1969) Serpentine minerals of hyperbasites of the Voronezh  
crystalline massif  
Zap. Vses. Mineral. O-va., v. 98, p. 689-698 (by M. Fleischer)
- Fujihara, Takashiro (1951) Geochemical prospecting of metallic ore deposits  
J. Geol. Soc. Jpn., v. 57, p. 331 (Engineer Intelligence Div. (EID),  
Office of Engineers, U.S. Army, Tokyo)
- Gaidukova, V.S. (1960) The development of columbite and fersmite after  
pyrochlore  
Zap. Vses. Mineral. O-va., v. 89, p. 460-464 (by Ivan Mittin)
- Gamianin, G.N., Leskova, N.V., Vyal'sov, L.N., Laputina, I.P. (1980) Bismuth



- tellurides -  $\text{Bi}_2\text{Te}$  and  $\text{BiTe}$  in deposits of northeastern USSR  
 Zap. Vses. Mineral. O-va., v. 109, p. 230-235 (by M. Fleischer)
- Ganzeev, A.A., Bykova, A.V. (1973) A strontium-bearing variety of perovskite  
 Dokl. Akad. Nauk SSSR, v. 210, p. 180-182 (by M. Fleischer)
- Ganzeev, A.A., Efimov, A.F., Lyubomilova, G.V. (1969) Plumbobetafite, a new  
 mineral variety of the pyrochlore group  
 Tr. Mineral. Muz., Akad. Nauk SSSR, v. 19, p. 135-137 (by M. Fleischer)
- Ganzeev, A.A., Efimov, A.F., Mukhitdinov, G.N. (1966) Rare elements in  
 apatites of the Vishnevye Mts.,  
 Geokhimiia, 1966, p. 353-357 (by M. Fleischer)
- Geletii, V.F. (1976) The distribution of cadmium between galena and aqueous  
 solutions of ammonium chloride at 400° and 1000 atm  
 Ezheg. Inst. Geokhim. Sib. Otd. Akad. Nauk SSSR, 1975, p. 217-220 (pub.  
 1976) (by M. Fleischer)
- Genkin, A.D. (1959) Conditions of occurrence and features of the composition  
 of minerals of the platinum group in ores of the Noril'sk deposits  
 Geol. Rudn. Mestorozhd., 1959, no. 6, p. 74-84 (by M. Fleischer)
- Genkin, A.D. (1968) Minerals of the platinum metals and their associations in  
 the copper-nickel ores of the Noril'sk deposits  
 Mineraly Platinovykh Metallov i Ikh Assotsiatsii v Medno-Nikelevykh  
 Rudakh Noril'skogo Mestorozhdeniia (Akad. Nauk SSSR, Inst. Geol. Rudnykh  
 Mestorozhd., Petrogr., Mineral., Geokhim.), 1968, 106 p. (translation of  
 part on stibiopalladate, p. 38-46) (by M. Fleischer)
- Genkin, A.D., Distler, V.V., Gladyshev, G.D., et al. (1981) Minerals of Noble  
 Metals  
In Sulfide Cu-Ni Ores of Noril'sk Deposits, 234 p. (trans. of p. 110-134  
 only) (by M. Fleischer)

- Genkin, A.D., Evstigneeva, T.L., Troneva, N.V., Vyal'sov, L.N. (1969)  
Polarite, Pd(Pb,Bi), a new mineral from copper-nickel sulfide ores  
Zap. Vses. Mineral. O-va., v. 98, p. 708-715 (by M. Fleischer)
- Genkin, A.D., Evstigneeva, T.L., Troneva, N.V., Vyal'sov, L.N. (1976)  
Majakite, PdNiAs, a new mineral from copper-nickel sulfide ores  
Zap. Vses. Mineral. O-va., v. 105, p. 698-703 (by M. Fleischer)
- Genkin, A.D., Evstigneeva, T.L., Vyal'sov, L.N., Laputina, I.P., Troneva, N.V.  
(1970) Plumbopalladinite, Pd<sub>3</sub>Pb<sub>2</sub>, a new mineral from copper-nickel  
sulfide ores  
Geol. Rudn. Mestorozhd., no. 5, p. 63-68 (1970) (by M. Fleischer)
- Genkin, A.D., Evstigneeva, T.L., Vyal'sov, L.N., Laputina, I.P., Troneva, N.V.  
(1974) Paolovite, Pd<sub>2</sub>Sn, a new mineral from copper-nickel sulfide ores  
Geol. Rudn. Mestorozhd., v. 16, no. 1, p. 98-103 (by M. Fleischer)
- Genkin, A.D., Filimonova, A.A., Shadlun, T.N., Soboleva, S.V., Troneva, N.V.  
(1966) On cubic cubanite and chalcopyrite  
Geol. Rudn. Mestorozhu., 1966, v. 8, no. 1, p. 41-54 (by M. Fleischer)
- Genkin, A.D., Laputina, I.P., Muravitskaia, G.N. (1974) Ruthenium- and  
rhodium-containing pentlandite - an indicator of the hydrothermal  
mobilization of platinum metals  
Geol. Rudn. Mestorozhd., v. 16, no. 6, p. 102-106 (by M. Fleischer)
- Genkin, A.D., Murav'eva, I.V. (1963) Indite and dzhallindite, new indium  
minerals  
Zap. Vses. Mineral. O-va., v. 92, p. 445-457 (by M. Fleischer)
- Genkin, A.D., Troneva, N.V., Zhuravlev, N.N. (1969) The first occurrence in  
ores of the sulfide of potassium, iron, and copper, djerfisherite  
Geol. Rudn. Mestorozhd., v. 11, no. 5, p. 57-64 (by M. Fleischer)
- Genkin, A.D., Zhuravlev, N.N., Smirnova, E.M. (1963) Moncheite and kotulskite,

- new minerals, and the composition of michenerite  
Zap. Vses. Mineral. O-va., v. 92, no. 1, p. 33-50 (by M. Fleischer)
- Genkin, A.D., Zhuravlev, N.N., Troneva, N.V., Murav'eva, I.V. (1966) Irarsite, a new sulfarsenide of iridium, rhodium, ruthenium, and platinum  
Zap. Vses. Mineral. O-va., v. 9b, p. 700-712 (by M. Fleischer)
- Genkin, A.D., Zviagintsev, O.E. (1962) Vysotskite, a new sulfide of palladium and nickel  
Zap. Vses. Mineral. O-va., v. 91, p. 718-725 (by M. Fleischer)
- Gerasimovskii, V.I. (1959) Geochemistry of the rare earth elements  
Redkozemel'nye Elementy, Poluchenie, Analiz, Primenenie (Symp. Rare Earths, Akad. Nauk SSSR), 1959, p. 29-41 (by M. Fleischer)
- Gerasimovskii, V.I. (1962) Keldyshite, a new mineral  
Dokl. Akad. Nauk SSSR, v. 142, p. 916-918 (by M. Fleischer)
- Gerasimovskii, V.I., Kakhana, M.M., Rodionova, L.M. (1957) The ratio of niobium and tantalum in agpaitic rocks of the Lovozersk alkaline massif  
Geokhimiia, 1957, no. 5, p. 417-419 (by M. Fleischer)
- Gerasimovskii, V.I., Kakhana, M.M., Rodionova, L.M., Venkina, V.A. (1959) The geochemistry of niobium and tantalum in the Lovozero alkalic massif  
Geokhimiia, 1959, no. 7, p. 646-655 (by M. Fleischer)
- Gerasimovskii, V.I., Karpushina, V.A. (1967) The content of niobium and tantalum in Nigerian granites  
Geokhimiia, 1967, no. 6, p. 730-732 (by M. Fleischer)
- Gerasimovskii, V.I., Karpushina, V.A. (1965) The niobium-tantalum relationship in magmatic rocks  
Geokhimiia, 1965, no. 6, p. 757-758 (by M. Fleischer)
- Gerasimovskii, V.I., Kazakova, M.E. (1950) Belyankinite, a new mineral  
Dokl. Akad. Nauk SSSR, v. 71, p. 925-927 (by V.L. Skitsky)

- Gerasimovskii, V.I., Kazakova, M.E. (1962) Beta-lomonosovite  
Dokl. Akad. Nauk SSSR, v. 142, p. 670-673 (by M. Fleischer)
- Gerasimovskii, V.I., Polyakov, A.I., Voronina, L.P. (1960) Hydrosodalite, a  
rock-forming mineral of nepheline syenites of the Lovozero Massif  
Dokl. Akad. Nauk SSSR, v. 131, no. 2, p. 402-405 (by M. Fleischer)
- Gerasimovskii, V.I., Shevaleevskii, I.D. (1957) The Zr/Hf ratio in zirconium  
minerals from the Lovozersk massif  
Geokhimiia, 1957, no. 8, p. 696-698 (by M. Fleischer)
- Gerasimovskii, V.I., Turanskaia, N.V. (1957) The high content of lanthanum and  
cerium in minerals of the agpaitic syenites of the Lovozero massif, Kola  
Peninsula  
Geokhimiia, 1957, no. 4, p. 334-336 (by M. Fleischer)
- Gerasimovskii, V.I., Znamenskii, E.B. (1959) Regularities in the distribution  
of niobium and tantalum in igneous rocks  
Geokhim. Redk. Elem. Svyazi Probl. Petrogr., Tr. Geokhim. Symp. (Moscow, Dec.  
20-24), 1957, p. 36-44 (by M. Fleischer)
- Gerling, E.K., Baranovskaia, N.V. (1956) The abundance of xenon and krypton in  
meteorites  
Meteoritika, v. 14, p. 113-116 (by W. Nichiporuk, Cal. Tech)
- Gerling, E.K., Levskii, L.K. (1956) The origin of the rare gases in stony  
meteorites  
Dokl. Akad. Nauk SSSR, v. 110, p. 750-753 (by W. Nichiporuk, Cal. Tech)
- Gerling, E.K., Rik, K.G. (1955) The forms of occurrence of argon in meteorites  
Meteoritika, 1955, no. 13, p. 15-18 (Fifth Meteorite Conf., Moscow, 1953  
- translation has 6 p.) (by W. Nichiporuk, Cal. Tech)
- Germanov, A.I. (1953) On the possible role of subterranean waters in  
hydrothermal mineralization

- Izv. Akad. Nauk SSSR, Ser. Geol., 1953, no. 6, p. 26-38 (by V.P. Sokoloff)
- Getseva, R.V., Tsybul'skaia, M.S., Ambartsunian, Ts.L., Nazarenko, N.G., Poluarshinov, G.P., Khodzhaeva, R.P. (1961) New data on hydronasturan and uryite  
Zap. Vses. Mineral. O-va., v. 90, no. 5, p. 549-556 (by M. Fleischer)
- Gevork'ian, S.V., Egorova, L.N., Povarennykh, A.S. (1974) Polymorphic modifications of phosphates with general formula  $R(H_2O)_2(XO_4)$   
Geol. Zh., v. 34, p. 27-32 (by M. Fleischer)
- Gevork'ian, V.Kh. (1969) The occurrence of natural ferrosilicon in northern Near-Azov  
Dokl. Akad. Nauk SSSR, v. 185, p. 416-418 (by M. Fleischer)
- Gevork'ian, V.Kh., Litvin, A.L., Povarennykh, A.S. (1969) Occurrence of the new minerals fersilicite and ferdasilicite  
Geol. Zh. (Ukr. Ed.), v. 29, p. 62-71 (by M. Fleischer)
- Gigashvili, G.M. (1969) Primary solid-gas inclusions in quartz from Volhynian pegmatites  
Mineral. Sb., Lvov, v. 23, p. 398-404 (by M. Fleischer)
- Ginzburg, A.I. (1950) Kryzhanovskite, a new mineral of the phosphate group  
Dokl. Akad. Nauk SSSR, v. 72, p. 763-766 (by M. Fleischer)
- Ginzburg, A.I. (1955) A new mineral of the brittle mica group  
Tr. Mineral. Muz., Akad. Nauk SSSR, no. 7, p. 70-75 (by M. Fleischer)
- Ginzburg, A.I. (1956) Some peculiarities of the geochemistry of tantalum and on types of tantalum mineralization  
Geokhimiia, 1956, no. 3, p. 74-83 (by M. Fleischer)
- Ginzburg, A.I. (1959) Spodumene and the processes of its alteration  
Tr. Mineral. Muz., Akad. Nauk SSSR, v. 9, p. 19-52 (by M. Fleischer)

- Ginzburg, A.I., Gorzhevskaiia, S.A., Sidorenko, G.A., Ukhina, T.A. (1969)  
Wolframoixiolite, a variety of ixiolite  
Zap. Vses. Mineral. O-va., v. 98, p. 63-73 (by M. Fleischer)
- Ginzburg, A.I., Kruglova, N.A., Moleva, V.A. (1951) Magniotriplite, a new  
mineral of the triplite group  
Dokl. Akad. Nauk SSSR, v. 77, p. 97-100 (by V.L. Skitsky)
- Ginzburg, A.I., Yakovleva, M.E. (1961) Some phenomena of redeposition of  
spodumene in pegmatites  
Tr. Mineral. Muz., Akad. Nauk SSSR, v. 11, p. 3-12 (by M. Fleischer)
- Ginzburg, I.I. (1960) Nickel- and cobalt-melanes  
Kora Vyvetrivaniia, v. 3, p. 56-66 (by M. Fleischer)
- Glebovskaiia, E.A. (1968) Molecular spectroscopy in the study of organic  
minerals  
Khim. Tverd. Topl., 1968, no. 3, p. 145-148 (by M. Fleischer)
- Godovikov, A.A., Kliakhin, V.A. (1966) Guanajuatite and paraganjuatite  
Akad. Nauk SSSR, Sibirsk. Otd. Geol.Geofiz., 1966, no. 7, p. 67-76 (by M.  
Fleischer)
- Godovikov, A.A., Kochetkova, K.V., Lavrent'ev, Iu.G. (1970) Study of the  
bismuth sulfotellurides of the Sokhondo deposit  
Geol. Geofiz., 1970, no. 11, p. 123-127 (by M. Fleischer)
- Godovikov, A.A., Ptitsyn, A.B. (1966) The entry of iron into sphalerite during  
hydrothermal recrystallization  
Dokl. Akad. Nauk SSSR, v. 166, p. 190-193 (by M. Fleischer)
- Gogishvili, V.G., Chkeidze, R.G., Domukhovskii, V.P. (1980) Native metals and  
intermetallic compounds in high-silica zeolites of Georgia  
Soobshch. Akad. Nauk Gruz. SSR, v. 97, no. 1, p. 133-136 (by M.  
Fleischer)

- Goiko, E.A., Bussen, I.V., Gannibal, L.F., Lipatova, E.A. (1974) A further study of ilmajokite  
Uch. Zap. Leningr. Gos. Univ. im. A.A. Zhdanova, no. 378, Ser. Geol. Nauk, no. 15, p. 174-181 (by M. Fleischer)
- Goldin, B.A., Iushkin, N.P., Fishman, M.V. (1967) A new yttrium mineral, chernovite  
Zap. Vses. Mineral. O-va., v. 96, p. 699-704 (by M. Fleischer)
- Gor'achev, N.S., Nekrasov, I.Ia. (1980) Features of the formation of synthetic and natural sulfides of potassium  
Dokl. Akad. Nauk SSSR, v. 251, p. 682-685 (by M. Fleischer)
- Gorbov, A.F. (1973) The composition of wiserite and Mineral X - two manganese borates  
Tr. Vses. Nauchno-Issled. Proektn. Inst. Galurgii, v. 64, p. 54-62 (by M. Fleischer)
- Gordienko, V.V., Novikova, Iu.N. (1967) Geochemistry of tantalum and niobium in pegmatites of sodium-lithium type  
Mineral. Geokhim., Leningrad. Gos. Univ., Sb. Statei, no. 2 (Leningr. Univ., Mineral. Geokhim. Sb. Statei, v. 2), p. 145-150 (by M. Fleischer)
- Gorokhova, V.N. (1960) The content of rhenium in molybdenites of the Kadzharan copper-molybdenum deposits  
Tr., Inst. Mineral., Geokhim. Kristallokhim. Redk. Elem., Akad. Nauk SSSR, v. 4, p. 28-32 (by M. Fleischer)
- Gorokhova, V.N. (1961) The distribution of rhenium in the molybdenites of the copper-molybdenum deposits of Kadzharan and Argedzor  
Renii, Tr. Vses. Soveshch. Probl. Reniia (May 26-27), 1958 (pub. 1961), p. 26-31 (by M. Fleischer)
- Gorokhova, V.N. (1963) Rhenium in molybdenum and in copper-molybdenum deposits

- Tr. Inst. Mineralog., Geokhim. i Kristallokhim. Redkikh Elementov, Akad. Nauk SSSR, no. 10, p. 171-183 (by M. Fleischer)
- Gorzhevskaya, S.A., Lugovskoi, G.P., Sidorenko, G.A. (1965) The first find of samiresite in the Soviet Union  
Dokl. Akad. Nauk SSSR, v. 162, p. 1148-1151 (by M. Fleischer)
- Gorzhevskaya, S.A., Sidorenko, G.A. (1969) The problem of obruchevite  
Tr. Mineral. Muz., Akad. Nauk SSSR, v. 19, p. 138-145 (by M. Fleischer)
- Gorzhevskaya, S.A., Sidorenko, G.A., Smorchkov, I.E. (1961) A new modification of fergusonite - beta-fergusonite  
Geol. Mestorozhd. Redk. Elem., no. 9, p. 28-29 (by M. Fleischer)
- Gotman, Ia.D. (1958) Lodochnikite - a new mineral of the group of titanites of uranium and thorium  
Zap. Vses. Mineral. O-va., v. 87, p. 197-200 (by M. Fleischer)
- Gotman, Ia.D., Khapaev, I.A. (1958) Thorutite--a new mineral of the group of titanates  
Zap. Vses. Mineral. O-va., v. 87, p. 201-202 (by M. Fleischer)
- Grigor'ev, A.P., Brovkin, A.A., Nekrasov, I.Ia. (1966) A new variety of szaibelyite  
Dokl. Akad. Nauk SSSR, v. 166, p. 937-940 (by M. Fleischer)
- Grigor'ev, A.P., Nekrasov, I.Ia. (1966) Borates of the high-temperature part of the system  $MgO-B_2O_3-H_2O$   
Geol. Rudn. Mestorozhd., 1966, no. 2, p. 21-32 (by M. Fleischer)
- Grigor'ev, D.P. (1962) The name of the mineral--the modification of silica of greatest density  
Zap. Vses. Mineral. O-va., v. 91, no. 5, p. 635-636 (by M. Fleischer)
- Grigor'ev, I.F., Dolomanova, E.I. (1959) Gearksite  
Tr. Mineral. Muz., Akad. Nauk SSSR, v. 10, p. 185-186 (by M. Fleischer)



- Grigor'ev, I.F., Dolomonova, E.I. (1957) Smirnovskite, a new mineral of the group of hydrous fluoro-silico-phosphates of thorium  
Zap. Vses. Mineral. O-va., v. 86, p. 607-621 (by M. Fleischer)
- Grigor'ev, Iu.N., Kayupov, S.K., Mursalimov, Kh.I. (1966) On the quality of analyses for the determination of gold content  
Izv. Akad. Nauk Kaz. SSR, Ser. Geol., no. 6, p. 70-73 (by M. Fleischer)
- Grigor'ev, N.A. (1963) Glucine, a new beryllium mineral  
Zap. Vses. Mineral. O-va., v. 92, p. 691-696 (by M. Fleischer)
- Grigor'ev, N.A. (1964) Uralolite, a new mineral  
Zap. Vses. Mineral. O-va., v. 93, p. 156-162 (by M. Fleischer)
- Grushkin, G.G., Prihid'ke, P.L. (1952) Changes in chemical composition, concentration, and pH of gaseous-liquid inclusion in successive generations of fluorite  
Zap. Vses. Mineral. O-va., v. 81, p. 120-126 (by V.P. Sokoloff)
- Gruzdev, V.S., Chernitsova, N.M., Shumkova, N.G. (1972) Aktashite,  $Cu_6Hg_3As_5S_{12}$ , new data  
Dokl. Akad. Nauk SSSR, v. 206, p. 694-697 (by M. Fleischer)
- Gruzdev, V.S., Mchedlishvili, N.M., Terekhova, G.A., Tsertsvadze, Z.Ia., Chernistova, N.M., and Shumkova, N.G. (1975) Tvalchrelidzeite,  $Hg_{12}(Sb,As)_8S_{15}$ , a new mineral from the Gomi arsenic-antimony-mercury deposit, Caucasus  
Dokl. Akad. Nauk SSSR, v. 225, no. 4, p. 911-913 (by M. Fleischer)
- Gruzdev, V.S., Stepanov, V.I., Shumkova, N.G., Chernitsova, M.M., Yudin, R.N., Bryzgalov, I.A. (1972) Galkhaite,  $HgAsS_2$ , a new mineral from arsenic-antimony-mercury deposits of the USSR  
Dokl. Akad. Nauk SSSR, v. 205, p. 1194-1197 (by M. Fleischer)
- Gurulev, S.A. (1981) The name of the blue variety of diopside

- Zap. Vses. Mineral. O-va., v. 110, p. 97-99 (by M. Fleischer)
- Hayashi, Shoichiro; Sekina, Setsuro; Kishi, H. (1951) Chemical prospecting by natural water in Kidogasawa Mine, Tochigi Prefecture  
J. Geol. Soc. Jpn., v. 57, p. 331 (1951) (Engineer Intelligence Div. (EID), Office of Engineers, U.S. Army, Tokyo)
- Hedstrom, Helmer, Nordstrom (1945) The present position of prospecting technique  
Meddelanden från Jernkontorets Gruvbyrå, v. 39, p. 6-10 (from Swedish) (by B. Baldwin)
- Hsieh, Hsien-te, Chien, Tze-chiang, Liu, Lai-pao (1964) The new mineral carborite:  $MgCa_2(CO_3)(B_2O_5) \cdot 10H_2O$   
Sci. Sin., v. 13, no. 5, p. 813-821 (in Russian) (by M. Fleischer)
- Iablokova, S.V., Dubakina, L.S., Dmitrik, A.L., Sokolova, G.V. (1975) Kuranakhite, a new supergene tellurium mineral  
Zap. Vses. Mineral. O-va., v. 104, p. 310-313 (by M. Fleischer)
- Iakhontova, L.K. (1956) A new mineral--smolianinovite  
Dokl. Akad. Nauk SSSR, v. 109, p. 849-850 (by M. Fleischer)
- Iakhontova, L.K., Plyusina, I.I. (1981) The new mineral lazarenkoite  
Mineral. Zh., v. 3, no. 3, p. 92-96 (by M. Fleischer)
- Iakhontova, L.K., Plyusina, I.I., Stolyarova, T.I., Egorov-Tismenko, Iu.K., Kuleshevich, L.V. (1980) Sergeevite, a new hydrous carbonate of magnesium and calcium  
Zap. Vses. Mineral. O-va., v. 109, p. 217-223 (1980) (by M. Fleischer)
- Iakhontova, L.K., Postnikova, V.P., Sidorenko, G.A., Vlasova, E.V. (1980) A copper-containing montmorillonite mineral of the series saponite-nontronite  
Mineral. Zh., v. 2, no. 5, p. 71-74 (by M. Fleischer)

- Iakhontova, L.K., Sidorenko, G.A. (1956) A new mineral, arsenate-belovite  
 Zap. Vses. Mineral. O-va., v. 85, p. 297-302 (by M. Fleischer)
- Iakhontova, L.K., Sidorenko, G.A., Sergeeva, N.E., Ryabakova, L.I. (1973) New  
 data on smolyaninovite  
 Konst. Svoistva Miner., v. 7, p. 120-123 (by M. Fleischer)
- Iakhontova, L.K., Stolyarova, T.I. (1970) New data on vladimirite  
 Zap. Vses. Mineral. O-va., v. 99, p. 362-364 (by M. Fleischer)
- Iakubova, V.V. (1955) An attempt at study of inclusions in minerals of  
 Murzinka (Urals) pegmatites  
 Tr. Mineral. Muz., Akad. Nauk SSSR, no. 7, p. 132-150 (by V.P. Sokoloff)
- Iarzhemskii, Ia.Ia. (1952) Kurgantaite, a new borate mineral  
 Mineral. Sb., Lvov, no. 6, p. 169-174 (by M. Fleischer)
- Iarzhemskii, Ia.Ia. (1955) The role of dolomite and magnesite in salt-bearing  
 beds  
 Dokl. Akad. Nauk SSSR, v. 104, p. 622-625 (by J. Kotcherka, Ill. Geol.  
 Survey)
- Iarzhemskii, Ia.Ia. (1956) Preobrazhenskite, a new borate of the saliferous  
 strata of the Inder uplift  
 Dokl. Akad. Nauk SSSR, v. 111, p. 1087-1090 (by M. Fleischer)
- Iarzhemskii, Ia.Ia. (1956) The association of hydroboracite with ascharite in  
 the saliferous strata of the Inder uplift  
 Dokl. Akad. Nauk SSSR, v. 111, p. 687-689 (by M. Fleischer)
- Iashvili, L.P. (1969) Occurrence of thallium in ores of the Sevkar-Sarigyukh  
 manganese deposits  
 Dokl. Akad. Nauk Arm. SSR, v. 49, p. 141-142 (by M. Fleischer)
- Iasinskaia, A.A. (1967) Inclusions in stony meteorites  
 Mineral. Sb., Lvov, v. 21, p. 278-281 (by M. Fleischer)

- Iasyrev, A.P., Nikitin, N.M. (1970) The problem of minor elements in fossil bone phosphate  
Dokl. Akad. Nauk SSSR, v. 194, p. 432-435 (by M. Fleischer)
- Iatimirskii, K.B. (1951) The free energy of entropy changes in reactions of complex formation  
Zh. Fiz. Khim., v. 25, no. 2, p. 221-224 (by V.P. Sokoloff)
- Iavnel, A.A., Borovskii, I.B., Il'in, N.P., Marchukova, I.D. (1958) Study of the composition of the phases of an iron meteorite by the method of local x-ray spectrographic analysis  
Dokl. Akad. Nauk SSSR, v. 123, p. 256-258 (by M. Fleischer)
- Ignat'eva, L.A. (1973) Rare-earth apatites of the Abovyan iron-ore deposit  
Redk. Elem., v. 9, p. 134-137 (by M. Fleischer)
- Ikorskii, S.V. (1962) Some inclusions in nepheline rocks of the Khibina and Lovozero alkalic massives  
Mater. Mineral. Kol'sk. Poluostrova, II, p. 80-83 (by M. Fleischer)
- Ikorskii, S.V. (1966) Inclusions of villiaumite and their connection with organic matter in rock-forming minerals of the Khibina massif  
Geokhimiia, 1966, no. 8, p. 1002-1003 (by M. Fleischer)
- Iletneva, N.I.  
See Pletneva, N.I.
- Il'inskii, G.A., Murav'eva, L.P. (1967) Geochemical features of zirconium and hafnium in alkalic rocks of Alai Ridge  
Mineral. Geokhim., no. 2, p. 151-161 (by M. Fleischer)
- Inagaki, M. (1953) Rare elements in Japanese coal. I. Germanium content of Japanese coal  
J. Chem. Soc. Jpn., v. 74, p. 19-22 (Engineer Intelligence Div. (EID), Office of Engineers, U.S. Army, Tokyo)

- Indolev, L.N., Zhdanov, Iu.Ia., Kashirtseva, K.I., Suknev, V.S., Del'yanidi, K.I. (1971) The new mineral indigirite, a hydrous magnesium aluminum carbonate  
Zap. Vses. Mineral. 0-va., v. 100, p. 178-183 (by M. Fleischer)
- Isabaev, E.A., Asylvaev, U.Kh., Cherdyntsev, V.V. (1960) Study of actinium in natural objects  
Radiokhimiia, v. 2, p. 98-103 (by M. Fleischer)
- Iurkevich, I.A. (1953) Toward a lithological-geochemical characterization of carbonate rocks on the basis of CO<sub>2</sub> and insoluble residue  
Dokl. Akad. Nauk SSSR, v. 92, p. 1031-1033 (by V.L. Skitsky)
- Iushkin, N.P., Srebrodol'skii, B.I. (1965) Study of the composition of liquid inclusions in crystals of native sulfur  
Mineral. Sb., Lvov, v. 19, p. 229-236 (by M. Fleischer)
- Iushko-Zakharova, O.E. (1964) A new mineral - nickel telluride  
Dokl. Akad. Nauk SSSR, v. 154, no. 3, p. 613-614 (by M. Fleischer)
- Iushko-Zakharova, O.E., Burova, Z.N. (1959) Selenium and tellurium in copper-nickel deposits of the Kola Peninsula  
Tr., Inst. Mineral., Geokhim. Kristalloghim. Redk. Elem., Akad. Nauk SSSR, v. 3, p. 61-68 (by M. Fleischer)
- Iushko-Zakharova, O.E., Chernyaev, L.A. (1966) Palladium bismuthide from Monchegorsk ore  
Dokl. Akad. Nauk SSSR, v. 170, p. 183-185 (by M. Fleischer)
- Iushko-Zakharova, O.E., Chernyaev, L.A. (1966) The composition and properties of niggliite from copper-nickel ores of the Monchegorsk deposits  
Dokl. Akad. Nauk SSSR, v. 170, p. 1164-1166 (by M. Fleischer)
- Iushko-Zakharova, O.E., Chernyaev, L.A. (1967) The form of entry of palladium into the composition of the Talnakh copper-nickel ores

- Zap. Vses. Mineral. O-va., v. 96, p. 432-434 (by M. Fleischer)
- Iushko-Zakharova, O.E., Malevskii, A.Iu., Lebedeva, S.I., Dubakina, L.S.  
(1973) Classification and properties of natural intermetallic compounds  
of Pd and Pt with Sn, Pb, and Cu  
Issled. v Obl. Prikl. Mineral Kristallokhim., 1973, p. 123-140 (by M.  
Fleischer)
- Ivanov, A.A., Borovskii, I.B., Yarosh, N.A. (1944) Niobium-containing minerals  
from the Vishnevye Mts., Urals  
Tr. Gorno-Geol. Inst., Akad. Nauk SSSR, Ural. Fil., no. 5, p. 1-20 (by M.  
Fleischer)
- Ivanov, A.A., Yarzhemskii, Ia.Ia. (1954) Boron manifestations in the saline  
strata of the Leno-Angar Basin  
Tr. Vses. Nauchno-Issled. Proektn. Inst. Galurgii, v. 29, p. 210-214 (by  
M. Fleischer)
- Ivanov, D.N. (1956) Distribution of lithium, rubidium, and cesium in products  
of modern weathering and in soils  
Kora Vyvetrivaniiia, v. 2, p. 77-84 (by V.P. Sokoloff)
- Ivanov, O.K., Arkhangel'skaia, V.A., Miroshnikova, L.O., Shilova, T.A. (1981)  
Shuiskite, the chromium analogue of pumpellyite from the Bisersk deposit,  
Urals  
Zap. Vses. Mineral. O-va., v. 110, p. 508-512 (by M. Fleischer)
- Ivanov, V.V. (1957) The present hydrothermal activity of the volcano Ebeko on  
the Isle of Paramushir  
Geokhimiia, 1957, no. 1, p. 63-76 (by M. Fleischer)
- Ivanov, V.V. (1958) The principal regularities of the formation and  
circulation of the thermal waters of Kamchatka  
Tr. Lab. Vulkanol., Akad. Nauk SSSR, v. 13, p. 186-211 (1958) (by M.

Fleischer)

Ivanov, V.V., Pyatenko, Iu.A. (1959) On the so-called kesterite

Zap. Vses. Mineral. O-va., v. 88, no. 2, p. 165-168 (by M. Fleischer)

Ivanov, V.V., Voglin, V.Iu. (1960) New data on natural concentrations of indium

Dokl. Akad. Nauk SSSR, v. 130, p. 412-415 (by M. Fleischer)

Ivanova, A.A., Zakharchenko, A.I. (1963) Conference on geological thermometry and barometry

Zap. Vses. Mineral. O-va., v. 92, p. 629-630 (by M. Fleischer)

Ivanova, V.P., Bindul', F.Ia. (1960) A new apparatus for rapid differential thermal analysis

Zap. Vses. Mineral. O-va., v. 89, p. 560-564 (by M. Fleischer)

Ivanova, V.P., Kasatov, B.K., Moskaleva, V.N. (1973) Thermographic study of serpentines on heating them to 1400°

Zap. Vses. Mineral. O-va, v. 102, p. 3-15 (by M. Fleischer)

Ivantishin, M.M. (1955) Topazes in Korosten pegmatites (in Ukrainian)

Geol. Zh., v. 15, p. 58-73 (by V.F. Sokoloff)

Kakihana, H. (1949) Qualitative spectroscopic analysis of flue dusts. I. Flue dusts containing germanium

J. Chem. Soc. Jpn., v. 70, p. 226-229 (Engineer Intelligence Div. (EID), Office of Engineers, U.S. Army, Tokyo)

Kakihana, H. (1950) Qualitative spectrographic analysis of flue dusts. III. Indium

J. Chem. Soc. Jpn., v. 71, p. 145-148 (Engineer Intelligence Div. (EID), Office of Engineers, U.S. Army, Tokyo)

Kalenov, A.D. (1961) Some features of the concentration of scandium

Geokhimiia, 1961, p. 243-251 (by M. Fleischer)

- Kalinin, E.P., Goldin, B.A. (1967) Distribution of tantalum and niobium in apogranites of the Mankhambo granite-granodiorite massif (southern part of the Pechora Urals)  
Geokhimiia, 1967, p. 312-320 (by M. Fleischer)
- Kalita, A.P. (1957) The composition of obruchevite--a hydrated uranium-yttrium variety of pyrochlore  
Dokl. Akad. Nauk SSSR, v. 117, p. 117-120 (by M. Fleischer)
- Kaliuzhnyi, V.A. (1955) Liquid inclusions in minerals as a geological barometer  
Mineral. Sb., Lvov, v. 9, p. 64-84 (by V.P. Sokoloff)
- Kaliuzhnyi, V.A. (1957) In reference to the results on pH measurements in solutions of liquid inclusions  
Geokhimiia, 1957, p. 77-79 (by V.P. Sokoloff)
- Kaliuzhnyi, V.A. (1965) Optical and thermometric studies of inclusions of glass in phenocrysts of hyalodacites of Trans-Carpathia  
Dokl. Akad. Nauk SSSR, v. 160, p. 438-441 (1965) (by M. Fleischer)
- Kaliuzhnyi, V.A., Vozniak, D.K. (1965) Graphical method of determination of the temperature and pressure of homogenization of the closed system  $H_2O-CO_2$  in application to liquid inclusions in minerals  
Mineral. Termom. Barom., 1965, p. 88-92 (by M. Fleischer)
- Kaminskaia, Sh.E. (1944) The presence of titanium in organisms  
Tr. Biogeokhim. Lab., Akad. Nauk SSSR, v. 7, p. 130-135 (by V.P. Sokoloff)
- Kanaya, M., Murakami, S., Ogawa, E. (1943) Distribution and extraction of metallic elements in the residue of zinc melting  
Bull. Inst. Phys. Chem. Res., Tokyo, v. 22, p. 775-780 (Engineer Intelligence Div. (EID), Office of Engineers, U.S. Army, Tokyo)



- Kaplunnik, L.N., Pobedimskaia, E.A., Belov, N.V. (1977) The crystal structure of velikite,  $\text{Cu}_{3.75}\text{Hg}_{1.75}\text{Sn}_2\text{S}_8$   
 Kristallografiia, v. 22, p. 175-177 (by M. Fleischer)
- Kapustianskii, I.D. (1964) Rare elements in phosphorites and phosphatized Cretaceous formations of Kul'dzhuk-Tau Mt. (Kyzyl-Kum)  
 Nauchn. Tr. - Tashk. Gos. Univ. im. V.I. Lenina, no. 249, Geol. im. V.I. Lenina, no. 21, p. 230-239 (by M. Fleischer)
- Kapustin, Iu.L. (1965) Zircosulfate, a new mineral  
 Zap. Vses. Mineral. O-va., v. 94, p. 530-533 (by M. Fleischer)
- Kapustin, Iu.L. (1972) Zircophyllite, the zirconium analogue of astrophyllite  
 Zap. Vses. Mineral. O-va., v. 101, p. 459-463 (by M. Fleischer)
- Kapustin, Iu.L. (1975) First occurrence of spencite in the USSR  
 Zap. Vses. Mineral. O-va., v. 104, p. 589-597 (by M. Fleischer)
- Kapustin, Iu.L., Bykova, A.V., Bukin, V.I. (1972) Natrophosphate, a new mineral  
 Zap. Vses. Mineral. O-va., v. 101, no. 1, p. 80-86 (by M. Fleischer)
- Kapustin, Iu.L., Bykova, A.V., Pudovkina, Z.V. (1973) Mineralogy of the Iovozerite group  
 Izv. Akad. Nauk SSSR, Ser. Geol., no. 8, p. 106-112 (by M. Fleischer)
- Kapustin, Iu.L., Bykova, A.V., Pudovkina, Z.V. (1980) Kovdorskite, a new mineral  
 Zap. Vses. Mineral. O-va., v. 109, p. 341-347 (by M. Fleischer)
- kapustin, Iu.L., Pudovkina, Z.V., Bykova, A.V. (1980) Tisinalite,  $\text{Na}_3\text{H}_3(\text{Mn}, \text{Ca}, \text{Fe})\text{TiSi}_6(\text{O}, \text{OH})_{18} \cdot 2\text{H}_2\text{O}$ , a new mineral of the Iovozerite group  
 Zap. Vses. Mineral. O-va., 1980, v. 109, p. 223-229 (by M. Fleischer)
- Kapustin, Iu.L., Pudovkina, Z.V., Bykova, T.E. (1980) Dorfmanite, a new

mineral

Zap. Vses. Mineral. O-va., v. 109, p. 211-216 (by M. Fleischer)

Karabaev, K.K. (1964) Geochemistry of silver in ore manifestations of the Kugitang Range

Vopr. Mineral. Geokhim., 1964, p. 120-126 (by M. Fleischer)

Kariakin, A.E. (1953) The origin of quartz crystal vugs

Dokl. Akad. Nauk SSSR, v. 92, p. 1023-1025 (by V.L. Skitsky)

Kariakin, A.E., Piznyur, A.V. (1965) The problem of vertical and horizontal zoning in mineral formation

Mineral. Sb., Lvov Gos. Univ. 19, p. 220-225 (by M. Fleischer)

Karibyan, A.N., Burnazyan, A.S., Sinanyan, I.M., Babayan, G.G. (1968)

Solubility isotherms of the system  $\text{Ca}(\text{OH})_2\text{-H}_3\text{BO}_3\text{-H}_2\text{O}$  at 30°C

Arm. Khim. Zh., v. 22, p. 303-307 (by M. Fleischer)

Karpenkov, A.M., Rudashevskii, N.S., Shumskaia, N.I. (1981) A natural chloride of palladium and bismuth - the phase of composition  $\text{Pd}_4\text{Bi}_5\text{Cl}_3$

Zap. Vses. Mineral. O-va., v. 110, p. 86-91 (by M. Fleischer)

Karpinskii, A. (1880) The occurrences of inclusions of liquid carbon dioxide in mineral substances

Gorn. Zh., v. 2, p. 96-117 (by V.L. Skitsky)

Karpova, Kh.N., Kon'kova, E.A., Larkin, E.D., Davel'ev, V.P. (1958)

Avicennite, a new thallium mineral

Dokl. Akad. Nauk UzD. SSR, no. 2, p. 23-26 (by M. Fleischer)

Kashaev, A.A., Feoktistov, G.D., Petrova, S.V. (1962) Enlormagaluminite,  $(\text{Mg, Fe}^{+2})_4\text{Al}_2(\text{OH})_{12}(\text{Cl, 0.5CO}_3)_2 \cdot 2\text{H}_2\text{O}$ , a new mineral of the manasseite-sjögrenite group

Zap. Vses. Mineral. O-va., v. 111, p. 121-127 (by M. Fleischer)

Katayama, Kobuo (1952) Some germanium resources

- Min. Geol., v. 2, no. 6, p. 216-219 (Engineer Intelligence Div. (EID), Office of Engineers, U.S. Army, Tokyo)
- Katchenkov, S.M. (1952) On some general regularities of the accumulation of mineral elements in petroleum and hard coals  
Dokl. Akad. Nauk SSSR, v. 86, p. 805-808 (1952) (by V.L. Skitsky)
- Kawai, Makio (1952) Minor components in the clay from the Seto District, Japan  
J. Chem. Soc. Jpn., Pure Chem. Sect., v. 73, p. 280-282 (by Tadeo Hamachi)
- Kazakov, A.V. (1950) Geotectonics and the formation of phosphorite deposits  
Izv. Akad. Nauk SSSR, Ser. Geol., 1950, no. 5, p. 42-68 (Chemical Training Service, Palo Alto, CA)
- Kazakov, A.V., Sokolova, E.I. (1950) Conditions of formation of fluorite in sedimentary rocks  
Tr. Inst. Geol., Akad. Nauk SSSR, v. 114 (Geol. Ser., no. 40), p. 22-64 (by V.L. Skitsky)
- Kazakov, A.V., Tikhomirova, M.M., Plotnikova, V.I. (1957) The  $\text{FeO-CO}_2\text{-H}_2\text{O}$  system and conclusions in reference to the paragenesis of siderites and phosphorites  
Tr. Inst. Geol. Nauk, Akad. Nauk SSSR, v. 152 (Geol. Ser., no. 64), p. 59-71 (by V.P. Sokoloff)
- Kazakov, A.V., Tikhomirova, M.M., Plotnikova, V.I. (1957) The system of carbonate equilibria (dolomite, magnesite)  
Tr. Inst. Geol. Nauk, Akad. Nauk SSSR, v. 152 (Geol. Ser., no. 64), p. 13-58 (by V.P. Sokoloff)
- Kazaryan, A.G., Arutyunyan, T.M., Galstyan, R.S. (1967) New data on "black" calcite from the Kafan deposit  
Dokl. Akad. Nauk Arm. SSR, v. 44, no. 1, p. 33-37 (by M. Fleischer)

- Kazitsin, Iu.V., Ugarov, V.A. (1963) Petrochemical criteria for the distribution of uranium in Mesozoic magmatic rocks of northeastern Transbaikal  
Tr. Vses. Nauchno-Issled. Geol. Inst., no. 95, p. 131-140 (by M. Fleischer)
- Kekeliya, M.A., Balashov, Iu.A. (1967) Factors of differentiation of rare-earth elements in the Zekarskii gabbrodiorite intrusive and the enclosing andesite-basalt series  
Soobshch. Akad. Nauk Gruz. SSR, v. 45, no. 2, p. 427-433 (by M. Fleischer)
- Kerkis, B.E., Nekhoroshev, G.V. (1963) Uranium and thorium in magmatic rocks of some regions of eastern Kazakhstan  
Tr. Vses. Nauchno-Issled. Geol. Inst., no. 95, p. 83-91 (by M. Fleischer)
- Kerkis, T.Iu., Kostyuk, V.P. (1963) Mineral-thermometric study of the Botogol nepheline, eastern Sayan  
Dokl. Akad. Nauk SSSR, v. 150, p. 1125-1127 (by M. Fleischer)
- Khetchikov, L.N., Balitskii, V.S., Gasparyants, N.R. (1966) The possibility of determining the chemical composition and concentration of mineral-forming solutions from the chemical compositions of gas-liquid inclusions in minerals  
Dokl. Akad. Nauk SSSR, v. 168, p. 1179-1182 (by M. Fleischer)
- Khetchikov, L.N., Dorogovin, B.A., Samoilovich, L.A. (1968) The dependence of the temperature correction of homogenization and decrepitation of gas-liquid inclusions in minerals on the pressure, density, and composition of the solutions (for example, in quartz)  
Geol. Rudn. Mestorozhd., 1968, no. 3, p. 87-97 (by M. Fleischer)
- Khetchikov, L.N., Samoilovich, L.A. (1970) The possibilities of the

- decrepitation method in mineral thermometry  
Izv. Akad. Nauk SSSR, Ser. Geol., 1970, no. 7, p. 92-98 (by M. Fleischer)
- Khisisina, T., Pavlova, M. (1968) Distribution of uranium and thorium in the  
Plana Pluton  
Izv. Geol. Inst., Bulg. Akad. Nauk., Ser. Geokhim., Mineral. Petrogr., v.  
18, p. 33-40 (in Russian) (by M. Fleischer)
- Khitarov, N.I. (1939) The state of the residual magmatic solution according to  
experimental data  
Sov. Geol., v. 9, no. 7, p. 71-77 (by V.L. Skitsky)
- Khitarov, N.I. (1958) The reaction of oligoclase with water at high  
temperatures and pressures  
Tr. Pyatogo Soveshch. Eksp. Tekh. Mineral. Petrogr., p. 208-213 (Proc.  
5th Conf. Exper. Tech. Mineral. Petrogr., 1956) (by M. Fleischer)
- Khitarov, N.I., Ivanov, L.A., Rotman, L.E. (1939) Toward a knowledge of  
critical phenomena in natural processes  
Sov. Geol., v. 9, no. 2, p. 98-105 (by V.L. Skitsky)
- Khitarov, N.I., Moskalyuk, A.A. (1955) Experimental data on the problem of  
genesis of lead mineralization  
Sov. Geol., v. 43, p. 126-136 (by M. Fleischer)
- Khitarov, N.I., Rengarten, E.V. (1956) The geochemistry of carbonic acid in  
granitic intrusions  
Geokhimiia, 1956, no. 2, p. 74-77 (by V.P. Sokoloff) (a published  
translation appears in Geochemistry, 1956, no. 2, p. 198-202)
- Khlopin, V.G. (1938) An oxygen method for the determination of geologic age  
from atomic disintegration and its application  
Izv. Akad. Nauk SSSR, Utd. Mat. Estestv. Nauk, Ser. Khim. (Izv. Akad.  
Nauk SSSR, Ser. Khim.), 1938, no. 2, p. 489-497 (by V.L. Skitsky)

- Khlopin, V.G., Gerling, E.K. (1948) New data on the geochemistry of the rare gases  
Dokl. Akad. Nauk SSSR, v. 61, p. 297-300 (by W. Nichiporuk, Cal. Tech.)
- Khlopin, V.G., Gerling, E.K., Baranovskaia, N.V. (1947) The occurrence in nature of some stable products of the spontaneous fission of uranium  
Bull. Acad. Sci. URSS, Classe Sci. Chim., p. 559-604 (by W. Nichiporuk, Cal. Tech.)
- Khodakov, G.S., Plutsis, E.R. (1958) On the solubility of finely ground quartz in water  
Dokl. Akad. Nauk SSSR, v. 123, p. 725-728 (by M. Fleischer)
- Khomiakov, A.P. (1970) Development of a series of comparative lanthanophilic behavior of minerals  
Dokl. Akad. Nauk SSSR, v. 190, p. 940-943 (by M. Fleischer)
- Khomiakov, A.P. (1970) Rare-earth minerals as possible geothermometers  
Dokl. Akad. Nauk SSSR, v. 191, p. 440-442 (by M. Fleischer)
- Khomiakov, A.P. (1977) Parakeldyshite, a new mineral  
Dokl. Akad. Nauk SSSR, v. 237, p. 703-705 (by M. Fleischer)
- Khomiakov, A.P. (1979) Zirsinalite  
Nov. Dannye Miner. SSSR (New Data Miner. USSR), v. 28, p. 192-193 (by M. Fleischer)
- Khomiakov, A.P. (1982) Natrite,  $\text{Na}_2\text{CO}_3$ , a new mineral  
Zap. Vses. Mineral. O-va., v. 111, p. 220-225 (by M. Fleischer)
- Khomiakov, A.P., Bykova, A.V., Kurova, T.A. (1981) Arctite,  $\text{Na}_2\text{Ca}_4(\text{PO}_4)_3\text{F}$ , a new mineral  
Zap. Vses. Mineral. O-va., v. 110, p. 506-508 (by M. Fleischer)
- Khomiakov, A.P., Bykova, A.V., Malinovskii, Iu.A. (1980) Olympite,  $\text{Na}_3\text{PO}_4$ , a new mineral

- Zap. Vses. Mineral. O-va., v. 109, p. 476-479 (by M. Fleischer)
- Khomiakov, A.P., Cherepivskaia, G.E., Kurova, T.A., Vlasyuk, V.P. (1980)  
Revdite, a new mineral
- Zap. Vses. Mineral. O-va., v. 109, p. 566-569 (by M. Fleischer)
- Khomiakov, A.P., Chernitsova, M.N., Sandomirskaia, S.M., Vasil'eva, G.L.  
(1979) Imandrite, a mineral of the lovozerite family
- Mineral. Zh., v. 1, p. 89-93 (by M. Fleischer)
- Khomiakov, A.P., Kazakova, M.E., Popova, G.N., Malinovskii, Iu.A. (1981)  
Nastrophite,  $\text{Na}(\text{Sr},\text{Ba})\text{PO}_4 \cdot 9\text{H}_2\text{O}$ , a new mineral
- Zap. Vses. Mineral. O-va., v. 110, p. 604-607 (by M. Fleischer)
- Khomiakov, A.P., Kazakova, M.E., Pushcharovskii, D.Iu. (1980) Nacaphite,  
 $\text{Na}_2\text{CaPO}_4\text{F}$ , a new mineral
- Zap. Vses. Mineral. O-va., v. 109, p. 50-52 (by M. Fleischer)
- Khomiakov, A.P., Malinovskii, Iu.A., Sandomirskaia, S.M. (1981) Ferrotychite,  
 $\text{Na}_6\text{Fe}_2(\text{SO}_4)(\text{CO}_3)_4$ , a new mineral
- Zap. Vses. Mineral. O-va., v. 110, p. 600-603 (by M. Fleischer)
- Khomiakov, A.P., Men'shikov, Iu.P. (1979) Identification of  $\text{Na}_2\text{HPO}_4$  and  
 $\text{Na}_2\text{HPO}_4 \cdot 2\text{H}_2\text{O}$  in the products of alteration of natural  
natrophosphate
- Dokl. Akad. Nauk SSSR, v. 248, p. 1207-1211 (1979) (by M. Fleischer)
- Khomiakov, A.P., Men'shikov, Iu.P., Dorfman, M.D. (1982) A new natural sodium  
phosphate,  $\text{Na}_2\text{HPO}_4$ , nahpoite<sup>+</sup>, from the Lovozero and Khibina  
massifs
- Dokl. Akad. Nauk SSSR, v. 264, no. 1, p. 191-194 (by M. Fleischer)
- Khomiakov, A.P., Pushcharovskii, D.Iu., Ronsbo, J.G. (1981) Clinophosinaite,  
 $\text{Na}_3\text{CaPSiO}_7$ , a new mineral
- Zap. Vses. Mineral. O-va., v. 110, p. 351-355 (by M. Fleischer)

- Khomiakov, A.P., Sandomirskaya, S.M., Malinovskii, Iu.A. (1980) Kalborsite,  $K_6BaAl_4Si_6O_{20}(OH)_4Cl$ , a new mineral  
Dokl. Akad. Nauk SSSR, v. 252, p. 1465-1468 (by M. Fleischer)
- Khomiakov, A.P., Semenov, E.I., Es'kova, E.M., Voronkov, A.A. (1974)  
Kazakhovite, a new mineral of the lovozerite group  
Zap. Vses. Mineral. O-va., v. 103, p. 342-345 (by M. Fleischer)
- Khomiakov, A.P., Semenov, E.I., Kazakova, M.E., Shumyatskaya, N.G. (1979)  
Sidorenkite,  $Na_3Mn(PO_4)(CO_3)$  a new mineral  
Zap. Vses. Mineral. O-va., v. 108, no. 1, p. 56-59 (by M. Fleischer)
- Khomiakov, A.P., Semenov, E.I., Shumyatskaya, N.G., Timoshenkov, I.M.,  
Laputina, I.P., and Smol'yaninova, N.N. (1980) Olgite,  $Na(Sr,Ba)PO_4$ , a  
new mineral  
Zap. Vses. Mineral. O-va., v. 109, p. 347-351 (by M. Fleischer)
- Khomiakov, A.P., Stepanov, V.I., Moleva, V.A., Pudovkina, Z.V. (1964) The new  
mineral tikhonkovite,  $SrAlF_4(OH) \cdot H_2O$   
Dokl. Akad. Nauk SSSR, v. 156, p. 345-347 (by M. Fleischer)
- Khomiakov, A.P., Voronkov, A.A., Kazakova, M.E., Vlasova, E.V., Smol'yaninova,  
N.N. (1975) Study of minerals of the Keldyshite group  
Tr. Mineral. Muz., Akad. Nauk SSSR, v. 24, p. 120-131 (by M. Fleischer)
- Khomiakov, A.P., Voronkov, A.A., Lebedeva, S.I., Bykov, V.P., Iurkiva, K.V.  
(1974) Khibinskite,  $K_2ZrSi_2O_7$ , a new mineral  
Zap. Vses. Mineral. O-va., v. 103, p. 110-116 (by M. Fleischer)
- Khomiakov, A.P., Voronkov, A.A. (1973) New zirconium silicates in the  
Lovozero and Khibina massifs  
Tr. Mineral. Muz., Akad. Nauk SSSR, v. 22, p. 215-217 (by M. Fleischer)
- Khotamov, Sh., Lobanov, E.M., Kist, A.A. (1966) The problem of the  
concentration of gold in organs of plants within ore fields



- Dokl. Akad. Nauk Tadzh. SSR, v. 9, no. 11, p. 27-30 (by M. Fleischer)
- Khvostova, V.A. (1962) Distribution of rare earths in accessory minerals of pegmatites in southern Yakutia  
Tr., Inst. Mineral., Geokhim. Kristallokhim. Redk. Elem., Akad. Nauk SSSR, v. 8, p. 147-155 (by M. Fleischer)
- Khvostova, V.A., Arkhangel'skaia, V.N. (1970) A find of the manganese variety of tapiolite  
Dokl. Akad. Nauk SSSR, v. 194, p. 677-678 (by M. Fleischer)
- Khvostova, V.A., Maksimova, N.V. (1963) A new occurrence of ixiolite  
Dokl. Akad. Nauk SSSR, v. 148, p. 424-426 (by M. Fleischer)
- Kim, A.A., Zaiakina, N.V., Lavrent'ev, Iu.G. (1982) Yafsoanite,  $(Zn_{1.38}Ca_{1.36}Pb_{0.26})_3TeO_6$ , a new tellurium mineral  
Zap. Vses. Mineral. O-va., v. 111, p. 118-121 (by M. Fleischer)
- Kimura, K., Fujiwara, S. (1951) Geochemical prospecting for metallic ore deposits  
J. Geogr. (Tokyo), v. 60, no. 1, p. 9-19 (Engineer Intelligence Div. (EID), Office of Engineers, U.S. Army, Tokyo)
- Kimura, K., Fujiwara, S., Morinaga, K. (1950) Chemical studies on the natural water in the Hitachi copper mine district  
J. Chem. Soc. Jpn., v. 71, p. 464-466 (Engineer Intelligence Div. (EID), Office of Engineers, U.S. Army, Tokyo)
- Kimura, K., Fujiwara, S., Morinaga, K. (1951) Geochemical prospecting in the Hosokura Mine  
J. Chem. Soc. Jpn., v. 72, p. 398 (Engineer Intelligence Div. (EID), Office of Engineers, U.S. Army, Tokyo)
- Kimura, K., Kano, K., Saito, K., Tatara, N. (1952) Geochemical study of germanium. II. The behavior of germanium in the smelting process of

nonferrous metals

J. Chem. Soc. Jpn., v. 73, p. 677-679 (Engineer Intelligence Div. (EID),  
Office of Engineers, U.S. Army, Tokyo)

Kimura, K., Koyama, Y. (1936) Spectrographic detection of gallium, germanium,  
indium, rhenium, and thallium in various Japanese minerals  
J. Chem. Soc. Jpn., v. 57, p. 1190-1194 (Engineer Intelligence Div.  
(EID), Office of Engineers, U.S. Army, Tokyo)

Kimura, K., Nagashima, O., Saito, K., Shima, M., Nakai, O. (1952) Geochemical  
study of germanium. I. Several aspects of general considerations on the  
occurrence of germanium  
J. Chem. Soc. Jpn., v. 73, p. 589-591 (Engineer Intelligence Div. (EID),  
Office of Engineers, U.S. Army, Tokyo)

Kimura, K., Tanaka, K. (1936) Chemical analysis of zircon from Korea. Hafnium  
content in Japanese zirconium minerals  
J. Chem. Soc. Jpn., v. 57, p. 1205-1207 (Engineer Intelligence Div.  
(EID), Office of Engineers, U.S. Army, Tokyo)

Kinoshita, K., Nuta, K. (1950) Minor elements in minerals from epithermal  
deposits  
J. Geol. Soc. Jpn., v. 56, p. 423-432 (Engineer Intelligence Div. (EID),  
Office of Engineers, U.S. Army, Tokyo)

Kirillov, A. (1966) Hydroxyl-bastnaesite, a new mineral variety  
Zap. Vses. Mineral. O-va., v. 95, p. 51-59 (by M. Fleischer)

Kirillov, A.S. (1964) A new variety of bastnaesite-hydroxyl-bastnaesite  
Dokl. Akad. Nauk SSSR, v. 159, p. 1048-1050 (by M. Fleischer)

Kliakhin, V.A., Dmitrieva, M.T. (1968) New data on synthetic and natural  
lillianite  
Dokl. Akad. Nauk SSSR, v. 178, p. 173-175 (by M. Fleischer)

- Kliia, M.O., Lemlein, G.G. (1961) Primary inclusions of gas in crystals  
 Zap. Vses. Mineral. O-va., v. 90, p. 260-265 (by M. Fleischer)
- Knipovich, Iu.N., Komkov, A.I., Nefedov, E.I. (1963) Stepanovite and the new mineral zhenchuzhnikovite  
 Tr. Vses. Nauchno-Issled. Geol. Inst., no. 96, p. 131-135 (by M. Fleischer)
- Kochenov, A.V., Zinoviev, V.V. (1960) Distribution of rare-earth elements in phosphatic fish remains from the Maikop sediments  
 Geokhimiia, no. 8, p. 714-725 (by M. Fleischer)
- Koltun, L.I., Golovchenko, N.G. (1962) The temperatures of mineral formation of the Nikitovka mercury deposit, determined from inclusions in minerals  
 Mineral. Sb., Lvov, no. 16, p. 407-410 (by M. Fleischer)
- Komkov, A.I., Nefedov, E.I. (1967) Posnjakite, a new mineral  
 Zap. Vses. Mineral. O-va., v. 96, p. 58-62 (by M. Fleischer)
- Konda, Tadashi (1956) Neogene volcanic rocks of Tozawa District, Yamagata  
 J. Jpn. Assoc. Mineral., Petrol. Econ. Geol., v. 40, no. 3, p. 104-115  
 (Engineer Intelligence Div. (EID), Office of Engineers, U.S. Army, Tokyo)
- Kondrat'eva, V.V. (1964) Unit cell and space group of strontioborite  
 Kristallografiia, v. 9, p. 916-917 (by M. Fleischer)
- Kondrat'eva, V.V. (1964) X-ray study of p-veatchite from halogen rocks  
 Rentgenogr. Miner. Syr'ya, v. 4, p. 19-24 (by M. Fleischer)
- Kondrat'eva, V.V. (1964) X-ray study of some minerals of the hilgardite group  
 Rentgenogr. Miner. Syr'ya, v. 4, p. 10-18 (by M. Fleischer)
- Kondrat'eva, V.V., Ostrovskaia, I.V., Yarzhenskii, Ia.Ia. (1966) A new hydrous calcium borate, volkovskite  
 Zap. Vses. Mineral. O-va., v. 95, p. 45-50 (by M. Fleischer)
- Konev, A.A. (1962) Carbonatites of the Saizhinsk alkalic-ultrabasic complex

- Zap. Vost.-Sib. Otd. Vses. Mineral. O-va., no. 4, p. 165-169 (by M. Fleischer)
- Konev, A.A., Lebedeva, V.S., Kashaev, A.A., Ushchapovskaya, Z.F. (1970)  
Azoproite, a new mineral of the ludwigite group  
Zap. Vses. Mineral. O-va., v. 99, p. 225-231 (by M. Fleischer)
- Konev, A.A., Ushchapovskaya, Z.F., Kashaev, A.A., Lebedeva, V.S. (1969)  
Tazheranite, a new calcium-titanium-zirconium mineral  
Dokl. Akad. Nauk SSSR, v. 186, p. 917-920 (by M. Fleischer)
- Kopchenova, E.V., Avdonin, A.S., Sidorenko, G.A., Bykov, V.P. (1970) Study of  
finely dispersed uranium-titanium minerals from albitites  
Izv. Akad. Nauk SSSR, Ser. Geol., 1972, no. 1, p. 73-83
- Kopchenova, E.V., Avdonin, A.S., Sidorenko, G.A., Dubinchik, V.T. (1976) The  
problem of nenadkevite as a mineral species  
Nov. Mineral. Issled., [Mater. Nauchn. Konf. Mosk. Otd. Vses. Mineral.  
O-va.], 1st (Sb. Nauchn. Tr. Mosk. Otd. Vses. Mineral. O-va., March),  
1974, p. 38-40 (pub. 1976) (by M. Fleischer)
- Kopchenova, E.V., Sidorenko, G.A. (1962) bearsite, the arsenic analogue of  
moraesite  
Zap. Vses. Mineral. O-va., v. 91, no. 4, p. 442-446 (by M. Fleischer)
- Kopchenova, E.V., Skvortsova, K.V. (1957) Sodium uranospinite  
Dokl. Akad. Nauk SSSR, v. 114, p. 634-636 (by M. Fleischer)
- Kopchenova, E.V., Skvortsova, K.V., Silant'eva, N.I., Sidorenko, G.A.,  
Mikhailova, L.V. (1962) Mourite, a new supergene uranium-molybdenum  
mineral  
Zap. Vses. Mineral. O-va., v. 91, no. 1, p. 67-71 (by M. Fleischer)
- Kormushin, V.A., Sharipov, R.K., Kipova, E.M. (1973) Chemical analysis of  
liquid phase inclusion in quartz

- Izv. Akad. Nauk Kaz. SSR, Ser. Geol., 1973, no. 3, p. 88-90 (by M. Fleischer)
- Kornetova, V.A. (1975) Classification of the minerals of the tourmaline group  
Zap. Vses. Mineral. O-va., v. 104, p. 332-336 (by M. Fleischer)
- Kornilov, N.A. (1961) The mineralogy of serpentine  
Zap. Vses. Mineral. O-va., v. 90, p. 535-548 (by M. Fleischer)
- Kornilovich, I.A. (1968) Thallium-containing coronadite from the zone of oxidation of the Ekaterininsk deposit, eastern Transbaikal  
Tr. Vses. Nauchno-Issled. Geol. Inst., v. 131, p. 22-31 (by M. Fleischer)
- Korolev, D.F. (1957) Some peculiarities of the molybdenum distribution in the rocks of the Bylymskii coal deposits  
Geokhimiia, 1957, no. 5, p. 420-424 (by T. Stadnichenko)
- Korpachev, V.G., Esin, O.A., Popel, S.I. (1962) The effect of FeO on the viscosity, surface tension, and density of technical sodium silicates  
Izv. Vyssh. Uchebn. Zaved., Chernaia Metall., v. 5, no. 3, p. 24-29  
(1962) (by M. Fleischer)
- Korzhinskii, D.S. (1956) Derivation of thermodynamic potentials for systems with mobile components  
Dokl. Akad. Nauk SSSR, v. 106, p. 295-298 (by V.P. Sokoloff)
- Kosals, Ia.A. (1967) The geochemistry of tantalum and niobium during the hydrothermal metamorphism of granite  
Geol. Geofiz., 1967, no. 12, p. 32-39 (by M. Fleischer)
- Kosiak, E.A. (1968) Composition of the rhenium mineral from the Dzhezkazgan ores  
Zap. Vses. Mineral. O-va., v. 97, p. 213-216 (by M. Fleischer)
- Kosiak, E.A., Levin, V.L. (1980) Phase transitions in chalcocite ( $\text{Cu}_2\text{S}$ ) and djurleite ( $\text{Cu}_{1.96}\text{S}$ )

- Izv. Akad. Nauk Kaz. SSR, Ser. Fiz.-Mat., no. 4, p. 85-89 (by M. Fleischer)
- Kosiak, E.A., Makarov, V.B., Savostin, B.A. (1980) Minerals in the system Cu-S  
Zap. Vses. Mineral. O-va., v. 109, p. 583-589 (by M. Fleischer)
- Kosterin, A.V. (1966) Some features of the geochemistry of zirconium and hafnium  
Geol. Geofiz., 1966, no. 8, p. 120-124 (by M. Fleischer)
- Kosterin, A.V., Kizyura, V.E., Zuev, V.N. (1961) The ratios of rare-earth elements in the allanites of some igneous rocks of northern Kirgizia  
Geokhimiia, 1961, no. 5, p. 454-456 (by M. Fleischer)
- Kostin, N.E., Volzhenkova, A.Ia. (1965) The effect of the country rock on the composition of rare-earth mineralization  
Geol. Rudn. Mestorozhd., v. 7, no. 1, p. 95-98 (by M. Fleischer)
- Kostov, Ivan (1959) Bismuth jamesonite or sakharovite - a new mineral species  
Tr. Mineral. Muz., Akad. Nauk SSSR, v. 10, p. 148-149 (by M. Fleischer)
- Kostyleva, E.E. (1946) Metamict disintegration of the zircon group of minerals  
Vopr. Mineral., Geokhim., Petrogr., Fersman Volume, p. 27-35 (by Taisia Stadnichenko)
- Kosukhin, O.N. (1976) Conditions of formation of chambered pegmatites  
Soveshch. Molod. Uchen. Mineral., Geokhim. Metod. Issled. Mineral., Tezisy Dokladov, Vladivostok, 1976, p. 32-33 (by M. Fleischer)
- Kouvo, O., Vuorelainen, Y. (1962) The composition and structure of pyrrhotite (in Finnish)  
Geologi, 1962, v. 14, no. 6, p. 79-82 (by A. Hietanen)
- Kovalenker, V.A., Evstigneeva, T.L., Begizov, V.D. (1978) Mertieite-II, a palladium mineral of exocontact copper-nickel ores of the Oktyabr deposit  
Geol. Rudn. Mestorozhd., 1978, no. 2, p. 111-115 (by M. Fleischer)

- Kovalenker, V.A., Evstigneeva, T.L., Malov, V.S., Vyal'sov, L.N. (1981)  
Chatkalite,  $Cu_6FeSn_2S_8$ , a new mineral  
Mineral. Zh., v. 3, no. 5, p. 79-86 (by M. Fleischer)
- Kovalenker, V.A., Evstigneeva, T.L., Troneva, N.V., Vyal'sov, L.N. (1979)  
Kuramite,  $Cu_3SnS_4$ , a new mineral of the stannite group  
Zap. Vses. Mineral. O-va., v. 108, p. 564-569 (by M. Fleischer)
- Kovalenker, V.A., Laputina, I.P., Evstigneeva, T.L., Izoitko, V.M. (1976)  
Thalculusite,  $Cu_{3-x}Tl_2Fe_{1+x}S_4$ , a new thallium sulfide from  
copper-nickel ores of the Talnakh deposits  
Zap. Vses. Mineral. O-va., v. 105, p. 202-202 (by M. Fleischer)
- Kovalenker, V.A., Malov, V.S., Evstigneeva, T.L., Vyal'sov, L.N. (1982)  
Mohite,  $Cu_2SnS_3$ , a new sulfide of tin and copper  
Zap. Vses. Mineral. O-va., v. 111, p. 110-114 (by M. Fleischer)
- Kovalishin, Z.I. (1966) Characteristics of gaseous components of some  
pegmatites of Volynia  
Akad. Nauk SSSR, Issled. Prirod. Tekh. Mineraloobraz. Mater. Soveshch.,  
7th, 1964, p. 49-53 (pub. 1966) (by M. Fleischer)
- Kozlov, I.T., Levshov, P.P. (1962) Amakinite, a new mineral of the  
brucite-pyrochroite group  
Zap. Vses. Mineral. O-va., v. 91, p. 72-77 (1962) (by M. Fleischer)
- Kozlovskaya, L.A., Mitryaeva, N.M. (1961) Rhenium in some copper porphyry  
deposits of Central Kazakhstan  
Izv. Akad. Nauk Kaz. SSR, Ser. Geol., 1961, no. 1, p. 95-99 (by M.  
Fleischer)
- Kramm, T.P., Sukhitskaya, N.Ia. (1965) Melnikovite from the Kimmerian  
sediments of the Kerch Peninsula  
Mineral. Sb., Lvov, v. 19, p. 520-523 (by M. Fleischer)

- Kravchenko, S.M., Mineev, D.A., Kamenev, E.A., Minakov, F.V., Zaitsev, E.I. (1979) Rare earths and strontium in rocks and minerals of the ijolite-urtite complex of the Khibina massif  
Geokhimiia, 1979, no. 7, p. 1035-1045 (by M. Fleischer)
- Kravchenko, S.M., Vlasova, E.V. (1959) Rare-metal mineralization associated with nepheline syenites of the alkaline province of Central Aldan  
Dokl. Akad. Nauk SSSR, v. 128, no. 5, p. 1046-1049 (by M. Fleischer)
- Kravchenko, S.M., Vlasova, E.V., Kazakova, M.E., Ilokhin, V.V., Abrashev, K.K. (1961) Innelite, a new barium silicate  
Dokl. Akad. Nauk SSSR, v. 141, no. 5, p. 1198-1199 (by M. Fleischer)
- Krivokoneva, G.K., Portnov, A.M., Semenov, E.I., Dubakina, L.S. (1979) Komarovite, a silicated pyrochlore  
Dokl. Akad. Nauk SSSR, v. 248, p. 443-447 (by M. Fleischer)
- Krol, O.F., Chernov, V.I., Shipovalov, Ia.V., Khan, G.A. (1964) Saryarkite, a new mineral  
Zap. Vses. Mineral. O-va., v. 93, p. 147-155 (by M. Fleischer)
- Kropachev, A.M. (1960) Minor elements in anhydrites and epithermal gypsums of the Permian of the fore-Urals  
Zap. Vses. Mineral. O-va., v. 89, p. 598-602 (by M. Fleischer)
- Krotov, B.P. (1950) Precipitation of iron and manganese hydroxides in lakes  
Dokl. Akad. Nauk SSSR, v. 71, p. 533-536 (by V.P. Sokoloff)
- Kruglova, V.G., Poteryaikina, A.A., Sidorenko, G.A., Dubakina, L.S., Ryabeva, E.G. (1980) Tugarinovite,  $\text{MoO}_2$ , a new hypogene molybdenum mineral  
Zap. Vses. Mineral. O-va., v. 109, p. 465-468 (by M. Fleischer)
- Krylov, A.Ia. (1956) Distribution of uranium and thorium in the Alabash granitic massif  
Tr. Radievogo Inst., Akad. Nauk SSSR, v. 7, p. 209-213 (by M. Fleischer)



- Krylov, A.Ia. (1956) Distribution of uranium and thorium in the granitic massif of Dzhety-Oguz  
Tr. Radievogo Inst., Akad. Nauk SSSR, v. 7, p. 200-208 (by M. Fleischer)
- Krylov, A.Ia. (1959) The distribution of uranium and thorium in some single-phase intrusives of Tyan-Shan  
Izv. Akad. Nauk SSSR, Ser. Geol., 1959, no. 11, p. 8-14 (by M. Fleischer)
- Krylov, A.Ia. (1963) The evolution of radioactivity and overall chemical composition of rocks of the northern zone of Tyan-Shan  
Radiokhimiia, v. 5, no. 2, p. 173-182 (by M. Fleischer)
- Kudriashova, V.I. (1966) Tungusite, a new mineral of the hydrous calcium silicate group  
Dokl. Akad. Nauk SSSR, v. 171, p. 1167-1170 (by M. Fleischer)
- Kudriashova, V.I. (1968) The world literature on geochemistry, mineralogy, petrography (from data on two abstract journals)  
Izv. Akad. Nauk SSSR, Ser. Geol., 1968, no. 10, p. 143-144 (by M. Fleischer)
- Kudrin, V.S., Kudrina, M.A. (1969) Some practical conclusions on the geochemistry of tantalum in alkaline rocks  
Geol. Rudn. Mestorozhd., v. 11, no. 3, p. 105-109 (by M. Fleischer)
- Kudrin, V.S., Kudrina, M.A., Shuriza, T.N. (1965) Rare-metal metasomatic formations associated with subbalkalic granitic rocks  
Redkometal'nye Metasomatichiskie Obrazovaniia, Sryazannye s Subshchelochnymi Granitoidami (Geol. Mestorozhd. Redkikh. Elementov), no. 25, 147 p. (partial translation, p. 112-126) (by M. Fleischer)
- Kudrin, V.S., Kudrina, M.A., Stolyarova, T.I. (1973) New data on the minerals of the rinkite group  
Tr. Mineral. Muz., Akad. Nauk SSSR, v. 22, p. 199-203 (by M. Fleischer)

- Kudrina, M.A., Kudrin, V.S., Sidorenko, G.A. (1961) Britholite and alumobritholite from alkaline pegmatites of Siberia  
Geol. Mestorozhd. Redk. Elem., no. 9, p. 108-120 (by M. Fleischer)
- Kudryavtsev, V.A. (1964) Distribution of niobium in kimberlites  
Geokhim. Redkikh Elementov v Izverzhennykh Gorn. Porodakh, Akad. Nauk SSSR, Sibirsk. Otd., Inst. Geokhim., p. 142-146 (by M. Fleischer)
- Kukhareno, A.A., Kler, M.M. (1962) The geochemistry of scandium in alkaline-ultrabasic rocks of the Kola Peninsula and Karelia  
Zap. Vses. Mineral. O-va., v. 91, p. 520-536 (by M. Fleischer)
- Kukhareno, A.A., Kondrat'eva, V.V., Kovazina, V.M. (1959) Cafetite - a new hydrous titanate of calcium and iron  
Zap. Vses. Mineral. O-va., v. 88, no. 4, p. 444-453 (by M. Fleischer)
- Kukhareno, A.A., Skrizhinskaia, V.I., Vainshtein, E.E., Kakhana, M.M. (1961) The geochemistry of Nb and Ta in complexes of alkaline-ultrabasic rocks  
Zap. Vses. Mineral. O-va., v. 90, p. 172-192 (by M. Fleischer)
- Kulagov, E.A., Evstigneeva, T.L., Iushko-Zakharova, O.E. (1969) The new mineral godlevskite  
Geol. Rudn. Mestorozhd., v. 11, no. 3, p. 115-121 (by M. Fleischer)
- Kunasheva, K.G. (1939) The distribution of radium and uranium in plants grown in media varying in concentration of these elements  
Tr. Biogeokhim. Lab., Akad. Nauk SSSR, v. 5, p. 197-200 (by V.P. Sokoloff)
- Kunasheva, K.G. (1944) Radium content of plant and animal organisms  
Tr. Biogeokhim. Lab., Akad. Nauk SSSR, v. 6, p. 98-105 (by V.P. Sokoloff)
- Kupriianova, I.I., Stolyarova, T.I., Sidorenko, G.A. (1962) A new thorium silicate, thorostenstrupine  
Zap. Vses. Mineral. O-va., v. 91, p. 325-330 (by M. Fleischer)

- Kupriianova, I.I., Vasil'eva, Z.V. (1961) On rare-earth miserite (partial translation)  
Geol. Mestorozhd. Redk. Elem., no. 9, p. 139-148
- Kurbatov, V.V. (1956) X-ray study of North Karelian carburans  
Tr. Radievogo Inst. im. V.G. Khlopina, Khim. i Geokhim. (Tr. V.G. Khlopin Radium Inst.), v. 7, p. 144-148
- kurovets, M.I., Piznyur, A.V. (1961) The problem of the conditions of formation of monazite  
Mineral. Sb., Lvov, v. 15, p. 355-359 (by M. Fleischer)
- Kurshakova, L.D. (1967) Isomorphism in the axinite group  
Geol. Geofiz., 1967, no. 1, p. 118-123 (by M. Fleischer)
- Kurshakova, L.D. (1970) Experimental study of the reaction hedenbergite + wollastonite = andradite + quartz  
Ocherki Fiz.-Khim. Petrol., v. 2, p. 99-115 (by M. Fleischer)
- Kurshakova, L.D. (1971) Effect of total pressure on the stability fields of hedenbergite and andradite in the system Ca-Fe-Si-O<sub>2</sub>  
Geol. Rudn. Mestorozhd., v. 13, no. 3, p. 49-60 (by M. Fleischer)
- Kurshakova, L.D., Gileva, K.G., Tikhomirova, V.I., Chichagov, A.V. (1976) Associations of borosilicates and borates of calcium according to experimental data  
Izv. Akad. Nauk SSSR, Ser. Geol., 1976, no. 4, p. 102-110 (by M. Fleischer)
- Kurtseva, N.N. (1953) New data on slag pyroxenes of the series FeSiO<sub>3</sub>-MgSiO<sub>3</sub>  
Dokl. Akad. Nauk SSSR, v. 92, p. 153-155 (by V.L. Skitsky)
- Kushev, V.G. (1960) Spodumene pegmatites in Krivoy Rog  
Mineral. Sb., Lvov, no. 14, p. 357-362 (by M. Fleischer)

- Kuts, V.P., Belichenko, V.P. (1963) Rare alkali metals from alkaline rocks of the Azov area  
 Teor. Genet. Vopr. Mineral. Geokhim., Akad. Nauk Ukr. SSR, Ukr. Otd. Vses. Mineral. O-va., 1963, p. 145-147 (by M. Fleischer)
- Kuz'menko, M.V. (1954) Beryllite, a new mineral  
 Dokl. Akad. Nauk SSSR, v. 99, p. 451-454 (by M. Fleischer)
- Kuz'menko, M.V. (1959) The geochemistry of tantalum and niobium  
 Tr., Inst. Mineral., Geokhim. Kristalloghim. Redk. Elem., Akad. Nauk SSSR, v. 3, p. 3-25 (by M. Fleischer)
- Kuz'menko, M.V. (1960) Genetic types of deposits and ore manifestations of niobium and tantalum  
 Tr., Inst. Mineral., Geokhim. Kristalloghim. Redk. Elem., Akad. Nauk SSSR, v. 4, p. 142-172 (by M. Fleischer)
- Kuz'menko, M.V., Akelin, N.A., Sokolova, R.I. (1969) Regularities of the distribution of tantalum and niobium in endocontact pegmatites and the parent granites  
In Osobennosti Raspredeleniia Redkikh Elementov v Pegmatitakh (Features Dist. Rare Elem. Pegmatites), p. 44-78 (by M. Fleischer)
- Kuz'menko, M.V., Kazakova, M.E. (1955) Nenadkevichite, a new mineral  
 Dokl. Akad. Nauk SSSR, v. 100, p. 1159-1160 (by M. Fleischer)
- Kuz'menko, M.V., Kozhanov, S.I. (1959) The new mineral karnasurtite  
 Tr., Inst. Mineral., Geokhim. Kristalloghim. Redk. Elem., Akad. Nauk SSSR, v. 2, p. 95-98 (by M. Fleischer)
- Kuz'mina, T.M., Zagorskii, V.E., Makayon, V.M. (1976) Temperatures of formation on zones of exocontact alteration around veins of rare-metal pegmatites  
 Ezheg. Inst. Geokhim. Sib. Otd. Akad. Nauk SSSR, 1975, p. 78-82 (pub.

- 1976) (by M. Fleischer)
- Kuznetsov, E.A. (1951) Some problems of the petrography of the Ural Mts.  
Izv. Akad. Nauk SSSR, Ser. Geol., no. 6, p. 120-127 (by V.L. Skitsky)
- Kuznetsov, Iu.A., Kuznetsova, S.V., Samoilovich, L.G., Sidenko, O.G., Sharkin, O.P., Yushin, A.A. (1973) New data on chemical composition and some physical properties of gold from the Nagol'nyi Ridge, Donbas  
Konst. Svoistva Miner., v. 7, p. 117-119 (by M. Fleischer)
- Lapin, A.V., Kazakova, M.E. (1966) Titanian lueshite from the Kovdor massif and isomorphism in the perovskite group  
Dokl. Akad. Nauk SSSR, v. 171, p. 956-959 (by M. Fleischer)
- Lapitskii, A.V., Nebylitsyn, B.D. (1961) Causes of the geochemical features of niobium and tantalum  
Vestn. Mosk. Univ., Ser. 4: Geol., 1961, no. 2, p. 70-74 (by M. Fleischer)
- Laputina, I.P., Genkin, A.D. (1975) Minerals of the braggite-vysotskite series  
Izomorfizm Miner., p. 146-150 (by M. Fleischer)
- Lazarenko, E.K. (1955) Sphalerites of the pyrite deposits of the Middle Urals  
Uch. Zap., L'vov. Gos. Univ., Ser. Geol., v. 35, no. 8, p. 72-119 (by M. Fleischer)
- Lazarenko, E.K., Korolev, Iu.M. (1970) Tarasovite, a new dioctahedral ordered interlayered mineral  
Zap. Vses. Mineral. Ob-va., v. 99, p. 214-224 (by M. Fleischer)
- Lazarenko, E.K., Pavlishin, V.I. (1976) The relationship of celadonite and svitalskite  
Mineral. Osad. Obraz., v. 3, p. 21-32 (by M. Fleischer)
- Laz'ko, E.E. (1974) The occurrence of rare sulfides in kimberlites of Yakutia  
Vopr. Petrogr. Mineral. Osnovn. Ul'traosnovn. Porod Vost. Sib., 1974, p.

89-97 (by M. Fleischer)

- Laz'ko, E.M. (1949) The possibility of utilizing liquid inclusions in minerals for determining the pressure during the process of mineral formation  
Zap. Vses. Mineral. O-va., v. 78, no. 3, p. 259-264 (by V.L. Skitsky)
- Lebedev, A.P. (1959) Differentiation of the trap-like intrusives of Vilui Mountain  
Tr. Inst. Geol. Rudn. Mestorozhd., Petrogr., Mineral. Geokhim., Akad. Nauk SSSR, no. 29, p. 4-108 (pages 74-79 only translated) (by M. Fleischer)
- Lebedeva, S.I. (1960) Rational method of quantitative determination of finely disseminated beryl in greisen ores  
Tr., Inst. Mineral., Geokhim. Kristallokhim. Redk. Elem., Akad. Nauk SSSR, v. 4, p. 209-213 (by M. Fleischer)
- Leksin, V.N. (1960) The outlook for industrial recovery of selenium and tellurium from products of the treatment of copper-molybdenum ores  
Tr., Inst. Mineral., Geokhim. Kristallokhim. Redk. Elem., Akad. Nauk SSSR, v. 4, p. 235-245 (1960) (by M. Fleischer)
- Lemmlein, G.G. (1956) Development of liquid inclusions in minerals and their application in geologic thermometry  
Geokhimiia, 1956, no. 6, p. 84-94 (by V.P. Sokoloff)
- Lemmlein, G.G., Kliia, M.O. (1952) New data on the decomposition of crystal substance on the walls of cavities of liquid inclusions  
Dokl. Akad. Nauk SSSR, v. 82, p. 765-768
- Lepeshkov, I.N., Bodaleva, N.V. (1952) The order of crystallization of salts during the evaporation of water in the Aral Sea  
Dokl. Akad. Nauk SSSR, v. 83, p. 583-584 (V.L. Skitsky)
- Lesniak, V.F. (1954) Temperature conditions in the formation of a zinc-lead

- deposit in the Caucasus  
 Mineral. Sb., Lvov, v. 8, p. 145-160 (by V.P. Sokoloff)
- Lesniak, V.F. (1961) Some features of the formation of skarn-ore complexes  
 Mineral. Sb., Lvov, no. 15, p. 129-137 (by M. Fleischer)
- Levin, B.Iu., Slonimskii, G.L. (1957) Problem of the origin of meteoric  
 chondrules  
 Dokl. Akad. Nauk SSSR, v. 113, no. 1, p. 62-64 (by W. Nichiporuk, Cal.  
 Tech)
- Liakhov, Iu.V., Miaz', N.I. (1966) Temperature regime of the formation of  
 quartz of the Baleisk deposits (eastern Baikal)  
 Akad. Nauk SSSR, Issled. Prirod. Tekh. Mineraloobraz. Mater. Soveshch.,  
 7th, 1964, p. 43-48 (pub. 1966) (by M. Fleischer)
- Liakhovich, V.V. (1962) The mode of the distribution of rare elements in a  
 vertical section of a granitic massif  
 Dokl. Akad. Nauk SSSR, v. 147, no. 4, p. 927-930 (by M. Fleischer)
- Liakhovich, V.V. (1964) Features of the contents of rare elements in schlieren  
 segregations of granite  
 Dokl. Akad. Nauk SSSR, v. 159, no. 2, p. 351-354 (by M. Fleischer)
- Lifshits, G.M. (1961) Microelements in the waters of some ponds of the  
 Voronezh region  
 Gidrokhim. Mater., v. 33, p. 75-79 (by M. Fleischer)
- Lin, Tsan-sheng (1934) Chemical composition of the mud ejected from the  
 Kun-shui-p'ing mud volcano, Taiwan  
 Taiwan Tigaku Kizi, v. 5, no. 6-7 (trans. has 7 p.) (Engineer  
 Intelligence Div. (EID), Office of Engineers, U.S. Army, Tokyo)
- Lipova, I.M., Shevaleevskii, I.D., Tuzova, A.M. (1957) On the ratio of  
 zirconium and hafnium in the granitoids of the Verkhissetsk intrusion

- Geokhimiia, 1957, no. 2, p. 133-141 (by M. Fleischer)
- Lipovetskii, A.G., Borodaev, Iu.S., Zav'ialov, E.N. (1976) New lead-bismuth tellurides of the Alekseev ore showing (Sanovoy Range)  
Geol. Rudn. Mestorozhd., 1976, no. 2, p. 111-115 (by M. Fleischer)
- Lipovetskii, A.G., Borodaev, Iu.S., Zav'ialov, E.N. (1978) Aleksite,  $PbBi_2Te_2S_2$ , a new mineral  
Zap. Vses. Mineral. O-va., v. 107, p. 315-321 (1978) (by M. Fleischer)
- Lizunov, N.V., Lisitsyn, A.P. (1955) Composition of the suspended matter in the Bering Sea according to spectral analysis  
Dokl. Akad. Nauk SSSR, v. 104, no. 4, p. 593-596 (by W. Nichiporuk, Cal. Tech.)
- Lobanov, I.F. (1961) Platinum in the bed rocks of the Vilui basin  
Sov. Geol., 1961, no. 5, p. 142 (by M. Fleischer)
- Lobanova, V.V. (1960) A new borate - strontioborite  
Dokl. Akad. Nauk SSSR, v. 135, p. 173-175 (by M. Fleischer)
- Lobanova, V.V. (1962) A new borate, halurgite  
Dokl. Akad. Nauk SSSR, v. 143, no. 3, p. 693-696 (by M. Fleischer)
- Lobanova, V.V. (1963) The new mineral tatarskite  
Zap. Vses. Mineral. O-va., v. 92, no. 6, p. 697-702 (by M. Fleischer)
- Lobanova, V.V., Avrova, N.P. (1964) The new mineral metaborite - natural metaboric acid  
Zap. Vses. Mineral. O-va., v. 93, p. 329-334 (by M. Fleischer)
- Lobanova, V.V., Kondrat'eva, V.V. (1965) The problem of strontioborite  
Zap. Vses. Mineral. O-va., v. 94, p. 618-619 (by M. Fleischer)
- Lokerman, A.A. (1962) The possibility of study of the interrelations of dikes and mineralization from inclusions in minerals  
Mineral. Sb., Lvov, no. 16, p. 312-317 (by M. Fleischer)



- Luntz, A.Ia., Saldau, E.P. (1963) Genthelvite from pegmatites, Kola Peninsula  
Zap. Vses. Mineral. O-va., v. 92, no. 1, p. 81-84 (by Ivan Mitten)
- Magarshak, G.K. (1938) Polytherms of the system  $Al_2O_3-Na_2O-H_2O$  from  
30° to 200° C  
Legk. Met., 1938, no. 2, p. 12-16 (by S. Theokritoff)
- Magdiev, R.A., Sabotaeva, Z.K., Shaislamova, M.A. (1964) Some features of the  
distribution of radioactive elements in rocks of the granitic massif of  
Aktau  
Uzb. Geol. Zh., 1964, no. 4, p. 45-52 (by M. Fleischer)
- Maksimov, A.A. (1960) New data on the mineralogy and geochemistry of the  
Dzhezda manganese deposit, Central Kazakhstan  
Sov. Geol., 1960, no. 12, p. 65-73 (by M. Fleischer)
- Maksimovic, Z. (1973) The isomorphous series lizardite-nepouite  
Zap. Vses. Mineral. O-va., v. 102, p. 143-149 (by M. Fleischer)
- Maleev, M.N. (1976) Svetlozarite, a new high-silica zeolite  
Zap. Vses. Mineral. O-va., v. 105, p. 449-453 (by M. Fleischer)
- Malinko, S.V. (1961) New boron minerals, uralborite and pentahydroborite  
Zap. Vses. Mineral. O-va., v. 90, p. 673-681 (by M. Fleischer)
- Malinko, S.V. (1963) A new calcium borate, korzhinskite  
Zap. Vses. Mineral. O-va., v. 92, p. 555-559 (by M. Fleischer)
- Malinko, S.V. (1974) The new boron mineral solongoite  
Zap. Vses. Mineral. O-va., v. 93, p. 117-121 (by M. Fleischer)
- Malinko, S.V. (1980) New boron minerals in skarns - a possible source of boron  
resources  
Dokembr., Dokl. Sov. Geol., Mezhdunar. Geol. Kongr., 26th (Akad. Nauk  
SSSR, Int. Geol. Congress, Paris, Rep. Soviet Geol., Geochem. Mineral.),  
1980, p. 160-164 (by M. Fleischer)

- Malinko, S.V., Fitsev, B.P., Kuznetsova, N.N., Cherakasova, L.E. (1980)  
 Ekaterinite, a new boron mineral  
 Zap. Vses. Mineral. O-va., v. 109, p. 469-476 (by M. Fleischer)
- Malinko, S.V., Lisisitsyn, A.E., Dorofeeva, K.A., Ostrovskaia, I.V., Shashkin, D.P. (1966) Kurchatovite, a new mineral  
 Zap. Vses. Mineral. O-va., v. 95, p. 203-209 (by M. Fleischer)
- Malinko, S.V., Lisitsyn, A.E. (1961) A new boron mineral, nifontovite  
 Dokl. Akad. Nauk SSSR, v. 139, no. 5, p. 188-190 (by M. Fleischer)
- Malinko, S.V., Lisitsyn, A.E., Purusova, S.P., Fitsev, B.P., Khruleva, T.A. (1982) Korshunovskite,  $Mg_2Cl(OH)_3 \cdot nH_2O$ , a new hydrous magnesium chloride  
 Zap. Vses. Mineral. O-va., v. 111, p. 324-329 (by M. Fleischer)
- Malinko, S.V., Mozyova, N.N. (1973) Botryolite  
 Konst. Svoistva Miner., v. 7, p. 123-131 (by M. Fleischer)
- Malinko, S.V., Pertsev, N.N. (1979) Orthorhombic and monoclinic kurchatovite (new occurrence and date)  
 Zap. Vses. Mineral. O-va., v. 108, p. 595-599 (by M. Fleischer)
- Malinko, S.V., Shashkin, D.P., Iurkina, K.V. (1976) Fedorovskite, a new boron mineral, and the isomorphous series roweite-fedorovskite  
 Zap. Vses. Mineral. O-va., v. 105, p. 71-85 (by M. Fleischer)
- Maliuga, D.P. (1939) Geochemistry of dispersed nickel: I. Occurrence of nickel in organisms and in the biosphere  
 Tr. Biogeokhim. Lab., Akad. Nauk SSSR, v. 9, p. 90-111 (by V.P. Sokoloff)
- Maliuga, D.P. (1950) On biogeochemical provinces in the Southern Urals  
 Dokl. Akad. Nauk SSSR, v. 70, no. 2, p. 257-259 (1950) (by M. Fleischer)
- Mamedov, Z.M. (1965) Geochemistry of rhenium in minerals of the copper-molybdenum deposits of Paragachaya

- Dokl. Akad. Nauk Az. SSR, v. 21, p. 24-27 (by M. Fleischer)
- Mamedov, L.M. (1966) Regularities of the distribution of rhenium in ores of the Paragachaisk deposits  
Geokhim. Redk. Elem. (Akad. Nauk Az. SSR, Inst. Neorg. Fiz. Khim.), 1966, p. 108-113 (by M. Fleischer)
- Manskaia, S.M., Drozdova, T.V., Emilianova, M.P. (1956) Binding of uranium by humic acids and in melanoidines  
Geokhimiia, 1956, no. 4, p. 10-23 (by V.P. Sokoloff)
- Manuilova, N.S. (1937) Crystalline phases in the system  $\text{Na}_2\text{O}-\text{MgO}-\text{SiO}_2$   
Tr. Soveshch. po Eksp. Mineral. i Petrogr., 2nd, Moscow (Trans. 2nd Conf. Exper. Mineral., Acad. Sci. USSR) (Akad. Nauk SSSR, Geol. Gruppya Petrogr. Inst. im. F. Iu. Levinson-Lessinga), May 7-10, 1936 (pub. 1937), p. 95-101 (by V.P. Sokoloff)
- Marakushev, A.A., Knetchikov, L.N., Efimova, M.I., Kim, Min Seb, Kim, Chan Von, Kim, Khak Dze (1960) A find of warwickite and paigeite in Precambrian dolomitic marbles of Northern Korea  
Dokl. Akad. Nauk SSSR, v. 134, no. 1, p. 168-170 (by M. Fleischer)
- Marchenko, E.Ia., Sidorenko, T.Ia. (1968) Niobium and tantalum in accessory zircons of granitic rocks of the Korosten pluton (Precambrian of the Ukrainian SSR)  
Dokl. Akad. Nauk SSSR, v. 179, p. 694-696 (by M. Fleischer)
- Marenina, T.Iu. (1957) The volcano Dzenzur  
Byull. Vulkanol. Stn., Akad. Nauk SSSR, no. 26, p. 86-100 (only p. 98-100 translated) (by M. Fleischer)
- Markhinin, E.K. (1959) Discharges of steam on Kunashir Island (Hot Beach)  
Byull. Vulkanol. Stantsii, Akad. Nauk SSSR, Lab. Vulkanol., no. 28, p. 33-42 (by M. Fleischer)

- Markhinin, E.K. (1959) Volcanoes of Kunashir Island  
Tr. Lab. Vulkanol., Akad. Nauk SSSR, v. 17, p. 64-155 (p. 96-98 only) (by  
M. Fleischer)
- Markova, E.A. (1960) Selenium and tellurium in ores of a cobalt-arsenic  
deposit  
Zap. Vses. Mineral. O-va., v. 89, p. 602-605 (by M. Fleischer)
- Markova, E.A. (1964) Selenium and tellurium in ores of the gold-copper-arsenic  
deposits of Central Asia  
Vopr. Mineral. Geokhim., 1964, p. 156-160 (by M. Fleischer)
- Markova, E.A., Chernitsova, N.M., Borodaev, Iu.S., Dubakina, L.S.,  
Iushko-Zakharova, O.E. (1980) The new mineral kolymite,  $Cu_7Hg_6$   
Zap. Vses. Mineral. O-va., v. 109, p. 206-211 (1980) (by M. Fleischer)
- Marshintsev, V.K., Zaiakina, N.V., Leskova, N.V. (1982) Inclusions of cubic  
silicon carbide in moissanite from kimberlitic rocks - a new occurrence  
in Nature  
Dokl. Akad. Nauk SSSR, v. 262, p. 204-206 (by M. Fleischer)
- Marshukova, N.K., Palovskii, A.B., Sidorenko, G.A., Chistyakova, N.I. (1981)  
Vismirnovite,  $ZnSn(OH)_6$ , and natanite,  $FeSn(OH)_6$ , new tin minerals  
Zap. Vses. Mineral. O-va., v. 110, p. 492-500 (by M. Fleischer)
- Marshukova, N.K., Sidorenko, G.A., Chistyakova, N.I. (1978) On natural  
hydrostannates  
Nov. Dannye Miner. SSSR (New Data Miner. USSR), v. 27, p. 89-95 (by M.  
Fleischer)
- Maslova, I.N. (1963) Ultramicrochemical study of the composition of solution  
inclusions in quartz of an antimony-mercury deposit  
Zap. Vses. Mineral. O-va., v. 92, no. 6, p. 706-707 (by M. Fleischer)
- Matias, V.V. (1961) Tin-tantalite, a new variety of tantalite

- Geol. Mestorozhd. Redk. Elem., no. 9, p. 30-41 (by M. Fleischer)
- Matias, V.V., Bondareva, A.M. (1957) Lithiophosphate, a new mineral  
Dokl. Akad. Nauk SSSR, v. 112, p. 124-126 (by M. Fleischer)
- Matias, V.V., Rossovskii, L.N., Shostatskii, A.N., Kumskova, N.M. (1963)  
Magnocolumbite, a new mineral  
Dokl. Akad. Nauk SSSR, v. 148, p. 420-423 (by M. Fleischer)
- Maulenov, A.M., Bel'skii, G.G. (1970) The forms of bonding and the conditions  
of concentrations of some micro-elements in phosphates from black shales  
Izv. Akad. Nauk Kaz. SSR, Ser. Geol., 1970, v. 6, p. 42-50 (by M.  
Fleischer)
- Mekent'ev, B.N., Ivanenko, V.V., Pamfiliva, L.A. (1963) The solubility of zinc  
sulfide in aqueous solutions  
Dokl. Akad. Nauk SSSR, v. 153, no. 1, p. 184-186 (1953) (by M. Fleischer)  
245,
- Meliksetyan, B.M. (1961) The geochemistry of uranium and thorium in some  
granitic rocks of southern Armenian SSSR  
Izv. Akad. Nauk Arm. SSR, Geol. Geogr. Nauki, v. 14, no. 2, p. 21-41 (by  
M. Fleischer)
- Meliksetyan, B.M. (1963) The geochemistry of yttrium and the rare earths in  
granitic rocks of the Megrinsk pluton  
Izv. Akad. Nauk Arm. SSR, Geol. Geogr. Nauki, v. 16, no. 3, p. 45-59 (in  
Russian with Armenian summary) (by M. Fleischer)
- Mel'nikova, V.L. (1972) A lead oxychloride from the zone of oxidation of the  
barite-polymetallic deposit of Kairakty, Central Kazakhstan  
Izv. Akad. Nauk Kaz. SSR, Ser. Geol., 1972, no. 6, p. 82-86 (by M.  
Fleischer)
- Men'shikov, Iu.P., Bussen, I.V., Goiko, E.A., Zabavnikova, N.I., Mer'kov,

- A.N., Khomiakov, A.P. (1975) Bornemanite, a new silicophosphate of sodium, titanium, niobium and barium  
Zap. Vses. Mineral. O-va., v. 104, p. 322-326 (by M. Fleischer)
- Men'shikov, Iu.P., Denisov, A.P., Uspenskaia, E.I., Lipatova, E.A. (1973) Lovdarite, a new hydrous beryllosilicate of alkalies  
Dokl. Akad. Nauk SSSR, v. 213, p. 429-432 (by M. Fleischer))
- Men'shikov, Iu.P., Pakhomovskii, Ia.A., Goiko, E.A., Bussen, I.V., Mer'kov, A.N. (1975) A natural tetragonal titanosilicate of sodium, natisite  
Zap. Vses. Mineral. O-va., v. 104, p. 314-317 (by M. Fleischer)
- Menyailov, A.A., Danilova, V.V., Indichenko, L.N. (1947) Chromium and fluorine in volcanic products  
Zap. Vses. Mineral. O-va., v. 76, no. 2, p. 139-146 (by M. Fleischer)
- Mer'kov, A.N., Bussen, I.V., Goiko, E.A., Kulchitskaia, E.A., Men'shikov, Iu.P., Nedorazova, A.P. (1973) Raite and zorite, new minerals from the Lovozero lundra  
Zap. Vses. Mineral. O-va., v. 102, p. 54-62 (by M. Fleischer)
- Miaz', N.N., Koltyn, L.I. (1960) Inclusions of mineral-forming solutions in epidote  
Mineral. Sb., Lvov, no. 14, p. 325-327 (by M. Fleischer)
- Mikolaichuk, A.G., Dutchak, Ia.I. (1965) A new modification of mercury sulfide  
Mineral. Sb., Lvov, v. 19, p. 368-372 (by M. Fleischer)
- Mincheva-Stefanova, I. (1968) Strashimirite, a new hydrous copper arsenate  
Zap. Vses. Mineral. O-va., v. 97, no. 4, p. 470-477 (by M. Fleischer)
- Mineev, D.A. (1964) Study of the correlations among lanthanides in rocks  
Dokl. Akad. Nauk SSSR, v. 154, no. 3, p. 615-618 (by M. Fleischer)
- Mineev, D.A., Lavrishcheva, I.I., Bykova, A.V. (1970) Yttrian bastnaesite, a product of the alteration of gayarinite

- Zap. Vses. Mineral. O-va., v. 99, p. 328-332 (by M. Fleischer)
- Mintser, E.F. (1967) Benjaminite,  $(Cu,Ag)_2Pb_2Bi_4S_9$   
 Dokl. Akad. Nauk SSSR, v. 174, p. 675-678 (by M. Fleischer)
- Mintser, E.F., Nikol'skaia, L.V. (1970) Bismuth in the igneous rocks of eastern Karamazar (Kuramin Range, Central Asia)  
 Geokhim. Geol. Nekot. Rud. Mestorozhd., 1970, p. 133-140 (by M. Fleischer)
- Mironova, O.F., Naumov, G.B. (1967) Method of determining the concentration of  $CO_2$  in gas-liquid inclusions  
 Geokhimiia, 1967, no. 10, p. 1121-1123 (by M. Fleischer)
- Mirvev, B. (1948) Solubility of magnesium bicarbonates in the presence of sodium bicarbonate, in connection with the preparation of basic manganese carbonate  
 Annu. Univ. Sofia, Fac. Sci. (God. Sofii. Univ., Prir.-Mat. Fak.), Sec. 2, Chem., v. 44, p. 143-156 (from Bulgarian) (by V.L. Skitsky)
- Moyarovskii, V.V. (1960) The association of scandium with magnesium and divalent iron in some igneous rocks  
 Dokl. Akad. Nauk Tadzh. SSSR, v. 3, no. 4, p. 3-7 (in Russian) (by M. Fleischer)
- Morinaga, K. (1952) Minor elements in sphalerites from Japan  
 Bull. Nagoya Inst. Technol., v. 4, p. 228-231 (Engineer Intelligence Div. (EID), Office of Engineers, U.S. Army, Tokyo)
- Morozov, S.A. (1966) The chemical composition of quartz-forming solutions of Western Pamir (from study of gas-liquid inclusions in quartz)  
 Dokl. Akad. Nauk Tadzh. SSR, v. 9, p. 28-31 (in Russian) (by M. Fleischer)
- Moskalyuk, A.A. (1961) Study of inclusions of solutions in minerals and rocks

(chemical and thermometric methods)

Inform. Sb. Vses. Nauchn.-Issled. Geol. Inst., no. 50 (Leningrad Vses. Nauchn.-Issled. Geol. Inst., Inform. Sb., v. 50), p. 117-129 (by M. Fleischer)

Motorina, I.V. (1967) Multi-phase inclusions in topazes from pegmatites of Volynia

Dokl. Akad. Nauk SSSR, v. 175, p. 686-688 (by M. Fleischer)

Mozgova, N.N., Borodaev, Iu.S., Uzerova, N.A., Paakonen, V., Sveshnukova, O.L., Balitskii, V.S., and Dorogovin, B.A. (1976) Seinäjokite,

( $\text{Fe}_{0.8}\text{Ni}_{0.2}$ ) ( $\text{Sb}_{1.7}\text{As}_{0.3}$ ) and antimonian westerveldite

( $\text{Fe},(\text{As}_{0.95}\text{Sb}_{0.05})$ ) from Seinajoki, Finland

Zap. Vses. Mineral. O-va., v. 195, p. 617-630 (by M. Fleischer)

Murev'eva, I.V., Evstigneeva, I.L., Filimonova, A.A., Malov, V.S. (1972) First occurrence of Mooihoekite in Cu-Ni ores of the Uktyabr deposit, Noril'sk region

Geol. Rudn. Mestorozhd., v. 14, no. 3, p. 94-97 (by M. Fleischer)

Muta, K. (1957) Distribution of tin in galena of Kyushu

Eng. Rep. Kyushu Univ., v. 30, no. 3, p. 229-235 (Engineer Intelligence Div. (EID), Office of Engineers, U.S. Army, Tokyo)

Muta, Kunihiro (1954) On the carbonate minerals associated with serpentine

J. Jpn. Assoc. Mineral., Petrol. Econ. Geol., v. 35, no. 2 (1954)

(Engineer Intelligence Div. (EID), Office of Engineers, U.S. Army, Tokyo)

Muta, Kunihiro (1957) Distribution of tin in sphalerite of Kyushu

Eng. Rep. Kyushu Univ., v. 30, no. 2, p. 122-128 (Engineer Intelligence Div. (EID), Office of Engineers, U.S. Army, Tokyo)

Muta, Kunihiro, Katsura, Kei (1958) A geochemical study of minor elements of the Sangasho type "Kieslager"



- Min. Geol. (Tokyo), v. 8, no. 29, p. 153-162 (Engineer Intelligence Div. (EID), Office of Engineers, U.S. Army, Tokyo)
- Naboko, S.I. (1957) A case of gaseous fluorine metasomatism at an active volcano  
Geokhimiia, 1957, no. 5, p. 385-388 (by M. Fleischer)
- Naboko, S.I. (1958) On the formation of sulfur lakes on the Volcano Golovnina  
Byull. Vulkanol. Stn., Akad. Nauk SSSR, no. 27, p. 43-50 (by M. Fleischer)
- Naboko, S.I. (1959) Deposition of jarosite from acid sulfataric waters of the Lower Mendeleev thermal spring, Kunashir Island  
Tr. Mineral. Muz., Akad. Nauk SSSR, v. 10, p. 164-170 (by M. Fleischer)
- Naboko, S.I., Ryabichinina, E.P. (1957) The composition of some condensates of sulfataric gases  
Byull. Vulkanol. Stn., Akad. Nauk SSSR, no. 26, p. 108-113 (by M. Fleischer)
- Naboko, S.I., Sil'nichenko, V.G. (1959) The formation of sulfides and sulfates on the Mendeleev Volcano  
Byull. Vulkanol. Stn., Akad. Nauk SSSR, no. 28, p. 43-51 (by M. Fleischer)
- Naumov, G.B., Tobelko, K.I. (1956) Some experiments on the artificial synthesis of pitchblende  
Geokhimiia, 1956, no. 4, p. 24-27 (by M. Fleischer)
- Naumov, V.B. (1976) Results obtained in laboratories of the USSR on thermometric measurements of inclusions in standard samples of quartz  
Geokhimiia, 1976, no. 7, p. 1109-1112 (by M. Fleischer)
- Naumov, V.B., Balitskii, V.S., Khetchikov, L.N. (1966) The correlation of temperatures of formation, homogenization, and decrepitation of

- gas-liquid inclusions  
Dokl. Akad. Nauk SSSR, v. 171, p. 183-185 (by M. Fleischer)
- Naumov, V.B., Malinin, S.D. (1968) A new method on determination of the pressure by gas-liquid inclusions  
Geokhimiia, 1968, no. 4, p. 432-441 (by M. Fleischer)
- Nazarova, A.S. (1961) Two generations of spodumene from pegmatites  
Mineral. Sb., Lvov, v. 15, p. 182-188 (by M. Fleischer)
- Nazarova, A.S., Kuznetsova, N.N., Shaskin, D.P. (1966) Babefphite, a barium beryllium fluoride-phosphate  
Dokl. Akad. Nauk SSSR, v. 167, p. 895-897 (by M. Fleischer)
- Necheliustov, G.N., Lebedev, V.S. (1967) The first occurrence of bonchevite in the USSR  
Dokl. Akad. Nauk SSSR, v. 174, p. 679-682 (by M. Fleischer)
- Nefedov, E.I. (1961) Guerinite, a new mineral  
Mater. Vses. Nauchno-Issled. Geol. Inst., no. 45 (Mineral. Sb., no. 2), p. 113-115 (by M. Fleischer)
- Nefedov, E.I. (1967) Berborite, a new mineral  
Dokl. Akad. Nauk SSSR, v. 174, p. 189-192 (by M. Fleischer)
- Nekhoroshev, A.S. (1959) Hydrothermal activity of the region of the Kambal'no Ridge of southern Kamchatka  
Byull. Vulkanol. Stn., Akad. Nauk SSSR, no. 28, p. 23-32 (by M. Fleischer)
- Nekrasov, I.Ia. (1968) Distribution of tantalum and niobium in magmatic and post-magmatic rocks and minerals of the northeast USSR  
Eksp. Teor. Issled. Miner. Ravnovesii, 1968, p. 73-96 (by M. Fleischer)
- Nekrasov, I.Ia., Diman, E.N., Brovkin, A.A., Komar, L.V. (1965) A new type of tin mineralization in magnesian skarns of the northeastern USSR

- Geol. Ruknykh. Mestorozhd., 1965, no. 1, p. 50-62 (by M. Fleischer)
- Nekrasova, R.A., Rozhdestvenskaia, I.V. (1968) The ratio zirconia to hafnia in zircons from kimberlites and alluvial sediments  
Eksp. Teor. Issled. Miner. Ravnovesii, 1968, p. 164-173 (by M. Fleischer)
- Nesterchuk, N.I., Makarova, T.A. (1973) Hydrothermal synthesis of sepiolite  
Zap. Vses. Mineral. O-va., v. 102, p. 232-234 (by M. Fleischer)
- Nesvetailova, N.G. (1955) Geobotanical investigations for prospecting for ore deposits  
Tr. Vses. Aero-geol. Tresta, no. 1 (Trans. All-Union Aero-Geol. Trust), p. 118-134 (p. 178-205 in trans.) (by G. Hughes)
- Nikitin, K.K. (1960) Manganese minerals of the crust of weathering of the Buryktal ultrabasic massif  
Kora Vyvetrivaniia (Akad. Nauk SSSR, Inst. Geol. Rudn. Mestorozhd. Petrogr., Mineral. i Geokhim.), v. 3, p. 39-55 (by M. Fleischer)
- Nikolaev, V.F., Perekalina, I.V. (1968) Uranium and thorium in granites of the Temirshi massif and their significance for age correlations of intrusive formations  
Vopr. Magmat. Metamorf., v. 3, p. 83-89 (by M. Fleischer)
- Nikolaeva, E.P., Grigorenko, V.A., Gatarkina, S.D., Tsyapkina, P.E. (1970) New intermetallic compounds of tin, antimony, and copper  
Zap. Vses. Mineral. O-va., v. 99, p. 68-70 (by M. Fleischer)
- Nikolaichuk, G.V., Nekrasov, I.Ia., Shashkin, D.P. (1970) Hydrothermal synthesis of kurchatovite in the system  $\text{CaO-MgO-B}_2\text{O}_3\text{-H}_2\text{O}$   
Dokl. Akad. Nauk SSSR, v. 190, p. 936-939 (by M. Fleischer)
- Nikol'skaia, L.V., Novoshilov, A.I., Samoilovich, M.E. (1976) The nature of the color of a new alkali calcium silicate from eastern Transbaikal  
Izv. Akad. Nauk SSSR, Ser. Geol., 1976, no. 10, p. 116-120 (by M.

Fleischer)

Nikulin, N.N. (1967) Distribution of indium, niobium, and scandium in cassiterites of the Khingan deposits

Vestn. Leningr. Univ., Geol. Geogr., 1967, no. 6, p. 81-87 (by M. Fleischer)

Nishio, Shigeru; Imai, Hideki; Inuzuka, Shigezo; Okada, Yasushi (1952)

Temperatures of mineral formation of some types of deposits in Japan, as measured by the decrepitation method

Min. Geol., v. 3, no. 7, p. 21-29 (Engineer Intelligence Div. (EID), Office of Engineers, U.S. Army, Tokyo)

Novgorodov, P.G. (1969) Preliminary study of the system  $MgO-B_2O_3-H_2O$  in the temperature interval 100-200°

Vestn. Mosk. Univ., Ser. 4: Geol., 1969, no. 3, p. 91-101 (by M. Fleischer)

Novgorodov, P.G. (1971) Synthesis and properties of magnesium borates with zeolitic water

Tr. Soveshch. Eksp. Tekh. Mineral. Petrogr., 8th, 1968, p. 164-168 (pub. 1971) (by M. Fleischer)

Novgorodova, M.I., Gorshkov, A.I., Mokhov, A.V. (1979) Native silver and its new structural modifications

Zap. Vses. Mineral. Obshch., v. 108, p. 552-563 (by M. Fleischer)

Novgorodova, M.I., Iusupov, R.G., Laputina, I.P., Tsepina, A.I., Dmitrieva,

M.T. (1981) Native chromium and natural compounds of the system Fe-Cr-Sr in hydrothermal ores

Dokl. Akad. Nauk SSSR, v. 256, p. 958-961 (by M. Fleischer)

Novgorodova, M.I., Zhivtsov, D.A., Gorshkov, A.I., Trubkin, N.V., Tsepina,

A.I. (1982) Native cadmium from southern Verkhoyan

- Zap. Vses. Mineral. O-va., v. 111, p. 304-315 (by M. Fleischer)
- Novikova, M.I., Sidorenko, G.A., Kuznetsova, N.N. (1966) Yaroslavite, a new calcium aluminum fluoride  
Zap. Vses. Mineral. O-va., v. 95, p. 39-44 (by M. Fleischer)
- Novoselova, L.N. (1975) Iron silicides in Lower Cambrian limestones on the Bazaikha River, Krasnoyarsk region  
Zap. Vses. Mineral. O-va., v. 104, p. 228-234 (by M. Fleischer)
- Novoselova, L.N., Bagdasarov, E.A. (1979) New data on iron silicides  
Zap. Vses. Mineral. O-va., v. 108, p. 326-333 (by M. Fleischer)
- Nozhkin, A.D., Gavrilenko, V.A., Moleva, V.A. (1967) Usovite, a new barium fluoaluminate  
Zap. Vses. Mineral. O-va., v. 96, p. 63-66 (by M. Fleischer)
- Nurl'baev, A.N. (1962) Pravdite, a new rare-earth mineral  
Dokl. Akad. Nauk SSSR, v. 147, no. 3, p. 689-691 (by M. Fleischer)
- Nyrkov, A.A. (1959) Sulunite - a new mineral on the ferriferous chlorites  
Zap. Vses. Mineral. O-va., v. 88, p. 571-577 (by M. Fleischer)
- Nyrkov, A.A. (1961) Once more on sulunite  
Zap. Vses. Mineral. O-va., v. 90, no. 3, p. 354-355 (by M. Fleischer)
- Ukrugin, A.V., Oleinikov, V.V., Zayakina, N.V., Leskova, N.V. (1981) Native metals in traps of the Siberian Platform  
Zap. Vses. Mineral. O-va., v. 110, p. 186-204 (by M. Fleischer)
- Okunev, A.I., Ryabov, Iu.F. (1958) Behavior of germanium during the pyrometallurgical treatment of copper ores and concentrates  
Tsvetn. Metall., v. 31, no. 7, p. 78-84 (by M. Fleischer)
- Oleinikov, B.V., Okrugin, A.V., Leskova, N.V. (1979) Native cadmium in traps of the Siberian Platform  
Dokl. Akad. Nauk SSSR, v. 248, p. 1426-1428 (by M. Fleischer)

- Oleinikov, B.V., Shavartsev, S.L., Mandrikova, N.I., Oleinikova, N.N. (1965)  
Nickelhexahydrite, a new mineral  
Zap. Vses. Mineral. O-va., v. 94, p. 534-547 (by M. Fleischer)
- Ontoev, D.O., Ironeva, N.V., Isepin, A.L., Vyal'sov, L.N. (1971) First-find of  
tellurium-bearing canfieldite  
Dokl. Akad. Nauk SSSR, v. 201, p. 693-696 (by M. Fleischer)
- Orlova, G.P. (1962) The solubility of water in albite melts under pressure  
Tr. Soveshch. Eksp. Tekh. Mineral. Petrogr., 6th (April 11-14), 1961  
(pub. 1962), p. 81-87 (by M. Fleischer)
- Orlova, L.M., Bazarov, L.Sh. (1976) The character of the change of composition  
of inclusions in beryls from rare-metal pegmatites  
Soveshch. Molod. Uchen. Mineral., Geokhim. Metod. Issled. Mineral.,  
Tezisy Dokladov, Vladivostok, 1976, p. 92-93 (by M. Fleischer)
- Orsoev, D.A., Rezhnova, S.A., Bogdanova, A.N. (1982) Sopcheite,  
 $Ag_4Pd_3Te_4$ , a new mineral from copper-nickel ores of the Monchegorsk  
pluton  
Zap. Vses. Mineral. O-va., v. 111, p. 114-117 (by M. Fleischer)
- Ostapenko, G.T., Timoshkova, L.P., Tsymbol, S.N. (1977) The Gibbs energy of  
sillimanite from data on its solubility in water at 530° and 1300 bars  
Zap. Vses. Mineral. O-va., v. 106, p. 243-244 (by M. Fleischer)
- Ostroumov, N.A. (1953) Rare earths in deep-water sediments of the Black Sea  
Dokl. Akad. Nauk SSSR, v. 91, no. 5, p. 1175-1178 (by M. Fleischer)
- Ostrovskaya, I.V. (1969) The formula of the new mineral satimolite  
Tr. Mineral. Muz., Akad. Nauk SSSR, v. 19, p. 202-205 (by M. Fleischer)
- Ostrovskaya, I.V., Nikitina, I.B. (1969) The formula of preobrazhenskite  
Tr. Mineral. Muz., Akad. Nauk SSSR, v. 19, p. 206-209 (by M. Fleischer)
- Ostrovskaya, I.V., Pertsev, N.N., Nikitina, I.B. (1966) Sakhaite, a new

- carbonate-borate of calcium and magnesium  
Zap. Vses. Mineral. O-va., v. 95, p. 193-202 (by M. Fleischer)
- Ostrovskii, I.A. (1950) Diagram of equilibrated states in the system  
silicate-water for the case of limited miscibility  
Dokl. Akad. Nauk SSSR, v. 72, p. 539-542 (by V.L. Skitsky)
- Ostrovskii, I.A. (1950) Diagrams of equilibrium states in systems of  
silicate-water for cases of limited miscibility and possible  
interpretations of the data of Goranson  
Dokl. Akad. Nauk SSSR, v. 72, no. 3, p. 539-542 (by M. Fleischer)
- Ostrovskii, I.A. (1950) Volume-temperature-composition diagrams in systems of  
the type silicate-water for cases of limited miscibility in the liquid  
phase  
Dokl. Akad. Nauk SSSR, v. 74, no. 1, p. 943-945 (by M. Fleischer)
- Ostrovskii, I.A. (1951) The physical chemistry of binary systems with volatile  
components  
Izv. Akad. Nauk SSSR, Ser. Geol., 1951, no. 4, p. 76-80 (by V.L. Skitsky)
- Ostrovskii, I.A. (1958) Experiments of some silicate system with volatile  
components  
Tr. Pyatogo Soveshch. Eksp. Tekh. Mineral. Petrogr., p. 214-220 (Proc.  
5th Conf. Exper. Tech. Mineral. Petrogr., 1956) (by M. Fleischer)
- Ostrovskii, I.A. (1963) On a general regularity of water in silicate melts  
Geol. Rudn. Mestorozhd., no. 1, p. 34-35 (by M. Fleischer)
- Ostrovskii, I.A. (1963) On the impossibility of limited mutual solubility of  
gases  
Zh. Fiz. Khim., v. 37, p. 942-945 (by M. Fleischer)
- Ostrovskii, I.A., Mishina, G.P., Povilaitis, V.M. (1959) P-T projections of  
the system silica-water

- Dokl. Akad. Nauk SSSR, v. 126, no. 3, p. 645-646 (by M. Fleischer)
- Ovchinnikova, L.V. (1973) Rare-earth bearing apatites and the regularities of distribution of rare earths in ores of the Lebyazhin iron-ore deposits  
Redk. Elem., v. 9, p. 126-133 (by M. Fleischer)
- Pakhotina, N.S. (1958) Attempt to study the sanitary state of atmospheric air and soils, contaminated by aerial discharges of lead-zinc plant  
Zaravooknr. Kaz., 1958, v. 3, p. 15-20 (by M. Fleischer)
- Palei, I.P. (1957) The concentration of native selenium in the oxidation zone of a pyrite deposit  
Geokhimiia, 1957, no. 7, p. 640-641 (by M. Fleischer)
- Panina, L.A. (1966) Some data on the temperature conditions of formation of the Synnyr alkaline massif  
Dokl. Akad. Nauk SSSR, v. 170, no. 6, p. 1411-1413 (by M. Fleischer)
- Panina, L.I. (1966) On the genesis of nepheline syenites of Borgoi  
Geol. Geofiz., 1966, no. 8, p. 114-115 (by M. Fleischer)
- Pardillo y Vaquer, Francisco (1947) Kaliborite from Sallent (Barcelona)  
Estud. Geol. (Madrid) (Estud. Geol., Inst. Invest. Geol. "Lucas Mallada" (Madrid)), no. 7, p. 1-20 (in Spanish) (by F. Cuttitta)
- Pavlenko, A.S., Orlova, L.P., Akhmanova, M.V. (1965) Cerphosphorhuttonite, a mineral of the monazite group  
Tr. Mineral. Muz., Akad. Nauk SSSR, v. 16, p. 166-174 (by M. Fleischer)
- Pavlenko, A.S., Orlova, L.P., Akhmanova, M.V., Tobelko, K.I. (1965) A thorium fluocarbonate, thorbastnaesite  
Zap. Vses. Mineral. O-va., v. 94, p. 105-113 (by M. Fleischer)
- Pavlenko, A.S., Vainshtein, E.E., Shevaleevskii, I.D. (1957) On the hafnium-zirconium ratio in zircons of igneous and metasomatic rocks  
Geokhimiia, 1957, no. 5, p. 351-367 (by M. Fleischer)



- Pen'kov, I.N. (1966) The determination of temperature of formation of some hydrothermal minerals by the methods of nuclear quadrupole resonance Akad. Nauk SSSR, Issled. Prirod. Iekh. Mineraloobraz. Mater. Soveshch., /th, 1966, p. 66-6/ (by M. Fleischer)
- Pertsev, N.N. (1976) Conditions of formation of high-temperature borates Geol. Rudn. Mestorozhd., 1976, no. 1, p. 46-56 (by M. Fleischer)
- Pertsev, N.N., Aleksandrov, S.M. (1964) Ludwigite with a high content of alumina Zap. Vses. Mineral. O-va., v. 93, p. 13-20 (by M. Fleischer)
- Pertsev, N.N., Malinko, S.V., Vakhrushev, V.A., Fitsev, B.P., Sokolova, E.V., Nikitina, I.B. (1980) Shabynite, a new hydrated borate-chloride of magnesium Zap. Vses. Mineral. O-va., v. 109, p. 569-573 (by M. Fleischer)
- Pertsev, N.N., Ostrovskaia, I.V., Nikitina, I.B. (1965) The new mineral borcarite Zap. Vses. Mineral. O-va., v. 94, p. 180-186 (by M. Fleischer)
- Petrov, V.M., Zarevich, I.P. (1961) Rhenium in the molybdenites of the Pskem-Chatkal region Uzb. Geol. Zh., 1961, no. 3, p. 33-38 (by M. Fleischer)
- Petrova, E.S. (1957) A new hydrous calcium borate - frolovite Zap. Vses. Mineral. O-va., v. 86, no. 5, p. 622-625 (by M. Fleischer)
- Piatenko, Iu.A., Pudovkina, Z.V. (1961) The crystal structure of calzirtite - a new derivative of the structural type of  $\text{CaF}_2\text{-CeO}_2$  Kristallografiia, v. 6, p. 196-199 (by M. Fleischer)
- Pletneva, N.I., Denisov, A.P., Elina, N.A. (1971) A new variety in the group of rare-earth fluosilicates Mater. Mineral. Kol'sk. Poluostrova, v. 8, p. 176-179 (by M. Fleischer)

- Pletneva, N.I., Elina, N.A., Denisov, A.P., Gavrilov, A.P. (1962) Accessory rare-earth silicate-apatite from pegmatite  
Mater. Mineral. Kol'sk. Poluostrova, p. 123-132 (by M. Fleischer)
- Pokrovskii, P.V. (1967) Rare earth elements in tungstates of the Middle and Southern Urals  
Mineral. Geokhim. Vol'framitovykh Mestorozhd., Tr. Vses. Soveshch., 1st, 1965 (pub. 1967), p. 105-111 (by M. Fleischer)
- Polikarpova, V.A. (1956) Nenadkevite, a new uranium silicate  
At. Energ., no. 3, p. 132-134 (by M. Fleischer)
- Polushkina, A.P., Sidorenko, G.A. (1963) Melnikovite as a mineral species  
Zap. Vses. Mineral. O-va., v. 92, p. 547-554 (by M. Fleischer)
- Polykovskii, V.S. (1962) On the temperature regime and some geochemical features of the process of formation of some crystal-bearing veins in skarns  
Uch. Zap., Sredneaziat. Nauchno-Issled. Inst. Geol. Miner. Syr'ya, no. 7, p. 65-75 (by M. Fleischer)
- Polykovskii, V.S. (1962) The composition of inclusions in quartz from pegmatites of Maidantal  
Zap. Vses. Mineral. O-va., v. 91, no. 4, p. 472-477 (by M. Fleischer)
- Polykovskii, V.S., Roizenman, F.M. (1965) The thermodynamic regime of the process of formation of quartz crystals in the Maidantal pegmatite  
Uzb. Geol. Zh., 1965, no. 3, p. 66-71 (by M. Fleischer)
- Poplavka, E.M., Marchukova, I.D., Zak, C.Sh. (1962) A rhenium mineral in the ores of the Dzhezkazgan deposits  
Dokl. Akad. Nauk SSSR, v. 146, no. 2, p. 433-436 (by M. Fleischer)
- Portnov, A.I. (1948) The use of aromatic arsenic compounds in chemical analysis. I.

- Zh. Obshchei Khim. (J. Gen. Chem.), v. 18, no. 4, p. 594-600 (by V.L. Skitsky)
- Portnov, A.M. (1964) Calcian seidozerite, a new variety of seidozerite  
Dokl. Akad. Nauk SSSR, v. 156, p. 338-340 (by M. Fleischer)
- Portnov, A.M. (1964) Calcium catapleite - a new variety of catapleite  
Dokl. Akad. Nauk SSSR, v. 154, p. 607-609 (by M. Fleischer)
- Portnov, A.M. (1964) Strontian perrierite in the Northern Baikal region  
Dokl. Akad. Nauk SSSR, v. 156, p. 579-581 (by M. Fleischer)
- Portnov, A.M., Dubakina, L.S., Krivokoneva, G.K. (1981) murataite in predicted association with landauite  
Dokl. Akad. Nauk SSSR, v. 261, p. 741-744 (by M. Fleischer)
- Portnov, A.M., Dubinchuk, V.T., Stolyarova, T.I. (1970) The nature of rare-earth oxyapatite  
Dokl. Akad. Nauk SSSR, v. 192, p. 881-884 (by M. Fleischer)
- Portnov, A.M., Krivokoneva, G.K., Stolyarova, T.I. (1971) Komarovite, a new niobosilicate of calcium and manganese  
Zap. Vses. Mineral. O-va., v. 100, p. 599-602 (by M. Fleischer)
- Portnov, A.M., Nikolaeva, L.E., Stolyarova, T.I. (1966) The new titanium mineral landauite  
Dokl. Akad. Nauk SSSR, v. 166, p. 1420-1421 (by M. Fleischer)
- Portnov, A.M., Sidorenko, A.M. (1975) New data on orthorhombic lavenite  
Tr. Mineral. Muz., Akad. Nauk SSSR, v. 24, p. 203-206 (by M. Fleischer)
- Portnov, A.M., Simonov, V.I., Sinyugina, G.P. (1966) Orthorhombic lavenite, a new variety of lavenite  
Dokl. Akad. Nauk SSSR, v. 166, p. 1199-1202
- Potap'ev, V.V., Malikova, I.N., Grebennikov, A.M., Dorosh, V.M. (1967)  
Geochemical features of tantalum mineralization in granitic rocks

- Dokl. Akad. Nauk SSSR, v. 1/3, p. 923-925 (by M. Fleischer)
- Povarennykh, A.S. (1965) The rational naming of polymorphic mineral species  
Mineral. Sb., Lvov, v. 19, p. 551-554 (by M. Fleischer)
- Povarennykh, A.S. (1966) Principle of rational nomenclature of mineral species  
Konst. Svoistva Miner., v. 1, p. 5-18 (by M. Fleischer)
- Povarennykh, A.S. (1973) The new mineral species calcjarlite  
Konst. Svoistva Miner., v. 1, p. 131-135 (by M. Fleischer)
- Povarennykh, A.S. (1979) On slavyanskite  
Mineral. Zh., v. 1, no. 2, p. 105-106 (by M. Fleischer)
- Povarennykh, A.S., Rusakova, L.D. (1973) The new mineral kafehydrocyanite  
Geol. Zh. (Ukr. Ed.), v. 33, p. 24-30 (by M. Fleischer)
- Povilaitis, M.M. (1963) The new minerals lodochnikite, absite, and thorutite  
Zap. Vses. Mineral. O-va., v. 92, p. 113-123 (by M. Fleischer)
- Povilaitis, M.M., Mozgova, N.N., Borodaev, Iu.S., Senderova, V.M., Ronami, G.N. (1969) The first occurrence of hammarite in the USSR  
Dokl. Akad. Nauk SSSR, v. 187, p. 886-889 (by M. Fleischer)
- Proshchenko, E.G., Batalieva, N.G., Bykova, A.V. (1966) A rare-earth fluosilicate from a Siberian pegmatite  
Zap. Vses. Mineral. O-va., v. 95, p. 339-345 (by M. Fleischer)
- Pudovkina, Z.V., Dubakina, L.S., Lebedeva, S.I., Pyatenko, Iu.A. (1974) Study of Brazilian zirkelite  
Zap. Vses. Mineral. O-va., v. 103, p. 368-372 (by M. Fleischer)
- kafal'son, M.B., Sorokin, N.D. (1976) Determination of native rhenium in wolframites by the method of local x-ray spectrographic analysis  
Vopr. Geokhim. Tipomorfizm Miner., v. 1, p. 62-66 (by M. Fleischer)
- Ravich, M.I., Borovaya, F.E. (1964) The solubility of sodium carbonate in water at high temperature and pressure

- Dokl. Akad. Nauk SSSR, v. 156, no. 4, p. 894-896 (by M. Fleischer)
- Razin, L.V. (1975) Minerals - natural alloys of gold and copper in ores of Cu-Ni deposits of Noril'sk type  
Tr. Mineral. Muz., Akad. Nauk SSSR, v. 24, p. 93-106 (by M. Fleischer)
- Razin, L.V., Dubakina, L.S., Dubinchuk, V.G. (1976) An orthorhombic stannide of palladium, copper, and platinum from copper-nickel sulfide ores of deposits of Noril'sk type  
Zap. Vses. Mineral. O-va., v. 105, p. 206-213 (by M. Fleischer)
- Razin, L.V., Gomonova, A.I., Bykov, V.P., Meshchankina, V.I. (1971) A new natural intermetallide of gold, copper and palladium from ores of the Talnakh deposit  
Zap. Vses. Mineral. O-va., v. 100, p. 66-76 (by M. Fleischer)
- Razin, L.V., Rusashevskii, N.S., Sidorenko, G.A. (1981) Tolovkite, IrSbS, a new sulfoantimonide of iridium from the northeastern USSR  
Zap. Vses. Mineral. O-va., v. 110, p. 474-480 (by M. Fleischer)
- Rieder, M., Klominsky, J. (1978) Goongarrite, wartheite, or heyrovskyite  
Zap. Vses. Mineral. O-va., v. 107, p. 622-624 (by M. Fleischer)
- Rode, E.Ia. (1925) Tyuyamunite and the minerals of the uranite group  
Zap. Vses. Mineral. O-va., v. 54, p. 377-383 (by V.L. Skitsky)
- Rode, E.Ia. (1955) Thermography of manganese oxide compounds  
Tr. 1-go Soveshchaniia po Termograf., Kazan, 1953, Akad. Nauk SSSR, 1955, p. 219-238 (by M. Fleischer)
- Rodionov, S.M., Shopenko, V.V. (1974) Gas-liquid inclusions in cassiterites of the Prodorozhnyir deposits, Komsomol region  
Vestn. Mosk. Univ., Ser. 4: Geol., 1974, no. 6, p. 96-100 (by M. Fleischer)
- Rogov, Iu.G., Rogova, V.P., Voronkov, A.A., Moleva, V.A. (1965) Tinaksite,

- $\text{NaK}_2\text{Ca}_2\text{TiSi}_7\text{O}_{19}(\text{OH})$ , a new mineral  
 Dokl. Akad. Nauk SSSR, v. 162, p. 658-661 (by M. Fleischer)
- Rogova, V.P., Belova, L.N., Kiziyarov, G.N., Kuznetsova, N.N. (1974)  
 Calciouranoite, a new hydroxide of uranium  
 Zap. Vses. Mineral. O-va., v. 103, p. 108-109 (by M. Fleischer)
- Rogova, V.P., Belova, L.N., Kiziyarov, G.N., Kuzvetsova, N.N. (1973)  
 Bauranoite and metacaltsuranoite, new minerals of the group of hydrous uranium oxides  
 Zap. Vses. Mineral. O-va., v. 102, p. 75-81 (by M. Fleischer)
- Rogova, V.P., Rogov, Iu.G., Drits, V.A., Kuznetsova, N.N. (1978) Charoite, a new mineral and a new jewelry stone  
 Zap. Vses. Mineral. O-va., v. 107, p. 94-100 (by M. Fleischer)
- Rossovskii, L.I. (1967) Features of the formation of petalite and spodumene pegmatites  
 Geol. Rudn. Mestorozhd., 1967, no. 1, p. 19-30 (by M. Fleischer)
- Rozhdestvenskaia, I.V., Frank-Kamenetskii, V.A. (1974) The structure of the dioctahedral mica chernykh  
 In "Crystal Chemistry and Structure of Minerals," Izdat. "Nauka," Leningrad, p. 28-33 (by M. Fleischer)
- Rudashevskii, L.S., Firfarova, I.B., Isekhovol'skaia, D.I. (1977) Synthetic analogues and refinement of the properties of kassite and hydrokassite  
 Zap. Vses. Mineral. O-va., v. 106, p. 114-120 (by M. Fleischer)
- Rudashevskii, L.S., Mintenkov, G.A., Karpenkov, A.M., Shishkin, N.N. (1977) Silver-containing pentlandite - the independent mineral species argentopentlandite  
 Zap. Vses. Mineral. O-va., v. 106, p. 688-691 (by M. Fleischer)
- Rudashevskii, N.S., Karpenov, A.M., Shipova, G.S., Shishkin, N.N., Ryabkin,

- V.A. (1979) Thalfenisite, the thallium analogue of djerfisherite  
 Zap. Vses. Mineral. O-va., v. 108, p. 696-701 (by M. Fleischer)
- Rudashevskii, N.S., Makarov, V.N., Medvedeva, E.M., Ballakh, V.V., Permyakov, Iu.I., Mitkenkov, G.A., Karpenov, A.M., Bud'ko, I.A., Shishkin, N.N.  
 (1976) Urvantsevite,  $\text{Pd}(\text{Bi,Pb})_2$  a new mineral in the system Pd-Bi-Pb  
 Zap. Vses. Mineral. O-va., v. 105, p. 704-709 (by M. Fleischer)
- Rukavishnikova, I.A. (1956) Some magnesium-nickel hydrous silicates of the Nizhne-Tagilsk serpentine massif  
 Kora Vyvetrivaniia, v. 2, p. 124-178 (p. 164-171 only) (by M. Fleischer)
- Rukavishnikova, I.A., Iakolevskaia, G.A., Pokrovskaia, A.I. (1960) Coronadite and cryptomelane from the Maisk polymetallic deposits in Central Kazakhstan  
 Kora Vyvetrivaniia (Akad. Nauk SSSR, Inst. Geol. Rudn. Mestorozhd. Petrogr., Mineral. Geokhim.), v. 3, p. 26-32 (by M. Fleischer)
- Rumanova, I.M. (1971) The forms of three-fold boron-oxygen rings  $(\text{B}_3\text{O}_8)^{-7}$  in the structure of hydrous borates  
 Kristallografiia, v. 16, p. 1157-1160 (by M. Fleischer)
- Rumanova, I.M., Gandymov, O. (1971) The crystal structure of the natural strontium borate p-veatchite,  $\text{Sr}_2[\text{B}_5\text{O}_8(\text{OH})]_2 \cdot \text{H}_2\text{O}$   
 Kristallografiia, v. 16, p. 99-106 (by M. Fleischer)
- Rumanova, I.M., Popova, E.P. (1964) The new mineral uklonskovite  
 Kristallografiia, v. 9, p. 275-277 (by M. Fleischer)
- Ruzmatov, S.R. (1966) The geochemistry of selenium and tellurium in ore showings of central Kyzyl-Kum  
 Uzb. Geol. Zh., 1966, no. 6, p. 5b-59 (by M. Fleischer)
- Rybal'tovskii, E.V., Kazmin, V.N. (1972) Distribution of niobium in the intrusive rocks of the northern Dzhungur - Balkhash folded system

- Sov. Geol., v. 15, no. 2, p. 108-120 (by M. Fleischer) (a published translation appears in Int. Geol. Rev., 1972, v. 14, p. 1105-1113)
- Samoilov, V.S., Konev, A.A. (1974) New data on tazheranite and calzirtite  
Vopr. Petrogr. Mineral. Osnovn. Ul'traosnovn. Porod Vost. Sib., 1974, p. 98-103 (by M. Fleischer)
- Sapozhnikov, A.P., Ivanov, V.G. (1976) Occurrence of a triclinic (pseudo-orthorhombic) modification of lazurite  
Soveshch. Molod. Uchen. Mineral., Geokhim. Metod. Issled. Mineral., Tezisy Dokladov, Vladivostok, 1976, p. 81-82 (by M. Fleischer)
- Saptaeva, M.K., Dara, A.D., Kurmakaeva, F.A., Polkanova, E.V. (1974) X-bornite from Dzhezkazgan ores  
Izv. Akad. Nauk Kaz. SSR, Ser. Geol., 1974, no. 6, p. 51-57 (by M. Fleischer)
- Satpaeva, M.K., Dara, A.D., Polkanova, E.V., Kurmakaeva, F.A. (1974) Vari-colored bornites and chalcocites from Dzhezkazgan ores - solid solutions of the chalcopyrite-bornite-digenite series  
Vestn. Akad. Nauk Kaz. SSR, 1974, no. 11, p. 41-50 (by M. Fleischer)
- Satpaeva, T.A., Kalinin, S.K., Fain, E.E. (1959) On the content of rhenium in the copper ores of Dzhezkazgan  
Vestn. Akad. Nauk Kaz. SSR, no. 5, p. 52-59 (by M. Fleischer)
- Satpaeva, T.A., Kalinin, S.K., Fain, E.E. (1959) Spectrographic study of copper ores of Dzhezkazgan for rare and disseminated elements  
Izv. Akad. Nauk Kaz. SSR, Ser. Geol., no. 2, p. 68-74 (by M. Fleischer)
- Satpaeva, T.A., Safargaliev, G.S., Poliakova, T.P., Satpaeva, M.K., Marzuvanov, V.L., Fursova, M.Z. (1964) A new complex sulfide in the ores of the Dzhezkazgan deposits  
Izv. Akad. Nauk Kaz. SSR, Ser. Geol., no. 2, p. 29-41 (by M. Fleischer)



- Saukov, A.A. (1946) Geochemistry of mercury  
Tr. Inst. Geol. Nauk, Akad. Nauk SSSR, v. 78, no. 17, 129 p. (table of contents and summary only) (by M. Fleischer)
- Saukov, A.A., Aidin'yan, N.Kh. (1940) The oxidation of cinnabar  
Tr. Inst. Geol. Nauk, no. 39 (Mineral.-Geokhim. Ser., no. 8, p. 37-40)  
(by M. Fleischer)
- Sedletskii, I.D. (1947) Role of soil-forming processes in the geochemical distribution of copper  
Priroda (Moscow), v. 36, p. 19-23 (by M. Fleischer)
- Semenov, E.I. (1956) Kupletskite, a new mineral of the astrophyllite group  
Dokl. Akad. Nauk SSSR, v. 108, p. 933-936 (partial trans. - p. 93-934 and part of 935) (by M. Fleischer)
- Semenov, E.I. (1957) Isomorphism and camouflage of rare earths  
Geokhimiia, 1957, no. 7, p. 626-637 (by M. Fleischer)
- Semenov, E.I. (1957) New hydrous silicates of beryllium - gelbertrandite and spherobertrandite  
Tr., Inst. Mineral., Geokhim. Kristallokhim. Redk. Elem., Akad. Nauk SSSR, v. 1, p. 64-69 (by M. Fleischer)
- Semenov, E.I. (1957) Oxides and hydroxides of titanium and niobium in the Lovozero alkalic massif  
Tr., Inst. Mineral., Geokhim. Kristallokhim. Redk. Elem., Akad. Nauk SSSR, v. 1, p. 41-59 (partial translation of p. 41-49, full translation of p. 49-52 only) (by M. Fleischer) (mineral gerasimovskite)
- Semenov, E.I. (1959) Isomorphism of labuntsovite-nenadkevichite  
Tr., Inst. Mineral., Geokhim. Kristallokhim. Redk. Elem., Akad. Nauk SSSR, v. 2, p. 102-109 (by C. Milton)
- Semenov, E.I. (1959) Minerals of the rhabdophane group in alkalic massives

- Mater. Mineral. Kol'sk. Poluostrova, v. 1, p. 91-101 (by M. Fleischer)
- Semenov, E.I. (1959) On a possible new fluorocarbonate of the rare earths  
Tr., Inst. Mineral., Geokhim. Kristallokhim. Redk. Elem., Akad. Nauk  
SSSR, v. 2, p. 181-186 (by M. Fleischer)
- Semenov, E.I. (1960) Gelzircon in alkalic pegmatites  
Tr., Inst. Mineral., Geokhim. Kristallokhim. Redk. Elem., Akad. Nauk  
SSSR, v. 4, p. 85-89 (by M. Fleischer)
- Semenov, E.I. (1964) Hydrous carbonates of calcium and sodium  
Kristallografiia, v. 9, p. 109-110 (by M. Fleischer)
- Semenov, E.I. (1964) On the so-called didymolite, angarlite, and tatarkaite  
Mineral. i Genet. Usobennosti Shchelochnykh Massivov, Akad. Nauk SSSR,  
Inst. Mineral., Geokhim. i Kristallokhim. Redkikh Elementov, 1964, p.  
33-35 (by M. Fleischer)
- Semenov, E.I. (1967) On the nomenclature of rare-earth minerals  
In Mineralogy of Pegmatites and Hydrothermalites of Alkalic Massifs,  
Inst. Mineral., Geokhim., Kristallokhim. Redk. Elem., 1967, p. 36-40 (by  
M. Fleischer)
- Semenov, E.I. (1967) The mineralogy of niobium and tantalum in the crust of  
weathering  
In Mineral. of Pegmatites and Hydrothermalites of Alkalic Massifs, Inst.  
Mineral., Geokhim., Kristallokhim. Redk. Elem., 1967, p. 30-35 (by M.  
Fleischer)
- Semenov, E.I. (1967) The nomenclature of rare-earth minerals  
In Mineralogiia Pegmatitov i Gidrotermalitov Shchelochnykh Massivov
- Semenov, E.I., Bonshtat-Kupletskaya, E.M., Moleva, V.A., Sludskaya, N.N.  
(1965) Vinogradovite, a new mineral  
Dokl. Akad. Nauk SSSR, v. 109, p. 617-620 (by M. Fleischer)

- Semenov, E.I., Burova, T.A. (1955) On the new mineral labuntsovite and on the so-called titanoeelpidite  
Dokl. Akad. Nauk SSSR, v. 101, p. 1113-1116 (by M. Fleischer)
- Semenov, E.I., Bykova, A.V. (1960) Beryllosodalite  
Dokl. Akad. Nauk SSSR, v. 133, no. 5, p. 1191-1193 (by M. Fleischer)
- Semenov, E.I., Chang, P'ei-Shan (1961) Huanghoite, A new rare-earth mineral  
Sci. Sin., v. 10, no. 8, p. 1007-1011 (in Russian) (by M. Fleischer)
- Semenov, E.I., Dusmatov, V.D., Khomiakov, A.P., Voronkov, A.A., Kazakova, M.E. (1975) Darapiosite, a new mineral of the milarite group  
Zap. Vses. Mineral. O-va., v. 104, p. 583-585 (by M. Fleischer)
- Semenov, E.I., Dusmatov, V.D., Samsonova, N.S. (1963) Yttrium-beryllium minerals of the datolite group  
Kristallografiia, v. 8, no. 4, p. 677-679 (by M. Fleischer)
- Semenov, E.I., Kazakova, M.E., Simonov, V.I. (1958) A new zirconium mineral, seidozerite, and other minerals of the wohlerite group in alkaline pegmatites  
Zap. Vses. Mineral. O-va., v. 87, p. 590-597 (by M. Fleischer)
- Semenov, E.I., Khomiakov, A.P., Bykova, A.V. (1965) Magbasite, a new mineral  
Dokl. Akad. Nauk SSSR, v. 163, p. 718-719 (by M. Fleischer)
- Semenov, E.I., Kuhn, Ven-Sin, Kapitonova, T.A. (1961) The new mineral baotite  
Dokl. Akad. Nauk SSSR, v. 136, p. 915-916 (by M. Fleischer)
- Semenov, E.I., Urganova, N.I., Kukharchik, M.V. (1961) New data on the Tomonovite-murmanite mineral group  
Kristallografiia, v. 6, no. 6, p. 925-932 (by M. Fleischer)
- Semenov, E.I., Spitsyn, A.N., Burova, Z.N. (1963) Hydropyrochlore from the Lovozero alkaline massif  
Dokl. Akad. Nauk SSSR, v. 150, p. 1128-1130 (by M. Fleischer)

- Senchilo, N.P., Komarov, O.P. (1962) On temperatures of crystallization of vein quartz of rare-metal stockworks  
Tr. Inst. Geol. Nauk, Akad. Nauk Kaz. SSR, 1962, no. 6, p. 210-217 (by M. Fleischer)
- Serdiuchenko, D.P. (1956) Alumoferroascharite, a new mineral  
Zap. Vses. Mineral. O-va., v. 85, no. 3, p. 292-296 (by M. Fleischer)
- Serdiuchenko, D.P. (1959) Calcitotalc, a new mineral  
Zap. Vses. Mineral. O-va., v. 88, no. 3, p. 298-304 (by M. Fleischer)
- Serdiuchenko, D.P. (1965) Svitalskite and its position in the series of tetrasilicic micas  
Zap. Vses. Mineral. O-va., v. 94, p. 566-570 (by M. Fleischer)
- Serdiuchenko, D.P., Belov, N.V. (1960) On the so-called "sulunite"  
Zap. Vses. Mineral. O-va., v. 89, p. 367-368 (by M. Fleischer)
- Serebryakova, M.B., Razumnaia, E.G. (1962) The problem of the form of entry of uranium into apatite  
Dokl. Akad. Nauk SSSR, v. 143, p. 1438-1442 (by M. Fleischer)
- Sergeev, A.S. (1964) Pseudo-autunite, a new hydrous calcium uranyl phosphate  
Mineral. Geokhim., no. 1, p. 31-39
- Sergeeva, N.E. (1960) Geochemistry of tantalum and niobium in one of the pegmatitic deposits of Siberia  
Vestn. Mosk. Univ., 1960, no. 4, p. 29-35 (by M. Fleischer)
- Sergeeva, N.E., Grudev, A.P. (1964) The chemical composition of magnetite  
Vestn. Mosk. Univ., Ser. 4: Geol., 1964, no. 4, p. 27-36 (by M. Fleischer)
- Shabynin, L.I. (1955) Ascharite and other borates in magnetite deposits of contact-metasomatic origin  
Dokl. Akad. Nauk SSSR, v. 101, p. 937-940 (by M. Fleischer)

- Shabynin, L.I. (1961) The so-called magnioborite  
 Zap. Vses. Mineral. O-va., v. 90, p. 754-755 (by M. Fleischer)
- Shabynin, L.I., Mityushina, T.M. (1964) New data on szaibelyite and on the  
 so-called alumoferroascharite  
 Zap. Vses. Mineral. O-va., v. 93, p. 1-12 (by M. Fleischer)
- Shadlun, T.N. (1967) Some results of the study of the composition of  
 sphalerite as a "geothermometer"  
 Vestn. Leningr. Univ., Geol. Geogr., 1967, no. 6, p. 102-105 (by M.  
 Fleischer)
- Shadlun, T.N., Ontoev, D. O., Basova, G.V., Vyal'sov, L.N., Murav'eva, I.V.  
 (1969) A sulfobismuthide of copper and silver from the Dzhida deposit  
 Zap. Vses. Mineral. O-va., v. 98, p. 452-463 (by M. Fleischer)
- Sharova, A.K., Gladkovskii, A.K. (1958) Mineral composition, genesis, and  
 alteration of the Lower Cretaceous bauxites of the eastern slope of the  
 Urals and the Turgaisk Plain  
 Boksity, Ikh Mineral. Genezis (Bauxites, Their Mineralogy and Genesis:  
 Akad. Nauk SSSR, Otd. Geol.-Geogr. Nauk), 1958, p. 70-79 (p. 75-77 only -  
 new mineral sokolovite) (by M. Fleischer)
- Shashkin, D.P., Simonov, M.A., Belov, N.V. (1968) Crystal structure of the new  
 natural borate vimsite,  $CaLB_2O_2(OH)_4$   
 Dokl. Akad. Nauk SSSR, v. 182, p. 821-824 (by M. Fleischer)
- Shashkin, D.P., Simonov, M.A., Chernova, N.I., Malinko, S.V., Stolyarova,  
 T.I., Belov, N.V. (1968) A new borate, vimsite  
 Dokl. Akad. Nauk SSSR, v. 182, p. 1402-1405 (by M. Fleischer)
- Shatkov, G.A., Shatkova, L.N., Gushchin, E.N. (1970) The distribution of  
 uranium, thorium, fluorine, chlorine, molybdenum, and niobium in  
 liparites and acid volcanic glasses

- Zap. Vses. Mineral. O-va., v. 99, p. 165-177 (by M. Fleischer)
- Shavishvili, I.U. (1969) Main features of the petrology of the Merissi massif and the behavior of niobium during its formation  
Soubshch. Akad. Nauk Gruz. SSR, v. 56, no. 3, p. 605-607 (by M. Fleischer)
- Shavrova, N.N. (1956) Contents of radium in lavas of the volcanoes of the Klyuchevskii group  
Byull. Vulkanol. Stn., Akad. Nauk SSSR, no. 24, p. 65-67 (by M. Fleischer)
- Shavrova, N.N. (1959) The content of radium and thorium in lavas of the volcanoes of the Semyachansk group  
Byull. Vulkanol. Stn., Akad. Nauk SSSR, no. 27, p. 51-54 (by M. Fleischer)
- Shavrova, N.N. (1961) The content of radium and thorium in the lavas of the Bezmyanny volcano  
Byull. Vulkanol. Stn., Akad. Nauk SSSR, no. 31, p. 28-31 (by M. Fleischer)
- Shavrova, N.N. (1962) The content of radium and thorium in andesite-basalt, andesite and dacite  
Byull. Vulkanol. Stn., Akad. Nauk SSSR, no. 33, p. 67-70 (by M. Fleischer)
- Shcheglov, I.I. (1962) The contemporary deposition of cinnabar in the Apapel' spring  
Dokl. Akad. Nauk SSSR, v. 145, p. 1373-1374 (by M. Fleischer)
- Shcherbina, V.V. (1952) Geochemical characteristics of the elements of the diagonal series Ti-Nb-W in the periodic system  
Dokl. Akad. Nauk SSSR, v. 85, p. 839-841 (by V.L. Skitsky)
- Shepel, A.B., Karpenko, M.V. (1969) Mukhinite, a new vanadium variety of

epidote

Dokl. Akad. Nauk SSSR, v. 185, p. 1342-1345 (by M. Fleischer)

Sheshulin, G.I. (1961) The problem of the composition of gas-liquid inclusions  
in minerals of spodumene pegmatites

Geol. Mestorozhd. Redk. Elem., no. 9, p. 67-69 (by M. Fleischer)

Shilin, L.L. (1956) Karpinskyite, a new mineral

Dokl. Akad. Nauk SSSR, v. 107, p. 737-739 (by M. Fleischer)

Shilin, L.L., Tsareva, L.P. (1957) On the abundance of beryllium in rocks and  
minerals of pegmatite veins of the Lovozero and Khibina Tundras

Geokhimiya, 1957, no. 4, p. 325-333 (by M. Fleischer)

Shilin, N.L. (1968) Gold in rocks of Central Kamchatka

Izv. Akad. Nauk SSSR, Ser. Geol., 1968, no. 11, p. 69-76 (by M.  
Fleischer)

Shipovalov, Iu.V., Avrova, N.P. (1971) X-ray study of the new borates  
aldzhanite and chelkarite

Issled. Obl. Khim. Fiz. Metodov Anal. Miner. Syr'ya, 1971, p. 176-179 (by  
M. Fleischer)

Shipovalov, Iu.V., Stepanov, A.V. (1971) A rare-earth mineral from Kazakhstan

Issled. Obl. Khim. Fiz. Metodov Anal. Miner. Syr'ya, 1971, p. 186-188 (by  
M. Fleischer)

Shipovalov, Iu.V., Stepanov, A.V. (1971) Cappelenite from Kazakhstan

Issled. Obl. Khim. Fiz. Metodov Anal. Miner. Syr'ya, Alma-Ata, 1971, p.  
180-183 (by M. Fleischer)

Shipovalov, Iu.V., Stepanov, A.V. (1971) New data on tengerite

Issled. Obl. Khim. Fiz. Metodov Anal. Miner. Syr'ya, p. 184-185 (by M.  
Fleischer)

Shipovalov, Iu.V., Stepanov, A.V. (1971) X-ray structural study of rowlandite

- Issled. Obl. Khim. Fiz. Metodov Anal. Miner. Syr'ya, p. 189-192 (by M. Fleischer)
- Shiskin, N.N. (1958) Julukulite - a new cobalt mineral  
Dokl. Akad. Nauk SSSR, v. 121, p. 724-736 (by M. Fleischer)
- Shkol'nik, M.Ia., Steklova, M.M. (1951) The physiological role of boron in plants  
Dokl. Akad. Nauk SSSR, v. 77, p. 137-140 (by V.P. Sokoloff)
- Shlain, L.B. (1963) The cervantite problem  
Tr. Mineral. muz., Akad. nauk SSSR, no. 14, p. 259-261 (by M. Fleischer)
- Shlain, L.B., Senderova, V.M., Rudnitskaia, E.S. (1975) Calcian arsenostibite as an isomorphous member of the stibiconite group  
Izomorfizm Miner., 1975, p. 79-85 (by M. Fleischer)
- Shpanov, E.P., Sidorenko, G.A., Stolyarova, T.I. (1970) Akdalaite, a new hydrous modification of alumina  
Zap. Vses. Mineral. O-va., v. 99, p. 333-339 (by M. Fleischer)
- Shternberg, A.A., Ivanova, T.I., Kuznetsov, V.A. (1972) Spodumene, a mineral profundometer  
Dokl. Akad. Nauk SSSR, v. 202, p. 175-179 (by M. Fleischer)
- Shternina, E.B., Frolova, E.V. (1957) Solubility in the system  
 $\text{CaCO}_3\text{-CaSO}_4\text{-NaCl-CO}_2\text{-H}_2\text{O}$   
Zh. Neorg. Khim., v. 2, p. 1649-1654 (by V.P. Sokoloff)
- Shumskaia, N.I., Andreev, B.S., Kuz'min, A.A. (1982) Lead-bismuth sulfotellurides in As-Sb-Au deposits  
Zap. Vses. Mineral. O-va., v. 111, p. 74-78 (by M. Fleischer)
- Shvyriaeva, A.M. (1955) An experiment on utilization of geobotanical indications in an analysis of lithologically similar strata of different origin



- Tr. Vses. Aerogeol. Tresta, no. 1 (Trans. All-Union Aero-Geol. Trust., Pt. I), p. 19-33 (p. 20-48 in trans.) (by G. Hughes)
- Sigov, A.P. (1939) Prospecting by heavy mineral studies  
Trans. Ural. Sci. Res. Inst. Geol., Sverdlovsk Min. Inst., no. 4, 64 p.  
(abstract) (by H.E. Hawkes)
- Simonov, M.A., Malinko, S.V., Belov, N.V., Kazanskaia, E.V., Egorov, Iu.K., Tizmenko, M.B., Belokoneva, E.L., Yamova, N.A., Kuznetsova, N.N. (1977)  
The new mineral hexahydroborite,  $\text{Ca}[\text{B}(\text{OH})_4]_2 \cdot 2\text{H}_2\text{O}$   
Zap. Vses. Mineral. O-va., v. 106, p. 691-697 (by M. Fleischer)
- Simonov, V.A. (1976) Physico-chemical features of formation of nepheline miaskite pegmatite  
Soveshch. Molod. Uchen. Mineral., Geokhim. Metod. Issled. Mineral., Tezisy Dokladov, Vladivostok, 1976, p. 35-36 (by M. Fleischer)
- Sindeeva, I.D. (1957) Materials for the geochemistry of selenium  
Tr., Inst. Mineral., Geokhim. Kristalloghim. Redk. Elem., Akad. Nauk SSSR, v. 1, p. 7-13 (by M. Fleischer)
- Sindeeva, N.D. (1955) A geochemical prospecting method for pyrite deposits  
Dokl. Akad. Nauk SSSR, v. 104, no. 1, p. 114 (by M. Fleischer)
- Sindeeva, N.D. (1958) Selenium and tellurium in deposits of various genetic types  
Izv. Akad. Nauk SSSR, Ser. Geol., 1958, no. 5, p. 78-94 (by M. Fleischer)
- Sindeeva, N.D., Kurbanova, N.Z. (1958) On the clarke of selenium in some igneous rocks of the USSR  
Dokl. Akad. Nauk SSSR, v. 120, p. 353-355 (by M. Fleischer)
- Siniakov, V.I. (1967) The temperature of formation and magnesian skarns of the hypabyssal depth facies  
Dokl. Akad. Nauk SSSR, v. 175, p. 193-195 (by M. Fleischer)

- Skorobogatova, N.V., Sidorenko, G.A., Dorofeeva, K.A., Stolyarova, T.I. (1966)  
Plumbopyrochlore  
Geol. Mestorozhd. Redk. Elem., no. 30, p. 84-95 (by M. Fleischer)
- Skvortsova, K.V., Kopchenova, E.V., Sidorenko, G.A., Kuznetsova, N.N., Dara,  
A.D., Rybakova, L.I. (1969) The calcium-sodium uranomolybdates  
Zap. Vses. Mineral. O-va., v. 98, p. 679-688 (by M. Fleischer)
- Skvortsova, K.V., Sidorenko, G.A. (1965) Sedovite, a new supergene mineral of  
uranium and molybdenum  
Zap. Vses. Mineral. O-va., v. 94, p. 548-554 (by M. Fleischer)
- Skvortsova, K.V., Sidorenko, G.A., Dara, A.D., Silant'eva, N.I., Medoeva, M.M.  
(1964) Femolite, a new molybdenum sulfide  
Zap. Vses. Mineral. O-va., v. 93, p. 436-443 (by M. Fleischer)
- Skvortsova, K.V., Sidorenko, G.A., Nesterova, Iu.S., Arapova, G.A., Dara,  
A.D., Rybakova, L.I. (1971) Sodium betpakdalite and conditions of its  
formation  
Zap. Vses. Mineral. O-va., v. 100, p. 603-611 (by M. Fleischer)
- Slepnev, Iu.S. (1957) The minerals of the rinkite group  
Izv. Akad. Nauk SSSR, Ser. Geol., 1957, no. 3, p. 63-75 (by I. Mittin)
- Slivko, M.M. (1969) Liquid CO<sub>2</sub> - aqueous inclusions in tourmalines from  
pegmatites of the Mema region  
Mineral. Sb., Lvov, v. 23, p. 295-301 (by M. Fleischer)
- Slyusareva, M.N. (1965) The new mineral uklonskovite  
Dokl. Akad. Nauk SSSR, v. 158, p. 1093-1095 (by M. Fleischer)
- Slyusareva, M.N. (1969) Hydroglauberite, a new mineral of the hydrous sulfate  
group  
Zap. Vses. Mineral. O-va., v. 98, p. 59-62 (by M. Fleischer)
- Smirnov, A.I. (1958) The problem of the genesis of phosphorites

- Dokl. Akad. Nauk SSSR, v. 119, p. 745-748 (by M. Fleischer)
- Smirnov, A.I., Ivnitskaia, R.B., Zalavina, T.P. (1962) Experimental data on the possibility of the chemical precipitation of phosphate from sea water  
Tr. Gos. Nauchno-Issled. Inst. Gornokhim. Syr'ya, no. 7, p. 289-302 (by M. Fleischer)
- Smolianinova, N.N., Moleva, V.A., Organova, N.I. (1960) A new aluminum-free member of the montmorillonite-sauconite series  
Dokl. Sobr. Mezhdunar. Kom. Izuch. Glin (Acad. Sci. USSR, Comm. Study Clays, Geol.-Geogr. Sci., Rep. Mtg. Int. Comm. Study Clays), 1960, p. 45-52 (by M. Fleischer)
- Smyslova, I.G., Komkov, A.I., Pavshukov, V.V., Kuznetsova, N.V. (1981) Kyzylkumite,  $V_2Ti_3O_9$ , a new mineral of vanadium and titanium of the group of complex oxides  
Zap. Vses. Mineral. O-va., v. 110, p. 607-612 (by M. Fleischer)
- Sobolev, R.N. (1968) The abundance of niobium in granitic rocks of the Sarysy-Teniz uplift (central Kazakhstan)  
Izv. Akad. Nauk SSSR, Ser. Geol., 1968, no. 8, p. 84-92 (by M. Fleischer)
- Sobolev, R.N., Sitnin, A.A., Dorokhov, I.L. (1968) Minor elements in micas from granitic rocks of the Tokrau synclitorium and adjacent regions of Central Kazakhstan  
Sov. Geol., 1968, no. 9, p. 119-123 (by M. Fleischer)
- Sobolev, V.S. (1956) Additions to the fusion diagrams in the systems nepheline-kaliophilite-silica and orthoclase-albite-anorthite  
Mineral. Sb., Lvov, v. 10, p. 68-76 (by M. Fleischer)
- Sobolev, V.S. (1959) On the phase relations in the system nepheline-kalsilite-anorthite-silica  
Mineral. Sb., Lvov, no. 13, p. 126-138 (by M. Fleischer)

- Sobolev, V.S. (1979) New dangers of disinformation as a result of contamination of samples by foreign minerals and technical products  
Zap. Vses. Mineral. O-va., v. 108, p. 691-695 (by M. Fleischer)
- Sobolev, V.S., Bakumenko, I.T., Kostyuk, V.P. (1976) The possibility of using melt inclusions for petrologic work  
Geol. Geofiz., 1976, no. 5, p. 146-149 (by M. Fleischer)
- Soboleva, M.V., Sobolev, N.D. (1959) Genesis and prospecting criteria of deposits of azure-blue rezhikite asbestos (a new mineral rezhikite)  
Sov. Geol., 1959, no. 9, p. 94-104 (p. 94-97 only translated) (by M. Fleischer)
- Sobotovich, E.V., Kvasnitsa, V.N., Kovalukh, N.N., Litvin, A.L., Rybalko, S.I., Sharkin, O.P. (1980) Radiocarbon and mineralogical evidence of the material of the Tungus body  
Mineral. Zh., v. 8, no. 1, p. 36-46 (by M. Fleischer)
- Sokolov, Ia.N. (1960) Results of thermometric studies of inclusions of solutions in quartz of crystal-bearing veins  
Vses. Nauchno-Issled. Geol. Inst., Mater., v. 29, p. 129-149 (by M. Fleischer)
- Sokolova, L.P. (1966) The structure of glümbelite  
Zap. Vses. Mineral. O-va., v. 95, p. 106-107 (by M. Fleischer)
- Sokolova, M.N., Dobrovol'skaia, M.G., Organova, N.I., Kazakova, M.E., Dmitrik, A.L. (1970) A new sulfide of iron and potassium, the new mineral rasvumite  
Zap. Vses. Mineral. O-va., v. 99, p. 712-720 (by M. Fleischer)
- Sokolova, M.N., Dobrovol'skaia, M.G., Organova, N.N., Kazakova, M.E., Vasil'eva, G.L. (1971) The occurrence and distribution of djerfisherite in pegmatites of the Khibina massif

- Geol. Rudn. Mestorozhd., 1971, no. 2, p. 67-71 (by M. Fleischer)
- Solov'ev, N.S. (1970) The behavior of uranium and thorium during the evolution of the Mesozoic volcanic apparatus, Transbaikal  
Zap. Vses. Mineral. O-va., v. 99, p. 497-501 (by M. Fleischer)
- Sorensen, H., Semenov, E.I., Bezsmertnaia, M.S., Khalezova, E.B. (1969)  
Cuprostibite, a new natural compound of copper and antimony  
Zap. Vses. Mineral. O-va., v. 98, p. 716-724 (by M. Fleischer)
- Sorokin, V.I., Gruzdev, V.S., Shorygin, V.A. (1968) Variation of a  $a_0$  parameter with the iron content in sphalerites obtained under hydrothermal conditions  
Eksp. Teor. Issled. Miner. Ravnovesii, 1968, p. 113-116 (by M. Fleischer)
- Sorokin, V.I., Osadchii, E.G. (1976) Wurtzite-sphalerite relations in the system Zn-Sn-S-HCl-H<sub>2</sub>O at 300°C and pressure 1000 atm  
Mineral. Sb., Lvov, v. 30, p. 28-33 (by M. Fleischer)
- Sorskii, A.A. (1950) The mechanism of the tectonic lensing of rocks  
Dokl. Akad. Nauk SSSR, v. 72, p. 937-939 (by V.L. Skitsky)
- Sosedko, T.A. (1957) Variations in the structure and properties of beryl with increased content of alkalis  
Zap. Vses. Mineral. O-va., v. 86, p. 495-499 (by M. Fleischer)
- Spezia, G. (1883) Osservazioni sulla melanoflogite (Observations on melanoflogite)  
Atti R. Accad. Lincei, Serie Terza, Mem. Cl. Sci. Fis., Mat. Nat. (Atti Acad. Naz. Lincei, Cl. Sci. Fis., Mat. Nat., Rend.), v. 15, p. 300-310  
(by F. Cuttitta)
- Spiridonov, E.M., Chvileva, T.N. (1979) Bogdanovite, Au<sub>5</sub>(CuFe)<sub>3</sub>(TePb)<sub>2</sub>, a new mineral of the group of intermetallic compounds of gold  
Vestn. Mosk. Univ., Ser. 4: Geol., 1979, no. 1, p. 44-52 (by M.

Fleischer)

- Spiridonov, E.M. (1980) Balyakinite,  $\text{CuTeO}_3$ , a new mineral from the zone of oxidation  
Dokl. Akad. Nauk SSSR, v. 253, p. 1448-1450 (by M. Fleischer)
- Spiridonov, E.M., Bezsmertnaia, M.S., Chvileva, T.N., Bezsmertny, V.V. (1978)  
Bilibinskite,  $\text{Au}_3\text{Cu}_2\text{PbTe}_2$ , a new mineral of gold telluride deposits  
Zap. Vses. Mineral. O-va., v. 107, p. 310-315 (by M. Fleischer)
- Spiridonov, E.M., Chvileva, T.N. (1979) Bessmertnovite,  $\text{Au}_4\text{Cu}(\text{Te},\text{Pb})$  a new mineral from the zone of oxidation of deposits of the Far East  
Dokl. Akad. Nauk SSSR, v. 249, no. 1, p. 185-189 (by M. Fleischer)
- Spiridonov, E.M., Krapiva, L.Ia., Gapeev, A.K., Stepanov, V.I., Prushinskaia, E.Ia., Volgin, V.Iu. (1981) Gruzdevite  $\text{Cu}_6\text{Hg}_3\text{Sb}_4\text{S}_{12}$ , a new mineral from the Chauvai Sb-Hg deposit, Central Asia  
Dokl. Akad. Nauk SSSR, v. 261, no. 4, p. 971-976 (by M. Fleischer)
- Spiridonov, E.M., Tananaeva, O.I. (1982) Plumbotellurite,  $\alpha\text{-PbTeO}_3$ , a new mineral  
Dokl. Akad. Nauk SSSR, v. 262, p. 1231-1235 (by M. Fleischer)
- Srebrodol'skii, B.I. (1974) Alumohydrocalcite  
Izv. Akad. Nauk SSSR, Ser. Geol., 1974, no. 10, p. 88-96 (by M. Fleischer)
- Srebrodol'skii, B.I. (1975) Acetamide,  $\text{CH}_3\text{CONH}_2$ , a new mineral  
Zap. Vses. Mineral. O-va., v. 104, p. 326-328 (by M. Fleischer)
- Srebrodol'skii, B.I. (1977) Para-alumohydrocalcite, a new mineral  
Zap. Vses. Mineral. O-va., v. 106, p. 336-337 (by M. Fleischer)
- Stankewich, L.O. (1955) Calciferous rhodochrosite of the Kerch deposit  
Dokl. Akad. Nauk SSSR, v. 105, p. 1328-1331 (by J. Kotcherka, Ill. Geol. Survey)

- Starik, I.E. (1956) The role of secondary processes in the age determination by radiometric methods  
*Geokhimiia*, 1956, no. 5, p. 18-29 (by W. Nichiporuk) (a published translation appears in *Geochemistry*, 1956, no. 5, p. 444-457)
- Starik, I.E., Atrashenok, L.Ia., Krylov, A.Ia. (1956) Determination of uranium in accessory minerals  
*Dokl. Akad. Nauk SSSR*, v. 111, p. 644-646 (by W. Nichiporuk)
- Starik, I.E., Shats, M.M. (1960) New data on the determination of the content of uranium in meteorites  
*Meteoritika, Dokl. Akad. Nauk SSSR*, v. 18, p. 83-87 (by M. Fleischer)
- Starik, I.E., Sobotovich, E.V. (1956) Determination of the isotopic composition of lead in rocks  
*Dokl. Akad. Nauk SSSR*, v. 111, p. 395-397 (by W. Nichiporuk)
- Starkov, V.D., Znamenskii, N.D., Kholodnov, V.V., Loginiva, L.G. (1973) Evolution of the range of the rare-earth elements of the accessory apatites in the process of Paleozoic granite formation of the Mugodzhar Ezhey. *Inst. Geol. Geokhim., Akad. Nauk SSSR, Ural. Nauchn. Tsentr*, 1973 (pub. 1974), p. 108-112 (by M. Fleischer)
- Stepanov, A.V., Severov, E.A. (1961) Gagarinite, a new rare-earth mineral  
*Dokl. Akad. Nauk SSSR*, v. 141, p. 954-957 (by M. Fleischer)
- Stepanov, I.S. (1946) Rhenium, an industrial metal  
*Tsvetn. Metall.*, v. 19, no. 5, p. 66-67 (by M. Fleischer)
- Stognii, G.A. (1976) Inclusions in corundum from corundum-containing metasomatites of the Urals  
*Soveshch. Molod. Uchen. Mineral., Geokhim. Metod. Issled. Mineral., Tezisy Dokladov*, Vladivostok, 1976, p. 66-67 (by M. Fleischer)
- Stolpovskaia, V.N., Zanin, Iu.N., Ivakina, E.L. (1977) The carbonate ions in

natural dahllites

Zap. Vses. Mineral. O-va., v. 106, p. 120-122 (by M. Fleischer)

Strakhov, N.M. (1947) Carbonates in existing lagoons and their significance in the problem of dolomite formation

Byull. Mosk. O-va. Isput. Prir., Utd. Geol., v. 22, no. 4, p. 3-38 (by V.L. Skitsky)

Strakhov, N.M. (1948) Distribution of iron in sediments of lake and marine basins and the controlling factors

Izv. Akad. Nauk SSSR, Ser. Geol., 1948, no. 4, p. 3-50 (by V.P. Sokoloff)

Strakhov, N.M., Zalmanzon, E.S., Bevova, I.V., Dvoretzkaia, O.A., Lubchenko, Iu.I., Motuzova, G.V., Cherkasova, E.V. (1967) Minor elements in sedimentary manganese mineralization processes

Litol. Polezn. Iskop., 1967, no. 3, p. 3-33 (by M. Fleischer)

Studenikova, Z.V., Glinkina, M.I., Kornilova, K.I. (1960) The geochemistry of tungsten and molybdenum

Mezhdunarod. Geol. Kongress, 21-ya [Dvadtsat Pervaya] Sessiya, Dokl.

Sovet. Geologov, Problema 1 (Int. Geol. Congress, 21st Session, Pap. Sov. Geol.), 1960, p. 178-186 (by M. Fleischer)

Stupkina, L.M. (1961) Selenium and tellurium in minerals of the Dzhilau deposits, Tadzhikistan

Vestn. Leningr. Univ., no. 6, Geol. Geogr., no. 1, p. 151-153 (by M. Fleischer)

Sudovikov, N.G. (1954) Structure of Ladoga formation

Tr. Lab. Geol. Dokembr., Akad. Nauk SSSR, no. 4, p. 134-181 (by V.P. Sokoloff)

Sudovikova, E.N. (1956) A green mica of the iron-ore series of the Kurak magnetic anomaly



- Zap. Vses. Mineral. O-va., v. 85, p. 543-549 (by M. Fleischer)
- Sukhorskii, R.F. (1953) Temperatures of formation of transparent calcite from the Trans-Carpathian region  
mineral. Sb., Lvov, no. 7, p. 313-316 (by V.P. Sokoloff)
- Sukhorskii, R.F. (1965) On the temperature conditions of formation of Aldan rock crystal  
Dokl. Akad. Nauk SSSR, v. 161, p. 1188-1191 (by M. Fleischer)
- Sumin, N.G. (1954) Data on the geochemistry of borates  
Tr. Mineral. Muz., Akad. Nauk SSSR, no. 6, p. 152-158 (by M. Fleischer)
- Sumin, N.G., Lasheva, N.K. (1951) New types of chrysocolla related to plancheite at Mednorudyarsk in the Urals  
Tr. Mineral. Muz., Akad. Nauk SSSR, no. 3, p. 106-121 (by Charles Milton)
- Sushevskaiia, T.M., Barsukov, V.L., Trusikova, T.A. (1966) The composition of mineral-forming solutions of tin-ore deposits of Myao-chan (from data on liquid-gas inclusions)  
Geokhimiia, 1966, no. 8, p. 949-959 (by M. Fleischer)
- Sushevskaiia, T.M., Ivanova, G.F. (1967) The composition of mineral-forming solutions of some wolframite deposits of eastern Transbaikal (according to data on gas-liquid inclusions)  
Geokhimiia, 1967, no. 9, p. 1099-1105 (by M. Fleischer)
- Sveshnikova, E.V., Burova, T.A. (1973) Minerals of the wöhlerite group and titan-rosenbushite from the nepheline syenites of Zangar'ya  
Tr. Mineral. Muz., Akad. Nauk SSSR, v. 22, p. 119-123 (by M. Fleischer)
- Sveshnikova, O.L. (1975) Chemical composition and classification of sulfoantimonites of lead and silver  
Tr. Mineral. Muz., Akad. Nauk SSSR, v. 24, p. 107-119 (by M. Fleischer)
- Sveshnikova, V.N. (1952) Solubility in water of dolomitized limestones and

- dolomites at 25°C and 1 atmosphere of CO<sub>2</sub>  
Dokl. Akad. Nauk SSSR, v. 85, p. 357-360 (by V.L. Skitsky)
- Svyazhin, N.V. (1965) Kischtimite as a variety of bastnaesite  
Tr. Inst. Geol., Ural. Fil., Akad. Nauk SSSR, no. 70, p. 249-252 (by M. Fleischer)
- Svyazhin, N.V. (1965) New data on lessingite  
Tr. Inst. Geol., Ural. Fil., Akad. Nauk SSSR, no. 70, p. 239-244 (by M. Fleischer)
- Syritso, L.F., Senderova, V.M. (1964) The problem of the existence of  
lillianite  
Zap. Vses. Mineral. O-va., v. 93, p. 468-471 (by M. Fleischer)
- Syromyatnikov, F.V. (1959) Experimental data on the solubility of minerals,  
and genetic conclusions  
Congr. Geol. Intern., Compt. Rend., 20th, Mexico City Sect. 11-A (Int.  
Geol. Congress, 20th Session, Mexico City, Sec. 11-A, Petrology and  
Mineralogy), 1956 (pub. 1959), p. 321-346 (by M. Fleischer)
- Tageeva, N.V. (1943) The geochemistry of boron and fluorine  
Priroda (Moscow), 1943, no. 6, p. 25-35 (by M. Fleischer)
- Taneda, S., Yamaguchi, M. (1950) Geological and petrological studies on the  
Aono Volcano group  
Sci. Rep. Fac. Sci., Kyushu Univ., Geology, v. 2, no. 2, p. 54-76  
(Engineer Intelligence Div. (EID), Office of Engineers, U.S. Army, Tokyo)
- Tarkhanova, G.A., Sidorenko, G.A., Kuznetsova, N.N. (1964) The "new mineral  
pravdite"  
Zap. Vses. Mineral. O-va., v. 93, p. 106-110 (by M. Fleischer)
- Tauson, L.V. (1960) The geochemistry of lithium, rubidium and thallium in  
magmatic processes

- Mezhdunarod. Geol. Kongress, 21-ya [Dvadtsat Pervaya] Sessiya, Dokl. Sovet. Geologov, Problema 1 (Int. Geol. Congress, 21st Session, Copenhagen, Contrib. Sov. Geol., Pt. 1), 1960, p. 93-100 (by M. Fleischer)
- Tauson, L.V., Lontsikh, S.V., Shafrinskii, Iu.S., Kozlov, V.D., Kochetkova, L.F. (1976) Geochemical standards of magmatic rocks  
Ezheg. Inst. Geokhim. Sib. Otd. Akad. Nauk SSSR, 1974 (pub. 1976), p. 370-375 (by M. Fleischer)
- Tauson, L.V., Stavrov, O.D. (1957) The geochemistry of rubidium in granitoids  
Geokhimiia, 1957, no. 8, p. 699-703 (by M. Fleischer)
- Tauson, V.L., Makeev, A.B., Chernyshev, L.V. (1976) Phase relations and structural features of mixed crystals in the system ZnS-MnS  
Ezheg. Inst. Geokhim. Sib. Otd. Akad. Nauk SSSR, 1974 (pub. 1976), p. 290-293 (by M. Fleischer)
- Tchaikovskii, S.A. (1951) Phenomena of the overheating of liquid inclusions in minerals  
Dokl. Akad. Nauk SSSR, v. 76, p. 455-457 (by V.L. Skitsky)
- Teis, R.V. (1950) Isotopic composition of oxygen in carbonates and its thermal variations  
Dokl. Akad. Nauk SSSR, v. 72, p. 73-76 (by V.L. Skitsky)
- Teis, R.V. (1950) Isotopic composition of oxygen in organic compounds of vegetative origin  
Dokl. Akad. Nauk SSSR, v. 72, p. 351-353 (by V.L. Skitsky)
- Teodorovich, G.I. (1946) The genesis of the dolomite of sedimentary deposits  
Dokl. Akad. Nauk SSSR, v. 53, no. 9, p. 817-820 (by V.L. Skitsky)
- Tikhonenkov, I.P., Kazakova, M.E. (1957) Nioboloparite--a new mineral of the perovskite group

- Zap. Vses. Mineral. O-va., v. 86, p. 641-644 (by M. Fleischer)
- Tikhonenkov, I.P., Semenov, E.I. (1963) Arsenides of Co, Ni, and Fe in alkaline pegmatites  
Dokl. Akad. Nauk SSSR, v. 150, p. 888-889 (by M. Fleischer)
- Tikhonenkova, R.P., Kazakova, M.E. (1961) Vlasovite, a new zirconium silicate from the Lovozero massif  
Dokl. Akad. Nauk SSSR, v. 137, p. 944-946 (by M. Fleischer)
- Timoshenkov, I.M., Men'shikov, Iu.P., Gannibal, L.F., Bussen, I.V. (1975) A natural sodium silicate, natrosilite, from the Lovozero massif  
Zap. Vses. Mineral. O-va., v. 104, p. 317-321 (by M. Fleischer)
- Timoshkova, L.P. (1977) The correlation between Gibbs energies of pyrophyllite and x-andalusite from data on the solubility of pyrophyllite in water  
Zap. Vses. Mineral. O-va., v. 106, p. 245-247 (by M. Fleischer)
- Tolstikhin, O.N. (1958) The thermal waters of Kamchatka and problems of their utilization  
Sov. Geol., 1958, no. 2, p. 109-133 (by M. Fleischer)
- Tolstikhin, O.N. (1961) The problem of the amount of juvenile water evolved during the formation of effusive rocks  
Geokhimiia, p. 1005-1008 (by M. Fleischer)
- Topor, N.D., Kisleva, I.A. (1981) Thermochemical methods of study of minerals and rocks  
Mineral. Zh., v. 3, no. 4, p. 59-68 (by M. Fleischer)
- Toropov, N.A., Bondar, I.A. (1959) The lanthanum silicate  
 $2\text{La}_2\text{O}_3 \cdot 3\text{SiO}_2$   
Izv. Akad. Nauk SSSR, Otdel. Khim. Nauk, no. 3, p. 554-555 (by M. Fleischer)
- Toropov, N.A., Galakhov, H.Ia. (1958) Solid solutions in the system  $\text{Al}_2\text{O}_3$

- Tr. Pyatogo Soveshch. Eksp. Tekh. Mineral. Petrogr., p. 505-510 (Proc. 5th Conf. Exper. Tech. Mineral. Petrogr., 1956) (by M. Fleischer)
- Trushnin, A.V., Litvin, O.N., Goncharov, V.I. (1976) Features of temperature and gas regime of the formation of gold-silver deposits of Chukotka Soveshch. Molod. Uchen. Mineral., Geokhim. Metod. Issled. Mineral., Tezisy Dokladov, Vladivostok, 1976, p. 15-16 (by M. Fleischer)
- Tsepina, A.I., Dolomanova, E.I. (1976) Determination of the chemical composition of deposits in opened vacuoles of minerals by the electron microprobe method  
Nov. Mineral. Issled., [Mater. Nauchn. Konf. Mosk. Otd. Vses. Mineral. O-va.], 1st (Sb. Nauchn. Tr. Mosk. Otd. Vses. Mineral. O-va., March), 1974, p. 199-201 (pub. 1976) (by M. Fleischer)
- Tugarinov, A.I., Vainshtein, E.E., Shevaleevskii, I.D. (1956) On the ratio of hafnium to zirconium in zircons of effusive and metasomatic rocks Geokhimiia, 1956, no. 4, p. 28-37 (by V.P. Sokoloff) (a published translation appears in Geochemistry, 1956, no. 4, p. 361-374)
- Tugarinov, A.I., Naumov, V.B. (1970) Dependence of the temperature of decrepitation on the composition of gas-liquid inclusions and on the strength of the mineral  
Dokl. Akad. Nauk SSSR, v. 195, p. 182-184 (by M. Fleischer)
- Tugarinov, A.I., Vainshtein, E.E. (1959) Regularities of the distribution of rare earths, zirconium, and hafnium in eruptive igneous rocks Geokhim. Redkikh Elementov v Svyazi s Problemoi Petrogenezisa, Trudy Geokhim. Simpoziuma, Moscow (Tr. Akad. Nauk SSSR, Vernadskii Inst. Geokhim. Analyt. Khim., Geokhim. Symp. Moscow, Dec.), 1957 (pub. 1959), p. 20-35 (by M. Fleischer)
- Tugarinov, A.I., Vainshtein, E.E. (1960) Rare earths in rocks

- Mezhdunarod. Geol. Kongress, 21-ya [Dvadtsat Pervaya] Sessiya, Dokl. Sovet. Geologov, Problema 1 (Int. Geol. Congress, 21st Session, Copenhagen, Contrib. Sov. Geol., Pt. 1), 1960, p. 65-77 (by M. Fleischer)
- Turovskii, S.D. (1959) Geochemistry of thorium  
Zap. Kirg. Otd. Vses. Mineral. O-va., v. 1, p. 5-11 (by M. Fleischer)
- Turovskii, S.D., Usmanov, U.U., Nikolaeva, A.V. (1968) The distribution of rare-earths in a series of successively crystallizing minerals  
Dokl. Akad. Nauk SSSR, v. 178, p. 1179-1181 (by M. Fleischer)
- Umova, M.W., Glebov, R.I., Shibanov, P.N. (1957) Investigation of chemical composition of gaseous inclusions in quartz from different deposits  
Dokl. Akad. Nauk SSSR, v. 112, p. 519-521 (by V.P. Sokoloff)
- Urunbaev, K. (1965) The geochemical background of Nb, Ta, Ge, Ga, Mo, and W in granites of the central part of Chatkalo-Kuraminsk Mt. (Northern Tyan-Shan)  
Uzb. Geol. Zh., 1965, no. 5, p. 66-73 (by M. Fleischer)
- Urunbaev, K.U. (1970) The possibility of using the magnitude of the ratio  $ZrO_2/HfO_2$  for facies discrimination of magmatic rocks  
Uzb. Geol. Zh., 1970, v. 6, p. 24-31 (by M. Fleischer)
- Ushakova, E.N. (1960) Iron-bearing sepiolite of northern Zaval'ya, Middle Pobuzh'e  
Mineral. Sb., Lvov, no. 14, p. 327-331 (by M. Fleischer)
- Ushakovskii, V.T. (1966) Vein quartz from one of the rock crystal deposits in the southern Urals  
Zap. Vses. Mineral. O-va., v. 95, no. 2, p. 229-232 (by M. Fleischer)
- Uskov, M.N. (1967) The crystallochemical features of the distribution of rare earths in accessory sphene  
Konst. Svoistva Miner., v. 2, p. 94-103 (by M. Fleischer)

- Usmanov, U.U., Kozlova, P.S. (1972) Rare-earth natrojarosite  
 Zap. Kirg. Otd. Vses. Mineral. O-va., v. 8, p. 65-70 (by M. Fleischer)
- Vainshtein, E.E., Tugarinov, A.I., Turanskaia, N.V. (1956) Regularities in the  
 distribution of rare earths in certain minerals  
 Geokhimiia, 1956, no. 2, p. 36-56 (by M. Fleischer)
- Vainshtein, E.E., Tugarinov, A.I., Turanskaia, N.V. (1956) The distribution of  
 rare earths in granitoid monazites  
 Dokl. Akad. Nauk SSSR, v. 106, p. 691-692 (by M. Fleischer)
- Valyashko, V.M., Kogarko, L.N. (1966) Inclusions in apatites of the Khibina  
 and Lovozero massifs  
 Dokl. Akad. Nauk SSSR, v. 166, p. 202-205 (by M. Fleischer)
- Vasil'ev, V.I. (1966) Saukovite, a new zinc-cadmium-containing mercury sulfide  
 Dokl. Akad. Nauk SSSR, v. 168, p. 182-185 (by M. Fleischer)
- Vasil'ev, V.I. (1968) New ore minerals of the mercury deposits of Gornyi Altai  
 and their parageneses  
In Vopr. Metallogen. Rtuti (Problems of the Metallogeny of Mercury), p.  
 111-129 (partial trans., p. 111-119, 125-126 only) (by M. Fleischer)
- Vasil'ev, V.I., Lavrent'ev, Iu.G. (1980) Kuznetsovite,  $Hg_6As_2Cl_2O_9$ , a  
 new mercury mineral  
 Dokl. Akad. Nauk SSSR, v. 255, p. 963-968 (1980) (by M. Fleischer)
- Vasil'ev, V.I., Lavrent'ev, Iu.G., Pal'chik, N.A. (1980) Shanovite,  
 $Hg_8Sb_2O_{13}$ , a new supergene mineral  
 Geol. Geofiz., 1980, no. 11, p. 128-132 (by M. Fleischer)
- Vasil'ev, V.I., Lavrent'ev, Iu.G., Pal'chik, N.A. (1981) Poyarkovite,  
 $Hg_3ClO$ , a new natural mercury oxychloride  
 Zap. Vses. Mineral. O-va., v. 110, p. 501-506 (by M. Fleischer)
- Vasil'ev, V.I., Lavrent'ev, Iu.G., Pal'chik, N.A. (1982) Kelyanite,

- $\text{Hg}_{36}\text{Sb}_3(\text{Cl},\text{Br})_9\text{O}_{28}$ , a new mineral  
Zap. Vses. Mineral. O-va., v. 111, p. 330-334 (by M. Fleischer)
- Vasil'eva, Z.V. (1973) Definition of the chemical composition of some rare-earth borosilicates  
Zap. Vses. Mineral. O-va., v. 102, p. 225-228 (by M. Fleischer)
- Vasil'eva, Z.V., Rudnitskaia, E.S. (1976) Study of carbonate-containing apatite by the method of infra-red spectroscopy  
Izv. Akad. Nauk SSSR, Ser. Geol., 1976, no. 9, p. 103-111 (by M. Fleischer)
- Vasil'kova, I.V., Nikolaev, V.A. (1976) Conditions of deposition of fluorite in ore deposits of the Maritime Province  
Soveshch. Molod. Uchen. Mineral., Geokhim. Metod. Issled. Mineral., Tezisy Dokladov, Vladivostok, 1976, p. 70-71 (by M. Fleischer)
- Vasil'kova, N.N. (1962) A new calcium borate, sibirskite  
Zap. Vses. Mineral. O-va., v. 91, no. 4, p. 455-464 (by M. Fleischer)
- Vdovkin, G.P. (1960) Preliminary results of luminescence - bituminological studies of four carbonaceous chondrites  
Meteoritika, v. 18, p. 78-82 (by M. Fleischer)
- Vdovkin, G.P. (1969) A new hexagonal modification of carbon in meteorites  
Geokhimiia, 1969, p. 1145-1148 (by M. Fleischer)
- Vershkovskaia, O.V., Fabrikova, E.A. (1957) Gallium in sphalerite  
Geokhimiia, 1957, no. 4, p. 320-324 (by M. Fleischer)
- Viktorov, S.V. (1955) History and present status of the geobotanical method in geology  
Tr. Vses. Aerogeol. Tresta, no. 1 (Trust, Pt. I), p. 5-10 (p. 1-9 in trans.) (by G. Hughes)
- Vinar, O.N. (1960) Is shilkinite an independent mineral?



- Mineral. Sb., Lvov, v. 11, p. 428-434 (by M. Fleischer)
- Vinogradov, A.P. (1947) Geochemical history of oxygen and photosynthesis  
Izv. Akad. Nauk SSSR, Ser. Biol., 1947, no. 3, p. 409-422 (by V.P. Sokoloff)
- Vinogradov, A.P. (1954) Geochemistry of isotopes  
Vestn. Akad. Nauk SSSR, 1954, no. 5, p. 26-43 (by V.P. Sokoloff)
- Vinogradov, A.P. (1956) Comparison of data on the age of rocks obtained by different methods, and geological conclusions  
Geokhimiia, 1956, no. 5, p. 3-17 (by W. Nichiporuk, Cal. Tech.) (a published translation appears in Geochemistry, 1956, no. 5, p. 427-443)
- Vinogradov, A.P., Chupakhin, M.S., Grinenko, V.A. (1956) Isotopic ratio of  $S^{32}/S^{34}$  in sulfides  
Geokhimiia, 1956, no. 4, p. 3-9 (by M. Fleischer)
- Vinogradov, A.P., Chupakhin, M.S., Grinenko, V.A. (1956) Some data on the isotopic composition of the sulfur of sulfides  
Geokhimiia, 1957, no. 3, p. 183-186 (by M. Fleischer)
- Vinogradov, A.P., Dontsova, E.I. (1947) Isotopic composition of the oxygen of aluminosilicate rocks  
Dokl. Akad. Nauk SSSR, v. 58, no. 1, p. 83-84 (by V.L. Skitsky)
- Vinogradov, A.P., Dontsova, E.I. (1952) The isotopic composition of oxygen in minerals of a skarn origin  
Dokl. Akad. Nauk SSSR, v. 85, p. 1341-1343 (by V.L. Skitsky)
- Vinogradov, A.P., Zikov, S.I. (1955) New data on the isotopic composition of leads  
Dokl. Akad. Nauk SSSR, v. 105, p. 126-128 (by W. Nichiporuk)
- Vinogradova, R.A., Rudashevskii, N.S., Bud'ko, I.A., Bochek, L.I., Kaspar, P., Padera, K. (1976) Krutovite, a new cubic nickel diarsenide

- Zap. Vses. Mineral. 0-va., v. 105, p. 59-71 (1976) (by M. Fleischer)
- Virovlianskiĭ, G.M. (1938) Quartz as a geologic thermometer
- Zap. Vses. Mineral. 0-va., Ser. 2, v. 67, no. 3, p. 425-434 (by V.L. Skitsky)
- Vistelĭus, A.B. (1948) The relationships of members of paragenetic groups and methods for studying them
- Zap. Vses. Mineral. 0-va., Ser. 2, Pt. 7, v. 77, no. 2, p. 147-158 (by V.L. Skitsky)
- Vitovskaia, I.V., Berkhin, S.I. (1968) The problem of the nature of kerolite Kora Vyvetrivaniia, v. 10, p. 134-159 (by M. Fleischer)
- Vitovskaia, I.V., Berkhin, S.I., Yashina, R.S. (1969) The serpentine components of nickel silicates
- Dokl. Akad. Nauk SSSR, v. 189, no. 5, p. 1092-1094 (by M. Fleischer)
- Vlasov, V.V., Kuznetsov, A.V. (1962) Melanterite and the products of its alteration
- Zap. Vses. Mineral. 0-va., v. 91, p. 490-492 (by M. Fleischer)
- Vlasova, E.V., Kozyreva, L.V. (1976) The infra-red spectrum of yuksporite and the position of the mineral in the titanosilicate group
- Nov. Mineral. Issled., [Mater. Nauchn. Konf. Mosk. Otd. Vses. Mineral. 0-va.], 1st (Sb. Nauchn. Tr. Mosk. Otd. Vses. Mineral. 0-va., March), 1974, p. 29-31 (pub. 1976) (by M. Fleischer)
- Voitkevich, G.G. (1951) The age of the Earth
- Dokl. Akad. Nauk SSSR, v. 77, no. 5, p. 461-464 (by V.L. Skitsky)
- Voitkevich, G.V. (1950) The radioactivity of potassium and the thermal regime of the Earth
- Dokl. Akad. Nauk SSSR, v. 74, no. 4, p. 771-775 (by V.L. Skitsky)
- Vol'fkovich, S.I. (1946) The Kara-Tau phosphates

- Fosfority Kara-Tau (Book) (Akad. Nauk SSSR), 36 p. (by V.P. Sokoloff)
- Voloshin, A.V., Men'shikov, Iu.P., Pakhomovskii, Ia.A. (1981) Almotantite and natrotantite, new tantalum minerals in granitic pegmatites  
Zap. Vses. Mineral. O-va., v. 110, p. 338-345 (by M. Fleischer)
- Voloshin, A.V., Men'shikov, Iu.P., Pakhomovskii, Ia.A., Polezhaeva, L.I. (1981) Cestibtantite,  $(\text{Cs,Na})\text{SbTa}_4\text{O}_{12}$ , a new mineral from granitic pegmatites  
Zap. Vses. Mineral. O-va., v. 110, p. 345-351 (by M. Fleischer)
- Voloshin, A.V., Men'shikov, Iu.P., Polezhaeva, L.I., Lentsi, A.A. (1982) Kolfanite, a new mineral from granite pegmatite, Kola Peninsula  
Mineral. Zh., v. 4, no. 2, p. 90-95 (by M. Fleischer)
- Voloshin, A.V., Pakhomovskii, Ia.A., Tyusheva, F.M. (1982) Calciotantite, a new mineral from granitic pegmatites of the Kola Peninsula  
Mineral. Zh., v. 4, no. 3, p. 75-79 (by M. Fleischer)
- Volzhenkova, A.Ia., Batalieva, N.G., Pletneva, N.I., Kostin, N.E., Sidorenko, G.A., Bykova, A.V. (1968) Thalenite from the northwestern part of the USSR  
Tr. Mineral. Muz., Akad. Nauk SSSR, v. 18, p. 176-182 (by M. Fleischer)
- Vorob'ev, E.I., Lozhkin, V.I. (1975) The identification of daughter minerals of fluid inclusions by means of x-ray coloration  
Ezheg. Inst. Geokhim. Inst. Geokhim. Sib. Otd. Akad. Nauk SSSR, 1975, p. 281-283 (pub. 1976) (by M. Fleischer)
- Vorob'ev, Iu.K., Borisovskii, S.E. (1980) Phase transformation and composition of chalcopyrite  
Izv. Akad. Nauk SSSR, Ser. Geol., 1980, no. 8, p. 86-101 (by M. Fleischer)
- Voronova, M.L. (1962) Kalistrontite, a new potassium strontium sulfate

- Zap. Vses. Mineral. O-va., v. 91, p. 712-717 (by M. Fleischer)
- Voskresenskaia, N.T., Koronovskii, N.V., Titkova, N.F., Shulyakovskaia, N.S. (1960) The alkali elements and thallium in effusive rocks of Northern Caucasus and their petrogenetic significance  
Vestn. Mosk. Univ., 1960, no. 4, p. 21-28 (by M. Fleischer)
- Voskresenskaia, N.T., Soboleva, L.T. (1961) Once more on thallium in manganese minerals  
Geokhimiia, 1961, no. 3, p. 276-278 (by M. Fleischer)
- Voskresenskaia, N.T., Usevich, T.D. (1957) The occurrence of thallium in manganese minerals  
Geokhimiia, 1957, no. 7, p. 606-614 (by M. Fleischer)
- Vostokova, E.A., Vyshivkin, D.D., Kas'ianova, M.S., Nesvetailova, N.G., Shvyriaeva, A.M. (1955) Geobotanical indicators in prospecting for oil  
Tr. Vses. Aerogeol. Tresta, no. 1 (Trans. All-Union Aero-Geol. Trust, Pt. I), p. 99-117 (p. 148-177 in trans.) (by G. Hughes)
- Votintzev, K.K. (1948) The role of sponges in the dynamics of silica in water of Lake Baikal  
Dokl. Akad. Nauk SSSR, v. 62, no. 5, p. 661-663 (by V.P. Sokoloff)
- Vysokoostrovskaiia, E.B. (1963) Uranium and thorium in porphyritic biotite granites of the Late Devonian complex of Gornyi Altai  
Tr. Vses. Nauchno-Issled. Geol. Inst., v. 95, p. 101-106 (by M. Fleischer)
- Watanabe, Takeo (1957) Genesis of bedded manganese deposits and cupriferous pyrite deposits in Japan  
Min. Geol., v. 7, no. 24, p. 87-97 (Engineer Intelligence Div. (EID), Office of Engineers, U.S. Army, Tokyo)
- Zabolotnov, A.S. (1963) Uranium and thorium in igneous rocks of southeastern

Trans-Baikal

Tr. Vses. Nauchno-Issled. Geol. Inst., no. 95, p. 123-130 (by M. Fleischer)

Zakrzhevskaya, N.G. (1964) The problem of the origin of gases in the rocks of the Khibina apatite deposits

Dokl. Akad. Nauk SSSR, v. 154, no. 1, p. 118-120 (by M. Fleischer)

Zalashkova, N.E. (1960) Regularities of the distribution of beryllium, lithium and rubidium of granites of Eastern Transbaikalia

Mezhdunarod. Geol. Kongress, 21-ya [Dvadtsat Pervaya] Sessiya, Dokl.

Sovet. Geologov, Problema 1 (Int. Geol. Congress, 21st Session, Pap. Sov. Geol., Pt. I, Geochem. Cycles), 1960, p. 110-120 (by M. Fleischer)

Zalashkova, N.E., Sitnin, A.A. (1967) Features of the distribution of rare elements in tantalum-bearing apogranites and biotite granites

Geol. Rudn. Mestorozhd., v. 9, no. 6, p. 52-64 (by M. Fleischer)

Zalashkova, N.R., Lizunov, N.V., Sitnin, A.A. (1958) Experience in metallometric surveys for beryllium in a region of development of beryl-bearing pegmatites covered by alluvium

Razved. Ukr. Nedr, 1958, v. 29, no. 8, p. 9-14 (by M. Fleischer)

Zar'yan, R.N. (1962) Tellurides and tellurite of lead in ores of the Kafan deposit

Izv. Akad. Nauk Arm. SSR, Ser. Geol. Geogr. Nauki, v. 15, no. 2, p. 25-30 (by M. Fleischer)

Zar'yan, R.N. (1966) Synthetic lead tellurate

Izv. Akad. Nauk Arm. SSR, Nauki Zemle, v. 19, no. 1-2, p. 163-165 (by M. Fleischer)

Zav'yalov, E.N., Begizov, V.D. (1977) Rucklidgeite,  $(\text{Bi,Pb})_3\text{Te}_4$ , a new mineral from the Zhdanov and Kochkargold ore deposits

- Zap. Vses. Mineral. O-va., v. 106, p. 62-68 (by M. Fleischer)
- Zav'ialov, E.N., Begizov, V.D. (1978) New types of bismuth sulfotellurides  
Izv. Vyssh. Uchebn. Zaved., Geol. Razved., 1978, no. 10, p. 91-100 (by M. Fleischer)
- Zav'ialov, E.N., Begizov, V.D. (1981) Once more on the problem of grüningite  
Zap. Vses. Mineral. O-va., v. 110, p. 633-635 (by M. Fleischer)
- Zav'ialov, E.N., Begizov, V.D. (1981) The new bismuth mineral ingodite,  
 $\text{Bi}_2\text{TeS}$   
Zap. Vses. Mineral. O-va., v. 110, p. 594-600 (by M. Fleischer)
- Zav'ialov, E.N., Begizov, V.D. (1982) Sulphotsumoite, a new bismuth mineral  
Zap. Vses. Mineral. O-va., v. 111, p. 316-320 (by M. Fleischer)
- Zdorik, T.B., Sidorenko, G.A., Bykova, A.V. (1961) A new calcium  
titanozirconate - calzirtite  
Dokl. Akad. Nauk SSSR, v. 137, p. 681-684 (by M. Fleischer)
- Zhabin, A.G., Voronkov, A.A., Khalezova, E.B., Kazakova, M.E. (1963) New data  
on accessory davidite from Vishnevye Mts., Urals, and on the so-called  
ufertite and ferutite  
Tr., Inst. Mineral., Geokhim. Kristalloghim. Redk. Elem., Akad. Nauk  
SSSR, v. 15, p. 110-121 (by M. Fleischer)
- Zharikov, V.A. (1966) Dependence of co-existing compositions of scapolite and  
plagioclase on the depth  
Dokl. Akad. Nauk SSSR, v. 170, p. 936-938 (by M. Fleischer)
- Zhdanov, S.P. (1959) On the evolution of hydrogen during the heating of quartz  
Izv. Akad. Nauk SSSR, Otd. Khim. Nauk (Izv. Akad. Nauk SSSR, Ser. Khim.),  
no. 2, p. 352-354 (by M. Fleischer)
- Zhdanov, V.V., Rudashevskii, N.S. (1980) A new type of gold-platinum  
mineralization in metasomatites after basites

- Dokl. Akad. Nauk SSSR, 252, no. 6, p. 1452-1456 (by M. Fleischer)
- Zhilinskaia, I.I., Kormushin, V.A. (1975) Temperature of formation of barite and fluorite in the Orlov deposit of Rudnyi Altari  
Izv. Akad. Nauk Kaz. SSR, Ser. Geol., 1975, no. 2, p. 56-58 (by M. Fleischer)
- Zhirov, K.K., Ivanova, G.F. (1959) The distribution of rhenium in molybdenites from deposits of a series of genetic types  
Geokhimiia, 1959, no. 6, p. 518-523 (by M. Fleischer)
- Zhlyukova, Z.V., Vlasova, E.V., Kazakova, M.E., Piloyan, G.O., Shumyatskaia, N.G., Borutskii, B.E. (1973) New data on tundrite  
Dokl. Akad. Nauk SSSR, v. 211, p. 426-429 (by M. Fleischer)
- Znamenskii, E.B. (1957) The average contents of niobium and tantalum in igneous rocks and the crust of the Earth  
Geokhimiia, 1957, no. 8, p. 730-735 (by M. Fleischer)
- Znamenskii, E.B. (1964) Average contents of niobium and tantalum in granitic rocks  
Tr. Geokhim. Konf. (Khim. Zemnoi Kory, Tr. Geokhim. Konf., 1963), v. 2, p. 301-316 (by M. Fleischer)
- Znamenskii, E.B., Krinberg, I.A., Popolitov, E.I., Flerova, K.V. (1962) Abundance of niobium in granitic rocks of the basin of the M. Belaya R. in eastern Sayan  
Zap. Vost.-Sib. Otd. Vses. Mineral. O-va., no. 4, p. 69-77 (by M. Fleischer)
- Znamenskii, E.B., Nesterenko, G.V., Tsykhanskii, V.D., Konusova, V.V. (1965) Abundance of niobium and tantalum in traps  
Probl. Geokhim. (Vinogradov Vol.), 1965, p. 410-417 (by M. Fleischer)
- Znamenskii, E.B., Popolitov, E.I. (1964) Dependence of the geochemical

- behavior of niobium and tantalum on the paragenesis of titanium and titanium-containing minerals in granitic rocks  
Geokhim. Redkikh Elementov v Izverzhenykh Gorn. Porodakh, Akad. Nauk SSSR, Sibirsk. Otd., Inst. Geokhim., p. 57-62 (by M. Fleischer)
- Znamenskii, E.B., Rodionova, L.M., Kakhana, M.M. (1957) The distribution of niobium and tantalum in granites  
Geokhimiia, 1957, no. 3, p. 222-225 (by M. Fleischer) (a published translation appears in Geochemistry, 1957, no. 3, p. 267-270)
- Zubenok, L.I. (1956) The water cycle of continents and oceans  
Dokl. Akad. Nauk SSSR, v. 108, p. 829-832 (by W. Nichiporuk)
- Zuev, V.N., Zubkov, L.B., Zubynina, K.B., Ukina, T.P., Chistov, L.B. (1966) New data on the form of entry of tantalum and niobium into wolframite  
Dokl. Akad. Nauk SSSR, v. 166, p. 194-197 (by M. Fleischer)
- Zul'fugarly, N.D., Geidarov, A.S., Nuriev, A.N. (1962) Radioelements in clayey rocks of Sarmatian deposits  
Azerb. Khim. Zh., 1962, no. 2, p. 119-122 (by M. Fleischer)
- Zviagintzev, O.E. (1946) The geochemistry of palladium  
Vopr. Mineral., Geokhim., Petrogr., Akad. Nauk SSSR, p. 199-208 (by V.P. Sokoloff)