



UNIVERSIDADE FEDERAL DE MINAS GERAIS

INSTITUTO DE CIÊNCIAS BIOLÓGICAS

Departamento de Botânica

Programa de Pós-Graduação em Biologia Vegetal



NAYARA COUTO MOREIRA

A *FLORULA LAGOENSIS* DE WARMING REVISITADA

Dissertação apresentada ao Programa de Pós-Graduação em Biologia Vegetal do Departamento de Botânica do Instituto de Ciências Biológicas da Universidade Federal de Minas Gerais, como requisito parcial à obtenção do título de Mestre em Biologia Vegetal.

Área de concentração: Morfologia, Sistemática e Diversidade Vegetal

BELO HORIZONTE - MG

2015



UNIVERSIDADE FEDERAL DE MINAS GERAIS
INSTITUTO DE CIÊNCIAS BIOLÓGICAS
Departamento de Botânica
Programa de Pós-Graduação em Biologia Vegetal



NAYARA COUTO MOREIRA

A *FLORULA LAGOENSIS* DE WARMING REVISITADA

Dissertação apresentada ao Programa de Pós-Graduação em Biologia Vegetal do Departamento de Botânica do Instituto de Ciências Biológicas da Universidade Federal de Minas Gerais, como requisito parcial à obtenção do título de Mestre em Biologia Vegetal.

Área de concentração: Morfologia, Sistemática e Diversidade Vegetal

Orientador: Prof. Dr. João Renato Stehmann
Universidade Federal de Minas Gerais

BELO HORIZONTE – MG
2015

043

Moreira, Nayara Couto.

A Florula Lagoensis de Warming revisitada [manuscrito] / Nayara Couto Moreira. – 2015.

165 f. : il. ; 29,5 cm.


Orientador: João Renato Stehmann.


Dissertação (mestrado) – Universidade Federal de Minas Gerais,
Departamento de Botânica.

1. Warming, Eugenius, 1841-1924 - Teses. 2. Inventário florístico - Teses. 3. Botânica - Lagoa Santa - Teses. 4. Plantas - Extinção. 5. Biologia vegetal - Teses. I. Stehmann, João Renato. II. Universidade Federal de Minas Gerais. Departamento de Botânica. III. Título.

Dissertação defendida e aprovada, em 30 de julho de 2015, pela banca
examinadora constituída pelos professores:


Dr. João Renato Stehmann (UFMG)


**Dr. Marcos Eduardo Guerra Sobral (Universidade Federal de
São João del-Rei)**


Dr. Alexandre Salino (UFMG)

“... Sinto-me fortemente atraído e cativo daqueles lugares, onde a vida era leve como o ar que se respirava; ensolarada como a terra onde se caminhava; e avançava tranquila como as ondas da pequena lagoa de Lagoa Santa. Muitas vezes, as singelas melodias brasileiras ressoam aos meus ouvidos, fazendo-me sentir um forte desejo de rever aqueles lugares e então sinto a veracidade do antigo provérbio: “Ninguém anda impune sob as palmeiras”. Em Lagoa Santa havia luz, felicidade e paz!” (Warming, 1923)

AGRADECIMENTOS

Primeiramente, a Deus e aos amigos celestiais, pela proteção e apoio.

À minha família, por ser a base de tudo, pelo apoio, paciência e compreensão.

Ao meu orientador, professor João Renato, por ter me dado a oportunidade de desenvolver esse trabalho, pela paciência e disponibilidade em orientar.

Aos meus amigos pelo apoio, compreensão e presença indispensável.

Aos colegas e professores do PPGBV-UFMG, aos colegas do laboratório de Sistemática Vegetal, ao Gustavo técnico do BHCB.

À Andréia da EPAMIG e suas estagiárias, por ter aberto as portas do herbário PAMG.

Aos colaboradores, todos que ajudaram direta ou indiretamente no desenvolvimento desse trabalho, conselhos, opiniões, críticas, na compilação de dados, ao Luiz Gustavo Vieira pelos mapas; nas coletas: Marcelo Bueno, Érica Rievers, Leandro Ferreira, Cíntia Araújo, Rayanne Gurgel, Yuri Gouvêa; na identificação do material e atualização nomenclatural: Ana Cláudia Fernandes, João Batista, Pedro Viana; à Aline José pela formatação; sintam-se todos abraçados por minha gratidão.

Aos colegas do CAPI, pela compreensão.

Agradeço à CAPES pela bolsa, durante parte do projeto.

Ao IEF e seus funcionários pela concessão da licença de coleta e receptividade no PE Sumidouro.

SUMÁRIO

RESUMO.....	3
ABSTRACT.....	5
APRESENTAÇÃO GERAL	6
Referências	8
CAPÍTULO I.....	9
Introdução	9
Contexto histórico da ciênci a no séc ulo XIX.....	10
Quem foi Eugen Warming?	11
Lagoa Santa.....	14
História de Lagoa Santa.....	16
Frutos da viagem de Warming ao Brasil.....	19
Considerações finais.....	20
Referências	21
CAPÍTULO II	24
Introduction.....	24
Materials and Methods	26
Results	28
Discussion	31
References	34
CAPÍTULO III.....	37
Introduction.....	37
Materials and methods	39
Results and Discussion	39
References	45
APPENDIX A.....	49
APPENDIX B	148
APPENDIX C.....	158

ÍNDICE DE FIGURAS

CAPÍTULO I

Figura 1. Foto de Lund, tirada por Warming. (Gomes 2006).....	11
Figura 2. Foto de Warming, por Marius Christensen (2012).....	12
Figura 3. Mapa desenhado a mão por Warming, com os principais acidentes geográficos, fazendas e trilhas no entorno de Lagoa Santa, no século XIX. (Gomes, 2006).....	13
Figura 4. Esboço da lagoa Central, em Lagoa Santa, feito por Peter Brandt, com anotações posteriores de Warming (Gomes 2006).	15
Figura 5. Planalto de Lagoa Santa, no horizonte vê-se a fumaça das queimadas, por Eugen Warming (Gomes, 2006).....	18

CAPÍTULO II

Figure 1. Map showing a satellite image of the studied area (buffer in pink), also .the location of Lagoa Santa and the state of Minas Gerais in Brazil.	26
Figure 2. Number of species of the richest flowering plants families recorded to Lagoa Santa, Minas Gerais, Brazil, including Warming's Florula Lagoensis (1908) revised list and herbaria data.....	29
Figure 3. Number of species of the richest flowering plants families recorded to Lagoa Santa, Minas Gerais, Brazil, including only Warming's Florula Lagoensis (1908) revised list.	29
Figure 4. Number of species of the richest flowering plants families recorded to Lagoa Santa, Minas Gerais, Brazil, from the revised herbaria data.....	29
Figure 5. Life form's proportion to the flowering plants recorded to Lagoa Santa, Minas Gerais, Brazil.....	30
Figure 6. Number of species of flowering plants recorded to Lagoa Santa, Minas Gerais, Brazil, including Warming's Florula Lagoensis (1908) revised list and herbaria data, separated per frequency of collection. The first column shows the number of species not collected by Warming; the second, shows the number of species just collected by Warming; the third, species collected once after Warming; the fourth, collected twice and so on.	30

CAPÍTULO III

Figure 1. Photograph of living plants of <i>S. lagoense</i> . A. Habit of <i>S. lagoense</i> (Stehmann et al.6361). B. Vegetative subterraneous reproductive system of <i>S. lagoense</i> (Stehmann et al. 6361). C. Geminate leaves of <i>S. lagoense</i> (Stehmann et al. 6361). D. Bud of of <i>S. lagoense</i> (Stehmann et al. 6361). E. Flower of <i>S. lagoense</i> (Stehmann et al. 6361). F. Fruits of <i>S. lagoense</i> (Stehmann et al. 6361).....	43
Figure 2. Holotype specimen of <i>S. lagoense</i> (N.C. Moreira and R. Gurgel 158 [BHCB021206]).	44

RESUMO

Há cerca de 150 anos, o dinamarquês Eugen Warming (1841-1924) veio ao Brasil, onde começou a sua carreira como botânico e foi secretário do famoso paleontólogo, também dinamarquês, Peter Wilhelm Lund (1801-1880), em Lagoa Santa, no estado de Minas Gerais. Durante três anos (1863-1866), Warming coletou um extenso volume de material botânico e informações que resultaram em uma das primeiras obras da ecologia vegetal, “Lagoa Santa” e onde consta a primeira lista florística do Cerrado, a *Florula Lagoensis*. O retorno a esse trabalho é importante para resgatar e divulgar o rico conhecimento existente sobre a biodiversidade brasileira. No primeiro capítulo foi recapitulado o contexto histórico do século XIX que influenciou a carreira desse pesquisador, apresenta-se uma breve biografia, informações sobre a região de Lagoa Santa e sua importância para a ciência. No segundo capítulo, revisitamos a *Florula Lagoensis*, atualizando taxonômica e nomenclaturalmente todas as espécies de Angiospermas. Apresentamos, também, uma análise histórica, ao reunir os registros de coleta dos herbários nos últimos 150 anos para Lagoa Santa e apontamos os espécimes-tipo coletados por Warming nesse local. Somente 539 (23,7%) das 2.270 espécies coletadas por Warming foram recoletadas pelos botânicos, durante todos esses anos. Novas adições à lista representaram apenas 228 espécies (9,1%). Os espécimes-tipo nomenclaturais foram 373 (14,1). Essa pequena área de cerca de 170 Km² revelou uma grande riqueza de espécies quando comparada com outras regiões inventariadas em Minas Gerais, mesmo com áreas maiores. No terceiro capítulo, é descrita uma nova espécie de *Solanum* L. (Solanaceae) pertencente ao clado Geminata para a Flora do Brasil, *Solanum lagoense* Stehmann, sp.nov. A espécie habita o sub-bosque da Floresta Estacional associada a afloramentos calcários junto à gruta da Lapinha, em Lagoa Santa, uma área inventariada em detalhe por Warming. São apresentadas a descrição da espécie, comentários taxonômicos, bem como, a avaliação que sugere o status de Criticamente Ameaçada à espécie. Por fim, destaca-se, nessa dissertação, a completude do trabalho realizado por Warming e a relevância das lições deixadas por ele: 1) a importância de coletar intensivamente, 2) a atenção focada aos pequenos detalhes no campo, 3) e trabalhar em colaboração com vários especialistas. Por todos esses motivos é justo reconhecer Warming como pai dos estudos florísticos no Brasil.

Palavras-chave Eugen Warming, Lagoa Santa,inventário florístico, material-tipo, avaliação do risco de extinção.

ABSTRACT

The Danish botanic Eugen Warming (1841-1924) started his career in Lagoa Santa, Minas Gerais state, Brazil, between 1863 and 1866, while working as secretary of the Danish palaeontologist Peter Wilhelm Lund (1801-1880). During this period, Warming collected a great amount of plants and informations that came up to one of the first text in Plant Ecology, “Lagoa Santa” and where can be found the first floristic list of the Brazilian savanna (Cerrado), the *Florula Lagoensis*. Going back to this work is very important to refresh and to broadcast the knowledge about the huge Brazilian biodiversity. In the first chapter, we revise the cultural and philosophical scene of the XIX century that acted upon this naturalist career, presents a quickly bibliography; informations about Lagoa Santaand its importance to science. In the second chapter, we revisit the *Florula Lagoensis*, updating nomenclatural and taxonomically all flowering plants, and analyze the contribution of new collections to this place. We also recovered the type specimens collected by Warming in Lagoa Santa. Only 539 (23,7%) from 2,270 of Warming’s samples in Lagoa Santa have been collected by botanists after almost 150 years and new additions to the list were only 228 (9,1%). Nomenclatural types collected by Warming were 373 (14,1%). This small area, of about 170 Km², revealed considerable superior richness when compared to other sites of Minas Gerais with bigger areas. In the third chapter, a new species of *Solanum* (Solanaceae) from the Geminata clade is described to the Brazilian flora, *Solanum lagoense* Stehmann, sp. nov. The species is only known from Lapinha, a rocky massif located in the LagoaSanta karst. We present a description, taxonomic comments and assessment for conservation status that points out the species as critically endangered. We stress the completeness of Warming’s work and highlight the importance of following Warming’s footsteps and lessons: 1) to collect intensively; 2) to observe details in the field; 3) andto work in a collaborative way. For these reasons, it’s fair to recognize Eugene Warming as the father of floristic studies in Brazil.

Keywords Eugen Warming, Lagoa Santa, floristic inventory, type material, assessment of extinction risk.

APRESENTAÇÃO GERAL

Esse trabalho parte dos estudos realizados pelo pesquisador dinamarquês, Eugen Warming (1841-1924), no pequeno arraial de Lagoa Santa, Minas Gerais, Brasil, entre 1863 e 1866 (Stafleu & Cowan 1988). Nesse período de três anos, Warming estudou a vegetação local e fez intensas coletas botânicas, que geraram o artigo, escrito em dinamarquês, “*Lagoa Santa. Et Bidrag til den biologiske Plantogeografi. Med en Fortegnelse over Lagoa Santas Hvirveldyr*” (Warming 1892), mais tarde republicado na forma de livro sob o nome “*Lagoa Santa - Contribuição para a geographia phytobiologica*” (Warming 1908). A partir dessa publicação, Warming foi reconhecido como um dos fundadores da Ecologia (Goodland 1975; Klein 2002).

A completa lista de espécies vegetais publicada foi denominada *Florula Lagoensis* e possuía 2.593 espécies, entre algas, musgos, pteridófitas e fanerógamas, essas últimas, representadas por 2.488 espécies. Dentre essas, cerca de 350 eram desconhecidas pela ciência, na época, um número expressivo para uma área tão pequena (Warming 1908).

Essa foi a primeira lista produzida para o Cerrado e até hoje é referência para os botânicos (Mendonça et al. 2008). Antes de Warming, nenhuma flora completa havia sido publicada para uma localidade geográfica específica no Brasil. Alguns naturalistas haviam realizado coleções locais que foram enviadas para a Europa, como A. F. Regnell em Caldas, Minas Gerais (Concha-Quezada 2011; Dahlgren 1962) e G. Marggraf no nordeste brasileiro (De Souza 2013).

Com o pioneirismo do trabalho, várias espécies foram descritas a partir das coletas de Warming, que se tornaram tipos nomenclaturais. As 3.000 exsicatas e mais 700 doadas por Lund, que Warming levou para a Europa, foram em sua maioria depositadas no herbário do Museu de História Natural de Copenhague (Herbário C); parte foi enviada para especialistas e ficou dispersa em diferentes herbários (Warming 1908). As informações sobre o acervo coletado por Warming permanecem ainda pouco acessíveis para a comunidade científica e não foram objeto de estudo em nenhum projeto de repatriamento de dados da flora brasileira no exterior.

A riqueza em sítios arqueológicos e espeleológicos em Lagoa Santa levou à criação, em 1990, da APA Carste, pelo Decreto presidencial nº 98.881 (Brasil 1990). A Província Cártica também foi considerada como áreaprioritária para a conservação no estado de Minas Gerais, considerando-a como de extrema importância biológica, por

estar na rota migratória de aves raras e ameaçadas, por conter espécies endêmicas de invertebrados e ameaçadas pela pressão antrópica (Fundação Biodiversitas 2005). A implantação e operação de importantes empreendimentos públicos, crescimento industrial e urbano apresentam-se como potenciais riscos para a conservação do patrimônio natural e histórico-cultural da região. Para minimizar esses riscos, foi idealizado um Sistema de Áreas Protegidas (SAP), que prevê a criação de um conjunto de unidades de conservação (UC's) na região (Ambiente Brasil 2009).

Diante desse cenário, a obra de Warming foi revisitada, ao ser revisada a listagem publicada por ele e avaliada o que ela representa atualmente, passados mais de 150 anos. Nossa expectativa é que tenha havido um incremento muito grande no conhecimento da flora local, já que a região está localizada próximo a capital do estado de Minas Gerais, Belo Horizonte, e próximas a centros de pesquisa.

Além de dados secundários provenientes da literatura e dos registros dos acervos botânicos, realizamos coletas de amostras na região de Lagoa Santa, mas que não foram incorporadas ao presente trabalho, pois foram pontuais e focadas para a vegetação associada aos afloramentos calcários. De qualquer forma, esse pequeno esforço resultou no reconhecimento de uma espécie nova aqui descrita e na recoleta de amostras conhecidas para a região apenas pelas coletas de Warming.

A dissertação está organizada em três capítulos, a saber: 1) “A importância de Eugen Warming e do município de Lagoa Santa para a botânica brasileira” – que consta de um resgate da importância histórica de Warming e de Lagoa Santa para a ciência; 2) “Warming’s *Florula Lagoensis* revisited: Old lessons to new challenges” - compara o acervo listado por Warming com os demais registros de coleta disponíveis para a região; 3) “A new species of *Solanum* L. (Solanaceae, Geminataclade) from Lagoa Santa, Brazil” – trata-se da descrição de uma espécie nova de *Solanum* L. (Solanaceae), encontrada em uma das visitas realizadas à área de estudo.

Esperamos que os estudos aqui apresentados possam servir de base para o repatriamento dos registros do herbário do Museu de História Natural de Copenhagen (Herbário C) para herbários virtuais brasileiros; para a recoleta de amostras, especialmente, das espécies cujos tipos foram coletados por Warming; bem como, para nortear as tomadas de decisão acerca da conservação de espécies na região de Lagoa Santa, que sofre uma mudança drástica na paisagem, tendo em vista os projetos associados ao vetor norte da região metropolitana de Belo Horizonte.

Para efeito do Código Internacional para Nomenclatura de Algas, Fungos e Plantas , esta dissertação não constitui publicação efetiva para as mudanças nomenclaturais e os novos nomes aqui propostos. Essas mudanças serão efetivadas somente a partir da publicação dos manuscritos aqui apresentados .

Referências

- Ambiente Brasil Centro de Estudos. 2009. Estudo Técnico para a criação do Refúgio da Vida Silvestre Macaúbas. Coordenação Geral Luiz Eduardo Ferreira Fontes, Agrônomo.
- Brasil. 1990. Decreto nº 98.881, de 25 de janeiro de 1990. Distrito Federal, Brasília.
- Concha-Quezada H. 2011. El médico sueco Anders Fredrik Regnell enel Brasil delsiglo XIX. Pacientes, plantas y patrimonio. Bol Mex His Fil Med 14: 1: 4-11.
- Dahlgren KVO. 1962. Anders Fredrik Regnell och hans svenska gäster i brasiliens, särskilt Gustaf A. Lindberg och Salomon E. Henschen. Svensk Botanisk Tidskrift. Uppsala56: 3: 391-470.
- De Souza OMF. 2013. Georg Marggraf– O Primeiro Herborizador do Brasil. Anais da Academia Pernambucana de Ciência Agronômica3: 25-29.
- Fundação Biodiversitas. 2008. Biodiversidade em Minas Gerais: um atlas para sua conservação. Gláucia Maria Drummond, et al. 2 ed.
- Goodland RJ. 1975. The Tropical Origin of Ecology: Eugen Warming's Jubilee. Oikos26: 2: 240-245. URL: <http://www.jstor.org/stable/3543715>
- Klein AL. 2002. Eugen Warming e o cerrado brasileiro: um século depois. São Paulo: Editora UNESP; Imprensa Oficial do Estado.
- Mendonça RC, Felfili JM, Walter BMT, Silva Júnior MC, Rezende AV, Filgueiras TS, Nogueira PE, Fagg CW. 2008. Flora vascular do Bioma Cerrado: checklist com 12.356 espécies. In: Sano SM, Almeida SP, Ribeiro JF (ed.). Cerrado: ecologia e flora. Brasília: Embrapa Informação Tecnológica. 2: 422-442.
- Stafleu FA, Cowan RS. 1988. Taxonomic Literature. Bohn, Scheltema and Holkema, Utrecht./Antwerpen dr. W. Junk b.v., Publishers, The Hague/Boston. Smithsonian Libraries. 2: VII:W-Z.
- Warming E. 1892. Lagoa Santa: Et Bidrag til den biologiske Plantergeografi. Kgl. Danske Vidensk. Selsk. Skr., Raekke, naturvidensk. og math. Afd 6(3). Kjøbenhavn, Bianco Lunos Kgl. Hof-Bogtrykkeri.
- Warming E, Löfgren A. 1908. Lagoa Santa: contribuição para a geographia phytobiologica. Impr. Official do Estado de Minas Geraes.

CAPÍTULO I

A importância de Eugen Warming e do município de Lagoa Santa para a botânica brasileira

RESUMO Há cerca de 150 anos, o botânico dinamarquês Eugen Warming (1841-1924) veio ao Brasil. Durante sua breve estadia, Warming coletou um extenso volume de material botânico e informações que resultaram em uma das primeiras obras da ecologia vegetal, “Lagoa Santa”. O retorno a esse trabalho é importante para se resgatar e divulgar o rico conhecimento existente sobre a biodiversidade brasileira. Nesse texto, por meio de uma busca bibliográfica, foi recapitulado o contexto histórico do século XIX que influenciou a carreira desse pesquisador, apresenta-se uma breve biografia, informações sobre a região de Lagoa Santa, em Minas Gerais, Brasil, e sua importância para a ciência.

Palavras-chave Eugen Warming, Lagoa Santa, história da Botânica, Florística.

ABSTRACT The Danish botanic Eugen Warming (1841-1924) went to Brazil, 150 years ago. During three years, Warming collected a great amount of plants and informations that came up to one of the first text in Plant Ecology, “Lagoa Santa”. Going back to this work is very important to refresh and to broadcast the knowledge about the huge Brazilian biodiversity. In this text, we revise the cultural and philosophical scene of the XIX century that acted upon this naturalist career, presents a quickly bibliography, informations about Lagoa Santa, in Minas Gerais state and its importance to science.

Keywords Eugen Warming, Lagoa Santa, history of Botany, Floristics.

Introdução

Em 1863, o botânico dinamarquês, Eugen Warming (1841-1924), deixou a Europa para se aventurar em terras brasileiras, como secretário do famoso paleontólogo, também dinamarquês, Peter Wilhelm Lund (1801-1880), que vivia em Lagoa Santa, Minas Gerais, Brasil. Warming passou três anos (1863-1866) nesse local, já na época, reconhecido por sua importância paleontológica e arqueológica (Gomes 2006).

Como fruto principal dessa estadia, ele produziu um estudo detalhado da flora local, publicado na Dinamarca, em 1892 e editado em português em 1908, com o nome de “Lagoa Santa - Contribuição para a geographia phytobiologica” (Gomes 2006). O livro é considerado uma das primeiras obras da Ecologia Vegetal (Klein 2002).

Nesse texto é recapitulado o contexto histórico do século XIX que influenciou a carreira desse pesquisador, apresenta-se uma breve biografia, informações sobre Lagoa Santa e sua importância para a ciência.

Contexto histórico da ciência no século XIX

O contexto científico na época de Warming, durante o século XIX, foi de intenso desenvolvimento, com avanços em várias áreas, como Matemática, Física, Química, Biologia e Medicina. A Europa detinha a hegemonia científica, exportada junto com as práticas colonialistas, que levaram à exploração de territórios desconhecidos na África, Ásia e América (Rosa 2012).

O Velho Mundo, no entanto, encontrava-se em um período conturbado, marcado pela ascensão da burguesia e explosão da segunda Revolução Industrial, o que resultou no nascimento das primeiras doutrinas sociais de grandes pensadores, como Montesquieu, Adam Smith, Rousseau, Saint-Simon, Fourier, Proudhon, Louis Blanc e Robert Owen, além do “Manifesto Comunista” de Marx e Engels (Lewandowski 2003; Rosa 2012).

Apesar do espírito positivista que reconheceu o papel social da ciência e estimulou o crescimento da classe intelectual, assim como das instituições acadêmicas e das publicações científicas (de Sousa Santos & dos Santos 2013), a religião continuou a representar um papel importante para a sociedade, convivendo com os avanços e as descobertas (Rosa 2012).

Nesse momento da história, nasceram novas áreas de pesquisa, como a Geologia, Mineralogia, Elétrica, Psicologia, Química-orgânica, entre outras disciplinas. A Astronomia se beneficiou dos avanços da Óptica e a Teoria Atômica ganhou forças. A Biologia veio a se tornar um dos mais importantes ramos científicos da época, com destaque para a publicação da “Origem das espécies” de Darwin, em 1859 (Rosa 2012). A criação da Microbiologia significou um grande avanço para a Medicina (Monteiro 2014). Não menos importantes foram a Fisiologia e a Anatomia Comparada, com a contribuição das teorias de Cuvier (Rosa 2012).

A História Natural, apesar de assumir um caráter mais científico e experimental, guardou ainda as práticas descritivas e o colecionismo dos séculos XVII e XVIII (Barbosa 2009). Era de praxe que estudantes e cientistas da Europa se aventurassem em viagens pelo mundo, a fim de explorar os ambientes exóticos e desconhecidos (Holten & Sterll 2011).

No Brasil, as campanhas naturalistas se iniciaram após a chegada da corte portuguesa em 1808 e se intensificaram com o casamento do príncipe regente Dom Pedro e a princesa Leopoldina da Áustria, que em sua comitiva trouxe cientistas e

artistas (Holten & Sterll 2011). Dentre eles, Von Martius, o botânico que reuniu o estudo mais completo da flora brasileira existente (Giulietti et al. 2005), até 2010, quando foi lançada a lista das espécies da flora do Brasil (Forzza et al. 2012). Muitos foram os naturalistas que vieram ao Brasil, assim como Lund, Warming e Martius, estudar a natureza dos trópicos. Pode-se ainda mencionar Saint-Hilaire, Langsdorff, Riedel, Sellow, entre outros (Belluzzo 1994; Holten & Sterll 2011).

Peter Lund (Figura 1) foi um dos pesquisadores que, encantado pelos relatos de viagem, se aventurou pelo Brasil em uma passagem rápida pelo Rio de Janeiro, de 1825 a 1829. Retornou em 1833, mas dessa vez partiu em uma excursão botânica com Riedel por São Paulo e Goiás. Quase ao final da viagem, na cidade mineira de Curvelo, conheceu Peter Claussen (1804-1855), um comerciante e coletor de objetos naturais, dinamarquês (Urban 1906), que apresentou a Lund as grutas com fósseis da região. Lund foi conquistado por essa rica fonte de conhecimento ainda inexplorada pela ciência. Ele acabou por fixar residência no pequeno arraial de Lagoa Santa, onde estudou as grutas, com suas riquezas paleontológicas e arqueológicas. Ele publicou trabalhos sobre o Brasil em diversas áreas, botânica, zoologia, paleontologia, arqueologia e deixou uma extensa coleção, principalmente de fósseis, que se encontra hoje na Dinamarca (Holten & Sterll 2011).



Figura 1. Foto de Lund, tirada por Warming (Gomes 2006).

Quem foi Eugen Warming?

Johannes Eugenius Bülow Warming (Figura 2), ou Eugen Warming, como era conhecido, nasceu em 23 de outubro de 1841, filho único de Jens Warming e Ane Marie (Urban 1884). Desde muito cedo apresentou interesse pelas Ciências Naturais. Em 1859, mesmo ano da publicação da “Origem das Espécies”, Warming entrou para o

curso de História Natural, com especialização em botânica, na Universidade de Copenhague, onde sempre teve destaque nos estudos (Gomes 2006).



Figura 2. Foto de Warming (Christensen 2012).

Em 1862, foi convidado a secretariar Lund (Gomes 2006), que residia em Lagoa Santa há mais de trinta anos. O paleontólogo havia perdido seu fiel companheiro de escavações, ilustrador, secretário e amigo Peter Andreas Brandt (1792-1862). Na época, com 60 anos e com problemas de visão, Lund precisava de um novo secretário, que dominasse o dinamarquês e teve preferência por um botânico, pois, já há algum tempo, havia encerrado as escavações nas grutas (Holten & Sterll 2011).

Antes de partir para sua aventura no Brasil, o jovem cientista seguiu um plano de estudos elaborado com a ajuda de seus professores na Dinamarca, para se inteirar da vasta e desconhecida flora brasileira e fez um curso rápido de fotografia (Holten & Sterll 2011).

Em fevereiro de 1863, aos 21 anos, ele partiu em uma viagem de dois meses de navio até o Rio de Janeiro, onde teve que esperar, por um mês, os tropeiros que o levariam até Lagoa Santa. Aproveitou esse tempo para aprender o português e fazer coletas (Gomes 2006).

Chegou a Lagoa Santa somente em julho de 1863, após percorrer as trilhas de tropeiros pelas matas e campos do interior do Brasil e dormir em ranchos. Foi recebido com a hospitalidade com que Lund recebia todos os seus visitantes (Holten & Sterll 2011).

Warming havia programado ficar no Brasil por dois anos apenas, mas acabou ficando três. Durante sua estadia, se dedicava a secretariar Peter Lund e no restante do tempo realizava coletas de material botânico. Como não dispunha de um tempo longo e na maioria das vezes andava a pé, algumas vezes usava cavalo, suas coletas não distanciaram muito de Lagoa Santa, cerca de uma a duas léguas (6,5 a 13 km, aproximadamente) (Figura 3) (Warming 1908). Chegou a visitar a Serra da Piedade, que lhe despertou um interesse peculiar, devido às características diferenciadas da flora de altitude (Gomes 2006). Fez os primeiros registros fotográficos da região de Lagoa Santa e levou para a Dinamarca com uma série de ilustrações de plantas e paisagens, inclusive ilustrações de Peter Brandt, doadas por Lund, que anos depois lhe deixou como herança os seus diários e cadernos de viagem (Holten & Sterll 2011).



Figura 3. Mapa desenhado à mão por Warming, com os principais acidentes geográficos, fazendas e trilhas no entorno de Lagoa Santa, no século XIX (Gomes, 2006).

Em 1866, voltou para a Dinamarca (Warming 1908), mas antes do retorno, no Rio de Janeiro, encontrou com o diretor do Jardim Botânico Imperial A. F. Glaziou (1828-1906), com quem manteve contato e trocou muitas correspondências. Warming levou para a Europa uma grande quantidade de exsicatas, inclusive doadas por Lund, com quem se comunicou, por cartas, até um pouco antes de esse falecer (Gomes 2006).

Warming foi professor e reitor da Universidade de Estocolmo. Mais tarde, em 1886, foi nomeado professor titular e diretor do Jardim Botânico da Universidade de Copenhague, onde também foi reitor (Klein 2002; Urban 1906). Suas coleções se encontram principalmente nos herbários C, BM, BR, DPU, E F, G, GB, GH, GOET, H, K, L, LE, M, MO, MW, NY, O, P, R, RB, S, US, VT, W e Z, em B a maioria do material foi destruído (Stafleu & Cowan 1988), herbários foram identificados conforme acrônimos em Thiers (2015)

Publicou mais de 280 artigos e livros, dentre eles o "Manual de botânica sistemática" (Warming 1878), "Plantas com sementes" (Warming 1912), "Populações vegetais: fundamentos de geografia ecológica vegetal" (Warming 1895), com o qual se consagrou mundialmente como pai da Ecologia Vegetal (Klein 2002), as referências de todas as demais obras podem ser encontradas no "Taxonomic Literature – II" (Stafleu & Cowan 1988). Ele foi, ainda, presidente da Sociedade Botânica da Dinamarca e nos últimos anos de trabalho se dedicou ao estudo da flora Dinamarquesa (Gomes 2006).

Warming nunca se esqueceu do tempo em que viveu no Brasil e essa experiência foi decisiva para sua trajetória profissional, assim como o contato com Lund, que lhe foi de grande inspiração e fonte de influência para toda a carreira (Gomes 2006; Holten & Sterll 2011; Klein 2010). Em sua última palestra, quase 60 anos após a viagem ao Brasil, falou com saudades desse período (Gomes 2006; Holten & Sterll 2011).

Lagoa Santa

O município de Lagoa Santa integra a Região Metropolitana de Belo Horizonte, localizado cerca de 30 km ao norte da capital de Minas Gerais (Berbert-Born 2002). Ocupa um território de aproximadamente 229 km², com população estimada de 57.589 habitantes e IDH de 0,777 (IBGE 2010).

O planalto de Lagoa Santa insere-se em rochas calcárias neoproterozóicas do Grupo Bambuí, integrante do Cráton do São Francisco (Berbert-Born 2002). O intemperismo químico, a corrosão pelas águas superficiais e subterrâneas nas rochas

calcáreas, a ação dos ventos e a acomodação dos blocos de rochas, conferem as feições cársticas da região. O que pode ser evidenciado pela apresentação do relevo, em determinados pontos, em formas de dolinas, janelas, grutas e paredões, ricos em registros paleontológicos e pré-históricos (Kohler 1989). Essa riqueza levou à criação, em 1990, da APA Carste de Lagoa Santa, pelo Decreto presidencial nº 98.881. Vale ressaltar que o primeiro fóssil humano da América do Sul foi encontrado por Peter Lund, na gruta do Sumidouro, ao norte de Lagoa Santa, em 1840 (Holten & Sterll 2011).

A cidade situa-se na confluência de dois rios, o rio das Velhas e seu afluente, ribeirão da Mata, pertencentes à bacia do rio São Francisco. A região se caracteriza por apresentar inúmeras lagoas (Berbert-Born 2002), no centro da cidade, encontra-se uma das maiores, a Lagoa Central (Brighenti 2009) (Figura 4).




Figura 4. Esboço da lagoa Central, em Lagoa Santa, feito por Peter Brandt, com anotações posteriores de Warming (Gomes 2006).

De acordo com a distribuição dos domínios fitogeográficos de Oliveira-Filho et al. (2006), Lagoa Santa encontra-se na transição entre Mata Atlântica e Cerrado, dessa maneira, coexistem formações florestais, savânicas, campestres e fitofisionomias de origem humana, como áreas cultivadas, degradadas e em regeneração (Oliveira-Filho 2009).

Não há uma divisão clara das formações nativas, forma-se um gradiente que vai de campestre a florestal. Onde as condições químicas e físicas do solo são mais propícias, encontram-se Florestas Semidecíduas, há também as Florestas Decíduassobre os afloramentos de calcário, que apresentam grande similaridade florística com a Caatinga, devido à presença das famílias Cactaceae e Bromeliaceae (Pedralli 1997).

As primeiras descrições da vegetação de Lagoa Santa foram feitas por Lund e especialmente por Warming. Esse a classifica como predominante em campos; possuindo também matas, que incluem as matas virgens, secundárias e aquelas sobre rochas calcáreas; os brejos e as áreas alagadas também estão presentes, além das pastagens e áreas cultivadas (Warming 1908).

De maneira geral, as formações nativas remanescentes já sofreram algum grau de alteração devido à exploração antiga de madeira, carvoejamento, pisoteamento pelo gado e expansão urbana. Nas Florestas Decíduas a mineração de calcário é a principal ameaça (Praxis 2012).

Um estudo para a implantação de corredores na APA Carste concluiu que apenas cerca de 10% da área é composta por fragmentos de Florestas Semidecíduas, áreas de Cerrado e Florestas Decíduas somam cerca de 39,8%, grande parte em estado avançado de alteração, enquanto 49% consistem em áreas urbanas e de uso agropecuário (Ambiente Brasil 2012).

A alteração da paisagem afeta em grande escala a fauna. Lund foi o primeiro a estudá-la. Por se localizar em uma transição, a região possui fauna característica tanto da Mata Atlântica, quanto do Cerrado (Herrmann et al. 1998). A Fundação Biodiversitas (2005) classificou a Província Cársica de Lagoa Santa dentre as áreas prioritárias para a conservação no estado de Minas Gerais, por conter espécies animais raras, endêmicas e ameaçadas pela pressão antrópica.

História de Lagoa Santa

O primeiro morador de Lagoa Santa, Felipe Rodrigues de Macedo, deixou para trás os problemas com os negócios nas minas de ouro em Sabará e se instalou às margens da lagoa Grande, após curar-se de suas feridas de pele nas águas da lagoa. A notícia da água santa se espalhou e muitos recorreram a ela, o que deu início ao

povoamento da área. A água chegou a ser comercializada e o lugar passou a se chamar Lagoa Santa (Holten & Sterll 2011; IBGE 2010).

Durante a estadia de Warming, ele descreveu a paisagem de Lagoa Santa como sendo quase sempre triste e pardacenta, fora da primavera, quando os campos ficavam mais verdes e inundados por flores. A região era praticamente desértica, pois as fazendas eram muito distantes umas das outras e escondidas entre os montes. A cidade em si podia ser percorrida em uma hora e meia (Warming 1908), não passava de um pequeno arraial, às margens da lagoa, construído ao redor da igreja (Holten & Sterll 2011).

O relevo acidentado de Lagoa Santa era entrecortado por vales naturais e também produzidos pelo homem para criar divisas ou devido às trilhas de mulas, que eram escavadas pelas chuvas e ficavam cada vez mais profundas. A oeste e noroeste, os morros eram mais altos e cobertos por uma mata, chamada Jangada. Na parte leste e sul, o relevo era plano, formando uma chapada com cerrado (Warming 1908).

Warming caracterizou as estações do ano como não muito distintas entre si. A estação seca começava em meados de abril e se estendia até setembro. Junho e julho eram os meses mais frios. Agosto era um dos meses mais bonitos, quando a temperatura começava a esquentar e as primeiras flores prenunciavam a primavera, porém as queimadas surgiam nos campos e eram vistas até outubro. Lund chegou a medir a temperatura média como sendo de 20,5°C (Warming 1908).

Os agricultores tinham o costume de plantar nos solos mais férteis das matas e por isso usavam o fogo para remover a vegetação, após extrair as madeiras de maior valor. O fogo também era usado para limpar os pastos, para a colheita da cana-de-açúcar e nas antigas áreas de cultivo, que com o tempo eram abandonadas, à medida que o solo se esgotava. Há relatos de que antes mesmo da colonização, os índios já usavam o fogo para facilitar a caça aos animais no cerrado. A prática da queimada era tão comum, que Warming conta que durante a estação seca o sol chegava a ser encoberto por uma nuvem negra de fumaça (Warming 1908) (Figura 5).



Figura 5. Planalto de Lagoa Santa, no horizonte vê-se a fumaça das queimadas, por Eugen Warming (Gomes, 2006).

As principais atividades na época em Lagoa Santa eram a cultura de subsistência, a exploração do salitre nas grutas e algumas usinas de açúcar (Warming 1908; Holten & Sterll 2011). Atualmente, a cidade concentra condomínios e casas de campo para fim de semana. Fazem-se também presentes a mineração, a indústria de cimento, atividade agropecuária e silvicultura. Na década de 70, foi construído o novo aeroporto internacional da Região Metropolitana de Belo Horizonte (RMBH), o aeroporto Tancredo Neves, no município vizinho de Confins, o que intensificou a exploração imobiliária na região (Herrmann et al. 1998).

A implantação e operação de importantes empreendimentos públicos como a Linha Verde, o Centro Administrativo e o futuro Rodoanel apresentam potenciais riscos para a conservação do patrimônio natural e histórico-cultural da região. Com o objetivo de minimizar esses impactos, foi idealizado pela Secretaria de Meio Ambiente e Desenvolvimento Sustentável, do estado, um Sistema de Áreas Protegidas (SAP), que prevê a criação de um conjunto de unidades de conservação (UC's) como condicionante das obras de expansão (Ambiente Brasil 2009). Já há sete UC's consolidadas, algumas foram decretadas e outras estão em fase de estudos.

Frutos da viagem de Warming ao Brasil

Warming enviou o material botânico coletado em Lagoa Santa para cerca de 50 especialistas da época, mas muitos retornaram sem nenhuma identificação e outros responderam somente anos mais tarde (Gomes 2006; Warming 1908).

Ele publicou os resultados dos estudos na série “*Symbolae ad floram Brasiliae Centralis cognoscendam*” de 1867 a 1893. Muitas espécies foram incluídas, também, na “Flora Brasiliensis” (Warming 1908). Um artigo foi publicado, em 1892, em dinamarquês, com o nome “Lagoa Santa. Et Bidrag til den biologiske Plantogeografi. Med en Fortegnelse over Lagoa Santas Hvirveldyr” (Warming 1892). A tradução para o português foi publicada somente em 1908, na forma do livro: “Lagoa Santa: contribuição para a geographia phytobiologica” (Gomes 2006), em 1973, foi reeditado com a inclusão de um capítulo sobre o Cerrado (Warming & Ferri, 1973).

Nessa publicação, Warming fez considerações sobre os aspectos naturais de Lagoa Santa, sobre as condições de solo, clima, relevo, as formações vegetativas, os efeitos do fogo no Cerrado e hipóteses sobre a possível origem desse bioma. Traz, ainda, a lista das espécies da flora coletadas por ele e Lund, desde fungos e briófitas até os vegetais superiores, dando-lhe o título de “*Florula Lagoensis*”. Ao final, anexa uma lista dos vertebrados de Lagoa Santa (Warming 1908).

A lista produzida por Warming possuía 2.593 espécies, entre algas, musgos, pteridófitas e fanerógamas, essas últimas, compunham 2.488 espécies. As famílias mais ricas encontradas por ele foram Asteraceae, Fabaceae e Poaceae, representavam juntas quase um quarto da riqueza de espécies. Dentre as fanerógamas, cerca de 350 eram novas para a ciência na época, um número expressivo para uma área tão pequena, de apenas 170 km² (Warming 1908).

Com o pioneirismo do trabalho realizado, muitos espécimes coletados por Warming foram indicados como tipos nomenclaturais. Esses espécimes, assim como, a conservação das populações originais na natureza, são de extrema importância para a taxonomia (Martins et al. 2012).

F. C. Hoehne (1882-1959), um botânico brasileiro, chegou a visitar Lagoa Santa em busca das plantas coletadas por Warming, entre 1915 e 1916, enquanto trabalhava com Cândido Rondon (1865-1958). Por falta de recursos e condições de trabalho, o

projeto foi encerrado e o material botânico foi depositado nos herbários R e SP, porém nenhum relato sobre os resultados do trabalho foi encontrado (Molina & Norder 2014).

Considerações finais

O resgate da história da botânica no Brasil, com o retorno aos trabalhos de pesquisadores que produziram estudos detalhados sobre a flora do país, é necessário para se divulgar o rico conhecimento existente sobre a biodiversidade brasileira. Retomar esses estudos permite que os pesquisadores atuais agreguem mais conhecimento e torna possíveis os estudos comparativos. Esse tipo de informação pode gerar propostas úteis para a conservação da biodiversidade. Da mesma forma, podem ajudar a prevenir e mitigar impactos a ambientes vulneráveis com elevada importância biológica.

Informações que auxiliem a conservação de um ambiente cárstico como o de Lagoa Santa são de extrema importância, sobretudo, devido à fragilidade, grande biodiversidade e complexidade do mesmo, submetido a constantes ameaças pelo crescimento urbano, econômico e industrial. No sistema cárstico, os impactos mais significativos advêm do desmatamento e da atividade agrícola; em Lagoa Santa, ainda há a mineração de calcário como agravante. A cobertura vegetal é essencial para a proteção do solo, manutenção da temperatura, do volume e da velocidade da água percolada no carste (Gillieson 1996). Com isso, faz-se muito importante garantir a qualidade da vegetação, em termos de estrutura e diversidade.

A flora do Brasil é reconhecida como a mais rica do mundo (Forzza et al. 2012), no entanto, o índice de coletas e o conhecimento botânico são pequenos frente a essa diversidade, o que pode ser verificado pela quantidade de espécies novas que ainda são descritas, uma a cada dois dias, além disso, o número de amostras existentes nos herbários é insuficiente (Sobral & Stehmann 2009). O mesmo acontece com os registros regionais ou locais, como no caso de Lagoa Santa. Apesar da importância do trabalho de Warming (1908), as informações do imenso acervo coletado por ele em Lagoa Santa continuam inexploradas.

Os detalhes da ocorrência das espécies só podem ser recuperados junto às etiquetas das exsicatas e anotações de campo, informações essas que não se encontram disponíveis nos herbários virtuais da flora brasileira. Muitos locais visitados por ele foram destruídos, como o caso da Lapa Vermelha (Deus et al. 2013), e populações

locais foram provavelmente extintas. Resgatar essas informações torna-se prioritário, para que possam subsidiar planos de manejo e ações de conservação da flora local, extremamente ameaçada pela mudança da paisagem decorrente da implantação do projeto vetor norte da região metropolitana de Belo Horizonte.

Referências

Ambiente Brasil Centro de Estudos. 2009. Estudo Técnico para a criação do Refúgio da Vida Silvestre Macaúbas. Coordenação Geral Luiz Eduardo Ferreira Fontes, Agrônomo.

Ambiente Brasil Centro de Estudos. 2012. Mapeamento de remanescentes florestais para estabelecimento de conectividade entre as unidades de conservação propostas para o Sistema de Áreas Protegidas do Vetor Norte de Belo Horizonte. Agosto de 2012.

Barbosa MF. 2009. História Natural e narrativas de viagens: novas relações, novas linguagens, Novas imagens, linguagens - Revista de Letras, Artes e Comunicação ISSN 1981 - 9943 Blumenau. 3: 1: 02 - 17, jan./abr.

Belluzzo AMM. 1994. A construção da paisagem. Coleção: O Brasil dos viajantes. São Paulo: Fundação Emílio Odebrecht. 3.

Berbert-Born M. 2002. Carste de Lagoa Santa, MG - Berço da paleontologia e da espeleologia brasileira. In: SchobbenhausC, CamposDA, Queiroz,ET, WingeM, Berbert-BornMLC (Edits.) Sítios Geológicos e Paleontológicos do Brasil. 1. ed.Brasilia: DNPM/CPRM - Comissão Brasileira de Sítios Geológicos e Paleobiológicos (SIGEP).01: 415-430.

Brighenti LS. 2009. Avaliação limnológica da lagoa central (município de Lagoa Santa – MG): uma abordagem espacial. Dissertação de mestrado. Instituto de Ciências Biológicas. Universidade Federal de Minas Gerais. Orientador: Dr. Ricardo Motta Pinto Coelho. Coorientador: Dr. José Fernandes Bezerra Neto.

Christensen M. 2012. Eugen Warming by Marius Christensen.jpg (Royal Library, Copenhagen) [Public domain or Public domain], via Wikimedia Commons.

CNPq, Conselho Nacional de Desenvolvimento científico e Tecnológico. Coordenação de Comunicação Social. 2013.Herbário virtual possui 4,2 milhões de espécimes catalogadas para acesso livre. 16 Set 2013.http://cnpq.br/web/noticiasviews/-/journal_content/56_INSTANCE_a6MO/10157/1238473

De Sousa Santos RM, dos Santos JO. 2013. O positivismo e sua influência no Brasil. Revista Brasileira de Filosofia e História, 1: 1: 55-59.

Deus JASD, Ferreira CCD, Rodrigues RS. 2013. Preservação da Área Cárstica de Lagoa Santa-Mg, Através Da Educação Ambiental. Revista Geonomos. 5: 2: 49-54.

Forzza RC, Baumgratz JFA, Bicudo CEM, Canhos DA, Carvalho AA, Coelho MAN, Zappi DC. 2012. New Brazilian floristic list highlights conservation challenges. BioScience. 62: 1: 39-45.

Fundação Biodiversitas. 2005. Biodiversidade em Minas Gerais: um atlas para sua conservação. Gláucia Maria Drummond, et al. 2 ed.

Gillieson DS. 1996. Caves: processes,development, and management. Blackwell Publishers.

Giulietti AM, De Queiroz LP, Wanderley MDGL, Van Den Berg C. 2005. Biodiversidade e conservação das plantas no Brasil. *Megadiversidade*. 1: 1: 52-61.

Gomes MCA. Estudo crítico Birgitte Holten e Michael Sterll. 2006. *A Canção das Palmeiras: Eugenius Warming, Um Jovem Botânico no Brasil*. Belo Horizonte: Fundação João Pinheiro, Centro de Estudos Históricos e Culturais, (Coleção Mineiriana. Série Obras de Referência).

Herrmann G, Heinz CK, Duarte JC, Carvalho PGS. 1998. Gestão ambiental – Belo Horizonte: IBAMA/Fund. BIODIVERSITAS/CPRM.

Holten B, Sterll M. 2011. "Peter Lund e as grutas com ossos em Lagoa Santa." Belo Horizonte, UFMG.

IBGE Cidades. Instituto Brasileiro de Geografia e Estatística. 2010. <http://cod.ibge.gov.br/1KCRF>

Klein AL. 2002. Eugen Warming e o cerrado brasileiro: um século depois. São Paulo: Editora UNESP; Imprensa Oficial do Estado.

Kohler HC. 1989. Geomorfologia cárstica na região de Lagoa Santa/MG. São Paulo. (Tese de Doutorado, Departamento de Geografia da Universidade de São Paulo).

Lewandowski ER. 2003. A formação da doutrina dos direitos fundamentais. *Revista da Faculdade de Direito, Universidade de São Paulo*. 98: 411-422.

Martins VLC, Martins-da-Silva RCV, da Silva MJS, dos Reis IP, de Souza AS, Souza HJR, Fernandes D M. 2012. Tipos Nomenclaturais do Herbário IAN da Embrapa Amazônia Oriental.<http://www.infoteca.cnptia.embrapa.br/bitstream/doc/957342/1/Documentos387Web.pdf>

Molina AA, Norder LAC. 2014. A contribuição de F. C. Hoehne (1882-1959) para o pensamento agroambiental brasileiro. *Revista Brasileira de História da Ciência, Rio de Janeiro*. 7: 1: 70-80.

Monteiro DB. 2014. A era bacteriológica e a evolução da saúde pública no Brasil. *Cultura Garança* (2004-2013). 2(1).

Oliveira-Filho AT, Jarenkow JA, Rodal MJN. 2006. Floristic relationships of seasonally dry forests of eastern South America based on tree species distribution patterns. In: Pennington, R. T.; Ratter, J. A. and Lewis, G. P. (Eds.) *Neotropical savannas and dry forests: Plant diversity, biogeography and conservation*. The Systematics Association Special volume Series 69, CRC Press – Taylor and Francis Group, Boca Raton, Florida, USA. 7: 159-192.

Oliveira-Filho AT. 2009. Classificação das fitofisionomias da América do Sul cisandina tropical e subtropical: proposta de um novo sistema – prático e flexível – ou uma injeção a mais de caos? *Rodriguésia*. 60: 2: 237-258.

Pedralli G. 1997. Florestas secas sobre afloramentos de calcário em Minas Gerais: florística e fisionomia. *Bios*. 5: 5: 81-88.

Práxis Projetos e Consultoria LTDA. 2012. Estudo de Impacto Ambiental - TPS II e infraestrutura complementar – AITN – INFREARO e Governo do Estado de Minas Gerais. V. 1. Belo Horizonte. Março de 2012.

Brasil. 1990. Decreto nº 98.881, de 25 de janeiro de 1990. Presidência da República, Distrito Federal, Brasília.

Rosa CAP. 2012. História da ciência: o pensamento científico e a ciência no século XIX. 2. Ed. Brasília: FUNAG.

Sobral M, Stehmann JR. 2009. Ananalysis of new angiosperm species discoveries in Brazil (1990–2006). *TAXON*. 58: 1: 227–232.

Stafleu FA, Cowan RS. 1988. Taxonomic Literature. Bohn, Scheltema and Holkema, Utrecht./Antwerpen dr. W. Junk b.v., Publishers, The Hague/Boston. Smithsonian Libraries. 2: VII: W-Z.

Thiers B. 2015. Index Herbariorum: a global directory of public herbaria and associated staff. New York Botanical Garden's Virtual Herbarium. <http://sweetgum.nybg.org/ih/>

Urban I. 1906. Vitae itineraque collectorum botanicorum, notae collaboratorum biographicae, florae brasiliensis ratio edendi chronologica, systema, index familiarum. In: Martius CFP, Eichler AG and Urban I. (Eds.), Flora Brasiliensis. 1: 1.

Warming E. 1878. Haandbog i den systematiske Botanik (nærmest til Brug for Universitets-Studerende og Lærere). København. (2nd edn 1884; 3rd ed com algas por N. Wille e fungos por E. Rostrup 1891).

Warming E. 1892. Lagoa Santa: Et Bidrag til den biologiske Plantogeografi. Kgl. Danske Vidensk. Selsk. Skr., Raekke, naturvidensk. og math. Afd 6(3). Kjøbenhavn, Bianco Lunos Kgl. Hof-Bogtrykkeri.

Warming E. 1895. Plantesamfund - Grundtræk af den økologiske Plantogeografi. P.G. Philipsens Forlag, Kjøbenhavn. 335.

Warming E, Löfgren A. 1908. Lagoa Santa: contribuição para a geographia phytobiologica. Impr. Official do Estado de Minas Geraes.

Warming E. 1912. Frøplanterne (Spermatofyter) [translated title: Seed Plants]. Kjøbenhavn, Gyldendalske Boghandel/Nordisk Forlag. 2: 467.

Warming E, Ferri MG. 1973. Lagoa Santa e a Vegetação dos Cerrados Brasileiros. Belo Horizonte: Ed. Itatiaia, e Ed. USP, São Paulo. 386.

CAPÍTULO II

Warming's *Florula Lagoensis* revisited: Old lessons to new challenges

ABSTRACT Eugen Warming started his career in Lagoa Santa, Minas Gerais state, Brazil, between 1863 and 1866. He collected a large amount of botanical specimens, during this period. Returning to Europe, he published the *Florula Lagoensis*, the first floristic list of the Brazilian savanna (Cerrado). In this text, we revisit the *Florula Lagoensis*, updating nomenclatural and taxonomically all flowering plants, and analyze the contribution of new collections. We also recovered the type specimens collected by Warming in Lagoa Santa. Only 539 (23,7%) from 2,270 of Warming's samples have been collected by botanists after almost 150 years and new additions to the list were only 228 (9,1%). Nomenclatural types collected by Warming were 373 (16,4%). This small area, of 170 Km², revealed considerable superior richness when compared to other sites of Minas Gerais with bigger areas. We stress the completeness of his work and highlight the importance of following Warming's footsteps and lessons: 1) to collect intensively, 2) to observe details in the field, 3) to work in a collaborative way. For these reasons, it's fair to recognize Eugene Warming as the father of floristic studies in Brazil.

Keywords Lagoa Santa, floristic inventory, type material.

RESUMO Eugen Warming começou sua carreira em Lagoa Santa, no estado de Minas Gerais, Brasil, entre 1863 e 1866. Durante esse período, ele coletou uma grande quantidade de espécimes botânicos. De volta à Europa, publicou a primeira lista florística do Cerrado, a *Florula Lagoensis*. No presente trabalho, revisitamos essa flora, atualizando taxonomicamente e nomenclaturalmente todas as Angiospermas. Também apresentamos uma análise histórica, ao reunir os registros de coleta dos herbários dos últimos 150 anos e apontamos os espécimes tipos coletados por Warming em Lagoa Santa. Somente 539 (23,7%) das 2,270 espécies coletadas por ele foram coletadas novamente pelos botânicos, nos últimos anos. Novas adições à lista representaram apenas 228 espécies (9,1%). Os espécimes tipos nomenclaturais foram 373 (16,4%). Essa pequena área de 170 Km² revelou uma grande riqueza de espécies quando comparada com outras regiões inventariadas em Minas Gerais, mesmo com áreas maiores. É importante destacar a completude do trabalho realizado por Warming e a relevância das lições deixadas por ele: 1) coletar intensivamente, 2) observar os detalhes no campo, 3) trabalhar em colaboração. Por todos esses motivos denominamos Warming, como o pai dos estudos florísticos no Brasil.

Palavras-chave Lagoa Santa, inventário florístico, material tipo.

Introduction

Few scientists know that Eugen Warming (1841-1924), the recognized father of Ecology, started his work in the tropics, between 1863 and 1866 (Goodland 1975; Klein 2002). Warming was secretary of Peter Lund (1801-1880), a Danish paleontologist, who

lived in Lagoa Santa, a small village located in the state of Minas Gerais, southeastern Brazil (Goodland 1975; Gomes 2006).

Warming took to Europe a huge amount of 3,000 exsiccates and other 700 donated by Lund (Gomes 2006). The botanical material was spread to the main specialists of that time and the results of this work were published in the series “*Symbolae ad floram Brasiliae Centralis cognoscendam*”, from 1867 to 1893. Many species were included in the “*Flora Brasiliensis*” started by von Martius (Goodland 1975; Warming 1908). Besides, Warming published, in 1892, “*Lagoa Santa. Et Bidrag til den biologiske Plantogeografi. Med en Fortegnelse over Lagoa Santas Hvirveldyr*”, translated only in 1908 to Portuguese, as a book, with the title “*Lagoa Santa: contribuição para a geographia phytobiologica*” (Warming 1908).

The book is a quite complete regional ecological monograph (Goodland 1975) and also the first flora of the Brazilian savanna, the Cerrado (Mendonça et al. 2008). The extensive flora list, *Florula Lagoensis*, covered since fungi and mosses to superior plants, totalling 2,593 species, 2,488 offlowering plants. Among these, Asteraceae, Fabaceae and Poaceae were the richest families, representing almost a quarter of all species (Warming 1908). These species listed by Warming, only in this small place, of about 170 Km², correspond to 6% of the entire country's plant diversity, estimated in 40,989 species by Forzza et al. (2012).

Lagoa Santa is situated in the southeastern limits of the Brazilian Cerrado, in its contact with the Atlantic forest (Oliveira-Filho et al. 2006). These two biomes are very important hotspots (Mittermeier et al. 2004; Myers et al. 2000), Cerrado has 12,669 species of plants and keeps a great percentage of endemism, 33,3% (Forzza et al. 2012). Unfortunately, this biome is under intensive deforestation that ranges from 22,000 to 30,000 km² per year, higher than in the Amazon forest. Of the 2 million km² of the Brazilian Cerrado, more than a half has already been converted into pasture and crop lands (Machado et al. 2004). The Atlantic forest, in turn, maintains 15,782 plants (Stehmann 2009). Nowadays, there is less than 12% of its original cover (Ribeiro et al. 2009).

As Warming work was pioneer in Brazil and in South America, many specimens were described from the samples collected by him, resulting in nomenclatural types. Few workers have tried to recollect these type localities. F. C. Hoehne, a Brazilian researcher, did it between 1915 and 1916, but never published this work results (Molina & Norder 2014).

In this text, we revisit the *Florula Lagoensis*, updating nomenclatural and taxonomically all flowering plants listed by Warming, and analyze the contribution of new collections past more than 150 years.

Materials and Methods

Study area

Lagoa Santa is placed in Southeastern Brazil, about 30 km far from the capital of Minas Gerais, Belo Horizonte (Berbert-Born 2002), at a latitude of 19°S 37' and longitude of 43°W 53' (speciesLink 2015) (Figure 1). It is inserted in a karstic region, with paleontological and archeological samples very important to the reconstruction of the South American prehistory (Berbert-Born 2002). The first to explore its countless caves was Peter Lund, he found many exemplars of the Brazilian megafauna and human fossils. He was even cited by Charles Darwin (1859) in “The origin of the species” and contributed to the development and acceptance of the evolutionary theory (Holten & Sterll 2011).




Figure 1. Map showing a satellite image of the studied area (buffer in pink), and the location of Lagoa Santa and the state of Minas Gerais in Brazil.

This place has been more and more exposed to biodiversity and habitat loss during the years. In the last century and still nowadays, the city has been suffering high urban sprawl. Activities like industry, mining, agriculture and livestock have greatly developed in the region (Herrmann et al. 1998; Pereira & Caldeira 2011). Over the last few decades, many infrastructure buildings have been settled in the vicinity, such as the capital's international airport, the state's administrative center and new road networks (Porto & Franca 2011; Kasarda 2013).

Due to its location in a transition zone, between Cerrado and Atlantic forest (Oliveira-Filho 2009), Lagoa Santa presents a mix of vegetation formations, including grasslands, savannas, deciduous and semideciduous forests, wetlands and also cultivated areas (Ambiente Brasil 2012; Warming 1908).

In addition to the paleontological and archeological importance, this region is classified as a priority area for conservation in Minas Gerais, as it keeps threatened, endemic and rare animal species, under high human degradation pressure (Drummond et al. 2005). In view of all this, a system of conservation units (UC's) is gradually being implemented (Decree 44.500/07). Some important places where Warming collected are already in UC's of integral protection, as the Parque Estadual do Sumidouro (IEF-MG), but others, as Lapa do Baú and Lapa Vermelha (Warming 1908), are in UC's of sustainable use, in private areas dealing with the threats of economic activities (Deus et al. 2013, Herrman et al. 1998).

Data analysis

Due to difficulties of access to Warming's collection, most of it in the Natural History Museum of Denmark, with only a type database online, we decide to use the list of phanerogams in Warming (1908) as data source. The names of native identified species were transcribed and updated based on APG III (2009), using as main reference the List of Species of the Brazilian Flora (Forzza et al. 2012). When necessary, other online databases were consulted, taxa monographs and specialists.

To this list were added records from herbaria data comprising the area visited by Warming, incorporated in the INCT-Specieslink (2014) and exsiccates from the PAMG herbarium. All synonyms were also updated to the current correct name, in the same way as mentioned above. Duplicated records, with the same collection number of the same collector, were excluded, leaving only one record.

We accounted taxa richness, sampling frequency of the species and the proportion of life forms, when this last information was missing in the records, it was considered the classification given at the Brazilian Flora (Forzza et al. 2012). Besides, we recovered the type specimens collected by Warming in Lagoa Santa, using JSTOR-Global Plants, Tropicos and Natural History Museum of Denmark type databases. Threatened species were classified according to MMA/Brazil (2014).

Results

From Warming (1908), were compiled 2,651 taxa, including 465 infra-specific names. The nomenclatural updated list sums to 2,270 species (Appendix A). Herbarium specimen records were 1,580; from this, 221 (14,0%) were indeterminate. The more representative collection was BHCB herbarium, with 495 (31,3%) specimens. The records corresponded to 764 species. Two species have been more systematically sampled all over the years; they were *Piptocarpha rotundifolia* (Less.) Baker (Asteraceae) and *Zeyheria montana* Mart. (Bignoniaceae) with 12 records each. The most frequently collected botanical families were Fabaceae (210) and Asteraceae (158). At the genus level, *Miconia* (43) was the most collected.

Joining Warming's revised list and the other records totaled 2,498 species and more 221 not identified. The richest families were Asteraceae (286), Fabaceae (237), Poaceae (173) and Orchidaceae (120) (Figure 2). This richness was very similar to Warming's revised list alone - Asteraceae (257), Fabaceae (209), Poaceae (156) and Orchidaceae (118) (Figure 3). Although, herbaria records showed a small difference in the proportion of family richness - Fabaceae (96), Asteraceae (90) and Poaceae (47), Orchidaceae appeared only in the 16th position, with very few species (13), (Figure 4). *Paspalum* L. (Poaceae) was the richest genus in all lists.




Figure 2. Number of species of the richest flowering plants families recorded to Lagoa Santa, Minas Gerais, Brazil, including Warming's Florula Lagoensis (1908) revised list and herbaria data.




Figure 3. Number of species of the richest flowering plants families recorded to Lagoa Santa, Minas Gerais, Brazil, including only Warming's Florula Lagoensis (1908) revised list.




Figure 4. Number of species of the richest flowering plants families recorded to Lagoa Santa, Minas Gerais, Brazil, from the revised herbaria data.

Shrubs were the greater part of the life forms in the vegetation (868/35%), followed by herbs (759/30%) and only then came up the trees (503/20%) (Figura 5).

Surprisingly, the large majority of species (1731/76,2%) have not been collected again after Warming (Appendix A). Species not collected by him corresponded to 228 (9,1%) (Appendix B).




Figure 5. Life form's proportion to the flowering plants recorded to Lagoa Santa, Minas Gerais, Brazil.




Figure 6. Number of species of flowering plants recorded to Lagoa Santa, Minas Gerais, Brazil, including Warming's Florula Lagoensis (1908) revised list and herbaria data, separated per frequency of collection. The first column shows the number of species not collected by Warming; the second, shows the number of species just collected by Warming; the third, species collected once after Warming; the fourth, collected twice and so on.

From all species, 39 were in the newest Brazilian red list (MMA, 2014). Two were classified as critically endangered, *Chusquea tenuiglumis* Döll and *Gymnopogon doellii* Boechat & Valls (Poaceae), both have not been collected again in Lagoa Santa

after Warming; 18 species were classified as endangered and 19 as vulnerable (Appendix C).

Nomenclatural types collected by Warming that match to the synonyms in Warming (1908) were 373 (16,4%) (Appendix A). Furthermore, the type database obtained from C herbarium listed 690 type records collected by Warming in Lagoa Santa and 328 taxa.

Discussion

The revisited *Florula Lagoensis* confirmed the great richness reported by Warming (1908) to Lagoa Santa. The occurrence of more than 2,000 species of flowering plants places this area as one of the richest inventoried sites of Minas Gerais. This is evident when comparing it with areas belonging to the Espinhaço range, as Serra do Cipó with 1,590 vascular plants (Giulietti et al. 1987) or Grão-Mogol with 1,032 Angiosperms (Pirani et al. 2003). This unexpected richness can be explained by the vast heterogeneity of environments in Lagoa Santa, from semideciduous forests, deciduous forests associated with the carbonate rocks, Cerrado to wetlands (Ambiente Brasil 2012; Warming 1908)

The richest families listed to Lagoa Santa were the same reported to recent Cerrado floristic inventories (Mendonça et al. 2008). The revised lists were compatible with Warming (1908) and between themselves, apart from Orchidaceae richness in herbaria records, that was much lower than in Warming's list, which evidences a process of impoverishment of this family in the region.

Only about 23,7% of what Warming sampled in three years have been collected by botanists in Lagoa Santa after almost 150 years. This indicates the low sampling sufficiency developed after Warming's visit. The barely nine per cent adding of new species to the list confirms the huge and comprehensive work he developed, allowing us to call him a "big hitting collector", borrowing an expression created by Bebber et al. (2012). As can be seen, Warming's work is unique; no other collector developed this expressive sample effort in this region.

The new additions to the list corresponded at most to more generalist species, what suggest a natural process of succession, reasonable along 150 years and even due to human disturbances. It is possible to point, also, some mismatches in the

identification, what would be verified only with the analysis of the exsiccates. Few exceptions were not generalist cases, as *Vochysia pygmaea* Bong. (Vochysiaceae), an endangered species, considered nowadays limited to Serra do Cipó, Minas Gerais (Martinelli & Morais, 2013), a neighbor site to Lagoa Santa and collected in this place by Segadas-Vianna, in 1953. Other example would be *Brasiliopuntia brasiliensis* (Willd.) A. Berger (Cactaceae), a very frequent species in the local landscape, associated with rock outcrops, but missing in Warming's list. It is difficult to figure that Warming did not collect it. It is more plausible thinking that this material was lost. In the prologue of Warming (1908), he comments that some specimens of succulents as Cactaceae, preserved in wine spirit, arrived in bad state in Copenhagen and were lost.

It is important to understand why sampling in Lagoa Santa showed to be so poor in recent years. First of all, it is not possible to compare Warming's sampling effort to the developed by researchers nowadays, as remembered by Bebber et al. (2012), today "funding agencies provide grants only for a limited period", forcing field work to be developed in a short period of time, limiting exhaustive sampling and historical series analyses. Given this, collectors nowadays hardly can be as efficient as they were in the XIX century.

Other significant factor is that Lagoa Santa has lost a great portion of its natural habitats (Ambiente Brasil 2012). So, probably, many species have already been extinct locally. Although, this should be more carefully investigated and quantified in the field. A relatively recent research detected that in this region every natural fragment has already been disturbed at some level; 49% of the area is covered by city or farms, 39,8% are Cerrado and deciduous forests, only 10% corresponds to semideciduous forests. (Ambiente Brasil 2012). The proportion of life forms demonstrated here evidences this, with a predominance of a savanna like formation, with the dominance of shrubs and herbs. Only secondarily, it figures a forest environment with trees and vines.

Rather distressing is the quantity of threats to the different environments. The Cerrado is susceptible to fire every year and is gradually being transformed into crop lands or urban areas. This loss of habitat may explain why some Poaceae critically endangered have not been collected again in this place. The semideciduous forests also suffer with fire and selective extraction of species and wood. The deciduous forests are threatened by mining activity and most wetlands have already disappeared due to drought, excessive exploitation or are extreme polluted. All this is putting in risk of

fading this huge biodiversity (Ambiente Brasil 2012; Deus et al. 2013; Fleischer 2006; Herrman et al. 1998).

Furthermore, most fragments in Lagoa Santa are inserted in private areas, what difficult collectors' access. Other thing must be highlighted, the tiny number of botanists, particularly, taxonomists working in Brazil. This number is insufficient to cover its geographical and biodiversity extension (Sobral & Stehmann 2009).

An additional issue is that in a megadiverse country (Giulietti et al. 2005), with a huge gap of knowledge about its biodiversity (Sobral & Stehmann 2009), research focus tends to be aimed upon poorly studied areas. Those in which some level of knowledge has already been produced are abandoned. Monitoring and historical series analyses are rare; as a consequence, brilliant works like Warming's are likely to be forgotten; therefore, all biodiversity aspects, even after registered, tend to be lost anyway. A hazard consequence of this is the loss of the type populations. As they were described in meaningful numbers in Lagoa Santa, it is imperative to map and monitor them, given their importance to taxonomic researches (Ferrer-Gallego & Laguna 2015).

The smaller number of species in Warming's updated list (2,270) compared to his own sum (2,488) (Warming, 1908), derives mainly from changes of status of the species that are now considered synonyms. Indeterminate and cultivate species were not included in our list and a few species in Warming's accountability were lacking in the *Florula Lagoensis*. It is important to feature that the total number of species can suffer small changes, after taxonomic revision of the exsiccates kept in many herbaria, but especially in herbarium C, in Copenhagen. Also because of this, we stress the importance of access to herbaria data through online digitalized databases, as a manner to improve sampling in a more efficient way, diminishing costs and time of researches, achieving straightforwardly better quality of data. For example, it makes feasible the use of exsiccate annotations, as the locality of collection, turning easier to locate the populations in the field, something very important to monitoring and conservation activities.

Brazil has big challenges to achieve the Global Strategy for Plant Conservation 2011-2020 targets (CBD 2010). The first one is a complete national inventory. According to V. C. Souza (pers. comm.), Brazil's flora still need more than five million records to reach one sample/km², the ideal value recommended by specialists. This surpasses the last two hundred years' effort. According to Stehmann & Sobral (2009) only for Minas Gerais state it would be necessary more than one million samples.

Warming's work is an example that wide-ranging inventories are possible in Brazil. Other examples are São Paulo's flora project (Wanderley 2011) and Ducke reserve project (Hopkins 2005), cases of long term researches, with huge collection effort, concerning many specialists. To improve collections and at the same pace advance the knowledge about distribution and conservation status of species, it will be necessary more financial investments in long-term researches and expressive development of human resources.

Florula Lagoensis can be considered one of the most important floristic studies made in Brazil during the XIX century. We stand out the completeness of the work, considering the number of species registered to this small area, and how Warming dealt with the identification process, sending samples to specialists of different families out of Copenhagen. Currently, we use the same methods and the accuracy of the determinations depends on the collaborative work. Finally, we would like to highlight the importance of following Warming's footsteps and lessons, collecting intensively, observing details in the field and working in a collaborative way. It would be fair, therefore, to call him "the father of floristic studies in Brazil".

References

- Ambiente Brasil Centro de Estudos. 2012. Mapeamento de remanescentes florestais para estabelecimento de conectividade entre as unidades de conservação propostas para o Sistema de Áreas Protegidas do Votorano de Belo Horizonte. Agosto de 2012.
- APG - Angiosperm Phylogeny Group. 2009. An update of the angiosperm phylogeny group classification for the orders and families of flowering plants: APG III. Bot. J. Linn. Soc. 161:105-121.
- Bebber DP, Carine MA, Davidse G, Harris DJ, Haston EM, Penn MG, Scotland RW. 2012. Big hitting collectors make massive and disproportionate contribution to the discovery of plant species. Proceedings of the Royal Society of London B: Biological Sciences, rspb20112439.
- Berbert-Born M. 2002. Carste de Lagoa Santa, MG - Berço da paleontologia e da espeleologia brasileira. In: Schobbenhaus C, Campos DA, Queiroz ET, Winge M, Berbert-Born MLC. (Edits.) Sítios Geológicos e Paleontológicos do Brasil. 1. ed. Brasília: DNPM/CPRM - Comissão Brasileira de Sítios Geológicos e Paleobiológicos (SIGEP), 01: 415-430.
- CBD - Convention on Biological Diversity. 2010. Consolidated update of the Global Strategy for Plant Conservation 2011–2020.
- Darwin C. 1859. On the origins of species by means of natural selection. London: Murray, 247.
- Decree 44.500, apryl, 2007. Minas Gerais. <http://www.siam.mg.gov.br/sla/download.pdf?idNorma=6670>

Deus JASD, Ferreira CCD, Rodrigues RS. 2013. Preservação da Área Cárstica de Lagoa Santa–Mg, Através da Educação Ambiental. Revista Geonomos, 5: 2: 49-54.

Drummond GM, Martins CS, Machado ABM, SebaioFA, Antonini Y. (Org.). 2005. Biodiversidade em Minas Gerais; um atlas para a conservação. Fundação Biodiversitas, Belo Horizonte. 2a Ed.

Fleischer DIR. 2006. São Tomé das Letras e Lagoa Santa: mineração, turismo e risco ao patrimônio histórico e natural. Cadernos de Campo (São Paulo, 1991), 14/15: 21-39.

Forzza RC, Baumgratz JFA, Bicudo CEM, Canhos DA, Carvalho AA, Coelho MAN, Zappi DC. 2012. New Brazilian floristic list highlights conservation challenges. BioScience, 62: 1: 39-45.

Giulietti AM, de Menezes NL, Pirani, JR, Meguro M, Wanderley MDGL. 1987. Flora da Serra do Cipó, Minas Gerais: caracterização e lista das espécies. Boletim de Botânica da Universidade de São Paulo, 1-151.

Giulietti AM, de Queiroz LP, Wanderley MDGL, Van Den Berg C. 2005. Biodiversidade e conservação das plantas no Brasil. Megadiversidade, 1: 1:52-61.

Goodland RJ. 1975. The Tropical Origin of Ecology: Eugen Warming's Jubilee. Oikos, 26: 2: 240-245. Article Stable URL:<http://www.jstor.org/stable/3543715>

Gomes MCA. Estudo crítico BirgitteHolten and Michael Sterll. 2006. A Canção das Palmeiras: EugeniusWarming, um jovem Botânico no Brasil. Belo Horizonte: Fundação João Pinheiro, Centro de Estudos Históricos e Culturais, (Coleção Mineiriana. Série Obras de Referência).

Herrmann G, Kohler HC, Duarte JC, Carvalho PG. 1998. Gestão ambiental – Belo Horizonte: IBAMA/Fund. BIODIVERSITAS/CPRM.

Holten B, Sterll M. 2011. Peter Lund e as grutas com ossos em Lagoa Santa. Editora UFMG.

Hopkins MJG. 2005. Flora da Reserva Ducke, Amazonas, Brasil. Rodriguésia, 56: 86: 9-25.

IEF-MG - Instituto Estadual e Florestas de Minas Gerais. Parque Estadual do Sumidouro. <http://www.ief.mg.gov.br/component/content/article/3306-nova-categoria/215-parque-estadual-do-sumidouro>

INCT – Instituto Nacional de Ciência e Tecnologia. 2014. Herbário Virtual da Flora e dos Fungos.<http://inct.splink.org.br/index>

JSTOR – Global Plants. <http://plants.jstor.org/>

Kasarda JD. 2013. Aerotropolis: Business Mobility and Urban Competitiveness in the 21 st Century. Urban Insight, 23: 24-29.

Klein AL. 2002. EugenWarming e o cerrado brasileiro: um século depois. São Paulo: Editora UNESP; Imprensa Oficial do Estado.

Machado RB, Ramos NMB, Pereira PGP, Caldas EF, Gonçalves DA, Santos NS, Tabor K, Steininger M. 2004. Estimativas de perda da área do Cerrado brasileiro. Relatório técnico não publicado. Conservação Internacional, Brasília, DF.

Martinelli G, Moraes MA. 2013. Livro vermelho da flora do Brasil. Traducao Flavia Anderson, Chris Hieatt. - 1. ed. - Rio de Janeiro: Andrea Jakobsson: Instituto de Pesquisas Jardim Botanico do Rio de Janeiro.

Mendonça RC, Felfili JM, Walter BMT, Silva JMC, Rezende AV, Filgueiras TS, Nogueira PE, Fagg CW. 2008. Flora vascular do Bioma Cerrado: checklist com 12.356 espécies; 422-442 In: Sano SM, Almeida SP, Ribeiro JF. (ed.). Cerrado: ecologia e flora. Vol. 2. Brasília: Embrapa Informação Tecnológica.

Ministério do Meio Ambiente. 2014. Portaria nº443, 17 de dezembro de 2014. Brasil.

Mittermeier RA, Gil PR, Hoffmann M, Pilgrim J, Brooks T, Mittermeier CG, Lamoreux J, Fonseca GAB. 2004. Hotspots Revisited. Earth's biologically richest and most endangered terrestrial ecorregions. CEMEX, Mexico.

Moerman DE, Estabrook GF. 2006. The botanist effect: counties with maximal species richness tend to be home to universities and botanists. *Journal of biogeography*, 33: 11: 1969-1974.

Myers N, Mittermeier RA, Mittermeier CG, Fonseca GAB, Kent J. 2000. Biodiversity hotspots for conservation priorities. *Nature* 403: 845-853.

Oliveira-Filho AT, Jarenkow JA, Rodal MJN. 2006. Floristic relationships of seasonally dry forests of eastern South America based on tree species distribution patterns. In: Pennington RT, Ratter JA, Lewis G P. (Eds.) Neotropical savannas and dry forests: Plant diversity, biogeography and conservation. The Systematics Association Special volume Series 69, CRC Press – Taylor and Francis Group, Boca Raton, Florida, USA, 7: 159-192.

Oliveira-Filho AT. 2009. Classificação das fitofisionomias da América do Sul cisandina tropical e subtropical: proposta de um novo sistema – prático e flexível – ou uma injeção a mais de caos? *Rodriguésia* 60: 2: 237-258.

Pereira RG. 2011. Altino Barbosa Caldeira. Impactos antrópicos no patrimônio natural e cultural do Votorante da Região Metropolitana de Belo Horizonte (RMBH). *Revista de Biologia e Ciencias da Terra*, 11: 1: 22-31, Universidade Estadual da Paraíba, Brasil.

Pirani JR, de Mello-Silva R, Giulietti AM. 2003. Flora de Grão-Mogol, Minas Gerais, Brasil. *Boletim de Botânica da Universidade de São Paulo*, 1-24.

Porto GCS, de Oliveira F, Pinheiro BL. 2011. Transformações Urbanas em São Paulo, Salvador e Belo Horizonte: Reflexões Iniciais Numa Perspectiva Crítica. XII Simpósio Nacional de Geografia Urbana, Belo Horizonte. <http://xiisimpurb2011.com.br/gt06/a8c1f6bec0a55437896f03dbe811d3c7.pdf>

Ribeiro MC, Metzger JP, Martensen AC, Ponzoni FJ, Hirota MM. 2009. The Brazilian Atlantic Forest: How much is left, and how is the remaining forest distributed? Implications for conservation. *Biological conservation*, 142: 6: 1141-1153.

Sobral M, Stehmann JR. 2009. An analysis of new angiosperm species discoveries in Brazil (1990-2006). *Taxon* 58: 227-232.

Stehmann JR. 2009. Plantas da floresta atlântica (Vol. 1). Rio de Janeiro: Jardim Botânico do Rio de Janeiro.

Stehmann JR, Sobral M. 2009. Fanerógamas. Biota Minas–Diagnóstico do conhecimento sobre a biodiversidade no estado de Minas Gerais, subsídio ao programa Biota Minas. Fundação Biodiversitas, Belo Horizonte, 355-374.

SpeciesLink. 2015. GeoLoc. Lagoa Santa. CRIA.

Tropicos. Missouri Botanical Garden. 17 May 2014. <http://www.tropicos.org>

Wanderley MDGL, Shepherd GJ, Martins SE, Estrada TEMD, Romanini RP, Koch I, Esteves GL. 2011. Checklist of spermatophyta of the São Paulo State, Brazil. *Biota Neotropica*, 11: 191-388.

Warming E. 1892. Lagoa Santa: Et Bidrag til den biologiske Plantergeografi. Kgl. Danske Vidensk. Selsk. Skr., Raekke, naturvidensk. og math. Afd 6(3). Kjøbenhavn, Bianco Lunos Kgl. Hof-Bogtrykkeri.

Warming E, Löfgren A. 1908. Lagoa Santa: contribuição para a geographia phytobiologica. Impr. Official do Estado de Minas Geraes.

CAPÍTULO III

Solanum lagoense (Solanaceae, Geminata clade) a new species from Lagoa Santa, Minas gerais, Brazil

ABSTRACT A new species of *Solanum* (Solanaceae) from the Geminata clade is described to the Brazilian flora, *S. lagoense*. The species is only known from Lapinha, a rocky massif located in the Lagoa Santa karst, Minas Gerais. The flora of this area, including Solanaceae, was studied in detail in the second half of the XIX century by Eugen Warming. The species is different from the others Geminata, by showing marked geminated leaves with different sizes, apical stems with simple multicellular trichomes, short extra-axillary inflorescences with few flowers (1-3), stellate cucullate and reflexed corolla. Here we present a description, taxonomic comments and assessment for conservation status that points out the species as critically endangered.

Keywords Eugen Warming, endemism, assessment of extinction risk.

RESUMO Uma nova espécie de *Solanum* (Solanaceae) pertencente ao clado Geminata é descrita para a Flora do Brasil, *S. lagoense*. A espécie habita o sub-bosque da Floresta Estacional associada a afloramentos calcários junto à gruta da Lapinha, em Lagoa Santa, Minas Gerais, uma área inventariada em detalhe por Eugen Warming, no século XIX. A espécie é distinta das demais Geminata, por apresentar folhas geminadas de tamanhos desiguais, ramos apicais com tricomas simples, multicelulares, inflorescência extra-axilar, curta, com poucas flores (1-3), corola estrelada, reflexa e cuculada. São apresentadas a descrição da espécie, comentários taxonômicos, bem como, a avaliação que sugere o status de Criticamente Ameaçada à espécie.

Palavras-chave Avaliação do risco de extinção, endemismo, Eugen Warming.

Introduction

Solanum L. (Solanaceae) is one of the ten biggest genera of flowering plants, with 1,250-1,700 species spread in almost all continents, but extremely diversified in the Neotropics (Frodin 2004; Nee 1999). Among the Solanaceae, *Solanum* is morphologically easy to recognize, showing the anthers opening by apical pores, and the calyx usually evenly lobed, traits not shared in set with any genera into the family (Hunziker 2001). Important crops as potato (*S. tuberosum* L.), tomato (*S. lycopersicum* L.) and egg-plant (*S. melongena* L.) are largely cultivated around the world and contribute to the economy of many countries (Hawkes 1999).

To the Brazilian flora, there is an estimate of 272 species of *Solanum*, of which 131 are endemics (Stehmann et al. 2015). The higher richness and rate of endemism is reported to the Atlantic rain forest, recognized as a hotspot (Mittermeier et al. 2004). Originally, an almost continuous forest formation, but variable in width, it covered a

strip of land along the Brazilian coast. Nowadays, this huge forest remains with less than 12% of the original cover, represented by remnants and fragments biologically impoverished (Ribeiro et al. 2009). Despite this, several novelties in *Solanum* have been described to Atlantic forest in recent years (Giacomin et al. 2013; Giacomin & Stehmann 2014; Knapp et al. 2015), showing that the Brazilian flora continues incompletely inventoried (Sobral & Stehmann 2009).

With more than 11,000 species of angiosperms, Minas Gerais, has been recognized as the richest state (Forzza et al. 2010; Forzza et al. 2012). This richness is always associated with the diversity of environments, Atlantic rain forest, Cerrado (Savanna-like vegetation), and Caatinga. The transition areas, mainly that associated with the Espinhaço range, have received special attention since the XIX century, when foreign naturalists – as August-Saint-Hilaire, Carl F. Martius, George Langsdorff, among others – travelled inthe inner part of the country, describing its flora. However, few of them, as the Swedish Anders F. Regnell and the Danish E. Warming, were based on the state for long time exploring the same area. The first worked in Caldas, in the southern Minas Gerais (Concha-Quezada 2011; Dahlgren 1962), while Warming, worked in Lagoa Santa (Warming 1908), near the southern Espinhaço range.

Lagoa Santa is inserted in a karstic region, with important paleontological and archeological samples (Berbert-Born 2002). The first to explore its countless caves was the Danish paleontologist, Peter Wilhelm Lund (1801-1880). He found many exemplars of the Brazilian megafauna and human fossils. Johannes Eugenius Bülow Warming (1841-1924) was Lund's secretary between 1863 and 1866 in Lagoa Santa. He took to Europe a huge amount of 3,000 exsiccates and more 700 donated by Lund, most kept in the herbarium of the Natural History Museum, in Copenhagen (Gomes 2006). Many of these specimens are nomenclatural types and were citedin the “*Flora Brasiliensis*” started by von Martius. Warming spread the botanical material to many specialists in Europe (Warming 1908). The Solanaceae were identified by W. P. Hiern, who described seven new species of *Solanum* and two varieties (Hiern 1876).

In order to follow Warming's footsteps, we searched for species with few records and nomenclatural type populations in the same places where Warming collected in Lagoa Santa. During the development of this project, samples of a species of *Solanum* from the Geminata clade were collected. This group is well studied and recently was revised to the Brazilian flora (Knapp et al. 2015). We compared the collected species' morphology with the others described to the clade, as well as, with

Warming's collections, kept in the herbarium C and others herbaria of the world, recognizing it as a new species, that we describe here.

Materials and methods

The following herbaria were examined: BHCB, BM, BR, C, CEPEC, G, HUEFS, K, MBM, PAMG, OUPR, RB, SP, UEC and VIC. Herbarium acronyms are from Index Herbariorum (<http://sciweb.nybg.org/science2/IndexHerbariorum.asp>). As there are only few population known from the same place, the Extent of Occurrence (EOO) and Area of Occupancy (AOO) were not calculated. We use IUCN (2014) criteria to assess the conservation status of the species.

We collected, in Lagoa Santa, from December of 2014 to March of 2015, spending more time in the locations nearby the rocky massifs, as Lapinha, Sumidouro, and Morro do Baú, areas that keep singular environmental conditions, due to more shade, humidity and temperature stability, providing different species composition from the surrounding matrix (Cerrado).

Results and Discussion

Solanum lagoense Stehmann, sp. nov.

Figures 1 and 2.

Diagnosis. *Solanum lagoense* is similar to *Solanum restingae* S. Knapp and *S. amorimii* S. Knapp & Giacomin but differing from both by its pilose stems. *S. lagoense* has not winged stems (vs. distinct winged stem in *S. restingae*) and not auriculate leaves at the base (vs. auriculate leaves in *S. amorimii*).

Type. BRAZIL. Minas Gerais: Município Lagoa Santa, Gruta da Lapinha, Salão dos Bigodes, 19°33'57"S, 43°57'52"W, 716 m, 16 Jan 2015, N. C. Moreira and R. Gurgel 158 (holotype: BHCB [BHCB021206]; isotype: BM).

Description. Shrub to 1.5 m, rhizomatous, with clonal reproduction; young stems terete, but slightly striated, glabrous or pilose, with single, uniseriate, and recurved trichomes, each with 8-15 cells; new growth always pilose, and obviously striated; bark of older stems brown, slightly winged from the leaf bases. Sympodial

units difoliate, geminate; leaves of a pair differing in size but not usually in shape. Leaves simple, the major leaves 5.6-12.4 cm long, 2.2-4.7 cm wide, elliptic, membranous, glabrous on both surfaces, the abaxial surface olivaceous to moss green, the adaxial surface dark green; primary veins 7-9 pairs, drying somewhat darker than the lamina and slightly sunked on the adaxial surface, minutely prominent and lighter on abaxial surface; base attenuate, sometimes slight assimetric; margins entire, slightly revolute; apex acute, the tip somewhat blunt; petiole 0.6-1.0 cm long, glabrous; minor leaves 1.6-2.9 cm long, 0.9-1.7 cm wide, differing from the majors only in size and shorter peciole. Inflorescences 0.2-2 cm long, extra-axillar, arising bellow the nodes, unbranched, with 1-3 flowers, glabrous; peduncle 3 mm, persistent in fruiting; pedicles 1.4-1.5 cm long, slender, ca. 0.3 mm in diameter, abruptly swollen at the apex, spreading or pendant at anthesis, glabrous, not articulated at the base; pedicel scars ca. 5-2.0 mm apart. Buds globoses, the corolla exserted from the calyx tube before anthesis. Flowers 5-merous, perfect. Calyx with the tube ca. 1.0 mm long, broadly conical, the lobes 1.0-1.2 mm long, ca 1.3 wide, triangular or obtuse, strongly reflexed at anthesis, glabrous adaxially, minutely papillate on the abaxial face, more clusterd at the tip. Corolla about 1.0 cm in diameter, white, stellate, lobed 2/3 of the way to the base, the lobes 1-nerved, ca. 4-5.2 mm long, ca. 2.4-3.6 mm wide, ovate, spread at anthesis, glabrous with the tips cucullate, minutely papillate on the margins and the apex. Stamens 3.5 mm long; filament tube ca. 0.7 mm long, the free portion of the filaments ca. 0.3 mm long, glabrous; anthers 2.4-2.5 mm long, slightly obovate, 0.7 mm at the base, 0.9 at the apex, yellow, introrsely poricidal at the tips, the pores large, lengthening to slits with age. Ovary glabrous; style 5-6 mm long, glabrous; stigma not expanded, blunt, the surface minutely papillate. Fruit a subglobose berry, slightly depressed, 1.2-1.3 cm long, 1.3-1.5 cm wide, green, darker toward the pedicel, the pericarp not markedly shiny, thick, mesocarp not juicy; fruiting pedicels 1.7-2.2 cm long, less than 1 mm in diameter at the base, ca. 2 mm at the apex, gradually expanded to the apex, pendant and hiding under the foliage; calyx lobes somewhat hyaline, not markedly expanding in fruit, but clearly recurved. Seeds 15-30, ellipsoid, irregular ellipsoid, sometimes subreniform, 3.2-4.0 mm long, 2.8-3.1 mm wide.

Distribution. Known only from Gruta da Lapinha, Lagoa Santa, Minas Gerais, in Southeastern Brazil.

Ecology. *Solanum lagoense* grows on well-drained soils, in the understory of the seasonal forest that cover the entrance of caves as well as the canyons and blind valleys

associated with the carbonatic rocky massifs. This specific habitat has a very stable condition of temperature and humidity along the year, comparing with the savanna-like vegetation (Cerrado) or Semidecidous Seasonal Forest (Floresta Estacional Semidecidual), the typical vegetation matrix in the region, or even the Decidous Forest growing at the top of the rocky massifs. The species shows vegetative reproduction, with subterraneous system connecting the individuals of the population (Figure 1B). There is no information about pollination, and the green fruits, hanging and hiding under the foliage, suggest dispersal by bats, that inhabit the caves.

Phenology. Flowering specimens were collected in January, occasionally in March, while fruiting in January, February, and March. There is no information to the other seasons.

Etymology. The name refers to Lagoa Santa, a Brazilian locality where two important Danish researchers, Peter Lund and Eugen Warming, worked in the mid XIX century. In this place, Warming started its botanical career, studying the Cerrado flora and its ecological relationships. Nowadays he is recognized as the father of Ecology.

Preliminary conservation status (IUCN 2014). Critically Endangered (CR) B1, 2 a, b (ii, iii, iv); EOO 26 km² (CR); AOO 16 km² (EN). This species is known from an unique locality, the Gruta da Lapinha, included into the ParqueEstadual do Sumidouro, a protected area that encompass 52 caves, and is visited by tourists. As the population grows near the base of the limestone walls, where there are many climbing routes in constant use, there is a strong pressure in its microhabitat. As the limestone outcrops have been mined for decades, the reduction of the habitat of the species must also have been drastic. Besides the habitat loss, the landscape is changing very fast with the growth of the municipality of Lagoa Santa, influenced by the Vector North project that fostered the expansion of the metropolitan region of Belo Horizonte, the capital of the state (Auler and Piló 2015). With this scenario, we suggest assessing the species as Critically Endangered. Efforts to locate new populations into the Conservation Unit, as well as, in similar places out of it are needed.

Notes. *Solanum lagoense* is a small shrub, with entirely glabrous leaves, producing short inflorescences, few small flowers and green fruits, hiding below the foliage. At the first glance, it resembles species belonging to *Solanum inornatum* clade, but the trichomes, leaves arrangement, and number of seeds are quite distinct. While *S. inornatum* group shows trichomes with few cells (up to 4), geminate leaves differing in form, and fruits with few seeds (up to 10), *S. lagoense* has multicellular soft trichomes,

with more than eight cells, germinated leaves equal in form and more than 15 seeds per fruit (Giacomin 2015).

These sorts of characters are related to species belonging to Geminata clade, a group highly diverse in Atlantic forest (Knapp 2002; Knapp et al. 2015). Comparing with other species with glabrous and geminate but not dimorphic leaves, *S. lagoense* is similar to *S. restingae* and *S. amorimii*. These species can be ready distinced by their glabrous stems, even on new growths, while the species here described has clearly pilose stems. *Solanum restingae* is endemic of Bahia and Espírito Santo and has a distinct winged stem, leaves are attenuated towards the base, with fruiting pedicels up to 1.5 cm long. *Solanum amorimii* grows in southern Bahia, but also in the northeastern Minas Gerais, and its stem is not winged, the leaves are somewhat auriculate at the base, with fruiting pedicels usually not exceeding 1.2 cm long.

Other species belonging to Geminata clade recorded to the southern part of Espinhaço chain were *S. psilophyllum* Stehmann and Giacomin, *S. verticillatum* Knapp and Stehmann, *S. gnaphalocarpon* Vell., *S. intermedium* Sendtn., and *S. warmingii* Hiern, the last three collected by Warming in Lagoa Santa, late cited or described by Hiern (1877). It is noteworthy that after the exhaustive efforts of Warming collecting in Lagoa Santa (1863-1866), including Lapinha and Sumidouro limestone outcrops, few new species have been described along the last decades. This can be a result of a very well sampled place or that few researchers have been collecting again in the area. In fact, efforts of collecting plants in southern Espinhaço chain have been concentrated in quartzite rocky fields (Campos Rupestres), a typical vegetation found in high altitude areas (above 900 m) that keeps one of the richest flora of the Neotropical region, almost half of them endemics (Echternacht et al. 2011; Giulietti & Pirani 1997).




Figure 1. Photograph of living plants of *S. lagoense*. A. Habit of *S. lagoense* (Stehmann et al. 6361). B. Vegetative subterranean reproductive system of *S. lagoense* (Stehmann et al. 6361). C. Geminate leaves of *S. lagoense* (Stehmann et al. 6361). D. Bud of *S. lagoense* (Stehmann et al. 6361). E. Flower of *S. lagoense* (Stehmann et al. 6361). F. Fruits of *S. lagoense* (Stehmann et al. 6361).



Figure 2. Holotype specimen of *S. lagoense* (N.C. Moreira and R. Gurgel 158 [BHCB021206]).

It is noteworthy the clonal reproduction showed by the species. The individuals of the population studied have a “stolon” bellow the litter, linking each other, in similar way of that described to *S. psilosphyllum* and other species belonging to Geminata clade

that grows in the southern Espinhaço range. In Solanaceae, vegetative reproduction is well reported to the tuber-bearing potato group (Hawkes 1990), as well as, to weedy species growing in open places or border of the forest belonging to the Leptostemonum clade, as *Solanum viarum* Dunal, *S. palinacanthum* Dunal, *Solanum guaraniticum* A. St.-Hil., and *S. paniculatum* L., common species of southeastern Brazil (Mentz and Oliveira 2004). However, clonal reproduction seems to be widely spread into the genus, being reported to most lineages as Cyphomandra, Morellloid, Dulcamaroid, and Brevantherum clades (Giacomin & Stehmann 2014; Vallejo-Marín & O'Brien 2007). Actually, we know very little about the habit and reproduction of the Neotropical *Solanum* to understand their evolutionary processes.

Lagoa Santa is an example of a fully catalogued site. Warming did a quite complete work, listing 2,593 plant species (Warming, 1908). Our findings strengthen the claim for more floristic and taxonomic inventories in Brazil, not only in less explored places like Amazonia, but also in supposedly well studied areas. Deep floristic inventories in places with more difficult access, or with different microclimatic conditions, have often resulted in discoveries of new rare and endemic species.

Specimens examined (paratypes). BRAZIL. Minas Gerais: Mun. Lagoa Santa, Gruta da Lapinha, Salão dos Bigodes, 19°33'57"S, 43°57'52"W, 716 m, 23 Jan 2015, J. R. Stehmann and N. C. Moreira 6360 (BHCB). Mun. Lagoa Santa, Gruta da Lapinha, near Vale Romano, 19°33'57"S, 43°57'47"W, 912 m, 24 Mar 2015, J. R. Stehmann et al. 6361 (BHCB).

References

- Auler AS, Piló LB. 2015. Lagoa Santa Karst: Cradle of Brazilian Cave Studies. In Landscapes and Landforms of Brazil. Springer Netherlands. 183-190.
- Berbert-Born M. 2002. Carste de Lagoa Santa, MG - Berço da paleontologia e da espeleologia brasileira. In: Schobbenhaus C, Campos DA, Queiroz ET, Winge M, Berbert-Born MLC. (Edits.) Sítios Geológicos e Paleontológicos do Brasil. 1. ed. Brasilia: DNPM/CPRM - Comissão Brasileira de Sítios Geológicos e Paleobiológicos (SIGEP). 01:415-430.
- Dahlgren KVO. 1962. Anders Fredrik Regnell och hans svenska gäster i brasiliens, särskilt Gustaf A. Lindberg och Salomon E. Henschen. Svensk Botanisk Tidskrift. Uppsala, 56:3:391-470.
- Echternacht L, Trovó M, Oliveira CT, Pirani JR. 2011. Areas of endemism in the Espinhaço Range in Minas Gerais, Brazil. Flora 206:782-791.
- Forzza RC, Baumgratz JFA, Bicudo CAM, Carvalho AA, Costa A, Costa DP, Hopkins M, Leitman PM, Lohmann LG, Maia LC, Martinelli G, Menezes M, Morim MP, Coelho MAN, Peixoto AL, Pirani JR, Prado J, Queiroz LP, Souza VC, Stehmann JR, Sylvestre LS, Walter BMT. 2010. Catálogo das plantas e

fungos do Brasil. Andrea Jakobsson Estúdio, Instituto de Pesquisas Jardim Botânico do Rio de Janeiro , Rio de Janeiro.

Forzza RC, Baumgratz JFA, Bicudo CEM, Canhos DAL, Carvalho Jr AA, Coelho MAN, Costa AF, Costa DP, Hopkins MG, Leitman PM, Lohmann LG, Lughadha EN, Maia LC, Martinelli G, Menezes M, Morim MP, Peixoto AL, Pirani JR, Jefferson P, Queiroz LP, Souza S, Souza VC, Stehmann JR, Sylvestre LS, Walter BMT, Zappi DC. 2012. New Brazilian Floristic List Highlights Conservation Challenges. BioScience 62:39-45.

Frodin VG. 2004. History and concepts of big plant genera. Taxon 53:753-776.

Giacomin LL. 2015. *Solanum* L. clado Brevantherum (Solanaceae): sistemática e diversidade. In. Universidade Federal de Minas Gerais, Belo Horizonte.

Giacomin LL, Bohs L, Stehmann JR. 2013. Two new species from the Brevantherum clade of *Solanum* (Solanaceae) from eastern Brazil. Journal of the Botanical Research Institute of Texas 7:95-107.

Giacomin LL, Stehmann JR. 2014. Three new species of *Solanum* (Brevantherum Clade) endemic to the Brazilian Atlantic Forest. PhytoKeys 38:69–87.

Giulietti AM, Pirani JR. 1997. Interior Dry and Mesic Forests: CPD Site SA20 - Espinhaço range region. 397-404. In: Davis SD, Heywood VH, Herrera-MacBryde O, Villa-Lobos J, Hamilton AC (eds), Centres of Plant Diversity. WWF, IUCN, Oxford. 397-404.

Gomes MDCA, Holten B, Sterll M. 2006. A canção das palmeiras: Eugenius Warming, um jovem botânico no Brasil. Fundação João Pinheiro, Centro de Estudos Históricos e Culturais, Belo Horizonte, Brasil.

Hawkes J. 1990. The potato: evolution, biodiversity and genetic resources. Belhaven Press, Oxford.

Hawkes J. 1999. The importance economic of the family Solanaceae. In: Nee M, Symon D, Lester R, Jessop J (eds), Solanaceae IV. Royal Botanic Gardens, Kew.

Hiern WP. 1876. Solanaceae, Acanthaceae, Gesneraceae, Verbenaceae. Symbolae ad floram Brasiliæ centralis cognoscendam. 23:37-66.

Hiern WP. 1877. Symbolae ad floram Brasiliae Centralis cognoscendam. Videnskabelige Meddelelser fra Dansk Naturhistorisk Forening i Kjøbenhavn. 1877:643-672.

Hunziker AT. 2001. The genera of Solanaceae. A.R.G. Gantner Verlag, Ruggel.

Knapp S, Stehmann JR, Giacomin LL. 2015. New species, additions and a key to the Brazilian species of the Geminata clade of *Solanum* L. (Solanaceae) in Brazil. PhytoKeys 47:1-48.

Mentz LA, Oliveira PL. 2004. *Solanum* (Solanaceae) na região sul do Brasil. PESQUISA 54:1-327.

Mittermeier RA, Gil PR, Hoffmann M, Pilgrim J, Brooks T, Mittermeier CG, Lamoreux J, Fonseca GAB. 2004. Hotspots Revisited. Earth's biologically richest and most endangered terrestrial ecoregions. CEMEX, Mexico.

Nee M. 1999. Synopsis of *Solanum* in the New World. 285-333. In: Nee M, Symon DE, Lester RN, Jessop JP (eds). Solanaceae IV, Advances in Biology and Utilization. Royal Botanic Gardens, Kew. 285-333.

Ribeiro MC, Metzger JP, Martensen AC, Ponsoni FJ, Hirota MM. 2009. The Brazilian Atlantic Forest: How much is left, and how is the remaining forest distributed? Implications for conservation. Biological Conservation 142:1141-1153.

Sobral M, Stehmann JR. 2009. An analysis of new angiosperm species discoveries in Brazil (1990-2006). Taxon 58:227-232.

Stehmann JR, Mentz LA, Agra MF, Vignoli-Silva M, Giacomin LL, Rodrigues IMC. 2015. Solanaceae. In: Lista de Espécies da Flora do Brasil. Jardim Botânico do Rio de Janeiro, Rio de Janeiro.

Vallejo-Marín M, O'Brien HE. 2007. Correlated evolution of self-incompatibility and clonal reproduction in *Solanum* (Solanaceae). New Phytologist 173:415–421.

Warming E. 1908. Lagoa Santa: contribuição para geographia phytobiológica. Imprensa Oficial do Estado de Minas Gerais, Belo Horizonte.

CONCLUSÃO GERAL

A *Florula Lagoensis* pode ser considerada um dos estudos florísticos mais importantes do século XIX, por sua completude e qualidade. O pioneirismo do trabalho de Warming nos permitiu denominá-lo “o pai da florística no Brasil”. Ele, ainda, nos deixou algumas lições nessa área: a importância de coletar intensivamente, a atenção focada aos pequenos detalhes no campo e o trabalho em colaboração com vários especialistas.

A Botânica brasileira deve se espelhar nesses ensinamentos para vencer os desafios de produzir uma flora nacional, pois ainda há regiões com grandes lacunas e mesmo as áreas mais inventariadas, próximas aos centros de pesquisa guardam espécies desconhecidas pela ciência, como comprovou ser o caso de Lagoa Santa. Apesar do grande esforço de coleta de Warming, esse lugar, ainda revelou uma nova espécie de *Solanum*, pertencente ao clado Geminata, a despeito da recente revisão taxonômica do grupo.

Deve-se destacar o fato de a maior parte do imenso acervo coletado por Warming continuar inexplorado em Copenhague, assim como as informações dos cadernos de coleta e etiquetas associadas às exsicatas. Portanto, um projeto de repatriamento como o Reflora que resgatou, por exemplo, as coleções de Saint-Hilaire junto ao Muséum National d'Histoire Naturelle de Paris, seria necessário para se repatriar o acervo de Warming em Copenhague. Pode-se ainda mencionar a coleção de Regnell em Estocolmo, que coletou intensivamente em Caldas, Minas Gerais. Essas informações contribuiriam em muito para o conhecimento da flora do estado e consequentemente para a flora do Brasil.

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
Acanthaceae					
<i>Beloperone hirsuta</i> Nees ab Es.	H.P. Hiern		<i>Justicia pohliana</i> Profice	shrub	0
<i>Beloperone sellowiana</i> Nees ab Es.	H.P. Hiern		<i>Justicia sellowiana</i> Profice	shrub	0
<i>Calophanes hirsutus</i> Orsted.	H.P. Hiern	Warming, B	<i>Dyschoriste hirsuta</i> (Oerst.) Kuntze	herb	0
<i>Chaetothylax lythroides</i> Nees ab Es.	H.P. Hiern		<i>Justicia lythroides</i> (Nees) V.A.W.Graham	shrub	0
<i>Dianthera dasyclados</i> Mart.	H.P. Hiern		<i>Justicia dasyclados</i> (Nees) Lindau	herb	0
<i>Dianthera laeta</i> Nees ab Es.	H.P. Hiern		<i>Justicia tijucensis</i> V.A.W.Graham	shrub	0
<i>Dicliptera mucronifolia</i> Nees ab Es.	H.P. Hiern		<i>Dicliptera mucronifolia</i> Nees	shrub	0
<i>Dicliptera sericea</i> Nees ab Es. (?)	H.P. Hiern		<i>Dicliptera squarrosa</i> Nees	shrub	2
<i>Geissomeria longiflora</i> Lindl.	H.P. Hiern		<i>Aphelandra longiflora</i> (Lindl.) Profice	shrub	0
<i>Geissomeria schottiana</i> Nees ab Es.	H.P. Hiern		<i>Aphelandra schottiana</i> (Nees) Profice	shrub	0
<i>Hygrophila costata</i> C.G. et T. F. L.	H.P. Hiern		<i>Hygrophila costata</i> Nees	herb	0
<i>Justicia burchellii</i> Hiern.	H.P. Hiern	Warming ?, C	<i>Justicia burchellii</i> Hiern	herb	0
<i>Justicia warmingii</i> Hiern.	H.P. Hiern	Warming ?, C	<i>Justicia warmingii</i> Hiern	shrub	0
<i>Lepidagathis alopecuroidea</i> Griseb.	H.P. Hiern		<i>Lepidagathis alopecuroidea</i> (Vahl) R.Br. ex Griseb.	herb	0
<i>Mendoncia puberula</i> Mart.	H.P. Hiern		<i>Mendoncia puberula</i> Mart.	vine	0
<i>Mendoncia velloziana sparatteria</i> Mart.	H.P. Hiern		<i>Mendoncia velloziana</i> Mart.	vine	0
<i>Ruellia acutangula hirsuta</i> Nees ab Es.	H.P. Hiern		<i>Ruellia acutangula</i> (Mart. ex Ness) Lindau	shrub	0
<i>Ruellia amoena</i> Nees ab Es.	H.P. Hiern		<i>Ruellia brevifolia</i> (Pohl) C.Ezcurra	shrub	2
<i>Ruellia brachysiphon</i> Nees ab Es.	H.P. Hiern		<i>Ruellia brachysiphon</i> (Nees) Lindau	shrub	0
<i>Ruellia costata</i> Nees ab Es.	H.P. Hiern		<i>Ruellia costata</i> (Nees) Hiern	shrub	0
<i>Ruellia densa</i> Nees ab Es.	H.P. Hiern		<i>Ruellia densa</i> (Nees) Hiern	shrub	0
<i>Ruellia dissitifolia</i> Nees ab Es.	H.P. Hiern		<i>Ruellia dissitifolia</i> (Nees) Hiern	herb	0
<i>Ruellia formosa</i> Andrews	H.P. Hiern		<i>Ruellia elegans</i> Poir.	shrub	1
<i>Ruellia geminiflora</i> Kunth.	H.P. Hiern		<i>Ruellia geminiflora</i> Kunth	herb	1
<i>Ruellia humilis</i> Pohl.	H.P. Hiern		<i>Ruellia geminiflora</i> Kunth	herb	1
<i>Ruellia menthoides</i> Nees ab Es.	H.P. Hiern		<i>Ruellia menthoides</i> (Nees) Hiern	shrub	0
<i>Ruellia puri</i> Mart.	H.P. Hiern		<i>Ruellia jussiaeoides</i> Schltdl. & Cham.	shrub	0
<i>Ruellia puri angustifolia</i> Mart.	H.P. Hiern		<i>Ruellia jussiaeoides</i> Schltdl. & Cham.	shrub	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Ruellia rasa</i> Hiern	H.P. Hiern	Warming ?, C	<i>Ruellia rasa</i> Hiern	shrub	0
<i>Ruellia trivialis</i> Blanket.	H.P. Hiern		<i>Ruellia trivialis</i> Blanch. ex Nees	herb	0
<i>Thunbergia alata</i> Bojer	H.P. Hiern		<i>Thunbergia alata</i> Bojer ex Sims	vine	1
Achariaceae					
<i>Carpotroche brasiliensis</i> Endl.	A. W. Eichler		<i>Carpotroche brasiliensis</i> (Raddi) A Gray	tree	0
Alismataceae					
<i>Alisma tenellum</i> Mart.	Seubert, M.		<i>Helanthium tenellum</i> (Martius) Britton	herb	2
<i>Echinodorus guyanensis</i> (H.B.K.) Griseb.	Seubert, M.		<i>Sagittaria guayanensis</i> Kunth	herb	5
<i>Echinodorus pubescens</i> (Mart.) Seub.	Seubert, M.		<i>Echinodorus pubescens</i> (Mart.) Seub. ex Warm.	herb	0
<i>Sagittaria lagoensis</i> Seub. et Warm.	Seubert, M.	Warming, C	<i>Sagittaria rhombifolia</i> Cham.	herb	3
Alstroemeriaceae					
<i>Alstroemeria caryophyllea</i> Jacq.	Seubert, M.		<i>Alstroemeria caryophyllaea</i> Jacq.	herb	0
<i>Alstroemeria plantaginea</i> Mart.	Seubert, M.		<i>Alstroemeria plantaginea</i> Mart. ex Schult. & Schult.f.	herb	0
<i>Alstroemeria viridiflora</i> Wrmg.	Seubert, M.		<i>Alstroemeria viridiflora</i> Warm.	herb	0
<i>Bomarea brauniana</i> Schenk.	Seubert, M.		<i>Bomarea edulis</i> (Tussac) Herb.	vine	0
<i>Bomarea martiana</i> Schenk.	Seubert, M.		<i>Bomarea edulis</i> (Tussac) Herb.	vine	0
Amaranthaceae					
<i>Amarantus flavus</i> L.	Seubert, M.		<i>Amaranthus hybridus</i> L.	herb	0
<i>Amarantus paniculatus</i> Moq.	Seubert, M.		<i>Amaranthus cruentus</i> L.	herb	1
<i>Chamissoa accuminata</i> Mart.	Seubert, M.		<i>Chamissoa accuminata</i> Mart.	shrub	0
<i>Chamissoa altissima</i> Kth.	Seubert, M.		<i>Chamissoa altissima</i> (Jacq.) Kunth	shrub	0
<i>Chamissoa maximiliani</i> Mart.	Seubert, M.		<i>Chamissoa acuminata</i> Mart.	shrub	0
<i>Chenopodium ambrosioides</i> L.	E. Warming		<i>Dysphania ambrosioides</i> (L.) Mosyakin & Clemants	shrub	1
<i>Euxolus caudatus</i> Moq.	Seubert, M.		<i>Amaranthus viridis</i> L.	herb	0
<i>Euxolus viridis</i> Moq.	Seubert, M.		<i>Amaranthus viridis</i> L.	herb	0
<i>Gomphrena eriantha</i> Moq.	Seubert, M.		<i>Hebanthe eriantha</i> (Poir.) Pedersen	shrub	0
<i>Gomphrena glabrata</i> Moq.	Seubert, M.		<i>Pfaffia glabrata</i> (Spreng.) Pedersen	shrub	0
<i>Gomphrena glauca</i> Moq.	Seubert, M.		<i>Pfaffia glomerata</i> (Spreng.) Pedersen	shrub	0
<i>Gomphrena gnaphalioides</i> Vahl.	Seubert, M.		<i>Pfaffia gnaphalioides</i> (L.f.) Mart.	shrub	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Gomphrena jubata</i> Moq.	Seubert, M.		<i>Pfaffia jubata</i> Mart.	shrub	0
<i>Gomphrena officinalis</i> Mart.	Seubert, M.		<i>Gomphrena arborescens</i> L.f.	shrub	0
<i>Gomphrena paniculata</i> Moq.	Seubert, M.		<i>Hebanthe eriantha</i> (Poir.) Pedersen	shrub	0
<i>Gomphrena pohlii</i> Moq.	Seubert, M.	Warming ?, C	<i>Gomphrena pohlii</i> Moq.	shrub	0
<i>Gomphrena pulverulenta</i> Moq.	Seubert, M.		<i>Hebanthe pulverulenta</i> Mart.	shrub	0
<i>Gomphrena rудis</i> Moq.	Seubert, M.		<i>Gomphrena rудis</i> Moq.	shrub	0
<i>Gomphrena vaga</i> Mart.	Seubert, M.		<i>Gomphrena vaga</i> Mart.	herb	0
<i>Gomphrena velutina</i> Moq.	Seubert, M.		<i>Pfaffia velutina</i> Mart.	shrub	3
<i>Iresine difusa</i> Humb. et Bonpl.	Seubert, M.		<i>Iresine diffusa</i> Humb. & Bonpl. ex Willd.	vine	1
<i>Iresine polymorpha</i> Mart.	Seubert, M.		<i>Iresine diffusa</i> Humb. & Bonpl. ex Willd.	vine	1
<i>Telanthera brasiliiana</i> Moq.	Seubert, M.		<i>Alternanthera brasiliiana</i> (L.) Kuntze	shrub	3
<i>Telanthera brasiliiana villosa</i> Moq.	Seubert, M.		<i>Alternanthera brasiliiana</i> (L.) Kuntze	shrub	3
<i>Telanthera moquinii</i> Webb.	Seubert, M.		<i>Alternanthera brasiliiana</i> (L.) Kuntze	shrub	3
<i>Telanthera polygonoides</i> Moq.	Seubert, M.		<i>Alternanthera paronychioides</i> A.St.-Hil.	shrub	0
<i>Telanthera polygonoides diffusa</i> Moq.	Seubert, M.		<i>Alternanthera paronychioides</i> A.St.-Hil.	shrub	0
<i>Telanthera polygonoides radicans</i> Moq.	Seubert, M.		<i>Alternanthera paronychioides</i> A.St.-Hil.	shrub	0
<i>Telanthera puberula</i> Moq.	Seubert, M.		<i>Alternanthera puberula</i> (Mart.) D.Dietr.	shrub	0
<i>Telanthera puberula warmingii</i> Moq.	Seubert, M.	Warming, C	<i>Alternanthera puberula</i> (Mart.) D.Dietr.	shrub	0
<i>Telanthera ramosissima</i> Moq.	Seubert, M.		<i>Alternanthera brasiliiana</i> (L.) Kuntze	shrub	3
Amaryllidaceae					
<i>Amaryllis psittacina</i> Ker. A.	Seubert, M.		<i>Hippeastrum psittacinum</i> Herb.	herb	0
<i>Amaryllis unguiculata</i> Mart.	Seubert, M.		<i>Hippeastrum striatum</i> (Lam.) Moore	herb	0
<i>Crinum virgineum</i> Mart.	Seubert, M.		<i>Crinum jagus</i> (J.Thomps.) Dandy	herb	0
<i>Griffinia liboniana</i> hort. (Walp. Ann.)	Seubert, M.		<i>Griffinia liboniana</i> Morren	herb	0
<i>Nothoscordum euosmum</i> Kth.	Seubert, M.		<i>Nothoscordum nudicaule</i> (Lehm.) Guagl.	herb	0
Anacardiaceae					
<i>Anacardium humile</i> St. Hilaire	Leon Marchand (corrig)		<i>Anacardium humile</i> A.St.-Hil.	tree	3
<i>Astronium fraxinifolium</i> Schott.	Leon Marchand (corrig Engler)		<i>Astronium fraxinifolium</i> Schott	tree	2

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Astronium graveolens</i> Jacq.	Leon Marchand (corrig Engler)		<i>Astronium graveolens</i> Jacq.	tree	0
<i>Lithroea molleoides</i> (Vell.) Engl	Leon Marchand (corrig Engler)	Warming ?, C	<i>Lithrea molleoides</i> (Vell.) Engl.	tree	0
<i>Schinus terebinthifolius</i> Radd.	Leon Marchand (corrig Engler)		<i>Schinus terebinthifolius</i> Raddi	tree	0
<i>Tapirira guianensis</i> Aubl	Leon Marchand (corrig Engler)		<i>Tapirira guianensis</i> Aubl.	tree	9
<i>Tapirira marchandi</i> Engl.	Leon Marchand (corrig Engler)	Warming, B	<i>Tapirira obtusa</i> (Benth.) J.D.Mitch.	tree	0
Annonaceae					
<i>Aberemoa lanceolata</i> (St. Hil.)	E. Warming		<i>Duguetia lanceolata</i> A.St.-Hil.	tree	0
<i>Annona cacans</i> Warm.	E. Warming	Warming, C	<i>Annona cacans</i> Warm.	tree	0
<i>Annona crotonifolia</i> Mart.	E. Warming		<i>Annona crotonifolia</i> Mart.	tree	0
<i>Annona furfuracea</i> (St. Hil.)	E. Warming		<i>Duguetia furfuracea</i> (A.St.-Hil.) Saff.	shrub	1
<i>Annona monticola</i> Mart.	E. Warming		<i>Annona monticola</i> Mart.	shrub	0
<i>Annona pygmaea</i> Warm.	E. Warming		<i>Annona warmingiana</i> Mello-Silva & Pirani	shrub	0
<i>Anona crassiflora</i> Mart.	E. Warming		<i>Annona crassiflora</i> Mart.	tree	1
<i>Cananga sellowiana</i> (Schlecht.)	E. Warming		<i>Guatteria sellowiana</i> Schldl.	tree	0
<i>Cananga villosissima</i> (St. Hil.)	E. Warming		<i>Guatteria villosissima</i> A.St.-Hil.	tree	0
<i>Oxandra reinhardtiana</i> Warmg.	E. Warming	Warming, C	<i>Oxandra martiana</i> (Schldl.) R.E.Fr.	tree	0
<i>Rollinia emarginata</i> (Schlecht.)	E. Warming		<i>Annona emarginata</i> (Schldl.) H.Rainer	tree	0
<i>Rollinia laurifolia</i> (Schlecht.)	E. Warming		<i>Annona dolabripetala</i> Raddi	tree	0
<i>Rollinia sylvatica</i> (St. Hil.)	E. Warming		<i>Annona sylvatica</i> A.St.-Hil.	tree	3
<i>Uvaria macrocarpa</i> Warmg.	E. Warming	Warming, C	<i>Porcelia macrocarpa</i> (Warm.) R.E.Fr.	tree	0
<i>Xylopia brasiliensis</i> Spreng.	E. Warming		<i>Xylopia brasiliensis</i> Spreng.	tree	0
<i>Xylopia emarginata</i> Mart.	E. Warming		<i>Xylopia emarginata</i> Mart.	tree	0
<i>Xylopia grandiflora</i> St. Hil.	E. Warming		<i>Xylopia aromatica</i> (Lam.) Mart.	tree	1
<i>Xylopia sericea</i> St. Hil.	E. Warming		<i>Xylopia sericea</i> A.St.-Hil.	tree	0
Apiaceae					

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Apium ammi</i> (Jacq.) Urb.	J. Urban		<i>Cyclospermum leptophyllum</i> (Pers.) Britton P.Wilson	herb	1
<i>Centella asiatica</i> (Linn.) Urban.	J. Urban		<i>Centella asiatica</i> (L.) Urb.	herb	0
<i>Eryngium canaliculatum</i> Cham.	J. Urban		<i>Eryngium canaliculatum</i> Cham. & Schltdl.	herb	0
<i>Eryngium ebracteatum</i> Lam.	J. Urban		<i>Eryngium ebracteatum</i> Lam.	herb	0
<i>Eryngium floribundum</i> Cham.	J. Urban		<i>Eryngium floribundum</i> Cham. & Schltdl.	herb	0
<i>Eryngium floribundum</i> var. <i>angustifolium</i> Urban	J. Urban		<i>Eryngium floribundum</i> Cham. & Schltdl.	herb	0
<i>Eryngium foetidum</i> L.	J. Urban		<i>Eryngium foetidum</i> L.	herb	1
<i>Eryngium hemisphericum</i> var. <i>abbreviatum</i> Urban.	J. Urban		<i>Eryngium hemisphaericum</i> Urb.	herb	0
<i>Eryngium junceum</i> <i>juncifolium</i> Cham.	J. Urban		<i>Eryngium juncifolium</i> (Urb.) Mathias & Constance	herb	0
<i>Eryngium sanguisorba</i> Cham.	J. Urban		<i>Eryngium sanguisorba</i> Cham. & Schltdl.	herb	0
<i>Spananthe paniculata</i> Jacq.	J. Urban		<i>Spananthe paniculata</i> Jacq.	herb	1
Apocynaceae					
<i>Amblyanthera funiformis macrophylla</i> Mull. Arg.	Joh. Muller Arg.		<i>Mandevilla funiformis</i> (Vell.) K.Schum.	vine	0
<i>Amblyanthera lasiocarpa pubescens</i> Mull. Arg.	Joh. Muller Arg.		<i>Mandevilla hirsuta</i> (Rich.) K.Schum.	vine	0
<i>Amphistelma aphyllum</i> (Dcne). Fourn	Eug. Fournier.		<i>Orthosia scoparia</i> (Nutt.) Liede & Meve	vine	3
<i>Amphistelma graminifolium</i> Griseb.	Eug. Fournier.		<i>Orthosia scoparia</i> (Nutt.) Liede & Meve	vine	3
<i>Anisolobus hebecarpas pubescens</i> Mull. Arg.	Joh. Muller Arg.		<i>Odontadenia lutea</i> (Vell.) Markgr.	shrub	1
<i>Anisolobus hebecarpas tomentosus</i> Mull. Arg.	Joh. Muller Arg.		<i>Odontadenia lutea</i> (Vell.) Markgr.	shrub	1
<i>Araujia sericifera</i> Brot	Eug. Fournier.		<i>Araujia sericifera</i> Brot.	vine	0
<i>Asclepias bracteolata</i> Fourn.	Eug. Fournier.		<i>Asclepias bracteolata</i> E.Fourn.	herb	0
<i>Asclepias candida</i> Vell.	Eug. Fournier.		<i>Asclepias candida</i> Vell.	herb	1
<i>Asclepias curassavica</i> L.	Eug. Fournier.		<i>Asclepias curassavica</i> L.	herb	4
<i>Asclepias mollodora</i> St. Hil.	Eug. Fournier.		<i>Asclepias mollodora</i> A.St.-Hil.	herb	2
<i>Asclepias nervosa</i> Dcne.	Eug. Fournier.		<i>Asclepias mollodora</i> A.St.-Hil.	herb	2
<i>Aspidosperma argenteum</i> Mull. Arg.	Joh. Muller Arg.	Warming, C	<i>Aspidosperma australe</i> Müll.Arg.	tree	0
<i>Aspidosperma lagoense</i> Mull. Arg.	Joh. Muller Arg.	Warming, C, F, W	<i>Aspidosperma cylindrocarpon</i> Müll.Arg.	tree	2
<i>Aspidosperma leucomelanum</i> Mull. Arg.	Joh. Muller Arg.	Warming, C	<i>Aspidosperma spruceanum</i> Benth. ex Müll.Arg.	tree	0
<i>Aspidosperma pallidiflorum</i> Mull. Arg.	Joh. Muller Arg.	Warming, C, NY	<i>Aspidosperma tomentosum</i> Mart.	tree	1

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Aspidosperma subincanum</i> Mart.	Joh. Muller Arg.		<i>Aspidosperma subincanum</i> Mart.	tree	0
<i>Aspidosperma tomentosum angustifolium</i> Mull. Arg.	Joh. Muller Arg.		<i>Aspidosperma tomentosum</i> Mart.	tree	1
<i>Aspidosperma venosum</i> Mull. Arg.	Joh. Muller Arg.	Warming, C, NY	<i>Aspidosperma polyneuron</i> Müll. Arg.	tree	2
<i>Aspidosperma warmingii</i> Mull. Arg.	Joh. Muller Arg.	Warming, C, NY	<i>Aspidosperma warmingii</i> Müll. Arg.	tree	0
<i>Barjonia linearis</i> Dcne.	Eug. Fournier.		<i>Barjonia erecta</i> (Vell.) K.Schum.	shrub	0
<i>Barjonia obtusifolia</i> Fourn.	Eug. Fournier.	Warming, C	<i>Barjonia erecta</i> (Vell.) K.Schum.	shrub	0
<i>Barjonia racemosa</i> Dcne.	Eug. Fournier.		<i>Barjonia erecta</i> (Vell.) K.Schum.	shrub	0
<i>Barjonia warmingii</i> Fourn.	Eug. Fournier.	Warming, C	<i>Barjonia erecta</i> (Vell.) K.Schum.	shrub	0
<i>Blepharodus bicuspitatus</i> Fourn.	Eug. Fournier.	Warming ?, C	<i>Blepharodon bicuspitatum</i> E.Fourn.	vine	1
<i>Blepharodus linearis</i> Dcne.	Eug. Fournier.		<i>Blepharodon lineare</i> (Decne.) Decne.	herb	3
<i>Bustelma warmingii</i> Fourn.	Eug. Fournier.	Warming, C	<i>Oxypetalum warmingii</i> (E.Fourn.) Fontella & Marquete	vine	0
<i>Chthamalia purpurea</i> Dcne.	Eug. Fournier.		<i>Matelea purpurea</i> (Decne.) Goyer	shrub	1
<i>Condylocarpon rauwolfiae</i> Mull. Arg.	Joh. Muller Arg.		<i>Condylocarpon isthmicum</i> (Vell.) A.DC.	vine	0
<i>Condylocarpon rauwolfiae tomentosa</i> Mull. Arg.	Joh. Muller Arg.		<i>Condylocarpon isthmicum</i> (Vell.) A.DC.	vine	0
<i>Dipladenia gentianoides glabra</i> Mull. Arg.	Joh. Muller Arg.		<i>Mandevilla pohliana</i> (Stadelm.) A.H.Gentry	shrub	0
<i>Dipladenia gentianoides velutina</i> Mull. Arg.	Joh. Muller Arg.		<i>Mandevilla pohliana</i> (Stadelm.) A.H.Gentry	shrub	0
<i>Dipladenia illustris glabra</i> Mull. Arg.	Joh. Muller Arg.		<i>Mandevilla illustris</i> (Vell.) Woodson	shrub	0
<i>Dipladenia illustris tomentosa</i> Mull. Arg.	Joh. Muller Arg.		<i>Mandevilla illustris</i> (Vell.) Woodson	shrub	0
<i>Dipladenia spigeliaeflora</i> Mull. Arg.	Joh. Muller Arg.		<i>Mandevilla spigeliiflora</i> (Stadelm.) Woodson	shrub	0
<i>Dipladenia spigeliaeflora longiloba</i> Mull. Arg.	Joh. Muller Arg.		<i>Mandevilla spigeliiflora</i> (Stadelm.) Woodson	shrub	0
<i>Dipladenia xanthostoma major</i> Mull. Arg.	Joh. Muller Arg.		<i>Mandevilla coccinea</i> (Hook. & Arn.) Woodson	shrub	0
<i>Ditassa aequicymosa</i> Fourn.	Eug. Fournier.	Warming ?, C	<i>Ditassa aequicymosa</i> E.Fourn.	vine	0
<i>Ditassa lagoensis</i> Fourn.	Eug. Fournier.	Warming ?, C	<i>Ditassa lagoensis</i> E.Fourn.	vine	0
<i>Ditassa micromeria</i> Dcne.	Eug. Fournier.		<i>Minaria micromeria</i> (Decne.) T.U.P.Konno & Rapini	shrub	0
<i>Ditassa montana</i> Dcne.	Eug. Fournier.		<i>Ditassa mucronata</i> Mart.	vine	0
<i>Ditassa mucronata</i> Mart. & Zucc.	Eug. Fournier.		<i>Ditassa mucronata</i> Mart.	vine	0
<i>Ditassa passerinoides</i> Mart. & Zucc.	Eug. Fournier.		<i>Minaria decussata</i> (Mart.) T.U.P.Konno & Rapini	shrub	1
<i>Ditassa virgata</i> Fourn.	Eug. Fournier.	Warming, P ?	<i>Minaria cordata</i> (Turcz.) T.U.P.Konno & Rapini	shrub	1

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Ditassa warmingii</i> Fourn.	Eug. Fournier.	Warming, C	<i>Ditassa obcordata</i> Mart.	vine	0
<i>Echites circinalis</i> Sw.	Joh. Muller Arg.		<i>Prestonia coalita</i> (Vell.) Woodson	vine	0
<i>Echites macrocalix</i> Mull. Arg.	Joh. Muller Arg.		<i>Peltastes peltatus</i> (Vell.) Woodson	vine	0
<i>Echites violacea</i> Vell.	Joh. Muller Arg.		<i>Temnadenia violacea</i> (Vell.) Miers	vine	3
<i>Fischeria warmingii</i> Fourn.	Eug. Fournier.	Warming, M	<i>Fischeria stellata</i> (Vell.) E.Fourn.	vine	0
<i>Forsteronia lagoensis</i> Mull. Arg.	Joh. Muller Arg.	Warming, C	<i>Forsteronia refracta</i> Müll.Arg.	vine	0
<i>Forsteronia multinervia</i> A. DC.	Joh. Muller Arg.		<i>Forsteronia thyrsoides</i> (Vell.) Müll.Arg.	vine	0
<i>Gonolobus stelliflorus</i> Fourn.	Eug. Fournier.		<i>Matelea denticulata</i> (Vahl) Fontella & E.A.Schwarz	vine	0
<i>Gyrostelma oxypetaloides</i> Fourn.	Eug. Fournier.	Warming, C	<i>Gyrostelma oxypetaloides</i> E.Fourn.	shrub	0
<i>Haemadictyon lagoense</i> Mull. Arg.	Joh. Muller Arg.	Warming, C	<i>Prestonia lagoensis</i> (Müll.Arg.) Woodson	vine	1
<i>Haemadictyon warmingii</i> Mull. Arg.	Joh. Muller Arg.	Warming, C	<i>Prestonia lagoensis</i> (Müll.Arg.) Woodson	vine	1
<i>Hancornia speciosa</i> lundii A. DC.	Joh. Muller Arg.		<i>Hancornia speciosa</i> Gomes	tree	0
<i>Hemipogon acerosus</i> viridis Dcne.	Eug. Fournier.	Warming, C	<i>Hemipogon acerosus</i> Decne.	shrub	2
<i>Ibatia ciliata</i> Fourn.	Eug. Fournier.	Warming, C	<i>Pseudibatia ciliata</i> (E. Fourn.) Malme	shrub	0
<i>Laseguea erecta</i> guilleminiana Mull. Arg.	Joh. Muller Arg.		<i>Mandevilla emarginata</i> (Vell.) C.Ezcurra	shrub	0
<i>Macroscelis aurea</i> Fourn.	Eug. Fournier.	Warming, C	<i>Macroscelis aurea</i> E.Fourn.	vine	0
<i>Macrosiphonia longiflora</i> Mull. Arg.	Joh. Muller Arg.		<i>Mandevilla longiflora</i> (Desf.) Pichon	herb	3
<i>Macrosiphonia martii</i> Mull. Arg.	Joh. Muller Arg.		<i>Mandevilla martii</i> (Müll.Arg.) Pichon	shrub	1
<i>Macrosiphonia velame</i> Mull. Arg.	Joh. Muller Arg.		<i>Mandevilla velame</i> (A.St.-Hil.) Pichon	shrub	1
<i>Marsdenia warmingii</i> Fourn.	Eug. Fournier.	Warming, C	<i>Marsdenia hilariana</i> E.Fourn.	vine	0
<i>Marsdenia weddellii</i> (E.Fourn.) Malme	Eug. Fournier.		<i>Marsdenia weddellii</i> (E.Fourn.) Malme	vine	0
<i>Mesechites sulfurea</i> Mull. Arg.	Joh. Muller Arg.		<i>Prestonia coalita</i> (Vell.) Woodson	vine	0
<i>Oxypetalum aequaliflorum</i> Fourn.	Eug. Fournier.	Warming, C	<i>Oxypetalum aequaliflorum</i> E.Fourn.	herb	0
<i>Oxypetalum appendiculatum</i> Mart. & Zucc.	Eug. Fournier.		<i>Oxypetalum appendiculatum</i> Mart.	vine	0
<i>Oxypetalum campestre</i> Dcne.	Eug. Fournier.		<i>Oxypetalum erectum</i> Mart.	shrub	0
<i>Oxypetalum capitatum</i> Mart. & Zucc.	Eug. Fournier.		<i>Oxypetalum capitatum</i> Mart.	herb	1
<i>Oxypetalum guilleminianum</i> Dcne.	Eug. Fournier.		<i>Oxypetalum wightianum</i> Hook. & Arn.	vine	0
<i>Oxypetalum lagoense</i> Fourn.	Eug. Fournier.	Warming, C	<i>Oxypetalum jacobinae</i> Decne.	shrub	1
<i>Oxypetalum martii</i> Fourn.	Eug. Fournier.	Warming, P	<i>Oxypetalum martii</i> E.Fourn.	herb	2

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Oxypetalum pachyglossum</i> Dcne.	Eug. Fournier.		<i>Oxypetalum pachyglossum</i> Decne.	vine	0
<i>Oxypetalum pauperculum</i> Fourn.	Eug. Fournier.	Warming, C	<i>Oxypetalum erostre</i> E.Fourn.	vine	0
<i>Oxypetalum strictum</i> Mart. & Zucc.	Eug. Fournier.		<i>Oxypetalum strictum</i> Mart.	shrub	0
<i>Oxypetalum suaveolens</i> Fourn.	Eug. Fournier.	Warming, P	<i>Oxypetalum molle</i> Hook. & Arn.	vine	0
<i>Plumeria warmingii</i> Mull. Arg.	Joh. Muller Arg.	Warming, C	<i>Himatanthus obovatus</i> (Müll.Arg.) Woodson	tree	0
<i>Prestonia bahiensis</i> Mull. Arg.	Joh. Muller Arg.		<i>Prestonia bahiensis</i> Müll.Arg.	vine	0
<i>Prestonia hirsuta</i> Mull. Arg.	Joh. Muller Arg.		<i>Prestonia calycina</i> Müll.Arg.	vine	0
<i>Prestonia lutescens</i> Mull. Arg.	Joh. Muller Arg.	Warming, C	<i>Prestonia tomentosa</i> R.Br.	vine	0
<i>Prestonia tomentosa</i> R. Br.	Joh. Muller Arg.		<i>Prestonia tomentosa</i> R.Br.	vine	0
<i>Rhodocalyx rotundifolius</i> Mull. Arg.	Joh. Muller Arg.	Warming, C	<i>Prestonia erecta</i> (Malme) J.F.Morales	shrub	7
<i>Roulinia parviflora</i> Dcne.	Eug. Fournier.		<i>Cynanchum roulinioides</i> (E.Fourn.) Rapini	herb	0
<i>Secondatia densiflora</i> A.DC.	Joh. Muller Arg.		<i>Secondatia densiflora</i> A.DC.	vine	0
<i>Secondatia foliosa</i> A.DC.	Joh. Muller Arg.		<i>Secondatia floribunda</i> A.DC.	vine	1
<i>Tabernaemontana accedens</i> Mull. Arg.	Joh. Muller Arg.	Warming, C	<i>Tabernaemontana solanifolia</i> A.DC.	tree	0
<i>Tabernaemontana laeta</i> Mart.	Joh. Muller Arg.		<i>Tabernaemontana laeta</i> Mart.	tree	1
<i>Tabernaemontana warmingii</i> Mull. Arg.	Joh. Muller Arg.	Warming, C	<i>Tabernaemontana solanifolia</i> A.DC.	tree	0
<i>Verlotia dracontea</i> Fourn.	Eug. Fournier.	Warming, C	<i>Marsdenia suberosa</i> (E.Fourn.) Malme	vine	0
<i>Verlotia virgultorum</i> Fourn.	Eug. Fournier.	Warming, C	<i>Marsdenia virgultorum</i> (E.Fourn.) W.Rothe	vine	0
<i>Zygostelma calcaratum</i> (Dcne.) Fourn.	Eug. Fournier.		<i>Petalostelma calcaratum</i> (Decne.) Fontella	shrub	0
Aquifoliaceae					
<i>Ilex affinis angustifolia</i> Gardn.	E. Warming		<i>Ilex affinis</i> Gardner	shrub	1
<i>Ilex conocarpa</i> Reiss.	E. Warming		<i>Ilex conocarpa</i> Reissek	tree	0
<i>Ilex lagoensis</i> Warmg.	E. Warming	Warming, C	<i>Ilex cerasifolia</i> Reissek	tree	0
<i>Ilex lundii</i> Warmg.	E. Warming	Warming, C?	<i>Ilex lundii</i> Warm.	tree	2
Araceae					
<i>Anthurium affine</i> Schott.	Engler, A.		<i>Anthurium affine</i> Schott	herb	2
<i>Anthurium variabile</i> Kunth.	Engler, A.		<i>Anthurium pentaphyllum</i> (Aubl.) G.Don	herb	0
<i>Caladium bicolor</i> Vent.	Engler, A.		<i>Caladium bicolor</i> (Aiton) Vent.	herb	0
<i>Caladium striatipes</i> Schott.	Engler, A.		<i>Xanthosoma striatipes</i> (Kunth & Bouché) Madison	herb	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Philodendron imbe</i> Schott.	Engler, A.		<i>Philodendron imbe</i> Schott ex Kunth.	vine	0
<i>Philodendron ochrostemon</i> Schott.	Engler, A.		<i>Philodendron oblongum</i> (Vell.) Kunth	herb	0
<i>Philodendron rotundatum</i> Engl.	Engler, A.	Warming, C	<i>Philodendron rotundatum</i> Engl.	herb	0
<i>Philodendron selloum lundii</i> Koch, K.	Engler, A.		<i>Philodendron lundii</i> Warm.	herb	0
<i>Rhodospatha oblongata</i> Poepp.	Engler, A.		<i>Rhodospatha oblongata</i> Poepp.	herb	0
<i>Staurostigma luschnathianum</i> Koch, K.	Engler, A.		<i>Asterostigma luschnathianum</i> Schott	herb	0
<i>Taccarum warmingii</i> Engl.	Engler, A.		<i>Taccarum warmingii</i> Engl.	herb	0
<i>Xanthosoma pentaphyllum</i> Engl.	Engler, A.		<i>Xanthosoma pentaphyllum</i> Engl.	herb	0
<i>Xanthosoma riedelianum</i> Schott.	Engler, A.		<i>Xanthosoma riedelianum</i> (Schott) Schott	herb	0
Araliaceae					
<i>Coudenbergia warmingii</i> E. March.	Det. E. Marchall.		<i>Aralia warmingiana</i> (Marchal) J.Wen	tree	1
<i>Didymopanax clausseanianum</i> Decne. et. Planch.	Det. E. Marchall.		<i>Schefflera calva</i> (Cham.) Frodin & Fiaschi	tree	0
<i>Didymopanax longepetiolatum</i> E. March.	Det. E. Marchall.		<i>Schefflera longipetiolata</i> (Pohl ex DC.) Frodin & Fiaschi	tree	0
<i>Didymopanax macrocarpus</i> Seem.	Det. E. Marchall.		<i>Schefflera macrocarpa</i> (Cham. & Schltdl.) Frodin	tree	3
<i>Gilibertia cuneata</i> E. March.	Det. E. Marchall.		<i>Dendropanax cuneatus</i> (DC.) Decne. & Planch.	tree	0
<i>Gilibertia cuneata abbreviata</i> E. March.	Det. E. Marchall.		<i>Dendropanax cuneatus</i> (DC.) Decne. & Planch.	tree	0
<i>Hydrocotyle leucocephala</i> var. <i>obtusiloba</i> Urban.	J. Urban		<i>Hydrocotyle leucocephala</i> Cham. & Schltdl.	herb	1
<i>Hydrocotyle pusilla</i> Rich.	J. Urban		<i>Hydrocotyle pusilla</i> A.Rich.	herb	0
<i>Hydrocotyle umbellata</i> var. <i>bonariensis</i> (Lam.)	J. Urban		<i>Hydrocotyle bonariensis</i> Lam.	herb	1
Arecaceae					
<i>Acrocomia sclerocarpa</i> Mart.	O. Drude		<i>Acrocomia aculeata</i> (Jacq.) Lodd. ex Mart.	herb	0
<i>Attalea compta</i> (?) Mart.	O. Drude		<i>Attalea compta</i> Mart.	herb	0
<i>Cocos coronata</i> Mart.	O. Drude		<i>Syagrus coronata</i> (Mart.) Becc.	herb	0
<i>Cocos flexuosa</i> Mart.	O. Drude		<i>Syagrus flexuosa</i> (Mart.) Becc.	herb	1
<i>Cocos leiospatha angustifolia</i> Drude.	O. Drude		<i>Butia leiospatha</i> (Barb.Rodr.) Becc.	herb	0
<i>Cocos oleracea</i> Mart.	O. Drude		<i>Syagrus oleracea</i> (Mart.) Becc.	herb	0
<i>Geonoma schottiana</i> Mart.	O. Drude		<i>Geonoma schottiana</i> Mart.	herb	1
<i>Geonoma schottiana palustris</i> Drude.	O. Drude	Warming, C	<i>Geonoma brevispatha</i> Barb.Rodr.	herb	0
Aristolochiaceae					

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Aristolochia arcuata</i> Masters.	Maxwell T. Masters	Warming ?, C	<i>Aristolochia arcuata</i> Mast.	vine	0
<i>Aristolochia chamissonis</i> Duchartre	Maxwell T. Masters		<i>Aristolochia chamissonis</i> (Klotzsch) Duch.	vine	1
<i>Aristolochia cymbifera labiosa</i> Duchartre	Maxwell T. Masters		<i>Aristolochia cymbifera</i> Mart. & Zucc.	vine	0
<i>Aristolochia galeata</i> Mart. et Zucc.	Maxwell T. Masters		<i>Aristolochia labiata</i> Willd.	vine	0
<i>Aristolochia melastoma</i> Manso.	Maxwell T. Masters		<i>Aristolochia melastoma</i> Silva Manso ex Duch.	vine	0
<i>Aristolochia pohliana</i> Duchartre	Maxwell T. Masters		<i>Aristolochia pohliana</i> Duch.	vine	1
<i>Aristolochia smilacina</i> Duchartre	Maxwell T. Masters		<i>Aristolochia smilacina</i> (Klotzsch) Duch.	vine	3
<i>Aristolochia warmingii</i> Masters.	Maxwell T. Masters	Warming, C	<i>Aristolochia warmingii</i> Mast.	vine	0
Asparagaceae					
<i>Herreria salsaparilha</i> Mart.	A. Grisebach		<i>Herreria salsaparilha</i> Mart.	vine	1
Asteraceae					
<i>Acanthospermum hispidum</i> DC.	J. G. Baker (et E. Warming)		<i>Acanthospermum hispidum</i> DC.	herb	1
<i>Acanthospermum xanthioides</i> DC.	J. G. Baker (et E. Warming)		<i>Acanthospermum australe</i> (Loefl.) Kuntze	herb	1
<i>Achyrocline alata vauthieriana</i> DC.	J. G. Baker (et E. Warming)		<i>Achyrocline alata</i> (Kunth) DC.	shrub	0
<i>Achyrocline satureioides</i> DC.	J. G. Baker (et E. Warming)		<i>Achyrocline satureioides</i> (Lam.) DC.	herb	1
<i>Adenostemma viscosum triangulare</i> Bth.	J. G. Baker (et E. Warming)		<i>Adenostemma brasiliannum</i> (Pers.) Cass.	herb	0
<i>Ageratum conyzoides</i> Linn.	J. G. Baker (et E. Warming)		<i>Ageratum conyzoides</i> L.	herb	4
<i>Alomia angustata</i> (Gardn) Benth.	J. G. Baker (et E. Warming)		<i>Gardnerina angustata</i> (Gardner) R.M.King & H.Rob.	herb	0
<i>Alomia fastigiata</i> (Gardn) Bth.	J. G. Baker (et E. Warming)		<i>Ageratum fastigiatum</i> (Gardner) R.M.King & H.Rob.	shrub	0
<i>Alomia myriadenia</i> (Schultz-Bip.) Baker	J. G. Baker (et E. Warming)	Warming, C	<i>Ageratum myriadenium</i> (Sch.Bip. ex Baker) R.M.King & H.Rob.	shrub	0
<i>Alomia pohlii</i> (Schultz-Bip.) Baker	J. G. Baker (et E. Warming)		<i>Teixeiranthus pohlii</i> (Sch.Bip. ex Baker) R.M.King & H.Rob.	herb	0
<i>Ambrosia polystachia</i> DC.	J. G. Baker (et E. Warming)		<i>Ambrosia polystachya</i> DC.	herb	0
<i>Arctium minus</i> Schk.	J. G. Baker (et E. Warming)		<i>Arctium minus</i> (Hill) Bernh.	herb	0
<i>Aspilia clauseniana</i> Baker	J. G. Baker (et E. Warming)		<i>Aspilia clauseniana</i> Baker	shrub	0
<i>Aspilia foliacea</i> (Spreng.) Baker	J. G. Baker (et E. Warming)		<i>Aspilia foliacea</i> (Spreng.) Baker	herb	2
<i>Aspilia hispidula</i> Baker	J. G. Baker (et E. Warming)	Warming, C	<i>Wedelia hispidula</i> (Baker) B.L.Turner	shrub	0
<i>Aspilia phyllostachya</i> Baker	J. G. Baker (et E. Warming)		<i>Aspilia phyllostachya</i> Baker	shrub	0
<i>Aspilia reflexa</i> (Sch. Bip.) Baker	J. G. Baker (et E. Warming)		<i>Aspilia reflexa</i> (Sch.Bip. ex Baker) Baker	herb	1

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Aster camporum</i> Gardn.	J. G. Baker (et E. Warming)		<i>Inulopsis camporum</i> (Gardner) G.L.Nesom	herb	1
<i>Aster warmingii</i> Baker	J. G. Baker (et E. Warming)		<i>Apopyros warmingii</i> (Baker) G.L.Nesom	shrub	0
<i>Baccharis aphylla</i> DC.	J. G. Baker (et E. Warming)		<i>Baccharis aphylla</i> (Vell.) DC.	shrub	0
<i>Baccharis brachylaenoides</i> DC.	J. G. Baker (et E. Warming)		<i>Baccharis oblongifolia</i> (Ruiz & Pav.) Pers.	shrub	0
<i>Baccharis calvescens</i> DC.	J. G. Baker (et E. Warming)		<i>Baccharis calvescens</i> DC.	shrub	0
<i>Baccharis camporum</i> DC.	J. G. Baker (et E. Warming)		<i>Baccharis sessiliflora</i> Vahl	shrub	0
<i>Baccharis camporum integrifolia</i> Baker	J. G. Baker (et E. Warming)	Warming, S	<i>Baccharis sessiliflora</i> Vahl	shrub	0
<i>Baccharis cassinaefolia</i> DC.	J. G. Baker (et E. Warming)		<i>Baccharis singularis</i> (Vell.) G.M.Barroso	shrub	0
<i>Baccharis dracunculifolia</i> DC.	J. G. Baker (et E. Warming)		<i>Baccharis dracunculifolia</i> DC.	shrub	3
<i>Baccharis flexuosa</i> Baker	J. G. Baker (et E. Warming)	Warming, C	<i>Baccharis quitensis</i> Kunth	vine	0
<i>Baccharis genistelloides trimera</i> Baker	J. G. Baker (et E. Warming)		<i>Baccharis crispa</i> Spreng.	herb	1
<i>Baccharis gracilis</i> DC.	J. G. Baker (et E. Warming)		<i>Baccharis gracilis</i> DC.	shrub	0
<i>Baccharis helichrysoides</i> DC.	J. G. Baker (et E. Warming)		<i>Baccharis helichrysoides</i> DC.	shrub	0
<i>Baccharis humilis</i> Sch.-Bip.	J. G. Baker (et E. Warming)		<i>Baccharis humilis</i> Sch.Bip. ex Baker	shrub	0
<i>Baccharis lundii punctigera</i> (Gardn.) Baker	J. G. Baker (et E. Warming)		<i>Baccharis serrulata</i> (Lam.) Pers.	shrub	0
<i>Baccharis multisulcata</i> Baker	J. G. Baker (et E. Warming)	Warming, C	<i>Baccharis orbigniana</i> Klatt	shrub	0
<i>Baccharis oxyodonta</i> DC.	J. G. Baker (et E. Warming)		<i>Baccharis oxyodonta</i> DC.	shrub	0
<i>Baccharis prenanthoides</i> Baker	J. G. Baker (et E. Warming)	Warming, C	<i>Baccharis hirta</i> DC.	shrub	0
<i>Baccharis retusa</i> DC.	J. G. Baker (et E. Warming)		<i>Baccharis retusa</i> DC.	shrub	4
<i>Baccharis rufescens</i> Spreng.	J. G. Baker (et E. Warming)		<i>Baccharis linearifolia</i> (Lam.) Pers.	shrub	1
<i>Baccharis rufescens varians</i> (Gardn.) Baker	J. G. Baker (et E. Warming)		<i>Baccharis linearifolia</i> (Lam.) Pers.	shrub	1
<i>Baccharis serrulata</i> Pers.	J. G. Baker (et E. Warming)		<i>Baccharis serrulata</i> (Lam.) Pers.	shrub	0
<i>Baccharis subcapitata</i> Gardn.	J. G. Baker (et E. Warming)		<i>Baccharis subcapitata</i> Gardner	shrub	0
<i>Baccharis subdentata</i> DC.	J. G. Baker (et E. Warming)		<i>Baccharis subdentata</i> DC.	shrub	0
<i>Baccharis tridentata rhexioides</i> (H.B.K.) Baker	J. G. Baker (et E. Warming)		<i>Baccharis trinervis</i> Pers.	herb	1
<i>Baccharis tridentata trinervis</i> Pers.	J. G. Baker (et E. Warming)		<i>Baccharis trinervis</i> Pers.	herb	1
<i>Baccharis vernonioides</i> DC.	J. G. Baker (et E. Warming)		<i>Baccharis rufidula</i> (Spreng.) Joch.Müll.	shrub	0
<i>Baccharis vulneraria</i> Baker	J. G. Baker (et E. Warming)	Warming, C	<i>Baccharis vulneraria</i> Baker	shrub	0
<i>Baltimora recta</i> L.	J. G. Baker (et E. Warming)		<i>Baltimora recta</i> L.	herb	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Barnadesia rosea</i> Lindl.	J. G. Baker (et E. Warming)		<i>Barnadesia caryophylla</i> (Vell.) S.F.Blake	shrub	1
<i>Bidens gardneri</i> Baker	J. G. Baker (et E. Warming)		<i>Bidens gardneri</i> Baker	shrub	0
<i>Bidens graveolens</i> Mart.	J. G. Baker (et E. Warming)		<i>Bidens graveolens</i> Mart.	shrub	0
<i>Bidens pilosa</i> L.	J. G. Baker (et E. Warming)		<i>Bidens pilosa</i> L.	herb	4
<i>Bidens rubifolia</i> H.B.K.	J. G. Baker (et E. Warming)		<i>Bidens rubifolia</i> Kunth	shrub	0
<i>Blainvillea rhomboidea</i> Cass.	J. G. Baker (et E. Warming)		<i>Blainvillea acmella</i> (L.) Philipson	herb	1
<i>Blainvillea rhomboidea polycephala</i> (Gardn.)	J. G. Baker (et E. Warming)		<i>Blainvillea acmella</i> (L.) Philipson	herb	1
<i>Brickellia diffusa</i> A. Gray	J. G. Baker (et E. Warming)		<i>Brickellia diffusa</i> (Vahl) A.Gray	herb	0
<i>Brickellia pinifolia</i> A. Gray	J. G. Baker (et E. Warming)		<i>Pseudobrickellia brasiliensis</i> (Spreng.) R.M.King & H.Rob.	shrub	1
<i>Calea clauseniana</i> Baker	J. G. Baker (et E. Warming)	Warming, C	<i>Calea clauseniana</i> Baker	herb	0
<i>Calea lantanoides</i> Gardn.	J. G. Baker (et E. Warming)		<i>Calea lantanoides</i> Gardner	shrub	0
<i>Calea platylepsis</i> Sch.-Bip.	J. G. Baker (et E. Warming)		<i>Calea mediterranea</i> (Vell.) Pruski	shrub	0
<i>Chaptalia integrifolia</i> (Cass.) Baker	J. G. Baker (et E. Warming)		<i>Chaptalia integrifolia</i> (Vell.) Burkart	herb	0
<i>Chaptalia nutans</i> (DC.) Hemsley	J. G. Baker (et E. Warming)		<i>Chaptalia nutans</i> (L.) Pol.	herb	0
<i>Chuquiraga glabra</i> (Spreng.) Baker	J. G. Baker (et E. Warming)		<i>Dasyphyllum brasiliense</i> (Spreng.) Cabrera	tree	0
<i>Chuquiraga macrocephala</i> Baker	J. G. Baker (et E. Warming)		<i>Dasyphyllum sprengelianum</i> (Gardner) Cabrera	shrub	1
<i>Chuquiraga tomentosa</i> (Spreng.) Baker	J. G. Baker (et E. Warming)		<i>Dasyphyllum brasiliense</i> (Spreng.) Cabrera	tree	0
<i>Clibadium rotundifolium</i> DC.	J. G. Baker (et E. Warming)		<i>Clibadium armani</i> (Balb.) Sch.Bip. ex O.E.Schulz	shrub	0
<i>Conyzia chilensis</i> Spreng.	J. G. Baker (et E. Warming)		<i>Conyzia primulifolia</i> (Lam.) Cuatrec. & Lourteig	shrub	0
<i>Conyzia rivularis</i> Gardn.	J. G. Baker (et E. Warming)		<i>Exostigma rivulare</i> (Gardner) G.Sancho	herb	0
<i>Cosmos caudatus</i> H.B.K.	J. G. Baker (et E. Warming)		<i>Cosmos caudatus</i> Kunth	herb	0
<i>Echinocephalum latifolium</i> Gardn.	J. G. Baker (et E. Warming)		<i>Melanthera latifolia</i> (Gardner) Cabrera	shrub	0
<i>Eclipta alba</i> Hassk	J. G. Baker (et E. Warming)		<i>Eclipta prostrata</i> (L.) L.	herb	4
<i>Elephantopus elongatus</i> Gardn.	J. G. Baker (et E. Warming)		<i>Elephantopus elongatus</i> Gardner	shrub	0
<i>Elephantopus micropappus</i> Less.	J. G. Baker (et E. Warming)		<i>Elephantopus micropappus</i> Less.	herb	0
<i>Elephantopus scaber tomentosa</i> Schultz-Bip	J. G. Baker (et E. Warming)		<i>Elephantopus mollis</i> Kunth	herb	0
<i>Erechtites hieracifolia</i> Raf.	J. G. Baker (et E. Warming)		<i>Erechtites hieracifolius</i> (L.) Raf. ex DC.	shrub	3
<i>Erechtites ignobilis</i> (Sch. Bip.) Baker	J. G. Baker (et E. Warming)		<i>Erechtites ignobilis</i> Baker	shrub	0
<i>Erechtites valerianifolia</i> DC.	J. G. Baker (et E. Warming)		<i>Erechtites valerianifolius</i> (Wolf) DC.	herb	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Eremanthus glomerulatus</i> Less.	J. G. Baker (et E. Warming)		<i>Eremanthus glomerulatus</i> Less.	tree	1
<i>Eremanthus plantaginifolius</i> (Less.) Baker	J. G. Baker (et E. Warming)		<i>Chresta plantaginifolia</i> (Less.) Gardner	shrub	0
<i>Eremanthus sphaerocephalus</i> (DC.) Baker	J. G. Baker (et E. Warming)		<i>Chresta sphaerocephala</i> DC.	shrub	2
<i>Erigeron bonariensis</i> L.	J. G. Baker (et E. Warming)		<i>Conyza bonariensis</i> (L.) Cronquist	herb	1
<i>Erigeron maximus</i> Link et Otto	J. G. Baker (et E. Warming)		<i>Leptostelma maximum</i> D.Don	herb	0
<i>Eupatorium amygdalium elegans</i> (Gardn) Baker	J. G. Baker (et E. Warming)		<i>Ayapana amygdalina</i> (Lam.) R.M.King & H.Rob.	shrub	0
<i>Eupatorium amygdalium</i> Lam.	J. G. Baker (et E. Warming)		<i>Ayapana amygdalina</i> (Lam.) R.M.King & H.Rob.	shrub	0
<i>Eupatorium amygdalium oxichaena</i> (DC.) Baker	J. G. Baker (et E. Warming)		<i>Ayapana amygdalina</i> (Lam.) R.M.King & H.Rob.	shrub	0
<i>Eupatorium asperrimum</i> Sch.-Bip.	J. G. Baker (et E. Warming)		<i>Chromolaena asperrima</i> (Sch.Bip. ex Baker) R.M.King & H.Rob.	shrub	0
<i>Eupatorium betonicaefforme hastata</i> (DC.) Baker	J. G. Baker (et E. Warming)		<i>Barrosoa betonicaeformis</i> (DC.) R.M. King & H. Rob.	herb	0
<i>Eupatorium bracteatum</i> Gargn.	J. G. Baker (et E. Warming)		<i>Stomatianthes pernambucensis</i> (B.L.Rob.) R.M.King & H.Rob.	shrub	0
<i>Eupatorium bracteatum pinnatifida</i> Baker	J. G. Baker (et E. Warming)		<i>Stomatianthes pernambucensis</i> (B.L.Rob.) R.M.King & H.Rob.	shrub	0
<i>Eupatorium burchellii</i> Baker	J. G. Baker (et E. Warming)	Warming, C	<i>Campuloclinium burchellii</i> (Baker) R.M.King & H.Rob.	shrub	0
<i>Eupatorium capillare</i> (DC.) Baker	J. G. Baker (et E. Warming)		<i>Praxelis capillaris</i> (DC.) Sch.Bip.	herb	0
<i>Eupatorium chlorolepis</i> Baker	J. G. Baker (et E. Warming)		<i>Campuloclinium chlorolepis</i> (Baker) R.M.King & H.Rob.	shrub	0
<i>Eupatorium cinereo-viride</i> Sch.-Bip.	J. G. Baker (et E. Warming)		<i>Chromolaena cinereoviridis</i> (Sch.Bip. ex Baker) R.M.King & H.Rob.	shrub	0
<i>Eupatorium consanguineum inaequalis</i> Baker	J. G. Baker (et E. Warming)		<i>Koanophyllum consanguineum</i> (DC.) R.M.King & H.Rob.	shrub	0
<i>Eupatorium conyzoides maximiliani</i> Vahl	J. G. Baker (et E. Warming)		<i>Chromolaena maximilianii</i> (Schrad.ex DC.)R.M.King & H.Rob.	shrub	0
<i>Eupatorium cryptanthum</i> Sch.-Bip.	J. G. Baker (et E. Warming)	Warming, C	<i>Chromolaena cryptantha</i> (Sch.Bip. ex Baker) R.M.King & H.Rob.	shrub	0
<i>Eupatorium dendroides</i> Spreng.	J. G. Baker (et E. Warming)		<i>Ageratina dendroides</i> (Spreng.) R.M.King & H.Rob.	shrub	0
<i>Eupatorium dentatum</i> Gardn.	J. G. Baker (et E. Warming)		<i>Stomatianthes dentatus</i> (Gardner) H.Rob.	shrub	1
<i>Eupatorium dictyophyllum</i> DC.	J. G. Baker (et E. Warming)		<i>Stomatianthes dictyophyllum</i> (DC.) R.M.King & H.Rob.	shrub	1
<i>Eupatorium dimorpholepis</i> Baker	J. G. Baker (et E. Warming)	Warming, C	<i>Grazielia dimorpholepis</i> (Baker) R.M.King & H.Rob.	shrub	0
<i>Eupatorium gaudichaudianum</i> DC.	J. G. Baker (et E. Warming)		<i>Grazielia gaudichaudiana</i> (DC.) R.M.King & H.Rob.	shrub	0
<i>Eupatorium guadalupense laxa</i> Spreng.	J. G. Baker (et E. Warming)		<i>Fleischmannia laxa</i> (Gardner) R.M.King & H.Rob.	herb	0
<i>Eupatorium guadalupense</i> Spreng.	J. G. Baker (et E. Warming)		<i>Fleischmannia microstemon</i> (Cass.) R.M.King & H.Rob.	herb	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Eupatorium halimifolium</i> DC.	J. G. Baker (et E. Warming)		<i>Disynaphia halimifolia</i> (DC.) R.M.King & H.Rob.	shrub	1
<i>Eupatorium hirsutum</i> Gardn.	J. G. Baker (et E. Warming)		<i>Campuloclinium hirsutum</i> Gardner	shrub	0
<i>Eupatorium horminoides</i> (DC.) Baker	J. G. Baker (et E. Warming)		<i>Chromolaena horminoides</i> DC.	shrub	0
<i>Eupatorium horminoides calamocephala</i> (DC.) Baker	J. G. Baker (et E. Warming)		<i>Chromolaena horminoides</i> DC.	shrub	0
<i>Eupatorium intermedium</i> DC.	J. G. Baker (et E. Warming)		<i>Grazielia intermedia</i> (DC.) R.M.King & H.Rob.	shrub	0
<i>Eupatorium ivaefolium extrossa</i> (Sch.-Bip.) Baker	J. G. Baker (et E. Warming)		<i>Chromolaena ivaefolia</i> (L.) R.M.King & H.Rob.	shrub	0
<i>Eupatorium ivaefolium</i> L.	J. G. Baker (et E. Warming)		<i>Chromolaena ivaefolia</i> (L.) R.M.King & H.Rob.	shrub	0
<i>Eupatorium kleiniodes</i> H. B. K.	J. G. Baker (et E. Warming)		<i>Praxelis kleiniodes</i> (Kunth) Sch. Bip.	herb	1
<i>Eupatorium laevigatum</i> Lam.	J. G. Baker (et E. Warming)		<i>Chromolaena laevigata</i> (Lam.) R.M.King & H.Rob.	shrub	0
<i>Eupatorium lupulinum</i> Baker	J. G. Baker (et E. Warming)		<i>Chromolaena epaleacea</i> Gardner	shrub	0
<i>Eupatorium megacephalum</i> Mart.	J. G. Baker (et E. Warming)	Warming, P	<i>Campuloclinium megacephalum</i> (Mart. ex Baker) R.M.King & H.Rob.	shrub	0
<i>Eupatorium monardifolium</i> Walp.	J. G. Baker (et E. Warming)		<i>Austroeupatorium silphiifolium</i> (Mart.) R.M.King & H.Rob.	shrub	0
<i>Eupatorium oblongifolium</i> (Spreng) Baker (?)	J. G. Baker (et E. Warming)		<i>Stomatianthes oblongifolius</i> (Spreng.) H.Rob.	shrub	0
<i>Eupatorium organense</i> Gardn.	J. G. Baker (et E. Warming)		<i>Barrosoa organensis</i> (Gardner) R.M.King & H.Rob.	shrub	0
<i>Eupatorium oxylepis</i> DC.	J. G. Baker (et E. Warming)		<i>Chromolaena oxylepis</i> (DC.) R.M.King & H.Rob.	shrub	0
<i>Eupatorium pallescens</i> DC.	J. G. Baker (et E. Warming)		<i>Austroeupatorium inulaefolium</i> (Kunth) R.M.King & H.Rob.	shrub	1
<i>Eupatorium pictum</i> Gardn.	J. G. Baker (et E. Warming)		<i>Chromolaena picta</i> (Gardner) R.M.King & H.Rob.	shrub	0
<i>Eupatorium purpurascens</i> Sch.-Bip.	J. G. Baker (et E. Warming)		<i>Campuloclinium purpurascens</i> (Sch.Bip. ex Baker) R.M.King & H.Rob.	shrub	0
<i>Eupatorium pyrifolium</i> DC.	J. G. Baker (et E. Warming)		<i>Steyermarkina pyrifolia</i> (DC.) R.M.King & H.Rob.	vine	0
<i>Eupatorium riedelii</i> Baker	J. G. Baker (et E. Warming)	Warming, C	<i>Campuloclinium riedelii</i> (Baker) R.M.King & H.Rob.	shrub	0
<i>Eupatorium sphaerocephalum</i> Sch.-Bip.	J. G. Baker (et E. Warming)		<i>Sphaereupatorium scandens</i> (Gardner) R.M.King & H.Rob.	shrub	0
<i>Eupatorium squalidum caleoides</i> (Sch.-Bip.) Baker	J. G. Baker (et E. Warming)		<i>Chromolaena squalida</i> (DC.) R.M.King & H.Rob.	shrub	3
<i>Eupatorium squalidum</i> DC.	J. G. Baker (et E. Warming)		<i>Chromolaena squalida</i> (DC.) R.M.King & H.Rob.	shrub	3
<i>Eupatorium squalidum subvelutina</i> (DC.) Baker	J. G. Baker (et E. Warming)		<i>Chromolaena squalida</i> (DC.) R.M.King & H.Rob.	shrub	3
<i>Eupatorium stachyophyllum</i> Spreng.	J. G. Baker (et E. Warming)		<i>Chromolaena stachyophylla</i> (Spreng.) R.M.King & H.Rob.	shrub	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Eupatorium steviifolium laetevirens</i> (Hook. et Arn.) Baker	J. G. Baker (et E. Warming)		<i>Hatschbachiella tweedieana</i> (Hook. & Arn.) R.M. King & H. Rob.	shrub	0
<i>Eupatorium trigonum</i> Gardn.	J. G. Baker (et E. Warming)		<i>Stomatianthes trigonus</i> (Gardner) H.Rob.	shrub	0
<i>Eupatorium trixoides</i> Mart.	J. G. Baker (et E. Warming)	Warming, NY	<i>Ayapanopsis oblongifolia</i> (Gardner) R.M.King & H.Rob.	shrub	0
<i>Eupatorium vauthierianum</i> DC.	J. G. Baker (et E. Warming)		<i>Heterocondylus alatus</i> (Vell.) R.M.King & H.Rob.	shrub	0
<i>Eupatorium vauthierianum trichotomum</i> (Sch.- Bip.) Baker	J. G. Baker (et E. Warming)	Warming, C	<i>Heterocondylus alatus</i> (Vell.) R.M.King & H.Rob.	shrub	0
<i>Eupatorium vindex</i> DC.	J. G. Baker (et E. Warming)		<i>Chromolaena vindex</i> (DC.) R.M.King & H.Rob.	shrub	0
<i>Eupatorium vitalbae</i> DC.	J. G. Baker (et E. Warming)		<i>Heterocondylus vitalbae</i> (DC.) R.M.King & H.Rob.	shrub	1
<i>Eupatorium warmingii</i> Baker	J. G. Baker (et E. Warming)	Warming, C	<i>Stomatianthes warmingii</i> (Baker) H.Rob.	shrub	1
<i>Gnaphalium cheiranthifolium gaudichaudianum</i>	J. G. Baker (et E. Warming)		<i>Pseudognaphalium gaudichaudianum</i> (DC.) Anderb.	herb	0
<i>Gnaphalium indicum</i> (Linn)	J. G. Baker (et E. Warming)		<i>Gnaphalium polycaulon</i> Pers.	herb	0
<i>Gnaphalium purpureum filagineum</i> (DC.)	J. G. Baker (et E. Warming)		<i>Gamochaeta purpurea</i> (L.) Cabrera	herb	1
<i>Gnaphalium purpureum spathulatum</i> (Lam.)	J. G. Baker (et E. Warming)		<i>Gamochaeta pensylvanica</i> (Willd.) Cabrera	herb	0
<i>Gnaphalium purpureum spicatum</i> (Lam.) Baker	J. G. Baker (et E. Warming)		<i>Gamochaeta purpurea</i> (L.) Cabrera	herb	1
<i>Hieracium warmingii</i> (Sch. Bip.) Baker	J. G. Baker (et E. Warming)	Warming, P	<i>Hieracium warmingii</i> Baker	herb	0
<i>Ichthyothere cunabi</i> Mart.	J. G. Baker (et E. Warming)		<i>Ichthyothere terminalis</i> (Spreng.) S.F. Blake	herb	0
<i>Ichthyothere rufa</i> Gardn.	J. G. Baker (et E. Warming)		<i>Ichthyothere rufa</i> Gardner	herb	0
<i>Ichthyothere ternifolia</i> Baker	J. G. Baker (et E. Warming)	Warming, C	<i>Ichthyothere ternifolia</i> Baker	herb	0
<i>Isostigma peucedanifolium</i> Less.	J. G. Baker (et E. Warming)		<i>Isostigma peucedanifolium</i> (Spreng.) Less.	herb	3
<i>Jaegeria hirta glabra</i> Baker	J. G. Baker (et E. Warming)		<i>Jaegeria hirta</i> (Lag.) Less.	herb	0
<i>Jaegeria hirta</i> Less.	J. G. Baker (et E. Warming)		<i>Jaegeria hirta</i> (Lag.) Less.	herb	0
<i>Jungia floribunda</i> Less.	J. G. Baker (et E. Warming)		<i>Jungia floribunda</i> Less.	shrub	0
<i>Kanimia oblongifolia</i> (DC.) Baker	J. G. Baker (et E. Warming)		<i>Mikania oblongifolia</i> DC.	shrub	2
<i>Leucopsis scaposa</i> (DC.) Baker	J. G. Baker (et E. Warming)		<i>Inulopsis scaposa</i> (DC.) O.Hoffm.	herb	0
<i>Leucopsis tweediei</i> (Hook et Arn.) Baker	J. G. Baker (et E. Warming)		<i>Leptostelma tweediei</i> (Hook. & Arn.) D.J.N.Hind & G.L.Nesom	herb	0
<i>Leucopsis tweediei pilosa</i> (Hook et Arn.) Baker	J. G. Baker (et E. Warming)		<i>Leptostelma tweediei</i> (Hook. & Arn.) D.J.N.Hind & G.L.Nesom	herb	0
<i>Melampodium divaricatum</i> DC.	J. G. Baker (et E. Warming)		<i>Melampodium divaricatum</i> (Rich. ex Pers.) DC.	shrub	0
<i>Mikania abtusata</i> DC.	J. G. Baker (et E. Warming)		<i>Mikania obtusata</i> DC.	shrub	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Mikania argyreiae</i> DC.	J. G. Baker (et E. Warming)		<i>Mikania argyreiae</i> DC.	vine	0
<i>Mikania argyropappa</i> Schultz - Bip.	J. G. Baker (et E. Warming)	Warming, C	<i>Mikania argyropappa</i> Sch.Bip. ex Baker	vine	0
<i>Mikania cordifolia</i> Willd.	J. G. Baker (et E. Warming)		<i>Mikania cordifolia</i> (L.f.) Willd.	vine	0
<i>Mikania glomerata</i> Spreng	J. G. Baker (et E. Warming)		<i>Mikania glomerata</i> Spreng.	vine	0
<i>Mikania hirsutissima</i> DC.	J. G. Baker (et E. Warming)		<i>Mikania hirsutissima</i> DC.	vine	0
<i>Mikania laevis</i> DC.	J. G. Baker (et E. Warming)		<i>Mikania trinervis</i> Hook. & Arn.	vine	0
<i>Mikania ligustrifolia</i> DC.	J. G. Baker (et E. Warming)		<i>Mikania ligustrifolia</i> DC.	vine	0
<i>Mikania linearifolia</i> DC.	J. G. Baker (et E. Warming)		<i>Mikania linearifolia</i> DC.	shrub	0
<i>Mikania microcephala</i> DC.	J. G. Baker (et E. Warming)		<i>Mikania microcephala</i> DC.	shrub	1
<i>Mikania microdonta</i> DC.	J. G. Baker (et E. Warming)		<i>Mikania microdonta</i> DC.	vine	0
<i>Mikania nummularia</i> DC.	J. G. Baker (et E. Warming)		<i>Mikania nummularia</i> DC.	shrub	0
<i>Mikania officinalis</i> DC.	J. G. Baker (et E. Warming)		<i>Mikania officinalis</i> Mart.	shrub	0
<i>Mikania paniculata melastomifolia</i> Sch.-Bip	J. G. Baker (et E. Warming)	Warming, C	<i>Mikania paniculata</i> DC.	vine	0
<i>Mikania pilosa</i> Baker	J. G. Baker (et E. Warming)	Warming, C	<i>Mikania pilosa</i> Baker	vine	0
<i>Mikania pohliana</i> Sch.-Bip.	J. G. Baker (et E. Warming)		<i>Mikania pohliana</i> Sch.Bip. ex Baker	vine	1
<i>Mikania psilostachya</i> DC.	J. G. Baker (et E. Warming)		<i>Mikania psilostachya</i> DC.	vine	0
<i>Mikania retifolia</i> Sch.-Bip.	J. G. Baker (et E. Warming)	Warming, C	<i>Mikania retifolia</i> Sch.Bip.	vine	0
<i>Mikania salviifolia</i> Gard.	J. G. Baker (et E. Warming)		<i>Mikania salviifolia</i> Gardner	vine	2
<i>Mikania scandens cynanchifolia</i> (Hook. et Arn.) Baker	J. G. Baker (et E. Warming)		<i>Mikania cynanchifolia</i> Hook. & Arn. ex B.L.Rob.	vine	0
<i>Mikania scandens subcymosa</i> (Gardn.) Baker	J. G. Baker (et E. Warming)		<i>Mikania micrantha</i> Kunth	vine	0
<i>Mikania scandens typica</i> Willd.	J. G. Baker (et E. Warming)		<i>Mikania microptera</i> DC.	vine	0
<i>Mikania sessilifolia</i> DC.	J. G. Baker (et E. Warming)		<i>Mikania sessilifolia</i> DC.	shrub	1
<i>Mikania smilacina</i> DC.	J. G. Baker (et E. Warming)		<i>Mikania smilacina</i> DC.	vine	0
<i>Mikania vismiifolia</i> DC.	J. G. Baker (et E. Warming)		<i>Mikania vismiifolia</i> DC.	vine	0
<i>Moquinia paniculata</i> DC.	J. G. Baker (et E. Warming)		<i>Moquiniastrum paniculatum</i> (Less.) G. Sancho	shrub	0
<i>Ophyrosporus freyreissii</i> (Thunb.) Baker	J. G. Baker (et E. Warming)		<i>Ophyrosporus freyreissii</i> (Thunb.) Baker	vine	0
<i>Pectis apodocephala</i> Baker	J. G. Baker (et E. Warming)		<i>Pectis brevipedunculata</i> (Gardner) Sch.Bip.	herb	0
<i>Piptocarpha leprosa</i> (Less.) Baker	J. G. Baker (et E. Warming)		<i>Piptocarpha leprosa</i> (Less.) Baker	shrub	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Piptocarpha macropoda</i> Baker	J. G. Baker (et E. Warming)		<i>Piptocarpha macropoda</i> (DC.) Baker	tree	0
<i>Piptocarpha rotundifolia</i> (Less.) Baker	J. G. Baker (et E. Warming)		<i>Piptocarpha rotundifolia</i> (Less.) Baker	tree	1
<i>Pluchea oblongifolia</i> DC.	J. G. Baker (et E. Warming)		<i>Pluchea oblongifolia</i> DC.	shrub	0
<i>Pluchea quitoec</i> DC.	J. G. Baker (et E. Warming)		<i>Pluchea sagittalis</i> (Lam.) Cabrera	shrub	0
<i>Podocoma bellidifolia</i> Baker	J. G. Baker (et E. Warming)	Warming, C	<i>Podocoma bellidifolia</i> Baker	shrub	0
<i>Polymnia siegesbeckia</i> DC.	J. G. Baker (et E. Warming)		<i>Smallanthus siegesbeckius</i> (DC.) H.Rob.	herb	0
<i>Porophyllum lineare</i> DC.	J. G. Baker (et E. Warming)		<i>Porophyllum lanceolatum</i> DC.	shrub	1
<i>Porophyllum martii</i> Baker	J. G. Baker (et E. Warming)		<i>Porophyllum lanceolatum</i> DC.	shrub	1
<i>Porophyllum ruderale</i> Cass.	J. G. Baker (et E. Warming)		<i>Porophyllum ruderale</i> (Jacq.) Cass.	herb	1
<i>Pterocaulon virgatum</i> DC.	J. G. Baker (et E. Warming)		<i>Pterocaulon virgatum</i> (L.) DC.	herb	0
<i>Riencourtia oblongifolia</i> Gardn.	J. G. Baker (et E. Warming)		<i>Riencourtia oblongifolia</i> Gardner	herb	1
<i>Salmeopsis claussenii</i> Bth.	J. G. Baker (et E. Warming)		<i>Salmea scandens</i> (L.) DC.	shrub	0
<i>Senecio brasiliensis</i> Less.	J. G. Baker (et E. Warming)		<i>Senecio brasiliensis</i> (Spreng.) Less.	shrub	0
<i>Senecio goyazensis</i> Gardn.	J. G. Baker (et E. Warming)		<i>Erechtites goyazensis</i> (Gardner) Cabrera	shrub	0
<i>Senecio pohlii</i> Sch.-Bip.	J. G. Baker (et E. Warming)		<i>Senecio pohlii</i> Sch.Bip. ex Baker	shrub	0
<i>Senecio trixoides</i> Gardn.	J. G. Baker (et E. Warming)		<i>Hoehnephytum trixoides</i> (Gardner) Cabrera	shrub	0
<i>Solidago microglossa</i> DC. (?)	J. G. Baker (et E. Warming)		<i>Solidago chilensis</i> Meyen	shrub	0
<i>Spilanthes acmella</i> L.	J. G. Baker (et E. Warming)		<i>Acmella uliginosa</i> (Sw.) Cass.	herb	0
<i>Spilanthes acmella uliginosa</i> Jacq.	J. G. Baker (et E. Warming)		<i>Acmella uliginosa</i> (Sw.) Cass.	herb	0
<i>Spilanthes arnicoides macropoda</i> DC.	J. G. Baker (et E. Warming)		<i>Acmella bellidioides</i> (Sm.) R.K.Jansen	herb	1
<i>Spilanthes urens</i> Jacq.	J. G. Baker (et E. Warming)		<i>Spilanthes urens</i> Jacq.	herb	1
<i>Stevia claussenii</i> Schultz - Bip.	J. G. Baker (et E. Warming)		<i>Stevia claussenii</i> Sch.Bip. ex Baker	shrub	0
<i>Stevia collina</i> Gardn.	J. G. Baker (et E. Warming)		<i>Stevia collina</i> Gardner	shrub	0
<i>Stevia heptachaeta</i> DC.	J. G. Baker (et E. Warming)		<i>Stevia heptachaeta</i> DC.	herb	0
<i>Stevia menthaefolia</i> Schultz - Bip.	J. G. Baker (et E. Warming)		<i>Stevia menthaefolia</i> Sch.Bip.	shrub	0
<i>Stevia veronicae</i> DC.	J. G. Baker (et E. Warming)		<i>Stevia veronicae</i> DC.	shrub	0
<i>Stiftia parviflora</i> D. Don	J. G. Baker (et E. Warming)		<i>Stiftia parviflora</i> (Leandro) D.Don	tree	0
<i>Sympyopappus polystachyus</i> (DC.) Baker	J. G. Baker (et E. Warming)		<i>Sympyopappus compressus</i> (Gardner) B.L.Rob.	shrub	0
<i>Sympyopappus reticulatus</i> Baker	J. G. Baker (et E. Warming)		<i>Sympyopappus reticulatus</i> Baker	shrub	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Sympyopappus reticulatus itacolumensis</i> Sch.- Bip.	J. G. Baker (et E. Warming)		<i>Sympyopappus reticulatus</i> Baker	shrub	0
<i>Tagetes erecta</i> L.	J. G. Baker (et E. Warming)		<i>Tagetes erecta</i> L.	herb	0
<i>Tagetes minuta</i> L.	J. G. Baker (et E. Warming)		<i>Tagetes minuta</i> L.	herb	1
<i>Trichogonia hirtiflora</i> Schultz - Bip.	J. G. Baker (et E. Warming)		<i>Trichogonia hirtiflora</i> (DC.) Sch.Bip. ex Baker	shrub	0
<i>Trichogonia salviifolia</i> Gardn.	J. G. Baker (et E. Warming)		<i>Trichogonia salviifolia</i> Gardner	shrub	1
<i>Trixis divaricata</i> Spreng.	J. G. Baker (et E. Warming)		<i>Trixis antimenorrhoea</i> (Schrank) Mart. ex Kuntze	shrub	0
<i>Trixis glaberrima</i> Less.	J. G. Baker (et E. Warming)		<i>Trixis nobilis</i> (Vell.) Katinas	shrub	0
<i>Trixis glutinosa</i> T. G. Don	J. G. Baker (et E. Warming)		<i>Trixis glutinosa</i> D.Don	shrub	0
<i>Trixis ophiorhiza</i> Gardn.	J. G. Baker (et E. Warming)		<i>Trixis ophiorhiza</i> Gardner	shrub	0
<i>Trixis spicata</i> Gardn.	J. G. Baker (et E. Warming)		<i>Trixis spicata</i> Gardner	shrub	0
<i>Trixis verbasciformis</i> Less.	J. G. Baker (et E. Warming)		<i>Trixis nobilis</i> (Vell.) Katinas	shrub	0
<i>Vanillosmopsis polyccephala</i> Schults. - Bip.	J. G. Baker (et E. Warming)		<i>Eremanthus polyccephalus</i> (DC.) MacLeish	tree	2
<i>Vernonia ammophila</i> Gardn.	J. G. Baker (et E. Warming)		<i>Lessingianthus ammophilus</i> (Gardner) H.Rob.	tree	0
<i>Vernonia argyrophylla</i> Less.	J. G. Baker (et E. Warming)		<i>Lessingianthus argyrophyllus</i> (Less.) H.Rob.	tree	0
<i>Vernonia argyrotrichia</i> Schultz. - Bip.	J. G. Baker (et E. Warming)		<i>Lepidaploa argyrotricha</i> (Sch.Bip. ex Baker) H.Rob.	shrub	0
<i>Vernonia barbata</i> Less.	J. G. Baker (et E. Warming)		<i>Lepidaploa barbata</i> (Less.) H.Rob.	shrub	0
<i>Vernonia bardanoides</i> Less.	J. G. Baker (et E. Warming)		<i>Lessingianthus bardanoides</i> (Less.) H.Rob.	shrub	0
<i>Vernonia brevipetiolata</i> Schultz. - Bip.	J. G. Baker (et E. Warming)	Warming, C	<i>Lessingianthus brevipetiolatus</i> (Sch.Bip. ex Baker) H.Rob.	shrub	1
<i>Vernonia buddleiaeefolia</i> Mart.	J. G. Baker (et E. Warming)		<i>Lessingianthus buddleiifolius</i> (Mart. ex DC.) H.Rob.	shrub	0
<i>Vernonia coriacea</i> Less.	J. G. Baker (et E. Warming)		<i>Lessingianthus coriaceus</i> (Less.) H.Rob.	shrub	1
<i>Vernonia desertorum campestris</i> (DC.) Baker	J. G. Baker (et E. Warming)		<i>Chrysolaena desertorum</i> (Mart. ex DC.) Dematt.	herb	1
<i>Vernonia desertorum</i> Mart.	J. G. Baker (et E. Warming)		<i>Chrysolaena desertorum</i> (Mart. ex DC.) Dematt.	herb	1
<i>Vernonia diffusa</i> Less.	J. G. Baker (et E. Warming)		<i>Vernonanthura divaricata</i> (Spreng.) H.Rob.	tree	0
<i>Vernonia dura</i> Mart.	J. G. Baker (et E. Warming)		<i>Lessingianthus durus</i> (Mart. ex DC.) H.Rob.	shrub	1
<i>Vernonia echitifolia</i> Mart.	J. G. Baker (et E. Warming)		<i>Acilepidopsis echitifolia</i> (Mart. ex DC.) H.Rob.	shrub	0
<i>Vernonia elegans</i> Gardn.	J. G. Baker (et E. Warming)		<i>Lessingianthus elegans</i> (Gardner) H.Rob.	shrub	2
<i>Vernonia ferruginea</i> Less.	J. G. Baker (et E. Warming)		<i>Vernonanthura ferruginea</i> (Less.) H.Rob.	shrub	1
<i>Vernonia glomerata</i> Baker	J. G. Baker (et E. Warming)	Warming, C	<i>Lessingianthus bakerianus</i> Dematt.	shrub	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Vernonia griseola</i> Baker	J. G. Baker (et E. Warming)	Warming, C	<i>Vernonanthura ferruginea</i> (Less.) H.Rob.	shrub	1
<i>Vernonia ignobilis</i> Less.	J. G. Baker (et E. Warming)		<i>Vernonanthura ignobilis</i> (Less.) H.Rob.	shrub	0
<i>Vernonia lacunosa</i> Mart.	J. G. Baker (et E. Warming)		<i>Lessingianthus lacunosus</i> (Mart. ex DC.) H.Rob.	shrub	0
<i>Vernonia lindbergii vestita</i> Baker	J. G. Baker (et E. Warming)	Warming, C	<i>Vernonanthura lindbergii</i> (Baker) H.Rob.	shrub	2
<i>Vernonia linearis</i> Spreng	J. G. Baker (et E. Warming)		<i>Lessingianthus linearis</i> (Spreng.) H.Rob.	shrub	0
<i>Vernonia macrophylla</i> Less.	J. G. Baker (et E. Warming)		<i>Lessingianthus macrophyllus</i> (Less.) H.Rob.	shrub	0
<i>Vernonia megapotamica</i> Spreng	J. G. Baker (et E. Warming)		<i>Stenocephalum megapotamicum</i> (Spreng.) Sch.Bip.	shrub	1
<i>Vernonia missionis</i> Gard.	J. G. Baker (et E. Warming)		<i>Vernonanthura cymosa</i> (Vell.) H.Rob.	shrub	0
<i>Vernonia mucronulata</i> Less.	J. G. Baker (et E. Warming)		<i>Vernonanthura mucronulata</i> (Less.) H.Rob.	shrub	0
<i>Vernonia muricata</i> DC.	J. G. Baker (et E. Warming)		<i>Lepidaploa muricata</i> (DC.) H.Rob.	shrub	0
<i>Vernonia obovata</i> Less.	J. G. Baker (et E. Warming)		<i>Chrysolaena obovata</i> (Less.) Dematt.	herb	5
<i>Vernonia obtusata ensifolia</i> Mart.	J. G. Baker (et E. Warming)		<i>Lessingianthus obtusatus</i> (Less.) H.Rob.	shrub	0
<i>Vernonia onopordoides</i> Baker	J. G. Baker (et E. Warming)		<i>Lessingianthus onopordoides</i> (Baker) H.Rob.	shrub	0
<i>Vernonia polyanthes</i> Less.	J. G. Baker (et E. Warming)		<i>Vernonanthura phosphorica</i> (Vell.) H.Rob.	shrub	2
<i>Vernonia remotiflora tricholepis</i> Baker	J. G. Baker (et E. Warming)		<i>Lepidaploa remotiflora</i> (Rich.) H.Rob.	herb	2
<i>Vernonia riedelii</i> Schultz. - Bip.	J. G. Baker (et E. Warming)		<i>Lepidaploa eriolepis</i> (Gardner) H.Rob.	shrub	0
<i>Vernonia rosea</i> Mart.	J. G. Baker (et E. Warming)		<i>Lessingianthus roseus</i> (Mart. ex DC.) H.Rob.	shrub	0
<i>Vernonia rubricaulis</i> H. B. K.	J. G. Baker (et E. Warming)		<i>Lessingianthus rubricaulis</i> (Humb. & Bonpl.) H.Rob.	shrub	0
<i>Vernonia ruficoma</i> Schlechtd.	J. G. Baker (et E. Warming)		<i>Vernonanthura membranacea</i> (Gardner) H.Rob.	shrub	0
<i>Vernonia salzmanni</i> DC.	J. G. Baker (et E. Warming)		<i>Lepidaploa salzmannii</i> (DC.) H.Rob.	shrub	0
<i>Vernonia scorpioides</i> Pers.	J. G. Baker (et E. Warming)		<i>Cyrtocymura scorpioides</i> (Lam.) H.Rob.	shrub	1
<i>Vernonia serrata</i> Less.	J. G. Baker (et E. Warming)		<i>Dasyanthina serrata</i> (Less.) H.Rob.	shrub	0
<i>Vernonia simplex</i> Less.	J. G. Baker (et E. Warming)		<i>Chrysolaena simplex</i> (Less.) Dematt.	herb	2
<i>Vernonia squarrosa</i> Less.	J. G. Baker (et E. Warming)		<i>Lessingianthus plantaginodes</i> (Kuntze) H.Rob.	shrub	0
<i>Vernonia stricta</i> Gard.	J. G. Baker (et E. Warming)		<i>Echinocoryne stricta</i> (Gardner) H.Rob.	shrub	0
<i>Vernonia thyrsoidea</i> Baker	J. G. Baker (et E. Warming)	Warming, C	<i>Vernonanthura cuneifolia</i> (Gardner) H.Rob.	shrub	0
<i>Vernonia varroniaeifolia</i> DC.	J. G. Baker (et E. Warming)		<i>Lessingianthus varroniifolius</i> (DC.) H.Rob.	shrub	0
<i>Vernonia vestita</i> Baker	J. G. Baker (et E. Warming)	Warming, C	<i>Lessingianthus vestitus</i> (Baker) H.Rob.	shrub	0
<i>Vernonia virgulata</i> Mart.	J. G. Baker (et E. Warming)		<i>Lessingianthus virgulatus</i> (Mart. ex DC.) H.Rob.	shrub	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Vernonia viscidula</i> Less.	J. G. Baker (et E. Warming)		<i>Vernonanthura viscidula</i> (Less.) H.Rob.	shrub	0
<i>Vernonia warmingiana</i> Baker	J. G. Baker (et E. Warming)	Warming, C	<i>Lessingianthus warmingianus</i> (Baker) H.Rob.	shrub	0
<i>Viguiera dissitifolia</i> Baker	J. G. Baker (et E. Warming)		<i>Aldama anchusifolia</i> (DC.) E.E.Schill. & Panero	shrub	0
<i>Viguiera robusta</i> Gardn.	J. G. Baker (et E. Warming)		<i>Aldama robusta</i> (Gardner) E.E.Schill. & Panero	shrub	0
<i>Wedelia macrodonta</i> DC.	J. G. Baker (et E. Warming)		<i>Wedelia macrodonta</i> DC.	shrub	0
<i>Wedelia modesta</i> Baker	J. G. Baker (et E. Warming)	Warming, C	<i>Wedelia modesta</i> Baker	herb	0
<i>Wedelia pilosa</i> Baker	J. G. Baker (et E. Warming)	Warming, C	<i>Sphagneticola brachycarpa</i> (Baker) Pruski	herb	0
<i>Wedelia puberula</i> DC.	J. G. Baker (et E. Warming)		<i>Wedelia puberula</i> DC.	shrub	0
<i>Wulffia stenoglossa</i> DC.	J. G. Baker (et E. Warming)		<i>Tilesia baccata</i> (L.f.) Pruski	shrub	2
<i>Xanthium spinosum</i> L.	J. G. Baker (et E. Warming)		<i>Xanthium spinosum</i> L.	herb	0
<i>Xanthium strumarium</i> L.	J. G. Baker (et E. Warming)		<i>Xanthium strumarium</i> L.	shrub	1
<i>Zinnia multiflora</i> L.	J. G. Baker (et E. Warming)		<i>Zinnia elegans</i> L.	herb	0
Balanophoraceae					
<i>Langsdorffia hypogaea</i> Mart.	E. Warming		<i>Langsdorffia hypogaea</i> Mart.	herb	0
Basellaceae					
<i>Boussingaultia gracilis</i> Miers.	E. Warming		<i>Anredera cordifolia</i> (Ten.) Steenis	vine	0
Begoniaceae					
<i>Begonia cucullata</i> Wild.	E. Warming		<i>Begonia cucullata</i> Willd.	herb	1
<i>Begonia lobata</i> Schott.	E. Warming		<i>Begonia rufa</i> Thunb.	shrub	0
<i>Begonia maculata</i> Raddi.	E. Warming		<i>Begonia maculata</i> Raddi	shrub	0
<i>Begonia uliginosa</i> Kal. Affin.	E. Warming		<i>Begonia fischeri</i> Schrank	shrub	0
<i>Begonia vitifolia</i> Schotte	E. Warming		<i>Begonia reniformis</i> Dryand.	shrub	0
Bignoniaceae					
<i>Adenocalymma bracteatum</i> DC.	Ed. Bureau		<i>Adenocalymma bracteatum</i> (Cham.) DC.	vine	0
<i>Adenocalymma longeracemosum trichocladum</i> Mart.	Ed. Bureau		<i>Adenocalymma trifoliatum</i> (Vell.) R.C.Laroche	vine	0
<i>Anemopaegma mirandum latifolium</i> DC.	Ed. Bureau		<i>Anemopaegma arvense</i> (Vell.) Stellfeld ex de Souza	shrub	2
<i>Anemopaegma mirandum petiolata</i> Bur.	Ed. Bureau	Warming, BR	<i>Anemopaegma arvense</i> (Vell.) Stellfeld ex de Souza	shrub	2
<i>Anemopaegma mirandum puberum</i> (DC.) Bur	Ed. Bureau		<i>Anemopaegma arvense</i> (Vell.) Stellfeld ex de Souza	shrub	2

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Anemopaegma mirandum sessifolium (Mart.) DC.</i>	Ed. Bureau		<i>Anemopaegma arvense</i> (Vell.) Stellfeld ex de Souza	shrub	2
<i>Anemopaegma mirandum verticillatum Bur.</i>	Ed. Bureau		<i>Anemopaegma arvense</i> (Vell.) Stellfeld ex de Souza	shrub	2
<i>Anemopaegma racemosum Mart.</i>	Ed. Bureau		<i>Anemopaegma chamberlainii</i> (Sims) Bureau & K.Schum.	vine	2
<i>Arrabidaea brachypoda acuminata Bur.</i>	Ed. Bureau		<i>Fridericia platyphylla</i> (Cham.) L.G.Lohmann	shrub	2
<i>Arrabidaea brachypoda attenuata Bur.</i>	Ed. Bureau		<i>Fridericia platyphylla</i> (Cham.) L.G.Lohmann	shrub	2
<i>Arrabidaea brachypoda cuneata Bur.</i>	Ed. Bureau		<i>Fridericia platyphylla</i> (Cham.) L.G.Lohmann	shrub	2
<i>Arrabidaea brachypoda firma Bur.</i>	Ed. Bureau		<i>Fridericia platyphylla</i> (Cham.) L.G.Lohmann	shrub	2
<i>Arrabidaea brachypoda firmula DC.</i>	Ed. Bureau		<i>Fridericia platyphylla</i> (Cham.) L.G.Lohmann	shrub	2
<i>Arrabidaea brachypoda rigida Bur.</i>	Ed. Bureau		<i>Fridericia platyphylla</i> (Cham.) L.G.Lohmann	shrub	2
<i>Arrabidaea claussenii DC.</i>	Ed. Bureau	Warming, C	<i>Fridericia claussenii</i> (DC.) L.G.Lohmann	vine	0
<i>Arrabidaea dichotoma (Vell.) Bur.</i>	Ed. Bureau		<i>Tanaecium selloi</i> (Spreng.) L.G.Lohmann	vine	0
<i>Arrabidaea subfastigiata Bur.</i>	Ed. Bureau	Warming, C	<i>Cuspidaria floribunda</i> (DC.) A.H.Gentry	vine	0
<i>Arrabidaea triplinervia (DC.) H.Bn.</i>	Ed. Bureau		<i>Fridericia triplinervia</i> (Mart. ex DC.) L.G.Lohmann	vine	1
<i>Bignonia exoleta Vell.</i>	Ed. Bureau		<i>Dolichandra unguis-cati</i> (L.) L.G.Lohmann	vine	1
<i>Clytostoma floridum Miers.</i>	Ed. Bureau		<i>Bignonia binata</i> Thunb.	vine	0
<i>Cremastus glutinosus (DC.) Miers</i>	Ed. Bureau		<i>Cuspidaria sceprium</i> (Cham.) L.G.Lohmann	vine	4
<i>Cremastus glutinosus angustifolius DC.</i>	Ed. Bureau		<i>Cuspidaria sceprium</i> (Cham.) L.G.Lohmann	vine	4
<i>Cremastus pulcher (Cham.) Bur</i>	Ed. Bureau		<i>Cuspidaria pulchra</i> (Cham.) L.G.Lohmann	shrub	1
<i>Cybistax antisiphilitica Mart.</i>	Ed. Bureau		<i>Cybistax antisiphilitica</i> (Mart.) Mart.	tree	0
<i>Distictis mansoana (DC.) Bur.</i>	Ed. Bureau		<i>Amphilophium mansoanum</i> (DC.) L.G.Lohmann	vine	0
<i>Fridericia speciosa Mart.</i>	Ed. Bureau		<i>Fridericia speciosa</i> Mart.	shrub	0
<i>Jacaranda brasiliiana Pers.</i>	Ed. Bureau		<i>Jacaranda brasiliiana</i> (Lam.) Pers.	tree	0
<i>Jacaranda caroba DC.</i>	Ed. Bureau		<i>Jacaranda caroba</i> (Vell.) DC.	shrub	1
<i>Jacaranda cuspidifolia Mart.</i>	Ed. Bureau		<i>Jacaranda cuspidifolia</i> Mart.	tree	0
<i>Jacaranda micrantha Cham.</i>	Ed. Bureau		<i>Jacaranda micrantha</i> Cham.	tree	0
<i>Jacaranda mimosifolia Don.</i>	Ed. Bureau		<i>Jacaranda mimosifolia</i> D.Don	tree	0
<i>Jacaranda paucifoliolata Mart.</i>	Ed. Bureau		<i>Jacaranda paucifoliolata</i> Mart. ex DC.	shrub	1
<i>Lundia nitidula DC.</i>	Ed. Bureau		<i>Lundia virginalis</i> DC.	vine	1
<i>Lundia obliqua Sonder.</i>	Ed. Bureau		<i>Lundia obliqua</i> Sond.	vine	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Memora laserpitifolia</i> (Mart.) Miers.	Ed. Bureau		<i>Adenocalymma pedunculatum</i> (Vell.) L.G.Lohmann	shrub	0
<i>Paragonia pyramidata</i> (Rich.) Bur.	Ed. Bureau		<i>Tanaecium pyramidatum</i> (Rich.) L.G.Lohmann	vine	0
<i>Petastoma formosum</i> Bur.	Ed. Bureau	Warming, MO	<i>Fridericia formosa</i> (Bureau) L.G.Lohmann	vine	0
<i>Petastoma samydoides</i> Miers.	Ed. Bureau		<i>Fridericia samydoides</i> (Cham.) L.G.Lohmann	vine	0
<i>Pleonotoma tetraquetra</i> Bur.	Ed. Bureau		<i>Pleonotoma tetraquetra</i> (Cham.) Bureau	vine	0
<i>Pyrostegia ignea</i> Presl.	Ed. Bureau		<i>Pyrostegia venusta</i> (Ker Gawl.) Miers	vine	1
<i>Sparattosperma lithontripticum</i> Mart.	Ed. Bureau		<i>Sparattosperma leucanthum</i> (Vell.) K.Schum.	tree	0
<i>Sparattosperma lithontripticum subtomentosum</i> Bur.	Ed. Bureau		<i>Sparattosperma leucanthum</i> (Vell.) K.Schum.	tree	0
<i>Stenolobium stans pinnatum</i> Seem.	Ed. Bureau		<i>Tecoma stans</i> (L.) Juss. ex Kunth	shrub	1
<i>Stizophyllum perforatum</i> (Cham.) Miers	Ed. Bureau		<i>Stizophyllum perforatum</i> (Cham.) Miers	vine	0
<i>Stizophyllum perforatum dentatum</i> (DC.) Bur	Ed. Bureau		<i>Stizophyllum perforatum</i> (Cham.) Miers	vine	0
<i>Stizophyllum perforatum physaloide</i> (Cham.) Bur	Ed. Bureau		<i>Stizophyllum perforatum</i> (Cham.) Miers	vine	0
<i>Tabebuia caraiba</i> (Mart.) Bur.	Ed. Bureau		<i>Tabebuia aurea</i> (Silva Manso) Benth. & Hook.f. ex S.Moore	tree	6
<i>Tecoma impetiginosa</i> Mart.	Ed. Bureau		<i>Handroanthus impetiginosus</i> (Mart. ex DC.) Mattos	tree	5
<i>Tecoma ochracea</i> Cham.	Ed. Bureau		<i>Handroanthus ochraceus</i> (Cham.) Mattos	tree	5
<i>Thecoma miriantha</i> (Cham.) DC.	Ed. Bureau		<i>Xylophragma myrianthum</i> (Cham. ex Steud.) Sprague	shrub	0
<i>Zeyheria montana</i> Mart.	Ed. Bureau		<i>Zeyheria montana</i> Mart.	tree	1
<i>Zeyheria tuberculosa</i> (Vell.) Bur.	Ed. Bureau		<i>Zeyheria tuberculosa</i> (Vell.) Bureau ex Verl.	tree	0
Bixaceae					
<i>Cochlospermum insigne</i> St. Hil.	A. W. Eichler		<i>Cochlospermum regium</i> (Mart. ex Schrank) Pilg.	shrub	2
Boraginaceae					
<i>Cordia calocephala</i> Cham.	E. Warming		<i>Varronia calocephala</i> (Cham.) Friesen	shrub	0
<i>Cordia campestris</i> Wrmg.	E. Warming	Warming, C	<i>Varronia campestris</i> (Warm.) Borhidi	shrub	0
<i>Cordia chamissoniana</i> Steud.	E. Warming		<i>Cordia trichotoma</i> (Vell.) Arráb. ex Steud.	tree	1
<i>Cordia coffeoides</i> Wrmg.	E. Warming	Warming, M	<i>Cordia ecalculata</i> Vell.	tree	0
<i>Cordia curassavica</i> Auctor.	E. Warming		<i>Varronia curassavica</i> Jacq.	shrub	2
<i>Cordia lapensis</i> Wrmg.	E. Warming	Warming, C	<i>Varronia polypephala</i> Lam.	shrub	0
<i>Cordia obscura</i> Cham.	E. Warming		<i>Cordia sellowiana</i> Cham.	tree	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Cordia salzmanni</i> DC.	E. Warming		<i>Varronia polyccephala</i> Lam.	shrub	0
<i>Cordia superba cuneata</i> Cham.	E. Warming		<i>Cordia superba</i> Cham.	tree	1
<i>Cordia urticifolia</i> Cham.	E. Warming		<i>Varronia urticifolia</i> (Cham.) J.S.Mill.	shrub	0
<i>Heliophytum elongatum</i> (Lehm) DC.	E. Warming		<i>Heliotropium elongatum</i> (Lehm.) I.M.Johnst.	shrub	0
<i>Heliophytum indicum</i> (Linn.) DC.	E. Warming		<i>Heliotropium indicum</i> L.	herb	0
<i>Heliophytum monostachyum</i> (Cham.) Alph. DC.	E. Warming		<i>Heliotropium transalpinum</i> Vell.	shrub	0
<i>Schleidenia claussenii</i> (Alph. DC.) Fresen.	E. Warming		<i>Euploca salicoides</i> (Cham.) J.I.M.Melo & Semir	shrub	0
<i>Schleidenia inundata</i> (Swartz) Fresen.	E. Warming		<i>Euploca procumbens</i> (Mill.) Diane & Hilger	shrub	1
<i>Schleidenia lagoensis</i> Wrmg.	E. Warming	Warming, C	<i>Euploca lagoensis</i> (Warm.) Diane & Hilger	herb	0
<i>Schleidenia longepetiolata</i> Fresen	E. Warming		<i>Euploca procumbens</i> (Mill.) Diane & Hilger	shrub	1
<i>Schleidenia subracemosa</i> Wrmg.	E. Warming	Warming, C	<i>Euploca salicoides</i> (Cham.) J.I.M.Melo & Semir	shrub	0
<i>Tournefortia elegans</i> Cham.	E. Warming		<i>Myriopus paniculatus</i> (Cham.) Feuillet	shrub	0
<i>Tournefortia laevigata</i> Lam.	E. Warming		<i>Tournefortia bicolor</i> Sw.	shrub	0
<i>Tournefortia pohlii</i> Fresen	E. Warming		<i>Tournefortia villosa</i> Salzm. ex DC.	shrub	0
<i>Tournefortia rubicunda</i> Salzm.	E. Warming		<i>Myriopus rubicundus</i> (Salzm. ex DC.) Luebert	shrub	0
Brassicaceae					
<i>Lepidium ruderale</i> Linn.	A. W. Eichler		<i>Lepidium ruderale</i> L.	herb	0
<i>Nasturtium officinale</i> R. Br.	A. W. Eichler		<i>Sisymbrium officinale</i> (L.) Scop.	herb	0
<i>Senebiera pinnatifida</i> DC.	A. W. Eichler		<i>Coronopus didymus</i> (L.) Sm.	herb	0
<i>Sinapis juncea</i> Linn.	A. W. Eichler		<i>Brassica juncea</i> (L.) Czern.	herb	0
Bromeliaceae					
<i>Aechmea tinctoria</i> Mez (?)	Mez, C.		<i>Aechmea bromeliifolia</i> (Rudge) Baker	herb	1
<i>Annanassa sativus bracteatus</i> Lindl.	Mez, C.		<i>Ananas bracteatus</i> (Lindl.) Schult. & Schult.f.	herb	0
<i>Annanassa sativus</i> Schult.	Mez, C.		<i>Ananas comosus</i> (L.) Merril	herb	0
<i>Billbergia porteana</i> Brogn.	Mez, C.		<i>Billbergia porteana</i> Brong. ex Beer	herb	0
<i>Bromelia fastuosa</i> Lindl.*	Mez, C.		<i>Bromelia fastuosa</i> Lindl.	herb	1
<i>Dyckia lagoensis</i> Mez.	Mez, C.	Warming, C	<i>Dyckia lagoensis</i> Mez.	herb	0
<i>Dyckia warmingii</i> Mez.	Mez, C.	Warming, C	<i>Dyckia warmingii</i> Mez.	herb	0
<i>Tillandsia usneoides</i> L.	Mez, C.		<i>Tillandsia usneoides</i> (L.) L.	epiphyte	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
Burmanniaceae					
<i>Burmannia bicolor</i> Mart.	Seubert, M.	Warming ?, C	<i>Burmannia bicolor</i> Mart.	herb	1
<i>Burmannia flava</i> Mart.	Seubert, M.		<i>Burmannia flava</i> Mart.	herb	2
Burseraceae					
<i>Protium almecega</i> L. March	Leon Marchand	Warming, C	<i>Protium spruceanum</i> (Benth.) Engl.	tree	0
<i>Protium heptaphyllum</i> L. March	Leon Marchand		<i>Protium heptaphyllum</i> (Aubl.) Marchand	tree	3
<i>Protium icicariba</i> L. March	Leon Marchand		<i>Protium icicariba</i> (DC.) Marchand	tree	0
<i>Protium warmingianum</i> L. March	Leon Marchand		<i>Protium warmingianum</i> Marchand	tree	0
Cabombaceae					
<i>Cabomba warmingii</i> Casp.	R. Caspary	Warming, C	<i>Cabomba furcata</i> Schult. & Schult.f.	herb	1
Cactaceae					
<i>Cereus coeruleoalbus</i> Salm. Dyck.	E. Warming		<i>Cereus jamacaru</i> DC.	tree	0
<i>Cereus macrogonus</i> Salm. Dyck. (?)	E. Warming		<i>Pilosocereus arrabidae</i> (Lem.) Byles & Rowley	shrub	0
<i>Cereus setaceus</i> Salm. Dyck.	E. Warming		<i>Hylocereus setaceus</i> (Salm-Dyck) R.Bauer	vine	0
<i>Epiphyllum phyllanthus</i> Haw.	E. Warming		<i>Epiphyllum phyllanthus</i> (L.) Haw.	epiphyte	0
<i>Opuntia monacantha</i> Willd.	E. Warming		<i>Opuntia monacantha</i> Haw.	shrub	0
<i>Peireschia aculeata</i> Plum.	E. Warming		<i>Pereskia aculeata</i> Mill.	vine	0
<i>Rhipsalis lindbergiana</i> K.Schum.	E. Warming		<i>Rhipsalis lindbergiana</i> K.Schum.	epiphyte	1
<i>Rhipsalis saglionis</i> Otto.	E. Warming		<i>Rhipsalis cereuscula</i> Haw.	epiphyte	0
<i>Rhipsalis warmingiana</i> K.Schum.	E. Warming		<i>Lepismium warmingianum</i> (K.Schum.) Barthlott	epiphyte	0
Calophyllaceae					
<i>Calophyllum brasiliense</i> Camb.	A. Eugler		<i>Calophyllum brasiliense</i> Cambess.	tree	1
<i>Calophyllum brasiliense elongatum</i> Engl.	A. Eugler	Warming, C	<i>Calophyllum brasiliense</i> Cambess.	tree	1
<i>Kielmeyera coriacea</i> Mart.	H. Warra		<i>Kielmeyera coriacea</i> Mart. & Zucc.	shrub	3
<i>Kielmeyera coriacea oblonga</i> (Pohl.) Fl.Br.	H. Warra		<i>Kielmeyera coriacea</i> Mart. & Zucc.	shrub	3
<i>Kielmeyera corymbosa</i> Mart.	H. Warra		<i>Kielmeyera corymbosa</i> Mart. & Zucc.	shrub	1
<i>Kielmeyera petiolaris</i> Mart.	H. Warra		<i>Kielmeyera petiolaris</i> Mart.	tree	0
<i>Kielmeyera pumila</i> Pohl	H. Warra		<i>Kielmeyera pumila</i> Pohl	shrub	0
<i>Kielmeyera rubriflora</i> Cambess.	H. Warra		<i>Kielmeyera rubriflora</i> Cambess.	tree	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Kielmeyera variabilis</i> Mart.	H. Warra		<i>Kielmeyera variabilis</i> Mart. & Zucc.	shrub	0
Campanulaceae					
<i>Haynaldia uranocoma</i> (Cham.) Kanitz	A. Kanitz		<i>Lobelia fistulosa</i> Vell.	herb	0
<i>Lobelia camporum lundiana</i> Pohl	A. Kanitz		<i>Lobelia camporum</i> Pohl	herb	0
<i>Lobelia camporum</i> Pohl	A. Kanitz		<i>Lobelia camporum</i> Pohl	herb	0
<i>Siphocampylus corymbiferus</i> Pohl	A. Kanitz		<i>Siphocampylus corymbiferus</i> Pohl	shrub	0
<i>Siphocampylus macropodus</i> (Thunb.)	A. Kanitz		<i>Siphocampylus macropodus</i> (Thunb.) G.Don	shrub	0
Cannabaceae					
<i>Celtis brasiliensis</i> (Gardn.) Miq.	E. Warming		<i>Celtis pubescens</i> (Kunth) Spreng.	shrub	1
<i>Sponia micrantha</i> L. Decsn.	E. Warming		<i>Trema micrantha</i> (L.) Blume	tree	0
Cannaceae					
<i>Canna coccinea</i> Aiton	Petersen, O. G.		<i>Canna indica</i> L.	herb	0
<i>Canna warszewiczii</i> Dietr.	Petersen, O. G.		<i>Canna indica</i> L.	herb	0
Caprifoliaceae					
<i>Valeriana candolleana</i> Gardn.	Th. O. B. N. Krok		<i>Valeriana scandens</i> L.	vine	0
<i>Valeriana scandens</i> (L.) Kunth	Th. O. B. N. Krok		<i>Valeriana scandens</i> L.	vine	0
Cardiopteridaceae					
<i>Villaresia congonha pugens</i> Miers	A. Eugler		<i>Citronella mucronata</i> (Ruiz & Pav.) D.Don	tree	0
<i>Villaresia megaphylla obtusifolia</i> Engl.	A. Eugler	Warming, C	<i>Citronella paniculata</i> (Mart.) R.A.Howard	tree	0
Caricaceae					
<i>Jacaratia actinophylla</i> Pohl. (?)	Solms Laubach.		<i>Jacaratia spinosa</i> (Aubl.) A.DC.	tree	0
<i>Jacaratia dodecaphylla</i> A. DC.	Solms Laubach.		<i>Jacaratia spinosa</i> (Aubl.) A.DC.	tree	0
Caryocaraceae					
<i>Caryocar brasiliense</i> Cambess.	E. Warming		<i>Caryocar brasiliense</i> Cambess.	tree	5
Celastraceae					
<i>Hippocratea ovata</i> Lam.	J. Peyritsch		<i>Hippocratea volubilis</i> L.	vine	0
<i>Hippocratea warmingii</i> Peyr.	J. Peyritsch		<i>Semialarium paniculatum</i> (Mart. ex Schult.) N.Hallé	vine	0
<i>Maytenus aquifolium</i> Mart.	E. Warming		<i>Maytenus aquifolia</i> Mart.	tree	0
<i>Maytenus floribunda parvifolia</i> Warmg.	E. Warming		<i>Maytenus floribunda</i> Reissek	tree	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Maytenus floribunda</i> Reiss.	E. Warming		<i>Maytenus floribunda</i> Reissek	tree	0
<i>Maytenus lagoensis</i> Warmg.	E. Warming	Warming, C	<i>Maytenus gonoclada</i> Mart.	tree	2
<i>Maytenus pseudocasearia</i> Reiss.	E. Warming		<i>Maytenus evonymoides</i> Reissek	tree	0
<i>Maytenus salicifolia</i> Reiss.	E. Warming		<i>Maytenus gonoclada</i> Mart.	tree	2
<i>Plenckia populnea angustifolia</i> Reiss.	E. Warming		<i>Plenckia populnea</i> Reissek	tree	0
<i>Plenckia populnea ovata</i> Reiss.	E. Warming		<i>Plenckia populnea</i> Reissek	tree	0
<i>Plenckia populnea</i> Reiss.	E. Warming		<i>Plenckia populnea</i> Reissek	tree	0
<i>Salacia campestris</i> Walp.	J. Peyritsch		<i>Peritassa campestris</i> (Cambess.) A.C.Sm.	shrub	1
<i>Salacia cognata</i> (Miers) Peyr.	J. Peyritsch		<i>Cheiloclinium cognatum</i> (Miers) A.C.Sm.	shrub	0
<i>Salacia lacunosa</i> (Miers) Peyr.	J. Peyritsch		<i>Salacia elliptica</i> (Mart. ex Schult.) G.Don	tree	0
<i>Salacia laxiflora</i> (Benth.) Peyr.	J. Peyritsch		<i>Tontelea laxiflora</i> (Benth.) A.C.Sm.	shrub	0
<i>Salacia micrantha</i> (Mart.) Peyr.	J. Peyritsch		<i>Tontelea micrantha</i> (Mart. ex Schult.) A.C.Sm.	shrub	3
<i>Salacia serrata</i> Camb.	J. Peyritsch		<i>Cheiloclinium serratum</i> (Cambess.) A.C.Sm.	vine	0
Chloranthaceae					
<i>Hedyosmum brasiliense</i> Mart.	E. Warming		<i>Hedyosmum brasiliense</i> Mart. ex Miq.	tree	0
Chrysobalanaceae					
<i>Couepia grandiflora</i> Bth.	E. Warming		<i>Couepia grandiflora</i> (Mart. & Zucc.) Benth.	tree	2
<i>Hirtella americana hexandra</i> Aubl.	E. Warming		<i>Hirtella racemosa</i> Lam.	tree	0
<i>Hirtella glandulosa</i> Spreng.	E. Warming		<i>Hirtella glandulosa</i> Spreng.	tree	0
<i>Moquilea utilis</i> Hood. Fil	E. Warming		<i>Licania octandra</i> (Hoffmanns. ex Roem. & Schult.) Kuntze	tree	0
Cleomaceae					
<i>Cleome gigantea</i> Linn.	A. W. Eichler		<i>Cleome viridiflora</i> Schreb.	shrub	0
<i>Cleome psoraleifolia</i> DC.	A. W. Eichler		<i>Cleome parviflora</i> Kunth	shrub	0
<i>Cleome spinosa pungens</i> Eichl.	A. W. Eichler		<i>Tarenaya spinosa</i> (Jacq.) Raf.	shrub	1
<i>Cleome spinosa spinosa</i> Eichl.	A. W. Eichler		<i>Tarenaya spinosa</i> (Jacq.) Raf.	shrub	1
Clethraceae					
<i>Clethra brasiliensis reticulata</i> Meisn.			<i>Clethra scabra</i> Pers.	tree	2
Clusiaceae					
<i>Clusia cambessedii</i> Pl. et Triana	A. Eugler		<i>Clusia criuva</i> Cambess.	tree	1

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Clusia sellowiana</i> Schlechtd. (?)	A. Eugler		<i>Clusia sellowiana</i> Schlechtdl.	tree	1
Combretaceae					
<i>Combretum erianthum</i> ? Benth.	A. W. Eichler		<i>Combretum formosum</i> G. Don	shrub	0
<i>Combretum jacquinii brasiliense</i> Eichl.	A. W. Eichler		<i>Combretum laxum</i> Jacq.	shrub	0
<i>Combretum loefingii</i> Eichler	A. W. Eichler		<i>Combretum fruticosum</i> (Loefl.) Stuntz	shrub	1
<i>Terminalia argentea</i> Mart. et Zucc.	A. W. Eichler		<i>Terminalia argentea</i> Mart.	tree	4
<i>Terminalia brasiliensis</i> Camb.	A. W. Eichler		<i>Terminalia glabrescens</i> Mart.	tree	0
<i>Terminalia fagifolia</i> Mart. et Zucc.	A. W. Eichler		<i>Terminalia fagifolia</i> Mart.	tree	0
<i>Terminalia glabrescens</i> Mar.	A. W. Eichler		<i>Terminalia glabrescens</i> Mart.	tree	0
<i>Terminalia hyglobates</i> Eichl.	A. W. Eichler	Warming, C	<i>Terminalia phaeocarpa</i> Eichler	tree	1
Commelinaceae					
<i>Aneilema brasiliense</i> Clarke.	Seubert, M. corr. Clarke.		<i>Aneilema brasiliense</i> C.B.Clarke	herb	0
<i>Aneilema ovato-oblonga</i> (Beauv.) Clarke.	Seubert, M. corr. Clarke.		<i>Aneilema umbrosum</i> (Vahl) Kunth	herb	0
<i>Commelina erecta</i> L.	Seubert, M. corr. Clarke.		<i>Commelina erecta</i> L.	herb	2
<i>Commelina nudiflora</i> L.	Seubert, M. corr. Clarke.		<i>Murdannia nudiflora</i> (L.) Brenan	herb	1
<i>Commelina parviflora</i> Link (?)*	Seubert, M. corr. Clarke.		<i>Commelina parviflora</i> Link (?)	herb	0
<i>Commelina robusta</i> Kunth.	Seubert, M. corr. Clarke.		<i>Commelina obliqua</i> Vahl	herb	0
<i>Commelina schomburgkiana</i> Klotsch.	Seubert, M. corr. Clarke.		<i>Commelina schomburgkiana</i> Klotsch	herb	0
<i>Commelina virginea villosa</i> L.	Seubert, M. corr. Clarke.		<i>Commelina erecta</i> L.	herb	2
<i>Commelina virginica</i> L.	Seubert, M. corr. Clarke.		<i>Commelina virginica</i> L.	herb	1
<i>Dichorisandra alba</i> Seub. & Wrmg.	Seubert, M. corr. Clarke.		<i>Dichorisandra incurva</i> Mart. ex Schult.f.	vine	0
<i>Dichorisandra aubletiana affinis</i> Rom & Schult.	Seubert, M. corr. Clarke.		<i>Dichorisandra hexandra</i> (Aubl.) Kuntze ex Hand.-Mazz.	vine	1
<i>Dichorisandra aubletiana intermedia</i> Mart.	Seubert, M. corr. Clarke.		<i>Dichorisandra hexandra</i> (Aubl.) Kuntze ex Hand.-Mazz.	vine	1
<i>Dichorisandra aubletiana</i> Rom & Schult.	Seubert, M. corr. Clarke.		<i>Dichorisandra hexandra</i> (Aubl.) Kuntze ex Hand.-Mazz.	vine	1
<i>Dichorisandra penduliflora</i> Kth.	Seubert, M. corr. Clarke.		<i>Dichorisandra penduliflora</i> Kunth	herb	0
<i>Dichorisandra pubescens</i> Mart.	Seubert, M. corr. Clarke.		<i>Dichorisandra pubescens</i> Mart. ex Schult & Schult.f.	herb	0
<i>Dichorisandra villosula</i> Mart.	Seubert, M. corr. Clarke.		<i>Dichorisandra villosula</i> Mart. ex Schult & Schult.f.	herb	0
<i>Floscopia glabrata</i> Hassk.	Seubert, M. corr. Clarke.		<i>Floscopia glabrata</i> (Kunth) Hassk.	herb	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
Phaeospherion persicariaefolium scabratum Clarke.	Seubert, M. corr. Clarke.		Commelina obliqua Vahl	herb	0
Tinantia fugax Scheidw.	Seubert, M. corr. Clarke.		Tinantia erecta (Jacq.) Fenzl	herb	0
Tradescantia elongata diuretica (Mart.) Clarke.	Seubert, M. corr. Clarke.		Tripogandra diuretica (Mart.) Handlos	herb	0
Tradescantia elongata Meyer, G. F. W.	Seubert, M. corr. Clarke.		Tripogandra serrulata (Vahl) Handlos	herb	1
Tradescantia geniculata Jacq.	Seubert, M. corr. Clarke.		Gibasis geniculata (Jacq.) Rohweder	herb	0
Tradescantia warmingiana Seub.	Seubert, M. corr. Clarke.	Warming, C	Tripogandra warmingiana (Seub.) Handlos	herb	0
Connaraceae					
Connarus cymosus var. angustifolius Baker	J.G. Baker		Connarus rostratus (Vell.) L.B.Sm.	tree	0
Connarus suberosus Planch.	J.G. Baker		Connarus suberosus Planch.	tree	3
Rourea induta Planch.	J.G. Baker		Rourea induta Planch.	tree	3
Rourea martiana Baker	J.G. Baker	Warming, P	Rourea cnestidifolia G. Schellenb.	shrub	0
Convolvulaceae					
Cuscuta incurvata Prog.	Aug. Progel et C.F. Meissner	Warming, C	Cuscuta incurvata Prog	parasite	0
Cuscuta partita Choisy.	Aug. Progel et C.F. Meissner		Cuscuta partita Choisy	parasite	0
Evolvulus filipes Mart.	Aug. Progel et C.F. Meissner		Evolvulus filipes Mart.	herb	0
Evolvulus glometatus strigosus Choisy (?)	Aug. Progel et C.F. Meissner		Evolvulus glometatus Nees & Mart.	shrub	0
Evolvulus holosericeus H.B.K.	Aug. Progel et C.F. Meissner		Evolvulus sericeus Sw.	herb	1
Evolvulus lagopodioides Meisn.	Aug. Progel et C.F. Meissner		Evolvulus lagopodioides Meisn.	herb	0
Evolvulus macroblepharis Mart.	Aug. Progel et C.F. Meissner		Evolvulus macroblepharis Mart.	herb	1
Evolvulus martii Meisn.	Aug. Progel et C.F. Meissner		Evolvulus comosus Ooststr.	herb	0
Evolvulus nummularius var. emarginatus Meisn.	Aug. Progel et C.F. Meissner	Warming, C	Evolvulus pohliae Meisn.	herb	0
Evolvulus sericeus Swartz.	Aug. Progel et C.F. Meissner		Evolvulus sericeus Sw.	herb	1
Evolvulus serpyloides Meisn.	Aug. Progel et C.F. Meissner		Evolvulus serpyloides Meisn.	herb	0
Ipomoea albiflora Moric.	Aug. Progel et C.F. Meissner		Merremia digitata (Spreng.) Hallier f.	shrub	0
Ipomoea angustifolia Choisy.	Aug. Progel et C.F. Meissner		Ipomoea aprica House	shrub	0
Ipomoea batatoides Choisy.	Aug. Progel et C.F. Meissner		Ipomoea batatoides Choisy	vine	0
Ipomoea bona-nox L.	Aug. Progel et C.F. Meissner		Ipomoea alba L.	vine	0
Ipomoea calycina Meisn.	Aug. Progel et C.F. Meissner	Warming, C	Merremia calycina (Meisn.) Hallier f.	vine	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Ipomoea campestris</i> Meisn.	Aug. Progel et C.F. Meissner		<i>Ipomoea campestris</i> Meisn.	shrub	0
<i>Ipomoea cissoides integrifolia</i> Meisn.	Aug. Progel et C.F. Meissner	Warming, BR	<i>Merremia cissoides</i> (Lam.) Hallier f.	vine	0
<i>Ipomoea cissoides viscidula</i> Griseb.	Aug. Progel et C.F. Meissner		<i>Merremia cissoides</i> (Lam.) Hallier f.	vine	0
<i>Ipomoea coccinea</i> L.	Aug. Progel et C.F. Meissner		<i>Ipomoea coccinea</i> L.	vine	0
<i>Ipomoea cuneifolia</i> var. <i>acutifolia</i> Meisn.	Aug. Progel et C.F. Meissner	Warming, C	<i>Ipomoea cuneifolia</i> Meisn.	shrub	0
<i>Ipomoea cynanchifolia</i> Meisn.	Aug. Progel et C.F. Meissner	Warming, BR	<i>Ipomoea cynanchifolia</i> Meisn.	vine	0
<i>Ipomoea echinocalix</i> Meisn.	Aug. Progel et C.F. Meissner		<i>Ipomoea echinocalyx</i> Meisn.	vine	0
<i>Ipomoea elegans</i> Meisn.	Aug. Progel et C.F. Meissner		<i>Ipomoea patula</i> Choisy	vine	0
<i>Ipomoea glabra</i> Choisy	Aug. Progel et C.F. Meissner		<i>Merremia macrocalyx</i> (Ruiz & Pav.) O'Donell	vine	0
<i>Ipomoea haenkeana</i> Choisy	Aug. Progel et C.F. Meissner	Warming, C	<i>Ipomoea haenkeana</i> Choisy	shrub	0
<i>Ipomoea jamaicensis</i> var. <i>glabrata</i> G. Don.	Aug. Progel et C.F. Meissner		<i>Ipomoea indica</i> (Burm.f.) Merr.	vine	0
<i>Ipomoea martii</i> Meisn.	Aug. Progel et C.F. Meissner		<i>Turbina cordata</i> (Choisy) D.F.Austin & Staples	vine	0
<i>Ipomoea peckolti</i> Meisn.	Aug. Progel et C.F. Meissner		<i>Ipomoea aristolochiifolia</i> G.Don	vine	0
<i>Ipomoea peckolti</i> var.(?) <i>major</i> Meisn.	Aug. Progel et C.F. Meissner		<i>Ipomoea aristolochiifolia</i> G.Don	vine	0
<i>Ipomoea pentaphylla</i> Jacq.	Aug. Progel et C.F. Meissner		<i>Merremia aegyptia</i> (L.) Urb.	vine	0
<i>Ipomoea polymorpha</i> var. <i>heteromorpha</i> Riedel	Aug. Progel et C.F. Meissner		<i>Ipomoea delphinoides</i> Choisy	shrub	0
<i>Ipomoea prostrata</i> Meisn.	Aug. Progel et C.F. Meissner	Warming, C	<i>Jacquemontia warmingii</i> O'Donell	vine	0
<i>Ipomoea regnellii</i> Meisn.	Aug. Progel et C.F. Meissner	Warming, C	<i>Ipomoea regnellii</i> Meisn.	vine	0
<i>Ipomoea tomentosa</i> Pohl. (?)	Aug. Progel et C.F. Meissner		<i>Merremia tomentosa</i> (Choisy) Hallier f.	shrub	5
<i>Ipomoea tubata</i> Ness	Aug. Progel et C.F. Meissner		<i>Ipomoea tubata</i> Nees	vine	0
<i>Ipomoea umbellata</i> Meyer	Aug. Progel et C.F. Meissner		<i>Merremia umbellata</i> (L.) Hallier f.	vine	0
<i>Ipomoea villosa</i> (Choisy) Meisn.	Aug. Progel et C.F. Meissner		<i>Ipomoea argentea</i> Meisn.	shrub	0
<i>Ipomoea virgata</i> var. <i>paniculata</i> Meisn.	Aug. Progel et C.F. Meissner		<i>Ipomoea virgata</i> Meisn.	shrub	0
<i>Ipomoea warmingii</i> Meisn.	Aug. Progel et C.F. Meissner	Warming, C	<i>Ipomoea regnellii</i> Meisn.	vine	0
<i>Jacquemontia bracteosa</i> Meisn.	Aug. Progel et C.F. Meissner	Warming, BR	<i>Jacquemontia bracteosa</i> Meisn.	vine	0
<i>Jacquemontia eriocephala</i> (Moric.) Meisn.	Aug. Progel et C.F. Meissner		<i>Odonellia eriocephala</i> (Moric.) K.R.Robertson	vine	0
<i>Jacquemontia evolvuloides</i> var. <i>brevipedunculata</i> Meisn.	Aug. Progel et C.F. Meissner	Warming, C	<i>Jacquemontia evolvuloides</i> Meisn.	vine	0
<i>Jacquemontia hirsuta</i> Choisy	Aug. Progel et C.F. Meissner		<i>Jacquemontia sphaerostigma</i> (Cav.) Rusby	vine	1

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Jacquemontia martii Choisy</i>	Aug. Progel et C.F. Meissner		<i>Jacquemontia martii</i> Choisy	vine	0
<i>Jacquemontia rufo-velutina Meisn.</i>	Aug. Progel et C.F. Meissner	Warming, P	<i>Jacquemontia lasioclados</i> (Choisy) O'Donell	shrub	0
<i>Jacquemontia violacea densiflora Meisn.</i>	Aug. Progel et C.F. Meissner	Warming, BR	<i>Jacquemontia densiflora</i> (Meisn.) Hallier f.	vine	0
Costaceae					
<i>Costus spiralis</i> Rosc.	O. G. Petersen		<i>Costus spiralis</i> (Jacq.) Roscoe	herb	0
<i>Costus warmingii</i> O.G. Petersen	O. G. Petersen	Warming, C	<i>Chamaecostus subsessilis</i> (Nees & Mart.) C.D.Specht & D.W.Stev.	herb	3
Crassulaceae					
<i>Bryophyllum calycinum</i> Salisb.	A. W. Eichler		<i>Kalanchoe pinnata</i> (Lam.) Pers.	herb	0
Cucurbitaceae					
<i>Anguria warmingiana</i> Cogn.	A. Cogniaux	Warming, C	<i>Psiguria umbrosa</i> (Kunth) C.Jeffrey	vine	0
<i>Ceratosanthes hilariana</i> Cogn.	A. Cogniaux		<i>Ceratosanthes hilariana</i> Cogn.	vine	0
<i>Ceratosanthes tomentosa</i> Cogn.	A. Cogniaux	Warming, C	<i>Ceratosanthes tomentosa</i> Cogn.	vine	0
<i>Ceratosanthes tomentosa</i> var. <i>subnuda</i> Cogn.	A. Cogniaux	Warming, C	<i>Ceratosanthes tomentosa</i> Cogn.	vine	0
<i>Ceratosanthes warmingii</i> Cogn.	A. Cogniaux	Warming, C	<i>Ceratosanthes warmingii</i> Cogn.	vine	0
<i>Citrullus colocynthis</i> Schrad.	A. Cogniaux		<i>Citrullus colocynthis</i> (L.) Schrad.	vine	0
<i>Citrullus vulgaris</i> Schrad.	A. Cogniaux		<i>Citrullus lanatus</i> (Thunb.) Matsum. & Nakai	vine	0
<i>Cyclanthera elegans</i> Cogn.	A. Cogniaux		<i>Cyclanthera tenuisepala</i> Cogn.	vine	0
<i>Fevillea trilobata</i> L.	A. Cogniaux		<i>Fevillea trilobata</i> L.	vine	0
<i>Gurania pseudospinulosa</i> Cogn.	A. Cogniaux	Warming, C	<i>Gurania pseudo-spinulosa</i> Cogn.	vine	0
<i>Gurania spinulosa</i> Cogn.	A. Cogniaux		<i>Gurania lobata</i> (L.) Pruski	vine	0
<i>Melancium campestre</i> grandiflora Cogn.	A. Cogniaux			herb	0
<i>Melothria cucumis</i> Vell.	A. Cogniaux		<i>Melothria cucumis</i> Vell.	vine	0
<i>Melothria fluminensis</i> Gardn.	A. Cogniaux		<i>Melothria pendula</i> L.	vine	0
<i>Melothria warmingii</i> Cogn.	A. Cogniaux	Warming, C	<i>Melothria warmingii</i> Cogn.	vine	0
<i>Momordica charantia</i> L.	A. Cogniaux		<i>Momordica charantia</i> L.	vine	2
<i>Perianthopodus espelina</i> Manso	A. Cogniaux		<i>Cayaponia espelina</i> (Silva Manso) Cogn.	vine	0
<i>Sicyos warmingii</i> Cogn.	A. Cogniaux	Warming, C	<i>Sicyos warmingii</i> Cogn.	vine	0
<i>Trianosperma floribunda</i> Cogn.	A. Cogniaux		<i>Cayaponia floribunda</i> (Cogn.) Cogn.	vine	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Trianosperma gracillima</i> Cogn.	A. Cogniaux	Warming, BR	<i>Cayaponia gracillima</i> (Cogn.) Cogn.	vine	0
<i>Trianosperma tayuya</i> Mart.	A. Cogniaux		<i>Cayaponia tayuya</i> (Vell.) Cogn.	vine	0
<i>Wilbrandia hibiscoides</i> var. <i>angustiloba</i> Cogn.	A. Cogniaux	Warming, C	<i>Wilbrandia hibiscoides</i> Silva Manso	vine	1
<i>Wilbrandia hibiscoides</i> var. <i>latiloba</i> Cogn.	A. Cogniaux	Warming, C	<i>Wilbrandia hibiscoides</i> Silva Manso	vine	1
<i>Wilbrandia hibiscoides</i> Manso	A. Cogniaux		<i>Wilbrandia hibiscoides</i> Silva Manso	vine	1
Cunoniaceae					
<i>Belangera tomentosa</i> Camb.	A. Engler		<i>Lamanonia ternata</i> Vell.	tree	0
Cyperaceae					
<i>Carex bonariensis</i> Destont.	O. Bockeler		<i>Carex bonariensis</i> Desf. Ex Poir.	herb	0
<i>Carex polysticha</i> Bcklr.	O. Bockeler	Warming, C	<i>Carex polysticha</i> Boeckeler	herb	0
<i>Carex wahlenbergiana</i> Boot.	O. Bockeler		<i>Carex humboldtiana</i> Steud.	herb	0
<i>Cyperus adenophorus</i> aphyllus Bcklr.	O. Bockeler		<i>Cyperus haspan</i> L.	herb	1
<i>Cyperus cylindrostachys</i> elatior Bcklr.	O. Bockeler		<i>Cyperus cylindrostachyus</i> Boeckeler	herb	0
<i>Cyperus dichromenae-formis</i> Kunth.	O. Bockeler		<i>Cyperus dichromeniformis</i> Kunth	herb	0
<i>Cyperus elegans</i> Vahl.	O. Bockeler		<i>Cyperus laxus</i> Lam.	herb	2
<i>Cyperus flavus</i> Bcklr.	O. Bockeler		<i>Cyperus aggregatus</i> (Willd.) Endl.	herb	2
<i>Cyperus giganteus</i> Vahl.	O. Bockeler		<i>Cyperus giganteus</i> Vahl	herb	1
<i>Cyperus haspan americanus</i> Bcklr.	O. Bockeler		<i>Cyperus haspan</i> L.	herb	1
<i>Cyperus incompletus</i> Link.	O. Bockeler		<i>Cyperus hermaphroditus</i> (Jacq.) Standl.	herb	0
<i>Cyperus martianus</i> Schrad.	O. Bockeler		<i>Cyperus friburgensis</i> Boeckeler	herb	0
<i>Cyperus nitidulus</i> Bcklr.	O. Bockeler		<i>Cyperus odoratus</i> L.	herb	4
<i>Cyperus olfersianus</i> Kunth	O. Bockeler		<i>Pycrus lanceolatus</i> (Poir.) C.B.Clarke	herb	4
<i>Cyperus olfersianus</i> maximiliani Bcklr.	O. Bockeler		<i>Pycrus lanceolatus</i> (Poir.) C.B.Clarke	herb	4
<i>Cyperus paniceus</i> Bcklr.*	O. Bockeler		<i>Cyperus paniceus</i> Bcklr.	herb	0
<i>Cyperus prolixus</i> Humb. et Kunth.	O. Bockeler		<i>Cyperus prolixus</i> Kunth	herb	0
<i>Cyperus surinamensis</i> lutescens Rotrb.	O. Bockeler	Warming, C	<i>Cyperus surinamensis</i> Rottb.	herb	8
<i>Cyperus surinamensis</i> Rotrb.	O. Bockeler		<i>Cyperus surinamensis</i> Rottb.	herb	8
<i>Cyperus vegetus</i> Willd.	O. Bockeler		<i>Cyperus eragrostis</i> Lam.	herb	0
<i>Cyperus warmingii</i> Bcklr.	O. Bockeler	Warming, C	<i>Cyperus pohlii</i> (Nees) Steud.	herb	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Fimbristylis autumnalis</i> Roem. et schult.	O. Bockeler		<i>Fimbristylis autumnalis</i> (L.) Roem. & Schult.	herb	0
<i>Fimbristylis polymorpha</i> Bcklr.	O. Bockeler		<i>Fimbristylis dichotoma</i> (L.) Vahl	herb	2
<i>Fuirena incompleta</i> N. ab E.	O. Bockeler		<i>Fuirena incompleta</i> Nees	herb	0
<i>Fuirena umbellata</i> Rottb.	O. Bockeler		<i>Fuirena umbellata</i> Rottb.	herb	1
<i>Heleocharis albivaginata</i> Bcklr.	O. Bockeler		<i>Eleocharis flavescentia</i> (Poir.) Urb.	herb	0
<i>Heleocharis albivaginata stricta</i> Bcklr.	O. Bockeler		<i>Eleocharis flavescentia</i> (Poir.) Urb.	herb	0
<i>Heleocharis fistulosa</i> Schult.	O. Bockeler		<i>Eleocharis acutangula</i> (Roxb.) Schult.	herb	1
<i>Heleocharis grandis</i> Bcklr.	O. Bockeler		<i>Eleocharis nudipes</i> (Kunth) Palla	herb	0
<i>Heleocharis leucocarpa</i> Bcklr.	O. Bockeler		<i>Eleocharis subfoliata</i> C.B.Clarke	herb	0
<i>Heleocharis nodulosa</i> Schult.	O. Bockeler		<i>Eleocharis montana</i> (Kunth) Roem. & Schult.	herb	0
<i>Heleocharis plantaginea</i> R. Br.	O. Bockeler		<i>Eleocharis dulcis</i> (Burm.f.) Trin.	herb	0
<i>Heleocharis rothiana</i> Bcklr.	O. Bockeler		<i>Eleocharis filiculmis</i> Kunth	herb	1
<i>Heleocharis spiralis</i> R. Br.	O. Bockeler		<i>Eleocharis mutata</i> (L.) Roem. & Schult.	herb	0
<i>Heleocharis sulcata</i> N. ab E.	O. Bockeler		<i>Eleocharis filiculmis</i> Kunth	herb	1
<i>Kyllingia caespitosa elatior</i> Bcklr.	O. Bockeler		<i>Kyllinga pumila</i> Michx.	herb	0
<i>Kyllingia caespitosa pumila</i> Bcklr.	O. Bockeler		<i>Kyllinga pumila</i> Michx.	herb	0
<i>Kyllingia odorata major</i> Bcklr.	O. Bockeler		<i>Kyllinga odorata</i> Vahl	herb	0
<i>Kyllingia odorata minor</i> Bcklr.	O. Bockeler		<i>Kyllinga odorata</i> Vahl	herb	0
<i>Lipocarpha sellowiana</i> Kunth.	O. Bockeler		<i>Lipocarpha humboldtiana</i> Nees	herb	0
<i>Platylepis brasiliensis</i> Kunth.	O. Bockeler		<i>Ascolepis brasiliensis</i> (Kunth) Benth. ex C.B.Clarke	herb	0
<i>Rhynchospora aurea</i> Vahl.	O. Bockeler		<i>Rhynchospora corymbosa</i> (L.) Britton	herb	2
<i>Rhynchospora auriculata</i> Bcklr.	O. Bockeler	Warming, C, P	<i>Rhynchospora albiceps</i> Kunth	herb	0
<i>Rhynchospora crassipes</i> Bcklr.	O. Bockeler	Warming, C	<i>Rhynchospora terminalis</i> Nees ex Steud.	herb	1
<i>Rhynchospora elatior</i> Kunth.	O. Bockeler		<i>Rhynchospora elatior</i> Kunth	herb	1
<i>Rhynchospora emaciata</i> Bcklr.	O. Bockeler		<i>Rhynchospora emaciata</i> (Nees) Boeckeler	herb	0
<i>Rhynchospora exaltada</i> Kunth.	O. Bockeler		<i>Rhynchospora exaltata</i> Kunth	herb	1
<i>Rhynchospora glauca</i> Vahl.	O. Bockeler		<i>Rhynchospora confinis</i> (Nees) C.B.Clarke	herb	0
<i>Rhynchospora globosa</i> Roem. et schult.	O. Bockeler		<i>Rhynchospora globosa</i> (Kunth) Roem. & Schult.	herb	1
<i>Rhynchospora junciformis</i> Bcklr.	O. Bockeler	Warming, C	<i>Rhynchospora junciformis</i> (Kunth) Boeckeler	herb	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Rhynchospora leucocephala</i> Bcklr.	O. Bockeler		<i>Rhynchospora colorata</i> (L.) H.Pfeiff.	herb	0
<i>Rhynchospora marisculus elatior</i> Bcklr.	O. Bockeler	Warming, C	<i>Rhynchospora marisculus</i> Lindl. & Nees	herb	0
<i>Rhynchospora nervosa</i> Bcklr.	O. Bockeler		<i>Rhynchospora nervosa</i> (Vahl) Boeckeler	herb	0
<i>Rhynchospora pallida</i> Steud.	O. Bockeler		<i>Rhynchospora patuligluma</i> C.B.Clarke ex Lindm.	herb	0
<i>Rhynchospora rigida</i> Bcklr.	O. Bockeler		<i>Rhynchospora rigida</i> Boeckeler	herb	0
<i>Rhynchospora rufa</i> Bcklr.	O. Bockeler		<i>Rhynchospora velutina</i> (Kunth) Boeckeler	herb	0
<i>Rhynchospora testacea</i> Bcklr.	O. Bockeler	Warming, C	<i>Rhynchospora testacea</i> Boeckeler	herb	0
<i>Rhynchospora velutina</i> Bcklr.	O. Bockeler		<i>Rhynchospora velutina</i> (Kunth) Boeckeler	herb	0
<i>Rhynchospora warmingii</i> Bcklr.	O. Bockeler	Warming, P	<i>Rhynchospora warmingii</i> Boeckeler	herb	0
<i>Scirpus capillaris</i> L.	O. Bockeler		<i>Bulbostylis capillaris</i> (L.) C.B.Clarke	herb	0
<i>Scirpus consanguineus</i> Bcklr.	O. Bockeler		<i>Bulbostylis consanguinea</i> (Kunth) C.B.Clarke	herb	0
<i>Scirpus filamentosus</i> Vahl	O. Bockeler		<i>Bulbostylis filamentosa</i> (Vahl) C.B.Clarke	herb	0
<i>Scirpus humboldtii</i> Spr.	O. Bockeler		<i>Bulbostylis junciformis</i> (Kunth) C.B.Clarke	herb	0
<i>Scirpus paradoxus</i> Bcklr.	O. Bockeler		<i>Bulbostylis paradoxa</i> (Spreng.) Lindm.	herb	0
<i>Scirpus rufescens</i> Bcklr.	O. Bockeler		<i>Bulbostylis rufescens</i> (Boeckeler) Beetle	herb	0
<i>Scirpus sellowianus</i> Bcklr.	O. Bockeler		<i>Bulbostylis sellowiana</i> (Kunth) Palla	herb	0
<i>Scirpus setifolius</i> Bcklr.	O. Bockeler		<i>Bulbostylis sphaerocephala</i> (Boeckeler) Lindm.	herb	0
<i>Scirpus sphaerolepis</i> Bcklr.	O. Bockeler	Warming, C	<i>Bulbostylis scabra</i> (J.Presl & C.Presl) C.B.Clarke	herb	1
<i>Scirpus subquadriflorus</i> Bcklr.	O. Bockeler	Warming, C	<i>Fimbristylis quadriflora</i> (Boeckeler) Beetle	herb	0
<i>Scirpus warmingii</i> Bcklr.	O. Bockeler	Warming, C	<i>Fimbristylis warmingii</i> (Boeckeler) Malme	herb	0
<i>Scleria acanthocarpa</i> Bcklr.	O. Bockeler	Warming, C	<i>Scleria acanthocarpa</i> Boeckeler	herb	1
<i>Scleria bracteata</i> Cavam.	O. Bockeler		<i>Scleria bracteata</i> Cav.	herb	0
<i>Scleria hirtella glabrescens</i> Swatz	O. Bockeler		<i>Scleria hirtella</i> Sw.	herb	0
<i>Scleria lagoensis</i> Bcklr.	O. Bockeler	Warming, C	<i>Scleria lagoensis</i> Boeckeler	herb	0
<i>Scleria leptostachya</i> Kunth.	O. Bockeler		<i>Scleria leptostachya</i> Kunth	herb	0
<i>Scleria mitis</i> Berg.	O. Bockeler		<i>Scleria mitis</i> P.J.Bergius	herb	0
<i>Scleria panicoides</i> Kunth.	O. Bockeler		<i>Scleria panicoides</i> Kunth	herb	0
<i>Scleria plusiophylla</i> Steud.	O. Bockeler		<i>Scleria plusiophylla</i> Steud.	herb	0
<i>Scleria pratensis</i> Lindl. et Nees	O. Bockeler		<i>Scleria gaertneri</i> Raddi	herb	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Scleria reflexa</i> Humb. et Kunth.	O. Bockeler		<i>Scleria secans</i> (L.) Urb.	herb	0
<i>Scleria sylvestris</i> Poepp. et Kth	O. Bockeler		<i>Scleria latifolia</i> Sw.	herb	0
<i>Scleria warmingiana</i> Bcklr.	O. Bockeler	Warming, C	<i>Scleria warmingiana</i> Boeckeler	herb	0
Dichapetalaceae					
<i>Stephanopodium engleri</i> Baill.	H. Baillon	Warming, C	<i>Stephanopodium engleri</i> Baill.	tree	0
Dilleniaceae					
<i>Curatella americana</i> Linn.	A.W. Eichler		<i>Curatella americana</i> L.	tree	4
<i>Davilla angustifolia</i> St. Hil.	A.W. Eichler		<i>Davilla angustifolia</i> A.St.-Hil.	vine	0
<i>Davilla elliptica</i> St. Hil.	A.W. Eichler		<i>Davilla elliptica</i> A.St.-Hil.	shrub	5
<i>Davilla rugosa</i> Poir.	A.W. Eichler		<i>Davilla rugosa</i> Poir.	shrub	0
<i>Doliocarpus rolandri</i> Gmel.	A.W. Eichler		<i>Doliocarpus dentatus</i> (Aubl.) Standl.	shrub	2
<i>Tetracera lasiocarpa</i> Eich.	A.W. Eichler		<i>Tetracera lasiocarpa</i> Eichler	vine	0
Dioscoreaceae					
<i>Dioscorea crumenigera</i> Mart.	Grisebach, A.		<i>Dioscorea amaranthoides</i> C.Presl	vine	0
<i>Dioscorea deflexa</i> Gr.	Grisebach, A.	Warming, C	<i>Dioscorea deflexa</i> Griseb.	vine	0
<i>Dioscorea dodecaneura</i> Vell.	Grisebach, A.		<i>Dioscorea dodecaneura</i> Vell.	vine	0
<i>Dioscorea effusa</i> Gr.	Grisebach, A.	Warming, C	<i>Dioscorea fodinarum</i> Kunth	vine	0
<i>Dioscorea fodinarum</i> Kth.	Grisebach, A.		<i>Dioscorea fodinarum</i> Kunth	vine	0
<i>Dioscorea glandulosa</i> Kl.	Grisebach, A.		<i>Dioscorea glandulosa</i> (Griseb.) Kunth	vine	0
<i>Dioscorea grandiflora</i> Mart	Grisebach, A.		<i>Dioscorea grandiflora</i> Mart. ex Griseb.	vine	0
<i>Dioscorea hastata</i> Vell.	Grisebach, A.		<i>Dioscorea hassleriana</i> Chodat	vine	0
<i>Dioscorea luschnathiana</i> Kth.	Grisebach, A.		<i>Dioscorea warmingii</i> (Uline ex R.Knuth) R. Knuth	vine	0
<i>Dioscorea monadelpha</i> Gr.	Grisebach, A.		<i>Dioscorea monadelpha</i> (Kunth) Griseb.	vine	0
<i>Dioscorea multiflora</i> Mart.	Grisebach, A.		<i>Dioscorea multiflora</i> Mart. ex Griseb.	vine	0
<i>Dioscorea sinuata</i> Vell.	Grisebach, A.		<i>Dioscorea sinuata</i> Vell.	vine	1
<i>Dioscorea ternata</i> Gr.	Grisebach, A.	Warming, C	<i>Dioscorea ternata</i> Griseb.	vine	0
<i>Dioscorea trachyandra</i> Gr.	Grisebach, A.	Warming, C	<i>Dioscorea trachyandra</i> Griseb.	vine	0
<i>Dioscorea tubulosa</i> Gr.	Grisebach, A.	Warming, C	<i>Dioscorea tubulosa</i> Griseb.	vine	0
Droseraceae					

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Drosera communis</i> A.St.-Hil.	A.W. Eichler		<i>Drosera communis</i> A.St.-Hil.	herb	0
Ebenaceae					
<i>Diospyros camporum</i> Wrmg.	E. Warming		<i>Diospyros hispida</i> A.DC.	tree	0
<i>Diospyros hispida</i> A.DC.	E. Warming		<i>Diospyros hispida</i> A.DC.	tree	0
<i>Maba inconstans obovata</i> Hiern.	E. Warming		<i>Diospyros inconstans</i> Jacq.	tree	0
Eriocaulaceae					
<i>Eriocaulon crassicapum</i> Bong.	F. Körnicke		<i>Eriocaulon crassicapum</i> Bong.	herb	0
<i>Eriocaulon modestum</i> Kth.	F. Körnicke		<i>Eriocaulon modestum</i> Kunth	herb	0
<i>Paepalanthus appressus</i> Kcke.	F. Körnicke		<i>Syngonanthus appressus</i> (Körn.) Ruhland	herb	0
<i>Paepalanthus caulescens</i> Kth.	F. Körnicke		<i>Syngonanthus caulescens</i> (Poir.) Ruhland	herb	0
<i>Paepalanthus claussenianus</i> Kcke.	F. Körnicke		<i>Actinocephalus claussenianus</i> (Körn.) Sano	herb	0
<i>Paepalanthus nitens</i> Kcke.	F. Körnicke		<i>Syngonanthus nitens</i> Ruhland	herb	0
<i>Paepalanthus spadiceus</i> Kcke.	F. Körnicke	Warming, C	<i>Syngonanthus spadiceus</i> (Körn.) Ruhland	herb	0
<i>Paepalanthus widgrenianus</i> Kcke.	F. Körnicke		<i>Syngonanthus widgrenianus</i> (Körn.) Ruhland	herb	0
Erythroxylaceae					
<i>Erythroxylum campestre</i> St. Hil.	J. Peyritsch		<i>Erythroxylum campestre</i> A.St.-Hil.	tree	5
<i>Erythroxylum citrifolium</i> St. Hil.	J. Peyritsch		<i>Erythroxylum citrifolium</i> A.St.-Hil.	tree	0
<i>Erythroxylum daphnites</i> Mart.	J. Peyritsch		<i>Erythroxylum daphnites</i> Mart.	tree	0
<i>Erythroxylum microphyllum</i> var. <i>amplifolium</i> St. Hil.	J. Peyritsch		<i>Erythroxylum cuneifolium</i> (Mart.) O.E.Schulz	shrub	0
Hil.					
<i>Erythroxylum nitidum</i> Spreng.	J. Peyritsch		<i>Erythroxylum nitidum</i> Spreng.	tree	0
<i>Erythroxylum pelleterianum</i> St. Hil.	J. Peyritsch		<i>Erythroxylum pelleterianum</i> A.St.-Hil.	tree	0
<i>Erythroxylum strobilaceum</i> Peyr.	J. Peyritsch	Warming, C	<i>Erythroxylum strobilaceum</i> Peyr.	shrub	0
<i>Erythroxylum suberosum</i> St. Hil.	J. Peyritsch	Warming ?, C	<i>Erythroxylum suberosum</i> A.St.-Hil.	tree	5
<i>Erythroxylum subrotundum</i> St. Hil.	J. Peyritsch		<i>Erythroxylum subrotundum</i> A.St.-Hil.	tree	0
<i>Erythroxylum tortuosum</i> Mart.	J. Peyritsch		<i>Erythroxylum tortuosum</i> Mart.	tree	3
<i>Erythroxylum warmingii</i> Peyr.	J. Peyritsch	Warming, C	<i>Erythroxylum strobilaceum</i> Peyr.	shrub	0
Euphorbiaceae					
<i>Acalypha amblyodonta gaudichaudii</i> Mull.	Joh. Muller (Argov.)		<i>Acalypha amblyodonta</i> (Müll.Arg.) Müll.Arg.	shrub	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Acalypha amblyodonta repanda</i> Mull.	Joh. Muller (Argov.)	Warming, G, P	<i>Acalypha amblyodonta</i> (Müll.Arg.) Müll.Arg.	shrub	0
<i>Acalypha amblyodonta villosa</i> Mull.	Joh. Muller (Argov.)	Warming, G	<i>Acalypha amblyodonta</i> (Müll.Arg.) Müll.Arg.	shrub	0
<i>Acalypha brasiliensis brevipes</i> Mull.	Joh. Muller (Argov.)	Warming, C	<i>Acalypha brasiliensis</i> Müll.Arg.	shrub	0
<i>Acalypha brevipes</i> Mull.	Joh. Muller (Argov.)	Warming, C	<i>Acalypha vellamea</i> Baill.	herb	0
<i>Acalypha claussenii</i> (Turcz.) Mull.	Joh. Muller (Argov.)		<i>Acalypha claussenii</i> (Turcz.) Müll.Arg.	shrub	0
<i>Acalypha communis hirta</i> Mull. Arg.	Joh. Muller (Argov.)		<i>Acalypha communis</i> Müll.Arg.	shrub	2
<i>Acalypha communis pallida</i> Mull. Arg.	Joh. Muller (Argov.)	Warming, C	<i>Acalypha communis</i> Müll.Arg.	shrub	2
<i>Acalypha communis tomentella</i> Mull. Arg.	Joh. Muller (Argov.)		<i>Acalypha communis</i> Müll.Arg.	shrub	2
<i>Acalypha dimorpha</i> Mull. Arg.	Joh. Muller (Argov.)	Warming, C	<i>Acalypha dimorpha</i> Müll.Arg.	shrub	0
<i>Acalypha gracilis fruticulosa</i> Mull.	Joh. Muller (Argov.)		<i>Acalypha gracilis</i> Spreng.	shrub	0
<i>Acalypha lagoensis</i> Mull. Arg.	Joh. Muller (Argov.)	Warming, G	<i>Acalypha lagoensis</i> Müll.Arg.	shrub	0
<i>Acalypha macrostachya sidaefolia</i> Mull.	Joh. Muller (Argov.)		<i>Acalypha macrostachya</i> Jacq.	tree	0
<i>Acalypha multicaulis tomentella</i> Mull.	Joh. Muller (Argov.)	Warming, C	<i>Acalypha multicaulis</i> Müll.Arg.	shrub	0
<i>Acalypha villosa trichopoda</i> Jacq.	Joh. Muller (Argov.)	Warming, C	<i>Acalypha villosa</i> Jacq.	shrub	0
<i>Alchornea cordata</i> (Ad. Juss.) Mull.	Joh. Muller (Argov.)		<i>Aparisthium cordatum</i> (A.Juss.) Baill.	tree	0
<i>Alchornea iricurana</i> Casaretto	Joh. Muller (Argov.)		<i>Alchornea glandulosa</i> Poepp. & Endl.	tree	0
<i>Argyrothamnia anisotricha</i> Mull. Arg.	Joh. Muller (Argov.)		<i>Chiropetalum anisotrichum</i> (Müll.Arg.) Pax & K.Hoffm.	shrub	0
<i>Bernardia multicaulis</i> Mull.	Joh. Muller (Argov.)		<i>Bernardia multicaulis</i> Müll.Arg.	shrub	0
<i>Caperonia stenophylla</i> Mull. Arg.	Joh. Muller (Argov.)	Warming, C	<i>Caperonia stenophylla</i> Müll.Arg.	herb	0
<i>Croton agrophilus</i> Mull.	Joh. Muller (Argov.)	Warming, C	<i>Croton agrophilus</i> Müll.Arg.	shrub	0
<i>Croton albellus</i> Mull. Arg.	Joh. Muller (Argov.)	Warming, C	<i>Croton albellus</i> Müll.Arg.	shrub	0
<i>Croton antisiphiliticus</i> var. <i>intermedius</i> Mart.	Joh. Muller (Argov.)		<i>Croton antisiphiliticus</i> Mart.	shrub	4
<i>Croton antisiphiliticus</i> var. <i>minor</i> Mart.	Joh. Muller (Argov.)		<i>Croton antisiphiliticus</i> Mart.	shrub	4
<i>Croton antisiphiliticus</i> var. <i>mollis</i> Mart.	Joh. Muller (Argov.)		<i>Croton antisiphiliticus</i> Mart.	shrub	4
<i>Croton antisiphiliticus</i> var. <i>genuinus</i> Mart.	Joh. Muller (Argov.)		<i>Croton antisiphiliticus</i> Mart.	shrub	4
<i>Croton caperoniaefolius</i> Mull.Arg.	Joh. Muller (Argov.)	Warming, C ?	<i>Croton antisiphiliticus</i> Mart.	shrub	4
<i>Croton cerinodentatus</i> var. <i>warmingii</i> Mull.	Joh. Muller (Argov.)		<i>Croton cerinodentatus</i> Müll.Arg.	shrub	0
<i>Croton compressus</i> Lam.	Joh. Muller (Argov.)		<i>Croton compressus</i> Lam.	shrub	0
<i>Croton glandulosus hirtus</i> (Linn) Mull.	Joh. Muller (Argov.)		<i>Croton hirtus</i> L'Hér.	herb	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Croton glandulosus warmingii</i> (Linn) Mull.	Joh. Muller (Argov.)	Warming, C	<i>Croton glandulosus</i> L.	shrub	0
<i>Croton gracilipes angustifolius</i> Mull.	Joh. Muller (Argov.)	Warming, C	<i>Croton gracilipes</i> Baill.	tree	0
<i>Croton gracilipes genuinus</i> Mull.	Joh. Muller (Argov.)		<i>Croton gracilipes</i> Baill.	tree	0
<i>Croton gracilipes macradenius</i> Mull.	Joh. Muller (Argov.)		<i>Croton gracilipes</i> Baill.	tree	0
<i>Croton lagoensis</i> Mull. Arg.	Joh. Muller (Argov.)	Warming, B	<i>Croton lagoensis</i> Müll.Arg.	tree	0
<i>Croton leptobotrys</i> Mull.	Joh. Muller (Argov.)	Warming, C	<i>Croton leptobotrys</i> Müll.Arg.	shrub	0
<i>Croton lobatus manihot</i> Mull.	Joh. Muller (Argov.)		<i>Astraea lobata</i> (L.) Klotzsch	herb	0
<i>Croton lobatus</i> var. <i>sericeus</i> Mull.	Joh. Muller (Argov.)		<i>Astraea lobata</i> (L.) Klotzsch	herb	0
<i>Croton medians</i> Mull.	Joh. Muller (Argov.)	Warming, C	<i>Croton medians</i> Müll.Arg.	shrub	0
<i>Croton odontadenius</i> Mull.	Joh. Muller (Argov.)	Warming, C	<i>Croton odontadenius</i> Müll.Arg.	shrub	0
<i>Croton peraffinis</i> Mull.	Joh. Muller (Argov.)	Warming, C	<i>Croton peraffinis</i> Müll.Arg.	shrub	0
<i>Croton pipocalyx</i> Mull. Arg.	Joh. Muller (Argov.)	Warming, C	<i>Croton piptocalyx</i> Müll.Arg.	tree	0
<i>Croton pohlianus</i> Mull.	Joh. Muller (Argov.)		<i>Croton grandivelus</i> Baill.	shrub	2
<i>Croton sclerocalyx luxurians</i> (F.Didr.) Mull.	Joh. Muller (Argov.)		<i>Croton sclerocalyx</i> (Didr.) Müll.Arg.	shrub	0
<i>Croton sclerocalyx rufidulus</i> (F.Didr.) Mull.	Joh. Muller (Argov.)		<i>Croton sclerocalyx</i> (Didr.) Müll.Arg.	shrub	0
<i>Croton urucurana</i> Baill.	Joh. Muller (Argov.)		<i>Croton urucurana</i> Baill.	tree	0
<i>Croton velame</i> Mull.*	Joh. Muller (Argov.)	Warming, C	<i>Croton velame</i> (?) Mull. Arg.	shrub	0
<i>Croton warmingii</i> Mull.	Joh. Muller (Argov.)		<i>Crotonrottlerifolius</i> Baill.	tree	0
<i>Dactylostemon lagoensis</i> Mull.	Joh. Muller (Argov.)	Warming, C	<i>Actinostemon lagoensis</i> (Müll.Arg.) Pax	shrub	0
<i>Dactylostemon lundianus</i> Mull.	Joh. Muller (Argov.)		<i>Actinostemon klotzschii</i> (Didr.) Pax	tree	0
<i>Dactylostemon sparsifolius</i> Mull.	Joh. Muller (Argov.)	Warming, C	<i>Actinostemon sparsifolius</i> (Müll.Arg.) Pax	shrub	0
<i>Dactylostemon verticillatus</i> Kl.	Joh. Muller (Argov.)		<i>Actinostemon verticillatus</i> (Klotzsch) Baill.	shrub	0
<i>Dalechampia pentaphylla</i> Lam.	Joh. Muller (Argov.)		<i>Dalechampia pentaphylla</i> Lam.	vine	0
<i>Dalechampia scandens pallida</i> Mull.	Joh. Muller (Argov.)		<i>Dalechampia stipulacea</i> Müll.Arg.	shrub	2
<i>Dalechampia stipulacea minor</i> Mull.	Joh. Muller (Argov.)		<i>Dalechampia stipulacea</i> Müll.Arg.	shrub	2
<i>Dalechampia stipulaceae membranaceae</i> Mull.	Joh. Muller (Argov.)		<i>Dalechampia stipulacea</i> Müll.Arg.	shrub	2
<i>Dalechampia triphylla</i> Lam.	Joh. Muller (Argov.)		<i>Dalechampia triphylla</i> Lam.	vine	0
<i>Euphorbia brasiliensis</i> Lam.	Joh. Muller (Argov.)		<i>Euphorbia hyssopifolia</i> L.	herb	1
<i>Euphorbia coecorum</i> Mart.	Joh. Muller (Argov.)		<i>Euphorbia potentilloides</i> Boiss.	herb	3

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Euphorbia comosa</i> Velloso	Joh. Muller (Argov.)		<i>Euphorbia comosa</i> Vell.	tree	0
<i>Euphorbia foliolosa</i> Boiss.	Joh. Muller (Argov.)		<i>Euphorbia foliolosa</i> Boiss.	herb	0
<i>Euphorbia hirtella</i> genuina Mull.	Joh. Muller (Argov.)		<i>Euphorbia hirtella</i> Boiss.	herb	0
<i>Euphorbia pilulifera</i> L.	Joh. Muller (Argov.)		<i>Euphorbia hirta</i> L.	herb	0
<i>Euphorbia sciadophila</i> Boiss.	Joh. Muller (Argov.)		<i>Euphorbia sciadophila</i> Boiss.	herb	0
<i>Euphorbia setosa</i> Mull.	Joh. Muller (Argov.)		<i>Euphorbia setosa</i> (Boiss.) Müll.Arg.	herb	3
<i>Euphorbia zonosperma</i> Mull. Arg.	Joh. Muller (Argov.)	Warming, GH	<i>Euphorbia zonosperma</i> Müll.Arg.	herb	0
<i>Excoecaria biglandulosa</i> clauseniana Mull. Arg.	Joh. Muller (Argov.)		<i>Sapium glandulosum</i> (L.) Morong	tree	1
<i>Excoecaria biglandulosa</i> grandifolia Mull. Arg.	Joh. Muller (Argov.)		<i>Sapium glandulosum</i> (L.) Morong	tree	1
<i>Excoecaria marginata</i> spathulata Mull.	Joh. Muller (Argov.)		<i>Sapium glandulosum</i> (L.) Morong	tree	1
<i>Excoecaria warmingii</i> Mull.	Joh. Muller (Argov.)	Warming, C	<i>Sebastiania warmingii</i> (Müll.Arg.) Pax	tree	0
<i>Fragariopsis warmingii</i> Mull. Arg.	Joh. Muller (Argov.)	Warming, P	<i>Plukenetia serrata</i> (Vell.) L.J.Gillespie	vine	0
<i>Hieronyma alchorneoides</i> Fr. Allem.	Joh. Muller (Argov.)		<i>Hieronyma alchorneoides</i> Allemão	tree	0
<i>Hieronyma ferruginea</i> Tul.	Joh. Muller (Argov.)		<i>Hieronyma alchorneoides</i> Allemão	tree	0
<i>Jatropha curcas</i> L.	Joh. Muller (Argov.)		<i>Jatropha curcas</i> L.	shrub	0
<i>Jatropha multifida</i> L.	Joh. Muller (Argov.)		<i>Jatropha multifida</i> L.	shrub	0
<i>Jatropha neglecta</i> Mull.	Joh. Muller (Argov.)		<i>Cnidoscolus urens</i> (L.) Arthur	shrub	1
<i>Jatropha urens</i> Linn.	Joh. Muller (Argov.)		<i>Cnidoscolus urens</i> (L.) Arthur	shrub	1
<i>Julocroton humilis</i> F. Didr.	Joh. Muller (Argov.)		<i>Croton didrichsenii</i> G.L. Webster	shrub	1
<i>Julocroton triqueter</i> genuinus Mull.	Joh. Muller (Argov.)		<i>Croton triqueter</i> Lam.	shrub	0
<i>Mabea fistulifera</i> Martius	Joh. Muller (Argov.)		<i>Mabea fistulifera</i> Mart.	tree	2
<i>Manihot gracilis</i> genuina Mull.	Joh. Muller (Argov.)		<i>Manihot gracilis</i> Pohl	shrub	1
<i>Manihot grandiflora</i> Mull.	Joh. Muller (Argov.)	Warming, P	<i>Manihot caerulescens</i> Pohl	tree	0
<i>Manihot intercedens</i> Mull.	Joh. Muller (Argov.)	Warming, C	<i>Manihot tripartita</i> (Spreng.) Müll.Arg.	tree	7
<i>Manihot janiphoides</i> Mull.	Joh. Muller (Argov.)	Warming, P	<i>Manihot janiphoides</i> Müll.Arg.	shrub	0
<i>Manihot lagoensis</i> Mull.	Joh. Muller (Argov.)	Warming, C	<i>Manihot tripartita</i> (Spreng.) Müll.Arg.	tree	7
<i>Manihot pedicellaris</i> Mull.	Joh. Muller (Argov.)	Warming, P	<i>Manihot pilosa</i> Pohl	tree	3
<i>Manihot pubescens</i> Pohl	Joh. Muller (Argov.)		<i>Manihot anomala</i> Pohl	shrub	0
<i>Manihot rigidula</i> Mull.	Joh. Muller (Argov.)	Warming, F	<i>Manihot pentaphylla</i> Pohl	shrub	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Manihot sinuata</i> Pohl	Joh. Muller (Argov.)		<i>Manihot tripartita</i> (Spreng.) Müll.Arg.	tree	7
<i>Manihot tomentosa</i> Pohl	Joh. Muller (Argov.)		<i>Manihot tomentosa</i> Pohl	shrub	2
<i>Manihot tripartita genuina</i> (Spreng.) Mull.	Joh. Muller (Argov.)		<i>Manihot tripartita</i> (Spreng.) Müll.Arg.	tree	7
<i>Manihot tripartita glabra</i> (Spreng.) Mull.	Joh. Muller (Argov.)		<i>Manihot tripartita</i> (Spreng.) Müll.Arg.	tree	7
<i>Manihot tripartita subintegra</i> (Spreng.) Mull.	Joh. Muller (Argov.)		<i>Manihot tripartita</i> (Spreng.) Müll.Arg.	tree	7
<i>Manihot triphylla</i> Pohl	Joh. Muller (Argov.)		<i>Manihot triphylla</i> Pohl	shrub	0
<i>Manihot warmingii</i> Mull.	Joh. Muller (Argov.)	Warming, C	<i>Manihot anomala</i> Pohl	shrub	0
<i>Maprounea brasiliensis</i> St. Hil.	Joh. Muller (Argov.)		<i>Maprounea brasiliensis</i> A.St.-Hil.	tree	2
<i>Plucknetia tannoides</i> Ad. Juss.	Joh. Muller (Argov.)		<i>Romanoa tamnoides</i> (A.Juss.) Radcl.-Sm.	vine	0
<i>Ricinus communis brasiliensis</i> Mull.	Joh. Muller (Argov.)		<i>Ricinus communis</i> L.	shrub	1
<i>Sebastiania brasiliensis</i> var. <i>microphylla</i> Mull.	Joh. Muller (Argov.)	Warming, C	<i>Sebastiania brasiliensis</i> Spreng.	tree	0
<i>Sebastiania brasiliensis</i> var. <i>polymorpha</i> Spreng.	Joh. Muller (Argov.)		<i>Sebastiania brasiliensis</i> Spreng.	tree	0
<i>Sebastiania corniculata</i> var. <i>fischeri</i> Mull.	Joh. Muller (Argov.)		<i>Microstachys corniculata</i> (Vahl) Griseb.	shrub	0
<i>Sebastiania corniculata</i> var. <i>incana</i> Mull.	Joh. Muller (Argov.)		<i>Microstachys hispida</i> (Mart.) Govaerts	shrub	0
<i>Sebastiania corniculata</i> var. <i>lagoensis</i> Mull.	Joh. Muller (Argov.)	Warming, C	<i>Microstachys hispida</i> (Mart.) Govaerts	shrub	0
<i>Sebastiania corniculata</i> var. <i>purpureola</i> Mull.	Joh. Muller (Argov.)	Warming, C	<i>Microstachys hispida</i> (Mart.) Govaerts	shrub	0
<i>Sebastiania dimorphocalyx</i> Mull.	Joh. Muller (Argov.)	Warming, C	<i>Sebastiania dimorphocalyx</i> Müll. Arg.	tree	0
<i>Sebastiania klotzschiana</i> genuina Mull.	Joh. Muller (Argov.)		<i>Gymnanthes klotzschiana</i> Müll.Arg.	tree	0
<i>Sebastiania klotzschiana</i> trichoneura Mull.	Joh. Muller (Argov.)	Warming, C	<i>Gymnanthes klotzschiana</i> Müll.Arg.	tree	0
<i>Sebastiania rhombifolia</i> Mull.	Joh. Muller (Argov.)	Warming, C	<i>Sebastiania brasiliensis</i> Spreng.	tree	0
<i>Sebastiania serrata</i> Mull. Arg.	Joh. Muller (Argov.)	Warming, C	<i>Gymnanthes serrata</i> Baill. ex Müll.Arg.	tree	0
<i>Sebastiania serrulata</i> klotzschiana Mull.	Joh. Muller (Argov.)		<i>Microstachys serrulata</i> (Mart.) Müll.Arg.	shrub	0
<i>Sebastiania serrulata</i> oblongifolia Mull.	Joh. Muller (Argov.)		<i>Microstachys serrulata</i> (Mart.) Müll.Arg.	shrub	0
<i>Sebastiania virgata</i> scoparia Mull.	Joh. Muller (Argov.)		<i>Microstachys bidentata</i> (Mart.& Zucc.) Esser	shrub	1
<i>Sebastiania virgata</i> var. <i>odontococca</i> Mull.	Joh. Muller (Argov.)		<i>Microstachys bidentata</i> (Mart.& Zucc.) Esser	shrub	1
<i>Sebastiania ypanemensis</i> Mull.	Joh. Muller (Argov.)	Warming, C	<i>Sebastiania ypanamensis</i> (Müll.Arg.) Müll.Arg.	tree	0
<i>Stillingia oppositifolia</i> Baill.	Joh. Muller (Argov.)		<i>Stillingia oppositifolia</i> Baill. ex Müll.Arg.	shrub	0
<i>Tragia amoena</i> Mull.	Joh. Muller (Argov.)		<i>Tragia volubilis</i> L.	vine	0
<i>Tragia lagoensis</i> Mull.	Joh. Muller (Argov.)	Warming, C	<i>Tragia bahiensis</i> Müll.Arg.	herb	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Tragia sellowiana</i> (Klotzsch) Mull.	Joh. Muller (Argov.)		<i>Bia alienata</i> Didr.	vine	0
<i>Tragia uberabana</i> Mull.	Joh. Muller (Argov.)		<i>Tragia uberabana</i> Müll.Arg.	shrub	0
<i>Tragia volubilis genuina</i> Linn.	Joh. Muller (Argov.)		<i>Tragia volubilis</i> L.	vine	0
Fabaceae					
<i>Acacia farnesiana</i> Willd.	G. Bentham		<i>Vachellia farnesiana</i> (L.) Wight & Arn.	shrub	1
<i>Acacia paniculata</i> Willd.	G. Bentham		<i>Senegalia tenuifolia</i> (L.) Britton & Rose	shrub	0
<i>Acacia polyphylla</i> DC.	G. Bentham		<i>Senegalia polyphylla</i> (DC.) Britton & Rose	tree	2
<i>Acacia riparia</i> H.B.K.	G. Bentham		<i>Senegalia riparia</i> (Kunth) Britton & Rose ex Britton & Killip	shrub	0
<i>Acacia westiana</i> DC.	G. Bentham		<i>Senegalia riparia</i> (Kunth) Britton & Rose ex Britton & Killip	shrub	0
<i>Aeschynomene falcata</i> DC.	Marc. Micheli		<i>Aeschynomene falcata</i> (Poir.) DC.	shrub	0
<i>Aeschynomene falcata</i> var. <i>plurijuga</i> DC.	Marc. Micheli		<i>Aeschynomene elegans</i> Schltdl. & Cham.	shrub	0
<i>Aeschynomene paniculata</i> Willd.	Marc. Micheli		<i>Aeschynomene paniculata</i> Willd. ex Vogel	shrub	1
<i>Aeschynomene parviflora</i> Micheli	Marc. Micheli	Warming, P	<i>Aeschynomene parviflora</i> Micheli	shrub	0
<i>Aeschynomene paucifolia</i> Vog.	Marc. Micheli		<i>Aeschynomene paucifolia</i> Vogel	shrub	2
<i>Aeschynomene warmingii</i> Micheli	Marc. Micheli	Warming, F	<i>Aeschynomene warmingii</i> Micheli	shrub	0
<i>Andira fraxinifolia</i> Bth. (?)	Marc. Micheli		<i>Andira fraxinifolia</i> Benth.	tree	0
<i>Andira inermis</i> H.B.K. (?)	Marc. Micheli		<i>Andira inermis</i> (W.Wright) DC.	tree	0
<i>Andira laurifolia</i> Bth.	Marc. Micheli		<i>Andira humilis</i> Mart. ex Benth.	tree	3
<i>Arachis prostrata</i> Bth.	Marc. Micheli		<i>Arachis prostrata</i> Benth.	herb	0
<i>Bauhinia angulosa densiflora</i> Bth.	G. Bentham	Warming, C	<i>Phanera angulosa</i> (Vogel) Vaz	vine	0
<i>Bauhinia bongardii</i> Steud.	G. Bentham		<i>Bauhinia brevipes</i> Vogel	shrub	4
<i>Bauhinia candicans</i> Bth.	G. Bentham		<i>Bauhinia forficata</i> Link	tree	3
<i>Bauhinia forficata</i> Link.	G. Bentham		<i>Bauhinia forficata</i> Link	tree	3
<i>Bauhinia holophylla</i> Steud.	G. Bentham		<i>Bauhinia holophylla</i> (Bong.) Steud.	shrub	5
<i>Bauhinia langsdorffiana</i> Bong.	G. Bentham		<i>Schnella macrostachya</i> Raddi	vine	0
<i>Bauhinia leiopetala</i> Benth.	G. Bentham	Warming, C	<i>Schnella macrostachya</i> Raddi	vine	0
<i>Bauhinia longifolia acuminata</i> Steud.	G. Bentham		<i>Bauhinia longifolia</i> (Bong.) Steud.	tree	1
<i>Bauhinia pulchella</i> Benth.	G. Bentham		<i>Bauhinia pulchella</i> Benth.	tree	0
<i>Bauhinia rubiginosa</i> Bong.	G. Bentham		<i>Phanera splendens</i> (Kunth) Vaz	vine	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Bauhinia rufa</i> Steud.	G. Bentham		<i>Bauhinia rufa</i> (Bong.) Steud.	tree	1
<i>Bowdichia virgilioides</i> H.B.Kth.	Marc. Michelii		<i>Bowdichia virgilioides</i> Kunth	herb	2
<i>Camptosema coccineum</i> Bth.	Marc. Michelii		<i>Bionia coccinea</i> Mart. ex Benth.	shrub	1
<i>Camptosema grandiflorum</i> Bth.	Marc. Michelii		<i>Camptosema spectabile</i> (Tul.) Burkart	vine	0
<i>Canavalia gladiata</i> DC.	Marc. Michelii		<i>Canavalia gladiata</i> (Jacq.) DC.	vine	1
<i>Canavalia picta</i> Mart.	Marc. Michelii		<i>Canavalia picta</i> Mart. ex Benth.	vine	0
<i>Cassia affinis</i> alata Lin.	G. Bentham		<i>Senna affinis</i> (Benth.) H.S.Irwin & Barneby	tree	0
<i>Cassia angulata</i> Vogel.	G. Bentham		<i>Senna angulata</i> (Vogel) H.S.Irwin & Barneby	shrub	0
<i>Cassia apoucouita</i> Aublet	G. Bentham		<i>Chamaecrista apoucouita</i> (Aubl.) H.S.Irwin & Barneby	tree	0
<i>Cassia basifolia</i> Vog.	G. Bentham		<i>Chamaecrista basifolia</i> (Vogel) H.S.Irwin & Barneby	shrub	1
<i>Cassia bicapsularis</i> L.	G. Bentham		<i>Senna pendula</i> (Humb. & Bonpl. ex Willd.) H.S.Irwin & Barneby	shrub	0
<i>Cassia brachypoda</i> Benth.	G. Bentham		<i>Chamaecrista nictitans</i> (L.) Moench	shrub	1
<i>Cassia cathartica</i> Mart.	G. Bentham		<i>Chamaecrista cathartica</i> (Mart.) H.S.Irwin & Barneby	shrub	7
<i>Cassia chamaecrista brasiliensis</i> Vog.	G. Bentham		<i>Chamaecrista glandulosa</i> (L.) Greene	shrub	0
<i>Cassia cotinifolia</i> G. Don.	G. Bentham		<i>Chamaecrista cotinifolia</i> (G. Don) H.S.Irwin & Barneby	shrub	0
<i>Cassia excelsa</i> Schrad.	G. Bentham		<i>Senna spectabilis</i> (DC.) H.S.Irwin & Barneby	shrub	1
<i>Cassia ferruginea</i> Schrad.	G. Bentham		<i>Cassia ferruginea</i> (Schrad.) Schrad. ex DC.	tree	1
<i>Cassia flexuosa</i> Linn.	G. Bentham		<i>Chamaecrista flexuosa</i> (L.) Greene	shrub	4
<i>Cassia hispidula</i> Vahl.	G. Bentham		<i>Chamaecrista fagonioides</i> (Vogel) H.S.Irwin & Barneby	shrub	0
<i>Cassia langsdorffii</i> Kunth.	G. Bentham		<i>Chamaecrista langsdorffii</i> (Kunth ex Vogel) Britton ex Pittier	shrub	0
<i>Cassia macranthera</i> DC.	G. Bentham		<i>Senna macranthera</i> (DC. ex Collad.) H.S.Irwin & Barneby	tree	0
<i>Cassia macranthera venosissima</i> Bth.	G. Bentham		<i>Senna macranthera</i> (DC. ex Collad.) H.S.Irwin & Barneby	tree	0
<i>Cassia multijuga</i> A. Rich.	G. Bentham		<i>Senna multijuga</i> (Rich.) H.S.Irwin & Barneby	tree	0
<i>Cassia multijuga fulva</i> A. Rich.	G. Bentham		<i>Senna multijuga</i> (Rich.) H.S.Irwin & Barneby	tree	0
<i>Cassia neglecta acuminata</i> Bth.	G. Bentham	Warming, C	<i>Senna hirsuta</i> (L.) H.S.Irwin & Barneby	shrub	0
<i>Cassia occidentalis</i> Linn.	G. Bentham		<i>Senna occidentalis</i> (L.) Link	shrub	0
<i>Cassia orbiculata</i> Benth.	G. Bentham		<i>Chamaecrista orbiculata</i> (Benth.) H.S.Irwin & Barneby	tree	0
<i>Cassia patellaria</i> DC.	G. Bentham		<i>Chamaecrista nictitans</i> (L.) Moench	shrub	1

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Cassia pentagonia</i> Mill.	G. Bentham		<i>Senna pentagonia</i> (Mill.) H.S.Irwin & Barneby	herb	0
<i>Cassia pilifera</i> Vog.	G. Bentham		<i>Senna pilifera</i> (Vogel) H.S.Irwin & Barneby	shrub	0
<i>Cassia riparia pilosa</i> H. B. Kth.	G. Bentham	Warming, NY	<i>Chamaecrista nictitans</i> (L.) Moench	shrub	1
<i>Cassia rotundifolia</i> Pers.	G. Bentham		<i>Chamaecrista rotundifolia</i> (Pers.) Greene	shrub	1
<i>Cassia rugosa</i> Don.	G. Bentham		<i>Senna rugosa</i> (G.Don) H.S.Irwin & Barneby	shrub	9
<i>Cassia setosa</i> Vog.	G. Bentham		<i>Chamaecrista setosa</i> (Vogel) H.S.Irwin & Barneby	shrub	0
<i>Cassia silvestris</i> Vell.	G. Bentham		<i>Senna silvestris</i> (Vell.) H.S.Irwin & Barneby	tree	2
<i>Cassia speciosa</i> Schrad.	G. Bentham		<i>Senna macranthera</i> (DC. ex Collad.) H.S.Irwin & Barneby	tree	0
<i>Cassia splendida angustifolia</i> Bth.	G. Bentham		<i>Senna splendida</i> (Vogel) H.S.Irwin & Barneby	vine	1
<i>Cassia sulcata</i> DC.	G. Bentham		<i>Senna cernua</i> (Balb.) H.S.Irwin & Barneby	shrub	0
<i>Cassia tecta</i> Vog.	G. Bentham		<i>Chamaecrista desvauxii</i> (Collad.) Killip	shrub	2
<i>Cassia tora</i> L.	G. Bentham		<i>Senna obtusifolia</i> (L.) H.S.Irwin & Barneby	shrub	2
<i>Cassia trichopoda</i> Benth.	G. Bentham		<i>Chamaecrista trichopoda</i> (Benth.) Britton & Rose ex Britton & Killip	shrub	0
<i>Centrolobium tomentosum</i> Bth.	Marc. Micheli		<i>Centrolobium tomentosum</i> Guillem. ex Benth.	vine	0
<i>Centrosema angustifolium</i> Bth.	Marc. Micheli		<i>Centrosema angustifolium</i> (Kunth) Benth.	vine	0
<i>Centrosema brasiliandum</i> Bth.	Marc. Micheli		<i>Centrosema brasiliandum</i> (L.) Benth.	vine	0
<i>Centrosema dasyanthum</i> Bth.	Marc. Micheli		<i>Centrosema dasyanthum</i> Benth.	vine	0
<i>Centrosema hastatum</i> Bth.	Marc. Micheli		<i>Centrosema sagittatum</i> (Humb. & Bonpl. ex Willd.) Brandegee	vine	0
<i>Centrosema velutum</i> Mart.	Marc. Micheli		<i>Centrosema vetulum</i> Mart. ex Benth.	vine	0
<i>Centrosema virginianum</i> Bth.	Marc. Micheli		<i>Centrosema virginianum</i> (L.) Benth.	vine	0
<i>Chaetocalyx hebecarpa</i> Bth.	Marc. Micheli		<i>Chaetocalyx longiflora</i> Benth. ex A.Gray	vine	0
<i>Clitoria densiflora</i> Bth.	Marc. Micheli		<i>Clitoria densiflora</i> (Benth.) Benth.	shrub	0
<i>Clitoria glycinoides</i> D.G.	Marc. Micheli		<i>Clitoria falcata</i> Lam.	vine	0
<i>Clitoria guianensis</i> Benth.	Marc. Micheli		<i>Clitoria guianensis</i> (Aubl.) Benth.	shrub	2
<i>Clitoria pedunculata</i> Micheli	Marc. Micheli		<i>Clitoria heterophylla</i> Lam.	vine	0
<i>Collaea decumbens</i> Bth.	Marc. Micheli		<i>Galactia decumbens</i> (Benth.) Chodat & Hassl.	shrub	3
<i>Collaea glaucescens</i> Bth.	Marc. Micheli		<i>Galactia glaucescens</i> Kunth	shrub	2

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Collaea macrophylla</i> Bth.	Marc. Micheli		<i>Galactia boavista</i> (Vell.) Burkart	shrub	2
<i>Collaea scarlatina</i> Mart.	Marc. Micheli		<i>Camptosema scarlatinum</i> (Mart. ex Benth.) Burkart	vine	1
<i>Copaifera langsdorffii</i> Desf.	G. Bentham		<i>Copaifera langsdorffii</i> Desf.	tree	1
<i>Copaifera trapezifolia</i> Hayne	G. Bentham		<i>Copaifera trapezifolia</i> Hayne	tree	0
<i>Crotalaria anagyroides</i> H.B.K.	Marc. Micheli		<i>Crotalaria micans</i> Link	shrub	0
<i>Crotalaria anagyroides angustifolia</i> H.B.K.	Marc. Micheli		<i>Crotalaria micans</i> Link	shrub	0
<i>Crotalaria breviflora</i> DC.	Marc. Micheli		<i>Crotalaria breviflora</i> DC.	shrub	0
<i>Crotalaria flavicoma</i> Bth.	Marc. Micheli		<i>Crotalaria flavicoma</i> Benth.	shrub	3
<i>Crotalaria incana</i> L.	Marc. Micheli		<i>Crotalaria incana</i> L.	shrub	1
<i>Crotalaria maypurensis</i> H.B.K.	Marc. Micheli		<i>Crotalaria maypurensis</i> Kunth	shrub	1
<i>Crotalaria pohliana</i> Bth.	Marc. Micheli		<i>Crotalaria breviflora</i> DC.	shrub	0
<i>Crotalaria pohliana</i> var. <i>pterocaulon</i> Desv.	Marc. Micheli		<i>Crotalaria pilosa</i> Mill.	shrub	0
<i>Crotalaria stipularia</i> var. <i>serpyllifolia</i> DC.	Marc. Micheli		<i>Crotalaria stipularia</i> Desv.	shrub	0
<i>Crotalaria unifoliata</i> Bth.	Marc. Micheli		<i>Crotalaria unifoliata</i> Benth.	shrub	2
<i>Crotalaria velutina</i> Bth.	Marc. Micheli		<i>Crotalaria velutina</i> Benth.	shrub	1
<i>Crotalaria vespertilia</i> Bth.	Marc. Micheli		<i>Crotalaria vespertilio</i> Benth.	shrub	0
<i>Cyclolobium blanchetianum</i> Tul.	Marc. Micheli		<i>Cyclolobium brasiliense</i> Benth.	tree	0
<i>Dalbergia foliolosa</i> Bth.	Marc. Micheli		<i>Dalbergia foliolosa</i> Benth.	tree	0
<i>Dalbergia miscolobium</i> Bth.	Marc. Micheli		<i>Dalbergia miscolobium</i> Benth.	tree	1
<i>Dalbergia nigra</i> Allem.	Marc. Micheli		<i>Dalbergia nigra</i> (Vell.) Allemao ex Benth.	tree	0
<i>Dalbergia riparia</i> Bth.	Marc. Micheli		<i>Dalbergia riparia</i> (Mart. ex Benth.) Benth.	vine	0
<i>Dalbergia variabilis</i> Vog.	Marc. Micheli		<i>Dalbergia frutescens</i> (Vell.) Britton	shrub	0
<i>Desmodium adscendens</i> DC.	Marc. Micheli		<i>Desmodium adscendens</i> (Sw.) DC.	shrub	0
<i>Desmodium asperum</i> Desv.	Marc. Micheli		<i>Desmodium distortum</i> (Aubl.) J.F.Macbr.	shrub	0
<i>Desmodium barbatum</i> Bth.	Marc. Micheli		<i>Desmodium barbatum</i> (L.) Benth.	shrub	1
<i>Desmodium discolor</i> Vog.	Marc. Micheli		<i>Desmodium discolor</i> Vogel	shrub	0
<i>Desmodium incanum</i> DC.	Marc. Micheli		<i>Desmodium incanum</i> DC.	shrub	0
<i>Desmodium leiocarpum</i> G. Don	Marc. Micheli		<i>Desmodium leiocarpum</i> (Spreng.) G.Don	shrub	0
<i>Desmodium pachyrhizum</i> Vog.	Marc. Micheli		<i>Desmodium pachyrhizum</i> Vogel	shrub	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Desmodium platycarpum</i> Bth.	Marc. Micheli		<i>Desmodium platycarpum</i> Benth.	shrub	1
<i>Desmodium uncinatum</i> DC.	Marc. Micheli		<i>Desmodium uncinatum</i> (Jacq.) DC.	shrub	0
<i>Dimorphandra mollis</i> Benth.	G. Bentham		<i>Dimorphandra mollis</i> Benth.	tree	0
<i>Dioclea rufescens</i> Bth.	Marc. Micheli		<i>Dioclea rufescens</i> Benth.	vine	0
<i>Dioclea violacea</i> Mart.	Marc. Micheli		<i>Dioclea violacea</i> Mart. ex Benth.	vine	1
<i>Enterolobium ellipticum</i> Benth.	G. Bentham		<i>Enterolobium gummiferum</i> (Mart.) J.F.Macbr.	tree	3
<i>Enterolobium timbouva</i> Mart.	G. Bentham		<i>Enterolobium timbouva</i> Mart.	tree	0
<i>Eriosema benthamianum</i> Mart.	Marc. Micheli		<i>Eriosema benthamianum</i> Mart. ex Benth.	shrub	6
<i>Eriosema campestre</i> Bth.	Marc. Micheli		<i>Eriosema campestre</i> Benth.	shrub	2
<i>Eriosema crinitum</i> E. Mey.	Marc. Micheli		<i>Eriosema crinitum</i> (Kunth) G.Don	shrub	2
<i>Eriosema heterophyllum</i> Bth.	Marc. Micheli		<i>Eriosema heterophyllum</i> Benth.	herb	2
<i>Eriosema lagoense</i> Micheli	Marc. Micheli		<i>Eriosema campestre</i> Benth.	shrub	2
<i>Eriosema longifolium</i> Bth.	Marc. Micheli		<i>Eriosema longifolium</i> Benth.	shrub	0
<i>Eriosema pycnanthum</i> Bth.	Marc. Micheli		<i>Eriosema pycnanthum</i> Benth.	shrub	0
<i>Eriosema rufum glabrescens</i> Micheli	Marc. Micheli		<i>Eriosema rufum</i> (Kunth) G.Don	shrub	0
<i>Eriosema simplicifolium</i> Walp.	Marc. Micheli		<i>Eriosema simplicifolium</i> (Kunth) G.Don	shrub	0
<i>Eriosema strictum</i> Bth.	Marc. Micheli		<i>Eriosema strictum</i> Benth.	shrub	0
<i>Erythrina falcata</i> Bth.	Marc. Micheli		<i>Erythrina falcata</i> Benth.	tree	0
<i>Erythrina velutina</i> Willd.	Marc. Micheli		<i>Erythrina velutina</i> Willd.	tree	0
<i>Ferreirea spectabilis</i> Allem.	Marc. Micheli		<i>Sweetia fruticosa</i> Spreng.	tree	1
<i>Galactia benthamiana</i> Micheli	Marc. Micheli		<i>Galactia benthamiana</i> Micheli	shrub	0
<i>Harpalyce brasiliiana</i> Bth.	Marc. Micheli		<i>Harpalyce brasiliiana</i> Benth.	shrub	5
<i>Hymenaea stigonocarpa pubescens</i> Bth.	G. Bentham		<i>Hymenaea stigonocarpa</i> Mart. ex Hayne	tree	4
<i>Hymenaea stilbocarpa</i> Hayne	G. Bentham		<i>Hymenaea courbaril</i> L.	tree	1
<i>Indigofera anil</i> Linn.	Marc. Micheli		<i>Indigofera suffruticosa</i> Mill.	shrub	2
<i>Indigofera elongata</i> Micheli	Marc. Micheli		<i>Indigofera guaranitica</i> Hassl.	herb	0
<i>Indigofera lesperdezioides</i> H.B.Kth.	Marc. Micheli		<i>Indigofera lesperdezioides</i> Kunth	shrub	1
<i>Inga affinis</i> DC.	G. Bentham		<i>Inga vera</i> Willd.	tree	0
<i>Inga marginata</i> Willd.	G. Bentham		<i>Inga marginata</i> Willd.	tree	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Inga spuria</i> Humb. et Bonpl.	G. Bentham		<i>Inga vera</i> Willd.	tree	0
<i>Lonchocarpus neuroscapha pubigera</i> Bth.	Marc. Michelii		<i>Lonchocarpus cultratus</i> (Vell.) A.M.G. Azevedo & H.C. Lima	tree	0
<i>Lonchocarpus sericeus</i> H.B.K.	Marc. Michelii		<i>Lonchocarpus sericeus</i> (Poir.) Kunth ex DC.	tree	0
<i>Lupinus crotalarioides</i> Mart.	Marc. Michelii		<i>Lupinus crotalarioides</i> Mart. ex Benth.	shrub	0
<i>Machaerium angustifolium</i> Vog.	Marc. Michelii		<i>Machaerium hirtum</i> (Vell.) Stellfeld	tree	0
<i>Machaerium brasiliense</i> Vog.	Marc. Michelii		<i>Machaerium brasiliense</i> Vogel	tree	0
<i>Machaerium gardneri</i> Bth.	Marc. Michelii		<i>Machaerium nyctitans</i> (Vell.) Benth.	tree	0
<i>Machaerium opacum</i> Vogl.	Marc. Michelii		<i>Machaerium opacum</i> Vogel	tree	2
<i>Machaerium secundiflorum</i> affin. Mart. ex Benth.	Marc. Michelii		<i>Machaerium lanceolatum</i> (Vell.) J.F.Macbr.	vine	0
<i>Machaerium triste</i> Vog.	Marc. Michelii		<i>Machaerium brasiliense</i> Vogel	tree	0
<i>Machaerium vellosianum</i> Bth.	Marc. Michelii		<i>Machaerium reticulatum</i> (Poir.) Pers.	vine	0
<i>Machaerium vestitum</i> Vog.	Marc. Michelii		<i>Machaerium brasiliense</i> Vogel	tree	0
<i>Machaerium villosum</i> Vog.	Marc. Michelii		<i>Machaerium villosum</i> Vogel	tree	1
<i>Melanoxylon brauna</i> Schott.	G. Bentham		<i>Melanoxylon brauna</i> Schott	tree	0
<i>Mimosa asperata</i> L.	G. Bentham		<i>Mimosa asperata</i> L.	tree	0
<i>Mimosa calycina</i> Benth.	G. Bentham		<i>Mimosa radula</i> Benth.	shrub	0
<i>Mimosa capillipes</i> Benth.	G. Bentham	Warming, BAB	<i>Mimosa gracilis</i> Benth.	shrub	2
<i>Mimosa capillipes</i> var. <i>microphylla</i> Benth.	G. Bentham	Warming, C	<i>Mimosa gracilis</i> Benth.	shrub	2
<i>Mimosa conferta</i> Benth.	G. Bentham		<i>Mimosa dolens</i> Vell.	shrub	0
<i>Mimosa distans</i> Benth.	G. Bentham		<i>Mimosa distans</i> Benth.	shrub	0
<i>Mimosa elliptica</i> Benth.	G. Bentham		<i>Mimosa elliptica</i> Benth.	shrub	0
<i>Mimosa invisa</i> Mart.	G. Bentham		<i>Mimosa invisa</i> Mart. ex Colla	tree	0
<i>Mimosa lasiocarpa</i> Benth.	G. Bentham		<i>Mimosa somnians</i> Humb. & Bonpl. ex Willd.	shrub	0
<i>Mimosa millefoliata</i> Scheele	G. Bentham		<i>Mimosa millefoliata</i> Scheele	shrub	0
<i>Mimosa nervosa</i> var. <i>longipila</i> Benth.	G. Bentham		<i>Mimosa hirsutissima</i> Mart.	shrub	2
<i>Mimosa obovata</i> Benth.	G. Bentham		<i>Mimosa laticifera</i> Rizzini & A.Mattos	shrub	0
<i>Mimosa paludosa</i> Benth.	G. Bentham		<i>Mimosa setosa</i> Benth.	shrub	0
<i>Mimosa polycarpa</i> Kunth.	G. Bentham		<i>Mimosa polycarpa</i> Kunth	shrub	0
<i>Mimosa sensitiva</i> Linn.	G. Bentham		<i>Mimosa sensitiva</i> L.	shrub	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Mimosa sepiaria</i> Benth.	G. Bentham		<i>Mimosa bimucronata</i> (DC.) Kuntze	tree	0
<i>Mimosa sordida</i> Benth.	G. Bentham		<i>Mimosa aurivillus</i> Mart.	shrub	0
<i>Mimosa warmingii</i> Benth.	G. Bentham		<i>Pseudopiptadenia warmingii</i> (Benth.) G.P.Lewis & M.P.Lima	tree	0
<i>Mimosa xanthocentra</i> Mart.	G. Bentham		<i>Mimosa xanthocentra</i> Mart.	shrub	0
<i>Mucuna altissima</i> DC.	Marc. Micheli		<i>Mucuna urens</i> (L.) Medik.	vine	0
<i>Myroxylon peruferum</i> Linn.	Marc. Micheli		<i>Myroxylon peruferum</i> L.f.	tree	0
<i>Ormosia fastigiata</i> Tul. (?)	Marc. Micheli		<i>Ormosia fastigiata</i> Tul.	tree	0
<i>Peltophorum vogelianum</i> Benth.	G. Bentham		<i>Peltophorum dubium</i> (Spreng.) Taub.	tree	0
<i>Periandra densiflora</i> Bth.	Marc. Micheli		<i>Periandra densiflora</i> Benth.	vine	0
<i>Periandra heterophylla</i> Bth.	Marc. Micheli		<i>Periandra heterophylla</i> Benth.	shrub	0
<i>Phaseolus appendiculatus</i> Bth.	Marc. Micheli		<i>Condylostylis candida</i> (Vell.) A. Delgado	vine	0
<i>Phaseolus erythroloma</i> Mart.	Marc. Micheli		<i>Macroptilium erythroloma</i> (Mart. ex Benth.) Urb.	vine	1
<i>Phaseolus firmulus</i> Mart.	Marc. Micheli		<i>Ancistrotropis firmula</i> (Mart. ex Benth.) A. Delgado	shrub	2
<i>Phaseolus monophyllus</i> Bth.	Marc. Micheli		<i>Macroptilium monophyllum</i> (Benth.) Maréchal & Baudet	herb	0
<i>Phaseolus obliquifolius</i> Mart. (?)	Marc. Micheli		<i>Condylostylis candida</i> (Vell.) A. Delgado	vine	0
<i>Phaseolus pius</i> Mart.	Marc. Micheli		<i>Ancistrotropis peduncularis</i> (Kunth) A. Delgado	vine	2
<i>Phaseolus prostratus angustifolius</i> Bth.	Marc. Micheli		<i>Macroptilium prostratum</i> (Benth.) Urb.	shrub	0
<i>Phaseolus prostratus longepedunculatus</i> Micheli ?	Marc. Micheli		<i>Macroptilium prostratum</i> (Benth.) Urb.	shrub	0
<i>Phaseolus truxillensis grandiflorus</i> Micheli	Marc. Micheli		<i>Leptospron adenanthum</i> (G. Mey.) A. Delgado	vine	0
<i>Phaseolus vulgaris</i> L.	Marc. Micheli		<i>Phaseolus vulgaris</i> L.	shrub	0
<i>Piptadenia laxa</i> Benth.	G. Bentham		<i>Piptadenia adiantoides</i> (Spreng.) J.F.Macbr.	vine	0
<i>Piptadenia macradenia</i> Benth.	G. Bentham		<i>Piptadenia macradenia</i> Benth.	tree	0
<i>Piptadenia macrocarpa</i> Benth.	G. Bentham		<i>Anadenanthera colubrina</i> (Vell.) Brenan	tree	0
<i>Pithecellobium incuriale</i> (Well.) Benth.	G. Bentham		<i>Leucochloron incuriale</i> (Vell.) Barneby & J.W.Grimes	tree	0
<i>Pithecellobium multiflorum</i> Benth.	G. Bentham		<i>Albizia inundata</i> (Mart.) Barneby & J.W.Grimes	tree	0
<i>Pithecellobium polyccephalum</i> Benth.	G. Bentham		<i>Albizia polycephala</i> (Benth.) Killip ex Record	tree	0
<i>Plathymenia foliolosa</i> Benth.	G. Bentham		<i>Plathymenia reticulata</i> Benth.	tree	3
<i>Plathymenia reticulata</i> Benth.	G. Bentham		<i>Plathymenia reticulata</i> Benth.	tree	3
<i>Platycyamus regnellii</i> Bth.	Marc. Micheli		<i>Platycyamus regnellii</i> Benth.	tree	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Platymiscium pubescens</i> Micheli	Marc. Micheli	Warming, C	<i>Platymiscium pubescens</i> Micheli	tree	0
<i>Platypodium elegans</i> Vog.	Marc. Micheli		<i>Platypodium elegans</i> Vogel	tree	1
<i>Poiretia angustifolia</i> Vog.	Marc. Micheli		<i>Poiretia angustifolia</i> Vogel	shrub	0
<i>Poiretia latifolia</i> Vog.	Marc. Micheli		<i>Poiretia latifolia</i> Vogel	shrub	0
<i>Poiretia psoraloides</i> DC.	Marc. Micheli		<i>Poiretia tetraphylla</i> (Poir.) Burkart	shrub	0
<i>Poiretia pubescens</i> Vog.	Marc. Micheli		<i>Poiretia punctata</i> (Willd.) Desv.	vine	1
<i>Poiretia scandens</i> Vent.	Marc. Micheli		<i>Poiretia punctata</i> (Willd.) Desv.	vine	1
<i>Pterocarpus rohrii</i> Vohl.	Marc. Micheli		<i>Pterocarpus rohrii</i> Vahl	tree	0
<i>Rhynchosia claussenii</i> Bth.	Marc. Micheli		<i>Rhynchosia claussenii</i> Benth.	shrub	2
<i>Rhynchosia minima</i> DC. ?	Marc. Micheli		<i>Rhynchosia minima</i> (L.) DC.	vine	0
<i>Rhynchosia phaseoloides</i> DC.	Marc. Micheli		<i>Rhynchosia phaseoloides</i> (Sw.) DC.	vine	0
<i>Rhynchosia reticulata</i> DC.	Marc. Micheli		<i>Rhynchosia reticulata</i> (Sw.) DC.	vine	1
<i>Sclerolobium aureum</i> (Benth.)	G. Bentham		<i>Tachigali aurea</i> Tul.	tree	1
<i>Sclerolobium rugosum</i> Mart	G. Bentham		<i>Tachigali rugosa</i> (Mart. ex Benth.) Zarucchi & Pipoly	tree	0
<i>Sesbania exasperata</i> H.B.Kth.	Marc. Micheli		<i>Sesbania exasperata</i> Kunth	shrub	0
<i>Stenolobium brachycarpum</i> Bth.	Marc. Micheli		<i>Calopogonium mucunoides</i> Desv.	vine	0
<i>Stenolobium caeruleum</i> Bth.	Marc. Micheli		<i>Calopogonium caeruleum</i> (Benth.) C.Wright	vine	1
<i>Stryphnodendron barbatum</i> Mart.	G. Bentham		<i>Stryphnodendron adstringens</i> (Mart.) Coville	tree	0
<i>Stryphnodendron polypyllum</i> Mart.	G. Bentham		<i>Stryphnodendron polypyllum</i> Mart.	tree	0
<i>Stylosanthes bracteata</i> Vog.	Marc. Micheli		<i>Stylosanthes bracteata</i> Vogel	shrub	0
<i>Stylosanthes guianensis</i> Swartz	Marc. Micheli		<i>Stylosanthes guianensis</i> (Aubl.) Sw.	shrub	2
<i>Stylosanthes guianensis gracilis</i> Vog.	Marc. Micheli		<i>Stylosanthes guianensis</i> (Aubl.) Sw.	shrub	2
<i>Stylosanthes leiocarpa</i> Vog.	Marc. Micheli		<i>Stylosanthes leiocarpa</i> Vogel	shrub	0
<i>Stylosanthes scabra</i> Vog.	Marc. Micheli		<i>Stylosanthes scabra</i> Vogel	shrub	0
<i>Stylosanthes viscosa</i> Swartz	Marc. Micheli		<i>Stylosanthes viscosa</i> (L.) Sw.	shrub	0
<i>Sweetia dasycarpa</i> (Vog.) Bth.	Marc. Micheli		<i>Leptolobium dasycarpum</i> Vogel	tree	3
<i>Tephrosia adunca</i> Bth.	Marc. Micheli		<i>Tephrosia adunca</i> Benth.	shrub	0
<i>Tephrosia leptostachya</i> DC.	Marc. Micheli		<i>Tephrosia domingensis</i> (Willd.) Pers.	shrub	1
<i>Tephrosia rufescens</i> Bth.	Marc. Micheli		<i>Tephrosia adunca</i> Benth.	shrub	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Teramnus uncinatus</i> Sw.	Marc. Micheli		<i>Teramnus uncinatus</i> (L.) Sw.	vine	0
<i>Vicia obscura</i> Vog.	Marc. Micheli		<i>Vicia montevidensis</i> Vogel	vine	0
<i>Vigna vexillata</i> Bth.	Marc. Micheli		<i>Vigna vexillata</i> (L.) Rich.	vine	0
<i>Zornia brasiliensis</i> Vog.	Marc. Micheli		<i>Zornia brasiliensis</i> Vogel	shrub	0
<i>Zornia diphylla elatior</i> Pers.	Marc. Micheli		<i>Zornia glabra</i> Desv.	shrub	0
<i>Zornia diphylla pubescens</i> Pers.	Marc. Micheli		<i>Zornia latifolia</i> Sm.	shrub	0
<i>Zornia diphylla vulgaris-impunctata</i> Pers.	Marc. Micheli		<i>Zornia latifolia</i> Sm.	shrub	0
<i>Zornia virgata</i> Moric.	Marc. Micheli		<i>Zornia virgata</i> Moric.	shrub	0
Gentianaceae					
<i>Dejanira erubescens</i> Cham. & Schl.	Aug. Progel		<i>Deianira erubescens</i> Cham. & Schltdl.	herb	2
<i>Dejanira erubescens pallescens</i> Griseb	Aug. Progel		<i>Deianira pallescens</i> Cham. & Schltdl.	herb	0
<i>Dejanira nervosa</i> Cham. & Schl.	Aug. Progel		<i>Deianira nervosa</i> Cham. & Schltdl.	herb	3
<i>Lisianthus amplissimus</i> Mart.	Aug. Progel		<i>Calolisanthus amplissimus</i> (Mart.) Gilg	herb	1
<i>Lisianthus speciosus</i> Cham. & Schl.	Aug. Progel		<i>Calolisanthus speciosus</i> (Cham. & Schltdl.) Gilg	herb	1
<i>Lisianthus viridiflorus</i> Mart.	Aug. Progel		<i>Chelonanthus viridiflorus</i> (Mart.) Gilg	herb	0
<i>Schuebleria patula selliana</i> Prog.	Aug. Progel		<i>Curtia tenuifolia</i> (Aubl.) Knobl.	herb	0
<i>Schuebleria tenella</i> Mart.	Aug. Progel		<i>Curtia tenella</i> (Mart.) Cham.	herb	0
<i>Schultesia gracilis</i> Mart.	Aug. Progel		<i>Schultesia gracilis</i> Mart.	herb	0
<i>Voyria uniflora</i> (?) Lam.	Aug. Progel		<i>Voyria aphylla</i> (Jacq.) Pers.	herb	0
Gesneriaceae					
<i>Anetanthus gracilis</i> Hiern.	W.P.Hiern.	Warming, C	<i>Anetanthus gracilis</i> Hiern	herb	0
<i>Gesnera allagophylla</i> Mart.	W.P.Hiern.		<i>Sinningia allagophylla</i> (Mart.) Wiehler	herb	0
<i>Gesnera sceptrum</i> Mart.	W.P.Hiern.		<i>Sinningia sceptrum</i> (Mart.) Wiehler	shrub	0
<i>Gesnera warmingii</i> Hiern.	W.P.Hiern.		<i>Sinningia warmingii</i> (Hiern) Chautems	herb	1
<i>Gloxinia attenuata</i> Hanstein	W.P.Hiern.		<i>Sphaerorrhiza sarmentiana</i> (Gardner ex Hook.) Roalson & Boggan	herb	1
Haloragaceae					
<i>Myriophyllum brasiliense</i> Cambess.	A. Kanitz		<i>Myriophyllum aquaticum</i> (Vell.) Verdc.	herb	1
Hydrocharitaceae					

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Elodea densa</i> (Planchon) Caspary	Seubert, U.		<i>Egeria densa</i> Planch.	herb	0
<i>Elodea guyanensis</i> Rich.	Seubert, U.		<i>Apalanthe granatensis</i> (Bonpl.) Planch.	herb	1
Hydroleaceae					
<i>Hydrolea spinosa</i> L.	A.W.Bennett		<i>Hydrolea spinosa</i> L.	shrub	0
Hypericaceae					
<i>Vismia brasiliensis latifolia</i> Warmg.	E. Warming		<i>Vismia brasiliensis</i> Choisy	tree	0
Hypoxidaceae					
<i>Hypoxis scorzoneraefolia</i> Lam.	Seubert, M.		<i>Curculigo scorzonerifolia</i> (Lam.) Baker	herb	0
Iridaceae					
<i>Alophia linearis</i> (Klatt)	F. W. Klatt.		<i>Larentia linearis</i> (Kunth) Klatt	herb	0
<i>Alophia sellowiana</i> Klatt.	F. W. Klatt.		<i>Gelasine coerulea</i> (Vell.) Ravenna	herb	0
<i>Cipura paludosa</i> Aubl.	F. W. Klatt.		<i>Cipura paludosa</i> Aubl.	herb	0
<i>Cypella glauca</i> Seub.	F. W. Klatt.	Warming, C	<i>Neomarica glauca</i> (Seub. ex Klatt) Sprague	herb	0
<i>Cypella humilis</i> Klatt.	F. W. Klatt.		<i>Neomarica humilis</i> (Klatt) Capell.	herb	0
<i>Cypella lutea</i> Klatt.	F. W. Klatt.		<i>Neomarica longifolia</i> (Link & Otto) Sprague	herb	0
<i>Herbertia umbellata</i> Klatt.	F. W. Klatt.		<i>Lethia umbellata</i> (Klatt) Ravenna	herb	0
<i>Lansbergia caracasana</i> De Vriese.	F. W. Klatt.		<i>Trimezia martinicensis</i> (Jacq.) Herb.	herb	0
<i>Lansbergia juncifolia</i> Klatt.	F. W. Klatt.		<i>Trimezia juncifolia</i> (Klatt) Benth. & Hook.	herb	1
<i>Sisyrinchium alatum</i> Hook.	F. W. Klatt.		<i>Sisyrinchium alatum</i> Hook.	herb	0
<i>Sisyrinchium incurvatum</i> Gardn.	F. W. Klatt.		<i>Sisyrinchium vaginatum</i> Spreng.	herb	0
<i>Sisyrinchium luzula</i> Klotsch.	F. W. Klatt.		<i>Sisyrinchium luzula</i> Klotzsch ex Klatt	herb	0
<i>Sisyrinchium restioides</i> Spreng.	F. W. Klatt.		<i>Sisyrinchium restioides</i> Spreng.	herb	1
<i>Sisyrinchium vaginatum</i> Spreng.	F. W. Klatt.		<i>Sisyrinchium vaginatum</i> Spreng.	herb	0
Juncaceae					
<i>Juncus microcephalus typicus</i> H. B. Kth.	M. Seubert. revid. F.		<i>Juncus microcephalus</i> Kunth	herb	0
Lamiaceae					
<i>Aegiphila arborescens</i> Vahl.	W. P. Hiern		<i>Aegiphila integrifolia</i> (Jacq.) Moldenke	tree	0
<i>Aegiphila klotzkiana</i> Cham.	W. P. Hiern		<i>Aegiphila verticillata</i> Vell.	tree	4
<i>Aegiphila vitelliniflora</i> Klotzsch	W. P. Hiern		<i>Aegiphila vitelliniflora</i> Walp.	tree	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Aeolanthus snavis</i> Mart.	J.A Schmidt.		<i>Aeolanthus suaveolens</i> Mart.	herb	0
<i>Eriope complicata</i> Mart.	J.A Schmidt.		<i>Eriope complicata</i> Mart. ex Benth.	shrub	0
<i>Eriope crassipes acutifolia</i> DC.	J.A Schmidt.		<i>Eriope crassipes</i> Benth.	shrub	0
<i>Eriope crassipes</i> Benth.	J.A Schmidt.		<i>Eriope crassipes</i> Benth.	shrub	0
<i>Eriope macrostachya</i> Mart.	J.A Schmidt.		<i>Eriope macrostachya</i> Mart. ex Benth.	shrub	1
<i>Hyptis brevipes</i> Poit.	J.A Schmidt.		<i>Hyptis brevipes</i> Poit.	shrub	0
<i>Hyptis cana</i> Pohl	J.A Schmidt.		<i>Hyptidendron canum</i> (Pohl ex Benth.) Harley	tree	1
<i>Hyptis carpinifolia</i> Benth.	J.A Schmidt.		<i>Cantinoa carpinifolia</i> (Benth.) Harley & J.F.B.Pastore	shrub	0
<i>Hyptis clavellifera</i> Benth.	J.A Schmidt.		<i>Cyanocephalus cuneatus</i> (Pohl ex Benth.) Harley & J.F.B.Pastore	shrub	0
<i>Hyptis coccinea</i> Mart.	J.A Schmidt.		<i>Hypenia reticulata</i> (Mart. ex Benth.) Harley	shrub	3
<i>Hyptis communis</i> St. Hil.	J.A Schmidt.		<i>Cantinoa plectranthoides</i> (Benth.) Harley & J.F.B.Pastore	shrub	0
<i>Hyptis complicata</i> St. Hil.	J.A Schmidt.		<i>Hyptis complicata</i> A.St.-Hil. ex Benth.	shrub	0
<i>Hyptis crinita</i> Benth.	J.A Schmidt.		<i>Medusantha crinita</i> (Benth.) Harley & J.F.B.Pastore	shrub	0
<i>Hyptis crinita polyccephala</i> Benth.	J.A Schmidt.		<i>Medusantha crinita</i> (Benth.) Harley & J.F.B.Pastore	shrub	0
<i>Hyptis duplicitodentata</i> Pohl.	J.A Schmidt.		<i>Cantinoa duplicitodentata</i> (Benth.) Harley & J.F.B.Pastore	shrub	0
<i>Hyptis glomerata</i> Mart.	J.A Schmidt.		<i>Oocephalus oppositiflorus</i> (Schrank) Harley & J.F.B.Pastore	shrub	0
<i>Hyptis glomerata villosa</i> Mart.	J.A Schmidt.		<i>Oocephalus oppositiflorus</i> (Schrank) Harley & J.F.B.Pastore	shrub	0
<i>Hyptis homalophylla</i> Pohl.	J.A Schmidt.		<i>Hyptis homalophylla</i> Pohl ex Benth.	shrub	0
<i>Hyptis lappulacea</i> Mart.	J.A Schmidt.		<i>Hyptis lappulacea</i> Mart. ex Benth.	shrub	3
<i>Hyptis laxiflora</i> Mart.	J.A Schmidt.		<i>Hypenia reticulata</i> (Mart. ex Benth.) Harley	shrub	3
<i>Hyptis linariooides</i> Pohl.	J.A Schmidt.		<i>Hyptis linariooides</i> Pohl ex Benth.	shrub	1
<i>Hyptis longipes</i> St. Hil.	J.A Schmidt.		<i>Cyanocephalus rugosus</i> (Benth.) Harley & J.F.B.Pastore	shrub	0
<i>Hyptis lutescens</i> Pohl.	J.A Schmidt.		<i>Hyptis lutescens</i> Pohl ex Benth.	shrub	0
<i>Hyptis mollissima</i> Benth.	J.A Schmidt.		<i>Medusantha mollissima</i> (Benth.) Harley & J.F.B.Pastore	shrub	0
<i>Hyptis nudicaulis</i> Benth.	J.A Schmidt.		<i>Hyptis nudicaulis</i> Benth.	shrub	1
<i>Hyptis paludosa</i> St. Hil.	J.A Schmidt.		<i>Hyptis paludosa</i> A.St.-Hil. ex Benth.	herb	0
<i>Hyptis pectinata</i> Poit.	J.A Schmidt.		<i>Mesosphaerum pectinatum</i> (L.) Kuntze	shrub	1

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Hyptis recurvata</i> Poit.	J.A Schmidt.		<i>Hyptis recurvata</i> Poit.	shrub	0
<i>Hyptis rubicunda</i> Pohl.	J.A Schmidt.		<i>Hyptis rubicunda</i> Pohl ex Benth.	shrub	0
<i>Hyptis sinuata</i> Pohl.	J.A Schmidt.		<i>Hyptis sinuata</i> Pohl ex Benth.	shrub	0
<i>Hyptis spicata</i> Poit.	J.A Schmidt.		<i>Cantinoa mutabilis</i> (Rich.) Harley & J.F.B.Pastore	shrub	0
<i>Hyptis suaveolens</i> Poit.	J.A Schmidt.		<i>Mesosphaerum suaveolens</i> (L.) Kuntze	shrub	2
<i>Hyptis umbrosa</i> Salzm.	J.A Schmidt.		<i>Mesosphaerum sidifolium</i> (L'Hérit.) Harley & J.F.B.Pastore	shrub	0
<i>Hyptis viscidula</i> Benth.	J.A Schmidt.		<i>Cyanocephalus rugosus</i> (Benth.) Harley & J.F.B.Pastore	shrub	0
<i>Hyptis vitifolia</i> Pohl.	J.A Schmidt.		<i>Physominthe vitifolia</i> (Pohl x Benth.) Harley, R.M. & Pastore, J.F.B.	shrub	0
<i>Keithia denudata</i> Benth.	J.A Schmidt.		<i>Rhabdocaulon denudatum</i> (Benth.) Epling	shrub	2
<i>Leonotis nepetaefolia</i> R. Br	J.A Schmidt.		<i>Leonotis nepetifolia</i> (L.) R.Br.	herb	1
<i>Leonurus sibiricus</i> L.	J.A Schmidt.		<i>Leonurus sibiricus</i> L.	herb	0
<i>Marsypianthes hyptoides</i> Mart.	J.A Schmidt.		<i>Marsypianthes chamaedrys</i> (Vahl) Kuntze	shrub	1
<i>Mentha aquatica</i> L.	J.A Schmidt.		<i>Mentha aquatica</i> L.	herb	0
<i>Mentha viridis</i> L.	J.A Schmidt.		<i>Mentha spicata</i> L.	herb	0
<i>Ocimum basilicum</i> L.	J.A Schmidt.		<i>Ocimum basilicum</i> L.	shrub	0
<i>Ocimum canum</i> Sims.	J.A Schmidt.		<i>Ocimum americanum</i> L.	shrub	0
<i>Salvia scabrida</i> Pohl.	J.A Schmidt.		<i>Salvia scabrida</i> Pohl	shrub	0
<i>Salvia secunda</i> Benth.	J.A Schmidt.		<i>Salvia secunda</i> Benth.	shrub	0
<i>Salvia tomentella</i> Pohl.	J.A Schmidt.		<i>Salvia tomentella</i> Pohl	shrub	0
<i>Salvia velutina</i> Benth.	J.A Schmidt.		<i>Salvia tomentella</i> Pohl	shrub	0
<i>Stachys arvensis</i> L.	J.A Schmidt.		<i>Stachys arvensis</i> L.	herb	0
<i>Vitex polygama</i> Cham.	W. P. Hiern		<i>Vitex polygama</i> Cham.	tree	0
Lauraceae					
<i>Aiouea saligna</i> Meisn.	C.F. Meissner, corr. C. Mez		<i>Aiouea saligna</i> Meisn.	tree	0
<i>Aniba panurensis</i> Meisn.	C.F. Meissner, corr. C. Mez		<i>Aniba panurensis</i> (Meisn.) Mez	tree	0
<i>Cassytha americana</i> Nees	C.F. Meissner, corr. C. Mez		<i>Cassytha filiformis</i> L.	vine	0
<i>Cryptocarya moschata</i> Mart.	C.F. Meissner, corr. C. Mez		<i>Cryptocarya moschata</i> Nees & Mart.	tree	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Endlicheria hirsuta</i> Nees	C.F. Meissner, corr. C. Mez		<i>Endlicheria paniculata</i> (Spreng.) J.F.Macbr.	tree	0
<i>Nectandra grandiflora</i> Nees	C.F. Meissner, corr. C. Mez		<i>Nectandra grandiflora</i> Nees	tree	0
<i>Nectandra lanceolata</i> Nees	C.F. Meissner, corr. C. Mez		<i>Nectandra lanceolata</i> Nees	tree	0
<i>Nectandra myriantha</i> Meisn.	C.F. Meissner, corr. C. Mez		<i>Nectandra cissiflora</i> Nees	tree	0
<i>Nectandra nitidula</i> Nees	C.F. Meissner, corr. C. Mez		<i>Nectandra nitidula</i> Nees	tree	0
<i>Nectandra rigida</i> Nees	C.F. Meissner, corr. C. Mez		<i>Nectandra rigida</i> (Kunth) Nees	tree	0
<i>Nectandra venulosa</i> Meisn.	C.F. Meissner, corr. C. Mez		<i>Nectandra venulosa</i> Meisn.	tree	0
<i>Nectandra warmingii</i> Meisn.	C.F. Meissner, corr. C. Mez	Warming, C	<i>Nectandra warmingii</i> Meisn.	tree	0
<i>Ocotea blanchetii</i> (Meisn.) Mez.	C.F. Meissner, corr. C. Mez		<i>Ocotea velutina</i> (Nees) Rohwer	tree	0
<i>Ocotea corymbosa</i> (Meisn.) Mez.	C.F. Meissner, corr. C. Mez		<i>Ocotea corymbosa</i> (Meisn.) Mez	tree	0
<i>Ocotea glauca</i> var. <i>virescens</i> (Meisn.) Mez.	C.F. Meissner, corr. C. Mez		<i>Ocotea glauca</i> (Nees & Mart.) Mez	tree	0
<i>Ocotea laxa</i> (Nees.) Pax.	C.F. Meissner, corr. C. Mez		<i>Ocotea laxa</i> (Nees) Mez	tree	0
<i>Ocotea macropoda</i> (H.B.K.) Mez.	C.F. Meissner, corr. C. Mez		<i>Ocotea velloziana</i> (Meisn.) Mez	tree	0
<i>Ocotea nutans</i> (Nees.) Mez.	C.F. Meissner, corr. C. Mez	Warming, C	<i>Ocotea nutans</i> (Nees) Mez	tree	0
<i>Ocotea puberula</i> Nees	C.F. Meissner, corr. C. Mez		<i>Ocotea puberula</i> (Rich.) Nees	tree	0
<i>Ocotea pulchella</i> Mart.	C.F. Meissner, corr. C. Mez		<i>Ocotea pulchella</i> (Nees & Mart.) Mez	tree	0
<i>Persea fuliginosa</i> Nees	C.F. Meissner, corr. C. Mez		<i>Persea fuliginosa</i> Nees & Mart.	tree	0
<i>Persea pirifolia</i> major Meisn.	C.F. Meissner, corr. C. Mez		<i>Persea major</i> (Meisn.) L.E.Kopp	tree	0
<i>Persea venosa</i> Nees	C.F. Meissner, corr. C. Mez		<i>Persea venosa</i> Nees & Mart.	tree	0
<i>Phebe patens</i> (Meisn.) Mez.	C.F. Meissner, corr. C. Mez		<i>Ocotea indecora</i> (Schott) Mez	tree	0
Lecythidaceae					
<i>Cariniana brasiliensis</i> Casar.	N. Wille		<i>Cariniana legalis</i> (Mart.) Kuntze	tree	0
<i>Cariniana excelsa</i> Casar.	N. Wille		<i>Cariniana estrellensis</i> (Raddi) Kuntze	tree	0
<i>Cariniana glaziovii</i> N. Wille	N. Wille		<i>Cariniana estrellensis</i> (Raddi) Kuntze	tree	0
Lentibulariaceae					
<i>Genlisea pusilla</i> Wrmg.	E. Warming	Warming, C	<i>Genlisea repens</i> Benj.	herb	0
<i>Utricularia fusiformis</i> Wrmg.	E. Warming	Warming, C	<i>Utricularia tricolor</i> A.St.-Hil.	herb	0
<i>Utricularia hydrocarpa</i> Vahl.	E. Warming		<i>Utricularia hydrocarpa</i> Vahl	herb	0
<i>Utricularia lagoensis</i> Wrmg.	E. Warming	Warming, C	<i>Utricularia breviscapa</i> C.Wright ex Griseb.	herb	2

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Utricularia minima</i> Wrmg.	E. Warming	Warming, C	<i>Utricularia olivacea</i> C.Wright ex Griseb.	herb	0
<i>Utricularia pallens</i> var. <i>nutans</i> Wrmg.	E. Warming		<i>Utricularia gibba</i> L.	herb	3
<i>Utricularia purpurea</i> Walt.	E. Warming		<i>Utricularia purpurea</i> Walt.	herb	0
<i>Utricularia pusilla</i> Vahl.	E. Warming		<i>Utricularia pusilla</i> Vahl	herb	0
Loganiaceae					
<i>Antonia ovata</i> var. <i>pilosa</i> Mart.	Aug. Progel		<i>Antonia ovata</i> Pohl	tree	0
<i>Spigelia humboldtiana</i> Cham. et Schl.	Aug. Progel		<i>Spigelia scabra</i> Cham. & Schldl.	herb	0
<i>Strychnos brasiliensis</i> lagoensis Prog.	Aug. Progel	Warming, GH, US	<i>Strychnos brasiliensis</i> Mart.	shrub	0
<i>Strychnos brasiliensis</i> Mart.	Aug. Progel		<i>Strychnos brasiliensis</i> Mart.	shrub	0
<i>Strychnos macroanthae</i> Prog. Affin.	Aug. Progel		<i>Strychnos brasiliensis</i> Mart.	shrub	0
<i>Strychnos marginata</i> Benth.	Aug. Progel		<i>Strychnos parvifolia</i> A.DC.	vine	0
<i>Strychnos martii</i> Prog.	Aug. Progel		<i>Strychnos parvifolia</i> A.DC.	vine	0
<i>Strychnos pseudoquina</i> St. Hil.	Aug. Progel		<i>Strychnos pseudoquina</i> A.St.-Hil.	tree	3
<i>Strychnos triplinervia</i> Mart.	Aug. Progel		<i>Strychnos trinervis</i> (Vell.) Mart.	vine	0
Loranthaceae					
<i>Psittacanthus dichrous</i> Mart.	A.W Eichler		<i>Psittacanthus dichroos</i> (Mart.) Mart.	herb	0
<i>Psittacanthus robustus</i> Mart.	A.W Eichler		<i>Psittacanthus robustus</i> (Mart.) Mart.	vine	4
<i>Psittacanthus warmingii</i> Eichl.	A.W Eichler	Warming, P	<i>Psittacanthus acinarius</i> (Mart.) Mart.	herb	0
<i>Struthanthus elegans</i> Mart.	A.W Eichler		<i>Struthanthus elegans</i> (Mart.) Mart.	herb	0
<i>Struthanthus pterygopus</i> Mart.	A.W Eichler		<i>Passovia podoptera</i> (Cham. & Schldl.) Kuijt	herb	0
<i>Struthanthus syringifolius</i> Mart.	A.W Eichler		<i>Struthanthus syringifolius</i> (Mart.) Mart.	herb	0
Lythraceae					
<i>Cuphea arenarioides</i> St. Hil.	E. Kohne		<i>Cuphea arenarioides</i> A.St.-Hil.	herb	0
<i>Cuphea balsamona</i> Cham. et Schl.	E. Kohne		<i>Cuphea carthagensis</i> (Jacq.) J.Macbr.	shrub	1
<i>Cuphea costata</i> Kohne	E. Kohne		<i>Cuphea sessiliflora</i> A.St.-Hil.	shrub	0
<i>Cuphea densiflora</i> Kohne	E. Kohne	Warming, C	<i>Cuphea racemosa</i> (L.f.) Spreng.	shrub	0
<i>Cuphea ingrata</i> var. <i>parvifolia</i> Cham. et Schl.	E. Kohne		<i>Cuphea ingrata</i> Cham. & Schldl.	shrub	0
<i>Cuphea lutescens</i> Pohl	E. Kohne		<i>Cuphea lutescens</i> Koehne	shrub	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Cuphea micrantha</i> H.B.K.	E. Kohne		<i>Cuphea micrantha</i> Kunth	shrub	1
<i>Cuphea thymoides</i> Cham. et Schl.	E. Kohne		<i>Cuphea thymoides</i> Cham. & Schldl.	shrub	0
<i>Cuphea warmingii</i> Kohne	E. Kohne	Warming, C	<i>Cuphea warmingii</i> Koehne	shrub	0
<i>Diplusodon lanceolatus alutaceus</i> Pohl	E. Kohne		<i>Diplusodon lanceolatus</i> Pohl	shrub	1
<i>Diplusodon lanceolatus remotus</i> Pohl	E. Kohne		<i>Diplusodon lanceolatus</i> Pohl	shrub	1
<i>Diplusodon serpyllifolius</i> DC.	E. Kohne		<i>Diplusodon microphyllus</i> Pohl	shrub	0
<i>Diplusodon villosissimus</i> Pohl	E. Kohne		<i>Diplusodon villosissimus</i> Pohl	shrub	0
<i>Diplusodon virgatus</i> Pohl	E. Kohne		<i>Diplusodon virgatus</i> Pohl	tree	1
<i>Lafoensia densiflora</i> var. <i>callosa</i> Pohl	E. Kohne		<i>Lafoensia pacari</i> A.St-Hil.	tree	1
<i>Lafoensia pacari</i> St. Hil.	E. Kohne		<i>Lafoensia pacari</i> A.St-Hil.	tree	1
<i>Lafoensia replicata</i> var. <i>lundii</i> Pohl	E. Kohne		<i>Lafoensia vandelliana</i> Cham. & Schldl.	tree	0
Magnoliaceae					
<i>Talauma ovata</i> St. Hil.	A.W. Eichler		<i>Magnolia ovata</i> (A.St.-Hil.) Spreng.	tree	0
Malpighiaceae					
<i>Banisteria albicans</i> Gr.	A. Grisebach		<i>Banisteriopsis oxyclada</i> (A.Juss.) B.Gates	vine	0
<i>Banisteria argyrophylla</i> Juss.	A. Grisebach		<i>Banisteriopsis argyrophylla</i> (A.Juss.) B.Gates	shrub	1
<i>Banisteria campestris</i> Juss.	A. Grisebach		<i>Banisteriopsis campestris</i> (A.Juss.) Little	shrub	2
<i>Banisteria campestris montana</i> Juss.	A. Grisebach		<i>Banisteriopsis campestris</i> (A.Juss.) Little	shrub	2
<i>Banisteria campestris ovata</i> Gr.	A. Grisebach		<i>Banisteriopsis campestris</i> (A.Juss.) Little	shrub	2
<i>Banisteria clauseniana</i> Juss.	A. Grisebach		<i>Banisteriopsis anisandra</i> (A.Juss.) B.Gates	vine	1
<i>Banisteria crotonifolia</i> Juss.	A. Grisebach		<i>Banisteriopsis malifolia</i> (Nees & Mart.) B.Gates	shrub	0
<i>Banisteria crotonifolia angustata</i> Juss.	A. Grisebach		<i>Banisteriopsis malifolia</i> (Nees & Mart.) B.Gates	shrub	0
<i>Banisteria laevifolia</i> Juss.	A. Grisebach		<i>Banisteriopsis laevifolia</i> (A.Juss.) B.Gates	shrub	5
<i>Banisteria megaphylla</i> Juss.	A. Grisebach		<i>Banisteriopsis megaphylla</i> (A.Juss.) B.Gates	shrub	1
<i>Banisteria praecox</i> Gr.	A. Grisebach	Warming, C	<i>Diplopterys lutea</i> (Griseb.) W.R.Anderson & C.Davis	vine	0
<i>Banisteria pruinosa</i> Mart.	A. Grisebach		<i>Banisteriopsis muricata</i> (Cav.) Cuatrec.	vine	0
<i>Banisteria pubipetala</i> Juss.	A. Grisebach		<i>Diplopterys pubipetala</i> (A.Juss.) W.R.Anderson & C.Davis	shrub	4
<i>Banisteria pubipetala oblongata</i> Gr.	A. Grisebach	Warming, C	<i>Diplopterys pubipetala</i> (A.Juss.) W.R.Anderson & C.Davis	shrub	4
<i>Banisteria pubipetala scandens</i> Gr.	A. Grisebach	Warming, C?	<i>Diplopterys pubipetala</i> (A.Juss.) W.R.Anderson & C.Davis	shrub	4

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Banisteriopsis nummifera</i> Juss.	A. Grisebach		<i>Banisteriopsis nummifera</i> (A.Juss.) B.Gates	vine	0
<i>Byrsonima clauseniana</i> Juss.	A. Grisebach		<i>Byrsonima clauseniana</i> A.Juss.	tree	0
<i>Byrsonima coccobifolia</i> Kth.	A. Grisebach		<i>Byrsonima coccobifolia</i> Kunth	shrub	3
<i>Byrsonima crassifolia</i> Kth.	A. Grisebach		<i>Byrsonima crassifolia</i> (L.) Kunth	tree	1
<i>Byrsonima intermedia</i> Juss.	A. Grisebach		<i>Byrsonima intermedia</i> A.Juss.	shrub	7
<i>Byrsonima lancifolia</i> Juss.	A. Grisebach		<i>Byrsonima lancifolia</i> A.Juss.	tree	0
<i>Byrsonima pachyphylla</i> Juss.	A. Grisebach		<i>Byrsonima pachyphylla</i> A.Juss.	tree	1
<i>Byrsonima psilandra</i> Gr.	A. Grisebach		<i>Byrsonima psilandra</i> Griseb.	shrub	0
<i>Byrsonima sericea</i> DC.	A. Grisebach		<i>Byrsonima sericea</i> DC.	tree	0
<i>Byrsonima spicata</i> Rich.	A. Grisebach		<i>Byrsonima spicata</i> (Cav.) DC.	tree	0
<i>Byrsonima vacciniifolia cearensis</i> Gr.	A. Grisebach		<i>Byrsonima vacciniifolia</i> A.Juss.	tree	0
<i>Byrsonima vaccinifolia</i> Juss.	A. Grisebach		<i>Byrsonima vaccinifolia</i> A.Juss.	tree	0
<i>Byrsonima verbascifolia</i> Rich.	A. Grisebach		<i>Byrsonima verbascifolia</i> (L.) DC.	shrub	3
<i>Byrsonima verbascifolia intermedia</i> Juss.	A. Grisebach		<i>Byrsonima verbascifolia</i> (L.) DC.	shrub	3
<i>Byrsonima verbascifolia leiocarpa</i> Gr.	A. Grisebach		<i>Byrsonima verbascifolia</i> (L.) DC.	shrub	3
<i>Byrsonima verbascifolia villosa</i> Gr.	A. Grisebach		<i>Byrsonima verbascifolia</i> (L.) DC.	shrub	3
<i>Camarea affinis</i> St. Hil.	A. Grisebach		<i>Camarea affinis</i> A.St.-Hil.	shrub	0
<i>Camarea ericoides</i> St. Hil.	A. Grisebach		<i>Camarea ericoides</i> A.St.-Hil.	herb	2
<i>Dicella holosericea</i> Juss.	A. Grisebach		<i>Dicella bracteosa</i> (A.Juss.) Griseb.	vine	2
<i>Galphimia brasiliensis</i> Juss.	A. Grisebach		<i>Galphimia brasiliensis</i> (L.) A.Juss.	shrub	0
<i>Heteropteris affinis</i> Juss.	A. Grisebach		<i>Heteropteris byrsonimifolia</i> A.Juss.	shrub	4
<i>Heteropteris anoptera</i> Juss.	A. Grisebach		<i>Heteropteris eglandulosa</i> A.Juss.	vine	0
<i>Heteropteris argyrophaea</i> var. <i>eglandulosa</i> Gr.	A. Grisebach		<i>Heteropteris argyrophaea</i> A.Juss.	shrub	2
<i>Heteropteris bicolor</i> Juss.	A. Grisebach		<i>Heteropteris bicolor</i> A.Juss.	vine	0
<i>Heteropteris campestris</i> Juss.	A. Grisebach		<i>Heteropteris campestris</i> A.Juss.	shrub	0
<i>Heteropteris confertiflora</i> Juss.	A. Grisebach		<i>Heteropteris confertiflora</i> A.Juss.	shrub	0
<i>Heteropteris duarteana</i> Juss.	A. Grisebach		<i>Heteropteris xanthophylla</i> A.Juss.	shrub	0
<i>Heteropteris eglandulosa</i> Juss.	A. Grisebach		<i>Heteropteris eglandulosa</i> A.Juss.	vine	0
<i>Heteropteris hespectabilis</i> Mart.	A. Grisebach		<i>Heteropteris tomentosa</i> A.Juss.	shrub	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Heteropteris thyrsoides</i> Juss.	A. Grisebach		<i>Heteropterys thyrsoides</i> (Griseb.) A.Juss.	vine	0
<i>Heteropteris umbellata</i> Juss.	A. Grisebach		<i>Heteropterys umbellata</i> A.Juss.	shrub	0
<i>Heteropteris verbascifolia</i> Gr.	A. Grisebach		<i>Heteropterys tomentosa</i> A.Juss.	shrub	0
<i>Heteropteris warmingiana</i> Gr.	A. Grisebach		<i>Niedenzuella warmingiana</i> (Griseb.) W.R. Anderson	vine	0
<i>Heteropteris xanthophylla</i> var. <i>petiolaris</i> Gr.	A. Grisebach		<i>Heteropterys xanthophylla</i> A.Juss.	shrub	0
<i>Mascagnia ambigua</i> Gr.	A. Grisebach		<i>Tetrapterys ambigua</i> (A.Juss.) Nied.	shrub	0
<i>Mascagnia ambigua</i> var. <i>distans</i> Gr.	A. Grisebach	Warming, GOET	<i>Tetrapterys ambigua</i> (A.Juss.) Nied.	shrub	0
<i>Mascagnia microphylla</i> Gr.	A. Grisebach		<i>Tetrapterys microphylla</i> (A.Juss.) Nied.	shrub	0
<i>Mascagnia rigida</i> Gr.	A. Grisebach		<i>Amorimia rigida</i> (A.Juss.) W.R.Anderson	vine	0
<i>Mascagnia sepium</i> var. <i>velutina</i> Gr.	A. Grisebach		<i>Mascagnia sepium</i> (A.Juss.) Griseb.	vine	0
<i>Peixotoa cordistipula</i> Juss.	A. Grisebach		<i>Peixotoa cordistipula</i> A.Juss.	shrub	0
<i>Peixotoa hirta</i> Mart.	A. Grisebach		<i>Peixotoa hirta</i> A.Juss.	shrub	0
<i>Peixotoa macrophylla</i> Gr.	A. Grisebach		<i>Peixotoa reticulata</i> Griseb.	shrub	0
<i>Peixotoa parviflora</i> Juss.	A. Grisebach		<i>Peixotoa parviflora</i> A.Juss.	shrub	0
<i>Pterandra pyroidea</i> Juss.	A. Grisebach		<i>Pterandra pyroidea</i> A.Juss.	shrub	2
<i>Schwannia elegans</i> Juss.	A. Grisebach		<i>Janusia mediterranea</i> (Vell.) W.R.Anderson	shrub	0
<i>Schwannia elegans</i> var. <i>sericea</i> Gr.	A. Grisebach	Warming, GOET ?	<i>Janusia mediterranea</i> (Vell.) W.R.Anderson	shrub	0
<i>Stigmaphyllo acuminatum</i> Juss.	A. Grisebach		<i>Stigmaphyllo acuminatum</i> A.Juss.	vine	0
<i>Stigmaphyllo affine</i> Juss.	A. Grisebach		<i>Stigmaphyllo affine</i> A.Juss.	vine	0
<i>Tetrapteris humilis</i> incana Gr.	A. Grisebach		<i>Tetrapterys ramiflora</i> A.Juss.	shrub	1
<i>Tetrapteris helianthemifolia</i> Gr.	A. Grisebach	Warming, GOET	<i>Tetrapterys ramiflora</i> A.Juss.	shrub	1
<i>Tetrapteris humilis</i> Juss.	A. Grisebach		<i>Tetrapterys humilis</i> A.Juss.	shrub	0
<i>Tetrapteris multiglandulosa</i> Juss.	A. Grisebach		<i>Niedenzuella multiglandulosa</i> (A.Juss.) W.R.Anderson	vine	0
<i>Tetrapteris racemulosa</i> Juss.	A. Grisebach		<i>Tetrapterys racemulosa</i> A.Juss.	shrub	0
<i>Tetrapteris rotundifolia</i> Juss.	A. Grisebach		<i>Tetrapterys phlomoides</i> (Spreng.) Nied.	vine	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Tetrapterys stephaniana</i> Gr.	A. Grisebach	Warming, GOET	<i>Tetrapterys ramiflora</i> A.Juss.	shrub	1
<i>Tetrapterys turnerae</i> Mart.	A. Grisebach		<i>Tetrapterys turnerae</i> Mart. ex A.Juss.	shrub	0
<i>Thryallis latifolia</i> Mart.	A. Grisebach		<i>Thryallis latifolia</i> Mart.	vine	0
Malvaceae					
<i>Abutilon crispum</i> Sw.	H. Schumann et M. Gurke		<i>Herissantia crispa</i> (L.) Brizicky	shrub	0
<i>Abutilon rufinerve</i> St. Hil.	H. Schumann et M. Gurke		<i>Abutilon rufinerve</i> A.St.-Hil.	shrub	0
<i>Anoda denudata</i> (Nees. et Mart.) K. Schum	H. Schumann et M. Gurke		<i>Briquetia denudata</i> (Nees & Mart.) Chodat & Hassl.	shrub	0
<i>Apeiba tibourbou</i> Aubl.	C. Schumann		<i>Apeiba tibourbou</i> Aubl.	tree	1
<i>Ayenia riedeliana</i> K. Sch.	C. Schumann		<i>Ayenia angustifolia</i> A.St.-Hil. & Naudin	shrub	0
<i>Bastardia elegans</i> K. Schum	H. Schumann et M. Gurke	Warming, F	<i>Bastardia elegans</i> K.Schum.	shrub	0
<i>Bombax candolleanum</i> Shum.	C. Schumann.		<i>Eriotheca candolleana</i> (K.Schum.) A.Robyns	tree	0
<i>Bombax cyathophorum</i> (Cas.) Schum.	C. Schumann.		<i>Pseudobombax grandiflorum</i> (Cav.) A.Robyns	tree	0
<i>Bombax longiflorum</i> (Mart. et Zucc.) Schum	C. Schumann.		<i>Pseudobombax longiflorum</i> (Mart. & Zucc.) A.Robyns	shrub	1
<i>Bombax marginatum</i> (St. Hil.) Schum	C. Schumann.		<i>Pseudobombax marginatum</i> (A.St.-Hil.) A.Robyns	tree	1
<i>Bombax martianum</i> Shum.	C. Schumann.	Warming, C	<i>Pseudobombax tomentosum</i> (Mart. & Zucc.) A.Robyns	tree	0
<i>Bombax pubescens</i> Mart. et Zucc.	C. Schumann.		<i>Eriotheca pubescens</i> (Mart. & Zucc.) Schott & Endl.	tree	0
<i>Bombax tomentosum</i> St. Hil.	C. Schumann.		<i>Eriotheca pubescens</i> (Mart. & Zucc.) Schott & Endl.	tree	0
<i>Byttneria australis</i> St. Hil.	C. Schumann		<i>Byttneria australis</i> A.St.-Hil.	shrub	0
<i>Byttneria catalpifolia</i> Jacq.	C. Schumann		<i>Byttneria catalpifolia</i> Jacq.	vine	0
<i>Byttneria gayana</i> St. Hil.	C. Schumann		<i>Byttneria gayana</i> A.St.-Hil.	vine	0
<i>Byttneria scabra</i> L.	C. Schumann		<i>Byttneria scabra</i> L.	shrub	0
<i>Chorisia speciosa</i> St. Hil.	C. Schumann.		<i>Ceiba speciosa</i> (A.St.-Hil.) Ravenna	tree	0
<i>Cienfugosia phlomidifolia</i> Garcke	H. Schumann et M. Gurke		<i>Cienfuegosia affinis</i> (Kunth) Hochr.	shrub	0
<i>Corchorus hirtus</i> L.	C. Schumann		<i>Corchorus hirtus</i> L.	shrub	1
<i>Corchorus hirtus</i> var. <i>vilosissimus</i> K.Sch.	C. Schumann		<i>Corchorus hirtus</i> L.	shrub	1
<i>Gaya gracilipes</i> K. Schum	H. Schumann et M. Gurke	Warming, C	<i>Gaya gracilipes</i> K.Schum.	shrub	0
<i>Gaya stricta</i> K. Schum	H. Schumann et M. Gurke		<i>Gaya stricta</i> K.Schum.	shrub	0
<i>Gaya villosa</i> K. Schum	H. Schumann et M. Gurke		<i>Gaya villosa</i> K.Schum.	shrub	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Guariroba turbinata</i> Pohl	C. Schumann.		<i>Quararibea turbinata</i> (Sw.) Poir.	shrub	0
<i>Guasuma ulmifolia</i> Lam.	C. Schumann		<i>Guazuma ulmifolia</i> Lam.	tree	1
<i>Guasuma ulmifolia tomentella</i> K.Sch.	C. Schumann		<i>Guazuma ulmifolia</i> Lam.	tree	1
<i>Helicteres brevispira</i> St. Hil.	C. Schumann		<i>Helicteres brevispira</i> A.St.-Hil.	shrub	0
<i>Helicteres ovata</i> Lam.	C. Schumann		<i>Helicteres ovata</i> Lam.	shrub	0
<i>Helicteres sacarolha</i> St. Hil.	C. Schumann		<i>Helicteres sacarolha</i> A.St.-Hil. et al.	shrub	4
<i>Luehea divaricata</i> Mart.	C. Schumann		<i>Luehea divaricata</i> Mart. & Zucc.	tree	3
<i>Luehea paniculata</i> Mart.	C. Schumann		<i>Luehea paniculata</i> Mart. & Zucc.	shrub	0
<i>Luehea speciosa</i> Willd.	C. Schumann		<i>Luehea speciosa</i> Willd.	tree	0
<i>Malva parviflora</i> Linn.	H. Schumann et M. Gurke		<i>Malva parviflora</i> L.	shrub	0
<i>Malvastrum coromandelianum</i> Grcke.	H. Schumann et M. Gurke		<i>Malvastrum coromandelianum</i> Garcke	shrub	0
<i>Melochia hirsuta</i> Cav.	C. Schumann		<i>Melochia villosa</i> (Mill.) Fawc. & Rendle	shrub	0
<i>Melochia pyramidata</i> L.	C. Schumann		<i>Melochia pyramidata</i> L.	shrub	0
<i>Melochia venosa</i> Sw.	C. Schumann		<i>Melochia pilosa</i> (Mill.) Fawc. & Rendle	shrub	0
<i>Melochia venosa polystachya</i> Sw.	C. Schumann		<i>Melochia pilosa</i> (Mill.) Fawc. & Rendle	shrub	0
<i>Pavonia malacophylla</i> (Nees. et Mart.) Garcke.	H. Schumann et M. Gurke		<i>Pavonia malacophylla</i> (Link & Otto) Garcke	shrub	0
<i>Pavonia paniculata</i> Cav.	H. Schumann et M. Gurke		<i>Pavonia paniculata</i> Cav.	shrub	0
<i>Pavonia polymorpha</i> St. Hil.	H. Schumann et M. Gurke		<i>Peltaea polymorpha</i> (A.St.-Hil.) Krapov. & Cristóbal	shrub	0
<i>Sida acrantha</i> Lk.	H. Schumann et M. Gurke		<i>Sida acrantha</i> Link	herb	0
<i>Sida acuta</i> Burm.	H. Schumann et M. Gurke		<i>Sida acuta</i> Burm.f.	shrub	0
<i>Sida cordifolia</i> L.	H. Schumann et M. Gurke		<i>Sida cordifolia</i> L.	shrub	2
<i>Sida densiflora</i> Hook. et Arn.	H. Schumann et M. Gurke		<i>Bastardiopsis densiflora</i> (Hook. & Arn.) Hassl.	tree	1
<i>Sida linifolia</i> L.	H. Schumann et M. Gurke		<i>Sida linifolia</i> Cav.	shrub	1
<i>Sida macrodon</i> DC.	H. Schumann et M. Gurke		<i>Krapovickasia macrodon</i> (DC.) Fryxell	shrub	0
<i>Sida maritima</i> St. Hil. (?)	H. Schumann et M. Gurke		<i>Waltheria maritima</i> A.St.-Hil.	shrub	0
<i>Sida micrantha</i> St. Hil.	H. Schumann et M. Gurke		<i>Sidastrum micranthum</i> (A.St.-Hil.) Fryxell	shrub	0
<i>Sida rhombifolia</i> L.	H. Schumann et M. Gurke		<i>Sida rhombifolia</i> L.	herb	0
<i>Sida spinosa angustifolia</i> L.	H. Schumann et M. Gurke		<i>Sida spinosa</i> L.	shrub	0
<i>Sida tomentella</i> Miq.	H. Schumann et M. Gurke		<i>Sida caudata</i> A.St.-Hil. & Naudin	shrub	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Sida urens</i> L.	H. Schumann et M. Gurke		<i>Sida urens</i> L.	shrub	1
<i>Sida viarum</i> St. Hil.	H. Schumann et M. Gurke		<i>Sida viarum</i> A.St.-Hil.	shrub	0
<i>Sterculia striata</i> St. Hil. Et Naud.	C. Schumann		<i>Sterculia striata</i> A.St.-Hil. & Naudin	tree	0
<i>Triumfetta rhomboidea</i> Jacq.	C. Schumann		<i>Triumfetta rhomboidea</i> Jacq.	shrub	1
<i>Triumfetta semitriloba brasiliensis</i> Schum.	C. Schumann		<i>Triumfetta semitriloba</i> Jacq.	shrub	1
<i>Triumfetta semitriloba martiana</i> Schum.	C. Schumann		<i>Triumfetta semitriloba</i> Jacq.	shrub	1
<i>Urena lobata</i> var. <i>americana</i> L.	H. Schumann et M. Gurke		<i>Urena lobata</i> L.	shrub	0
<i>Urena lobata</i> var. <i>reticulata</i> (Cav.) Gurke	H. Schumann et M. Gurke		<i>Urena lobata</i> L.	shrub	0
<i>Waltheria americana</i> L.	C. Schumann		<i>Waltheria indica</i> L.	shrub	1
<i>Waltheria communis</i> St. Hil.	C. Schumann		<i>Waltheria communis</i> A.St.-Hil.	shrub	0
<i>Waltheria communis</i> var. <i>vulgaris</i> K. Sch.	C. Schumann		<i>Waltheria communis</i> A.St.-Hil.	shrub	0
<i>Waltheria viscosissima</i> St. Hil.	C. Schumann		<i>Waltheria viscosissima</i> A.St.-Hil.	shrub	0
<i>Wissadula hernandioides</i> Grcke.	H. Schumann et M. Gurke		<i>Wissadula hernandioides</i> (L.Hér.) Garcke	shrub	2
<i>Wissadula hernandioides</i> var. <i>macrocarpa</i> K. Sch.	H. Schumann et M. Gurke		<i>Wissadula hernandioides</i> (L.Hér.) Garcke	shrub	2
<i>Wissadula periplocifolia</i> Prsl.	H. Schumann et M. Gurke		<i>Wissadula periplocifolia</i> (L.) C.Presl. ex Thwaites	shrub	0
Marantaceae					
<i>Calathea lindbergii</i> O. G. Petersen	O. G. Petersen		<i>Goeppertia arrabidae</i> (Körn.) Borchs. & S. Suárez	herb	0
<i>Calathea sellowii</i> Kcke.	O. G. Petersen		<i>Goeppertia sellowii</i> (Körn.) Borchs. & S. Suárez	herb	0
<i>Maranta arundinacea</i> L.	O. G. Petersen		<i>Maranta arundinacea</i> L.	herb	0
<i>Maranta bracteosa</i> O. G. Petersen	O. G. Petersen	Warming, F	<i>Maranta bracteosa</i> Petersen	herb	0
<i>Maranta parviflora</i> O. G. Petersen	O. G. Petersen	Warming, F	<i>Maranta parviflora</i> Petersen	herb	0
<i>Saranthe</i> (?) <i>pluriflora</i> O. G. Petersen	O. G. Petersen	Warming, C	<i>Maranta pluriflora</i> (Petersen) K.Schum.	herb	0
<i>Stromanthe tonckat</i> Eichl.	O. G. Petersen		<i>Stromanthe tonckat</i> (Aubl.) Eichler	herb	0
Mayacaceae					
<i>Mayaca lagoensis</i> Wrmg.	E. Warming	Warming, C	<i>Mayaca sellowiana</i> Kunth	herb	0
<i>Mayaca longipes</i> Mart.	E. Warming		<i>Mayaca longipes</i> Mart. ex Seub.	herb	1
Melastomataceae					
<i>Acisanthera alsinaefolia</i> (DC.) Tr.	A. Cogniaux		<i>Acisanthera quadrata</i> Pers.	herb	0
<i>Acisanthera limnobios</i> (DC.) Tr.	A. Cogniaux		<i>Acisanthera limnobios</i> (Schrank & Mart. ex DC.) Triana	herb	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Acisanthera variabilis</i> (DC.) Tr.	A. Cogniaux		<i>Acisanthera variabilis</i> (Mart. & Schrank) Triana	shrub	0
<i>Cambessedesia espora</i> var. <i>chamaedryfolia</i> Cogn.	A. Cogniaux		<i>Cambessedesia espora</i> (A.St.-Hil. ex Bonpl.) DC.	shrub	5
<i>Cambessedesia ilicifolia</i> var. <i>genuina</i> Tr.	A. Cogniaux		<i>Cambessedesia espora</i> (A.St.-Hil. ex Bonpl.) DC.	shrub	5
<i>Cambessedesia ilicifolia</i> var. <i>integerrima</i> Tr.	A. Cogniaux		<i>Cambessedesia espora</i> (A.St.-Hil. ex Bonpl.) DC.	shrub	5
<i>Clidemia hirta</i> (L.) Don.	A. Cogniaux		<i>Clidemia hirta</i> (L.) D.Don	shrub	0
<i>Clidemia neglecta</i> Don.	A. Cogniaux		<i>Clidemia capitellata</i> (Bonpl.) D.Don	shrub	1
<i>Clidemia spicata</i> (Aubl.) DC.	A. Cogniaux		<i>Clidemia capitellata</i> (Bonpl.) D.Don	shrub	1
<i>Lavoisiera alba</i> DC.	A. Cogniaux		<i>Lavoisiera alba</i> Mart. & Schrank ex DC.	shrub	0
<i>Leandra adenothrix</i> Cogn.	A. Cogniaux	Warming, BR	<i>Leandra adenothrix</i> Cogn.	shrub	1
<i>Leandra aurea</i> (Cham.) Cogn.	A. Cogniaux		<i>Leandra aurea</i> (Cham.) Cogn.	tree	0
<i>Leandra australis</i> (Cham.) Cogn. (?)	A. Cogniaux		<i>Leandra australis</i> (Cham.) Cogn.	shrub	0
<i>Leandra gardneriana</i> var. <i>setulosa</i> Cogn.	A. Cogniaux		<i>Leandra gardneriana</i> Cogn.	shrub	0
<i>Leandra lacunosa</i> Cogn.	A. Cogniaux		<i>Leandra lacunosa</i> Cogn.	shrub	0
<i>Leandra reversa</i> (DC.) Cogn.	A. Cogniaux		<i>Leandra reversa</i> (DC.) Cogn.	shrub	0
<i>Leandra salicina</i> (Ser.) Cogn.	A. Cogniaux	Warming, C	<i>Leandra salicina</i> (DC.) Cogn.	shrub	0
<i>Leandra scabra</i> DC.	A. Cogniaux		<i>Leandra melastomoides</i> Raddi	tree	0
<i>Leandra ternata</i> Cogn.	A. Cogniaux	Warming, C	<i>Leandra ternata</i> Cogn.	shrub	0
<i>Leandra warmingiana</i> Cogn.	A. Cogniaux	Warming, C	<i>Leandra warmingiana</i> Cogn.	shrub	0
<i>Macairea adenostemon</i> DC.	A. Cogniaux		<i>Macairea radula</i> (Bonpl.) DC.	tree	2
<i>Macairea sericea</i> Cogn.	A. Cogniaux		<i>Macairea radula</i> (Bonpl.) DC.	tree	2
<i>Miconia albicans</i> (Sw.) Triana	A. Cogniaux		<i>Miconia albicans</i> (Sw.) Triana	tree	6
<i>Miconia brevipes</i> var. <i>longifolia</i> Benth.	A. Cogniaux	Warming, C	<i>Miconia trianae</i> Cogn.	tree	0
<i>Miconia calvescens</i> DC.	A. Cogniaux		<i>Miconia calvescens</i> DC.	tree	0
<i>Miconia chamissois</i> Naud.	A. Cogniaux		<i>Miconia chamissois</i> Naudin	shrub	0
<i>Miconia cinerascens</i> Miq.	A. Cogniaux		<i>Miconia cinerascens</i> Miq.	tree	0
<i>Miconia discolor</i> DC.	A. Cogniaux		<i>Miconia discolor</i> DC.	tree	0
<i>Miconia discolor</i> var. <i>subconcolor</i> Cogn.	A. Cogniaux	Warming, C	<i>Miconia discolor</i> DC.	tree	0
<i>Miconia ferruginata latifolia</i> DC.	A. Cogniaux		<i>Miconia ferruginata</i> DC.	tree	3
<i>Miconia ibaguensis</i> (Bonpl.) Triana	A. Cogniaux		<i>Miconia ibaguensis</i> (Bonpl.) Triana	tree	6

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Miconia ibaguensis</i> var. <i>glabrata</i> Cogn.	A. Cogniaux		<i>Miconia ibaguensis</i> (Bonpl.) Triana	tree	6
<i>Miconia ligustroides</i> (DC.) Naud.	A. Cogniaux		<i>Miconia ligustroides</i> (DC.) Naudin	shrub	3
<i>Miconia macrothyrsa</i> Benth.	A. Cogniaux		<i>Miconia macrothyrsa</i> Benth.	shrub	5
<i>Miconia minutiflora</i> (Bonpl.) DC.	A. Cogniaux		<i>Miconia minutiflora</i> (Bonpl.) DC.	tree	0
<i>Miconia pepericarpa</i> DC.	A. Cogniaux		<i>Miconia pepericarpa</i> DC.	tree	3
<i>Miconia prasina</i> (Sw.) DC.	A. Cogniaux		<i>Miconia prasina</i> (Sw.) DC.	tree	0
<i>Miconia pusilliflora</i> (DC.) Triana	A. Cogniaux		<i>Miconia pusilliflora</i> (DC.) Naudin	tree	0
<i>Miconia rubiginosa</i> (Bonpl.) DC.	A. Cogniaux		<i>Miconia rubiginosa</i> (Bonpl.) DC.	tree	4
<i>Miconia scorpioides</i> (Schlechtd.) Tr. (?)	A. Cogniaux		<i>Miconia trinervia</i> (Sw.) D.Don	tree	0
<i>Miconia stenostachya</i> DC.	A. Cogniaux		<i>Miconia stenostachya</i> DC.	shrub	3
<i>Miconia theizans</i> (Bonpl.) Cogn.	A. Cogniaux		<i>Miconia theizans</i> (Bonpl.) Cogn.	tree	0
<i>Miconia theizans</i> var. <i>triplinervia</i> (Bonpl.) Cogn.	A. Cogniaux		<i>Miconia theizans</i> (Bonpl.) Cogn.	tree	0
<i>Miconia theizans</i> var. <i>glaberrima</i> (Bonpl.) Cogn.	A. Cogniaux		<i>Miconia theizans</i> (Bonpl.) Cogn.	tree	0
<i>Miconia theizans</i> var. <i>vulgaris</i> (Bonpl.) Cogn.	A. Cogniaux		<i>Miconia theizans</i> (Bonpl.) Cogn.	tree	0
<i>Miconia warmingiana</i> Cogn.	A. Cogniaux	Warming, BR	<i>Miconia warmingiana</i> Cogn.	tree	0
<i>Microlepis trianei</i> Cogn.	A. Cogniaux		<i>Microlepis trianaei</i> Cogn.	shrub	0
<i>Microlicia cinerea</i> ovata Cogn.	A. Cogniaux	Warming, BR	<i>Microlicia ericoides</i> D.Don	shrub	0
<i>Microlicia euphorbioides</i> ionantha Mart.	A. Cogniaux		<i>Microlicia euphorbioides</i> Mart.	shrub	1
<i>Microlicia euphorbioides</i> var. <i>brevifolia</i> Mart.	A. Cogniaux		<i>Microlicia euphorbioides</i> Mart.	shrub	1
<i>Microlicia fasciculata</i> Mart.	A. Cogniaux		<i>Microlicia fasciculata</i> Mart. ex Naudin	shrub	2
<i>Microlicia fulva</i> Cham.	A. Cogniaux		<i>Microlicia fulva</i> (Spreng.) Cham.	shrub	0
<i>Microlicia fulva</i> var. <i>martialis</i> (Naud.) Cogn.	A. Cogniaux		<i>Microlicia fulva</i> (Spreng.) Cham.	shrub	0
<i>Microlicia subsetosa</i> Mart. (?)	A. Cogniaux		<i>Microlicia subsetosa</i> DC.	shrub	0
<i>Ossaea marginata</i> (Desr.) Tr.	A. Cogniaux		<i>Ossaea marginata</i> (Desr.) Triana	shrub	0
<i>Ossaea warmingiana</i> Cogn.	A. Cogniaux	Warming, C	<i>Ossaea warmingiana</i> Cogn.	shrub	0
<i>Pterolepis filiformis</i> (Naud.) Triana	A. Cogniaux		<i>Pterolepis perpusilla</i> (Naudin) Cogn.	herb	0
<i>Pterolepis pauciflora</i> var. <i>genuina</i> (Naud.) Triana	A. Cogniaux		<i>Pterolepis repanda</i> (DC.) Triana.	herb	0
<i>Pterolepis pauciflora</i> var. <i>hirsutissima</i> (Naud.)	A. Cogniaux		<i>Pterolepis repanda</i> (DC.) Triana.	herb	0
<i>Pterolepis pauciflora</i> var. <i>intermedia</i> (Naud.)	A. Cogniaux		<i>Pterolepis repanda</i> (DC.) Triana.	herb	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Rhynchanthera cordata</i> DC.	A. Cogniaux		<i>Rhynchanthera cordata</i> DC.	shrub	0
<i>Rhynchanthera rostrata</i> DC.	A. Cogniaux		<i>Rhynchanthera grandiflora</i> (Aubl.) DC.	shrub	4
<i>Tibouchina candelleana</i> (Mart.) Cogn.	A. Cogniaux		<i>Tibouchina candelleana</i> (Mart. ex DC.) Cogn.	tree	0
<i>Tibouchina frigidula</i> (DC.) Cogn.	A. Cogniaux		<i>Tibouchina frigidula</i> (DC.) Cogn.	shrub	0
<i>Tibouchina gracilis</i> var. <i>fraterna</i> (Bonpl.) Cogn.	A. Cogniaux		<i>Tibouchina gracilis</i> (Bonpl.) Cogn.	shrub	0
<i>Tibouchina gracilis</i> var. <i>strigillosa</i> (Bonpl.) Cogn.	A. Cogniaux		<i>Tibouchina gracilis</i> (Bonpl.) Cogn.	shrub	0
<i>Tibouchina gracilis</i> var. <i>vulgaris</i> (Bonpl.) Cogn.	A. Cogniaux		<i>Tibouchina gracilis</i> (Bonpl.) Cogn.	shrub	0
<i>Tibouchina herbaceae</i> (DC.) Cogn.	A. Cogniaux		<i>Tibouchina herbacea</i> (DC.) Cogn.	shrub	0
<i>Tibouchina sebastianopolitana</i> (Raddi) Cogn.	A. Cogniaux		<i>Tibouchina sebastianopolitana</i> Cogn.	shrub	0
<i>Tibouchina stenocarpa</i> (DC.) Cogn.	A. Cogniaux		<i>Tibouchina stenocarpa</i> (Schrank & Mart. ex DC.) Cogn.	shrub	0
<i>Tibouchina stenocarpa</i> var. <i>latifolia</i> (DC.) Cogn.	A. Cogniaux		<i>Tibouchina stenocarpa</i> (Schrank & Mart. ex DC.) Cogn.	shrub	0
<i>Trembleya parviflora</i> triflora (Don.) Cogn.	A. Cogniaux		<i>Trembleya parviflora</i> (D.Don) Cogn.	shrub	1
<i>Trembleya parviflora</i> var. <i>vulgaris</i> (Don.) Cogn.	A. Cogniaux		<i>Trembleya parviflora</i> (D.Don) Cogn.	shrub	1
<i>Trembleya parviflora</i> var. <i>warmingii</i> (Don.) Cogn.	A. Cogniaux		<i>Trembleya parviflora</i> (D.Don) Cogn.	shrub	1
<i>Trembleya phlogiformis</i> var. <i>latifolia</i> DC.	A. Cogniaux		<i>Trembleya phlogiformis</i> DC.	shrub	1
<i>Trembleya phlogiformis</i> var. <i>genuina</i> DC.	A. Cogniaux		<i>Trembleya phlogiformis</i> DC.	shrub	1
<i>Trembleya warmingii</i> Cogn.*	A. Cogniaux	Warming, C	<i>Trembleya warmingii</i> Cogn.	shrub	0
Meliaceae					
<i>Cabralea lagoensis</i> C.DC.	Cas. De Candolle	Warming, C	<i>Cabralea canjerana</i> (Vell.) Mart.	tree	8
<i>Cabralea polytricha</i> var. <i>pallida</i> C.DC.	Cas. De Candolle	Warming, C	<i>Cabralea canjerana</i> (Vell.) Mart.	tree	8
<i>Cabralea warmingiana</i> C.DC.	Cas. De Candolle	Warming, C	<i>Cabralea canjerana</i> (Vell.) Mart.	tree	8
<i>Cabralea warmingiana</i> var. <i>coriaceae</i> C.DC.	Cas. De Candolle	Warming, C	<i>Cabralea canjerana</i> (Vell.) Mart.	tree	8
<i>Cedrela fissilis</i> Vell.	Cas. De Candolle		<i>Cedrela fissilis</i> Vell.	tree	0
<i>Guarea pohlii</i> var. <i>glabra</i> DC.	Cas. De Candolle	Warming, C	<i>Guarea kunthiana</i> A.Juss.	tree	0
<i>Guarea trichilioides</i> L.	Cas. De Candolle		<i>Guarea guidonia</i> (L.) Sleumer	tree	0
<i>Guarea warmingiana</i> C.DC.	Cas. De Candolle	Warming, C	<i>Guarea macrophylla</i> Vahl	tree	0
<i>Trichilia albicans</i> C.DC.	Cas. De Candolle	Warming, C	<i>Trichilia casaretti</i> C.DC.	tree	0
<i>Trichilia catigua</i> A.Juss.	Cas. De Candolle		<i>Trichilia catigua</i> A.Juss.	tree	2
<i>Trichilia catigua</i> var. <i>glabrior</i> C.DC.	Cas. De Candolle	Warming, C	<i>Trichilia catigua</i> A.Juss.	tree	2

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Trichilia clausenii</i> C.DC.	Cas. De Candolle		<i>Trichilia clausenii</i> C.DC.	tree	2
<i>Trichilia lagoensis</i> C.DC.	Cas. De Candolle	Warming, C	<i>Trichilia clausenii</i> C.DC.	tree	2
<i>Trichilia lagoensis</i> var. <i>pubescens</i> C.DC.	Cas. De Candolle	Warming, C	<i>Trichilia clausenii</i> C.DC.	tree	2
<i>Trichilia pallens</i> C.DC.	Cas. De Candolle		<i>Trichilia pallens</i> C.DC.	shrub	0
<i>Trichilia subalata</i> C.DC.	Cas. De Candolle	Warming, C	<i>Trichilia emarginata</i> (Turcz.) C.DC.	tree	0
<i>Trichilia velutina</i> C.DC.	Cas. De Candolle	Warming, C	<i>Trichilia clausenii</i> C.DC.	tree	2
<i>Trichilia warmingii</i> C.DC.	Cas. De Candolle	Warming, C	<i>Trichilia elegans</i> A.Juss.	tree	1
<i>Trichilia warmingii</i> var. <i>macrophylla</i> C.DC.	Cas. De Candolle	Warming, C	<i>Trichilia elegans</i> A.Juss.	tree	1
<i>Trichilia weddellii</i> C.DC.	Cas. De Candolle		<i>Trichilia pallida</i> Sw.	tree	1
<i>Trichilia weddellii</i> var. <i>parvifolia</i> C.DC.	Cas. De Candolle	Warming, C	<i>Trichilia pallida</i> Sw.	tree	1
Menispermaceae					
<i>Cissampelos glaberrima</i> St. Hil.	A.W. Eichler		<i>Cissampelos glaberrima</i> A.St.-Hil.	vine	0
<i>Cissampelos ovalifolia</i> DC.	A.W. Eichler		<i>Cissampelos ovalifolia</i> DC.	shrub	0
<i>Cissampelos pareira</i> Linn.	A.W. Eichler		<i>Cissampelos pareira</i> L.	vine	0
<i>Pachygone oblongifolia</i> Eichl.	A.W. Eichler		<i>Hyperbaena oblongifolia</i> (Mart.) Chodat & Hassl.	vine	0
Menyanthaceae					
<i>Limnanthemum humboldtianum</i> Gris.	Aug. Progel		<i>Nymphoides indica</i> (L.) Kuntze	herb	1
Monimiaceae					
<i>Mollinedia brasiliensis</i> Tul.	E. Warming		<i>Mollinedia widgrenii</i> A. DC.	tree	0
<i>Mollinedia sellowii</i> (Spreng.) A. DC.	E. Warming		<i>Mollinedia schottiana</i> (Spreng.) Perkins	tree	0
<i>Siparuna cujabana</i> Tul.	E. Warming		<i>Siparuna brasiliensis</i> (Spreng.) A.DC.	tree	0
<i>Siparuna guianensis</i> Aubl.	E. Warming		<i>Siparuna guianensis</i> Aubl.	tree	0
Moraceae					
<i>Brosimum aubletii</i> Popp. Endl.	E. Warming		<i>Brosimum guianense</i> (Aubl.) Huber	tree	0
<i>Brosimum gaudichandii</i> Trec.	E. Warming		<i>Brosimum gaudichaudii</i> Trécul	tree	1
<i>Coussapoa schottii</i> Miq.	E. Warming		<i>Coussapoa microcarpa</i> (Schott) Rizzini	tree	0
<i>Dorstenia cayapia bryoniaefolia</i> Bur.	E. Bureau		<i>Dorstenia cayapia</i> Vell.	herb	0
<i>Dorstenia lagoensis</i> Bur.	E. Bureau	Warming, P	<i>Dorstenia bowmaniana</i> Baker	herb	0
<i>Dorstenia tubicina</i> R. et Pav.	E. Bureau		<i>Dorstenia tubicina</i> Ruiz & Pav.	herb	1

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Maclura tinctoria affinis</i> Bur.	E. Bureau		<i>Maclura tinctoria</i> (L.) D.Don ex Steud.	tree	0
<i>Maclura tinctoria ovata</i> Bur.	E. Bureau		<i>Maclura tinctoria</i> (L.) D.Don ex Steud.	tree	0
<i>Maclura tinctoria xanthoxylon</i> Bur.	E. Bureau		<i>Maclura tinctoria</i> (L.) D.Don ex Steud.	tree	0
<i>Olmedia rigida</i> Kl. et Kart.	E. Warming		<i>Pseudolmedia rigida</i> (Klotzsch & H.Karst.) Cuatrec.	tree	0
<i>Pharmacosycea affin. anthelmintico</i> Miq.	E. Warming		<i>Ficus adhatodifolia</i> Schott	tree	0
<i>Pharmacosycea perforata</i> Miq.	E. Warming		<i>Ficus obtusiuscula</i> Schott	tree	0
<i>Sorocea ilicifolia</i> Miq.	E. Warming		<i>Sorocea bonplandii</i> (Baill.) W.C.Burger et al.	tree	0
<i>Sorocea ilicifolia hirtella</i> Warmg.	E. Warming		<i>Sorocea guilleminiana</i> Gaudich.	tree	0
<i>Urostigma calyptroceras</i> Miq.	E. Warming		<i>Ficus calyptroceras</i> (Miq.) Miq.	tree	1
<i>Urostigma doliarium</i> Miq.	E. Warming		<i>Ficus gomelleira</i> Kunth & C.D.Bouché	tree	0
<i>Urostigma euomphalum</i> Miq.	E. Warming		<i>Ficus trigona</i> L.f.	tree	0
<i>Urostigma gardnerianum</i> Miq.	E. Warming		<i>Ficus obtusifolia</i> Kunth	tree	0
<i>Urostigma kunthii</i> Miq.	E. Warming		<i>Ficus maxima</i> Mill.	tree	0
<i>Urostigma maximilianum</i> Miq. Affin.	E. Warming		<i>Ficus trigonata</i> L.	tree	0
<i>Urostigma pohlianum</i> Miq. Affin.	E. Warming		<i>Ficus cestrifolia</i> Schott	tree	0
Myrtaceae					
<i>Britoa sellowiana</i> Berg.	H. Kiaerskou		<i>Campomanesia guazumifolia</i> (Cambess.) O.Berg	tree	0
<i>Calyptranthes clusiifolia</i> (Miq.) Berg	H. Kiaerskou		<i>Calyptranthes clusiifolia</i> O. Berg	tree	0
<i>Calyptranthes pteropoda</i> Berg.	H. Kiaerskou		<i>Calyptranthes pteropoda</i> O. Berg	tree	0
<i>Calyptranthes widgreniana</i> Berg.	H. Kiaerskou		<i>Calyptranthes widgreniana</i> O. Berg	tree	0
<i>Campomanesia bracteolata</i> Kiaersk.	H. Kiaerskou	Warming, C	<i>Campomanesia pubescens</i> (Mart. ex DC.) O.Berg	herb	1
<i>Campomanesia caerulea</i> Berg.	H. Kiaerskou		<i>Campomanesia adamantium</i> (Cambess.) O.Berg	shrub	4
<i>Campomanesia caerulea</i> var. <i>grandifolia</i> Berg.	H. Kiaerskou		<i>Campomanesia adamantium</i> (Cambess.) O.Berg	shrub	4
<i>Campomanesia corymbosa</i> (Camb.) Berg	H. Kiaerskou		<i>Campomanesia pubescens</i> (Mart. ex DC.) O.Berg	herb	1
<i>Campomanesia itanarensis</i> Kiaersk.	H. Kiaerskou		<i>Campomanesia guazumifolia</i> (Cambess.) O.Berg	tree	0
<i>Campomanesia rabeniana</i> Kiaersk.	H. Kiaerskou	Warming, C	<i>Campomanesia velutina</i> (Cambess.) O.Berg	tree	0
<i>Campomanesia regeliana</i> (Berg.) Kiaersk.	H. Kiaerskou		<i>Psidium rufum</i> Mart. ex DC.	tree	0
<i>Campomanesia warmingiana</i> Kiaersk.	H. Kiaerskou	Warming, C	<i>Campomanesia pubescens</i> (Mart. ex DC.) O.Berg	herb	1
<i>Eugenia aurata</i> Berg.	H. Kiaerskou		<i>Eugenia aurata</i> O. Berg	shrub	1

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Eugenia bimarginata</i> DC.	H. Kiaerskou		<i>Eugenia bimarginata</i> DC.	shrub	3
<i>Eugenia bimarginata</i> var. <i>rubrocincta</i> (Berg.)	H. Kiaerskou		<i>Eugenia bimarginata</i> DC.	shrub	3
<i>Eugenia bimarginata</i> var. <i>umbellaris</i> (DC.) Kiaersk.	H. Kiaerskou		<i>Eugenia bimarginata</i> DC.	shrub	3
<i>Eugenia chnoosepala</i> Kiaersk.	H. Kiaerskou	Warming, C	<i>Siphoneugena densiflora</i> O. Berg	tree	0
<i>Eugenia dodonaeifolia</i> Camb.	H. Kiaerskou		<i>Eugenia dodonaeifolia</i> Cambess.	tree	0
<i>Eugenia dysenterica</i> DC.	H. Kiaerskou		<i>Eugenia dysenterica</i> (Mart.) DC.	tree	1
<i>Eugenia flava</i> Berg.	H. Kiaerskou		<i>Eugenia punicifolia</i> (Kunth) DC.	shrub	1
<i>Eugenia flavescens</i> DC.	H. Kiaerskou		<i>Eugenia flavescens</i> DC.	tree	0
<i>Eugenia fruticulosa</i> DC.	H. Kiaerskou		<i>Eugenia punicifolia</i> (Kunth) DC.	shrub	1
<i>Eugenia gardneriana</i> Berg.	H. Kiaerskou		<i>Eugenia florida</i> DC.	tree	0
<i>Eugenia glareosa</i> Berg.	H. Kiaerskou		<i>Eugenia punicifolia</i> (Kunth) DC.	shrub	1
<i>Eugenia glazioviana</i> Kiaersk.	H. Kiaerskou		<i>Eugenia francavilleana</i> O. Berg	tree	0
<i>Eugenia glazioviana</i> var. <i>macrophylla</i> Kiaersk.	H. Kiaerskou	Warming, C	<i>Eugenia francavilleana</i> O. Berg	tree	0
<i>Eugenia involucrata</i> DC.	H. Kiaerskou		<i>Eugenia involucrata</i> DC.	tree	0
<i>Eugenia jambos</i> L.	H. Kiaerskou		<i>Syzygium jambos</i> (L.) Alston	tree	0
<i>Eugenia klotzschiana</i> Berg.	H. Kiaerskou		<i>Eugenia klotzschiana</i> O. Berg	shrub	0
<i>Eugenia kunthiana</i> DC.	H. Kiaerskou		<i>Eugenia punicifolia</i> (Kunth) DC.	shrub	1
<i>Eugenia lagoensis</i> Kiaersk.	H. Kiaerskou	Warming, C	<i>Eugenia lagoensis</i> Kiaersk.	tree	0
<i>Eugenia lagoensis</i> var. <i>membranacea</i> Kiaersk.	H. Kiaerskou		<i>Eugenia lagoensis</i> Kiaersk.	tree	0
<i>Eugenia leucophloea</i> var. <i>warmingiana</i> (Berg.)	H. Kiaerskou	Warming, C	<i>Myrciaria floribunda</i> (H.West ex Willd.) O.Berg	tree	0
<i>Eugenia michelii</i> Lam.	H. Kiaerskou		<i>Eugenia uniflora</i> L.	shrub	0
<i>Eugenia minensis</i> (Berg.) Kiaersk.	H. Kiaerskou		<i>Myrciaria cuspidata</i> O. Berg	shrub	1
<i>Eugenia mugiensis</i> Berg.	H. Kiaerskou		<i>Blepharocalyx salicifolius</i> (Kunth) O.Berg	tree	0
<i>Eugenia obversa</i> Berg.	H. Kiaerskou		<i>Eugenia punicifolia</i> (Kunth) DC.	shrub	1
<i>Eugenia oligoneura</i> Berg.	H. Kiaerskou		<i>Eugenia florida</i> DC.	tree	0
<i>Eugenia pantagensis</i> Berg.	H. Kiaerskou		<i>Eugenia pantagensis</i> O. Berg	tree	0
<i>Eugenia paracatuana</i> Berg.	H. Kiaerskou		<i>Eugenia paracatuana</i> O. Berg	tree	0
<i>Eugenia pluriflora</i> DC.	H. Kiaerskou		<i>Eugenia pluriflora</i> DC.	tree	0
<i>Eugenia polyphylla</i> var. <i>obvata</i> Berg.	H. Kiaerskou		<i>Eugenia punicifolia</i> (Kunth) DC.	shrub	1

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Eugenia racemulosa</i> Berg.	H. Kiaerskou		<i>Eugenia modesta</i> DC.	tree	0
<i>Eugenia seriato-racemosa</i> Kiaersk.	H. Kiaerskou		<i>Eugenia florida</i> DC.	tree	0
<i>Eugenia tenella</i> DC.	H. Kiaerskou		<i>Myrciaria tenella</i> (DC.) O.Berg	tree	0
<i>Eugenia tenuipedunculata</i> Kiaersk.	H. Kiaerskou	Warming, C	<i>Eugenia tenuipedunculata</i> Kiaersk.	tree	0
<i>Eugenia theodorae</i> Kiaersk.	H. Kiaerskou	Warming, F	<i>Eugenia theodorae</i> Kiaersk.	tree	0
<i>Eugenia warmingiana</i> var. <i>pubescens</i> Kiaersk.	H. Kiaerskou		<i>Eugenia bimarginata</i> DC.	shrub	3
<i>Marlierea (?) antrocola</i> Kiaersk.	H. Kiaerskou	Warming, C	<i>Myrciaria glomerata</i> O. Berg	tree	0
<i>Marlierea warmingiana</i> Kiaersk.	H. Kiaerskou	Warming, C	<i>Marlierea obscura</i> O. Berg	tree	0
<i>Myrcia alloiotia</i> (Berg.) Kiaersk.	H. Kiaerskou		<i>Myrcia tomentosa</i> (Aubl.) DC.	tree	6
<i>Myrcia amethystina</i> var. <i>pulchra</i> (Berg.) Kiaersk.	H. Kiaerskou		<i>Myrcia guianensis</i> (Aubl.) DC.	tree	0
<i>Myrcia andromedoides</i> Cambess.	H. Kiaerskou		<i>Myrcia venulosa</i> DC.	tree	0
<i>Myrcia candolleana</i> (Berg.) Kiaersk.	H. Kiaerskou		<i>Myrcia hebepepetala</i> DC.	tree	0
<i>Myrcia corcovadensis</i> Berg.	H. Kiaerskou		<i>Myrcia splendens</i> (Sw.) DC.	tree	1
<i>Myrcia cordifolia</i> Berg.	H. Kiaerskou		<i>Myrcia lasiantha</i> DC.	shrub	0
<i>Myrcia cordifolia</i> var. <i>glabrescens</i> Kiaersk.	H. Kiaerskou	Warming, C	<i>Myrcia lasiantha</i> DC.	shrub	0
<i>Myrcia costata</i> DC.	H. Kiaerskou		<i>Myrcia splendens</i> (Sw.) DC.	tree	1
<i>Myrcia detergens</i> Miq.	H. Kiaerskou		<i>Myrcia amazonica</i> DC.	tree	0
<i>Myrcia gomidesioides</i> Kiaersk.	H. Kiaerskou	Warming, C	<i>Myrcia gomidesioides</i> Kiaersk.	tree	0
<i>Myrcia hepatica</i> (Berg.) Kiaersk.	H. Kiaerskou		<i>Myrcia guianensis</i> (Aubl.) DC.	tree	0
<i>Myrcia hirsuta</i> Berg.	H. Kiaerskou		<i>Myrcia eriopus</i> DC.	shrub	0
<i>Myrcia intermedia</i> (Berg.) Kiaersk.	H. Kiaerskou		<i>Myrcia guianensis</i> (Aubl.) DC.	tree	0
<i>Myrcia lasiantha</i> DC.	H. Kiaerskou		<i>Myrcia lasiantha</i> DC.	shrub	0
<i>Myrcia longipes</i> (Berg.) Kiaersk.	H. Kiaerskou		<i>Myrcia tomentosa</i> (Aubl.) DC.	tree	6
<i>Myrcia longipes</i> var. <i>obovata</i> (Berg.) Kiaersk.	H. Kiaerskou		<i>Myrcia tomentosa</i> (Aubl.) DC.	tree	6
<i>Myrcia nitens</i> Berg.	H. Kiaerskou		<i>Myrcia splendens</i> (Sw.) DC.	tree	1
<i>Myrcia opaca angustifolia</i> Berg.	H. Kiaerskou		<i>Myrcia splendens</i> (Sw.) DC.	tree	1
<i>Myrcia paraensis</i> (Berg.) Kiaersk.	H. Kiaerskou		<i>Myrcia amazonica</i> DC.	tree	0
<i>Myrcia pubiflora</i> DC.	H. Kiaerskou		<i>Myrcia pubiflora</i> DC.	tree	0
<i>Myrcia racemosa</i> (Berg.) Kiaersk.	H. Kiaerskou		<i>Myrcia racemosa</i> (O.Berg) Kiaersk.	tree	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Myrcia ramulosa</i> var. <i>leptophylla</i> Kiaersk.	H. Kiaerskou	Warming, C	<i>Myrcia selloi</i> (Spreng.) N.Silveira	tree	2
<i>Myrcia rhodeosepala</i> Kiaersk.	H. Kiaerskou		<i>Myrcia tomentosa</i> (Aubl.) DC.	tree	6
<i>Myrcia riparia</i> Berg.	H. Kiaerskou		<i>Myrcia splendens</i> (Sw.) DC.	tree	1
<i>Myrcia rostrata</i> DC.	H. Kiaerskou		<i>Myrcia splendens</i> (Sw.) DC.	tree	1
<i>Myrcia rufipes</i> DC.	H. Kiaerskou		<i>Myrcia rufipes</i> DC.	tree	1
<i>Myrcia rufipes</i> var. <i>pilantha</i> (Berg.) Kiaersk.	H. Kiaerskou		<i>Myrcia rufipes</i> DC.	tree	1
<i>Myrcia rufula</i> Miq.	H. Kiaerskou		<i>Myrcia splendens</i> (Sw.) DC.	tree	1
<i>Myrcia rufula martiana</i> (Berg.) Kiaersk.	H. Kiaerskou		<i>Myrcia splendens</i> (Sw.) DC.	tree	1
<i>Myrcia sellowiana costata</i> Berg.	H. Kiaerskou		<i>Myrcia splendens</i> (Sw.) DC.	tree	1
<i>Myrcia s intentisii</i> Kiaersk.	H. Kiaerskou		<i>Myrcia fenzliana</i> O. Berg	shrub	3
<i>Myrcia sphaerocarpa</i> DC.	H. Kiaerskou		<i>Myrcia multiflora</i> (Lam.) DC.	tree	0
<i>Myrcia torta</i> DC.	H. Kiaerskou		<i>Myrcia guianensis</i> (Aubl.) DC.	tree	0
<i>Myrcia torta</i> var. <i>jequitinhonhensis</i> (Berg.) Kiaersk.	H. Kiaerskou		<i>Myrcia guianensis</i> (Aubl.) DC.	tree	0
<i>Myrcia variabilis</i> var. <i>ovatifolia</i> DC.	H. Kiaerskou		<i>Myrcia variabilis</i> DC.	tree	0
<i>Myrcia vestita</i> DC.	H. Kiaerskou		<i>Myrcia vestita</i> DC.	tree	0
<i>Myrcia vestita</i> var. <i>parvifolia</i> Berg. Berg.	H. Kiaerskou		<i>Myrcia vestita</i> DC.	tree	0
<i>Myrtus</i> (<i>Blepharocalyx</i>) <i>brunnea</i> (Berg.) Kiaersk.	H. Kiaerskou		<i>Blepharocalyx salicifolius</i> (Kunth) O.Berg	tree	0
<i>Myrtus blanchetiana</i> Berg.	H. Kiaerskou		<i>Psidium salutare</i> (Kunth) O.Berg	shrub	0
<i>Myrtus pseudo-caryophyllus</i> Gomes	H. Kiaerskou		<i>Pimenta pseudocaryophyllus</i> (Gomes) Landrum	tree	0
<i>Myrtus velutina</i> (Berg.) Kiaersk.	H. Kiaerskou		<i>Pimenta pseudocaryophyllus</i> (Gomes) Landrum	tree	0
<i>Myrtus warmingiana</i> Kiaersk.	H. Kiaerskou	Warming, C	<i>Eugenia rizzoana</i> Mattos	tree	0
<i>Psidium aerugineum</i> Berg.	H. Kiaerskou		<i>Psidium laruotteanum</i> Cambess.	shrub	0
<i>Psidium araca</i> Raddi.	H. Kiaerskou		<i>Psidium guineense</i> Sw.	tree	0
<i>Psidium basanthum</i> Berg.	H. Kiaerskou		<i>Psidium basanthum</i> O.Berg.	shrub	0
<i>Psidium cinereum</i> DC.	H. Kiaerskou		<i>Psidium grandifolium</i> Mart. ex DC.	shrub	0
<i>Psidium eugenii</i> Kiaersk.	H. Kiaerskou	Warming, C	<i>Psidium eugenii</i> Kiaersk.	shrub	0
<i>Psidium firmum</i> Berg.	H. Kiaerskou		<i>Psidium firmum</i> O.Berg.	shrub	1
<i>Psidium grandifolium</i> DC.	H. Kiaerskou		<i>Psidium grandifolium</i> Mart. ex DC.	shrub	0
<i>Psidium grandifolium</i> var. <i>incanescens</i> Berg.	H. Kiaerskou		<i>Psidium grandifolium</i> Mart. ex DC.	shrub	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Psidium guayava</i> Raddi.	H. Kiaerskou		<i>Psidium guajava</i> L.	tree	0
<i>Psidium incanescens</i> var. <i>parvifolium</i> Berg.	H. Kiaerskou		<i>Psidium grandifolium</i> Mart. ex DC.	shrub	0
<i>Psidium incanescens</i> var. <i>rotundifolium</i> Berg.	H. Kiaerskou		<i>Psidium grandifolium</i> Mart. ex DC.	shrub	0
<i>Psidium itanareense</i> Berg.	H. Kiaerskou		<i>Psidium itanareense</i> O.Berg.	tree	0
<i>Psidium lagoense</i> Kiaersk.	H. Kiaerskou		<i>Psidium rufum</i> Mart. ex DC.	tree	0
<i>Psidium ooideum</i> Berg.	H. Kiaerskou		<i>Psidium guineense</i> Sw.	tree	0
<i>Psidium pohlianum</i> Berg.	H. Kiaerskou		<i>Psidium salutare</i> (Kunth) O.Berg	shrub	0
<i>Psidium riedelianum</i> Berg.	H. Kiaerskou		<i>Psidium grandifolium</i> Mart. ex DC.	shrub	0
<i>Psidium rufum</i> Mart.	H. Kiaerskou		<i>Psidium rufum</i> Mart. ex DC.	tree	0
<i>Psidium rufum</i> var. <i>rotundifolia</i> Kiaersk.	H. Kiaerskou		<i>Psidium rufum</i> Mart. ex DC.	tree	0
<i>Psidium sorocabense</i> Berg.	H. Kiaerskou		<i>Psidium sorocabense</i> O.Berg.	shrub	0
<i>Psidium suffruticosum</i> var. <i>alata</i> Kiaersk.	H. Kiaerskou		<i>Psidium australe</i> Cambess.	shrub	0
<i>Psidium warmingianum</i> Kiaersk.	H. Kiaerskou		<i>Psidium laruoteanum</i> Cambess.	shrub	0
<i>Psidium warmingianum</i> var. <i>verticillata</i> Kiaersk.	H. Kiaerskou	Warming, C	<i>Psidium laruoteanum</i> Cambess.	shrub	0
<i>Psidium widgrenianum</i> Berg.	H. Kiaerskou		<i>Psidium rufum</i> Mart. ex DC.	tree	0
Nyctaginaceae					
<i>Boerhavia paniculata</i> A. Richard.	A. Heimerl.		<i>Boerhavia coccinea</i> Mill.	herb	0
<i>Mirabilis jalapa</i> var. <i>dichotoma</i> L.	A. Heimerl.		<i>Mirabilis jalapa</i> L.	shrub	0
<i>Neea theifera</i> Orsted	A. Heimerl.		<i>Neea theifera</i> Oerst.	tree	1
<i>Pisonia areolata</i> Heimerl.	A. Heimerl.	Warming, C	<i>Guapira areolata</i> (Heimerl) Lundell	tree	0
<i>Pisonia nitida</i> Martius	A. Heimerl.		<i>Guapira opposita</i> (Vell.) Reitz	tree	0
<i>Pisonia noxia</i> Netts.	A. Heimerl.		<i>Guapira noxia</i> (Netto) Lundell	shrub	2
<i>Pisonia psammophila</i> Martius	A. Heimerl.		<i>Guapira noxia</i> (Netto) Lundell	shrub	2
<i>Pisonia subferruginosa</i> Martius	A. Heimerl.		<i>Guapira opposita</i> (Vell.) Reitz	tree	0
<i>Pisonia warmingii</i> Heimerl.	A. Heimerl.		<i>Guapira opposita</i> (Vell.) Reitz	tree	0
Nymphaeaceae					
<i>Nymphaea amazonum</i> Mart. et Zuccar.	R. Caspary		<i>Nymphaea amazonum</i> Mart. & Zucc.	herb	1
Ochnaceae					
<i>Ouratea castaneoefolia</i> (DC.) Engl.	A. Engler		<i>Ouratea castaneifolia</i> (DC.) Engl.	tree	1

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Ouratea floribunda</i> (St. Hil.) Engl.	A. Engler		<i>Ouratea floribunda</i> (A.St.-Hil.) Engl.	shrub	1
<i>Ouratea riedeliana</i> Engl.	A. Engler		<i>Ouratea riedeliana</i> Engl.	shrub	0
<i>Ouratea salicifolia</i> (St. Hil. & Tul.) Engl.	A. Engler		<i>Ouratea salicifolia</i> (A.St.-Hil. & Tul.) Engl.	tree	0
<i>Sauvagesia erecta</i> L.	A. W. Eichler		<i>Sauvagesia erecta</i> L.	herb	0
<i>Sauvagesia racemosa</i> St. Hil.	A. W. Eichler		<i>Sauvagesia racemosa</i> A. St.-Hil.	herb	0
Olacaceae					
<i>Agonandra brasiliensis</i> Miers.	A. Engler	Warming, M	<i>Agonandra brasiliensis</i> Miers ex Benth. & Hook.f.	tree	0
Oleaceae					
<i>Linociera subsessilis</i> Eichl.	A. W. Eichler	Warming, C	<i>Chionanthus subsessilis</i> (Eichler) P.S.Green	tree	0
Onagraceae					
<i>Jussiaea elegans</i> Camb.	Marc. Michelii		<i>Ludwigia elegans</i> (Cambess.) H.Hara	shrub	1
<i>Jussiaea filiformis</i> Michelii.	Marc. Michelii	Warming, C	<i>Ludwigia filiformis</i> (Micheli) Ramamoorthy	shrub	0
<i>Jussiaea laruotteana</i> var. <i>pubescens</i> Camb.	Marc. Michelii	Warming, C	<i>Ludwigia laruotteana</i> (Cambess.) H.Hara	shrub	0
<i>Jussiaea myrtifolia</i> Camb.	Marc. Michelii		<i>Ludwigia martii</i> (Micheli) Ramamoorthy	shrub	0
<i>Jussiaea nervosa</i> Poir.	Marc. Michelii		<i>Ludwigia nervosa</i> (Poir.) H.Hara	shrub	1
<i>Jussiaea octonervia</i> Lam.	Marc. Michelii		<i>Ludwigia octovalvis</i> (Jacq.) P.H.Raven	shrub	3
<i>Jussiaea suffruticosa</i> L.	Marc. Michelii		<i>Ludwigia octovalvis</i> (Jacq.) P.H.Raven	shrub	3
<i>Oocarpum jussiaeoides</i> Michelii.	Marc. Michelii		<i>Ludwigia torulosa</i> (Arn.) H.Hara	shrub	2
Orchidaceae					
<i>Aeranthes aciculatus</i> Rchb.f.	Reichenbach et Warming		<i>Campylocentrum aciculatum</i> (Rchb.f. & Warm.) Cogn.	epiphyte	0
<i>Aeranthes intermedius</i> Rchb.f. Warmg.	Reichenbach et Warming		<i>Campylocentrum intermedium</i> (Rchb.f. & Warm.) Rolfe	epiphyte	0
<i>Aeranthes lansbergii</i> Rchb.f.	Reichenbach et Warming		<i>Campylocentrum lansbergii</i> (Rchb.f.) Schltr.	epiphyte	0
<i>Aeranthes neglectus</i> Rchb.f. Warmg.	Reichenbach et Warming		<i>Campylocentrum neglectum</i> (Rchb.f. & Warm.) Cogn.	epiphyte	2
<i>Bletia gloriosa</i> Rchb.f.	Reichenbach et Warming		<i>Laelia gloriosa</i> (Rchb.f.) L.O.Williams	herb	0
<i>Bletia lundii</i> Rchb.f.	Reichenbach et Warming		<i>Microlaelia lundii</i> (Rchb.f.) Chiron & V.P.Castro	epiphyte	0
<i>Bletia praestans</i> Rchb. Ldl. E. f. (?)	Reichenbach et Warming		<i>Hadrolaelia praestans</i> (Rchb.f.) Chiron & V.P.Castro	epiphyte	0
<i>Bulbophyllum chloropterum</i> Rchb.f.	Reichenbach et Warming		<i>Bulbophyllum chloropterum</i> Rchb.f.	epiphyte	0
<i>Bulbophyllum lundianum</i> Rchb.f.	Reichenbach et Warming		<i>Bulbophyllum plumosum</i> (Barb.Rodr.) Cogn.	herb	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Bulbophyllum mucronifolium Rchb.f.</i>	Reichembach et Warming		<i>Bulbophyllum mucronifolium Rchb.f. & Warm.</i>	herb	0
<i>Bulbophyllum vittatum Rchb.f.</i>	Reichembach et Warming		<i>Bulbophyllum exaltatum Lindl.</i>	herb	0
<i>Catasetum atratum Lindl.</i>	Reichembach et Warming		<i>Catasetum atratum Lindl.</i>	epiphyte	0
<i>Catasetum barbatum Lindl.</i>	Reichembach et Warming		<i>Catasetum barbatum (Lindl.) Lindl.</i>	herb	0
<i>Catasetum cernuum Rchb.f.</i>	Reichembach et Warming		<i>Catasetum cernuum (Lindl.) Rchb.f.</i>	epiphyte	0
<i>Cyrtopera longifolia Rchb. f.</i>	Reichembach et Warming		<i>Eulophia alta (L.) Fawc. & Rendle</i>	herb	0
<i>Cyrtopodium blanchetii Rchb. f.</i>	Reichembach et Warming		<i>Cyrtopodium blanchettii Rchb.f.</i>	herb	0
<i>Cyrtopodium eugenii Rchb. f.</i>	Reichembach et Warming	Warming, W	<i>Cyrtopodium eugenii Rchb.f.</i>	herb	0
<i>Cyrtopodium pallidum Rchb. f.</i>	Reichembach et Warming	Warming, P	<i>Cyrtopodium pallidum Rchb.f. & Warm.</i>	herb	1
<i>Cyrtopodium palmifrons Rchb. f.</i>	Reichembach et Warming	Warming, W ?	<i>Cyrtopodium palmifrons Rchb.f. & Warm.</i>	epiphyte	0
<i>Cyrtopodium poecilum Rchb.</i>	Reichembach et Warming	Warming, W ?	<i>Cyrtopodium poecilum Rchb.f. & Warm.</i>	herb	1
<i>Cyrtopodium purpureum Rchb.</i>	Reichembach et Warming	Warming, W	<i>Cyrtopodium brandonianum Barb.Rodr.</i>	herb	0
<i>Cyrtopodium triste Rchb.</i>	Reichembach et Warming	Warming, W	<i>Cyrtopodium triste Rchb.f. & Warm.</i>	herb	0
<i>Cyrtopodium vernum Rchb.</i>	Reichembach et Warming	Warming, P	<i>Cyrtopodium vernum Rchb.f. & Warm.</i>	herb	0
<i>Cyrtopodium virescens Rchb.</i>	Reichembach et Warming	Warming, W	<i>Cyrtopodium virescens Rchb.f. & Warm.</i>	herb	0
<i>Epidendrum bicolor (Ldl.) Rchb.f.</i>	Reichembach et Warming		<i>Cattleya bicolor Lindl.</i>	epiphyte	0
<i>Epidendrum caulinflorum Lindl.</i>	Reichembach et Warming		<i>Epidendrum caulinflorum Lindl.</i>	herb	0
<i>Epidendrum difforme Jacq.</i>	Reichembach et Warming		<i>Epidendrum difforme Jacq.</i>	epiphyte	0
<i>Epidendrum ellipticum Grah.</i>	Reichembach et Warming		<i>Epidendrum secundum Jacq.</i>	herb	0
<i>Epidendrum nutans (Sw.) Lindl.</i>	Reichembach et Warming		<i>Epidendrum nutans Sw.</i>	epiphyte	0
<i>Epidendrum odoratissimum Lindl.</i>	Reichembach et Warming		<i>Encyclia patens Hook.</i>	epiphyte	1
<i>Epidendrum polyanthum Lindl.</i>	Reichembach et Warming		<i>Epidendrum polyanthum Lindl.</i>	epiphyte	0
<i>Epistephium sclerophyllum Lindl.</i>	Reichembach et Warming		<i>Epistephium sclerophyllum Lindl.</i>	herb	1
<i>Eulophia maculata Rchb. f.</i>	Reichembach et Warming		<i>Oeceoclades maculata (Lindl.) Lindl.</i>	herb	0
<i>Galeandra beyrichii Rchb. f.</i>	Reichembach et Warming		<i>Galeandra beyrichii Rchb.f.</i>	herb	0
<i>Galeandra lagoensis Rchb. f.</i>	Reichembach et Warming		<i>Galeandra montana Barb.Rodr.</i>	herb	0
<i>Govenia gardneri Hook.</i>	Reichembach et Warming		<i>Govenia utriculata (Sw.) Lindl.</i>	herb	0
<i>Habenaria anaplectron Rchb.f. Warmg.</i>	Reichembach et Warming	Warming, BR	<i>Habenaria cryptophila Barb.Rodr.</i>	herb	0
<i>Habenaria armata Rchb.f.</i>	Reichembach et Warming		<i>Habenaria armata Rchb.f.</i>	herb	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Habenaria crucifera Rchb.f. Warmg.</i>	Reichembach et Warming	Warming, W ?	<i>Habenaria crucifera Rchb.f. & Warm.</i>	herb	0
<i>Habenaria culicina Rchb.f. Warmg.</i>	Reichembach et Warming	Warming, C	<i>Habenaria culicina Rchb.f. & Warm.</i>	herb	0
<i>Habenaria epiphylla Rchb.f. Warmg.</i>	Reichembach et Warming	Warming, P	<i>Habenaria glaucophylla Barb.Rodr.</i>	herb	0
<i>Habenaria fastor Lindl.</i>	Reichembach et Warming		<i>Habenaria melvillei Ridl.</i>	herb	1
<i>Habenaria hexaptera Lindl.</i>	Reichembach et Warming		<i>Habenaria hexaptera Lindl.</i>	herb	0
<i>Habenaria leprieurii Rchb.f.</i>	Reichembach et Warming		<i>Habenaria leprieurii Rchb.f.</i>	herb	0
<i>Habenaria nasuta Rchb.f. Warmg.</i>	Reichembach et Warming	Warming, HBG	<i>Habenaria nasuta Rchb.f. & Warm.</i>	herb	0
<i>Habenaria obtusa Lindl.</i>	Reichembach et Warming		<i>Habenaria obtusa Lindl.</i>	herb	0
<i>Habenaria parviflora Lindl.</i>	Reichembach et Warming		<i>Habenaria parviflora Lindl.</i>	herb	0
<i>Habenaria petalodes Lindl.</i>	Reichembach et Warming		<i>Habenaria petalodes Lindl.</i>	herb	0
<i>Habenaria pseudostylites Rchb.f. Warmg.</i>	Reichembach et Warming	Warming, BR	<i>Habenaria hamata Barb.Rodr.</i>	herb	0
<i>Habenaria quadrata Lindl.</i>	Reichembach et Warming		<i>Habenaria curvilabria Barb.Rodr.</i>	herb	0
<i>Habenaria spiranthes Rchb.f.</i>	Reichembach et Warming		<i>Habenaria secundiflora Barb.Rodr.</i>	herb	0
<i>Habenaria vaupellii Rchb.f. Warmg.</i>	Reichembach et Warming	Warming, C ?	<i>Habenaria johannensis Barb.Rodr.</i>	herb	0
<i>Habenaria warmingii Rchb.f.</i>	Reichembach et Warming		<i>Habenaria warmingii Rchb.f.</i>	herb	0
<i>Ionopsis paniculata Lindl.</i>	Reichembach et Warming		<i>Ionopsis utricularioides (Sw.) Lindl.</i>	epiphyte	0
<i>Isochilus linearis Rob. Br.</i>	Reichembach et Warming		<i>Isochilus linearis (Jacq.) R.Br.</i>	epiphyte	0
<i>Koellersteinia tricolor Rchb. f.</i>	Reichembach et Warming	Warming, BR ?	<i>Koellensteinia tricolor (Lindl.) Rchb.f.</i>	herb	0
<i>Leptotes bicolor Lindl.</i>	Reichembach et Warming		<i>Leptotes bicolor Lindl.</i>	epiphyte	0
<i>Liparis elata Lindl.</i>	Reichembach et Warming		<i>Liparis nervosa (Thumb.) Lindl.</i>	herb	1
<i>Maxillaria foveata Lindl.</i>	Reichembach et Warming		<i>Xylobium foveatum (Lindl.) Nichols</i>	herb	0
<i>Maxillaria iridifolia Rchb. f.</i>	Reichembach et Warming		<i>Heterotaxis valenzuelana (A.Rich.) Ojeda & Carnevali</i>	epiphyte	0
<i>Maxillaria meirax Rchb. f.</i>	Reichembach et Warming		<i>Rhetinantha notylioglossa (Rchb.f.) M.A.Blanco</i>	epiphyte	0
<i>Microstylis parthonii (Marr.) Rchb f.</i>	Reichembach et Warming		<i>Malaxis parthonii C. Morren</i>	herb	0
<i>Microstylis warmingii Rchb.f.</i>	Reichembach et Warming		<i>Malaxis warmingii (Rchb.f.) Kuntze</i>	herb	0
<i>Mormodes sinuata Rchb.f. Warmg.</i>	Reichembach et Warming		<i>Mormodes sinuata Rchb.f. Warmg.</i>	epiphyte	0
<i>Notylia odontonotos Rchb. f.</i>	Reichembach et Warming		<i>Notylia odontonotos Rchb.f. & Warm.</i>	epiphyte	0
<i>Notylia stenantha Rchb. f.</i>	Reichembach et Warming		<i>Notylia stenantha Rchb.f.</i>	epiphyte	0
<i>Octomeria warmingii Rchb.f.</i>	Reichembach et Warming		<i>Octomeria warmingii Rchb.f.</i>	epiphyte	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Oncidium barbatum</i> Lindl.	Reichembach et Warming		<i>Alatiglossum barbatum</i> (Lindl.) Baptista	epiphyte	0
<i>Oncidium crispum</i> Lodd.	Reichembach et Warming		<i>Brasilidium crispum</i> (Lodd.) Campacci	epiphyte	0
<i>Oncidium florescens</i> Rchb. f.	Reichembach et Warming		<i>Miltonia flavescens</i> (Lindl.) Lindl.	epiphyte	1
<i>Oncidium praetextum</i> Rchb. f.	Reichembach et Warming		<i>Brasilidium praetextum</i> (Rchb.f.) Campacci	epiphyte	0
<i>Oncidium pumilum</i> Lindl.	Reichembach et Warming		<i>Lophiaris pumila</i> (Lindl.) Braem	epiphyte	0
<i>Ornithocephalus pigmeus</i> Rchb. f.	Reichembach et Warming		<i>Ornithocephalus myrticola</i> Lindl.	epiphyte	0
<i>Pelexia acianthiformis</i> Rchb.f.	Reichembach et Warming	Warming, P	<i>Nothostele acianthiformis</i> (Rchb.f. & Warm.) Garay	herb	0
<i>Pelexia roseoalba</i> Rchb.f.	Reichembach et Warming		<i>Pteroglossa roseoalba</i> (Rchb.f.) Salazar & M.W.Chase	herb	0
<i>Physurus arietinus</i> Rchb.f.	Reichembach et Warming		<i>Microchilus arietinus</i> (Rchb.f. & Warm.) Ormerod.	herb	0
<i>Physurus debilis major</i> Lindl.	Reichembach et Warming	Warming, W	<i>Platythelys debilis</i> (Lindl.) Garay	herb	0
<i>Physurus roseus</i> Lindl.	Reichembach et Warming		<i>Ligeophila rosea</i> (Lindl.) Garay	herb	0
<i>Pleurothallis hastulata</i> Rchb.f.	Reichembach et Warming		<i>Specklinia hastulata</i> (Rchb.f. & Warm.) Luer	herb	0
<i>Pleurothallis pristeoglossa</i> Rchb.f.	Reichembach et Warming		<i>Pabstiella pristeoglossa</i> (Rchb.f. & Warm.) Luer	epiphyte	0
<i>Pleurothallis vittata</i> Lindl.	Reichembach et Warming		<i>Acianthera pubescens</i> (Lindl.) Pridgeon & M.W.Chase	epiphyte	0
<i>Pleurothallis warmingii</i> Rchb.f.	Reichembach et Warming	Warming, K	<i>Myoxanthus lonchophyllus</i> (Barb.Rodr.) Luer	epiphyte	0
<i>Pogonia bella</i> Rchb.f.	Reichembach et Warming	Warming, BR	<i>Cleistes bella</i> (Rchb.f. & Warm.) Schltr.	herb	0
<i>Pogonia caloptera</i> Rchb.f.	Reichembach et Warming		<i>Cleistes metallina</i> (Barb.Rodr.) Schltr.	herb	0
<i>Pogonia pusilla</i> Rchb.f.	Reichembach et Warming		<i>Triphora pusilla</i> (Rchb.f.) Schltr.	herb	0
<i>Pogonopsis nidus-avis</i> Rchb.f.	Reichembach et Warming		<i>Pogoniopsis nidus-avis</i> Rchb.f. & Warm.	herb	0
<i>Polystachya estrellensis</i> Rchb. f.	Reichembach et Warming		<i>Polystachya estrellensis</i> Rchb.f.	epiphyte	1
<i>Polystachya paulensis</i> Rchb. f.	Reichembach et Warming		<i>Polystachya foliosa</i> (Lindl.) Rchb.f.	epiphyte	0
<i>Prescottia micrantha</i> Lindl.	Reichembach et Warming		<i>Prescottia oligantha</i> (Sw.) Lindl.	herb	0
<i>Prescottia plantaginea</i> Lindl.	Reichembach et Warming		<i>Prescottia plantaginifolia</i> Lindl. ex Hook.	herb	0
<i>Rodriguezia brachystachys</i> Rchb. f.	Reichembach et Warming		<i>Rodriguezia brachystachys</i> Rchb.f. & Warm.	herb	0
<i>Saundersia mirabilis</i> Rchb. f.	Reichembach et Warming		<i>Saundersia mirabilis</i> Rchb.f.	herb	0
<i>Sophronitis cernua</i> Lindl.	Reichembach et Warming		<i>Sophronitis cernua</i> Lindl.	epiphyte	1
<i>Sophronitis violacea</i> Lindl.	Reichembach et Warming		<i>Isabelia violacea</i> (Lindl.) van den Berg & M.W.Chase	herb	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Spiranthes balanophorastachya</i> Rchb.	Reichembach et Warming	Warming, P	<i>Skeptrostachys balanophorostachya</i> (Rchb.f. & Warm.) Garay	herb	0
<i>Spiranthes bicolor chloroglossa</i> Lindl.	Reichembach et Warming		<i>Cyclopogon bicolor</i> (Ker-Gaw.) Schltr.	herb	0
<i>Spiranthes bicolor</i> Lindl.	Reichembach et Warming		<i>Cyclopogon bicolor</i> (Ker-Gaw.) Schltr.	herb	0
<i>Spiranthes bonariensis</i> Lindl.	Reichembach et Warming		<i>Pelexia bonariensis</i> (Lindl.) Schltr.	herb	0
<i>Spiranthes bonariensis bombylifera</i> Lindl.	Reichembach et Warming		<i>Pelexia bonariensis</i> (Lindl.) Schltr.	herb	0
<i>Spiranthes cuculligera</i> Rchb.	Reichembach et Warming		<i>Pelexia cuculligera</i> (Rchb.f. & Warm.) Schltr.	herb	0
<i>Spiranthes esmeraldae</i> Lindl.	Reichembach et Warming		<i>Mesadenella cuspidata</i> (Lindl.) Garay	herb	0
<i>Spiranthes eugenii</i> Rchb.	Reichembach et Warming		<i>Cyclopogon eugenii</i> (Rchb.f.) Schltr.	herb	0
<i>Spiranthes homalogastra</i> Rchb.	Reichembach et Warming	Warming, BR	<i>Sarcoglottis homalogastra</i> (Rchb.f. & Warm.) Schltr.	herb	0
<i>Spiranthes lineata</i> Lindl.	Reichembach et Warming		<i>Hapalorchis lineatus</i> (Lindl.) Schltr.	herb	0
<i>Spiranthes macrantha</i> Rchb. f.	Reichembach et Warming		<i>Pteroglossa macrantha</i> (Rchb.f.) Schltr.	herb	0
<i>Spiranthes neuroptera</i> Rchb.	Reichembach et Warming	Warming, P	<i>Veyretia simplex</i> (Griseb.) Szlach.	herb	0
<i>Spiranthes oestrifera</i> Rchb.	Reichembach et Warming		<i>Pelexia oestrifera</i> (Rchb.f. & Warm.) Schltr.	herb	0
<i>Spiranthes orthosepala</i> Rchb.	Reichembach et Warming		<i>Pelexia orthosepala</i> (Rchb.f. & Warm.) Schltr.	herb	0
<i>Spiranthes pterygantha</i> Rchb.	Reichembach et Warming		<i>Pelexia pterygantha</i> (Rchb.f. & Warm.) Schltr.	herb	0
<i>Spiranthes rufescens</i> Fisch.	Reichembach et Warming		<i>Sarcoglottis ventricosa</i> (Vell.) Hoehne	herb	0
<i>Spiranthes sagittata</i> Rchb.	Reichembach et Warming	Warming, BR	<i>Veyretia sagittata</i> (Rchb.f. & Warm.) Szlach.	herb	0
<i>Spiranthes sancta</i> Rchb.	Reichembach et Warming	Warming, BR	<i>Pelexia sancta</i> (Rchb.f. & Warm.) Garay	herb	0
<i>Spiranthes warmingii</i> Rchb.f.	Reichembach et Warming		<i>Cyclopogon warmingii</i> (Rchb.f.) Schltr.	herb	0
<i>Spiranthes weiri</i> Rchb.f.	Reichembach et Warming		<i>Pelexia laxa</i> (Poepp. & Endl.) Lindl.	herb	0
<i>Stanhopea oculata guttulata</i> Rchb.f.	Reichembach et Warming		<i>Stanhopea guttulata</i> Lindl.	herb	0
<i>Stenorrhynchos aphyllus</i> Lindl.	Reichembach et Warming		<i>Sacoila lanceolata</i> (Aubl.) Garay	herb	0
<i>Stenorrhynchos australis</i> Lindl.	Reichembach et Warming		<i>Sacoila lanceolata</i> (Aubl.) Garay	herb	0
<i>Stenorrhynchos australis luteo-albus</i> Rchb.	Reichembach et Warming		<i>Sacoila lanceolata</i> (Aubl.) Garay	herb	0
<i>Trichocentrum fuscum</i> Lindl.	Reichembach et Warming		<i>Trichocentrum fuscum</i> Lindl.	herb	1
<i>Vanilla grandiflora</i> Lindl. (?)	Reichembach et Warming		<i>Vanilla pompona</i> Schiede	herb	0
<i>Warmingia eugenii</i> Rchb. f.	Reichembach et Warming	Warming, C	<i>Warmingia eugenii</i> Rchb.f.	herb	0
<i>Wullschlaegelia aphylla</i> Rchb.f.	Reichembach et Warming		<i>Wullschlaegelia aphylla</i> (Sw.) Rchb.f.	herb	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
Orobanchaceae					
<i>Alectra brasiliensis</i> Benth.	J. A. Schimidt		<i>Melasma melampyroides</i> (Rich.) Pennell	shrub	0
<i>Alectra stricta</i> Benth.	J. A. Schimidt	Warming, C	<i>Melasma stricta</i> (Benth.) Hassl.	shrub	0
<i>Buchnera juncea</i> Cham. et Schl.	J. A. Schimidt		<i>Buchnera juncea</i> Cham. & Schltdl.	hemiparasi	0
<i>Buchnera rosea</i> H. K. K.	J. A. Schimidt		<i>Buchnera rosea</i> Kunth	hemiparasi	0
<i>Castilleja communis</i> Benth.	J. A. Schimidt		<i>Castilleja arvensis</i> Schltdl. & Cham.	hemiparasi	0
<i>Escobedia scabrifolia</i> R. et P.	J. A. Schimidt		<i>Escobedia grandiflora</i> (L.f.) Kuntze	shrub	0
<i>Esterhazyia splendida angustifolia</i> Mart.	J. A. Schimidt		<i>Esterhazyia splendida</i> J.C.Mikan	shrub	4
<i>Esterhazyia splendida latifolia</i> Mart.	J. A. Schimidt		<i>Esterhazyia splendida</i> J.C.Mikan	shrub	4
Oxalidaceae					
<i>Oxalis barrelieri</i> Jacq.	Aug. Progel		<i>Oxalis barrelieri</i> L.	herb	0
<i>Oxalis corniculata</i> L.	Aug. Progel		<i>Oxalis corniculata</i> L.	herb	0
<i>Oxalis decipiens</i> Prog.*	Aug. Progel		<i>Oxalis decipiens</i> Prog.	herb	0
<i>Oxalis elatior</i> Prog.	Aug. Progel		<i>Oxalis cytisoides</i> Mart. ex Zucc.	shrub	0
<i>Oxalis glazioviana</i> Prog.	Aug. Progel		<i>Oxalis confertissima</i> A.St.-Hil.	shrub	0
<i>Oxalis hirsutissima</i> Zucc.	Aug. Progel		<i>Oxalis hirsutissima</i> Mart. ex Zucc.	shrub	0
<i>Oxalis martiana</i> Zucc. (?)	Aug. Progel		<i>Oxalis debilis</i> Kunth	herb	1
<i>Oxalis neaei</i> DC.	Aug. Progel		<i>Oxalis frutescens</i> L.	shrub	0
<i>Oxalis nigricans</i> Pohl	Aug. Progel	Warming, C	<i>Oxalis nigrescens</i> A.St.-Hil.	shrub	3
<i>Oxalis physocalyx</i> Zucc.	Aug. Progel		<i>Oxalis grisea</i> A.St.-Hil. & Naudin	shrub	1
<i>Oxalis radiata</i> Pohl	Aug. Progel	Warming, C	<i>Oxalis radiata</i> Pohl ex Progel	herb	0
<i>Oxalis triangularis</i> var. <i>leptidea</i> Prog.	Aug. Progel		<i>Oxalis triangularis</i> A. St.-Hil.	herb	0
<i>Oxalis villosa</i> Prog.	Aug. Progel		<i>Oxalis riparia</i> Norlind	herb	0
Papaveraceae					
<i>Argemone mexicana</i> Linn.	A. W. Eichler		<i>Argemone mexicana</i> L.	herb	0
<i>Fumaria capreolata</i> Linn.	A. W. Eichler		<i>Fumaria capreolata</i> L.	herb	0
Passifloraceae					
<i>Passiflora alata</i> Ait.	Maxwell T. Masters		<i>Passiflora alata</i> Curtis	vine	1
<i>Passiflora capsularis</i> Linn.	Maxwell T. Masters		<i>Passiflora capsularis</i> L.	vine	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Passiflora clathrata</i> Mast.	Maxwell T. Masters		<i>Passiflora clathrata</i> Mast.	shrub	0
<i>Passiflora edulis</i> Sims	Maxwell T. Masters		<i>Passiflora edulis</i> Sims	vine	1
<i>Passiflora malacophylla</i> Mast.	Maxwell T. Masters	Warming ?, C	<i>Passiflora malacophylla</i> Mast.	vine	0
<i>Passiflora maximiliana</i> Bory.	Maxwell T. Masters		<i>Passiflora misera</i> Kunth	vine	1
<i>Passiflora mucronata</i> Lam.	Maxwell T. Masters		<i>Passiflora mucronata</i> Lam.	vine	0
<i>Passiflora rotundifolia</i> Linn.	Maxwell T. Masters		<i>Passiflora rotundifolia</i> L.	vine	0
<i>Passiflora rubra</i> Linn.	Maxwell T. Masters		<i>Passiflora rubra</i> L.	vine	0
<i>Passiflora suberosa</i> L.	Maxwell T. Masters		<i>Passiflora suberosa</i> L.	vine	0
<i>Passiflora villosa</i> Vell.	Maxwell T. Masters		<i>Passiflora amethystina</i> J.C.Mikan	vine	0
<i>Passiflora violacea</i> Vell.	Maxwell T. Masters		<i>Passiflora amethystina</i> J.C.Mikan	vine	0
<i>Passiflora warmingii</i> Mast.	Maxwell T. Masters	Warming, C	<i>Passiflora morifolia</i> Mast.	vine	0
Pentaphylacaceae					
<i>Ternstroemia brasiliensis</i> Camb.	H. Warra		<i>Ternstroemia brasiliensis</i> Cambess.	tree	0
Peraceae					
<i>Pera glabrata</i> Baill.	Joh. Muller (Argov.)		<i>Pera glabrata</i> (Schott) Poepp. ex Baill.	tree	0
<i>Pera leandri genuina</i> Mull.	Joh. Muller (Argov.)		<i>Pera heteranthera</i> (Schrank) I.M.Johnst.	tree	0
Phyllanthaceae					
<i>Phyllanthus acuminatus</i> Vahl	Joh. Muller (Argov.)		<i>Phyllanthus acuminatus</i> Vahl	tree	7
<i>Phyllanthus diffusus genuinus</i> Mull.	Joh. Muller (Argov.)		<i>Phyllanthus stipulatus</i> (Raf.) G.L.Webster	shrub	0
<i>Phyllanthus hyssopifolius</i> Kunth.	Joh. Muller (Argov.)		<i>Phyllanthus hyssopifolioides</i> Kunth	shrub	0
<i>Phyllanthus lagoensis</i> Mull. Arg.	Joh. Muller (Argov.)	Warming, C	<i>Phyllanthus acutifolius</i> Poir. ex Spreng.	shrub	0
<i>Phyllanthus lathyroides genuinus</i> Mull.	Joh. Muller (Argov.)		<i>Phyllanthus niruri</i> L.	shrub	0
<i>Phyllanthus leptocaulos</i> Mull.	Joh. Muller (Argov.)	Warming, C	<i>Phyllanthus leptocaulos</i> Müll.Arg.	shrub	0
<i>Phyllanthus nobilis pavonianus</i> Mull.	Joh. Muller (Argov.)		<i>Margaritaria nobilis</i> L.f.	shrub	0
<i>Phyllanthus simplicicaulis</i> Mull.	Joh. Muller (Argov.)		<i>Phyllanthus simplicicaulis</i> Müll.Arg.	herb	0
Phytolaccaceae					
<i>Phytolacca decandra</i> L.	E. Warming		<i>Phytolacca americana</i> L.	shrub	0
Picramniaceae					
<i>Picramnia sellowii</i> Planch.	A. Engler		<i>Picramnia sellowii</i> Planch.	tree	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Picramnia warmingiana</i> Engl.	A. Engler	Warming, B	<i>Picramnia ramiflora</i> Planch.	tree	0
Piperaceae					
<i>Peperomia alata</i> R. et Pav.	Cas. De Candolle		<i>Peperomia alata</i> Ruiz & Pav.	herb	0
<i>Peperomia blanda</i> Kunth	Cas. De Candolle		<i>Peperomia blanda</i> (Jacq.) Kunth	herb	0
<i>Peperomia diffusa</i> C.DC.	Cas. De Candolle		<i>Peperomia loxensis</i> Kunth	epiphyte	0
<i>Peperomia galiooides</i> Kunth	Cas. De Candolle		<i>Peperomia galiooides</i> Kunth	herb	0
<i>Peperomia gardneriana</i> Miq.	Cas. De Candolle		<i>Peperomia gardneriana</i> Miq.	herb	0
<i>Peperomia increscens</i> Miq.	Cas. De Candolle		<i>Peperomia blanda</i> (Jacq.) Kunth	herb	0
<i>Peperomia myriocarpa</i> Miq	Cas. De Candolle		<i>Peperomia elongata</i> Kunth	herb	0
<i>Peperomia pilosula</i> C.DC.	Cas. De Candolle	Warming, G	<i>Peperomia urocarpa</i> Fischer & Meyer	herb	0
<i>Peperomia quadrifolia</i> Kunth	Cas. De Candolle		<i>Peperomia quadrifolia</i> (L.) Kunth	herb	0
<i>Peperomia warmingii</i> C.DC.	Cas. De Candolle	Warming, C	<i>Peperomia warmingii</i> C. DC.	herb	0
<i>Piper angustifolium</i> R. et Pav.	Cas. De Candolle		<i>Piper aduncum</i> L.	tree	0
<i>Piper angustifolium cordulatum</i> C.DC.	Cas. De Candolle		<i>Piper aduncum</i> L.	tree	0
<i>Piper atrosanguineum</i> C.DC.	Cas. De Candolle	Warming, C	<i>Piper ovatum</i> Vahl	shrub	0
<i>Piper bennettianum</i> C.DC. (?)	Cas. De Candolle		<i>Piper bennettianum</i> C. DC.	shrub	0
<i>Piper brevistipitatum</i> C.DC.	Cas. De Candolle	Warming, LE	<i>Piper ovatum</i> Vahl	shrub	0
<i>Piper ciliatum</i> C.DC.	Cas. De Candolle		<i>Piper malacophyllum</i> (C.Presl) C.DC.	shrub	0
<i>Piper corcovadensis</i> C.DC.	Cas. De Candolle	Warming, C	<i>Piper corcovadensis</i> (Miq.) C.DC.	shrub	0
<i>Piper dilatatum pubescens</i> C.DC.	Cas. De Candolle		<i>Piper cuyabanum</i> C. DC.	shrub	0
<i>Piper exserens</i> (Miq.) C.DC. (?)	Cas. De Candolle		<i>Piper crassinervium</i> Kunth	shrub	0
<i>Piper frutescens</i> C.DC.	Cas. De Candolle	Warming, C	<i>Piper frutescens</i> C. DC.	shrub	0
<i>Piper frutescens microcarpum</i> C.DC.	Cas. De Candolle	Warming, GDC	<i>Piper corcovadensis</i> (Miq.) C.DC.	shrub	0
<i>Piper inversum</i> C.DC.	Cas. De Candolle	Warming, C	<i>Piper lhotzkyanum</i> Kunth	shrub	0
<i>Piper jaborandi</i> Vell.	Cas. De Candolle		<i>Piper miquelianum</i> C. DC.	shrub	0
<i>Piper laetum</i> C.DC. (?)	Cas. De Candolle		<i>Piper ovatum</i> Vahl	shrub	0
<i>Piper lagoaense</i> C.DC.	Cas. De Candolle	Warming, C	<i>Piper lagoaense</i> C.DC.	shrub	0
<i>Piper lanceolatum</i> R. et Pav.	Cas. De Candolle		<i>Piper lanceolatum</i> Ruiz & Pav.	shrub	0
<i>Piper mollicomum</i> Kunth	Cas. De Candolle		<i>Piper mollicomum</i> Kunth	shrub	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Piper obliquum</i> R. et Pav.	Cas. De Candolle		<i>Piper obliquum</i> Ruiz & Pav.	shrub	0
<i>Piper obscurum</i> C.DC.	Cas. De Candolle	Warming, C	<i>Piper gaudichaudianum</i> Kunth	shrub	0
<i>Piper obumbratum</i> C.DC.	Cas. De Candolle		<i>Piper arboreum</i> Aubl.	shrub	0
<i>Piper palescens</i> C.DC.	Cas. De Candolle		<i>Piper regnellii</i> (Miq.) C. DC.	shrub	0
<i>Piper palustre</i> C.DC.	Cas. De Candolle	Warming, C	<i>Piper fuligineum</i> Kunth	shrub	0
<i>Piper parthenium</i> Mart.	Cas. De Candolle		<i>Piper mikanianum</i> (Kunth) Steud.	shrub	0
<i>Piper pilosum</i> C.DC.	Cas. De Candolle	Warming, C	<i>Piper caldasianum</i> (Miq.) Yunck.	shrub	0
<i>Piper pseudoamalago</i> C.DC.	Cas. De Candolle	Warming, C	<i>Piper amalago</i> L.	shrub	1
<i>Piper pseudomollicomum dichotomum</i> C.DC.	Cas. De Candolle		<i>Piper mollicomum</i> Kunth	shrub	0
<i>Piper rivulare</i> C.DC.	Cas. De Candolle	Warming, C	<i>Piper lucaeum</i> Kunth	shrub	0
<i>Piper rivulare hygrophilum</i> C.DC.	Cas. De Candolle		<i>Piper lucaeum</i> Kunth	shrub	0
<i>Piper rohrii</i> C.DC.	Cas. De Candolle		<i>Piper amplum</i> Kunth	shrub	0
<i>Piper scutelliferum</i> C.DC.	Cas. De Candolle	Warming, S	<i>Piper caldasianum</i> (Miq.) Yunck.	shrub	0
<i>Piper sprengelianum</i> C.DC.	Cas. De Candolle		<i>Piper sprengelianum</i> C. DC.	shrub	0
<i>Piper subglaucum</i> C.DC.	Cas. De Candolle	Warming, C	<i>Piper corcovadensis</i> (Miq.) C.DC.	shrub	0
<i>Piper subpeltatum sidaefolium</i> C.DC.	Cas. De Candolle		<i>Piper umbellatum</i> L.	shrub	0
<i>Piper vaginans</i> C.DC.	Cas. De Candolle	Warming, C	<i>Piper vaginans</i> C. DC.	shrub	0
<i>Piper villosulum</i> C.DC.	Cas. De Candolle	Warming, C	<i>Piper amalago</i> L.	shrub	1
Plantaginaceae					
<i>Beyrichia ocyoides</i> Cham. et Schl.	J. A. Schimidt		<i>Achetaria ocyoides</i> (Cham. & Schltdl.) Wettst.	shrub	0
<i>Herpestis lanigera</i> Cham. et Schl.	J. A. Schimidt		<i>Bacopa lanigera</i> (Cham. & Schltdl.) Wettst.	herb	0
<i>Herpestis ranaria</i> Benth.	J. A. Schimidt		<i>Bacopa monnieroides</i> (Cham.) B.L.Rob.	herb	0
<i>Herpestis serpyloides</i> Cham.	J. A. Schimidt		<i>Mecardonia serpyloides</i> (Cham. & Schltdl.) Pennell	herb	0
<i>Herpestis stricta</i> Schrad.	J. A. Schimidt		<i>Bacopa stricta</i> (Schrad.) Wettst. ex Edwall	shrub	0
<i>Herpestis tenella</i> Cham. et Schl.	J. A. Schimidt		<i>Mecardonia procumbens</i> (Mill.) Small	herb	0
<i>Scoparia dulcis</i> L.	J. A. Schimidt		<i>Scoparia dulcis</i> L.	shrub	2
<i>Stemodia durantifolia</i> Sw.	J. A. Schimidt		<i>Stemodia durantifolia</i> (L.) Sw.	herb	0
<i>Stemodia hyptoides</i> Cham. et Schl.	J. A. Schimidt		<i>Stemodia hyptoides</i> Cham. & Schltdl.	herb	0
<i>Stemodia parviflora</i> Ait.	J. A. Schimidt		<i>Stemodia verticillata</i> (Mill.) Hassl.	herb	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
Poaceae					
<i>Andropogon bicornis</i> L.	J. C. Döll et E. Hackel		<i>Andropogon bicornis</i> L.	herb	0
<i>Andropogon carinatus exserens</i> Hack.	J. C. Döll et E. Hackel		<i>Andropogon carinatus</i> Nees	herb	0
<i>Andropogon carinatus genuinus</i> Hack.	J. C. Döll et E. Hackel		<i>Andropogon carinatus</i> Nees	herb	0
<i>Andropogon condensatus paniculatus</i> Hack.	J. C. Döll et E. Hackel		<i>Schizachyrium condensatum</i> (Kunth) Nees	herb	0
<i>Andropogon hypogynus conjungens</i> Hack.	J. C. Döll et E. Hackel	Warming, W	<i>Andropogon hypogynus</i> Hack.	herb	0
<i>Andropogon hypogynus</i> Hack.	J. C. Döll et E. Hackel		<i>Andropogon hypogynus</i> Hack.	herb	0
<i>Andropogon myosurus</i> Presl.	J. C. Döll et E. Hackel		<i>Schizachyrium sanguineum</i> (Retz.) Alston	herb	0
<i>Andropogon riedelii</i> Trin.	J. C. Döll et E. Hackel		<i>Schizachyrium sanguineum</i> (Retz.) Alston	herb	0
<i>Andropogon rufus</i> Kth.	J. C. Döll et E. Hackel		<i>Hyparrhenia rufa</i> (Nees) Stapf	herb	0
<i>Andropogon semiberbis</i> Kunth.	J. C. Döll et E. Hackel		<i>Schizachyrium sanguineum</i> (Retz.) Alston	herb	0
<i>Andropogon spathiflorus</i> Kth.	J. C. Döll et E. Hackel		<i>Andropogon virgatus</i> Desv.	herb	1
<i>Andropogon tener genuinus</i> Kth.	J. C. Döll et E. Hackel		<i>Schizachyrium tenerum</i> Nees	herb	1
<i>Andropogon ternatus macrothrix</i> Hackel.	J. C. Döll et E. Hackel		<i>Andropogon macrothrix</i> Trin.	herb	0
<i>Andropogon villosus</i> Nees	J. C. Döll et E. Hackel		<i>Agenium villosum</i> (Nees) Pilg.	herb	0
<i>Andropogon virginicus</i> L.	J. C. Döll et E. Hackel		<i>Andropogon virginicus</i> L.	herb	0
<i>Aristida recurvata</i> H. B. K.	J. C. Döll et E. Hackel		<i>Aristida recurvata</i> Kunth	herb	0
<i>Aristida sanctae-luciae</i> Trin.	J. C. Döll et E. Hackel		<i>Aristida sanctae-luciae</i> Trin.	herb	0
<i>Aristida tincta</i> Trin. et Rupr.	J. C. Döll et E. Hackel		<i>Aristida torta</i> (Nees) Kunth	herb	0
<i>Arthrostylidium trinii</i> Munro.	J. C. Döll et E. Hackel		<i>Rhipidocladum parviflorum</i> (Trin.) McClure	tree	0
<i>Arundinaria verticillata</i> Nees (?)	J. C. Döll et E. Hackel		<i>Actinocladum verticillatum</i> (Nees) McClure ex Soderstr.	herb	1
<i>Arundinella brasiliensis</i> Raddi.	J. C. Döll et E. Hackel		<i>Arundinella hispida</i> (Humb. & Bonpl. ex Willd.) Kuntze	herb	0
<i>Arundinella martinicensis</i> Trin.	J. C. Döll et E. Hackel		<i>Arundinella hispida</i> (Humb. & Bonpl. ex Willd.) Kuntze	herb	0
<i>Cenchrus echinatus</i> L.	J. C. Döll et E. Hackel		<i>Cenchrus echinatus</i> L.	herb	1
<i>Chloris polydactyla</i> Sw.	J. C. Döll et E. Hackel		<i>Chloris elata</i> Desv.	herb	0
<i>Chloris radiata</i> Swartz.	J. C. Döll et E. Hackel		<i>Chloris radiata</i> (L.) Sw.	herb	0
<i>Chusquea fasciculata</i> Doll.	J. C. Döll et E. Hackel		<i>Chusquea fasciculata</i> Doll.	herb	0
<i>Chusquea tenuiglumis laxiuscula</i> Doll.	J. C. Döll et E. Hackel		<i>Chusquea tenuiglumis</i> Doll.	herb	0
<i>Ctenium chapadense</i> Doll.	J. C. Döll et E. Hackel		<i>Ctenium chapadense</i> (Trin.) Döll	herb	2

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Ctenium cirrhosum</i> Kth.	J. C. Döll et E. Hackel		<i>Ctenium cirrhosum</i> (Nees) Kunth	herb	0
<i>Cynodon dactylon</i> Pers.	J. C. Döll et E. Hackel		<i>Cynodon dactylon</i> (L.) Pers.	herb	1
<i>Eleusine indica</i> Gartn.	J. C. Döll et E. Hackel		<i>Eleusine indica</i> (L.) Gaertn.	herb	0
<i>Elionurus latiflorus adustus</i> Hackel.	J. C. Döll et E. Hackel		<i>Elionurus muticus</i> (Spreng.) Kuntze	herb	0
<i>Eragrostis articulata</i> N. ab Es.	J. C. Döll et E. Hackel		<i>Eragrostis articulata</i> (Schrank) Nees	herb	0
<i>Eragrostis lugens glabrescens</i> N. ab Es.	J. C. Döll et E. Hackel		<i>Eragrostis polytricha</i> Nees	herb	1
<i>Eragrostis reptans</i> N. ab Es.	J. C. Döll et E. Hackel		<i>Eragrostis hypnoides</i> (Lam.) Britton	herb	0
<i>Eragrostis rufescens</i> N. ab Es.	J. C. Döll et E. Hackel		<i>Eragrostis solida</i> Nees	herb	1
<i>Eragrostis seminuda</i> Trin.	J. C. Döll et E. Hackel		<i>Eragrostis seminuda</i> Trin.	herb	1
<i>Eragrostis vahlii</i> N. ab Es.	J. C. Döll et E. Hackel		<i>Eragrostis maypurensis</i> (Kunth) Steud.	herb	0
<i>Guadua trinii scabra</i> Doll.	J. C. Döll et E. Hackel		<i>Guadua trinii</i> (Nees) Nees ex Rupr.	tree	0
<i>Gymnopogon laevis</i> Nees	J. C. Döll et E. Hackel		<i>Gymnopogon spicatus</i> (Spreng.) Kuntze	herb	0
<i>Gymnopogon rigidus</i> Doll.	J. C. Döll et E. Hackel	Warming, B	<i>Gymnopogon doellii</i> Boechat & Valls	herb	0
<i>Gynerium saccharoides</i> H. B. K.	J. C. Döll et E. Hackel		<i>Gynerium sagittatum</i> (Aubl.) P.Beauv.	shrub	0
<i>Helopus brachystachys</i> Trin.	J. C. Döll et E. Hackel		<i>Eriochloa distachya</i> Kunth	herb	0
<i>Helopus punctatus</i> N. ab Es.	J. C. Döll et E. Hackel		<i>Eriochloa punctata</i> (L.) Desv. ex Ham.	herb	1
<i>Heteropogon villosus apogynus</i> Hack.	J. C. Döll et E. Hackel		<i>Agenium villosum</i> (Nees) Pilg.	herb	0
<i>Heteropogon villosus genuinus</i> Hack.	J. C. Döll et E. Hackel		<i>Agenium villosum</i> (Nees) Pilg.	herb	0
<i>Heteropogon villosus leianthus</i> Hack.	J. C. Döll et E. Hackel		<i>Agenium villosum</i> (Nees) Pilg.	herb	0
<i>Heteropogon villosus typicus</i> Hack.	J. C. Döll et E. Hackel		<i>Agenium villosum</i> (Nees) Pilg.	herb	0
<i>Hordeum vulgare</i> Linee.	J. C. Döll et E. Hackel		<i>Hordeum vulgare</i> L.	herb	0
<i>Ichnanthus bambusiflorus</i> Döll.	J. C. Döll et E. Hackel		<i>Ichnanthus bambusiflorus</i> (Trin.) Döll	shrub	0
<i>Ichnanthus calvescens scabrior</i> Döll.	J. C. Döll et E. Hackel	Warming, ?	<i>Ichnanthus calvescens</i> (Nees ex Trin.) Döll.	shrub	0
<i>Ichnanthus candidans velutinus</i> (N. ab Es.) Döll.	J. C. Döll et E. Hackel	Warming, P	<i>Ichnanthus hirtus</i> (Raddi) Chase	herb	0
<i>Ichnanthus candidans virescens</i> (N. ab Es.) Döll.	J. C. Döll et E. Hackel		<i>Ichnanthus hirtus</i> (Raddi) Chase	herb	0
<i>Ichnanthus incontans</i> Döll.	J. C. Döll et E. Hackel		<i>Ichnanthus inconstans</i> (Trin. ex Nees) Döll	shrub	0
<i>Ichnanthus minarum</i> Döll.	J. C. Döll et E. Hackel		<i>Echinolaena minarum</i> (Nees) Pilg.	herb	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Ichnanthus pallens</i> (Sw) Döll.	J. C. Döll et E. Hackel		<i>Ichnanthus pallens</i> (Sw.) Munro ex Benth.	herb	1
<i>Ichnanthus ruprechtii glabratus</i> Doll.	J. C. Döll et E. Hackel		<i>Ichnanthus ruprechtii</i> Doll.	shrub	0
<i>Imperata brasiliensis</i> Trin.	J. C. Döll et E. Hackel		<i>Imperata brasiliensis</i> Trin.	herb	0
<i>Leptochloa domingensis</i> Trin.	J. C. Döll et E. Hackel		<i>Leptochloa virgata</i> (L.) P.Beauv.	herb	0
<i>Leptocoryphium lanatum genuinum</i> Doll.	J. C. Döll et E. Hackel		<i>Anthaenantia lanata</i> (Kunth) Benth.	herb	0
<i>Manisuris granularis</i> Sw.	J. C. Döll et E. Hackel		<i>Mnesithea granularis</i> (L.) de Koning & Sosef	herb	0
<i>Microchloa setacea</i> R. Br.	J. C. Döll et E. Hackel		<i>Microchloa indica</i> (L.f.) P.Beauv.	herb	0
<i>Olyra ciliatifolia</i> Raddi.	J. C. Döll et E. Hackel		<i>Olyra ciliatifolia</i> Raddi	herb	0
<i>Olyra cordifolia</i> Willd.	J. C. Döll et E. Hackel		<i>Olyra latifolia</i> L.	herb	1
<i>Olyra latifolia</i> L.	J. C. Döll et E. Hackel		<i>Olyra latifolia</i> L.	herb	1
<i>Olyra latifolia pubescens</i> (Raddi) Döll.	J. C. Döll et E. Hackel		<i>Olyra latifolia</i> L.	herb	1
<i>Olyra micrantha</i> H. B. K.	J. C. Döll et E. Hackel		<i>Parodiolyra micrantha</i> (Kunth) Davidse & Zuloaga	herb	0
<i>Olyra pauciflora</i> Sw.	J. C. Döll et E. Hackel		<i>Lithachne pauciflora</i> (Sw.) P.Beauv.	herb	0
<i>Panicum adustum</i> N. ab Es.	J. C. Döll et E. Hackel		<i>Digitaria phaeothrix</i> (Trin.) Parodi	herb	0
<i>Panicum adustum pallescens</i> Döll.	J. C. Döll et E. Hackel		<i>Digitaria phaeothrix</i> (Trin.) Parodi	herb	0
<i>Panicum caricoides</i> N. ab Es.	J. C. Döll et E. Hackel		<i>Coleataenia caricoides</i> (Nees ex Trin.) Soreng	herb	0
<i>Panicum cayennense</i> Lam.	J. C. Döll et E. Hackel		<i>Panicum campestre</i> Nees ex Trin.	herb	2
<i>Panicum compositum firmiusculum</i> Döll.	J. C. Döll et E. Hackel	Warming, W	<i>Oplismenus hirtellus</i> (L.) P.Beauv.	herb	0
<i>Panicum compositum</i> Linn.	J. C. Döll et E. Hackel		<i>Oplismenus hirtellus</i> (L.) P.Beauv.	herb	0
<i>Panicum crusgalli sabulicola</i> Linn.	J. C. Döll et E. Hackel		<i>Echinochloa crusgalli</i> (L.) P.Beauv.	herb	1
<i>Panicum cyanescens</i> N. ab Es.	J. C. Döll et E. Hackel		<i>Trichanthes cyanescens</i> (Nees ex Trin.) Zuloaga & Morrone	herb	0
<i>Panicum cyanescens stenophyllum</i> N. ab Es.	J. C. Döll et E. Hackel		<i>Trichanthes parvifolium</i> (Lam.) Zuloaga & Morrone	herb	0
<i>Panicum decipiens</i> Nees	J. C. Döll et E. Hackel		<i>Steinchisma decipiens</i> (Nees ex Trin.) W.V.Br.	herb	0
<i>Panicum discolor</i> Trin.	J. C. Döll et E. Hackel		<i>Parodiophyllochloa penicillata</i> (Nees ex Trin.) Zuloaga & Morrone	herb	0
<i>Panicum echinochlaena</i> N. ab Es.	J. C. Döll et E. Hackel		<i>Echinolaena inflexa</i> (Poir.) Chase	herb	0
<i>Panicum eriochrysoides</i> N. ab Es.	J. C. Döll et E. Hackel		<i>Mesosetum ferrugineum</i> (Trin.) Chase	herb	1
<i>Panicum filiforme</i> L.	J. C. Döll et E. Hackel		<i>Digitaria filiformis</i> (L.) Koeler	herb	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Panicum glutinosum</i> Sw.	J. C. Döll et E. Hackel		<i>Homolepis glutinosa</i> (Sw.) Zuloaga & Soderstr.	herb	0
<i>Panicum hians</i> Elliot.	J. C. Döll et E. Hackel		<i>Steinchisma hians</i> (Elliott) Nash	herb	1
<i>Panicum imberbe</i> Poir.	J. C. Döll et E. Hackel		<i>Setaria parviflora</i> (Poir.) Kerguélen	herb	0
<i>Panicum latifolium</i> Linne.	J. C. Döll et E. Hackel		<i>Lasiacis ligulata</i> Hitchc. & Chase	herb	0
<i>Panicum laxum</i> Sw.	J. C. Döll et E. Hackel		<i>Steinchisma laxa</i> (Sw.) Zuloaga	herb	1
<i>Panicum leucophoenum</i> H. B. K.	J. C. Döll et E. Hackel		<i>Digitaria insularis</i> (L.) Fedde	herb	0
<i>Panicum loliiiforme</i> Hochst.	J. C. Döll et E. Hackel		<i>Mesosetum loliiiforme</i> (Hochst.) Chase	herb	0
<i>Panicum macranthum</i> Trin.	J. C. Döll et E. Hackel		<i>Oncorachis macrantha</i> (Trin.) Morrone & Zuloaga	herb	0
<i>Panicum macrostachyum patens</i> Döll.	J. C. Döll et E. Hackel		<i>Setaria macrostachya</i> Kunth	herb	0
<i>Panicum maximilianii</i> Schrad.	J. C. Döll et E. Hackel		<i>Ichnanthus leiocarpus</i> (Spreng.) Kunth	herb	0
<i>Panicum maximum</i> Jacquin.	J. C. Döll et E. Hackel		<i>Megathyrsus maximus</i> (Jacq.) B.K.Simon & S.W.L.Jacobs	shrub	0
<i>Panicum melinis</i> Trin.	J. C. Döll et E. Hackel		<i>Melinis minutiflora</i> P.Beauv.	herb	0
<i>Panicum monostachyum</i> H. B. K.	J. C. Döll et E. Hackel		<i>Paspalum pilosum</i> Lam.	herb	0
<i>Panicum myuros</i> Lam.	J. C. Döll et E. Hackel		<i>Sacciolepis myuros</i> (Lam.) Chase	herb	0
<i>Panicum numidianum</i> Lam.	J. C. Döll et E. Hackel		<i>Urochloa mutica</i> (Forssk.) T.Q.Nguyen	herb	0
<i>Panicum olyroides</i> H. B. K.	J. C. Döll et E. Hackel		<i>Panicum olyroides</i> Kunth	herb	1
<i>Panicum ovuliferum</i> Trin.	J. C. Döll et E. Hackel		<i>Parodiophyllochloa ovulifera</i> (Trin.) Zuloaga & Morrone	herb	0
<i>Panicum penicillatum</i> Willd.	J. C. Döll et E. Hackel		<i>Parodiophyllochloa penicillata</i> (Nees ex Trin.) Zuloaga &	herb	0
<i>Panicum pilosum latifolium</i> Doll.	J. C. Döll et E. Hackel		<i>Rugoloa pilosa</i> (Sw.) Zuloaga	herb	0
<i>Panicum pilosum polygonatum</i> (Schrad.) Doll.	J. C. Döll et E. Hackel		<i>Rugoloa polygonata</i> (Schrad.) Zuloaga	herb	0
<i>Panicum pilosum</i> Sw.	J. C. Döll et E. Hackel		<i>Rugoloa pilosa</i> (Sw.) Zuloaga	herb	0
<i>Panicum plantagineum</i> Link.	J. C. Döll et E. Hackel		<i>Urochloa plantaginea</i> (Link) R.D. Webster	herb	0
<i>Panicum potassium</i> Trin.	J. C. Döll et E. Hackel		<i>Rugoloa polygonata</i> (Schrad.) Zuloaga	herb	0
<i>Panicum procurrens</i> N. ab Es.	J. C. Döll et E. Hackel		<i>Ichnanthus procurrens</i> (Nees ex Trin.) Swallen	herb	0
<i>Panicum repandum</i> N. ab Es.	J. C. Döll et E. Hackel		<i>Paspalum repandum</i> (Nees) G.H. Rua & Valls	herb	0
<i>Panicum rude</i> N. ab Es.	J. C. Döll et E. Hackel		<i>Ocellochloa rudis</i> (Nees) Zuloaga & Morrone	herb	0
<i>Panicum rugulosum glabrescens</i> Trin.	J. C. Döll et E. Hackel		<i>Panicum millegrana</i> Poir.	herb	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Panicum rugulosum pubescens</i> Döll.	J. C. Döll et E. Hackel		<i>Panicum sellowii</i> Nees	herb	1
<i>Panicum sanguinale</i> L.	J. C. Döll et E. Hackel		<i>Digitaria sanguinalis</i> (L.) Scop.	herb	0
<i>Panicum scabrifolium vestitum</i> Döll.	J. C. Döll et E. Hackel		<i>Setaria scabrifolia</i> (Nees) Kunth	herb	0
<i>Panicum scandens</i> Trin.	J. C. Döll et E. Hackel		<i>Setaria scandens</i> Schrad.	herb	0
<i>Panicum sciurotis</i> Trin.	J. C. Döll et E. Hackel		<i>Dichanthelium sciurotis</i> (Trin.) Davidse	herb	0
<i>Panicum semirugosum</i> N. ab Es.	J. C. Döll et E. Hackel		<i>Setaria tenax</i> (Rich.) Desv.	herb	0
<i>Panicum setarium</i> Lam.	J. C. Döll et E. Hackel		<i>Oplismenus hirtellus</i> (L.) P.Beauv.	herb	0
<i>Panicum silvaticum</i> Lam.	J. C. Döll et E. Hackel		<i>Oplismenus hirtellus</i> (L.) P.Beauv.	herb	0
<i>Panicum sphaerocarpum</i> Salzmann.	J. C. Döll et E. Hackel		<i>Dichanthelium sphaerocarpon</i> (Elliot) Gould	herb	0
<i>Panicum stoloniferum</i> Poir.	J. C. Döll et E. Hackel		<i>Ocellochloa stolonifera</i> (Poir.) Zuloaga & Morrone	herb	0
<i>Panicum sulcatum</i> Aublet.	J. C. Döll et E. Hackel		<i>Setaria palmifolia</i> (J. König) Stapf	herb	0
<i>Panicum thrasyoides</i> Trin.	J. C. Döll et E. Hackel		<i>Paspalum thrasyoides</i> (Trin.) S.Denham	herb	0
<i>Panicum uncinatum</i> Raddi.	J. C. Döll et E. Hackel		<i>Pseudechinolaena polystachya</i> (Kunth) Stapf	herb	0
<i>Panicum vilvooides</i> Trin.	J. C. Döll et E. Hackel		<i>Sacciolepis vilvooides</i> (Trin.) Chase	herb	1
<i>Panicum zizanioides</i> H. B. K.	J. C. Döll et E. Hackel		<i>Acroceras zizanioides</i> (Kunth) Dandy	herb	0
<i>Paspalum barbatum</i> N. ab Es.	J. C. Döll et E. Hackel		<i>Axonopus siccus</i> (Nees) Kuhlm.	herb	0
<i>Paspalum blepharophorum</i> Roem. et Schult.	J. C. Döll et E. Hackel		<i>Paspalum humboldtianum</i> Flüggé	herb	0
<i>Paspalum capillare</i> Lam.	J. C. Döll et E. Hackel		<i>Axonopus capillaris</i> (Lam.) Chase	herb	0
<i>Paspalum chrysoblephare</i> Döll.	J. C. Döll et E. Hackel		<i>Axonopus chrysoblepharis</i> (Lag.) Chase	herb	0
<i>Paspalum commutatum</i> N. ab Es.	J. C. Döll et E. Hackel		<i>Paspalum commutatum</i> Nees	herb	0
<i>Paspalum conjugatum</i> Berg.	J. C. Döll et E. Hackel		<i>Paspalum conjugatum</i> P.J.Bergius	herb	1
<i>Paspalum conspersum</i> Schrad.	J. C. Döll et E. Hackel		<i>Paspalum conspersum</i> Schrad.	herb	0
<i>Paspalum coryphaeum</i> Trin.	J. C. Döll et E. Hackel		<i>Paspalum coryphaeum</i> Trin.	herb	0
<i>Paspalum densum ciliatum</i> Döll.	J. C. Döll et E. Hackel	Warming, C?	<i>Paspalum polyphyllum</i> Nees	herb	2
<i>Paspalum dilatatum parviflorum</i> Poir.	J. C. Döll et E. Hackel	Warming, BR	<i>Paspalum urvillei</i> Steud.	herb	0
<i>Paspalum dilatatum</i> Poir.	J. C. Döll et E. Hackel		<i>Paspalum dilatatum</i> Poir.	herb	0
<i>Paspalum dissitiflorum</i> Trin.	J. C. Döll et E. Hackel		<i>Axonopus brasiliensis</i> (Spreng.) Kuhlm.	herb	3
<i>Paspalum distichophyllum</i> H. B. K.	J. C. Döll et E. Hackel		<i>Paspalum polyphyllum</i> Nees	herb	2
<i>Paspalum erianthum</i> N. ab Es.	J. C. Döll et E. Hackel		<i>Paspalum erianthum</i> Nees ex Trin.	herb	2

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Paspalum eucomum pilosior N. ab Es.</i>	J. C. Döll et E. Hackel	Warming, US	<i>Paspalum eucomum</i> Nees ex Trin.	herb	1
<i>Paspalum falcatum N. ab Es.</i>	J. C. Döll et E. Hackel		<i>Paspalum falcatum</i> Nees ex Steud.	herb	0
<i>Paspalum furcatum</i> Fluge.	J. C. Döll et E. Hackel		<i>Axonopus furcatus</i> (Flüggé) Hitchc.	herb	0
<i>Paspalum gardnerianum N. ab Es.</i>	J. C. Döll et E. Hackel		<i>Paspalum gardnerianum</i> Nees	herb	4
<i>Paspalum gardnerianum oligostachyum</i> Doll.	J. C. Döll et E. Hackel	Warming, W	<i>Paspalum gardnerianum</i> Nees	herb	4
<i>Paspalum immersum N. ab Es.</i>	J. C. Döll et E. Hackel		<i>Axonopus chrysoblepharis</i> (Lag.) Chase	herb	0
<i>Paspalum laxum raddianum</i> Döll.	J. C. Döll et E. Hackel		<i>Paspalum corcovadense</i> Raddi	herb	0
<i>Paspalum maculosum</i> Trin.	J. C. Döll et E. Hackel		<i>Paspalum maculosum</i> Trin.	herb	0
<i>Paspalum mandiocanum</i> Trin.	J. C. Döll et E. Hackel		<i>Paspalum mandiocanum</i> Trin.	herb	0
<i>Paspalum neesii</i> Kunth.	J. C. Döll et E. Hackel		<i>Paspalum lineare</i> Trin.	herb	1
<i>Paspalum nutans</i> Lam.	J. C. Döll et E. Hackel		<i>Paspalum nutans</i> Lam.	herb	0
<i>Paspalum paniculatum</i> L.	J. C. Döll et E. Hackel		<i>Paspalum paniculatum</i> L.	herb	0
<i>Paspalum pectinatum N. ab Es.</i>	J. C. Döll et E. Hackel		<i>Paspalum pectinatum</i> Nees ex Trin.	herb	1
<i>Paspalum platycaulon</i> Poir.	J. C. Döll et E. Hackel		<i>Axonopus compressus</i> (Sw.) P.Beauv.	herb	0
<i>Paspalum plicatulum intumescens</i> Doll.	J. C. Döll et E. Hackel	Warming, KR	<i>Paspalum plicatulum</i> Michx.	herb	0
<i>Paspalum plicatulum</i> Michaux	J. C. Döll et E. Hackel		<i>Paspalum plicatulum</i> Michx.	herb	0
<i>Paspalum plicatulum microspermum</i> Doll.	J. C. Döll et E. Hackel		<i>Paspalum melanospermum</i> Desv. ex Poir.	herb	0
<i>Paspalum plicatulum oblongum</i> Doll.	J. C. Döll et E. Hackel		<i>Paspalum plicatulum</i> Michx.	herb	0
<i>Paspalum plicatulum oligostachyum</i> Doll.	J. C. Döll et E. Hackel		<i>Paspalum gemniflorum</i> Steud.	herb	0
<i>Paspalum plicatulum subpectinatum</i> Doll.	J. C. Döll et E. Hackel		<i>Paspalum guenoarum</i> Arechav.	herb	0
<i>Paspalum redundum</i> N. ab Es.	J. C. Döll et E. Hackel		<i>Paspalum redundum</i> Nees ex Steud.	herb	0
<i>Paspalum scoparium</i> Fluge.	J. C. Döll et E. Hackel		<i>Axonopus scoparius</i> (Flüggé) Kuhl.	herb	0
<i>Paspalum scoparium vestitum</i> Fluge.	J. C. Döll et E. Hackel		<i>Axonopus suffultus</i> (Mikan ex Trin.) Parodi	herb	0
<i>Paspalum stellatum</i> Fluge.	J. C. Döll et E. Hackel		<i>Paspalum stellatum</i> Humb. & Bonpl. ex Flüggé	herb	1
<i>Paspalum trachycoleon</i> Steudel.	J. C. Döll et E. Hackel		<i>Paspalum trachycoleon</i> Steud.	herb	0
<i>Paspalum virgatum</i> L.	J. C. Döll et E. Hackel		<i>Paspalum virgatum</i> L.	herb	0
<i>Paspalum virgatum conspersum</i> (Raddi) Doll.	J. C. Döll et E. Hackel		<i>Paspalum conspersum</i> Schrad.	herb	0
<i>Pereilema brasiliandum</i> Trin.	J. C. Döll et E. Hackel		<i>Muhlenbergia beyrichiana</i> Kunth	herb	1
<i>Pharus glaber</i> H. B. K.	J. C. Döll et E. Hackel		<i>Pharus lappulaceus</i> Aubl.	herb	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
Polypogon elongatus H. B. K.	J. C. Döll et E. Hackel		Polypogon elongatus Kunth	herb	0
Rottboellia aurita Steud.	J. C. Döll et E. Hackel		Mnesithea aurita (Steud.) de Koning & Sosef	herb	0
Rottboellia loricata glaberrima Hack.	J. C. Döll et E. Hackel	Warming, W	Mnesithea subgibbosa (Winkl. ex Hack.) de Koning & Sosef	herb	0
Sacharum cayennense (Beauvois) Benth.	J. C. Döll et E. Hackel		Eriochrysis cayennensis P.Beauv.	herb	0
Sacharum holcoides (Nees.) Hackel.	J. C. Döll et E. Hackel		Eriochrysis holcoides (Nees) Kuhlm.	herb	0
Sacharum warmingianum Hack.	J. C. Döll et E. Hackel		Eriochrysis warmingiana (Hack.) Kuhlm.	herb	0
Sorghum nutans contractum Hack.	J. C. Döll et E. Hackel	Warming, US	Sorghastrum contractum (Hack.) Kuhlm. & A.Kuhlm.	herb	0
Sorghum nutans elongatum Hack.	J. C. Döll et E. Hackel		Sorghastrum nutans (L.) Nash	herb	0
Sorghum nutans scaberrimum Hack.	J. C. Döll et E. Hackel		Sorghastrum scaberrimum (Nees) Herter	herb	0
Trachypogon polymorphus montufari Hack.	J. C. Döll et E. Hackel		Trachypogon spicatus (L.f.) Kuntze	herb	0
Tristachya leiostachya N. ab Es.	J. C. Döll et E. Hackel		Tristachya leiostachya Nees	herb	0
Tylothrasya petrosa Doll.	J. C. Döll et E. Hackel		Paspalum foliiforme S.Denham	herb	1
Vilfa aenea Trin.	J. C. Döll et E. Hackel		Sporobolus aeneus (Trin.) Kunth	herb	0
Vilfa tenacissima H. B. K.	J. C. Döll et E. Hackel		Sporobolus indicus (L.) R.Br.	herb	0
Polygalaceae					
Bredemeyera floribunda Willd.	A. W. Bennett		Bredemeyera floribunda Willd.	shrub	2
Bredemeyera laurifolia Klootsch.	A. W. Bennett		Bredemeyera laurifolia (A.St.-Hil.) Klotzsch ex A.W.Benn.	shrub	0
Monnina stenophylla St. Hil.	A. W. Bennett		Monnina stenophylla A.St.-Hil. & Moq.	shrub	0
Polygala angulata DC.	A. W. Bennett		Polygala poaya Mart.	shrub	4
Polygala atropurpurea St. Hil.	A. W. Bennett		Polygala atropurpurea A.St.-Hil. & Moq.	herb	0
Polygala brizoides St. Hil.	A. W. Bennett		Asemeia violacea (Aubl.) J.F.B.Pastore & J.R.Abbott	herb	0
Polygala fimbriata Bennett.	A. W. Bennett	Warming, C	Asemeia acuminata (Willd.) J.F.B.Pastore & J.R.Abbott	tree	0
Polygala galiooides major Benn.	A. W. Bennett		Polygala galiooides Poir.	herb	0
Polygala galiooides Poir.	A. W. Bennett		Polygala galiooides Poir.	herb	0
Polygala glabra A. W. Bennet.	A. W. Bennett	Warming, P	Asemeia glabra (A.W.Benn.) J.F.B.Pastore & J.R.Abbott	herb	1

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Polygala hirsuta</i> St. Hil.	A. W. Bennett		<i>Asemeia hirsuta</i> (A.St.-Hil. & Moq.) J.F.B.Pastore & J.R.Abbott	herb	1
<i>Polygala hygrophila</i> H. B. Kth.	A. W. Bennett		<i>Polygala hygrophila</i> Kunth	herb	0
<i>Polygala lacifolia</i> St. Hil.	A. W. Bennett		<i>Polygala lancifolia</i> A.St.-Hil. & Moq.	herb	0
<i>Polygala lagoana</i> Bennett.	A. W. Bennett	Warming, C	<i>Polygala gracilis</i> Kunth	herb	0
<i>Polygala longicaulis</i> H. B. Kth.	A. W. Bennett		<i>Polygala longicaulis</i> Kunth	herb	0
<i>Polygala paniculata</i> L.	A. W. Bennett		<i>Polygala paniculata</i> L.	herb	1
<i>Polygala poaya</i> Mart.	A. W. Bennett		<i>Polygala poaya</i> Mart.	shrub	4
<i>Polygala rhodoptera</i> Mart.	A. W. Bennett		<i>Asemeia rhodoptera</i> (Mart. ex A.W.Benn.) J.F.B.Pastore & J.R.Abbott	herb	0
<i>Polygala subtilis</i> H. B. K.	A. W. Bennett		<i>Polygala subtilis</i> Kunth	herb	0
<i>Polygala sulfurea</i> Bennett.	A. W. Bennett	Warming ?, C	<i>Polygala tenuis</i> DC.	herb	0
<i>Polygala tenuis</i> DC.	A. W. Bennett	Warming ?, C	<i>Polygala tenuis</i> DC.	herb	0
<i>Polygala timeoutou</i> Aubl.	A. W. Bennett		<i>Polygala timeoutou</i> Aubl.	herb	0
<i>Polygala violacea</i> Vahl.	A. W. Bennett		<i>Asemeia violacea</i> (Aubl.) J.F.B.Pastore & J.R.Abbott	herb	0
<i>Polygala violoides</i> St. Hil.	A. W. Bennett		<i>Gymnospora violoides</i> (A.St.-Hil. & Moq.) J.F.B.Pastore	herb	1
<i>Polygala warmingiana</i> Bennett.	A. W. Bennett	Warming, C	<i>Caamembeca warmingiana</i> (A.W.Benn) J.F.B.Pastore	shrub	0
<i>Securidaca rivinaefolia</i> St. Hil.	A. W. Bennett		<i>Securidaca rivinifolia</i> A.St.-Hil. & Moq.	shrub	0
Polygonaceae					
<i>Coccoloba longipendula</i> Mart.*	C.F. Meissner. corr. Loesener.		<i>Coccoloba longipendula</i> Mart.	vine	0
<i>Polygonum acre leptostachyum</i> Meisn.	C.F. Meissner. corr. Loesener.		<i>Polygonum punctatum</i> Elliott.	herb	0
<i>Polygonum acuminatum weddellii</i> Meisn.	C.F. Meissner. corr. Loesener.		<i>Polygonum acuminatum</i> Kunth	herb	2
<i>Polygonum hydropiperoides</i> Michx.	C.F. Meissner. corr. Loesener.		<i>Polygonum hydropiperoides</i> Michx.	herb	0
<i>Polygonum meissnerianum beyrichianum</i> Meisn.	C.F. Meissner. corr. Loesener.		<i>Polygonum meissnerianum</i> Cham.	herb	0
<i>Polygonum segetum</i> H.B.K.	C.F. Meissner. corr. Loesener.		<i>Polygonum punctatum</i> Elliott.	herb	0
<i>Polygonum serrulatum</i> Lag.	C.F. Meissner. corr. Loesener.		<i>Polygonum acuminatum</i> Kunth	herb	2
Pontederiaceae					
<i>Eichhornia azurea</i> (Sw.) Kunth.	E. Warming		<i>Eichhornia azurea</i> (Sw.) Kunth	herb	3

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Heteranthera reniformis Ruiz & Pav.</i>	E. Warming		<i>Heteranthera reniformis Ruiz & Pav.</i>	herb	1
<i>Heteranthera zosterifolia Mart.</i>	E. Warming		<i>Heteranthera zosterifolia Mart.</i>	herb	1
<i>Reussia subovata Seub.</i>	E. Warming		<i>Pontederia subovata</i> (Seub.) Lowden	herb	3
Portulacaceae					
<i>Portulaca pilosa L.</i>	E. Warming		<i>Portulaca pilosa</i> L.	herb	0
<i>Talinum patens</i> (Jacq.) Willd.	E. Warming		<i>Talinum paniculatum</i> (Jacq.) Gaertn.	herb	0
Potamogetonaceae					
<i>Potamogeton polygonus</i> Cham. & Schltdl	P. Ascherson.		<i>Potamogeton polygonus</i> Cham. & Schltdl.	herb	1
Primulaceae					
<i>Ardisia gracilis</i> Miq.	E. Warming		<i>Geissanthus ambiguus</i> (Mart.) G.Agostini	shrub	0
<i>Ardisia semicrenata</i> Mart.	E. Warming		<i>Ardisia semicrenata</i> Mart.	shrub	0
<i>Cetunculus pentandrus</i> R. Br.	E. Warming		<i>Lysimachia ovalis</i> (Ruiz & Pav.) U. Manns & Anderb.	herb	0
<i>Cybianthus angustifolius</i> Alph. DC.	E. Warming		<i>Cybianthus glaber</i> A.DC.	shrub	0
<i>Cybianthus cuneifolius</i> Mart.	E. Warming		<i>Cybianthus cuneifolius</i> Mart.	shrub	0
<i>Cybianthus detergens</i> Mart.	E. Warming		<i>Cybianthus detergens</i> Mart.	shrub	1
<i>Myrsine flocculosa</i> Mart.	E. Warming		<i>Myrsine coriacea</i> (Sw.) R.Br. ex Roem. & Schult.	tree	0
<i>Myrsine leuconeura</i> Mart.	E. Warming		<i>Myrsine leuconeura</i> Mart.	tree	0
<i>Myrsine rapanea</i> Roem. et Schult.	E. Warming		<i>Myrsine guianensis</i> (Aubl.) Kuntze	tree	2
<i>Myrsine umbellata acutifolia</i> Miq.	E. Warming		<i>Myrsine umbellata</i> Mart.	tree	0
<i>Myrsine umbellata monticola</i> Miq.	E. Warming		<i>Myrsine monticola</i> Mart.	shrub	1
<i>Myrsine umbellata vulgaris</i> Miq.	E. Warming		<i>Myrsine monticola</i> Mart.	shrub	1
Proteaceae					
<i>Adenostephanus incana</i> Kl.	C.F. Meissner		<i>Euplassa incana</i> (Klotzsch) I.M.Johnst.	tree	0
<i>Adenostephanus sellowii</i> Kl. (?)	C.F. Meissner		<i>Euplassa legalis</i> (Vell.) I.M.Johnst.	tree	0
<i>Rhopala gardneri dentata</i> Meisn.	C.F. Meissner		<i>Roupala montana</i> Aubl.	tree	0
<i>Rhopala gardneri integrifolia</i> Meisn.	C.F. Meissner		<i>Roupala montana</i> Aubl.	tree	0
<i>Rhopala heterophylla</i> (?)	C.F. Meissner		<i>Roupala longipetiolata</i> Pohl	tree	0
<i>Rhopala rhombifolia</i> Mart.	C.F. Meissner		<i>Roupala montana</i> Aubl.	tree	0
<i>Rhopala tomentosa dentata</i> Meisn.	C.F. Meissner		<i>Roupala montana</i> Aubl.	tree	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
Rhopala tomentosa integrifolia Meisn.	C.F. Meissner		Roupala montana Aubl.	tree	0
Rhamnaceae					
Crumenaria erecta Reiss.	E. Warming		Crumenaria erecta Reissek.	herb	0
Frangula polymorpha glabra Reiss.	E. Warming		Rhamnus sphaerosperma Sw.	tree	0
Frangula polymorpha pubescens Reiss.	E. Warming		Rhamnus sphaerosperma Sw.	tree	0
Frangula polymorpha tomentosa Reiss.	E. Warming		Rhamnus sphaerosperma Sw.	tree	0
Gouania mollis Reiss.	E. Warming		Gouania latifolia Reissek.	vine	0
Gouania virgata Reiss.	E. Warming		Gouania latifolia Reissek.	vine	0
Rhamnidium elaeocarpum Reiss.	E. Warming		Rhamnidium elaeocarpum Reissek.	tree	1
Rosaceae					
Cydonia vulgaris Pers.	Warming, E.		Cydonia oblonga Mill.	shrub	0
Eriobotrya japonica Lindl.	Warming, E.		Eriobotrya japonica (Thunb.) Lindl.	tree	0
Prunus sphoerocarpa Sw.	Warming, E.		Prunus subcordiacea (Chodat & Hassl.) Koehne	tree	0
Rubus brasiliensis Mart.	Warming, E.		Rubus brasiliensis Mart.	shrub	0
Rubus urticifolius Poir.	Warming, E.		Rubus urticifolius Poir.	shrub	0
Rubiaceae					
Alibertia elliptica (Cham.) Hook.f.	Joh. Muller (Arg.) et C.		Cordiera elliptica (Cham.) Kuntze	shrub	1
Alibertia sessilis (Vell.) Schum.	Joh. Muller (Arg.) et C.		Cordiera sessilis (Vell.) Kuntze	shrub	0
Amajoua guianensis var.brasiliiana Schum.	Joh. Muller (Arg.) et C.		Amaioua intermedia Mart. ex Schult. & Schult.f.	tree	0
Basanacantha spinosa var.ferox. (Jacq.) Schum	Joh. Muller (Arg.) et C.		Randia armata (Sw.) DC.	shrub	0
Bathysa australis Hook. f.	Joh. Muller (Arg.) et C.		Bathysa australis (A.St.-Hil.) K.Schum.	tree	0
Borreria capitata DC.	Joh. Muller (Arg.) et C.		Borreria capitata (Ruiz & Pav.) DC.	shrub	0
Borreria capitellata var.elatior Cham. et Schl.	Joh. Muller (Arg.) et C.		Borreria remota (Lam.) Bacigalupo & E.L.Cabral	shrub	0
Borreria cupularis DC.	Joh. Muller (Arg.) et C.		Borreria cupularis DC.	shrub	0
Borreria eryngioides Ch. et Schl.	Joh. Muller (Arg.) et C.		Spermacoce eryngioides (Cham. & Schltdl.) Kuntze	herb	0
Borreria laevis A. Griseb. (?)	Joh. Muller (Arg.) et C.		Borreria laevis (Lam.) Griseb.	herb	0
Borreria latifolia DC.	Joh. Muller (Arg.) et C.		Borreria latifolia (Aubl.) K.Schum.	shrub	0
Borreria parviflora A. Gr.	Joh. Muller (Arg.) et C.		Spermacoce ocymoides Burm.f.	herb	0
Borreria poaya DC.	Joh. Muller (Arg.) et C.		Borreria poaya (A.St.-Hil.) DC.	herb	1

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Borreria tenella</i> var. <i>coriacea</i> Schum.	Joh. Muller (Arg.) et C.		<i>Borreria capitata</i> (Ruiz & Pav.) DC.	shrub	0
<i>Borreria tenella</i> var. <i>genuina</i> Cham. et Schl.	Joh. Muller (Arg.) et C.		<i>Borreria tenella</i> (Kunth) Cham. & Schltdl.	shrub	1
<i>Borreria valerianoides</i> Cham. et Schl.	Joh. Muller (Arg.) et C.		<i>Galianthe valerianoides</i> (Cham. & Schltdl.) E.L.Cabral	shrub	0
<i>Borreria verticillata</i> Mey.	Joh. Muller (Arg.) et C.		<i>Borreria verticillata</i> (L.) G.Mey.	shrub	3
<i>Borreria warmingii</i> Schum.	Joh. Muller (Arg.) et C.	Warming, C	<i>Borreria warmingii</i> K.Schum.	shrub	0
<i>Chiococca brachiata</i> Ruiz & Pav.	Joh. Muller (Arg.) et C.		<i>Chiococca alba</i> (L.) Hitchc.	shrub	1
<i>Chiococca brachiata</i> var. <i>acutifolia</i> Mull. Arg.	Joh. Muller (Arg.) et C.		<i>Chiococca alba</i> (L.) Hitchc.	shrub	1
<i>Chiococca brachiata</i> var. <i>densifolia</i> Mull. Arg.	Joh. Muller (Arg.) et C.		<i>Chiococca alba</i> (L.) Hitchc.	shrub	1
<i>Chiococca brachiata</i> var. <i>diplomorpha</i> Mull. Arg.	Joh. Muller (Arg.) et C.	Warming, G	<i>Chiococca alba</i> (L.) Hitchc.	shrub	1
<i>Chiococca brachiata</i> var. <i>intercedens</i> Mull. Arg.	Joh. Muller (Arg.) et C.	Warming, G	<i>Chiococca alba</i> (L.) Hitchc.	shrub	1
<i>Chiococca brachiata</i> var. <i>intermedia</i> Mull. Arg.	Joh. Muller (Arg.) et C.		<i>Chiococca alba</i> (L.) Hitchc.	shrub	1
<i>Chomelia obtusa</i> Cham. et Schl.	Joh. Muller (Arg.) et C.		<i>Chomelia obtusa</i> Cham. & Schltdl.	tree	0
<i>Chomelia ribesioides</i> tomentosa Mull. Arg.	Joh. Muller (Arg.) et C.		<i>Chomelia ribesioides</i> Benth. ex A.Gray	tree	4
<i>Coccocypselum canescens</i> Willd.	Joh. Muller (Arg.) et C.		<i>Coccocypselum lanceolatum</i> (Ruiz & Pav.) Pers.	herb	1
<i>Coccocypselum erythrocephalum</i> Ch. et Schl.	Joh. Muller (Arg.) et C.		<i>Coccocypselum erythrocephalum</i> Cham. & Schltdl.	herb	0
<i>Coussarea hydrangeifolia</i> Benth et Hook	Joh. Muller (Arg.) et C.		<i>Coussarea hydrangeifolia</i> (Benth.) Müll.Arg.	tree	1
<i>Coussarea lagoensis</i> Mull. Arg.	Joh. Muller (Arg.) et C.	Warming, C	<i>Coussarea lagoensis</i> Müll.Arg.	shrub	0
<i>Coutarea hexandra</i> pubescens (Jacq.) K. Schum.	Joh. Muller (Arg.) et C.		<i>Coutarea hexandra</i> (Jacq.) K.Schum.	tree	0
<i>Declieuxia chiococcoidea</i> hirta Mull. Arg.	Joh. Muller (Arg.) et C.		<i>Declieuxia fruticosa</i> (Willd. ex Roem. & Schult.) Kuntze	shrub	0
<i>Declieuxia chiococcoidea</i> lucida Mull. Arg.	Joh. Muller (Arg.) et C.		<i>Declieuxia fruticosa</i> (Willd. ex Roem. & Schult.) Kuntze	shrub	0
<i>Declieuxia cordigera</i> var. <i>angustifolia</i> Mull. Arg.	Joh. Muller (Arg.) et C.	Warming, G	<i>Declieuxia cordigera</i> Müll.Arg.	herb	3
<i>Declieuxia cordigera</i> var. <i>genuina</i> Mull. Arg.	Joh. Muller (Arg.) et C.		<i>Declieuxia cordigera</i> Müll.Arg.	herb	3
<i>Declieuxia cordigera</i> var. <i>longifolia</i> Mull. Arg.	Joh. Muller (Arg.) et C.	Warming, C	<i>Declieuxia cordigera</i> Müll.Arg.	herb	3
<i>Declieuxia divergentiflora</i> DC.	Joh. Muller (Arg.) et C.		<i>Declieuxia cordigera</i> Müll.Arg.	herb	3
<i>Declieuxia oenanthoides</i> genuina Mull. Arg.	Joh. Muller (Arg.) et C.	Schumann	<i>Declieuxia oenanthoides</i> Mart. & Zucc. ex Schult. & Schult.f.	herb	0
<i>Declieuxia oenanthoides</i> longifolia Mull. Arg.	Joh. Muller (Arg.) et C.	Schumann	<i>Declieuxia oenanthoides</i> Mart. & Zucc. ex Schult. & Schult.f.	herb	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Declieuxia oenanthoides stenophylla</i> Mull. Arg.	Joh. Muller (Arg.) et C. Schumann		<i>Declieuxia oenanthoides</i> Mart. & Zucc. ex Schult. & Schult.f.	herb	0
<i>Diodia dasycephala</i> Ch. et Schl.	Joh. Muller (Arg.) et C. Schumann		<i>Borreria dasycephala</i> (Cham. & Schltl.) Bacigalupo & E.L.Cabral	shrub	0
<i>Diodia multiflora</i> DC.	Joh. Muller (Arg.) et C.		<i>Borreria multiflora</i> (DC.) Bacigalupo & E.L.Cabral	herb	0
<i>Diodia palustris</i> Ch. et Schl.	Joh. Muller (Arg.) et C. Schumann		<i>Borreria palustris</i> (Cham. & Schltl.) Bacigalupo & E.L.Cabral	herb	0
<i>Diodia paradoxa</i> Ch. et Schl.	Joh. Muller (Arg.) et C. Schumann		<i>Galianthe hispidula</i> (A.Rich. ex DC.) E.L.Cabral & Bacigalupo	herb	0
<i>Diodia setigera</i> DC.	Joh. Muller (Arg.) et C.		<i>Diodella apiculata</i> (Willd. ex Roem. & Schult.) Delprete	shrub	0
<i>Endlichera umbellata</i> (Spreng.) K. Schum.	Joh. Muller (Arg.) et C.		<i>Emmeorhiza umbellata</i> (Spreng.) K.Schum.	vine	0
<i>Faramea cyanea</i> Mull. Arg.	Joh. Muller (Arg.) et C.	Warming, C	<i>Faramea hyacinthina</i> Mart.	tree	0
<i>Faramea lagoensis</i> Mull. Arg.	Joh. Muller (Arg.) et C.	Warming, C	<i>Faramea nigrescens</i> Mart.	tree	0
<i>Faramea nettoana</i> Mull. Arg.	Joh. Muller (Arg.) et C.		<i>Faramea nigrescens</i> Mart.	tree	0
<i>Faramea salicifolia</i> Presl.	Joh. Muller (Arg.) et C.		<i>Faramea multiflora</i> A.Rich. ex DC.	shrub	0
<i>Faramea warmingiana</i> Mull. Arg.	Joh. Muller (Arg.) et C.	Warming, C	<i>Faramea nigrescens</i> Mart.	tree	0
<i>Guettarda uruguensis</i> Cham. et Schl.	Joh. Muller (Arg.) et C.		<i>Guettarda uruguensis</i> Cham. & Schltl.	shrub	0
<i>Guettarda viburnoides</i> var. <i>genuina</i> Cham. et Schl.	Joh. Muller (Arg.) et C.		<i>Guettarda viburnoides</i> Cham. & Schltl.	tree	0
<i>Guettarda viburnoides</i> var. <i>rhombifolia</i> Cham. et Schl.	Joh. Muller (Arg.) et C. Schumann		<i>Guettarda viburnoides</i> Cham. & Schltl.	tree	0
<i>Hamelia patens</i> Jacq.	Joh. Muller (Arg.) et C.		<i>Hamelia patens</i> Jacq.	shrub	1
<i>Ixora warmingii</i> Mull. Arg.	Joh. Muller (Arg.) et C.	Warming, C	<i>Ixora brevifolia</i> Benth.	tree	0
<i>Ladenbergia hexandra</i> Kl.	Joh. Muller (Arg.) et C.		<i>Ladenbergia hexandra</i> (Pohl) Klotzsch	tree	0
<i>Manettia ignita</i> cordifolia (Vell.) K. Schum.	Joh. Muller (Arg.) et C.		<i>Manettia cordifolia</i> Mart.	vine	1
<i>Manettia luteo-rubra</i> Bth.	Joh. Muller (Arg.) et C.		<i>Manettia luteo-rubra</i> (Vell.) Benth.	vine	0
<i>Mapouria cephalantha</i> Mull. Arg.	Joh. Muller (Arg.) et C.	Warming, C	<i>Margaritopsis cephalantha</i> (Müll.Arg.) C.M.Taylor	shrub	0
<i>Mapouria corymbifera</i> Mull. Arg.	Joh. Muller (Arg.) et C.		<i>Psychotria anceps</i> Kuth	tree	0
<i>Mapouria formosa</i> (Cham. et Schl.) Mull. Arg.	Joh. Muller (Arg.) et C.		<i>Psychotria formosa</i> Cham. & Schltl.	tree	0
<i>Mapouria martiana</i> Mull. Arg.	Joh. Muller (Arg.) et C.		<i>Psychotria carthagenaensis</i> Jacq.	tree	1

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Mapouria tristis</i> Mull. Arg.	Joh. Muller (Arg.) et C.		<i>Psychotria carthagenaensis</i> Jacq.	tree	1
<i>Mapouria umbrosa</i> Mull. Arg.	Joh. Muller (Arg.) et C.	Warming, C	<i>Psychotria borjensis</i> Kuth	tree	0
<i>Mitracarpus hirtus</i> DC.	Joh. Muller (Arg.) et C.		<i>Mitracarpus hirtus</i> (L.) DC.	herb	0
<i>Mitracarpus hirtus remotiflora</i> Schum.	Joh. Muller (Arg.) et C.		<i>Mitracarpus hirtus</i> (L.) DC.	herb	0
<i>Molopanthera paniculata scabrida</i> Schum.	Joh. Muller (Arg.) et C.		<i>Molopanthera paniculata</i> Turcz.	tree	0
<i>Oldenlandia uniflora</i> R. et Pav.	Joh. Muller (Arg.) et C.		<i>Oldenlandia uniflora</i> L.	herb	0
<i>Psychotria barbiflora minor</i> Mull. Arg.	Joh. Muller (Arg.) et C.		<i>Psychotria hoffmannseggiana</i> (Willd. ex Schult.) Müll.Arg.	shrub	0
<i>Psychotria brevicollis</i> Mull. Arg.	Joh. Muller (Arg.) et C.	Warming, C	<i>Psychotria brevicollis</i> Müll.Arg.	shrub	0
<i>Psychotria chlorotica</i> var. <i>bahiensis</i> Mull. Arg.	Joh. Muller (Arg.) et C.		<i>Psychotria capitata</i> Ruiz & Pav.	shrub	1
<i>Psychotria chlorotica</i> var. <i>lanceolata</i> Mull. Arg.	Joh. Muller (Arg.) et C.		<i>Psychotria capitata</i> Ruiz & Pav.	shrub	1
<i>Psychotria conjungens</i> Mull. Arg.	Joh. Muller (Arg.) et C.	Warming, C, G	<i>Psychotria rhytidocarpa</i> Müll.Arg.	shrub	0
<i>Psychotria flexuosa</i> Willd.	Joh. Muller (Arg.) et C.		<i>Psychotria paniculata</i> (Aubl.) Raeusch.	shrub	0
<i>Psychotria hastisepala</i> Mull. Arg.	Joh. Muller (Arg.) et C.		<i>Psychotria hastisepala</i> Müll.Arg.	shrub	0
<i>Psychotria hygrophiloides</i> Benth	Joh. Muller (Arg.) et C.		<i>Psychotria stachyoides</i> Benth.	shrub	0
<i>Psychotria lagoensis</i> Mull. Arg.	Joh. Muller (Arg.) et C.	Warming, C	<i>Psychotria lagoensis</i> Müll.Arg.	tree	0
<i>Psychotria leiocarpa genuina</i> Mull. Arg.	Joh. Muller (Arg.) et C.		<i>Psychotria leiocarpa</i> Cham. & Schltld.	shrub	0
<i>Psychotria leiocarpa intermedia</i> Mull. Arg.	Joh. Muller (Arg.) et C.		<i>Psychotria leiocarpa</i> Cham. & Schltld.	shrub	0
<i>Psychotria marcgravii</i> var. <i>pubescens</i> (Spreng.) St. Hil.	Joh. Muller (Arg.) et C. Schumann		<i>Palicourea marcgravii</i> A. St.-Hil.	shrub	0
<i>Psychotria nonatelioides</i> Cham. & Schltld.	Joh. Muller (Arg.) et C.		<i>Psychotria patens</i> Sw.	shrub	0
<i>Psychotria quinquecuspis</i> Mull. Arg.	Joh. Muller (Arg.) et C.	Warming, C	<i>Psychotria racemosa</i> Rich.	shrub	0
<i>Psychotria racemosa</i> Willd.	Joh. Muller (Arg.) et C.		<i>Psychotria racemosa</i> Rich.	shrub	0
<i>Psychotria rigida</i> genuina Mull. Arg.	Joh. Muller (Arg.) et C.		<i>Psychotria rigida</i> Bredem. ex Roem. & Schult.	shrub	0
<i>Psychotria subcrocea</i> Mull. Arg.	Joh. Muller (Arg.) et C.		<i>Palicourea croceoides</i> Ham.	shrub	0
<i>Psychotria tabacifolia</i> Mull. Arg.	Joh. Muller (Arg.) et C.		<i>Palicourea macrobotrys</i> (Ruiz & Pav.) Schult.	shrub	0
<i>Psychotria triantha</i> Mull. Arg.	Joh. Muller (Arg.) et C.	Warming, C	<i>Psychotria subtriflora</i> Müll.Arg.	shrub	0
<i>Psychotria warmingii</i> Mull. Arg.	Joh. Muller (Arg.) et C.	Warming, C	<i>Psychotria warmingii</i> Müll.Arg.	shrub	0
<i>Relbunium buxifolium</i> Schum.	Joh. Muller (Arg.) et C.	Warming, F, C	<i>Galium hypocarpium</i> (L.) Endl. ex Griseb.	herb	0
<i>Relbunium diffusum</i> Schum.	Joh. Muller (Arg.) et C.		<i>Galium noxium</i> (A.St.-Hil.) Dempster	herb	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Reibunium hirtum</i> Schum.	Joh. Muller (Arg.) et C.		<i>Galium hirtum</i> Lam.	herb	0
<i>Remijia ferruginea</i> DC.	Joh. Muller (Arg.) et C.		<i>Remijia ferruginea</i> (A.St.-Hil.) DC.	shrub	1
<i>Richardsonia brasiliensis</i> Gomez.	Joh. Muller (Arg.) et C.		<i>Richardia brasiliensis</i> Gomes	herb	0
<i>Richardsonia rosea</i> St. Hil.	Joh. Muller (Arg.) et C.		<i>Richardia brasiliensis</i> Gomes	herb	0
<i>Richardsonia scabra</i> Linn.	Joh. Muller (Arg.) et C.		<i>Richardia scabra</i> L.	herb	0
<i>Rudgea lanceolata</i> Benth.	Joh. Muller (Arg.) et C.		<i>Rudgea sessilis</i> (Vell.) Müll.Arg.	shrub	0
<i>Rudgea nodosa</i> Benth.	Joh. Muller (Arg.) et C.	Warming, C	<i>Rudgea nodosa</i> (Cham.) Benth.	tree	0
<i>Rudgea parvifolia</i> (Cham.) Mull. Arg.	Joh. Muller (Arg.) et C.	Warming, C	<i>Rudgea parvifolia</i> (Cham.) Müll.Arg.	shrub	0
<i>Rudgea viburnoides</i> Benth.	Joh. Muller (Arg.) et C.		<i>Rudgea viburnoides</i> (Cham.) Benth.	tree	2
<i>Sabicea aspera</i> Aubl.	Joh. Muller (Arg.) et C.		<i>Sabicea aspera</i> Aubl.	shrub	0
<i>Sabicea cana</i> Hook. f.	Joh. Muller (Arg.) et C.		<i>Sabicea cana</i> Hook.f.	shrub	0
<i>Sipanea pratensis</i> Aubl.	Joh. Muller (Arg.) et C.		<i>Sipanea pratensis</i> Aubl.	shrub	1
<i>Spermacoce glabra</i> Mchx.	Joh. Muller (Arg.) et C.		<i>Spermacoce glabra</i> Michx.	herb	0
<i>Spermacoce tenuior</i> L.	Joh. Muller (Arg.) et C.		<i>Spermacoce tenuior</i> L.	herb	0
<i>Tocoyena formosa</i> (Cham. et Schl.) Schum.	Joh. Muller (Arg.) et C.		<i>Tocoyena formosa</i> (Cham. & Schltdl.) K.Schum.	tree	3
Rutaceae					
<i>Dictyoloma incanescens</i> DC.	A. Engler		<i>Dictyoloma vandellianum</i> A.Juss.	tree	2
<i>Esembeckia febrifuga</i> A. Juss.	A. Engler		<i>Esenbeckia febrifuga</i> (A.St.-Hil.) A. Juss. ex Mart.	tree	0
<i>Galipea jasminiflora</i> (St. Hil.) Engl.	A. Engler		<i>Galipea jasminiflora</i> (A.St.-Hil.) Engl.	tree	0
<i>Metrodorea pubescens</i> St. Hil.	A. Engler		<i>Metrodorea nigra</i> A. St.-Hil.	tree	0
<i>Xanthoxylum acutifolium</i> Engl.	A. Engler		<i>Zanthoxylum rhoifolium</i> Lam.	tree	0
<i>Xanthoxylum cinereum</i> Engl.	A. Engler		<i>Zanthoxylum riedelianum</i> Engl.	tree	2
<i>Xanthoxylum juniperum</i> Poppig.	A. Engler		<i>Zanthoxylum acuminatum</i> (Sw.) Sw.	tree	0
<i>Xanthoxylum latespinosum</i> Engl.	A. Engler		<i>Zanthoxylum riedelianum</i> Engl.	tree	2
<i>Xanthoxylum pauciflorum</i> Engl.	A. Engler		<i>Zanthoxylum monogynum</i> A. St.-Hil.	tree	0
<i>Xanthoxylum pohlianum</i> Engl.	A. Engler		<i>Zanthoxylum monogynum</i> A. St.-Hil.	tree	0
<i>Xanthoxylum rhoifolium</i> var. <i>petiolulatum</i> Engl.	A. Engler		<i>Zanthoxylum rhoifolium</i> Lam.	tree	0
<i>Xanthoxylum rhoifolium</i> var. <i>sessilifolium</i> Engl.	A. Engler		<i>Zanthoxylum rhoifolium</i> Lam.	tree	0
<i>Xanthoxylum tuberculatum</i> Engl.	A. Engler		<i>Zanthoxylum monogynum</i> A. St.-Hil.	tree	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
Salicaceae					
<i>Casearia brasiliensis</i> Eichl.	A. W. Eichler		<i>Casearia arborea</i> (Rich.) Urb.	tree	3
<i>Casearia parvifolia</i> Wild.	A. W. Eichler		<i>Casearia decandra</i> Sw.	tree	0
<i>Casearia rupestris</i> Eichl.	A. W. Eichler	Warming, C	<i>Casearia rupestris</i> Eichler	tree	0
<i>Casearia sylvestris lingua</i> Camb.	A. W. Eichler		<i>Casearia sylvestris</i> Sw.	tree	6
<i>Prockia crucis</i> Linn.	A. W. Eichler		<i>Prockia crucis</i> P.Browne ex L.	tree	1
<i>Xylosma ciliatifolium</i> (Clos).	A. W. Eichler		<i>Xylosma ciliatifolia</i> (Clos) Eichler	tree	0
<i>Xylosma salzmanni</i> (Clos).	A. W. Eichler		<i>Xylosma prockia</i> (Turcz.) Turcz.	tree	0
Santalaceae					
<i>Phoradendron crassifolium</i> (Pohl)	A.W Eichler		<i>Phoradendron crassifolium</i> (Pohl ex DC.) Eichler	hemiparasi	0
<i>Phoradendron flaventi</i> affine	A.W Eichler		<i>Dendrophthora warmingii</i> (Eichler) Kuijt	hemiparasi	1
<i>Phoradendron perrottetii</i> (DC.)	A.W Eichler		<i>Phoradendron perrottetii</i> (DC.) Eichler	hemiparasi	0
<i>Phoradendron rubrum</i> (L.) Griseb	A.W Eichler		<i>Phoradendron quadrangulare</i> (Kunth) Griseb.	hemiparasi	0
<i>Phoradendron tunaeforme</i> (DC.)	A.W Eichler		<i>Phoradendron tunaeforme</i> (DC.) Eichler	hemiparasi	0
<i>Phoradendron warmingii</i> Eichl.	A.W Eichler	Warming, C	<i>Dendrophthora warmingii</i> (Eichler) Kuijt	hemiparasi	1
Sapindaceae					
<i>Allophylus edulis</i> Radlk.	L. Radlkofer		<i>Allophylus edulis</i> (A.St.-Hil. et al.) Hieron. ex Niederl.	tree	1
<i>Allophylus sericeus</i> Radlk.	L. Radlkofer		<i>Allophylus sericeus</i> (Cambess.) Radlk.	tree	2
<i>Cardiospermum grandiflorum</i> Sw.	L. Radlkofer		<i>Cardiospermum grandiflorum</i> Sw.	vine	2
<i>Cardiospermum halicacabum</i> var. <i>microcarpum</i> Bl.	L. Radlkofer		<i>Cardiospermum halicacabum</i> L.	vine	0
<i>Cupania tenuivalvis</i> Radlk.	L. Radlkofer		<i>Cupania tenuivalvis</i> Radlk.	tree	0
<i>Cupania vernalis clethroides</i> Radlk.	L. Radlkofer		<i>Cupania vernalis</i> Cambess.	shrub	1
<i>Dilodendron bipinnatum</i> Radlk.	L. Radlkofer	Warming, US	<i>Dilodendron bipinnatum</i> Radlk.	tree	0
<i>Magonia glabrata</i> St. Hil.	L. Radlkofer		<i>Magonia pubescens</i> A. St.-Hil.	tree	2
<i>Magonia pubescens</i> St. Hil.	L. Radlkofer		<i>Magonia pubescens</i> A. St.-Hil.	tree	2
<i>Matayba guianensis micrantha</i> Radlk.	L. Radlkofer		<i>Matayba guianensis</i> Aubl.	tree	0
<i>Matayba guianensis sublinearis</i> Radlk.	L. Radlkofer		<i>Matayba guianensis</i> Aubl.	tree	0
<i>Matayba juglandifolia</i> Radlk.	L. Radlkofer	Warming, BR	<i>Matayba juglandifolia</i> (Cambess.) Radlk.	tree	1
<i>Paullinia elegans</i> Camb.	L. Radlkofer		<i>Paullinia elegans</i> Cambess.	vine	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Paullinia meliaeifolia</i> var. <i>hirsuta</i> Camb.	L. Radlkofer		<i>Paullinia meliifolia</i> Juss.	vine	0
<i>Paullinia pseudota</i> Radlk.	L. Radlkofer	Warming, P	<i>Paullinia pseudota</i> Radlk.	vine	0
<i>Paullinia spicata</i> Benth.	L. Radlkofer		<i>Paullinia spicata</i> Benth.	vine	1
<i>Serjania comata</i> Radlk.	L. Radlkofer		<i>Serjania comata</i> Radlk.	vine	0
<i>Serjania erecta</i> Radlk.	L. Radlkofer		<i>Serjania erecta</i> Radlk.	vine	1
<i>Serjania fuscifolia</i> Radlk.	L. Radlkofer		<i>Serjania fuscifolia</i> Radlk.	vine	0
<i>Serjania glabrata</i> Kunth.	L. Radlkofer		<i>Serjania glabrata</i> Kunth	vine	0
<i>Serjania grandiflora</i> Camb.	L. Radlkofer		<i>Serjania caracasana</i> (Jacq.) Willd.	vine	1
<i>Serjania laruotteana</i> Camb.	L. Radlkofer		<i>Serjania laruotteana</i> Cambess.	vine	0
<i>Serjania lethalis</i> St. Hil.	L. Radlkofer		<i>Serjania lethalis</i> A. St.-Hil.	vine	1
<i>Serjania mansiana</i> Mart.	L. Radlkofer		<i>Serjania mansiana</i> Mart.	vine	1
<i>Serjania marginata</i> Casar.	L. Radlkofer		<i>Serjania marginata</i> Casar.	vine	0
<i>Serjania meridionalis</i> Camb.	L. Radlkofer		<i>Serjania meridionalis</i> Cambess.	vine	0
<i>Serjania noxia</i> Camb.	L. Radlkofer		<i>Serjania noxia</i> Cambess.	vine	0
<i>Serjania obtusidentata</i> Radlk.	L. Radlkofer		<i>Serjania obtusidentata</i> Radlk.	vine	0
<i>Serjania paradoxa molliuscula</i> Radlk.	L. Radlkofer	Warming, BR	<i>Serjania paradoxa</i> Radlk.	vine	0
<i>Serjania paradoxa subvelutina</i> Radlk.	L. Radlkofer		<i>Serjania paradoxa</i> Radlk.	vine	0
<i>Serjania perulacea</i> Radlk.	L. Radlkofer	Warming, BR	<i>Serjania perulacea</i> Radlk.	vine	0
<i>Serjania pinnatifolia</i> Radlk.	L. Radlkofer	Warming, BR	<i>Serjania pinnatifolia</i> Radlk.	vine	0
<i>Serjania regnellii</i> Schlecht.	L. Radlkofer		<i>Serjania regnellii</i> Schlechl.	vine	1
<i>Serjania reticulata</i> Camb.	L. Radlkofer		<i>Serjania reticulata</i> Cambess.	vine	0
<i>Serjania tristis</i> Radlk.	L. Radlkofer	Warming, BR	<i>Serjania tristis</i> Radlk.	vine	0
<i>Thinouia scandens</i> Radlk.	L. Radlkofer		<i>Thinouia scandens</i> Triana & Planch.	vine	0
<i>Thinouia ternata</i> Radlk.	L. Radlkofer		<i>Thinouia ternata</i> Radlk.	shrub	0
<i>Urvillea laevis</i> Radlk.	L. Radlkofer		<i>Urvillea laevis</i> Radlk.	vine	0
Sapotaceae					
<i>Chrysophyllum ebenaceum</i> Mart.	A. W. Eichler		<i>Chrysophyllum marginatum</i> (Hook. & Arn.) Radlk.	tree	0
<i>Chrysophyllum persicastrum</i> Eichl.	A. W. Eichler	Warming, K?	<i>Chrysophyllum gonocarpum</i> (Mart. & Eichler ex Miq.) Engl.	tree	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Lucuma catocladantha</i> Eichl.	A. W. Eichler	Warming, C	<i>Pouteria gardneri</i> (Mart. & Miq.) Baehni	tree	0
<i>Lucuma ramiflora</i> A. DC.	A. W. Eichler		<i>Pouteria ramiflora</i> (Mart.) Radlk.	tree	0
<i>Lucuma torta</i> A. DC.	A. W. Eichler		<i>Pouteria torta</i> (Mart.) Radlk.	tree	0
<i>Lucuma warmingii</i> Eichl.	A. W. Eichler		<i>Pouteria venosa</i> (Mart.) Baehni	tree	0
<i>Passaveria obovata</i> Mart. et Eichl.	A. W. Eichler		<i>Ecclinusa ramiflora</i> Mart.	tree	0
Scrophulariaceae					
<i>Buddleia brachiata</i> Cham. et Schl.	Aug. Progel		<i>Buddleja brachiata</i> Cham. & Schldl.	shrub	0
<i>Buddleia brasiliensis</i> Jacq.	Aug. Progel		<i>Buddleja stachyoides</i> Cham. & Schldl.	shrub	0
Simaroubaceae					
<i>Simaba warmingiana</i> Engl.	A. Engler	Warming, F	<i>Simaba warmingiana</i> Engl.	shrub	1
Smilacaceae					
<i>Smilax brasiliensis</i> Spreng.	A. Grisebach		<i>Smilax brasiliensis</i> Spreng.	shrub	0
<i>Smilax ficipolia</i> Gr.	A. Grisebach		<i>Smilax elastica</i> Griseb.	vine	0
<i>Smilax lappacea</i> W.	A. Grisebach		<i>Smilax lappacea</i> Willd.	vine	0
<i>Smilax nitida</i> Gr.	A. Grisebach		<i>Smilax rufescens</i> Griseb.	shrub	0
<i>Smilax pruinosa</i> Gr.	A. Grisebach		<i>Smilax brasiliensis</i> Spreng.	shrub	0
<i>Smilax robusta</i> Gr.	A. Grisebach		<i>Smilax staminea</i> Griseb.	vine	0
<i>Smilax salicifolia</i> Gr.	A. Grisebach		<i>Smilax salicifolia</i> Griseb.	vine	0
<i>Smilax syringoides</i> Gr.	A. Grisebach		<i>Smilax fluminensis</i> Steud.	vine	0
Solanaceae					
<i>Bassovia fasciculata</i> Dunal.	W. P. Hiern		<i>Aureliana fasciculata</i> (Vell.) Seudtn.	tree	0
<i>Bassovia velutina</i> Dunal.	W. P. Hiern		<i>Aureliana velutina</i> Sendtn.	tree	0
<i>Brunfelsia hopeana</i> Benth.	J. A. Schmidt		<i>Brunfelsia brasiliensis</i> (Spreng.) L.B.Sm. & Downs	shrub	0
<i>Brunfelsia ramosissima confertiflora</i> Mart.	J. A. Schmidt		<i>Brunfelsia brasiliensis</i> (Spreng.) L.B.Sm. & Downs	shrub	0
<i>Brunfelsia ramosissima laxiflora</i> Mart.	J. A. Schmidt		<i>Brunfelsia brasiliensis</i> (Spreng.) L.B.Sm. & Downs	shrub	0
<i>Capsicum baccatum</i> L.	W. P. Hiern		<i>Capsicum baccatum</i> L.	vine	2
<i>Capsicum campylopodium</i> Sendtn.	W. P. Hiern		<i>Capsicum campylopodium</i> Sendtn.	shrub	0
<i>Capsicum microcarpum</i> Broussonet	W. P. Hiern		<i>Capsicum baccatum</i> L.	vine	2
<i>Cestrum axillare</i> Vell.	W. P. Hiern		<i>Cestrum axillare</i> Vell.	tree	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Cestrum conglomeratum</i> Ruiz & Pav. (?)	W. P. Hiern		<i>Cestrum conglomeratum</i> Ruiz & Pav.	shrub	0
<i>Cestrum corviaceum</i> Miers.	W. P. Hiern		<i>Cestrum schlechtendalii</i> G.Don	tree	0
<i>Cestrum gardneri</i> Sendtn.	W. P. Hiern		<i>Cestrum gardneri</i> Sendtn.	shrub	0
<i>Cestrum velutinum</i> Hiern	W. P. Hiern	Warming, C	<i>Cestrum velutinum</i> Hiern	shrub	0
<i>Cestrum velutinum</i> var. <i>gardnerianum</i> Hiern	W. P. Hiern		<i>Cestrum velutinum</i> Hiern	shrub	0
<i>Cestrum viridiflorum</i> Hook.	W. P. Hiern		<i>Cestrum strigilatum</i> Ruiz & Pav.	tree	0
<i>Cyphomandra calycina</i> Sendtn.	W. P. Hiern		<i>Solanum latiflorum</i> Bohs	tree	0
<i>Datura stramonium</i> L.	W. P. Hiern		<i>Datura stramonium</i> L.	shrub	1
<i>Nicotiana tabacum</i> L.	W. P. Hiern		<i>Nicotiana tabacum</i> L.	herb	0
<i>Physalis angulata</i> L.	W. P. Hiern		<i>Physalis angulata</i> L.	herb	0
<i>Physalis peruviana</i> L.	W. P. Hiern		<i>Physalis peruviana</i> L.	shrub	0
<i>Physalis pubescens</i> L.	W. P. Hiern		<i>Physalis pubescens</i> L.	herb	0
<i>Physalis pubescens</i> <i>hygrophila</i> Dunal	W. P. Hiern		<i>Physalis pubescens</i> L.	herb	0
<i>Solanum alatum</i> Seem. et Schmidt.	W. P. Hiern		<i>Solanum robustum</i> H.L.Wendl.	shrub	0
<i>Solanum argenteum</i> Dunal.	W. P. Hiern		<i>Solanum argenteum</i> Dunal	tree	0
<i>Solanum atropurpureum</i> Schranter	W. P. Hiern		<i>Solanum affine</i> Schrank	shrub	0
<i>Solanum cernuum</i> Vell.	W. P. Hiern		<i>Solanum cernuum</i> Vell.	tree	0
<i>Solanum convolvulus</i> Sendtn.	W. P. Hiern		<i>Solanum flaccidum</i> Vell.	vine	0
<i>Solanum didymum</i> Dunal.	W. P. Hiern		<i>Solanum didymum</i> Dunal	shrub	0
<i>Solanum fulvum</i> Hiern	W. P. Hiern	Warming, C	<i>Solanum decompositiflorum</i> Sendtn.	shrub	1
<i>Solanum gilo</i> v. <i>afine</i> Raddi	W. P. Hiern		<i>Solanum aethiopicum</i> L.	shrub	0
<i>Solanum gnaphalocarpon</i> Vell.	W. P. Hiern	Warming, C	<i>Solanum gnaphalocarpon</i> Vell.	shrub	0
<i>Solanum intermedium</i> Sendtn.	W. P. Hiern		<i>Solanum intermedium</i> Sendtn.	shrub	0
<i>Solanum lycocarpum</i> St. Hil.	W. P. Hiern		<i>Solanum lycocarpum</i> A. St.-Hil.	tree	2
<i>Solanum mauritianum</i> Scop.	W. P. Hiern		<i>Solanum granulosoleprosum</i> Dunal	tree	0
<i>Solanum nigrum</i> L.	W. P. Hiern		<i>Solanum americanum</i> Mill.	herb	1
<i>Solanum oleraceum</i> Vell.	W. P. Hiern		<i>Solanum alternatopinnatum</i> Steud.	vine	0
<i>Solanum oocarpum</i> Sendtn.	W. P. Hiern		<i>Solanum oocarpum</i> Sendtn.	tree	0
<i>Solanum paniculatum</i> L.	W. P. Hiern		<i>Solanum paniculatum</i> L.	shrub	1

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Solanum paniculatum integrifolium</i> Dunal	W. P. Hiern		<i>Solanum paniculatum</i> L.	shrub	1
<i>Solanum platanifolium</i> Hook.	W. P. Hiern		<i>Solanum incarceratedum</i> Ruiz & Pav.	shrub	0
<i>Solanum platanifolium</i> var.(?) <i>lagoense</i> Hiern	W. P. Hiern	Warming, P	<i>Solanum affine</i> Schrank	shrub	0
<i>Solanum rufescens</i> var.(?) <i>virescens</i> Hiern	W. P. Hiern	Warming, C	<i>Solanum rufescens</i> Sendtn.	tree	0
<i>Solanum sisymbriifolium</i> Lam.	W. P. Hiern		<i>Solanum sisymbriifolium</i> Lam.	shrub	0
<i>Solanum sublentum</i> Hiern	W. P. Hiern	Warming, C	<i>Solanum sublentum</i> Hiern	shrub	0
<i>Solanum subumbellatum</i> Vell.	W. P. Hiern		<i>Solanum subumbellatum</i> Vell.	shrub	2
<i>Solanum tabacifolium</i> Salzm.	W. P. Hiern		<i>Solanum scuticum</i> M.Nee	tree	0
<i>Solanum violaeifolium</i> Schott.	W. P. Hiern		<i>Lycianthes repens</i> (Spreng.) Bitter	herb	0
<i>Solanum warmingii</i> Hiern	W. P. Hiern	Warming, P	<i>Solanum warmingii</i> Hiern	tree	0
Styracaceae					
<i>Styrax ambiguus</i> Seub.	E. Warming		<i>Styrax pohlii</i> A.DC.	tree	0
<i>Styrax camporum</i> Pohl.	E. Warming		<i>Styrax camporum</i> Pohl	tree	0
<i>Styrax glabratum</i> Spreng.	E. Warming		<i>Styrax glabratus</i> Schott	tree	0
<i>Styrax klotzschii</i> Seub.	E. Warming		<i>Styrax latifolius</i> Pohl	tree	0
<i>Styrax leprosus</i> Hook. et Arn.	E. Warming		<i>Styrax leprosus</i> Hook. & Arn.	tree	0
<i>Styrax nervosus</i> A.DC.	E. Warming		<i>Styrax ferrugineus</i> Nees & Mart.	shrub	5
Symplocaceae					
<i>Symplocos lanceolata</i> A. DC.	E. Warming		<i>Symplocos oblongifolia</i> Casar.	tree	0
<i>Symplocos pubescens</i> Klotzsch.	E. Warming		<i>Symplocos pubescens</i> Klotzsch ex Benth.	tree	0
Theaceae					
<i>Laplacea semiserrata</i> var. <i>acutifolia</i> (Mart.)	H. Warra		<i>Laplacea fruticosa</i> (Schrad.) Kobuski	shrub	0
<i>Laplacea semiserrata</i> var. <i>communis</i> Camb.	H. Warra		<i>Laplacea fruticosa</i> (Schrad.) Kobuski	shrub	0
Thymelaeaceae					
<i>Daphnopsis utilis</i> Wrmg.	E. Warming	Warming, C	<i>Daphnopsis utilis</i> Warm.	tree	2
Trigoniaceae					
<i>Trigonia simplex</i> Warmg.	E. Warming		<i>Trigonia eriosperma</i> (Lam.) Fromm & E. Santos	shrub	0
Tropaeolaceae					
<i>Tropaeolum warmingianum</i> Rohrb.	P. Rohrbach	Warming, C	<i>Tropaeolum warmingianum</i> Rohrb.	vine	2

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
Turneraceae					
<i>Piriqueta aurea</i> Urban.	J. Urban		<i>Piriqueta aurea</i> (Cambess.) Urb.	shrub	0
<i>Piriqueta cistoides</i> var. <i>genuina</i> Urban.	J. Urban		<i>Piriqueta cistoides</i> (L.) Griseb.	shrub	0
Urticaceae					
<i>Boehmeria caudata</i> Swa.	H.A. Weddel		<i>Boehmeria caudata</i> Sw.	shrub	1
<i>Boehmeria caudata</i> var. <i>arborescens</i> Wedd.	H.A. Weddel		<i>Boehmeria caudata</i> Sw.	shrub	1
<i>Boehmeria cylindrica</i> Willd.	H.A. Weddel		<i>Boehmeria cylindrica</i> (L.) Sw.	shrub	1
<i>Hemistylis brasiliensis</i> Wedd.	H.A. Weddel	Warming ?, C	<i>Hemistylus brasiliensis</i> Wedd.	shrub	0
<i>Pilea serpyllifolia</i> Wedd.	H.A. Weddel		<i>Pilea serpyllifolia</i> (Poir.) Wedd.	herb	0
<i>Pilea trianthemooides</i> Lindl. ?	H.A. Weddel		<i>Pilea trianthemooides</i> Lindl.	herb	0
<i>Urera baccifera</i> Gaudich.	H.A. Weddel		<i>Urera baccifera</i> (L.) Gaudich. ex Wedd.	shrub	0
<i>Urera caracasana</i> var. <i>tomentosa</i> ? Wedd.	H.A. Weddel		<i>Urera caracasana</i> (Jacq.) Gaudich. ex Griseb.	shrub	0
Verbenaceae					
<i>Bouchea laetevirens</i> Schauer	W. P. Hiern		<i>Bouchea pseudochascanum</i> (Walp.) Grenzeb.	shrub	0
<i>Bouchea pseudogervao</i> Cham.	W. P. Hiern		<i>Bouchea fluminensis</i> (Vell.) Moldenke	shrub	0
<i>Casselia chamaedryfolia</i> Cham.	W. P. Hiern		<i>Casselia chamaedryfolia</i> Cham.	shrub	0
<i>Citharexylon laetum</i> Hiern	W. P. Hiern	Warming, C	<i>Citharexylum laetum</i> Hiern	tree	0
<i>Lantana brasiliensis</i> Link.	W. P. Hiern		<i>Lippia brasiliensis</i> (Link) T.R.S.Silva	shrub	1
<i>Lantana camara</i> L.	W. P. Hiern		<i>Lantana camara</i> L.	shrub	3
<i>Lantana fucata</i> Lindl.	W. P. Hiern		<i>Lantana fucata</i> Lindl.	shrub	0
<i>Lantana mixta</i> L.	W. P. Hiern		<i>Lantana camara</i> L.	shrub	3
<i>Lantana trifolia</i> L.	W. P. Hiern		<i>Lantana trifolia</i> L.	shrub	1
<i>Lippia aristata</i> Schauer	W. P. Hiern		<i>Lippia aristata</i> Schauer	shrub	0
<i>Lippia chamissonis</i> D. Dietr.	W. P. Hiern		<i>Lippia lippoides</i> (Cham.) Rusby	shrub	0
<i>Lippia lupina</i> Cham.	W. P. Hiern		<i>Lippia lupulina</i> Cham.	shrub	1
<i>Lippia martiana</i> Schauer	W. P. Hiern		<i>Lippia stachyoides</i> var. <i>martiana</i> (Schauer) Salimena & Múlgura	shrub	0
<i>Lippia microphylla</i> Cham.	W. P. Hiern		<i>Lippia organoides</i> Kunth.	shrub	0
<i>Lippia nodiflora</i> Rich.	W. P. Hiern		<i>Phyla nodiflora</i> (L.) Greene	herb	0

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Lippia organoides</i> Kunth.	W. P. Hiern		<i>Lippia organoides</i> Kunth.	shrub	0
<i>Lippia oxycnemis</i> Schauer.	W. P. Hiern		<i>Lippia oxycnemis</i> Schauer	shrub	0
<i>Lippia rotundifolia</i> Cham.	W. P. Hiern		<i>Lippia rotundifolia</i> Cham.	shrub	0
<i>Lippia sericea</i> Cham.	W. P. Hiern		<i>Lippia sericea</i> Cham.	shrub	1
<i>Lippia urticoides</i> Steud.	W. P. Hiern		<i>Aloysia virgata</i> (Ruiz & Pav.) Juss.	tree	0
<i>Petrea subserrata</i> Cham.	W. P. Hiern		<i>Petrea volubilis</i> L.	shrub	0
<i>Stachytarpheta cajanensis</i> Vahl.	W. P. Hiern		<i>Stachytarpheta cayennensis</i> (Rich.) Vahl	shrub	1
<i>Stachytarpheta reticulata</i> Mart.	W. P. Hiern		<i>Stachytarpheta gesnerioides</i> Cham.	shrub	0
<i>Verbena chamaedrifolia</i> Juss (?)	W. P. Hiern		<i>Glandularia peruviana</i> (L.) Small	herb	0
<i>Verbena litoralis</i> Kunth.	W. P. Hiern		<i>Verbena litoralis</i> Kunth.	herb	1
Violaceae					
<i>Anchietea salutaris</i> St. Hil.	A. W. Eichler		<i>Anchietea pyrifolia</i> (Mart.) G. Don.	vine	0
<i>Jonidium atropurpureum</i> St. Hil.	A. W. Eichler		<i>Pombalia atropurpurea</i> (A.St.-Hil.) Paula-Souza	shrub	1
<i>Jonidium commune</i> St. Hil.	A. W. Eichler		<i>Pombalia communis</i> (A.St.-Hil.) Paula-Souza	shrub	0
<i>Jonidium setigerum</i> St. Hil.	A. W. Eichler		<i>Pombalia setigera</i> (A.St.Hil.) Paula-Souza	shrub	0
<i>Noisettia longifolia</i> H. B. K.	A. W. Eichler		<i>Noisettia orchidiflora</i> (Rudge) Ging.	herb	0
Vitaceae					
<i>Vitis campestris</i> Baker.	Seubert, M.	Warming, C	<i>Cissus campestris</i> (Baker) Planch	shrub	0
<i>Vitis salutaris</i> Baker.	Seubert, M.		<i>Cissus erosa</i> Rich	vine	1
<i>Vitis scabridaulis</i> Baker.	Seubert, M.		<i>Cissus subrhomboidea</i> (Baker) Planch	vine	1
<i>Vitis selloana</i> Baker.	Seubert, M.	Warming, C	<i>Cissus tinctoria</i> Mart.	vine	0
<i>Vitis sessilifolia</i> Baker.	Seubert, M.		<i>Cissus erosa</i> Rich	vine	1
<i>Vitis sicyoides ovata</i> Baker.	Seubert, M.		<i>Cissus verticillata</i> (L.) Nicolson & C.E. Jarvis	vine	0
<i>Vitis sicyoides tamoides</i> Baker.	Seubert, M.		<i>Cissus verticillata</i> (L.) Nicolson & C.E. Jarvis	vine	0
<i>Vitis simsiana</i> (Roem et Schult.) Baker	Seubert, M.		<i>Cissus simsiana</i> Schult. & Schult.f.	vine	0
<i>Vitis suberecta</i> Baker.	Seubert, M.		<i>Cissus erosa</i> Rich	vine	1
<i>Vitis subrhomboidea</i> Baker.	Seubert, M.	Warming, K	<i>Cissus subrhomboidea</i> (Baker) Planch	vine	1
<i>Vitis sulcicaulis</i> Baker.	Seubert, M.	Warming, K	<i>Cissus sulcicaulis</i> (Baker) Planch	vine	0
Vochysiaceae					

APPENDIX A Table containing taxa names from Warming (1908); specialist who identified it (Warming 1908) (Identified by column); incation if the type specimen was collected by Warming and the herbarium where it is (Type column); updated name (Correct name column); life form; and indication of how many times the species were collected after Warming (R column).

* names not cited in the List of Species of the Brazilian Flora (Forzza et al. 2012) and considered as not checked names.

Family Taxa	Identified by	Type	Correct name	Life form	R
<i>Amphilochia cordata</i> (Sprengel) Mart.	E. Warming		<i>Qualea cordata</i> (Mart.) Spreng.	tree	1
<i>Callisthene minor</i> Mart.	E. Warming		<i>Callisthene major</i> Mart. & Zucc.	tree	2
<i>Qualea grandiflora</i> Mart.	E. Warming		<i>Qualea grandiflora</i> Mart.	tree	2
<i>Qualea jundaihy</i> Wrmg.	E. Warming	Warming, F	<i>Qualea ingens</i> Warm.	tree	0
<i>Qualea multiflora</i> Mart.	E. Warming		<i>Qualea multiflora</i> Mart.	tree	1
<i>Qualea parviflora</i> Mart.	E. Warming		<i>Qualea parviflora</i> Mart.	tree	9
<i>Salvertia convallariodora</i> St. Hil.	E. Warming		<i>Salvertia convallariodora</i> A.St.-Hil.	shrub	5
<i>Vochysia elliptica</i> Mart.	E. Warming		<i>Vochysia elliptica</i> Mart.	tree	3
<i>Vochysia rufa</i> Mart.	E. Warming		<i>Vochysia rufa</i> Mart.	tree	2
<i>Vochysia thyrsoidaea</i> Pohl.	E. Warming		<i>Vochysia thyrsoidaea</i> Pohl.	tree	2
<i>Vochysia tucanorum</i> Mart.	E. Warming		<i>Vochysia tucanorum</i> Mart.	tree	0
Xyridaceae					
<i>Xyris laxifolia</i> Mart.	M. Seubert.		<i>Xyris macrocephala</i> Vahl	herb	0
<i>Xyris metallica</i> Klotsch.	M. Seubert.		<i>Xyris metallica</i> Kunth	herb	0
<i>Xyris savanensis glabrata</i> Miquel.	M. Seubert.		<i>Xyris savanensis</i> Miq.	herb	0
<i>Xyris schizachne</i> Mart.	M. Seubert.		<i>Xyris schizachne</i> Mart.	herb	0
Zingiberaceae					
<i>Renealmia exaltata</i> Linn f.			<i>Renealmia brasiliensis</i> K.Schum.	herb	0

APPENDIX B Table containing species' correct names from herbaria data, arranged by botanical family; only one voucher was added per species; and life form indication.

Family Species correct name	Voucher	Collection	Life form
Acanthaceae			
<i>Ruellia paniculata</i> L.	s.col., s.n.	BHCB 32719	shrub
<i>Ruellia villosa</i> (Nees) Lindau	M.B. Ferreira, 8927	PAMG 8317	shrub
Alismataceae			
<i>Hydrocleys nymphoides</i> (Willd.) Buchenau	Anjos, A.M.G. dos, 126	BHCB 19104	herb
Amaranthaceae			
<i>Alternanthera sessilis</i> (L.) R.Br.	Prous, P., s.n.	BHCB 1909	shrub
<i>Alternanthera tenella</i> Colla	Cerezo, F.L.B.; Vasconcelos, M.M.C., s.n.	BHCB 14655	shrub
<i>Amaranthus spinosus</i> L.	Pedrallii et al.,	HXBH 012219	herb
Anacardiaceae			
<i>Anacardium nanum</i> A.St.-Hil.	Barreto, H.L.M., 441	BHCB 54769	shrub
<i>Astronium nelson-rosae</i> Santin	s.col., s.n.	BHCB 32713	tree
<i>Myracrodruron urundeava</i> Allemão	s.col., s.n.	BHCB 32708	tree
Annonaceae			
<i>Annona coriacea</i> Mart.	s.col., s.n.	BHCB 32704	tree
<i>Annona tomentosa</i> R.E.Fr.	s.col., s.n.	BHCB 32705	shrub
Apiaceae			
<i>Eryngium junceum</i> Cham. & Schleidl.	Barreto, H.L.M., s/n	IAC 3474	herb
Apocynaceae			
<i>Aspidosperma ramiflorum</i> Müll.Arg.	s.col., s.n.	BHCB 32698	tree
<i>Barjonia laxa</i> Malme	Hoehne, F.C., s.n.	SP 25129	shrub
<i>Marsdenia altissima</i> (Jacq.) Dugand	A. E. Brina, s.n.	BHCB 32722	vine
<i>Minaria parva</i> (Silveira) T.U.P.Konno & Rapini	Badini, J., s.n.	OUPR 851	vine
Araceae			
<i>Asterostigma cryptostylum</i> Bogner	s.col., s.n.	BHCB 32690	herb
<i>Monstera deliciosa</i> Liebm.	Mitzi Brandão, 7521	PAMG 11525	shrub
<i>Pistia stratiotes</i> L.	Pedrallii et al.,	HXBH 012220	herb
Araliaceae			
<i>Oreopanax fulvus</i> Marchal	Rizzini, 465	RB 73158	tree
Asteraceae			
<i>Acmella alba</i> (L'Hér.) R.K.Jansen	L. B. Smith, 6711	NYBG_BR 663719	epiphyte

APPENDIX B Table containing species' correct names from herbaria data, arranged by botanical family; only one voucher was added per species; and life form indication.

Family	Voucher	Collection	Life form
Species correct name			
<i>Aldama bakeriana</i> (S.F.Blake) E.E.Schill. & Panero	Pedersoli, J.L.; et al., 95	BHCB 402	shrub
<i>Aspilia jolyana</i> G.M. Barroso	Mitzi Brandão, 7322	PAMG 24279	shrub
<i>Aspilia platyphylla</i> (Baker) S.F.Blake	Arndt, M.H.L., s.n.	BHCB 17459	shrub
<i>Aspilia warmingii</i> Baker	Barreto, H.L.M., 4133	BHCB 55550	herb
<i>Baccharis genistelloides</i> (Lam). Pers.	W. A. Archer, 3603	NYBG_BR 847110	shrub
<i>Baccharis tridentata</i> Vahl	Handro, W., 53	SP 80973	shrub
<i>Calea fruticosa</i> (Gardner) Urbatsch, Zlotsky & Pruski	Mitzi Brandão, 7221	PAMG 6039	shrub
<i>Calyptocarpus brasiliensis</i> (Nees & Mart.) B. Turner	Claudio A. Silva, 9	PAMG 24400	tree
<i>Chromolaena chaseae</i> (B.L.Rob.) R.M.King & H.Rob.	Martins, R.P., s.n.	BHCB 8498	shrub
<i>Cosmos sulphureus</i> Cav.	Cerezo, F.L.B.; Vasconcelos, M.M.C., s.n.	BHCB 14663	herb
<i>Delilia biflora</i> (L.) Kuntze	Cerezo, F.L.B.; Vasconcelos, M.M.C., s.n.	BHCB 14664	herb
<i>Disynaphia ligulifolia</i> (Hook. & Arn.) R.M.King & H.Rob.	Pires, J.M., 2790	RB 102408	shrub
<i>Emilia fosbergii</i> Nicolson	Cerezo, F.L.B.; Vasconcelos, M.M.C., s.n.	BHCB 14672	herb
<i>Emilia sonchifolia</i> (L.) DC. ex Wight	J.F. Macedo, 652	PAMG 25634	herb
<i>Eremanthus erythropappus</i> (DC.) MacLeish	A. E. Brina, s.n.	BHCB 32751	tree
<i>Galinsoga parviflora</i> Cav.	Prous, P., s.n.	BHCB 3425	herb
<i>Lepidaploa helophila</i> (Mart. ex DC.) H.Rob.	Barreto, H.L.M., 11304	BHCB 55358	shrub
<i>Lessingianthus laevigatus</i> (Mart. ex DC.) H.Rob.	Duarte, A.P., 2446	RB 257269	shrub
<i>Lessingianthus rosmarinifolius</i> (Less.) H. Rob.	M.B. Ferreira, 7324	PAMG 5211	shrub
<i>Melampodium paniculatum</i> Gardner	L. Roth, 1410	CESJ 1410	herb
<i>Mikania pohlii</i> (Baker) R.M.King & H.Rob.	A. Macedo, 2944	NYBG_BR 894989	shrub
<i>Praxelis pauciflora</i> (Kunth) R.M.King & H.Rob.	J.F. Macedo, 58	PAMG 17685	shrub
<i>Pterocaulon alopecuroides</i> (Lam.) DC.	s.col., s.n.	BHCB 17955	shrub
<i>Sphagneticola trilobata</i> (L.) Pruski	Cerezo, F.L.B.; Vasconcelos, M.M.C., s.n.	BHCB 14666	herb
<i>Spilanthes nervosa</i> Chodat	L. Roth,	RB 117584	herb
<i>Stenocephalum apiculatum</i> (Mart. ex DC.) Sch. Bip.	M.B. Ferreira, 7320	PAMG 5209	shrub
<i>Trixis praestans</i> (Vell.) Cabrera	Moura, L.S. de, 67	VIC 7137	herb
<i>Wedelia kerrii</i> N.E.Br.	A. E. Brina, s.n.	BHCB 32749	herb
Bignoniaceae			
<i>Amphilophium elongatum</i> (Vahl) L.G.Lohmann	Joly, A.B., 1132	MBM 65566	vine
<i>Handroanthus chrysotrichus</i> (Mart. ex DC.) Mattos	s.col., s.n.	BHCB 32727	tree

APPENDIX B Table containing species' correct names from herbaria data, arranged by botanical family; only one voucher was added per species; and life form indication.

Family	Voucher	Collection	Life form
Species correct name			
<i>Handroanthus serratifolius</i> (A.H.Gentry) S.Grose	s.col., s.n.	BHCB 32726	tree
<i>Perianthomega vellozoi</i> Bureau	s.col., s.n.	BHCB 32737	shrub
<i>Tabebuia roseoalba</i> (Ridl.) Sandwith	Grandi, T.S.M., s.n.	BHCB 13378	tree
Boraginaceae			
<i>Heliotropium curassavicum</i> L.	Prous, P., s.n.	BHCB 1941	herb
Bromeliaceae			
<i>Acanthostachys strobilacea</i> (Schult. & Schult.f.) Klotzsch	s.col., s.n.	BHCB 32724	epiphyte
<i>Ananas ananassoides</i> (Baker) L.B.Sm.	J.A. Lombardi, s.n.	BHCB 21396	herb
<i>Tillandsia loliacea</i> Mart. ex Schult. & Schult.f.	s.col., s.n.	BHCB 32723	epiphyte
<i>Tillandsia pohliana</i> Mez	Martinelli, G., 317	RB 195792	epiphyte
<i>Tillandsia tricholepis</i> Baker	Martinelli, G., 321	RB 195793	epiphyte
Burseraceae			
<i>Protium brasiliense</i> (Spreng.) Engl.	Damásio, L.,	RB 95426	tree
Cactaceae			
<i>Brasiliopuntia brasiliensis</i> (Willd.) A.Berger	s.col., s.n.	BHCB 32769	tree
Calophyllaceae			
<i>Kilmeyera rosea</i> Mart. & Zucc.	Carmello, S,M,	BOTU 17784	tree
Campanulaceae			
<i>Hippobroma longiflora</i> (L.) G.Don	Barreto, H.L.M., 2211	BHCB 58652	herb
Celastraceae			
<i>Maytenus ilicifolia</i> Mart. ex Reissek	s.col., s.n.	BHCB 32764	shrub
Chrysobalanaceae			
<i>Licania dealbata</i> Hook.f.	Mitzi Brandão, 7516	PAMG 11520	tree
Commelinaceae			
<i>Commelina diffusa</i> Burm.f.	Cerezo, F.L.B.; Vasconcelos, M.M.C., s.n.	BHCB 14662	herb
<i>Tripogandra elata</i> D.R.Hunt	s.col., s.n.	BHCB 32748	herb
Convolvulaceae			
<i>Ipomoea hederifolia</i> L.	Barreto, H.L.M., 2357	BHCB 64239	vine
<i>Jacquemontia prostrata</i> Choisy	Barreto, H.L.M., 2379	RB 32202	vine
Cyperaceae			
<i>Bulbostylis lagoensis</i> (Boeckeler) Prata & M.G.López	Damásio, L., s.n.	OUPR 12520	herb

APPENDIX B Table containing species' correct names from herbaria data, arranged by botanical family; only one voucher was added per species; and life form indication.

Family	Voucher	Collection	Life form
Species correct name			
<i>Cyperus entrerianus</i> Boeckeler	Saraiva, A.C.,	HXBH 015041	herb
<i>Cyperus junciformis</i> Cav.	Prous, P., s.n.	BHCB 481	herb
<i>Cyperus rotundus</i> L.	Saraiva, A.C.,	HXBH 015035	herb
<i>Eleocharis elegans</i> (Kunth) Roem. & Schult.	J.F. Macedo, 55	PAMG 17688	herb
<i>Eleocharis sellowiana</i> Kunth	Viégas, A.P., s/nº	IAC 2371	herb
<i>Rhynchospora consanguinea</i> (Kunth) Boeckeler	R. Goodland, 94	NYBG_BR 938369	herb
<i>Scleria uleana</i> Boeckeler ex C.B.Clarke	H.M.Longhi-Wagner et al., 9126	ICN 130813	herb
Dioscoreaceae			
<i>Dioscorea ovata</i> Vell.	s.col., s.n.	BHCB 32798	vine
<i>Dioscorea piperifolia</i> Humb. & Bonpl. ex Willd.	Damásio, L., s.n.	OUPR 12532	vine
Elaeocarpaceae			
<i>Sloanea garckeana</i> K.Schum.	s.col., s.n.	BHCB 32795	tree
Ericaceae			
<i>Agarista eucalyptoides</i> (Cham. & Schltdl.) G.Don	Semir, J., 4874	MBM 59260	tree
<i>Agarista glaberrima</i> (Sleumer) Judd	Barros, F., 1337	ESA 76813	tree
Eriocaulaceae			
<i>Eriocaulon melanolepis</i> Silveira	Barreto, H.L.M., 4406	NYBG_BR 860586	herb
Erythroxylaceae			
<i>Erythroxylum deciduum</i> A.St.-Hil.	Barreto, H.L.M., 2712	BHCB 62569	tree
<i>Erythroxylum engleri</i> O.E.Schulz	R. Goodland, 85	NYBG_BR 387186	tree
Euphorbiaceae			
<i>Croton argyroglossus</i> Baill.	s.col., s.n.	BHCB 32792	shrub
<i>Croton campestris</i> A.St.-Hil.	Barreto, H.L.M., 2708	BHCB 63254	shrub
<i>Croton floribundus</i> Spreng.	s.col., s.n.	BHCB 32793	tree
<i>Croton urticifolius</i> Lam.	Rizzini,	RB 266782	herb
<i>Euphorbia heterophylla</i> L.	s.col., s.n.	BHCB 32786	herb
<i>Gymnanthes schottiana</i> Müll.Arg.	Rizzini,	RB 73167	tree
<i>Maprounea guianensis</i> Aubl.	Kinoshita, L.S.; et al., 162	UEC 130232	shrub
<i>Microstachys ditassoides</i> (Didr.) Esser	Yamamoto, K.; et al., 87	UEC 130591	herb
<i>Sapium obovatum</i> Klotzsch ex Müll.Arg.	s.col., s.n.	BHCB 32784	shrub
Fabaceae			

APPENDIX B Table containing species' correct names from herbaria data, arranged by botanical family; only one voucher was added per species; and life form indication.

Family	Voucher	Collection	Life form
Species correct name			
<i>Aeschynomene americana</i> L.	Barreto, H.L.M., 6050	BHCB 66555	shrub
<i>Aeschynomene brasiliiana</i> (Poir.) DC.	Benjamim M. da Costa, 45	R 66410	shrub
<i>Aeschynomene sensitiva</i> Sw.	Sampaio, A., 7535	R 67690	shrub
<i>Bauhinia variegata</i> L.	Silva, A.M., s.n.	BHCB 17460	tree
<i>Calliandra fasciculata</i> Benth.	Rizzini,	RB 73171	shrub
<i>Chamaecrista ensiformis</i> (Vell.) H.S.Irwin & Barneby	Faria, S.M., 1370	RB 359371	tree
<i>Crotalaria paulina</i> Schrank	Barreto, H.L.M., 4472	SP 37651	shrub
<i>Dalbergia lateriflora</i> Benth.	Sampaio, A., 6797	MBM 258671	vine
<i>Dalbergia villosa</i> (Benth.) Benth.	Duarte, A.P., 9616	NYBG_BR 984010	tree
<i>Desmodium affine</i> Schltdl.	Prous, P., 231	BHCB 961	herb
<i>Desmodium subsecundum</i> Vogel	Prous, P., 228	BHCB 960	herb
<i>Desmodium tortuosum</i> (Sw.) DC.	J.F. Macedo, 690	PAMG 32589	shrub
<i>Dioclea latifolia</i> Benth.	Duarte, A.P., 6511	RB 118721	vine
<i>Enterolobium glaziovii</i> (Benth.) Mesquita	Barreto, H.L.M., 9237	SP 39133	tree
<i>Eriosema congestum</i> Benth.	Yamamoto, K.; et al., 170	UEC 134189	herb
<i>Lonchocarpus muehlbergianus</i> Hassl.	Heringer, E.P., 7328	SP 79874	tree
<i>Machaerium acutifolium</i> Vogel	Mendonça Filho, C.V., 446	UEC 101619	tree
<i>Machaerium stipitatum</i> Vogel	s.col., s.n.	BHCB 990	tree
<i>Macroptilium bracteatum</i> (Nees & Mart.) Maréchal & Baudet	J.F. Macedo, 681	PAMG 25651	vine
<i>Macroptilium lathyroides</i> (L.) Urb.	J.F. Macedo, 656	PAMG 25629	shrub
<i>Macroptilium sabaraense</i> (Hoehne) V.P. Barbosa ex G.P. Lewis	J.F. Macedo, 655	PAMG 25628	vine
<i>Mimosa debilis</i> Humb. & Bonpl. ex Willd.	Prous, P., s.n.	BHCB 867	shrub
<i>Mimosa foliolosa</i> Benth.	Faria, S.M., SMF1365	NYBG_BR 958197	shrub
<i>Senna alata</i> (L.) Roxb.	s.col., s.n.	BHCB 27900	tree
<i>Stylosanthes gracilis</i> Kunth	s.col., s.n.	BHCB 23510	shrub
<i>Tipuana tipu</i> (Benth.) Kuntze	Klitgaard, B.B.; Mendonça Filho, C.V., 13	BHCB 25257	tree
<i>Zollernia ilicifolia</i> (Brongn.) Vogel	s.col., s.n.	BHCB 32765	tree
<i>Zornia hebecarpa</i> Mohlenbr.	Handro, W., 55	SP 80902	herb
Hypericaceae			
<i>Vismia micrantha</i> A.St.-Hil.	s.col., s.n.	BHCB 32752	tree
Lamiaceae			

APPENDIX B Table containing species' correct names from herbaria data, arranged by botanical family; only one voucher was added per species; and life form indication.

Family	Voucher	Collection	Life form
Species correct name			
<i>Cantinoa americana</i> (Aubl.) Harley & J.F.B. Pastore	Cerezo, F.L.B.; Vasconcelos, M.M.C., s.n.	BHCB 14698	shrub
<i>Hyptis lanceolata</i> Poir.	Viégas, A.P., s/nº	IAC 2362	shrub
<i>Hyptis salicina</i> J.A.Schmidt	Pedersoli, J.L.; et al., s.n.	BHCB 772	shrub
Loranthaceae			
<i>Struthanthus flexicaulis</i> Mart.	J.A. Lombardi, 227	BHCB 21883	herb
<i>Struthanthus marginatus</i> (Desr.) Blume	G.M. Magalhães, 4322	BHCB 63375	herb
Lythraceae			
<i>Diplusodon glaucescens</i> DC.	Castro; N.M., s.n.	BHCB 22458	shrub
<i>Diplusodon hirsutus</i> (Cham. & Schleidl.) A.DC.	Barbosa, A.A., 403	BHCB 22924	shrub
Malpighiaceae			
<i>Banisteriopsis variabilis</i> B.Gates	Domingos, M.S., s.n.	BHCB 8399	shrub
<i>Diplopterys patula</i> (B.Gates) W.R.Anderson & C.C.Davis	Prous, P., s.n.	BHCB 1072	vine
<i>Heteropterys coriacea</i> A.Juss.	Barreto, H.L.M., 125	RB 1174	shrub
<i>Tetrapterys argentea</i> Bertol.	Barreto, H.L.M., s.n.	BHCB 1089	shrub
<i>Tetrapterys chamaecerasifolia</i> A.Juss.	Ferreira, A.G., 23	SP 85272	vine
Malvaceae			
<i>Corchorus argutus</i> Kunth	Oliveira, J.A., s.n.	BHCB 4128	shrub
<i>Eriotheca gracilipes</i> (K.Schum.) A.Robyns	s.col., s.n.	BHCB 32728	tree
<i>Pavonia argentina</i> Gürke	Prous, P., s.n.	BHCB 3649	shrub
<i>Peltaea lasiantha</i> Krapov. & Cristóbal	Werneck, W.S.; et al., s.n.	BHCB 17620	herb
<i>Pseudabutilon aristulosum</i> (K.Schum.) Krapov.	Prous, P., s.n.	BHCB 3664	shrub
<i>Pseudobombax campestre</i> (Mart. & Zucc.) A.Robyns	Magalhães, T.A., 1	BHCB 133730	tree
<i>Sida glaziovii</i> K.Schum.	Saraiva, A.C.,	HXBH 015060	shrub
Marantaceae			
<i>Myrosma cannifolia</i> L.f.	S. Vieira et. al., 339	RB 576152	herb
Mayacaceae			
<i>Mayaca fluviatilis</i> Aubl.	Saraiva, A.C.,	HXBH 015065	herb
Melastomataceae			
<i>Cambessedesia hilariana</i> (Kunth) DC.	Pereira, E., 8832	FLOR 41178	shrub
<i>Fritzschia erecta</i> Cham. & Schleidl.	Semir, J., 607	MBM 52280	herb
<i>Miconia burchellii</i> Triana	Castilho, R.M.M, 3	UB	shrub

APPENDIX B Table containing species' correct names from herbaria data, arranged by botanical family; only one voucher was added per species; and life form indication.

Family Species correct name	Voucher	Collection	Life form
<i>Miconia fallax</i> DC.	L. O. Williams, 7431	NYBG_BR 916879	shrub
<i>Miconia mirabilis</i> (Aubl.) L.O.Williams	Barreto, H.L.M., s.n.	BHCB 18	tree
<i>Microlicia juniperina</i> A. St.-Hil.	Joly, A.B., 4521	MBM 52277	shrub
<i>Ossaea congestiflora</i> (Naudin) Cogn.	Berret, 15961	RB 35287	shrub
<i>Pleroma aemula</i> P.J.F. Guim., A.L.F. Oliveira & R. Romero	Duarte, A.P., 7573	FLOR 41148	shrub
<i>Tibouchina estrellensis</i> (Raddi) Cogn.	Cerezo, F.L.B.; Vasconcelos, M.M.C., s.n.	BHCB 14688	tree
Meliaceae			
<i>Cedrela odorata</i> L.	A. E. Brina, s.n.	MBM 214402	tree
Myrtaceae			
<i>Eugenia acutata</i> Miq.	A. E. Brina, 747	MBM 227927	tree
<i>Eugenia ligustrina</i> (Sw.) Willd.	A. E. Brina, s.n.	SP 330662	tree
<i>Eugenia sonderiana</i> O. Berg	A. E. Brina, s.n.	SP 330647	tree
Nyctaginaceae			
<i>Bougainvillea spectabilis</i> Willd.	Silva, A.M., s.n.	BHCB 17463	vine
<i>Guapira graciliflora</i> (Mart. ex Schmidt) Lundell	Rizzini,	RB 73221	tree
Nymphaeaceae			
<i>Nymphaea ampla</i> (Salisb.) DC.	s.col., s.n.	BHCB 27898	herb
Onagraceae			
<i>Ludwigia hookeri</i> (Micheli) H.Hara	L. B. Smith, 6712	NYBG_BR 653317	herb
<i>Ludwigia leptocarpa</i> (Nutt.) H.Hara	A. E. Brina, s.n.	BHCB 35442	shrub
<i>Ludwigia tomentosa</i> (Cambess.) H.Hara	A. E. Brina, s.n.	FUEL 15482	shrub
Orchidaceae			
<i>Habenaria alpestris</i> Cogn.	s.col.,	BHCB 132435	herb
<i>Malaxis excavata</i> (Lindl.) Kuntze	s.col., s.n.	OUPR 14247	herb
Orobanchaceae			
<i>Agalinis brachyphylla</i> (Cham. & Schltdl.) D'Arcy	Moura, L.S. de, VIC 8895	ESA 15424	shrub
<i>Buchnera ternifolia</i> Kunth	Oliveira, J.A., s.n.	BHCB 1644	hemiparasita
Oxalidaceae			
<i>Averrhoa carambola</i> L.	Ribeiro, V.L.L., s.n.	BHCB 15968	herb
Passifloraceae			
<i>Passiflora eichleriana</i> Mart.	A. E. Brina, s.n.	MBM 226254	vine

APPENDIX B Table containing species' correct names from herbaria data, arranged by botanical family; only one voucher was added per species; and life form indication.

Family	Voucher	Collection	Life form
Species correct name			
<i>Passiflora pohlii</i> Mast.	L. Roth, 14704	CESJ 14704	vine
Phyllanthaceae			
<i>Phyllanthus brasiliensis</i> (Aubl.) Poir.	L. Roth, 15578	MBM 346486	shrub
<i>Phyllanthus rosellus</i> (Müll.Arg.) Müll.Arg.	G.M. Magalhães, 1471	BHCB 64352	shrub
Plantaginaceae			
<i>Bacopa myriophylloides</i> (Benth.) Wettst.	Heringer, E.P., HERB3916	UB	herb
<i>Bacopa salzmannii</i> (Benth.) Wettst. ex Edwall	Viégas, A.P., s/nº	IAC 2358	herb
<i>Bacopa serpyllifolia</i> (Benth.) Pennell	L. Roth, 18765	CESJ 18765	herb
<i>Plantago major</i> L.	J.F. Macedo, 660	PAMG 25633	herb
Poaceae			
<i>Andropogon leucostachyus</i> Kunth	A. Zanin, 676	FLOR 38795	herb
<i>Aristida ekmaniana</i> Henrard	Damásio, L., s.n.	OUPR 12743	herb
<i>Aristida setifolia</i> Kunth	Kinoshita, L.S.; et al., 077	UEC 129484	herb
<i>Axonopus pressus</i> (Nees ex Steud.) Parodi	H.M.Longhi-Wagner et al., 9122	ICN 130809	herb
<i>Cenchrus ciliaries</i> L.	Mitzi Brandão, 11743	PAMG 14273	herb
<i>Coleataenia prionitis</i> (Nees) Soreng	Saraiva, A.C.,	HXBH 015102	shrub
<i>Cymbopogon densiflorus</i> (Steud.) Stapf	Moura, L.S. de, 66	VIC 7295	herb
<i>Digitaria monodactyla</i> (Nees) Stapf	M. A. Chase, 9042	NYBG_BR 713871	herb
<i>Melinis repens</i> (Willd.) Zizka	J.F. Macedo, 657	PAMG 25630	herb
<i>Panicum cervicatum</i> Chase	A. Guglieri, 285	ICN 131031	herb
<i>Paspalum carinatum</i> Humb. & Bonpl. ex Flüggé	M. A. Chase, 9011	RB 77692	herb
<i>Paspalum convexum</i> Humb. & Bonpl. ex Flüggé	M. A. Chase, 9043	NYBG_BR 891714	herb
<i>Paspalum dedeccae</i> Quarín	Damásio, L.,	RB 74433	herb
<i>Paspalum glaziovii</i> (A.G.Burm.) S.Denham	H.M.Longhi-Wagner et al., 4097	ICN 113981	herb
<i>Paspalum inaequivalve</i> Raddi	M. A. Chase, 8985	NYBG_BR 772490	herb
<i>Paspalum rojasii</i> Hack.	H.M.Longhi-Wagner et al., 9124	MOSS 7674	herb
Polygalaceae			
<i>Polygala abreui</i> Marques & J.F.B.Pastore	Yamamoto, K.; et al., 119	UEC 129457	herb
Polygonaceae			
<i>Polygonum ferrugineum</i> Wedd.	J.F. Macedo, 662	PAMG 25623	herb
Pontederiaceae			

APPENDIX B Table containing species' correct names from herbaria data, arranged by botanical family; only one voucher was added per species; and life form indication.

Family	Voucher	Collection	Life form
Species correct name			
<i>Pontederia rotundifolia</i> L.f.			
	Brade, A.C.,	RB 57571	herb
<i>Pontederia triflora</i> (Seub.) G.Agostini et al.			
	s.col., s.n.	BHCB 27903	herb
Primulaceae			
<i>Myrsine gardneriana</i> A.DC.	Kamino, L.H.Y., 422	RB 517868	tree
<i>Myrsine squarrosa</i> (Mez) M.F. Freitas & L.S. Kinashita	A. E. Brina, s.n.	BHCB 36341	shrub
Rubiaceae			
<i>Coccocypselum aureum</i> (Spreng.) Cham. & Schltl.	Oliveira, J.A., s.n.	BHCB 3802	shrub
<i>Declieuxia lysimachioides</i> Zucc. ex Schult. & Schult.f.	Duarte, A.P., 4296	RB 88850	herb
<i>Ixora gardneriana</i> Benth.	Damásio, L.,	RB 40136	shrub
<i>Manettia pubescens</i> Cham. & Schltl.	Mitzi Brandão, 25176	PAMG 40003	vine
<i>Oldenlandia salzmannii</i> (DC.) Benth. & Hook.f. ex B.D.Jacks.	Viégas, A.P., s/n	IAC 2433	herb
<i>Palicourea rigida</i> Kunth	A. Macedo, 2940	NYBG_BR 1004986	shrub
<i>Sabicea brasiliensis</i> Wernham	s.col., s.n.	BHCB 1588	shrub
Salviniaceae			
<i>Salvinia auriculata</i> Aubl.	J.F. Macedo, 64	PAMG 17679	herb
Sapindaceae			
<i>Paullinia racemosa</i> Wawra	s.col., s.n.	BHCB 1676	vine
<i>Serjania gracilis</i> Radlk.	Mitzi Brandão, 25182	PAMG 40008	vine
<i>Serjania nigricans</i> Radlk.	Barreto, H.L.M., 8278	MBM 276676	vine
Smilacaceae			
<i>Smilax campestris</i> Griseb.	L. Roth, 16789	CESJ 16789	vine
Solanaceae			
<i>Brugmansia arborea</i> (L.) Lagerh.	J.F. Macedo, 65	PAMG 17678	shrub
<i>Brunfelsia uniflora</i> (Pohl) D.Don	Damásio, L., s.n.	BHCB 1691	shrub
<i>Cestrum intermedium</i> Sendt.	Mitzi Brandão, 7514	PAMG 11518	tree
<i>Solanum caavurana</i> Vell.	Damásio, L., s.n.	OUPR	shrub
<i>Solanum cladotrichum</i> Bitter	Agra, M.F., 3587	JPB 21572	shrub
<i>Solanum martii</i> Sendtn.	Damásio, L., s.n.	OUPR	shrub
<i>Solanum palinacanthum</i> Dunal	Prous, P., s.n.	BHCB 2712	shrub
Tropaeolaceae			
<i>Tropaeolum brasiliense</i> Casar.	Carmello, S,M, 14	ESA 48609	vine

APPENDIX B Table containing species' correct names from herbaria data, arranged by botanical family; only one voucher was added per species; and life form indication.

Family Species correct name	Voucher	Collection	Life form
Turneraceae			
<i>Turnera capitata</i> Cambess.	s.col., s.n.	OUPR 8096	shrub
<i>Turnera oblongifolia</i> Cambess.	G.M. Magalhães,	BHCB 80904	herb
Typhaceae			
<i>Typha angustifolia</i> L.	Cerezo, F.L.B.; Vasconcelos, M.M.C., s.n.	BHCB 14700	herb
Verbenaceae			
<i>Duranta erecta</i> L.	A. Macedo, s.n.	OUPR 25881	shrub
<i>Lippia hermannioides</i> Cham.	Silva, A.F., 262	CESJ 33965	shrub
<i>Verbena officinalis</i> L.	J.F. Macedo, 691	PAMG 25659	herb
Vitaceae			
<i>Cissus serroniana</i> (Glaziou) Lombardi	A. E. Brina, s.n	BHCB 36592	vine
Vochysiaceae			
<i>Vochysia cinnamomea</i> Pohl.	J.A. Lombardi, s.n.	BHCB 21520	shrub
<i>Vochysia pygmaea</i> Bong.	Segadas-Vianna, F., 1100	RB 514199	shrub

APPENDIX C Species in the red list of Brazil (MMA 2014), arranged by botanical family and classified as vulnerable (VU), endangered (EN) or critically endangered (CR).

Family species	Redlist/MMA(2014)
Acanthaceae	
<i>Justicia tijucensis</i> V.A.W.Graham	VU
Alstroemeriaceae	
<i>Alstroemeria caryophyllaea</i> Jacq.	EN
Amaryllidaceae	
<i>Hippeastrum striatum</i> (Lam.) Moore	EN
<i>Grifflinia liboniana</i> Morren	EN
Apocynaceae	
<i>Gyrostelma oxypetaloides</i> E.Fourn.	EN
Asteraceae	
<i>Mikania argyreia</i> DC.	VU
Bignoniaceae	
<i>Anemopaegma arvense</i> (Vell.) Stellfeldex de Souza	EN
<i>Zeyheria tuberculosa</i> (Vell.) Bureau ex Verl.	VU
Connaraceae	
<i>Rourea cnestidifolia</i> G. Schellenb.	EN
Dichapetalaceae	
<i>Stephanopodium engleri</i> Baill.	EN
Eriocaulaceae	
<i>Actinocephalus clausenianus</i> (Körn.) Sano	VU
Euphorbiaceae	
<i>Croton leptobotrys</i> Müll.Arg.	VU
Fabaceae	
<i>Melanoxyton brauna</i> Schott	VU
<i>Dalbergia nigra</i> (Vell.) Allemão ex Benth.	VU
Lecythidaceae	
<i>Cariniana legalis</i> (Mart.) Kuntze	EN
Lythraceae	
<i>Diplusodon villosissimus</i> Pohl	VU
<i>Cuphea arenarioides</i> A.St.-Hil.	VU
Malpighiaceae	
<i>Heteropterys thyrsoides</i> (Griseb.) A.Juss.	EN
Melastomataceae	
<i>Ossaea marginata</i> (Desr.) Triana	VU
Meliaceae	
<i>Cedrela odorata</i> L.	VU
<i>Cedrela fissilis</i> Vell.	VU
Oleaceae	
<i>Chionanthus subsessilis</i> (Eichler) P.S.Green	VU
Orchidaceae	
<i>Saundersia mirabilis</i> Rchb.f.	EN
<i>Cyrtopodium triste</i> Rchb.f. & Warm.	VU
Orobanchaceae	
<i>Agalinis brachyphylla</i> (Cham. & Schltdl.) D'Arcy	VU
Piperaceae	
<i>Piper bennettianum</i> C. DC.	VU
Plantaginaceae	

APPENDIX C Species in the red list of Brazil (MMA 2014), arranged by botanical family and classified as vulnerable (VU), endangered (EN) or critically endangered (CR).

Family species	Redlist/MMA(2014)
<i>Stemodia hyptoides</i> Cham. & Schltdl.	VU
Poaceae	
<i>Gymnopogon doellii</i> Boechat & Valls	CR
<i>Chusquea tenuiglumis</i> Doll.	CR
<i>Paspalum repandum</i> (Nees) G.H. Rua & Valls	EN
Proteaceae	
<i>Euplassa incana</i> (Klotzsch) I.M.Johnst.	VU
Rubiaceae	
<i>Rudgea parvifolia</i> (Cham.) Müll.Arg.	VU
Simaroubaceae	
<i>Simaba warmingiana</i> Engl.	EN
Smilacaceae	
<i>Smilax lappacea</i> Willd.	EN
Solanaceae	
<i>Solanum warmingii</i> Hiern	EN
<i>Lycianthes repens</i> (Spreng.) Bitter	EN
Tropaeolaceae	
<i>Tropaeolum warmingianum</i> Rohrb.	EN
Vochysiaceae	
<i>Vochysia pygmaea</i> Bong.	EN
Zingiberaceae	
<i>Renealmia brasiliensis</i> K.Schum.	EN