











Department of the Interior:
U. S. NATIONAL MUSEUM.

BULLETIN

OF THE

UNITED STATES NATIONAL MUSEUM.

NO. 18. EXHIBIT OF THE FISHERIES AND FISH CULTURE OF THE UNITED STATES OF AMERICA, MADE AT BERLIN IN 1880.

PREPARED UNDER THE DIRECTION OF

G. BROWN GOODE,

DEPUTY COMMISSIONER.

WASHINGTON:
GOVERNMENT PRINTING OFFICE,
1880.



Department of the Interior:

U. S. NATIONAL MUSEUM.

BULLETIN

OF THE

UNITED STATES NATIONAL MUSEUM.

No. 18.

PUBLISHED UNDER THE DIRECTION OF THE SMITHSONIAN INSTITUTION.

WASHINGTON:
GOVERNMENT PRINTING OFFICE.
1880.

ADVERTISEMENT.

This work is the twenty-first of a series of papers intended to illustrate the collections of natural history and ethnology belonging to the United States, and constituting the National Museum, of which the Smithsonian Institution was placed in charge by the act of Congress of August 10, 1846.

It has been prepared at the request of the Smithsonian Institution, and printed by authority of the honorable Secretary of the Interior.

SPENCER F. BAIRD,

Secretary of the Smithsonian Institution.

SMITHSONIAN INSTITUTION, Washington, March 29, 1880.

EXHIBIT

OF

THE FISHERIES AND FISH CULTURE

OF THE

UNITED STATES OF AMERICA,

AT THE

INTERNATIONALE FISCHEREI-AUSSTELLUNG, HELD AT BERLIN, APRIL 20, 1880, AND FORMING A PART OF THE COL-LECTIONS OF THE NATIONAL MUSEUM.

MADE BY THE

UNITED STATES FISH COMMISSION.

PREPARED UNDER THE DIRECTION OF

G. BROWN GOODE,

DEPUTY COMMISSIONER.

WASHINGTON: GOVERNMENT PRINTING OFFICE. 1880.




TABLE OF CONTENTS.

SECTION A.—AQUATIC ANIMALS AND PLANTS OF NORTH AMERICA BENE-FICIAL OR INJURIOUS TO MAN.

VE	RT	EB	RA	TES.
----	----	----	----	------

Page.

I. :	MAMMALS	1
	1. Feræ (carnivores)	1
	Fissipedia (land carnivores)	1
	Pinnipedia (seals, &c.)	2
	2. Sirenia (sea-cows, &c.)	2
	3. Cete (whales)	2
	4. Glires (gnawers)	3
TT	Birds	4
11.	5. Passeres (perching birds proper)	4
	6. Picariæ (picarian birds)	4
	7. Raptores (birds of prey)	4
	8. Grallatores (waders).	4
	9. Lamellirostres (ducks, geese, &c.)	5
	10. Steganopodes (cormorants, pelicans, &e.)	5
	11. Longipennes (gulls, terns, petrels, &c.)	6
	12. Pygopodes (diving birds)	7
III	REPTILES	8
	13. Crocodilia (crocodiles and alligators)	8
	14. Testudinata (tortoises)	8
	15. Ophidia (serpents)	10
IV	Batrachians.	10
	16. Anura (frogs)	10
	17. Urodela (salamanders)	10
		11
٧.	FISHES	11
	18. Pediculati (anglers)	
	19. Plectognathi (globe-, trunk-, and file-fishes)	11 12
	20. Lophobranchii (pipe-fishes, &c.)	
	21. Teleocephali	12 12
	Heterosomata (flat-fishes)	
	Anaeanthini (cod, &c.)	14 31
	Percesoces (mullets, &c.)	
	Hemibranchii (stickle-backs, &c.)	31
	Synentognathi (gar-fishes and flying-fishes)	31
	Haplomi (pikes, &c.)	32
	Isospondyli (salmon, herring, &c.)	33
	Eventognathi (cyprinoids)	37
	22. Nematognathi (eat-fishes)	37
	23. Apodes (eels)	38
	24. Cycloganoidei (amias)	38
	25. Romboganoidei (gar-pikes)	39
	26. Selachostomi (paddle-fishes)	29
	27. Chondrostei (sturgeons)	39

	Page.
VI. ELASMOBRANCHIATES	40
28. Holocephali (chimæras)	40 40
39. Squali (sharks)	41
VII. Marsipobranchiates 31. Hyperoartia (lampreys)	43 43
	410
INVERTEBRATES.	
I. Mollusks	43 43
	40
MARINE PLANTS.	40
I. Algæ (sea-weeds)	49
Section B.—FISHING-GROUNDS OF NORTH AMERICA.	
I. Models and maps of fishing-grounds	50
II. Maps showing geographical distribution.	50
II. MAPS SHOWING GEOGRAPHICAL DISTRIBUTION	50
III. SERIES OF WATER-COLOR SKETCHES, SHOWING THE BREEDING-GROUNDS OF THE FUR-SEAL (CALLIRHINUS URSINUS) ON THE PRYBILOFF ISLANDS, ALASKA. SKETCHED BY HENRY W. ELLIOTT FROM NATURE, AND EXHIBITED BY THE ALASKA COMMERCIAL COMPANY OF SAN FRANCISCO,	
California	51
SECTION C.—MEANS OF PURSUIT AND CAPTURE.	
a. Apparatus of direct application.	
I. Hand implements or tools.	52
*For striking.	~~
1. Clubs	52 52
	02
**For cutting.	
2. Knives	52
Straight knives 3. Axes	52 55
Axes proper	
Cutting-spades	55
***For thrusting.	
4. Thrusting spears and prods.	55
Fishing-lances	55
Whaleman's boat-spades	56
Prodding instruments	56
II. Implements for seizure of object	56
* Scooping instruments.	
5. Scoops or scrapers	56
Shovels	56
Hand-dredges. Pile-scrapers	57
THO-SCITIFULS	57

II. IMPLEMENTS FOR SEIZURE OF OBJECT—Continued.

** Grasping-hooks.	
6. Hooked instruments (those used with a single motion, that of hook-	Page.
ing)	57
Single-pointed hooks	
Many-pointed hooks	58
7. Barbed implements (those used with two motions, the first that of	Ž.
thrusting)	
Spears with fixed heads	59, 235
Spears with detachable heads	
8. Tongs, &c. Tongs (with two handles)	
	02
*** Entangling-lines.	
9. Tangles	62
Swab-tangles	
Harrow-tangles	
Wheel-tangles	63
b. Apparatus of indirect application.	
	40
II. Missiles	63
* Simple missiles (those propelled by the unaided arm).	
10. Hurled spears	63
Darts and lances	63
* Centrifugal missiles (propelling power augmented by an artificial increase of the of the arm).	length
11. Missiles propelled by "throwing-sticks"	63
*** Missiles propelled by a spring (spring consisting of bent rod).	
	04
12. Bows and arrows. Arrows	64 64
	04
**** Missiles propelled by explosives.	
13. Guns	64
Whaling-guns	64
V. Baited Hooks—angling-tackle	64 925
14. Hooks with movable lines—hand-tackle	
Tackle for surface-fishing	64
Tackle for fishing below the surface	65
15. Hooks, with stationary lines—set-tackle	66
Bottom-set lines	66
16. (Accessory.) Parts and accessories of angling-apparatus and of har-	
poon and seine lines	66 66
Lines	
Snoods, leaders, and traces	88
Sinkers	88
Swivels	89
Floats	89

TV Description of the control of the	Page.
IV. BAITED HOOKS—ANGLING-TACKLE—Continued.	00
Reels	90
Gunwale winches	91
Line-holders	
Rods	,
Disgorgers.	95
e. Apparatus to a greater or less extent automatic.	
V. Nets	95
17. Entangling-nets	95
Meshing-nets	95
Pocket-nets	97
18. Encircling-nets.	97
Seines	97
Hoop-nets	98
Trailing-nets.	99
Folding or jerk nets	99
19. Parts of nets and apparatus for manufacture	100
d. Apparatus entirely automatic.	
VI, Traps	101
20. Pen-traps.	101
Pocket-traps	101
Labyrinth-traps	101
c. Accessories to the chase and fishing.	
VII. Hunting-animals	102
21. Hunting-mammals.	102
Otters	102
TITEE W	
VIII. DECOYS AND DISGUISES.	102
92. Baits	102
Natural baits	102
Artificial baits	103
23. Decoys.	103
Sight-decoys	103
IX. Pursuit; its methods and appliances	104
24. Methods of transportation	104
Boats	104
Apparatus accessory to rigging fishing-vessels	115
Preservative fluids and paints	127
25. Camp outfit	127
Shelter	127
Furniture	127
Commissary supplies	127
26. Personal equipments, &c.	129
Clothing.	129
Trappings	129
Nautical instruments, &c	133
Medical outfit	133
Fishermen's dwellings, &c	134
Log-books, records, &c.	135
Charts used by fishermen	135
Literature of angling, the fisheries, &c	136

a	SECTION D.—METHODS OF PREPARATION.	
		Page.
1. H	PREPARATION AND PRESERVATION OF FOOD	139
	1. Preservation during life	139
	Fish-cars and other floating cages for aquatic animals	139
	2. Preservation of fresh meats	139
	Refrigerators	139
	3. Preservation by drying	139
	Sun-drying apparatus	139
	Smoke-drying apparatus	140
	4. Preservation by canning and pickling	140
	Salting establishments	140
	Canning meats.	140
	5. Preparation of baits	140
	6. Wharves, &c.	140
	·	141
II. :	PREPARATION OF OILS AND GELATINES	142
	7. Extraction of whale-oil (with models of try-works, clarifying-vats, &c.)	142
	Instruments and appliances of rendering whale-oil	142
	8. Extraction of fish-oils (with models of boilers, presses, clarifying-vats,	
	&e.)	142
TTT	Manufacture of fertilizers	142
111.	9. Preparation of guano	142
	Model of fish-gnano works.	142
	noted of non-gradio works	140
	SECTION E.—ANIMAL PRODUCTS AND THEIR APPLICATIONS.	
I	Foods	13, 236
	1. Foods in a fresh condition	143
	2. Foods prepared for keeping1-	13, 236
	Dry-salted preparations14	
	Smoked preparations1-	
	Pickle or brine salted preparations14	
	Preparations in spices and vinegar, &c14	14, 237
	Preparations in oil	
	Cooked preparations in cans	4,237
	Accessories to food preparations	238
**		
11	-CLOTHING	
	3. Furs	147 147
	Mammal furs	238
	3.* Skin and membrane	238
1	Skin of fishes. Intestines	238
		200
III.	MATERIALS EMPLOYED IN THE ARTS AND MANUFACTURES	148
	4. Ivory and bone	148
	Ivory of mammals	148
	Ivory of reptiles	149
	Bone of mammals	149
	Bone of fishes	149
	5. Balcen	149
	6. Plates	151
	Tortoise-shell	151
	7. Scales Suplay of figher	151

		Continued	Page.
III.		TERIALS EMPLOYED IN THE ARTS AND MANUFACTURES—Continued.	151
		Pearl	153
	9.	Shell	153
		Shells used for implements.	153
	10	Other materials from invertebrates.	154
	11	Leathers	154
	TT.	Prepared from reptile-skins	154
		Prepared from fish-skins	154
	19	Isinglass	
		Gelatines	
		Sponges	156
		Specimens of American commercial sponges	156
	15.	Oils and fats	157
		Mammal-oils-	157
		Reptile-oils	160
		Fish-oils.	160
		Mollusk-oils	162
	16.	Perfumes	162
		Mammal-perfumes	162
	17.	Chemical products and agents employed in the arts and medicine	162
		Derived from plants	162
	18.	Fertilizers	
		Artificial guanos	2, 239
I. I	NVE	SECTION F.—RESEARCH, PROTECTION, AND CULTURE. ESTIGATION (AS PROSECUTED BY THE UNITED STATES FISH COMMISSION).	163
	1.	Methods of work	163
	€.	Results of work	164
		a. Publications	164
		b. Collections	210
		c. Active work in fish-culture	210
II.	Pro	OTECTION	212
		Game laws. (See reports)	2 2
		Fish-ways	212
		Groove fish-ways	212
		Box, step, or pool fish-ways	212
		Inclined fish-ways without steps	213
		Spiral fish-ways	213
		Moving float fish-ways	213
TTT.	PE	ROPAGATION21	4 930
		In general.	214
	0.	Devices used in obtaining and impregnating ova.	214
		Hatching-houses	214
		Hatching-troughs and boxes, stationary	215
		Hatching-boxes, floating	217
		Adhesive-egg apparatus	217
		Floating hatching-houses.	217
		Accessories to the hatching apparatus	217
		Devices for the transportation of fi h-eggs.	218
		Apparatus used in the transportation of fish21	
		Apparatus used in feeding fry	218

III.	Propagation—Continued.	Page.
	Prepared food for adult fish	218
	Maps, photographs, and charts	218
	Enemics of the fish-culturist.	219
	Eggs of Salmonidæ in process of hatching.	219
	Eggs of Salmonidæ in alcohol	220
	Specimens of fry of Salmonidæ in alcohol	220
	Eggs of American fishes in general	220
	Specimens of fish in alcohol.	220
	Literature of fish-culture	221
IV.	APPLIANCES FURNISHED BY THE SEVERAL DEPARTMENTS OF THE U. S. GOV-	
	ERNMENT AND PRIVATE ORGANIZATIONS FOR THE AID AND ENCOURAGE-	
	MENT OF THE FISHERIES	224
	1. Department of the Interior	224
	United States National Museum	224
	Patent Office	224
	2. Department of the Treasury	224
	United States Coast and Geodetic Survey	224
	Life-Saving Service	220
	Light-House Board	230
	Revenue Marine Division	231
	3. Department of War	231
	U. S. Army Signal Service	239
	Engineer Bureau	232
	4. Department of the Navy	234
	Bureau of Navigation—Hydrographic Office	234
	Nautical Almanac Office	234
	5. State or Private Associations	234
	Massachusetts Humane Society	234



INTRODUCTORY NOTE.

The present catalogue embraces the articles brought together by the United States Fish Commission for exhibition at the International Fishery Exhibition (*Internationale Fischerei-Ausstellung*) to be opened in Berlin on the 20th of April, 1880. The exhibit is, for the most part, a portion of that of the National Museum of the United States maintained under the direction of the Smithsonian Institution.

The idea of an international fishery exhibition to be held at Berlin under the auspices of the *Deutscher Fischerei-Verein*, had long been entertained; and an invitation to participate therein was extended more than a year ago by the German Government, to the United States, as well as to other countries. No action on the subject was taken at the time by Congress; but on the 16th of February, 1880, a resolution introduced in the House of Representatives by Mr. P. V. Deuster, of Wisconsin, and supported by Mr. L. P. Morton, of New York, which became a law, authorized the participation in the exhibition on the part of the United States, and appropriated the sum of \$20,000 for the purpose.*

*The act passed in the following words:

Whereas all civilized nations take part in the international fishery exhibition to be held in the city of Berlin, Germany, in April, eighteen hundred and eighty, it is deemed both right and expedient that the prominent and effective action of the United States in the line of the artificial propagation of fish and the stocking of depleted fishing waters should be conspicuously and well exhibited on the occasion: Therefore,

Resolved by the Senute and House of Representatives of the United States of America in Congress assembled, That to enable the United States Commissioner of Fish and Fisheries to exhibit America in Berlin in April, eighteen hundred and eighty, a fair and full collection of the different specimens of American food-fishes, casts thereof, models of, and implements, and so forth, used in the prosecution of American fisheries, the sum of twenty thousand dollars is hereby appropriated, ont of any moneys not otherwise appropriated in the Treasury of the United States, or so much thereof as may be necessary for the purpose, to be immediately available on the passage of this resolution, to be expended under the direction of the Secretary of State.

SEC. 2. That the United States Commissioner of Fish and Fisheries be, and is hereby, authorized to represent the United States, either in person or by a deputy to be appointed by the President of the United States; and that, at his discretion, he may use any portion of the collections at present forming part of the National Museum in making up the proposed exhibition by the United States.

SEC. 3. That the United States Commissioner of Fish and Fisheries be, and is here-

Preparations were immediately begun to utilize the few weeks remaining before the opening of the exhibition. A general invitation was extended to all parties interested, to contribute articles having any relationship to the fisheries and to fish-culture, and the special assistance of a number of persons was invoked.* The work was carried on night and day, and a first shipment made on the 4th of March, followed by others on the 20th, on which day Mr. George Brown Goode,† the deputy commissioner, with his staff,‡ left for Berlin.

With the help of the gentlemen enumerated below it has been possible, in the short time at command, to make what will probably be considered a creditable display of apparatus, subjects, and products of the American fisheries and fish-culture; this, however, would have been more complete in many respects had a longer time been allowed than the four weeks actually available.

The principal deficiency in the collection will be found in the series of American prehistoric and aboriginal implements for fishing. Of these there is a large collection in the National Museum, which could not conveniently be withdrawn. There are wanting, also, many forms of boats and vessels and numerous preparations of fish and marine products which could not be obtained within the time, and a still larger number which, from their somewhat perishable nature, could not be trusted to a sea voyage.

I take great pleasure in acknowledging the extreme liberality of the North German Lloyds in giving free freights between Baltimore and New York and Bremen of the entire fishery exhibits, at the suggestion of the New York agents, Messrs. Oelrichs & Co., who, with the Baltimore agents, Messrs. A. Schumacher & Co., have done all in their power to carry out the authority given them by the company. The Baltimore and Ohio, the Philadelphia Wilmington and Baltimore, and the Pennsylvania Railroad Companies, not to be outdone by a foreign corporation, also granted free transportation to Baltimore and New York; so that the

by, instructed to present to Congress, through the Department of State, a report upon the Berlin exhibition, showing the recent progress and present condition of the fisheries and of fish-culture in foreign countries.

^{*}Acknowledgments for assistance in making up the exhibition are especially due to E. G. Blackford, New York; A. Howard Clark, Gloncester, Mass.; H. C. Chester and S. C. Brown, Washington, D. C.; W. A. Wilcox, Boston, Mass.; Messrs. Bradford & Anthony, Boston, Mass.; Conroy, Bissett & Malleson, W. Holberton, and Abbey & Imbrie, New York.

[†]Appointed deputy commissioner to the Berlin exhibition by the President.

Messrs. F. W. True, J. E. Rockwell, Fred. Mather, J. W. Collins, and Jos. Palmer.

whole cost of moving a collection exceeding nine thousand cubic feet, and weighing many tons, as far as Bremen at least, has been limited to the mere matter of cartage and loading.

SPENCER F. BAIRD,

United States Commissioner of Fish and Fisheries.

SMITHSONIAN INSTITUTION,

Washington, U.S.A., March 29, 1880.



SECTION A.

AQUATIC ANIMALS OF NORTH AMERICA BENEFICIAL OR INJURIOUS TO MAN.

VERTEBRATES.

I. MAMMALS.

ORDER, FERÆ.

SUBORDER FISSIPEDIA.

MUSTELIDÆ.

MUSTELINÆ.

MUSTELA PENNANTI, Erxl.—FISHER.—Northern North America. 12472. Mounted. Houlton, Maine. Rev. R. R. McLeod. Jan. 15, 1876.

PUTORIUS VISON, Rich.—MINK.—North America generally. 12432. Mounted. (Male.) Moore's Lake, Minn. J. H. Batty.

LUTRINÆ.

LUTRA CANADENSIS, Sab.—AMERICAN OTTER.—North America generally.

3380. Mounted. Ft. Steilaeoom, Wash. Ter. George Gibbs.

ENHYDRINÆ.

ENHYDRIS LUTRIS, (Linn.) Gray.—SEA OTTER.—Pacific Coast of the United States.

9457. Mounted. (Adult.) Alaska. Dr. T. T. Minor.

PROCYONIDÆ.

PROCYON LOTOR, (Linn.) Storr.—RACCOON.—United States generally.

13175. Died in captivity in New York. Bought of John Wallace.

PINNIPEDIA.

OTARIIDÆ.

CALLIRHINUS URSINUS, (Schreber) Gray.—Fur Seal.—North Pacific Ocean and Bering's Sea.

13086. Mounted. Alaska. Alaska Commercial Company.

EUMETOPIAS STELLERI, (Fischer) Gray.—SEA LION.—Pacific Coast.

13134. Monnted. (Young.) North Pacific. Alaska Commercial Company.

ZALOPHUS GILLIESPII, (Maebain) Gill.—SEA Dog.—Pacific Coast. 12937. Mounted. Southern California. Capt. Baker.

PHOCIDÆ.

PHOCINÆ.

PHOCA VITULINA, Linn.—Common Seal; Harbor Seal.—North Atlantic.

12453. Cast. Provincetown, Mass. 1875.

PHOCA RICHARDSII, (Ġray) Gill.—Leopard Seal.—North Pacific. 12494. Mounted. Adakh Id. Alaska. W. H. Dall.

ORDER, SIRENIA

TRICHECHIDÆ.

TRICHECHUS MANATUS, Linn.—MANATEE.—Florida, West Indies, and N. E. South America.

12617. Cast. Florida. Zoological Society, Philadelphia.

ORDER, CETE.

HDECH FPRHE WHED HE.

DELPHINAPTERINE.

DELPHINAPTERUS CATODON, (Linn.) Gill.—White-fish or White Whale.—Arctic and Subarctic Seas (ascending large rivers).

12490. Cast. Gulf of St. Lawrence. G. R. Renfrew & Co., Quebec.

LAGENORHYNCHUS LEUCOPLEURUS, (Raasch) Gray.—Cow-Fish.—Eastern Coast.

Photograph. U. S. Fish Commission.

PHOCÆNA BRACHYCION, Cope.—Snuffing Pig; Herring Hog. —Atlantic Coast.

12302. Cast. Cape Cod. Vinal N. Edwards. Photograph. U. S. Fish Commission.

GLOBICEPHALINÆ,

GLOBICEPHALUS INTERMEDIUS, (Harlan) Gray.—BLACK-FISH.—Atlantic Coast.

12480. Plaster east, (7 feet.) Cape Cod. Edwards. Nov. 14, 1874.

12840. Cast 351. Cast of head. South Dennis, Mass. U. S. Fish Commission, 1875.

12841. Cast 352. Cast of head. South Dennis, Mass. U. S. Fish Commission. 1875.

GRAMPUS GRISEUS, (Cuv.) Gray.—GRAMPUS; Cow-FISH.—North Atlantic.

15771 ÷ 12759. Cast. Dec. 2, 1875.

15773 ÷ 12761. Cast of head and cast of whole. Nov. 30, 1875.

622. Photograph. U. S. Fish Commission.

12940. Cast of head. Cape Cod, Mass. V. N. Edwards.

12941. Cast of head. Cape Cod, Mass. V. N. Edwards.

12942. Cast of head. Cape Cod, Mass. V. N. Edwards.

BALÆNIDÆ.

BALÆNA MYSTICETUS, Linn.—BOWHEAD WHALE.—Arctic Seas.

12938. Model in plaster. From drawings and measurements of Capt. C. M. Scammon.

EUBALÆNA CULLAMACH, (Chamisso) Cope.—Pacific Right Whale.—North Pacific.

12988. Model in plaster. From drawings and measurements of Capt. C. M. Scammon.

ORDER, GLIRES.

MURIDÆ.

FIBER ZIBETHICUS, Cuv.—Musk Rat.—United States generally.
Mounted. District of Columbia. R. Hessel.

II. BIRDS.

Note.—In this series are exhibited the most widely distributed forms known to feed upon fish, particularly those peculiar to the United States. No attempt has been made to make the series complete. It also includes species used extensively as bait by fishermen on the Banks.

ORDER, PASSERES.

CINCLIDÆ.

CINCLUS MEXICANUS, Swainson.—AMERICAN DIPPER; WATER OUSEL.

Destructive to the eggs of fishes.

Mounted. U. S. National Museum.

CORVIDÆ.

CORVUS OSSIFRAGUS, Wilson.—FISH CROW.—New England to Florida, chiefly along the coast.

Mounted, U. S. National Museum.

ORDER, PICARIÆ.

ALCEDINIDÆ.

CERYLE ALCYON, (Linn.) Boie.—Belted Kingfisher.

12080. (Male.) Washington City. S. F. Baird. 75361. Washington City. Mr. Hamilton,

ORDER, RAPTORES.

FALCONIDÆ.

HALIÆTUS LEUCOCEPHALUS, (Linn.) Savigny.—AMERICAN EAGLE; BALD EAGLE.

42137. (Male.) Washington, D. C. C. Drexler.

PANDION HALIÆTUS, (Linn.) Savigny.—FISH-HAWK; OSPREY. 79093. (Male.) U. S. Carp Ponds. Washington, D. C. R. Hessel.

ORDER, GRALLATORES.

HEMATOPODIDE.

HÆMATOPUS PALLIATUS, Temm.—OYSTER-CATCHER; SEA Crow. 20729. Hog Island, Va. R. B. Hitz.

TANTALIDÆ.

TANTALUS LOCULATOR, Linn.—Wood-IBIS.

Southern States. U. S. National Museum.

ARDEIDÆ.

ARDEA HERODIAS, L.—BLUE HERON.

70057. (Young.) Fairfax Co., Va. C. Schuermann.

ARDEA EGRETTA, (Gmel.) Gray.—WHITE HERON; EGRET. 2792. Washington City. C. Drexler.

ORDER, LAMELLIROSTRES.

ANATIDÆ.

MERGUS MERGANSER, L.—SHELDRAKE.

12785. (Male.) Potomac River. T. Tonge.

12707. (Female.) Potomac River. R. J. Pollard.

MERGUS SERRATOR, L.—FISHING-DUCK.

70281. (Male.) St. Michael's, Alaska. Lucien M. Turner.

MERGUS CUCULLATUS, L.—HOODED SHELDRAKE.

35057. (Male.) Washington, D. C. Smithsonian Institution.

70459. (Female.) Chicago, Ill. Smithsonian Institution.

ERISMATURA RUBIDA, (Wils.) Bon.—RUDDY DUCK.

76769. (Male.) Eastern U. S. American Museum Nat. History, New York.

FULIGULA VALLISNERIA, (Wils.) Stephens.—Canvas-back Duck

12712. (Male.) Potomac River. R. J. Pollard.

12713. (Female.) Potomac River. R. J. Pollard.

FULIGULA FERINA, var. AMERICANA, (Eyt.) Coues.—RED-HEAD DUCK.

12715. (Male.) Washington City. C. Drexler.

BUCEPHALA ALBEOLA, (L.) Baird.—BUTTER-BALL.

12696. (Male.) Washington City. C. Drexler.

ORDER, STEGANOPODES.

PELICANIDÆ.

PELICANUS FUSCUS.—BROWN PELICAN.

78234, Florida. Tichkamatse.

PELICANUS TRACHYRHYNCHUS, Lath.—WHITE PELICAN. 71051. (Male.) Grant County, Minn. G. B. Sennett.

SULIDÆ.

SULA BASSANA, (Linn.) Briss.—Gannet. 12805. Massachusetts. N. Vicary.

GRACULIDÆ.

GRACULUS DILOPHUS, (Sw.) Gray.—CORMORANT; SHAG. 63249. Annapolis, Md. E. M. Schaeffer, M. D.

PLOTIDÆ.

PLOTUS ANHINGA, L.—SNAKE-BIRD; WATER-TURKEY. 73526. Gulf States. U. S. National Museum.

ORDER, LONGIPENNES.

PROCELLARHDÆ.

MORMON CIRRHATUS.—CRESTED PUFFIN.

46494. (Male.) Sitka, Alaska. F. Bischoff.

FULMARUS GLACIALIS, (L.) Stephens.—FULMAR GULL.

79115. (Male.) Davis Straits. N. P. Seudder.

79123. (Male.) Davis Straits. N. P. Scudder.

Used extensively as bait, being caught with the hook in large numbers.

PUFFINUS MAJOR, L.—HAGDON.

78175. (Male.) Grand Bauks. Capt. J. W. Collins.
76294. (Female.) Cape Chadley, Hudson Straits. L. Kumlien.
Used as bait.

PUFFINUS FULIGINOSUS, Strickland.

75217. (Female.) Sable Island Bank. R. L. Newcomb. Used as bait.

LARIDÆ.

LARUS MARINUS, L.—GREAT BLACK-BACKED GULL.
17091. (Male.) New York. J. S. Bode.

LARUS ARGENTATUS, Brunn.—HERRING GULL. 21431. Washington City. Smithsonian Institution.

LARUS DELAWARENSIS, Ord.—RING-BILL GULL. 70083. Andalusia, Ill. S. C. Bowen.

LARUS CANUS, var. BRACHYRHYNCHUS, (Rich.) Coues.—MEW GULL.

52495. Kodiak, Alaska. T. Bischoff.

LARUS TRIDACTYLUS, Linn.—KITTYWAKE GULL.

46410. New England Coast. U. S. National Museum.

LARUS PHILADELPHIA, (And.) Gray.

51141. Washington City. H. Horan.

STERNA FORSTERI, Nuttall.—MACKEREL GULL.

66211. Lake Koskonong, Wis. L. Kumlien.

STERCORARIUS POMATORHINUS, (Temm.) Vieill.—"Gull-chaser."

78173. (Female). Grand Banks. Capt. J. W. Collins.

76272. (Male). Disko, Greenland. L. Kumlien.

STERCORARIUS PARASITICUS, Brunn.—PARASITIC JÆGER.

78174. (Male.) Grand Banks. Capt. J. W. Collins.

STERCORARIUS BUFFONI, (Boie) Coues.—Long-tailed Jæger 79057. (Female.) South Greenland. Gov. Fencker.

RHYNCHOPS NIGRA, L.—BLACK SKIMMER.

77319. (Female.) Greene Smith.

ORDER, PYGOPODES.

COLYMBIDÆ.

COLYMBUS TORQUATUS, Brunn.—Loon.

51138. (Male.) Washington City. H. Horan.

PODICIPIDÆ.

PODICEPS CORNUTUS, Latham.—HORNED GREBE.

12761. Northern States. R. G. Campbell.

III. REPTILES.

ORDER, CROCODILIA.

CROCODILIDÆ.

ALLIGATOR MISSISSIPPIENSIS, Daudin.—ALLIGATOR.—Southeastern North America.

9980. Cast. Jacksonville, Fla. F. C. Goode.

ORDER, TESTUDINATA.

TESTUDINIDÆ.

TESTUDO CAROLINA, Liun.—FLORIDA GOPHER-TORTOISE.—Southeastern North America.

9627. Cast. Florida. G. Brown Goode.

EMYDIDÆ.

MALACOCLEMMYS PALUSTRIS, (Gmelin.)—DIAMOND-BACK TER-RAPIN.—Coast from New York to Texas.

9028. Cast. Mandeville, La. G. Kohn. Color sketch. U. S. Fish Commission. Living specimens.

PSEUDEMYS RUGOSA, (Shaw.)—RED-BELLIED TERRAPIN.—New Jersey to Virginia.

8910. Cast. Kinston, N. C. J. W. Milner. Color sketch. (Richard.) U. S. Fish Commission. Living specimens.

PSEUDEMYS MOBILIENSIS, (Holbrook.)—Southern Terrapin. 9026. Cast. Mandeville, La. G. Kohn.

PSEUDEMYS ELEGANS, (Wied.)—Central portion of the United States.

8927. Cast. Brownsville, Tex. Dr. J. C. Merrill.

CHELOPUS GUTTATUS, (Schneider) Cope.—Speckled Tortoise.— Eastern States.

Color sketch.

CHRYSEMYS PICTA, (Herm.) Agassiz—Painted Tortoise.—Eastern portion of the United States.

Color sketch. (Richard.): U. S. Fish Commission. Living specimens.

CHRYSEMYS OREGONENSIS, (Harlan) Agassiz—Central portion of the United States.

Color sketch. (Richard.) U. S. Fish Commission.

CHRYSEMYS RETICULATA, (Bosc.)—Gulf States.

Color sketch. (Richard.) U. S. Fish Commission.

CINOSTERNIDÆ.

AROMOCHELYS ODORATUS, Latreille.—"STINK POT."—Eastern and Southern States.

Color sketch. (Richard.)

CINOSTERNUM PENNSYLVANICUM, (Bosc.) Bell.—Mud Turtle.
—Eastern States.

Color sketches. (Richard.) U. S. Fish Commission.

CHELYDRIDÆ.

- MACROCHELYS LACERTINA, (Schw.)—ALLIGATOR SNAPPER.
 9211. Cast. Greenville, Miss. S. W. Ferguson.
- CHELYDRA SERPENTINA, (Linn.) Schw.—Snapping Tortoise.—Canada to Ecuador.

9558. Cast. Oakley, S. C. F. W Hayward.

TRIONYCHIDÆ.

ASPIDONECTES FEROX, Schw.—Soft-shell Turtle.—Georgia to Western Louisiana.

8899. Cast. Florida. Professor S. F. Baird Color sketch. U. S. Fish Commission.

ASPIDONECTES SPINIFER, (Les.) Agassiz—Soft-shell Turtle.—
Middle and northern tributaries of the Mississippi and the
Saint Lawrence.

Cast. Smithsonian Institution.

CHELONIIDÆ.

CHELONIA MYDAS, Schw.—Green Turtle.—Atlantic Coast south of Long Island.

8392—15267. Cast in papier-maché. New York market. E. G. Blackford.

CHELONIA VIRGATA, Schw.—Pacific Green Turtle.—Pacific Coast.

9639. Cast. San Diego, Cal. G. N. Hitchcock.

THALASSOCHELYS CAOUANA, Linn.—Loggerhead Turtle.

8386-15259. Cast. New York market. E. G. Blackford.

ERETMOCHELYS SQUAMATA, Linn.—Pacific Hawk's BILL TUR-TLE.—Pacific Coast.

12388. Shells. Fiji Island. U. S. Expl. Expedition.

SPHARGIDIDÆ.

SPHARGIS CORIACEA, Rondelet.—Leatherback Turtle.—Atlantic coast to Massachusetts.

8389÷15266. Cast. New York market. E. G. Blackford.

ORDER, OPHIDIA.

TROPIDONOTUS RHOMBIFER, Hallow.—Water Snake.—Central United States.

Color sketch. (Richard.)

TROPIDONOTUS TAXISPILOTUS, Holbrook.—Water Snake.—South Atlantic States.

Color sketch. (Richard.)

TROPIDONOTUS SIPEDON, Linn.—WATER SNAKE.—Eastern United States.

Cast. Smithsonian Institution.

TROPIDONOTUS ERYTHROGASTER, Shaw.—WATER SNAKE.—Southeastern United States.

Cast. Smithsonian Institution.

IV. BATRACHIANS.

ORDER, ANURA.

RANIDÆ.

RANA CATESBIANA, Shaw.—Bull-frog.

Cast. Smithsonian Institution.

ORDER, URODELA.

PROTEIDÆ.

NECTURUS LATERALIS,† Say.—Lake Salamander.

Living specimens.

^{*}Note.—Only those species known to feed habitually on fish are here included. †Devours eggs of Coregonus.

MENOPOMIDÆ.

MENOPOMA ALLEGHENIENSE, Harl.—Hell-bender.
9926. Cast. Smithsonian Institution.

AMPHIUMIDÆ.

AMPHIUMA MEANS, Linn.—MUD EEL.

Cast. Smithsonian Institution.

V. FISHES.

ORDER, PEDICULATI.

LOPHIDÆ.

LOPHIUS PISCATORIUS, Linn.—Goose Fish; Angler.—Nova Scotia to Cape Hatteras.

Photograph. U. S. Fish Commission. Photoengraving.

ORDER, PLECTOGNATHI.

MOLIDÆ.

MOLA ROTUNDA, Cnv.—Sun-Fish.—Newfoundland to Cape Hatteras.

Photograph. U. S. Fish Commission.

DIODONTIDÆ.

CHILOMYCTERUS GEOMETRICUS, (Linn.) Kaup.—Bur-Fish.—South of Cape Cod; West Indian Fauna, &c.

Color sketch. (Richard.) U. S. Fish Commission.

TETRODONTIDE.

TETRODON LÆVIGATUS, (Linn.) Gill.—Rabbit-fish.—Cape Cod to Florida.

Photograph. U. S. Fish Commission.

TETRODON SPENGLERI, Bloch.—Balloon-fish.—West Indian Fauna.

Color sketch. Col. H. M. Drummond-Hay. Photograph. U. S. Fish Commission.

OSTRACIIDÆ.

OSTRACION QUADRICORNE, Linn.—Cow-Fish.—West Indian Fauna.

10008. Cast. Bermudas. G. Brown Goode. March, 1872.
Color sketch. Col. H. M. Drummond-Hay.

BALISTIDÆ.

BALISTES VETULA, Linn.—Oldwife; File-fish.—West Indian Fauna; accidental on coast.

14909. Cast. Wood's Holl, Mass. U. S. Fish Commission. Oct. 8, 1873. Photograph. U. S. Fish Commission.

ALUTERA SCHOEPFII, (Walb.) Goode & Bean.—ORANGE FILE-FISH.
—Cape Cod to Florida.

14915. Cast. Wood's Holl, Mass. U. S. Fish Commission. Aug. 14, 1873. Photograph. U. S. Fish Commission.

ORDER, LOPHOBRANCHII.

HIPPOCAMPIDÆ.

HIPPOCAMPUS ANTIQUORUM, Leach.—SEA-HORSE; HORSE-FISH.
—Cape Cod to Cape Hatteras.

Photo-engraving.

SYNGNATHIDÆ.

SYNGNATHUS PECKIANUS, Storer.—PIPE-FISH.—Newfoundland to Cape Hatteras.

Photograph. U.S. Fish Commission.

ORDER, TELEOCEPHALI.

HETEROSOMATA.

SOLEIDÆ.

ACHIRUS LINEATUS, (Liun.) Cuv.— AMERICAN SOLE; Hog CHOKER.—Cape Cod to Florida.

15743. Cast, (upper side.) Wood's Holl, Mass. U.S. Fish Commission. Feb. 21, 1874.

Photograph. U. S. Fish Commission.

Color sketch. Prof. Alex. Agassiz.

Photo-engraving.

PLEURONECTIDÆ.

PSEUDOPLEURONECTES AMERICANUS, (Walb.) Gill.—FLAT-FISH; WINTER FLOUNDER.—Nova Scotia to Cape Hatteras.

Photograph. U.S. Fish Commission. Photo-engraving.

LIMANDA FERRUGINEA, (Storer) Goode & Bean.—Rusty Floun-DER.—Nova Scotia to Cape Cod.

Photograph. U.S. Fish Commission.

GLYPTOCEPHALUS CYNOGLOSSUS, (Linn.) Gill.—Pole Floun-DER.—Maine.

Photograph. U. S. Fish Commission. Photo-engraving.

LOPHOPSETTA MACULATA, (Mitch.) Gill.—WATERY FLOUNDER; SPOTTED TURBOT.—Cape Cod to Cape Hatteras.

> Photograph. U. S. Fish Commission. Color sketch. (Richard.) U. S. Fish Commission.

LEPIDOPSETTA UMBROSA, (Girard) Gill.—Pacific coast.
Photograph. U. S. Fish Commission.

PSEUDORHOMBUS DENTATUS, (Linn.) Günther.—Common Floun-DER.—Cape Cod to Cape Hatteras.

10684. Cast. Wood's Holl, Mass. U. S. Fish Commission. Photograph. U. S. Fish Commission. Color sketch. (Schindler.) U. S. Fish Commission. Photo-engraving.

PSEUDORHOMBUS OBLONGUS, (Mitchill) Günther.—Four-spotted Flounder.—Cape Cod to Cape Hatteras.

10716. Cast. Wood's Holl, Mass. U. S. Fish Commission. Photograph. U. S. Fish Commission. Photo-engraving.

PSEUDORHOMBUS QUADROCELLATUS, (Gill) Jordan.—Cape Ann to Florida.

Color sketch. (Schindler.) U. S. Fish Commission. Photo-engraving.

HIPPOGLOSSUS VULGARIS, Fleming.—HALIBUT.—Newfoundland to Cape Hatteras.

15705. Cast. Eastern Massachusetts. U. S. Fish Commission. Photograph. U. S. Fish Commission. Photo-engraving.

HIPPOGLOSSOIDES PLATESSOIDES, (Fabr.)—SAND DAB.

PLATYSOMATICHTHYS HIPPOGLOSSOIDES, (Walb.) Goode & Bean.—GreenLand Turbot.—Greenland.

14869. Cast. Newfoundland. E. G. Blackford. Feb., 1874. Photograph. U. S. Fish Commission. Photo-engraving.

PSETTICHTHYS MELANOSTICTUS, Girard.—California "Spotted Sole."—Coast of California.

Photographs. U.S. Fish Commission.

PLATICHTHYS STELLATUS, (Pall.) Gill.—Rough Flounder.—Coast of California.

Photograph. U. S. Fish Commission.

Color sketch. (Agassiz.) San Francisco. Prof. Alex. Agassiz. Nov., 1859.

ANACANTHINI.

MACRURIDÆ.

- MACRURUS FABRICII, Sundevall.—Onion-Fish.—North Atlantic.

 Photo-engraving.
- MACRURUS RUPESTRIS, (Bloch.)—North Atlantic.
 Photo-engraving.
- MACRURUS BAIRDII, Goode & Bean.—Spike-Tail.—North Atlantic.
 Photo-engraving.

GADIDÆ.

POLLACHIUS CARBONARIUS, (Linn.) Bon.—Pollack.—Greenland to Cape Hatteras.

Photographs. U. S. Fish Commission. Photo-engraving.

GADUS MORRHUA, Linn.—Cod-Fish.—Polar Regions to Cape Hatteras.

Color sketch. Albino. (Schindler.) Photograph. U. S. Fish Commission.

Čolor sketch. Prof. Alex. Agassiz.

22274. Cast. U. S. Fish Commission. Photo-engraving.

MICROGADUS PROXIMUS, (Girard) Gill.—Tom Cod.—Coast of California.

Photograph. U. S. Fish Commission.

MICROGADUS TOMCODUS, (Walb.) Gill.—Tom Cod; Frost-Fish.—Newfoundland to Cape Hatteras.

14884. Cast. Wood's Holl, Mass. U. S. Fish Commission. June 11, 1873. Color sketch. (Richard.) U. S. Fish Commission. Photo-engraving. MELANOGRAMMUS ÆGLEFINUS, (Linn.) Gill.—HADDOCK.—Newfoundland to Cape Hatteras.

Photograph. U. S. Fish Commission. Photo-engraving.

PHYCIS CHUSS, (Walb.) Gill.—HAKE.—Newfoundland to Cape Hatteras.

Photograph. U. S. Fish Commission.

PHYCIS TENUIS, (Mitch.) De Kay.—SQUIRREL HAKE.—Newfoundland to Cape Hatteras.

Photograph. U. S. Fish Commission. Photo-engraving.

PHYCIS CHESTERI, Goode & Bean.—Long-Finned Hake.

Photograph. U. S. Fish Commission. Photo-engraving.

PHYCIS REGIUS, (Walb.) Jord. & Gilbert.—Spotted Codling.—
Cape Cod to Cape Hatteras.
Photo-engraving.

8 8

BROSMIUS BROSME, Les.—Cusk.—Nova Scotia to Cape Cod.

16605. Cast. Boston, Mass. Wm. Prior, jr., & Co. Sept. 25, 1875.Photograph. U. S. Fish Commission.

HALOPORPHYRUS VIOLA, Goode & Bean.—Blue Hake.

Photo-engraving.

LOTA MACULOSA, (Les.) Rich.—Burbot.—Fresh waters of Northern North America.

Color sketch. (Rötter.) Prof. Alex. Agassiz. Photo-engraving.

MERLUCHDÆ.

MERLUCIUS BILINEARIS, (Mitch.) Gill.—WHITING; SILVER HAKE.—Nova Scotia to Cape Hatteras.

Photograph. U. S. Fish Commission. Color sketch. Prof. Alex. Agassiz.

LYCODIDE.

ZOARCES ANGUILLARIS (Peck) Storer.—EEL POUT.—Newfoundland to Cape Hatteras.

(Color sketch.) U. S. Fish Commission.

LYCODES TURNERII, Bean.—Alaska.

LYCODES VERRILII, Goode and Bean.—North Atlantic.

Photo-engraving.

LYCODES PAXILLUS, Goode and Bean.—North Atlantic coast.

Photo-engraving.

LYCODES VAHLII, Reinhardt.—North Atlantic.

Photo-engraving.

CRYPTACANTHIDÆ.

CRYPTACANTHODES MACULATUS, Storer.—Spotted Wrymouth. Nova Scotia to Cape Cod.

Color sketch. Alex. Agassiz. Photo-engraving.

AMMODYTIDÆ.

AMMODYTES AMERICANUS.—SAND EEL.

Photograph. U. S. Fish Commission.

STICHÆIDÆ.

EUMESOGRAMMUS SUBBIFURCATUS (Storer) Gill.—Nova Scotia to Cape Cod.

Photo-engraving.

XIPHIDIONTIDE.

MURÆNOIDES GUNELLUS, (Linn.) Goode and Bean.—Rock Eel.— Nova Scotia to Cape Hatteras.

Photo-engraving.

ANARRHICHADIDÆ.

ANARRHICHAS MINOR, Olafsen.—Wolf-Fish.—Greenland to Cape Hatteras.

Photo-engraving.

ANARRHICHAS LUPUS, Linn.—Banded Wolf-Fish.—North Atlantic.

Photo-engraving.

BATRACHIDÆ.

BATRACHUS TAU, Linn.—Toad-fish; Oyster-fish.—Nova Scotia to Gulf of Mexico.

Color sketch. (Richard.) U. S. Fish Commission.

PORICHTHYS NOTATUS. Pacific Coast.

Color sketch. (Agassiz.) Simiahmoo, Wash. Terr. Prof. Alex. Agassiz. June, 1859.

URANOSCOPIDÆ.

ASTROSCOPUS ANOPLUS (Cuv. & Val.) Brevoort.—NAKED STAR-GAZER.—New York to Florida.

Color sketch.

CYCLOPTERIDÆ.

CYCLOPTERUS LUMPUS, Linn.—LUMP-FISH.—North Atlantic.

15688. Cast. New York. E. G. Blackford. May 15, 1874. Photograph. U. S. Fish Commission.

LIPARIDIDÆ.

LIPARIS LINEATA, (Lepechin) Kroyer.—STRIPED LIPARIS.—North Atlantic.

(Color sketch.)

EUMICROTREMUS SPINOSUS, (Fabricus) Gill.—North Atlantic Coast.

Photo-engraving.

Photo-engraving.

TRIGLIDÆ.

DACTYLOPTERUS VOLITANS, (Linn.) Lacep.—FLYING GURNARD.
Temperate and Tropical Atlantic and Mediterranean.
Color sketch.

PRIONOTUS CAROLINUS, (Linn.) Cuv. & Val.—Broad-fingered Sea Robin.—Cape Cod to Florida.

Photograph. U. S. Fish Commission. Color sketch. (Burkhardt.) Prof. Alex. Agassiz.

PRIONOTUS EVOLANS, (Linn.) Gill.—STRIPED SEA ROBIN.—Cape Cod to Florida.

Photograph. U. S. Fish Commission. Color sketch. (Richard.) U. S. Fish Commission.

AGONIDÆ.

ASPIDOPHOROIDES MONOPTERYGIUS, (Bloch.) Storer.—Polar Seas and south to Connecticut.

(Pen sketch.)

COTTIDE.

COTTUS OCTODECIMSPINOSUS, Mitch.—Sculpin.—Nova Scotia to Cape Hatteras.

Photograph. U. S. Fish Commission.

COTTUS GRŒNLANDICUS, Cuv. & Val.—GREENLAND SCULPIN.—Polar Regions to Cape Cod.

Photograph. U. S. Fish Commission.

Photo-engraving.

- COTTUS ÆNEUS, Mitchill.—PIGMY SCULPIN.—New England Coast. Photograph. U. S. Fish Commission.
- URANIDEA VISCOSA, (Hald.) DeKay.—American Miller's Thumb.

Color sketch. (Roetter.) Plymouth, Mass. Prof. Alex. Agassiz. March, 1869.

MELLETES PAPILIO, Bean.—Alaska.

Photo-engraving.

CENTRIDERMICHTHYS UNCINATUS, (Reinh.) Günther.—North Atlantic.

Photo-engraving.

TRIGLOPS PINGELII, Reinh.—North Atlantic.

Photo-engraving.

HEMITRIPTERIDAE.

HEMITRIPTERUS AMERICANUS, (Gmel.) Cuvier.—Sea Rayen.— Newfoundland to New York; Seas of Japan.

15736. Cast. Wood's Holl, Mass. U. S. Fish Commission.

Photograph. U. S. Fish Commission.

Color sketch. (Richard.) U. S. Fish Commission.

Photo-engraving.

SCORPÆNIDÆ.

SEBASTES MARINUS, (Linn.) Lütken.—Norway Haddock; Hendurgan; Red Perch.—Polar Seas and south to Cape Cod.

23206. Cast. Gloucester, Mass. U. S. Fish Commission.

Photograph. U. S. Fish Commission.

Photo-engraving.

SEBASTOMUS ROSACEUS, (Girard) Gill.—Rosy Rock-fish.—Coast of California.

Photograph. U. S. Fish Commission.

SEBASTOMUS AURICULATUS, (Girard) Gill—Black-Eared Rock-FISH.—Coast of California.

Color sketch.

SEBASTOMUS FASCIATUS, (Girard) Gill.—BANDED ROCK-FISH.—Coast of California.

SEBASTOMUS ELONGATUS, (Girard) Gill.—Pacific Coast.

Color sketch. (Agassiz.) San Francisco. Prof. Alex. Agassiz. Nov., 1859.

SEBASTOSOMUS MELANOPS, (Girard) Gill.—Black-headed Rock-Fish.—Coast of California.

Color sketch. (Agassiz.) San Francisco. Prof. Alex. Agassiz. Nov., 1859.

SEBASTODES PAUCISPINIS, (Ayres) Gill.—Coast of California.

Color sketch. (Agassiz.) San Francisco. Prof. Alex. Agassiz. Nov., 1859.

CHIRUS CONSTELLATUS, (Girard) Gill.—"Rock Trout."—Coast of California.

Photograph. U. S. Fish Commission.

CHIRUS PICTUS, Girard.—Pacific Coast.

Color sketch. (Agassiz.) San Francisco. Prof. Alex. Agassiz. Nov., 1859.

CHIRUS GUTTATUS, Girard.—Coast of California.

Color sketch. Prof. Alex. Agassiz.

SCARUS RADIANS, Val.—Spanish Porgy.—West Indian Fauna.

Color sketch. (Burkhardt.) New Providence. Prof. Alex, Agassiz; F. S. Shaw. April, 1861.

SCARIDÆ.

PSEUDOSCARUS QUADRISPINOSUS, (Cuv. & Val.) Guich.—RAIN-BOW FISH.—West Indian Fauna.

Color sketch. Col. H. M. Drummond-Hay.

PSEUDOSCARUS, sp.—PARROT-FISH.—West Indian Fauna.

25100. Cast. New York market. E. G. Blackford. Color sketch. (Richard.) U. S. Fish Commission.

LABRIDÆ.

TAUTOGA ONITIS, (Linn.) Günther.—TAUTOG; BLACK-FISH.—Bay of Fundy to South Carolina.

10643. Cast. Wood's Holl, Mass. U. S. Fish Commission.

Photograph. U. S. Commission.

Color sketch. Prof. Alex. Agassiz.

Photo-engraving.

TAUTOGOLABRUS ADSPERSUS, (Walb.) Gill.—CUNNER; CHOG-SET.—Newfoundland to Cape Hatteras.

Cast. Wood's Holl, Mass. U. S. Fish Commission.

Photograph. U. S. Fish Commission.

HARPE RUFUS, (Linn.) Gill.—Spanish Lady-fish.—West Indian Fauna.

Color sketch. Col. H. M. Drummond-Hay.

CHŒROJULIS RADIATUS, (Linn.) Goode.—Blue-fish.—West Indian Fauna.

Color sketch. Col. H. M. Drummond-Hay.

LACHNOLÆMUS FALCATUS, (Linn.) Val.—West Indian Fauna.
Color sketch. Col. H. M. Drummond-Hay.

POMACENTRIDÆ.

GLYPHIDODON SAXATILIS, (Linn.) Cuv.—SERGEANT-MAJOR.—West Indian Fauna.

Color sketch. Col. H. M. Drummond-Hay.

EMBIOTOCIDÆ.

- EMBIOTOCA WEBBI, Girard.—Coast of California.

 Color sketch. U. S. Fish Commission.
- EMBIOTOUA JACKSONI, Agassiz.—Coast of California.

 Color sketch. (Agassiz.) San Francisco. Prof. Alex. Agassiz. Nov.,
 1859.
- TÆNIOTOCA LATERALIS, (Ag.) A. Ag.—Striped Perch.—Coast of California.

- DAMALICHTHYS VACCA, Girard.—Coast of California.

 Color sketch. (Agassiz.) San Francisco. Prof. Alex. Agassiz. April,
- METROGASTER AGGREGATUS, Ag.—Pacific Coast.

 Color sketch. (Female.) (Agassiz.) San Francisco, Cal. Prof. Alex.

 Agassiz. Dec., 1859.
- HYPSURUS CARYI, Ag.—Perch.—Pacific Coast.

 Color sketch. San Francisco, Cal. Prof. Alex. Agassiz. April 1, 1860.
- PHANERODON FURCATUS, Girard.—Coast of California.

 Color sketch. (Female.) (Agassiz.) San Francisco. Prof. Alex. Agassiz.

 Nov., 1859.
- AMPHISTICHUS ARGENTEUS, Ag.—Coast of California. (Color sketch.)
- AMPHISTICHUS SIMILIS, Girard.—Coast of California. (Color sketch.)

HOLCONOTUS PULCHELLUS, A. Ag.—Coast of California.

Color sketch. (Male.) (Agassiz.) San Francisco. Prof. Alex. Agassiz. April, 1860.

Color sketch. Prof. Alex. Agassiz.

HOLCONOTUS RHODOTERUS, Girard.—Coast of California.

Color sketch. (Female.) (Agassiz.) San Francisco. Prof. Alex. Agassiz. Dec., 1859.

HYPERPROSOPON ARGENTEUS, Gibbon.—Coast of California.

Color sketch. (Female.) (Agassiz.) San Francisco. Prof. Alex. Agassiz. March, 1860.

Color sketch. (Female.) (Agassiz.) San Francisco. Prof. Alex. Agassiz. April, 1860.

Color sketch. Prof. Alex. Agassiz.

CHÆTODONTIDÆ.

CHÆTODON CAPISTRATUS, Linn.—Coquette.—West Indian Fauna.

(Color sketch.)

HOLACANTHUS CILIARIS, (Linn.) Lac.—Angel-fish.—West Indian Fauna.

Color sketch. Col. H. M. Drummond-Hay.

POMACANTHUS ARCUATUS, (Linn.) Cuv.—PALOMETTA.—West Indian Fauna.

Color sketch. (Burkhardt.) Florida. Prof. Alex. Agossiz. Alive in Boston Aquarial Garden. June, 1860.

XIPHIIDÆ.

XIPHIAS GLADIUS, Linn.—Sword-Fish.—Atlantic and Mediterranean.

Swords.

TETRAPTURUS ALBIDUS, Poey.—Spike-Fish.—Cape Cod to West Indies.

Photograph. U. S. Fish Commission.

HISTIOPHORUS AMERICANUS, Cuv. & Val.—Sail-Fish.—Atlantic Coast of America.

Photograph. U. S. Fish Commission.

TRICHIURIDÆ.

TRICHIURUS LEPTURUS, Linn.—HAIR-TAIL; SCABBARD-FISH.—
Temperate and Tropical Atlantic.

SCOMBRIDÆ.

SCOMBER SCOMBRUS, Linn.—MACKEREL.—Northern Atlantic.

Photograph, U. S. Fish Commission. Color sketch, Prof. Alex, Agassiz,

- "The Mackerel." Original painting by S. A. Kilbourne for Kilbourne & Goode's "Game Fishes of the United States." Exhibited by Charles Scribner's Sons, New York.
- "The Mackerel," Lithograph in water colors. Illustration to Kilbourne & Goode's "Game Fishes of the United States." Exhibited by Charles Scribner's Sons, New York.
- SARDA PELAMYS, (Linn.) Cuv.—Bonito.—Atlantic and Mediterranean.
 - 16325. Cast. Wood's Holl, Mass. U. S. Fish Commission. Photograph. U. S. Fish Commission. Color sketch. New York. Prof. Alex. Agassiz. Oct. 20, 1847.
- ORCYNUS THYNNUS, (Linn.) Goode.—Tunny; Horse-Mackerel.— Newfoundland to Florida.

Photograph. U. S. Fish Commission. Color sketches. (Richard.) U. S. Fish Commission.

ORCYNUS ALLITERATUS, (Raf.) Gill.—LITTLE TUNNY; ALBIcore.—Pelagic.

> Photograph. U. S. Fish Commission. Color sketch. Col. H. M. Drummond-Hay.

ORCYNUS PELAMYS, (Linn.) Poey.—OCEANIC BONITO.—Temperate and Tropical Seas.

Color sketch. (Richard.) U. S. Fish Commission. Photo-engraving.

ORCYNUS ALALONGA, (Gmelin) Risso.—Long-finned Bonito.—Atlantic, Mediterranean.

Photo-engraving.

CYBIUM MACULATUM, (Mitch.) Cuv.—Spanish Mackerel.—Atlantic shores of Tropical and Temperate America.

15367. Cast. Norfolk, Va. U. S. Fish Commission. Photograph. U. S. Fish Commission.

Photo-engraving.

- "The Spanish Mackerel." Lithograph in water colors. Illustration from Kilbourne and Goode's "Game Fishes of the United States." Exhibited by Charles Scribner's Sons, New York.
- CYBIUM REGALE, (Bl.) Cuv.—Spotted Cero.—West Indian Fauna and north to Cape Cod.

Photograph.

CYBIUM CABALLA, Cuv. & Val.—Cero.—Atlantic shores of Tropical and Temperate America.

Photograph. U. S. Fish Commission. Photo-engraving.

CARANGIDÆ.

- NAUCRATES DUCTOR, L.—Temperate and Tropical Seas.
 Photo-engraving.
- VOMER SETIPINNIS, (Mitch.) Ayres.—SILVER-FISH.—Maine to Florida. West Indian Fauna.

 (Sketch.)
- ARGYREIOSUS VOMER, Lac.—SILVER-FISH.—Cape Cod to Florida, and West Indian Fauna.

 Photograph. U. S. Fish Commission.
- TRACHURUS SAURUS, (Rafinesque).—SCAD.—Europe and Massachusetts.
 Photo-engraving.
- SELENE ARGENTEA, Lac.—Moon-Fish.—Southern Coast.
 Photo-engraving.
- TRACHUROPS CRUMENOPHTHALMUS, (Bloch.) Gill.—BIG-EYED SCAD; GOGGLE-EYE.—Pelagic.

Photograph. U. S. Fish Commission. Color sketch. Col. H. M. Drummond-Hay.

- DECAPTERUS MACARELLUS, (C. & V.) Gill.—Mackerel Scad.—
 West Indian Fauna and north to Massachusetts.
 Photo-engraving.
- CARANGUS PISQUETUS, (C. & V.)—YELLOW CREVALLÉ.—Cape Cod to Florida.

Photograph. U. S. Fish Commission.

- CARANGUS HIPPOS, (Linn.) Gill.—Horse Crevallé.—Atlantic Coasts of Temperate and Tropical America, East Indian, and Australian Seas.
 - 14850. Cast. Florida. E. G. Blackford. Photograph. U. S. Fish Commission. Photo-engraving.
- CARANGUS CHRYSOS, (Mitch.) Gill.—YELLOW MACKEREL.—West Indian Fauna and north to Cape Cod.

BLEPHARIS CRINITUS, (Akerly) Gill.—Thread-fish.—West Indian Fauna and north to Cape Cod.

Photographs, U. S. Fish Commission. Color sketch. (Richard.) U. S. Fish Commission.

- TRACHYNOTUS CAROLINUS, (Linn.) Gill.—Pompano.—Atlantic Coasts of America south of Cape Cod.
 - 15809. Cast. New York market. E. G. Blackford. Photograph. U. S. Fish Commission.

"The Pompano.' 'Lithograph in water colors. Illustration for Kilbourne & Goode's "Game Fishes of the United States." Exhibited by Charles Scribner's Sons, New York.

- TRACHYNOTUS OVATUS, (Linn.) Gthr.—Round Pompano.—Pelagie.
 - 16707. Cast. New York. E. G. Blackford. Color sketch. (Schindler.) U. S. Fish Commission.
- TRACHYNOTUS GOREENSIS, Cuv. & Val.—African Pompano.—Tropical Atlantic.

23351. Cast.
Color sketch. (Richard.) U. S. Fish Commission.

TRACHYNOTUS GLAUCUS, Cuv. & Val.—Banner Pompano.—Atlantic and Pacific coasts of Tropical America.

Color sketch. (Richard.) U. S. Fish Commission.

- CHLOROSCOMBRUS CHRYSURUS, (Linn.) Gill.
 Photo-engraving.
- SERIOLA ZONATA, (Mitch.) Cuv. & Val.—BANDED RUDDER-FISH.—Cape Cod to Florida.

 Photograph. U. S. Fish Commission.
- ? SERIOLA LALANDII, C. &. V.—Amber-fish.—Atlantic Ocean; Japan.

Photograph. U. S. Fish Commission.

OLIGOPLITES OCCIDENTALIS, (Linn.) Gill.—LEATHER JACKET.—West Indies; occasional on coast.

Photograph. U. S. Fish Commission.

CORYPHENIDE.

CORYPHÆNA SUEURI, Cuv. & Val.—Dolphin.—Pelagic; occasional on coast.

Color sketch. (Richard.) U. S. Fish Commission.

CORYPHÆNA PUNCTULATA, (Cuv. & Val.) Gthr.—SMALL-SPOTTED DOLPHIN.—Pelagic; occasional on coast.

16406. Cast. Noank, Conn. J. H. Latham. Aug. 25, 1875.

NOMEIDÆ.

NOMEUS GRONOVII, (Gmel.) Günther.

Color sketch. Col. H. M. Drummond-Hay.

STROMATEIDE.

PALINURICHTHYS PERCIFORMIS, (Mitch.) Gill.—BLACK RUD-DER-FISH.—Newfoundland to Cape Hatteras.

Color sketch. (Richard.) U. S. Fish Commission.

- PORONOTUS TRIACANTHUS, (Peck.) Gill.—HARVEST-FISH; BUTTER-FISH.—Maine to Cape Hatteras.
 - 16571. Cast. Wood's Holl, Mass. U. S. Fish Commission.
 Photograph. U. S. Fish Commission.
 Color sketches. Alex. Agassiz.
- PEPRILUS ALEPIDOTUS, (Linn.) Cnv.—Short Harvest-fish.—West Indian Fauna and north to New York.

Color sketch.

LATILIDE.

- CAULOLATILUS MICROPS, Goode & Bean.—Gulf of Mexico.
 Photo-engraving.
- LOPHOLATILUS CHAMÆLEONTICEPS, Goode & Bean.

23345. Cast. Off Noman's Land. Capt. W. H. Kirby. Photo-engraving.

BERYCIDÆ.

HOLOCENTRUM RUFUM, (Linn.) Goode.—Squirrel. West Indian Fauna, accidental on coast; found at Newport, R. I.

Color sketch. Col. H. M. Drunmond-Hay.

SCIAENIDÆ.

- CYNOSCION REGALIS, (Bl.) Gill.—SQUETEAGUE; WEAK-FISH.—Cape Ann to Florida.
 - 16216. Cast. Wood's Holl, Mass. U. S. Fish Commission. July 27, 1875. Photograph. U. S. Fish Commission.
 - "The Squeteague, or Weak-Fish." Original painting in water colors by S. A. Kilbourne for Kilbourne & Goode's "Game Fishes of the United States." Exhibited by Charles Scribner's Sons, New York.
 - "The Squeteague, or Weak-Fish." Lithograph in water colors. Illustration for Kilbourne & Goode's "Game Fishes of the United States." Exhibited by Charles Scribner's Sons, New York.
- CYNOSCION CAROLINENSIS, (Cuv. & Val.) Gill.—Spotted Squeteague.—Gulf of Mexico and Southern Atlantic States.
 - 10737. Cast. Southern Coast. U. S. Fish Commission. Photograph. U. S. Fish Commission.

- POGONIAS CHROMIS, Lacep.—Drum.—Cape Cod to Florida; Gulf of Mexico.
 - 15686. Cast. Fisher's Island Sound. Charles Potter. July 10, 1874. Photograph. U. S. Fish Commission.
- HAPLOIDONOTUS GRUNNIENS, Raf.—Fresh-water Drum.—Great Lakes and Mississippi Valley.
 - 15669. Cast. Mississippi Valley. U. S. Fish Commission. Photograph. U. S. Fish Commission. Photo-engraving.
- LIOSTOMUS OBLIQUUS, (Mitch.) De Kay.—Spot.—Cape Cod to
 - 15816. Cast. Norfolk, Va. U. S. Fish Commission. Photograph. U. S. Fish Commission.
- LIOSTOMUS XANTHURUS, Lacep.—YELLOW-TAILED SPOT.—Southern Atlantic States.

Photograph. U. S. Fish Commission.

BAIRDIELLA PUNCTATA, (Linn.) Gill.—SILVER-FISH; YELLOW TAIL.—Cape Cod to Florida.

Photograph. U. S. Fish Commission.

- SCIAENOPS OCELLATUS, (Liun.) Gill.—RED BASS; SPOTTED BASS.—Cape Cod to Florida; Gulf of Mexico.
 - 15739. Cast. New York. E. G. Blackford. Photograph. U. S. Fish Commission.
- MENTICIRRUS ALBURNUS, (Linn.) Gill.—Southern King-fish.— Cape Hatteras to Florida.

Photograph. U. S. Fish Commission.

- MENTICIRRUS NEBULOSUS, (Mitch.) Gill.—King-fish.—Cape Cod to Florida.
 - 16219. Cast. Wood's Holl, Mass. U. S. Fish Commission. July 27, 1875.
 Photograph. U. S. Fish Commission.
 Color sketches. (Richard.) U. S. Fish Commission.
- MICROPOGON UNDULATUS, (Linn.) Cuv. & Val.—Croaker.—Atlantic Coasts of America south of Cape Cod.
 - 15810. Cast. Norfolk, Va. U. S. Fish Commission. July 18, 1873. Photograph. U. S. Fish Commission.

PIMELEPTERIDÆ.

PIMELEPTERUS BOSCII, Lacep.—Bream.—West Indian Fauna and north to Cape Cod.

SPARIDÆ.

- LAGODON RHOMBOIDES, (Linn.) Holbrook.—Sailor's Choice.—
 West Indian Fauna and north to Cape Cod.
 (Color sketch.)
- ARCHOSARGUS PROBATOCEPHALUS, (Walb.) Gill.—Sheeps-HEAD.—Cape Cod to Florida; Gulf of Mexico.
 - 15826. Cast. New York market. E. G. Blackford. October 14, 1875.
 Photograph. U. S. Fish Commission.
 Color sketch. (Richard.) U. S. Fish Commission.
- STENOTOMUS ARGYROPS, (Linn.) Gill.—Scuppaug; Scup; Porgy.—Cape Ann to Florida.
 - 10724. Cast. Wood's Holl, Mass. U. S. Fish Commission. Photograph. U. S. Fish Commission. Photo-engraving.
- SARGUS HOLBROOKII, Bean.—CHARLESTON BREAM.—Carolinas. Photo-engraving.

PRISTIPOMATIDE.

HÆMULON ARCUATUM, Cuv. & Val.—Blue-cheeked Redmouth.—South Atlantic Coast of United States.

14907. Cast. Florida. E. G. Blackford.

- ANISOTREMUS VIRGINICUS, (Linn.) Gill.—South Atlantic Coast of United States.

 Color sketch.
- LUTJANUS BLACKFORDII, Goode & Bean.—Red Snapper.—Gulf of Mexico and north to Savannah Bank.
 - 15700. Cast. New York market. E. G. Blackford. May 7, 1874.
 Photograph. U. S. Fish Commission.

Photo-engraving.

- "The Red Snapper." Lithograph in water colors. Illustration from Kilbourne & Goode's "Game Fishes of the United States." Exhibited by Charles Scribner's Sons, New York.
- RHOMBOPLITES AURORUBENS, (Cav. & Val.) Gill.—Mangrove Snapper.—West Indian Fauna.

Photo-engraving.

OCYURUS CHRYSURUS, (Bl.) Gill.—Golden Tail.—West Indian Fanna.

Photograph. U. S. Fish Commission.

CENTRARCHIDÆ.

EUPOMOTIS AUREUS, (Walb.) Gill & Jordan.—Sun-Fish.—Fresh waters of Eastern North America.

Photograph. U. S. Fish Commission. Color sketch. (Richard.) U. S. Fish Commission. POMOXYS NIGROMACULATUS, (Les.) Girard.—Grass Bass.—Great Lakes, Mississippi Valley, and Southern Atlantic States.

17969. Cast. Wilmington, N. C. S. F. Baird.
Photograph. U. S. Fish Commission.
Color sketch. (Richard.) U. S. Fish Commission.
Photo-engraving.

AMBLOPLITES RUPESTRIS, (Raf.) Gill.—Rock Bass.—Great Lakes and Mississippi Valley.

Photograph. U. S. Fish Commission.

MESOGONISTIUS CHÆTODON, (Baird) Gill.—Black-banded Sun Fish.—New Jersey to Maryland.

Photo-engraving.

MICROPTERUS PALLIDUS, (Raf.) Gill & Jordon.—Large-mouth Black Bass.—Great Lakes, Mississippi River and tributaries; Southern States; introduced northward.

Cast, U. S. Fish Commission.

Photograph. U. S. Fish Commission.

Photo-engraving.

"The Large-mouth Black Bass." Lithograph in water colors. Illustration from Kilbourne & Goode's "Game Fishes of the United States." Exhibited by Charles Scribner's Sons, New York.

MICROPTERUS SALMOIDES, (Lac.) Gill.—SMALL-MOUTHED BLACK BASS.—Great Lakes and Mississippi Valley; introduced eastward.

15297. Cast. Potomae River. Maj. Hobbs. Color sketch. (Richard.) U. S. Fish Commission.

PERCIDÆ.

PERCA FLUVIATILIS, L.—YELLOW PERCH.—Fresh waters of Eastern United States and Western Europe.

14976. Cast. Washington Market. G. Brown Goode. Feb. 27, 1875. Photograph. U. S. Fish Commission. Photo-engraving.

"The Yellow Perch." Lithograph in water colors. Illustration from Kilbourne & Goode's "Game Fishes of the United States." Exhibited by Charles Scribner's Sons, New York.

STIZOSTEDIUM VITREUM, (Mitch.) Jordan & Copeland, (Val.) Cope.
—Yellow Pike-Perch.—Fresh waters of Central United
States.

Color sketch. (Roetter.) Sackett's Harbor, N. Y. Prof. Alex. Agassiz. Nov., 1868.

STIZOSTEDIUM CANADENSE, (Smith) Jordan.—CANADA PIKE-PERCH.—St. Lawrence River to the Upper Missouri.

Photograph. U. S. Fish Commission.

SERRANIDÆ.

EPINEPHELUS MORIO, (Cuv.) Gill.—Red-Bellied Snapper.—West Indian Fanna and Southern Atlantic States.

Photograph. U. S. Fish Commission. Photo-engraving.

- EPINEPHELUS DRUMMOND-HAYI, Goode & Bean.—STAR SNAP-PER; JOHN PAW.—West Indian Fauna to Savannah. Color sketch. Bermuda. Col. H. Drummond-Hay.
- EPINEPHELUS NIGRITUS, Holbrook.—BLACK GROUPER.—Coast of Florida.

21329. Cast. Pensacola, Fla. Silas Stearns.

- PROMICROPS GUASA, (Poey) Gill.—Jew Fish; Guasa.—West Indian Fanna.
 - 25101. Cast. St. John's River, Fla. Middleton, Carman & Co., N. Y. Weight of fish, 700 pounds.
- CENTROPRISTIS ATRARIUS, (Linn.) Barn.—Sea Bass.—Cape Cod to Florida.
 - 15684. Cast. (Male.) Noank, Conn. U. S. Fish Commission. August, 1874.
 Photograph. U. S. Fish Commission.
 Color sketches. (Richard.) U. S. Fish Commission.
 - "The Sca Bass, or Southern Black-fish." Lithograph in water colors. Illustration for Kilbourne & Goode's "Game Fishes of the United States." Exhibited by Charles Scribner's Sons, New York.
- DIPLECTRUM FASCICULARE, (Cuv. & Val.) Holb.—SQUIRREL.—Cape Hatteras to Florida; West Indian Fauna.

Photograph. U. S. Fish Commission. Photo-engraving.

LABRACIDÆ.

ROCCUS LINEATUS, (Schn.) Gill.—STRIPED BASS; ROCK-FISH.—St. Lawrence to Florida.

Cast. Potomac River. U. S. Fish Commission.

- "The Striped Bass, or Rock-fish." Lithograph in water colors. Illustration from Kilbourne & Goode's "Game Fishes of the United States." Exhibited by Charles Scribner's Sons, New York.
- ROCCUS CHRYSOPS, (Raf.) Gill.—WHITE BASS.—Great Lakes and Mississippi Valley.
 - 15807. Cast. New York Market. E. G. Blackford. Oct. 7, 1875. Photograph. U. S. Fish Commission. Photo-engraving.

MORONE AMERICANA, (Gmel.) Gill.—White Perch.—Nova Scotia to Florida.

Photograph. U. S. Fish Commission. Photo-engraving.

EPHIPPHDÆ.

PAREPHIPPUS QUADRATUS, (Gun.) Gill.—Moon-Fish.—Cape Cod to Florida: West Indian Fauna.

14886. Cast. Norfolk, Va. U. S. Fish Commission. July, 1873. Photograph. U. S. Fish Commission.

LOBOTIDE.

LOBOTES SURINAMENSIS, Cuv.—Triple-Tail; Flasher.—Cape Cod to Florida; West and East Indies.

16202. Cast. New York market. E. G. Blackford. July 20, 1875. Photograph. U. S. Fish Commission.

POMATOMIDÆ.

POMATOMUS SALTATRIX, (Linn.) Gill.—Blue-fish.—Pelagic.

15871. Cast. Wood's Holl, Mass. V. N. Edwards. June 11, 1873.

Photograph. U. S. Fish Commission.

Color sketches. (Richard.) U. S. Fish Commission.

"The Blue Fish." Lithograph in water colors. Illustration from Kilbourne & Goode's "Game Fishes of the United States." Exhibited by Charles Scribner's Sons, New York.

ELACATIDÆ.

ELACATE CANADUS, (Linn.) Gill.—Cobia; Crab-eater.—Cape Cod to West Indies.

Photograph. U. S. Fish Commission.

PRIACANTHIDÆ.

PSEUDOPRIACANTHUS ALTUS, (Gill) Bleeker.—Short Big-Eye.
—Cape Cod to Cape Hatteras.

Photograph. U. S. Fish Commission.

ECHENEIDIDÆ.

LEPTECHENEIS NAUCRATEOIDES, (Zuiew.) Gill.—Remora; Sucker-fish.—Coast generally.

Photograph. U. S. Fish Commission.

RHOMBOCHIRUS OSTEOCHIR, (Cuv.) Gill.—Spear-fish Sucker.

—Parasite of the Bill-fish (*Tetrapturus albidus*).

Photograph. U. S. Fish Commission. Color sketches. (Richard.) U. S. Fish Commission.

SPHYRÆNIDÆ.

SPHYRÆNA BOREALIS, De Kay.—Northern Barracuda.—Cape Cod to Florida.

Photograph. U. S. Fish Commission. Photo-engraving.

SPHYRÆNA SPET, (Hany) Goode.

Color sketch. Col. H. M. Drummond-Hay.

PERCESOCES.

MINIGER BEDE.

MUGIL ALBULA, Linn.—MULLET.—Cape Cod to Florida.

15723. Cast. New York market, E. G. Blackford. Photograph. U. S. Fish Commission.

ATHERINIDÆ.

CHIROSTOMA NOTATUM, (Mitch.) Gill.—SILVER-SIDES; FRIAR.—Maine to Florida.

Photograph. U. S. Fish Commission.

HEMIBRANCHII.

GASTEROSTEIDÆ.

PYGOSTEUS OCCIDENTALIS, (Cnv. & Val.) Brevoort.—Ten-spined Stickle-back.—Newfoundland to Cape Hatteras.

Photograph. U. S. Fish Commission.

APELTES QUADRACUS, (Mitch.) Brev.—Four-spined Stickle-Back.—New Brunswick to Florida.

Photograph. U. S. Fish Commission.

AULOSTOMIDE.

AULOSTOMA MACULATUM, Val.—Trumpet-fish.—West Indian Fauna.

Color sketch. Col. H. M. Drummond-Hay.

SYNENTOGNATHI.

BELONIDÆ.

BELONE LONGIROSTRIS, (Mitch.) Gill.—Silver Gar-fish.—Cape Cod to Florida.

BELONE LATIMANUS, Poey.—SILVER GAR-FISH.—Cape Cod to Florida.

Photograph. U. S. Fish Commission.

BELONE HIANS, Cuv. & Val.—Bow-mouthed Gar-fish.—West Indian Fauna.

Color sketch. (Richard.) U. S. Fish Commission.

SCOMBERESOCIDÆ.

- EXOCETUS EXILIENS, Gmel.—BUTTERFLY FLYING-FISH.—West Indian Fauna and north to Cape Cod.

 Color sketch. Col. H. M. Drummond-Hay.
- CYPSELURUS FURCATUS, (Mitch.) Weinland.—BEARDED FLY-ING-FISH.—Atlantic.
 Color sketch. Col. H. M. Drummond-Hay.
- SCOMBERESOX SCUTELLATUS, Les.—Half-beak; Skipper.— Nova Scotia to Florida.

Color sketches. (Richard.) U. S. Fish Commission.

HAPLOMI.

ESOCEDÆ.

ESOX AMERICANUS, Gmelin.—Brook Pickerel.—Massachusetts to Maryland.

Color sketch. (Richard.) U. S. Fish Commission.

Photograph. U. S. Fish Commission.

Photo-engraving.

- ESOX RETICULATUS, Lesueur.—Pickerel.—Atlantic slope, New England to Alabama.
 - 15012. Cast. Washington, D. C. G. Brown Goode.

Photograph. U. S. Fish Commission.

Color sketch. U.S. Fish Commission.

Color sketch. (Roetter.) East Wareham, Mass. Museum of Comp. Zoology. Feb., 1869.

- ESOX LUCIUS, Linn.—PIKE.—Northern America, Asia, and Europe. 14875. Cast. Sandusky, Ohio. J. W. Milner. Nov. 3., 1873.
 Photograph. U. S. Fish Commission.
- ESOX NOBILIOR, Thompson.—Muskalonge (weight 37 pounds).—
 Great Lakes and Southern British Provinces east of Rocky Mountains.
 - 14895. Cast. Sandusky, Ohio. J. W. Milner. Oct., 1873.
 Photograph. U. S. Fish Commission.
 Color sketch. (Roetter.) Prof. A. Agassiz.

UMBRIDÆ.

DALLIA PECTORALIS, Bean. Alaska.
Photo-engraving.

CYPRINODONTIDE.

HYDRARGYRA MAJALIS, (Walb.) Val.—May-fish. Brackish waters; Cape Ann to Cape Hatteras.

Photograph. U. S. Fish Commission.

ISOSPONDYLL.

CHAULIODONTIDÆ.

CHAULIODUS SLOANEI, Schneider. North Atlantic.
Photo-engraving.

STOMIATIDE.

ECHIOSTOMA BARBATUM, Lowe. North Atlantic. Photo-engraving.

STOMIAS FEROX, Reinhardt. North Atlantic.
Photo-engraving.

SYNODONTIDE.

TRACHINOCEPHALUS MYOPS, (Schn.) Gill. Cape Hatteras to Florida.

Photo-engraving.

MICROSTOMEDÆ.

OSMERUS MORDAX, (Mitch.) Gill.—SMELT; Frost-Fish.—Nova Scotia to Cape Hatteras.

15808. Cast. Maine. U. S. Fish Commission. Photograph. U. S. Fish Commission. Photo-engraving.

ARGENTINA SYRTENSIUM, Goode & Bean.—Western Argentine.—Deep-sea Fauna of Western Atlantic.

Photo-engraving.

COREGONIDÆ.

COREGONUS CLUPEIFORMIS, (Mitch.) Milner.—White-fish.—Great Lakes and British America.

16741. Cast. Michigan. U. S. Fish Commission.
Photograph. U. S. Fish Commission.

COREGONUS LABRADORICUS, Rich.—Lake Whiting.—Northern Lakes.

Photograph. U. S. Fish Commission.

PROSOPIUM QUADRILATERALE, (Rich.) Milner.-"SHAD-WAITER." -Great Lakes and northward.

Photograph. U. S. Fish Commission.

- PROSOPIUM COUESH, Milner.—CHIEF MOUNTAIN LAKE WHITE FISH.—Upper Missouri Region.
- ARGYROSOMUS ARTEDI, (Les.) Hoy.—HERRING WHITE-FISH.— Great Lakes, etc.

Photograph. U. S. Fish Commission. Photo-engraving.

SALMONIDE.

SALMO SALAR, Linn.—SALMON.—North America and Europe.

Cast. (Delaware River.) U. S. Fish Commission.

Photograph. U. S. Fish Commission.

415. Water-color sketch. U.S. Fish Commission.

Photo-engraving.

"The Atlantic Salmon." Lithograph in water colors. Illustration from Kilbourne & Goode's "Game Fishes of the United States." Exhibited by Charles Scribner's Sons, New York.

Oil painting—"A salmon from the York River, Gaspé, Lower Canada." Exhibited by Walter M. Brackett, Boston. The scene in the background is on the York River.

SALMO SALAR, subsp. SEBAGO, Girard.—SEBAGO SALMON (landlocked)—St. Croix River and Sebago Lake. Introduced into other lakes.

15977. Cast. Sebago Lake, Me. J. R. Dillingham.

15978, Cast. Sebago Lake, Me. J. R. Dillingham. Color sketches. (Richard.) U.S. Fish Commission.

SALMO KENNERLYI, Suckley.—RED SALMON.—Pacific Coast. Photo-engraving.

SALMO QUINNAT, Richardson.—Quinnat or Sacramento Salmon. —Northwest Coast of America; south to California.

Photograph. U. S. Fish Commission.

Color sketch. (Richard.) U. S. Fish Commission.

Photo-engraving.

SALVELINUS NAMAYCUSH. (Penn.) Goode.—NAMAYCUSH TROUT; LAKE TROUT.—Northern Lakes.

10312. Cast. Moosehead Lake, Me. E. M. Stillwell.

15925. Cast.

Color sketches. (Riehard.) U. S. Fish Commission. Photograph. U. S. Fish Commission.

SALVELINUS FONTINALIS, (Mitch.) Gill & Jordan.—Brook
TROUT.—Rivers and Lakes of British North America and
of the northern parts of the United States and Appalachian Range.

15958. Cast. Bay City, Mich. U. S. Fish Commission.

15470. Cast. Sysladobsis Lake, Me. "Dobsis Club," through Judge Harvey Jewell. June, 1875.

Photograph. U. S. Fish Commission.

"The Eastern Red-speckled Trout." Lithograph in water colors. Illustration from Kilbourne & Goode's "Game Fishes of the United States," Charles Seribner's Sons, New York.

SALVELINUS OQUASSA. (Girard) Gill & Jordan.—Oquassa Trout.—Rangely Lake, Me., and vicinity.

Photograph. U. S. Fish Commission.

THYMALLUS TRICOLOR, Cope.—Michigan Grayling.—Northern portion southern peninsula of Michigan.

15226. Cast. Au Sable River, Mich. Fred. Mather. April 7, 1875. Photograph. U. S. Fish Commission.

ALEPIDOSAURIDÆ.

ALEPIDOSAURUS FEROX, Lowe.—LANCET-MOUTH.—North Atlantic.

Photo-engraving.

ALEPOCEPHALIDÆ.

ALEPOCEPHALUS BAIRDII, Goode & Bean.—North Atlantic coast.
Photo-engraving.

ALBULIDÆ.

ALBULA VULPES, (Linn.) Goode.—LADY-FISH.—Pelgaic; Tropical and Subtropical Seas.

Photograph. U. S. Fish Commission.

Photo-engraving.

HYODONTIDÆ.

HYODON TERGISUS, Les.—Moon-Eye.—Great Lakes and Mississippi Valley.

Photograph. U. S. Fish Commission.

ELOPIDÆ.

ELOPS SAURUS, Linn.—BIG-EYED HERRING.—Tropical and Subtropical Seas.

Photograph. U. S. Fish Commission.

MEGALOPS THRISSOIDES, (Schn.) Günther.—TARPUM.—Cape Cod to Florida.

Photograph. Newport, R. I. S. Powell. Aug., 1874.

CLUPEIDÆ.

BREVOORTIA TYRANNUS, (Latr.) Goode.—MENHADEN; Moss-BUNKER; POGIE.—Newfoundland to Gulf of Mexico.

Cast. Coast of Maine. U. S. Fish Commission.

Photograph. U. S. Fish Commission.

Color sketch. Prof. Alex. Agassiz.

BREVOORTIA PATRONUS, Goode.—GULF MENHADEN.—Gulf of Mexico.

Alcoholic. Pensacola, Fla. S. Stearns.

ALOSA SAPIDISSIMA, (Wilson) Storer.—Shad.—Newfoundland to Florida.

Cast. Potomac River. U. S. Fish Commission.

Photograph. U. S. Fish Commission.

POMOLOBUS VERNALIS, (Mitchill) Goode and Bean.—ALEWIFE; GASPEREAU.—Newfoundland to Florida.

Photograph.

Photo-engraving.

POMOLOBUS ÆSTIVALIS, (Mitchill) Goode and Bean.—Summer OR GLUT; ALEWIFE.

Photograph. U. S. Fish Commission.

Photo-engraving.

POMOLOBUS MEDIOCRIS, (Mitch.) Gill.—MATTOWACCA: TAILOR HERRING; SEA SHAD.—Newfoundland to Florida. Photograph. U. S. Fish Commission.

CLUPEA HARENGUS, Linn.—HERRING: SEA HERRING.—North Atlantie.

Photograph. U. S. Fish Commission.

DOROSOMIDA.

DORYSOMA CEPEDIANUM (Lac.), Gill.—MUD SHAD; WINTER SHAD.—Cape Cod to St. John's River, Fla.

15695. Cast. Washington market. G. Brown Goode. Dec., 1874. Photograph. U. S. Fish Commission.

ENGRATUIDEDE.

ENGRAULIS VITTATA, (Mitch.) B. & G.—Anchovy.—Cape Cod to Cape Hatteras.

EVENTOGNATHI.

CATOSTOMIDE.

CATOSTOMUS TERES, (Mitchill) Les.—Common Sucker.—Eastern Northern America.

Photograph, U. S. Fish Commission.

MYXOSTOMA MACROLEPIDOTUM, (Les.) Jordan.—STRIPED SUCKER.—Mississippi Valley and Great Lakes.

Photograph. U. S. Fish Commission.

CYCLEPTUS ELONGATUS, (Les.) Ag.—Black Sucker.—Mississippi Valley.

Photograph. U. S. Fish Commission.

ERIMYZON SUCETTA, (Lac.) Jordan.—Chub Sucker.—Eastern United States.

Photograph, U. S. Fish Commission.

- BUBALICHTHYS URUS, Ag.—BUFFALO CARP.—Mississippi Valley. 23555. Cast. Madison, Ind. George Spangler. Weight, 49 pounds.
- CARPIODES CYPRINUS, (Les.) Ag.—AMERICAN CARP.—Eastern United States.

16780. Cast. Sandusky, Ohic. J. W. Milner. Nov. 3, 1875.

CYPRINIDÆ.

PTYCHOCHEILUS GRANDIS, (Ayres) Girard.—"PIKE."—Pacific Slope.

Photograph. U. S. Fish Commission.

NOTEMIGONUS CHRYSOLEUCUS, (Mitch.) Jordan.—Shiner.— Eastern Atlantic States.

Color sketch. (Richard.) U. S. Fish Commission.

LEUCISCUS PULCHELLUS, Storer.

Color sketch. (Burkhardt.) New Bedford, Mass. Prof. Alex. Agassiz. 1861.

ORDER NEMATOGNATHI.

SHURIDÆ.

AMIURUS CATUS, (Linn.) Gill.—Horn Pout.—Eastern North America.

Color sketch. Prof. Alex. Agassiz. Natural size drawing by P. Roetter from a fresh specimen, East Wareham, Mass., Feb., 1869; weight, 1½ lbs. "S. T. Tisdale says he has seen the young of this species following the mother like a brood of chickens."—MS. note.

ICHTHÆLURUS FURCATUS, (C. & V.) Gill.—CHANNEL CAT-FISH.—
Mississippi Valley.

15787. Cast. Carrollton, Ky. J. W. Milner. Nov. 5, 1873.

AMIURUS PONDEROSUS, Bean.

23388. Cast. St. Louis, Mo. J. G. W. Steedman. Weight. 150 pounds.

ORDER APODES.

CONGRIDÆ.

CONGER OCEANICA, (Mitch.) Gill.—Conger Eel.—Newfoundland to West Indies.

Photograph. U. S. Fish Commission.

ANGUELLEDE.

ANGUILLA VULGARIS, Turton.—Common Eel.—Eastern United States.

15731. Cast. New York. E. G. Blackford. Aug. 26, 1874.
 Photograph. U. S. Fish Commission.
 Color sketches. (Richard.) U. S. Fish Commission.

NEMICHTHYIDÆ.

NEMICHTHYS SCOLOPACEUS Rich.—SNIPE EEL.—Deep waters of the Atlantic.

Photo-engraving. •

SYNAPHOBRANCHIDÆ.

SYNAPHOBRANCHUS PINNATUS, (Gronow) Günther.—Madeira Eel.—Deep waters of the Atlantic.

Photo-engraving.

SIMENCHELYIDÆ.

SIMENCHELYS PARASITICUS, Gill.—Pug-nosed Eel.—North Atlantic Coast.

Photo-engraving.

ORDER CYCLOGANOIDEI.

AMIIDÆ.

AMIA CALVA, Linn.—Mud-Fish.—Central and Southeastern United States.

ORDER RHOMBOGANOIDEI.

LEPIDOSTEIDÆ.

LEPIDOSTEUS OSSEUS, Linn.—GAR PIKE.—Mississippi Valley and Atlantic States south of Delaware River.

15366. Cast. Potomac River. J. W. Milner. Photograph. U. S. Fish Commission.

LEPIDOSTEUS PLATYSTOMUS, Raf.—SHORT-NOSED GAR PIKE.—
Great Lakes and streams south and west to the Rocky
Mountains.

Photo-engraving.

ORDER SELACHOSTOML

POLYODONTIDE.

POLYODON FOLIUM, Lac.—Paddle-Fish.—Fresh waters of Mississippi Valley.

Photograph. U. S. Fish Commission. Photo-engraving.

ORDER CHONDROSTEL

ACIPENSERIDÆ.

ACIPENSER STURIO, Linn.—Sharp-nosed Sturgeon.—North Atlantic; ascending rivers.

14877. Potomac River. J. W. Milner. Photograph. U. S. Fish Commission.

ACIPENSER BREVIROSTRIS, Les.—Short-nosed Sturgeon.—Atlantic Coast of United States.

Photograph. U. S. Fish Commission.

ACIPENSER RUBICUNDUS, Les.—LAKE STURGEON.—Great Lakes and south.

Photograph. U. S. Fish Commission.

SCAPHYRHYNCHOPS PLATYRHYNCHUS, (Raf.) Gill.—Shovelnosed Sturgeon.—Mississippi Valley.

VI. ELASMOBRANCHIATES.

ORDER HOLOCEPHALI.

CHIMERIDÆ.

CHIMÆRA PLUMBEA, Gill.—Brown Chimæra.—Deep waters of Western Atlantic.

Photo-engraving. Color sketch.

ORDER RAIÆ.

MYLIOBATIDE.

MYLIOBATIS FREMENVILLEI, (Les.) Storer.—EAGLE RAY.—Cape Cod to Florida.

16603. Cast. Wood's Holl, Mass. U. S. Fish Commission. Sept. 23, 1875.
 Photograph. U. S. Fish Commission.
 Color sketch. (Richard.) U. S. Fish Commission.

MYLIOBATIS CALIFORNICUS, Gill.—California Sting Ray.—Coast of California.

Photograph. U. S. Fish Commission.

RHINOPTERA QUADRILOBA, (Les.) Cuv.—Cow-nosed Ray.—Cape Cod to Florida.

Photograph. U. S. Fish Commission.

ÆTOBATIS NARINARI, (Euphr.) M. & H.

Color sketch. Col. H. W. Drummond-Hay.

TRYGONIDÆ.

TRYGON CENTRURA, (Mitch.) Gill.—STING RAY.—Cape Cod to Florida.

Photograph. U. S. Fish Commission.

PTEROPLATEA MACLURA, Mull. & Henle.—Butterfly Ray.—Cape Cod to Florida.

Photograph. U. S. Fish Commission.

TORPEDINIDÆ.

TORPEDO OCCIDENTALIS, Storer.—Torpedo; Cramp-fish.—Cape Cod to Florida.

RAHIDÆ.

RAIA ERINACEA, Mitchill.—CLEAR-NOSED SKATE.—Nova Scotia to Florida.

> Photograph. U. S. Fish Commission. Color sketches. U. S. Fish Commission. Color sketches. Prof. Alex. Agassiz.

RAIA OCELLATA, Mitchill.—Spotted Skate.—New England Coast.

Color sketch, Richard, U. S. Fish Commission. Photo-engraving.

RAIA GRANULATA, Gill.—North Atlantic Coast. Photo-engraving.

RAIA LÆVIS, Mitch.—SHARP-NOSED SKATE.—Nova Scotia to Florida. Photograph. U. S. Fish Commission.

RHINOBATIDAE.

RHINOBATUS PRODUCTUS, Girard.—Long-nosed Skate.—Coast of California.

Photograph. U. S. Fish Commission.

PRESTED A.

PRISTIS ANTIQUORUM, (Lmn.) Lath.—Saw-fish.—Cape Cod to Florida; Tropical Seas.

12453. Stuffed skin. Florida. H. A. Ward.

SQUATENEDÆ.

SQUATINA DUMERILI, Les.—Monk-fish; Fiddle-fish.—Cape Cod to Florida; Temperate and Tropical Seas.

Photograph. U. S. Fish Commission.

ORDER SQUALI.

LANNIDE.

LAMNA CORNUBICA, MACKEREL SHARK. Newfoundland to Florida.

Color sketch. (Richard.) U. S. Fish Commission.

ODONTASPIDIDÆ.

CARCHARIAS LITTORALIS, (Mitchill.)—SAND SHARK.—Pelagic. Photograph. U. S. Fish Commission.

ALOPECIDÆ.

ALOPIAS VULPES, (Linn.) Bon.—Thresher; Swingle-tail.—At-lantic and Mediterranean.

15733. Cast. Wood's Holl, Mass. U. S. Fish Commission.

SPHYRNIDÆ.

SPHYRNA ZYGÆNA, (Linn.) Mull. & Henle.—HAMMER-HEAD SHARK.—Tropical and Subtropical Seas.

Color sketch. (Richard.) U. S. Fish Commission.

RENICEPS TIBURO, (Linn.) Gill.—Shovel-head Shark.—Atlantic and Western Pacific.

Color sketch.

GALEORHINIDÆ.

ISOGOMPHODON MACULIPINNIS, Poey.—Spotted-fin Shark.— Tropical and Subtropical Seas.

Color sketch. (Richard.) U. S. Fish Commission.

GALEOCERDO TIGRINUS, Mull & Henle.—Tiger Shark.—Atlantic; Indian Ocean.

Photograph. U. S. Fish Commission.

MUSTELUS CANIS, (Mitch.) De Kay.—Smooth Dog-Fish.—Cape
Cod to Cape Hatteras.

Photograph. U. S. Fish Commission.

GINGLYMOSTOMATIDÆ.

GINGLYMOSTOMA CIRRATUM, (Gmel.) M. & H.—Nurse-shark.— Tropical Atlantic.

Color sketch.

SPINACIDÆ.

SQUALUS AMERICANUS, (Storer) Gill.—Spined Dog-fish.—Newfoundland to Cape Hatteras.

Photograph. U. S. Fish Commission.

SCYMNIDA.

SOMNIOSUS MICROCEPHALUS, (Bloch.) Gill.—SLEEPER SHARK.—North Atlantic.

VII. MARSIPOBRANCHIATES.

ORDER, HYPEROARTIA.

PETROMYZONTIDÆ.

PETROMYZON AMERICANUS.—LAMPREY EEL.

Color sketches. (Richard.) U. S. Fish Commisson.

INVERTEBRATES. I. MOLLUSKS.

Note.—As a matter of convenience all invertebrates, except oysters, are aranged in Section E of this catalogue. The collections of economic invertebrates were prepared by Mr. William H. Dall for the International Exhibition of 1876 in Philadelphia, and the arrangement is that proposed by him.

ORDER, ACEPHALA.

OSTREA VIRGINICA, Gmelin.—EAST AMERICAN OYSTERS.

- 1. Series illustrating geographical distribution.
 - 32784. Northern variety (O. borcalis, Lam.) Prince Edward's Island. J. W. Dawson.
 - 32813. Nova Scotia. J. H. Willis.
 - 32785, Shediac, New Brunswick, W. H. Dall.
 - 33092, "Pourrier Bed." Shediac, New Brunswick. G. F. Mathew.
 - 33093. "Buctouche." Kent County, New Brunswick. G. F. Mathew.
 - 32783. Miramichi River, New Brunswick. W. H. Dall.
 - 32977. Indigenous oyster, now extinct. Shell-heaps. Damariscotta, Maine. Robert Dixon.
 - 32978, Ditto. Shell-heaps. Sheepscot River, Maine. Robert Dixon.
 - 32810. Indigenous oyster (var. borealis). Buzzard's Bay, Mass. Dr. Wm. Stimpson.
 - 32814. Specimens showing color-bands. Rhode Island. General Totten.
 - Note.—The following series of oysters from the vicinity of New York were furnished by Mr. B. J. M. Carley, oyster-dealer, of Fulton Market, New York, through Mr. E. G. Blackford:
 - 32790. "Greenwich." Greenwich, Conn.
 - 32777. "Blue Point." Long Island, New York.
 - 32779. "Lloyd's Harbor." Long Island, New York.
 - 32781. "Cow Bay." Long Island, New York.
 - 32791. "Glenwood." Glenwood, Long Island, New York.
 - 32812, "Cove." Long Island, New York.
 - 32920. "City Island." Long Island Sound. New York.

32919. "Mill Pond." Cow Bay, Long Island, New York.

32778. "Shrewsburys." Shrewsbury River, New Jersey.

32915. "Egg Island." Three years old. Morris Cove, Delaware.

33788. "Chesapeake." Crisfield, Md. E. G. Blackford.

32976. Pokamoke, Virginia. E. G. Blackford.

Note.—The following series from the waters of Virginia and Maryland, all indigenous or "natural growths" as distinguished from "plants," were selected by Mr. G. W. Harvey, and furnished by Harvey & Holden, oyster-dealers of Washington, D. C.:

33096. "St. Gerome River." Maryland.

33097. "Deep Creek." Eastern shore of Maryland.

33098. "Tangier Sound." Chesapeake Bay.

33100. "Little River." Western shore of Maryland.

33099. "Point Lookout Creek." Virginia.

33101. "Naswaddox." Eastern shore of Virginia.

33095. "Rappahannock." Rappahannock River, Virginia.

33103. "York River." York River, Virginia.

33104. "Cherrystones." Chesapeake Bay.

33102. "Presby's Creek," Presby's Creek, Virginia.

The following series from Florida were furnished by Kossuth Niles, U. S. N.:

32805. "Appalachicola Bay." Appalachicola Bay, Florida.

32806, "Cat Point." Same locality.

32807. — Same locality.

32808. "Raccoon oysters." Appalachicola Bay, Florida.

The following series from the vicinity of New Orleans were selected by M. Zatarain, and furnished by W. Alex. Gordon, esq., of New Orleans, La.:

32800. "Timbalier Bay." Louisiana.

32801. "Southwest Pass." Louisiana.

32802, "Bayon Cook," Louisiana.

32803. "Four Bayons." Louisiana.

32804. "Grand Lake." Louisiana.

2. Series illustrating culture and individual variations:

That portion of the series from South Norwalk, Conn., was furnished by Hoyt Bros. of that place, at the instance of James Richardson, esq. The portion of the series from the vicinity of New York was furnished by Mr. J. B. M. Carley through Mr. E. G. Blackford, of New York.

a. Growth. 1-20 years old:

32958. Young spat on various stools. South Norwalk, Conn.

32957. One year old. South Norwalk, Conn.

32967. Two to three years old. Natural growth. South Norwalk, Conn.

32968. Three to four years old. Natural growth. South Norwalk, Conn.

32965. "Cullers." Three to four years old. South Norwalk, Conn.

32962. Three years after transplantation. South Norwalk, Conn.

32964, "Box." Four to six years old. South Norwalk, Conn.

32916. "Cullers." Three years old. Vicinity of New York.

32918. "Single extra." Four years old. Vicinity of New York.

32776. "Double extra." Vicinity of New York.

32917. "Box." Three years old. Vicinity of New York.

b. Peculiarities of form and growth:

32959. "Pinched" oyster from muddy bottom. South Norwalk, Conn.

32930. Showing the effect of transplanting the "pinched" from a muddy to a hard bottom. South Norwalk, Conn.

32787. Form caused by growing in a tideway. Vicinity of New York. 32786. Form caused by growing in still water. Vicinity of New York.

32974. Curious forms of shell. South Norwalk, Conn.

32782. Peculiar growth. Vicinity of New York.

32795. Specimens of peculiar form. Vicinity of New York.

32971. Natural growth on stone. South Norwalk, Conn.

32973. Natural growth on part of stone jug. South Norwalk, Conn.

32972. Natural growth on shells. South Norwalk, Conn. 32970. Natural growth on bottle. South Norwalk, Conn.

32969. Natural growth on crab. South Norwalk, Conn.

32780. Illustrating methods of attachment. Vicinity of New York.

32914. Blue Point "seed." Long Island, New York.

32789. Rosette of oysters. Vicinity of New York.

32792. Shell growing on Mactra shell. Vicinity of New York.

32794. "Seed" on old rubber boot. Vicinity of New York.

32793. "Seed" growing on stone. Vicinity of New York.

32895. "Seed" on rubber shoe. Vicinity of New York.

32894, "Seed" on bone. Vicinity of New York.

32797. "Seed" on bark. Vicinity of New York.

32796, "Seed" on leather shoe. Vicinity of New York.

32932. "Seed" on old boot-leg. Vicinity of New York.

c. Enemies and parasites:

32927. Specimens injured by whelk. South Norwalk, Conu.

32929. Specimens injured by hairy whelk. Sonth Norwalk, Conn.

32928. Specimens perforited by "drill." South Norwalk, Conn.

32963a. Specimen injured by boring worm (an Annelid). South Norwalk, Conn.

32956. Specimens killed by star-fish. South Norwalk, Conn.

32963. Specimens showing ravages of Cliona or boring sponge. South Norwalk, Conn.

For commensal erab, see Crustacea.

33092a. Lime derived from oyster shells. Use in medicine and as a fertilizer, Washington, D. C. W. H. Dall.

> SERIES OF ILLUSTRATIONS OF THE EMBRYOLOGY OF THE AMERICAN OYSTER, PREPARED FOR THE MARYLAND FISH COM-MISSION BY DR. W. K. BROOKS, PH. D., OF JOHNS HOPKINS UNI-VEBSITY, BALTIMORE.

EXPLANATION OF THE FIGURES.

Unless the contrary is stated, the figures are drawn with a magnifying power of 250 diameters; Zeiss. F. 2, but it was necessary to amplify the sketches considerably in order to reproduce, by the process of photo-engraving, the features which this magnifying power rendered visible, and the figures as they are reproduced are of about twice the diameter of camera sketches made with the same magnifying power.

The first thirty-two figures show the process of segmentation. Figure 1 is an egg at the end of the first period of rest; Figures 2, 3, 4, 5, 6, and 7, the changes during the first period of activity; Figures 8, 9, 10, 11, 12, and 13, the changes during the second period of rest; Figures 14, 15, and 16, those which take place during the second period of activity; 17, 18, and 19, those which take place during the third period of rest; 20 and 21, during the third period of activity; 22, during the fourth period of activity; 23, during the fifth period of activity, and the remaining figures show more widely separated stages. In all the figures of segmentation, except 29, 30, and 31, the formative pole is above and the nutritive pole below.

Figure 1.—Eggs two hours and seven minutes after fertilization. It is now perfectly spherical, with an external membrane, and the germinative vesicle is not visible.

Figure 2.—The same egg two minutes later. It is now elongated: one end is wider than the other, and a transparent area at the broad end marks the point where the polar globules are about to appear. At the opposite end the external membrane is wrinkled by waves which run from the nutritive towards the formative pole in rapid succession for about fifteen seconds.

Figure 3.—The same egg two minutes later.

Figure 4.—The same egg two minutes later. The yolk has become pear-shaped. The polar globule has appeared at the formative pole, in the middle of the broad end of the pear, and the nutritive end of the egg is now less granular than the formative end.

Figure 5.—The same egg two minutes later. Three equidistant furrows have made their appearance, separating it into a single mass at the nutritive pole, and two at the formative pole. At this stage the three masses are about equal in size.

Figure 6.—The same egg two minutes later. The first micromere, c, is now perfectly separated, and smaller than the second, b, and each is smaller than the macromere, a.

Figure 7.—The same egg one minute later. Both micromeres are separated and are spherical, as is also the macromere. This stage ends the first period of activity.

Figure 8.—The same egg forty-five seconds later. The two micromeres have begun to fuse with each other, and the second micromere, b, is also partially fused with the macromere, a.

Figure 9.—The same egg one minute later. The first micromere, e, has also begun to unite with the macromere.

Figure 10.—The same egg one minute later. The line between the second micromere and macromere has disappeared, and the first micromere, c, now projects from one end of the elongated mass formed by the union of the spherules a and b.

Figure 11.—The same egg three minutes later. The fusion of a and b is now complete, and a large transparent vesicle is now visible in the first micromere, c, and another in the compound mass, ab.

Figure 12.—The same egg two minutes and thirty seconds later. Figure 13.—Another egg, about two minutes later. This is the true resting stage, at the end of the second period of rest. The two vesicles have become irregular. The remains of an external membrane adhere to one side of the egg.

Figure 14.—The same egg seven minutes later than Figure 13. The compound mass, a and b, is clongated, the first micromere, c, is well defined, and waves travel from the nutritive towards the formative ends of the two masses. Two segmentation nuclei oc-

cupy the positions of the large vesicles of earlier stages. This stage is the beginning of the second period of activity.

Figure 15.—The same egg one minute later. The second micromere, b, is now well defined, as well as the first.

Figure 16.—The same egg one minute later. This stage marks the end of the second period of activity. The formative end of the egg is now occupied by four micromeres, two of which seem to be the products of the division of the first micromere, c, and two of them the products of the second, b.

Figure 17.—The same egg two minutes later, at the commencement of the third period of rest. The second micromere, b, has again begun to fuse with the macromere, a.

Figure 18.—The same egg three minutes and thirty seconds later. The second micromere is no longer separated from the macromere, and mass, a and b, formed by their union is nearly spherical.

Figure 19.—The same egg two minutes and a half later, at the end of the third period of rest, viewed at right angles to Figure 18.

Figure 20.—The same egg thirteen minutes later, and in the same position as Figure 18. The spherule, c, of figure 19 has divided into two, and the second micromere, b, has become prominent, so that there are five micromeres at the formative pole.

Figure 21.—The same egg one minute later, and in the same position as figure 19.

Figure 22.—The same egg in the position of figure 20, fifteen minutes later than figure 21, and in the fourth period of activity. There are now seven micromeres at the formative pole, six on one side of the polar globules and one, the second micromere, b, on the other.

Figure 23.—The same egg twenty-one minutes later, viewed from the side opposite the second micromere. The cells which have been formed by the division of the micromeres of the stage 19 now form a layer, the ectoderm, which rests, like a cap, on the macromere, a.

Figure 24.—The same egg five hours and fifteen minutes later, in the same position as figure 22, but not quite as much magnified. On one side the polar globule is still separated from the macromere, a, by a single spherule—the second micromere, b. Opposite this the growing edge, g, of the ectoderm is spreading still farther down over the macromere. At the point g, and at four other points, are pairs of small cells, which have evidently been formed by the division of the larger spherules.

Figure 25.—Another egg at about the same stage.

Figure 26.—The egg shown in figure 24, fifty-five minutes later. The macromere, a, is almost covered by the ectoderm, and the second micromere, b, has divided into a number of spherules. At the growing edge, g, an ectoderm spherule is seen separating from the macromere.

Figure 27.—A similar view of an egg twenty-seven hours after impregnation. The macromere is almost covered by the ectoderm, cc, and is not visible in a side surface view. At g is an ectoderm spherule, which is separating from the macromere.

Figure 28.—Optical section of the same egg; ec, ectoderm; en, macromere, divided into two spherules. No segmentation cavity can be seen in a normal egg at this or any of the preceding stages.

Figure 29.—View of the nutritive pole of an egg a few hours older.

Figure 30.—View of the formative pole of a still older egg.

Figure 31.—Optical vertical section of a somewhat older egg, figured with the polar globule above and the ectoderm to the right. The egg is now flattened from above downwards, and is disk-shaped in a surface view. The macromere has given rise to a layer of larger granular cells, which are pushed in so as to form a large cup-shaped depression. The more transparent ectoderm, ec, now carries a few short cilia scattered irregularly, and the two layers are separated from each other by a segmentation cavity. This figure is in plate III.

Figure 32.—Surface view, and

Figure 33.—Optical section of the embryo at the first swimming stage. The ectoderm has folded upon the endoderm, so as to form a primitive digestive cavity, with an external opening, g. The cilia of the volum have now made their appearance around the area occupied by the polar globule. This was not present in the egg from which the figure was drawn, but it was seen in other eggs, and is shown in a later stage of another embryo, figure 6.

Figure 34 and figure 35.—Two surface views of the embryo shown in figure 32.

Figure 36.—An older embryo, in the same position as figures 32 and 33. The external opening of the primitive digestive tract has closed up, and the two valves of the shell have appeared in the place which it had occupied. The endoderm has no connection the exterior, and no central cavity could be seen.

Figure 37.—A somewhat older embryo, figured with its dorsal surface above. There is a large, central, ciliated digestive eavity which opens externally by the mouth, \hat{m} , which is almost directly opposite the primitive opening, the position of which is shown by the shell, s.

Figure 38.—A similar view of a still older embryo. The shell, s, has increased in size, and the digestive tract has two openings, the mouth, m, and the anus, an, which are very near each other on the ventral surface.

Figure 39.—The opposite side of a still older embryo, in which the body wall begins to fold under the shell, to form the mantle, m.

Figure 40.—Dorsal view of an embryo at about the same stage. Figure 41.—Dorsal view of an embryo at the stage shown in Figure 38, with its valves extended; rs, right valve of shell; ls, left valve of shell; an, anus; a, anal papilla; ma. mantle; r, velum; b, body cavity; st, stomach.

Figure 42.—View of left side of a still older embryo; i, intestine. Other letters as in Figure 41.

Figure 43.—Dorsal view of an embryo six days old, swimming by the cilia of its velum.

Figure 44.—View of right side of another embryo at the same stage; mu, muscles; l, liver. Other letters as in Figure 41.

Figure 48.—The seminal fluid of a ripe male oyster, mixed with water, and seen with a power of 80 diameters. Zeiss. a. 2.

Figure 49.—Fluid from the ovary of a ripe female oyster, seen with the same magnifying power.

Figure 50.—Seminal fluid of a ripe male oyster, magnified 500 diameters.

Figure 51.—Egg a few minutes after mixture with the male fluid magnified 500 diameters.

Figure 52.—Egg about thirty minutes after fertilization magnified 500 diameters.

Figure 67.—Section of a portion of the visecral mass of a male oyster magnified 250 diameters. The surface epithelium of the body is shown at the lower end of the figure. Above this is a loose, thick layer of wrinkled cells, which have the appearance of adipose cells from which all the fat has been removed. Above this layer is a large duct, lined with epithelial cells, and filled with ripe spermatozoa, which have been poured into it from two follicles which communicate with it on each side. Above this are sections of a number of the follicles of the testis, in three of which the contents are figured.

Figure 53.—Section of a portion of the viscera mass of a female oyster magnified 250 diameters; a, epithelium of the surface of the body; b, layer of connective tissne; c, layer of wrinkled cells, which are probably fat cells, from which all the fat has been removed; f, sections of ten ovarian follicles; e, the ovarian eggs. Figures 54-66.—Abnormal or direct form of segmentation.

OSTREA LURIDA, Cpr.—West coast oysters.

32879. Natives. Crescent City, Cal. W. H. Dall.

32809. Natives. Shoalwater Bay, W. T. H. Hemphill.

32798. Natives. San Diego, Cal. H. Hemphill.

32798. Eastern oyster (O. virginica). Taken from Newark Bay, N. J., when a year old and planted in San Francisco Bay; showing two years' growth in California waters.

Extra-limital:

32878. Fossil oyster from marine Tertiary beds near Vicksburg, Miss. Closely resembling the present English oyster.

32311. Fresh specimen, English oyster (O. edulis, Linn.). Introduced for comparison with the American fossil and recent oysters. North Sea. Dr. Wm. Stimpson.

MARINE PLANTS. I. ALGÆ.

39126. Three portfolios of Algae of North America, prepared by Prof. D. C. Eaton, Dr. C. L. Anderson, and Dr. W. G. Farlow.

SECTION B.

FISHING GROUNDS OF NORTH AMERICA.

I. MODELS AND MAPS OF FISHING GROUNDS.

Relief model of the off-shore banks of the United States, showing the contours to a depth of 2,800 fathoms.

Prepared for the U. S. Fish Commission by Mr. C. Lindenkohl.

(See also the maps and charts exhibited elsewhere in the collection.)

H. MAPS SHOWING GEOGRAPHICAL DISTRIBUTION.

Prepared by G. Brown Goode, drawn by C. E. Gorham.

- No. 1. Provisional map showing Geographical Distribution of the fishes of the Salmon Family in the Eastern United States.
- No. 2. Provisional map showing the geographical distribution of the cod (Gadus morrhua), and the locations of the fishing grounds and fishing ports.

No. 3. Provisional map showing the geographical distribution of the Halibut, (*Hippoglossus vulgaris*), on the coast of North America and the principal fishing grounds in 1879.

- No. 4. Provisional map showing the geographical distribution of the Mackerel (*Scomber scombrus*), its seasonal movements, and the fishing grounds and fishing ports.
- No. 5. Map showing the geographical distribution of the Menhaden (*Brevoortia tyrannus*) in 1879, with the location of the fishing grounds and the oil and guano factories.
- No. 6. Provisional map showing the Geographical Distribution of the fishes of the Herring family in Eastern North America.
- No. 7. Provisional map showing the Geographical Range of the principal fishes of the Mackerel tribe (Scombridae and Carangidae) in Eastern North America.
- No. 8. Map showing the distribution of the oyster beds on the coast of New England and Nova Scotia, from data furnished by Mr. Ernest Ingersoll.
- No. 9. Map showing the distribution of the oyster beds of Maryland. From the explorations of the United States Coast Survey.
- No. 10. Map showing the obstructions to the ascent of fish in the rivers of Maine. 1876. Compiled by C. G. Atkins and E. M. Stilwell.

- III. SERIES OF WATER-COLOR SKTCHES, SHOWING THE BREEDING GROUNDS OF THE FUR SEAL (CALLIRHINUS URSINUS) ON THE PRYBILOFF ISLANDS, ALASKA. SKETCHED BY HENRY W. ELLIOTT FROM NATURE, AND EXHIBITED BY THE ALASKA COMMERCIAL COMPANY OF SAN FRANCISCO, CALIFORNIA.
- No. 1. The Fur Scal Rookery. "REEF POINT." A view of one of the seven large fur scal breeding grounds on St. Paul's Island, Prybilov group, Alaska.
- No. 2. Gathering the Drive. Seal drovers making the daily selection of seals for slaughter on Zoltoi sands, one of the twelve hauling grounds of the fur seal on St. Paul's Island, Alaska.
- No. 3. The Drive in Motion. Fur seals being driven up to the slaughtering field near the village, St. Paul's Island, Alaska.
- No. 4. The Killing Field. Natives slaughtering the fur seals; the skinned carcasses, &c., on the killing ground near the village, St. Paul's Island, Alaska.
- No. 5. Fur Seals Approaching their Breeding Grounds. View of the manner in which the fur seals approach the Prybilov Islands, Alaska, while at sea.

SECTION C.

(THE FISHERIES.)

MEANS OF PURSUIT AND CAPTURE.

I. HAND IMPLEMENTS OR TOOLS.

1. Clubs.

UNARMED CLUBS.

Salmon clubs used by the Indians of the Northwest coast.

651. Salmon-club. N. W. Coast. Geo. Gibbs.

Fishermen's clubs.

32717. "Halibut killer and gob-stick." Philip Merchant, Gloucester, Mass. A heavy club with which the fisherman kills the halibut by a blow upon the head. One end is sharpened for use in detaching hooks from the gullets of fish which have swallowed them.

2. Knives.

STRAIGHT KNIVES.

Splitting and ripping knives.

29401. Double-edged throating and ripping knife. A. McCurdy, Gloucester, Mass.

29403. Double-edged throating-knife (old style). G. B. Foster, Beverly, Mass.

29409. Throating or ripping knife. A. McCurdy, Gloucester, Mass.

29411. Throating or ripping knife. Capt. E. L. Rowe, Gloucester, Mass.

29416. Double-edged ripping-knife (peculiar to coast of Maine). Wilcox, Crittenden & Co., Middletown, Conn.

29402. Mackerel-splitting knife. A. McCurdy, Gloucester, Mass.

29408. Mackerel-splitting knife. Capt. Sam. Elwell, Gloucester, Mass.

29404. Codfish-splitting knife. A. McCurdy, Gloncester, Mass.

29413. Cod or haddock ripping knife (old style). G. P. Foster, Beverly, Mass.

29414. Hake or haddock splitting knife. A. McCurdy, Gloucester, Mass.

29415. Haddock-ripping knife. A. McCurdy, Gloucester, Mass.

Boarding-knives used by whalemen.

Used in cutting the blubber into sections from the "blanket piece" or longstrip which is peeled from the sides of the whale.

25676. Boarding-knife. W. H. Cook & Co., New Bedford, Mass. "This knife has seen many years of service."—A. R. C.

26608. Boarding-knife, with sheath. A. R. Crittenden, Middletown, Conn.

TRAIGHT KNIVES.

Whalemen's boat-knives.

Used to cut the harpoon-line when it gets tangled in paying out.

--- Boat-knife (model). Capt. L. Howland, New Bedford.

Heading-knives.

32689. Halibut-heading knife. Adolph Voss, Gloucester, Mass.

Finning knives.

29400. Halibut-finning knife. Alex. McCurdy, Gloucester, Mass.

29412. Halibut-finning knife. Capt. E. L. Rowe, Gloucester, Mass.

Chopping-knives.

39180. Bait-chopper. (New style). Alexander McCurdy, Gloucester, Mass.

29406. Bait-cleaver (used in halibut fishing). Alex. McCurdy, Gloucester,
Mass.

32665, Cod-bait knife. Gloucester, Mass. U. S. Fish Commission.

32664. Bait-eleaver.

32672. Mackerel-bait knife (small). U. S. Fish Commission.

32671. Mackerel-bait knife (large). U. S. Fish Commission.

Cheek-knives.

29438. Codfish eheek-knife. Alex. McCurdy, Gloucester, Mass.

Throating-knives.

32669. Cod-throater (single edge). Gloucester, Mass. U.S. Fish Commission.

32670. Cod-throater (double edge).

Fish-knives (for general use).

26159. Fish-knife. Heavy. 12-inch blade. John Russell Cutlery Co. Turner's Falls, Mass.

26196, Fish-knife, Hook handle, 12-inch blade, John Russell Cutlery Co., Turner's Falls, Mass,

Scaling-knives.

26210. Saw-blade fish-scaling knife. John Russell Cutlery Co., Turner's Falls, Mass.

Sailors' and fishermen's sheath-knives.

Sailors' sheath-knives. Wilcox, Crittenden & Co., Middletown, Conn.

29428. Sheath and belt, with "law-abiding" sheath-knife. First quality.

29426. Sheath and belt. Second quality.

29427. Sheath and belt, with "law-abiding" sheath-knife. Third quality.

The "law-abiding" sheath-knife is round at the tip of the blade,
which is also thick and dull.

Slivering-knives, used by fishermen.

These knives are used to slice the flesh from the sides of the menhaden used for bait. The slices thus prepared are called "slivers," and are salted down in barrels to be used as baits for cod, halibut, and mackeral hooks, or are ground up in the bait-mills, forming "stosh" or "chum," a thick paste which

STRAIGHT KNIVES.

Slivering-knives used by fishermen.

is thrown over the sides of the mackerel-smacks to toll the fish to the surface

29407. Slivering-knife. (Pattern first used by Cape Ann fishermen.) Geo. B. Foster, Beverly, Mass.

29399. Slivering-knife. (Cape Ann pattern.) Alex. McCurdy.

39405. Slivering-knife. (Nantucket pattern.) Samuel Elwell, jr., Gloucester, Mass.

25764. Slivering-knife. Samuel Elwell, jr, Gloucester, Mass.

32666. Slivering-blade. Gloucester, Mass. U.S. Fish Commission.

Flitching-knives.

Used in slicing halibut into steaks or "flitches" in preparation for salting and smoking.

32726. Shore flitching-knife. Gloucester, Mass. U.S. Fish Commission.

32690. Bank flitching-knife. Adolph Voss, Gloucester, Mass.

Clam and oyster knives.

26209. Clam-knife. John Russell Cutlery Co., Turner's Falls, Mass.

Net-makers' knives.

These knives are without handles, and the heel of the short (2 inches long) round-pointed blade is curled so as to fit the finger like a ring.

29439. Net-mending knives (right-hand). Alex. McCurdy, Gloucester, Mass.

29440. Net-mending knives (left-hand). Alex. McCurdy, Gloucester, Mass.

Mackerel-rimmers' fatting-knives or ploughs.

Used in creasing the sides of lean mackerel (Nos. 2 and 3) to cause them to resemble fat (No. 1) mackerel.

25768. Mackerel-plough. Edwin Blatchford.

25769. Mackerel-plough. S. Elwell, jr., Gloucester, Mass.

25770. Mackerel-plough. S. Elwell, jr., Gloucester, Mass.

25771. Mackerel-plough. S. Elwell, jr., Gloucester, Mass.

25773, Mackerel-plough. Edward Davis.

25774, Mackerel-plough. Edward Davis.

Splitting-knives.

Used in cleaning fish before salting.

32673. Mackerel-splitting knife. Gloucester, Mass. U.S. Fish Commission.

32667. Cod-splitting knife (curved).

32668, Cod-splitting knife (straight). "

Stone and bone knives used by Indians and Eskimos.

7224. Bone knife. Anderson River Eskimos, Fort Anderson, H. B. T. R. McFarlane.

16115. Bone knife. Magemut Eskimos, Nunivak Islands, Alaska. W. H.

2178. Bone knife. Eskimos.

1328. Bone knife. Eskimos.

3. Axes.

AXES, PROPER.

Head-axes for whalemen.

Used in cutting off head of whale. 25913. Head-axe. E. B. & F. Macy, New Bedford, Mass.

CUTTING-SPADES.

Whale-cutting spades.

Used in peeling the blubber from the carcass of the dead whale, 25679. Cutting-spade. E. B. & F. Macy, New Bedford, Mass. 25008. Cutting-spade. J. H. Thomson, New Bedford, Mass.

Throat spades, flat and round shank.

Used in cutting off the head of the whale.

25925. Throat-spade. E. B. & F. Macy, New Bedford, Mass.

Half-round spades.

For cutting "blanket" piece, to allow blubber-hook to enter. 25927. Half-round spade. E. B. & F. Macy, New Bedford, Mass.

Head-spades.

Used in cutting off the head of the whale.

25932. Head-spade. E. B. & F. Maey, New Bedford, Mass.

Blubber-mincing spades.

For mincing blubber before trying out.

25912. Hand mince-knife. E. B. & F. Macy, New Bedford, Mass.

Chopping-knives.

Used to chop clams for bait.

29489. Clam-chopper. William H. Hesbolt, Provincetown, Mass.

32676. Clam-chopper. Adolph Voss, Gloncester, Mass.

Ice-choppers.

Used in chopping ice for packing fish or bait.

32686. Ice-chopper. Adolph Voss, Gloncester, Mass.

Ice-chisels.

Used in cutting holes in the ice for fishing.

25888. Ice-chisel (nickel-plated). Bradford & Anthony, Boston, Mass.

4. Thrusting spears and prods.

FISHING-LANCES.

Whale-lances.

Used by whalers to give the death-blow to the whale.

25678. Whale-lance with handle, ready for use. E. B. & F. Macy, New Bedford, Mass.

25007. Whale-lance with handle, ready for use. J. H. Thomson, New Bedford, Mass.

FISHING-LANCES.

Whale-lance, iron.

25611. Whale-lance. (Primitive model) used by New Bedford whalers.
W. H. Cook & Co., New Bedford, Mass.

Seal-lances.

16110. Seal-lance head. Eskimo. Nunwak. W. H. Dall.

19382. " " " " "

16343. " " " " "

1117. Seal-lance. Eskimos of Arctic coast, Anderson River, H. B. T. R. McFarlane.

Fish-lances.

29453. Sword-fish lance. Saml. Elwell, jr., Gloucester, Mass.

32702. Sword-fish lance. Vinald McCaleb, Gloucester, Mass.

WHALEMAN'S BOAT-SPADES (thick and thin).

Carried in boat to disable the whale by cutting its flukes.

25928. Boat-spade, with handle and warp complete, ready for use. E. B. & F. Maey, New Bedford, Mass.

PRODDING INSTRUMENTS.

Snow-probes.

Used by the Eskimos in probing the air-holes in ice and under the snow to detect the presence of seals.

10274. Bone probe. King William's Land. Capt. C. F. Hall.

10275. Bone probe.¹ "

10276. Bone probe.¹ "

Probing-awls.

Used in piercing the base of the brain in killing fish for the table.

29418. Large steel prod, suitable for large fish. A. R. Crittenden, Middletown, Conn.

II. IMPLEMENTS FOR SEIZURE OF OBJECT.

5. Scoops.

SHOVELS.

Oyster-shovels.

26717. (Model, with Chesapeake oyster-canoe.) T. B. Ferguson, Maryland Commissioner of Fisheries.

¹These probes are sometimes supplied with a detachable head.

SHOVELS.

Bait-ladles.

32652. "Bait-heaver" (one-sided). Gloucester, Mass. G. Brown Goode.

HAND-DREDGES (used in collecting mollusks).

26718. Tin hand-dredge. U. S. Fish Commission.

PILE-SCRAPERS.

26719. Frame of pile-scraper. U. S. Fish Commission.

6. Hooked instruments. (Those used with a single motion, that of hooking.)

SINGLE-POINTED HOOKS.

Gaff-hooks.

25225. Gaff-hook. U. S. Fish Commission.

25495. Salmon-gaff hook and staff. Bradford & Anthony, Boston, Mass.

39202. Salmon-gaff, with bamboo handle. Gaff detachable from the handle.
U. S. Fish Commission. (C. B. & M.)

29388. Halibut-gaff. M. W. Grant, Wellfleet, Mass.

32678. Halibut hand-gaff. Gloucester, Mass. G. Brown Goode.

32683. Halibut deck-gaff.

25935. Haddock hand-gaff. A. McCurdy, Gloucester, Mass.

29390. Haddock-gaff. M. W. Grant, Wellfleet, Mass.

25938. Cod-fish gaff. Used in George's Bank fisheries. A. McCurdy, Gloucester, Mass.

25939. Dory cod-gaff. Used in shore fisheries. A. McCurdy, Gloucester,

25934. Hand-gaff. Used in halibut fisheries. A. McCurdy, Gloucester, Mass.

29389. Cod-gaff. M. W. Grant, Wellfleet, Mass.

32716. "Pew." Used in handling fish on wharves and decks. Capt. S. J. Martin, Gloucester, Mass.

32685. "Pew-gaff." Used in pitching fish from dorics to vessels. Gloucester,
Mass. G. Brown Goode.

32730. Fish-fork (three times, short handle). Gloucester, Mass. G. Brown Goode. Used in pitching fish in a dory, or from hold of vessel.

32691. Halibut-cutter's hook. Used by the "header" in decapitating halibut. Gloncester, Mass. G. Brown Goode.

32684. Fish-fork (two tines). Gloucester, Mass. G. Brown Goode.

32725. "Nape-boner" hook. Used in the preparation of boncless fish. Gloucester, Mass. G. Brown Goode.

25616. Gaff-hook.

Boat-hooks.

Arranged with "Accessories of fishing-boats," B. 48.

Squid forks.

32727. Squid fork used in baiting with squid. Gloucester, Mass. U. S. Fish Commission.

SINGLE-POINTED HOOKS.

Forks used for handling salted and dried fish.

Whalemen's hooks.

Blubber hooks.

25930. Blubber-hook. For hauling small pieces of blubber. E. B. & F. Macy, New Bedford, Mass.

Blubber forks and pikes.

25615. Blubber-pike. Used for tossing blubber into try-kettle. Humphrey S. Kirby, New Bedford, Mass.

25617. Blubber-pike. From the storeroom of a returned whaler. Humphrey S. Kirby, New Bedford, Mass.

Junk-hooks, etc.

For hauling heavy pieces of blubber.

25916. Junk-hook. E. B. & F. Macy, New Bedford, Mass.

MANY-POINTED HOOKS.

¹ Can-hooks.

² Grappling-irons.

Lip-hooks or grapuels, used by whalers.

Line-hooks, used by whalers.

25924. Whaler's line-hook for catching line, &c. E. B. & F. Macy, New Bedford, Mass.

Clam-rakes.

29466, Clam-hoe. Provincetown style. Wm. H. Hesbolt, Provincetown, Mass.

29437. Hand-claw. Used for gathering "hen-clams" and "scallops." Wellfleet, Cape Cod, and coast of Maine. M. W. Grant, Wellfleet, Mass.

---. Clam-rake (model). Used in collecting the sea-clam (Mactra solidissima) on Nantucket Shoals. These clams are salted down and used as bait for eod, halibut, &c. See with model of Nantucket dory (26257).

36045. Clam-rake. Wellfleet style. U. S. Fish Commission.

36046. 44 66 66 44 66 36047-9.

Moss-rakes.

32718. Rakes used in gathering Irish moss (Chondrus crispus). C. A. Cole, Scituate, Mass.

Sponge-hooks.

32693. Sponge-hook. Appalachicola, Florida. Silas Stearns.

¹Lance-hooks.

¹Arranged with boat fittings. ²Arranged with the anchors.

MANY-POINTED HOOKS.

Many-pointed fish-jigs.

29436. Mackerel-gaff. Used when the mackerel swim close in large shoals.
M. W. Grant, Wellfleet, Mass.

29441. Mackerel-bob. Used when the mackerel are close to the vessel and in large schools. Wm. II. Hesbolt, Provincetown, Mass.

Oulachan rakes or spears.

Used by Indians of the northwest coast in the capture of the oulachan or candle-fish (Osmerus pacificus).

Oulachan rake or comb. Flathead Indians. J. G. Swan.

Squid-jigs.

25714. Squid-jig. George P. Steel, Provincetown, Mass.

25776. Squid-jig. Gloucester style. A. R. Crittenden, Middletown, Conn.

29443. Squid-jig. Over fifty years old. Lemnel Cook, 2d, Provincetown,
Mass.

32721. Squid-jig. Capt. R. H. Hurlbert, Gloucester, Mass.

32722. Squid-jig. "

39177. Old-style squid-jig. U. S. Fish Commission.

39176. Squid-jig. Commonly made by the fishermen on board ship. U.S. Fish Commission.

29447. Molds used in forming squid-jigs. John B. Parsons, Rockport, Mass-

7. BARBED IMPLEMENTS. (Those used with two motions, the first that of thrusting.)

SPEARS WITH FIXED HEADS.

Barbed spears (with single point).

25594. Crab-spear, used about Newport, R. I. J. M. K. Sonthwick, Newport, R. I.

25595. Flounder-spear. J. M. K. Southwick, Newport, R. I.

39426. "Conch" harpoon. Used by Bahamians and fishermen of Key West in the capture of large fish. Dr. J. W. Velie, Chicago, 111.

Eel-spears.

39203. Fish-spear (size No. 1). U. S. Fish Commission. (C. B. & M.)

39204. Fish-spear (size No. 2).

39203. Eel-spear (with six prongs).
39207. Eel-spear (with ten prongs).

25558. Eel-spear with ten prongs for winter fishing. Lent by Bradford & An-[thony, Boston, Mass.

25557. Eel-spear for summer fishing.

25556. Nine fish-spears.

25224. Eel-spear, used in Southern New England. U. S. Fish Commission.

25647. New Bedford cel-spear. H. S. Kirby, New Bedford, Mass.

26072-3-4. Adjustable-prong eel-spear. S. P. Hedges.

29491. Eel-spear.

29491. Neptune eel-spear.

SPEARS WITH FIXED HEADS.

Aboriginal fish-spears.

10380. Fish-spear. Frobisher Bay, Arctic Ocean. Capt. C. F. Hall.

7420. Head of fish-spear. Eskimos. Fort Anderson, Arctic coast. R. McFarlane.

2675. Heads of fish-darts. Eskimos. Mackenzie's River district. R. McFarlane.

7514. Head of fish-spear, made of elk-horn. Eskimos. Northwest coast. George Gibbs.

2322. Head of salmon-spear. Indians. Fort Crook, Oreg. Lieut. John Feilner, U. S. A.

2628. Fish-dart heads. Indians. Columbia River. U. S. Exploring Expedition. Capt. C. Wilkes, U. S. N.

1439. Lance-head of bone. Indians. New Mexico. Lieut. A. W. Whipple, U. S. A.

18933. Fish-spears. Sitka Indians. Sitka. J. G. Swan.

11429. Salmon-spears. Passamaquoddy Indians. Eastport, Me. E. Palmer.

10283. Salmon-spear. Eskimos. Igloolik. Capt. C. F. Hall.

2543. Fish-spear. Tschutschi Indians. South Pacific Exploring Expedition. Capt. John Rodgers, U.S.N.

23518. Three-pronged spear. Northwest coast. J. G. Swan.

15950. Fish-spear. Magemut Eskimos. Nunivak, Alaska. W. H. Dall.

11358. Fish or bird spear. Eskimos. Bristol Bay, Alaska. Vincent Colyer. 7973-7997. Fish and bird spears. Mushegay Indians. Alaska. Smith-

SPEARS WITH DETACHABLE HEADS.

sonian Institution.

Lily-irons.

32703. Lily-iron. Gloucester. Vinal McCaleb.

25230, Sword-fish lily-iron. Capt. John B. Smith. U. S. Fish Commission.

25645. Sword-fish dart and socket, peculiar to New Bedford. A. R. Crittenden, Middletown, Conn.

32714. Sword-fish lily-iron. Adolph Voss, Gloucester, Mass.

32715. Sword-fish lily-iron. "

25208. Sword fish-dart head. Wilcox, Crittenden & Co., Middletown, Conn.

39427. "Turtle-peg" harpoon. Key West, Fla. Dr. J. W. Velie, Chicago, Ill.

Eskimo harpoons of stone, bone, and iron.

14255. Iron harpoon-head, with line of walrus hide. Eskimos. Smith Sound. Capt. C. F. Hall.

10120. Harpoon-head, brass and iron. Eskimos. Victoria Harbor. Capt. C. F. Hall.

9838. Harpoon-heads of bone and iron. Eskimos. Northeast coast. S.F. Baird.

15596. Whaling-lance. Poonook, Alaska. H. W. Elliott.

10272. Seal spear.

10271. Seal spear.

10264. Seal spear.

19522. Harpoon-head of stone and bone. Eskimos. Greenland. Geo. Y. Nickerson.

10136. Head of Walrus-harpoon. Eskimos. Igloolik. Capt. C. F. Hall.

SPEARS WITH DETACHABLE HEADS.

Eskimo harpoons of stone, bone, and iron.

- 10404. Part of ancient Innuit harpoon-head. Repulse Bay. Capt. C. F. Hall.
- 10273. Handle of whaling-harpoon made of bone and wood. Eskimos. Greenland. Smithsonian Institution.
- 19519. Handle of whaling-harpoon made of wood and bone. Eskimos. Greenland. Geo. Y. Nickerson.
- 10265. Whaling-harpoon. Eskimos. Northwest coast. Smithsonian Institution.
- 19518. Whaling-harpoon of recent manufacture, with head of bone and iron, handle of wood and iron, and seal-skin line. Eskimos. Greenland. Geo. Y. Nickerson.
 - 565. Harpoon-head of bone and iron with walrus-hide line. Eskimos. Port Foulke. Dr. I. I. Hayes.
- 2186. Seal-harpoon head of bone and iron. Eskimos. Anderson River. R. McFarlane.
- 13140. Walrus-harpoon head of bone and iron, hide line. Innuit Eskimos. Greenland. S. F. Baird.
- 19376. Bone harpoon-head with hide line. Eskimos. Alaska. Rev. James Curley.
- 15631. Miniature model of seal-harpoon. Eskimos. Alaska. H. W. Elliott.
- 1678. Miniature model of seal-harpoon. Eskimos. Alaska. W. H. Dall.
- 16120-21-22-25, 5606-7621. Seal-harpoon heads of bone and iron. Eskimos. Nunivak Islands, Alaska. W. H. Dall.
- 15619. Harpoon-head of bone. Eskimos. Alaska. H. W. Elliott.
- 2674. Seal-harpoon heads of bone. Anderson River Eskimos. Fort Anderson. R. McFarlane.
- 5815,7440. Seal-harpoon heads of bone and iron. Anderson River Eskimos. Mackenzie's River district. R. McFarlane.
- 4131. Four models of whaling-harpoons, lines and throuts. Makah Indians. Neah Bay, Wash. J. G. Swan.
- 1869. Head of whaling harpoon, with line. Makah Indians. Cape Flattery, Wash. Geo. Suckley.
 - This harpoon-head is made from the shell of a large species of *Mytilus*, and illustrates the methods of manufacture employed by Indians of the Northwest coast previous to the introduction of metal by the white man.
- 20896-7. Head of whaling-harpoon and line. Makah Indians. Sitka, Alaska. J. G. Swan.
 - This harpoon-head is constructed of sheet-iron, and shows the method now employed in the manufacture of the weapons. The rope and covers are made from the bark of *Thuja gigantea*.
 - 828. Head of whaling-harpoon, with line. Makah Indians. Neah Bay, Wash. Ter. J. G. Swan.
- 16118. Hand-harpoon. Alaska.
- 7963. Spear-head and line. Mushagak Indians.
- 1868. Head of whaling-harpoon with line. Makah Indians. Neah Bay, Wash. Ter. J. G. Swan.
- 2530. Harpoon-darts. Eskimos. Alaska. North Pacific Exploring Expedition. Capt. John Rodgers.
- 16675. Harpoon-dart. Kotzebue Sound. W. H. Dall.
- 5775-6-7-9-80. Harpoon-darts. Sitka, Alaska. W. H. Howard, U. S. R. M.

SPEARS WITH DETACHABLE HEADS.

Harpoon-spears.

- 6564. Head of barbed fish-dart, made of native copper. Eskimos. Sitka, Alaska. Dr. T. T. Minor.
- 9083. Head of barbed fish-dart, made of native copper. Alaska. Lieut. F. W. Ring, U. S. N.
- 20053. Head of barbed fish-dart of native copper with line of twisted sinew.

 Alaska. Smithsoniau Institution.
- 21413. Fish-spear with detachable barb. Hoochuon Indians. South Eel River, California. Stephen Powers.
- 39428. Double-pronged spears with detachable heads. McCloud River Indians, Shasta Co., Cal. Livingston Stone. These spears are used in the capture of the Salmo quinnat. The handles are thirty feet in length. The barbs are made from the splint bones of deer. See No. 13743, below.
- 19046. Fish-spear with detaclable barbs. Cooyunu Pi-Ute Indians. Pyramid Lake, Nevada. Stephen Powers.
- 13743. Points for salmon-spear made of the splint bones of the deer. McCloud River Indians. Shasta Co., Cal. Livingston Stone.
 - 650. Harpoon-arrows with iron tips. Indians. Cape Flattery. Wash. Ter. Geo. Gibbs.
- 21308. Wooden barbs for fish-harpoon. Indians. Hoopah Valley, Cal. Stephen Powers.
- 2249. Head of fish-harpoon. Eskimos. Anderson River. R. McFarlane.
- 11356. Harpoon-dart with bladder-float. Nashegay Indians. Alaska. Dr. T. T. Minor.
- 11362. Harpoon-dart with bladder-fleat. Nashegay Indians. Alaska. Dr. T. T. Minor.
- 7998. Harpoon-dart with bladder-float. Nashegay Indians. Alaska. Dr. T. T. Minor.

S. Tongs, &c.

TONGS (with two handles).

Oyster-tongs.

26110. Oyster-tongs. S. Salisbury, Providence, R. I.

26109. Oyster-tongs. "

25205. Oyster-tongs. Wilcox, Crittenden & Co., Middletown, Conn.

29111. Oyster-nippers. S. Salisbury, Providence, R. I.

9. Tangles.

The tangles are employed by naturalists for the purpose of gathering small spiny animals, such as sea-urchins and star-fishes, from the bottom at considerable depths. They adhere to the fibers of the spun-yarn in great numbers. It has been thought that this instrument might advantageously be employed in freeing oyster-beds from their worst enemies, the star-fish.

SWAB-TANGLES.

Swab-tangles.

26844. Swab-tangles. U. S. Fish Commission.

HARROW-TANGLES.

Harrow-tangles.

26-45. Models of harrow-tangles. U. S. Fish Commission. Formerly used by the Fish Commission, now replaced by the wheel-tangles.

WHEEL-TANGLES.

Wheel-tangles.

26846. Model of wheel-taugles. U. S. Fish Commission.

26848. Wheel-tangles. U.S. Fish Commission.

III. MISSILES.

"Simple missiles (those propelled by the unaided arm).

10. Hurled spears.

DARTS AND LANCES.

See under "Lances and spears," above cunnerated, many of which may be used as missiles.

crease of the length of the arm.)

11. Missiles propelled by "throwing-sticks."

SPEARS (with throwing-sticks, used by Eskimos).

See above under "Bird and fish spears," particularly No. 10267, a spear with throwing-stick attached.

7899. Throwing-stick. Eskimos. Aleutian Islands. Dr. T. T. Minor.

7933. Throwing-stick. Eskimos. Kodiak. 16076. Throwing-stick. Eskimos. Unalashka. W. H. Dall.

16076. Throwing-stick. Eskimos. Unalashka. W. H. Dall. 2267. Throwing-stick. Eskimos. Smithsonian Institution.

5774. Throwing-stick. Eskimos. Sitka. W. A. Howard, U. S. R. M.

20771. Throwing-stick. Eskimos. Sitka. J. G. Swan.

7423. Throwing-stick. 14905. Throwing-stick.

*** Missiles propelled by a spring.—(Spring consisting of bent rod.)

12. Bows and Arrows.

ARROWS.

Harpoon-arrows, used in fishing.

11348-52. Harpoon-arrows. Eskimos. Bristol Bay, Alaska. Vincent Colver.

15677-15681-82. Harpoon-arrows. Eskimos. Nunivak Islands, Alaska. W. H. Dall.

19379. Harpoon-arrow. Eskimos. Alaska. Rev. J. Curley.

8005-6-9. Harpoon-arrows. Eskimos. Nushegay Indians. Dr. T. T. Minor.

****Explosives.

13. Guns.

WHALING GUNS.

24986. C. C. Brand's improved whaling-gun. Patented June 22, 1852. For use with C. C. Brand's improved bomb-lance. 24987. Powder-flask with charger. 24988. Wad-cutter. 25989. Wad-cutter (inside). 24992. Prepared wads. 24990, 24991. Screw-drivers. C. C. Brand, Norwich, Conn.

24993-97. C. C. Brand's improved bomb-lance. Patented June 22, 1859.
For use with C. C. Brand's improved whaling-gun. 24997. Exploded lance. 24998. Lance-hook (for drawing charge). C. C. Brand, Norwich, Conn.

25251. E. Pierce's harpoon-gun. Patented 1865. U. S. Fish Commission.
 42762. Freeman's harpoon-gun. Made by Freeman & Lincoln, Brewster,

IV. BAITED HOOKS. ANGLING-TACKLE.

14. Hooks with movable lines.

TACKLE FOR SURFACE-FISHING.

Fly-fishing tackle.

Salmon-tackle.

Trout-tackle.

Black-bass tackle.

Shad-tackle.

Trolling-tackle:

Trolling-tackle.

Whiffing-tackle.

Drailing-tackle.

The parts of these gears may be seen in their proper places, with hooks, lines, &c.

TACKLE FOR SURFACE-FISHING.

Surf-tackle for throwing and hauling.

Blue-fish tackle.

24808-9. Blue-fish line. Rigged with eel-skin squids. J. M. K. Southwick, Newport, R. I.

24802-7. Blue-fish lines. Rigged with cloth squid. Block Island. J. M. K. Southwick, Newport, R. I.

TACKLE FOR FISHING BELOW THE SURFACE.

Short hand gear.

25684. Mackerel-lines and cleats. Bradford & Anthony, Boston, Mass.

29293. "Otter," with line and flies attached. Used in lake and river fishing. William Morris, Lake City, Minn.

19047. Throw-line with minnow-hooks. Cooyuwee Pi-Utes. Pyramid Lake, Nevada. Stephen Powers.

Deep-sea gear.

25687. Gear, used by American fishermen on George's Banks. Bradford & Anthony, Boston, Mass.

29483. Cod-fishing gear. Used from 1812-1830. Lemuel Cook, 2d, Province-town, Mass.

25686. Cod hand line and gear. Used chicfly on Western and Grand Banks of Newfoundland, Bradford & Anthony, Boston, Mass.

25685. Pollock line and gear. Bradford & Anthony, Boston, Mass.

24810-11. Rigged tautog-lines. J. M. K. Southwick, Newport, R. I.

25665. Lines. Rigged for pond-fishing. Wm. M. Young, Philadelphia, Pa.

1140. Halibut-hook, with kelp line. Makah Indians. Puget Sound, W. T. J. G. Swan.

39187. Cod-fishing gear with a 1-pound lead. Used in the shore cod-fishery. U. S. Fish Commission.

39186. Cod-fishing gear with $1\frac{1}{2}$ -pound lead. Used in the shore fishery. U. S. Fish Commission.

39185. Cod-fishing gear, with $3\frac{1}{2}$ -pound lead. Used in the shore fishery. U. S. Fish Commission.

39182. Cod fishing gear, with 9-pound lead. Used in the George's Bank cod-fishery. (Wooden "horse".) U. S. Fish Commission.

39184. Cod-fishing gear, with 9-pound lead. Used in the George's Bank cod-fishery. (Furnished with brass "horse".) U. S. Fish Commission.

39183. Rope "horse" used with the George's Bank gear, made by fishermen.

U. S. Fish Commission.

39190. Brass pieces used with the cod-fishing gear.

The shore and George's Bank fishery gears (Nos. 39190-2-4, 39185-7), are pronounced to be the best ever manufactured and are coming into use quite extensively. The lead being round at the bottom prevents fouling. This style of lead also sinks more quickly than the ordinary kind. The patent swivels used with this gear are very useful; they allow the insertion of new hooks with little inconvenience or loss of time.

15. Hooks, with stationary lines.—Set tackle.

BOTTOM-SET LINES.

Trawl-lines, or bull-tows.

- 25688. Model of codfish-trawl, used by American fishermen on Western and Grand Banks of Newfoundland. Buoys, scale of one-sixth; anchors, scale of one-fifteenth. Bradford & Anthony, Boston, Mass.
- 29469. Section (one-fifth) of trawl-line. Used in George's Banks cod-fisheries. A. R. Crittenden, Middletown, Conn.
- 6560, Trawl-line and hooks. Indians of Vancouver's Island. Dr. T. T. Minor.
- 32705. One section of "skate" of a halibut trawl-line with (No. 32706) inner buoy with flag, (No. 32707) outer buoy with "black-ball," (No. 32708) buoy-line, and (No. 32709) anchor. Capt. Jos. W. Collins and Philip Merchant, Gloucester, Mass.

Set-traps.

- 25562. Pickerel-traps. With lines and flags for fishing through the ice. Bradford & Anthony, Boston, Mass.
- 25563. Set of implements for smelt-fishing through the ice.
- 25667. Fishing-bows. W. M. Young, Philadelphia, Pa.

16. (Accessory.) Parts and accessories of angling-apparatus and of harpoon and seine lines.

HOOKS (including a full series of unmounted hooks, of recent and aboriginal manufacture).

Plain hooks.

- 25682. The ten processes through which American hand-made fish-hooks pass from the wire to the finished hook. Made entirely by hand-labor in the factory of J. W. Court, Brooklyn, N. Y. Bradford & Anthony, Boston, Mass.
- 25524. Double-refined cast-steel, tapered point; Virginia hooks, flatted, Nos. 10 to 1 and 1-0 to 3-0. American Needle and Fish-Hook Company, New Haven, Conn.
- 25535. Superfine cast-steel blackfish-hooks, japanned, flatted, Nos. 1 to 8.

 American Needle and Fish-hook Company, New Haven, Conn.
- 25536. Eel-hooks, No. 6. American Needle and Fish-Hook Company, New Haven, Conn.
- 25640. Halibut-hooks, ringed; Nos. 1 to 3. American Needle and Fish-Hook Company, New Haven, Conn.
- 25528. Cast-steel Kirby sea fish-hooks, flatted; Nos. 1 to 12. American Needle and Fish-Hook Company, New Haven, Conn.
- 25530. Cast-steel Kirby sea fish-hooks, ringed; Nos. 1 to 12.
- 25529. Superior east-steel Kirby sea fish-hooks, galvanized, flatted; Nos. 1 to 8. American Needle and Fish-Hook Company, New Haven, Conn.
- 25522. Double-refined east-steel Kirby river and trout fish hooks, ringed; Nos. 1 to 12 and 1-00 to 10-0. American Needle and Fish-Hook Company, New Haven, Conn.

Plain hooks.

- 25523. Kirby river and trout fish-hooks, flatted, extra superfine; Nos. 1 to 12 and 1-0 to 10-0. American Needle and Fish-Hook Company, New Haven, Conn.
- 25519. Superfine spring steel Kirby salmon, flatted; Nos. 12 to 3-0. American Needle and Fish-Hook Company, New Haven, Conn.
- 25520. Carlisle tront-hooks, flatted; Nos. 12-20. American Needle and Fish-Hook Company, New Haven, Conn.
- 25521. Carlisle trout-hooks, ringed; Nos. 8 to 3-0. American Needle and Fish-Hook Company, New Haven, Conn.
- 25516. Superfine cast-steel Limerick salmon, flatted; Nos. 1-0 to 12 and 2-0 to 10-0. American Needle and Fish-Hook Company, New Haven, Conn.
- 25517. Superfine east-steel Limerick salmon, ringed; Nos. 1-0 to 9 and 2-0 to 10-0. American Needle and Fish-Hook Company, New Haven Conn.
- 25514. Double-refined east-steel Limerick river and tront fish-hooks (spear-points, flatted); Nos. 1-0 to 12 and 2-7 to 10-0. American Needle and Fish-Hook Company, New Haven, Conn.
- 25515. Double-refined cast-steel Limerick river and trout fish-hooks (spear-head points, flatted, shanks ringed); Nos. 1-0 to 12 and 2-0 to 10-0. American Needle and Fish-Hook Company, New Haven, Conn.
- 25518. Extra spring-steel Aberdeen trout-hooks, flatted; Nos. 8 to 4-0. American Needle and Fish-Hook Company, New Haven, Conn.
- 25525. Superfine spring-steel Kinsey trout-hooks, flatted; Nos. 6 to 16, American Needle and Fish-Hook Company, New Haven, Conn.
- 25591. Superfine steel Kinsey trout-hooks, ringed; Nos. 10 to 16. American Needle and Fish-Hook Company, New Haven, Conn.
- 25534. Cast-steel drop-point mackerel-hooks, large and small wire, flatted; Nos. 1 A to 5 A, and 2 B to 4 B. American Needle and Fish-Hook Company, New Haven, Conn.
- 25527. Superfine cast-steel J. P. cod-hooks, ringed; Nos. 1 to 8. American Needle and Fish-Hook Company, New Haven, Conn.
- 25526. Superfine cast-steel J. P. cod-hooks, flatted; Nos. 1 to 8. American Needle and Fish-Hook Company, New Haven, Conn.
- 25532. Central-draught cod-fish hooks, eyed; Nos. 10 to 17. American Needle and Fish-Hook Company, New Haven, Conn.
- 25533. Double-refined cast-steel, original, central-draught cod or mackerel hooks, ringed; Nos. 12 to 20. American Needle and Fish-Hook Company, New Haven, Conn.
- 42898. Cod-hooks, for sea fishing. U. S. Fish Commission.
- 42899. The "Edgar" barbless hook.
- 25221. Dogtish hook and chain.
- 25531. Double-refined cast-steel, original, central-draught cod or mackerel hooks, flatted. American Needle and Fish-Hook Company, New Haven, Conn.
- 25601. Cod-hooks. Used when fish rise to the surface. J. M. K. Southwick, Newport, R. I.
- 25538. Shark-hooks. Bradford & Anthony, Boston, Mass.
- 29465. Shark-hooks. M. W. Grant, Wellfleet, Mass.
- 25648. Shark-hook. (Extraordinary.) A. R. Crittenden, Middletown, Conn.

Plain hooks.

29464. Ground-shark hook. Style used forty years ago. Elisha Cook Provincetown, Mass.

25602. Dogfish hook with chain. Used at Newport, R. I. J. M. K. Southwick, Newport, R. I.

25641. Dogfish hooks, ringed. American Needle and Fish-Hook Company, New Haven, Conn.

29467. Horse-mackerel hook. John Thomas, Belfast, Me.

29505. Hooks, probably lost by a French fishing-vessel. Found on St. George's Banks on a piece of trawl; fished up by Geo. H. Lewis, Provincetown, Mass.

32732. French cod-hooks; taken from codfish on Jeffries Ledge. Capt. James Tarr, Gloucester, Mass.

32731. French cod-hook; taken from codfish in Salvages' Shoals, Cape
Ann, in 1856. Capt. James Tarr, Gloncester, Mass.

20654. Wooden fish-hooks. Indians of Northwest coast. Bella Bella, B. C. J. G. Swan.

—. Fish-hooks. Indians of Northwest coast of America. Straits of Fuca, Puget Sound. U. S. Exploring Expedition.

1051. Fish-hooks. Puget Sound. George Gibbs.

9765. Fish-hook. Wallapai Indians. E. Palmer.

5583. Fish-hook of wood and bone. Gens des Fous Indians. Yukon River, Alaska, W. H. Dall.

9807. Fish-hook and line. Chilkaht Indians. Alaska. Lieut. F. W. Ring, U. S. A.

5590. Fish-hooks and sinkers. Premorska Indians. St. Michael's, Alaska. W. H. Dall.

19064. Fish-hooks. Cooyuwee Pi-Ute Indians. Pyramid Lake, Nev. Stephen Powers.

20651. Fish-hook. Bella Bella, B. C. J. G. Swan. Indian make.

9270. Halibut-hook. Alaska. Dr. Hoff, U. S. Λ. "

—. Halibut-hook. Sitka, Alaska. J. G. Swan. "

9103-4. Halibut-hooks. Alaska. Lieut. F.W.Ring, U.S.A. " "

1141. Butt-end of hemlock limb for making halibut-hook. Makah Indians.
Puget Sound, W. T. J. G. Swan.

16346. Halibut-hooks. Yakutat Eskimo, W. H. Dall.

2630. Fish-hook, Northwest coast of America. Capt. Chas. Wilkes, U.S. N. U. S. Exploring Expedition.

1324. Hooks and lines. Eskimo. Anderson River. C. P. Gandet.

1989. Fish-hook. Arctic America. B. R. Ross.

5118. Fish-hook. Anderson River Eskimos. Mackenzie's River district.
R. Kennicott.

9116. Fish-hook. Fort Anderson Eskimos. Makenzie's River district. R. MacFarlane.

96822. Fish-line of kelp (Nereocystis), fish-hook, and bladder buoy. Makah Indians. Neah Bay. J. G. Swan.

1123. Fish-hook of bone and wood. Yukon River. Wm. H. Dall.

---. Fish-hook of bone and wood. Fort Simpson.

9807. Fishing line and hook. Chilkaht Indians. Alaska. Lieut. F. W. Ring, U. S. A.

15630. Bone fish-hook with whalebone snood. Alaska. H. W. Elliott.

16315. Fish-hook. Sitka. W. H. Dall.

Plain hooks.

652. Halibut-hooks. Indians of northwest coast of America. George Gibbs.

20656. Halibut-hooks. Indians of Fort Simpson, B. C. J. G. Swan.

15635, Fish-hooks, Eskimos, Poonook, Alaska, H. W. Elliott,

10142. Fish-hooks. Eskimos. Victoria Harbor. Capt. C. F. Hall.

14280. Fish-hooks. Neah Bay, W. T. James G. Swan.

16116. Bone hook. Magemut Eskimos. Nunivak, Alaska. W. H. Dall.

16311. Fish-hooks. Nunivak Islands, Alaska. W. H. Dall.

1051. Fish-hooks. Capt. Chas. Wilkes, U. S. N. U. S. Exploring Expedition.

10219. Codfish-hook. Eskimos. Coast of Greenland. Capt. C. F. Hall.

2191-92. Fish-hooks of stone, bone, and iron. Fort Anderson Eskimos. Maekenzie's River district. R. Kennicott.

2093, 2248. Fish-hooks of bone and iron. Anderson River Eskimos. R. MacFarlane.

16311-12. Bone hooks and line spreaders. Thlinket Eskimos. Sitka, Alaska. W. H. Dall.

5118-7441. Hooks of bone and iron. Mackenzie's River Eskimos. R. Mac-Farlane.

 $32660.\ \, \text{Smelt-spreader}$ and hooks. Gloucester, Mass. G. Brown Goode.

25561. Spring-hooks for pickerel. Bradford & Anthony, Boston, Mass.

42879. Spring-hooks and patent "snap and eatch'em" hooks for pickerel, etc.
U. S. Fish Commission.

Jigs and drails.

42897. Tinned bluefish hooks. U. S. Fish Commission.

29448. Bass and bluefish drail. Elisha Cook, Provincetown, Mass.

29425. Bluefish-drail. Provincetown style. Lemuel Cook, 2d, Provincetown, Mass.

29485. Bluefish-drails. Used in Wellfleet, Mass., about 1830. Newell B. Rich, Wellfleet, Mass.

25555. Bluefish-drails. Bradford & Anthony, Boston, Mass.

---. Bluefish-hooks. Collected by A. R. Crittenden, Middletown, Conn.

25550. Bluefish-drail. Bradford & Anthony, Boston, Mass.

25771. Bluefish-drails. (Made in the form of a squid and very killing.) Peculiar to Provincetown, Mass. Coleman Cook, Provincetown, Mass.

25553. Bluefish-drail. Wm. H. Young, Brooklyn, N. Y.

25669. Bluefish-drail. Peculiar to Hyannis, Mass. Freeman Hallett, Hyannis, Mass.

25671. Bluefish-drail. Peculiar to Chatham, Mass. Sanford Freeman, Norwichport, Mass.

25671 (?) Bluefish-drail. J. H. Bartlett & Sons, New Bedford, Mass.

25537. Series of hollow bone bluefish-squids. Nos. 1 to 3. American Needle and Fish-Hook Company, New Haven, Conn.

25668. Bluefish-drail. Peculiar to Harwichport, Mass. Sanford Freeman, Norwich, Mass.

25708. Bluefish-drail. Central Wharf Company, Provincetown, Mass.

25598. Bluefish-drail. J. M. K. Southwick, Newport, R. I.

25670. Bluefish-drail. Made at sea from jaw-bone of sperm-whale (Physeter macrocephalus). J. H. Bartlett & Son, New Bedford, Mass.

Jigs and drails.

42877. Bluefish-squid of block tin painted. U. S. Fish Commission. (C. B. & M.)

42888. Binefish-squid of bone and German silver. U. S. Fish Commission. (C. B. & M.)

42889. Bluefish-squid of block tin. U. S. Fish Commission. (C. B. & M.)

42890. Bluefish-squid of block tin, round.

66 42891. Twirling bluefish-squid of block tin.

42892. Bluefish and Spanish mackerel squid of block tin and pearl. U. S. Fish Commission. (C. B. & M.)

42893. Bluefish and Spanish mackerel squid of pearl. U.S. Fish Commission. (C. B. & M.)

42894. Bluefish-squid of block tin, in imitation of a fish. U.S. Fish Commission. (C. B. & M.)

42895. Bluefish-squid with double hook. U. S. Fish Commission. (C. B. & M.)

25669. Bluefish-drail. Peculiar to Hyannis, Mass. Freeman Hallett, Hyannis, Mass. When used, covered with an eel-skin.

25600. Weak-fish jigs. Used in Newport, R. I J. M. K. Southwick, Newport,

42877. Bone and metal squid for Spanish mackerel and bluefish. U. S. Fish Commission. (C. B. & M.)

42878. Pearl and tin squids and hooks for young bluefish and weakfish. U.S. Fish Commission. (C. B. & M.)

9078. Metallic squid. Indians, Alaska. Lient. F. W. Ring, U. S. A.

32657. Cahoon's improved trolling-hooks. (Patented March 24, 1874.) Thomas J. Gifford & Co., New Bedford, Mass.

12496. Mackerel-jigs. Cape Ann. J. P. Nason, Rockport, Mass.

32658. Mackerel-jig. Gloucester, Mass. G. Brown Goode.

29479. Mackerel-jig. John B. Parsons, Rockport, Mass.

32734. Mackerel-jigs. Used thirty years ago. A. McCurdy, Cloucester, Mass.

25599. Mackerel-jigs. J. M. K. Southwick, Newport, R. I.

25941. Mackerel-jigs. Used about the year 1840. Capt. Edward L. Rowe, Gloucester, Mass.

39174. Jig mold. Style of 1840. U. S. Fish Commission.

39171. Jig mold. Style in use at the present time. U. S. Fish Commission.

39429. Wooden jig mold. Made by fishermen. U. S. Fish Commission.

39175. Old style mackerel jigs. U. S. Fish Commission.

12495. Soapstone "jig" molds, No. 1. (Patented March 15, 1870.) Cape Ann. J. P. Nason, Rockport, Mass.

25780. Soapstone mackerel-jig mold. Capt. E. L. Rowe, Gloucester, Mass.

25781-2. Wooden, lead-lined, mackerel-jig molds.

2572I. Mackerel-jig mold. (Patented March 15, 1870; J. P. Nason, No. 2.) Central Wharf Company, Provincetown, Mass.

32656. Mackerel-jig mold. Gloucester, Mass. G. Brown Goode.

32654. Mackerel-jig ladle.

" 32661. Mackerel-jig rasp.

66 32662. Mackerel-jig file.

32663. Pewter for use in manufacture of jigs. Gloncester, Mass. G. Brown Goode.

29461. Codfish "trip" and "fly-jig." Styles used fifty years ago. Lemuel Cook, 2d, Provincetown, Mass.

25601. Codfish jig-hook. Used when the fish rise from the bottom. Massachusetts. A. R. Crittenden, Middletown, Conn.

Spoon-baits, plain and fluted.

- 25550. Trolling-spoons. For bass and pickerel. Bradford & Anthony, Boston, Mass.
- 25555. Bluefish-spoons. Bradford & Anthony, Boston, Mass.
- 25550. Spinners. For pickerel, trout, and bass fishing. Bradford & Anthony, Boston, Mass.
- 25549. Spoon-baits. For bass, pickerel, pike, and trout fishing (niekel-plated). John H. Mann, Syracuse, N. Y.
- 25551. Spoon-baits. For bass, pike, pickerel, and tront (silver-plated). J. T. Buel, Whitehall, N. Y.
- 25552. Spoon-baits. For pike, pickerel, bass, trout, and bluefish. Wm. H. James, Brooklyn, N. Y.
- 25553. Spoon-baits. For pike, bass, pickerel, and trout fishing. Wm. H. James, Brooklyn, N. Y.
- 26793. Series of fluted trolling-spoons. D. M. Skinner, Gananoque, Ontario, Canada.
- 42882. Spoon-baits. For bass and pickerel. U. S. Fish Commission. (C. B. & M.)
- 42883. Chapman's bass and pickerel batts. U.S. Fish Commission. (C.B. & M.)
- 42884. Revolving metal spinner. For black bass. U. S. Fish Commission. (C. B. & M.)
- 42885. Chapman's revolving spoon-baits. For lake trout and black bass. U. S. Fish Commission. (C. B. & M.)
- 42886. Lowe's revolving feathered spoon-baits. For black bass. U. S. Fish Commission. (C. B. & M.)
- 25554. Spoon-baits. For pike, pickerel, bass, and trout. W. D. Chapman & Son, Theresa, N. Y.
- 42875. Pearl-baits. For lake trout, black bass, and pickerel. U. S. Fish Commission. (C. B. & M.)
 - These baits are made from pearl shells, and trimmed with white ibis feathers.
- 25666. Pearl minnows. W. M. Young, Philadelphia, Pa.
- 25550. MacHarg's pearl spoons. For pickerel, trout, and bass. Bradford & Anthony, Boston, Mass.

Artificial flies on hooks.

- 42870. Artificial insects, 20 specimens. U. S. Fish Commission. (C. B. & M.)

 These insects are manufactured from the following materials, viz:
 quills, feathers, silk, wool, beads, and gut.
- 42876. Artificial "dobson," for black bass fishing. U. S. Fish Commission. (C. B. & M.)
- 32735. Bass-flies. Sara J. McBride, Mumford, N. Y.
- 32736. Trout-flies. "
- 26105. Salmon-flies.

32737. Artificial flies for salmon, trout, and bass. Bradford & Anthony, Boston, Mass.

NOTE.—For convenience, this entire collection is provisionally entered under a single catalogue number.

- a. Peacock, with water-color sketch of original.
- b. March Brown, with water-color sketch of original.

32737. Artificial fles for salmon, trout, and bass—Continued.

Body—Fur of the fox-squirrel's face ribbed over with olive silk. Tail—Two strands of brown feather of the wild mallard. Wings—From the side feather of the shoveller duck approaching the tail; the light yeast-colored feather is the best, and, if nicely tied, must be an excellent fly. Legs—A grizzled cock's hackle, wound twice or thrice at the shoulder. For Pennsylvania, hooks Nos. 6 to 8; for New York, hooks Nos. 5 and 6; New Eugland, hooks Nos. 4 and 5.

- c. Great Red Spinner, with water-color sketch of original.
- d. Water-cricket, with water-color sketch of original.
- e. Great Dark Drone, with water-color sketch of original.
- f. Cow-dung.

Body—Yellow mohair mixed with a little dingy brown fur from the bear. Wings—From the quill-feather of the curlew or whimbrel. Legs—Of a ginger-colored cock's hackle. For Pennsylvania, hooks Nos. 8 to 10; for New York, hook No. 8; for New England, hook No. 6.

g. Red Fly, with water-color sketch of original.

Body—The red part of squirrel's fur mixed with an equal quantity of claret mohair. Wings—The softest quill feather of the pea-hen's wing. Legs—Claret-colored hackle; clip some of the upper fibers off that the wings may lie flat. For Pennsylvania, hook No. 6; for New York, hook No. 4; for New England, hook No. 3.

h. Blue Dun, with water-color sketch of original.

Body—Fur of a gray squirrel spun very thinly on fine yellow silk. Tail—Two fibers of a dun hackle. Wings—From a quill feather of the blue-jay. Legs—Two or three turns of a ginger-dun hackle at the shoulder helps to keep the wings upright. For Peunsylvania, hook No. 6; for New York, hook No. 5; for New England, hook No. 4.

i. Red Spinner, with water-color sketch of original.

Body—Bright brown silk ribbed, with fine gold twist. Tail—Two fibers of red cock's hackle. Wings—Upright from a mottled gray feather of the mallard stained a pale blue, the brighter in color the better. Legs—Plain red cock's hackle. For Pennsylvania, hook No. 6; for New York, hook No. 5: for New England, hook No. 4.

- j. Nicholson.
- k. Black Dog.
- l. Atkinson.
- m. Policeman.
- n. Claret Wasp.
- o. Blue Wasp.
- p. Wren-tail, with water-color sketch of original.

Body—Ginger-colored fur ribbed with gold twist. Wings—Feathers from a wren's tail; if these cannot be procured a small scapular feather of the woodcock makes a good imitation, and may be hackled with the same kind of feather. For Pennsylvania, hook No. 10; for New York, hook No. 8; for New England, hook No. 6.

q. Red Ant, with water-color sketch of original.

Body—Peacock's herl tied with red-brown silk. Wings—From the quill-feather of the blue-juy. Legs—A small red cock's hackle.

32737. Artificial flies for salmon, trout, and bass—Continued.

- r. Silver Horns, with water-color sketch of original.
- 8. Golden-dun Midge, with water-color sketch of original.
- t. Sand-fly, with water-color sketch of original.

Body—Of the sandy-colored fur from the rabbit's neck or from the fox-squirrel spun on silk of the same color. Wings—From the whimbrel wing made full. Legs—From a light-ginger feather from the neck of a hen. For Pennsylvania, hooks Nos. 6 to 8; for New York, hooks Nos. 5 and 6; for New England, hooks Nos. 4 and 5.

u. Stone-fly, with water-color sketch of original.

Body—Fur of the gray squirrel, when it is shortest is best, mixed with a little yellow mohair, leaving yellow about the tail. Tail—A strand or two of brown mottled feathers, say of mallard. Wings—From the soft inside feather of the pea-hen's wing. Legs—Blue-dun cock's hackle. For Pennsylvania, hooks Nos. 6 to 8; for New York, hooks Nos. 5 and 6; for New England, hooks Nos. 4 and 5.

v. Gravel-bed, with water-color sketch of original.

Body—Dark dun or lead-colored silk floss dressed very fine. Wings—From a covert-feather of the woodcock's wing. Legs—A black cock's hackle, rather long, wound twice only round the body. For Pennsylvania, hooks Nos. 8 to 10; for New York, hooks Nos. 6 to 8; for New England, hooks Nos. 5 and 6.

w. Grannum, with water-color sketch of original.

Body—Fur of a rabbit's face with a little fine green mobair worked in at the tail. Wings—From the inside wing-feather of a grouse. Legs—A pale ginger hen's hackle. For Pennsylvania, hooks Nos. 8 to 10; for New York, hooks Nos. 6 to 8; for New England, hooks Nos. 5 and 6.

- x. Yellow Dun, with water-color sketch of original.
 - Body—Yellow mohair mixed with a little pale blue from a mouse or yellow floss silk with the least blue rabbit fur spun upon it. Wings—Upright, from the inside wing-feather of a mallard or summer duck. For Pennsylvania, hook No. 10; for New York, hook No. 8; for New England, hooks Nos. 5 and 6.
- y. Iron-blue Dun, with water-color sketch of original.
- z. Hawthorn, with water-color sketch of original.

Body—Black ostrich's herl. Wings—From the quill-feather of the English snipe. Legs—A black cock's hackle. For Pennsylvania, hooks Nos. 8 to 10; for New York, hooks Nos. 6 to 8; for New England, hooks Nos. 5 and 6.

- aa. Jenny Spinner, with water-color sketch of original.
- ab. Dennison.

Body—Green floss silk ribbed with silver twist. Tail—Orange-tipped fibres of tippet, wood-duck, ibis, and green parrot. Legs—A golden yellow hackle. Wings—Of the following kinds: wood-duck, tippet, brown mallard, bustard, green parrot, blue and yellow macaw, with a few strands of red macaw; black ostrich head. Hooks Nos. 1, 2, and 3.

ac. Deacon.

Body—Bright yellow seal's fur ribbed with silver tinsel backed with gold twist. Tail—Sprigs of gray mallard and ibis. Legs—Bright yellow hackle. Wings—Strips of gray mallard dressed full; black ostrich head. Hooks Nos. 2 and 3.

32737. Artificial flies for trout, salmon, and bass—Continued.

ad. Montreal.

Body—Claret mohair ribbed with gold tinsel. Tail—Three or four fibres of scarlet ibis. Legs—Claret hackle. Wings—Brown turkey. Hooks Nos. 1, 2, and 3.

ae. Rangely.

Body—Dark claret mohair ribbed with gold tinsel. Tail—Fibres of wood-duck and ibis. Legs—Dark claret backle. Wing—Strips of wood-duck mixed with springs of scarlet ibis. Hooks Nos. 1, 2, and 3.

af. Tinselled Ibis.

Body—Silver tinsel ribbed with gold twist. Tail—A slip of wood-duck mixed with ibis. Legs—A covert wing-feather of the ibis. Wings—Strips from the large covert-feather of the ibis (the wing may be varied, adding a slip of wood-duck on each side); black ostrich head. Hooks Nos. 1, 2, and 3.

ag. Lake George.

Body—Gold twist ribbed with silver twist. Tail—A small China topping. Legs—A bright orange backle with a shoulder of bright claret. Wings—Two tipped feathers mixed with argus pheasant, brown mallard; black ostrich head. Hooks Nos. 1, 2, and 3.

ah. Chateaugay.

Body—Lemon-yellow floss ribbed with gold twist. Tail—A few fibres of brown mallard. Legs—A ginger-colored cock's hackle. Wings—Strips of shoveller duck mixed with fibres of argus pheasant.

ai. Yellow Drake.

Body—Yellow mohair ribbed with silver twist. Tail—Three fibres of yellow macaw. Legs—Yellow hackle with two turns of ibis on shoulder. Wings—Strips of gray mallard; black ostrich head. Hook No. 3.

aj. Richardson.

Body—A light-blue floss silk ribbed with silver twist. Tail—Three strands of brown mallard. Legs—Black cock's hackle. Wings—Strips of English blue-jay mixed with brown mallard. Hooks Nos. 3 and 4.

ak. Anthony.

al. Snow-fly.

am. Captain.

an. Combination.

Body—First half, yellow seal's fur; second half, red-claret seal ribbed with silver tinsel (the fur to be picked out). Tail—A few fibres of gray mallard mixed with ibis. Legs—A natural red hackle dipped in yellow dye. Wings—A piece of the same kind of hackle with pale ibis strips. On each side a piece of gray mallard sufficiently large to make the wing full: black ostrich head. Hooks Nos. 1, 2, and 3.

ao. Silver Doctor.

Body—Silver tinsel ribbed with gold twist. Tail—China pheasant topping. Legs—A pale-blue hackle with a small teal or guinea-hen at the shoulder. Wings—Mixed fibres of wood-duck, brown mallard, guinea-hen, green parrot, blue macaw, teal, and bustard; black ostrich head. Hooks Nos. 2 and 3.

32737. Artificial flies for salmon, trout, and bass—Continued.

ap. Prouty.

Body—First joint, silver twist; second, black ostrich with three turns of the twist over it. Tail—Orange floss with a turn or two of twist, a topping mixed with fibres of English blue-jay. Legs—A yellow dyed list hackle wound over the ostrich. Wings—Strips of white swan dyed yellow. One each side a rib of teal-feather, red macaw feelers; black ostrich head. Hooks Nos. 2 and 3.

- aq. Black Cricket.
- ar. Grasshopper.
- as. Great Blow.
- at. Cadiz.
- au. Murray.

Black silk floss ribbed with silver twist. Tail—A small feather from the neck of the searlet ibis. Legs—A golden yellow hackle. Wings—Dark mottled turkey; black ostrich head. Hooks Nos. 1 and 2.

- ar. Round Lake.
- aw. Nameless.

Body—Brown ostrich herl, ribbed with gold twist, tag orange floss. Tail—Two or three short sprigs of yellow macaw. Legs—A small sooty orange hackle, wound from tag to shoulder. Wings—Alternate strips of brown peacock-wing feather and shoveller duck, with a sprig or two of wood-duck; peacock herl head. Hooks Nos. 1, 2, and 3.

ax. Rackette.

Is made in two joints of black orange mohair, with gold tinsel. Legs—A dyed black hackle wound from tail to head. Tail—Bright yellow toncan. Wings—A mixture of gold pheasant tail, argus, and teal. Hooks Nos. 1, 2, and 3.

- ay. Priest.
- az. Francis Sykes.
- ba. Duke.
- bb. Dhoon.
- bc. Dustin.
- bd. Lascelles.
- be. Snitching Sandy
- bf. Prouty.
- bg. Grace.
- bh. Powells.
- bi. Hawthorne.
- bj. Edmonson.
- bk. Whitcher.
- bl. Carshalton.
- bm. Professor.

Body—Yellow mohair or silk floss, ribbed with silver twist or tinsel. Tail— Two or three strands of scarlet ibis-wing feathers. Wings—From the gray.

- bn. Coughton.
- bo. Alder.
- bp. Chantry.
- bq. Kingdom.

32737. Artificial flies for salmon, trout, and bass—Continued.

- br. Hoflan Fancy.
- bs. Coachman.
 - Body—Peacock's herl. Wings—From a white hen's wing-feather, or a pigeon-wing feather will answer the purpose. Legs—A red cock's hackle wound twice or thrice at the shoulder. For Pennsylvania, hooks Nos. 8 to 10; for New York, hooks Nos. 5 and 6; for New England, hooks Nos. 4 and 5.
- bt. Willow.
- bu. Prouty.
- bv. Notion.
 - Body—First half gold twist, remainder brown mohair, with three turns of the twist over it. Tail—A topping mixed with blue kingfisher. Legs—Brown hackle. Wings—Two tipped feathers mixed with argus pheasant, brown mallard, teal, China pheasant-tail feathers, blue and yellow macaw, with a blue kingfisher on each side of the wing; black ostrich head. Hooks Nos. 2 and 3.
- bw. Louise.
 - Body—Brown mohair ribbed with gold twist Tail—China feather topping. Legs—Reddish brown hackle, blue-jay on shoulder. Wings—Pheasant tippet feather and tail mixed with sprigs of green parrot, blue macaw, and kingfisher. Head—Orange mohair. Hooks Nos. 1 and 2.
- bx. Round Lake.
 - Body—Orange and red claret merging into each other, silver tinselled. Tail—sprigs of gold pheasant tippet, blue macaw, and green parrakeet. Legs—A claret hackle with a turn or two of orange on the shoulder. Wings—Two strips of brown turkey, with a small jungle-cock's feather on each side. Hooks Nos. 1, 2, and 3.
- by. Nicholson.
- bz. Our Pattern.
- ca. Saranae.
 - Body—Claret floss silk ribbed with gold tinsel, backed with silver twist. Tail—China pheasant crest-feather. Legs—A claret hackle. Wings—Two China pheasant tippet feathers on each side, a strip or two of brown mallard and argus pheasant; black ostrich head. Hooks Nos. 1-0, 2, and 3.
- cb. Long Tom of Long Lake.
 - Body—Gray squirrel mixed with a little green mohair ribbed with silver tinsel. Tail—China pheasant crest-feather. Legs—A blue duu cock's hackle; at shoulder two or three turns of bright claret hackle. Wings—Strips of brown mallard mixed with strands of summer duck, peacock-wing, and upper coverts of the wild turkey, red macaw feelers; black plush head. Hooks Nos. 1, 2, and 3.
- cc. St. Regis.
 - Body—Cinnamon mohair ribbed with double gold twist. Tail—A strip of China pheasant tippet mixed with a few strands of bustard. Legs—A chestnut hackle with three turns or so of orange-dyed guinea-hen, small and short in the fibres. Wings—Strips of brown mallard, brown turkey, English pheasant tail, and China tippet; black ostrich head. Hooks Nos. 1 and 2.

32737. Artificial flies for trout, salmon, and bass-Continued.

ed. No. 8.

Body—Three or four turns of mohair, rest of black mohair ribbed with silver tinsel and backed with gold twist. Tail—A small topping. Legs—A dyed black hackle and a shoulder of red claret. Wings—Mixed fibres of mallard, guinea-hen tail-feather over wing, two strips of dark turkey tipped with white. Hooks Nos. 2 and 3.

ce. Highlander.

cf. Lady of Mertoun.

Body—Water-rat's fur ribbed with silver twist. Tail—A tip of common ostrich or mohair and a gold pheasant topping. Legs—Two or three turns of a small red hackle finished off with a black hackle. Wings—Strips of dark gray mallard. Head—Crimson ostrich or mohair. Hooks Nos. 1-0, 1, and 2.

eg. Toppy.

Body—Black mohair ribbed with silver tinsel. Tail—A topping tip erimson. Legs—A turn or two of red hackle, the rest black hackle. Wings—Black or brown turkey tipped with white. Head—Crimson. Hooks Nos. 1-0, 1. and 2.

ch. Sapper.

Body—Orange mohair ribbed with gold tinsel. Tail—Fibres of green parrot, guinea-hen, tippet feather, and ibis. Legs—Orange hackle, shoulder a dyed black hackle. Wings—Strips of peacock-wing feather, brown mallard, green parrot, guinea-hen, gold pheasant tail, blue macaw feelers: black ostrich head. Hooks Nos. 1-0 and 1.

ci. Stephens.

Body—Brick-colored, silk ribbed with gold twist and blue tip. Tail—Gold pheasant topping. Legs—Hackle, same color as body. Wings—Gold pheasant tippet and slight mixture of mallard; black ostrich head. Hooks No. 1.

cj. Joek Scott.

Body—In two joints, gold-colored floss the lowest, and black floss the upper; from the joint are tied two short toucan points, and over the butts of them at the joints two turns of black ostrich. Tail—One gold pheasant topping and one Indian crow feather. Legs—Black hackle over the black joint and speckled guinea-hen at the shoulder. Wings—A white tip turkey, slip in the middle fibres of bustard, teal, brown mallard, yellow, red, and green parrot, one topping over all; blue macaw feclers. A kingfisher on either check; black ostrich head. Hooks Nos. 1-0, 1, and 2.

ck. Whitcher.

Body-Black mohair ribbed with silver, tip yellow silk. Tail-Gold pheasant topping. Legs-Black hackle. Wings-A mixture of mallard and hooded merganser; black ostrich head. Hooks Nos. 1 and 2.

cl. Nicholson.

Body—Blood-red mohair ribbed with gold tinsel. Tail—Sprigs of mallard and pheasant tippet feather. Legs—A blood-red and dark-blue hackle wound on together. Wings—Brown mallard and blue macaw feelers; black ostrich head. Hooks Nos. 1 and 2.

32737. Artificial flies for salmon, trout, and bass—Continued.

em. Caribou.

Body—Tip gold tinsel, tag golden-yellow silk, next a black silk joint, the rest of gray earibou. Legs—Gray hackle with a claret on the shoulder. Tail—Gold pheasant topping. Wings—Turkey and mallard with sprigs of macaw and pheasant tippet feather; black ostrich head. Hooks Nos. 1-0, and 1.

cn. Moose.

Body—Yellow floss ribbed with silver tinsel. Tail—A China pheasant topping. Legs—A yellow hackle; shoulder hackle a guinea-hen. Wings—Two tippet feathers of the China pheasant with fibres of mallard woodduck on each side; black ostrich head. Hooks Nos. 1, 2, and 3.

co. Moosehead.

Body—Deep claret mohair ribbed with gold twist. Tail—A topping. Legs—A claret hackle with three turns of orange hackle at the shoulder. Wings—Strips of brown mallard and tippet feather with red macaw feelers; black ostrich head. Hooks Nos. 1, 2, and 3.

cp. Fiery-brown.

Body—Fiery brown mohair ribbed with gold tinsel. Tail—A small topping mixed with wood-duck. Legs—A brown-red hackle. Wings—Brown mallard with a little wood-duck and golden pheasant neck-feather mixed; black head. Hooks Nos. 1, 2, and 3.

- eq. Parson.
- er. Gold Wing.
- cs. Gold Mallard.
- ct. Kircudbrightshire.
- cu. Eagle.
- cv. Tartan.
- cw. Last Fly.
- cx. Atkinson.
- cu. Strachan.
- cz. Parson.

Body—Black mohair tipped with orange and ribbed with silver twist. Tail—A small topping. Legs—A black hackle. Wings—Brown turkey-tail; black head. Hooks Nos. 2 and 3.

da. Ross.

Body—Cinnamon-colored floss ribbed with gold twist. Tail—Sprigs of green parrot. Legs—A furnace hackle. Wings—Brown mallard mixed with peacock herl; black ostrich bead. Hooks Nos. 1-0 and 1.

- db. Forsyth.
- de. Chamberlin.
- dd. Green.
- de. Whitcher.
- df. Langrin.
- dg. Emmet.
- dh. Captain.
- di. Major.
- dj. Darling.
- dk. Durham Ranger.

32737. Artificial flies for salmon, trout, and bass—Continued.

- dl. Goldfinch.
- dm. Britannia.
- dn. Popham.
- do. White Tip.
- dp. White Wing.
- dq. Drake Wing.
- dr. Dun Wing.
- ds. Black and Yellow.
- dt. Blue Doctor.
- du. Kate.
- dr. Ruggles.
- dw. Little yellow May Dun, with water-color sketch of original.
- dx. Oak Fly, with water-color sketch of original.

Body—Orange floss silk ribbed with ash-colored silk thread or a little floss, the ash-color to be shown well at the tail and shoulders. Wings—From a scapular feather of the woodcock. Legs—A furnace hackle or red cock's hackle with a black list up the middle. For Pennsylvania, hooks Nos. 8 to 10: for New York, hooks Nos. 6 to 8; for New England, hooks Nos. 5 and 6.

dy. Black Gnat, with water-color sketch of original.

Body—Black ostrich herl. Wings—From the quill-feather of the rice-bird or grakle. Legs—Black hackle. For Pennsylvania, hooks Nos. 10 to 12; for New York, hooks Nos. 8 to 10; for New England, hook No. 8.

dz. Fern Fly, with water-color sketch of original.

Body-Orange floss silk. Wings-From the quill-feather of the summer-duck wing; the smaller-sized hooks can be dressed from the wing-feather of the blue-jay. Legs-A red cock's hackle. For Pennsylvania, hooks Nos. 8 to 10; for New York, hooks Nos. 6 to 8; for New England, hooks Nos. 5 and 6.

ea. Yellow Sally, with water-color sketch of original.

Body—Any yellowish fur ribbed with yellow or apple-green silk. Wings—From a wing-feather of a white hen or white pigeon stained pale yellow. Legs—A white cock's hackle stained in the same dye. For Pennsylvania, hooks Nos. 6 to 8; for New York, hooks Nos. 5 and 6; for New England, hooks Nos. 4 and 5.

eb. Alder Fly, with water-color sketch of original.

Body—Peacock's herl. Wings—From a feather of a brown hen's wing. Legs—A red cock's hackle or a black cock's hackle will answer tolerably well. For Pennsylvania, hooks Nos. 8 to 10; for New York, hooks Nos. 5 and 6; for New England, hooks Nos. 4 and 5.

- ec. Sky Blue, with water-color sketch of original.
- ed. Little dark Spinner, with water-color sketch of original.
- ee. Turkey Brown, with water-color sketch of original.
- ef. Magalloway.

Body—Half black ostrich and half brown mohair ribbed with gold twist. Tail—Short fibers of yellow macaw. Legs—A furnace hackle of the shoulder. Wings—Strips of brown quill-feathers of the peacock; black ostrich head. Hook No. 3.

eg. Bemis Stream.

Body—Chestnut mohair ribbed with gold tinsel. Tail—China pheasant topping. Legs—A chestnut hackle. Wings—Strips of brown peacock mixed with bustard. Hooks Nos. 1 and 2.

32737. Artificial flies for salmon, trout, and bass—Continued.

eh. Mooselocmaguntick.

Body—About equal parts mixed of gray squirel's fur and pea-green mohair ribbed with gold twist. Tail—Four strands of argus feathers. Legs—A brown bittern hackle. Wings—Gray speckled turkey, white tipped (dye yellow), with a strip of argus feather on each side; green ostrich head. Hook No. 1.

ei. Molechunkemunk.

Body—Orange floss silk ribbed with gold tinsel, backed with silver twist.

Tail—China pheasaut topping. Legs—A furnace hackle. Wings—Brown mallard; black ostrich head.

ej. Willow Fineh.

Body—Yellow seal's fur ribbed with silver twist. Tail—Sprigs of tippet feathers mixed with yellow macaw. Legs—A yellow hackle, at the shoulder a small guinea-hen stained yellow. Wings—Strips of swan feather dyed yellow with a spray of guinea-hen (tail-feather) dyed yellow; black ostrich head. Hooks Nos. 1, 2, and 3.

ek. Oquassac.

Body—Red claret mohair ribbed with pink floss. Tail—Yellow tag with pieces of argus and tippet feathers. Legs—A claret hackle. Wings—Strips from the quill-feather of the argus pheasant; black ostrich head. Hooks Nos. 1-0 and 1.

el. Welokennebago.

Body—Red pig's hair ribbed with broad gold tinsel, backed with silver twist.

Tail—A mixture of black turkey tipped with white and scarlet ibis. Legs—
Scarlet hackle. Wings—Fibers of red macaw mixed with strips of black
and brown turkey tipped with white; black ostrich head.

em. Capsuptuc.

Body—Silver tinsel ribbed with gold twist. Tail—Fibers of China pheasant tail mixed with guinea-hen and red macaw. Legs—A brilliant scarlet hackle. Wings—Mixed and to be made full. Two strips of brown turkey tipped with white-brown mallard, China pheasant tail and guinea-hen; black ostrich head. Hooks Nos. 1-0, 1, and 2.

- en. Orange Grouse.
- eo. Thunder and Lightning.
- ep. Lough Gill.
- eq. Lillie.
- er. Black Ant.
- es. Blue Blow.
- et. Mare.
- eu. Hare's Ear.
- ev. Ibis.
- ew. Seth Green.
- ex. Red Creeper.
- ey. Turkey Brown.
- ez. Queen of the Waters.
- fa. Governor.
- fb. White Miller.
- fc. Lion.

32737. Artificial flies for salmon, trout, and bass—Continued.

fd. Water-witch.

fe. Atkinson.

ff. Our Own Pattern.

Jy. Green Drake, with water-color sketch of original.

Body—Pale straw-colored floss silk ribbed with brown silk thread or floss; the extremities are of brown peacock's herl. Tail—Three rabbit's whiskers, Wings—Made from a mottled feather of mallard stained a pale yellowish-green. Legs—A grizzled cock's hackle stained a yellowish-green in the same dye. For Pennsylvania, hooks Nos. 6 to 8; for New York, hooks Nos. 4 to 6; for New England, hooks Nos. 3 and 4.

fh. Gray Drake, with water-color sketch of original.

Body—The middle part of white floss silk ribbed with silver twist; the extremities of brown peacock's herl. Tail—Three rabbit's whiskers. Wings—Made from a gray mottled feather of the mallard. Size of hooks same as green drake.

fi. Orange Dun, with water-color sketch of original.

This fly is equally attractive to trout, and is a prime favorite in its day—the end of June, July, and August. Body—Dark orange silk. Tail—Two fibers of brown mallard feather. Wings—From the quill-feather of the large red-crowned woodpecker. For Penusylvania, hooks Nos. 6 to 8; for New York, hook No. 6; for New England, hooks Nos. 5 and 6.

- fj. Green Mackerel, with water-color sketch of original.
- fk. Brown Mackerel, with water-color sketch of original.
- fl. Marlow Buzz, with water-color sketch of original.
- fm. Pale Evening Dun, with water-color sketch of original.
- fn. July Dnn, with water-color sketch of original.

Body—Mole's fur and pale-yellow mohair mixed and spun on yellow silk. Tail—Two or three whiskers of a dark dun hackle. Wings—From the Quill-feather of a blue-jay. Legs—Dark dun hackle. For Pennsylvania, hooks Nos. 8 to 10; for New York, hooks Nos. 6 to 8; for New England, hooks Nos. 5 and 6.

- fo. Gold-eyed Gange-wing, with water-color sketch of original.
- fp. Butcher, No. 1.
- fq. Blue Ranger.
- fr. Black Ranger.
- fs. Colonel.
- ft. Children's Farlow.
- fu. Candlestick Maker.
- fv. Baker.
- fw. Butcher.
- fx. Namsen.
- fy. Black and Teal.
- fz. Guinea Hen.
- ga. Claret.
- gb. Inquichin.
- gc. Maxwell Ranger.
- yd. August Dun, with water-color sketch of original.

Body—Brown floss silk, ribbed with yellow silk thread. Tail—Two rabbit's whiskers. Wings—Feather of a brown hen's wing. Legs—A dark red hackle. For Pennsylvania, hook No. 8; for New York, hook No. 6; for New Eugland, hook No. 5.

32737. Artificial flies for salmon, trout, and bass—Continued.

ge. Orange, with water-color sketch of original.

Body—Orange floss silk, ribbed with black silk. Wings—Dark part of the blue-jay's wing. Legs—A very dark furnace hackle. For Pennsylvania, hooks Nos. 8 to 10; for New York, hooks Nos. 6 to 8; for New England, hook No. 6.

gf. Cinnamon, with water-color sketch of original.

Body—Fawn-colored floss silk, ribbed with red silk thread. Wings—Feather of a yellow-brown hen's wing. Legs—A ginger hackle. For Pennsylvania, hook No. 8; for New York, hook No. 6; for New England, hook No. 6.

gg. Blue-bottle, with water-color sketch of original.

Body—Bright blue floss silk, with a few turns of brown floss at the shoulder. Wings—From the quill-feather of a water-hen. Legs—Black backle from a cock, wrapped down the principal part of the body. For Pennsylvania, hook No. 8; for New York, hook No. 6; for New England, hook No. 5.

gh. Whirling-blue Dun, with water-color sketch of original.

Body—Squirrel's red-brown fur mixed with yellow mohair. Tail—One or two whisks of a pale ginger backle. Wings—From the quill-feather of a mallard. For Pennsylvania, hook No. 8; for New York, hook No. 8; for New England, hook No. 6.

42867. Salmon flies. Manufactured by Conroy, Bisset & Malleson, New York. U. S. Fish Commission.

- a. Halifax.
- b. Curtis.
- c. Blue Sandy.
- d. Fairy.
- e. Unknown.
- f. Sapper.
- g. Silver Grey.
- h. Jock Scott.
- i. Claret Body.
- j. Fancy Yellow.
- k. Butcher.
- l. Popham.
- m. Silver Doctor.
- n. Red Blue.
- o. Fiery Brown.
- p. Claret Fairy.
- q. Unknown.
- r. Silver Doctor.
- s. Prouty.
- t. Jock Scott.
- u. Red Robin.
- r. Black Robin.
- w. Donkey.
- x. Dark Claret.

42868. Lake flies. Manufactured by Conroy, Bissett & Malleson, New York. U. S. Fish Commission. (C. B. & M.)

- a. Blue Dun.
- b. Professor.
- e. Grizzly King.
- d. Scarlet Ibis.
- c. Golden Pheasant.
- f. Grizzly Hackle.
- g. Coachman.
- h. Black Moose.
- i. Jungle Cock.
- j. Brown Hackle.
- k. Cow Dung.
- l. Yellow Sally.
- m. Yellow Moose.
- n. Turkey.
- o. Saranac.
- p. Black Fly.
- q. White Miller.
- r. White Miller (fall wings).
- s. Cow Dung.
- t. Black Hackle.
- u. Silver Doctor.
- v. Fiery Yellow.
- w. March Brown.
- x. Abbey.
- y. Yellow Body Moth.

42869. Bass flies, used for the black bass (*Micropterus pallidus*). Manufactured by Conroy, Bissett & Malleson. U. S. Fish Commission. (C. B. & M.)

- a. Scarlet Ibis.
- b. Black Fly.
- c. Mealy Mouth.
- d. Turkey Brown.
- e. Yellow Ferguson.
- f. Page.
- g. Holberton's Humble Bee.
- h. Cape Vincent.
- i. Holberton.
- j. Ferguson.
- k. White Miller.
- 1. Yellow Bee.
- m. St. Lawrence.
- n. Grizzly King.
- o. Mallard.
- p. Scarlet Moth.
- q. Scarlet Moth, No. 2.
- r. Mallard.

42871. Trout and grayling flies. Manufactured by Conroy, Bissett & Malleson, New York. U. S. Fish Commission. (C. B. & M.)

- a. Professor.
- b. Grizzly Hackle, or Palmer.
- e. Grey Drake.
- d. Yellow Sally.
- e. Black Gnat.
- f. Red Hackle, or Palmer.
- g. Scarlet Ibis.
- h. Brown Hackle, or Palmer.
- i. Grizzly King.
- j. Black Fly.
- k. Blue Blow.
- 1. White Miller.
- m. Olive Gnat.
- n. Green Body Black Fly.
- o. March Brown.
- p. Searlet Body Black Fly.
- q. Great Dnn.
- r. Claret Gnat.
- s. Jungle Cock.
- t. Golden Spinner.
- u. Cock-Y.
- r. Beaverkill.
- w. Grouse Hackle.
- x. Abbey or Jew Fly.
- y, Yellow Jungle Cock.
- z. Ginger Hackle.
- aa. Cowdung.
- ab. Yellow May Fly or Green Drake.
- ac. Coachman.
- ad. Canada.
- ae. Shoemaker.
- af. Red Spinner.
- ag. Blue Dun.
- ah. Queen of the Water.
- ai. Black Hackles, or Palmer.
- ai. Willow, with water-color sketch of original.

Body—Mole's fur mixed with a little fine yellow mohair. Wings—From the quill-feather of a water-hen or coot. Legs—A dark dun hen's hackle. For Pennsylvania, hooks Nos. 8 to 10; for New York, hook No. 8; for New England, hooks Nos. 5 and 6.

- aj. Snowy.
- ak. Beauty Snow.
- al. Red Palmer, with water-color sketch of original.

Body—Red mohair ribbed with gold twist or tinsel. Legs—A blood-red cock's (saddle) hackle wrapped nicely over it, working the hackle closely together at the shoulder. For Pennsylvania, hooks Nos. 6, 8, and 10; for New York, hooks Nos. 4, 5, and 6; for New England, hooks Nos. 3, 4, and 5.

- am. Black and Red Palmer, with water-color sketch of original.
- an. Brown Palmer, with water-color sketch of original.

HOOKS (including a full series of unmounted hooks, of recent and aboriginal manufacture).

42871. Trout and grayling flies-Continued.

- ao. Furnace.
- ap. Grizzle.
- aq. Ginger.
- ar. List.
- as. Soldier.
- at. White.
- au. Grizzle Peacock.
- av. Red.
- aw. Black Peacock.
- ax. Black.
- ay. Brown Peacock.
- az. Scarlet.
 - 39948. 2 "Holt Patent Fly Books," one with cover, one without. Manufactured by Abbey & Imbrie. U. S. Fish Commission. (A. & I.)
 - 39249. "Perfection Expanding Pocket Tackle Book." U. S. Fish Commission. (A. & I.)
 - 59254. Fly books containing salmon, black bass, shad, grayling, and tront flies. Manufactured by Abbey & Imbrie, New York. U. S. Fish Commission. (A. & I.)
 - 25548. Salmon fly-book for carrying artificial flies.
 - 25547. Tront fly-book for carrying artificial flies. Lent by Bradford & Anthony, Boston, Mass.
 - 39208. Holberton fly-book. For salmon flies. U. S. Fish Commission. (C. B. & M.)
 - 39209. Holberton full-length fly-book. (Capacity, 8 dozen flies.) U. S. Fish Commission. (C. B. & M.)
 - 39210. Holberton full-length fly-book. (Capacity, 6 dozen flies.) U. S. Fish Commission. (C. B. & M.)
 - 39211. Holberton full-length fly-book. (Capacity, 3 dozen flies.) U. S. Fish Commission. (C. B. & M.)
 - All the Holberton fly-books mentioned above are intended to hold gut at full length, and are furnished with the improved "Hyde clips" for keeping the flies in place.
 - 39212. Snell-book with changeable pockets. U. S. Fish Commission. (C. B. & M.)
 - This snell-book is of new style, and is very convenient for earrying a variety of flies.
 - 39247. "Southside Fly-Book," with Abbey & Imbrie's patent clip for holding flies at full length. 7\(^8\) inches long. U. S. Fish Commission. (A, & I.)
 - 39316. Imitation "Southside Fly-Book." 8 inches long. U.S. Fish Commission. (A. & I.)
 - 39317. Imitation "Southside Fly-Book." 6 inches long. U. S. Fish Commission. (A. & I.)

LINES.

Silk lines.

25633. Series of braided raw-silk lines. (50 yards; C to G.) G. H. Mansfield & Co., Canton, Mass.

LINES.

Silk-lines—Continued.

- 25632. Oiled, braided, raw-silk lines. G. H. Mansfield & Co., Canton, Mass.
- 25628. XXXX silk tish-line. (50 yards.)
- 25629. XX silk fish-line. (50 yards.)
- 25634. Grass lines. Nos. 0, 1, and 3 cable, and 3 shroud. Bradford & Anthony, Boston, Mass.
- 25635. Braided grass lines. Bradford & Anthony, Boston, Mass.
- 42766. Waterproof tapered braided silk line for salmon (10). (120 yards.)
 U. S. Fish Commission. (C. B. & M.)
- 42774. Waterproof silk line for grilse (10). (100 yards.) U. S. Fish Commission. (C. B. & M.)
- 42775. Waterproof silk line for black bass (8). (50 yards.) U. S. Fish Commission. (C. B. & M.)
- 42776. Waterproof silk line for trout. (30 yards.) U. S. Fish Commission. (C. B. & M.)
- 42767. Oiled-silk black-bass line. (100 yards.) U. S. Fish Commission. (C. B. & M.)
- 42777. Oiled-silk trout-line. (100 yards.) U. S. Fish Commission. (C. B. & M.)
- 42778. Raw-silk line, heavy. (50 yards.) U. S. Fish Commission. (C. B. & M.)
- 42769. Raw-silk line, light. (50 yards.) U. S. Fish Commission. (C. B. & M.)
- 42765. Braided silk line, heavy. (50 yards.) U. S. Fish Commission. (C. B. & M.)
- 42779. Braided silk line, light. (50 yards.) U. S. Fish Commission. (C. B. & M.)
- 39250. Waterproof banded tapered silk line, No. 4. (40 yards.) U.S. Fish Commission. (A. & I.)
- 39251. Waterproof banded tapered silk line. (50 yards.) U.S. Fish Commission. (A. & I.)
- 39252. Waterproof banded tapered silk line, No. 3. (80 yards.) U. S. Fish Commission. (A. & I.)
- 39253. Waterproof banded tapered silk line. (100 yards.) U. S. Fish Commission. (A. & I.)

Linen lines.

- 25626. Hard-braid linen lines. (1 to 5; 50 yards each.) G. H. Mansfield & Co., Canton, Mass.
- 25631. Series of braided linen fish-lines. (50 yards.) G. H. Mansfield & Co., Canton, Mass.
- 25612. Linen fish-lines. J. & S. Allen, Walpole, Mass.
- 25613. Linen fish-lines.
- 25618, Linen fish-lines,
- 25637. Linen bass-line. (600 feet.) Bradford & Anthony, Boston, Mass.
- 42780. Braided linen line, No. 3. (50 yards.) U. S. Fish Commission. (C. B. & M.)
- 42781. Braided linen line, b. (50 yards.) U. S. Fish Commission. (C. B. & M.)
- 42768. Special extra quality flax reel-lines. 9-thread. (200 yards.) U.S. Fish Commission. (C. B. & M.)
 - Made of the best Irish flax, spun especially for the purpose.
- 42764. Special extra quality flax reel-lines. 12-thread. (200 yards.) U.S. Fish Commission. (C.B. & M.)

LINES.

Cotton lines.

25619. Cotton fish-lines. (20 feet hank.) L. Crandall & Co., Ashaway, R. I.

25620. Cotton fish-lines. (50 feet shrond, laid.)

25621. Cotton fish-lines. (28-fathom hawser.) "25622. Cotton fish-lines. (14-fathom hawser.) "

42770. Cotton line, No. 3. (84 feet hawser, laid.) U. S. Fish Commission. (C. B. & M.)

42771. Cotton line, No. 6. (84 feet hawser, laid.) U. S. Fish Commission. (C. B. & M.)

42763. Cotton line, No. 10. (84 feet hawser, laid.) U.S. Fish Commission. (C. B. & M.)

42772. Linen line, No. 3. (84 feet hawser, laid.) U. S. Fish Commission. (C. B. & M.)

42773. Linen line, No. 6. (84 feet hawser, laid.) U. S. Fish Commission. (C. B. & M.)

25624. Tarred cotton fishing-lines. (25-fathom shroud.) L. Crandall & Co., Ashaway, R. I.

25623. Cotton fishing-lines. (50 feet shroud, laid.) L. Crandall & Co., Ashaway, R. I.

26016. Golden-mackerel lines of assorted sizes. Made of pure Sea-Island cotton. J. W. Dresser, Castine, Me.

25625. Braided cotton fishing-lines. G. H. Mansfield & Co., Canton, Mass. 660. Fishing-line. Northwest coast of America. G. Gibbs.

Whalebone lines.

2193. Whalebone fish-line. Anderson River Indians. Anderson River. R. MacFarlane.

2197. Whalebone line with hooks. Eskimo. Anderson River. R. Mac-Farlane.

Hide lines.

8787. Fishing-line made of seal-skin. Mahlemut Eskimo. W. H. Dall.

8785. Fishing-line made of seal-skin. Kaviakemut Eskimo. Grantley
Harbor, Alaska. W. H. Dall.

16314. Harpoon-line. Nunivak Island, Alaska. W. H. Dall,

15617. Harpoon-line. Made of skin of young walrus. Alaska. H. W. Elliott.

19376. Harpoon-line made of seal-skin. Rev. James Curley.

13142. Raw walrus-hide line.

Bark lines.

20655. Fishing-line made of cedar bark. Bella Bella, B. C. J. G. Swan.

Kelp lines.

656. Fishing-lines of sea-weed. (Nereocystis lutkeana.) Northwest coast of America. G. Gibbs.

6561. Fish-line of kelp. (Nereocystis lutkeana.) With halibut-hooks.

Haidah Indians. Prince of Wales Archipelago. Dr. T. T. Minor.

SNOODS, LEADERS, AND TRACES.

"Cat-gut" (sheep) snoods and leaders.

42872. Gut leaders. U.S. Fish Commission. (C.B. & M.)

- a. Twisted gut leader for salmon. (9 feet long.)
- b. Double and twisted gut leader. (9 feet long.)
- c. Single and twisted gut leader. (9 feet long.)
- d. Double gut leader for bass. (9 feet long.)
- e. Single gut leader for trout. (9 feet long.)
- f. Single gut leader for salmon. (9 feet long.)
- g. Single gut leader for trout. (6 feet long.)
- h. Single gut leader for trout. (3 feet long.)
- i. Single gut leader for trout. Extra fine. (9 feet long.)
- j. Double gut leader for bass. (3 feet long.)
- k. Treble gut leader for bass. (3 feet long.)
- l. Double gut leader for bass. (6 feet long.)

Gimp gut.

39451. Samples for snells and leaders of fish-lines. F. Foster, New York, through B & A.

39452. The same in water to show its transparency. F. Foster & Co.

Silkworm-gut snoods, fiax snoods, gimp snoods, wire snoods, and hooks mounted on leaders.

- 42873. "Snelled" hooks, or hook mounted on leaders. U. S. Fish Commission.
 - a. Carlisle Kirby hooks for bluefish and pickerel. (Tied to gimp.)
 - b. Carlisle Kirby hooks for bass. (Tied to double gut.)
 - c. Limerick hooks for pickerel. (Tied to gimp.)
 - 1. Kinsey hooks for bass. (Tied to double gut.)
 - e. "Forged" O'Shaughnessy hooks. (Tied to double gut.)
 - f. Limerick hooks for bass. (Tied to double gut.)
 - g. Limerick hooks for perch. (Tied to double gut.)

25540. Kinsey trout-hooks. (Tied to gut.) Bradford & Anthony, Boston,
Mass.

25542. Aberdeen hooks. (Tied to gut.) Bradford & Anthony, Boston,
Mass.

25543. Hollow-point Limerick hooks. (Tied to double gut.) B. & A.

25544. Hollow-point Limerick hooks. (Tied to twisted gut.) B. & A.

25545. Hollow-point Limerick hooks. (Tied to gimp.) B. & A.

25546. Carlisle hooks. (Tied to gimp.) B. & A.

25539, Hollow-point Limerick trout-hooks. (Tied to gut.) B. & A.

25541. New York bass-hooks. (Tied to gut.) B. & A.

42881. Bluefish hook mounted on piano wire. U. S. Fish Commission. (C. B. & M.)

42896. Bluefish hooks on brass snells. U. S. Fish Commission. (C. B. & M.)

SINKERS.

Line-sinkers.

39428. Sinkers and swivels. For fishing-lines. Bradford & Anthony, Boston, Mass.

25605. Series of sinkers used in fishing for cod and tautog. Newport models. J. M. K. Southwick, Newport, R. I.

SINKERS.

39428. Patent adjustable floats and sinkers. Bradford & Anthony.

25607. Hand-line sinkers. Rhode Island and Eastern Connecticnt. A. R. Crittenden.

29456. Cod-lead mold. Used to make form in molding. John B. Parsons, Rockport, Mass.

1559I. Sinker made of walrus ivory. Pornoox Eskimos, Alaska. H. W. Elliott.

Net-sinkers.

29393. Net-rings or sinkers. Wilcox, Crittenden & Co., Middletown, Conn.

22229. Purse-net ring and thimble. Wileox, Crittenden & Co., Middletown, Conn.

SWIVELS.

25798. Horn cod-line swivel. Much used in olden time by Grand and George's Banks fishermen. George B. Foster, Beverly, Mass.

25945. Cod-line swivel. Central Wharf Company, Gloucester, Mass.

26017. Cod-line gauge-swivel. A. R. Crittenden, Middletown, Conn.

25944-6. Patent gange-swivel. Used in cod-fishing, Central Wharf Company, Gloucester, Mass.

29487. Haddock-gange swivel. Showing mode of fastening. Lemnel Cook, 2d, Provincetown, Mass.

32713. Buoy-swivel (new style). A. Voss, Gloucester, Mass.

32694. Buoy-swivel (old style). To prevent the buoy-line from twisting-Gloucester. U. S. Fish Commission.

25942. Halibut-gauge. Showing mode of fastening on the hook. A, R. Crittenden.

29457. Shark-hook swivel. Wilcox, Crittenden & Co., Middletown, Conn.

29395. Primitive trawl-buoy swivels. George B. Foster, Beverly, Mass.

29476. Halibut trawl-buoy swivel. Used by the George's Banks fishermen.
Amasa Taylor, Provincetown, Mass.

29498. Trawl-buoy swivels. Alex. McCurdy, East Gloucester, Mass.

25187. Trawl-bnoy rope swivel. Wilcox, Crittenden & Co., Middletown, Conn.

25946. Trawl-buoy rope swivel. Central Wharf Company, Provincetown, Mass.

32659. Patent hawse-swivel, for George's fishing. U.S. Fish Commission.

39178. Old style horn swivel, made in 1800. U.S. Fish Commission.

39179. Old style wooden swivel. U.S. Fish Commission.

FLOATS.

Line-floats of wood, cork, and quill.

25661. Egg-shaped floats. Wm. M. Young, Philadelphia, Penn.

25662. Barrel-shaped floats. "

42874. Egg-shaped floats. U. S. Fish Commission. (C. B. & M.)

42874. Barrel-shaped floats. "

Harpoon-floats of bladder, inflated skin, and wood.

20898. Seal-skin buoy. Sitka, Alaska. J. G. Swan.

19515. Seal-skin buoy. North Greenland. G. Y. Nickerson. 827, 4970. Seal-skin buoy with rope. Makah Indians. Neeah Bay, Puget

Sound, W. T. J. G. Swan.

FLOATS.

Keg and other floats for lobster-pots, gill-nets, &c.

Whale-line drag.

25914. Whale-line drag. Attached to the line and thrown overboard to check the speed of the whale.

REELS.

Simple reels for flying fish, with and without check.

- 42813. Salmon click-reel. Hard rubber and German silver. German-silver band. Rubber sliding-drag. U. S. Fish Commission.
- 42814. Grilse click-reel. Rubber and German silver. Rubber band.
- 42818. German-silver and rubber click-reel for black bass. German-silver band. (Capacity, 50 yards.) U. S. Fish Commission.
- 42820. Rubber elick-reel for trout. U. S. Fish Commission. (C. B. & M.)
- 42822. German-silver secret click-reel. (Capacity, 40 yards.) C. B. & M.)
- 42823. German-silver, capped, elick-reel. (Capacity, 40 yards.) C. B. & M.)
- 42825. Rubber and brass click-reel. U. S. Fish Commission. (C. B. & M.)
- 42826. Iron-reel. U. S. Fish Commission. (C. B. & M.)
 - This reel is exhibited in contrast with No. 42813. The difference in value between these two reels is as 1 to 60.
- 25590. Brass fishing-reel. Plain, single, with ring. Bradford & Anthony, Boston, Mass.
- 25589. Brass fishing-reel. Plain, single, with plate. Bradford & Anthony, Boston, Mass.
- 25587. Brass fishing-reel. Plain, single, with stop and ring. Bradford & Anthony, Boston, Mass.
- 25588. Brass fishing-reel. Plain, single, with stop and plate. Bradford & Anthony, Boston, Mass.
- 25577. Hard-rubber fishing-reel, German-silver band. Rim very narrow, with leather case. Bradford & Anthony, Boston, Mass.
- 25568. Hard-rubber salmon-fishing reel. German-silver rim. Bradford & Anthony, Boston, Mass.
- 25581. Rubber trout-reel. (Fowler's patent.) B. & A. Boston, Mass.
- 25582. Orvis' patent fishing-reel. German silver, nickeled and perforated. Bradford & Anthony, Boston, Mass.
- 25567. Fine click brass fishing-reel. (25 yards.) Bradford & Anthony, Boston, Mass.
- 25586. Brass fishing-reel. Click, with plate. B. & A., Boston, Mass.
- 25585. Brass fishing-reel. Click, with ring. B. & A., Boston, Mass.
- 25575. German-silver trout-fishing reel. Click, with rim. Bradford & Anthony, Boston, Mass.
- 25565. German-silver front click fishing-reel. (150 yards.) Bradford & Anthony, Boston, Mass.
- 25569. Hard-rubber trout-fishing reel. Click, German-silver rim.
- 25571. Hard-rubber trout-fishing reel. Click, plain rim. Bradford & Anthony, Boston, Mass.
- 39245. Hard-rubber salmon-reel. U. S. Fish Commission. (A. & I.)
- 39431. Large ebonite trout-reel. Manufactured by Philbrook & Paine. Bradford & Anthony, Boston, Mass.
- 39432. Small ebonite trout-reel. Manufactured by Philbrook & Paine.
 Bradford & Anthony, Boston, Mass.
- 39430. Ebonite grilse-reel. Manufactured by Philbrook & Paine. Bradford & Anthony, Boston, Mass.

REELS.

Simple reels for flying fish, with and without check—Continued.

- 25579. Celluloid trout eliek fishing-reel. Bradford & Anthony, Boston, Mass.
- 25564. German-silver salmon-fishing reel, click. ($4\frac{1}{2}$ inch.) Bradford & Anthony, Boston, Mass.
- 39236. Frankfort reel with balance handle. B. C. Milam, Frankfort, Ky.

25566, Reel.

Multiplying reels for bass fishing, with and without check.

- 25574. German-silver fishing-reel. Multiplying; 25 yards. Bradford & Authony, Boston, Mass.
- 25570. Hard rubber trout-fishing reel. Multiplying; 60 yards. Bradford & Anthony, Boston, Mass.
- 25584. Brass fishing-reel. Multiplying stop and plate. Bradford & Anthony, Boston, Mass.
- 25573. Brass fishing-reel. Multiplying drag; 60 yards. Bradford & Anthony, Boston, Mass.
- 25572. German-silver fishing-reel. Steel pivot, multiplying drag, 300 yards. Bradford & Anthony, Boston, Mass.
- 25578. Celluloid fishing-reel. With multiplying click and extra spool.
 Bradford & Authony, Boston, Mass.
- 39246. Hard rubber black bass, duplex, multiplying spinning reel, with adjustable click, cup center, anti-friction action. Imbrie pattern; in ease. U. S. Fish Commission. (A. & I.)
- 25580. Celluloid fishing-reel. Multiplying and click. Bradford & Anthony Boston, Mass.
- 25583. Brass fishing-reel. Multiplying, stop and ring. Bradford & Anthony, Boston, Mass.
- 42827. Winan's and Whistler patent striped-bass reel. Rubber and brass. Silver plated, complete with line. U. S. Fish Commission.
- 25880. Brass reel. (C. B. & M.)
- 42815, Rubber and German-silver reel. With steel pivot and balance handle. Multiplying, U. S. Fish Commission. (C. B. & M.)
- 42816. German silver steel pivot-reel. With balance handle. Multiplying. U. S. Fish Commission. (C. B. & M.)
- 42817. German silver reel. With balance handle. Multiplying. U. S. Fish Commission. (C. B. & M.)
- 42819. Brass reel. With balance handle. Multiplying. U. S. Fish Commission. (C. B. & M.)
- 42821. Rubber reel. With German-silver band. For black bass. With multiplying, click, and drag attachment. U. S. Fish Commission, (C. B. & M.)
- 42824. Quadruple, multiplying, niekel-plated reel. With balance handles. U. S. Fish Commission. (C. B. & M.)

GUNWALE-WINCHES.

Trawl-line rollers.

- 39172. Trawl-roller used in 1870. U.S. Fish Commission.
- 29432. Trawl-roller or hauler. Provincetown style. Andrew Kennedy, Provincetown, Mass.
- 29434. Trawl-roller or hauler. Cape Ann style. Samuel Elwell, jr., Gloucester, Mass.

GUNWALE-WINCHES.

Trawl-line rollers—Continued.

- 29488. Trawl-roller and eye-plate. First used by Provincetown fishermen.

 Amasa Taylor, Provincetown, Mass.
- 29445. Improved trawl-roller and socket. Amasa Taylor, Provincetown,
 Mass.
- 25767. Trawl-roller. Used to haul in trawls over the sides of dory. Allen L. McDonald, Gloncester, Mass.
- 39476. Trawl-winch. Gloncester, Mass. G. Brown Goode.
- 29420. Line-roller. Used on whale-boats. Wm. M. Smith, Provincetown, Mass.
- 32712. Patent trawl-winch for hanling in trawls. A. Voss. Gloneester, Mass

LINE-HOLDERS.

Whaleman's line-tub.

25009. Harpoon-line and tub. Used in whale-boat. J. H. Thomson, New Bedford, Mass.

Tub for trawl-line. (See under Trawl.)

Line winder.

--- Line winder. "N. Swift's." Bradford & Anthony.

Spools.

25592. Crab-line reel. Used in Newport, R. I. J. M. K. Sonthwick, Newport, R. I.

RODS.

- 25511. Common rod. Three pieces; ash and hornbeam; brass mounting-Bradford & Anthony, Boston, Mass.
- 25501. General fishing-rod. Nine pieces; German-silver mounting. Bradford & Anthony, Boston, Mass.
- 25500. General fishing-rod. Six pieces; ash and laneewood; German-silver mounting. Bradford & Anthony, Boston, Mass.
- 25512. Gudgeon-rod. Three pieces; ash and hornbeam; brass mounting; common. Bradford & Anthony, Boston, Mass.
- 25510. Common pickerel-rod. Four pieces. Bradford & Anthony, Boston,
 Mass.
- 25509. Bait-rod for tront. Four pieces; common. Bradford & Anthony, Boston, Mass.
- 25513. Jointed rod. Four joints, extra tips, tie guides; made of Calcutta bamboo; full mounted in brass. Bradford & Anthony, Boston, Mass.
- 25508. Common bass-rod. Four pieces; brass mounted. Bradford & Anthony, Boston, Mass.
- 25498. Light bass-rod. Four pieces; extra top; ash and lancewood; German-silver mounting. Bradford & Anthony, Boston, Mass.
- 25497. Bass-rod. Four pieces and extra top for sea-fishing; ash and lance-wood; German-silver mounting; jeweled tip. Bradford & Anthony, Boston, Mass.
- 25496. Sea-bass rod. Ash butt joint, bamboo middle joint, laneewood stock; double guides, jeweled; German-silver mounting; jeweled tips. Bradford & Anthony, Boston, Mass.
- 39249. Double-guided bass-rod, with reversible reel-plate. (Chubb's patent.)
 Bradford & Anthony, Boston, Mass.

RODS.

- 25499. Black-bass rod. Four pieces and two extra tops; split bamboo; German-silver mounting. Bradford & Anthony, Boston, Mass.
- 25502. Fly-rod. Three pieces and extra top: cedar and split bamboo. Bradford & Anthony, Boston, Mass.
- 25504. Fly-rod. Three pieces and extra top; extra middle joint; bamboo tip case; ash and lancewood; German-silver mounting. Bradford & Anthony, Boston, Mass.
- 25505. Fly-rod. Four pieces and extra top; ash and lancewood; Germansilver mounting. Bradford & Anthony, Boston, Mass.
- 25503. Fly-rod for trout. Three pieces and extra top; split bamboo; German-silver mounting. Bradford & Authony, Boston, Mass.
- 25506. Trout-rod. Four pieces and extra top; ash and lancewood; Germansilver mounting; agate-lined tips. Bradford & Anthony, Boston, Mass.
- 25507. Salmon-rod. Four pieces and extra tops; bamboo top-case; ash and lancewood; German-silver mounting. Bradford & Anthony, Boston, Mass.
- 25887. The "Cold Brook," hollow, fly-rod. (Patented June 22, 1875.) J. L. Graves, Springfield, Mass.
- 25886. The "Cold Brook," hollow, salmon, bass, and angling rod. Nickel-plated, with reel showing an attached line working. (Patented June 22, 1875.) J. L. Graves, Springfield, Mass.
 - The following are the advantages claimed by Mr. Graves for his new rods:
 - "1. The line is concealed and cannot be caught in underbrush or branches.
 - 2. The strain on the rod is equalized through the entire length.
 - 3. There is no friction through rings or guides except on the tip.
 - 4. The strength of the rod is greatly increased.
 - 5. The weight of the rod is diminished.
 - 6. The wet line is not reeled up to decay.
 - 7. The rod goes under the brush where the big trout-lie.
 - 8. It adds greatly to the comfort and pleasure of the 'gentle art.'"
- 25884. Piece of bamboo. Showing splitting process in construction of rods. H. L. Leonard, Bangor, Me.
- 25491. Chapman's combination trolling-pole, harpoon-line holder and cane. W. D. Chapman, Theresa, N. Y.
- 42782. Six-strip hexagonal split bamboo salmon-fly rod; German silver mountings; metal reel-plate. (C. B. & M.)

These rods are made by cementing together six triangular strips from the lower sections of the best bamboo cane.

- 42783. Six-strip hexagonal split bamboo Grilse fly-rod, German-silver mountings; metal reel-seat. U. S. Fish Commission. (C. B. & M.)
- 39242. Six-strip split bamboo light trout-fly rod. U. S. Fish Commission. (A. & I.)
- 42784. Four-piece ash and lancewood salmon-rod, with duplicate joint and 3 tips; bamboo tip-case. U. S. Fish Commission. (C. B. & M.)
- 42785. Three-piece six-strip hexagonal split bamboo black-bass-fly rod; weight 10 oz. U. S. Fish Commission. (C. B. & M.)
- 42786. Three-piece six-strip hexagonal split bamboo trout-fly rod; weight $6\frac{3}{8}$ oz. U. S. Fish Commission. (C. B. & M.)

These two rods are protected by well-seasoned pine forms, which also prevent the pieces from warping and keep them straight.

RODS.

- 39478. Split bamboo rod. H. L. Leonard, Bangor, Me.
- 39479. Split bamboo rod. " "
- 39480. Split bamboo rod. " "
- 42787. Greenheart fly-rod, with split bamboo tips and bamboo tip-case. U. S. Fish Commission. (C. B. & M.)
- 42788. Red cedar fly-rod; duplicate joint and 3 tips. U. S. Fish Commission. (C. B. & M.)
- 42789. German-silver-mounted ash and lancewood fly-rod; extra tip and bamboo tip-case. U. S. Fish Commission. (C. B. & M.)
- 42790. Brass-mounted trout-fly rod (6\(^2_4\) oz.); extra tip and bamboo tip-case.

 U. S. Fish Commission. (C. B. & M.)
- 42791. McGinness six-strip hexagonal split bamboo bait-rod, extra tip, 11 feet long. U. S. Fish Commission. (C. B. & M.)
- 42792. Forest and stream six-strip hexagonal split bamboo bait-rod, extra tip, 9 feet long. U. S. Fish Commission. (C. B. & M.)
- 42793. Three-piece German-silver-mounted McGinness ash and lancewood minnow-rod: two tips and bamboo tip-case. U. S. Fish Commission. (C. B. & M.)
- 42794. Three-piece bait and four-piece fly combination black-bass rod. U. S. Fish Commision. (C. B. & M.)
- 39243. Ash and lancewood trout-fly rod. U.S. Fish Commission. (A. & I.)
- 32244. Ashand lancewood short black-bass-fly rod. U. S. Fish Commission.
 (A. & I.)
- 42795. Three-piece German-silver-mounted mountain trout rod, ash and lancewood; weight 8 ounces. U. S. Fish Commission. (C. B. &. M.)
- 42796. Three-piece brass-mounted ash and lancewood mountain trout rod; weight 8 ounces. U. S. Fish Commission. (C. B. & M.)
- 42797. Kelly Island bamboo black bass rod. U. S. Fish Commission. (C. B. & M.)
- 42798. Kelly Island bamboo black bass rod. U. S. Fish Commission. (C. B. & M.)
- 42799. Kelly Island bamboo black bassrod, wound butt, nickel-plated mountings. U. S. Fish Commission. (C. B. & M.)
- 42800. Six-strip hexagonal split bamboo Newport striped bass rod, ash butt, German-silver mountings, agate tube top and guide; two tips. U. S. Fish Commission. (C. B. & M.)
- 42801. Three-piece ash and lancewood, finest German-silver mountings, duplicate joint, two tips, Newport bass rod. U. S. Fish Commission. (C. B. & M.)
- 42802. Three-piece ash and lancewood regular Newport bass rod, Germansilver mountings. U. S. Fish Commission. (C. B. & M.)
- 42803. Two-piece "chum-rod." Bamboo, German-silver mountings, and wound butt. U. S. Fish Commission. (C. B. & M.)
- 42804 Six-strip split bamboo weakfish rod; two tips. U. S. Fish Commission. (C. B. & M.)
- 42805. Six-piece, six-strip split bamboo California general rod, making three distinct rods. U. S. Fish Commission. (C. B. & M.)
- 42806. Six-piece California general rod, making three distinct styles of rods.

 Ash and lancewood, 37½-inch joints. U. S. Fish Commission. (C. B. & M.)
- 42807. Seven-piece ash and lancewood trunk rod, $27\frac{1}{2}$ -inch pieces. U. S. Fish Commission. (C. B. & M.)
- 42808. Eight-piece ash and lancewood trunk rod, with hollow butt and brass mountings. U. S. Fish Commission. (C. B. & M.)

RODS.

42809. Eight-piece ash and lancewood trunk rod, with hollow butt and German-silver mountings. U. S. Fish Commission. (C. B. & M.)

42810. Eight-piece ash and lancewood trunk rod, German-silver, capped fernles. U. S. Fish Commission. (C. B. & M.)

DISGORGERS.

32717. Halibut "gob-stick." Philip Merchant, Gloucester, Mass.

V. NETS.

17. Entangling-nets.

MESHING-NETS (entangling in meshes).

† Drift-nets.

† Those drifting across the tide.

Shad gill-nets used in Southern rivers.

26126. Model of shad gill-net. American Net and Twine Company, Boston and New York.

Used in rivers of the Atlantic coast.

These nets are knit of linen thread (22-50, 3-cord, and 20-60, 2 cord). They range in length from 50 to 200 fathoms, and in depth from 25 to 90 meshes, $4\frac{3}{4}$ to 5 inch mesh. They are used exclusively as drift-nets.

. On the Connecticut River about $4{,}000$ pounds of this netting are used annually. The average weight of a net is 30 to 40 pounds, its depth 45 to 50 meshes, $5\frac{1}{4}$ to $5\frac{1}{2}$ inches.

On the Hudson River about 7,500 pounds are annually used, fine-threads (50-75, 2-cord), 100 to 200 fathoms in length, and from 50 to 90 meshes in depth, $4\frac{9}{4}$ to 5 inch, weight from 15 to 30 pounds to the net.

In the Delaware, Potomac, and Chesapeake 20,000 pounds are used, from 30 to 60 meshes in depth, and $5\frac{1}{8}$ (30 to 40, 2-cord) length, 75 to 100 fathoms.

In the rivers of North Carolina nets are made from coarse twine (22-35, 3-cord, and 20-35, 2-cord) 25 to 40 meshes in depth, 5-5½ guage. Their length is about 100 yards. About 25,000 pounds are used annually.

In the rivers of South Carolina the twine is slightly finer than in North Carolina (25-35, 3-cord), 25 to 60 meshes deep, the size otherwise about the same. 1,500 pounds are used annually.

In Georgia and Florida about 6,000 pounds are used. This netting is knit from linen thread (30-40, 3-cord, and 25-35, 2-cord) 40 to 60 meshes in depth; 4\frac{2}{4}\$ to 5\frac{1}{4}\$ mesh. About 18 to 24 pounds are used in a net; its length 100 yards. (A. A. French.)

Series of samples of gill-netting. American Net and Twine Company, Boston and New York:

26848. Depth 15 meshes, size of mesh 1½ inch, No. 20 (3) thread. 26849. " 35 " " 2½ " " 40 (2) "

26850. " 100 " " $2\frac{1}{2}$ " " 25(3) "

MESHING NETS (entangling in meshes).

26851.	Dept	h 35	meshes,	size of mes	h 2½	inch,	No	. 30 (3)	thread,
26852.	4.4	50	6.6	66	$2\frac{8}{4}$	66	4.6	25 (3)	"
26853.	4.4	55	66	6.6	28	44	6.6	35 (2)	44
26854.	66	50	"	4.6	$2\frac{3}{4}$	44	46	16 (3)	44
26855.	66	100	6.6	"	$2\frac{7}{8}$	66	44	25 (3)	66
26856.	44	100	46	44	3	"	44	25 (3)	44
26857.	4.4	100	66	66	$3\frac{1}{4}$	4.6	4.6	25 (3)	"
26858.	66	16	6.6	66	$3\frac{1}{2}$	6.6	66	25 (2)	6.6
26859.	4.4	16	6.6	4.6	$3\frac{1}{2}$	4.	66	30(2)	66
26860.	+ 6	40	4.4	4.6	$3\frac{3}{5}$	44	66	18(3)	66
26861.	4.6	50	66	4.4	4	4.6	66	20(3)	6.
26862.	4.6	17	4.6	66	4	44	6.6	35 (3)	66
26863.	"	35	"	4.6	4	66	64	40(3)	4.6
26864.	66	16	4.4	44	$4\frac{1}{8}$	66	6.6	35 (3)	46
26865.	6.6	45	4.6	6.6	$4\frac{1}{8}$	66	6.6	40(3)	66
26866.	66	14	44	4.4	$4\frac{1}{4}$	"	6.6	35(3)	66
26867.	6.6	14	44	44	$4\frac{1}{4}$	66	66	50(3)	66
26868.	4.6	14	"	66	$4\frac{1}{2}$	44	66	35(2)	"
26869.	6.6	14	4.6	66	$4\frac{1}{2}$	4.6	44	35 (2)	66
26870.	66	16	4.6	4.6	$4\frac{1}{2}$		"	35(3)	"
26871.	66	16	66	64	$4\frac{1}{2}$	"	66	50(3)	44
26872.	"	18	44	66	$4\frac{1}{2}$	4.6	66	50(3)	66
26873.	66	16	44	4.4	$4\frac{3}{4}$	4.6	"	35 (3)	"
26874.	"	45	4.4	"	5	"	6.6	30(2)	"
26875.	6.	12	"	4.6	5	"	4.6	30(2)	44
26876.	"	60	66	66	5	"	66	35 (2)	"
26877.	6.6	65	66	6.6	5	4.4	66	40(2)	4.4
26878.	44	35	46	66	$5\frac{1}{8}$	4.6	66	35 (3)	66
26879.	6.6	75	"	66	$5\frac{1}{4}$	"	44	35 (3)	"
26880.	66	11	4.6	"	6	4.6	66	35 (3)	66

‡ Drift-nets.

† Those drifting across the tide.

39258. One bale of white gill-netting. American Net and Twine Company, Boston, Mass.

a. One bale blue gill-netting.

b. One bale red gill-netting.

†† Those drifting along the tide.

Herring gill-nets.

26124-28-38. Herring gill-net. Used on the coast of New England and the Provinces in the capture of the herring (Clupea harengus). American net and Twine Company, Boston, Mass.

26129. Herring gill-nets.

These nets are about 40 yards long and 150 meshes in depth. They are stretched together in big gangs, floated by pieces of wood and weighted by stones. They are made of 45 and 6 thread cotton from 14 to 20 yarn, 2½ inch average mesh. American Net and Twine Company, Boston, Mass. 39481. Model of herring gill-net. American Net and Twine Company, Boston, Mass.

MESHING NETS (entangling in meshes).

Other gill-nets.

19048. Minnow-net. Pyramid Lake, Nevada. S. Powers.

1667. Gill-net. Anderson River Eskimos. Anderson River, H. B. T. R. MacFarlane.

7962. Gill-net made of animal fiber. Kawquettle Indians. Vancouver's Island, B. C. Dr. T. T. Minor.

19043. Gill-net. Cooyuwee Pi-Ute Indians. Pyramid Lake, Nev. Stephen Powers.

4765. Gill-net made of "Babiche." Anderson River Indians. Mackenzie's River district, H. B. T. R. MacFarlane.

4793. Gill-net of "Babiche." Ft. Anderson, McKenzie R. R. MacFarlane

POCKET NETS (entangling in pockets).

Trammel-nets.

25270. Model trammel-net. 10 feet long, 2 feet wide, 2 and 5 inch mesh. William E. Hooper & Sons, Baltimore, Md.

26118-29. Trammel-net. American Net and Twine Company.

Used for general fishing in rivers and ponds of Northern Mississippi Valley.

These nets range from 20 to 75 yards in length, 4 to $6\frac{1}{2}$ feet in depth. The inside netting of finer linen thread (20–25, 3-cord), mesh 2–2 $\frac{1}{4}$, $\frac{1}{8}$ deeper than the outside. The outside netting-wall from cotton (15–21 thread), mesh 8 to 10 inches. (A. A. French.)

18. Encircling-nets.

SEINES.

In general.

39442. Piece of tarred seine, to show the difference between a tarred seine and a tanned one. George Merchant, Gloucester, Mass.

Herring-seines.

26119. Model of herring-seine. Used on coasts of New England and the Provinces in capture of herring (Clupea harengus), and in the Hudson, Potomac, Delaware, and Chesapeake, and in North Carolina. American Net and Twine Company, Boston, Mass.

26127. Model of herring-seine. American Net and Twine Company, Boston,
Mass.

Cod-seines.

26137. Model of cod-seine. Used in Provinces in capture of cod (Gadus morrhua). American Net and Twine Company, Boston and New York. 30 to 40 feet deep. Mesh 5 inches, 18 to 21 thread, cotton.

Baird collecting-seines.

26136. Baird net. Designed by Prof. S. F. Baird. Used by naturalists in collecting small fishes in brooks and ponds and in following behind large seines to secure the small species which escape through the meshes, six-thread coarse cotton. American Net and Twine Company, Boston Mass.

26126. Model of Baird net. American Net and Twine Company, Boston,
Mass.

SEINES.

Bait-seines.

- 26123, 26130. Model of minnow-seine. Used by amateurs in capture of minnow-bait. ½ to 5 inch mesh, six-thread cotton twine. American Net and Twine Company, Boston, Mass.
- 26121. Model of minnow-seine, with bag. Used by fishermen to secure bait for eel-pots. American Net and Twine Company, Boston, Mass.

Other seines.

- 2232. Seine. Anderson River Eskimos. Mackenzie's River district. Robert MacFarlane.
- 2444. Seine made of "babiche." Tschuktehi Tribe. Capt. John Rodgers, U. S. N., North Pacific Exploring Expedition.
- 2445. Seine made of "babiche." Tschuktchi Tribe. Capt. John Rodgers, U. S. N., North Pacific Exploring Expedition.
- 2446. Hand-seine made of grass. Tschuktchi Tribe. Capt. John Rodgers, U. S. N., North Pacific Exploring Expedition.
- 2447. Hand-seine made of grass. Tschuktchi Tribe. Capt. John Rodgers, U. S. N., North Pacific Exploring Expedition.
- 19234. Salmon-net. McCloud River Indians. Shasta County, Cal. Livingston Stone.
- 20648. Salmon-net, with wooden floats and stone sinkers. Indians of Northwest coast. Fort Simpson, B. C. J. G. Swan.
- 2231. Hand-seine. Anderson River Eskimo. Mackenzie's River district, H. B. T. R. Kennicott.
- 7929. Fishing-net. Made from fibers of pineapple (*Tillandsia* sp.). Mirador, Mex. Dr. Sartorius.
- 897. Fishing-net made of willow bark. Kootchin Indians. Mackenzie's
- River district, H. B. T. R. Kennicott.

 4883. Net made of "silkweed." Fort Crook Indians. Fort Crook, Cal.
 Capt. J. W. T. Gardiner.

HOOP-NETS.

Handle, or dip nets.

Bull-nets (worked with ropes and blocks).

Scoop-nets (herring-nets, pound-scoops, car-scoops, &c.).

39482. Dip-net, frame and handles. U.S. Fish Commission.

25603. Bow of scoop-net. Used in dipping fish from smack's well. J. M. K. Southwick, Newport, R. I.

25165. Series of scoop-net hoops. Wilcox, Crittenden & Co., Middletown, Conn.

39483. Dip-net. For scooping mackerel out of the seine and off the deck.

Alex. McCurdy, E. Gloucester, Mass.

25229. Folding dip-net frame. U.S. Fish Commission.

32682. Menhaden shovel-net frame. Gloncester. A. Voss.

32681. Mackerel bow-net " " "

Landing-nets.

- 25492. Nason's patent net-staff and ring. Flexible ring carried inside of staff. C. F. Nason, patent August 31, 1875. Bradford & Anthony, Boston, Mass.
- 25493. Nason's patent solid net-staff, with flexible ring. C. F. Nason, patent August 3. 1875. Bradford & Anthony, Boston, Mass.

HOOP-NETS.

Landing-nets-Continued.

25639. Braided silk landing-net. Bradford & Anthony, Boston, Mass.

658. Dip-net. Used in the capture of the oulachan (Osmerus pacificus). Northwest coast of America. G. Gibbs.

21725. Dip-net. Used by McCloud River Indians in fishing in small streams.

Shasta County, Cal. Livingston Stone.

39199. Short-handled landing-net for trout. U.S. Fish Commission. (C. B. & M.)

39200. Landing net for trout and other fish. For use from a boat. U.S. Fish Commission. (C.B. & M.)

39201. Landing-net, with folding ring and bamboo-tip case handle. U.S. Fish Commission. (C.B. & M.)

Baited hoop-net:

Crab-nets.

26801. Crab-nets. American Net and Twine Company, Boston and New York.

32710. Open cunner-net for Tautogolabrus. Gloucester, Mass. G. B. Goode. 32711. Folding cunner-net.

TRAILING-NETS.

Trawls:

Beam-trawl.

32790. Model of beam-trawl. Made by J. G. Adam. U. S. Fish Commission.

Dredges:

Rake-dredge.

31792. Model of oyster-dredge and hoisting apparatus. Baltimore, C. S. Belbin.

26140. Four brown dredge-nets for oyster-dredges, &c. American Net and Twine Company, Boston and New York.

Towing-nets:

Surface tow-nets.

25228. Towing-net frame. U.S. Fish Commission.

FOLDING OR JERK NETS.

Purse-nets:

Mackerel and menhaden purse-seines.

39366. Purse-seine, 165 fathoms long, 10 fathoms or 500 meshes deep, 2\frac{1}{3} inch mesh. Made of No. 10 twine. George Merchant, Gloucester, Mass. U. S. Fish Commission.

26120. Model of purse-seine. American Net and Twine Company, Boston, Mass.

These purse-seines range in length from 120 to 220 fathoms, and from 500 to 1,000 meshes in depth, reaching the depth of 20 to 30 fathoms of water. The average mesh is $2\frac{1}{8}$ inches. They are made of fine Sea-Island cotton twine, and cost from \$750 to \$1,500 complete. About 300 are now in use on the coast of North America. The pursing weight varies from 100 to 150 pounds.

FOLDING OR JERK NETS.

Purse-nets—Continued.

26122-26125. Model of purse-seine. American Net and Twine Compayn, Boston, Mass.

32781. Model of purse seine. George Merchant, Gloucester, Mass.

25186. Ring or thimble for pursing-seine. Wilcox, Crittenden & Co., Middletown, Conn.

39489. Oil painting, "Throwing the seine for mackerel;" J. G. Ryder, Boston, Mass.

Series of paintings, illustrating menhaden fishery, painted by J. G. Ryder,
Boston, Mass.

39490. "Looking for a school."

39491. "Sighting a school."

39492. "The driver."

39493. "Pursing up."

39494. "Bailing in."

Cast-nets:

Mullet cast-nets.

Bait cast-nets.

25046. Casting-net. Diameter 4½ feet. William E. Hooper & Sons, Baltimore, Md.

26799. Mullet east-net. Diameter $5\frac{1}{2}$ feet, $1\frac{1}{2}$ -inch mesh.

26800. Shrimp east-net. Diameter 4½ feet, ¾-inch mesh.

19. Parts of nets and apparatus for manufacture.

Samples of netting hung to lines. William E. Hooper & Sons, Baltimore, Md.:

25048. 1-inch mesh, 12 thread, 1 fathom long, 2 feet deep

 $25047. 1\frac{1}{4}$ " 12 " 1 " 2 "

25051, $1\frac{1}{2}$ " 12 " 1 " 2 " 25050, 2 " 12 " 1 " 2 "

Netting-needles.

25596. Seine-needle (home made). J. M. K. Southwick, Newport, R. I.

25593. Seine-needle.

25712. Seine-needle (ealled hanging-needle). N. H. Payne, Wellfleet, Mass.

39484. Knitting-gauge. Used in regulating size of mesh. American Net and Twine Company, Boston and New York.

Eskimo netting-needles.

9839. Seine-needle. Eskimos. Northeastern America. S. F. Baird.

16202. Seine-needle. Magemut Eskimos, Nunivak Island, Alaska. W. H. Dall.

5613. Seine-needle of wood. Yukon River. W. H. Dall.

5614. Needle of bone. Norton Sound Eskimos.

16170, 16169, 16166, 16167, 16168, 16171, 16196. Seine-needles of bone. Magemut Eskimos. Nunivak Island. W. H. Dall.

1180. Seine-needle of wood. Chirikoff. W. H. Dall.

1315. Netting-needle. Eskimos. Smithsonian Institution.

9839. Seine-needle of bone. Eskimos of Northeastern America. S. F. Baird.

VI. TRAPS.

20. Pen-traps.

POCKET-TRAPS.

Fish-slides:

Shad-slides, used in the rivers of North Carolina.

- 25830. Fish-slide. Used in James River, Virginia. Scale 1 inch to the foot. J. G. Adam.
- 25831. Fish-slide (with box). Used in rivers of Virginia. Scale 1 inch to the foot. J. G. Adam.

LABYRINTH-TRAPS.

Weirs, or pounds.

- 12102. Bar-weir. Used in Bay of Fundy herring fisheries. Scale, 1 inch to 15 feet. Capt. U. S. Treat, Eastport, Me.
- 12106. Salmon-weir. Usen in rivers of Maine. Dennis River. Scale, 1 inch to 8½ feet. Prof. S. F. Baird.
- 23833, Model of heart-weir. American Net and Twine Company.
- 26841. Model of heart-weir.
- 25750. Model of pound-net. Used in Lake Michigan. Scale, $3\frac{1}{2}$ feet to 1 inch. Waukegan, Ill. D. D. Parmalee.
- 24885. Model of weir, or heart-net. Used on southern coast of New England. Scale, 1 inch to 8 feet. Spindel's Cove, Wood's Holl, Mass. Prof. S. F. Baird.
- 26731, 25751. Models of brush-weirs. Used in the Bay of Fundy in capture of herring (Clupea harengus). W. B. McLaughlin, Grand Manan, N. B.
- 25829. Model of fish-weir. Used by aborigines of Virginia in the fifteenth century. From figures in De Bry. J. G. Adam.
- 25820. Model of fish-trap. Valley of Yukon River. Seale, 1 inch to the foot. W. H. Dall.
- 39496. Basket-weir, Yukon River, Alaska. L. M. Turner.

Funnel-traps.

Fish-pots.

- 1754. Wicker fish-pot (model). Used in West Indies. 5 to 15 fathoms. Scale, 1 inch to the foot. H. O. Claughton, St. Martin's, W. I.
- 39474. Wicker fish-pot. Used by the Indians of California. Prof. D. S. Jordan.

Lobster-pots.

- 12100. Lobster-pot. Used in Bay of Fundy. 4 to 10 fathoms. Scale, 4 inch to the foot. Prof. S. F. Baird.
- 24801. Lobster-pot. Used in Narragansett Bay, in 10 to 15 fathoms. Scale, 3 inches to the foot. J. M. K. Southwick, Newport, R. I.
- 29296. Model of Noank lobster-pot. G. L. Green. Noank, Conn.
- 26586-7-8-9. Models of lobster-pots. Used on the coast of New England. Johnson & Young, Boston, Mass.
- 29363. Model of lobster-pot. N. C. Smith, Stonington, Conn.
- 32719. Lobster-pot bait-hook. Capt. Henry Webb.

LABYRINTH-TRAPS.

Eel-pots, without leaders.

— Ecl-pot. Used in Fisher's Island Sound, Conn. Scale, one-half.

James H. Latham, Noank, Conn.

25015-16. Wicker eel pot, two funnels, with leaders. Used about Martha's Vineyard, in 3 to 10 fathoms. Capt. Josiah Cleveland, maker, Vineyard Hayen. Mass.

25014. Wicker eel-pot (three funnels). Used about Martha's Vineyard. Capt. Josiah Cleveland, maker, Vineyard Haven, Mass.

29530. Eel-pot net. Used on the coast of New Jersey. American Net and Twine Company, Boston and New York.

Set-nets.

32733. Set-net. Diameter of largest hoop, 15 inches. U. S. Fish Commission.

Fykes (set-nets with leaders).

25045. Fyke-net. Diameter, 3 feet. Wm. E. Hooper & Sons, Baltimore, Md. 26113. Model of minnow-fyke. American Net and Twine Company, Boston [and New York.]

Bass-traps.

25704. Bass-trap. Used in Peconic Bay and Fisher's Island Sound. Scale, ½ inch to the foot. Charles T. Potter.

VII. HUNTING-ANIMALS.

21. Hunting-mammals.

OTTERS. (See section I.)

VIII. DECOYS AND DISGUISES.

22. Baits.

NATURAL BAITS.

Flies and other insects. (This should include a collection of those insects which, as the favorite food of fishes, are imitated in making artificial flies.) Arranged with hooks. (See under 29 a.)

(Accessories.) Methods of preparing baits:

Bait-cutters. (See section IV.)

NATURAL BAITS.

Bait-mills. (See section VI.)

Bait-ladles. (See under Scoops.)

Wheelbarrows for bait-clams (Nantucket).

32740. Beach-cart. Nantucket, Mass. W. H. Chase, 2d.

Bait-boxes and cans.

25560. Five bait-boxes. Bradford & Anthony, Boston, Mass.
42828. Osgood folding minnow and fish crate. U. S. Fish Commission. (C. B. & M.)

The crate extended ready for use measures 24 inches long, 8 inches wide, 8 inches deep. The crate when folded is 12 inches long, 8 inches wide, 2 inches deep. Its weight is 1½ pounds. Every angler knows the difficulty of keeping minnows alive, and the frequent failure of all ordinary means for preserving them. It is claimed that the crate meets this want. Floating beside or behind a boat its drag is scarcely perceptible. It occupies so little depth that danger from fastening on logs, &c., is almost entirely obviated. When folded, it occupies so little space that one could easily carry it under his buttoned coat during a walking excursion. Another feature that highly recommends this crate is the ease with which the bait is secured when a fresh minnow is required. No lifting is necessary. By simply tipping up the bow, the lower half, or stern, is submerged, leaving the door clear above the water and convenient to the hand.

ARTIFICIAL BAITS.1

Trolling-spoons.¹
Spinners.¹

Squids and jigs.1

"Bobs," used in Southern waters.1

Artificial flies.1

Accessories to artificial baits.1

a. Fly-hooks.1

b. Raw materials for making artificial flies.1

23. Decoys.

SIGHT-DECOYS.

Imitations of fishes.

29366. Lure-fish. D. H. Fitzhugh, Bay City, Mich. Used in fishing through the ice for salmon-trout.

29294. Lure-fishes. William Morris, Lake City, Mich. Used in fishing through the ice for pickerel.

These lure-fishes are used to decoy large fish under holes in the ice so that they may be within reach of the spear.

Arranged with hooks.

SIGHT-DECOYS.

Lanterns and other apparatus for fire hunting and fishing.

42843. Fishing-jack, dash and camp lamp combined; with head, pole, and dash attachments. Burns signal, sperm or lard and kerosene mixed.

Manufactured and patented by Albert Ferguson, New York. U.S.
Fish Commission. (C.B. & M.)

Lanterns and torches for weequashing, or fire-fishing for eels, hering, &c.

29365. Boat-lauterns. Used in bow of boat in weequashing or spearing eels by night. Southern New England, James H. Latham, Noank, Conn.

12107. Birch-bark used for torchlight fishing. Passamaquoddy Indians. Eastport, Me. Dr. E. Palmer. Oil painting by J. S. Ryder, Boston, Mass. "Fire-fishing for her-

ring in Provincetown Harbor." U. S. Fish Commission.

IX. PURSUIT; ITS METHODS AND APPLIANCES.

24. METHODS OF TRANSPORTATION.

BOATS.

Birch-bark canoes.

Used by Indians in hunting and fishing.

26615. Canoe with two Indians fishing. Northern United States. U. S. National Museum.

Wooden sea canoes.

Used by Indians of northwest coast in hunting and fishing.

1785. Wooden canoe. (Model.) Northwest coast. Dr. George Suckley.

Wooden canoes.

Used by Indians of the northwest coast in whaling and sea fisheries.

21594. Wooden canoe. (Model.) Alaska. Dr. J. B. White.

16269. Wooden canoe. (Model, painted.) Ihliuket Tribe. Sitka, Alaska. W. H. Dall.

640. Wooden canoe. (Model.) Northwest coast. George Gibbs.

Kyaks or bidarkas.

Used by Eskimos of Arctic America in hunting and fishing.

26617. Kyak. (13 feet 9 inches long, 30 inches wide.) Northwest coast, Sitka, Alaska. William Burling.

16275. Kyak. (Model.) Kodiak.

21605. Kyak. (Model, 3-hole.) Alaska. Dr. J. B. White.

14750. Kyak. (Model, with bird-spear, harpoon, and seal-skin float.) Eskimos, Tusiack, North Greenland. Prof. S. F. Baird.

Umiaks or bidarras.

Used by Eskimos in whaling and sea fisheries. ,

1098. Umiak. (Model.) Fort Anderson, H. B. T. Robert MacFarlane.

Dug-out canoes

Used by Indians of Pacific coast.

21358. Dug-out canoe. (Model.) Hoopah Indians, Trinity River, Cal. S. Powers.

Used in river fisheries of the Southern States.

25728. Dug-out canoe. (Model; scale, inch to foot.) Saint John's River, Florida. Francis C. Goode.

Portable boats.

29506. Hegeman portable folding boat. Length, 10 feet; width, 3 feet.

Hegeman Portable Folding Boat Company, Ballston Spa, N. Y.

Directions for setting up boat:

1. Unfold the frame. 2. Place the knees and seats in position before fastening the bottom-end section at the ends of the boat. 3. Fasten the bottom-end section to the ends of the boat by the thumb-screws. 4. Place on the canvas with the cords and tie in a single loop (or bow knot).

39339. Bond's improved sectional boat. Maj. T. B. Ferguson, U. S. Fish Commission.

39486. Shattuck portable boat.

22218. Model of Colvin portable canvas boat. (Patented Oct. 6, 1874.) R. A. Scott & Co., Albany, N. Y.

"This boat consists of a canvas exterior made thoroughly water-proof by a preparation which preserves the strength of the canvas and prevents decay and oxidation. It is shaped like a canoe, sharp at both ends, and cuts the water handsomely. Along the sides and bottom are leather thougs, by which the boughs and limbs cut for frame can be lashed securely to the canvas, with the assistance of the four leather framing blocks or sockets (two for each end), which connect the stem and stern posts (or prow pieces) with the keelson, and it can be readily put together anywhere in the woods, no tools being required for the purpose, excepting an ax or hatchet. The whole of it can be packed away in a space 24 inches long, 6 inches wide, and 3 inches thick. The size now made (No. 3), although but 12 feet long, will carry six men, or four men with their necessary baggage, and weighs but 12 pounds when rolled up. It has been tested in a heavy sea with a frame of green boughs cut only two hours before, and carried a weight of 700 pounds safely and easily."

25879-26-112. Model of Fenner's portable boat. With canvas bottom, C. A. Fenner, ystic River, Connecticut.

One of these models is shown closed up in its case ready for transportation, the other set up for use.

42341. Osgood's portable folding canvas boat. Manufactured by Osgood & Chapin, Battle Creek, Michigan.

The following sizes are manufactured:

Length.	Width.	Depth.	Weight.	Length of oars.	Price.
12 feet.	33 in.	12 in.	45 lbs.	$6\frac{1}{2}$ feet.	\$35 00
15 feet.	36 in.	13 in.	70 lbs.	6½ feet.	45 00

Size of chest.—For 12-foot boat: 38-in, long, 17 in, wide, 18 in, deep. For 15-foot boat: 40-in, long, 20 in, wide, 22 in, deep.

Portable boats—Continued.

The 12-foot boat is designed for two men; will carry 600 pounds, and draw 4 inches of water. The 15-foot boat is designed for four men. Is rigged with two pair of oars, will carry 850 pounds, and draw 4 inches of water.

The jointed stretcher is used in place of the sectional bottom-board, with two side-boards, one each side of stretcher. The boat set up this way only weighs 20 pounds, and makes a very convenient boat for troutfishing, duck-hunting, or exploring in ponds or streams where the paddle will do as well as the oars. A box of water-proofing fluid, with directions, sent with each box.

The canvas is woven to order for this special use, and is stronger than the usual thickness of birch bark or cedar canoes. The water-proofing leaves the canvas soft, preserves the fiber, prevents mildew, and renders it impervious to water. The ribs are red elm, the bottom-board and oars basswood, which is filled with patent wood filling, preventing the water from penetrating the wood. The rowlocks and square staples are of malleable iron.

You can propel the boat rapidly; it is very staunch; will not tip over by rocking or climbing into it from bathing; and can be made ready for the water in two minutes, and requires no tools or ingenuity to set it up. 42842. Oars.

Canoes.

32780. "Shadow canoe," with sails, for cruising, fishing, or hunting.

Manufactured by James Everson, boat builder, 489 First street,

Brooklyn, E. D., N. Y.

Coracles or skin boats.

9785. Skin boat. Hidatza (*Gros Ventres*) Indians. Fort Buford, Dakota, Dr. W. Matthews, U. S. A.

Whale-boat (used in whale fisheries).

24868. Whale-boat. (Model.) C. H. Shute & Son, Edgartown, Mass.

Seine-boat.

25826-7. Model of Cape Ann seine-boat. Higgins & Gifford, Gloucester. This model shows the fittings manufactured for seine-boats by Wilcox, Crittenden & Co., Middletown, Conn., to wit: cleat, stern-cap, snatch-block for pursing-seine, steering-oarlock with stern socket, socket used on side of stern for steering, davit-iron, tow-iron, tow-link and hook, belaying-pin, oar-holder, davit-guard and step-plate, breast-brace and eye-plate or oar-holder swivels, all of which are shown in their proper places by full-size articles.

39441. Model of Cape Ann seine-boat. (Scale ½ inch to the foot.) Higgins & Gifford, Gloncester, Mass.

This is the same as the preceeding with exception of the seine.

Dories, sharpies, and dingeys.

25657. Model of Nantucket dory. (Scale, 1 inch to the foot.) W. H. Chase.

Used in gathering clams for codfish-bait.

Dories, sharpies, and dingeys—Continued.

12678. New England dory. (Model; scale, 1 inch to the foot.) Starling & Stevens, Ferryville, Me.

13493. New England dory. (Model: scale, 1 inch to the foot.) Starling & Stevens, Ferryville, Me.

Used in coast fisheries and Bank cod fisheries.

24752. Connecticut sharpy. (Scale, 1 inch to the foot.) Capt. H. C. Chester Noank, Conn.

39367. Dory. Twelve and one-half feet long.

Length, 12 feet 6 inches on bottom; 16 feet 6 inches on top.

Width, 29 inches on bottom; 4 feet 6 inches on top.

Depth, 19½ inches amidships; 27½ inches forward and aft.

Pine wood for planking and bottom. Oak timbers, gunwales, stem and stern. One thwart, three parting or kid boards.

This size is used principally by the fishermen on the south side of Cape Cod. The custom is to buy the dories for the vessels to fish on Nantucket and Chatham Shoals and off Block Island. After using them one season they usually sell them to be used by shore fishermen.

Rigged for hand-lining on the Banks, the equipment is as follows:

- 1. Painter, $5\frac{1}{2}$ fathoms long, $1\frac{n}{4}$ -inch manila rope, leathered in the stem, thimble seized in.
- Stern becket, 3 feet of 1½-inch rope, knotted on ends, leathered
 in holes and served for 20 inches in the middle with white
 span yarn.
- 3. Stern painter, 2½ fathoms buoy-line made fast to stern becket.
- Anehor, 16 pounds; ring and part of stock served with spun yarn.
- Anchor-line, 20 fathoms buoy-line bent to crown of anchor and secured to the ring by a small string.
- 6. Cleat, 4 inches long, inside of stem, for anchor-line.
- One pair 8-foot ash oars, served in rowlocks with strand of buoyline.
- 8. One and one-half pairs woolen nippers.
- Two hand-lines on reels, with gear attached, each 25 fathoms long; leads, 3 pounds.
- 10. Bait-bucket (common water-bucket with cover).
- 11. Bait-board, 6 inches wide, across the dory (same as thwart).
- 12. Dinner-box (common half-peck round box).
- 13. Spare hooks.
- 14. Two squid-lines (mackerel lines) on reels with jigs attached.
- 15. Two bird-lines " " hooks "
- 16. Gaff, on wooden handle, 21 feet long.
- 17. Bait-knife, 6-inch pointed blade.
- 18. Six thole-pins on strings.
- 19. Shark-lance, iron, 3 feet long, pole 5 feet, \$1.40.
- 20. Half-gallon water-jug:
- 21. Dory plug, with line attached.
- 22. Wooden bailing scoop.
- 23. Gob-stick, 2 feet long, for unhooking fish.
- 24. Fishing cleats, 1 foot long, one on each side of dory, amidships.

39368. Dory. Thirteen feet long.

Length, 13 feet on bottom, 17 feet on top.

Width, 30 inches on bottom, 4 feet 7 inches on top.

Dories, sharpies, and dingeys—Continued.

Depth, 20 inches amidships, 28 inches forward and aft.

Pine wood for planking and bottom.

Oak timbers, gunwales, stem and stern.

Two thwarts, three parting or "kid" boards.

This size is quite extensively used in Gloucester. They are used to the greatest extent by vessels for winter codfishing (fresh-fishing, so-called). They are also used in quite large numbers from Provincetown, Beverly, Swampscott, Portsmouth, Newburyport, and fishing ports in the State of Maine, both for shore and Bank fishing.

Rigged for shore trawling and handling, the equipment is as follows:

- Painter, 5½ fathoms 1½-inch manila rope, leathered in stem (no thimble).
- 2. Small cleet, 4 inches long, on inside of stem for anchor-line.
- 3. Tall single score trawl-roller.
- 4. One pair woolen nippers with lines.
- Pieces of leather on forward ends of dory ribband-streaks, to prevent trawl catching in ribbands.
- 6. Hole in forward thwart and step in bottom of dory for mast.
- 7. Mast 11 feet long; sprit 11 feet long.
- 8. One pair 8 feet ash oars, covered with leather in rowlocks.
- Two hand-lines on reels, with gear attached; leads 2½ and 3 pounds.
- One-half dozen thole-pins; leather beckets for thole-pins on inside of dory just below the holes.
- 11. Gaff, with wooden handle 3 feet long.
- 12. Half-gallon water-jug.
- 13. Dinner-firkin, with spare hooks.
- 14. Bait-board across the dory aft of middle thwart.
- 15. Wooden scoop, for bailing.
- 16. Bait-knife, 5½-inch pointed blade.
- 17. Bait-bucket (common water-pail).
- 18. Dory-plug, with line attached.
- 19. Small thimbles attached to gunwale aft, for sail-sheets.
- 20. Tub of trawl: Ground line, 1,755 feet of 14-pound tarred cotton line; 500 No. 15 hooks, 3½ feet apart on ground-line; gangings 2 feet long, of white cotton line (30-thread); trawl put in half a flour-barrel, with holes in bottom and sides; beckets and lashings spliced in.
- Buoy-line 42 fathoms long, used for anchor-line when handlining, and on trawl for trawling.
- 22. Buoy-line 20 fathoms long attached to trawl-buoy.
- 23. Two 10-pound anchors, ring and part of stock served with spun yarn, strap bent into ring; used for trawl when trawling; one used for anchor when hand-lining.
- Two mackerel-kits, painted and marked, for trawl-buoys, rigged with staff and swivels.
- 25. Black ball on gourd-stick for buoy.
- 26. Fishing cleats, 1 foot long, amidships on each side of dory.
- 27. Wooden button on starboard side and iron pin on port side of forward thwart, to prevent thwart from rising while the dory is under sail.
- 28. Sail, 11 feet on foot, 9 feet hoist, 5 feet head.

Dories, sharpies, and dingeys—Continued.

29. Under-running stick, 15 inches long.

30. Gob-stick, 2½ feet long.

39369. Dory. Fourteen feet long.

Length, 14 feet on bottom, 18 feet on top.

Width, 32 inches on bottom, 4 feet 10 inches on top.

Depth, 20 inches amidships, 28 inches forward and aft.

Pine wood for planking and bottom.

Oak timbers for gunwales, stem and stern.

Three thwarts, no parting boards.

This size is not used to any great extent, principally by mackerel seiners, and are designed to row fast in order to keep company with the seine-boat when rowing after schools of mackerel.

Rigged for use in mackerel seining, the equipment is as follows:

- Painter, 5 fathoms of 2-inch manila rope, leathered in stem, thimble seized in.
- 2. Stern-becket 3 feet long of 2-inch rope, knotted on ends, served for 2 feet in the middle with manila spun yarn.
- 3. Two pairs 9-foot ash oars.
- 4. Wooden scoop for bailing.
- 5. Knife, 5½-inch pointed blade.
- 6. Eight thole pins, in leather beckets on inside of dory.
- Four lines, each 2½ feet long, through holes in ribbon on starboard side of dory, used to fasten to the seine.
- 8. One buoy line forward and one aft, each four feet long, to fasten to the scine.

39370. Dory. Fourteen and one-half feet long.

Length, 14 feet 6 inches on bottom, 18 feet 10 inches on top.

Width, 36 inches on bottom, 5 feet 6 inches on top.

Depth, 22 inches amidships, 31 inches forward and aft.

Pine wood for planking and bottom.

Oak timbers, gunwales, stem and stern.

Three thwarts, three parting or "kid" boards.

Are used to a great extent by Gloneester and Boston haddock catchers. The style called haddock dory is built strong, and more adapted to carry large loads than for speed. They are built wider and deeper than the fifteen feet bank-dory. They are used almost exclusively for winter fishing, catching haddock, and after picking fish from trawls and loading dory, the vessel goes to the dory, consequently speed and rowing give place to earrying and sea-going qualities.

Rigged for haddock fishing, the equipment is as follows:

- Painter, 5 fathoms of 2-inch manila rope, leathered in stem, thimble seized in.
- Stern-becket, 3 feet of 2-inch rope, leathered in holes, served for 2 feet in middle with white spun yarn, knots on ends.
- 3. Rubber boot-heel bumper on stem.
- 4. Three-seore lignum vitæ patent trawl roller.
- 5. Two pairs woolen nippers, with lines.
- 6. Dory knife, 5½-inch, pointed blade.
- 7. Gob-stick, 2 feet long.
- 8. Gaff on wooden handle, 21 feet long.
- 9. Wooden scoop for bailing.
- 10. Two dozen thole pins on strings.

Dories, sharpies, and dingeys—Continued.

- 11. Four thwart-lashings of buoy line, 3 feet long.
- 12. Two pairs of 9-foot ash oars, zinked in rowlocks.
- 13. Dory plug, with bucket and line attached.
- 15. Stern-painter (3 fathoms) buoy-line, made fast to stern-becket.
- 16. Tub of trawl:

Ground line, 1,755 feet of 14-pound tarred cotton line; 500 No. 15 hooks, 3½ feet apart on ground line; gangings 2 feet long, of white cotton twine (30 threads); the trawl in a half flour barrel, with holes in bottom and sides, beckets and lashings spliced in.

- 17. Three buoy lines, each 25 fathoms long (one for middle buoy).
- One anchor, 12-pound, ring and part of stock served with spun yarn; strap bent into ring.
- One killick, 10 pounds, served in eye with spun yarn; strap bent into eye.
- One quarter-barrel buoy (painted), with black ball, rigged with swivels and staff.
- 21. One painted quarter barrel for middle buoy; slung; no staff; swivels; buoy line wound around.
- 22. One painted kit for buoy with staff, swivel, and black ball.
- 23. Strips of leather on forward end of dory ribband streaks.

39371. Dory. Fifteen feet long.

Length, 15 feet on bottom, 19 feet on top.

Width, 35 inches on bottom, 5 feet 3 inches on top.

Depth, 21 inches amidships, 30 inches forward and aft.

Pine wood for planking and bottom.

Oak timbers for gunwales, stem, and stern.

Three thwarts, three parting or kid boards.

The Bank dory, so called, is used to a greater extent than any other by Bank fishermen and fresh halibut catchers, and is not as wide or deep as the fourteen and one-half foot haddock dory, is built more for rowing than the fourteen and one-half foot dory, for in this fishing the vessels anchor and the dories have to be rowed with a load in oftentimes for miles.

Rigged for fresh halibut fishing, the equipment is as follows:

- Painter, 5 fathoms, of 2-inch manila rope, leathered in stem, thimble seized in 15 inches from stem.
- Stern beeket, 3 feet of 2-inch rope, knotted on ends, leathered in holes, served for 2 feet in middle with white manila spun-yarn.
- 3. Two pairs woolen uippers with lines.
- 4. Patent "hurdy-gurdy" or trawl windlass.
- 5. Patent trawl-roller, large size, single score, line attached.
- Leather on forward end of dory, ribband streaks, to prevent trawl from catching.
- 7. Mast-hole in forward thwart and step in bottom of dory for mast.
- 8. Wooden button on starboard side and iron pin on port side of for ward thwart to prevent thwart from rising while the dory is under sail.
- 9. Mast, 15 feet long.
- 10. Sprit.
- 11. Sail. 14 feet on foot, 6 feet on head, 13 feet hoist.
- 12. Brass dory compass.

Dories, sharpies, and dingeys—Continued.

- Canvas compass-pocket on port side of dory aft of forward thwart.
- 14. Gallon water-jug.
- 15. $1\frac{1}{2}$ dozen thole-pins on strings.
- 16. Two pairs 9-foot ash oars, served with buoy-line in rowlocks.
- 17. Four thwart lashings of buoy-line, each 3 feet long.
- 18. Iron dory gaff.
- 19. Dory knife, 10-inch, pointed blade.
- 20. Two wooden halibut-killers (ash clubs 2½ feet long).
- 21. Wooden scoop for bailing.
- Large wood and zine scoop for bailing (such as the fishermen make).
- 23. Stern painter, 3 fathoms buoy-line, made fast to stern beckets.
- Life-line on bottom of dory, fastened to three small staples, beckets or loops spliced in.
- 25. Dory-plug, with becket and line attached.
- 26. Skate of trawl.

Ground-line made of 15 lines, 25 fathoms each = 2,250 feet 22-pound tarred cotton line; 150 No. 6283 "Kirby" halibut hooks 15 feet apart on ground-line; gangings 5 feet long, of 14-pound tarred cotton line. The trawl is becketed with lobster twine for bending the gangings, long-eye splices in ends of trawl, canvas skate for trawl.

- 27. Two 16-pound trawl anchors, ring and part of stock served with spun yarn, strap bent into the ring.
- One hard-wood iron-bound trawl buoy painted, with staff and swivel, gourd-stick and black ball.
- 29. One soft-wood half barrel, painted, with staff, swivel, and flag.
- 30. Two buoy-lines, each 50 fathoms long.
- 31. Two small thimbles attached to gunwale aft for sail sheets.
- 32. Rubber boot-heel bumper on stem.
- 33. Scrub-broom for halibut, with hoisting straps.

39372. Dory. Fifteen and one-half feet long.

Length, 15 feet 6 inches on bottom; 19 feet 8 inches on top.

Width, 35 inches on bottom; 5 feet 5 inches on top.

Depth, 22 inches amidships; 31 inches forward and aft.

Pine wood for planking and bottom. Oak timbers, gunwales, stem and stern. Three thwarts, three parting or "kid" boards.

This size is not used to any great extent by American fishermen, but large numbers are shipped annually to the French at St. Pierre, Miquelon. This dory is built about the same depth and width as the haddock dory, and very strong, with six, and sometimes seven, pairs of timbers, with a wide band or ribband on the outside to protect the top of the dory. The gunwales, timbers, stern, and about all other material in this style of dory are larger than are usually put in American dories. The French boats used by their vessels formerly are being fast superseded by the American dory.

The equipment of a dory, rigged for Bank cod trawling, is as follows:

 Painter 5 fathoms of 2-inch manila rope, served with white marline in stem, thimble serzed in.

Dories, sharpies, and dingeys—Continued.

- Stern becket, 3 feet of 2-inch rope, knots on ends, served in holes with rope yarn, served for 2-feet in middle with spun yarn.
- 3. Stern painter, 3 fathoms of buoy-line.
- Two pairs of 9-foot ash oars. (One pair second-hand, served with buoy-line in rowlocks, and one pair without service).
- 5. Wooden scoop for bailing.
- 6. Gob-stick 2 feet long.
- 7. Gaff in wooden handle 21 feet long.
- 8. Single-score trawl roller.
- 9. Two pairs woolen nippers, with lines.
- 10. Plug with becket and line.
- 11. Four thwart lashings, each 3 feet long, of buoy-line.
- 12. Rubber boot-heel bumper on stem.
- 13. Leather on forward ends of dory ribband streaks.
- Dory knife, 5½-inch pointed blade.
- 15. Two bird-lines on reels, with hooks attached.
- 16. Under-running stick 15 inches long.
- 17. Brass dory compass in wooden box.
- 18. Gallon water jug.
- 19. Tub of trawl.

Ground-line of 11½ lines 25 fathoms each, 18-pound tarred cotton line, 300 No. 14 cod-hooks (center draft eyed), 5½ feet apart, on ground line, gangings 3 feet long, of 6-pound tarred cotton line.

- 20. One hard-wood iron-bound bnoy (painted), rigged with staff, swivels, and black ball.
- 21. One soft-wood quarter-barrel (painted) for buoy, rigged with staff, swivels, and small flag.
- 22. Two buoy-lines 25 fathoms each.
- 23. Two 16-pound anchors, sewed in ring and part of stock with spun yarn and strap bent into ring.
- 24. $1\frac{1}{2}$ dozen thole-pins on strings.
- 25. Patent trawl grapnel.

It may be said in addition that there are quite a number of other styles of dories, but these are of local use; as, for instance, the round-sided bilge dory used by the fishermen at Rockport, Pigeon Cove, Lanesville, and all around the cape; built principally for sailing qualities, and also for carrying capacity. They are decked over forward, with wash-boards, so-called, at the side, and are used for winter and summer fishing, from the shores of the above-named places.

Italian fishing-boats.

Used in harbor fisheries of California.

22213. Italian fishing-boat. (Model; felucca rig.) San Francisco. Liv-[ingston Stone.

22214. Italian fishing-boat. (Model; felucca rig.)

22215. Italian fishing-boat. (Model; felucea rig.) " "

22217. Italian fishing-boat. (Model.) Chinese fishing-boat. San Francisco. Livingston Stone.

Pinkies.

25898. Noman's Land pinkie-boat. (Model; scale, inch to the foot.) Capt.
William Cleveland, Vineyard Haven, Mass.
Used in cod and coast fisheries.

Hunting-skiffs.

Used for hunting and fishing in mountain lakes.

25681. Adirondack boat. (Model; scale, $\frac{1}{2}$ inch to the foot.) Frederick D. Graves, maker, Boston, Mass.

Dimensions; 15 feet long, 3 feet 6 inches wide; weight, 75 to 80 pounds. For the use of sportsmen this boat is claimed to excel, on account of its extreme lightness and durability, one man being able by means of a yoke to carry the same to any distance without fatigue. This boat is also adapted for family purposes, the patent rowlock enabling the most inexperienced rower of either sex to propel the boat with ease and perfect safety, and without any possible chance of losing the oars.

25899. Ausable boat. (Model.) D. L. Fitzhugh, jr., Bay City, Mich.

Used in trout and grayling fishing, with well for live tish. Length, 16 feet; sides 12 inches high inside, 2 feet 10 inches wide on top, 2 feet 4 inches at bottom.

26624. Saint Lawrence boat. Henry Sweetman, Clayton, N. Y.

Used in trolling in the Thousand Island region. Length, 19 feet; width, 43 inches.

25053. Alexandria Bay boat. (Model.) Cornwall & Walton, Alexandria, N. Y.
Used for hunting and fishing in the Adirondacks and the Saint
Lawrence.

Sea boats.

24999. New England surf-boat. (Model; seale, 2 inches to the foot.) Cragin & Sheldon, makers, Boston, Mass.

Used in harbor, lake, and river fisheries.

25001. Whitehall boat (18 feet). (Model; scale, 2 inches to the foot.) Cragin & Sheldon, Boston, Mass.

25000. Ship's yawl. (Model; scale, 2 inches to the foot.) Cragin & Sheldon, Boston, Mass.

Carried by coasters and fishing smacks.

22216. San Francisco yawl. (Model.) Livingston Stone.

Used by Italian fishermen on coast of California.

25028. Nantucket harbor boat. (Model; seale, 1 inch to the foot.) W. H. Chase.

Used in harbor fishing.

Oyster-canoes.

42758. Chesapeake oyster-pungy. (Model.) Major T. B. Ferguson.

25003. Chesapeake oyster-canoe (made from two logs). (Model; scale, 1 inch to the foot.) Major T. B. Ferguson, Maryland Fish Commission.

Used for oyster-raking in Chesapeake Bay.

39151. (Model.) Chesapeake oyster-canoe.

25002. Chesapeake canoe-pungy. (Model; seale, 1 inch to the foot.) Major T. B. Ferguson, Maryland Fish Commission.

Used in oyster-dredging in Chesapeake Bay.

42757. Chesapeake canoe-pungy. (Model.) Major T. B. Ferguson, Maryland Fish Commission.

39336. Photograph. "View of Pratt St. Wharf, Baltimore, showing fleet of oyster boats." R. H. Edmonds, Baltimore, Md.

Ducking-boats.

25658. Egg Harbor boat. (Model; seale, 1 inch to the foot. P. Brasher, New York City.

Used for hunting in marshes and bays.

26623. New Jersey sneak-box. (Model; seale, 1 inch to the foot.) John D. Gifford, Tuckerton, N. J.

These boats are from twelve to fourteen feet in length; the shelving or sideboards on the stern of the boat are used to hold the decoys while the hunter rows to and from the shooting ground. Used by gunners on Barnegat and Little Egg Harbor Bays, New Jersey.

Cat-rigged fishing-boats.

12099. Bay of Fundy cat-boat. (Model; scale, ½ inch to the foot.) Captain Hallet, Eastport, Me.

Used in herring fisheries.

25026. Martha's Vineyard eat-boat. (Model; scale, ½ inch to the foot.)
William II. Chase.

Used in coast fisheries.

29537. Providence River cat-boat. (Model.) J. M. K. Southwick, Newport, R. I.

These boats vary in length from 14 to 19½ feet, and cost from \$225 to \$425. Used in lobster fisheries and hook and line fisheries. Built by J. U. Stoddard.

26585. Two-masted cat-boat. (Model; scale, about ½ inch to the foot.)

Johnson & Young, Boston, Mass.

Used in New England lobster fisheries.

39314. Grand Bank cod-fishing schooner "Mayor Rogers." (Model 43 inches long.) U. S. Fish Commission.

Sails set, as on a passage to the Banks.

Schooner-rigged fishing-vessels.

39197. Gloucester George's Bank fishing schooner. (Model.) (S. Elwell.) U. S. Fish Commission.

26809. Noank lobster-boat. (Model.) Capt. H. C. Chester, Noank, Conn.

25825. Block Island boat. (Model; scale, ½ inch to the foot.) Capt. H. C. Chester.

Used in cod fisheries and shore fisheries.

25730. Massachusetts schooner-smack. (Model; seale, $\frac{1}{3}$ inch to the foot.) William H. Chase, Boston, Mass.

Used in mackerel fisheries and winter oyster trade.

25731. Maine schooner-smack. (Model; scale ‡ inch to the foot.) Capt. H. C. Chester.

Used in Bank cod fisheries and Eastern mackerel fisheries.

26536. Oyster-schooner. (Model; scale, 1 inch to the foot.) T. B. Ferguson, Maryland Fish Commission. Used in oyster-dredging in Chesapeake Bay.

26584. Schooner-smack. (Model; scale, about ½ inch to the foot.) Johnson & Young, Boston, Mass.

Employed in the New England lobster fisheries.

25727. Noank well-smack. (Model; scale, ½ inch to the foot.) H. C. Chester, Noank, Conn.

Supplies fresh fish to local markets and New York iced-fish trade.

Schooner-rigged fishing-vessels—Continued.

22220. Gloncester schooner, style 1835. (Model.) M. M. McFadyn. First form of sharp-bowed schooner, out of which the present Gloucester schooner was developed.

59337. Gloneester mackerel schooner "Mary Odell." Lent by J. O. Procter, Gloncester, Mass.

59489. Model of mackerel schooner "William M. Gaffney" of Gloucester.

John Bishop, Gloucester, Mass.

Ships.

24881. Whaling-barque. (Model; scale, $\frac{1}{4}$ inch to the foot.) U. S. Fish Commission.

Used in northern whale fisheries.

Boats of Great Lakes.

26790. Lake Erie pound boat. (Model.) J. W. Milner.

Steamers.

25824. Menhaden steamer with seine-boats. (Model.) Joseph Lawler, Bristol, Me.

39238. Photographs of menhaden steamers "David H. Wilson," Built in 1875, by the Portland Company.

39239. "William Floyd." Built in 1877 by the Portland Company.

39240. "George W. Beale," Built in 1879, by the Portland Company.

39241. "Portland." Built in 1879, by the Portland Company.

25027. Gill-net steamer. (Model; seale 1 inch to 5 feet 5 inches.)
Used in Lake Michigan fisheries.

APPARATUS ACCESSORY TO RIGGING FISHING-VESSELS.

Blocks.

25821. Three single iron-sheaved, plain-hook tackle blocks. Walter Coleman & Sons, Providence, R. I.

25820. Two double iron-sheaved, plain-hook tackle blocks. Walter Coleman & Sons, Providence, R. I.

25804. "Heart" block. Used to secure the standing or fixed rigging to the hull of the vessel. Walter Coleman & Sons, Providence, R. I.

25805. "Bull's-øye" block. Used to secure the standing or fixed rigging to the hull of the vessel. Walter Coleman & Sons, Providence, R. I.

25819. One single brass-sheaved, sister-hook tackle block. Walter Coleman & Sons, Providence, R. I.

25152. Series of boat-blocks. Used on small fishing-boats around Cape Cod and Newport. Wilcox, Crittenden & Co., Middletown, Conn.

29444. Improved swivel-hook. For blocks and general use. Daniel Walker, Providence, R. I.

Clews and hanks.

25139. Ship's clew for courses. Wileox, Crittenden & Co., Middletown, [Conn.

25135. Series of spectacle or fore-and-aft clews. With patent clew-thimbles. Wilcox, Crittenden & Co., Middletown, Conn.

Clews and hanks—Continued.

25136. Improved heart-clew. Wilcox	, Crittenden & Co., Middletown, Com
------------------------------------	-------------------------------------

25142. Tack-ring.

25137. Series of topsail clew-bows.

25138. Series of clew-bars.

29475. Clement's patent self-adjusting jib-hank. Wilcox, Crittenden & Co., Middletown, Conn. .

25143. Jib-head, with patent clew-thimble, used where the jib has been stretched too much; the jib is shortened at the head; and the jibhead is attached to the sail. Wilcox, Crittenden & Co., Middletown, Conn.

25803. Jib-hank. Goes on jib-stay to hold the sail to it. Walter Coleman & Sons, Providence, R. I.

25777. Wooden jib-hank. Samuel Elwell, jr., Gloucester, Mass.

25156. Series of single-stay jib-hanks. Wilcox, Crittenden & Co., Middle-Itown, Conn.

25157. Series of double-stay jib-hanks.

25215. Self-adjusting jib-hank for double stay. Clement's patent. Wilcox, Crittenden & Co., Middletown, Conn.

25214. Patent self-adjusting jib-hank. Clement's patent. Wilcox, Crittenden & Co., Middletown, Conn.

29460. Jib-sheet block (peculiar to Gloucester fishing-vessels). Samuel Elwell, jr., Gloucester, Mass.

25158. Pratt's patent jib-hank or yacht-jib. Wilcox, Crittenden & Co., [Middletown, Conn.

25207. Hook-and-eye for bonnet of jib.

29446. Lizard. Used in connection with the luff of a sail and the mast [hoops and hoisting line.

29447. Ditto.

Chocks.

29468. Line-chock for whale-boat. Provincetown style. William W. Smith, Provincetown, Mass.

25180. Line-chock for whale-boat. Wilcox, Crittenden & Co., Middletown, [Conn.

25216. Bow-chocks. 66 25195. Boat-chocks.

25192. Difto.

29420. Line rollers. Used on whale-boats in place of line-chock. Wm. W. Smith, Provincetown, Mass.

Boat-hooks.

25926. Whaler's large-ring boat-hook. E. B. & T. Macy, New Bedford,

25614. Whale-boat boat-hook (peculiar to New Bedford). Humphrey S. Kirby, New Bedford, Mass.

25196. Series of wrought-iron boat-hooks. Wilcox, Crittenden & Co., Mid-[dletown, Conn.

25200. Boat-hook for gunboat.

25197. Double Navy boat-hooks with ball points. Wilcox, Crittenden & [Co., Middletown, Conn.

25198. Series of Navy boat-hooks with ball points.

66 25199. Series of sharp-pointed boat-hooks.

Belaying-pins.

25161. Series of belaying-pins. Wilcox, Crittenden & Co., Middletown, [Conn. 66

25169. Belaying-pin for Cape Ann seine-boat. ...

25766. Two belaying-pins. Samuel Elwell, jr., Gloncester, Mass.

Riggers' hooks.

- 25194. Deck or hammock hook. Wilcox, Crittenden & Co., Middletown, Conn.
- 25155. Sister hooks and thimbles. Wilcox, Crittenden & Co., Middletown, Conn.
- 25195. Hammock-hook. Wilcox, Crittenden & Co., Middletown, Conn.
- 25145. Wide-monthed single-hooks, or Cape Ann bonnet-hooks. Wilcox, Crittenden & Co., Middletown, Conn.
- 29452. Bonnet-hook-and-eye, for removing the jib. Wilcox, Crittenden & Co., Middletown, Conn.
- 25155. Series of hooks and thimbles. Wilcox, Crittenden & Co., Middletown, Conn.
- 25943. Purrel hooks. S. Elwell, jr.
- 25144. Sister-hooks. Wilcox, Crittenden & Co., Middletown, Conn.
- 25150. Sailmaker's bench-hook. Wilcox, Crittenden & Co., Middletown,
- 25185. Hook-and-eye plate. Wilcox, Crittenden & Co., Middletown, Conn.

Grommets.

- 25116. Series of galvanized iron sail-grommets (Wilcox's patent). Wilcox, Crittenden & Co., Middletown, Conn.
- 25117. Series of brass sail-grommets (Wilcox's patent). Wilcox, Crittenden & Co., Middletown, Conn.
- 25118. Series of brass grommets. Conical point, rolled rim. Wilcox, Crittenden & Co., Middletown, Conn.
- 25119. Series of metallic grommets. First used in America. Wilcox, Crittenden & Co., Middletown, Conn.
- 25120. Series of brass grommets. First patented in America. Wilcox, Crittenden & Co., Middletown, Conn.
- 25121. Rope-yarn grommets (with worked holes showing mode of use). Wilcox, Crittenden & Co., Middletown, Conn.
- 25128. Series of light, galvanized grommet-rings. Wilcox, Crittenden & Co., Middletown, Conn.
- 25129. Series of heavy galvanized sail-thimbles. Wilcox, Crittenden & Co., Middletown, Conn.
- 25130. Series of heavy iron sail-thimbles (Navy pattern). Wilcox, Crittenden & Co., Middletown, Conn.
- 25122. Galvanized iron ring grommet, with worked holes showing mode of nse. Wilcox, Crittenden & Co., Middletown, Conn.
- 25123. Series of buntline leaders and earning grommets. Wilcox, Crittenden & Co., Middletown, Conn.
- 25124. Series of eyelet grommets. Used to line worked holes and couplings to Wilcox's patent grommets. Wilcox, Crittenden & Co., Middletown, Conn.
- 25125. Setting-die. Used for inserting eyelets. Wilcox, Crittenden & Co., Middletown, Conn.
- 25126. Cutting-punch. Used for cutting grommet-holes. Wilcox, Crittenden & Co., Middletown, Conn.

Grommets—Continued.

- 25127. Series of heavy grommet-rings. Used for earrings. Wilcox, Crittenden & Co., Middletown, Conn.
- 25131. Series of light iron sail-thimbles. Wilcox, Crittenden & Co., Middletown, Conn.
- 25132. Series of throat-thimbles. Gloucester pattern. Wilcox, Crittenden & Co., Middletown, Conn.
- 25133. Series of reef-tackle or saddle-thimbles. Wilcox, Crittenden & Co.,
 Middletown, Conn.
- 25134. Series of brass sail-thimbles. Wilcox, Crittenden & Co., Middletown, Conn.

66

- 25152. Series of open or riggers' thimbles. "
- 25153. Series of wire-rope thimbles. "

Anchors.

- 32675. Iron killick. A. Voss, Gloucester, Mass.
- 25162. Boat-anchor. Wilcox, Crittenden & Co., Middletown, Conn.
- 25163. Grappling-iron for dory. "
- 25219. Wooden killick or coast anchor. H. C. Chester, Noank, Conn.
- 29249. Series of sailors' palms (from best to the poorest). Wilcox, Crittenden & Co., Middletown, Conn.
- 29423. Sailor's palm (left hand). Wilcox, Crittenden & Co., Middletown,
- 29424. Sailor's roping palm, A 1 (right hand). "
- 32651. Trawl-killick. Patented by E. N. Twiss, April, 1878. E. N. Twiss.
- 39421. Voss' improved self-stocking anchor. D. C. Voss, E. Gloucester,

"This invention consists of a shank and flukes, similar to a common anchor; but its superiority consists in the folding of the stock, which is effected by means of a bar passing through the shank, to which the arms or parts of the stock are pivoted by bolts, the pivoted ends of the stock being so formed as to stop and support the arms at right angles to the shank, and while the folding stock enables you to stow or handle your anchor with ease, it does not prevent it from answering all the purposes of a common stock, as the draught of the eable on the shank cannot fail to bring it into position, nor can the cable get foul with the stock, as the pivot enables the stock to fall back, causing the turn of the cable to ship off.

"It is claimed that its advantages as a trawl-anchor cannot be surpassed, as one can stow them anywhere in the dory and they are out of the way, and besides the advantage of stowing them in the hold of the vessel (as six or eight of them can be stowed in the same space as one of the common anchors)."

22224. Snug-stow anchor. Wilcox, Crittenden & Co., Middletown, Conn.

Drags.

39488. Collins' adjustable marine drag. (Model. Scale of \(\frac{1}{3} \). Captain J. W. Collins, Gloucester, Mass. Used by vessels "laying to" in a storm.

Mast-gear.

25802. Six "purrel trucks." Used on a rope around the mast to keep the gaff on the mast. Walter Coleman & Sons, Providence, R. I.

Mast-gear—Continued.

- 25807. Mast-hoop. Used to hold the sail to the mast. Walter Coleman & Sons, Providence, R. I.
- 25808. Lace trucks—Used on the foot of sail to attach it to the boom. Walter Coleman & Sons, Providence, R. I.
- 25159. Series of boat-mast hoops. Wilcox, Crittenden & Co., Middletown, Conn.
- 29480. Mast-head gear for dory. Amasa Taylor, Provincetown, Mass.
- 29481. Mast and boom attachment for dory. "
- 29484. Mast and gaff attachment for whale-boat (new style). Used by Provincetown whalers. Wilcox, Crittenden & Co., Middletown,
- 25181. Mast-hinge for whale-boat.

Leaders and foot-stops.

- 25604. Series of sail-leaches and boom foot-stops. Used by Newport smackimen. J. M. K. Southwick, Newport, R. I.
- 25193. Boom foot-stops. Wilcox, Crittenden & Co., Middletown, Conn.
- 25181. Mast-hinge for whale-boat.
- 29450. Fair-leader. Used on the booms of Gloucester vessels. Samuel Elwell, jr., Gloucester, Mass.
- 29463. Patent topsail travelers. Used on square-rigged vessels. Wilcox, Crittenden & Co., Middletown, Conn.
- 29449. Mast-hook clutch. E. A. Sawyer, Portland, Me.

Boat-builders' materials.

- 25170. Ring-bolts. Wilcox, Crittenden & Co., Middletown, Conn.
- 25203. Series of ring-bolts.
- 25211. Common oval head clinch boat-nail. Wilcox, Crittenden & Co., [Middletown, Conn.
- 25213. Countersunk clinch boat-nails.
- 25220. Series of boat-rivets.
- 25175. Eye plate or oar-holder swivels for Cape Ann scine-boat. *
- 25176. Gunwale supporter for Cape Ann seine-boat.
- 25174. Breast-brace for Cape Ann seine-boat.
- 25167. Tow-iron for Cape Ann seine-boats.
- 25168. Tow-link and hook for Cape Ann seine-boat.
- 29482. Boom-rest or crotch-socket. Used on the taffrail of Cape fishing-vessels when thep are "laying to" on George's Banks. Theo. Brown, Wellfleet, Mass.
- 25204. Water-deck iron. Wilcox, Crittenden & Co., Middletown, Conn.

Rudder-fixtures.

29495. "W. N. Clark's rudder hanger." (Patenteil September 3, 1867.) James B. Clark, Chester, Conn.

"Advantages claimed for this hanger: To ship the rudder one has only to enter the tongue (which has the rudder already attached) in the grooved plate from the top just far enough to get it steady, and then let it down, when it will go to its place without further care. Hence arises the first great advantage which this hanger possesses over the old way, viz, the case and dispatch with which the rudder can be shipped under all circumstances.

Rudder-fixtures—Continued.

Every boatman knows the trouble he has been to, at times, in trying to ship his rudder, while in a seaway, in the dark, or in muddy water, when the eyes in the boat could not be seen; often being obliged to reach down with his hand to get the lower pintle entered.

From the quickness with which the rudder can be shipped, in any position of the boat, and under any circumstances, and its security when shipped, it must recommend itself for all life-boat purposes, where, in case of an emergency, time is of vital importance.

Another advantage is that with this hanger the rudder cannot of itself unship as has often been the case with the common hanger, when the boat has been left for a short time and the tiller worked out, thereby leaving the rudder free, by striking the bottom or anything sufficient to raise it three or four inches, to unhinge and float away. As will readily be seen, this cannot get away until the rudder has risen the whole length of the tongue, which, of itself, would never happen.

Again, with this hanger the rudder can be shipped and unshipped while under full sail, thus making it very convenient for fishermen or any one sailing over a line or seine, as the rudder can be easily raised far enough to pass over and prevent a line getting caught between the rudder and boat, as would otherwise likely ensue, and when over, by simply letting down the rudder, it will go to its place again ready for use.

By this arrangement we are enabled to get the hinges further down on the rudder, thereby bringing the strain on both of them, while in the old way, the lower eye and pintle are so far from the bottom of the boat, in order to facilitate the shipping of the rudder, that this one has to bear nearly all of the strain." (W. N. Clark.)

25190. Rudder-gudgeons. Wilcox, Crittenden & Co., Middletown, Conn.

25189. Series of rudder braces.

29472. Dory breast-hook and stern braces. 66

Cleats.

25779. Stay-sail snatch-eleat. Used by Gloucester fishing-schooners. L. McDonald, Gloucester, Mass.

25809. Wooden cleats. Used to fasten ropes to. William Coleman & Sons, Providence, R. I.

25218. Series of small cleats. Wilcox, Crittenden & Co., Middletown, Conn.

25217. Small brass cleats.

66 6. 25177. Cleats for Cape Ann seine-boat.

25191. Boat-cleats.

39239. Bagnall & Loud's patent gaff topsail cleat and downhaul attachment combined. Patented December 25, 1877. This patent gaff topsail cleat and downhaul attachment is readily applied with one bolt to the gaffs of schooners, brigs, and barks. This gaff topsail cleat swings to any position, overcoming the abrasion of the rope and sides of the cleat, and by a downhaul attachment does away with the bull's-eye or block that was formerly fastened by a bolt driven into the end of the gaff.

Rowlocks.

25088. Whale-boat rowlock. Wilcox, Crittenden & Co., Middletown, Conn.

25086. Brass wash-streak rowlock.

25113. Steering rowlock with stem socket for Cape Ann seine-boat. Wilcox, Crittenden & Co., Middletown, Conn.

Rowlocks—Continued.

25114. Socket used on side of stern for steering. Used on Cape Ann seine-boat. Wilcox, Crittenden & Co., Middletown, Conn.

25085. Seine-boat rowlock. Wilcox, C.ittenden & Co., Middletown, Conn. 25070-72. Polished brass rowlocks.

25076, 25077. Polished brass rowlock used on gunning-skiff. Wilcox, Crittenden & Co., Middletown, Conn.

25104-5. Galvanized socket rowlocks. Wilcox, Crittenden & Co., Middle-[town, Conu.

25082-3-4. Brass socket rowlocks.

25091-2-3. Plain brass patent swivel rowlock. "
25101. First patent swivel rowlock put in market. "

25079-80-81. Plain brass rowlock used on gunning-skiff. Wilcox, Crittenden & Co., Middletown, Conn.

25106-7-8. Side-plate rowlock used on gunning-skiff. Wilcox, Crittenden & Co., Middletown, Conn.

22228. Galvanized iron rowlock. Wilcox, Crittenden & Co., Middletown, Conn.

25188. Rowlock for dory. Showing new mode of fastening. Wilcox, Crittenden & Co., Middletown, Conn.

25765. Dory thole-pin rowlock. Samuel Elwell, jr., Gloucester, Mass.

25090. Gun-metal dory rowlock with Southwick's patent fastening. Wilcox, Crittenden & Co., Middletown, Conn.

25100. Dory rowlock, showing patent mode of fastening. Wilcox, Crittenden & Co., Middletown, Conn.

26902. 'Lyman's patent bow-facing rowing-gear.' William Lyman, Mid-39453. dlefield, Conn. U. S. Fish Commission.

This bow-facing, i. e. front view, rewing-gear is an invention which allows the rower to face forward instead of backward, pulling in the same manner as with the ordinary oars. This reverse movement is obtained by having the oar in two parts, each part having a ball-and-socket joint which is attached to the wale of the boat by means of a slot and button, and the two parts connected by a rod (with hinged bearings) which crosses the wale of the boat.

The advantages claimed for this rowing-gear over the ordinary oar, are:

"1. The oarsman faces the direction in which he goes.

2. The arrangement of the levers is such that the oarsman applies his strength to the best mechanical advantage, enabling him to row faster and more easily than with any other oar.

3. During the stroke the bow of the boat is slightly raised by the motion of the rower instead of being lowered by his motion, as in ordinary rowing.

4. The stroke is longer than with ordinary oars.

5. The oars can be closed up out of the way along the side of the boat without detaching them from the gunwale.

6. It is better from the fact that the blade of the oar is in front and can be seen at the beginning of the stroke, so that there is no difficulty in avoiding obstacles, and in a rough sea there is little danger of "catching erabs"

7. With these ears the boatman makes no more effort in steering than in directing his course while walking, and this advantage lessens greatly the effort of rowing.

8. While rowing there is no noise from the bearings.

Rowlocks—Continued.

9. A pair of these oars weigh about 5 pounds more than the oars, but this additional weight has this advantage, that at the beginning and end of the stroke it helps to lower and raise the blade owing to the peculiar position of the oar.

10. When these ears are detached from the boat, no wood or iron projections are left on the wale of the boat, as in ordinary rowing-gear, and thus a serious inconvenience is obviated.

These oars can be attached to and detached from the boat very quickly, and they can be closed up in a conveniet form for carrying.

These several advantages, viz, the front view, the increased ease and speed in rowing, the raising of the bow instead of depressing it, the closing up of the oar out of the way while on the boat, the increased facility in avoiding obstacles, the diminished effort of hand and eyes in steering, the rowing without noise, the better balance and swing of the oars, have commended this new gear to all who have tried it.

This gear can be attached to almost any boat, and is especially adapted to hunting, fishing, and all kinds of pleasure boating."

"Almost any one (even if he has never rowed a boat) with an hour's practice can use these front view oars well; it being much easier to learn to use a pair of these oars than a pair of the back view oars." (William Lyman.)

28292. Frederick D. Graves's improved noiseless rowlock. Fred. D. Graves, Boston, Mass.

"The object of this invention is to improve the construction and operation of the class of rowlocks in such manner as, first, to insure the proper inclination of the blade of the oar, and prevent the liability of its catching the water when feathering in recovering, as well as to insure the proper position of the blade of the oar when making the stroke; secondly, to enable the outer end of the oar to be raised when it is being feathered, in order to prevent its contact with the water in rough weather. My improved rowlock, which is composed of an inclosing ring located on a pintle, and an inner ring inclosed by the ring and adapted to be partially rotated therein; the inside of the inclosing ring is provided with a groove, which extends almost around it, its continuity being broken only by a stop. The pintle of the rowlock is inserted in a socket attached to the gunwale of the boat, the pintle and rowlock being adapted to turn freely in the socket. From the foregoing it will readily be seen that an oar pivoted in the inner ring is adapted to be partially rotated, in addition to its oscillating movements, so that when its stroke is completed it can be turned, so as to feather the blade in the recover stroke. The stop and shoulders of the inner ring are arranged in such mutual relation that the shoulder abuts against the stop, in feathering the oar, before the blade becomes horizontal in cross-section, so that the cross-section of the oar is unecessarily inclined downward from its forward to its rear edge during the feathering stroke, this inclination of the blade preventing its forward edge from engaging with the water and overturning the rower, or, in other words, causing him to 'catch a crab.' This limitation of the oar in its rotation prevents awkward accidents in feathering, and enables an unskilled person to row with a considerable degree of certainty." (F. D. Graves.)

25008-9. Galvanized iron patent swivel rowlock. Wilcox, Crittenden & [Co., Middletown, Conn.

25095. Galvanized iron patent swivel rowlock.

Rowlocks—Continued.

25097. Galvanized iron patent swivel rowlock. Wilcox, Crittenden & Co., [Middletown, Conn.

25093. Galvanized iron patent swivel rowlock.
25073-4-5. Polished brass patent swivel rowlock.
25102-3. Galvanized socket rowlock.
"
"

25111. Countersunk rowlock. Used on Ohio River flat-boats. Wilcox, Crittenden & Co., Middletown, Conn.

29459. Rowlock. Newport and Providence River style, Wileox, Critten-[den & Co., Middletown, Conn.

25087. North River pattern rowlock. " "
25089. East River pattern rowlock. " "

29319. Socket-joint rowlock. Frederick A. Gower, Providence, R. I.

"The socket-joint rowlock is intended to increase the speed and improve the convenience of racing boats. Its advantages have proved so easily apparent to oars, nen that there is little need of detailing its strong points, but the following are among its leading features:

Wabbling of the oar is wholly avoided. If the oar is a properly good fit, it will have less than \(\frac{1}{4}\) inch of fore-and-aft motion in the lock.

Catching crabs is largely avoided by preventing the oar from jamming in the lock at the beginning or end of the stroke. If a crab should be eaught, the rowlock is not strained, and the oar can be recovered without stopping the boat.

A good grip of the water is assured to even the inexperienced oarsman by the shape of the back of the rowlock, which corresponds to that of the oar. The oar settles itself into the proper position on beginning the stroke.

Any length of rea h may be taken by long-built men in going forward, avoiding an evil often complained of.

A space half as wide admits passage of the boat. Equipped with this rowlock a six or four oared shell passes through an opening the width of the outriggers. Crews rowing on narrow or bridged water will find this advantage worth the price of the rowlocks in a single season.

Uniting the rods at a single point brings the whole strength of the outrigger into play at every part of the stroke, and an outrigger thus made can hardly be demolished while the boat stands.

Any oars may be used if of recent pattern, i. c., without the unsightly 'bulge' on the loom. It is only necessary to make a slight change in the button, as described below.

Better time may be made. Experiments thus far iddicate that the socket-joint rowlock is perceptibly speedier than the common pattern, by the stoppage of wabbling, and general smoothness of action.

Raising a rowlock with the common outrigger is a half hour's trouble with rusty nuts (one or two of which usually twist the bolt off in starting, and experimenting to get the right thickness of washers. With the socket-joint rowlock the same thing is done in two minutes by slipping half or three-quarters of an inch of washers on the shaft under the top rod.

Superior strength. The ordinary iron thole-pins are strong in one direction only; a backward or sidewise blow is likely to bend them. The supporting shaft of the socket-joint rowlock is equally strong all around and withstands a greater strain than the best oars made can apply to it. The whole rowlock is made of the best bronze metal, which will not rust

Rowlocks—Continued.

nor suddenly snap on a frosty morning. Under great mechanical pressure the lower part of the lock has been bent out nearly straight without breaking.

Minor conveniences continually appear in the use of this improvement. There is no wiring to do; no reaching out-board to ship oars; no wriggling the button through the rowlock; no getting grease on the oar-handle by passing through the rowlock; no 'losing the button' outside the outrigger; no jamming the button between the thole-pins. When the outriggers are taken off the boat the rods turn on the shaft as a hinge and fold up into a compact bundle not easily bent out of shape nor injured. The rowlocks can be detached entirely, if desired, and each set of rods made into a package as easily carried as a walking-stick, while the rowlock may be put into the oarsman's coat-pocket. Oarsmen having occasion to travel with boats by rail will appreciate this convenience.

This rowlock cannot pretend to be a cheap contrivance; it is made of the best material, and requires expensive labor. Its first cost is more than that of the common pattern, but considering its advantages it will be found cheaper in the end." (F. A. Gower.)

25115. Whitehall pattern rowlock. Wilcox, Crittenden & Co., Middletown, [Conn.

25112. Detroit or Lake Michigan rowlock.

22227. "Aeme" oarlock. Pattern invented 1876. 25172. Oar-holder for Cape Ann seine-boat (old model). Higgins & Gifford,

Gloncester, Mass. 25171. Oar-holder for Cape Ann seine-boat. Wilcox, Crittenden & Co., Middletown, Conn.

25109. Becket rowlock.

25110. 66

Oars.

25022. One pair white-ash oars (9 feet). 25021. One pair white-ash oars (6 feet).	R. T. Dodge, maker,	Boston, Mass.
25041. Pair white-ash oars (12 feet).	"	66
25011. Pair pine oars (8 feet).	"	66
25023. Pair white-ash oars (9 feet).	"	"
25012. Pair spoon oars (10 feet)	"	66
25024. Pair white-ash oars (12 feet).	66	66

Paddles.

25020. White-ash paddles. R. T. Dodge, maker, Boston.

Poles and pushing sticks.

15653. Bidarka pole. Nunivak, Alaska. W. H. Dall. 15653. Bidarka pole.

Candlestick.

Used in hold of vessel while storing fish.

32592. Candlestick or "Sticking Tommy." Gloncester, Mass. G. Brown

39228. Lantern-keg. New Bedford. U. S. Fish Commission.

This lantern-keg contains a lantern (No. 39232), tinder-box (No. 39233), and thint and steel (No. 39234).

Fog-horns.

29382. Series of common reed fog-horns, Nos. 1, 2, 3, and 4. Wilcox, Crittenden & Co., Middletown, Conn.

25783. Grand Bank fog-horn. Called by the fishermen "lipper" or "ripper," William II. Weston, Provincetown, Mass.

25281. The Anderson fog-horn. U. S. Fish Commission. (Deposited.)

Deck-scrapers.

25160. Series of ships' deck-scrapers. Wileox, Crittenden & Co., Middle town, Conn.

39193. Broom. For scrubbing the decks. U. S. Fish Commission.

39194. Broom. For scrubbing the painted work about the deek. U. S. Fish Commission.

Dory scoop.

25222. Dory scoop. S. Elwell, jr., Gloucester, Mass.

25707. " Central Wharf Co., Wellfleet, Mass.

Flagging irons, &c.

Used by mackerelmen of Capes Cod and Ann to separate barrel staves for the insertion of stems of flag to stop leakage.

29492-94. Flagging iron, hoop-drivers, and adze. M. W. Grant, Wellfleet, Mass.

32677. Flagging-iron. A. Voss. Gloucester, Mass.

Pump-bolt or toggle-pin.

Used on fishing-vessels of Cape Cod and Cape Ann.

29470. Pump-bolt or toggle-pin. Wilcox, Crittenden & Co., Middletown, Conn.

Deck-scrubs.

29430. Deck-scrub. Used by the Gloucester fishermen. Samuel Elwell, jr., Gloucester, Mass.

Pump box and haft for seine-boat.

29497. Pump box and haft for seine-boat. Andrew Kennedy, Provincetown, [Mass.

29499. Pump box and haft for seine-boat.

Bung-bucket or "water-thief."

25784. Bung-bucket or "water-thief." Wm. H. H. Weston, Provincetown, Mass.

Water-keg.

39229. Boat water-keg. New Bedford. U. S. Fish Commission.

Boat bucket.

39230. Boat bucket and pins. New Bedford. U.S. Fish Commission

Devil's claw.

Used to stop the chain when the windlass is wanted for other uses.

29442. Devil's claw. W. H. Hesbolt, Provincetown, Mass.

Box hook.

Used in closing boxes packed full of fish.

32695. Box hook or "devil's claw." Gloucester, Mass. G. Brown Goode.

Barrel-lifters.

Used for stowing away mackerel-kegs in holds of vessels.

29291. Barrel-lifters. Wilcox, Crittenden & Co., Middletown, Conn.

32679. Chime barrel-hooks. Gloucester, Mass. G. Brown Goode.

32680. Bilge hooks. Gloucester, Mass. G. Brown Goode.

Ice-hooks.

For lifting ice on vessel from wharf.

32674. Ice-hooks. Gloucester, Mass. G. Brown Goode.

Ice mallets.

39191. Ice mallet (large). U. S. Fish Commission.

Used in the hold for crushing ice used in packing fresh fish.

39192. Ice mallet (small). U. S. Fish Commission.

Used in winter on deck of fishing vessels to break the ice on the rigging.

Lance-hooks.

Fastened on side of whale-boat to hang lance on.

25919. Lance-hooks. E. B. & F. Macy, New Bedford, Mass.

Grappling gear.

Used to recover lost trawls.

25936. Grappling gear. A. McCurdy, Gloucester, Mass.

22223. Grappling-iron. Used as net and boat anchor about the mouth of the George's River, Maine. Wilcox, Crittenden & Co.

Marline spikes.

29418. Splicer or pricker. Used for splicing trawl-lines. Wilcox, Crittenden & Co., Middletown, Conn.

29455. Marline spike. Made from the jawbone of sperm whale. Robert D. Baxter, Provincetown, Mass,

29419. Marline spike. Made from the jawbone of whale. Frank O. Blake, Portland, Me.

25147. Sailmakers' marline spike. Wilcox, Crittenden & Co., Middletown,

[Conn.

25146. Series of hickory hand fids. Wilcox, Crittenden & Co., Middletown,
Conn.

25672. Copper marline spike. Made at sea by Thomas Freeman. Used for splicing trawl-lines. Sanford Freeman, Norwichport, Mass.

32693. Splicer. Gloucester, Mass. G. Brown Goode.

Rest for harpoon, &c.

11391-2. Rest for harpoon and how and arrow. Alentian Islands. Vincent Colyer.

Used on deck of kyak.

1119. Spear-holder. Used by Eskimo, Anderson River. R. MacFarlane,7430. Spear-holder. Fort Anderson. R. MacFarlane.

PRESERVATIVE FLUIDS AND PAINTS.

32801. Nelson's patent canvas preserving solution. Chresten Nelson, Gloucester, Mass.

This solution is used to preserve canvas from injury by exposure to the weather, in any climate. Sails, &c., treated with the solution do not mildew or become stained in the least, but retain the appearance of new canvas after having been treated, and are as strong as when new.

32802. Piece of canvas showing the operation of Nelson's preserving solution. Chresten Nelson, Gloncester, Mass.

This piece of canvas was exposed to the weather on damp ground for six months, after half had been saturated with the preserving solution.

32803. Piece of canvas showing the operation of Nelson's preserving solution. Chresten Nelson, Gloucester, Mass.

This piece of canvas was exposed to the weather, on damp ground, for two seasons, after one-half had been thoroughly saturated with the preservative solution.

39430. Tarr and Wonson's copper paint for the bottoms of vessels. Tarr & Wonson, Gloucester, Mass.

25. Camp outfit.

SHELTER.

42834. Portable shelter-tent, open front, with curtain. Dimensions 6 feet by 7 feet. U. S. Fish Commission. (C. B. & M.)

FURNITURE.

Beds, mattresses, blankets, &c.

39259. Patent elastic felt mattress and life-preserver. H. D. Ostermoor, New York.

"The mattress consists of several sheets or thicknesses of raw cotton which have been acted upon while under pressure by a preparation, the character of which is a secret to the manufacturers. These sheets of cotton are inclosed in ordinary bed ticking of good quality, and the mattress is similar in appearance to the hair mattress of common use.

"In the quality of softness, elasticity, and general comfort, it is excellent and will be regarded by most persons as superior in this respect to the best hair. This mattress, which is six feet six inches long, by two feet nine inches wide, and five inches thick, supported one man of about 150 pounds weight, with an additional grate-bar, weighing 50 pounds, making 200 pounds aggregate, without sinking enough to wet the upper side of the mattress; it supported two such men with case, only wetting their feet a little. After twenty-four hours' floating, the ticking having become

FURNITURE.

Beds, mattresses, blankets, &c.—Continued.

thoroughly saturated, the inside was examined and found to be totally untouched by moisture, the extreme outer fibres of the outer sheets being barely touched by the dampness. Heavy weights were then used to sink it, and it remained submerged for forty-eight hours; upon being again examined, the ticking was found completely saturated, while a slight moisture had penetrated a short distance between the thicknesses of raw cotton, the interior of each of these thicknesses, however, being entirely free from any signs of dampness. The mattress was then dried, when the original softness and springiness was observed to return to the material."

42861. Camp-bed, portable, with mosquito-bar all contained in the pillow.

Manufactured by the U. S. Camp-Lounge Co., Troy, N. Y. U. S.

Fish Commission. (C. B. & M.)

This bed has jointed side rails, mosquito-bar canopy and perfect pillow attachment, all of which fold with the lounge in a small case. The case is applied to the head of the lounge and forms the pillow. Size of case, 2 in. x 7 in. x 23 in.

To put it together.—Put the girths in position at the foot; insert the legs at the head in holes through the side rails and attach the case to the top of the legs. It is put up in thirty seconds.

42864. Rubber camp-bag for carrying blankets, &c. Manufactured by Goodyear's Rubber Glove Manufacturing Company, Naugatuck, Conn. U. S. Fish Commission. (C. B. & M.)

42865. Waterproof canvas cover for same. Manufactured by Conroy, Bissett & Malleson. U. S. Fish Commission.

Stool.

3978. Stool. R. MacFarlane.
Used by Eskimos to stand on while watching for seal in water.

COMMISSARY SUPPLIES.

Cooking apparatus.

39240. Can opener.

42844. Camp and portable stove with all equipments for cooking. Manufactured by Taunton Iron Works, Taunton, Mass. U. S. F. C.

42862. Camp kit for two, with cooking utensils packed in solid galvanized iron pail. U. S. Fish Commission. (C. B. & M.)

42860. Thorne's portable cooker for frying fish, making coffee, &c. Manufactured by Pierce & Co., Buffalo, N. Y. U. S. Fish Commission. (C. B. & M.)

29295. Portable camp-stove. H. L. Duncklee, Boston, Mass.

25689. Portable camp-stove. "

Open, showing utensils, viz:

 25690. Six tin plates.
 25695. Coffee-pot.

 25691. Six tin cups.
 25696. Dipper.

 25692. Six-quart kettle.
 25697. Toast-rack.

 25693. Eight-quart kettle.
 25698. Frying-pan.

 25694. Stew-pan.
 25699. Bread-pan.

26843. Lehmen's patent folding camp-baker. Scoville & Johnson, Marquette, Mich.

26. Personal equipments.

CLOTHING.

Fishermen's suits.

42701-6. Ordinary suit for summer. U.S. Fish Commission.

This suit consists of:

- 1. Straw hat.
- 2. Blue-flannel shirt.
- 3. Woolen pants.
- 4. Oil-cloth barrel.
- 5. Leather boots.
- 6. Finger cots, worn when "hooking mackerel."

42707-13. Suit worn while dressing fish. U.S. Fish Commission.

This suit consists of:

- 1. Black felt hat.
- 2. Flannel shirt.
- 3. Cotton jumper.
- 4. Overalls.
- 5. Oil-cloth petticoat.
- 6. Leather boots.
- 7. Woolen mittens.
- 8. Oil-cloth sleeves. (No. 32696.)

42714-19. Suit for wet weather in summer. U.S. Fish Commission.

This suit consists of:

- 1. Sou'wester hat.
- 2. Flannel shirt.
- 3. Single oil-cloth jumper.
- 4. Pants.
- 5. Red leather boots.
- 6. Nippers.

42720-31. Woolen suit for winter. U. S. Fish Commission.

This suit consists of:

- 1. Russia cap.
- 2. Flannel undershirt.
- 3. Flannel drawers.
- 4. Blue flannel overshirt.
- 5. Woolen jumper.
- 6. Monkey jacket.
- 7. Woolen pants.
- 8. Leather boots.
- 9. Woolen slippers, worn inside boots.
- 10. Leather mittens.
- 11. Woolen socks.
- 12. Suspenders.

42732-37. Winter suit for wet weather. U. S. Fish Commission.

This suit consists of:

- 1. "Sou'wester" hat.
- 2. Double oil-cloth jacket.
- 3. "pants.
- 4. Rubber boots.
- 5. Woolen mittens.
- 6. Nippers.

CLOTHING.

Fishermen's suits—Continued.

42738-42. Suit of black oil-cloth for wet weather.

This suit consists of:

- 1. "Sou'wester" hat.
- 2. " jacket.
- 3. " pants.
- 4. Yellow oil-cloth mittens.
- 5. Rubber boots.

42743-49. Winter suit for the roughest weather.

This suit consists of:

- 1. Rubber "sou'wester" hat.
- i' jacket.
- 3. " pants.
- 4. " mittens.
- 5. Woolen muffler.
- 6. Rubber boots.
- 7. Lambskin slipper, worn in the boots.

42750-53. Suit for cook of fishing-vessel.

This suit consists of:

- 1. Checked-cotton jumper.
- 2. Checked-cotton pants
- 3. Cotton apron.
- 4. Leather slippers.

2128. Water-proof dress. (Confplete.) Made from the intestines of sea lion (Enmetopias stelleri). Indians of northwest coast of America. Wilkes Exploring Expedition.

Angler's suits.

42857. Smoke-tanned buck antelope skin fishing-jacket, dressed on the plains.
U. S. Fish Commission. (C. B. & M.)

42858. Vest of same material. U. S. Fish Commission. (C. B. & M.)

42835-6-7. Fustian, or mole-skin suit. Manufactured by F. L. Sheldon, Rahway, N. J. U. S. Fish Commission. (C. B. & M.)

Water-proof suits.

42838-9-40. Water-proof canvass suit. Manufactured by F. L. Sheldon, Rahway, N. J. U. S. Fish Commission. (C. B. & M.)

29425. The Merriman life-saving suit. Mr. C. S. Merriman, 341 Broadway, New York City.

The Merriman life-saving dress, as used by the United States Life-Saving Service, is composed of vulcanized rubber made in two parts, consisting of a jacket or tunic which embraces the hood and gloves, and ordinary pantaloons. In the jacket or tunic are three separate air chambers; one in the hood, one in the front or breast, and one covering the back. These air chambers are between the inner and outer skin of the jacket. The bottom of the jacket is provided with an elastic rubber flange to bring over the top of the pants. The pants are provided with a metallic band or ring, placed between the lining and the outside of the pants and faced with a layer of pure elastic rubber for the pur-

OLOTHING.

Water-proof suits-Continued.

pose of producing a water-proof joint. The bottom of the pants terminates in boots.

The important features of the dress are, first, that it protects the wearer entirely from contact with the water, and, being inflated with a stratum of air two or more inches in thickness about the vital parts, protects the wearer also from cold, even in water amongst ice. floating capacity of the dress is about 300 pounds, which enables a person to ride securely upon the surface of the water. The natural position of the wearer is lying upon the back, and by means of the arms and hands used in overhand motion as oars he can propel himself head foremost at the rate of about one mile per hour. It is found under ordinary circumstances that a man tolerably well skilled in the use of the dress can propel himself and earry a line from a beach through the surf over a bar, when it would be very difficult if not impossible to go with an ordinary surf boat to a vessel in distress. It is claimed that a man equipped in one of these dresses can leave a stranded vessel with a line and pass through any surf to a sand beach. A boat can be pulled by a person clad in this dress with no more inconvenience than if in heavy winter clothing, and the dress can be put on in from two to four minutes, so that a man can go where and as he pleases in it in water, no matter how rough or cold, stay as long as he wish, and come out dry, warm, and comfortable.

These dresses have been in use in the United States Life-Saving Service eight years, and the cost of repairs on those same dresses has been but 9 per cent of their original cost after eight years regular service.

39475. Life-preserving jacket. New York. H. D. Ostermoor.

Oil-skin clothing.

42756. Long oil-cloth coat, worn chiefly by captains, or men on watch. Gloncester, Mass.

29543. Cape Ann coats. J. F. Carter, Gloucester, Mass

29544. Cape Ann pants.

Boots, moccasins, leggings, shirts, &c.

26015. Fishermen's red cod boots. Jonathan Buck, Harwich, Mass.

26015. Fishermen's red-leather slippers. "

26014. Fishermen's black boots.

25823. Slippers made of sheep-skin, with the wool on the inner surface. Worn by fishermen inside of their boots. A. R. Crittenden, Middletown, Conn.

42845. Black rubber wading trousers, stocking feet. U. S. Fish Commission. (C. B. & M.)

42846. Black rubber wading stockings. U. S. Fish Commission. (C. B. & M.)

42852. One pair oil dressed waterproof shoe packs with hobnails for wading.

Manufactured by Thomson & Sons, Bergen, N. J. U. S. Fish
Commission. (C. B. & M.)

42847. Silesia wading stockings. U.S. Fish Commission. (C.B. & M.)

42848. Finest quality wading-stockings with improved rubber and cork soles to prevent slipping. U. S. Fish Commission. (C. B. & M.)

42849. Same as above; full length trousers for salmon fishing. U. S. Fish Commission. (C. B. & M.)

CLOTHING.

Boots, moccasins, leggings, shirts, &c.—Continued.

42863. One pair oil finished moceasins for canoeing. Manufactured by Thomson & Sons, Bergen Heights, N. J. U. S. Fish Commission. (C. B. & M.)

11380. Fine skin shirt. Used by Indians at sea in skin bidarka. The shirt is tied water-tight around the rim of the hoops in the bidarka. Kodiak Island, Alaska. Smithsonian Institution.

5591. Boots made from skin of salmon. Yonkon River, Alaska. W. H. Dall.

Hats and caps.

25722. Fisherman's cap, called "Russian cap." E. R. Cook, Provincetown, Mass.

29542. Series of sou'westers and oil-cloth hats (Cape Ann pattern). J. F. Carter, Gloncester, Mass.

Clothing for the hands.

39286. Pair of knit woolen mittens, used by mackerel fishermen. A. Howard Clark, Gloncester, Mass.

25788. Pair of mittens. Called "Newfoundland cuffs" by fishermen. Peculiar to Gloucester. A. R. Crittenden, Middletown, Conn.

25790. Mackerel cots. Used on the fingers when taking mackerel by hook and line. Capt. Samuel Elwell, Gloucester, Mass.

32694. Finger-stall or cot (home-made). J. W. Collins, Gloncester, Mass.

25787. Pair of "hand-haulers." Used by fishermen off the Newfoundland Banks. Joseph Parsons, jr., East Gloucester, Mass.

25789. Pair of nippers; peculiar to Gloneester, Mass. Joseph Parsons, East Gloncester, Mass.

25718. Pair of nippers. Used by fishermen to protect the fingers while hanling in trawls. David Conwell.

25717. Pair of nippers. Central Wharf Company, Provincetown, Mass.

32655. Rubber cots. Worn on the forefingers to prevent cutting by the mackerel lines. U.S. Fish Commission.

Clothes-bags.

42754. White-clothes bag. Gloncester, Mass.

24231. Bag made from skin of salmon. Alaska. L. M. Turner.

Protection from insects:

Nets for beds and for face.

26700. Mosquito-net. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest and Stream Publishing Company.

42851. Folding mosquito and black fly-net. U. S. Fish Commission. (C. B. & M.)

42866. Head-net for anglers. Manufactured by Roebuck & Co., New York. U. S. Fish Commission. (C. B. & M.)

TRAPPINGS.

Game-bags.

12853. Crescent-shaped bait-box and strap. U. S. Fish Commission. (C. B. & M.)

TRAPPINGS.

Game-bags-Continued.

- 42854. Basket-shaped bait-box and strap. U. S. Fish Commission. (C. B. & M.)
- 42855. Willow creel and leather and web strap. U. S. Fish Commission. (C. B. & M.)
- 42856. Willow creel, showing new style of left shoulder-strap. U. S. Fish Commission. (C. B. & M.)
- 42850. Fishing bag, waterproof canvas. Manufactured by F. L. Sheldon, Rahway, N. J. U. S. Fish Commission. (C. B. & M.)
- 4 559. Waterproof canvas tackle-case, or anglers' "carryall," nickel corners for fly-book, reel, spoon baits, &c. Manufactured by Conroy, Bissett & Malleson, New York. U. S. Fish Commission. (C. B. & M.)

NAUTICAL INSTRUMENTS, &c.

Series of navigating instruments. Thaxter & Sons, Boston, Mass.

These instruments and books are such as are used by the best equipped Gloucester fishing vessels. Many vessels are not so well fitted out.

39383. Ship's log. S. Thaxter & Sons, Boston.

39384. Brass compass.

"

39385. Ritchie compass.

66

39386. Holosteric barometer.

- 39387. Lever-clock. Manufactured by the New Haven Clock Company, New Haven, Conn.
- 39388. Lever-clock. Manufactured by E. Ingraham & Co., Bristol, Conn.

39389. Nautical Almanae for 1880.

39390. Bowditch's "American Practical Navigator" (Bureau of Navigation).

39391. Sextant.

39392. Spy-glass.

MEDICAL OUTFIT.

Medicine-chests.

Medicine-chest, such as is used by the best equipped Gloucester fishing-vessels. U. S. Fish Commission. Contents.

- 1. Sulphur.
- 2. Cream of tartar.
- 3. Epsom salts.
- 4. Arrow root.
- 5. Chamomile flower.
- 6. Flax-seed.
- 7. " meal.
- 8. Bicarbonate of soda.
- 8. Turner's cerate.
- 10. Mercurial cintment.
- 11. Basilicon
- 12. Simple
- 13. Glycerine
- 14. Extract of paregoric.
- 15. " " vitriol.
- 16. Laudanum.
- 17. Fryar's balsam.
- 18. Essence of peppermint.
- 19. Spirits of nitre.

MEDICAL OUTFIT.

Medicine-chests-Continued.

- 20. Balsam copaiva.
- 21. Sulphuric ether.
- 22. Sirnp of squills.
- 23. Soap liniment.
- 24. Spirits of lavender.
- 25. " " camphor.
- 66 " hartshorn. 26.
- 27. Tincture of rhubarb.
- 28. " " bark.
- 29. Wine of antimony.
- 30. Mercurial solution.
- 31. Muriatic tineture of iron.
- 32. Seidlitz mixture.
- 33. Castor oil.
- 34. Purging pills.
- 35. Gum arabie.
- 36. Blue pills.
- 37. Opium "
- 38. Fever powders.
- 39. Calomel and jalap.
- 40. Dovers powders.
- 41. Quinine.
- 42. Ipecae.
- 43. Calomel.
- 44. Tincture of myrrh.
- 45. Rhubarb.
- 46. Magnesia.
- 47. Peruvian bark.
- 48. Tartar emetic.
- 49. Powdered cubebs.
- 50. Nitrate of saltpetre.
- 51. Sugar of lead.
- 52. White vitriol,
- 53. Blue
- 54. Tartaric acid.
- 55. Red precipitate.
- 56. Alum.
- 57. Gum eamphor.
- 58. Iodide of potash.
- 59. Lunar eaustic.
- 62. Lancet.
- 63. Syringe.

The Mariner's Medical Guide.

Some vessels carry smaller chests.

39425. Medicine chest. Prepared for the use of the field parties of the U. S. Fish Commission under the direction of Surgeon J. H. Kidder, U. S. N., U. S. Fish Commission. With pamphlet of instructions.

FISHERMAN'S DWELLINGS, &c.

- 39426. Series of stereoscopic views of Provincetown, Mass.
- 39427. Gloucester, Mass.
- 39428. fifteen large photographs of Gloucester, Mass.

LOG-BOOKS, RECORDS, &c.

Log-books of fishermen.

Log-books kept by masters of New England cod vessels under the requirements of the old bounty law.

CHARTS USED BY FISHERMEN.

In the Exhibits of the United States Coast Survey and the Hydrographic Office may be found the various charts of the coast of the United States prepared by the government. As a rule, however, the fishing vessels prefer to carry the Eldridge charts.

- 39237. Eldridge's charts. Published by S. Thaxter & Son, Boston, Mass.
 - No. 1. The Vineyard Sound and Nantucket Shoals, on a very large scale, with a book of sailing directions. Persons using this chart will save the expense of employing a pilot.
 - No. 2. The Coast of North America, from Cape Henry to Cape Sable, including the Chesapeake and Delaware Bays, and George's Shoals, on a large scale.
 - No. 3. Cape Cod to Belle Isle, including the Bay of Fundy, Gulf of Saint Lawrence, and Banks of Newfoundland, with plans on a large scale of the coast of Nova Scotia, from Cape Canso to Pictou; the coast of Cape Breton, from Scutari to Sydney, and the harbor of Saint John's, Newfoundland, Saint John, New Brunswick, Halifax, and Miramich. This is a new chart, prepared from the latest surveys, expressly for the coal and fishing trades.
 - No. 4. Boston Harbor, on a large scale, with sailing directions. This chart affords a more practical guide to the various channels, passages, fishing-grounds, &c., of Boston Harbor, than any that has ever been issued. The bearings and distances of dangerous rocks and shoals, and the principal ranges of objects, are all given on the chart.
 - No. 5. A new chart of Long Island Sound, from Newport to New York; with a book of sailing directions, containing a full description of the dangers to be avoided in entering the various harbors of the sound.
 - No. 6. Lynn to Halibut Point, with the harbors of Salem, Beverly, Marblehead, Manchester, Gloneester, Rockport, and Annisquam; also the stone quarries at Folly Cove, Lanesville, Bay View, &c., on a large scale.
 - No. 7. Chesapeake Bay, with the James, York, Rappahannock, and Potomac Rivers. This is a new chart, and the only one published which gives the rivers on a large scale on one sheet.
 - No. 8. Montauk Point to Saint Augustine, with a plan of New York Bay and Harbor on a large scale.
 - No. 9. Saint Augustine to New Orleans, with Florida Recfs, Bahama Banks, and entrance to Pensacola and Mobile Bays, on a large scale.

CHARTS USED BY FISHERMEN.

No. 10. Buzzard's Bay, on a very large scale, with a book of sailing directions.

> Charts 8 and 9 were prepared for the trade between New York, Cuba, and New Orleans, and are arranged so as to avoid the necessity and expense of using four charts, as formerly.

> These charts are printed on the best quality of linen paper, and mounted on cloth to make them durable.

LITERATURE OF ANGLING, THE FISHERIES, &c.

1865. Norris, Thaddeus.

The | American Angler's Book: | embracing | The Natural History of Sporting Fish, | and | the art of taking them. | With instructions in | fly-fishing, fly-making, and rod-making; and directions for fish-breeding. | To which is added, | Dies Piscatoriæ; | describing noted fishing-places, and the pleasure of | solitary fly-fishing. | New Edition, | with a supplement, | containing descriptions of salmon rivers, inland trout-fishing, etc., etc. | — | By Thaddeus Norris. | — | Illustrated with eighty engravings on wood. | Philadelphia: | Published by E. H. Butler & Co. | London: Sampson Low, Son. & Co. | 1865.

1875. Scott, Genio C.

Fishing | In American Waters. | By Genio C. Scott. | (Cut.) | A new edition, containing parts six and seven, | on Southern and Miscellaneous Fishes. | With numerous illustrations. | New York: | Harper & Brothers, publishers, | Franklin Square. | 1875.

1876. Brown, John J.

The | American Angler's Gnide; | or, | Complete Fisher's Manual, | for the United States; | containing | the opinions and practices of experienced | anglers of both hemispheres; | with the various modes adopted in Ocean, River, Lake, and Pond Fishing; | the usual tackle and baits required; instructions in the art | of making artificial flies; methods of making fish- | ponds, transportation of fish, etc., etc. | Fift'h edition, | revised and greatly enlarged and improved with the addition of a | third part, | containing a more particular description of Southern and | Western fishes, and other matter of interest to the | angler, together with a copions index. | Handsomely illustrated | with twenty-five engravings of the principal angle-fish of America, | and embellished with numerous engravings on | steel, stone, and wood. | By | John J. Brown. | New York: | D. Appleton and Company. | 549 and 551 Broadway. | 1876.

1877. Hallock, Charles.

The | Sportsman's Gazetteer | and | General Guide. | The Game Animals, Birds, and Fishes of North America: | their Habits and various Methods of Capture. | Copions Instructions | in Shooting, Fishing, Taxidermy, Woodcraft, etc. | Together with | a Directory to the Principal Game Resorts of the | Country; illustrated with Maps. | By Charles Hallock. | editor of "Forest and Stream;" Author of the "Fishing Tourist," "Camp | Life in Florida," etc. | New York: | "Forest and Stream" Publishing Company, | American News Company, Agents. | 1877.

LITERATURE OF ANGLING, THE FISHERIES, &c.

1878. JORDAN, DAVID STARR,

Manual | of the | Vertebrates | of the | Northern United States, | including | the District East of the Mississippi River, and North of | North Carolina and Tennessee, exclusive | of Marine Species. | By | David Starr Jordan, Ph. D., M. D. | Professor of Natural History in Butler University. | — | Second edition, revised and enlarged. | — | Chicago: | Jansen, McClurg & Company. | 1878.

1874. SCAMMON, CHARLES M.

The | Marine Mammals | of the | Northwestern Coast of North America, | described and illustrated: | together with an account of | The American Whale-fishery. | By | Charles M. Scammon, | Captain U. S. Revenue Marine, | San Francisco: | John H. Carmany and Company. | New York: | G. P. Putnam's Sons, | 1874.

1860, Holbrook, John Edwards.

Ichthyology | of | South Carolina, | By John Edwards Holbrook, M. D., | Professor of Anatomy in the Medical College of the State of South Carolina; member | of the Royal Medical Society of Edinburgh; (etc., etc.) | Vol. I. | Charleston, S. C.; | Published by Russell & Jones, | 1860.

1860, Babson, John J.

History | of the | Town of Gloucester, | Cape Ann, | including the town of Rockport, | — | By John J. Babson, | — | Gloucester: | Published by Procter Brothers, | 1860.

1877. Coues, Elliott.

Department of the Interior. | United States Geological Survey of the Territories. | F. V. Hayden, U. S. Geologist. | — | Miscellaneous Publications, No. S. | — | Fur-bearing animals: | A monograph | of | North American Mustelidæ, | in which an account of | the wolverine, the martins or sables, the ermine, the mink | and various other kinds of weasels, several species of | skunks, the badger, the land and sea otters, and | numerous exotic allies of these animals. | is contributed to the | History of North American Mammals. | By | Elliott Coues, | captain and assistant surgeon United States Army, | secretary and naturalist of the survey. | — | Illustrated with sixty figures on twenty plates. | — | Washington: | Government Printing Office. | 1877.

1871. McDonald, J. L.

Hidden Treasures, | or | Fisheries Around the Northwest Coast.
|--| "The taking of fish on the banks is a momentous concern."
| Fisher Ames. |--| In one volume. | By J. L. McDonald, | of Washington Territory. |--| Procter Brothers, printers, | Adververtiser Office, Gloucester, Mass. | 1871.

1878. HALIFAX COMMISSION.

Award of the Fishery Commission. | — | Documents and Proceedings | of the | Halifax Commission, 1877, | under the | Treaty of Washington of May 8, 1871. | In three volumes. | Volumes I, II, III. | (Seal of the Department of State.) | Washington: | Government Printing Office. | 1878.

LITERATURE OF ANGLING, THE FISHERIES, &c.

1822. Adams, John Quincy.

The Duplicate Letters, | the Fisheries and the Mississippi. | == | Documents relating to Transactions | at the Negociation of Ghent. | Collected and published | by John Quincy Adams, | one of the Commissioners of the United States | at that Negociation. | == | Washington: | Printed by Davis & Force, (Franklin's head.) | Pennsylvania Avenue. | ::::: | 1822.

1867. Derby, E. H.

Letter | to the Hon. William H. Seward, | Secretary of State, | in answer to one from him on the Resolution of | the Senate as to the | Relations of the United States | with | the British Provinces, | and the Actual Condition of | the Question of the Fisheries, | from | E. H. Derby. | January, 1837. | Washington, D. C. | 1867.

PRESIDENT'S MESSAGES.

Message from the President of the United States, transmitting the information required by a resolution of the House of Representatives of 3d March, 1831, on the subject of the regulations of England, France, and the Netherlands respecting their fisheries.

41st Congress, And House of Representatives. Ex. Doc. No. 239.

Fisheries in British Waters, | — | Message | from the | President of the United States, | in answer to | a resolution of the House of the 7th ultimo relative to fisheries in British | waters.

42d Congress, Senate. Senate. (Ex. Doc. 2d session.)

Message | from the | President of the United States, | communicating, | in compliance with a resolution of the 19th January, 1869, information | in relation to the resources and extent of the fishing-grounds of the North | Pacific Ocean, opened to the United States by the treaty of Alaska.

1873-79. Forest and Stream and Rod and Gun.

13 volumes of "Forest and Stream and Rod and Gun," a weekly paper by Forest and Stream Publishing Company, New York City.

SECTION D.

METHODS OF PREPARATION.

I. PREPARATION AND PRESERVATION OF FOOD.

1. Preservation during life.

FISH-CARS AND OTHER FLOATING CAGES FOR AQUATIC ANIMALS.

29539. Model of fish-marketman's ear. For preservation of living fish. J. M. K. Sonthwick, Newport, R. I.

20221. Model of Providence River fish-cat. These are towed by the smack, and as fast as fish are caught they are put in, and so kept for Providence market. D. D. Almy.

29397. Model of Noank lobster-car. Capt. H. C. Chester.

29538. Model of fisherman's car for transporting living fish to market. J. M. K. Southwick, Newport, R. I.

2. Preservation of freshmeats.

REFRIGERATORS.

Ice-boxes and refrigerators.

39432. Banta refrigerator. Process patented July 1, 1867. Manufactured by G. A. Banta, New York City. Smithsonian Institution.

(Accessory.) The ice-trade:

Ice cutting and handling apparatus.

32799. Low's patent ice crusher. Exhibited by D. W. Low, Gloucester, Mass.

32800. Low's improved ice-pick. Exhibited by D. W. Low, Gloucester, Mass.

3. Preservation by drying.

SUN-DRYING APPARATUS.

Flake-drying:

39433. Codfish-flake. Old style. Model. Capt. N E. Atwood, Province-town, Mass.

SUN-DRYING APPARATUS.

Flake-drying-Continued.

39434. Codfish-flake. New style. Model. Capt. Atwood, Provincetown.

The old style or brush-flake has been almost entirely superseded by the new pattern. The new flake is constructed so as to be movable about a horizontal axis, thus making it possible to expose the fish placed upon it to the direct rays of the sun during the whole day, or to keep them in the shade, as may be most desirable.

SMOKE-DRYING APPARATUS.

Herring smoke-houses.

12105. Model of smoke-house used in preparation of herring (Clupea harengus).

Lubec, Mc. U. S. Fish Commission.

12105½, Model of smoke-house used in preparation of salmon (Salmo salar).

Lubec, Me. U. S. Fish Commission.

4. Preservation by canning and pickling.

SALTING ESTABLISHMENTS.

25750. Model of D. D. Parmalee's Waukegan fishery. J. W. Milner. This model shows in miniature all the apparatus employed in cleaning and salting down the lake whitefish.

(Accessory.) Salt:

Model of salt-mills used on Cape Cod in former days.

Extensively used in the first half of the present century in obtaining salt by evaporation of sea-water. Their remains are found on Cape Cod and Nantucket.

25706. Model of salt-works. Nantucket, Mass. W. H. Chase, 2d.

CANNING MEATS.

Model of lobster-canning factory.

26583. Model of Johnson & Young's lobster-house, Warren Bridge, near Fitchburg depot. Johnson & Young, Boston, Mass.

This model shows the factory with its vats for steaming the lobsters, the wharf, and the derricks used in handling the lobsters. It is accompanied by models of lobster-smack, and of the principal forms of lobsternets; catalogued elsewhere.

Oyster-canning factory.

39334. Photograph. Side view of D. D. Mallory & Co.'s oyster-packing house, Baltimore. U. S. Fish Commission.

39335. Photograph. Interior view of a steamed-oyster packing-house, Baltimore. U. S. Fish Commission.

Lithographic view of oyster-packing house, Baltimore, Md.

Cans for fish, &c.

39313. Quart cans (4) for transportation of raw oysters to the interior of the country. R. H. Edmunds, Baltimore.

In these cans raw oysters are placed, and the covers having been soldered on, they are packed in boxes of ice.

39340. Tin cans, for canned fish. Hine & Co., 1315 Doyers street, New York. 39443. Printed ends of boxes showing different brands of boneless fish. Louis Merchant, Gloucester, Mass.

CANNING MEATS.

Specimens of cans for the packing of fish.

- 39396. "Nonpareil mackerel." Pickert, Butts & Co., Boston, Mass. 5 pounds.
- 39007. Choice fat mackerel. Franklin Snow & Co., Boston, Mass. 5 pounds.
- 39398. Extra mackerel. Franklin Snow & Co., Boston, Mass. 5 pounds.
- 39399. Breakfast mackerel. Frankliu Snow & Co., Boston, Mass. 5 pounds.
- 39400. Selected breakfast mackerel. Franklin Snow & Co., Boston, Mass.
- 39401. Fresh lobster. Potter & Wrightington, Boston, Mass. 1 pound.
- 39402. Family mess mackerel. Boston Packing Company, Boston, Mass. 5 pounds.
- 39403. Snow-flake cod-fish. H. Mayo & Co., Boston, Mass. 5 pounds.
- 39404. Paragon boneless herring. H. Mayo & Co., Boston, Mass. 1 pound.
- 39405. Pure cod-fish. Grocers' Packing Company, Boston, Mass. 1 pound.
- 39406. Boncless herring, "Tiger Brand." Boston Packing Company, Boston, Mass. I pound.
- 39407. Boneless cod-fish, "Lion & Unicorn." Potter & Wrightington, Boston, Mass. 5 pounds.
- 39408. Shredded cod-fish. Boston Packing Company, Boston, Mass. 2 pounds.
- 39409. Minced cod-fish. Potter & Wrightington, Boston, Mass. 1 pound.
- 39410. Smoked halibut. Potter & Wrightington, Boston, Mass. 1 pound.

5. PREPARATION OF BAITS.

BAIT-MILLS, KNIVES, CHOPPERS, &c. (See, also, under B, 2 and 3.)

26011. Voss' improved bait-mill. (Patented January 17, 1876.) A. Voss, Gloucester, Mass.

6. WHARVES, ETC.

39195-6. Model of Gloucester wharf and fish-house. Higgins & Gifford, Gloucester, Mass.

39440. Model of fish-wharf, consisting of fish-weighing scales, weights, fifty little barrels and tubs, culling and packing cribs. Higgins & Gifford, Gloucester, Mass.

II. PREPARATION OF OILS AND GELATINES.

7. EXTRACTION OF WHALE-OIL.

INSTRUMENTS AND APPLIANCES OF RENDERING WHALE-OIL.

Oil painting, by J. S. Ryder, Boston, Mass., "Cutting up a Finback Whale in Provincetown, Harbor." U. S. Fish Commission. Try-pots.

25013. Model of whaler's try-works. Capt. L. W. Howland, New Bedford, Mass.

This model is accompanied by miniature models of all the implements used in trying out the blubber, viz:

- a. Fire-pike.
- b. Stirring-pole.
- c. Serap-hopper.
- d. Skimmer.
- e. Bailer.
- f. Cooler.
- g. Deck-pot.
- h. Casks.

8. Extraction of fish-oils.

26899. Model of menhaden oil factory. Owned by Joseph Church & Co. Joseph Lawler, Bristol, Me.

The factory is the most elaborate of the sixty or more on the coast of New England and the Middle States, and is 160 feet in length by 40 in width.

39431. Photographs of A. W. Dodds' Oil Works for trying out oil of halibut, Gloucester. Capt. J. W. Collins.

III. MANUFACTURE OF FERTILIZERS.

9. Preparation of guano.

MODEL OF FISH-GUANO WORKS.

Mixers.

25822. Model of guano-mixer. Patented April 27, 1-67. Poole & Hunt, Baltimore, Md.

This mixer is employed in the fish-guano works for the purpose of thoroughly mixing the fish-scrap with the mineral phosphates and sulphuric acid.

Guano in its various stages, with its ingredients, South Carolina phosphates, Navassa phosphates, scrap (crude and dried), sulphuric acid, kainite, screened and unscreened guano, and seaweed used in preparation: a full scries of these is exhibited in the case of Guanos.

SECTION E.

ANIMAL PRODUCTS AND THEIR APPLICATIONS.

L FOODS.

1. Foods in a fresh condition.

This section includes specimens of such marketable fishes in a fresh condition in refrigerators as can conveniently be forwarded from time to time.

2. Foods: dried and smoked.

DRY SALTED PREPARATIONS.

- 39435. 1 drum (200 lbs.) large cod (Gadus morrhua). Franklin Snow & Co., Boston, Mass.
- 39436. 1 drum (100 lbs.) small cod. Franklin Snow & Co., Boston, Mass.
- 39362. 5 boxes "Genuine George's Bank Codfish," H. K. & F. B. Thurber & Co., New York City.
- 39424. Package George's codfish. A. Howard Clark, Gloucester, Mass.
- 39425. Various brands of boneless codfish. Prepared by Gloucester firms.

 A. Howard Clark, Gloucester, Mass.
- 39349. 2 cases (1 dozen each) "boneless cod," in 5 pound boxes. Potter & Wrightington, Boston, Mass.
- 39439. Beardsley's shredded codfish (2 cases, 30 lbs. each, in 1 lb. boxes). J. W. Beardsley's Sons, 179 West street, New York.
- ——. Beardsley's "Beehive Brand boncless codfish" (2 boxes, 35 lbs. each). J. W. Beardsley's Sons.
- 32707. Minced fish. Made from dry salt codfish. H. Mayo & Co., Boston.
- 26750. Alden's vapor-cured, snow-flaked, fresh cod-fish, put up in 1876. E. G. Blackford.
- 32795. Dried meat of abalone (Haliotis sp.). Santa Barbara, Cal. D. S. Jordan.
 - Dried and exported to China, as food, in large quantities.
- 39473. Whale sinew, used for food by the Chinese. San Francisco, Cal. D. , S. Jordan.

SMOKED PREPARATIONS.

- 32796. 1 box (25 pounds) smoked halibut (*Hippoglossus vulgaris*). "Greenland halibut." Wm. H. Wonson & Co., Gloucester, Mass.
- 32797. 1 box (25 pounds) "Grand Bank halibut." Wm. H. Wonson & Co., Gloucester, Mass.
- 32798. 1 box (25 pounds) "Newfoundland halibut." Wm. II. Wonson & Co., Gloucester, Mass.
- 39353. 2 cases (2 dozen each) smoked halibut. Potter & Wrightington, Boston, Mass.
- ----- Smoked halibut. William Snyder, 24 Fulton st., New York.
- 32693. Paragon herring. Henry Mayo & Co., Boston, Mass. Smoked herring (Clupea harengus), deprived of skin and bones.

SMOKED PREPARATIONS.

39350. Boneless herring. 2 cases (3 dozen each). Potter & Wrightington,
Boston, Mass.
Smoked herring. U. S. Fish Commission.
———. Smoked cels (Anguilla vulgaris). U. S. Fish Commission.
— Smoked smelts (Osmerus mordax). 6 5-lb. cans. U. S. Fish Commission.
— Smoked haddock (Melanogrammus wglefinus), "Finnan Haddies."
William Snyder, 24 Fulton st., New York.
————. Smoked shad (Alosa sapidissima). U. S. Fish Commission.
—— Smoked Spanish mackerel (Cybium muculatum). U. S. Fish Commission.
——. Smoked mackerel (Scomber scombrus). U. S. Fish Commission.
39352. 2 cases (2 dozen each) smoked salmon. Potter & Wrightington,
Boston, Mass.
39440. Smoked bluefish (Pomatomus saltatrix). U. S. Fish Commission.
Beardsley's "Star Brand Boneless Herring" (2 cases, 2 doz. each).
J. W. Beardsley's Sons, New York City.
——. Smoked sturgeon (Acipeuser sp). U. S. Fish Commission.

PICKLE OR BRINE SALTED PREPARATIONS.

- 32717. 1 half barrel extra large No. 1 mackerel (Scomber scombrus). 65 fish in the package of 100 pounds. Boston, Mass. U.S. Fish Commission.
- 39355. 2 cases (1 dozen each), breakfast mess-mackerel in cans. Potter & Wrightington, Boston, Mass.
- 39361. 1 case "Whole fresh mackerel." H. K. & F. B. Thurber & Co., New York City.
- 39363. 1 kit "Deep-sea mackerel." H. K. & F. B. Thurber & Co., New York City.
- 39364. I kit "One-pound fancy mackerel." H. K. & F. B. Thurber & Co., New York City.
- 39365. 1 kit "Selected bloaters (mackerel)." H. K. & F. B. Thurber & Co., New York City.
- 32702. "Perfection mackerel." Henry Mayo & Co., Boston, Mass.
- 32703. "Paragon mackerel." " " " "
- 32704. "Breakfast mackerel." " " " "
- 32711. Canned mackerel. " "
- 39441. American caviare. Max Ams & Co., 370 Greenwich st., New York.
- 39437. 2 drams (1001bs.) hake (*Phycis chuss* and *P. tenuis*). Franklin Snow & Co., Boston, Mass.
- 39438. 2 drums (100 lbs.) haddock (Melanogrammus wglefinus). Franklin Snow, & Co., Boston, Mass.
- 39414. Box "Lion and Unicorn Brand" (30 pounds) boneless hake. Potter & Wrightington, Boston, Mass.

PREPARATIONS IN SPICES AND VINEGAR, &c.

- 3934I. 1 case (50 cans) sardines in mustard. Prepared from the herring (Clupea barengus). Rosentein Brothers, 332 Greenwich street, New York.
- 39342. 1 case (50 cans) sardines royales aromatiques. Prepared from the herring (Clupea harengus). Rosentein Brothers, 323 Greenwich street, New York.

PREPARATIONS IN SPICES AND VINEGAR, &c.

- 39442. Sardines in mustard (Clupea harengus). Henry Sellman, Eastport, Me.
- 39444. Sardines in tomatoes.
- 19443. Sardines in spices.
- 39445. Pickled eels (Auguilla vulgavis). Max Ams & Co., 370 Greenwich st., New York City.
- 39411. Pickled eels, in jelly. S. Schmidt, New York City. (5-pound caus.)
- 39412. " " (2-pound cans.)
- 39446. Pickled oysters (Ostrea virginica). (2 jars.) B. J. M. Carley, New York.
- 39447. Pickled Little Neck clams (Venus mercenaria). (2 jars.) "
- 39448. Pickled clams (Mya arenaria). (2 jars.)
- 26575, Pickled seallops (*Pecten irradiaus*). Oyster Bay. (2 jars.) B. J. M. Carley, New York City.
- 26580. Pickled mussels (Mytilus edulis). (2 jars.) East River, N. Y. B. J. M. Carley, New York City.
- ——. Pickled oyster crabs (Pinnotheres ostreum). (2 jars.) B. J. M. Carley, New York City.
- 39423. Océan tront (Brevoortia tyrannus). Hoope & Coit, Port Monmonth, N. J. (1876.)

PREPARATIONS IN OIL.

- 16609. "American sardines." Prepared "à l'huile" from the menhaden (Brevoortia tyrannus). American Sardine Company, New York. (1876.)
- 16680 "American boneless sardines." Prepared in olive oil from the menhaden (*Brevoortia tyrannus*). Process patented May 21, 1872. American Sardine Company, New York. (1876.)
- 15516. "Shadines." Prepared from the menhaden (*Brevoortia tyrannus*).

 Port Monmouth Fishery, New York. Hooper and Coit, New York.

 (1876.)

COOKED PREPARATIONS IN CANS.

- 32701. Cod-fish balls (Gadus morrhua). Henry Mayo & Co., Boston, Mass.
- 32709. Fresh cod-fish (Gadus morrhua).
- 24923. Fresh cod-fish. William Underwood & Co., Boston, Mass. (1876.)
- 25273. Fresh haddock (Melanogrammus æglefinus). William Underwood & Co. (1876.)
- 32701. Fresh eusk (Brosmius brosme). Henry Mayo & Co., Boston, Mass.
- 52705. Canned fish chowder (cod and haddock). "
- 39157. " " " " " "
- 39158. Canned mackerel (Scomber scombrus). Wm. Underwood & Co., Bos-
- [ton, Mass. 39152. " Franklin Snow & Co., Boston, Mass.
- 39357. I ease canned mackerel (Scomber scombrus), 1-nound cans. H. K. & F. B. Thurber, New York City.
- 39358. 1 case canned mackerel, 5-pound cans. II. K. & F. B. Thurber & Co.
- 26650. "Fresh Seguin Mackerel—Star Brand." Portland Packing Company, Portland, Me. (1876.)
- 25855-60, Canned mackerel. Kemp, Day & Co., New York. (1876.)
- 34922. Fresh mackerel. William Underwood & Co., Boston. (1876.)
- 39354. 2 cases (4 dozen each) fresh mackerel. Potter & Wrightington, Boston, Mass.

111 1111 1111

COOKED PREPARATIONS IN CANS.

- 32713. Canned mackerel (Scomber scombrus). 4 doz. 1 lb. cans. W. K. Lewis & Bros., Boston, Mass.
- . 25271. Preserved fresh halibut (*Hippoglossus rulgaris*). Wm. Underwood & Co., Boston, Mass. (1876.)
 - 39449. Cauned salmon (Salmo ——). H. K. & F. B. Thurber & Co., Kew York.
 - 39450. Fresh Columbia River salmon (canned), (Salmo quinnut). "Star Brand." Eureka Packing Co., San Francisco. (4 doz. 1 lb. cans.)
 H. M. Anthony. 104 Reade st., New York.
 - -. Mackerel, No. I. (1 box.) U. S. Fish Commission.
 - ——, Mackerel, No. 2. (1 box.) U. S. rish Commission.
- 39360, 1 case canned salmon (Salmo sp.), 1-pound cans. H. K. & F. B. Thurber, New York City.
- 37715. Canned salmon (Salmo salar). 4 doz. 1 lb. cans. W. K. Lewis & Bros., Boston, Mass.
- 24924. Fresh salmon. William Underwood & Co., Boston, Mass. (1876.)
- 26755. Fresh Columbia River salmon (Salmo quinnat), Brookfield, Columbia River, W. T. J. G. Wegler & Co. (1876.)
- 39345. 1 case canned smelts (Osmerus mordax). Henry Mayo & Co., Boston, Mass.
- 39422, Canned salmon (Salmo quinnat). A. Booth & Co., Chicago and San Francisco. (1876.)
 - Salmon. (1 box). U. S. Fish Commission.
 - Canned terrapin (Malacoclemmys palustris). U. S. Fish Commission.
- 39356. Canned lobster (Homarus americanus). 1 case. H. K. & F. B. Thurber, New York City.
 - Canned lobster. (2 doz. 1 pound cans.) Kemp, Day & Co., 110 Wall street. New York City.
- 39451. Canned lobster. Eastport Packing Co., Eastport, Me.
- 39160, Canned lobster. Wm. Underwood & Co., Boston, Mass.
- 32714. Canned lobster. (4 doz. 1 pound cans.) W. K. Lewis & Brothers, Boston, Mass.
- 39351, 2 cases (4 dozen each) fresh lobster. Potter & Wrightington, Boston, Mass.
- 39343. Lobster (Royal Brand,) (1 case, 48 cans). Rosentein Brothers, 323
 Greenwich street, New York.
 - "Egmont Bay lobster." (1 box.) U. S. Fish Commission.
- 39154. Deviled lobster U.S. Fish Commission.
- 39156. Canned shrimps. 2 doz. cans. "
- 39344. "McMenamin & Co.'s Fresh Hard Crabs." In two pound cans.

 McMenamin & Co., Hampton, Va.
- 39452. "MeMenamin & Co.'s Fresh Deviled Crabs." McMenamin & Co., Hampton, Va.
- 39453. Canned fresh hard crabs. Maryland Packing Co., Baltimore, Md. (Packed at Oxford, Md.)
- 32712. Canned clams. 4 doz. 1 pound cans. W. K. Lewis & Brothers, Boston, Mass.
- 32706. Canned clam chowder. Henry Mayo & Co., Boston, Mass.
- 39161. " Wm. Underwood & Co., Boston, Mass.
 - --- "Soft clam chowder." (2 jars.) B. J. M. Carley, New York City.
- 39359. 1 case canned oysters (Ostrea-virginica), 2-pound cans. H. K. & F. B. Thurber & Co., New York.
 - Canned oysters. (2 doz. I pound cans.) Solid meats. Kemp, Day & Co., 116 Wall street, New York City.

COOKED PREPARATIONS IN CANS.

- "Saddle Rock oysters." (1 box.) U. S. Fish Commission.

26642. The Farmers' Old Orchard Beach clams (Little Necks, star brand).
Portland Packing Company, Portland Me. (1876.)

25873. Scarboro' Beach clams (Venus mercenaria). Put up by Burnham & Morrill, Portland, Me. Kemp, Day & Co., New York. (1876.)

25864-6. Orchard Beach clams (*Fenus mercenaria*). Kemp, Day & Co., New York. (1876.)

25867-9. Little Neck clams (Venus mercenaria). Kemp, Day & Co., New York. (1876.)

25870-2. Little Neck clams. Put up by Bogart & Co., New York. Kemp, Day & Co., New York. (1876.)

24925. Little Neck clams. Wm. Underwood & Co., Boston, Mass. (1876.)
 — Little neck clams. (2 doz. 1 pound cans). Kemp, Day & Co., 116
 Wall street, New York City.

Extract of fish.

26749. Extract of fish. Made from the jnices of the flesh of fishes (menhaden). S. L. Goodale, Saco, Me.

II. CLOTHING.

3. Furs.

MAMMAL FURS.

Sea otter (*Enhydra marina*), used for muffs, gloves, collars, cuffs, trimmings.

12262. St. Paul's Island, Alaska. H. W. Elliott.

Otter (*Lutra eanadensis*), with specimens of the plucked and dyed fur, used for muffs, trimmings, &c.

Fisher or Pekan (Mustela Pennanti), used for linings.

2000. Fort Steilacom, W. T. Dr. George Suckley.

Mink (Putorius vison), used for cloaks and muffs.

4395. Arctic coast. B. R. Ross.

2803. White River. Puget Sound. Dr. George Suckley.

Fur seal (Callirhinus ursinus), used for cloaks, hats, gloves, muffs, linings, trimmings, &c.

26610. Unplucked pelt of fur seal. Alaska. Alaska Commercial Company.

26611. Plucked " " "

26612. Plucked and dressed pelt of fur seal. Alaska. "

26613. Plucked and dyed pelt of fur seal. Alaska. "

Musquash (Fiber zibethicus) used for muffs, capes, caps and linings, and imitations of beaver fur. Eastern States. U. S. National Museum.

Beaver (Castor canadensis), used for linings and muffs.

1230. Spotted albino. Bristol Bay, Alaska.

12506. White albino. U. S. National Museum.

III. MATERIALS EMPLOYED IN THE ARTS AND MAN-UFACTURES.

* Hard materials.

4. IVORY AND BONE.

IVORY OF MAMMALS.

Tusks of walrns used for trinkets, handles, jewelry, buttons, paper-knives, counters, &c.

- 25656. Tusks of walrus (Rosmarus obesus). Alaska. C. H. Crandall.
- 11751. Tusks of walrus. Repulse Bay. C. F. Hall.
- 16174. Teeth of young walrus (Rosmarus obesus). Used in making powder chargers. Nunivak Island, Alaska. W. H. Dall.
- 24819. Ivory of walrus in rough state. Joseph Shardlow, New York.
- 24887. Scrimshawed tooth of walrus (*Rosmarus*). (Figure of lady). Geo. Y. Nickerson, New Bedford, Mass.
- 2631. Handle of walrus ivory. Northwest coast America. United States Exploring Expedition. Capt. Chas. Wilkes, U. S. N.
- 24815-6 Cane handles of walrus ivory. Joseph Shardlow, New York.
- 24812. Chain and cross of walrus ivory.
- 24814. Knobs of walrus ivory.
- 24813. Scarf-slide of walrus ivory. " "
- 24817-18. Sword handles of wahrus ivory. " "
- 24820-21-22. Knife handles of walrus ivory. "
- 24823. Crochet-needles of walrus ivory. "

Ivory of narwhal (Monodon monoceros), used for canes.

13521. Cane made from tusk of narwhal. Eskimos of North Greenland. F. T. Commagere.

Teeth of sperm-whale (*Physeter macrocephalus*) and their application to the manufacture of balls, buttons, and trinkets.

- 24906-8. Teeth of sperm-whale, polished. J. H. Clark, Newport, R. I.
- 15290. "G. Y. Nickerson, New Bedford, Mass.
- 24905. Tooth of sperm-whale. Scrimshawed and mounted as watch case, figure of American eagle. J. H. Clark, Newport, R. I.
- 24904. Tooth of sperm-whale. Scrimshawed with figure of crucifix and flowers. J. H. Clark, Newport, R. I.
- 24901. Tooth or sperm-whale. Serimshawed with figure of whaling-ship. J. H. Clark, Newport, R. I.
- 24902. Tooth of sperm-whale. Serimshawed with figure of America in colors. J. H. Clark, Newport, R. I.
 - 7659. Tooth of sperm-whale. Scrimshawed with this legend: ''Taken *

 "By * the * Mintred * of * London * the */Pacific *

 Ocean * from * a * one * hundred * barrel * whale *. * —

 1835 *." Mrs. Dove, Washington, D. C., 1842.

IVORY OF MAMMALS.

Teeth of the sperm whale—Continued.

24888. Tooth of sperm-whale. Serimshawed with figure of General Washington and American eagle. Geo. Y. Nickerson, New Bedford, Mass.

24836. Balls turned from teeth of sperm-whale. Joseph Shardlow, New York.

IVORY OF REPTILES.

Teeth of alligator used for jewelry, whistles, cane-handles, buttons, &c.

26895. Jewelry manufactured from teeth of alligator (Alligator mississippiensis). E. F. Gilbert, Jacksonville, Fla.

An extensive trade in alligator teeth has sprung up within the last ten years. Ten establishments in Eastern Florida are engaged in their manufacture into fancy articles.

BONE OF MAMMALS.

Parts of splanchno-skeleton of feræ, used as charms.

9476. "Os mirabilis" of walrus. Alaska. Gen. Geo. H. Thomas, U. S. A.

Sperm-whale jaw-bone, used for harness-rings, martingales, &c.

29374. Sperm-whale jaw-bone in crude state.

29232-5. Parasol-handles made from sperm-whale's jaw. Harvey & Ford, Philadelphia.

24909. Chopping-knife. Made from jaw of sperm-whale. Prof. S. F. Baird.

2579I. Sail-thimble. Made from bone of whale. J. W. Foster, Beverly,
Mass.

25793. Seam-rubber. Used by sail-makers to rub along seams. Made from jaw-bone of sperm-whale. Frank Westerberger, Beverly, Mass.

25650. Sail-maker's hand-fid. Made at sea from jaw-bone of sperm-whale.

A. R. Crittenden, Middletown, Conn.

25655. Saw-frame. Made at sea from bone of sperm-whale. J. H. Bartlett & Sons, New Bedford, Mass.

25801. Pulley. Made from jaw-bone of sperm-whale. E. H. Cook, Provincetown, Mass.

25649. Pulley-block. Made at sea from jaw-bone of sperm-whale. A. R. Crittenden, Middletown, Conn.

25713. Seine-needle. Made from jaw-bone of sperm-whale. N. H. Payne, Wellfleet, Mass.

BONE OF FISHES.

Bone of sword-fish.

25675, Sword. Made from sword of sword-fish (Xiphias gladius).

5. Baleen.

WHALEBONE IN AN UNMANUFACTURED STATE.

39235. Slab of whalebone. J. H. Bartlett & Sons, New Bedford, Mass. U. S. Fish Commission.

7494. Whaleboue. Anderson River Eskimos. Mackenzie's River district. R. MacFarlane.

WHALEBONE IN AN UNMANUFACTURED STATE.

24950.	Dress-bone, Whalebone prepared for dress-m	akers' use	J. A.
24946.	Sevey, Boston, Mass. Whalebone. Prepared for suspender-makers' us	e. J. A. Se	vey, Bos-
	ton, Mass.	~ . ~	
21945.	Whalebone. Prepared for bonnet-makers' use. Mass.	J. A. Sevey	, Boston,
24941.	Whalebone. Prepared for umbrella-makers' use ton, Mass.	. J. A. Se	vey, Bos-
24940.	Whalebone. Prepared for parasol-makers' use.	J. A. Se	vey, Bos-
24951.	Gross dress-bone. Whalebone prepared for dress	ss-makers' ı	ise. J. A.
24948.	Sevey, Boston, Mass. White dress-bone. Whalebone (white) prepare	ed for dres	s-makers
0.400	use. J. A. Sevey, Boston, Mass. Whalebone. Prepared for brush-makers' use.	T A Corror	Do.A.
24975.	Whatebone. Trepared for brush-makers use.	J. A. Sevey	, Boston,
0.10.10	Whalebone. Prepared for ribbon-weavers' use.	4.4	f stass.
	Whalebone. Prepared for hat-makers' use.	6.6	66
	Whalebone. Prepared for cap-makers' use.	4.6	+6
	Whalebone. Prepared for neck-stock-makers' u	100 66	
	Whalebone. Prepared for corset-makers' use.	44	+ 6
	Round dress-bone. Whalebone prepared for dr	ess-malrare	
~4J4J.	A. Sevey, Boston, Mass.	C55-IIIIIKCIS	usc. J.
24938.	Whalebone cane. Black and white, twisted. J.	A. Sevey.	Boston,
94973	Whalebone boot-shanks.	44	[11155.
	Whalebone tongue-scrapers.	66	66
	Whalebone probang.	66	4.6
	Whalebone riding-whip, made of black and	l white w	halebone.
	twisted. J. A. Sevey, Boston, Mass.		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
24934.	Whalebone riding-whip. J. A. Sevey, Boston, I	Mass.	
	Whalebone cane. Plain. " "		
24936.	Whalebone cane. Twisted. "		
24972.	Whalebone graining-comb. Used by painters.	J. A. Sevey	, Boston,
24980.	Whalebone caterpillar-brush.	66	66
	Whalebone shavings.	"	4.4
24963.	Whalebone back-supporter.	66	6.6
	Whalebone flue-brush.	66	4.6
	Whalebone-fiber shoe-brush.	"	42
	Whalebone. Sample.	"	.6
24959.	Whalebone divining-rod.	44	66
24954.	Whalebone hip busk-bone.	66	6.6
24984.	Whalebone. Price-list samples.	"	46
	Whalebone busk.	"	6.6
	Whalebone fore-arm bones. Artificial.	"	"
	Whalebone plait-raiser.	"	66
	Whalebone penholder.	"	46
	Whalebone corset-elasps,	44	66
	Whalebone drill-bow.	"	"
24957.	Whalebone billiard-cushion springs.	"	"
	Whalebone paper-cutter.	"	"
24985.	Whalebone rule.	66	44

WHALEBONE IN AN UNMANUFACTURED STATE.

24860. Whalebone and rattan whip-stalk. Finished, ready for covering. American Whip Company, Westfield, Mass.

24-5). Whalebone and rattan. Fitted ready for sticking together for whip* stalk. American Whip Company, Westfield, Mass.

24982. Whalebone. Prepared for whip-makers' use (patent). J. A. Sevey, Boston, Mass.

24939.

6. Plates.

TORTOISE-SHELL (Eretmochelys squamata, Linn.).

12387-8-9-90. Tortoise-shell (*Eretwoehelys squamata*, Linn.). Pacific hawk's-bill turtle. Pacific coast.

24890. Commercial tortoise-shell. George Y. Nickerson, New Bedford, Mass.

7. SCALES.

SCALES OF FISHES used in ornamental work, with specimens of flowers and other articles manufactured.

Fish-scale jewelry. F. C. Keergaard & Co., Philadelphia, Pa.:

25480. Scales of sheepshead (Archosargus probatocephalus).

25481. Scales of sheepshead (Archosargus probatocephalus). Prepared for use.

 25482. Brooch and ear-rings.
 "

 25483. Spray of flowers.
 "

 25484. Spray of flowers.
 "

 25485. Spray of flowers.
 "

• 25485. Spray of flowers. " " " " 25486. Spray of flowers. " "

25487. Spray of flowers (dyed). " " 25488. Necklace and cross. " ...

25489. Brooch and ear-rings.

25490. Brooch and ear-rings (dyed) (Archosargus probatocephalus).

8. Pearl.

PEARLS AND NACRE (embracing the pearl-yielding shells, with the pearls and the mother-o'-pearl in the rough state, with the manufactured buttons, handles, and jewelry, pearl-powder, inlaid work, and papier-maché, ornamented with mother-o'-pearl.

32830. Turban-shell (Trochiscus norrissii). California. H. Hemphill.

32832. Top-shell (*Pomaulax undosum*), in natural state. California. H. Hemphill.

32831. Top-shell, prepared to show pearly layers. California. H. Hemphill.

29301. Manufactured state of various kinds of American pearl-shells derived from gasteropods or sea-snails. Furnished by A. B. De Frece & Co., 428 Broadway, New York.

PEARLS AND NACRE.

Ear-shells (*Haliotida*) used in manufacture of buttons, handles-inlaid work, and pearl powder.

- 32835. Sea-cars (Haliotis Kamchatkana), affording pearl-shell and food.
 Alaska, J. G. Swan.
- 32890. Rough sea-car (*H. corrugata*). Sonthern California. Used for pearl, shell and for food. Specimen in natural condition. W. H. Dall.
 - ——. Rough sca-car. Specimen ground and polished to show pearly layers.

 J. T. Ames,
- 32900. Red sea-ear or abalone (*H. rufescens*). Monterey, Cal. Used for pearl-shell and for food. Specimens in natural condition. H. Hemphill.
- Red sea-ear. Polished specimen showing pearly layers. J. T. Ames.
- —. Red sea-car. Fleshy portion prepared and dried for food by California Chinese. Chinese market, California. H. Hemphill.
- 32823. White abalone (*H. cracherodii*), producing pearl-shell and food. Natural state. California. Paul Schumacher.
- 32899, White abalone. Natural state. Monterey, Cal. H. Hemphill.
 - —. White abalone. Polished to show pearly layers. Jas. T. Ames.
- 4792. White abalone. Polished specimens.
- 32821. Splendid sea-ear (*H. splendens*), affording food and pearl-shell. California. Paul Schumaeher.
- 32893. Splendid sea-ear. Natural condition. Southern California. H. Hemphill.
 - —. Splendid sea-ear. Polished to show pearly layers. J. T. Ames.
- —. Splendid sea-ear. Young specimen polished. J. T. Ames.
- 29302. Manufactures of *Haliotis* shell, showing application in the arts. Furnished by A. B. De Freee & Co., 428 Broadway, New York.
- 29248. Ditto. Parasol-handles. Furnished by Harvey & Ford, Philadelphia, Pa.

Pearl-oysters (Ariculidae), with pearls and nacre.

- 13507. American pearl-oyster (M. fimbriata). Panama. Colonel Jewett.
- 3624. Ditto. Illustrating formation of pearls. Panama. Colonel Jewett.
- 32836. Ditto. Gulf of California. J. Xantus.
- ----. Ditto. Polished shell. Chicopee, Mass. Jas. T. Ames.
- 32921. Ditto. Made into artificial fish-bait. Boston, Mass. Bradford & Anthony.
- 32922. Ditto, Made into artificial minnow. Boston, Mass. Bradford & Anthony.
 - —. Series of buttons, studs, stopper-caps, &c. Manufactured from, and showing application of, American pearl-oyster shell. Furnished by A. B. De Frece & Co., 428 Broadway, New York.

River mussels (Unionidae), with pearls and nacre.

- 26092a. River mussel affording pearl-shell, illustrating application of raw material. Cincinnati, Ohio. D. H. Shaffer.
- 26092. Carvings, from pearl-shell afforded by river mussels, for use as studs, buttons, pins, brooches, &c. Cincinnati, Ohio. D. H. Shaffer.
- 26092b. Pearls derived from river mussels. Cincinnati, Ohio. D. H. Shaffer.
- A series of river mussels of various species, one valve polished, the other in its original condition in each case. Chicopee, Mass. Jas. T. Ames.

PEARLS AND NACRE.

Mussels, oysters, and other conchifers supplying pearls and nacre. Shells of nautilus and argonaut, prepared to exhibit their nacre. Ornamental pearl-work, imitating sprays of flowers, &c. Imitation pearls.

9. Shell.

CAMEO SHELL.

Shell of conch (Strombus gigas), and carvings.

—. Queen conch (Strombus gigas), exported to Liverpool in great numbers and ground up for making porcelain. West Indies.

Shell of helmet (Cassis rufa, C. tuberosa, and C. madagascariensis), with carvings.

6938. Cameo-shell (*Cassis rufu*), used for cameo cutting. Florida. Dr. Wm. Stimpson.

SHELLS USED FOR IMPLEMENTS, &c.

Shells of Cypræa, Rotella, Oliva, Turritella, Phasianella (Venetian shells), &c., mounted as buttons and jewelry.

Composition shell-work for box-covers and frames, made by gluing shells in mosaic.

29527. Basket. Made from Florida shells. E. F. Gilbert, Jacksonville, Fla.

22210. Basket. Made from Florida shells. Mrs. Mott, Jacksonville, Fla.

22209. Frame. Made from Florida sea-shells. Mrs. C. E. Mott, Jackson-ville, Fla.

22211. Easter Cross. Made from Florida shells. Mrs. Mott, Jacksonville.

29526, Shell flowers. Made from Florida shells. E. F. Gilbert, Jacksonville, Fla.

Cuttle-fish bone from *Sepia officinalis*, used as a pounce, as a dentifrice, as polishing powders, for taking fine impressions in counterfeiting, and as food for birds.

32905. Sepia "bone," or endosteum, in natural condition. East coast of the United States. Uses: Fed to cage-birds requiring lime.

32905a. Pounce: Powdered sepia bone; used in rewriting over crashres to prevent blotting, in medicine as an antacid.

33005. Cuttle-fish (Octopus punctatus, Gabb). California to Alaska. Used for bait in the cod-fishery, and by natives as food. Mr. Dall.

Concretions from the stomach of Astaeus, known as "crab's-eyes" and "crab-stones," and used as antacids.

35525. "Crabs-eyes." U. S. Fish Commission.

Shell of king-crab (Limulus polyphemus), used as a boat-bailer.

10. OTHER MATERIALS FROM INVERTEBRATES.

** Flexible materials.

11. LEATHERS. (Embracing the hides in a rough state, in the various stages of dressing, and manufactured into shoe-leather, parchment, vellum, binders' leather, thongs, &c.)

PREPARED FROM REPTILE SKINS.

Alligator leather.

16510. Salted skin of alligator (Alligator mississippieusis). Upper Saint John's River, Florida. G. Brown Goode.

16810. Tanned skin of alligator. Upper Saint John's River, Florida. G. Brown Goode.

24796. Cigar-case, made from skin of alligator (Alligator mississippiensis).
"Russet finish." Schayer Bros., Boston, Mass.

24702. Lady's satchel, made from skin of alligator (Alligator mississippiensis).
"Russet finish." Schayer Bros., Boston, Mass.

24793. Slippers, made from the skin of alligator (Alligator mississippiensis).

"Russet finish." Schayer Bros., Boston, Mass.

24794. Slippers, made from skin of alligator (Alligator mississippiensis). "Black finish." "Schayer Bros., Boston, Mass.

26068. Riding-boots, made from skin of alligator (Alligator mississippiensis).
H. & A. Mahrenholz, New York City.

Gaiters made from skin of the alligator (Alligator mississippiensis).
 H. & A. Mahrenholz, New York City.

PREPARED FROM FISH-SKINS.

Skins of eels (Anguilla vulgaris).

25285. Eel-skins. Market, Washington, D. C. G. Brown Goode.

These eel-skins are highly esteemed by the Virginia negroes as a cure for rheumatism.

Sturgeon leather.

26013. Tanned skin of sturgeon (Acipenser rubicundus). Wernich & Wandel, Waukegan, Ill.

Cod-fish leather.

Salmon leather.

12. Isinglass.

Isinglass (ichthyocolla), made from air-bladders and skins of fishes and used in the manufacture of fine glues and sizes, adhesive and court plasters, diamond cement, imitation glass, and table-jelly and confectionery (see under D 1, D), in refining wines and liquors, in adulterating milk, in fixing the luster of artificial pearls, and in lustering silk ribbons (embracing the dried bladders and the manufactured products) in their grades of "lyre," "heart-shaped," "leaf," and "book" isinglass.

Isinglass from sounds of cod and hake.

39162. Isinglass. (1st quality.) Haskins Bros., Boston, Mass.

39163. Isinglass. (2d quality.) " " " "

39164. Isinglass. (3d quality.) " " " "

PREPARED FROM FISH-SKINS.

Isinglass from sounds of cod and hake—Continued.

- 12155. Dried sound of hake (*Phycis chuss*). Used in manufacture of isinglass. Bay of Fundy. Cape Ann Isinglass and Glue Company, Rockport, Mass.
- 32793. 15 bundles fish isinglass, made from hake (*Phycis chuss*). Howe & French, Boston, Mass.
- 20744. Dried tongues of tish (probably cod), used by Sitka Indians in making glue. Sitka, Alaska. J. G. Swan.
- ——. "Diamond" isinglass. W. G. Roby & Co., Boston, Mass.
- ---- "Banner" isinglass. W. G. Roby & Co., Boston, Mass.
- ---. "American" isinglass. W. G. Roby & Co., Boston, Mass.
- Fining compound. W. G. Roby & Co., Boston, Mass.

Isinglass from the squeteague family (*Scienide*), principally used by confectioners.

I2I27. Dried sound of squeteague (Cynoscion regalis), used in the manufacture of isinglass. Long Island Sound. Cape Ann Isinglass and Glue Company, Rockport, Mass.

32726. Exhibit of Gloucester Isinglass and Glue Co.

No. I.—Sample show case filled with fine isinglass manufactured under John S. Rogers' patent process from salt fish skins, used for the manufacture of court plaster. See sample of same on exhibition, Nos. 14 and 15, by A. I. Woodbury & Co., of Boston, Mass., and Dr. C. B. Robbins, of Worcester, Mass.

No. 2.—Sample of dry isinglass or glue manufactured by the Gloucester Isinglass and Glue Company, under John S. Rogers' patent process, from salt fish skins, used for the manufacture of leather belting, card belting, and roll cots. See samples No. 8. from J. S. Ambrose & Co., of Boston, Mass.; No. 18, sample from Shultz Belting Company, St. Louis, Mo.; No. 9, sample from Underwood Belting Company, Tolland, Conn.; No. 19, sample from W. F. Forepaugh, Jr., & Bro., Philadelphia, Pa.; No. 20, sample of leather belting, from I. B. Williams & Son, Dover, N. H.; No. 11, sample case of roll-cots from C. B. Bradley, Manchester, N. H.

No. 3.—Sample of dry fish skins as prepared by the Gloncester Isinglass and Glue Company, under J. S. Rogers' patent process, from salt fish skins, for the manufacture of dry isinglass glue and liquid isinglass.

No. 4.—Samples of thick liquid isinglass, manufactured by the Gloucester Isinglass and Glue Company, under J. Rogers' patent process, used for leather belting, roll-cots, &c. See sample work No. 10, T. K. Earle & Co., Worcester, Mass., also H. W. Ladd, of Bostou, Mass. Warranted to keep sweet one year in liquid form.

No. 5.—Sample of liquid isinglass for adhesive paper, manufactured by the Gloucester Isinglass and Glue Company, under John S. Rogers' process. See sample of work, labels and book, No. 12, Henry H. Woodbury & Co., Woodstock, Vt.; gummed paper, No. 13, from George W. Brooks, No. 15 Kilby street, Boston, Mass. Samples of work, No. 16, done by the Dennison Manufacturing Company. No. 19 Milk street, Boston, Mass., gum paper, gum label, &c.

Sample of work, No. 17, scrap-books and letter file, from D. Slote & Co., Nos. 119 and 121 William street, New York City.

No. 6.—Sample of isinglass mucilage, manufactured by the Gloucester Isinglass and Glue Company, for adhesive purposes. Price 50 cents per quart, \$1.25 per gallon, warranted to keep one year.

PREPARED FROM FISH-SKINS.

32726. Exhibit of Gloucester Isinglass and Glue Co.—Continued.

No. 7.—Sample of stock before prepared, as used by the Gloucester Isinglass and Glue Company.

39445. Glue made from the heads of cod-fish. (Gadus morrhua.) Benjamin Robinson, East Gloucester, Mass.

Exhibit of fish glues. Russia Cement Company, Rockport, Mass.

13. GELATINE.

Prepared from Carrageen or Irish Moss (Chondrus crispus.)

32722. Specimens of Irish Moss (commercial). C. A. Cole, Scituate, Mass.

a. Moss as it comes from the rocks.

b. " partly bleached.

c. " bleached for market.

14. Sponges.1

SPECIMENS OF AMERICAN COMMERCIAL SPONGES (with the different grades, and bleached sponges).

32691. Yellow sponge (S. agaricina, Pall., sub. sp. corlosia, D. & M., var. fusca). Apalachicola, Fla. Silas Stearns.

32690. Yellow sponge (S. agaricina, Pall., snb. sp. corlosia, D. & M., yar. fusca). Apalachicola, Fla. Silas Stearns.

32692. Yellow sponge (S. agaricina, Pall., sub. sp. corlosia, D. & M., var. fusca). Apalachicola, Fla. Silas Stearns.

32684. Sheep's-wool sponge (S. equina, Schm., sub. sp. gossypina, D. & M., var. alba). Apalachicola, Fla. Silas Stearns.

32688. Grass sponge (S. equina, Schm., sub. sp. cerebriformis, D. & M., var. caliciformis). Apalachicola, Fla. Silas Stearns. (Of no commercial value.)

31686. Grass sponge (S. equina, Schm., sub. sp. cerebriformis, D. & M., var. caliciformis). Apalachicola, Fla. Silas Stearns. (Of no commercial value.)

32677. "Sea-cap" sponge (*Hiscinia cumpana*, Udo., var. *typica*, A. H.).

Apalachicola, Fla. Silas Stearus. (Of no commercial value.)

32685. Yellow sponge (S. agaricina, Pall., sub. sp. corlosia, D. & M., var. fusca). Apalachicola, Fla. Silas Stearns.

32668. Bahama yellow sponge (8. agaricina, Pall., sup. sp. corlosia, var. fusca). Very coarse sup. variety. A. Isaaes & Co., New York.

32680. Bahama dark color reef sponge (S. officinalis, Linn., sub. sp. tabuli-fera, D. & M., disciformis). A. Isaaes & Co., New York.

32665. Bahama light color reef sponge (8. officinalis, Linn., sub. sp. tubulifera, vav. rotuuda). A. Isaacs & Co., New York.

32652. Florida sheep's wool sponge (8. equina, Schm., sub. sp. gossypina, var. alba). A. Isaacs & Co., New York.

32674. Florida honey-comb sponge (S. equina, Schm, sub. sp. eerebriformis, var. caliciformis). A. Isaacs & Co., New York.

—. Bahama honey-comb sponge (S. cquina, Schm., sub. sp. cerebriformis, var. plana). A. Isaacs & Co , New York.

32658. Island of Cuba sheep's wool sponge (S. cquina, Schm., sub. sp. gossypina, D. & M., var. ——). A. Isaacs & Co., New York.

SPECIMENS OF AMERICAN COMMERCIAL SPONGES (with the different grades, and bleached sponges).

- 32670. Bahama sheep's wool sponge (S. cquina, Schm., sub. sp. gossypina, var. alba). A. Isaacs & Co., New York.
- 32677. Bahama velvet sponge (S. equina, Schm., snp. sp. mandriniformis, D. et M.). A. Isaacs & Co., New York.
- 32664. Large Bahama globe sponge (S. officinalis, Linn., sup. sp. tubuliferu, var. disciformis). A. Isaacs & Co., New York.
- 32676. Florida sheep's wool sponge (S. equina, Schm., sub. sp. gossypina, var. solitaria). A. Isaaes & Co., New York.
- 32661. Bahama dark color reef sponge (8. officinalis, Linn., snp. sp. tubulifera, D. et M., var. rotunda). A. Isaacs & Co., New York.
- 32671. Bahama honey-comb sponge (S. cquina, Schm., sub. sp. cerebriformis, var. obscura). A. Isaacs & Co., New York.
- 32666. Bahama light color reef sponge (S. officinalis, Linn., sup. sp. tubulifera, var. disciformis). A. Isaacs & Co., New York.
- 32682. Bahama sheep's-wool spoage (S. equina, sup. sp. gossypina, var. hirsuta). A. Isaacs & Co., New York.
- 32654. Island of Cuba sheep's-wool sponge (S. equina, Schm., sup. sp. gossypina, var. alba). A. Isaacs & Co., New York.
- 32655. Bahama dark color reef sponge (S. officinalis, Linn., sub. sp. tubulifera, D. & M., var. rolunda).
- 32653. Bahama sheep's-wool sponge (S. equina, Schm., sup. sp. gossypina, var. alba). A. Isaacs & Co., New York.
- 32683. Sponge (S. equiua, Sehm., sup. sp. gossypina, D. & M., barbara). A. Isaaes & Co., New York.
- 32667. Florida honey-comb sponge (S. equina, Schm., sup. sp. cerebriformis, var, caliciformis). A. Isanes & Co., New York.
- 32662. Large Bahama dog-head sponge (S. agaricina, Pall., sup. sp. punctata). A. Isaacs & Co., New York.
- 32660. Small Bahama dog-head sponge (S. agaricina, Pall., sup. sp. punctata). A. Isaacs & Co., New York.
- 32678. Florida sheep's-wool sponge (S. equina, Schm., sup. sp. gossypina, var. alba). A. Isaacs & Co., New York.
- 32681. Florida honey-comb sponge (Spongia equina, Schm., sup. sp. cerebriformus, D. & M., var. caliciformis). A. Isaacs & Co., New York.
- 32656. Florida yellow sponge (S. agaricina, sup. sp. corlosia, var. fusca). A. Isaacs & Co., New York.
- 32657. Bahama yellow sponge (S. agaricina, Pall., snp. sp. punctata, var. densa). A. Isaacs & Co., New York.
- 32663. Bahama velvet sponge (S. equina, Schm., sup. sp. gossypina, var. barbara). A. Isaacs & Co., New York.

Sponges used in surgery.

3213a. Sponge prepared for use as lint in surgery. Wm. B. Moses, Washington, D. C.

15. OILS AND FATS.

MAMMAL OILS.

Seal-oil, in its various grades, used for lubricating.

25979. Oil of harbor seal (Phoca vitulina). Capt. N. E. Atwood, Provincetown, Mass.

Sea-elephant oil.

by the contract of 39273. Natural sea-elephant oil (Macrorhinus lconina). Jasper Pryor, New York.

MAMMAL OILS.

Sea-elephant oil—Continued.

- 39274. Bleached sea-elephant oil (Macrorhinus leonina). Jasper Pryor, New York.
- 25057. Oil of sea-elephant (Macrorlinus, sp.). Haven, Williams & Co., New London, Conn.
- 25058, Oil of sea-elephant (Macrorhinus leonina). South Georgia Island. Haven, Williams & Co., New London, Conn.
- 35548. Natural winter sea-elephant oil (Macrorhinus leonina).
- 35549. Bleached winter sea-elephant oil (Macrorhinus leonina).

Oil from body of whales, grampuses, and porpoises used in the arts, for lubricating, painting, &c.

- 25054. Oil of humpback whale (Megaptera, sp.). Atlantic Ocean. Haven, Williams & Co., New London, Conn.
- 25055. Oil of right-whale. Haven, Williams & Co., New London, Conn.
- 25056. Oil of sulphur-bottom whale (Sibbaldius, sp.). Haven, Williams & Co., New London, Conn.
- 26035. Oil of beluga (Delphinapterus eatodon). Renfrew & Co., Quebec.
- 39460, Oil from body of beluga (Delphinapterus catodon). Caleb Cook, Provincetown, Mass.
- 39461. Oil from jaw of beluga (Delphinapterus catodon). Caleb Cook, Provincetown, Mass.
- 24894. Crude arctic whale oil. George Delano & Co.
- 39263. Crude whale oil, "northern." Jasper Pryor, New York. 39264. Crude whale oil, "southern." Jasper Pryor, New York.
- 39265. Natural whale oil. Jasper Pryor, New York.
- 39266. Bleached whale oil. Jasper Pryor, New York.
- 39279. Extra bleached whale oil. Jasper Pryor, New York.
- 24895. Bleached "winter" sperm-oil, from the sperm-whale (Physeter macrocephalus). George Delano & Co., New Bedford, Mass.
- 39282. Whale oil, "foots." Jasper Pryor, New York.
- 25743. Oil of grampus (Grampus griseus). Extracted by exposure to the sun. E. E. Small, Provincetown, Mass.
- 25737. "Pressed" oil of grampus (Grampus griseus). E. E. Small, Provincetown, Mass.
- 25967. Oil of cowfish. Capt. N. E. Atwood, Provincetown, Mass.
- 25958. Oil of porpoise. Marvin Brothers & Bartlett, Portsmouth, N. H.
- 25738. Oil of porpoise (Lagenorhynchus leucopleurus). Extracted by exposure to the sun. E. E, Small, Provincetown, Mass.
- 25974. Oil of porpoise (Delphinus erebennus?). Capt. N. E. Atwood, Provinectown, Mass.
- 26037. Oil of harbor porpoise (Phocana americana). Passamaquoddy Bay, Maine. George H. Peabody, Eastport, Me.
- 25739. Oil of snuffer (Phocana americana). Extracted by exposure to the sun. E. E. Small, Provincetown, Mass.
- 39220. Bleached "winter" whale oil. J. H. Bartlett & Sons, New Bedford, Mass.
- 39221. Crude "southern" whale oil. J. H. Bartlett & Sons, New Bedford,
- 39223. Crude arctic whale oil. J. H. Bartlett & Sons, New Bedford, Mass.
- 35550. Natural winter whale oil.
- 35551. Bleached winter whale oil.

MAMMAL OILS.

Oil from whales and porpoises—Continued.

39224. Whale oil "foots." J. H. Bartlett & Sons, New Bedford, Mass.

26076. Oil of black-fish (Globicephalus intermedius). North American Oil Campany, Wellfleet, Mass.

25741. Oil of black-fish (Globicephalus intermedius). E. E. Small, Provincetown, Mass.

25054. Refined oil of black-fish (Globicephalus intermedius). Cape Cod. Capt. Caleb Cook, Provincetown, Mass.

25065. Double refined oil of black-fish (Globicephalus intermedius). Cape Cod. Capt. Caleb Cook. Provincetown, Mass.

25977. Oil from body of black-fish (Globicephalus intermedius). Capt. N. E. Atwood, Provincetowu, Mass.

Black-fish and porpoise-jaw oil used in lubricating fine machinery, watches, clocks, and guns, with specimens of blubber.

25742. Oil from head of black-fish (Globicephalus intermedius). Extracted by exposure to the sun. E. E. Small, Provincetown, Mass.

25938. Oil from head of black-fish (Globicephalus intermedius). Sold as "porpoise-jaw oil." Capt. Caleb Cook, Provincetown, Mass.

25984. Oil from head of black-fish (Globicephalus intermedius). Sold as "porpoise-jaw oil." Capt. N. E. Atwood, Provincetown, Mass.

39436. Oil of black-fish (Globicephalus intermedius). A. W. Dodd & Co., Gloncester, Mass.

25969. Oil from jaw of porpoise. Capt. N. E. Atwood, Provincetown, Mass. 26035-6. Oil from head of harbor-porpoise (*Phocana americana*). Passama-

26035-6. Oil from head of harbor-porpoise (Phocwna americana). Passama-quoddy Bay. Geo. A. Peabody, Eastport, Me.

25066. Jaw-oil of black-fish (Globicephalus intermedius). Cape Cod. Capt. Caleb Cook, Provincetown, Mass.

39458. Watch oil. Caleb Cook, Provincetown, Mass.

39459. Clock oil. Caleb Cook, Provincetown, Mass.

Grampus-oil used for lubricating fine machinery.

25733. Oil from head of grampus (*Grampus griscus*). Extracted by exposure to the sun. E. E. Small, Provincetown, Mass.

Sperm-oil used in lamps, for lubricating, as an emollient in medicine, for lip-salves, and in the manufacture of spermaceti.

39260. Crude sperm-oil from sperm-whale (*Physeter macroecphalus*). Jasper Pryor, New York.

59261. Natural sperm-oil from sperm-whale (Physeter macroecphalus). Jasper Pryor, New York.

39262. Bleached sperm-oil, From sperm-whale (*Physeter macroeephalus*). Jas-Pryor, New York.

39217. Crude ''hody" sperm-oil from sperm-whale (*Physeter macrocephalus*).

J. H. Bartlett & Sons, New Bedford, Mass.

39218. Crude ''head" sperm-oil from sperm-whale (*Physicer macrocephalus*).

J. H. Bartlett & Sons, New Bedford, Mass.

39219. Bleached winter sperm-oil from the sperm-whale (*Physeter macrocephalus*). J. H. Bartlett & Sons, New Bedford, Mass.

35546. Natural winter sperm-oil.

35547. Bleached winter sperm-oil.

MAMMAL OILS.

Spermaceti, with specimens of candles.

39283. Spermaceti. Jasper Pryor, New York.

____, Spermaceti. J. H. Bartlett & Sons, New Bedford, Mass.

39393. Patent sperm candles. (Size 6). Anthony Pirz, Long Island City, N. Y.

39394. Sperm candles. Anthony Pirz, Long Island City, N. Y.

REPTILE-OILS.

Alligator-oil manufactured in Florida.

24898. Oil of alligator (Alligator mississippiensis). Prepared by Col. L. A. Harden, Jacksonville, Fla. Dr. W. H. Babcock.

FISH-OILS.

Sun-fish oil used by fishermen for cure of rheumatism.

32792. Oil from liver of sun-fish (*Mola rotunda*). Marvin Brothers & Bartlett, Portsmouth, N. H.

25966. Oil from liver of sun-fish (Mola rotunda). Capt. N. E. Atwood, Provincetown, Mass.

Oil from liver of the cod family.

39275. Curriers' cod-liver oil (Gadus morrhua). Jasper Pryor, New York.

39276. Medicinal cod-liver oil (Gadus morrhua). Jasper Pryor, New York.

25982. Oil from liver of cod-fish (Gadus morrhua), crude. Capt. N. E. Atwood, Provincetown, Mass.

25960. Liver-oil of cod-fish (Gadus morrhua). Marvin Brothers & Bartlett,
Portsmouth, N. H.

39435. Oil of Grand Bank cod-fish (Gadus morrhua). A. W. Dodd & Co., Gloncester, Mass.

39434. Oil of George's Bank eod-fish (Gadus morrhuu). A. W. Dodd & Co., Gloneester, Mass.

32790. Pure cod-liver oil (Gadus morrhua). Marvin Brothers & Bartlett,
Portsmouth, N. H.

35554. Medicinal cod-liver oil.

25985-39168. Medicinal oil from livers of cod-fish (*Gadus morrhua*). Capt. N. E. Atwood, Provincetown, Mass.

39437. Medicinal oil from livers of cod-fish (*Gadus morrhua*). A. W. Dodd & Co., Gloncester, Mass.

Personal attention and the most scrupulous care is exercised, both in the selection of livers from which this oil is made and in the actual process of manufacture.

39166. Cold pressed refined medicinal oil from liver of the cod-fish (Gadus morrhua). Haskins Brothers, Boston, Mass.

25961. Stearine from liver-oil of cod-fish (Gadus morrhua). Marvin Brothers & Bartlett, Portsmouth, N. H.

25970. Oil from liver of cusk (Brosmius brosme). Capt. N. E. Atwood, Provincetown, Mass.

25736. Oil from liver of lake (*Phycis chuss*). Extracted by exposure to the sun. E. E. Small, Provincetown, Mass.

25732. Oil from liver of haddock (Mclanogrammus aglefinus). Extracted by exposure to the sun. E. E. Small, Provincetown, Mass.

25978. Oil from liver of haddock (Melanogrammus arglefinus). Capt. N. E. Atwood, Provincetown, Mass.

FISH-OILS.

Oil from liver of the cod family—Continued.

 Oil from liver of pollock (Pollachiuus carbonarius). Capt. N. E. Atwood, Provincetown, Mass.

25740. Oil from liver of pollock (*Pollachinus carbonarius*). Extracted by exposure to the sun. E. E. Small, Provincetown, Mass.

Menhaden-oil used in currying leather, in rope making, for lubricating, for adulterating linseed-oil, as a paint-oil, and exported to Europe for use in the manufacture of soap and for smearing sheep.

39222. Crude menhaden-oil (Brevoortia tyrannus). J. H. Bartlett & Sons, New Bedford, Mass.

39225. Menhaden-oil "foots." J. H. Bartlett & Sons, New Bedford, Mass.

39267. Crude menhaden oil (*Brevoortia tyrannus*), medium light-colored.

Jasper Pryor, New York.

39268. Pressed menhaden oil (*Breroortia tyrannus*), medium light-colored. Jasper Pryor, New York.

39269. Crude menhaden oil (*Breroortia tyrannus*), brown-colored. Jasper Pryor, New York.

39270. Pressed menhaden oil (*Brevoortia tyraunus*), brown-colored. Jasper Pryor, New York.

39271. Bleached menhaden oil (*Brevoortia tyrannus*), brown-colored. Jasper Pryor, New York.

39272. Extra bleached menhaden oil (*Brevoortia tyrannus*), brown-colored.

Jasper Pryor, New York.

39277. Crude menhaden oil (Brevoortia tyrannus), extra light colored. Jasper Pryor, New York.

39278. Pressed menhaden oil (*Brevoortia tyrannus*), extra light colored. Jasper Pryor, New York.

39280. Menhaden-oil pressings.

39281. Bleached menhaden-oil pressings. Jasper Pryor, New York.

39439. Oil of pogie or menhaden (Brevoortia tyrannns). A. W. Dodd & Co., Gloucester, Mass.

Oil of other fishes.

25973. Oil of horse-mackerel (*Orcynus thynnus*). Capt. N. E. Atwood, Provincetown, Mass.

25980. Oil from liver of mackerel-shark (*Isuropsis Dekayi*). Capt. N. E. Atwood, Provincetown, Mass.

25975. Oil from liver of thresher-shark (Alopias vulpes). Capt. N. E. Atwood, Provincetown, Mass.

25981. Oil from liver of dog-fish (Squalus americanus). Capt. N. E. Atwood, Provincetown, Mass.

25976. Oil from liver of cramp-fish (Torpedo occidentalis). Capt. N. E. Atwood, Provincetown, Mass.

42920. Oil from *Centroscyllium fabricii*, Greenland dog-fish. Chas. Ruckley, Gloucester, Mass.

Oulachan oil used by Indians of Northwest coast for food and illumination.

32778. Oulachan oil. J. G. Swan, Port Townsend, W. T.

Soaps made from fish-oil.

Soap made from "chums" of menhaden. Mr. Charles Alden.

MOLUSK-OILS.

Oil of squid.

25972. Oil of squid (Ommastrephes illecebrosa). Capt. N. E. Atwood, Provincetown, Mass.

16. Perfumes.

MAMMAL PERFUMES.

Ambergris of sperm-whale, with specimens of ambreine.

29375. Ambergris (commercial). Weeks & Potter, Boston, Mass.

17. CHEMICAL PRODUCTS AND AGENTS EMPLOYED IN THE ARTS AND MEDICINE.

DERIVED FROM PLANTS.

— Fluid extract of seawrack (Fueus resiculosus). John Wyeth & Bro., Philadelphia, Pa.

Extensively sold under the name of "Antifat."

18. Fertilizers.

ARTIFICIAL GUANOS.

Menhaden guano.

Series of preparations illustrating the manufacture of soluble Pacific guano. Soluble Pacific Guano Company, Wood's Holl, Mass.¹

26104. Crude South Carolina phosphate.

26103. Crushed South Carolina phosphates.

26102. Ground South Carolina phosphate.

26100. Crude Navassa phosphate. Navassa Island, W. I.

26101. Sicily sulphur, used in manufacture of sulphuric acid, used in fac-

26099. Stassfurth kainite, used in preservation of scrap.

26095. Crude menhaden serap.

26097. Menhaden scrap, dried by the Hogle patent drying-machine.

26096. Soluble Pacific guano (unscreened).

26098. Soluble Pacific guano (screened).

Other preparations.

26062. Ammoniated bone superphosphate. Geo. W. Miles, Milford, Conn.

22246. Leopoldshall kainite. Winfield S. Dunan, Baltimore, Md.

39284. Dried unground fish guano. Jasper Pryor, New York.

39285. Dried ground fish gnano. Jasper Pryor, New York.

39444. Guano made from salt-fish skins. Gloucester Isinglass and Glue Company, Gloucester, Mass.

39438. Guano from head of halibn't (Hippoglossus vulgaris). A. W. Dodd & Co., Gloncester, Mass.

SECTION F.

PROTECTION AND CULTURE.

I. INVESTIGATION.

(AS PROSECUTED BY THE UNITED STATES FISH COMMISSION.)

1. Methods of work.

Apparatus for collecting specimens. (See under B.)

Apparatus for physical research.

Thermometers used by Dr. J. H. Kidder in investigating the temperature of fishes at Provincetown, Mass. Manufactured by Tagliabne, N. Y.

32745. Standard thermometer.

32746. Set of six observation thermometers covering 30° to 100° F.

32747. Curved thermometer.

Appliances for measurement.

Scales for taking proportional measurements of fish, preparatory to writing descriptions.

Appliances for working up results.

Coast laboratories.

Photographs of the U. S. Fish Commission Biological Laboratory at Wood's Holl, Mass. Exterior and interior views. U. S. Fish Commission.

Photographs.1

Headquarters of the United States Fish Commission, Wood's Holl, Mass.

Little Harbor of Wood's Holl, Mass., with headquarters of U. S. Fish Commission.

Harbor of Wood's Holl, Mass., from the wharf of the Fish Commission laboratory.

Harbor of Wood's Holl, Mass., with U. S. Fish Commission fleet for 1871.

Village of Wood's Holl, Mass., with the Pacific Soluble Guano Company's Works.

¹The photographs here enumerated are on exhibition. Many others are in possession of the Commission.

Photographs—Continued.

- 39471. United States steamer "Fish Hawk." Built by the Pusey & Jones Co., Wilmington, Del.
 - Yacht "Mazeppa," employed in the service of the U. S. Fish Commission.
 - U. S. steamer "Blue Light" at the wharf of the U. S. Fish Commission, Wood's Holl, Mass.
 - Village of Wood's Holl, Mass., showing laboratory of U.S. Fish Commission.
 - A series of photographs showing work of U. S. Fish Commission at the shad-hatching station in Albemarle Sound.

RESULTS OF WORK.

1. Publications of the Commission.

(A series of the separate papers, bound up by subjects, is also shown.)

- 1. Circular regarding tagged fish in Lake Michigan, 1871.
- 2. Memoranda of inquiry, 1872.
- 3. Questions; food-fishes. 1872.
- 4. Circular to accompany No. 3. 1872.
- 5. Statistics; menhaden fisheries; circular, 1873.
- 6. Report. Part I. 1873.
- 7. Report. Part I, w th supplement.

1873. BAIRD, SPENCER F.

42d Congress, 2d session. Senate. Mis. Doc. | — | United States Comparison of Fish and Fisheries. | — Part 1.— | Report | on the | condition of the sea fisheries | of the south coast of New England | in | 1871 and 1872, | by | Spencer F. Baird, Commissioner. | — | With supplementary papers. | — | Washington: | Government Printing Office. | 1873. (8vo., pp. xlvii, 852, plates xxxviii, with 38 leaves explanatory to plates, 2 maps.)

The report of the Commissioner, without supplementary papers, pp. xlvii, was issued separately in advance. Title page the same..

CONTENTS.

REPORT OF THE COMMISSIONER.

REPORT OF THE COMMISSIONER.	
Preliminaries to the official inquiry on the part of the United States	Page. VII
General considerations as to the value of fisheries to a	VII
Alleged decrease of fisheries on the south side of New	V 11
England	VII
Official inquiries into the subject	VII
By Massachusetts	VIII
By Rhode Island	VIII
By Connecticut	IX
By the United States	XI
Passage of the bill directing an inquiry	IZ
Selection of Wood's Hole, Massachusetts, as a base for the	
sea-coast operations	XII
Concurrent action on the lakes	XII
Aid rendered by the departments of the government	ZII
Character and progress of the investigation	ZIII
Plan of research adopted	ZIII
Systematic arrangement of subjects for investigation	XIII
In regard to the fishes themselves	XIII
In regard to their food	XIII
Physical condition of the waters	XIII

OI	en commission—continuetti	
	Systematic arrangement of subjects for investigation-	
	Continued.	Page.
	Locality selected as center of research	XIV
	Associates in the inquiry	XV
	Taking of testimony	XIV
	Collection of specimens	XV
	For the National Museum	XV
	For distribution to other establishments, as colleges,	
	· academies, museums, &c	XV
	Facilities given to officers of colleges and museums for	
	making collections	ZL
	Photographic pictures of rishes, &c	XV
	Scientific visitors to Wood's Hole during the season	XV
	Objects secared of special interest	XVI
	Conference with State commissioners in Boston	XVI
		77 / 1
	Corresponding researches of associates:	373711
	By J. W. Milner, on the great lakes	ZVII
	By Dr. H. C. Yarrow, on the Carolina coast	HVZ
~	Second visit to South coast of New England in 1872	XXXXI
Ge	neral results of the investigation	ZVII
	Recapitulation of objects of the inquiry	ZVII
	Decrease of food-fishes,	XVIII
	Substantiated by testimony	XVIII
	Established by the investigation	XVIII
	Supply of fish in the sea not inexhaustible	XIX
	Injurious effects of the decrease	XX
	Causes of the decrease, alleged or actual	XX
	1. Disapearance of the food of fishes	IXX
	2. Change in the locality of the fishes themselves	XXI
	3. Disease and atmospheric agencies	HXX
	4. Ravages of predacious fishes	IIXX
	5. Human agencies	IIIXX
	Polution of water	XXIII
	Over-fishing	XXIV
	By fixed apparatus	XXIV
	Location of such apparatus in Massachu-	
	setts and Rhode Island	XXV
	By nets and lines	IXXX
	6. Combination of human and other agencies, especi-	
	ally blue-fish:	
	Extent of agency of blue-fish	IIXXX
	Their diminution not desirable	IIXXX
	Their abundance dependent on that of other fish	XXXII
30	easures suggested for relief	XXXIII
-ALL	Regulation of use of fixed nets	XXXIII
		XXXIV
	Action by the States	XXXIV
	Bill proposed for the purpose	XXXIV
	Arguments in its favor	AAAIV
	Absolute prohibition by the United States, the alter-	373737417
	native of want of action by the States	XXXIV
	Anticipation of improvement	XXXVI
	esult of inquiries in 1872	XXXVI
	eneral summary of results	
Ce	onelusion	XL
	I. Report of the Commissioner	VII
	Table of contents	XLIII
	II. General plan of inquiries prosecuted	1
	Memoranda of inquiries relative to the food-fishes of	
	United States	1
	Questions relative to the food-fishes of the United	
	States	3
	III. Testimony in regard to the present condition of the	
	fisheries, taken in 1871, Newport,	
	Rhode Island	7

1. Publications of the Commission—Continued.

Ш.	Testimony, &e., taken in 1871—Continued.	Page.
	Naushon Island, Massachusetts	32
	Pasque Island, Massachusetts	34
	Menemsha Bight, Martha's Vineyard	35.
	Edgartown, Martha's Vineyard	37
	Nantucket, Massachusetts	41
	Hyannis, Massachusetts	47
	Wood's Hole, Massachusetts	53 70
	Head of Buzzard's Bay	70-
T 77	Cohasset Narrows Special arguments in regard to regulating the sea-	14
1 V .		73
	fisheries by law	10
	Island legislature, (urging the ne-	
	cessity of a scientific inquiry into	
	the subject)	73
	J. M. K. Southwick, of Newport, (against protect-	
	ive legislation)	76
	George H. Palmer, of New Bedford. (In favor of pro-	
	tective legislation.)	88
V.	Reports of State commissions in regard to regulating	
	the sea-fisheries by law	104
	Report of committee of Rhode Island legislature,	
	made at Newport, June 15, 1870	104
	Legislative enactment recommended	110
	Extract from report for 1871 of Theodore Lyman,	
	Massachusetts commissioner of in-	
	land fisheries, on the possible ex-	
	haustion of sea-fisheries	112
	Remarks of Mr. Atwood, of the cape district, be-	
	fore the Massachusetts senate, in re-	
	lation to the petition to prohibit net	
	and seine fisheries	117
VI.	Report of conference of the United States Commis-	
	sioner with the commissioners of	
	Rhode Island and Massachusetts,	705
****	held October 5, 1871	125
V 11.	Draught of law proposed for the consideration of, and	
	enactment by, the legislatures of Massachusetts, Rhode Island, and	
		132
	Connecticut A bill to regulate the use of stationary apparatus in	104
	the capture of fish	132
TIT.	Miscellaneous correspondence and communications	102
	on the subject of the sea-fisheries	135
	Letters	135
	Copy of memorial of citizens of Hyannis, ad-	
	dressed to Congress, praying that	
	laws may be passed prohibiting the	
	use of fixed apparatus for captur-	
	ing fish	137
IX.	European authorities on the subject of regulating the	
	fisheries by law	139
	On the fisheries of Naples, by Achille Costo	139
	On the possibility of exhausting the sea-fisheries,	
	by James G. Bertram	141
	Extract from London Field.	144
	Extract from the report of the commissioners ap-	
	pointed to inquire into the sea-fish-	
	eries of the United Kingdom, pre-	
	sented to both houses of Parliament,	
v	by command of Her Majesty	145
ah.	Notices in regard to the abundance of fish on the New	1/0
	England coast in former times	149

XI. Statistics of fish and fisheries on the south shore of New England	Page. 173
Table I. Amount of fish taken at Menemshaw Bight, Martha's Vineyard Table II. General return of the Waquoit weir for	173
Table III. Return of dog-fish and blue-fish, at Wa-	174
quoit weir, for seven years	175
Table IV. Consolidated returns of alewives, shad, menhaden, bass, blue-fish, and dog- fish, at Waquoit wier, for thirteen	176
years	170
Mass., 1865-71 Table VII: Account of fish hinded, at Baxter's	177
wharf, Hyannis, in 1870 and 1871 Table VIII. Account of Austin Taylor, Hyannis, for	178
1870-1871	178
Table IX. Account of Timothy Crooker, Hyannis, for 1867-1871	179
1871	179
Table XI. Shipment of fish by railroad from Hyan- nis, monthly, to New York, 1866,	170
Table XII. Statement of fish eaught at Wood's Hole,	179
Mass., in 1872	180
Table XIII. Catch of fish at West Falmonth Pound. Table XIV. Date of first appearance of fish at the pounds and weirs on the south	181
side of New England	181
XII. Supplementary testimony and information relative to the condition of the fisheries on the	
south side of New England in 1872.	182
Notes taken by the Commissioner	183
Newport, Rhode Island	183
Wood's Hole, Mass	183 186
New York	187
Nantucket	187
Edgartown	188
Hyannis	190
Martha's Vineyard	191
Lamherst Cove	191
Vineyard Haven	192
Additional notes taken by the Commissioner	193
XIII. Pleadings before the senate committee on fisheries of the Rhode Island legislature, at its	196
January session of 1872 Arguments of J. Talbot Pitman in favor of a law prohibiting the use of traps and	200
pounds in Rhode Island	196
Abstract of an address, by Capt. Nathaniel E. Atwood, in opposition to legislation.	223
XIV. Natural history of some of the more important food- fishes of the south shore of New Eng-	228
land	220
II. The blue-fish.	
XV. Description of apparatus used in capturing fish on	
the sea coast and lakes of the United	
States3	532

1	Publica:	tions of	the Com	mission 🗕	Continued.
1.	I HOHCA	HOURS OF	the Com	$_{ m min}$	·Comminuea.

XV. Description of apparatus, &c.—Continued.	Page.
	0.50
Modes of capture	253
Projectiles, explosive and poison	223
Lines	254
Nets	255
Traps, weirs, pounds, and fykes	259
Location of traps, weirs, and pounds in the	
United States	273
XVI. List of patents granted by the United States to the	
end of 1872, for inventions relative	
to the capture, utilization, or culti-	
vation of fish and marine animals	0.77
	275
1. Hooks	275
2. Lines, grapples, traps, &e	276
3. Reels	276
4. Rods	276
5. Floats, sinkers, and swivels	277
6. Projectiles	277
7. Nets and pounds	278
8. Oyster culture and gathering	278
9. Preservation and utilization	279
10. Fish culture	279
11. Patents granted prior to 1836.	279
XVII. List of the seaweeds or marine alge of the south coast	
of New England, by W. G. Farlow,	
M. D	281
XVIII. Report upon the invertebrate animals of Vineyard	
Sound, and the adjacent waters,	
with an account of the physical	
characters of the region, by A. E.	
Verrill. (For a more detailed ac-	
count of this article see page 759)	295
A. Habits and distribution of the invertebrate ani-	
mals	295
I. General remarks	295
II. Fauna of the bays and sounds	300
	303
1. The rocky shores	
List of species	331
2. The sandy shores	334
List of species	364
3. The muddy shores	366
List of species	377
4. The piles and timbers of wharves and	
bridges, bottoms of vessels, buoys,	
and other submerged wood-work	378
List of species	392
5, The rocky bottoms	394
List of species	409
	412
6. The gravelly-shelly bottoms	
List of species	421
7. The sandy bottoms	425
List of species	428
8. The muddy bottoms	430
List of species	434
9. The free swimming and surface animals	436
List of species	451
10. Animals, parasitic, on fishes, &c	455
List of species	459
III. Fauna of the estuaries, harbors, ponds, and	
marshes	460
1. The sandy shores and bottoms of brackish	100
	462
Waters	
List of species	464

III. Fauna of—Continued.	
2. The muddy shores and bottoms of brack-	Page.
ish waters	405
List of species	470
3. The ovster-beds in brackish waters	472
List of species	476
4. The eel-grass in brackish waters	478
List of species	480
5 The viles of wharves bridges fleeting	100
5. The piles of wharves, bridges, floating	
timber, rocks, &c., in brackish wa-	481
ters	482
List of species	402
IV. Fauna of the ocean shores and outer colder	484
waters	
1. The rocky shores off the open coast	485
List of species	490
2. The sandy shores off the open coast	489
List of species.	490
3. The rocky bottoms off the open coast	491
List of species	498
4. The sandy and gravelly bottoms off the	
open coast	500
List of species	504
5. The muddy bottoms off the open coast	506
List of species	511
B. List of species found in the stomach of fishes—	
food of fishes	514
C. The metamorphoses of the lobster and other	
crustacea, by S. I. Smith	522
D. Catalogue of the marine invertebrate animals of	
the southern coast of New England,	
and adjacent waters, by A. E. Ver-	
rill, S. I. Smith, and Oscar Harger	537
Articulata	539
Insects	539
Arachnida	544
Pycnogonida	544
Crustacea	545
Annelida	580
	627
Scolecida	627
Turbellaria	634
Mollusca	
Cephalopoda	634
Gastropoda	636
Lamellibranchiata	669
Tunicata	698
Bryozoa	707
Radiata	715
Echinodermara	715
Acalephæ	722
Polypi or Anthozoa	737
Protozea	740
Spongia	740
Addenda	745
Errata	749
Table of contents	751
E. Alphabetical index to report of A. E. Verrill	455
XIX. Catalogue of the fishes of the east coast of North	
America, by Theodore N. Gill	779
XX. List of fishes collected at Wood's Hole, in 1871, be-	
tween June 20 and October 4, by S.	
P. Daind	603

1. Publications of the Commission—Continued.

XXI. Table of temperatures taken in Wood's Hole harbor,	
from January 1, 1873, to December	Page.
31, 1873	828
XXH. List of illustrations	833
XXIII. Alphabetical index	835

8. Report. Part II. 1874.

9. Report. Part II, with supplement.

1874. BAIRD, SPENCER F.

United States Commission of Fish and Fisheries. | Part II. | Report | of | the Commissioner | for | 1872 and 1873. | — | A.—Inquiry into the decrease of the food-fishes. | B.—The propagation of food-fishes in the waters | of the United States. | — | With supplementary papers. | Washington: | Government Printing Office. | 1874. [Svo. pp. CII, 808, pls. xxxvii, 4 maps.]

CONTENTS.

REPORT OF THE COMMISSIONER.

REPORT OF THE COMMISSIONER.	
A. Inquiry into the decrease of the food-fishes.	Page.
1. Preliminary steps.	I
Passage of law and appointment of Commissioner	I
2. Investigation of 1871.	I
Researches at Wood's Hole, Mass	II
Publications of report	II
3. Investigations of 1872.	II
Researches at Eastport, Me.	III
Information from individuals	Ш
Assistance from Dominion authorities	III
Associates in the inquiry	III
List of visitors at Eastport station	IV
Assistance rendered by the government	V
United States Revenue Marine	V
United States Coast Survey	VII
United States Signal Service	X
Visit to the British provinces.	VI
Ocean temperatures and the herring fisheries	VI
Exploration of the Bache on George's Banks	VII
4. Corresponding rescurches of other nations	VIII
German explorations of the North Sea	VIII
Herring fisheries of Scotland.	VI
5. Concurrent action of the United States Signal Service	X
In taking temperature of water	X
Signal station at Eastport, Me	XI
6. Decrease of the cod-fisheries of the New England coast	XI
Concurrent with the crection of river-dams.	XI
Due to consequent diminution of anadromous fish	XI
Erection of fishways necessary to their restoration	XIV
Comparative influence on the cod-fisheries of different	
shore tish	XII
Of alewives, shad, salmon	XII
Of sea-herring	XIII
7. Investigation in 1871 and 1872 on the Great Lakes	XIV
Report by Mr. J. W. Milner on whitefish, lake trout, &c.	XV
B. Action in regard to propagation of food-tishes.	
8. Introductery measures.	XVI,
Action of American Fish-culturists' Association	XVI
Consultation meeting in Boston in June.	XVII
9. Propagation of shad in 1872.	XVII
Their transfer by Seth Green to the Alleghany and Mis-	
sissippi	XVII

	Action in regard to propagation of food-fishes—Continued.	
	D. Propagation of shad in 1872—Continued.	Page.
	Their transfer by William Clift to the Platte, &c	XVΠ
	Assistance rendered by express companies	ZVII
	By State vonumissioners	XVIII
	Concurrent action of State fish commissioners	XVIII
	10. Propagation of Maine salmon in 1872	XVIII
	Mr. Atkins' salmon-breeding establishment at Bucksport,	
	Ме	XVIII
	Combination with State commissioners	XIX
	11. Propagation of the Rhine salmon in 1872	XIX
	Impossibility of obtaining a full supply of eggs in America	XIX
	Correspondence with Deutsche Fischerei-Verein	XIX
	Donation of 250,000 eggs by the German government	XX
	Purchase of 500,000 eggs in Freiburg	IXX
	Transfer of eggs from Germany	XXI
	Supervision of Mr. Hessel	XXI
	Aid of steamship company	XXII
	Custom-house facilities	XXII
	Delivery at Bloomsbury	XXII
	Final result of experiment	XXII
	Total cost of experiment	IIIXX
-	12. Propagation of the California salmon in 1872	IIIXX
	Action taken at the Boston conference	XXIII
	Appointment of Livingston Stone	HIXX
	Selection of station on the McCloud River	XXIV
	Result of the experiment	XXIV
	Number of eggs taken	XXIV
	Shipment to Bloomsbury, N. J	XXIV
	Hatching and disposition of the eggs	XXV
	Introduction of young fish into the Susquehanna	XXV
	Date and plan of operation proposed for 1873	XXV
	Comparative value of the California salmon	XXVI
	13. Propagation of whitefish in 1872	XXV
	Services of Mr. N. W. Clark, Clarkston, Mich	XXV
	Transfer of eggs to California commissioners	XXV
	14. Propagation of shad in 1873	XXVI
	Recapitulation of work done in 1872.	XVII
	Preliminary search for hatching-stations by Dr. Yarrow.	XXVII
	Serious scarcity of spawning-fish in South Atlantic waters Employment of Seth Green and his assistants	XXVII
	Savannah station	XXVII
	New Berne and Weldon stations	XXVII
	Hatching of striped bass.	XXVII
	Potomac River station	XXVII
	Susquehanna River station.	XXVIII
	Delaware River station.	XXVIII
	State stations on the Hudson and Connecticut	XXVIII
	Transfer of young shad under the direction of Mr. Milner:	
	To West Virginia	XXVIII
	To other Western States	XXVIII
	To Eastern States	XXVIII
	Transfer of young shad under the direction of Dr. Slack	
	to Western Pennsylvania	XXVIII
	Transfer of young shad under the direction of Mr. Stone	XXVIII
	To Jordan River	XXIX
	To the Sacramento	XXIX
	To California, aquarium-car	ZZZVIII
	Assistance rendered—	
	By the State fish commissioners	XXX
	By the State of Virginia	XXXI
	By railroads and express companies	XXX

C.—Multiplication of jish in general.	Page.
15. General history of jish culture	XXXI
Preservation of fish in ponds	IXXXI
Introduction of methods of artificial propagation	IXXX
In Europe	1ZZZ
Claim of priority for Chinese unfounded	IIIXZZ
In the United States	ZZZIV
16. Action of State and national government	XXXII
Services of American Fish-culturists' Association	XZZIL
Congressional action	XXXIV
State commissioners	XXXV
Why national action required	XXXV
17. Comparative value of different groups of food fishes	XXXY
Of resident species	XXXX
· Limitation by necessity of feeding	ZZZZVI
Black bass	XXXXI
Of anadromous, or migratory species	ZZZVII
No feeding required	XXXIX
Shad, herring, or alewives and salmon	XXXXX
Of catadromous species	XXXIX
The cel	XXXXIX
18. Different methods of multiplying fish	XL
Transfer of living fish from one locality to another	XL
Confining fishes in particular localities for natural spawn-	
ing	XLI
Collecting eggs and embryos naturally spawned	XLI
Artificial impregnation and hatching of eggs	XLII
Different methods of securing the parents	XLII
Catching while on spawning-beds	XLII
Penning-up on spawning-beds (Wilmot's method)	XLIII
Transferring to temporary inclosures (Atkins's	Tritr
method) Impregnation of the eggs	XLIII
Hatching out of the young fish.	XLIII
Disposal of the young fish in stocking waters	XLIV
Anadromous fish always return to place of birth or deposit.	XLIV
Influence of obstructions	XLIV
19. Treatment of certain species	XLV
Hatching of shad	XLV
Hatching-boxes	XLV
Hatching of white-fish, trout, salmon, &c	XLVI
Holton's tray	XLVII
Hatching of striped bass	XLVII
20. Fishes especially worthy of mention	XLVIII
1. The shad	XLVIII
Distribution	XLVIII
Migration and movements	XLVIII
Early abundance	XLVIII
Subsequent decrease	LI
Influence of dams, gratings, &c	LI
Dr. Yarrow's report	LII
Artificial increase	LII
Labors of Dr. Daniel in 1848 (transfer of eggs	
to the Alabama River)	LII
Labors of Mr. Gesner and others in 1858 (trans-	
fer of eggs and young to the Ala-	LII
bama River)	LIII
Action of the New England and other States.	LIII
Action of the New England and other States Action on the part of the United States Gov-	LIII
ernment	LIV
CI MINUTE	TITA

1. Publications of the Commission—Continued.

C. Multiplication of fish in general—Continued.
20. Fishes especially worthy of mention—Continued.

ies especially worthy of mention-Continued.	
. The shad—Continued.	T2.
Suggested by the American Fish-culturists'	Page.
Association	LIV
Intended to supplement the action of other	
States	LIV
Possibility of stocking the Mississippi system	
of waters with shad	LIV
Their occurrence there at present	LV
Possibility of traversing the whole length	
of this river	$\Gamma\Delta$
Illustrated by shad in the Yang-tse-kiang, in	
China	LV
Also by the shad of India	$_{ m LV}$
No dams or obstructions	LVII
Suitable winter-quarters in the Gulf of Mexico	ITTI
Shad in the great lakes	LVIII
Shad in Salt Lake	LVIII
Shad in the Pacific waters	LVIII
General result of the experiment on the Atlantic	
coast	LIX
2. The alewife or fresh-water herring	LIZ
Economical value	LIX
As food for man	LIX
As food for other fish	LX
Attracting the cod to our shores	LX
	LXI
Methods of multiplying	LXI
Period of maturity	LXI
3. The salmon of New England	LXI
Identical with that of Western Europe	LXII
General natural history	
Distribution in America	LXII
Efforts for its increase in Europe	
Efforts for its increase in Tasmania	LXIII
Action by the several States in this country	LXV
Initiated by New Hampshire in 1866	LXV
Labors of Livingston Stone and others	LXV
Labors of C. G. Atkins	LXVI
Action of the general government	LXVI
Obstructions to upward movement of salmon and	~ ******
shad	LZVII
Coast of Maine	LXVII
Lake Champlain	LXVII
James River, Va	LXVII
4. The Western salmon	LXIX
Variety of species on the Pacific coast	LXIX
Monograph of salmonida by Dr. Suckley	LXIX
California salmon (S. quinnat) for Eastern waters	LXIX
For the Southern Lakes	$\Gamma X X$
For the Great Lakes	$\Gamma Z Z$
For the Mississippi Valley	LXX
Fitness of the Gulf of Mexico for its abode	$\Gamma Z Z$
5. The land-locked salmon	LXXI
Relation to the true salmon	ΓZZI
Especially valuable for small interior lakes	TXXII
6. The sea-trout (Salmo immaculatus)	$\Gamma ZZ\Pi$
7. The lake-trout	LXXII.
Distribution	$\Gamma X X II$
Economical value	$\Gamma X X \Pi I$
Propagation	TXXII
8. The Danube salmon or hucho	TZZII
Consideration as to the introduction into the	
United States	LXXIII

1. Publications of the Commission—Continued.	
C. Multiplication of fish in genera—Continued.	Dogg
20. Fishes especially worthy of mention—Continued. 9. The small American trout	Page. LXXIII
The blue-back or oquassoc trout	LXXIII
Rangeley trout	TZZIII
The Western trout	TXXIA
10. The Sälbling (S. salvelinus)	TZZIA
11. The grayling	TZZIA
12. The white-fish	TZZA
The especial object of attention from the States	LXXV
The Otsego Lake white-fish	LXXV
14. The carp	LXXVI
15. The gourami	TZZAII
16. The sterlet	LXXVIII
17. Hybrid fish	TZZAIII
21. Concluding remarks	TXXAIII
22. Statistical tables of propagation	FZZZIA
Salmon-hatching operations in the United States, be-	TATAL
tween 1866 and 1872	TXXXIA
Visited States	XXXVIII
Shad-hatching operations in the United States	ZCII
Accompanying papers.—For a list of these, see the end of the volume.	
REPORT OF THE COMMISSIONER. (Table of contents precedes report.)	
APPENDIX A.—The fishes of the great lakes, and the species	
of Coregonus or whitefish	CIII
I. Report on the fisheries of the great lakes; the	
result of inquiries prosecuted in	
1871 and 1872. By James W. Mil-	
ner. (Table of contents on p. 77)	1
II. Miscellaneous notes and correspondence rela- tive to the whitefish	79
A. The whitefish of the great lakes.	79
1. Lake Superior.	79
2. Lakes Eric and Ontario	80
B. The whitefish of Eastern Maine and New	
Brunswick. By Charles Lanman.	84
C. Description of new species of Coregonus and	
Argyrosomus. By James W. Milner	86
1. Argyrosomus hoyi Gill. Cisco of Lake	00
Michigan	86
2. Argyrosomus nigripinnis Gill. Black-	
fiu	87
C'oregonus C'ouesii	88
APPENDIX B.—The salmon and the trout (species of Salmo).	
III. On the North American species of salmon and	
trout. By George Suckley, sur- geon, United States Army. (Writ-	
ten in 1861)	91
Introductory note	91
Tabulated list of species	92
1. Salmo scouleri Rich.; hooked-nosed sal-	
mon	94
2. Salmo proteus Pallas; hump-backed sal-	07
mon 3. Salmocooperi Suckley; Cooper's salmon.	97 99
4. Salmo dermatinus Rich	100
5. Salmo consuetus Rich	101
6. Salmo eanis Suckley	101
7. Salmo salar Linn.; common salmon	104
8. Salmo quinnat Rich.; Quinnat or Sacra-	
mento salmon	105

1. Publications of the Commission—Continued.

I

APPENDIX B-Continued.

III. On the North American species of salmon and trout—Continued.

	Tabulated list of species—Continued.	
	9. Salmo confluentus Suckley; Towalt sal-	Page.
	mon	109
	10. Salmo aurora	110
	11. Salmo argureus	110
	12. Salmo pancidens Rich.: weak-toothed	
	salmon	111
	13. Salmo tsuppitch Rich.; white salmon	111
	14. Salmo clarkii Rich.; Clark's salmon	112
	15. Salmo immaculatus Storer; the unspot-	
	ted salmon	113
	16. Salmo gairdneri Rich.: Gairdner's sal-	
	mon	114
	17. Salmo truncatus Suckley; square-tailed	
	salmon	115
	18. Salmo richardi Suckley; suk-kegh	117
	19. Salmo campbelli Suckley; Pacific red-	
	spotted salmon trout	118
	20. Salmo hudsonicus Suckley; Hudson's	
	Bay trout	119
	21. Salmo rossii Rich.; Ross' arctic salmon	120
	22. Salmo hearnii Rich.; Coppermine River	
	salmon	121
	23. Salmo alipes Rich.; long finned-char	121
	24. Salmo nitidus Rich.; the angmalook	122
	25. Salmo fontinalis Mitch.; brook-trout of	100
	the Atlantic coast	123
	26. Salmo iridea Gibbons; Pacific brook-	129
	tront	134
	27. Salmo masoni Suckley; Mason's trout.	135
٠	28. Salmo virginalis Gir.; Utah	139
	30. Salmo brevicanda Suckley; short-tailed	100
	trout	140
	31. Salmo gibbsii Suckley; Columbia salmon	140
	trout	141
	32. Salmo sebago Gir.; the sebago trout	143
	33. Salmo kennerlyi Suckley; Kennerly's	2.0
	trout	145
	34. Salmowarreni Suckley; Warren's tront.	147
	35. Salmo bairdii; Baird's river-trout	148
	36. Salmo parkei Suckley; Parke's river-	
	trout	149
	37. Salmo oquassa Gir.; blue-back trout	150
	38. Salmo namayoush Pennant; Mackinaw	
	or salmon trout	151
	39. Salmo confinis Dekay; lake trout	153
	40. Salmo siscowet Agass.; the siscowet	156
	41. Salmo symmetrica Prescott; Winnipi-	
	seagee trout	157
	42. Salmo hoodii Rich.; Hood's salmon	159
	43. Salmo newberryi Gir	159
V.	The salmon of the Danube, or the hucho (Salmo	
	hucho), and its introduction into	
	American waters. By Rudolph Hes-	4.01
	Sel	161
٧.	Improvement in the salmon-fisheries of Sweden	
	(Extract from the report of the	
	Royal Swedish Intendant of Fish-	166
	eries, 1868)	100

1. Publications of the Commission—Continued.

APPENDIX B-Continued.

VI. Report of operations during 1872, at the United	
States hatching establishment on	
the McCloud River and on the Cali-	
fornia Salmonidæ generally, with	
a list of specimens collected. By	Page.
Livingston Stone	168
A. Introductory remarks:	
1. The salmon-hatching establishment on	
the McClond River	168
2. The location of the salmon-breeding sta-	
tion on the McClond River	170
3. Changes proposed for another season	170
4. Why more salmon eggs were not obtained in 1872.	
5. Conditions of hatching salmon in Cali-	171
fornia, compared with similar opera-	
tions at the East	151
6. Catching the salmon on the McCloud	171
7. Taking the eggs	171 172
8. The eggs of the Sacramento River sal-	1/2
mon	173
9. The hatching-apparatus	173
10. Packing and shipping the eggs.	174
B. The Salmonida of the Sacramento River	175
11. The Sacramento River	175
12. The McCloud River.	176
13. The McClond River Indians	177
14. The climate of the McCloud River	179
15. The Sacramento salmon in general	179
16. General movements of the Sacramento	110
salmon in the lower parts of the	
river	180
17. General movements, &c., of the Sacra-	100
mentó in the McCloud River	181
18. Condition of the salmon during their stay	
in the McCloud River	182
Table showing the movements, condi-	
tions, &c., of the Sacramento salmon	
in the McCloud River in each month	
of the year.	183
19. Answers to queries concerning the Sac-	
ramento salmon given in the order	
of Professor Baird's printed list of	
questions entitled "Questions rela-	
tive to the food-fishes of the United	
States"	184
A. Name	184
B. Distribution	184
C. Abundanee.	185
D. Size	185
E. Migration and movements	186
F. Relationship	189
G. Food.	190
H. Reproduction.	190
I. Artificial culture	193
K. Protection	193
L. Diseases	194
M. Parasites	194
N. Capture O. Economical value and application	194
20. Other Salmonidæ of the Sacramento	195
River	107
AT4. U.S	197

1. Publications of the Commission—Continued.

Appendix B—Continued.	
VI. Hatching-establishment on the McCloud River-	
Continued.	
B. The Salmonidæ of the Sacramento River—	
Continued.	Page.
21. Other Salmonidæ of the McCloud River.	197
22. List of Indian words of the McCloud	
dialect	197
C. Catalogue of natural-history specimens, col-	
lected on the Pacific slope in 1872, by	
Livingston Stone, for the United	
States Fish Commission	200
VII. Notes on the salmon of the Miramichi River,	
by Livingston Stone	216
Fragmentary notes	217
VIII. The Salmenidæ of Eastern Maine, New Bruns-	
wick, and Nova Scotia. By Charles	
Lanman	219
1. The brook trout (Salmo fontinalis)	219
2. The great gray trout or togue (Salmo	-
toma)	220
3. The white sea-trout (Salmoimmaculatus).	221
	223
4. The salmon (Salmo salar)	224
5. The American smelt (Osmerus mordax).	225
6. The capclin (Mallotus villosus)	
IX. On the salmon of Eastern North America, and	
its artificial culture. By Charles G.	
Atkins. (Table of contents on p.	000
336)	226
X. On the salmon of Mainc. · By A. C. Hamlin	338
1. The land-locked salmon	338
2. The togne	354
XI. The lake trouts. By A. Leith Adams, M. A., &c.	359
XII. On the speckled trout of Utah Lake. By Dr. H.	
C. Yarrow, U. S. A., Surgeon and	
Naturalist, &c	363
XIII. Miscellaneous notes and correspondence rela-	
tive to salmon and trout	369
A. On the salmon in Maine. By Thomas Lin-	
colu	369
B. On the stomachs of salmon and their contents.	371
1. On the caecal appendages of the stomach.	
By James K. Thacher	371
2. On the contents of the stomach. By S. I.	
Smith	371
C. On the silver-tront of Monadnock Lake. By	
Thomas E. Hatch, M. D	373
D. On the edible qualities of the Sacramento	
salmon. By R. S. Throckmorton	373
E. On the salmon fisheries of the Sacramento	
river. By Livingston Stone	374
1. Drift-net fishing	374
2. Fyke-net fishing	37
2. Fyke-net fishing	37
XIV. Additional reports relative to the hatching and	
planting of the Penobscot salmon	38
A. New Hampshiro	
B. New Jersey	
C. Pennsylvania	
C. Pennsylvania	

E. Wisconsin

Page.	
385	Appendix C.—The shad and alewife (species of Clupeidæ)
	XV. Letters referring to experiments of W. C.
	Daniell, M. D., in introducing shad
387	into the Alabama River
	XVI. Letters referring to the presence of shad in the
391	rivers tributary to the Gulf of Mex-
991	ico
	south of the Potomac. By H. C.
396	Yarrow, M. D.
396	1. Introductory remarks
396	2. Great decrease of fish in Georgia
398	3. Decrease in North Carolina
401	4. Contrivances that capture all the fish
403	XVIII. Report on shad-hatching operations
403	A. Operations in 1872
406	B. Operations in 1873
	1. The Savannah, Neuse, and Roanoke
406	Rivers
409	2. The Delaware River. By J. H. Slack, M. D.
	3. Report on the transfer of shad from the
	Hudson to the Sacramento River.
413	By Livingston Stone
	4. On shad-hatching operations by the com-
	missioners of the State of Maine. By
417	E. M. Stillwell
	XIX. Report on the propagation of the shad (Alosa
	sapidissima), and its introduction
	into new waters by the United States Commissioner in 1873. By James
419	W. Milner
419	1. Shad-hatching an important discovery
419	2. Plan of operations.
110	3. Operations on the Savannah, Neuse, and
419	Roanoke rivers
420	4. Operations on the Potomac
	Table—Shad-hatching on the Poto-
	mac River, Jackson City, Va., oppo-
	site Washington, D. C., in the year
425	1873
425	5. Methods employed in shad-hatching
	6. Relation of the temperature of the water
428	to the propagation of shad
430	7. The ovaries and ova of the shad
431	8. The male fish
432	9. The impregnation of shad eggs
400	10. The Susquehanna, Delaware, and Hud-
433	son Rivers
424	11. Journal of a trip with shad and cels to
434	Calumet River, Illinois
437	River, Wisconsin
201	13. Shipment of shad to Ashtabula River,
437	Ohio
201	14. Shipment of shad to the Wabash River,
438	Indiana
-30	15. Shipment of shad to the waters of Lake
439	Champlain, Vermont
	16. Shipment of shad to the Housatonic
439	River, Connecticut
	17. Shipment of shad to the Penobscot
440	Dimon Main

APPENDIX C-Continued.	
XIX. Report on the propagation of the shad—Continued.	
18. Establishment of station on the Andros-	Page.
eoggin River, Maine	440
19. Second shipment of shad to the waters	
of Lake Champlain, Vermont	441
20. Shipment of shad to the Detroit and	
Grand Rivers, Michigan	441
Table of distribution of shad and eels	442
21. Mode of estimating number of eggs and	440
fish	442
22. The care of the young shad during trans-	442
portation	443 443
a. The apparatusb. The care of the fish	444
c. Water adapted to young fish	445
d. Temperature of the water in the cans	447
e. Transferring the shad from the cans	
to the river	447
f. Facilities required from the railroads	448
23. Possibility of stocking the great lakes	
with shad	449
24. Popularity of the work of the Commis-	
sion	450
XX. Notes on the natural history of the shad and	
alewife	452
A. Notes on the shad as observed in Beaufort	
Harbor, N. C., and vicinity. By H.	
С. Yairow, М. D	452
B. Notes on the shad as observed in the Dela-	
ware River. By J. H. Slack, M. D.	457
1. The importance of shad as a food-fish	457
2. The decrease in the Delaware	457
3. The causes of decrease	457
a. Erection of dams	458
b. Destruction of fry	458 459
c. Destruction of seed-fishes	459
d. Destruction of impregnated ova4. Habits of shad in the spawning season.	459
C. The shad and gaspereau, or alewife, of New	100
Brunswick and Nova Scotia. By	
Charles Lanman	461
1. The shad	461
2. The gaspereau, or alewife	462
APPENDIX D Fish culture (the history, theory, and practice	
of fish culture)	463
XXI. The history of fish culture	465
A. The history of fish culture in Enrope, from	
its earliest record to 1854. By Jules	
Haime	461
B. Report on the progress of pisciculture in Rus-	4.00
sia. By Theodore Sondakevicz	493
1. The decrease of food-fishes	493
2. Piscienture	495 497
3. Selection of male and female fish	497
4. The fecundation of spawn	499
5. The incubation of spawn6. Development of the embryo and the	100
hatching of fish	501
7. Transportation of spawn	508
8. Piscicultural establishment at Nikolsky.	504
9. Piscieultural establishment at Suwalki.	511
10. Pisciculture at Finland	512

1. Publications of the Commission—Continued.

APPENI

ENDIX D—Continued.	
XXI. The history of fish culture—Continued.	
C. Report on the state of pisciculture in France	
and the neighboring countries. By	
M. Bouchon-Brandely, assistant sec-	Page
retary of the College of France	51
1. Introductory remarks	51
2. Switzerland	51
3. Italy	51
4. Austria	51
5. Munich	52
6. The great basins of France	52
D. The progress of fish-culture in the United	
States. By James W. Milner	52
1. The methods employed in fish-culture	52
2. Transfer of living fishes	52
The pike or pickerel.	52
The muskellunge	52
The black bass and Oswego bass	52
The wall-eyed or glass-eyed pike	52
The ecl	52
The alewife	52
The smelt	52
The white-fish	52
The salmon or lake trout	52
The brook-trout	52
3. The transfer of naturally deposited eggs. Spawning-races	52 52
4. Artificial fecundation	53
Introductory remarks	53
The brook-trout	53
The salmon	53
The shad	54
The white fish	54
The Otsego bass	55
The salmon trout	55
The striped bass	55
List of species in North America and	
Europe which have been hatched	
artificially	55
List of hybrids in Europe and America	
which have been hatched	55
Advances in fish-culture of American	
origin	55.
Systematic records of observation re-	
quired for rapid advancement in the	
art	55
E. Alphabetical list of American fish-culturists	
and of persons known as being in-	
terested in fish-culture	55
1. Names of persons who are or have been	
practically engaged in fish-culture.	55
2. List of persons interested in the subject	563
XXII. Papers relating to practical fish-culture	567
A. method of treating adhesive eggs of certain	
fishes, especially of Cyprinide, in ar-	
tificial propagation. By Rudolph	
Hessel	567
B. On the so-called "dry" method of impregnating spawn Brad beginning	
ing spawn. By Alexander Stenzel,	
inspector of fisheries in Silesia,	p#H
Germany	571

APPENDIX D—Continued.	
XXIL Papers relating to practical fish-culture—Cont'd.	
C. Fish-culture in salt or brackish waters. By	
Theodore Lyman, fish commissioner	Page.
of Massachusetts	575
D. Descriptions of improved apparatus in fish-	
hatching	578
1. Shad-hatching or floating boxes	578
Seth Green's box	578
Brackett's box	579
Stillwell & Atkins's box	579
2. Tray apparatus for hatching	580
Haton's tray hatching apparatus	580 582
Clark's tray hatching apparatus Williamson's hatching box	585
3. The brook shanty	586
E. Frog-culture. By Seth Green	587
1. How to get the spawn	587
2. How to take care of them	587
APPENDIX E.—Obstructions to the upward movement of fishes	
in streams and the remedy	589
XXIII. On fish-ways. By Charles G. Atkins	591
A. Introductory remarks	591
B. Habits of migratory fishes	591
C. The construction and location of fish-ways.	594
1. Situation	594
2. Attractiveness	596
3. Ease of ascent	601
D. Devices which are in use or have been pro-	
posed	603
1. Gap	604
2. Trench or Cape Cod fish-way	604
3. Oblique groove	605
4. Step fish-ways	605
5. Smith's fish-way	606
6. Cail's fish-way	607 609
7. Pike's fish-way	610
9. Inclined-plane fish-ways	610
10. The Pennsylvania fish-ways	610
11. The common rectangular fish-way	611
12. Brackett's fish-way	612
13. Fish-ways with oblique partitions	613
14. General arrangement	614
E. Subsidiary considerations	615
1. Protection against floods	615
2. Material and cost	615
XXIV. On obstructions to the ascent of fish in cer-	
tain rivers	617
A. Obstructions in the rivers of Maine. By E.	*
M. Stilwell	618
Saint Croix River	617
Penmaynan River	617
Dennys River	617
Orange River	617
East Machias River	618
Machias River	618
Wescongus or Pleasant River	618
Narraguagus River	618 618
Union River	618
Penobscot River and tributaries	619

APTENDIA F—Continued.	
XXIV. On obstructions to the ascent of fish-Continued	_
A. Obstructions in the rivers of Maine—Continued.	Page
Medomac River	619
Damariscotta River	619
Sheepscot River	619
Kennebec and tributaries	619
Presumpscot River	623
Saco River and tributaries	623
Monsam River	623
Salmon Falls River	623
B. Obstructions in the tributaries of Lake Cham-	
plain. By M. C. Edmunds	623
Lake Champlain	623
Saint Lawrence River and Lake Ontario	627
C. Obstructions in some of the rivers of Vir-	
ginia. By M. McKennie	629
D. Character of the streams on the northern	
shore of Lake Michigan. By J. F.	
Ingalls	630
Pensuakee River.	630
Oconto River.	630
Peshtigo River.	630
Menomonea River.	630
Cedar River	633
Barque River	631
Ford River	631
Escanaba River	631
Whitefish River	63:
Sturgeon and Fish-dam Rivers	632
Monistique River	633
Seul Choix River	631
E. Characters of some of the northern tribu-	
taries of Lake Michigan. By James	
W. Milner	632
APPENDIX F.—Natural history	635
XXV. The Crustacea of the fresh waters of the United	
States. By Sidney I. Smith	637
A. Synopsis of the higher fresh-water Crustacea	
of the Northern United States	637
Мастига	637
Family Astacidæ	637
Family Palæmonidæ	640
Family Penæidæ	642
Schizopoda	642
Family Mysidie	642
Amphipoda	645
Family Orchestidae	645
Family Lysianassidae	G47
Family Gammaridæ	651
Isopoda	657
Family Asellidæ	657
B. The crustacean parasites of the fresh-water	
tishes of the United States	661
Family Argulidæ	662
Family Caligidæ	662
Family Lernscopodids.	662
Family Lernæoceridæ	665
XXVI. Synopsis of the North American fresh-water	003
	666
leeches. By A. E. Verrill	667
Genus Aulanterary	
Genus Aulastomum	670

1. Publications of the Commission—Continued.

APPENDIX F-Continued. XXVI. Synopsis of the North American fresh-water leeches-Continued. Page. Genns Democedes..... Genus Semiscolex..... 671 Genns Hexabdella..... 672 Genus Nephelopsis..... Genus Nephelis Genus Clepsine 677 Genus Cystobranchus Genus Ichthyobdella 686 Genus Astacobdella 688 Genus Liostomum..... Genus Hirado..... 688 Genus Oxyptychus..... 689 689 XXVII. Sketch of the invertebrate fauna of Lake Snperior. By Sidney I. Smith...... 690 Account of field work and material obtained ... Articulata 683 Insects 693 Diptera .__... 693 Neuroptera.... 693 Acarina 694 Crustaeea 694 Podophthaliuia 694 Tetradecapoda 694 694 Amphipoda 695 Isopoda Entomastraca Cadocera 696 Ostracoda 695 Copepoda 697 Siphonostoma.... 697 Oligoehæta Bdellodea Turtellaria.... 700 MolInsca 700 700 Gastropoda.... Lamellibranchiata..... Radiata.... Bathymetrical distribution of species 70G XXVIII. Food of fresh-water fishes. By Sidney I. Smith 708 XXIX. Natural and Economical History of the Gourami (Osphromenus goramy). By Theo-710 710 A. Natural history..... Prefatory 711 711 712 Form, &c..... Geographical range 712 Size.... 712 Growth and age..... 713 Station and temperature Table of atmospheric temperatures of native and foster countries of the Gou-714 rami 715 Food... Movements 716 716 Spawning and nesting.....

1. Publications of the Commission—Continued.

APPEADIA F—Continued.	
XXIX. Natural and Economical History of the Gourami	
(Osphromenus goramy)—Continued.	
A. Natural history—Continued.	Page.
Young	717
Flesh	717
B. The introduction and attempts to introduce	111
the Gourami into foreign countries.	718
	718
Authorities	
East Indian Islands	718
Islands of Mauritius	718
Island of Bourbon or Réunion	718
West Indies	719
France	721
Algeria	725
Australia	725
Cape of Good Hope	726
Egypt	726
Conclusions	726
C. Rules for transportation and introduction	727
XXX. Notes on the grayling (Thymallus) of North	
America. By James W. Milner	729
Appendix G.—Miscellaneous papers	743
XXXI. Temperature in the Gulf of Mexico, from	110
records of the United States Coast	
	745
Survey	745
XXXII. Correspondence with companies relative to	= 40
facilities in transportation, &c	749
XXXIII. Reports of special conference with American	
Fish-culturists' Association and	
State commissioners of fisheries	757
A. Meeting at Boston, June 13, 1872	757
B. Meeting at New York, October 17, 1872	763
XXXIV. Bibliography of reports of fishery commissions.	
By Theodore Gill	774
A. Names of Commissioners	774
B. Bibliography of reports	775
List of illustrations.	785
General index.	791
tatistics of fishery marine. Circular, 1875.	
lank tables to accompany No. 10. 1875.	
inank tables to accompany No. 10. 1675.	

- 10. St
- 11. B
- 12. Circular asking statistics. Menhaden fisheries. 1875.
- 13. Report. Part 3. 1876.
- 14. Report. Part 3. With supplement. 1876.

1876. Baird, Spencer F.

United States Commission of Fish and Fisheries. | Part III. | Report | of | the Commissioner | for | 1873-4 and 1874-5. | - | A.-Inquiry into the decrease of the food-fishes. | B.—The propagation of food-fishes in the waters | of the United States. | - | Washington: Government Printing Office. | 1876. [8vo. pp. LII, 777.7

CONTENTS.

REPORT OF THE COMMISSIONER.

A.—Inquiry into the decrease of the food-fishes.	
1. Investigations of 1873	VII
Reason for selecting Portland, Me., as base of operations.	VII
Assistance rendered by the Navy Department	VII
The Steam-tug Blue-light	VII
Associates in the inquiry	VIII

Associates in the inquiry

Page.

1. Investigations of 1873—Continued.

RESULTS OF WORK.

New York and the Continued.	Page.
Numbers of living forms found in the waters of the region.	VIII
Mackerel, herring, and cod fisheries	VIII
Fish-food	VIII
Biological researches	IX
Physical researches	IX
Collections for scientific museums	IX
List of visitors at Peak's Island Station	IX
Apparatus used on the Blue-light	IX
The region southeast from Cape Elizabeth	X
The region at the upper end of Casco Bay	X
Proof of climatic changes on the northern Atlantic coast .	X
Assistance rendered by the United States Coast Survey	X
The steamer Bache	
Assistance rendered by the Treasury Department	Z
The revenue steemer McCallesh	XI
The revenue steamer McCulloch	XI
The revenue steamer Chase	XI
Assistance rendered by the Quartermaster's Department	
of the Army	IX
2. Investigations in 1874	XI
Reasons for selecting Noank, Conn., as base of operations.	XI
Assistance rendered by the Navy Department	XI
The steam-tug Blue-light	IZ
General character of work prosecuted	XI
Experiments in propagating sea-bass	ХП
Visit to shad-hatching stations at Holyoke, Mass	XII
Experiments in inuring embryo shad to sea-water	XII
Shipment of shad to Germany	XII
Discoveries of species before unknown to the coast	
	XIII
Associates in the inquiry	XIII
List of visitors to the Noank station	XIII
Special report to be made on invertebrates	XIV
Cold currents	XIV
Assistance rendered by United States Coast Survey	XIV
The steamer Bache	XIV
Experiment with preservatives	XV
B.—The propagation of food-fishes.	
2 Extent of the work	XV
3. Extent of the work	
Regions benefited	XV
The value of tish propagation to China	XVI
Reasons why the work cannot be left to State action	XVI
The plan as regards the propagation of the shad	XVI
Extent of the California salmon work	XVII
The possible resources of rivers	XVII
Proposed introduction of the earp	XVII
Former abundance of fishes	XVII
4. The shad	XVIII
The hatching and distribution of 1874	XVIII
The waters benefited in the United States	XVIII
The shipment to Germany	XVIII
The hatching and distribution of 1875	XVIII
The Neuse River of North Carolina	XIX
	XIX
The Panninky River of Virginia	
The reconnaissance of the Potomac fisheries	ZIZ
The stations and results on the Potomac	XIX
Distribution from Cocyman's Landing, N. Y., on the	
Hudson	XIX
Distribution from South Hadley Falls, Mass., on the Con-	
necticut River	XIX
Distribution from Point Pleasant, Pa., on the Delaware	
River	XX

4. The shad—Continued.	Page.
Review of the labors of the season	ZZ
Experiments by Fred. Mather and H. W. Welsher, with	4141
a view to transporting shad long dis-	
tances	XXI
	XXI
The shipment to Germany.	221
Experiments with a view to transporting shad in sea-	373711
water	XXII
Experiments with a view to transporting shad of several	
inches length	XXII
5. The California salmon	XXII
Mr. Livingston Stone's operations in 1873	XXII
The final hatching of the eggs in Eastern waters	XXIII
Mr. Livingston Stone's operations in 1874	IIIXX
Qualities of the California salmon	XXIV
Observations of temperature in San Joaquin River	XXV
Observations of temperature in McCloud River	XXVI
Observations of temperature in Columbia River	XXVI
Comparison of physical conditions of the rivers of the	
Atlantic slope and Gulf of Mexico	
with Pacific streams	XXVI
Distances which anadromous species will travel inland	XXVIII
The great vigor of the California salmon	XXIX
The reasons for expectation of success in introducing Cal-	AAIA
ifornia salmon in Eastern waters	XXIX
The great addition to the food resources	
	XXX
6. The Atlantic salmon.	XXX
Mr. Atkins's operations in 1873-'74 and 1874-'75.	XXX
The number of breeding salmon bought and manipulated.	IXXXI
Marking the fish when released	XXXI
Recapture of marked fish.	XXXI
7. The white-fish	XXXII
8. The carp of Europe	IIXXX
Its qualities and habits	XXXII
Numerous domesticated varieties	HIXXX
The best varieties	XXXI
Its artificial propagation	XXXV
Localities in Europe where they are bred	XXXX
Desirability of the carp for the United States	XXXVI
9. The aquarium car	TAXXATI
The trip of 1873	XXXVII
The trip of 1874	IIVZZZ
	XXXVIII
Tables of shad-hatching and distribution	
Tables of California salmon distribution	XL
Tables of Atlantic salmon distribution	XLV
Report of the Commissioner (table of contents precedes re-	2121
port)	1
APPENDIX A.—Sea fisheries and the fishes and invertebrates	1
used as food	1
I. Historical observations on the condition of the	1
fisheries among the ancient Greeks	
and Romans, and their mode of salt-	
ing and pickling fish. By J. K.	
Smidth	3
Introduction	3
Classified groups of fishes	8
Curing processes	14
Lobsters	17
Fish, oyster, and snail ponds	18

APPENDIX A-Continued.	
11. Statistics of the most important fisheries of the	Page.
North Atlantic. By Carl Dambeck,	21
1. Norway	21 21
2. Sweden	22
3. Denmark	22
4. Germany	23
6. France	24
7. North America	24
III. On the fisheries of Norway	25
IV. Statistical data regarding the Swedish fisheries.	31
V. Account of the fisheries and seal-hunting in the	
White Sea, the Arctic Ocean, and	
the Caspian Sea. By Alexander	35
Schultz	30
A. The fisheries of the White Sea and the Pet- shora	36
1. The herring	37
2. The salmon	40
3. The navaga (Gadus navaga) and other	
salt-water fish	43
4. River and lake fish	44
B. Fisheries in the Arctic Ocean	44
1. Fisheries on the Mourman coast	44
2. Fisheries at Novaya-Zemlya	52 58
C. Fishing and scal-hunting in the Caspian Sea.	58
1. Fish found in the Caspian Sea	50
2. Spawning-season of the fish in the Caspian Sea	61
3. Wealth of the fish in the Caspian Sea	62
4. Estimated value of the fisheries in the	
Caspian Sea	63
5. Fishing-basins of the Caspian Sea	64
6. Fishing implements	72
7. Importance of a (Vataga) fishing estab-	110
lishment	80
8. Preparing of the fish and its several	82
parts	90
10. Price of tish as fixed by agreement be-	
tween the fishermen and the fishing-	
houses	91
11. Seal-hunting	92
12. Manufacture of scal-oil	95
VI. The Norwegian herring fisheries. By A. I.	05
Boeck and A. Feddersen	97
VII. Preliminary report for 1873-774 on the herring	
and herring fisheries on the west coast of Sweden. By Axel Vilhelm	
Ljungman	123
1. On different species of herring and small	
herring	123
The spring herring (Chapea majalis)	128
The sea-herring (Häfslottsill)	130
The wandering-herring (Sträksillen)	13
Herring spawning in autumn	13
The large herring, or the so-called	
(Gamla) herring (Clupea bohusica,	13
Nilss.) 2. Of the propagation and growth of the	10
2. Of the propagation and growth of the herring and small herring	14
Helling and small neiting.	

1. Publications of the Commission—Continued.

APPENDIX A-Continued.

	VII. Predminary report for 1873-74—Continued.
	3. Of the herring's and small herring's
	mode of life; its migrations, and the
	dependence of these latter on me-
Dogo	teorologic and hydrographic circum-
Page	
14'	stances
	f the herring-fisheries and their time
15	and place
	5. The small-herring fisheries, their time
15	and place
	6. Of fishing implements, the manner in
	which they are used, and other mat-
15	ters connected therewith
10	7. Scientific observations and scientific as
	well as practical experiments neces-
	sary for continuing the investiga-
	tions and bringing them to a satis-
16	factory end
	8. Of the immediate continuation of the in-
	vestigations and the sums required
16	for this purpose
	VIII. The halibut fisheries of the United States. By
16	Lieut. P. De Broca
10	
	IX. The fishing-villages, Snekkersteen and Skot-
	terup, and the collection of fishing
	implements exhibited at Elsinore,
17	Denmark, during the summer of 1872.
	X. On the herring and its preparation as an article
18	of trade. By Hjalmar Widegren
18	Introduction
20	1. Preparation of common Baltic herring
	for consumption in Sweden and in
40	
18	the German ports of the Baltie
	2. Preparation of extra-fine herring for
19	home consumption
	3. Preparation of spiced herring (Kryd-
19	dsill)
	XI. New contributions to the herring question. The
	dispute between Axel Boeck and Os-
	sian Sars regarding the Norwegian
	summer-herring. Sar's recent ob-
	servations and his new theory on the
19	migrations of the herring
	XII. On the spawning and development of the cod-
21	fish. By Prof. G. O. Sars
	XIII. The Norwegian lobster-fishery, and its history.
22	By Axel Boeck
22	Introduction
	Implements for catching the lobsters, meth-
	ods of catching them, and the man-
0.0	
22	ner of shipping them
	The lobster trade and the history of its
20	legislation
	Draught of a law regarding the protection
25	of lobsters
25	XIV. Transportation of lobsters to California
26	XV. On the artificial propagation of the lobster
	XVI. On the oyster industries of the United States.
27.	By Lieut. P. De Broca
21.	Testen to the minister of marine and and
	Letter to the minister of marine and colo-
27.	nial affairs

1. Publications of the Commission—Continued.

APPENDIX A-Continued.

XVI. On the syster-industries of the United States-Continued. Chapter first: Page. Introduction 277 Chapter second: Oysters of the United States 286 Mode of obtaining the oysters 292 296 Culture of oysters 299 Laws concerning oyster-plantations.... Chapter third: The oyster business in several cities of the United States..... 302 Chapter fourth: General views upon the natural history 313 of the market-clams..... 318 Recommendations for introduction APPENDIX B.—The river fisheries. 323 XVII. The propagation and distribution of the shad... A. Operations in the distribution of the shad 323 in 1874. By James W. Milner..... Distribution from Coeymans, N. Y..... 323 Distribution from South Hadley Falls, 323 Mass..... Table of distribution, 1874 326 B. Report on shad-hatching in New Jersey. By G. A. Anderson C. Voyage to Bremerhaven, Germany, with shad. By Fred. Mather 328 D. Living shad on their way to the Weser. 330 Translated by H. Jacobson E. Shad-hatching and distributing operations 335 335 336 2. The Pamunkey River station..... 3. The Potomac River station..... 336 4. The distribution of shad from the 337 Hudson River..... 5. The Connecticut River station 337 6. Experiments with a view to trans-338 porting shad to Germany 339 7. The trip to Germany..... 340 Tables of shad-hatching operations ... 351 XVIII. Report of the Triana trip. By J. W. Milner .. XIX. On the transportation of shad for long distances. 363 A. Experiments with a view to transporting shad in sea-water. By James 363 W. Milner B. Experiments with a view to transporting shad a few months old. By Charles D. Griswold..... C. Apparatus for hatching shad-ova while en route to new waters. By Fred. 372 Mather XX. Report of operations in California in 1873. By 377 Livingston Stone 377 A. Clear Lake 1. Field-work in the winter of 1872-'73 ... 377 2. Character of Clear Lake 377 378 3. List of fishes inhabiting the lake 4. The condition of the fish in Clear 380 Lake at different seasons.....

Appropriate A. Continued	
APPENDIX A—Continued. XX. Report of operations in California in 1873.—Cont'd.	Dage
B. Sacramento River	Page. 382
1. Character of fishing on the Sacra-	004
mento	382
C. California aquarium-car.	385
D. Overland journey with live shad	390
1. Preparation for the trip	390
2. The start	390
3. The apparatus	391
4. The care of fish	391
5. Journal of the trip	395
6. Experiments to ascertain the charac-	
ter of the water	400
7. Stations affording supplies of the water.	401
8. Temperature of the water in the	
eans	401
9. Conclusion	401
E. McCloud River station	402
1. Catching the parent salmon	403
2. Confining the salmon	405
3 The Indian sentiment in regard to	
catching the salmon	408
4. Spawning the fish	410
5. The hatching apparatus	411
6. Hatching the eggs	415
7. Packing and shipping the eggs	419
8. The method of packing discussed	420
9. Cost of the eggs	420
10. Journal of overland trip with salmon	421
eggs	421
F. Catalogue of collections sent to the Smith-	920
sonian Institution in 1873	424
G. List of McCloud Indian words, supple-	101
mentary to a list contained in the re-	
port of 1872. By Livingston Stone.	428
XXI. Hatching and distribution of California salmon.	431
A. Report on California salmon-spawn hatched	
and distributed. By J. H. Slack,	
М. D	431
B. Hatching and distribution of California sal-	
mon in tributaries of Great Salt	
Lake. By A. P. Rockwood	434
XXII. Report of operations during 1874 at the United	
States salmon-hatching establish-	
ment on the McCloud River, Cal.	
By Livingston Stone	437
Introduction	437
Table of consignment of salmon-eggs ac-	441
cording to order of shipments	441 443
Cost of eggs	440
The hatching apparatus	444
The fish and fishing.	445
The taking and ripening of the eggs	447
Packing the eggs	448
The overland journey of the eggs	449
Life in camp	459
Our neighbors	460
Game	468
Extract from journal	468

1. Publications of the Commission—Continued.

APPENDIX B—Continued.

373777 33	
XXII. Report of operations in California in 1874—	
Continued.	Page.
Tables of temperature	471
Catalogue of collections sent to Smithsonian	
Institution, contributed in 1874	474
Second California aquarinm-car	477
XXIII. Correspondence relating to the San Joaquin	450
River and its fishes	479
XXIV. The Atlantic salmon (Salmo salar)	485
of Pennobscot salmon in 1873-'74 and	
1874-75. By C. G. A(kins	485
1. Methods	485
2. Purchase of breeding-salmon	486
3. Development and distribution	488
4. Marking salmon for future identifi-	400
cation	490
5. Summaries	492
Tables	193
B. The salmon of Lake Champlain and its	100
tributaries. By W. C. Watson	531
1. Abundance of salmon in early times	531
2. The disappearance of the salmon, and	401
its causes	534
3. Traits of the salmon	538
4. The Au Sable River	539
APPENDIX C.—Fish-culture, relating more especially to species	000
of cyprinida	541
XXV. Notes on the pisiculture in Kiangsi. By H.	011
Kopsch	543
XXVI. On the culture of the carp	549
A. On carp ponds	549
B. Carp culture in East Prussia, by R. Strüvy	552
C. Carp ponds	555
XXVIII. The gold orfe (Cyprinus orfus)	559
A. On the raising of the gold orfe (Cuprinus	
orfus), by M. Kirsch	559
B. Correspondence relating to the gold orfe, by	
Prof. C. Th. E. Y. Siebold	561
XXVIII. Directions for using tables for recording the pro-	
pagation and distribution of fish	563
APPENDIX DThe restoration of the inland fisheries	569
XXIX. Fisheries and fishery laws in Austria and of the	
world in general; Carl Peyrer	571
A. General considerations	571
1. Early protective measures	571
2. Improved appreciation of the interest	572
3. The object of fishery legislation	573
B. The fisheries	57.5
4. The former condition of the Austrian	
fisheries	575
5. The present condition of the fisheries	
and its causes	576
6. Artificial fish-breeding	580
7. The progress of foreign fisheries	585
8. Condition of pisciculture in Austria	589
9. Value of the products of the fisheries	598
10. Fishery statistics	601
11 Coleratific investigations	603

	-Continued.	
XXIX.	Fisheries and fishery laws in Austria—Cont'd.	Page
	C. Important fresh-water fisheries	60
	12. Salmon family (Salmonoidei)	60
	13. The pike family (Esocini)	61
	14. The catfish family (Silnroidei)	61
	15. The cod family (Gadoidei)	61
	16. The eels (Murænoidei)	61
	17. The carp family (Cyprinoidei)	61
	18. The perch family (Percoidei)	61
	19. The sturgeon family (Acipenserini)	61
	20. The craw-fish, (Astacus fluviatilis)	61
	D. Protective legislation	61
	21. The fishing privileges	61
	22. Foreign fishery laws	61
	23. Fishing privileges and fishing laws in	~~
	Austria	64
	24. The buying-off of fishing privileges	66
	25. International fishery treaties	66
	26. Salt-water fisheries and the laws relating	00
		67
	to them	
	E. Conclusion	67
AAA.	How can our lakes and rivers be again stocked	
	with fish in the shortest possible	20
A	time. By Mr. von dem Borne	68
APPENDIX	E.—Natural history	68
XXXI.	Preliminary report on a series of dredgings made	
	on the United States Coast Survey	
	steamer Bache in the Gulf of Maine.	
	By A. S. Packard, jc., M. D.	68
XXXII.	List of the marine algae of the United States.	
	By W. G. Farlow, M. D.	69
	Class algæ	69
	List of the principal useful sea-weeds occurring	
	on the United States coast	71
	Used as food	71
	Used as fertilizers	71
	Used for the manufacture of iodine	71
	The great kelp of California	71
	Alphabetical index	71
XXXIII.	Lecture on the organs of reproduction and the	
	fecundation of fishes, and especially	
	of cels. By Dr. Syrski	719
	Introduction	719
	The organs of reproduction and fecundation in	
	fish in general	720
	The reproductive organs of the eel	72
	The ovaries of the eel	730
	The spermatic organs	733
AAAIV.	The food and mode of living of the salmon, the	
	trout, and the shad. By D. Bar-	733
	furth	
	Prefatory note. By Theo. Gill	733
	Introduction.	731
	1. The food of Trutta salar Siebold (Salmo	
	salar and hamatus Val.), and Trutta	
	trutta Siebold (Fario argenteus Val.),	
	in the river Rhine	738
	2. The food of Trutta fario	753
	3. The food of Alausa vulgaris while in the	
	Rhine	757
(Conclusion	758

1. Publications of the Commission—Continued.

- 15. Questions; food-fishes. 2d ed. 1877.
- 16. Circular. Statistics; mackerel, &c. To accompany 15. 1877.
- 17. Circular. Statistics; cod fishing, &c. To accompany 15. 1877.
- 18. Circular. Scatistics: mullet fishing, &c. To accompany 15. 1877.
- 19. Circular. Statistics of coast and river fisheries. 1877.
- 20. New York market blanks. 1877.
- 21. Statistics of the whale-fishery; census blanks.
- 22. (a) Propagation series.
- 23. (b) Propagation series.
- 24. (c) Propagation series.
- 25. Record of collection of eggs.
- 26. Report. Part IV. 1878.
- 27. Report. Part IV, with supplement.

1878. BAIRD, SPENCER F.

United States Commission of Fish and Fisheries. | — | Part IV. | — | Report | of | the Commissioner | for | 1875–1876. | — | A.—Inquiry into the decrease of the food-fishes. | B.—The propagation of food-fishes in the waters of the United States. | — | Washington: | Government Printing Office. | 1878. 8vo., pp. ix, 50*, 1029, plates vi (Hist. of Whale Fishery.)

CONTENTS.

I .- REPORT OF THE COMMISSIONER.

$AGeneral\ considerations.$	Page.
1. Introductory remarks	1
Operations of previous years	1
Precaution and time required by the work	1
Danger of hasty generalizations	1
Methods and direction of research	1
Utilization of work already performed by other depart-	
ments of the government	2
Corresponding labors of other nations	2
Rapid increase in the work of the United States Fish Com-	
missioner	3
Originally confined to inquiry into the present condi-	
tion of the fisheries	3
Multiplication of food-fishes subsequently added	3
No intermission in the work of the Commissioner	3
Amount of correspondence	3
Principal associates and assistants in the work	
Fisheries branch	4
Distribution branch	4
Period of time covered by the report	4
B Inquiry into the decrease of the food-fishes.	
2. Investigations and operations of 1875	4
Selection of Wood's Hole as a station	4
For comparison of results with those of 1871	4
Convenient point for preparing fishery exhibit at Phila-	
delphia in 1876	5
Detail of steamer Blue Light by the Navy Department	5
Beginning of the work	5
Associates, assistants, and visitors	5
Establishment of a permanent laboratory	6
Location and building furnished by the Light-House	
Board	6
The fitting up, mainly by private contributions	6
Close of season	6
Statistics of Whale fishery	6

-	-Inquiry into the decrease of the food-pshes-Continued.	Page.
3.	Investigations and operations of 1876.	7
	Unofficial work at the Wood's Hole laboratory	7
	Presence of the Commissioner required at the Philadelphia	
	Exposition	7
	Fisheries and fish culture exhibit at Philadelphia	7
	Extent of the display	8
	Fish hatching exhibit	8
	Fresh fish exhibit.	8
	Acquisition of foreign fisheries exhibits	8
	Hope of reproducing it in Washington	8
	C.—The propagation of food-fish.	
Ŀ.	General considerations	8
	Summary of results accomplished	8
	Application for eggs and young fish	9
	Rapid increase in their number	9
	Response by Congress to public demands	10
	Limitations of distribution	10
	Theory of distribution	10
	Foreign applications	11
	Reasons for granting them	11
	Distribution of eggs and fish young.	11
	Species covered by operations of United States Fish	
	Commission	11
	Species covered by State commissions and private	
		11
	parties	
	American Fish-culturists' Associa-	
	tion	11
	Relations to State fish commissions	12
	Increase in number of State fish commissions.	12
		12
	Annual conferences Mosting at Philadelphia in 1976	
	Meeting at Philadelphia in 1876 .	12
	Advantages of co-operation	12
	Nature of co-operation effected	13
	Sharing of expenses	13
	Moral support	14
	Interstate relations and co-operation	14
	Relations to the executive departments of the govern-	
	ment	14
	Relations to private individuals	14
	Relations to foreign countries	15
	Germany:	
	Organizations	15
	Individuals	16
	Japan	16
	Canada	16
	Other foreign countries.	17
	Facilities furnished by railroad companies	17
	Facilities furnished by express companies	18
	Actual work of propagation of food-fishes in 1875 and 1876.	20
	The shad	20
	season of 1876.	20
	The Potomac River Station	20
		20
	The Susquehanna River Station	
	The Connecticut River Station	21
	Combined results	21
	The California salmon.	21
	The Columbia River Station in 1875	21
	Threatened decrease of the fishery	21
	Selection of hatching station	22

5. Actual work of propagation of food-fishes, &c-Continued.	
The California salmon—Continued	Page.
The McCloud River Station in 1875.	22
Previous history	22
At first occupied part of year only	23
Object and need of permanent occupation	23
Established as a government reservation	23
Distribution of eggs to States	23 23
Distribution of eggs to foreign countries	23
Hatching of fish on account of the United States	
generally	23
Supply of fish to the Sacramento	24
Co-operation of California The McCloud River Station in 1876.	24 24
Results of the season	24
Use of refrigerator car for shipping the eggs	24
Distribution of eggs	24
To the States	24
To foreign countries	24
Supply of fish to the Sacramento	24
Season of 1876.	25 25
Temporary suspension of work	25
The land-locked salmon	25
General nature and geographical distribution of the	
fish	25
Union with Massachusetts and Connecticut in prosecut-	
ing the work	25 25
Sebec Lake in 1873	25
Sebec Lake in 1874	25
Grand Lake stream in 1875	25
Grand Lake stream in 1876	26
The Whitefish	26
Season of 1876.	26
Distribution to States Distribution to foreign countries	27 27
The carp	27
D.— $Tables.$	
Table 7.—Hatching and distribution of fish by the United	
States Fish Commission, from the beginning of its work in 1872 to the	
summer of 1876	28
I. Shad	28
II. California salmon, distribution reported	32
III. California salmon, distribution not reported	
IV. Penobscot salmon	
V. Rhine salmon VI. Land-locked salmon	
VII. Whitefish, total	
VIII. Whitensh, special distribution in 1876	
II.—Appendix to Report of Commissioner,	
$m{A}$ ppendix $m{A}$.—The sea fisheries.	
I. History of the American whale fishery from its	
earliest inception to the year 1876.	1
By Alexander Starbuck A. Introduction	1
B. From 1600 to 1700, Cape Cod; Connecticut;	•
Long Island; Nantneket; Martha's	
Vineyard; Salem	4

1. Publications of the Commission—Continued.

Appendix A—Continued.

1. History of American whale usnery, &c.—Cont'd.	
C. From 1700 to 1750, Nantucket; Long Island;	
Cape Cod; Salem; Boston; Rhode	Page.
Island; Martha's Vineyard	19
D. From 1750 to 1784, Nantucket; Martha's	
Vineyard; Cape Cod; Boston; Long	
Island; Rhode Island; New Bed-	
ford; Williamsburgh, &c	36
E. From 1874 to 1876.	77
F. The dangers of the whale-fishery	114
G. A miscellaneous chapter	145
H. Introductory to returns	166
I. Returns of whaling-vessels sailing from Amer-	100
ican ports since the year 1715	168
J. Recorded summary of importation of oil and	100
bone, and total value computed for	
each year, commencing January 1,	
1804, and ending December 31, 1876,	
with gross valuation for the whole	
period	660
K. Synopsis of importation by ports, from 1804	
to 1817	662
L. Table of exports from the United States,	
the products of the whale-fishery	700
M. Table of tonnage of vessels engaged in the	
whale-fishery	702
Special table of the whaling interest of New	
Bedford and Fairhaven	702
Index to voyages by vessels' names	711
General index	764
List of illustrations	768
	, , ,
Appendix B.—The inland fisheries.	
II. Fisheries of Chicago and vicinity. By E. W.	
Nelson	783
A. Sources of information	783
B. Recent increase in sales	783
C. Investment and character of lake fisheries	
at Chicago and South Chicago	783
1. Fisheries at Chicago	783
2. Fisheries at South Chicago	788
D. List of species taken at Chicago and fishing	
in adjacent regions	789
1. Chicago for spring season of 1875	789
2. Species taken at South Chicago	791
3. Calumet River and Lake	79:
	795
4. Riverdale, Ill	
5. Illinois River and tributaries	797
6. List of species in the Illinois River in	70/
the vicinity of Peoria	799
III. The salmon fisheries of the Columbia River, by	
Livingston Stone	801
A. The Columbia River	801
B. Questions relative to Salmo quinnat	802
1. Name	802
2. Distribution	802
3. Abundance	802
4. Size	803
5. Migrations and movements	808
6. Relationships	807
7. Food	808
8. Reproduction	808
9. Artificial culture	810

or the commission—continued.	
Appendix B—Continued.	
III. The salmon fisheries of the Columbia River-	
Continued,	Page
10. Protection	81
11. Diseases	81
12. l'arasites	81
13. Capture	81
14. Economical value and application	81
C. Other varieties of salmon	. 81
Salmo truncatus, Suckley	81
Salmo proteus, Pallas	81
Salmo gairdneri, Rich	81
Fario stellatus, Girard.	81
Hypomesus pretiosus, (Girard), Gill	81
Salmo spectabilis, Girard	81
E. The canneries of the Columbia	82
IV. Notes on somes fishes of the Delaware River,	82
by Dr. C. C. Abbott	90
A. The larger acanthopterous fishes of the Del-	82
aware River	82
1. Introductory	82
2. The yellow perch (Perca flavescens),	
(Mitch.)	82
3. Rock-fish (Roccus lineatus)	83
4. White perch (Morone americana)	83
5. Black bass (Micropterus salmoides)	83
6. Goggle-eyed perch (Pomoxys hexacan-	
thus)	83
7. Sunfish (Pomotis auritus)	83
River sunfish (Ichthelis appendix) Blue sunfish (Ichthelis incisor)	83'
Spotted soufish (Enneacanthus gutta-	831
tus)	831
Banded sunfish (Mesogonistius chaeto-	00.
don)	837
Mud sunfish (Acantharcus pomotis)	831
8. Pirate of spincless perch (Aphredoderus	
Sayanus)	840
B. Notes on the winter habits of fresh-water	
fishes of the Delaware	841
V. Method of purifying the residuum of gas-works	
before allowing it to pass off into the	
water. By J. R. Shotwell	847
VI. Tables of temperatures of air and water at sun-	
dry stations of the United States	
Sigual Office, from March, 1874, to February, 1875, and from March,	
1876, to February, 1877, inclusive	001
	851
Appendix C.—The propagation of food-fishes.	
VII. The carp and its culture in rivers and lakes,	
andi ts introduction into America.	0
By Rudolph Hessel	865
A. Introduction B. The races of carp; their history and habits.	865
1. The species and varieties	865
2. The labits and the mode of reproduc-	845
tion	868
3. The growth and size	873
C. The culture of carp and construction of	310
ponds	876
1. Its adaptability to artificial culture	876

1. Publications of the Commission—Continued.

Appendix C-Continued.

C. The culture of carp and construction of

ponds—Continued.	Page.
2. The localities best adapted to a carp	876
pond	877
3. The construction of the ponds	878
4. Stocking the ponds and care of the	000
fishes	882
5. Taking the fish from the ponds	891
6. Mixed carp culture	892
7. Feeding the carp	895 896
8. Extent of carp culture in Europe	897
9. The table qualities	091
By James W. Milner	901
A. Operations in 1876.	901
1. Station on the Potomac River	901
2. Stations at the head of Chesapeake	001
Bay	902
3. Station on the Connecticut River at	
South Hadley Falls, Mass	903
B. Tables of shad propagation in 1876	905
IX. On the collection of eggs of schoodic salmon in	
1875 and 1876. By Charles G. Atkins.	910
A. Notes on the species	910
1. Nomenclature	910
2. Distribution and habits of Schoodic	
salmon	911
B. Spawn gathering in 1875	914
1. General plan of operations	916
2. Taking spawn	914
3. Distribution of the eggs	917
C. Spawn gathering in 1876	918
1. Preparations	918
2. Taking fish and spawn	918
3. Development and distribution	919
X. Operations on the McCloud River in salmon	
breeding in 1875, by Livingston Stone	921
A. Preparation	921
B. The salmon eggs	921
1. Taking spawn	921
2. Shipment of the eggs	923
3. Labor and cost of the eggs	924
4. Summary of results	925
C. Tables of temperature and condition of	926
P. List of natural history collections	
D. List of natural history collections	932
breeding in 1876. By Livingston	935
Stone	500
A. Condition of the station	935
B. Controversy regarding ownership of fishery	936
C. Beginning of the season	938
D. Taking the salmon cggs	940
E. The shipment of eggs and hatching the sur-	
plus	943
F. Foreign demand for salmon eggs	945
G. The establishment of new stations	946
H. Tables exhibiting the work and observa-	
tion	947
I. Reservation of the McCloud River fishery by	
the President	955

*2-*3 *3

*3

RESULTS OF WORK.

1. Publications of the Commission—Continued.

Appendix C-Continued.

	XII. Correspondence relating to the exportation of	
	fishes and fish hatching apparatus	Page.
	to New Zealand, Germany, &c	959
	A. The shipments made in 1875 to New Zealand	959
	B. Shipments of fish ova in 1876 to New Zealand	963
	C. Shipments of apparatus to Germany, and	
	correspondence	1003
	D. Address made at the meeting of the Ger-	
	man Fishery Association, at Berlin,	
	March 16, 1877, by Mr. von Behr-	
	Sehmoldow, president of the asso-	
	ciation, member of the German Par-	
	liament	1014
	Alphabetical index	1025
28.	Circular. Questions; cod fishing, 1878.	
29.	Circular. Questions; alewife fisheries, 1878.	
30.	Circular. Questions; smelt fisheries. 1878.	
	Blank. Statistics New England fish markets. 1878.	
	Questions: mackerel fisheries, 1879, January.	
	Acknowledgment of response, 1879, May.	
34.	Circular to accompany mackerel circular, 1879, January.	
35.	Ocean temperature blanks, 1878.	
36.	Application for fish. 1879, April.	
37.	Report. Part V. 1879, October.	
	Report. Part V, with supplement. 1879. October.	
00.	reports rate of atta supplements 1970. October	
	1870 RAIDD SDEVCED F	

1879. Baird, Spencer F.

B.-1

United States Commission of Fish and Fisheries. | → | Part V. | → | Report | of | The Commissioner | for | 1877. | - | A.-Inquiry into the decrease of food-fishes. | B.-The propagation of foodfishes in the | waters of the United States. | - | Washington: | Government Printing Office. | 1879. | Svo. pp. 48, 972.

CONTENTS.

I.—REPORT OF THE COMMISSIONER.

A.—General considerations.	Page.
1. Introductory remarks	*1
Number of reports heretofore published	*1
Period of the year covered by each report	*1
Time covered by the present report	*1
Gradual and great increase in the labors of the Commis-	
sion	*1
Labor involved; increase of appropriations	*1
Increased interest and co-operation in the work	*1
Assistants in charge of divisions	*1
Propagation branch	*2
Inquiries branch	*2
Inquirics into the history and statistics of food-fishes.	
2. FIELD OPERATIONS DURING THE SUMMER OF 1877	*2
Co-operation of the government departments	*2
Of Navy Department in previous years	*2
In 1877 by detail of steamer Speedwell	*2
Officers of the Speedwell	*2-*3

Scientific corps.....

Station at Salem, Mass Visitors Nature of operations.....

2.	FIELD OPERATIONS DURING THE SUMMER OF 1877—Cont'd.	Page.
	Station at Halifax, Nova Scotia.	*3
	Movements and final disposition of steamer	*3
	Visitors	*4
	Assistance rendered to Commission	*4
	By private parties	*4
	By the Dominion minister of customs	*4
_	By the minister of marine and fisheries	*4
3.	GENERAL RESULT OF THE FIELD-WORK OF 1877	*4
	Continuation of previous researches	*4
	Discovery of the pole-flounder, a new and valuable food-	
	fish	*4
	Its economical value and geographical distribution	*4-*5
	Reasons why previously unknown	*5
	Facts connected with distribution of marine fishes	*5
	Large collections made for the National Museum, and	
	for distribution to colleges and	
	academies	*5
	Superintendence of work of naming and assorting	*6
	C.—The Halifax Convention.	4
4.	THE TREATY OF WASHINGTON	*6
	Unsettled fishery questions between the United States	•
	and British North America	*6
	Three-mile line	*6
	Headlands	*6
	Shelter and supplies	*6
	License system	*6
	Privileges of Treaty of 1818	*6
	Fishery clauses of Washington Treaty	*7
	Explanation of provisions.	*8
	Ratification in 1873.	*9
	Appointment of Commissioners and counsel	*9
	General preliminaries	*9
5.	THE MEETING AT HALIFAX	*9
	Its opening June 15, 1877	*9
	General proceedings and history	*9
	Final award	*10
	Payment of \$5,500,000 by the United States	*10
6.	RELATIONS OF THE UNITED STATES FISH COMMISSION TO	
	THE HALIFAX MEETING	*10
	Invitation to attend by the Secretary of State	*10
	Method adopted of obtaining information to be used	*11
	Distribution of circulars	*11
	Dispatch of agents	*11
	Co-operation of individuals	*11
	Departure for Halifax	*11
	Part taken in the meetings	*12-*13
	Biological and other facts elicited	*12-*13
	Comparative preparation of the two sides	*12
	Measures to be taken for securing proper statistics of	
	the sea-fisheries	*13
	Acknowledgments	*13
	D.—Fishery statisties.	
7	METHODS ADOPTED AND TO BE EMPLOYED	*13-*14
	Action of the Treasury Department	
	Action of the United States Fish Commission	*14 *14
	List of circulars already issued	*14
	Mode of distributing circulars	*14
	One subject only agreed at one time.	*15
	Results already elaborated.	*15
	Bluefish, scup, whale, and menhaden	*15
	Subjects now under investigation	*15
	Information of methods of fishing	*15
	The state of the s	10

E.—Notice of articles relative to the sea-fisheries published in the appendix.	Page.
8. Attempt to utilize experience of other nations	*16
Fishery statistics of other nations.	*16
Methods of other nations illustrated by apparatus im-	
ported	*16
Proposed improved fishery exhibit in Washington Value of information published in Norway	*16 *16
History of Loffoden Island fisheries	*16
Observations by Sars on Loffoden fisheries	*17
Sea-fisheries of Norway	*17
Geographical distribution of Gadidæ	*17
First five years of Emden herring-fishery.	*17
Sea-fisheries of Sweden	*17
9. Original communications Observations with the Casella-Miller thermometer, by	*17
Commander L. A. Beardslee	*17
F.—The propagation of food-fishes.	
10. General considerations	*18
Unreasonable expectations in regard to results of fish-	10
culture	*18
Time required for determination as to success	*18
Some causes of error or fallacy	*18
State commissions acting in 1871	*19
State commissions in 1877	*19 *19
Amount of work done by them	*19
Co-operation with United States Fish Commission	*19
Direct	*19
Indirect, as in distribution of salmon, &c	*19
Applications for eggs and fish	*20
Rapid increase in number	*21 *21
Method of recording Principle of making selections	*21
Applications to be made through members of Con-	22
gress	*21
Increase in demand from foreign countries	^21
Principal nations making application	*22
Application other than for eggs or fish	*22
The general co-operation by State commissions For assistance in working the Clackamas establish-	
ment	*22
By foreign commissioners and fishery authorities	*22
From Germany for models of hatching apparatus.	*23
From Japan for a similar purpose	*23
From Chili and Ecuador for general information	*23
concerning fishes From British Columbia in regard to the utilization of	*20
salmon refuse	*23
From New Brunswick in regard to the eanning of	
lobsters	*23
Fishes not comprehended in the plans of the Commission.	
Trout and black bass	*23
General enumeration of fish treated by the United States Commission	*24
	W.I
11. Facilities and assistance rendered to the United States Fish Commission	*24
By government departments	*24
The Navy and Army	*24
By State fish commissions	*24
By railroad companies	*24
By express companies.	*26 *26
By steamship companies	*26
Dy marriadas	

1. P	ublica	tions	of the	Commissio:	n—Continue	đ.
------	--------	-------	--------	------------	------------	----

	Page.
12. Legislation and protection of the fisheries	*26
Antagonism between prosecutors of different methods of	+00
fishing	*26
Absence of legislation on part of the general government. The Washington Treaty as affecting the rights of fisher-	*26
men	~27
Objections to modes of fishing	*27
Appeal against trawling by inhabitants of Block	-21
Island	*27
Relation of the States to fishery interests.	*27
Establishment of close time	*27
Removal or palliation of obstructions	*28
Fish-baskets especially injurious	*28
Limitations as to size of fish sold	*28
13. Work accomplished in 1877	*29
The shad	*29
The Susquehanna station	*29
Reasons for temporary discontinuance of more	23
southern stations	*29
Concentration on work in Susquehanna and Con-	20
necticut	*29
Defects of floating boxes	*29
Improved apparatus of T. B. Ferguson	*30
Experiments with this apparatus	*30
Work done on the Susquehanna	*30
The Connecticut station	*31
Transfer of apparatus to South Hadley Falls	*31
Co-operation of Massachusetts commissions	*31
Floating boxes used	*31
Microseopical investigations of H. J. Rice	*31
Experiments at Windsor Loeks	*31
Reference to Mr. Milner's report	*31
The Pacific salmon	*31
The Clackamas station	*31
Alarm of canners at decrease of salmon in the	+01
Columbia River	*31
pense of Oregon and Washington	
Fish Propagation Company	*32
Difficulties in selection of site.	*32
Reasons for choosing Clackamas River	*32
Work required to get the station in running or-	02
der	*32
Results accomplished	*32
The McCloud River station	*33
Assistance in keeping order rendered by the	
Army	*33
Interference of illegal fishing with the results	*33
Dates of taking fish	*33
Shipment of eggs by refrigerator car	*34
Deposit of young fish in the Sacramento River	*34
General results of the season	*34
General distribution of eggs.	*34
Foreign distribution of eggs of the Pacific salmon.	*34
Applications from Germany and elsewhere	*34
Selection of Mr. Mather to accompany the	*34
eggs	*34
Arrival of eggs in Chicago, October 7 Mode of packing, and number of crates	*34
Departure on the Mosel	*34
Arrival in Bremen	*34
**************************************	71

1. Publications of the Commission—Continued.

13. Work accomplished in 1877-Continued.

Foreign distribution of eggs—Continucd.	Page.
Loss in eggs.	*34
Delivering to Holland and France	*34
General results	*34
The Atlantic salmon	*36
Bucksport station	*30
No work prosecuted there during the year	*30
Proposed renewal of operations	*36
Results of labors of previous years	*36
In the Delaware River.	*36
Capture of fish near Trenton.	*36
Current history of salmon-planting in that	
river	*36
In the Connecticut.	*37
In the Merrimack	*37
The land-locked salmon	*37
Grand Lake Stream station	*37 *37
Reference to Mr. Atkins' report	*37
Combination of effort with certain States	
Distribution of eggs in the United States	*38
Distribution to Germany and France	*38
Lake Ontario salmon.	*38
Considerations as to its being a land-locked fish	
Canadian establishment in charge of Mr. Wilmot.	*38
Donation of eggs to the United States Fish Com-	*38
mission Introduction of fry into Otsego Lake, N. Y	*38
	*39
Whitefish	*39
Northville, Mich., station	*39
Supply to the United States	*39
Supply to Germany	*39
	*39
Supply to New Zealand	*39
Donation of 1,000 eggs to the United States Fish	03
Commission by Mr. Eckardt	*40
Introduction of fry into Lake Gardner, Mich	*40
The carp	*40
Its introduction an especial object of the United	10
States Fish Commission	*40
Its value as a food-tish	*41
General treatment	*41
American rivals of the same family	*41
Varieties of earp	*41
Advantages of carp-culture	*42
Rate of growth of carp	*42
Applicability of the fish for certain localities	*42
Previous steps taken for introduction	*42
Recent efforts in charge of Mr. R. Hessel	*42
First trial unsuccessful	*42
Second satisfactory	*42
Number of fish imported	*43
Placed in Druid Hill Park, Baltimore	*43
United States carp ponds in Washington	*43
Congressional appropriations	*43
Plans for a permanent establishment	*43
Other experiments in carp-culture in the United	
States	*43
Alleged introduction of earp into the Hudson	
River	*43
Probably not the genuine carp	*43
Introduction by Mr. Poppe into Sonoma, Cal	*44

15. Work accompassed in 1877—Continued.	Page.
The European tench	*44
Introduction by Mr. Hessel with the carp	*44
Special peculiarities and value	*44
The golden ide	*44
The sea herring	*44
Importance as an article of food	*44
Peculiarities of its eggs.	*44
Spawning habits of the fish	*45
Experiments at Noman's Land, by Vinal N. Ed-	10
wards	*45
Experiment in Germany by Dr. H. A. Meyer	*45
Special arrangements required for artificial hatching.	*45
Variations in specific gravity of eggs of different	
fishes; some lighter, others heavier	
than water	*46
Comparison of eggs of California salmon and trout	*46
The European turbot and sole	*46
Great variety of food-fishes already in American	
waters	*46
Propriety of adding turbot and sole to the number	*46
Interest taken by Mr. J. G. Kidder, of Boston	*46
Employment of Mr. Mather to bring over a supply	
from England	*47
Assistance tendered by English gentlemen	*47
Difficulties experienced in getting fish	*47
Assistance of Cunard Steamship Company	*47 *47
Fish brought over and place of deposit	
Acknowledgment to the Treasury Department	*48
II.—Appendix to Report of Commissioner.	
Appendix A.—The sea-fisheries.	
I. G. Brown Goode. A history of the menhaden. By G.	
Brown Goode, curator of United	
States National Museum; with an	
account of the agricultural uses of	
fishes, by Prof. W. O. Atwater, pro-	
fessor of chemistry, Weslyan Uni-	
· versity, Middletown, Conn	
Section A. Introduction	1
Section B. The names of the menhaden	6
Section C. A description of the American species of Bre-	
voortia, with anatomical and physio-	
logical notes	19
Section D. Geographical distribution, and the movements	
of the schools	35
Section E. Abundance of the menhaden comparative and	=0
absolute	78
Section F. Food of the menhaden	93 95
Section G. Reproduction of menhaden.	101
Section H. The enemies and fatalities of the menhaden. Sention I. The menhaden fisheries	113
Supersection. Economical value and applications of the	110
menhaden	135
Section K. The menhaden as a source of food	135
Section L. The menhaden as a bait-fish	141
Section M. The manufacture of oil and guano	161
Section N. Menhaden and other fish, and their products,	
as related to agriculture. By W.O.	
Atwater. (See also Appendix O.)	194

1. Publications of the Commission—Continued. H.—Appendix to report of Commissioner—Co

11.—Appendix to report of Commissioner—Continued.	
Appendix A. Circular relating to statistics of the men-	Page.
haden fishery	268
Appendix B. List of correspondents from whom contribu-	
tions have been received	271
Appendix C. Bibliography of literature relating to the	
menhaden	274
Appendix D. Extracts from writings of ichthyologists	
relating to the menhaden	279
Appendix E. Catalogue of specimens in the United	
States National Museum illustrat-	
ing the history of the menhaden	289
Appendix F. Tables of ocean temperature for certain	
points on the east coast of the United	
States	291
Appendix G. Table showing comparative amounts of	
menhaden, mackerel, shad, and ale-	
wives inspected in the State of	
Massachusetts, 1804 to 1877	295
Appendix II. List of manufacturers of menhaden oil and	200
guano. Compiled by Mr. Jasper	
	296
Pryor	290
Appendix I. Partial list of vessels employed in the men-	005
haden fishery	297
Appendix K. Prices-current of menhaden oil and review	
of the markets (from the Oil, Paint,	
and Drug Reporter)	299
Appendix L. Proceedings of the United States Menha-	
den Oil and Guano Association	358
Appendix M. Annual reports of menhaden oil and guano	
manufacturers in the State of Maine.	368
Appendix N. Statements of correspondents	373
Appendix O. Miscellaneous items regarding the use of	
fish for manure	483
Appendix P. Exports of methaden oil from the port of	
New York from January, 1875, to	
July, 1878	503
Appendix Q. Supplementary works, September 22, 1878.	506
(For list of illustrations, occupying 31 plates, see page 15.)	
•	
II. KARL DAMBECK. Geographical distribution of the	
Gadidæ, or the cod family, in its re-	
lation to fisheries and commerce.	
By Karl Dambeck, Translated	501
from the German	531
A. Characteristics of the Gadidæ	531
B. General distribution	534
C. The Arctic region of the Gadidæ	536
D. The Atlantic region of the Gadidæ	543
E. The Pacific region of the Gadidæ	545
F. Distribution and fishing of the different species	547
G. Fisheries and trade	555
III. ANONYMOUS. An account of the Loffoden Islands of	
Norway. Translated by H. Jacob-	##O # 0 :
son from the German	559-564
IV. G. O. SARS. Report of practical and scientific investiga-	
tions of the cod fisheries near the	
Loffoden Islands, made during the	
years 1864-'69. By G. O. Sars.	
Translated by II. Jacobson from	
the Norwegian	565
A. Report for 1864	565
B. Report for 1865	581
C. Report for 1866 and 1867	587
I. Report for 1868 and 1869	599

V. G. O. SARS. Report of practical and scientific investiga-	
tions on the cod fisheries near the	
Loffoden Islands, made during the	
years 1870-'73. By G. O. Sars.	
Translated from the Norwegian by	Page.
H. Jacobson	612
A. Report for 1870	612
B. Report for 1871	630
C. Report for 1872	635
D. Report for 1873	643-662
VI. G. O. SARS. Report made to the Department of the In-	
terior of investigations of the salt-	
water fisheries of Norway during	
the years 1874-'77. By Prof. G. O.	
Sars. Translated from the Norwe-	
gian by H. Jacobson	663
I, Report for 1874	663
II. Report for 1875	667
A. The mackerel fisheries of our Southern and West-	
ern coasts	667
B. The lobster and the lobster fisheries on our South-	45
ern and Western coasts	674
C. On drag-net fishing on the coast from Nevlung-	000
haven to Tönsbergfiord	680
III. Extracts from Prof. G. O. Sars' report on the Norwe-	001
gian Atlantic expedition of 1876	681
A. Zoological observations	681
B. Investigation of the salt-water fisheries N. Preliminary report on the zoological observations	687
made during the second Norwegian	
polar expedition of 1877	692
Y. Report on the practical and scientific investigation	092
of the salt-water fisheries, made	
during the second Norwegian polar	
expedition of 1877	698-70€
VII. M. FRIELE. An account of the fisheries of Norway in	000-110
1877. By M. Friele. Translated	
from the French by J. Paul Wilson.	707
A. Introduction	707
B. The cod fishery	707
1. Apparatus used in the cod fishery	710
2. The daily fishing	713
3. Quality of the cod	715
4. Preparation of the cod	716
5. Preparation of the oil	717
6. Roe	718
7. Other species of the genus Gadus	718
8. The codfish trade	722
C. The herring fishery	723
1. The spring herring	723
2. The great herring in Nordland	728
3. The summer herring	729
D. The brisling fishery	730
E. The mackerel fishery	731
1. Apparatus and methods in use	731
2. Preparation of the mackerel, and the trade	733
F. The lobster fishery	733
G. The whale fishery	735
H. The seal fishery	735
I. The salmon fishery	736
J. Miscellaneous fisheries	736

vii. m. PRIELE. All ac	count of the fisheries of Norway in	
K. Value of the prin	1877—Continued. acipal products of the Norway fish-	Page
	eries	73
1. Value at place	es of export	73
2. Value at the i	isheries	73
5. Statistics of t	he winter and spring fisheries	73
4. Statistics of t	he summer fishery	73
a. Products of o	ther fisheries	739, 74
VIII. G. VON YHLEN. Re	port on the sea-fisheries of the Län	
	of Göteborg and Bohns in the year	
	1877. By Gerhard Von Yhlen.	
	Translated from the Swedish by	
	Dr. Josua Lindahl	74:
A. The great fishery	T	741
B. The mackerel fis	hery	742
U. The winter fisher	У	743
D. The herring and	sprat fisheries	743
E. The lobster and o	yster fisheries	749, 750
IX. SENATOR DANTZIGER	. The first five years of the Emden	1 20, 100
	Joint Stock Herring Fishery Asso-	
	ciation. By Senator Dantziger, of	
	Emden. Translated from the Ger-	
	man by II. Jacobson	751-776
Appendix B.—The propag		101-110
A. ANONIMOUS. The D	est food for young salmonoids and	
	for larger salmonoids in ponds.	
	Translated from the German by	
VI I	H. Jacobson	779-782
XI. LIVINGSTON STONE.	Report of operations at the salmon-	
	hatching station on the Clackamas	
	River, Oregon, in 1877. By Liv-	
TEXT To a second	ingston Stone	783-796
XII. LIVINGSTON STONE.	Report of operations at the United	
	States salmon-hatching station on	
	the McCloud River, California, in	
	1877. By Livingston Stone	797-810
XIII. FRED MATHER. Acc	count of trip to Europe with eggs of	
	the Quinnat salmon. By Fred	
	Mather	811-816
XIV. CHARLES G. ATKINS	Report on the collection and dis-	
	tribution of Schoodic salmon eggs	
	in 1877-'78. (With one plate.) By	
	Charles G. Atkins	817
1. Preparations		817
2. The fishing		818
3. Taking spawn		820
4. Incubation		822
5. Distribution o	f eggs	822
	of fishing at Grand Lake Stream,	
	Maine, October and November, 1877.	823
	of spawning operations, Grand Lake	
mall yer r	Stream, 1877	827
	of surplus of salmon spawn from	
	Grand Lake Stream, January and	
	February, 1878	830
	nt of the distribution of young	
	Schoodic salmon, 1878	832
	cions en the temperature and weather	
	at Grand Lake Stream, 1875-'78	836

Report on Schoodic salmon eggs—Continued. Table VI. General summary of observations on tem-	
perature of Grand Lake Stream from October, 1875, to March, 1878, incln-	Page.
sive	841
Lake Stream, 1875	842
Lake Stream, 1876 Table IX. Measurements of Schoodic salmon at Grand	843
Lake Stream, 1877 Table X. Record of spawning operations at Grand	844
Lake Stream, 1875 Table XI. Record of spawning operations at Grand Lake Stream, 1876	845
Illustrations.	846
Plan of the inclosures used at the Schoodic salmon-	
breeding establishment, Grand Lake	
Stream, 1877. Plate facing page (Explanation on the back.)	846
XV. James W. Milner. The propagation and distribution of shad in 1877. By Jas. W. Milner.	847
A. Station on the Susquehanna River near Havre de	021
Grace, Md	847
B. Station on the Connecticut River at South Hadley Falls, Mass	549
C. Tables of shad propagation in 1877	850
XVI. R. ECKHARDT. The experiments in propagating the Maifisch (Alosa vulgaris), in 1876	
and 1877. By R. Eckhardt	853-863
XVII. FRED MATHER. The experiment of transporting turbot and sole from England to America.	
By Fred Mather	867-887
XVIII. KARL MÖBIUS. How can the cultivation of the oyster,	
especially on the German coast, be	
made permanently profitable. By Karl Möbius, translated from the	
German by H. Jacobson	875-884
Appendix C.—Miscellaneous.	
XIX. L. A. BEARDSLEE. Experiment upon the time of ex-	
posure required for accurate ob-	
servations with the Casella-Miller	
deep-sea thermometer. By Com- mander L. A. Beardslee, United	
States Navy	887, 900, 901
XX. JOHN GAMGEE. On artificial refrigeration. By John	
Gamgee, London, England	901
A. Introduction B. Importance of fish-culture in Great Britain	901 903
C. Origin of knowledge of artificial cooling	903
D. Definition of an ice-machine.	906
E. Types of ice-machines	907
F. Thermodynamic laws G. On cryogens or cold-generating salts.	907 908
H. Special examples of cryohydrates	910
I. Table of freezing-mixtures (Guthrie)	912
J. Organic crystalloids in water	913
K. Cryogen machines L. Chloride of calcium ice-machine	914 915
M. Gases and their liquefaction	917
N. On ammonia	922
O. The progressive stages in ice-making inventions	925

O O Million	
XX. JOHN GAMGEE. On artificial refrigeration—Cont'd.	Page.
P. Air-machines	940
Q. Gas ice-machines of new type	943
R. Engines and pumps	944
*R. Refrigerators and condensers	948
S. Thermo-glacial engine	950
T. Dry cold air as a preservative	951
U. Does ice dry air	959
V. Proposed improvement in freezing fish	959
W. Preservation of bait and fish.	960
X. Preservation of salmon, cod, halibut, &c	964
Y. Dry cold without ice	967
Z. The glaciarium	
Z. Z. On rendering sea-water potable	968
Conclusion	969
	972
Illustrations.	
Ice-making machine, Perkins' specification; plate to face	
page	926
Carrie's apparatus, figure	933
Tellier's British patent, plate to face page	936
Sudlow's engine, Figure 1	946
Sudlow's engine, Figure 2	947
Sudlow's engine, Figure 3.	948
Gamgee's condenser and refrigerator, plate to face page.	949
come to contract and refrigerator, plate to face page.	949
dredging stations (blank) 1879 September	

- 39. Record of dredging stations (blank). 1879, September.
- 40. Circular inviting co-operation. F. C. & Census. 1879, July.
- 41. Returns for 40. 1879, July.
- 42. Circular relating to fish trade. 1879, July.
- 43. Returns for 42. 1879, July.
- 44. Prospectus of investigation. 1879, August.
- 45. Note-book for statistics of fishery marine. 1879, September.
- 46. Fishery marine blanks. 2d ed. 1879, September.
- 47. Letter to persons interested in fish culture. 1879, October.
- 48. Questions to accompany 47. 1879, October.
- 49. Circular to practical fish culturists. 1879, October.
- 50. Fixtures for salmon hatching. F. C. Report, Part 6. 1879, October.
- 51. Coast town index. 1879, October.
- 52. Hectograph letter to Rhode Island postmasters. 1879, November.
- 53. The river fisheries. 1879, October.
- 54. Letter of the Postmaster-General to postmasters. 1879, October.
- 55. 43 revised. Postmasters upon fish consumption. 1879, October.
- 56. Property record. 1879, October.
- 57. Measurements of fishes, old.
- 58. Property receipts, old No. 3179.
- Questions relating to the menhaden (hektograph) (two forms). 1879, November.
- 60. Seale for fish measure. 1879, December.
- 61. Record of observations at hatching stations, old.
- 62. Record of operations at hatching stations, old.
- 69
- 64. Record of distribution, old.
- 65. Book record of collection of eggs, old.
- 66. Ingersoll's oyster circular (two forms). 1880, January.
- 67. Record of river fisheries to accompany 68 (hektograph). 1880, February.
- 68. Book record of river fisheries. 1880, February.

1. Publications of the Commission—Continued.

- Record of ocean temperatures for use on mackerel and menhaden vessels. 1880, February.
- Edmonds' circular to Maryland oyster dealers and Baltimore fish dealers (two forms). 1880, February.
- 71. Hektograph letter to postmasters about imperfect returns. 1879, December
- 72. Supplement to 41 (hektograph). 1879, December.
- 73. Fish-guano letter to postmasters (hektograph). 1879, December.
- 74. Inquiry for coast-town addresses (hektograph). 1880, January.
- 75. Inquiry for coast towns (hektograph). 1880, February.
- Blank form; expenses tenth census of the United States; statistics of the fisheries.
- 77. Menhaden fishery marine (two forms). 1880, February.
- 78. Berlin shipping list. 1880, February 20.
- 79. Letter in regard to Berlin exhibits. 1880, February 25.
- 80. Letter in regard to New York markets (Phillips). 1880, February.
- 81. Railroad circular. 1880, February.
- 82. Manufacturers' circular. 1880, February.

b. Collections.

PHOTOGRAPHS.

See series of photographs and color-sketches of North American fishes.

UPWARDS OF EIGHT HUNDRED CASTS of coast and fresh-water species.

(See under A, V to VIII.)

c. Active work in fish culture.

MAP SHOWING THE OPERATIONS OF THE U. S. FISH COMMISSION FROM 1871 TO 1879, AND THE LOCATIONS OF ALL STATIONS OF THE UNITED STATES AND STATE FISH COMMISSIONS, AND THE DATES OF ESTABLISHMENT OF THE VARIOUS STATE COMMISSIONS.*

Explanations.

The locations where young fish have been planted are shown by the following symbols:

- "Triangle, red," Atlantic salmon (Salmo salar).
- "Square, red," Sebago salmon (Salmo sebago).
- "Circle, red," Quinuat salmon (Salmo quinnat).
- "Cross, red," whitefish (Coregonus albus).

The sheets of this map were originally prepared to serve as a basis for showing the

^{*}These details are laid down upon the outline map of the United States and other portions of North America, prepared for the Smithsonian Institution (1875), by W. L. Nicholson, topographer, Post-Office Department, on a scale of 16 miles to the i.eh (1:1,013,760), in twenty sheets, covering an area of 16³/₄ feet long (horizontally) by 15 feet wide (vertically).

"Trefoil, blue," shad (Alosa sapidissima).

"Diamond, green," carp (Cyprinus carpio).

"Maltese cross," stations for hatching or investigation.

The date of the establishment of each State commission is indicated by conspicuous figures.

The locations of stations are indicated by conspicuous numbers, the explanation of which is given in the following table:

LIST OF HATCHING AND ZOOLOGICAL STATIONS.

1.—U. S. Zoological Station Eastport, Me., 1872.

2.—U. S. Zoological Station, Portland, Me., 1873.

3.-U. S. Hatching Station, Grand Lake Stream, Maine. Salmo sebago.

4.-U. S. Hatching Station, Bucksport, Me. Salmo salar.

5.-U. S. Zoological Station, Gloncester, Mass., 1878.

5.-U. S. Hatching Station, Gloucester, Mass., Gadus morrhua.

6.-U. S. Zoological Station, Salem, Mass., 1877.

7.-U. S. Zoological Station, Provincetown, Mass., 1879.

8.—U. S. Zoological Station, Wood's Holl, 1871-'75.

9.—U. S. Zoological Station, Noank, Conn., 1874.

10 .- U. S. Hatching Station, Holyoke, Mass. Alosa sapidissima.

11 .- U. S. Hatching Station, Baltimore, Md. Cyprinus carpio.

12.-U. S. Hatching Station, Havre de Grace, Md. Alosa sapidissima.

13.—U. S. Hatching Station, Washington, D. C. Cyprinus carpio.

14.—U. S. Hatching Station, Freestone Pt., Va. Alosa sapidissima.

15.-U. S. Hatching Station, Avoca, N. C. Alosa sapidissima.

16 .- U. S. Hatching Station, Baird, Cal. Salmo Quinnat.

17 .- U. S. Hatching Station, near Baird, Cal. Salmo irideus.

18 .- U. S. Hatching Station, Clackamas River, Oregon. Salmo quinnat.

19.-U. S. Zoological Station, Halifax, N. S., 1877.

20.—Maine Hatching Station, Rangeley Lake.

21.—New Hampshire Hatching Station at Plymouth.

22.—Massachusetts Hatching Station at Winchester.

23.—New York Hatching Station at Caledonia.

24.—New York Hatching Station at Coxsackie. Alosa sapidissima.

25.—Pennsylvania Hatching Station at Marietta.

26.-P mnsylvania Hatching Station at Corry (Eric County).

larger features of the physical geography and other statistics of the United States, to accompany some of the governmental exhibits in the International Exhibition of 1876, at Philadelphia, wherein are deposited several of these maps by the Smithsonian Institution, the Agricultural Department, the Light-House Board, and the Post-Offico Department.

The entire map extends from the southern shores of Lake Winnipeg and Hudson's Bay to the parallel of 15°—taking in the whole of the Gulf of Mexico, Yucatan, and the larger West India Islands.

From east to west it includes parts of Nova Scotia and of Vancouver Island.

The territory of Alaska is shown on a smaller scale, detached, in a vacant corner of

The details are restricted to the general features—the shore-lines of the oceans and great lakes, the principal rivers, State and international boundaries, and a few of the larger cities. The mountain-topography is not (litho-printed) on the sheets, but added by hand—the meridians and parallels being laid down from a computed projection.

- 27.—Maryland Hatching Station at Baltimore.
- 28.—Virginia Hatching Station, head of Rappahannock River. Alosa sapidissima.
- 29.—Virginia Hatching Station at Berkeley.
- 30.—North Carolina Hatching Station at Morganton.
- 31.—Ohio Hatching Station at Toledo. Coregonus albus, etc.
- 32.—Michigan Hatching Station at Niles.
- 33.—Michigan Hatching Station at Detroit. Coregonus albus.
- 34.—Wisconsin Hatching Station at Milwaukee. Coregonus ulbus.
- 35.—Wisconsin Hatching Station at Madison.
- 36.—Iowa Hatching Station at Anamosa.
- 37.—Utah Hatching Station at Salt Lake.

II. PROTECTION.

1. Game laws. (See reports.)

2. Fish-ways.

GROOVE FISH-WAYS.

15355. Model of fish-way. James D. Brewer, inventor, Muney, Lycoming County, Pa. In this fish-way the water runs in a zigzag groove which breaks its force without the formation of eddics. Patented.

26106. Smaller model of the above.

BOX, STEP, OR POOL FISH-WAYS.

26107. Model of fish-way. James D. Brewer, Muncy, Pa. Patented by Daniel Steck. In this the water is retarded in its desent by means of transverse sloping floors.

INCLINED FISH-WAYS WITHOUT STEPS.

- 29283. Model of old Pennsylvania fish-way. Built at Columbia, on the Susquehanna River, in 1866. Designed by James Worral. Scale, \(\frac{1}{2}\) inch to the foot. C. G. Atkins, Bucksport, Me.
- 29284. Model of old Pennsylvania fish-way. Built at Columbia, on the Susquehanna River, in 1873. Designed by James Worral. Scale, † inch to the foot. C. G. Atkins, Bucksport, Me.

With partitions at right-angles.

- 29291. Model of rectangular return fish-way. Scale, ¹/₄ inch to the foot. C. G. Atkins, Bucksport, Me.
- 26937. Model of the fish-way over the dam at Holyoke, Mass., on the Connecticut River. Patented by E. A. Brackett, Winchester, Mass. Scale, \frac{1}{8} of an inch to the foot \(\frac{1}{196} \)). Model by C. G. Atkins. A submerged piece of cob-work surmounted by a grating serves to turn the fish into the fish-way. It carries a column of water 2 feet wide and 2 feet deep which reaches the bottom with no perceptible increase in velocity, the current being less than 2 miles an hour. Height of the dam, 30 feet; length of the fish-way, 440 feet; the incline, 1 in 15.

INCLINED FISH-WAYS WITHOUT STEPS.

With partitions placed obliquely.

- 29287. An adaptation of Foster's fish-way. Designed by C. G. Atkins, and built at Pembroke, Me. Scale, 4 inch to the foot. C. G. Atkins, Bucksport, Me.
- 29286. Model of Foster's fish-way. Invented by H. H. Foster, East Machias, Me. Scale, 4 inch to the foot. C. G. Atkins, Bucksport, Me.
- 29288. Model of oblique fish-way. Invented by Alfred Swazey, Bucksport, Me., in 1876. Scale, ‡ inch to the foot. C. G. Atkins, Bucksport, Me.
- 29289. Swazey's oblique fish-way. Invented by Alfred Swazey, Bucksport, Me., in 1874. Scale, ‡ inch to the foot. C. G. Atkins, Bucksport, Me.
- 26939. Model of the fish-way at Lawrence, Mass., on the Merrimack River. Scale, $\frac{1}{3}$ inch to the foot $(\frac{1}{196})$. C. G. Atkins.

With rectangular compartments.

26937. Model of rectangular compartment fish-way on the inclined-plane system, in an extended arrangement. Scale, $\frac{1}{2}$ inch to the foot $(\frac{1}{24})$. C. G. Atkins.

SPIRAL FISH-WAYS.

- 26931. Model of Pike's spiral fish-way, devised by Hon. R. G. Pike, of Connecticut. Scale, ½ inch to the foot (½¹4). C. G. Atkins.
- 26949. Model of rectangular compartment fish-way on the inclined-plane system, in spiral arrangement, devised by Charles G. Atkins, of Bucksport, Me., in imitation of Pike's spiral fish-way. Scale, \(\frac{1}{2}\) inch to the foot \((\frac{1}{2}\)\)f, C. G. Atkins. Showing the great economy of space and material effected by the spiral arrangement. Further advantages of the spiral arrangement are the facility with which water can be admitted at different heights of the river, and contignity of the outlet to the dam secured, so that the fish will readily find it.
- 39306. Model of the fish-way at Bangor, Me., on the Penobscot River; designed by Charles G. Atkins, and built by the city of Bangor in 1877 at a cost of \$6,000. Scale \(\frac{1}{32}\). Height of the dam 16 feet (4.1 meters).
- 39497. Model of fish-way. Designed by B. F. Shaw, State fish commissioner, Anamosa, Iowa.

MOVING FLOAT FISH-WAYS.

26930. Model of Everleth's fish-way, devised by F. M. Everleth, M. D., of Waldoboro', Me. Scale, $\frac{1}{4}$ inch to the foot $(\frac{1}{4})$. C. G. Atkins.

The peculiarity of this fish-way is the movable attachment at the upper end, which, by its own buoyancy, rises and falls with the fluctuations of the river, thus insuring that the entrance shall always be at the right height to admit the requisite quantity of water.

MOVING FLOAT FISH-WAYS.

With counter-currents from below.

32651. Working model of the McDonald fish-way. By M. McDonald, Lexington, Va. Patented. This fish-way is constructed upon the principle of having three sets of transverse partitions sloping upward. The water passing through the sluice from the dam tends to sink in the middle line of buckets, and emerges at the sides at a lower level, being checked by abutting against other partitions placed below them at right angles which deflect the water up stream, and these currents from below operate as retarders to the fall of the water from above. One has just been constructed on the Savannah River, Ga., which has an inclination of one foot in three.

III. PROPAGATION.

DEVICES USED IN OBTAINING AND IMPREGNATING OVA.

42936. Model of natural spawning race, invented by Stephen H. Ainsworth, West Bloomfield, N. Y. Not patented. This device consists of two sets of frames covered with wire-cloth, placed in two layers; the upper one has meshes coarse enough to allow the eggs to pass through, and is covered with coarse gravel in which the fish make nests and spawn. The upper screens are then lifted and the ova taken from the lower ones. S. H. Ainsworth.

42937. Pans used in catching the eggs of fish when taken by hand. They remain in these until impregnation has taken place.

42938. Dipper used for supplying water to the impregnating pans and in the transfer of fry.

HATCHING-HOUSES.

26940. Model of hatching-house at United States salmon-breeding station at Bucksport, Me. Scale, ‡ inch to the foot (½). C. G. Atkins. The hatching-troughs are arranged in sets of four across the building, and fitted with Brackett trays. The water enters them from a feed-trough along the side of the room and escapes by pipes through the floor.

42811. Model of the Druid Hill hatching-house Druid Hill Park, Baltimore. Built in 1875, by the city of Baltimore, under the direction of Major T. B. Ferguson, State commissioner of fisheries, at a cost of \$7,000. The building is of blue stone, with white granite trimmings; the center 18½ by 33 feet, is two stories high, and on either side are octagonal wings 14½ by 20 feet, whose sides are almost entirely of glass. The greatest amount of light and air is admitted through these and two large windows in the gable end of the main buildings; the inner door of the vestibule is also of glass. The windows are all furnished with dark green water-proof curtains, to exclude the sun and light when desirable. The water is supplied from a strong spring on the side of the hill near by, and is piped into the filtering tank which is just below the ceiling of the hatching room, which occupies the first floor of the building. The supply pipe is so arranged

HATCHING-HOUSES.

42811. Model of Druid Hill hatching-house, &c .- Continued.

with valves that the water can be conducted into the ponds below the house without entering the filtering tank should it be desirable. The water after passing through a series of flannel filters is discharged from the filtering tank into a reservoir tank of the capacity of about twelve hundred gallons. From this tank the water is piped under the floor, which is a Schillenger pavement, to the several hatching troughs, and to the tables in the octagonal extensions. These pipes are admirably arranged with stop-cocks, so that any portion of the apparatus can be operated without regard to the rest of the building.

In addition to the supply from the spring there are pipes by means of which an unlimited amount of water can be thrown into the filtering tank or ponds from the high service reservoir which is on the hill to the west of the hatching house. The water from the reservoir being influenced by the temperature of the atmosphere, and that from the spring being invariable, by mixing different proportions, the temperature of the water used can be either raised or diminished at will. The pipes which conduct the water to the tables on which the Ferguson jars are operated, are furnished with \$\frac{2}{3}\cdot \text{-of-an-inch spigots, over which rubber tubes are slipped, for the purpose of introducing water into the jars.

On the floor of the house is arranged the following apparatus:

- A. Ferguson jars.
- B. Flights of Coste tray.
- C. Troughs of Williamson's patent.
- D. Troughs of N. W. Clark's patent.
- E. Green & Holton hatching box.
- F. Aquarium.
- G. Reservoir tank.
- H. Porcelain-lined sinks.

In this house have been hatched:

2,497,140 California salmon.

89,881 land-locked salmon.

331,980 brook trout.

HATCHING-TROUGHS AND BOXES, STATIONARY.

39498. Model of the first hatching-box used in America, by Dr. Theodatus Garlick, in the year 1853. Dr. T. Garlick, Bedford, Ohio.

26936. No. 20. Model of hatching-troughs and trays in use at the United States salmon-breeding stations at Bucksport and Grand Lake Stream, Me. Scale, full size. C. G. Atkins.

The eggs to be hatched are placed on the wire-cloth trays.

- 42812. Model of Clark's hatching-box for all the salmonidæ. The eggs are placed upon the screens and the water flows in from above and out below. Patented by N. W. Clark. F. N. Clark, Northville, Mich.
- 42934. Model of the Holton hatching-box for all the salmonidæ. The eggs are placed upon all the screens except the top one, and the water flows in from below and out at the top. Patented by Marcellus Holton. Seth Green, superintendent, New York.

HATCHING-TROUGHS AND BOXES, STATIONARY.

- 39111. Holton box (without the frames), which has been in use. S. Green, Rochester, N. Y.
- 42935. Hatching trough, used at the United States hatching-house at Grand
 Lake Stream, Me. C. G. Atkins.
- 22247. A circular-shaped hatching can of tin, designed by F. Mather, which led to the adoption of the following:
- 26995. Shad-hatching cone, with screen at the bottom, devised by Charles F. Bell and Fred. Mather. U. S. Fish Commission.
- 39112. Frame and sereen used for hatching lake trout, Cristivomer namaycush. M. A. Green, New York Fish Commission.
- 26956. Salmon-egg hatching-baskets. Devised by Livingston Stone for use in the McCloud River, California. The baskets do not rest on the bottom of the trough, and the water flows through them from the bottom and sides and out at the top. L. Stone, U. S. Fish Commission.
- 39103. Nest of trays for hatching-trough. Devised by Charles G. Atkins, Bucksport, Me. U. S. Fish Commission.
- 26935. Model of hatching-frame in use at Grand Lake Stream, adapted to use in a trough or in an open stream. Devised by C. G. Atkins. Scale, full size. C. G. Atkins.

The eggs are placed on all of the trays except the upper one. The interstices, though too small for the escape of the eggs, permit a change of water, and when the frame is shut it confines the trays securely in place. U. S. Fish Commission.

- 39382. Grand Lake hatching-frame. For use in a trough or in an open stream. Adapted only to large fish-eggs, like those of salmon. Designed by Charles G. Atkins, assistant to the United States Commission of Fish and Fisheries in 1875, and since then in constant use in the Schoodic salmon-breeding establishment at Grand Lake Stream, Maine, U. S. A. When in use, the water flows through the frame horizontally. Not patented.
 - The capacity of this frame is 35,000 eggs of salmon.
- 39142. Hatching-jars of glass, with self-picking screen. Invention of Oren M. Chase, Detroit, Mich.
 - Five jars, full size. O. M. Chase. Michigan Fish Commission.
- 26998. The Ferguson hatching-jar. A glass jar with trays. The water flows in at the bottom and out at the top. T. B. Ferguson, U. S. Fish Commission.
- 39108. Glass jar with screens for hatching trout. Devised by Thomas B. Ferguson. U. S. Fish Commission.
- 39463. Miniature hatching-box, for hatching tront or any fish requiring running water. Arranged to place in the dwelling-house, or where-ever water can be supplied by a pipe. Charlestown, N. H. Livingston Stone.
- 39464. Model of fish-nursery for raising young trout less than six months old. $\frac{1}{2}$ actual dimensions. Charlestown, N. H. Livingston Stone.
- ----. Ferguson's improved conical hatcher, with removable top, used to prevent splashing. Also arrangement for easily removing bottom screen. Valve used when bottom screen is to be removed or eggs and young fish to be transferred. Furnished also with hook for lifting vessel from frame. T. B. Ferguson. U. S. Fish Commission.
- 39105. Another form of same, furnished with Clark's self-picking gate attachment. T. B. Ferguson, Baltimore, Md., and F. A. Clark, Northville, Mich. U. S. Fish Commission.

HATCHING-TROUGHS AND BOXES, STATIONARY.

- 39106. Reversible Plunging Can, for hatching fish eggs, now in use on the U. S. Steamer "Fish Hawk"—a part of the improvement in fish-hatching apparatus invented by T. B. Ferguson, Baltimore, Md. Patented. The ends are so arranged as to be easily removed, so that the can may be used as a hatcher or a transporting can by inserting either a wire-cloth or tin bottom. T. B. Ferguson. U. S. Fish Commission.
- Another form of same, furnished with trunnions by means of which it is swung in the frame of the conical hatcher when used for transporting fish in rough seas. (The tops are interchangeable with those of the conical hatchers.) T. B. Ferguson. U. S. Fish Commission.
- 39107. "Hanger," "Cam," and "Guides" for Ferguson's improvement in fish-hatching apparatus. In use on the U. S. Steamer "Fish Hawk" for imparting a vertical motion to the hatching-cans. Designed by T. B. Ferguson. U. S. Fish Commission.
- 39109. Ferguson hatching-jar. A glass jar, with trays. The water flows in at the bottom and out at the top. Provided with trays for hatching salmon. Designed by T. B. Ferguson. U. S. Fish Commission. (By the use of glass the growth of fungus is prevented, and every egg in the vessel can be seen at a glance.)

HATCHING-BOXES, FLOATING.

- 26903. Shad-hatching box. Invention of Seth Green, Rochester, N. Y. Patented. S. Green, New York Fish Commission.
- 26997. Model of the above. S. Green, New York Fish Commission.
- 39462. Shad-hatching box. Invention of Isaac H. Wright, Baltimore, Md.
- 26904. Shad-hatching box. Invention of E. A. Brackett, Winchester, Mass. Patented. E. A. Brackett, Massachusetts Fish Commission.
- 39101. Revolving shad hatcher, designed by Spencer F. Baird. U. S. Fish Commission.
- 39110. Semi-rotating hatchers. Hatching box for eggs of the codfish. Invention of H. C. Chester, Noank, Conn. U. S. Fish Commission.
- 39470. Mechanical fish-hatching apparatus. Invention of Joel C. Parker, Grand Rapids, Mich.

ADHESIVE-EGG APPARATUS.

39102. Model of box for hatching the smelt, Osmerus mordax. Devised by George Ricardo, Hackensack, N. J. One-half size. F. Mather. U. S. Fish Commission.

MODELS OF FLOATING HATCHING-HOUSES.

- 29103. Model of the U. S. Fish Commission Steamer "Fish Hawk." Built by the Puscy & Jones Company, Wilmington, Del. Length on water line, 146 feet 6 inches; breadth of beam (molded), 27 feet; depth of hold (amidships), 10 feet 9 inches; draft of water, 7 feet 6 inches; tonnage, 485.
- 29104. Model of the fish-hatching deck of the U. S. Fish Commission Steamer "Fish Hawk," built by the Pusey & Jones Company, Wilmington, Del. Seale, 2 inches to the foot.

ACCESSORIES TO THE HATCHING APPARATUS.

26915. Wooden nippers for removing dead eggs. F. Mather, U. S. Fish Commission.

ACCESSORIES TO THE HATCHING APPARATUS.

- 39113. Wooden nippers with wire loops, for removing dead eggs. M. A. Green. New York Fish Commission.
- 39114. Cleaning net for removing dead shad eggs and dead fish from troughs.

 M. A. Green. New York Fish Commission.
- 39114. Cleaning net for removing dead shad eggs and dead fish from troughs.

 T. B. Ferguson. U. S. Fish Commission.
- 39115. Hand net for removing fish from troughs. T. B. Ferguson. U. S. Fish Commission.
- 1681. Landing net for Carp. U. S. Fish Commission.
- 39116. Pans in use for taking and impregnating fish eggs. U. S. Fish Commission.
 - 1795. Tin dipper in use for supplying water, etc. U. S. Fish Commission.
- 39118. Lamp or lantern. U. S. Fish Commission.

DEVICES FOR THE TRANSPORTATION OF FISH EGGS.

- 39311. Box used in sending salmon eggs from America to Europe. Ice chamber on top and air space on sides. F. Mather. U. S. Fish Commission.
- 39120. Box used in carrying fish eggs short distances. M. A. Green. New York Fish Commission.
- 39121. Box used in sending eggs of brook trout to Europe. James Annin, jr., Caledonia, N. Y.

APPARATUS USED IN THE TRANSPORTATION OF FISH.

- 26911. Milk can. U. S. Fish Commission.
- 1785, Tin water-bucket. U. S. Fish Commission.
- 26912. Rubber tube for siphon. U. S. Fish Commission.
- 1810. Strainer-tube for end of siphon. U. S. Fish Commission.
- 39124. Rubber tube for siphon. M. A. Green. New York Fish Commission.
- 39125. Strainer-tube for end of siphon. M. A. Green. New York Fish Commission.
- 39119. Wroten bucket.
 - 1865. Ferguson's cylinder-can with adjustable top. T. B. Ferguson. U. S. Fish Commission.
- 29377. Conical tank. Stone & Hooper, Charlestown, N. H.
- 39117. Can for hatching shad eggs while in transit, by motion of the water caused by rolling of ship or railroad-car. Designed by F. Mather. U. S. Fish Commission.
- 39455. Can, with sponges, for self-aerating water by means of motion of a ship. Fred. Mather. U. S. F. C.

APPARATUS USED IN FEEDING FRY.

39127. Conical glass feeders which keep the food in motion. Presented to the city of Baltimore by Thomas Winans.

PREPARED FOOD FOR ADULT FISH.

32777. Packages of prepared food. W. Koehler, Hoboken, N. J.

MAPS, PHOTOGRAPHS, AND CHARTS.

- 39136. Two maps of the National Carp Ponds, at Washington, D. C. R. Hessel. U. S. Fish Commission.
- 39137. Map of the Druid Hill Carp Ponds, at Baltimore, Md. T. B. Ferguson. Maryland Fish Commission.

MAPS, PHOTOGRAPHS, AND CHARTS.

- 39138. Map of the United States reservation for fish-cultural purposes on the McClond River, California. Livingston Stone. U. S. F. C.
- 39139. Map of the salmon-hatching works at Grand Lake Stream, Maine. Charles G. Atkins. U. S. Fish Commission.
- 39140. Series of photographs of shad hatching at Avoca, North Carolina. U. S. Fish Commission.
- 39141. Photograph of the salmon-hatching ranch on the McCloud River, California. Livingston Stone. U. S. Fish Commission.
- Photograph of the steam yacht "Lookont," showing equipment for shad-hatching on the bow. T. B. Ferguson. Maryland Fish Commission.
- ----- Photograph of section of the same on a larger scale. T. B. Ferguson.
- Photograph of the U. S. Fish Commission steamer "Fish Hawk," taken from the vessel. U. S. Fish Commission.
- Photograph of the same, taken from the model No. 29103. U.S. Fish Commission.
- —— Photograph of the exterior of the "Fish Hawk," showing the plunging buckets in position. From sectional model No. 29104. U.S. Fish Commission.
- Photograph from the same model, showing the anterior end of the hatching-deck. U.S. Fish Commission.
- ——— Photograph showing the posterior end of the hatching-deck from nearly the level of the deck.
- Photograph taken from above the level of the deck.
- Photograph of the exterior of Druid Hill hatching-house. T. B. Ferguson.
- —— Photograph of interior of the same. T. B. Ferguson.
 - Photograph showing three hatching-jars. T. B. Ferguson.

ENEMIES OF THE FISH CULTURIST.

- 39134. Stuffed trout and the water insect, *Belostoma grandis*, which killed it. From the ponds of II. D. McGovern, Brooklyn, N. Y.
- 39135. Specimens of newts or salamanders, crawfish, "millers' thumbs" (Uranidea sp.), and stickle-backs from Caledonia Creek. Seth Green. New York Fish Commission. (See also under section 1 of this catalogue.)

EGGS OF SALMONIDÆ IN PROCESS OF HATCHING.

- 39122. Five thousand eggs of the brook trout, Salvelinus fontinalis, from the ponds of James Annin, jr., Caledonia, N. Y.
- 39347. Salmon eggs (land locked). 1 case. Bucksport, Me. Charles G. At-

EGGS OF SALMONIDÆ IN ALCOHOL.

39124. Samples of eggs of the brook trout, S. fontinalis, at different ages, from the New York State hatchery at Mumford, N. Y. New York Fish Commission.

No. 1. 20 days old.

2. 30 " "

3, 40 " "

4. 50 " "

5. 60 " "

6. 70 " "

7. 80 " "

8. 85 " "

EGGS OF SALMONIDÆ IN ALCOHOL.

- 39126. Eggs of the lake trout, Cristicomer namayensh, 85 days old. New York Fish Commission.
- 39145. Eggs of the California mountain trout, Rainbow trout, Salmo irideus, two days old. New York Fish Commission.
- 39465. California salmon. (Oncorhynchus quinnat.) A series of eggs and young salmon preserved in vials, and showing the change in the eggs and the growth of the fish from the time the egg is taken from the parent till the young fish is fully formed; showing daily growth for 100 days. Livingston Stone.

SPECIMENS OF FRY OF SALMONIDÆ IN ALCOHOL.

39146. Fry of lake trout, Cristicomer namayeush.

No. 1. 1 day old.

2. 15 days "

3. 30 44

4. 35 " "

New York Fish Commission.

39147. Fry of brook trout, Salvelinus fontinalis.

No. 1. 1 day old.

2. 10 days "

3. 20 "

.4. 30 " "

5. 40 " "

New York Fish Commission.

EGGS OF AMERICAN FISHES IN GENERAL.

Exhibited by the U. S. National Museum.

Lophius piscatorius Linn.—Goose Fish; Angler.

Chilichthys turgidus (Mitch.) Gill.—Swell-Fish.

Alutera Schoepfii (Walb.) Goode & Bean.-File Fish.

Pseudopleuronectes americanus (Walb.) Gill.—Flat Fish; Winter Flounder.

Pleuronectes glaber (Storer) Gill.-Flounder.

Glyptoeephalus cynoglossus (Linn.) Gill.—Pole Flounder.

Lophopsetta maculata (Mitch.) Gill.—Watery Flounder; Spotted Turbot.

Chaenopsetta ocellaris (DeKay) Gill.-Common Flounder.

Chaenopsetta oblonga (Mitch.) Gill.—Four-spotted Flounder.

Hippoglossus americanus Gill.—Halibut.

Pollachius carbonarius (Linn.) Bon.—Pollock.

Gadus morrhua Linn.-Codfish.

Microgadus tomcodus (Walb.) Gill.—Tom Cod; Frost-fish.

Melanogrammus æglefinus (Linn.) Gill.—Haddock.

Phycis chuss (Walb.) Gill.—Hake.

Phycis tennis (Mitch.) DeKay .- Squirrel Hake.

Lota maeulosa (Les.) Rich.—Burbot.

Merlucius bilinearis (Mitch.) Gill.—Whiting; Silver Hake.

Zoarces anguillaris (Peek) Storer.—Eel Pout.

Batrachus tau Linn.—Toad Fish; Ovster-fish.

Cyclopterus lumpus Linn.—Lump-fish.

Prionotus carolinus (Linn.) Cnv. & Val.—Broad-fingered Sea Robin.

Cottus granlandicus Cuv. & Val.—Greenland Sculpin.

Hemitripterus americanus (Gmel.) Cuvier. - Sea Raven.

Tautoga onitis (Linn.) Günther.—Tautog; Black-fish.

Xiphius gladius Linn.-Sword-fish.

Seomber seombrus Linn. - Mackerel.

EGGS OF AMERICAN FISHES IN GENERAL.

Exhibited by U. S. National Museum-Continued.

Sarda pelamys (Linn.) Cnv.-Bonito.

Cybium maculatum (Mitch.) Cuv.—Spanish Mackerel.

Poronotus triacanthus (Peck) Gill.—Harvest-fish; Butter-fish.

Cynoscion regalis (BL) Gill.—Squeteagne; Weak-fish.

Pogonias chromis Lacep.—Drum.

Menticirrus nebulosus (Mitch.) Gill.—King-fish.

Stenotomus argyrops (Linn.) Gill.—Scuppaug; Scnp; Porgy.

Stizostedium eanudeuse (Smith) Jordan.—Canada Pike-perch.

Centropristis atravius (Linn.) Barn.—Sea Bass.

Roceus lineatus (Schn.) Gill .- Striped Bass; Rock-fish.

Pomatomus saltatrix (Linn.) Gill.—Blue-fish.

Elacate canadus (Linn.) Gill.—Cobia; Crab-eater.

Leptechencis nancrateoides (Zniew.) Gill.—Remora; Sucker-fish

Esox nobilior Thompson.—Muskellunge.

Fundulus pisculentus (Mitch.) Val.—Mummichog.

Osmerus mordax (Mitch.) Gill.—Smelt; Frost-fish.

Coregonus elupeiformis (Mitch.) Milner.-White-fish.

Argyrosomus artedi (Les.) Hoy.-Herring; White-fish.

Salmo salar Linn. - Salmon.

Salmo salar var. sebago Girard.—Sebago Salmon.

Oncorhynchus quinnut (Rich.) Giinther.—Quinnat or Saeramento Salmon.

Cristivomer namayensh (Penn.) Gill & Jordan.—Namayensh Trout; Lake Trout.

Cristivomer siseowet (Ag.) G. & J.—Siscowet.

Salvelinus fontinalis (Mitch.) Gill & Jordan.—Brook Tront.

Thymallus trieolor Cope.—Michigan Grayling.

Breroortia tyrannus (Latr.) Goode.—Menhaden; Mossbunker; Pogie.

Alosa sapidissima (Wilson) Storer.—Shad.

Pomolobus pseudoharengus (Wilson) Gill.—Alewife; Fresh-water Herring; Gaspereau.

' Clupea harengus Linn.—Herring; Sea Herring.

SPECIMENS OF FISH IN ALCOHOL.

39148. Hybrid between the California salmon, Oneorhynehus quinnat (male?), and the brook trout, Salvelinus fontinalis (female?). New York Fish Commission. Seth Green, Superintendent.

Fishes in alcohol. New York Fish Commission.

Catostomus uigrieaus.

Auguilla rostrata (Les.) DeKay.—Common Eel.

Amia calva Linn .- Mud-fish.

Levidosteus osseus Linn .- Gar Pike.

Aeipeuser sturio Linn.—Sharp-nosed Sturgeon.

Aeipeuser brevirostris Les.—Short-nosed Sturgeon.

LITERATURE OF FISH CULTURE.

39129. Norris, Thaddeus.

American | Fish-culture | embracing all the details of | artificial breeding and rearing of tront; | the culture of salmon, shad and other | fishes. | By Thaddens Norris, | Anthor of "The American Angler's Book." | Illustrated. | (Seal of the publishers.) | Philadelphia: | Porter & Coates. | London: Sampson Low, Son & Co. | 1874.

LITERATURE OF FISH CULTURE.

39130. GREEN, SETH.

Trout Culture, | by | Seth Green. | — | Published by Seth Green and A. S. Collins, | Caledonia, N. Y. | — | Rochester, N. Y.; | Press of Curtis, Morey & Co., Union and Advertiser Office. | 1870.

39133. Green, Seth, and Roosevelt, R. B.

Fish Hatching, | -and- | Fish Catching. | - | -by- | R. Barnwell Roosevelt, | Commissioner of Fisheries of the State of New York, Author of | Game Fish, etc., etc., | and | Seth Green, | Superintendent of Fisheries of the State of New York. | - | Rochester, N. Y.: | Union and Advertiser Co.'s Book and Job Print. | 1879.

39132. Slack, J. H.

Practical | Trout Culture. | By | J. H. Slack, M. D., | Commissioner of Fisheries, N. J.; Natural History Editor of "Turf, | Field, and Farm," N. Y.; Proprietor of Troutdale Ponds, near Bloomsbury, N. J. | — | "We speak what we do know, and testify what we have seen." | — | New York: | Geo. E. Woodward. | — | Orange Judd & Co., | 245 Broadway. | 1872.

39128. Garlick, Theodatus.

A Treatise | on the | Artificial Propagation | of | certain kinds of Fish, | with the | description and habits of such kinds as are the most | suitable for pisciculture, | — | By Theodatus Garlick, M. D., | Vice President of Cleveland Academy of Natural Science. | — | Giving the author's first experiments contained in a paper read | before the Cleveland Academy of Natural Science. | Also, | directions | for the most successful modes of angling for such kinds of | fish as are herein described. | — | Cleveland: | Tho. Brown, Publisher, Ohio Farmer Office. | 1857.

39131. STONE, LIVINGSTON.

Domesticated Trout. | How to Breed and Grow them. | By Livingston Stone, | United States Deputy Fish Commissioner, in charge of the United States Salmon Breeding Station on the Pacific Coast; etc., etc. | "Purpurisque Salare stellatus tergora guttis." | Ausonius, Idyl Tenth. | "Make assurance doubly sure." | Macbeth, Act IV. Scene 1. | Third Edition, | Revised and Enlarged. | (Cut of fish.) | Charlestown, N. H. | For sale at the Cold Spring Trout Ponds. | 1877.

39144. ATKINS, CHARLES G.

U. S. Fish Commission. | — | Cheap Fixtures | for the | Hatching of Salmon. | By | Charles G. Atkins, | Assistant U. S. Fish Commission. | — | Washington: | Government Printing Office. | 1879.

WILSON, SIR SAMUEL.

The | Californian Salmon | with an account of its | Introduction into Victoria. | By | Sir Samuel Wilson, | Member of the Legislative Council of Victoria, | — | Melbourne: | Sands & McDougall, | Printers, Collins Street, West. | 1878.

Reports of the Commissioners of Fisheries of the State of Maine, I to XIII (1867 to 1879), inclusive.

Reports of the Commissioners of the Inland Fisheries of Massachusetts, 1854 to 1879, inclusive.

LITERATURE OF FISH CULTURE.

Reports of the Fish Commissioners of the State of Connecticut, 1875 to 1880, inclusive.

Reports of the Commissioners of Fisheries of the State of New York, 1869 to 1876, inclusive.

Reports of the Commissioners of Fisheries of the State of Maryland, 1876 to 1880, inclusive.

Specifications for building the screw steamer "Fish Hawk," 1879.

IV. APPLIANCES FURNISHED BY THE SEVERAL DE-PARTMENTS OF THE U. S. GOVERNMENT AND PRIVATE ORGANIZATIONS FOR THE AID AND ENCOURAGEMENT OF THE FISHERIES.

1. DEPARTMENT OF THE INTERIOR.

UNITED STATES NATIONAL MUSEUM.

- --- Proceedings United States National Museum. Vol. 1, 1878, Vol. 2, 1879.
- ---. Bulletins United States National Museum. Nos. 1-5.
- —. Model of the United States National Museum Building, now in process of erection.

PATENT OFFICE.

- —. List of patents issued in the United States relating to fish and the methods, products, and applications of the fisheries. Complete to December 31, 1879.
 - 2. Department of the Treasury.

UNITED STATES COAST AND GEODETIC SURVEY.

Charts of the Atlantic and Pacific coasts of North America.

ATLANTIC COAST.

			1	
Cat. No.	Title.	Size of border.	Scale.	Date of last edition.
	SAILING-CHARTS.			
A 4 5	Cape Sable to Cape Hatteras IV. Mosquito Inlet to Key West, with Bahama Banks V. Key West to the Rio Grande	24 by 28	1-1, 200, 000 1-1, 200, 000 1-1, 200, 000	1878 1875 1878
	GENERAL CHARTS OF THE COAST.			
7 8 9 10 23 30	No. II. From Cape Ann to Gay Head No. III. From Gay Head to Cape Henlopen No. IV. From Cape May to Cape Henry. No. V. From Cape Henry to Cape Lookout From Pensacola to the Passes of the Mississippi Galveston Bay.	31 by 38 31 by 38½ 31 by 38 32 by 39 24 by 35 16½ by 19½	1-400, 000 1-404, 000 1-400, 000 1-400, 000 1-400, 000 1-200, 000	1873 1877 1874 1874 1876 1855
	COAST CHARTS.			
105 106 107 108 109 110	Penobscot Bay to Kennebec Entrance, No. 5 Kennebec Entrance to Saco River, No. 6 Segnin Island to Kennebunkport, No. 7 Wells to Cape Ann, No. 8 Boston Bay and approaches, No. 9 Cape Cod Bay, No. 10 Coast from Monomoy and Nantucket Shoals to Block Island, in three sheets, viz:	29 by 38 30 by 38 30 by 39	1-80, 000 1-80, 000 1-80, 000 1-80, 000 1-80, 000 1-80, 000	1874 1877 1877 1867 1875 1872
111	Eastern sheet: From Monomoy and Nantucket Shoals to Mus- keget Channel, Mass., No. 11	27½ by 37¾	1-80, 000	1877
112	Middle sheet: From Muskeget Channel to Buzzard's Bay and entrance to Vineyard Sound, Mass., No. 12		1-80, 000	1877

UNITED STATES COAST AND GEODETIC SURVEY

ATLANTIC COAST-Continued.

	ATLANTIC COAST—Continued.			
Cat. No.	Title.	Size of border.	Scale.	Date of last edition.
	Coast Charts—Continued.			
113	Western sheet: Cuttyhunk to Block Island, including Narragan-	Inches.		
110	sett bay	263 by 374	1-80, 000	1876
114	Long Island Sound, in three sheets, viz: Eastern sheet: From Point Judith and Block Island to Plnm			
115	Island No 14	25½ by 35½ 25½ by 35½ 25½ by 35½	1-80, 000 1-80, 000	1876 1877
116	Middle sheet: From Plum Island to Welch's Point, No. 15 Western sheet: From Welch's Point to New York, No. 16	25½ by 35½	1-80, 000	1877
117	Southern coast of Long Island, in three sheets, viz: Eastern sheet: Block Island, Montank Point, &c., No. 17	25 by 35 25 by 35	1-80, 000	1857
118 119	Middle sheet: From Napeague Beach to Forge River, No. 18 Western sheet: Great South Bay, Fire Island, and Long Beaches, &c., No. 19	25 by 35	1-80, 000	1857
119 A	Beaches, &c., No. 19 Great South Bay, and Fire Island Inlet, Long Island	25 by 35	1-80, 000 1-40, 000	1878 1879
120 122	New York Bay and Harbor, No. 20	27 by 31	1-80, 000	1877
123	Great South Bay, and Fire Island Inlet, Long Island New York Bay and Harbor, No. 20 Barnegat Inlet to Absecom Inlet, No. 22 Absecom Inlet to Cape May, No. 23 Delaware Bay and River, in three sheets, viz:	29½ bỳ 37½	1-80, 000	1879
124	Delaware Bay and River, in three sheets, viz: Lower sheet: Delaware Entrance, No. 24. Middle sheet: Part of Delaware Bay and River, No. 25	201 DV 30	1-80, 000	1877
125 126	Middle sheet: Part of Delaware Bay and River, No. 25	251 by 36 251 by 36	1-80, 000 1-80, 000	1877 1877
127 128	From Cape May to Isle of Wight, No. 27.	254 by 36 25 by 33 29 by 33 29 by 33	1-80, 000 1-80, 000	1869 1874
130	Upper sheet: Delaware River, Port Penn to Trenton, No. 26 From Cape May to Isle of Wight, No. 27. From Isle of Wight to Chinocteague Inlet, No. 28. From Hog Island to Cape Henry	29 by 33	1-80, 000	1875
	Chesapeake Bay, in two series, three sheets each: First series, in three sheets, entrance of Bay to Potomac			1
131	River, viz:	.6 by 38	1-80,000	1877
132 133	2. From York River to Pocomoke Sound, No. 32.	26 by 38	1-80, 000 1-80, 000	1877 1877
100	From York River to Pocomoke Sound, No. 32. From Pocomoke Sound to Potomac River, No. 33. Second series, in three sheets, Potomac River to head of	26 by 38	1-80, 000	1011
134	E97 V17 ·	30 by 371	1-80, 000	1877
135 136	From Potomae River to Choptank River, No. 34 From Choptank River to Magorhy River, No. 35 From Magothy River to head of Bay, No. 36 Currituck Beach Light to Oregon Inlet	30 by 37\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1-80, 000 1-80, 000	1877 1877
138 129	Currituck Beach Light to Oregon Inlet Oregon Inlet to Cape Hatteras	27 by $35\frac{7}{2}$	1-80, 000	1879
	Albemarle Sound, in two sheets, viz;			
140	Eastern sheet, from the Atlantic Ocean to the Pasquotank River, No. 40	29¾ by 31½	1-80, 000	1876
141	Western sheet, from the Pasquotank River to the Roanoke and Chowan Rivers, No. 41	293 by 313	1-80, 000	1877
154 155	From Long Island to Hunting Island, No. 54	33 Ly 41 33 by 41	1-80, 000 1-80, 000	1875 1875
156	From Savannah to Sapelo Island, No. 56	32 by 41	1-80, 000 1-80, 000	1876 1876
157	Western sheet, from the Pasquotank River to the Roanoke and Chowan Rivers, No. 41 From Long Island to Hunting Island, No. 54. From Hunting Island to Ossabaw Island, No. 55 From Savannah to Sapelo Island, No. 56 From Sayapelo Island to Amelia Island, No. 57 Florida Reefs, from Key Biscayne to Boca Grande Key, in	32 by 41	1-80, 000	1010
166	From Kay Pisogram to Corresport Poof Vo. 66	32 by 39	1-80, 000	1878
167 168	From the Libow to Matecumbe Key, No. 67 From Long Key to Newfound Harbor Key, No. 68. From Newfound Harbor Key to Boca Grande Key, No. 69.	32 by 39	1-80, 000 1-80, 000	1874 1874
169 177	From Newfound Harbor Key to Boca Grande Key, No. 69	32 by 39 33 by 39	1-80, 000 1-80, 000	1874 1879
186	Tampa Bay Choctawhatchee Inlet to Pensacola Entrance, No. 86	30 by 40	1-80, 000	1875
188	Mobile Bay, No. 88 Mississippi Sound, &c., rear approach to New Orleans, in three shorts, viz.	29 by 38	1, 80, 000	1856
189 190	three Sheets, viz: From Bon Secours Bay to Round Island, No. 89. From Round Island to Grand Island, No. 90.	31½ by 40½ 32 by 41½	1-80, 000 1-80, 000	1860 1860
191	Lake: Foreme and Pontchartrain, No. 91 Mississippi River, from the Passes to Grand Prairie, No. 94 From Galveston Bay to Oyster Bay, No. 105 From Oyster Bay to Matagorda Bay, No. 106	33 by 41		187-
194 205	From Galveston Bay to Oyster Bay, No. 105	32½ by 40 32 by 40	1-80, 000 1-80, 000	1874
206	From Oyster Bay to Matagorda Bay, No. 106	32 by 40	1-80, 000	1858
	HARBOR CHARTS.			
302 A	Eastport Harbor	17 by 20 294 by 484	1-40, 000 1-10, 000	1874 1871
290 309 A	Head Harbor and approaches, Isle au Haut	13½ by 18	1-12, 500	1878 1876
310 312	Eastport Harbor Somes Sound, Mount Desert Island. Head Harbor and approaches, Isle au Haut Penobscot Bay St. George's River and Muscle Ridge Channel Damariscotta and Medomak Rivers Kennelice and Sheepscot Bivers	24 by 291 24 by 38	1-40, 000 1-40, 000	1864
313 314	Damariscotta and Medomak Rivers Kennebec and Sheepscot Rivers	25½ by 38 23½ by 38½	1-40, 000 1-40, 000	1874 1874
022	15 F			

UNITED STATES COAST AND GEODETIC SURVEY.

ATLANTIC COAST-Continued.

Cat. No.	Title.	Size of border.	Scale.	Date of last edition.
315 318 319 325 329 330 335	HARBOR CHARTS, Casco Bay Bar Harbor Belfast Barbor Portland Harbor Portsmouth Harbor Isle of Shoals Salem Harbor	11 by 13½ 26 by 29 18½ by 26 14 by 17	1-40, 000 1-10, 000 1-20, 000 1-20, 000 1-20, 000 1-20, 000	1871 1876 1875 1862 1876 1874
337 338 339 340 341 344 345 347 348	Boston Harbor Plymoath, Kingston, and Duxbury Harbors. Barnstable Harbor Wellfleet Harbor Provincetown Harbor. Monomoy Passage to Nantucket Sound Muskeget Channel Vinevard Haven	28½ by 36 19 by 20 16½ by 23 14 by 17½ 14½ by 17½ 17¼ by 24 21 by 28 19 by 18	1-25, 000 1-40, 000 1-40, 000 1-20, 000 1-50, 000 1-50, 000 1-60, 000 1-15, 000	1875 1875 1875 1875 1861 1853 1878 1876 1872 1873
350 353 356 359 362 368 119 A	Wood's Holl Harbor New Bedford Harbor Narragansett Bay (in two sheets) Duck Island Harbor, Long Island Sound New London Harbor New Haven Harbor Huntington Bay Great South Bay and Fire Island Inlet Lake Champlain, in four sheets, viz:	31 by 48 103 by 15 14 by 17½ 18 by 21¼ 14 by 17½ 25 by 41½	1-20, 000 1-40, 000 1-40, 000 1-15, 000 1-20, 000 1-20, 000 1-30, 000 1-40, 000	1872 1876 1873 1879 1872 1875 1872 1879
553 554 555 556 540 540 A 369 369 ²	No. 1, from Rouse's Point to Cumberland Head. No. 2, from Cumberland Head to Ligonier Point No. 3, from Ligonier Point to Pauton No. 4, from Pauton to Whitehall Rockaway Inlet Jamaica Bay and Rockaway Inlet New York Bay and Harbor, in two sheets. New York Entrance Hudson River in three sheets.	21 by 29½ 14½ by 24½ 21½ by 26½ 39 by 48 30½ by 39	1-40,000 1-40,000 1-50,000 \$ 1-25,000 \$ 1-50,000 1-18,000 1-25,000 1-40,000	1879 1879 1876 1876 1878 1878 1879 1874 1875
370 371 372 565 374 376 384 385 388 389 390 391	Hudson River, in three sheets: No. 1. New York to Haverstraw No. 2. Haverstraw to Poughkeepsie No. 3. Poughkeepsie to Troy, in two sheets Passaic River Abscron Inlet Delaware and Chesapeake Bays Patapsec River Annapolis Harbor 1. Entrance and up to Piney Point 2. Piney Point to Lower Cedar Point 3. Lower Cedar Point to Indian Head 4. Indian Head to Georgetown. York River, Virginia, in two sheets, viz:	17½ by 40 34 by 40 20½ by 26 14½ by 17½ 25¼ by 31 17½ by 27½ 14 by 17 23 by 29½ 23 by 29½ 23 by 29½ 23 by 29½ 23 by 39	$\begin{array}{c} 160,000 \\ 160,000 \\ 149,000 \\ 17,500 \\ 120,000 \\ 160,000 \\ 160,000 \\ 160,000 \\ 160,000 \\ 160,000 \\ 160,000 \\ 160,000 \\ 140,000 \\ 140,000 \\ \end{array}$	1879 1879 1879 1875 1864 1877 1874 1871 1871 1871 1871 1871
398 399	1. From entrance to King's Creek 2. From King's Creek to West Point James River, from entrance to City Point, in three sheets,	17 by 23 17 by 23	1-60, 000 1-60, 000	1858 1871
401 A 401 B 401 C 404 420 423 427 428 431 436 440 441 443 444 446 448 453 455 ²	1. From Newport News to Deep Water Light 2. From Point of Shoals Light to Sloop Point 3. From Sloop Point to City Point Norfolk Harbor, Elizabeth River and Branches. Beaufort Harbor Lookont Cove. Georgetown Harbor Winyah Bay, S. C. Charleston Harbor Saint Relena Sound. Savannah River and Warsaw Sound. Ossabaw Sound. Sayannah River and Warsaw Sound. Sapelo Sound Doboy and Altamahah Sounds Saint Andrew's Sound Saint Andrew's Sound	17è by 26\frac{1}{2}2 by 28 22\frac{1}{2}4 by 24 18\frac{1}{2}6 by 21\frac{1}{2} 18\frac{1}{2}6 by 19 18\frac{1}{2}6 by 28\frac{3}{4} 31\frac{1}{2}6 by 32 24 by 28	1–50, 000 1–50, 000 1–50, 000 1–25, 000 1–40, 000 1–6, 600 1–40, 000 1–40, 000 1–40, 000 1–40, 000 1–40, 000 1–40, 000 1–40, 000 1–40, 000 1–20, 000 1–20, 000 1–20, 000 1–20, 000 1–20, 000 1–20, 000 1–80, 000	1877 1877 1877 1875 1876 1879 1879 1877 1878 1878 1878 1878 1878
457 458 459	3. From Jacksonville to Lake Monroe Inside Passage, East Coast of Florida, in eight sheets, viz: No. 1. Head of Halifax River No. 2. Halifax River, vicinity of Daytona No. 3. Mosquito Inlet and vicinity of New Smyrna	21½ by 32½ 21½ by 32 21½ by 32 21½ by 31½	1-20, 000 1-20, 000 1-20, 000	1876 1876 1876

UNITED STATES COAST AND GEODETIC SURVEY.

ATLANTIC COAST-Continued.

Cat.	Title.	Size of border,	Scale.	Date of last edition.
460 461 462 463 464 469 471 477 490 510 510 511 512 520 526 528	IIARBOR CHARTS—Continued. No. 4. Hillsborough River. No. 5. Mosquito Lagoon, northern part. No. 6. Mosquito Lagoon, northern part. No. 7. Head of Indian River to Titusville. No. 8. Indian River, from Titusville, southward. Key West Harbor. Tortugas Harbor and Approaches Entrance to Tampa Bay Entrance to Tampa Bay Entrance to Pensacola Bay Mississippi River, from Fort Jackson to New Orleans (in 7 sheets), 1, 2, 3, 4, 5, 6, 7 Mississippi River, from New Orleans to Point Houmas, below Donaldsonville (in 6 sheets), 8, 9, 10, 11, 12, 13 Entrance to Barataria Bay Lower Barataria Bay Lower Barataria Bay and Entrance Galveston Entrance. Aransas Pass Rio Grande Entrance	214 by 32 214 by 32 214 by 32 214 by 32 24 by 34 25 by 28 26 by 37 25½ by 31 23 by 33 17 by 19 18 by 19 14 by 17 144 by 17	1-20,000 1-20,000 1-20,000 1-25,000 1-25,000 1-50,000 1-80,000 1-40,000 1-30,000 1-20,000 1-20,000 1-20,000 1-40,000 1-40,000 1-40,000 1-15,000 1-20,000	1876 1877 1877 1877 1877 1879 1874 1877 1878 1878 1878 1878 1878 1878

PACIFIC COAST.

	SAILING-CHARTS.			
600	Lower California (in two sheets), viz: 1. From Cape San Lucas to Cerros Island 2. From Cerros Island to San Diego California, Oregon, and Washington Territory reconnais-	23 by 25 22 by 25	1-1, 200, 000 1-1, 200, 000	1874 1874
601 602 603	sance, in three sheets, viz: 1. From San Diego to San Francisco 2. From San Francisco to Umpquah River 3. From Umpquah River to northwest boundary Northwest coast of America, in three sheets, viz:	22½ by 25	1-1, 200, 000 1-1, 200, 000 1-1, 200, 000	1875 1875 1875
701 702	Not checked From Dixon entrance to Cape Saint Elias From Icy Bay to Seven Islands	25 by 23 25 by 23	1-1, 200, 000 1-1, 200, 000	1870 1870
	GENERAL CHARTS OF THE COAST.			
675	From Point Pinos to Bodega Head.	28 by 39	1-200, 000	1874
	HARBOR CHARTS.			
606 613 668 669 614 621 622 625 626 629 630 665 632 633 635 634 664 639 641 A	San Diego Bay Catalina Harbor and Isthmus Cove Santa Monica San Luis Obispo Bay and approach Xozt rey Bay Sun Francisco Bay entrance San Francisco Bay entrance Mare Island Strait Saisun Bay Drake's Bay Tomales Bay Bodega Bay Mendocino Bay Humboldt Bay Trinidad Harbor St. George's Reef and Crescent City Cape Orford and Reef Yaquina River cutrance Approaches to the Columbia River Columbia River, sheet No. 3 Gray's Harbor	$\begin{array}{c} 17^{\circ} \text{ by } 18\frac{1}{2}\\ 16\frac{1}{6} \text{ by } 25\frac{1}{4}\\ 20\frac{1}{2} \text{ by } 31\\ 24^{\circ} \text{ by } 36\\ 27^{\circ} \text{ by } 36\\ 20\frac{1}{2} \text{ by } 40\\ 20^{\circ} \text{ by } 35\\ 19\frac{1}{2} \text{ by } 20\\ 15\frac{1}{2} \text{ by } 20\\ 15\frac{1}{2} \text{ by } 21\\ 19^{\circ} \text{ by } 25\\ 21^{\circ} \text{ by } 25\\ 21^{\circ} \text{ by } 25\\ 21^{\circ} \text{ by } 26\\ 21^{\circ} \text{ by } 25\\ 21^{\circ} \text{ by } 25\\ 21^{\circ} \text{ by } 25\\ 16\frac{1}{2} \text{ by } 17\\ 16\frac{1}{2} \text{ by } 20\frac{1}{2} \text{ by } 20\frac{1}$	1-40,000 1-15,000 1-20,000 1-20,000 1-60,000 1-50,000 1-10,600 1-10,600 1-10,000 1-30,000 1-30,000 1-30,000 1-30,000 1-30,000 1-30,000 1-40,000 1-40,000 1-40,000 1-40,000 1-40,000 1-40,000 1-40,000 1-40,000 1-40,000 1-40,000	1872 1875 1876 1879 1878 1875 1862 1866 1866 1861 1862 1874 1874 1874 1874 1874 1878 1878
651 611 662 690	Seaftle Harbor, Puget Sound Budd's Inlet Puget Sound Commencement Bay, Puget Sound	18 by 21 203 by 36 17 by 27	1-20, 000 1-20, 000 1-200, 000 1-20, 000	1877 1876 1870 1877
640	Commencement Day, Fuget Sound			

UNITED STATES COAST AND GEODETIC SURVEY.

Coast Pilot of the Eastern Coast of the United States.

1879. United States | Coast and Geodetic Survey | Carlile P Patterson | Superintendent | — | Atlantic Coast Pilot | Eastport to Boston | (Seal of the Coast Survey) | Washington | Government Printing Office | 1879

1878. United States Coast Survey | Carlile P Patterson | Superintendent | — | Atlantic Coast Pilot | Boston Bay to New York | (Seal of the Coast Survey) | Washington | Government Printing Office | 1878

Coast Pilot of Alaska.

1879. United States | Coast and Geodetic Survey | Carlile P Patterson | Superintendent | — | Pacific Coast Pilot | Coasts and Islands | of | Alaska | (Seal of the U. S. Coast and Geodetic Survey) | Second Series | Washington | Government Printing Office | 1879 | 4to, pp. 376 and 19 plates

— Heliotype drawings of apparatus for deep-sea research used by the United States Coast Survey steamer Blake, Commander Sigsbee.

Plate 1. The United States Coast Survey steamer G. S. Blake, 350 tons, fitted for deep sea soundings and dredgings.

Plate 2. Fig. 1. Miller-Casella thermometer case fitted with Sigsbee's spring clamp. Fig. 2. Sounding rod.

Plate 3. Fig. t. Miller-Casella thermometer-case fitted with Sigsbee's spring clamp. Fig. 2. Sounding rod.

Plate - 4. Showing some of the causes, probable and real, of the occasional failure of sinkers to detach.

Plate 5. Fig. 1. Cans for observing currents. Figs. 2. Sounding lead fitted with the Stellwagen specimen cup.

Plate 6. Showing the general form and working of Sir Win. Thomson's sounding-machine as used on board the Blake, &c.

Plate 7. Experimental form of the Sigsbee machine for sounding with wire. Used for three years an board the Blake.

Plate 8. The latest form of the Sigsbee machine, as now used on board the Blake.

Plate 9. The Sigsbee sounding-machine rigged for paying out.

Plate 10. The Sigsbee sounding-machine rigged for paying out.

Plate 11. The Sigsbee sounding-machine rigged for reeling in, with the strain-pulley brought into use.

Plate 12. The Sigsbee sounding-machine folded for transportation.

Plate 13. The Sigsbee sounding-machine in position, run out for work.

Plate 14. The Sigsbee sounding-machine in position, run in with the tubes lowered and the accommodation grating trieed up.

Plate 15. The Sigsbee sounding-machine in position, rnn out for work.

Plate 16. New steel reel for sounding with wire, devised by Lieut. Commander C. D. Sigsbee, U. S. N., Assist. Coast Survey.

Plate 17. New steel reel for sounding with wire.

Plate 18. Plan of patent trunk reeling engine for the Sigsbee sounding-machine.

Plate 19. Water specimen cup for getting a single specimen at each haul, independent poppet valves.

Plate 20. The Sigsbee water specimen cup.

Plate 21. Fig. 1. Case for the Negretti-Zambra deep sea thermometer.

Fig. 2. The Negretti-Zambra deep sea thermometer, bulb
down. Fig. 3. The Miller-Casella deep sea thermometer,
apart from its ease.

UNITED STATES COAST AND GEODETIC SURVEY.

Apparatus for deep-sea research, &c.—Continued.

Plate 22. Fig. 1. Case for the Negretti-Zambra deep sea thermometer.

Fig. 2. The Negretti-Zambra deep sea thermometer, bulb

up. Fig. 3. The Miller-Casella deep sea thermometer,

with the bulbs exposed.

Plate 23. Fig. 1. The Negretti-Zambra deep sea thermometer in use. Fig. 2. The Negretti-Zambra deep sea thermometer in use.

Plate 24. The Blake at the Washington navy-yard. The dredginggear ready for work.

Plate 25. Fig. 1. Style of dredge supplied for the first dredging expedition of the Blake. Figs. 2, 3, and 4 dredge, devised by Lieut. Commander C. D. Sigsbee, United States Navy, and Master H. M. Jacoby, United States Navy, and adopted for use.

Plate 26. Fig. I. Plan of the trawl as first used on board the Blake.
Pig. 2. Plan of trawl as improved by Professor Agassiz,
Lieutenant-Commander Sigsbee, and Lieutenant Ackley.

Plate 27. The improved trawl ready for use.

Plate 28. The improved trawl shown as having "tripped" after fonling with rough bottom.

Plate 29. Plans of the deck and apparatus of the Blake. Fig. 1 and 2. During the first dredging expedition. Fig. 3. During the second expedition.

Plate 30. View of the Blake's deck looking forward from the bow of the starboard quarter boat, ready for paying out the dredge.

Plate 31. View of the Blake's deck looking aft from the starboard side of the pilot-house, ready for dredging.

Plate 32. The forward side of the dredge reel and its engine, the reel having on it 2,700 fathoms of the steel rope recommended by Prof. Alexander Agassiz.

Plate 33. View of the main hoisting engine from the starboard side.

Plate 34. Figs. 1 and 2. Iron snatch-block for dredging rope. Fig. 3.
Improved accumulator for dredging.

Plate 35. The plotting of a line of soundings.

Plate 36. Improved machine for sounding with wire.

Plate 37. Continuation of Plate 36.

Plate 38. Continuation of Plates 36 and 37.

Plate 39. Sigsbee's detacher.

Plate 40. Water specimen cup.

Plate 41. Curve for correcting the reading of the register placed on the axle of the sounding reel, by Lieut. Commander C. D. Sigsbee, U. S. N., Assist. Coast Survey.

LIFE-SAVING SERVICE.

Collective exhibit.

39256. Specifications for building vessels. U.S.R.M. 2 copies.

39320. Annual Report Life-Saving Service for the fiscal year ending June 30, 1878. 2 copies.

39333. Report of the Life-Saving Ordnance. Lieut. D. A. Lyle.

39321. Revised Regulation Life-Saving Service.

39318. Report Life-Saving Service, 1876.

39319. Annual Report Life-Saving Service, 1877.

39294. Manual.

LIFE-SAVING SERVICE.

Collective exhibit—Continued.

39332. Design for houses of refuge. Coast of Florida,

39330. Specifications and drawings for a life-saving station on the coast of Texas.

39331. Specifications and drawings life-boat station at Ludington, Mich.

39329. Specifications for a surf-boat wagon. 4 copies.

39328. " surf-boat. 2 copies.

39327. " hand-cart of U. S. Life-Saving Service. 3 copies.

39323. Coast signal service. Official danger or distress signals. 1878.

39322. Mortar and beach apparatus. Drill. 5 copies.

39324. Exterior life-saving station. Photograph.

39326. Beach carriage with apparatus, loaded. 2 photographs.

39325. Interior life-saving station. Photograph.

39318, 39319, 39320. Annual Reports, 1876-'77-'78.

39321. Revised regulations.

39322. Mortar and beach apparatus drill

39323. Danger or distress signals.

39324, 39325. Views, exterior and interior, life-saving station.

39326. Beach carriage and apparatus, loaded.

39327. Specifications, hand-eart.

39328. " surf-boat.

39329. " " wagon.

39330. " and plans life-saving station.

39331. " life-boat station.

39332. Plans for houses of refuge.

——. Lyle mortar gun, for throwing a line across a vessel in distress.

----- Coston signals, used in Life-Saving Service.

—. Copies of the gold and silver medals given by the U. S. Treasury Department for saving life.

LIGHT-HOUSE BOARD.

39257. Collective exhibit of charts.

Chart of the First Light-house District, comprising the coasts of Maine and New Hampshire.

Chart of the Second Light-house District, comprising the coast of

Chart of the Third Light-house District, comprising the coasts of Rhode Island, Connecticut, New York, and part of New Jersey.

Chart of the Fourth Light-house District, extending from Squan Inlet, New Jersey, to Matomkin Inlet, Virginia.

Chart of the Fifth Light-house District, extending from Matomkin Inlet, Virginia, to New River Inlet, North Carolina.

Chart of the Sixth Light-house District, extending from New River Inlet, North Carolina, to Cape Canaveral, Florida.

Chart of the Seventh Light-house District, comprising the coasts of Florida, from (but not including) Cape Canaveral, to the Perdido River.

Chart of the Eighth Light-house District, extending from the Perdido River, Florida, to the Rio Grande, Texas.

Chart of the Eleventh Light-house District, comprising the Lakes Saint Clair, Huron, Michigan, Superior, and Saint Mary's River.

LIGHT-HOUSE BOARD.

39257. Collective exhibit of charts-Continued.

Chart of the Twelfth Light-house District, embracing the coast of California.

Chart of the Thirteenth Light-house District, embracing the coasts of Oregon and Washington.

REVENUE MARINE DIVISION.

———. Plans of revenue cutters employed in part in assisting distressed fishermen.

OFFICE OF THE SECRETARY.

Series of blanks used in licensing and registering fishing vessels, bonding salt, making report of fishing catch, etc.

3. DEPARTMENT OF WAR.

UNITED STATES ARMY SIGNAL-SERVICE.

39287. Weather symbol-map.

To be exhibited at fishing villages, showing the weather conditions on the coasts and at different points throughout the country.

39288. Instrumental farmer's and fisherman's weather-case.

By the aid of which, predictions fairly accurate, can be made by any one using the case according to the rules printed upon the face thereof. See circulars describing weather case, and rain and dry winds pamphlets and charts.

39289. Circulars describing the weather-case, and method of using the same.

39290. "Dry and wet wind" pamphlets.

39291. Sets of "dry and wet wind" charts.

39292. Water thermometer and case.

Used in taking the temperature of water, at surface and bottom, in the various rivers and harbors situated near the United States Signal-Service stations.

39293. Signal kit, complete.

Used in holding communication on land or sea, by day or night. For description of contents and mode of using same, see Myer's "Manual of Signals."

39294. "Manual of Signals," by Brig. Gen. A. J. Myer.

39295. Complete set of international signal-dags.

For holding communication between vessels, or between vessels and stations on land, using the international code of signals. See, also, circular on "Danger or distress signals."

39293. Complete set of cautionary signal-flags (for display by day).

39297. Complete set of cautionary signal-lanterns (for display by night).

Displayed, in advance of storms, at 48 regular Signal-Service stations and 50 "display" stations, along the Gulf and Atlantic coasts, and along the shores of the great lakes. For description and mode of using, see "Cantionary signal" pamphlets.

39298. "Cautionary signal" pamphlets.

39299. "Danger or distress-signals," circulars.

39300. Volume of the "Monthly Weather Review."

In this work the following items may be mentioned as of special interest to the fishing community: 1. The description of storms over the North American continent and North Atlantic Ocean. 2. Inter-

UNITED STATES ARMY SIGNAL-SERVICE.

29300. Volume of the "Monthly Weather Review"-Continued.

national weather maps showing, by months, the mean temperature, pressure, and the prevailing winds, at 7.35 a.m., Washington mean time, over the northern hemisphere, and also the approximate position of the centers of storm-areas at that hour. 3. Notes on the formation and disappearance of ice, and closing and opening of navigation on all the large rivers and lakes, and along the seaboard of the United States; and, 4. The temperature of water, surface and bottom, in the rivers and harbors of the United States.

- 39301. Volumes of the "International Bulletin," with daily charts.
- 39302. Volumes tri-daily weather maps of the United States.
- 39303. Volumes of "Synopses, facts, and indications."
- 39304. "Annual report" of the Chief Signal-Officer.

ENGINEER BUREAU.

Charts of the inland waters of the United States.

- 1. Lake Erie.
- 2. West End, Lake Erie.
- 3. Kelly's and Bass Island, Lake Erie.
- 3a, Head of Green Bay, Lake Michigan.
- 4. Straits of Mackinaw.
- 5. East Neebish Rapids, St. Mary's River.
- 6. Saginaw River.
- 7. St. Clair Flats.
- 8. Buffalo Harbor.
- 9. Tawas Harbor, Lake Huron.
- 10. Beaver Island Group, Lake Michigan.
- 11. Eagle Harbor, Lake Superior.
- 12. Agate Harbor, " "
- 13. River St. Marie, No. 1.
- 14. " " 2
- 15. Maumee Bay, Lake Erie.
- 16. Eagle River, Lake Superior.
- 17. Ontonagon Harbor, Lake Superior.
- 18. Saginaw Bay, Lake Huron.
- 19. Thunder Bay, "
- 20. Marquette Harbor, Lake Superior.
- 21. Presque Isle and Middle Island, Lake Huron.
- 22. Lake Huron.
- 23. South End, Lake Huron,
- 24. Grand Island, Lake Superior.
- 25. West End, Lake Superior.
- 26. Grand and Little Traverse Bays, Lake Michigan.
- 27. North End of Green Bay.
- 28. Copper Harbor, Lake Superior.
- 29. L'Anse and Keweenaw Bay, Lake Superior.
- 30. Portage Lake and River, Lake Superior.
- 31. Lake Superior, No. 1.
- 32. " " " 2.
- 33. North End, Lake Michigan.
- 34. Huron Islands, Lake Superior.

ENGINEER BUREAU.

88.

```
Charts of the inland waters of the United States-Continued.
  35. South End, Green Bay.
  36. Lake Superior, No. 3.
  37. St. Clair River.
  38. Isle Royale, Lake Superior.
  39.
  40. City of Chicago.
  41. Lake St. Clair.
  42. St. Lawrence River, No. 1.
  43. Sandusky Bay.
  44. St. Lawrence River, No. 2.
                " " 3.
  45.
  46.
           66
                  66
                          66
                              4.
  47. Sand Beach Harbor of Refuge, Lake Huron.
  48.
  49. St. Lawrence River, No. 5.
  50. South End, Lake Michigan.
  51. Coast Chart, No. 5, Lake Michican.
  52. Coast Chart, No. 3, Lake Michigan.
  53. St. Lawrence River, No. 6.
  54. Coast Chart, No. 2, Lake Michigan.
  55. Coast Chart, No. 1,
  56. Detroit River.
  57. Coast Chart, No. 6, Lake Michigan.
          66
                " 7,
  58.
           66
                                66
  59.
                       4,
          66
                  44
  60.
                       1, Lake Ontario.
  61. Lake Ontario.
  62. Coast Chart, No. 9, Lake Michigan.
                       8, "
               66
  63.
                       2, Lake Ontario.
  64.
         66
                66
                       3, "
  65.
                66
                      4,
         66
  66.
                66
                              66
  67.
                       5,
                66
         66
  68.
                       2, Lake Eric.
                       3, "
         66
                66
  69.
  70.
                       4.
  71.
  72. Coast Chart, No. 6, Lake Erie.
  73.
  74.
  75.
  76. Mississippi River Charts, vicinity of Cairo, No. 1.
                  66
                               66
                                             66
  77.
                               66
                                             66
                  66
                                                     3.
  78.
                    Between lat. 34° 53' and lat. 35° 13', No. 4.
  79.
                                            66
                  66
                              66
  80.
                               66
                  66
                                                             6.
  81.
                               66
                                            66
                 44
                                                             7.
  82.
                 66
                               66
                                            66
                                                             8.
  83.
                               66
                                            66
                                                             9.
                 66
  84.
                               66
                                            66
                 66
                                                            10.
  85.
                               66
                                            66
                 66
                                                            11.
  86.
                               66
                                            66
                  66
                                                            12.
  87.
                                            44
                  66
                               66
                                                            13.
```

4. DEPARTMENT OF THE NAVY.

BUREAU OF NAVIGATION—HYDROGRAPHIC OFFICE.

- —. Charts of the Atlantic and Pacific coasts of North America.
 - 21. North Atlantic Ocean. Sheet 1.
 - 16-18. Northeast coast of North America. Sheets I, II, III.
 - 238-9. East coast of North America. Sheets IV, V.
 - 9, 15. Gulf of St. Lawrence, Newfoundland, and Banks adjacent.
 Sheets I. II.
 - 240-241. North Coast of Gulf of Mexico. Sheets I, II.
 - 19, 20. Bahama Banks and Gulf of Florida. Sheets I, II.
 - 31-36. Gulf of Mexico, West Indies, and Caribbean Sca. Sheets I, II, III, IV, V, VI.
 - 40. Windward Islands and Caribbean Sea.
 - 704. Gulf Coast of Mexico. Sheet I.
 - 527. North Pacific Ocean. Sheet II.

NAUTICAL ALMANAC OFFICE.

—. American Nantical Almanacs, 1877. 4 copies.

	••		10/0.	•••
4.6	66	4.4	1879.	"
44	4.6	66	1880.	46
4.6	66	4.6	1881.	46
66	4.6	4.6	1882.	"

- American Ephemeris, 1880. 4 copies.
 - " " 1881. " 1882. "
 - 5. STATE OR PRIVATE ORGANIZATIONS.

MASSACHUSETTS HUMANE SOCIETY.

- ---. Reports of the Massachusetts Humane Society.
- —. Medals for Life-Saving Service granted by the Massachusetts Humane Society.

APPENDIX.*

SECTION C.

MEANS OF PURSUIT AND CAPTURE. (p. 53.) I. HAND IMPLEMENTS OR TOOLS.

3. Axes.

BOAT-AXES. (p. 55.)

39472. Two boat-axes, with (A. S. Crosby & Co.'s, Waterville, Me.) patent cover. Bradford & Anthony, Boston, Mass.

II. IMPLEMENTS FOR SEIZURE OF OBJECT. (p. 56.)

7. Barbed implements (those used with two motions, the first that of thrusting.)

SPEARS WITH FIXED HEADS. (p. 59.)

39457. Improved cel-spear. (Manufactured by the New London Fish-Spear Company, New London, Conn.) Bradford & Anthony, Boston, Mass.

IV. BAITED HOOKS, ANGLING-TACKLE. (p. 64.)

16. (Accessory.) Parts and accessories of angling-apparatus, and of harpoon and seine lines.

LINES (TWISTED AND PLAITED). (p. 85.)

Silk lines.

42931, Standard braid silk line. 50 yards. William Mills & Son, New York.

42928. Water-proof line. 40 yards "E." "

. 42929. Water-proof line. 30 yards "F." "

42930, Water-proof line. 25 yards "F."

TROUT AND GRAYLING FLIES.

42933. Fly-book with 14 dozen flies. William Mills & Son, New York.

42932. Fly-book.

LINE HOLDERS AND THROWERS.

39427. Machine for throwing fishing-line. Manufactured by L. A. Peck, Boston, Mass. Bradford & Anthony, Boston, Mass.

^{*}Enumerating articles received too late to be given in the body of the Catalogue.

RODS. (p. 92.)

- 42925. Salmon-rod. Extra tip. H. L. Leonard, Bangor, Me., through William Mills & Son, New York.
- 42926. Trout-rod. Extra tip and case. H. L. Leonard, Bangor, Me., through William Mills & Son, New York.
- 42927. Combination rod. Seven pieces, making eight distinct changes in caliber. H. L. Leonard, Bangor, Me., through William Mills & Son, New York.

SECTION E.

ANIMAL PRODUCTS AND THEIR APPLICA-TION. (p. 143.)

I. FOODS.

2. Foods prepared for keeping. (p. 143.)

DRIED PREPARATIONS, WITH AND WITHOUT SALT.

- 42939. Alden's evaporated fresh codfish. Sample represents ten pounds of whole fresh codfish. Charles Alden, Gloucester, Mass.
- 42946. Okhotsk codfish. Lynde & Hough, San Francisco, Cal.
- 42947. Boneless Okhotsk codfish. Lynde & Hough, San Francisco, Cal.
- 42958. Alaska codfish, Choumagin Islands, Alaska. Thomas McCollam & Co., San Francisco, Cal.
- 39407. "Lion and Unicorn Boneless Cod." Potter & Wrightington, Boston.
- 42957. Codfish tongues and sounds. Lynde & Hough, San Francisco, Cal.
- 42952. Salted salmon. Lynde & Hough, San Francisco, Cal. 42959. Salted herring. Thomas McCollam & Co.,
- 42960. Dried barracuda from San Diego, Cal. John Smith, San Francisco,
- 42965. A bag of dried fish. The common sort put up by most Chinese colonies. Includes Caulolatilus and Pimelometopou from San Diego. Quan Wing Yick, San Francisco, Cal.
- 42966. Lot of dried fish from China (put up in matting). It includes some cephalopods of different sorts, besides Cynoglossus, Amblyscion, Stromateus, Tetrodon, and some other Labroids, Carangoids, and Flounders. Quan Wing Yick, San Francisco, Cal.
- 42940. Dried soft-shell clams. Put up by Charles Alden, Gloucester, Mass.
- 42941, Soft shell clams. Dried and ground with all the juices retained. A fine clam soup may be made by the addition of water and cooking for twenty minutes. Charles Alden, Gloucester, Mass.
- 42969. Shrimp meats, after being dried, pulverized, and put through fanningmill. Bay View Chinese Colony, California.
- 42967. Shrimps. From the Chinese colonies on the bay, in three sorts plain, peeled, and strung on matting. Quan Wing Yick, San Francisco, Cal.

SMOKED PREPARATIONS. (p. 143.)

42951. Smoked salmon. Lynde & Hough, San Francisco, Cal.

42950. Smoked herring. Lynde & Hough, San Francisco, Cal.

42963. Smoked herring. San Francisco Bay, California. Leo Waltman, San Francisco, Cal.

42964. Smoked sturgeon. San Francisco Bay, Cal. Leo Waltman, San Francisco, Cal.

42953. Smoked candle fish (*Thaleichthys pacificus*). Lynde & Hough, San Francisco, Cal.

PICKLE OR BRINE-SALTED PREPARATIONS. (p. 144).

42962. Pickled herring. San Francisco Bay, California. Leo Waltman, San Francisco, Cal.

42955. Salmon tips (throats, etc.). Lynde & Hough, San Francisco, Cal.

42956. Salmon bellies. Lynde & Hough, San Francisco, Cal.

42954. Halibut fins. Lynde & Hough, San Francisco, Cal.

42907. Russian caviar. H. K. & F. B. Thurber & Co., New York.

42971. Caviar. Pacific Coast Packing Company, San Francisco, Cal.

42991. Caviar of 1880. Schacht and Fruechtnecht, Sandusky, Ohio.

PREPARATIONS IN SPICES AND VINEGAR, &c. (p. 144.)

42961. Preserved Norsk anchovies. San Francisco Bay, California. Leo Waltman, San Francisco, Cal.

42911. Shrimps. (Dunbar & Co.) H. K. & F. B. Thurber & Co., New York.

42912. Spiced shrimps. (J. W. Jones.) H. K. & F. B. Thurber & Co., New York.

42914. Cowdry, pickled lobsters in jars. H. K. & F. B. Thurber & Co., New York.

42915. Pecor. Fresh shrimps. H. K. & F. B. Thurber & Co., New York.

42916. Pickled oysters. (McMenamin, Hampton, Va.) H. K. & F. B. Thurber & Co., New York.

42905. Thurber's pickled shrimps. H. K. & F. B. Thurber & Co., New York.

PREPARATIONS IN OIL. (p. 144.)

42910, Shadines. (Home & Odell.) H. K. & F. B. Thurber & Co., New York.

42979. California sardines. (Clupea sagax.) Pacific Coast Packing Company, San Francisco, Cal.

42982. Russian sardines, mariné. (Clupea sagax.) Pacific Coast Packing Company, Sau Francisco, Cal.

COOKED PREPARATIONS IN CAYS. (p. 144.)

42955. Canned Oregon salmon. Can shape of a fish. Containing an entire fish. Oval brand. A. Booth & Co., Baltimore, Chicago, and San Francisco.

42986. Canned Oregon salmon. Square can, containing about twenty-eight pounds fish. Oval brand. A. Booth & Co.

42987. Canned Oregon salmon. One and two pounds. Oval brand. A. Booth & Co.

COOKED PREPARATIONS IN CANS.

- 42949. Salmon. Put up by Oregon Packing Company, Astoria, Oreg. Lynde & Hough, San Francisco, Cal.
- 42913. Salmon. H. K. & F. B. Thurber & Co., New York.
- 42977. Salmon ravigotte. Pacific Coast Packing Company, San Francisco, Cal.
- 42948. Cape Flattery canned halibut. Lynde & Hough, San Francisco,
- 42900. Canned clams. (J. W. Ketchum & Co.) H. K. & F. B. Thurber & Co., New York.
- 42902. Underwood's clam chowder. H. K. & F. B. Thurber & Co., New York.
- 42903. Underwood's clams. H. K. & F. B. Thurber & Co., New York.
- 42983. Cove oysters, 1-pound cans. Union Oyster Co., Baltimore, Md.
- 42984. Cove oysters, 2-pound cans. Union Oyster Co., Baltimore, Md.
- 42989. Cove oysters, 1 and 2-pound cans. A. Booth.
- 42904. Crabs (deviled). "My Maryland." H. K. & F. B. Thurber & Co.
- 42908. "My Maryland Crabs." H. K. & F. B. Thurber & Co., New York.
- 42909. Bryce crab meat. H. K. & F. B. Thurber & Co., New York.
- 42972. Bloaters (Bücklinge) (herrings). Pacific Coast Packing Company, San Francisco, Cal.
- 42973. Cabinet herring, marine. (Clupea mirabilis.) Pacific Coast Packing Company, San Francisco, Cal.
- 42975. Paragon cooked herring. Pacific Coast Packing Company, San Francisco, Cal.
- 42974. Berger Flohm häringe. Pacific Coast Packing Company, San Francisco, Cal.
- 42980. Herring. Pacific Coast Packing Company, San Francisco, Cal.
- 42976. Sturgeon ravigotte. Pacific Coast Packing Company, San Francisco,
- 42978. Filet de sole, Tartar sauce (Psettichtlys, etc.). Pacific Coast Packing Company, San Francisco, Cal.
- 42981. Anchovies (Engraulis ringens). Pacific Coast Packing Company, San Francisco, Cal.
- 42906. Green turtle. H. K. & F. B. Thurber & Co., New York.

ACCESSORIES TO FOOD-PREPARATIONS.

42968. Several kinds of salt. American Salt Company, San Francisco.

H. CLOTHING. (p. 147.)

3.* SKIN AND MEMBRANE.

SKINS OF FISHES.

16091. Skin of salmon, used for boots, capes, and bags. Youkon River Indians, Alaska. See page 132.

10347. Skin of codfish. Alaska.

INTESTINES.

4559. Intestines of sea-lion. Used as water-proof dresses. Northwest Coast. See page 132.

III. MATERIALS EMPLOYED IN THE ARTS AND MANU-FACTURES.

12. Isinglass. (p. 154.)

ISINGLASS.

42921. American isinglass. C. Norwood & Sons, Manning Bros., agents, Boston, Mass.

42990. Isinglass made from sounds of sturgeon. Schacht & Fruechtnicht, Sandusky, Ohio.

13. Gelatines. (p. 156.)

GELATINES.

42944. Fish glue, from fish and bones. Charles Alden, Gloucester, Mass.

18. Fertilizers. (p. 162.)

ARTIFICIAL GUANOS.

42942. Fish guano, from refuse of boneless fish. Charles Alden, Gloucester, Mass.

42943. Fish guano, from "gurry," or refuse of fresh fish. Charles Alden, Gloucester, Mass.

42970. Shrimp-chaff, winnowed from dried shrimps by Chinese in California, and exported to China as a fertilizer for tea-plants. The meat of the shrimp is eaten. Bay View Chinese Colony, San Francisco, Cal.

15. OILS AND FATS. (p. 157.)

FISH-OILS. (p. 160.)

Oil of other fishes.

42992. Oil from sturgeon. Schacht & Fruechtnicht, Sandusky, Ohio.

SECTION F.


RESEARCH, PROTECTION, AND CULTURE.

III. PROPAGATION. (p. 214.)

APPARATUS USED IN THE TRANSPORTATION OF FISH. (218.)

39499. Ferguson's acrating apparatus. T. B. Ferguson. U. S. Fish Commission.

This apparatus is screwed into the top of a carrying can, and a small stream of water coming in from a tank or reservoir above draws air in through the side aperture and discharges it at the bottom of the tank, when it rises to the surface in a foam. Apparatus of this kind was used in the Boston aquarium of W. E. Baker in 1874, and by the U. S. Fish Commission in 1875 in the aquaria of its Sea-coast Laboratory at Wood's Holl, Mass. It was applied to fish-carriers by T. B. Ferguson in 1877.



INDEX OF OBJECTS.

Α.	Page.		Page.
Aboriginal fish-spears	60	Amphium.a means	11
Accessories, Angling		Amphiumidæ	
harpoon		Anacanthini	
of nots and apparatus		Anarrhichadidæ	
seine		Anarrhichas lupus	
to artificial baits		" minor.	
to food preparations		Anatidæ.	
to hatching-apparatus			
		Anchors.	
Acephala		Anchovy	
Achirus lineatus		Angel-fish	
Acipenser brevirostris		Angler	
rubicundus		Anglers' suits	
" sturio		Angling, Literature of	
Acipenseridæ		tackle	
Active work in fish-culture		Anguilla vulgaris	38
Adhesive-egg apparatus	217	Anguillidæ	38
Ætobatis narinari	40	Animal products and their applications 1	42, 236
African Pompano	24	Animals, Hunting	102
Agonida	. 17	Anisotremus virginicus	27
Albicore	22	Annra.	10
Albulidæ	35	Apeltes quadracus	31
Alcedinidæ		Apodes	
Alepidosanridæ		Apparatus accessory to rigging fishing-ves-	
Alepidosaurus ferox		sels	115
Alepocephalidæ		Adhesive-egg	217
Alepocephalus bairdii		Collecting	163
		Cooking	
Alewife			163
Alga		for physical research	
Alligator		Smoke-drying	140
leather		Sun-drying	
mississipiensis		used in feeding fry	
oil		used in transportation of fish. 2	
Suapper	. 9	Appendix	235
Teeth of, used, &c	149	Appliances for measurement	
Alopecidæ	. 42	for working up results	
Alopias vulpes	42	furnished by the several depart-	
Alosa sapidissima	36	meuts of the government for	
Alutera schoepfii		the aid and encouragement of	
Amber-fish		the fisheries	223
Ambergris of sperm-whale		of pursuit	104
Ambloplites rupestris		Applications, Animal products and their	
American Commercial Sponges		Aquatic animals	
Dipper		Fish-cars, and other floating	
		cages for	
Eagle		Archosargus probatocephalus	
Miller's Thumb		Ardea egretta	
Otter		" herodias.	
Sole			
Amia calva.		Ardeide	
Amiidae		Argentina syrtensium	
Amiurus catus		Argentine, Western	
" ponderosus		Argyreiosus vomer	
Ammodytes americanus		Argyrosomus artedi	34
Ammodytide		Aromochelys odoratus	
Amphistichus argenteus		Arrows	64
" similis	20	Harpoon	64
10		9.11	

rage.	Page.
Artificial baits	Batrachians 10
flies	Batrachidæ 16
for bass 71	Batrachus tau
on hooks 71	Beam-trawl 93
Raw materials for making 103	Bearded Flying-fish 32
for salmon	Beaver
for trout	
	Beds, &c
guanos	Nets for
Arts and manufactures, Materials employed	Belaying-pins
in 148	Belone hians
Aspidonectes ferox	" latimanus 32
" spinifer 9	" longirostris 31
Aspidophoroides monopterygins	Belonidæ 31
Association, Massachusetts Humane 233	
Associations, private	Beryeidæ 23
State 233	Bidarkas or Kyaks 102
Astroscopus anoplus	Bidarras or Umiaks
Atherinidae	Big-eyed Sead
Aulostoma maculatum	Birch-bark canoes 104
Aulostomidæ31	Birds
Awls, Probing	
Axes	
_	Rudder-fish 23
Boat 235	Skimmer
proper 55	Black-banded Sun-fish 28
Whalemen's head 55	Black Bass, Large-mouth 28
	Small-mouthed 28
В.	tackle6
Baird seines. 97	Black-eared Rock-fish
Bairdiella punctata 26	Black-fish 3,1
-	·
Bait-boxes and cans	
cutters	Black-headed Rock-fish
ladles	Blankets, &c
mills103, 141	Blepharis crinitus 2s
seines	Blocks
Baited hooks 64, 235	Blubber-forks 58
Baits	pikes 58
Artificial	Blue Heron
Methods of preparing (accessories) 102	
Tatural	Blue-checked Red-mouth. 27
Preparation of	Blue-fish 20, 30
Bags, Clothes	tackle 63
Game	Boat-axes
Balæna mysticetus	Boat-bucket 123
Balænidæ 3	hooks
Bald Eagle	seine
Baleen	
	*
	Whale (used in whale fisheries) 100
Balistide	builders' materials
Balloon-fish	Boats
Banded Rock-fish	Cat-rigged fishing 115
Rudder-fish24	Ducking
Wolf-fish	fishing, Italian 115
Banner Pompano	of Great Lakes 115
Barbed implements	Portable 105
spears	Sea
Bark lines	"Bobs"
Barrel-lifters	Bolt, Pump. 125
Bass flies	Bone and ivory
Grass	Cuttle-fish
Red 26	of mammals 149
Rock 28	of sword-fish
Sea	Bones of fishes
Spotted	Bonito.
Striped	Long-finned 22
	Oceanic. 22
traps 102	
White 29	Books, Log

	Page.		Page.
Boots	131	Cat-gut leaders	88
Moceasins, leggings	131	snoods	88
Bowhead Whale	3	Catostomidæ	37
Bow-mouthed Gar-fish	32	Catostomus teres	37
Bows	64	Cat-rigged fishing-boats	114
Box hook	126	Caulolatilus microps	
Pump, and haft for seine-boat	125		25
Boxes, Buit		Centrarchida	27
Ice	103	Centridermichthys uncinatus	18
	139	Centropristris atrarius	29
Bream	26	Cero	23
Charleston	27	Spotted	22
Brevoortia patronus	36	Ceryle aleyon	4
" tyrannus	36	Cete	2
Broad-fingered Sea Robin	17	Chætodon capistratus	
Brook Pickerel	32		21
		Chat do B	21
Brosmius brosme	15	Charleston Bream	27
Brown Pelican	ā	Charts used by fishermen	135
Bubalichthys urus	37	Chauliodontidæ	33
Bucephala albeola	5	Chauliodus sloanei	33
Bucket, Boat	125	Chelonia mydas	9
Bull-frog	10	" virgata	9
Bull-tows.	66	Cheloniidæ	9
Bung-bucket or "Water-thief"	125		
		Chelopus guttatus	8
Burbot	15	Chelydra serpentina	9
Bur-fish	11	Chelydridæ	9
Butter-ball	5	Chemical products and agents derived from	
Butter-fish	25	plants	162
Butterfly Flying-fish	32	Chemical products and agents employed in	
		the arts and medicine	162
С.		Chests, Medicine	133
California "Spotted Sole"	14		
		Chief Mountain Lake White-fish	34
Callirhinus ursinus	2, 51	Chilomycterus geometricus	11
Camp outfit	127	Chimaera, Brown	40
Cameo shell	153	plumbea	40
Can hooks	58	Chimæridæ	40
Canada Pike-pereh	29	Chirostoma notatum	31
Candles, Spermaceti	160	Chirus guttatus	19
Candlestick	124	" pictus	19
Canning meats	140	" constellatus	19
Preservation by	140		24
		Chloroscombrus chrysurus	
Canoes	105	Chocks	116
Birch-bark	104	Cherojnlis radiatus	20
Dug-out	105	Chogset	19
Oyster	113	Chondrostei	39
sea, Wooden	104	Choppers	141
Wooden	104	Chopping-knives	55
Cans, Cooked preparations in	145	Chrysemys oregonensis	9
Bait	103	" picta	8
for fish, &c.	140	'' reticulata	9
		TCTCUMACO 1.5 IIIIII	4
for packing fish	141	Cinclidæ	
Canvas-back Duck	5	Cinclus mexicanus	-1
Caps and hats	131	Cinosternidæ	9
Carangida	23	Cinosternum pennsylvanicum	9
Carangus ehrysos	23	Clam-rakes	58
" hippos	23	Clarifying vats, Models	142
" pisquetus	23	Claw, Devil's	125
Carcharias littoralis	41	Cleats	120
Carp, American	37	Clews and hanks	115
Buffalo	37	Clothes-bags	131
Carpiodes cyprinus	37	Clothing	
Carrageen or Irish Moss, Gelatine prepared		for the hands	131
from	156	Oil-skin	130
Cast-nets	100	Clubs	52
Casts	210	Unarmed	52
Catfish, Channel	38	Clupea harengus	36

	Page.		Page.
Clupeidæ	36	Cynoscion carolinensis	25
Coast laboratories	163	" regalis	25
Cobia	30	Cyprinidæ	37
Cod, Isinglass from sounds of	154	Cyprinodontidæ	33
Codfish	14	Cypselurus furcatus	
Codling, Spotted	15	D-	
Cod-liver oil			7.0
Cod-seines		Dab, Sand	
Collecting apparatus		Dactylopterus volitans	
Collections of United States Fish Commis-		Dallia pectoralis	
sion		Damalichthys vacca	
Color sketches		Darts	
		Decapterus macarellus	
Colymbidæ		Deck-scrapers	
Colymbus torquatus		Deck-scrubs	
Commissary supplies		Decoys	
Common Flounder		Sight	. 103
Seal		and Disguises	. 102
Conch, Shell of		Deep-sea gear	. 65
Concretions		Delphinapterinæ	. 2
Conger oceanica		Delphinapterus catodon	. 2
Congridæ		Delphinidæ	. 2
Cooked preparations in cans		Devil's Claw	
Cooking apparatus		Devices for the transportation of fish-eggs	. 217
Coquette		Diamond-back Terrapin	
Coracles or skin-boats		Dingeys	
Coregonidæ		Diodontidæ	
Coregonus clupeiformis	. 33	Diplectrum fasciculare	
" labradoricus	. 34	Dip-nets	
Cormorant	6	Dipper, American	
Corvidæ	. 4	Disgorgers	
Corvus ossifragus	. 4	Disguises and Decoys	
Coryphena punctulata	. 24	Dog, Sea.	
sueuri	. 24	Dog-fish, Smooth	
Coryphænidæ	. 24	Spined	
Cottidæ	. 17	Dolphin	
Cotton lines	. 87	Small-spotted	
Cottus æneus	. 18	Dories, sharpies, and dingeys	
" grænlandicus	. 18	Dory-scoop	
" octodecimspinosus	. 17	Dorysoma cepedianum	
Cow-fish	.2, 3, 12		
Crab-eater	. 30	Dorosomidæ	
Cramp-fish		Drag, Whale-line	
Crested Puffin		Drags	
Crevallé, Horse		Drailing tackle	
Yellow		Drails	
Croaker		Dredge, Rake	
Crocodilia		Dredges	
Crocodilidæ		Hand	
Crow, Fish		Dried preparations, with and without salt.	
Sea		Drift-nets	
Cryptacanthidæ		Drum	
Cryptacanthodes maculatus		Fresh-water	
		Drying, Flake	
Culture and Protection		Preservation by	
Cunner	. 15	Dry-salted preparations	
Cusk		Duck, Canvas-back	
Cutters, Bait		Fishing	
Cutting-spades		Red-head	
Cuttle-fish bone		Ruddy	
Cybium caballa		Ducking-boats	
" maculatum		Dug-out canoes	
regale		Dwellings, Fishermen's	
Cycleptus elongatus		E.	
Cycloganoidei			
Cyclopteridæ		Eagle, American	
Cyclopterus lumpus	. 17	Bald	

	Page.	F	Page.
Ear-shells (Haliotidæ)	152	Factory, Oyster-canning	140
Echeneididæ	30	Falconida	4
Echiostoma barbatum	33	Fats and oils	157
Eel, Common.	18	Fere	1
Conger		Parts of splechno-skeleton of, used as	,
Lamprey,			140
Madeira		charms	149
Mud .		Fertilizers16	
		Manufacture of	142
Pug-nosed		Fiber zibethieus	3
Rock		Fiddle-fish	-41
Sand	16	File-tish	12
Snipe	38	Fish, Apparatus used in the transportation	
Eel-pots, without leaders	102	of	218
Eel-pout		Cans for	140
Eel-spears		Cans for packing	141
Eels, Skins of		Crow.	4
Eggs of American fishes			
		Extract of	147
Egret		in alcohol	220
Elacate canadus		Prepared food for adult	218
Elacatidæ	30	Fish-cars and other floating cages for	
Elasmobranchiates	40	aquatic animals	139
Elopidæ	. 35	Fish-culture, Active work in	218
Elops saurus		Fish-culturist, Enemies of the	218
Embiotoca Jacksoni		Fish-eggs, Devices for the transportation	
" Webbi		of	217
		in alcohol	219
Embiotocida			
Emydidae		in process of hatching	219
Encircling-nets		Fish-fry in alcohol	219
Enemies of the fish-enturist	218	Fish-gnano works, Model of	142
Engraulidæ	36	Fish-hawk	4
Engraulis vittata	36	Fish-jigs, Many-pointed	59
Enhydrine	1	Fish-lances	56
Enhydris lutris.	1	Fish-oils	160
Entangling-nets		Extraction	142
Ephippiide		Fish-ponds, Maps, photographs, and charts	
Epinephelus Drummond Havi		of	218
" morio		Fish-pots	101
migritus		Fish-scale jewelry	151
Equipment, Personal	129	Fish-skins, Leather prepared from	154
Eretmochelys squamata	10	Fish-slides	101
Erimyzon sucetta	37	Fish-ways, Inclined	213
Erismatura rubida	5	Moving float	213
Éskimo Harpoons	60	Spiral	213
netting-needles		Fisher	1
spears	63	or Pekan	147
Esocida		Fisheries, Encouragement of by govern-	
			223
Esox americanus	32	ment departments	
" lueius	32	Literature of.	136
" nobilior		Means of pursuit and capture	52
·· reticulatus	32	The	52
Establishments, salting	140	Fishermen, Charts used by	135
Eubalæna cullamach	3	Fishermen's dwellings, &c	134
Eumesogrammus subbifurcatus	16	log-books	135
Eumetopias stelleri		suits	129
Eumicrotremms spinosus	17	Fishes	11
Enpomotis aureus		Bones of.	149
		Large of American	219
Eventognathi		Eggs of American	103
Exocetus exiliens		Imitations of	
Explosives		Scales of	151
Extract of fish		Fishing-boats, Cat-rigged	114
Extraction of fish oils (with models)		Italian	112
Extraction of whale-oil (with models)	142	Fishing-duck	5
F.		Fishing-grounds of North America	50
Face, Nets for	132	Models and maps of	50
Factory, Lobster-canning			55

Fishing-vessels, Apparatus accessory to rig-	G.	Page
ging 115	Gadidæ	1.
Schooner-rigged 114	Gadus merrhua	
Fissipedia	Gaff-heeks	. 5
Fixtures, Rudder	Galeocerdo tigrinus	4
Flagging-irons, &c	Galeorhinidæ	
Flake-drying	Game-bags	
Flasher	Gannet	
Flat-fish	Gar-fish, Bow-mouthed.	
Flax sneeds	Silver	31, 3
Flexible materials	Gar-pike	
Flies, Artificial	Short-nosed	
fer bass	Gaspereau. Gasterosteidæ	
for trout	Gear, Deep-sea	
Bass	Grappling	
Grayling	Hand.	
Lake	Mast	
on hooks 71	Gelatine prepared from Carrageer or Irish	
Salmon	Мозя	150
Treut	Gelatine and oils, Preparation of	142
Floats	Gelatines	238
Gill-net	Geographical distribution, Maps showing	50
Keg 90	Gill-nets, Herring	90
Lobster-pet	other	97
Florida Gopher-tertoise	Shad	95
Flounder, Common	Gimp-gut	88
Four-spotted	Ginglymostema cirratum	42
Pole	Ginglymostomatidæ	42
Rough	Glires	3
Rusty	Globicephaline	3
Watery	Globicephalus intermedius	155
Fluids and paints, Preservative	Glyphidodon saxatilis	$\frac{155}{20}$
Fly-fishing tackle	Glyptocephalus cynoglossus.	13
Fly-hooks 103	Geggle-eye	23
Flying Gurnard	Golden-tail	27
Flying-fish, Bearded	Goose-fish	11
Butterfly 32	Gopher-tortoise, Florida	8
Fog-horns	Graeulidæ	G
Folding or jerk nets	Graculus dilophus	6
Food	Grallatores	4
Preparation and preservation of 139	Grampus	3
Foods	griseus	3
dried and smoked 143	Grapnels	58
in a fresh condition 143	Grappling-gear	126
prepared for keeping	Grasping-hooks	57
Foot-stops and leaders	Grappling-irons	58
Forks, Blubber	Grass Bass	28
Fish-handling	Grayling flies.	84 35
Squid	Michigan Great Black-backed Gull	6
Four-spotted Flounder 13	Great Lakes, Boats of	115
Fresh-water Drum	Grebe, Horned.	7
Friar	Green Turtle	9
Frost-fish	Greenland Sculpin	18
Fry, Apparatus used in feeding 218	Turbot	- 11
Fuligula ferina, var americana 5	Gremmets	117
" vallisneria 5	Grøuper, Black	29
Fulmarus glacialis 6	Guano, Menhaden	162
Fulmur gull 6	other preparations	162
Funnel-traps 101	Guanos, Artificial16	
Furniture 127	Preparation of	142
Furs	Guasa	29
Manimal	Gull, Fulnur	6
Fur-seal	. Great Black-backed	6
TYRES ISEL-HEIS WITH JERGETS)	TICTIME	U

	Page.	T	Page.
Gull, Kittywake	7	Herring, gill-nets	96
Mackerel			
		Gull	6
Mew		Sea	36
Ring-bill	6	seines	97
"Gull-chaser"	7	smoke-houses	140
Guns	64	Tailor	36
Whaling			
		Herring-hog	3
Gunwale-winches		Heterosomata	12
Gurnard, Flying	17	Hide lines	87
Gut, Gimp	88	Hippocampida	12:
		Hippocampus antiquorum	
H.			12
Haddock	15	Hippoglossoides platessoides	13
Norway		Hippoglossus vulgaris	13
	18	Histiophorus americanus	21
Hæmatopodida	4	llog Choker	12
Hæmatopus palliatus	4	Holacanthus ciliaris	21
Hæmulon arcnatum	27		
Hagdon		Holconotus pulchellus	21
Hair-tail	21	" rhodoterus	21
		Holders, Line	92
Hake	15	Holocentrum rufum	25
Blue	15	Holocephali	40
Isinglass from sounds of	154		
Long-finned		Hooded Sheldrake	5
		Hook, Box	126
Silver		Hooked instruments	57
Squirrel	15	Hooks	64-66
Half-beak	32	Baited	
Haliætus lencoeephalus	4		
Halibut		Boat5	
		Can	58
Haliotidæs	152	Fly	103
Haloporphyrus viola	15	Gaff	57
Hand-dredges	57	Grasping	57
Hand-gear	65	Ice	
Hand implements or tools			126
		Junk	58
Hands, Clothing for		Lance	126
Haploidonotus grunniens	26	Line	58
Haplomi	32	Lip	58
Harbor Seal	2	·	58
Hard materials		Many-pointed	
		on leaders	83
Harpe rufus		Plain	66
Harpoon, Rest for	127	Riggers'	117
Harpoon-arrows	64	Single-pointed	57
Harpoon-floats of bladder, inflated skin, and		Sponge	58
wood			58
		Whalemen's	
Harpoon-spears		Hoop-net, baited	99
Harpoons, Eskimo		Hoop-nets	98
Harrow-tangles	. 63	Horn Pout	37
Harvest-fish	. 25	Horned Grebe	7
Short	25	Horns, Fog	125
Hatching-apparatus, accessories to		Horse crevallé	23
Hatching-boxes, floating		Horse-fish	12
Hatching-houses		Horse-mackerel .,	22
floating, Models	. 217	Houses, Hatching	214
Hatching-troughs and boxes, stationary	. 215	Hunting-animals	102
Hats and caps		Hunting-mammals	102
Hawk, Fish			113
		Hunting-skiffs	
Head-spades		Hurled spears	G3
Hell-bender		Hydrargyra majalis	33
Helmet, Shell of	. 153	Hyodon tergisus	35
Hemdurgan		Hyodoutidæ	35
Hemibranchii			43
		Hyperoartia	
Hemitripteridæ		Hyperprosopon argenteus	21
Hemitripterus americanus		Hypsurus caryi	20
Heron, Blue		I.	
White	. 5		
Herring	. 36	lbis, Wood	5
Big-eyed		Ice-boxes	139
ng cjou			

P	age.	P	age.
Tee-chisels	55	Knives, Flitching	54
Tee-choppers	55	Heading	53
Iee-hooks	126	Mackerel rimmers' fatting	54
Ice-mallets	126	Mackerel-rimmers' plonghs	54
Ice-trade (accessory)	139	Net-makers'	54
Ichthælurus furcatus	38	Oyster	54
Imitations of fishes	103	Scaling	53
Implements, Barbed	59	Sheath	53
for seizure of objects56		Slivering	53
Shells used for	153	Splitting	54
used in obtaining and impreg-	100	Splitting and ripping.	52
nating ova	214	Stone	54
Inclined fish-ways without steps			
	213	Straight	52
Insects, Protection from	132	Throating.	53
Instruments, Hooked	57	Whalemen's boat	53
Nautical	133	Kyaks or bidarkas	104
Prodding	56	L.	
Scooping	56	Ai.	
and appliances of rendering		Laboratories, Coast	163
whale-oil	56	Labracidæ	29
Intestines of seals	142	Labrida	19
Invertebrates	43	Labyrinth-traps	101
Invertebrates, Other materials from	154	Lachnolæmus falcatus	20
Investigation, Methods of	163	Ladles, Bait57	
Irish Moss or Carrageer, Gelatine prepared		Lady-fish	35
from	156	Spanish	20
Irons, Flagging.	125	Lagenorhynchus leucopleurus.	2
Grappling	58	Lagodon rhomboides	27
Lily	60		
Isinglass	154	Lake Flies	83
from sound of hake		Salamander	10
		Whiting	34
from Squeteague	155	Lamna cornubica	41
Isinglass and Glue Co. of Gloncester	155	Lamnidæ	41
Isogomphodon maculipennis	42	Lance-hooks	126
Isospondyli	33	Lances	63
Italian fishing-boats	112	Fish	56
Ivory of mammals	148	Fishing	55
of narwhal	148	Seal	56
of reptiles	149	Whale	55
and bone	148	Lancet-mouth	35
J.		Lanterns and other apparatus for fire hunt-	
Jæger, Long-tailed	7	ing and fishing	104
Parasitie	7	and torches for weequashing or	
Jew Fish	29	fire-fishing for eels, herring, &c.	104
Jewelry, Fish-scale	151	Large-mouth Black bass	28
Jigs	69	Laridæ	6
Squid	50	Larus argentatus	6
and Squids	103	" canus, var. brachyrhynchus	7
John Paw	29	" delawarensis	6
Junk-hooks	58	" marinus	6
		" philadelphia	7
Keg, Water	125	" tridactylus	7
Kelp-lines	87	Latilide.	
King-crab, Shell of.			25
King-fish, Sonthern	153	Leaders	88
Kingfisher, Belted	26	"Cat-gut"	88
	4	and foot-stops	119
Kittywake Gull	7	Leather, Alligator	154
Knives52,		Jacket	24
Boarding	52	Sturgeon	154
Bone	54	Leatherback Turtle	10
Cheek	53		154
Chopping 52	3, 55	prepared from fish-skins	154
Clam	54	prepared from reptile skins	154
Finning	53	Leggings	131
Fish	53	Leopard Seal	5

P	age.		Page.
Lepidopsetta ŭmbrosa	13	M.	
Lepidosteidæ	39	Mackerel	22
Lepidosteus osseus	39	Gull	7
platystomus	39	purse-seines	99
Leptecheneis neucrateoides	30	Sead	23
Leuciseus pulchellus	37	Spanish	22
Lifters, Barrel	126	Yellow	23
Lily-irons	60	Macrochelys lacertina	9
Limanda ferruginea	13	Macruridæ	14
Line-theats of wood, cork, and quills	89	Macrurus bairdii	
Line-holders9	2. 235	" fabricii	
hooks	58	" rupestris	14
tub, Whalemen's	92	Malacoelemmys palustris	
winder	92	Mallets, Ice	
Linen lines	86	Mammal furs	
Lines	85	oils	
Bark	87	perfumes	
Cotton	87	Mammals	
Hide	87	Bone of	
Kelp.	87	Hunting	
Lineu	86	Ivory of	
Plaited	85	Manatee	
Silk8		Mangrove Snapper.	
Stationary	66	Manufacture of Fertilizers	
Trawl	66	Manufactures and arts, Materials employed	
Twisted	85	iu	
Whalebone	87	Many-pointed fish-jigs	
Lion, Sea.	2	hooks	
Liostomus obliquus	26	Maps, photographs, and charts of fish-ponds.	
" xanthurus	26	Maps showing geographical distribution	
Liparidida	17	Marine plants	
Liparis lineata	17	Marline spikes	
" Striped	17	Marsipobranchiates	. 40
Lip-hooks	58	Mast-gear	. 118
List of eggs of American fishes	219	Materials, Boat-builders'	
Literature of fish-culture.	221	employed in the arts and manu	
of angling, fisheries, &c	136	factures	
Little Tunny	22	Flexible	
Lobotes surinamensis	30	Hard	. 148
Lobotidas	30	Mattowacca	. 36
Lobster-eauning factory	140	Mattresses, &c	. 127
Lobster-pots	101	May-fish	
Log-books, Fishermen's	135	Means of pursuit and capture	.52, 235
Log-books, records, &c	135	Measurement, Appliances for	. 163
Loggerhead Turtle	9	Meats, Canning	. 140
Long-tinned Bonito	22	Preservation of	. 139
Hake	15	Medical outfit	. 13:
Longipennes	6	Medicine-chests	. 133
Long-tailed Jæger	7	Megalops thrissoides	
Loon	7	Melanogrammus æglefinus	
Lophiida	11	Melletes papilio	
Lophius piscatorius	11	Menhaden	
Lophobranchii	12	guano	
Lopholatilus chamæleonticeps	25	Gulf	
Lophopsetta maculata	13	oil	
Lota maculosa	15	purse-scines	
		Menopoma allegheniense	
Lump-fish	17		
Lutjamus blackfordii Lutra canadensis.	27	Menopomidae	
	1 1	Menticirrus alburnus	
Lutrina.			
Lycodes paxillus		Mergus cucullatus.	
, turneri		" merganser	
' vahlii	16	" serrator	
" verrilii		Merheiidæ	
Lycodidæ	15	Merlucius bilinearis	1

1 44 5	80.		rage.
Meshing-nets	95	Nauerates ductor	23
Mesogonistius chætodon	28	Nautical instruments, &c	133
	104	Necturus lateralis	10
	139	Needles, Netting	100
	104	Eskimo	100
Metrogaster aggregatus	20	Nematognathi	37
Mew Gull	7	Nemichthyidæ	33
Microgadus proximus			
	14	Nemichthys scolopaceus.	38
" tomcodus	14	Net, hoop, baited	93
Micropogon undulatus	26	Netting	100
Micropterus pallidus	28	gill	95
" salmoides	28	needles	100
Microstomida	33	Nets	95
Miller's Thumb, American	18	Cast	100
Mills, Bait103, 1	141	Dip	98
	140	Drift	95
Mink 1, 1	147	Encircling	97
Missiles	63	Entangling	95
Centrifugal	63	Folding or jerking	99
Spring	64	for beds and face	132
to ena			
	142	gill, Other	97
	131	gill, Shad	95
	142	gill, Herring	96
	50	Hoop	98
	217	Landing	98
of clarifying-vats 1	142	Meshing	95
of try-works	142	Pocket	97
Mola rotunda	11	Purse	99, 100
Molidæ	11	Set	102
Mollusk-oils	162	Trailing.	99
	43	Trammel	97
	41	10W102	
	41	Towing	99
Moon-eye	35	towing, Surface	99
Moon-eye	35 , 30	towing, Surface	99 89
Moon-eye 23, Mormon cirrhatus	35 , 30 6	towing, Surface Net-sinkers Nomeidæ	99 89 25
Moon-eye Moon-fish 23, Mormon cirrhatus Morone umericana	35 , 30 6 30	towing, Surface Net-sinkers Nomeidæ Nomens grouovii	99 89 25 25
Moon-eye 23, Moon-fish 23, Mormon cirrhatus Morone americana Moss rakes	35 , 30 6 30 58	towing, Surface Net-sinkers Nomeidæ Nomens grouovii Northern Barracuda	99 89 25 25 31
Moon-eye 23, Moon-fish 23, Mormon cirrhatus 23, Morone americana 23, Moss rakes 24, Moving float fish-ways 25,	35 , 30 6 30 58 213	towing, Surface Net-sinkers Nomeidæ Nomens grouovii Northern Barraenda Norway Haddock	99 89 25 25 31
Moon-eye 23, Moon-fish 23, Mormon cirrhatus 23, Morone umericana 23, Moss rakes 24, Moving float fish-ways 25, Mud Eel 23,	35 , 30 6 30 58	towing, Surface Xet-sinkers Nomeide Nomens grouovii Northern Barracuda Norway Haddock Notemigonus chrysoleucus	99 89 25 25 31
Moon-eye 23, Moon-fish 23, Mormon cirrhatus 23, Morone americana 23, Moss rakes 24, Moving float fish-ways 25,	35 , 30 6 30 58 213	towing, Surface Net-sinkers Nomeidæ Nomens grouovii Northern Barraenda Norway Haddock	99 89 25 25 31
Moon-eye 23, Moon-fish 23, Mormon cirrhatus 23, Morone americana Moss rakes Moving float fish-ways 2 Mud Eel Turtle	35 , 30 6 30 58 213	towing, Surface Net-sinkers Nomeidæ Nomens grouovii Northern Barracnda Norway Haddock Notemigonus chrysoleucus Nurse Shark	99 89 25 23 31 18 37
Moon-eye 23, Mormon cirrhatus 23, Morone umericana Moss rakes Moving float fish-ways 5 Mud Eel Turtle Mud-fish Mud-fish	35 , 30 6 30 58 213 11	towing, Surface Xet-sinkers Nomeidæ Nomeidæ Northern Barracuda Norway Haddock Notemigonus chrysoleucus Xurse Shark 0.	99 89 25 23 31 18 37
Moon-eye 23, Moorn-fish 23, Mormon cirrhatus 1 Morone americana 1 Moss rakes 2 Moving float fish-ways 5 Mud Eel 5 Turtle 1 Mud-fish 1 Mugil albula 1	35 , 30 6 30 58 213 11 9	towing, Surface Xet-sinkers Nomeidæ Nomeidæ Norhern Barracuda Norway Haddock Notemigonus chrysoleucus Nurse Shark O. Oers	99 89 25 23 31 18 37
Moon-eye Moon-fish 23, Mormon cirrhatus 23, Morone americana Moss rakes Moving float fish-ways 5 Mud Eel Turtle Mud-fish Mugil albula Mugilidae	35 , 30 6 30 58 213 11 9 38 31	towing, Surface Xet-sinkers Nomeidæ Nomeidæ Northern Barracuda Norway Haddock Notemigonus chrysoleucus Xurse Shark 0.	99 89 25 25 31 18 37 42
Moon-eye Moon-fish 23, Mormon cirrhatus Morone americana Moss rakes Moving float fish-ways 5 Mud Eel Turtle Mud-fish Mugil albula Mugillide Mugilide Mullet	35 , 30 6 30 58 213 11 9 38 31 31	towing, Surface Xet-sinkers Nomeide Nomens grouovii Northern Barracuda Norway Haddock Notemigonus chrysoleucus Nurse Shark O. Oars. Oceanic Bonito	99 89 25 25 31 18 37 42
Moon-eye Moon-fish	35 , 30 6 30 58 213 11 9 38 31 31 31	towing, Surface Net-sinkers Nomeide Nomens grouovii Northern Barracnda Norway Haddock Notemigonus chrysoleucus Nurse Shark O. Oars Oceanic Bonito Ocyurus chrysurus	99 89 25 25 31 18 37 42
Moon-eye Moon-fish 23, Mormon cirrhatus Morone americana Moss rakes Moving float fish-ways 5 Mud Eel 5 Turtle Mud-fish Mugil albula Mugillidæ Mugillidæ Multiplying reels Mutænoides gunellns	35 ,30 6 30 58 213 11 9 38 31 31 31 91 16	towing, Surface Net-sinkers Nomeidae Nomeidae Northern Barracuda Norway Haddock Notemigonus chrysoleucus Nurse Shark O. Oars Oceanic Bonito Ocyurus chrysurus Odontaspididae	99 89 25 25 31 18 37 42 124 22 27 41
Moon-eye Moon-fish 23, Mormon cirrhatus Morone americana Moss rakes Moving float fish-ways 5 Mud Eel 5 Turtle Mud-fish Mugil albula Mugilidæ Mullet Multiplying reels Muraenides gunellns Muridæ	35 , 30 6 30 58 213 11 9 38 31 31 31 91 16 3	towing, Surface Net-sinkers Nomeidæ Nomeidæ Norhern Barracuda Norway Haddock Notemigonus chrysoleucus Nurse Shark O. Oars Oceanic Bonito Ocyurus chrysurus Odontaspididæ Office, Hydrographic	99 89 25 25 31 18 37 42 124 22 27 41 232
Moon-eye Moon-fish 23, Mormon cirrhatus 23, Mormon cirrhatus 36, Morone americana 37, Moss rakes 38, Moving float fish-ways 58, Mud Eel 70, Turtle 10, Mud-fish 10, Mugil albula 10, Mugil albula 10, Mugilide 10, Multiplying reels 10, Muranoides gunellus 10, Muridae 10, Muridae 10, Musk Rat 10, Mornoide 20, Musk Rat	35 , 30 6 30 58 213 11 9 38 31 31 31 91 16 3	towing, Surface Net-sinkers Nomeidæ Nomens grouovii Northern Barraenda Norway Haddock Notemigonus chrysoleucus Nurse Shark O. Oars Oceanic Bonito Ocyurus chrysurus Odontaspididæ Office, Hydrographic Nautical Almanae	99 89 25 25 31 18 37 42 124 22 27 41 232 233
Moon-eye Moon-fish 23, Mormon cirrhatus Morone americana Moss rakes Moving float fish-ways 5 Mud Eel Turtle Mud-fish Mugli albula Muglilide Mullet Multiplying reels. Muraenoides gunellns Muride Musk Rat Muskalonge	35 , 30 6 30 58 213 11 9 38 31 31 31 91 16 3 3	towing, Surface Xet-sinkers Nomeidæ Nomens grouovii Norhern Barracuda Norway Haddock Notemigonus chrysoleucus Nurse Shark O. Oars Oceanic Bonito Ocyurus chrysurus Odontaspididæ Office, Hydrographic Nautical Almanae Oil, Alligator	99 89 25 25 31 18 37 42 124 22 27 41 232 233 160
Moon-eye Moon-fish 23, Mormon cirrhatus Morone americana Moss rakes Moving float fish-ways 5 Mud Eel 5 Turtle Mud-fish Mugil albula Mugillidæ Mugillidæ Mullet Multiplying reels Murænoides gunellns Muridæ Muskalonge Musquash 1	35 , 30 6 30 58 213 11 9 38 31 31 31 91 16 3 32 147	towing, Surface Net-sinkers Nomeidae Nomeidae Nomens grouovii. Northern Barraenda Norway Haddock Notemigonus chrysoleucus Nurse Shark O. Oars	99 89 25 25 31 18 37 42 124 22 27 41 232 233 160 159
Moon-eye 23, Mormon cirrhatus Mormon cirrhatus Morone americana Moss rakes Moving float fish-ways 5 Mud Eel Turtle Mud-fish Mugil albula Mugil albula Mugilide Multiplying reels Murrenoides gunellns Muridae Musk Rat Musk Rat onge Minsquash Mussels, River 1	35 30 6 30 58 213 11 9 38 31 31 91 16 3 32 147 152	towing, Surface Net-sinkers Nomeidæ Nomeidæ Norweidæ Norlhern Barracuda Norway Haddock Notemigonus chrysolenens Nurse Shark O. Oars Oceanic Bonito Oceyurus chrysurus Odontaspididæ Office, Hydrographic Nautical Almanae Oil, Alligator Bluck-fish Cod-liver.	99 89 25 25 31 18 37 42 124 22 27 41 232 233 160
Moon-eye Moon-fish 23, Mormon cirrhatus Morone americana Moss rakes Moving float fish-ways 5 Mud Eel Turtle Mud-fish Mugil albula Mugilidae Mullet Multiplying reels Muraendes gunellus Muridae Musk Rat Musk Rat Muskalonge Mussels, River 1 Mussels, River 1	35 , 30 6 30 58 31 11 9 38 31 31 31 31 31 31 32 1147 1152 1	towing, Surface Net-sinkers Nomeidæ Nomeidæ Norhern Barracuda Norway Haddock Notemigonus chrysoleucus Nurse Shark O. Oars Oceanic Bonito Ocyurus chrysurus Odontaspididæ Office, Hydrographic Nautical Almanac Oil, Alligator Bluck-fish Cod-liver from body of whales, grampuses, and	99 89 25 25 31 18 37 42 124 22 27 41 232 233 160 159 160
Moon-eye Moon-fish 23, Mormon cirrhatus 23, Mormon cirrhatus 23, Mormon cirrhatus 23, Moss rakes 25, Moving float fish-ways 25, Mud Eel 27, Turtle 26, Mud-fish 27, Mud-fish 27, Mugil albula 27, Mugil albula 27, Mugilide 28, Mullet 28, Multiplying reels 28, Muranoides gunellus 29, Muranoides gunellus 20, Muskalonge 21, Muskalonge 31, Mussels, River 31, Mustelide 21, Mustelide 21	35 , 30 6 30 58 213 11 9 38 31 31 31 31 31 31 32 1147 1152 1	towing, Surface Net-sinkers Nomeidæ Nomens grouovii Norhern Barraenda Norway Haddock Notemigonus chrysoleucus Nurse Shark O. Oers Oceanic Bonito Ocyurus chrysurus Odontaspididæ Office, Hydrographic Nautical Almanae Oil, Alligator Elrek-fish Cod-liver from body of whales, grampuses, and porpoises	99 89 25 25 31 18 37 42 124 22 27 41 232 233 160 159 160
Moon-eye Moon-fish 23, Mormon cirrhatus Morone americana Moss rakes Moving float fish-ways 5 Mud Eel 5 Turtle Mud-fish Mugil albula Mugillide Multiplying reels Murænoides gunellns Muråde Musk Rat Musk Rat Muskels, River 1 Mussels, River 1 Mustelide	35 , 30 6 30 58 2013 11 9 9 33 31 31 31 31 31 31 41 16 3 3 3 3 2 1147 1152 1 1	towing, Surface Net-sinkers Nomeidae Nomeidae Northern Barracuda Norway Haddock Notemigonus chrysoleucus Nurse Shark O. Oars Oceanic Bonito Ocyurus chrysurus Odontaspididae Office, Hydrographic Nautical Almanae Oil, Alligator Bluck-fish Cod-liver from body of whales, grampuses, and porpoises Grampus	99 89 25 25 31 18 37 42 22 27 41 232 233 160 159 160 158 58, 159
Moon-eye 23, Mormon cirrhatus Mormon cirrhatus Mormon emericana Moss rakes Moving float fish-ways 5 Mud Eel Turtle Mud-fish Mugil albula Mugil dee Multiplide Multiplying reels Murrenoides gunellns Muridae Musk Rat Musk Rat Muskalonge Musquash 1 Mustelide Mustelide Musteline Mustelus canis	35 , 30 6 30 58 2013 11 9 9 33 31 31 31 31 31 31 31 31 31	towing, Surface Net-sinkers Nomeidæ Nomeidæ Norway Barracuda Norway Haddock Notemigonus chrysolenens Nurse Shark O. Oars Oceanic Bonito Oceyurus chrysurus Odontaspididæ Office, Hydrographic Nautical Almanae Oil, Alligator Bluck-fish Cod-liver from body of whales, grampuses, and porpoises Grampus Menhaden	99 89 25 25 31 18 37 42 22 27 41 232 233 160 159 160 158 158 159 161
Moon-eye Moon-fish 23, Mormon cirrhatus Morone americana Moss rakes Moving float fish-ways 5 Mud Eel 7 Turtle Mud-fish Mugil albula Mugilidæ Mullet Multiplying reels Muraenides gunellns Muridæ Musk Rat Muskalonge Musqush. 1 Mussels, River 1 Mustelidæ Mustelidæ Mustelidæ Mustelinæ Mustelinæ Mustelinæ Mustelinæ Mustelinæ Mustelinæ Mustelinæ Mustelidæ Mustelinæ Mustelinæ Mustelidæ Mustelinæ Mustelidæ Mustelinæ Mustelidæ Mustelidæ Mustelinæ Mustelidæ	35 , 30 6 30 58 2013 11 9 9 33 31 31 31 31 31 31 41 16 3 3 3 3 2 1147 1152 1 1	towing, Surface Net-sinkers Nomeidæ Nomeidæ Norlern Barracuda Norway Haddock Notemigonus chrysolenens Nurse Shark O. Oceanic Bonito Ocyurus chrysurus Odontaspididæ Office, Hydrographic Nautical Almanae Oil, Alligator Black-fish Cod-liver from body of whales, grampuses, and porpoises Grampus Menhaden of other fishes	99 89 25 25 31 18 37 42 22 27 41 232 233 160 159 160 158 58, 159
Moon-eye Moon-fish 23, Mormon cirrhatus Morone umericana Moss rakes Moving float fish-ways 5 Mud Eel Turtle Mud-fish Mugil albula Mugilidae Mullet Multiplying reels Muraenoides gunellns Muridae Musk Rat Musk Rat Muskalonge Muskelse, River 1 Mustelidae	35 , 30 6 30 58 2013 11 9 9 33 31 31 31 31 31 31 31 31 31	towing, Surface Net-sinkers Nomeidæ Nomens grouovii Northern Barracuda Norway Haddock Notemigonus chrysoleucus Nurse Shark O. Oers Oceanic Bonito Ocyurus chrysurus Odontaspididæ Office, Hydrographic Nautical Almanae Oil, Alligator Black-fish Cod-liver from body of whales, grampuses, and porpoises Grampus Menhaden of other fishes. of squid	99 89 25 25 31 18 37 42 22 27 41 232 233 160 159 160 158 158 159 161
Moon-eye Moon-fish 23, Mormon cirrhatus Morone americana Moss rakes Moving float fish-ways 5 Mud Eel Turtle Mud-fish Mugil albula Mugilidae Mullet Multiplying reels Muraendes gunellns Muridae Musk Rat Muskalonge Muskelidae Mustelidae Mustelidae Mustelidae Mustelidae Mustelidae Mustelidae Mustelidae Mustelidae Mustelidae Mustelinae Mustelidae Mustelinae Mustelidae	35 , 30 6 30 58 2213 11 9 38 31 31 31 31 31 31 42 40	towing, Surface Net-sinkers Nomeidæ Nomens grouovii Norhern Barraenda Norway Haddock Notemigonus chrysolencus Nurse Shark O. Oars Oceanic Bonito Ocyurus chrysurus Odontaspididæ Office, Hydrographic Nautical Almanae Oil, Alligator Bluck-fish Cod-liver from body of whales, grampuses, and porpoises Grampus Menhaden of other fishes of squid Oulachan	99 89 25 25 31 18 37 42 124 22 27 41 232 233 160 159 160 158 8, 159 161 161
Moon-eye Moon-fish 23, Mormon cirrhatus Morone umericana Moss rakes Moving float fish-ways 5 Mud Eel Turtle Mud-fish Mugil albula Mugilidae Mullet Multiplying reels Muraenoides gunellns Muridae Musk Rat Musk Rat Muskalonge Muskelse, River 1 Mustelidae	35 , 30 6 30 58 213 11 9 38 31 31 31 31 31 16 3 3 3 2 147 152 1 1 1 1 1 1 2 4 4 4 4 4 4 4 4 4 4 4 4	towing, Surface Net-sinkers Nomeidæ Nomens grouovii Northern Barracuda Norway Haddock Notemigonus chrysoleucus Nurse Shark O. Oers Oceanic Bonito Ocyurus chrysurus Odontaspididæ Office, Hydrographic Nautical Almanae Oil, Alligator Black-fish Cod-liver from body of whales, grampuses, and porpoises Grampus Menhaden of other fishes. of squid	99 89 25 25 31 18 37 42 22 27 41 232 233 160 159 160 158, 159 161 161 162
Moon-eye Moon-fish 23, Mormon cirrhatus Morone americana Moss rakes Moving float fish-ways 5 Mud Eel Turtle Mud-fish Mugil albula Mugillabula Mugillabe Mullet Multiplying reels Muraenoides gunellus Muridae Musk Rat Muskalonge Muskalonge Mususkalonge Mususkalonge Mususkalonge Mususkalonge Mustelide Mysostoma macrolepidotum	35 , 30 6 30 55 58 213 111 9 33 31 31 31 116 3 3 3 32 1147 1152 1 1 1 1 4 2 4 4 4 4 4 4 4 4 4 4 4 4 4	towing, Surface Net-sinkers Nomeidae Nomeidae Nomens grouovii. Northern Barracuda Norway Haddock Notemigonus chrysoleucus. Nurse Shark O. Oars. Oceanic Bonito. Oceyurus chrysurus Odontaspididae Office, Hydrographic Nautical Almanae Oil, Alligator Bluck-fish Cod-liver from body of whales, grampuses, and porpoises Grampus Menhaden of other fishes. of squid Oulachan Porpoise	99 89 25 25 31 31 38 37 42 22 27 41 232 233 160 159 161 161 161 162 161
Moon-eye Moon-fish 23, Mormon cirrhatus 23, Mormon cirrhatus 23, Mormon cirrhatus 23, Morone americana 24, Moss rakes 25, Mud Sel 26, Mud Eel 77, Mud-fish 26, Mugli albula 26, Mugli albula 27, Muglidae 27, Multiplying reels 27, Muranoides gunellus 27, Muranoides gunellus 27, Muskalonge 27, Muskalonge 27, Mussels, River 27, Mustelidae 28, Myliobatidae 28, Myliobatidae 28, Myliobatidae 28, Myliobatidae 28, Myliobatidae 28, Myliobatidae 27, Myliobatidae 28, Myliobatidae 27,	35 , 30 6 30 55 58 213 111 9 33 31 31 31 116 3 3 3 32 1147 1152 1 1 1 1 4 2 4 4 4 4 4 4 4 4 4 4 4 4 4	towing, Surface Net-sinkers Nomeidæ Nomens grouovii Norhern Barraenda Norway Haddock Notemigonus chrysolencus Nurse Shark O. Oars Oceanic Bonito Ocyurus chrysurus Odontaspididæ Office, Hydrographic Nautical Almanae Oil, Alligator Bluck-fish Cod-liver from body of whales, grampuses, and porpoises Grampus Menhaden of other fishes of squid Oulachan	99 89 25 25 31 18 37 42 124 22 27 41 232 233 160 159 161 161 162 161 158 159 159
Moon-eye Moon-fish 23, Mormon cirrhatus Morone americana Moss rakes Moving float fish-ways 5 Mud Eel 7 Turtle Mud-fish Mugil albula Mugilidae Multiplying reels Muraenides gunellus Muridae Musk Rat Muskalonge Musquash 1 Mussels, River 1 Mustelidae Myliobatidae Myliobatidae Myliobatidae Myliobatidae Myxostoma macrolepidotum	35 , 30 6 30 55 58 213 111 9 33 31 31 31 116 3 3 3 32 1147 1152 1 1 1 1 4 2 4 4 4 4 4 4 4 4 4 4 4 4 4	towing, Surface Net-sinkers Nomeidæ Nomeidæ Norhern Barracuda Norway Haddock Notemigonus chrysoleuens Nurse Shark O. Oars Oceanic Bonito Ocyurus chrysurus Odontaspididæ Office, Hydrographic Nautical Almanac Oil, Alligator Bluck-fish Cod-liver from body of whales, grampuses, and porpoises Grampus Grampus Menhaden of other fishes of squid Oulachan Porpoise Porpoise-jaw Preparations in	99 89 25 25 31 18 37 42 22 27 41 232 233 160 159 161 161 162 161 158 159 15, 237
Moon-eye 23, Mormon cirrhatus 23, Mormon currhatus Moss rakes Moss rakes Moving float fish-ways 5 Mud Eel Turtle Mud-fish Mugli albula Mugil albula Muglilde Multiplying reels Muraenoides gunellns Muraenoides gunellns Muraenoides gunellns Muridae Musk Rat Musk Rat Muskalonge Musquash 1 Mussels, River 1 Musteliae pennati Mustelide Musteliae canis Myliobatidae Myliobatidae Myliobatidae Myliobatis californicus "fremenvillei Myxostoma macrolepidotum N. Nacre and Pearls 1	35 ,30 6 6 30 58 2213 11 9 9 33 33 31 31 31 31 31 31 42 40 40 40 40 37	towing, Surface Net-sinkers Nomeidæ Nomens grouovii Norhern Barracnda Norway Haddock Notemigonus chrysolenens Nurse Shark O. Oers Oceanic Bonito Ocyurus chrysurus Odontaspididæ Office, Hydrographic Nautical Almanae Oil, Alligator Black-fish Cod-liver from body of whales, grampuses, and porpoises Grampus Menhaden of other fishes of squid Oulachan Porpoise Porpoise- P	99 89 25 25 31 18 37 42 22 27 41 232 233 160 159 161 161 162 161 158 159 15, 237
Moon-eye 23, Mormon cirrhatus 23, Mormon americana Moss rakes Moving float fish-ways 2 Mud Eel Turtle Mud-fish Mugil albula Mugil dee Multiplying reels Muranoides gunellns Muranoides gunellns Murk Rat Musk Rat Muskalonge Musquash Mustela pennati Mustela wusteliae Musteline Musteline Musteline californicus "remenvillei Myxostoma macrolepidotum N. Nacre and Pearls 1 Naked Stargazer 1	35 30 6 6 6 30 58 213 11 9 9 38 31 31 31 31 31 31 32 32 42 40 40 40 37 37 37 37 37 40 40 40 40 40 40 40 40 40 40	towing, Surface Net-sinkers Nomeidae Nomeidae Nomens grouovii. Northern Barracnda Norway Haddock Notemigonus chrysoleucus. Nurse Shark O. Oars Oceanic Bonito. Oceyurus chrysurus Odontaspididae Office, Hydrographic Nautical Almanae Oil, Alligator Bluck-fish Cod-liver from body of whales, grampuses, and porpoises Grampus Grampus Menhaden of other fishes. of squid Oulachan Porpoise Porpoisejaw Preparations in 1- Sea-clephant Seal	99 89 25 5 25 31 18 37 42 22 27 41 232 233 160 159 161 161 158 15 257 157 157 157
Moon-eye 23, Mormon cirrhatus 23, Mormon emericana Moss rakes Moving float fish-ways 5 Mud Eel Turtle Mud-fish Mugil albula Mugil albula Mugilide Multiplying reels Muranoides gunellns Murridae Musk Rat Musk Rat Muskalonge Musquash 1 Mustela pennati Mustelide Musteline Musteline Myliobaticalide Myliobaticalifornicus "fremenvillei Myxostoma macrolepidotum Nacre and Pearls 1 Naked Stargazer 1 Narwhal, Ivory of 1	35 ,30 6 6 30 58 2213 11 9 9 33 33 31 31 31 31 31 31 42 40 40 40 40 37	towing, Surface Net-sinkers Nomeidæ Nomens grouovii Norhern Barracnda Norway Haddock Notemigonus chrysolenens Nurse Shark O. Oers Oceanic Bonito Ocyurus chrysurus Odontaspididæ Office, Hydrographic Nautical Almanae Oil, Alligator Black-fish Cod-liver from body of whales, grampuses, and porpoises Grampus Menhaden of other fishes of squid Oulachan Porpoise Porpoise- P	99 89 25 25 31 18 37 42 22 27 41 232 233 160 159 161 162 161 158 159 15, 237 - 157

Pag	ge.	I	Page.
Whale	158	Paints and finids, Preservative	127
Oil-paintings	142	Palinurichthys perciformis	25
Oil-skin clothing	130	Palometta	21
	157	Pandion paliætus	-1
	142	Parasitic Jæger	7
	160		
	161	Parephippus quadratus	30
		Parrot-fish	19
	157	Parts of splechno-skeleton of fera, used as	
	162	charms	149
•	160	Passeres	4
Oldwife	12	Patent Office	000
Oligoplites occidentalis	24	Pearl	151
Onion-lish	14	oysters	152
Ophidia	10	Pearls and nacre	151
Orange File-fish	12	Pediculati	11
Orcynns alalonga	99	Pekan or Fisher	147
" alliteratus	99	Pelican, Brown	5
" pelamys	22	White	6
" thynnus	20	Pelicanidæ	5
111, 1111 (10)	33	Pelicanus fuscus	
Osmerus mordax			5
Osprey	4	trachyrhynchus	6
Ostraciidæ	12	Pen-traps	101
Ostracium quadricorne	12	Peprilus alepidotus	25
Ostrea lurida	49	Perca fluviatilis	28
·· virginica	43	Percesoces	31
Otariidæ	2	Perch	20
Other materials from invertebrates	154	Red	18
Otter	147	Striped	20
American	1	White	30
Sea		Yellow	28
	102	Percidæ	28
	161	Perfumes	162
		Mammal	
1440	59		162
The state of the s	59	Personal equipments	129
Ousel, Water	4	Petromyzon americanus	43
· · · · · · · · · · · · · · · · · · ·	127	Petromyzontidæ	43
Medical	133	Phanerodon fuscatus	20
Oyster-canning factory	140	Phoca richardsii	2
Oyster-canoes	113	" vitulina	2
Oyster-catcher	4	Phoeæna braehyeion	3
Oyster-fish	16	Phocidæ	2
Oyster-shovels	56	Phoeina	2
Oyster-tongs	62	Photographs16	3. 210
Oysters, East American	43	Phycis chesteri	15
	45	" ehuss	15
Embryology	45	" regins	15
Enemies and parasites		10,000	
Extra limital	49	the tenuis	15
Growth	44	Physical research, Apparatus for	163
	152	Picariae	4
Pecularities of form and growth	45	Piekerel	32
Series illustrating culture and indi-		Brook	32
vidual variations	44	Pickle or brine-salted preparations14	4, 237
Series illustrating geographical dis-		Pickling, Preservation by	140
tribution	43	Pigmy Sculpin	18
West Coast	49	Pike	32
		"Pike"	37
P.		Pike-perch, Canada	29
Pacific Green Turtle	9	Yellow	28
Hawk's-bill Turtle.	10	Pikes, Blubber	58
Right Whale	3	Pile-scrapers	57
	141	Pimclepteridæ	20
			20
Padelle-tish	39	Pimelepteris boscii	
	124	Piu, Toggle	123
Painted Tortoise	- 8	Pinkies	112
Paintings, Oil	142	Pinnipedia	q

Prion to the composition of th	158 128 129	The Thirt is	age.	1 ag	θ.
Plainted lines Products and agents derived from 162	hooks	Pins, Belaying	117		30
Plaints, Chemical products and agents derived from	Section Sect			Prionotus carolinus	17
Plants	s, Chemical products and agents derived from the rived from the ri		1	" evolans	17
Private from 102	Private antiquorum		85	Pristidæ	41
Fried from 162 Marine 49 Printic ansociations Plate Private associations Probes Snow Platicity stellatus 14 Probing avels Procelarisks Procession and culture Protection and culture Pro	rived from	Plants, Chemical products and agents de-		Pristipomatidæ	27
Marine	Marine 49 Private associations 233 8 151 Probes, Snow 56 chrbys stellatus 14 Probingsawls 56 somatichtys bippoglossoides 14 Proclaritide 6 orguathi 11 Procologuals 55 oguathi 11 Procologuals 56 oguathi 11 Procologuals 56 oguathi 11 Produling instruments 56 saming 6 Producting instruments 56 sanhing 6 Producting instruments 56 ettraps 101 Promicrops guasa 29 persocontutus 7 quadrilaterale 34 pins chronis 26 Profecidac 13 februare 13 from insects 132 protection 13 from insects 132 protection 13 from insects 132 protection 13 from insects 132 <t< td=""><td>rived from</td><td>162</td><td></td><td></td></t<>	rived from	162		
Plate Probes Snow Problem Probing awks Problem Probing awks Problem Procyon lotor Procediaride Procyon lotor Production Proposition Propositio	Shithys stellatus	Marine	49		
Platishya stellatus	chrhys stellatus	Plates	151		
Plactognatic 13	Proceilaridae Goognathi 1 1 1 1 1 1 1 1 1	Platichthys stellatus			
Pietropaetidi	procyon lotor 1 1 1 1 1 1 1 1 1	·	14		
Providing instruments Production Product analysis Product anal	Prodding instruments 30				
Plotis anhinga					
Promiserops guasa Propagation 214	sanhinga. 6 et-hetes 97 et-hetes 91 et				
Procket traps	Propagation 214, 239				
Pocket-traps	Prosopium conesii 34	9			
Pode	reps cornutus 7 analysing sticks 26 Protection and culture 163 Analysing sticks 124 Proteidæ 110 Protei				239
Protection and culture From insects Protection and culture From insects Protestand pushing sticks 124 Proteida Prote	Protection and culture			Prosopium couesii	34
Pole Flounder	Flounder	•		" quadrilaterale	34
Proteidæ	24	e e	26	Protection and culture	163
Pollock 14	chius carbonarius	Pole Flounder	13	from insects 1	132
Pollock	ck. 14 Pseudemys elegans. 8 adon folium. 39 mobiliensis. 8 adontidae. 39 " rugosa 8 acentridae. 20 Pseudopleuronectes americanus. 13 atomidae. 30 Pseudoppiacanthus altus. 30 atomidae. 30 Pseudopriacanthus altus. 30 abolious sestivalis. 36 Pseudoriacanthus altus. 13 about original sestivalis. 36 Pseudoriacanthus altus. 13 about original sestivalis. 36 Putroplacanthus altus. 13 about original sestivalis. 36 Putroplacanthus altus. 13 about original sestivalis. 36 Putflius fulliginosus. 16 Putflius fulliginosus. 6 Putf	Poles and pushing sticks	124	Proteidæ	10
Polyodon folium	Seed of folium	Pollachius carbonarius	14	Psettichthys melanostictus	14
Polyodon folium	mobiliensis S mobiliensis S mobiliensis S mobinatide S mobiliensis S mobinatide S mobiliensis S mobiliensis S mobination S mobiliensis S mobination S mobiliensis S mobination	Pollock	14		
Polysodontide	Secontibus arenatus 21 Sendopleuronectes americanus 13 Secontridæ 20 Sendopleuronectes americanus 13 Secontridæ 20 Sendopleuronectes americanus 13 Secontridæ 20 Sendopleuronectes americanus 13 Sendopleuronectes 14 Sendopl	Polyodon folium	39		
Pomacentride	Pseudopriacanthus altus 13	Polyodontidæ			
Pomacentridæ	Pseudopriacanthus altus 30				
Pomatomida	tomidae				
Pomatomus saltatrix				-	
Pomolobus æstivalis	Mediocris 36 mediocris 37 medi				
" vernalis 36 Pseudoscarus sp. " quadrispinosus Pomoxys nigromaculatus 28 Pteroplatea maclura Ptychocheilus grandis Pompauo 26 Ptychocheilus grandis Ptychocheilus grandis Ptychocheilus grandis Porgy 27 Puffin, crested Puffin, crested Puffin, crested Puffin, sfulginosus * major Porlin, crested Pump-bot and haft for seine-boat Pump-box and haft for seine-boat Pus-seines, Mackerel Pus-seines, Mackerel Pus-seines, Mackerel Pus-seines, Mackerel Pus-seines, Mackerel Pus-seines, Mackerel <td> mediocris 36 vernalis 37 vernalis 36 vernalis 37 vernalis </td> <td></td> <td></td> <td></td> <td></td>	mediocris 36 vernalis 37 vernalis 36 vernalis 37 vernalis				
Neunotris	Pendoscarias sp. 19			" quadrocellatus	13
Pomoxys nigromaculatus 28	African 26	mediocris		Pseudoscarns sp	19
Pompauo	African 26 Banner 24 Y 27 Spanish 19 hthys notatus 16 notus triacanthus 25 oise oil 159 oise-jaw oil 159 the boats 105 Eel, without leaders 105 Fish 101 Try 142 dos or weirs 101 Try 142 of food 139 of guano 142 Methods of 139 arations, Cooked, in cans 145, 237 Dry-salted 141, 237 Food, accessories to 238 in oil 164	\ CTHans		" quadrispinosus	19
African 26 Banner 24 Publications of U. S. Fish Commission Puffin, crested Puffin Crested Puffin Crested Puffin Crested Puffin, crested Puffin Crested Puf	African 26 Banner 24		28	Pteroplatea maclura	40
Banner	Banner	Pompauo	26	Ptychocheilus grandis	37
Banner	Banner	African	26	Publications of U. S. Fish Commission	164
Porgy	Spanish	Banner	24		6
Spanish	Spanish 19 "major 6 hthys notatus 16 Pump-bot or toggle-pin 125 notus triacanthus 25 Pump-bot and haft for seine-boat 125 poise oil 159 Purse-nets 99, 100 oise-jaw oil 159 Purse-nets 99, 100 bel, without leaders 105 Menhaden 99 Fish 101 Menhaden 99 Lobster 101 Purse-seines, Mackerel 99 Pursuit, its methods and appliances 104, 235 Pushing sticks and poles 124 Pushing sticks and poles 124 Pygopodes 7 Pygosteus occidentalis 31 Eel 15 aration of baits 141 of food 139 of guano 142 Methods of 139 arations, Cooked, in cans 145, 237 Arations, Cooked, in cans 145, 237 Pickle or brine-salted 144, 237 Pickle or brine-salted	Porgy	27		
Porichthys notatus	Pump-bolt or toggle-pin 125 Pump-box and haft for seine-boat 125 Purse-seines, Mackerel 99 Pursuit, its methods and appliances 104 235 Pushing sticks and poles X 124 Putorius vison 1 Pygosteus occidentalis R Raccoon 1 Raccoon 1 Raccoon 1 Raia erinacea 41 Raia erin				
Pornoite triacanthus	Pump-box and haft for seine-boat 125 poise oil 159 purse-seines, Mackerel 99 pursuit, its methods and appliances 104, 235 purse-seines, Mackerel 99 pursuit, its methods and appliances 104, 235 purse-seines, Mackerel 99 pursuit, its methods and appliances 104, 235 pursu				
Porpoise oil	Disc		1		
Porpoise-jaw oil	Description 159 Purse-seines, Mackerel 99				
Portable boats	Del, without leaders 105 Menhaden 99				
Pots, Eel, without leaders	Eel, without leaders 102 Pursuit, its methods and appliances 104, 235 Fish 101 Pushing sticks and poles x 124 Lobster 101 Pushing sticks and poles x 124 Try 142 Putorius vison 1 ds or weirs 101 Pygopodes 7 ds or weirs 101 Pygosteus occidentalis 31 Eel 15 The control of food 31 aration of baits 141 R. The control of food 31 of guano 142 Rabbit-fish 11 Raccoon 1 Raio erinacea 41 Raio erinacea 41 41 Raio erinacea 41 41 42 42 42 42 43 43 44 43 44 <t< td=""><td></td><td></td><td></td><td></td></t<>				
Fish	Pushing sticks and poles X 124				
Lobster	Design				
Try	Try 142 Pygopodes 7 ds or weirs 101 19 31 (Eel. 15 31 aration of baits 141 R. of food. 139 Rabbit-fish 11 of guano. 142 Raccoon 1 Methods of 139 139 41 arations, Cooked, in cans 145, 237 "granulata 41 Dry-salted 143, 236 "levis. 41 Food, accessories to 238 "ocellata 41 in oil. 145, 237 Raiæ 40 pickle or brine-salted 144, 237 Raiide 41 Smoked 143, 236 Rake-dredge 99 ared food for adult fish 218 Ake-dredge 99 Rakes, Clam 58 ervation by canning and pickling 140 of food 139 Ana catesbiana 10 of fresh meats 139 Rana catesbiana 10				
Pounds or weirs	Agriculture Section				
Pout, Eel. 15 Preparation of baits 141 of food. 139 of guano. 142 of oils and gelatines 142 Methods of 139 Preparations, Cooked, in cans 145, 237 Dry-salted 143, 236 Food, accessories to 238 in oil. 145, 237 Raige 144, 237 Pickle or brine-salted 144, 237 Smoked 143, 236 Prepared food for adult fish 218 Preservation by eanning and pickling 140 by drying 139 of food 139 Ranke-dredge Rakes, Clam Moss Oulachan Ranca catesbiana	Eel.				7
Preparation of baits 141 R. of food 139 Rabbit-fish of oils and gelatines 142 Rabbit-fish Methods of 139 Raccoon Preparations, Cooked, in cans 145,237 Raia crinacea Dry-salted 143, 236 " lævis. Food, accessories to 238 " ocellata in oil 145, 237 Raiide rin spices and vinegar 144, 237 Raiide Pickle or brine-salted 144, 237 Raiidoe Smoked 143, 236 Rake-dredge Prepared food for adult fish 218 Preservation by eanning and pickling 140 by drying 139 of food 139	aration of baits			Pygosteus occidentalis	31
of food 139 of guano 142 of oils and gelatines 142 Methods of 139 Preparations, Cooked, in cans 145, 237 Prood, accessories to 238 in oil 145, 237 in spices and vinegar 144, 237 Pickle or brine-salted 144, 237 Smoked 143, 236 Prepared food for adult fish 218 Preservation by eanning and pickling 140 by drying 139 of food 139	of food. 139 Arabbit-fish 11 of guano. 142 Rabbit-fish 11 of oils and gelatines 142 Raccoon 1 Methods of 139 Raia erinacea. 41 arations, Cooked, in cans 145, 237 " granulata 41 Dry-salted 143, 236 " lævis. 41 Food, accessories to 238 " ocellata 41 ni oil. 145, 537 Raiide 41 Pickle or brine-salted 144, 237 Raiide 41 Smoked 143, 236 Rainbow fish 19 ared food for adult fish 218 Ake-dredge 99 Rakes, Clam 58 by drying 139 Oulachan 58 of food 139 Rana catesbiana 10 of fresh meats 139 Ranidæ 10		15		
of guano. 142 Rabbit-fish of oils and gelatines 142 Raccoon Methods of 139 Raia crinacca Preparations, Cooked, in cans 145,237 "granulata Dry-salted 143,236 "levis. Food, accessories to 238 "ocellata in oil. 145,537 Raise Pickle or brine-salted 144,237 Raiidle Prepared food for adult fish 218 Preservation by canning and pickling 140 by drying 139 of food 139 Rabbit-fish Raia crinacca "granulata "levis. "coellata Raise Raiidle Rainlow fish Rake-dredge Rakes, Clam Moss Oulachan Aman catesbiana	of guano. 142 Rabbit-fish 11 of oils and gelatines 142 Raccoon 1 Methods of 139 Raia erinacea 41 arations, Cooked, in cans 145, 237 "granulata 41 Dry-salted 143, 236 "leevis 41 Food, accessories to 238 "ocellata 41 in oil 145, 237 Raiæ 40 in spices and vinegar 144, 237 Raiide 41 Pickle or brine-salted 144, 237 Rainbow fish 19 Smoked 143, 236 Rake-dredge 99 ared food for adult fish 218 Moss 58 ervation by canning and pickling 140 Moss 58 of food 139 Oulachan 59 of food 139 Rana catesbiana 10 Ranidæ 10	•	141	R.	
of oils and gelatines 142 Methods of 139 Preparations, Cooked, in cans 145, 237 Dry-salted 143, 236 Food, accessories to 238 in oil 145, 237 in spices and vinegar 144, 237 Pickle or brine-salted 144, 237 Smoked 143, 236 Prepared food for adult fish 218 Preservation by canning and pickling 140 by drying 139 of food 139 Raicecoon Raia crinacea. " granulata " levis. Raide " ocellata " ocellata " ocellata Raide Raide Rainbow fish Rake-dredge Rakes, Clam Moss Oulachan Rana catesbiana	of oils and gelatines 142 Raccoon 1 Methods of 139 Raia erinacea 41 arations, Cooked, in cans 145, 237 " granulata 41 Dry-salted 143, 236 " levis 41 Food, accessories to 238 " ocellata 41 in oil 145, 237 Raiæ 40 ni spices and vinegar 144, 237 Raide 41 Pickle or brine-salted 144, 237 Rainbow fish 19 Smoked 143, 236 Rake-dredge 99 Rake-dredge 99 Rakes, Clam 58 by drying 139 Oulachan 58 of food 139 Rana catesbiana 10 of fresh meats 139 Ranidæ 10		139		
Methods of 139	Methods of 139 Raia erinacea 41 arations, Cooked, in cans 145, 237 " granulata 41 Dry-salted 143, 236 " levis 41 Food, accessories to 238 " ocellata 41 in oil 145, 237 Raiæ 40 in spices and vinegar 144, 237 Raiide 41 Pickle or brine-salted 144, 237 Raiinbow fish 19 Smoked 143, 236 Rake-dredge 99 ared food for adult fish 218 Moss 58 ervation by canning and pickling 140 Moss 58 by drying 139 Oulachan 59 of food 139 Rana catesbiana 10 of fresh meats 139 Ranidæ 10	of guano	142		11
Preparations, Cooked, in cans 145, 237 " granulata Dry-salted 143, 236 " lævis. Food, accessories to 238 " ocellata in oil. 145, 237 Raiæ in spices and vinegar 144, 237 Raiide Pickle or brine-salted 144, 237 Raiinbow fish Smoked 143, 236 Rake-dredge Prepared food for adult fish 218 Rakes, Clam Preservation by eanning and pickling 140 Moss by drying 139 Oulachan of food 139 Rana catesbiana	arations, Cooked, in cans 145, 237 "granulata 41 Dry-salted 143, 236 "lavis. 41 Food, accessories to 238 "ocellata 41 in oil. 145, 237 Raiidæ 40 in spices and vinegar 144, 237 Pickle or brine-salted 144, 237 Raiibow fish 19 Smoked 143, 236 Rake-dredge 99 ared food for adult fish 218 Rayes, Clam 58 ervation by canning and pickling 140 Moss 58 by drying 139 Oulachan 59 of food 139 Rana catesbiana 10 Ranidæ 10	of oils and gelatines	142		1
Dry-salted	Dry-salted	Methods of	139	Raia erinaeea	41
Dry-salted	Dry-salted	Preparations, Cooked, in cans	5, 237	" granulata	41
Food, accessories to 238	Food, accessories to 238 " ocellata 41 in oil			" lævis	41
in oil	in oil.				41
in spices and vinegar 144, 237 Pickle or brine-salted 144, 237 Smoked 143, 236 Prepared food for adult fish 218 Preservation by canning and pickling 140 by drying 139 of food 139 Raiidie Rainbow fish Rake-dredge Rakes, Clam Oulachan Rana catesbiana	in spices and vinegar 144, 237 Raiidie 41 Pickle or brine-salted 144, 237 Rainbow fish 19 Smoked 143, 236 Rake-dredge 99 ared food for adult fish 218 Rakes, Clam 58 ervation by eanning and pickling 140 Moss 58 by drying 139 Oulachan 59 of food 139 Rana catesbiana 10 of fresh meats 139 Ranidæ 10 Ranidæ 10				
Pickle or brine-salted	Pickle or brine-salted .144, 237 Rainbow fish 19 Smoked .143, 236 Rake-dredge .99 ared food for adult fish .218 Rakes, Clam .58 ervation by canning and pickling .140 Moss .58 by drying .139 Oulachan .59 of food .139 Rana catesbiana .10 of fresh meats .139 Ranidæ .10				
Smoked	Smoked 143, 236 Rake-dredge 99 ared food for adult fish 218 Rakes, Clam 58 ervation by eanning and pickling 140 Moss 58 by drying 139 Oulachan 59 of food 139 Rana catesbiana 10 of fresh meats 139 Ranidæ 10				
Prepared food for adult fish. 218 Preservation by canning and pickling. 140 by drying. 139 of food. 139 Pakes, Clam Moss Oulachan Rana catesbiana.	ared food for adult fish 218 Rakes, Clam 58 ervation by canning and pickling 140 Moss 58 by drying 139 Oulachan 59 of food 139 Rana catesbiana 10 of fresh meats 139 Ranidæ 10	-			
Preservation by canning and pickling 140 Moss by drying 139 of food 139 Rana catesbiana	by drying 139 Moss 58 of food 139 Qulachan 59 Rana cateshiana 10 Ranidæ 10			· · · · · · · · · · · · · · · · · · ·	
by drying 139 Oulachan of food 139 Rana catesbiana.	by drying 139 Oulachan 59 of food 139 Rana catesbiana 10 of fresh meats 139 Ranidæ 10				
of food	of food 139 Rana catesbiana 10 of fresh meats 139 Ranidæ 10				
	of fresh meats				
of fresh meats					
D (1 0 1) 2 1 1	cryative fluids and paints				
Preservative fluids and paints 127 Raptores		Preservative fluids and paints	127	Kaptores	4


	Page.		Page.
Rat, Musk	3	Salmon	34
Raw materials for making artificial flies	103	Quinnat or Sacramento	34
Ray, Butterfly	40		
Cow-nosed	40	Red	
Eagle		Sebago	
Sting		flies	
Records		tacklo	64
Red Bass		Salmouidæ	34
		Salt (accessory)	140
Perch		Salted, brine, or pickle preparations	144
Snapper		preparations, dry	143
Red-bellied Terrapin	8	Salting establishments	
Snapper	29	Salt-mills.	140
Red-head Duck		Salvelinus fontinalis	
Reels			
Multiplying		" namayensh	34
Simple		1	
*		Sand Dab	
Refrigerators		Eel	
Remora		Sarda pelamys	22
Reniceps teburo	42	Sargus holbrookii	27
Reptile-oils	160	Saw-fish	
Reptile-skins, Leather prepared from	154	Seabbard-fish	
Reptiles		Sead	
Ivory of			
		Big-eyed	
Research, physical, Apparatus for		Mackerel	
protection, and culture		Scales	
Rest for harpoon		of fishes	
Results of work	164	Scaphyrhynchops platyrhynchus	39
Rhinobatidæ	41	Scaridæ	19
Rhinobatis productus	41	Searus radians	
Rhinoptera quadriloba		Schooner-rigged fishing-vessels	
Rhombochirus osteochir		Scienide	
Rhomboganoidei		Sciænops ocellatus.	
		_	
Rhomboplites aurorubens		Scomber scombrus	
Rhynchops nigra		Scomberesocidæ	
Rigger's hooks	117	Scomberesox sentellatus	
Ring-bill Gull	6	Scombridæ	22
River mussels	152	Scoop, Dory	125
Roceus chrysops	29	Scooping-instruments	
" lineatus		Scoops	
Rock Bass		Scorpænidæ	
Eel		Scrapers, Deek.	
Rock-fish		Pile	
Banded		Scrubs, Deck	
Black-eared		Sculpin	
Black-headed	. 19	Greenland	18
Rosy	. 18	Pigmy	. 18
"Rock Trout"	19	Scup	
Rods		Scuppang	
Rollers, Trawl-line		Seymnidæ	
		Sea Bass	
Rosy Rock-fish		boats.	
Rough Flounder			
Round Pompano		Crow	
Rowlocks	. 120	Dog	
Rudder-fish, Banded	24	Lion	
Rudder-fixtures	. 119	Otter	1, 147
Ruddy Duck		Raven	. 18
Rusty Flounder		Robin, Broad-fingered	
•		Striped	
S. S.	. 21	Sea-elephant oil	
Sail-fish			
Sailor's choice		Sea-horse	
Salamander, Lake		Sea-lion, Intestines of	
Salmo Kennerlyi		Seal, Common	
" quinnat	. 34	Fur	
" salar		Harbor	
" salar subsp. Sebago		Leopard	

	Lago.		rage.
Scal-lances	56	Silver-fish	23, 26
Seal-oil	157	Silver Gar-fish	31
Seals, intestines of seals, breeding-grounds.	51	Hake	
Sebastes marinus	18	Silver-sides.	
Sebastodes paueispinis	19	Simenchelyida	
Sebastomus auriculatus	18	Simenchelys parasitiens	
" clongatus	19	Simple reels	91
" fasciatus	18	Single-pointed hooks	
" melanops	19	Sinkers.	
" rosaceus	18		
		Net.	
Seine-boat	106	Sirenia.	
Seines	97	Skate, Clear-nosed.	
Baird's collecting	97	Long-nosed	
Bait	97	Sharp-nosed	
Cod	97	Spotted	
Herring	97	Sketches, Color	43, 51
Other	98	Skiffs, Hunting	113
Purse, Mackerel	99	Skimmer, Black	. 7
Menhaden	99	Skin and membrane	238
Seizure of object, Implements for	235	Skin-boats or coracles	106
Selachostomi	39	Skins of Eels	154
Selenes argentea	23	Skipper	
Sergea nt-major	20	Slides, Fish	
Seriola Ialandii	24	Shad	
" zonata	24	Small-mouthed Black Bass	
Serranidæ	29	Small-spotted Dolphin	
Set nets	192	Smelt	
taekle	66	Smoked preparations	
	66		
traps	36	Smoke-drying apparatus	
Shad		Smoke-houses, Herring.	
Mud	36	Snake, Water	
Sea	36	Snake-bird	
Winter	36	Snapper, Alligator.	
Shad-slides	191	Red	
Shad-tackle	64	Red-bellied	
"Shad-waiter"	34	Star	
Shag	6	Snapping Tortoise	
Shark, Hammer-head	42	Snoods	88
Mackerel	41	Cat-gut	88
, Sand	41	Flax	88
Shovel-head	42	Silkworm-gut	88
Sleeper	42	Wire	88
Spotted-fin	42	Snow-probes	56
Tiger	42	Snutfing Pig.	3
Sharpies	106	Soaps made from fish-oils	161
Sheepshead	27	Soft-shell Turtle	6
Sheldrake	5	Sole, American.	12
Shell	153	Soleidæ	
Cameo	153	Somniosus microcephalus	42
of conch	153	Southern King-fish	26
of helmet	153	Тентаріп	8
of king-crab	153	Spades, Blubber-mineing	55
Tortoise	151	Cutting	
	153	Flat	55
Shells used for implements			55
Shell-work	153	Half-round	55
Shelter	127	Head	55
Shiner	37	Round-shank	55
Ships	115	Throat	55
Short Big-eye	30	Whale-eutting	55
Harvest-fish	25	Whaleman's boat	56
Shovels	56	Spanish Lady-fish	20
Oyster	56	Mackerel	22
Sight-decoys	103	Porgy	19
Silk lines8		Sparidæ	27
Silkworm-gut snoods	88	Spear-fish Sucker	30
iluridæ	37	Spears, Aboriginal fish	60

	Page.		Page.
Spears, Barbed	59	Steamers	
Detachable-head	60	Steganopodes	
Eel		Stenotomus argyrops	
Eskimo		Stercorarins buffoni	
Fixed-head			
		parasiticus	
Harpoon		pomatorhinus	
Hurled		Sterna forsteri	
Oulachan		Stichæidæ	. 16
Thrusting	55	Stickle-back, Four-spined	31
Specimens of fish in alcohol	220	Ten-spined	31
of fry in alcohol	219	Sting Ray	
Speckled Tortoise	8	California	
Spermaceti		Stink Pot	
Sperm-oil		Stizostedium canadense	
Sperm Whale, Ambergris of		· vitreum	
jaw-bone, used for harness-			
		Stomias ferox	
rings, martingales, &c		Stomiatidae	
Tusks of		Stool	
Sphargidida		Striped Bass	29
Sphargis coriacea	. 10	Liparis	. 17
Sphyrana borealis	31	Perch	20
" spet	31	Sea Robin	. 17
Sphyrænida	31	Stromateidæ	25
Sphyrna zygæna		Sturgeon, Lake	
Sphyruidae		leather	
Spices and vinegar, Preparations in		Sharp-nosed	
		Short-nosed	
Spike-fish			
Spikes, Marline		Shovel-nosed	
Spike-tail		Sucker, Black	
Spinacida		Chub	
Spinners	. 103	Common	
Spiral fish-ways	. 213	Striped	
Sponge-hooks	. 58	Sucker-fish	. 30
Sponges	. 156	Suits, Anglers'	. 130
American commercial		Fishermen's	. 129
used in surgery		Water-proof	
Spools		Sula bassana	
Spoon-baits, fluted		Sulidæ	
plain		Summer or Glut	
		Sun-drying apparatus	
Spoons, Trolling		Sun-fish	
Spot		Black-banded	
Yellow-tailed			
Spotted Bass		oil	
Cero		Supplies, Commissary	
Codling	. 15	Surface-fishing tackle	
Sole, California	. 14	Surf-tackle	
Squeteague	. 25	Surgery, Sponges used in	
Turbot	. 13	Swab-tangles	. 68
Wry-mouth		Swingle-tail	. 42
Squali		Swivels	
Squalus americanus		Sword-fish	. 21
Squatina dumerili		Bone of	. 149
Squatinidæ		Syentognathi	
		Synaphobranchidae	
Squeteague		Synaphobranchus pinnatus	
Squeteague family, Isinglass from		Syngnathidae	. 12
Squid, Oil of			
Squid-forks		Syngnathus peckianus	
Squid-jigs		Synodontida	. 00
Squids and jigs	. 103	T.	
Squirrel (fish)	. 25, 29		
Hake		Tackle, Angling	. 64, 237
Star Snapper	. 29	Black-bass	. 64
Stargazer, Naked		Bluefish	
State associations		Drailing	
Stationary lines		Fly-fishing	
AMOINTIES THEORY			

Taekle, Salmon	64	Transportation of fish-eggs, Devices for the.	217
Set	66	Methods of	104
Shad	64	Trappings	132
Surf	65	Traps	101
Surface-fishing	64	Bass	102
Trolling	64	Funnel	101
Trout	64	Labyrinth	101
Under surface	65	Pen	101
Whiting	64	Pocket	101
Tæniotoca lateralis	20	Set	66
Tangles	62 63	Trawl, Beam Trawl-line rollers	99 91
Swab	63	tub	92
Wheel	63	Trawl-lines	66
Tantalidæ	5	Trawls	99
Tantalus loculator	5	Trichechidæ	2
Tarpum	35	Trichechus manatus	2
Tautog	19	Trichiuridæ	21
Tautoga onitis	19	Trichiurus lepturus	21
Tantogolabrus adspersus	19	Triglidæ	17
Teeth of alligator used, &c	149	Triglops pingelii	18
of sperm-whale	148	Trionychidæ	9
Teleocephali	12	Triple-Tail	30
Ten-spined Stickle-back	31	Trolling-spoons	103
Terrapin, Diamond-back	8	Trolling-tackle	• 64
Red-bellied	8	Tropidonotus crythrogaster	10
Southern	8	i nombiler	10
Testudinata	8	Sipedon	10
Testudinidæ	8	ttt. Liopinot to	10
Testudo earolina	8	Trout, Brook	35
Tetrapturus albidus	21 11	flies	84 34
Tetrodon lævigatus	11	Lake Namaycush	34
Tetrodontida	11	Oqnassa	35
Thalassochelys caouana	9	Trout-tackle	64
Thermometers	163	Trumpet-fish	31
Thread-fish	24	Trygon centrura.	40
Thresher	42	Trygonidæ	40
"Throwing-sticks"	63	Try-pots	142
Thymallus tricolor	35	Try-works, Models of	142
Toad-fish	16	Tub, Trawl-line	92
Toggle-pin or pump-bolt	125	Tunny	22
Tom Cod	14	Little	22
Tongs	62	Turbot, Greenland	14
Oyster	62	Spotted	13
Torpedinida	40	Turkey, Water	. 6
Torpedo	40	Turtle, Green	9
" occidentalis	40	Loggerhead	9
Tortoise, Painted.	8	Mud	9
Snapping	9	Pacific Green	9
Speckled	8 151	Pacific, Hawk's-bill.	10
Tortoise-shell Towing-nets	99	Soft-shell. Tusks of walrus used, &c	148
Traces	88	Twisted lines.	85
Trachinocephalus myops	33	I WISHOU ELECTION	ÇŪ
Trachurops crumenophthalmus	23		
Trachurus saurus	23	U.	
Trachynotus carolinus	24		
· glancus	24	Umbridæ	33
" goreensis	24	Umiaks or bidarras	104
" ovatus	24	Under-surface tackle	65
Trade, Ice (accessory)	139	U. S. Fish Commission, Collections of	210
Trailing-nets	99	Publications of	164
Trammel-nets	97	Uranidea viscosa	18
Transportation of fish, Apparatus used in		Uranoscopidæ	17
the21	18, 239	Urodela	10

T.	Page.		Page.
V.		White Bass	
Vertebrates		Heron	
Vessels, fishing, Schooner-rigged		Peliean	
Vinegar and spices, Preparations in		Perch	30
Vomer setipinnis	. 23	Whale	2
₩.		White-fish	
Walnus De la Sant I San	2.41	Chief Mountain Lake	
Walrus, Tusks of, used &c		Herring	
Water Ousel		Whiting	
Snake		Lake	
Water-keg		Winches, Gunwale	
Water-proof suits		Winder, Line	
"Water-thief" or bung-bucket		Winter Flounder	
Water-turkey		Wire snoods	
Watery Flounder		Wolf-fish	
Weak-fish		Wood Ibis	
Weirs or pounds		Wooden canoes	104
Western Argentine		sea-canoes	104
Whale, Bowhead		Work, Results of	. 164
Pacific Right		Shell	. 153
White		Wry-mouth, Spotted	. 16
Whale-boat (used in whale fisheries)			
Whalebone in an unmanufactured state		X.	
lines		Xiphias gladius	. 21
Whale-lance, iron		Xiphidientidæ	. 16
Whale lances		Xiphiidæ	. 21
Whale-line drag			
Whale-oil		Υ.	
Extraction of		Yellow Crevallé	. 23
Instruments and appliances fo		Mackerel	. 23
rendering		Perch	. 28
Whaling-guns		Pike-perch	. 28
Whaleman's line-tub		Tail	. 26
Whalemen's Hooks		Yellow-tailed Spot	. 26
Wharves		7	
Wheelbarrows for bait-clams		Z.	
Wheel-tangles	. 63	Zalophus gilliespii	
Whiffing-tackle	. 64	Zoarces anguillaris	. 15
17 10			



ALPHABETICAL INDEX OF NAMES MENTIONED.

Page.	Page.
Abbey & Imbrie	Bode, J. S 6
1.5.5	Boeck, Axel187, 188
Abbott, Dr. C. C. 197 Ackley, Lieutenant 229	Bogart & Co
	Booth, A., & Co
Adam, J. G. 99, 101 Adams, A. Leith, M. A. 177	Borne, von dem
Adams, John Quincy	Boston Packing Company 141
Agassiz, Prof. Alex 12, 14, 15, 16, 17, 18, 19, 20, 21, .	Bouchon-Brandely, M 180
22, 23, 25, 28, 32, 36, 37, 41, 229	Bowen, S. C
	Brackett, E. A
Ainsworth, Stephen H	Brackett, Walter M 34
Alden, Charles	Bradford & Anthony55, 57, 59, 65, 66, 67, 69, 71, 85,
Allen, J. & S	86, 87, 89, 90, 91, 92, 98, 99, 103, 152, 235
Almy, D. D. 139	Bradley, C. B
Ambrose, J. S., & Co. 155	Brand, C. C
American Museum Natural History, N. Y 5	Brasher, P
American Needle and Fish-Hook Company. 66,	Brewer, James D
68, 69	Brooks, George W 155
American Net and Twine Company95, 96, 97,	Brooks, Dr. W. K
98, 99, 100, 102	Brown, John J
American Salt Company	Brown, Theo
American Sardine Company	Buck, Jonathan
Ames, J. T. 152	Bull, J. T 71
Ames, Max, & Co	Bureau of Navigation 133
Anderson, Dr. C. L. 49	Burling, Wm 104
Anderson, G. A. 189	Burnham & Morrill 147
Annin, James, jr	C.
Anthony, H. M. 146	Campbell, R. G 7
Atkins, C. G50, 171, 172, 173, 177, 181, 186, 191, 198,	Cape Ann Isinglass and Glue Company 155
203, 207, 212, 213, 215, 216, 219, 222	Carley, B. J. M
Atwater, Prof. W. O	Carter, J. F
Atwood, Capt. N. E	Central Wharf Company69, 70, 89, 125, 132
161, 162, 166, 167	Chapman, W. D., & Son
В.	Chase, Oren M
Babcock, Dr. W. H	Chase, W. H., 2d
Babson, John J	Chester, H. C
Baird, Prof. S. F4, 9, 28, 60, 61, 97, 100, 101, 104,	Church, Joseph, & Co 142
149, 164, 169, 170, 176, 184, 193, 199, 217	Clark, A. Howard
Baker, Captain	Clark, F. N215, 216
Baker, W. E	Clark, James B 119
Banta, G. A	Clark, J. H
Barfurth, Dr	Clark, N. W
Bartlett, J. H., & Sons 69, 140, 159, 160, 161	Claughton, H. O
Batty, J. H	Cleveland, Capt. Josiah 102
Baxter, Robert D	Cleveland, Capt. Wm 112
Bay View Chinese Colony	Clift, William
Beardslee, Commander L. A201, 208	Cole, C. A
Beardley's Sons, J. W	Coleman, Walter, & Sons
Behr-Schmaldow, von	Collins, A. S
Belbin, C. S	Collins, Capt. J. W
Bell, Charles F	Colyer, Vincent
Bertram, James G	Commagere, F. T
Bischoff, F 6, 7	Conroy, Bissett & Malleson. 57, 59, 70, 71, 82, 83, 84,
Bishop, John	85, 86, 87, 90, 91, 93, 94, 99, 103,
Blackford, E. G	104, 127, 128, 130, 131, 132, 133
30, 31, 38, 43, 44, 143	Conwell, David
Blake, Frank O	Cook, Coleman 69
Blatchford, Edwin	259
	600

Page.	Page.
Cook, Elisha 68, 69	Ferguson, S. W 9
Cook, E. H	Ferguson, T. B56, 105, 113, 114, 202, 214,
Cook, E. R	216, 218, 219, 239
Cook, Lemuel, 2d	Fitzhugh, D. H
Cook, W. H., & Co	Forepaugh, W. F., jr., & Co
Cornwall & Walton 113	Forest and Stream and Rod and Gun 138
Costo, Achille	Forest and Stream Publishing Company 132
Cones, Elliott	Foster, F., & Co
Court, J. W	Foster, G. B
Cragin & Sheldon 113	Foster, II. II
Crandall, C. II	Foster, J. W
Crandall, L. & Co	Freeman, Sanford
Crittenden, A. R52, 56, 59, 60, 66, 67, 69, 70, 89,	Freeman, Thomas
131, 132, 149	Freeman & Lincoln
Crooker, Timothy	French, A. A
Crosby, A. S., & Co	Friele, M206, 207
Curley, Rev. James	
**	G.
D.	Gardner, Capt. J. W. T
Dall, W. H2, 43, 45, 49, 54, 56, 60, 61, 63, 64, 68, 69,	. 1
87, 100, 101, 104, 124, 132, 148, 152, 153	Garlick, T
Dambeck, Carl	Gamgee, John208, 209
	Gaudet, C. P
Daniell, Dr. W. C172, 178	Gibbs, George
Dantziger, Senator	Gifford, John D
Davis, Edward 54	Gifford, Thomas J., & Co. 70
Dawson, J. W 43	
De Broca, Lieut. P	Gilbert, E. F
De Frece, Δ. B., & Co	Gill, Theodore N
	Gloncester Isinglass and Glue Co155, 156, 162
Dennison Manufacturing Company 155	Goodale, S. L
Delano, George, & Co	Goode, F. C
Derby, E. H	Goode, G. Brown8, 12, 28, 32, 36, 57, 69, 70, 92, 99,
Dillingham, J. R	124, 126, 154, 204
Dixon, Robert	
" Dobsis Club"	Gordon, W. Alex
Dodd, A. W., & Co	Gower, Frederick A
Dodge, R. T	Grant, M. W
Donge, R. 1	Graves, Frederick D113, 122
Dove, Mrs	Graves, J. L 93
Dresser, J. W	Green, M. A
Drexler, C	Green, G. L 101
Drummond-Hay, Col. H. M11, 12, 19, 20, 21, 22,	Green, Seth 170, 171, 172, 181, 215, 216, 217, 221, 222
25, 29, 31, 32, 40	
Dunan, Winfield S 162	Griswold, Charles D
Dunbar & Co	Grocers' Packing Company 141
	H.
Duncklee, H. L	n.
E.	Haime, Jules
Earle, T. K., & Co	Hall, Capt. C. F
Eastport Packing Company	Halifax Commission
Eaton, Prof. D. C	
	Hallet, Captain
	Hallet, Freeman
Edmonds, R. H	Hallock, Charles
Edmunds, M. C	Hamilton, Mr 4
Edwards, Vinal N	Hamlin, A. C
Elliott, Henry W51, 60, 61, 68, 69, 87, 89, 147	Harvey, G. W
Elwell, Capt. Samuel, jr 52, 54, 56, 91, 114, 116, 117,	Harvey & Ford
119, 121, 125, 132	· · · · · · · · · · · · · · · · · · ·
Eureka Packing Company 146	
	Haskins Brothers
	Hatch, Dr. Thomas E
Everson, James 106	Haven, Williams & Co
F.	Hayes, Dr. I. I
Farlow, Dr. W. G	Hayward, F. W. 9
Feddersen, A	Hedges, S. P. 59
,	
Feilner, Lieut. John	
Fencker, F	Hemphill, H
Fenner, C. A	Hesbolt, W. H
Fergusen, Albert	Hessel, Rudolph3, 4, 171, 175, 180, 197, 203, 204

Page.	Page,
Higgins & Gifford	M Tage.
Fine & Co 140	McBride, Sara J
Hitcheock, G. N	McCaleb, Vinal 56, 60
Hitz, R. B 4	McCollam, Thomas, & Co
	McCurdy, Alex52, 53, 54, 57, 70, 89, 98, 126
	McDonald, Allen L
Hoff, Dr	34 73 11 0 0
Holbrook, John Edwards	
Holton, Marcellus	McDonald, M
Home & Odell 237	McFadyn, M. M
Hooper, William E., & Sons97, 100, 102	McFarlane, R54, 56, 60, 61, 62, 68, 69, 87, 97, 98,
Hooper & Coit	104, 127, 128, 149
Horan, H 7	McGovern, H. D 219
Howard, W. A61, 63	McKennie, M 183
Howe & French	McLaughlin, W. B 101
Howland, Capt. L. W	McLeod, Rev. R. R
Hurlbert, R. H 59	McMenamin & Co146, 237
	Macy, E. B. & F
I.	Mahrenholtz, H. & A
Ingalls, J. F	Mallory, D. D., & Co
Ingersoll, Ernest 50	Manning Brothers
Ingraham, E., & Co	Mansfield, G. H., & Co
Isaacs, A., & Co	
J.	Martin, Capt. S. J. 57
Jacobson, H	Mann, John H
Jacoby, Master H. M., U. S. N	Marvin Brothers & Bartlett
James, William H 71	Maryland Packing Company 146
Jewell, Judge Harvey35, 36	Massachusetts Humane Society 234
Jewett, Colonel	Mather, Fred
John Russell Cutlery Company53, 54	207, 208, 216, 217, 218
	Mathew, G. F
Johnson & Young	Matthews, Dr. W
Jones, J. W 237	Mayo, H., & Co141, 143, 145, 146
Jordan, Prof. D. S	Megler, J. G., & Co
K. Keergaard, F. C., & Co	Merchant, George
6	Merchant, Louis
Kemp, Day & Co	Merchant, Philip
Kennedy, Andrew	Merrill, Dr. J. C.
Kennicott, R	
Ketchum, J. W., & Co	
Kidder, J. H	
Kilbourne, S. A	Middleton, Carman & Co
Kilbourne & Goode22, 24, 25, 27, 28, 29, 30, 34, 35	Milam, B. C
Kirby, Humphrey S	Miles, George W
Kirby, Capt. W. II	Mills, Wm., & Son
Kirsch, M 191	Milner, J. W 8, 32, 37, 38, 39, 115, 140, 165, 170, 171,
Koehler, W 218	174, 178, 180, 182, 184, 189, 198, 208
Kohn, G 8	Minor, Dr. T. T
Kopsch, H	Möbius, Karl 208
Kumlien, L 6, 7	Morris, William
L.	Moses, William B
Ladd, H. W	Mott, Mrs. C. E
Lanman, Charles	Myer, Brig. Gen. A. J
Latham, J. H	N.
Lawler, Joseph	Nason, C. F
Loonard, H. L	Nason, J. P
Lewis, George H	Nautical Almanae Office 233
Lewis, W. K., & Bros	Navigation Bureau 232
Lincoln, Thomas	Nelson, Chresten
Lindahl, Dr. Josua	
Lindenkohl, C	210 11 201 201 201 201 201 201 201 201 2
Ljungman, Alex Vilhelm 187	New Haven Clock Company
Loring, J. G	New London Fish-Spear Company
Low, D. W	New York, American Museum Natural His-
Lyle, Lieut. D. A	tory
Lyman, Theodore	New York Fish Commission210, 220, 221
Lyman, William121, 122	Nichols, J. A
Lynde & Hough236, 237	Nickerson, Geo. Y

rage.	r age.	
Niles, Kossuth	S.	
Nortis, Thaddeus	Salisbury, S 65	2
North American Oil Company	Sars, Prof. G. O188, 205, 206	6
Norwood, C., & Sons	Sars, Ossian	
0.	Sartorius, Dr	8
	Sawyer, E. A. 11	9
Oregon Packing Company237	Seammon, Charles M	
Osgood & Chapin		6
Ostermoor, H. D	Schayer Brothers	
P.	Schmidt, S	
Packard, jr., Dr. A. S		5,
Pacific Coast Packing Company237, 238	, ,	
Palmer, E	·	
Palmer, George H	Schumaeher, Paul	
Parker, Joel C		6
Parmalee, D. D	Scott, Genio C	
Parsons, John B	Scott, R. A., & Co	
Parsons, Joseph, jr	Scoville & Johnson	
Patterson, Carlile P	Scribner, Charles, & Sons22, 24, 25, 27, 28, 29	
	30, 34, 3	35
Payne, N. II	Sellman, Henry	15.
Peabody, George H	Sennett, G. B	ß
Pease, Josiah C	Sevey, J. A	50
Peck, L. A	Shaffer, D. H	52
Peyrer, Carl	Shardlow, Joseph	19
Philadelphia, Zoological Society 2	Shaw, B. F	13
Philbrook & Paine		19
Pickert, Butts & Co	Sheldon, F. L	33
Pierce & Co		97
Pike, Hon. R. G. 213		55
Pirz, Anthony		06
Pitman, J. Talbot		91
Pollard, R. J 5		30
Poole & Hunt	Sigsbee, Lieut. Commander C. D	29
Portland Packing Company		71
Potter, Charles T	Slack, Dr. J. H	
Potter & Wrightington 141, 143, 144, 145, 146, 236		55
Powel, S	Small, E. E	
Powers, Stephen		86
President's messages	Smith, Greene	1
Prior, William, jr., & Co		36
Procter, J. O		60
Pryor, Jasper 157, 158, 159, 160, 161, 162, 205		01
Pusey & Jones Company	Smith, S. I	83
Q.	Smith, William M 92, 1	
Quan Wing Yick		
R.	Snow, Franklin, & Co141, 143, 144, 1	
Renfrew, G. R., & Co	Snyder, William	
Revenue Bureau 229	Soluble Pacific Guano Company 1	62
Ricardo, George 217		79
Rice, H. J		98.
Rich, Newell B 69		
Ring, Lieut. F. W		37
Robbins, Dr. C. B	1	195
Robinson, Benjamin		
Roby, W. G., & Co		
Rockwood, A. P	2000	38
Rodgers, Capt. John	o containing or on the containing of the contain	59
Roebuck & Co		180
Roosevelt, R. B. 222		
Rosenstein Brothers144, 146		
Ross, B. R	A	114
Rowe, Capt. E. L		
Ruckley, Charles		
Russia Cement Company		218
Ryder, J. S		191
20, 401, 01 01111111111111111111111111111	Dilling, at A	.01

Page.	Page.
Suckley, George	W.
Swan, J. G 59, 60, 61, 63, 65, 68, 69, 87, 89, 98, 152,	Walker, Daniel 115
155, 161	Wallace, John
Swazey, Alfred	Waltman, Leo236, 237
Sweetman, Henry 113	Ward, H. A
Syrske, Dr	Washington, Interior Department 224
	Washington, Navy Department 234
T.	Washington, Smithsonian Institution 5, 6, 10, 11
Tagliabue, G 163	Washington, Treasury Department 224
Tarr, Capt. James	Washington, War Department 231
Tarr & Wonson	Watson, W. C 191
Taunton (Mass.) Iron Works 128	Webb, Capt. Henry 101
Taylor, Amasa	Weeks & Potter 162
Taylor, Austin	Welsher, H. W
Thacher, James K	Wernich & Wandel
Thaxter, S., & Sons	Westerberger, Frank
Thomas, General George H	Weston, William H
Thomas, John 68	Whipple, Lieut. A. W
Thomson, J. H	White, Dr. J. B
Thomson & Sons	Widengren, Hjalmar. 188
Throckmorton, R. S 177	Wilcox, Crittenden & Co52, 53, 60, 62, 89, 98, 106,
Thurber, H. K. & F. B., & Co143, 144, 145, 146,	115, 116, 117, 118, 119, 120.
237, 238	121, 122, 123, 124, 125, 126
Tichkamatse 5	Wilkes, Capt. C
Tonge, T 5	Wilkes Exploring Expedition
Totten, General	Williams, I. B., & Son. 155
Treat, Capt. U. S	Willis, J. H. 43
Turner, Lucien M	Wilmot, Samuel. 203
Twiss, E. N	Wilson, J. Paul 206
	Wilson, Sir Samuel. 222
U.	Winans, Thomas
Underwood, William, & Co145, 146, 147	Wonson, William H., & Co
Underwood Belting Company	Woodbury, A. I., & Co
Union Oyster Company 238	Woodbury, Henry H. & Co. 155
United States Exploring Expedition10, 68, 69	Wright, Isaae H. 217
United States National Museum4, 5, 6, 7	Wyeth, John, & Brother
	Total, would, or Diversel
V.	X.
Velie, Dr. J. W	Xantus, J 152
Verrill. Prof. A. E	
Vieary, N 6	Υ.
Von Yhlen, G 207	Yarrow, Dr. H. C165, 171, 172, 177, 178, 179
Voss, Adolph 53, 54, 55, 60, 89, 92, 118, 125, 141	Young, William H 69
Voss, D. C	Young, William M65, 66, 71, 89

Evans

2







