

Checklist
of the
Nemertean Fauna
of the
United States

Excerpted from NEMERTES
(the nemertean digital knowledge-base system)

Frank B. Crandall
&
Jon L. Norenburg

Second Edition
August 2001

DEPARTMENT OF SYSTEMATIC BIOLOGY
NATIONAL MUSEUM OF NATURAL HISTORY
WASHINGTON, DC 20560-0163

Preface

This is the second edition of the Checklist of the Nemertean Fauna of the United States. As was the case with the first edition in November 1999, it was prepared from data excerpted from NEMERTES, the nemertean digital knowledge base system. The NEMERTES system is accessible through the NEMERTES website (<http://nemertes.si.edu>) hosted by the Smithsonian Institution. Making this checklist available through the website will permit it to be updated on a frequent basis as new taxa are added and new distribution and habitat information becomes available. The authors will appreciate communications of new taxonomic, distribution, and habitat information via e-mail to nemertes@nemertes.si.edu.

This work has been supported by a National Science Foundation grant (DEB9712463) under the Partnerships for Enhancement of Expertise in Taxonomy (P.E.E.T.) program.

Smithsonian Institution
Washington, D.C.
August 2001

Frank B. Crandall
Jon L. Norenburg

Copyright Notice

NEMERTES, the nemertean digital knowledge-base system, and the **NEMERTES** website (<http://nemertes.si.edu/>) copyright © 2001 by the Smithsonian Institution, Washington, D.C.

Checklist of the Nemertean Fauna of the United States, copyright © 1999, 2001, by the Smithsonian Institution, Washington, D.C. Individuals are permitted to download a single copy from the website for personal use. Reproduction for sale or any commercial purpose is strictly prohibited.

CONTENTS

Introduction	1
Notes in status column.....	3
Alphabetical listing.....	5
Listing by major taxonomic group	12
Anopla, Paleonemertea.....	12
Anopla, Heteronemertea.....	12
Enopla, Hoplonemertea, Monostilifera	14
Enopla, Hoplonemertea, Polystilifera, Reptantia	18
Enopla, Hoplonemertea, Polystilifera, Pelagica	18
Enopla, Bdellonemertea	19
Fossil	19
Occurrence by geographic region.....	20
Atlantic region.....	20
Gulf region	22
Puerto Rico and Virgin Islands	23
Pacific region.....	23
Alaska.....	27
Hawaii	28
Distribution by habitat.....	29
Marine littoral and near-shore benthic	29
Bathypelagic.....	34
Interstitial	35
Ovoparasitic.....	35
Commensal.....	35
Ectosymbiotic.....	35
Fresh water	36
Supralittoral/Terrestrial	36
Fossil	36

Checklist of the Nemertean fauna of the United States

(Excerpted from NEMERTES, the nemertean digital knowledge base)

The 257 taxa listed in this report comprise the nemertean fauna of the Atlantic, Gulf, and Pacific coasts of the contiguous United States and of Alaska, Hawaii, and Puerto Rico and the Virgin Islands. The listing includes described varieties of single species, where these exist. Some taxon names have been included that are of doubtful validity, are probable junior synonyms of other included names, or are problematic in some way. Such taxa require an explanatory comment on their status and are annotated in the status column of the listings with the explanation given in the list of status notes following the introduction. Although recent studies (notably those of Gibson, Sundberg, and Crandall) have proposed other schemes, the higher taxonomic categories used here are those of longest standing and widest use and reflect the work of Hubrecht, Verrill, Coe, Brinkmann, and Stiasny-Wijnhoff.

The species are primarily marine littoral or near-shore benthic, but some are bathypelagic, fresh water, or supralittoral/terrestrial, while a few are commensal, ovoparasitic or interstitial. Only pelagic forms occurring in waters reasonably near U.S. shores are included.

The lower case letter suffix on dates following an authors name refers to a particular piece of literature listed in the literature reference section of the NEMERTES website and indicate the particular publication where the author had more than one publication in that year. Rows and columns in the body of the following three tables may add up to more than the marginal totals in some instances, since taxa may occur in more than one region. Also note that freshwater and fossil species, as inland taxa, are not attributed to any of the six coastal regions.

	TOTAL TAXA	ORDER AND SUBORDER BY REGION					
		Atlantic	Gulf	PR&VI	Pacific	Alaska	Hawaii
Paleonemertea	18	9	1	-	12	6	-
Heteronemertea	77	36	5	5	35	15	5
Monostilifera	122	47	8	1	66	21	4
Reptantia	2	1	-	1	2	-	-
Pelagica	31	12	-	-	18	9	-
Bdellonemertea	6	3	-	-	4	-	-
Fossil	1	-	-	-	-	-	-
TOTAL	257	108	14	7	137	51	9

	TOTAL TAXA	HABITAT BY REGION					
		Atlantic	Gulf	PR&VI	Pacific	Alaska	Hawaii
Littoral/benthic	195	85	12	6	104	40	6
Bathypelagic	31	12	-	-	18	9	-
Interstitial	4	2	1	-	2	-	-
Ovoparasitic	10	4	1	1	5	1	1
Commensal	7	3	-	-	5	-	-
Ectosymbiotic ?	1	-	-	-	-	1	-
Fresh water	4	-	-	-	-	-	-
Supralitt/Terrestrial	4	2	-	-	3	-	2
Fossil	1	-	-	-	-	-	-
TOTAL	257	108	14	7	137	51	9

	TOTAL TAXA	HABITAT BY TAXONOMIC GROUP					
		Paleo	Hetero	Mono	Reptant	Pelag	Bdello
Littoral/benthic	195	18	77	98	2	-	-
Bathypelagic	31	-	-	-	-	31	-
Interstitial	4	-	-	4	-	-	-
Ovoparasitic	10	-	-	10	-	-	-
Commensal	7	-	-	1	-	-	6
Ectosymbiotic	1	-	-	1	-	-	-
Fresh water	4	-	-	4	-	-	-
Supralitt/Terrestrial	4	-	-	4	-	-	-
Fossil	1	-	-	-	-	-	-
TOTAL	257	18	77	122	2	31	6

NOTES IN STATUS COLUMN

The following notes appear in the 'status' column.

- + Indicates a taxon regarded as fully valid at the present time.
- ? Indicates a taxon name that has been reported from the area in the past but is now regarded as being of questionable validity.
- *1 Gibson & Crandall (1989) regarded this taxon as a nomen dubium.
- *2 In his later works Coe regarded *Amphiporus similis* as synonymous with or a variety of *Amphiporus imparispinosus*, but they are now known to constitute valid separate species.
- *3 Gibson (1995) regarded this species name as synonymous with *Baseodiscus delineata*, but such an identity has not yet been confirmed by definitive study of actual specimens from this area..
- *4 Six different names have been used to designate forms with strikingly distinctive color patterns of remarkable similarity. *Micrura bella* and *M. impressa* were noted originally by Stimpson (1857) and *M. festiva* by Takakura (1898) from the western Pacific rim. *Lineus striatus* Griffin, 1898 and *Micrura verrilli* Coe, 1901, were described from the eastern Pacific rim. The color pattern of all five is an off-white body with a deep vermilion, orange, or brownish tip to the head and a broad longitudinal band of purple, brownish, or grayish rectangles separated by hairline spaces down the dorsal surface. The only significant difference appears to be whether the marking of the head is on the dorsal half only or completely encircles the tip. When reported at all, the extent of the head marking seems to be dorsal in the eastern Pacific and complete in the western Pacific. In his later works, Coe regarded *L. striatus* as synonymous with *M. verrilli* (which was nomenclaturally incorrect, since Griffin's taxon had priority and *Micrura striata* was not a pre-occupied name). Various authors have treated *M. festiva* and *M. impressa* as synonyms of *M. bella*. Kulikova & Kutishchev (1984) referred a form to *M. bella* with the color of the dorsal band more a dark burnt orange than a deep purple. Chernyshev (1992) regarded this form as distinct and renamed it *Micrura kulikovae* Chernyshev, 1992. Sun (1994) identified a form from Qingdao as *Micrura verrilli*; however, it is not certain that it was not *Micrura bella*. Unfortunately, very little is known of the comparative internal morphology of these various forms; therefore, it is not presently possible to determine whether they represent truly separate species or merely pattern variants as is found, for example, in *Tetrastemma nigrifrons*.

- *5 There are three *Nipponnemertes* species occurring around the northern Pacific rim having brown blotch color patterns so similar that they can only be conclusively distinguished by microscopic study of the internal morphology. *Nipponnemertes punctatula* occurs on both the eastern and western sides of the Pacific. Thus far, *N. occidentalis* has been reliably reported only from North America, while *N. arenaria* has been found in Japanese and Russian waters. In the 1950s Iwata identified a number of specimens as *Amphiporus punctatulus*, but his careful morphological notes indicated that some of them differed somewhat from Coe's (1905) form in internal morphology. We now know that these were almost certainly *Nipponnemertes arenaria* (Uschakov, 1927) (formerly *Amphiporus arenarius*), which coexists over much of the same western Pacific rim geographic range as *N. punctatula*.
- *6 *Nipponnemertes pacifica* from the eastern Pacific rim is a fully valid species. However, reports of this taxon from the Arctic coast of Alaska are erroneous. Coe attributed numerous specimens from the Point Barrow Project to this taxon, but upon sectioning they have been found to have a bilayered rhynchocoel and are more nearly amphiporid in morphology.
- *7 Coe (1904) synonymized *Amphiporus leuciodus* Coe, 1901, with *Amphiporus imparispinosus* Griffin, 1898, but Gibson & Crandall 1989 retained it as a *species inquirenda*.
- *8 *Argonemertes dendyi* is native to Australia but has been introduced to, and become naturalized in, Europe and the west coast of North America.
- *9 *Geonemertes pelaensis* is native to South Pacific islands but has been introduced to, and become naturalized in, Hawaii and Florida.
- *10 *Leptonemertes chalicophora* is native to the Caribbean and warmer Atlantic islands. The occurrence in Southern California was in association with nursery stock of Bromilicea propagated in Florida.
- *11 *Meckelia* is now recognized as a junior synonym of *Cerebratulus*. Girard's taxon was doubtfully synonymized with *Cerebratulus lacteus* by Verrill, 1892, and Bürger, 1904, but this synonymy requires confirmation, and the form can reasonably be regarded as a *species inquirenda*.

ALPHABETICAL LISTING OF TAXA

TAXON	GROUP	REGION	HABITAT	STAT
<i>Adenorhagas aurantiafrons</i> Riser, 1990	Hetero	Atl	Littoral/Benthic	+
<i>Alaxinus oclairi</i> Gibson, et al, 1990	Mono	Aka	Ectosymbiotic ?	+
<i>Amphinemertes caeca</i> Coe, 1905	Mono	Aka	Littoral/Benthic	+
<i>Amphiporus angulatus</i> Müller, 1774	Mono	Atl, Pac, Aka	Littoral/Benthic	+
<i>Amphiporus brunneus</i> Griffin, 1898	Mono	Pac	Littoral/Benthic	+
<i>Amphiporus caecus</i> Verrill, 1892	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus californicus</i> Coe, 1905c	Mono	Pac	Littoral/Benthic	+
<i>Amphiporus cervicalis</i> (Stimpson, 1857)	Mono	Aka	Littoral/Benthic	+
<i>Amphiporus cruentatus</i> Verrill, 1879a	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus flavescens</i> Coe, 1905c	Mono	Pac	Littoral/Benthic	+
<i>Amphiporus formidabilis</i> Griffin, 1898	Mono	Pac	Littoral/Benthic	+
<i>Amphiporus frontalis</i> Verrill, 1892	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus fulvus</i> Coe, 1905c	Mono	Pac	Littoral/Benthic	+
<i>Amphiporus gelatinosus</i> Coe, 1905c	Mono	Pac, Aka	Littoral/Benthic	+
<i>Amphiporus glutinosus</i> (Verrill, 1873b)	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus greenmani</i> Montgomery, 1897a	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus griseus</i> (Stimpson, 1855b)	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus hastatus</i> McIntosh, 1873-1874	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus heterosorus</i> Verrill, 1892	Mono	Atl	Littoral/Benthic	*1
<i>Amphiporus imparispinosus</i> Griffin, 1898	Mono	Pac, Aka	Littoral/Benthic	*2
<i>Amphiporus imparispinosus var. similis</i> Coe, 1940b	Mono	Pac	Littoral/Benthic	*2
<i>Amphiporus lactifloreus</i> (Johnston, 1828a)	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus leptacanthus</i> Coe, 1905c	Mono	Pac	Littoral/Benthic	+
<i>Amphiporus leuciodus</i> Coe, 1901a	Mono	Aka	Littoral/Benthic	*7
<i>Amphiporus macracanthus</i> Coe, 1905c	Mono	Pac	Littoral/Benthic	+
<i>Amphiporus maculosus</i> Coe, 1944b	Mono	Aka	Littoral/Benthic	+
<i>Amphiporus mesosorus</i> Verrill, 1892	Mono	Atl	Littoral/Benthic	*1
<i>Amphiporus multisorus</i> Verrill, 1892	Mono	Atl	Littoral/Benthic	*1
<i>Amphiporus nebulosus</i> Coe, 1901a	Mono	Pac, Aka	Littoral/Benthic	+
<i>Amphiporus ochraceus</i> (Verrill, 1873b)	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus paulinus</i> Punnett, 1901b	Mono	Aka	Littoral/Benthic	+
<i>Amphiporus rubropunctus</i> McCaul, 1963	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus similis</i> Coe, 1905c	Mono	Pac	Littoral/Benthic	*2
<i>Amphiporus stimpsoni</i> (Stimpson, 1854)	Mono	Atl, Pac	Littoral/Benthic	+
<i>Amphiporus superbus</i> (Stimpson, 1854)	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus tetrasorus</i> Verrill, 1892	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus texanus</i> Coe, 1951b	Mono	Gulf	Littoral/Benthic	+
<i>Amphiporus thallius</i> Verrill, 1892	Mono	Atl	Littoral/Benthic	+

Alphabetical listing

6

TAXON	GROUP	REGION	HABITAT	STAT
<i>Amphiporus thompsoni</i> Punnett, 1901b	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus tigrinus</i> Coe, 1901a	Mono	Pac, Aka	Littoral/Benthic	+
<i>Archisymplectes rhothon</i> Schram, 1973	Fossil	Fossil	Fossil	+
<i>Argonemertes dendyi</i> Dakin, 1915	Mono	Pac, Haw	Terrestrial	*8
<i>Balaenanemertes minor</i> Coe, 1936	Pelag	Atl	Bathypelagic	+
<i>Baseodiscus cingulatus</i> (Coe, 1906)	Hetero	Haw	Littoral/Benthic	+
<i>Baseodiscus curtus</i> (Hubrecht, 1879c)	Hetero	Atl, Pac	Littoral/Benthic	*3
<i>Baseodiscus delineatus</i> (Delle Chiaje, 1825)	Hetero	Atl, Pac	Littoral/Benthic	+
<i>Baseodiscus discolor</i> (Coe, 1901b)	Hetero	P.R.	Littoral/Benthic	+
<i>Baseodiscus edmondsoni</i> Coe, 1934a	Hetero	Haw	Littoral/Benthic	+
<i>Baseodiscus hemprichii</i> (Ehrenberg, 1831)	Hetero	Haw	Littoral/Benthic	+
<i>Baseodiscus mexicanus</i> Coe, 1940b	Hetero	Pac	Littoral/Benthic	+
<i>Baseodiscus princeps</i> (Coe, 1901a)	Hetero	Pac, Aka	Littoral/Benthic	+
<i>Baseodiscus punnetti</i> (Coe, 1904b)	Hetero	Pac	Littoral/Benthic	+
<i>Baseodiscus univittatus</i> (Coe, 1906a)	Hetero	Haw	Littoral/Benthic	+
<i>Borlasia kurtzii</i> Girard, 1853	Hetero ?	Atl	Littoral/Benthic	?
<i>Carcinonemertes carcinophila</i> (Kölliker, 1845)	Mono	Atl, Pac	Ovoparasitic	+
<i>Carcinonemertes carcinophila var. carcinophila</i> Humes, 1942	Mono	Atl, Pac	Ovoparasitic	+
<i>Carcinonemertes carcinophila var. imminuta</i> Humes, 1942	Mono	Gulf, P.R.	Ovoparasitic	+
<i>Carcinonemertes epialti</i> Coe, 1902b	Mono	Pac	Ovoparasitic	+
<i>Carcinonemertes errans</i> Wickham, 1978	Mono	Pac	Ovoparasitic	+
<i>Carcinonemertes mitsukurii</i> Takakura, 1910	Mono	Haw	Ovoparasitic	+
<i>Carcinonemertes pinnotheridophila</i> McDermott & Gibson, 1993	Mono	Atl	Ovoparasitic	+
<i>Carcinonemertes regicides</i> Shields, et al, 1989b	Mono	Aka	Ovoparasitic	+
<i>Carcinonemertes wickhami</i> Shields & Kuris, 1990	Mono	Pac	Ovoparasitic	+
<i>Carinina grata</i> Hubrecht, 1887b	Paleo	Atl	Littoral/Benthic	+
<i>Carinoma mutabilis</i> Griffin, 1898	Paleo	Pac	Littoral/Benthic	+
<i>Carinoma tremaphoros</i> Thompson, 1900b	Paleo	Atl, Gulf	Littoral/Benthic	+
<i>Carinomella lactea</i> Coe, 1905c	Paleo	Atl, Pac	Littoral/Benthic	+
<i>Cephalothrix linearis</i> (Rathke, 1799)	Paleo	Atl	Littoral/Benthic	+
<i>Cephalothrix pacifica</i> Gerner, 1969	Paleo	Pac	Littoral/Benthic	+
<i>Cerebratulus albifrons</i> Coe, 1901a	Hetero	Pac, Aka	Littoral/Benthic	+
<i>Cerebratulus antillensis</i> Coe, 1901b	Hetero	P.R.	Littoral/Benthic	+
<i>Cerebratulus borealis</i> (Diesing, 1862)	Hetero	Aka	Littoral/Benthic	+
<i>Cerebratulus californiensis</i> Coe, 1905c	Hetero	Pac	Littoral/Benthic	+
<i>Cerebratulus crassus</i> Quatrefages, 1846	Hetero	Atl, Pac, P.R	Littoral/Benthic	+
<i>Cerebratulus herculeus</i> Coe, 1901a	Hetero	Pac, Aka	Littoral/Benthic	+
<i>Cerebratulus lacteus</i> (Leidy, 1851b)	Hetero	Atl, Gulf	Littoral/Benthic	+
<i>Cerebratulus leucopsis</i> Coe, 1901b	Hetero	Atl, Pac, P.R	Littoral/Benthic	+

Alphabetical listing

7

TAXON	GROUP	REGION	HABITAT	STAT
<i>Cerebratulus lineolatus</i> Coe, 1905c	Hetero	Atl, Pac	Littoral/Benthic	+
<i>Cerebratulus longiceps</i> Coe, 1901a	Hetero	Aka	Littoral/Benthic	+
<i>Cerebratulus marginatus</i> Renier, 1804	Hetero	Atl, Pac, Aka	Littoral/Benthic	+
<i>Cerebratulus melanops</i> Coe & Kunkel, 1903	Hetero	Atl	Littoral/Benthic	+
<i>Cerebratulus montgomeryi</i> Coe, 1901a	Hetero	Pac, Aka	Littoral/Benthic	+
<i>Cerebratulus occidentalis</i> Coe, 1901a	Hetero	Pac, Aka	Littoral/Benthic	+
<i>Cerebratulus ruber</i> (Girard, 1853)	Hetero	Atl	Littoral/Benthic	+
<i>Cerebratulus signatus</i> Coe, 1905c	Hetero	Aka	Littoral/Benthic	+
<i>Cerebratulus striolentus</i> (Girard, 1853)	Hetero	Atl	Littoral/Benthic	+
<i>Chunianna opaca</i> Coe, 1954c	Pelag	Pac	Bathypelagic	+
<i>Chunianna pacifica</i> Coe, 1954c	Pelag	Pac	Bathypelagic	+
<i>Chuniella lanceolata</i> Brinkmann, 1917b	Pelag	Atl	Bathypelagic	+
<i>Chuniella tenella</i> Coe, 1954c	Pelag	Pac	Bathypelagic	+
<i>Crassonemertes robusta</i> Brinkmann, 1917b	Pelag	Atl	Bathypelagic	+
<i>Cryptonemertes actinophila</i> (Burger, 1904c)	Mono	Pac	Commensal	+
<i>Cuneonemertes elongata</i> Coe, 1954c	Pelag	Pac	Bathypelagic	+
<i>Cuneonemertes nigra</i> (Coe, 1945a)	Pelag	Atl, Pac	Bathypelagic	+
<i>Cuneonemertes obesa</i> Coe, 1954c	Pelag	Pac	Bathypelagic	+
<i>Cyanophthalma obscura</i> (Schultze, 1851)	Mono	Atl	Littoral/Benthic	+
<i>Dichonemertes hartmanae</i> Coe, 1938	Mono	Pac	Littoral/Benthic	+
<i>Diplopleura vivesi</i> (Joubin, 1905)	Hetero	Pac	Littoral/Benthic	+
<i>Drepanophorus ritteri</i> Coe, 1905c	Reptant	Pac	Littoral/Benthic	+
<i>Dushia atra</i> (Girard, 1851a)	Hetero	Atl	Littoral/Benthic	+
<i>Emplectonema buergeri</i> Coe, 1901a	Mono	Pac, Aka	Littoral/Benthic	+
<i>Emplectonema giganteum</i> (Verrill, 1873a)	Mono	Atl	Littoral/Benthic	+
<i>Emplectonema gracile</i> (Johnston, 1837)	Mono	Pac, Aka	Littoral/Benthic	+
<i>Emplectonema osceolai</i> Corrêa, 1961	Mono	Atl	Littoral/Benthic	+
<i>Emplectonema purpuratum</i> Coe, 1905c	Mono	Aka	Littoral/Benthic	+
<i>Euborlasia maxima</i> Coe, 1905c	Hetero	Gulf	Littoral/Benthic	+
<i>Euborlasia nigrocincta</i> Coe, 1940b	Hetero	Pac	Littoral/Benthic	+
<i>Euborlasia variegata</i> Coe, 1944b	Hetero	Aka	Littoral/Benthic	+
<i>Fragilonemertes rosea</i> (Leidy, 1851)	Hetero	Atl, Gulf	Littoral/Benthic	+
<i>Geonemertes pelaensis</i> Semper, 1863	Mono	Atl, Haw	Terrestrial	*9
<i>Gorgonorhynchus bermudensis</i> Wheeler, 1940b	Hetero	Atl	Littoral/Benthic	+
<i>Heteroenopelus enigmaticus</i> Wern, 1998	Hetero ?	Gulf	Littoral/Benthic	+
<i>Leptonemertes chalicophora</i> (Graff, 1879)	Mono	Atl, Pac	Terrestrial	*10
<i>Lineus ablfrons</i> Coe, 1934a	Hetero	Pac	Littoral/Benthic	+
<i>Lineus arenicola</i> (Verrill, 1873b)	Hetero	Atl	Littoral/Benthic	+
<i>Lineus bilineatus</i> (Renier, 1804)	Hetero	Pac	Littoral/Benthic	+

Alphabetical listing

8

TAXON	GROUP	REGION	HABITAT	STAT
<i>Lineus flavescens</i> Coe, 1904b	Hetero	Pac	Littoral/Benthic	+
<i>Lineus hiatti</i> Coe, 1947	Hetero	Haw	Littoral/Benthic	+
<i>Lineus pallidus</i> Verrill, 1879a	Hetero	Atl	Littoral/Benthic	+
<i>Lineus pictifrons</i> Coe, 1904b	Hetero	Pac	Littoral/Benthic	+
<i>Lineus ruber</i> (Müller, 1774)	Hetero	Atl, Pac	Littoral/Benthic	+
<i>Lineus rubescens</i> Coe, 1904b	Hetero	Pac	Littoral/Benthic	+
<i>Lineus stigmatus</i> Coe, 1951b	Hetero	Atl	Littoral/Benthic	+
<i>Lineus striatus</i> Griffin, 1898	Hetero	Pac	Littoral/Benthic	*4
<i>Lineus torquatus</i> Coe, 1901a	Hetero	Pac, Aka	Littoral/Benthic	+
<i>Lineus viridis</i> (Müller, 1774)	Hetero	Atl, Pac	Littoral/Benthic	+
<i>Malacobdella grossa</i> (Müller, 1776)	Bdello	Atl, Pac	Commensal	+
<i>Malacobdella macomae</i> Kozloff, 1991	Bdello	Pac	Commensal	+
<i>Malacobdella mercenaria</i> Verrill, 1873	Bdello	Atl	Commensal	?
<i>Malacobdella minuta</i> Coe, 1945b	Bdello	Pac	Commensal	+
<i>Malacobdella obesa</i> Verrill, 1873b	Bdello	Atl	Commensal	?
<i>Malacobdella siliquae</i> Kozloff, 1991	Bdello	Pac	Commensal	+
<i>Meckelia lizziae</i> Girard, 1853	Hetero	Atl	Littoral/Benthic	*11
<i>Micrura affinis</i> (Stimpson, 1854)	Hetero	Atl	Littoral/Benthic	+
<i>Micrura alaskensis</i> Coe, 1901a	Hetero	Pac, Aka	Littoral/Benthic	+
<i>Micrura albida</i> Verrill, 1879a	Hetero	Atl	Littoral/Benthic	+
<i>Micrura bella</i> (Stimpson, 1857)	Hetero	Aka	Littoral/Benthic	*4
<i>Micrura caeca</i> Verrill, 1895	Hetero	Atl	Littoral/Benthic	+
<i>Micrura coei</i> (Coe, 1905c)	Hetero	Pac	Littoral/Benthic	+
<i>Micrura coei</i> var. <i>lineata</i> (Coe, 1940b)	Hetero	Pac	Littoral/Benthic	+
<i>Micrura dorsalis</i> Verrill, 1892	Hetero	Atl	Littoral/Benthic	+
<i>Micrura impressa</i> (Stimpson, 1857)	Hetero	Aka	Littoral/Benthic	*4
<i>Micrura nebulosa</i> Coe, 1905c	Hetero	Pac, Aka	Littoral/Benthic	+
<i>Micrura nigrirostris</i> Coe, 1904b	Hetero	Pac	Littoral/Benthic	+
<i>Micrura olivaris</i> Coe, 1905c	Hetero	Pac	Littoral/Benthic	+
<i>Micrura rubra</i> Verrill, 1892	Hetero	Atl	Littoral/Benthic	+
<i>Micrura verrilli</i> Coe, 1901a	Hetero	Pac, Aka	Littoral/Benthic	*4
<i>Micrura wilsoni</i> (Coe, 1904b)	Hetero	Pac	Littoral/Benthic	+
<i>Mononemertes scarlata</i> Coe, 1945a	Pelag	Atl	Bathypelagic	+
<i>Nectonemertes major</i> Korotkevich, 1955a	Pelag	Aka	Bathypelagic	+
<i>Nectonemertes mirabilis</i> (Verrill, 1892)	Pelag	Atl, Pac, Aka	Bathypelagic	+
<i>Nectonemertes pelagica</i> Cravens & Heath, 1906	Pelag	Pac	Bathypelagic	+
<i>Nectonemertes primitiva</i> Brinkmann, 1917	Pelag	Pac	Bathypelagic	+
<i>Nemertopsis bivittata</i> (Delle Chiaje, 1841a)	Mono	Atl	Littoral/Benthic	+
<i>Nemertopsis exilis</i> Coe, 1947	Mono	Haw	Littoral/Benthic	+

Alphabetical listing

9

TAXON	GROUP	REGION	HABITAT	STAT
<i>Nemertopsis gracilis</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Nemertopsis gracilis</i> var. <i>bullocki</i> Coe, 1940b	Mono	Pac	Littoral/Benthic	+
<i>Neoarmaueria angusta</i> (Korotkevich, 1955a)	Pelag	Aka	Bathypelagic	+
<i>Neoarmaueria crassa</i> (Korotkevich, 1955a)	Pelag	Pac, Aka	Bathypelagic	+
<i>Neoarmaueria tenuicauda</i> (Korotkevich, 1955a)	Pelag	Pac, Aka	Bathypelagic	+
<i>Nipponnemertes bimaculata</i> (Coe, 1901a)	Mono	Pac, Aka	Littoral/Benthic	+
<i>Nipponnemertes drepanophoroides</i> (Griffin, 1898)	Mono	Pac	Littoral/Benthic	+
<i>Nipponnemertes fernaldi</i> Iwata, 2001	Mono	Pac	Littoral/Benthic	+
<i>Nipponnemertes occidentalis</i> (Coe, 1905c)	Mono	Pac	Littoral/Benthic	*5
<i>Nipponnemertes pacifica</i> (Coe, 1905c)	Mono	Pac	Littoral/Benthic	*6
<i>Nipponnemertes pulchra</i> (Johnston, 1837)	Mono	Atl	Littoral/Benthic	+
<i>Nipponnemertes punctatula</i> (Coe, 1905c)	Mono	Pac	Littoral/Benthic	*5
<i>Nipponnemertes rubellus</i> (Coe, 1905c)	Mono	Pac	Littoral/Benthic	+
<i>Notospermus geniculatus</i> (Delle Chiaje, 1828)	Hetero	Atl	Littoral/Benthic	+
<i>Oerstedtia dorsalis</i> (Abildgaard, 1806)	Mono	Atl, Pac, Gulf	Littoral/Benthic	+
<i>Ototyphlonemertes americana</i> Gerner, 1969	Mono	Pac	Interstitial	+
<i>Ototyphlonemertes evelinae</i> Correa, 1948	Mono	Atl, Gulf	Interstitial	+
<i>Ototyphlonemertes pellucida</i> Coe, 1943	Mono	Atl	Interstitial	+
<i>Ototyphlonemertes spiralis</i> Coe, 1940b	Mono	Pac	Interstitial	+
<i>Pachynemertes obesa</i> Coe, 1935a	Pelag	Atl	Bathypelagic	+
<i>Pantinonemertes californiensis</i> Gibson, et al, 1982	Mono	Pac	Supralittoral	+
<i>Paradinonemertes macrostoma</i> Coe, 1954c	Pelag	Pac	Bathypelagic	+
<i>Paradrepanophorus crassus</i> (Quatrefages, 1846)	Reptant	Atl, Pac, P.R.	Littoral/Benthic	+
<i>Paranemertes biocellatus</i> Coe, 1944d	Mono	Gulf	Littoral/Benthic	+
<i>Paranemertes californica</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Paranemertes carnea</i> Coe, 1901a	Mono	Pac, Aka	Littoral/Benthic	+
<i>Paranemertes pallida</i> Coe, 1901a	Mono	Pac, Aka	Littoral/Benthic	+
<i>Paranemertes peregrina</i> Coe, 1901a	Mono	Pac, Aka	Littoral/Benthic	+
<i>Paranemertes peregrina</i> var. <i>alaskensis</i> Coe, 1940b	Mono	Aka	Littoral/Benthic	+
<i>Paranemertes peregrina</i> var. <i>californiensis</i> Coe, 1940b	Mono	Pac	Littoral/Benthic	+
<i>Paranemertes sanjuanensis</i> Stricker, 1982	Mono	Pac	Littoral/Benthic	+
<i>Parapolia aurantiaca</i> Coe, 1895b	Hetero	Atl	Littoral/Benthic	+
<i>Parvicirrus dubius</i> (Verrill, 1879a)	Hetero	Atl	Littoral/Benthic	+
<i>Pelagonemertes brinkmanni</i> Coe, 1920	Pelag	Aka	Bathypelagic	+
<i>Pelagonemertes excisa</i> Korotkevich, 1955a	Pelag	Aka	Bathypelagic	+
<i>Pelagonemertes joubini</i> Coe, 1926	Pelag	Pac, Aka	Bathypelagic	+
<i>Pelagonemertes laticauda</i> Korotkevich, 1955a	Pelag	Aka	Bathypelagic	+
<i>Pelagonemertes rollestoni</i> Moseley, 1875a	Pelag	Pac	Bathypelagic	+
<i>Planonemertes labiata</i> Coe, 1935a	Pelag	Atl	Bathypelagic	+

Alphabetical listing

10

TAXON	GROUP	REGION	HABITAT	STAT
<i>Plotonemertes adhaerens</i> Brinkmann, 1917b	Pelag	Atl, Pac	Bathypelagic	+
<i>Plotonemertes aurantiaca</i> Coe, 1935a	Pelag	Atl	Bathypelagic	+
<i>Poseidonemertes collaris</i> Roe & Wickham, 1984	Mono	Pac	Littoral/Benthic	+
<i>Procephalothrix major</i> (Coe, 1930c)	Paleo	Pac	Littoral/Benthic	+
<i>Procephalothrix spiralis</i> (Coe, 1930c)	Paleo	Atl, Pac, Aka	Littoral/Benthic	+
<i>Proneurotes multioculatus</i> Montgomery, 1897a	Mono	Atl	Littoral/Benthic	+
<i>Prosorhochmus albidus</i> (Coe, 1905c)	Mono	Pac	Littoral/Benthic	+
<i>Prosorhochmus americanus</i> Gibson, et al, 1986	Mono	Atl	Littoral/Benthic	+
<i>Prostoma asensoriatum</i> (Montgomery, 1896)	Mono	Fresh water	Fresh water	+
<i>Prostoma canadiensis</i> Gibson & Moore, 1978	Mono	Great Lakes	Fresh water	+
<i>Prostoma rubrum</i> (Leidy, 1850)	Mono	Fresh water	Fresh water	+
<i>Prostoma sillmani</i> (Girard, 1893)	Mono	Fresh water	Fresh water	+
<i>Protopelagonemertes beebei</i> Coe, 1935a	Pelag	Atl	Bathypelagic	+
<i>Pseudocarcinonemertes homari</i> Fleming & Gibson, 1981	Mono	Atl	Ovoparasitic	+
<i>Ramphogordius lacteus</i> (Rathke, 1843)	Hetero	Atl	Littoral/Benthic	+
<i>Ramphogordius sanguineus</i> (Rathke, 1799)	Hetero	Atl, Pac, Gulf	Littoral/Benthic	+
<i>Riserius pugetensis</i> Norenburg, 1993	Hetero ?	Pac	Littoral/Benthic	+
<i>Tarrhomyos luridus</i> (Verrill, 1879a)	Hetero	Atl	Littoral/Benthic	+
<i>Tenuilineus albocinctus</i> (Verrill, 1900)	Hetero	Atl, P.R., V.I.	Littoral/Benthic	+
<i>Tenuilineus bicolor</i> (Verrill, 1892)	Hetero	Atl	Littoral/Benthic	+
<i>Tetrastemma aberrans</i> Coe, 1901a	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma bicolor</i> Coe, 1901a	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma bilineatum</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma candidum</i> (Müller, 1774)	Mono	Atl, Pac, Gulf	Littoral/Benthic	+
<i>Tetrastemma elegans</i> (Girard, 1852)	Mono	Atl	Littoral/Benthic	+
<i>Tetrastemma enteroplectum</i> (Corrêa, 1954b)	Mono	Atl	Littoral/Benthic	+
<i>Tetrastemma flagellatum</i> Montgomery, 1897	Mono	Atl	Littoral/Benthic	?
<i>Tetrastemma jeani</i> McCaul, 1963	Mono	Atl	Littoral/Benthic	+
<i>Tetrastemma merulum</i> (Corrêa, 1954b)	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma nigrifrons</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma nigrifrons</i> var. <i>bicolor</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma nigrifrons</i> var. <i>pallidum</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma nigrifrons</i> var. <i>purpureum</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma nigrifrons</i> var. <i>zonatum</i> Coe, 1940b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma phyllospadicolum</i> Stricker, 1985a	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma quadrilineatum</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma reticulatum</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma sexlineatum</i> Coe, 1940b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma signifer</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+

Alphabetical listing

11

TAXON	GROUP	REGION	HABITAT	STAT
<i>Tetrastemma vermiculum</i> (Quatrefages, 1846)	Mono	Atl, Pac, Gulf	Littoral/Benthic	+
<i>Tetrastemma verrilli</i> (Bürger, 1904)	Mono	Atl	Littoral/Benthic	+
<i>Tetrastemma wilsoni</i> Coe, 1943	Mono	Atl	Littoral/Benthic	+
<i>Tetrastemma worki</i> Corrêa, 1961	Mono	Atl	Littoral/Benthic	+
<i>Tononemertes pellucida</i> Coe, 1954c	Pelag	Pac	Bathypelagic	+
<i>Tubonemertes aureola</i> Coe, 1954c	Pelag	Pac	Bathypelagic	+
<i>Tubonemertes wheeleri</i> (Coe, 1936)	Pelag	Atl, Pac	Bathypelagic	+
<i>Tubulanus albocinctus</i> (Coe, 1904b)	Paleo	Pac	Littoral/Benthic	+
<i>Tubulanus annulatus</i> (Montagu, 1804)	Paleo	Aka	Littoral/Benthic	+
<i>Tubulanus capistratus</i> (Coe, 1901a)	Paleo	Pac, Aka	Littoral/Benthic	+
<i>Tubulanus cingulatus</i> (Coe, 1904b)	Paleo	Pac, Aka	Littoral/Benthic	+
<i>Tubulanus floridanus</i> Coe, 1951b	Paleo	Atl	Littoral/Benthic	+
<i>Tubulanus frenatus</i> (Coe, 1904b)	Paleo	Pac	Littoral/Benthic	+
<i>Tubulanus pellucidus</i> (Coe, 1895b)	Paleo	Atl, Pac	Littoral/Benthic	+
<i>Tubulanus polymorphus</i> Renier, 1804	Paleo	Atl, Pac, Aka	Littoral/Benthic	+
<i>Tubulanus rhabdotus</i> Corrêa, 1954b	Paleo	Atl	Littoral/Benthic	+
<i>Tubulanus sexlineatus</i> (Griffin, 1898)	Paleo	Pac, Aka	Littoral/Benthic	+
<i>Zygeupolia litoralis</i> Thompson, 1900a	Hetero	Atl	Littoral/Benthic	+
<i>Zygeupolia rubens</i> Coe, 1895b	Hetero	Atl, Pac	Littoral/Benthic	+
<i>Zygonemertes albida</i> Coe, 1901a	Mono	Pac	Littoral/Benthic	+
<i>Zygonemertes cocacola</i> Corrêa, 1961	Mono	Atl	Littoral/Benthic	+
<i>Zygonemertes simoneae</i> Corrêa, 1961	Mono	Atl	Littoral/Benthic	+
<i>Zygonemertes thalassina</i> Coe, 1901a	Mono	Pac, Aka	Littoral/Benthic	+
<i>Zygonemertes virescens</i> (Verrill, 1879a)	Mono	Atl, Pac, Gulf	Littoral/Benthic	+

MAJOR TAXONOMIC GROUPS

TAXON	GROUP	REGION	HABITAT	STAT
Anopla, Paleonemertes				
<i>Carinina grata</i> Hubrecht, 1887b	Paleo	Atl	Littoral/Benthic	+
<i>Carinoma mutabilis</i> Griffin, 1898	Paleo	Pac	Littoral/Benthic	+
<i>Carinoma tremaphoros</i> Thompson, 1900b	Paleo	Atl, Gulf	Littoral/Benthic	+
<i>Carinomella lactea</i> Coe, 1905c	Paleo	Atl, Pac	Littoral/Benthic	+
<i>Cephalothrix linearis</i> (Rathke, 1799)	Paleo	Atl	Littoral/Benthic	+
<i>Cephalothrix pacifica</i> Gerner, 1969	Paleo	Pac	Littoral/Benthic	+
<i>Procephalothrix major</i> (Coe, 1930c)	Paleo	Pac	Littoral/Benthic	+
<i>Procephalothrix spiralis</i> (Coe, 1930c)	Paleo	Atl, Pac, Aka	Littoral/Benthic	+
<i>Tubulanus albotinctus</i> (Coe, 1904b)	Paleo	Pac	Littoral/Benthic	+
<i>Tubulanus annulatus</i> (Montagu, 1804)	Paleo	Aka	Littoral/Benthic	+
<i>Tubulanus capistratus</i> (Coe, 1901a)	Paleo	Pac, Aka	Littoral/Benthic	+
<i>Tubulanus cingulatus</i> (Coe, 1904b)	Paleo	Pac, Aka	Littoral/Benthic	+
<i>Tubulanus floridanus</i> Coe, 1951b	Paleo	Atl	Littoral/Benthic	+
<i>Tubulanus frenatus</i> (Coe, 1904b)	Paleo	Pac	Littoral/Benthic	+
<i>Tubulanus pellucidus</i> (Coe, 1895b)	Paleo	Atl, Pac	Littoral/Benthic	+
<i>Tubulanus polymorphus</i> Renier, 1804	Paleo	Atl, Pac, Aka	Littoral/Benthic	+
<i>Tubulanus rhabdotus</i> Corrêa, 1954b	Paleo	Atl	Littoral/Benthic	+
<i>Tubulanus sexlineatus</i> (Griffin, 1898)	Paleo	Pac, Aka	Littoral/Benthic	+
Anopla, Heteronemertea				
<i>Adenorhagas aurantiafrons</i> Riser, 1990	Hetero	Atl	Littoral/Benthic	+
<i>Baseodiscus cingulatus</i> (Coe, 1906)	Hetero	Haw	Littoral/Benthic	+
<i>Baseodiscus curtus</i> (Hubrecht, 1879c)	Hetero	Atl, Pac	Littoral/Benthic	*3
<i>Baseodiscus delineatus</i> (Delle Chiaje, 1825)	Hetero	Atl, Pac	Littoral/Benthic	+
<i>Baseodiscus discolor</i> (Coe, 1901b)	Hetero	P.R.	Littoral/Benthic	+
<i>Baseodiscus edmondsoni</i> Coe, 1934a	Hetero	Haw	Littoral/Benthic	+
<i>Baseodiscus hemprichii</i> (Ehrenberg, 1831)	Hetero	Haw	Littoral/Benthic	+
<i>Baseodiscus mexicanus</i> Coe, 1940b	Hetero	Pac	Littoral/Benthic	+
<i>Baseodiscus princeps</i> (Coe, 1901a)	Hetero	Pac, Aka	Littoral/Benthic	+
<i>Baseodiscus punnetti</i> (Coe, 1904b)	Hetero	Pac	Littoral/Benthic	+
<i>Baseodiscus univittatus</i> (Coe, 1906a)	Hetero	Haw	Littoral/Benthic	+
<i>Cerebratulus albifrons</i> Coe, 1901a	Hetero	Pac, Aka	Littoral/Benthic	+
<i>Cerebratulus antillensis</i> Coe, 1901b	Hetero	P.R.	Littoral/Benthic	+
<i>Cerebratulus borealis</i> (Diesing, 1862)	Hetero	Aka	Littoral/Benthic	+

Major taxonomic groups

13

TAXON	GROUP	REGION	HABITAT	STAT
Anopla, Heteronemertea (cont.)				
<i>Cerebratulus californiensis</i> Coe, 1905c	Hetero	Pac	Littoral/Benthic	+
<i>Cerebratulus crassus</i> Quatrefages, 1846	Hetero	Atl, Pac, P.R.	Littoral/Benthic	+
<i>Cerebratulus herculeus</i> Coe, 1901a	Hetero	Pac, Aka	Littoral/Benthic	+
<i>Cerebratulus lacteus</i> (Leidy, 1851b)	Hetero	Atl, Gulf	Littoral/Benthic	+
<i>Cerebratulus leucopsis</i> Coe, 1901b	Hetero	Atl, Pac, P.R.	Littoral/Benthic	+
<i>Cerebratulus lineolatus</i> Coe, 1905c	Hetero	Atl, Pac	Littoral/Benthic	+
<i>Cerebratulus longiceps</i> Coe, 1901a	Hetero	Aka	Littoral/Benthic	+
<i>Cerebratulus marginatus</i> Renier, 1804	Hetero	Atl, Pac, Aka	Littoral/Benthic	+
<i>Cerebratulus melanops</i> Coe & Kunkel, 1903	Hetero	Atl	Littoral/Benthic	+
<i>Cerebratulus montgomeryi</i> Coe, 1901a	Hetero	Pac, Aka	Littoral/Benthic	+
<i>Cerebratulus occidentalis</i> Coe, 1901a	Hetero	Pac, Aka	Littoral/Benthic	+
<i>Cerebratulus ruber</i> (Girard, 1853)	Hetero	Atl	Littoral/Benthic	+
<i>Cerebratulus signatus</i> Coe, 1905c	Hetero	Aka	Littoral/Benthic	+
<i>Cerebratulus striolentus</i> (Girard, 1853)	Hetero	Atl	Littoral/Benthic	+
<i>Diplopleura vivesi</i> (Joubin, 1905)	Hetero	Pac	Littoral/Benthic	+
<i>Dushia atra</i> (Girard, 1851a)	Hetero	Atl	Littoral/Benthic	+
<i>Euborlasia maxima</i> Coe, 1905c	Hetero	Gulf	Littoral/Benthic	+
<i>Euborlasia nigrocincta</i> Coe, 1940b	Hetero	Pac	Littoral/Benthic	+
<i>Euborlasia variegata</i> Coe, 1944b	Hetero	Aka	Littoral/Benthic	+
<i>Fragilonemertes rosea</i> (Leidy, 1851)	Hetero	Atl, Gulf	Littoral/Benthic	+
<i>Gorgonorhynchus bermudensis</i> Wheeler, 1940b	Hetero	Atl	Littoral/Benthic	+
<i>Lineus albifrons</i> Coe, 1934a	Hetero	Pac	Littoral/Benthic	+
<i>Lineus arenicola</i> (Verrill, 1873b)	Hetero	Atl	Littoral/Benthic	+
<i>Lineus bilineatus</i> (Renier, 1804)	Hetero	Pac	Littoral/Benthic	+
<i>Lineus flavescens</i> Coe, 1904b	Hetero	Pac	Littoral/Benthic	+
<i>Lineus hiatti</i> Coe, 1947	Hetero	Haw	Littoral/Benthic	+
<i>Lineus pallidus</i> Verrill, 1879a	Hetero	Atl	Littoral/Benthic	+
<i>Lineus pictifrons</i> Coe, 1904b	Hetero	Pac	Littoral/Benthic	+
<i>Lineus ruber</i> (Müller, 1774)	Hetero	Atl, Pac	Littoral/Benthic	+
<i>Lineus rubescens</i> Coe, 1904b	Hetero	Pac	Littoral/Benthic	+
<i>Lineus stigmatus</i> Coe, 1951b	Hetero	Atl	Littoral/Benthic	+
<i>Lineus striatus</i> Griffin, 1898	Hetero	Pac	Littoral/Benthic	*4
<i>Lineus torquatus</i> Coe, 1901a	Hetero	Pac, Aka	Littoral/Benthic	+
<i>Lineus viridis</i> (Müller, 1774)	Hetero	Atl, Pac	Littoral/Benthic	+
<i>Meckelia lizziae</i> Girard, 1853	Hetero	Atl	Littoral/Benthic	*11
<i>Micrura affinis</i> (Stimpson, 1854)	Hetero	Atl	Littoral/Benthic	+
<i>Micrura alaskensis</i> Coe, 1901a	Hetero	Pac, Aka	Littoral/Benthic	+
<i>Micrura albida</i> Verrill, 1879a	Hetero	Atl	Littoral/Benthic	+

Major taxonomic groups

14

TAXON	GROUP	REGION	HABITAT	STAT
Anopla, Heteronemertea (cont.)				
<i>Micrura bella</i> (Stimpson, 1857)	Hetero	Aka	Littoral/Benthic	*4
<i>Micrura caeca</i> Verrill, 1895	Hetero	Atl	Littoral/Benthic	+
<i>Micrura coei</i> (Coe, 1905c)	Hetero	Pac	Littoral/Benthic	+
<i>Micrura coei</i> var. <i>lineata</i> (Coe, 1940b)	Hetero	Pac	Littoral/Benthic	+
<i>Micrura dorsalis</i> Verrill, 1892	Hetero	Atl	Littoral/Benthic	+
<i>Micrura impressa</i> (Stimpson, 1857)	Hetero	Aka	Littoral/Benthic	*4
<i>Micrura nebulosa</i> Coe, 1905c	Hetero	Aka	Littoral/Benthic	+
<i>Micrura nigrirostris</i> Coe, 1904b	Hetero	Pac	Littoral/Benthic	+
<i>Micrura olivaris</i> Coe, 1905c	Hetero	Pac	Littoral/Benthic	+
<i>Micrura rubra</i> Verrill, 1892	Hetero	Atl	Littoral/Benthic	+
<i>Micrura verrilli</i> Coe, 1901a	Hetero	Pac, Aka	Littoral/Benthic	*4
<i>Micrura wilsoni</i> (Coe, 1904b)	Hetero	Pac	Littoral/Benthic	+
<i>Notospermus geniculatus</i> (Delle Chiaje, 1828)	Hetero	Atl	Littoral/Benthic	+
<i>Parapolia aurantiaca</i> Coe, 1895b	Hetero	Atl	Littoral/Benthic	+
<i>Parvicirrus dubius</i> (Verrill, 1879a)	Hetero	Atl	Littoral/Benthic	+
<i>Ramphogordius lacteus</i> (Rathke, 1843)	Hetero	Atl	Littoral/Benthic	+
<i>Ramphogordius sanguineus</i> (Rathke, 1799)	Hetero	Atl, Pac, Gulf	Littoral/Benthic	+
<i>Riserius pugetensis</i> Norenburg, 1993	Hetero ?	Pac	Littoral/Benthic	+
<i>Tarrhomyos luridus</i> (Verrill, 1879a)	Hetero	Atl	Littoral/Benthic	+
<i>Tenuilineus albocinctus</i> (Verrill, 1900)	Hetero	Atl, P.R., V.I.	Littoral/Benthic	+
<i>Tenuilineus bicolor</i> (Verrill, 1892)	Hetero	Atl	Littoral/Benthic	+
<i>Zygeupolia litoralis</i> Thompson, 1900a	Hetero	Atl	Littoral/Benthic	+
<i>Zygeupolia rubens</i> Coe, 1895b	Hetero	Atl, Pac	Littoral/Benthic	+
<i>Borlasia kurtzii</i> Girard, 1853	Hetero ?	Atl	Littoral/Benthic	?
<i>Heteroenopelus enigmaticus</i> Wern, 1998	Hetero ?	Gulf	Littoral/Benthic	+
<i>Riserius pugetensis</i> Norenburg, 1993	Hetero ?	Pac	Littoral/Benthic	+
Enopla, Hoplonemertea, Monostilifera				
<i>Alaxinus oclairi</i> Gibson, et al, 1990	Mono	Aka	Ectosymbiotic ?	+
<i>Amphinemertes caeca</i> Coe, 1940b	Mono	Aka	Littoral/Benthic	+
<i>Amphiporus angulatus</i> Müller, 1774	Mono	Atl, Pac, Aka	Littoral/Benthic	+
<i>Amphiporus brunneus</i> Griffin, 1898	Mono	Pac	Littoral/Benthic	+
<i>Amphiporus caecus</i> Verrill, 1892	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus californicus</i> Coe, 1905c	Mono	Pac	Littoral/Benthic	+
<i>Amphiporus cervicalis</i> (Stimpson, 1857)	Mono	Aka	Littoral/Benthic	*1
<i>Amphiporus cruentatus</i> Verrill, 1879a	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus flavescens</i> Coe, 1905c	Mono	Pac	Littoral/Benthic	+
<i>Amphiporus formidabilis</i> Griffin, 1898	Mono	Pac	Littoral/Benthic	+

Major taxonomic groups

15

TAXON	GROUP	REGION	HABITAT	STAT
Enopla, Hoplonemertea, Monostilifera (cont.)				
<i>Amphiporus frontalis</i> Verrill, 1892	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus fulvus</i> Coe, 1905c	Mono	Pac	Littoral/Benthic	+
<i>Amphiporus gelatinosus</i> Coe, 1905c	Mono	Pac, Aka	Littoral/Benthic	+
<i>Amphiporus glutinosus</i> (Verrill, 1873b)	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus greenmani</i> Montgomery, 1897a	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus griseus</i> (Stimpson, 1855b)	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus hastatus</i> McIntosh, 1873-1874	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus heterosorus</i> Verrill, 1892	Mono	Atl	Littoral/Benthic	*1
<i>Amphiporus imparispinosus</i> Griffin, 1898	Mono	Pac, Aka	Littoral/Benthic	*2
<i>Amphiporus imparispinosus</i> var. <i>similis</i> Coe, 1940b	Mono	Pac	Littoral/Benthic	*2
<i>Amphiporus lactifloreus</i> (Johnston, 1828a)	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus leptacanthus</i> Coe, 1905c	Mono	Pac	Littoral/Benthic	+
<i>Amphiporus leuciodus</i> Coe, 1901a	Mono	Aka	Littoral/Benthic	*7
<i>Amphiporus macracanthus</i> Coe, 1905c	Mono	Pac	Littoral/Benthic	+
<i>Amphiporus maculosus</i> Coe, 1944b	Mono	Aka	Littoral/Benthic	+
<i>Amphiporus mesosorus</i> Verrill, 1892	Mono	Atl	Littoral/Benthic	*1
<i>Amphiporus multisorus</i> Verrill, 1892	Mono	Atl	Littoral/Benthic	*1
<i>Amphiporus nebulosus</i> Coe, 1901a	Mono	Pac, Aka	Littoral/Benthic	+
<i>Amphiporus ochraceus</i> (Verrill, 1873b)	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus paulinus</i> Punnett, 1901b	Mono	Aka	Littoral/Benthic	+
<i>Amphiporus rubropunctus</i> McCaul, 1963	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus similis</i> Coe, 1905c	Mono	Pac	Littoral/Benthic	*2
<i>Amphiporus stimpsoni</i> (Stimpson, 1854)	Mono	Atl, Pac	Littoral/Benthic	+
<i>Amphiporus superbus</i> (Stimpson, 1854)	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus tetrasorus</i> Verrill, 1892	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus texanus</i> Coe, 1951b	Mono	Gulf	Littoral/Benthic	+
<i>Amphiporus thallius</i> Verrill, 1892	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus thompsoni</i> Punnett, 1901b	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus tigrinus</i> Coe, 1901a	Mono	Pac, Aka	Littoral/Benthic	+
<i>Argonemertes dendyi</i> Dakin, 1915	Mono	Pac, Haw	Terrestrial	*8
<i>Carcinonemertes carcinophila</i> (Kölliker, 1845)	Mono	Atl, Pac	Ovoparasitic	+
<i>Carcinonemertes carcinophila</i> var. <i>carcinophila</i> Humes, 1942	Mono	Atl, Pac	Ovoparasitic	+
<i>Carcinonemertes carcinophila</i> var. <i>imminuta</i> Humes, 1942	Mono	Gulf, P.R.	Ovoparasitic	+
<i>Carcinonemertes epialti</i> Coe, 1902b	Mono	Pac	Ovoparasitic	+
<i>Carcinonemertes errans</i> Wickham, 1978	Mono	Pac	Ovoparasitic	+
<i>Carcinonemertes mitsukurii</i> Takakura, 1910	Mono	Haw	Ovoparasitic	+
<i>Carcinonemertes pinnotheridophila</i> McDermott & Gibson, 1993	Mono	Atl	Ovoparasitic	+
<i>Carcinonemertes regicides</i> Shields, et al, 1989b	Mono	Aka	Ovoparasitic	+

Major taxonomic groups

16

TAXON	GROUP	REGION	HABITAT	STAT
Enopla, Hoplonemertea, Monostilifera (cont.)				
<i>Carcinonemertes wickhami</i> Shields & Kuris, 1990	Mono	Pac	Ovoparasitic	+
<i>Cryptonemertes actinophila</i> (Burger, 1904c)	Mono	Pac	Commensal	+
<i>Cyanophthalma obscura</i> (Schultze, 1851)	Mono	Atl	Littoral/Benthic	+
<i>Dichonemertes hartmanae</i> Coe, 1938	Mono	Pac	Littoral/Benthic	+
<i>Emplectonema buergeri</i> Coe, 1901a	Mono	Pac, Aka	Littoral/Benthic	+
<i>Emplectonema giganteum</i> (Verrill, 1873a)	Mono	Atl	Littoral/Benthic	+
<i>Emplectonema gracile</i> (Johnston, 1837)	Mono	Pac, Aka	Littoral/Benthic	+
<i>Emplectonema osceolai</i> Corrêa, 1961	Mono	Atl	Littoral/Benthic	+
<i>Emplectonema purpuratum</i> Coe, 1905c	Mono	Aka	Littoral/Benthic	+
<i>Geonemertes pelaensis</i> Semper, 1863	Mono	Atl, Haw	Terrestrial	*9
<i>Leptonemertes chalicophora</i> (Graff, 1879)	Mono	Atl, Pac	Terrestrial	*10
<i>Nemertopsis bivittata</i> (Delle Chiaje, 1841a)	Mono	Atl	Littoral/Benthic	+
<i>Nemertopsis exilis</i> Coe, 1947	Mono	Haw	Littoral/Benthic	+
<i>Nemertopsis gracilis</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Nemertopsis gracilis var. bullocki</i> Coe, 1940b	Mono	Pac	Littoral/Benthic	+
<i>Nipponnemertes bimaculata</i> (Coe, 1901a)	Mono	Pac, Aka	Littoral/Benthic	+
<i>Nipponnemertes drepanophoroides</i> (Griffin, 1898)	Mono	Pac	Littoral/Benthic	+
<i>Nipponnemertes fernaldi</i> Iwata, 2001	Mono	Pac	Littoral/Benthic	+
<i>Nipponnemertes occidentalis</i> (Coe, 1905c)	Mono	Pac	Littoral/Benthic	+
<i>Nipponnemertes pacifica</i> (Coe, 1905c)	Mono	Pac	Littoral/Benthic	+
<i>Nipponnemertes pulchra</i> (Johnston, 1837)	Mono	Atl	Littoral/Benthic	+
<i>Nipponnemertes punctatula</i> (Coe, 1905c)	Mono	Pac	Littoral/Benthic	+
<i>Nipponnemertes rubella</i> (Coe, 1905c)	Mono	Pac	Littoral/Benthic	+
<i>Oerstedtia dorsalis</i> (Abildgaard, 1806)	Mono	Atl, Pac, Gulf	Littoral/Benthic	+
<i>Ototyphlonemertes americana</i> Gerner, 1969	Mono	Pac	Interstitial	+
<i>Ototyphlonemertes evelinae</i> Corrêa, 1948	Mono	Atl, Gulf	Interstitial	+
<i>Ototyphlonemertes pellucida</i> Coe, 1943	Mono	Atl	Interstitial	+
<i>Ototyphlonemertes spiralis</i> Coe, 1940b	Mono	Pac	Interstitial	+
<i>Pantinonemertes californiensis</i> Gibson, et al, 1982	Mono	Pac	Supralittoral	+
<i>Paranemertes biocellatus</i> Coe, 1944d	Mono	Gulf	Littoral/Benthic	+
<i>Paranemertes californica</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Paranemertes carnea</i> Coe, 1901a	Mono	Pac, Aka	Littoral/Benthic	+
<i>Paranemertes pallida</i> Coe, 1901a	Mono	Pac, Aka	Littoral/Benthic	+
<i>Paranemertes peregrina</i> Coe, 1901a	Mono	Pac, Aka	Littoral/Benthic	+
<i>Paranemertes peregrina var. alaskensis</i> Coe, 1940b	Mono	Aka	Littoral/Benthic	+
<i>Paranemertes peregrina var. californiensis</i> Coe, 1940b	Mono	Pac	Littoral/Benthic	+
<i>Paranemertes sanjuanensis</i> Stricker, 1982	Mono	Pac	Littoral/Benthic	+
<i>Poseidonemertes collaris</i> Roe & Wickham, 1984	Mono	Pac	Littoral/Benthic	+

Major taxonomic groups

17

TAXON	GROUP	REGION	HABITAT	STAT
Enopla, Hoplonemertea, Monostilifera (cont.)				
<i>Proneurotes multioculatus</i> Montgomery, 1897a	Mono	Atl	Littoral/Benthic	+
<i>Prosorhochmus albidus</i> (Coe, 1905c)	Mono	Pac	Littoral/Benthic	+
<i>Prosorhochmus americanus</i> Gibson, et al, 1986	Mono	Atl	Littoral/Benthic	+
<i>Prostoma asensoriatum</i> (Montgomery, 1896	Mono	Fresh water	Fresh water	+
<i>Prostoma canadiensis</i> Gibson & Moore, 1978	Mono	Great Lakes	Fresh water	+
<i>Prostoma rubrum</i> (Leidy, 1850)	Mono	Fresh water	Fresh water	+
<i>Prostoma sillimani</i> (Girard, 1893)	Mono	Fresh water	Fresh water	+
<i>Pseudocarcinonemertes homari</i> Fleming & Gibson, 1981	Mono	Atl	Ovoparasitic	+
<i>Tetrastemma aberrans</i> Coe, 1901a	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma bicolor</i> Coe, 1901a	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma bilineatum</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma candidum</i> (Müller, 1774)	Mono	Atl, Pac, Gulf	Littoral/Benthic	+
<i>Tetrastemma elegans</i> (Girard, 1852)	Mono	Atl	Littoral/Benthic	+
<i>Tetrastemma enteroplectum</i> (Corrêa, 1954b)	Mono	Atl	Littoral/Benthic	+
<i>Tetrastemma flagellatum</i> Montgomery, 1897	Mono	Atl	Littoral/Benthic	?
<i>Tetrastemma jeani</i> McCaul, 1963	Mono	Atl	Littoral/Benthic	+
<i>Tetrastemma merulum</i> (Corrêa, 1954b)	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma nigrifrons</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma nigrifrons</i> var. <i>bicolor</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma nigrifrons</i> var. <i>pallidum</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma nigrifrons</i> var. <i>purpureum</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma nigrifrons</i> var. <i>zonatum</i> Coe, 1940b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma phyllospadicolum</i> Stricker, 1985a	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma quadrilineatum</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma reticulatum</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma sexlineatum</i> Coe, 1940b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma signifer</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma vermiculum</i> (Quatrefages, 1846)	Mono	Atl, Pac, Gulf	Littoral/Benthic	+
<i>Tetrastemma verrilli</i> (Bürger, 1904)	Mono	Atl	Littoral/Benthic	+
<i>Tetrastemma wilsoni</i> Coe, 1943	Mono	Atl	Littoral/Benthic	+
<i>Tetrastemma worki</i> Corrêa, 1961	Mono	Atl	Littoral/Benthic	+
<i>Zygonemertes albida</i> Coe, 1901a	Mono	Pac	Littoral/Benthic	+
<i>Zygonemertes cocacola</i> Corrêa, 1961	Mono	Atl	Littoral/Benthic	+
<i>Zygonemertes simoneae</i> Corrêa, 1961	Mono	Atl	Littoral/Benthic	+
<i>Zygonemertes thalassina</i> Coe, 1901a	Mono	Pac, Aka	Littoral/Benthic	+
<i>Zygonemertes virescens</i> (Verrill, 1879a)	Mono	Atl, Pac, Gulf	Littoral/Benthic	+

Major taxonomic groups

18

TAXON	GROUP	REGION	HABITAT	STAT
Enopla, Hoplonemertea, Polystilifera, Reptantia				
<i>Drepanophorus ritteri</i> Coe, 1905c	Reptant	Pac	Littoral/Benthic	+
<i>Paradrepanophorus crassus</i> (Quatrefages, 1846)	Reptant	Atl, Pac, P.R.	Littoral/Benthic	+
Enopla, Hoplonemertea, Polystilifera, Pelagica				
<i>Balaenanemertes minor</i> Coe, 1936	Pelag	Atl	Bathypelagic	+
<i>Chunianna opaca</i> Coe, 1954c	Pelag	Pac	Bathypelagic	+
<i>Chunianna pacifica</i> Coe, 1954c	Pelag	Pac	Bathypelagic	+
<i>Chuniella lanceolata</i> Brinkmann, 1917b	Pelag	Atl	Bathypelagic	+
<i>Chuniella tenella</i> Coe, 1954c	Pelag	Pac	Bathypelagic	+
<i>Crassonemertes robusta</i> Brinkmann, 1917b	Pelag	Atl	Bathypelagic	+
<i>Cuneonemertes elongata</i> Coe, 1954c	Pelag	Pac	Bathypelagic	+
<i>Cuneonemertes nigra</i> (Coe, 1945a)	Pelag	Atl, Pac	Bathypelagic	+
<i>Cuneonemertes obesa</i> Coe, 1954c	Pelag	Pac	Bathypelagic	+
<i>Mononemertes scarlata</i> Coe, 1945a	Pelag	Atl	Bathypelagic	+
<i>Nectonemertes major</i> Korotkevich, 1955a	Pelag	Aka	Bathypelagic	+
<i>Nectonemertes mirabilis</i> (Verrill, 1892)	Pelag	Atl, Pac, Aka	Bathypelagic	+
<i>Nectonemertes pelagica</i> Cravens & Heath, 1906	Pelag	Pac	Bathypelagic	+
<i>Nectonemertes primitiva</i> Brinkmann, 1917	Pelag	Pac	Bathypelagic	+
<i>Neoarmaueria angusta</i> (Korotkevich, 1955a)	Pelag	Aka	Bathypelagic	+
<i>Neoarmaueria crassa</i> (Korotkevich, 1955a)	Pelag	Pac, Aka	Bathypelagic	+
<i>Neoarmaueria tenuicauda</i> (Korotkevich, 1955a)	Pelag	Pac, Aka	Bathypelagic	+
<i>Pachynemertes obesa</i> Coe, 1935a	Pelag	Atl	Bathypelagic	+
<i>Paradinonemertes macrostoma</i> Coe, 1954c	Pelag	Pac	Bathypelagic	+
<i>Pelagonemertes brinkmanni</i> Coe, 1920	Pelag	Aka	Bathypelagic	+
<i>Pelagonemertes excisa</i> Korotkevich, 1955a	Pelag	Aka	Bathypelagic	+
<i>Pelagonemertes joubini</i> Coe, 1926	Pelag	Pac, Aka	Bathypelagic	+
<i>Pelagonemertes laticauda</i> Korotkevich, 1955a	Pelag	Aka	Bathypelagic	+
<i>Pelagonemertes rollestoni</i> Moseley, 1875a	Pelag	Pac	Bathypelagic	+
<i>Planonemertes labiata</i> Coe, 1935a	Pelag	Atl	Bathypelagic	+
<i>Plotonemertes adhaerens</i> Brinkmann, 1917b	Pelag	Atl, Pac	Bathypelagic	+
<i>Plotonemertes aurantiaca</i> Coe, 1935a	Pelag	Atl	Bathypelagic	+
<i>Protopelagonemertes beebei</i> Coe, 1935a	Pelag	Atl	Bathypelagic	+
<i>Tononemertes pellicuda</i> Coe, 1954c	Pelag	Pac	Bathypelagic	+
<i>Tubonemertes aureola</i> Coe, 1954c	Pelag	Pac	Bathypelagic	+
<i>Tubonemertes wheeleri</i> Coe, 1936)	Pelag	Atl, Pac	Bathypelagic	+

Major taxonomic groups**19**

TAXON	GROUP	REGION	HABITAT	STAT
Enopla, Bdellonemertea				
<i>Malacobdella grossa</i> (Müller, 1776)	Bdello	Atl, Pac	Commensal	+
<i>Malacobdella macomae</i> Kozloff, 1991	Bdello	Pac	Commensal	+
<i>Malacobdella mercenaria</i> Verrill, 1873	Bdello	Atl	Commensal	?
<i>Malacobdella minuta</i> Coe, 1945b	Bdello	Pac	Commensal	+
<i>Malacobdella obesa</i> Verrill, 1873b	Bdello	Atl	Commensal	?
<i>Malacobdella siliquae</i> Kozloff, 1991	Bdello	Pac	Commensal	+
Fossil (uncertain affinity)				
<i>Archisymplectes rhothon</i> Schram, 1973	Fossil	Fossil	Fossil	+

OCCURRENCE BY REGION

TAXON	GROUP	REGION	HABITAT	STAT
Atlantic				
<i>Adenorhagas aurantiafrons</i> Riser, 1990	Hetero	Atl	Littoral/Benthic	+
<i>Amphiporus angulatus</i> Müller, 1774	Mono	Atl, Pac, Aka	Littoral/Benthic	+
<i>Amphiporus caecus</i> Verrill, 1892	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus cruentatus</i> Verrill, 1879a	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus frontalis</i> Verrill, 1892	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus glutinosus</i> (Verrill, 1873b)	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus greenmani</i> Montgomery, 1897a	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus griseus</i> (Stimpson, 1855b)	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus hastatus</i> McIntosh, 1873-1874	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus heterosorus</i> Verrill, 1892	Mono	Atl	Littoral/Benthic	*1
<i>Amphiporus lactiflorens</i> (Johnston, 1828a)	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus mesosorus</i> Verrill, 1892	Mono	Atl	Littoral/Benthic	*1
<i>Amphiporus multisorus</i> Verrill, 1892	Mono	Atl	Littoral/Benthic	*1
<i>Amphiporus ochraceus</i> (Verrill, 1873b)	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus rubropunctus</i> McCaul, 1963	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus stimpsoni</i> (Stimpson, 1854)	Mono	Atl, Pac	Littoral/Benthic	+
<i>Amphiporus superbus</i> (Stimpson, 1854)	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus tetrasorus</i> Verrill, 1892	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus thallius</i> Verrill, 1892	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus thompsoni</i> Punnett, 1901b	Mono	Atl	Littoral/Benthic	+
<i>Balaenanemertes minor</i> Coe, 1936	Pelag	Atl	Bathypelagic	+
<i>Baseodiscus curtus</i> (Hubrecht, 1879c)	Hetero	Atl, Pac	Littoral/Benthic	*3
<i>Baseodiscus delineates</i> (Delle Chiaje, 1825)	Hetero	Atl, Pac	Littoral/Benthic	+
<i>Borlasia kurtzii</i> Girard, 1853	Hetero ?	Atl	Littoral/Benthic	?
<i>Carcinonemertes carcinophila</i> (Kölliker, 1845)	Mono	Atl, Pac	Ovoparasitic	+
<i>Carcinonemertes carcinophila var. carcinophila</i> Humes, 1942	Mono	Atl, Pac	Ovoparasitic	+
<i>Carcinonemertes pinnotheridophila</i> McDermott & Gibson, 1993	Mono	Atl	Ovoparasitic	+
<i>Carinina grata</i> Hubrecht, 1887b	Paleo	Atl	Littoral/Benthic	+
<i>Carinoma tremaphoros</i> Thompson, 1900b	Paleo	Atl, Gulf	Littoral/Benthic	+
<i>Carinomella lactea</i> Coe, 1905c	Paleo	Atl, Pac	Littoral/Benthic	+
<i>Cephalothrix linearis</i> (Rathke, 1799)	Paleo	Atl	Littoral/Benthic	+
<i>Cerebratulus crassus</i> Quatrefages, 1846	Hetero	Atl, Pac, P.R.	Littoral/Benthic	+
<i>Cerebratulus lacteus</i> (Leidy, 1851b)	Hetero	Atl, Gulf	Littoral/Benthic	+
<i>Cerebratulus leucopsis</i> Coe, 1901b	Hetero	Atl, Pac, P.R.	Littoral/Benthic	+
<i>Cerebratulus lineolatus</i> Coe, 1905c	Hetero	Atl, Pac	Littoral/Benthic	+
<i>Cerebratulus marginatus</i> Renier, 1804	Hetero	Atl, Pac, Aka	Littoral/Benthic	+
<i>Cerebratulus melanops</i> Coe & Kunkel, 1903	Hetero	Atl	Littoral/Benthic	+

Occurrence by region

21

TAXON	GROUP	REGION	HABITAT	STAT
Atlantic (cont.)				
<i>Cerebratulus ruber</i> (Girard, 1853)	Hetero	Atl	Littoral/Benthic	+
<i>Cerebratulus striolentus</i> (Girard, 1853)	Hetero	Atl	Littoral/Benthic	+
<i>Chuniella lanceolata</i> Brinkmann, 1917b	Pelag	Atl	Bathypelagic	+
<i>Crassonemertes robusta</i> Brinkmann, 1917b	Pelag	Atl	Bathypelagic	+
<i>Cuneonemertes nigra</i> (Coe, 1945a)	Pelag	Atl, Pac	Bathypelagic	+
<i>Cyanophthalma obscura</i> (Schultze, 1851)	Mono	Atl	Littoral/Benthic	+
<i>Dushia atra</i> (Girard, 1851a)	Hetero	Atl	Littoral/Benthic	+
<i>Emplectonema giganteum</i> (Verrill, 1873a)	Mono	Atl	Littoral/Benthic	+
<i>Emplectonema osceolai</i> Corrêa, 1961	Mono	Atl	Littoral/Benthic	+
<i>Fragilonemertes rosea</i> (Leidy, 1851)	Hetero	Atl, Gulf	Littoral/Benthic	+
<i>Geonemertes pelaensis</i> Semper, 1863	Mono	Atl, Haw	Terrestrial	+
<i>Gorgonorhynchus bermudensis</i> Wheeler, 1940b	Hetero	Atl	Littoral/Benthic	+
<i>Leptonemertes chalicophora</i> (Graff, 1879)	Mono	Atl, Pac	Terrestrial	*10
<i>Lineus arenicola</i> (Verrill, 1873b)	Hetero	Atl	Littoral/Benthic	+
<i>Lineus pallidus</i> Verrill, 1879a	Hetero	Atl	Littoral/Benthic	+
<i>Lineus ruber</i> (Müller, 1774)	Hetero	Atl, Pac	Littoral/Benthic	+
<i>Lineus stigmatus</i> Coe, 1951b	Hetero	Atl	Littoral/Benthic	+
<i>Lineus viridis</i> (Müller, 1774)	Hetero	Atl, Pac	Littoral/Benthic	+
<i>Malacobdella grossa</i> (Muller, 1776)	Bdello	Atl, Pac	Commensal	+
<i>Malacobdella mercenaria</i> Verrill, 1873	Bdello	Atl	Commensal	?
<i>Malacobdella obesa</i> Verrill, 1873b	Bdello	Atl	Commensal	?
<i>Meckelia lizziae</i> Girard, 1853	Hetero	Atl	Littoral/Benthic	*11
<i>Micrura affinis</i> (Stimpson, 1854)	Hetero	Atl	Littoral/Benthic	+
<i>Micrura albida</i> Verrill, 1879a	Hetero	Atl	Littoral/Benthic	+
<i>Micrura caeca</i> Verrill, 1895	Hetero	Atl	Littoral/Benthic	+
<i>Micrura dorsalis</i> Verrill, 1892	Hetero	Atl	Littoral/Benthic	+
<i>Micrura rubra</i> Verrill, 1892	Hetero	Atl	Littoral/Benthic	+
<i>Mononemertes scarlata</i> Coe, 1945a	Pelag	Atl	Bathypelagic	+
<i>Nectonemertes mirabilis</i> (Verrill, 1892)	Pelag	Atl, Pac, Aka	Bathypelagic	+
<i>Nemertopsis bivittata</i> (Delle Chiaje, 1841a)	Mono	Atl	Littoral/Benthic	+
<i>Nipponnemertes pulcher</i> (Johnston, 1837)	Mono	Atl	Littoral/Benthic	+
<i>Notospermus geniculatus</i> (Delle Chiaje, 1828)	Hetero	Atl	Littoral/Benthic	+
<i>Oersteddia dorsalis</i> (Abildgaard, 1806)	Mono	Atl, Pac, Gulf	Littoral/Benthic	+
<i>Ototyphlonemertes evelinae</i> Corrêa, 1948	Mono	Atl, Gulf	Interstitial	+
<i>Ototyphlonemertes pellucida</i> Coe, 1943	Mono	Atl	Interstitial	+
<i>Pachynemertes obesa</i> Coe, 1935a	Pelag	Atl	Bathypelagic	+
<i>Paradrepanophorus crassus</i> (Quatrefages, 1846)	Reptant	Atl, Pac, P.R.	Littoral/Benthic	+
<i>Parapolia aurantiaca</i> Coe, 1895b	Hetero	Atl	Littoral/Benthic	+

Occurrence by region

22

TAXON	GROUP	REGION	HABITAT	STAT
Atlantic (cont.)				
<i>Parvicirrus dubius</i> (Verrill, 1879a)	Hetero	Atl	Littoral/Benthic	+
<i>Planonemertes labiata</i> Coe, 1935a	Pelag	Atl	Bathypelagic	+
<i>Plotonemertes adhaerens</i> Brinkmann, 1917b	Pelag	Atl, Pac	Bathypelagic	+
<i>Plotonemertes aurantiaca</i> Coe, 1935a	Pelag	Atl	Bathypelagic	+
<i>Procephalothrix spiralis</i> (Coe, 1930c)	Paleo	Atl, Pac, Aka	Littoral/Benthic	+
<i>Proneurolites multioculatus</i> Montgomery, 1897a	Mono	Atl	Littoral/Benthic	+
<i>Prosorhochmus americanus</i> Gibson, et al, 1986	Mono	Atl	Littoral/Benthic	+
<i>Protopelagonemertes beebei</i> Coe, 1935a	Pelag	Atl	Bathypelagic	+
<i>Pseudocarcinonemertes homari</i> Fleming & Gibson, 1981	Mono	Atl	Ovoparasitic	+
<i>Ramphogordius lacteus</i> (Rathke, 1843)	Hetero	Atl	Littoral/Benthic	+
<i>Ramphogordius sanguineus</i> (Rathke, 1799)	Hetero	Atl, Pac, Gulf	Littoral/Benthic	+
<i>Tarrhomyos luridus</i> (Verrill, 1879a)	Hetero	Atl	Littoral/Benthic	+
<i>Tenuilineus albocinctus</i> (Verrill, 1900)	Hetero	Atl, P.R., V.I.	Littoral/Benthic	+
<i>Tenuilineus bicolor</i> (Verrill, 1892)	Hetero	Atl	Littoral/Benthic	+
<i>Tetrastemma candidum</i> (Müller, 1774)	Mono	Atl, Pac, Gulf	Littoral/Benthic	+
<i>Tetrastemma elegans</i> (Girard, 1852)	Mono	Atl	Littoral/Benthic	+
<i>Tetrastemma enteroplectum</i> (Corrêa, 1954b)	Mono	Atl	Littoral/Benthic	+
<i>Tetrastemma flagellatum</i> Montgomery, 1897	Mono	Atl	Littoral/Benthic	?
<i>Tetrastemma jeani</i> McCaul, 1963	Mono	Atl	Littoral/Benthic	+
<i>Tetrastemma vermiculum</i> (Quatrefages, 1846)	Mono	Atl, Pac, Gulf	Littoral/Benthic	+
<i>Tetrastemma verrilli</i> (Bürger, 1904)	Mono	Atl	Littoral/Benthic	+
<i>Tetrastemma wilsoni</i> Coe, 1943	Mono	Atl	Littoral/Benthic	+
<i>Tetrastemma worki</i> Corrêa, 1961	Mono	Atl	Littoral/Benthic	+
<i>Tubonemertes wheeleri</i> (Coe, 1936)	Pelag	Atl, Pac	Bathypelagic	+
<i>Tubulanus floridanus</i> Coe, 1951b	Paleo	Atl	Littoral/Benthic	+
<i>Tubulanus pellucidus</i> (Coe, 1895b)	Paleo	Atl, Pac	Littoral/Benthic	+
<i>Tubulanus polymorphus</i> Renier, 1804	Paleo	Atl, Pac, Aka	Littoral/Benthic	+
<i>Tubulanus rhabdotus</i> Corrêa, 1954b	Paleo	Atl	Littoral/Benthic	+
<i>Zygeupolia litoralis</i> Thompson, 1900a	Hetero	Atl	Littoral/Benthic	+
<i>Zygeupolia rubens</i> Coe, 1895b	Hetero	Atl, Pac	Littoral/Benthic	+
<i>Zygonemertes cocacola</i> Corrêa, 1961	Mono	Atl	Littoral/Benthic	+
<i>Zygonemertes simoneae</i> Corrêa, 1961	Mono	Atl	Littoral/Benthic	+
<i>Zygonemertes virescens</i> (Verrill, 1879a)	Mono	Atl, Pac, Gulf	Littoral/Benthic	+
Gulf				
<i>Amphiporus texanus</i> Coe, 1951b	Mono	Gulf	Littoral/Benthic	+
<i>Carcinonemertes carcinophila</i> var. <i>imminuta</i> Humes, 1942	Mono	Gulf, P.R.	Ovoparasitic	+
<i>Carinoma tremaphoros</i> Thompson, 1900b	Paleo	Atl, Gulf	Littoral/Benthic	+

Occurrence by region

23

TAXON	GROUP	REGION	HABITAT	STAT
Gulf (cont.)				
<i>Cerebratulus lacteus</i> (Leidy, 1851b)	Hetero	Atl, Gulf	Littoral/Benthic	+
<i>Euborlasia maxima</i> Coe, 1905c	Hetero	Gulf	Littoral/Benthic	+
<i>Fragilonemertes rosea</i> (Leidy, 1851)	Hetero	Atl, Gulf	Littoral/Benthic	+
<i>Heteroenopleus enigmaticus</i> Wern, 1998	Hetero ?	Gulf	Littoral/Benthic	+
<i>Oerstedia dorsalis</i> (Abildgaard, 1806)	Mono	Atl, Pac, Gulf	Littoral/Benthic	+
<i>Otocyphlonemertes evelinae</i> Corrêa, 1948	Mono	Atl, Gulf	Interstitial	+
<i>Paranemertes biocellatus</i> Coe, 1944d	Mono	Gulf	Littoral/Benthic	+
<i>Ramphogordius sanguineus</i> (Rathke, 1799)	Hetero	Atl, Pac, Gulf	Littoral/Benthic	+
<i>Tetrastemma candidum</i> (Müller, 1774)	Mono	Atl, Pac, Gulf	Littoral/Benthic	+
<i>Tetrastemma vermiculum</i> (Quatrefages, 1846)	Mono	Atl, Pac, Gulf	Littoral/Benthic	+
<i>Zygonemertes virescens</i> (Verrill, 1879a)	Mono	Atl, Pac, Gulf	Littoral/Benthic	+
Puerto Rico and Virgin Islands				
<i>Baseodiscus discolor</i> (Coe, 1901b)	Hetero	P.R.	Littoral/Benthic	+
<i>Carcinonemertes carcinophila</i> var. <i>imminuta</i> Humes, 1942	Mono	Gulf, P.R.	Ovoparasitic	+
<i>Cerebratulus antillensis</i> Coe, 1901b	Hetero	P.R.	Littoral/Benthic	+
<i>Cerebratulus crassus</i> Quatrefages, 1846	Hetero	Atl, Pac, P.R.	Littoral/Benthic	+
<i>Cerebratulus leucopsis</i> Coe, 1901b	Hetero	Atl, Pac, P.R.	Littoral/Benthic	+
<i>Paradrepanophorus crassus</i> (Quatrefages, 1846)	Reptant	Atl, Pac, P.R.	Littoral/Benthic	+
<i>Tenuilineus albocinctus</i> (Verrill, 1900)	Hetero	Atl, P.R., V.I.	Littoral/Benthic	+
Pacific				
<i>Amphiporus angulatus</i> Müller, 1774	Mono	Atl, Pac, Aka	Littoral/Benthic	+
<i>Amphiporus brunneus</i> Griffin, 1898	Mono	Pac	Littoral/Benthic	+
<i>Amphiporus californicus</i> Coe, 1905c	Mono	Pac	Littoral/Benthic	+
<i>Amphiporus flavescens</i> Coe, 1905c	Mono	Pac	Littoral/Benthic	+
<i>Amphiporus formidabilis</i> Griffin, 1898	Mono	Pac	Littoral/Benthic	+
<i>Amphiponts fulvus</i> Coe, 1905c	Mono	Pac	Littoral/Benthic	+
<i>Atnphiporus gelatinosus</i> Coe, 1905c	Mono	Pac, Aka	Littoral/Benthic	+
<i>Amphiporus imparispinosus</i> Griffin, 1898	Mono	Pac, Aka	Littoral/Benthic	*2
<i>Amphiporus imparispinosus</i> var. <i>similis</i> Coe, 1940b	Mono	Pac	Littoral/Benthic	*2
<i>Amphiporus leptacanthus</i> Coe, 1905c	Mono	Pac	Littoral/Benthic	+
<i>Amphiporus macracanthus</i> Coe, 1905c	Mono	Pac	Littoral/Benthic	+
<i>Amphiporus nebulosus</i> Coe, 1901a	Mono	Pac, Aka	Littoral/Benthic	+
<i>Amphiporus similis</i> Coe, 1905c	Mono	Pac	Littoral/Benthic	*2
<i>Amphiporus stimpsoni</i> (Stimpson, 1854)	Mono	Atl, Pac	Littoral/Benthic	+
<i>Amphiporus tigrinus</i> Coe, 1901a	Mono	Pac, Aka	Littoral/Benthic	+

Occurrence by region

24

TAXON	GROUP	REGION	HABITAT	STAT
Pacific (cont.)				
<i>Argonemertes dendyi</i> Dakin, 1915	Mono	Pac, Haw	Terrestrial	*8
<i>Baseodiscus curtus</i> (Hubrecht, 1879c)	Hetero	Atl, Pac	Littoral/Benthic	*3
<i>Baseodiscus delineatus</i> (Delle Chiaje, 1825)	Hetero	Atl, Pac	Littoral/Benthic	+
<i>Baseodiscus mexicanus</i> Coe, 1940b	Hetero	Pac	Littoral/Benthic	+
<i>Baseodiscus princeps</i> (Coe, 1901a)	Hetero	Pac, Aka	Littoral/Benthic	+
<i>Baseodiscus punnetti</i> (Coe, 1904b)	Hetero	Pac	Littoral/Benthic	+
<i>Carcinonemertes carcinophila</i> Kölliker, 1845)	Mono	Atl, Pac	Ovoparasitic	+
<i>Carcinonemertes carcinophila var. carcinophila</i> Humes, 1942	Mono	Atl, Pac	Ovoparasitic	+
<i>Carcinonemertes epialti</i> Coe, 1902b	Mono	Pac	Ovoparasitic	+
<i>Carcinonemertes errans</i> Wickham, 1978	Mono	Pac	Ovoparasitic	+
<i>Carcinonemertes wickhami</i> Shields & Kuris, 1990	Mono	Pac	Ovoparasitic	+
<i>Carinoma mutabilis</i> Griffin, 1898	Paleo	Pac	Littoral/Benthic	+
<i>Carinomella lactea</i> Coe, 1905c	Paleo	Atl, Pac	Littoral/Benthic	+
<i>Cephalothrix pacifica</i> Gerner, 1969	Paleo	Pac	Littoral/Benthic	+
<i>Cerebratulus albifrons</i> Coe, 1901a	Hetero	Pac, Aka	Littoral/Benthic	+
<i>Cerebratulus californiensis</i> Coe, 1905c	Hetero	Pac	Littoral/Benthic	+
<i>Cerebratulus crassus</i> Quatrefages, 1846	Hetero	Atl, Pac, P.R.	Littoral/Benthic	+
<i>Cerebratulus herculeus</i> Coe, 1901a	Hetero	Pac, Aka	Littoral/Benthic	+
<i>Cerebratulus leucopsis</i> Coe, 1901b	Hetero	Atl, Pac, P.R.	Littoral/Benthic	+
<i>Cerebratulus lineolatus</i> Coe, 1905c	Hetero	Atl, Pac	Littoral/Benthic	+
<i>Cerebratulus marginatus</i> Renier, 1804	Hetero	Atl, Pac, Aka	Littoral/Benthic	+
<i>Cerebratulus montgomeryi</i> Coe, 1901a	Hetero	Pac, Aka	Littoral/Benthic	+
<i>Cerebratulus occidentalis</i> Coe, 1901a	Hetero	Pac, Aka	Littoral/Benthic	+
<i>Chunianna opaca</i> Coe, 1954c	Pelag	Pac	Bathypelagic	+
<i>Chunianna pacifica</i> Coe, 1954c	Pelag	Pac	Bathypelagic	+
<i>Chuniella tenella</i> Coe, 1954c	Pelag	Pac	Bathypelagic	+
<i>Cryptonemertes actinophila</i> (Bürger, 1904c)	Mono	Pac	Commensal	+
<i>Cuneonemertes elongata</i> Coe, 1954c	Pelag	Pac	Bathypelagic	+
<i>Cuneonemertes nigra</i> (Coe, 1945a)	Pelag	Atl, Pac	Bathypelagic	+
<i>Cuneonemertes obesa</i> Coe, 1954c	Pelag	Pac	Bathypelagic	+
<i>Dichonemertes hartmanae</i> Coe, 1938	Mono	Pac	Littoral/Benthic	+
<i>Diplopleura vivesi</i> (Joubin, 1905)	Hetero	Pac	Littoral/Benthic	+
<i>Drepanophorus ritteri</i> Coe, 1905c	Reptant	Pac	Littoral/Benthic	+
<i>Emplectonema buergeri</i> Coe, 1901a	Mono	Pac, Aka	Littoral/Benthic	+
<i>Emplectonema gracile</i> (Johnston, 1837)	Mono	Pac, Aka	Littoral/Benthic	+
<i>Euborlasia nigrocincta</i> Coe, 1940b	Hetero	Pac	Littoral/Benthic	+
<i>Leptonemertes chalicophora</i> (Graff, 1879)	Mono	Atl, Pac	Terrestrial	*10
<i>Lineus albifrons</i> Coe, 1934a	Hetero	Pac	Littoral/Benthic	+

Occurrence by region

25

TAXON	GROUP	REGION	HABITAT	STAT
Pacific (cont.)				
<i>Lineus bilineatus</i> (Renier, 1804)	Hetero	Pac	Littoral/Benthic	+
<i>Lineus flavescens</i> Coe, 1904b	Hetero	Pac	Littoral/Benthic	+
<i>Lineus picnifrons</i> Coe, 1904b	Hetero	Pac	Littoral/Benthic	+
<i>Lineus ruber</i> (Müller, 1774)	Hetero	Atl, Pac	Littoral/Benthic	+
<i>Lineus rubescens</i> Coe, 1904b	Hetero	Pac	Littoral/Benthic	+
<i>Lineus striatus</i> Griffin, 1898	Hetero	Pac	Littoral/Benthic	*4
<i>Lineus torquatus</i> Coe, 1901a	Hetero	Pac, Aka	Littoral/Benthic	+
<i>Lineus viridis</i> (Müller, 1774)	Hetero	Atl, Pac	Littoral/Benthic	+
<i>Malacobdella grossa</i> (Müller, 1776)	Bdello	Atl, Pac	Commensal	+
<i>Malacobdella macomae</i> Kozloff, 1991	Bdello	Pac	Commensal	+
<i>Malacobdella mininuta</i> Coe, 1945b	Bdello	Pac	Commensal	+
<i>Malacobdella siliquae</i> Kozloff, 1991	Bdello	Pac	Commensal	+
<i>Micrura alaskensis</i> Coe, 1901a	Hetero	Pac, Aka	Littoral/Benthic	+
<i>Micrura coei</i> (Coe, 1905c)	Hetero	Pac	Littoral/Benthic	+
<i>Micrura coei</i> var. <i>lineata</i> (Coe, 1940b)	Hetero	Pac	Littoral/Benthic	+
<i>Micrura nigrirostris</i> Coe, 1904b	Hetero	Pac	Littoral/Benthic	+
<i>Micrura olivaris</i> Coe, 1905c	Hetero	Pac	Littoral/Benthic	+
<i>Micrura verrilli</i> Coe, 1901a	Hetero	Pac, Aka	Littoral/Benthic	*4
<i>Micrura wilsoni</i> (Coe, 1904b)	Hetero	Pac	Littoral/Benthic	+
<i>Nectonemertes mirabilis</i> (Verrill, 1892)	Pelag	Atl, Pac, Aka	Bathypelagic	+
<i>Nectonemertes pelagica</i> Cravens & Heath, 1906	Pelag	Pac	Bathypelagic	+
<i>Nectonemertes primitiva</i> Brinkmann,	Pelag	Pac	Bathypelagic	+
<i>Nemertopsis gracilis</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Nemertopsis gracilis</i> var. <i>bullocki</i> Coe, 1940b	Mono	Pac	Littoral/Benthic	+
<i>Neoarmaueria crassa</i> (Korotkevich, 1955a)	Pelag	Pac, Aka	Bathypelagic	+
<i>Neoarmaueria tenuicauda</i> (Korotkevich, 1955a)	Pelag	Pac, Aka	Bathypelagic	+
<i>Nipponnemertes bimaculata</i> (Coe, 1901a)	Mono	Pac, Aka	Littoral/Benthic	+
<i>Nipponnemertes drepanophoroides</i> (Griffin, 1898)	Mono	Pac	Littoral/Benthic	+
<i>Nipponnemertes fernaldi</i> Iwata, 2001	Mono	Pac	Littoral/Benthic	+
<i>Nipponnemertes occidentalis</i> (Coe, 1905c)	Mono	Pac	Littoral/Benthic	*5
<i>Nipponnemertes pacifica</i> (Coe, 1905c)	Mono	Pac	Littoral/Benthic	*6
<i>Nipponnemertes punctatula</i> (Coe, 1905c)	Mono	Pac	Littoral/Benthic	*5
<i>Nipponnemertes rubella</i> (Coe, 1905c)	Mono	Pac	Littoral/Benthic	+
<i>Oerstedtia dorsalis</i> (Abildgaard, 1806)	Mono	All, Pac, Gulf	Littoral/Benthic	+
<i>Otocyphlonemertes americana</i> Gerner, 1969	Mono	Pac	Interstitial	+
<i>Otocyphlonemertes spiralis</i> Coe, 1940b	Mono	Pac	Interstitial	+
<i>Pantinonemertes californiensis</i> Gibson, et al, 1982	Mono	Pac	Supralittoral	+
<i>Paradinonemertes macrostoma</i> Coe, 1954c	Pelag	Pac	Bathypelagic	+

Occurrence by region

26

TAXON	GROUP	REGION	HABITAT	STAT
Pacific (cont.)				
<i>Paradrepanophorus crassus</i> (Quatrefages, 1846)	Reptant	Atl, Pac, P.R.	Littoral/Benthic	+
<i>Paranemertes californica</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Paranemertes carnea</i> Coe, 1901a	Mono	Pac, Aka	Littoral/Benthic	+
<i>Paranemertes pallida</i> Coe, 1901a	Mono	Pac, Aka	Littoral/Benthic	+
<i>Paranemertes peregrina</i> Coe, 1901a	Mono	Pac, Aka	Littoral/Benthic	+
<i>Paranemertes peregrina</i> var. <i>californiensis</i> Coe, 1940b	Mono	Pac	Littoral/Benthic	+
<i>Paranemertes sanjuanensis</i> Stricker, 1982	Mono	Pac	Littoral/Benthic	+
<i>Pelagonemertes joubini</i> Coe, 1926	Pelag	Pac, Aka	Bathypelagic	+
<i>Pelagonemertes rollestoni</i> Moseley, 1875a	Pelag	Pac	Bathypelagic	+
<i>Plotonemertes adhaerens</i> Brinkmann, 1917b	Pelag	Atl, Pac	Bathypelagic	+
<i>Poseidonemertes collaris</i> Roe & Wickham, 1984	Mono	Pac	Littoral/Benthic	+
<i>Procephalothrix major</i> (Coe, 1930c)	Paleo	Pac	Littoral/Benthic	+
<i>Procephalothrix spiralis</i> (Coe, 1930c)	Paleo	Atl, Pac, Aka	Littoral/Benthic	+
<i>Prosorhochmus albidus</i> (Coe, 1905c)	Mono	Pac	Littoral/Benthic	+
<i>Ramphogordius sanguineus</i> (Rathke, 1799)	Hetero	Atl, Pac, Gulf	Littoral/Benthic	+
<i>Riserius pugetensis</i> Norenburg, 1993	Hetero ?	Pac	Littoral/Benthic	+
<i>Tetrastemma aberrans</i> Coe, 1901a	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma bicolor</i> Coe, 1901a	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma bilineatum</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma candidum</i> (Müller, 1774)	Mono	Atl, Pac, Gulf	Littoral/Benthic	+
<i>Tetrastemma merulum</i> (Corrêa, 1954b)	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma nigrifrons</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma nigrifrons</i> var. <i>bicolor</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma nigrifrons</i> var. <i>pallidum</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma nigrifrons</i> var. <i>purpureum</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma nigrifrons</i> var. <i>zonatum</i> Coe, 1940b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma phyllospadicolum</i> Stricker, 1985a	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma quadrilineatum</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma reticulatum</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma sexlineatum</i> Coe, 1940b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma signifer</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma vermiculum</i> (Quatrefages, 1846)	Mono	Atl, Pac, Gulf	Littoral/Benthic	+
<i>Tononemertes pellucida</i> Coe, 1954c	Pelag	Pac	Bathypelagic	+
<i>Tubonemertes aureola</i> Coe, 1954c	Pelag	Pac	Bathypelagic	+
<i>Tubonemertes wheeleri</i> (Coe, 1936)	Pelag	Atl, Pac	Bathypelagic	+
<i>Tubulanus albocinctus</i> (Coe, 1904b)	Paleo	Pac	Littoral/Benthic	+
<i>Tubulanus capistratus</i> (Coe, 1901a)	Paleo	Pac, Aka	Littoral/Benthic	+
<i>Tubulanus angulatus</i> (Coe, 1904b)	Paleo	Pac, Aka	Littoral/Benthic	+

Occurrence by region

27

TAXON	GROUP	REGION	HABITAT	STAT
Pacific (cont.)				
<i>Tubulanus frenatus</i> (Coe, 1904b)	Paleo	Pac	Littoral/Benthic	+
<i>Tubulanus pellucidus</i> (Coe, 1895b)	Paleo	Atl, Pac	Littoral/Benthic	+
<i>Tubulanus polymorphus</i> Renier, 1804	Paleo	Atl, Pac, Aka	Littoral/Benthic	+
<i>Tubulanus sexlineatus</i> (Griffin, 1898)	Paleo	Pac, Aka	Littoral/Benthic	+
<i>Zygeupolia rubens</i> Coe, 1895b	Hetero	Atl, Pac	Littoral/Benthic	+
<i>Zygonemertes albida</i> Coe, 1901a	Mono	Pac	Littoral/Benthic	+
<i>Zygonemertes thalassina</i> Coe, 1901a	Mono	Pac, Aka	Littoral/Benthic	+
<i>Zygonemertes virescens</i> (Verrill, 1879a)	Mono	Atl, Pac, Gulf	Littoral/Benthic	+
Alaska				
<i>Alaxinus oclairi</i> Gibson, et al, 1990	Mono	Aka	Ectosymbiotic ?	+
<i>Amphinemertes caeca</i> Coe, 1940b	Mono	Aka	Littoral/Benthic	+
<i>Amphiporus angulatus</i> Müller, 1774	Mono	Atl, Pac, Aka	Littoral/Benthic	+
<i>Amphiporus cervicalis</i> (Stimpson, 1857)	Mono	Aka	Littoral/Benthic	*1
<i>Amphiporus gelatinosus</i> Coe, 1905c	Mono	Pac, Aka	Littoral/Benthic	+
<i>Amphiporus imparispinosus</i> Griffin, 1898	Mono	Pac, Aka	Littoral/Benthic	*2
<i>Amphiporus leuciodus</i> Coe, 1901a	Mono	Aka	Littoral/Benthic	*7
<i>Amphiporus maculosus</i> Coe, 1944b	Mono	Aka	Littoral/Benthic	+
<i>Amphiporus nebulosus</i> Coe, 1901a	Mono	Pac, Aka	Littoral/Benthic	+
<i>Amphiporus paulinus</i> Punnett, 1901b	Mono	Aka	Littoral/Benthic	+
<i>Amphiporus tigrinus</i> Coe, 1901a	Mono	Pac, Aka	Littoral/Benthic	+
<i>Baseodiscus princeps</i> (Coe, 1901a)	Hetero	Pac, Aka	Littoral/Benthic	+
<i>Carcinonemertes regicides</i> Shields, et al, 1989b	Mono	Aka	Ovoparasitic	+
<i>Cerebratulus albifrons</i> Coe, 1901a	Hetero	Pac, Aka	Littoral/Benthic	+
<i>Cerebratulus borealis</i> (Diesing, 1862)	Hetero	Aka	Littoral/Benthic	+
<i>Cerebratulus herculeus</i> Coe, 1901a	Hetero	Pac, Aka	Littoral/Benthic	+
<i>Cerebratulus longiceps</i> Coe, 1901a	Hetero	Aka	Littoral/Benthic	+
<i>Cerebratulus marginatus</i> Renier, 1804	Hetero	Atl, Pac, Aka	Littoral/Benthic	+
<i>Cerebratulus montgomeryi</i> Coe, 1901a	Hetero	Pac, Aka	Littoral/Benthic	+
<i>Cerebratulus occidentalis</i> Coe, 1901a	Hetero	Pac, Aka	Littoral/Benthic	+
<i>Cerebratulus signatus</i> Coe, 1905c	Hetero	Aka	Littoral/Benthic	+
<i>Emplectonema buergeri</i> Coe, 1901a	Mono	Pac, Aka	Littoral/Benthic	+
<i>Emplectonema gracile</i> (Johnston, 1837)	Mono	Pac, Aka	Littoral/Benthic	+
<i>Emplectonema purpuratum</i> Coe, 1905c	Mono	Aka	Littoral/Benthic	+
<i>Euborlasia variegata</i> Coe, 1944b	Hetero	Aka	Littoral/Benthic	+
<i>Lineus torquatus</i> Coe, 1901a	Hetero	Pac, Aka	Littoral/Benthic	+
<i>Micrura alaskensis</i> Coe, 1901a	Hetero	Pac, Aka	Littoral/Benthic	+

Occurrence by region

28

TAXON	GROUP	REGION	HABITAT	STAT
Alaska (cont.)				
<i>Micrura bella</i> (Stimpson, 1857)	Hetero	Aka	Littoral/Benthic	*4
<i>Micrura impressa</i> (Stimpson, 1857)	Hetero	Aka	Littoral/Benthic	*4
<i>Micrura verrilli</i> Coe, 1901a	Hetero	Pac, Aka	Littoral/Benthic	*4
<i>Nectonemertes major</i> Korotkevich, 1955a	Pelag	Aka	Bathypelagic	+
<i>Nectonemertes mirabilis</i> (Verrill, 1892)	Pelag	Atl, Pac, Aka	Bathypelagic	+
<i>Neoarmaueria angusta</i> (Korotkevich, 1955a)	Pelag	Aka	Bathypelagic	+
<i>Neoarmaueria crassa</i> (Korotkevich, 1955a)	Pelag	Pac, Aka	Bathypelagic	+
<i>Neoarmaueria tenuicauda</i> (Korotkevich, 1955a)	Pelag	Pac, Aka	Bathypelagic	+
<i>Nipponnemertes bimaculata</i> (Coe, 1901a)	Mono	Pac, Aka	Littoral/Benthic	+
<i>Paranemertes carnea</i> Coe, 1901a	Mono	Pac, Aka	Littoral/Benthic	+
<i>Paranemertes pallida</i> Coe, 1901a	Mono	Pac, Aka	Littoral/Benthic	+
<i>Paranemertes peregrina</i> Coe, 1901a	Mono	Pac, Aka	Littoral/Benthic	+
<i>Paranemertes peregrina var. alaskensis</i> Coe, 1940b	Mono	Aka	Littoral/Benthic	+
<i>Pelagonemertes brinkmanni</i> Coe, 1920	Pelag	Aka	Bathypelagic	+
<i>Pelagonemertes excisa</i> Korotkevich, 1955a	Pelag	Aka	Bathypelagic	+
<i>Pelagonemertes joubini</i> Coe, 1926	Pelag	Pac, Aka	Bathypelagic	+
<i>Pelagonemertes laticauda</i> Korotkevich, 1955a	Pelag	Aka	Bathypelagic	+
<i>Procephalothrix spiralis</i> (Coe, 1930c)	Archi	Atl, Pac, Aka	Littoral/Benthic	+
<i>Tubulanus annulatus</i> (Montagu, 1804)	Paleo	Aka	Littoral/Benthic	+
<i>Tubulanus capistratus</i> (Coe, 1901a)	Paleo	Pac, Aka	Littoral/Benthic	+
<i>Tubulanus cingulatus</i> (Coe, 1904b)	Paleo	Pac, Aka	Littoral/Benthic	+
<i>Tubulanus polymorphus</i> Renier, 1804	Paleo	Atl, Pac, Aka	Littoral/Benthic	+
<i>Tubulanus sexlineatus</i> (Griffin, 1898)	Paleo	Pac, Aka	Littoral/Benthic	+
<i>Zygonemertes thalassina</i> Coe, 1901a	Mono	Pac, Aka	Littoral/Benthic	+
Hawaii				
<i>Argonemertes dendyi</i> Dakin, 1915	Mono	Pac, Haw	Terrestrial	*8
<i>Baseodiscus cingulatus</i> (Coe, 1906)	Hetero	Haw	Littoral/Benthic	+
<i>Baseodiscus edmondsoni</i> Coe, 1934a	Hetero	Haw	Littoral/Benthic	+
<i>Baseodiscus hemprichii</i> (Ehrenberg, 1831)	Hetero	Haw	Littoral/Benthic	+
<i>Baseodiscus univittatus</i> (Coe, 1906a)	Hetero	Haw	Littoral/Benthic	+
<i>Carcinonemertes mitsukurii</i> Takakura, 1910	Mono	Haw	Ovoparasitic	+
<i>Geonemertes pelaensis</i> Semper, 1863	Mono	Atl, Haw	Terrestrial	*9
<i>Lineus hiatti</i> Coe, 1947	Hetero	Haw	Littoral/Benthic	+
<i>Nemertopsis exilis</i> Coe, 1947	Mono	Haw	Littoral/Benthic	+

PRINCIPAL HABITATS

TAXON	GROUP	REGION	HABITAT	STAT
Marine Littoral and Near-shore Benthic				
<i>Adenorhagas aurantiafrons</i> Riser, 1990	Hetero	All	Littoral/Benthic	+
<i>Amphinemertes caeca</i> Coe, 1940b	Mono	Aka	Littoral/Benthic	+
<i>Amphiporus angulatus</i> Müller, 1774	Mono	Atl, Pac, Aka	Littoral/Benthic	+
<i>Amphiporus brunneus</i> Griffin, 1898	Mono	Pac	Littoral/Benthic	+
<i>Amphiporus caecus</i> Verrill, 1892	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus californicus</i> Coe, 1905c	Mono	Pac	Littoral/Benthic	+
<i>Amphiporus cervicalis</i> (Stimpson, 1857)	Mono	Aka	Littoral/Benthic	*1
<i>Amphiporus cruentatus</i> Verrill, 1879a	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus flavescens</i> Coe, 1905c	Mono	Pac	Littoral/Benthic	+
<i>Amphiporus formidabilis</i> Griffin, 1898	Mono	Pac	Littoral/Benthic	+
<i>Amphiporus frontalis</i> Verrill, 1892	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus fulvus</i> Coe, 1905c	Mono	Pac	Littoral/Benthic	+
<i>Amphiporus gelatinosus</i> Coe, 1905c	Mono	Pac, Aka	Littoral/Benthic	+
<i>Amphiporus glutinosus</i> (Verrill, 1873b)	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus greenmani</i> Montgomery, 1897a	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus griseus</i> (Stimpson, 1855b)	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus hastatus</i> McIntosh, 1873-1874	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus heterosorus</i> Verrill, 1892	Mono	Atl	Littoral/Benthic	*1
<i>Amphiporus imparispinosus</i> Griffin, 1898	Mono	Pac, Aka	Littoral/Benthic	*2
<i>Amphiporus imparispinosus</i> var. <i>similis</i> Coe, 1940b	Mono	Pac	Littoral/Benthic	*2
<i>Amphiporus lactifloreus</i> (Johnston, 1828a)	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus leptacanthus</i> Coe, 1905c	Mono	Pac	Littoral/Benthic	+
<i>Amphiporus leuciodus</i> Coe, 1901a	Mono	Aka	Littoral/Benthic	*7
<i>Amphiporus macracanthus</i> Coe, 1905c	Mono	Pac	Littoral/Benthic	+
<i>Amphiporus maculosus</i> Coe, 1944b	Mono	Aka	Littoral/Benthic	+
<i>Amphiporus mesosorus</i> Verrill, 1892	Mono	Atl	Littoral/Benthic	*1
<i>Amphiporus multisorus</i> Verrill, 1892	Mono	Atl	Littoral/Benthic	*1
<i>Amphiporus nebulosus</i> Coe, 1901a	Mono	Pac, Aka	Littoral/Benthic	+
<i>Amphiporus ochraceus</i> (Verrill, 1873b)	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus paulinus</i> Punnett, 1901b	Mono	Aka	Littoral/Benthic	+
<i>Amphiporus rubropunctus</i> McCaul, 1963	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus similis</i> Coe, 1905c	Mono	Pac	Littoral/Benthic	*2
<i>Amphiporus stimpsoni</i> (Stimpson, 1854)	Mono	Atl, Pac	Littoral/Benthic	+
<i>Amphiporus superbis</i> (Stimpson, 1854)	Mono	All	Littoral/Benthic	+
<i>Amphiporus tetrasorus</i> Verrill, 1892	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus texanus</i> Coe, 1951b	Mono	Gulf	Littoral/Benthic	+
<i>Amphiporus thallius</i> Verrill, 1892	Mono	Atl	Littoral/Benthic	+

TAXON	GROUP	REGION	HABITAT	STAT
Marine Littoral and Near-shore Benthic (cont.)				
<i>Amphiporus thompsoni</i> Punnett, 190 Ib	Mono	Atl	Littoral/Benthic	+
<i>Amphiporus tigrinus</i> Coe, 1901a	Mono	Pac, Aka	Littoral/Benthic	+
<i>Baseodiscus cingulatus</i> (Coe, 1906)	Hetero	Haw	Littoral/Benthic	+
<i>Baseodiscus curtus</i> (Hubrecht, 1879c)	Hetero	Atl, Pac	Littoral/Benthic	*3
<i>Baseodiscus delineatus</i> (Delle Chiaje, 1825)	Hetero	Atl, Pac	Littoral/Benthic	+
<i>Baseodiscus discolor</i> (Coe, 1901b)	Hetero	P.R.	Littoral/Benthic	+
<i>Baseodiscus edmondsoni</i> Coe, 1934a	Hetero	Haw	Littoral/Benthic	+
<i>Baseodiscus hemprichii</i> (Ehrenberg, 1831)	Hetero	Haw	Littoral/Benthic	+
<i>Baseodiscus mexicanus</i> Coe, 1940b	Hetero	Pac	Littoral/Benthic	+
<i>Baseodiscus princeps</i> (Coe, 1901a)	Hetero	Pac, Aka	Littoral/Benthic	+
<i>Baseodiscus punnetti</i> (Coe, 1904b)	Hetero	Pac	Littoral/Benthic	+
<i>Baseodiscus univittatus</i> (Coe, 1906a)	Hetero	Haw	Littoral/Benthic	+
<i>Borlasia kurtzii</i> Girard, 1853	Hetero ?	Atl	Littoral/Benthic	?
<i>Carinina grata</i> Hubrecht, 1887b	Paleo	Atl	Littoral/Benthic	+
<i>Carinoma mutabilis</i> Griffin, 1898	Paleo	Pac	Littoral/Benthic	+
<i>Carinoma tremaphoros</i> Thompson, 1900b	Paleo	Atl, Gulf	Littoral/Benthic	+
<i>Carinomella lactea</i> Coe, 1905c	Paleo	Atl, Pac	Littoral/Benthic	+
<i>Cephalothrix linearis</i> (Rathke, 1799)	Paleo	Atl	Littoral/Benthic	+
<i>Cephalothrix pacifica</i> Gerner, 1969	Paleo	Pac	Littoral/Benthic	+
<i>Cerebratulus albifrons</i> Coe, 1901a	Hetero	Pac, Aka	Littoral/Benthic	+
<i>Cerebratulus antillensis</i> Coe, 1901b	Hetero	P.R.	Littoral/Benthic	+
<i>Cerebratulus borealis</i> (Diesing, 1862)	Hetero	Aka	Littoral/Benthic	+
<i>Cerebratulus californiensis</i> Coe, 1905c	Hetero	Pac	Littoral/Benthic	+
<i>Cerebratulus crassus</i> Quatrefages, 1846	Hetero	Atl, Pac, P.R.	Littoral/Benthic	+
<i>Cerebratulus herculeus</i> Coe, 1901a	Hetero	Pac, Aka	Littoral/Benthic	+
<i>Cerebratulus lacteus</i> (Leidy, 1851b)	Hetero	Atl, Gulf	Littoral/Benthic	+
<i>Cerebratulus leucopsis</i> Coe, 1901b	Hetero	Atl, Pac, P.R.	Littoral/Benthic	+
<i>Cerebratulus lineolatus</i> Coe, 1905c	Hetero	Atl, Pac	Littoral/Benthic	+
<i>Cerebratulus longiceps</i> Coe, 1901a	Hetero	Aka	Littoral/Benthic	+
<i>Cerebratulus marginatus</i> Renier, 1804	Hetero	Atl, Pac, Aka	Littoral/Benthic	+
<i>Cerebratulus melanops</i> Coe & Kunkel, 1903	Hetero	Atl	Littoral/Benthic	+
<i>Cerebratulus montgomeryi</i> Coe, 1901a	Hetero	Pac, Aka	Littoral/Benthic	+
<i>Cerebratulus occidentalis</i> Coe, 1901a	Hetero	Pac, Aka	Littoral/Benthic	+
<i>Cerebratulus ruber</i> (Girard, 1853)	Hetero	Atl	Littoral/Benthic	+
<i>Cerebratulus signatus</i> Coe, 1905c	Hetero	Aka	Littoral/Benthic	+
<i>Cerebratulus striolentus</i> (Girard, 1853)	Hetero	Atl	Littoral/Benthic	+
<i>Cyanophthalma obscura</i> (Schultze, 1851)	Mono	Atl	Littoral/Benthic	+
<i>Dichonemertes hartmanae</i> Coe, 1938	Mono	Pac	Littoral/Benthic	+

Principal habitats

31

TAXON	GROUP	REGION	HABITAT	STAT
Marine Littoral and Near-shore Benthic (cont.)				
<i>Diplopleura vivesi</i> (Joubin, 1905)	Hetero	Pac	Littoral/Benthic	+
<i>Drepanophorus Ritteri</i> Coe, 1905c	Reptant	Pac	Littoral/Benthic	+
<i>Dushia atra</i> (Girard, 1851a)	Hetero	Atl	Littoral/Benthic	+
<i>Emplectonema buergeri</i> Coe, 1901a	Mono	Pac, Aka	Littoral/Benthic	+
<i>Emplectonema giganteum</i> (Verrill, 1873a)	Mono	Atl	Littoral/Benthic	+
<i>Emplectonema gracile</i> (Johnston, 1837)	Mono	Pac, Aka	Littoral/Benthic	+
<i>Emplectonema osceolai</i> Corrêa, 1961	Mono	Atl	Littoral/Benthic	+
<i>Emplectonema purpuratum</i> Coe, 1905c	Mono	Aka	Littoral/Benthic	+
<i>Euborlasia maxima</i> Coe, 1905c	Hetero	Gulf	Littoral/Benthic	+
<i>Euborlasia nigrocincta</i> Coe, 1940b	Hetero	Pac	Littoral/Benthic	+
<i>Euborlasia variegata</i> Coe, 1944b	Hetero	Aka	Littoral/Benthic	+
<i>Fragilonemertes rosea</i> (Leidy, 1851)	Hetero	Atl, Gulf	Littoral/Benthic	+
<i>Gorgonorhynchus bermudensi</i> s Wheeler, 1940b	Hetero	Atl	Littoral/Benthic	+
<i>Heteroenopelus enigmaticus</i> Wern, 1998	Hetero ?	Gulf	Littoral/Benthic	+
<i>Lineus albifrons</i> Coe, 1934a	Hetero	Pac	Littoral/Benthic	+
<i>Lineus arenicola</i> (Verrill, 1873b)	Hetero	Atl	Littoral/Benthic	+
<i>Lineus bilineatus</i> (Renier, 1804)	Hetero	Pac	Littoral/Benthic	+
<i>Lineus flavescens</i> s Coe, 1904b	Hetero	Pac	Littoral/Benthic	+
<i>Lineus hiatt</i> Coe, 1947	Hetero	Haw	Littoral/Benthic	+
<i>Lineus pallidus</i> Verrill, 1879a	Hetero	Atl	Littoral/Benthic	+
<i>Lineus pictifrons</i> Coe, 1904b	Hetero	Pac	Littoral/Benthic	+
<i>Lineus ruber</i> (Müller, 1774)	Hetero	Atl, Pac	Littoral/Benthic	+
<i>Lineus rubescens</i> Coe, 1904b	Hetero	Pac	Littoral/Benthic	+
<i>Lineus stigmatus</i> Coe, 1951b	Hetero	Atl	Littoral/Benthic	+
<i>Lineus striatus</i> Griffin, 1898	Hetero	Pac	Littoral/Benthic	*4
<i>Lineus torquatus</i> Coe, 1901a	Hetero	Pac, Aka	Littoral/Benthic	+
<i>Lineus viridis</i> (Müller, 1774)	Hetero	Atl, Pac	Littoral/Benthic	+
<i>Meckelia lizziae</i> Girard, 1853	Hetero	Atl	Littoral/Benthic	*11
<i>Micrura affinis</i> (Stimpson, 1854)	Hetero	Atl	Littoral/Benthic	+
<i>Micrura alaskensis</i> Coe, 1901a	Hetero	Pac, Aka	Littoral/Benthic	+
<i>Micrura albida</i> Verrill, 1879a	Hetero	Atl	Littoral/Benthic	+
<i>Micrura bella</i> (Stimpson, 1857)	Hetero	Aka	Littoral/Benthic	*4
<i>Micrura caeca</i> Verrill, 1895	Hetero	Atl	Littoral/Benthic	+
<i>Micrura coei</i> (Coe, 1905c)	Hetero	Pac	Littoral/Benthic	+
<i>Micrura coei</i> var. <i>lineata</i> (Coe, 1940b)	Hetero	Pac	Littoral/Benthic	+
<i>Micrura dorsalis</i> Verrill, 1892	Hetero	Atl	Littoral/Benthic	+
<i>Micrura impressa</i> (Stimpson, 1857)	Hetero	Aka	Littoral/Benthic	*4
<i>Micrura nebulosa</i> Coe, 1905c	Hetero	Pac, Aka	Littoral/Benthic	+

Principal habitats

32

TAXON	GROUP	REGION	HABITAT	STAT
Marine Littoral and Near-shore Benthic (cont.)				
<i>Micrura nigrirostris</i> Coe, 1904b	Hetero	Pac	Littoral/Benthic	+
<i>Micrura olivaris</i> Coe, 1905c	Hetero	Pac	Littoral/Benthic	+
<i>Micrura rubra</i> Verrill, 1892	Hetero	Atl	Littoral/Benthic	+
<i>Micrura verrilli</i> Coe, 1901a	Hetero	Pac, Aka	Littoral/Benthic	*4
<i>Micrura wilsoni</i> (Coe, 1904b)	Hetero	Pac	Littoral/Benthic	+
<i>Nemertopsis bivittata</i> (Delle Chiaje, 1841a)	Mono	Atl	Littoral/Benthic	+
<i>Nemertopsis exilis</i> Coe, 1947	Mono	Haw	Littoral/Benthic	+
<i>Nemertopsis gracilis</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Nemertopsis gracilis</i> var. <i>bullocki</i> Coe, 1940b	Mono	Pac	Littoral/Benthic	+
<i>Nipponnemertes bimaculata</i> (Coe, 1901a)	Mono	Pac	Littoral/Benthic	+
<i>Nipponnemertes drepanophoroides</i> (Griffin, 1898)	Mono	Pac	Littoral/Benthic	+
<i>Nipponnemertes fernaldi</i> Iwata, 2001	Mono	Pac	Littoral/Benthic	+
<i>Nipponnemertes occidentalis</i> (Coe, 1905c)	Mono	Pac	Littoral/Benthic	*5
<i>Nipponnemertes pacificus</i> (Coe, 1905c)	Mono	Pac	Littoral/Benthic	*6
<i>Nipponnemertes pulcher</i> (Johnston, 1837)	Mono	Atl	Littoral/Benthic	+
<i>Nipponnemertes punctatulus</i> (Coe, 1905c)	Mono	Pac	Littoral/Benthic	*5
<i>Nipponnemertes rubella</i> (Coe, 1905c)	Mono	Pac	Littoral/Benthic	+
<i>Notospermus geniculatus</i> (Delle Chiaje, 1828)	Hetero	Atl	Littoral/Benthic	+
<i>Oerstedtia dorsalis</i> (Abildgaard, 1806)	Mono	Atl, Pac, Gulf	Littoral/Benthic	+
<i>Paradrepanophorus crassus</i> (Quatrefages, 1846)	Reptant	Atl, Pac, P.R.	Littoral/Benthic	+
<i>Paranemertes biocellatus</i> Coe, 1944d	Mono	Gulf	Littoral/Benthic	+
<i>Paranemertes californica</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Paranemertes carnea</i> Coe, 1901a	Mono	Pac, Aka	Littoral/Benthic	+
<i>Paranemertes pallida</i> Coe, 1901a	Mono	Pac, Aka	Littoral/Benthic	+
<i>Paranemertes peregrina</i> Coe, 1901a	Mono	Pac, Aka	Littoral/Benthic	+
<i>Paranemertes peregrina</i> var. <i>alaskensis</i> Coe, 1940b	Mono	Aka	Littoral/Benthic	+
<i>Paranemertes peregrina</i> var. <i>californiensis</i> Coe, 1940b	Mono	Pac	Littoral/Benthic	+
<i>Paranemertes sanjuanensis</i> Stricker, 1982	Mono	Pac	Littoral/Benthic	+
<i>Parapolia aurantiaca</i> Coe, 1895b	Hetero	Atl	Littoral/Benthic	+
<i>Parvicirrus dubius</i> (Verrill, 1879a)	Hetero	Atl	Littoral/Benthic	+
<i>Poseidonemertes collaris</i> Roe & Wickham, 1984	Mono	Pac	Littoral/Benthic	+
<i>Procephalothrix major</i> (Coe, 1930c)	Paleo	Pac	Littoral/Benthic	+
<i>Procephalothrix spiralis</i> (Coe, 1930c)	Paleo	Atl, Pac, Aka	Littoral/Benthic	+
<i>Proneurotes multioculatus</i> Montgomery, 1897a	Mono	Atl	Littoral/Benthic	+
<i>Prosorhochmus albidus</i> (Coe, 1905c)	Mono	Pac	Littoral/Benthic	+
<i>Prosorhochmus americanus</i> Gibson, et al, 1986	Mono	Atl	Littoral/Benthic	+
<i>Ramphogordius lacteus</i> (Rathke, 1843)	Hetero	Atl	Littoral/Benthic	+
<i>Ramphogordius sanguineus</i> (Rathke, 1799)	Hetero	Atl, Pac, Gulf	Littoral/Benthic	+

TAXON	GROUP	REGION	HABITAT	STAT
Marine Littoral and Near-shore Benthic (cont.)				
<i>Riserius pugetensis</i> Norenburg, 1993	Hetero ?	Pac	Littoral/Benthic	+
<i>Tarrhomyos luridus</i> (Verrill, 1879a)	Hetero	Atl	Littoral/Benthic	+
<i>Tenuilineus albocinctus</i> (Verrill, 1900)	Hetero	Atl, P.R., V.I.	Littoral/Benthic	+
<i>Tenuilineus bicolor</i> (Verrill, 1892)	Hetero	Atl	Littoral/Benthic	+
<i>Tetrastemma aberrans</i> Coe, 1901a	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma bicolor</i> Coe, 1901a	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma bilineatum</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma candidum</i> (Müller, 1774)	Mono	Atl, Pac, Gulf	Littoral/Benthic	+
<i>Tetrastemma elegans</i> (Girard, 1852)	Mono	Atl	Littoral/Benthic	+
<i>Tetrastemma enteroplectum</i> (Corrêa, 1954b)	Mono	Atl	Littoral/Benthic	+
<i>Tetrastemma flagellatum</i> Montgomery, 1897	Mono	Atl	Littoral/Benthic	?
<i>Tetrastemma jeani</i> McCaul, 1963	Mono	Atl	Littoral/Benthic	+
<i>Tetrastemma merulum</i> (Corrêa, 1954b)	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma nigrifrons</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma nigrifrons</i> var. <i>bicolor</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma nigrifrons</i> var. <i>pallidum</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma nigrifrons</i> var. <i>purpureum</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma nigrifrons</i> var. <i>zonatum</i> Coe, 1940b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma phyllospadicolum</i> Stricker, 1985a	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma quadrilineatum</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma reticulatum</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma sexlineatum</i> Coe, 1940b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma signifer</i> Coe, 1904b	Mono	Pac	Littoral/Benthic	+
<i>Tetrastemma vermiculum</i> (Quatrefages, 1846)	Mono	Atl, Pac, Gulf	Littoral/Benthic	+
<i>Tetrastemma verrilli</i> (Bürger, 1904)	Mono	Atl	Littoral/Benthic	+
<i>Tetrastemma wilsoni</i> Coe, 1943	Mono	Atl	Littoral/Benthic	+
<i>Tetrastemma worki</i> Corrêa, 1961	Mono	Atl	Littoral/Benthic	+
<i>Tubulanus albocinctus</i> (Coe, 1904b)	Paleo	Pac	Littoral/Benthic	+
<i>Tubulanus annulatus</i> (Montagu, 1804)	Paleo	Aka	Littoral/Benthic	+
<i>Tubulanus capistratus</i> (Coe, 1901a)	Paleo	Pac, Aka	Littoral/Benthic	+
<i>Tubulanus cingulatus</i> (Coe, 1904b)	Paleo	Pac, Aka	Littoral/Benthic	+
<i>Tubulanus floridanus</i> Coe, 1951b	Paleo	Atl	Littoral/Benthic	+
<i>Tubulanus frenatus</i> (Coe, 1904b)	Paleo	Pac	Littoral/Benthic	+
<i>Tubulanus pellucidus</i> (Coe, 1895b)	Paleo	Atl, Pac	Littoral/Benthic	+
<i>Tubulanus polymorphus</i> Renier, 1804	Paleo	Atl, Pac, Aka	Littoral/Benthic	+
<i>Tubulanus rhabdotus</i> Corrêa, 1954b	Paleo	Atl	Littoral/Benthic	+
<i>Tubulanus sexlineatus</i> (Griffin, 1898)	Paleo	Pac, Aka	Littoral/Benthic	+
<i>Zygeupolia litoralis</i> Thompson, 1900a	Hetero	Atl	Littoral/Benthic	+

Principal habitats

34

TAXON	GROUP	REGION	HABITAT	STAT
Marine Littoral and Near-shore Benthic (cont.)				
<i>Zygeupolia rubens</i> Coe, 1895b	Hetero	Atl, Pac	Littoral/Benthic	+
<i>Zygonemertes albida</i> Coe, 1901a	Mono	Pac	Littoral/Benthic	+
<i>Zygonemertes cocacola</i> Corrêa, 1961	Mono	Atl	Littoral/Benthic	+
<i>Zygonemertes simoneae</i> Corrêa, 1961	Mono	Atl	Littoral/Benthic	+
<i>Zygonemertes thalassina</i> Coe, 1901a	Mono	Pac, Aka	Littoral/Benthic	+
<i>Zygonemertes virescens</i> (Verrill, 1879a)	Mono	Atl, Pac, Gulf	Littoral/Benthic	+
Bathypelagic				
<i>Balaenanemertes minor</i> Coe, 1936	Pelag	Atl	Bathypelagic	+
<i>Chunianna opaca</i> Coe, 1954c	Pelag	Pac	Bathypelagic	+
<i>Chunianna pacifica</i> Coe, 1954c	Pelag	Pac	Bathypelagic	+
<i>Chuniella lanceolata</i> Brinkmann, 1917b	Pelag	Atl	Bathypelagic	+
<i>Chuniella tenella</i> Coe, 1954c	Pelag	Pac	Bathypelagic	+
<i>Crassonemertes robusta</i> Brinkmann, 1917b	Pelag	Atl	Bathypelagic	+
<i>Cuneonemertes elongata</i> Coe, 1954c	Pelag	Pac	Bathypelagic	+
<i>Cuneonemertes nigra</i> (Coe, 1945a)	Pelag	Atl, Pac	Bathypelagic	+
<i>Cuneonemertes obesa</i> Coe, 1954c	Pelag	Pac	Bathypelagic	+
<i>Mononemertes scarlata</i> Coe, 1945a	Pelag	Atl	Bathypelagic	+
<i>Nectonemertes major</i> Korotkevich, 1955a	Pelag	Aka	Bathypelagic	+
<i>Nectonemertes mirabilis</i> (Verrill, 1892)	Pelag	Atl, Pac, Aka	Bathypelagic	+
<i>Nectonemertes pelagica</i> Cravens & Heath, 1906	Pelag	Pac	Bathypelagic	+
<i>Nectonemertes primitiva</i> Brinkmann, 1917	Pelag	Pac	Bathypelagic	+
<i>Neoarmaueria angusta</i> (Korotkevich, 1955a)	Pelag	Aka	Bathypelagic	+
<i>Neoarmaueria crassa</i> (Korotkevich, 1955a)	Pelag	Pac, Aka	Bathypelagic	+
<i>Neoarmaueria tenuicauda</i> (Korotkevich, 1955a)	Pelag	Pac, Aka	Bathypelagic	+
<i>Pachynemertes obesa</i> Coe, 1935a	Pelag	Atl	Bathypelagic	+
<i>Paradinonemertes macrostoma</i> Coe, 1954c	Pelag	Pac	Bathypelagic	+
<i>Pelagonemertes brinkmanni</i> Coe, 1920	Pelag	Aka	Bathypelagic	+
<i>Pelagonemertes excisa</i> Korotkevich, 1955a	Pelag	Aka	Bathypelagic	+
<i>Pelagonemertes joubini</i> Coe, 1926	Pelag	Pac, Aka	Bathypelagic	+
<i>Pelagonemertes laticauda</i> Korotkevich, 1955a	Pelag	Aka	Bathypelagic	+
<i>Pelagonemertes rollestoni</i> Moseley, 1875a	Pelag	Pac	Bathypelagic	+
<i>Planonemertes labiata</i> Coe, 1935a	Pelag	Atl	Bathypelagic	+
<i>Plotonemertes adhaerens</i> Brinkmann, 1917b	Pelag	Atl, Pac	Bathypelagic	+
<i>Plotonemertes aurantiaca</i> Coe, 1935a	Pelag	Atl	Bathypelagic	+
<i>Protopelagonemertes beebei</i> Coe, 1935a	Pelag	Atl	Bathypelagic	+
<i>Tononemertes pellucida</i> Coe, 1954c	Pelag	Pac	Bathypelagic	+

Principal habitats**35**

TAXON	GROUP	REGION	HABITAT	STAT
Bathypelagic (cont.)				
<i>Tubonemertes aureola</i> Coe, 1954c	Pelag	Pac	Bathypelagic	+
<i>Tubonemertes wheeleri</i> (Coe, 1936)	Pelag	Atl, Pac	Bathypelagic	+
Interstitial				
<i>Otocyphlonemertes americana</i> Gerner, 1969	Mono	Pac	Interstitial	+
<i>Otocyphlonemertes evelinae</i> Corrêa, 1948	Mono	Atl, Gulf	Interstitial	+
<i>Otocyphlonemertes pellucida</i> Coe, 1943	Mono	Atl	Interstitial	+
<i>Otocyphlonemertes spiralis</i> Coe, 1940b	Mono	Pac	Interstitial	+
Ovoparasitic on female Crustacea				
<i>Carcinonemertes carcinophila</i> (Kölliker, 1845)	Mono	Atl, Pac	Ovoparasitic	+
<i>Carcinonemertes carcinophila</i> var. <i>carcinophila</i> Humes, 1942	Mono	Atl, Pac	Ovoparasitic	+
<i>Carcinonemertes carcinophila</i> var. <i>imminuta</i> Humes, 1942	Mono	Gulf, P.R.	Ovoparasitic	+
<i>Carcinonemertes epialti</i> Coe, 1902b	Mono	Pac	Ovoparasitic	+
<i>Carcinonemertes errans</i> Wickham, 1978	Mono	Pac	Ovoparasitic	+
<i>Carcinonemertes mitsukurii</i> Takakura, 1910	Mono	Haw	Ovoparasitic	+
<i>Carcinonemertes pinnotheridophila</i> McDermott & Gibson, 1993	Mono	Atl	Ovoparasitic	+
<i>Carcinonemertes regicides</i> Shields, et al, 1989b	Mono	Aka	Ovoparasitic	+
<i>Carcinonemertes wickhami</i> Shields & Kuris, 1990	Mono	Pac	Ovoparasitic	+
<i>Pseudocarcinonemertes homari</i> Fleming & Gibson, 1981	Mono	Atl, Can	Ovoparasitic	+
Commensal in mantle cavity of bivalve Mollusca				
<i>Malacobdella grossa</i> (Müller, 1776)	Bdello	Atl, Pac	Commensal	+
<i>Malacobdella macomae</i> Kozloff, 1991	Bdello	Pac	Commensal	+
<i>Malacobdella mercenaria</i> Verrill, 1873	Bdello	Atl	Commensal	?
<i>Malacobdella minuta</i> Coe, 1945b	Bdello	Pac	Commensal	+
<i>Malacobdella obesa</i> Verrill, 1873b	Bdello	Atl	Commensal	?
<i>Malacobdella siliquae</i> Kozloff, 1991	Bdello	Pac	Commensal	+
Commensal beneath pedal disc of anemones				
<i>Cryptonemertes actinophila</i> (Bürger, 1904c)	Mono	Pac	Commensal	+
Ectosymbiotic on decapod crustacea				
<i>Alaxinus oclairi</i> Gibson, et al, 1990	Mono	Aka	Ectosymbiotic ?	+

Principal habitats**36**

TAXON	GROUP	REGION	HABITAT	STAT
Fresh water				
<i>Prostoma asensoriatum</i> (Montgomery, 1896)	Mono	Fresh water	Fresh water	+
<i>Prostoma canadiensis</i> Gibson & Moore, 1978	Mono	Great Lakes ,Can	Fresh water	+
<i>Prostoma rubrum</i> (Leidy, 1850)	Mono	Fresh water, Can	Fresh water	+
<i>Prostoma sillimani</i> Girard, 1893)	Mono	Fresh water	Fresh water	+
Supralittoral and Terrestrial				
<i>Argonemertes dendy</i> Dakin, 1915	Mono	Pac, Haw	Terrestrial	*8
<i>Geonemertes pelaensis</i> Semper, 1863	Mono	Atl, Haw	Terrestrial	*9
<i>Leptonemertes chalicophora</i> (Graff, 1879)	Mono	Atl, Pac	Terrestrial	*10
<i>Pantinonemertes californiensis</i> Gibson, et al, 1982	Mono	Pac	Supralittoral	+
Fossil				
<i>Archisymplectes rhothon</i> Schram, 1973	Fossil	Fossil	Fossil	+