

SL-Ref

SMITHSONIAN MISCELLANEOUS COLLECTIONS
VOLUME 132 (WHOLE VOLUME)

AN INDEX TO THE GENERA AND
SPECIES OF THE FORAMINIFERA

By
CHARLES DAVIES SHERBORN



(PUBLICATION 4226)



CITY OF WASHINGTON
PUBLISHED BY THE SMITHSONIAN INSTITUTION
AUGUST 18, 1955

THE LORD BALTIMORE PRESS
BALTIMORE, MD., U. S. A.



INTRODUCTION TO 1955 REPRINT

The comprehensive "An index to the genera and species of the Foraminifera," by Charles Davies Sherborn, was originally published by the Smithsonian Institution in 1893 and 1896 in two parts (Smithsonian publications 856 and 1031). It included all species and genera of Foraminifera published to 1889, giving both the original names and any new combinations used by later authors. Thus it was of great value in taxonomic work and in detecting and avoiding homonymy in systematic studies. Unfortunately for modern workers there has been no such work available for species published after 1890; and, furthermore, Sherborn's valuable publication has long been out of print and thus unavailable to many students of this group.

Systematic work on Foraminifera during the past forty years has received a tremendous impulse from their economic value, especially that concerned with the search for petroleum and more recently with ecologic and paleoecologic studies. At present there is a larger number of paleontologists actively engaged in foraminiferal studies than is specializing in any other group of the invertebrates. Because of the daily increasing volume of published material, it is difficult to keep abreast of nomenclatural changes in current work.

Recently, Hans E. Thalmann completed for publication an index of the Foraminifera from 1890 to 1950. This work continues the earlier work by Sherborn, bringing it up to date, but does not repeat the material of Sherborn's book. Therefore, in order to have a complete index of the Foraminifera available to all, including material before and after 1890, it is necessary to reprint Sherborn's original publication. With the forthcoming publication of the monumental Thalmann index to the genera and species from 1890 to 1950, and with the present reprinting of Sherborn's classic index of the species up to and including 1889, modern students will now have an invaluable tool in their systematic work on the Foraminifera.

The present edition, bringing together into one volume the two parts of the original edition, is reproduced by offset from the original, unchanged except for the addition of this introduction and a new title page with new volume and publication numbers.

ALFRED R. LOEBLICH, JR.
U. S. National Museum

PREFATORY NOTE.

THE preparation of the manuscript of this index occupied the years between 1885 and 1889. The printing was commenced in 1890, and owing to the considerate kindness of the Smithsonian Institution in the matter of proofs, it has been found practically impossible to complete the work before the end of 1894; and therefore it has been thought advisable to issue the first half—comprising the material A to Non.—as Part I. Part II (the concluding portion) will be issued as soon as ready, accompanied by a preface and such emendations as may be found necessary. For the latter particulars, I shall be mainly indebted to my friend Fortescue William Millett, whose knowledge of the literature of the subject is remarkable and peculiar.

C. DAVIES SHERBORN,

540 King's Road, London, S. W.

OCTOBER, 1893.

INTRODUCTION.

WHEN studying any group of animals from a systematic point of view, the first fact that forces itself on the notice of the student is that certain forms, identical one with another, have been described under different and even many names by different observers. This, in most cases, has been caused by the describer being ignorant or regardless of the writings of those who have gone before. In no group, perhaps, is this lamentable state of things presented more forcibly than with the Foraminifera; and it was in order to leave no excuse for those who came after me, that I prepared a Bibliography of the subject in 1888, and in 1890 compiled an index to the contents of all publications on this special group known to me as issued up to December, 1889, which Index the Smithsonian Institution has done me the honor to publish. It is now, therefore, quite an easy matter to arrive at the number and names of species of any genus, and, with this help, to examine and compare those forms previously figured and described with the form supposed to be new; for even in the absence of the literature, friends can always supply tracings of the figures described.

It is chiefly to the efforts of William Kitchen Parker, Thomas Rupert Jones, and Henry Bowman Brady, that we owe the clearing up and ordering of the nomenclature of the older authors. Professor Rupert Jones, the prime mover in the work, is happily still with us. So long ago as 1859, the two first-named of these microscopists commenced a series of papers "On the Nomenclature of the Foraminifera" in the "Annals and Magazine of Natural History," and these were continued, as a series, for about fifteen years. Almost all the old authors were reviewed in their turn, and the result was a considerable simplification of specific nomenclature. Brady, whose acquaintance with recent forms is attested by the "Challenger" Report, did still more in this direction; and of later years Axel Goës, of Kisa, Sweden, has tabulated recent and fossil forms around well-marked varieties. This method, previously adopted by Parker and Jones, tends to support the idea of the impossibility of defining a "species" in a group where every individual may be regarded as a "variety."

In the compilation of this Index many references have been given to forms described but not figured: the existence of such names necessarily leads to an incomplete index; it is an easy matter to overlook a name if not accompanied by a figure. As it is, moreover, practically useless to describe a form as new, without a figure, in a group so variable in itself, the great majority of these

names have passed into a deserved oblivion. This is also applicable to many of Ehrenberg's "species," most of which were drawn and figured as preserved in Canada-balsam. In studying this author it must be remembered that, at the time Parker and Jones wrote their paper upon Ehrenberg's "Mikrogeologie," they were perfectly familiar with Foraminifera, both in the free and in the mounted state with both reflected and transmitted lights. Hence their determinations of Ehrenberg's figures may be safely taken as correct. At the same time it must be pointed out that a correction of nomenclature made to one of the figures in the Mikrogeologie does not necessarily refer to any other species of Ehrenberg's bearing the same binomial appellation.

In the cataloguing of Soldani's numerous figures, I had availed myself of Jones and Parker's observations on the subject, when referring the old figures to modern interpretations. Since the completion of my manuscript, Fornasini has published a detailed memoir on Soldani, and to this I must refer the student for further particulars when dealing with any special form.

With regard to the method of reference employed, it will be noted that the name of the original author of a species invariably accompanies that species, or is expressed by its equivalent ——, whenever that species is referred to subsequently to its first appearance. The practice of quotation often adopted in lists, *e. g.*,

Cristellaria cultrata, Brady, Report Challenger, etc.,
when really

Cristellaria cultrata (Montfort). Brady, Report Challenger, etc.,
is meant, is not only troublesome but misleading.

The letter *v.* is used indiscriminately for *vide* or *varietas*; but, from the position of the letter, the meaning should be easily apparent.

In the compilation of such a book as this we can scarcely hope to approach perfection; and, with this in mind, I gladly availed myself of the offer by my friend Fortescue William Millett, of Marazion, to look over the proofs with a view to *corrigenda* and *additamenta*. The result of the kind offices of Millett and others is presented in a list arranged alphabetically under genera. It remains for me to express my thanks to the Board of Regents of the Smithsonian Institution for publishing my manuscript; to thank especially Professor Rupert Jones, who kindly placed at my disposal the whole of his manuscript notes made while considering the nomenclature question with Parker and Brady; and to thank those friends who have from time to time favored me with their papers and assistance. My thanks are also gratefully tendered to Dr. S. H. Sendler for his kindly interest, and to the "reader" of the Smithsonian Institution, and the printers, to whose patience and acumen in dealing with a difficult manuscript, I am considerably indebted.

C. DAVIES SHERBORN.

AN INDEX
TO THE
GENERAL AND SPECIES
OF THE
FORAMINIFERA.

- ACANTHOSPIRA**, Reinsch, 1877. Neues Jahrb. 1877, 177. [Proposed but not described; "Cornuspiridae."]
- ACERVULINA**, Schultze, 1854. Organismus Polythal. 1854, 67. [Referred to *Gypsina*, by H. B. Brady.]
- *acinosa*, Schultze. *Ibid.* 68, vi, 15.
- *cretæ*, Marsson. Mitth. Nat. Ver. Neu-Vorpommern u. Rügen, x, 1878, 171, v, 39ab.
- *globulosa*, Schultze. Organismus Polythal. 1854, 68, vi, 13, 14.
- [*globosa*] — Claus, Lehrbuch d. Zool. 1885, 156, f. 140.
- *inhaerens*, Schultze. Organismus Polythal. 1854, 68, vi, 12. [v. *Gypsina*.]
- — — Bronn, Klassen Ordn. Thier-Reichs, i, 1859, 72, vi, 17.
- Harting, Magt van het Kleine, 1866, 107, f. 47.
- Bütschli in Bronn, Klassen, etc., Thier-Reichs, 1880, 206, viii, 17.
- ACICULARIA**, d'Archiac, 1843. Mém. Soc. géol. France, v (2), 1843, 386. [A genus of Calcareous Algae, formerly classed with the Foraminifera.— v. Munier-Chalmas, Comptes Rendus, lxxxv, 1877, 814, etc.; Solms-Laubach, Einleit. Paläophytologie, 1887, 38, etc.]
- *pavantina*, d'Archiac. Mém. Soc. géol. France, v (2), 1843, 386, xxv, 8a.
- Reuss, Sitz. k. Ak. Wiss. XLIII (1), 1861, 7-10, plate.
- Carpenter, Parker, & Jones, Introd. Foram. 1862, 137, xi, 27-32.
- ACTEONINA minuta**, Swallow? [Quoted by Bigsby, Thes. Dev.-Carb., 1878, p. 200—presumably an error.]
- ACTINOPORELLA**, Alth, 1882. Alth, Mojs. u. Neumayr's Beiträge, i, 1882, 321-323 [in the original work in Pamietnik akad. Umiej. Krakowie, vi, 1881, 135, the genus is given as *Gyroporella*]. [A genus of Calcareous Algae, included by Alth and by Gümbel in the Foraminifera: for *Gyroporella*, see Solms-Laubach, Einleit. Paläophytologie, 1887, 38, etc.]
- ADELOSINA**, d'Orbigny, 1826. Ann. Sci. Nat. vii, 1826, 303. [This genus was considered by Parker & Jones to be merely a young form of the Miliolinae, and their views were accepted for many years by most naturalists; recently, however, Schlumberger in Bull. Soc. Zool. France, xi, 1886, 544, has contended for the generic value of *Adelosina*.]
- *bicornis* [Walk. & Jacob]. Gosse, Manual mar. Zool. 1855, 14, f. 22. [*Serpula* 1798.]
- — — Schlumberger, Bull. Soc. Zool. France, xi, 1886, 546, f. 1-5, 7&8; xvi, 10-15.

- ADELOSINA** *cretacea*, Reuss. Haidinger's Naturw. Abh. IV, 1851, 46, iv, 15.
 —— *duthiersi*, Schlumberger. Bull. Soc. Zool. France, XI, 1886, 553, f. 9; xvi, 16-18.
 —— *laevigata*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 304, No. 1.
 —— —— —— d'Orb., Foram. Fossiles Vienne, 1846, 302, xx, 22-24.
 —— —— —— Schlumberger, Bull. Soc. Zool. France, XI, 1886, 549, f. 6, xvi, 19-21.
 —— —— —— Terquem, Ess. Anim. Plage Dunkerque, II, 1876, 86, xii, 11 & 12 (and Mém. Soc. Dunkerquoise).
 —— —— —— See "Frumentaria phialiformia laevia," etc., and "Nautilicium Ammonis admixti."
 —— *pulchella*, d'Orbigny. Foram. Fossiles Vienne, 1846, 303, xx, 25-29 [error for 25-30].
 —— —— —— Bronn, Lethaea Geognostica, ed. 3, III, 1853-56, 249, xxxv³, 7a-e.
 —— —— —— Quenstedt, Handbuch Petref. ed. 3, v, (1885), 1061, lxxxvii, 14.
 —— —— —— v. "Frumentaria 3 speciei."
 —— *rotundata*, Terquem. Ess. Anim. Plage Dunkerque, I, 1875, 40, vi, 14 ab, (and Mém. Soc. Dunkerquoise).
 —— *semistriata*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 304, No. 3. v. "Frumentaria phialiformia striatula."
 —— *soldanii*, d'Orbigny. Ibid. VII, 1826, 304, No. 4. v. "Frumentaria phialiformia striatula."
 —— *striata*, d'Orbigny. Ibid. VII, 1826, 304, No. 2; Modèles, 1826, Nos. 18 and 97.
 —— —— —— Cuvier, Règne Animal, IX (pls. x), 1836-46, 34, xiv; 6.
 —— —— —— Mangin, Mysteres Océan, 1864, 177, f. 6.
 —— —— —— P. J. & B. [d'O., Modèles 18] Ann. Mag. Nat. Hist. [3], XVI, 1865, 21, I, 14. [= *Q. Brongniartii*, d'O.]
 —— —— —— P. J. & B. [d'O., Modèles 97] Ibid., [3], XVI, 1865, 34, I, 15. [= *Q. Brongniartii*, d'O.]
 —— —— —— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (85) 163, 2 figs.
 —— v. "Frumentaria phialiformia."
 —— Mantell, Pictorial Atlas Foss. Rem. 1850, 143, lxii, 22.
 —— Costa, Atti Accad. Pontaniana, VII (2), 1856, 330, xxv, 12; xxvi, 11-20; 20 referred to *A. pulchella*.
 —— Parker, Trans. Micr. Soc. London, n. s., VI, 1858, 54, fig.
ÆOLIDES *squamatus*, Montfort. Conch. syst. I, 1808, 143, 36th Genre.
 [= *Orbitolites complanatus*, q. v.]
AGATHAMMINA, Neumayr, 1887. Sitz. k. Ak. Wiss. Wien, XCV (1), 1887, 171.
 [This name was proposed for the forms *Trochammina pusilla*; *T. milio-
loides*; *T. Robertsoni*.]
 —— *milioioides* (J. P. & K.) Neumayr, Stämme d. Thierreiches, I, 1889 (1888), 177, f. 18. [*Trochammina*, 1869.]
AKTINOCYCLINA, Gümbel, 1868. Abh. k. bayer. Ak. Wiss. x, (2), 1868, 688.
 This subgenus of *Orbitolites* was proposed by Gümbel for the following forms:—*A. radians* (d'Archiac); *A. tenuicostata*, Gümbel; *A. variecostata*, Gümbel; *A. patellaris* (Schlotheim).
ALLOMORPHINA, Reuss, 1849. Denkschr. k. Ak. Wiss. Wien, I, 1850, 380; Brady, Report Challenger, 1884, 437.
 —— *abbreviata*, Terq. Mém. Soc. Géol. France, [3], II, 1882, 138, xiv (xxii), 22 ab.
 —— *contraria*, Reuss. Haidinger's Naturw. Abh. IV (1), 1851, 43, iv, 7.
 —— —— —— Bronn, Lethaea Geognostica, ed. 3, II, 1851-52, 93, xxix¹, 28abc.
 —— *cretacea*, Reuss. Haidinger's Naturw. Abh. IV (1), 1851, 42, iv, 6.
 —— —— —— Reuss' Model, No. 39, 1865 (Catal. No. 74, 1861).
 —— *macrostoma*, Karner. Sitz. k. Ak. Wiss. Wien, XLIV (1), 1861 (1862), 448 II, 4.
 —— *obliqua*, Reuss. Haidinger's Naturw. Abh. IV (1), 1851, 42, iv, 5.
 —— *prima*, Terquem. Mém. Soc. Géol. France, [3], IV, 1886, 64, vii, 20ab.
 —— *trigona*, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 380, xlvi, 14a-e

- ALLOMORPHINA** trigona, Reuss. Schwager, Boll. R. Com. Geol. Ital. viii, 1877, 26, pl. 71.
 ——— ——— Brady, Q. Journ. Micr. Science, xix, 1879, 281, viii, 13, 14.
 ——— ——— Brady, Report Challenger, 1884, 438, iv, 24-26.
 ——— ——— var. obtusa, Andreae. Abh. geol. Speciaalkarte Elsass-Lothr. ii, (3), 1884, 225, vii, 11.
 ——— ——— Rzehak, Ann. k. k. nat. Hofmuseums, iii (3), 1888, 259, xi, 2abc.
- ALLOTHECA**, Ehrenberg, 1841. Abhandl. k. Ak. Wiss. Berlin, 1841, 407.
 ——— megathyra, Ehr. Ibid., 1841, 426, iii, vii, 49. [= *Planorb. farcta*, young; with coarse pores.]
 ——— rotalia, Ehr. Mikrogeologie, 1854, xxiii, 32. [= ? *Globigerina*; called elsewhere *Rotalia globulosa*.]
- ALVEOLINA**, d'Orbigny, 1826. Ann. Sci. Nat. vii, 1826, 306; Parker & Jones, Ann. Mag. Nat. Hist. [3], viii, 1861, 161; Brady, Report Challenger, 1884, 221.
 ——— acuta, Savi & Meneghini. Consid. Geol. Toscana, 1851, 206, no fig.
 ——— boscii (Defrance). D'Orbigny, Ann. Sci. Nat. vii, 1826, 306, No. 5. [*Oryzaria*, 1820.]
 ——— ——— D'Orbigny, Modèles, No. 50, 1826.
 ——— ——— [d'Orb.] Broun, Lethaea Geognostica, ed. 2, 1837, 1148, xlvi, 34ab.
 ——— ——— Carpenter, Phil. Trans. 1856, 552-555, xxviii, 23, 24; xxix, 4-9.
 ——— ——— Beudant, Géologie, ed. 8, 1858, 117, f. 107; later eds. same fig.
 ——— ——— P. J. & B. [d'O. Modèles 50], Ann. Mag. Nat. Hist. [3], xvi, 1865, 26, i, 23. [= *A. sabulosa*, Montf.]
 ——— [bosci], [d'Orb.] Zittel, Handbuch Paläont. i, 1876, 79, f. 13⁶, & 14.
 ——— [bosei], [d'Orb.] Schwager Boll. R. Com. Geol. Ital. viii, 1877, 27, pl. 112.
 ——— ——— Möbius, Beitr. Meeresfauna Insel Mauritius, etc. 1880, 79, iii [numbered iv by error] 13-15; iv [numbered iii by error] 1. [Structure]
 ——— ——— [d'Orb.] Terq., Mém. Soc. Géol. France, [3], ii, 1882, 50, ii (x), 30.
 ——— ——— Brady, Report Challenger, 1884, 222, xvii, 7-12.
 ——— [bosci], [d'Orb.] Hoernes, Elem. Palaeont. 1884, 34, f. 29; French ed. 1886, same fig.
 ——— ——— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (85), 164, fig.
 ——— [bosci], ——— Gümbel, Geol. Bayern, i (2), 1885, f. 266¹².
 ——— ——— Quenstedt, Handbuch Petref. ed. 3, v (1885), 1057, lxxxvi, 46.
 ——— [bosci], [d'Orb.] Fritel, Foss. caract. terr. sedim. (tert.). 1886, vii, 57.
 ——— ——— Steinmann, Elem. Paleont. i, 1888, 24, f. 6a.
 ——— v. *Nautili diverse specie*.
 ——— **bulloides**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 306, No. 1.
 ——— ——— Guérin-Ménéville's Cuvier, Iconographie, Mollusques, 1829-43, 10, iii, 12.
 ——— ——— Cuvier, Animal Kingdom, (Henderson's ed.), iii, 1834 (pls. 1837), 19, vi, 11.
 ——— **compressa**, d'Orb., 1847. D'Orbigny, Prodrome de Paléont. ii, 1850, 210, No. 357. [v. *Luzina*.]
 ——— **costulata**, Eichwald. Lethaea Rossica, iii, 1853, 8, i, 4abc. [*Melonia*, 1830.]
 ——— **cylindrica**, Savi & Meneghini. Consid. Geol. Toscana, 1851, 205, no fig.
 ——— (*Flosculina*) **decipiens**, Schwager. Palaeontographica, xxx, 1883, Pal. Theil, 103, xxvi (3), 1a-k; xxv (2), 1a-g.
 ——— **depressa**, Savi & Meneghini. Consid. Geol. Toscana, 1851, 140, no fig.
 ——— **ellipsoidalis**, Schwager. Palaeontographica, xxx, 1883, Pal. Theil, 96, xxv (2), 1a-i; 2a-c. [v. *Schwagerina*.]
 ——— **elliptica**, [d'Orb.], Sowerby. Mantell, Pictorial Atlas Foss. Rem. 1850, 142, lxi, 28-31. [*Fasciolites*. 1837.]
 ——— **elongata**, d'Orbigny, Ann. Sci. Nat. vii, 1826, 307, No. 6.
 ——— ——— Dixon, Geol. etc. Sussex. 1850, 85, ix, 4.
 ——— ——— Terq., Mém. Soc. Géol. France [3], ii, 1882, 50, ii, (x), 31.
 ——— ——— Fritel, Foss. caract. terr. sedim. (tert.) 1886, vii, 56.
 ——— **eximia**, Terquem. Mém. Soc. Géol. France [3], ii, 1882, 51, ii, (x), 32.
 ——— **fortisii**, Massolongo. Schizzo valle Progno, 1850, 19, no fig.

- ALVEOLINA** frumentiformis, Schwager. Palæontographica, xxx, 1883, Pal. Theil, 100, xxv (2), 4*a-i*.
- fusiformis, J. De C. Sowerby. Dixon, Geol. Sussex, 1850, 162, ix, 5; and ed. 2, 1878, 172, same plate and figure. [= *A. sabulosa*, Montf.]
- — — — — Jones, in Microgr. Dict. ed. 4, 1883, 32, xxiii, 15.
- haueri, d'Orbigny. Foram. Fossiles Vienne, 1846, 148, vii, 17, 18. [*A. hauerii*, on plate.]
- — — — — Pictet, Traité de Paléont. ed. 2, iv, 1857, 507, cix, 27.
- — — — — Brönn, Klassen Ordn. Thier-Reichs, 1, 1859, 71, viii, 2
- indicatrix. v. *Clausulus*.
- lepidula, Schwager. Palæontographica, xxx, 1883, Pal. Theil, 98, xxv, (2), 3*a-g*. [v. *Schwagerina lepida* and *ellipsoidalis*.]
- liburnica, Stache. Verh. k. k. geol. Reichs. 1880, 201, no fig.
- longa, Czjzek. Haidinger's Nat. Abh. II, 1848, 143, xii, 34, 35.
- meandrina, Carter. Annals Mag. Nat. Hist. [3], VIII, 1861, 381, xvii, 4; Journ. Bombay Branch R. Asiatic Soc. vi, 1861 (1862), 72.
- melo (Fichtel & Moll.). D'Orbigny, Foram. Fossiles Vienne, 1846, 147, vii, 15, 16. [*Nautilus*, 1798.]
- — — — — [d'Orb.] Carter, Annals Mag. Nat. Hist. [2], xi, 1853, 170 vii, 15.
- — — — — Möbius, Beitr. Meeresfauna Insel Mauritius, etc., 1880, 80, iv [numbered iii by error], 2 & 3 [structural].
- — — — — Brady, Report Challenger, 1884, 223, xvii, 13-15.
- — — — — Neumayr, Stämme d. Thierreiches, 1, 1889 (1888), 180, f. 23.
- — — — — v. *Melonia sphaerica* and *M. sphaeroidea*.
- montipara, Ehrenberg. Mikrogeologie, 1854, xxxviii, x, c, 5. [v. *Fusulina*.]
- oblonga, d'Orbigny. Ann. Sci. Nat. VII, 1826, 306, No. 4.
- — — — — Potiez & Michaud, Galerie des Mollusques Mus. Douai, 1, 1838, 42, x, 9 and 10.
- — — — — [Desh.]. Gümbel, Abh. m.-ph. Cl. k. bayer. Ak. Wiss. x, 1868 (1870), 605, i, 6.
- (cf.) — — — — — Schwager, Palæontographica, xxx, 1883, Pal. Theil, 99, xxv (2), 5 *a-f*.
- — — — — Jones in Newton, Quart. Journ. Geol. Soc. XLV, 1889, 332, xiv, 18, 19.
- oliva, Savi & Meneghini. Consid. Geol. Toscana, 1851, 205, no fig. [Said to be equal to Parkinson's *Fasciolites*, Org. Rem. 1, 158, x, 28-31.]
- ovoidea, d'Orbigny. Ann. Sci. Nat. VII, 1826, 306, No. 3.
- — — — — Figuier, Ocean World [1873], 82, f. 15.
- cf. ovulum, Stache, in litt. Schwager, Palæontographica, xxx, 1883, Pal. Theil, 95, xxiv (1), 13*a-e*.
- ovum, d'Orbigny, 1847. Prodrome de Paléont. II, 1850, 185, No. 757. (*Flosculina*) pasticillata, Schwager. Palæontographica, xxx, 1883, Pal. Theil, 104, xxvi (3), 2*a-h*.
- prisca, Ehrenberg. Bericht k.-pr. Ak. Wiss. Berlin, 1842, 274. [v. *Fusulina*.]
- — — — — Ehr., Mikrogeologie, 1854, xxxvii, x, D, 7-9.
- ? — — — — Ibid. 1854, xxxvii, xi, A-D, 1 and 2 [= casts of *Fusul. cylindrica*, Fisch.].
- pulchra, d'Orbigny. De la Sagra, Hist. Phisiq. Cuba, 1839, 'Foraminifères', 70, viii, 19-20; also in Spanish, 1840, 85, same pl. and fig.
- quoii, d'Orbigny. Ann. Sci. Nat. VII, 1826, 306, No. 7, xvii, 11-13.
- — — — — Carpenter, Parker, & Jones, Introd. Foram. 1862, 99, viii, 13-15; f. xxii, xxiii in text [structural].
- [quoyii], — — — Haeckel, Das Protistenreich, 1878, 36, f. 21
- [quoyii], — — — Bütschli, in Brönn, Klassen, etc., Thier-Reichs, 1880, 193, v, 2.
- — — — — Carpenter, The Microscope, ed. 6, 1881, 552, f. 315.
- — — — — Steinmann, Elem. Paleont. I, 1888, 24, 6B.
- rotella, (d'Orb.) Jones, in Microgr. Dict. ed. 4, 1883, 32, xxiii, 16*a,b* [*Orbiculina*, 1846.]
- sabulosa (Montfort). Jones in Dixon, Geol. of Sussex, ed. 2, 1878, 172, ix [10], 4 and 5 [*Miliolites*, 1808].

- ALVEOLINA spheroidea**, (Lamarck). Medlicott & Blanford, Geol. of India, 1879, 459, xv, 9 [*Melonites*, 1816].
- **spheroidea**. (Fort.) f. **Guardiolæ**. De G. De Gregorio, Fauna Argille Scagliose, 1881, 46, i, 13, 14; iii, 3. [*Discolithus spheroideus oblongus*, 1802.]
- **spiralis**. Cornalia & Chiozza. Giorn. I. R. Ist. Lombardo, n. s. III, 1851, 39, iii, 7ab.
- **stercusmuris**. Mayer-Eymer. Vierteljahrsschr. nat. Ges. Zürich, XXXI, 1886, 253 ['aehnlich der *Alv. oblonga*, weniger cylindrisch, lang schwach gerunzelt'].
- **subpyrenaica**, Leymerie. Mém. Soc. Géol. France [2], i, 1844, 359, xiii, 9abc.
- — — v. **globosa**. *Ibid.* [2], i, 1844, 359, xiii. 10a,b,c.
- **trinodis**. Savi & Meneghini. Consid. Geol. Toscana, 1851, 206, no fig.
- **Deluc**, Journ. de Physique, LIV, 1802, 179, i, 11-14.
- Austed, Geology, 1844, ii, 63, f. j.
- Pictet, Traité de Paléont. IV, 1846, 231, xii, 14.
- Rütimeyer, Nouv. Mém. Soc. Helv. Sci. Nat. XI, 1850, Mém. 2, iv, 58-60.
- Ehrenberg, Abhandl. Ak. Ak. Wiss. Berlin, 1855, 172, v, xvii. [*Glauc. cast.*]
- Carpenter, Ency. Brit., Foraminifera, 9th ed., ix, 1879, 377, f. 10.
- ALVEOLINEA**, Ehrenberg, 1838. Abh. k. Ak. Wiss. Berlin, 1838 (1840), Tab. i. [A family group name]
- ALVEOLITE** grain de fétuque, C. Bosc. Bull. Sci. Soc. Philom. III, No. 61, 1811, 99, v, 3A,B,C.
- ALVEOLITE** grain de milliet, C. Bosc. *Ibid.* III, No. 61, 1811, 99, v, 4 A,B,C.
- ALVEOLITES**, Defrance, 1816. Dictionnaire Nat. 1, 1816, 137.
- larva, Defrance. *Ibid.* 1, 1816, 137.
- AMMODISCUS**, Reuss, 1861. Sitz. Ak. k. Wiss. Wien, XLIV (1), 1861 (1862), 365; Brady, Report Challenger, 1884, 329.
- **charoides** (Jones & Parker)
- ? — (Trocham.) — — — Bütschli in Bronn, Klassen, &c. Thier-Reichs, 196, v, 21 [*Trochammina*, 1860].
- — — — — Brady, Report Challenger, 1884, 334, xxxviii, 10-16.
- — — — — Balkwill & Wright. Trans. R. Irish Ac. XXVIII (Sci.), 1885, 330, xiii, 10.
- **flum** (Schmid). Haeusler, Neues Jahrbuch, Beil. IV (1), 1885, 26, iii, 23 [*Serpula* 1867].
- **gaultinus**, Berthelin. Mém. Soc. Géol. France [3], i, 1880, 19, i (xxiv), 3ab.
- (Trocham.) **gordialis**, Jones & Parker. Bütschli in Bronn, Klassen &c. Thier-Reichs, 1880, 196, v, 22 [*Trochammina*, 1860].
- — — — — Brady, Report Challenger, 1884, 333, xxxviii, 7-9.
- — — — — Haeusler, Neues Jahrbuch, Beil. IV, (1), 1885, 24, iii, 10-22 and 31.
- — — — — Brady, Parker, & Jones, Trans. Zool. Soc., XII (7), 1888, 218, xlvi, 22.
- (Glomospira) — — — Rzehak, Verh. k. k. geol. Reichs., 1888, p. 191.
- — — — — Steinmann. Elem. Paleont. I, 1888, 26, 7C.
- (Trocham.) **incertus** (d'Orbigny). Bütschli in Bronn, Klassen &c. Thier-Reichs, 1880, 196, v, 20 [*Operculina*, 1839].
- — — — — Brady, Report Challenger, 1884, 330, xxxviii, 1-3.
- — — — — Haeusler, Neues Jahrbuch, Beil. IV (1), 1885, 19, ii, 12-18; iii, 1-9 [fig. 14 is descr. as var. *crassus*; 15, v. *tuberculatus*; 17, v. *gracilis*; 18, v. *megospira*].
- — — — — Bornemann, Jahrb. k. pr. geol. Landesanstalt, 1885 (1886), 293, xiii, 3, 4 and 5
- — — — — Sherborn & Chapman, Journ. R. Micr. Soc. 1889, 484, xi, 7.
- — — — — Mariani, Bull. Soc. Geol. Ital. VII (1889), 284, x, 1.
- **infimus** (Strickland). Bornemann, Zeitschr. deutsch. geol. Ges. XXVI, 1874, 725, xviii, 4-7; xix, 8 [*Orbis*, 1846].
- — — — — Schwager. Boll. R. Com. Geol. Ital. VIII, 1877, 26, pl., 79.
- **jurassicus**, Haeusler. Neues Jahrbuch, Beil. IV, (1), 1885, 26, iii, 33, 34.

- AMMODISCUS** lindahli, Carpenter & Jeffreys. Proc. Roy. Soc., xix, 1870, 160, no fig.
- miocenicus, Karrer. Abh. k. k. geol. Reichs ix, 1877, 372, xvii, 2.
- pellucidus, Andreæ. Abh. geol. spec. Karte Elsass-Lothr. II, (3), 1884, 147, vi, 1.
- plicatus, Terquem. Mém. Soc. Géol. France [3], IV, 1886, 9, i, 16 & 17.
- rugosus, Terquem. Ibid. [3], IV, 1886, 9, i, 15*a,b*.
- shoneanus (Siddall). Balkwill & Millett, Journ. Micr., III, 1884, 25, i, 4 [*Trochammina*, 1878].
- — — — — Brady, Report Challenger, 1884, 335, xxxviii, 17-19.
- spectabilis, Brady. Quart. Journ. Micr. Sci. XXI, 1881, 51.
- — — — — Brady, Report Challenger, 1884, 336, xxxviii, 20-22.
- tenuis, Brady. Quart. Journ. Micr. Sci., XXI, 1881, 51.
- — — — — Brady, Report Challenger, 1884, 332, xxxviii, 4-6.
- — — — — Agassiz, Three Cruises, "Blake" II, 1888, 164, f. 497.
- ? Bornemann, Jahrb. k. pr. geol. Landesanstalt, 1885 (1886), viii, 1a.
- AMMONIA** unita et proportionata minima, &c., Gualtieri. Index Test. Conchyli. 1742, Tab. xix, H. I. [= "N. Beccarii Linn. 1162."]
- AMMONIA**, see Corno d'Ammon.
- AMMONIAE**, Soldani. [For notes on all forms figured by Soldani, see also Fornasini, Boll. Soc. Geol. Ital., v, 1886.]
- seu etiam Nautili, etc. Soldani, Sagg. Oritt. 1780, 104, iii, 27, S, T, V [= *Polystom. macella*].
- cochleatæ globoso-rodundatæ, Soldani. Ibid., 1780, 103, ii, 21, F, G [= *Rot. Beccarii*.]
- concavo-umbilicatæ, Soldani. Ibid., 1780, 104, iii, 23, K, L [= *Rot. ammonoides*].
- foliacea, Soldani. Ibid. 1780, 104, iii, 25, O, P [= *Anomalina rotula*].
- — — — — Testac. II, App., 1798, 140, iii, 25, o, O, P [= *Planulina ariminensis*, d'O. Ann. Sci. Nat. VII, 1826, 280, i].
- microscopiceæ-margaritaceaæ, &c., Soldani. Sagg. Oritt. 1780, 105, iii, 28, X Y [= *Nanumulites*].
- plano-convessæ, Soldani. Testac. II, App., 1798, 140, iii, 26, q, Q, R [= *Planulina incerta* D'O. Ann. Sci. Nat. VII, 1826, 280, 3].
- — — — — testa scabro-rotundata, depressiuscula, etc., Soldani. Sagg. Oritt. 1780, 104, iii, 26, Q, R [= *Truncat. lobatula*].
- planorbes, Soldani. Ibid. 1780, 104, iii, 24, M, N [= *Rot. Schreibersii*].
- — — — — Testac. II, App., 1798, 140, iii, 24, m, M, N [= *Asterigera planorbis*, D'O. For. Foss. Vienne, 1846, 205, xi, 1-3].
- univolutæ, Soldani. Sagg. Oritt. 1780, 103, iii, 22, H, I [= *Rot. akneriana*].
- AMMONICERINA**, Costa 1856 Atti Accad. Pontaniana, VII (2), 1856, XIV, 51 [undefined; probably a *Cornuspira*].
- AMMONIS cornu**, Gesner. De omni rerum, etc., 1565, 159, fig. ? *Nummulites*, ? Gasteropod].
- AMMONITIS**. *Nautilus*. *Lapis calcareus* . . . nempe ex innumeris, Soldani. Sagg. Oritt. 1780, 143, xxii, 102.
- AMMONSHÖRNER**. Ledermüller. Mikr. Gemüths, etc., 1763, 16-18, viii.
- und Bischofstäbe. Martini, Neues syst. Conch. I, 1769, 254, xx, 184-185. Vign. No. 11 in text, 1-3. These are Cephalopoda.
- Schröter, Neue Litt. u. Beytr. I, 1784, 307-320, Tab. I [= *Calcarina*, *Nodosaria*, etc.].
- Ledermüller, Mikrosk. Gemüths, etc. 1763, 9, iv, b.
- Spengler, Nye Saml. k. Danske Bid. Selsk. Skr. I 1781, 379, ii, 9a, b, c, d [see *Calcarina*].
- — — — — Ibid. 1781, 369. [i]. "tredie Figur" (3) [= *Calcarina defrancii*].
- Schröter, Einleit. Conch. 1783, i, 20, i, 2.
- AMORPHINA**, Parker. 1857. Annals Mag. N. H. [2], xix, 1857, 278; Cat. Hunt, Mus. R. Coll. Surg. 1860, 95 ["a series of *Amorphina variabilis*, Parker, MS. *Hob.* Coast sand, Australia." Tablet A, 47]. [A synonym of *Nubecularia* 1]
- AMPHEGISTINA**, Smedley. Ency Metrop. 1845; error for *Amphistegina*
- AMPHICORYNE**, Schlumberger, 1881. Comptes Rendus, 1881, 881; Brady, Report Challenger, 1884, 556.

- AMPHICORYNE falk** (Jones & Park.). Brady, Report Challenger, 1884, 556, lxv, 7-9. [*Marginulina*, 1860.]
- AMPHIGRAMMA**, Reinsch, 1877. Neues Jahrb. 1877, 177 [proposed but not described; "Globigerinidae"].
- AMPHIMORPHINA**, Neugeboren, 1850. Verh. Mitth. siebenbürg. Ver. Nat. 1, 1850, 125.
- *haueriana*, Neugeboren. *Ibid.* 1, 1850, 127, iv, 13-16 [*A. haueriana*, 1860].
 - [*hauerana*], —. Brönn, Lethæa Geognostica, ed. 3, III, 1853-56, 240, xxxv², 40a-d.
 - [*hauerana*] — Karrer, Sitz. k. Ak. Wiss. Wien, L, (1), 1864 (1865), 705, i, 6.
 - [*haueri*] — Reuss' Model, No. 68, 1865 (Catal. No. 51, 1861).
 - [*hauerina*] — Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 25, pl., 9.
 - *striata*, Reuss. Sitz. Ak. k. Wiss. Wien, XLVI (1), 1862 (1863), 57, v, 5.
- AMPHISORUS hemprichii**, Ehr. Abhandl. Ak. k. Wiss. Berlin, 1838, 130, iii, f. iii [*v. Orbitolites*].
- AMPHISTEGINA**, d'Orbigny, 1826. Ann. Sci. Nat. VII, 1826, 304; Brady, Report Challenger, 1884, 739.
- *antillarum*, Williamson. Trans. R. Micr. Soc. III, 1849, 111, xvii, 3 [structure].
 - *aucklandica*, Karrer. Novara-Exped., Geol. I, 1864, 85, xvi, 19.
 - *bilobata*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 304, No. 4.
 - *campbelli*, Karrer. Novara-Exped., Geol. I, 1864, 84, xvi, 18.
 - *clypeolus*, Reuss. Zeitschr. deutsch. geol. Ges., VII, 1855, 275, ix, 9.
 - *cumingii*, Carpenter. Phil. Trans. 1859, 32, v, 13-17.
 - *excavata*, Terq. Mém. Soc. Géol. France [3], II, 1882, 124, xiii (xxi), 2a, b.
 - *fleuriausi*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 304, No. 7.
 - — — — — Reuss, Sitz. Ak. k. Wiss. Wien, XLIV (1), 1861 (1862), 308, I, 10-12.
 - *gibba*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 304, No. 6.
 - *gibbosa*, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, Foraminifères, 120, viii, 1-3, also in Spanish, 1840, 120, same pl. and fig.
 - — — — — Williamson, Trans. R. Micr. Soc. III, 1849, 106, xvii, 1 and 2 [structure].
 - *gigantea*, Karrer. Sitz. Ak. k. Wiss. Wien, L (1), 1864 (1865), 711, ii, 16.
 - *hauerina*, d'Orbigny. Foram. Fossiles Vienne, 1846, 207, xii, 3-5.
 - — — — — d'Orb., Cours Élém. Paléont. etc. I, 1849, 201, f. 328; II (2), 1852, 795, f. 609.
 - — — — — Harting, Magt van het Kleine, 1849, 111, f. 4; German by Dr. A. Schwarzkopf, 1851, 81.
 - — — — — Brönn, Lethæa Geognostica, ed. 3, III, 1853-56, 205, xxxv², 24a,b.
 - [*haueri*], — Suess, Boden Stadt Wien, 1862, 113, f. 16².
 - — — — — Roemer, Geologie von Oberschlesien, 1870, 394, xli, 9-11.
 - [*haueri*], — Zittel, Handbuch Paläont. (1), 1876, 95, f. 34.
 - [*haueri*], — Schwager, Coll. R. Com. Geol. Ital. VIII, 1877, 25, pl. 19.
 - [*haueri*], — Credner, Elem. d. Geol. 1883, 700, f.
 - — — — — Jones, in Microgr. Dict. ed. 4, 1883, 37, xxiv, 28a, b.
 - [*haueri*], — De Lapparent, Traité de Géologie. 1883, 1032, f.
 - [*haueri*], — Amicis, Atti Soc. Tosc. Sci. Nat. (Mem.) VII, 1885, 242, etc., xi, 4 and 5.
 - *javanica*, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1855, 165, iii, vii-ix. [Glauc. cast.]
 - — — — — Brönn, Klassen Ordn. Thier-Reichs, I, 1859, 71, viii, 4 [sarcodite].
 - *lessonii*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 304, No. 3, xvii, 1-4. [*Quoii* in descrip. of plate].
 - — — — — D'Orb., Modèles, No. 98, 1826.
 - — — — — Guérin-Ménéville's Cuvier, Iconographie, Mollusques, 1829-43, 10, iii, 11.
 - — — — — Cuvier, Animal Kingdom (Henderson's ed.) III, 1834 (pls. 1837), 19, vi, 10.

- AMPHISTEGINA** [*lessoni*], d'Orb. P. J. & B. [d'O., Modèles, 98], *Ann. Mag. Nat. Hist.* [3], xvi, 1865, 34, iii, 92.
 ——— [*lessoni*], ——— Nicholson, Manual Palæont. I, 1879, 118, f. 18 *t.*
 ——— ——— Möbius, Beitr. Meeresfauna Insel Mauritius, etc. 1880, 99, x, 10–14; xi, 1–3 [structural].
 ——— ——— Brady, Report Challenger, 1884, 740, cxi, 1–7.
 ——— [*lessoni*], ——— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (85), 164, f.
 ——— ——— Bütschli, Morph. Jahrb. xi, 1886, 86, vi, 7 and 8.
 ——— ——— Brady, Parker, & Jones, Trans. Zool. Soc. xii (7), 1888, 230, xlili, 15.
 ——— [*lessoni* (d'O.) (= **A. haueri**, d'O.)]. Steinmann, Elem. Paleont. I, 1888, 30, f. 14.
 ——— ——— Terrigi, Mem. R. Acc. Lincei (4), vi, 1889, 121, x, 6–8.
madagascariensis, d'Orbigny. Ann. Sci. Nat. VII, 1826, 304, No. 5.
mamillata, d'Orbigny. Foram. Fossiles Vienne, 1846, 208, xii, 6–8.
 ——— ——— Pictet, Traité de Paléont. ed. 2, IV, 1857, 516, cix, 35.
 ——— ——— Carpenter, Parker, & Jones, Introd. Foram. 1862, 241, xiii, 22–29 [structural].
minuta, Brady. Carbonif. Foram., Pal. Soc. xxx, 1876, 146, xi, 7.
nucleata, Terq. Mém. Soc. Géol. France [3], II, 1882, 123, xiii (xxi), 1a, b.
nummularia, Reuss. Sitz. k. Ak. Wiss. Wien, XVIII, 1856, 238, iv, 46–50.
 ——— ——— Referred by Bornemann to *Nummulina germanica*.
nummulinæformis, Abich. Geol. Forsch. Kaukas. Ländern, 1882, 237, xi, 4.
ornatissima, Karrer. Novara-Exped.. Geol., I, 1864, 85, xvi, 20.
parisiensis, Terq. Mém. Soc. Géol. France [3], II, 1882, 124, xiii (xxi), 3a, b.
quoii, d'Orbigny. Ann. Sci. Nat. VII, 1826, 304, No. 1 [see *A. lessonii*].
 ——— [*quoii*], ——— Smedley, Ency. Metrop. 1845, undescr. pl. "Mollusca?" 35 and 36.
 ——— [*quoii*], ——— Reuss' Model No. 65, 1865 (Catal. No. 97, 1861).
 ——— [*quoii*], ——— Bütschli in Bronn, Klasse, etc., Thier-reichs, 1880, 211, x, 1–3.
 ——— *radiata*, Terquem. Ess. Anim. Plage Dunkerque (3), 1881, 129, xvii, 1a, b, c (and Mém. Soc. Dunkerquoise).
 ——— *rugosa*, d'Orbigny. Foram. Fossiles Vienne, 1846, 209, xii, 9–11.
 ——— ——— Terrigi, Mem. R. Acc. Lincei (4), vi, 1889, 121, x, 9.
semicostata, Kaufmann. Beitr. Geol. Karte Schweiz, V, 1867, 149, viii, 18 [v. *Nummulites*].
targionii (Mgh.). Amicis, Atti Soc. Tosc. Sci. Nat. (Mem.) VII, 1885, 242, etc., xi, 1, 1a, 3, 3a, 3b, 6, 7 [v. *Nummulina*].
trilobata, d'Orbigny. Ann. Sci. Nat. VII, 1826, 304, No. 2.
vulgaris, d'Orbigny. Ibid. VII, 1826, 305, No. 8.
 ——— ——— D'Orb., Modèles, No. 40, 1826.
 ——— ——— P. J. & B. [d'O., Modèles, 40], Ann. Mag. Nat. Hist. [3], XVI, 1865, 25, iii, 91.
 ——— ——— J. P. & B., Crag Foram. Pal. Soc. xix, 1866, n. d. ii, 46–48.
 ——— ——— Terquem, Ess. Anim. Plage Dunkerque (1), 1875, 36, v, 8a, b (and Mém. Soc. Dunkerquoise).
 ——— ——— Bassett, Ann. Soc. Sci. Charente-Inf. 1884 (85), 164, f.
 ——— ——— Amicis, Atti Soc. Tosc. Sci. Nat. (Mem.) VII, 1885, 242, etc., xi, 2, 2a, 2b.
 ——— (sp. ind.) Abich, Geol. Forsch. Kaukas. Ländern, II, 1882, 237, xi, 7.
 P ——— Eley, Geol. in the Garden, 1859, 200, vi, 35.
 P ——— P. J. & B., [Soldani] Ann. Mag. Nat. Hist. [4], VIII, 1871, 243, xii, 152 [see *Rohulina nitida*, D'O.].
 ——— Pictet, Traité de Paléont. IV, 1846, 237, xii, 24.
 ——— [with parasitic borings]. Ehrenberg, Abhandl. Ak. k. Wiss. Berlin, 1855, 167, iii, i.
 ——— Carpenter, Phil. Trans. 1859, 30, pls. v and vi.
 ——— Kölliker, Icones Histiologicæ, 1864, 32 [structural].

AMPHISTEGINA (Section of shell-wall, showing parietal canals). William-
son, Pop. Sci. Rev., IV, 1865, 173, viii, 15.

— See Lenticulae.

AMPHORINA, d'Orbigny, 1849. Dict. universel d'Hist. Nat. (Chas. d'Orbigny's) V, 1849, 666.

— **acuminata**, Seguenza. Foram. monotal. miocen. Messina, 1862, 51, i, 35 [= *L. gracillima*, Seg.].

— **costata**, Seguenza. *Ibid.* 1862, 51, i, 41.

— **cylindracea**, Seguenza. *Ibid.* 1862, 51, i, 36 [= *L. gracillima*, Seg.].

— **distorta**, Seguenza. *Ibid.* 1862, 52, i, 38 [= *L. gracillima*, Seg.].

— **elongata**, Costa. Atti Accad. Pontaniana, VII (2), 1856, 122, xi, 12a, A

— **elongata**, Seguenza. Foram. monotal. miocen. Messina, 1862, 51, i, 34 [= *L. apiculata*, Rss.].

— **globosa**, Seguenza. *Ibid.* 1862, 50, i, 31 [= *L. globosa*, Mont., var.].

— **gracillima**, Seguenza. *Ibid.* 1862, 51, i, 37 [v. *Lagena*].

— **gracilis**, Costa. Atti Accad. Pontaniana, VII (2), 1856, 121, xi, 11a, A.

— **lyelii**, Seguenza. Foram. monotal. miocen. Messina, 1862, 52, i, 40 [*lyellii*, p. 82] [v. *Lagena*].

— **olivæformis**, Seguenza. *Ibid.* 1862, 50, i, 33.

— **punctata**, Seguenza. *Ibid.* 1862, 52, i, 39.

— **tenuicalcar**, Seguenza. *Ibid.* 1862, 50, i, 32 [= *L. globosa*, Mont., var.].

AMYGDALINA, Costa, 1838. Fauna Regno Napoli, 1838, Foraminiferi, 6; Atti Accad. Pontaniana, VII (2), 1856, 120.

— **calabra**, Costa. *Ibid.* 1838, Foraminiferi, 6, ii, 1a, A, B, C [very like the Ostracod *Bairdia subdeltoides*.]

— — — Costa, Atti Accad. Pontaniana, VII (2), 1856, 120, xi, 6–8 [error for 7].

— **truncata**, Seguenza. Foram. monotal. miocen. Messina, 1862, 73, ii, 52 and 53 [52 = Ostracod (*Bairdia* fide Reuss); 53 = *L. marginata*, W. and J.].

— **tubulosa**, Seguenza. *Ibid.*, 73, ii, 51 [= Ostracod (*Bairdia* fide Reuss)].

AMYGDALITES, Costa, 1839. Atti R. Acc. Sci. Borbon. IV, 1839, 186 [v. *Ammydalina*].

— **calabra**, Costa. *Ibid.*, IV, 1839, 186 [no figure].

ANDROMEDES, Montfort, 1808. Conch. syst. I, 1808, 39, 10th Genre [= *Polystom. strigillata*].

ANNULINA, Terquem, 1862. Mém. Ac. Imp. Metz, XLII, 1862, 432.

— **metensis**, Terquem. *Ibid.* XLII, 1862, 433, v, 6a, b.

— — — Pornemann, Zeitschr. deutsch. Geol. Ges. XXVI, 1874, 736, xviii, 8–10.

— **quinquelobata**, Terquem. Sixième Mém. Foram. Lias, 1866, 475, xix, 5 a, b.

ANOMALINA, d'Orbigny, 1826. Ann. Sci. Nat. VII, 1826, 282; Brady, Report Challenger, 1884, 671.

— **ammonoides** (Rss.) Brady, Report Challenger, 1884, 672, xciv, 2, 3 [*Rosalina*, 1845].

— — — Brady, Parker, & Jones, Trans. Zool. Soc. XII (7), 1888, 228, xlvi, 19.

P — **anomala**, Egger. Neues Jahrbuch, 1857, 280, ix, 10–13.

— **ariminensis**, d'Orbigny, 1826. Ann. Sci. Nat. VII, 1826, 282, No. 2 [non *Planulina* which is now *Anomalina ariminensis*].

— **ariminensis** (d'Orb.) Brady, Report Challenger, 1884, 674, xciii, 10, 11. [*Planulina*, 1826].

— — — Brady, Parker, & Jones, Trans. Zool. Soc. XII (7), 1888, 228, xlvi, 20–22.

— **auricula**, Roemer. Verst. n.-d. Kreide, 1840–1, 98, xv, 26.

— **austriaca**, d'Orbigny. Foram. Fossiles Vienne, 1846, 172, x, 4–9.

— — — Schwager, Coll. R. Com. Geol. Ital. VIII, 1877, 26, pl. 50.

— — — = *Planorbulina* v. *Hammouita*.

— **badenensis**, d'Orbigny. Foram. Fossiles Vienne, 1846, 171, x, 1–3.

— **bengalensis**, Schwager. Novara-Exped., Geol. II, 1866, 259, vii, 111.

— **calymene**, Gümbel. Brady, Challenger, p. 627 [*Rosalina*, 1868].

- ANOMALINA** cicatricosa, Schwager. Novara-Exped., Geol. II, 1866, 260, vii, 108 and f. 4.
- complanata, Reuss. Haidinger's Naturw. Abh. IV, (1) 1851, 36, iii, 3 [*Planorbulina*].
- (?) — Costa. Atti Accad. Pontaniana, VII (2), 1856, not descr. xx, 16.
- — Berthelin, Mém. Soc. Géol. France, [3], I, 1880, 66, iv (xxvii), 12a-13.
- coronata, Parker & Jones. Annals Mag. N. H. [2], XIX, 1857, 294, x, 15 and 16 [v. *Truncatulina*, *Pulvinulina* and *Planorbulina farcta*, var.].
- — Brady, Trans. Linnean Soc. XXIV, 1864, 469, xlvi, 13.
- — Anon., Science Gossip, 1870, 11, f. 23.
- — Brady, Report Challenger, 1884, 675, xvii, 1-2.
- depressa, Terquem. Mém. Soc. Géol. France, [3], I, 1878, 24, ii (vii), 8a-e.
- elegans, d'Orbigny. Ann. Sci. Nat. VII, 1826, 282, No. 4.
- — d'Orbigny, Modèles, No. 42, 1826.
- — Reuss in Geinitz, Grundr. Verstein., 1845-46, 676, xxiv, 49.
- — P. J. & B. [d'O., Modèles, 42], Ann. Mag. Nat. Hist., [3], XVI, 1865, 25, ii, 73 [= *Discorbiua*].
- — Basset, Ann. Soc. Sci. Charente-Inf. 1884 (85), 162, f.
- elliptica, v. Münster. In Roemer, Neues Jahrbuch, 1838, 391, iii, 60.
- explanata, Costa. Atti Accad. Pontaniana, VII (2), 1856, 252, x, 10; xiv, 4, A, B, C.
- foveolata, Brady. Report Challenger, 1884, 674, xciv, 1 a, b, c.
- gibbosa, Terquem. Mém. Soc. Géol. France, [3], I, 1878, 24, ii, (vii), 7a-c.
- grosserugosa (Gümb.). Brady, Report Challenger, 1884, 673, xciv, 4, 5. [*Truncatulina*, 1868].
- — — Sherborn & Chapman, Journ. R. Micr. Soc. 1889, 487, xi, 34.
- hemisphærica, Terquem. Ess. Anim. Plage Dunkerque, (1), 1875, 32, iv, 6 a, b, c (and Mém. Soc. Dunkerquoise).
- hybrida, Terquem. Mém. Soc. Géol. France, [3], II, 1882, 96, x (xviii), 6a-c.
- inflata, Terquem. Ibid. [3], I, 1878, 23, ii (vii), 6a-c.
- insecta, Schwager. Palæontographica, XXX, 1883, Pal. Theil, 128, xxviii, (5), 1a-d; 2a-.
- intermedia, Berthelin. Mém. Soc. Géol. France, [3], I, 1880, 67, iv, (xvii), 14a-c.
- irregularis, Terquem. Bull. Soc. Zool. France, XI, 1886, 333, xi, 14, 15 and 16.
- lœvis, Nicolucci. Nuovi Ann. Sci. Nat. Bologna, [2], VI, 1846, 198.
- limbata, Terquem. Ess. Anim. Plage Dunkerque, (1), 1875, 32, iv, 7a,b,c (and Mém. Soc. Dunkerquoise).
- moniliformis, Rss. See *Rosalina*.
- nautiloides, d'Orbigny. Ann. Sci. Nat. VII, 1826, 282, No. 5.
- nodulosa, Terquem. Ess. Anim. Plage Dunkerque, (1), 1875, 33, iv, 10a,b (and Mém. Soc. Dunkerquoise).
- orbicularis, d'Orbigny. Ann. Sci. Nat. VII, 1826, 282, No. 3.
- obscura, Terq. Mém. Soc. Géol. France, [3], II, 1882, 96, x (xviii), 7a-c.
- obtenebrata, Franzénau. Math. termész. értesítő, VII, 1889, 266, v, 5.
- polymorpha, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 252, xxi, 7 and 9.
- — — Brady, Report Challenger, 1884, 676, xvii, 3-7.
- punctulata, d'Orb. Ann. Sci. Nat. VII, 1826, 282, No. 1, xv [vi in text by error], 1-3.
- — — Carpenter, Parker, & Jones, Introd. Foram. 1862, 201, f. xxxii, c.
- romulea, Nicolucci. Nuovi Ann. Sci. Nat. Bologna, [2], VI, 1846, 198.
- rotula, d'Orbigny. Foram. Fossiles Vienne, 1846, 172, x, 10-12 [v. *Planorbulina*].
- — — See *Ammonia foliacea*.
- rudis (Rss.). Berthelin, Mém. Soc. Géol. France, [3], I, 1880, 68, iv (xxvii), 15 a-c [*Rosalina*, 1862].

- ANOMALINA scrobiculata.** Schwager. Palaeontographica, xxx, 1883, Pal. Theil, 129, xxix, (6), 18 *a-d*.
- **scutellata.** Terquem. Ess. Anim. Plage Dunkerque, (1), 1875, 33, iv, 9 *a,b,c* (and Mém. Soc. Dunkerquoise).
- **simplex.** Terquem. *Ibid.* (1), 1875, 33, iv, 8 *a,b* (and Mém. Soc. Dunkerquoise).
- **subæqualis,** Reuss. Sitz. Ak. k. Wiss. Wien, xviii, 1856, 244, v, 59.
- **suessi,** Karrer. *Ibid.* xliv (1), 1861 (1862), 447, ii, 2.
- **tenuissima,** Reuss. *Ibid.* xviii, 1856, 244, v, 60.
- **truncata,** Terq. Mém. Soc. Géol. France, [3], ii, 1882, 96, x (xviii), 8 *a-c*.
- **tuberculata,** Terq. Ess. Anim. Plage Dunkerque, (1), 1875, 33, iv, 11 *a,b,c* (and Mém. Soc. Dunkerquoise).
- **variolata,** d'Orbigny. Foram. Fossiles Vienne, 1846, 170, ix, 27-29.
- **— — — —** Brönn, Klassen, Ordn. Thier-Reichs, i, 1859, 70, vi, 8 *a,b,c*.
- **— — — —** Bütschli in Brönn, Klassen, etc., Thier-Reichs, 1880, 207, viii, 8.
- **v. evoluta,** Walther. Mitth. Zool. Stat. Neapel, viii, 1888, 382, xx, 3.
- **wullerstorfi,** Schwager. Novara-Exped., Geol. ii, 1866, 258, vii, 105 and 107 [v. *Truncatulina*].
- **sp.** Sherborn & Chapman. Journ. R. Micr. Soc. [2], vi, 1886, 757 [fig. in text, No. 156].
- **Sander Rang.** Manuel Hist. Nat. Mollusques, 1829, 107, i, 6.
- **Williamson.** Mem. Lit. Phil. Soc. Manchester, [2], viii, 1848, 75, pl., 59.
- **v. Schllicht,** "Foram. Septar. Pietzpuhl." 1870, xxi, xxii.
- **sp., K. Miller.** Schr. Ver. Gesch. Bodensee, vii, 1877 [78], iv, 29 [cast or concretion?].
- ANONIALINA,** Terquem, 1875. Misprint for Anomalina.
- ANTALEN**, see **DENTALEN**.
- ANTENOR diaphaneus,** Montfort. Conch. syst. i, 1808, 71, 18th Genre [= *Crist. calcar*].
- APHROSINA,** Carter, 1879. Journ. R. Micr. Soc. ii, 1879, 500.
- **informis,** Carter. *Ibid.* ii, 1879, 500, xviiia, 5-11.
- APIOPTERINA,** Zborzewski, 1834. Nouveaux Mém. Soc. Imp. Nat. Moscou, iii, 1834, 311.
- **d'orbigni,** Zborz. *Ibid.* iii, 1834, 311, xxviii, 2b [v. *Polymorphina*].
- ARCHÆDISCUS.** Brady, 1873. Annals and Mag. Nat. Hist. [4], xii, 1873, 286.
- **gallicus,** Meunier. Bull. Soc. Hist. Nat. Autun, i, 1888, 236, vii, 7.
- **karreri,** Brady. Ann. Mag. Nat. Hist. [4], xii, 1873, 286, xi, 1-6.
- **— — — —** Brady, Carbonif. Foram., Pal. Soc. xxx, 1876, 142, xi, 1-6.
- **— — — —** Schwager, Boll. R. Com. Geol. Ital. viii, 1877, 26, pl., 44.
- **— — — —** Nicholson, Manuel Palæont. 1879, i, 118, f. 18, r.
- **— — — —** Möller, Mém. Ac. Imp. Sci. St. Petersburg, [7], xxvii, No. 5, 1879, 77, ii, 5; vii, 4 and 5.
- **— — — —** Bütschli in Brönn, Klassen, etc., Thier-Reichs, 1880 209, ix, 13.
- ARCHÆLAGENA,** Howchin, 1888. Journ. R. Micros. Soc. 1888, 539.
- **howchiniana,** (Brady). *Ibid.* 1888, 540, ix, 18 [*Lagena*, 1876].
- ARCHÆOSPHERINÆ,** Dawson, 1876. Proc. Amer. Assoc., 1876 (Detroit); 101, f. 3.
- ARCHAIAS spirans,** Montfort. Conch. syst. i, 1808, 191. 48th Genre [= *Orbic. adunca*, v. *angulata*].
- ARCHIACINA,** Munier-Chalmas, 1878. Bull. Soc. Géol. France, [3], vii, 1879, p. 445.
- **armoricæ** (d'Arch.). *Ibid.* [*Cyclolina*, 1868.]
- **munieri,** Schlmb. F. Jenn. Nat., July, 1883, 107, iii, 2, 2a.
- "**ARENACEOUS FORAMINIFER,"** Parfitt. Annals and Mag. Nat. Hist. [4], vii, 1871, 158, xi, 9-12 [= ? ; from Carbonif. Devonshire].
- ARENISTELLA agglutinans.** P. Fischer. Les fonds de la Mer, ii, 1875, 27 and 51 ["de petits corps stelliformes, agglutinant le sable et les foraminifères, et rappelant l'*Orbitolites stellata*"].
- ARETHUSA,** Montfort, 1808.
- **corymbosa,** Moutf. Conch. syst. i, 1808, 303, 76th Genre [= *Polym. lactea*.]

- ARETHUSA lactea**, Thorpe. Brit. Mar. Conch. 1844, 233 [= *Polymorphina*].
- "ARGONAUTES microscopiques"** de Soldani. De Montfort, in Buffon's Hist. Nat. Mollusq., Sonnini's ed., IV, 1802, 1, etc., xlvi, 1-5.
- ARISTEROPORA**, Ehrenberg, 1858. Monatsber. k. pr. Ak. wiss. Berlin, 1858, 11.
- *græca*, Ehrenb. *Ibid.* 1858, 14.
 - *micropora*, Ehrenb. *Ibid.* 1858, 14.
 - *pelagica*, Ehrenb. *Ibid.* 1872, 277.
 - *platytetras*, Ehrenb. *Ibid.* 1872, 277.
 - *stichopora*, Ehrenb. *Ibid.* 1858, 14 [= "Porospira 1854"].
- ARISTEROPIRA**, Ehrenb. 1858. *Ibid.*, 1858, 11.
- *alloderma*, Ehrenb. *Ibid.* 1858, 15.
 - — — — — Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), ind., xi, 12.
- P alma**, Ehrenb. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 15.
- *amathia*, Ehrenb. *Ibid.* 1858, 15.
 - *angustior*, Ehrenb. Abh. k. Ak. Wiss., Berlin, 1872 (1873), n.d., xii, 8.
 - *bacheana*, Ehrenb. Monatsber. k. preuss. Ak. Wiss. Berlin, 1861, 302.
 - *bacheiana*, Ehrenb. Abh. k. Ak. Wiss. Berlin, 1872 (1873), n.d., v, 15.
 - *baileyi*, Ehrenb. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 302.
 - — — — — Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), n.d., v, 6.
 - *bakuana*, Ehrenb. *Ibid.* 1872 (1873), n.d., xii, 3.
 - *borealis*, Ehrenb. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 278.
 - — — — — E. in Koldewey, Zweite Deutsche Nordpolarfahrt, 1874, ii, n.d., i, 1.
 - *buphtalma*, Ehrenb. Abh. k. Ak. Wiss. Berlin, 1872 (1873), n.d., xii, 5.
 - *corticosa*, Ehrenb. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 278.
 - — — — — E. in Koldewey, Zweite Deutsche Nordpolarfahrt, 1874, ii, n.d., i, 14.
 - *crassa*, Ehrenb. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 278.
 - — — — — Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), n.d., iii, 9.
 - *cucullaris*, Ehrenb. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 278.
 - — — — — E. in Koldewey, Zweite Deutsche Nordpolarfahrt, 1874, ii, n.d., i, 10 and 11.
 - *derbentensis*, Ehrenb. Abh. k. Ak. Wiss. Berlin, 1872 (1873), n.d., xii, 4.
 - *discus*, Ehrenb. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 302.
 - — — — — E. in Koldewey, Zweite Deutsche Nordpolarfahrt, 1874, ii, n.d., i, 8 and 9.
 - *globigerina*, Ehrenb. Monatsber., 1863, 386 [= *Polydexia globig.*, see Monatsber. k. preuss. Ak. Wiss. Berlin, 1872, 279].
 - *globularia*, Ehrenb. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 16.

P — — — — — Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), xi, ii.

 - *glomerata*, Ehrenb. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 303.
 - — — — — Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), i, 5 (cf. *Rotalia*, 1854).
 - *heteropora*, Ehrenb. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 279.
 - *holoplea*, Ehrenb. *Ibid.* 1858, 16.
 - *integra*, Ehrenb. Abh. k. Ak. Wiss. Berlin, 1872 (1873), v, 13.
 - *isoderma*, Ehrenb. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1838, 16.
 - — — — — Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), xi, 9.
 - *lævigata*, Ehrenb. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 16.
 - — — — — Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), xi, 10.
 - *levida*, Ehrenb. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 279.
 - — — — — Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), iii, 5.
 - *liopentas*, Ehrenb. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 303.
 - — — — — Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), i, 1 (cf. *Planulina*, 1854).
 - *major*, Ehrenb. *Ibid.* 1872 (1873), xii, 2.
 - *mauryana*, Ehrenb. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 303.
 - — — — — Ehr., Abh. k. Ak. k. Wiss. Berlin, 1872 (1873), v, 5.
 - *mediterranea*, Ehrenb. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 17.
 - *megastoma*, Ehrenb. *Ibid.* 1863, 386 [= *Pylodexia megastoma*, v. Monatsber. k. pr. Ak. Wiss. Berlin, 1872, 279].

- ARISTEROSPIRA** melo, Ehrenb. *Ibid.* 1858, 16.
 — menipeæ, Ehrenb. *Ibid.* 1858, 17.
 — microstigma, Ehrenb. *Ibid.* 1872, 279.
 — microtetræs, Ehrenb. *Ibid.* 1861, 303.
 — Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), i, 2.
 — nidulus, Ehrenb. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 279.
 — octarchæa, Ehrenb. *Ibid.* 1858, 310 and 337, i, xii, [Glauconite] [? Rotoline].
 — omphalotetras, Ehrenb. *Ibid.* 1872, 279.
 — Ehr., Abh. Ak. k. Wiss. Berlin, 1872 (1873), iii, 15.
 — pachyderma, Ehrenb. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 303 [*v. Globigerina*].
 — Ehr., Abh. Ak. k. Wiss. Berlin, 1872 (1873), i, 4.
 — phanerostomum, Ehrenb. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 280.
 — platypora, Ehrenb. *Ibid.* 1858, 17.
 — Ehr., Abh. Ak. k. Wiss. Berlin, 1872 (1873), xi, 20.
 — polysphæra, Ehrenb. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 280.
 — porosa, cf. *Planulina porosa*, Ehrenb. *Ibid.* 1861, 303.
 — Ehr., Abh. Ak. k. Wiss. Berlin, 1872 (1873), i, 3 [cf. *Planulina* and *Copopleura ocellata*, 1854].
 — schaffneri, Ehrenb. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 278.
 — Ehr., Abh. Ak. k. Wiss. Berlin, 1872 (1873), iv, 16.
 — scutata, Ehrenb. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 303 [= "Planulina," Ehrenberg].
 — Ehr., Abh. Ak. k. Wiss. Berlin, 1872 (1873), v, 14.
 — sparsa, Ehrenb. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 17.
 — tremalophæna, Ehrenb. *Ibid.* 1858, 17.
 — undulata, Ehrenb. *Ibid.* 1858, 18.
- ARLICULINA** Giebel, 1852. Misprint for *Articulina*.
- ARTICULINA**, d'Orbigny, 1826. Ann. Sci. Nat. VII, 1826, 300. Brady, Report Challenger, 1884, 182.
 — compressa, Reuss. Neues Jahrbuch, 1853, 673, ix, 3a,b.
 — conico-articulata (Batsch). Brady, Report Challenger, 1884, 185, xii, 17, 18; xiii, 1, 2 (*Nautilus*, 1791).
 — Brady, Parker & Jones, Trans. Zool. Soc. XII, (7), 1888, 216, xl, 7-9.
 — funalis, Brady. Report Challenger, 1884, 185, xiii, 6-11.
 — var. inornata, — *Ibid.* 1884, 186, xiii, 3-5.
 — gibberula, Jones. See *gibbosula*.
 — gibbosula, d'Orbigny. Foram. Fossiles Vienne, 1846, 282, xx, 16-18.
 — Pictet, Traité de Paléont. ed. 2, iv, 1857, 525, cix, 45.
 — Terquem, Mém. Soc. Géol. France, [3], II, 1882, 151, xv (xxiii), 25, 26.
 — [gibberula], Jones, in Microgr. Dict. ed. 4, 1883, 76, xxiii, 9a,b.
 — lœvigata, Terquem. Mém. Soc. Géol. France, [3], II, 1882, 151, xv (xxiii), 27-31.
 — lineata, Brady. Report Challenger, 1884, 183, xii, 19-21.
 — multilocularis, Brady, Parker, & Jones. Trans. Zool. Soc. XII, (7), 1888, 215, xl, 10.
 — nitida, d'Orbigny. Ann. Sci. Nat. VII, 1826, 300, No. 1.
 — Modèles, 1826, No. 22.
 — Guérin-Menéville's Cuvier, Iconographie, Mollusques, 1829-43, 10, iii, 8 and 9.
 — Cuvier, Animal Kingdom, Henderson's ed. III, 1834 (pls., 1837), 19, vi, 8.
 — Bronn, Lethæa Geognostica, ed. 2, 1837, 1145, xlvi, 29a, b.
 — Reuss in Geinitz, Grundr. Verstein. 1845-46, 684, xxiv, 90.
 — Bronn, Lethæa Geognostica, ed. 3, III, 1853-56, 247, xlvi, 29a, b.
 — P. J. & B. [d'O., Modèles, 22], Ann. Mag. Nat. Hist. [3], XVI, 1865, 22, i, 2 [= *A. conico-articulata*].

- ARTICULINA** nitida, d'Orbigny. Schwager, Boll. R. Com. Geol. Ital. viii, 1877, 27, pl., 107.
- Terquem, Mém. Soc. Géol. France, [3], ii, 1882, 150, xv, (xxiii) 22-24.
 - Basset, Ann. Soc. Sci. Charente-Inf. 1884 (85), 163, f.
 - **sagra**, d'Orb. De la Sagra, Hist. Phisiq., etc., Cuba, 1839, "Foraminières," 183, ix, 23-26; also in Spanish, 1840, 160, same pl. and f.
 - Brady, Report Challenger, 1884, 184, xii, 22-24.
 - **sulcata**, Reuss. Denkschr. k. Ak. Wiss. Wien, i, 1850, 383, xlvi, 13-17.
 - Brady, Report Challenger, 1884, 183, xii, 12, 13.
 - Brady, Parker, & Jones, Trans. Zool. Soc. xii, (7), 1888, 215, xl, 11.
 - Wetherell, Trans. Geol. Soc. Lond. [2], v, 1834 (1840), 135, ix, 8-10 [$= Nod. baderensis$; $= N. affinis$; $= N. raphanus$].
 - Pictet, Traité de Paléont. iv, 1846, 243, xii, 32.
 - ? Wisniowski, Jahrb. k. geol. Reichs. xxxviii, (1889), 694, xiii, 62.
- ASCHEMONELLA**, Brady, 1879. Q. Journ. Micr. Sci. xix, 1879, 44; Report Challenger, 1884, 271.
- **catenata** (Norman). *Ibid.* 1884, 271, xxvii, 1-11; xxvii, A, 1-3 [*Astrophytis*, 1876].
 - **ramuliformis**, Brady. *Ibid.* 1884, 273, xxvii, 12-15.
 - **scabra**, Brady. Q. Journ. Micr. Sci. xix, 1879, 44, iii, 6, 7.
- ASKOPSIS**, de Folin, 1881. Bull. Soc. N. II. Toulouse, xv, 1881, 138; not described; 1 sp. proposed.
- ASPIDODEXIA**, Ehrenberg, 1872.
- **lineolata**, Ehrenb. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 280.
 - Ehr., Abh. k. Ak. Wiss. Berlin. 1872 (1873), iii, 4.
- ASPIDOSPIRA**, Ehrenb. 1844. Bericht. k. preuss. Ak. Wiss. Berlin, 1844, 75.
- **abyssicola**, Ehrenb. *Ibid.* 1854, 247.
 - **bulligera**, Ehrenb. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 280.
 - **depressa**, Ehrenb. *Ibid.* 1858, 18.
 - **globularis**, Ehrenb. Bericht. k. preuss. Ak. Wiss. Berlin, 1845, 367.
 - **hexacyclus**, Ehrenb. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 280.
 - Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), iv, 5.
 - **indica**, Ehrenb. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 367.
 - **pentacyclus**, Ehrenb. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 281.
 - **profundissima**, Ehrenb. Bericht k. preuss. Ak. Wiss. Berlin, 1854, 247.
 - **rosula**, Ehrenb. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 281.
 - **saxipara**, Ehrenb. Mikrogeologie, 1854, xxxii, ii, 38 [= *Planulina ariminensis*].
 - **sinensis**, Ehrenb. Bericht k. preuss. Ak. Wiss. Berlin, 1847, 485.
- ASSILINA**, d'Orbigny, 1826. Ann. Sci. Nat. vii, 1826, 296 [given by d'Orbigny as a subgenus of *Nummulina*].
- **depressa**, d'Orb. *Ibid.* vii, 1826, 296, No. 2.
 - — — Brönn, Lethaea Geognostica, ed. 3, III, 1853-56, 210, xxxv², 11.
 - **discoidalis**, d'Orb. Ann. Sci. Nat. vii, 1826, 296, No. 1 [v. also *Nummulina*].
 - — — D'Orb., Modèles, No. 88, 1826.
 - **exponens** (Sowerby) [v. *Nummularia*, Sowerby, 1834].
 - **[exponens]** (d'Orb.), 1847. D'Orbigny, Prodrome de Paléont. II, 1850, 336, No. 685.
 - — — [d'Orb.]. Carter, Annals Mag. Nat. Hist. [3], VIII, 1861, 366, xv, i; Journ. Bombay Branch R. Asiatic Soc. VI, 1861 (1862), 57 [= *Nummulites exponens*, Sow.].
 - — — Sowerby. De la Harpe, Mém. Soc. paléont. Suisse, VII, 1881, 37, f. 8.
 - — — Hoernes, Elem. Palaeont. 1884, 26, f. 15; French ed., 1886, same figure.
 - — — Steinmann, Elem. Paleont. I, 1888, 34, f. 21A, B.
 - **floridana**, Conrad [v. *Nummulites*].
 - **irregularis**, Carter. Journ. Bombay Br. R. Asiatic Soc. V, (xviii), (1853), 131, ii, 5 and 6.

ASSILINA irregularis, Carter. Cart., Annals Mag. Nat. Hist. [2], xi, 1853, 168, vii, 5 and 6 (7 and 8?).

— — — — — Cart., Geol. Papers Western India, 1857, 540, xxiii, 5 and 6. **minima**, dela Harpe. Palaeontographica, xxx, 1883, Pal. Theil, 213, xxxv, (6), 35-42.

— — — — — **nili**, de la Harpe. Ibid. xxx, 1883, Pal. Theil, 213, xxxv (6), 29-34.

— — — — — **nitida**, d'Orbigny. Ann. Sci. Nat. viii, 1826, 296, No. 4.

— — — — — **obesa**, Carter. Annals Mag. Nat. Hist. [3], viii, 1861, 368, xv, 2; Journ. Bombay Branch R. Asiatic Soc. vi, 1861 (1862), 58.

— — — — — **planospira**, d'Archiac. Mém. Soc. Géol. France, [2], iii, 1848, 417, ix, 17a.

— — — — — **radiolata**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 296, No. 5.

— — — — — **spira**, de R. Jones, in Newton Quart. Journ. Geol. Soc. xlv, 1889, 332, xiv, 16 [*Nummulites*, 1826].

— — — — — **undata**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 296, No. 3.

? — — — — — Carter, Journ. Bombay Br. R. Asiatic Soc. v, (xviii), (1853), 132, ii, 7 and 8. see *Porpitæ solnti*, etc.

ASSULINA, Brönn, 1853-56. Misprint for *Assilina*.

ASTACOLUS crepidulatus, Montfort. Conch. syst. i, 1808, 263, 66th genre [= *Cristellaria*].

ASTERIACITES patellaris, Schlotheim. Die Petrefactenkunde, Nachtrag, 1822, 71, xii, 6 [v. also *Orlitoides*].

ASTERIATITES. Schlotheim, 1813. Taschenbuch für ges. mineral. vii, 1813, 109 [quotes 3 species, *A. siderolites*, *A. spinosus*, *A. pentagonatus*] [cfr. *Asteriarites*].

ASTERIGERINA, d'Orbigny, 1839. Voyage Amér. Mérid. "Foraminifères," v, (5), 1839, 55.

— — — — — **carinata**, d'Orb. Dela Sagra, Hist. Phisiq., etc., Cuba, 1839, "Foraminifères," 118, v, 25; vi, 1 and 2; also in Spanish, 1840, 118, same pls. and figs.

— — — — — Quenstedt, Handbuch Petref. ed. 3, (5), 1885, 1058, lxxxvi, 56.

— — — — — **dubia**, Terquem. Ess. Anim. Plage Dunkerque, (1), 1875, 36, v, 7a,b (and Mém. Soc. Dunkerquoise).

— — — — — **ferussaci**, d'Orb., 1847. D'Orbigny, Prodrome de Paléont. ii, 1850, 408, No. 1339 [*Rosalia*, 1825].

— — — — — **geometrica**, Terquem. Ess. Anim. Plage Dunkerque, (1), 1875, 36, v, 6a,b (and Mém. Soc. Dunkerquoise).

— — — — — **hieroglyphica**, Terquem. Mém. Soc. Géol. France, [3], i, 1878, 32, iii (viii), 5a-8.

? — — — — — **lancicula**, Schwager. Palaeontographica, xxx, 1883, Pal. Theil, 127, xxviii (5), 7a-d.

— — — — — **lobata**, d'Orbigny. De la Sagra, Hist. Phisiq., etc., Cuba, 1839, "Foraminifères," 118, v, 19-21; also in Spanish, 1840, 119, same pl. and fig.

— — — — — D'Orb., Foram. Fossiles Vienne, 1846, 204, xxi, 39-41.

— — — — — **monticula**, d'Orb. Voyage Amér. Mérid. "Foraminifères," v, (5), 1839, 55, ii, 18-20.

— — — — — **planorbis**, d'Orb. Foram. Fossiles Vienne, 1846, 205, xi, 1-3 [v. *Discorbiua*].

— — — — — Egger, Neues Jahrbuch, 1857, 281, xi, 8-10.

— — — — — Reuss' Model No. 47, 1865 (Catal. No. 87, 1861) [= *Discorbiua rosacea*, d'Orb.]

— — — — — Schwager, Boll. R. Com. Geol. Ital. viii, 1877, 26, pl., 57.

— — — — — = *Discorbi. rosacea* (d'Orb.). v. *Anomia planorbis*.

— — — — — **rhodiensis**, Terquem. Mém. Soc. Géol. France, [3], i, 1878, 31, iii (viii), 1a-4.

— — — — — **rosacea**, d'Orb., 1847. Prodrome de Paléont. iii, 1852, 158, No. 2952 [*Rotalia*, 1825].

— — — — — **tarentina**, Costa. Atti Accad. Pontaniana, vii, (2), 1856, 272, xxii, 13 and 14.

— — — — — Pictet, Traité de Paléont. iv, 1846, 237, xii, 23.

ASTEROCYCLINA, Gümbel, 1868. Abh. k. bayer. Ak. Wiss. x, (2), 1868, 689. This subgenus of *Orbitoides* was proposed by Gümbel for the following forms: *A. stellata* (d'Archiac); *A. priabonensis*, Gümbel; *A. stella*, Gümbel.

- ASTERODISCINA**, Ehrenberg, 1838. Abh. k. Ak. Wiss. Berlin, 1838 (1840), Tab 1 [a family group name].
- ASTERODISCUS**, Ehrenberg, 1838. Abhandl. k. Ak. Wiss. Berlin, 1838, 130
— forskållii, Ehrenb. *Ibid.* 1838, 130.
- ASTERODISCUS**, Schafhätl, 1863. Sud-Bayerns Lethæa Geogn. 1863, 107.
— patellaris, Schafhätl. *Ibid.* 1863, 108, xv, 3a, b, c [*Hymenocyclus* in text].
— pentagonalis, Schafhätl. *Ibid.* 1863, 107, xv, 2a-d.
- ASTIGERINA**, Pictet, 1846. Misprint for *Asterigerina*.
- ASTRIGERINA**, Egger, 1857. Misprint for *Asterigerina*.
- ASTRODISCUS**, F. E. Schulze, 1875. II Jahresb. Comm. wiss. Untersuch. deutsch. Meer in Kiel, 1875, 113.
— arenaceus, Schulze. *Ibid.* 1875, 113, ii, 10 [= ? *Astrorhiza*].
- ASTRORHIZA**, Sandahl. 1857. Ofversigt k. Vetens.-Ak. Förhandl. 1857 (1858), 299; Brady, Report Challenger, 1884, 230. [Haekel, in his "Report of the Deep-sea Keratosa," Report Challenger, xxxii. 1889, 2, remarks, "I suppose that some of the gigantic foraminifera of the deep sea, which Mr. H. B. Brady has described in his Report as Astrorhizidae (especially *Rhabdammina*, *Ihizammina*, *Sagenella*, etc.), may also belong to the arenaceous Keratosa (Ammoconidæ)."]
- angulosa, Brady. Quart. Journ. Micro. Sci. xxi, 1881, 48. Brady, Report Challenger, 1884, 234, xx, 10-13.
— arenaria, Norman. Proc. Roy. Soc. xxv, 1876, 213.
- P ——— [Carpenter]. Bütschli in Bronn. Klassen, etc., Thier-Reichs, 1880, 194, v, 12.
— ——— Brady, Report Challenger, 1884, 232. xix, 5-10.
— catenata, Norman. Proc. Roy. Soc. xxv, 1876, 213 [= *Anchemonella*].
— ——— Brady, Q. Journ. Micr. Sci. xix, 1879, 42, iv, 12-13.
— ——— Moseley, Nature (Apr. 15, 1880), xxi, 570. f. 11a.
— crassatina, Brady. Quart. Journ. Micr. Sci. xxi, 1881, 47.
— ——— Brady, Report Challenger, 1884, 233, xx, 1-9.
— cornuta, Brady. Q. Journ. Micr. Sci. xix, 1879, 43, iv, 14, 15 [= *Rhabdammina*].
— granulosa, Brady. *Ibid.* xxi, 1881, 48 [= *Marsipella*, 1879].
— ——— ? Haeusler, Neues Jahrbuch, 1883, I, 57, iii. 6.
— ——— Brady, Report Challenger, 1884, 234. xx, 14-23.
— ——— Neumayr, Stämme d. Thierreiches, I, 1889 (8), 173, f. 17d.
— limicola, Sandahl. Ofversigt k. Vetens.-Ak. Förhandl. 1857 (1858), 299, iii, 5 and 6.
— ——— Leidy, Proc. Ac. Nat. Sci. Philad. 1875, 75, fig.
— ——— P. Fischer, Journ. Zoologie, IV. 1875, 505, xvi 1-4.
— ——— Bütschli in Bronn. Klassen, etc., Thier-Reichs, 1880, 194, v, 11.
— ——— Brady, Report Challenger, 1884, 231, xix, 1-4.
— ——— Agassiz, Three Cruises "Blake." II, 1888, 161, f. 489.
— Carpenter. Quart. Journ. Micr. Sci. xvi, 1876, 221, xix, 1-13.
- ATAXOPHRAGMIUM**, Reuss, 1861. Verz. Gypsmodellen Foraminiferen, [1861], Nos. 8 and 9. Genus founded upon d'Orbigny's *Bulinima variabilis*.
- arenaceum, Karrer. Sitz. k. Ak. Wiss. Wien, LII, (1), 1865 (1866), 495, pl., 9.
— globulare, Reuss. *Ibid.* I, (1), 1864 (1865), 449, i, 2
— humile, Karrer. In v. Drasche, Frag. Geol. Luzon, 1878, 85, v, 3 and Bol. Com. map Geol. EspaÑ. VII, 1880, 267, E. 3.
— intermedium (Reuss). Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 26, pl., 89 [= *Bulinima*, 1845].
— laceratum, Schwager. Novara-Exped. Geol. II, 1866, 194, iv, 3a, b, c.
— magdalidiforme, Schwager. *Ibid.* II, 1866, 193. iv, 1 a, b. c.
— oblongum, Reuss. Sitz. k. Ak. Wiss. Wien, LII, (1), 1865 (1866), 458, pl., 2.
— simile, Karrer. *Ibid.* LVIII, (1), 1868, 126, i, 1.
— suborale, Schwager. Novara-Exped. Geol. II, 1866, 193, iv, 2a, b, c.
— variabile (d'Orbigny). Reuss' Models Nos. 6 and 7, 1865 (Catal. Nos. 8 and 9, 1861) [= *Bulinima*, 1840].

- ATRACTOLINA**, v. Schlicht. "Foram. Septar. Pietzpuhl," 1870, xxv, 1-10 [referred by Reuss to *Psecadium acuminatum* = *Glandulina* (Brady)].
- ATRACTOSPIRA**, de Folin, 1882. Congrès. Scient. Dax, 1882 (1-83), 319.
- AULOSTOMELLA**, Alth, 1850. Haidinger's Nat. Abh. III, (2), 1850, 264 [founded on a fistulose var. of *Polymorphina sororia*, Reuss].
- **dorsigera**, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 281, xviii, 20, a, A, B.
- **pediculus**, Alth. Haidinger's Nat. Abh. III, (2), 1850, 264, xiii, 17 [= *Polym. sororia*, Rss.].
- AURICULINA**, Costa, 1856. Atti Accad. Pontaniana, VII, (2), 1856, 259 [= *Pulvinulina* or *Discorbina*].
- **crenata**, Costa. *Ibid.* VII, (2), 1856, 260, xxii, 15 and 16.
- BALANULINA**, Rzehak, 1888. Ann. k. k. nat. Hofmuseums, III, (3), 1888, 265.
- **kittlitzii**, Rzehak. *Ibid.* III, (3), 1888, 265, xi, 8a, b.
- BATHYSIPHON**, M. Sars, 1871. G. O. Sars, Forh. Vidensk.-Selsk. Christiana, 1871 (1872), 251; Brady, Report Challenger, 1884, 248.
- **capbritonensis**, de Folin. Actes Soc. Linn. Bordeaux, XL, (5), 1887, 274, v, 1a-c.
- **capillare**, de Folin. *Ibid.* XL, (5), 1887, 276, v, 2a-e.
- **capillare**, De Folin, Le Naturaliste, Ann. 9, 1887, 114, f. 7b.
- **echinatum**, de Folin. Actes Soc. Linn. Bordeaux, XL, (5), 1887, 278, vi, 3a-c.
- **filiformis**, M. Sars MS. G. O. Sars, Vidensk.-Selsk. Forhandl. 1871, 251.
- **filiformis**, Brady, Report Challenger, 1884, 248, xxvi, 15-20.
- **filiformis**, De Folin, Actes Soc. Linn. Bordeaux, XL, (5), 1887, 279, vi, 4a-e.
- **flavidum**, de Folin. *Ibid.* XL, (5), 1887, 279, vi, 5a-c.
- **major**, de Folin. *Ibid.* XL, (5), 1887, 280, vii, 6a-d.
- **nitens**, de Folin. *Ibid.* XL, (5), 1887, 282, vi, 7a-c.
- **rufum**, de Folin. *Ibid.* XL, (5), 1887, 283, vi, 8a-c.
- **rusticum**, de Folin. *Ibid.* XL, (5), 1887, 284, viii, 9a-c.
- **strictum**, de Folin. *Ibid.* XL, (5), 1887, 285, viii, 10a, b.
- **subvitreum**, de Folin. *Ibid.* XL, (5), 1887, 286, viii, 11.
- De Folin, Bull. Soc. N. H. Toulouse, XV, 1881, 138; five new sp. proposed but not described!
- BDELLOIDINA**, Carter, 1877. Carter, Ann. Mag. Nat. Hist. [4], xix, 1877, 201; Brady, Report Challenger, 1884, 319.
- **aggregata**, Carter. Ann. Mag. Nat. Hist. [4], xix, 1877, 201, xiii, 1-8.
- **aggregata**, Brady, Report Challenger, 1884, 319, xxxvi, 4-6.
- BEATRICEA**. This genus, described by Billings in 1853 as a plant, has since been referred to as a mollusc, sponge, coral, etc. In 1884 Alpheus Hyatt stated that it showed foraminiferal structure and that he "himself now thought it a foraminifer (Science, Oct. 3, 1884). [The largest specimen seen by Billings was 10 ft. 5 in. long and 5-6 inches diameter.]
- The more important references to it are the following:
- Billings, Geol. Survey Canada, Report for 1853-56 (1857) 343.
- Hyatt, Amer. Journ. Sci. xxxix, 1865, 263.
- Proc. Amer. Assoc. Philadelphia, 1884, (1885), 492; Science, Oct. 3, 1884, 341 [both abstracts].
- BIFARINA**, Parker & Jones, 1872. Annals Mag. N. Hist. x, 1872, 198. A dimorphous *Virgulina* ["? = *Otostomum*, Ehrenberg, Monatsber. k. pr. Ak. Wiss. Berlin, April, 1872, 276," Jones MS.].
- **saxipara** (Ehrenb.), v. *Dimorphina*, 1854.
- Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 25, pl., 40.
- BIGENERINA**, d'Orbigny, 1826. Ann. Sci. Nat. VII, 1826, 261; Brady, Report Challenger, 1884, 368.
- **acanthopora**, Ehrenberg. Mikrogeologie, 1854, xxviii, 22 [= *Polym. Thominii*].
- **agglutinans**, d'Orbigny. Foram. Fossiles Vienne, 1846, 238, xiv, 8-10.
- **agglutinans**, Broun, Lethaea Geognostica, ed. 3, III, 1853-56, 234, xxxv², 30a, b, c.
- **agglutinans**, Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 26, pl., 101.
- **agglutinans**, Jones in Microgr. Dict. ed. 4, 1883, 96, xxiii, 50a, b.

- BIGENERINA** ampla, Karrer. Abh. k. k. geol. Reichs. ix, 1877, 374, xvii, 5.
 —— *anulata*, Costa. Atti Acad. Pontaniana, vii, (2), 1856, 284, xv, 8 [error for 13].
 —— *apiculata*, Ehrenberg. Mikrogeologie, 1854, xxviii, 23 [= *Polym. compressa*].
 —— *bifida*, Costa. Atti Accad. Pontaniana, vii, (2), 1856, 287 [283], xxi [error for xxiii], 1, a, A.
 —— *calcarata*, Berthelin. Mém. Soc. Géol. France, [3], i, 1880, 27, i (xxiv), 14*a*–16; ii (xxv), 2*a*, b.
 —— *capreolus*, d'Orbigny. Brady, Report Challenger, 1884, 372, xlvi, 1–4 (*Vulvulina*. 1826).
 —— —— Sherborn & Chapman, Journ. R. Micr. Soc. [2], vi, 1886, 743, xiv, 8.
 —— *cretæ*, Ehrenberg. Mikrogeologie, 1854, xxviii, 21 [= *Polym. Thouini*].
 —— *dentaliniformis*, Terquem. Sixième Mém. Foram. Liás, 1866, 526, xxii, 29 and 30.
 —— (*Gemmulinina*) *digitata*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 262.
 —— (*Gemmulinina*) —— D'Orb., Modèles, No. 58, 1826.
 —— —— Brady, Trans. Linnean Soc. xxiv, 1864, 468, xlvi, 8.
 —— —— Brady, Nat. Hist. Trans. Northumb. i, 1865–67 (1867), 102, xii, 7.
 —— (*Gemmulinina*) —— —— P. J. & B. [D'O., Modèles 58], Ann. Mag. Nat. Hist. [3], xvi, 1865, 28, ii, 61.
 —— —— Brady, Report Challenger, 1884, 370, xlvi, 19–24.
 —— (*Gemmulinina*), —— —— Bassett, Ann. Soc. Sci. Charente-Inf. 1884 (85), 161, f.
 —— —— v. *Textul. agglutinans*, d'Orb.
 —— *eruca*, M. Sars. Forh. Védensk.-Selsk. Christiania, 1868 (1869), 249 [not described].
 —— *lævigata*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 261, No. 3.
 —— —— P. J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], viii, 1871, 167, xi, 124.
 —— —— ? —— (*Lituola?*). *Ileum*, 163, xl, 125 [v. *Margin. hirsuta*, d'Orb.]
 —— —— d'Orbigny. v. *Othocerasia baculi*.
 —— *libanotica*, Ehrenberg. Mikrogeologie, 1854, xxv, i, A, 25 and 26 [= *Polym. compressa*].
 —— *mitrata*, Trautschold. Nouv. Mém. Soc. Imp. Nat. Moscou, xiv, Livr. i, 1879, 47, vi, 6*a*, b, c.
 —— *nicobarica*, Schwager. Novara-Exped. Geol. ii, 1866, 196, iv, 7*a*, b, c [*B. nicobarensis* in explan. to plate].
 —— *nodosaria*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 261, No. 1, xi, 9–11 [v. *Dimorphina*].
 —— —— D'Orb., Modèles, No. 57, 1826.
 —— —— Reuss, in Geinitz, Gründr. Verstein. 1845–46, 677, xxiv, 67.
 —— —— Reuss' Model. No. 58, 1865 (Catal. No. 12, 1861).
 —— —— P. J. & B. [d'O., Modèles, 57]. Ann. Mag. Nat. Hist. [3], xvi, 1865, 28, ii, 62.
 —— —— Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxiii, 1880, 192, ii, 28.
 —— —— Brady, Report Challenger, 1884, 369, xlvi, 14–18.
 —— —— Basset, Ann. Soc. Sci. Charente-Inf., 1884 (85), 161, f.
 —— —— Malagoli, Atti Soc. Nat. Modena (Rend.), 3, iii, 1887, 108, i, 3 and 4.
 —— —— See *Text. agglutinans*, D'Orb.
 —— *patula*, Brady. Carbonif. Foram., Pal. Soc. xxx, 1876, 136, viii, 10 and 11, x, 30, 31 [non *ribrostomum*, v. Moeller, 1879].
 —— *pennatula* (Batsch). Brady, Report Challenger, 1884, 373, xlvi, 5–8 [*Nautilus*, 1791].
 —— *pusilla*, Römer. Neues Jahrbuch, 1838, 384, iii, 20.
 —— —— Quenstedt, Handbuch Petref. ed. 3, (5), (1885), 1059, lxxxvii, 1.
 —— *robusta*, Brady. Quart. Journ. Micr. Sci. xxi, 1881, 53.
 —— —— Brady, Report Challenger, 1884, 371, xlvi, 9–16.

- BIGENERINA striata**, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 367.
- **subtilis**, Karrer. In v. Drasche, Frag. Geol. Luzon, 1878, 87, v, 6, and Bol. Com. map Geol. Espan. VII, 1880, 269, E, 6.
- **torulosa**, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 285, xv, 6, A, [error for 12].
- **truncata**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 261, No. 2.
- ? — sp.? Terrigi, Atti Acc. Pont. Nuovi Lincei, XXXV, 1883, 189, iii, 31.
- ? — sp.? Terrigi, Mem. R. Acc. Lincei (4), VI, 1889, 110, v, 5.
- BIGERINA**, Mariani, 1888. Error for Bigenerina.
- “**BILOCULAIRES**,” Terquem. See end of *Biloculina*.
- BILOCULINA**, d'Orbigny, 1826. Ann. Sci. Nat. VII, 1826, 297; Brady, Report Challenger, 1884, 139.
- **aculeata**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 298, No. 3.
- — — — D'Orb., Modèles, No. 31, 1826.
- — — — P. J. & B. [d'O., Modèles, 31], Ann. Mag. Nat. Hist. [3], XVI, 1865, 24, i, 5.
- — — — Basset, Ann. Soc. Sci. Charente-Inf. 1884 (85), 163, f.
- **aegaea**, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 18.
- **aequilabiata**, Terquem. Ess. Anim. Plage Dunkerque, (2), 1876, 80, x, 22a, b (and Mém. Soc. Dunkerquoise).
- — — — Terq., Mém. Soc. Géol. France, [3], I, 1878, 50, v (x), 1a, b.
- **aequivoca**, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 308, xxiv, 5.
- **affinis**, d'Orbigny. Foram. Fossiles Vienne, 1846, 265, xvi, 1-3.
- — — — Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 27, pl., 113.
- **alata**, d'Orb. Ann. Sci. Nat. VII, 1826, 298, No. 6.
- **amphiconica**, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 382, xlix, 5.
- — — — Reuss, Sitz. k. Ak. Wiss. Wien, LV, (1), 1867, 67, i, 8a-c.
- **anodonta**, Karrer. Ibid. LVIII, (1), 1868, 133, i, 6.
- **antiqua**, d'Orbigny (1847). Prodrome de Paléont. II, 1850, 210, No. 358.
- **antiqua**, Karrer. Sitz. k. Ak. Wiss. Wien, LV, (1), 1867, 305. iii, 7.
- **appendiculata**, Eichwald. Lethæa Rossica, III, 1853, II, i, 12a-d.
- — — — [Reuss]. Reuss, Bull. Acad. Roy. Belgique, [2], XV, 1863, 139, i, 1 [corresponds with Eichwald's fig.].
- **applanata**, Gümbel. Jahresh. Ver. vat. Nat. Wurtt. XVIII, 1862, 233, iv, 16a, b, c.
- **arcuata**, Terquem. Mém. Soc. Géol. France, [3], II, 1882, 154, XVI (xxiv), 2a, b.
- **bougainvilliei**, d'Orbigny. Voyage Amer. Mérid. 1839, V, (5), “Foraminifères,” 67, viii, 22-24.
- **brachyodontia**, Fornasini. Boll. Soc. Geol. Ital. V, 1886, 260, iv, 3; V, 3.
- **bulloides**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 297, No. 1, xvi, 1-4.
- — — — D'Orb., Modèles, No. 90, 1826.
- — — — Smedley, Ency. Metrop. 1845, undescr., pl. “Mollusca?,” 20 and 21.
- — — — Reuss in Geinitz, Grundr. Verstein. 1845-46, 682, xxiv, 86.
- — — — Costa, Atti Accad. Pontaniana, VII, (2), 1856, 299, xxiv, 1A, B, C.
- — — — Beudant, Géologie, ed. 8. 1858, 117, f. 103; later eds., same fig.
- — — — P. J. & B. [d'O., Modèles, 90], Ann. Mag. Nat. Hist. [3], XVI, 1865, 33, i, 3 [= *B. ringens*, Lam.].
- — — — Terquem, Mém. Soc. Géol. France [3], II, 1882, 153, XV, (xxiii), 37, 38.
- — — — Brady, Report Challenger, 1884, 142, ii, 5, 6.
- — — — Basset, Ann. Soc. Sci. Charente-Inf. 1884, (85), 163, f.
- — — — Fornasini, Bol. Soc. Geol. Ital. V, 1886, 257, iv, 1; V, 1, var. **calostoma**, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, (1), 1868, 132, i, 4.
- — — — var. **truncata**, Reuss. Ibid. LV, (1), 1867, 68, ii, 1a-c.
- — — — var. **truncata gracilis**, Reuss. Ibid. LV, (1), 1867, 68, ii, 2a-c.
- — — — Fritel, Foss. caract. terr. sedim. tert. 1886, VII, 68 and 69.

- BILOCULI** *A bulloides*, d'Orbigny. Schlumberger, Bull. Soc. Géol. France, [3], xv, 1887, 120, xv, 10-13; woodcuts, f. 1-5.
 ——— ——— = *B. ringens* (Lam.). See *Frumentaria ovula* and *F. 5 specie.*
 ——— *canariensis*, d'Orbigny. Barker-Webb and Berthelot, Hist. Nat. Iles Canaries, 1839, II, (2), "Foraminifères," 139, iii, 10-12.
 ——— *carinata*, Ehrenberg. Abhandl. k. preuss. Ak. Wiss. Berlin, 1838, 131.
 ——— *carinata*, d'Orbigny. De la Sagra, Hist. Phisiq., etc., Cuba, 1839, "Foraminifères," 164, viii, 24; ix, 1 and 2; also in Spanish, 1840, 148, same pl. and fig.
 ——— ——— Terquem, Ess. Anim. Plage Dunkerque, (1), 1875, 38, v, 16a, b (and Mém. Soc. Dunkerquoise).
 ——— *caudata*, Bornemann. Zeitschr. deutsch. geol. Ges. VII, 1855, 348, xix, 2.
 ——— *circumclausa*, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 307, xxiv, 6A, C.
 ——— *clypeata*, d'Orbigny. Foram. Fossiles Vienne, 1846, 263, xv, 19-21.
 ——— *comata*, Brady. Quart. Journ. Micros. Science, n. s., XXI, 1881, 45.
 ——— ——— Munier-Chalmas & Schlumb., Comptes Rendus, xcvi, 1883, 865, f. 3 and 4 [structure]; and Annals Mag. Nat. Hist. 5, xi, 339, f. 3, 4.
 ——— ——— Brady, Report Challenger, 1884, 144, iii, 9a, b.
 ——— *complanata*, Michelotti. Mem. Soc. Ital. Sci. xxxii, 1841, 298, iii, 2.
 ——— *constricta*, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 301, xxiv, 2a, A, C.
 ——— *contraria*, d'Orbigny. Foram. Fossiles Vienne, 1846, 266, xvi, 4-6 [see *Nummoloculina* and *Planispirina*].
 ——— ——— Brady, Trans. Linnean Soc. xxiv, 1864, 466, xlviii, 2.
 ——— ——— var. *paradoxa*, Reuss. Sitz. k. Ak. Wiss. Wien, LV, (1), 1867, 70, i, 10a, b.
 ——— *cuspidata*, Terquem. Mém. Soc. Géol. France, [3], I, 1878, 51, v (x), 3a, b.
 ——— *cyclostoma*, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 382, xlxi, 6.
 ——— ——— Quenstedt, Handbuch. Petref. ed. 3, (5), 1885, 1060, lxxxvii, 5.
 ——— *depressa*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 298, No. 7 [v. *Miliola*].
 ——— ——— D'Orb., Modèles, No. 91, 1826.
 ——— ——— Cuvier, Règne Animal, 1836-46, IX, (pls. x), 34, xiv, 8.
 ——— ——— P., J. & B. [d'O., Modèles, 91], Ann. Mag. Nat. Hist., [3], XVI, 1865, 33, i, 4.
 ——— ——— P., J. & B. Crag. Foram. Pal. Soc. xix, 1866, 6, iii, 29-30.
 ——— ——— P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 247, viii, 5.
 ——— ——— Karrer, Abh. k. k. Geol. Reichs. IX, 1877, 374, xviia, 7.
 ——— ——— Munier-Chalmas and Schlumb., Comptes Rendus. xcvi. 1883, 864, f. 1 and 2 [structure]; and Annals Mag. Nat. Hist. [5], XI, 338, f. 1 and 2.
 ——— ——— Schlumberger, Compt. Rend. Assoc. Franç. Rouen, 1883 (1884), 522, etc., f. 80-85.
 ——— ——— Brady, Report Challenger, 1884, 145, ii, 12, 15-17; iii, 1, 2.
 ——— ——— Mun.-Ch. and Schlumb. Bull. Soc. géol. France, [3], XIII, 1885, 278, etc., f. 4 and 5 [structural].
 ——— ——— v. *murrhyana*, Schwager. Brady, Report Challenger, 1884, 146, ii, 10, 11 [v. *Bilob. murrhyana*].
 ——— ——— v. *serrata*, Brady. Report Challenger, 1884, 146, iii, 3a, b, c, [v. *B. serrata*].
 ——— ——— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (85), 163, f.
 ——— ——— Brady, Parker & Jones, Trans. Zool. Soc. XII, (7), 1888, 213, xl, 17, 18.
 ——— ——— v. *Frumentaria lenticulae*.
 ——— *disguinta*, Seguenza. Atti R. Acc. Lincei, [3], VI, 1880, 153, xiv, 12a, b [error for 11].
 ——— *elliptica*, Brown. Illustr. Recent Conch. Gt. Brit., ed. 2, 1844, 2, lvi, 23 [*Miliola*, 1827].
 P ——— *elongata*, Ehrenberg. Abhandl. k. preuss. Ak. Wiss. Berlin, 1841, 426.

- BILOCULINA elongata**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 298, No. 4 [v. *Miliola*].
 ——— P. J. & B. [Soldani] Ann. Mag. Nat. Hist. [4], VIII, 1871,
 247, viii, 6.
 ——— Terquem, Mém. Soc. Géol. France [3], II, 1882, 154, xvi
 (xxiv), 1a, b.
 ——— Brady, Report Challenger, 1884, 144, ii, 9a, b.
 ——— Brady, Parker & Jones, Trans. Zool. Soc. XII, (7), 1888, 214,
 xl, 21, 22.
 ——— v. *Frumentaria ovula*.
 ? **furcata**, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1838, 131.
 ——— *globiformis*, Karrer. Sitz. k. Ak. Wiss. Wien, LV, (1), 1867, 357, ii, 1.
 ——— *globulus*, Bornemann. Zeitschr. deutsch. geol. Ges. VII, 1855, 349, xix, 3.
 ——— Reuss, Sitz. k. Ak. Wiss. Wien, XLVIII, (1), 1863 (1864), 40,
 i, 4a-c.
 ——— *grinzingensis*, Karrer. Abh. k. k. geol. Reichs. IX, 1877, 375, xviii, 8.
 ——— *habessinica*, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1838, 131.
 ? **hammonis**, Ehrenberg. Ibid. 1838, 131.
 ? **incisa**, Ehr. Mikrogeologie, 1854, xxvi, 29 [= *Quinqueloculina*].
 ——— **inornata**, d'Orbigny. Foram. Fossiles Vienne, 1846, 266. xvi, 7-9.
 ——— Costa, Atti Accad. Pontaniana, VII, (2), 1856, 302, xxiv,
 4a, A, C.
 ——— Zittel, Handbuch Paläont. (1), 1876, 77, f. 10¹ and 11¹.
 ——— Hoernes, Elem. Paläont. 1884, 34, f. 31; French ed. 1886,
 same fig.
 ? **integra**, Ehrenberg. Mikrogeologie, 1854, xxvi, 31 [= *Quinquelocu-*
lina].
 ——— **intergerrima**, Ehrenberg. Bericht. k. preuss. Ak. Wiss. Berlin, 1843,
 166.
 ——— **intermedia**, Fornasini. Boll. Soc. Geol. Ital. V, 1886, 259, iv, 2; v, 2.
 ——— **irregularis**, d'Orbigny. Voyage Amer. Mérid. 1839, V, (5), "Forami-
 nifères," 67, viii, 20 and 21.
 ——— Brady, Report Challenger, 1884, 140, i, 17, 18.
 ——— Brady, Parker & Jones, Trans. Zool. Soc. XII, (7), 1888, 214,
 xl, 24, 26.
 ——— **isabelleana**, d'Orbigny. Voyage Amer. Mérid., 1839, V, (5), "Forami-
 nifères," 66, viii, 17-19.
 ——— **lactea**, Brown. Illustr. Recent Conch. Gt. Brit. ed. 2, 1844, 2, lvi, 28
 [*Vermiculum*, 1803; *Miliola*, 1827].
 ——— **lævis** (Defrance). D'Orbigny, Ann. Sci. Nat. VII, 1826, 298, No. 8 [=
Pyrgo, 1824].
 ——— Bronn, Lethaea Geognostica, ed. 3, III, 1853-56, 244, xl, 26.
 ——— Brady, Report Challenger, 1884, 146, ii, 13, 14.
 ——— **larvata**, Reuss. Sitz. Ak. k. Wiss. Wien, LV, (1), 1867, 70, ii, 3a-c.
 ——— v. **ventricosa**, Mariana. Atti. Soc. Ital. Sci. XXXI, 1888, 94,
 i, 1a, b, c.
 ——— **liasica**, Zwingli and Kübler. Foraminif. schweiz Jura, 1870, 7, i, Turneri-
 thon, 18.
 ——— **liasina**, Terquem et Berthelin. Mém. Soc. Géol. France, [2], X, 1875,
 77, vi (xvi), 7a-b¹.
 ——— **linearis**, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1838, 131.
 ——— **lobata**, Reuss. Sitz. k. Ak. Wiss. Wien, XLVIII, (1), 1863, (1864), 40 and
 63, i, 5a-c; 6a, b.
 ——— **longirostra**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 298, No. 5.
 ——— **lucernula**, Schwager. Novara-Exped. Geol. (2), 1866, 202, iv, 14a, b, c;
 17a, b.
 ——— **lunula**, d'Orbigny. Foram. Fossiles Vienne, 1846, 264, xv, 22-24.
 ——— Reuss' Model No. 10, 1865 (Catal. No. 17, 1861) [= *B.*
depressa, d'O.].
 ——— **marginata** (Montagu). Brown, Illustr. Recent Conch. ed. 2, 1844, 2, lvi,
 23 [*Vermiculum*, 1803; *Renoidea*, 1827].
 ——— **murrhina**, Schwager. Novara-Exped. Geol. (2), 1866, 203, iv, 15a, b, c
 [*murrhyna* in explan. to plate].

- BILOCULINA** [murryhana], Schwager. Mun.-Ch. and Schlumb., Bull. Soc. géol. France, [3], XIII, 1885, 283, f. 9, 10; 290, f. 15, 16 [structural].
- **nana**, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1838, 131.
- **obesa**, Reuss. Sitz. k. Ak. Wiss. Wien, L, (1), 1864 (1865), 450, v, 7.
- **oblonga**, d'Orbigny. De la Sagra, Hist. Phisiq., Cuba, 1839, "Foraminifères," 163, viii, 21-23; also in Spanish, 1840, 147, same pl. and fig.
- **oblonga** [Mont.]. Brown, Illustr. Recent Conch. Gt. Brit. ed. 2, 1844, 2, lvi, 38, 39 [*Vermiculum*, 1803].
- **oblonga**, G. B. Sowerby. Foram. Colne Tidal River, 1856 [privately printed], pl. 1, f. 7 [= *Triloc. oblonga*].
- **opposita**, Deshayes. Descript. Coq. Caract., 1831, 252 and 259, iii, 8, 9 and 10.
- — — — — Bronn, Lethaea Geognostica, ed. 2, 1837, 1143, xlvi, 30a, b, c.
- — — — — Brown. Elem. Foss. Conch. 1843, 24, ii, 20 and 28 [misprinted *apposita* in descr. to plate].
- — — — — [Lamarck]. Bronn, Lethaea Geognostica, ed. 3, III, 1853-56, 243, xlvi, 30a, b, c.
- — — — — **patagonica**, d'Orbigny. Voyage Amer. Mérid. 1839, v, (5), "Foraminifères," 65, iii, 15-17.
- — — — — **peruviana**, d'Orbigny. Ibid. 1839, 68, ix, 1-3.
- — — — — **plana**, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1838, 131.
- — — — — **plana**, Karrer. Abh. k. k. geol. Reichs. IX, 1877, 375, xvi^a, 9.
- ? — — — — — **profundissima**, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 304.
- — — — — **ringens** (Lamarck). D'Orbigny, Ann. Sci. Nat. VII, 1826, 297, No. 2 [v. *Miliolites*, 1804].
- — — — — Mantell, Pictorial Atlas Foss. Rem. 1850, 143, lxii, 11.
- — — — — Parker & Jones, Annals Mag. N. H. [2], xix, 1857, 298, x, 28-33.
- — — — — [d'Orb.] Williamson, Recent British Foram. 1858, 78, vi, 169-170; vii, 171-176; "vi, 169-170 and vii, 171 typica."
- — — — — [d'Orb.]. Dawson, Canad. Nat. IV, 1859, 30, f. 11.
- — — — — J. P. & B., Crag, Foram. Pal. Soc. xix, 1866, 5, iii, 26-8.
- — — — — Cooke, Thousand Objects Microsc. 1869, 93, ix, 20.
- — — — — Dawson, Canad. Nat. n. s. v. 1870, 177, f. 9.
- — — — — Chimmo, Bed of Atlantic. 1870, 27, x, a.
- — — — — [d'Orb.]. Auon. Science Gossip, 1870, 10, f. 18.
- — — — — P. J. & B. [Soldani]. Ann. Mag. Nat. Hist. [4], VIII, 1871, 247, viii, 4 [*Biloc. bulloides*, d'O., q. v.].
- — — — — Dawson, Amer. Journ. Sci. [3], I, 1871, 206, f. 9; and Annals Mag. N. H. [4], vii, 1871, 86, f. 9.
- — — — — [d'Orb.]. Terquem, Ess. Anim. Plage Dunkerque, (2), 1876, 80, x, 21a, b (and Mém. Soc. Dunkerquoise).
- — — — — Vine, Science Gossip, xiv, 1878, 52, f. 38.
- — — — — Bütschli in Bronn, Klassen, etc., Thierreichs, 1880, 190, iv, 12 and 13.
- — — — — [d'Orb.]. Terquem, Mém. Soc. Géol. France, [3], II, 1882, 152, xv (xxiii), 32-36.
- — — — — Jones, in Microgr. Dict. ed. 4, 1883, 97, xxiii, 3.
- — — — — Brady, Report Challenger, 1884, 142, ii, 7, 8.
- — — — — Balkwill & Wright, Trans. R. Irish Ac. xxviii (Sci.), 1885, 322, xii, 6, 7.
- — — — — Dawson, Handbook Zoology, ed. 3, 1886, 45, f. 36.
- v. **carinata**, d'Orb. Williamson, Recent British Foram. 1858, 79, vii, 172-174 [v. *B. carinata*].
- — — — — v. **denticulata**, Brady. Report Challenger, 1884, 143, iii, 4, 5.
- — — — — v. **patagonica**, d'Orb. Williamson, Recent British Foram. 1858, 80, vii, 175 and 176 [v. *B. patagonica*].
- — — — — v. **striolata**, Brady. Report Challenger, 1884, 143, iii, 7, 8.
- — — — — Schlumberger, Bull. Soc. géol. France, [3], xv, 1887, 126, xv, 14-18; woodcuts f. 6-9.

- BILOCULINA ringens** (Lamarck). Anon. Sci. News, 27 Apr., 1888, 389, f. 3.
 ——— Agassiz, Three Cruises "Blake," II, 1888, 159, f. 484.
 ——— Brady, Parker & Jones, Trans. Zool. Soc. XII, (7), 1888, 213, xl, 19, 20.
 ——— Terrigi, Mem. R. Acc. Lincei, (4), VI, 1889, 107, iv, 1.
 P ——— rugosa, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1838, 131.
 ——— sacculus, Terquem. Mém. Ac. Imp. Metz, XXXIX, 1858, 636, iv, 15a-d.
 ——— Terq., Mém. Soc. Géol. France, [3], I, 1878, 51, v (x), 2ab.
 ——— scutella, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, (1), 1868, 134, i, 7.
 ——— serrata, L. W. Bailey. Boston Journ. Nat. Hist. VII, (3), 1862, 350, viii, E.
 ——— serrata, Brady. Schlumberger. Feuille Jeun. Nat., July, 1883, 106, iii, 3 and a [the same as *serrata*, Bailey]. [See *B. depressa*, v. *serrata*.]
 ——— seguenziana, Fornasini. Boll. Soc. Geol. Ital. V, 1886, 350, viii, 1-6.
 ——— var. *Ibid.* V, 1886, 350, viii, 7 and 8 ["between *B. seguenziana*, *B. levigata* and *B. ventata*"].
 ——— simplex, d'Orbigny. Foram. Fossiles Vienne, 1846, 264, xv, 25-27.
 ——— Costa, Atti Accad. Pontaniana, VII, (2), 1856, 300, xxiv, 3a, A, C.
 ——— Mackie, Science Gossip, 1867, 131, f. 132.
 ——— sphæra, d'Orbigny. Voyage Amer. Mérid. 1839, V, (5), "Foraminifères," 66, viii, 13-16.
 ——— Brady, Trans. Linnean Soc. XXIV, 1864, 466, xlvi, 1.
 ——— Anon., Science Gossip, 1870, 10, f. 17.
 ——— Brady, Report Challenger, 1884, 141, (cut). ii, 4a, b.
 ——— sphæroides, Schlumberger. Feuille Jeun. Nat., July, 1883, 106, ii, 3 and a-d.
 ——— subsphærica, d'Orbigny. De la Sagra, Hist. Phisiq., etc., 1839, "Foraminifères," 162, viii, 25-27; also in Spanish, 1840, 147, same pl. and fig. [*B. subspherica* in text and plate].
 ——— Reuss in Geinitz, Gründr. Verstein, 1845-46, 683, xxiv, 87.
 P ——— syriaca, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1838, 131.
 ——— tenella, Ehrenberg. *Ibid.* 1841, 426.
 ——— tenera (Schultze), Agassiz. Three Cruises "Blake," II, 1888, 160, f. 485 [*Miliola*, 1854].
 P ——— tenuis, Ehrenberg. Mikrogeologie, 1854, xxvi, 30 [= *Quinqueloculina*].
 ——— tenuis, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, (1), 1868, 133, i, 5
 ——— tubulosa, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 309, xxiv, 7, A, B, C.
 ——— Brady, Report Challenger, 1884, 147, iii, 6a, b, c.
 ——— turgida, Reuss. Zeitschr. deutsch. geol. Ges. III, 1851, 85, vii, 55.
 ——— Pictet, Traité de Paléont. 2 ed., IV, 1857, 523, cix, 42.
 ——— ventruosa, Reuss. Sitz. k. Ak. Wiss. Wien, LV, (1), 1867, 69, i, 9a-c [*ventricosa* on plate].
 ——— sp., Reuss. *Ibid.* LVII, (1), 1868, 105, i, 10.
 ——— Pictet, Traité de Paléont. IV, 1846, 242, xii, 29.
 ——— Pilla, Trattato di Geol. (1), 1847, 462, f. 83 and (2), 1851, 249, f. 160.
 ——— Williamson, Mem. Lit. Phil. Soc. Manchester, [2], VIII, 1848, 46, pl., 38a, b.
 ——— Dixoni, Geol., etc., Sussex, 1850, 162, ix, 9a, and 2 ed., 1878, 172, same pl. and fig.
 ——— Parker, Trans. Micr. Soc. London, n.s. VI, 1858, 56, v, and figs.
 ——— Carpenter, Parker & Jones, Introd. Foram. 1862, 75 and 78, vi, 7-12.
 ——— Wallich, North Atlantic Sea-bed, (1), 1862, no descr., v, 1 and 6 [= *ringens* 2, 5 and 8].
 ——— J. G. Wood, Common Objects Micro. 1867, 122, xii, 20.
 ——— v. Schlicht, "Foram. Septar. Pietzpuhl," 1870, XXXV, XXXVI.
 ——— Terq. et Berth., Mém. Soc. Géol. France, [2], X, 1875, 72, cuts 1-4 [*digrams*].
 [——] Chimmo. Nat. Hist. Euplectella, etc., 1878, not descr., vi, 21a, b.
 ——— Carpenter, Ency. Brit. 9th ed., IX, 1879, Foraminifera, 374, f. 14.
 ——— Bütschli, in Brönn, Klassen, etc., Thier-Reichs, 1880, 190, iv, 14 and 15 [mouths].
 ——— Mun.-Ch. & Schlumb., Bull. Soc. géol. France, [3], XIII, 1885, 277, etc., figs. in text [structural].

- BILOCULINA**, Toutkowsky, Zapiski Kievsk. Obsch. Estestv. VIII, (1), 1886, 173, plates 1 and 2 [sections].
 —— Steinmann. Elem. Paleont. (1), 1888, 23, 4 B.
 —— See *Operculum*.
- [“**BILOCULAIRES**] Terquem. Mém. Soc. Géol. France, [3], IV, 1886, 66–68, vii, 21–33.
- BIMULTICAVEA**, Schafhäutl. Sud-Bayerns Lethæa Geogn. 1863, 442.
 —— subconica, Schafhäutl. *Ibid.* 1863, 422, x, 5.
- BISCHOFSTABE**, v. *Ammonshörner*.
- BOLBODIUM**, Ehrenberg, 1872.
 —— sphærula, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 281.
 —— —— Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), iv, 1.
- BOLIVINA**, d'Orbigny, 1839. Voyage Amer. Mérid. 1839, v, (5), 61; Brady, Report Challenger, 1884, 416.
 —— œnariensis (Costa). Brady, Report Challenger, 1884, 423, liii, 10 and 11 [*Brizalina*, 1856].
 —— —— Brady, Parker & Jones, Trans. Zool. Soc. XII, (7), 1888, 221, xlili, 2, 4, 5.
 —— —— v. *valdecostata*, Mariani. Atti Soc. Ital. Sci. XXXI, 1888, 101, i, 2.
 —— —— Malagoli, Boll. Soc. Geol. Ital. VII, (1889), 377, xliv, 11, 12.
 —— ambulacrata, Möbius. Beitr. Meeresfauna Insel Mauritius, etc., 1880, 95, ix, 14 and 15.
 —— amygdalæformis, Brady. Quart. Journ. Micr. Sci. XXI, 1881, 59.
 —— —— Brady, Report Challenger, 1884, 426, liii, 28, 29.
 —— antiqua, d'Orbigny. Foram. Fossiles Vienne, 1846, 240, xiv, 11–13.
 —— —— Brönn, Lethæa Geognostica, ed. 3, III, 1853–56, 237, XXXV*, 35a, b, c.
 —— —— Costa, Atti Accad. Pontaniana, VII, (2), 1856, 290 [286], xx, 2, A, B.
 —— —— Egger, Neues Jahrbuch, 1857, 294, xii, 22–26.
 —— —— Terrigi, Atti Acc. Pont. Nuovi Lincei, XXXIII, 1880, 196, ii, 40.
 —— beyrichi, Reuss. Zeitschr. deutsch. geol. Ges. III, 1851, 83, vi, 51.
 —— —— Reuss' Model, No. 97, 1865 (Catal. No. 79, 1861).
 —— —— Hantken, Magy. kir. földt. int. évkönnyve, IV, 1875 (1876), 55, vii, 11; Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 64, same pl. and fig.
 —— —— Terrigi, Atti Acc. Pont. Nuovi Lincei, XXXIII, 1880, 198, ii, 43–45.
 —— —— *Ibid.* XXXV, 1883, 191, iii, 33.
 —— —— Brady, Report Challenger, 1884, 422, liii, 1.
 —— —— Andreeae, Abh. geol. Specialkarte Elsass-Lothr. II, (3), 1884 218, viii, 4–7.
 —— —— var. *alata*, Seg. Brady, Report Challenger, 1884, 422, lili, 2–4 [*Vulvulina*, 1862].
 —— —— var. *carinata*, Hantken. Magy. kir. földt. int. évkönnyve, IV, 1875 (1876), not descr., vii, 12; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), same pl. and fig.
 —— *carinata*, Terquem. Mém. Soc. Géol. France, [3], II, 1882, 148, xv (xxiii), 19a, b.
 —— *catanensis*, Seguenza. Atti Accad. Gioenia Sci. Nat. (2), XVIII, 1862, 113, ii, 3, 3a, 3b.
 —— *chrysalis*, Terquem. Mém. Soc. Geol. France, [3], I, 1878, 33, iii (viii), 9a and b.
 —— *costata*, d'Orbigny. Voyage Amer. Mérid. 1839, v, (5), “Foraminifères,” 62, viii, 8 and 9.
 —— —— D'Orb., Foram. Fossiles Vienne, 1846, 239, xxi, 44, 45.
 —— —— Carpenter, Parker & Jones, Introd. Foram. 1862, xii, 22.
 —— —— Brady, Report Challenger, 1884, 426, liii, 26, 27.
 —— —— v. *Bulim. presli*, Rss.
 —— *cylindracea*, Schwager. Boll. R. Com. Geol. Ital. IX, 1878, 528, i, 18.
 —— *decorata*, Jones MS., Wright. Proc. Belfast Nat. Field Club, 1884–5, App. IX, 1886, 330, xxvii, 7 and 8.

- BOLIVINA decurrens** (Ehr.) Marsson, Mitt. Nat. Ver. Neu-Vorpommern u. Rügen, x, 1878, 156, iii, 24 [? *Grammystomum* 1854].
 ——— [Marss.]. Toutkowsky, Zap. Kievsk. Obsch. Est. viii, 1887, 349, vil, c.
decussata, Brady. Quart. Journ. Micr. Sci. xxI, 1881, 58.
 ——— ——— Brady, Report Challenger, 1884, 423, liii, 12, 13.
dilatata, Reuss. Denkschr. k. Ak. Wiss. Wien, i, 1850, 381, xlvi. 15.
 ——— ——— Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxiii, 1880, 197, ii, 42.
 ——— ——— Brady, Report Challenger, 1884, 418, lii, 20, 21.
 ——— ——— ? Malagoli, Atti Soc. Nat. Modena (Rend.), 3, iii, 1887, 108, i, 6.
 ——— ——— Malagoli, Boll. Soc. geol. Ital. vi, 1887, 520, xiii, 3.
 ——— ——— Brady, Parker & Jones, Trans. Zool. Soc. xii, (7), 1888, 221, xliv, 3 and 6.
 ——— ——— Malagoli, Boll. Soc. geol. Ital. vii, (1889). 376, xiv, 5-10.
 ——— ——— Terrigi, Mem. R. Acc. Lincei, (4), vi, 1889, 110, v, 7.
 ——— **draco**, Marsson. Mitt. Nat. Ver. Neu-Vorpommern u. Rügen, x, 1878, 157, iii, 25a, b, c, d.
elongata, Hantken. A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 55, vii, 14; and Mitt. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 65, same pl. and fig.
eocænica, Terquem. Mém. Soc. Géol. France, [3], ii, 1882, 148, xv (xxiii), 18a, b
gramen (d'Orbigny). v. *Vulvulina*.
hantkeniana, Brady. Quart. Journ. Micr. Sci. xxI, 1881, 58.
 ——— ——— Brady, Report Challenger, 1884, 424, liii, 16-18.
incrassata, Reuss. Haidinger's Naturw. Abh. iv, (1), 1851, 45, iv, 13.
 ——— ——— Zittel, Handbuch Palæont. (1), 1876, 90, f. 27².
irregularis, Terquem. Mém. Soc. Géol. France, [3], ii, 1882, 149, xv (xxiii), 21.
karreriana, Brady. Quart. Journ. Micr. Sci. xxI, 1881, 58.
 ——— ——— Brady, Report Challenger, 1884, 424, liii, 19-21.
lævigata, Karrer. In Drasche, Frag. Geol. Luzon, 1878, 96, v, 22; and Bol. Com. Map. Geol. Espa , vii, 1880, 279, F. 8.
lævigata, Brady. Quart. Journ. Micr. Sci. xxI, 1881, 57 [referred to *B. nitida*, 1884].
ligularia, Schwager. Novara-Exped. Geol. (2), 1866, 255, vii, 102.
limbata, Brady. Quart. Journ. Micr. Soc. xxI, 1881, 57.
 ——— ——— Brady, Report Challenger, 1884, 419, lii, 26-28.
linearis (Ehrenberg). Marsson, Mitt. Nat. Ver. Neu-Vorpommern u. Rügen, x, 1878, 155, iii, 22a, b [*Textilaria*, 1854].
 ——— ——— Toutkowsky, Zap. Kievsk. Obsch. Erb. viii, 1887, 349, vii, b.
lobata, Brady. Quart. Journ. Micr. Sci. xxI, 1881, 58.
 ——— ——— Brady, Report Challenger, 1884, 425, liii, 22, 23.
 ——— ——— v. *strigosa*, Brady. Report Challenger, 1884, 425, cxiii, 7.
melettica, Andreæ. Abh. geol. Speciaalkarte Elsass-Lothr. II, (3), 1884, 257, xi, 5.
nitida, Brady. Report Challenger, 1884, 420, lii, 30a, b [*B. lævigata*, 1881].
nobilis. Hantken. A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 56, xv, 4; and Mitt. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 65, same pl. and fig.
 ——— ——— Brady, Report Challenger, 1884, 424, liii, 14, 15.
nuda, Terquem. Mém. Soc. Géol. France, [3], ii, 1882, 148, xv (xxiii), 20a, b.
peregrina, Schwager. Boll. R. Com. Geol. Ital. ix, 1878, 526, i, 14.
phyloides (Ehrenberg). Schwager, Palæontographica, xxx, 1883, Pal. Theil, 113, xxix, (6) 19 [error for 11] [*Grammystomum*, 1854].
plicata, d'Orbigny. Voyage Amér. Mérid. 1839, v, (5), "foraminifères," 62, viii, 4-7.
 ——— ——— Brady, Annals & Mag. Nat. Hist. [4], vi, 1870, 302, xii, 7a, b.

- BOLIVINA** plicata, d'Orbigny. Möbius, Beitr. Meeresfauna Insel Mauritius, etc., 1880, 95, ix, 12 and 13.
 —— porrecta, Brady. Quart. Journ. Micr. Sci. xxi, 1881, 57.
 —— —— —— Brady, Report Challenger, 1884, 418, lii, 22a, b, c.
 —— punctata, d'Orbigny. Voyage Amer. Mérid. 1839, v, (5), "Foraminifères, 63, viii, 10-12.
 [—— —— ——], Maedonald, Annals & Mag. Nat. Hist. [2], xx, 1857, 193, vi, 26 and 27.
 —— —— —— Brady, Trans. Linnean Soc. xxiv, 1864, 468, xlviii, 9.
 —— —— —— J., P. & Brady, Crag. Foram. Pal. Soc. xix, 1866, n. d., iii, 3 and 4.
 —— —— —— Brady, Nat. Hist. Trans. Northumb. i, 1865-67 (1867), 103, xii, 8a, b.
 —— [punctulata], —— Schwager, Boll. R. Com. Geol. Ital. viii, 1877, 26, pl., 63.
 —— —— —— Möbius, Beitr. Meeresfauna Insel Mauritius, etc., 1880, 94, ix, 9 and 10.
 —— —— —— Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxiii, 1880, 197, ii, 41.
 —— —— —— Brady, Report Challenger, 1884, 417, lii, 18, 19.
 —— —— —— Woodward & Thomas, 13 Ann. Rept. Geol. N. H. Survey Minnesota, for 1884 (1885), 169, iii, 12.
 —— —— —— Sherborn & Chapman, Journ. R. Micr. Soc. [2], vi, 1886, 743, xiv, 10a, b.
 —— —— —— Malagoli, Boll. Soc. geol. Ital. vii, (1889), 375, xiv, 1-4.
 —— —— ♀ —— Terrigi, Mem. R. Acc. Lincei, (4), vi, 1889, 110, v, 8.
 —— —— —— v. Bulim. presli, Rss.
 —— pusilla, Schwager. Novara-Exped. Geol. (2), 1866, 254, vii, 101.
 —— pygmæa, Brady. Quart. Journ. Micr. Sci. xxi, 1881, 57.
 —— —— —— Brady, Report Challenger, 1884, 421, liii, 5 and 6.
 —— reticulata, Hantken. A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 56, xv, 6; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 65, same pl. and fig.
 —— —— —— Brady, Report Challenger, 1884, 426, liii, 30, 31.
 —— robusta, Brady. Quart. Journ. Micr. Sci. xxi, 1881, 57.
 —— —— —— Brady, Report Challenger, 1884, 421, liii, 7-9.
 —— scalprata, Schwager. Palaeontographica, xxx, 1883, 1^{al.} Theil, 114, xxix (6), 10a-d.
 —— schwageriana, Brady. Quart. Journ. Micr. Sci. xxi, 1881, 58.
 —— —— —— Brady, Report Challenger, 1884, 425. liii, 24, 25.
 —— semistriata, Hantken. Magyar. Földt. Társ. Munkálatai, iv, 1868, 95, ii, 34a, b.
 —— —— —— Hantk., Magy. kir. földt. int. évkönyve, iv, 1875 (1876), 55, vii, 13; Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 65, same pl. and fig.
 —— subangularis, Brady. Quart. Journ. Micr. Sci. xxi, 1881, 59.
 —— —— —— Brady, Report Challenger, 1884, 427, liii, 32, 33.
 —— tegulata, Reuss. Haidinger's Naturw. Abh. iv, (1), 1851, 45, iv, 12 [Virgulina, 1845].
 —— —— —— Reuss, in Geinitz, Palaeontographica, xx, (2), 1874, 109, xxiii, 6.
 —— tenuis, Marsson. Mitth. Nat. Ver. Neu-Vorpommern u. Rügen, x, 1878, 156, iii, 23a, b.
 —— —— —— Toutkowsky, Zap. Kievsk. Obsch. Est. viii, 1887, 350, vii, i.
 —— —— —— Brady, Quart. Journ. Micr. Sci. xxi, 1881, 57.
 —— —— —— Brady, Report Challenger, 1884, 419, lii, 29.
 —— textilaroides, Reuss. Sitz. k. Ak. Wiss. Wien, xlvi, (1), 1862 (1863), 81, x, 1a, b.
 —— [textularoides] —— Berthelin, Mém. Soc. Géol. France, [3], 1, 1880, 28, i (xxiv), 5a-c.
 —— —— —— Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxv, 1883, 191, iii, 32.
 —— —— —— Brady, Report Challenger, 1884, 419, lii, 23-25.

- BOLIVINA** *textilaroides*, Reuss. Brady, Parker & Jones, Trans. Zool. Soc. XII, (1), 1884, 221, xlili, 1.
 —— *thebaica*, Ehrenberg. Möbius, Beitr. Meeresfauna Insel Mauritius, etc. 1880, 95, ix, 11 [= *Grammostomum*].
 —— *tortuosa*, Brady. Quart. Journ. Micr. Sci. xxi, 1881, 57.
 —— —— —— Brady, Report Challenger. 1884, 420, lii, 31-34.
 —— v. Schlicht, "Foram. Septar. Pietzpuhl," 1870. xxxiii.
 —— Terquem, Bull. Soc. géol. France, [3], iv, 1876, 508, xlii, 4a-c.
- BORELLIS**, Montfort, 1808. Conch. Syst. I, 1808, 171.
 —— *bosci* [d'Orb.]. Brönn, Lethæa Geognostica, ed. 3, iii, 1853-56, 200, xlili, 34a, b [*Alveolina*, 1826].
 —— *constricta*, Ehrenberg. Mikrogeologie, 1854, xxxvii, x, D, 5, 6 [= *Fusulina* near *hyperborea*. Salter, q. v.].
 —— *labyrinthiformis*, Ehrenberg. Mikrogeologie, 1854, xxxvii, xi, A-D, 3 [= section of cast of *Fusulina*].
 —— *melonoides*, Montfort. Conch. syst. I, 1808, 171, 43d genre [= *Alveolina melo*].
 —— Bronn, Lethæa Geognostica, ed. 3, iii, 1853-56, 200, xxxv², 1.
 —— (*Melonia*) *melo*, Ehrenberg. Mikrogeologie, 1854, xxxvii, x, D, 10, 1a-f [= *Alveolina*].
 —— *ovoidea* (d'Orb.). Brönn, Lethæa Geognostica, ed. 3, iii, 1853-56, 202, xxxv², 2 [*Alveolina*, 1826].
 —— *palæophacus*, Ehrenberg. Mikrogeologie, 1854, xxxvii, xi, A-D, 6 [= cast of *Fusulina*].
 —— *palæophalus*, Ehrenberg. Ibid. 1854, xxxvii, xi, A-D, 4 and 5 [= casts of *Fusulina*].
 —— *palæosphæra*, Ehrenberg. Ibid. 1854, xxxvii, xi, A-D, 7 and 8 [= casts of *Fusulina*].
 —— *princeps*, Ehrenberg. Ibid. 1854, xxxvii, x, C, 1-4 [= *Fusulina cylindrica*, Fischer and var. (4)] [v. *Fusulina* and *Schizogryna*].
 —— *sphæroidea?*, Ehrenberg. Ibid. 1854, xxxvii, x, D, 1-4 [v. *Fusulina* and *Fusulinella*].
 —— (*Melonia*) *sphæroidea*, Ehrenberg. Ibid. 1854, xxxvii, ix, A, 1, 2, 3 [= probably *Endothyra*].
- BOTELLINA**, Carpenter, 1869. Proc. Roy. Soc. xviii, 1869, 444. Catal. Object. Deep sea Dredgings, King's College, 1870, 4; Brady, Report Challenger, 1884, 279.
- *labyrinthica*, Brady. Quart. Journ. Microsc. Soc. n. s., xxi, 1881, 48.
 —— —— —— Brady, Report Challenger, 1884, 279. xxix, 8-18.
- BRADYA**, Stache, MS. Carter, Annals Mag. Nat. Hist [4], xix, 1877, 64.
 ? — *tergestina*, Stache, MS. Ibid. [4], xix, 1877, 64 [*Millepora woodwardii*, 1878].
 —— —— —— Stache, Abh. k. k. geol. Reichs. xiii, 1889, 89, vi, 24-28 [structural].
- BRADYINA**, v. Möller, 1878. Mém. Ac. Imp. Sci. St. Petersburg [7], xxv, No. 9, 1878, 78.
 —— *nautiliformis*, v. Möller. Ibid. [7], xxv, No. 9, 1878, 83, iii, 4a-d; x, 3a, b.
 —— —— —— Trautschold, Nouv. Mém. Soc. Imp. Nat. Moscou, xiv, (1), (1879), 45. vi, 5a, b, c.
 —— *potanini*, Venyukov. Verh. russ. k. Min. Ges. St. Petersburg, [2], xxv, 1888 (1889), 218, ii, 1 and 2.
 —— *rotula* (Eichwald). v. Möller, Mém. Ac. Imp. Sci. St. Petersburg, [7], xxv, No. 9, 1878, 81, iii, 3a-c; x, 2a, b [*Nonionina*, 1860].
 —— —— —— v. Möller, Ibid. [7], xxvii, No. 5, 1879, 10 [f 1].
 —— —— —— [Möll.]. Roemer, Lethæa Geognostica, I, (1), 1880, 279, f. 47.
 —— —— —— Bütschli in Brönn, Klassen, etc., Thier-Reichs, 1880, 211, ix, 17.
- BRIZALINA**, Costa, 1856. Atti Accad. Pontaniana, vii, (2), 1856, 296 [= *Bolivina* q. v.].
 —— *ænariensis*, Costa. Ibid. vii, (2), 1856, 297, xv, 1 and 2 (var. *spinulosa*).
- BRÜCKELLA**. [I have failed to find a reference to this genus; possibly it is a MS. name.]

- BRÖCKINA**, Munier-Chalmas, 1882. Bull. Soc. géol. France, [3], x, 1882, 471.
 "Type *Cyclolina dufresnoyi*, d'Arch."
- BUCCININA**, Costa, 1861. Microdoride Mediterranea, 1861, 53 [= *Marginulina*].
 —— *recurva*, Costa. *Ibid.* 1861, 54, viii, 12.
 —— *subrecta*, Costa. *Ibid.* 1861, 54, viii, 11.
- BUCCINIS**, Ledermüller. Mikrosk. Ergötzung, 1763, 8, iv, f. v, v, x, x [= v, v, *Maryginulinæ*; x, x, *Nodosariæ*, q. v.]. See also "Amusem. Microscop.", 1764, same references.
- BUCCINOS**, v. *Dentalen*.
- BULIMILINA**, Terquem, 1883. Cinquième Mém. Foram. Oolithique, 1883 [misprint for *Bulimina*].
- BULIMINA**, d'Orbigny, 1826. Ann. Sci. Nat. vii, 1826, 269; Brady, Report Challenger, 1884, 397.
 —— *acanthia*, Costa. Atti Accad. Pontaniana, vii, (2), 1856, 335, xiii, 35 and 36.
 —— *acicula*, Costa. *Ibid.* vii, (2), 1856, 336, xxii, 6a, A.
 —— *acicula*, Andreæ. Abh. geol. Specialkarte Elsass-Lothr. II, (3), 1884, 277, xii, 13.
 —— *aculeata*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 269, No. 7.
 —— [Czjzek]. Reuss, Denkschr. k. Ak. Wiss. Wien, I. 1850, 374, xlvi, 13.
 —— —— —— J., P. & B., Crag Foram. Pal. Soc. xix, 1366, n. d., iii, 1 and 2.
 —— —— —— P., J. & B. [Soldani], Ann. Mag. [4], viii, 1871, 168, xi, 126 [v. *Textularia*, d'O.].
 —— —— —— *Ibid.* 172, xi, 127 [v. *B. trilobata*, d'O.].
 —— —— —— *Ibid.* 172, xi, 128.
 —— —— —— Brady, Report Challenger, 1884, 406, li, 7-9.
 —— —— —— Brady, Parker & Jones, Trans. Zool. Soc. XII, (7), 1888, 220, xlili, 8.
 —— —— —— v. *B. presli*, Rss.
 —— —— —— v. *Polymeria pineiformia*
 —— *acuta*, Reuss. Haidinger's Naturw. Abh. IV, (1), 1851, 38, iii, 8.
 —— *acuta*, Costa. Atti Accad. Pontaniana, vii, (2), 1856, not descr., xiii, 25, xxii, 8.
 —— *affinis*, d'Orbigny. De la Sagra, IIist. Phisiq., etc., Cuba, 1839, "Foraminifères," 105, ii, 25 and 26; also in Spanish, 1840, 109, same pl. and fig
 —— —— —— Quenstedt, Handbuch Petref. ed. 3, (5), (1885), 1058, lxxxvi, 51.
 —— —— —— Brady, Report Challenger, 1884, 400, I, 14a, b.
 —— —— —— Rzechak, Verh. nat. Ver. Brünn, xxiv, 1885 (1886), 80, I, 2.
 —— —— —— Sherborn & Chapman, Journ. R. Micr. Soc. [2], vi, 1886, 743. xvi, i.
 —— *amphiconica*, v. Hagenow. Neues Jahrb. 1842, 570.
 —— *antiqua*, Terq. et Berth. Mém. Soc. Géol. France, [2], x, 1875, 65, v (xv), 16.
 —— *aperta*. Stache. Novara-Exped. Geol. (1), 1864, 266, xxiv, 15.
 —— (*Robertina*) *arctica*, d'Orbigny. Foram. Foss. Vienne, 1846, 203, xxi, 37, 38.
 —— —— —— Carpenter, Parker & Jones, Introd. Foram. 1862, 195, xii, 21.
 —— *arcuata*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 270, No. 12..
 —— *arcuata*, Stache. Novara-Exped., Geol. (1), 1864, 269, xxiv, 18a, b, c.
 —— *arenacea*, Will. See *B. scabra*.
 —— *ariminensis*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 269, No. 8.
 —— *auriculata*, Bailey. Smithsonian Contrib. II. 1851, 12, pl. 25-27.
 —— —— —— Dawson, Canad. Nat. IV, 1859, 31, f. 22.
 —— *auriculata*, Terquem. Mém. Soc. Géol. France, [3], II, 1882, 115, xii (xx), 14.
 —— *bellardii*, Hantken. Ertek. Termesz. köreböl, XIII, (1), 1883, 27, II, 2a, b; and Math. Nat. Ber. Ungarn, II, 1884, 148.
 —— *brevis*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 270, No. 13.
 —— —— —— D'Orb. Mém. Soc. Géol. France, [1], IV, 1840, 41, IV, 13-14; facsimile in Science Gossip, 1870, 156, f. 147.

- BULIMINA brevis**, d'Orbigny. Bendant, Géologie, ed. 8, 1858, 117, f. 98, later eds., same fig.
- **buccinoides**. Egger. Neues Jahrbuch, 1857, 282, x, 9–11.
- **buchianna**, d'Orbigny. Foram. Fossiles Vienne, 1846, 186, xi, 15–18.
- [buchianna], — Bronn, Lethæa Geognostica, ed. 3, III, 1853–56, 230, xxxv², 21a, b.
- — — — — Pictet. Traité de Paléont. ed. 2, iv, 1857, 513, cix, 31.
- — — — — Carpenter, Parker & Jones, Introd. Foram. 1862, xii, 19.
- [buchianna], — Reuss, Sitz. k. Ak. Wiss. Wien, LV, (1), 1867, 95, iv, 10a, b.
- — — — — Zittel, Handbuch Paläont. (1), 1876, 90, f. 27⁶.
- — — — — Nicholson, Manuel Paléont. 1879, I, 116, f. 18, n.
- — — — — Terrigi, Atti Acc. Pont. Nuovi Lincei, XXXIII, 1880, 195, ii, 37.
- — — — — Brady, Report Challenger, 1884, 407, li, 18, 19.
- — — — — See *B. presti*, Rss.
- var. **calabra**, Seguenza. Atti R. Acc. Lincei, [3], vi, 1880, 146, xiii, 34.
- **bulbiformis**, Seguenza. *Ibid.* [3], vi, 1880, 146, xiii, 35.
- **calcarata**, Seguenza. Atti R. Acc. Lincei, [3], vi, 1880, 146, xiii, 36.
- **candida**, Terquem. Mém. Soc. Géol. France, [3], II, 1882, 111, xi (xix), 30, 31.
- **caudigera**, d'Orbigny. Ann. Sci. Nat. VII. 1826, 270, No. 16.
- — — — — D'Orb., Modèles, No. 68, 1826.
- — — — — P., J. & B. [d'O., Modèles, 68], Ann. Mag. Nat. Hist. [3], XVI, 1865, 30, ii, 65.
- — — — — Basset, Annu. Soc. Sci. Charente-Inf. 1884 (85), 161, f.
- **cenomana**, d'Orbigny (1847). D'Orbigny, l'Prodrome de Paléont. II, 1850, 185, No. 759.
- **compressa**. Bailey. Smithsonian Contrib. II, 1851, 12, pl., 35–37.
- **contorta**. Gümbel. Anleit. geol. Beob. Alpenreisen, Zeitsehr. D. & O. Alp. Ver., Beilage, 1878, 105, f. 25²².
- **contraria** (Reuss). Brady, Report Challenger, 1884, 409, liv, 18a, b, c [*Rotalina*, 1851].
- **conulus**, Terquem. Mém. Soc. Géol. France, [3], II, 1882, 116, xii (xx), 17.
- **convoluta**, Will. Brady, Report Challenger, 1884, 409, cxiii, 6a, b = *Discorbina "intervalata"*, H. B. B. [v. *B. pupoides*, v. *convoluta*, 1858].
- **coprolithoides**, Andreea. Abh. geol. Specialkarte Elsass-Lothr. II, (3), 1884, 305, vi, 4.
- **costata**, d'Orbigny. Ann. Sci. Nat. VII. 1826, 269, No. 1.
- — — — — Goës, K. Svenska Vet.-Akad. Handl. xix, (4), 1882, 71, iv, 129–132 [v. *Bolivina*, v. *Bol. costata*].
- **cuneiformis**, Terquem. Ess. Anim. Plage Dunkerque, (3), 1881, 127, xvi, 11a, b (and Mém. Soc. Dunkerquoise). [Misprinted *Patellina punctata*, in descr. to plate.]
- — — — — Terq., Mém. Soc. Géol. France, [3], II, 1882, 112, xii (xx), 2a, b.
- **cylindracea**, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 265, xv, 10.
- **cylindrica**, Roemer. Neues Jahrbuch, 1838, 387, iii, 44.
- **declivis**, Reuss. Sitz. k. Ak. Wiss. Wien, XLVIII, (1), 1863 (1864), 55, VI, 70a, b; vii, 71.
- — — — — Brady, Report Challenger, 1884, 404, I, 19a, b.
- **decorata**, Terquem. Mém. Soc. Géol. France, [3], II, 1882, 117, xii (xx), 22.
- **doliolum**, Terquem. Bull. Soc. Zool. Fr. XI, 1886, 333, xi, 17 and 18.
- **d'orbignyi**, Reuss. Verstein. Böhm. Kreide, 1845–6, I, 38, xiii, 74.
- **echinata**, d'Orbigny. Ann. Sci. Nat. VII. 1826, 269, No. 5.
- **elegans**, d'Orbigny. *Ibid.* VII, 1826, 270, No. 10.
- — — — — D'Orb., Modèles, No. 9. 1826.
- [— — — — —] Costa, Fauna Regno Napoli, 1838, "Foraminiferi," not descr., iii, 6.
- [— — — — ? — — —] Dana, Wilkes' Explor. Exped. X, 1849, 729, xxi, 4, 4a, b.

- BULIMINA elegans**, d'Orbigny. Costa, Atti Accad. Pontaniana, VII, (2), 1856, 334, xviii, 7a, A.
 ——— ——— P., J. & B. [d'O., Modèles, 9], Ann. Mag. Nat. Hist. [3], xvi, 1865, 20, ii, 64.
 ——— ——— Brady, Report Challenger, 1884, 398, i, 1-4.
 ——— ——— var. *exilis*, Brady. *Ibid.* 1884, 309, i, 5, 6.
 ——— ——— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (85), 161, f.
 ——— ——— Gümbel, Geol. Bayern, I, (2), 1885, f. 266¹⁹.
 ——— **elegantissima**, d'Orbigny. Voyage Amér. Mérid. 1839, V, (5), "Foraminifères," 51, vii, 13 and 14.
 ——— ——— Williamson, Recent British Foram. 1858, 64, v, 134 and 135.
 ——— ——— Chimino, Bed of Atlantic, 1870, 18, iii, A.
 ——— ——— Brady, Ann. Mag. Nat. Hist. [5], I, 1878, 436, xx, 12.
 ——— ——— Schlümberger, Feuille Jeun. Nat., Jan., 1882, 28, i, 14.
 ——— ——— Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 66, iv, 95-98.
 ——— ——— Brady, Report Challenger, 1884, 402, I, 20-22.
 ——— ——— var. *seminuda*, Terq. *Ibid.* 1884, 403, I, 23, 24 [*B. seminuda*, 1882].
 ——— ——— Will. See *Rotalia bulimoides*, Rss.
 ——— ——— d'O. See *B. presli*, Rss.
 ——— **ellypsoides**, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 265, xv, 2 [error for 9], [*ellipsoïdes* on plate].
 ——— **elongata**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 269, No. 9.
 ——— ——— D'Orb., Forain. Fossiles Vienne, 1846, 187, xl, 19 and 20.
 ——— ——— Hantken, A magy. kir. földt. int. évkönyve. IV, 1875 (1876), 52, x, 7; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 61, same pl. and fig.
 ——— ———? K. Miller, Schr. Ver. Gesch. Bodensee. VII, 1877, [77], iv, 20 [cast or concretion?].
 ——— ——— Terquem, Mém. Soc. Géol. France, [3], II, 1882, 109, xl (xix), 21a, b, 22.
 ——— ——— Brady, Report Challenger, 1884, 401, I, 1 and 2?
 ——— **eocena**, Hantken. A magy. kir. földt. int. évkönyve. I, 1871, 129, ii, 16; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, I, 1871, 136, same pl. and fig.
 ——— **etnea**, Seguenza. Atti Accad. Gioenia Sci. Nat. [2], XVIII, 1832, 108, i, 9.
 ——— **flexa**, Terquem. Mém. Soc. Géol. France, [3], II, 1832, 115, XII (xx), 15.
 ——— **frons**, Olszewski. Sprawozd. Kom. fizyj. Ak. Umiej. Krakowie, IX, 1875, 121, ii, 1.
 ——— **fusiformis**, Will. Terquem, Ess. Plage Dunkerque, (1), 1875, 37, v, 10 (and Mém. Soc. Dunkerquoise). [v. *B. pupoides*, var.]
 ——— **glanduliformis**, Terquem. Mém. Soc. Géol. France, [3], II, 1882, 113, XII (xx), 4.
 ——— **imbricata**, Reuss. Haidinger's Naturw. Abh. IV, (1), 1851, 38, iii, 7.
 ——— **imperatrix**, Karrer. Sitz. k. Ak. Wiss. Wien. LVIII, (1), 1868, 176, IV, 11.
 ——— **inconstans**, Egger. Nenes Jahrbuch. 1857, 283, XII, 1-3; 8-9.
 ——— **incrassata**, Karrer. Sitz. k. Ak. Wiss. Wien. LVIII, (1), 1868, 177, IV, 12.
 ——— **incurva**, Terquem. Cinquième Mém. Foram. Oolithique, 1883, 387, XLV, 10, 11.
 ——— **inflata**, Seguenza. Atti Accad. Gioenia Sci. Nat. (2), XVIII, 1862, 109, I, 10.
 ——— ——— Schwager, Novara-Exped. Geol. II, 1866, 246, vii, 91.
 ——— ——— var. Schwager, Boll. R. Com. Geol. Ital. IX, 1878, 528, I, 19.
 ——— ——— Brady, Report Challenger, 1884, 406, II, 10-13.
 ——— ——— Andraeae, Abh. geol. Specialkarte Elsass-Lothr. II, (3), 1884, 211 and 224, ix, 6 and 7.
 ——— ——— Brady, Parker & Jones, Trans. Zool. Soc. XII, (7), 1888, 220, xliv, 9.
 ——— **intermedia**, Reuss. Verstein. Böhm. Kreide. 1845-6, I, 37, xiii, 71.
 ——— ——— Reuss. Haidinger's Naturw. Abh. IV, (1), 1851, 39, iii, 11.
 ——— ——— Eley, Geol. in the Garden, 1859, 199, v, 30 [flint cast].

- BULIMINA** *intorta*, Terquem. Mém. Soc. Géol. France, [3], II, 1882, 115, xii (xx), 16.
 —— *intricata*, Terquem. Cinquième Mém. Foram. Oolithique, 1883, 388, xliv, 14a, b.
 —— *irregularis*, Terquem. Mém. Soc. Géol. France, [3], II, 1882, 112, xii (xx), 1a, b.
 —— *lævigata*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 270, No. 14.
 —— *longiscata*, Terquem. Mém. Soc. Géol. France, [3], II, 1882, 109, xi (xix), 25, 26.
 —— *madagascariensis*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 270, No. 17.
 —— *mammillata*, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 335, xviii, 16a, A, B.
 —— *marginata*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 269, No. 4, xii, 10, 11, 12.
 —— —— Smedley, Ency. Metrop. 1845, undescr. pl. "Mollusca?," f. 29.
 —— —— Parker & Jones, Annals Mag. N. H. (2), xix, 1857, 296, xi, 35-40.
 —— —— J. P. & B., Crag Foram. Pal. Soc. xix, 1866, n. d., iii, 5 and 6.
 —— —— Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxiii, 1880, 194, ii, 35, 36.
 —— —— Brady, Report Challenger, 1884, 405, li, 3-5.
 —— —— Brady, Parker & Jones, Trans. Zool. Soc. XII, (7), 1888, 220, xliii, 7, 10.
 —— —— See *B. presili*, Rss.
 —— *minuta*, Hantken. Ertek. Termesz. köreböl. XIII, No. 1, 1883, 28, i, 6a, b; and Math. Nat. Ber. Ungarn. II, 1884, 148 [fig. 5 by error in ex- plan. to plate].
 —— *murchisoniana*, d'Orbigny. Mém. Soc. Géol. France, [1], IV, 1840, 41, iv, 15, 16; facsimile in Science Gossip, 1870, 156, f. 148.
 —— —— Reuss, Verstein. Böhm. Kreide, 1845-6, I, 37, viii, 69, 72; xiii, 70.
 —— —— Reuss in Geinitz, Grundr. Verstein. 1845-6, 672, xxiv, 61.
 —— [*murchisonii*] —— Beudant, Géologie, ed. 8, 1858, 117, f. 99; later eds., same fig.
 —— *muricata*, Terquem. Cinquième Mém. Foram. Oolithique, 1883, 388, xlvi, 12 and 13.
 —— *obesa*. Reuss. Haidinger's Naturw. Abh. IV, (1), 1851, 40, iii, 12; iv, 1.
 —— *obliqua*, d'Orbigny. Mém. Soc. Géol. France, [1], IV, 1840, 40, iv, 7, 8; facsimile in Science Gossip, 1870, 156, f. 144.
 —— *obliqua*, Terquem. Ibid. [3], II, 1882, 118, xii (xx), 23.
 —— *obscura*, Terquem. Ibid. [3], II, 1882, 111, xi (xix), 32a, b.
 —— *obtusa*, d'Orbigny. Ibid. [1], IV, 1840, 39, iv, 5, 6; facsimile in Science Gossip, 1870, 156, f. 143.
 —— —— Cooke, Thousand objects Micros. 1869, 695, ix, 1.
 —— *oceanica*, Terquem. Ess. Anim. Plage Dunkerque, (3), 1881, 127, xvi, 10a, b [misprinted 9 on plate], (and Mém. Soc. Dunkerquoise).
 —— *ovata*, d'Orbigny. Foram. Fossiles Vienne. 1846, 185, xi, 13, 14.
 —— —— Parker & Jones, Phil. Trans. 1845, 374, xvii, 67a, 67b.
 —— —— var. Stache, Novara-Exped. Geol. (1), 1864, 266, xxiv, 14.
 —— —— Terquem. Ess. Anim. Plage Dunkerque, (2), 1876, 77, ix, 10a, b (and Mém. Soc. Dunkerquoise).
 —— —— Schwaiger, Boll. R. Com. Geol. Ital. VIII, 1877, 25, pl. 38.
 —— —— Brady, Report Challenger, 1884, 400, I, 13a, b.
 —— *oviformis*, Terquem. Mém. Soc. Géol. France, [3], II, 1882, 112, xii (xx), 3.
 —— *ovigera*, Terquem. Ibid. [3], II, 1882, 108, xi (xix), 17-20.
 —— *ovoides*, Terquem. Bull. Soc. Zool. Fr. XI, 1886, 334, xi, 20.
 —— *ovula*, d'Orbigny. Voyage Amér. Mérid. 1839, V, (5), "Foraminifères," 51, I, 10 and 11.
 —— —— Terquem, Mém. Soc. Géol. France, [3], II, 1882, 113, xii (xx), 5.
 ? —— *ovulum*, Harting. Verh. Kon. Ak. Wetensch. X, 1864, 9, I, 10a, b.

- BULIMINA** ovulum, Reuss. Geogn. Skizze Böhmen, II, 1844, (1), 215.
 ——— ——— ——— Reuss, Verstein. Böhm. Kreide, 1845–6, I, 37, viii, 57; xiii, 73.
 ——— ——— ——— Alth, Haidinger's Naturw. Abh. III, (2), 1850, 264, xiii, 18.
 ——— ——— ——— Reuss, *Ibid.* IV, (1), 1851, 38, iii, 9.
 ——— parkeri, Terquem. Bull. Soc. Zool. Fr. XI, 1886, 334, xi, 19 [founded on J & P.'s *B. elegantissima*].
 ——— patagonica, d'Orbigny. Voyage Amér. Mérid. 1839, V, (5), "Foraminifères," 50, I, 8 and 9.
 ——— pedunculata, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 334, xviii, 13 and 16, A and B.
 ——— peucetia, Costa. *Ibid.* VII, (2), 1856, 336, xviii, 15a, A, B.
 ——— pitecusana, Costa. *Ibid.* VII, (2), 1856, not descr., XV, 5.
 ——— polystropha, Reuss. Verstein. Böhm. Kreide, 1845–6, II, 109, xxiv, 53 [v. *Verneuilina*].
 ——— ——— ——— Alth, Haidinger's Naturw. Abh. III, (2), 1850, 265, xiii, 19.
 ——— ——— ——— Berthelin, Mém. Soc. Géol. France, [3], I, 1880, 30, ii (xxv), 3a, b.
 ——— presli, Reuss. Verstein. Böhm. Kreide, 1845–6, I, 38, xiii, 72.
 ——— ——— ——— Reuss, Haidinger's Naturw. Abh. IV, (1), 1851, 39, iii, 10.
 ——— ——— ——— Carpenter, Parker & Jones, Introd. Foram. 1862, 194, xii, 18–22.
 ——— ——— ——— var. aculeata, d'Orbigny. Parker & Jones, Phil. Trans. 1865, 373, XV, 11; xvii, 68, 69.
 ——— ——— ——— v. buchiana, d'Orb. *Ibid.* 1865, 374, xvii, 71.
 ——— ——— ——— v. (Bolivina) costata, d'Orb. *Ibid.* 1865, 376, xvii, 75.
 ——— ——— ——— v. elegantissima, d'Orb. *Ibid.* 1865, 374, XV, 12–17.
 ——— ——— ——— v. marginata, d'Orb. *Ibid.* 1865, 372, XV, 10; xvii, 70a, b, c.
 ——— ——— ——— v. (Bolivina) punctata, d'Orb. *Ibid.* 1865, 376, xvii, 74.
 ——— ——— ——— v. pyrula, d'Orb. *Ibid.* 1865, 372, XV, 8, 9.
 ——— ——— ——— v. (Virgulina) schreibersii, Czj. *Ibid.* 1865, 375, XV, 18; xvii, 72, 73.
 ——— ——— ——— v. (Virgulina) squamosa, d'Orb. *Ibid.* 1865, 375, XV, 19a, 19b, 20.
 ——— ——— ——— v. squamosa, ——— Dawson, Canad. Nat., n. s., V, 1870, 177, f. 6 [= *Pleurostomella*].
 ——— ——— ——— v. squamosa, ——— Dawson, Amer. Journ. Sci. [3], I, 1871, 206, f. 6; and Annals Mag. N. H. [4], VII, 1871, 86, f. 6 [= a *Pleurostomella*].
 ——— [preslia], ——— Bütschli in Brönn, Klassen, etc. Thier-Reichs, 1880, 205, vii, 32.
 ——— ——— ——— Dawson, Handbook Zoology, ed. 3, 1886, 45, f. 35.
 ——— ——— ——— Prestwich, Geology, 1888, II, 290, 151^a, e.
 ——— prima, Terquem. Cinquième Mém. Foram. Oolithique, 1883, 387, xliv, 7–9.
 ——— propinqua, Stache. Novara-Exped. Geol. (1), 1864, 267, xxiv, 16.
 ——— pulchella, d'Orbigny. Voyage Amér. Mérid. 1839, V, (5), "Foraminifères," 50, I, 6 and 7.
 ——— pulchra, Terq. Mém. Soc. Géol. France, [3], II, 1882, 114, xii (xx), 8–12.
 ——— punctata, d'Orbigny. Ann. Sci. Nat. VII, 1826, 270, No. 11.
 ——— (Boliv.) ——— Goës, K. Svenska Vet.-Akad. Handl. XIX, No. 4, 1882, 69, IV, 114–126.
 ——— ——— v. decurrens, Ehrenberg. *Ibid.* XIX, No. 4, 1882, 71, IV, 127 [*Grammostomum*, 1854].
 ——— pupa, Terquem. Mém. Soc. Géol. France, [3], II, 1882, 116, xii (xx), 18a, b.
 ——— pupoides, d'Orbigny. Foram. Fossiles Vienne, 1846, 185, XI, 11, 12.
 ——— ——— Williamson, Recent British Foram. 1858, 61, V, 124–133, "124, 125 typica."
 ——— ——— v. compressa, Williamson. *Ibid.* 1858, 63, V, 131 [= *Virg. Schreibersii*, Czj.].
 ——— ——— v. convoluta, Williamson. *Ibid.* 1858, 63, V, 132 and 133.
 ——— ——— v. fusiformis, Williamson. *Ibid.* 1858, 63, V, 129 and 130 [= *B. ovata*, d'Orb.].

- BULIMINA** *pupoides*, d'Orbigny, v. *marginata*, d'Orb. *Ibid.* 1858, 62, v, 126 and 127.
- v. *spinulosa*, Williamson. *Ibid.* 1858, 62, v, 128 [= *B. aculeata*, d'Orb.].
- Dawson, Canad. Nat. v, 1860, 191, f. 2.
- Reuss' Model, No. 35, 1855 (*Catal.* No. 64, 1861).
- Mackie, Science Gossip, 1867, 131, f. 136.
- Chimmo, Bed of Atlantic, 1870, 19, iv, 6 [? a *Spiropelta*].
- Terquem, Ess. Anim. Plage Dunkerque, (1), 1875, 37, v, 9 (and Mém. Soc. Dunkerquoise).
- *Ibid.* (2), 1876, 77, ix, 11a, b (and Mém. Soc. Dunkerquoise).
- Zittel, Handbuch Palaeont. (1), 1876, 91, f. 28.
- ? K. Miller, Schr. Ver. Gesch. Bodensee. VII, 1877, [77], iv, 21 [cast or concretion].
- Terrigi, Atti Acc. Pont. Nuovi Lincei, XXXIII, 1880, 193, ii, 30-34.
- Goës, K. Svenska Vet.-Akad. Handl. XIX, No. 4, 1882, 63, iv, 82-94.
- Jones in Microgr. Dict. ed. 4, 1883, 124, xxiii, 46.
- Brady, Report Challenger, 1884, 400, I, 15a, b.
- Woodward & Thomas, 13 Ann. Rep. Geol. N. H. Survey Minnesota, 1884 (1885), 169, iii, 11.
- Terrigi, Mem. R. Acc. Lincei, (4), vi, 1889, 110, v, 6.
- *pupula*, Stache. Novara-Exped. Geol. (1), 1864, 265, xxiv, 13.
- *puschi*, Reuss. Haidinger's Naturw. Abh. IV, (1), 1851, 37, iii, 6.
- *pustulosa*, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 264, xv, 6 and 7 [error for 8].
- *pygmæa*, Egger. Neues Jahrbuch, 1857, 284, xii, 10, 11 [v. *Vernueilina*].
- ? K. Miller, Schr. Ver. Gesch. Bodensee. VII, 1877, [77], iv, 22 [cast or concretion?].
- *pyrula*, d'Orbigny. Foram. Fossiles Vienne, 1846, 184, xi, 9, 10.
- Jones & Parker, Quart. Journ. Geol. Soc. XVI, 1860, n. d., xx, 45.
- Carpenter, Parker & Jones, Introd. Foram. 1862, 195, xii, 20.
- Brady, Report Challenger, 1884, 399, I, 7-10.
- var. *spinescens*, Brady. *Ibid.* 1884, 400, I, 11, 12.
- d'Orb. See *B. presili*. Rss.
- *rhomboidalis*, Costa. Atti Accad. Pontaniana, VII, (2), 1856, not descr., xiii, 24.
- *rimosa*. Marsson. Mitth. Nat. Ver. Neu-Vorpommern u. Rügen, x, 1878, 153, iii, 31a, b [error for 21a, b].
- *rostrata*. Brady. Report Challenger, 1884, 408, li, 14, 15.
- *sarthacensis*, d'Orb. (1847). Prodrome de l'Paléont. II, 1850, 185, No. 760.
- *scabra*, Williamson. Recent British Foram. 1852, 65, v, 136 and 137. [*B. arenacea* on p. 98 = *Vernueil. polystropha*, Reuss].
- *scabriuscula*, Reuss. Sitz. k. Ak. Wiss. Wien, XI.II, 1860 (1861), 360, ii, 13a, b.
- *scalariformis*, Terq. Mém. Soc. Géol. France, [3], II, 1882, 114, xii (xx), 13.
- *semi-nuda*, Terq. *Ibid.* [3], II, 1882, 117, xii (xx), 21.
- *semi-striata*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 270, No. 15.
- *serrata*, Bailey. Smithsonian Contrib. II, 1851, 12, pl. 3-34.
- *simplex*, Terquem. Mém. Soc. Géol. France, [3], II, 1882, 109, xi (xix), 23, 24.
- *socialis*, Bornemann. Zeitschr. deutsch. geol. Ges. VII, 1855, 342, xvi, 10.
- *spinosa*, Seguenza. Atti Accad. Gioenia Sci. Nat. 2, XVIII, 1862, 107, i, 8, 8a.
- *splendens*, Terquem. Mém. Soc. Géol. France, [3], II, 1882, 117, xii (xx), 20.

- BULIMINA** *squammigera*, d'Orbigny. Barker-Webb & Berthelot, Hist. Nat. Iles Canaries, 1839, II, (2), "Foraminifères," 137, I, 22-24.
- (Virg.) *squamosa*, d'Orb. Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 67, IV, 99-108 [v. *Virgulina*].
- — — v. *subsquamosa*, Egger. Ibid. xix, No. 4, 1882, 69, IV, 109-113 [v. *Virgulina*].
- — — *striata*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 269, No. 2.
- — — — — Guérin-Menéville's Cuvier, Iconographie, Mollusques, 1829-43, 9, II, 16.
- — — — — Cuvier, Animal Kingdom, Henderson's ed. III, 1834 (pls. 1837), 18, III, 16.
- — — *striato-punctata*, Terquem. Mém. Soc. Géol. France, [3], II, 1882, 116, XII (xx), 19.
- — — *subcylindrica*. Brady. Quart. Journ. Micr. Sci. XXI, 1881, 56.
- — — — — Brady, Report Challenger, 1884, 404, I, 16a, b.
- — — *subornata*, Brady. Ibid. 1884, 402, II, 6a, b.
- — — *subspheérica*, Reuss. Verstein. Böhm. Kreide, 1845-6, II, 109, xxiv, 52.
- — — *subteres*, Brady. Quart. Journ. Micr. Sci. XXI, 1881, 55.
- — — — — Wright, Proc. Belfast F. C. 1880-81 (app.), 180, viii, 2, 2a.
- — — — — Brady, Report Challenger, 1884, 403, I, 17, 18.
- — — *sulcata*, d'Orb. Ann. Sci. Nat. VII, 1826, 269, No. 3.
- — — *tenera*, Reuss. Sitz. k. Ak. Wiss. Wien, LV, (1), 1867, 94, IV, 11, 12.
- — — *tenuistriata*, Terquem. Mém. Soc. Géol. France, [3], II, 1882, 118, XII (xx), 24, 25.
- — — *textilariformis*, Stache. Novara-Exped., Geol. I, 1864, 268, xxiv, 17a, b, c.
- — — *tortilis*, Reuss. Sitz. k. Ak. Wiss. Wien, XLIV, (1), 1861 (1862), 338, viii, 3a, b.
- — — *trigona*, Terquem. Mém. Soc. Géol. France, [3], II, 1882, 110, XI (xix), 28, 29.
- — — *trilobata*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 269, No. 6.
- — — — — = *B. aculeata*, d'O. See *Polymorpha pinciferaria*.
- — — *trocheata*, Terquem. Mém. Soc. Géol. France, [3], II, 1882, 111, XI, (xix), 33.
- — — *truncana*, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. X, 1868 (1870), 644, II, 77a, b.
- — — — — Hantken, Magy. kir. földt. int. Évkönyve, IV, 1875 (1876), 52, vii, 5; and Mitth. a. d. Jahrb. k. ungar. geol. Austalt, IV, 1875 (1881), 61, same pl. and fig.
- — — *truncata*, Reuss. Geogn. Skizze Böhmen, II, 1844, (1), 215.
- — — — — Reuss, Verstein. Böhm. Kreide, 1845-6, I, 37, viii, 73.
- — — *tuberculata*, Egger. Neues Jahrbuch, 1857, 284, XII, 4-7.
- — — *tumida*, Reuss. Geogn. Skizze Böhmen, II, 1844, (1), 215.
- — — *turbinata*, Terquem. Mém. Soc. Géol. France, [3], II, 1882, 113, XII (xx), 6 and 7.
- — — *turgida*, Bailey. Smithsonian Contrib. II, 1851, 12, pl. 28-31.
- — — *uva*, Roemer. Neues Jahrbuch, 1838, 3-7, III, 43.
- — — *uviformis*, Terquem. Mém. Soc. Géol. France, [3], II, 1882, 110, XI (xix), 27a, b.
- — — *variabilis*, d'Orbigny. Ibid. [1], IV, 1840, 40, IV, 9-12; facsimile in Science Gossip, 1870, 155, f. 145, 146 [v. also *Atariphragmium*].
- — — — — Reuss, Verstein. Böhm. Kreide 1845-6, I, 37, viii, 56, 76, 77.
- — — — — Reuss in Grünitz, Grundr. Verstein. 1845-46, 671, xxiv, 60.
- — — — — Jones, Lecture Geol. Hist. Newbury, 1854, 48, II, 6, 6a.
- — — — — Eley, Geol. in the Garden, 1859, 198, V, 29 [cast of shell in flint].
- — — — — Mangin, Mystères Océan, 1864, 177, f. 7.
- — — *williamsoniana*, Brady. Quart. Journ. Micr. Sci. XXI, 1881, 56.
- — — — — Brady, Report Challenger, 1884, 408, II, 16 and 17.
- — — *sp.* Schwager, Jahresh. Ver. Nat. Wurtt. XXI, 1865, 136, VII, 4.
- — — *sp., aff. pupoides*, d'Orb. Schwager, Boll. R. Com. Geol. Ital. IX, 1878, 523, I, 10a.
- — — Pictet, Traité de Paléont. IV, 1846, 234, XII, 20.

- BULIMINA** v. Schlicht, "Foram. Septar. Pietzpuhl," 1870, xxii, xxiii.
 ? — Malagoli, Atti. Soc. Nat. Modena, [3], vii, 1888, 113, iii. 5.
- "**BULIMINA** ähnliche Körperchen," Gümbel Jahresh. Ver. vat. Nat. Wurtt. xviii, 1862, 235, iv, 20 [= ? oölitic concretions].
- BULLOPORA** rostrata, Quenstedt Der Jura, 1858, 580, Atlas, Ixxiii, 28 [= *Webbina*, q. v. also *Placopsisina*].
- BURSEOLINA**, Seguenza, 1880. Atti R. Acc. Lincei, [3], vi, 1880, 138 [= *Cassitulina*].
- calabra, Seguenza. *Ibid.* [3], vi, 1880, 138, xiii. 7a, b [= *Cassilulina*].
- CALCARINA**, d'Orbigny, 1826. Ann. Sci. Nat. vii, 1826, 276; Brady, Report Challenger 1884, 711.
- ambigua, Brady. Carbonif. Foram. Pal. Soc. xxx, 1876, 141, vi, 13a, b.
- ? — aristeropoda, Ehr. Monatsbericht k. preuss Ak. Wiss. Berlin, 1858, 19.
- armata (d'Orbigny). Parker, Jones & Brady, Annals and Mag. Nat. Hist. [3], xvi, 1865, 36, iii, 88 [*Rotalia*, 1826].
- atlantica, Ehr. Mikrogeologie, 1854, xxxv, B, xix, B, 3 [= *Planorbula*?].
- bisaculeata (d'Orbigny). P., J. & B., Ann. Mag. Nat. Hist. [3], xvi, 1865, iii, 89 [*Rotalia*, 1826].
- calcar, d'Orbigny. Ann. Sci. Nat. vii, 1826, 276, No. 1.
- — — D'Orb., McDèles, No. 34, 1826.
- — — Cuvier, Règne Animal, 1836–46, ix (pls. x), 34, xv, 3.
- — — D'Orb., De la Sagra, Hist. Phisiq., etc., Cuba. 1839, "Foraminifères," 81, v, 22–24, also in Spanish, 1840, 92, same pl. and fig.
- — — Carpenter, Parker & Jones, Intrcd. Foram. 1862, 162, xiii, 21.
- — — P., J. & B. [d'O., McDèles, 34], Ann. Mag. Nat. Hist. [3], xvi, 1865, 24, iii, 87 [= *C. spengleri*, Linn.].
- — — Bassett, Ann. Soc. Sci. Charente-Inf. 1884 (85), 162, f.
- calcitrapoides (Lam.). Reuss, Sitz. k. Ak. Wiss. Wien, XLIV, (1) 1861 (1862), 315, iv, 1–4 and 6 [*Siderolites*, 1801].
- — — v. laevigata. *Ibid.* f. 5.
- — — Zittel, Handbuch Paleont. (1), 1876, 94, f. 33.
- (Siderol.) — — — Figuier, Ocean World, 1873, 81, f. 13.
- [cf. calcitrapoides] — — — Schwager, Palaeontographica, xxx, 1883, Pal. Theil, 136, xxix (6), 1a–c.
- carpenteri, Karrer. Abh. k. geol. Reichs. IX, 1877, 387, xvii, 58.
- defranci, d'Orbigny. Ann. Sci. Nat. vii, 1826, 276, No. 3, xiii, 5–7 *his*.
- — — Ehrenberg, Abhandl. k. preuss Ak. Wiss. Berlin, 1838, 131.
- — — Brady, Report Challenger, 1884, 714, cviii, 6a, b, c.
- gaimardii, d'Orb. Ann. Sci. Nat. vii, 1826, 276, No. 2.
- gaudichaudii, d'Orb. *Ibid.* vii, 1826, 276, No. 5.
- — — Ehrenberg, Abhandl. k. preuss. Ak. Wiss. Berlin, 1838, 131.
- hispida, Brady. Proc. R. Irish Acad. [2], ii, 1876, 590.
- — — Brady, Report Challenger, 1884, 713, cviii, 8 and 9.
- laevigata, (d'Orb.). P., J. & B., Annals Mag. N. Hist. [3], xvi, 1865, iii, 90 [*Siderolina*, 1826].
- nicobarensis, Schwager. Novara-Exped. Geol. (2), 1866, 261, vii, 114, and f. 3.
- pulchella, d'Orbigny. De la Sagra Hist. Phisiq., etc., Cuba. 1839, "Foraminifères," 80, v, 16–18; also in Spanish, 1840, 92, same pl. and fig. [v. *Rotalia*].
- quoyii, d'Orbigny. Ann. Sci. Nat. vii, 1826, 276, No. 6.
- rarispira, Deshayes. In Lyell, Principles of Geology, III, 1833, 251, iv, 9–11.
- — — Brown, Elem. Foss. Conch. 1843, 25, ii, 45 and 46.
- — — J., P. & B., Crag Foram., Pal. Soc. xix, 1866, n. d., ii, 16–18.
- schweinfurthi, Schwager. Palaeontographica, xxx, 1883, Pal. Theil, 136, xxviii (5), 13a–d.
- spengleri (Linné). *Nantilus*, 1758.
- [d'Orbigny]. Reuss in Geinitz, Grundr. Verstein, 1845–46, 674, xxiv, 47.
- — — Carpenter, Phil. Trans. 1860, 548–557. xix and xx, and wood-cuts, I, A, B; II, A–G; III, A–H, 550; IV, A–F, 556.

- CALCARINA** spengleri (Linné). Carpenter, Parker & Jones, Introd. *Foram.* 1862, 216, xiii, 21; xiv, 1-10; figs. xxxii, xxxiv, xxxv and xxxvi in *text* [structural].
 ——— ——— P., J. & B., *Annals Mag. Nat. Hist.* [3], xvi, 1865, 24, iii, 87 [*v. C. calcare*].
 ——— ——— [Montf.]. Schwager, *Boll. R. Com. Geol. Ital.* viii, 1877, 26, pl., 74.
 ——— ——— Nicholson, Manuel *Palæont.* 1879, 1, 103, f. 17 A, B, C [structural].
 ——— ——— [Gmel.]. Bütschli in *Bronn, Klassen, etc., Thier-Reichs*, 1880, 207, ix, 7.
 ——— ——— Jones in *Microgr. Dict.* ed. 4, 1883, 127, xxiv, 27.
 ——— ——— Brady, *Report Challenger*, 1884, 712, cviii, 5 and 7.
 ——— ——— [Gmel.]. Bütschli, *Morph. Jahrb.* xi, 1886, 85, vi, 6, 10*a*, b, 14-16.
 ——— ——— Nelson, *Amer. Nat.* 1887, 16, i, 2.
 ——— ——— (= *calcitrapoides*, Lam.). Steinmann, *Elem. Paléont.* 1, 1888, 21 and 29, f. 3c and 12.
P ——— *stellata*, d'Archiac. *Mém. Soc. Géol. France*, [2], ii, 1846, 199, vii, 1, 1a [*v. Orbitides* and *Orbitolite*].
 ——— *tetraëdra*, Gümbel. *Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x*, 1868 (1870), 656, ii, 97*a*, b.
 ——— Kölliker, *Icônes. Histiologicae*, 1864, 32 [structural].
 ——— Carpenter, Ency. *Brit.* 9th ed. ix, 1879, "Foraminifera," 380, f. 19 [structural].
 ——— Malagoli, *Atti Soc. Nat. Modena*, [3], vii, 1888, 114, iv, 1.
 ——— [—], v. Schreter. *Neue Litt. u. Beytr.* 1, 1784, 301, i, 3.
 ——— v. *Ammonshorn*.
- CALCISPHERA** eriana, Dawson, 1881. v. *Saccammina?*
 ——— *lemoni*, Knowlton. *Amer. Journ. Sci.* [3], xxxvii, 1889, 202, f. 1, 2 and 3 [= *Mülleria*, Ulrich; = *Chara*, Meek].
- CALCITUBA**, Roboz, 1883. *Sitz. k. Ak. Wiss. Wien*, LXXXVIII, (1), 1883 (1884), 420.
- *polymorpha*, Roboz. *Ibid.* LXXXVIII, (1), 1883 (1884), 420, pl., 1-16; *Anz. Ak. Wien.* xiv, 1883, 117; *Math. Nat. Ber. Ungarn*, i, 1884, 265.
- CAMERINA**, Bruguière, 1792. Ency. Méthod., "Vers," 1, 1792, 395. [Bonn (Index, 207) dates this genus, 1789] [= *Nummulites*].
 ——— *laevigata*, Bruguière. *Ibid.* "Vers," 1, 1792, 399.
 ——— *laevigata* (*orbiculaire et numismata*), Héricart de Thury. *Journ. départ. Oise*, an VIII, 1800, 83, pl., f. 1*a-g* and 4 and 5 (2 to the right) [= *Nummulites*].
 ——— "lenticulaire," Héricart de Thury. *Ibid.* viii, (1800), 88, pl., f. 6.
 ——— *nummularia*, Bruguière. Ency. Méthod., "Vers," 1, 1792, 400.
 ——— *striata*, Bruguière. *Ibid.* "Vers," 1, 1792, 399.
 ——— Héricart de Thury. *Journ. départ. Oise*, an VIII, (1800), 83, pl., f. 2 and 3 [= *Nummulites scabra*].
 ——— *tuberculata*, Bruguière. Ency. Méthod., "Vers," 1, 1792, 400.
- CAMEROCONUS**, Meunier. *Bull. Soc. Hist. Nat. Autun*, 1, 1888, 234.
 ——— *marmoris*, Meunier. *Ibid.* 234, vii, 4.
- CANCRIS** auriculatus, Montfort. *Conch. syst.* 1, 1808, 267, 67th genre [= *Putio*, *auricula*].
- CANDEINA**, d'Orbigny, 1839. De la Sagra, *Hist. Phisiq. etc., Cuba*, 1839, "Foraminifères," 107; also in Spanish, 1840, 111; Brady, *Report Challenger*, 1884, 622.
 ——— *nitida*, d'Orbigny. *Ibid.* 1839, "Foraminifères," 108, ii, 27 and 28; also in Spanish, 1840, 111, same pl. and fig.
 ——— ——— D'Orb., *Foram. Fossiles Vienne*, 1846, 193, xxi. 28.
 ——— ——— Goës. *K. Svenska Vet.-Akad. Handl.* xix, No. 4, 1882, 89, vi, 187-189.
 ——— ——— Brady, *Report Challenger*. 1884, 622, lxxxii. 13-20.
- CANOPUS** fabeolatus Montfort. *Conch. syst.* 1, 1808, 291, 73rd genre [= *Polymorphina?*].
- CANTHARUS** calceolatus, Montfort. *Ibid.* 1, 1808, 299, 75th genre [= *Polymorphina lactea*].
- CANTHROPE**s, Montfort. *Ibid.* 1, 1808, 47, 12th genre [= ?].

- CAPITELLINA**, Marsson, 1878. *Mitth. Nat. Ver. Neu-Vorpommern u. Rügen*, x, 1878, 122 [= *Lagena*].
 — *multistriata*, Marsson. *Ibid.* x, 1878, 123, 1, 3a, b, c.
CAPSULINA, Seguenza, 1880. *Atti R. Acc. Lincei*, [3], vi, 1880, 375.
 — *loculicida*, Seguenza. *Ibid.* [3], vi, 1880, 375, xvii, 59a-e.
CARPENTERIA, Gray, 1858. *Proc. Zool. Soc. London*, xxvi, 1858, 269; Carter, Ann. Mag. [5], v, 1880, 440; Brady, Report Challenger, 1884, 676.
 — *balaniformis*, Gray. *Proc. Zool. Soc. London*, xxvi, 1858, 269, f. 1, 2, 3, 4.
 — — — — Carter, Ann. Mag. Nat. Hist. [4], xix, 1877, xlii, 13.
 — — — — var. *protoiformis*. Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4. 1882, 94, vi, 208-214; vii, 215-219.
 — — — — Agassiz, Three Cruises 'Blake,' ii, 1888, 168, f. 514.
lithothamnica, Uhlig. *Jahrb. k. k. geol. Reichsanstalt*, xxxvi, 1886, 189, v, 1, 2.
monticularis, Carter. *Ann. Mag. Nat. Hist.* [4], xix, 1877, 211, xiii, 9-12.
 — — — — *Ibid.* [4], xx, 1877, 68, cut.
 — — — — Brady, Report Challenger, 1884, 677, xcix, 1-5.
 — — — — *protoiformis*, Goës. Brady, Report Challenger, 1884, 679, xcvi, 8-14 [v. *balaniformis*, var. 1882].
 ? — *cf.* — — Uhlig, *Jahrb. k. k. geol. Reichsanstalt*, xxxvi, 1886, 188, v, 3.
 — — — — *rhabidodendron*, Möbius. *Beitr. Meeresfauna Insel Mauritius*, etc. 1880, 81, v, 6-10; vi, 1-6 [structural].
 — — — — *utricularis*, Carter. *Ann. Mag. Nat. Hist.* [4], xx, 1877, 176 [v. *Polytrema*, 1876].
 — — — — Brady, Report Challenger, 1884, 678, xcix, 6-7; c, 1-4.
 — — — — Carpenter, Phil. Trans. 1860, 564-563, xxii.
 — — — — Carpenter, Parker & Jones, *Introd. Foram.* 1862, 186, xxi [structural].
 — — — — Schwager, *Boll. R. Com. Geol. Ital.* viii. 1877, 26, pl., 52.
 — — — — Bütschli, in Brönn, Klassen, etc., *Thier-Reichs*, 1880, 202, ix, 2.
 ? — v. *Chrysaora*.
CARTERINA, Brady, 1884. Report Challenger, 1884, 345.
 — *spiculotesta* (Carter). *Ibid.* 1884, 346, xli. 7-10 [= *Rotalia*, 1877].
CASSIDULINA, d'Orbigny, 1826. *Ann. Sci. Nat.* vii, 1826, 282; Brady, Report Challenger, 1884, 427.
 — — — — *alata*, Seguenza. *Atti R. Acc. Lincei*, [3], vi, 1880, 65, vii, 5.
 — — — — *bradyi*, Norman, MS. Wright, *Proc. Belfast Nat. F. C.*, 1880, Appendix, 152.
 — — — — Brady, Report Challenger, 1884, 431, liv. 6-10.
 — — — — *calabra* (Seguenza). *Ibid.* 1884, 431, cxiii, 8a, b, c [= *Bursolina*, 1880].
 — — — — (*Orthoplecta*) *clavata*, Brady. *Ibid.* 1884, 432, cxiii, 9.
 — — — — *crassa*, d'Orbigny. *Voyage Amér. Mérid.* 1889, v, (5), "Foraminifères," 56, vii, 18-20.
 — — — — D'Orb., *Foram. Fossiles Vienne*. 1846, 213, xxi, 42, 43.
 — — — — Brönn Klassen Ordin. *Thier-Reichs*, i, 1859, 69, vi, 6.
 — — — — Reuss' Model, N°. 43, 1865 (Catal. No. 81, 1861).
 — — — — Bütschli in Brönn, Klassen, etc., *Thier-Reichs*, 1880, 205, viii, 6.
 — — — — Terrigi, *Atti Acc. Pont. Nuovi Lincei*, xxxv, 1883, 192, iii, 34.
 — — — — Brady, Report Challenger, 1884, 429, liv, 4 and 5.
 — — — — See *C. lærigata*, d'Orb.
 — — — — *globosa* Hantken. A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 54, xvi, 2; *Mitth. a. d. Jahrb. k. ungar. geol. Anstalt*, iv, 1875 (1881), 64 same pl. and fig.
 — — — — *globulosa*, Egger. *Nenes Jahrbuch*, 1857, 296, xi, 4-7.
 — — — — *inxulta*, Franzénau. *Math. termész. értesítő*, vii, 1889, 247, iv, 2.
 — — — — *jonesiana*, Brady. *Quart. Journ. Microsc. Sci.*, n. s. xxii, 1881, 59 [= *Bulim. contraria* (Rss.)], Brady, 1884.
 — — — — *lævigata*, d'Orbigny. *Ann. Sci. Nat.* vii, 1826, 282, (No. 1), xv [vi by error in text], 4 and 5.

- CASSIDULINA** *lævigata*, d'Orbigny. D'Orbigny, Modèles, No. 41, 1826.
 ——— ——— Cuvier, Règne Animal, 1836–46, ix (pls. x), 33, xv, 5.
 ——— ——— Reuss in Geinitz, Grundr. Verstein, 1845–46, 660, xxiv, 42.
 ——— ——— Parker & Jones, Annals Mag. N. H. [2], xix, 1857, 295, xi,
 17 and 18.
 ——— ——— Williamson, Recent British Foram. 1858, 68, vi, 141 and
 142.
 ——— ——— P., J. & B. [d'O., Modèles, 41], Ann. Mag. Nat. Hist. [3],
 xvii, 1865, 25, ii, 67.
 ——— ——— Parker & Jones, Phil. Trans. 1865, 377, xv, 1–4; xvii,
 64 a, b, c.
 ——— ——— v. *crassa*, d'Orbigny. *Ibid.* 1865, 377, xv, 5, 6, 7; xvii, 64 d.
 ——— ——— P., J. & B., Crag Foram., Pal. Soc. xix, 1866, n. d., iv, 15.
 ——— ——— Hartwig, The Sea, ed. 3, 1866, 381, f. e.
 ——— ——— Greene, Manual Protozoa, 1871, 15, f. 3e.
 ——— ——— Zittel, Handbuch Paläont. (1), 1876, 91, 29¹.
 ——— ——— Figuier, Ocean World, [1873], 84, f. 21.
 ——— ——— Schwager, Boll. R. Com. Geol. Ital. viii, 1877, 26, pl.
 67.
 ——— ——— Nicholson, Manual Palæont. 1879, i, 116, f. 18m.
 ——— ——— Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxiii, 1880, 199,
 ii, 47.
 ——— ——— Schlumberger, Feuille Jeun. Nat., Jan., 1882, i, 15.
 ——— ——— Jones, in Microgr. Dict. ed. 4, 1883, 136, xxiii, 45a, b.
 ——— ——— Brady, Report Challenger 1884, 428, liv, 1–3.
 ——— ——— Quenstedt, Handbuch Petref. ed. 3, (5), (1885), 1059, lxxxvi,
 59.
 ——— ——— Bassett, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 162, f.
 ——— ——— Brady, Parker & Jones, Trans. Zool. Soc. xii, (7), 1888,
 221, xlivi, 11.
 ——— ——— Terrigi, Mem. R. Acc. Lincei, (4), vi, 1889, 111, v, 9.
 ——— *margareta*, Karrer. Abh. k. k. geol. Reichs. ix, 1877, 386, xvii, 52.
 ——— *oblonga* (d'O.). P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], viii,
 1871, 175, xi, 129 [see *Globigerina*].
 ——— *oblonga*, Reuss. Denkschr. k. Ak. Wiss. Wien, i, 1850, 376, xlviii, 5, 6.
 ——— ——— Egger, Neues Jahrbuch, 1857, 295, xi, 1–3.
 ——— ——— J., P. & B., Crag Foram., Pal. Soc. xix, 1866, n. d., iv, 16.
 ——— ——— Andreae, Abh. geol. Speciaalkarte Elsass-Lothr. ii, (3),
 1884, 235, x, 31 and 32.
 ——— *obtusa*, Williamson. Recent British Foram. 1858, 69, vi, 143 and 144
 [= *C. crassa*, d'Orb.].
 ——— *parkeriana*, Brady. Quart. Journ. Micr. Sci. xxi, 1881, 59.
 ——— ——— Brady, Report Challenger, 1884, 432, liv, 11–16.
 ——— *pulchella*, d'Orbigny. Voyage Amér. Mérid. 1839, v, (5), "Foraminifères," 57, viii, 1–3.
 ——— *punctata*, Reuss. Denkschr. k. Ak. Wiss. Wien, i, 1850, 376, xlviii, 4.
 ——— *pupa*, d'Orbigny. Voyage Amér. Mérid. 1839, v, (5), "Foraminifères,"
 57, vii, 21–23 [v. *Ehrenbergina*].
 ——— (*Ehrenbergina*) *serrata*, Reuss. Carpenter, Parker & Jones, Introd.
 Foram. 1862, 197, xii, 23.
 ——— ——— Butschli, in Brönn, Klassen, etc., Thier-Reichs, 1880, 205,
 vil, 33.
 ——— *sicula*, Seguenza. Atti Acad. Gioenia Sci. Nat. [2], xviii, 1862, 111, i,
 7, 7a.
 ——— *subglobosa*, Brady. Q. Journ. Micr. Sci. xxi, 1881, 60.
 ——— ——— Brady, Report Challenger, 1884, 430, liv, 17a, b, c.
 ——— ——— Sherborn & Chapman, Journ. R. Micr. Soc. [2], vi, 1886,
 744, xvi, 2a, b.
 ——— ——— Brady, Parker & Jones, Trans. Zool. Soc. xii, (7), 1888,
 221, xlivi, 12–14.
CELIBS *gradatus*, Montfort. Conch. Syst. i, 1808, 307, 77th Genus [=?].
CELLANTHUS *eraticulatus*, Montfort. *Ibid.* i, 1808, 207, 52nd Genus [=
Polystom.].

- CELLEPORA hemisphaerica**, Parfitt. Annals and Mag. Nat. Hist. [4], XII, 1873, 98, iii B, 1-6 [= *Gypsina inhærens* (Schultze), Brady].
- CELLULINA besseri**, Zborezewski. Nouv. Mém. Soc. Nat. Moscou, 1834, 308, xxvi, f. 2.
- *eichwaldii*, Zborezewski. *Ibid.* 1834, 308, xxvi, f. 1.
- *puschii*, Zborezewski. *Ibid.* f. 3 [= ? *Dactylopora*, P. & J., Annals Mag. N. H. (3), XII, 1863, 203].
- CENCHRIDIUM**, Ehrenberg, 1845. Bericht. k. preuss. Ak. Wiss. Berlin, 1845, 357 [= *Lagena*].
- *aargovense*, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 13, II, Opalinusthon 1 [= *Lag. globosa*, long var.].
- *capense*, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 281.
- *dactylus*, Ehrenberg. Mikrogeologie, 1854, xxiv, 1 and 2 [= *Lag. emaciata?*, Reuss].
- *globosum* (Will.). Stein, Organ. Infusionsthiere, III, (2), 1883, 18, ii, 1 and 2 [*Entosolenia*, 1858].
- *incurvum*, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 281.
- — — — — Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), iv, 17.
- *oliva*, Ehrenberg. Mikrogeologie, 1854, xxiv, 3 and 4, and xxxvii, vi, 1 [= *Lug. globosa*].
- *rugulosum*, Stein Organ. Infusionsthiere. III, (2), 1883, 18, ii, 5.
- *sphærula*, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 368.
- — — — — Stein, Organ. Infusionsthiere, III, (2), 1883, 18, ii, 3 and 4.
- *tridactylum*, Stein. *Ibid.* III, (2), 1883, 18, ii, 6.
- CENCHRITES**, Mercatus. Metallotheca, 1719, 285, f., and 286, f. [= *Nummulites*].
- CEPINULINA oblonga**, Schafhärtl. Geogn. Unters. sudbayer. Alpengeb. 1851, 49, xiii [misprinted in text xviii], f. 20 [an "oolitic granule;" may be *Miliola*.]
- CERATESTINA**, Carter, 1880. Ann. Mag. Nat. Hist. [5], v. 1880, 448; v. Brady, Report Foram. Challenger, 1884, p. 77 [one of the Testamœbiformiae].
- *globularis*, Carter. *Ibid.* [5], v. 1880, 449, xix, 6a-g.
- *tessellata*, Carter. *Ibid.* [5], v. 1880, 450, xix, 7a-h.
- CERATOSPIRULINA**, Ehrenberg, 1858 Monatsbericht k pr. Ak. Wiss. Berlin, 1858, 11. [Characteres Quinqueloculinæ, sed ætate proiecta in tubuli recti simplicis formam excrescentes. Quinqueloculinam longe tubulosam rostratam æquat.]
- *sprattii*, Ehrenberg. *Ibid.* 1858, 19.
- CERATOSPYRIS sprattii**, Ehrenberg. Abh. k. Ak. Wiss. Berlin, 1872 (1873), xi, 7 [= *Miliolina* with final chamber produced].
- CERIOPORA globulus**, Reuss. Haidinger's Nat. Abh. II, 1847, 33, v, 7 [= *Gypsina*].
- CHÆTOTROCHUS hochstetteri**, Ehrenberg. Novara-Exped. II, 1866, 76 and 81, not described.
- CHARYBIS plicatus**, Montfort. Conch. Syst. I, 1808, 107, 27th Genre [= *Serpula*].
- CHEIRAMINA**, de Folin, 1881. Bull. Soc. N. H. Toulouse, XV, 132, not described; ten species proposed with the generic name of *Cheiropsis!*
- CHEIROPSIS**, de Folin, 1881. *Ibid.* XV, 132 [v. *Cheiramina*].
- CHILOSTOMELLA**, Reuss, 1849. Denkschr. k. Ak. Wiss. Wien, I, 1850, 379; Brady, Report Challenger, 1884, 436.
- *cyclostoma*, Rzehak. Ann. k. k. nat. Hofmuseums, III, (3), 1888, 258, XI, 1a, b. c.
- *cylindroides*, Reuss. Zeitschr. dentsch. geol. Ges. III, 1851, 80, VI, 43. — — — Bornemann, *Ibid.* VII, 1855, 343, xvii, 1 — — — Hantken. Magy. kir. földt. int. évkönyve. IV, 1875 (1876), 54. vii, 7; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 63. same pl. and fig. [*C. cylindrica*. Rss. in descr. of plate].
- *[cylindrops]*, — — — Pictet, Traité de Paléont. ed. 2, IV, 1857, 520, cix, 40
- *czizeki*, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 380, xlvi, 13.

- CHILOSTOMELLA** czizeki, Reuss. Schwager, Boll. R. Com. Geol. Ital. viii, 1877, 26, pl., 70.
- **eximia**, Franzénau. Termész. Füzetek, xi, 1889, 147 and 206, woodcut.
 - **oolina**. Schwager. Boll. R. Com. Geol. Ital. ix, 1878, 527, i, 16.
 - **oviformis**, Sherborn & Chapman. Journ. R. Micr. Soc. 1889, 485, xi, 13 [*Lagena*, 1886].
 - **ovoidea**, Reuss. Denkschr. k. Ak. Wiss. Wien, i, 1850, 380, xlvi, 12. Bronn, Lethæa Geognostica, ed. 3, iii, 1853-56, 237, xxxv², 36a-d.
 - **Reuss**, Model, No. 38, 1865 (Catal. No. 73, 1861).
 - **Brady**, Q. Journ. Micr. Sci. xix, 1879, 280, viii, 11, 12.
 - **Brady**, Report Challenger, 1884, 4:6, iv, 12-23.
 - **Sherborn & Chapman**, Journ. R. Micr. Soc. 1889, 485, xl, 12.
 - **tenuis**, Bornemann. Zeitschr. deutsch. geol. Ges. vii, 1855, 343, xvii, 2.
 - **v. Schlicht** "Foram. Septar. Pietzpuhl," 1870, xxv.
- CHRYSALIDINA**, d'Orbigny, 1839. De la Sagra, Hist. Phys. Cuba (5), 1839, "Foraminifères," 107 and Foram. Fossiles Vienne, 1846, 194; Brady, Report Challenger, 1884, 387.
- **dimorpha**, Brady. Quart. Journ. Micr. Sci. xxi, 1881, 54.
 - **Brady**, Report Challenger, 1884, 388, xlvi, 20, 21.
 - **gradata**, d'Orbigny. Foram. Fossiles Vienne. 1846, 195, xxi, 32, 33.
 - **D'Orb.**, Cours élém. Paléont., etc. i, 1849, 200, f. 327; ii, (2), 1852, 648, f. 57.
 - **Bronn**, Lethæa Geognostica, ed. 3, ii, 1851-52, 89, xxix¹, 18a, b.
 - **Reuss' Model No. 84**, 1865 (Catal. No. 14, 1861).
 - **Carpenter, Parker & Jones**, Introd. Foram. 1862, 193, xii, 16.
 - **Mackie**, Science Gossip, 1867, 131, f. 137.
- CHRYSAORA**, Lamouroux, 1821.
- **damæcornis**, Lamouroux. Exposit. Méthod. Polypiers, 1821, 83, lxxxii, 8 and 9.
 - **Defrance**, Dict. Sci. Nat. 1816-30, Atlas Zooph. xlvi, f. 2 [= ? *Carpenteria*].
 - **Blainville**, Actinol. 1834, 414, lxiv, 2 [= ? *Carpenteria*].
- CHYSOLUS**, Montfort. Conch. Syst. i, 1808, 27, 7th genre [= *Nonion. fava*].
- CIBICIDES**, Montfort, 1808. *Ibid.* i, 1808, 123 [= *Truncatulina*].
- **refulgens**, Montfort. *Ibid.* i, 1808, 123, 31st genre.
 - **Defrance**, Dict. Sci. Nat. 1817, 188; xix, 1821, 2; xxxx, 1824, 187; Atlas, Conch. xix, 2.
 - **Blainville**, Manuel Malac. et Conch. 1825 (pls., 1827). 391, x, 2.
 - **rozovii**. Fischer. Oryctogr. Gouv. Moscou, 1830-37, 128, xiv ["La hauteur du cône est d'un pouce et 8½ lignes" Not a Foraminifer].
- CIDAROLLUS plicatus**, Montfort. Couch. Syst. i, 1808, 111, 28th genre [= *Pul. repanda*, F. & M., v *pulchella*, d'Orb].
- CIMELIDIUM**, Ehrenberg, 1858. Monatsbericht k. preuss. Ak. Wiss. Berlln, 1858, 22 [= ? *Guttulina* = *Polymorphina*? ?].
- CINQNEOCULINA**, Ludwig, 1855. Error for Quinqueloculina.
- CISSEIS asterica**, Guppy, Quart. Journ. Geol. Soc. 1866, xxii, 572, nom. nud. = *Tinoporus barulatus*: file Guppy.
- CITHARINA**, d'Orbigny, 1839. In Ramon de la Sagra, Hist. phys. pol. et nat. l'Ile de Cuba, "Foraminifères," 1839, xxxvii.
- **costulata**, Römer. Reuss in Geinitz, Grundr. Verstein. 1845-46, 657, xxiv, 13 [*Vaginulina*, 1842].
 - **italica** (Costa). Schwager, Boll. R. Com. Geol. Ital. viii, 1877, 25, pl., 13 [? *Cith. elegans* (d'Orb.), see *Vaginulina*].
 - **strigillata**, Reuss. Verstein. Böh. Kreide, 1845-6, ii, 106, xxiv, 29 [v. *Vaginulina*].
- CLARLARIS larva**, misprint for *Cristellaria*, Spratt, Geol. of Malta, etc. 1854.
- CLAVULA**, de Folin, 1881. Bull. Soc. N. H. Toulouse, xv, 132, not described; 3 species proposed.
- CLAVULINA**, d'Orbigny, 1826. Ann. Sci. Nat. vii, 1826, 268; Brady, Report Challenger, 1884, 393.

- CLAVULINA angularis**, d'Orb. Ann. Sci. Nat. VII, 1826, 268, No. 2, xii, 7.
 ——— Reuss in Geinitz, Grundr. Verstein. 1845-46, 667, xxiv, 66.
 ——— Brady, Report Challenger, 1884, 396, xlvi, 22-24.
 ——— var. *difformis*, Brady. *Ibid.* 1884, 396, xlvi, 25-31.
 ——— *antipodium*, Stache. Novara-Exped. Geol. (1), 1864, 167, xxi, 3-8.
 ——— *caperata*, Brady. Quart. Journ. Microsc. Soc. XXI, 1881, 54 [= *Tritaxia*, 1884, q. v.].
 ——— *clavulus* (?), (Lam.). P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 154, ix, 32 [*Nodosaria*, 1816].
 ——— *communis*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 268, No. 4 [v. *Verneuilina*].
 ——— D'Orb., Foram. Fossiles Vienne, 1846, 196, xii, 1, 2.
 ——— Costa, Atti Accad. Pontaniana, VII, (2), 1856, 270, xxiii, 2.
 ——— [—] Pictet, Traité de Paléont. ed. 2, IV, 1857, 514, cix, 33.
 ——— Reuss' Model No. 98, 1865 (Catal. No. 10, 1861).
 ——— Zittel, Handbuch Paläont. (1), 1876, 90, f. 27^b.
 ——— Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 26, pl. 90.
 ——— Brady, Report Challenger, 1884, 394, xlvi, 1-13.
 ——— var. *irregularis*, Costa. Fornasini, Boll. Soc. Geol. Ital. II, 1883, 184, ii, 3 [v. *C. irregularis*].
 ——— Fornasini, *Ibid.* IV, 1885 (1886), 106, vi, 1 and 2.
 ——— Sherborn & Chapman, Journ. R. Micr. Soc. [2], VI, 1886, 743, xv, 1.
 ——— Brady, Parker & Jones, Trans. Zool. Soc. XII (7), 1888, 220, xlii, 11.
 ——— *corrugata*, Deshayes. In Lyell, Principles of Geology, III, 1833, 251, iv, 12-14.
 ——— Brown, Elem. Foss. Conch. 1843, 25, ii, 43 and 44.
 ——— *cylindrica*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 268, No. 1.
 ——— *cylindrica*, Hantken. Magy. kir. földt. int. évkönyve, IV, 1875 (1876), 14, 1, 8; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 18, same pl. and fig.
 ——— Hantken, Kohlenfötze, etc., ungar. Krone, 1878 (transl. from Magyar), 227, f. 42.
 ——— Brady, Report Challenger, 1884, 396, xlvi, 32-38.
 ——— Karrer, Abh. k. k. Geol. Reichs. IX, 1877, 373, xvi, 4.
 ——— *elegans*, Karrer. Novara-Exped. Geol. (1), 1864, 80, xvi, 11.
 ——— *eocæna*, Gümbel. Abh. m.-ph. Cl. k.-bayer Ak. Wiss. X, 1868 (1870), 601, i, 2a, b.
 ——— Terquem, Mém. Soc. Géol. France [3], II, 1882, 121, xii, (xx), 35a, b.
 ——— *gaudryinooides*, Fornasini. Boll. Soc. Geol. Ital. IV, 1885 (1886), 106, vi, 3-9.
 ——— *indiscreta*, Brady. Quart. Journ. Micr. Sci. XXI, 1881, 55 [= *Tritaxia*, 1884, q. v.].
 ——— *irregularis*, v. Münster. In Roemer, Neues Jahrbuch, 1838, 387, iii, 40.
 ——— *irregularis*, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 270, xxi, 4, 5 and 6 [error for xxii, 1-3].
 ——— *nodosaria*, d'Orbigny. De la Sagra, Hist. Phisiq., etc., Cuba, 1839, "Foraminifères," 110, ii, 19 and 20, also in Spanish, 1840, 113, same pl. and fig.
 ——— Quenstedt, Handbuch Petref. ed. 3, (5), (1885), 1058, lxxxvi, 54.
 ——— *parisiensis*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 268, No. 3.
 ——— D'Orb., Modèles, No. 66, 1826.
 ——— P., J. & B. [d'O., Modèles, 66], Ann. Mag. Nat. Hist. [3], XVI, 1865, 29, i, 26 [= *Valvulina*].
 ——— Terquem, Mém. Soc. Géol. France, [3], II, 1882, 121, xii, (xx), 34a, b.
 ——— Schwager, Palaeontographica, XXX, 1883, Pal. Theil, 116, xxvi (3), 18a-c.
 ——— (*Valvula*) Jones, in Microgr. Dict. ed. 4, 1883, 182, xxiii, 51.
 ——— Brady, Report Challenger, 1884, 395, xlvi, 14-18.
 ——— var. *humilis*, Brady. *Ibid.* 1884, 395, xlvi, 19-21.

- CLAVULINA** parisiensis, d'Orb. Basset, Ann. Soc. Sci. Charente-Inf. 1884
 (85), 161, f.
 ——— Brady, Parker & Jones, Trans. Zool. Soc. XII, (7), 1888, 220,
 xlii, 10, 12.
 ——— Sherborn & Chapman, Journ. R. Micr. Soc. 1889, 485, xi, 11.
 ——— philipinica, Karrer. In v. Drasche, Frag. Geol. Luzon, 1878, 86, v, 4,
 and Bol. Com. map Geol. Espan. VII, 1880, 267, E, 4.
 ——— procura, Goës. Bihang k. Svenska Vet. Ak. Handl. XV, 1889, ii, 17.
 ——— robusta, Stache. Novara-Exped. Geol. (1), 1864, 169, xxi, 9, 10.
 ——— ruditis (Costa). Fornasini, Boll. Soc. Geol. Ital. II, 1883, 184, ii, 4 [*Glan-*
dulina, 1856].
 ——— szaboi, Hantken. Magyar. Földt. Társ. Munkálatai, IV, 1868, 83, i, 4, 6
 and 7.
 ——— ——— Hantk., Magy. kir. földt. int. évk. IV, 1875 (1876), 13, i, 9a-d;
 and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 16, same
 pl. and fig.
 ——— ——— Hantk., Kohlenflöze ungar. Krone, 1878 (transl. from Mag-
 yar), 227, f. 43.
 ——— Steinmann, Elem. Paleont. I, 1888, 26, f. 7F.
 ——— tricarinata, d'Orbigny. De la Sagra, Hist. Phisiq., etc., Cuba, 1839,
 "Foraminifères," 111, ii, 17 and 18 [16-18]; also in Spanish, 1840, 114,
 same pl. and fig.
 ——— tripleura, Reuss. Sitz. k. Ak. Wiss. Wien, LII, (1), 1865 (1866), 468, pl. 1.
 ——— triquetra, Reuss. Denkschr. k. Ak. Wiss. Wien, XXIII, 1864, 6, i, 1.
 ——— variabilis, Schwager. Novara-Exped. Geol. (2), 1866, 197, iv, 8a, b, c.
 [——], Deshayes. Coq. Foss. Paris, 1824-1837, not descr., pl. cv, 35-39, 40-46
 [triangular, early chambers].
 ——— Pictet. Traité de Paléont. IV, 1846, 236, xii, 22.
 ——— Neumayr. Stämme d. Thierreiches, I, 1889 (8), 182, f. 24c.
 ——— v. *Nod. agglutinans*, Terq.
 ——— v. *Nod. rustica*, Jones.
- CLAUSULUS** indicator, Montfort. Conch. Syst. I, 1808, 179, 45th genre [= *Alveol. indicatrix*].
- CLIDOSTOMUM**, Ehrenberg, 1845. Bericht k. pr. Ak. Wiss. Berlin, 1845, 358.
 ——— polystigma, Ehr. *Ibid.* 1845, 368.
- CLIMACAMMINA**, Brady, 1876. Carbon. Foram., Pal. Soc. XXX, 1876, 67.
 ——— antiqua, Brady. *Ibid.* XXX, 1876, 68, ii, 1-9.
 ——— ——— Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 26, pl. 92.
 ——— cribrigera, Schwager. Beitr. Paläont. China [in Richthofen's China],
 1883, 151, no figure.
 ——— protenta, Schwager. *Ibid.* 1883, 150, no figure.
 ——— simplex, Meunier. Bull. Soc. Hist. Nat. Autun, I, 1888, 234, vii, 8 [*Clim-*
arcummina in descr. to a plate].
- CLISIPHONTES** calcar, Montfort. Conch. Syst. I, 1808, 227, 57th genre [= *Crist. calcar*].
- CLYPHOGONIUM**, Reinsch, 1877. Neues Jahrb. 1877, 177 [proposed but
 not described; "Lagenidae"].
- COCHLEÆ** polythalamiæ centro utrinque prominente, gyris unitis
 intra testam latentibus, C. Gesner. De omni Rerum, 1565, 159-167
 [= *Nummulites*].
- COCHLITULIS**, Langius. Hist. lap. fig. Helvet., Venetiis, 1708, 69, xviii [= *Nummulites*].
- CŒLOTROCHIUM**, Schlüter, 1879. Zeitschr. deutsch. geol. Ges. XXXI, 1879,
 668. [A species of calcareous algae, v. Solms-Laubach, Einleit. Paläo-
 phytologie, 1887, 88, etc.]
 ——— decheni, Schlüter. *Ibid.* XXXI, 1879, 668, figures.
- COLPOPLEURA**, Ehrenberg, 1844. Bericht k. preuss. Ak. Wiss. Berlin, 1844, 74.
 ——— leptostigma, Ehrenberg. *Ibid.* 1845, 368.
 ——— ocellata, Ehrenberg. *Ibid.* 1844, 67 and 92; and Mikrogeologie, 1854,
 xxii, 76 [= *Planorb. near haitlingeri*].
- CONCHULA** minima, Littoris Ariminensis altera parte albissima, se-
 men Milii perfectissime referens, Plancus. De Conch. min. not. 1739
 (Rome, 1760), 23, II, f. vi, G, I [= *Biloculina*].

- CONCHULA minima**, Littoris Ariminensis arcte in se contorta, albissima, lèvissimaque, extrinsecus Concham Venereum referens, Plancus. *Ibid.* 19, ii, f. i A-C [= *Miliolina*].
- CONODICTYUM striatum**, Münst. Gümbel, Sitz. k.-bayer. Ak. Wiss. München, iii, 1873, 294, i, 16-24. [A genus of calcareous algæ.]
- CONULINA**, d'Orbigny, 1839. De la Sagra, Hist. Phisiq., etc., Cuba, 1839, 24.
- **conica**, d'Orbigny. *Ibid.* 1839, "Foraminifères," 24, i, 15 and 16; also in Spanish, 1840, 52, same pl. and fig.
- D'Orb., Foram. Fossiles Vienne, 1846, 71, xxi, 7, 8.
- Bronn, Lethæa Geognostica, ed. 3, ii, 1-51-52, 90, xxix¹, 26.
- Reuss' Model No. 71, 1865 (Catal. No. 13, 1861).
- **irregularis**, d'Orbigny, 1847. Prodrome de Paléont. ii, 1850, 210, No. 356.
- CONULITES**, Carter, 1861. Journ. Bombay Branch R. Asiatic Soc. vi, 1861 (1862), 53 [= *Patellina*].
- **cooki**, Carter. *Ibid.* vi, 1861 (1862), 83; Annals Mag. N. Hist. [3], VIII, 457, xv, 7.
- Schwager, Boll. R. Com. Geol. Ital. viii 1877, 26, pl. 75.
- COPROLITHEN**, Philippi. Tertiär. nordwest. Deutsch. 1843, 63, iv, 27a, 27a (2), 28 [27 (2) = *Litnola*; 28 = *Chara*?].
- CORNE d'ammon**, d'Argenville. Conchyliologie, 1780, i, 680, vii, B 1 [= 2]; and 731, lxix, D1 [*Rotalia Beccarii*].
- CORNO d'ammone**, Targioni. Relaz. d'alc. viaggi, ed. 2, iv, 1770, 13, i, figs. 17-19; 21-36 [= ? *Rotalia Beccarii*].
- CORNUTUS ammonis ariminense**, Planc. Parkinson, Introd. Study Foss. Organ. Rem. 1822, 169, vi, 19 [= *Rotalia Beccarii*].
- **ammonis erectum vulgare, striatum, siliquam raphanistri perfectissime referens**, Klein. Vers. u. Abh. Nat. Ges. Dantzig, ii, 1754, 1, etc., i, f. 1 A, B [= *Nodos. raphanistrum*].
- **ammonis**, etc., Ledermüller. Mikr. Gemüths, 1763, 16, viii [*Rotalia, Cristellaria, Vaginulina, Nodosaria, Glandulina*, etc.].
- **hammonis**, Klein. Methodi Ostracolog. 1753, 4, i, 6-9 [6 and 7 are not Foraminifera; 8 and 9 = ? *Cornuspira*].
- **hammonis . . . ad Lituum accedens**, Martini. See *Peneroplis*, Martini.
- **depressum in eodem Littore [Liburni] repertum, quod umbilicatum est umbilico scilicet concavo . . .** F. Colonna, 1744, ΦΥΤΟΒΑΣΑΝΟΝ, appendix, xxxviii, E [= *Peneropl. planatus*].
- **Littoris Liburnensis Umbilico concavo**, Plancus. De Conch. min. not. 1760, 95, i, f. X, P [= *Peneroplis*].
- **Littoris ariminensis**, Ginanni. Opera postume, 1755, 20, xiv, [= *Rotalia* and *Cristellaria*].
- **erectrum depressum striatum, vaginulam glandii referens**, Plancus. De Conch. min. not. 1739 (Rome, 1760), 16, i, vii, G-I [= *Vag. legumen*].
- **erectum globosius**, Plancus. *Ibid.* 16, ii, iii, D-F [= *Glandulina*].
- **erectum minus vulgare lèvissimum, siliquam Radiculæ perfectissimi referens**, Plancus. *Ibid.* 14, i, v, A-C [= *N. radicula*].
- **erectum vulgare, striatum, siliquam, Raphanistri perfectissime referens**, Plancus. *Ibid.* 15, i, vi, D to H [= *N. raphanus* and *N. raphanistrum*].
- **minus vulgare Orbiculatum striatum, umbilico prominente, ex quo striæ et loculamenta omnia prodeunt**, Plancus. *Ibid.* 10, i, ii, E and F [= *Polystomella*].
- **Quartum, seu Nautili genus valde depressum umbilico carens et plerumque marginatum**, Plaucus. *Ibid.* 13, i, iv, N and M [= ? *Cristellaria*].
- **Tertium, seu Nautili genus umbilico prominente et plerumque marginatum**, Plancus. *Ibid.* 12, i, iii, H and I [= *Crist. rotulata*].
- **Tertium**, etc., Plancus, q. v. Figures xii and xiii of Pl. i in the De Conch. min. not., ed. 1760, are referred by Plancus to this form. [They = *C. cultrata*.]

- Cornu ammonis** Littoris ariminensis vulgatissimum, Plancus. Conch. min. not. 1739, 8, i, 1 A, B, C [= *Iotalia Beccarii*].
- Liburnensis in Longum porrectum ad Lituum accedens, Plancus. *Ibid.* 1760, 94, i, f. X, O [= *Peneroplis*].
- [Addo' et Cornu Hammonis] peculiare nativum, quod anno elapsum in Liburni littori reperi, quod Semilitus ad pellari on omnino inepte poterit, . . . albissimi coloris est haec Testa, ut et reliquæ duæ, quas infra describo, F. Colonna, *ΥΤΟΒΑΣΑΝΟΝ*, 1744, appendix, xxxviii, D [= *Peneropl. planatus*].
- CORNUSPIRA**, Schultze, 1854. Organismus Polythal. 1854, 40; Brady, Report Challenger, 1884, 198.
- angulata, Deecke. Abh. Geol. Spez. Karte Elsass.-Lothr. IV, (1), 1884, 16, i, 7, 7a.
- archimedes, Stache. Novara-Exped. Geol. (1), 1864, 180, xxii, 1a, b.
- aspera, Terquem. Mem. Ac. Imp. Metz, LI, 1870, 346, xxv, 18a, b [error for 17].
- bayonnensis, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 46, iv, Anhang 1.
- biedermannii, Zwingli & Kübler. *Ibid.* 1870, 22, ii, Ornamentthon 1.
- bornemanni, Reuss. Sitz. k. Ak. Wiss. Wien, XLVIII, (1), 1863 (1864), 39, i, 3a, b.
- carbonaria, Steinmann. Zeitschr. deutsch. geol. Ges. XXXII, 1880, 396, xix, 1.
- carinata (Costa). Brady, Report Challenger, 1884, 201, xi, 4a, b [*Operculina*, 1856].
- concava, Sherborn & Chapman, Journ. R. Microsc. Soc. 1889, 484, xi, 6.
- concava, Terquem. Mem. Ac. Imp. Metz, LI, 1870, 346, xxv, 17 [error for 16].
- concava, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 24, iii, 3 [= *Trochamm. incerta*].
- convexa, Zwingli & Kübler. *Ibid.* 1870, 38, iv, Badener Schicht, 4.
- crassa, Zwingli & Kübler. *Ibid.* 1870, 19, ii, Macrocephalus oolith, 2 [doubtful; ? a *Spirillina*].
- crassisepta, Brady. Proc. Roy. Soc. Edinburgh, XI, 1882, 714, not figured.
- Brady, Report Challenger, 1884, 202, cxiii, 20.
- cretacea, Reuss. Sitz. k. Ak. Wiss. Wien, XI, 1860, 177, i, 1a, b.
- *Ibid.* XLVI, (1), 1862 (1863), 34, i, 10-12.
- Steinmann, Elem. Paleont. I, 1888, 23, f. 4 A.
- eichbergensis, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 17, ii, Parkinsonthon, 2 [= a *Spirillina*].
- *Ibid.* 1870, 24, iii, 2 [= *Trochamm. incerta*].
- *Ibid.* 1870, 38, iv, Badener Schicht, 2 [? a *Spirillina*].
- elliptica, Stache. Novara-Exped. Geol. (1), 1864, 181, xxii, 2a, b.
- elliptica, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 17, ii, Parkinsonthon 3 [= *Trochamm. incerta*].
- *Ibid.* 1870, 38, iv, Badener Schicht, 3 [= *Troch. incerta*].
- filiformis, Reuss. Sitz. k. Ak. Wiss. Wien, I.VII, (1), 1868, 105, i, 9.
- foliacea (Phil.). Carpenter, Parker & Jones, Introd. Foram. 1862, 68, v, 16 [*Orbis*, 1844].
- [—] Wallich, North Atlantic Sea-bed, (1), 1862, no descr., v, 12, 12a.
- Reuss, Denkschr. k. Ak. Wiss. Wien, XXV, 1865, 121, i, 8, 9.
- Parker & Jones, Phil. Trans. 1865, 408, xv, 33.
- J., P. & B., Crag Foram. Pal. Soc. XIX, 1866, 2, iii, 50 and 51.
- [—?] P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], viii, 1871, 238, viii, 1 [*Soldanella limia*, d'O. q. v.].
- [—?] *Ibid.* [4], viii, 1871, 238, viii, 2 [*Sold. orbicularis*, d'O. q. v.].
- Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 27, pl. 104.
- Nicholson, Manual Palaeont. 1879, i, 108. f. 18a.
- Möbius, Beitr. Meeresfauna Insel Mauritius, etc. 1880, 76, ii, 3.

- CORNUSPIRA** *foliacea* (Phll.). Bütschli in Brönn, Klassen, etc., Thier-Reichs, 1880, 189, iv, 8 and viii, 1.
 ————— Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 120, ix, 308, 310.
 ————— Jones in Microgr. Dict. ed. 4, 1883, 210, xxii, 13.
 ————— Brady, Report Challenger, 1884, 199, xi, 5-9.
 ————— Balkwill & Wright, Trans. R. I. Ac. xxviii (Sci.), 1885, 326, xii, 1a, 1b.
 ————— Agassiz, Three Cruises "Blake," II, 1888, 161, f. 488.
gracilis, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 17, ii, Par-
kinsonithon, 4 [= *Trochanum incertum*].
granulosa, Terquem. Mem. Ac. Imp. Metz, LI, 1870, 344, xxv, 12a, b.
helvetica, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 13, ii,
Opalinusthon 3 [= *Spirillina*].
hörnesi, Karrer. Sitz. k. Ak. Wiss. Wien, LII, (1), 1865 (1866), 495, pl., 10.
infima (Strickl). Tate & Blake, Yorkshire Lias, 1876, 451, xvili, 1
[v. *Orbis*, 1846].
infraoolithica, Terquem. Mém. Ac. Imp. Metz, LI, 1870, 345, xxv, 13.
intermedia, Gümbel. Sitz. k.-bay. Ak. Wi-s. III, 1873, 39, no fig.
involuta, Reuss. Sitz. k. Ak. Wiss. Wien, XLVIII, (1), 1863 (1864), 39,
1, 2 [*Operculina*, 1849].
 ————— Reuss' Model No. 9, 1865 (Catal. No. 15, 1861).
 ————— J., P. & B., Crag Foram. Pal. Soc. xix, 1866, 3, iii, 52-54.
 ————— Hantken, Magy. kir. földt. int. evkönyve, IV, 1875 (1876),
16, ii, 2; and Mitt. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881),
19, same pl. and fig.
 ————— Brady, Report Challenger, 1884, 200, xi, 1-3.
 ————— Balkwill & Millett, Journ. Micr. III, 1884, 23, 1, 1.
 ————— Balkwill & Wright, Trans. R. I. Ac. xxviii, (Sci.), 1885,
327, xii, 2a, 2b.
 ————— Burbach, Zeitschr. Naturw. Halle, LIX, 1886, 497, v, 1.
 ————— Anon. Sci. News, 27 April, 1888, 389, f. 7.
 ————— Brady, Parker & Jones, Trans. Zool. Soc. XII, (7), 1888, 216,
xl, 1-3.
 ————— Sherborn & Chapman, Journ. R. Micr. Soc. 1889, 484, xi, 4, 5.
lacunosa, Brady. Report Challenger, 1884, 202, cxlii, 21.
latrix, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 33, iv, Impres-
sionithon, 3 [= *Troch. incerta*].
liasina, Terquem. Sixième Mém. Foram. Lias, 1866, 474, xix, 4a, b.
marginata, M. Sars. Vidensk.-Selsk. Forhandl. 1868, 249 [referred to
C. carinata by Brady, 1884].
media, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 33, iv, Im-
pressionithon 2 [= *Troch. incerta*].
numismalis (Terq. & Berth.). Burbach, Zeitschr. Naturw. Halle, LIX,
1886, 498, v, 2 [*Spirillina*, 1875].
nummulitica, Gümbel. Abh. m.-ph. Cl. k.-bayer Ak. Wiss. x, 1868
(1870), 604, i, 5a, b.
occlusa, Terquem. Mém. Ac. Imp. Metz, LI, 1870, 346, xxv, 19, 20 [er-
ror for 18, 19].
olygogra, Hantken. Magy. kir. földt. int. evkönyve, IV, 1875 (1876),
16, i, 10; and Mitt. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881),
20, same pl. and fig. [*C. olygogra* on plate].
oolithica, Schwager. Benecke's Geogn.-Pal. Beiträge, I, 1868, 655, xxxiv,
4.
orbicula (Terq. & Berth.). Deecke, Mém. Soc. Emul. Montbéliard, XVI,
1886, [16], ii, 4 [*Spirillina*, 1875].
pachygyra, Gümbel. Jahrb. k. k. geol. Reichsanstalt, XIX, 1869, 178, v, 9
and 10.
perforata, Schultz. Organismus Polythal. 1854, 41, li, 22 [v. *Spirillina*].
planorbis. Schultz. Ibid. 1854, 40, ii, 21.
 ————— Bronn. Klassen Ordn. Thier-Reichs, I, 1859, c9 vi, 1.
polygyra, Reuss. Sitz. k. Ak. Wiss. Wien, XLVIII, (1), 1863 (1864), 39,
i, 1a, b.

- CORNUSPIRA** polygyra, Reuss. Hantken, Magy. kir. földt. int. évkönyve, IV, 1875 (1876), 15, i, 11, ii, 1; and Mittb. a. d. Jahrb. k. ungar. ges. Austalt IV, 1875 (1881), 19, same pl. and fig.
- — — — — Zittel, Handbuch Paläont. (1), 1876, 76, f. 8¹.
- — — — — Hantken, Kohlenfötze, etc., ungar. Kroue, 1878 (transl. from Magyar), 232, f. 53.
- — — — — Hoernes, Elem. Paläont. 1884, 33, f. 28, French ed. 1886, same fig.
- — — **punctulata**, Terquem. Mem. Ac. Imp. Metz, LI, 1870, 345, xxv, 14–16 [error for 14 and 15].
- — — **pygmæa**, Andreæ. Abh. geol. Specialkarte Elsass-Lothr. II, (3), 1884, 300, vi, 14.
- — — **reussi**, Bornemann. Zeitschr. deutsch. geol. Ges. VII, 1855, 318, no fig. [Reuss' *Opeculina* sp., Zeitschr. III, 1851, 73].
- — — — — Reuss, Denkschr. k. Ak. Wiss. Wien, xxv, 1865, 121, i, 10.
- — — — — VI. **excentrica**, Reuss. Sitz. k. Ak. Wiss. Wien, LXII, 1870, 464; Schlicht, Foram. Pietzpuhl, 1870, xxxv, 13–23.
- — — **rugulosa**, Reuss. Sitz. k. Ak. Wiss. Wien, XVIII, 1856, 222, I, 1.
- — — **senonica**, Dunikowski. Kosmos [Lemberg], IV, 1879, 104, pl., 1.
- — — **striolata**, Brady. Proc. Roy. Soc. Edinburgh, XI, 1882, 713.
- — — — — Brady, Report Challenger, 1884, 202, cxiii, 18 and 19.
- — — **tenuissima** (Gümbel). Schwager, Jahresh. Ver. vat. Nat. Wurtt. XXI, 1865, 94, ii, 5 [Spirillina, 1862].
- — — **undulata**, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 46, iv, Anhang, 2.
- — — **variabilis**, Zwingli & Kübler. Ibid. 1870, 33, iv, Impressathon 4, 4a, 4b [4 = *Troch. incerta*; 4a, b = *T. gordialis*].
- — — Parker. Trans. Micr. Soc. London, n. s., vi, 1858, 54.
- — — Harting. Magt van het Kleine, 1866, 100, f. 37.
- — — v. Schlicht. "Foram. Septar. Pietzpuhl," 1870, xxxv.
- ? — — — (**Spirillina** ?), P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 238, viii, 3 [Sohl. annulata, d'O., q. v.].
- — — Toula, Mittb. geogr. Ges. Wien, XVIII, 1875, 165, pl., 15 [apparently a *Spirillina*].
- — — Carpenter. Ency. Brit. ed 9, "Foraminifera," IX, 1879, 374, i, 1.
- — — Carpenter. Journ. Quekett Microsc. Club [2], II, 1885, 95, f. 7 [structural].
- — — Folin. Congrès Scient. Dax, 1882 (1883), 318, pl., f. 4 [sarcode body].
- ? — — — Wisnioski. Jahrb. k. k. Geol. Reichs. XXXVIII, (1889), 614, XIII, 63.
- CORPI** marini, Targioni. Relaz. d'alc. viaggi, ed. 2, IV, 1770, viii, pl., figs. 3, 4, 5 [= ? *Orbitolites*].
- CORPORA** rotunda minima vulgatissima Littoris Ariminensis, an Echini quoddam genus? Plancus. De Conch. min. not. 1739 (Rome, 1760), 19, ii, iv, D-F, and vii, G, I [? *Orbulinæ*].
- CORPUSCULA** plano papillosa, Soldani. Testac. I, (3), 1795, 238, 161, E, F, G, 162 H [Planorbolina mediterranensis, d'O., Ann. Sci. Nat. V, 1826, 280, 2].
- CORTALUS** pagodus, Montfort. Conch. Syst. I, 1808, 115, 29th genre [? a Gasteropod; ? Rotal. form].
- COSCINOPORA**, Goldfuss, 1826. Petrefacta German. 1826, 30. A genus of Hydractinia (*Porosphaera*), made to receive some globular bodies from the chalk. These round, bead-like bodies have been, from time to time, referred to various genera of the Foraminifera, but their position is now somewhat more definitely understood. Writing to the *Geologist*, Apr. 22, 1862, Prof. Rupert Jones says "Milleporu? globularis, Phillips (Geol. Yorksh. I, 1829, 119, i, 12) and Woodward (Geol. Norfolk, IV, 10–12), *Tragos globularis*, Reuss (Böhm. Kreid. 78, xx, 5), *Coscinopora globularis*, d'Orb. (Prodrom. II, 284) and Morris (Catal. Brit. Foss., ed. 2, 27) is our *Orbitolina globularis* [P. & J.'s]. Michelin's *Criopora avallana* (Icon. Zooph. 208, iii, 13), from Sarthe, appears to us to be a large specimen of the same variety." See also Prestwich, Phil. Trans. 1860, (2), 290; Jones, Catal. Foss. Foram. Brit. Mus. 1882, 84; Steinmann (*Porosphaera globularis*, Phillips), Palaeontographica, XXV. 1878, 120, xiii. 8–12; Carter (*Millepora Woodwardii*), Annals Mag. Nat. Hist. [5], I 1878, 306, xvii, 6–9. See also *Orbitolina coucava* ? called *Tinoporus globularis*.

COSC NOSPIRA, Ehrenberg, 1838.

— *forskallii*, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1838, 131.
hemprichii, Ehrenberg. *Ibid.* 1838, 131, ii, ii; and three varieties, α , *len-*
ticularis; β , *bacillaris*; γ , *compressa* [= *Peneroplis*, see Carpenter, "In-
introduction," etc.].

— *nautiloides*, Ehrenberg. *Ibid.* 1838, 131.
 — — — Reuss in Geinitz, Grundr. Verstein. 1845–46, 650, xxiv, 38,
 39.

— *savignyi*, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1838, 131.

COSCINOSPHERE ciliosa, Stuart. Zeitschr. wiss. Zool. xvi, 1866, 328,
 xviii, 1–4. [Globigerina, fide Haeckel, Greeff & Brandt] [see Globig.
 echinotiles].

COSKINOLINA, Stache, 1875. Verh. k. k. geol. Reichs. 1875, 335, no fig. or
 descr. and Verh. 1880, 201, no fig. (*C. liburnica*), "eine Mittelform zwis-
 chen *Conulina conica*, d'Orb. und *Lituola nautiloidea*." [A plate was
 printed but not published; there is a copy in Mr. Brady's collection now
 in library of the Royal Society.]

— Stache. Schwager. Boll. R. Com. Geol. Ital. viii, 1877, 26, pl., 86.

CREPIDULINA astacolus, de Blainville. Dict. Sci. Nat. xix, 1821, 8: xxxii,
 1824, 188; Atlas, Conch. xix, 8 [= *Astacolus* of Montfort = *Crist. crep-*
idula].

— — — — — Blain., Manuel Malac. et Conch. 1825 (pls. 1827), 383, x. 8.
CRIBROSPIRA, v. Möller, 1878. Mém. Ac. Imp. Sci. St. Petersburg, [7], xxv,
 No. 9, 1878, 86.

— *Panderi*, v. Möller. *Ibid.* [7], xxv, No. 9, 1878, 87, iv, 1a–c; x, 1a, b.

— — — — — v. Möller, *Ibid.* [7], xxvii, No. 5, 1879, 11, [f. 2].

— — — — — Roemer, Lethæa Geognostica, I, (1), 1880, 280, f. 48.

— — — — — Hoernes, Elem. Palæont. 1884, 30, f. 22; French ed. 1886,

same fig.

CRIBROSTOMUM, v. Möller, 1879. Mém. Ac. Imp. Sci. St. Petersburg, [7],
 xxvii, No. 5, 1879, 39. [The species of this genus are referred by Bra-
 dy (Report Challenger, 1884) to *Textularia* and *Bigennerina*.]

— *Bradyi*, v. Möller. *Ibid.* [7], xxvii, No. 5, 1879, 53, iii, 1a–e; vi, 1; 54,
 f. 18 and 19.

— *commune*, v. Möller. *Ibid.* [7], xxvii, No. 5, 1879, 42, f. 11; 48, f. 15;
 60, iii, 3a–d; vi, 4; 61, f. 24; 62, f. 25 and 26 [*Textularia*, Brady].

— — — — — Hoernes, Elem. Palæont. 1884, 33, f. 27; French ed. 1886,

same fig.

— *elegans*, v. Möller. Mém. Ac. Imp. Sci. St. Petersburg. [7], xxvii, No.
 5, 1879, 50, f. 17; 64, iv, 2; 3a, b, 4 and 5; 64, f. 28 [*Textularia*, Brady].

— *eximium*, v. Möller. *Ibid.* [7], xxvii, No. 5, 1879, 46, f. 12; 47, f. 13
 and 14; 55, iv, 1a–e; vi, 2; 56, f. 20 [*Textularia*, Brady].

— *gracile*, v. Möller. *Ibid.* [7], xxvii, No. 5, 1879, 59, iii, 4; 60, f. 23.

— *patulum*, (Brady). v. Möller. *Ibid.* [7], xxvii, No. 5, 1879, 57, iii, 2a, b;
 vi, 3; 58, f. 21 and 22 [*Bigennerina*, Brady].

— *pyriforme*, v. Möller. *Ibid.* [7], xxvii, No. 5, 1879, 65, iv, 6a, b; 66, f.
 29 [*Bigennerina*, Brady].

— *textulariforme*, v. Möller. *Ibid.* [7], xxvii, No. 5, 1879, 41, f. 10; 49,
 f. 16; 62, iii, 5a–c; vi, 5; 63, f. 27.

CRISTALLARIA, Hantken, 1875. Misprint for *Cristellaria*.

CRISTELLARIA, Lamarck, 1812. Extract Cours Zool. 1812, 122; and Ency.
 Méthod., "Vers," II, (1830), 29. Parker & Jones give the date of the
 foundation of the genus as 1816; Brady, Report Challenger, 1884, 534.

— *aargovensis*.

— *[argovensis]*, Kübler & Zwingli. Neujahrsblatt Burgersbibl. 1866, 9, i,
 12.

— — — — — Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 6, i,
 Turnerithon 15.

— *abnormis*, Terquem. Ess. Anim. Plage Dunkerque, (3), 1881, 117, xiii,
 23a, b (and Mém. Soc. Dunkerquoise).

— — — — — var. *ovata*, Terquem. *Ibid.* (3), 1881, 117, xiii, 24a, b; (and
 Mém. Soc. Dunkerquoise).

- CRISTELLARIA** aculeata, d'Orbigny. Ann. Sci. Nat. VII, 1826, 292, No. 14.
 ——— ——— ——— Brady, Report Challenger, 1884, 555, lxxi, 4 and 5.
 ——— ——— ——— = *C. rostrata*? (Montf.), see *Lituus innominate*.
 ——— acuminata, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 420, x, 5a, b.
 ——— ——— ——— Burbach (Dreyer), Zeitschr. f. Nat. LXI, 1888, 507, xi, 28
 and 29.
 ——— acuta, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 213, x, 3a, b.
 ——— acuta, Terquem. Mém. Ac. Imp. Metz, XLII, 1862, 446, vi, 3a, b, c.
 ——— ——— ——— Terq., Ess. Anim. Plage Dunkerque, (3), 1881, 116, xiii,
 21a, b (and Mém. Soc. Dunkerquoise).
 ——— acutauricularis (Fichtel and Moll.) v. *Nautilus*, 1798.
 ——— (C. auricularis), ——— Lamarck, Ency. Méthod. "Vers," II
 (1830), 32, 467, f. 7 (pls., 1827), (P. & J. quote 1816).
 ——— ——— ——— Brown, Elem. Foss. Conch. 1843, not descr., iii, 2.
 ——— ——— ——— Brady, Proc. Somerset. Arch. and Nat. Hist. Soc. XIII,
 1865-6 (1867), 228, iii, 38.
 ——— ——— ——— Brady, Report Challenger, 1884, 543, cxiv, 17a, b.
 ——— ——— ——— Sherborn & Chapman, Journ. R. Microsc. Soc. [2], VI, 1886,
 753, xv, 22a, b.
 ——— ——— ——— Burbach (Dreyer), Zeitschr. f. Nat. LXI, 1888, 505, x, 28
 and 24; xi, 25-27.
 ——— ——— ——— v. *Oreas*.
 ——— æquilata, Reuss. Sitz. k. Ak. Wiss. Wien, L, (1), 1864 (1865), 462, ii,
 13a, b.
 ——— æquilateralis, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 27,
 iii, 29.
 ——— ala, Zwingli & Kübler. Ibid. 1870, 20, ii, Macrocephalus oolith, 8.
 ——— alata, Gümbel. Jahresh. Ver. vat. Nat. Württ. XVIII, 1842, 2, 226, iv, 1a, b.
 ——— alata, Terq. & Berth. Mém. Soc. Géol. France, [2], X, 1875, 43, iii (xiii),
 16.
 ——— alberti, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 133, vi, 20.
 ——— (Rob.) alberti, Andreea. Abh. geol. Specialkarte Elsass-Lothr. II, (3),
 1884, 209, ix, 24.
 ——— alta, Ehrenberg. Mikrogeologie, 1854, XXXII, ii, 37 [= *C. cultrata*].
 ——— amœna, Terquem. Cinquième Mém. Foram. Lias, 1866, 439, xviii, 7a, b.
 ——— ammonoides, Kübler & Zwingli. Neujahrsblatt Burgersbibl. 1866, 14,
 ii, 21.
 ——— ——— Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 16, ii,
 Blagdenischicht 9.
 ——— (Marg.) ampla, Karrer. Abh. k. k. geol. Reichs. IX, 1877, 382, xvib, 36.
 ——— amygdaloidea, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865,
 124, v, 12.
 ——— anceps, Terquem. Mém. Ac. Imp. Metz, L, 1870, 428, ix, 11-21.
 ——— ——— ——— Terquem, Bull. Soc. géol. France, [3], IV, 1876, 492, xvi, 23.
 ——— ——— ——— Terquem, Cinquième Mém. Foram. Oolithique, 1883, 350,
 xxxviii, 18-28; xxxix, 1-3.
 ——— ——— ——— Terq., Mém. Soc. Géol. France, [3], IV, 1886, 28, iii, 5-12.
 ——— anglica, Ehrenberg. Mikrogeologie, 1854, xxviii, 55 [= *Cr. cultrata*].
 ——— angulata, Reuss, v. carinata, Rzehak. Vert. nat. Ver. Brünn, XXIV,
 1885 (1886), 107, i, 15 [*Rubulina angulata*, 1851].
 ——— angusta, Reuss. Haidinger's Naturw. Abb. IV, (1), 1851, 32, ii, 7.
 ——— anomala, Terquem. Mém. Ac. Imp. Metz, L, 1870, 439, xiii, 26-30.
 ——— ——— ——— Terquem; Mém. Soc. Géol. France, [3], IV, 1886, 32, iii, 27.
 ——— antiquata, d'Orbigny, 1849. Prodrome de Paléont. I, 1849, 242, No. 265.
 ——— ——— ——— Terquem, Mém. Ac. Imp. Metz, XXXIX, 1858, 620, iii, 15a, b;
 and iv, 5.
 ——— arcuata, d'Orbigny. Foram. Fossiles Vienne, V, 1846, 87, iii, 34-36.
 ——— ——— ——— Egger, Neues Jahrbuch, 1857, 296, xiv, 28-30.
 ——— ——— ——— Neugeboren Arch. Ver. siebenburg, Landeskunde N. F. X,
 (2), 1872, 276, i, 3 and 4.
 ——— ——— ——— Hantken. A magy. kir. földt. int. évkönyve, IV. 1875 (1876),
 45, v, 5 and 6; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875
 (1881), 53, same pl. and fig.

- CRISTELLARIA** *arcuata*, d'Orb. Jones, M. Micr. Journ. xv, 1876, cxxviii, 9a, b and 20a, b; 21a, b.
 ——— *arcuata* (Phil.). D'Orb., Prodrome de Paléont. III, 1852, 154, No. 2853 [*Marginulina*, 1844].
 ——— Reuss, Sitz. k. Ak. Wiss. Wien, L, (1), 1864 (1865), 463, ii, 9-11.
 ——— v. *arguta*, Rss. Hantken. Magyar. Földt. Társ. Munkálatai, IV, 1868, 92, ii, 26a, b, c [*C. arguta*, 1856].
 ——— Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 43, v, 10, xvi, 5; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 51, same pl. and fig.
 ——— Jones, M. Micr. Journ. xv, 1876, cxxix, 5a, b.
 ——— Hantken, Kohlenflötze, etc., ungar. Krone, 1878 (transl. from Magyar), 221, f. 50.
 ——— *arcuata* (Karst.). Reuss, Sitz. k. Ak. Wiss. Wien, xviii, 1855, 233, iii, 34-36 [*Planularia*, 1849].
 ——— (*Robul.*) *arcuato-striato*, Hantken. Magyar. Földt. Társ. Munkálatai, IV, 1868, 93, ii, 30a, b, c.
argovensis, v. *C. argovensis*.
arguta, Reuss. Sitz. k. Ak. Wiss. Wien, xviii, 1856, 235, iii, 37.
arietis. Terquem. Sixième Mém. Foram. Lias, 1866, 510, xxl, 30.
 ——— (*Rob.*) *ariminensis*, d'Orbigny. Bütschli in Bronn, Klassen, etc., Thier-Reichs, 1880, 199, viii, 10 [*Robulina*, 1826].
 ——— *armaschewskii*, Toutkovsky. Zap. Kievsk. Obsch. Est. ix, 1888, 32, iii, 2a, b, c.
 ——— *articulata*, Reuss. Sitz. k. Ak. Wiss. Wien, LXII, 1870, 483; v. Schlicht, Foram. Pietzpuhl, 1870, xvii, f. 5-12 [v. *Robulina*, 1863].
 ——— Brady, Report Challenger, 1884, 547, lxi, 1-4, 10-12.
 ——— *articulata*, Seguenza. Atti R. Acc. Lincei, [3], vi, 1880, 140; xiii, 10, 10a.
 ——— *articulata*, Terquem. Mém. Ac. Imp. Metz, XLII, 1862, 447, vi, 6a, b.
aspera. Alth. Haidinger's Naturw. Abh. III, (2), 1850, 268, xiii, 24.
asperula, Gümbel. Abh. m.-ph. Cl. k. bayer. Ak. Wiss. x, 1868 (1870), n. d., i. 65a, b.
attenuata, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 28, iii, 32.
aureola, Karrer. Abh. k. k. geol. Reichs. IX, 1877, 383, xvib, 39.
auricula (v. M.) Reuss, Sitz. k. Ak. Wiss. Wien, xviii, 1856, 235, iii, 38 [v. *Planularia*, 1838].
auriformis, Renss. Zeitschr. deutsch. geol. Ges. III, 1851, 153, viii, 4.
auris (d'Orb.), 1847. D'Orbigny, Prodrome de Paléont. III, 1852, 192, No. 509 [*Planularia*, 1826].
 ——— *auris*, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 22, ii, Ornamentthon 4.
auris (Defr.). See *Planularia* and *Orthoceras*.
austriaca. Terquem. Essai Anim. Plage Dunkerque, (2), 1876, 70, vii, 20a, b (and Mém. Soc. Dunkerquoise).
baccularis, Terquem. Sixième Mém. Foram. Lias, 1866, 514, xxli, 2a, b, 3a, b.
badensis. Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 34, iv, Impressathon 11.
baylei, Reuss. Sitz. k. Ak. Wiss. Wien, XLIV, (1), 1861 (1862), 336, vii, 7.
behmi. Reuss. Denkschr. k. Ak. Wiss. Wien, XXV, 1865, 138, ii, 37 [v. also *Marginulina*].
 ——— (*Marg.*) Hantken, Magyar. Földt. Társ. Munkálatai, IV, 1868, 91, ii, 21a, b.
berthelotiana, d'Orbigny. Barker, Webb & Berthelot, Hist. Nat. Iles Canaries, 1839, II, (2), "Foraminifères," 127, i, 12 and 13 [error for 14 and 15].
beyrichi (Born.), Reuss. Denkschr. k. Ak. Wiss. Wien, XXV, 1865, 148, iii, 20 [*Robulina*, 1855].
biclivosa, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 133, vi, 21.
bicornis, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 192, xvi, 3a, A, B [error for xvii, 1 and 3].

- CRISTELLARIA** bicostata, Deecke. Abh. geol. Specialkarte Elsass-Lothr. IV, (1), 1884, 49, ii, 13, 13a.
- bicoastata, Terquem & Berthelin. Mém. Soc. Géol. France, [2], x, 1875, 43, iii (xiii), 18.
- biedermannii, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 28, iii, 31.
- bielzana, Neugeboren. Arch. Ver. siebenburg. Landeskunde, N. F., x, (2), 1872, 279, i, 19-22.
- bilobata, d'Orbigny. Ann. Sci. Nat. VII, 1826, 292, No. 12.
- — — — = *C. elongata*. v. *Nutilus lituitatis ligula*.
- birmenstorfensis, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 29, iii, 36.
- bistegia, Olszewski. Sprawozd. Kom. fizyj. Ak. Umiej. Krakowie, ix, 1875, 115, i, g [error for 9].
- bochardi, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 419, x, 3a, b, c.
- bononiensis, Berthelin. Mém. Soc. Géol. France, [3], 1, 1880, 55, iii, (xxvi), 23a-c.
- böttcheri, Reuss. Sitz. k. Ak. Wiss. Wien, XLVII, (1), 1863 (1864), 49, and 66, iii, 38-42.
- — — — Andreae, Abh. geol. Specialkarte Elsass-Lothr. II, (3), 1884, 223, ix, 26.
- brachyspira, Reuss. Sitz. k. Ak. Wiss. Wien, XLVIII, (1), 1863 (1864), 49, iii, 43a; iv, 43b.
- — — — Reuss, Denkschr. k. Ak. Wiss. Wien, XXV, 1865, 141, iii, 5.
- breoni, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 420, x, 4a, b.
- breviformis, Terq. & Berth. Mém. Soc. Géol. France, [2], x, 1875, 42, iii (xiii), 14.
- bronnana, Neugeboren. Arch. Ver. siebenburg. Landeskunde, N. F., x, (2), 1872, 277, i, 7-10.
- bronni (Röm.). Reuss, Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 70, vii, 13a, b [v. *Planularia*, 1840].
- [bronnii] — Tate & Blake, Yorkshire Lias, 1876, 466, xvii. 26.
- — — — Uhlig, Jahrb. k. k. geol. Reichs. XXXIII, 1883, 753, ix, 4 and 5.
- bucculenta, Stache. Novara-Exped. Geol. I, 1864, 238, xxiii, 17a, b.
- bufo, Stache. Ibid. I, 1864, 239, xxiii, 18a, b.
- burbachii, Dreyer. Burbach (Dreyer), Zeitschr. f. Nat. LXI, 1888, 512, xi, 40.
- calcar (Linné). Parker & Jones, Annals Mag. N. H. [2], xix, 1857, 289, x, 10-12 [*Nutilus*, 1758].
- — — — *Ibid.* 2, xix, 1857, 289, x, 1 and 2 [= *Vaginulina*].
- — — — Williamson, Rècent British Foram. 1858, 25, ii, 52-55, "52 and 53 typica" [52, 53 = *C. rotulata*].
- — — — v. *oblonga*, Williamson. *Ibid.* 1858, 28, ii, 55 [compare *Marg. wetherellii*].
- — — — v. *rotifer*, Williamson. *Ibid.* 1858, 28, ii, 54.
- — — — var. Williamson, Pop. Sci. Rev. IV, 1865, 174, viii, 7.
- (**Robul.**) — — — v. *cultrata*, Montf. Hantken, Magyar. Földt. Társ. Munkálatai, IV, 1868, 93, ii, 31a, b [*Robulus*, 1808].
- — — — P., J. & B. [Soldan] Ann. Mag. Nat. Hist. [4], VIII, 1871, 242, x, 91 [see *Robulina culvata*, d'O.].
- — — — *Ibid.* 243, x, 92 [see *Robulina rotundata*, d'O.].
- — — — *Ibid.* 241, x, 93 [see *Rob. radiata*, d'O.].
- — — — *Ibid.* 241, x, 94 [see *Rob. pulchella*, d'O.].
- — — — *Ibid.* 241, x, 95 [see *Rob. laevigata*, d'O.].
- — — — Terquem, Ess. Anim. Plage Dunkerque, (1), 1875, 23, i, 12 (and Mém. Soc. Dunkerquoise).
- — — — var. *cultrata*, d'Orb. Toula, Mitth. geogr. Ges. Wien, XVIII, 1875, 165, pl., 16 [*Robulus*, 1808].

- CRISTELLARIA calcar** (Linné), var. Terquem, Ess. Anim. Plage Dunkerque, (3), 1881, 117, xiii, 22a, b (and Mém. Soc. Dunkerquoise).
- — — — — Brady, Report Challenger, 1884, 551, lxx, 9-15.
- — — — — Agassiz, Three Cruises "Blake," II. 1888, 166, f. 507.
- — — — — Brady, Parker & Jones, Trans. Zool. Soc. XII, (7), 1888, 224, xliv, 14.
- — — — — Soldani, Testac. 1789, I, (1), 54, pl. 33, C, E, aa, bb, mm, nn, = this form. See also *Nautili diversæ speciei*.
- — — — — see *Naut. dentati* and *Naut. echinata* and *Naut. circumradiata*.
- — — — — v. *Antenor*.
- — — — — v. *Clisiphontes*; *Rhinocurus*.
- — — — — v. *Pharamum*.
- — — — — v. *Nautilus*.
- — — — — *caleata*, Schwager. Novara-Exped: Geol. II. 1866, 244, vii, 88.
- — — — — *caligula*, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 39, iv, Badener Schicht, 9.
- — — — — *callifera*, Stache. Novara-Exped. Geol. I, 1864, 236, xxiii, 15a, b.
- — — — — *candonensis*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 292, No. 18.
- — — — — *carantiana*, d'Orbigny, 1847. Prodrome de Paléont. II, 1850, 185, No. 752.
- — — — — *carinata* (d'O.). P., J. & Brady, [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 178, x, 83 [v. *Soldanaria*, 1826].
- — — — — Olszewski. Sprawozd. Kom. fizyj. Ak. Umiej. Krakowie, IX, 1875, 116, i, 10.
- — — — — *carinato-costata*, Deecke. Abh. geol. Specialkarte Elsass-Lothr. IV, (1), 1884, 43, ii, 5, 5a.
- — — — — *cassiana*, Gümbel. Jahrb. k. k. geol. Reichsanstalt, XIX, 1869, 177, v, 2 and 3.
- — — — — *cassidata*, Montf. See *Linthuris*.
- — — — — *cassis* (Fichtel & Moll.). D'Orbigny, Modèles, No. 83, and young No. 44, 1826 [v. *Nautilus*, 1798].
- — — — — Lamarck (*C. papillosa*), Ency. Méthod. "Vers," II, (1830), 29, (pls. 1827), (P. & J. quote 1816), 467, f. 3 a-d.
- — — — — [d'Orb.]. Cuvier, Règne Animal, 1836-46, IX, (pls. x), 33, xv, 1.
- — — — — [Lamarck]. D'Orbigny, Foram. Fossiles Vienne, 1846, 91, iv, 4-7.
- — — — — Michelotti, Nat. Verh. Holland. Maatsch. Wetensch. Haarlem, II Verzam. 3 dl. 2 stk. 1847, 13, i, 5.
- — — — — Jones & Parker, Quart. Journ. Geol. Soc. XVI, 1860, XX, 41.
- — — — — Suess, Boden Stadt Wien, 1862, 45, f. 1³.
- — — — — Parker, Jones & Brady [d'O., Modèles 44], Ann. Mag. Nat. Hist. [3], XVI, 1865, 26, i, 45.
- — — — — P., J. & B. [d'O., Modèles 83], *ibid.* [3], XVI, 1865, 32, i, 44.
- — — — — P., J. & B. [Soldani], *ibid.* [4], VIII, 1871, 244, x, 86.
- — — — — P., J. & B. [Soldani], *ibid.* [4], VIII, 1871, 244, x, 87 [see *C. soldanii*, d'O.].
- — — — — (feeble). P., J. & B. [Soldani], *ibid.* [4], VIII, 1871, 244, x, 88 [see *C. nitida*, d'O.].
- — — — — (young), P., J. & B. [Soldani], *ibid.* [4], VIII, 1871, 240, x, 89 [see *Robulina marginata*, d'O.].
- — — — — [Lam.], var. Neugeboren, Arch. Ver. siebenburg. Landeskunde, N. F., X, (2), 1872, 278, i, 17 and 18.
- — — — — Jones, M. Micr. Journ. XV, 1876, cxxviii, 15.
- — — — — [Lam.], var. Seguenza, Atti. Acc. Lincei, [3], VI, 1880, 141, xiii, 14.
- — — — — Brady, Report Challenger, 1884, 552, lxviii, 10
- — — — — Bassett, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 163, 2, figs.
- — — — — Quenstedt, Handbuch Petref. ed. 3, (5), (1885), 1051, lxxxvi, 17.

- CRISTELLARIA** *cassis* (Fichtel & Moll). Brady, Parker & Jones, Trans. Zool. Soc. XII, (7), 1888, 224, xliv, 16.
 ——— ——— (young). Soldani, Testac. 1789, I, (1), 54, pl. 33, D = this form.
 ——— ——— var. See *C. navicularis*, Montf.
 ——— ——— see *Litui crisspati*, etc., and *Nautili lituitati* and *N. cicada*, etc.
 ——— *centralis*, Terquem. Mém. Ac. Imp. Metz, I, 1870, 443, xv, 1-30; XVI, 1-6.
 ——— ——— Terq., Cinquième Mém. Foram. Oolithique, 1883, 356, xxxix, 28-30.
 ——— ——— Terq., Mém. Soc. Géol. France, [3], IV, 1886, 35, iii, 50-53.
 ——— ——— Deecke, Mém. Soc. Emul. Montbéliard, XVI, 1886, [34], ii, 8.
 ——— *centro-gyrata*, Terquem. Mém. Ac. Imp. Metz. L, 1870, 443, XVI, 7-14.
 ——— ——— Terquem, Mém. Soc. Géol. France, [3], IV, 1886, 36, iii, 54 and 55.
 ——— *cephalotes*, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 67, vii, 4, 5, 6a, b.
 ——— ——— Deecke, Mém. Soc. Emul. Montbéliard, XVI, 1886 [31], ii, 9-9b.
 ——— *ciliindracea*, Karrer. v. *C. cylindracea*.
 ——— *cilo*, Stache. Novara-Exped. Geol. I, 1864, 234, xxii, 13a, b.
 ——— *cincta*, Terq. and Piette. Terquem, Mém. Ac. Imp. Metz, XLII, 1862, 460, vi, 21a, b, c.
 ——— *cinctella*, Terquem. Sixième Mém. Foram. Lias, 1866, 516, xxii, 6a, b.
 ——— *circumcidanea*, Berthelin. Mém. Soc. Géol. France, [3], I, 1880, 52, iii (xxvi), 1a, b.
 ——— *circumlobata*, Reuss. Sitz. k. Ak. Wiss. Wien, LXII, (1), 1870, 483; v. Schlicht, "Foram. Septar. Pietzpuhl," 1870, XVI, 11, 12, 15, 16.
 ——— *clavata*, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 415, ix, 18a, b.
 ——— *clypeiformis*, d'Orbigny. Foram. Foss. Vienne, 1846, 101, iv, 23 and 24.
 ——— cf. ——— Koenen, Abh. k. Ges. Wiss. Göttingen, XXXII, 1885, 108, v, 14a, b.
 ——— *coarctata*, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 192, xvii, 1.
 ——— *collarifera*, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 136, vii, 24.
 ——— *collenoti*, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 416, ix, 20a, b.
 ——— *colorata*, Stache. Novara-Exped. Geol. I, 1864, 229, xxiii, 9a, b.
 ——— *communis*, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur, 1866, 10, I, 22, 23.
 ——— ——— Zwingli & Kübler, Foram. schweiz. Jura, 1870, 8, I, Posidonienschiefer 4; 10, I, Jurensismergel 5; 27, iii, 27; 38, iv, Badener Schicht 6.
 ——— *complanata*, Reuss. Verstein. Böhm. Kreide, 1845-46, I, 33, xii, 54.
 ——— ——— Reuss, Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 92, xii, 13a, b.
 ——— *complanata*, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 122, v, 8.
 ——— (Marg.) *complanata*, Hantken. Magyar. Földt. Társ. Munkálatai, IV, 1868, 90, ii, 28.
 ——— *complicata*, Terquem. Sixième Mém. Foram. Lias, 1866, 513, xxii, 34.
 ——— *compressa*, d'Orbigny. Foram. Fossiles Vienne, 1846, 86, iii, 32, 33.
 ——— ——— Costa, Atti Accad. Pontaniana, VII, (2), 1856, not descr., xxvii, 23.
 ——— ——— Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 28, iii, 34.
 ——— (Marg.) ——— ——— Reuss in Geinitz, Palaeontographica, XX, (2), 1874, 101, xxiii, 5.
 ——— ——— ——— Brady, Report Challenger, 1884, 538, cxiv, 15 and 16.

- CRISTELLARIA compressiuscula**, d'Orb., 1847. D'Orbigny, Prodrome de Paléont. III, 1852, 154, No. 2852 (= *Marginulina*, Philippi, 1844).
- **comptula**, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 133, vi, 19.
- **concinna**, Reuss. Denkschr. k. Ak. Wiss. Wien, XXV, 1865, 148, iv, 3.
- **conferta**, Reuss. Sitz. k. Ak. Wiss. Wien, XLVIII, (1), 1863 (1864), 50, iv, 46a, b.
- **conglomeratica**, Andreea. Abh. geol. Specialkarte Elsass-Lothr. II, (3), 1884, 299, vi, 9.
- **consecta**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 290, No. 1.
- = *Crist. margaritacea* (Montf.); v. also *Litui crispati*, etc., and *Nautili lituitati*.
- **contracta**, Costa. Mem. Acc. Sci. Napoli, II, 1855 (1857), 121, i, 5, A, B.
- **contracta**, Terquem. Cinquième Mém. Foram. Lias, 1866, 440 xviii, 9a, b.
- Terq. & Berth., Mém. Soc. Géol. France, [2], X, 1875, 42, iii (xiii), 15 a-f.
- Terquem, *ibid.* [3], II, 1882, 41, ii (x), 4, 5.
- **convergens**, Bornemann. Zeitschr. deutsch. geol. Ges. VII, 1855, 327, xiii, 16 and 17.
- Brady, Report Challenger, 1884, 546, lxxix, 6, 7.
- **convexa**, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 34, iv, Impressathon 10.
- **convoluta**, Bornemann. Lias von Göttingen, 1854, 42, iv, 38a, b.
- **cordiformis**, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 413, ix, 14a, b.
- **cornucopiae**, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 121, v, 7.
- **costata** (Fichtel & Moll). Brady, Report Challenger, 1884, 555, lxxi, 8 and 9. [See *Nautilus*, 1798, and *Nautili diverse specie*.]
- D'Orbigny, Ann. Sci. Nat. VII, 1826, 292, No. 10.
- D'Orb., Modèles, No. 84, 1826.
- P., J. & B. [d'O. Modèles, 84], Ann. Mag. Nat. Hist. [3], XVI, 1865, 32, i, 46.
- Brady, Proc. Somerset. Arch. & Nat. Hist. Soc. XIII, 1865-6 (1867), 228, iii, 43.
- Jones, M. Micr. Journ. XV, 1876, cxxix, 12 (Keelless subvar.).
- Basset, Annu. Soc. Sci. Charente-Inf. 1884 (1885), 163, fig. see *Spincterules*.
- **crassa**, d'Orbigny. Foram. Fossiles Vienne, 1846, 90, iv, 1-3.
- Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 34, iv, Impressathon 9.
- Brady, Report Challenger, 1884, 549, lxx, 1a, b.
- (Marg.) **crassicosta**, Karrer. Jahrb. k. k. geol. Reichsanstalt, XX, 1870, 177, ii, 8.
- **crepidula** (Fichtel & Moll). D'Orbigny, De la Sagra, Hist. Phisq. etc., Cuba, 1839, "Foraminifères," 41, viii, 17 and 18; also in Spanish, 1840, 64, same pl. and fig. [v. *Nautilus*, 1798].
- Parker and Jones, Phil. Trans. 1865, 344, xiii, 15, 16a, b; XVI, 4.
- Brady, Proc. Somerset. Arch. & Nat. Hist. Soc. XIII, 1865-6 (1867), 228, iii, 39.
- Terquem, Ess. Anim. Plage Dunkerque, (1), 1875, 23, i, 11 (and Mém. Soc. Dunkerquoise).
- Tate & Blake, Yorkshire Lias, 1876, 466, xvii, 25; xix, 14.
- Brady, Report Challenger, 1884, 542, lxvii, 17, 19, 20; lxviii, 1, 2.
- Jones, Quart. Journ. Geol. Soc. XL, 1884, 770, xxxvi, 8.
- Balkwill & Millett, Journ. Micros. III, 1884, 84, iv, 8.
- Koenen, Abh. k. Ges. Wiss. Göttingen, XXXII, 1885, 108, v, 15a, b.

- CRISTELLARIA** *crepidula* (Fichtel & Moll). Wright, Proc. Belfast Nat. Field Club, 1884-5, App. IX, 1886, 331, xxvii, 4.
 ——— ——— Sherborn & Chapman, Journ. R. Micr. Soc. [2], vi, 1886, 753, xv, 21.
 ——— ——— Agassiz, Three Cruises "Blake," II, 1888, 166, f. 506.
 ——— ——— Brady, Parker & Jones, Trans. Zool. Soc. XII, (7), 1888, 224, xliv, 8, 9.
 ——— ——— Prestwich, Geology, 1888, II, 218, 115*.
 ——— [Röm]. Goës, Bihang K. Svenska Vet.-Ak. Handl. XV, 1889, II, 27, 28.
 ——— ——— see *C. elongata*, d'O.
 ——— ——— see *Astacolus*.
 ——— ——— see *Planularia* and *Nautilis*.
 ——— *crepidulæformis*. Gümbel. Sitz. k.-bayer. Ak. Wiss. I, 1871, 66, i, 11.
 ——— *crepidularis* (Röm.), Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 69, viii, 10a, b [*Planularia*, 1842].
 ——— *cristata*, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 132, vi, 18.
 ——— *cucullata*, Montfort. See *Macrodites*.
 ——— *culturata* (Montf.). Parker & Jones, Phil. Trans. 1865, 344, xiii, 17a, b; 18a, b xvi, 5 [v. *Robulus*, 1808, and *Robulina*].
 ——— ——— Brady, Proc. Somerset. Arch. and Nat. Hist. Soc. XIII, 1865-6 (1867), 227, iii, 37.
 ——— ——— J., P. & B., Crag Foram. Pal. Soc. XIX, 1866, n. d., i, 24, 25.
 ——— ——— P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 240, x, 84.
 ——— ——— Vanden Broeck, Ann. Soc. Belge Micros. II, 1876, 107, iii, 3 and 6; and Fonds de la Mer, III, (1876).
 ——— ——— Terrigi, Atti Acc. Pont. Nuovi Lincei, XXXIII, 1880, 182, i, 12.
 ——— ——— Jones, in Microgr. Dict. ed. 4, 1883, 214, xxiii, 37a, b.
 ——— ——— Jones, Quart. Journ. Geol. Soc. XL, 1884, 765, xxxiv, 11 and 10 and 7.
 ——— ——— Brady, Report Challenger, 1884, 550. lxx, 4-8.
 ——— ——— Koenen, Abh. k. Ges. Wiss. Göttingen, XXXII, 1885, 107, v, 13a, b.
 ——— ——— Sherborn & Chapman, Journ. R. Micr. Soc. [2], vi, 1886, 754, xv, 28a, b.
 ——— ——— v. *splendens*, Sherborn & Chapman. Journ. R. Micr. Soc. [2], vi, 1886, 755, xv, 29a, b.
 ——— ——— Anon., Sci. News, 4 May, 1888, 413, f. 14.
 ——— ——— Brady, Parker & Jones, Trans. Zool. Soc. XII, (7), 1888, 224, xliv, 13.
 ——— ——— var. Prestwich, Geology, 1888, II, 352, 175c.
 ——— ——— Mariani, Boll. Soc. geol. Ital. VII, (1889), 287, x. 12.
 ——— [? ———] Giannui. Opere postume, 1755, 20, xiv, 113, 114.
 ——— ——— Soldani, Testac., 1789, I, (1), 54, 34, cc = this form.
 ——— ——— see *Lampas*.
 ——— ——— see *Nautilus*.
 ——— *cumulicostata*. Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 638, i, 67a, b.
 ——— (*Marg.*), *cylindracea*, Karrer. Jahrb. k. k. geol. Reichsanstalt, XX, 1870, 177, ii, 7 [*C. cylindracea* in "Erklärung"].
 ——— *cymboides*, d'Orbigny. Foram. Fossiles Vienne, 1846, 85, iii, 30, 31.
 ——— ——— Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 41, v, 3; and Mitt. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 49, same pl. and fig.
 ——— ——— Jones, M. Micr. Journ. XV, 1876, cxxviii, 10a, b [= *Planularia crepidula*].

- CRISTELLARIA** *decorata*, Reuss. Zeitschr. deutsch. geol. Ges. VII, 1855, 269, viii, 16; ix, 1 and 2.
 ——— Rzehak, Ann. k. k. nat. Hofmuseums (Wien), III, (3), 1888, 261, xi, 10.
deformis, Bornemann. Lias von Göttingen, 1854, 41, iv, 35 α , b.
deformis, Karrer. Sitz. k. Ak. Wiss. Wien, LV, (1), 1867, 349, i, 3.
deformis, Reuss. Hantken, Magyar. Földt. Társ. Munkálatai, IV, 1868, 93, ii, 23 α , b [v. *Robulina*, 1851].
dentaliniformis, Terq. & Berth. Mém. Soc. Géol. France, [2], x, 1875, 48, iii (xiii), 19 a -c.
dentata, Karrer. Sitz. k. Ak. Wiss. Wien, LV, (1), 1867, 348, i, 1.
 ——— Brady, Report Challenger, 1884, 540, cxiii, 12 a , b.
 ——— Rzehak, Vert. nat. Ver. Brünn, XXIV, 1885 (1886), 108, I, 14 ("a = *C. lanceolata*, d'Orb.; b = *C. semilunata*, d'Orb.").
denticulata, Rss. Verstein. Böhm. Kreide, 1845-6, I, 33, viii, 12.
depauperata, Reuss. Sitz. k. Ak. Wiss. Wien, XLVIII, (1), 1863 (1864), 66, vi, 67, 68; viii, 90a, b.
 ——— var. *costata*. Reuss, Denkschr. k. Ak. Wiss. Wien, XXV, 1865, 146, iii, 19; iv, 5, 6.
 ——— var. *intumescens*. *Ibid.* XXV, 1865, 146, iv, 2, 4.
deperdita. Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 423, x, 10 a , b.
depressa, d'Orbigny. Ann. Sci. Nat. VII, 1826, 292, No. 8.
desorii. Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 28, iii, 30.
dewalquei, Reuss. Bull. Ac. Roy. Belg. [2], XV, 1863, 149, ii, 22, 23.
diademata, Berthelin. Mém. Soc. Géol. France, [3], I, 1880, 51, iii (xxvi), 4 α -5 b , 12 and 18.
dictyodes, Deccke. Abh. geol. Speciaalkarte Elsass-Lothr. IV, (1), 1884, 48, ii, 9, 9a.
dilatata. Lam. Ency. Méthod. "Vers." (pls. 1827), II, (1832), 29, 467, f. 1 and 2 [= *Penerop. planatus*, F. & M].
dilecta, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 71, vii, 12 a , b.
dilutestriata, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. X, 1868 (1870), 639, i, 69.
dimorpha, Reuss. Denkschr. k. Ak. Wiss. Wien, XXV, 1865, 148, iii, 1 α .
dimorpha, Toutkowsky. Zap. Kievsk. Obsch. Est. IX, 1888, 26, IV, 1, 2, 3.
disco-granulata, Seguenza. Atti R. Acc. Lincei, [3], VI, 1880, 141, xii, 15.
doliolum, Terquem. Mém. Ac. Imp. Metz, L, 1870, 431, ix, 29 α , b.
dubiensis, Berthelin. Mém. Soc. Géol. France, [3], I, 1880, 52, iii (xxvi), 24 α , b.
dunkeri, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 73, viii, 6 a , b.
duracina, Stache. Novara-Exped. Geol. I, 1864, 237, xxiii, 16 α , b.
 (Robulina) *echinata*, d'Orbigny. (Carpenter, Parker & Jones, Introd. Foram. 1862, xii, 3 [v. *Rubulina*, 1846]).
 (Rob.) ——— Nicholson, Manuel Palaeont. 1879, I, 101, f. 15.
 (Rob.) ——— [(Sold.)]. Bütschli in Bronn, Klassen, etc., Thier-Reichs, 1880, 199, vii, 27.
 ——— Brady, Report Challenger, 1884, 554, lxxi, 1-3.
elegans, d'Orbigny. Ann. Sci. Nat. VII, 1826, 293, No. 24.
 ——— v. *Lituus elegans*, Soldani.
elegans, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 43, xiv, 4; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 88, same pl. and fig.
 ——— Jones, in M. Micr. Journ. XV, 1876, cxxviii, 7 a , b.
elliptica, Bornemann. Zeitschr. deutsch. geol. Ges. VII, 1855, 328, xiii, 18.

- CRISTELLARIA** elongata, d'Orbigny. Ann. Sci. Nat. VII, 1826, 292, No. 11,
 ————— P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871,
 166, x, 77 [see *Planularia crepidula* (F. & M.)].
 ————— Ibid. [4], VIII, 1871, 245, x, 76.
 ————— Ibid. [4], VIII, 1871, 245, x, 78 [see *Crist. bilobata*, d'O.].
 ————— Fornasini, Boll. Soc. Geol. Ital. II, 1883, 187, II, 8a, b.
 ————— see *Nautili (lituitati, ligulæ, cuspis)* and *N. diverse species*.
 ————— elongata, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur,
 1866, 9, I, 20.
 ————— elongata (Montfort), see *Periples*.
 ————— erato, Rzehak. Ann. k. k. nat. Hofmuseums (Wien), III, (3), 1888, 262,
 xi, 5a, b.
 ————— erinacea, Karrer. In v. Drasche, Frag. Geol. Luzon, 1878, 92, v, 17; and
 Bol. Com. Map. Geol. Espan. VII, 1880, 275, F, 3.
 ————— escheri, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur, 1866,
 9, I, 14.
 ————— Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 6, I, Tur-
 nerithon 14.
 ————— eseri, Gümbel. Sitz. k.-bayer. Ak. Wiss. I, 1871, 66, I, 10.
 ————— eugenii, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 414, IX, 16a, b.
 ————— Burbach (Dreyer), Zeitschr. f. Nat. LXI, 1888, 502, x, 14.
 ————— eurythalama, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1855, 162,
 ii, xii [= *Haplophragmium*] [*Glauc.*].
 ————— exarata, v. Hagenow. Neues Jahrb. f. min. 1842, 572.
 ————— Reuss, Sitz. k. Ak. Wiss. Wien, XLIV, (1), 1861 (1862),
 327, vi, 5a, b.
 ————— excavata, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 418, x, 2a, b.
 ————— excentrica, Cornuel. Mém. Soc. Géol. France, [2], III, 1848, 254, II,
 11-13.
 ————— Burbach (Dreyer), Zeitschr. f. Nat. LXI, 1888, 511, xi, 39.
 ————— excisa, Bornemann. Zeitschr. deutsch. geol. Ges. VII, 1855, 328, xiii, 19
 and 20.
 ————— Reuss, Denkschr. k. Ak. Wiss. Wien, XXV, 1865, 141, III,
 18.
 ————— exigua, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 129, VI, 9.
 ————— exilis, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 66, VI,
 19a, b.
 ————— eximia, Reuss. Ibid. XLVIII, (1), 1863 (1864), 52, V, 56a, b.
 ————— falcatata, Karrer. In v. Drasche, Frag. Geol. Luzon, 1878, 93, v, 19; and
 Bol. Com. Map. Geol. Espan. VII, 1880, 276, F, 5.
 ————— falcifer. Stache. Novara-Exped. Geol. I, 1864, 240, xxiii, 19a, b.
 ————— fenestrata, Reuss. Denkschr. k. Ak. Wiss. Wien, XXV, 1865, 42, III, 11.
 ————— fenestrata, Terquem. Cinquième Mém. Foram. Lias, 1866, 437, xviii,
 4a, b.
 ————— filosa, Terquem. Sixième Mém. Foram. Lias, 1866, 517, xxii, 8a, b.
 ————— flabelliformis, Deeecke. Mém. Soc. Emul. Montbéliard, XVI, 1886 (28),
 II, 5.
 ————— flabellina, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur,
 1866, 11, I, 25 [= *C. crepidula*].
 ————— Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 11, I,
 Jurensismergel 9.
 ————— flabellinoides, v. d. Marck (? nov.). Verh. nat. Ver. preuss. Rheinl.
 XV, 1858, 53, I, 4.
 ————— flaccida, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 8, I, Posi-
 doulenschiefer 3.
 ————— flagellum, Terquem. Cinquième Mém. Foram. Oolithique, 1883, 358, XI,
 7-23.
 ————— Terquem, Mém. Soc. Géol. France, [3], IV, 1886, 37, IV, 5-
 21.

- CRISTELLARIA** *fleuriausa*, d'Orbigny. Prodrome de Paléont. II, 1850, 41 [v. *Peneroplis* *fleuriausii*, 1826].
- *floridana* ? (d'Orb.), 1847. D'Orbigny, Prodrome de Paléont. II, 1850, 406, No. 1301 (*Nummulites*, Conrad, 1846).
- *fœda*, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 64, vi, 11–13.
- *foliacea*, Schwager. Benecke's Geogn.-Pal. Beiträge, I, 1868, 659, xxxiv, 17.
- *foliacea*, Marsson. Mitth. Nat. Ver. Neu-Vorpommern u. Rügen, X, 1878, 143, ii, 18a, b, c.
- *fraasi*, Gümbel. Sitz. k.-bayer. Ak. Wiss. I, 1871, 67, i, 12.
- *fraasi*, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 123, v, 10.
- aff. — Deecke, Abh. geol. Speciakarte Elsass-Lothr. IV, (1), 1884, 41, ii, 11.
- — — — — Deecke, Mém. Soc. Emul. Montbéliard, XVI, 1886, [32], ii, 24.
- *fragaria*. Gümbel. Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 46, vi, 1, 2 and 3; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 53, same pl. and fig. [v. *Marginulina*, 1868].
- — — — — Jones, M. Micr. Journ. XV, 1876, cxxix, 4.
- *franconica*, Gümbel. Jahresh. Ver. vat. Nat. Württ. XVIII, 1862, 225, iii, 27a, b, c.
- *furcifera*, Terquem. Sixième Mém. Foram. Lias, 1866, 510, xxi, 29a, b.
- *galea*, Lamarck. Ency. Méthod. "Vers," II, (1830), 31, (pls. 1827), (P. & J. quote 1816), 467, f. 6.
- — — — — Mantell, Pictorial Atlas Foss. Rem. 1850, 144, lxii, 29.
- *galeata*, Reuss. Zeitschr. deutsch. geol. Ges. III, 1851, 66, iv, 20.
- — — — — Reuss, Denkschr. k. Ak. Wiss. Wien, XXV, 1865, 141, iii, 8.
- — — — — Jones, M. Micr. Journ. xv, 1876, cxxviii, 19a, b.
- — — — — Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 76, xiii, 20; xiv, 12; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (81), 54, same pl. and fig.
- — — — — Deecke, Mém. Soc. Emul. Montbéliard, XVI, 1886, [n. d.], ii, 11, 11a.
- *galeata*, Terquem. Mém. Ac. Imp. Metz, I, 1870, 444, xvi, 15a, b.
- *gaudryana*, d'Orbigny. Mém. Soc. Géol. France. [1], IV, 1840, 28, ii, 26, 27; facsimile in Science Gossip, 1870, 107, f. 111.
- *gaultina*, Berthelin. Ibid. [3], I, 1880, 49, iii (xxvi), 15a–19b.
- *gemellarii*, Seguenza. Atti Accad. Gioenia Sci. Nat. (2), XVIII, 1862, 97, I, 2, 2a.
- *gemmaata*, Brady. Quart. Journ. Micr. Sci. XXI, 1881, 64.
- — — — — Brady, Report Challenger, 1884, 554, lxxi, 6 and 7.
- *geniculata*, Terquem. Mém. Ac. Imp. Metz, XXXIX, 1858, 625, iv, 3a, b.
- *gerlachi*, Reuss. Sitz. k. Ak. Wiss. Wien, XLVIII, (1), 1863, (1864), 51 and 66, iv, 54a, b; v, 55a, b, 59a, b.
- — — — — Reuss, Denkschr. k. Ak. Wiss. Wien, XXV, 1865, 140, iv, 1.
- (Rob.) *gerlandi*, Andreeae. Abh. geol. Speciakarte Elsass-Lothr. II, (3), 1884, 208, ix, 25.
- *gibba*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 292, No. 17.
- — — — — D'Orb. in De la Sagra, Hist. Phisiq., etc., Cuba, 1839, "Foraminifères," 40, vii, 20 and 21; also in Spanish, 1840, 63, same pl. and fig.
- — — — — Brady, Report Challenger, 1884, 546, lxix, 8 and 9.
- *gibbosa*, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 191, xiv, 1a, A, C; xvi, 24.
- *gladius* (Philippi).
- — — [d'Orb., 1847]. D'Orbigny, Prodrome de Paléont. III, 1852, 154, No. 2856 [*Marginulina*. Phil., 1844].
- — — — — Reuss, Sitz. k. Ak. Wiss. Wien, XVIII, 1856, 232, ii, 31; iii, 32, 33.

- CRISTELLARIA** *gladius* (Philippi). Sitz. k. Ak. Wiss. Wien, L, (1), 1864 (1865), 462, ii. 14-17.
 ——— ——— ——— Reuss, Denkschr. k. Ak. Wiss. Wien, xxv, 1865, 139, ii. 33.
 ——— ——— ——— Hantken, Magyar. Földt. Társ. Munk. iv, 1868, 91, ii, 25a, b.
 ——— ——— ——— Hantken, A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 43, v, 12; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 51, same pl. and fig.
 ——— ——— ——— Hantken, Kohlenflötzte, etc., ungar. Krone, 1878 (transl. from Magyar). 231, f. 49.
 ——— ——— ——— Burbach (Dreyer), Zeitschr. f. Nat. LXI, 1888, 501, x, 12 and 13.
 ——— ——— ——— glaucina, Stache. Novara-Exped. Geol. (1), 1864, 241, xxiii, 20a, b.
 ——— ——— ——— globifera, Tate & Blake. Yorkshire Lias. 1876, 467, xix. 17.
 ——— (Marg.) *globosa*, Hantken. Magyar. Földt. Társ. Munkálatai, iv, 1868, 91, ii, 22a, b.
 ——— *globosa*, Zwingli & Kübler. Foramlnif. schweiz. Jura, 1870, 20, ii, Macrocephalus-oolith 9.
 ——— *gosæ*, Reuss. Denkschr. k. Ak. Wiss. Wien, VII, (1), 1854, 67, xxv, 10, 11.
 ——— *gracilis*, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur, 1866, 10, i, 26 [= *C. crepidula*].
 ——— ——— ——— Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 10, 1, Jurensismergel 6.
 ——— *gracilissima*, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 64, vi, 9, 10.
 ——— *granosa*. Hantken. A magy. kir. földt. int. évkönyve, I, 1871, 128, ii, 18a-d; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, I, 1871, 134, same pl. and fig.
 ——— ——— ——— Hantken, Kohlenflötzte, etc., ungar. Krone, 1878 (transl. from Magyar), 217, f. 29.
 ——— *granulata*, Bornemann. Lias von Göttingen, 1854, 41, iv, 36a, b.
 ——— *grata*, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 70, vii, 14a, b.
 ——— *grundensis*, Karrer. Ibid. LV, (1), 1867, 355, i, 6 [error for 8].
 ——— *gryphæa*, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 10, i, Jurensismergel 7.
 ——— ——— ——— Burbach (Dreyer), Zeitschr. f. Nat. LXI, 1888, 498, x, 1 and 2.
 ——— *gryphina*, Deecke. Mém. Soc. Emul. Montbéliard, XVI, 1886, [33], ii, 28, 28a.
 ——— *gümbeli*, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 131, vi, 14.
 ——— *gussensis*, Schwager. Palæontographica, XXX, 1883, Pal. Theil, 109, xxvi, (3), 11a, b.
 ——— *gutta*, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 417, ix, 22a, b.
 ——— *guttiformis*, Terquem. Ibid. L, 1870, 429, ix, 22.
 ——— *gyroscalprum*, Stache. Novara-Exped. Geol. (1), 1864, 243, xxiii, 22a, b.
 ——— *haasti*, Stache. Novara-Exped. Geol. (1), 1864, 231, xxiii, 10a, b.
 ——— *hagenowi*, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 210, ix, 6a, b.
 ——— *hantkeni*, Rzehak. Verh. nat. Ver. Brünn, XXIV, 1885 (1886), 100, i, 8.
 ——— *harpa*, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 211, x, 1a, b, 2.
 ——— *hastata*, Karrer. In v. Drasche, Frag. Geol. Luzon, 1878, 93, v, 18; and Bol. Com. Map. Geol. Espan. VII, 1880, 275, F, 4.
 ——— *hauerina*, d'Orbigny. Foram. Fossiles Vienne, 1846, 84, iii. 24, 25.
 ——— [*haueri*] ——— Reuss in Geinitz, Grundr. Verstein. 1845-46, 663, xxiv, 28.
 ——— ——— ——— Reuss, Denkschr. k. Ak. Wiss. Wien, xxv, 1865, 140, iii, 2-4.
 ——— ——— ——— v. *gladiiformis*, Rzehak. Verh. nat. Ver. Brünn, XXIV, 1885 (1886), 101, i, 9.

- CRISTELLARIA hauerina**, d'Orbigny, v. ostraviensis, Rzehak. Verh. nat. Ver. Brünn, xxiv, 1885 (1886), 109, i, 12.
- **hebetata**, Schwager. Jahresh. Ver. vat. Nat. Württ. xxi, 1865, 134, vii 2.
- **helena**, Karrer. Abh. k. k. geol. Reichs. ix, 1877, 384, xvib, 42.
- **helios**, Terquem. Mém. Ac. Imp. Metz, l, 1870, 445, xvi. 19-21.
- **hemispiralis**, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur, 1866, 13, ii, 22.
- **hildesiensis**, Roemer. Neues Jahrbuch, 1838, 391, iii. 65.
- **hörnesi**, Reuss. Sitz. k. Ak. Wiss. Wien, xxxix, 1860, 210, iii. 2.
- — — — — Neugeboren, Arch. Ver. siebenburg. Landeskunde. N. F., x, (2), 1872, 275, i, 1 and 2.
- P** — **hoffmanni**, Ehrenberg. Mikrogeologie, 1854, xxvi, 53 [= *Crist. cultrata*].
- **humilis**, Reuss. Sitz. k. Ak. Wiss. Wien, xlvi, (1), 1862 (1863), 65, vi, 16a, b, 17a, b.
- (Marg.) **humilis**, Karrer. Abh. k. k. geol. Reichs. ix, 1877, 382, xvib, 33.
- **hybrida**, Terquem. Mém. Ac. Imp. Metz, l, 1870, 441, xiv, 1-30.
- — — — — Terq., Bull. Soc. Géol. France, [3], iv, 1876, 493, xvi, 26.
- — — — — Terq., Cinquième Mém. Foram. Oolithique, 1883, 355, xxxix, 21-25.
- — — — — Terq., Mém. Soc. Géol. France, [3], iv, 1886, 34, iii, 28-49.
- **hyperbolica**, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 35, iv, Impressathion 12.
- **impleta**, Schwager. Jahresh. Ver. vat. Nat. Württ. xxi, 1865, 126, vi, 2.
- **impleta**, Terq. & Berth. Mém. Soc. Géol. France, [2], x, 1875, 50, iv, 13a-f.
- cf. — — — — — Deecke, Abh. geol. Specialkarte Elsass-Lothr. iv, (1), 1884, 43, ii, 6.
- **implicata**, Schwager. Jahresh. Ver. vat. Nat. Württ. xxi, 1865, 127, vi, 5.
- **impressa**, Reuss. Sitz. k. Ak. Wiss. Wien, xlvi, (1), 1862 (1863), 77, ix, 2a, b.
- **impressa**, Terq. Mém. Ac. Imp. Metz, xliv, 1863, 421, x, 6a, b.
- **impressa**, Terq. & Berth. Mém. Soc. Géol. France, [2], x, 1875, 46, lv (xiv), 3a, b, 4a-d, 5a, b, 6a, b, 7a, b.
- **incerta**, Egger. Neues Jahrbuch, 1857, 296, xiv, 31-33.
- **incisa**, Terquem. Mém. Ac. Imp. Metz, xxxix, 1858, 625, iv, 4a-d.
- **inclinata**, Reuss. Sitz. k. Ak. Wiss. Wien, xlviii, (1), 1863 (1864), 50, iv, 45a-c.
- — — — — Reuss, Denkschr. k. Ak. Wiss. Wien, xxv, 1865, 139, li, 34.
- **inclusa**, Schwager. Jahresh. Ver. vat. Nat. Württ. xxi, 1865, 124, v, 14.
- **inconstans**, Schwager. Benecke's Geogn. Pal. Beiträge, i, 1868, 658, xxiv, 15 [v. *Marginulina*].
- **incrassata**, Ehrenberg. Mikrogeologie, 1854, xx. ii, 25 [= *C. cultrata*].
- **increcens**, Reuss. Sitz. k. Ak. Wiss. Wien, xlviii, (1), 1863 (1864), 50, iv, 47a, b, 48.
- **incurvata**, Reuss. *Ibid.* xi. vi. (1), 1862 (1863), 66, vi, 18a, b.
- **inepta**, Reuss. *Ibid.* xl. 1860, 210, x, 4a, b.
- **inermis**, Terquem. Mém. Ac. Imp. Metz, xlii, 1862, 447, vi 5.
- **inflata**, Karrer. Sitz. k. Ak. Wiss. Wien, lv, (1), 1867, 355, i, 7 [error for 9].
- **inflata**, Reuss. *Ibid.* xl, 1860, 212, viii, 6a, b.
- **inflata**, Schwager. Jahresh. Ver. vat. Nat. Württ. xxi, 1865, 132, v, 16.
- **informis**, Schwager. *Ibid.* xxii, 1865, 128, vi, 8.
- **ingenua**, Berthelin. Mém. Soc. Géol. France, [3], i, 1880, 54, iii (xxvi), 20a-21b.

- CRISTELLARIA** *inops*, Reuss. Zeitschr. deutsch. geol. Ges. III, 1851, 153, viii, 5.
 ——— *inornata*, d'O. Sherborn & Chapman, Journ. R. Micr. Soc. [2], vi, 1886, 754, xv, 27a, b [*Robutina*, 1846].
 ——— ——— ——— Toutkowsky, Zap. Kievsk. Obsch. Est. IX, 1888, 23, viii, 1a-c.
 ——— *inquisita*, Terquem. Mém. Ac. Imp. Metz, L, 1870, 444, xvi, 16-18.
 ——— *insecta*, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 125, vi, 1.
 ——— *insolita*, Schwager. Novara-Exped. Geol. (2), 1866, 242, vi, 85.
 ——— *instabilis*, Terquem. Mém. Ac. Imp. Metz, L, 1870, 432, xvii, 1-30; xviii, 1-30 [v. also *C. mutabilis*].
 ——— ——— ——— Terq., Cinquième Mém. Foram. Oolithique, 1883, 356, xl, 1-6.
 ——— *intermedia* (Philippi).
 ——— ——— [d'Orb., 1847]. D'Orbigny, Prodrome de Paléont. III, 1852, 154, No. 2857 [*Planularia*, Phil., 1844].
 ——— ——— [d'Orb.], var. *whaingaroica*, Stache. Novara-Exped. Geol. (1), 1864, 242, xxiii, 21a, b.
 ——— *intermedia*, Reuss. Verstein. Böhm. Kreide, 1845-6, I, 33, xlii, 57, 58; and II, 108, xxiv, 50, 51.
 ——— ——— ——— Alth, Haider's Naturw. Abh. III (II), 1850, 267 xiii, 23.
 ——— ——— ——— var. Reuss, Sitz. k. Ak. Wiss. Wien, XLIV, (1), 1861 (1862), 336, viii, 2a, b.
 ——— ——— ——— Reuss in Geinitz, Palaeontographica, XX, (2), 1874, 103, xxii, and 5.
 ——— ——— ——— Deecke, Mém. Soc. Emul. Montbéliard, XVI, 1886, [30], ii, 19, 19a.
 ——— *intermedia*, Terq. Mém. Ac. Imp. Metz, XLII, 1862, 448, vi, 8a, b.
 ——— *intorta*, Terquem. Ibid. L, 1870, 430, ix, 28a, b.
 ——— *irregularis*, Hantken. A magy. kir. földt. int. évkönyve, IV. 1875 (1876), 42, XIV, 2 and 3; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 50, same pl. and fig.
 ——— *irretita*. Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 123, v, 11.
 ——— *isidis*. Schwager. Palaeontographica, XXX, 1883, Pal. Theil. 110, XXVI (3), 12a-c.
 ——— *italica* (Defrance), v. *Saracenaria*, 1824.
 ——— ——— ——— D'Orbigny, Modèles, No. 85, 1826, and young, No. 19.
 ——— ——— ——— Costa, Fauna Regno Napoli, 1838, Foraminiferi, not descr., iv, 1.
 ——— (*Saracen.*) ——— ——— P., J. & B. [d'O., Modèles, 19 (young) 85], and Ann. Mag. Nat. Hist. [3], XVI, 1865, 32, i, 41 and 42 (young).
 ——— ——— ——— P., J. & B. [Soldani], Ibid. [4], VIII, 1871, 246, x, 79.
 ——— ——— ——— v. *aureola*, Karrer, v. *C. aureola*.
 ——— ——— ——— [d'O.], v. *cincta*, Karrer. Abh. k. k. geol. Reichs. IX, 1877, 383, xviii, 38.
 ——— ——— ——— Brady, Report Challenger, 1884, 544, lxviii, 17, 18, 20-23.
 ——— ——— ——— v. *volpicellii*, Costa. Brady, Report Challenger, 1884, 545, lxvii, 9a, b [v. *C. volpicellii*, 1857].
 ——— (*Saracenaria*) ——— ——— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 163, figs.
 ——— ——— ——— and var. Sherborn & Chapman, Journ. R. Micr. Soc. [2], VI, 1886, 754, xv, 23a, b; xvi, 4a, b.
 ——— ——— ——— var. *spinulosa*, Sherborn & Chapman. Ibid. [2], vi, 1886, 754, xv, 24a, b, 25a, b, c.
 ——— (*Saracen.*) ——— ——— see *Nautili (Seminula) tricostulata*
 ——— *josephina*, d'Orbigny. Foram. Fossiles Vienne. 1846, 88, iii, 37, 38.
 ——— ——— ——— Mackie. Recreative Science, I, 1859, 148, f. 22.
 ——— ——— ——— Reuss' Model, No. 75, 1865 (Catal., No. 61, 1861).

- CRISTELLARIA** *josephina*, d'Orbigny, var. *tuberculata*, Karrer. Sitz. k. Ak. Wiss. Wien. I.VIII, (1), 1868, 170, iv, 7.
 ——— Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 25, pl., 26.
 ——— *jugleri*, Reuss. Zeitschr. deutsch. geol. Ges. III, 1851, 89, iv, 19.
 ——— *jurassica*, Gümbel. Jahresh. Ver. vat. Nat. Württ. XVIII, 1862, 224, iii, 25a, b, c.
 ——— Deecke, Abh. geol. Specialkarte Elsass-Lothr. IV, (1), 1884, 45, ii, 3, 8a.
 ——— v. *oxfordiana*, Deecke. Mém. Soc. Emul. Montbéliard, XVI, 1886, [38], ii, 32.
 ——— *karreri*, Rzehak. Verh. nat. Ver. Brünn, XXIV, 1885 (1886), 107, i, 10.
 ——— *kiewensis*, Toutkowsky. Zap. Kievsk. Obsch. Est. VIII, 1857, 352, iv, 3a, b, c.
 ——— *kittlii*, Rzehak. Verh. nat. Ver. Brünn, XXIV, 1885 (1886), 107, i, 11.
 ——— *kochi*, Reuss. Denkschr. k. Ak. Wiss. Wien, XXV, 1865, 139, ii, 35.
 ——— Jones, M. Micr. Journ. XV, 1876, CXXVIII, 18a, b.
 ——— Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 45, v, 7; and Mitt. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 53, same pl. and fig.
 ——— *köneni*, Reuss. Denkschr. k. Ak. Wiss. Wien, XXV, 1865, 139, iii, 1.
 ——— *kressenbergensis*, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. X, 1868 (1870), 638, i, 66.
 ——— (Robul.) *kubinyi*, Hantken. Magyar. Földt. Társ. Munkálatai, IV, 1868, 92, ii, 29a, b.
 ——— *lactea*, Stache. Novara-Exped. Geol. (1), 1864, 235, xxiii, 14a, b.
 ——— *lacunata*, Terquem. Mém. Ac. Imp. Metz, L, 1870, 446, xvi, 22-29.
 ——— — Terq. & Berth., Mém. Soc. Géol. France, [2], X, 1875, 50, iv (xiv), 14a, b.
 ——— — Terq., Cinquième Mém. Foram. Oolithique, 1883, 355, XXXIX, 26 and 27.
 ——— *lævigata*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 292, No. 19.
 ——— — D'Orb., Modèles, No. 47, 1826.
 ——— — Parker, Jones & Brady [d'Orb., Modèles, 47], Ann. Mag. Nat. Hist. [3], XVI, 1865, 26, i, 43.
 ——— — Basset, Ann. Soc. Sci.-Charente-Inf. 1884 (1885), 163, fig.
 ——— *lævigata*, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 92, XII, 14a, b.
 ——— *lævis*, Lamarck. Hist. Anim. s. Vert. VII, 1822, 608, No. 3, = *C. cassis* [see *C. papilionacea*].
 ——— *lagena*, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 28, iii, 35.
 ——— *lagenæformis*. Terquem. Mém. Ac. Imp. Metz, L, 1870, 435, x, 30a, b.
 ——— — Terq., Mém. Soc. Géol. France, [3], IV, 1886, 32, iii, 26a, b.
 ——— *lamellosa*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 292, No. 16.
 ——— *laminosa*, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 124, v, 13.
 ——— *lamperti*, Andreae. Abh. geol. Specialkarte Elsass-Lothr. II, (3), 1884, 148, vi, 2.
 ——— *lanceolata*, d'Orbigny. Foram. Fossiles Vienne, 1846, 89, iii, 41, 42.
 ——— — Mackie. Recreative Science, I, 1859, 148, f. 21.
 ——— — Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 21, ii, Macrocephalus oolith 12.
 ——— — see *Nautia lituitati*.
 ——— *lanceolata*, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 130, vi, 13.
 ——— *langrebeana*, Reuss. Sitz. k. Ak. Wiss. Wien, XVIII, 1856, 237, iii, 42.
 ——— — Reuss, *ibid.* L, (1), 1864 (1865), 461, iii, 1a, b.
 ——— *lapugyensis*, Karrer. *Ibid.* I, (1), 1864 (1865), 708, ii, 11.
 ——— *larva*, Stache. Novara-Exped. Geol. (1). 1864, 232, xxiii, 11a, b.
 ——— *larva*, Terq. & Berth. Mém. Soc. Géol. France, [2], X, 1875, 44, iii, (xiii), 20a, b.

- CRISTELLARIA** *lata* (Cornuel). Brady, Report Challenger, 1884, 539, lxvii, 18a, b [*Marginulina*, 1848].
 ——— ——— Burbach (Dreyer), Zeitschr. f. Nat. LXI, 1888, 500, x, 10 and 11.
 ——— ——— Mariani, Boll. Soc. Geol. Ital. VII, (1889), 287, x, 10.
 ——— (**Marg.**) *lata*, Reuss. Karrer, Abh. k. k. geol. Reichs. IX, 1877, 383, xvib, 37 [*Marginulina*, 1860].
 ——— *laticostata*, Toutkowsky. Zap. Kievsk. Obsch. Est. IX, 1888, 36, v, 2a, b, c [= *C. cultrata*].
 ——— *latifrons*, Brady. Report Challenger, 1884, 544, lxviii, 19; cxiii, 11a, b.
 ——— *legumen*, Seguenza. Atti R. Acc. Lincei, [3]. vi. 1880, 140. xiii, 12, 12a.
 ——— *leia*, Deecke, Abh. geol. Speciakarte Elsass-Lothr. IV, (1), 1884, 39, ii, 14, 14a.
 ——— *lenticula*, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 369, xlvi, 17.
 ——— ——— var. Neugeboren Arch. Ver. siebenburg. Landeskunde, N. F. x, (2), 1872, 279, i, 23–26.
 ——— *lepida*, Schwager. Benecke's Geog.-Pal. Beiträge, I, 1868, 657, xxxiv, 9.
 ——— (**Rob.**) *lepida*, Renss. In Geinitz, Palæontographica, XX, (2), 1874, 106, xxiii, 4 [*Robulina*, 1845].
 ——— *leubeana*, Gümbel. Sitz. k.-bayer. Ak. Wiss. I, 1871, 67, i, 13.
 ——— *limata*, Schwager. Benecke's Geogn.-Pal. Beiträge, I, 1868, 658, xxxiv, 13.
 ——— *limbata*, Reuss. Verstein. Böhm. Kreide, 1845–6, I, 33, xiii, 56.
 ——— (**Robul.**) *limbosa*, Reuss. Hantken, Magyar. Földt. Társ. Munkálatai, IV, 1868, 93, ii, 32a, b [*Robulina*, 1863].
 ——— *ligata*, Terquem. Sixième Mén. Foram. Lias, 1866, 514, xxii, 1a, b.
 ——— *linearis*, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 66, xii, 1a, b.
 ——— *listi*, Bornemann. Lias von Göttingen, 1854, 40, iv, 28a, b, c.
 ——— *lituiformis*, Reuss. Sitz. k. Ak. Wiss. Wien, XLVIII, (1), 1863 (1864), 51, iv, 50a, b.
 ——— *lituoides*, Bornemann. Lias von Göttingen, 1854, 40, iv, 29a–c.
 ——— *lituola*, Cornuel. Mém. Soc. Geol. France, [2], III, 1848, 254, ii, 9–10.
 ——— *lituola*, Reuss. Verstein. Böhm. Kreide, 1845–6, II, 109, xxiv, 47.
 ——— *lituus*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 292, No. 20.
 ——— *lobata*, Reuss. Verstein. Böhm. Kreide, 1845–6, I, 34, xiii, 59.
 ——— ——— Reuss in Geinitz, Palæontographica, XX, (2), 1874, 104, xxii, 12; xxiii, 1.
 ——— *lobatula*, Terquem. Ess. Anim. Plage Dunkerque, (2), 1876, 69, vii, 15; (and Mém. Soc. Dunkerquoise).
 ——— *luna*, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, (1), 1868, 171, iv, 6.
 ——— *lunaria*, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur, 1866, 11, i, 27. [= *C. crepidula*].
 ——— ——— Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 11, i, Ju-rensismergel 8.
 ——— *macrodisca*, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 78, ix, 5a, b.
 ——— ——— Berthelin, Mém. Soc. Géol. France, [3], I, 1880, 48, iii, (xxvi), 6–11 and 14a, b.
 ——— *magna*, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 193, xix, 2, A. C.
 ——— *magnifica*, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 38, iv, Badener Schicht 7.
 ——— *major*, Bornemann. Lias von Göttingen, 1854, 40, iv, 31a, b.
 ——— ——— Tate & Blake, Yorkshire Lias, 1876, 465, xix, 15.
 ——— ——— Burbach (Dreyer), Zeitschr. f. Nat. LXI, 1888, 498, x, 3.
 ——— *mamillaris*, Terquem. Mém. Soc. Géol. France, [3], IV, 1886, 37, iv, 1–4.
 ——— *mamilligera*, Karrer. Novara-Exped. Geol. I, 1864, 76, xvi, 5.
 ——— ——— Brady, Report Challenger, 1884, 553, lxx, 17, 18.
 ——— *manubrium*, Schwager. Jahresh. Ver.-vat. Nat. Württ. XXI, 1865, 121, v, 6.

- CRISTELLARIA** *marcki*, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 212, **ix**, 4*a*, *b*.
- *margaritacea* (Montf.). P., J. & B. (Soldani), Ann. Mag. Nat. Hist. [4], viii, 1871, 243, xi, 100 [*Pharamum*, 1808].
- *marginata*, d'O. = *C. rostrata* (Montf.), see *Nautilus hystrix*, etc. [*Robulina*, 1826].
- *margulinoides*, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 27, iii, 26 [? *margulinoides*].
- *matutina*, d'Orb., 1849. Prodrome de Paléont. I, 1849, 242, No. 264.
- — — Terquem, Mém. Ac. Imp. Metz, XXXIX, 1858, 620, iii, 14; iv, 5.
- — — Burbach (Dreyer), Zeitschr. f. Nat. LXI, 1888, 509, xi, 35-38.
- *maxima*, Bornemann. Zeitschr. deutsch. geol. Ges. VII, 1855, 329, not figured.
- *megalomphala*, Ehrenberg. Mikrogeologie, 1854, xxviii, 54 [= *Crist. cultrata*].
- *megalopolitana*, Rss. Sherborn & Chapman, Journ. R. Micr. Soc. [2], VI, 1886, 755, xv, 30*a*, *b* [*Robulina*, 1855].
- *megastomus*, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 20, ii, Macrocephalus-oolith 11.
- *meriani*, Schwager. In Dittmar, Die Contorta-Zone, 1864, 200, iii, 10.
- (*Rob.*) *micromera*, GÜMBEL. Sitz. k.-bay. Ak. Wiss. III, 1873, 38, no fig.
- *microptera*, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 215, viii, 7*a*, *b*.
- *minima*, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 77, xiii, 19 [error for 21]; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 54, same pl. and fig.
- *minima*, Karrer. Sitz. k. Ak. Wiss. Wien, I, (1), 1864 (1865), 707, i, 8.
- *minuta*, Bornemann. Lias von Göttingen, 1854, 42, iv, 37*a*, *b*.
- *minuta*, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 43, xiv, 7; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 50, same pl. and fig.
- *mirabilis*, Reuss. Sitz. k. Ak. Wiss. Wien, XVIII, 1856, 236, iii, 39.
- (*Marg.*) *mirabilis*, Karrer. Abh. k. k. Geol. Reichs. IX, 1877, 382, XVI*b*, 35.
- *mitra*, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur, 1866, 12, ii, 5.
- — — Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 14, ii, Opalinusthon 6.
- *montis calvi*, Deecke. Abh. geol. Specialkarte Elsass-Lothr. IV, (1), 1884, 40, ii, 2-2*b*.
- — — v. *tenuis*, Deecke. Mém. Soc. Emul. Montbéliard, XVI, 1886, [34], ii, 23.
- *moravica*, Karrer. Sitz. k. Ak. Wiss. Wien, L, (1), 1864 (1865), 707, ii, 9.
- *mucronata*, Karrer. In v. Drasche, Frag. Geol. Luzon, 1878, 92, v, 16; and Bol. Com. Map. Geol. Espan. VII, 1880, 275, F, 2.
- *münsteri* (*Röm.*) Reuss, Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 77, ix, 3*a*, *b*, 4*a*, *b* [*Robulina*, 1840].
- *multangulosa*, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 126. vi, 3.
- *multiseptata*, Reuss. Haidinger's Naturw. Abh. IV, (1), 1851, 33, ii, 9.
- — — Reuss, Denkschr. k. Ak. Wiss. Wien, XXV, 1865, 147, iii, 14, 15.
- *mutabilis*, Terq. Mém. Soc. Géol. France, [3], IV, 1886, 36, iii, 56*a*, *b*. [Terquem gives a reference to *C. instabilis*, 1870].
- *nana*, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 21, ii, Macrocephalus-oolith 13.

- CRISTELLARIA** nauckana, Reuss. Sitz. k. Ak. Wiss. Wien, xviii, 1856, 236, iii, 40.
- nautiliformis, Terquem. Mém. Ac. Imp. Metz, xliv, 1863, 418, x, 1a, b.
- navicula, d'Orbigny. Mém. Soc. Géol. France, [1], iv, 1840, 27, ii, 19, 20; facsimile in Science Gossip, 1870, 107, f. 108.
- — — — — Reuss, Verstein. Böhm. Kreide, 1845-6, i, 34, xii, 27.
- navicularis (Montfort). Parker, Jones & Brady [Soldani], Ann. Mag. Nat. Hist. [4], viii, 1871, 243, xi, 101 [v. *Scortinus*, 1808].
- — — — — Jones, M. Micr. Journ. xv, 1876, cxxix, f. 18 [= flabelline *Crist. cassis*, F. & M.].
- — — — — subvar. *complanata*, Fornasini. Boll. Soc. Geol. Ital. ii, 1883, 188, ii, 9a, b.
- — — — — see *Litui crispata*, etc.
- nexa, Terq. & Berth. Mém. Soc. Géol. France, [2], x, 1875, 49, iv (xiv), 11a, b.
- nikobarensis, Schwager. Novara-Exped. Geol. (2), 1866, 243, vi, 87.
- nitida, d'Orbigny. Ann. Sci. Nat. vii, 1826, 291, No. 5.
- — — — — Brady, Report Challenger, 1884, 549, lxx, 2a, b.
- — — — — = *C. cassis* (feeble), see *Nautili lituitati*.
- normanniae, Terquem. Mém. Ac. Imp. Metz, xliv, 1863, 416, ix, 21a, b.
- nucleata, Terquem. Ibid. xliv, 1863, 415, ix, 19a, b.
- nuda, Reuss. Sitz. k. Ak. Wiss. Wien, xliv (1), 1861 (1862), 328, vi, 1-8.
- — — — — Ibid. xlvi, (1), 1862 (1863), 72, viii, 2a, b.
- (Rob.) — — — — — Reuss in Geinitz, Palaeontographica, xx, (2), 1874, 106, xxii, 2 and 3.
- nummulitica, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 636, i, 63a, b.
- — — — — Jones, M. Micr. Journ. xv, 1876, cxxviii, 11a, b.
- — — — — Hantken, A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 44, vi, 4a, b.; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 51, same pl. and fig.
- nysti, Reuss. Bull. Ac. Roy. Belg. [2], xv, 1863, 150, ii, 24.
- obesa, Costa. Mem. Acc. Sci. Napoli, ii, 1855 (1857), 121, i, 7.
- obesa, Karrer. Abh. k. k. Geol. Reichs. ix, 1877, 383, xvib, 40.
- obliqua, v. Hagenow. Neues Jahrbuch, 1842, 573, ix, 25.
- obliqua, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur, 1866, 14, ii, 14 [= *C. crepidula*].
- — — — — Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 16, ii, Blagdenischicht 8.
- obscura. Terquem. Mém. Ac. Imp. Metz, xlvi, 1862, 446, vi, 4a, b.
- obtorta, Terq. & Piette. Terquem, Mém. Ac. Imp. Metz, xlvi, 1862, 459, vi, 20a, b, c.
- — — — — Terq. & Berth., Mém. Soc. Géol. France, [2], x, 1875, 44, iii, (xlii), 21a, b.
- — — — — Sherborn & Chapman, Journ. R. Micr. Soc. [2], vi, 1886, 753, xv, 20a, b.
- obtusata, Reuss. Sitz. k. Ak. Wiss. Wien, lxii, (1), 1870, 479; v. Schlicht, "For. Septar. Pietzpuhl," 1870, xi, 16-18.
- — — — — Brady, Report Challenger, 1884, 536, lxvi, 17.
- — — — — v. *subalata*, Brady. Report Challenger, 1884, 536, lxvi, 24, 25.
- obvelata, Reuss. Haedinger's Naturw. Abh. iv, (1), 1851, 33, ii, 11.
- obvoluta, Terq. & Berth. Mém. Soc. Géol. France, [2], x, 1875, 49, iv (xiv), 10a-c.
- oligostegia, Reuss. Sitz. k. Ak. Wiss. Wien, xl, 1860, 213, viii, 8.
- — — — — Ibid. xi:vi, (1), 1862 (1863), 93, xiii, 2a, b.
- oolithica, Schwager. Benecke's Geogn.-Pal. Beiträge, i, 1868, 657, xxxiv, 10.

- CRISTELLARIA oolithica**, Terquem. Bull. Soc. Géol. France, [3], IV, 1876, 493, xvi, 27a, b, and 28a, b
- **oppeli**, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 135, vii, 3.
- **orbicula**, Reuss. Denkschr. k. Ak. Wiss. Wien, VII, (1), 1854, 68, xxv, 12.
- **orbicularis**, (d'Orbigny). Brady, Report Challenger, 1884, 549, lxix, 17 [v. *Itobulina*, 1826].
- **ornata**, Terquem. Mém. Ac. Imp. Metz, XXXIX, 1858, 623, iv, 1a-c.
- **ornata**, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 77, xiii, 19; and Mitt. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 54, same pl. and fig.
- **osnaburgensis**, v. Münster. Roemer, Neues Jahrbuch, 1838, 391, iii, 62. — [Roem.]. Michelotti, Mem. Soc. Ital. Sci. xxii, 1841, 294, iii, 8.
- — — — — Reuss, Sitz. k. Ak. Wiss. Wien, XVIII, 1856, 238, iv, 44, 4. — — — — — Reuss, Denkschr. k. Ak. Wiss. Wien, XXV, 1865, 149, iv, 7.
- **ovalis**, Reuss. Geogn. Skizze Böhmen, II, (1), 1844, 213.
- — — — — Reuss, Verstein. Böh. Kreide, 1845-6, I, 34, viii, 49; XII, 19; xiii, 60-63. — — — — — Reuss in Geinitz, Palaeontographica, XX, (2), 1874, 103, xxii, 6-11.
- — — — — Fric, Arch. Nat. Landesd. Böhmens, VII, 1889, 114, wood-cut, 161.
- **oxyctenica**, Deecke. Abh. geol. Speciaalkarte Elsass-Lothr. IV, (1), 1884, 44, ii, 12, 12a.
- **pachynota**, Reuss. Sitz. k. Ak. Wiss. Wieu, XLVI, (1), 1862 (1863), 69, vii, 11a, b.
- **papilionacea** (*C. laevis*), Lamarck. Ency. Méthod "Vers," II (1830) 29, 467, f. 4, c, d (pls. 1827); (P. & J. quote "pt. 23, 1816").
- **papillosa** (Fichtel & Moll.). Brady, Report Challenger, 1884, 553, lxx, 16 [*Nutilus*, 1798].
- **papillosa**, Parker & Jones. Annals Mag. Nat. Hist. [3], V, 1860, 113, No. 17.
- **papillosa**, Lamarck. Hist. Anim. s. Vert. VII, 1822, 607, No. 2 [see *C. cassis*, *C. producta*, *C. serrata* and *C. undata*].
- **parallela**, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 67, vii, 1, 2a, b.
- **parallela**, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 121, v, 5.
- **parallela**, Terquem. Mém. Ac. Imp. Metz, I, 1870, 430, ix, 27a, b.
- **parilis**, Terq. & Berth. Mém. Soc. Géol. France [2], X, 1877, 45, iv (xiv), 2a, b.
- **parkinsoni**, Zwingli & Kübler. Foramínif. schweiz. Jura, 1870, 18, ii, Parkinsonthon 9.
- **partschi**, Michelotti. Nat. Verh. Holland Maatsch. Wetensch. Haarlem, II Verzam. 3dl., 2 stk. 1847, 13, not figured.
- **paucisepta**, Reuss. Zeitschr. deutsch. geol. Ges. IV, 1852, 17, f. a, b.
- **paucisepta**, Seguenza. Atti R. Acc. Lincei, [3], VI, 1880, 141, x [error for xiii], 13, 13a.
- **paucispina**, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 193, xxii [error for xvii], 2.
- **paulæ**, Karrer. Abh. k. k. Geol. Reichs. IX, 1877, 384, xvib, 41.
- **pauperata** (Jones & Parker). Schwager, Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 131, vi, 15 [*Planularia*, 1860].
- — (?) — — — Gümbel, Jahrb. k. k. geol. Reichsanstalt, XIX, 1869, 182, vi, 29 and 30.
- — — — — Tate & Blake, Yorkshire Liias, 1876, 465, xix, 12.
- **paupercula**, Reuss. Denkschr. k. Ak. Wiss. Wien, XXV, 1865, 141, iii, 6, 7.

- CRISTELLARIA** pedum, Terq. & Berth. Mém. Soc. Géol. France, [2], x, 1875, 51, iv (xiv), 15a-c.
- peregrina, Schwager. Novara-Exped. Geol. (2), 1866, 245, vii, 89.
- perobliqua, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 67, vii, 3a, b.
- perprocera, Schwager. Novara-Exped. Geol. II, 1866, 241, vi, 84.
- pikettyi, Terquem. Sixième Mém. Foram. Lias, 1866, 511, xxi, 31 and 32.
- pileolus, Terquem. Ibid. 1866, 518, xxii, 9a, b, 10.
- piriformis, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 132, vi, 17.
- pistillum, Terq. & Berth. Mém. Soc. Géol. France, [2], x, 1875, 43, iii (xiii), 17.
- plana, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 72, viii, 3a, b.
- planata (*C. squammula*), Lamarck. Ency. Méthod. "Vers," II (1830) 29, (pls. 1827), pl. 467, 1. (P. & J. quote pt. 23, 1816 [= *Pneurop. planatus*, F. & M.].)
- planicosta, v. Hagenow. Neues Jahrbuch, 1842, 572, ix, 24.
- planiuscula, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 71, vii, 15a, b.
- — — — — Berthelin, Mém. Soc. Géol. France, [3], I, 1880, 53, iii (xxvi), 25a, b.
- — — — — Deecke, Mém. Soc. Emul. Montbéliard, XVI, 1886, [31], ii, 18.
- platypleura, Jones. Prestwich, Quart. Journ. Geol. Soc. VIII, 1852, 267, xvi, 12.
- platyptera, Reuss. Sitz. k. Ak. Wiss. Wien, LXII, (1), 1870, 482; v. Schlicht, "Foram. Septar. Pietzpuhl," 1870, xix, 7, 8.
- plebeia, Terquem. Sixième Mém. Foram. Lias, 1866, 518, xxii, 11.
- — — — — Terq. & Berth., Mém. Soc. Géol. France, [2], x, 1875, 44, iii (xiii), 22a-j; iv (xiv), 1a, b.
- pleurostomelloides, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, (1), 1868, 171, iv, 5.
- plumula, Brown. Elem. Foss. Conch. 1843, not descr., iii, 11 [= *Peneroplis*].
- polita, Reuss. Sitz. k. Ak. Wiss. Wien, XVIII, 1856, 237, iii, 41.
- polita, Schwager. Novara-Exped. Geol. II, 1866, 242, vi, 86.
- polymorpha, Terquem. Cinquième Mém. Foram. Oolithique, 1883, 361, xl, 24-26; xli, 1-5.
- — — — — Terq., Mém. Soc. Géol. France, [3], IV, 1886, 40, iv, 22-25.
- porosa, Ehrenberg. Mikrogeologie, 1854, xxx, 34 [= fragment of *lланорбулина*].
- porvaensis, Hantken. A magy. kir földt. int évkönyve, IV, 1875 (1876), 42, xiv, 1; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 50, same pl. and fig.
- prava, Terquem. Mém. Ac. Imp. Metz, I, 1870, 434, x, 25-29.
- — — — — Terq., Mém. Soc. Géol. France, [3], IV, 1886, 30, iii, 17.
- prima, d'Orb., 1849. D'Orbigny, Prodrome de Paléont. I, 1849, 242, No. 266.
- — — — — Terquem, Mém. Ac. Imp. Metz, XXXIX, 1858, 621, iii, 16a, b.
- — — — — Terquem, Sixième Mém. Foram. Lias, 1866, 513, xxi, 35a, b.
- — — — — Berthelin, Revue et mag. Zool. 1879, 29, i, 5 and 6.
- — — — — Burbach (Dreyer), Zeitschr. f. Nat. LXI, 1888, 507, xi, 30-32.
- primitiva, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur, 1866, 9, i, 19 [= *Marginulina*].
- — — — — Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 18, ii, Parkinsonsonth 8.

- CRISTELLARIA** primordialis, Terquem. Mém. Ac. Imp. Metz, L, 1870, 428, ix, 1-10.
 ——— ——— ——— Terq., Cinquième Mém. Foram. Oolithique, 1883, 349, xxxviii, 15-17.
 ——— ——— ——— Terq., Mém. Soc. Géol. France, [3], iv, 1886, 28, iii, 1-4.
 ——— ——— ——— Deecke, Mém. Soc. Emul. Montbéliard, xvi, 1886 [29], ii, 27.
 ——— (Robul.) princeps, Reuss. Hantken, Magyar. Földt. Társ. Munkálatal, iv, 1868, 93, ii, 33a, b [*Robulina*, 1864].
 ——— producta (*C. papillosa*), Lamarck. Ency. Méthod. "Vers," ii (1830), 29, 467, f. 3, e, f, g; (pls. 1827) (P. & J. quote pt 23, 1816).
 ——— producta, v. Hagenow. Neues Jahrb. f. min. 1842, 573.
 ——— prominula, Reuss. Zeitschr. deutsch. geol. Ges. vii, 1855, 271, ix, 3.
 ——— propinquua, Hantken, v. *C. propinquua*.
 ——— propinquua, v. Muenster. Roemer, Neues Jahrbuch, 1838, 391, iii, 63.
 ——— [Roem.]. Michelotti, Mem. Soc. Ital. Sci. xxii, 1841, 294, iii, 9.
 ——— propinquua, Hantken. A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 45, v, 4; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 52, same pl. and fig. [*C. propinquua* in descr. of plate; misprinted in Magyar text *propinquua*; in German text *propingua*].
 ——— propinquua, Hantken, v. *C. propinquua*.
 ——— protosphæra, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 68, vii, 8a, b.
 ——— protracta, Bornemann. Lias von Göttingen, 1854, 39, iv, 27a, b.
 ——— ——— Burbach (Dreyer), Zeitschr. f. Nat. LXI, 1888, 499, x, 4-9.
 ——— pugio, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 39, iv, Badener Schicht 8.
 ——— pulchella, Costa. Mem. Acc. Sci. Napoli, II, 1855 (1857), 121, i, 8.
 ——— pulchella, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 71, viii, 1a, b.
 ——— pulchra, Terquem. Cinquième Mém. Foram. Lias, 1866, 438, xviii, 5.
 ——— pygmæa, Reuss. Sitz. k. Ak. Wiss. Wien, XLVIII, (1), 1863 (1864), 49, iv, 44a, b.
 ——— quadrilateralis, Terquem. Mém. Ac. Imp. Metz, L, 1870, 429, ix, 23, 24.
 ——— quenstedti, Gümbel. Jahresh. Ver. vat. Nat. Württ. XVIII, 1862, 226, iv, 2a, b.
 ——— radiata, Born. Uhlig, Jahrb. k. k. geol. Reichsanstalt, XXXVI, 1886, 169, f. 2 [*Robulina*, 1855].
 ——— radiifera, Schwager. Palæontographica, XXX, 1883, Pal. Theil. 110, xxvi (3), 13a-c.
 ——— rasa, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 128, vi, 6.
 ——— rawackensis, d'Orbigny. Ann. Sci. Nat. VII, 1826, 292, No. 22.
 ——— recta, d'Orbigny. Mém. Soc. Géol. France, [1], IV, 1840, 28, ii, 23-25; facsimile in Science Gossip, 1870, 107, f. 110.
 ——— ——— Reuss, Verstein. Böh. Kreide, 1845-6, I, 33, xlii, 55.
 ——— ——— Reuss, in Geinitz. Grundr. Verstein. 1845-46, 664, xxiv, 24.
 ——— ——— Reuss, in Geinitz, Palæontographica, XX, (2), 1874, 101, xxii, 2 and 3.
 ——— ——— Tate & Blake, Yorkshire Lias, 1876, 465, xvii, 24; xix, 13, 13a.
 ——— recurrens, Reuss. Denkschr. k. Ak. Wiss. Wien, XXV, 1865, 140, ii, 36.
 ——— regia, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 28, iii, 33 [= *C. crepidula*]
 ——— reniformis, d'Orbigny. Foram. Fossiles Vienne, 1846, 88, iii, 39, 40.
 ——— ——— Pictet, Traité de Paléont. ed 2, IV, 1857, 495. cix, 13
 ——— ——— Neugeboren, Arch. Ver. siebenburg. Landeskunde, N. F. x, (2), 1872, 277, i. 11 and 12.
 ——— ——— Brady, Report Challenger, 1884, 539, lxx, 3a, b.

- CRISTELLARIA** reticulata, Schwager. Benecke's Geogn.-Pal. Beiträge, I, 1868, 660, xxxiv, 14.
- Terquem, Bull. Soc. géol. France, [3], IV, 1876, 494, xvii, 1-9b.
- *mut. occidentalis*, Deecke. Abh. geol. Specialkarte Elsass-Lothr. IV, (1), 1884, 45, ii, 10, 10a.
- *retroflexa*, v. Hagenow. Neues Jahrb. f. min. 1842, 573.
- *reussana*, Neugeboren. Arch. Ver. siebenburg. Landeskunde, N. F. X, (2), 1872, 276, 1, 5 and 6.
- *rhenana*, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 35, iv, Impræssathion 13.
- *rhomboidea*, Czizek. Haidinger's Nat. Abh. II, 1848, 141, xii, 21-23.
- Brady, Proc. Scmerset. Arch. and Nat. Hist. Soc. XIII, 1865-6 (1867), 228, iii, 40-42.
- *römeri*, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 75, viii, 9a, b.
- *rosacea* (d'O.) P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 241, x, 90 [Robulina, 1826].
- *rostrata*, Ehrenberg. Monatsbericht. k. preuss. Ak. Wiss. Berlin, 1858, 19.
- *rostrata*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 292, No. 9.
- — — see *Planularia* and *Nautili*.
- *rostrata* (Montfort), see *Heriton*.
- P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 242, x, 96 [see *Robulina calcar* (Linn.)].
- *Ibid.* 245, xi, 97 [see *C. aculeata*, d'O.].
- *Ibid.* 246, xi, 98 [see *C. papillosa*, d'O.].
- *Ibid.* 244, xi, 99 [see *C. marginata*, d'O.].
- *rostrata*, Reuss. Sitz. k. Ak. Wiss. Wien, LV, (1), 1867, 86, iii, 6a, b.
- *rota*, Ehrenberg. Mikrogeologie, 1854, XXX, 35 [near *C. planicosta*, v. Hagen.].
- *rotalina*, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur, 1866, 11, ii, 4.
- — — Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 10, i, Ju-rensismergel 3.
- *rotella*, Conrad. Amer. Journ. Sci. [2], II, 1846, 399, figure.
- *rotula*, Beudant. Géologie. ed. 8, 1858, 117, f. 102, later eds., same fig.
- *rotula*, Stache. Novara-Exped. Geol. I, 1864, 233, xxiii, 12a, b.
- *rotulata* (Lamarck). v. *Lenticulites*, 1804.
- [d'O.]. D'Orbigny, Mém. Soc. Géol. France, [1], IV, 1840, 26, II, 15-18; facsimile in Science Gossip, 1870, 106, f. 106.
- [d'O.]. Reuss, Verstein. Böh. Kreide, 1845-6, I, 34, viii, 50, 70; XII, 25; and II, 109, xxiv, 48 and 49.
- [d'O.]. Reuss, in Geinitz, Grundr. Verstein. 1845-46, 663, xxiv, 30.
- — — Mantell, Pictorial Atlas Foss. Rem. 1850, 143, lxii, 4.
- — — Dixon, Geol., etc., Sussex, 1850, 351, xxvii, 19, and ed. 2, 1878, 286, same pl. and fig.
- — — Bronn, Lethæa Geognostica, ed. 3, II, 1851-52, 84, xxix¹, 12a, b, c.
- — — 6. Bronn, Annals and Mag. Nat. Hist. [2], XII, 1853, 241, ix, 6.
- — — Mantell, Medals of Creation, ed. 2, 1854, 342, f. 109, 4.
- — — [d'O.]. Costa, Atti Accad. Pontaniana, VII, (2,) 1856, 190, x, 17a.
- A, B, C. [There is no figure corresponding to this on Costa's plates.] Jones, Lecture Geol. Hist. Newbury, 1854, 48, ii, 3, 3a.
- — — Eley, Geol. in the Garden, 1859, 194, ii, 7 and 8 [flint cast]. *Ibid.* 1859, 202, viii, 7C, 8C.
- — — Jones & Parker, Quart. Journ. Geol. Soc. XVI. 1860, XX, 42-43.

- CRISTELLARIA rotulata** (Lamarck). Jones, Geologist, vi, 1863, 293, xv, 1, 2.
 ——— Mangin, Mystères Océan, 1864, 177, f. 8.
 ——— Parker & Jones, Phil. Trans. 1865, 345, xlii, 19.
 ——— Brady, Proc. Somerset. Arch. and Nat. Hist. Soc. XIII,
 1865-6 (1867), 227, iii, 36.
 ——— Reuss' Model No. 32, 1865 (Catal. No. 62, 1861).
 ——— Cooke, Thousand Objects Microsc. 1869, 89, ix, 3.
 ——— P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871,
 243, x, 80 [see *Robulina plicata*, d'O.].
 ——— Terquem, Ess. Anim. Plage Dunkerque, (1), 1875, 23, i,
 14a, b; (and Mém. Soc. Dunkerquoise).
 ——— Tate & Blake, Yorkshire Lias, 1876, 467, xl, 18.
 ——— Vanden Broeck, Ann. Soc. Belge Microsc. II, 1876, 102, iii,
 1 and 4; and Fonds de la Mer, III (1876).
 ——— Zittel, Handbuch Paléont. I, 1876, 85, f. 21^a.
 ——— Fric, Stud. Gebiete Böhmisches Kreideform. II, 1877, 150,
 f. 155.
 ——— Vine, Science Gossip, 1878, 52, f. 36.
 ——— var. *römeri*, Reuss. Uhlig, Jahrb. k. k. geol. Reichs.
 XXXIII, 1883, 751, ix, 1-3 [*Crist. römeri*, 1863].
 ——— Jones, Quart. Journ. Geol. Soc. XL, 1884, 765, XXXIV, 9.
 ——— Brady, Report Challenger, 1884, 547, lxix, 13a, b.
 ——— Quenstedt, Handbuch Petref. ed. 3, (5), (1885), 1052, lxxxvi,
 18.
 ——— var. Sherborn & Chapman, Journ. R. Micr. Soc. [2], VI,
 1886, 754, xvi, 3.
 ——— var. *flexuosa*, Sherborn & Chapman. *Ibid.* [2], VI, 1886,
 754, xv, 26a, b.
 ——— Malagoli, Boll. Soc. geol. Ital. VI, 1887, 521, xiii, 6.
 ——— Malagoli, Atti Soc. Nat. Modena, (Rend.) 3, III, 1887, 110,
 i, 11.
 ——— Steinmann, Elem. Paleont. I, 1888, 28, f. 8c.
 ——— Brady, Parker & Jones, Trans. Zool. Soc. XII, (7), 1888,
 224, xliv, 15.
 ——— Burbach (Dreyer), Zeitschr. f. Nat. LXI, 1888, 513, xi,
 41-47.
 ——— Prestwich, Geology, 1888, II, 290, 151^b.
 ——— [d'O.]. Fric, Arch. Nat. Landesd. Böhmens, VII, 1889, 115, wood-
 cut 162.
 ——— Mariani, Boll. Soc. Geol. Ital. VII (1889), 287, x, 11.
 ——— Klein, Vers. u. Abh. Nat. Ges. Dantzig, II, 1754, I, f. 1
 [second figure].
 ——— Ledermüller, Mikr. Gemüths, 1763, 17, vlii, C.
 ——— Martini, Neues syst. Conchyl. I, 1769, 250, xix, 171; same
 figure as in xx, 180, 181 (Martini — these two = ? *C. cultrata*, var.).
 ——— see *Patrocles*.
 ——— **rotunda**, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur,
 1866, 9, i, 18.
 ——— Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 9, i,
 Posidonienschief. 5.
 ——— **rotundata**, Toutkowsky. Zap. Kievsk. Obsch. Est. IX, 1888, 29, v, 1a,
 b, c [= *C. rotulata*].
 ——— **ruditziana**, Karrer. Sitz. k. Ak. Wiss. Wien, L, (1), 1864 (1865), 708,
 ii, 10.
 ——— **russeggeri**, Reuss. Sitz. k. Ak. Wiss. Wien, LV, (1), 1867, 86, iii, 7a, b.
 ——— **rustica**, d'Orb., 1849. Prodrome de Paléont. I, 1849, 242, No. 268.
 ——— ——— Terquem, Mém. Ac. Imp. Metz, XXXIX, 1853, 623, iii, 19a, b.
 ——— **sacculus**, Terquem. *Ibid.* XLIV, 1863, 424, x, 11a, b.
 ——— **sanguantæ** [d'Orb.]. D'Orbigny, Prodrome de Paléont. II, 1850, 281,
 No. 1377 [*Nunmulina*, Galeoti, 1838].

- CRISTELLARIA** *sarthacensis*, Schwager. Benecke's Geog.-Pal. Beiträge, I, 1866, 306, f. 10.
- *saulcyi*, d'Orbigny. Barker, Webb & Berthelot, Hist. Nat. Iles Canaries, 1839, II, (2), "Foraminifères," 126, III, 7-9.
- *schlönbachi*, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 65, VI, 14a, b, 15a, b.
- Brady, Report Challenger, 1884, 539, lxvii, 7.
- *schlönbachi*, Schwager. Benecke's Geogn.-Pal. Beiträge, I, 1868, 659, xxxiv, 16.
- Deecke, Abh. geol. Speciakarte Elsass-Lothr. IV, (1), 1884, 39, II, 15, 15a.
- *schwageri*, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 42, V, 11; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 49, same pl. and fig.
- Jones, M. Micr. Journ. XV, 1876, cxxviii, 8a, b.
- *scitula*, Berthelin. Mém. Soc. Géol. France, [3], I, 1880, 54, III (xxvi), 3a-c.
- *sculpta*, Terq. & Berth. Ibid. [2], X, 1875, 49, IV (xiv), 12.
- *sculptilis*, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 129, VI, 10.
- *secans*, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 214, IX, 7a, b.
- *securiformis*, Terquem. Sixième Mém. Foram. Lias, 1866, 512, xxi, 33.
- *semicircularis*, d'Orb., 1847. Prodrome de Paléont. III, 1852, 154, No. 2858 [*Planularia*, Phil., 1844].
- *semiexpleta*, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 134, vii, 1.
- *semi-impressa*, Reuss. Denkschr. k. Ak. Wiss. Wien, XXV, 1865, 143, III, 13.
- *semi-incisa*, Terq. & Berth. Mém. Soc. Géol. France, [2], X, 1875, IV (xiv), 9, a-d.
- *semi-involuta*, Terquem. Mém. Ac. Imp. Metz, L, 1870, 437, XI, 1-30; XII, 1-30; XIII, 7-25.
- — — — — Terq., Bull. Soc. Géol. France, [3], IV, 1876, 493, XVI, 24 and 25.
- — — — — Terquem, Cinquième Mém. Foram. Oolithique, 1883, 353, XXXIX, 13-20.
- — — — — Terquem, Mém. Soc. Géol. France, [3], IV, 1886, 33, III, 30-37.
- — — — — v. *plana*, Deecke. Mém. Soc. Emul. Montbéliard, XVI, 1886, (29), II, 35.
- *semiluna*, d'Orbigny. Foram. Fossiles Vienne, 1846, 90, III, 43, 44.
- — — — — Jones, M. Micr. Journ. XV, 1876, cxxix, 15 [= *Planularia auris*, Defr.].
- *semilunaris*, Terquem. Mém. Soc. Géol. France, [3], IV, 1886, 32, III, 28 and 29.
- *semituberculata*, Karrer. Sitz. k. Ak. Wiss. Wien, LV, (1), 1867, 355, I, 5 [error for 7].
- *serrata* (*C. papillosa*), Lamarek. Ency. Méthod, "Vers," II (1830), 29 (pls. 1827), 467, f. 4, a, b; (P. & J. quote pt. 23, 1816).
- *serrigibbosa*, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 125, V, 15.
- *siddalliana*, Brady. Quart. Journ. Micr. Sci. XXI, 1881, 64.
- — — — — Brady, Report Challenger, 1884, 541, lxviii, 5-9.
- *similis*, Terquem. Mém. Ac. Imp. Metz, L, 1870, 431, IX, 30.
- — — — — Terquem, Mém. Soc. Géol. France, [3], IV, 1886, 30, III, 15 and 16.
- *simplex*, d'Orbigny. Foram. Fossiles Vienne, 1846, 85, III, 26-29.
- — — — — Egger, Neues Jahrbuch, 1857, 296, XIV, 34-35.
- — — — — Kübler & Zwingli, Neujahrsblatt Burgersbibl. Winterthur, 1866, 10, I, 28.

- CRISTELLARIA simplex**, d'Orbigny. Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 10, i, Jurensismergel 4; and 27, iii, 28.
 ——— ——— Terquem, Mém. Soc. Géol. France, [3], ii, 1882, 41, ii, (x), 3.
 ——— ——— Schlumberger, F. Jeun. Nat. Jan., 1882, i, 10.
 ——— ——— Jones in Microgr. Dict. ed. 4, 1883, 214, xxiii, 34.
 ——— v. *Nautilus*.
simplex, Dunikowski. Kosmos [Lemberg], iv, 1879, 126, plate, 19.
simplex, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 413, ix, 15a, b.
simplicissima, Reuss. Sitz. k. Ak. Wiss. Wien, XLVIII, (1), 1863 (1864), 51, iv, 51a, b, 52a, b; 53a, b.
sinemuriensis, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 414, ix, 17a, b.
sinus, Karrer. Jahrb. k. k. geol. Reichsanstalt, xx, 1870, 180, ii, 9.
soldani (d'O.). P., J. & B. [Soldani]. Ann. Mag. [4], VIII, 1871, 240, x, 85 [*Rubulina*, 1826; *Nautilus globulus* of Soldani].
 ——— = **C. cassis** (F. & M.), see *Lituï crispata*, etc.
sowerbyi, Schwager. Benecke's Geogn.-Pal. Beiträge, i, 1868, 660, xxxiv, 18.
 ——— Deecke, Abh. geol. Speciaalkarte Elsass-Lothr. iv, (1), 1884, 50, ii, 18.
 ——— Deecke, Mém. Soc. Emul. Montbéliard. XVI, 1886, [34], ii, 34, 34a.
spachholzti, Reuss. Haidinger's Naturw. Abh. iv, (1), 1851, 33, ii, 10.
 ——— Hitchcock, Elemt. Geology, 1860, 30th ed., 141, f. 96.
sparsa, Terq. & Berth. Mém. Soc. Géol. France, [2], x, 1875, 48, iv (xiv), 8.
speciosa, Terquem. Mém. Ac. Imp. Metz, XXXIX, 1858, 624, iv, 2a-d.
spectabilis, Reuss. Denkschr. k. Ak. Wiss. Wien, XXV, 1865, 141, iii, 10 [9 and 10].
sphærica, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 20, ii, Macrocephalus-oolith 10.
spicula, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 122, v, 9.
spinulosa, Reuss. Zeitschr. deutsch. geol. Ges. iv, 1852, 17, f. a, b.
 (Marg.) **spinulosa**, Karrer. Abh. k. k. geol. Reichs. IX, 1877, 382, xvib. 34.
spirata, d'Orb., 1847 D'Orbigny, Prodrome de Paléont. III, 1852, 154, No. 2854 (*Marginulina*, Phil., 1844).
spirolina, Bornemann. Lias von Göttingen, 1854, 40, iv, 30a-c.
splendens, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 421, x, 7.
 ——— Terquem, Cinquième Mém. Foram. 1866, 438, xviii, 6.
spoliata, Franzénau. Math. termész. értesítő, VII, 1889, 258, v, 2.
spongiphila, Gümbel. Jahresh. Ver. vat. Nat. Württ. XVIII, 1862, 224, iii, 2%.
 ——— Deecke, Mém. Soc. Emul. Montbéliard, XVI, 1886, [32], ii, 26, 26a.
spuria, Terquem. Sixième Mém. Foram. Lias. 1866, 516, xxii. 5a, b.
squamulosa, Lamarck. Hist. Anim. s. Vert. VII, 1822, 607; No. 1 [see *C. planata*].
 ——— Crouch, Introd. Lamarck, 1827, 40, xx, 9 [= *Peneroplis planatus*].
 ——— Brown, Conch. Text-book, 1839, 63, x, 20.
 ——— Brown, Elemt. Foss. Conch. 1843, 24, ii, 27.
stellaris, Terquem. Mém. Ac. Imp. Metz, I, 1870, 446, xvi, 30a, b.
sternalis, Berthelin. Mém. Soc. Géol. France, [3], I, 1880, 51, iii (xxvi), 2a, b.
stillata, Terquem. Sixième Mém. Foram. Lias, 1866, 517, xxii, 7.
striatula, Terquem. Ibid. 1866, 519, xxii, 12a, b.
strombecki, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 68, vii, 7a, b.

- CRISTELLARIA** studeri, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur, 1866, 9, i, 13.
 ——— ——— Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 7, i, 1,
 Turnerithon 16.
 ——— **subalata**, Reuss. Denkschr. k. Ak. Wiss. Wien, vii, (1), 1854, 68,
 xxv, 13.
 ——— ——— Reuss, Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863),
 76, viii, 10; ix, 1.
 ——— **subangulata**, Reuss. *Ibid.* XLVI, (1), 1862 (1863), 74, viii, 7a, b.
 ——— ——— Reuss, Denkschr. k. Ak. Wiss. Wien, xxv, 1865, 144, iii,
 17.
 ——— **subangulata**, Schwager. Jahresh. Ver. vat. Nat. Württ. xxi, 1865,
 128, vi, 7.
 ——— **subaperta**, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 73,
 viii, 5 a, b.
 ——— **subarcuata**, d'Orb., 1847. D'Orbigny, Prodrome de Paléont. III, 1852,
 153, No. 2847 [= *C. arcuata*, d'Orb., 1846]
 ——— **subarcuata**, Gümbel. Abh. m.-ph. Cl. k.-bayer, Ak. Wiss. x, 1868 (1870),
 637, i, 64a, b.
 ——— **subarcuatula**, Walker. Williamson, Recent British Foram. 1858, 29,
 ii, 56-67, "56-62" typica [58 = *C. crepidula*; 60, 61 = *C. italicica*; 62 =
Marg. lituus, d'Orb.]. [*Nautilus*, 1784.]
 ——— ——— **v. costata**, Williamson. *Ibid.* 1858, 30, ii, 63-67 [63 =
Marg. raphanus; 64-67 = *Planularia striolata*, Reuss].
 ——— ——— **v. scapha**, Williamson. *Ibid.* 1858, 30, ii, 60-61.
 ——— ——— Terquem, Ess. Anim. Plage Dunkerque, (1), 1875, 23, i, 13a,
 b, c (& Mém. Soc. Dunkerquoise).
 ——— ——— *Ibid.* (2), 1876, 70, vii, 17 (& Mém. Soc. Dunkerquoise).
 ——— ——— Burbach (Dreyer), Zeitschr. f. Nat. LXI, 1888, 509, xi, 33
 and 34.
 ——— **subcompressa**. d'Orb., 1847. D'Orbigny, Prodrome de Paléont. III,
 1852, 153, No. 2846 (= *C. compressa*, d'Orb., 1846).
 ——— **subcompressa**, Schwager. Jahresh. Ver. vat. Nat. Württ. xxi, 1865,
 120, v, 4.
 ——— (aff.) ——— Deecke, Abh. geol. Speciaalkarte Elsass-Lothr. IV,
 (1), 1884, 40, ii, 16.
 ——— (cf.) ——— Deecke, Mém. Soc. Emul. Montbéliard, XVI, 1886,
 [31], ii, 31.
 ——— **subcostata**, v. Muenster. Roemer, Neues Jahrbuch, 1838, 391, iii, 64.
 ——— ——— Reuss, Sitz. k. Ak. Wiss. Wien, XVIII, 1856, 237, iii, 43.
 ——— **subcrassa**, d'Orb., 1847. D'Orbigny, Prodrome de Paléont. III, 1852,
 154, No. 2851 (= *C. crassa*, 1846).
 ——— **subinvoluta**, Terquem. Mém. Ac. Imp. Metz, L, 1870, 433, x, 1-18.
 ——— ——— Terquem, Cinquième Mém. Foram. Oolithique, 1883, 352,
 xxxix, 4-12.
 ——— ——— Terquem, Mém. Soc. Géol. France, [3], IV, 1886, 30, iii,
 18-24.
 ——— **sublenticularis**, Schwager. Benecke's Geog.-Pal. Beiträge, I, 1866,
 307, f. 11.
 ——— **subplana**, Reuss. Denkschr. k. Ak. Wiss. Wien, XXV, 1865, 143, iii, 12.
 ——— **subquadrata**, Terquem. Mém. Ac. Imp. Metz, XLII, 1862, 448, vi, 7a, b.
 ——— ——— Burbach (Dreyer), Zeitschr. f. Nat. LXI, 1888, 505, x, 22.
 ——— (*Marg.*) **subregularis**, Hantken. Magyar. Földt. Társ. Munkálatai, IV,
 1868, 90, i, 20.
 ——— **subscalprata**, Schwager. Jahresh. Ver. vat. Nat. Württ. xxi, 1865,
 125, v, 16.
 ? ——— **suevica**, K. Miller. Schr. Ver. Gesch. Bodensee., VII, 1877, [77], iv,
 14 and 15 [cast or concretion ?].
 ——— **sulcifera**, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 74,
 viii, 9a, b [error for 8].

- CRISTELLARIA suprajurassica.** Schwager. Jahresh. Ver. vat. Nat. Württ. xxii, 1865, 130, vi, 11, 12.
 ———— Deecke, Mém. Soc. Emul. Montbéliard, xvi, 1886, [31], ii, 14 and 15.
 ———— **suturalis**, Terquem. Cinquième Mém. Foram. Lias, 1866, 441, xviii, 11a, b, c.
 ———— Terquem, Mém. Ac. Imp. Metz, L. 1870, 434, x, 19–24.
 ———— Terquem, Mém. Soc. Géol. France, [3], iv, 1886, 31, iii, 25a, b.
 ———— tensa, Schwager. Jahresh. Ver. vat. Nat. Württ xxii, 1865, 119, v, 3.
 ———— tenuis, (Born.). Brady, Report Challenger, 1884, 535, LXVI, 21–23 [*Marginulina*, 1855].
 ———— [terquiemi], d'Orb., 1849. D'Orbigny, Prodrome de Paléont. I, 1849, 242, No. 269.
 ———— terquemi, d'O. Terquem, Mém. Ac. Imp. Metz, XXXIX, 1858, 622, iii, 18a–c.
 ———— tetraedra, Bornemann. Zeitschr. deutsch. geol. Ges. VII, 1855, 327, xiii, 15.
 ———— translucida, d'Orbigny. Ann. Sci. Nat. VII, 1826, 292, No. 15.
 ———— triangularis, d'Orbigny. Mém. Soc. Géol. France, [1], IV, 1840, 27, ii, 21, 22; Facsimilie in Science Gossip, 1870, 107, f. 109.
 ———— Reuss, Verstein Böhm Kreide, 1845–6, I, 34, viii, 48.
 ———— Reuss, in Geinitz Grundr. Verstein. 1845–46, 663, xxiv, 29.
 ———— triangularis, Terquem. Ess. Anim. Plage Dunkerque, (2), 1876, 69, vii, 16 (and Mém. Soc. Dunkerquoise).
 ———— tricarinella, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 68, vii, 9a, b.
 ———— Brady, Report Challenger, 1884, 540, lxviii, 3 and 4.
 ———— Goës, Bihang K. Svenska Vet.-Ak. Handl. XV, 1889, ii, 27, 28.
 ———— trigonalis, Reuss. Sitz. k. Ak. Wiss. Wien, L, (1), 1864 (1865), 461, ii, 12a, b, c.
 ———— trimarginata, Schwager. Benecke's Geog.-Pal. Beiträge, I, 1866, 306, f. 9.
 ———— tripleura, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 211, ix, 5a, b.
 ———— triquetra, Gümbel. Jahresh. Ver. vat. Nat. Württ. XVIII, 1862, 225, iii, 28a, b, c.
 ———— triquetra, Terquem. Mém. Ac. Imp. Metz, L, 1870, 430, ix, 25, 26.
 ———— Terquem, Mém. Soc. Géol. France, [3], IV, 1886, 30, iii, 13 and 14.
 ———— truncana, Gümbel. Abh. m.-ph. Cl. k.-bayer, Ak. Wiss. X, 1868 (1870), 639, I, 68a, b.
 ———— truncata, d'Orbigny. In d'Archiac, Mém. Soc. Géol. France, V, (2), 1843, 370, xxv, 3a, b, c.
 ———— truncata, Reuss. Haidinger's Naturw. Abh. IV, (1), 1851, 32, ii, 8.
 ———— trunculata, Berthelin. Mém. Soc. Géol. France, [3], I, 1880, 53, iii, (xxvi), 26a–27b
 ———— tuberculata, d'Orbigny. Ann. Sci. Nat. VII, 1826, 292, No. 13.
 ———— P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 245, xi, 102.
 ———— *Ibid.* 246, xi, 103 [v. *C. elegans*, d'O.].
 ———— v. *Nautilus lituitatus*.
 ———— tumida, Karrer. Jahrb. k. k. geol. Reichsanstalt, XX, 1870, 180, II, 10.
 ———— (Marg.) tunicata, Hantken. Magyar. Földt. Társ. Munkálatai, IV, 1868, 91, ii, 24a, b, c.
 ———— turbiniformis, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 242, x, 9a, b, c.
 ———— turbinoïdes, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 9, I, Posidonienschifer 6.
 ———— turgida, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 73, viii, 4a, b.
 ———— turgida, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 127, vi, 4.
 ———— tylophora, Deecke. Abh. geol. Spezialkarte Elsass-Lothr. IV, (1), 1884, 42, ii, 7, 7a.

- CRISTELLARIA** ulmensis, Gümbel. Sitz. k.-bayer. Ak. Wiss. I, 1871, 68, i, 15.
 —— umbilicata, Reuss. Sitz. k. Ak. Wiss. Wien, XLIV, (1), 1861 (1862), 327, vi, 6a, b.
 —— undata (*C. papillosa*), Lamarck. Encyc. Méthod. "Vers," II, (1830), 29, (pls. 1827), 467, f. 5 (P. & J. quote pt. 23, 1816).
 —— undulata, Karrer. Sitz. k. Ak. Wiss. Wien, I.V, (1), 1867, 348, i, 2.
 —— undulata, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 29, iii, 37.
 —— unimamillata, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 422, x, 8a, b, c.
 —— vaginalis, Reuss. Sitz. k. Ak. Wiss. Wien, XLVIII, (1), 1863 (1864), 50, iv, 49a, b.
 —— vaginalata, Karrer. In Drasche, Frag. Geol. Luzon, 1878, 92, v, 15; and Bol. Com. Map. Geol. Espan. VII, 1880, 274, F, 1.
 —— variabilis, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 369, xlvi, 15, 16.
 —— —— Nungeboren, Arch. Ver. siebenburg. Landeskunde, N. F. x, (2), 1872, 278, i, 13-16.
 —— —— Brady, Report Challenger, 1884, 541, lxviii, 11-16.
 —— —— Brady, Parker & Jones, Trans. Zool. Soc. XII, (7), 1888, 224, xliv, 12.
 —— varians, Bornemann. Lias von Göttingen, 1854, 41, iv, 32, 33, 34a-c.
 —— —— Tate & Blake. Yorkshire Lias, 1876, 466, xvii, 27; xix, 16.
 —— —— Burbach (Dreyer), Zeitschr. f. Nat. LXI, 1888, 502, x, 15-21.
 —— ventricosa, Terquem. Sixième Mém. Foram. Lias, 1866, 515, xxii, 4a, b.
 —— ventriculus, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 37, iv, Geissbergerschicht 1.
 —— vestita, Berthelin. Mém. Soc. Géol. France, [3], I, 1880, 55, iii (xxvi), 22a, b.
 —— vetusta, d'Orb., 1849. D'Orbigny, Prodrome de Paléont. I, 1849, 242, No. 267.
 —— —— Terquem, Mém. Ac. Imp. Metz, XXXIX, 1858, 622, iii, 17a-d.
 —— vicinalis, Terquem. Cinquième Mém. Foram. Lias, 1866, 439, xviii, 8a, b.
 —— vitrea, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1841, 426, iii, vii, 47 [= *Rotalia orbicularis*, d'O.].
 —— volpicellii, Costa. Mem. Acc. Sci. Napoli, II, 1855 (1857), 120, I, 4, A, B.
 —— voluta, Cornuel. Mém. Soc. Géol. France, [2], III, 1848, 255, ii, 14-16.
 —— vortex (Fichtel & Moll.). v *Nautilus*, 1798
 —— —— Reuss, Denkschr. k. Ak. Wiss. Wien, XXV, 1865, 146, iii, 21.
 —— —— P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 240, x, 82 [v. *Robulina*].
 —— —— *Ibid.* [4], VIII, 1871, 240, x, 81 [v. *Robulina orbicularis*, d'O.].
 —— —— Brady, Report Challenger, 1884, 548, lxix, 14-16.
 —— vulgaris, Schwager. Benecke's Geogn.-Pal. Beiträge, I, 1868, 661, xxxiv, 19 [v. *Robulina*].
 —— wetherellii (Jones). Prestwich, Quart. Journ. Geol. Soc. VIII, 1852, 267, no figure [v. *Marginulina*, sp. 1834].
 —— —— Brady, Report Challenger, 1884, 537, cxiv, 14.
 —— wetzleri, Gümbel. Sitz. k.-bayer. Ak. Wiss. I, 1871, 67, i, 14.
 —— williamsoni, Reuss. Sitz. k. Ak. Wiss. Wien, XLIV, (1), 1861 (1862), 327, vi, 4a, b.
 —— zignoi, Hantken. Ertek. Termesz. köreböl, XIII, No. 1, 1883, 7, i, 2a, b; and Math. Nat. Ber. Ungarn, II, 1884, 128.
 —— zittlei, Schwager. Benecke's Geogn.-Pal. Beiträge, I, 1868, 657, xxxiv, 12.
 —— sp. Schwager, Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 112, v, 17.
 —— sp. ined. Andreae, Abh. geol. Specialkarte Elsass-Lothr. II, (3), 1884, 299, vi, 8.
 —— sp. Brady, Parker & Jones. Trans. Zool. Soc. XII, (7), 1888, 224, xliv, 17.
 —— Parkinson, Organ. Rem. former World, III, 1811, 109, xi, 30 [v. *Naut. subarcuatus*].

CRISTELLARIA, Bowdich, Elem. Conch. (1), 1822, 21, iii, 13.

— Wetherell, Trans. geol. Soc. Lond. [2], v, 1834 (1840), 135, ix, 19 [= *C. italica*].

[—] Bailey, Amer. Journ. Sci. xli, 1841, 401, f. 3.

— Lyell, Quart. Journ. Geol. Soc. i, 1845, 64, f. b, c [= fine but very wide *C. crepidula*].

— Pictet, Traité de Paléont. iv, 1846, 223, xii, 5.

— Ansted, Ancient World, 1847, 237, fig. 92; ed. 2, 1848, 221, fig. 88.

— Williamson, Mem. Lit. Phil. Soc. Manchester, [2], viii, 1848, 77, pl. 67 [= *C. compressa*, d'O.].

? — *Ibid.* [2], viii, 1848, 77, pl. 68 [= *C. cymboïdes*, d'Orb.].

— Mantell, Pictorial Atlas Foss. Rem. 1850, 144, lxii, 26.

— Bornemann, Lias von Göttingen, 1854, 42, iv, 89 [error for 39] [section].

— v. Schlicht, "Foram. Septar. Pietzpuhl," 1870, plates xli-xvi and xxxviii.

— Chimmo, Bed of Atlantic, 1870, 24, viii, 1 and 2 [= *Pulvinulinae*].

— Chimmo, Nat. Hist. Euplectella, etc. 1878, 21, vi, 18a, b, c [= ?*Pulvinulina*].

— Carpenter, Ency. Brit. 9th ed., ix, 1879, "Foraminifera," 374, i, 11.

? — Terquem, Bull. Soc. géol. France, [3], viii, 1880, 418, xi, 8 [cast].

— Neumayr, Stämme d. Thierreiches, 1, 1889 (8), 183, f. 25d, e.

? — Wisniowski, Jahrb. k. k. geol. Reichs, XXXVIII, (1889), 697, xiii, 73-76

See *Lenticulites*.

See *Nautilus*.

See *Nautilus*.

See *Phonemus*.

"CROISIER-like shell," Brocklesby. Views Microscop. World, 1851, 51, f. 85
[= *Lituola nautiloides*].

CRUCILOCULINA, d'Orbigny, 1839. Voy. Amér. Mérid. 1839, v, (5), 72.

— *triangularis*, d'Orbigny. *Ibid.* "Foraminifères," 72, ix, 11 and 12 [v. *Triloculina*].

— Foram. Fossiles Vienne, 1846, 280, xxi, 57.

— Carpenter, Parker & Jones, Introd. Foram. 1862, 75 and 80, vi, 15.

CUCURBITINA, Costa, 1856. Atti Accad. Pontaniana, VII, (2), 1856, 363, xii, 19.

— *cruciata*, Costa. *Ibid.* VII, (2), 1856, not descr., xviii, 7.

CUNEOLINA, d'Orbigny, 1839. De la Sagra, Hist. Phys. Cuba, (5), 1839, "Foraminifères," 150; and Foram. Fossiles Vienne, 1846, 253.

— *conica*, d'Orb., 1847. D'Orbigny, Prodrome de Paléont. II, 1850, 186, No. 762.

— *fleuriaussa*, d'Orb., 1847. *Ibid.* II, 1850, 186, No. 763.

— *pavonia*, d'Orbigny. Foram. Fossiles Vienne, 1846, 253, xxii, 50-52.

— *—* D'Orbigny, Cours élém. Paléont., etc. I, 1849, 203, f. 330; II, (2), 1852, 648, f. 526.

— *—* Brönn, Lethaea Geognostica, ed. 3, II, 1851-52, 92, xxix¹, 25.

— *—* Carpenter, Parker & Jones, Introd. Foram. 1862, 193, xii, 17.

— *—* Mackie, Science Gossip, 1867, 131, f. 131.

— Schwager, Boll. R. Com. Geol. Ital. viii, 1877, 26, pl. 61.

CUPULITES, Lamouroux, 1821.

— *macropora* = *Orbitulites macropora*, Lam. D'Orbigny, Prodrome de Paléont. II, 1850, 397.

CYCLAMMINA, Brady, 1879. Q. Journ. Micr. Sci. xix, 1879, 62.

— *cancellata*, Brady, MS. Norman, Proc. Roy. Soc. xxv, 1876, 214.

— *—* Brady. Q. Journ. Micr. Sci. xix, 1879, 62 ["Nautiloid *Lituola*," 1875, not figured].

— *—* Carpenter, The Microscope, ed. 6, 1881, 564, f. 322, a, b, c.

— *—* Brady, Report Challenger, 1884, 351, xxxvii, 8-16.

— Agassiz, Three Cruises "Blake," II, 1888, 164, f. 498, 499.

— *orbicularis*, Brady. Q. Journ. Micr. Sci. xxi, 1881, 53.

— Brady, Report Challenger, 1884, 353, xxxvii, 17-19.

— *pusilla*, Brady. Q. Journ. Micr. Soc. xxi, 1881, 53.

— Brady, Report Challenger, 1884, 353, xxxvii, 20-23.

- CYCLOCYYPEUS**, Carpenter, 1856. Phil. Trans. 1856, 555; Brady, Report Challenger, 1884, 750.
- *annulatus*, Martin. Tertiärsch. Java. 1879–80, 157, xxviii, 1.
— — — — — Martin, Niederländ. Arch. Zool. v, (2), 1880, xiv, 1.
- *communis*, Martin. Tertiärsch. Java, 1879–80, 154, xxvii, 1 and 2.
— — — — — Martin, Niederländ. Arch. Zool. v, (2), 1880, xiii, 1 and 2.
- *guembelianus*, Brady. Quart. Journ. Micr. Sci. xxi, 1881, 66.
— — — — — Brady, Report Challenger, 1884, 7–51, cxi, 8a, b.
- *mammillatus*, Carter. Annals Mag. Nat. Hist. [3], viii, 1861, 461; Journ. Bombay Branch R. Asiatic Soc. vi, 1861 (1862), 87, not figured.
- *neglectus*, Martin. Tertiärsch. Java, 1879–80, 156, xxvii, 3.
— — — — — Martin, Niederländ. Arch. Zool. v, (2), 1880, xiii, 3 ("? *Orbitoides javanicus*, Ehr.).
- Carpenter, Phil. Trans. 1856, 555–562, xxix, 10–12; xxx, 1–4; xxxi, 2–6, 8–10.
- Bonn, Klassen, Ordn. Thier-Reichs, I, 1859, 71, vii, 3 A–D [structural].
- Carpenter, Parker & Jones. Introd. Foram. 1862, 292, xix, 2–7.
- sp. Schwager, Boll. R. Com. Geol. Ital. viii, 1877, 26, pl. 76.
- Haeckel, Das Protistenreich, 1878, 37, f. 22.
- Carpenter, Ency. Brit. 9th ed., ix, 1879, "Foraminifera," 382, f. 29.
- Bütschli, in Bonn, Klassen, etc., Thier Reichs, 1880, vi, 3 A–D.
- CYCLOLINA**, d'Orbigny, 1846. D'Orbigny, Foram. Fossiles Vienne, 1846, 139; Munier-Chalmas, Compte-Rendu sommaire Soc. géol. France, No. 7, 21 fév., 1887, p. xxx.
- *armorica*, d'Archiac. Bull. Soc. géol. France, 2, xxv, 1868, 376.
- *carinata*, Terquem. Mém. Soc. Géol. France, [3], II, 1882, 125, xiii (xxi), 4.
- *cretacea*, d'Orbigny. Foram. Fossiles Vienne, 1846, 139, xxi, 22–25 [v. *Orbitolites*].
— — — — — Bonn, Lethaea Geognostica, ed. 3, II, 1851–52, 87, xxix¹, 21.
- — — — — Pictet, Traité de Paléont. 2 ed., IV, 1857, 485, cix, 6.
- — — — — Bonn, Klassen, Ordn. Thier-Reichs, I, 1859, 72, vi, 16a, b, c.
- — — — — Mackie, Recreative Science, I, 1859, 148, f. 30.
- — — — — Reuss' Model, 1865, No. 88 (Catal. 1861, No. 29).
- — — — — Mackie, Science Gossip, 1867, 131, f. 129.
- — — — — Quenstedt, Handbuch Petref. ed. 3, (5), (1885), 1056, lxxxvi, 40.
- *dufrenoyi*, d'Archiac. Bull. Soc. géol. France, [2], XI, 1854, 205, ii, 1a, b, c, d [structural] [v. *Broeckina*].
- ? — *impressa*, Egger. Neues Jahrbuch, 1857, 304, x, 7 and 8 [= *Spirillina vivipara*, v. *Spirillina impressa*].
- *pedunculata*, Carter. Journ. Bombay Br. R. Asiatic Soc. v, (xviii), (1853), 140, ii, 42–45 [v. *Orbitolites*].
— — — — — Carter, Annals Mag. Nat. Hist. [2], XI, 1853, 176, vii, 42–45.
- — — — — Carter, Geol. Papers, West India, 1857, 549, xxiii. 42–45.
- *praealta*, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 227, xx, 8 and 9.
- CYCLOPSINA**, Munier-Chalmas, 1887. Compte-Rendu sommaire Soc. géol. France, No. 7, 21 fév., 1887, p. xxx.
- *steinmanni*, Mun-Ch. *Ibid.* no fig. ["voisin des Archiacina et Broeckina." "Couches supérieures à *Hippurites* . . . de l'Etang de Caronete].
- CYCLOSIPHON?**, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1855, 168, iv, xii, [*Orbitoides* fragment, referred elsewhere by Ehrenberg to *O. mantelli*]. [*Glauc.*].
- CYLINDRELLA**, Gümbel. Abh. k.-bayer. Ak. Wiss. München, XI, 1871 (1874), 231, etc., plate [= genus of calcareous algæ].
- CYLINDROPIRA**, Folin, 1882. Congrès Scient. Dax, 1882 (1883), 318 [not described].
- CYMBALOPORA**, v. Hagenow, 1850. Bryozoen Maastrichter Kreide, 1850, 104; Brady, Report Challenger, 1884, 635.
- *(Tretomphalus) bulloides*, (d'O.). Brady, Report Challenger, 1884, 638, cii, 7–12 and fig. 20a, b, c, p. 639 [*Rosalina*, 1839].
— — — — — Agassiz, Three Cruises "Blake," II, 1888, 168, f. 513.

CYMBALOPORA poeyi (d'Orbigny). v. *Rosalina*, 1839.

- [— — — —] Macdonald, Annals and Mag. Nat. Hist. [2], xx, 1857, 193, v. 16.
- (Rosalina) — — Carpenter, Parker & Jones, Introd. Foram. 1862, 215, xiii, 10-12.
- — — Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 26, pl. 56.
- — — Möbius, Beitr. Meeresfauna Insel Mauritius, etc. 1880, 97, x, 1-5 [structural].
- [poeyi] — — Bütschli, in Bronn, Klassen, etc., Thier-Reichs, 1880, 202, ix, 4.
- [poeyi] — — Jones, in Microgr. Dict. ed. 4, 1883, 227, xxiv, 17a, b.
- — — Brady, Report Challenger, 1884, 636, cii, 18a, b, c.
- — — Brady, Parker & Jones, Trans. Zool. Soc. XII, (7), 1888, 226, xlvi, 12.
- radiata, v. Hagenow. Bryozoen Maastrichter Kreide, 1850, 104, xii, 18a-d.
- tabellæformis, Brady. Report Challenger, 1884, 637, cii, 15-18.

CYMBICIDES laevigata, Costa. Atti R. Acc. Sci. Borbon. IV, 1839, 186.

CYMBULOPORA, Fischer, 1870, error for *Cymbalopora*.

CYMBULIA (*Brachyspira*) *cyclopes*, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1862, 600, pl. 2 and 3.

— (*Brachyspira*) *prisca*, Ehr. Ibid. 1862, 601, pl. 4.

CYPHODERIA, P. Schlumberger, 1845. Ann. Sci. Nat. [3], (Zool.), III, 1845, 255.

— *margaritacea*, P. Schlumberger. Ibid. [3], (Zool.), III, 1845, 255.

— — — Schultze, Organismus Polyth. 1854, 56, i, 7 and 8.

— — — Fresenius, Abh. Senckenb. Ges. II, 1858, 225, xii, 28-36.

— — — F. E. Schulze, Arch. Mikr. Anat. XI, 1875, 106, v, 12-22.

— — — Möbius, Abh. k. pr. Ak. Wiss. Berlin, 1888 (1889), 19.

— *truncata*, F. E. Schulze. Arch. Mikr. Anat. XI, 1875, 113, v, 21, 22.

— — — Möbius, Abh. k. pr. Ak. Wiss. Berlin, 1888 (1889), 19.

CYSTEODICTYINA compressa, Carter. Ann. Mag. Nat. Hist. [5], v, 1880, 448, xviii, 5a-e [one of the *Testamæbiformia*; Brady, Report Challenger, 1884, 77].

DACTYLINA, Zborezewski, 1843. Bull. Soc. Imp. Nat. Moscou, XVI, 1843, 363, [? *Dactylopora*].

— *fischeri*, Zborezewski. Ibid. XVI, 1843, 363, f. a-d.

DACTYLOPORA, Lamarck, 1812. Extrait Cours Zool. 1812, 25; and Anim. sans Vertèb. II, 1816, 189 [a genus of calcareous algae; v. Munier-Chalmas, Comptes Rendus, LXXXV, 1877, 815; and Solms-Laubach, Einleitung Paläophytologie, 1887, 38, etc.]. [For the synonymy of this genus, see Gümbel, Abh. k. bay. Ak. Wiss. XI, 1871 (74), 256, etc.]. The following are the more important references to the "species":

— *annulus*, Parker & Jones. Annals Mag. Nat. Hist. [3], v, 1860, 474.

— (*Haplopore*) — — — Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 27, pl. 121.

— *bacillaris*, Reuss. Sitz. k. Ak. Wiss. Wien, LIX, (1), 1869, 458, i, 8-10.

— (*Thyrsoporella*) *cribrosa*, Gümb. Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 27, pl. 123.

— *cylindracea*, Lamarck. Hist. Anim. s. Vert. II, 1816, 189.

— — — Defrance, Dict. Sci. Nat. XII, 1818, 443; Atlas, Zooph. XLVII, 4; li, 6.

— — — Schweigger, Beob. naturh. Reisen, 1819, [131], vi, 57.

— — — Goldfuss, Petrif. German. I, 1826, 40, xii, 4.

— — — Blainville, Actinol. 1834, lxxii, 4; lxxvi, 6.

— — — See Bronn, Index Pal. Nomenclator, 403.

— — — Bronn, Lethæa Geognostica, ed. 3, III, 1853-56, 256, XXXV, 27a, b [Repor. of Lam. & Bosc, see Bronn].

— — — Pictet, Traité de l'Paléont. ed 2, IV, 1857, 484, cix, 4.

— (*Dactyloporella*) — — — Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 27, pl. 122.

— *elongata* (Defrance). Bronn, Lethæa Geognostica, ed. 3, III, 1853-56, 257, XXXV, 26a-c [Polytrypha, 1820].

- DACTYLOPORA** eruca, Parker & Jones. Annals Mag. Nat. Hist. [3], v, 1860, 473.
 ——— ——— Brady, Q. Journ. Micr. Sci. xix, 1879, 266, viii, 3, 4.
 ——— ——— Jones, in Microgr. Dict. ed. 4, 1883, 235, xxiii, 53.
 ——— miocenica, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, (1), 1868, 157, iii, 11*a-i*.
 ——— miocenica brevis, Karrer. Abh. k. k. Geol. Reichs. IX, 1877, 377, xvib, 13*a*.
 ——— miocenica crassa, Karrer. Ibid. IX, 1877, 377, xvib, 13*c*.
 ——— miocenica tenuis, Karrer. Ibid. IX, 1877, 377, xvib, 13*b*.
 ——— reticulata (Defr.). Jones in Microgr. Dict. ed. 4, 1883, 235, xxiii, 54 [v. *Larvaria*].
 ——— sp. Schwager. Palaeontographica xxx, Pal. Theil. 1883, 147, xxix, (6), 24*a, b*.
 ——— Brönn, Urweltl. Pflanzen, etc. 1825, pl. vi.
 ——— Carpenter, Parker & Jones, Introd. Foram. 1862, 127, x; figs. xxv to xxix in text.
 ——— Terquem, Bull. Soc. géol. France, [3], vi, 1878, 83 and 84.
 ——— Zittel & Schlimper, Handb. Paléont. II, (1), 1879
 ——— Bütschli, in Brönn, Klassen, etc., Thier-Reichs, 1880, 224, xiii, 4-7.
 ——— see *Larvaria* and *Polytrypa*.
- DACTYLOPORELLA**, Gümbel. Abh. k.-bayer. Ak. Wiss München, xi, 1871, (1874), 231, etc., plates [= *Dactylopora*, q. v.]. [The species described are *D. cylindracea*, Lam.; *D. elegans*, Gümb.; *D. miocenica*, Karr.; *D. saccata*, Gümb.].
- DAUCINA**, G. Bornemann, 1855. Erman's Arch. wiss. Kunde Russland, XIV, 1855, 153.
 ——— ermaniana, Bornemann. Ibid. XIV, 1855, 154, i, 5-15 [= *Glandulina*].
- DENDRITINA**, d'Orbigny, 1826. Ann. Sci. Nat. VII, 1826, 285. This genus is now included under *Peneroplis*.
- antillarum, d'Orbigny. Ibid. VII, 1826, 285, No. 3.
 ——— ——— D'Orb. in De la Sagra, Hist. Phisiq., Cuba, 1839, "Foraminifères," 58, vii, 3-6; also in Spanish, 1840, 77, same pl. and fig.
 ——— arbuscula, d'O. Ann. Sci. Nat. VII, 1826, 285, No. 1, xv [vi in text, by error], 6 and 7 [v. *Peneroplis*].
 ——— ——— D'Orb., Modèles, No. 21, 1826.
 ——— ——— Smedley, Ency. Metrop. 1845, undescr. pl., "Mollusca,?" 9, 10.
 ——— ——— Reuss in Geinitz, Grundr. Verstein. 1845-46, 644, xxiv, 48.
 ——— ——— Reuss' Model, 1865, No. 14 (Catal. 1861, No. 24).
 ——— ——— J., P. & B., Crag Foram. Pal. Soc. xix, 1866, 17, iii, 48 and 49.
 ——— ——— P., J. & B. [D'O., Modèles, 21], Ann. Mag. Nat. Hist. [3], XVI, 1865, 22, i, 20.
 ——— ——— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 162, f.
 ——— ——— Quenstedt, Handbuch Petref. ed. 3, (5), (1885), 1057, lxxxvi, 43.
 ——— elegans, d'Orbigny. Foram. Fossiles Vienne, 1846, 135, vii, 5, 6.
 ——— ——— Brönn, Klassen Ordn. Thier-Reichs, (1), 1859, 71, vi, 12*a, b*.
 ——— ——— Bütschli in Brönn, Klassen, etc., Thier-Reichs, 1880, 191, viii, 12.
 ——— ——— Terquem, Mém. Soc. Géol. France, [3], II, 1882, 51, iii (xi), 1*a, b*.
 ——— haueri, d'Orbigny. Foram. Fossiles Vienne, 1846, 134, vii, 1, 2 [*D. haueri*. on plate] [v. *Spirolina*].
 ——— juleana, d'Orbigny. Ibid. 1846, 134, vii, 3, 4 [v. *Spirolina*].
 ——— lævigata, Terquem. Mém. Soc. Géol. France, [3], II, 1882, 51, iii (xi), 2, 3.
 ——— lævis, Costa. Atti Accad. Pontaniana, VII, (2), 1856, not descr., xx, 4.
 ——— rangii, d'Orbigny. Ann. Sci. Nat. VII, 1826, 285, No. 2.
 ——— Pictet, Traité de Paléont. IV, 1846, 230, xii, 13.
 ——— Carpenter, Parker & Jones, Introd. Foram. 1862, 84, vii; figs. xx and xxI in text [= *Peneroplis*].

- DENDRITINA**, Carpenter, Ency. Brit. ed. 9, ix, 1879, Foraminifera, 377, f. 9.
 —— Bütschli in Broun, Klassen, etc., Thier-Reichs, 1880, 191, iv, 24.
 —— see *Peneroplis* and *Spirolina*.
- DENDROPELA**, de Folin, 1882. Congrès Scient. Dax, 1882 (1883), 328 [not described].
- DENDROPHRYA**, Strethill Wright, 1861. Ann. Mag. Nat. Hist. [3], viii, 1861, 122; Brady, Report Challenger, 1884, 237.
- *erecta*, Str. Wright. Ann. Mag. Nat. Hist. [3], viii, 1861, 122, iv, 4 and 5.
 —— —— —— Brady, Report Challenger, 1884, 239, xxvii, A, 7-9.
 —— *radiata*, Str. Wright. Ann. Mag. Nat. Hist. [3], viii, 1861, 122.
 —— —— —— Brady, Report Challenger, 1884, 238, xxvii, A, 10-12.
 —— —— —— Möbius, Abh. k. pr. Ak. Wiss. Berlin, 1888 (1889), 13, ii, 22-27.
- DENTALEN, ANTALEN or BUCCINOS**, Ledermüller. Mikrosk. Ergötzung. 1763, 8, iv, o, p, 1764; see also "Amusem. Microscop." same references; [= *Marginulinae*].
- DENTALINA**, d'Orbigny, 1826. Ann. Sci. Nat. vii, 1826, 254 [given by d'Orbigny as a subgenus of *Nodosaria*].
- *abbreviata*, Costa. Atti Accad. Pontaniana, vii, (2), 1856, not descr., xxvii, 21.
- *abbreviata*, Neugeboren. Denkschr. k. Ak. Wiss. Wien, xii, 2, 1856, 86, iii, 18.
- *abnormis*, Reuss. Sitz. k. Ak. Wiss. Wien, XLVIII, (1), 1863 (1864), 46, ii, 24 [v. also *Nodosaria*].
 —— —— —— Sherborn & Chapman, Journ. R. Micr. Soc. [2], vi, 1886, 750, xv, 10.
- *aboleta*, Schwager. Jahresh. Ver. vat. Nat. Württ. xxi, 1865, 105, iii, 5 and 8.
- *acicula* (Lamareck). Sherborn & Chapman, Journ. R. Micr. Soc. [2], vi, 1886, 751, f. 15 [Orthocera, 1822].
- *acicularis*, Costa. Atti Accad. Pontaniana, vii, (2), 1856, 166, xii, 24.
- *aciculata*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 255, No. 41
 —— —— —— P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], viii, 1871, 160, ix, 52 [see *Nodos. (D.)*].
- *aculeata*, d'Orbigny. Mém. Soc. Géol. France, [1], iv, 1840, 13, i, 2, 3; facsimile in Science Gossip, 1870, 81, f. 76 [v. *Ramulina*].
 —— —— —— Reuss, in Geinitz, Gründr. Verstein, 1845-46, 654, xxiv, 10.
- —— —— Cooke, Thousand Objects Microsc. 1869, 89, ix, 8.
- *acuminata*, Reuss. Sitz. k. Ak. Wiss. Wien, xl, 1860, 181, i, 7.
 —— —— —— Reuss' Model, No. 67, 1865 (Catal. 1861, No. 40).
- *acuminata*, Terquem. Mém. Ac Imp. Metz, XI.IV. 1863, 383, vii, 9.
- *acus*, Reuss. Haidinger's Naturw. Abh. IV, (1), 1851, 27, i, 15.
- *acuta*, d'Orbigny. Foram. Fossiles Vienne, 1846, 56, ii, 40-43 [v. also *acutissima*].
 —— —— —— Hautken, A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 30, iii, 20; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 36, same pl. and fig.
- *acuticauda*, Reuss. Zeitschr. deutsch. geol. Ges. III, 1851, 62, iii, 8 [v. also *Nodosaria*].
 —— —— —— Reuss, Sitz. k. Ak. Wiss. Wien, XLVIII, (1), 1863 (1864), 45, iii, 26.
- —— —— Gümbel, Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 624, i, 40.
- *acuticosta*, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 368, xlvi, 11.
 —— —— —— Bornemann, Zeitschr. deutsch. geol. Ges. VII, 1855, 325, xiii, 9.
- *acutissima*, d'Orbigny. Voyage Amér. Mérid. 1839, v, (5), "Foraminifères," 23, v, 15 and 16 [D. acuta (on plate). q. v.].
- *acutissima*, Reuss. Zeitschr. deutsch. geol. Ges. VII, 1855, 268, viii, 13.
- *adolphi*, d'Orbigny. Foram. Fossiles Vienne, 1846, 51, ii, 18-20 [v. also *Nodosaria*].
 [—— —— ? ——] Brown, Illustr. Recent Conch. Gt. Brit. ed. 2, 1844, not descr., lvii, 13.

- DENTALINA** adolphina, d'Orbigny. Bornemann, Zeitschr. geol. deutsch. Ges. VII, 1855, 324, xiii, 5 [*D. spinescens* in text, p. 324]
 ————— Neugeboren, Denkschr. k. Ak. Wiss. Wien, XII, 2, 1856, 88, iv, 8a, b.
 ————— Gümbel, Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 623, i, 32 [error for 39].
 ————— Quenstedt, Handbuch Petref. ed. 3, v, (1885), 1050, lxxxvi, 9.
 ————— Sherborn & Chapman, Journ. R. Micr. Soc. [2], vi, 1886, 750, xv, 11a, b, 12.
 ————— Anon., Sci. News, 4 May, 1888, 413, f. 13.
adunca, Costa. Mem. Acc. Sci. Napoli, ii, 1855 (1857), 117, i, 1¹.
æqualis, Karrer. Novara-Exped. Geol. I, (2), 1864, 74, xvi, 1.
æquabilis, Schwager. Jahresh. Ver. vat. Nat. Würt. xxi, 1865, 112, iv, 6.
æquivoca, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 170, xiii, 8a, A.
affinis, Terquem. Mém. Ac. Imp. Metz, LI, 1870, 363, xxvii, 17-22.
agglutinans, Terq. & Berthelin. Mém. Soc. Géol. France, [2], x, 1875, 25, ii (xii), 3a, b.
alternans, Terquem. Mém. Ac. Imp. Metz, LI, 1870, 363, xxvii, 23-25.
 ————— Terquem & Berthelin, Mém. Soc. Géol. France, [2], x, 1875, 25, ii (xii), 1a, b.
americana, Ehrenberg. Mikrogeologie, 1854, XXXII, ii, 3 [= *D. boueana*, d'O.].
amphora, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur, 1866, 8, i, 7.
anguis, Terquem. Cinquième Mém. Foram. Lias, 1866, 406, xv, 7a, b.
 ————— Terq. & Berthelin, Mém. Soc. Géol. France, [2], x, 1875, 26, ii (xii), 4.
annulata, Reuss. Alth, Haidinger's Nat. Abh. III, (2), 1850, 269, xiii, 29 [*Nodosaria*, 1844; v. also *D. communis*].
 ————— Haidinger's Naturw. Abh. IV, (1), 1851, 26, i, 13.
annulata, Terquem. Mém. Soc. Géol. France, [3], IV, 1886, 13, i, 34a, b.
antenna, Cornel. Ibid. [2], III, 1848, 250, i, 19.
antennula, d'Orbigny. Foram. Fossiles Vienne, 1846, 53, ii, 29, 30 [v. also *Nodosaria*].
apocrypha, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 22, ii, Ornamention 2.
approximata, Reuss. Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 26, iii, 5; and Mitt. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 31, same pl. and fig. [*Nodosaria* (*Dent.*), 1865].
arbuscula, Terquem. Sixième Mém. Foram. Lias, 1866, 487, xix, 30.
arcuata, d'Orbigny. Ann. Sci. Nat. VII, 1826, 254, No. 38.
 ————— P., J. & B. [Soldani]. Ann. Mag. Nat. Hist. [4], VIII, 1871, 159, ix, 49.
arcuata, Reuss. Sitz. k. Ak. Wiss. Wien, XLII, 1860 (1861), 364, i, 5.
aspera, Dunikowski. Kosmos [Lemberg], IV, 1879, 107, pl., 7.
baccata, Terquem. Mém. Ac. Imp. Metz, XXXIX, 1858, 601, ii, 9.
badenensis, d'Orbigny. Foram. Fossiles Vienne, 1846, 44, i, 48, 49.
 ————— Costa, Atti Accad. Pontaniana, VII, (2), 1856, 171, xvi, 23.
baltica, Reuss. Zeitschr. deutsch. geol. Ges. VII, 1855, 209, viii, 15.
benestarensis, Seguenza. Atti R. Acc. Lincei, [3], VI, 1880, 137 and 220, xiii, 4.
beneventana, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 172, xix, 1a, A, B. [There is no figure on the plates answering to this name.]
benningseni, Reuss. Sitz. k. Ak. Wiss. Wien, XLVIII, (1), 1863 (1864), 44, ii, 14.
beyrichana, Neugeboren. Denkschr. k. Ak. Wiss. Wien, XII, 2, 1856, 89, iv, 11.
bicornis, Terquem. Mém. Ac. Imp. Metz, II, 1870, 370, xxix, 13-17.
bifurcata, d'Orbigny. Foram. Fossiles Vienne, 1846, 56, ii, 38, 39.
 ————— Reuss, Denkschr. k. Ak. Wiss. Wien, I, 1850, 367, xlvi, 10.
 ————— Bornemann, Zeitschr. deutsch. geol. Ges. VII, 1855, 325, xiii, 10 and 11.

- DENTALINA bifurcata**, d'Orbigny. Costa, Atti Accad. Pontaniana, VII, (2), 1856, 162, xii, 27.
 ——— Hantken, A magy. kir. földt. int. évkönnyve, IV, 1875 (1876), 29, iii, 18 and 21; and Mittl. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 35, same pl. and fig.
 ——— **bombyx**, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur, 1866, 12, ii, 7.
 ——— Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 13, ii, Opalinusthon 5.
 ——— **böttcheri**, Reuss. Sitz. k. Ak. Wiss. Wien, XLVIII, (1), 1863 (1864), 45, ii, 17.
 ——— **botuliformis**, Terquem. Mém. Ac. Imp. Metz, LI, 1870, 370, xxix, 12.
 ——— **boueana**, d'Orbigny. Foram. Fossiles Vienne, 1846, 47, ii, 4-6.
 ——— cfr. ——— Hantken, A magy. kir. földt. int. évkönnyve, IV, 1875 (1876), 28, xii, 11 and 19; and Mittl. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 34, same pl. and fig.
 ——— **breoni**, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 386, vii, 16a, b, c.
 ——— Tate & Blake, Yorkshire Lias, 1876, 457, xviii, 20.
 ——— **brevis**, d'Orbigny. Foram. Fossiles Vienne, 1846, 48, ii, 9, 10.
 ——— Jones & Parker, Quart. Journ. Geol. Soc. XVI, 1860, xix, 23-24.
 ——— Tate & Blake, Yorkshire Lias, 1876, 459, xviii, 24.
 ——— cfr. ——— Koenen, Abh. k. Ges. Wiss. Göttingen, XXXII, 1885, 109, v, 11a, b.
 ——— **bucculenta**, Schwager. Dittmar, Die Contorta-Zone, 1864, 199, iii, 8.
 ——— **buchi**, Reuss. Zeitschr. deutsch. geol. Ges. III, 1851, 60, iii, 6.
 ——— **budensis**, Hantken. A magy. kir. földt. int. évkönnyve, IV, 1875 (1876), 28, iii, 12; and Mittl. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 34, same pl. and fig.
 ——— **bullata**, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 107, iii, 23.
 ——— **burgundiæ**, Terquem. Tate & Blake, Yorkshire Lias, 1876, 461, xviii, 29 [*Marginulina*, 1863].
 ——— **cancellata**, Terquem. Sixième Mém. Foram. Lias, 1866, 488, xx, 1.
 ——— **capitata** (Boll.). Reuss, Sitz. k. Ak. Wiss. Wien, XVIII, 1856, 223, i, 4 [*Nodosaria*, 1846].
 ——— ——— *Ibid.* I, (1), 1864 (1865), 454, i, 8-10.
 ——— ——— Gümbel, Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. 1868 (1870), 624, i, 42.
 ——— ——— Hantken, A magy. kir. földt. int. évkönnyve, IV, 1875 (1876), 29, iii, 16; and Mittl. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 35, same pl. and fig.
 ——— **carinata**, Neugeboren. Denkschr. k. Ak. Wiss. Wien, XII, 2, 1856, 91, iv, 17a, b, c.
 ——— **carinata**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 255, No. 39.
 ——— ——— P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 159, ix, 50 [v. *Nodosaria*].
 ——— **cassiana**, Gümbel. Jahrb. k. k. geol. Reichsanstalt, XIX, 1869, 177, v, 16.
 ——— **catenula**, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 185, iii, 6.
 ——— **caudata**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 254, No. 37.
 ——— **cenomana**, d'Orb., 1847. D'Orbigny, Prodrome de Paléont. II, 1850, 185, No. 747.
 ——— **chrysalis**, Cornuel. Mém. Soc. Géol. France, [2], III, 1848, 251, i, 21.
 ——— **chrysalis**, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 25, iii, 10.
 ——— **cingulata**, Czjzek. Haiderger's Nat. Abh. II, 1848, 139, xii, 8, 9.
 ——— **clava**, Terq. & Berthelin. Mém. Soc. Géol. France, [2], X, 1875, 28, ii (xii), 8a, b.
 ——— **clavata**. Terquem. Mém. Ac. Imp. Metz, XXXIX, 1858, 598, ii, 3.
 ——— **claviformis**, Terquem. Sixième Mém. Foram. Lias, 1866, 490, xx, 4a, b.
 ——— **clavula**. Terquem. Mém. Ac. Imp. Metz, LI, 1870, 366, xxviii, 4.
 ——— ——— Terquem, Mém. Soc. Géol. France, [3]. IV, 1886, 14, i, 37.
 ——— **cognata**, Reuss. Sitz. k. Ak. Wiss. Wien XI, 1860, 183 i, 9.
 ——— **cognata**, Terq. & Berthelin. Mém. Soc. Géol. France, [2], X, 1875, 32, ii (xii), 21a, b.

- DENTALINA** collenoti, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 386, vii, 15a, b, c.
 —— **colligata**, Reuss. Sitz. k. Ak. Wiss. Wien, XLIV, (1), 1861 (1862), 334, vii, 4.
 —— **collisa**, Schwager. Dittmar, Die Contorta-Zone, 1864, 199, iii, 11.
 —— **colubrina**, Terquem. Terquem, Cinquième Mém. Foram. Lias, 1866, 410, xv, 15.
 —— —— —— Terq. & Berth, Mém. Soc. Géol. France, [2], x, 1875, 30, ii (xii), 15.
 —— **communis**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 254, No. 35 [v. also *Nodosaria* and *Nodosarina*].
 —— —— —— D'Orb., Mém. Soc. Géol. France, [1], IV, 1840, 13, i, 4; Facsimile in Science Gossip, 1870, 81, f. 77.
 —— —— —— Reuss in Geinitz, Gründr. Verstein. 1845-46, 654, xxiv, 9.
 —— —— —— Parker & Jones, Annals Mag. N. H. (2), xix, 1857, 282, x, 3-5; xi, 1.
 —— —— —— Eley, Geol. in the Garden, 1859, 197, iv, 21; vi, 33 [flint cast].
 —— —— —— Jones & Parker, Quart. Journ. Geol. Soc. XVI, 1860, xix, 25 and 26.
 —— —— —— J., P. & B., Crag Foram. Pal. Soc. XIX, 1866, 58, i, 13-18, 20; iv, 10.
 —— —— —— Brady, Proc. Somerset. Arch. and Nat. Hist. Soc. XIII, 1865-66 (1867), 223, i, 12 and 13.
 —— (aff.) —— —— Gümbel, Sitz. k.-bayer. Ak. Wiss. I, 1871, 65, i, 6.
 —— —— —— P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 158, ix, 46.
 —— —— —— subvar. **obliqua**, d'O. Ibid. [4], VIII, 1871, 159, ix, 47.
 —— —— —— Tate & Blake. Yorkshire Lias, 1876, 457, xviii. 19.
 —— —— —— Vanden Broeck, Ann. Soc. Belge Microsc. II, 1876, 91, ii, 5; and Fonds de la Mer, III (1876).
 —— —— v **annulata**, Rss. Ibid. II, 1876, 95, ii, 2; and Ibid. III, (1876) [v. *D. annulata*].
 —— —— v. **obliqua**, d'Orb. Ibid. II, 1876, 94, ii, 7; and Ibid. III, (1876) [v. *D. obliqua*].
 —— —— —— Brady, Carbonif. Foram. Pal. Soc. XXX, 1876, 127, x, 17, 18.
 —— " —— —— Keeping, Geol. Mag. (2), IX, 1882, 490, xi, 13a, b.
 —— —— —— Terrigi, Atti Acc. Pont. Nuovi Lincei, XXXV, 1883, 177, ii, 12, 13.
 —— —— —— Jones, in Microgr. Dict. ed. 4, 1883, 241, XXIII, 33.
 —— —— —— Koenen, Abh. k. Ges. Wiss. Göttingen, XXXII, 1885, 109, v, 10a, b.
 —— —— —— (var.). Sherborn & Chapman, Journ. R. Micr. Soc. [2], VI, 1886, 750, xv, 5 and 6.
 —— —— —— Haenius, Neues Jahrb. 1887, I, 179, v, 46, 47, 50.
 [—— —— ——] Ledermüller, Mikrosk. genuth. 1763, 8, iv, f s.
 [—— —— ——] Costa, Fauna Regno Napoli, 1838, Foraminiferi, not descr., iv, 8.
 —— —— —— v. *Nutilus* (O) *leguminiformis*, Batsch.
 —— **commutata**, Reuss. Sitz. k. Ak. Wiss. Wien, XI, 1860, 183 ii, 4.
 —— **compressa**, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 383, vii, 10a, b.
 —— **conferta**, Neugeboren. Denkschr. k. Ak. Wiss. Wien, XII, (2), 1856, 81, ii, 11.
 —— **conferta**, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 106, iii, 9.
 —— **confervata**, Schwager. Ibid. XXI, 1865, 108. iii 18, 21.
 —— —— —— Deecke, Mém. Soc. Emul. Montbéliard, XVI, 1886, [21], ii, 13.
 —— **confluens**, Reuss. Sitz. k. Ak. Wiss. Wien, XLIV, (1), 1861 (1862), 335, vii, 5.
 —— **consobrina**, d'Orbigny. Foram. Fossiles Vienne, 1846, 46, ii, 1-3 [v. also *Nodosaria*].
 —— —— —— Bornemann, Zeitschr. deutsch. geol. Ges. VII, 1855, 323, xiii, 1-4.

- DENTALINA consobrina**, d'Orbigny. Neugeboren. Denkschr. k. Ak. Wiss. Wien, XII, (2), 1856, 86, iii, 15.
 ————— Egger, Neues Jahrbuch, 1857, 306, xv, 22–23.
 ————— Reuss, Sitz. k. Ak. Wiss. Wien, XLVIII, (1), 1863 (1864), 45, ii, 19–23.
 ————— Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 25, iii, 3 and 10; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 30, same pl. and fig.
 ————— Terrigi, Atti Acc. Pont. Nuovi Lincei, XXXIII, 1880, 180, i, 10.
 ————— **contorta**, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 30, iv, 5; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 36, same pl. and fig.
 ————— **contracta**, Costa. Atti Accad. Pontaniana, VII, (2), 1856, not descr., xxvii, 12.
 ————— **cornicula**, d'Orbigny. Ann. Sci. Nat. VI, 1826, 255, No. 47.
 ————— P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 161, ix, 56 [v. *Nodosaria*].
 ————— **corniculum**, Costa. Atti Accad. Pontaniana, VII, (2), 1856, not descr., xxvii, 14.
 ————— **cornuformis**, Terquem. Mém. Ac. Imp. Metz, LI, 1870, 367, xxviii, 16.
 ————— **costata**, Eichwald. Lethaea Rossica, III, 1853, 10, i, 7a, b.
 ————— **crassicauda**, Seguenza. Atti R. Acc. Lincei, [3], VI, 1880, 138, xiii, 5.
 ————— **crassicosta**, Terquem. Mém. Soc. Géol. France, [3], IV, 1886, 13, i, 30 and 31.
 ————— **crassula**, Reuss. Haider's Naturw. Abh. IV, (1), 1851, 24, i, 8.
 ————— **crebricosta**. Neugeboren. Denkschr. k. Ak. Wiss. Wien, XII, 2, 1856, 90, iv, 12, 13.
 ————— **crenata**, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 109, iii, 19 and 25.
 ————— **cuneiformis**, Terquem. Mém. Ac. Imp. Metz, LI, 1870, 359, xxvi, 24–25; 361, xxvii, 4.
 ————— Terq. & Berthelin, Mém. Soc. Géol. France, [2], X, 1875, 27, ii (xii), 6a–d.
 ————— *Ibid.* [3], IV, 1886, 14, i, 35.
 ————— **cuvieri**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 255, No. 45.
 ————— Reuss, in Geinitz, Grundr. Verstein. 1845–46, 654, xxiv, 8.
 ————— **cylindracea**, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 384, vii, 12a, b.
 ————— **cylindrica**, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 111, iii, 28.
 ————— **cylindroides**, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 185, i, 8.
 ————— *Ibid.* XLVI, (1), 1862 (1863), 40, ii, 16.
 ————— **debilis**, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 28, xiii, 10; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 33, same pl. and fig. [*Nodos. (Dent.)*, 1868].
 ————— **declivis**, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 105, iii, 1.
 ————— **deflexa**, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 43, ii, 19.
 ————— **deformis**, Stache. Novara-Exped. Geol. (1), 1864, 205, xxii, 32.
 ————— **demissa**, Terq. & Berthelin. Mém. Soc. Géol. France, [2], X, 1875, 28, ii (xii), 10a–g.
 ————— **depressa**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 255, No. 43.
 ————— **detornata**, Schwager. Dittmar, Die Contorta-Zone, 1864, 199, iii, 9.
 ————— **diformis**, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 381, vii, 6a, b, c.
 ————— **discrepans**, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 184, iii, 7.
 ————— **dispar**, Reuss. Zeitschr. deutsch. geol. Ges. III, 1851, 60, iii, 7.
 ————— **distincta**, Reuss. Sitz. k. Ak. Wiss. Wien, XI, 1860, 184, ii, 5.
 ————— **distorta**, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 173, xvi, 7.
 ————— **divergens**, Reuss. Sitz. k. Ak. Wiss. Wien, I, (1) 1864 (1865), 456, iv, 10
 ————— **dolioligera**, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 109, iii, 26 and 32.

- DENTALINA** doliolum, Terq. & Berthelin. Mém. Soc. Géol. France, [2], x, 1875, 32, ii (xii), 23.
 —— *egregia*, Terq. & Berthelin. *Ibid.* [2], x, 1875, 29, ii (xii), 11.
 —— *ehrenbergiana*, Neugeboren. Denkschr. k. Ak. Wiss. Wien, xii, (2), 1856, 90, iv, 14.
 —— —— —— Hantken, A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 31, iii, 17; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 37, same pl. and fig.
 —— *eichbergensis*, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 25, iii, 9.
 —— *elegans*, d'Orbigny. Foram. Fossiles Vienne, 1846, 45, i, 52–56 [v. also *Nodosaria*].
 —— —— —— Bornemann, Zeitschr. deutsch. geol. Ges. vii, 1855, 323, xiii, 6.
 —— —— —— Pictet, Traité de Paléont. ed. 2, iv, 1857, 490, cix, 10.
 —— —— —— Mackie, Recreative Science, i, 1859, 148, f. 14.
 —— —— —— Hantken, A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 25, iii, 7; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 30, same pl. and fig.
 —— —— —— Zittel, Handbuch Paläont. (1), 1876, 85, f. 21³.
 —— —— —— Terquem, Mém. Soc. Géol. France, [3], ii, 1882, 36, i (ix), 40.
 —— —— —— Hoernes, Elem. Palæont. 1884, 25, f. 10; French ed. 1886, same fig.
 —— —— —— Sherborn & Chapman, Journ. R. Micr. Soc. [2], vi, 1886, 750, xv, 7.
 —— *elegantissima*, d'Orbigny. Foram. Fossiles Vienne, 1846, 55, ii, 33–35.
 —— *elongata*, Costa. Atti Accad. Pontaniana. vii, (2), 1856, not descr., xvi, 19.
 —— *emaciata*, Reuss. Zeitschr. deutsch. geol. Ges. iii, 1851, 63, iii, 9 [*Nodos. consobrina*, var.].
 —— *ensis*, Eichwald. Lethaea Rossica, III, 1853, 9, i, 6a.
 —— *eruciformis*, Schwager. Jahresh. Ver. vat. Nat. Württ. xxI, 1865, 106, iii, 12.
 —— *evulsa*, Terquem. Sixième Mém. Foram. Lias, 1866, 486, xix, 28.
 —— *expansa*, Reuss. Sitz. k. Ak. Wiss. Wien, xl, 1860, 188, iii, 4.
 —— *extensa*, Schwager. Jahresh. Ver. vat. Nat. Württ. xxI, 1865, 102, ii, 21.
 —— *faciata*, Seguenza. Atti Accad. Gioenia Sci. Nat. (2), xvIII, 1862, 96, i, 1.
 —— *farcimen* (Sold.). Reuss, Bull. Ac. Roy. Belg. [2], xv, 1863, 146, i, 18 [*Orthocera*, 1789].
 —— —— ——? Bornemann, Jahrb. k. pr. geol. Landesanstalt, 1885 (1886), 292, xlii, 2.
 —— *fasciata*, Terquem. Sixième Mém. Foram. Lias, 1866, 485, xix, 25.
 —— *ferstliana*, Czjzek. Hardinger's Nat. Abh. II, 1848, 140, xii, 10–13.
 —— *ferussaci*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 255, No. 42 [v. also *Nodosaria*].
 —— *flicosta*, Terquem. Mém. Soc. Géol. France, [3], i, 1878, 13, i (vi), 4.
 —— *filiformis* (d'Orbigny) P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], viii, 1871, 156, ix, 48 [*Nodosaria*, 1826].
 —— —— —— Brady, Proc. Somerset. Arch. & Nat. Hist. Soc. xiii, 1865–6 (1867), 224, i, 16.
 —— *filiformis*, Renss? Reuss, Sitz. k. Ak. Wiss. Wien, xi, 1860, 188, iii, 8.
 —— *filipendula*, Terquem. Mém. Ac. Imp. Metz, xxxix, 1858, 607, ii, 20–21.
 —— *fliocincta*, Schwager. Jahresh. Ver. vat. Nat. Württ. xxI, 1865, 107, iii, 18.
 —— *fissicostata*, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 626, i, 46.
 —— —— —— Hantken, A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 31, iii, 19; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 37, same pl. and fig.
 —— *flexuosa*, d'Orbigny. P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], viii, 1871, 158, ix, 53 [*Nodosaria*, 1826].

- DENTALINA floscula**, d'Orbigny. Foram Fossiles Vienne, 1846, 50, ii, 16, 17.
 —————— see *Orthoceratia floscula*.
- **foedissima**, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 189, iii, 2, 3 [v. also *Hoplodiscum* and *Haplospira* and *Lituolina*].
- **fontannesi**, Berthelin. Mém. Soc. Géol. France, [3], I, 1880, 42, ii (xxv). 14a-16b
- **fortinensis**, Terquem. Mém. Ac. Imp. Metz, LI, 1870, 358, xxvi, 13-19; 361, xxvii, 1.
- —————— Terquem, Mém. Soc. Géol. France, [3], IV, 1886, 13, i, 32 and 33.
- **fraasi**, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 110, iii, 24.
- **fragilis**, Terquem. Mém. Ac. Imp. Metz, XXXIX, 1858, 605, ii, 17.
- **funiculosa**, Terquem. Sixième Mém. Foram. Lias, 1866, 486, xix, 29.
 —————— Tate & Blake, Yorkshire Lias, 1876, 461, xviii, 28.
- **funiculus**, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 100, ii, 18.
- —————— Deecke, Mém. Soc. Emul. Montbéliard, XVI, 1886, [21], ii, 12.
- **funiculus**, P. Fischer. Les fonds de la mer, II, 1875, 195, ix, 9. [There is no figure on plate ix: the "species" is said to be near *D. inornata*, d'Orb.]
- **fusiformis**, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 99, ii, 16.
- **fusiformis**, Gümbel. Geogn. Beschreibung Koenigsr. Bayern, I, 1861, 671.
 —————— Gümbel, Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. X, 1868 (1870), 621, i, 35a, b.
- **geinitzana**, Neugeboren. Denkschr. k. Ak. Wiss. Wien, XII, (2), 1856, 91, iv, 15.
- **geniculata**, Terq. & Berth. Mém. Soc. Géol. France, [2], X, 1875, 32, ii (xii), 22.
- **geniculosa**, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 104, ii, 27.
- **gibbosa**, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 167, xii, 7.
- **gigantea**, Hantken. A magy kir. földt. int. évkönyve, IV, 1875 (1876), 29, iii, 15; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 34, same pl. and fig.
- ?————— **gigantea**, Alth. Pamietnik Akad. Umiej. Krakowie, VI, 1881, 133, xii, 24.
- ?————— —————— Alth, Mojsisovics und Neumayr's Beiträge Pal. Oest.-Ungarn, I, 1882, 316, xxix, 24.
- **girardana**, Reuss. Sitz. k. Ak. Wiss. Wien, XVIII, 1856, 224, i, 6.
- **glandifera**, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. X, 1868 (1870), 622, i, 37.
- **glandulosa**, Terquem. Mém. Ac. Imp. Metz, XLII, 1862, 410, v, 15a, b.
 —————— Tate & Blake, Yorkshire Lias, 1876, 40, xix, 2.
- **gliricauda**, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. X, 1868 (1870), 624, i, 41.
- **globifera**, Reuss. Sitz. k. Ak. Wiss. Wien, XVIII, 1856, 223, i, 3.
- **globulicauda**, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. X, 1868 (1870), 623, i, 38.
- **globuligera**, Neugeboren. Denkschr. k. Ak. Wiss. Wien, XII, (2), 1856, 81, ii, 10.
- **goldfussana**, Gümbel. Jahresh. Ver. vat. Nat. Württ. XVIII, 1862, 218, iii, 11a, b.
- **gomphoides**, Costa. Atti Accad. Pontaniana, VII, (2), 1856, not descr., xxvii, 24 and 25.
- —————— Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 25, pl., 11 [*Nod. obliqua*, d'Orb.].
- **gracilis**, d'Orbigny. Mém. Soc. Géol. France, [1], IV, 1840, 14, i, 5;
 Facsimile in Science Gossip, 1870, 81, f. 78 [v. also *Nodosaria*].
- —————— Alth, Haidinger's Nat. Abh. III, (2), 1850, 269, xiii, 27.

- DENTALINA** *gracilis*, d'Orbigny. Jones, Geologist, vi, 1863, 295, xv, 23, 24.
 ——— ——— Cooke, Thousand Objects Microsc. 1869, 89, ix, 2.
 ——— *gracilis*, Costa. Atti Accad. Poutaniana, vii, (2), 1856, n. d., xii, 26 [also called *D. nitens*, Costa].
 ——— *granulosa*, v. d. Marck. Verh. nat. Ver. preuss. Rheinl. xv, 1858, 56, i, 13 [quoted as Dent. sp. in text, said to be near *Spirolina agglutinans* = possibly a *Hoplophragmium*].
 ——— *guembeli*, Hantken. A magy kir földt. int. évkönyve, iv, 1875 (1876), 32, iv, 1; and Mith. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 38, same pl. and fig.
 ——— *guembeli*, Schwager. Jahresh. Ver. vat. Nat. Württ. xxi, 1865, 101, ii, 20.
 ——— ——— Deecke, Mém. Soc. Emul. Montbéliard, xvi, 1886, (20), i, 14.
 ——— *guttifera*, d'Orbigny. Foram. Fossiles Vienne, 1846, 49, ii, 11-14 [error for 11-13].
 ——— ——— Brady, Annals & Mag. Nat. Hist. [4], vi, 1870, 296, xii, 2.
 ——— ——— Terquem, Ess. Anim. Plage Dunkerque, (2), 1876, 69, vii, 14 (& Mem. Soc. Dunkerquoise).
 ——— ——— *Ibid.* (3), 1881, 112, xiii, 7, 10-12 (& Mem. Soc. Dunkerquoise).
 ——— *gyrosa*, Terquem. Cinquième Mém. Foram. Lias, 1866, 407, xv, 10.
 ——— *haidingeri*, Neugeboren. Denkschr. k. Ak. Wiss. Wien, xii, (2), 1856, 85, iii, 12.
 ——— *hamulifera*, Reuss. Sitz. k. Ak. Wiss. Wien, xlvi, (1), 1862 (1863), 42, ii, 17.
 ——— *haueri*, Neugeboren. Denkschr. k. Ak. Wiss. Wien, xii, (2), 1856, 81, ii, 12.
 ——— *hemisphærica*, Terquem. Mém. Ac. Imp. Metz, xliv, 1863, 383, vii, 8a, b, c.
 ——— *herculea*, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 621, i, 34.
 ——— *hilseana*, Reuss. Sitz. k. Ak. Wiss. Wien, xlvi, (1), 1862 (1863), 41, ii, 14.
 ——— *hoernesi*, Neugeboren. Denkschr. k. Ak. Wiss. Wien, xii, (2), 1856, 89, iv, 10.
 ——— *hoernesi*, Hantken. A magy kir földt. int. évkönyve, iv, 1875 (1876), 31, iv, 2; and Mith. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 37, same pl. and fig. [*Nodosaria* (Dent.), 1868].
 ——— ——— Jones, in Micr. Journ. xv, 1876, cxxix, 1b.
 ——— *imbecilla*, Schwager. Jahresh. Ver. vat. Nat. Württ. xxi, 1865, 103, ii, 25.
 ——— (aff.) ——— Deecke, Mém. Soc. Emul. Montbéliard, xvi, 1886, [20], i, 3
 ——— *incerta*, Terquem. Mém. Soc. Géol. France, [3], iv, 1886, 15, i, 41 and 42.
 ——— *indifferens*, Reuss. Sitz. k. Ak. Wiss. Wien, xlvi, (1), 1863 (1864), 44, ii, 15, 16.
 ——— *inepta*, Reuss. *Ibid.* xlvi, (1), 1862 (1863), 39, ii, 13.
 ——— *inermis*, Czjzek. Haidinger's Nat. Abh. ii, 1848, 139, xii, 3-7.
 ——— *ingens*, Terquem. Mém. Ac. Imp. Metz, ii, 1870, 361, xxvii, 5.
 ——— *inornata*, d'Orbigny. Foram. Fossiles Vienne, 1846, 44, i, 50 and 51.
 ——— ——— Reuss, Sitz. k. Ak. Wiss. Wien, xlvi, (1), 1863 (1864), 45, ii, 18.
 ——— ——— Schlumberger, F. Jeun. Nat., Jan., 1882, i, 8.
 ——— ——— Terquem, Mém. Soc. Géol. France, [3], ii, 1882, 37, i (ix), 41 and 42.
 ——— aff. ——— Schwager, Palæontographica, xxx, 1883, Pal. Theil., 107, xxvi, (3). 3a, b.
 ——— ——— Sherborn & Chapman, Journ. R. Micr. Soc. [2], vi, 1886, 750, xv, 8.
 ——— ——— see *Orthocerasia laevia*.
 ——— *interlineata*, Renss. Zeitschr. deutsch. geol. Ges. vii, 1855, 287, xi, 2 [v. also *Nodosaria*].
 ——— *intermedia*, Cornuel. Mém. Soc. Géol. France, [2], iii, 1848, 251, i, 20.

- DENTALINA intermedia**, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 186, ii, 8.
 — **intermedia**, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875
 (1876), 25, iii, 4 and 8; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, IV,
 1875 (1881), 30, same pl. and fig.
 — **intermittens**, Brönn. Index Palaeont. I, 1848, 411 = *Nodosaria*, Roemer.
 — — — Reuss, Sitz. k. Ak. Wiss. Wien, XVIII, 1856, 224, i, 7.
 — — — Gümbel, Geol. Bayern, I, (II), 1885, f. 266, 10.
 — **interrupta**, d'Orbigny. P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4],
 VIII, 1871, 155, ix, 51 [v. *Nodosaria*].
 — **intorta**, Terquem. Mém. Ac. Imp. Metz, LI, 1870, 364, xxvii, 26–34.
 — **irregularis**, Costa. Atti Accad. Pontaniana, VII, (2), 1856, ivi, xxvii,
 15.
 — — — *Ibid.* VII, (2), 1856, 166, xii, 23 and 27 [27 is *D. bifurcata* in
 descr. to plate].
 — **irregularis**, Eichwald. Lethaea Rossica, III, 1853, 9, i, 6b.
 — **irregularis**, Terquem. Mém. Ac. Imp. Metz, XLII, 1862, 442, v, 21.
 — — — Terquem, Cinquième Mém. Foram. Lias, 1866, 409, xv, 13.
 — — — Deecke, Abh. geol. Specialkarte Elsass-Lothr. IV, (1), 1884,
 25, i, 10.
 — **jugosa**, Williamson. Terquem, Ess. Anim. Plage Dunkerque, (1), 1875,
 21, i, 7 (& Mém. Soc. Dunkerquoise) [v. *D. subarcuata*].
 — **juncea**, Terquem. Mém. Ac. Imp. Metz, LI, 1870, 369, xxix, 1 and 2.
 — **jurensis**, Terquem. *Ibid.* LI, 1870, 362, xxvii, 6–16
 — — — Terquem, Mém. Soc. Géol. France, [3], iv, 1886, 14, i, 36.
 — **kingii**, Jones. Jones in King, Pal. Soc. 1850, 17, vi, 2 and 3.
 — [kingi] — Geinitz, Dyas, etc. 1861, (1), 122, xx, 33.
 — **konincki**, Reuss. Sitz. k. Ak. Wiss. Wien, XLII, 1860 (1861), 356, i, 3.
 — — — var. **tumida**. Reuss, Bull. Ac. Roy. Belg. [2], xv, 1863,
 146, i, 19.
 — **korynephora**, Gümbel. Jahrb. k. k. geol. Reichsanstalt, xix, 1869, 176,
 v, 3.
 — **lævigata**, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 106, iii,
 7 [*levigata* in text].
 — **lamarckii**, Neugeboren. Denkschr. k. Ak. Wiss. Wien, XII, (2), 1856,
 91, iv, 16a, b.
 — **lamellosa**, Terquem. Cinquième Mém. Foram. Lias, 1866, 410, xv,
 16a, b.
 — — — Terq. & Berth., Mém. Soc. Géol. France, [2], x, 1875, 29,
 ii (xii), 12a–c.
 — **lateralis**, Terquem. Mém. Ac. Imp. Metz, XXXIX, 1858, 605, ii, 15a–c.
 — **legumen**, Linn. Williamson, Recent British Foram. 1858, 21, ii, 45–49,
 “45 typica” [*Nautilus*, 1758, v. *Vaginulina*].
 — — — v. **linearis**, Montagu. *Ibid.* 1858, 23, ii, 46–48 [*Nautilus*,
 1808].
 — — — var. Williamson, Pop. Sci. Rev. IV, 1865, 174, viii, 6.
 — — — Chimmo, Bed of Atlantic, 1870, 26, ix, 6 [= *Nod. scalaris*].
 — **legumen**, Reuss. Haidinger's Naturw. Abh. IV, (1), 1851, 26, i, 14 [*No-*
dosaria, 1845].
 — — — Reuss, Sitz. k. Ak. Wiss. Wien, XL, 1860, 187, iii, 5.
 — **leubeana**, Gümbel. Sitz. k.-bayer. Ak. Wiss. I, 1871, 64, i, 5 [? a sponge
 spicule].
 — **levigata**, Schwager. See *D. lævigata*.
 — **linearis**, (Röm.). Reuss, Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863),
 42, ii, 15 [*Nodosaria* 1840].
 — — — Gümbel, Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. X, 1868 (1870),
 622, i, 36a, b.
 — **linearis**, Will. Terquem, Ess. Anim. Plage. Dunkerque, (3), 1881, 113,
 xiii, 13 (& Mém. Soc. Dunkerquoise) [v. *D. legumen*, var.].
 — **lineata**, Reuss. Sitz. k. Ak. Wiss. Wien, I, (1), 1864 (1865), 456, iv, 11.
 — **illi**, Reuss. Haidinger's Naturw. Abh. IV, (1), 1851, 25, i, 11.
 — **longicauda**, Reuss. Zeitschr. deutsch. geol. Ges. VII, 1855, 267, viii, 12.
 — **lorneiana**, d'Orbigny. Mém. Soc. Géol. France, [1], IV, 1840, 14, i, 8, 9;
 Facsimile in Science Gossip, 1870, 81, f. 80 [v. also *Nodosaria*].

- DENTALINA** lorneiana, d'Orbigny. Reuss' Model, No. 66, 1865 (Catal. No. 41, 1861).
- lutigena, Schwager. Jahresh. Ver. vat. Nat. Württ. xxi, 1865, 102, ii, 22; iii, 10.
- marcki, Reuss. Sitz. k. Ak. Wiss. Wien, xl, 1860, 188, ii, 7.
- margarita, Terquem. Cinquième Mém. Foram. Lias, 1866, 408, xv, 11a, b.
- marginata, Stache. Novara-Exped. Geol. (1), 1864, 207, xxii, 35a.
- marginuloides, Reuss. Haidinger's Naturw. Abh. iv, (1), 1851, 25, i, 12.
- marsupifera, Schwager. Jahresh. Ver. vat. Nat. Württ. xxi, 1865, 110, iii, 27; iv, 7 and 9.
- martini, Terq. & Piette. Terquem, Mém. Ac. Imp. Metz, xlII, 1862, 454, vi, 14.
- matutina, d'Orb., 1849. D'Orbigny, Prodrome de Paléont. i, 1849, 242, No. 259.
- — — — — Terquem, Mém. Ac. Imp. Metz, xxxix, 1858, 602, ii, 11a, b and 16.
- mauritii, Terquem. Cinquième Mém. Foram. Lias, 1866, 408, xv, 12a, b, c.
- — — — — Terq. & Berth., Mém. Soc. Géol. France, [2], x, 1875, 24, i (xi), 28.
- medio-lata, Dunikowski. Kosmos [Lemberg], iv, 1879, 107, plate, 8.
- megalopolitana, Reuss. Zeitschr. deutsch. geol. Ges. vii, 1855, 267, viii, 10.
- metensis, Terquem. Mém. Ac. Imp. Metz, xxxix, 1858, 602, ii, 10a, b.
- microptycha, Reuss. Sitz. k. Ak. Wiss. Wien, xlII, 1860 (1861), 365, i, 4.
- mitis, Terq. & Berthelin. Mém. Soc. Géol. France, [2], x, 1875, 28, ii, (xii), 9a-c.
- minutissima, Zwingli & Kübler. Foraminif. schweiz. Winterthur, 1870, 25, iii, 11.
- monile, Cornuel. Mém. Soc. Géol. France, [2], iii, 1848, 250, i, 18.
- [monilis] — Tate & Blake, Yorkshire Lias, 1876, 459, xviii, 27.
- monile, v. Hag. Reuss, in Geinitz, Grundr. Verstein, 1845-46, 654, xxiv, 7 [v. *Nodosaria*].
- — — — — Alth. Haidinger's Nat. Abh. iii, (2), 1850, 269, xiii, 28.
- mucronata, Neugeboren. Denkschr. k. Ak. Wiss. Wien, xii, (2), 1856, 83, iii, 8-11 [v. also *Nodosaria*].
- multicostata, d'Orbigny. Mém. Soc. Géol. France, [1], iv, 1840, 15, i, 14 and 15. Facsimile in Science Gossip, 1870, 81, f. 82.
- — — — — Mangin, Mystères Océan, 1864, 177, f. 2.
- — — — — Brady, Carbonif. Foram. Pal. Soc. xxx, 1876, 129, x, 19.
- multicostata, Terquem. Sixième Mém. Foram. Lias, 1866, 488, xix, 32.
- multilineata, Bornemann. Zeitschr. deutsch. geol. Ges. vii, 1855, 325, xiii, 12.
- — — — — Sherborn & Chapman, Journ. R. Micr. Soc. [2], vi, 1886, 751, xv, 14.
- multilineata, Reuss. v. *Nodosaria* (Dentalina).
- munsteri, Reuss. Sitz. k. Ak. Wiss. Wien, xviii, 1856, 225, i, 8.
- — — — — Gümbel, Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 625, i, 43.
- mutabilis, Bailey. Smithonian Contrib. ii, 1851, 10, pl., 7.
- mutabilis, Schwager. Jahresh. Ver. vat. Nat. Württ. xxi, 1865, 103, ii, 24.
- nana, Reuss. Sitz. k. Ak. Wiss. Wien, xlvi, (1), 1862 (1863), 39, ii, 10 and 18.
- nepos, Costa. Mém. Acc. Sci. Napoli, ii, 1855, (1857), 117, i, 2¹.
- niceense, Bellardi. Mém. Soc. Géol. France, [2], iv, 1847, 299, xv, 9, 10 [a misprint for Dentalium, see p. 229, where it is described].
- nitens, Costa. Atti Accad. Pontaniana, vii, (2), 1856, 165, xii, 26 [also called *D. gracilis*, Costa].
- nodifera, Terquem. Sixième Mém. Foram. Lias, 1866, 484, xix, 23.

- DENTALINA nodigera**, Terq. & Berthelin. Mém. Soc. Géol. France, [2], x, 1875, 25, i (xi), 31a, b.
- **nodososa**, d'Orbigny. *Ibid.* [1], iv, 1840, 14, i, 6 and 7. Facsimile in *Science Gossip*, 1870, 81, f. 79 [v. also *Nodosaria*].
- — — Costa, Atti Accad. Pontaniana. vii, (2), 1856, 164, xii, 8.
- — — P., J. & B. [Soldani]. Ann. Mag. Nat. Hist. [4], viii, 1871, 158, ix, 55 [see *Nodos*].
- — — Vanden Broeck, Ann. Soc. Belge Micros. ii, 1876, 89, ii, 10; and Fonds de la Mer, iii, (1876).
- — — Tate & Blake, Yorkshire Lias, 1876, 459, xviii, 26.
- — — **notabilis**, Terq. & Berthelin. Mém. Soc. Géol. France, [2], x, 1875, 31, ii (xii), 19 a, b.
- — — **nummulina**, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 626, i, 45.
- — — Tate & Blake, Yorkshire Lias, 1876, 461, xviii, 30.
- — — **obesa**, Costa. Atti Accad. Pontaniana, vii, (2), 1856, not descr., xxvii, 13.
- — — **obliqua**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 254, No. 36. Modèles, 1826, No. 5 [v. *Nodosariū*].
- — — **obliqua** (Linn.). Brady, Proc. Somerset. Arch. & Nat. Hist. Soc. xiii, 1865-6 (1867), 224, i, 17 [*Nautilus*, 1758].
- — — J., P. & B., Crag Foram. Pal. Soc. xix, 1866, 54, i, 9.
- — — P., J. & B. [Soldani]. Ann. Mag. Nat. Hist. [4], viii, 1871, 160, ix, 57 [see *Nod. (Dent.) curieri*, d'O.].
- — — v. **sulcata**. Nilsson. Vanden Broeck, Ann. Soc. Belge Micros. ii, 1876, 80, ii, 10 [error for 11]; and Fonds de la Mer, iii, (1876) [*Nodosaria*, 1827].
- — — [Lam.] Koenen, Abh. k. Ges. Wiss. Göttingen, xxxii, 1885, 110, v, 21a, b.
- — — **obliqua**, Wright. Proc. Belf. Nat. F. C. 1879-80, App. 207.
- — — **obliquata**, Reuss. Sitz. k. Ak. Wiss. Wien, xlvi, (1), 1863 (1864), 46, ii, 25.
- — — **obliquestriata**, Reuss. Zeitschr. deutsch. geol. Ges. iii, 1851, 63, iii, 11 and 12 [v. also *Nodosaria*].
- — — Bronn, Lethæa Geognostica, ed. 3, iii, 1853-56, 240, xxxv³, 1.
- — — J., P. & B., Crag Foram., Pal. Soc. xix, 1866, 56, i, 19.
- — — Tate & Blake, Yorkshire Lias, 1876, 460, xix, 4.
- — — Sherborn & Chapman, Journ. R. Micr. Soc. [2], vi, 1886, 751, xv, 15 (compare *Nautilus obliquatus*, Batsch).
- — — see *Orth.*, *sen tubulī*, etc.
- — — **obliquesturata**, Stache. Novara-Exped. Geol. (1), 1864, 207, xxii, 36.
- — — **obscura**, Terquem. Mém. Ac. Imp. Metz, xxxix, 1858, 597, ii, 2a, b.
- — — var. Terquem, *Ibid.* xlii, 1862, 441, v, 18a-c.
- — — **obscura**, Stache. Novara-Exped. Geol. (1), 1864, 208, xxii, 37.
- — — **obtusata**, Reuss. Zeitschr. deutsch. geol. Ges. iii, 1851, 151, viii, 1.
- — — **octoplicata**, Terquem. Sixième Mém. Foram. Lias, 1866, 489, xx. 3a, b.
- — — **oculina**, Terq. & Berthelin. Mém. Soc. Géol. France, [2], x, 1875, 31, ii (xii), 20a-c.
- — — **oligosphérica**, Reuss. Sitz. k. Ak. Wiss. Wien, l, (1), 1864 (1865), 453, iv, 9.
- — — **oligostegia**, Reuss. Haidinger's Naturw. Abh. iv, (1), 1851, 25, i, 10 [*Nodosaria*, 1845].
- — — Tate & Blake, Yorkshire Lias, 1876, 458, xviii, 21.
- — — **oolithica**, Terquem. Mém. Ac. Imp. Metz, li, 1870, 366, xxviii, 5-15.
- — — Terquem, Mém. Soc. Géol. France, [3], iv, 1886, 14, i, 38-40.
- — — **oppeli**, Schwager. Jahresh. Ver. vat. Nat. Württ. xxi, 1865, 108, iii, 16, 17.
- — — **orbignyana**, Neugeboren. Denkschr. k. Ak. Wiss. Wien, xii, (2), 1856, 82, iii, 1-3 [including *D. inornata*, d'Orb., and *D. pauperata*, d'Orb.].
- — — **ornata**, Neugeboren. *Ibid.* xii, (2), 1856, 88, iv, 9a, b.

- DENTALINA ornata**, Terquem. Mém. Ac. Imp. Metz. XXXIX, 1858, 604, II, 13.
 ——— ——— Terq. & Berthelin, Mém. Soc. Géol. France, [2], X, 1875, 30, II (xii), 14a, b.
 ——— ——— partschi, Neugeboren. Denkschr. k. Ak. Wiss. Wien, XII, (2), 1856, 83, III, 5.
 ——— ——— paucicosta, Terquem. Sixième Mém. Foram. Lias, 1866, 483, xix, 22a, b.
 ——— ——— ——— ——— Terq. & Berthelin, Mém. Soc. Géol. France, [2], X, 1875, 31, II (xii), 18a-f.
 ——— ——— paucicostata, Costa. Atti Accad. Pontaniana, VII, (2), 1856, not descr., xxvii, 20.
 ——— ——— pauperata, d'Orbigny. Foram. Fossiles Vienne, 1846, 46, I, 57-58 [v. also *Nodosaria*].
 ——— ——— ——— Bornemann, Zeitschr. deutsch. geol. Ges. VII, 1855, 324, XIII, 7.
 ——— ——— ——— Jones & Parker, Quart. Journ. Geol. Soc. XVI, 1860, xix, 22.
 ——— ——— ——— Brady, Proc. Somerset. Arch. and Nat. Hist. Soc. XIII, 1865-6 (1867), 224, I, 14.
 ——— ——— ——— Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 26, III, 6; and Mittb. a. d. Jahrb. ungar. geol. Anstalt, IV, 1875 (1881), 31, same pl. and fig.
 ——— ——— ——— Tate & Blake, Yorkshire Lias, 1876, 458, xviii, 23.
 ——— ——— ——— Vanden Broeck, Ann. Soc. Belge Micros. II, 1876, 97, II, 8 and 9; and Fonds de la Mer, III, (1876).
 ——— ——— ——— Terrigi, Atti Acc. Pont. Nuovi Lincei, XXXV, 1883, 178, II, 14.
 ——— ——— ——— Sherborn & Chapman, Journ. R. Micr. Soc. [2], VI, 1886, 750, XV, 9.
 ——— ——— paupercula (Rss.). Berthelin, Mém. Soc. Géol. France, [3], I, 1880, 43, II (xxv), 17a, b [*Nodosaria*, 1845].
 ——— ——— pectinata, Terquem. Mém. Ac. Imp. Metz, LI, 1870, 360, XXVI, 26-30; 361, XXVII, 2 and 3.
 ——— ——— peregrina, Reuss. Sitz. k. Ak. Wiss. Wien, XLII, 1860 (1861), 356, I, 6.
 ——— ——— perfoliata, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur, 1866, 8, I, 11.
 ——— ——— perlucida, Terquem. Mém. Ac. Imp. Metz, XLII, 1862, 442, V, 22.
 ——— ——— permiana, Jones. Jones in King, Pal. Soc. 1850, 17, VI, 1.
 ——— ——— ——— Richter, Zeitschr. deutsch. geol. Ges. VII, 1855, 532, XXVI, 27.
 ——— ——— ——— Geinitz, Dyas, etc. 1861, (1), 121, XX, 32.
 ——— ——— ——— Schmid, Neues Jahrbuch, 1867, 586, VI, 56-64.
 ——— ——— ——— [King]. Roemer, Lethæa Geognostica, I, (1), 1880, 272, and Atlas, 1876, LXII, 1.
 ——— ——— perscripta, Egger. Neues Jahrbuch, 1857, 307, XV, 30 and 31.
 ——— ——— perversa, Neugeboren. Denkschr. k. Ak. Wiss. Wien, XII, (2), 1856, 80, II, 8.
 ——— ——— phiala, Costa. Atti Accad. Pontaniana, VII, (2), 1856, not descr., XIII, 20 and 21.
 ——— ——— philippii, Reuss. Zeitschr. deutsch. geol. Ges. III, 1851, 60, III, 5.
 ——— ——— picturata, Terq. & Berthelin. Mém. Soc. Géol. France, [2], X, 1875, 30, II (xii), 13.
 ——— ——— pilluligera, Schwager. Jahresh. Ver. vat. Nat. Württ. XI, 1865, 107, III, 14 and 15.
 ——— ——— pilosa, Reuss. Sitz. k. Ak. Wiss. Wien, XXXIX, 1860, 209, III, 1.
 ——— ——— planata, Tate & Blake. Yorkshire Lias, 1876, 458, XVIII, 22.
 ——— ——— plebeia, Reuss. Zeitschr. deutsch. geol. Ges. VII, 1855, 267, VIII, 9 [v. also *Nodosaria*].
 ——— ——— ——— Brady, Proc. Somerset. Arch. & Nat. Hist. Soc. XIII, 1865-6 (1867), 224, I, 15.
 ——— ——— plebeia, Terquem. Mém. Ac. Imp. Metz, LI, 1870, 369, XXIX, 3-11.
 ——— ——— polonica, Dunikowski. Kosmos [Lemberg], IV, 1879, 108, plate. 9.
 ——— ——— polyphragma, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 189, III, 1.
 ——— ——— pomuligera, Stache. Novara Exped. Geol. (1), 1864, 204, XXII, 31.

- DENTALINA** *prælonga*, Costa. Atti Accad. Pontaniana, VII. (2), 1856, 163, xii, 21; xxvii, 16-19.
- *primæva*, d'Orb., 1849. D'Orbigny, Prodrome de Paléont. I, 1849, 242, No. 260.
- *Terquem*, Mém. Ac. Imp. Metz, XXXIX, 1858, 603, ii, 12a, b.
- *priscilla*, Dawson. Acadian Geology, ed. 2, 1868, 285, f. 82; and ed. 3, 1878, 285, f. 82 [= *Nodosinella*, q. v.].
- *propinquæ*, Terquem. Mém. Ac. Imp. Metz, LI, 1870, 365, xxviii, 1 and 2.
- *proteus*, Reuss. Sitz. k. Ak. Wiss. Wien, XLIV, (1), 1861 (1862), 306, i, 6-9.
- *pseudochrysalis*, Reuss. Ibid. XLVI, (1), 1862 (1863), 39, ii, 12.
- *pseudomonile*, Terquem. Mém. Ac. Imp. Metz, XXXIX, 1858, 606, ii, 18.
- *pugiunculus*, Reuss. Sitz. k. Ak. Wiss. Wien, XI, 1860, 1-3, iii, 9.
- *Schwager*, Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 111, iv, 1,
- *pulchra*, Gabb. Journ. Ac. Nat. Sci. Philad. n. s., IV, (4), 1860, 402, lxviii, 40 and 41 [error for lxix] [= *Nodos. zippei*, Reuss].
- *punctata*, d'Orbigny. Foram. Fossiles Vienne, 1846, 49, ii, 14 and 15.
- *Terquem*, Ess. Anim. Plage Dunkerque, (2), 1876, 69, vii, 13; and (3), 1881, 112, xiii, 8 and 9 (& Mém. Soc. Dunkerquoise).
- *pungens*, Reuss. Zeitschr. deutsch. geol. Ges. III, 1851, 64, iii, 13 [v. also *Nodosaria*].
- *v. rugulosa*. Gümbel, Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. X, 1868 (1870), 625, i, 44.
- *Hantken*, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 30, iv, 3; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 36, same pl. and fig.
- *Terquem*, Mém. Soc. Géol. France, [3], II, 1882, 36, i (ix), 39.
- *pupiformis*, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 385, vii, 13a, b, c.
- *pusilla*, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 104, iii, 3.
- *pygmæa*, Neugeboren. Denkschr. k. Ak. Wiss. Wien, XII, (2), 1856, 80, ii, 9 [v. also *Nodosaria*].
- *pyriformis*, Terquem. Mém. Ac. Imp. Metz, XXXIX, 1858, 608, ii, 22.
- *quadricosta*, Terquem. Ibid. XLII, 1862, 439, v, 16a, b.
- *Terq. & Berthelin*, Mém. Soc. Géol. France, [2], X, 1875, 31, ii (xii), 17.
- *quadrilatera*, Terquem. Mém. Ac. Imp. Metz, XXXIX, 1858, 605, ii, 14a, b.
- *quenstedti*, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 109, iii, 22.
- *radiata*, Terquem. Sixième Mém. Foram. Lias, 1866, 490, xx, 5a, b.
- *radicula*, Terquem. Cinquième Mém. Foram. Lias, 1866, 406. xv, 8a, b.
- *rapa*, d'Orb. Tate & Blake, Yorkshire Lias, 1876, 460, xix, 3 [v. *Nodosaria*].
- *raphanistriformis*, Gümbel. Jahresh. Ver. vat. Nat. Württ. XVIII, 1862, 219, iii, 12a, b.
- *recta*, Gosse. Manual Mar. Zool. 1855, 12, f. 11.
- *reitzi*, Hantken. A' magy. kir. foldt. int. évkönyve, IV, 1875 (1876), 27, xiii, 6; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 33, same pl. and fig. [*Nodos. (Dent.)*, 1868].
- *renati*, Terquem. Cinquième Mém. Foram. Lias, 1866, 411. xv, 18a, b.
- *retrorsa*, Reuss. Sitz. k. Ak. Wiss. Wien, XLVIII, (1), 1863 (1864), 46, iii, 27 [v. also *Nodosaria*].
- *reussi*, Neugeboren. Denkschr. k. Ak. Wiss. Wien, XII, (2), 1856, 85, iii, 6, 7 and 17.
- *robusta*, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 34, iv, Impressathion 6.
- *Deecke*, Abh. geol. Specialkarte Elsass-Lothr. IV, (1), 1884, 24, i, 13.
- *roemerii*, Neugeboren. Denkschr. k. Ak. Wiss. Wien, XII, (2), 1856, 82, ii, 13-17 [v. also *Nodosaria*].

- DENTALINA** rotundata, Stache. Novara-Exped. Geol. (1), 1864, 205, xxii, 33.
 —— rudiuscula, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 170, xii, 13a, A
 —— rustica, d'Orb., 1847. D'Orbigny, Prodrome de Paléont. II, 1850, 185, No. 746.
 —— rustica, Terquem. Mém. Ac. Imp. Metz, XI, IV, 1863, 385, vii, 14a, b.
 —— sagenula, Terquem. Sixième Mém. Foram. Lias, 1866, 487, xix, 31.
 —— sandbergeri, Reuss. Sitz. k. Ak. Wiss. Wien, XVIII, 1856, 224, i, 5.
 —— sarthacensis, d'Orb., 1847. D'Orbigny, Prodrome de Paléont. II, 1850, 185, No. 748.
 —— sarthacensis, Schwager. Benecke's Geog.-Pal. Beiträge, I, 1866, 304, f. 6.
 —— —— Deecke, Mém. Soc. Emul. Montbéliard, XVI, 1886, [20], i, 4 [*Sarthanensis* in descr. to plate].
 —— seabra, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 367, xlvi, 7, 8.
 —— scarificata, Stache. Novara-Exped. Geol. (1), 1864, 209, xxii, 40.
 —— scharbergana, Neugeboren. Denkschr. k. Ak. Wiss. Wien, XII, (2), 1856, 87, IV, 1-4.
 —— schwartzii, Karrer. Sitz. k. Ak. Wiss. Wien, L, (1), 1864 (1865), 705, i, 5.
 —— scripta, d'Orbigny. Foram. Fossiles Vienne, 1846, 51, ii, 21-23.
 —— sculpta, Terquem. Sixième Mém. Foram. Lias, 1866, 484, xix, 24.
 —— semicostata, d'Orbigny. Foram. Fossiles Vienne, 1846, 53, ii, 26-28.
 —— —— Mackie, Science Gossip, 1867, 130, f. 119.
 —— semicostata, Seguenza. Atti R. Acc. Lincei, [3], VI, 1880, 137, xiii, 3.
 —— semilævis, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 32, IV, 6, xii, 13; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 39, same pl. and fig.
 —— seminotata, Eichwald. Lethaea Rossica, III, 1853, 10, i, 8a, h.
 —— seminuda, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 367, xlvi, 9.
 —— semiornata, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 384, vii, 11a, b.
 —— semiplicata, d'Orbigny. Foram. Fossiles Vienne, 1846, 52, ii, 24 and 25.
 —— seorsa, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 102, ii, 23; iii, 4.
 —— setosa, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 33, xiii, 9; and Mitth. a. d. Jahrb. k. ungar. geol. Austalt, IV, 1875 (1881), 39, same pl. and fig.
 —— siliqua, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 39, ii, 11.
 —— simplex, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 27, xiii, 7; and Mitth. a. d. Jahrb. k. ungar. geol. Austalt, IV, 1875 (1881), 33, same pl. and fig. [*Nodos.* (*Dent.*), 1868].
 —— simplex, Terquem. Mém. Ac. Imp. Metz, XXXIX, 1858, 599, ii, 5a, b.
 —— —— var. Terquem, *Ibid.* XLII, 1862, 411, v, 17a, b.
 —— —— Deecke, Abh. geol. Specialkarte Elsass-Lothr. IV, (1), 1884, 25, i, 25.
 —— sinemuriensis, Terquem. Cinquième Mém. Foram. Lias, 1866, 405, xv, 6a, b, c, d.
 —— —— —— Terq. & Berthelin, Mém. Soc. Géol. France, [2], x, 1875, 25, ii (xii), 2a-i.
 —— sinuata, Terq. & Berth. Terquem, Mém. Ac. Imp. Metz, XLII, 1862, 453, vi, 13.
 —— soliva, Seguenza. Atti R. Acc. Lincei, [3], VI, 1880, 137, xiii, 6.
 —— soluta, Reuss. Zeitschr. deutsch. geol. Ges. III, 1851, 60, iii, 4 [v. also *Nołosaria*].
 —— —— —— Stache, Novara-Exped. Geol. (1), 1864, 203, xxii, 29.
 —— —— —— Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 24, iii, 2; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 29, same pl. and fig.
 —— —— —— Jones, M. Micr. Journ. XV, 1876, CXXVIII, 2.
 —— —— —— Goës, Bihang k. Svenska Vet.-Ak. Handl. XV, 1889, ii, 19.
 —— spatulata, Terq. & Berthelin. Mém. Soc. Géol. France, [2], x, 1875, 30, ii (xii), 16a, b.

- DENTALINA sphærophora.** Ehrenberg. Mikrogeologie, 1854, xxvi, 5 [= *Nodos. gracilis*, d'Orbigny].
- **spinescens,** Reuss. Zeitschr. deutsch. geol. Ges. III, 1851, 62, iii, 10 [v. also *Nodos. (Dent.)*].
- **var.** Bornemann, *Ibid.* VII, 1855, 324, xiii, 5 [*D. adolphina* in descr. of plate].
- **spinigera,** Neugeboren. Denkschr. k. Ak. Wiss. Wien, XII, (2), 1856, 86, iii, 16.
- **spinosa,** d'Orbigny. Foram. Fossiles Vienne, 1846, 55, ii, 36 and 37.
- **spinulosa** (Mont.). Sherborn & Chapman, Journ. R. Micr. Soc. [2], VI, 1886, 751, xv, 13 [*Nautilus*, 1808].
- **strangulata,** Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 185, ii, 6.
- **strangulata,** Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 382, vii, 7a, b.
- **Terquem,** Cinquième Mém. Foram. Lias, 1866, 411, xv, 17.
- **steenstrupi,** Reuss. Zeitschr. deutsch. geol. Ges. VII, 1855, 268, viii, 14a.
- **striatissima,** Stache. Novara-Exped. Geol. (1), 1864, 208, xxii, 38.
- **striatula,** Deecke. Abh. geol. Speciaalkarte Elsass-Lothr. IV, (1), 1884, 24, i, 11, 11a.
- **strigosa,** Costa. Atti Accad. Pontaniana, VII, (2), 1856, 168, xii, 6.
- **subarcuata** (Mont.). Williamson, Recent British Foram. 1858, 18, ii, 40-44, "40, 41, typica" [v. *Nautilus*, 1803].
- **v. jugosa,** Montagu. Williamson, Recent British Foram. 1858, 20, ii, 42-44 (13 compare *N. catenulata*), [*Nautilus*, 1803].
- **Chimmo,** Bed of Atlantic, 1870, 22, vi, 11.
- **Figuier,** Ocean World, [1873], 84, f. 18.
- **subcanaliculata,** Neugeboren. Denkschr. k. Ak. Wiss. Wien, XII, (2), 1856, 87, iv, 5, 6 [v. also *Nodos. (Dent.)*].
- **subelegans,** Terquem. Mém. Ac. Imp. Metz, XLII, 1862, 443, v, 23a, b.
- **sublaxa,** Hantken. A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 24, no fig.; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 29.
- **sublinearis,** Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 103, ii, 26.
- **subnodososa,** Reuss. Haiderger's Naturw. Abh. IV, (1), 1851, 24, i, 9 [referred to *Pleurostomella*, 1860].
- **subnodosa,** Terquem. Mém. Ac. Imp. Metz, XXXIX, 1858, 600, ii, 7.
- **subplana,** Terquem. *Ibid.* LI, 1870, 367, xxviii, 17-30.
- **subrecta,** Reuss. Sitz. k. Ak. Wiss. Wien, XI, 1860, 182, i, 10.
- **subspinosa,** Neugeboren. Denkschr. k. Ak. Wiss. Wien, XII, (2), 1856, 88, iv, 7a, b, c.
- **substriata,** d'Orbigny. Ann. Sci. Nat. VII, 1826, 255. No. 46.
- **P., J. & B. [Soldani],** Ann. Mag. Nat. Hist. [4], VIII, 1871, 160, ix, 54 [see *Nod. (D.)*].
- **subtilis,** Neugeboren. Denkschr. k. Ak. Wiss. Wien, XII, (2), 1856, 83, iii, 4.
- **Hantken,** A. magy. kir. földt. int. évkönyve, IV, 1875 (1876), 28, iii, 13; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 33 same pl. and fig.
- **subulata,** Neugeboren. Denkschr. k. Ak. Wiss. Wien, XII, (2), 1856, 84, iii, 13 (including *D. baileensis*, d'Orbigny).
- **succincta,** Terquem. Mém. Ac. Imp. Metz, LI, 1870, 359, xxvi, 21-23.
- **Terg.,** Bull. Soc. géol. France, [3], IV, 1876, 482, xv, 9.
- **sulcata,** d'Orbigny. Mém. Soc. Géol. France, [1], IV, 1840, 15, i, 10-13; Facsimile in Science Gossip, 1870, 81, fig. 81 [compare *Nod. sulcata*, Nilss.].
- **Bendat,** Géologie, ed. 8, 1858, 117, f. 92, later eds., same fig.
- **sulcata,** Nilss. Reuss in Geinitz, Grundr. Verstein., 1845-46, 655, xxiv, 11 [*Nodosaria*, 1825].
- **Reuss,** Zeitschr. deutsch. geol. Ges. VII, 1855, 269, viii, 14b.
- **Sherborn & Chapman,** Journ. R. Micr. Soc. 1889, 486, xi, 24.
- **supracorallina,** Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 38, iv, Badener Schicht 5.

- DENTALINA** *tarentina*, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 173, xiii, 12.
 —— *teeta*, Terquem. Mém. Ac. Imp. Metz, XXXIX, 1858, 608, ii, 21a, b.
 —— —— —— Tate & Blake, Yorkshire Lias, 1876, 459, xviii, 25.
 —— *tenuicaudata*, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 182, ii, 3.
 —— *tenuicollis* Reuss. Zeitschr. deutsch. geol. Ges. VII, 1855, 267, viii, 11 [v. also *Nodosaria*].
 —— *tenuis*, Neugeboren. Denkschr. k. Ak. Wiss. Wien, XII, 2, 1856, 84, iii, 14 (including *I. elegans*, d'O.).
 —— *tenuistriata*, Terquem. Cinquième Mém. Foram. Lias, 1866, 405, XV, 5a, b, c.
 —— *terquiemi*, d'Orb., 1849. D'Orbigny, Prodrome de Paléont. I, 1849, 242, No. 257.
 —— [*terquemii*] —— Terquem, Mém. Ac. Imp. Metz, XXXIX, 1858, 596, ii, 1 and 23.
 —— *torta*, Terquem. Ibid. XXXIX, 1858, 599, ii, 6a, b.
 —— —— —— Terq. & Berthelin, Mém. Soc. Géol. France, [2], X, 1875, 27, ii (xii), 5.
 —— *torticosta*, Terquem. Cinquième Mém. Foram. Lias, 1866, 409, XV, 14a, b.
 —— —— —— Terq., Sixième Mém. Foram. Lias, 1866, 491, XX, 6 and 7.
 —— *torulosa*, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 100, ii, 17.
 —— *transmontana*, Gümbel. Jahrb. k. k. geol. Reichsanstalt, XIX, 1869, 177, v, 17.
 —— *trichostoma*, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 367, xlvi, 6.
 —— *trigona*, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 111, iii, 31.
 —— *truncana*, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. X, 1868 (1870), 627, i, 47a, b.
 —— *turgida*, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 100, ii, 19; iii 6, 11 and 20.
 —— —— —— Deecke, Mém. Soc. Emul. Montbéliard, XVI, 1886, [19], i, 2.
 —— *undulosa*, Terquem. Mém. Ac. Imp. Metz, LI, 1870, 358, xxvi, 20.
 —— *unicostata*. Terquem. Ibid. XXXIX, 1858, 607, ii, 19a, b [v. *Marginulina*].
 —— *urnula*, d'Orbigny. Foram. Fossiles Vienne, 1846, 54, ii, 31, 32.
 —— —— —— Terquem, Mém. Soc. Géol. France, [3], II, 1882, 36, i (ix), 38.
 —— *utriculata*. Terquem. Cinquième Mém. Foram. Lias, 1866, 407, XV, 9.
 —— *vagina*, Stache. Novara-Exped. Geol. (1), 1864, 206, xxii, 34.
 —— *varians*, Terquem. Cinquième Mém. Foram. Lias, 1866, 411, XV, 19a-d.
 —— —— —— Terquem, Sixième Mém. Foram. Lias, 1866, 485, xix, 26 and 27.
 —— —— —— Terq. & Berthelin, Mém. Soc. Géol. France, [2], X, 1875, 24, i (xi), 30a-f.
 —— *vasarhelyii*, Hantken. A magy. kir. földt. int. évkönyve IV, 1875 (1876), 30, iv, 1 [error for 4]; and Mitt. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 36, same pl. and fig. 4 [*Nodosaria*, 1868].
 —— *vermicularis*, Terquem. Sixième Mém. Foram. Lias, 1866, 483, xix, 21.
 —— *vermiformis*. Terquem. Mém. Ac. Imp. Metz, LI, 1870, 365, xxviii, 3.
 —— *verneuilii*, d'Orbigny. Foram. Fossiles Vienne, 1846, 48, ii, 7, 8.
 —— [*verneuilii*], —? Bornemann, Zeitschr. deutsch. geol. Ges. VII, 1855, 324, xiii, 8.
 —— [*verneuilii*] — Hantken, A magy. kir földt. int. évkönyve, IV, 1875 (1876), 26, iii, 9; and Mitt. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 32, same pl. and fig.
 —— —— —— Terrigi, Atti Acc. Pont. Nuovi Liucci, XXXV, 1883, 179, ii, 15.
 —— *vertebralis* (Batsch). Sherborn & Chapman, Journ. R. Micr. Soc. [2], VI, 1886, 752, XIV, 39a, b [*Nautilus*, 1791, and *Nodosaria*].

- DENTALINA** *verticalis*, Stache. Novara-Exped. Geol. (1), 1864, 202, xxii,
28a, b.
 —— *vetusta*, d'Orb., 1849. D'Orbigny, Prodrome de Paléont. I, 1849, 242, No.
258.
 —— —— Terquem, Mém. Ac. Imp. Metz, xxxix, 1858, 598, ii, 4a, b.
 —— *vetustissima*, d'Orb., 1849. D'Orbigny, Prodrome de Paléont. I, 1849,
242, No. 261.
 —— —— Terquem, Mém. Ac. Imp. Metz, xxxix, 1858, 600, ii, 8.
 —— —— Terq. & Berthelin, Mém. Soc. Géol. France, [2], x, 1875,
24, i (xi), 29a, b.
 —— *virgata*. Terquem. Sixième Mém. Foram. Lias, 1866, 489, xx, 2.
 —— *xiphioides*, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 43,
iii, 1.
 —— *zsigtmondyi*, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875
(1876), 27, xii, 17; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, IV,
1875 (1881), 32, same pl. and fig.
 —— sp. Costa. Atti Accad. Pontaniana, VII, (2), 1856, xii, 28.
 —— sp. ind. Stache, Novara-Exped. Geol. (1), 1864, 204, xxii, 30; 209, xxii,
39; 210, xxii, 41.
 —— sp. Schwager, Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 105, ii, 28; iii,
2, 29 and 30; iv, 2-5, 8.
 —— sp. ind. Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 28,
iii, 11; xii, 18; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875
(1881), 34, same pl. and fig.
 —— sp. Terrigl. Atti Acc. Pont. Nuovi Lincei, XXXV, 1883, 180, ii, 16.

P

 —— Pilla, Disting. terr. Etrurio, 1846, 103, i, 3.
 Williamson, Mem. Lit. Phil. Soc. Manchester, [2], VIII, 1848, 78, pl., 69,
70, 72 [69 = *Murg. raphanus*].

?

 —— Jones in King, Pal. Soc. 1850, 17, vi, 4.
 —— Costa, Mem. Acc. Sci. Napoli, II, 1855 (1857), 142, i, 14, 15, 19, 20
[*gutta*], 25, 26, 29-33, 35, 36.
 —— Costa, Atti. Accad. Pontaniana, VII, (2), 1856, not descr., xvi, 20 and
21.
 —— v. Schlicht, "Foram. Septar. Pietzpuhl," 1870, plates viii-x and xxxviii.
 —— Terq. & Berth., Mém. Soc. Géol. France, [2], x, 1875, 27, ii (xii), 7, a-j,
[fragments].
 —— v. Dunikowski. Denkschr. k. Ak. Wiss. Wien, XLV, (2), 1882, 194, vi,
71, fragment.
 —— Bornemann, Jahrb. k. pr. geol. Landesanstalt, 1885 (1886), 292, xiii, 1a.
 —— de Folin, Le Naturaliste, IX, 1887, 140, f. 20a.
 —— Neumayr, Stämme d. Thierreiches, I, 1889 (8), 183, f. 25c.
 —— see *Nodosaria*.

DENTALINOPSIS, Reuss, 1860. Sitz. k. böhm. Gesell. Wiss. Jahrg. 1860,
Jan.-Juni, 91.

- *semitriquetra*, Reuss. *Ibid.* 1860, Jan.-Juni, 92.
 — *Reuss' Model.* No. 28, 1865 (Catal. No. 52, 1861) [= triangular *Dentalina*].
 — *subtriquetra*, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863),
57, v, 6a, b.

— Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 25, pl., 10
DEXIOPORA, Ehrenberg, 1858. Monatsbericht k. preuss. Ak. Wiss. Berlin,
1858, 309.

- *borealis*, Ehr. *Ibid.* 1872, 282.
 — *hexarchæa*, Ehr. *Ibid.* 1858, 309 and 337, i, f. xi. a, b [*glaconite*],
[? *Rotaline*].

P — *megapora*, Ehr. *Ibid.* 1861, 304.
 — *triarchæa*, Ehr. *Ibid.* 1858, 309 and 337, i, f. x [*glaconite*] ["may
be *Globigerina*," P. & J.]

DIAPHOROPODON, Arch'r, 1869. Quart. Journ. Micr. Sci. n. s. IX, 1869,
394, xx, 6 and x, 1870, 123 [*D. mobile*] [one of the *Gromiaæ*].

DICYCLINA, Munier-Chalmas, 1887. Compte-Rendu Sommaire Soc. géol.
France, No. 7, 21 Fév., 1887, XXX.

- *schlumbergeri*, Mun.-Ch. *Ibid.* XXXI, no fig. ["Couches moyennes
à *Hippurites* de l'Étang de Berre."]

- DIMORPHINA**, d'Orbigny, 1826. Ann. Sci. Nat. vii, 1826, 264; see Brady, Parker & Jones, Trans. Linn. Soc. xxvii, 1870, 248.
- compacta, Brady, Parker & Jones. Trans. Linn. Soc. xxvii, 1870, 250, xlii, 41.
 - corallensis, Buvignier. Stat. géol. etc., Meuse, 1852, Atlas, 47, xxxii, 35.
 - elegans, Hantken. A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 54, vii, 9; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 63, same pl. and fig.
 - inflata, Costa. Attl. Accad. Pontaniana, vii, (2), 1856, not descr., xv, 11.
 - inflexa, Alth. Pamietnik Akad. Umiej. Krakowie, vi, 1881, 133, xi, 18.
 - — — — — Alth, Mojsisovics und Neumayr's Beiträge Pal. Oest.-Ungarn, i, 1882, 315, xxviii, 18.
 - moseensis, Buvignier. Stat. géol. etc., Mense, 1852, Atlas, 47, xxxii, 29.
 - nodosaria, d'Orbigny. Foram. Fossiles Vienne, 1846, 221, xii, 21 and 22.
 - — — — — J., P. & B. Crag Foram. Pal. Soc. xix, 1866, n. d., i, 55-58 and 61.
 - obliqua, d'Orbigny. Foram. Fossiles Vienne, 1846, 220, xii, 18-20.
 - — — — — Brönn, Lethæa Geognostica, ed. 3, iii, 1853-56, 231, xxxv², 26a, b, c.
 - — — — — Reuss' Model. No. 94. 1865 (Catal. No. 72, 1861).
 - — — — — B., P. & J., Trans. Linn. Soc. xxvii, 1870, 250, xlii, 40a-c.
 - — — — — Schwager, Boll. R. Com. Geol. Ital. viii, 1877, 25, pt. 36.
 - planularia, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1841, 426.
 - saxipara, Ehrenberg. Mikrogeologie, 1854, xxxii, ii, 27 [= *Bifarinia saxipara* (Ehr.)].
 - ? — — — Ehr., Abhandl. k. Ak. Wiss. Berlin, 1855, 176, vii, 10 (*Textil.?*) [= *Text. globulosa*].
 - strangulata, Buvignier. Stat. géol. etc., Meuse, 1852, Atlas, 47, xxxii, 34.
 - striata, Schwager. Novara-Exped. Geol. (2), 1866, 251, vii, 99, and fig. 2 [v. *Sagrina*].
 - tenella, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1841, 426.
 - tuberosa, d'Orbigny. Ann. Sci. Nat. vii, 1826, 264, No. 1.
 - — — — — D'Orb., Modèles, No. 60, 1826.
 - — — — — P., J. & B. [d'O., Modèles, 60], Ann. Mag. Nat. Hist. [3], xvi, 1865, 28, ii, 53.
 - — — — — J., P. & B., Crag Foram. Pal. Soc. xix, 1866. n. d., i, 66.
 - — — — — B., P. & J., Trans. Linn. Soc. xxvii, 1870, 249, xlii, 39a, b.
 - — — — — P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], viii, 1871, 170, xi, 108.
 - — — — — [Soldani]. Bassett, Ann. Soc. Sci. Charente-Inf. 1884 (85), 161, fig.
 - — — — — see *Orthoceras tuberosum*.
 - tyraica, Alth. Pamietnik Akad. Umiej. Krakowie, vi, 1881, 132, xii, 25.
 - — — — — Alth, Mojsisovics und Neumayr's Beiträge Pal. Oest.-Ungarn, i, 1882, 315, xxix, 25.
 - zittelli, Karrer. In v. Drasche, Frag. Geol. Luzzon, 1878, 95, v, 21; and Boll. Com. Map. Geol. Espaň. vii, 1880, 278, F, 7.
 - sp. Zittel, Handbuch Paläont. (1), 1876, 86, f. 23².
 - d'O. v. Schlicht, "Foram. Septar. Pietzpuhl," 1870, plates xxvi, xxvii and xxx.
- DIOXEIA richardi**, de Folin. Naturaliste, ix, 1887, 115, f. 11 [v. *Dyoxeia*].
- DIPLOMASTA**, de Folin, 1881. Bull. Soc. N. II. Toulouse, xv, 136, not described; 1 species proposed.
- DISCOCYCLINA**, Gümbel, 1868. Abh. k.-bayer. Ak. Wiss. x, (2), 1868 (1870), 687. This subgenus of *Orbitoides* was proposed by Gümbel for the following forms:— *D. papyracea* (Bonbée); *D. ephippium* (Schlotheim); *D. tenella*, Gümbel; *D. aspera*, Gümbel; *D. applanata*, Gümbel; *D. dispensa* (Sowerby).
- DISCOIDINA**, Terquem & Berthelin. Mém. Soc. Géol. France. [2], x, 1875, 15.
- liassica, Terq. & Berth. *Ibid.* [2], x, 1875, 15, i (xi), 5a, b.
- DISCOLITE microscopica**, a superficie liscia. Fortis, Opusc. Scelti Sci. Arti, xxii, 1803, 158, iii, 1-5 [1-4 *Nunnulites*, 5?].

DISCOLITE nummiforme, piatta, che da ambo i lati mostra le spire e le concameragione. *Ibid.* xxii, 1803, 159, iii, 6a, b [*Nummulite*].

— nummiforme, a superficie convessa a bottoni regolari formanti raggi e strati concentrici. *Ibid.* xxii, 1803, 159, iii, 7 and 8 [*Numm. scabra* ?].

— orbicolare, piatta con un bottoncino al centro ov' è deppressa, etc. *Ibid.* xxii, 1803, 159, iii, 13 [*Alveolina*].

— ovale, piatta, con un incavo congititudinale, orlo ottuso. *Ibid.* xxii, 1803, 159, iii, 12 [? *inorganic*].

— a raggi prominenti rettilinei dal centro al margine. *Ibid.* xxii, 1803, 159, iii, 9-11 [*Orbit. stellata*, d'Arch.].

— sferica, longitudinale divisa in sei lobi, leggermente striata intorno. *Ibid.* xxii, 1803, 160, iii, 14-17 [14, 15 = *Alveol. ovoidea*; 16, 17, *Alveol. elongata* ?].

DISCOLITES concentricus, Montfort. *Conch. syst.* I, 1808, 187, 47 genre [= *Orbitolites complanatus*].

DISCOLITHES, Fortis. *Journ. de Physique*, LII, 1801, 106, etc., pl. II, 1-12 [= *Alveolinæ*].

Fortis, Méni. *Hist. Nat. Oryct. Italie*, etc. 1802, II, 5.

DISCOLITHUS ["chiefly *Nummulites*," v. d'Archiac and Haime].

adamussim lenticularis, etc. *Ibid.* 1802, II, 101, i, n, o.

— lentiformis, lævis, etc. *Ibid.* 1802, II, 100, i, l, m.

compactus, nec externa, nec interna cavitatum, etc. *Ibid.* 1802, II, 114, iii, 12-14, 3 var.

compresse sphæroideus margine tenuissimo auctus. *Ibid.* 1802, II, 102, i, u, v.

— nullo margine auctus. *Ibid.* 1802, II, 102, i, s, t.

centro vix prominulo, lævis, etc. *Ibid.* 1802, II, 98, i, e, f, g [= ? *Operculina*].

exacte orbicularis, etc. *Ibid.* 1802, II, 111, iii, 4.

lentiformis, etc. *Ibid.* 1802, II, 106, ii, M, N, O.

minimus, lentiformis, superficio lineolis, etc. *Ibid.* 1802, II, 98, i, c, d [= *Nummulites*].

— superficie, lævi, lentiformis. *Ibid.* 1802, II, 98, i, a, b.

nummiformis, etc. *Ibid.* 1802, II, 102, ii, A, B, C [= *Nummulites*].

ad marginem papyraceum, etc. *Ibid.* 1802, II, 105, ii, K, L.

papyraceus, etc. *Ibid.* 1802, II, 104, ii, F, G, H.

— centro prominulo. *Ibid.* 1802, II, 105, ii, I.

superficie, regulariter verrucosa. *Ibid.* 1802, II, 106, ii, Q.

— irregulariter verrucosa, etc. *Ibid.* 1802, II, 107, ii, R.

ovalis, etc. *Ibid.* 1802, II, 109, ii, Z, Z¹, Z² [= ? *Alveolina*].

quadraginta-radiatus, etc. *Ibid.* 1802, II, 108, ii, Z [error for Y] [= *Nummulites*].

radiatus, etc., four var. *Ibid.* 1802, II, 107, ii, S, T, U, V [= *Orbitoides stellata*].

radii confertis dichotomis, etc. *Ibid.* 1802, II, 108, ii, X [= *Orbitoides stellata*].

sphæricus gracilis apicibus, acutis. *Ibid.* 1802, II, 114, iii, 10 and 11 [= *Alveolina fusiformis*].

sphæricus in sex lobos divisus, etc. *Ibid.* 1802, II, 112, i*; iii, 6 [= *Alveolina melo*].

sphæricus superficie undequaque lævi. *Ibid.* 1802, II, 102, i, x, y, z.

sphæroideus oblongus. *Ibid.* 1802, II, 113, iii, 8c, d [v. *Alveolina sphæroidea* (Fortis) = *A. elongata*].

superficie lævi, etc. *Ibid.* 1802, II, 101, i, p, q, r.

— utrinque assurgente, etc. *Ibid.* 1802, II, 99, i, h, i [= *Nummulites*].

— centrum versus deppressa, etc. *Ibid.* 1802, II, 103, ii, D, E.

utrinque convexus lineolis rectis, etc. *Ibid.* 1802, II, 99, i, j [= *Nummulites*].

Fortis in *Ibid.* 1802, II, has the following figures which are undescribed: i**; ii J, P; iii, 1, 7, 9, 15-18 [p. 119]; iv a-e 1-8 [pieces of nummulitic rock; 1 is *Orbitoides*].

- DISCORBINA**, Parker & Jones, 1862. Carpenter, Parker & Jones, Introd. Foram. 1862, 203; Brady, Report Challenger, 1884, 640.
- **agrigenita**, Schwager. Boll. R. Com. Geol. Ital. ix, 1878, 525, i, 13.
- **alata**, Marsson. Mitth. Nat. Ver. Neu-Vorpommern u. Rügen, x, 1878, 165, iv, 33a-d.
- **allomorphinoides** (Rss.). Brady, Report Challenger, 1884, 654, xci, 5 and 8 [*Vulvulina*, 1860].
- **ammonoides**, Reuss. Sitz. k. Ak. Wiss. Wien, lii, 1865, 456, No. 5 [v. *Planorbilina*. *Anomalina* and *Rosalina*].
- **anoinala**, Schwager. Boll. R. Com. Geol. Ital. ix, 1878, 524, i, 11.
- **araucana** (d'0). Brady, Report Challenger, 1884, 645, lxxxvi, 10, 11 [*Rosalina*, 1839].
- **arcuata**, Reuss. Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxv, 1883, 194, iii, 37 [*Rosalina*, 1850].
- **baconica**, Hantken. A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 66, x, 3; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 76, same pl. and fig. [v. *D. bertheloti*].
- **badensis**, Karrer. Abh. k. k. geol. Reichs. ix, 1877, 387, xvib, 54.
- **bembix**, Marsson. Mitth. Nat. Ver. Neu-Vorpommern u. Rügen, x, 1878, 167, v, 37a-d.
- **bertheloti** (d'Orb.). Brady, Trans. Linnean Soc. xxiv, 1864, 469, xlvi, 10 [*Rosalina*, 1839].
- **—** Brady, Report Challenger, 1884, 650, lxxxix, 10-12.
- **—** v. **baconica**, Hantken, var. *Ibid.* 1884, 651, xc, 1a, b, c [*D. baconica*, 1875].
- **—** Brady, Parker & Jones, Trans. Zool. Soc. xii, (7), 1888, 227, xlvi, 7, 8.
- **berthelotiana**, d'Orbigny, v. *Rosalina*.
- [— **—**] Macdonald, Annals and Mag. Nat. Hist. [2], xx, 1857, 193, vi, 25.
- **—** Goës, K. Svenska. Vet.-Akad. Handl. xix, No. 4, 1882, 107, viii, 266-268.
- **—** v. *D. turbo* (d'0).
- **biconcava**, Jones & Parker. Carpenter, Parker & Jones, Introd. Foram. 1862, 201, f. xxxii, G.
- **—** Parker & Jones, Phil. Trans. 1865, 385 and 422, xix, 10a, b, c.
- **—** Brady, Report Challenger, 1884, 653, xci, 2 and 3.
- **binkhorsti** (Reuss), v. *Rosalina*.
- **bulloides**, d'Orbigny. Goës, K. Svenska. Vet.-Akad. Handl. xix, No. 4, 1882, 106, viii, 262 and 263 [*Rosalina*, 1839].
- **calcariformis**, Schwager. Palaeontographica, xxx, 1883, Pal. Theil. 120, xxvii, (4), 9a-d.
- **concamerata** (Montagu). Möbius, Beitr. Meeresfauna Insel Mauritius, etc. 1880, 96, ix, 16 and 17 [*Serpula*, 1808].
- **concinna**, Brady. Report Challenger, 1884, 646, xc, 7 and 8.
- **cora** (d'Orbigny), v. *Rosalina*.
- **crenulata**, Reuss. Sitz. k. Ak. Wiss. Wien, lix, (1), 1869, 462, ii, 3a-c.
- **cruciformis**, Howchin. Trans. R. Soc. S. Austral. xii, 1889, 12, i, 13, 14.
- **danubia**, Karrer. Jahrb. k. k. geol. Reichsanstalt, xx, 1870, 184, ii, 15.
- **deceptoria**, Schwager. Palaeontographica, xxx, 1883, Pal. Theil, 119, xxvii, (4), 7a-d.
- **dimidiata**, Jones & Parker. Carpenter, Parker & Jones, Introd. Foram. 1862, 201, f. xxxii, B.
- **—** Parker & Jones, Phil. Trans. 1865, 385 and 422, xix, 9a, b, c.
- **disca**, Hantken. A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 66, xv, 9; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 76, same pl. and fig. [given as *Pulvin. umbilicata* in descr. of plate].
- **elegans** (d'Orbigny) v. *Anomalina*.
- **elegans**, Hantken. A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 66, ix, 3, xv, 7; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 76, same pl. and fig.
- **eximia**, Hantken. *Ibid.* iv, 1875 (1876), 66, xv, 8; and *Ibid.* iv, 1875 (1881), 76, same pl. and fig.

- DISCORBINA eximia**, Haantken. Brady, Report Challenger, 1884, 646, lxxxviii,
9a, b, c.
- **floscellus**, Schwager. Palaeontographica, xxx, 1883, Pal. Theil, 122,
xxvii (4), 11a-d.
- **formosa**, Toutkowsky. Zap. Kievsk. Obsch. Est. VIII, 1887, 357, vi,
7a-c.
- **globigerinoides**, Parker & Jones. Parker & Jones, Phil. Trans. 1865,
385 and 421, xix, 7a, b, c.
- **globosa** (v. Hag.). Marsson, Mitt. Nat. Ver. Neu-Vorpommern u.
Rügen, x, 1878, 163, iv, 32a-d [*Nouionina*, 1842].
- **globularis** (d'Orbigny). Carpenter, Parker & Jones, Introd. Foram.
1862, 204, iii, 1 [*Rosalina*, 1826].
- Dawson, Canad. Nat. [2], VII, 1874, 253, f. c.
- Dawson, Proc. Amer. Assoc. 1876 (Detroit), 103, f. 4c.
- Terrigi, Atti Acc. Pont. Nuovi Lincei, XXXIII, 1880, 201,
iii, 56.
- Möbius, Beitr. Meeresfauna Insel Mauritius, etc. 1880, 96,
ix, 18.
- Brady, Report Challenger, 1884, 643, lxxxvi, 8 and 13.
- Wather. Mitt. Zool. Stat. Neapel, VIII, 1888, 382, xx, 1.
- Brady, Parker & Jones, Trans. Zool. Soc. XII, (7), 1888,
226, xlvi, 6.
- Terrigi, Mem. R. Acc. Lincei, (4), VI, 1889, 115, vi, 20.
- [— **P**] Macdonald, Annals and Mag. Nat. Hist. [2], XX, 1857,
193, v, 17 and 20.
- see *D. turbo* (d'O.).
- **globularis**, Karrer. Abh. k. k. Geol. Reichs, IX, 1877, 387, xvib, 55.
- **gracilis**, Marsson. Mitt. Nat. Ver. Neu-Vorpommern u. Rügen, x, 1878,
166, iv, 34a, b, c.
- **granosa**, Seguenza. Atti R. Acc. Lincei, [3], VI, 1880, 148, XIV, 1a, b
[error for 2].
- **imperatoria** (d'Orbigny), v. *Rosalina*.
- **inæqualis** (d'Orb.). Möbius, Beitr. Meeresfauna Insel Mauritius, etc.
1880, 97, ix, 19 [*Valvulina*, 1839].
- **indistincta**, Schwager. Boll. R. Com. Geol. Ital. IX, 1878, 525, I, 12.
- **isabelleana** (d'O.). Brady, Report Challenger, 1884, 646, lxxxviii, 1a,
b, c [*Rosalina*, 1839].
- **karreri**, Uhlig. Mojsisovics und Neumayr's Beitrage, Pal. Oest.-Ungarn,
I, 1882, 182, XIV, 4-6.
- **leopolitanæ**, Olszewski. Sprawozd. Kom. fizyj. Ak. Umiej. Krakowle,
IX, 1875, 127, II, 5.
- **lucida**, Karrer. Abh. k. k. Geol. Reichs. IX, 1877, 387, xvib, 56.
- **marginata**, Reuss. Sitz. k. Ak. Wiss. Wien, LII, 1865, [12], No. 2 [=
Globigerina q. v.].
- **megasphærica**, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. X, 1868
(1870), 655, II, 96a, b [v. *Rotalina*].
- **mensilla**, Schwager. Palaeontographica, xxx, 1883, Pal. Theil, 123, xxv
(2), 5a-d.
- **micheliniiana**, Reuss. Sitz. k. Ak. Wiss. Wien, LII, 1865, 445, No. 1 [=
Pulvinulina, q. v.].
- **minuta**, Seguenza. Atti R. Acc. Lincei, [3], VI, 1880, 148, XIV, 3a, b
[this is not figured].
- **minutissima**, Seguenza. Ibid. [3], VI, 1880, 149, XIV, 4a, b [error for
i, 1].
- **multiplicaria**, Schwager. Palaeontographica, xxx, 1883, Pal. Theil, 121,
xxvii (4), 10a-c; xxix (vi), 17a-d.
- **nana** (Reuss), v. *Rotalina*.
- **obtusa** (d'Orbigny). Brady, Report Challenger, 1884, 644, xci, 9a, b, c ?
[*Rosalina*, 1846].
- see *D. turbo* (d'O.).
- **opercularis** (d'O.). Brady, Report Challenger, 1884, 650, lxxxix, 8, 9
[*Rosalina*, 1826].
- **orbicularis** (Terquem). Ibid. 1884, 647, lxxxviii, 4-8 [*Rosalina*, 1876].

- DISCORBINA** orbicularis, Terquem. Balkwill & Millett, Journ. Micr. III, 1884, 23, iv, 13.
 ——— Balkwill & Wright, Trans. R. Irish Ac. xxviii (Sci.), 1885, 349, xiii, 31-33.
 ——— Brady, Parker & Jones, Trans. Zool. Soc. XII, (7), 1888, 227, xlvi, 1.
 ——— Terrigi, Mem. R. Acc. Lincei, (4), vi, 1889, 115, vii, 2, 3.
 ——— **parisiensis** (d'Orbigny). P., J. & B., Ann. Mag. Nat. Hist. [3], XVI, 1865, pl. ii, 70 [*Rosalina*, 1826].
 ——— J., P. & B., Crag Foram. Pal. Soc. xix, 1866, n. d., ii, 13-15.
 ——— Morris, Lecture Geol. Croydon, [1876], 8, f. 3 and 7.
 ——— Wright, Proc. Belf. F. C. 1876-7 (app.) 105, iv, 1a-d; 2a-e
[see *D. Wrightii*].
 ——— Brady, Report Challenger, 1884, 648, xc, 5, 6, 9-12.
 ——— see *D. turbo* (d'O.).
 ——— **patelliformis**, Brady. Report Challenger, 1884, 647, lxxxviii, 3a, b, c; lxxxix, 1a, b, c.
 ——— **perforata**, Seguenza. Atti R. Acc. Lincei, [3], vi, 1880, 148, xiv, 2a, b [error for 3].
 ——— **pertusa**, Marsson. Mitth. Nat. Ver. Neu-Vorpommern u. Rügen, x, 1878, 166, iv, 35a-e.
 ——— **pileolus** (d'Orbigny). Brady, Report Challenger, 1884, 649, lxxxix, 2-4 [*Valvulina*, 1839].
 ——— **plano-convexa**, Seguenza. Atti R. Acc. Lincei, [3], XII, 1882, 199, xxi, 2, 2a, 2b.
 ——— (*Asterig.*) **planorbis**, d'Orbigny. Zittel, Handbuch Palaeont. (1), 1876, 93, f. 31 [*Asterigerina*, 1846].
 ——— (?) K. Miller, Schr. Ver. Gesch. Bodensee. vii, 1877 [78], iv, 28 [error for 27] [cast or concretion].
 ——— **platyomphala**, Reuss. Sitz. k. Ak. Wiss. Wien, LV, (1), 1867, 102, iv, 13a-d.
 ——— **poeyi**, d'Orb. Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 107, viii, 264 and 265 [*Rosalina*, 1839].
 ——— **polysphærica**. Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 655, ii, 95a, b.
 ——— **polystomelloides**, Parker & Jones. Parker & Jones, Phil. Trans. 1865, 421, xix, 8a, b, c.
 ——— Brady, Report Challenger, 1884, 652, xci, 1a, b, c.
 ——— **præcursoria**. Schwager. Palaeontographica, xxx, 1883, Pal. Theil, 125, xxvii (4), 12a-d, 13a-d; xxix (6), 16a-d.
 ——— **pulvinata**. Brady. Report Challenger, 1884, 650, lxxxviii, 10a, b.
 ——— **pusilla**, Uhlig. Jahrb. k. k. geol. Reichsanstalt, xxxvi, 1886, 182, f. 5, v, 12, 13.
 ——— **rarescens**. Brady. Report Challenger, 1884, 651, xc, 2, 3, 4?
 ——— **rigida**, Schwager. Palaeontographica, xxx, 1883, Pal. Theil, 124, xxviii (5), 4a-d.
 ——— **rimosa**, Parker & Jones. Phil. Trans. 1865, 385 and 421, xix, 6a, b, c.
 ——— **rosacea** (d'Orbigny), J., P. & B., Crag Foram. Pal. Soc. xix, 1866, n. d., iv, 17 [*Rotalia*, 1826].
 ——— Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxiii, 1880, 200, iii, 54 and 55.
 ——— Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 105, viii, 251-257.
 ——— Jones in Microgr. Dict. ed. 4, 1883, 267, xxiv, 7a, b.
 ——— Brady, Report Challenger, 1884, 644, lxxxvii, 1 and 4.
 ——— Sherborn & Chapman, Journ. R. Micr. Soc. [2], vi, 1886, 756, xvi, 11a, b.
 ——— see *D. turbo* (d'O.).
 ——— **rugosa** (d'O.). Brady, Report Challenger, 1884, 652, lxxxvii, 3a, -b, c; xci, 4a, b, c [*Rosalina*, 1839].
 ——— Sherborn & Chapman, Journ. R. Micr. Soc. 1889, 487, xi, 33.

- DISCORBINA sacharina**, Schwager. Novara-Exped Geol. (2), 1866, 257, vii, 106.
- *saulcii* (d'Orbigny). Schwager, Boll R. Com. Geol Ital. viii, 1877, 26, pl., 48.
— *semiorbis*, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, (1), 1868, 185, v, 5.
— *semiumbilicata*, Toutkowsky. Zap. Kievsk. Obsch. Est. VIII, 1887, 358, v, 5a-d.
— *simulatilis*, Schwager. Palæontographica, xxx, 1883, Pal. Theil, 120, xxix (6), 15a-d.
— *solarium*, Seguenza. Atti R. Acc. Lincei, (3), vi, 1880, 64, vii, 9.
— *sphæruligera*, Schwager. Palæontographica, xxx, 1883, Pal. Theil, 119, xxvii (4), 8a-d.
— *squamula*, Reuss. Sitz. k. Ak. Wiss. Wien, iv, (1), 1867, 101, v, 2a-c.
— *stellata*, Reuss. Ibid. LV, (1), 1867, 101, v, 1a-c.
— *sub-vilardeboana*, Rzehak. Ann. k. k. nat. Hofmuseums, III, (3), 1888, 263, xi, 6a, b, c.
— *tabernacularis*, Brady. Report Challenger, 1884, 648, lxxxix, 5-7.
— *theoflaktowi*, Toutkowsky. Zap. Kievsk. Ob-ch. Est. VIII, 1887, 356, vi, 6a-c; vii, e.
— *trochidiformis* (Lam.). Jones in Dixon, Geol. of Sussex, ed. 2, 1878, 172, ix [10], 6 [*Rotalites*, 1804].
— *tuberculata*, Balkwill & Wright. Trans. R. Irish Ac. xxviii, (Sci.), 1885, 350, xili, 28-30.
— *turbo*-(d'O.) (varieties). Parker & Jones, Phil. Trans. 1865, 384, xiv, 18-23; xvi, 26-28 [*Rotalia*, 1826].
— *v. parisiensis* (d'O.), subv. *berthelotiana* (d'O.). Parker & Jones, Phil. Trans. 1865, 387, xvi, 26, 27.
— *v. rosacea* (d'O.). Ibid. 1865, 385, xvi, 28a, 28b.
— *v. vesicularis* (Lam.), subv. *globularis* (d'O.). Ibid. 1865, 386, xiv, 20-23.
— *v. vesicularis* (Lam.), subv. *obtusa* (d'O.). Ibid. 1865, 386, xiv, 18, 19.
— *Bütschli* in Brönn, Klassen, etc., Thier-Reichs, 1880, 206, ix, 10.
— *Terrigi*, Atti Acc. Pont. Nuovi Lincei, XXXV, 1883, 193, iii, 35, 36.
— *Brady*, Report Challenger, 1884, 642, lxxxvii, 8a, b, c.
— *Günbel*, Geol. Bayern. I, (2), 1885, f. 266, 21.
— *turris*, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, (1), 1868, 185, v, 4.
— *umbonifera* (var.), Schwager. Palæontographica, xxx, 1883, Pal. Theil, 126, xxvii (4), 14a-d.
— *valvulata*, d'O. Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 106, viii, 258-261 [*Rosalina*, 1826].
— *Brady*, Report Challenger, 1884, 644, lxxvii, 5-7.
— ? *Terrigi*. Mem. R. Acc. Lincei. (4), vi, 1889, 115, vii, 1.
— *ventricosa*, Brady. Report Challenger, 1884, 654. xci. 7a, b, c.
— *vesicularis* (Lamarck). Carpenter, Parker & Jones, Introd. Foram. 1862, 203. xili, 2, 3 [*Discorbites*, 1804].
— [d'O.]. Bütschli in Brönn, Klassen, etc., Thier-Reichs, 1880, 206, ix, 6.
— *v. elegans*, d'Orb. Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 108, viii, 269-271.
— . *Brady*, Report Challenger, 1884, 651, lxxxvii, 2a, b, c.
— see *D. turbo* (d'O.).
— *vesiculata*, Uhlig. Mojsisovics und Neumayr's Beiträge, Pal. Oest-Ungarn, I, 1882, 181, xvi, 4-6.
— *vestita*, Seguenza. Atti R. Acc. Lincei, [3], vi, 1880, 148, xiii, 39.
— *vilardeboana* (d'O.). Brady, Report Challenger, 1884, 645, lxxxvi, 9 and 12; lxxxvii, 2 [*Rosalina*, 1839].

- DISCORBINA wrightii**, Brady. Ann. Mag. Nat. Hist. [5], VIII, 1881, 413. *xxi*, 6*a*, *b*, *c* [*Disc. purisiensis*, Wright (*vars*), 1877. Proc. Belfast Nat. F. C. 1876-77, app. 10*3*, iv, 2*a*, *b*, *c*].
 ——— Brady, Denkschr. k. Ak. Wiss. Wien, XLIII, (2), 1882 [1881], 104, ii, 6*a*, *b*.
 ——— Wallich. North Atlantic Sea-bed, (1), 1862, no descr., ii, 4; and vi, 20 [structural].
 ——— Wallich. Deep Sea Researches, Biol. Globigerina, 1876, 1, etc., pl., 20 [structural].
 ——— Zittel. Handbuch Paläont. (1), 1876, 93, f. 30².
 ——— K. Miller. Schr. Ver. Gesch. Bodensee, VII, 1877 [78], iv, 27 [error for 28]. [Cast or concretion.]
 ——— Nicholson. Manual Palæont. 1879, I, 101, f. 13. *c*.
 ——— Carpenter. Ency. Brit. ed. 9, IX, 1879, "Foraminifera," 374. i, 15.
 ——— (after Schultze's figures), Schlumberger. F. Jeun. Nat. Feb., 1882, ii, 8, 9; and March, 1882. iii, f. 2.
 ——— Quenstedt. Handbuch Petref. ed. 3, (5), (1885), 1057, lxxxvi, 55.
 ——— de Folin. Le Naturaliste, Ann. 9, 1887, 139, f. 16.
 ——— see *Rotalites*.
- DISCORBIS**, Lamarck, 1804. See *Discorbites*.
 ——— *gervillii*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 274, No. 36 [given by d'Orbigny as a subgenus of *Rotalia*]
 ——— *lobatulus*, Macgillivray. Moll. Anim. Aberdeen, 1843, 34 [= *Truncatulina*].
 ——— *orbicularis*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 274, No. 35.
 ——— *orbicularis*, Berthelin. Ann. Soc. Ac. Nantes, [5], VIII, 1878, 242, No. 63 [= *Discorbina*].
 ——— *parisiensis*, Berthelin. Ibid. [5], VIII, 1878, 243, No. 65 [= *Discorbina*].
 ——— *vesicularis* (Lamarck). Parkinson, Organ. Rem. former World, III, 1811, 159, xi, 1 [*Discorbites*, 1804].
 ——— ——— Brown, Conch. Text-book, 1839, 61, x, 13.
 ——— ——— Brown, Elem. Foss. Conch. 1843, 23, ii, 11.
 ——— Lyell. Elements Geology, 1838, 55, f. 22.
 ——— see *Rotalia*.
- DISCORBITES**, Lamarck, 1804. Ann. Mus. v, 1804, 183.
 ——— *vesicularis*, Lamarck. Ibid. v, 1804, 183; and f. 7, pl. 62, VIII, 1806 [v. *Discorbis*, *Discorbina* and *Kosalina*].
 ——— ——— Lamarck, Velins du Muséum, Paris, v, 183, No. 22, f. 11, 12.
 ——— ——— Lamarck, Ency. Méthod. (pls. 1827) (P. & J. quote (23), 1816); "Vers," II (1832), 90, 466-7 [= *Discorbina*].
 ——— ——— Defrance, Dict. Sci. Nat. XIII, 1818, 346, xxii, 1821, 186; Atlas, Conch. XIV, 2.
 ——— ——— Lamarck. Coq. Foss. Paris, 1823, 14, xiv, 7.
 ——— ——— Bronn, Syst. urweltl. Conchyl. 1824, 7, 1, 3*a*, *b*, *c*.
 ——— ——— Defrance. Attais Conch. XIII, 3; Blainville, Manuel Malac. et Conch. 1825 (pls. 1827) and 384, v, 3; vi, 2; [= ? *Dendritina* = *Peneroplis*].
 ——— ——— Crouch, Introd. Lamarck, 1827, 41, xxii, 7.
 ——— ——— Cuvier, Animal Kingdom, Henderson's ed. III, 1834 (pls. 1837), 18, viii, 2.
 ——— Bowdich. Elements Conch. (1), 1822, 15, i. 5.
- DISCORBULA**, Lamarck, 1816.
 ——— *ariminensis*, Lam. Ency. Méth. pl. 466, f. 6*a*, *b* (P. & J. quote pt. 23, 1816), [*Rotalites discorbula*, 1804 = *Rotalia beccarii*].
- DISCOSPORA**, Morris, 1850, MS. Mantell, Pictorial Atlas of Org. Rem. 1850, 142 (note) [= *Assilina erponens*].
- DORBIGNYÆA**, Deshayes, 1830. Ency. Méth. "Vers," II, 1830; "Cephalopodes" [sign. F, f. 2], 231 and 234 [near *Rota ia*].
- DUJARDINIA**, Gray, 1858. Gray, Proc. Zool. Soc. XXVI, 1858, 270 [= *Carpenteria*].
 ——— *mediterranea*, Gray. Ibid. XXVI, 1858, 270, not figured.
- DYOXEIA**, de Folin, 1881. Bull. Soc. N. H. Toulouse, XV, 1881, 141, not described; two sp. proposed [v. *Dioxaea*].

- ECHINITEN**, Fichtel. Nachr. Verst. Siebenburgen, 1780, 78 [= *Alveolina*, fide Gümbel].
- ECHINUS lobatus**, Walker & Jacob. In Kannmacher's ed. of Adams' Essays Microscope, 1798, 644, xiv, 46 [*E. subrotundatus*, W. & Boys = *Globig. bullatus*, v. *lobatula*, W. & J.].
- **subrotundatus planus lobatus**, Walker & Boys. Test. mim. rar. [1784], 25, iii, 89.
- EGEON perforatus**, Montfort. Conch. Syst. I, 1808, 167, 42 genre [= *Numerulites*].
- EHRENBERGINA**, Reuss, 1849. Denkschr. k. Ak. Wiss. Wien, I, 1850, 377; Brady, Report Challenger, 1884, 433.
- **bicornis**, Brady. Quart. Journ. Geol. Soc. XLIV, 1888, 5, I, 3.
- **hystrix**, Brady. Quart. Journ. Micr. Sci. XXI, 1881, 60.
- — — — — Brady, Report Challenger, 1884, 434, IV, 8-11.
- **pupa** (d'Orbigny). *Ibid.* 1884, 433, IV, 1a, b; cxiii 10a, b, c [*Cassidulina*, 1839].
- **serrata**, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 377, xlvi, 7.
- — — — — Bronn, Lethaea Geognostica, ed. 3, III, 1853-56, 231, XXXV², 25a, b, c.
- — — — — Reuss' Model. No. 44, 1865 (Catal. No. 82, 1861).
- — — — — Zittel, Handbuch Palæont. (1), 1876, 91, f. 29².
- — — — — Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 26, pl., 68.
- — — — — Brady, Report Challenger, 1884, 434, IV, 2-7.
- EILEMAMMINA**, de Folin, 1881. Bull. Soc. N. H. Toulouse, XV, 132, not described; three species proposed.
- ELLIPSOIDINA**, Seguenza. 1859. Eco Peloritano, [2], V, 1859, fasc. 9 [10]; Brady, Annals and Mag. Nat. Hist. [4], I, 1868, 337; and Brady, Report Challenger, 1884, 435.
- **abbreviata**, Seguenza. *Ibid.* [2], V, 1859, fasc. 9, [14], pl., 5a, b.
- **ellipsoides**, Seguenza. *Ibid.* [2], V, 1859, fasc. 9, [12], pl., 1-3.
- — — — — Brady, Annals and Mag. Nat. Hist. [4], I, 1868, 338, XIII, 1-12.
- — — — — Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 25, pl., 32.
- — — — — var. **oblonga**, Seg. Brady, Quart. Journ. Geol. Soc. XLIV, 1888, 5, I, 1 [v. *E. oblonga*, Seg.].
- **oblonga**, Seguenza. Eco Peloritano, [2], V, 1859, fasc. 9, [13], pl., 4a, b.
- ELLIPTINA**, Hartwig, 1852. Verh. I Kl. Koninkl.-Nederland. Inst. [3], IV, 1852, 116 [= *Cenchridium* = *Layna*].
- **inflata**, Hartwig. *Ibid.* [3], IV, 1852, 116, ii, 9.
- **truncata**, Hartwig. *Ibid.* [3], IV, 1852, 116, ii, 8.
- ELPHIDIUM**, Montfort. Conch. Syst. I, 1808, 15, 4 genre [= *Polystom. maccallae*].
- ENCORYCIUM**, Ehrenberg, 1858. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 11 and 19 [= *Nodosaria*].
- **nodosaria**, Ehrenberg. *Ibid.* 1858, 19.
- — — — — Ehr. Abh. k. Ak. Wiss. Berlin, 1872 (1873), XI, 13.
- **terebra**, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 20.
- ENDOTHYRA**, Phillips, 1846. Rept. Proc. Geol. Pol. Soc. W. R. Yorkshire, 1844-45 (1846), 277; Brady, Pal. Soc. XXX, 1876, 91.
- **ammonoides**, Brady. Mem. Geol. Surv. Scotland, Explan. Sheet 23, 1873, 63, 95, etc.
- — — — — Brady, Carbonif. Foram. Pal. Soc. XXX, 1876, 94, V, 5, 6.
- **baleyi**, Hall. Whitfield, Bull. Amer. Mus. Nat. Hist. I, No. 3, 1882, 42, ix, 34-36 [a misprint for *baileyi* = Hall's *Rotalia baileyi*, q. v.; considered by Whitfield as distinct from *E. bowmani*, Phil.].
- **bowmani**, Phillips.
- [bowmanni], Phillips. Rept. Proc. Geol. Pol. Soc. W. R. Yorkshire, 1844-45 (1846), 277, vii, 1 [f. 3 may also belong to *Endothyra*].
- [bowmanni], — Brown, Elem. Foss. Conch. 1843, 17, vi, 2.
- — — — — Brady, Carbonif. Foram. Pal. Soc. XXX, 1876, 92, V, 1-4.
- [bowmanni], — v. Möller, Mém. Ac. Imp. Sc. St. Petersburg, [7], xxv, No. 9, 1878, 96, IV, 3a, b; XII, 2a, b.
- — — — — Roemer, Lethaea Geognostica, (1), I, 1880, 281, f. 49.

- ENDOTHYRA** [bowmanni] Phillips. Prestwich, Geology, 1888, II, 101, f. 47c, d.
- *circumplicata*, Howchin. Journ. R. Microsc. Soc. 1888, 541, viii, 10, 11.
 - *conspicua*, Howchin. Journ. R. Microsc. Soc. 1888, 540, ix, 12.
 - *crassa*, Brady. Carbonif. Foram. Pal. Soc. XXX, 1876, 97, v, 15-17 [*Involutina*, 1869].
 - — — — — v. Möller, Mém. Ac. Imp. Sci. St. Petersburg, [7], xxv, No. 9, 1878, 93, iv, 2a-c; xii, 1a, b.
 - — — — — Bütschli in Brönn, Klassen, etc., Thier-Reichs, 1880, 211, ix, 16.
 - (fr.) — — — Steinmann, Zeitschr. deutsch. Geol. Ges. xxxii, 1880, 398, xix, 4.
 - — — — — Meunier, Bull. Soc. Hist. Nat. Autun, I, 1888, 235, vii, 9.
 - *cussyensis*, Meunier. Ibid. I, 1888, 235, vii, 6 and 10.
 - *globulus*, d'Eichwald. Brady, Carbonif. Foram. Pal. Soc. XXX, 1876, 95, v, 7-9 [*Nonionina globulus*, 1860].
 - — — — — v. Möller, Mém. Ac. Imp. Sci. St. Petersburg, [7], xxv, No. 9, 1878, 98, iv, 4a-c; xiii, 1-4.
 - — — — — v. Möller, Ibid. [7], xvii, No. 5, 1879, 13 [f. 3 and 4]; 15, i, 1a-d, 2.
 - *macella*, Brady. Carbonif. Foram. Pal. Soc. XXX, 1876, 98, v, 13, 14 [*Involutina*, 1869].
 - *obliqua*, Brady. Ibid. XXX, 1876, 100, vi, 5, 6 [*Involutina*, 1869].
 - *ornata*, Brady. Mem. Geol. Surv. Scotland, Explan. Sheet, 23, 1873, 63, 95, etc.
 - — — — — Brady, Carbonif. Foram. Pal. Soc. XXX, 1876, 99, vi, 1-4.
 - — — — — v. *tenuis*, Brady. Ibid. XXX, 1876, 100, vi, 7, 8.
 - — — — — v. Möller, Mém. Ac. Imp. Sci. St. Petersburg, [7], xxv, No. 9, 1878, 101, iv, 5.
 - *panderi*, v. Möller. Ibid. [7], xxvii, No. 5, 1879, 17, i, 3a-c.
 - *parva*, v. Möller. Ibid. [7], xxvii, No. 5, 1879, 18, i, 4; v, 1a, b.
 - *radiata*, Brady. Carbonif. Foram. Pal. Soc. XXX, 1876, 97, v, 10-12 [*Involutina*, 1869].
 - — — — — v. *tateana*, Howchin. Journ. R. Microsc. Soc. 1888, 542, ix, 13-15.
 - *radiifera*, Gümbel. Anleit. Geol. Beob. Alpenreisen, Zeitschr. D. & O. Alpenver. Beilage, 1878, 105, f. 25¹⁸.
 - *simplex*, Gümbel. Ibid. 1878, 105, f. 25¹⁹.
 - *subtilissima*, Brady. Carbonif. Foram. Pal. Soc. XXX, 1876, 101, vi, 9.
 - — — Roemer, Lethaea Geognostica, (1), I, 1880, 282, f. 50.
 - sp. Schwager. Boll. R. Com. Geol. Ital. VIII, 1877, 26, pl. 93.
 - sp. ind. v. Möller. Mém. Ac. Imp. Sci. St. Petersburg, [7], xvii, No. 5, 1879, 18, vii, 6.
 - Nicholson. Manual Palaeont. 1879, I, 111, f. 20.
 - Sorby. Quart. Journ. Geol. Soc. XXXV, 1879, address, pl. (privately printed), xviii [section of carboniferous limestone].
 - Neumayr. Stämme d. Thier-reiches, I, 1889 (8), 185, f. 26.
- ENODOHYRA**, Venyukov, 1888, misprint for *Eudothyra*.
- ENTOSALENIA**, Parker & Jones, 1857. Annals Mag. Nat. Hist. (2), xix, 1857, 278, etc. [error for *Eutosalenia*].
- ENTOSOLENHIA**, Ehrenberg, MS. Williamson, Annals Mag. Nat. Hist. [2], I, 1848, 5.
- Williamson says:—"A little time after making this discovery (the entosolenian tube), I received from Dr. Bailey of New York, specimens of *Lagena striata* (which is one of those having an external tube) and attached to it was the name of *Miliola fucus*, which name had been given to it by M. Ehrenberg. Along with these were specimens of *Lagena globosa* (one of the species characterized by an internal tube) to which was affixed by Ehrenberg the very expressive name of *Entosolenia miliaris*? Hence it was evident that the great Prussian naturalist had observed the same peculiarity of structure in the species exhibiting the internal tube and had given to the objects characterized by it the very expressive name of *Entosolenia*, which name it is my intention to retain, in separating the existing genus *Lagena* into two distinct groups."

- ENTOSOLENIA** *alata*, Möbius. Beitr. Meeresfauna Insel Mauritius, etc. 1880, 89, viii, 5.
- *aspera*, Reuss. Möbius, *Ibid.* 1880, 91, viii, 11, 12 [*Lagena*, 1861 = *Lagena*].
- *costata*, Williamson. Recent British Foram. 1858, 9, i, 18 [v. *Lagena* and *Lagenulina*].
- Dawson, Canad. Nat. iv, 1859, 29, f. 6 and 7.
- Dawson, *Ibid.* vi, 1872, 254, iii, 2.
- Dawson, Handbook Zoology, ed. 3, 1886, 43, f. 32.
- *globosa*, Walker & Jacob. Williamson, Annals & Mag. Nat. Hist. [2], i, 1848, 16, ii, 13 and 14 [v. *Lagena*].
- Williamson, Recent British Foram. 1858, 8, i, 15 and 16.
- v. *lineata*, Williamson. *Ibid.* 1858, 9, i, 17 [= *Lagena caudata*, d'Orb.].
- var. Parker & Jones. Annals Mag. N. H. (2), xix, 1857, 279, xi, 25-29 [25, *L. squamosa*; 26, *L. catenulata*; 27, *L. striata*; 28, 29, *L. marginata*].
- Dawson, Canad. Nat. iv, 1859, 28, f. 4 and 5.
- Cooke, Thousand Objects Microsc. 1869, 91, ix, 15; and fragment, 19, iv, 1.
- Chimmo, Bed of Atlantic, 1870, 18, iii, 1 [ribbed, with tuberculated interspaces].
- Dawson, Canad. Nat. vi, 1872, 254, iii, 2.
- [Will.]. Schulze, Arch. mikrosk. Anat. xiii, 1877, 9, etc., ii, 1-3 [structural].
- Jones. In Microgr. Dict. ed. 4, 1883, 290, xxiii, 23a, b.
- Dawson, Handbook Zoology, ed. 3, 1886, 43, f. 31.
- *lineata*, Williamson. Annals Mag. Nat. Hist. [2], i, 1848, 18, ii, 18 [v. *Lagena*].
- Gosse, Manual Mar. Zool. 1855, 11, f. 10.
- *lucida*, Will. Möbius, Beitr. Meeresfauna Insel Mauritius, etc. 1880, 89, viii, 4 [*marginata*, var., 1848; v. also *Lagena*].
- *marginata* (Walker & Boys). Williamson, Annals and Mag. Nat. Hist. [2], i, 1848, 17, ii, 15 and 16 [*Serpula*, 1784].
- v. *lucida*, Will. Williamson, *Ibid.* [2], i, 1848, 17, ii, 17.
- *marginata*, Montagu. Williamson, Recent British Foram. 1858, 9, i, 19-28; "19-21 typica" ["not Walker; his figure is a *millio/a*"] [v. *Lagena*].
- v. *lagenoides*, Williamson. *Ibid.* 1858, 11, i, 25 and 26.
- v. *lucida*, Williamson. *Ibid.* 1858, 10, i, 22 and 23.
- v. *ornata*, Williamson. *Ibid.* 1858, 11, i, 24.
- v. *quadrata*, Williamson. *Ibid.* 1858, 11, i, 27 and 28.
- Dawson, Canad. Nat. n. s. v, 1870, 177, f. 12.
- (*Lag.*) — Chimmo, Bed of Atlantic, 1870, 18, iii, 3 ("*Lagena vulgaris*, *Substrinuta marginata*," said to have siliceous margin).
- Chimmo, *Ibid.* 1870, 27, x, 1.
- Dawson, Amer. Journ. Sci. [3], i, 1871, 206, f. 12; and Annals Mag. N. H. [4], vii, 1871, 86, f. 12 [*Lag. gracillima*, Seg.].
- Chimmo, Nat. Hist. Euplectella, etc. 1878, 21, vi, 20a, b, c, d [= *Lagena seminiformis?* Schw.].
- [Walker]. Möbius, Beitr. Meeresfauna Insel Mauritius, etc. 1880, 90, viii, 7 and 8.
- *miliaris*, Ehr., 1839. See Williamson, Annals Mag. Nat. Hist. [2], i, 1848, 5.
- *perforata*, Möbius. Beitr. Meeresfauna Insel Mauritius, etc. 1880, 90, viii, 6.
- *quadrata*, Williamson. Chimmo, Bed of Atlantic, 1870, 28, x, 2 [v. *E. marginata* and *Lagena*].
- Möbius, Beitr. Meeresfauna Insel Mauritius, etc. 1880, 90, viii, 9.
- *rudis*, Reuss. Möbius, *Ibid.* 1880, 90, viii, 10.
- *squamosa*, Montagu. Williamson, Annals and Mag. Nat. Hist. [2], i, 1848, 18, ii, 19 [*Vermiculum*, 1803].
- var. *a*, *catenulata*, Jeff. *Ibid.* [2], i, 1848, 19, ii, 20.

- ENTOSOLENIA**, *squamosa*, Montagu, var. γ , *hexagona*, Williamson. Ann. Mag. Nat. Hist. [2], i, 1848, 20, ii, 32.
 ——— ——— var. β , *scalariformis*, Williamson. *Ibid.* [2], i, 1848, 20, ii, 21 and 22.
 ——— ——— Williamson, Recent British Foram. 1858, 12, i, 29-32; "29 typica."
 ——— ——— v. *catenulata*, Williamson. *Ibid.* 1858, 13, i, 31 [v. *Lagena catenulata*].
 ——— ——— v. *hexagona*, Williamson. *Ibid.* 1858, 13, i, 32 [v. *Lagena hexagona*].
 ——— ——— v. *scalariformis*, Williamson. *Ibid.* 1858, 13, i, 30 [v. *Lagena scalariformis*].
 ——— ——— Dawson, Canad. Nat. IV. 1859, 29, f. 8-10.
 ——— ——— Dawson, Handbook Zoology, ed. 3, 1856, 44, f. 33.
 ——— **striato-punctata** (Parker & Jones). G. M. Dawson, Canad. Nat. n. s., v, 1870, 177, f. 11 [*Lagena*, 1865].
 ——— ——— Dawson, Amer. Journ. Sci. [3], i, 1871, 206, f. 11; and Annals Mag. N. H. [4], vii, 1871, 86, f. 11.
 ——— **variolata**, Schlumberger. F. Jeun. Nat. Jan., 1882, i, 3.
 ——— **williamsoni**, Alcock. Proc. Lit. Phil. Soc. Manchester, iv, 1865, 193 (figured by J. Wright, v. *Lagena*).
 P —— **Chimmo**. Bed of Atlantic, 1870, 15, i, 3 and 4 [3 = *Miliola*; 4¹ = *Miliola*; 4² = *Gastropod*; 4³, 4⁴ = *granules*].
 ——— see *Lagena*.
- ENTROCHUS**, Ehrenberg, 1841. Abhandl. k. preuss. Ak. Wiss. Berlin, 1841, 408.
- ENTZIA**, von Daday, 1883. Orvos termeszett. ertésito. VIII, 1883, 197, etc.; and Zeitschr. Wiss. Zool. (Siebold & Kölliker), XL, 1884, 465.
- **tetraستomella**, von Daday. *Ibid.* VIII, 1883, 197, etc., and *ibid.* XL, 1884, 465, xxiv, 1-8.
- EOZOON**: For full literature of this curious structure, discovered by W. E. Logan in 1858, and first described by W. B. Carpenter and J. W. Dawson in 1864, see W. King & T. H. Rowney, Old Chapter of the Geological Record, etc., 1881; A. Woodward, Fourteenth Ann. Rep. Geol. Nat. Hist. Survey, Minnesota, 1885 (1886), 167-187; C. D. Sherborn, Bibliography of the Foraminifera, 1888 (*passim*).
- EPISTOMINA**, Terquem, 1883. Bull. Soc. géol. France, [3], xi, 1883, 37, iii, 1-20; and Terquem, Cinquième Mém. Foram. Oolithique, 1883, 373. ["A quasi-generic group, consisting chiefly of mesozoic *Pulvinulina*, of the 'elegans' type, of which the apertures are more or less abnormal as to form or position." Brady, Report Challenger, 1884, 700, 701.]
- **annulata**, Terquem. Cinquième Mém. Foram. Oolithique, 1883, 381, xlvi, 2a, b, c.
 — **bilabiata**, Terquem. *Ibid.* 1883, 381, xlvi, 1a, b, c.
 ——— ——— Terquem, Mém. Soc. Géol. France, [3], iv, 1886, 56, vi, 22 23.
 — **conica**, Terquem. Cinquième Mém. Foram. Oolithique, 1883, 375, xlvi, 10a, b, c and 11.
 ——— ——— Terquem, Mém. Soc. Géol. France, [3], iv, 1886, 51, v, 16.
 — **coronata**, Terquem. Cinquième Mém. Foram. Oolithique, 1883, 378, xlvi, 9a, b, c.
 ——— ——— Terquem, Mém. Soc. Géol. France, [3], iv, 1886, 53, vi, 5 and 6.
 — **costifera**, Terquem. Cinquième Mém. Foram. Oolithique, 1883, 377, xiii, 3-6.
 ——— ——— Terquem, Mém. Soc. Géol. France, [3], iv, 1886, 51, v, 18-21, vi, 1-4.
 — **elegans** (d'Orb.). Rzehak, Ann. k. k. nat. Hofmuseums, III, (3), 1888, 264, xi, 9 [*Turbinulina*, 1826].
 — **irregularis**, Terquem. Cinquième Mém. Foram. Oolithique, 1883, 379, xlvi, 4-10.

- EPISTOMINA irregularis**, Terquem. Terquem, Mém. Soc. Géol. France, IV, 1886, 54, vi, 10-17.
 —— **mosquensis**, Uhlig. Jahrb. k. k. geol. Reichs. XXXIII, 1883, 766, vii, 1-3.
 —— **nuda**, Terquem. Cinquième Mém. Foram. Oolithique, 1883, 376, xlivi, 1a, b, c, 2a, b.
 —— —— —— Terquem, Mém. Soc. Géol. France, [3], IV, 1886, 51, v, 17a, b, c.
 —— **ornata**, Terquem. Cinquième Mém. Foram. Oolithique, 1883, 377, xlivi, 7 and 8.
 —— —— —— Terquem, Mém. Soc. Géol. France, [3], IV, 1886, 53, vi, 7-9.
 —— **partschi** (d'Orbigny). Uhlig. Jahrb. k. k. geol. Reichs. XXXIII, 1883, 763, ix, 6 and 7 [*Rotalina*, 1846].
 —— **regularis**, Terquem. Cinquième Mém. Foram. Oolithique, 1883, 379, xliv, 1-3.
 —— —— —— Terquem, Mém. Soc. Géol. France, [3], IV, 1886, 55, vi, 18-21.
 —— **reticulata** (Reuss). Uhlig. Jahrb. k. k. geol. Reichs. XXXIII, 1883, 768, vii, 8-9 [*Rotalia*, 1862].
 —— **spinulifera** (Reuss). *Ibid.* XXXIII, 1883, 768, vii, 5-7 [*Rotalia*, 1862].
 —— **stelligera** (Reuss). *Ibid.* XXXIII, 1883, 770, vii, 10 and viii, 1-3 [*Rotalina*, 1854].
- EPONIDES repandus**, Montfort. Conch. Syst. I, 1808, 127, 32 genre [= *Pulvinulina*].
- “**ETOILES marinis**,” Knorr. Rec. de Monumens, III, 1775, 158, vi*, 8-16 [= *Siderolina calcitrapoides*].
- FABULARIA**, Defrance, 1820. Diction. Sci. Nat. XVI, 1820, 103.
- **compressa**, d'Orb., 1847. D'Orbigny, Prodrome de l'Paléont. II, 1850, 409, No. 1354.
 — **discolithus**, Defrance. Dict. Sci. Nat. XVI, 1820, 103; Atlas Zooph. xviii, 5.
 —— **[discolites]**, —— Bronn, Syst. urweltl. Pflanzen-thiere, 1825, 29, vii, 13a-c.
 —— **[discolithes]** —— D'Orbigny, Ann. Sci. Nat. VII, 1826, 307, No. 1, xvii, 14-17.
 —— **[discolithes]** —— D'Orbigny, Modèles, No. 100, 1826.
 —— **[discolithes]** —— Blainville, Actinol. 1834, lxxiii, 5.
 —— **[discolithes]** —— Cuvier, Règne Animal, 1836-46, IX, (pls. x), 35, xiv, 4.
 —— **[discolithes]** —— Bronn, Lethaea Geognostica, ed. 2, 1837, 1149, xlii, 35 and 36 [36 error].
 —— **[discolithes]** —— Smedley, Ency. Metrop. 1845, undescr., pl., “Mollusca?” 39-41.
 —— **[discolithes]** —— D'Orbigny, Foram. Fossiles Vienne, 1846, 267, xxii, 55 and 56.
 —— **[discolithes]** —— Bronn, Lethaea Geognostica, ed. 3, III, 1853-56, 198, xlii, 35.
 —— **[discolithes]** —— Bronn, Klassen Ordn. Thier-Reichs, I, 1859, 69, vi, 2a, b, c, d.
 —— **[discolithes]** —— Carpenter, Parker & Jones, Introd. Foram. 1862, 82, vi, 37 and 38 [structural].
 —— **[discolithes]** —— Reuss' Model. 1865, No. 12 (Catal. 1861), No. 21.
 —— **[discolithes]** —— P., J. & B. [d'O., Modèles 100] Annu. Mag. Nat. Hist. [3], XVI, 1865, 35, i, 16 [= *F. ovata*, Roissy].
 —— **[discolithes]** —— Figuier, Ocean World, [1873], 82, f. 14.
 —— **[discolithes]** —— Zittel, Handbuch Palæont. (I), 1876, 79, f. 13¹.
 —— **[discolithes]** —— Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 27, pl., 117.
 —— **[discolithes]** —— Bütschli in Bronn, Klassen, etc., Thier-Reichs, 1880, 190, viii, 2.
 —— **[discolithes]** —— Terquem, Mém. Soc. Géol. France, [3], II, 1882, 161, xvi (xxiv), 31a, b.

- FABULARIA** [discolithes] —— Munier-Chalmas & Schlumberger, Comptes Rendus, xcvi, 1883, f 7 and 8.
 —— [discolithes] —— Hoernes, Elem. Palæont. 1884, 35, f. 34; French ed. 1886, same fig.
 —— [discolithes] —— Bassett, Ann. Soc. Sci. Charente-Inf. 1884 (85), 164, f.
 —— [discolithes] —— Quenstedt, Handbuch Petref. ed. 3, (5), (1885), 1060, lxxxvii, 9.
 —— [discolites] —— Fritel, Foss. caract. terr. sedim. tert. 1886, vii, 64 and 65.
 —— ovata, Roissy, v. Parker & Jones. Ann. Mag. N. H. [3], viii, 1861, 238.
 —— zitteli, Schwager. Palæontographica, xxx, 1883, Pal. Theil, 89, xxiv, (1), 8a-g.
- FABULARIA**, d'Orbigny. Bütschli, in Bronn, Klassen, etc., Thier-Reichs, 1880, 190, iv, 21.
 ? —— see *Lenticulae*.
- FABULARINA**, Ehrenberg, 1838. Abh. k. Ak. Wiss. Berlin, 1838 (1840), Tab. 1 [a family group name].
- "**FAN-SHAPED ANIMALCULE**," Brocklesby. Views Microscop. World, 1851, 51, f. 86 and 87 [= *Flab. baudouiniana*].
- FASCICOLITES**, Carter. Error for *Fasciolites*, q. v.
- FASCIOLITES**, Parkinson. Organ. Rem. former World, III, 1811, 158, x, 28-31 [= *Alveolina*].
 —— Parkinson, Introd. Study Foss. Organ. Rem. 1822, 167, vi, 14 [= *Alveolina*].
 —— elliptica, Sowerby. Trans. Geol. Soc. Lond. [2], v, 1837 (1840), 327, 7 and 9, and explan. of plates, xxiv, 17, 17a [v. *Alveolina*].
- [**FASCICOLITES**] —— Carter, Annals and Mag. Nat. Hist. [2], xi, 1853, 171, vii, 17.
- [**FASCICOLITES**] —— Carter, Journ. Bombay Br. R. Asiatic Soc. v, (18), (1853), 134, ii, 17.
 —— Carter, Geol. Papers Western India, 1857, 452, xviii, 17 and 17a; 543, xxiii, 17.
- [**FASCICOLITE**], Carter. Journ. Bombay Br. R. Asiatic Soc. III, 1849, 168, viii, 2a, b.
- FAUJASINA**, d'Orbigny, 1839. De la Sagra, Hist. phys. Cuba, 1839, "Foraminifères," 109; and Foram. Fossiles Vienne, 1846, 193.
 —— carinata, d'Orbigny. Foram. Fossiles Vienne, 1846, 194, xxi, 29-31.
 —— —— Bronn, Lethæa Geognostica, ed. 3, ii, 1851-52, 89, xxix¹, 17a-c.
 —— —— Costa, Atti Accad. Pontaniana, vii, (2), 1856, 269, xx, 7 [error for 13].
- [**FAUJASSINA**] orbignyi, Terquem. Mém. Soc. Géol. France, [3], ii, 1882, 49, ii (x), 28a-c.
 —— sp., Williamson. Trans. Microsc. Soc. London, [2], i, 1853, 87, x, 1-6 [= *Rotalia Schrateriana*] [structural].
 —— Hogg. Microscope. 1886, 380, f. 203 [structural].
- FAVUS** globatus, Schafhärtl. Geogr. Unters. sudbayer. Alpengeb. 1851, 49, xiii [misprinted in text, xviii], f. 18 [an "oolitic granule;" may be *Lagenaria*].
- FENTULAIRES**, A. Boué. Guide Géol.-Voy. 1836; misprint for *Textulaires*; corrected in his "errata."
- FINOPORUS** Bronn, 1837. Misprint for *Tinoporus*.
- FISCHERINA**. Terquem, 1878. Mém. Soc. Géol. France, [3], i, 1878, 80. "Ce genre trouve donc sa place entre les *Nonionina* et les *Rotalina*."
 —— rhodiensis, Terquem. Ibid. [3], i, 1878, 80, ix (xiv), 25a-c.
- FISSURINA**, Reuss, 1849. Denkschr. k. Ak. Wiss. Wien, i, 1850, 366. [*Lagenæ* with aperture in the form of a slit; this is not a true generic distinction, v. Brady, Report Challenger, 1884, 449.]
 —— acuta, Reuss. Sitz. k. Ak. Wiss. Wien, xlvi, (1), 1862 (1863), 340, vii, 90, 91 [v. *Lagenæ*].
 —— acuta, Seguenza. Foram. monotal. miocen. Messina, 1862, 57, i, 51 [= *F. biancae*, Seg.].

- FISSURINA alata**, Reuss. Zeitschr. deutsch. geol. Ges. 1851, 58, iii, 1.
 —————— Pictet, Traité de Paleont. ed. 2, iv, 1857, 483, cix, 3.
 —————— Reuss, Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 339, vii, 87.
 —————— Franzénau, Math. termész. értesito, vii. 1889, 249, v, 4.
 —————— **aperta**, Seguenza. Foram. monotal. miocen. Messina, 1862, 60, i, 60 [= *L. marginata*, W. & I.].
 —————— **apiculata**, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 339, vi, 85 [*Oolina*, 1850].
 —————— Terquem, Mém. Soc. Géol. France, [3], II, 1882, 30, i (ix), 18.
 —————— **aradasii**, Seguenza. Foram. monotal. miocen. Messina, 1862, 58, i, 59 [= *L. marginata*, W. & I.].
 —————— **benoitiana**, Seguenza. Ibid. 1862, 62, ii, 11 [= *L. marginata*, W. & I.].
 —————— **biancæ**, Seguenza. Ibid. 1862, 57, i, 48–50.
 —————— **bicarinata**, Terquem. Mém. Soc. Géol. France, [3], II, 1882, 31, i (ix), 24a, b [v. *Lagena*].
 —————— **bicaudata**, Seguenza. Foram. monotal. miocen. Messina, 1862, 64, ii, 16 [= *L. marginata*, W. & I., var. *bicandata*, Seg.].
 —————— **bouei**, Karrer. Abh. k. k. geol. Reichs. ix, 1877, 378, xvib, 19.
 —————— **capillosa**, Schwager. Novara-Exped. Geol. (2), 1866, 210, v, 25.
 —————— **carinata**, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI (1), 1862 (1863), 338, vi, 83; vii, 86.
 —————— Reuss' Model, 1865, No. 17 (Catal. 1861, No. 35) [= *Lag. marginata*, Mont.].
 —————— Terquem, Ess. Anim. Plage Dunkerque, (2), 1876, 68, vii, 10a, b; (and Mém. Soc. Dunkerquoise).
 —————— Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 25, pl. 2.
 —————— Terquem, Mém. Soc. Géol. France, [3], II, 1882, 31, i (ix), 23a, b.
 —————— **cincta**, Seguenza. Foram. monotal. miocen. Messina, 1862, 67, ii, 31.
 —————— **circulum**, Seguenza. Ibid. 1862, 63, ii, 15 [= *L. marginata*, W. & I.].
 —————— **communis**, Seguenza. Ibid. 1862, 58, i, 56 and 57 [= *L. marginata*, W. & I.].
 —————— **costæ**, Seguenza. Ibid. 1862, 69, ii, 38 [= *L. marginata*, W. & I.].
 —————— **crenata**, Seguenza. Ibid. 1862, 67, ii, 32 [not *Lagena crenata*, P. & J.].
 —————— **deltoidea**, Seguenza. Ibid. 1862, 57, i, 45 [= *L. marginata*, W. & I.].
 —————— **dentata**, Seguenza. Ibid. 1862, 58, i, 55.
 —————— **dilatata**, Seguenza. Ibid. 1862, 65, ii, 21 [= *L. marginata*, W. & I.].
 —————— **diptera**, Seguenza. Atti R. Acc. Lincei, [3], vi, 1880, 332, xvii, 36.
 —————— **echinata**, Seguenza. Foram. monotal. miocen. Messina, 1862, 58, i, 54.
 —————— **ehrenbergii**, Seguenza. Ibid. 1862, 62, ii, 8 [= *L. marginata*, W. & I.].
 —————— **elegans**, Seguenza. Ibid. 1862, 69, ii, 39 [= *L. marginata*, W. & I.].
 —————— **elliptica**, Seguenza. Ibid. 1862, 60, ii, 3 [= *L. marginata*, W. & I.].
 —————— **emarginata**, Seguenza. Ibid. 1862, 65, ii, 20 [= *L. marginata*, W. & I.].
 —————— **foliacea**, Seguenza. Atti R. Acc. Lincei, [3], vi, 1880, 306, xvii, 13, 13a.
 —————— **gemellarii**, Seguenza. Foram. monotal. miocen. Messina, 1862, 70, ii, 45.
 —————— **globosa**, Bornemann. Zeitschr. deutsch. geol. Ges. VII, 1855, 317, xii, 4 [not *Lagena globosa* (Montagu)].
 —————— Reuss, Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 339, vii, 88.
 —————— **haeckelii**, Seguenza. Foram. monotal. miocen. Messina, 1862, 63, ii, 13 [= *L. marginata*, W. & I.].
 —————— **inæqualis**, Seguenza. Ibid. 1862, 63, ii, 14 [= *L. marginata*, W. & I.].
 —————— **lævigata**, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 366, xlvi, 1 [v. *Lagena*].
 —————— Bronn, Lethæa Geognostica, ed. 3, III, 1853–56, 242, xxxv³, 4a, b.
 —————— Reuss, Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 338, vi, 84.
 —————— Terquem, Mém. Soc. Géol. France, [3], II, 1882, 30, i (ix), 17a, b.

- FISSURINA** lævigata, Reuss. Quenstedt, Handbuch Petref. ed. 3, (5), (1885), 1049, lxxxvi, 3.
- **lævis**, Seguenza. Foram. monotal. miocen. Messina, 1862, 66, ii, 22 and 23 [not *Lag. lævis* (Montagu)] [= *L. marginata*, W. & I.].
- **latistoma**, Seguenza. *Ibid.* 1862, 57, i, 46 and 47 [= *L. marginata*, W. & I.].
- **longirostris**, Seguenza. *Ibid.* 1862, 70, ii, 41.
- **lyellii**, Seguenza. *Ibid.* 1862, 71, ii, 48 and 49 [= *L. marginata*, W. & I.].
- **macroptera**, Seguenza. *Ibid.* 1862, 70, ii, 44.
- **marginata**, Seguenza. *Ibid.* 1862, 66, ii, 27 and 28 [= *L. marginata*, W. & I.].
- **marginata** (Will.). Terquem, Mém. Soc. Géol. France, [3], II, 1882, 30, i (ix), 20-22 [*Entosolenia*, 1858].
- **multicosta**, Karrer. Abh. k. k. geol. Reichs, IX, 1877, 379, xvib, 20 [v. *Lagenia*].
- **oblonga**, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 339, vii, 89.
- **oblonga**, Seguenza. Foram. monotal. miocen. Messina, 1862, 68, ii, 35.
- **obvia**, Seguenza. *Ibid.* 1862, 60, ii, 1 [= *L. marginata*, W. & I.].
- **obtusa**, Egger. Neues Jahrbuch, 1857, 270, v, 16-19.
- **obtusa**, Reuss, Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 340, vii, 92 and 93.
- **orbigniana**, Seguenza. Foram. monotal. miocen. Messina, 1862, 66, ii, 25 and 26 [v. *Lagenia*].
- **ovata**, Seguenza. *Ibid.* 1862, 62, ii, 9 and 10 [= *L. marginata*, W. & I.].
- **paradoxa**, Seguenza. *Ibid.* 1862, 61, ii, 7 [= *L. marginata*, W. & I.].
- **pecchiolii**, Seguenza. *Ibid.* 1862, 58, i, 52.
- **pedunculata**, Seguenza. *Ibid.* 1862, 60, ii, 4 [= *L. marginata*, W. & I.].
- **peloritana**, Seguenza. *Ibid.* 1862, 72, not figured.
- **propinqua**, Seguenza. *Ibid.* 1862, 58, i, 58 [= *L. marginata*, W. & I.].
- **pterocephala**, Seguenza. *Ibid.* 1862, 64, ii, 17 [= *L. marginata*, W. & I.].
- **punctata**, Seguenza. Atti R. Acc. Lincei, [3], VI, 1880, 136, xiii, 1.
- **radiata**, Seguenza. Foram. monotal. miocen. Messina, 1862, 70, ii, 42 and 43.
- **recta**, Seguenza. *Ibid.* 1862, 58, i, 53.
- **regularis**, Seguenza. *Ibid.* 1862, 71, ii, 46 [= *L. marginata*, W. & I.].
- **reussiana**, Seguenza. *Ibid.* 1862, 69, ii, 40.
- **rizzæ**, Seguenza. *Ibid.* 1862, 72, ii, 50.
- **romettensis**, Seguenza. *Ibid.* 1862, 66, ii, 24 [= *L. marginata*, W. & I.].
- **rostrata**, Seguenza. *Ibid.* 1862, 68, ii, 33.
- **rugosa**, Seguenza. *Ibid.* 1862, 67, ii, 30.
- **rugosula**, Seguenza. *Ibid.* 1862, 56, i, 43.
- **sartorii**, Seguenza. *Ibid.* 1862, 71, ii, 47 [= *L. marginata*, W. & I.].
- **silvestrii**, Seguenza. *Ibid.* 1862, 64, ii, 18 [= *L. marginata*, W. & I.].
- **simplex**, Seguenza. *Ibid.* 1862, 56, i, 44 [= *L. marginata*, W. & I.].
- **soldanii**, Seguenza. *Ibid.* 1862, 65, ii, 19 [= *L. marginata*, W. & I.].
- **solida**, Seguenza. *Ibid.* 1862, 56, i, 42.
- **spinigera**, Seguenza. *Ibid.* 1862, 63, ii, 12 [= *L. marginata*, W. & I., var. *bicaudata*, Seg.].
- **spinosissima**, Reuss. In Geinitz, Palæontographica, xx, (2), 1874, 79, not figured.
- **staphyllearia**, Schwager. Novara-Exped. Geol. (2), 1866, 209, v, 24 [v. *Lagenia*].
- **sulcata**, Seguenza. Foram. monotal. miocen. Messina, 1862, 67, ii, 27 and 28 [error for 2^o] [= *L. marginata*, W. & I.].
- **tenuis**, Seguenza. *Ibid.* 1862, 60, ii, 2 [= *L. marginata*, W. & I.].
- **tenuissima**, Seguenza. *Ibid.* 1862, 61, ii, 6 [= *L. marginata*, W. & I.].
- **trapezoidea**, Seguenza. *Ibid.* 1862, 68, ii, 34 [= *L. ornata*, Will.].
- **tricarinata**, Terq. Mém. Soc. Géol. France, [3], II, 1882, 32, 1 (ix), 25-28.
- **tricincta**, Terq. *Ibid.* [3], II, 1882, 30, i (ix), 19a, b.

- FISSURINA tricuspidata**, Reuss. Sitz. k. Ak. Wiss. Wien, LXII, (1), 1870, 470; figured by v. Schlicht "Foram. Septar. Pietzpuhl," 1870, v, 16-18.
- **tubulosa**, Seguenza. Foram. monotal. miocen. Messina, 1862, 68, ii, 36 and 37 [= *L. marginatu*. W. & I.].
- **zanclea**, Seguenza. *Ibid.* 1862, 61, ii, 5 [= *L. marginata*, W. & I.].
- v. Schlicht. "Foram. Septar. Pietzpuhl," 1870, plates iv, v.
- FLABELLINA**, d'Orbigny, 1835 (1839). De la Sagra's Hist. phisiq., etc., Cuba, 1839, "Foraminifères," 42.
- **agglutinans**, Terquem. Mém. Ac. Imp. Metz, LI, 1870, 333, xxiv, 23a, b, 24.
- **ambigua**, Terquem. Sixième Mém. Foram. Lias, 1866, 519, xxii, 13a, b.
- **anceps**, Terquem. Mém. Ac. Imp. Metz, LI, 1870, 325, xxiii, 25a, b [cf. *Cristell. anceps*].
- — — — — Terquem, Cinquième Mém. Foram. Oolithique, 1883, 348, xxxviii, 13.
- **anomala**, Terquem. Mém. Ac. Imp. Metz, LI, 1870, 329, xxiv, 12a, b [cf. *Crist. anomala*].
- **baudouinana**, d'Orbigny. Mém. Soc. Géol. France, (1), IV, 1840, 24, ii, 8-11; and Facsimile in Science Gossip, 1870, 106, f. 104.
- — — — — Reuss, Verstein. Böhm. Kreide, 1845-6, i, 32, viii, 36.
- [baudouiniana], — — — Brönn, Lethæa Geognostica, ed. 3, II, 1851-52, 82, xxix¹, 20.
- [baudouiniana], — — — Jones, Lecture Geol. Illust. Newbury, 1854, 48, ii, 55a.
- [baudouiniana], — — — Mantell, Medals Creation, ed. 2, 1854, 347, f. 111, 4a, b.
- **bicostata**, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 427, x, 14.
- **budensis**, Hantken. A magy. kir. földt. int. évkönyve, IV, 1-75 (1876), 37, iv, 17; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 44, same pl. and fig.
- **carinata**, Costa. Atti Accad. Pontaniana, VII, (2), 1856, not descr., XX, 10.
- **cenomana**, d'Orbigny, 1847. D'Orbigny, Prodrome de Paléont. II, 1850, 185, No. 753.
- **centralis**, Terquem. Mém. Ac. Imp. Metz, LI, 1870, 332, xxiv, 22a, b [cf. *Crist. centralis*].
- — — — — Terquem, Bull. Soc. géol. France, [3], IV, 1876, 492, XVI, 22.
- — — — — Terquem, Cinquième Mém. Foram. Oolithique, 1883, 348, xxxviii, 14.
- **centro-gyrata**, Terquem. Mém. Ac. Imp. Metz, LI, 1870, 332, xxiv, 21 [cf. *Crist. centro-gyrata*].
- **clathrata**, Terquem. *Ibid.* XLIV, 1863, 429, x, 8 [18] a, b.
- **condata**, Reuss. Neues Jahrb. 1849, 839, error for *F. cordata*.
- **cordata**, Reuss. Geogn. Skizze Böhmen, II, 1844, (1), 213.
- — — — — Reuss, Verstein. Böhm. Kreide, 1845-6, i, 32, viii, 37-46, 78.
- — — — — Reuss, in Geinitz, Grundr. Verstein 1845-46, 659, xxiv, 25.
- — — — — Reuss, Denkschr. k. Ak. Wiss. Wien, VII, (1), 1854, 67, XXV, 61, b, 7, 8.
- — — — — Carpenter, Parker & Jones, Introd. Foram. 1862, xii, 6.
- — — — — Reuss' Model No. 24, 1865 (Catal. No. 54, 1861 [= *F. oblonga*, v. M.]).
- — — — — Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 25, pl., 30.
- — — — — Bütschli, in Brönn, Klassen, etc., Thier-Reichs, 1880, 198, vii, 26.
- — — — — Quenstedt, Handbuch Petref. ed. 3, (5), (1885), 1052, lxxxvi, 19 and 20.
- — — — — Prestwich, Geology, 1888, II, 290, 151a.
- **cristellarioides**, Karrer. Abh. k. k. Geol. Reichs. IX, 1877, 381, xvib, 31.
- **cuneata**, v. Münster. Reuss, Neues Jahrbuch, 1849, 839, x, 26 [*Frondiculina*, 1838].

- FLABELLINA** cuneata, v. Münster. Reuss, Sitz. k. Ak. Wiss. Wien, **xviii**, 1856, 231, ii, 29.
 ——— ——— Reuss, *Ibid.* L, (1), 1864 (1865), 460, ii, 8.
 ——— ——— Brady, Q. Journ. Micr. Sci. xix, 1879, 271, viii. 7.
 ——— cuneiformis, Terquem. Sixième Mém. Foram. Liás, 1866, 522, xxii, 17a, b, 18a, b, 19.
 ——— deslongchampsi, Terquem. Mém. Ac. Imp. Metz, **XLIV**, 1863, 426, x, 13.
 ——— disparilis, Terquem. Bull. Soc. géol. France, [3], iv, 1876, 490, xvi, 17.
 ——— dubia, Terquem. Mém. Ac. Imp. Metz, **LI**, 1870, 333, xxiv, 25a, b, 26.
 ——— eichbergensis, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 22, ii, Ornamentthon 5.
 ——— elliptica, Nilsson. Fric, Stud. Gebiete Böhmischen Kreideform. II, 1877, 149, f. 152 [*Planularia*, 1825].
 ——— ——— Fric, Arch. Nat. Landesd. Böhmens, **vii**, 1889, 114, woodcut 160.
 ——— ensiformis (Röm.). Reuss, Sitz. k. Ak. Wiss. Wien, **xviii**, 1856, 229, ii, 23–24 [*Frondiculina*, 1838].
 ——— ——— Reuss, *Ibid.* L, (1), 1864 (1865), 460, v, 2.
 ——— excavata, Terquem. Ess. Anim. Plage Dunkerque, (3), 1881, 116, xiii, 20a, b (and Mém. Soc. Dunkerquoise).
 ——— ferruginea, Terquem. Bull. Soc. géol. France, [3], iv, 1876, 491, xvi, 18 and 19.
 ——— flouesti, Terquem. Cinquième Mém. Foram. Liás, 1866, 443, xviii, 13a, b.
 ——— foliacea, Brady. Q. Journ. Micr. Sci. xix, 1879, 271, viii. 8–10.
 ——— gyrrata, Terquem. Mém. Ac. Imp. Metz, **LI**, 1870, 322, xxiii, 17a, b.
 ——— harpa (Bat-ch.). v. *Nutilus*.
 ——— hortensis, Terquem. Sixième Mém. Foram. Liás, 1866, 521, xxii, 16a, b.
 ——— hybrida, Terquem. Mém. Ac. Imp. Metz, **II**, 1870, 330, xxiv, 16.
 ——— inaequilateralis, Terquem. *Ibid.* **XLIV**, 1863, 428, x, 16a, b.
 ——— incrassata, Reuss. Sitz. k. Ak. Wiss. Wien, **LV**, (1), 1867, 85, iii, 5a, b.
 ——— insignis, Terq. & Berthelin. Mém. Soc. Géol. France, [2], x, 1875, 40, iii (xiii), 12a–c.
 ——— instabilis, Terquem. Mém. Ac. Imp. Metz, **LI**, 1870, 329, xxiv, 13a, b, 14a, b (cf. *Crist. instabilis*).
 ——— ——— Terquem, Mém. Soc. Géol. France, [3], iv, 1886, 46, iv, 45–46.
 ——— intermedia, Terquem. Bull. Soc. géol. France, [3], iv, 1876, 491, xvi, 20 and 21.
 ——— interpunctata, v. d. March. Verh. nat. Ver. preuss. Rheinl. **xv**, 1858, 53, i, 5.
 ——— ——— Reuss, Sitz. k. Ak. Wiss. Wien, **XL**, 1860, 216, ix, 1.
 ——— jonesi, Karrer. Abh. k. k. Geol. Reichs. **IX**, 1877, 382, xvii, 32.
 ——— ——— Rzehak, Verh. nat. Ver. Brünn, **xxiv**, 1885 (1886), 105, i, 13.
 ——— jurassica, Kübler & Zwingli. Neujahrsblatt. Burgersbibl. Winterthur, 1866, 13, ii, 15.
 ——— ——— Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 16, ii, Blagdenischicht 10.
 ——— karrieri, Berthelin. Mém. Soc. Géol. France, [3], i, 1880, 62, iv (xxvii), 1a–3b.
 ——— laliasca, Kübler & Zwingli. Neujahrsblatt. Burgersbibl. Winterthur, 1866, 10, ii, 3.
 ——— ——— Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 11, i, Jurensismergel 10.
 ——— linearis, d'Orbigny, 1847. D'Orbigny, Prodrome de Paléont. iii, 1852, 154, No. 2859 (*Frondicularia*, Phil., 1844).
 ——— lingula (v. Hagen). Reuss, Sitz. k. Ak. Wiss. Wien, **XLIV**, (1), 1861 (1862), 326, v, 6 and 7 [*Frondicularia*, 1842].
 ——— macrospira, Reuss. *Ibid.* **XL**, 1860, 217, ix, 2.
 ——— metensis, Terquem. Mém. Ac. Imp. Metz, **XI**, (1), 1863, 429, x, 17.
 ——— muralis, Terquem. *Ibid.* **LI**, 1870, 323, xxiii, 18a, b.
 ——— obliqua (v. M.). Reuss, Sitz. k. Ak. Wiss. Wien, **xviii**, 1856, 228, ii, 20–22 [*Frondiculina*, 1838].

- FLABELLINA obliqua**, v. M. Reuss, Sitz. k. Ak. Wiss. Wien, I, (1), 1864 (1865), 460, ii, 5-7.
 —— *obliqua*, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 427, x, 15.
 —— *oblonga* (v. Münster). Reuss, Neues Jahrbuch, 1849, 839, x, 24 [*Frondiculina*, 1838].
 —— —— —— Reuss, Sitz. k. Ak. Wiss. Wien, XVIII, 1856, 226, i, 11-16; ii, 17-19.
 —— —— —— Reuss, *Ibid.* I, (1), 1864 (1865), 458, ii, 1-4; v. 1.
 —— —— —— Reuss' Model No. 25, 1865 (Catal. No. 53, 1861).
 —— *obtusa*, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 430, x, 19.
 —— *oolithica*, Terquem. *Ibid.* LI, 1870, 326, xxiv, 20 (*cf. Crist. instabilis*).
 —— *oolithica*, Deecke. Abh. geol. Speciakarte Elsass-Lothr. IV, (1), 1884, 52, i, 23-23h.
 —— *ornata*, Reuss. Verstein. Böhmk. Kreide, 1845-6, I, 32, xiii, 48; and ii, 108, xxiv, 43.
 —— —— —— Reuss, in Geinitz, Palaeontographica, XX, (2), 1874, 99, xxii, 1.
 —— *ovalis*, d'Orb., 1847. D'Orbigny, Prodrome de Paléont. II, 1850, 185, No. 754.
 —— (*Frondiculina*) *ovata*, v. Münster. Reuss, Neues Jahrbuch, 1849, 839, x, 23 [*Frondiculina*, 1838].
 —— *ponderosa*, Terquem. Mém. Ac. Imp. Metz, LI, 1870, 330, xxiv, 15a, b [*cf. Crist. instabilis*].
 —— —— —— Jones, M. Micr. Journ. xv, 1876, cxxviii, 25.
 —— *primæva*, Terq. & Berth. Mém. Soc. géol. France, [2], X, 1875, 41, iii (xiii), 13a, b.
 —— *primordialis*, Terquem. Mém. Ac. Imp. Metz, LI, 1870, 323, xxiii, 19-24 [*cf. Cristellaria primordialis*].
 —— —— —— Terquem, Bull. Soc. géol. France, [3], IV, 1876, 489, xvi, 14.
 —— —— —— Terquem, Cinquième Mém. Foram. Oolithique, 1883, 347, xxxviii, 9 and 10.
 —— —— —— Terquem, Mém. Soc. Géol. France, [3], IV, 1886, 44, iv, 38.
 —— *pulchra*, d'Orbigny. *Ibid.* [1], IV, 1840, 25, ii, 12-14; and Facsimile in Science Gossip, 1870, 106, f. 105.
 —— *radiata*, Terquem. Sixième Mém. Foram. Lias, 1866, 520, xxii, 14 and 15.
 —— *reticulata*, Reuss. Haidinger's Naturw. Abh. IV, (1), 1851, 30, i, 22.
 —— *rugosa*, d'Orbigny. Mém. Soc. Géol. France, [1], IV, 1840, 23, ii, 4, 5 and 7; and Facsimile in Science Gossip, 1870, 106, f. 106.
 —— —— —— Reuss, Verstein. Böhmk. Kreide, 1845-6, I, 33, viii, 31-34 and 68; xiii, 49-53.
 —— —— —— Reuss, in Geinitz, Grundr. Verstein. 1845-46, 658, xxiv, 23.
 —— —— —— D'Orb., Foram. Fossiles Vienne, 1846, 93, xxi, 13 and 14.
 —— —— —— D'Orb., Cours élém. Paléont., etc., I, 1849, 196, f. 319; II, (2), 1852, 687, f. 558.
 —— —— —— Pictet, Traité de Paléont. ed. 2, IV, 1857, 496, cix, 14.
 —— —— —— Beudant, Géologie, ed. 8, 1858, 117, f. 94.
 —— —— —— Mackie, Recreative Science, I, 1859, 148, f. 20.
 —— —— —— Eley, Geol. in the Garden, 1859, 202, ix, 18C.
 —— —— —— Eley, *Ibid.* 1859, 196, iii, 18 [flint cast].
 —— —— —— Jones & Parker, Quart. Journ. Geol. Soc. XVI, 1860, xix, 20 and 21.
 —— —— —— Brady, Proc. Somerset Arch. and Nat. Hist. Soc. XIII, 1865-6 (1867), 229, iii, 44-46.
 —— —— —— Tate & Blake, Yorkshire Lias, 1876, 467, xix, 19.
 —— —— —— Jones, in Microgr. Dict. ed. 4, 1883, 325, xxiii, 38a, b.
 —— —— —— Goës, Bihang k. Svenska Vet.-ak. Handl. XV, 1889, ii, 4.
 —— *securiformis*, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 426, x, 12a, b.
 —— —— —— Terquem, Cinquième Mém. Foram. Lias, 1866, 443, xviii, 14a, b, c.
 —— *semicristellaria*, Schwager. Benecke's Geogn.-Pal. Beiträge, I, 1868, 656, xxiv, 11.

- FLABELLINA semi-involuta**, Terquem. Mém. Ac. Imp. Metz, **LI**, 1870, 327, xxiii, 29, 30; **xxiv**, 1-10 [*cf. Crist. semi-involuta*].
 ——— ——— ——— Terq., Bull. Soc. géol. France, [3], **IV**, 1876, 490, xvi, 16.
 ——— ——— ——— Terq., Mém. Soc. Géol. France, [3], **IV**, 1886, 45, iv, 40-44.
 ——— **simplex**, Reuss. Haidinger's Naturw. Abh. **IV**, (1), 1851, 31, ii, 1 and 2.
 ——— **spatulata**, Terquem. Cinquième Mém. Foram. Lias, 1866, 444, xviii, 15a, b.
 ——— **striata**, v. Münster. Reuss, Neues Jahrbuch, 1849, 839, x, 25 [*Frondiculina*, 1833].
 ——— ——— ——— Reuss, Sitz. k. Ak. Wiss. Wien, **xviii**, 1856, 230, ii, 25-28.
 ——— **striata**, Hanken. A magy. kir. földt. int. évkönyve, **IV**, 1875 (1876), 36, xlii, 13; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, **IV**, 1875 (1881), 43, same pl. and fig.
 ——— ——— ——— Jones, M. Micr. Journ. **xv**, 1876, cxxix, 17a, b.
 ——— **striata**. Gümbel. Geol. Bayern. **I**, (2), 1885, f. 266, No. 11.
 ——— **subinvoluta**, Terquem. Terquem, Mém. Soc. Géol. France, [3], **IV**, 1886, 44, iv, 39 [*Cristellaria*, 1870].
 ——— **tetragona**, Terquem. Mém. Ac. Imp. Metz, **LI**, 1870, 329, xxiv, 11a, b.
 ——— **triquetra**, Terquem. *Ibid.* **LI**, 1870, 325, xxiii, 26-28 [*cf. Crist. triquetra* and *C. doliolum*].
 ——— ——— ——— Jones, M. Micr. Journ. **xv**, 1876, cxxviii, 26.
 ——— ——— ——— Terquem, Bull. Soc. géol. France, [3], **IV**, 1876, 490, xvi, 15.
 ——— ——— ——— Terquem, Cinquième Mém. Foram. Oolithique, 1883, 348 xxxviii, 11 and 12.
 ——— **tortestriata**, Terquem. Mém. Ac. Imp. Metz, **LI**, 1870, 331, xxiv, 17-19 [*cf. Crist. instabilis*].
 ——— **turgida**, Reuss. Geogn. Skizze Böhmen, **II**, (1), 1814, 213.
 ——— n. sp. Schlumberger, F. Jeun. Nat., Jan., 1882, n. d., i, 11.
 "Flask-like objects", Williamson, Mem. Lit. Phil. Soc. Manchester, [2], viii, 1848, 78, pl., 73, 74 [= *Lamulina*].
FLORILUS stellatus, Montfort. Conch. syst. **I**, 1808, 135, 34th genre [= *Nionion. asterizans*].
FLOSCULINA, Stache, 1880. Verh. k. k. geol. Reichs. 1880, 199, no fig., two species noted, *F. foliacea* and *F. rosula*. "Nebengaltung zu *Alveolina*."
 ——— Schwager, Palaeontographica, **xxx**, 1883, Pal. Theil, 102-104. v. *Alveolina decipiens* and *A. pasticillata*.
FLUSTRELLA concentrica, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1838, 132. "Microscopica cellularum minutissimarum levium seriebus concentricis, interdum spiralibus, apertura singularum parva rotunda."
FOLIOLIS candidis, Langius. Hist. lap. fig. Helvet., Venet., 1708, 69, xviii.
FOLIUM salicis, Kircher. Mundus subterr., 1665-78, 29 [= *Nunnulites*].
FORAMINITES serpuloides, King. Catal. Org. Reefs. Permian Northumb. Durham, 1848, 6 [*Serpula pusilla*, q. v.].
FOSSILIA minima ad glandis pineae similitudinam conformata, Soldani. Sagg. orit. 1780, 135, xix, 92, Z [= *Lit. nuntioides*].
FRONDICULARIA, Defrance, 1824. Dict. Sci. Nat. xxxii, 1824, 178.
 ——— **abbreviata**, Terquem. Cinquième Mém. Foram. Oolithique, 1883, 347, xxxviii, 8.
 ——— **ackneriana**, Neugeboren. Verh. Mittb. siebenburg. Ver. Nat. **I**, 1850, 120, iii, 2, a-d.
 ——— **acuformis**, Terquem. Sixième Mém. Foram. Lias, 1866; 479, xix, 8a, b.
 ——— **acuminata**. Costa. Mém. Acc. Sci. Napoli, **II**, 1855 (1857), 371, iii, 13.
 ——— **affinis**, Neugeboren. Verh. Mittb. siebenburg. Ver. Nat. **I**, 1850, 121, iii, 4a-c [= *F. digitalis*, Neugeb., 1860].
 ——— **affinis**, Marsson. Mittb. Nat. Ver. Neu-Vorpommern u. Rügen, **X**, 1878, 136, ii, 15a, b, c.
 ——— **affinis**, Terquem. Bull. Soc. Zool. Fr. **XI**, 1886, 331, xi, 6 a, b.
 ——— **alata**, d'Orbigny. Ann. Sci. Nat. **VII**, 1826, 256, No. 2.
 ——— ——— P., J. & B. [Soldani] Ann. Mag. Nat. Hist. [4], **VIII**, 1871, 161, x, 66.
 ——— ——— v. **lanceolata**, Vanden Broeck. Ann. Soc. Belge Micros. **II**, 1876, 117, ii, 13; and Fonds de la Mer, **III**, (1876).

- FRONDICULARIA** *alata*, d'Orbigny, v. *sagittula*, Vanden Broeck. Ann. Soc. Belge Microsc. II, 1876, 113, ii, 12 and 14; and Fonds de la Mer, III, (1876).
- — — — — Brady, Report Challenger, 1884, 522, lxv, 20-23; lxvi, 3-5.
- — — — — Goës, Bihang K. Svenska Vet.-Ak. Handl. xv, 1889, ii, 1-3, 5.
- — — — — see *Nutili caudiformes*.
- — — — — *althii*, Karrer. Jahrb. k. k. geol. Reichsanstalt, xx, 1870, 172, i, 12.
- — — — — *amœna*, Terquem. Ess. Aum. Plage Dunkerque, (3), 1881, 114, xiii, 19c, b (and Mem. Soc. Dunkerquoise).
- — — — — *amœna*, Reuss. Haidinger's Naturw. Abh. IV, (1), 1851, 29, i, 21.
- — — — — *amœna*, Karrer. Jahrb. k. k. geol. Reichsanstalt, xx, 1870, 172, i, 10.
- — — — — *angulosa*, d'Orbigny. Mém. Soc. Géol. France, [1], IV, 1840, 22, i, 39. Facsimile in Science Gossip, 1870, 83, fig. 94.
- — — — — Reuss, Verstein. Böhm. Kreide, 1845-6, i, 31, xiii, 40; viii, 78 and II, 107, xxiv, 42.
- — — — — Eley, Geol. in the Garden, 1859, 197, iv, 20 [flint cast].
- — — — — Eley, Ibid. 1859, 202, ix, 20C.
- — — — — *angusta*, Nilsson. Reuss, Verstein. Böhm. Kreide, 1845-6, i, 29, viii, 13 and 14 [*Planularia*, 1825].
- — — — — Reuss, in Geinitz, Grundr. Verstein. 1845-46, 653, xxiv, 19.
- — — — — Geinitz, Charact. Schicht. Petref. sächs.-böhm. Kreideg. 1850, 70, xvii, 22.
- — — — — [Reuss]. v. d. Marck, Verh. nat. Ver. preuss. Rheinl. xv, 1858, 55, i, 7.
- — — — — Rennss, Sitz. k. Ak. Wiss. Wien. XL, 1860, 196, iv, 5. [*angustata* on plate; quoted as *Planularia angusta*, Nilss., and *Froend. angustata*, Roem., Kreide Deutschland, 96].
- — — — — Fric, Stud. Gebiete Böhmischen Kreideform, II, 1877, 149, fig. 153.
- — — — — *angustata*, Costa. Mem. Acc. Sci. Napoli, II, 1855 (1857), 372, iii, 9.
- — — — — *angustissima*, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 197, iv, 6.
- — — — — *annularis*, d'Orbigny. Foram. Fossiles Vienne, 1846, 59, ii, 44-47.
- — — — — D'Orb., Cours élém. Paléont. etc., I, 1849, 195, fig. 317; II, (2), 1852, 818, fig. 622.
- — — — — Bronn, Lethaea Geognostica, ed. 3, III, 1853-56, 239, xxxv², 39a-d.
- — — — — Bronn, Klassen Ordn. Thier-Reichs, I, 1859, 72, vi, 15a, b, c.
- — — — — Mackie, Recreative Science, I, 1859, 148, fig. 19.
- — — — — Mackie, Science Gossip, 1867, 131, fig. 130.
- — — — — Bütschli, in Bronn Klassen, etc., Thier-Reichs, 1880, 198, viii, 15.
- — — — — *antonina*, Karrer. In v. Drasche, Frag. Geol. Luzon, 1878, 91, v, 14; and Bol. Com. Map. Geol. Espaň. VII, 1880, 273, E, 14.
- — — — — *apiculata*, Reuss. Geogr. Skizze Böhmen, II, 1844 (1), 212.
- — — — — Reuss, Verstein. Böhm. Kreide, 1845-6, i, 30, viii, 24.
- — — — — Reuss, Sitz. k. Ak. Wiss. Wien, XL, 1860, 192, v, 2.
- — — — — *archiaciana*, d'Orbigny. Mém. Soc. Géol. France, [1], IV, 1840, 20, I, 34-36. Facsimile in Science Gossip, 1870, 82, fig. 91.
- — — — — Reuss, Verstein. Böhm. Kreide, 1845-6, i, 31, xiii, 39.
- — — — — Williamson, Recent British Foram. 1858, 24, ii, 51 [fossil from the Chalk].
- — — — — Eley, Geol. in the Garden, 1859, 197, iv, 19 [flint cast].
- — — — — Jones, Geologist, VI, 1863, 295, xv, 16, 17.
- — — — — Nicholson, Manual Palæont. 1879, I, 114, fig. 18, i.
- — — — — Brady, Report Challenger, 1884, 520, cxiv, 12.
- — — — — *badenensis*, Karrer. Sitz. k. Ak. Wiss. Wien, XLIV, (1), 1861 (1862), 443, I, 3.
- — — — — *baueri*, Burbach. Zeitschr. Naturw. Halle, LIX, 1886, 52, ii, 48-52.
- — — — — *becksi*, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 192, iv, 4.
- — — — — *bicornis*, Reuss. Verstein. Böhm. Kreide, 1845-6, I, 32, xiii, 45 and II, 108, xxiv, 37.
- — — — — var. *major*, v. d. Marck. Verh. nat. Ver. preuss. Rheinl. XV, 1858, 56, i, 12.

- FRONDICULARIA** *bicostata*, d'Orb., 1849. D'Orbigny, *Prodrome de Paléont.* I, 1849, 242, No. 256.
 ——— ——— Terquem, Mém. Ac. Imp. Metz, XXXIX, 1858, 593, i, 11a-c.
 ——— ——— Burbach, Zeitschr. Naturw. Halle, LIX, 1886, 53, ii, 56, 57.
 ——— *bicostata*, Karrer. In v. Drasche, Frag. Geol. Luzon, 1878, 91, v, 13; and Boll. Com. Map. Geol. Espan. VII, 1880, 273, E, 13.
 ——— *bicuspidata*, Reuss. Verstein. Böhm. Kreide, 1845-6, i, 32, xiii, 46.
 ——— *bielziana*. Neugeboren. Verh. Mittb. siebenburg. Ver. Nat., I, 1850, 121, iii, 5a-c [= *F. digitalis*, Neugeb., 1860].
 ——— *biformis*, Marsson. Mittb. Nat. Ver. Neu-Vorpommern u. Rügen, x, 1878, 137, ii, 17a, b, c, d.
 ——— *bradyana*, Karrer. Abh. k. k. geol. Reichs. IX, 1877, 380, xvii, 24.
 ——— *brizæformis*, Bornemann. Lias von Göttingen, 1854, 36, iii, 17a-d, 18a-c, 20a, b.
 ——— (cf.) ——— Burbach, Zeitschr. Naturw. Halle, LIX, 1886, 49, ii, 33-36.
 ——— *canaliculata*, Reuss. Geogn. Skizze Böhmen. II, 1844, (1), 212.
 ——— ——— Reuss, Verstein. Böhm. Kreide, 1845-6, I, 30, viii, 20, 21.
 ——— ——— Reuss, Sitz. k. Ak. Wiss. Wien, XL, 1860, 194, vi, I.
 ——— ——— Quenstedt, Handbuch Petref. ed. 3, (5), (1885), 1051, lxxxvi, 13.
 ——— ——— Whiteaves, Trans. R. Soc. Canada, IV, sect. 4, 1886 (1887), 114, f. 1.
 ——— *capillaris*, Reuss. Haidinger's Naturw. Abh. IV, (1), 1851, 29, I, 20.
 ——— *carinata*, Burbach. Zeitschr. Naturw. Halle, LIX, 1886, 47, i, 17-20, 29.
 ——— *caudata*, d'Orb., 1847. D'Orbigny, *Prodrome de Paléont.* II, 1850, 185, No. 749.
 ——— *cernua*, Berthelin. Revue et Mag. Zool. 1879, 32, i, 7 and 8.
 ——— *complanata*, Defrance. Dict. Sci. Nat. XXXII, 1824, 178, Atlas, Conch. XIV, 4 [v. *Nodosarina* and *Renulina*].
 ——— ——— Blainville, Malacol., 1825, 371, vi, 4. (This was also termed *Renulina complanata* by De Blainville in Dict. Sci. Nat. XXXII, 1824, 178.)
 ——— ——— Cuvier, Animal Kingdom, Henderson's ed. III, 1834 (pls. 1837), 18, viii, 4.
 ——— ——— Jones & Parker, Quart. Journ. Geol. Soc. XVI, 1860, xix, 19.
 ——— ——— Brady, Proc. Somerset. Arch. and Nat. Hist. Soc. XIII, 1865-6 (1867), 229, iii, 47.
 ——— ——— Tate & Blake, Yorkshire Lias, 1876, 468, xix, 20.
 ——— ——— v. *concinna*, Vande Broeck. Ann. Soc. Belge Microsc. II, 1876, 109, iii, 2; and Fonds de la Mer, III. (1876).
 ——— ——— Terrigi, Atti Acc. Pont. Nuovi Lincei, XXXV, 1883, 181, ii, 19 and 20.
 ——— ——— Quenstedt, Handbuch Petref. ed. 3, (5), (1885), 1051, lxxxvi, 12.
 ——— ——— Prestwich, Geology, 1888, ii, 178.
 ——— ——— see *Nautili diversæ speciei*, f. 79* b and *Nautilus* (*O.*) *harpa*, Batsch.
 ——— *compressa*, Costa. Mem. Acc. Sci. Napoli. II, 1855 (1857), 372, iii, 2.
 ——— *compta*, Brady. Q. Journ. Micr. Sci. XIX, 1879, 271, viii, 6.
 ——— ——— Brady, Report Challenger, 1884, 520, lxv, 19.
 ——— *concinna*, Koch. Palæontographica, I, 1851, 172, xxiv, 5.
 ——— ——— Reuss, Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 54, iv, 13.
 ——— ——— Steinmann, Elem. Paleont, I, 1888, 27, f. 8 D.
 ——— *concinna*, Terq. & Berthelin. Mém. Soc. Géol. France, [2], x, 1875, 37, iii (xiii), 4a, b.
 ——— *cordai*, Reuss. Verstein. Böhm. Kreide, 1845-6, I, 31, viii, 26, 27, 28; xiii, 41; and II, 108, xxiv, 38.
 ——— ——— Reuss, in Geinitz, Grundr. Verstein. 1845-46, 656, xxiv, 21.
 ——— ——— Reuss, Denkschr. k. Ak. Wiss. Wien, VII, (1), 1854, 66, xxv, 3a, b.

- FRONDICULARIA** *cordai*, Reuss, var. *lineolata*, v. d. Marck. Verh. nat. Ver. preuss. Rheinl. xv, 1858, 55, i, 11.
 ——— ——— ——— Jones, Geologist, vi, 1863, 295, xv, 20-22.
 ——— ——— ——— Reuss, in Geinitz Palaeontographica, xx, (2), 1874, 95, xxi, 8-10, 12 and 13.
 ——— ——— ——— Hoernes, Elem. Palaeont. 1884, 25, f. 9; French ed., 1886, same fig.
 ——— ——— ——— Fric, Arch. Nat. Landesd. Böhmens, vii, 1889, 113, wood-cut 159.
 ——— ——— ——— *cordata*, Roemer. Verst. n.-d. Kreide, 1840-1, 96, xv. 8.
 ——— ——— ——— *cordata*, Seguenza. Atti R. Acc. Lincei, [3], vi, 1880, 89, ix, 5.
 ——— ——— ——— *costata*, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur, 1866, 8, i, 1.
 ——— ——— ——— Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 6, i, Turnerithon 11.
 ——— ——— ——— *crassa*, Reuss. Geogn. Skizze Böhmen. ii, 1844, (1), 212.
 ——— ——— ——— *cucurbitacea*, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur, 1866, 13, ii, 16.
 ——— ——— ——— Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 15, ii, Blagdenischicht 6.
 ——— ——— ——— *cultrata*, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. i, 1850, 124, iv, 11a-c.
 ——— ——— ——— *cuneata*, Terquem. Mém. Ac. Imp. Metz. ii, 1870, 321, xxiii, 13-16.
 ——— ——— ——— *denehmi*, Reuss. Sitz. k. Ak. Wiss. Wien, xi, 1860, 191, iv, 3.
 ——— ——— ——— *dentaliniformis*, Terquem. Mém. Ac. Imp. Metz, li, 1870, 319, xxiii, 1-8.
 ——— ——— ——— Jones, M. Micr. Journ. xv, 1876, cxxviii, 22a, b [= *F. pupa*, d'O., linguline form].
 ——— ——— ——— *denticulata*, Costa. Mem. Acc. Sci. Napoli, ii, 1855 (1857), 371, ii, 22, var. 2, 20, and iii, 4.
 ——— ——— ——— *didyma*, Berthelin. Mém. Soc. Géol. France, [3], i, 1880, 61, ii (xxv), 18a-c.
 ——— ——— ——— *digitata*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 256, No. 6.
 ——— ——— ——— P., J. & B. [Soldani] Ann. Mag. Nat. Hist. [4], viii, 1871, 162, x, 65.
 ——— ——— ——— Malagoli, Atti Soc. Nat. Modena, (Rend.), (3), iii, 1887, 109, i, 10.
 ——— ——— ——— see *Orthoceras cuspis*.
 ——— ——— ——— *digitalis*, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. i, 1850, 120, iii, a-c [v. also *F. rostrata*].
 ——— ——— ——— *diversicostata*, Neugeboren. Ibid. i, 1850, 122, iii. 7a, b and 8a, b.
 ——— ——— ——— *dolium*, Terquem. Mém. Ac. Imp. Metz, ii, 1870, 320, xxiii, 9-12.
 ——— ——— ——— *dubia*, Bornemann. Lias von Göttingen, 1854, 37, iii, 23a-c.
 ——— ——— ——— *dubia* Terq. & Berthelin. Mém. Soc. Géol. France, [2], x, 1875, 39, iii (xiii), 11.
 ——— ——— ——— *dumontana*, Reuss. Sitz. k. Ak. Wiss. Wien, xi, 1860 (1861), 357, i, 7a, b.
 ——— ——— ——— *elata*, Costa. Mem. Acc. Sci. Napoli, ii, 1855 (1857), 371, iii, 12.
 ——— ——— ——— *elegans*, d'Orbigny. Mém. Soc. Géol. France, [1], iv, 1840, 19, i, 29-31; Facsimile in Science Gossip, 1870, 82, f. 89.
 ——— ——— ——— *ellipsoides*, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 20, ii, Macrocephalusoolith 6.
 ——— ——— ——— *elliptica* (Nilsson) [v. *Planularia*].
 ——— ——— ——— *elliptica*, Burbach. Zeitschr. Naturw. Halle, lix, 1886, 48, i, 21-26; ii, 37.
 ——— ——— ——— *elongata*, Costa. Mem. Acc. Sci. Napoli, ii, 1855 (1857), 371, iii, 1.
 ——— ——— ——— Olszewski. Sprawozd. Kom. fizycz. Ak. Umiej. Krakowie, ix, 1875, 110, i, 8.
 ——— ——— ——— *excavata*, Terquem. Cinquième Mém. Foram. Lias, 1866, 403, xv, 4a, b.
 ——— ——— ——— *excavata*, Terquem. Mém. Soc. Géol. France, [3], iv, 1886, 43, iv, 34a, b.
 ——— ——— ——— *felis*, Karrer. Jahrb. k. k. geol. Reichsanstalt, xx, 1870, 172, i, 9.
 ——— ——— ——— *fenestrata*, Terquem. Mém. Soc. Géol. France, [3], iv, 1886, 43, iv, 35.

- FRONDICULARIA** *flocineta*, Reuss. Sitz. k. Ak. Wiss. Wien, **XLVI**, (1), 1862 (1863), 54, iv, 12a, b.
 —— *foliacea*, Schwager. Novara-Exped. Geol. (2), 1866, 236, vi, 76.
 —— *foliula*, Karrer. Sitz. k. Ak. Wiss. Wien, **LVIII**, (1), 1868, 167, iv, 4.
 —— —— —— Schwager, Boll. R. Com. Geol. Ital. **VIII**, 1877, 25, pl., 8.
 —— *folium*, Alth. Haidinger's Naturw. Abh. **III**, (2), 1850, 268, xiii, 25.
 —— —— —— Pictet, Traité de Paléont. 2 ed. **IV**, 1857, 490, cix, 11.
 —— *fragilis*, Karrer. Jahrb. k. k. geol. Reichsanstalt, **xx**, 1870, 175, ii, 3.
 —— *franconica*, Gümbel. Jahresh. Ver. vat. Nat. Württ. **XVIII**, 1862, 219, iii, 13a, b. c.
 —— *fuchsii*, Karrer. Jahrb. k. k. geol. Reichsanstalt, **xx**, 1870, 174, ii, 1.
 —— *gaultina*, Reuss. Sitz. k. Ak. Wiss. Wien, **XL**, 1860, 194, v, 5.
 —— *globulosa*, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur, 1866, 13, ii, 12.
 —— —— —— Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 15, ii, Blagdenischicht 5.
 —— *goldfussi*, Reuss. Sitz. k. Ak. Wiss. Wien, **XL**, 1860, 192, iv, 7.
 —— —— —— Reuss' Model No. 22, 1865 (Catal. No. 47, 1861) [= *F. complanata*, Defr.].
 —— —— —— Zittel, Handbuch Paläont. (1), 1876, 86, f 23^a.
 —— *granulata*, Terquem. Mém. Ac. Imp. Metz, **XLIV**, 1863, 379, vi [vii], 20a, b.
 —— —— —— Schwager, Jahresh. Ver. vat. Nat. Württ. **XXI**, 1865, 113, iv, 25.
 —— *guesthalica*, Reuss. Sitz. k. Ak. Wiss. Wien, **XL**, 1860, 195, vi, 2.
 —— *hastata*, Roemer. Neues Jahrbuch, 1842, 272, viiB, 5.
 —— —— —— Reuss, Sitz. k. Ak. Wiss. Wien, **XLVI**, (1), 1862 (1863), 53, iv, 10.
 —— *heerii*, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur, 1866, 8, i, 4.
 —— —— —— Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 6, i, Turnerithon 9.
 —— *hexagona*. Terquem. Mém. Ac. Imp. Metz, **XXXIX**, 1858, 594, i, 13a-c.
 —— *hörnesi*, Neugeboren. Denkschr. k. Ak. Wiss. Wien, **XII**, 2, 1856, 93, v. 3.
 —— *hosiusi*, Reuss. Sitz. k. Ak. Wiss. Wien, **XLII**, 1860 (1861), 365, i, 8a, b, 9.
 —— *hybrida*, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur. 1866, 13, ii, 24.
 —— —— —— Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 15, ii, Blagdenischicht 4.
 —— *imperialis*, Dunkowski. Kosmos [Lemberg]. **IV**, 1879, 125, pl., 17.
 —— *impressa*, Terquem. Mém. Ac. Imp. Metz, **XLIV**, 1863, 379, vil, 21a, b, c, d [*F. intumescens*].
 —— *inæqualis*, Costa. Mem. Acc. Sci. Napoli, **II**, 1855 (1857), 372, iii, 3.
 —— —— —— Brady, Report Challenger, 1884, 521, lxvi, 8-12.
 —— *inæqualis*, Deecke. Abh. geol. Speciakarte Elsass-Lothr. **IV**, (1), 1884, 27, i, 24, 24a.
 —— *inermis*, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur, 1866, 8, i, 5.
 —— —— —— Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 6, i, Turnerithon 10.
 —— *inscissa*, Deecke. Abh. geol. Speciakarte Elsass-Lothr. **IV**, (1), 1884, 28, i, 22, 22b.
 —— *intermittens*, Reuss. Sitz. k. Ak. Wiss. Wien, **LII**, (1), 1865 (1866), 460, pl., 11.
 —— *interrupta*, Costa. Mem. Acc. Sci. Napoli, **II**, 1855 (1857), 373, ii, 25.
 —— *interrupta*, Karrer. Abh. k. k. geol. Reichs. **IX**, 1877, 380, xvib, 27.
 —— —— —— Brady, Report Challenger, 1884, 523, lxvi, 6 and 7.
 —— *intumescens*, Bornemann. Liasform. Göttingen, 1854, 36, iii, 19a-c.
 —— —— —— Tate & Blake, Yorkshire Lias, 1876, 468, xix, 21.
 (cf.) —— —— Burbach, Zeitschr. Naturw. Halle, **LIX**, 1886, 49, ii, 38-41.

- FRONDICULARIA inversa**, Reuss. Geogn. Skizze Böhmen. II, 1844 (1), 211.
 ——— Reuss, Verstein. Böh. Kreide, 1845-6, I, 31, viii, 15-19; xiii, 42.
 ——— Reuss, in Geinitz, Palaeontographica, XX, (2), 1874, 94, xxi, 5-7 and 11.
 ——— Fric, Arch. Nat. Landesd. Böhmens, VII, 1889, 113, wood-cut 158.
 ——— involuta, Terquem. Cinquième Mém. Foram. Lias, 1866, 403, xv, 3a, b.
 ——— irregularis, Neugeboren. Verh. Mittl. siebenburg. Ver. Nat. I, 1850, 125, iv; 12a-c.
 ——— irregularis, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur, 1866, 9, i, 17 [= ? *Lingulina*].
 ——— Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 8, i, Posidonienschief. 1.
 ——— irregularis, Terquem. Mém. Ac. Imp. Metz. LI, 1870, 318, xxii, 21, 22.
 ——— Jones, M. Micr. Journ. XV, 1876, cxxviii, 23 [= *Lingula carinata*].
 ——— Terquem, Mém. Soc. Géol France, [3], IV, 1886, 43, iv, 33.
 ——— lœvigate, d'Orbiguy. Ann. Sci. Nat. VII, 1826, 256, No. 7.
 ——— lœvigate, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, (1). 1868, 167, iv, 3.
 ——— lœvis, Marsson. Mittl. Nat. Ver. Neu-Vorpommern u. Rügen, X, 1878, 136, ii, 16a, b, c.
 ——— lœvissima, Terquem. Sixième Mém. Foram. Lias, 1866, 481, xix, 19a, b.
 P ——— lancea, Philippi. Tertiär. nordwest. Deutsch. 1843, 39, i, 31.
 ——— lanceola, Rss. Reuss' Model No. 23, 1865 (Catal. No. 46, 1861).
 ——— lanceolata, Costa. Mem. Acc. Sci. Napoli, II, 1855 (1857), 372, iii, 7.
 ——— lanceolata, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 198, v, 1.
 ——— lapugensis, Neugeboren. Denkschr. k. Ak. Wiss. Wien, XII, (2), 1856, 93, v, 1, 2.
 ——— lata, Burbach. Zeitschr. Naturw. Halle, LIX, 1886, 48, i, 27, 28, 30; ii, 31, 32.
 ——— leitzendorfensis, Karrer. Jahrb. k. k. geol. Reichsanstalt, XX, 1870, 171, i, 7.
 ——— lignaria, Terquem. Sixième Mém. Foram. Lias, 1866, 480, xix, 14.
 ——— ? Tate & Blake, Yorkshire Lias. 1876, 468, xvii, 28.
 ——— linearis, Philippi. Tertiär. nordwest. Deutsch. 1843, 5, i, 32 [v. *Flabellina*].
 ——— linea, v. Hagenow. Neues Jahrb. f. min. 1842, 569.
 ——— lineato-costata, Dunikowski. Kosmos [Lemberg], IV, 1879, 125, pl., 18 [misprinted *lineato-custata*].
 ——— lingua, Boll. Geogn. deutsch. Ostseeländer, 1846, 177, ii, 12.
 ——— linguiformis, Marsson. Mittl. Nat. Ver. Neu-Vorpommern u. Rügen, X, 1878, 135, ii, 14a-c.
 ——— lingula, v. Hagenow. Neues Jahrb. f. min. 1842, 568 [v. *Flabellina*].
 ——— lingula, Terq. Mem. Ac. Imp. Metz, XI.II, 1862, 437, V, 8a. b.
 ——— lingulæformis, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 113, iv, 11.
 ——— Uhlig, Jahrb. k. k. geol. Reichs. XXXIII, 1883, 757, ix, 17.
 ——— (cf.) ——— Deecke, Abh. geol. Specialkarte Elsass-Lothr. IV, (1), 1884, 27, ii, 1, 1a.
 ——— (aff.) ——— Deecke, Mém. Soc. Emul. Montbéliard, XVI, 1886 [24], ii, 33, 33a.
 ——— longiscata, Terquem. Mém. Ac. Imp. Metz, LI, 1870, 318, xxii, 23 and 24.
 ——— longiuscula, Costa. Mem. Acc. Sci. Napoli II, 1855 (1857), 373, ii, 26.
 ——— loryi, Berthelin. Mém. Soc. Géol. France, [3], I, 1880, 60, IV (XXVII), 5a, b.
 ——— lucida, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 113, iv, 26.
 ——— major, Bornemann. Liasform. Göttingen, 1854, 36, III, 21a-c.
 ——— mandelsloheana, Gümbel. Sitz. k.-bayer. Ak. Wiss. I, 1871, 66, i, 9.

- FRONDICULARIA** marginata, Reuss. Verstein. Böhm. Kreide, 1845-6, I, 30.xii, 9; and II, 107, xxiv, 39 and 40.
 ——— ——— Reuss, Sitz. k. Ak. Wiss Wien, XL, 1860, 193, v, 3.
 ——— medelingensis, Karrer. Abh. k. k. geol. Reichs. IX, 1877, 380, xvib, 25.
 ——— meyeri, Boll. Geogn. deutsch. Ostseeländer, 1846, 177, ii, 18.
 ——— microdisca, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 195, v, 4.
 ——— microsphæra, Reuss. In Geinitz, Palæontographica, XX, (2), 1874, 94, xxI, 4.
 ——— millettii, Brady. Report Challenger, 1884, 524, woodcut, 16a. b.
 ——— minima, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur, 1866, 8, i, 8.
 ——— ——— Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 6, I, Turnerithon 12.
 ——— mölleri, Uhlig. Jahrb. k. k. geol. Reichs. XXXIII, 1883, 758, ix, 12-15.
 ——— monocantha, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 368, xlvi, 14.
 ——— mucronata. Reuss. Verstein. Böhm. Kreide, 1845-6, I, 31, xiii, 43, 44.
 ——— ——— Reuss, in Geinitz, Palæontographica, XX, (2), 1874, 96, xxI, 14-16.
 ——— mucronata, Karrer. Sitz. k. Ak. Wiss. Wien, LV, (1), 1867, 354, 1, 6.
 ——— multicostata, Terquem. Mem. Ac. Imp. Metz, XLII, 1862, 438, v, 14a, b.
 ——— ——— Burbach, Zeitschr. Naturw. Halle, LIX, 1886, 50, ii, 42-43.
 ——— multilineata, Reuss. Denkschr. k. Ak. Wiss. Wien, VII, (1), 1854, 66, xxv, 5a, b.
 ——— multistriata, Marsson. Mitth. Nat. Ver. Neu-Vorpommern u. Rügen, x, 1878, 134, ii, 13a. b.
 ——— nikitini, Uhlig. Jahrb. k. k. geol. Reichs. XXXIII, 1883, 758, ix, 10 and 11.
 ——— nitida, Terquem. Mém. Ac. Imp. Metz, XXXIX, 1858, 592, I, 9a-c.
 ——— ——— Uhlig, Jahrb. k. k. geol. Reichs. XXXIII, 1883, 756, ix, 19.
 ——— ——— Burbach, Zeitschr. Naturw. Halle, LIX, 1886, 45, i, 7.
 ——— nodosaria, Ehrenberg. Mikrogeologie, 1854, xxv, I, A, 7 [near Nodos. subnodosa, Rss., 1851].
 ——— ——— Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur, 1866, 10, ii, 1.
 ——— ——— Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 10, I, Ju-rensismergel 2.
 ——— nodosaria, Terquem. Mém. Ac. Imp. Metz, LI, 1870, 319, xxii, 25-30.
 ——— ——— Tate & Blake, Yorkshire Lias, 1876, 469, xvii, 44; xix, 24,
 ——— (cf) ——— Burbach, Zeitschr. Naturw. Halle, LIX, 1886, 51, ii, 47.
 ——— nuda, Terq. & Berth. Mém. Soc. Géol. France, [2], x, 1875, 39, iii
 ——— (xiii), 9a, b.
 ——— ——— Terquem, *Ibid.* [3], iv, 1886, 43, iv, 36 and 37.
 ——— nysti, Reuss. Bull. Ac. Roy. Belg. [2], xv, 1863, 14*, ii, 20.
 ——— obliqua, Alth. Haidinger's Naturw. Abh. in, (2), 1850, 268, xlii, 26.
 ——— obscura, Terq. & Berth. Mém. Soc. Géol. France, [2], x, 1875, 38, iii
 ——— (xiii), 5a, b.
 ——— occidentalis, Berthelin. Revue et Mag. Zool. 1879, 34, I, 9-11.
 ——— octocostata, Burbach (? n. sp.). Zeitschr. Naturw. Halle, LIX, 1886, 50,
 ——— ii, 44.
 ——— oolithica, Terquem. Mém. Ac. Imp. Metz, LI, 1870, 315, xxli, 1-9.
 ——— ——— v. regularis, Jones. Quart. Journ. Geol. Soc. XL, 1884,
 ——— 769, xxxiv, 4.
 ——— ornata, d'Orbigny. Mém. Soc. Géol. France, [1], IV, 1840, 21, I, 37-38;
 ——— Facsimile in Science Gossip, 1870, 82, f. 92.
 ——— ——— Reuss, in Geinitz, Grundr. Verstein. 1845-46, 653, xxiv, 20.
 ——— ovata, Costa. Mem. Acc. Sci. Napoli, II, 1855 (1857), 373, iii, 12.
 ——— ovata, Münst. Reuss, in Geinitz, Grundr. Verstein. 1845-46, 651, xxiv, 22
 ——— [v. *Fondularia ovata*, 1838].
 ——— ovata, Roemer. Verst. n. d. Kreide, 1840-1, 96, xv, 9.
 ——— ——— Geinitz, Charakt. Schicht. Petref. sachs.-böhm. Kreidegeb.
 ——— 1850, 43 and 69, xvi, 9 and 10.
 ——— ovulus, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 24, iii, 5;
 ——— and 34, iv, Impressathon 5.

- FRONDICULARIA** pala, Karrer. Jahrb. k. k. geol. Reichsanstalt, xx, 1870, 172, i, 11.
- *parabolica*, Costa. Mem. Acc. Sci. Napoli, ii, 1855 (1857), 371, iii, 10.
 - *paradoxa*, Berthelin. Revue et Mag. Zool. 1879, 33, i, 12-97 [error for 12-17].
 - *parallela*, Terq. & Berthelin. Mém. Soc. Géol. France, [2], x, 1875, 39 iii (xiii), 10a, b
 - *parkeri*, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 91, xii, 7a, b.
 - *paupera*, Karrer. Ibid. XLIV, (1), 1861 (1862), 443, i, 4.
 - *peregrina*, Reuss. Verstein. Böhm. Kreide, 1845-6, ii, 108, xxiv, 45.
 - *perforata*, Kübler & Zwingli. Neujahrsblatt. Burgersbibl. Winterthur, 1866, 12, ii, 9.
 - — — — — Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 13, ii, Opalinusthron 4.
 - *plana*, Karrer. Jahrb. k. k. geol. Reichsanstalt, xx, 1870, 174, i, 14.
 - *polonica*, Dunikowski. Kosmos [Lemberg], iv, 1879, 124, pl. 16.
 - *primitiva*, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur, 1866, 13, ii, 13.
 - — — — — Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 22, ii, Ornamententhon 3.
 - *procera*, Burbach. Zeitschr. Naturw. Halle, LIX, 1886, 52, ii, 54, 55.
 - *pseudo-ovata*, d'Orb., 1847. D'Orbigny, Prodrome de Paléont. III, 1852, 153, No. 2830 [*F. ovata*, 1 hil., 1847].
 - *pulchella*, Neugeboren. Verh. Mittb. siebenburg. Ver. Nat. I, 1850, 119, iii, 1a-d.
 - *pulchella*, Karrer. Jahrb. k. k. geol. Reichsanstalt, xx, 1870, 171, i, 8.
 - *pulchra*, Terquem. Mém. Ac. Imp. Metz, XXXIX, 1858, 592, i, 10a-c.
 - — — — — Terquem, Sixième Mém. Foram. Lias, 1866, 481, xix, 16.
 - — — — — Schlumberger, F. Journ. Nat., Jan., 1882, i, 7.
 - — — — — Burbach, Zeitschr. Naturw. Halle, LIX, 1886, 51, ii, 45 and 46.
 - *pupa*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 256, No. 4.
 - — — — — P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 161, x, 64.
 - — — — — see *Orthoceras cuspis*.
 - *pupa*, Terquem & Berthelin. Mém. Soc. Géol. France, [2], x, 1875, 36, iii (xiii), 1a-o.
 - — — — — Terquem, Cinquième Mém. Foram. Oolithique, 1883, 346, xxxviii, 7a, b.
 - *pyrum*, Karrer. Jahrb. k. k. geol. Reichsanstalt, xx, 1870, 175, ii, 4.
 - *pyrus*, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 24, iii, 4.
 - *quadricosta*, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 379, vii, 19a, b.
 - *radiata*, d'Orbigny. Mém. Soc. Géol. France, [1], IV, 1840, 19, i, 26-28; Facsimile in Science Gossip, 1870, 82, f. 88.
 - — — — — Reuss, in Geinitz, Gründr. Verstein. 1845-46, 656, xxiv, 18.
 - — — — — Mangin, Mystères Océan, 1864, 177, f. 5.
 - *raricosta*, Karrer. Abh. k. k. Geol. Reichs. IX, 1877, 381, xvib, 28.
 - *reussi*, Karrer. Sitz. k. Ak. Wiss. Wien, XI-IV, (1), 1861 (1862), 441, i, 1.
 - *rhombea*, Costa. Mem. Acc. Sci. Napoli, II, 1855 (1857), 371, iii, 15.
 - *rhomboidalis*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 256, No. 1.
 - — — — — D'Orb., Modèles, No. 3, 1826.
 - — — — — Cuvier, Règne Animal, 1836-46, IX (pls. x), 35, xv, 11.
 - — — — — P., J. & B. [d'O., Modèles, 3], Ann. Mag. Nat. Hist. [3], XVI, 1865, 19, i, 31.
 - — — — — Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 161, fig.
 - *rhomboidalis*, Terquem. Mém. Ac. Imp. Metz, XLII, 1862, 439, v, 19a, b.
 - *robusta*, Brady. Report Challenger, 1884, 523, lxvi, 1 and 2.
 - *rostrata*, Neugeboren. Verh. Mittb. siebenburg. Ver. Nat. I, 1850, 122, iii, 6a, b [= *digitalis*, Neugeb. 1860].
 - *sacculus*, Terquem. Sixième Mém. Foram. Lias, 1866, 482, xix, 20a, b.
 - *sagittaria* (Lea). Bronn, Lethaea Geognostica, ed. 2, 1837, 1133, xlvi, 21 [*Palmula*, 1833].

- FRONDICULARIA** *sagittaria*. (Lea). Bronn, Lethæa Geognostica, ed. 3, III, 1853-56, 239, xlvi, 21.
- *sarissa*, Karrer. Jahrb. k. k. geol. Reichsanstalt, xx, 1870, 173, i, 13.
- *sculpta*, Karrer. Sitz. k. Ak. Wiss. Wien, XLIV, (1), 1861 (1862), 442, i, 2.
- — — *v. parvinuclea*, Karrer, Abh. k. k. Geol. Reichs. IX, 1877, 381, xvii, 30b.
- — — *v. seminuda*, Karrer. Ibid. IX, 1877, 381, xvii, 30a.
- — — *scutiformis*, Potiez & Michaud. Galerie des Mollusques Mus. Douai, I, 1838, 25, ix, 1-3 [= *Flabell. cordai*, Reuss].
- — — *securiformis*, Burbach. Zeitschr. Naturw. Halle, LIX, 1886, 46, i, 10 and 11.
- — — *sedgwicki*, Reuss. Denkschr. k. Ak. Wiss. Wien, VII, (1), 1854, 66, xxv, 4a, b.
- — — *semicosta*, Karrer. Abh. k. k. Geol. Reichs. IX, 1877, 380, xvii, 26.
- — — *semicostata*, Neugeboren. Verh. Mitth. siebeburg. Ver. Nat. I, 1850, 123, iii, 9 [= *digitalis*, Neugeb. 1860].
- — — *seminuda*, Reuss. Zeitschr. deutsch. geol. Ges. III, 1851, 65, iii, 15 and 16.
- — — *silicula*, Costa. Mem. Acc. Sci. Napoli, II, 1855 (1857), 372, iii, 19.
- — — *similis*, Costa. Ibid. II, 1855 (1857), 372, iii, 16.
- — — *simplex*, Rss. Verstein. Böh. Kreide, 1845-6, I, 31, viii, 30.
- — — *sinuata*, Terquem. Mém. Soc. Géol. France, [3], II, 1882, 40, ii (x), 1, 2.
- — — *solea*, v. Hagenow. Neues Jahrbuch, 1842, 569, ix, 20.
- — — — — Marsson, Mitth. Nat. Ver. Neu-Vorpommern u. Rügen, x, 1878, 133, ii, 12a-c.
- — — *spatulata*, Williamson. Recent British Foram. 1858, 23, ii, 50 [fossil from the Chalk].
- — — — — Jones in Microgr. Dict. ed. 4, 1883, 335, xxiii, 39.
- — — *spatulata*, Brady. Q. Journ. Micr. Sci. XIX, 1879, 270, viii, 5a, b.
- — — — — Brady, Report Challenger, 1884, 519, lxv, 18.
- — — *spatulata*, Costa. Mem. Acc. Sci. Napoli, II, 1855 (1857), 372, ii, 19.
- — — *spatulata*, Terq. Mém. Ac. Imp. Metz, LI, 1870, 317, xxii, 11-19.
- (*cf.*) — — — Burbach, Zeitschr. Naturw. Halle, LIX, 1886, 47, i, 13-16.
- — — — — Terquem, Mém. Soc. Géol. France, [3], IV, 1886, 42, iv, 31 and 32.
- — — *speciosa*, Neugeboren. Denkschr. k. Ak. Wiss. Wien, XII, 2, 1856, 93, v, 4.
- — — *speciosa*, Karrer. Jahrb. k. k. geol. Reichsanstalt, xx, 1870, 175, ii, 6.
- — — *speyeri*, Reuss. Sitz. k. Ak. Wiss. Wieu, L, (1), 1864 (1865), 458, iv, 8.
- — — *spinosa*, Costa. Mem. Acc. Sci. Napoli, II, 1855 (1857), 371, ii, 23.
- — — *spissa*, Terquem. Mém. Ac. Imp. Metz, LI, 1870, 317, xx-i, 10.
- — — — — Jones, M. Mier. Journ. XV, 1876, CXXVIII, 24.
- — — *splendens*, Terquem. Ess. Atrum. Plage Dunkerque, (1), 1875, 22, i, 10 (and Mém. Soc. Dunkerque).
- — — *squamosa*, Terq. & Berthelin. Mém. Soc. Géol. France, [2], x, 1875, 37, iii (xiii), 3a, b.
- — — *stachei*, Karrer. Jahrb. k. k. geol. Reichsanstalt, xx, 1870, 174, ii, 2.
- — — *striata*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 256, No. 3
- — — — — F, J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 161, x, 67.
- — — — — see *Orthoceras cuspis*.
- — — *striatula*, Reuss. Geogn. Skizze Böhmen, II, 1844, (1), 212.
- — — — — Reuss, Verstein. Böh. Kreide, 1845-6, I, 30, viii, 23; and ii, 107, xliii, 11.
- — — — — v. d. Marck, Verh. nat. Ver. preuss. Rheinl. XV, 1858, 55 and 75, i, 10.
- — — — — Jones & Parker, Quart. Journ. Geol. Soc. XVI, 1860, xix, 16-18.
- — — — — Brady, Proc. Somerset. Arch. and Nat. Hist. Soc. XIII, 1865-6 (1867), 229, iii, 48.

- FRONDICULARIA striatula**, Reuss. Reuss in Geinitz, Palaeontographica, xx, (2), 1874, 94, xxi, 2.
- **strigillata**, Reuss. Sitz. k. Ak. Wiss. Wien, xi, 1860, 195, vi, 3.
- ? — **strophoconus**, Ehrenberg. Mikrogeologie, 1854, xxxii, ii, 29 [= *Gland. laevigata*, d'O.].
- **subangulata**, Costa. Mem. Acc. Sci. Napoli, ii, 1855 (1857), 373, iii, 14.
- **subfalcata**, Costa. Ibid. ii, 1855 (1857), 372, iii, 17.
- **sulcata**, Bornemann. Lias von Göttingen, 1854, 37, iii, 22a, b, c.
- **sulcata**, Terquem. Mém. Ac. Imp. Metz, XLII, 1862, 438, v, 13.
- Tate & Blake, Yorkshire Lias, 1876, 469, xix, 23.
- **superba**, Hantken. A magy. kir. földt. int. Évkönyve, iv, 1875 (1876), 36, iv, 16; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 42, same pl. and fig.
- **superba**, Karrer. Abh. k. k. Geol. Reichs. ix, 1877, 381, xvib, 29.
- **taminensis**, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur, 1866, 23, iii, 25.
- **teisseyrei**, Uhlig. Jahrb. k. k. geol. Reichs. XXXIII, 1883, 757, ix, 16.
- **tenera** (Born.). Terquem, Mém. Ac. Imp. Metz, XXXIX, 1858, 595, i, 14a-c [*Lingulina*, 1854].
- **tenerrima**, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur, 1866, 8, i, 9 [= *Lingulina*].
- Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 6, i, Turnerithon 13.
- **tenuicostata**, Nungeboren. Verh. Mitth. siebenburg. Ver. Nat. i, 1850, 123, iii, 10a, b.
- **tenuis**, Reuss. Verstein. Böh. Kreide, 1845-6, i, 30, viii, 25.
- — — — — Reuss, in Geinitz, Palaeontographica, xx, (2), 1874, 94, xxi, 3.
- **tenuissima**, Hantken. A magy. kir. földt. int. Évkönyve, iv, 1875 (1876), 36, xiii, 11; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 43, same pl. and fig.
- [terquiemi], d'Orb., 1849. D'Orbigny, Prodrome de Paléont. i, 1849, 241, No. 255.
- **terquemi**, — — — Terquem, Mém. Ac. Imp. Metz, XXXIX, 1858, 594, i, 12a-d.
- — — — — Terq. & Berthelin, Mém. Soc. Géol. France, [2], x, 1875, 38, iii (xiii), 7a-b¹.
- — — — — Tate & Blake, Yorkshire Lias, 1876, 468, xix, 22.
- — — — — Burbach, Zeitschr. Naturw. Halle, LIX, 1886, 45, i, 1-6.
- **texta**, Terq. & Berthelin. Mém. Soc. Géol. France [2], x, 1875, 38, iii xiii, 8a-b.
- **thuringiaca**, Burbach. Zeitschr. Naturw. Halle, LIX, 1886, 46, i, 8 and 9.
- **transversa**, Costa. Mem. Acc. Sci. Napoli, ii, 1855 (1857), 373, iii, 18.
- **tribus**, Karrer. Jahrb. k. k. geol. Reichsanstalt, xx, 1870, 175, ii, 5.
- **tricarinata**, d'Orbigny. Mém. Soc. Géol. France, [1], iv, 1840, 21, ii, 1-3; Facsimile in Science Gossip, 1870, 83, f. 93.
- **tricosta**, Terq. & Berthelin. Mém. Soc. Géol. France [2], x, 1875, 38, iii (xiii), 6a, b.
- **tricostulata**, Reuss. Denkschr. k. Ak. Wiss. Wien, i, 1850, 368, xlvi, 12.
- **tricuspis**, Reuss. Ibid. i, 1850, 368, xlvi, 13.
- **triedra**, Costa. Atti Accad. Pontaniana, vii, (2), 1856, 174, xiii, 27 and 28 [error for 26 and 27].
- **trigonalis**, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 20, ii, Macrocephalusoolith 7.
- **trisulca**, Reuss. Verstein. Böh. Kreide, 1845-6, i, 30, viii, 22.
- **tumida**, Terquem. Mém. Ac. Imp. Metz, LI, 1870, 318, xxii, 20.
- **turgida**, Reuss. Verstein. Böh. Kreide, 1845-6, ii, 107, xxiv, 41 and 44.
- — — — — Reuss' Model, No. 59, 1865 (Catal. No. 48, 1861).
- — — — — Reuss, in Geinitz, Palaeontographica, xx, (2), 1874, 97, xxi, 17 and 18.
- **typica**, Costa. Mem. Acc. Sci. Napoli, ii, 1855 (1857), 372, iii, 5.

- FRONDICULARIA ungeri**, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 54, iv, 11a, b.
 ——— ——— Berthelin, Mém. Soc. Géol. France, [3], I, 1880, 61, iv (xxvii), 4.
 ——— **varians**, Terquem. Sixième Mém. Foram. Lias, 1866, 481, xix, 15a, b.
 ——— (cf.) ——— Burbach, Zeitschr. Naturw. Halle, I-X, 1886, 46, I, 12.
 ——— **verneuiliana**, d'Orbigny. Mém. Soc. Géol. France, [1], IV, 1840, 20, I, 32 and 33; Facsimile in Science Gossip, 1870, 82, f. 90.
 ——— ——— Brown, Annals and Mag. Nat. Hist. [2], XII, 1853, 241, ix, 5a-c.
 ——— **venusta**, Neugeboren. Denkschr. k. Ak. Wiss. Wien, XII, 2, 1856, 94, v. 5.
 ——— **venusta**, Terq. & Berthelin. Mém. Soc. Géol. France, [2], X, 1875, 37, iii (xiii), 2a, b.
 ——— **whaihangaroica**, Stache. Novara-Exped. Geol. (1), 1864, 210, xxii, 43.
 ——— **zinolæ**, Mariani. Atti Soc. Ital. Sci. XXXI, 1888, 113, i, 4.
- P ——— Wetherell. Trans. Geol. Soc. Lond. [2], V, 1834 (1840), 135, ix, 11 [= fish palate].
 ——— Costa, Mem. Acc. Sci. Napoli, II, 1855 (1857), not descr., ii, 21 and 24; iii, 6 and 8 [?] 11 [= *F. lanceolata*, Costa] and 20.
 ——— sp. v. d. Marck. Verh. nat. Ver. preuss. Rheinl. XV, 1858, 55, I, 8, 9, and 10 [10 presumably an error, as he quotes this in his description of plates as *F. striatula*, Reuss, q. v.].
 ——— Kölliker, Icones Histologicae, 1864, 32 [structural].

? ——— Wisniowski. Jahrb. k. k. Geol. Reichs. XXXVIII (1889), 696, xiii, 71.

FRONDICULINA, v. Münster, 1838. Roemer, Neues-Jahrb. f. min. 1838, 382
 [= *Flabellina*, q. v.].
 ——— **cuneata**, v. M. Ibid. 1838, 383, iii, 10 [v. *Flabellina*].
 ——— **ensiformis**, Roemer. Ibid. 382, iii, 8 [v. *Flabellina*].
 ——— **obliqua**, v. M. Ibid. 382, iii, 7 [v. *Flabellina*].
 ——— **oblonga**, v. M. Ibid. 382, iii, 4 and 6 [v. *Flabellina*].
 ——— **ovata**, v. M. Ibid. 382, iii, 5 [v. *Flabellina* and *Frondicularia*].
 ——— **striata**, v. M. Ibid. 382, iii, 9 [v. *Flabellina*].
 ——— Ansted. Geology, 1844, ii, 63, f. c and h.

FRUMENTALIA saxa, Schenckzer. Ορεστικοῦ τῆς helveticus, 1723.

FRUMENTARIA *feniculum*, Soldani. Testaceographia, I, (3), 1795, 229, pl. 154, bb, cc [*Triloculina brouguiartii*, d'O., Ann. Sci. Nat. VII, 1826, 300, 23].
 ——— Ibid. I, (3), 1795, 229, pl. 154, Y [*Triloculina tricostata*, d'O. Ann. Sci. Nat. VII, 1826, 300, 21].
 ——— **lenticulæ**, Sold. Ibid. I, (3), 1795, 231, pl. 156, yy, zz [*Biloculina depressa*, d'O. Ann. Sci. Nat. VII, 1826, 298, 7].
 ——— **nautiliforme**, Sold. Ibid. I, (3), 1795, 233, pl. 159, aa [*Triloculina inflata*, d'O. Ann. Sci. Nat. VI, 1826, 300, 10].
 ——— **ovula**, Sold. Ibid. I, (3), 1795, 228, pl. 153, R, S [*Biloculina bulloides*, d'O. Ann. Sci. Nat. VII, 1826, 297, 1].
 ——— **ovula**, Sold. Ibid. I, (3), 1795, 228, pl. 153, M, Q [*Biloculina elongata*, d'O. Ann. Sci. Nat. VII, 1826, 298, 4].
 ——— **phialiformia lœvia**, Sold. Ibid. I, (3), 1795, 232, pl. 158, S, T, U [*Adelosina levigata*, d'O. Ann. Sci. Nat. VII, 1826, 304, 1].
 ——— **striatula**, Sold. Ibid. I, (3), 1795, 232, pl. 157, M [*Adelosina soldanii*, d'O. Ann. Sci. Nat. VII, 1826, 304, 4].
 ——— ——— Ibid. I, (3), 1795, 232, pl. 158, R [*Adelosina semi-striata*, d'O. Ann. Sci. Nat. VII, 1826, 304, 3].
 ——— **reticulata**, Sold. Ibid. I, (3), 1795, 233, pl. 159, bb, cc [*Triloculina reticulata*, d'O. Ann. Sci. Nat. VII, 1826, 299, 9].
 ——— **seminula**, Sold. Ibid. I, (3), 1795, 228, pl. 152, F, II [*Quinqueloculina longirostris*, d'O. Ann. Sci. Nat. VII, 1826, 303, 4].
 ——— ——— Ibid. I, (3), 1795, 228, pl. 152, C [*Quinqueloculina secans*, d'O. Ann. Sci. Nat. VII, 1826, 303, 43].
 ——— ——— Ibid. I, (3), 1795, 228, pl. 152, D [*Quinqueloculina soldanii*, d'O. Ann. Sci. Nat. VII, 1826, 303, 48].
 ——— ——— Ibid. I, (3), 1795, 228, pl. 152, A [*Quinqueloculina seminulum* (Linné), d'Orb. Ann. Sci. Nat. VII, 1826, 303, 44].

- FRUMENTARIA seminula**, Sold. Testaceographia, I, (3), 1795, 228, pl. 152, B [*Quinqueloculina aspera*, d'O. Ann. Sci. Nat. VII, 1826, 301, 11].
- **sigma et rhombos**, Sold. *Ibid.* I, (3), 1795, 229, pl. 155, nn [*Spiro ocultina plicata*, d'O. Ann. Sci. Nat. VII, 1826, 299, 15].
- *Ibid.* I, (3), 1795, 229, pl. 155, kk [*Spiroloculina depressa*, d'O. Ann. Sci. Nat. VII, 1826, 298, 1].
- *Ibid.* I, (3), 1795, 230, pl. 155, ll, mm [*Spiroloculina nitida*, d'O. Ann. Sci. Nat. VII, 1826, 298, 4].
- *Ibid.* I, (3), 1795, 229, pl. 154, hh, pl. 155, ii [*Spiroloculina rotundata*, d'O. Ann. Sci. Nat. VII, 1826, 299, 14].
- *Ibid.* II, 1798, 54, pl. 19, m [*Spiroloculina limbata*, d'O. Ann. Sci. Nat. VII, 1826, 299, 12].
- **primæ speciei**, Soldani. Sagg. Ortt. 1780, 110, viii, 47, F-G [= *Quinqueloc. zigzag*.].
- **2 speciei**, Soldani. *Ibid.* 1780, 110, viii, 48, H and I [= *Quinqueloc. secaus*, var.].
- **3 speciei**, Soldani. *Ibid.* 1780, 110, viii, 49, K to P [K = *Triloc. carinata*; L, M = *Miliol. seminulum*; N = *Mil. cor-anguinum*; O, P = *Adelosina pulchella*].
- **4 speciei**, Soldani. *Ibid.* 1780, 110, ix, 50, Q [= *Cornuspira folacea*].
- **5 speciei**, Soldani. *Ibid.* 1780, 111, ix, 51, R and S [= *Biloc. bulloides*].
- **6 speciei**, Soldani. *Ibid.* 1780, 111, ix, 52, T and V [= *Spiriloc. depressa*].
- **7 speciei**, Soldani. *Ibid.* 1780, 111, ix, 53, X and Y [= *Pulv. repanda*, var. ?].
- **tricostata**, Sold. Testac. I, (3), 1795, 232, pl. 157, J and K [*Triloculina gibba*, d'O. Ann. Sci. Nat. VII, 1826, 299, 3].
- FRUMENTARINA**, Ehrenberg, 1838. Abh. k. Ak. Wiss. Berlin, 1838 (1840), Tab. I [a family group name for calcareous algae, formerly classed as foraminifera].
- FUBULAIRE**, A. Boué. Guide Géol.-Voy. 1836; misprint for *Fabulaires*; corrected in his "errata."
- FUSILINA**, Emmons. 1860. Misprint for *Fusulina*.
- FUSULINA**, Fischer de Waldheim, 1829. Oryctographie Gouv. Moscou, 1830-37, 126; and Bull. Soc. Imp. Nat. Moscou, I, 1829, 33 f.
- **æqualis** (D'Eich.). Brady, Ann. Mag. Nat. Hist. [4], XVIII, 1876, 418, xviii, 10-13 [*Orobias*, 1860].
- **brevicula**, Schwager. Beitr. Paläont. China [in Richthofen's China], 1883, 127, xvi, 6-13.
- **bocki**, v. Müller. Mém. Ac. Imp. Sci. St. Petersburg, [7], XXV, No. 9, 1878, 54, i, 3a-g; vii, 2a b.
- Bütschi in Bronn, Klassen, etc., Thier-Reichs, 1880, 214, xii, 14.
- **carinthiaca**, Stache. Jahrb. k. k. Geol. Reichs. XXIV, 1874, 172.
- **cicer**, Stache. *Ibid.* XXIV, 1874, 172.
- **cylindrica**, Fischer. Oryctogr. Gouv. Moscou, 1830-37, 126, xiii, 1-5.
- D'Orbigny in Murchison, De Verneuil & Keyserling's Geol. of Russia, II, 1845, 1c, i, 1a-f.
- D'Orbigny, Foram. Fossiles Vienne, 1846, 112, xxi, 15-17.
- D'Orbigny, Cours élém. Paléont., etc. I, 1849, 196, f. 321; II, (2), 1852, 359, f. 384.
- Bronn, Lethaea Geognostica, ed. 3, I, 1851-56, 161, v¹, 4a, b, c.
- Pictet, Traité de Paléont. ed. 2, IV, 1857, 497, cix, 16.
- **v. ventricosa**, Meek & Hayden. Proc. Ac. Nat. Sci. Philad. 1858 (1859), 261, no figure [see *F. ventricosa*].
- Emmons, Manual of Geology, ed. 2, 1860, 159, f. 145₃.
- **? Meek**, Geol. Surv. California, Palaeont. I, 1864, 4, ii, 2, 2a.
- Meek & Hayden, Smithsonian Contrib. No. 172, 1864, 14, i, 6a-i.
- Reuss' Model, No. 50. 1863 (Catal. No. 96, 1861).
- **Geinitz**, Nov. Act. Ac. Cæs. Leop.-Carol. XXXI, Mém. IV, 1866 (1867), 71, v, 5a, b, c.

- FUSULINA cylindrica**, Fischer. Mackie, Science Gossip, 1867, 130, f. 124.
 ——— White, Rept. Geogr. Geol. Surv. W. 100 Merid. IV, (1), 1875, 96, vi, 6a, b.
 ——— Zittel, Handbuch Palæont. (1), 1876, 104, f. 44¹⁻⁴.
 ——— Brady, Ann. Mag. Nat. Hist. [4], XVIII, 1876, 415, XVIII, 1-4.
 ——— v. Müller. Mém. Ac. Imp. Sci. St. Petersburg, [7], XXV, No. 9, 1878, 35 [cut], 48 [cut], 51, i, 2a-h; vii, 1a-d.
 ——— Nicholson, Manual Palæont. 1879, i, 120, f. 24.
 ——— Hayden, Final Report of U. S. Geol. Survey Nebraska, 1872, 140, i, 2; ii, 1; v, 3; viii, 8.
 ——— Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 25, pl. 17.
 ——— Gümbel, Anleit. Geol. Beob. Alpenreisen. Zeitschr. D. und O. Alpenver. Beilage, 1878, 100, f. 21¹.
 ——— Trautschold, Nouv. Mém. Soc. Imp. Nat. Moscou, XIV, (1), 1879, 43, vi, 2a, b.
 ——— Roemer, Lethæa Geognostica, 1, (1), 1880, 274, f. 45; and Atlas, 1876, XXXIX, 1a-d.
 ——— Credner, Elemente der Geologie, 1883, 478, cut.
 ——— Jones in Microgr. Dict. ed. 4, 1883, 347, XXIV, 15a, b, c.
 ——— Goës, Ofvers. k. Veten. Ak. Förhandl. 40, 1883 (1884), No. 8, 29, f. 1-16.
 ——— White, 13th Ann. Rept. Dept. Geol. Indiana, 1884, 116, xxiii, 2 and 3.
 ——— Hoernes, Elem. Palæont. 1884, 28, f. 18; French ed. 1886, same fig.
 ——— Gümbel, Geol. Bayern, 1, [2], 1885, f. 266, 7, 7b.
 ——— Quenstedt, Handbuch Petref. ed. 3, (5), (1885), 1053, f. 393 and lxxxvi, 25.
 ——— Steinmann, Elem. Palæont. I, 1888, 31, f. 15A.
 ——— Neumayr, Stämme d. Thierreiches, 1, 1889 (1888), 192, f. 32.
 ——— **depressa**, Fischer. Oryctogr. Gouv. Moscou, 1830-37, 127, XIII, 6-11.
 ——— Geinitz, Nov. Act. Ac. Cæs. Leop.-Carol. XXXI, Mém. IV, 1866 (1867), 72, v, 6a, b, c.
 ——— elegans, Stache. Jahrb. k. k. Geol. Reichs. XXIV, 1874, 172.
 ——— elongata, Shunard. Trans. Ac. St. Louis, I, No. 2, 1858, 297, no figure.
 ——— exilis, Schwager. Beitr. Paläont. China [in Richthofen's China], 1883, 125, xv, 18 and xvi, 4 and 5.
 ——— globosa, Stache. Jahrb. k. k. Geol. Reichs. XXIV, 1874, 172.
 ——— gracilis, Meek. Geol. Surv. California, Palæont. I, 1864, 4, ii, 1 and 1a, b, c.
 ——— — P. Meek & Worthen, Geol. Surv. Illinois, V, 1873, 560, xxiv, 7.
 ——— granum-avenæ, Roemer. Palæontographica, XXVII, 1880 (1881), 4, i, 2a, b, c.
 ——— Verbeek, Topogr. Geol. Beschr. Sumatra's Westkust, 1883, 261, no fig.
 ——— gümbeli, Stache. Verh. k. k. Geol. Reichs. 1878, 107.
 ——— hœferi, Stache. Jahrb. k. k. Geol. Reichs. XXIV, 1874, 172; and Verh. 1876, 370.
 ——— Gümbel, Anleit. Geol. Beob. Alpenreisen Zeitschr. D. & O. Alpenver. Beilage, 1878, 103, f. 23, 10.
 ——— Hauer, Geol. Oesterr. Ung. Mon. 1878, 313, f. 163, 164.
 ——— hyperborea, Salter. Belcher, Last of Arctic Voyages, 1855, II, 380, XXXVI, 1-3.
 ——— japonica, Gümbel. Ausland, 1874, 479, no fig.
 ——— — Schwager, Beitr. Paläont. China [in Richthofen's China], 1883, 121, xv, 1-11 [error for 1-10].
 ——— — Steinmann, Elem. Paleont. I, 1888, 31, f. 15B, C.
 ——— kattaensis, Schwager. Pal. Indica, [13], No. 7, 1887, 985, CXXVI, 1-11; CXXVII, 4.
 ——— longissima, v. Möller. Mém. Ac. Imp. Sci. St. Petersburg, [7], XXV, No. 9, 1878, 59, i, 4; ii, 1a-c; vii, 1a-c.

- FUSULINA longissima**, v. Möller. Bütschli in Bronn, Klassen, etc., Thier-Reichs, 1880, 214, xii, 11.
 ——— Schwager. Pal. Indica, [13], No. 7, 1887, 988, cxxvii, 7-12; cxxviii, 1-3.
 ——— **montipara**. Ehrenberg, v. Möller. Mém. Ac. Imp. Sci. St. Petersburg, [7], xxv, No. 9, 1878, 61, iii, 2a-1; viii, 2a-c [*Alveolina*, 1854].
 ——— Bütschli in Bronn, Klassen, etc., Thier-Reichs, 1880, 214, xii, 12, 13 and 15.
 ——— **pailensis**, Schwager. Pal. Indica, [13], No. 7, 1887, 985, cxxvii, 1-7.
 ——— **princeps** (Ehrenberg). Brady, Geol. Mag. [2], ii, 1875, 537, xiii, 6a-c. [*Borelis*, 1854].
 ——— Brady, Ann. Mag. Nat. Hist. [4], xviii, 1876, 417, xviii, 5 (and 6?).
 ——— Brady, Jaarb. mijn. Ned. oostindie, vii, 2, 1878, 166, i, 6a-c.
 ——— **prisea** (Ehrenberg). v. Möller, Mém. Ac. Imp. Sci. St. Petersburg, [7], xxv, No. 9, 1878, 38 [cut], 47 [cut], 56, iii, 1a-c; vi, 2a-c [*Alveolina*, 1842].
 ——— **richthofeni**, Schwager. Beitr. Paläont. China [in Richthofen's China], 1883, 124, xv, 11-17.
 ——— **rhombica**, Stache. Jahrb. k. k. geol. Reichs. xxiv, 1874, 172.
 ——— **robusta**, Meek. Geol. Surv. California, Paläont. I, 1864, 3, ii, 3 and 3a, b, c.
 ——— **rotkyana**, Stache. Jahrb. k. k. geol. Reichs. xxiv, 1874, 172.
 ——— **sphærica**, Abich. Mém. Ac. Imp. Sci. [Math. Phys.], St. Pétersbourg, [6], vii, 1859, 528, iii, 13a, b, c.
 ——— **sphæroidea** (Ehr.). Brady, Ann. Mag. Nat. Hist. [4], xviii, 1876, 418, xviii, 7-9 [*Borelis*, 1854].
 ——— **suessii**, Stache. Jahrb. k. k. geol. Reichs. xxiv, 1874, 172.
 ——— **tietzei**, Stache. Ibid. xxiv, 1874, 172.
 ——— **uralica**, Krotov. Trudyé geol. Kom. (St. Petersburg), vi, No. 1, 1888, 435 and 551, ii, 2-6.
 ——— **ventricosa**, Meek & Hayden. Geol. Surv. Illinois, v, 1873, 560, xxiv, 8 [*F. cylindrica*, var., 1858].
 ——— **verbeeki**, Geinitz. Paläontographica, xxii, 1876, 400, not figured [v. *Schwagerina*].
 ——— **verneuli**, v. Möller. Mém. Ac. Imp. Sci. St. Petersburg, [7], xxv, No. 9, 1878, 47, [fig.], 64, iii, 1a-g; ix, 2a, b.
 ——— Fritel, Foss. caract. terr. sediment-primaires, 1886, viii, 8 and 9.
 ——— sp. ind. Schwager, Pal. Indica, [13], No. 7, 1887, 989, cxxviii, 5a, b.
 ——— Carpenter, Parker & Jones, Introd. Foram. 1862, 304, xii, 24-29.
 ——— Carpenter, Monthly Micr. Journal, III, 1870, 180, xlv, 6 [section showing large perforations in its chamber wall].
 ——— Terquem, Bull. Soc. géol. France, [3], viii, 1880, 418, xi, 9 [cast].
 Carpenter, The Microscope, ed. 6, 1881, 576, f. 331.
FUSULINELLA, v. Möller. Neues Jahrbuch, 1877, 144, cut, 145.
 ——— **bockii**, v. Möller. Mém. Ac. Imp. Sci. St. Petersburg, [7], xxv, No. 9, 1878, 103 [fig.], 104, v, 3a-g; xiv, 1-4.
 ——— Neumayr. Stämme d. Thierreichs, I, 1889 (1888), 192, f. 31.
 ——— **bradyi**, v. Möller. Mém. Ac. Imp. Sci. [7], xxv, No. 9, 1878, 111, v, 5a-d; xv, 2a, b.
 ——— **crassa**, v. Möller. Ibid. [7], xxvii, No. 5, 1879, 25, iii, 2a, b.
 ——— **sphærica**, Abich. v. Möller, Ibid. [7], xxv, No. 9, 1878, 114, v, 6a-d; xv, 3a, b [*Fusulina*, 1859].
 ——— v. Möller, Jahrb. k. k. geol. Reichsanstalt, xxx, 1880, 577, ix, 6b, 7b.
 ——— v. Möller, Verh. russ. k. min. Ges. 2, xvi, 1881, 184, ix, 5b [error for 6b], 6b [error for 7b] [iu rock section].
 ——— **sphæroidea** (Ehrenberg). v. Möller, Mém. Ac. Imp. Sci. St. Petersburg, [7], xxv, No. 9, 1878, 107, v. 4a-e; xv, 1a, b [*Borelis*, 1854].
 ——— Trautschold, Nouv. Mém. Soc. Imp. Nat. Moscou, xiv, (1), 1879, 46, vi, 4.

- FUSULINELLA** sphæroidea [v. Möller]. Barrois, Mém. Soc. géol. Nord, u (1), 1882, 297, xvi, 1.
- struvii, v. Möller. Mém. Ac. Imp. Sci. St. Petersburg, [7], xxvii, No. 5, 1879, 22, iii, 1a-c; v, 4a-c.
- — Steinmann, Zeitschr. Deutsch. geol. Ges. xxxii, 1880, 397, xix, 3.
- [struvei], — Neumayr, Stämme d. Thierreiches, I, 1889 (1888), 192, f. 30.
- — Venyukov, Verh. russ.-k. min. Ges. 2, xxv, 1888 (1889), 218, ii, 3.
- waageni, Schwager. Pal. Indica, [13], No. 7, 1887, 990, cxxviii, 10a, b, c.
- GASTROPHYSEMA**, Haeckel, 1877. Biol. Studien, II, 1877, 194.
- dithalamium, Haeckel. Ibid. II, 1877, 196, xii-xiv.
- — Haeckel, Jenaische Zeitschr. Naturwiss. XI, 1877, 26, iv-vi.
- scopula (Carter). Haeckel, Biol. Studien, II, 1877, 206, no figs; and Jena. z. Nat. XI, 1877, 1 [*Squamulina*, Carter].
- GAUDRYINA**, d'Orbigny, 1839. De la Sagra, Hist. phys. Cuba, 1839, "Foraminifères," 109 [*Gaudrina*]; and Mém. Soc. Géol. France, [1], IV, 1840, 43; and Foram. Fossiles Vienne, 1846, 197 [*Gaudrina* and *Gaudryna*]; Brady, Report Challenger, 1884, 377.
- acutangula, Schwager. Palæontographica, XXX, 1883, Pal. Theil, 116, xxvi, (3), 16a-c.
- baccata, Schwager. Novara-Exped., Geol. (2), 1866, 200, iv, 12a, b.
- — — Brady, Report Challenger, 1884, 379, xlvi, 8-11.
- badenensis, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 374, xlvi, 14.
- capitata, Stache. Novara-Exped., Geol. (1), 1864, 176, xxi, 15a, b.
- chilostoma, Reuss. Denkschr. k. Ak. Wiss. Wien, XXV, 1865, 120, I, 5, [5-7].
- — v. *globulifera*, Rss. Andreæ, Abh. geol. Speciaalkarte El-sass.-Lothr. II, (3), 1884, 200, vii, 8 and 9 [*G. globulifera*, 1852].
- crassa, Karrer. Jahrb. k. geol. Reichsanstalt, XX, 1870, 166, i, 4.
- crassa, Marsson, v. *trochooides*, Marsson. Mitt. Nat. Ver. Neu-Vorpommern u. Rügen, X, 1878, 158, iii, 17a-f [error for 27].
- draschei, Karrer. In v. Drasche, Frag. Geol. Iuzon, 1878, 86, v, 5; and Boll. Com. Map Geol. Espan. VII, 1880, 268, E, 5.
- filiformis, Berthelin. Mém. Soc. Géol. France, [3], I, 1880, 25, I (xxiv), 8a-d.
- — — Wright, Proc. Belfast F. C. 1880-1, (App.), 180, viii, 3, 3a, b.
- — — Brady, Report Challenger, 1884, 380, xlvi, 12a, b, c.
- — — Brady, Parker & Jones, Trans. Zool. Soc. XII, (7), 1888, 219, xlvi, 6.
- globulifera, Reuss. Zeitschr. deutsch. geol. Ges. IV, 1852, 18, fig a, b.
- gradata, Berthelin. Mém. Soc. Géol. France, [3], I, 1880, 24, I (xxiv), 6a-c.
- gyrophora, Gümbel. Sitz. k. bayer. Ak. Wiss. I, 1871, 64. i, 4.
- insecta, Stache. Novara-Exped., Geol. (1), 1864, 177, xxi, 16a-d.
- irregularis, Hantken. A magy. kir. földt. int. Évkönyve, IV, 1875 (1876), 12, i, 7; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 15, same pl. and fig.
- jonesiana, Wright. Proc. Belfast Nat. Field Club, 1884-5, App. IX, 1886, 329, xxvii, 1 and 2.
- P — lumbricalis, Schwager. Palæontographica, XXX, 1883, Pal. Theil, 116, xxvi, (3), 17a-c.
- megastoma, Stache. Novara-Exped., Geol. (1), 1864, 173, xxi, 13a, b.
- novo-zelandica, Stache. Ibid. (1), 1864, 174, xxi, 14a, b.
- obliquata, Stache. Ibid. (1), 1864, 172, xxi, 12a, b.
- oxycona, Reuss. Sitz. k. Ak. Wiss. Wien, XL 1860, 229, xli, 3a-c.
- pavicula, Schwager. Novara-Exped., Geol. (2), 1866, 198, iv, 10a, b, c.
- prælonga, Karrer. Abh. k. k. geol. Reichs. IX, 1877, 374, xvii. 6.
- pupa Gümbel. Abh. m.-ph. Cl. k.-baycr Ak. Wiss. X, 1868 (1870), 602, I, 3a, b [*Lichenopora*, G., 1861].

- GAUDRYINA pupoides**, d'Orbigny. Mém. Soc. Géol. France, [1], IV, 1840, 44, iv, 22-24; Facsimile in Science Gossip, 1870, 157, f. 152.
 ——— ——— Reuss in Geinitz Grundr. Verstein. 1845-46, 667, xxiv, 68.
[GAUDRINA] ——— Foram. Fossiles Vienne, 1846, 197, xxi, 34-36
 [Gaudryna on plate].
 ——— ——— Brönn, Lethaea Geognostica, ed. 3, II, 1851-52, 89, xxix¹, 19a, b, c.
 ——— ——— Reuss' Model. No. 8, 1865 (Catal. No. 11, 1861).
 ——— ——— Mangin, Mystères Ocean, 1864, 177, f. 1.
 ——— ——— Brady, Annals & Mag. Nat. Hist. [4], VI, 1870, 300, xii, 5a, b.
 ——— ——— Jones, in Microgr. Dict. ed 4, 1883. 351, xxiii, 48a, b.
 ——— ——— Brady, Report Challenger, 1884, 378, xlvi, 1-4.
 ——— ——— var. *chilostoma*, Reuss. Brady, Ibid. 1884, 379, xlvi, 5 and 6 (*Textilaria chilostoma*, 1852).
 ——— ——— Woodward & Thomas, 13 Ann. Rep. Geol. N. H. Survey Minnesota, for 1884 (1885), 168, iii, 10.
 ——— ——— Sherborn & Chapman, Journ. R. Micr. Soc. [2], VI, 1886, 743, xiv, 7.
 ——— ——— Brady, Parker & Jones, Trans. Zool. Soc. XII, (7), 1888, 219, xlvi, 7, 8.
 ——— ——— var. *chilostoma*, Rss. Ibid. XII, (7), 1888, 219, xlvi, 9 [*Textilaria*, 1852].
reussi, Stache. Novara-Exped., Geol. (1), 1864, 171, xxi, 11a-d.
reussi, Hantken. Magyar. Földt. Társ. Munkálatai, IV, 1868, 83, i. 2a, b.
 ——— ——— Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 11, 1, 5; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 14, same pl. and fig.
rugosa, d'Orbigny. Mém. Soc. Géol. France, [1], IV, 1840, 44, iv, 20, 21; Facsimile in Science Gossip, 1870, 157, f. 151.
 ——— ——— Reuss, Verstein. Böh. Kreide, 1845-6, i, 38, xii, 15 and 24.
 ——— ——— Reuss in Geinitz. Grundr. Verstein. 1845-46, 667, xxiv, 69.
 ——— ——— Reuss, Sitz. k. Ak. Wiss. Wien, XVIII. 1856, 244, v, 61.
 ——— ——— Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 11, 1, 4; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 13, same pl. and fig.
 ——— ——— Zittel, Handbuch Palæont. (1), 1876, 90, f. 27⁴.
 ——— ——— Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 26, pl., 99.
 ——— ——— Brady, Report Challenger, 1884, 381, xlvi, 14-16.
 ——— ——— Quenstedt, Handbuch Petref. ed. 3, (5), (1885), 1058, lxxxvi, 53.
ruthenica, Reuss. Haidinger's Naturw. Abh. IV, (1), 1851, 41, iv, 4.
scabra. Brady. Report Challenger, 1884, 381, xlvi, 7a, b.
siphonella. Reuss. Zeit-chr. deutsch. geol. Ges. III. 1851, 78, v. 40-42.
 ——— ——— Pictet, Traité de Paléont. 2 ed., IV, 1857, 515, civ, 34.
 ——— ——— Hantken, Magyar. földt. társ. munkálatai, IV, 1868, 83, i, 3a, b.
 ——— ——— Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 12, 1, 3; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 14, same pl. and fig.
 ——— ——— Hantken, Kohenflötze, etc., ungar. Krone, 1878 (transl. from Magyar), 231, f. 48.
 ——— ——— Brady, Report Challenger, 1884, 382, xlvi, 17-19.
 ——— ——— var. *asiphonia*, Andreae. Abh. geol. Speciaalkarte Elsass-Lothr. II, (3), 1884, 200, vii, 7.
solida, Schwager. Novara-Exped., Geol. (2), 1866, 199, iv, 11a, b, c.
spissa, Berthelin. Mém. Soc. Géol. France, [3], I, 1880, 24, i (xxiv), 7a-d.
subglabra, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. X, 1868 (1870), 602, i, 4a, b.
subrotundata, Schwager. Novara-Exped., Geol. (2), 1866, 198, iv, 9a, b, c.

- GAUDRYINA** subrotundata, Schwager. Brady, Report Challenger, 1884, 380, xlvi, 13a, b, c.
- textilaroides, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 12, i, 6; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 15, same plate and fig.
- ulmensis, Gümbel. Sitz. k. bayer. Ak. Wiss. I, 1871, 64, i, 3.
- uva, Schwager. Novara-Exped., Geol. (2), 1866, 201, iv, 13a, b.
- v. Schlicht, "Foram. Septar. Pietzpuhl," 1870, xxiv.
- GEMMULINA**, d'Orbigny, 1826. Ann. Sci. Nat. VII, 1826, 263 [given by d'Orbigny as a subgenus of *Bigenerina*].
- digitata, d'Orbigny. Cuvier, Règne Animal, 1836-46, ix (pls. x), not descr. xiv, 10 [v. *Bigenerina* (*Gemmulina*)].
- — — — — Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 26, pl. 65.
- v. Schlicht, "Foram. Septar. Pietzpuhl," 1870, xxxiii.
- GEOPHONUS**, Montfort. Conch. syst. I, 1808, 19, 5 genre [= *Polystomella macella*].
- GEOPONUS**, Ehrenberg, 1839. Abh. k. Ak. Wiss. Berlin, 1839, 132.
- areolatus, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1843, 256.
- borealis, Hartwig. Magt van het Kleine, 1849, 113, fig.; German by Dr. A. Schwartzkopf, 1851, 83, f. 38 [= *Polystomella*].
- stella-borealis, Ehr. Abh. k. pr. Ak. Wiss. Berlin, 1839, 132, i, a-g; transl., Taylor's Scientific Memoirs, III, 1843, 357, v, a-y [*Polystom. striatopunctata* (F. & M.)].
- zeuglodontis, Ehr. Abhandl k. Ak. Wiss. Berlin, 1855, 163, ii, xiv [= *Planorb. vulgaris*] [*Glauc. cast.*].
- GIROIDINA**, d'Orbigny. v. *Gyroidina*.
- GIRVANELLA**, Nicholson & Etheridge, 1878. Monogr. Silur. Foss. Gervais, (1), 1880, 23 ["more than probable" . . . allied to *Hyperammina vagans*, Brady, Report Challenger, 1884, 257].
- For further information respecting this genus see: G. J. Hinde, Geol. Mag. dec. 3, IV, 1887, 227; A. H. Nicholson, Geol. Mag. dec. 3, V, 1888, 22; E. Wetherell, Geol. Mag. dec. 3, VI, 1889, 199; and Quart. Journ. Geol. Soc. XLVI, 1890.
- GLANDARIA**, Heilprin, 1887. Geogr. and Geol. Distrib. Anim. 1887, 128 [? error for *Glandulina*].
- GLANDIOLUS** gradata, Montfort. Conch. syst. I, 1808, 315, 79 genre [= *Glandulina laevigata*].
- GLANDULINA**, d'Orbigny, 1826. Ann. Sci. Nat. VII, 1826, 251 [v. *Nodosaria*]. [Given by d'Orbigny as a subgenus of *Nodosaria*].
- abbreviata, Bornemann. Lias von Göttingen, 1854, 33, ii, 10a, b [ribbed].
- abbreviata, Neugeboren. Verh. Mittb. siebenburg. Ver. Nat. I, 1850, 48, i, 1a, b [v. *Nodosaria*].
- — — — — Neugeboren, Denkschr. k. Ak. Wiss Wien, XII, 2, 1856, 68, i, 1.
- acuminata, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 125, xi, 19a, A.
- adunca, Costa. Ibid. VII, (2), 1856, 128, xi, 24a, A.
- æqualis, Reuss. Sitz. k. Ak. Wiss. Wien, XLVIII, (1), 1863 (1864), 48, iii, 28 [v. *Nodosaria*].
- — — — — Reuss, Ibid. I.V, (1), 1867, 83, iii, 4.
- — — — — Fornasini, Boll. Soc. Geol. Ital. V, 1886 (3), (1887), 337, vii, 1-12.
- angulata, d'Orbigny. Foram. Fossiles Vienne, 1846, 30, i, 8 and 9.
- annulata, Stache. Novara-Exped., Geol. (1), 1864, 184, xxii, 6a, b [*annulata* in explan. to plate].
- annulata, Terq. & Berthelin. Mém. Soc. Géol. France, [2], x, 1875, 22, i (xi), 25a, b [v. *Nodosaria*].
- aperta, Stache. Novara-Exped., Geol. (1), 1864, 188, x xii, 11a, b, c.
- apiculata, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 127, xi, 22a, A, C.
- armata, Reuss. Denkschr. k. Ak. Wiss. Wien, XXV, 1865, 137, li, 28 [v. *Nodosaria*].
- bajociana, Terquem. Bull. Soc. géol. France, [3], IV, 1876, 482, xv, 4-8

- GLANDULINA** *candela*, Egger. Neues Jahrbuch, 1857, 304, xv, 28-29.
 —— *caudigera*, Schwager. Palaeontographica, xxx, 1883, Pal. Theil, 107, xxvi (3), 6a, b.
 —— *concinna*, Reuss. Zeitschr. deutsch. Geol. Ges. vii, 1855, 263, viii, 1.
 —— *conica*, Neugeboren. Verh. Mittl. siebenburg. Ver. Nat. i, 1850, 51, i, 5a, b.
 —— *conica*, Terquem. Mém. Ac. Imp. Metz, xlII, 1862, 435, v, 10a, b.
 —— *costata*, Bornemann. Lias von Göttingen, 1854, 34, ii, 11a, b.
 —— *costata*, Terquem. Sixième Mém. Foram. Lias, 1866, 479, xix, 12a, b.
 —— *crassa*, Dunikowski. Kosmos [Lemberg]. iv, 1879, 122, plate, 14.
 —— *cuneiformis*, Terquem. Sixième Mém. Foram. Lias, 1866, 478, xix, 7.
 —— —— Tate & Blake, Yorkshire Lias, 1876, 454, xviii, 12.
 —— *cylindracea*, Reuss. Haidinger's Naturw. Abh. iv, (1), 1851, 23, i, 5.
 —— —— Reuss, Sitz. k. Ak. Wiss. Wien, xl, 1860, 190, iv, 1.
 —— *cylindrica*, Alth. Haidinger's Nat. Abh. III, (2), 1850, 271, xiii, 30.
 —— *cylindrica*, Neugeboren. Verh. Mittl. siebenburg. Ver. Nat. i, 1850, 53, i, 10 [= *discreta*, Reuss, Neugeb., 1860].
 —— *deformis*, Costa. Atti Accad. Pontaniana, vii, (2), 1856, 129, xi, 16-18 and 26.
 —— *discreta*, Reuss. Denkschr. k. Ak. Wiss. Wien, i, 1850, 366, xlvi, 3.
 —— —— Hantken, A magy. kir. földt int. évkönyve, iv, 1875, (1876), 35, xiii, 16; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 41, same pl. and fig.
 —— *dubia*, Terquem. Mém. Ac. Imp. Metz, li, 1870, 342, xxv, 10 and 11.
 —— —— Terquem, Mém. Soc. Géol. France, [3], iv, 1886, 10, i, 19.
 —— *elegans*, Neugeboren. Denkschr. k. Ak. Wiss. Wien, xii, 2, 1856, 69, i, 5.
 —— *elliptica*, Reuss. Sitz. k. Ak. Wiss. Wien, xlVIII, (1), 1863 (1864), 47, iii, 29-31.
 —— *elongata*, Bornemann. Zeitschr. deutsch. geol. Ges. vii, 1855, 321, xii, 9.
 —— —— Schwager, Paleontographica, xxx, 1883, Pal. Theil, 107, xxvi (3), 7a, b.
 —— *elongata*, Costa. Atti Accad. Pontaniana, vii, (2), 1856, 128, xi, 23a, A.
 —— *elongata*, Reuss. Sitz. k. Ak. Wiss. Wien, xl, 1860, 190, iv, 2.
 —— *erecta*, Stache. Novara-Exped., Geol. (1), 1864, 189, xxii, 12a, b, c.
 —— *extensa*, Schwager. Boll. R. Com. Geol. Ital. ix, 1878, 521, i, 6.
 —— *gibba*, Costa. Fauna Regno Napoli, 1838, Foraminiferi, 13, iii, 2a, A [= *Lingulinopsis carlofortensis*, Born.].
 —— *glans*, d'Orbigny. v. *Nodosaria* (*Glandulina*) and *Nautilus*.
 ? —— —— Fornasini, Boll. Soc. Geol. Ital. ii, 1883, n. d., ii, 6a, b.
 —— *globulus*, Reuss. Sitz. k. Ak. Wiss. Wien, xlVIII, (1), 1863 (1864), 66, viii, 94 and 95.
 —— *gracilis*, Reuss. Denkschr. k. Ak. Wiss. Wien, xxv, 1865, 137, ii, 25-27.
 —— *gutta*, Dunikowski. Kosmos [Lemberg], iv, 1879, 123, plate, 15.
 —— *haidergerina*, Neugeboren. Verh. Mittl. siebenburg. Ver. Nat. i, 1850, 48, i, 2 [= *G. laevigata*, d'Orb., Neugeb., 1860].
 —— *humilis*, Roem. Tate & Blake, Yorkshire Lias, 1876, 454, xviii, 11 [*Nodosaria*, 1840].
 —— *hybrida*, Terq. & Berthelin. Mém. Soc. Géol. France, [2], x, 1875, 22, i (xi), 26.
 —— *immutabilis*, Schwager. Jahresh. Ver. vat. Nat. Württ. xxi, 1865, 114, iv, 13, 14 and 18.
 —— —— Deecke, Mém. Soc. Emul. Montbéliard, xvi, 1886, [25], ii (error for i), 5.
 —— *inæqualis*, Egger. Neues Jahrbuch, 1857, 305, xv, 26-27.
 —— *incisa*, Neugeboren. Verh. Mittl. siebenburg. Ver. Nat. i, 1850, 52, i, 7a, b [= *laevigata*, d'Orb., Neugeb., 1860].
 —— *inflata*, Costa. Fauna Regno Napoli, 1838, Foraminiferi, 14, iv, 1.
 —— —— Costa, Atti Accad. Pontaniana, vii, (2), 1856, 126, xi, 21a, A.
 —— *inflata*, Bornemann. Zeitschr. deutsch. geol. Ges. vii, 1855, 320, xii, 6, and 7.

- GLANDULINA inflata**, Bornemann. Zittel, Handbuch Palæont. (1), 1876, 86, f. 23¹.
- — — — — Quenstedt, Hand. Petref. ed. 3, (5), (1885), 1050, lxxxvi, 7.
 - — — — — labiata, Schwager. Novara-Exped., Geol. (2), 1866, 287, vi, 77.
 - — — — — levigata, d'Orbigny. v. *Nodosaria* (*Glandulina*), 1826.
 - — — — — Reuss in Geinitz, Gründr. Verstein. 1845-46, 651, xxiv, 1.
 - — — — — D'Orbigny, Foram. Fossiles Vienne, 1846, 29, i, 4 and 5.
 - — — — — Broun, Lethæa Geognostica, ed. 3, iii, 1853-56, 242, xxxv³, 3a, b.
 - — — — — ? Bornemann, Zeitschr. deutsch. geol. Ges. vii, 1855, 320, xii, 8.
 - — — — — Neugeboren, Denkschr. k. Ak. Wiss. Wien, xii, 2, 1856, 67, i, 3 and 4.
 - — — — — Carpenter, Parker & Jones, Introd. Foram. 1862, xii, 5.
 - — — — — Brady, Trans Linnean Soc. xxiv, 1864, 468, xlvi, 7.
 - — — — — v. *inflata*, Born. Reuss, Denkschr. k. Ak. Wiss. Wien, xxv, 1865, 136, ii, 29-31 [*G. inflata*, 1855].
 - — — — — P., J. & B., Crag, Foram., Pal. Soc. xix, 1866, 47, i, 1 and 2.
 - — — — — var. *æqualis*, Reuss. Sitz. k. Ak. Wiss. Wien, lxii, 1870, 477 and 478; Schlicht, Foram. Pietzpuhl, 1870, pl. vi, (21, 22).
 - — — — — var. *elliptica*, Reuss. *Ibid.* (12-14 and 24),
 - — — — — var. *globulus*, Reuss. *Ibid.* (1),
 - — — — — var. *gracilis*, Reuss. *Ibid.* (6 and 19),
 - — — — — var. *inflata*, Born. *Ibid.* (2, 3, 9, 11 and 20),
 - — — — — var. *obtusissima*, Reuss. *Ibid.* (17 and 18),
 - — — — — var. *rotundata*, Reuss. *Ibid.* (?10),
 - — — — — var. *strobilus*, Reuss. *Ibid.* (15 and 16),
 - — — — — var. *subcylindracea*, Reuss. *Ibid.* (5),
 - — — — — (typica), d'Orbigny. *Ibid.* (7 and 8). These figures refer to v. Schlicht's pl. vi.
 - — — — — P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], viii, 1871, 153, ix, 34.
 - — — — — Hantken, A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 34, iv, 7; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 40, same pl. and fig.
 - — — — — Schwager, Boll. R. Com. Geol. Ital. viii, 1877, 25, pl., 6.
 - — — — — Terquem, Mém. Soc. Géol. France, [3], i, 1878, 12, i (vi), 3.
 - — — — — Bütschli in Brönn, Klassen, etc., Thier-Reichs, 1880, 197, vii, 25.
 - — — — — Schlumberger, F. Jeun. Nat. Jan., 1882, i, 6.
 - — — — — Jones in Microgr. Dict. ed. 4, 1883, 357, xxiii, 28a, b.
 - — — — — v. *elliptica*, Keuss. Andreae, Abh. geol. Speciaalkarte Elsass-Lothr. ii, (3), 1884, 206, x, 22.
 - — — — — v. *inflata*, Born. Andreae, *Ibid.* ii, (3), 1884, 206, vii, 12.
 - — — — — Gümbel, Geol. Bayern, (1), ii, 1885, f. 266, 4.
 - — — — — Häusler, Neues Jahrb. 1887, 1, (179), v, 29 and 30.
 - — — — — *lagenoides*, Olszewski. Sprawozd. Kom. fizj. Ak. Umiejętn. Krakowie, ix, 1875, 107, i, 6.
 - — — — — *laguncula*, Bornemann. Lias von Göttingen, 1854, 32, ii, 5a, b.
 - — — — — *lahuseni*, Uhlig. Jahrb. k. k. geol. Reichs. xxxiii, 1883, 749, ix, 18.
 - — — — — *major*, Bornemann. Lias von Göttingen, 1854, 31, ii, 4a, b.
 - — — — — *manifesta*, Reuss. Haidinger's Naturw. Abh. iv, (1), 1851, 22, i, 4.
 - — — — — Hitchcock, Elem. Geology, 1860, 30th ed., 141, f. 94.
 - — — — — *melo*, Bornemann. Lias von Göttingen, 1854, 33, ii, 9a, b.
 - — — — — *metensis*, Terquem. Mém. Ac. Imp. Metz, xlvi, 1862, 435, v, 9.
 - — — — — *mutabilis*, Reuss. Sitz. k. Ak. Wiss. Wien, xlvi, (1), 1862 (1863), 58, v, 7-11.
 - — — — — *napiformis*, Stache. Novara-Exped., Geol. (1), 1864, 186, xxii, 9a, b [error for 8].
 - — — — — *neglecta*, Neugeboren. Denkschr. k. Ak. Wiss. Wien, xii, 2, 1856, 68, i, 2.
 - — — — — *nitida*, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. i, 1850, 51, i, 4.
 - — — — — *nitidissima*, Neugeboren. *Ibid.* i, 1850, 53, i, 11.
 - — — — — *nodosa*, Neugeboren. *Ibid.* i, 1850, 52, i, 8 and 9 [= *G. discreta*, Reuss, Neugeb., 1860].
 - — — — — *nucula*, Neugeboren. *Ibid.* i, 1850, 51, i, 6a, b.

- GLANDULINA nummularia**, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 628, i, 50.
 —— **obconica**, Reuss. Sitz. k. Ak. Wiss. Wien, LVII, (1), 1868, 104, i, 7.
 —— **obliquelimbata**, Jones, v. *Nodosaria (Gland.)*.
 —— **oblonga**, Costa. Mem. Acc. Sci. Napoli, II, 1855 (1857), 141, ii, 1.
 —— **obtusa**, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 126, xi, 20*a*, A.
 —— **obtusa**, Terquem. Mém. Soc. Géol. France, [3], IV, 1886, 10, i, 18.
 —— **obtusissima**, Reuss. Sitz. k. Ak. Wiss. Wien, XLVIII, (1), 1863 (1864), 66, viii, 92 and 93 [v. *Nodosaria (Glandulina)*].
 —— **ornatissima**, Karrer. In v. Drasche, Frag. Geol. Luzon, 1878, 90, v, 12; and Boll. Com. Map. Geol. Espan. VII, 1880, 273, E, 12.
 —— **ovalis**, Alth. Haidinger's Nat. Abh. III, (2), 1850, 270, xiii, 31.
 —— **ovalis**, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. I, 1850, 48, i, 3.
 —— **oviformis**, Terquem. Mém. Ac. Imp. Metz. XLIV, 1863, 378, vii, 4*a*. b.
 —— —— —— Terq., Mém. Soc. Géol. France, [3], I, 1878, 12, i (vi), 1 and 2.
 —— **ovula**, d'Orbigny. Foram. Fossiles Vienne, 1846, 29, i, 6 and 7.
 —— —— —— Pictet, Traité de l'Paléont. 2 ed., IV, 1857, 487, cix, 8.
 —— **papillata**, Costa. Atti Accad. Pontaniana, VII, (2), 1856, not descr., xviii, 12.
 —— **parallela**, Marsson. Mitth. Nat. Ver. Neu-Vorpommern. u. Rügen, x, 1878, 124, i, 4*a*, b.
 —— **paucicosta**, Roemer. Tate & Blake, Yorkshire Lias, 1876, 455, xviii, 13; xix, 1, 1*a* [= *Nodosaria*, 1840.]
 —— **punctata**, Egger. Neues Jahrbuch, 1857, 305, xv, 32 and 33.
 —— **pupiformis**, Gümbel. Jahrb. k. k. geol. Reichsanstalt, XIX, 1869, 177, v, 7 and 8.
 —— **pusilla**, Costa. Mem. Acc. Sci. Napoli, II, 1855 (1857), 142, ii, 2.
 —— **pygmæa**, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 115, iv, 12 [*pygmæa* in descript. of plates].
 —— **pygmæa**, Reuss. Haidinger's Naturw. Abh. IV, (1), 1851, 22, i, 3.
 —— —— —— Hitchcock, Elemt. Geology, 1860, ed. 30, 141, f. 93.
 —— **pygmæa**. Terquem. Sixième Mém. Foram. Lias, 1866, 478, xix, 6.
 —— —— —— Terq. & Berthelin, Mém. Soc. Géol. France, [2], X, 1875, 22, i (xi), 23*a*, b.
 —— **pyrula**, Costa. Atti Accad. Pontaniana, VII, (2), 1856, not descr., xxvii, 26.
 —— **quinquecostata**, Bornemann. Lias von Göttingen, 1854, 32, ii, 6*a*, b.
 —— **regularis**, Terq. & Berthelin. Mém. Soc. Géol. France, [2], X, 1875, 21, i (xi), 22*a*, b.
 —— **reussi**, Neugeboren. Denkschr. k. Ak. Wiss. Wien, XII, 2, 1856, 60, i, 6.
 —— **rimosa**, Stache. Novara-Exped., Geol. (1), 1864, 187, xxii, 10*a*, b.
 —— **rotundata**, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 366, xlvi, 2 [v. *Nodosaria*].
 —— —— —? Reuss, Bull. Ac. Roy. Belg. [2], XV, 1863, 149, ii, 21.
 —— —— —— Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 34, xiii, 15; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 41, same pl. and fig.
 —— **rotundata**, Bornemann. Lias von Göttingen, 1854, 31, ii, 1*a*, b, 2.
 —— **rudis**, Costa. Mem. Acc. Sci. Napoli, II, 1855 (1857), 142, i, 12 [and 13].
 —— **semicostata**, see *Nodos. (Gland.)*.
 —— **septangularis**, Bornemann. Lias von Göttingen, 1854, 33, ii, 8*a*, b.
 —— **sexcostata**, Bornemann. Ibid. 1854, 32, II, 7*a*, b.
 —— **solita**, Schwager. Novara-Exped., Geol. (2), 1866, 237, vi, 78.
 —— **strobilus**, Reuss. Denkschr. k. Ak. Wiss. Wien, XXV, 1865, 136, ii, 24.
 —— **subconica**, Alth. Haidinger's Nat. Abh. III, (2), 1850, 270, xiii, 32.
 —— **subovata**, Stache. Novara-Exped., Geol. (1), 1864, 185, xxii, 7*a*, b.
 —— **symmetrica**, Stache. Ibid. (1), 1864, 187, xxii, 9*a*, b. *
 —— **tenuis**, Bornemann. Lias von Göttingen, 1854, 31, ii, 3*a*, b.
 —— **theca**, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 114, iv, 17 [*theka* in descript. of plates].
 —— **tuberculata**, Terquem. Mém. Soc. Géol. France, [3], II, 1882, 35, i (ix), 33*a*, b.

- GLANDULINA** turbinata, Terq. & Berthelin. Mém. Soc. Géol. France, [2], x, 1875, 22, i (xi), 24.
- turbiniformis, Terquem. Mém. Ac. Imp. Metz, LI, 1870, 342, xxv, 9.
- undulata, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, (1), 1868, 165, iv, 2.
- [fragment of a ribbed *Nodosaria*], Bornemann, Lias von Göttingen, 1854, 34, ii, 13.
- sp. Schwager. Jahresh. Ver. vat. Nat. Württ. xxii, 1865, 115, iv, 15 and 16 [*Nodosaria* in descript. of plates].
- v. Schlicht. "Foram. Septar. Pietzpuhl," 1870, pl. vi.
- see *Glandulosia*.
- see *Nodosaria*.
- GLOBIGERINA**, d'Orbigny, 1826. Ann. Sci. Nat. VII, 1826, 277 [v. also *Coscinosphera*]; Brady, Report Challenger, 1884, 589.
- (Orbul.) acerosa, S. R. J. Owen. Journ. Linnean Soc. Zool. VIII, 1866, 202; and IX, 1867, I and 9, v, 2.
- (Orbul.) — Hogg, Microscope, 1886, xviii, iii, 75.
- aequabilis, Terquem. Mém. Soc. Géol. France, [3], II, 1882, 86, ix (xvii), 5a, b.
- aequilateralis, Brady. Quart. Journ. Micr. Sci. xix, 1879, 71.
- — — Brady, Report Challenger, 1884, 605, lxxx, 18-21.
- — — Wright, Proc. Belfast Nat. Field Club, 1884-5, App. IX, 1886, 332, xxvii, 9.
- alloderma, Ehrenberg. Abh. k. Ak. Wiss. Berlin, 1872 (1873), v, 7.
- alpigena, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 661, ii, 107a, b.
- angipora, Stache. Novara Exped., Geol. (1), 1864, 287, xxiv, 36a, b [*G. conferta* in explan. to plate].
- applanata, Hantken. Ertek. Termesz. köreböl. XIII, No. 1, 1883, 11, ii, 7a, b, c; and Math. Nat. Ber. Ungarn, II, 1884, 132.
- arenaria, Karrer. Sitz. k. Ak. Wiss. Wien, LV, (1), 1867, 356, i, 8 [error for 10].
- asperula, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 661, ii, 108a, b.
- bilobata, d'Orbigny. Foram. Fossiles Vienne, 1846, 164, ix, 11-14.
- — — Costa, Atti Accad. Pontaniana, VII, (2), 1856, 241, xxi, 6A, B.
- — — Terquem, Ess. Anim. Plage Dunkerque, (2), 1876, 76, ix, 9 (and Mém. Soc. Dunkerquoise).
- — — Terrigi, Atti Acc. Pont. Nuovi Lincei, XXXV, 1883, 187, iii, 28.
- bipartita, Reuss. Boll. Ac. Roy. Belg. [2], xv, 1863, 156, iii, 46.
- bulloides, d'Orbigny. Ann. Sci. Nat. VII, 1826, 277, No. 1.
- — — D'Orb., Modèles, No. 76; and young, No. 17, 1826.
- — — Guérin-Menéville's Cuvier, Iconographie, Mollusques, 1829-43, 9, ii, 12 [misprinted *Giroidina* in text].
- — — Cuvier, Animal Kingdom, Henderson's ed. III, 1834 (pls. 1837), 18, iii, 12.
- — — Roemer, Neues Jahrbuch, 1838, 390, iii, 42a.
- — — D'Orbigny in Barker, Webb & Berthelot, Hist. Nat. Iles Canaries, 1839, II, (2), "Foraminifères," 132, ii, 1-3, and 28.
- — — D'Orbigny, Foram. Fossiles Vienne, 1846, 163, ix, 4-6.
- — — Pictet, Traité de Paléont. IV, 1846, 232, xii, 16; and ed. 2, 1857, 509, cix, 29.
- — — — — Bronn, Lethæa Geognostica, ed. 3, III, 1853-56, 228, XXXV², 19a, b, c.
- — — — — Costa, Atti Accad. Pontaniana, VII, (2), 1856, 242, xxi, 5 and 7 [error for 1 and 2].
- — — — — Egger, Neues Jahrbuch, 1857, 282, xi, 14-16.
- — — — — Parker & Jones, Annals Mag. Nat. Hist. (2), XIX, 1857, 291, xi, 11 and 12.
- — — — — Williamson, Recent British Foram. 1858, 56, v, 116-118.
- — — — — Bronn, Klassen Ordn. Thier-Reichs, I, 1859, 70, vi, 9a, b, c.
- — — — — Mackie, Recreative Science, I, 1859, 147, f. 9.
- — — — — Suess, Boden. Stadt. Wien, 1862, 45, f. 1^o.

- GLOBIGERINA bulloides**, d'Orbigny, var. *lituoidea*. Wallich. North Atlantic Sea-bed, (1), 1862, no descr., vi, 22 [= *Lituola globigeriniformis*, P. & J.-J.].
- Stache, Novara-Exped., Geol. (1), 1864, 286, xxiv, 35a, b, c, d.
- Renn's Model. No. 69. 1865 (Catal. No. 91, 1861).
- P., J. & B. [d'O., Modèles 17], Ann. Mag. Nat. Hist. [3], xvi, 1865, 21, ii, 56.
- *Ibid.* [d'Orb. Modèles, 76], [3], xvi, 1865, 31, ii, 55.
- and var. *inflata*, d'O. Parker & Jones, Phil. Trans. 1865, 365, xiv, 1 and 2; xvi, 15, v. *inflata*, 16 and 17.
- J., P. & P., Crag. Foram. Pal. Soc. xix, 1866, n. d., i, 1 and 2.
- Kübler & Zwingli, Neujahrsblatt Burgersbibl. Winterthur, 1866, 22, iii, 30 and 31.
- S. R. I. Owen, Journ. Linnean Soc. Zool. ix, 1867, 148, v, 6-12.
- Mackie, Science Gossip, 1867, 130, f. 127.
- Gümbel, Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 661, ii, 106a, b.
- Anon. Science Gossip, 1870, 12, f. 31.
- P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], viii, 1871, 175, xi, 112.
- Wy. Thomson, Depths Sea, 1873, 22, f. 2.
- Toula, Mitt. geogr. Ges. Wien, xviii, 1875, 165, pl., 13.
- Thomson, Proc. Roy. Soc. xxiii, 1875, 34, 1.
- Terquem, Ess. Anim. Plage Dunkerque, (1), 1875, 31, iv, 5a, b; (and Mém. Soc. Dunkerqnoise).
- Hantke, A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 59, viii, 2; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 69, same pl. and fig.
- Morris, Lecture Geol. Croydon, [1876], 8, f. 2³ and f. 3³.
- Wallich, Deep Sea Researches Biol. Globigerina, 1876, 1, etc., pl., 1-9, 11, 12, 17 and 18 [structural].
- v. *lituoidea*, Wallich. *Ibid.* 1876, 1, etc., pl., 22.
- v. *rubra*, d'Orb. Vanden Broeck, Ann. Soc. Belge. Micros. ii, 1876, 125, iii, 9 and 10; and Fonds de la Mer, iii, (1876).
- v. *cretacea*, d'Orb. *Ibid.* ii, 1876, 122, iii, 8; *ibid.* iii, (1876).
- Anon., Amer. Journ. Micros. i, 1876, 125, f. 1, and frontispiece to vol.
- Hertwig, Jenaische Zeitschr. für Naturwiss. xi, 1877, 343, xx, 8.
- Wy. Thomson, Voyage Challenger, 1877, ii, 211, f. 46.
- var. Brady, Ann. Mag. Nat. Hist. [5], i, 1878, 435, xxi, 10a, b, c.
- Hopkins, Execut. Doc. 45 Congress. Sess. 3, iv, Rpt. Chief Engineers, (2), App. W, 1878-79, 885, ii, 70.
- Nicholson, Manuel Paléont. 1879, i, 99, f. 13, f, and 115, f. 18, k.
- Bütschli in Bronn, Klassen, etc., Thier-Reichs, 1880, 201, viii, 9 and 28.
- Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxiii, 1880, 186, i, 17.
- Carpenter, The Microscope, ed. 6, 1881, 569, f. 325, 326 and 327.
- Terquem, Mém. Soc. Géol. France, [3], ii, 1882, 85, ix (xvii), 2a, b.
- v. *borealis*, Brady. Proc. Roy. Soc. Edinburgh, xi, 1882, 716, not figured.
- Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 90, vi, 195-207.

- GLOBIGERINA** *bulloides*, d'Orbigny. Jones, in Microgr. Dict. ed. 4, 1883, 358, xxiv, 2 and 3.
 ——— ——— Schwager, Palaeontographica, xxx, 1883, Pal. Theil, 118, xxvii, (4). 5a-c.
 ——— ——— Terquem, Cinquième Mém. Foram. Oolithique, 1883, 365, xli, 10a, b.
 ——— ——— Andreæ, Abh. geol. Speciakarte Elsass-Lothr. II, (3), 1884, 218, ix, 1 and 2.
 ——— ——— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 162, two figs.
 ——— ——— Woodward & Thomas, 13 Ann. Rept. Geol. N. H. Survey Minnesota for 1884 (1885), 172, iii. 13 [17 and 18 are also *G. bulloides*]
 ——— ——— Brady, Report Challenger, 1884, 593, lxxvii and lxxxix, 3-7.
 ——— ——— v. *triloba*, Rss. *Ibid.* 1884, 595, lxxix, 1 and 2; lxxxii, 2 and 3 [*G. triloba*, 1850].
 ——— ——— Gümbel, Geol. Bayern. I, (2), 1885, f. 266, 20.
 ——— ——— Quenstedt, Handbuch Petref. ed. 3, (5), (1885), 1057, lxxxvi, 49.
 ——— ——— Sherborn & Chapman, Journ. R. Micr. Soc. [2], vi, 1886, 756, xvi, 8a, b.
 ——— ——— Hogg, Microscope, 1886, xviii, iii, 79 and 81.
 ——— ——— P — Terquem, Mém. Soc. Géol. France, [3], IV, 1886, 56, vi, 24.
 ——— ——— Malagoli, Boll. Soc. geol. Ital. VI, 1887, 521, xiii, 7.
 ——— ——— Anon., Sci. News, 4 May, 1888, 413, f. 16.
 ——— ——— Agassiz, Three Cruises, "Blake," II, 1888, 167, f. 511.
 ——— ——— Steinmann, Elem. Paléont. I, 1888, 28, f. 10.
 ——— ——— Brady, Parker & Jones, Trans. Zool. Soc. XII, (7), 1888, 225, xlv, 15.
 ——— ——— Mariani, Boll. Soc. Geol. Ital. VII, (1889), 288, x, 14, 15.
 ——— ——— v. *triloba*, Rss. *Ibid.* VII, (1889), 288, x, 16, 17.
 ——— ——— v. *bilobata*, R. Terrigi, Mem. R. Acc. Lincei, (4), VI, 1889, 113, vi, 11.
 ——— ——— v. *triloba*, R. *Ibid.* (4), VI, 1889, 113, vi, 12.
 ——— ——— see *Polymorpha tuberosa* and ? *Nautili diversi speciei*.
 ——— *canariensis*, d'Orbigny. Barker, Webb & Berthelot, Hist. Nat. Iles Canaries, 1839, II, (2), "Foraminifères." 133, ii, 10-12.
 ——— *carteri*, Karrer. In v. Drasche, Frag. Geol. Luzon, 1878, 96, V, 23; and Bol. Com. Map. Geol. España. VII, 1880, 279, F. 9.
 ——— *concinna*, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 373, xlvi, 8.
 ——— *conferta*, Stache. Novara-Exped., Geol. (1), 1864, 287, xxiv, 36a, b [called *G. angipora* on p. 287].
 ——— *conficiens*, v. Hagenow. Neues Jahrb. für Min. 1842, 571.
 ——— *conglobata*, Brady. Quart. Journ. Micr. Sci. xix, 1879, 72.
 ——— ——— Brady, Report Challenger, 1884, 603, lxxx, 1-5; lxxxii, 5.
 ——— ——— Terrigi, Mem. R. Acc. Lincei, (4), VI, 1889, 114, vi, 14.
 ——— ——— Brady, Parker & Jones, Trans. Zool. Soc. XII, (7), 1888, 225, xlv, 13.
 ——— *conglomerata*, Schwager. Novara-Exped., Geol. (2), 1866, 255, vii, 113.
 ——— *conglomerata*, Terquem. Mém. Soc. Géol. France, [3], II, 1882, 86, IX (xvi), 3a, b.
 ——— (*Orbulus*) *continens*, S. R. J. Owen. Journ. Linnean Soc. Zool. VIII, 1866, 202; ix, 1867, 149, v, 3 and 4.
 ——— ——— Hogg, Microscope, 1886, xviii, iii, 76.
 ——— *crassa*, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1855, 163, ii, xiii [Glauc.] [= *G. bulloides*].
 ——— *cretacea*, d'Orbigny. Mém. Soc. Géol. France, [1], IV, 1840, 34, iii, 12-14; Facsimile in Science Gossip, 1870, 108, f. 118.
 ——— ——— Reuss, Verstein. Böhm. Kreide, 1845-6, 1, 36, viii, 55.
 ——— ——— Reuss, in Geinitz, Grundr. Verstein. 1845-46, 668, xxiv, 53.
 ——— ——— Brown, Annals and Mag. Nat. Hist [2], XII, 1853, 241, ix, 8a, b.
 ——— ——— Mantell, Medals Creation, ed. 2, 1854, 342, f. 109¹.
 ——— ——— Beudant, Géologie, ed. 8, 1858, 117, f. 100; later eds., same fig.

- GLOBIGERINA cretacea**, d'Orbigny. Eley, Geol. in the Garden, 1859, 202, viii, 5C, 6C.
 _____ *Ibid.* 1859, 194, ii, 5 and 6 [flint cast].
 _____ Hitchcock, Elemt. Geology, 1860, ed. 30, 382, f. 204, 205 and 207, 383, f. 208.
 _____ Cooke, Thousand Objects Microsc. 1869, 90, ix, 5.
 _____ Morris, Lecture Geol. Croydon, [1876], 8, f. 3¹.
 _____ var. *foveolata*, Seguenza. Atti R. Acc. Lincei, [3], XII, 1882, 199, no fig.
 _____ (cf.) Schwager, Palæontographica, XXX, 1883, Pal. Theil, 119, xxix, (6), 13a-d.
 _____ Brady, Report Challenger, 1884, 596, lxxxii, 10a-c [?]; fossil specimen, 11a-c.
 _____ Woodward & Thomas, 13 Ann. Rept. Geol. N. H. Survey Minnesota, for 1884 (1885), 171, ii, 19; iv, 14-16 [error for iii, 14-16; iv, 19, 23 and 24].
 _____ Toukowsky, Zap. Kievsk. Obsch. Est. VIII, 1887, 353, iv, 4a, b; v, 4c, d; and vii, d.
 _____ Fritel, Foss. Caract. terrains sediment. Secondaires, 1888, xx, 31 and 32.
 _____ Prestwich, Geology. 1888, II, 290, 151f, g.
 _____ Fric, Arch. Nat. Landesd. Böhmens, VII, 1889, 116, wood-cut, 164.
 _____ Marlani, Boll. Soc. Geol. Ital. VII, (1889), 289, x, 18, 19.
 _____ *cretæ*, Ehrenberg. Mikrogeologie, 1854, xxvii, 59 ("Gl. bulloides ? 1838") [= *G. cretacea*].
 _____ ? *Ibid.* 1854, xxvi, 44 ("Rosal. foveolata, 1838") [= *G. bulloides*].
 _____ *Ibid.* 1854, xxx, 38 [= *G. cretacea*, d'O.].
 _____ *Ibid.* 1854, xxiii, 33 and 34 [= *Glob. bulloides*] [called elsewhere *Rosal. foveolata*].
 _____ *depressa*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 277, No. 9.
 _____ *depressa*, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1844, 92; and Mikrogeologie, 1854, xix, 92 [= *G. bulloides*].
 _____ Hopkins, Execut. Doc. 45 Congress, Sess. 3, iv, Rpt. Chief Engineers, (2), App. W, 1878-79, 885, ii, 71.
 _____ *detrita*, Terquem. Ess. Anim. Plage Dunkerque, (1), 1875, 31, iv, 4a, b; (and Mém. Soc. Dunkerquoise).
 _____ *digitata*, Brady. Quart. Journ. Micr. Sci. xix, 1879, 72.
 _____ Brady, Report Challenger, 1884, 599, lxxx, 6-10; lxxxii, 6 and 7.
 _____ Terrigi, Mem. R. Acc. Lincei, (4), VI. 1889, 113, vi, 13.
 _____ *diplostoma*, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 373, xlvi, 9 and 10; xlvi, 1.
 _____ *dubia*, Egger. Neues Jahrbuch, 1857, 281, ix, 7-9.
 _____ Brady, Report Challenger, 1884, 595, lxxix, 17a, b, c.
 _____ *dutertrei*, d'Orbigny. De la Sagra, Hist Phil.-iq., etc.. Cuba, 1839, "Foraminifères," 84, iv, 19-21; also in Spanish, 1840, 95, same pl. and fig.
 _____ Brady, Report Challenger, 1884, 601, lxxxi, 1a-c.
 _____ *echinooides*, Brandt. Mittb. zool. Station Neapel, IV, 1883, 222, xix, 36 and 37 [chlorophyll cells].
 _____ = *Coscinosphæra ciliosa* (Stuart, 1866; Haackel, 1870), Brandt, 222; Brandt says, p. 223 "Auch R. Greff (Arch. Mikr. Anat. Bonn, V, 1869, 473) hatte schon bemerkt, dass *Coscinosphæra* eher eine Foraminifere als ein Radiolar sei."
 _____ *elevata*, d'Orbigny. Mém. Soc. Géol. France, [1], IV, 1840, 34, iii, 15 and 16; Facsimile in Science Gossip, 1870, 108, f. 119.
 _____ Reuss, in Geinitz, Grundr. Verstein. 1845-46, 668, xxiv, 27.
 _____ *elongata*, d'Orbigny. Ann. Sci. Nat. VII. 1826, 277, No. 4.
 _____ = *Cassidulina oblonga* (d'O.), see *Polymorpha tuberosa* et *globifera*.
 _____ *eocæna*, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. X, 1868 (1870), 662, ii, 109a, b.

- GLOBIGERINA** eocænica, Terquem. Mém. Soc. Géol. France, [3], II, 1882, 86, ix (xvii), 4.
- foveolata, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1844, 67; and Mikrogeologie, 1854, xxi, 96; xxii, 74 [= *G. bulloides*].
- — — Ehr., Mikrogeologie, 1854, xxiv, 49 [= *G. crètacea*; typica].
- fragilis, d'Orbigny. Ann. Sci. Nat. VII, 1826, 277, No. 11.
- gibba, d'Orbigny. Ibid. VII, 1826, 277, No. 10.
- globosa, v. Hagenow. Neues Jahrb. f. min. 1842, 571.
- globosa. Hantken. Ertek. Termesz. körehöl. XIII, No. 1, 1883, 11, II, 3a, b; and Math. Nat. Ber. Ungarn, II, 1884, 132.
- globularis, d'Orbigny. Ann. Sci. Nat. VII, 1826, 277, No. 3.
- — — Roemer, Neues Jahrbuch, 1838, 390, III, 57.
- (Rhynchospira, Ehr.), glomerata, Reuss. Karrer, Abh. k. k. Geol. Reichs. IX, 1877, 387, xvib, 53 [v. Brady, Report Challenger, 1884, 593, foot note].
- glomerata, Schwager. Zittel, Handbuch Palæont. (!), 1876, 65, f. 2²; 69, f. 5; 88, f. 24³ [*G. conglomera*ta, Schwager].
- — — Hoernes, Elem. Palæont. 1884, 30, f. 21; French ed., 1886, same fig.
- glomerulus, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 304.
- gomitulus, Seguenza. Atti R. Acc. Lincei, [3], VI, 1880, 228, xvii, 16.
- helicina, d'Orbigny. Ann. Sci. Nat. VII, 1826, 277, No. 5.
- — — Carpenter, Parker & Jones, Introd. Foram. 1862, 181, XII, 11. P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 175, XI, 113.
- — — — — Brady, Report Challenger, 1884, 605, lxxxii, 4 and 5.
- — — — — Terrigi, Mem. R. Acc. Lincei, (4), VI, 1889, 114, VI, 15.
- — — — — see *Polymorpha globulifera*.
- hirsuta, d'Orbigny. Barker, Webb & Berthelot, Hist. Nat. Iles Canaries, 1839, II, (2), "Foraminifères." 133, II, 4-6.
- — — — — S. R. J. Owen, Journ. Linnean Soc. Zool. IX, 1867, 149, V, 5.
- — — — — Mackie, Science Gossip, 1867, 131, f. 128.
- — — — — Hogg, Microscope, 1868, xviii, III, 77.
- inflata, d'Orbigny. Barker, Webb & Berthelot, Hist. Nat. Iles Canaries, 1839, II, (2), "Foraminifères." 134, II, 7-9.
- — — — — Gosse, Manual Mar. Zool. 1855, 12, f. 15.
- — — — — P. & J., Phil. Trans. 1865, 367, XVI, 16 and 17.
- — — — — S. R. J. Owen, Journ. Linnean Soc. Zool. IX, 1867, 148, V, 13-15.
- — — — — Brady, Report Challenger, 1884, 601, lxxix, 8-10.
- — — — — Balkwill & Millett, Journ. Micr. III, 1884, 84, IV, 11.
- — — — — Hogg, Microscope, 1886, xviii, III, 82.
- lamellosa, Terquem. Mém. Soc. Géol. France, [3], II, 1882, 85, IX (xvii), 1a, b.
- liasina, Terq. & Berthelin. Mém. Soc. Géol. France, [2], X, 1875, 60, V (XV), 7.
- libani, Ehrenberg. Mikrogeologie, 1854, XXV, I, A, 30 [perhaps *Gl. stellata*; = *G. crètacea*].
- linnæana (d'O.). Brady, Report Challenger, 1884, 598, cxiv, 21a-c; cretaceous specimen, lxxxii, 12a, b [v. *Rosalina*, 1839].
- lobata, Terquem. Cinquième Mém. Foram. Oolithique, 1883, 364, XII, 6-9.
- marginata, Reuss. In Gelitz; Paläontographica. XX, (2), (1874), 112, No. 2 [v. *Rosalina marginata*, Reuss, 1845, 1854; *ibid.* Jones, 1853].
- — — — — Brady, Quart. Journ. Micros. Science, XIX, 1879, 74.
- — — — — Brady, Report Challenger, 1884, 597, cut 17, 598.
- — — — — Woodward & Thomas, 13 Ann. Rep. Geol. N. H. Survey Minnesota, for 1884 (1885), 174, IV, 20, 22.
- P molassica. K. Miller. Schr. V. Gesch. Bodensee, VII, 1877, [78], IV, 23 [cast or concretion].
- (Hastig.) murrayai, W. Thomson. Bütschli in Brönn, Klassen, etc., Thier-Reichs, 1880, 202, IX, 1 [*Hastigerina*, 1876].

- GLOBIGERINA (Orbulina) neojurensis.** Karrer. Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxiii, 1880, 186, i, 16 [*Orbulina*, 1867].
- **nereidum**, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 282.
- **oblonga**, d'Orb. Ann. Sci. Nat. vii, 1826, 277, No. 4.
- **omphaloletras**, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 282.
- — — — — Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), iii, 11.
- **oolithica**, Terquem. Cinquième Mém. Foram. Oolithique, 1883, 365, xli, 11a, b.
- — — — — Terquem, Mém. Soc. Géol. France, [3], iv, 1886, 57, vi, 25a, b.
- **ovoidea**, Seguenza. Atti R. Acc. Lincei, [3], vi, 1880, 228, xvii, 39.
- **pachyderma** (Ehr.). Brady, Report Challenger, 1884, 600, cxiv, 19 and 20 [*Aristerospira*, 1861].
- **parisiensis**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 277, No. 12.
- **pelagica** (d'Orb.). Parker & Jones, Phil. Trans. 1865, 366 [v. *Nouinina*].
- **pentatrias**, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 282.
- **(Orbulina) porosa**, Terq. Terrigi, Mem. R. Acc. Lincei, (4), vi, 1889, vi, 18 [*Orbulina*, 1884, *Globulium*, 1858].
- **punctulata**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 277, No. 8.
- **quadrilobata**, d'Orbigny. Foram. Fossiles Vienne, 1846, 164, ix, 7-10.
- — — — — Costa, Atti Accad. Pontaniana, vii, (2), 1856, 242, xxi, 3 and 4 [error for 5].
- **regularis**, d'Orbigny. Foram. Fossiles Vienne, 1846, 162, ix, 1-3.
- — — — — var. Reuss, Denkschr. k. Ak. Wiss. Wien, I, 1850, 373, xvii, 7.
- — — — — Costa, Atti Accad. Pontaniana, vii, (2), 1856, 240, xx [error for xxi], 3A, B.
- — — — — Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxiii, 1880, 187, i, 19.
- — — — — Malagoli, Atti Soc. Nat. Modena, (3), vii, 1888, 113. iii, 6.
- **regularis**, Terquem. Ess. Anim. Plage Dunkerque, (3), 1881, 125, xvi, 2a, b. (& Mém. Soc. Dunkerquoise).
- **reticulata**, Stache. Novara-Exped., Geol. (1), 1864, 287, xxiv, 37a, b.
- **rotundata**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 277, No. 6.
- **rubra**, d'Orbigny. De la Sagra, Hist. Phisiq., etc., Cuba, 1839, "Foraminifères," 82, iv, 12-14; also in Spanish, 1840, 94, same pl. and fig.
- — — — — Bailey, Smithsonian Contrib. II, 1851, 11, pl. (20-22) ? 23 and 24.
- — — — — Brady, Report Challenger, 1884, 602, lxxix, 11-16.
- — — — — Brady, Parker & Jones, Trans. Zool. Soc. xii, (7), 1888, 225, xlvi, 12.
- **rubra**, Ehrenberg, 1857 = *Pylodexia rubra*. Monatsber. k. preuss. Ak. Wiss. Berlin, 1872, 282.
- **sacculifera**, Brady. Geol. Mag. (2), iv, 1877, 535 [not figured].
- — — — — Brady, Report Challenger, 1884, 604, lxxx, 11-17; lxxxii, 4.
- **seminulina**, Schwager. Novara-Exped., Geol. (2), 1866, 256, vii, 112.
- **siphonifera**, d'Orbigny. De la Sagra. Hist. Phisiq., etc., Cuba, 1839, "Foraminifères," 83, iv, 15-18; also in Spanish, 1840, 95, same pl. and fig.
- **spirata**, Bornemann. Zeitschr. deutsch. geol. Ges. vii, 1855, 342, xvi, 9.
- **stellata**, Ehrenberg. Mikrogeologie, 1854, xxvi, 45 ["compare *G. libani*"] [= *G. bulloides*].
- **taminensis**, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur, 1866, 24, iii, 26 and 29; and section of the shell, x, 600 [= *G. bulloides*].
- **ternata**, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1854, 247.
- — — — — Ehrenberg, Mikrogeologie, 1854, xxxv, B, iv, 5 and 6 [= *Globig. bulloides*].
- **trifoliata**. K. Miller. Schr. Ver. Gesch. Bodensee, vii, 1877 [78], iv, 24 [cast or concretion ?].

- GLOBIGERINA** *trigonula*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 277, No. 7.
 —— *triloba*, Reu-s. Denkschr. k. Ak. Wiss. Wien, I, 1850, 374, xlvi, 11.
 —— [*trilobata*] —— Costa, Atti Accad. Pontaniana, VII, (2), 1856, 241, xxI,
 4A, B.
 —— —— —— Egger, Neues Jahrbuch, 1857, 282, xi, 11–13.
 —— —— —— Hantken, A magy. kir földt. int. évkönyve, IV, 1875 (1876),
 59, viii, 1; and Mitth. a. d. Jahrb. k. ungar. geol. Austalt, IV, 1875 (1881),
 69, same pl. and fig.
 —— —— —— Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 26, pl. 47.
 —— —— —— Terrigi, Atti Acc. Pout. Nuovi Lincei, XXXIII, 1880, 188, i,
 18.
 —— —— —— Malagoli, Boll. Soc. geol. Ital. VI, 1887, 521, xiii, 8.
 —— —— —— Malagoli, Atti Soc. Nat. Modena, (3), VII, 1888, 113, iii, 7.
 —— *trilocularis*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 277, No. 2.
 —— —— —— Roemer, Neues Jahrbuch, 1838, 300, iii, 41a.
 —— *trochoides*, Reuss. Verstein. Böh. Kreide, 1845–6, I, 36, xii, 22.
 —— —— —— Reuss, Haidinger's Naturw. Abh. IV, (1), 1851, 37, iii, 5.
 —— (*Orbulina*) *tuberculata*, Costa, var. *verrucosa*, Terrigi. Atti Acc.
 Pont. Nuovi Lincei, XXXV, 1883, 186, iii, 27 [*Orbulina*, 1883].
 —— (*Orbulina*) *universa*, d'O. S. R. J. Owen, Journ. Linnean Soc.-Zool.,
 IX, 1867, 149, v, 1 [*Orbulina*, 1839].
 —— —— var. d'Orb. Goës, K. Svenska Vet.-Akad. Handl. XIX, No. 4, 1882,
 90, vi, 194
 —— (*Orbulina*) —— —— Fornasini, Boll. Soc. Geol. Ital. II, 1883, 189,
 ii, 11*a*–*d* [2- and 3-chambered *Globigerina*].
 —— (*Orbulina*) —— —— Malagoli, Atti Soc. Nat. Modena, (3), VII,
 1888, 113, iii, 8.
 —— (*Orbulina*) —— —— Terrigi, Mem. R. Acc. Lincei, (4), VI, 1880,
 114, vi, 16–17.
 —— *vulgaris*, Dunikowski. Kosmos [Lemberg], IV, 1879, 130, pl., 24.
 —— n. sp., Chimmo, Nat. Hist. Euplectella, etc., 1878, 13 and 26, vi, 2 [=
G. digitata, Brady].
 —— sp. ind., Hopkins. Execut. Doc., 45 Congress, Sess. 3, IV, Rept. Chief
 Engineers, (2), App. W, 1878 79, 885, ii, 72.
 —— Soldani. Testac. I, (2), 1791, 117, pl. 123 (all except *K*), pl. 124 (all ex-
 cept *Z*), pl. 125 and half those of pl. 126.
 ? Ehrenberg, Mikrogeologie, 1854, XX, ii, 15 [= *G. bulloides*].

[**GLOBIGERINA**] ? *Ibid.* 1854, XXXV, B, iv, 26.

 - sp., ? Ehrenberg. *Ibid.* 1854, XXXV, B, iv, A, e, f, m [= *G. bulloides*].
 - Macdonald. Annals and Mag. Nat. Hist. [2], XX, 1857 (264), vii, three or
 four figures.
 - Huxley. In Dayman, Deep Sea Soundings, H. M. S. Cyclops. 1858, 62, pl. 4.
 - [*bulloides*], Wallich. North Atlantic Sea-bed, (1), 1862, no descr., vi,
 1–9, 11, 12, 17 and 18 [structural].
 - (showing thickening of shell), Wallich, Annals and Mag. Nat. Hist. [3],
 XIII, 1864, 77, f. 5.
 - sp., Harting. Verh. Kon. Ak. Wetensch. x, 1864, 9, I, 8 and 9.
 - [*bulloides*], Wallich. Quart. Journ. Sci. I, 1864, pl. 1–3.
 - [*bulloides*], Chimmo. Bed of Atlantic, 1870, 23, ix, 2.
 - d'O., v. Schlicht. "Foram. Septar. Pietzpuhl," 1870, xxii.
 - Ahsted. Pop. Sci. Rev. IX, 1870, 33, IV, a–f [c and d are probably *Textularia*].
 - section of shell of, showing walls and flask-shaped cavities (after Wal-
 lich). Carpenter, Ann. Mag. Nat. Hist. [4], x, 1875, 288, f.
 - exhibiting sarcoblasts, Wallich. Pop. Sci. Rev. N. S. II (XVII), 1878,
 vi, 2.
 - Sorby. Quart. Journ. Geol. Soc. XXXV, 1879, address, pl. (privately
 printed), ii [section of chalk].
 - [*bulloides*], Carpenter. Ency. Brit. ed. 9, IX, 1879, "Foraminifera," 374
 and 378, I, 12, f. 14–16.
 - Terquem. Bul. Soc. geol. France, [3], VIII, 1880, 418, xi, 10a–c [casts].
 - Neumayr. Stämme d. Thierreiches, I, 1889 (8), 187, f. 28a.
 - Moseley, Nature (Ap. 15, 1880), xxi, 569, f. 10.

GLOBIGERINA, Bütschli in Brönn, Klassen, etc., Thier-Reichs, 1880, 201, vii, 29.

- Schacko, Arch. f. Naturgesch. (Wiegmann's), 1883 (49th Jahrg.), I, 429, etc., xiii, 2-6.
- sp. Schwager, Palæontographica, xxx, 1883, Pal. Theil, 118, xxvii, (4), 6a-d.
- glauconite casts of. Gümbel, Sitz. k.-bay. Ak. Wiss. XVI, 1886, 449, plate, 1 and 2.
- (?) (hispid. var). See *Sphaerulae hispidae*.

GLOBULINA, d'Orbigny, 1826. Ann. Sci. Nat. VII, 1826, 266 [given by d'Orbigny as a subgenus of *Polymorphina*].

- acuta, Römer? Reuss, Sitz. k. Ak. Wiss. Wien, XVIII, 1856, 245, vi, 62 [*Polymorphina*, 1838].
- æqualis, d'Orbigny. Foram. Fossiles Vienne, 1846, 227, xiii, 11, 12 [v. *Polymorphina*].
- — — Reuss' Model. No. 52, 1865 (Catal. No. 69, 1861).
- amplectens, Reuss. Zeitschr. deutsch. geol. Ges. III, 1851, 81, vi, 44.
- — — Bornemann, Zeitschr. deutsch. geol. Ges. XII, 1860, 160, vi, 12a, b, c.
- amygdaloïdes, Reuss. Ibid. III, 1851, 82, vi, 47 [v. *Polymorphina lactea*, var.].
- asperula, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. X, 1868 (1870), 646, ii, 81a, b.
- australis, d'Orbigny. Voyage Amér. Mérid. 1839, v, (5), "Foraminifères," 60, i, 1-4 [v. *Polymorphina*].
- bulloides, Reuss. Sitz. k. Ak. Wiss. Wien, XLIV, (1), 1861 (1862), 318, iii, 4.
- caribæa, d'Orbigny. De la Sagra, Hist. Phisiq., etc., Cuba, 1839, "Foraminifères," 135, ii, 7 and 8; also in Spanish 1840, 130, same pl. and fig.
- cordiformis, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 277, xviii, 19a, A, B.
- deformis, d'Orbigny. Ann. Sci. Nat. VII, 1826, 267, No. 27.
- depressa, d'Orbigny. Ibid. VII, 1826, 267, No. 26.
- — — Terquem, Mém. Soc. Géol. France, [3], II, 1882, 131, xiii (xxi), 28-30.
- discreta, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 378, xlvi, 10.
- — — Reuss, Sitz. k. Ak. Wiss. Wien, L, (1), 1864 (1865), 468, iii, 3a. b.
- elongata, d'Orbigny. Ann. Sci. Nat. VII, 1826, 267, No. 24.
- (?) fragaria, Gümbel. Sitz. k.-bayer. Ak. Wiss. I, 1871, 68. i, 16.
- gibba, d'Orbigny. Ann. Sci. Nat. VII, 1826, No. 20, 267; and Modèles, No. 63 [*Polymorpha (Globulina)*, 1826].
- — — Reuss in Geinitz, Grundr. Verstein. 1845-46, 669, xxiv, 84.
- — — D'Orbigny, Foram. Fossiles Vienne, 1846, 227, xiii, 13 and 14.
- — — Brönn, Lethæa Geognostica, ed. 3, III, 1853-56, 232, xxxv², 28a, b.
- — — Terquem, Ess. Anim. Plage Dunkerque, (1), 1875, 37, v, 15; (and Mém. Soc. Dunkerquoise).
- — — Terquem, Mém. Soc. Géol. France, [3], I, 1878, 43, iv (ix), 1-5.
- — — Ibid. [3], II, 1882, 130, xiii (xxi), 22-27.
- globosa, Müst. Reuss in Geinitz, Grundr. Verstein. 1845-46, 669, xxiv, 85 [*Polymorphina*, 1838].
- — — Reuss, Sitz. k. Ak. Wiss. Wien, XLIV, (1), 1861 (1862), 318, iii, 3.
- graticulata, d'Orbigny. Ann. Sci. Nat. VII, 1826, 267, No. 23.
- guttula, Reuss. Zeitschr. deutsch. geol. Ges. III, 1851, 82, vi, 46 [v. *Polymorphina*].
- — — Pictet, Traité de Paléont. 2 ed., IV, 1857, 518, cix, 38.

- GLOBULINA helvetica**, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 29, iii, 40 [= *Polym. liasica*, Strickl.].
- **hispida**, Terquem. Mém. Soc. Géol. France, [3], ii, 1882, 131, xiii (xxi), 32.
- **horrida**, Reuss. Verstein. Böhm. Kreide, 1845–6, ii, 110, xliii, 14.
- Reuss, Haidinger's Naturw. Abh. iv, (1), 1851, 43, iv, 8 [v. *Polymorphina*.]
- Brady, P. & J., Trans. Linn. Soc. xxvii, 1870, 246, xlii, 38a.
- **inæqualis**, Reuss. Denkschr. k. Ak. Wiss. Wien, i, 1850, 377, xlviii, 9.
- **incerta**, Costa. Atti Accad. Pontaniana, vii, (2), 1856, not descr., xviii, 11.
- **inflata**, Reuss. Zeitschr. dentsch. geol. Ges. iii, 1851, 81, vi, 45.
- **irregularis**, d'Orbigny. Foram. Fossiles Vienne, 1846, 226, xiii, 9 and 10.
- Terquem, Mém. Soc. Géol. France, [3], i, 1878, 44, iv (ix), 13 and 14.
- **lacrima**, Reuss. Verst. Böhm. Kreide, (1), 1845, 40, 110, xiii, 83 [v. also *Guttulina* and *Polymorphina*.]
- **[lacrynia**, Reuss]. Alth, Haidinger's Naturw. Abh. iii, (2) 1850, 263, xiii, 16.
- Reuss, *Ibid.* iv, (1), 1851, 43, iv, 9.
- **lævis**, Schwager. In Dittmar, Die Contorta-Zone, 1864, 201, iii, 14.
- **liasina**, Terquem. Mém. Ac. Imp. Metz, xliv, 1863, 431, vii, 2a, b, c.
- **minuta**, Roemer. Reuss, Denkschr. k. Ak. Wiss. Wien, i, 1850, 377, xlviii, 8 [*Polymorphina*, 18^o8].
- **nuda**, Schwager. In Dittmar, Die Contorta-Zone, 1864, 201, iii, 14.
- **oolithica**, Terquem. Bull. Soc. géol. France, [3], iv, 1876, 497, xvii, 12.
- **ovalis**, Terquem. Ess. Anim. Plage Dunkerque, (2), 1876, 77, x, 2 (and Mém. Soc. Dunkerquoise).
- **ovata**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 266, No. 22 [v. *Polymorphina*.]
- **oviformis**, Terquem. Mém. Soc. Géol. France, [3], i, 1878, 44, iv (ix), 9–12.
- **porosa**, Terquem. Mém. Ac. Imp. Metz, xxxix, 1858, 633, iv, 16 (immature) [v. *Orbulina*.]
- **orrecta**, Reuss. Sitz. k. Ak. Wiss. Wien, xl, 1860, 230, xli, 4a, b.
- B., P. & J., Trans. Linn. Soc. xxvii, 1870, 220, xxxix, 5a.
- **prisca**, d'Orbigny. Reuss, Sitz. k. Ak. Wiss. Wien, xlvi, (1), 1862 (1863), 79, ix, 8a, b [v. *Polymorphina*]. [I believe this d'Orbigny is a misprint, it seems to be Reuss' sp.]
- **punctata**, d'Orbigny. Foram. Fossiles Vienne, 1846, 229, xiii, 17, 18.
- **quadrispinosa**, Costa. Atti Accad. Pontaniana, vii, (2), 1856, 278, xviii, 18.
- **römeri**, Reuss. Sitz. k. Ak. Wiss. Wien, xviii, 1856, 245, vi, 63.
- **rotundata**, Costa. Atti Accad. Pontaniana, vii, (2), 1856, 279, xviii, 21 A, B, C.
- **rotundata**, Born. Reuss, Sitz. k. Ak. Wiss. Wien, l, (1), 1864 (1865), 469, iii, 4a, b [*Guttulina*, 1855].
- **rugosa**, d'Orbigny. Foram. Fossiles Vienne, 1846, 229, xiii, 19 and 20.
- B., P. & J., Trans. Linn. Soc. xxvii, 1870, 237, xl. 23a and b.
- Terquem, Ess. Anim. Plage Dunkerque, (2), 1876, 77, x, 1 (and Mém. Soc. Dunkerquoise).
- **secale**, Schwager. Jahresh. Ver. vat. Nat. Württ. xxi, 1865, 137, vii, 10.
- **simplex**, Costa. Atti Accad. Pontaniana, vii, (2), 1856, 279, xviii, 54, C.
- **spinosa**, d'Orbigny. Foram. Fossiles Vienne, 1846, 230, xiii, 23 and 24 [v. *Polymorphina*.]
- Terquem, Mém. Soc. Géol. France, [3], ii, 1882, 132, xiii (xxi), 35.
- **subalpina**, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 646, ii, 80a, b.

- GLOBULINA** *subgibba*, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 645, ii, 79.
 —— *sulcata*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 266, No. 21 [= *Polymorpha myristiformis*, Will., *fide Fischer*].
 —— *translucida*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 267, No. 25.
 —— —— —— Terquem, Mém. Soc. Géol. France, [3], ii, 1882, 131, xiii (xxi), 31a, b.
 —— *transversa*, Terquem. *Ibid.* [3], ii, 1882, 129, xiii (xxi), 17-21.
 —— *tuberculata*, d'Orbigny. Foram. Fossiles Vienne, 1846, 230, xiii, 21 and 22 [*v. Polymorphina*].
 —— —— —— Terq., Mém. Soc. Géol. France, [3], ii, 1882, 132, xiii (xxi), 33 and 34.
 —— *tubulifera*, Bornemann. Zeitschr. deutsch. geol. Ges. xii, 1860, 160, vi, 10 (*a, b, c*).
 —— *tubulosa*, d'Orbigny. Foram. Fossiles Vienne, 1846, 228, xiii, 15 and 16 [*v. Polymorphina lactea*, var., and *Polymorphinu*.]
 —— —— —— B., P. & J., Trans. Linn. Soc. xxvii, 1870, 246, xlvi, 38b.
 —— *turbinata*, Terquem. Mém. Soc. Géol. France, [3], i, 1878, 43, iv (ix), 6-8.
 —— *unilocularis*, Terquem. *Ibid.* [3], ii, 1882, 128, xiii (xxi), 8.
 —— *varians*, Terquem. *Ibid.* [3], ii, 1882, 128, xiii (xxi), 9-16.
 —— sp. Schwager. Jahresh. Ver. vat. Nat. Württ. xxi, 1865, 137, vii, 6, 7 and 25.
 —— Costa, Atti Accad. Pontaniana, vii. (2), 1856, n. d., xxii, 11.
 —— d O., v. Schlicht, "Foram. Septar. Pietzpuhl," 1870, plates xxvi and xxvii.
GLOBULINA-like forms. Gümbel, Jahresh. Ver. vat. Nat. Württ. xviii, 1862, 235, iv, 21 [= ? *Oolitic concretions*].
GLOBULINA, Deshayes. Ency. Méth. "Vers" ii, 1830, "Cephalopodes" [Sign. Ff 2], 234. [The "7th Fam." of Deshayes "Tableau" containing the proposed genera "Spirosphérine" and "Polysphérine".]
GLOBULINA [Costa], see *Globulina*, Costa. Atti Accad. Pontaniana, vii, (2), 1856.
GLOMOSPIRA, Rzehak. See *Ammodiscus gordialis*.
GONIOLINA, d'Orbigny, 1847. [“Fruit agrégé d'une Spadiciflore jurassique, . . . l'affinité avec les Pandanées.”] Saporta & Marion, Comptes-Rendus, xcii, 1881, 1268.
 —— *hexagona*, d'Orb., 1847. D'Orbigny, Prodrome de Paléont. ii, 1850, 41, No. 622.
 —— 2 sp. Buvignier, Stat. géol. etc., Meuse, 1852, Atlas, 47, pl. xxxii.
GRAMMOBOTRYS, Ehrenberg, 1845.
 —— *africana*, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 368.
 —— *anglica*, Ehr. Mikrogeologie, 1851, xxviii, 32 [= *Virg. hemprichii*].
 ? —— *parisiensis*, Ehr. *Ibid.* 1854, xxvii, 30 and 31 [= *Sphaeroid. bulloides*].
 Ehrenberg, see *Textularia*.
GRAMMOSTOMUM, Ehrenberg, 1838. Abhandl. k. Ak. Wiss. Wien, Berlin, 1838 (1840), 119.
 —— *aciculatum*, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1844; and Mikrogeologie, 1854, xxi, 85 [= *Boliv. punctata*].
 —— —— —— Mikrogeologie, 1854, xx, ii, 10 ("Textil. aciculata, 1838") [= *Boliv. dilatata*, Reuss].
 —— —— —— *aculeatum*, Ehr. *Ibid.* 1854, xxxv, B, iv, A, p [= *Vulvul. aculeata* (Ehr.)].
 —— —— —— *Ibid.* 1854, xxviii, 17 [near *Verneuil. spinulosa*, Reuss].
 —— —— —— *Ibid.* 1854, xxx, 13 ("Textil. spinosa, 1838, partly") [T. *subangulata*, d'O; compare *T. murie*].
 —— *ægyptiacum*, Ehr. *Ibid.* 1854, xxiii, 9 and 10.
 —— *americanum*, Ehr. *Ibid.* 1854, xxxii, 1, 11 [= *Virg. schreibersii*].
 —— —— —— *Ibid.* 1854, xxxii, ii, 15 [= *Boliv. dilatata*].
 —— —— —— Hopkins, Execut. Doc. 45 Congress, Sess. 3, iv, Rpt. Chief Engineers, (2), App. W, 1878-79, 8-5, i, 60.
 —— *amphirhoe*, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 20.
 —— —— —— Abh. k. Ak. Wiss. Berlin, 1872 (1873), xi, 6.
 —— *angulatum*, Ehr. Mikrogeologie, 1854, xxiii, 11 and 12.
 —— —— —— *Ibid.* 1854, xxvii, 10 [= *Boliv. punctata*].

- GRAMMOSTOMUM** angulatum, Ehr. Mikrogeologie, 1854, xxxi, 16 [= *Text. agglutinans*].
 ——— Ehr., Abhandl. k. Ak. Wiss. Berlin, 1855, 161 [Glauc.], ii, iii [= *Text. sagittula*].
 ——— angustipes, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 282.
 ——— angustum, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 368.
 ——— apiculatum, Ehr. Mikrogeologie, 1854, xxvi, 13 [= *Vulvula pennatula* (Batsch.)].
 ——— arenicola, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 21.
 ——— areolatum, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1843, 166.
 ——— aristotelis, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 20.
 ——— armatum, Ehr. (cfr.) *Guttulina armata*.
 ——— astigma, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 20.
 P ——— attenuatum, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 368.
 ——— ——— Ehr., Mikrogeologie, 1854, xxxi, 22 [= *Boliv. dilatata*].
 ——— ? ——— Ehr., *Ibid.* 1854, xxiii, 20, 22 and 23 (the same as *Text. aciculata*, 1838").
 ——— ——— Ehr., Abhandl. k. Ak. Wiss. Berlin, 1855, 161 [Glauc.], ii, ii [= *Text. sagittula*].
 P ——— (*Strophoconus?*) bulligerum, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 283.
 ——— bursigerum, Ehr. Mikrogeologie, 1854, xxxvii, xi, A-D, 9 [= ? *Textularia*].
 ——— caloglossa, Ehr. *Ibid.* 1854, xxv, i, A, 17 and 18 [= *Boliv. punctata*]
 ——— capreolus, Parker & Jones. Annals Mag. N. H., [3], xi, 1863, 93.
 ——— carinatum, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1847, 446, ii, 81 [= *Boliv. costata* (? d'Orb.)].
 ——— caudatum, Ehr. Monatsber. k. pr. Ak. Wiss. Berlin, 1861, 304.
 ——— cerberi, Ehr. *Ibid.* 1858, 21.
 P ——— ——— Ehrenberg, Abh. k. Ak. Wiss. Berlin, 1872 (1873), xi, 2.
 ——— confluens, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 369.
 ——— conjunctum, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur, 1866, 19, iii, 10 [= *Bolivina*].
 ——— connivens, Ehr. Mikrogeologie, 1854, xxiv, 22 and 23 [= *Boliv. dilatata*].
 ——— convergens, Ehr. *Ibid.* 1854, xxv, ii, B, 4 [= *Text. agglutinans*].
 ——— ——— Ehr., *Ibid.* 1854, xxix, 25, 26 [? 25 and 26 = *Boliv. punctata*].
 ——— cordatum, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 368.
 ——— coronatum, Ehr. *Ibid.* 1845, 369.
 ——— coscinopleurum, Ehr. *Ibid.* 1843, 166.
 ——— costulatum, Ehr. Mikrogeologie, 1854, xxv, i, A, 21 [near *Boliv. costata*].
 ——— cribrosum, Ehr. *Ibid.* 1854, xxiv, 19 [= *Boliv. punctata*]
 ——— cribrum, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1844, 67 and 93; and Mikrogeologie, 1854, xxii, 82 [= *Boliv. dilatata*].
 P ——— decurrentis, Ehr. Mikrogeologie, 1854, xxx, 17 [= *Virg. squamosa*; v. also *Bolivina*].
 ——— dendiculatum, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1843, 271.
 ——— depresso, Ehr. *Ibid.* 1844, 93; and Mikrogeologie, 1854, xix, 82 [= *Text. gibba*].
 ——— ——— Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 21.
 ——— ——— Ehrenberg, Abh. k. Ak. Wiss. Berlin, 1872 (1873), xi, 3.
 ——— (*Vulvulina*) dilatatum. Reuss, Zeitschr. deutsch. geol. Ges. III, 1851, 162, viii, 8.
 ——— dilatatum, Ehr. Mikrogeologie, 1854, xxix, 23 [= *Bolirina*].
 ——— divergens, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1844, 67, 93 and 206 [v. *Guttulina*].
 ——— ——— Ehr., Mikrogeologie, 1854, xxi, 86 [= *Boliv. dilatata*].
 ——— elegans, d'Orbigny. Reuss in Geinitz, Grundr. Verstein. 1845-46, 679, xxiv, 77 [*Vulvulina*, 1826].
 ——— ——— Brönn, Lethaea Geognostica, ed. 3, III, 1853-56, 236, xxxv², 31a, b.
 ——— ——— P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 170, xi, 123.

- GRAMMOSTOMUM elegans**, Ehrenberg. Mikrogeologie, 1854, xx, ii, 7 [= *Boliv. punctata*].
- ? — **euryleptum**, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 304.
- ? — — — **eurytheaca**, Ehr. Mikrogeologie, 1854, xxv, i, A, 24 [= *T. sagittula*].
- ? — — — **falx**, Ehr. *Ibid.* 1854, xxiii, 13.
- ? — — — Harting, Verh. Kon. Ak. Wetensch. x, 1864, 10, i, 11.
- ? — — — **fasciatum**, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 283.
- ? — — — **gracile**, Ehr. Abhandl. k. preuss. Ak. Wiss. Berlin, 1841, 426.
- ? — — — Ehr., Mikrogeologie, 1854, xxvii, 25 [= *Virg. squamosa*].
- ? — — — *Ibid.* 1854, xxx, 9 [= *Virg. schreibersii*].
- (**Vulvul.**) **gramen**, d'Orbigny. Zittel, Handbuch Palaeont. (1), 1876, 90, f. 27³ [*Vulvulina*, 1839].
- ? — — — **hedyglossa**, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 305.
- ? — — — Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), v, 3.
- ? — — — **incrassatum**, Ehr. Mikrogeologie, 1854, xxxi, 21 [= *Virg. schreibersii*].
- ? — — — **increcens**, Ehr. *Ibid.* 1854, xxiii, 15.
- ? — — — **invalidum**, Ehr. *Ibid.* 1854, xxii, ii, 17 [= *T. agglutinans* (near)].
- ? — — — **læve**, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 369.
- ? — — — **laterale**, Ehr. *Ibid.* 1844, 92; and Mikrogeologie, 1854, xix, 83 [= *Boliv. punctata*].
- ? — — — **laxum**?, Ehr. Mikrogeologie, 1854, xxv, i, A, 15 [= ? *Virg. hemprichii*].
- ? — — — ? — — — *Ibid.* 1854, xxxi, 26 [= *Polym. lactea*, W. & J.].
- ? — — — (**Strophoc.**?) **leptoderma**, Ehr. *Ibid.* 1854, xxv, i, A, 23 [= *T. sagittula*, young].
- ? — — — Ehr. *Ibid.* 1854, xxvi, 11 and 12 [= *Virg. schreibersii*].
- ? — — — **lineare**, Ehr. *Ibid.* 1854, xxix, 27 [= *Boliv. punctata*].
- ? — — — **lingua**, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 369.
- ? — — — Mikrogeologie, 1854, xxiv, 24 and 25 [= *Virg. squamosa*].
- ? — — — *Ibid.* xxvii, 15 [*Virg. squamosa*].
- ? — — — **littorale**, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 21.
- ? — — — **macilentum**, Ehr. Mikrogeologie, 1854, xxvii, 16 [= *Virg. tegulata*, Reuss].
- ? — — — **maculatum**, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1843, 166.
- ? — — — **megaloglossum**, Ehr. Mikrogeologie, 1854, xxxi, 27 [= *Virg. squamosa*, fragment].
- ? — — — **megastigma**, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 369.
- ? — — — **micromega**, Ehr. Mikrogeologie, 1854, xxv, i, A, 22 [= *T. sagittula*, fragment].
- ? — — — **millepora**, Ehr. *Ibid.* 1854, xxx, 11 [= *Boliv. dilatata*].
- ? — — — (**Polymorph**?) **myoglossum**, Ehr. *Ibid.* 1854, xxvii, 18 [= *Virg. squamosa*, fragment].
- ? — — — **nanum**, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 283.
- ? — — — **pachyderma**, Ehr. Mikrogeologie, 1854, xxvii, 9 a, b ("Text. aciculata 1838 = several thin species of *Grammostomum*") [= *Boliv. punctata*].
- ? — — — Ehr., *Ibid.* 1854, xxxi, 23 and 24 [= *Virg. schreibersii*].
- ? — — — **pennatula** (Batsch) P., J. & B. [Soldani], Ann. Mag., [4], VIII, 1871, 162, xi, 121 [v. *Ling. soldani*, d'O.].
- ? — — — see *Nautilus* (O.) and *Vulvulina*.
- ? — — — **perfoliatum**, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur, 1861, 19, iii, 14.
- ? — — — **phyllodes**, Ehr. Mikrogeologie, 1854, xxiii, 18 and 21 [= ? *Boliv. punctata*].
- ? — — — *Ibid.* 1854, xxvi, 14 and 15 [= *Boliv. punctata*].
- ? — — — *Ibid.* 1854, xxxi, ii, 16 [= *Virg. squamosa*].
- ? — — — **pilulare**, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 305.
- ? — — — Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), v, 4.
- ? — — — **pinna**, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 304.
- ? — — — Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), v, 12.
- ? — — — **pinnula**, Ehr. Mikrogeologie, 1854, xxix, 24 [= *T. gibbosa*].
- ? — — — *Ibid.* 1854, xxx, 14 [= *Boliv. dilatata*].

- GRAMMOSTOMUM** *platystigma*, Ehr. Mikrogeologie, 1854, xxvii, 13 [= *Boliv. dilatata*].
- *platytheaca*, Ehr. *Ibid.* 1854, xxviii, 33 [= *Text. gibbosa*].
- — — *Ibid.* 1854, xxx, 10a, b [= *Text. sagittula*].
- *plica*, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1844, 67 and 93; and Mikrogeologie, 1854, xxi, 84 [= *Boliv. punctata*].
- *plicatum*, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1841, 426.
- *polyporum*, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 369.
- *polystigma*, Ehr. *Ibid.* 1844, 92; and Mikrogeologie, 1854, xix, 84 [= *Boliv. punctata*].
- — — Mikrogeologie, 1854, xxiii, 16.
- — — *Ibid.* 1854, xxiv, 18; xxv, ii, B, 3; xxvi, 17; xxvii, 11 [= *Text. sagittula*].
- — — *Ibid.* 1854, xxix, 22 [= *Boliv. dilatata*].
- *polytheca?*, Ehr. *Ibid.* 1854, xxxiii, 8.
- (prox.) — — — Ehr., Bericht k. preuss. Ak. Wiss. Berlin, 1854, 247.
- ? — — — Mikrogeologie, 1854, xxv, i, A, 16, 19 and 20 [= *Boliv. punctata*].
- *polytrema*, Ehr. *Ibid.* 1854, xxviii, 15 and 16 [= *Virg. schreibersii*, Czj.].
- *ponti*, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 22.
- — — Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), xi, 5.
- *porosum*, Ehr. *Ibid.* 1841, 426.
- *pupa*, d'O. P., J. & B. [Soldani], Ann. Mag. [4], viii, 1871, 169, xi, 122 [*Vulvulina*, 1826].
- *pupilla orci*, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1854, 247.
- *rhomboidale*, Ehr. Mikrogeologie, 1854, xxiii, 17.
- — — Ehr. *Ibid.* 1854, xxix, 28 [= *Virg. squamosa*].
- — — Ehr. *Ibid.* 1854, xxxii, ii, 19 [= *Boliv. dilatata*].
- *rossicum*, Ehr. *Ibid.* 1854, xxxi, 18 and 19 [= *Text. sagittula*].
- *rotundatum*, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 370.
- *scabrum*, Ehr. Mikrogeologie, 1854, xxviii, 14 [= *Text. agglutinans*].
- *secundarium?*, Ehr. *Ibid.* 1854, xxxi, 20 [= *Text. agglutinans*].
- *semiporosum*, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 370.
- *seriatum*, Ehr. *Ibid.* 1845, 370.
- *siculum?*, Ehr. Mikrogeologie, 1854, xxiii, 14.
- — — *Ibid.* 1854, xxvi, 16 ("Text. aciculata, 1838, in part") [= *Boliv. punctata*].
- *simplex*, Ehr. *Ibid.* 1854, xxxiii, xiii, 27 [= *Boliv. dilatata*?].
- *spatiostomum*, Ehr. *Ibid.* 1854, xxv. i, A, 14 [= *Boliv. punctata*].
- *sphaerostigma*, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 370.
- *strophaconus*, Ehr. *Ibid.* 1843, 272.
- *stygium*, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 283.
- *subacutum*, Ehr. Mikrogeologie, 1854, xxv, i, A, 12 [near *Text. agglutinans*].
- *substriatum*, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 22.
- *sulcatum*, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 370.
- — — Ehr., Mikrogeologie, 1854, xx, ii, 9 [= *Boliv. costata*]
- *tenellum*, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 283.
- — — Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), vi, 14*a*, b.
- *tenue*, Ehr. *Ibid.* 1841, 426, iii, vii, 45 [= *Virgul. schreibersii*, Czj.].
- *tessera*, Ehr. Mikrogeologie, 1854, xxxii, ii, 18 [= *Virg. hemprichii*].
- *thebaicum?*, Ehr. *Ibid.* 1854, xxiii, 19 [v. *Bolivina*] [= ? *Virg. hemprichii*].
- — — *Ibid.* 1854, xxiv, 20 and 21 [= *Boliv. dilatata*].
- — — *Ibid.* 1854, xxvii, 12 [= between *Text. agglutinans* and *Text. sagittula*.]
- — — *Ibid.* 1854, xxxi, 25 [= *Virg. schreibersii*].
- *thoæ*, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 22.
- — — Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), xi, 4.
- *tumens*, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1843, 272.
- *turio*, Ehr. Mikrogeologie, 1854, xxvi, 19 [= *Virg. hemprichii*].
- *umbra*, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 283 and 284.
- — — Abh. k. Ak. Wiss. Berlin, 1872 (1873), iii, 6.

- GRAMMOSTOMUM** validum, Ehr. Mikrogeologie, 1854, xxxii, i, 12 [*T. gibbosa* type].
- verrucosum, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 284.
- sp. ind., Hopkins. Execut. Docum. 45 Congress, Sess. 3, iv, Report Chief Engineers, (2), 1879, 1878-79, Append. W, 885, i, 58.
- ? — Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1847, 446, ii, 80 [*T. agglutinans*, d'Orbigny].
- *Ibid.* 1855, 161, ii, v [*Glaucus*] [= *Text. sagittula*].
- GROMIA**, Dujardin, 1835. Ann. Sci. Nat. Zool. [2], iv, 1835, 345.
- brunneri, Blanc. Rec. Zool. Suisse, iv, 1888, 4th, xxiv, 1-9.
- dubia, Gruber. Nova Acta k. Leop.-Carol. deutsch. Ak. Nat. XLVI, 1884, 489, viii, 12.
- fluvialis, Dujardin. Ann. Sci. Nat. Zool. [2], viii, 1837, 312, ix, 2a, b, c.
- fluviatilis, Dujardin. Hist. Nat. Zooph. Infusoires, 1841, 255, i, 17; ii, 182.
- gracilis, Möbius. Abh. k. pr. Ak. Wiss. Berlin, 1888 (1889), iii, 30-37b.
- granulata, Archer. Quart. Journ. Micro. Sci. xvi, 1876, 343.
- hyalina, P. Schlämberger. Ann. Sci. Nat. [3], iii, 1845, 255 [= *Pampphyagus fidei*, Leidy].
- lagenoides, Gruber. Nova Acta k. Leop.-Carol. Deutsch. Ak. Nat. XLVI, 1884, 495, viii, 17.
- liasica, Terquem. Terquem, Cinquième Mém. Foram. Lias, 1866, 402, xx [error for xv], 1 and 2 [*G. liasina* in descr. of plate]. (Referred to Gromia with some doubt; they resemble similar forms from Red Sea, Syrian coast and Algerian coast).
- oviformis, Dujardin. Ann. Sci. Nat. Zool. [2], iv, 1835, 345, etc., ix, 1 and 2.
- — — — — Dujardin, Hist. Nat. Zooph. Infusoires, 1841, 253, i, 16.
- — — — — Schultz. Organismus Polythal. 1854, 54, pl., i.
- — — — — Bronn, Klassen Ordn. Thier-Reichs, i, 1859, 68, f.
- — — — — Mackie, Recreative Science, i, 1859, 145, f. 5.
- — — — — Carpenter, Parker & Jones. Introd. Foram. 1862, 64, iii, 2.
- (—) — — — — Haeckel, Das Protistenreich, 1878, 35, f. 19.
- — — — — Bütschli in Bronn, Klassen, etc., Thier-Reichs, 1880, 187, iv, 6.
- — — — — Carpenter, The Microscope, ed. 6, 1881, 478. f. 283.
- — — — — Möbius, Abh. k. pr. Ak. Wiss. Berlin, 1888 (1889), ii, 28 and 29.
- paludosa, Cienkowski. Arch. mikros. Anatomie, xii, 1876, 32, vi, 44-47.
- — — — — Archer, Quart. Journ. Micro. Sci. xviii, 1877, 201, xii, 5.
- socialis, Archer. *Ibid.*, n. s., x, 1870, 124, xx [ix], 7-11 [see *Microgromia*].
- terricola, Leidy. Proc. Ac. Nat. Sci. Philad. 1874, 88.
- — — — — Rept. U. S. Geol. Surv. Territories, xii, 1879, 277, xlvi, 1-4.
- Wallich. North Atlantic Sea-bed, 1862, no descr., ii, 2 [structural].
- showing pseudopodia, Williamson. Pop. Sci. Rev. iv, 1865, 176, viii, 3 (after Schultz).
- sp., Gruber. Nova Acta k. Leop.-Carol. Deutsch. Ak. Nat. XLVI, 1884, 490, viii, 13-15.
- GUTTULINA**, d'Orbigny, 1826. Ann. Sci. Nat. vii, 1826, 266 [given by d'Orbigny as a subgenus of *Polymorphina*].
- aculeata, Ehrenberg. Mikrogeologie, 1854, xxvii, 35 [= *Verneuil. pygmaea*. Egg. and near *V. spinosa*, Reuss].
- æquivoca, Costa. Atti Accad. Pontaniana, vii, (2), 1856, not descr., xviii, 8.
- armata, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 23 ["v. *Grammost. armatum*, 1854"].
- austriaca, d'Orbigny. Foram. Fossiles Vienne, 1846, 223, xii, 23-25 [v. *Polymorphina*].
- — — — — Pictet, Traité de Paléont. ed. 2, iv, 1857, 5-18, cix, 37.

- GUTTULINA austriaca**, d'Orbigny. Reuss' Model, No. 34, 1865 (Catal. No. 70, 1861).
 ——— Terquem. Ess. Anim. Plage Dunkerque, (2), 1876, 78, x, 13-17 (and Mém. Soc. Dunkerquoise).
 ——— v. **ovalis**. Terquem. *Ibid.* (3), 1881, 131, xvii, 6 (and Mém. Soc. Dunkerquoise).
 ——— v. **angusta**. Terquem. *Ibid.* (3), 1881, 130, xvii, 5a, b; (and Mém. Soc. Dunkerquoise).
 ——— Terquem, Mém. Soc. Géol. France, [3], ii, 1882, 133, xiii (xxi), 36.
 ——— **bulloides**, Terquem. *Ibid.* [3], i, 1878, 47, iv (ix), 27a, b.
 ——— **caudata**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 266, No. 16.
 ——— **centrata**, Terquem. Mém. Soc. Géol. France, [3], i, 1878, 46, iv (ix), 25a-26.
 ——— **communis**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 266, No. 15.
 ——— D'Orb., Foram. Fossiles Vienne, 1846, 224, xiii, 6-8.
 ——— Reuss in Geinitz, Grundr. Verstein. 1845-46, 669, xxiv, 82.
 ——— Bronn, Klassen Ordn. Thier-Reichs, i, 1859, 69, vi, 4a, b, c.
 ——— Terquem, Ess. Anim. Plage Dunkerque, (1), 1875, 37, v, 14; and (2), 1876, 77, x, 3-12 (and Mém. Soc. Dunkerquoise).
 ——— Terquem, Mém. Soc. Géol. France, [3], i, 1878, 45, iv (ix) 15-18.
 ——— *Ibid.* [3], ii, 1882, 134, xiii (xxi), 40-42.
 ——— **cretacea**, Alth. Haidinger's Naturw. III, (2), 1850, 262, xiii, 14.
 ——— Reuss, *Ibid.* iv, (1), 1851, 44, iv, 10.
 ——— **cruciata**, Terquem. Quatrième Mém. Foram. Oolithique, 1874, 310, xxxiii, 25-27.
 ——— **cylindrica**, Bornemann. Zeitschr. deutsch. geol. Ges. vii, 1855, 347, xviii, 4-6.
 ——— B., P. & J., Trans. Linn. Soc. xxvii, 1870, 221, xxxix, 5b, c.
 ——— **damæcornis**, Reuss. Verstein böhm. Kreide, 1845, i, 14, xiii, 85.
 ——— B., P. & J., Trans. Linn. Soc. xxvii, 1870, 246, xlvi, 38h.
 ——— **deformata**, Reuss. Sitz k Ak. Wiss. Wien, xviii, 1856, 245, vi, 64.
 ——— **deplanata**, Reuss. *Ibid.* xviii, 1856, 246, vi, 67.
 ——— **dilatata**, Reuss. Denkschr. k. Ak. Wiss. Wien, i, 1850, 378, xlvi, 11.
 ——— **dilutaria**, Bornemann. Zeitschr. deutsch. geol. Ges. xii, 1860, 160, vi, 11a, b, c.
 ——— **dimorpha**, Bornemann. *Ibid.* vii, 1855, 345, xvii, 5.
 ——— **disciformis**, Terquem. Mém. Soc. Géol. France, [3], i, 1878, 45, iv (ix), 19a, b.
 ——— **disparilis**, Terquem. Quatrième Mém. Foram. Oolithique, 1874, 309, xxxiii, 23.
 ? ——— **divergens**, Ehrenberg. Mikrogeologie, 1854, xxxv, A, xxii, 22 ("Grammostomum, 1844") [= ?, may be *Bulinina*].
 ——— **elliptica**, Reuss. Verstein. Böhm. Kreide, 1845-6, ii, 110, xxiv, 55.
 ——— Alth, Haidinger's Naturw. III, (2), 1850, 262, xiii, 15.
 ——— **elongata**, Karrer. Sitz. k. Ak. Wiss. Wien, XLIV, (1), 1861 (1862), 448, ii, 3
 ——— **fissurata**, Stache. Novara-Exped., Geol. i, 1864, 263, xx v, 10a, b.
 ——— **fracta**, Bornemann. Zeitschr. deutsch. geol. Ges. vii, 1855, 344, xvii, 4.
 ——— B., P. & J., Trans. Linn. Soc. xxvii, 1870, 233, xl, 19c, d, e.
 ——— **gibbosa**, Terquem. Quatrième Mém. Foram. Oolithique, 1874, 311, xxxiii, 28 and 29.
 ——— **globosa**, Bornemann. Zeitschr. deutsch. geol. Ges. vii, 1855, 346, xviii, 1.
 ——— **globulosa**, Ehrenberg. Bericht k. Ak. Wiss. Berlin, 1843, 272.
 ——— **gravida**, Terquem. Mém. Soc. Géol. France, [3], i, 1878, 47, iv (ix), 28-39b.
 ——— ——— — Terq., *Ibid.* [3], ii, 1882, 135, xiv (xxii), 2-21.
 ——— ——— v. **compressa**. Terq., Bull. Soc. Zool. Fr. xi, 1886, 334, xl, 21.
 ? ——— **homeri**, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 22.
 ——— **neurva**, Bornemann. Zeitschr. deutsch. geol. Ges. vii, 1855, 345, xvii, 6,

- GUTTULINA incurva**, Bornemann. B., P. & J., Trans. Linn. Soc. xxvii, 1870, 235, xl, 19th and b.
 —— **intricata**, Terquem. Quatrième Mém. Foram. Oolithique, 1874, 311, xxxiii, 30.
 —— **jurassica**, Gümbel. Jahresh. Ver. vat. Nat. Württ. xviii, 1862, 228, iv, 15^a, b.
 —— **lacryma**, Reuss. Quenstedt, Handbuch Petref. ed. 3, (5), (1885), 1060, lxxxvii, 4 [v. *Globulinina*, 1845].
 —— **lævigata**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 266, No. 19.
 —— **liasina**, Terq. & Berthelin. Mém. Soc. Géol. France, [2], x, 1875, 70, vi (xvi), 4.
 —— **lucida**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 266, No. 18.
 —— **mammilla**, Costa. Atti Accad. Pontaniana, vii, (2), 1856, not descr., xviii, 6.
 —— **mucronata**, Terquem. Mém. Soc. Géol. France, [3], ii, 1882, 133, xiii (xxi), 37-39.
 —— **mutabilis**, Costa. Atti Accad. Pontaniana, vii, (2), 1856, 275, xviii, 1, 2 and 3.
 —— **nitida**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 266, No. 17.
 —— **obliqua**, Terq. & Berthelin. Mém. Soc. Géol. France, [2], x, 1875, 70, vi (xvi), 5^a, a¹.
 —— **obliquata**, Stache. Novara-Exped., Geol. (1), 1864, 264, xxiv, 11^a, b.
 —— **obtusa**, Bornemann. Zeitschr. deutsch. geol. Ges. vii, 1855, 346, xviii, 2.
 —— **ovalis**, Bornemann. Ibid. vii, 1855, 345, xvii, 7.
 —— **ovigera**, Terquem. Quatrième Mém. Foram. Oolithique, 1874, 308, xxxiii, 15-22.
 —— **piriformis**, Terquem. Mém. Soc. Géol. France, [3], ii, 1882, 135, xiii (xxi), 45^a, b.
 —— **plancii**, d'Orbigny. Voyage Amér. Mérid. 1839, v, (5), "Foraminifères," 60, i, 5.
 —— **ponderosa**, Terquem. Mém. Soc. Géol. France, [3], ii, 1882, 135, xiv (xxii), 1^a, b.
 —— **problema**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 266, No. 14.
 —— ——— Reuss in Geinitz, Grundr. Verstein. 1845-46. 669, xxiv, 83.
 —— ——— D'Orb., Foram. Fossiles Vienne, 1846, 224, xii, 26-28.
 —— ——— Brönn, Lethæa Geognostica, ed. 3, iii, 1853-56, 232, xxxv², 27^a, b, c.
 —— ——— Reuss, Sitz. k. Ak. Wiss. Wien, L, (1), 1864 (1865), 470, v, 5^a, b, c.
 —— ——— Terquem, Ess. Anim. Plage Dunkerque, (2), 1876, 79, x, 18 (and Mém. Soc. Dunkerquoise).
 —— ——— Terquem, Mém. Soc. Géol. France, [3], ii, 1882, 134, xiii (xi), 43 and 44.
 —— **prunella**, Costa. Atti Accad. Pontaniana, vii, (2), 1856, 274, xiii, 32, 33, 37 and 38, and var. *affinis*, xviii, 14, A and C.
 —— **fulchella**, d'Orbigny. De la Sagra, Hist. Phisiq., etc., Cuba, 1839, "Foraminifères," 134, ii, 4-6; also in Spanish, 1840, 129, same pl. and fig. [v. *Polytomorphina*].
 —— **pusilla**, Stache. Novara-Exped., Geol. (1), 1864, 264, xxiv, 12^a, b.
 —— **racemosa**, Terquem. Mém. Soc. Géol. France, [3], i, 1878, 46, iv (ix), 20-24.
 —— **raibiana**, Gümbel. Jahrb. k. k. geol. Reichsanstalt, xix, 1869, 182, vi, 31.
 —— **robusta**, Reuss. Sitz. k. Ak. Wiss. Wien, xviii, 1856, 246, vi, 65.
 —— ——— Reuss, Ibid. L, (1), 1864 (1865), 470, iii, 5^a-c; 6^a, b; 7^a, b.
 —— **romana**, Costa. Mem. Acc. Sci. Napoli, II, 1855 (1857), 125, i, 6A, B.
 —— **rotundata**, Bornemann. Zeitschr. deutsch. geol. Ges. vii, 1855, 346, xviii, 3 [v. *Polytomorphina* and *Globulinina*].
 —— ——— B., P. & J., Trans. Linn. Soc. xxvii, 1870, 234, cuts k, l, m.
 —— **rotundata**, Reuss. Sitz. k. Ak. Wiss. Wien, L, (1), 1864 (1865), 469, iii, 4.
 —— **semiplana**, Reuss. Zeitschr. deutsch. geol. Ges. III. 1851, 82, vi, 48.
 —— **silurica**, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 308 and 337, i, f. vi [*Glaconite*] ["may be *Bulimina*," P. & J.].

- GUTTULINA** *similis*, Terq. & Berthelin. Mém. Soc. Géol. France, [2], x, 1875, 71, vi (xvi), 6a-*b*.
 —— *strumosa*, Gümbel. Jahresh. Ver. vat. Nat. Württ. xviii, 1862, 227, iv, 13a, *b*; 14a, *b*.
 —— —— Schwager, *ibid.* xxii, 1865, 137, vii, 9.
 —— *succinea*, Costa. Atti Accad. Pontaniana, viii, (2), 1856, 276, xviii, 4*a*, *A*, *B*, *C*.
 —— *turgida*, Reuss. Sitz. k. Ak. Wiss. Wien, xviii, 1856, 246, vi, 66.
 —— *turrita*, Ehrenberg. Mikrogeologie, 1854, xxvii, 36; xxix, 37; xxxii, ii, 28; and “?” xxxvii, iv, 1 [= *Verneuil. pygmæa*, Egg.].
 —— *turrita*, α and β , Ehr. Abhandl. k. Ak. Wiss. Berlin, 1855, 175, vii, 4 and 5 [= *Verneuil. pygmæa*].
 —— *vitrea*, Bornemann. Zeitschr. deutsch. geol. Ges. vii, 1855, 346, xvii, 8.
 —— *vitrea*, d'Orbigny. De la Sagra, Hist. Phisiq., etc., Cuba, 1839, “Foram. inifères”, 133, ii, 1-3; also in Spanish, 1840, 128, same pl. and fig.
 —— —— Quenstedt, Handbuch Petref. ed. 3, v, (1885), 1060, lxxxvii, 3.
 —— Pictet. Traité de Paléont. iv, 1846, 239, xii, 25.
 —— Ansted. Ancient World, 1847, 237, f. 89; ed. 2, 1848, 221, f. 85.
 —— Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1855, 173, vi, 1*b* [*Glauc.*] [= *Textularia*].
 —— v. Schlicht. “Foram. Septar. Pietzpuhl,” 1870, plates, xxv, xxvii-xxxiii.
GYPSINA, Carter, 1877. Annals Mag. Nat. Hist. [4], xx, 1877, 173 [v. *Cellepora*]; Brady, Report Challenger, 1884, 716.
 —— *globulus* (Rss.). Brady, Report Challenger, 1884, 717, ci, 8 [*Ceriopora*, 1847].
 —— —— Uhlig, Jahrb. k. k. geol. Reichsanstalt, xxxvi, 1886, 197, f. 7, 8 and 9.
 —— —— Brady, Parker & Jones, Trans. Zool. Soc. xii, (7), 1888, 229, xlvi, 13.
 —— *inhærens* (Schultze). Brady, Report Challenger, 1884, 718, cii, 1-6 [*Acervulina*, 1854].
 —— —— Brady, Parker & Jones, Trans. Zool. Soc. xii, (7), 1888, 229, xli, 19.
 —— *melobesioides*, Carter. Annals and Mag. Nat. Hist. [4], xx, 1877, 172 [not figured].
 —— *vesicularis* (Parker & Jones) [*Orbitolina*, 1860].
 —— —— Carter, Annals Mag. Nat. Hist. [4], xx, 1877, 173.
 —— —— v. *sphaeroidalis*. Carter. *Ibid.* xx, 1877, 173.
 —— —— Brady, Report Challenger, 1884, 718, ci, 9-12 [see *Orbitolina*].
GYROIDINA, d'Orbigny, 1826. Ann. Sci. Nat. vii, 1826, 278.
 —— *caracolla*, Roemer. Verst. n. d. Kreide, 1840-1, 97, xv, 22 [v. *Rotalia*].
 —— *carinata*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 278, No. 8 [v. *Rotalia subcarinata*].
[GIROIDINA] —— Guérin-Menéville's Cuvier, Iconographie, Molusques, 1829-43, 9, ii, 11.
[GIROIDINA] —— Cuvier, Animal Kingdom, Henderson's ed. iii, 1834, pls., 1837), 18, iii, 11.
 —— *conoides*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 278, No. 9.
 —— *conecta*, d'Orbigny. *Ibid.* vii, 1826, 278, No. 7.
 —— *flavescens*, d'Orbigny. *Ibid.* vii, 1826, 278, No. 6.
 —— *lævigata*, d'Orbigny. *Ibid.* vii, 1826, 278, No. 2. This name was given by d'Orbigny to Soldani, Testac. 1789, ii, App. 141, pl. 8, 33, *aa*, *AA*, *BB*. [Soldani does not appear to have described these figures.]
 —— —— = *Rotalia orbicularis* (d'O.), q. v.
 —— *lævis*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 278, No. 3 [v. *Rotalia*].
 —— *lenticularis*, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 373.
 —— *ombilicata*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 278, No. 4.
 —— *orbicularis*, d'Orbigny. *Ibid.* vii, 1826, 278, No. 1 [v. *Rotalia*].
 —— —— D'Orb., Modèles, No. 13, 1826.

GYROIDINA orbicularis, d'Orbigny. P., J. & B. [d'O., Modèles, 13], Ann. Mag. Nat. Hist. [3], xvi, 1865, 20, iii, 85 [= *Rotalia*].

— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 162, f.
[**[GIROIDINA] punctata**, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1843, 272.

— **soldanii**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 278, No. 5 [= *Rotalia*].
D'Oib., Modèles, No. 36, 1826.

— P., J. & B. [d'O., Modèles, 36], Ann. Mag. Nat. Hist. [3], xvi, 1865, 25, iii, 86 [v. *Rotalia*].

— Basset, Ann. Soc. Sci. Charente-Inf., 1884 (1885), 162, f.
see *Nautilus melo spiralis*.

GYROPORELLA, Gümbel, 1871. Abh. k. bay. Ak. Wiss. xi, 1871 (1874), 231 [a genus of calcareous algae, v. Munier-Chalmas, Comptes Rendus, LXXXV, 1877, 815; and Solms-Laubach, Einleit. Palæophytologie, 1887, 38, etc.].

The species described by Gümbel (to whom refer for synonymy) are: *æqualis*, G.; *annulata* (Schafh.); *curvata*, G.; *cylindrica*, G.; *débâlis*, G.; *dissita*, G.; *infundibuliformis*, G.; *macrostoma*, G.; *minutula*, G. [*minuta*]; *multiserialis*, G.; *pauciperforata*, G.; *silesiaca*, G.; *triasina* (Schaur.); *vesiculifera*, G.

See also Karrer, Abh. k. k. Geol. Reichs. ix, 1877, 377, xvii; Schwager, Boll. R. Com. Geol. Ital. viii, 1877, 27, pl. 120; Alth, Rozprawy i sprawozd. mat. Przy. Ak. Umiej. [Krakowie], v, 1878, 71, pls. vi and vii; and Pamietnik Akad. Umiej. Krakowie, vi, 1881, 135-137, and Mojs. u. Neumay. Beitr. i, 1882, 317-320 [In the "Beiträge" the genus is altered to *Actinoporella*]; and Stache, Abh. k. k. geol. Reichs. xiii, 1889, 89.

HAECKELINA, Bessels, 1875. Jenaische Zeitschrift für naturwiss. ix, 1875, 265 [= *Astrorhiza*].

— **gigantea**, Bessels. Ibid. ix, 1875, 265, xiv, 1-9.

HÆTEROSTEGINA, Schwager, see *Heterostegina*.

HALIPHYSEMA, Bowerbank, 1862. Phil. Trans. 1862, 1105; Brady, Report Challenger, 1884, 280.

— **capitulum**, Möbius. Beilage Tagebl. 49 Vers. deutsch. naturfor. Hamburg, 1876, 115, no fig.

— **confertum**, Norman. Ann. Mag. Nat. Hist. [5], i, 1878, 279, xvi, 1 and 2.

— **echinoides**, Haeckel. Jenaische Zeitschr. für naturwiss. xi, 1877, 16, ii, 127-131.

— Haeckel, Biol. Studien, ii, 1877, 186, pl. x.

— **globigerina**, Haeckel. Jenaische Zeitschr. für Naturwiss. xi, 1877, 19, iii, 132-136.

— Haeckel, Biol. Studien, ii, 1877, 189, pl. xi.

— **primordiale**, Haeckel. Jenaische Zeitschr. für Naturwiss. xi, 1877, 10, i, 121-126.

— Haeckel, Biol. Studien, ii, 1877, 180, pl. ix.

— **ramulosum**, Bowerbank. Monogr. Brit. Sponges (Ray Soc.), ii, 1866, 79; iii, 1874, 33, xiii, 1; iv (by Norman), 1882, 33.

— Brady, Report Challenger, 1884, 283, xxvii, A, 6.

— **tumanowiczii**, Bowerbank. Phil. Trans. 1862, 1105, lxxiii, 3.

— Bowerbank, Monogr. Brit. Sponges (Ray Soc.), i, 1864, xxx, 359; ii, 1866, 76.

— E. O. Schmidt, Spongiens Adriat. Meeres, Suppl. ii, 1866, 13, f. 13.

— Kent, Ann. Mag. Nat. Hist. [5], ii, 1878, 68-78, iv and v.

— Lankester, Q. Journ. Micr. Sci. xix, 1879, 47; xxii, 1-11. Möbius, Beitr. Meeresfauna Insel Mauritius, etc., 1880, 72, i, 1-5; ii, 1.

— Brady, Report Challenger, 1884, 281, xxvii, A, 4 and 5.

see *Squamulina*, Carter.

HAMMONIA, Soldani. Testaceographia. 1789, 1, (1), 56, pl. 36, x [*Rotalia boueana*, d'O., For. Foss. Vienne, 1846, 152, pl. 7, 25-27].

— Sold. Testac. i, (1), 1789, 60, pl. 47, II [*Soldania orbicularis*, d'O., Ann. Sci. Nat. vii, 1826, 281, 5].

- HAMMONIA** *balanus seu balanoidea*, Sold. Testac. I, (1), 1789, 58, pl. 46, *nn* [?], *oo* [*Truncatulina refulgens* (Montf.). D'O., Ann. Sci. Nat. VII, 1826, 279, 5].
- *beccarii vulgatissimæ*, Soldani. Sagg. Oritt. 1780, 102, ii, 20, *D*, *E* [= *Rotalia beccarii*].
- *beccarii seu vulgarissimæ*, Sold. Testac. I, (1), 1789, 55, 34, *K* [*Rotalia (Turbinulina) unimarginata*, d'O., Ann. Sci. Nat. VII, 1826, 276, 55].
- *circulares planissimæ*, etc., Sold. *Ibid.* I, (1), 1789, 62, pl. 53, *C* [*Soldanaria limia*, d'O., Ann. Sci. Nat. VII, 1826, 281, 4].
- *conico-tuberculatae*, Sold. *Ibid.* I, (1), 1789, 56, 35 (not 26), *R* [?]
[*Rotalia (Turbinulina) italicica*, d'O., Ann. Sci. Nat. VII, 1826, 275, 43].
- *globoso-rotundatæ*, Sold. *Ibid.* II, App., 1798, 139, pl. 2, 21, f. *F*, *G* [*Rotalia (Turbinulina) italicica*, d'O., Ann. Sci. Nat. VII, 1826, 275, 43].
- *planæ rotundæ*, Sold. *Ibid.* I, (1), 1789, 61, pl. 53, xx [*Planulina soldanii*, d'O., Ann. Sci. Nat. VII, 1826, 280, 4].
- *subconicæ*, etc., Sold. *Ibid.* I, (1), 1789, 56, pl. 38, *H* [*Rotalia brongniartii*, d'O., Ann. Sci. Nat. VII, 1826, 273, 27].
- *Ibid.* I, (1), 1789, 56, pl. 36, *Y*, *Z* ? [*Rosalina mediterraneensis*, d'O., Ann. Sci. Nat. VII, 1826, 271, 2] [= *Pulvinulina*].
- *Ibid.* I, (1), 1789, 56, pl. 38, *L* [*Rotalia communis*, d'O., Ann. Sci. Nat. VII, 1826, 273, 29].
- *subrotundæ*, Sold. *Ibid.* I, (1), 1789, 61, pl. 50, *cc* [*Robulina plicata*, d'O., Ann. Sci. Nat. VII, 1826, 290, 23].
- *Ibid.* I, (1), 1789, 61, pl. 50, *Z* [*Planulina soldanii*, d'O., Ann. Sci. Nat. VII, 1826, 280, 4].
- *Ibid.* I, (1), 1789, 61, pl. 50, *ee* [*Planulina ariminensis*, d'O., Ann. Sci. Nat. VII, 1826, 280, 1].
- *trivoluta*, Sold. *Ibid.* I, (1), 1789, 59, pl. 47, *c* [*Soldanaria annulata*, d'O., Ann. Sci. Nat. VII, 1826, 282, 6].
- *trochi*, Sold. *Ibid.* I, (1), 1789, 61, pl. 51, *kk* ?, *ll* [*Rosalina soldanii*, d'O., Ann. Sci. Nat. VII, 1826, 271, 9].
- *tuberculatæ*, etc., Sold. *Ibid.* I, (1), 1789, 58, pl. 45, *ii*, *kk*, *ll*, *mm* [*Truncatulina tuberculata*, d'O., Ann. Sci. Nat. VII, 1826, 279, 1].
- *univoluta*, Sold. *Ibid.* II, App., 1798, 139, pl. 3, 22, *h*, *H*, *I* [?] [*Rotalia (Turbinulina) siennensis*, d'O., Ann. Sci. Nat. VII, 1826, 275, 50].
- HAMMONITA**, Sold. Testac. I, (1), 1789, 66, pl. 60 c [*Anomalina austriaca*, d'O., For. Foss. Vienne, 1846, 172, 10, 4-9].
- HANERINA**, Fischer, 1870, misprint for *Hauerina*.
- HAPLOPHRAGMIUM**, Reuss, 1860. Sitz. K. Ak. Wiss. Wien, XL, 1860, 218; Brady, Report Challenger, 1884, 300.
- *acutidorsatum*, Hantken. Magyar. földt. társulat munkálatai, IV, 1868, 82, i, 1a, b.
- — — Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 10, i, 1; and Mith. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 12, same pl. and fig.
- — — Hantken, Kohlenflötzte, etc., ungar. Krone, 1878 (transl. from Magyar), 231, f. 47.
- — — Andreae, Abh. geol. Specialkarte Elsass-Lothr. II, (3), 1884, 197, vii, 5.
- — — *æquale* (Röm.). Reuss, Sitz. k. Ak. Wiss. Wien, XL, 1860, 218, xi, 2a, b and 3a, b [*Spirolina*, 1840].
- — — Reuss, *ibid.* XLVI, (1), 1862 (1863), 29, i, 1-7.
- — — *agglutinans* (d'O.). Brady, Report Challenger, 1884, 301, xxxii, 19-26 [*Spirolina*, 1846].
- — — Haeusler, Neues Jahrbuch, Beil. IV, (1), 1885, 13, i, 22 and 23; ii, 3 and 4.
- — — Balkwill & Wright, Trans. R. Irish Ac. XXVIII (Sci.), 1885, 330, xiii, 18-20.
- — — Sherborn & Chapman, Journ. R. Micr. Soc. 1889, 484, xi, 8.
- — — *anceps*, Brady. Report Challenger, 1884, 313, xxxv, 12-15.
- — — *bradyi*, Schwager. Palæontographica, XXX, 1883, Pal. Theil, 117, xxix, (6), 19a-d.
- — — *calcareum*, Brady. Report Challenger, 1884, 302, xxxiii, 5-12.

- HAPLOPHRAGMIUM calcareum** [(Will.)]. Terquem, Bull. Soc. Zool. Fr. xi, 1886, 332, xl, 11a, b [refers to *Proteonina pseudospirale*].
- (Lit.) **canariensis**, d'Or. Bütschli in Brönn, Klassen, etc., Thier-Reichs, 1880, 192, v, 17 [*Nonionina*, 1839].
- — — — — Brady, Report Challenger, 1884, 310, xxxv, 1-5.
- — — — — Haeusler, Neues Jahrbuch, Beil. iv, (1), 1885, 12, i, 17-20.
- — — — — Brady, Parker & Jones, Trans. Zool. Soc. XII, (7), 1888, 218, xli, 9.
- — — — — **cassis** (Parker). Brady, Report Challenger, 1884, 304, xxxiii, 17-19 [*Lituola*, 1870].
- — — — — **conostomum**, Deecke. Abh. geol. Speciaalkarte Elsass-Lothr. IV, (1), 1884, 20, i, 4, 4n.
- — — — — Deecke, Mém. Soc. Emul. Montbéliard, XVI, 1886, (45), ii, 25-25b.
- — — — — **coprolithiforme**, Schwager. Benecke's geogn.-pal. Beiträge, I, 1868, 654, xxxiv, 3.
- — — — — Deecke, Abh. geol. Speciaalkarte Elsass-Lothr. IV, (1), 1884, 20, i, 5.
- — — — — Haeusler, Neues Jahrbuch, Beil. IV, (1), 1885, 13, ii, 5-8.
- — — — — Deecke, Mém. Soc. Emul. Montbéliard, XVI, 1886, (15), ii, 2-2d.
- — — — — **crassum**, Reuss. Sitz. k. Ak. Wiss. Wien. LV, (1), 1867, 62, i, 1, 2.
- — — — — **deforme**, Andreæ. Abh. geol. Speciaalkarte Elsass-Lothr. II, (3), 1884, 197, viii, 1.
- — — — — **depressum**, Jones. v. *Lituola nautiloidea*.
- — — — — **discus**, Rzehak. Verh. nat. Ver. Brünn, xxiv, 1885 (1886), 78, i, 1.
- — — — — **dubium**, Terquem. Mém. Soc. Géol. France, [3], IV, 1886, 41, iv, 29 and 30.
- — — — — **emaciatum**, Brady. Report Challenger, 1884, 305, xxxiii, 26-28.
- — — — — **fœdissima**, Reuss. Hoernes, Elem. Palæont. 1884, 32, f. 25; French ed. 1886, same fig. [*Dentaliuina*, 1860].
- — — — — **foliaceum**, Brady. Quart. Journ. Micr. Soc. XXI, 1881, 50.
- — — — — Brady, Report Challenger, 1884, 304, xxxiii, 20-25.
- — — — — De Folin, Le Naturaliste, Ann. 10, 1888, 157, f. 1, 2 and 3.
- — — — — **fontinense**, Terquem. Mém. Ac. Imp. Metz, LI, 1870, 337. xxiv, 29, 30a, b.
- — — — — Brady, Report Challenger, 1884, 305, xxxiv, 1-4.
- — — — — var. Haeusler, Neues Jahrbuch, Beil. IV, (1), 1885, 13, i, 21; ii, 1 and 2.
- — — — — **globigeriniforme** (Parker & Jones). Carpenter, The Microscope, ed. 6, 1881, 561, f. 320a, b [*Lituola nautiloidea*. var. 1865].
- — — — — Balkwill & Millett, Journ. Micr. III, 1884, 25, i, 5.
- — — — — Brady, Report Challenger, 1884, 312, xxxv, 10 and 11.
- — — — — **glomeratum** (Brady). Wright, Proc. Belf. Field Club, 1880-81 (App.), 180, viii, 1, 1a [*Lituola*, 1878].
- — — — — Brady, Report Challenger, 1884, 309, xxxiv, 15-18.
- — — — — Balkwill & Millett, Journ. Micr. III, 1884, 25, i, 6.
- — — — — **grande**, Reuss. Sitz. k. Ak. Wiss. Wien, LII, (1), 1865 (1866), 446, pl., 3.
- — — — — **humboldti**, Reuss. Denkschr. k. Ak. Wiss. Wien, XXV, 1865, 119, i, 1-4 [*Spirolina*, 1851].
- — — — — Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 9, ii, 3 and 4; and Mitt. a d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 11, same pl. and fig. [*H. humboldti* in text].
- — — — — Audreæ, Abh. geol. Speciaalkarte Elsass-Lothr. II, (3), 1884, 198, vii, 2.
- — — — — v. **latum**. Ibid. II, (3), 1884, 198, vii, 1.
- — — — — Steumann, Elem. Paleont. I, 1888, 21 and 26, f. 3D, 7D.
- — — — — **incisum**, Stache. Novara-Exped., Geol. (1), 1864, 165, xxi, i.
- — — — — **inflatum**, Karrer. Sitz. k. Ak. Wiss. Wien, XLIV, (1), 1861 (1862), 449, ii, 7 [error for 6].
- — — — — **inflatum**, Reuss. Reuss' Model, No. 3, 1865 (Catal. No. 3, 1861) [= *H. nautiloides*, Lam.].

- HAPLOPHRAGMIUM** *infrajurens*e, Terquem. Mém. Ac. Imp. Metz, **LI**, 1870, 337, xxiv, 27, 28a, b.
- *irregular*e (Röm.). Reuss. Sitz. k. Ak. Wiss. Wien, **XL**, 1860, 219, x, 9a, b; xi, 1 [*Spirolina*, 1840].
- — — — — Reuss' Model, No. 70, 1865 (Catal. No. 4, 1861).
- — — — — Zittel, Handbuch Palæont. I, 1876, 66, f. 4¹ and 76, f. 9.
- [irregolare] — — Schwager, Boll. R. Com. Geol. Ital. **VIII**, 1877, 26, pl., 85.
- — — — — Hoernes, Elem. Palæont. 1884, 32, f. 24; French ed., 1886, same fig.
- — — — — Gümbel, Geol. Bayern, I, (2), 1885, f. 266, 3.
- — — — — Fric, Arch. Nat. Landesd. Böhmens, **VII**, 1889, 117, woodcut 165.
- *jeffreysii*, Berthelin. Ann. Soc. Acad. Nantes, 5, **VIII**, 1878, 227, No. 20.
- *lagenarium*, Berthelin. Mém. Soc. Géol. France, [3], I, 1880, 21, i (xxiv), 2a, b.
- *latidorsatum* (Born.). Brady, Report Challenger, 1884, 307, xxxiv, 7-10, 14 [*Nonionina*, 1855].
- — — — — Brady, Parker & Jones, Trans. Zool. Soc. **xii**, (7), 1888, 218, xli, 14 and 22.
- *lituum*, Karrer. Sitz. k. Ak. Wiss. Wien, **XLIV**, (1), 1861 (1862), 450, ii, 6 [error for 7].
- *lobzannense*, Andreae. Abh. geol. Specialkarte Elsass-Lothr. II, (3), 1884, 198, vii, 3 and 4.
- *maoricum*, Stache. Novara-Exped., Geol. (1), 1864, 166, xxi, 2.
- *nanum*, Brady. Quart. Journ. Micr. Soc. **xxi**, 1881, 50.
- — — — — Brady, Ann. Mag. Nat. Hist. [5], **VIII**, 1881, 406, xxi, 1a, b, c.
- — — — — Brady, Denkschr. k. Ak. Wiss. Wien, **XLIII**, (2), 1882 (1881), 99, ii, 1a-c.
- — — — — Brady, Report Challenger, 1884, 311, xxxv, 6-8.
- — — — — var. Haeusler, Neues Jahrbuch, Beil. IV, (1), 1885, 14, ii, 10 and 11.
- — — — — Brady, Parker & Jones, Trans. Zool. Soc. **xii**, (7), 1888, 218, xli, 20.
- *nonioninoides*, Reuss. Sitz. k. Ak. Wiss. Wien, **XLVI**, (1), 1862 (1863), 30, i, 8a, b.
- *ovatum* (v. Hagen). Reuss, *ibid.* **XLIV**, (1), 1861 (1862), 328, v, 8 and 9 [*Orbignyna*, 1842].
- *parisiense*, Terquem. Mém. Soc. Géol. France, [3], II, 1882, 54, iii (xi), 11a, b.
- *pictonicum*, Berthelin. Revue Mag. Zool. 1879, 26, i, 1 and 2.
- *placenta*, Reuss. Andreae, Abh. geol. Specialkarte Elsass-Lothr. II, (3), 1884, 197, vii, 6 [*Nonionina*, 1851].
- *podolicum*, Alth. Pamietnik Akad. Umiej. Krakowie, VI, 1881, 133, xi, 17.
- — — — — Mojsisovics und Neumayr's Beiträge Pal. Oest.-Ungarn, I, 1882, 316, xxviii, 17.
- *pseudospirale* (Will.). Brady, Report Challenger, 1884, 302, xxxiii, 1-4 [*Proteonina*, 1858].
- — — — — Balkwill & Wright, Trans. R. Irish Ac. **XXVIII** (Sci.), 1885, 330, xiii, 6-8.
- *pusillum*, Andreae. Abh. geol. Specialkarte Elsass-Lothr. II, (3), 1884, 148, no fig.
- *rectum*, Brady. Carbonif. Foram. Pal. Soc. **XXX**, 1876, 766, viii, 8 and 9.
- *rotulatum*, Brady. Quart. Journ. Micr. Sci. **xxi**, 1881, 50.
- — — — — Brady, Report Challenger, 1884, 306, xxxiv, 5 and 6.
- *rotundidorsatum*, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 10, i, 2; and Mith. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 12, same pl. and fig.
- *rugosum* (d'Orb.). Brady, Quart. Journ. Geol. Soc. **XLIV**, 1888, 4, 1, 2 [*Robuliua*, 1826].

- HAPLOPHRAGMIUM** scitulum, Brady. Quart. Journ. Micr. Sci. xxI, 1881, 50.
 —— —— —— Brady, Report Challenger, 1884, 308, xxxiv, 11-13.
 —— scruposum, Berthelin. Mém. Soc. Géol. France, [3], I, 1880, 21, i (xxiv), 1^a, b.
 —— subglobosum (M. Sars). Brady, Denkschr. k. Ak. Wiss. Wien, XLIII, 1881, 100, No. 22; and Annals Mag. Nat. Hist. [5], viii, 1881, 406 [v. *Lituola*, 1868; referred to *H. latidorsatum*, in 1884].
 —— suprajurassicum, Schwager. Jahresh. Ver. vat. Nat. Württ., xxI, 1865, 92, ii, 1.
 —— —— —— Haeniusler, Neues Jahrbuch, Beil. iv, (1), 1885, 13, ii, 9.
 —— tenuimargo, Brady. Proc. Roy. Soc. Edinburgh, xi, 1882, 715.
 —— —— —— Brady, Report Challenger, 1884, 308, xxxiii, 13-16.
 —— terquemi, Berthelin. Mém. Soc. Géol. France, [3], I, 1880, 22, ii (xxv), 1.
 —— tuba, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 600, i, 1.
 —— tuberosum, Terquem. Mém. Soc. Géol. France, [3], IV, 1886, 41, iv, 26-28.
 —— turbinatum, Brady. Quart. Journ. Micr. Sci. xxI, 1881, 50.
 —— —— —— Brady, Report Challenger, 1884, 312, xxxv, 9^a, c.
 —— verruculosum, Gümbel. Sitz. k.-bayer. Ak. Wiss. München, I, 1871, 63, i, 1^a, b.
 —— vetustum, Terq. & Berthelin. Mém. Soc. Géol. France, [2], x, 1875, 53, iv (xiv), 16^a-d.
 —— —— —— Deecke, Mém. Soc. Emul. Montbéliard, xvi, 1886, (16), ii, 1-1e.
 P — Wisnioski, Jahrb. k. k. geol. Reichs. xxxviii, (1889), 695, xiii, 67.
HAPLOPORELLA, Gümbel, 1871. Abh. k. bay. Ak. Wiss. xi, 1871 (74), 256.
 [A genus of Calcareous algæ. See Solms-Laubach, Einleit. Palæophytologie, 1887, 38]. The spp. described by Gümbel (to whom refer for synonymy) are: *annulus* (Park. & Jones) [*Dactylopora*, 1860]; *biscutata*, G.; *digitata* (Park. & Jones) [*Dactylopora*, 1860]; *eruca* (Park. & Jones) [*Dactylopora*, 1860]; *fasciculata*, G.; *glandulosa*, (d'Arch) [*Prattia*, 1850]; *marginoporella* (Mich.); *reticulata*, (Defr.); *scrobiculata*, G.; *vesiculosa*, G.
HAPLOSTICHE, Reuss, 1861. Sitz. k. böhm. Ges. Wiss., Jahrg. 1861, (1), 16; Brady, Report Challenger, 1884, 317.
 —— clavulina, Reuss. In Geinitz, Palæontographica, xx, (2), 1874, 121, xxiv, 7 and 8.
 —— compressa, Seguenza. Atti R. Acc. Lincei, [3], vi, 1880, 309, xvii, 17, 17a.
 —— constricta, Reuss. In Geinitz, Palæontographica, xx, (2), 1874, 122, xxiv, 9-12 [*Nodosaria*, 1845].
 —— dentalinoides, Reuss. Ibid. xx, (2), 1874, 121, xxiv, 4-6.
 —— depressa, Olszewski. Sprawozd. Kom. fizj. Ak. Umiej. Krakowie, IX, 1875, 130, ii. 6.
 —— fœdissima, Reuss. Reuss' Model, No. 1, 1865 (Catal. No. 2, 1861) [*Dentalina*, 1860].
 —— —— —— Reuss in Geinitz, Palæontographica, xx, (2), 1874, 121, xxiv, 1-3.
 —— —— —— Schwager, Boll. R. Com. Geol. Ital. viii, 1877, 26, pl. 82.
 —— —— —— Quenstedt, Handbuch Petref. ed. 3, v, (1885), 1050, lxxxvi, 11.
 —— horrida, Schwager. Jahresh. Ver. vat. Nat. Württ. xxI, 1865, 92, ii, 2 [*Haplostiche* in text].
 —— —— —— Zittel, Handbuch Palæont. I, 1876, 76, f. 8².
 —— —— —— Haeniusler, Neues Jahrbuch, Beil. iv, (1), 1885, 15, i, 26.
 —— scarenæensis, Hantken, Ertek. termesz. köreböl, XIII, No. 1, 1883, 22, ii, 5; and Math. Nat. Ber. Ungarn, II, 1884, 143.
 —— soldanii (Jones & Park.). Brady, Report Challenger, 1884, 318, xxxii, 12-18 [*Lituola*, 1860].
HASTIGERINA, Wyville Thomson, 1876. Proc. Roy. Soc. xxIV, 1876, 534; Brady, Report Challenger, 1884, 612.

- HASTIGERINA** murrayi, Wy. T. Murray, Proc. Royal Soc. xxiv, 1876, 534, 22 and 23. [v. *Globigerina*].
 ——— ——— Hertwig, Jenaische Zeitschr. für Naturwiss. xi, 1877, 343, xx, 7 [structural].
 ——— ——— Haeckel, Protistenreich, 1878, 38, f. 24. [This is Murray's fig. of *Globig. bulloides* showing spinous processes.]
 ——— **pelagica** (d'Orb.). Brady, Report Challenger, 1884, 613, lxxxiii, 1-8 [*Noctinaria*, 1839].
- HAUERINA**, d'Orbigny, 1839. De la Sagra, Hist. Phys. Ile Cuba, 1839, "Foraminifères," pp. xxxviii, xxxix; Brady, Report Challenger, 1884, 190.
 ——— **alternans**, Costa. Atti Accad. Pontaniana, vii, (2), 1856, 211, xx, 5, A, B, C.
 ——— **antiqua**, Reuss. Sitz. k. Ak. Wiss. Wien, xlvi, (1), 1862 (1863), 35, ii, 1a, b.
 ——— **borealis**, Brady. Quart. Journ. Micr. Sci. xxi, 1881, 46 [referred to *Planispirina contraria*, 1884].
 ——— **circinata**, Brady. Ibid. xxi, 1881, 47.
 ——— ——— Brady, Report Challenger, 1884, 191, xi, 14-16.
 ——— **compressa**, d'Orbigny. Foram. Fossiles Vienne, 1846, 119, v, 25-27.
 ——— ——— Brönn, Lethaea Geognostica, ed. 3, III, 1853-56, 208, xxxv*, 10a, b, c.
 ——— ——— Mackie, Recreative Science, i, 1859, 149, f. 33.
 ——— ——— Carpenter, Parker & Jones, Introd. Foram. 1862, 81, vi, 34 and 36.
 ——— ——— Reuss' Model. No. 13, 1865 (Catal. No. 27, 1861).
 ——— ——— Jones in Microgr. Dict. ed. 4, 1883, 383. xxiii, 8a, b.
 ——— ——— Brady, Report Challenger, 1884, 190, xi, 12 and 13.
 ——— **cristata**, Fischer. Fonds de la mer, i, chap. xvii (1870), 252, no fig. [misspelt *Hunerina*].
 ——— **exigua**, Brady. Q. Journ. Micr. Sci. xix, 1879, 267, no figs. [referred to *Planispirina*, 1884].
 ——— **inconstans**, Brady. Ibid. xix, 1879, 268, no figs. [v. *Ophthalmidium*].
 ——— **intermedia**, Howchin. Trans. R. Soc. S. Australia, xii, 1889, 4, i, 6.
 ——— **ornatissima** (Karr.). Brady, Report Challenger, 1884, 192, vii, 15-22 [*Quinqueloculina*, 1868].
 ——— **plicata**, Parker & Jones. Carpenter, Parker & Jones, Introd. Foram. 1862, vi, 35.
 ——— sp. Schwager, Boll. R. Com. Geol. Ital. viii, 1877, 27, pl., 105.
 ——— Parker, Trans. Micr. Soc. London, n. s., vi, 1854, 55.
 ——— d'Orb. Butschli in Brönn, Klassen, etc., Thier-Reichs, 1880, 190, iv, 20.
- HELENIS** spatus, Montfort. Conch. syst. i, 1808, 195, 49th genre [= *Orbiculina adunca*].
- HELICITE**, Guettard. Mém. diff. parties Science, etc. ii, 1770, 185; iii, 1770, 431, xiii [= *Nummulites*].
 ——— Guettard, Mém. Mineral Dauphiné, ii, 1779, 769 and 831, iv, 1-6 [error for 1-3 [= *Nummulites*]].
- HELICITEN**, Walch. Das steinreich systematisch entworfen, ed. 2, i, 1769, 136, viii, 3 [*Nummulites* and *Alveolina*].
 ——— Brümer, Nat. mineral. i, 1763, 320, f. 20.
 ——— Walch, Naturges. Verstein. 1773, (2), 60-66, pl. A, vii [v. *Helicites*].
- HELICITES**, Gesner. Tract. phys. petrif. 1758, 50 [= *Nummulites*].
 ——— **perforatus**, Blainville. Man Malac. 1825, 373 [v. *Nummulina* and *Nummulites*].
 ——— **radiatus**, Blainville. Ibid. 1825, 373 [v. *Nummulina* and *Nummulites*].
 ——— Knorr, Recueil d. monumens. 1775, ii, 50, pl. A, vii [v. *Heliciten*].
 ——— Burtin, Oryctographie de Bruxelles, 1784, 103, xxii [*Nummulites*].
- HELICOZA**, Möbius, 1880. Beitr. Meeresfauna Insel Mauritius, etc. 1880, 103 [= *Polystomella*].
 ——— **eraticulata** (E. & M.). Möbius, ibid. 1880, 103, xii, 2 [*Nautilus*, 1798] [structural].
- HELICOSORINA**, Ehrenberg, 1838. Abh. k. Ak. Wiss. Berlin, 1838 (1840), Tab. 1 [a family group name].
- HELICOTROCHINA**, Ehrenberg, 1838. Ibid. 1838 (1840), Tab. 1 [a family group name].

HELMINTHOLITHUS, von Born. Index fossilium, Praga, 1775, 28 [= *Cyclo-lites hemisphaerica*, an anthozoan].

HEMICRISTELLARIA, Stache, 1864. Novara-Exped., Geol. (1), 1864, 222.

— *coreculum*, Stache. *Ibid.* (1), 1864, 223, xxiii, 2a, b.

— *excavata*, Stache. *Ibid.* (1), 1864, 224, xxiii, 3a, b.

— *infrapapillata*, Stache. *Ibid.* (1), 1864, 224, xxiii, 4a, b.

— *procera*, Stache. *Ibid.* (1), 1864, 222, xxiii, 1a, b.

— *verrucosa*, Stache. *Ibid.* (1), 1864, 226, xxiii, 5a, b.

HEMICYPTRA, Folin, 1882. Congrès Scient. Dax, 1882 (1883), 327.

HEMIFUSULINA, v. Möller. Neues Jahrbuch, 1877, 144.

— *bocki*, v. Möller. Mém. Ac. Imp. Sci. St. Petersburg, [7], xxv, No. 9, 1878, 76, v, 2a-e; xi, 1-3.

HEMIROBULINA, Stache. Novara-Exped., Geol. (1), 1864, 227.

— *arcuatula*, Stache. *Ibid.* (1), 1864, 227, xxiii, 6a, b.

— *compressa*, Stache. *Ibid.* (1), 1864, 229, xxiii, 8a, b.

— *galeola*, Stache. *Ibid.* (1), 1864, 228, xxiii, 7a, b.

HEMISTEGINA, Kaufmann. Beitr. geol. Karte Schweiz, (5), 1867, 150.

— *rotula*, Kaufmann. *Ibid.* (5) 1867, 150, viii, 19 [v. *Pulvinulina* = *Amphistegina*].

HEMISTRENA nautilus, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 284.

HEMISTICTA, Ehr., 1872.

— *amplificata*, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 284.

— — — Ehrenberg, Abh. k. preuss. Ak. Wiss. Berlin, 1872 (1873), iii, 12 [= *Pulvinulina*].

HERION rostratus, Montfort. Conch. syst. I, 1808, 231, 58th genre [= *Cristularia r-strata*].

HETERASTRIDIUM, Rvuss, v. Stoliczka.

HETEROGYSTINA, Smedley, Ency. Metrop. 1845, error for *Heterostegina*.

HETEROHELIX, Ehrenberg, 1843. [Changed by Ehrenberg to *Spiroplecta* in 1844. See Brady, Challenger, 1884, 375.]

HETEROLEPA, Franzenau, 1884. Termés. Füzetek, VIII, 1884, 181 and 214 [founded on *Rotalina dutemplei*, d'Orb.].

— *bullata*, Franz. *Ibid.* VIII, 1884, 184 and 217, v, 5, 7, 9 and 11.

— *costata*, Franz. *Ibid.* 183 and 216, v, 2 and 8.

— *dutemplei*, d'Orb. *Ibid.* IX, 1885, 151, vii, 1-4 [*Rotalina*, 1846].

— *præcincta*, Franz. *Ibid.* VIII, 1884, 183 and 216, v, 4, 6 and 10.

— *simplex*, Franz. *Ibid.* 182 and 215, v, 1.

— — — Franz. Földt. Közl. XIV, 1884, 298, fig.

HETEROSTEGINA, d'Orbigny, 1826. Ann. Sci. Nat. VII, 1826, 305; Brady, Report Challenger, 1884, 745.

— *antillarum*, d'Orbigny. De la Sagra Hist. Phisiq., etc. Cuba, 1839, "Foraminifères," 122, vii, 24 and 25; also in Spanish, 1840, 121, same pl. and fig.

— — — Quenstedt, Handb. Petref. ed. 3, (5), (1885), 1058, lxxxvi. 57.

— *carpatica*, Uhlig. Jahrb. k. k. geol. Reichsanstalt, XXXVI, 1886, 201, ii, 14 and 15; and 202, f. 10.

— *clathrata*, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1855, 105, III, x [= *Amphisteg. javanicus*, Ehr.] [Glauc.].

— *complanata*, Meneghini. Paléont. Ile Sardaigne, 1857, 544, II, 6, 6', 6a, 6b, 6b'.

— *costata*, d'Orbigny. Foram. Fossiles Vienne, 1846, 212, xii, 15-17.

— — — Brönn, Lethaea Geognostica, ed. 3, III, 1853-56, 205, XXXV², 5a-c.

— — — Reuss' Model. No. 80, 1865 (Catal. No. 100, 1861).

— — — Roemer. Geologie von Oberschlesien, 1870, 394, xli, 12-14.

— — — Zittel, Handbuch Paläont. I, 1876, 102, f. 42.

— — — Karrer, Abh. k. k. geol. Reichs. IX, 1877, 388, xvii, 60.

— — — Hoernes, Elem. Paläont. 1884, 27, f. 17; French ed., 1886, same fig.

— *curva*, Möbius. Beitr. Meeresfauna Insel Mauritius, etc. 1880, 105, xiii, 1-6 [structural].

- HETEROSTEGINA** *depressa*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 305, No. 2, xvii, 5-7.
 ——— ——— d'Orbigny, Modèles, 1826, No. 99.
 ——— ——— Cuvier, Règne Animal, 1836-46, ix (pls. x), 35, xiv, 2.
 ——— ——— Smedley, Ency. Metrop. 1845, undescr., pl., "Mollusca?", 37 and 38.
 ——— ——— P., J. & B. [D'O., Modèles 99] Ann. Mag. Nat. Hist. [3], XVI, 1865, 34, iii, 100.
 ——— ——— v. *simplex*, d'Orb. Goës. K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 117, viii, 303 [v. *H. simplex*].
 ——— ——— Brady, Report Challenger, 1884, 746, cxii, 14-20.
 ——— ——— Bassett, Ann. Soc. Sci. Charente-Inf. 1884 (85), 164, fig.
 ——— ——— Gümbel, Geol. Bayern, I, (2), 1885, f. 266, 29.
 ——— ——— Terrigi, Mem. R. Acc. Lincei, (4), VI, 1889, 122, x, 1.
 ——— *discorbiformis* (Pusch). Quenstedt, Handbuch Petref. v, 1885, 1058, f. 398 [*Nunnulina*, 1837].
 ——— *grotianii*, Reuss. Denkschr. k. Ak. Wiss. Wien, xxv, 1865, 164, iv, 18.
 ——— *helvetica*, Kaufmann. Beitr. geol. Karte Schweiz. (5), 1867, 153, ix, 6-10.
 ——— *papyracea*, Seguenza. Atti R. Acc. Lincei, [3], VI, 1880, 90, ix, 4, 4a.
 ——— *pleurocentralis*, Carter (n. sp.?). Annals Mag. Nat. Hist. [3], VIII, 1861, 460; Journ. Bombay Branch R. Asiatic Soc. VI, 1861 (1862), 86, not figured.
 ——— *puschii*, Zejszner. Bibl. warszawska, 1862, IV, str. 230, 472 i, 475 [quoted from the *Pamietnik Fizyczny*, IV, 1884, 72].
 ——— *puschii*, Reuss [Jude Quenstedt], Handbuch Petref. ed. 3, (5), (1885), 1058, lxxxvi, 58.
 ——— *reticulata*, Rüttimeyer. Nouv. Mém. Soc. Helvetic. Sci. Nat. XI, 1850, Mém. 2, iv, 61.
 ——— ——— Gümbel, Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 662, ii, 110a, b.
 ——— ——— Hantken, A. magy. kir. földt. int. évkönyve, IV, 1875 (1876), 70, xii, 3; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt. IV, 1875 (1881), 81, same pl. and fig.
 ——— ——— Schwager, Boll R. Com. Geol. Ital. VIII, 1878, 25, pl. 23.
 ——— *ruida*, Schwager. Palaeontographica, XXX, 1883, Pal. Theil, 145, xxix (6), 67-8.
 ——— *simplex*, d'Orbigny. Foram. Fossiles Vienne, 1846, 211, xii, 12-14.
 ——— ——— Pictet, Traité de Paléont. ed. 2, IV, 1857, 516, cix, 36.
 ——— *suborbicularis*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 305, No. 1.
 ——— *tuberculata*, Möbius. Beitr. Meeresfauna Insel Mauritius, etc. 1880, 107, xii, 3-7 [structural].
 ——— sp. (after Carpenter). Reuss' Model. No. 92, 1865 (Catal. No. 99, 1861).
 ——— ind. Abich, Geol. forsch. Kankas. Ländern, II, 1882, 236, x, 7.
 ——— Carpenter, Phil. Trans. 1856, 562, xxxi, 1, 7 and 11.
 ——— Carpenter, Parker & Jones, Introd. Foram. 1862, 288, xix, 1; figs. xlvi-lvii in text [structural].
 ——— Kölliker, Icones Hist.-biologicae, 1864, 32 [structural].
 ——— Carpenter, Ency. Brit. ed 9, IX, 1879, "Foraminifera," 382, f. 28.
 ——— Bütschliin Brunn, Klassen, etc., Thier-Reichs, 1880, 215, x, 5.
 ——— Carpenter, The Microscope, ed. 6, 1881, 584, f. 338.
- HETEROSTOMELLA**, Reuss, 1865. Sitz. k. Ak. Wiss. Wien, LIII, (1), 1865, 448 [referred to *Gaudryina* by Brady, Report Challenger, 1884, 377]. [v. Parker & Jones, Geol. Mag. 1871, 508].
- *aculeata* (Ehrenberg). v. *Loxostomum*.
- *laevis*, Parker & Jones. Annals Mag. Nat. Hist. IX, 1872, 298; x, 1872, 198.
- *leopolitana*, Olszewski. Sprawozd. Kom. fizycz. Ak. Umiej. Krakowie, IX, 1875, 136, ii, 9.
- *rugosa* (d'Orb.). Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 26, pl., 100 [v. *Sagrina*].
- *tumens* (Ehr.). Jones, Cat. Foss. Foram. B. M., 1882, 88 [v. *Loxostomum*].

HETEROSTOMUM, Ehrenberg, 1854.

— *alternans*, Ehr. Mikrogeologie, 1854, xxx, 37 [= *Virg. hemprichii*, passing towards *Cassidulina*].

— *cyclostomum*, Ehr. *Ibid.* 1854, xxviii, 31 [= *Text. gibbosa*].

— *nucula*, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 305.

HIPPOCREPINIA, Parker, 1870. In Dawson, Canad. Nat. n. s. v, 1870, 176; Brady, Report Challenger, 1884, 324.

— *indivisa*, Parker. Dawson, Canad. Nat. n. s. v, 1870, 176, f. 2.

— — — — — Dawson, Amer. Journ. Sci. [3], I, 1871, 206, f. 2; and Annals Mag. N. II. [4], VII, 1871, 86, f. 2.

— — — — — Brady, Ann. Mag. Nat. Hist. [5], VIII, 1881, 407, xxi, 3a, b, and 4.

— — — — — Brady, Denkschr. k. Ak. Wiss. Wien, XLIII, (2), 1882 [1881], 100, ii, 3a, b, 4.

— — — — — Brady, Report Challenger, 1884, 325, xxvi, 10-14.

HOLOCOCCUS?, Ehrenberg, 1859. See *Miliola (Holococcus?) panderi*, Ehr. Monatsber. k. preuss. Ak. Wiss. 1862, 601, pl. 7-11 [= *Lagena?*].

HOLOCLADINA pustulifera, Carter. Ann. Mag. Nat. Hist. [5], V, 1880, 447, xviii, 4a-g. [One of the Testamæbiformiæ; Brady, Report Challenger, 1884, 77].

HORMOSINA, Brady, 1879. Q. Journ. Micr. Sci. xix, 1879, 56; Brady, Report Challenger, 1884, 325.

— *carpenteri*, Brady. Quart. Journ. Micros. Sci. xxi, 1881, 51 [v. "Moniliform *Lituola*," 1875].

— — — — — Carpenter, The Microscope, ed. 6, 1881, 563, f. 321, f.

— — — — — Brady. Report Challenger, 1884, 327, xxxix, 14-18.

— *globulifera*, Brady. Q. Journ. Micr. Sci. xix, 1879, 60, iv. 4 and 5.

— — — — — Carpenter, The Microscope, ed. 6, 1881, 563, f. 320, c.

— — — — — Brady, Report Challenger, 1884, 326, xxxix, 1-6.

— — — — — De Folin, Le Naturaliste, x, 1888, 87, f. 1 and 2.

— *monile*, Brady. Quart. Journ. Micr. Sci. xxi, 1881, 52.

— — — — — Brady, Report Challenger, 1884, 328, xxxix, 10-13.

— *normani*, Brady. Quart. Journ. Micr. Sci. xxi, 1881, 52.

— — — — — Brady, Report Challenger, 1884, 329, xxxix, 19-23.

— *ovicula*, Brady. Q. Journ. Micr. Sci. xix, 1879, 61, iv. 6.

— — — — — Bütschli in Bronn, Klassen, etc., Thier-Reichs, 1880, 199, v, 15.

— — — — — Brady, Report Challenger, 1884, 327, xxxix, 7-9.

HORTOCERATIA, Soldani. Testaceographica, 1739 II, App. 141, 5, 37 m, M [= *Nodos. afinis*, d' O. For. Foss. Vienne, 1846, 39, I, 36-39].

— *vaginulam gladii referentia*, Sold. *Ibid.* 1739, II, App. 141, 6, 44n, N [= *Vaginulina striata*, d' O. Ann. Sci. Nat. VII, 1826, 257, 3].

HYALEINA, Costa. Atti Accad. Pontaniana, vn, (2), 1856, not descr., xviii, 22-25 [= *Lagena marginata*].

HYBRIDINA, Kübler & Zwingli, 1866. Neujahrsblatt Burgersbibl. Winterthur, 1866, 8.

— *liaatica*, Kübler & Zwingli. *Ibid.* 1866, 8, I, 10 [= *Dentalina*, deformed].

— *obliqua*, Kübler & Zwingli. *Ibid.* 1866, 9, I, 21 [= *Dentalina*].

HYMENOCYCLUS, Bronn, 1851-2. Lethæa Geognostica, ed. 3, II, 1851-52, 94. *concameratus*, Schafhärtl. Sud-Bayerns Lethæa Geogn. 1863, 108, XIV, 9a-r.

— *symbolum*, Schafhärtl. *Ibid.* 1863, 107, XIV, 7a, b.

— *faujasii* (D'efr.). Bronn, Lethæa Geognostica, ed. 3, II, 1851-52, 94, XXIX¹, 29 [= *Lycophrys*, 1824].

? — *mantelli* (Morton). *Ibid.* ed. 3, III, 1853-56, 253, XXXV³, 11 [= *Nummulites*, 1833].

— *papyraceus* (Boub.). *Ibid.* ed. 3, III, 1853-56, 251, XXXV³, 10a-g [= *Nummulites*, 1832].

— *patellaris*, Schafhärtl. Sud-Bayerns Lethæa Geog. 1863, 108, XV, 3a, b, c [= *Astrodiscus* on plate].

— *rugosus*, Schafhärtl. *Ibid.* 1863, 107, XIV, 6a-d.

— *umbo*, Schafhärtl. *Ibid.* 1863, 106, XIV, 5a-k, 8a-c [= *Nummulina*, 1846].

HYPERAMMINA, Brady, 1878. Ann. Mag. Nat. Hist. [5], I, 1878, 433; Brady, Report Challenger, 1884, 257.

- HYPERAMMINA** arborescens (Norm.). Brady, Report Challenger, 1884, 262, xxviii, 12 and 13; and f. 10, p. 263 [*Psammatudendrou*, 1881].
 ——— ——— Wright, Proc. Belfast Nat. Field Club, 1884-5, App. ix, 1886, 319, xxvi, 1.
 ——— elongata, Brady. Ann. Mag. Nat. Hist. [5], i, 1878, 433, xx, 2a, b.
 ——— ——— Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 142, xii, 426-429.
 ——— ——— Brady, Report Challenger, 1884, 257, xxiii, 4, 7-10.
 ——— ——— Balkwill & Wright, Trans. R. I. Ac. xxviii (Sci.), 1885, 328, xiii, 4a, 4b.
 ——— ——— Agassiz, Three Crnises "Blake," ii, 1888, 162, f. 491.
 ——— ——— v. clavatula, Howchin. Journ. R. Microsc. Soc. 1888, 535, viii, 1, 2.
 ——— friabilis, Brady. Brady, Report Challenger, 1884, 258, xxiii, 1-3, 5, 6.
 ——— palmiformis, Pearcey. Proc. N. H. Soc. Glasgow, n. s. ii (1888), 171, iii, 1-4.
 ——— ramosa, Brady. Q. Journ. Micr. Sci. xix, 1879, 33, iii, 14 and 15.
 ——— ——— Brady, Report Challenger, 1884, 261, xxiii, 15-19.
 ——— ——— Brady, Parker & Jones, Trans. Zool. Soc. xii, (7), 1888, 217, xli, 1-4, 13.
 ——— subnodosa, Brady. Report Challenger, 1884, 259, xxiii, 11-14.
 ——— vagans, Brady. Q. Journ. Micr. Sci. xix. 1879, 33, v, 3.
 ——— ——— Moseley, Nature (Apr. 15, 1880), xxi, 570, f. 11c.
 ——— ——— Haeniusler, Neues Jahrbuch, 1883, i, 58, iii, 7-10.
 ——— ——— (spiral var.). Haeniusler, Quart. Journ. Geol. Soc. xxxix, 1883, 26, ii, 2-6.
 ——— ——— Brady. Report Challenger, 1884, 260, xxiv, 1-9.
 ——— ——— Howchin. Journ. R. Microsc. Soc. 1888, 535, viii, 3.
 ——— Brady. De Folin, Bull. Soc. Nat. Hist. Toulouse, xv, 1881, 135; 15 new species proposed but not described!
HYPERAMMINELLA, Folin, 1881. Bull. Soc. N. H. Toulouse, xv, 1881, 140, not described: 1 species proposed.
 ——— de Folin. Le Naturaliste, ix, 1887, 114. f. 9.
IDALINA, Schlumberger & Munier (*Calymmas*, 1884. Bull. Soc. géol. France, [3], XII, 1884, 629; XIII, 1885, 298, etc.
 ——— antiqua (d'Orb.). Mun.-Ch. & Schlumberg., *Ibid.* [3], XIII, 1885, 292, f. 17; 296, etc., f. 22-35; and pl. xiii [structural] [*Bilobulina*, 1847].
ILOTES rotalitatus, Montfort. Conch. Syst. i, 1808, 199, 50th genre [= *Orbic. adnica*].
ILYOPEGMA, de Folin. Bull. Soc. N. H. Toulouse, xv, 1881, 139; not described, 1 species proposed.
ILYOPERIDIA, de Folin. *Ibid.* xv, 1881, 139; not described, one species proposed.
ILYOSPHÆRA, de Folin, 1882. Congrès Scient. Dax, 1882 (1883), 328 [not described].
ILYOZOTIKA, de Folin. Bull. Soc. N. H. Toulouse, xv, 1881, 139; not described, 1 species proposed.
INVOLUTINA, Terquem, 1862. Mém. Ac. Imp. Metz, xlII, 1862, 450.
 ——— aspera, Terquem. *Ibid.* xlIV, 1863, 431, x, 21a, b [= *Anomodiscus incertus*].
 ——— carbonica, Schwager. Pal. Indica, [13], No. 7, 1887, 992, cxxviii, 7-9.
 ——— crassa, Brady. Rept. Brit. Assoc. (Exeter), 1869, 382, not figured [v. *Eudothyra*].
 ——— cylindrica, Brady. *Ibid.* 1869, 382, not figured.
 ——— cylindroides, Brady. *Ibid.* 1869, 382, not figured.
 ——— deslongchampsi, Terquem. Mém. Ac. Imp. Metz, xlIV, 1863, 432, x, 12 [22] a, b [v. *Problematina*].
 ——— incerta, Brady. Rept. Brit. Assoc. (Exeter), 1869, 382, not figured.
 ——— jonesi, Terq. & Piette. Terquem, Mém. Ac. Imp. Metz, xlII, 1862, 461, vi, 22a, b, c.
 ——— liassica (Jones). Brady, Geol. Mag. i, 1864, 193, ix, 1-6 [*Nummulites*, 1853].
 ——— [liasina] ——— Bornemann, Zeitschr. deutsch. geol. Ges. xxvi, 1874, 713, xviii, 1-3; xix, 1-7.

- INVOLUTINA liassica**, (Jones). Tate & Blake, Yorkshire Lias, 1876, 453, xviii, 6, 6a.
 —— [liasina, (Jones)]. Schwager, Boll. R. Com. Geol. Ital. viii, 1877, 26, pl., 54.
 —— [liasina (Jones)]. Bütschli in Bronn, Klassen, etc., Thier-Reichs, 1880, 209, ix, 12.
 —— limitata, Terquem. Mém. Ac. Imp. Metz, xliv, 1863, 433, x, 24a, b [*v. Silicina*].
 —— lobata, Brady. Rept. Brit. Assoc. (Exeter), 1869, 382, not figured [referred to *Eudothyra Bowmani*, 1876].
 —— macella, Brady. Ibid. 1869, 382, not figured [*v. Endothyra*].
 —— nodosa, Terquem. Sixième Mém. Foram. Lias, 1866, 523, xxii, 25a, b [*v. Problematica*].
 —— obliqua, Brady. Rept. Brit. Assoc. (Exeter), 1869, 382, not figured [*v. Endothyra*].
 —— petrea, Terquem. Cinquième Mém. Foram. Lias, 1866, 446, xviii, 17a, b, c [*v. Problematica*].
 —— polymorpha, Terquem. Mém. Ac. Imp. Metz, xliv, 1863, 432, x, 23a, b, c [*v. Silicina*].
 —— radiata, Brady. Rept. Brit. Assoc. (Exeter), 1869, 382, not figured [*v. Endothyra*].
 —— recta, Brady. Ibid. 1869, 382, not figured.
 —— silicea, Terquem. Mém. Ac. Imp. Metz, xlvi, 1862, 450, vi, 11a, b [= *Ammodiscus incertus*].
 —— subrotundata, Brady. Rept. Brit. Assoc. [Exeter], 1869, 382, not figured.

ITEITÆ, Scheuchzer. Misc. cur. Ephem. Acad. Cæs. Leop., Dec. iii, Append. Anno v and vi (1700), 63, f. j [= *Nummulites*].

JACULELLA, Brady, 1879. Q. Journ. Micr. Sci. xix, 1879, 35; Brady, Report Challenger, 1884, 255.

- acuta, Brady. Q. Journ. Micr. Sci. xix, 1879, 35, iii, 12 and 13.
 —— Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 143, xii, 432.
 —— Brady, Report Challenger, 1884, 255, xxii, 14–18.

- obtusa, Brady. Proc. Roy. Soc. Edinburgh, xi, 1882, 714, not figured.
 —— Brady, Report Challenger, 1884, 256, xxii, 19–22.
 —— De Folin, Bull. Soc. N. H. Toulouse, 1881, xv, 133; 10 new species proposed but not described!

JESITES vermicularis, Montfort. Conch. Syst. i, 1808, 103, 26th genre [= ? *Serpula*; ? *Pulvinulina*; ? *Spirillina*].

JULIA, de Folin, 1881. Bull. Soc. N. H. Toulouse, xv, 1881, 141, not described, 6 species proposed!

KALAMOPSIS, Folin, 1882. Congrès Scient Dax, 1882 (1883), 320 [? foraminiferal]. Involucrum irregulariter subcylindricum, tubularium, elongatum, ad unam extremitatem closum, ad alteram forsan apertum, subvitreum, interdum inflatum sicut geniculatum.

- vaillanti, Folin. Ibid. 1882 (1883), 320.
 —— De Folin, Actes Soc. Linn. Bordeaux, xl, (5), 1887, 288, viii, 12a-c.

KERAMOSPHERE, Brady, 1882. Ann. Mag. Nat. Hist. [5], x, 1882, 245; Brady, Report Challenger, 1884, 225.

- murrayi, Brady. Ann. Mag. Nat. Hist. [5], x, 1882, 245, xiii, 1–4.
 —— Brady, Report Challenger, 1884, 224, f. 8, 225.

KIKRAMMINA, de Folin. Bull. Soc. N. H. Toulouse, xv, 1881, 132, not described, 1 species proposed.

KÜMMELSTEIN,
KÜMMISCHSTEIN, } Kircher, Mund. subterr. 1665–78, 29 [= *Nummulites*].

KÜMMSTEIN.

L. urceolata (fragmentum) articulis singulis urceolatis tubo conjunctis, Jura. Ehrenberg, Abhandl. k. Ak. Wiss. Berlin, 1838, 132 [no genus is given].

- LACAZINA**, Munier-Chalmas, 1882. Bull. Soc. géol. France, [3], x, 1882, 472,
 "type *Alveolina compressa*, d'Orb.," xiii, 1885, 314, etc.
- **compressa** (d'Orb.). Mun.-Ch. & Schlumb., *Ibid.* [3], xiii, 1885, 315,
 etc., f. 41 and 45, pl. xiv, 60 and 61; xiv bis, 66-68 [*Alveolina*, 1847].
- — — **v. galloprovincialis**. Mun.-Ch. & Schlumb. *Ibid.* [3], xiii,
 1885, 317, etc., f. 42-44, pl. xiv, 62-65..
- LAGENA**, Walker & Boys, 1784. G. Walker, Testac. min. rar. 1784, 3 [see *Serpula (Lagena)*]; Brady, Report Challenger, 1884, 440.
- **aargovensis**. K. & Z.
- — — **[argovensis] major**, Kübler & Zwingli. Neujahrsblatt Burgersbibl.
 Winterthur, 1866, 12, ii. 10.
- — — **[argovensis] minor**, Kübler & Zwingli. *Ibid.* 1866, 12, ii. 11.
- — — — — Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 13, ii, Opalimisthon 2 [= *Lag. globosa*].
- — — **acicula**, Reuss. Sitz. k. Ak. Wiss. Wien, XLII, 1860 (1861), 355, i, 1.
- — — **acicularis**, Terq. Terq. & Berth., Mém. Soc. Géol. France, [2], x,
 1875, 13, i (xi), 3 [*Oolina*, 1858].
- — — **acuta** (Reuss). Brady, Report Challenger, 1884, 474, lix, 6a, b ? [*Fissurina*, 1862].
- — — — — Fornasini, Boll. Soc. Geol. Ital. vii, 1888, 47, iii, 6.
- — — **acuticosta**, Reuss. Sitz. k. Ak. Wiss. Wien, XLIV, (1), 1861 (1862), 305,
 i, 4.
- — — — — *Ibid.* XLVI. (1), 1862 (1863), 331, v, 63.
- — — — — Bütschli in Brönn, Klassen, etc., Thier-Reichs, 1880, 197,
 vii, 9.
- — — — — Brady, Report Challenger, 1884, 464, lvii, 31 and 32; lviii,
 20 and 21.
- — — **agglutinans**, Terquem. Mém. Ac. Imp. Metz, LI, 1870, 352, xxv, 29 and
 30 [error for 28 and 29].
- — — **alifera**, Reuss. Sitz. k. Ak. Wiss. Wien, LXII, (1), 1870, 467; figured by
 von Schlicht, "Foram. Septarienthones Pietzpuhl," 1870, iii, 15, 16, 21
 and 22.
- — — **alternans**, Terquem. Ess. Anim. Plage Dunkerque, (1), 1875, 21, i, 4
 (and Mém. Soc. Dunkerquoise).
- — — **alveolata**, Brady. Report Challenger, 1884, 487, ix, 30 and 32.
- — — — — var. **caudigera**, Brady. *Ibid.* 1884, 488, ix, 25.
- — — — — var. **substriata**, Brady. *Ibid.* 1884, 488, ix, 34 [*L. auricu-*
lata, var., 1881].
- — — **amphora**, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 330,
 iv, 57.
- — — **ampulla-distoma**, Ry. Jones. Brady, Report Challenger, 1884, 458,
 lvii, 5 [*L. vulgaris*, var., 1872].
- — — **anomala**, Stache. Novara-Exped., Geol. (1), 1864, 183, xxii, 4a, b [er-
 ror for 5].
- — — **antarctica**, Fischer. Fond le la Mer, i, Chap. xii (1869), 236, no fig.
- — — **antiqua**, Alcock. Mem. Lit. Phil. Soc. Manchester, [3], iii, 1868, iv, 3.
- — — **apiculata**, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 318,
 i, 4-8, 10 and 11 [*Oolina*, 1850].
- — — — — v. **elliptica**. Reuss. *Ibid.* XLVI, (1), 1862 (1863), 35, ii, 2.
- — — — — J., P. & B., Crag Foram. Pal. Soc. XIX, 1866, 44, 1, 27.
- — — — — Terquem, Mém. Ac. Imp. Metz, LI, 1870, 350, xxv, 23 and
 24 [error for 22 and 23].
- — — — — Hantken, A magy. kir földt. int. évkönyve, IV, 1875 (1876),
 76, xii, 7; and Mitth. a. d. Jahrb. k. ungar. geol. Austait, IV, 1875 (1881),
 22, same pl. and fig.
- — — — — Bütschli in Brönn, Klassen, etc., Thier-Reichs, 1880, 197,
 vii, 3.
- — — — — Brady, Report Challenger, 1884, 452, lvi, 4, 15-18.
- — — — — Sherborn & Chapman, Journ. R. Micr. Soc. [2], vi, 1886,
- — — — — 744, xiv, 14.
- — — — — Terquem, Mém. Soc. Géol. France, [3], iv, 1886, 6, i, 5.
- — — — — Haeusler, Neues Jahrb. 1887, I, 182, iv, 19-30; and v, 36
 and 37.

- LAGENA apiculata**, Reuss. Terrigi, Mem. R. Acc. Lincei, (4), vi, 1889, 111, v, 11.
 ———— Mariani, Boll. Soc. Geol. Ital. vii (1889), 285, x, 5.
 ———— see *L. sulcata*, W. & J. and *L. vulgaris*.
aspera, Reuss. Sitz. k. Ak. Wiss. Wien, XLIV, (1), 1861 (1862), 305, i, 5 [v. *Entosolenia*].
 ———— Reuss, *ibid.* XLVI, (1), 1862 (1863), 335, vi, 81.
 ———— Terq. & Berthelin, Mém. Soc. Géol. France, [2], x, 1875, 15, i (xi), 10.
 ———— Brady, Report Challenger, 1884, 457, lvii, 7–10, var., 6, 11, 12.
 ———— Balkwill & Millett, Journ. Micr. III, 1884, 78, ii, 1.
 ———— Balkwill & Wright, Trans. R. I. Ac. XXVIII (Sci.), 1885, 337, xiv, 10–12.
 ———— Haesler, Neues Jahrb. 1887, I, 185, v, 14–18.
auriculata. Brady. Quart. Journ. Micros. Sci. XXI, 1881, 61.
 ———— Brady, Report Challenger, 1884, 487, lx, 29, 33.
 ———— var. **costata**, Brady. Quart. Journ. Micros. Sci. XXI, 1881, 61.
 ———— Brady, Report Challenger, 1884, 487, lx, 38.
 ———— v. **substriata**. Brady. Quart. Journ. Micros. Sci. XXI, 1881, 61 [referred in 1884 to *L. alveolata*, q. v.].
badensis, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 38, iv, Badener Schicht 1 [= *L. levius*].
bicarinata (Terquem). Balkwill & Millett, Journ. Micr. III, 1884, 82, ii, 4 [*Fissurina*, 1882].
 ———— (trigonal form) ——— Balkwill & Millett, *ibid.* III, 1884, 82, iii, 9.
 ———— Balkwill & Wright, Trans. R. I. Ac. XXVIII (Sci.), 1885, 342, xii, 30.
 ———— Wright, Proc. Belfast Nat. Field Club, 1884–5, App. IX, 1886, 320, xxvi, 8a, b.
bifrons, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 607, i, 9a, b.
bittneri, Karrer. Abh. k. k. Geol. Reichs. IX, 1877, 378, xvii, 18.
botelliformis, Brady. Quart. Journ. Micr. Sci. XXI, 1881, 60.
 ———— Brady, Report Challenger, 1884, 454, lvi, 6.
bradyana, Fornasini. Boll. Soc. Geol. Ital. VII, 1888, 47, iii, 8.
bullæformis, Schwager. Benecke's Geogr.-Pal. Beiträge, I, 1868, 655, xxxiv, 5.
 ———— Deecke, Abh. geol. Speciakarte Elsass.-Lothr. IV, (1), 1884, 23, i, 9, 9a.
 ———— Deecke, Mém. Soc. Emul. Montbéliard, XVI, 1886, [18], i, 1–1b.
cæpulla, Schwager. Novara-Exped., Geol. II, 1866, 205, iv, 20a, b.
capillosa (Schwager), v. *Fissurina*.
castrensis, Schwager. Novara-Exped., Geol. II, 1866, 208, v, 22.
 ———— Brady, Report Challenger, 1884, 485, ix, 1, 2 and 3 ?.
 ———— Balkwill & Wright, Trans. R. I. Ac. XXVIII (Sci.), 1885, 341, xii, 20 and 21.
catenulata (Will.). Reuss, Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 332, vi, 75 and 76 [v. *Entosolenia squamosa*].
 ———— Bütschli in Brönn, Klassen, etc., Thier-Reichs, 1880, 197, vii, 11.
 ———— [Reuss]. Terquem, Mém. Soc. Géol. France, [3], IV, 1886, 7, i, 10.
caudata, d'Orbigny. Reuss, Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 325, iii, 29 [*Oolina*, 1839].
 (———). Parker & Jones, Phil. Trans. 1865, 352, xvi, 7.
 ———— Mackie, Science Gossip, 1867, 129, f. 106.
 ———— Balkwill & Millett, Journ. Micr. III, 1884, 78, i, 9.
 ———— see *L. sulcata*, W. & J. and *L. vulgaris*.
clathrata, Brady. Report Challenger, 1884, 485, lx, 4.
 ———— Balkwill & Millett, Journ. Micr. III, 1884, 82, ii, 14; and iv, 5 (near *castrensis*).

- LAGENA** clavata, d'Orbigny. Mackie, Recreative Science, I, 1859, 148, f. 13
 [Oolina, 1846; v. also *L. vulgaris*].
 ——— Reuss, Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 320,
 i, 13 and 14.
 ——— [Reuss]. Terq. & Berth., Mém. Soc. Géol. France, [2], x, 1875, 14,
 i (xi), 7a, b.
 ——— Terquem, *ibid.* [3], II, 1882, 25, i (ix), 2.
 ——— Brady, Report Challenger, 1884, 456.
 ——— Brady, Geol. Mag. dec. 3, v, 1888, 481, xiii, 4 (?), 5.
 ——— clavato-punctata, Seguenza. Atti R. Acc. Lincei, [3], vi, 1880, 374,
 xvii, 58.
 ——— compressula, Gümbel. Jahresh. Ver. vat. Nat. Württ. XVIII, 1862,
 215, iii, 2a, b. c.
 ——— costata (Will.). Wright, Proc. Belf. F. C. 1876-7 (App.), 103, iv, 11, 12
 and 13 [*Entosolenia*, 1858].
 ——— Reuss, Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863),
 329, iv, 54.
 ——— Terquem, Mém. Soc. Géol. France, [3], II, 1882, 27, i
 (ix), 11.
 ——— Balkwill & Wright, Trans. R. I. Ac. XXVIII (Sci.), 1885,
 338, xiv, 3-5.
 ——— Haeusler. Neues Jahrb. 1887, I, 184, v, 5.
 ——— costifera, Terquem. Bull. Soc. Zool. Fr. XI, 1886, 330, xi, 3 and 4.
 ——— crenata, Park. & Jones. Phil. Trans. 1865, 420, xviii, 4a, b [not *Fissurina*
 crenata, Seg.].
 ——— Bütschli in Bronn, Klassen, etc., Thier-Reichs, 1880, 197,
 vii, 16.
 ——— Brady, Report Challenger, 1884, 467, lvii, 15, 21.
 ——— Balkwill & Wright, Trans. R. I. Ac. XXVIII (Sci.), 1885,
 339, xiv, 17 and 18.
 ——— curvilineata, Balkwill & Wright. *Ibid.* XXVIII (Sci.), 1885, 338, xiv,
 21-24.
 ——— Balkwill & Millett, Journ. Micr. III, 1884, ii, 3.
 ——— decorata, Seguenza. Atti R. Acc. Lincei, [3], vi, 1880, 305, xvii, 12.
 ——— dentata (Seguenza) [v. *Fissurina*].
 ——— desmophora, Ry. Jones. Brady, Report Challenger, 1884, 468, lviii, 42
 and 43 [*L. vulgaris*, var., 1872].
 ——— dianæ, Karrer. Sitz. k. Ak. Wiss. Wien, LV, (1), 1867, 365, iii, 8.
 ——— diptera (Seguenza), v. *Fissurina*
 ——— distoma, Parker & Jones MS. Brady, Trans. Linnean Soc. XXIV, 1864,
 467, xlvi, 6.
 ——— see *L. sulcata*, W. & J. Parker & Jones, Phil. Trans. 1865,
 356, xiii, 20.
 ——— Brady, Nat. Hist. Trans. Northumb. I, 1865-67 (1867), 97,
 xii, 4a, b.
 ——— Vine, Science Gossip, 1878, 52, f. 25.
 ——— Brady, Report Challenger, 1884, 461, lviii, 11-15.
 ——— ? Haeusler, Neues Jahrb. 1887, I, 187, v. 51 and 52.
 ——— Agassiz, Three Cruises "Blake." II, 1888, 165, f. 503.
 ——— distoma-aculeata, Parker & Jones. Phil. Trans. 1865, 348, xviii, 5.
 ——— distoma-margaritifera, Parker & Jones. *Ibid.* 1865, 357, xviii, 6a, b.
 ——— Brady, Report Challenger, 1884, 458, lviii, 16.
 ——— distoma-polita, see *L. sulcata*, W. & J. Parker & Jones, Phil. Trans.
 1865, 357, xiii, 21; xviii, 8.
 ——— see *L. vulgaris*.
 ——— diversicostata, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863),
 331, v, 64.
 ——— elegans, Gruber. Nova Acta Acad. Cæs. Leop.-Carol. XLVI, 1884, 499,
 viii, 21 and 22 [not *Fissurina elegans*, Seg.].
 ——— Bütschli, Morph. Jahrb. XI, 1886, 83, vi, 5 [barcode].
 ——— ellipsoidalis, Schwager. Boil. R. Com. Geol. Ital. IX, 1878, 519, i, 1.
 ——— elongata, Dunikowski. Kosmos [Lemberg], IV, 1879, 105, pl. 2.
 ——— elongata, (Ehr.). Tate & Blake, Yorkshire Lias, 1876, 454, xviii, 9, 9a
 [*Miliola*, 1854].

- LAGENA elongata**, Ehr. Brady, Report Challenger, 1884, 457, lvi, 29 [see *Miliola*].
- **emaciata**, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 319, i, 9.
- **exsculpta**, Brady. Quart. Journ. Micr. Sci. XXI, 1881, 61.
- — — — — Brady, Report Challenger, 1884, 467, lviii, 1; lxi, 5.
- **faba**, Balkwill & Millett. Journ. Micr. III, 1884, 81, ii, 10.
- — — (trigonal form) — — — *Ibid.* III, 1884, iii, 7.
- **fasciata**, Egger. Reuss, Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 323, ii, 24a, b [*Oolina*, 1857].
- **favosa**, Reuss. *Ibid.* XI, VI, (1), 1862 (1863), 334, v, 72, 73.
- **favosa-punctata**. Brady Quart. Journ. Micr. Sci. XXI, 1881, 62.
- — — — — Brady, Report Challenger, 1884, 473, lviii, 35; lix, 4; lxi, 2.
- — — Woodward & Thomas, 13 Ann. Rep. Geol. N. H. Survey Minnesota, for 1884 (1885), 170, iv 32, 33, 34 and 38.
- **feildeniana**, Brady Ann. Mag. Nat. Hist. [5], I, 1878, 434, xx, 4.
- — — — — Brady, Report Challenger, 1884, 469, lviii, 38 and 39.
- — — — — Balkwill & Wright, Trans. R. I. Ac. XXVIII (Sci.), 1885, 339, xiv, 19.
- **filicosta**, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 328, iv, 50, 51 [v. *Lagenulina*].
- — — — — Reuss, Bull. Ac. Roy. Belg. [2], xv, 1863, 143, i, 12.
- **fimbriata**, Brady. Quart. Journ. Micr. Sci. XXI, 1881, 61.
- — — — — Brady, Report Challenger, 1884, 486, ix, 26-28.
- — — — — Balkwill & Millett, Journ. Micr. III, 1884, 83, ii, 5.
- **(fissurina)**, Reuss, see *L. vulgaris* [*Fissurina* refers to the genus *not species*].
- **florida**, Terquem. Mém. Soc. Géol. France, [3], II, 1882, 26, i (ix), 9.
- **formosa**, Schwager. Novara-Exped., Geol. II, 1866, 206, iv, 19a, b, c, d; vii, f. 1.
- — — — — Brady, Report Challenger, 1884, 480, lx, 10, 18-20; and 8 ?, 17 ?.
- — — — — v. **brevis**. Brady. *Ibid.* 1884, 480, cxiv, 10a, b.
- — — — — v. **comata**, Brady. *Ibid.* 1884, 480, ix, 22.
- — — — — v. **favosa**, Brady. *Ibid.* 1884, 480, lx, 21.
- — — — — **foveolata**, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 332, v, 65.
- **franconica**, Gümbel. Jahresh. Ver. vat. Nat. Württ. XVIII, 1862, 214, iii, 1a, b.
- — — — — Schwager. *Ibid.* XXI, 1865, 95, vii, 22.
- **geometrica**, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 334, v, 74.
- — — — — Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 18, xii, 8; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 22, same pl. and fig.
- **globosa** (Montagu). Brown, Illustr. Recent Conch Gt. Brit. ed. 2, 1844, 144, lvi, 37 and 40 [*Vermiculum*, 1803, v. also *Lagenulina*].
- — — — — Williamson, Mem. Lit. Phil. Soc. Manchester, [2], VIII, 1848, 47, pl. 39.
- — — — — [(Walk.)] Reuss, Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 318, i, 1-3.
- — — — — [(Walker)]. Reuss, Bull. Ac. Roy. Belg. [2], xv, 1863, 143, i, 13-14.
- — — — — [Walk.] var. **globosa asperella**, Karrer. Sitz. k. Ak. Wiss. Wien, LII, (1), 1865 (1866), 496, pl. 11.
- — — — — J., P. & B. Crag. Foram Pal. Soc. XIX, 1866, 32, i, 32.
- — — — — Mackie, Science Gossip, 1867, 129, f. 105.
- — — — — [Walker]. Terquem, Mém. Ac. Imp. Metz, LI, 1870, 351, XXV, 25-27 [error for 24-26].
- — — — — v. **emaciata**, Reuss. Sitz. k. Ak. Wiss. Wien, LXII, (1), 1870, 466; v. Schlücht, Foram. Septar. Pietzpuhl, 1870, i, 10.
- — — — — v. **ovalis**, Reuss. *Ibid.* LXII, (1), 1870, 466; *ibid.* 1870, i, 6, 7, 9.

- LAGENA** *globosa* (Montagu). v. *spinulosa*, Reuss. Sitz. k. Ak. Wiss. Wien, LXII, (1), 1870, 466; v. Schlicht, Foram. Septar. Pietzpuhl, 1870, ii, 2.
 ——— ——— ——— Vine, Science Gossip, xiv. 1878, 52, f. 26.
 ——— ——— ——— [(Walk.)]. Bütschli in Brönn, Klassen, etc., Thier-Reichs, 1880, 197, vii, 2.
 ——— ——— ——— [(Will.)]. Terquem, Mém. Soc. Géol. France, [3], II, 1882, 26, i (ix), 7.
 ——— ——— ——— Terrigi, Atti Acc. Pont. Nuovi Lincei, XXXV, 1883, 170, ii, 3.
 ——— ——— ——— Brady, Report Challenger, 1884, 452, lvi, 1-3.
 ——— ——— ——— var. Sherborn & Chapman, Journ. R. Micr. Soc. [2], VI, 1886, 744, xiv, 11 and 12.
 ——— ——— ——— v. *major*, Uhlig. Jahrb. k. k. geol. Reichsanstalt, XXXVI, 1886, 167, f. 1.
 ——— ——— ——— [Walk.]. Terquem, Mém. Soc. Géol. France, [3], IV, 1886, 6, i. 6.
 ——— ——— ——— Haeusler, Neues Jahrb. 1887, I, 181, IV, 1-18 and V, 19-28 ("Nodosaria radicula").
 ——— ——— ——— Brady, Geol. Mag. dec. 3, V, 1888, 481, xiii, 1-3.
 ——— ——— ——— v. *bicamerata*, Toutkowsky. Zap. Kievsk. Obsch. Est. IX, 1888, 13, ii, 1a, b.
 ——— ——— ——— Terrigi, Mem. R. Acc. Lincei, (4), VI, 1889, III, V, 10; VI, 4-6.
 ——— ——— ——— Mariani, Boll. Soc. Geol. Ital. VII, (1889), 285, X, 3, 4.
 ——— ——— ——— Fric, Arch. Nat. Landesd. Böhmeus, VII, 1889, 110, wood-cut 155.
 ——— ——— ——— see *L. sulcata*. W. & J.
 ——— ——— ——— sec *L. vulgaris*; *Entosolenia*; *Lagenulina* and *Serpula* (*Lagena*).
 ——— ——— ——— *gothica*. Ry. Jones, v. *L. vulgaris*.
 ——— ——— ——— *gracilicostata*, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 327, iii, 42, 43.
 ——— ——— ——— *gracilis*, Williamson. Annals & Mag. Nat. Hist. [2], 1848, 13, I, 5 [v. also *L. vulgaris*].
 ——— ——— ——— Reuss, Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 331, IV, 58-61.
 ——— ——— ——— Schwager, Novara-Exped. Geol. II, 1866, 206. IV, 21a, b.
 ——— ——— ——— Bütschli in Brönn, Klassen, etc., Thier-Reichs, 1880, 197, vii, 6.
 ——— ——— ——— Brady, Report Challenger, 1884, 464, lviii, 2, 3, 7-10, 19, 22-24.
 ——— ——— ——— *gracillima* (Seguenza). J., P. & B., Crag Foram. Pal. Soc. XIX, 1866, 45, I, 36 and 37 [Amphorina, 1862].
 ——— ——— ——— Brady, Annals & Mag. Nat. Hist. [4], VI, 1870, 292, I, 6a-c.
 ——— ——— ——— Bütschli in Brönn, Klassen, etc., Thier-Reichs, 1880, 197, vii, 20.
 ——— ——— ——— Fornasini, Boll. Soc. Geol. Ital. II, 1883, 185, ii, 5.
 ——— ——— ——— Brady, Report Challenger, 1884, 456, lvi, 19-28.
 ——— ——— ——— *grinzingensis*, Karrer. Abh. k. k. geol. Reichs. IX, 1877, 378, xvib, 17.
 ——— ——— ——— *haidingeri* (Czjzek). Reuss, Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 326, iii, 41 [*Oolina*, 1848].
 ——— ——— ——— *helvetica*, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 24, iii, 1; and 33, IV, Impressathon 1 [*L. lavvis*].
 ——— ——— ——— *hertwigiana*, Brady. Quart. Journ. Micr. Sci. XXI, 1881, 62.
 ——— ——— ——— Brady, Report Challenger, 1884, 470, lviii, 36a, b, f. 12.
 ——— ——— ——— *hexagona* (Williamson). Green, Amer. Journ. Micros. VI, 1881, 46, pl. 4 [*Entosolenia squamosa*, var., 1848].
 ——— ——— ——— Brady, Report Challenger, 1884, 472, lviii, 32 and 33.
 ——— ——— ——— var. Balkwill & Millet, Journ. Micr. III, 1884, 79, I, 10.
 ——— ——— ——— *hispida*. Reuss, Zeitschr. deutsch. g. Ges. X, 1858, 434.
 ——— ——— ——— Reuss, Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 335, VI, 77-79.
 ——— ——— ——— Terq. & Berthelin, Mém. Soc. Géol. France, [2], X, 1875, 14. I (xi), 9a-c.

- LAGENA hispida**, Reuss. Wright, Proc. Belf. Field Club, (App.), 1876-7, 104, iv, 7.
 _____ — Terquem, Mém. Soc. Géol. France, [3], ii, 1882, 28, i (ix), 13.
 _____ — Brady, Report Challenger, 1884, 459, lvi, 1-4; lix, 2-5.
 _____ — Terquem, Mém. Soc. Géol. France, [3], iv, 1886, 7, i, 8 and 9.
 _____ — Haeusler, Neues Jahrb. 1887, i, 185, v, 7-13.
 _____ — see *L. vulgaris*.
howchiniana, Brady. Carbonif. Foram. Pal. Soc. xxx, 1876, 121, x, 1-5 [v. *Archelagena*].
[howchiana] — Prestwich, Geology, 1888 ii, 101, f. 47b.
hystrix, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 335, vi, 80.
[histrix] — Terquem, Mém. Soc. Géol. France, [3], ii, 1882, 28, i (ix), 14.
 _____ — Bütschli in Brönn, Klassen, etc., Thier-Reichs, 1880, 197, vii, 12.
[histrix] — Terquem, Mém. Soc. Géol. France, [3], iv, 1886, 7, i, 7.
incurvata, Green. Amer. Journ. Microsc. vi, 1881, 46, pl. 3.
inornata (d'Orbigny). Reuss, Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 320, i, 12 [*Oolina*, 1839].
interrupata (Will.). Terq., Mém. Soc. Géol. France, [3], ii, 1882, 27, i (ix), 10 [v. *L. striata*, *L. sulcata*, *L. vulgaris*].
isabella (d'Orb.). Reuss, Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 330, iv, 55 and 56 [*Oolina*, 1839].
jeffreysii, Brady. Rept. Brit. Assoc. (Nottingham), 1866, 70, not figured.
 _____ — Wright, Proc. Belf. Field Club, 1876-7. (App.), 104, iv, 15.
lævigata (Reuss). Terrigi, Atti Acc. Pont. Nuovi Lincei, XXXIII, 1880, 177, i, 6 [*Fissurina*, 1850].
 _____ — Brady, Report Challenger, 1884, 473, cxiv, 8a, b.
 _____ — Balkwill & Millett, Journ. Micr. iii, 1884, 81, ii, 6.
 _____ — (trigonal form). *Ibid.* iii, 1884, 81, iii, 6.
 _____ — var. *quadrata*, Will. Wright, Proc. Belfast Nat. Field Club, 1884-5, App. IX, 1886, 324, xxvi. 9.
lævis (Montagu). v. *Vermiculum*, 1803 [v. *Lagenula*].
 _____ — [Walker & Jacob]. Williamson, Annals Mag. Nat. Hist. [2], i, 1848, 12, i, 1 and 2.
 _____ — var. *a amphora*, Will. *Ibid.* [2], i, 1848, 12, i, 3 and 4.
 _____ — Clark, *ibid.* [2], iii, 1849, 382, f. [probably a *Nodosaria*].
 _____ — var. Parker & Jones, *ibid.* [2], xix, 1857, 278, xi, 22-24 [24]
 _____ — var. *striata*.
 _____ — Parker & Jones, Phil. Trans. 1865, 353, xviii, 9a, b, 10, 11, 12a, b.
 _____ — J., P. & B., Crag Foram., Pal. Soc. xix, 1866, 33, i, 28.
 _____ — Mackie, Science Gossip, 1867, 130, f. 112
 _____ — [Montf.]. Tate & Blake, Yorkshire Lias, 1876, 453, xviii, 7, 7a.
 _____ — Morris, Lecture Geol. Croydon, [1876], 8, f. 3⁵.
 _____ — Terrigi, Atti Acc. Pont. Nuovi Lincei, XXXIII, 1880, 176, i, 4.
 _____ — Bütschli in Brönn Klassen, etc., Thier-Reichs, 1880, 197, vii, 21.
 _____ — Green, Amer. Journ. Microsc. vi, 1881, 46, pl., 1.
 _____ — Jones in Microgr. Dict. ed. 4, 1883, 452, xxiii, 22a, b.
 _____ — Brady, Report Challenger, 1884, 455, lvi, 7-14 and 30.
 _____ — [Walk. and Jacob]. Jones, Quart. Journ. Geol. Soc. xi, 1884, 769, xxxiv, 3.
 _____ — Sherborn & Chapman, Journ. R. Micr. Soc. [2], vi, 1886, 744, xiv, 13.
 _____ — Haeusler, Neues Jahrb. 1887, i, 181, iv, 31-50; and v, 31-35; and 53 (?).
 _____ — Malagoli, Atti Soc. Nat. Modena (Rend.) 3, iii, 1887, 109, i, 7.

- LAGENA** *lævis* (Montagu). Brady, Geol. Mag. dec. 3, v, 1888, 481, xiil, 6-10.
 — Terrigi, Mem. R. Acc. Lincei, (4), vi, 1889, 112, v, 12; vi, 2, 3.
 — See *L. sulcata*, W. and J.
 — *lagenoides* (Will.). Reuss, Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 324, ii, 27 and 28 [*Entosolenia marginata*, var. 1858; v. also *L. tubulifera*].
 — — — — — Brady, Report Challenger, 1884, 479, ix, 6, 7, 9, 12-14.
 — — — — — Balkwill & Millett, Journ. Micr. III, 1884, 82, ii, 11.
 — — — — — v. *tenuistriata*, Brady. Report Challenger, 1884, 479, lx, ii, 15 and 16 [*L. tubulifera*, var. 1881].
 — — — — — Balkwill & Millett, Journ. Micr. III, 1884, 82, ii, 12.
 — — — — — v. *trigono-tenuistriata*, Balkwill & Millett. *Ibid.* III, 1884, 82, iii, 12.
 — — — — — Balkwill & Wright, Trans. R. I. Ac. xxviii, (Sci.), 1885, 341, xii, 22 [see *Entosolenia marginata*, v. *lagenoides*].
 — — — — — Brady, Parker & Jones, Trans. Zool. Soc. XII, (7), 1888, 223, xliv, 23.
 — — — — — *laticostata*, Terq. & Berthelin. Mém. Soc. Géol. France, [2], x, 1875, 15, i (xi), 11.
 — — — — — *lebouriana*, Brady. Carbonif. Foram., Pal. Soc. XXX, 1876, 121, viii, 6.
 — — — — — *lineata* (Williamson). Reuss, Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 328, iv, 48 [*Entosolenia*, 1848].
 — — — (cf.) — — — Schwager, Palaeontographica, XXX, 1883, Pal. Theil, 105, xxvi (3), 5a, b.
 — — — — — Brady, Report Challenger, 1884, 461, lvii, 13.
 — — — — — Balkwill & Wright, Trans. R. I. Ac. xxviii (Sci.), 1885, 336, xiv, 13-16.
 — — — — — Brady, Parker & Jones, Trans. Zool. Soc. XII, (7), 1888, 222, xliv, 33.
 — — — — — *longispina*, Brady. Quart. Journ. Micr. Sci. XXI, 1881, 61.
 — — — — — Brady, Report Challenger, 1884, 454, lvi, 33, 36; lix, 13, 14.
 — — — — — *lucida*, Williamson. Reuss, Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 324, ii, 25 and 26 [v. *Entosolenia marginata*].
 — — — — — v. *quadrata*, Will. Reuss, *ibid.* XLVI, (1), 1862 (1863), 324, ii, 26 [v. *L. quadrata*].
 — — — — — Balkwill & Millett, Journ. Micr. III, 1884, 80, ii, 7.
 — — — — — (trigonal form). *Ibid.* III, 1884, 81, iii, 4 and 5.
 — — — — — Fornasini, Boll. Soc. Geol. Ital. VII, 1888, 47, iii, 5, 5a.
 — — — — — *lyellii* (Seeg.). Brady, Annals & Mag. Nat. Hist. [4], vi, 1870, 292, xi, 7 [*Amphorina*, 1862].
 — — — — — Balkwill & Millett, Journ. Micr. III, 1884, 27, ii, 2.
 — — — — — *maculato-punctata*, Seguenza. Atti R. Acc. Lincei, [3], vi, 1880, 331, xvii, 33.
 — — — — — *malo*, Mackie. 1867. Error for *melo*.
 — — — — — *marginata* (Walker & Boys). v. *Serpula (Lagena)*, 1784, *Vermiculum*, 1803.
 — — — — — Brown, Illustr. Conch. Gt. Brit. 1827, fly-leaf, i, 30 and 31.
 — — — — — Brown, *ibid.* ed. 2, 1844, 3, lvi, 30 and 31.
 — — — — — [Walker]. Reuss, Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 322, ii, 22a, b, 23a, b.
 — — — — — [Walker & Jacob]. J., P. & B., Crag Foram., Pal. Soc. XIX, 1866, 41, i, 33 and 34.
 — — — — — [Will.] v. *tricarinata*, Reuss. Sitz. k. Ak. Wiss. Wien, LXII, (1), 1870, 469; figured by v. Schlicht, "Foram. Septar. Pietzpuhl," 1870, iv, 1-3 [v. *Entosolenia*].
 — — — — — [Will.]. v. *semimarginata*, Reuss. *Ibid.* LXII, (1), 1870, 469; figured by v. Schlicht, "Foram. Septar. Pietzpuhl," 1870, iv, 4-6, 10-12.
 — — — — — (**Entosol**) — — — [Mont J. Bütschli in Bronn, Klassen, etc., Thier-Reichs, 1880, 197, vii, 13, 14 and 22a].
 — — — — — [W. & J.]. Wright, Proc. Belf. F. C. 1880-1 (App.), 181, viii, 4, 4a.
 — — — — — var. *orbigniana*. Seguenza. Wright, Proc. Belf. F. C. 1880-1, (App.), 181, viii, 5, 5a [*Fissurina*, 1862].

- LAGENA marginata**, Walk. & Boys. Green, Amer. Journ. Micros. vi, 1881, 46, pl. 8.
- — — — — Brady, Report Challenger, 1884, 476, lix, 21-23.
- — — — — var. *semimarginata*, Reuss. Brady, *ibid.* 1884, 477, lix, 17 and 19.
- — — — — [W. & J.]. Balkwill & Millett, Journ. Micr. iii, 1884, 81, iii, 2.
- — — — — [W. & J.] (single keel). *Ibid.* iii, 1884, 81, iii, 8 (trigonal form).
- — — — — [W. & J.], var. *pedunculata*, Seg. *Ibid.* iii, 1884, 81, iii, 3 [*Fissurina*, 1862].
- — — — — [W. & J.], v. *inæquilateralis*, Wright. Proc. Belfast Nat. Field Club, 1884-5, App. ix, 1886, 321, xxvi, 10a, b, c.
- — — — — [Mont.]. See *L. sulcata*, W. & J., and *L. vulgaris*.
- — — — — Haeusler, Neues Jahrb. 1887, i, 186, iv, 51-53.
- — — — — Brady, Parker & Jones, Trans. Zool. Soc. xii, (7), 1888, 222, xliv, 27, 29, 30 and 32.
- — — — — **marginato-perforata**, Seguenza. Attl. R. Acc. Lincei, [3], vi, 1880, 332, xvii, 34.
- — — — — **marginato-radiata**, Seguenza. *Ibid.* [3], vi, 1880, 332, xvii, 35.
- — — — — **mariæ**, Karrer. Abh. k. k. geol. Reichs. ix, 1877, 378, xvib, 16.
- — — — — **maxima**, Dunkowski. Kosmos [Lemberg], iv, 1879, 105, plate, 3 [= *L. globosa*].
- — — — — **melo** (d'Orbigny). J., P. & B., Crag. Foram., Pal. Soc. xix, 1866, 38, i, 35 [*Oolina*, 1839].
- — — — — Mackie, Science Gossip, 1867, 129, f. 109.
- — — — — (bilocular). P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], viii, 1871, 157, ix, 33 [v. *Nodos. cancellata*, d'O.].
- — — — — Brady, Parker & Jones, Trans. Zool. Soc. xii, (7), 1888, 222, xliv, 21, 24, 25 (?).
- — — — — Terrigi, Mem. R. Acc. Lincei, (4), vi, 1889, 112, vi, 1.
- — — — — See *L. sulcata*, W. and J.
- — — — — **minutissima**, Zwingli and Kübler. Foraminif. schweiz. Jura, 1870, 19, ii, Macrocephalusoolith 1 [= *L. globosa*].
- — — — — **mucronata**, Terq. & Berthelin. Mém. Soc. Géol. France, [2], x, 1875, 14, i (xi), 8a-c.
- — — — — **mucronulata**, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 329, iv, 52.
- — — — — *Ibid.* LXII, 1870, 467, No. 8; v. Schlicht, Foram. Pietzpnhl, 1870, iii, 18 and 24.
- — — — — [**mucronata**, Rss.]. Bütschli in Bronn, Klassen, etc., Thler-Reichs, 1880, 197, vii, 8.
- — — — — **multicostata** (Karr.). Brady, Report Challenger, 1884, 466, lxi, 4 [*Fissurina*, 1877].
- — — — — **natrii**, Tate & Blake. Tate & Blake, Yorkshire Lias, 1876, 453, xviii, 8.
- — — — — **oblonga**, Brown. Illustr. Conch. Gt. Brit. 1827, fly-leaf, i, 38 and 39 [*Vermiculum*, 1803].
- — — — — **oblonga** (Seguenza). Wright, Proc. Belf. F. C. 1876-7 (App.), 104, iv, 9 [v. *Trigonulina*, 1862].
- — — — — **orbignyanana** (Seg.). Brady, Report Challenger, 1884, 484, lix, 1, 18, 24-26; 20 (winged var.) [v. *Fissurina*, 1862].
- — — — — Balkwill & Millett, Journ. Micr. iii, 1884, 82, iii, 1.
- — — — — (trigonal form). *Ibid.* iii, 1884, 82, iii, 10.
- — — — — Brady, Parker & Jones, Trans. Zool. Soc. xii, (7), 1888, 222, xliv, 20.
- — — — — **ornata**, Will. J., P. & B., Crag Foram., Pal. Soc. xix, 1866, 43, i, 29-31 [v. *Eutosalenia marginata*].
- — — — — **ornata**, Terquem. Mém. Soc. Géol. France, [3], ii, 1882, 27, i (lx), 12 [Williamson's sp. is referred to].
- — — — — Terq., Bull. Soc. Zool. Fr. xi, 1886, 331, xi, 5.
- — — — — **ovalis**, Kaufmann. In Heer, Urwelt Schweiz, 1865, 196, f. 107; and transl. 1876, 203, f. 107.
- — — — — **ovata**, Terq. Terq. & Berthelin, Mém. Soc. Géol. France, [2], x, 1875, 12, i (xi), 2a-d [*Oolina*, 1858].
- — — — — Tate & Blake, Yorkshire Lias, 1876, 454, xviii, 10.

- LAGENA** ovata, Terq. Deecke, Mém. Soc. Emul. Montbéliard, xvi, 1886, [18], i, 15-15b.
- (Obliquina, Seguenza), ovoidalis, Sherborn & Chapman. Journ. R. Micr. Soc. [2]. vi, 1886, 745, xiv, 19a, b, c, d [see Obliquina].
- ovum (Ehrenberg). Marsson, Mitt. nat. Ver. Neu-Vorpommern und Rügen, x, 1878, 120, i, 1a, b, c [Miliola, 1843].
- — — Brady. Report Challenger, 1884, 454, lvi, 5.
- — — — — Toutkowsky, Zap. Kievsk. Obsch. Est. viii, 1887, 351, iii, 2a; iv, 2b.
- oxytoma, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 334, v, 66 [v. also *L. vulgaris*].
- parkeriana, Brady. Carbonif. Foram., Pal. Soc. xxx, 1876, 120, viii, 1-5 [referred to *L. aspera*, Reuss, in 1884].
- parkinsoni, Zwingli & Kübler. Foraminif. schweiz. 1870, 17, ii, Parkinsonson 1 [= *L. globosa*].
- perlucida (Montagu). Brown, Illustr. Conch. Gt. Brit. 1827, fly-leaf, i, 29 [*Vermiculum*, 1803; v. also *L. vulgaris*, var.].
- — — — — Brown, ibid. ed. 2, 1844, 3, lvi, 29.
- — — — — [Will.]. Schlumberger, F. Journ. Nat., Jan. 1882, i, 2.
- perovalis, Gümbel. Abh. m.-ph. Cl. k.-bayer Ak. Wiss. x, 1868 (1870), 606, i, 7.
- plumigera, Brady. Quart. Journ. Micr. Sci. xxi, 1881, 62.
- — — — — Brady, Report Challenger, 1884, 465, lviii, 25 and 27.
- pulchella, Brady. Rept. Brit. Assoc. (Nottingham), 1866, 70, not figured.
- — — — — Brady, Annals & Mag. Nat. Hist. [4], vi, 1870, 294, xii, 1a, b.
- — — — — Bütschli in Brönn, Klassen, etc., Thier-Reichs, 1880, 197, vii, 19.
- — — — — Balkwill & Millett, Journ. Micr. III, 1884, 82, ii, 13.
- — — — — (trigonal form). Ibid. III, 1884, 82, iii, 11.
- — — — — Balkwill & Wright, Trans. R. I. Ac. xxviii (Sci.), 1885, 342, xii, 19.
- quadrata, Brady. Quart. Journ. Micr. Sci. xxi, 1881, 62.
- — — — — Brady, Report Challenger, 1884, 464, lxi, 3a, b.
- quadrangularis, Brady. Ibid. 1884, 483, cxiv, 11a, b.
- quadrata (Will.). Brady, ibid. 1884, 475,lix, 3 and 16; lx, 5 [*Entosolenia marginata*, var. 1858].
- — — — — Balkwill & Millett, Journ. Micr. III, 1884, 81, ii, 8.
- — — — — ^p var. Ibid. III, 1884, 81, i, 11.
- quadricostulata, Reuss. Sitz. k. Ak. Wiss. Wien, LXII, (1), 1870, 469; figured by v. Schlicht, "Foram. Septar. Pietzpuhl," 1870, iv, 25-30.
- — — — — Brady, Report Challenger, 1884, 486, lix, 15 and 7?
- quadrigono-clathrata, Balkwill & Millett. Journ. Micr. III, 1884, 80, iv, 3.
- quadrigono-orbignyana, Balkwill & Millett. Ibid. III, 1884, 80, iv, 2.
- quinquelatera, Brady. Quart. Journ. Micr. Sci. xxi, 1881, 60.
- — — — — Brady, Report Challenger, 1884, 484, lxi, 15 and 16.
- radiato-marginata, Parker & Jones. Parker & Jones, Phil. Trans. 1865, 355, xviii. 3a, b [v. also *L. vulgaris*].
- — — — — Bütschli in Brönn, Klassen, etc., Thier-Reichs, 1880, 197, vii, 15.
- — — — — Brady, Report Challenger, 1884, 481, lxi, 8 and 9.
- reticulata (Macgill.). Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 333, v, 67 and 68 [*Lagenula*, 1843].
- — — — — Reuss. Bull. Ac. Roy. Belg. [2], xv, 1863, 144. i, 16.
- — — — — Bütschli in Brönn, Klassen, etc., Thier-Reichs, 1880, 197, vii, 10.
- — — — — Terquem, Mém. Soc. Géol. France, [3], ii, 1882, 28, i (ix), 15.
- retorta (Walker & Boys). Brown, Illustr. Conch. Gt. Brit. 1827, fly-leaf, i, 34 and 35 [*Serpula*, 1784].
- — — — — Brown, ibid. ed. 2, 1844, 3, lvi, 34 and 35.

- LAGENA rufa**, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 336, vi, 82.
 ——— ——— Reuss, Bull. Ac. Roy. Belg. [2], XV, 1863, 145, i. 17.
samara, Brady. Quart. Journ. Micr. Sci. XXI, 1881, 61 [referred to *L. siliqua*, Ry. Jones, in 1884].
scalariformis (Will.). Reuss, Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 333, v, 69-71 [v. *Entosolenia squamosa*].
 ——— ——— Jones in Microgr. Dict. ed. 4, 1883, 452, xxiii, 27.
scarenensis, Hantken, Ertek. termesz. köreböl, XIII, No. 1, 1883, 24, i, 9a, b; and Math. Nat. Ber. Ungarn, II, 1884, 144.
schulzeana, Brady. Quart. Journ. Micr. Sci. XXI, 1881, 62.
 ——— ——— Brady, Report Challenger, 1884, 482, lxi. 10.
seguenziana, Fornasini. Boll. Soc. Geol. Ital. V, 1886, (fas. 3, 1887), 350, viii, 1-6, and intermediate var., figs. 7 and 8.
semi-alata, Balkwill & Millett. Journ. Micr. III, 1884, 81, ii. 9.
semilineata, Wright. Proc. Belfast Nat. Field Club, 1884-5, App. ix, 1886, 320, xxvi, 7.
seminiformis, Schwager. Novara-Exped., Geol. II, 1866, 208, v, 21.
 ——— ——— Brady, Report Challenger, 1884, 478, lix, 25-30.
seminuda, Brady. Ibid. 1884, 472, lviii, 34a, b.
semi-ornata, Terquem. Bull. Soc. Zool. Fr. XI, 1886, 330, xl, 2.
semistriata, Williamson. J., P. & B., Crag Foram., Pal. Soc. XIX, 1866, 34, iv, 6 [v. *L. striata*, Will. var., 1848; *L. sulcata*, *L. vulgaris* and *Lagenulina*].
 ——— ——— Mackie, Science Gossip, 1867, 130, f. 111.
 ——— ——— Zittel, Handbuch Paläont. (1), 1876, 85, 21¹.
 ——— ——— Green, Amer. Journ. Micros. VI, 1881, 46, pl., 2.
 ——— ——— Jones in Microgr. Dict. ed. 4, 1883, 452, xxiii, 25.
 ——— ——— Brady, Report Challenger, 1884, 465, lvii, 14, 16, 17 [18, 20?].
 ——— ——— Wright, Proc. Belfast Nat. Field Club, 1884-5, App. ix, 1886, 324, xxvi, 6.
 ——— ——— Quenstedt, Handbuch Petref. ed. 3, (5), (1885), 1049, lxxxvi, 2.
 ——— ——— Steinmann, Elem. Paleont. I, 1888, 27, f. 8A.
 ——— ——— See *L. sulcata*, W. & J.
seriato-granulosa, Reuss. Sitz. k. Ak. Wiss. Wien, LXII, (1), 1870, 468; figured by von Schlicht, "Foram. Septar. Pietzpuhl," 1870, xxxvi, 20.
siliqua, Ry. Jones. Brady, Report Challenger, 1884, 478, lix, 27 [*L. vulgaris*, var. 1872; and also *L. samara*].
simplex, Reuss. Reuss' Model. No. 55, 1865 (Catal. No. 33, 1861) [*Oolina*, 1851].
simplex, Terq. Terq. & Berthelin, Mém. Soc. Géol. France, [2], X, 1875, 13, i (xi), 4a, b [*Oolina*, 1862].
siphoniata, Gruber. Nova Acta Acad. Cæs. Leop.-Carol. XLVI, 1884, 501, viii, 23-26.
sphaerica, Kaufmann. In Heer, Urwelt Schweiz. 1865, 196, f. 106; and transl. 1876, 203, f. 106.
 ——— ——— Kübler & Zwingli, Neujahrsblatt Burgersbibl. Winterthur, 1866, 18, iii, 15 [? a single cell of *Globigerina* or *Planorbula*].
spiralis, Brady. Report Challenger, 1884, 468, cxiv, 9.
squamosa (Montagu). Brown, Illustr. Conch. Gt. Brit. 1827, fly-leaf, i, 32 [*vermiculum*, 1803, *Entosolenia*, and *E. globosa*].
 ——— ——— Brown, Ibid. ed. 2, 1844, 3, lvi, 32.
 ——— ——— J., P. & B., Crag Foram., Pal. Soc. XIX, 1866, 39, iv, 7.
 ——— ——— Mackie, Science Gossip, 1867, 130, f. 110.
(Entosol.) ——— Bütschli in Brönn, Klassen, etc., Thier-Reichs, 1880, 197, vii, 18.
 ——— ——— Jones in Microgr. Dict. ed. 4, 1883, 452, xxiii, 26.
 ——— ——— Brady, Report Challenger, 1884, 471, lviii, 28-31.
 ——— ——— Balkwill & Wright, Trans. R. I. Ac. XXVIII (Sci.), 1885, 340, xiv, 9.

- LAGENA** *squamosa* (Montagu). Anon., Sci. News, 4 May, 1888, 413, f. 10.
 ——— ——— ——— See *L. sulcata*, W. & J., and *L. vulgaris*.
 ——— ——— ——— *squamoso-alata*, Brady. Quart. Journ. Micr. Sci. xxi, 1881, 61.
 ——— ——— ——— Brady, Report Challenger, 1884, 481, lx, 28.
 ——— ——— ——— *squamoso-marginata*, Parker & Jones. Phil. Trans. 1865, 356, xviii, 2a, b.
 ——— ——— ——— Brady, Report Challenger, 1884, 481, lx, 24.
 ——— ——— ——— *staphyllearia*, Schwager. Brady, *ibid.* 1884, 474, lix, 8-11 [*Fissurina*, 1866].
 ——— ——— ——— *stelligera*, Brady. Quart. Journ. Micr. Sci. xxi, 1881, 60.
 ——— ——— ——— Brady, Report Challenger, 1884, 466, lvii, 35 and 36.
 ——— ——— ——— *stilla*, Schwager. Jahresh. Ver. vat. Nat. Württ. xxii, 1865, 95, ii, 7.
P ——— ——— ——— *streitbergensis*, Gümbel. *Ibid.* xviii, 1862, 215, iii, 3a, b.
 ——— ——— ——— *striata* (Walker & Boys). Brown, Illustr. Conch. Gt. Brit. 1827, flyleaf, i, 36 [*Serpula (Lagena)*, 1784].
 ——— ——— ——— Brown, *ibid.* ed. 2, 1844, 3, lvi, 36.
 ——— ——— ——— [Walk & Jacob]. Williamson, Annals & Mag. Nat. Hist. [2], I, 1848, 13, i, 6 and 8.
 ——— ——— ——— [W. & J.], var. α *interrupta*, Will. *Ibid.* [2], I, 1848, 14, i, 7.
 ——— ——— ——— [W. & J.], var. *perlucida*, Mont. Williamson, *ibid.* [2], I, 1848, 15, i, 11 [*Vermiculum*, 1803].
 ——— ——— ——— [W. & J.], var. β *semistriata*, Will. *Ibid.* [2], I, 1848, 14, i, 9 and 10 [v. *Lagenulina*].
 ——— ——— ——— Gosse, Manual Mar. Zool. 1855, 11, f. 9.
 ——— ——— ——— [Mont.]. See *L. vulgaris*.
 ——— ——— ——— *striata*, d'Orbigny. Reuss, Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 327, iii, 44 and 45; iv, 46 and 47 [*Oolina*, 1839].
 ——— ——— ——— Reuss, Bull. Ac. Roy. Belg. [2], xv, 1863, 142, i, 10 and 11.
 ——— ——— ——— Hartwig. The Sea, ed. 3, 1866, 381, f. a.
 ——— ——— ——— J., P. & B., Crag Foram., Pal. Soc. XIX, 1866, 35, i, 38-40.
 ——— ——— ——— Greene, Man. Protozoa 1871, 13, f. 3a.
 ——— ——— ——— Terrigi, Atti Acc. Pont. Nuovi Lincei, XXXIII, 1880, 177, 1, 5.
 ——— ——— ——— Möbius, Beitr. Meeresfauna Insel Mauritius, etc. 1880, 89, viii, 3.
 ——— ——— ——— Bütschli in Bronn, Klassen, etc., Thier-Reichs, 1880, 197, vli, 7.
 ——— ——— ——— Green, Amer. Journ. Micros. VI. 1881, 46, pl. 5.
 ——— ——— ——— Jones in Microgr. Dict. ed. 4, 1883, 452, xxiii, 24.
 ——— ——— ——— Brady, Report Challenger, 1884, 460, lvii, 22, 24, 28, 29, etc.
 ——— ——— ——— v. *intermedia*, Rzehak. Verh. nat. Ver. Brünn, XXIV, 1885 (1886), 81 and 90, i, 6.
 ——— ——— ——— and var. Sherborn & Chapman, Journ. R. Micr. Soc. [2], VI, 1886, 745, xiv, 16 and 17.
 ——— ——— ——— Häusler, Neues Jahrb. 1887, I, 184, v. 6.
 ——— ——— ——— Brady, Parker & Jones, Trans. Zool. Soc. XII, (7), 1888, 222, xliv, 28.
 ——— ——— ——— *striaticollis* (d'Orbigny). Reuss, Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 326, iii, 40 [*Oolina*, 1839].
 ——— ——— ——— *striato-punctata*, Parker & Jones. Phil. Trans. 1865, 350, xiii, 25-27 [v. *Entosolenia*]. [See *L. sulcata*, W. & J., var.].
 ——— ——— ——— Brady, Ann. Mag. Nat. Hist. [5], I, 1878, 434, xx, 3.
 ——— ——— ——— Brady, Report Challenger, 1884, 468, lviii, 37 and 40.
 ——— ——— ——— Balkwill & Wright, Trans. R. Irish Ac. xxviii (Sci.), 1885, 339, xiv, 20.
 ——— ——— ——— *strumosa*, Reuss. Zeitsch. d. Geol. Ges. 1858, 434, no fig.
 ——— ——— ——— Reuss, Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 328, iv, 49.
 ——— ——— ——— *substriata*, Williamson. Annals & Mag. Nat. Hist. [2], I, 1848, 15, i, 12 [v. also *L. vulgaris*].
 ——— ——— ——— *sulcata* (Walker & Jacob), v. *Serpula (Lagena) striata, sulcata*, etc., 1798. Parker & Jones, Phil. Trans. 1865, 351, xlii, 24, 28-32; xvi, 6, 7, 7a.

- LAGENA** *sulcata* (Walker & Jacob), var. (*Entosolenia*) *apiculata*, Rss. and *caudata*, d'O. *Ibid.* 1865, 358, xiii, 38, 39; xvi, 6-9 [v. *L. apiculata* and *L. caudata*].
- ____ var. *distoma*, Parker & Jones. *Ibid.* 1865, 356, xiii, 20 [v. *L. distoma*].
- ____ var. *distoma-polita*, Parker & Jones. *Ibid.* 1865, 357, xiii, 21 [v. *L. distoma-polita*].
- ____ var. (*Entosolenia*) *globosa*, Mont. Parker & Jones, *ibid.* 1865, 348, xiii, 37a, b; xvi, 10a, b [v. *L. globosa*].
- ____ var. *lævis*, Mont. Parker & Jones, *ibid.* 1865, 349, xiii, 22; xvi, 9a [v. *L. lævis*].
- ____ var. (*Entosolenia*) *marginata*, Mont. Parker & Jones, *ibid.* 1865, 355, xiii, 42-44; xvi, 12a, 12b [v. *L. marginata*].
- ____ var. (—) *melo*, d'O. Parker & Jones, *ibid.* 1865, 350, xiii, 33-36 [v. *L. melo*].
- ____ v. *semistriata*, Will. Parker & Jones, *ibid.* 1865, 350, xiii, 23 [v. *L. semi-striata*].
- ____ var. (*Entosol.*) *squamosa* (Mont.). Parker & Jones, *ibid.* 1865, 354, xiii, 40, 41; xvi, 11a, 11b [v. *L. squamosa*].
- ____ v. *striato-punctata*, Parker & Jones. *Ibid.* 1865, 350, xiii, 25-27 [v. *L. striato-punctata*].
- ____ J., P. & B., Crag Foram., Pal. Soc. **xix**, 1866, 36, i, 41-43. Mackie, Science Gossip, 1867, 129, f. 107-108.
- ____ var. Dawson, Canad. Nat. n. s. v, 1870, 177, f. 10 [= *gracillima*, Seguenza].
- ____ var. Dawson, Amer. Journ. Sci. [3], i, 1871, 206, f. 10; and Annals Mag. Nat. Hist. [4], vii, 1871, 86, f. 10.
- ____ Wright, Proc. Belf. F. Club, 1876-7, (App.), 103, iv, 10.
- ____ Vine, Science Gossip, 1878, 52, f. 27.
- ____ Nicholson, Manuel Palæont. 1879, i, 114, f. 18. f.
- ____ Brady, Report Challenger, 1884, 462, lvii, 23, 26, 33, 34; lviii, 4, 17 and 18.
- ____ v. *interrupta*, Will. Brady, *ibid.* 1884, 463, lvii, 25, 27; lviii, 5 and 6 [*L. striata*, v. *interrupta*, 1848].
- ____ Balkwill & Wright, Trans. R. I. Ac. xxviii (Sci.), 1885, 338, xiv, 1 and 2.
- ____ Sherborn & Chapman, Journ. R. Micr. Soc. [2], vi, 1886, 745, xiv, 18.
- ____ Häusler, Neues Jahrb. 1887, i, 183, v, 1-4; and 38, 39 [*"Nodos. raphanus"*?].
- ____ Brady, Geol. Mag. dec. 3, v, 1888, 481, xiii, 11.
- ____ Brady, Parker & Jones, Trans. Zool. Soc. XII, (7), 1888, 222, xliv, 18, 22, 34.
- ____ v. *acuticosta*, Rss. B., P. & J., *ibid.* XII, (7), 1888, 222, xliv, 26, 31.
- [— — — — —] Dawson, Canad. Nat. ii, 1857, vii, 22.
see *L. vulgaris*.
- *synedra*, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 608, i, 10a. b.
- *tenuis* (Bornemann). Reuss, Sitz. k. Ak. Wiss. Wien, **XLVI**, (1), 1862 (1863), 325, iii, 30-39 [v. *Ovulina*].
- Reuss, Bull. Ac. Roy. Belg. [2], xv. 1863, 141, i, 6-9.
- Bütschli in Bronn, Klassen, etc., Thier-Reichs, 1880, 197, vii, 5.
- Terquem, Mém. Soc. Géol. France, [3], ii, 1882, 26, i (ix), 8.
- *tenuiaculeata*, Terquem. Mém. Ac. Imp. Metz, LI, 1870, 351, xxv, 28 [error for 27].
- *tenuiatriata*, Stache. Novara-Expéd., Geol. (1), 1864, 184, xxii, 5a, b [error for 4].
- *tetragona*, Parker & Jones. Phil. Trans. 1865, 352, xviii, 14a, b.
- *torquata*, Brady. Quart. Journ. Micr. Sci. xxi, 1881, 62.
- Brady, Report Challenger, 1884, 469, lviii, 41.
- *transverso-costata*. Toll. Mém. Ac. Imp. Sci. St. Pétersbourg, [7], xxxvii, No. 3, 1889, 52, v, 10, 18.

- LAGENA** *tricineta*, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. **x**, 1868 (1870), 606, i, 8a, b.
 ——— *tricostulata*, Marsson. Mitt. Nat. Ver. Neu-Vorpommern. u. Rügen. x, 1878, 122, i, 2a, b.
 ——— *tricuspidata* (Reuss), v. *Fissurina*.
 ——— *trigono-bicarinata*, Balkwill & Millett. Journ. Micros. **III**, 1884; 82, iii, 9.
 ——— *trigono-elliptica*, Balkwill & Millett. *Ibid.* **III**, 1884, 81, iii, 8.
 ——— *trigono-lævigata*, Balkwill & Millett. *Ibid.* **III**, 1884, 81, iii, 6.
 ——— *trigono-marginata*, Parker & Jones. Phil. Trans. 1865, 348, xviii, 1a, b.
 ——— ——— ——— Wright, Proc. Belf. F. C. 1876-7 (App.), 104, iv, 8a, b.
 ——— ——— ——— Brady, Report Challenger, 1884, 482, lxi, 12, 13.
 ——— ——— ——— Balkwill & Millett, Journ. Micr. **III**, 1884, 81, iv, 1.
 ——— (*trigono-*) *oblonga*, Seguenza. Siddall, Cat. Rec. Foram. G. Brit. 1879, 5.
 ——— *trigono-oblonga*, Seguenza & Siddall. Brady, Report Challenger, 1884, 475, lxi, 11a, b [*Trigonulina oblonga*, 1862].
 ——— *trigono-orbigniana*, Balkwill & Millett. Journ. Micros. **III**, 1884, 82, iii, 1.
 ——— *trigono-ornata*, Brady. Quart. Journ. Micr. Sci. **xxi**, 1881, 62.
 ——— ——— ——— Brady, Report Challenger, 1884, 483, lxi, 14.
 ——— *trigono-pulchella*, Balkwill & Millett. Journ. Micros. **III**, 1884, 82, iii, 11.
 ——— *truncata*, Brady. Report Challenger, 1884, 457, lvi, 31 and 32.
 ——— *tuberculata*, Karrer. Jahrb. k. k. geol. Reichsanstalt, xx, 1870, 168, i, 6.
 ——— *tubifero-squamosa*, Parker & Jones. Phil. Trans. 1865, 354, xviii, 7a, b.
 ——— ——— ——— Bütschli in Brönn, Klassen, etc., Thier-Reichs, 1880, 197, vii, 17.
 ——— *tubulifera*, Brady. Quart. Journ. Micr. Sci. **xxi**, 1881, 61 and var. *tenuistriata* [referred in 1884 to *L. lagenoides*s].
 ? ——— *ulmensis*, Gümbel. Sitz. k.-bayer. Ak. Wiss. **i**, 1871, 65, 1, 7 [*? Nodosarian* segment].
 ——— *unguiculata*, Brady. Quart. Journ. Micr. Sci. **xxi**, 1881, 61.
 ——— ——— ——— Brady, Report Challenger, 1884, 474, lxi, 12.
 ——— *urnæ* [(Montagu)]. Brown, Illustr. Conch. Gt. Brit. 1827, fly-leaf, i, 33 [*Verniculum*, 18/3]
 ——— ——— ——— Brown, *ibid.* ed. 2, 1844, 3, lvi, 33.
 ——— *variata*, Brady. Quart. Journ. Micr. Sci. **xxi**, 1881, 61.
 ——— ——— ——— Brady, Report Challenger, 1884, 461, lxi, 1.
 ——— *villardeboana* (d'Orbigny). Reuss, Sitz. k. Ak. Wiss. Wien, **XLVI**, (1), 1862 (1863), 329, iv, 53 [*Oolina*, 1839].
 ——— ——— ——— Reuss, Bull. Ac. Roy. Belg. [2], **xv**, 1863, 144, i, 15.
 ——— *vulgaris*, Williamson. Recent British Foram. 1858, 3, i, 5-14, “5, 5a, typica.”
 ——— ——— ——— v. *clavata*, d'Orb. Will., *ibid.* 1858, 5, i, 6 [v. *L. clavata*].
 ——— ——— ——— v. *gracilis*, Williamson. *Ibid.* 1858, 7, i, 12, 13 [v. *L. gracilis*].
 ——— ——— ——— v. *interrupta*, Williamson. *Ibid.* 1858, 7, i, 11 [v. *L. interrupta*].
 ——— ——— ——— v. *perlucida*, Mont. Will., *ibid.* 1858, 5, i, 7, 8 [v. *L. perlucida*].
 ——— ——— ——— v. *semistriata*, Williamson. *Ibid.* 1858, 6, i, 9 [v. *L. semistriata*].
 ——— ——— ——— v. *striata*, Williamson. *Ibid.* 1858, 6, i, 10 [v. *L. striata*].
 ——— ——— ——— v. *substriata*, Williamson. *Ibid.* 1858, 7, i, 14 [*L. striata*, d'Orb.].
 ——— ——— ——— Reuss, Sitz. k. Ak. Wiss. Wien, **XLVI**, (1), 1862 (1863), 321, i, 15; ii, 16 and 17.
 ——— ——— ——— v. *semistriata*, Will. Reuss, *ibid.* **XLVI**, (1), 1862 (1863), 322, ii, 18-21 [v. *L. semistriata*].
 ——— *vulgaris* [Parker & Jones]. Reuss, Bull. Ac. Roy. Belg. [2], **xv**, 1863, 140, i, 2.

- LAGENA vulgaris** [Parker & Jones], v. *semistriata*, Will. Reuss, *ibid.* [2], xv, 1863, 141, i, 3-5 [v. *L. semistriata*].
 _____ Williamson, Pop. Sci. Rev. IV, 1865, 173, viii, 4.
 _____ Reuss' Model. No. 16, 1865 (Catal. No. 34, 1861).
 _____ Cooke, Thousand Objects Microsc. 1869, 91, ix, 14.
 _____ Terquem, Mém. Ac. Imp. Metz, LI, 1870, 349, xxv, 21, 22
 [error for 20, 21].
 _____ Chimmo, Bed of Atlantic, 1870, 17, iii, 1; 23, x, 3 and 4.
 _____ v. *perlucida* [Mont.]. Chimmo, *ibid.* 1870, 28, x, 4a [v. *L. perlucida*].
 _____ Ry. Jones, Trans. Linn. Soc. XXX, 1872, 51, xix, 10-13.
 _____ v. *alato-marginata*, Ry. Jones. *Ibid.* XXX, 1872, 60, xix,
 44.
 _____ v. *ampulla-distoma*, Ry. Jones. *Ibid.* XXX, 1872, 63, xix,
 52 [v. *L. ampulla-distoma*].
 _____ v. *apiculata*, Rss. Ry. Jones, *ibid.* XXX, 1872, 50, xix, 3-5
 [v. *L. apiculata*].
 _____ v. *bicamerata*, Ry. Jones. *Ibid.* XXX, 1872, 65, xix, 60-62.
 _____ v. *bracteato-marginata*, Ry. Jones. *Ibid.* XXX, 1872, 59,
 xix, 40, 41.
 _____ v. *caudata*, d'Orb. Ry. Jones, *ibid.* XXX, 1872, 54, xix, 22
 [v. *L. caudata*].
 _____ v. *clavato-marginata*, Ry. Jones. *Ibid.* XXX, 1872, 60,
 xix, 45.
 _____ v. *clypeato-marginata*, Ry. Jones. *Ibid.* XXX, 1872, 58,
 xix, 37.
 _____ v. *desmophora*, Ry. Jones. *Ibid.* XXX, 1872, 54, xix, 23,
 24 [v. *L. desmophora*].
 _____ v. *distoma-patera*, Ry. Jones. *Ibid.* XXX, 1872, 65, xix,
 58.
 _____ v. *distoma-polita*, Parker & Jones. Ry. Jones, *ibid.* XXX,
 1872, 64, xix, 53-57 [v. *L. distoma-polita*].
 _____ v. *fissurina*, Rss. Ry. Jones, *ibid.* XXX, 1872, 51, xix, 6-8.
 _____ v. *glacialis*, Ry. Jones. *Ibid.* XXX, 1872, 52, xix, 14.
 _____ v. (*Entosol.*) *globosa*, Mont. Ry. Jones, *ibid.* XXX, 1872,
 49, xix, 1 and 2 [v. *L. globosa*].
 _____ v. *gothica*, Ry. Jones. *Ibid.* XXX, 1872, 51, xix, 9.
 _____ v. *helophoro-marginata*, Ry. Jones. *Ibid.* XXX, 1872, 61,
 xix, 48.
 _____ v. *hispida*, Rss. Ry. Jones, *ibid.* XXX, 1872, 62, xix, 50 [v.
L. hispida].
 _____ v. *janeta*, Ry. Jones. *Ibid.* XXX, 1872, 65, xix, 59, 59a.
 _____ v. *marginata*, Mont. Ry. Jones, *ibid.* XXX, 1872, 55, xix,
 27-32 [v. *L. marginata*].
 _____ v. *pertuso-marginata*, Ry. Jones. *Ibid.* XXX, 1872, 61,
 xix, 46, 47.
 _____ v. *petasma-marginata*, Ry. Jones. *Ibid.* XXX, 1872, 58,
 xix, 38, 39.
 _____ v. *radiato-marginata*, Parker & Jones. Ry. Jones, *ibid.*
 XXX, 1872, 57, xix, 33 [v. *L. radiato-marginata*].
 _____ v. *semistriata*, Will. Ry. Jones, *ibid.* XXX, 1872, 52, xix,
 15 [v. *L. semistriata*].
 _____ v. *siliqua*, Ry. Jones. *Ibid.* XXX, 1872, 61, xix, 49 [v. *L.*
siliqua].
 _____ v. *spinicosto-marginata*, Ry. Jones. *Ibid.* XXX, 1872, 57,
 xix, 34-36.
 _____ v. *spinoso-marginata*, Ry. Jones. *Ibid.* XXX, 1872, 59,
 xix, 42, 43.
 _____ v. *squamosa*, Will. Ry. Jones, *ibid.* XXX, 1872, 63, xix, 51
 [v. *L. squamosa*].
 _____ v. *striata*, Mont. Ry. Jones, *ibid.* XXX, 1872, 52, xix, 16-20,
 [v. *L. striata*].
 _____ v. *striato-areolata*, Ry. Jones. *Ibid.* XXX, 1872, 53, xix
 21, 21a.

- LAGENA vulgaris** [Parker & Jones], v. *sulcata*, W. & J. Ry. Jones, *Ibid.* xxx, 1872, 55, xix, 25, 26 [*v. L. sulcata*].
 ——— ——— Terq. & Berthelin, Mém. Soc. Géol. France, [2], x, 1875, 13, i (xi), 6a, b
 ——— ——— Terquem, Ess. Anim. Plage Dunkerque, (1), 1875, 21, 1, 3; (and Mém. Soc. Dunkerquois).
 ——— ——— v. *semistriata* [R.] Will. Hantken, A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 18, xii, 6; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 22, same pl. and fig.
 ——— ——— Schwager, Boll. R. Com. Geol. Ital. viii, 1877, 25, pl., 1.
 ——— ——— Nicholson, Manual Palæont. 1879, i, 100, f. 13a.
 ——— ——— Bütschli in Bronn, Klassen. etc., Thier-Reichs, 1880, 197, vil, 4.
 ——— ——— (—) Terquem, Mém. Soc. Géol. France, [3], ii, 1882, 25, 1 (ix), 3-6.
 ——— ——— Andreeae, Abh. geol. Speciakarte Elsass.-Loth. ii, (3), 1884, 297, vi, 13.
 ——— ——— Gümbel, Geol. Bayern. i, (2), 1885, f. 266⁶.
 ——— ——— v. *oxystoma*, Rss. Sherborn & Chapman, Journ. R. Microsc. Soc. [2], vi, 1886, 744, xiv, 15 [*v. L. oxystoma*].
 ——— ——— Terquem, Mém. Soc. Géol. France, [3], iv, 1886, 6, 1, 4.
 ——— ——— v. *fissurina*, Ry. J. Fornasini, Boll. Soc. Geol. Ital. viii, 1888, 47, iii, 7 [*see supra* 1865].
 ——— williamsoni, Harvey & Bailey. Proc. Ac. Nat. Sci. Philad. vi, 1853, 431, no figure.
 ——— williamsoni (Alcock). Wright, Proc. Belf. F. C. 1876-7 (App.), 104, iv, 14 [*Entosolenia*, 1863].
 ——— ——— Balkwill & Wright, Trans. R. I. Ac. xxviii (Sci.), 1885, 339, xiv, 6-8.
 ——— ——— v. near *striato-punctata*, B. & M. Balkwill & Millett, Journ. Microsc. iii, 1884, 28, iv, 4.
 ——— wrightiana, Brady. Quart. Journ. Microsc. Sci. xxi, 1881, 62.
 ——— ——— Brady, Report Challenger, 1884, 482, lxi, 6, 7.
 ——— sp., Reuss, Sitz. k. Ak. Wiss. Wien, LVII, (1), 1868, 106, i, 11.
 ——— sp. ind., Hantken, A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 18, xii, 9; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 28, same pl. and fig.
 ——— Harvey, Sea-side Book, 1849, 180, figures [after Williamson].
 ——— [*marginata*], Macdonald. Annals and Mag. Nat. Hist. [2], xx, 1857, 193, v, 7-10.
 ——— [*aculeata*, P. & J.]. Wallich, North Atlantic Sea-bed, (1), 1862, no descr., v, 24.
 ——— [*marginata*]. *Ibid.* (1), 1862, no descr., v, 19.
 ——— [*quadrata*, Will.]. *Ibid.* (1), 1862, no descr., v, 20 and 22.
 ——— [*semistriata*]. *Ibid.* (1), 1862, no descr., v, 17.
 ——— [*squamosa*]. *Ibid.* (1), 1862, no descr., v, 21.
 ——— [*sulcata*]. *Ibid.* (1), 1862, no descr., v, 23.
 ——— Wallich, Quart. Journ. Sci. i, 1864, pl 10 and 11.
 ? ——— Schwager. Novara-Exped., Geol. (2), 1866, v, 23 [chamber of *Nodosaria*].
 ——— J. G. Wood, Common Objects Micro. 1867, 122, xii, 18.
 ——— Alcock, Mem. Lit. Phil. Soc. Manchester, [3], iii, 1868, iv, 4-6 [*sulcata*, monstrous].
 ——— v. Schlicht, "Foram. Septar. Pietzpuhl," 1870, i-iv and xxxviii.
 ——— Chimmo, Bed of Atlantic [1870], 28, x, 44.
 ——— Carpenter, Ency. Brit. ed. 9, ix, 1879, "Foraminifera," 374, i, 9.
 ? ——— v. Dunikowski, Denkschr. k. Ak. Wiss. Wien, xlvi, (2), 1882, 194, vi, 81 [cast ?].
 ? ——— Terquem, Mém. Soc. Géol. France, [3], ii, 1882, 29, 1 (ix), 16.
 ——— de Folin, Le Naturaliste, ix, 1887, 140, f. 20b.
 ——— Fornasini, Boll. Soc. Geol. Ital. v, 1886 (1887), 350, viii, 7 and 8 [intermediate between *L. squenziana*, *L. levigata* and *L. acuta*].
 ——— Neumayr, Stämme d. Thierreiches, i, 1889 (1888), 183, f. 25a.
 ——— see *Lagenula* and *Serpula*.

- LAGENULA**, Montfort, 1808. Conch. Syst. 1808, 311. A
 —— *flosculosa*, Montfort. *Ibid.* 1, 1808, 311, 78th genre [= *Lagena suaec v. flosculosa* ?].
 —— *levis* (Walk.). Fleming, Hist. Brit. Anim. 1828, 235 [v. *Lagenæ*].
 —— *reticulata*, MacGill. Hist. test. anim. Aberdeen, etc. 1843, 38 [v. *Lagena*].
 —— Fleming, Hist. Brit. Anim. 1828, 234, 235, quotes Walker's, and Montagu's *Lagenæ* under this genus.
 —— Thorpe, Brit. Mar. Conch. 1844, 233–235, quotes Walker's, and Montagu's *Lagenæ* under this genus.
 —— Zborzewski, Nouveaux Mém. Soc. Imp. Nat. Moscou., III, 1834, 311, xxviii, c.
- LAGENULINA**, Terquem, 1876. Essai Animaux plage Dunkerque, (2), 1876, 67; (and Mém. Soc. Dunkerquoise) [= *Lagewi*].
 —— *costata* (Will.). Terq., *ibid.* (2), 1876, 67, vii, 2; (and Mém. Soc. Dunkerquoise) [*Entosolenia*, 1858].
 —— *flicosta* (Reuss). Terq., *ibid.* (2), 1876, 67, vii, 5 and 7 [var. 6]; (and Mém. Soc. Dunkerquoise) [*Lagena*, 1862].
 —— *globosa* (Walk.), [Montagu]. Terq., (2), *ibid.* 1876, 67, vii, 3 and 4; (and Mém. Soc. Dunkerquoise); [*Vermiculum* 1803].
 —— *semistriata* (Will.). Terq., *ibid.* (2), 1876, 68, vii, 8; (and Mém. Soc. Dunkerquoise) [*Lagena striata*, var. 1848].
 —— *striata* (d'Orb.). Terq., *ibid.* (2), 1876, 68, vii, 7; (and Mém. Soc. Dunkerquoise) [*Oolina*, 1839].
 —— *sulcata*, Terquem. *Ibid.* (2), 1876, 68, vii, 9; (and Mém. Soc. Dunkerquoise).
 ? —— Terquem, Bull. Soc. Géol. France, [3], VIII, 1880, 418, xi, 7 [cast].
- LAGYNIS**, Schultze. Siddall, Cat. Brit. Rec. Foram. 1879, 3, includes this genus in the Foraminifera.
- LAMARCKINA**, Berthelin. C. R. Assoc. Franç (Reims, 1880), p. 555 [founded on *Pulvinulina erinacea*, Karrer].
- LAMPAS** trithemus, Montfort. Conch. syst. I, 1808, 243, 61st genre [= *Crist. cultratus*, deformed].
- LAPIDIS** nummalis, Brückmann. Epist. Itin. xxxvii, de Foss. Blanckenburgi-cis, 1739, 10, ii, f. ii [*Nummulites*].
- LAPIS** frumentarius *Helveticus cinereus semina melonum*, etc. Lange, Hist. Lapidum Figuratorum, 1708, 69, xviii [*Nummulite*].
 —— —— — *niger* —— — *Ibid.* 1708, 69, xviii [*Nummulite*].
 —— —— — Scheuchzer, v. *Lentes lapidea*.
- LARVARIA** = *Polytrypa* = *Dactyliopora*, q. v.
 —— *reticulata*, Defr. Dict. Sci. Nat. xxv, 1822, 287, figured in Blainville, Actinol. 1834, xvii, 3.
- LATERICIA** ovalis, Schafhärtl. Geogn. Unters. sudbay. Alpengeb. 1851, 49, xiii [misprinted in text xviii], f. 17; [an "oolite granule;" may be *Lagena*].
- LEKITHIAMMINA**, de Folin, 1881. Bull. Soc. Nat. Hist. Toulouse, xv, 136, not described; five species proposed.
- LEMISTRATA**, Green, 1881, see *Lagena semistriata*.
- LENS** *striata in utrinque convexa*, Scheuchzer. Misc. Cur. Ac. Leop.-Cæs. III, 1697–8, 63, f. j; Spec. lithog. Helvet. 1702, 30, f. 46–48; Beschreibung der Naturges. Schweiz. I, 1706, 102, viii, 46–48; Itin. Alpina, 1723, 4th voyage, 200, f. 4 and 5; and 7th voyage, 478, f. 4 and 5.
- LENTESES** *lapidea*, Scheuchzer. Natur. Historie Schweitz, 1718, 326, f. 158 [and ? f. 75] [*Nummulites*].
 —— *lapidea convexoplanæ*, Volkmann. Silesia subter. 1720, 331, plate "P iii, Tab. ii," 5. [*Nummulites*].
 —— —— — Scheuchzer, Οὐρεσιφωντῆς helveticus, 1723 [= *Nummulites*].
- LENTICOLE**, Targioni. Relazione d'alc. viaggi, etc. IV, 1770, vii, pl. 1, f. 2, a, b, c [= *Nummulites*].
- LENTICULÆ** diversi generis admixtæ cum nautiliæ et ammoniis, Sol-dani. Sagg. Oritt. 1780, 105, iii, 29, z; iv, 30, B [= *Nummulites*].

- LENTICULÆ**, Soldani. Sagg. Oritt. 1780, 106; iv, 32, 33, 35 [32 = ? *Amphis-tegina*; 33 = ? *Siderolina*; 35 = ? *Fubularia*].
 ——— Testac. II, 1798 (not 1(2)), 110, pl. 26, O [*Robulina planciana*, d'O. Ann. Sci. Nat. VII, 1826, 290, 20].
 ——— *Ibid.* II, 1798 (not 1(2)), 110, pl. 26, N [*Robulina rugosa*, d'O. Ann. Sci. Nat. VII, 1826, 290, 21].
- LENTICULAIRE numismale**, Deluc. Journal de Physique, LIV, 1802, 178, 1-7.
- LENTICULAIRES**, Deluc. *Ibid. LVI*, 1802, 325, etc., pl. f. 1-6 [*Orbitolites*].
 ——— see *Nummulaires*.
- LENTICULINA**, Lamarck, 1804. Ann. Mus. Paris, V, 1804, 186.
 ——— *discus*, Ehr. Mikrogeologie, 1854, xxx, 36; and xxxi, 58 [= *Planorb. haidingeri*].
 ——— *erythoræa*, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1838, 132.
 ——— *gualteri*, Nicolucci. Nuovi Ann. Sci. Nat. Bologna, [2], VI, 1846, 201.
 ——— *indigena*, Eichwald. Zoologia specialis, II, 1830, 32, ii, 16 [= *Polystomella*, q. v.].
 ——— *libyca*, Ehr. Abh. k. Ak. Wiss. Berlin, 1838, 132.
 ——— *nitida*, Ehr. *Ibid.* 1838, 132.
 ——— *orientalis*, Ehr. *Ibid.* 1838, 132.
- P ——— *pachyderma*, Ehr. Mikrogeologie, 1854, xxxi, 54 [= *Pulvin. caracolla*, Rœm.].
 ——— *planulata*, Lam. Reuss in Geinitz, Grundr. Verstein. 1845-46, 662, xxiv, 40 [*Lenticulites*, 1804].
 ——— ——— Eichwald, Lethæa Rossica, III, 1853, 6, i, 11.
 ——— *radiata*, Montf. Eichwald, *ibid.* III, 1853, 5, i, 10a, b, c.
 ——— *rotulata*, Lam. Parkinson, Organ. Rem. former World, III, 1811, 161, xi, 4 [*Lenticulites*, 1804 = *Cristellaria*, q. v.].
 ——— ——— Bronn, Syst. urweltl. Conchyl. 1824, 7, i, 6.
 ——— ——— Defrance, Dict. Sci. Nat. XXV, 1822, 453; XXXII, 1824, 181; Atlas, Zooph. XV, 7.
 ——— ——— Blainville, Manuel Malac. et Conch. 1825 (pls., 1827), 389, vii, 7.
 ——— ——— Cuvier, Animal Kingdom, Henderson's ed. III, 1834 (pls., 1837), 18, iv bis, 7.
 ——— ——— Brown, Conch. Text-book, 1839, 61, x, 15.
 ——— *tenerima*, Nicolucci. Nuovi Ann. Sci. Nat. Bologna, [2], VI, 1846, 202.
 ——— ——— 1. yell. Elem. Geol. 1838, 55, f. 21 [= *Cristellaria cultrata*].
 ——— Blainville, Man. Malac. et Conch. 1825, 390; refers de Montfort's genera, *Antenor*, *Clisiphontes*, *Herion*, *Rhinocirus*, to *Lenticulina*.
- LENTICULITES**, Lamarck, 1804. Ann. Mus. V, 1804, 188.
 ——— *ammoniticus*, Quenstedt, Handbuch Petref. ed. 3, (5), (1885), 1054, lxxxvi, 29 [? *Operculina*].
 ——— *complanata*, Defrance. Dict. Sci. Nat. XXV, 1822, 453 [v. *Operculina*].
 ——— ——— Basterot, Mém. Géol. env. Bordeaux, (1), 1825, 18
 ——— ——— T. Wright, Ann. Mag. Nat. Hist. [2], XV, 1855, 275, vii, 4a, b.
 ——— *comptoni* (Sow.). Nilsson, Petrif. Suecana, 1827, 7, ii, 3A, B, C, D [*Nutilus*, 1818].
 ——— ——— Hisinger, Lethæa Svecica, 1837, 32, viii, 1a-d.
 ——— ——— [Nilss.]. Geinitz, Charact. Schicht. Petref. sächs.-böh. Kreideg. 1850, 43, xvii, 24.
 ——— *cristella*, Nilsson. K. Vet. Ak. Handl. 1826 (1826), 339, no. fig.
 ——— ——— Nilsson, Petrif. Suecana, 1827, 7, ii, 4A, B.
 ——— ——— Hisinger, Lethæa Svecica, 1837, 32, viii, 2a, b.
 ——— *discorbinus*, Schlotheim. Die Petrefactenkunde, 1820, 89 [v. also *Nummulites*].
 ——— *ephippium*, Schlotheim. *Ibid.* 1820, 89 [v. also *Nummulina* and *Orbitoides*].
 ——— *planulata*, Lam. Ann. Mus. V, 1804, 187.
 ——— (et *Lenticulina*) ——— ——— Defrance, Dict. Sci. Nat. XXV, 1822, 452; Atlas, Conch. XIV, 1.
 ——— ——— ——— Blainville, Malacol. 1825, vi, 1.

- LENTICULITES** [*planularis*, Lam.]. Cuvier, Animal Kingdom, Henderson's ed. III, 1834 (pls., 1837), 17, viii. 1.
 ——— [*planatus*] ——— Quenstedt, Handbuch Petref. ed. 3, (5), (1885), 1054, lxxxvi, 30 and 31.
 ——— [*rotulata*, Lamarck. Ann. Mus. v, 1804, 188, No. 3; and f 11, pl. 62, in vol. VIII, 1806 [v. also *Lenticulina* and *Nummulina* = *Cristellaria*].
 ——— ——— Lamarck, Ency. Méthod. "Vers" (pls., 1827) (P. & J. quote "part 23, 1816), II (1830), 330, pl. 466, f. 5.
 ——— ——— Lamarck, Coq. Foss. Paris, 1823, 14, xiv. 11.
 ——— ——— Crouch, Introd. Lammarek, 1827, 41, xxii. 6.
 ——— [*variolaria*, Lamarck. Ann. Mus. v, 1804, 187, No. 2 [referred by d'Archiac to *Numularia variolaria*, Sowerby, q. v.]
 ——— ——— Bowdich. Elem. Conch. (1), 1822, 22, ii, 17.
 ——— Pilla. Trattato di Geol. (1), 1847, 461, f. 79 [= *Nummulites*].
- LENTICULUM discus**, Ehr. Hopkins, Execut. Doc. 45 Congress, Sess. 3, v, iv, Rpt. Chief Engineers, (2), App. W, 1878-79, 885, ii, 69 [= *Planorbula*].
- LENTICULAM** in eodem saxo inventam, Soldani. Sagg. Oritt. 1780, 105, iv, 31C, D [= *Nummulites*].
- LENTILLES** de bethlehem, Knorr. Recueil de monuments, II, (1), 1775, 53 [= *Nummulites*].
- pétrifiée, Sage. Journ. de Phys. LX, 1805, 222 [= *Nummulites*].
- LEPIDOCYCLINA**, Gümbel, 1868. Abh. k.-bayer. Ak. Wiss. x, (2), 1868, 689. This subgenus of *Orbitoides* was proposed by Gümbel for the following forms: *L. mantelli* (Morton); *L. dilatata* (Michelotti); *L. burdigalensis* (Gümbel).
- LIARDS**, Sage. Journ. de Phys. LX, 1805, 222 [= *Nummulites*].
- LICHENOPORA cibrosa**, Reuss. Verst. Böhm. Kreide, 1845-6, II, 64, xiv, 10; xxiv, 3-5 [v. also *Polyphragma*].
- ? ——— pupa, Gümbel. Geogn. Beschr. bayer. Alpengeberges, I, 1861, 654 [v. *Gaudryina*].
- LIEBERKUEHNIA**, Claparède & Lachmann, 1859. Mém. Inst. Nat. Genevois, XVI, 1859, 464.
- *wageneri*, Claparède & Lachmann, *ibid.* XVI, 1859, 465, xxiv (error for xxiii); Carpenter, Introd. Foram. 1862, 28 and 63, ii; Brady, Report Challenger, 1884, 60.
- LIMOCÆCUM**, de Folli, 1881. Bull. Soc. Nat. Hist. Toulouse, XV, 139; not described, one species proposed.
- LINGALINA**, Mackie, 1867, error for *Lingulina*.
- LINGULINA**, d'Orbigny, 1826. Ann. Sci. Nat. VII, 1826, 256; Brady, Report Challenger, 1884, 517.
- *alata*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 257, No. 2.
 ——— ——— P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 162, ix, 63.
 ——— ——— see *Orthoceratia Zoophytica subcordiformia*.
- *ampullacea*, Costa. Microdoride Mediterranea. 1861, 45, viii, 1.
 ——— *bohemica*, Reuss. Verstein. Böhm. Kreide, 1845-6, II, 108, xliv, 10.
 ——— *brevis*, Reuss. Sitz. K. Ak. Wiss. Wien, I.XI, (1), 1870, 478; v. Schlicht "Foram. Septar. Pietzpuhl," 1870, xxvi, 19-24.
 ——— *bursæformis*, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 628, i, 51a, b.
 ——— *carinata*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 257, No. 1 [v. *Nodosarina*].
 ——— ——— D'Orb., Modèles, No. 26, 1826.
 ——— ——— D'Orb., In Barker-Webb & Berthelot, Hist. Nat. Iles Canaries, 1839, II, (2), "Foraminifères," 124, i, 5 and 6.
 ——— ——— D'Orb., In de la Sagra, Hist. Plisiq., etc., Cuba, 1839, "Foraminifères," 20, i, 13 and 14; also in Spanish, 1840, 48, same pl. and fig.
 ——— ——— Pictet, Traité de Paléont. IV, 1846, 220, xii, 4.
 ——— ? ——— Costa, Atti Accad. Pontaniana, VII, (2), 1856, 175, xvi, 2 [error for 25] a, B, C [= *L. carinata*, d'Orb.].
 ——— ——— Williamson, Recent British Foram. 1858, 14, ii, 33-35.
 ——— ——— Jones & Parker, Quart. Journ. Geol. Soc. XVI, 1860, xix, 13-15.

- LINGULINA** carinata, d'Orbigny. Jones, Geologist, vi, 1863, 294, xv, 14-15
 ——— ——— P., J. & B. [d'Orb., Modèles, 26], Ann. Mag. Nat. Hist. [3],
 XVI, 1865, 23, i, 28.
 ——— ——— Brady, Proc. Somerset. Arch. & Nat. Hist. Soc. XIII,
 1865-6 (1867), 223, i, 10.
 ——— ——— Mackie, Science Gossip, 1867, 130, f. 118.
 ——— ——— P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871,
 164, ix, 61 and 62 (dimorphous, var) [see *Marginulina*.]
 ——— ——— Brady, Report Challenger, 1884, 517, lxv, 16 and 17.
 ——— ——— v. *seminuda*, Hantk. Brady; *ibid.* 1884, 518, lxv, 14
 and 15 [*L. costata*, var., 1875].
 ——— ——— Balkwill & Millett, Journ. Micr. III, 1884, 83, iv, 6.
 ——— ——— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (35), 161, f.
 ——— ——— see *Nautilus* (*O*) *raginæformis*, Batsch.
 ——— ——— see *Testæ ovæles*, etc., and *Nautili amphorarii*.
 ——— ——— cordiformis. Terquem. Mém. Ac. Imp. Metz, LI, 1870, 340, xxv, 6.
 ——— ——— costata. d'Orbigny. Foram. Fossiles Vienne, 1846, 62, iii, 1-5.
 ——— ——— ——— Brönn, Lethaea Geognostica, ed. 3, III, 1853-56, 238, xxxv*,
 38a, b, c.
 ——— ——— Carpenter, Parker & Jones, Introd. Foram. 1862, xii, 1.
 ——— ——— Suess, Boden Stadt Wien, 1862, 45, f. 1².
 ——— ——— Karrer, Novara-Exped.. Geol. (1), 1864, 75, xvi, 3.
 ——— ——— Reuss' Modell. No. 64, 1865 (Catal. No. 56. 1861).
 ——— ——— v. *seminuda*, Hantken. A magy. kir. földt. int. évkonyve,
 IV, 1875 (1876), 35, iv, 8a, b; and Mittl. a. d. Jahrb. k. ungar. geol.
 Anstalt, IV, 1875 (1881), 41, same pl. and fig. [var. *subglabra* in descr.
 of plate].
 ——— ——— Jones, M. Micr. Journ. XV, 1876, cxxix, 11a, b, c.
 ——— ——— Zittel, Handbuch Palæont. (1), 1876, 85, f. 21⁶.
 ——— ——— Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 25, pl. 7.
 ——— ——— Bütschli in Brönn, Klassen, etc., Thier-Reichs, 1880, 197,
 vii, 23.
 ——— ——— Quenstedt, Handbuch Petref., ed. 3, (5), (1885), 1051,
 lxxxvi, 14.
 ——— ——— Hoernes, Elem. Palæont. 1884, 25, f. 8; French ed., 1886,
 same fig.
 ——— decipiens, Stache. Novara-Exped.. Geol. (1), 1864, 193, xxii, 17a, b.
 ——— decipiens, Schwager. Pal. Indica, [13], No. 7, 1887, 931, cxxviii, 11a-d.
 ——— dentaliniformis, Terquem. Mém. Ac. Imp. Metz, LI, 1870, 339, xxv,
 1-3 [cf. *Frond. dentaliniformis*].
 ——— ——— Terquem, Mém. Soc. Géol. France, [3], IV, 1886, 12, i,
 27-29.
 ——— ——— Deecke, Mém. Soc. Emul. Montbéliard, XVI, 1886, [23], ii,
 10-10b.
 ——— dolium, Terquem. Mém. Ac. Imp. Metz, LI, 1870, 340, xxv, 4 and 5
 [cf. *Frond. dolium*].
 ——— elisa. Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 115, iv, 20, 20a.
 ——— glabra, Hantken. A magy. kir földt. int. évkonyve, IV, 1875 (1876),
 35, xiii, 14; and Mittl. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875
 (1881), 42, same pl. and fig.
 ——— glans. Stache. Novara-Exped.. Geol. (1), 1864, 191, xxii, 14.
 ——— gracillima, Costa. Microdoride Mediterranea. 1861, 48, viii. 7B.
 ——— hasta, d'Orb. Jones, Cat. Foss. Foram. B. M. 1882, p. 40 [v. *Mucronina*.]
 ——— impressa, Terquem. Mém. Soc. Géol. France, [3], II, 1882, 38, i (ix),
 45a, b.
 P ——— intumescens, Gümbel. Jahrb. k. k. geol. Reichsanstalt, XIX, 1869, 182,
 vi, 27.
 ——— intustriata. Stache. Novara-Exped., Geol. (1), 1864, 190, xxii, 13a, b.
 ——— lata. Gümbel. Gümbel, Anleit. geol. Beob. Alpenreisen Zeitschr. D. &
 O. Alpenver. Beilage, 1878, 105, f. 25²³.
 ——— lebelli, Andreæ. Abh. geol. Specialkarte Elsass-Lothr. II, (3), 1884,
 149, vi, 3.
 ——— makowskyiana, Rzehak. Verh. nat. Ver.-Brünn, XXIV, 1885 (1886), 97,
 i, 7.

- LINGULINA mediterranea**, Costa. Microdoride Mediterranea, 1861, 47, viii, 7.
 —— *multicostata*, Costa. Mem. Acc. Sci. Napoli, II, 1855 (1857), 146, II, 64, B.
 —— *mutabilis*, d'Orbigny. Foram Fossiles Vienne, 1846, 61, ii, 52–54.
 —— *mutinensis*, Coppi. Boll. Com. Geol. Ital., VII, 1876, 208, no fig.
 —— *mutinensis*, Doderlein. MS. Malagoli, Atti Soc. Nat. Modena, Mem. 3, vii, 1888, 5, 1, 6, 7 and 8.
 —— *nodosaria*, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 59, v, 12a, b.
 —— —— —— Berthelin, Mém. Soc. Géol. France, [3], I, 1880, 64, iv (xxvii), 10a–c
 —— *ovalis*, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 116, iv, 21–24.
 —— *ovalis*, Terq. & Berthelin. Mém. Soc. Géol. France, [2], X, 1875, 23, i (xi), 27.
 —— *papillosa*, Neugeboren. Denkschr. k. Ak. Wiss. Wien, XII, 2, 1856, 97, v, 6a, b.
 —— *polymorpha*, Costa. Microdoride Mediterranea, 1861, 46, viii, 2–6, and 8.
 —— *propinqua*, Stache. Novara-Exped., Geol. (1), 1864, 191, xxii, 15a, b, c, d.
 —— *pygmaea*, Reuss. In Geinitz, Palaeontographica, XX, (2), 1874, 89, xx, 28.
 —— *rimosa*, Stache. Novara-Exped., Geol. (1), 1864, 192, xxii, 16a, b.
 —— *rotundata*, d'Orbigny. Foram. Fossiles Vienne, 1846, 61, ii, 48–51.
 —— —— —— Terrigi, Atti Acc. Pont. Nuovi Lincei, XXXV, 1883, 171, ii, 4.
 —— *semiornata*, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 91, xii, 11a, b.
 —— *soldanii*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 257, No. 3.
 —— —— —— = *Grammost. pennatula* (Batsch), see *Orthoceras pupa* [= *Vulvulina* = *Bigenerina capreolus* (d.O.)].
 —— *striata*, Tate & Blake. Yorkshire Lias, 1876, 455, xviii, 16, 16a.
 —— *subacuta*, Gümbel. Anleit. g.-ol. Beob. Alpenreisen Zeitschr. D. & O., Alpenver. Beilage, 1878, 105, f. 25²⁴.
 —— *tenua*, Bornemann. Lias von Göttingen, 1854, 38, iii, 24 a–c [v. *Froندicula*].
 —— —— —— Brady, Proc. Somerset. Arch. & Nat. Hist. Soc. XIII, 1865–6 (1867), 223, i, 11.
 —— —— —— Tate & Blake, Yorkshire Lias, 1876, 455, xviii, 15, 15a.
 —— *tetragona*, Terquem. Mém. Ac. Imp. Metz, LI, 1870, 341, xxv, 7 and 8.
 —— *tuberosa*, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. X, 1868 (1870), 629, i, 52a, b.
 —— sp. Andreae, Abh. geol. Specialkarte Elsass-Lothr. II, (3), 1884, 297, vi, 7.
 —— *carinata*], Costa. Fauna Regno Napoli, 1838, "Foraminiferi," not descr., iii, 5.
 —— ?, Costa. Ibid. 1838, "Foraminiferi," not descr., iv, 15.
LINGULINOPSIS, Reuss, 1860. Reuss, Sitz. k. böhm. Ges. Wiss. 1860, 23.
 —— *bohemica*, Reuss. Reuss' Model. No. 30, 1865 (Catal. No. 57, 1861) = [a linguline *Marginulina*].
 —— *carlofortensis*, Bornemann. Atti Soc. Tosc. Sci. Nat. VI, (1), 1884, 26, vi, 1–7 [see Seguenza, Nat. Sicil. III, 1884, 135].
 —— *furcillata*, Berthelin. Mém. Soc. Géol. France, [3], I, 1880, 65, iv (xxvii), 6a–c.
 —— *rediviva*, Berthelin. Ibid. [3], I, 1880, 65, iv (xxvii), 7a, b.
 —— *seguana*, Berthelin. Ibid. [3], I, 1880, 63, ii (xxxv), 19a–c.
 —— *stillula*, Berthelin. Ibid. [3], I, 1880, 64, iv (xxvii), 8a–9b.
 —— *striata*, Reuss. Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 25, pl., 29 [v. *Amphimorphina*].
LINTHURUS, Montfort, 1808.
 —— *cassidatus*, Montfort. Conch. syst. I, 1808, 255, 64th genre [= *Cris-tellaria*].
 —— *cassis* (F. & M.). Defrance, Dict. Sci. Nat. XXVI, 1823, 555; XXXII, 1824, 188; Atlas, Conch. XIX, 3 [*Nautilus*, 1798].

- LINTHURUS** *cassis* (F. & M.). Blainville, Manuel Malac. et Conch. 1825 (pls. 1827), 384, x, 3.
- LITHOCOLLA**, F. E. Schulze, 1874. Arch. Mikr. Anat. x, 1874, 389.
- *globosa*, F. E. Schulze. *Ibid.* x, 1874, 389, xxvi, 8-10.
- — — Möbius, Abh. k. pr. Ak. Wiss. Berlin, 1888 (1889), 12, ii, 19.
- LITUI** *crispata* et *orbiculi*. Soldani, Testac. i, (1), 1789, 63, pl. 53, A, C, E, & [Cristellaria concava, d' O. Ann. Sci. Nat. vii, 1826, 290, 1].
- — — *Ibid.* i, (1), 1789, 63, pl. 55, B, D [Cristellaria navicularis (Montf.). D' O. Ann. Sci. Nat. vii, 1826, 290, 2].
- — — *Ibid.* i, (1), 1789, p. 63, pl. 56, J, K, L, M, N, O, P, Q, R [Cristellaria cassia (F. & M.), d' O. Ann. Sci. Nat. vii, 1826, 290, 3].
- — — *Ibid.* i, (1), 1789, p. 63, pl. 56 H [Cristellaria soldanii, *Ibid.* vii, 1826, 290, 4].
- LITUUIT**, Spengler. Dansk. Skr., 1781, 370, [pl. 1], "fierde figur" (4) and 5 [= *Peneroplis*].
- LITUITES** *litetus*, Montfort. Conch. syst. i, 1808, 279, 70th genre [?].
- LITUO**, Targioni. Relaz. d'alc. viaggi. iv, 1770, p. xv, f. 20.
- LITUOLA**, Lamarck, 1804. Ann. Mus v, 1804, 243.
- *agglutinans*, d' O. Jones & Parker, Quart. Journ. Geol. Soc. xvi, 1860, xx, 47 [*Spirolina*, 1846].
- — — Tate & Blake, Yorkshire Lias, 1876, 452, xvii, 40.
- — — Nicholson, Manual Palæont. 1879, i, 111, f. 18d.
- *bennieana*, Brady. Carbonif. Foram., Pal. Soc. xxx. 1876, 64, i, 8-11.
- — — Howchin, Journ. R. Microsc. Soc. 1888, 537, viii, 7.
- *canariensis* (d'Orbigny). Carpenter, Parker & Jones, Introd. Foram. 1862, vi, 39, 40, 41 [*Nonionina*, 1839].
- — — Carter, Ann. Mag. Nat. Hist: [4], xix, 1877, xiii, 26-29.
- — — see *L. nautiloidea*, Lam.
- *cassis*, Parker. Dawson, Canad. Nat. n. s. v, 1870, 177, f. 3 [v. *Haplophragmium*].
- — — Dawson, Amer. Journ. Sci. [3], i, 1871, 206, f. 3; and Annals Mag. Nat. Hist. [4], vii, 1871, 86, f. 3.
- *cenomana* (d'Orbigny). Carpenter, Parker & Jones, Introd. Foram. 1862, xi, 11-14 [v. *Placopsisina*; v. also "Œufs de mollusques"].
- — — Brady, Proc. Somerset. Arch. & Nat. Hist. Soc. xiii, 1865-6 (1867), 221, i, 1.
- — — Segenza, Atti R. Acc. Lincei, [3], xii, 1882, 201, xxi, 3, 3a.
- *deformis*, Lamarck. Brönn, Syst. urweltl. Conchyl. 1824, 9, i, 4b [*Lituolites*, 1816].
- — — Brown, Elem. Foss. Conch. 1843, not descr., iii, 4.
- *diformis*, Lamarck. *Ibid.* 1843, 25, ii, 30 [*Lituolites*, 1804].
- — — Jones in Microgr. Dict. ed. 4, 1883, 473, xxliii, 18.
- *dubia* (d'Orbigny). P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], viii, 1871, 155, ix, 30 [*Nodosaria*, 1826].
- *findens*, Parker. Dawson, Canad. Nat. n. s. v, 1870, 176, f. 1 [v. *Reophax*].
- — — Dawson, Amer. J. Sci. [3], i, 1871, 206, f. 1; and Annals Mag. Nat. Hist. [4], vii, 1871, 86, f. 1.
- *globata*, Tate & Blake. Yorkshire Lias, 1876, 452, xviii, 5.
- *globigeriniformis*. Parker & Jones. Phil. Trans. 1865, 407, xv, 46, 47; xvii, 96-98 [v. *L. nautiloidea*; v. also *Haplophragmium*].
- — — Wright, Proc. Belf. F. Club, 1876-7, (App.), 103, iv, 6.
- (*Haploph.*) — — — Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxiii, 1880, 175, i, 3.
- *glomerata*, Brady. Ann. Mag. Nat. Hist. [5], i, 1878, 433, xx, 1a-c [v. also *Haplophragmium*].
- *irregularis* (Rss.). Jones, Cat. Foss. Foram. B. M. 1882, 10 [v. *Haplostiche*].
- *lagenalis*, Roem. Jones, *ibid.* 1882, 12 [*Spirolina*].
- *nautiloidea*, Lam. Brönn, Syst. urweltl Conchyl. 1824, 9, i, 4a [*Lituolites*, 1804].
- (et *Lituolites*) *[nautiloides]* — Defrance, Dict. Sci. Nat. xxvii, 1823, 81; xxxii, 1824, 190; Atlas, Conch. xx, 3.

- LITUOLA** [*nautiloides*] Lam. Blainville, Manuel Malac. et Conch. 1825 (pls. 1827), 381, ii [error for xi], 3.
 ——— D'Orbigny, Mém. Soc. Géol. France, [1], IV, 1840, 29, II, 28-31; Facsimile in Science Gossip, 1870, 107, f. 112.
 ——— D'Orbigny, Foram. Fossiles Vienne, 1846, 138, xxi, 20 and 21.
 ——— D'Orbigny, Cours élém. Paléont., etc. I, 1849, 198, f. 324; II, (2), 1852, 687, f. 559.
 ——— Mantell, Pictorial Atlas Foss. Rem. 1850, 143, lxii, 5-7.
 ——— Dixon, Geol., etc., Sussex, 1850, 352, xxvii, 14 [error for 12 and 13]; and ed. 2, 1878, 285, pl. 30, 12 and 13.
 ——— Brönn, Lethaea Geognostica, ed. 3, II, 1851-52, 87, xxix¹, 14a, b.
 ——— Jones, Lecture Geol. Hist. Newbury, 1854, 48, ii, 4, 4a.
 ——— Mantell, Medals Creation, ed. 2, 1854, 347, f. 111, 3a-d.
 ——— Mantell, Wonders Geol. 1857, 7th ed., 335, f. 65, 1.
 ——— Reuss, Sitz. k. Ak. Wiss. Wien, XL, 1860, 220, x, 5, 6a, b, 7 and 8.
 ——— Carpenter, Parker & Jones, Introd. Foram. 1862, 144, vi, 44-46.
 ——— Jones, Geologist, VI, 1863, 294, xv, 12.
 ——— v. *canariensis* (d'Or.). Parker & Jones, Phil. Trans. 1865, 406, xv, 45a, 45b; xvii, 92-95 [v. *L. canariensis*].
 ——— var. *globigeriniformis*, P. & J. Ibid. 1865, 407, xv, 46, 47; xvii, 96-98 [v. *L. globigeriniformis*].
 ——— var. *scorpiurus* (Montf.). Ibid. 1865, 407, xv, 48a and 48b [v. *L. scorpiurus*].
 ——— Brady, Carbonif. Foram., Pal. Soc. XXX, 1876, 63, viii, 7.
 ——— Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 26, pl. 87.
 ——— [d'Orb.]. Bütschli in Brönn, Klassen, etc., Thier Reichs, 1880, 192, v, 18.
 ——— var. (*Haplophrag.*) *depressa*, Jones. Quart. Journ. Geol. Soc. XL, 1884, 765, xxxiv, 2.
 ——— see *Fossilia minima*, etc., and *Nant. circumradiati*.
ovata (v. Hagen.). Marsson, Miith. Nat. Ver. Neu-Vorpommern u. Rügen, X, 1878, 171, v, 40a-m [*Orbignyna*, 1842].
rotundata, Howchin. Journ. R Microsc. Soc. 1888, 536, viii, 5, 6.
rugosa, d'Orb., 1847. D'Orbigny, Prodrome de Paléont. II, 1850, 185, No. 755 [*Robulina*, 1826].
 ——— P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 242, ix, 31.
scorpiurus (Montf.). Brady, Trans. Linnean Soc. XXIV, 1864, 467, xviii, 5 [*Reophax*, 1808].
 ——— Brady, Nat. Hist. Trans. Northumb. I, 1865-67 (1867), 96, xii, 3.
 ——— Dawson, Canad. nat. n. s., V, 1870, 177, f. 4.
 ——— P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 159, ix, 29.
 ——— Dawson, Amer. Journ. Sci. [3], I, 1871, 206, f. 4; and Annals Mag. Nat. Hist. [4], VII, 1871, 86, f. 4.
soldanii, Jones & Parker. Quart. Journ. Geol. Soc. XVI, 1860, 307, No. 184 [v. *Haplostiche*].
 ——— Carpenter, Parker & Jones, Introd. Foram. 1862, vi, 42 and 43.
 ——— **soldani**, P. & J., v. *intermedia*. Vanden Broeck. Ann. Soc. Belge Micr. 1876, 74, ii, 1, 3, 4 and 6; and Fonds de la Mer, III, (1876).
 ——— **subglobosa**, M. Sars. Forh. Vidensk. Selsk. Christiania, 1868 (1869), 250 [not described] [v. *Haplophragmium*].
 ——— Deshayes, Coq. Foss. Paris, 1837, not descr., cv, 9-18, 20-23, 28-31, 33 and 34.
 ——— Carpenter, Parker & Jones, Introd. Foram. 1862, 143, vi, 39-47; xi, 11-14 [structural].
 ——— Terquem, Bull. Soc. géol. France, [3], IV, 1876, 508, xiii, 3.

- LITUOLA**, Carpenter, Ency. Brit. 9th ed., IX, 1879, "Foraminifera," 375, 6a, b, c.
 —— Martin, Jaarboek Mijnwezen in Nederland. Oost-Indië, XI, (1), 1882, 97, iii, 5e.
 —— see *Lituolites* and *Coprolithen*.
- LITUOLINA**, Goës, 1881. Ofver. K. Vetensk.-Akad. Förh. 1881, No. 8, 33; and K. Svenska Vet.-Ak. Handl. xix, No. 4, 1882, 137.
- fœdissima, Reuss. Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 138, xii, 415-418 [*Dentalina*, 1860].
- irregularis, Röm. Goës, *ibid.* xix, No. 4, 1882, 139, xii, 419 and 420 [*Spirolina*, 1840].
- — v. compressa, Goës. *Ibid.* xix, No. 4, 1882, 141, xii, 421-423.
- — — v. globigerinæformis, P. & J. Goës, *ibid.* xix, No. 4, 1882, 141, xii, 424 and 425 [v. *Lituola nautiloidea* and also *Haplophragmium*].
- scoriplura (Montf.). Goës. Ofver. K. Vetens.-Ak. Förh. 1881, XXXVIII, No. 8, 34, figures [*Reophax*, 1808].
- scoriplurus, Montf. Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 136, xi, 406-409.
- — — var. ammophila, Goës. *Ibid.* xix, No. 4, 1882, 137, xii, 410-414.
- LITUOLITE**, Dujardin, Mém. Soc. Géol. France, [1], II, 1835, 239, xvii, 15a, b.
- LITUOLITES**, Lamarck, 1804. Ann. Mus. v, 1804, 243.
- deformis, Lamarck. Ency. Méthod, "Vers," II, (1830), 368, pl. 466, f. 1; (pls. 1827). (P. & J. quote "part 23, 1816") [v. also *Lituola*].
- difformis, Lam. Ann. Mus. v, 1804, 243, No. 2 and f. 13a, b, pl. 62, VIII, 1806 [v. also *Lituola*].
- — — Parkinson, Organ. Rem. former World, III, 1811, 161, xi, 6 and 7.
- — — — Lamarck, Coq. Foss. Paris, 1823, 14, xiv, 13a, b.
- [—] nautiloidea, Lam. Lamarck, Vélins du Muséum Paris, No. 47, f. 13.]
- [—] [nautiloides] Lam. Ann. Mus. v, 1804, 243, No. 1; and f. 12, pl. 62, VIII, 1806 [v. also *Lituola*].
- — — — Parkinson, Organ. Rem. former World, III, 1811, 161, xi, 5.
- [nautiloides], — Lamarck, Ency. Méthod, "Vers," II, (1830), 368, pl. 465, f. 6 and 466, f. 4; (pls. 1827), (P. & J. quote "pt. 23, 1816") [= *L. nautiloidea*].
- [nautiloides], — Lamarck, Coq. Foss. Paris, 1823, 14, xiv, 12.
- — — — Crouch, Introd. Lamarck, 1827, 40, xxii, 3.
- — — — Brown, Conch. Text-book, 1839, 63, x, 22.
- Bowdich, Elem. Conch. (1), 1822, 20, i, 7.
- LITUUS**, Soldani, Testac. I, (1), 1789, 76, pl. 67, vv-22 [*Vertebralina striata*, d'O., Ann. Sci. Nat. VII, 1826, 283, 1].
- elegans, *Ibid.* I, (1), 1789, 64, pl. 56Q [*Cristellaria elegans*, d'O., Ann. Sci. Nat. VII, 1826, 293, 24].
- innominatus, *Ibid.* I, (1), 1789, 64, pl. 57T, t [*Cristellaria aculeata*, d'O., Ann. Sci. Nat. VII, 1826, 292, 14].
- LOBATULA**, Fleming, 1828. Illust. Brit. Anim. 1828, 232.
- vulgaris, Fleming. *Ibid.* 1828, 232 [= *Trunrt. lobatula*].
- — — — Thorpe, Brit. Mar. Conch., 1844, 235.
- LOBULARIA vesiculosa**, Costa. Atti R. Acc. Sci. Borbon. IV, 1839, 186 [founded on Soldani, tab. vii, 45 and xix, 91v, x].
- LOFTUSIA**, Carpenter & Brady. Phil. Trans. 1869, 721.
- carbonica, Möller. Veit. k. russ. min. Ges. St. Petersburg, [2], XVI, 1881, 189.
- columbiana, G. M. Dawson. Quart. Journ. Geol. Soc. XXXV, 1879, 69, vi, 1-7.
- persica, Carpenter & Brady. Phil. Trans. 1869, 739. lxxvii-lxxx.
- — — — Zittel, Handbuch Palæont. (1), 1876, 80, f. 15.
- — — — Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 26, pl. 95.
- — — — Carter, Annals & Mag. Nat. Hist. [4]. xix, 1877, 61, viii, 18. Bütschli in Bronn, Klassen, etc., Thier-Reichs, 1880, vii, 1.

- LOFTUSIA**, Steinmann, Palæontographica, xxv, 1878, 117.
 — v. Möller. Jahrb. k. k. geol. Reichsanstalt, xxx, 1880, 578, ix, 1-5
 [see *L. carbonica*].
- LOXOSTOMUM**, Ehrenberg. Bigenerine *Textularia*, tending towards *Sigrina rugosa* (*Heterostomella*, Reuss). Aperture entire . . . and lipped as in *Uvigerina*. Edges of shell aculeate. (Parker & Jones, Annals, ix, 1872, 293).
- *aculeatum*, Ehr. Mikrogeologie, 1854, xxvii, 21 and 22; xxviii, 26 [= Bigenerine *Textularia*, near *Sigrina rugosa*, d'O., = *Heterostomella*, Reuss].
 - *anglicum*, Ehr. *Ibid.* 1854, xxviii, 19 [= *Vulvula pinnatula*, Batsch].
 - *curvatum*, Ehr. *Ibid.* 1854, xxviii, 13 [= probably *Vulvula pinnatula*, Batsch].
 - *rostratum*, Ehr. *Ibid.* 1854, xxvii, 20 [= Bigenerine *Text. agglutinans*].
 - *subrostratum*, Ehr. *Ibid.* 1854, xxvii, 19 [= Bigenerine *Text. agglutinans*].
 - *tumens*, Ehr. *Ibid.* 1854, xxviii, 25; and xxxi, 29 [= *Heterostom. aculeata* (Ehr.)].
 - *vorax*, Ehr. *Ibid.* 1854, xxviii, 24 [*Polym. compressa*].
- LUNULITES**, Lamarek, 1816. Extract Cours Zool. 1812, 26; and Hist. Anim. s. Vert. ii, 1816, 194] a genus of Polyzoa, some species of which have a strong external resemblance to *Nummulites*.
- *dactioides*, Owen, Rep. Mineral lands, Niagara Group, 1840 [referred by S. A. Miller, Catal. Amer. Pal. Foss. 1877 to *Riceplaculites*].
- LYCOPHRIS**, Montfort, 1808. Conch. Syst. i, 1808, 159.
- *dispansus*, Sowerby. Trans. geol. Soc. Lond. [2], v, 1837 (1840), 327, 718, and explan. of plates, xxiv, 16, 16a, b [v. also *Nummulina*, *Nummulites* and *Orbitoides*; referred to *Orbitoides prattii*],
 - — — Carter, Annals & Mag. Nat. Hist. [2], xi, 1853, 172, vii, 23-29.
 - — — Carter, Journ. Bombay Br. R. Asiatic Soc. v, (18), (1853), 136, ii, 23-29.
 - — — Carter, Geol. Papers Western India, 1857, 451, xviii, 16, 16a, 16b, and 545, xxiii, 23-29.
 - *ephippium*, Sowerby. Trans. geol. Soc. Lond. [2], v, 1837 (1840), 327, and explan. of plates, xxiv, 15, 15a, b [v. also *Orbitoides*].
 - — — Carter, Geol. Papers Western India, 1857, 451, xviii, 15, 15a, 15b.
 - *faujasii*, Defrancee. Dict. Sci. Nat. xxix, 1822, 271 [v. *Hymenocyclus*].
 - — — Quenstedt, Handbuch Petref. ed. 3, (5), (1885), 1056, lxxxvi, 39.
 - [lenticularis], Blainville. Dict. Sci. Nat. 1816-30, Atlas, Zooph. xlxi, 3 [v. also *Nummulites*] [= *Orbitoides*] (not *Lycophris lenticularis* of Montfort).
 - [lenticularis], Blainville. Malacol. 1825, lxxiv, 3 [= *Orbitoides*] (not *Lycophris lenticularis* of Montfort).
 - *lenticularis*, Montfort. Conch. syst. i, 1808, 159, 40th genre [= *Nummulina perforata* (*N. lucasana*)].
 - — — Bronn, Syst. urweltl. Pflanzenthire, 1825, 29, vii, 11a-c [= *Numm. scabra*].
 - — — Basterot, Mém. Soc. Hist. Nat. Paris, II, (1), 1825, 19, vii, 3.
- LYRINA**, Zborzewski, 1834. Nouveaux Mém. Soc. Imp. Nat. Moscou, III, 1834, 311 ["obscure two-celled form," P. & J.].
- *fischeri*, Zborzewski. *Ibid.* III, 1834, 311, xxviii, 3a, b. c.
- MACRODITES cucullatus**, Montfort. Conch. syst. i, 1808, 239, 60th genre [= *Cristularia*].
- MADREPORITES**, Deluc, Journ. Physique, LVI, 1802, 325, etc., plate, figs. 7-12 [*Orbitulites*].
- *lenticularis*, Blumenbach. Abbild. Nat. Gegenstände, (8), No. 80, 1805, lxxx [= *Patellina concava* (Lam.) [v. *Orbutilus*]].
- MALLOPELA**, de Folin, 1881. Bull. Soc. N. H. Toulouse, xv, 140: not described, 5 sp. proposed; and Congrès Scient. Dax, 1882 (1883), 328, not described; La Naturaliste, LX, 1887, 113, f

- MARGARITINA**, Schwager, 1887. Pal. Indica, [13], No. 7, 1887, 992 ["near *Saccammina*"].
- **schwageri** (Zittel). Schwager, Pal. Indica, [13], No. 7, 1887, 993, cxxviii, 12–15 [*Saccammina*, 1876].
- MARGINOPORA vertebralis**, Blainville. Man. d'Actinol., 1834, 412, lxix. 6.
- MARGINULINA**, d'Orbigny, 1826. Ann. Sci. Nat. VII, 1826, 258; Brady, Report Challenger, 1884, 526.
- **abbreviata**, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. II, 1851, 129, v, 4.
- **abbreviata**, Karrer. Sitz. k. Ak. Wiss. Wien, XLIV, (1), 1861 (1862), 445, i, 7.
- **accincta**, Terquem. Bull. Soc. d'Hist. Nat. Moselle, XI, 1868, 70, ii, 13, 14; varr. A, 15a, b; B, 16a, b.
- **ackneriana**, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. II, 1851, 133, v, 15 and 16 [= *M. variabilis*, Neugeb., 1860].
- **aculeata**, Neugeboren. Ibid. II, 1851, 142, iv, 21 [= *M. hispida*, Neugeb., 1860].
- **acutangularis**, Terquem. Bull. Soc. d'Hist. Nat. Moselle, XI, 1868, 59, i, 2.
- **acuticostata**, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 62, vi, 3a, b.
- **æqualis**, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 410, ix, 9.
- **æquivoca**, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 60, v, 17.
- **agglutinans**, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. II, 1851, 145, iv, 24.
- **agglutinans**, Terquem. Cinquième Mém. Foram. Lias, 1866, 433, xvii, 14a, b, c.
- **alata**, Terquem. Mém. Ac. Imp. Metz, XXXIX, 1858, 615, iii, 9a, b.
- **alsatica**, Andreea. Abh. geol. Specialkarte Elsaß-Lothringen, II, (3), 1884, 298, vi, 11.
- **ambigua**, Schwager. Benecke's Geol.-Pal. Beiträge, I, 1866, 305, f. 8.
- **anceps**, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. II, 1851, 125, iv, 10.
- **angistoma**, Stache. Novara-Exped., Geol. (1), 1864, 213, xxii, 46a, b.
- **angusta**, Terquem. Mém. Ac. Imp. Metz, XLII, 1862, 444, v, 24a, b.
- **apiculata**, Reuss. Haidinger's Naturw. Abh. IV, (1), 1851, 28, i, 18.
- **apiculata**, Stache. Novara-Exped., Geol. (1), 1864, 216, xxii, 49.
- **arcuata**, Philippi. Tertiär nordwest. Deutsch. 1843, 5, 1, 28 [v. *Cristellaria*]. [In explan. to plate, described as "Marginulina"? (s. potius *Planularia*?").]
- **armata**, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 209, vii, 7.
- **aspera**, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 401, viii, 14a, b.
- **asprocostulata**, Stache. Novara-Exped., Geol. (1), 1864, 219, xxii, 53.
- **attenuata**, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. II, 1851, 121, iv, 3–6 [v. also *M. irregularis* and *M. orbignyanus*].
- — — — — Sherborn & Chapman, Journ. R. Micr. Soc. 1889, 487, xi, 27.
- **bacheii**, Bailey. Smithsonian Contrib. II, 1851, 10, pl., 2–6.
- **bacillum**, Reuss. Verstein. Böhm. Kreide, 1845–6, i, 29, viii, 11.
- — — — — Reuss, Sitz. k. Ak. Wiss. Wien, XL, 1860, 208, vi, 8.
- **behmi**, Reuss. Hantken, A magy. kir földt. int. évkönyve, IV, 1875 (1876), 41, v, 1 and 2, xiv, 6; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 48, same pl. and fig. [*Cristellaria*, 1865].
- — — — — Jones, M. Micr. Journ. XV, 1876, cxxix, 2 and 3.
- **beierana**, Gümbel. Jahresh. Ver. vat. Nat. Württ. XVIII, 1862, 221, iii, 20a, b.
- **berthelotiana**, d'Orbigny. Barker-Webb & Berthelot, Hist. Nat. Iles Canaries, 1839, II, (2), "Foraminifères," 125, i, 14 and 15 [error for 12 and 13].
- **beyrichi**, Reuss. Sitz. k. Ak. Wiss. Wien, XVII, 1856, 226, i, 10.
- **biangulata**, Terquem. Bull. Soc. d'Hist. Nat. Moselle, XI, 1868, 83, iii, 21a, b, 22.
- — — — — Terquem, Bull. Soc. géol. France, [3], IV, 1876, 485, xv, 21 and 22.

- MARGINULINA bifurcata**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 258, No. 2.
 —— **bigibbosa**, Terquem. Bull. Soc. d'Hist. Nat. Moselle, xi, 1868, 118, vii, 26a, b; var. A, 27 [v. *M. gibbosa*].
 —— **bijuga**, Terquem. Mém. Ac. Imp. Metz, xliv, 1863, 404, viii, 20a, b.
 —— **biplicata**, Terquem. Ibid. xliv, 1863, 397, viii, 1 [7] a, b, c, d, e.
 —— **bochardi**, Terquem. Cinquième Mém. Foram. Lias, 1866, 426, xvii, 3a, b.
 —— **bononiensis**, Fornasini. Boll. Soc. Geol. Ital. ii, 1883, 187. ii, 7a-i.
 —— **bronniana**, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. ii, 1851, 128, iv, 16 [= *M. similis*, d'Orb., Neugeb., 1860].
 —— **budensis**, Hantken. A magy. kir. fő dt. int. évkönyve. iv, 1875 (1876), 40, xiv, 5; and Mitt. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 47. same pl. and fig.
 —— **bullata**, Reuss. Verstein. Böhm. Kreide, 1845-6, i, 29, xiii, 34-38.
 —— —— —— Reuss in Geinitz, Grundr. Verstein. 1845-46, 656, xxiv, 16.
 —— —— —— Reuss, Sitz. k. Ak. Wiss. Wien, xi, 1860, 205, vi, 6 [4-6].
 —— —— —— [Roem.]. Reuss' Mcdel. No. 86, 1865 (Catal. No. 60, 1861).
 —— —— —— Sherborn & Chapman, Journ. R. Micr. Soc. [2], vi, 1886, 752, xv, 17.
 —— **burgundiæ**, Terquem. Mém. Ac. Imp. Metz, xliv, 1863, 406, ix, 3a, b, c, d [v. *Dentalina*].
 —— —— —— Terq. & Berthelin, Mém. Soc. Géol. France, [2], x, 1875, 54, iv (xiv), 17.
 —— **calliopsis**, Reuss. Sitz. k. Ak. Wiss. Wien, xlvi, (1), 1862 (1863), 60, v, 16a, b.
 —— **cancellaroides**, Terquem. Sixième Mém. Foram. Lias, 1866, 508, xxi, 25a, b.
 —— **carinata**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 259, No. 8.
 —— —— = *Ling. carinata* (dimorphous var.), see *Orthoceratia Zoophytica elongata*.
 —— **carinata**, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. ii, 1851, 134, v, 17.
 —— **ceiczeckana**, Neugeboren. [v. *M. czizekiana*].
 —— **clathrata**, Costa. Microdoride Mediterranea, 1861, 52, viii, 9.
 —— **clathrata**, Terquem. Bull. Soc. d'Hist. Nat. Moselle, xi, 1868, 74, ii, 24a, b; varr. A, 25; B, 26a, b; C, 27a, b.
 —— **clausa**, Terquem. Ibid. xi, 1868, 91, v, 1a, b, 2; varr. A, 3a, b, 4.
 —— **collenoti**, Terquem. Cinquième Mém. Foram. Lias, 1866, 424, xvii, 1a, b, c, d.
 —— **colliezi**, Terquem. Ibid. 1866, 430, xvii, 10a, b, c.
 —— **comma**, Roemer. Verst. n.-d. Kreide, 1840-1, 96, xv, 15.
 —— **compressa**, d'Orbigny. Mém. Soc. Géol. France, [1], iv, 1840, 17, i, 18 and 19; Facsimile in Science Gossip, 1870, 82, f. 84.
 —— —— Reuss, Verstein. Böhm. Kreide, 1845-6, i, 29, xiii, 33.
 —— **compressiuscula**, Philippi. Tertiär. nordwest. Deutsch. 1843, 5 and 69, i, 29 [v. *Cristellaria*]. In explan. to plate described as "Marginulina? (s. potius *Planularia?*)".
 —— **condita**, Terquem. Bull. Soc. d'Hist. Nat. Moselle, xi, 1868, 92, v, 5a, b; varr. A, 6a, b; J, 7; C, 8a, b; D, 9a, b; E, 10; F, 11a, b; G, 12a, b; H, 13a, b; I, 14a, b; J, 15a, b; K, 16a, b; L, 17a, b; M, 18a, b; N, 19; O, 20a, b; P, 21; Q, 22; R, 23a, b; S, 24a, b.
 —— **conica**, Terquem. Mém. Ac. Imp. Metz, xlii, 1863, 412, ix, 13a, b, c, d.
 —— **consecta**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 258, No. 13.
 —— —— = M. sp. (cast), see "Nuclæ in thatamis Orthoc. etc."
 —— **consobrina**, Terquem. Mém. Ac. Imp. Metz, xliv, 1863, 396, viii, 5a, b, c.
 —— —— —— Terquem, Cinquième Mém. Foram. Oolithique, 1883, 345, xxxviii, 5.
 —— **constricta**, Terq. & Berthelin. Mém. Soc. Géol. France, [2], x, 1875, 58, v (xv), 3a-f.
 —— **contracta**, Costa. Atti Accad. Pontaniana, vii, (2), 1856, 186, xiii, 10.
 —— **contracta**, Terquem. Bull. Soc. d'Hist. Nat. Moselle, xi, 1868, 125, viii, 13a, b; varr. A, 14a, b; B, 15a, b; C, 16a, b; D, 17a, b; E, 18; F, 19a, b; G, 20a, b; H, 21a, b; I, 22; J, 23a, b; K, 24a, b.

- MARGINULINA contracta**, Terquem. Terquem, Bull. Soc. géol. France, [3], iv, 1876, 489, xvi, 10-13.
 ——— ——— ——— Terquem, Mém. Soc. Géol. France, [3], iv, 1886, 25, ii, 44-54.
 ——— **contraria**, Czjzek. Haidinger's Nat. Abh. II, 1848, 140, xii, 17-20.
 ——— **corniculum**, Costa. Atti Accad. Pontaniana, vii, (2), 1856, 186, xiii, 14.
 ——— **cornucopia**, Terquem. Bull. Soc. d'Hist. Nat. Moselle, xi, 1868, 72, ii, 19a, b, 20; varr. A, 21a, b; B, 22a, b; C, 23a, b.
 ——— **cornucopiae**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 259, No. 7.
 ——— **cornuformis**, Terquem. Mém. Soc. Géol. France, [3], iv, 1886, 23, ii, 33a, b, c.
 ——— **coronata**, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 633, i, 61.
 ——— **corrugata**, Terquem. Sixième Mém. Foram. Lias, 1866, 506, xxi, 22a, b.
 ——— **corticulata**, Schwager. Jahresh. Ver. vat. Nat. Württ. xxI, 1865, 118, iv, 32.
 ——— **costata**, (Batsch). Brady, Report Challenger, 1884, 528, lxv, 10-13 [*Nautitus (Orthoceras)*, 1791].
 ——— ——— ——— Sherborn & Chapman, Journ. R. Micr. Soc. 1889, 487, xi, 28.
 ——— **costulata**, Roem. Reuss, Verstein. Böhm. Kreide, I, 1845, 28, xiii, 25 [v. *Vaginulina*].
 ——— **crassa**, Cornuel. Mém. Soc. Géol. France, [2], III, 1848, 251, i, 22-25.
 ——— **crassiuscula**, Terq. & Berthelin. *Ibid.* [2], x, 1875, 56, iv (xiv), 23a-c.
 ——— **crstellarioides**, Czjzek. Haidinger's Nat. Abh. II, 1848, 140, xii, 14-16.
 ——— **crstellata**, Stache. Novara-Exped., Geol. (1), 1864, 212, xxii, 44.
 ——— **crustuliformis**, Terquem. Bull. Soc. d'Hist. Nat. Moselle, xi, 1868, 82, i-i, 19a, b and 20.
 ——— **cultrata**, Terquem. Mém. Ac. Imp. Metz, XI.IV, 1863, 411, ix, 11.
 ——— **cuneata**, Terquem. Sixième Mém. Foram. Lias, 1866, 505 xxi, 18a, b.
 ——— **cylindrica**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 258, No. 3.
 ——— **cylindrica**, Terquem. Ess. Anim. Plage Dunkerque, (1), 1875, 22, i, 9a, b; (and Mém. Soc. Dunkerquoise).
 ——— **cytharella**, Terquem. Bull. Soc. d'Hist. Nat. Moselle, xi, 1868, 99, v, 25a, b; varr. A, 26a, b; B, 27a, b; C, 28a, b, 29; D, 30.
 ——— ——— ——— Terquem, Mém. Soc. Géol. France, [3], iv, 1886, 20, ii, 12-14.
 ——— **czizekiana**, Neugeboren. Verh. Mittl. siebenburg. Ver. Nat. II, 1851, 131, v, 7 [quoted as *cciczeckana*, by Neugeboren, 1860].
 ——— **damæcormis**, Terquem. Sixième Mém. Foram. Lias, 1866, 498, xxi. 1.
 ——— **debilis**, Berthelin. Mém. Soc. Géol. France, [3], II, 1880, 35, iii (xxvi), 28.
 ——— **deformis**, Neugeboren. Verh. Mittl. siebenburg. Ver. Nat. II, 1851, 127, v, 3.
 ——— **deformis**, Schwager. Jahresh. Ver. vat. Nat. Württ. xxI, 1865, 118, iv, 30.
 ——— **demersa**, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 305.
 ——— **denlaloides**, Dunikowski. Kosmos [Lemberg], IV, 1879, 109. plate, 10.
 ——— **dentaliniformis**, Mariaui. Atti Soc. Ital. Sci. XXXI, 1888, 113, i, 45a, b [error for 5a, b].
 ——— **dentalinoidea**, Schwager. Palæontographica, XXX, 1883, Pal. Theil, 108, xxvi (3), 9a, b.
 ——— **depressa**, Tate & Blake. Yorkshire Lias, 1876, 463, xix, 9.
 ——— ——— ——— Deecke, Mém. Soc. Emul. Montbéliard, XVI, 1886, [28], ii, 21.
 ——— **deslongchampsi**, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 398, viii, 8a, b.
 ——— **dichotoma**, Terquem. *Ibid.* XLII, 1862, 444, vi, 1a, b.
 ——— **dispar**, Reuss. Sitz. k. Ak. Wiss. Wien, XI.VI, (1), 1862 (1863), 63, vi, 4.
 ——— **disparilis**, Terquem. Bull. Soc. d'Hist. Nat. Moselle, xi, 1868, 85, iv, 1a, b; varr. A, 2; B, 3a, b, 4; C, 5a, b; D, 6; E, 7; F, 8a, b; G, 9; H, 10; I, 11; J, 12; K, 13, 14; L, 15a, b; M, 16, 17; N, 18a, b; O, 19a, b, 20; P, 21a, b, 22; Q, 23a, b; R, 24a, b.

- MARGINULINA disparilis**, Terquem. Terq. & Berthelin, Mém. Soc. Géol. France, [2], x, 1875, 57, v (xv), 1a-h.
 —————— Terquem, *ibid.* [3], IV, 1886, 19, ii, 5-11.
 —————— **dissecta**, Terqueu. Sixième Mém. Foram. Lias, 1866, 498, xxi, 2a, b.
 —————— **disteasa**, Terquem. Bull. Soc. d'Hist. Nat. Moselle, XI, 1868, 120, vii, 30a, b.
 —————— **dubia**, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. II, 1851, 120, iv, 1.
 —————— **dumortieri**, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 395, viii, 4a, b.
 —————— **v. oxfordiana**, Deecke. Mém. Soc. Emul. Montbéliard, XVI, 1886, [27], ii, 22.
 —————— **duodecim-costata**, Terquem. Mém. Ac. Imp. Metz, XXXIX, 1858, 617, iii, 12a, b.
 —————— **duracina**, Stache. Novara-Exped., Geol. (1), 1864, 211, xxii, 42.
 —————— **echinata**, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. II, 1851, 143, iv, 25.
 —————— **ehrenbergiana**, Neugeboren. *Ibid.* II, 1851, 128, iv, 15 [*ehrenbergana*, in 1860].
 —————— **elatissima**, Stache. Novara-Exped., Geol. (1), 1864, 219, xxii, 54a, b.
 —————— **elegans** (d'Orb.). Deshayes, Encyc. Méth. (Vers, 1830), 418 (Ggg*) [*v. Vaginulina*].
 —————— **elenae**, Toutkovsky. Zap. Kievsk. Obsch. Est. IX, 1888, 20, iii, 1a, b, c.
 —————— **elliptica**, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 27, iii, 24.
 —————— **elongata**, d'Orbigny. Mém. Soc. Géol. France, [1], IV, 1840, 17, 1, 20-22; Facsimile in Science Gossip, 1870, 82, f. 85.
 —————— Reuss, Verstein. Böhm. Kreide, 1845-6, i, 29, xiii, 28-32; and II, 107, xxiv, 31-36.
 —————— ? Reuss, Haidinger's Naturw. Abh. IV, (1), 1851, 28, i, 17.
 —————— Brown, Annals & Mag. Nat. Hist. [2], XII, 1853, 241, ix, 3a, b.
 —————— **ensis**, Reuss. Verstein. Böhm. Kreide, 1845-6, I, 29, xii, 13; xiii, 26, 27; and II, 106, xxiv, 30.
 —————— Reuss, in Geinitz, Grundr. Verstein. 1845-46, 656, xxiv, 17.
 —————— Brown, Annals & Mag. Nat. Hist. [2], XII, 1853, 241, ix, 2a-d.
 —————— Reuss, Haidinger's Naturw. Abh. IV, (1), 1851, 27, i, 16.
 —————— [d'Orb.], Reuss' Model. No. 62, 1865 (Catal. No. 59, 1861).
 —————— Brady, Proc. Somerset. Arch. & Nat. Hist. Soc. XIII, 1865-6 (1867), 225, ii, 23.
 —————— **erecta**, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. II, 1851, 135, v, 18 [= *M. variabilis*, Neugeb., 1860].
 —————— **exara**: Terquem. Sixième Mém. Foram. Lias, 1866, 507, xxi, 23 and 24.
 —————— **excavata**, Terquem. *Ibid.* 1866, 509, xxi, 28a, b.
 —————— **exigua**, Neugeboren [*v. M. eximia*, Neugeb.].
 —————— **eximia**, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. II, 1851, 129, iv, 17 [quoted as "*exigua = similis*, d'Orb., Neugeb., 1860"].
 —————— **eximia**, Dunikowski. Kosmos [Lümburg], IV, 1879, 109, plate, 11.
 —————— **eximia**, Terquem. Ess. Anim. Plage Dunkerque, (3), 1881, 114, xiii, 17a, b (and Mém. Soc. Dunkerquoise).
 —————— **fabacea**, Terquem. Mém. Ac. Imp. Metz, XXXIX, 1858, 611, iii, 4a-c.
 —————— **fabiformis**, Terquem. Ess. Anim. Plage Dunkerque, (3), 1881, 113, xiii, 14-16 (and Mém. Soc. Dunkerquoise).
 —————— **falx**, Parker & Jones. Quart. Journ. Geol. Soc. XVI, 1860, 302, No. 28 [*v. Amphicoryne*].
 —————— **ferruginea**, Terquem. Bull. Soc. géol. France, [3], IV, 1876, 488, xvi, 6.
 —————— **fichteliana**, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. II, 1851, 124, iv, 19 [*Fichtelana* in 1860].
 —————— **filiformis**, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 396, viii, 6.
 —————— **flabellata**, Gümbel. Jahresh. Ver. vat. Nat. Württ. XVIII, 1862, 223, iii, 24a, b, c.
 —————— **flabelloides**, Terquem. Bull. Soc. d'Hist. Nat. Moselle, XI, 1868, 102, vi, 1a, b; varr. A, 2; B, 3a, b; C, 4a, b; D, 5a, b, 6; E, 7; F, 8; G, 9a, b; H, 10a, b; I, 11a, b; J, 12; K, 13a, b, 14; L, 15a, b; M, 16; N, 17a, b; O, 18a, b; P, 19a, b; Q, 20a, b; R, 21a, b; S, 22a, b; T, 23a, b; U, 24a, b; V, 25a, b; W, 26a, b; X, 27; Y, 28, 29; Z, 30a, b.

- MARGINULINA** *flabelloides*, Terquem. Terquem, Bull. Soc. géol. France, [3], IV, 1876, 486, xv, 25, 26.
 ——— ——— Terquem, Mém. Soc. Géol. France, [3], IV, 1886, 20, ii, 15 and 16.
 ——— ——— Deecke, Mém. Soc. Emul. Montbéliard, xvi, 1886, [26], ii, 7.
 ——— **flaccida**, Schwager. Jahresh. Ver. vat. Nat. Württ. xxi, 1865, 116, iv, 27 [*flaccida* in descript. of plates].
 ——— ——— Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 27, iii, 23.
 ——— **flaccida**, see *M. flaccida*.
 ——— **flexuosa**, Costa. Microdoride Mediterranea, 1861, 52, viii, 10.
 ——— **floridana**, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 305.
 ——— **fragaria**, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 635, i, 58a, b, c [v. also *Cristellaria*].
 ——— **galiciana**, Dunikowski. Kosmos [Lemberg], iv, 1879, 122, plate, 13.
 ——— **gibberula**, Terq. & Bertheliu. Mém. Soc. Géol. France, [2], x, 1875, 55, iv (xiv), 21a, b.
 ——— **gibbosa**, Terq. *Ibid.* [3], IV, 1886, 23, ii, 31 and 32 [*M. bigibbosa*, 1868].
 ——— **glabra**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 259, No. 6.
 ——— ——— D'Orbigny, Modèles, No. 55, 1826.
 ——— ——— P., J. & B. [d'O., Modèles, 55], Ann. Mag. Nat. Hist. [3], xvi, 1865, 27, i, 36.
 ——— ——— J., P. & B., Crag Foram., Pal. Soc. xix, 1866, 69, i, 36.
 ——— ——— Brady, Proc. Somerset. Arch. & Nat. Hist. Soc. xiii, 1865-6 (1867), 225, ii, 22.
 ——— ——— Brady, Annals & Mag. Nat. Hist. [4], vi, 1870, 296, xii, 3a, b.
 ——— ——— Vanden Broeck, Ann. Soc. Belge Micros. II, 1876, 99, iii, 5; and Fonds de la Mer, III, (1876).
 ——— ——— Brady, Report Challenger, 1884, 527, lxv. 5 and 6.
 ——— ——— Bassett, Ann. Soc. Sci. Charente-Inf. 1884 (85), 161, fig.
 ——— ——— Balkwill & Wright, Trans. R. I. Ac. xxviii (Sci.), 1885, 344, xii, 24, 25.
 ——— ——— v. **pedum**, d'Orb. Rzehak, Verh. Nat. Ver. Brünn, xxiv, 1885 (1886), 84, i, 3 [*M. p. dum*, 1846].
 ——— **gladius**, Philippi. Tertiär. nordwest. Deutsch. 1843, 40, i, 37 [v. also *Cristellaria*]. [In explan. to plate~, described as *Marginulina?*].
 ——— **globulosa**, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 26, iii, 22.
 ——— **gracilis**, Cornuel. Mém. Soc. Géol. France, [2], iii, 1848, 252, i, 32, 33.
 ——— **gradata**, d'Orbigny. *Ibid.* [1], IV, 1840, 18, i, 23 and 24; Facsimile in Science Gossip, 1870, 82, f. 87.
 ——— ——— Mangin, Mystères Océan, 1864, 177, f. 3.
 ——— **granitocalcrea**, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 634, i, 62 [*Granitocalcrea* in tex!].
 ——— **gussensis**, Schwager. Palaeontographica, xxx, 1883, Pal. Theil, 109, xxvi, (3), 10a, b.
 ——— **haidingerina**, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. II, 1851, 130, v, 6.
 ——— **hamus**, Terquem. Sixième Mém. Foram. Lias. 1866, 501, xxi. 8a, b.
 ——— **harpula**, d'Orbigny. Cours élém. l'aléont., etc. I, 1849, 195, f. 318; II, (2), 1852, 475, 427 [v. also *Planularia*].
 ——— **harpula**, Terquem. Bull. Soc. d'Hist. Nat. Moselle, xi, 1868, 81, iii, 17a, b; varr. A, 18; B, 23a, b; C, 24.
 ——— ——— Terquem, Bull. Soc. géol. France, [3], IV, 1876, 485, xv, 18 and 19.
 ——— **hauerina**, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. II, 1851, 130, v, 5.
 ——— **helvetica**, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur, 1866, 13, ii, 18.
 ——— ——— Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 15, ii, Blagdenischicht 7.

- MARGINULINA** heteropleura, Terquem. Bull. Soc. d'Hist. Nat. Moselle, xi, 1868, 116, vii, 19a, b; varr. A, 20a, b; B, 21a, b; C, 22; D, 23; E, 24a, b; F, 25a, b.
 ——— ——— Terquem, Bull. Soc. géol. France, [3], iv, 1876, 486, xv, 27 and 28.
 ——— ——— Terquem, Mém. Soc. Géol. France, [3], iv, 1886, 22, ii, 24-28.
 ——— hirsuta, d'Orbigny. Ann. Sci. Nat. vii, 1826, 259, No. 5.
 ——— ——— D'Orbigny, Foram. Fossiles Vienne, 1846, 69, iii, 17, 18.
 ——— ——— var. *crebricosta*, Seguenza. Atti R. Acc. Lincei, [3], vi, 1880, 90, ix, 6.
 ——— ——— = *Bigenerina?* (*Lituola?*) see *Orthoceratia villosa*, etc.
 ——— hispida, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. II, 1851, 142, iv, 22.
 ——— hochstetteri, Stache. Novara-Exped., Geol. (1), 1864, 220, xxii, 55a, b.
 ——— hybrida, Terquem. Cinquième Mém. Foram. Lias, 1866, 430, xvii, 9a, b. c.
 ——— ——— Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 27, iii, 35 [error for 25].
 ——— impressa, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 405, ix, 2a, b.
 ——— inæqualis, Costa. Mem. Acc. Sci. Napoli, II, 1855 (1857), 118, i, 2A.
 ——— inæqualis, Reuss. Sitz. k. Ak. Wiss. Wien. XL, 1860, 207, vii, 3.
 ——— ——— Reuss, *ibid.* XLVI, (1), 1862 (1863), 59, v, 13; vi, 8.
 ——— inæquistriata, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 401, viii, 15a-f.
 ——— ——— Tate & Blake, Yorkshire Lias. 1876, 462, xix, 7.
 ——— ——— Deecke, Mém. Soc. Emul. Montbéliard, xvi, 1886, [27], ii, 6.
 ——— incerta, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. II, 1851, 121, iv, 2.
 ——— incerta, Schwager. Dittmar, Die Contorta-Zone, 1864, 200, iii, 13.
 ——— inclusa, Terquem. Cinquième Mém. Foram. Oolithique, 1883, 346, xxxviii, 6.
 ——— inconstans, Terquem. Bull. Soc. d'Hist. Nat. Moselle, xi, 1868, 66, ii, 1a, b, 2; varr. A, 3a, b; B, 4a, b, 5; C, 6a, b; D, 7a, b; E, 8a, b; F, 9; G, 10; H, 11a, b; I, 12a, b.
 ——— inconstans (Schwag.). Deecke, Abh. geol. Specialkarte Elsass-Lothr. IV, (1), 1884, 36, ii, 4, 4a [*Cristellaria*, 1868].
 ——— incurva, Terquem. Mém. Ac. Imp. Metz, XI.IV, 1863, 398, viii, 9a, b, c, d.
 ——— indifferens, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 40, iv, 14; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 47, same pl. and fig.
 ——— inepta, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. II, 1851, 127, iv, 14 [= *inversa*, Neugeb., 1860].
 ——— infarcta, Reuss. Sitz. k. Ak. Wiss. Wien, XLVIII, (1), 1863 (1864), 48, iii, 36, 37.
 ——— inflata, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. II, 1851, 132, v, 9.
 ——— inflexa, Neugeboren. *Ibid.* II, 1851, 126, iv, 11.
 ——— interamniæ, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 184, xiii, 9^a, A.
 ——— interlineata, Terquem. Mém. Ac. Imp. Metz, XXXIX, 1858, 617, iii, 11a, b.
 ——— intermedia, Neugeboren. Ver. Mitth. siebenburg. Ver. Nat. II, 1851, 140, v, 19 [= *varialilis*, Neugeb., 1860].
 ——— interrupta, Stache. Novara-Exped., Geol. (1). 1864, 212, xxii, 45a, b.
 ——— interrupta, Terquem. Cinquième Mém. Foram. Lias, 1866, 426, xvii, 4a, b. c.
 ——— interrupta, Terquem. Bull. Soc. géol. France, [3], iv, 1876, 488, xvi, 7.
 ——— inversa, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. II, 1851, 126, v, 1 and 2; iv, 12 and 13.
 ——— inversa, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 183, xii, 16a, A.
 ——— inversa, Terquem. Bull. Soc. d'Hist. Nat. Moselle, xi, 1868, 71, ii, 17a, b, 18.

- MARGINULINA** irregularis, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. II, 1851, 125, iv, 9 [= attenuata, Neugeb., 1860].
- irregularis, Gümbel. Jahresh. Ver. vat. Nat. Württ. XVIII, 1862, 220, iii, 15a, b, 16, 17, 18.
- italica (Defr.). Jones, Cat. Foss. Foram. B. M. 1882, 20 [v. *Saracenaria*].
- jonesii, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 61, v, 19a, b.
- jurassica, Gümbel. Jahresh. Ver. vat. Nat. Württ. XVIII, 1862, 222, iii, 21a, b.
- — — — — var. substriata, Gümbel. *Ibid.* XVIII, 1862, 222, iii, 22.
- — — — — lævigata, d'Orbigny. Ann. Sci. Nat. VII, 1826, 259, No. 10.
- — — — — P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 165, x, 68.
- — — — — P — Terrigi, Atti Acc. Pont. Nuovi Lincei, XXXV, 1883, 181, ii, 18.
- — — — — v. *Orthoceratia lituita*.
- lamellosa, Terq. & Berthelin. Mém. Soc. Géol. France, [2], x, 1875, 56, iv (xiv), 22.
- laminata, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 399, viii, 10a, b.
- lata, Cornuel. Mém. Soc. Géol. France, [2], III, 1848, 252, i, 34-37 [v. *Cristularia*].
- lata, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 206, v, 7.
- laxata, Terq. & Berthelin. Mém. Soc. Géol. France, [2], x, 1875, 56, iv (xiv), 24a, b.
- legumen (d'Orb.). Deshayes, Ency. Méth. (Vers, 1830), 417 (Ggg*) [v. *Vugiuulina*].
- ligata, Terquem. Bull. Soc. géol. France, [3], IV, 1876, 484, xv, 15-17.
- limitanea, Schwager. Boll. R. Com. Geol. Ital. IX, 1878, 522, i, 7.
- linearis, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 60, v, 15a, b.
- lineolata, Terquem. Sixième Mém. Foram. Lias, 1866, 504, xxi, 14.
- lingula, Terquem. *Ibid.* 1866, 503, xxi, 12a, b.
- lituus, d'Orbigny. Ann. Sci. Nat. VII, 1826, 259, No. 11.
- — — — — Parker & Jones, Phil. Trans. 1865, 343, xiii, 14a and 14b.
- — — — — P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 165, x, 70.
- — — — — v. *Orthoceras serrula*.
- lobata, d'Orbigny. Ann. Sci. Nat. VII, 1826, 259, No. 12.
- — — — — P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 165, x, 71.
- — — — — see *Polymorpha subovalia*.
- longuemari, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 402.
- — — — — v. angusta, Terquem. Sixième Mém. Foram. Lias, 1866, 500, xxi, 5a, b.
- — — — — v. clathrata, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 402, viii, 16 and 19a, b.
- — — — — v. gradata, Terq. *Ibid.* XLIV, 1863, 404, viii, 18.
- — — — — v. vagina, Terq. *Ibid.* XLIV, 1863, 403, viii, 17.
- ? — lumbricalis, Terquem. Sixième Mém. Foram. Lias, 1866, 502, xxi, 11.
- lunaris, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1838, 132.
- macilenta, Terquem. Bull. Soc. d'Hist. Nat. Moselle, XI, 1868, 112, vii, 1a, b, 2; varr. A, 3a, b, 4; B, 5a, b, 6; C, 7a, b; D, 8a, b, 9; E, 10a, b, 11; F, 12a, b; G, 13, 14; H, 15a, b; I, 16a, b; J, 17; K, 18a, b.
- — — — — Terq., Bull. Soc. géol. France, [3], IV, 1876, 487, xv, 29 and 30.
- — — — — Terquem, Mém. Soc. Géol. France, [3], IV, 1886, 21, ii, 18-23.
- manicularis, Terquem. Sixième Mém. Foram. Lias, 1866, 508, xxI, 26a, b.
- marginata, Mariani. Atti Soc. Ital. Sci. XXXI, 1888, 113, i, 6a, b, c.
- megalcephala, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 117, iv, 29 and 34.
- metensis, Terquem. Mém. Ac. Imp. Metz, XXXIX, 1858, 611, iii, 3a, b.

- MARGINULINA mexicana**, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 305.
- **minuta**, Terquem. Bull. Soc. d'Hist. Nat. Moselle, xi, 1868, 129, viii, 27a, b; varr. A, 28a, b; B, 29a, b; C, 30a, b.
 - **modesta**, Reuss. Sitz. k. Ak. Wiss. Wien, xl, 1860, 207, vii, 5.
 - **mucronulata**, Stache. Novara-Exped., Geol. (1), 1864, 215, xxii, 48.
 - **mülleri**, Reuss. Sitz. k. Ak. Wiss. Wien, xlvi, (1), 1862 (1863), 61, vi, 1a, b.
 - **munieri**, Berthelin. Mém. Soc. Géol. France, [3], i, 1880, 33, i (xxiv), 19a, b.
 - **mutabilis**, Cornuel. *Ibid.* [2], iii, 1848, 252, i, 26-29.
 - — — **var. interrupta**, Cornuel. *Ibid.* [2], iii, 1848, 252, i, 30, 31.
 - **neglecta**, Karrer. Novara-Exped., Geol. (1), 1864, 75, xvi, 4.
 - **nilssonii**, Roemer, figured as *Nodos. larvigata*, Nilsson in "Petrif. Suec. form. cretac." 1827, ix, 20 (Roemer, Verst. n. d. Kreide, 1840, 96).
 - **nitida**, v. Hagenow. Neues Jahrb. f. min. 1842, 569.
 - **nodosa**, Seguenza. Atti R. Acc. Lincei, [3], vi, 1880, 139, xiii, 11, 11a.
 - **nodosostriata**, Deecke. Abh. geol. Speciaalkarte Elsass-Lothr. iv, (1), 1884, 37, i, 20a, b.
 - **nuda**, Schwager. Jahresh. Ver. vat. Nat. Württ. xxI, 1865, 119, v, 2.
 - **nuda**, Terquem. Cinquième Mém. Foram. Lias, 1866, 429, xvii, 8a, b.
 - **obesa**, Terquem. *Ibid.* 1866, 436, xviii, 3a, b.
 - **obliqua**, Reuss. Denkschr. k. Ak. Wiss. Wien, vii, (1), 1854, 65, xxv, 9a, b.
 - **obliquestriata**, Karrer. Sitz. k. Ak. Wiss. Wien, xliv, (1), 1861 (1862), 446, i, 8.
 - **obstipa**, Terquem. Bull. Soc. d'Hist. Nat. Moselle, xi, 1868, 128, viii, 25a, b; varr. A, 26a, b.
 - **opaca**, Stache. Novara-Exped., Geol. (1), 1864, 214, xxii, 47a, b.
 - **orbignyanæ**, Neugeboren. Verh. Mittb. siebenburg. Ver. Nat. ii, 1851, 122, iv, 7 [= *M. attenuata*, Neugeb., 1860].
 - **ornata**, Terquem. Mém. Ac. Imp. Metz, xxxix, 1858, 616, iii, 10a-c.
 - **ornatissima**, Reuss. Sitz. k. Ak. Wiss. Wien, xi, 1860, 209, vii, 2a-d.
 - (cf.) **orthonata**, Reuss. Deecke, Abh. geol. Speciaalkarte Elsass-Lothr. iv, (1), 1884, 35, i, 17, 17a [*Urginulina*. 1862].
 - **pachygaster**, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 632, i, 60.
 - **parallela**, Terquem. Sixième Mém. Foram. Lias, 1866, 499, xxI, 3a, b.
 - **parkeri**, Reuss. Sitz. k. Ak. Wiss. Wien, xlvi, (1), 1862 (1863), 59, v, 14a, b.
 - **partschiana**, Neugeboren. Verh. Mittb. siebenburg. Ver. Nat. ii, 1851, 131, iv, 18 [= *M. similis*, d'Orb., Neugeb., 1860].
 - **parvipes**, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 26, iii, 21.
 - **pauci-loculata**, Hantken. A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 76, xiv, 10a, b; and Mittb. a. d. Jahrb. k. ungar. geol. Austalt, iv, 1875 (1881), 47, same pl. and fig.
 - **pauliniæ**, Terquem. Cinquième Mém. Foram. Lias, 1866, 427, xvii, 5a-h.
 - — — Tate & Blake, Yorkshire Lias, 1876, 463, xvii, 22.
 - **pauperata**, Terquem. Bull. Soc. d'Hist. Nat. Moselle, xi, 1868, 77, iii, 3a, b; varr. A, 4a, b, 5; B, 6a, b; C, 7a, b, 8; D, 9a, b.
 - — — Terquem, Bull. Soc. géol. France, [3], iv, 1876, 486, xv, 23 and 24.
 - **pediformis**, Bornemann. Zeitschr. deutsch. geol. Ges. vii, 1855, 326, xiii, 13.
 - — — Hantken, A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 38, iv, 12 and 13; and var. v, 8; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 45, same pl. and fig.
 - — — Jones, M. Micr. Journ. xv, 1876, cxxviii, 3.
 - **pedum**, d'Orbigny. Foram. Fossiles Vienne, 1846, 68, iii, 13 and 14.
 - **pellucida**, Stache. Novara-Exped., Geol. (1), 1864, 217, xxii, 51 [50 on plate by error]
 - **pentagona**, Terquem. Bull. Soc. d'Hist. Nat. Moselle, xi, 1868, 59, i, 1a, b.

- MARGINULINA** perornata, Schwager. Boll. R. Com. Geol. Ital. ix, 1878, 522, i, 8.
- picta, Terquem. Cinquième Mém. Foram. Lias, 1866, 432, xvii, 12a, b.
- — — — — Tate & Blake, Yorkshire Lias, 1876, 462, xix, 6-6b.
- pinguis, Terquem. Bull. Soc. d'Hist. Nat. Moselle, xi, 1868, 119, vii, 28a, b; varr. A, 29a, b.
- — — — — Terq., Bull. Soc. géol. France, [3], iv, 1876, 487, xvi, 1-5.
- porrecta, Terquem. Sixième Mém. Foram. Lias, 1866, 506, xxi, 19-21.
- postera, Terquem. Bull. Soc. géol. France, [3], iv, 1876, 484, xv, 14.
- postulata, Neugeboren, v. *M. pustulosa*.
- prælonga, Terquem. Ess. Anim. Plage Dunkerque, (3), 1881, 114, xiii, 18a, b (and Mém. Soc. Dunkerquoise).
- prima, d'Orb., 1849. D'Orbigny, Prodrome de Paléont. I, 1849, 242, No. 262.
- — — — — var. acuta, Terquem. Mém. Ac. Imp. Metz, xxxix, 1858, 614, iii, 7.
- — — — — var. gibbosa, Terquem. Ibid. xxxix, 1858, 612, iii, 5a, b.
- — — — — var. recta, Terquem. Ibid. xxxix, 1858, 613, iii, 6.
- — — — — var. prælonga, Terq. & Berth. Mém. Soc. Géol. France, [2], x, 1875, 54, iv (xiv), 18.
- — — — — var. Berthelin, Revue Mag. Zool. 1879, 27, i, 3 and 4 [= *Nodos. raphanus*].
- procera, Schwager. Jahresh. Ver. vat. Nat. Württ. xxi, 1865, 118, v, 1.
- propiuqua, Hantken. Ertek. Termesz köreböl. xiii, No. 1, 1883, 26, ii, 4a, b; and Math. Nat. Ber. Ungarn, ii, 1884, 146 [*propiuqua* in explanation to plate].
- protensa, Terquem. Bull. Soc. d'Hist. Nat. Moselle, xi, 1868, 79, iii, 10a, b; varr. A, 11a, b; B, 12a, b; C, 13a, b, 14; D, 15a, b; E, 16a, b.
- proxima, Terquem. Ibid. xi, 1868, 62, i, 13a, b, 14; varr. A, 15a, b, 16; B, 17, 18; C, 19, 20; D, 21a, b, 22; E, 23a, b; F, 24a, b; G, 25a, b, 26, 27; H, 28a, b; I, 29a, b; J, 30a, b.
- — — — — Terquem, Mém. Soc. Géol. France, [3], iv, 1886, 18, ii, 3 and 4.
- pupa, Terquem. Cinquième Mém. Foram. Lias, 1866, 429, xvii, 7a-f.
- — — — — Terquem & Berthelin, Mém. Soc. Géol. France, [2], x, 1875, 58, v (xv), 2a, b.
- pupoides, Terquem. Mém. Ac. Imp. Metz, xliv, 1862, 443, v, 20a, b, c.
- pupoides, Seguenza. Atti R. Acc. Lincei, [3], vi, 1880, 139, xiii, 9, 9a.
- pustulosa, Neugeboren. Verh. Mittb. siebenburg. Ver. Nat. II, 1851, 144, iv, 23 [quoted as "*postulata* = *hispida* by Neugeb., 1860].
- pygmæa, Neugeboren. Ibid. II, 1851, 132, v, 8, [= *similis*, d'Orb., Neugeb., 1860].
- quadrata, Terquem. Mém. Ac. Imp. Metz, xliv, 1863, 407, ix, 4a, b, c, d.
- quadricostata, Terquem. Ibid. xliv, 1863, 400, viii, 12a, b.
- radiata, Terquem. Ibid. xliv, 1863, 410, ix, 10a, b.
- — — — — Terquem, Sixième Mém. Foram. Lias, 1866, 505, xxi, 16 and 17.
- radicula (L.). Jones, Cat. Foss. Foram. B. M. 1882, 89 [v. *Nautilus*].
- radiiformis, Terquem. Ibid. 1866, 503, xxi, 13a, b.
- raphanus (Linn.). D'Orbigny, Ann. Sci. Nat. VII, 1826, 258, No. 1, x, 7 and 8 [*Nautilus*, 1758].
- — — — — D'Orbigny, Modèles, No. 6, 1826.
- — — — — Ehrenberg, Abhandl. k. Ak. Wiss. Berlin, 1838, 141, i, f. ii.
- [— — — — — raphanus, Linu.] Costa, Fauna Regno Napoli, 1838, Foraminiferi, not descr., iv, 9, 11 and 12.
- [— — — — — [d'Orb.]] Cuvier, Règne Animal, 1836-46, ix (pls. x), 35, xv, 10, 4 and 5.
- [— — — — — Smedley, Ency. Metrop. 1845, undescr. pl. "Mollusca ?," 15.
- [— — — — — [d'Orb.]] Reuss, in Geinitz, Grundr. Verstein. 1845-46, 656, xxiv, 15.
- [— — — — — Bronn, Lethæa Geognostica, ed. 3, iii, 1853-56, 238, xxxv², 37a, b.
- [— — — — —] Costa, Mem. Acc. Sci. Napoli, II, 1855 (1857), not descr., i, 21.

- MARGINULINA raphanus** (L.). P., J. & B. [d'O., Modèles 6], Ann. Mag. Nat. Hist. [3], xvi, 1865, 19, i, 35.
 ——— ——— Brady, Proc. Somerset. Arch. and Nat. Hist. Soc. xiii, 1865-6 (1867), 225, ii, 21.
 ——— ——— Hartwig, The Sea, ed. 3, 1866, 381, f. b.
 ——— ——— J., P. & B., Crag Foram., Pal. Soc. xix, 1866, 70, i, 21.
 ——— ——— [d'Orb.] P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], viii, 1871, 163, x, 72.
 ——— ——— [d'Orb.] *Ibid.* [4], viii, 1871, 164, x, 73 [v. *M. sublitus*, d'Orb.].
 ——— ——— Greene, Man. Protozoa, 1871, 15, f. 3b, b¹ [= *Crist.*].
 ——— ——— Tate & Blake, Yorkshire Lias, 1876, 462, xix, 5.
 ——— ——— [d'Orb.] Jones, M. Micr. Journ. xv, 1876, cxxix, 9.
 ——— ——— Nicholson, Manual Palaeont. 1879, 1, 114, f. 18h.
 ——— ——— [d'Orb.] Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxv, 1883, 180, ii, 17.
 ——— ——— Jones in Microgr. Dict. ed. 4, 1883, 491, xxiii, 30-32.
 ——— ——— Jones, Quart. Journ. Geol. Soc. xl, 1884, 769, xxxiv, 6.
 ——— ——— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 161, f.
 ——— ——— (*M. raphanus*, d'O.), see *Orthoceratia raphanus*, etc.
 ——— **raricosta**, d'Orbigny. Mém. Soc. Géol. France, [1], iv, 1840, 51, i, 25; Facsimile in Science Gossip, 1870, 82, f. 86.
 ——— **recta** (d'Orb.). Moberg, Sver. Geol. Unders. [C], No. 99, 1888, 22, iii, f. 8 [*Cristellaria*, 1840].
 ——— **recta**, Hantken. A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 39, iv, 15; and Mittb. a. d. Jahrb. K. ungar. geol. Anstalt, iv, 1875 (1881), 47, same pl. and fig.
 ——— **regularis**, d'Orbigny. Foram. Fossiles Vienne, 1846, 68, iii, 9-12.
 ——— **rengeriana**, Deeecke. Mém. Soc. Emul. Montbéliard, xvi, 1886, [28], i [error for ii], 30, 30a.
 ——— **resupinata**, Schwager. Jahresh. Ver. vat. Nat. Württ. xxi, 1865, 117, iv, 28.
 ——— **reussiana**, Neugeboren. Verh. Mittb. siebenburg. Ver. Nat. ii, 1851, 123, iv, 8 [= *M. attenuata*, Neugeb., 1860].
 ——— **reussiana**, Jones MS. Wright, Proc. Belfast Nat. Field Club, 1884-5, App. ix, 1886, 331, xxvii, 6.
 ——— **reversa**, Tate & Blake. Yorkshire Lias, 1876, 461, xviii, 31.
 ——— **robusta**, Reuss. Sitz. k. Ak. Wiss. Wien, xlvi, (1), 1862 (1863), 63, vi, 5 and 6.
 ——— **roemerii**, Reuss. Verstein. Böh. Kreide, 1845-6, 1, 28, viii, 10.
 ——— ——— Tate & Blake, Yorkshire Lias 1876, 463, xix, 8, 8a.
 ——— ——— var. Deeecke, Mém. Soc. Emul. Montbéliard, xvi, 1886, [26], i, 16 and 16a.
 ——— **rugosa**, Neugeboren. Verh. Mittb. siebenburg. Ver. Nat. ii, 1851, 141, iv, 20.
 ——— **rugosa**, Bornemann. Lias von Göttingen, 1854, 39, iii, 26a, b.
 ——— **rugosa**, Terquem. Mém. Ac. Imp. Metz, xlii, 1863, 411, ix, 12a, b.
 ——— **rugosiuscula**, Terquem. Cinquième Mém. Foram. Oolithique, 1883, 345, xxxviii, 4.
 ——— **rugoso-costata**, d'Orbigny. Foram. Fossiles Vienne, 1846, 70, iii, 19-21.
 ——— **rugoso-striata**, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 635, i, 57a, b.
 ——— **rustica**, Terquem. Mém. Ac. Imp. Metz, xliv, 1863, 407, ix, 5a, b.
 ——— **sagittiformis**, Terquem. Bull. Soc. d'Hist. Nat. Moselle, xi, 1868, 76, iii, 1a-c; var. A, 2a, b.
 ——— **sandina**, Terquem. Cinquième Mém. Foram. Lias, 1866, 428, xvii. 6a, b.
 ——— **scalprum**, Terquem. Sixième Mém. Foram. Lias, 1866, 509, xxi. 27.
 ——— ——— Terquem, Bull. Soc. d'Hist. Nat. Moselle, xi, 1868, 90, iv, 25a, b, 26; varr. A, 27, 28; B, 29a, b, 30.
 ——— ——— Terq., Mém. Soc. Géol. France, [3], iv, 1886, 23, ii. 29, 30.
 ——— **scarenænsis**, Hantken. Ertek. Termesz. köreböl. xiii, No. 1, 1883, 26, iii, 4a, b; and Math. Nat. Ber. Ungarn. II, 1884, 147.
 ——— **semicostata**, Reuss. Zeitschr. deutsch. geol. Ges. iii, 1851, 152, viii, 3.

- MARGINULINA** seminotata, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 208, v, 6.
- semipartita, Terquem. Bull. Soc. d'Hist. Nat. Moselle, XI, 1868, 75, ii, 28a, b, 29; var. A, 30a, b.
- senilis, Terquem. Sixième Mém. Foram. Lias, 1866, 499, xxi, 4a, b.
- serratocostata, Gümbel. Jahresh. Ver. vat. Nat. Württ. XVIII, 1862, 222, iii, 23a, b.
- sexangularis, Terquem. Sixième Mém. Foram. Lias, 1866, 504, xxi, 15a, b.
- sigma, Terquem. *Ibid.* 1866, 500, xxi, 6 and 7.
- similis, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 185, xvi, 18a, A.
- similis, d'Orbigny. Foram. Fossiles Vienne, 1846, 69, iii, 15, 16 [v. also *M. partschiana*].
- — — Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 25, pl. 24.
- — — Günbel, Geol. Bayern. I, (2), 1885. f. 266, 5.
- simplex, Karrer. Sitz. k. Ak. Wiss. Wien, XLIV, (1), 1861 (1862), 445, i, 6.
- solida, Terquem. Bull. Soc. d'Hist. Nat. Moselle, XI, 1868, 122, viii, 1a, b; varr. A, 2a, b; B, 3a, b; C, 4a, b; D, 5a, b; E, 6a, b; F, 7a, b; G, 8a, b; H, 9a, b; I, 10a, b; J, 11a, b; K, 12a, b.
- — — Terquem, Bull. Soc. géol. France, [3], IV, 1876, 488, xvi, 8-9b.
- — — — — Terquem, Mém. Soc. Géol. France, [3], IV, 1886, 24, ii, 34-43.
- soluta, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 206, vii, 4.
- spada, Terquem. Mém. Soc. Géol. France, [3], IV, 1886, 21, ii, 17a, b.
- sparsicosta, Terquem. Bull. Soc. Géol. France, [3], IV, 1876, 483, xv, 12-13b.
- splendens, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 40, iv, 11; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 87, same pl. and fig.
- — — Jones, M. Micr. Journ. XV, 1876, cxxviii, 6a, b.
- spinata, Terquem. Mém. Ac. Imp. Metz, XXXIX, 1858, 615, iii, 8.
- spinosa, M. Sars. Forh. Vidensk.-Selsk. Christiania, 1868 (1869), 248 [not described].
- spinulosa, Stache. Novara-Exped., Geol. (1), 1864, 216, xxii, 50 [51 on plate by error].
- spirata, Philippi. Tertiär. nordwest Deutsch. 1843, 5, i, 27 [v. *Cristellaria*]. [In explanation to plate described as "*Marginulina* ? (s. potius *Planularia* ?)"].
- spuria, Terq. & Berth. Mém. Soc. Géol. France, [2], X, 1875, 55, iv (xiv), 19a, b.
- striata, d'Orbigny. Ann. Sci. Nat. VII, 1826, 258, No. 4.
- striata, Terquem. Cinquième Mém. Foram. Lias, 1866, 425, xvii, 2a, b.
- striatocostata, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 62, vi, 2a, b.
- subaequilateralis, Terquem. Bull. Soc. d'Hist. Nat. Moselle, XI, 1868, 60, i, 3; varr. A, 4a, b, 5; B, 6a, b; C, 7a, b, 8, 9; D, 10a, b, 11; E, 12a, b.
- — — Terquem, Mém. Soc. Géol. France, [3], IV, 1886, 18, ii, 1 and 2.
- subbulata, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 39, iv, 9 and 10; v, 9; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 46, same pl. and fig.
- — — Jones, M. Micr. Journ. XV, 1876, cxxviii, 4.
- subcrassa, Schwager. Novara-Exped., Geol. (2), 1866, 240, vi, 82.
- sublitus, d'Orbigny. Ann. Sci. Nat. VII, 1826, 259, No. 9.
- — — Jones & Parker, Quart. Journ. Geol. Soc. XVI, 1860, XX, 37.
- — — = *M. ruphanus*, see *Orthoceras sublitus*.
- subregularis, Hantken. Terrigi, Atti Acc. Pont. Nuovi Lincei, XXXIII, 1880 181, i, 11 [v. *Cristellaria* (*Marginulina*)].
- subtrigona, Schwager. Novara-Exped., Geol. (II), 1868, 240, vi, 83.
- tenuis, Bornemann. Zeitschr. deutsch. geol. Ges. VII, 1855, 326, xiii, 14 [v. *Cristellaria*].

- MARGINULINA tenuissima**, Reuss. Sitz. k. Ak. Wiss. Wien, **XLVI**, (1), 1862 (1863), 61, v, 18.
 ——— ——— var. Reuss, *ibid.* **XLVI**, (1), 1862 (1863), 92, xii, 12.
 ——— **teoloensis**, Hantken. Ertek. Termesz. körebölk. XIII, No. 1, 1883, 7, i, 1a, b; and Math. Nat. Ber. Ungarn. II, 1884, 127.
 ——— **terebolla**, Terquem. Sixième Mém. Foram. Lias, 1866, 502, xxi, 10.
 ——— **terebra**, Terquem. *Ibid.* 1866, 501, xxi, 9a, b.
 ——— **terquiemi**, d'Orb., 1849. D'Orbigny, Prodrome de Paléont. I, 1849, 242, No. 263.
 ——— [**terquemi**, d'O.], Terquem. Mém. Ac. Imp. Metz, **XXXIX**, 1858, 609, iii, 1a-c.
 ——— **tonsilaris**, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 634, i, 56a, b.
 ——— **torticostata**, Terquem. Mém. Ac. Imp. Metz, **XLIV**, 1863, 400, viii, 13a, b.
 ——— **torulosa**, Costa. Atti Accad. Pontaniana, **VII**, (2), 1856; 185, xii, 15a, A.
 ——— **triangularis**, d'Orbigny. Foram. Fossiles Vienne, 1846, 71, iii, 22 and 23.
 ——— ——— Costa, Mem. Acc. Sci. Napoli, II, 1855 (1857), 119, 1, 9.
 ——— **triangularis**, Terquem. Bull. Soc. géol. France, [3], IV, 1876, 485, xv, 20*a*, b.
 ——— **triangularis**, Dunikowski. Kosmos [Lemberg], IV, 1879, 121, pl., 12.
 ——— **tricarinata** (d'Orb.). Deshayes, Ency. Méth. (Vers, 1830), 418 (Ggg*) [v. *Vaginulina*].
 ——— **tricuspis**. Stache. Novara-Exped., Geol. (1), 1864, 218, xxii, 52*a*, b.
 ——— **trigona**, Terquem. Cinquième Mém. Foram. Lias, 1866, 435, xviii, 1a, b, c, d.
 ——— **trilobata**, d'Orbigny. Mém. Soc. Géol. France, [1], IV, 1840, 16, i, 16 and 17; Facsimile in Science Gossip, 1870, 82, f. 83.
 ——— ——— Brown, Annals and Mag. Nat. Hist. [2], XII, 1853, 241, ix, 4a-c.
 ——— ——— Beudant, Géologie, ed. 8, 1858, 117, f. 93; later eds., same figure.
 ——— ——— Jones, Geologist, VI, 1863, 294, xv, 13.
 ——— **triquetra**, Terquem. Cinquième Mém. Foram. Lias, 1866, 434, xviii, 2*a*, b, c, d.
 ——— **tumida**, Reuss. Zeitschr. deutsch. geol. Ges. III, 1851, 64, iii, 14.
 ——— ——— Reuss, Sitz. k. Ak. Wiss. Wien, **XLVIII**, (1), 1863 (1864), 48, iii, 32-35.
 ——— ——— Gümbel, Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 632, i, 59.
 ——— ——— Franzenau, Math. termész. értesítő, VII, 1889, 255, v, 1.
 ——— **tumida**, Terquem. Bull. Soc. d'Hist. Nat. Moselle, XI, 1868, 83, iii, 2*a*, b, 26; var. A, 27*a*, b, 28; B, 29*a*, b; C, 30.
 ——— **tunicata**, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 40, xiv, 8; and Mitth. a. d. Jahrb. ungar. geol. Anstalt, IV, 1875 (1881), 48, same pl. and fig.
 ——— **turgida**, Reuss. Sitz. k. Ak. Wiss. Wien, **XLVI**, (1), 1862 (1863), 63, vi, 7.
 ——— **undulata**, Terquem. Mém. Ac. Imp. Metz, **XXXIX**, 1858, 610, iii, 2*a*, b.
 ——— **unicostata**, Terquem. Tate & Blake, Yorkshire Lias, 1876, 463, xvii, 21 [*Dentalina*, 1858].
 ——— **utricula**, Terq. & Berth. Mém. Soc. Géol. France, [2], X, 1875, 55, iv (xiv), 20.
 ——— **vagina**, Neugeboren. Denkschr. k. Ak. Wiss. Wien, XII, 2, 1856, 103, v, 12.
 ——— **vaginella**, Reuss. Zeitschr. deutsch. geol. Ges. III, 1851, 152, viii, 2.
 ——— **variabilis**, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. II, 1851, 133, v, 10-14.
 ——— ——— Rzehak, Verh. nat. Ver. Brünn, **XXIV**, 1885 (1886), 91. i, 4.
 ——— **variabilis**, Terquem. Mém. Ac. Imp. Metz, **XLIV**, 1863, 408, ix, 6-8 [6, v. *inversa*; 7, v. *cylindracea*; 8, v. *gracilis*].
 ——— ——— v. **exilis**, Terquem. Cinquième Mém. Foram. Lias, 1866, 432, xvii, 11*a*, b.

- MARGINULINA** varicostata (d'Orb.). Jones, Cat. Foss. Foram. B. M. 1882, 87.
- ventricosa, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 404, ix, 1a, b.
 - viciensis, Terquem. Cinquième Mém. Foram. Liias, 1866, 433, xvii. 13.
 - vittata, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. II, 1851, 145, v, 20.
 - vulgata, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 399, viii, 11a, b, c.
 - webbiiana, d'Orbigny. Barker Webb & Berthelot, Hist. Nat. Iles Canaries, 1839, II, (2), "Foraminifères," 124, i, 7-11.
 - [webbiina], d'Orbigny. Voyage Amér. Mérid. 1839, V, (5), "Foraminifères," 24, v, 17 and 18.
 - Mackie, Science Gossip, 1867, 130, f. 120.
 - wetherellii, Jones. Morris, Catal. Brit. Fossils, ed. 2, 1854, 37 [v. *Crisellaria*, 1852; also *Marginulina*, Wetherell, Trans. Geol. Soc. Lond. (post.)].
 - Sherborn & Chapman, Journ. R. Micr. Soc. [2], VI, 1886, 752, xv, 18.
 - Anon., Sci. News, 27 Ap., 1888, 389, f. 2.
 - Prestwich, Geology, 1888, II, 352, 175b.
 - sp. ? see *Nauutilus* (*O.*) *vaginaformis*, Batsch.
 - sp. Schwager, Jahresh. Ver. vat. Nat. Württ. XXI, 1865, vii. 23.
 - sp., P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 165, x, 69 [cast] [see *M. consecta*, d'Orb.].
 - sp., Reuss, Sitz. k. Ak. Wiss. Wien, LVII, (1), 1868, 104, i, 8.
 - cf. *Dent. aculeata*, d'Orb. Berthelin, Mém. Soc. Géol. France, [3], I, 1880, 35, ii (xxv), 10-13b.
 - v. Dunikowski, Denkschr. k. Ak. Wiss. Wien, XLV, (2), 1882, 194, vi, 77 [fragment].
 - sp., Schwager, Palaeontographica, XXX, 1883, Pal. Theil, 109, xxvi (3), 8a, b.
 - Wetherell, Trans. Geol. Soc. Lond. [2], V, 1834 (1840), 135, ix, 12 [= *M. wetherellii*].
 - Costa, Fauna Regno Napoli, 1838, "Foraminiferi," not descr., iv, 3, 10, 13 and 14 [4 varieties].
 - Ansted, Geology, 1844, II, 63, f. e.
 - Williamson, Mem. Lit. Phil. Soc. Manchester, [2], VIII, 1848, 77, pl. 66.
 - [hirsuta, d'Orb.]. Pictet, Traité de Paléont. ed. 2, IV, 1857, 492, cix, 12.
 - v. Schlicht. "Foram. Septar. Pietzpuhl," 1870, pls. x, xi, xxxviii.
 - sp., Whiteaves, Rept. Brit. Assoc., 1872, Trans. 144 [= *Vaginulina spinigera*, q. v.].
 - Wisniowski, Jahrb. k. k. Geol. Reichs. XXXIII, (1889), 696, xiii, 72.
see *Bucrinis* and *Dentalen*.
- MARSIPELLA**, Norman, 1878. Ann. Mag. Nat. Hist. [5], I, 1878, 281; Brady, Report Challenger, 1884, 265.
- cylindrica, Brady. Proc. Roy. Soc. Edinburgh, XI, 1882, 714, not figured.
 - Brady, Report Challenger, 1884, 266, xxiv, 20-22.
 - elongata, Norman. Ann. Mag. Nat. Hist. [5], I, 1878, 281, xvi, 7 [v. also *Proteonina*, sp.].
 - Carpenter, The Microscope, ed. 6, 1881, 561, f. 320d, e, f.
 - Brady, Report Challenger, 1884, 265, xxiv, 10-19.
 - granulosa, Brady. Q. Journ. Micr. Sci. XIX, 1879, 36, iii, 8, 9 [v. *Astrophyta*].
 - Bütschli in Bronn, Klassen, etc., Thier-Reichs, 1880, 194, v, 9.
 - Norman. De Folin, Bull. Soc. Nat. Hist. Toulouse, XV, 1881, 133; thirteen new species proposed but not described.
- MASONELLA**, H. B. Brady, 1889. Brady, Annals Mag. Nat. Hist. [6], III, 1889, 295, f. 1 and 2.
- patelliformis, Brady. Ibid. 296, woodcut 2.
 - planulata, Brady. Ibid. 295, woodcut 1.
- MECONITES**, Mercatus. Metallotheca, 1719, 285, f.; and 286, f. [= *Nummulites*].
- MEGATHYRA**, Ehrenberg, 1841. Abhandl. k. Ak. Wiss. Berlin, 1841, 409.

- MEGATHYRA** dilatata, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1841, 426.
 ——— Ehrenberg, in Koldewey, Zweite Deutsche Nordpolarfahrt, 1874, II, n. d., i, 7.
 ——— obliqua, Ehr. Bericht. k. preuss. Ak. Wiss. Berlin, 1845, 371 [“*cf. Planulina?*”].
 ——— ootheca, Elir. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 306.
 ——— planularia, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1841, 427.
 ——— Ehr. in Koldewey, Zweite Deutsche Nordpolarfahrt, 1874, II, n. d., i, 16.
- MELANIA**, Eichwald, 1853, error for *Melonia*.
- MELONIA**, Defrance, 1824. Dict. Sci. Nat. xxxii, 1824, 176.
 ——— costulata, Eichwald. Zoologia specialis, II, 1830, 22, II, 1a, b [v. *Alveolina = Alveolina melo*].
 ——— lepida, Schwager. Boll. R. Com. Geol. Ital. VIII, 1877, 25, pl., 18.
 ——— sphærica, Lamarck. Defrance, Dict. Sci. Nat. xxxii, 1824, 176; Atlas Conch. xv, 2 [= *Alveolina melo*] [*Melonites*, 1816].
 ——— Blainville, Manuel Malac. et Conch. 1825 (pls., 1827), 369, vii, 2.
 ——— Cuvier, Animal Kingdom, Henderson's ed., III, 1834 (pls., 1837), 19, v, 2.
 ——— sphæroidea, Lamarck. Defrance, Dict. Sci. Nat. xxxii, 1824, 176; Atlas Conch. xv, 2 [= *Alveolina melo*] [*Melonites*, 1816].
 ——— Blainville, Manuel Malac. et Conch. 1825 (pls., 1827), 370, vii, 3.
 ——— Cuvier, Animal Kingdom, Henderson's ed., III, 1834 (pls., 1837), 19, iv, 3.
 ——— Brown, Conch. Text-book, 1839, 62, x, 17.
 ——— [sphæroides], Lamarck. Brown, Elem. Foss. Conch. 1843, 24, ii, 22.
- MELONIES**, Prevost. Bull. Soc. géol. France, [2], II, 1845, 27, i, “No. 2.”
- MELONIS** etruscus, Montfort. Conch. syst. I, 1808, 67, 17th genre [= *Norion. pomphiloides*].
- MELONITES**, Lamarck, 1812. Extrait Cours Zool. 1812, 122; Ency. Méthod. “Vers,” II, (1830) [P. & J. quote “pt. 23, 1816”], 440.
 ——— sphærica, Lamarck. Ency. Méthod. “Vers,” II, (1830), 440, 469, f. 1, (pls. 1827) (P. & J. quote “pt. 23, 1816”) [v. also *Melonia*.]
 ——— [sphærica] (Lam.). Carter, Journ. Bombay Br. R. Asiatic Soc. V, (18), (1853), 134, ii, 15.
 ——— Carter, Geol. Papers Western India, 1857, 542, xxiii, 15.
 ——— ——— Quenstedt, Handbuch Petref. ed. 3, (5) (1885), 1057, lxxxvi, 45.
 ——— sphæroidea, Lamarck. Ency. Méthod. “Vers,” II, (1830), 440, 469, f. 1 (pls. 1827) (P. & J. quote “pt. 23, 1816”) [v. also *Melonia* and *Alveolina*].
 ——— Crouch, Introd. Lamarck, 1827, 41, xx, 12.
 ——— Brown, Elem. Foss. Conch. 1843, [23], iii, 3.
 ——— [sphæroidea] ——— Carter, Annals and Mag. Nat. Hist. [2], xi, 1853, 170, vii, 16.
 ——— [sphæroidea] (——) Carter, Journ. Bombay Br. R. Asiatic Soc. V, (18) (1853), 134, ii, 16.
 ——— ——— Carter, Annals and Mag. Nat. Hist. [2], xiv, 1854, 99, iiiB, 1–5.
 ——— ——— Carter, Geol. Papers Western India, 1857, 542, xxiii, 16.
 ——— v. *Nutilus*.
- MENEGHINIA**, Silvestri, Boll. Soc. Italiana Microsc. I, (1 and 2), 1889, 53, iii, 1 and 2.
- MESOPORA**, Ehrenberg, 1854. Mikrogeologie, 1854, pl. xxxvii.
 ——— chloris, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1855, 162, li, viii [Glauc.] [= *Operculina*].
 ——— ——— Mikrogeologie, 1854, xxxvii, iv, 2 [Glauc.] [= *Haplophragmium*].
 ——— Ehrenberg, Abhandl. k. Ak. Wiss. Berlin, 1855, 162 [Glauc.].
 ——— Carpenter, Parker & Jones, Introd. Foram. 1862, xxii, 1 [cast] [Operculina].
- MICROCOMETES**, Cienkowski, 1876. Arch. Mikr. Anat. XII, 1876, 46.
 ——— paludosa, Cienkowski. Ibid. 46, viii, 101, 102.

- MICROCOMETES** paludosa, Cienkowski. Bütschli in Brönn, Klassen, etc., Thier-Reichs, 1880, 201, iv, 1.
- MICROGROMIA**, Hertwig. Arch. Mikr. Anat. x, 1874, Supplement Band, 1, etc.
— socialis, Hertwig. *Ibid.* x, 1874, Supplement Bd., 1, etc., i [Gromia, Archer, 1869].
— — — — Cienkowski, *ibid.* xii, 1876, 34, vi, 48-59.
— — — — Allman, Journ. Linn. Soc., Zool. xiii, 1878, 401, f. 6.
— — — — Carpenter, The Microscope, ed. 6, 1881, 479, f. 284.
- MILIOLA**, Lamarck, 1804. Ann. Mus. Paris, v, 1804, 349 [*Miliola*, Ehrenberg "is for the most part the same as *Lagena* and *Orbulina* of other authors," Parker & Jones, Annals Mag. Nat. Hist. ix, 1872, 297].
— affinis, Eichwald. Zoologia specialis, ii, 1830, 22, ii, 2a, b, c [v. *Quinqueloculina*].
— (*Quinqueloc.*) agglutinans, d'Orbigny. Parker & Jones, Phil. Trans. 1865, 410, xv, 37a and 37b [*Quinqueloculina*, 1839].
— amphioxys, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 371.
— anconensis, Schultze. Organismus Polythal. 1854, 58, ii, 12 and 13.
— annulata, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 371.
— (*Monocystis*) arcella, Ehr. Mikrogeologie, 1854, xxx, 1 ("Orbulina universa, d'O?") [= *O. universa*].
— aspera, Nicolucci. Nuovi Ann. Sci. Nat. Bologna, [2], vi, 1846, 188.
— (Tril.) austriaca, d'Orbigny. Egger, Neues Jahrbuch, 1857, 271, vi, 4-6 [*Triloculina*, 1846].
— bicornis (Walker & Jacob). Brown, Illustr. Conch. Gt. Brit. 1827, fly-leaf, i, 24 [*Serpula*, 1798].
— — — — Chimmo, Bed of Atlantic, 1870, 16, i, 3 and 4¹.
P? — (Vagin.?) bursa, Ehrenberg. Mikrogeologie, 1854, xxxii, i, 1a, b [obscure].
— caudata, Ehr. *Ibid.* 1854, xxix, 46 [= *Lag. apiculata*].
— (Q.) communis (Desh.). Jones in Dixon, Geol. of Sussex, ed. 2, 1878, 172, ix [10], 8 [*Triloculina*, 1831].
— concentrica, Brown. Illustr. Conch. Gt. Brit. 1827, fly-leaf, i, 22 [= *Spiroloculina*].
— — — — *Ibid.* ed. 2, 1844, 3, lvi, 22.
— coranguinum (Lamarck). Defrance, Dict. Sci. Nat. xxxi, 1824, 68; Blainville, Malacol. 1825, 369, iv, 3 [= *M. trigonula*] [*Miliolites*, 1804].
— (Tri.) consobrina, d'O. Egger, Neues Jahrbuch, 1857, 271, vi, 7-9 [*Triloculina*, 1846].
— costata, Ehrenberg. Monatsbericht k. Ak. Wiss. Berlin, 1872, 284 [= *Lagena*].
— — — — Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), iii, 7.
— (Q.) cribrosa, Egger. Neues Jahrbuch, 1857, 273, vi, 13-15.
— (Triloc.) cryptella, d'Orbigny. Parker & Jones, Phil. Trans. 1865, 410, xv, 39 [*Triloculina*, 1839].
— cyclostoma, Schultze. Organismus Polythal. 1854, 58, ii, 14 and 15.
— dactylus, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 306.
— — — — Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), i, 6.
— (Biloc.) depressa, d'O. Parker & Jones, Phil. Trans. 1865, 409, xvii, 89a and 89b [*Biloculina*, 1826].
— elliptica, Brown. Illustr. Conch. Gt. Brit. 1827, fly-leaf, i, 23 [? segment of a *Dentalina*].
— elongata, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1844, 274 [v. *Lagena*].
— — — — *Ibid.* 1845, 371.
— — — — Mikrogeologie, 1854, xxv, i, A, 1 [= *Lagena* near *distoma* P. & J.].
— (Biloc.) elongata, d'O. Parker & Jones, Phil. Trans. 1865, 409, xvii, 88, 90 and 91 [*Biloculina*, 1826].
— (*Quinqueloc.*) ferussaci, d'Orbigny. *Ibid.* 1865, 411, xv, 36a, 36b and 36c [*Quinqueloculina*, 1826].
— ficus, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1843, 272.
— (Tril.) gibba, d'Orbigny. Egger, Neues Jahrbuch, 1857, 271, v, 20; vi, 1-3 [*Triloculina*, 1826].

- MILIOLA** (*Q.*) *haidingeri*, d'Orbigny. Egger, Neues Jahrbuch, 1857, 272, vi, 10-12 [*Quinqueloculina*, 1846].
- *lactea* (Walker & Jacob). Brown, Illustr. Conch. Gt. Brit. 1827, fly-leaf, i, 28 [*Serpula*, 1798].
- *levis*, Ehrenberg. Mikrogeologie, 1854, xxvi, 2 [= *Lag. elongata* (Ehr.)].
- — — *Ibid.* 1854, xxviii, 1 [= ? *Nodosaria* fragment].
- — — *Ibid.* 1854, xxxi, 5; and xxxii, ii, 2a [= *Lag. emaciata*, Reuss].
- *lagena*, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 371.
- (*Spiroloc.*) *limbata*, d'Orbigny. Parker & Jones, Phil. Trans. 1865, 409, xvii, 83a and 83b [*Spiroloculina*, 1826].
- *marylandica*, Lea. Contrib. to Geology, 1833, 215, vi, 227.
- *milium*, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1838, 132.
- *minuta*, Brown. Illustr. Conch. Gt. Brit. 1827, fly-leaf, i, 18 and 19 [*Tritoculina*].
- *obesa*, Schultze. Organismus Polythal. 1854, 57, ii, 1-9.
- — — Jones in Microgr. Dict. ed. 4, 1883, 504, xxiii, 1.
- (*Quinqueloc.*) *oblonga* (Montagu). Parker & Jones, Phil. Trans. 1865, 411, xv, 31 and 41; xvii, 85a, 85b, 86a and 86b [*Vermiculum*, 1803].
- *ovata*, Crouch. Introd. Lamarck, 1827, 40, xx, 11.
- — — Brown. Conch. Text-book, 1839, 62, x, 18.
- *ovum*, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1843, 166 [v. also *Lagena*].
- — — Ehr., Mikrogeologie, 1854, xxiii, 2; xxvii, 1; and xxix, 45 [= *Lag. globosa*].
- — — *Ibid.* 1854, xxxi, 4 [= *Globigerina* chamber].
- (*Holococcus?*) *panderi*, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1862, 601, plate, 7-11 [not a *Miliola*; ? not foraminiferal or if so, merely a nodosarian chamber].
- *paradoxa*, Ehrenberg. Mikrogeologie, 1854, xxxi, 2 and 3 [= *Globigerina* chamber].
- *perforata* [W. & J.]. Brown, Illustr. Conch. Gt. Brit. 1827, fly-leaf, i, 26 [*Serpula*, 1798].
- (*Spiroloculina*) *planulata*, Lamarck. Parker & Jones, Phil. Trans. 1865, 408, xvii, 82 [*Miliolites*, 1805].
- (*Q.*) *prælonga*, Egger. Neues Jahrbuch, 1857, 272, vi, 16-18.
- *prunum*, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 306.
- (*Vagin.?*) *pusilla*, Ehrenberg. Mikrogeologie, 1854, xxvi, 3 [= ?].
- (*Biloc.*) *ringens*, Lamarck. Parker & Jones, Phil. Trans. 1865, 409, xv, 42-44 [*Miliolites*, 1804].
- — — Jones in Dixon, Geol. of Sussex, ed. 2, 1878, 172, ix [10], 9a.
- *rostrata*, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 371.
- *saxorum*, Lamarck. Defrance, Dict. Sci. Nat. xxxi, 1824, 69; xxxii, 1824, 176; Atlas Conch. xv, 1 [*Miliolites*, 1804].
- — — Blainville, Manuel Malac. et Conch. 1825 (pls. 1827), 369, vii, 1.
- — — Cuvier, Animal Kingdom, Henderson's ed. III, 1834 (pls. 1837), 19, v, 1.
- (*Q.*) — [d'Orb.]. Egger, Neues Jahrbuch, 1857, 272, x, 18-20.
- — — Gümbel, Geol. Bayern, (1), ii, 1885, f. 266, 2, 2b.
- *scheibersii* (d'Orb.). Tate & Blake, Yorkshire Lias, 1876, 451, xviii, 2 [*Quinqueloculina*, 1846].
- (*Quinqueloc.*) *seminulum* (Linn.). Parker & Jones, Phil. Trans. 1865, 410, xv, 35a, 35b; xvii, 87 [*Serpula*, 1758].
- — — Jones in Dixon, Geol. of Sussex, ed. 2, 1878, 172, ix [10], 9.
- var. (*Spiroloc.*) *planulata*, Lam. Hamilton, Trans. N. Zealand Inst. xiii, 1881, 394, xvi, 8 [*Miliolites*, 1805].
- — — var. (*Biloc.*) *ringens*, Linn. *Ibid.* xiii, 1881, 394, xvi, 1 and 2 [*Miliolites*, 1804].
- — — var. **B.** *ringens*, subvar. *elongata*, d'Orb. *Ibid.* xiii, 1881, 394, xvi, 3 and 4 [*Biloculina*, 1826].

- MILIOLOA** *seminulum*, var. (Q.) *triangularis*, d'Orb. Hamilton. Trans. N. Zealand Inst. xiii, 1881, 394, xvi, 5, 6 and 7 [*Quinqueloculina*, 1826].
- *semistriata*, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 371.
- *sphæroidea*, Ehr. Mikrogeologie, 1854, xxiii, 1 [= "Cench. oliva, 1843"] [= *Lagenia globosa*].
- *sphærula*, Nicolucci. Nuovi Ann. Sci. Nat. Bologna, [2], vi, 1846, 189.
- *sphærula*, Ehr. Mikrogeologie, 1854, xxxi, 1a, b, c [= *O. b. universa*].
- *spinosa*, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 306.
- *spiralis*, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 371.
- *stiligera*, Ehr. *Ibid.* 1843, 272.
- — — — — Ehr., Mikrogeologie, 1854, xxxi, 6 [= *Lagenia*].
- *striata*, Brown. Illustr. Conch. Gt. Brit. 1827, fly-leaf, i, 27 [v. also *Triloculina*].
- *striata*, Ehrenberg. Mikrogeologie, 1854, xxiv, 5; xxxii, ii, 1 [= *Lag. costata*, Will.].
- (*Quinqueloc.*) *subrotunda* (Montagu). Parker & Jones, Phil. Trans. 1865, 411, xv, 38a and 38b [*Vermiculum*, 1803].
- *subtriquetra*, Eichwald. Zoologia specialis, ii, 1830, 23, ii, 3a, b [v. also *Triloculina*].
- *tenua*, Schultze. Organismus Polythal. 1854, 58, ii, 17.
- — — — — Carpenter, Parker & Jones, Introd. Foram. 1862, iii, 3.
- — — — — Claus, Lehrbuch d. Zool. 1885, 154, f. 136.
- (*Quinqueloc.*) *tenuis*, Czj. Parker & Jones, Phil. Trans. 1865, 411, xvii, 84 [*Quinqueloculina*, 1848].
- (*Triloc.*) *tricarinata*, d'Orb. *Ibid.* 1865, 409, xv, 40 [*Triloculina*, 1826].
- *trigonula* (Lam.). Brönn, Syst. Urweltl. Conchyl. 1824, 7, i, 5a, b, c [*Miliolites*, 1804].
- — — — — Blainville, Manuel Malac. et Conch. 1825 (pls. 1827), 369, iv, 3.
- — — — — Cuvier, Animal Kingdom, Henderson's ed. III, 1834 (pls. 1837), 19, iv ter., 2.
- — — — — Gümbel, Geol. Bayern, (1), ii, 1885, f. 266, 1, 1b.
- *tubuligera*, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1843, 166.
- *vulgaris*, Dujardin. Ann. Sci. Nat., Zool. [2], iv, 1835, 346, etc., ix, 3 and 4.
- — — — — Dujardin, Hist. Nat. Zooph. Infusoires, 1841, 256, i, 14.
- (*Quinqueloculina*) sp. Jones, Quart. Journ. Geol. Soc. XL, 1884, 769, xxxiv, 1.
- Wetherell. Trans. Geol. Soc. Lond. [2], v, 1834 (1840), 135, ix, 20 [= *Q. triangularis*].
- Schultze. Organismus Polythal. 1854, ii, 10 and 11, 18-20 [structural].
- (*Triloc.*), Schultze, Müller's Archiv, 1856, 165, etc., viB, 1-3 [reproduction].
- Parker, Trans. Micr. Soc. London, n. s. vi, 1858, 53-59, pl. v and cuts.
- Mackie, Recreative Science, i, 1859, 145, f. 6.
- Carpenter, Parker & Jones, Introd. Foram. 1862, 74, vi, 1-33, f. in text [structural].
- Wallich, North Atlantic Sea-bed. (1), 1862, no descr., ii, 3 [structural].
- [sections of], Heer, Urwelt Schweiz, 1865, 202, f. 114; and transl., 1876, 212, f. 114.
- showing pseudopodia. Williamson, Pop. Sci. Rev. iv, 1865, 176, viii, 1 (after Schultze).
- Schlumberger, Compt. Rend. Assoc. Franc. Nantes, 1875 (1876), 801, f. 89 and 90 [reproduction].
- Hertwig, Jenaische Zeitschrift fur Naturwiss. x, 1876, 41, etc., ii, 1-4 [structural].
- Schneider, Zeitschr. Wissenschaftl. Zoologie, Leipzig, xxx (Suppl.), 1878, 448, xxi, 1-13 [development of].
- Nicholson, Manual Palæont. 1879, i, 99, f. 13b.
- Bütschli in Brönn, Klassen, etc., Thier-Reichs, 1880, 189, viii, 7.
- Carpenter, Report Challenger, "Orbitoides," 1883, 44, f. 6 [structural].
- Quenstedt, Handbuch Petref. ed. 3, (5), (1885), 1061, lxxxvii, 15.
- Steinmann, Elem. Palæont. I, 1888, 20 and 23, f. 1, 3A, 4B-E.
- ?**MILIOLOINA**, Ehrenberg, 1888. Abh. k. Ak. Wiss. Berlin, 1888 (1840), Tab. 1 [a family group name].

- MILIOGINA**, Williamson, 1858. Williamson, Recent British Foram. 1858, 83; Brady, Report Challenger, 1884, 157.
- **agglutinans** (d'Orb.). Terrigi, Atti. Acc. Pont. Nuovi Lincei, XXXIII, 1880, 172, i, 1 [*Quinqueloculina*, 1839].
 - — Möbius, Beitr. Meeresfauna Insel Mauritius, etc. 1880, 77, iii (numbered iv by error), 4-8 [structural].
 - — — Brady, Report Challenger, 1884, 180, viii, 6 and 7 [see *Quinqueloc.*].
 - — — Balkwill & Wright, Trans. R. Irish Ac. XXVIII (Sci.), 1885, 325, xiii, 1-3 [see *Quinqueloc.*].
 - — — Brady, Parker & Jones, Trans. Zool. Soc. XII, (7), 1888, 215, xl, 34 and 35.
 - — — ? — Terrigi, Mem. R. Acc. Lincei, (4). vi, 1889, 109, iv, 13.
 - — — **akneriana** (d'Orb.). Terrigi, Atti. Acc. Pont. Nuovi Lincei, XXXV, 1883, 169, ii, 1 [*Quinqueloculina*, 1846].
 - — — **alveoliniformis**, Brady. Q. Journ. Micr. Sci. XIX, 1879, 268.
 - — — Brady, Report Challenger, 1884, 181, viii, 15-20.
 - — — **amygdalooides**, Brady. Ibid. 1884, 163, vi, 10a, b.
 - — — **angularis**, Howchin. Trans. R. Soc. S. Australia, XII, 1889, 2, i, 1-3.
 - — — **auberiana** (d'O.). Brady, Report Challenger, 1884, 162, v, 8 and 9 [*Quinqueloculina*, 1839].
 - — — Walther, Mitth. Zool. Stat. Neapel. VIII, 1883, 382, xx, 8 and 11.
 - — — **bertheliniana**, Brady. Report Challenger, 1884, 166, cxiv, 2a, b.
 - — — **bicornis** (Walker & Jacob). Williamson, Recent British Foram. 1858, 87, vii, 190-198 [error for 190-196]; "190-194, typica" [*Serpula*, 1798].
 - — — — v. **angulata**, Williamson. Ibid. 1858, 88, vii, 196.
 - — — — v. **elegans**, Williamson. Ibid. 1858, 88, vii, 195.
 - — — — Brady, Report Challenger, 1884, 171, vi, 9, 11 and 12.
 - — — — Brady, Parker & Jones, Trans. Zool. Soc. XII, (7), 1888, 214, xl, 25.
 - — — — **boueana** (d'O.). Brady, Report Challenger, 1884, 173, vii, 13a, b, c [*Quinqueloculina*, 1846].
 - — — — **bucculenta**, Brady. Ibid. 1884, 170, cxiv, 3a, b.
 - — — — var. **placentiformis**, Brady. Ibid. 1884, 171, iv, 1 and 2.
 - — — — **circularis** (Born.). Ibid. 1884, 169, iv, 3a, b, c, and v. 13 and 14? [*Triloculina*, 1855].
 - — — — var. **sublineata**, Brady. Ibid. 1884, 169, iv, 7a, b, c.
 - — — — Sherborn & Chapman, Journ. R. Micr. Soc. [2], VI, 1886, 742, xiv, 2a, b.
 - — — — Terrigi, Mem. R. Acc. Lincei, (4), vi, 1889, 108, iv, 10.
 - — — — **communis** (Desh.). Sherborn and Chapman, Journ. R. Microsc. Soc. [2], VI, 1886, 742, xiv, 3 [*Triloculina*, 1831].
 - — — — **crassatina**, Brady. Report Challenger, 1884, 180, viii, 5a, b [v. *M. incrassata*].
 - — — — **cultrata**, Brady. Quart. Journ. Microsc. Sci. XXI, 1881, 45.
 - — — — Brady, Report Challenger, 1884, 161, v, 1 and 2.
 - — — — **cuvieriana** (d'O.). Ibid. 1884, 162, v, 12a, b, c [*Quinqueloculina*, 1839].
 - — — — **depressa** (Lam.). Goës, Bihang K. Svenska Vet.-Ak. Handl. XV, 1889, 14, ii, 15, 16 [*Miliolites*, 1804].
 - — — — **disciformis** (Macgillivray). Chimmo, Bed of Atlantic, [1870], 19, iv, 3 [*Vermiculum*, 1843].
 - — — — **excisa**, Brady, Parker & Jones. Trans. Zool. Soc. XII, (7), 1888, 215, xl, 33.
 - — — — **elongata** (d'Orb.). Goës, Bihang K. Svenska Vet.-Ak. Handl. XV, 1889, 14, ii, 11, 12 [*Biloculina*, 1826].
 - — — — **fabularioides** (Karrer), v. *Quinqueloculina*.
 - — — — **ferussacii** (d'O.). Brady, Report Challenger, 1884, 175, cxiii, 17a, b [*Quinqueloculina*, 1826].
 - — — — var. Balkwill & Wright. Trans. R. Irish Ac. XXVIII (Sci.), 1885, 325, xii, 10-12.
 - — — — Sherborn & Chapman, Journ. R. Micr. Soc. [2], VI, 1886, 742, xiv, 5.
 - — — — **fichtaliana** (d'O.). Brady, Report Challenger, 1884, 169, iv, 9a, b, c [*Triloculina*, 1839].

- MILIOGINA** gracilis (d'Orb.). Brady, Report Challenger, 1884, 160, v, 3a, b, c
[*Triloculina*, 1839].
- gussensis, Schwager. Palaeontographica, xxx, 1883, Pal. Theil, 85
xxiv (1), 5a-d.
- incrassata, Brady. Quart. Journ. Microsc. Sci. xxi, 1881, 46 [v. also *M. crassatina*].
- indistincta, Fornasini. Boll. Soc. Geol. Ital. ii, 1883, 182, ii, 1a, b, c.
- insignis, Brady. Quart. Journ. Microsc. Sci. xxi, 1881, 45.
- — — — — Brady, Report Challenger, 1884, 165, iv, 8-10.
— — — — — Wright, Proc. Belfast Nat. Field Club, 1884-5, App. ix,
1886, 319, xxvi, 4a, b.
- labiosa (d'Orb.). Brady, Report Challenger, 1884, 170, vi, 3-5 [*Triloculina*, 1839].
- linnæana (d'Orb.). Ibid. 1884, 174, vi, 15-20 [*Triloculina*, 1839].
- lucens, Schwager. Palaeontographica, xxx, 1883, Pal. Theil, 87, xxiv
(1), 7a-d (compare *T. triquetra*, Terq.).
- macilenta, Brady. Report Challenger, 1884, 167, vii, 5 and 6.
- oblonga (Montagu). Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxiii, 1880,
173, i, 2 [*Vermiculum*, 1803].
— — — — Möbius, Beitr. Meeresfauna Insel Mauritius, etc. 1880,
76, iii [numbered iv by error], 1-3 [structural].
- — — — Brady, Report Challenger, 1884, 160, v, 4a, b.
- — — — Brady, Parker & Jones, Trans. Zool. Soc. xii, (7), 1888, 214,
xl, 27,
— — — — Terrigi, Mem. R. Acc. Lincei, (4), vi, 1889, 108, iv, 5-8.
- ornata (d'Orb.). Möbius, Beitr. Meeresfauna Insel Mauritius, etc. 1880,
76, ii, 4-7 [structural] [*Spiroloculina*, 1839].
- parkeri, Brady. Quart. Journ. Microsc. Sci. xxi, 1881, 46 ["Quinquelocu-
lina with oblique ridges," Parker, Trans. Micr. Soc. London, vi, 1858,
53, v, 10].
- — — — Brady, Report Challenger, 1884, 177, vii, 14.
- pulchella (d'Orb.). Ibid. 1884, 174, vi, 13, 14, and iii, 10-13 [*Quinquelocu-
lina*, 1826].
- — — — Walther, Mitt. Zool. Stat. Neapel, viii, 1888, 382, xx, 10.
- pygmæa (Reuss). Brady, Report Challenger, 1884, 163, cxiii, 16a, b
[*Quinqueloculina*, 1850].
- — — ? — — Brady, Parker and Jones, Trans. Zool. Soc. xii, (7), 1888,
214, xl, 30.
- reticulata (d'Orb.). Brady, Report Challenger, 1884, 177, ix, 2-4 [*Trilocu-
lina*, 1826].
- ringens (Lamarek). Goës, K. Svenska Vet.-Akad. Handl. xix, (4), 1882,
131, x, 361 and 386 [*Miliolites*, 1804].
- — — — Goës, Bihang K. Svenska Vet.-Ak. Handl. xv, 1889, 14, ii,
6-10, 13, 14.
- rotundata (Mont.). Balkwill & Wright, Trans. R. Irish Ac. xxviii
(Sci.), 1885, 324, xii, 8 and 9 [*Vermiculum subrotundum*, 1803].
- rupertiana, Brady. Quart. Journ. Microsc. Sci. xxi, 1881, 46.
- — — — Brady, Report Challenger, 1884, 178, vii, 7-12 and cuts, p. 179.
- saxorum (Lamarek), v. *Miliolites*.
- sclerotica (Karrer). Balkwill & Millett, Journ. Micr. iii, 1884, 24, i, 2
[*Quinqueloculina*, 1868].
- scrobiculata, Brady. Report Challenger, 1884, 173, cxiii, 15a, b, c.
- secans (d'Orb.). Ibid. 1884, 167, vi, 1 and 2 [*Quinqueloculina*, 1826].
- — — — Sherborn & Chapman, Journ. R. Micr. Soc. [2], vi, 1886,
742, xiv, 4.
- seminulum (Linn.). Williamson, Recent British Foram. 1858, 85, vii,
183-189; 183-185 typica [*Serpula*, 1758].
- — — v. disciformis (Macgill.). Ibid. 1858, 86, vii, 188 and 189
[*Vermiculum*, 1843] [= *M. secans*, d'Orb.].
- — — v. oblonga (Mout.). Ibid. 1858, 86, vii, 186 and 187 [*Ver-
miculum*, 1803].
- — — — Hartwig, The Sea, ed. 3, 1866, 381, f. g.
- — — — Cooke, Thousand Objects Microsc. 1869, 93, ix, 21.
- — — — Chimmo, Bed of Atlantic, [1870], 19, iv, 2.

- MILIOLINA seminulum** (Linn.) Greene, Man. Protozoa, 1871, 15, f. 3, g.
 ——— Goës, K. Svenska Vet.-Akad. Handl. xix, (4), 1882, 122, lx,
 319-355; x, 356-360.
 ——— Brady, Report Challenger, 1884, 157, v, 6a, b, c.
 ——— Sherborn & Chapman, Journ. R. Micr. Soc. [2], vi, 1886,
 742, xiv, 1.
 ——— Anon. Sci. News, 27 Ap., 1888, 389, f. 5.
 ——— Brady, Parker & Jones, Trans. Zool. Soc. xii, (7), 1888,
 214, xl, 23 and 31.
 ——— Terrigi, Mem. R. Acc. Lincei, (4), vi, 1889, 108, iv, 2, 3, 4,
 11, 12.
 ——— **separans**, Brady. Quart. Journ. Micro. Sci. xxi, 1881, 45.
 ——— Brady, Report Challenger, 1884, 175, vil, 1-4.
 ——— **spiculifera**, Siddall. Proc. Lit. Phil. Soc. Liverpool, xl, 1886, Appen-
 dix, Fauna Liverpool Bay, 51, i, 3.
 ——— **subrotundata** (Montagu). Brady, Report Challenger, 1884, 168, v, 10,
 11 [*Vermiculum*, 1803].
 ——— var. Wright, Proc. Belfast Nat. Field Club, 1884-5, App.
 ix, 1886, 319, xxvi, 5a, b.
 ——— [] Terrigi, Mem. R. Acc. Lincei, (4), vi, 1889, 108, iv, 9.
 ——— **tenuis** (Czjzek). Balkwill & Millett, Journ. Micr. iii, 1884, i, 3 [*Quinque-*
loculina, 1848].
 ——— Balkwill & Wright, Trans. R. Irish Ac. xxviii (Sci.), 1885,
 324, xii, 3-5.
 ——— **terquemiana**, Brady. Report Challenger, 1884, 166, cxiv, 1a, b.
 ——— **transversestriata**, Brady. Quart. Journ. Micros. Sci. xxi, 1881, 45.
 ——— Brady, Report Challenger, 1884, 177, iv, 6a, b, c.
 ——— **tricarinata** (d'Or.). *Ibid.* 1884, 165, iii, 17a, b [*Triloculina*, 1826].
 ——— Brady, Parker & Jones, Trans. Zool. Soc. xii, (7), 1888,
 215, xl, 32.
 ——— **trigonula** (Lamarck). Williamson, Recent British Foram. 1858, 84, vii,
 180-182 [*Miliolites*, 1804].
 ——— Williamson, Pop. Sci. Rev. iv, 1865, 175, viii, 12.
 ——— Schwager, Palæontographica, xxx, 1883, Pal. Theil, 86,
 xxiv, (1), 6a-d.
 ——— Brady, Report Challenger, 1884, 164, iii, 14-16.
 ——— Sherborn & Chapman, Journ. R. Micr. Soc. 1889, 484, xi, 1.
 ——— **triquetra**, Brady. Q. Journ. Micr. Sci. xix, 1879, 268.
 ——— Brady, Report Challenger, 1884, 181, viii, 8-10.
 ——— **undosa** (Karrer). *Ibid.* 1884, 176, vi, 6-8 [*Quinqueloculina*, 1867].
 ——— **valvularis** (Reuss). *Ibid.* 1884, 161, iv, 4-5 [*Tritoculina*, 1851].
 ——— **venusta** (Karrer). *Ibid.* 1884, 162, v, 5-7 [*Quinqueloculina*, 1868].
 ——— Sherborn & Chapman, Journ. R. Micr. Soc. 1889, 484, xi,
 2, 3.
 ——— **seminulum**], Martini. Neues. Syst. Conch. Cab. 1769, 1, iii, 22a, b.
 ——— Deshayes. Descr. Coq. Foss. Paris, 1824-1837, numerous figures [pls.
 c-cvi], of which descriptions or names were never published.
 ——— [] Costa, Fauna Regno Napoli, 1838, Foraminiferi, not descr. i, 10 [a var.
 with a broad pouting mouth].
 ——— *Ibid.* 1838. Foraminiferi, not descr., ii, 3-6.
 ——— Wallich, North Atlantic Sea-bed, (1), 1862, no descr., v, 7.
 ——— [seminulum]. *Ibid.* (1), 1862, nō descr., v, 9 and 10.
 ——— *Ibid.* (1), 1862, no descr., v, 14 and 15 [young].
 ——— Parent developing young. Williamson, Pop. Sci. Rev. iv, 1865, 177, viii,
 16 (after Schultze).
 ——— J. G. Wood, Common Objects Micro. 1867, 121, ix, 4; xii, 7 and 16.
 ——— Chimmo, Bed of Atlantic, [1870], 28, x. 1.
 ——— [], Terquem, Mém. Soc. Géol. France, [3], iv, 1886, 77-84, ix, 1-38; x, 1-7,
 "Coquilles irrégulières."
 ——— [] *Ibid.* [3], iv, 1886, 84-86, x, 8-18, "Coquilles irrégulières à 2 ouvertures."
 ——— Terrigi, Mem. R. Acc. Lincei, (4), vi, 1889, 109, iv, 14. Sp.?
 ——— v. *Tubulus marinus irregulariter*, etc.
MILIOLITES, Lamarck, 1804. Ann. Mus. v, 1804, 351.
 ——— **birostris**, Lam. *Ibid.* v, 1804, 352, No. 7.

- MILIOLITES** cor-anguinum, Lamarck. Ann. Mus. v, 1804, 351, No. 2, and f. 3, pl. 17, ix, 1807 [v. *Miliola*, *Triloculina* and *Quinqueloculina*].
 ——— Lamarck, Ency. Méthod. "Vers," ii, (1830), 445, pl. 469, f. 2 (pls. 1827), (P. & J. quote "pt. 23, 1816").
 ——— Parkinson, Organ. Rem. former World, iii, 1811, 163, xi, 14-16.
 ——— Lamarck, Coq. Foss. Paris, 1823, 15, xv, 3.
 ——— see *Frumentaria* 3 species.
cor-serpentis, DeBlainville. Defrancee, Dict. Sci. Nat. XXXI, 1824, 69; Atlas Conch. xi, 3 [= *M. cor-anguinum*].
 ——— De Blainville, Malacol. 1825 (pls. 1827), 369, iv, 3.
[cœur de serpent]. Bowdich, Elem. Conch. (1), 1822, 16, i, 6.
opposita, Lamarck. Ann. Mus. v, 1804, 353, No. 6, and f. 5, pl. 17, in vol. ix, 1807 [v. *Quinqueloculina*].
 ——— Parkinson, Organ. Rem. former World, iii, 1811, 163, xi, 20.
 ——— Lamarck, Coq. Foss. Paris, 1823, 15, xv, 5.
planulata, Lamarck. Ann. Mus. v, 1805, 352, No. 4 [v. *Miliola*; *Spiraloculina*].
ringens, Lamarck. Ibid. v, 1804, 351, No. 1; and f. 1, pl. 17, in vol. ix, 1807 [v. *Miliola*, *Miliolina* and *Biloculina*].
 ——— Parkinson, Organ. Rem. former World, iii, 1811, 162, xi, 11.
 ——— Lamarck, Coq. Foss. Paris, 1823, 15, xv, 1a, b.
 ——— Quenstedt, Handbuch Petref. ed. 3, (5), (1885), 1060, lxxxvii, 6.
sabulosus, Montfort. Conch Syst. i, 1808, 175, 44th genre [v. *Alveolina*].
saxorum, Lamarck. Ann. Mus. v, 1804, 352, No. 5; and f. 2a, b, pl. 17, in vol. ix, 1807 [v. *Miliola*, *Quinqueloculina* and *Pentellina*].
 ——— Parkinson, Organ. Rem. former World, iii, 1811, 163, xi, 12 and 13.
 ——— Ency. Method. "Vers," ii, (1830), (pls. 1827), 445, pl. 469, f. 3; [P. & J. quote 1816, pt. 23].
 ——— Parkinson, Introd. Study Foss. Organ. Rem. 1822, 169, vi, 18.
 ——— Lamarck, Coq. Foss. Paris, 1823, 15, xv, 2a, b.
trigonula, Lamarck. Ann. Mus. v, 1804, 351, No. 3; and f. 4, pl. 17, in vol. ix, 1807 [v. *Miliola*, *Miliolina* and *Triloculina*].
 ——— Parkinson, Organ. Rem. former World, iii, 1811, 163, xi, 17-19.
 ——— Lamarck, Coq. Foss. Paris, 1823, 15, xv, 4.
- MILLARELLA**, Carter, 1888. Annals Mag. Nat. Hist. [6], i, 1888, 178. [Considered to be a new genus of *Loftusidae*; but later (Annals, [6], ii, 1888, 45, etc.), relegated to a "reticulated rhizopodous mycelium" "which may have extended itself throughout the *Parkeria*, so as to destroy by transformation the whole of the structure of the latter and replace it by one which is totally different."]
 ——— *cantabrigiensis*, Carter. Ibid. [6], i, 1888, 178, xiii, 6-8.
- MILLEPORA**, Linnaeus, 1758.
 ——— *globularis*. Phillips. Geol. York., i, 1829, 155, xx, 5 [see *Coscinopora*].
 ——— *miniaecea*, Pallas. Elenchus Zoophytorum, 1766, 251, no fig. [= *Polytrema*, q. v.].
 ——— Esper, Die Pflanzenthire, (1), 1791, 225, xvii, 1-4.
 ——— *rubra*, Lamarck. Ann. sans Vertèbres, ii, 1816, 202 [v. also *Polytrema*].
 ——— *woodwardii*, Carter. Annals Mag. Nat. Hist. [5], i, 1878, 306, xvii, 6-9 [? *Bradya tergestina*, Stache MS. 1877].
- MILLETTIA**, J. Wright, MS. Ann. Mag. Nat. Hist. [6], iv, 1889, 448 (*Milletia*).
 ——— *earlandi*, J. Wright, MS. Ibid. (*Millettia earlandi*).
 "Minute encrusting form . . . cretaceous of New Jersey." Gabb & Horn, Journ. Ac. Nat. Sci. Philad. n. s., v, (2), 1862, 179, xxi, 71 [= *Webbina*, q. v.].
- MISILUS aquatifer**, Montfort. Conch. syst. i, 1808, 255, 74th genre [= *Polym. lactea*, var. *tubulosa*, d'Or.].
- MCELLERINA**, Ulrich, 1886.
 ——— *greeniei*. Ulrich. Contrib. Amer. Palæont. i, (1), 1886, 35, lii, 8a-e [see *Geol. Mag.*, August, 1886].

- MONETULITES**, Ehrenberg, 1856. Abhandl. k. Ak. Wiss. Berlin, 1856, 145.
MONNAIE de St. Pierre, Sage. Journ. de Phys. LX, 1805, 222 [= *Nummulites*].
 " *Moniliform lituola*," Carpenter. Microscope, ed. 5, 1875, 531, f. f [= *Hormosina carpenteri*, q. v.].
- MONOCYSTIS**, Ehrenberg, 1854, v. *Miliola arcella* = *Orbulina*.
- MARGINULINA**, Hantken. 1871, misprint for *Marginulina*.
- MUCRONINA hasta**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 256, No. 1; and Môdèles, No. 51; 1826. [Given by d'Orbigny as a subgenus of *Nodosaria*] [v. *Nodosaria*].
- MULTILOCULIDÆ**, Abich. Mém. Ac. Imp. Sci. [Math. Phys.] St. Pétersbourg, [6], VII, 1859, 106, vii, 7, 8, 9; ix, 9 [= ? *Nubecularia* or *Miliolina*].
- MYCHOSTOMINA**, Berthelin, 1881. C. R. Assoc. Franç. (Reims, 1880), 1881, 557 [proposed for certain *Spirillinae*].
- " *Nautile aussi petit que l'éperon Nutilus calcar*." Rasoumovsky, Observ. minéral. environs Vienne, 1822, 3, i, 1 and 2 [= *C. cultrata*, fide T. R. Jones].
- " *Nautile épineux*." De Montfort, in Buffon, Hist. Nat. Mollusq., Sonnini's ed., IV, 1802, 226, xlvi, 2 [*Crist. calcar*].
- " *Nautile grapuleux*." Ibid. Sonnini's ed., IV, 1802, 219, xlvi, 1 [= *Polystom. crista*].
- " *Nautile microscopique*" D'Argenville, Conchyliologie, 1780, I, 680, vii, B, 3, B, 4 [*Cristellaria*].
- " *Nautiles microscopiques*" de Soldani. De Montfort, in Buffon, Hist. Nat. Mollusq. Sonnini's ed., IV, 1802, 239, xlvi, 3-6.
- " *Nautiles microscopique granuleux*" d'Argenville, Conchyliologie, 1780, I, 680, vii, B, 1; and 728, lxix, D, 2 [*Polystomella crista*].
- " *Nautile vitré et reticulé, etc.*" Ibid. 1780, I, 679, vii, C, 1.
- NAUTILINA**, Costa, 1856. Atti Accad. Pontaniana, VII, (2), 1856, not described [= *Cristellaria*].
- *puteolana*, Costa. Ibid. VII, (2), 1856, not descr., xxvii, 28.
- Nautilitis et ammonitis ut reliqua substantia lapidis, refertissimæ—** (*Lapis siliceus*, etc.). Soldani, Sagg. Oritt. 1780, 142, xxii, 99, G, II and I [G and I = ? *Nummulites*; H = ? *Orbitoides stellata*].
- " *Nautilo*, Targioni, Relaz. d'alc. viaggia, IV, 1770, 8, etc., i, f. 6-16 [6-8 = *Polyst. crista*; 9-15 = *Nummulites*; 16 = ? *Nonionina*].
- " *Nautiloid lituola*." Carpenter, Microscope, ed. 5, 1875, 536, f. 274a, b, c [= *Cyclammina cancellata*, Brady, 1876].
- NAUTILUS acicula**, Wulff-n. Nova Acta Acad. Cæs. Leop. Carol. VIII, 1791, 252, no fig. [*Nodosaria* near *longiscata*].
- *acut-auricularis*, Fichtel & Moll. Test. Micr. 1798, 102, xviii, g-i [v. *Cristellaria*; *Pulvinulina*].
- — — Wood, Index Testaceologicus, 1825, 66, xiii, 50.
- *aduncus*, Fichtel & Moll. Test. Micr. 1798, 115, xxii, a-e [= *Orbiculina adunca* (F. & M.)].
- — — Wood, Index Testaceologicus, 1825, 65, xiii, 44.
- *ambiguus*, Fichtel & Moll. Test. Micr. 1798, 62, ix, d-f [= *Polystom. ambiguus* (F. & M.)].
- — — Wood, Index Testaceologicus, 1825, 66, xiii, 58.
- *ammoniformes sive trochiformes*. Sold., Testac. II, App. 1798, 138, pl. 2, 13g, Q, R [*Rotalia (Turbinulina) elegans*, d'O. Ann. Sci. Nat. VII, 1826, 276, 54].
- — — Soldani, Sagg. Oritt. 1780, 99, ii, 13Q, R [= *Rot. partschiana*].
- *(ammonoides)*, Gronov. Zool. Gronov. 1781, 282, xix, 5 and 6 [v. *Opraeulina*].
- — — Linnaeus, Syst. Nat. ed. 13 (Gmelin's), 1788, 3370.
- *amphorarius*, Sold. Testac. II, App. 1798, 141, pl. 7, 46, e, C [*Textularia abbreviata*, d'O., For. Foss. Vienne, 1816, 249, pl. 15, 7-12].
- *amphorarii* (au Testæ multiloculares polythalamiæ, etc.) Soldani, Sagg. Oritt. 1780, 108, vii, 46, B-DE [B = *Urig. pygmæa*; C = *Text. gibosa*; D = *Lingul. carinata*; E = mouth of C].
- *vel janiformes*, Sold. Testac. II, App. 1798, 141, pl. 7, 46e, E [*Textularia punctulata*, d'O., Ann. Sci. Nat. VII, 1826, 262-4].

- NAUTILUS amphorarii**, Sold. Sagg. Oritt. 1780, 108, pl. 7, 46c, C [*Textularia abbreviata*, d'O., For. Foss. Vienne, 1846, 249, pl. 15, 7-12].
 ——— *Ibid.* 1780, 108, vii, 46v, V [= *Buliminaria maryinata*, var.].
 ——— **angulatus**, Fichtel & Moll. Test. Micr. 1798, 113, xxii, a-e [= *Orbiculina angulata* (F. & M.)].
 ——— ——— Wood, Index Testaceologicus, 1825, 66, xiii, 57.
 ——— **(Litius) arietinus**, Batsch. Conch. Seesands, 1791, vi, 15a-f [15a, b = *Penerop. pertusus*, Forsk.; 15c = *P. pertusus v. arietinus*, Batsch; 15d, e, f, = *Spirolina hemprichii*, Ehr.] [v. *Peneroplites*].
 ——— **asterizans**, Fich. & Moll. Test. Micr. 1798, 37, iii, e-h [v. *Nonionina* and *Placentula*].
 ——— [**asterisans**] ——— Wood, Index Testaceologicus, 1825, 65, xiii, 39.
 ——— **auricula**, Fichtel & Moll. Test. Micr. 1798, 108, var. a, xx, a-c; var. β, 20, d-f [= *Rotalia* = *Pulvinulina auricula*].
 ——— ——— Bowdich, Elem. Conch. (1), 1822, 22, ii, 5.
 ——— ——— Wood, Index Testaceologicus, 1825, 66, xiii, 54.
 ——— **balthicus**, Schröter. Einl. Conch. Kenntn. I, 1783-86, 20, 1, 2.
 ——— ——— Linnæus. Syst. Nat. ed. xiii (Gmelin's), 1788, 3370.
 ——— ——— Wood, Index Testaceologicus, 1825, 63, xiii, 10.
 ——— **beccarii**, Linnaeus. Syst. Nat. ed. 10, 1758, 710; ed. 13, 1788, 3370 [*Cornu Hammonis*, Plancus, De Conch. I, 8, f. 1] [v. *Rosalina*, *Rotalina* and *Rotalia*].
 ——— ——— Martini, Neues syst. Conchyl.-Cab. I, 1769, 261, xix, 178, 179; xx, 175-177.
 ——— ——— Schröter, Innere Bau See-und Erd Schnreckens, 1788, 2, i, 3.
 ——— ——— Murray, Fund. Test. in Linnæus, Amœnitates academicæ, viii, 1785, 143, ii, 16.
 ——— ——— Walker & Jacob, in Kannmacher's ed. of Adams' Essays on the Microscope, 1798, 640, xiv, 29 [Walker's, iii, 63 = *Rotalia beccarii*].
 ——— ——— Montagu, Testac. Brit. Supplement, 1808, 74, xviii, 4.
 ——— ——— Parkinson, Organ. Rem. former World, III, 1811, 108, xi, 27 and 28.
 ——— ——— Pulteney, Catalogue in Hutchins Hist. of Dorset, ed. 2, III, 1813, 42, xix, 30.
 ——— ——— Brookes, Introd. Study Conch. 1815, 91, v, 58.
 ——— ——— Brookes, Anleit. Conch. 1-23, 80, v, 58.
 ——— ——— Wood, Index Testaceologicus, 1825, 63, xiii, 9.
 ——— ——— Brown, Illustr. Conch. 1827, fly-leaf, lii, 11.
 ——— **perversus**, Walker & Boys. Test. Min. [1784], 18, iii, 64 [= *Rotalia beccarii*].
 ——— **perversus**, Montagu. Testac. Brit. Supplement. 1808, 75, xviii, 6.
 ——— **perversus**, Brown. Illustr. Conch. Gt. Brit. 1827, fly-leaf, lii, 12.
 ——— **calcar**, Linn. Syst. Nat. ed. 10, 1758, 709; ed. 13 (Gmelin's), 1788, 3370 [Plancus, De Conch. I, 12, f. 3 and 4] [v. *Nodosarina* and *Cristellaria*].
 [—— ——— ———], Martini, Neues syst. Conchyl. I, 1769, 248, xix, 168-169; and xx, 182-183.
 ——— ——— Spalowsky, Testac. 1795, 7, i, 7.
 ——— ——— Fichtel & Moll. 1798, 69, var. a, xi, a-c [*Crist. calcar*]; var. β, xi, d-f [*Crist. cultrata*]; var. γ, xi, g-h, var. δ, xi, i-k, var. ε, xii, a-c [*C. calcar*]; var. ζ, xii, d-f [*C. cultrata*]; var. η, xii, g, h, var. θ, xii, i, k; var. τ, xiii, a, b [*C. rotulata*, *C. simplex*, etc.]; var. ς, xiii, c, d; var. λ, xiii, e-g, var. μ, xiii, h, i (k, l, sections) [*C. calcar*].
 ——— ——— Walker & Jacob, in Kannmacher's ed. of Adams' Essays Micros. 1798, 641, xiv, 31 [Walker's, iii, 66 (*Calcar*) [= *Cristellaria cultrata*].
 ——— ——— Montagu, Testac. Brit. 1803, 189, xv, 4.
 ——— ——— Wood, Index Testaceologicus, 1825, 63, xiii, 4.
 ——— ——— Brown, Illustr. Conch. Gt. Brit. 1827, fly-leaf, lii, 1 and 2.
 ——— **carinati** (**Lenticulæ**), Sold. Testac. I, (1), 1789, 64, pl. 58, hh, mm [*Robulina aculeata*, d'O. Ann. Sci. Nat. VII, 1826, 289, 14].

- NAUTILUS carinatus** (W. & B.). Walker & Jacob, in Kannmacher's ed. of Adams' Essays Micros. 1798, 642, xiv, 37 [Walker's, *Nautilus oblongus carinatus* iii, 72 = *Cristellaria* young [v. *Spirolina*].
 ——— Wood, Index Testaceologicus, 1825, 64, xiii, 21.
 ——— Brown, Illustr. Conch. Gt. Brit. 1827, fly-leaf, lii, 7.
cassis, Fichtel & Moll. Test. Micr. 1798, 95, var. α , xvii, $a-d$, var. β , xvii, $e-g$, var. γ , xvii, $h-i$, var. δ , xvii, k, l , var. ϵ , xviii, $a-c$ [v. *Linthurus*, *Nodosarina* and *Cristellaria*].
 ——— Wood, Index Testaceologicus, 1825, 66, xiii, 48.
caudiformes, Sold. Testac. II, 1798, 13, pl. 1, C [*Froodic. alata*, d'O. Ann. Sci. Nat. VII, 1826, 256, 2].
seu elongatus cicada fossilis, Soldani. Sagg. Oritt. 1780, 97, i, 3e, f [= *Cr. cassis*, var.].
circumalati seu marginati grandiusculi, Soldani. Ibid. 1780, 97, i, 4G [= *Crist. cultrata*].
circumradiati leeves minusculi, Soldani. Ibid. 1780, 98, i, 7K, 8L and 9M, also 10N [7-9 = *Crist. colcar*; 10 = *Lit. nautiloides*].
(Orthoceras) comatus, Batsch. Conch. Seesands, 1791, pl. I, f. 2a, b [v. *Nodosaria*].
 ——— Ibid. 1791, pl. I, 2c, d [= *Gland. glans*, d'O.].
comptoni, Sowerby. Mineral Conchology, II, 1818, 45, pl. 121 [v. *Lenticulites*; *Crist. rotulata*].
(Orthoc.) conico-articulatus, Batsch. Conch. Seesands, 1791, pl. III, 11 [v. *Articulina*].
conico-rotundati, Soldani. Sagg. Oritt. 1780, 99, i, 12P [= *Crist. vortex*].
(Orthoceras) costatus, Batsch. Conch. Seesands, 1791, pl. I, f. 1a-1g [= *Marginulina*; = *Nodos. (Margin.) raphanus* (Linn.)].
costatus, Fichtel & Moll. Test. Micr. 1798, 47, iv, g, h [= *Crist. costata* (F. & M.)] [v. *Cristellaria*].
costatus, Montagu. Testac. Brit. 1803, 199, xiv, 5 [= *Nodosaria*].
 ——— var. Montagu. Ibid. Supplement, 1808, 83, xix, 2 [v. *Orthocera*; = *Nodosaria*].
 ——— Wood, Index Testaceologicus, 1825, 64, xiii, 25.
costatus, Schröter. Wiedemann's Archiv, III, (2), 1803, 63, no fig. [No-*dosaria*].
crassulus, Walker & Jacob. In Kannmacher's ed. of Adams' Essays Micros. 1798, 641, xiv, 35 [Walker's, *Nautilus spiralis crassus*, iii, 70 = *Nonion. crassula*, W. & J.] [v. *Polystomella*].
 ——— Montagu, Testac. Brit. 1803, 191; and Supplement, 1808, 79, xviii, 2.
 ——— Wood, Index Testaceologicus, 1825, 63, xiii, 11.
 ——— Brown, Illustr. Conch. Gt. Brit. 1827, fly-leaf, lii, 5.
craticulatus, Fichtel & Moll. Test. Micr. 1798, 51, v, h-k [v. *Vorticinalis*, *Helicoza* and *Polystomella*] [= *Polystom. craticulata* (F. & M.)].
 ——— Wood, Index Testaceologicus, 1825, 65, xiii, 42.
crepidula, Fichtel & Moll. Test. Micr. 1798, 107, xix, g-i [= *Cristellaria*] [v. *Nodosaria*, *Nodosarina* and *Cristellaria*].
 ——— Wood, Index Testaceologicus, 1825, 66, xiii, 53.
crispus, Linn. Syst. Nat. ed. 10, 1758, 709; ed. 13 (Gmelin's), 1788, 3370 [Plancus, de Conch. 10, t. 1, f. 2 [v. *Polystomella*]].
 ——— Martini, Neues Syst. Conchyl.-Cab. I, 1769, 250, xx, 172-174.
 ——— Spengler, Nye Saml. K. Danske Selsk. Skr. I, 1781, 368, [T. 1], f. 1a, b, c.
 ——— Fichtel & Moll. Test. Micr. 1798, 40, iv, d-f.
 ——— Walker & Jacob, in Kannmacher's ed. of Adams' Essays Micros. 1798, 640, xiv, 30 [Walker's *Nautilus spiralis geniculis crenatis*, iii, 65].
 ——— Montagu, Testac. Brit. 1803, 187; and Supplement, 1808, xviii, 5.
 ——— Pulteney, Catalogue in Hutchins, Hist. of Dorset, 2d ed., III, 1813, 42, xix, 29.

- NAUTILUS** crispus, Linn. Parkinson, Organ. Rem. former World, III, 1811, 107, xi, 25.
- Wood, Index Testaceologicus, 1825, 63, xiii, 8.
 - Brown, Illustr. Conch. Gt. Brit. 1827, fly-leaf, lli, 6.
 - **cum ammoniis admixti**, Soldani. Sagg. Orlitt. 1780, 100, ii, 14–16 [14 = ? *Biloculina*; 15 = *Adetosina lœvigata*; 16 *VX* = *Rot. schreibersii*; 16 *TT* to *XX* = *Nonionina pomphiloides*].
 - **seu margine coronato dentali**, Sold. Ibid. 1780, 98, 1, 5*H* [= *Crist. calcar*].
 - **depressulus**, Walker & Jacob. In Kannmacher's ed. of Adams' Essays Micros. 1798, 641, xiv, 33 [Walker's *Nautilus spiralis utrinque*, etc. iii, 68 = *Nonion. depressula*, W. & J.].
 - Montagu, Testac. Brit. 1803, 190; and Supplement, 1808, 78, xviii, 9.
 - Wood, Index Testaceologicus, 1825, 63, xiii, 7.
 - Brown, Illustr. Conch. Gt. Brit. 1827, fly-leaf, lli, 3.
 - **discors**, Spalowsky. Testac. 1795, 8, i, 8.
 - **diversæ speciei**, Soldani. Sagg. Orlitt. 1780, 134, xviii, 90*M*, *N*, *O*; 91*P*, *Q*, *R*, *S*; xix, 91*T*, *V*, *X* [90*M*, *N* = *Crist. costatus*; *O* = *Crist. calcar*; 91*P*, *Q* = *C. cultrata*, many chambers; *R* = *Crist. crepidula*; *S* = *Alveolina boscii*; *T* = *Frondic. complanata*; *VX* = ? *Globig. bulloides*]
 - **sive papillosi, circumradiata et echinati**, Soldani. Ibid. 1780, 98, i, 6, 1 [= *Crist. calcar*].
 - **echinus**, Sold. Testac. I, (1), 1789, 64, pl. 57, *T* [*Cristellaria marginata*, d'O., Ann. Sci. Nat. VII, 1826, 291, 7].
 - **entrochus**, Schröter. Wiedemann's Archiv, III, (2), 1803, 60, no fig. [? *Dentalina*].
 - **faba**, Fichtel & Moll. Test. Micr. 1798, 103, xix, a–c [v. *Nonionina*].
 - Wood, Index Testaceologicus, 1825, 66, xiii, 51.
 - **farctus**, Fichtel & Moll. Test. Micr. 1798, 64, ix, g–i [= *Planorbulina farcta* (F. & M.)].
 - **fascia**, Linn. Syst. Nat. ed. 10, 1758, 711; ed. 13 (Gmelin's), 1788, 3373 [Gaultieri, Test. t. 19, f. *O* [v. *Nodosaria*]].
 - **fascia**, Brookes. Introd. Study Conch. 1815, 93, v, 57.
 - Brookes, Anleit. Conch. 1823, 80, v, 57.
 - Wood, Index Testaceologicus, 1825, 65, xiii, 31.
 - **galea**, Fichtel & Moll. Test. Micr. 1798, 100, xviii, d–f [= *Cristellaria*].
 - Wood, Index Testaceologicus, 1825, 66, xiii, 49.
 - **gazellicornis**, Spalowsky. Testac. 1795, 9, i, 9.
 - (*Orthoc.*) **globifer**, Batsch. Conch. Seesands, 1791, iii, 9a–9c [= *Nodos. globifera*, Batsch].
 - **globuli**, Sold. Testac. I, (1), 1789, 66, pl. 59, vv [*Robulina soldanii*, d'O., Ann. Sci. Nat. VII, 1826, 288, 5].
 - **globuli**, Sold. Ibid. I, (1), 1789, 66, pl. 59, tt [*Robulina vortex* (F. & M.), d'Orb., Ann. Sci. Nat. VII, 1826, 288, 4].
 - **gyzeensis**, Forskal. Descript. Anim. 1775, 140; Icones rerum nat. 1776 [probably the same as *Nummulites gyzenensis*, Ehrenberg].
 - **granum**, Linn. Syst. Nat. ed. 10, 1758, 711, ed. 13 (Gmelin's), 1788, 3372.
 - (*O.*) **arpa**, Batsch. Conch. Seesands, 1791, v, 14a–14e [14a = *Frond. complanata*, Defr.; 14b, c = *Flab. harpa*, Batsch; 14d, e = *Planularia auris*, Defr.].
 - **helicates**, Schröter. Voll. Einleit. Stein, etc. IV, 1784, 232, x, 2.
 - Linn., Syst. nat. ed. 13 (Gmelin's), 1788, 3371.
 - **hystrix marginatus**, Sold. Testac. I, (1), 1789, 64, pl. 57, *S* [*Cristellaria marginata*, d'O. Ann. Sci. Nat. VII, 1826, 291, 7].
 - **inæqualis**, Gmelin. Linn., Syst. Nat. ed. 13 (Gmelin), 1788, 3373 [Spengler, Dansk. Skr. 1781, 373, t. 2. f. 10a, b, c [v. *N. rectus*]].
 - **inæqualis**, Wood. Index Testaceologicus, 1825, 65, xiii, 32.
 - **incrassatus**, Fichtel & Moll. Test. Micr. 1798, 38, iv, a–c [= *Nonion. incrassata* (F. & M.)].
 - Wood, Index Testaceologicus, 1825, 65, xiii, 40.
 - **inflatus**, Montagu. Testac. Brit. Supplement, 1808, 81, xviii, 3 [v. *Rotalina* and *Trochammina*].

- NAUTILUS inflatus**, Montagu. Brown, Illustr. Conch. Gt. Brit. 1827, fly-leaf, lii, 4.
- **jugosus**, Montagu. Testac. Brit. 1803, 198, xiv, 4 [v. *Orthocera*].
- **læves** (*Lenticulæ*), Sold. Testac. I, (1), 1789, 44, pl. 33, nn [*Robulina rosacea*, d'O., Ann. Sci. Nat. vii, 1826, 289, 11].
- **læves** (*Lenticulæ*), Sold. *Ibid.* I, (1), 1789, 54, pl. 33, mm [*Robulina marginata*, d'O., Ann. Sci. Nat. vii, 1826, 288, 6].
- **lævi-lucido-umbilicati**, Soldani. Sagg. Oritt. 1780, 99, i, 11o [= *Crist. cultrata*].
- **lævigatulus**, Walker & Jacob. In Kannmacher's ed. of Adams' Essays Micros. 1798, 641, xiv, 32 [Walker's *Nautilus spiralis geniculis lueibus*, iii, 67 = *Crist. rotulata*, Lam.] [v. *Rotalia*].
- — — — — Montagu, Testac. Brit. 1803, 188; and Supplement, 1808, 75, xviii, 7 and 8.
- — — — — Wood, Index Testaceologicus, 1825, 63, xiii, 6.
- — — — — Brown, Illustr. Conch. Gt. Brit. 1827, fly-leaf, lii, 9 and 10.
- **legumen**, Linn. Syst. Nat. ed. 10, 1758, 711; ed. 13 (Gmelin's), 1788, 3373 [*Plancus Cornu Hammonis*, de Conch. 8, t. 1, f. 7 [v. *Orthocera*, *Nodosarina*, *Dentalina* and *Vaginulina*]].
- — — — — after Plancus, Gualteri and Ledermuller. Fornasini, Bol. Soc. Geol. Ital. v, 1886, cuts, aA, bB, cC, on p. 26.
- **legumen**, Montagu. Testac. Brit. Supplement, 1808, 82, xix, 6 [v. *Spirolina*].
- — — — — Wood, Index Testaceologicus, 1825, 65, xiii, 34.
- (*Orthoceras*) **leguminiformis**, Batsch. Conch. Seesands, 1791, iii, 8a, 8b [8a = *Vay. leguminiformis*, Batsch; 8b = *Dent. communis*, d'Orb.].
- **lenticula**, Sold. Testac. I, (1), 1789, 66, pl. 60, yy [*Robulina rotundata*, d'O., Ann. Sci. Nat. vii, 1826, 290, 24].
- (*Lenticulæ marginatæ*), Sold. *Ibid.* I, (1), 1789, 54, pl. 33, B, etc. [*Robulina cultrata* (Montf.), d'Orb. Ann. Sci. Nat. VII, 1826, 287, 1].
- (*Lenticulæ marginatæ*), Sold. *Ibid.* I, (1), 1789, 54, pl. 33, D [*Robulina marginata*, d'O., Ann. Sci. Nat. vii, 1826, 288, 6].
- (*Lenticulæ radiatæ*), Sold. *Ibid.* I, (1), 1789, 54, pl. 33, aa [*Robulina pulchella*, d'O., Ann. Sci. Nat. vii, 1826, 288, 8].
- (*Lenticulæ radiatæ*), Sold. *Ibid.* I, (1), 1789, 54, pl. 33, bb [*Robulina radiata*, d'Orb., Ann. Sci. Nat. vii, 1826, 288, 7].
- **lenticularis**, Fichtel & Moll. Test. Micr. 1798, 55, var. a, pl. vi, e-h [= *Numm. tchihatchefii*, d'A. and H.; var. β , vii, a, b [= ? *Numm. lucasana*, Defr.]; var. γ , vii, c-f [= ? *Numm. molli*, d'A.]; var. δ , vii, g [= ? *Numm. biaritensis*, d'A.] [not *N. radiata*, d'O.]; var. ϵ , vii, h [= ? *Numm. perforata*, (Montf.), d'O.].
- **linearis**, Montagu. Testac. Brit. Supplement, 1808, 87, xxx, 9 [v. *Orthocera*, *Nodosarina* and *Vaginulina*].
- — — — — Wood, Index Testaceologicus, 1825, 65, xiii, 35.
- **littoreus**, Wulfen. Nova Acta Acad. Cæs. Leop. Carol. viii, 1791, 241, no fig.
- **lituitati**, Soldani. Sagg. Oritt. 1780, 97, i, 1a-c [= *Crist. cassis*].
- **lituitatus**, Sold. Testac. II, 1798, 13, pl. 1, A [*Cristellaria tuberculata*, d'O., Ann. Sci. Nat. vii, 1826, 292, 21].
- **lituitati**, Sold. *Ibid.* I, (1), 1789, 64, pl. 57, z; 58, aa [*Cristellaria laneculata*, d'O., For. Foss. Vienne, 1846, 89, iii, 41, 42].
- — — — — *Ibid.* I, (1), 1789, 64, pl. 57, x [*Cristellaria consecta*, d'O. Ann. Sci. Nat. vii, 1826, 290, 1].
- — — — — *Ibid.* I, (1), 1789, 64, pl. 58, bb [*Planularia crepidula* (F. & M.), d'O. Ann. Sci. Nat. vii, 1826, 260, 6] [= *Cristellaria*, q. v.].
- — — — — *Ibid.* I, (1), 1789, 64, pl. 56, O, P [*Cristellaria nitida*, d'O. Ann. Sci. Nat. vii, 1826, 291, 4].
- — — — — *cuspides*, Sold. *Ibid.* I, (1), 1789, 64, pl. 58, dd [*Planularia rostrata*, d'O., Ann. Sci. Nat. vii, 1826, 260, 7] [= *Cristellaria*, q. v.].
- — — — — *cuspis*, Sold. *Ibid.* I, (1), 1789, 64, pl. 58, cc [*Cristellaria elongata*, d'O., Ann. Sci. Nat. vii, 1826, 292, 11].
- **lituitatus ligulæ**, Sold. *Ibid.* I, (1), 1789, 64, pl. 57, z [*Cristellaria bilobata*, d'O., Ann. Sci. Nat. vii, 1826, 292, 12].

- NAUTILI** *lituitati ligulæ*, Sold. Testac. I, (1), 1789, 64, pl. 58, aa, bb [*Cris-tellaria elongata*, d'Or. Ann. Sci. Nat. VII, 1826, 292, 11].
- *lituus*; Gmelin. Linn., Syst. Nat. ed. 13 (Gmelin's), 1788, 3372 [Spengler, Dansk. Skr. 1781, 373, t. 2, f. 10d-g; Klein, Dantzig. N. Ges. 2, 47, t. 1, litt. a] [v. *N. rectus* and *Peneroplis*].
- — — — — Wood, Index Testaceologicus, 1825, 64, xiii, 20.
- *lobatulus*, Walker & Jacob. In Kannmacher's ed. of Adams' Essays Micros. 1798, 642, xiv, 36 [Walker's *Nautilus spiralis lobatus*, iii, 71 = *Truncatulina lobatula*] [v. *Serpula*, *Planorb. farcta*, var., and *Truncatulina*].
- — — — — Wood, Index Testaceologicus, 1825, 64, xiii, 13.
- *macellus*, Fichtel & Moll. Test. Micr. 1798, 66, var. a, x, e-g; var. β, x, h-k [= *Polystom. macella* (F. & M.)].
- — — — — Wood, Index Testaceologicus, 1825, 66, xiii, 45.
- *mamilla*, Fichtel & Moll. Test. Micr. 1798, 53, vi, a-d [= *Nummulina mamilla* (F. & M.)].
- *(Orthoc) margaritiferus*, Batsch. Conch. Seesands, 1791, iv, 12a-c [= *Vagin. margaritifera*, Batsch.] [v. *Vaginulina*].
- *marisrubri*, Schröter. Wiedermann's Archiv, III, (2), 1803, 62, no fig. [? *Dentulina*].
- *melo*, Sold. Testac. I, (1), 1789, 59, pl. 46, qq [*Nonionina soldanti*, d'Or. For. Foss. Vienne, 1846, 109 pl. 5, 15, 16].
- — — — — *Ibid.* II, 1798, 33, pl. 8, zz, A, B, C [*Nonionina melo*, d'Or. Ann. Sci. Nat. VII, 1826, 293, 4].
- *melo*, Fichtel & Moll. Test. Micr. 1798, 118, var. a, xxiv, a-f; var. β, xxiv, g-h [v. *Alveolina*, *Borelis* and *Melonia*].
- — — — — Bowdich, Elem. Conch. (1), 1822, 16, ii, 1a-d [*Melonites* in text].
- *melo spiralis*, Sold. Testac. I, (1), 1789, 59, pl. 46, rr, ss [*Gyroidina soldauii*, d'Or. Ann. Sci. Nat. VII, 1826, 278, 5].
- *minimus*, etc., Gualteri. Index Test. Conchyl. 1742, Tab. xix, f. A, B, C, D [*t* varieties described and 3 referred to Plancus' figures] [*AD* = *Polyst. crispa*; *B* = *Crist. rotulata*; *C* = *C. calcar*].
- *(Orthoceras) murex*, Batsch. Conch. Seesands, 1791, ii, 3a, b [= *Nodosaria*].
- *navicularis*, Wulffen. Nova Acta Acad. Cæs. Leop. Carol. VIII, 1791, 241, no fig. [v. *C. cultrata*].
- *(Orthoceras) obliquatus*, Batsch. Conch. Seesands, 1791, ii, 5a-d [= *Nodos.*].
- *obliquus*, Linn. Syst. Nat. ed. 10, 1758, 711; ed. 13 (Gmelin's), 1788, 3372 [Gueltieri, Test. t. 19, f. N [v. *Nodosaria*, *Nodosaria* and *Dentulina*].
- — — — — Brookes, Introd. Study Conch. 1815, 91, v, 56.
- [*obliqua*] — — — — — Brookes, Anleit. Conch. 1823, 80, v, 56.
- — — — — Wood, Index Testaceologicus, 1825, 64, xiii, 22.
- *oblongus carinatus apertura lineari ovali*, Walker & Boys. Test. min. [1784], 20, iii, 72 [= *Cristellaria*, young].
- *orbiculus*, Fichtel & Moll. Test. Micr. 1798, 112, xxi, a-d [v. *Orbiculina*].
- — — — — Wood, Index Testaceologicus, 1825, 66, xiii, 56.
- *orbiculus*, Forskal. Descrip. Anim. 1775, 125, No. 66 [v. also *Orbitolites*].
- *orthoceratites*, Schröter. Wiedemann's Archiv, III, (2), 1803, 64, no fig. [= *Nodosaria*].
- *papillosus*, Sold. Testac. I, (1), 1789, 65, pl. 59, qq, rr [*Robulina calcar* (Linn.). D'Orb., Ann. Sci. Nat. VII, 1826, 289, 12].
- — — — — *Ibid.* I, (1), 1789, 66, pl. 59, ss [*Cristellaria papillosa*, d'Or. Ann. Sci. Nat. VII, 1826, 293, 25].
- *papillosus*, Fichtel & Moll. Test. Micr. 1798, 82, xiv, a-c [= *Cristellaria papillosa* (F. & M.) [v. *Cristellaria*]].
- — — — — Wood, Index Testaceologicus, 1825, 66, xiii, 46.
- *planatus*, Fichtel & Moll. Test. Micr. 1798, 91, var. a, xvi, a-c (i, section), var. β, xvi, d-f, var. γ, xvi, g, h [= *Peneroplis planatus* (F. & M.)] [v. *Polystomella planulata*].

- NAUTILUS planatus**, Fichtel & Moll. Wood, Index Testaceologicus, 1825, 66, xiii, 47.
- **planci**, Wulfen. Nova Acta Acad. Cæs. Leop. Carol. VIII, 1791, 246, no fig. [founded on Plancus, de Conch, tab. 1, f. 4] [= *Crist. rotulata*].
- **(Orthoc.) pennatula**, Batsch. Conch. Seesands, 1791, iv, 13a–13c [v. *Grammostomum*, *Vulvulina*, *Bigenerina*, *Capreolus*].
- **pertusus**, Forskal. Dscr. Anim. 1775, 125, No. 65 [v. also *Peneroplis*].
- **pompilioides**, Fichtel & Moll. Test. Micr. 1798, 31, ii, a–c [= *Nonionina*].
- **prorsus**, Wood, Index Testaceologicus, 1825, 65, xiii, 37.
- **prorsus microscopici**, quos gibbosos, seu papyraceos minimos voco, etc., Soldani. Sagg. Oritt. 1780, 101, ii, 18A [= *Truncat. tuberculata*].
- **radiatus**, Fichtel & Moll. Test. Micr. 1798, 58, viii, a–d [= *Nummulina radiata* (F. & M.) = *N. variolaria*, Lamarck].
- **radicula**, Linn. Syst. Nat. ed. 10, 1758, 711; ed. 13 (Gmelin's), 1788, 3373 [Plancus, de Conch. 14, t. 1, f. 5] [v. *Orthocera*, *Nodosarina* and *Nodosaria*].
- **Montagu**, Testac. Brit. 1803, 197, vi, 4; xiv, 6.
- **Wood**, Index Testaceologicus, 1825, 64, xiii, 27.
- **(Orthoc.) radicula**, Batsch. Conch. Seesands, 1791, iii, 10a, b [= *Nodos. limbata*, d'O.].
- **raphanistrum**, Linn. Syst. Nat. ed. 10, 1758, 710; ed. 13 (Gmelin's), 1788, 3372 [v. *Nodosaria*].
- **Wood**, Index Testaceologicus, 1825, 64, xiii, 23.
- **Hanley**, Ipsa Linn. Conch. 1855, 490, v, 4.
- **raphanus**, Linn. Syst. Nat. ed. 10, 1758, 711; ed. 13, (Gmelin's), 1788, 3372 [Plancus, de Conch. t. 1, f. 6] [v. *Orthocera*, *Marginulina*, *Nodosarina* and *Nodosaria*].
- **Wood**, Index Testaceologicus, 1825, 64, xiii, 24.
- **rectus**, Spengler. Nye Saml. k. Danske Selsk. Skr. 1, 1781, 381, ii, 10a, b, c.
- **Ibid. 1**, 1781, 382, ii, 10d, e, f [“Den anden Art (Lit. d, e, f) er meget merkværdig.”].
- [**NAUTILUM rectum**], Schröter. Neue Litt. u. Beytr. 1, 1784, 316, 1, 8.
- **rectus**, Montagu. Testac. Brit. 1803, 197; and Supplement, 1808, 82, xix, 4 and 7 [v. *Orthocera*].
- **Wood**, Index Testaceologicus, 1825, 65, xiii, 36.
- **rectus geniculis depressis**, Walker & Boys. Test. Min. [1784], 21, iii, 74 [Nod. (Vagin.) legumen, Linn.].
- **repandus**, Fichtel & Moll. Test. Micr. 1798, 35, iii, a–d [= *Pulvinulina repanda* (F. & M.)].
- **Wood**, Index Testaceologicus, 1825, 65, xiii, 38.
- **rotatus** [Montagu]. **Wood**, *ibid.* 1825, 63, xiii, 5.
- **rugosus**, Linn. Syst. Nat. ed. xii, 1766, 1162; ed. 13 (Gmelin's), 1788, 3371.
- **(Orthoceras) scalaris**, Batsch. Conch. Seesands, 1791, ii, 4a, b [v. *Nodosarina* and *Nodosaria*].
- **scapha**, Wulfen. Nova Acta Acad. Cæs. Leop. Carol. VIII, 1791, 242, no fig. [*C. rotulata*?].
- **scapha**, Fichtel & Moll. Test. Micr. 1798, 105, xix, d–f [v. *Polystom. crassula*, var.; *Nonion. scapha* (F. & M.); *N. communis*, d'O., is this form].
- **Wood**, Index Testaceologicus, 1825, 66, xiii, 52.
- **sceptrum**, Schröter. Wiedermann's Archiv, III, (2), 1803, 61, no fig. [? *Nodosaria*].
- **semilituus**, Linn. Syst. Nat. ed. 10, 1758, 710; ed. 13 (Gmelin's), 1788, 3372 [Columna, Phytobas. 136, t. 38, f. D [*Cornu hammonis*]].
- **Spalowsky**, Testac. 1795, 10, 1, 10.
- **semilituus**, Montagu. Testac. Brit. 1803, 196; and Supplement, 1808, 80, xix, 3.
- **Wood**, Index Testaceologicus, 1825, 64, xiii, 19.
- **semilunares**, Soldani. Sagg. Oritt. 1780, 97, 1, 2*a*.
- **sertum**, Wulfen. Nova Acta Acad. Cæs. Leop. Carol. VIII, 1791, 240, no fig. [probably *R. beccarii*].

- NAUTILUS** *sinuatus*, Fichtel & Moll. Test. Micr. 1798, 65, x, *a-d* [= *Rotalia sinuata* (F. & M.)].
- *siphunculus* of Linnaeus, Cheinnitz, Gualtieri, Wood and others is not a foraminifer.
- **spengleri**, Gmelin. Linn., Syst. Nat. ed. 13 (Gmelin's), 1788, 3371 [Spengler, Dansk. Skr. 1781, 373, t. 2, f. 9b, c [v. *Calcarina*]].
- **spengleri**, Fichtel & Moll. Test. Micr. 84, var. *a*, xiv, *d-f*, var. *β*, xiv, *g-i*, var. *γ*, xv, *a-c*, var. *δ*, xv, *d-f*, var. *ε*, xv, *g, h* (xv, *i, k*, sections) [= *Calcarina*].
- — — — — Wood, Index Testaceologicus, 1825, 64, xiii, 17.
- **spinulosus**, Montagu. Testac. Brit. Supplement, 1808, 86, xix, 5 [v. *Orthocera*; *Nodosaria*].
- — — — — Wood, Index Testaceologicus, 1825, 65, xiii, 28.
- **spiralis apertura linearis geniculis elevatis**, Walker & Boys. Test. Min. [1784], 19, iii, 66 [quoted as = "Calcar," Linn., but = *Crist. cultrata*].
- — — — — **crassus utrinque umbilicatus geniculis lineatis**, Walker & Boys. *Ibid.* [1784], 20, iii, 70 [= *Nonionina crassula*].
- — — — — **geniculis laevibus**, Walker & Boys. *Ibid.* [1784], 19, iii, 67 [= *Crist. rotulata*, Lamarck].
- — — — — **crenatis**, Walker & Boys. *Ibid.* [1784], 18, iii, 65 [= *Polystomella crispa*].
- — — — — **lobatus anfractibus supra rotundatis subtis depressioribus**, Walker & Boys. *Ibid.* [1784], 20, iii, 71 [= *Truncatulina lobatula*].
- — — — — **umbilicatus geniculis insculptis**, Walker & Boys. *Ibid.* [1784], 18, iii, 63 [= *Rotalia beccarii*].
- — — — — **sulcatis**, Walker & Boys. *Ibid.* [1784], 19, iii, 69 [= *Truncatulina lobatula* v. *umbilicata*, W. & J.].
- — — — — **utrinque subumbilicatus geniculis depressis plurimus**, Walker & Boys. *Ibid.* [1784], 19, iii, 68 [= *Nonionina asterizans* v. *depressula*, W. & J.].
- — — **spirula**, Spengler. Nye Saml. K. Danske Selsk. Skr. 1, 1781, 370 [T. 1], f. 3a, b, c, d and ? f. 4 and 5 [3 = *Calcarina*; 4 and 5 = *Peneroplis*].
- — — **spirula**, Linn. Martini, see Ammonshörner, Martini.
- — — **striati**, Soldani. Sagg. Oritt. 1780, 100, ii, 17 Z [= *Polystom. crispa*].
- — — **striati**, etc., Sold. Testac. I, (1), 1789, 54, pl. 34, I [*Polystomella strigillata* (F. & M.). D'Orb., Ann. Sci. Nat. VII, 1826, 284, 4].
- — — — — *Ibid.* I, (1), 1789, 59, pl. 33, ee [*Robulina sulcata*, d'O. Ann. Sci. Nat. VII, 1826, 289, 10].
- — — **communes (crispi linnaei)**, Sold. *Ibid.* I, (1), 1789, 54, pl. 34, cc, ee, G, H [*Polystomella crispa* (Linn.)]. D'Orb., Ann. Sci. Nat. VII, 1826, 283, 1].
- — — **vulgatissimi subflavi**, Soldani. Sagg. Oritt. 1780, 100, ii, 17, Y [= *Polystom. crispa*].
- — — **striatopunctatus**, Fichtel & Moll. Test. Micr. 1798, 61, ix, *a-c* [= *Poly-stomella striatopunctata* (F. & M.)].
- — — — — Wood, Index Testaceologicus, 1825, 65, xiii, 43.
- — — **striatulus**, Schröter. Wiedemann's Archiv, III, (2), 1803, 61, no fig. [*Nodosaria*].
- — — **strigillatus**, Fichtel & Moll. Test. Micr. 1798, 49, var. *a*, v, *c-e*; var. *β*, v₁, f, g [= *Polystom. strigillata*, *α* and *β* (F. & M.)] [*β* is the same as *P. aculeata*, d'O., For. Foss. Vienne, 1846, vi, 27, 28] [v. *Vorticialis* and *Polystomella*].
- — — — — Wood, Index Testaceologicus, 1825, 65, xiii, 41.
- — — **subarcuatus geniculis exertis**, Walker & Boys. Test. Min. [1784], 20, iii, 73 [C. (Margin.) *subarcuata*, W. & J.].
- — — **subarcuatus**, Montagu. Testac. Brit. 1803, 198, vi, 5 [v. *Cristellaria* and *Nodosaria*].
- — — — — Wood, Index Testaceologicus, 1825, 65, xiii, 29.
- — — **subarcuatulus**, Walker & Jacob. In Kannmacher's ed. of Adams' Essays Micros. 1798, 642, xiv, 38 [Walker's, III, 73 = C. (Margin.) *subarcuatus*, W. & J.].
- — — **subarcuatulus**, Montagu. Testac. Brit. Supplément, 1808, 80, xix, 1.

- NAUTILUS** *subarcuatus*, Walker. Parkinson, Organ. Rem. former World, III, 1811, 109, xi, 30.
- (Seminula) *tricostulati*, Sold. Testac. I, (1), 1789, 62, pl. 53, A, B [*Cristellaria* (*Saracenaria*) *italica*. Debr. D'Orb., Ann. Sci. Nat. VII, 1826, 293, 26].
- *tuberosus*, Fichtel & Moll. Test. Micr. 1798, 111, xx, g-k [= *Planorbulina tuberosa* (F. & M.)] [v. *Truncatulina*].
- — — — — Wood, Index Testaceologicus, 1825, 66, xiii, 55.
- *umbilicatus*, Walker & Jacob. In Kannmacher's ed. of Adams' Essays Micros. 1798, 641, xiv, 34 [Walker's *Nautilus spiralis umbilicatus*, iii, 69 = *Trunc. lobatula*, v. *umbilicatula*, W. & J.] [v. *Italia*].
- — — — — Montagu, Testac. Brit. 1803, 119; and Supplement, 1808, 78, xviii, 1.
- — — — — Wood, Index Testaceologicus, 1825, 64, xiii, 12.
- — — — — Brown, Illustr. Conch. Gt. Brit. 1827, fly-leaf, lli, 8.
- *umbilicatus*, Linn. Syst. Nat. ed. 10, 1758, 710; ed. 13 (Gmelin's), 1788, 3371 [Columna, Phytoba. 136, t. 38, f. E].
- *unguiculatus*, Gmelin. Ibid. ed. 13 (Gmelin's), 1788, 3372 [Spengler, Dansk. Skr. 1781, 373, t. 2, f. 9d] [= *Calcarina*].
- — — — — Wood, Index Testaceologicus, 1825, 64, xiii, 18.
- (Orthoceras) *vaginæformis*, Batsch. Conch. Seesands, 1791, iii, 7a-7d [7a = *Lingul. carnata*; 7b, *Lingul.* or *Gland.*; 7c, d, *Marginulina* sp. ?].
- *venosus*, Fichtel & Moll. Test. Micr. 1798, 59, viii, e-h [= *Nummulina venosa* (F. & M.) = *N. variolaria*, Lamarck].
- (Orthoceras) *vertebralis*, Batsch. Conch. Seesands, 1791, ii, 6a, b [v. *Dentalina* and *Nodosaria*].
- *vortex*, Fichtel & Moll. Test. Micr. 1798, 33, ii, d-i [= *Crist.*; d'Orbigny's *Rob. orbicularis* and *R. imperatoria* are varieties of this form] [v. *Cristellaria*].
- Sold. Testac. II, App. 1798, 145, pl. 18, 91p, P, Q [*Soldania carinata*, d'O. Ann. Sci. Nat. VII, 1826, 281, 1].
- Sold. Ibid. I, (1), 1789, 59, pl. 47, E [*Robulina lœvigata*, d'O. Ann. Sci. Nat. VII, 1826, 288, 9].
- [**NAUTILITÆ**]. Sold. Ibid. I, (1), 1789, 66, pl. 60, B [*Nonionina umbilicata*, d'O. Ann. Sci. Nat. VII, 1826, 293, 5].
- see *Anomia* and *Orthoceras*.
- NEMOPHORA** *floridana*, Conrad. Smithson. Misc. Coll. VII, No. 200 (May, 1866), 1 [= ? *Cristellaria*].
- NODASARIA**, Schlumberger, 1874, misprint for *Nodosaria*.
- NODOSARIA**, Lamarck, 1812. Extrait Cours Zool. 1812, 121; and Hist. Anim. sans Vert. VII, 1822, 596; Brady, Report Challenger, 1884, 488.
- (*Gland.*) *abbreviata*, Neugeb. Sherborn & Chapman, Journ. R. Micr. Soc. [2], VI, 1886, 745, XIV, 20a, b [*Glandulina*, 1850].
- (*Dent.*) *abnormis*, Reuss. Denkschr. k. Ak. Wiss. Wien, XXV, 1865, 134, ii, 10 [v. *Dentalina*, 1863].
- *abyssorum*, Brady. Quart. Journ. Microsc. Sci. XXI, 1881, 63.
- ? — — — — — Brady, Report Challenger, 1884, 504, lxiii, 8 and 9.
- *acicula* (Lam.). Michelotti, Mem. Soc. Ital. Sci. XXII, 1841, 275, i, 1 [Orthocera, 1822].
- *acicula*, Philippi. Tertiär. nordwest. Deutschl. 1843, 39, i, 33.
- *acicula*, Reuss, in Geinitz. Paleontographica, XX, (2), 1874, 82, xx, 10.
- (*Dent.*) *aciculata*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 255, No. 41. — — — — — *Dentalina*, see *Orthoceras cuspis*.
- *ackneriana*, Neugeboren. Verh. Mittb. siebenburg. Ver. Nat. III, 1852, 41, i, 17 and 18 [= *N. orbigniana*, Neugeb., 1860].
- *aculeata*, Ehrenberg. Bericht. k. preuss. Ak. Wiss. Berlin, 1844, 93.
- — — — — Ehr., Mikrogeologie, 1854, xxix, 42 [near *N. hispida*, d'O.].
- *aculeata*, d'Orb. Foram. Fossiles Vienne, 1846, 35, i, 26 and 27.
- — — — — Rss, Verstein Böhm. Kreide, 1845-6, I, 28, xiii, 29 [= *Dentalina*].
- *acuminata*, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 23, ii, 9; xiii, 5; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 28, same pl. and fig.

- NODOSARIA** *acus*, Ehrenberg. Mikrogeologie, 1854, xxxii, i, 3 [= *N. ovicula*, d'0.].
- (Dent.) *acuticauda*, Reuss. Denkschr. k. Ak. Wiss. Wien, xxv, 1865, 133, ii, 11 [*Dentalina*, 1851].
- *acute-costata*, Silvestri. Atti Accad. Gioenia Sci. Nat. n. s. vii, 1872, 48, iv, 82-89.
- *adolphina*, d'Orb. Schwager, Novara-Exped., Geol. ii, 1866, 235, vi, 72 and 73 [*Dentalina*, 1846].
- *adspersa*, Reuss. Sitz. k. Ak. Wiss. Wien, xlvi, (1), 1863 (1864), 43, ii, 13.
- *adtenuens*, Olszewski. Sprawozd. Kom. fizyj. Ak. Umiej. Krakowie, ix, 1875, 103, 1, 4.
- *æqualis*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 253, No. 16.
- *æqualis*, G. B. Sowerby. Genera Recent Fossil Shells, ii, No. xli, 1820-1825, pl. 269.
- — — Sowerby, Conch. Manual, 1839, 71, f. 465; ed. 2, 1842, 203, f. 465; and later eds.
- (G1.) *æqualis*, Reuss. Brady, Report Challenger, 1884, 492, lx, 32 [*Glandulina*, 1863].
- *affinis*, Reuss. Verstein. Böhm. Kreide, 1845-6, i, 26, xiii, 16.
- (Dent) — — — Reuss, in Geinitz, Palaeontographica, xx, (2), 1874, 83, xx, 12 [Reuss says this has priority over d'Orbigny's *N. affinis*, For. Foss. Vien. 1846].
- *affinis*, d'Orbigny. Foram. Fossiles Vienne, 1846, 39, i, 36-39.
- — — Sherborn & Chapman, Journ. R. Micr. Soc. [2], vi, 1886, 748, xiv, 33.
- — — see *Orthoceratia conico-cylindroidea* and *Orthoceras fæniculum*.
- *agglutinans*, Terquem. Mém. Ac. Imp. Metz, li, 1870, 354, xxviii, 18 [error for xxix, 18] [= *Reophax scorpiurus*].
- — — Terquem, Mém. Soc. Géol. France, [3], iv, 1886, 10, i, 20.
- *aglajæ*, Ehrenberg. Monatsbericht. k. preuss. Ak. Wiss. Berlin, 1872, 285.
- *alpigena*, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 610, i, 13.
- *alternans*, Costa. Atti Accad. Pontaniana, vii, (2), 1856, 139, xiii, 16a, A, and 17.
- *ambigua*, Costa. Ibid. vii, (2), 1856, 137, xii, 9aA, 10aA [10 described as a var.].
- — — v. *cretacea*, Mariani. Boll. Soc. Geol. Ital. vii (1889), 286, x, 8.
- *ambigua*, Neugeboren. Denkschr. k. Ak. Wiss. Wien, xii, (2), 1856, 71, i, 13-16 [v. also *N. radicula*].
- *amphioxys*, Reuss. In Geinitz, Palaeontographica, xx, (2), 1874, 82, xx, 8.
- *amphora*, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 5, i, Turnerithon, 3.
- *ampla*, Ehrenberg. Mikrogeologie, 1854, xxxii, ii, 6 [= *N. glabra* d'0.].
- *anglica*, Ehrenberg. Ibid. 1854, xxviii, 2 [= *N. ovicula*, d'0.].
- *annulata*, — — — Geogn. Skizze Böhmen ii, (1), 1844, 210 [v. also *Dentalina*].
- — — Reuss, Verstein. Böhm. Kreide, 1845-6, i, 27, viii, 4 and 67; xiii, 21.
- [anulata] — — — Costa, Mem. Acc. Sci. Napoli, ii, 1855 (1857), 139, i, 16.
- (Dent.) — — — Reuss, in Geinitz, Palaeontographica, xx, (2), 1874, 85, xx, 19 and 20.
- — — Fric, Arch. Nat. Landesd. Böhmens, vii, 1889, 111, woodcut, 157.
- *annulifera*, Gümbel. Abh. m.-ph. Cl. k.-bayer Ak. Wiss. x, 1868 (1870), 614, i, 21.
- *auomala*, Reuss. Denkschr. k. Ak. Wiss. Wien, xxv, 1865, 129, i, 20-22.
- *antennula* (d'Orb.). Costa, Atti Accad. Pontaniana, vii, (2), 1856, 140, xii, 25 (var.), xvi, 3 [*Dentalina*, 1846].

- NODOSARIA antennula**, [Costa]. Silvestri, Atti Accad. Giœnia Sci. Nat. n. s. VII, 1872, 89, xi, 252-259.
- **antipodium**, Stache. Novara-Exped., Geol. (1), 1864, 194, xxii. 19.
- **penninica**, Michelotti. Nat. Verh. Holland. Maatsch. Wetensch. Haarlem, [2], III, (2), 1847, 12, not figured.
- **appendiculata**, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 142, xii, 22a, A.
- (Dent.) **approximata**, Reuss. Denkschr. k. Ak. Wiss. Wien, XXV, 1865, 134, ii, 22 [v. also *Dentalina*].
- — — — — Hantken, Magyar. Földt. Társ. Munkálatai, IV, 1868, 87, i, 10.
- — — — — Andreæ, Abh. geol. Speciakarte Elsass-Lothr. II, (3), 1884, 203, x, 13-15.
- — — — — **archiaciana**, Genimellaro. Atti Accad. Giœnia Sci. Nat. (2), XV, 1860, 283, i, 8a. ["This plate was never published;" *jide* Sig. J. Bertuni, Sec'y Giœnia Acad. Catania, 21 June, 1887].
- (Dent) **arcuata**, d'O., v. *Dentalina*; v. *Orthoceras intortum*, etc.
- — — — — armata, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. III, 1852, 56, i. 44.
- (Gl) **armata**. Reuss. Brady, Report Challenger, 1884, 494, lxiii, 6 [*Glandulina*, 1865].
- **arundinea**, Schwager. Novara-Exped., Geol. (2), 1866, 211, v, 43, 44 and 45.
- — — — — Sherborn & Chapman, Journ. R. Micr. Soc. [2], VI, 1886, 747, xiv, 28 and 29.
- **aspera**, Reuss. Verstein. Böh. Kreide, 1845-6, I, 26, xiii, 14 and 15.
- — — — — Reuss, in Geinitz, Grundr. Verstein. 1845-46, 653, xxiv, 4.
- **aspera**, Silvestri. Atti Accad. Giœnia Sci. Nat. n. s. VIII, 1872, 76, viii, 191-200.
- **aspera**, Terq. & Berthelin. Mém. Soc. Géol. France, [2], X, 1875, 19, i (xi), 18a, b.
- **asperula**, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. III, 1852, 54, i, 40 and 41.
- **bacilloides**, Hantken. Magyar. Földt. Társ. Munkálatai, IV, 1868, 86, i, 9a, b, c.
- — — — — Hantk., Magy. kir. földt. int. évk. IV, 1875 (1876), 22, ii, 8; XVI, 6; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt. IV, 1875 (1881), 27, same pl. and fig.
- **bacillum**, Defrance. Dict. Sci. Nat. XXXV, 1825, 127; XXXVI, 1825, 487; Atlas Conch. XIII, 4.
- — — — — Blainville, Malacol. 1825 (pls., 1827), v, 4.
- — — — — Cuvier, Règne Animal, 1836-46, IX (pls. x), 35, xv, 12.
- [— **bacillum**, Defr.]. Costa, Fauna Regno Napoli, 1838, Foraminiferi, not descr., IV, 7.
- — — — — D'Orbigny, Foram. Fossiles Vienne, 1846, 40, i, 40-47.
- — — — — Costa, Mem. Acc. Sci. Napoli, II, 1855 (1857), 134, i, 7a B, C.
- — — — — Bronn, Klassen Ordn. Thier-Reichs, I, 1859, 72, vi, 14a-e.
- — — — — [d'Orb.]. Mackie, Recreative Science, I, 1859, 148, f. 18.
- — — — — Suess, Boden Stadt Wien, 1862, 45, f. 1¹.
- — — — — Gümbel, Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. X, 1868 (1870), 618, i, 30.
- — — — — Schlumberger, Compt. Rend. Assoc. France, 1873 (1874), 562, f. 14 and 15.
- — — — — v. *minor*, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 21, ii, 7; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 26, same pl. and fig.
- — — — — Bütschli, in Bronn, Klassen, etc., Thier-Reichs, 1880, 197, viii, 14.
- — — — — Schlumberger, F. Jeun. Nat. Jan., 1882, i, 5, and ii, 5.
- — — — — Sherborn & Chapman, Journ. R. Micr. Soc. [2], VI, 1886, 748, xiv, 34.
- — — — — See *Orth. seu tubuli*, etc., and *Orth. perfecte conica*, etc.; [*Nodosaria*, sections of], *Orth. brevissima*, etc., and *Orth. perfecte globularia*, etc.

- NODOSARIA** bactridium, Reuss. Denkschr. k. Ak. Wiss. Wien, xxv, 1865, 130, i, 24 and 25.
- bactroides, Reuss. Sitz. k. Ak. Wiss. Wien, xlvi, (1), 1862 (1863), 37, ii, 5.
- “— baculoides, Gm.” Jones, Cat. Foss. Foram. B. M. 1882, 29.
- badenensis, d'Orbigny. Foram. Fossiles Vienne, 1846, 38, i, 34 and 35.
- — — v. aculeata, Egger. Neues Jahrbuch, 1857, 305, xv, 17-21.
- — — Jones & Parker, Quart. Journ. Geol. Soc. xvi, 1860, xix, 8 and 9.
- — — Sherborn & Chapman, Journ. R. Micr. Soc. [2], vi, 1886, 748, xiv, 35.
- — — Prestwich, Geology, 1888, ii, 352. 175a.
- “baguette,” Defrance. Blainville, Manuel Malac. et Conch. 1825 (pls., 1827), not descr., v, 4 [= *Nodos. bacillum*].
- balænarum, Ehrenberg. Monatsbericht. k. preuss. Ak. Wiss. Berlin, 1872, 285.
- — — E. in Koldewey, Zweite Deutsche Nordpolarfahrt, 1874, ii, n. d., i, 19.
- berthelotiana, Reeve. Conch. System. II, 1842, 293, ccxcvii, 15 [*Marginulina*, d'Orb. = *Marginulina*].
- beyrichi, Neugeboren. Denkschr. k. Ak. Wiss. Wien, xii, 2, 1856, 72, i, 7-9.
- — — Hantken, A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 19, ii, 5; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 23, same pl. and fig. [*N. neugeboreni* in de-cr. of plate-, but this is evidently an error as Hantken's figures correspond to Neugeboren's figures of *N. beyrichi*, Neugeb., Denkschr. k. Ak. Wiss. Wien, xii, 1856, pl. 1].
- — — Jones, M. Micr. Journ. xv, 1876, cxxviii, 1.
- bicuspidata, Reuss. Sitz. k. Ak. Wiss. Wien, lxii, (1), 1870, 472; figured by v. Schlicht, Foram. Septar. Pietzpuhl, 1870, ix, 10-12, 14, 16.
- biformis, Reuss. Denkschr. k. Ak. Wiss. Wien, xxv, 1865, 130, i, 23.
- bitziana, Neugeboren. Verh. Mittb. siebenburg. Ver. Nat. iii, 1852, 53, i, 36 and 37 [*Bietziana* in 1860 “= *brunnana*”].
- bistegia, Duvikowski. Kosmos [Lemberg], iv, 1879, 106, pl., 4.
- boilli, Reuss. Zeitschr. deutsch. geol. Ges. vii, 1855, 265, viii, 6.
- boueana, d'Ornigny. Foram. Fossiles Vienne, 1846, 37, i, 30 and 31.
- brevicula, Schwager. Novara-Exped., Geol. (2), 1866, 234, vi, 71.
- brevis, d'Orbigny. Ann. Sci. Nat. vii, 1826, 252, No. 3.
- bronniana, Neugeboren. Verh. Mittb. siebenburg. Ver. Nat. iii, 1852, 52, i, 33-35 [*Bronniana* in 1860].
- brukenthaliana, Neugeboren. Ibid. iii, 1852, 40, i, 13 and 14 [*Brukenthaliana* in 1860].
- buchiana, Neugeboren. Ibid. iii, 1852, 41, i, 16 [= *orbigniana*, Neugeb., 1860].
- budensis, Hantken. A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 23, ii, 10; xvi, 4; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 28, same pl. and fig.
- — — Jones, M. Micr. Journ. xv, 1876, cxxix, 8a, b.
- cactus, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur, 1866, 10, ii, 2.
- — — Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 10, i, Jurensismergel, 1.
- calamus, Silvestri. Atti Accad. Giœnia Sci. Nat. n. s., vii, 1872, 87, x, 243-251.
- callosa, Stache. Novara-Exped., Geol. (1), 1864, 197, xxii, 23.
- calomorpha, Reuss. Denkschr. k. Ak. Wiss. Wien, xxv, 1865, 129, i, 15-19.
- — — Terrigi, Atti Accad. Pont. Nuovi Lincei, xxxiii, 1880, 178, i, 7.
- — — Terrigi, ibid. xxxv, 1883, 176, ii, 11.
- — — Brady, Report Challenger, 1884, 497, lxi, 23-27.
- — — Brady, Parker & Jones, Trans. Zool. Soc. xii, (7), 1888, 223. xliv, 1, 4 (?).
- — — Fornasini, Boill. Soc. Geol. Ital. vii, 1888, 47, iii, 9.

- NODOSARIA callidula**, Franzenau. Math. termész. értesítő, vii, 1889, 252,
iv, 5.
 —— **cancellata**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 254, No. 29.
 —— —— = *Lag. melo*, d'O. (bilocular), q. v.; v. also *Orthoceratia*
flosculi.
 —— **candei**, d'Orbigny. De la Sagra, Hist. Phisiq., etc., Cuba, 1839, "Foraminifères," 15, i, 6 and 7; also in Spanish, 1840, 44, same pl. and fig.
 —— **cannæformis**, Reuss. Sitz. k. Ak. Wiss. Wien, XLII, 1860 (1861), 364,
i, 2a, b.
 —— **capillaris**, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. III, 1852,
50, i, 22-24.
 —— **capitata**, Boll. Geogn. deutsch. Ostseeländer, 1846, 177, ii, 13 [v. also
Dentalina].
 —— —— v. **brevis**, Reuss. Sitz. k. Ak. Wiss. Wien, LXII, (1), 1870,
475; figured by v. Schlicht, "Foram. Septar. Pietzpuhl," 1870, viii, 9.
 —— —— v. **costata**, Reuss. Ibid. LXII, (1), 1870, 475; figured by v.
Schlicht, "Foram. Septar. Pietzpuhl," 1870, viii, 10.
 —— —— v. **striatissima**, Andreea. Abh. geol. Speciakarte Elsass-
Lothr. II, (3), 1884, 204, x, 4 and 5.
 —— **capitata**, Buvignier. Stat. Géol., etc., Meuse, 1852, Atlas, 47, xxxii. 28.
 —— **carinata**, Reeve. Conch. System. II, 1842, 293, cccxvii, 14 [*Lingulina*,
d'Orb. = *Lingulina*].
 (Dent.) **carinata**, d'O., v. *Dentalina*; v. *Orthoceras obliquum*.
 —— **catenulata**, Brady. Report Challenger, 1884, 515, lxiii, 32-34.
 —— —— Sherborn & Chapman, Journ. R. Micr. Soc. 1889, 486, xi,
21, 22.
 —— **catesbyi**, d'Orbigny. De la Sagra, Hist. Phisiq. etc., Cuba, 1839, "Foraminifères," 16, i, 8-10; also in Spanish, 1840, 45, same pl. and fig.
 —— **cingillum**, Kübler & Zwingli. Neujahrssblatt. Burgersbibl. Winterthur,
1866, 7, i, 3.
 —— —— Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 5, i,
Turnerithon, 2.
 —— **citriformis**, Schmid. Neues Jahrbuch, 1867, 586, vi, 52 and 53.
 —— —— Brady. Carbonif. Foram., Pal. Soc. XXX, 1876, 126, x, 16.
 —— **clausa**, Marsson. Mitth. Nat. Ver. Neu-Vorpommern u. Rügen, x, 1878,
131, i, 8.
 —— **clava**, Michelotti. Mem. Soc. Ital. Sci. XXI, 1841, 276, i, 4.
 —— **clava**, Cornuel. Mém. Soc. Geol. France, [2], III, 1848, 250, i, 16, 17.
 —— **clava**, Costa. Atti Accad. Pontaniana, VII, (2), (1856), 147, xiii, 7.
 —— **clava**, Karrer. In von Drasche, Frag. Geol. Luzon, 1878, 90, v, 11; and
Boll. Com. Map. Geol. Espana, VII, 1880, 272, E, 11.
 —— **clavæformis**, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. III, 1852,
53, i, 38.
 —— **clavata**, Costa. Sherborn & Chapman, Journ. R. Micr. Soc. [2], VI, 1886,
748, xiv, 31 [*Vaginulina*, 1855].
 —— **clavatus**, Brown. Elem. Foss. Conch. 1843, [21], iii, 8.
 —— **claviformis**, Terquem. Sixième Mém. Foram. Lias, 1866, 477, xix, 17
and 18a, b.
 —— —— Terquem and Berthelin, Mém. Soc. Géol. France, [2], x,
1875, 19, i (xi), 17.
 —— **clavulæformis**, Schwager. Boll. R. Com. Geol. Ital. IX, 1878, 521, i, 4.
 —— **clavulus**, Lamarck. Encyc. Méth. "Vers," 1830 (pls. 1827), pl. 466, f. 3
[P. & J. quote "pt. 23, 1816"] [= *Clavulina*].
 (Orthocerina) —— D'Orbigny, Ann. Sci. Nat. VII, 1826, 255,
No. 48; and Modèles, No. 2, 1826.
 —— —— P., J. & B. [d'O., Modèles, 2], Ann. Mag. Nat. Hist.
[3], XVI, 1865, 18, i, 25.
 —— —— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885),
160, f.
 —— **coarctata**, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875 (1876),
19, xii, 15; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875,
(1881), 24, same pl. and fig.
 —— **coccoptycha**, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. X, 1868
(1870), 611, i, 16.

- NODOSARIA columella**, Karrer. Abh. k. k. Geol. Reichs. ix, 1877, 379, xvib, 21.
 —— **comata** (Batsch). Brady, Report Challenger, 1884, 509, lxiv, 1-5 [*Nautilus (Orthoceras)*, 1791].
 —— **commemorabile**, Franzenau. Math. termész. értesítő, vii, 1889, 252, iv, 6.
 —— **communis**. d'Orbigny. Reuss, Verstein. Böhm. Kreide, 1845-6, i, 28, xii, 21 [*Dentalina*, 1826].
 —— (**Dent.**) —— Parker & Jones, Phil. Trans. 1865, 342, xiii, 10.
 —— —— —— Brady, Report Challenger, 1884, 504, lxii, 19-22.
 —— —— —— Agassiz, Three Cruises. "Blake," ii, 1888, 166, f. 505.
 —— —— —— Goës, Bihang K. Svenska Vet.-Ak. Handl. xv, 1889, ii, 18-26.
 —— (**Dent.**) —— v. *Orthoceras farcimen*.
 —— **compressiuscula**. Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. iii, 1852, 59, i, 54-56.
 —— —— —— Neugeboren, Denkschr. k. Ak. Wiss. Wien, xii, 2, 1856, 79, ii, 1-7.
 —— **conica**, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. iii, 1852, 54, i, 4.
 —— **conica**, Soldani. Silvestri, Atti Accad. Gioenia Sci. Nat. n. s., vii, 1872, 39, iii, 52-56 [v. *Orthoceras perfecte conica in acutum apicem*, etc.].
 —— —— —— v. *coarctata*. Silvestri. Ibid. vii, 1872, 44, iii, 58-61.
 —— —— —— v. *monstruosa*, Silvestri. Ibid. vii, 1872, 42, iii, 57.
 —— **concinna**. Reuss. Sitz. k. Ak. Wiss. Wien, xl, 1860, 178, i, 3.
 —— **conferta**, Reuss. Verstein. Böhm. Kreide, 1845-6, i, 26, xiii, 10.
 —— **conferta**, Schmid. Neues Jahrbuch, 1867, 585, vi, 49.
 —— —— —— Brady, Carbonif. Foram., Pal. Soc. xxx, 1876, 126, ii, 14.
 —— (**Dent.**) **consobrina**, d'Orbigny. var. **emaciata**, Reuss. Denkschr. k. Ak. Wiss. Wien, xxv, 1865, 132, ii, 12, 13 [*Dentalina*, 1846 and 1851].
 —— (**Dent.**) —— Parker & Jones, Phil. Trans. 1865, 342, xvi, 3.
 —— (**Dent.**) —— Brady, Report Challenger, 1884, 501, lxii, 23 and 24 [see *Dentalina*],
 —— —— v. *emaciata*, Rss. Ibid. 1884, 502, lxii, 25 and 26 [*Dent. emaciata*, 1851].
 —— (**Dent.**) —— Andreae, Abh. geol. Speciaalkarte Elsass-Lothr. ii, (3), 1884, 203, x, 9-12.
 —— **conspurcata**. Reuss. Zeitschr. deutsch. geol. Ges. iii, 1851, 59. iii, 3.
 —— —— —— Reuss, Sitz. k. Ak. Wiss. Wien, XLVIII, (1), 1863 (1864), 43, ii, 10-12.
 —— —— —— Reuss, Denkschr. k. Ak. Wiss. Wien, xxv, 1865, 130, ii, 19-21.
 —— **constricta**, Reuss. Verstein. Böhm. Kreide, 1845-6, i, 26, xiii, 12 and 13 [v. *Haplostiche*].
 —— sp. (cfr. *constricta*, Reuss), v. d. Marck, Verh. nat. Ver. preuss. Rheinl. xv, 1858, 56, i, 14.
 —— **contorta**. Costa. Atti Accad. Pontaniana, vii, (2), 1856, 159, xvi, 2.
 —— (**Dent.**) **contorta**, Hantken. Magyar. Földt. Társ. Munkálatai, iv, 1868, 89, i, 16.
 —— **contracta**. Costa. Mem. Acc. Sci. Napoli, ii, 1855 (1857), 135. i, 3.
 —— **corallina**, Gämbel. Jahresh. Ver. vat. Nat. Württ. XVIII, 1862, 218, iii, 10a, b.
 —— (**Dent.**) **cornicula**, d'Orbigny, *Dentalina*, q. v., v. also *Orthoceras corniculum*.
 —— **costai**, Schwager. Novara-Exped., Geol. (2), 1866, 229, vi, 62.
 —— **costellata**, Reuss. Verstein. Böhm. Kreide, 1845-6, i, 27, viii, 8.
 —— **costulata**, Reuss. Brady, Report Challenger, 1884, 515, lxiii, 23-27 [*N. stipitata*, var., 1870].
 —— **crassa**, Hantken. Magyar. Földt. Társ. Munkálatai, iv, 1868, 86, i, 15 [*erassa* in descr. to plate].
 —— —— —— Hantk., A magy. kir. földt. int. évkön. iv, 1875 (1876), 23, xiii, 4; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 28. same pl. and fig.
 —— **crassitesta**, Schwager. Novara-Exped., Geol. (2), 1866, 224, v, 55.

- NODOSARIA** (*Crist.*) *crepidula* (F. & M.). Hamilton, Trans. N. Zealand Inst. XIII, 1881, 395, xvi, 9 [*Nau ilus*, 1798].
- *crispata*, Terquem. Sixième Mém. Foram. Lias, 1866, 476, xix, 9, 10a, b, c, 11a, b.
 - *culmen*, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 158, xili, 15.
 - *culminiformis*, Gümbel. Abh. m.-ph. Cl. k. bayer. Ak. Wiss. x, 1868 (1870), 614, i, 23.
 - *cuspidata*, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur, 1866, 13, ii, 23.
 - — — — — Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 15, ii, Blagdenischicht, 2.
 - (*Dent.*) *cuvieri*, d'Orbigny, v. *Dentalina*; v. *Orthoceras varietas Raphani*, etc.
 - *cylindracea*, Reuss. Verstein. Böhm. Kreide, 1845-6, I, 25, xiii, 1, 2.
 - *cylindracea*, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 146, xii, 12 and 14; xiii, 6.
 - *cylindrella*, Reuss. Sitz. k. Ak. Wiss. Wien, XVIII, 1856, 222, i, 2.
 - *cylindrum*, Costa. Atti Accad. Pontaniana, VII, (2), 1856, not descr. xxvii, 1.
 - *czizckiana*, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. III, 1852, 52, i, 30 [quoted as *Cziczeckiana* = *Bronnana* by Neugeb., in 1860.]
 - *dacrydium*, Reuss. Denkschr. k. Ak. Wiss. Wien, XXV, 1865, 128, i, 13 and 14.
 - (*Dent.*) *debilis*, Hantken. Magyar. Földt. Társ. Munkálatai, IV, 1868, 88, ii, 27 [v. also *Dentalina*].
 - *decem-costata*, Egger. Neues Jahrbuch, 1857, 306, xv, 24 and 25.
 - *deceptoria*, Schwager. Novara-Exped., Geol. (2), 1866, 212, v. 30.
 - *deformis*, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 161, xiii, 19.
 - *deiscens*, Costa. Mem. Acc. Sci. Napoli, II, 1855 (1857), 139, i, 6.
 - *dentalina*, Lamarck. Anim. sans Vert. VII, 1822, 596, No. 2.
 - *detruncata*, Schwager. Benecke's Geogn. Pal. Beiträge, I, 1868, 656, xxxiv, 7.
 - *diremta*, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 25, iii, 6.
 - *distans*, Reuss. Zeitschr. deutsch. geol. Ges. VII, 1855, 264, viii, 5.
 - *doliolum*, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 154, xiii, 5.
 - *dubia*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 252, No. 10 [v. *Lituaria*].
 - — — — — Terrigi, Atti Acc. Pont. Nuovi Lincei, XXXV, 1883, 175, ii, 10.
 - — — ? — Ma'agoli, Boll. Soc. Geol. Ital. VI, 1887, 521, xiii, 5.
— — — = *Lituola*, see *Orthoceratia Zoophy. minuscula*.
 - *dubiosa*, Stache. Novara-Exped., Geol. (1), 1864, 202, xxii, 27.
 - *duplicans*, Richter. In Geinitz, Dyas, etc. 1861 (1), 120, xx, 26.
 - *duplicicostata*, Reuss. Sitz. k. Ak. Wiss. Wien, XI, 1860, 179, i, 5.
 - *edelina*, v. Schlicht. "Foram. Septar. Pietzpuhl," 1870, 31, ix, 7.
 - *egregia*, Franzenan. Math. termész. értesítő, VII, 1889, 253, iv, 7.
 - *ehrenbergiana*, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. III, 1852, 58, i, 53 (in text) [error for 50-52 (see plate)] [*ehrenbergiana* in 1860].
 - *eichbergensis*, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 25, iii, 7.
 - *elegans*, d'Orbigny. Schwager, Novara-Exped., Geol. (2), 1866, 233, vi, 68 [*Dentalina*, 1846].
 - *elegans*, Dunikowski. Kosmos [Lemberg], IV, 1879, 106, pl., 5.
 - *elegans*, v. Muenster. Roemer, Neues Jahrbuch, 1838, 3x2, iii, 1.
 - — — — — Michelotti, Mem. Soc. Ital. Sci. XXII, 1841, 276, i, 2.
 - *elegans*, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. III, 1852, 57, i, 53.
 - *elegantissima*, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 19, xii, 16; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 24, same pl. and fig.
 - *elongata*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 252, No. 5.
 - *elugypfa*. misprint for *N. euglypha*, Schwager.
 - *enneagona*, Rouault. Mém. Soc. Géol. France, [2], III, 1848, 466, xlvi, 12a.

- NODOSARIA** *eocæna*, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 617, i, 28.
- *equisetiformis*, Schwager. Novara-Exped., Geol. (2), 1866, 231, vi, 66.
- — — — — Hantken, A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 20, ii, 11; and Mitth. a. d. Jahrb. ungar. geol. Anstalt, iv, 1875 (1881), 25, same pl. and fig.
- *erbessina*, Schwager. Boll. R. Com. Geol. Ital. ix, 1878, 520, i, 3.
- *euglypha*, Schwager. Jahresh. Ver. vat. Nat. Württ. xx1, 1865, 96, ii, 8.
- — — — — Deecke, Mém. Soc. Emul. Montbéliard, xvi, 1886, [22], i, 8.
- *ewaldi*, Reuss. Zeitschr. deutsch. geol. Ges. iii, 1851, 58, iii, 2.
- — — — — Bornemann, *ibid.* vii, 1855, 321, xii, 10.
- — — — — Reuss, Denkschr. k. Ak. Wiss. Wien, xxv, 1865, 129, ii, 18.
- — — — — Andreae, Abh. geol. Specialkarte Elsass-Lothr. ii, (3), 1884, 201, x, 21.
- — — — — Tontkowsky, Zap. Kievsk. Obsch. Est. ix, 1888, 17, i, 3.
- *excentrica*, Costa. Mem. Acc. Sci. Napoli, ii, 1855 (1857), 137, i, 21.
- *exilis*, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. iii, 1852, 51, i, 25 and 26.
- — — — — Reuss, Denkschr. k. Ak. Wiss. Wien, xxv, 1865, 130, ii, 17.
- — — — — Andreae, Abh. geol. Specialkarte Elsass-Lothr. ii, (3), 1884, 201, x, 18–20.
- *exilis*, Schwager. Novara-Exped., Geol. (2), 1866, 223, v, 52.
- *eximia*, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, (1), 1868, 164, iv, i.
- *iacile*, Frauzenau. Math. termész. értesítö, vii, 1889, 253, iv, 8.
- *farcimen* (Soldani). Silvestri, Atti Accad. Gioenia Sci. Nat. n. s., vii, 1872, 83, x, 229–242 [*Orthoceras*, 1791].
- (D.) — — — — — Brady, Report Challenger, 1884, 498, LXII, 17 and 18, cuts 13a, b, c, 499.
- (Dent) — — — — — Howchin, Journ. R. Microsc. Soc. 1888, 543, ix, 21a, b.
- *fascia* (Linné), see *Nautilus*, 1758.
- *ferussaci*, d'Orb. Guérin-Menéville's Cuvier, Iconographie, Mollusques, 1829–43, 9, iii, 1 [*Dentalina*, 1826].
- — — — — Cuvier, Animal Kingdom, Henderson's ed. iii, 1834 (pls., 1837), 18, vi, 1.
- *fichtelianæ*, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. iii, 1852, 54, i, 39 [= *N. rufis*, d'O., Neugeb., 1860].
- *filiformis*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 253, No. 14 [v. also *Dentalina*].
- — — — — Cuvier, Animal Kingdom, Henderson's ed. iii, 1834 (pls., 1837), 18, viii, 10.
- — — — — Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxv, 1883, 174, ii, 8.
- (D.) — — — — — Brady, Report Challenger, 1884, 500, lxiii, 3–5.
- — — — — v. *Orthocerata filiformia*, etc.
- *filiformis*, Reuss. Verstein. Böhm. Kreide, 1845–6, i, 28; xli, 28.
- *fstuca*, Schwager. Novara-Exped., Geol. (2), 1866, 216, v, 36 and 37.
- *flexuosa*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 254, No. 32 [v. *Dentalina*].
- — — — — v. *Dentalina*; v. *Orthocerata filiformia*.
- *flurli*, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 614, i, 22.
- *fortinensis*. Terquem. Mém. Ac. Imp. Metz, li, 1870, 353, xxvi, 1–5.
- — — — — Terquem, Mém. Soc. Géol. France, [3], iv, 1886, 11, i, 22–24.
- — — — — Deecke, Mém. Soc. Emul. Montbéliard, xvi, 1886, [21], i, 27.
- *fragilis*, Defrance. Dict. Sci. Nat. XXXV, 1825, 126.
- *fusiformis*, Silvestri. Atti Accad. Gioenia Sci. Nat. n. s., vii, 1872, 99, no 11g.
- *fustiformis*, Schwager. Novara-Exped., Geol. (2), 1866, 228, vi, 60.
- *fusula*, Reuss. In Geinitz, Palæontographica, xx, (2, 1874, 82, xx, 9.

- NODOSARIA fusulinaformis**, McCoy. Annals Mag. Nat. Hist. (2), III, 1849, 131, no fig.
- M'Coy, Contrib. British Palaeont. 1854, 101, no fig.
- geinitzi, Reuss. Jahresber. Weiteraur. Ges. 1851-53, 77, pl. f. 12.
- Richter, Zeitschr. deutsch. geol. Ges. VII, 1855, 532, xxvi, 26.
- Geinitz, Dyas, etc. 1861, (1), 121, xx, 28.
- Brady, Carbonif. Foram., Pal. Soc. XXX, 1876, 126, x, 6.
- geinitziana. Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. III, 1852, 37, i, 1 [N. geinitziana in 1860].
- gemina, Silvestri. Atti Accad. Gienia Sci. Nat. n. s., VII, 1872, 67, vii, 160-172.
- gibba, d'Orbigny. Ann. Sci. Nat. VII, 1826, 253, No. 24.
- gibbosa, Buvignier. Stat. Géol., etc., Meuse, 1852, Atlas, 47, xxxii, 30.
- gigantea, Potiez and Michaud. Galerie des Mollusques Mus. Douai, 1, 1838, 24, viii, 9 and 10 ("covered with pyrites").
- gigantea, Boll. Geogn. deutsch. Ostsee, 1846, 179.
- glabra, d'Orbigny. Ann. Sci. Nat. VII, 1826, 253, No. 12.
- P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 155, ix, 35.
- see *Orthoceratia orthocenæ* and *Orthoceras baculus*.
- (Gland.) glans, d'Orbigny. Ann. Sci. Nat. VII, 1826, 252, No. 2 [v. also *Glandulina*].
- D'Orbigny, Modèles, No. 51, 1826.
- Jones & Parker, Quart. Journ. Geol. Soc. XVI, 1860, xix, 7.
- (Gland.) — P., J. & B. [d'O., Modèles, 51], Ann. Mag. Nat. Hist. [3], XVI, 1865, 27, i, 30.
- Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 160, fig.
- glandigena, Schwager. Novara-Exped., Geol. (2), 1866, 219, v, 46.
- glandulina, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 25, iii, 8.
- glandulinoides, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. III, 1852, 37, i, 2 [= N. geinitziana, Neugeb., 1860].
- globifera, Bat-ch. see *Nautilus globifer*.
- gomphiformis, Schwager. Novara-Exped., Geol. (2), 1866, 220, v, 48.
- gracilescens, Schwager. Ibid. 1866, 234, vi, 70.
- gracilis (d'O.). Rss., Verstein. Böhm. Kreide, 1845-6, i, 27, viii, 6 [*Dentalina*, 1840].
- gracilis, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. III, 1852, 51, i, 27-29.
- gracillima, Costa. Atti Accad. Pontaniana, VII, (2), 1856, not descr., xvi, 22.
- gramen, Costa. Mem. Acc. Sci. Napoli, II, 1855 (1857), 117, i, 3.1 [the left hand figure on plat^a].
- (Dent.) grancis, Reuss. Denkschr. k. Ak. Wiss. Wien, XXV, 1865, 131, i, 26-28.
- granitocalcarea, Gümbel. Abh. m. ph. Cl. k.-bayer. Ak. Wiss. X, 186 (1870), 613, i, 19.
- granulata, Karrer. In v. Drasche, Frag. Geol. Luzon, 1878, 90, v, 10; and Bol. Com. Map. Geol. Espaï. VII, 1880, 272, E, 10.
- (Dent.) granulosa, Andreæ. Abh. geo!. Speciakarte Elsass-Lothr. II, (3), 1884, 202, x, 3.
- grossescostata, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 148, xii, 1-3.
- (Dent.) guttifera, d'O. Parker & Jones, Phil. Trans. 1865, 313, xiii, 11 [*Dentalina*, 1846].
- Steinmann, Elem. Palæont. I, 1888, 27, f. 8, B.
- haidingeriana, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. III, 1852, 52, i, 31 and 32 [= N. brunnana, Neugeb., 1860].
- (Mucron.) hasta, d'Orbigny. Ann. Sci. Nat. VII, 1826, 256, No. 49 [v. also *Mucronina*].
- D'Orbigny, Modèles, No. 54, 1826.
- (Muer.) — P., J. & B. [d'O., Modèles, 52], Ann. Mag. Nat. Hist. [3], XVI, 1865, 27, i, 29.

- NODOSARIA** (*Muer.*) **hasta**, d'Orbigny. Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 160, fig.
- **haueriana**. Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. III, 1852, 39, 1, 8 and 9 [*N. hauerina* in 1860].
- **hectica**, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 615, 1, 25.
- — — — — Terq., Mém. Soc. Géol. France, [3], II, 1882, 35, 1 (ix), 34-37.
- **helli**, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 617, 1, 29.
- **herrmanni**, Andreea. Abh. geol. Specialkarte Elsass-Lothr. II, (3), 1884, 205, x, 2.
- **hircornua**, Schwager. Novara-Exped., Geol. (2), 1866, 230, vi, 64.
- **hirsuta**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 252, No. 7.
- — — — — = *N. hispida*, d'Orb., see *Orthoceratia quasi hispida* and *O. hispida*.
- **hispida**, d'Orb. Costa, Fauna Regno Napoli, 1838, Foraminiferi, 17, iv, 3 [error for 4]; and Palaeont. II [= Atti Accad. Pontan. 1856, q. v.] [v. also *N. hirsuta*]. [From the discrepancy in the dates d'Orbigny apparently named this species for Costa. See Sherborn, Bibl. Foram. 1888, 32].
- — — — — Foram. Fossiles Vienne, 1846, 35, 1, 24 and 25,
- — — — — Hartwig, Magt von het Kleine, 1849, 111, f. 2; and 1866, 101, f. 38; German by Dr. A. Schwartzkopf, 1851, 81.
- — — — — Costa, Mem. Acc. Sci. Napoli, II, 1855 (1857), 140, i, 10 [11 and 22].
- — — — — Costa, Atti Accad. Pontaniana, VII, (2), 1856, 131, xi, 27-40.
- — — — — Mackie, Recreative Science, I, 1859, 148, f. 16.
- — — — — Carpenter, Parker & Jones, Introd. Foram. 1862, xii, 2.
- — — — — Brady, Proc. Somerset. Arch. and Nat. Hist. Soc. XIII, 1865-6 (1867), 223, i, 9.
- — — — — Mackie, Science Gossip, 1867, 130, f. 113
- P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 154, ix, 45.
- — — — — Silvestri, Atti Accad. Gienia Sci. Nat. n. s., VII, 1872, 80, ix, 207-228.
- — — — — Nicholson, Manuel Palaeont. 1879, I, 99, f. 13d, e.
- — — — — Hoernes, Elem. Palaeont. 1884, 25, f. 7; French ed 1886, same fig.
- — — — — Brady, Report Challenger, 1884, 507, lxiii, 12-16.
- v. **sublineata**, Brady. *Ibid.* 1884, 508, lxiii, 19-22.
- — — — — Balkwill & Wright, Trans. R. Irish Ac. XXVIII (Sci.), 1885, 343, xii, 31.
- — — — — Sherborn & Chapman, Journ. R. Micr. Soc. [2], VI, 1886, 748, xiv, 32.
- **hispida**, Schwager. Novara-Exped., Geol. (2), 1866, 231, vi, 65.
- — — — — Brady, Parker & Jones, Trans. Zool. Soc. XII, (7), 1888, 223, xliv, 3 and 5.
- — — — — Mariani, Boll. Soc. Geol. Ital. VII, (1889), 286, x, 6.
- **hochstetteri**, Schwager. Novara-Exped., Geol. (2), 1866, 214, v, 32.
- (**Dent.**) **hörnesi**, Hantken. Magyar. Földt. Társ. Munkálatai, IV, 1868, 89, i, 14 [v. also *Dentalina*].
- **holoserica**, Schwager. Novara-Exped., Geol. (2), 1866, 221, v, 49.
- **hortensis**, Terquem. Sixième Mém. Foram. Lias, 1866, 476, xix, 13.
- **humilis**, Roemer. Verst n.-d. Kreide, 1840-1, 95, xv, 6 [v. also *Glandulinia*].
- — — — — Jones & Parker, Quart. Journ. Geol. Soc. XVI, 1860, xix, 6.
- — — — — Brady, Proc. Somerset Arch. and Nat. Hist. Soc. XIII, 1865-6 (1867), 222, i, 5.
- — — — — Sherborn & Chapman, Journ. R. Micr. Soc. [2], VI, 1886, 746, xiv, 23.
- **inarticulata**, Reuss. Sitz. k. Ak. Wiss. Wien, LII, (1), 1865 (1866), 451, pl. 5.
- **incerta**, Neugeboren. Denkschr. k. Ak. Wiss. Wien, XII, 2, 1856, 72, i, 10-11.

- NODOSARIA incerta**, Silvestri. Atti Accad. Gienia Sci. Nat. n. s., VII, 1872, 93, xi, 264-267.
- **incerta**, Terq. & Berth. Mém. Soc. Géol. France, [2], x, 1875, 18, i (xi), 15.
- **incongrua**, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur, 1866, 13, ii, 17.
- Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 15, ii, Blagdenischicht. 1.
- **inconstans**, Neugeboren. Verh. Mitt. siebenburg. Ver. Nat. III, 1852, 38, i, 6, 7.
- **inconstans**, Schwager. Novara-Exped., Geol. (2), 1866, 213, v, 31.
- **index**, Ehrenberg. Mikrogeologie, 1854, XXXVII, xi, A-D, 10 [= *Nodosaria cylindrica*, B. apud Möller, 1879].
- **inflata**, Reuss. Verstein Böhm. Kreide, 1845-6, 1, 25, xiii, 4.
- Reuss, Zeitschr. deutsch. geol. Ges. VII, 1855, 263, viii, 2, 3, 4.
- Reuss' Model. 1865, No. 19 (Catal. No. 37, 1861) [= a short *N. raphanistrum*].
- **inflata**, Costa. Mem. Acc. Sci. Napoli, II, 1855 (1857), 139, i, 18.
- Costa, Atti Accad. Pontaniana, VI, (2), 1856, 153, xiii, 4.
- **(Dent.) inflexa**. Reuss. Denkschr. k. Ak. Wiss. Wien, XXV, 1865, 131, ii, 1.
- Reuss, Sitz. k. Ak. Wiss. Wien, LXII, 1870, 472, No. 16; v. Schlicht, Foram. Pietzpuhl, 1870, pl. xxxviii, f. 3.
- Brady, Report Challenger, 1884, 494, lxii, 9.
- **inops**. Reuss. Haidinger's Naturw. Abh IV, (1), 1851, 24, i, 7.
- **insecta**, Schwager. Novara-Exped., Geol. (2), 1866, 224, v, 53 and 54.
- **insolita**, Schwager. Ibid. (2), 1866, 230, vi, 63.
- **intercellularis**, Brady. Quart. Journ. Micr. Sci. XXI, 1881, 63.
- **(D)** Brady, Report Challenger, 1884, 515, lxv, 1-4, and fig. 15, p. 516.
- **intercostata**, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 179, i, 4.
- **interlineata**, Reuss. Marsson, Mitt. Nat. Ver. Neu Vorpommern u. Rügen, x, 1878, 132, i, 11a, b [Dentalina, 1855].
- **intermittens**, Roemer. Neues Jahrbuch, 1838, 382, iii, 2.
- Michelotti, Mem. Soc. Ital. Sci. XXII, 1841, 277, i, 9.
- **intermedia**, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 154, xvi, 4.
- **internodifera**, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 611, i, 15.
- **interrupta**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 252, No. 11 [v. also Dentalina].
- = Dental. see Orthoceratia baculi.
- **interrupta**, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 17, ii, Parkinsonthon, 5.
- **interrupta**, Silvestri. Atti Accad. Gienia Sci. Nat. n. s., VII, 1872, 100, no fig.
- **intertenuata**, Schwager. Novara-Exped., Geol. (2), 1866, 226, vi, 58.
- **inversa**, Neugeboren. Verh. Mitt. siebenburg. Ver. Nat. III, 1852, 38, i, 5a, b.
- **irregularis**, d'Orbigny. Foram. Fossiles Vienne, 1846, 32, i, 13 and 14.
- **javanica**, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1855, 160, i, vii [= a Bigenerina with internal ribs on chamber wall] [Glauc.]
- **jonesi**, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 89, xii, 6.
- **jonesi**, Richter. In Geinitz, Dyas, etc., 1861, (1), 121, xx, 31.
- Brady, Carbonif. Foram., Pal. Soc. XXX, 1876, 126, x, 13.
- **jurassica**, Gümbel. Jahresh. Ver. vat. Nat. Württ. XVIII, 1862, 217, iii, 9a, b.
- **karreri**, Hantken. Magyar. Földt. Társ. Munkálatai, IV, 1868, 85, i, 8.
- **kingi**, Reuss. In Geinitz, Dyas, etc., 1861, (1), 121, xx, 29.
- Brady, Carbonif. Foram., Pal. Soc. XXX, 1876, 126, x, 12.
- **kirkbyi**, Richter. In Geinitz, Dyas, etc., 1861, (1), 121, xx, 30.
- Schmid, Nenes Jahrbuch, 1867, 586, vi, 55.
- Brady, Carbonif. Foram., Pal. Soc. XXX, 1876, 126, x, 10 and 11.

- NODOSARIA** knihnitziana, Karrer. Abh. k. k. Geol. Reichs. ix, 1877, 379, xvib, 22.
- **koina**, Schwager. Novara-Exped., Geol. (2), 1866, 220, v, 47.
- **kresseubergensis**, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 609, i, 12.
- **(Glandulina) lævigata**, d'Orbigny. Ann. Sci. Nat. viii, 1826, 252, No. 1, x, 1, 2 and 3 [v. also *Glandulina*].
- — — — — Reuss, in Geinitz, Grundr. Verstein. 1845-46, 652, xxiv, 5. Smedley, Ency. Metrop. 1845, undeser., pl. "Mollusca?", 1-3.
- — — — — Parker & Jones, Annals Mag. Nat. Hist. (2), xix, 1857, 280, x, 6 and 7, 8 and 9 var.
- (**Gland.**) — — — Parker & Jones, Phil. Trans. 1865, 340, xiii, 1. Brady, Report Challenger, 1884, 490 and 493; lxi, 17-22 and 32.
- (**Gland.**) — — — see *Polymorpha* and *Orth unilocularia*, etc.
- lævigata**, Nilsson. K. Vet. Ak Handl. 1825 (1826), 342, no fig.
- — — — Nilsson. Petrif. Suecana, 1827, 8, ix, 20a. A. B.
- lævipes**, Marsson. Mitth. Nat. Ver. Neu-Vorpommern u. Rügen, x, 1878, 130, i, 6a, b.
- lævis**, Ehrenberg. Mikrogeologie, 1854, xxv, i, A, 4 [= *N. filiformis*, d'O.].
- lagenifera**, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. iii, 1852, 39, i, 10-12 [= *N. hauerina*, Neugeb., 1860].
- lamarckii**, d'Orbigny. Ann. Sci. Nat. viii, 1826, 253, No. 20.
- lamellosa**, d'Orbigny. Ibid. viii, 1826, 253, No. 17, x, 4, 5 and 6.
- lamelloso-costata**, Reuss. Sitz. k. Ak. Wiss. Wien, xlvi, (1), 1862 (1863), 38, ii, 6.
- latejugata**, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 619, i, 32.
- — — — — Hantken, A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 21, ii, 6a, b, c, d; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 26, same pl. and fig.
- laticosta**, Marsson. Mitth. Nat. Ver. Neu-Vorpommern u. Rügen, x, 1878, 131, i, 9.
- (**Dent.**) **laxa**, Reuss. Denkschr. k. Ak. Wiss. Wien, xxv, 1865, 132, i, (error for ii), 2 and 3.
- legumen**, Reuss. Verstein. Böh. Kreide, 1845-6, i, 28, xiii, 23 and 24 [v. also *Dentalina*].
- (**D.**) — — — Reuss, in Geinitz, Palæontographica, xx, (2), 1874, 88, xx, 22.
- levida**, Reuss. Sitz. k. Ak. Wiss. Wien, xi, 1860, 178, i, 2.
- — — — — Reuss' Model. No. 20, 1865 (Catal. No. 38, 1861) [= a long *N. radicula*].
- — — — — Gümbel, Geol. Bayern. i, (2), 1885, f. 266^a.
- lepidula**, Schwager. Novara-Exped., Geol. (2), 1866, 210, v, 27 and 28.
- leptosphæra**, Ehrenberg. Mikrogeologie, 1854, xxvi, 6 [= *N. ovicula*].
- libanotica**, Ehrenberg. Ibid. 1854, xxv, ii, B, 1 and 2 [= *N. ovicula*, near *N. mariae*, d'O., and *N. lornevana*, d'O.].
- limbata**, d'O. Mém. Soc. Géol. France, [1], iv, 1840, 12, i, 1; Facsimile in Science Gossip, 1870, 81, f. 75.
- — — — — Brown, Annals and Mag. Nat. Hist. [2], xii, 1853, 240, ix, 1.
- — — — — Costa, Atti Accad. Pontaniana, vii, (2), 1856, 136, xii, 25a, A.
- — — — — Beudant, Géologie, ed. 8, 1858, 117, f. 91, later eds., same fig.
- — — — — see *Nautilus* (*O.*) *radicula*, Batsch.
- linearis**, Roemer. Verst. n. deutsch. Kreide, 1840-1, 95, xv, 5 [v. *Dentalina*].
- — — — — Geinitz, Charakt. Schicht. Petrif. Sächs.-böh. Kreidegeb. 1850, 69, xvii, 21.
- lineolata**, Reuss. Geogn. Skizze Böhmen. ii, (1), 1844, 211.
- — — — — Reuss, Verstein. Böh. Kreide, 1845-6, i, 27, viii, 8.

- NODOSARIA lineolata**, Reuss. Jones & Parker, Quart. Journ. Geol. Soc. **xvi**, 1860, xix, 11 and 12.
 —— **longicauda**, d'Orbigny. Ann. Sci. Nat. **vii**, 1826, 254, No. 28.
 —— Silvestri, Atti Accad. Giœnia Sci. Nat. n. s., **vii**, 1872, 58, v, 101-126.
 —— v. **imperfecte costata**, Silvestri. *Ibid.* **vii**, 1872, 63, vi, 127-137.
 —— = *N. scalaris* (Batsch), see *Orthoceratia flosculi*.
 —— **longiscata**, d'Orbigny. Foram. Fossiles Vienne, 1846, 32, i, 10-12.
 —— see *N. arundinea*. Sherborn & Chapman, Journ. R. Micr. Soc. [2], vi, 1886, 747, xiv, 28, 29; and *ibid.* 1889, 486, xi, 17 and 18.
 —— **longisulcata**, Mackie. Science Gossip, 1867, 130, f. 115.
 —— **lorneiana**, d'Orbigny. Reuss, Verstein. Böhm. Kreide, 1845-6, i, 27, viii, 5 [*Dentalina*, 1840].
 —— (*Dent.*) **ludwigi**, Reuss. Denkschr. k. Ak. Wiss. Wien, **xxv**, 1865, 135, ii, 23.
 —— Andreae, Abh. geol. Speciakarte Elsass-Lothr. II, (3), 1884, 204, x, 1.
 —— Toukowsky, Zap. Kievsk. Obsch. Est. **ix**, 1888, 16, i, 2a, b.
 —— **maculata**, Schwager. Novara-Exped., Geol. (2). 1866, 214, v, 33.
 —— **majuscula**, Marsson. Mitth. Nat. Ver. Neu-Vorpommern u. Rügen, x, 1878, 130, i, 7a, b.
 —— **mammilla**, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. **iii**, 1852, 37, i, 3.
 —— **manubrium**, Schwager. Jahresh. Ver. vat. Nat. Württ. **xxi**, 1865, 99, ii, 14.
 —— **marginata**, Marsson. Mitth. Nat. Ver. Neu-Vorpommern u. Rügen, x, 1878, 126, i, 5a, b.
 —— **marginula**, Olszewski. Sprawozd. Kom. fizyj. Ak. Umiej. Krakowie, **ix**, 1875, 103, i, 5.
 —— **marginulinoides**, Silvestri. Atti Accad. Giœnia Sci. Nat. n. s., **vii**, 1872, 50, iii, 62-66.
 —— **mariæ**, d'Orbigny. Foram. Fossiles Vienne, 1846, 33, i, 15 and 16.
 —— ? Bornemanu, Zeitschr. deutsch. geol. Ges. **vii**, 1855, 322, xii, 11.
 —— Terquem, Ess. Anim. Plage Dunkerque, (2), 1876, 69, vii, 12; (and Mém. Soc. Dunkerquoise).
 —— *Ibid.* (3), 1881, 111, xiii, 4a, b; (and Mém. Soc. Dunkerquoise).
 —— **maximiliana**, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. **x**, 1868' (1870), 619, i, 31.
 —— **metensis**, Terq. Mem. Ac. Imp. Metz, **xliv**, 1863, 377, vii, 5a, b.
 —— **millepunctata**, Toukowsky. Zap. Kievsk. Obsch. Est. **ix**, 1888, 18, ix, 2a, b [cfr. *Orthoceratia ewaldi*, Karst.].
 —— **monile**, Ehr. Bericht. k. preuss. Ak. Wiss. Berlin, 1844, 67 and 93; and Mikrogeologie, 1854, xix, 81; and xx, ii, 1 [= *N. filiformis*, d'O.].
 —— *Ibid.* 1854, xxiv, 6 [*N. pyrula*, d'O.].
 —— Ehr., Abhandl. k. preuss. Ak. Wiss. Berlin, 1855, 160, i, vi [= *N. pyrula*] [*Glauc.*].
 —— Ehr., Mikrogeologie, 1854, xxviii, 3; xxx, 2; and xxxi, 8 [= *N. ovicula*].
 —— **monile**, v. Hagenow. Neues Jahrb. f. min. 1842, 568 [v. also *Dentalina*].
 —— Rss., Verstein. Böhm. Kreide, 1845-6, i, 27, viii, 7.
 —— **moniliformis**, Ehrenberg, Monatsber. k. preuss. Ak. Wiss. Berlin, 1872, 285.
 —— Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), vi, 11.
 —— **monilis**, Silvestri. Atti Accad. Giœnia Sci. Nat. n. s., **vii**, 1872, 71, viii, 173-189 [error for 173-188].
 —— v. **lævigata**, Silvestri. *Ibid.* **vii**, 1872, 75, viii, 184-190.
 —— ? Malagoli, Atti Soc. Nat. Modena, [3], **vii**, 1888, 112, iii, 4
 —— (*D.*) **mucronata**, Neug. Brady, Report Challenger, 1884, 506, lxii, 27-31 [*Dentalina*, 1856].
 —— Brady, Parker & Jones, Trans. Zool. Soc. **xii**, (7), 1888, 223, xliv, 10.

- NODOSARIA** *multicosta*, Neugeboren. Denkschr. k. Ak. Wiss. Wien, **xii**, (2), 1856, 78, i, 12.
- *multicosta*, Terq. & Berthelin. Mém. Soc. Géol. France, [2], x, 1875, 20, i (xi), 20.
- (**D.**) *multilineata*, Reuss. In Geinitz, Palaeontographica, **xx**, (2), 1874, 83, xx, 13.
- Marsson, Mitth. Nat. Ver. Neu-Vorpommern u. Rügen, **x**, 1878, 131, i, 10*a*, *b*, *c*.
- *munsterana*, Gümbel. Jahresh. Ver. vat. Nat. Württ. **xviii**, 1862, 217, iii, 7*a*, *b* and 8*a*, *b*.
- *murex* (Batsch) see *Nautilus*.
- *mutabilis*, Costa. Mem. Acc. Sci. Napoli, **ii**, 1855 (1857), 134, i, 1 and 2.
- — — — — Costa, Atti Accad. Pontaniana **vii**, (2), 1856, 150, xiii, 1.
- — — — — Rzehak, Annu. k. k. nat. Hofmuseums, **iii**, (3), 1888, 259, xi, 3*a*, *b*.
- *mutabilis* Terquem. Mém. Ac. Imp. Metz, **li**, 1870, 353, xxvi, 6–12.
- — — — — Terq., Bull. Soc. Géol. France, [3], iv, 1876, 481, xv, 3.
- — — — — Terquem, Mém. Soc. Géol. France, [3], iv, 1886, 11, i, 21.
- *myrmicoides*, Costa. Atti Accad. Pontaniana, **vii**, (2), 1856, 160, xiii, 18.
- *nana*, Reuss. Sitz. k. Ak. Wiss. Wien, **xi**, 1860, 179, i, 6.
- *naumanni*, Reuss. In Geinitz, Palaeontographica, **xx**, (2), 1874, 82, xx, 11.
- *neugeboreni*. Reuss. Hantken, A magy. kir. földt. int. évkönnyve, **iv**, 1875 (1876), ii, 5; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, **iv**, 1875 (1881), same pl. and fig. [see *N. beyrichi*].
- — — — — Jones, M. Micr. Journ. **xv**, 1876, cxxviii, 1.
- *neugeboreni*. Schwager. Novara-Exped., Geol. (2), 1866, 232, vi, 67.
- *nitida*, d'Orbigny. Ann. Sci. Nat. **vii**, 1826, 254, No. 33.
- — — — — P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], **viii**, 1871, 158, ix, 44.
- — — — — Tate & Blake, Yorkshire Lias, 1876, 457, xvii, 19.
- — — — — see *Orthoceratia arthrocene*.
- *nitida*, Terquem. Mém. Ac. Imp. Metz, **xxxix**, 1858, 590, i, 7*a*–*h*.
- — — — — v. *costulata* Terquem. Ibid. **xxxix**, 1858, 591, i, 8*a*–*c*.
- — — — — Terquem, ibid. **xlii**, 1862, 436, v, 11.
- *nitidula*. Gümbel. Jahresh. Ver. vat. Nat. Württ. **xvii**, 1862, 216, iii, 4*a*, *b*; 5*a*, *b*; 6*a*, *b*
- — — — — Deecke, Mém. Soc. Emul. Montbéliard, **xvi**, 1886, [23], i, 13, 13*a*.
- *nodifera*, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. **iii**, 1852, 42, i, 20 and 21.
- *nodosa*, d'Orbigny. Ann. Sci. Nat. **vii**, 1826, 254, No. 31 [v. also *Dentalina*].
- — — — — Reuss, Verstein. Böhm. Kreide, 1845–6, i, 28; xiii, 22 [referred to *Plenostomella*, 1860].
- — — — — = *Dentalina*, see *Orthoceratia filiformia*, etc.
- *novemcostata*, Bornemann. Lias von Göttingen, 1854, 34, ii, 12*a*, *b*, *c*.
- *nuda*. Reuss. Sitz. k. Ak. Wiss. Wien, **xlvi**, (1), 1862 (1863), 38, ii, 8 and 9.
- *nuda*, Terquem. Mém. Soc. Géol. France, [3], iv, 1886, 11, i, 23 and 26.
- (**Dentalina**) *obliqua*, d'Orbigny. Ann. Sci. Nat. **vii**, 1826, 254 [v. *Dentalina*].
- — — — — D'Orbigny, Modèles, No. 5, 1826.
- (**?** — — —) Pilla, Distingu. terr. Etrurio 1846, 103, i, 2.
- (**Dent.**) — — — — — P., J. & B. [d'O., Modèles, 5], Ann. Mag. Nat. Hist. [3], **xvi**, 1861, 19, i, 32.
- — — — — = *D. communis*, subvar. *obliqua*. See *Orthoceras in-tortum*.
- — — — — Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 1*co*, f.
- *obliqua* (Linné). Brady, Report Challenger, 1884, 513, lxiv, 20–22 [*Nautilus*, 1758].
- — — — — Brady, Parker & Jones, Trans. Zool. Soc. **xii**, (7), 18*co*, 223, xliv, 7.

NODOSARIA obliquata, Batsch, see *Nautilus*.

- *obliqua*, Sherborn & Chapman Journ. R. Micr. Soc. 1889, 486, xi, 23.
 — *obliqua*, Batsch]. Costa, Regno Napoli, 1838, Foraminiferi, not descr., iv, 6.
 — *obliquecostata*, Stache. Novara-Exped., Geol. (1), 1864, 197, xxii, 24.
 — *obliquestriata*, Reuss, v *Dentalina*.
 — [—— ———]. Costa, Mem. Acc. Sci. Napoli, II, 1855 (1857), not descr., i, 24.
 — *(Gland.) obliquelimbata*, Jones MS. Wright, Proc. Belfast Nat. Field Club, 1884-5, App. IX, 1886, 330, xxvii, 5.
 — *oblonga*, Costa. Atti Accad. Pontaniana, VII, (2), 1856, not descr., xiii, 13.
 — *oblonga*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 253, No. 19.
 — *obscura*, Reuss. Verstein. Böhm. Kreide, 1845-6, i, 26, xiii, 7-9.
 — — — — — Reuss, in Geinitz, Grundr. Verstein. 1845-46, 653, xxiv, 3.
 — — — — — Reuss, in Geinitz, Palaeontographica, XX, (2), 1874, 81, xx, 1-4.
 — — — — — Berthelin, Mém. Soc. Géol. France, [3], I, 1880, 31, i, 17a, b.
 — — — — — (Dent.) *obsolescens*, Reuss. In Geinitz, Palaeontographica, XX, (2), 1874, 83, xx, 14.
 — — — — — (*Gland.*) *obtusissima*, Rss. Sherborn & Chapman, Journ. R. Micr. Soc. [2], VI, 1886, 746, xiv, 21 [*Glandulina*, 1863].
 — — — — — *octolocularia*, Brown. Illustr. Recent Conch. Gt. Brit. ed. 2, 1844, 2, i, 25 [*N. radicula*, var. Mont., pl. xiv, f. 6].
 — — — — — *oligostegia*, Reuss. Verstein. Böhm. Kreide, 1845-6, I, 27, xiii, 19, 20 [v. *Dentalina*].
 — — — — — Reuss, in Geinitz, Grundr. Verstein. 1845-46, 662, xxiv, 2.
 — — — — — Costa, Atti Accad. Pontaniana, VII, (2), 1856, 145, xvi, 6.
 — — — — — (D.) — — — Reuss, in Geinitz Palaeontographica, XX, (2), 1874, 83, xx, 15-18.
 — — — — — *oligotoma*, Reuss. Ibid. XX, (1), 1872, 135, xxxiii, 16.
 — — — — — Sherborn & Chapman, Journ. R. Micr. Soc. 1889, 486, xi, 20.
 — — — — — *orbignyanæ*, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. III, 1852, 40, i, 15.
 — — — — — *orthocera*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 252, No. 8.
 — — — — — = *Clavul. clavulus* (?) (Lam.). see *Tubulus*.
 — — — — — *orthopleura*, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 89, xii, 5a, b.
 — — — — — *ovalis*, Schmid. Neues Jahrbuch, 1867, 585. vi, 50 and 51.
 — — — — — Brady, Carbonif. Foram., Pal. Soc. XXX, 1876, 126, x, 15.
 — — — — — *ovicula*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 252, No. 6.
 — — — — — P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 154. ix, 36.
 — — — — — ? Terrigi, Atti Acc. Pont. Nuovi Lincei, XXXV, 1883, 175, ii, 9.
 — — — — — See *Orthoceras farcimen*.
 — — — — — *ovivera* [*ovifera*]. Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 15, ii, Blagdenischicht, 3.
 — — — — — *ovularis*, Costa. Mem. Acc. Sci. Napoli, II, 1855 (1857), 141, i, 8, 9 and 91.
 — — — — — *ovulata*, Sherborn & Chapman. Journ. R. Micr. Soc. [2], VI, 1886, 747, xiv, 27.
 — — — — — *pachycephala*, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. X, 1868 (1870), 616. i, 27.
 — — — — — *palliatæ*, Silvestri. Atti Accad. Gioenia Sci. Nat. n. s., VII, 1872, 98, no flg.
 — — — — — *papilio*, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 18, ii, Par-kinsonthon, 6.
 — — — — — *papillosa*, Silvestri. Atti Accad. Gioenia Sci. Nat. n. s., VII, 1872, 79, viii, 201-206.
 — — — — — *parvula*, Dunikowski. Kosmos [Lemberg], IV, 1879, 107, pl. 6.
 — — — — — *paucicosta*, Roemer. Verst. n.-d. Kreide, 1840-1, 95, xv, 7 [v. *Glandulina*].

- NODOSARIA** [paucicostata] —— Brady, Proc. Somerset. Arch. and Nat. Hist. Soc. XIII, 1865-6 (1867), 223 i, 8.
- **paueri**, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 612, i, 18.
- **(Dent.) pauperata**, d'Orbigny. Parker & Jones, Phil. Trans. 1863, 342, xiii, 8 and 9 [*Dentalina*, 1846].
- **(D.)** —— Brady, Report Challenger, 1884, 500, cuts 14a, b, c [see *Dentalina*].
- **paupercula**, Reuss. Verstein. Bohm. Kreide, 1845-6, I, 26, xii, 12 [v. also *Dentalina*].
- —— Reuss, in Geinitz, Palæontographica, xx, (2), 1874, 81, xx, 5-7.
- **pauperculoides**, Olszewski. Sprawozd., Kom. fizyj. Ak. Umiej. Krakowice. IX, 1873, 99, i, 2 [“var. of *N. paupercula*, Rss.”].
- **pentecostata**, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 161, xvi, 15.
- **(D.) peracuta**, Reuss. In Geinitz, Palæontographica, xx, (2), 1874, 86, xx, 21.
- **perforata**, Seguenza. Atti R. Acc. Lincei, [3], VI, 1880, 332, xvii, 37.
- **perversa**, Schwager. Novara-Exped., Geol. (2), 1866, 212, v, 29.
- —— Brady, Report Challenger, 1884, 512. lxiv, 25-27.
- **pistilliformis**, Schwager. Benecke's Geog.-Pal. Beiträge, I, 1866, 304, f. 5.
- —— Deecke, Abh. geol. Speciaalkarte Elsass-Lothr. IV, (1), 1884, 26, i, 12-12c.
- **(D.) plebeia**, Reuss. Brady, Report Challenger, 1884, 502, lxiii, 2 [*Dentalina*, 1855].
- **plicata**, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 152, xii, 4.
- **polygona**, Reuss. Zeitschr. deutsch. geol. Ges. VII, 1855, 265, viii, 7 and 8.
- —— Sherborn & Chapman, Journ. R. Micr. Soc. [2], VI, 1886, 749, xv, 2a, b; 3a, b; 4a, b.
- **polystigma**, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 371.
- **polystoma**, Schwager. Novara-Exped., Geol. (2), 1866, 217, v, 39.
- **prægnans**, Reuss. Sitz. k. Ak. Wiss. Wien, LII, (1), 1865 (1866), 450, pl. 4.
- **prima**, d'Orbigny, 1847. Prodrome de Paléont. I, 1849, 241, No. 253.
- —— Terquein, Mém. Ac. Imp. Metz, XXXIX, 1858, 589, i, 6a-d.
- —— Uhlig, Jahrb. k. k. Geol. Reichs, XXXIII, 1883, 74, ix, 8.
- —— Deecke, Mém. Soc. Emul. Montbéliard, XVI, 1886, [22], i, 16, 16a.
- **primitiva**, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur, 1866, 7, i, 16.
- —— Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 5, i, Turnerithon, 1.
- **prismatica**, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 180, ii, 2.
- —— Reuss, ibid. XLVI, (1), 1862 (1863), 36, ii, 3 [error for 7].
- **proboscidea**, Reuss. Haidinger's Naturw. Abh. IV, (1), 1851, 23, i, 6.
- —— Hitchcock, Elem. Geology, 1860, 30th ed., 141, f. 95.
- **procera**, Ehrenberg. Mikrogeologie, 1854, xxv, I, A, 2 and 3 [2 = *N. filiformis*, d'Orb.; 3 = *N. oricula*, d'Orb.].
- **propinqua**, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 151, xiii, 2a, A.
- **protumida**, Schwager. Novara-Exped., Geol. (2), 1866, 227, vi, 59.
- **proxima**, Silvestri. Atti Accad. Gienia Sci. Nat. n. s. VII, 1872, 63, vi, 138-147.
- —— Brady, Report Challenger, 1884, 511, lxiv, 15.
- —— Fornasini, Boll. Soc. Geol. Ital. VII, 1888, 48, iii, 10 and 11.
- **pulchella**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 253. No. 25.
- **pumilio**, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 608, i, 11.
- **punctata**, d'Orbigny. De la Sagra, Hist. Phisiq. etc., Cuba, 1839, “Foraminifères,” 14, i, 4 and 5; also in Spanish, 1840, 44, same pl. and fig.

- NODOSARIA** (Dent.) **pungens**, Reuss. Denkschr. k. Ak. Wiss. Wien, xxv, 1865, 135, ii, 16 [*Dentalina*, 1851.]
 ————— Hantken, Magyar. Földt. Társ. Munkálatai, iv, 1868, 88, i, 17.
 ————— **pupa**, Karrer. In v. Drasche, Frag. Geol. Luzon, 1878, 89, v, 9; and Bol. Com. Map. Geol. EspaÑ. vii, 1880, 272, E, 9.
 ————— **pupiformis**, Karrer. Sitz. k. Ak. Wiss. Wien, lv, (1), 1867, 354, i, 5.
 ————— **pupooides**, Silvestri. Atti Accad. Gienia Sci. Nat. n. s., vii, 1872, 65, iv [error for vi], 148-158.
 ————— **pyconostyla**, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 613, i, 20.
 ————— (Dent) **pygmæa**; Neugeboren. Reuss, Denkschr. k. Ak. Wiss. Wien, xxv, 1865, 133, ii, 9 [*Dentalina*, 1856].
 ————— **pygmæa**, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 285.
 ————— ————— Ehrenberg, Abh. k. Ak. Wiss. Berlin, 1872 (1873), vi, 12 and 13.
 ————— **pyrula**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 253, No. 13.
 ————— ————— Williamson, Recent British Foram. 1858, 17, ii, 39.
 ————— ————— Schwager, Novara-Exped., Geol. (2), 1866, 216, v, 38.
 ————— ————— P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], viii, 1871, 155, ix, 37.
 ————— ————— Brady, Report Challenger, 1884, 497. lxii, 10-12.
 ————— ————— Balkwill & Wright, Trans. R. Irish Ac. xxviii (Sci.), 1885, 343, xii, 23.
 ————— ————— Brady, Parker & Jones, Trans. Zool. Soc. xii, (7), 1888, 223, xliv, 2.
 ————— ————— see *Orthoceras monile*.
 ————— **pyramidalis**, Koch. Palaeontographica, i, 1851, 173, xxiv, 8.
 ————— **quadrata**, d'Orbigny. Foram. Fossiles Vienne, 1846, 36, i, 28 and 29.
 ————— **radicula**, Linné, v. *Nautilus*, 1758.
 ————— ————— D'Orbigny, Modèles, No. 1, 1826.
 ————— ————— [Lam.]. Brönn, Syst. urweltl. Conchyl. 1824, 9, i, 1 [error for 2].
 ————— ————— Lamarck, Ency. Method. "Vers," iii (1832), 629, 465, f.
 ————— 4 (pls., 1827) (P. & J. quote "pt. 23. 1816").
 ————— ————— Crouch, Introd. Lamarck, 1827, 39, xx, 6.
 ————— ————— Brown, Conch. Text-book. 1839. 64, x, 27.
 ————— ————— Brown, Illustr. Recent Conch. Gt. Brit. ed. 2. 1844, 2, i, 28.
 ————— ————— Jones & Parker, Quart. Journ. Geol. Soc. xvi, 1860, xix, 1-5.
 ————— ————— Parker & Jones. Phil. Trans. 1865, 341, xiii, 2-7.
 ————— ————— [d'Orb.]. P., J. & B. [d'O., Modèles, 1], Ann. Mag. Nat. Hist. [3], xvi, 1865, 18, i, 27.
 ————— ————— Brady, Proc. Somerset. Arch. and Nat. Hist. Soc. xiii, 1865-6 (1867), 222, i, 4.
 ————— ————— Chimmo, Bed of Atlantic, 1870, 18, iii, 2 [1 chamber, ribbed].
 ————— ————— Tate & Blake, Yorkshire Lias, 1876, 456. xviii, 17.
 ————— ————— Brady, Carbonif. Foram., Pal. Soc. xxx, 1876, 124, x, 6-16.
 ————— ————— Nicholson, Manual Palaeont. 1879, i, 114, f. 18, g.
 ————— ————— Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxiii, 1880, 179, i, 8.
 ————— ————— Terrigi, *ibid.* xxxv, 1883, 174, ii. 7a. b.
 ————— ————— Brady, Report Challenger, 1884, 495, lxi, 28-31 [see *Nautilus*].
 ————— ————— v. **ambigua**, Neugeboren. Brady, *ibid.* 1884, 496, lxii, 3a, b [*N. ambigua*, 1856].
 ————— ————— v. **annulata**, Terq. & Berth. Brady, *ibid.* 1884, 496, lxii, 1 and 2 [*Glandulina*, 1875].
 ————— ————— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885). 160, f.
 ————— ————— Bornemann, Jahrb. k. pr. Geol. Landesanstalt, 1885 (1886), 292, xiii, 6a.
 ————— ————— Sherborn & Chapman, Journ. R. Micr. Soc. [2], vi, 1886, 746, xiv, 24.

- NODOSARIA** *radicula* (L.) [Lam.]. Malagoli, Atti Soc. Nat. Modena (Rend.), (3), III, 1887, 109, i, 8.
 ——— ——— ——— Malagoli, Boll. Soc. Geol. Ital. VI, 1887, 520, xiii, 4.
 ——— ——— ——— Haeusler, Neues Jahrb. 1887, I, (179), v, 40, 45, 48, 49.
 ——— ——— ——— Agassiz, Three Cruises "Blake," II, 1888, 166, f. 504.
 ——— ——— ——— Mariani, Boll. Soc. Geol. Ital. VII, (1889), 286, x, 7.
 ——— ——— ——— v. *ambigua*, Neug. Sherborn & Chapman, Journ. R. Micr. Soc. 1889, 486, xi, 16.
 ——— ——— ——— v. *annulata*, T. & B. Sherborn & Chapman. *ibid.* 1889, 485, xi, 15.
 ——— ——— ——— ? Terrigi, Mem. R. Acc. Lincei, (4), VI, 1889, 112, vi, 7.
 [—— ——— ——— **radicula**], Ledermüller, Mikrosk. Gemüths. 1763, 8, iv, 2; and viii, e.
 [—— ——— ——— **radicula**] see Martini, Neues syst. Conchyl. I, 1769, 4, i, G.
 [—— ——— ——— **radicula**] see Schreter, Neue Litt. u. Beytr. I, 1784, 316, i, 8.
 ——— ——— ——— see *Orth. perfecte globularis*, etc., and *Orth. unilocularis*, etc.
 ——— ——— ——— **radicula** [Mont.]. Williamson, Recent British Foram. 1858, 15, ii, 36-38 [= *N. scalaris*, Batsch].
 ——— ——— ——— Williamsou, Pop. Sci. Rev. IV, 1865, 174, viii, 5 [= *N. scalaris*, Batsch].
 ——— ——— ——— **radicularis**, v. Münster. Roemer, Neues Jahrbuch, 1838, 382, iii, 3.
 ——— ——— ——— Michelotti, Mem. Soc. Ital. Sci. xxii, 1841, 277, i, 10.
 ——— ——— ——— **raibiana**, Gümbel. Jahrb. k. k. geol. Reichsanstalt, xix, 1869, 181, vi, 28.
 ——— ——— ——— **ranzanji**, Michelotti. Mem. Soc. Ital. Sci. xxii, 1841, 276, i, 3 [*N. ranzanii* on p. 301].
 ——— ——— ——— **rapa**, Lamarck. D'Orbigny, Ann. Sci. Nat. VII, 1826, 253, No. 27: v. also Parker & Jones, Ann. Mag. Nat. Hist. [3], XII, 1863, 213 [v. also *Dentalina*].
 ——— ——— ——— (?) Lam.). Piña, Distinz. terr. Etrurio, 1846, 103, i, 1.
 ——— ——— ——— [d'Orb.]. Zittel, Handbuch Palaeont. I, 1876, 65, f. 2¹; and 85, f. 22.
 ——— ——— ——— Quenstedt, Handbuch Petref. ed. 3, (5), (1885), 1050, lxxxvi, 6.
 ——— ——— ——— [d'Orb.]. Hoernes, Elem. Palaeont. 1884, 25, f. 6, French ed., 1886, same fig.
 ——— ——— ——— = *N. raphanistrum* (Linn.), see *Orthoceratia*.
 ——— ——— ——— **raphanistrum** (Linné), v. *Nautilus*.
 ——— ——— ——— [d'Orb.]. Renss, in Geinitz, Grndr. Verstein. 1845-46, 653, xxiv, 6.
 ——— ——— ——— Michelotti, Nat. Verh. Holland. Maatsch. Wetensch. Haarlem, II, Verzam. (3), 1847, 12, i, 7.
 ——— ——— ——— Brönn, Lethaea Geognostica, ed. 3, 1853-56, 241, xxxv³, 2a-d.
 ——— ——— ——— Brady, Proc. Somerset. Arch. and Nat. Hist. Soc. XIII, 1865-6 (1867), 222, i, 7.
 ——— ——— ——— J., P. & B., Crag. Foram., Pal. Soc. xix, 1866, 50, i, 6-8.
 ——— ——— ——— P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 156, ix, 41.
 ——— ——— ——— Tate & Blake, Yorkshire Lias, 1876, 457, xviii, 18, 18a.
 ——— ——— ——— Silvestri, Atti Accad. Gioenia Sci. Nat. n. s., VII, 1872, 27, i, 1-19.
 ——— ——— ——— v. **monstruosa**, Silvestri. *Ibid.* VII, 1872, 38, i, 20-25; ii, 26-29.
 ——— ——— ——— Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 25, pl., 3.
 ——— ——— ——— Gümbel, Geol. Bayern, (1), II, 1885, f. 266, §.
 ——— ——— ——— Koenen, Abh. k. Ges. Wiss. Göttingen, XXXII, 1885, 110, v, 16-20.
 ——— ——— ——— Quenstedt, Handbuch Petref. ed. 3, (5), (1885), 1050, lxxxvi, 4 and 5.
 ——— ——— ——— Sherborn & Chapman, Journ. R. Micr. Soc. [2], VI, 1886, 749, xiv, 38.
 [—— ——— ———], Ledermüller. Mikr. Gemüths. 1763, 8, iv, x, x; and viii, f.
 ——— ——— ——— **raphanus** (Linné), v. *Nautilus*. 1758
 (Nautilus) ——— ——— Bowdich, Elem. Conch. (1), 1822, 17, ii, 9.
 ——— ——— ——— Jones & Parker, Quart. Journ. Geol. Soc. XVI, 1860, xix, 10.
 ——— ——— ——— Parker & Jones, Phil. Trans. 1865, 340, xvi, 1.
 ——— ——— ——— Brady, Proc. Somerset. Arch. and Nat. Hist. Soc. XIII, 1865-6 (1867), 222, i, 6.

- NODOSARIA raphanus** (Linné). J., P. & B., Crag Foram., Pal. Soc. xix, 1866, 49, i, 4, 5. 22 and 23.
 ————— P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], viii, 1871, 156, ix, 39 [see *N. scalaris*, d'Or.].
 ————— (monstrous). *Ibid.* [4], viii, 1871, 156, ix, 40 [see *N. sulcata*, d'Or.].
 ————— Silvestri, Atti Accad. Giœnia Sci. Nat. n. s., vii, 1872, 43, iv, 67-81.
 ————— v. *coarctata*, Silvestri. *Ibid.* vii, 1872, 34, ii, 30-47; iii, 48-50.
 ————— v. *oblique-costata*, Silvestri. *Ibid.* vii, 1872, 37, iii, 51.
 ————— Tate & Blake, Yorkshire Lias, 1876, 456, xviii, 14, 14a.
 ————— var. Jones in Microgr. Dict. ed. 4. 1883, 544, xxiii, 29.
 ————— Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxv, 1883, 172, ii, 5.
 ————— Brady, Report Challenger, 1884, 512, lxiv, 6-10 [see *Nautilus*].
 ————— Balkwill & Wright, Trans. R. Irish Ac. xxviii (Sci.), 1885, 342, xii, 26.
 ————— and var. Sherborn & Chapman, Journ. R. Micr. Soc. [2], vi, 1886, 749, xiv, 36 and 37.
 ————— Anon. Sci. News, 4 May, 1888, 413, f. 12.
 [———], Ledermüller. Mikr. Gemüths. 1763, 8, iv, x, x.
 [——— and varr.] see Martini, Neues syst. Couchyl. i, 1769, 4, pl. 1 in text, f. A-F, H.
 ————— *recta*, Schwager. Novara-Exped., Geol. (2), 1866, 216, v, 35.
 ————— *regularis*. Terquem. Mém. Ac. Imp. Metz, xlvi, 1862, 436, v, 12.
 ————— (Dent.) *reitzi*, Hantken. Magyar. földt. társ. Munkálatai, iv, 1868, 88, i, 13 [v. also *Dentalina*].
 ————— *resupinata*, Gümbel. Abh m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 615, i, 24a, b.
 ————— (D.) *retrorsa*, Reuss. Brady, Report Challenger, 1884, 507, lxiii, 7 [*Dentalina*, 1863].
 ————— *reussiana*, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. iii, 1852, 58, i, 46.
 ————— *reussii*, Costa. Atti Accad. Pontaniana, vii, (2), 1856, 155, xvi, 5.
 ————— *rhegina* Costa. *Ibid.* vii, (2), 1856, not descr., xxvii, 9 and 11.
 ————— (D.) *roemerii*, Neugeboren. Brady, Report Challenger, 1884, 505, lxiii, 1 [*Dentalina*, 1856].
 ————— *römeriana*, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. iii, 1852, 42, i, 19 [*römerana*, in 1860].
 ————— (Gl.) *rotundata*, Rss. Brady, Report Challenger, 1884, 491, lxi, 17-19 [*Glandulina*, 1850].
 ————— *rudis*, d'Orbigny. Foram. Fossiles Vienne, 1846, 33, i, 17-19.
 ————— Pictet, Traité de Paleont. ed. 2, iv, 1857, 489, cix, 9.
 ————— *rugosa*, d'Orbigny. De la Sagra, Hist. Phisiq. etc., Cuba 1839, "Foraminifères," 13, i, 2 and 3; also in Spanish, 1840, 43, same pl. and fig.
 ————— Mackie, Recreative Science, i, 1859, 148, f. 15.
 ————— Hartwig, The Sea, ed. 3, 1866, 381, f. a.
 ————— Mackie, Science Gossip, 1867, 130, f. 114 [= *N. longiscata*].
 ————— Greene, Man. Protozoa, 1871, 14, f. 3a¹.
 ————— v. *N. semirygosa*.
 ————— *rustica*, Jones. Ann. Mag. Nat. Hist. iv, 1859, 350 [= *Clavulina communis*].
 ————— *scabriuscula*, Costa. Atti Accad. Pontaniana, vii, (2), 1856, 140, xli [error for xvi], 1a, A.
 ————— *scalaris* (Batsch). Parker & Jones, Phil. Trans. 1865, 340, xvi, 2a, 2b, 2c; xviii, 13 [*Vantilus* (*Orthoceras*), 1791].
 ————— J., P. & B., Crag Foram.. Pal. Soc. xix. 1866, 52, iv, 8.
 ————— P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], viii, 1871, 157, ix, 42.
 ————— Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxv, 1883, 173, ii, 6.
 ————— Brady. Report Challenger, 1884, 510, lxiii, 28-31; lxiv, 16-19 [see *Nautilus* (*Orthoceras*)].

- NODOSARIA scalaris?** (Batsch). Malagoli, Atti Soc. Nat. Modena (Rend.), (3), III, 1887, 109, i, 9.
 ——— ——— Brady, Parker & Jones, Trans. Zool. Soc. XII, (7), 1888, 223, xliv, 6, 19 (?).
 ——— [scalaris, Batsch]. Wallich, North Atlantic Sea-bed, (1), 1862, no descr., v, 18.
 [—— scalaris], Wallich. Quart. Journ. Sci. I, 1864, pl., 6..
 ——— scalaris, d'Orb. Ann. Sci. Nat. VII, 1826, 253, No. 18.
 ——— ——— Silvestri, Atti Accad. Gienia Sci. Nat. n. s., VII, 1872, 52, iv, 90-100.
 ——— ——— = *N. raphanus* (Linn.) see *Orthoceratia*.
 ——— sceptriformis, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. X, 1868 (1870), 620, i, 33.
 ——— sceptriformis, Olszewski. Sprawozd. Kom. Fizyj. Ak. Umiej. Krakowie, IX, 1875, 98, i, 1a, b [= *N. bacillum*].
 ——— sceptrum, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 37, ii: 3a, b.
 ——— scharbergiana, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. III, 1852, 55, i, 42.
 ——— schlichti, Reuss. Sitz. k. Ak. Wiss. Wien, LXII, (1), 1870, 472; figured by v. Schlicht, "Foram. Septar. Pietzpuhl," 1870, vi, 29-31.
 ——— schwageri, Rzehak. Ann. k. k. nat. Hofmuseums, III, (3), 1888, 260, xi, 4.
 (Dent.) *scorpionus* [*scorpiurus*] [Montf.]. D'Orbigny, Ann. Sci. Nat. VII, 1826, 255, No. 40 [v. *Reophar*].
 (——) *scorpiurus*, Montf., v. *Lituula*, see also *Orthoceras?*
 ——— semen, Doderlein MS. Malagoli, Atti Soc. Nat. Modena, Mem. (3), VII, 1888, 2, i, 1 and 2.
 ——— semicostata, Costa. Atti Accad. Pontaniana, VII, (2), 1856, not descr., xxvii, 8 and 10.
 ——— (Gland.) semicostata. Sherborn & Chapman. Journ. R. Micr. Soc. [2], vi, 1886, 746, xiv, 22a, b.
 ——— seminuda, Reuss. Sitz. k. Ak. Wiss. Wien. LXII, (1), 1870, 476; figured by v. Schlicht "Foram. Septar. Pietzpuhl," 1870, viii, 20.
 ——— semiornata, Karrer. In v. Drasche, Frag. Geol. Luzon, 1878, 89, v, 8; and Bol. Com. Map. Geol. Espan. VII, 1880, 271, E, 8.
 ——— semirugosa, d'Orbigny. Foram. Fossiles Vienne, 1846, 34, i, 20-23 [*N. rugosa*, on plate].
 ——— semistriata, d'Orbigny. Ann. Sci. Nat. VII, 1826, 252, No. 9.
 ——— ——— P. J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 154, ix, 38.
 ——— ——— see *Orthoceras*.
 ——— septemcostata, Geinitz. Charakt. Schicht. Petref. sächs. böhm. Kreidegeb. 1850, 69, xvii, 20.
 ——— setosa, Schwager. Novara-Exped., Geol. (2), 1866, 218, v, 40.
 ——— sexcostata, Costa. Fauna Regno Napoli, 1838, "Foraminiferi," 19, iv, 4 [error for 5].
 ——— sexcostata, Terquem. Mém. Ac. Imp. Metz, XXXIX, 1858, 588, i, 5a, b.
? ——— sicula, Ehrenberg. Mikrogeologie, 1854, xxvi, 4 [= *Gland. levigata*].
 ——— sicula, Gemmellaro. Atti Accad. Gienia Sci. Nat. (2), XV, 1860, 282, i, 7. ["This plate was never published;" fide Sig. J. Bertoni, Secy. Accad. Gienia, 21 June, 1887.]
 ——— simoniana, 1847, d'Orbigny. Prodrome de Paléont. I, 1849, 241, No. 254.
 ——— ——— Terquem, Mém. Ac. Imp. Metz, XXXIX, 1858, 587, i, 4a, b.
 ——— ——— Terq. & Berthelin, Mém. Soc. Géol. France, [2], X, 1875, 21, i (xi), 21.
 (Dent.) simplex, Hantken. Magyar Földt. Társ. Munkálatai, IV, 1868, 87, 1, 11.
 ——— simplex, Silvestri. Atti Accad. Gienia Sci. Nat. n. s., VII, 1872, 95, xi, 268-272.
 ——— ——— ——— Brady, Report Challenger, 1884, 496, lxii, 4, 5 and 6?.
 ——— ——— ——— Sherborn & Chapman, Journ. R. Micr. Soc. 1889, 485, xi, 14.
 ——— simplex, Terq. & Berthelin. Mém. Soc. Geol. France, [2], X, 1875, 19, i (xi), 16a-c.

- NODOSARIA simplex**, Terq. & Berthelin. Mariani, Boll. Soc. Geol. Ital. vii, (1889), 287, x, 9.
- **siphonostoma**, Reuss. Sitz. k. Ak. Wiss. Wien. i.v, (1). (1867), 81, iii, 3.
- **siphunculoides**, Costa. Mem. Acc. Sci. Napoli, ii, 1855 (1857), 135, i, 27.
- **siphunculus** (Linn.). Costa, Atti Accad. Pontaniana, vii, (2), 1856, 143, xii, 11 (and ? 17, 18 and 20) [*Nautilus*, 1758].
- **skobina**, Schwager. Novara-Exped., Geol. (2), 1866, 225, v, 56.
- **soldanii**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 254. No. 30.
- P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], viii, 1871, 157, ix, 43.
- see *Orthoceras raphistrum*, etc.
- soluta**, Bornemann. Zeitschr. deutsch. geol. Ges. vii, 1855, 322, xii, 12.
- (Dent.) **soluta**. Reuss. Denkschr. k. Ak. Wiss. Wien, xxv, 1865, 131, ii, 4-8 [*Dentalina*, 1851].
- Andreae, Abh. geol. Speciakarte Elsass-Lothr. ii, (3), 1884, 201, x, 8.
- v. **recta**, Born. Andreae, *ibid.* ii, (3), 1884, 202, x, 6 and 7 [cfr. Bornemann, Z. d. g. G. vii, 1855, 322].
- Brady, Report Challenger, 1884, 503, lxiii, 13-16; var. lxiv, 28.
- Sherborn & Chapman, Journ. R. Micr. Soc. [2], vi, 1886, 746, xiv, 25 and 26.
- **sowerbyi**, Schwager. Benecke's Geogr.-Pal. Beiträge, i, 1868, 656, xxxiv, 8.
- (Dent.) **spinescens**, Reuss. Denkschr. k. Ak. Wiss. Wien, xxv, 1865, 135, ii, 23 [*Dentalina*, 1851] [not figured by Reuss in this paper].
- spinicosta**, d'Orbigny. Foram. Fossiles Vienne, 1846, 37, i, 32 and 33.
- Mackie, Recreative Science, i, 1859, 148, f. 17.
- Mackie, Science Gossip, 1867, 130, f. 116.
- Hantken. A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 20, iii, 1; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 24, same pl. and fig.
- Jones, M. Micr. Journ. xv, 1876, cxxix, 1a.
- Zittel, Handbuch Palaeont. (1), 1876, 85, f. 21².
- spinosa**, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. iii, 1852, 56, i, 45.
- spinulosa** (Montagu). D'Orbigny, Ann. Sci. Nat. vii, 1826, 253, No. 15 [*Nautilus*, 1808].
- Brown. Illustr. Recent Conch. Gt. Brit. ed. 2, 1844, 2, i, 26.
- spinulosa**, Costa. Mem. Acc. Sci. Napoli, ii, 1855 (1857), 137, i, 28A, B, C, D [a, var. *cultrata*; b, *spinulosa*; c, *contorta*].
- splendidula**, Schwager. Boll. R. Com. Geol. Ital. ix, 1878, 521, i, 5.
- stiliformis**, Novara-Exped., Geol. (2), 1866, 233, vi, 69.
- stimulea**, Schwager. *Ibid.* (2), 1866, 226, vi, 57.
- stipitata**, Reuss. Denkschr. k. Ak. Wiss. Wien, i, 1850, 366, xlvi. 4.
- Reuss, Sitz. k. Ak. Wiss. Wien, xlvi, (1), 1863 (1864), 65, vii, 88.
- v. **costulata**. Reuss. Sitz. k. Ak. Wiss. Wien, LXII, (1), 1870, 471; figd. by v. Schlücht, "Foram. Septar. Pietzpuhl," 1870. vii, 21.
- stöhri**, Schwager. Boll. R. Com. Geol. Ital. ix, 1878, 520, i, 2.
- striaticollis**, d'Orbigny. Barker, Webb & Berthelot. Hist. Nat. Iles Canaries, 1839, ii, (2), "Foraminifères," 124, i, 2, 3 and 4.
- Reeve, Conch. system. ii, 1842, 293, ccxcvii, 13.
- Mackie, Science Gossip, 1867, 130, f. 117.
- striatissima**, Stache. Novara-Exped., Geol. (1), 1864, 198, xxii, 25a, b, c, d, e, f.
- subacicula**, Richter. In Geinitz, Dyas, etc. 1861, (1), 121, xx, 27.
- subæqualis**, Costa. Mem. Acc. Sci. Napoli, ii, 1855 (1857), 140, i, 5.
- Silvestri, Atti Accad. Gioenia Sci. Nat. n. s., vii, 1872, 91, xi, 260-263.
- subæqualis**, Reuss. Sitz. k. Ak. Wiss. Wien, LXII, (1), 1870, 471; figd. by v. Schlücht "Foram. Septar. Pietzpuhl," 1870. vi, 23 and 26.
- subalpina**, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 616, i, 26a, b.

- NODOSARIA** subarcuata (Montagu). Brown, Illustr. Recent Conch. Gt. Brit. ed. 2, 1844, 1, i. 18 [*Nutilus*, 1803].
 —— (D.) subcanaliculata, Nengeb. [var.]. Brady, Report Challenger, 1884, 512, lxiv, 23 and 24 [*Dentalina*, 1856].
 —— subinflata, Costa. Atti Accad. Pontaniana, VII (2), 1856, not deser., xxvii, 6 and 7.
 —— sublongiscata, Terquem. Mém. Ac. Imp. Metz, XLII, 1862, 437, f. a, b.
 —— subobliquestriata, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 612, i. 17.
 —— (Dent.) subornata, Reuss. Sitz. k. Ak. Wiss. Wien, LII, (1), 1865 (1866), 459, pl. 9 and 10.
 —— Sherborn & Chapman, Journ. R. Micr. Soc. [2], VI, 1886, 747, xiv, 30.
 —— subradicula, Schwager. Novara-Exped., Geol. (2), 1866, 222, v, 50.
 —— subrhombica, Stache. Ibid. (1), 1864, 201, xxii, 26.
 —— subsimilis, Stache. Ibid. (1), 1864, 195, xxii, 21.
 —— (Dent.) substriata, d'Orbigny, see *Orthoceras* [*v. Dentalina*].
 —— substrigata, Stache. Novara-Exped., Geol. (1), 1864, 196, xxii, 22a, b, c.
 —— subtortuosa, Schwager. Ibid. (2), 1866, 235, vi, 74.
 —— —— —— Brady, Report Challenger, 1884, 507, lxii, 7 and 8.
 —— subulata, Reuss. Verstein. Böhm. Kreide, 1845-6, I, 26, xiii, 11.
 —— subulata, Ehrenberg. Mikrogeologie, 1854, xxv, i, 4, 5 [= *N. filiformis*, d'O.].
 —— sulcata, d'Orbigny. Ann. Sci. Nat. VII, 1826, 253, No. 21.
 —— —— —— = *N. raphanus* (monstrous), see *Polymorpha*.
 —— sulcata, Costa. Mem. Acc. Sci. Napoli, II, 1855 (1857), 140, i, 4.
 —— sulcata, Nilsson. K. Vet. Ak. Handl. 1825 (1826), 341, no fig. [v. also *Dentalina*].
 —— —— Nitss, Petrif. Suecana, 1827, 8, ix, 1a, A, B [error for 19].
 —— —— Hisinger, Lethaea Svecica, 1837, 33, x, 4a, b.
 —— —— Rss., Verstein. Böhm. Kreide, 1845-6, I, 26, xiii, 17.
 —— (Dent.) sulzensis, Andreae. Abh. geol. Spezialkarte Elsass-Lothr. II, (3), 1884, 203, x, 16 and 17.
 —— tauricornis, Schwager. Novara-Exped., Geol. (2), 1866, 228, vi, 61.
 —— tenella, Eichwald. Zoologia specialis, II, 1830, 23, ii, 4.
 —— —— —— Eichwald, Lethaea Rossica, III, 1853, 9, i, 5a, b, c.
 —— tenuicollis, Reuss. Sitz. k. Ak. Wiss. Wien, LII, (1), 1865 (1866), 452, pl. 6 [*Dentalina*, 1855].
 —— tenuicosta, Reuss. Verstein. Böhm. Kreide, 1845-6, I, 25, xiii, 5 and 6.
 —— —— Berthelin, Mém. Soc. Géol. France, [3], I, 1880, 32, i (xxiv), 18a, b.
 —— tenuicostata, Costa. Fauna Regno Napoli, 1838, "Foraminiferi," 16, iii, 3.
 —— —— —— Costa, Atti Accad. Pontaniana, VII, (2), 1856, 156, xii, 5; xvi, 8-13.
 —— tenuis, Olszewski. Sprawozd. Kom. fizj. Ak. Umiej. Krakowie, IX, 1875, 101, i, 3.
 —— tetragona, Costa. Mem. Accad. Sci. Napoli, II, 1855 (1857), 116, i, 1A, C.
 —— tetragona, Reuss. Sitz. k. Ak. Wiss. Wien, XI, 1860, 181, ii, 1.
 —— —— —— Reuss' Model. No. 18, 1865 (Catal. No. 36, 1861).
 —— texana, Conrad. Report U. S. and Mexican Boundary Survey, (2), 1857, 159, xiv, 4a, b, c.
 —— tholigera, Schwager. Novara-Exped. Geol. (2), 1866, 218, v, 41.
 —— tornata, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 96, ii, 9.
 —— —— —— Schwager. Novara-Exped., Geol. (2), 1866, 223, v, 51.
 —— tosta, Schwager. Ibid. (2), 1866, 219, v, 42.
 —— triloculata, Karrer. Sitz. k. Ak. Wiss. Wien, IV, (1), 1867, 367, iii, 9.
 —— truncata, Ehrenberg. Mikrogeologie, 1854, xxix, 44 [= *N. subulata*, Reuss].
 —— tuberosa, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 97, iv, 19.
 —— tubifera, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, (1), 1862 (1863), 37, II, 4.

- NODOSARIA** *tumescens*, Ehrenberg. Mikrogeologie, 1854, xxiv, 7; and xxxii, ii, 4 [= *N. ovicula*, d'Orb.].
- *tumidiuscula*, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 610, i, 14.
- *turbiformis*, Schwager. Jahresh. Ver. vat. Nat. Württ. xxi, 1865, 98, ii, 13.
- *turgescens*, Ehrenberg. Mikrogeologie, 1854, xxv, i, A, 6; and xxvii, 2 [= *N. ovicula*].
- *turgidula*, Costa. Atti Accad. Pontaniana, vii, (2). 1856 152, xili, 3.
- *tympanoplectriformis*, Schwager. Novara-Exped., Geol. (2), 1866, 215, v, 34.
- *typus*, Seguenza. Atti R. Acc. Lincei, [3], vi, 1880, 136, xiii, 2.
- *undecimcostata*, Geinitz. Charakt. Schicht. Petref. sächs.-böhm. Kreidegeb. 1850, 69, xvii, 19a, b.
- *undulata*, d'Orbigny. Ann. Sci. Nat. viii, 1826, 253, No. 26.
- *urceolata*, Ehrenberg. Mikrogeologie, 1854, xxxvii, viii, 5 [a cast].
- *variabilis*, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. iii, 1852, 58, i, 47-49 [= *N. ehrenbergana*, Neugeb., 1860].
- *variabilis*, Terq. & Berthelin. Mém. Soc. Géol. France, [2], x, 1875, 20, i (xi), 19a-f.
- (Dent.) *vasarhelyii*, Hantken. Magyar Földt. Társ. Munkálatai, iv, 1868, 89, ii, 35 [v. also *Dentalina*].
- *venusta*, Reuss. Denkschr. k. Ak. Wiss. Wien, i, 1850, 367, xlvi, 5.
- — — — — Hantken. A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 20, xii, 14; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 24, same pl. and fig.
- (Dent.) *vermiculum*, Reuss. Denkschr. k. Ak. Wiss. Wien, xxv, 1865, 133, ii, 14 and 15.
- *verruculosa*, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. iii, 1852, 55, i, 43.
- — — — — Brady, Report Challenger, 1884, 509, lxiii. 17 and 18.
- *vertebralis* (Batsch). Brady, ibid. 1884, 514, lxiii, 35; lxiv, 11-14 [*Nauvitulus* (*Orthoceras*), 1791; v. *Dentalina*].
- *vulgaris*, Ehrenberg. Mikrogeologie, 1854, xxxii, i, 2; and xxxii, ii, 5 [= *N. glabra*, d'Orb.].
- — — — — Mikrogeologie, 1854, xxix, 43a, b [= *N. subulata*, Reuss].
- *waageni*, Schwager. Benecke's Geogn. Pal. Beiträge, i, 1868, 655, xxxiv, 6.
- — — — — Deecke, Mém. Soc. Emul. Montbéliard, xvi, 1886, [23], i, 10.
- *webbiana*, Reeve. Conch. system, ii, 1842, 294, ccxcvii, 16 [*Marginulina*, d'Orb. = *Marginulina*].
- *wetzeli*, Andreæ. Abh. geol. Specialkarte Elsass-Lothr. ii, (3), 1884, 298, vi, 12.
- (Dent.) *zsigmondyi*, Hantken. Magyar Földt. Társ. Munkálatai, iv, 1868, 87, i, 12.
- *zippei*, Reuss. Geogn. Skizze aus Böhmen, ii, (1), 1844, 210.
- — — — — Reuss, Verstein. Böhm. Kreide, 1845-6. i, 25, viii, 1-3.
- — — — — Jones, Lecture Geol. Hist. Newbury, 1854, 48, ii, 1. 1a.
- — — — — Fric, Stud. Gebiete Böhmischen Kreideform. ii, 1877, 150, f. 154.
- — — — — Fric, Arch. Nat. Landesd. Böhmens, vii, 1889, 110, wood-cut 156.
- — — v. *alternata*, Jones MS. Wright, Proc. Belfast Nat. Field Club. 1884-5, App. ix. 1886, 330, xxvii, 10.
- sp.? Ehrenberg, Mikrogeologie, 1854, xxxvii, ix. B, 1.
- sp. ind., Stache, Novara-Exped., Geol. (1), 1864, 194, xxii, 18; 195, xxii, 20.
- sp., Schwager, Jahresh. Ver. vat. Nat. Württ. xxi, 1865, 97, ii, 10 and 11; 98, ii, 12; 99, ii, 15.
- sp., Schwager, Novara-Exped., Geol. (2), 1866, 235, vi, 73 [error for 75].
- sp. ind., Hantken. A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 23, xii, 12; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 29, same pl. and fig.

- NODOSARIA**, sp. ind., Terrigi, Atti Acc. Pont. Nuovi Lincei, XXXIII, 1880, 180, i, 9.
 [———, sections of], Soldani, Sagg. Origg. 1780, 107, v, 38*R*, *S* [= *bacillum*].
 ——— Wetherell, Trans. Geol. Soc. Lond. [2], v, 1834 (1840), 135, ix, 3-7 [3 = *D. buchii*, Rss.; 4 = *D. communis*; 5 = *D. spinulosa*; 6, 7 = *Clavulina communis*].
 ——— Dujardin, Mém. Soc. Géol. France, [1], ii, 1835, 239, xvii, 16.
 ——— Lyell, Elements Geology, 1838, 55, f. 20 [= *N. bacillum*].
 ——— [hispidæ], Pictet, Traité de Paléont. iv, 1846, 219, xii, 2.
 ? Ehrenberg, Abhandl. k. Ak. Wiss. Berlin, 1847, 456, v, ii, 108.
 ——— Pilla, Trattato di Geol. (1), 1847, 461, f. 82.
 ——— Ansted, Ancient World, 1847, 237, f. 93; ed. 2, 1848, 221, f. 89.
 ? ——— “probably *N. spinicosta*, d’O.” (“cast”), Carter, Journ. Bombay Branch R. Asiatic Soc. iii, 1849, 171, ix, 1a-c.
 ? ——— Ehrenberg, Mikrogeologie, 1854, xxi, 97*a*, b [? chambers of *Globigerina*; not *Nodosaria*].
 ——— [zippeij], Mantell, Medals Creation, ed. 2, 1854, 347, f. 111, 5.
 [———] Costa, Mem. Acc. Sci. Napoli, ii, 1855 (1857), not descr., i, 30 and 34.
 ——— var. Costa, *ibid.* ii, 1855 (1857), 139, i, 17.
 ——— Ehrenberg, Abhandl. k. preuss. Ak. Wiss. Berlin, 1855, 160, i, v [*Glanconite*].
 ? ——— Ehrenberg, Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 307 and 337, i, f. ii [*glauconite*].
 ——— Eley, Geol. in the Garden, 1859, 198, iv, 23 [flint cast]; and 202, ix, 23*C.*
 ——— Carpenter, Parker & Jones, Introd. Foram. 1862, xxii, 8*A*.
 ——— [*bacillum*], Costa, Annali Acc. Aspiranti Nat. Napoli, (3), iii, 1863 (1864), 34, v, f. ix.
 ——— Schmid, Neues Jahrbuch, 1867, 586, vi, 54 [= *radicula*, v. *annulata*, Brady].
 ——— v. Schlicht, Foram. Septar. Pietzpuhl, 1870, pls. vi-viii, x, xxxviii.
 ——— Terq. & Berthelin, Mém. Soc. Géol. France, [2], x, 1875, 18, i (xi), 14*a-f* [fragments, etc.].
 ——— Carpenter, Ency. Brit. ed. 9. ix, 1879, “Foraminifera.” 374, i, 10.
 ——— fragments, v. Dmnikowski, Denkschr. k. Ak. Wiss. Wien, XLV, (2), 1882, 194, vi, 72-74.
 ——— Neumayr, Stämme d. Thierreiches, i, 1889 (1888), 183, f. 25*b*.
 ? ——— Wisnioski, Jahrb. k. k. Geol. Reichs. XXXVIII (1889), 696, xiii, 69, 70.
 ——— sp., Sherborn & Chapman, Journ. R. Micr. Soc. 1889, 486, xi, 19.
 ——— see *Orthoceras*.
- NODOSARINA**, Ehrenberg, 1838. Abh. k. Ak. Wiss. Berlin, 1838 (1840), Tab. 1 [a family group name].
- NODOSARINA**, Parker & Jones, 1859. Annals Mag. Nat. Hist. (3), iii, 1859, 477.
- *calcar* (Linn.). Goës, K. Svenska Vet. Akad. Handl. xix, No. 4, 1882, 49, iii, 52-61 [*Nutilus*, 1758].
- *carinata* (d’Orb.). *Ibid.* xix, No. 4, 1882, 58, i, 65-67 [*Lingulina*, 1826].
- *communis* (d’Orb.). *Ibid.* xix, No. 4, 1882, 26, i, 11-16 [*Dentalina*, 1826].
- *communis*, v. *obliqua* (Linn.). *Ibid.* xix, No. 4, 1882, 31, i, 17-19 [*Nutilus*, 1758].
- *complanata* (Defr.). *Ibid.* xix, No. 4, 1882, 56, iii, 62-64 [*Frondicularia*, 1824].
- *crepidula* (F. & M.). *Ibid.* xix, No. 4, 1882, 43, ii, 44; iii, 36-43 [*Nutilus*, 1798].
- ——— ——— v. *cassis* (F. & M.). *Ibid.* xix, No. 4, 1882, 49, iii, 50 and 51 [*Nutilus*, 1798].
- ——— ——— v. *italica* (Defr.). *Ibid.* xix, No. 4, 1882, 47, iii, 45-49 [*Saracenaria*, 1824].
- *legumen* (Linn.). *Ibid.* xix, No. 4, 1882, 34, ii, 20-31 [*Nutilus*, 1758].
- ——— ——— v. *linearis* (Mont.). *Ibid.* xix, No. 4, 1882, 39, ii, 32-35 [*Nutilus*, 1808].
- *radicula* (Linn.). *Ibid.* xix, No. 4, 1882, 10, i, 1 and 2 [*Nutilus*, 1758].
- ——— ——— var. *monile* (Sold.). *Ibid.* xix, No. 4, 1882, 15, i, 3-7 [*Orthoceras*, 1789].

- NODOSARINA** *radicula*, (Linn.) v. *raphanus* (Linn.). *Ibid.* xix, No. 4, 1882, 20, i, 9 and 10 [*Nautilus*, 1758].
 ————— v. *scalaris* (Batsch). *Ibid.* xix, No. 4, 1882, 21, i, 8 [*Nautilus*, 1791].
 ————— Carpenter, Parker & Jones, Introd. Foram. 1862, 159, xii, 1-7 [structural]
- NODOSINELLA**. Brady, 1876. Carbonif. Foram., Pal. Soc. xxx, 1876, 102.
concinna, Brady. *Ibid.* xxx, 1876, 106, vii, 11-15.
 ————— Schwager, Boll. R. Com. Geol. Ital. viii, 1877, 26, pl. 83.
cylindrica, Brady. Carbonif. Foram. Pal. Soc. xxx, 1876, 104, vii, 4-7.
digitata, Brady. *Ibid.* xxx, 1876, 103, vii, 1-3.
index (Ehrenberg). v. Möller, Mém. Ac. Imp. Sci. St. Petersburg, [7], xxvii, No. 5, 1879, 74, ii, 7a, b; v, 5 [v. *Nodosaria*].
lahuseni, v. Möller. *Ibid.* [7], xxvii, No. 5, 1879, 75, v, 6a, b and 7.
lingulinoides, Brady. Carbonif. Foram., Pal. Soc. xxx, 1876, 106, vii, 24 and 25.
priscilla (Dawson). Brady, *ibid.* xxx, 1876, 105, vii, 8 and 9 [*Dentalina*, 1868].
tenuis, v. Möller. Mém. Ac. Imp. Sci. St. Petersburg, [7], xxvii, No. 5, 1879, 76, v, 8a, b.
 ————— v. Möller, Jahrb. k. k. geol. Reichsanstalt. xxx, 1880, 577, ix, 7d.
 ————— v. Möller, Verh. russ. k. min. Ges. (2), xvi, 1881, ix, 6d [error for 7d] [in rock section].
- NODOTES**, misprint for *Vodosaria*. Spratt, Geol. of Malta, etc. 1854.
- NOIGERINA**, Rzehak, 1888. Misprint for *Urigerina*.
- NONION** *incrassatus*, Moutfort. Conch. syst. i, 1808, 211, 53d genre [= *Nonionina*].
- NONIONINA**, d'Orbigny, 1826. Ann. Sci. Nat. vii, 1826, 293; Brady, Report Challenger, 1884, 724.
 ————— *acervata*, Ehr. Bericht. k. preuss. Ak. Wiss. Berlin, 1843, 167.
 ————— *affinis*, Reuss. Zeitschr. deutsch. geol. Ges. iii, 1851, 72, v, 32.
 ————— *aglajæ*. Ehrenberg. Abh. k. Ak. Wiss. Berlin, 1872 (1873), iv, 3.
? ————— *archetypus*, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 310 and 337, i, xiii [*Glaucanite*].
 ————— *arctica*, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1841, 427.
 ————— *asterizans* (Fichtel & Moili), v. *Nautilus* 1798.
 ————— [*asterisans*] (F. & M.). Parker & Jones, Annals Mag. Nat. Hist. (2), xix, 1857, 287, xi, 20 and 21.
 ————— Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxiii, 1880, 217, iv, 78.
 ————— Brady, Report Challenger, 1884, 728, cix, 1 and 2.
 ————— see *Polystoma crispa* (Linn.).
 ————— see *Florulus*.
 ————— *astræa*, Ehrenberg, Mikrogeologie, 1854, xxv, ii, B, 8 [= ? vide Parker and Jones, Annals, ix, 1872, 288].
 ————— *attenuata*, Costa. Atti Accad. Pontaniana, vii, (2), 1856, 202, xvii, 10A, B.
 ————— *badensis*, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 37, iv, Geissberger schicht, 3 [= *Planorbolina*, near *Ammonoides*].
 ————— *barleeana*, Williamson. Recent British Foram. 1858, 32, iii, 68 and 69 [= *N. umbilicatula*].
 ————— Terquem, Ess. Anim. Plage Dunkerque, (2), 1876, 71, viii, 2a, b (and Mém. Soc. Dunkerquoise).
 ————— *bathyomphala*, Reuss. Sitz. k. Ak. Wiss. Wien, xlvi, (1), 1862 (1863), 95, xiii, 1a, b.
? ————— *bavarica*, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1855, 163, iii, i-iv [= young *Amphistegina*] [Glare.].
? ————— ————— Bronn, Klassen Ordn. Thier-Reichs, i, 1859, 70, viii 6.
? ————— ————— Carpenter, Parker and Jones, Introd. Foram. 1862, xxii, 7 [cast] [= *Amphistegina*].
 ————— *birmenstorfensis*, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 29, iii, 39 [= probably a *Planorbina*].
 ————— *borealis*, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 306.
 ————— ————— Ehrenberg, Abh. k. Ak. Wiss. Berlin, 1872 (1873), i, 18.

- NONIONINA** boueana, d'Orbigny. Foram. Fossiles Vienne, 1846, 108, v, 11 and 12.
 ——— ——— ——— Pietet, Traité de Paléont. 2 ed., iv, 1857, 498, eix, 17.
 ——— ——— ——— Reuss, Bull. Ac. Roy. Belg. [2], xv, 1863, 156, iii, 47 and 48.
 ——— (cf.) [Boneana], d'O. Schwager, Palaeontographica, xxx, 1883, Pal. Theil, 138, xxvii (4), 1a-d.
 ——— ——— ——— Brady, Report Challenger, 1884, 729, eix, 12 and 13.
 ——— ——— ——— v. *armata*, Brady. *Ibid.* 1884, 730, exv, 9a, b.
 ——— ——— ——— Balkwill & Wright, Trans. R. Irish Ac. xxviii (Sci.), 1885, 353, xiii, 27 [*Polystomella arctica*].
 ——— ——— ——— Terrigi, Mem. R. Acc. Lincei, (4), vi, 1889, 119, x, 5.
 ——— **brownii**, d'Orbigny. De la Sagra Hist. Phisiq. etc., Cuba, 1839, 'Foraminifères,' 45, vii, 22 and 23; also in Spanish, 1840, 67, same pl. and fig.
 ——— **bulloides**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 293, No. 2 [v. *Pullenia*].
 ——— ——— D'Orbigny, Foram. Fossiles Vienne, 1846, 107, v, 9 and 10.
 ——— ——— Costa, Atti Accad. Pontaniana, vii, (2), 1856, 200, xvii, 1a, A, B [error for 9] and 13.
 ——— ——— Bronn, Lethæa Geognostica, ed. 3, iii, 1853-56, 223, xxxv², 15a, b.
 ——— ——— var. Borneemann, Zeitschr. deutsch. geol. Ges. vii, 1855, 339, xvi, 1-3.
 ——— ——— Parker & Jones, Annals Mag. Nat. Hist. (2), xix, 1857, 28, xi, 9 and 10.
 ——— ——— Reuss' Model. No. 49, 1865 (Catal. No. 95, 1861).
 ——— **buxovillana**, Andreæ. Abh. geol. Specialkarte Elsass-Lothr. ii, (3), 1884, 254, xi, 3.
 ——— **canariensis**, d'Orbigny. Barker-Webb & Berthelot, Hist. Nat. Iles Canaries, 1839, ii, (2), 'Foraminifères,' 128, ii, 33 and 34 [v. *Lituola*; *L. nautiloides*, var.; *Placostolina* and *Haplophragma*].
 ——— **communis**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 294, No. 20.
 ——— ——— D'Orbigny, Foram. Fossiles Vienne, 1846, 106, v, 7 and 8.
 ——— ——— Bronn, Lethæa Geognostica, ed. 3, iii, 1853-56, 222, xxxv², 14a, b.
 ——— ——— Egger, Nenes Jahrbuch, 1857, 298, xiv, 11-15.
 ——— ——— Parker & Jones, Annals Mag. Nat. Hist. (2), xix, 1857, 287, xi, 7 and 8.
 ——— ——— Reuss' Model. No. 63, 1865 (Catal. No. 94, 1861) [= *N. seapha*, F. & M.].
 ——— ——— Terquem, Ess. Anim. Plage Dunkerque, (1), 1875, 24, i, 17a, b (and Mém. Soc. Dunkerquoise).
 ——— ——— Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxiii, 1880, 218, iv, 75 and 76,
 ——— ——— Terquem, Mém. Soc. Géol. France, [3], ii, 1882, 42, ii (x), 6a, b.
 ——— ——— Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxv, 1883, 205, iv, 51.
 ——— ——— Quenstedt, Handbuch Petref. ed. 3, (5), (1885), 1052, lxxxvi, 23.
 ——— **compacta**, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur, 1866, 18, iii, 17 [= *Planorbolina*].
 ——— **compressa**, Roemer. Verst. n. d. Kreide, 1840-1, 99, xv, 33.
 ——— ——— Reuss, Verstein. Böhm. Kreide, 1845-6, i, 35, viii, 51.
 ——— (?) ——— Eley, Geol. in the Garden, 1859, 198, v, 28 [flint cast].
 ——— **costata**. Roemer. Nenes Jahrbuch, 1838, 392, iii, 67.
 ——— **crassula** (Walker & Jacob), v. *Nautilus*.
 ——— ——— Gosse, Mammal Mar. Zool. 1855, 12, f. 12.
 ——— [(Mont.)] Parker & Jones, Annals Mag. Nat. Hist. [2], xix, 1857, 286, xi, 5 and 6.
 ——— ——— Williamson, Recent British Foram. 1858, 33, iii, 70 and 71 [on page 97 described as *N. umbilicatula* = *N. depressula*, W. & J.].
 ——— ——— Terquem, Ess. Anim. Plage Dunkerque, (1), 1875, 24, i, 18a, b (and Mém. Soc. Dunkerquoise).
 ——— ? [d'Orb.]. Hopkins, Execut. Doc., 45 Congress, Sess. 3, iv, Rpt. Chief Engineers, (2), App. W, 1878-79, 885, ii, 67.

- NONIONINA crassula** (W. & J.) [d'Orb.]. Jones, Microgr. Dict. ed. 4, 1883, 544, xxiv, 18a, b.
? — **crisiæ**, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 285.
? — — — — Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), iii, 8.
? — **crystallina**, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 285.
— — — — Ehr., in Koldewey, Zweite Deutsche Nordpolarfahrt, 1874, ii, n. d., i, 4.
— — **dense-punctata**, Egger. Neues Jahrbuch, 1857, 299, xiv, 22 and 23.
— — **depressa** (d'Orbigny). Reuss in Geinitz, Grundr. Verstein. 1845-46, 666, xxiv, 34 [= *Heterostegina*, 1826].
— — **depressula** (Walker & Jacob). Anon, Science Gossip, 1870, 12, f. 29 [*Nautilus*, 1798].
— — — — Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxiii, 1880, 218, iv, 77.
— — — — Brady, Report Challenger, 1884, 725, cix, 6 and 7.
— — — — Brady, Parker & Jones, Trans. Zool. Soc. xii, (7), 1888, 229, xlili, 25.
— — — — Terrigi, Mem. R. Acc. Lincei, (4), vi, 1889, 119, x, 4.
— — — — see *Polystom. crispa* (Linn.).
— — **elegans**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 294, No. 10.
— — **elegans**, Williamson. Recent British Foram. 1858, 35, iii, 74 and 75 [= *Opercul. ammonoides*, Gron.].
(cfr.) — — — — Tate & Blake, Yorkshire Lias, 1876, 473, xvii, 39.
— — **elongata**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 294, No. 18.
— — **elyptica**, d'Orbigny. Ibid. vii, 1826, 294, No. 16.
— — **erythræa**, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1838, 132.
— — **escheri**, Kaufmann. In Heer, Urwelt Schweiz, 1865, 198, f. 110; and transl. 1876, 208, f. 110 [= *Globig. cretacea*].
— — **excavata**, Seguenza. Atti Accad. Gienia Sci. Nat. [2], xviii, 1862, 98, i, 4, 4a.
— — **exponens**, Brady, Parker & Jones. Trans. Zool. Soc. xii, (7), 1888, 230, xlili, 16.
— — **faba** (Fichtel & Moll). Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxv, 1883, 204, iv, 50 [= *Nautilus*, 1798].
— — — — see *Chrysolus*.
— — — — see *Polystom. crispa* (Linn.).
— — **falx**, Czjzek. Haidinger's Nat. Abh. ii, 1848, 142, xii, 30 and 31 [v. *Pullenia*].
— — **floridana**, Ehrenberg. Abh. k. Ak. Wiss. Berlin, 1872 (1873), v, 1.
— — **flustrella**, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 286.
— — **formosa**, Seguenza. Atti R. Acc. Lincei, [3], vi. 1880, 63, vii, 6.
— — **fraasana**, Gümbel. Jahresh. ver. vat. Nat. Württ. xviii, 1862, 233, iv, 5a, b.
— — **fusca**, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 23.
— — **germanica**, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1839, 133, ii, Ia-g; Transl. Taylor's Scientific Memoirs, iii, 1843, 357, vi, Ia-g [= *N. umbilicatula* (Montagu)].
— — — — Mantell, Wonders Geol. 1848, 6th ed., 323, f. 59.
— — — — (—) Joly & Leymerie, Mém. Ac. Sci. Toulouse, [3], iv, 1848, 215, 1, 19-21.
— — — — Hartwig, Magt van het Kleine, 1849, 111, f. 3, and 1866, 102, f. 41; German by Dr. A. Schwartzkopf, 1851, 81.
— — — — Hartwig, Verh. I. Kl. Koninkl.-Nederland Inst. 3 r. iv, 1852, 115, ii, 4 and 5.
— — — — Mantell, Medals Creation, ed. 2, 1854, 350, f. 113.
— — **glabra**, Roemer. Neues Jahrbuch, 1838, 392, iii, 66.
— — **globolus**, Eichwald. Lethæa Rossica, i, 1860, 350, xxii, 17a, b, c [v. also *Endothyra*].
— — **globosa**, v. Hagenow. Neues Jahrb. f. min. 1842, 574 [v. *Discorbina*; *Rotalia*].

- NONIONINA** *globulosa*, Ehrenberg. Heer, Urwelt Schweiz, 1865, 198, f. 111; and transl. 1876, 208, f. 111 [= *Planorb. ammonoides* and *Pl. ariminensis*, varr.].
- *græca*, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 23.
- *granifera*, Terquem. Mém. Soc. Géol. France, [3], II, 1882, 42, ii (x), 8a, b; 9a, b.
- *granosa*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 294, No. 8.
- — — D'Orbigny, Foram. Fossiles Vienne, 1846, 110, v, 19 and 20.
- — — Terquem, Mém. Soc. Géol. France, [3], II, 1882, 43, ii (x), 10a, b.
- — — Terrigi, Atti Acc. Pont. Nuovi Lincei, XXXV, 1883, 206, iv, 54.
- *grateloupi*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 294, No. 19.
- — — Dela Sagra, Hist. Phisiq. etc., Cuba, 1839, "Foraminifères," 46, vi, 6 and 7; also in Spanish, 1840, 67, same pl. and fig. [*N. grateloupi* on plate].
- *gravinensis*, Nicolucci. Nuovi Ann. Sci. Nat. Bologna, [2], VI, 1846, 200.
- *helicina*, Costa. Mem. Acc. Sci. Napoli, II, 1855 (1857), 123, i, 18 A, B, C.
- ? — ? — Costa, Atti Accad. Pontaniana, VII, (2), 1856, not descr., xiv, 13.
- *hemprichii*, Ehrenberg. Mikrogeologie, 1854, xxiii, 37 [very close to *N. scapha*].
- — — *Ibid.* 1854, xxiii, 46 [= *Rotalia beccarii*, v. *ammoniformis*].
- *heteropora*, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1847, 485.
- *heteropora*, Egger. Neues Jahrbuch, 1857, 300, xiv, 19-21.
- *hyalina*, Ehreuberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 286.
- — — Ehrenberg, Abh. k. Ak. Wiss. Berlin, 1872 (1873), iv, 4.
- *incrassata* (Fichtel & Moll), v. *Nautilus*.
- — — Terrigi, Atti Acc. Pont. Nuovi Lincei, XXXV, 1883, 205, iv, 52.
- — — Gümbel, Geol. Bayern, (1), II, 1885, f. 266, 24.
- *inflata*, Alth. Haidinger's Naturw. Abh. III, (2), 1850, 266, xiii, 22.
- *integra*, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1841, 427.
- *jaccardi*, de Loriot. Mém. Soc. Phys. Hist. Nat. Genève, XVIII, (1), 1865, 106, iii, 19.
- *jeffreysii*, Williamson. Recent British Foram. 1858, 34, iii, 72 and 73 [= *Hiplophrag. canariensis*, d'Orb.].
- — — Terquem, Ess. Anim. Plage Dunkerque, (2), 1876, 71, vii, 22 (and Mém. Soc. Dunkerquoise).
- — — var. *Ibid.* (3), 1881, 118, xiii, 25 (and Mém. Soc. Dunkerquoise).
- [*jeffreysii*] — Schlumberger, F. Journ. Nat., Feb., 1882, ii, 6 and 7.
- *koldeweyi*, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 286.
- — — Ehr., in Koldewey, Zweite Deutsche Nordpolarfahrt, 1874, ii, n. d., i, 6.
- *labradorica*, Dawson. Canad. Nat. V, 1860, 191, f. 4 [see *N. scapha*].
- — — J., P. & B., Crag Foram., Pal. Soc. XIX, 1866, n. d., ii, 44 and 45.
- *laevigata*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 293, No. 3.
- — — Guérin-Ménville's Cuvier Iconographie, Mollusques, 1829-43, 9, ii, 7.
- — — Cuvier, Animal Kingdom, Henderson's ed., II, 1834 (pls. 1837), 17, iii, 7.
- *levis*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 294, No. 11.
- — — D'Orbigny, Modèles, No. 46, 1826.
- — — P., J. & B. [d'O., Modèles 46], Ann. Mag. Nat. Hist. [3], XVI, 1865, 26, iii, 97 [= *N. incrassata*, F. & M.].
- — — Terquem, Mém. Soc. Géol. France, [3], II, 1882, 44, ii (x), 12-14.

- NONIONINA** *lævis*, d'Orbigny. Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 163, fig.
- *lamarckii*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 294, No. 13.
- *latescens*, Schwager. Palæontographica, XXX, 1883, Pal. Theil, 137, xxvi (3), 4a-c.
- *latidorsata*, Bornemann. Zeitschr. deutsch. geol. Ges. VII, 1855, 339, xvi, 4 [v. *Haplophragmium*].
- *leo*, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, (1), 1868, 190, v, 8.
- *limba*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 294, No. 14.
- — — D'Orb., Modèles, No. 11, 1826.
- — — P., J. & B. [d'O., Modèles 11], Ann. Mag. Nat. Hist. [3], XVI, 1865, 20, iii, 99.
- — — Basset, Ann. Soc. Sci. Charente-Inf. 1884 (85), 163, fig.
- **macromphalus**, Gümbel. Jahresh. Ver. vat. Nat. Württ. XVIII, 1862, 232, iv, 4a, b.
- **magdeburgica**, Philippi. Palæontographica, I, 1851, 81, xa, 21a [v. also *Robulina*].
- *melo*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 293, No. 4.
- — — = *N. pompilioides* (F. & M.), see *Nautilus melo*.
- *millepora*, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1841, 427, iii, vii, 50.
- **nautiloidea**, Costa. Atti Accad. Pontaniana, VII, (2), 1856, not descr., XX, 1.
- **neglecta**, Michelotti. Nat. Verh. Holland. Maatsch. Wetensch. Haarlem, [2], III (2), 1847, 15, not figured.
- **nodulosa**, Terquem. Cinquième Mém. Foram. Oolithique, 1883, 367, xli, 11a, b.
- — — Terquem, Mém. Soc. Géol. France, [3], IV, 1886, 47, v, 4 and 5.
- **nympharum**, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 286.
- **obliqua**, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 204, xvii, 17A, B.
- **oblonga**, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 21, ii, Macrocephalus-oolith 14 [= a *Planorbula*].
- ? — **ocellata**, Ehrenberg. Mikrogeologie, 1854, xxvii, 37 [= *Crist. cultrata*].
- **orbicularis**, Brady. Ann. Mag. Nat. Hist. [5], VIII, 1881, 415, xxi, 5a, b, — — — Brady, Denkschr. k. Ak. Wiss. Wien, XLIII, (2), 1882 [1881], 105, ii, 5a, b.
- — — Brady, Report Challenger, 1884, 727, cix, 20 and 21.
- **ornata**, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 203, xvii, ii, A, B, C [error for 17], xix, 8.
- **pauper**, Egger. Neues Jahrbuch, 1857, 300, xiv, 26 and 27.
- **pauperata**, Balkwill & Wright. Trans. R. Irish Ac. XXVIII (Sci.), 1885, 353, xiii, 25 and 26.
- **pelagica**, d'Orbigny. Voyage Amér. Mérid. 1839, V, (5), "Foraminifères," 27, iii, 1 and 2 [error for 13 and 14].
- **perforata**, d'Orbigny. Foram. Fossiles Vienne, 1846, 110, v, 17 and 18.
- — — Hoernes. Elem. Palæont. 1884, 25, f. 12; French ed., 1886, same fig.
- **placenta**, Reuss. Zeitschr. deutsch. geol. Ges. III, 1851, 72, v, 33 [v. *Haplophragmium*].
- **polystoma**, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 206, xiv, 10a, A, B.
- **politæ**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 294, No. 12.
- **pompilioides** (Fichtel & Moll). P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 246, xii, 158 [v. *N. melo*, d'O.] [v. *Nautilus*, 1798].
- — — Terrigi, Atti Acc. Pont. Nuovi Lincei, XXXV, 1883, 204, iv, 49.
- — — — — Brady, Report Challenger, 1884, 727, cix, 10 and 11.
- — — — — see *Melonis*.
- — — — — see *Nautilus cum ammonis admixta*.
- **punctata**, d'Orbigny. Foram. Fossiles Vienne, 1846, 111, v, 21 and 22.
- — — — — Terquem, Ess. Anim. Plage Dunkerque, (2), 1876, 71, viii, 1a, b (and Mém. Soc. Dunkerquoise).

- NONIONINA**, punctata, d'Orbigny. Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxv, 1883, 206, iv, 53.
- punctulata, d'Orbigny. Voyage Amér. Mérid. v, 1839, (5), "Foraminifères", 28, v, 21 and 22 [*N. punctata* on plate].
- punctulata, Costa. Atti Accad. Pontaniana, vii, (2), 1856, not descr., xix, 9.
- quaternaria, Reuss. Haidinger's Naturw. Abh. iv, (1), 1851, 34, ii, 13.
- — — Hitchcock, Elemt. Geology, 30th ed., 1860, 141, f. 97.
- quatriloba, Seguenza. Atti R. Acc. Lincei, [3], vi, 1880, "errata-corrigé," xvii, 15.
- quinqueloba, Reuss. Zeitschr. deutsch. geol. Ges. iii, 1851, 71, v, 31 [v. also *Pullenia*].
- rotula, Eichwald. Lethæa Rossica, i, 1860, 349, xxii, 18a, b, c [probably *Endothyra*, q. v.].
- rufis, Costa. Atti Accad. Pontaniana, vii, (2), 1856, 205, xx, 2A, B.
- rugosa, d'Orbigny. Ann. Sci. Nat. vii, 1826, 294, No. 17.
- scapha (Fichtel & Moll), v. *Nautilus*, 1798.
- — — J., P. & B., Crag Foram., Pal. Soc. xix, 1866, n. d., ii, 36 and 37.
- — — — — Brady, Nat. Hist. Trans. Northumb. i, 1865-67 (1867), 106, xii, 10a, b.
- — — — — v. labradorica. Dawson, Canad. Nat. n. s., v, 1870, 177, f. 5.
- — — — — v. labradorica. Dawson, Amer. Journ. Sci. [3], i, 1871, 206, f. 5; and Annals Mag. Nat. Hist. [4], vii, 1871, 86, f. 5.
- — — — — v. labradorica. Dawson, Canad. Nat. vi, 1872, 255, iii, 4.
- — — — — Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxv, 1883, 202, iv, 47.
- — — — — Brady, Report Challenger, 1884, 730, cix, 14, 15 and 16?.
- — — — — v. labradorica. Dawson, Handbook Zoology, ed. 3, 1886, 46, f. 38.
- — — — — Brady, Parker & Jones, Trans. Zool. Soc. xii, (7), 1888, 230, xliv, 20.
- — — — — Terrigi, Mem. R. Acc. Lincei, (4), vi, 1889, 120, x, 7.
see *Polystom. crispa* (Linn.).
- semistriata, d'Orbigny. Ann. Sci. Nat. vii, 1826, 294, No. 9.
- silicea, Schultze. Müller's Archiv, 1856, 171, viB, 4-7.
- simplex, Karrer. Novara-Exped., Geol. (1), 1864, 83, xvi, 17.
- sloanii, d'Orbigny. De la Sagra, Hist. Phisiq. etc., Cuba, 1839, "Foraminifères," 46, vi, 18 and 18bis; also in Spanish, 1840, 68, same pl. and fig.
- soldanii, d'Orbigny. Foram. Fossiles Vienne, 1846, 109, v, 15 and 16.
- — — Costa, Atti Accad. Pontaniana, vii, (2), 1856, 201, xvii, 11A, B.
— — — see *Nautilus melo*.
- solida, Terquem. Mém. Soc. Géol. France, [3], iv, 1886, 48, v, 7a, b.
- sphæroides, d'Orbigny. Ann. Sci. Nat. vii, 1826, 293, No. 1 [= *Pullenia*, q. v.].
- — — — — D'Orbigny, Modèles, No. 43, 1826.
- — — — — P., J. & B. [d'O., Modèles 43], Ann. Mag. Nat. Hist. [3], xvi, 1865, 26, ii, 57.
- — — — — Basset, Ann. Soc. Sci. Charente-Inf. 1884 (85), 163, fig.
- sphærica, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur, 1866, 15, iii, 1 [? a *Globigerina*].
- ? — spira, Ehrenberg. Mikrogeologie, 1854, xxx, 32 [= ?*Cristellaria*].
- spirillina, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 286.
- splendida, Boll. Geogn. deutsch. Ostseeländer, 1846, 177, ii, 15.
- stellata, Terquem. Mém. Soc. Géol. France, [3], ii, 1882, 43, ii (x), 11a, b.
- stelligera, d'Orbigny. Barker-Webb & Berthelot, Hist. Nat. Iles Canaries, 1839, ii, (2), "Foraminifères," 128, iii, 12 [error for 1 and 2] [*N. stellifera* on plate].
- — — — — Brady, Trans. Linnean Soc. xxiv, 1864, 471, xlviii, 19.

- NONIONINA stelligera**, d'Orbigny. Anon, Science Gossip, 1870, 12, f. 30.
 ——— Terquem, Ess. Anim. Plage Dunkerque, (1), 1875, 24, i, 16
 (and Mém. Soc. Dunkerquoise).
 ——— Brady, Report Challenger, 1884, 728, cix, 3-5.
 ——— see *Polystom. crispa* (Linn.).
- striato-punctata** (F. & M.). Schwager, Boll. R. Com. Geol. Ital. VIII,
 1877, 25, pl. 15 [*Nautilus*, 1798].
- striatula**, Nicolucci. Nuovi Ann. Sci. Nat. Bologna, [2], vi, 1846, 200.
- striolata**, Costa. Atti Accad. Pontaniana, VII, (2), 1856, 203, xvii, 12A, B.
- subangulosa**, Terquem. Cinquième Mém. Foram. Oolithique, 1883, 367,
 xli, 15a, b.
- subcarinata**, d'Orbigny. Voyage Amér. Mérid. 1839, v, (5), "Forami-
 nifères," 28, v, 23 and 24.
- subcarinata**, Seguenza. Atti Accad. Gienia Sci. Nat. (2), XVIII, 1862,
 98, 1, 3, 3a.
- subgranosa**, Egger. Neues Jahrbuch, 1857, 299, xiv, 16-18.
- tuberculata**, d'Orbigny. Foram. Fossiles Vienne, 1846, 108, v, 13 and 14.
- turgida** (Williamson). Terrigi, Atti Acc. Pont. Nuovi Lincei, XXXV, 1883, 207, iv,
 55.
- turgida** (Williamson). Anon, Science Gossip, 1870, 12, f. 28 [*Rotalina*,
 1858].
- umbilicata**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 293, No. 5, xv, 10-12
 [v. *Planorbulina*].
- umbilicata**, D'Orbigny, Modèles, No. 86, 1826.
- umbilicata**, Smedley, Ency. Metrop. 1845, undescr. pl. "Mollusca?" 11
 and 12.
- umbilicata**, Reuss in Geinitz, Grundr. Verstein. 1845-46, 666, xxiv, 33.
- umbilicata**, P., J. & B. [d'O., Modèles 86], Ann. Mag. Nat. Hist. [3],
 XVI, 1865, 32, iii, 98 [= *N. pomphiloides*, F. & M.].
- umbilicata**, see *Polystom. crispa* (Linn.).
- umbilicata**, = *Planorb.*, see *Nautilitæ*.
- umbilicata**, Terq. & Berthelin. Mém. Soc. Géol. France, [2], x, 1875,
 59, v (xv), 4.
- umbilicata**, Terquem. Ibid. [3], II, 1882, 42, ii (x), 7a, b.
- umbilicatula** (Montagu). P., J. & B. [Soldani], Ann. Mag. Nat. Hist.
 [4], VIII, 1871, 242, xii, 157 [see *Robulina planciana*, d'O. [*Nautilus*,
 1803]].
- umbilicatula**, Terrigi, Atti Acc. Pont. Nuovi Lincei, XXXV, 1883, 203, iv,
 48.
- umbilicatula**, Brady, Report Challenger, 1884, 726, cix, 8 and 9 (see
Nautilus).
 ——— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (85), 163, fig.
 ——— Macdonald, Annals & Mag. Nat. Hist. [2], XX, 1857, 193,
 v, 18 and 19.
- umbilicatula**, Brady, Parker & Jones, Trans. Zool. Soc. XII, (7), 1888,
 230, xlivi, 19.
- umbilicatula**, Williamson's Recent British Foram., see under *N. crassula*.
 ——— See *Polystom. crispa* (L.).
- villersensis**, de Loriol. Mém. Soc. Phys. Hist. Nat. Genève, XVIII, (1),
 1865, 107, iii, 20.
- sp. ind.** Hopkins, Execut. Doc., 45 Congress, Sess. 3, IV, Rpt. Chief
 Engineers, (2), App. W, 1878-79, 885, ii, 68.
- [**?]** Targioni, Relaz. d'alc. viaggi, IV, 1770, xii, i, 16 [see *Nautilo*].
- Pictet, Traité de Paléont. IV, 1846, 224, xii, 6.
- Williamson, Trans. R. Micr. Soc. III, 1849, 112, xvii, 4-7 [structure].
- [**?**] Dana, Wilkes' Explor. Exped. x, 1849, 729, xxi, 2, 2a, 3, 3a.
- Costa. Atti Accad. Pontaniana, VII, (2), 1856, not descr., xxii, 20.
- Chimmo, Bed of Atlantic, 1870, 24, viii, 1, 2 and 3 [= *Planorbulina*].
- d'O. v. Schlicht, "Foram. Septar. Pietzpuhl," 1870, plates XX and XXI.

- NONIONINA** (?) Vine, Science Gossip, 1878, 52, f. 32.
 —— Carpenter, Ency. Brit. 9th ed., IX, 1879, "Foraminifera," 374, i, 19.
 —— Neumayr, Stämme d. Thierreiches, I, 1889 (8), 185, f. 27a.
 —— see *Nautius* and *Nonion*.
- NUBECULARIA**, Defrance, 1825. Dict. Sci. Nat. xxxv, 1825, 210; Brady, Report Challenger, 1884, 133.
- *aegyptiaca*, Schwager. Palæontographica, xxx, 1883, Pal. Theil, 83, xxiv (i), 1a, b.
- *cristellaroides*, Terquem. Mém. Soc. Géol. France, [3], I, 1878; 14, i (vi), 5.
- *divaricata*, Brady. Challenger, 1884, 136, lxxvi, 11-15 [*Sagrina*, 1879].
- ? — *elongata*, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 77, xvi, 3; and Mith. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 87, same pl. and fig.
- *elongata*, Terquem. Mém. Soc. Géol. France, [3], II, 1882, 89, ix (xvii), 13a, b.
- *inflata*, Terquem. Ess. Anim. Plage Dunkerque, (2), 1876, 73, viii, 10a, b, c (and Mém. Soc. Dunkerquoise).
- *inflata*, Brady. Report Challenger, 1884, 135, i, 5-8.
- *lucifuga*, Defrance. Dict. Sci. Nat. xxxv, 1825, 210; Atlas, Zooph. xliv, 3.
- — — — — Blainville, Actinol. 1834, LXVI, 3, 3a-3d.
- — — — — Bronn, Lethæa Geognostica, ed. 3, III, 1853-56, 261, xxxv, 19a-e.
- — — — — Jones & Parker, Quart. Journ. Geol. Soc. XVI, 1860, xx, 52-56.
- [——] — — Carpenter, Parker & Jones, Introd. Foram. 1862, 69, v, 1-15 [structural].
- — — — — Bütschli in Bronn, Klassen, etc., Thier-Reichs, 1880, 191, iv, 9.
- — — — — Terquem, Mém. Soc. Géol. France, [3], II, 1882, 88, ix (xvii), 6-8.
- — — — — Brady, Report Challenger, 1884, 134, i, 9-16.
- — [group]. Haeusler, Neues Jahrb. 1887, I, 192, vi, 12-31.
- *novorossica*, Karrer & Sinzov, typ. *deformis*. Sitz. k. Ak. Wiss. Wien, LXXIV, (1), 1876 (1877), 283, pl. 26-28.
- — — typ. *nodula*. Ibid. LXXIV, (1), 1876 (1877), 281, pl. 11-25.
- — — sp. typ. *nodulus*, Terquem. Mém. Soc. Géol. France, [3], II, 1882, 89, ix (xvii), 10a, b, 11 and 12.
- — — — — typ. *solitaria*. Karr. & Sins., Sitz. k. Ak. Wiss. Wien, LXXIV, (1), 1876, (1877), 279, pl. 1-10.
- — — sp. typ. *solitaria*, Karr. Terquem, Mém. Soc. Géol. France, [3], II, 1882, 89, ix (xvii), 9a, b.
- *papillosa*, Seguenza. Atti R. Acc. Lincei, [3], VI, 1880, 92, x, 6a, b.
- *rugosa* (d'Orb.). Jones in Microgr. Dict. ed. 4, 1883, 547, xxiii, 21a, b [*Webbina*, 1839].
- *tibia*, Jones & Parker. Quart. Journ. Geol. Soc. XVI, 1860, 455, xx, 48-51.
- — — — — Brady, Q. Journ. Micr. Sci. XIX, 1879, 266, viii, 1 and 2.
- — — — — Brady, Report Challenger, 1884, 135, i, 1-4.
- — — (group). Haeusler, Neues Jahrb. 1887, I, 192, vi, 1-6.
- sp., Schwager. Boll. R. Com. Geol. Ital. VIII, 1877, 27, pl. 103.
- Nuclei ammoniarum seu ipsi ammoniteæ minimi petrifiacti**, etc., Soldani. Sagg. Oritt. 1780, 131, xvii, 86, B, C [= *Numinulites*].
- *conico-rotundati*, Sold. Testac. II, App. 1798, 138, pl. 1, 12, p, P [*Robulina orbicularis*, d'O., Ann. Sci. Nat. VII, 1826, 288, 2].
- *in thalamis orthoceratiorum nati*, Sold. Ibid. 1789, I, (1), 51, pl. 17, R, S [*Marginulina consecta*, d'O., Ann. Sci. Nat. VII, 1826, 259, 13].
- *ut supra*, qui tamen soluti reperiuntur in cretis della corona-cina, etc., Soldani. Sagg. Oritt. 1780, 107, V, 39, T, V [= *Glandulina levigata*].
- Numismale**, Deluc. Journ. de Physique, LIV, 1802, 179, i, 8-10 [from Lahour, Bengal].
- — — see *Nummulaires*.

- Numismales**, Scheuchzer. *Ουρεδιφουντης helveticus* (*Iter alpinum sextum*), 1723, 433, pl., 4 and 5.
- Numismales**, Deluc. *Journ. Physique*, LVI, 1802, 325, etc., pl., f. 13-15.
- Numismali lapidis Transylvaniæ**, Clusius. *Nomen. Pannon.* [= *Nummulites*].
- Nummali grandi**, Fortis. *Sagg. osserv. isola Cherso e Osero*, 1771, 109-111, pl., f. ii and iii.
- Nummalis lapis Transylvaniæ**, etc., Brueckmann, *Specimen Physicum Hist. Nat. Lap. Numm. Trans.* 1727, 2 figs.
- Nummi lapidei**, Mercatus. *Metall. Vatic.* 1717-19 [= *Nummulites*].
- NUMMOLOCULINA**, Steinmann, 1881. *Neues Jahrbuch*, 31.
- *contraria*, (d'Orb.). *Ibid.* 1881, 31, ii, 1-7 [*Biloculina*, 1846].
- *regularis*, Philipsson. *Ibid.* 1887, ii, 165. f. 1-7.
- Nummulaires**, Saussure. *Voy. dans Alpes*, 1779, I, 339, iii, 2 (see “*Numis-male*” and “*Lenticulaires*”).
- NUMMULARIA**, J. de C. Sowerby, 1826. *Mineral Conchology*, vi, 76, pl. 538 (Sept., 1826).
- *acuta*, J. de C. Sowerby. *Trans. Geol. Soc. Lond.* [2], v, 1837 (1840), 329, and explan. of plates, xxiv, 13, 13a.
- *? —* Carter, *Annals and Mag. Nat. Hist.* [2], xi, 1853, 171, vii, 21 and 22.
- *—* Carter, *Journ. Bombay Br. R. Asiatic Soc.* v, (18), (1853), 135, ii, 21 and 22.
- *—* Carter, *Geol. Papers Western India*, 1857, 451, xviii, 13, 13a.
- *elegans*, J. de C. Sowerby. *Mineral Conch.* vi, 76, dxxxviii (Sept., 1826), 2 [6 figures] [see T. R. Jones, *Quart. Journ. Geol. Soc.* xlivi, 1887, 132] [v. also *Nummulites*].
- *exponens*, Sowerby. *Trans. Geol. Soc. London*, [2], v, 1834 (1840), 719, lxi, f. 14a-e [v. also *Nummulina*, *Nummulites* and *Assilina*].
- *—*, Carter, *Geol. Papers Western India*, 1857, 464, xxi, 14a-e; and xxiii, 7 and 8.
- *lævigata*, Lamarck. J. de C. Sowerby, *Mineral Conchology*, vi, 75, dxxxviii (Sept., 1826), 1 [5 figures]. [See T. R. Jones, *Quart. Journ. Geol. Soc.* xlivi, 1887, 132] [v. *Nummulina* and *Nummulites*].
- *—* Brown, *Elen. Foss. Conch.* 1843, 19, ii, 6 and 7.
- *—* Dixon, *Geol. etc.*, Sussex, 1850, 85, viii, 12 and 13.
- *obtusa*, J. de C. Sowerby. *Trans. Geol. Soc. Lond.* [2], v, 1837 (1840), 329, and explan. of plates, xxiv, 14, 14a [v. *Nummulina* and *Nummu-lites*].
- *—* Carter, *Geol. Papers Western India*, 1857, 451, xviii, 14, 14a.
- *radiata* (Montf.). Dixon, *Geol.*, etc., Sussex, 1850, 85, ix, 7 [*Rotalites*, 1808 [= *N. variolaria*]].
- *rotula* (Lam.). Brown, *Elen. Foss. Conch.* 1843, 19, ii, 18 [*Lenticu-lites*, 1804] [= *Cristellaria*].
- *variolaria*, Lamarck. J. de C. Sowerby, *Mineral Conch.* vi, 76, dxxxviii (Sept., 1826), 3 [6 figures] [see T. R. Jones, *Quart. Journ. Geol. Soc.* xlivi, 1887, 132 [*Lenticulites*, 1804]] [v. *Nummulina* and *Nummulites*].
- Nummularia ex Monte Solidino**. Battarra, *Epist.* 1774, 18, iii, G.
- Nummularius lapis**, Gesner. *Dis. phys. petrif.* 1756, 12 and 31 [= *Num-mulites*].
- NUMMULINA**,¹ d'Orbigny, 1826. *Ann. Sci. Nat.* vii, 1826, 295.
- *antiquior*, Rouiller & Vosinsky. *Bull. Soc. Imp. Nat. Moscou*, xxii, 1849, 337, K, 66-78 [v. *Orobias*].
- *—* v. Möller. *Mém. Ac. Imp. Sci. St. Petersburg*, [7], xxv, No. 9, 1878, 43, i, 1a-d; vi, 1a, b.
- *[antiquor, Rouill.]*. Trautschold, *Nouv. Mém. Soc. Imp. Nat. Moscou*, xiv, (1), 1879, 42, vi, 3.
- *assilinoides*, Rütimeyer. *Nouv. Mém. Soc. Helvet. Sci. Nat.* xi, 1850, (2), 90, iii, 23-36; iv, 37-45.

¹ See also *Nummulites*.

- NUMMULINA** *biarritzana*, d'Archiac. Mém. Soc. Géol. France, [2], III, 1848, 414, ix, 15a, b and 16.
 ——— ——— Bronn, Lethaea Geognostica, ed. 3, III, 1853-56, 221, xxxv², 12¹a-d.
 ——— *biarritzensis*, d'Arch. Gümbel, Anleit. Geol. Beob. Alpenreisen, Zeitschr. D. and O. Alpenver., Beilage, 1878, 138, f. 48¹¹ [*Nummulites*, 1853].
 ——— *cellulosus*, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1838, 93; and Mikrogeologie, 1854, description to pl. xxiii, not figured.
 ——— *chartersi*, Savi & Meneghini. Consid. Geol. Toscana, 1851, 189 and 203, no fig. [v. also *Nummulites*].
 ——— *complanata*, Lamarck. Costa, Atti Accad. Pontaniana, VII, (1), (1853), 109, ix, 6 and 7 [*Nummulites*, 1804].
 ——— ——— Gümbel, Anleit. Geol. Beob. Alpenreisen, Zeitschr., D. and O. Alpenver., Beilage, 1878, 138, f. 48¹.
 ——— *crassa*, Boubée. D'Arch., Mém. Soc. Géol. France, [2], III, 1848, 415, ix, 16B, B', B'', B'''.
 ——— *curvispira*, Savi & Meneghini. Consid. Geol. Toscana, 1851, 137, no fig. [v. also *Nummulites*].
 ——— *discoidalis*, d'Orbigny. Modèles, No. 88, 1826 [v. also *Assilina*].
 ——— ——— Guérin-Méneville's Cuvier, Iconographie, Mollusques, 1829-1843, 9, ii, 6.
 ——— ——— Cuvier, Animal Kingdom, Henderson's ed. III, 1834 (pls., 1837), 17, iii, 6.
 ——— ——— Potiez & Michaud, Galerie des Mollusques Mus. Donai, I, 1838, 38, x, 5 and 6.
 ——— (*Assilina*) ——— P., J. & B. [d'O., Modèles, 88], Ann. Mag. Nat. Hist. [3], XVI, 1865, 33, iii, 94.
 ——— ——— Hartwig, The Sea, 1866, ed. 3, 378, f.
 ——— (*Assil.*) ——— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 163, f.
 ——— *discorbiformis*, Pusch. Polens Paläontologie, 1837, 164, xii, 18 [v. *Heterostegina*].
 ——— *discorbina*, d'Archiac. Hist. Prog. Géol. III, 1850, 236 [v. also *Nummulites*].
 ——— *djokdjokartæ*, Martin. Samml. Geol. Reichs. Mus. Leiden, [1], I, (2), 1881, 110, v, 9-11.
 ——— *ephippium*, Schlotheim. Pusch, Polens Paläontologie, 1837, 164, xii, 17 [*Lenticulites*, 1820].
 ——— *exponens* (Sow.). P., J. & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 178, xii, 153 [v. *Soldania spirorbis*, d'O.] [*Nummularia*, 1834].
 ——— ——— Gümbel, Anleit. Geol. Beob. Alpenreisen, Zeitschr. D. and O. Alpenver., Beilage, 1878, 138, f. 48¹⁰.
 ——— *fichteli*, Michelotti. Nat. Verh. Holland Maatsch. Wetensch. Haarlem, [2], III, (2), 1847, 15, i, 9 [*Nummulites*, 1841].
 ——— *garansensis*, Joly & Leymerie. Carpenter, Parker & Jones, Introd. Foram. 1862, 271, xviii, 3 [*Nummulites*, 1848].
 ——— ——— Gümbel, Anleit. Geol. Beob. Alpenreisen, Zeitschr. D. and O. Alpenver., Beilage, 1878, 138, f. 48⁷.
 ——— *germanica*, Bornemann. Zeitschr. deutsch. geol. Ges. XII, 1860, 158, vi, 3-9 [v. *Amphistegina* (*Nummularia*)].
 ——— *gizehensis*, Ehrenberg. Carpenter, Parker & Jones, Introd. Foram. 1862, 269, xviii, 1 [v. *N. gyzensis*, *infra*].
 ——— [*gizehemis*] ——— Hoernes, Elem. Palaeont. 1884, 26, f. 14; French ed., 1886, same fig.
 ——— ——— Steinmann, Elem. Paleont. I, 1888, 34, f. 21, E-G.
 ——— *globosa*, Rütimeyer. Nouv. Mém. Soc. Helvet. Sci. Nat. XI, (2), 1850, 77, iii, 21-24.
 ——— ——— Bronn, Lethaea Geognostica, ed. 3, III, 1853-56, 222, xxxv², 32¹a, b.
 ——— *globulina*, Michelotti. Nat. Verh. Holland Maatsch. Wetensch. Haarlem, [2], III, (2), 1847, 16, i, 11 and 12 [*Nummulites*, 1841].
 ——— *globulus*, Leymerie. Rütimeyer, Nouv. Mém. Soc. Helvet. Sci. Nat. XI, 1850, [2], 79, iii, 25-30 [*Nummulites*, 1844].

- NUMMULINA granulosa**, d'Archiac. Bull. Soc. Géol. France, [2], IV, 1847, 1010, no fig. [v. *Nummulites*].
 ————— D'Archiac, Mém. Soc. Géol. France, [2], III, 1848, 415, ix, 19a; 20, 21; 21B, 22.
 ————— var. D. Rouault, *ibid.* [2], III, 1848, 465, xiv, 10a.
 ————— Gümbel, Anleit. Geol. Beob. Alpenreisen, Zeitschr. D. and O. Alpenver., Beilage, 1878, 138, f. 48³.
gizehensis, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1838, 93; Mikrogeologie, 1854, XXIII, E, 2 [v. *N. gizehensis*, supra; *Nummulites* and *Nautilus*].
helvetica, Kaufmann. Beitr. geol. Karte Schweiz, (5), 1867, 145, viii, 1-12.
humbertina, Buvignier. Stat. Géol. etc., Meuse, 1852; Atlas, 47, xxxi, 32-35.
intermedia, d'Archiac. Mém. Soc. Géol. France, [2], III, 1848, 416, ix, 23a; 24a [*Nummulites*, 1846].
 ————— Gümbel, Anleit. Geol. Beob. Alpenreisen Zeitschr. D. and O., Alpenver., Beilage, 1878, 138, f. 48⁴.
irregularis, Michelotti. Nat. Verh. Holland Maatsch. Wetensch. Haarlem, [2], III, (2), 1847, 16, i, 8 [*Nummulites*, 1841].
laevigata, Lam. Cuvier, Règne Animal, 1836-46, IX (pls. x), 35, xiv, 3 [*Nummulites*, 1801].
 ——— [d'Orb.]. Galeotti, Mém. Couronnés Ac. R. Bruxelles, XII, 1837, (3), 141, iii, 12.
 ————— Pusch, Polens Paläontologie, 1837, 163, xii, 16.
 ————— Bronn, Lethaea Geognostica, ed. 2, 1837, 1136, xlvi, 26a, b, c.
 ————— Mantell, Pictorial Atlas Fossil Remains, 1850, 142, lxi, 13-16 [and 19].
 ————— Bronn, Lethaea Geognostica, ed. 3, III, 1853-56, 218, xxxv³, 9; xlvi, 26a, b, c.
 ————— Carpenter, Parker & Jones, Introd. Foram. 1862, 265 and 271, xviii, 2, 4-10.
 ————— Jones in Dixon, Geol. of Sussex, ed. 2, 1878, 172, viii [9], 12 and 13.
 ————— Gümbel, Anleit. Geol. Beob. Alpenreisen, Zeitschr. D. & O. Alpenver., Beilage, 1878, 138, f. 48⁵.
 ————— Nicholson, Manual Palaeont. 1879, I, 103, f. 17, D [structural].
 ————— Carpenter, The Microscope, ed. 6, 1881, 582, f. 334, 335, 336 [structural].
 ————— Steinmann, Elem. Paleont. I, 1888, 34, f. 21, K and L.
latispira, Savi & Meneghini. Consid. Geol. Toscana, 1851, 189, no fig. [v. also *Nummulites*].
lenticularis (Fichtel & Moll), v. *Nautilus*, 1798; v. also *Nummulites*.
 ————— Bronn, Lethaea Geognostica, ed. 2, 1837, 139, xxvii, 22.
 ————— Schaffhätl, Neues Jahrbuch, 1846, 418, viii, 3.
 ————— Bronn, Lethaea Geognostica, ed. 3, III, 1853-56, 215, xxxv², 13.
 ————— Schauroth, Sitz. k. Ak. Wiss. Wien, XVII, 1855, 542, iii, 2.
lenticularis, Montfort, non Boubée. Rouault, Mém. Soc. Géol. France, [2], III, 1848, 466, xiv, 11a, b [v. *Lycophris*].
lucasana, Defrance MS. D'Archiac, Hist. prog. Géol. III, 1850, 238 [v. also *Nummulites*].
 ————— Gümbel, Anleit. Geol. Beob. Alpenreisen, Zeitschr. D. & O. Alpenver., Beilage, 1878, 138, f. 48¹⁶ [v. *Nummulites*].
 ————— Hoernes, Elem. Palaeont. 1884, 26, f. 13; French ed., 1886, same fig.
mamilla (Fichtel & Moll). Bronn, Lethaea Geognostica, ed. 3, III, 1853-56, 217, xxxv², 12a-d [*Nautilus*, 1798].
mammillata, d'Archiac. Bull. Soc. Géol. France, [2], IV, 1847, 1010, no fig. [v. also *Nummulites*].
 ————— D'Arch., Mém. Soc. Géol. France, [2], III, 1848, 417, ix, 18a.
 ————— non Rütimeyer, var. A, Rouault. D'Arch., *ibid.* [2], III, 1848, 465, xiv, 9a [R's is *mammillaris*].

- NUMMULINA** [*mammillata*, d'Arch.]. GÜMBEL, Anleit. Geol. Beob. Alpenreisen, Zeitschr. D. & O. Alpenver., Beilage, 1878, 138, f. 48⁶.
- *mammillaris*, RÜTIMEYER. Nouv. Mém. Soc. Helv. Sci. Nat. xi, 1850, (2), 81, iii, 31 and 32.
- *marginata*, Michelotti. Nat. Verh. Holland Maatsch. Wetensch. Haarlem, [2], iii, (2), 1847, 16, i, 10 [*Nummulites*, 1841].
- *millecaput*, Boubée. Ronault, Mém. Soc. Géol. France, [2], iii, 1848, 464, xiv, 8a [*Nummulites*, 1832].
- [—?—] Carter, Journ. Bombay Br. R. Asiatic Soc. v, (18), (1853), 133, ii, 11 and 12.
- — — Annals and Mag. Nat. Hist. [2], xi, 1853, 169, vii, 11 and 12.
- *molli*, d'ARCHIAC. Hist. Prog. Géol. iii, 1850, 239 [v. also *Nummulites*].
- *montis-fracti*, KAUFMANN. Beitr. Geol. Karte Schweiz, v, 1867, 148, viii, 13-17.
- *murchisoni*, Brunner (MS. 1848). RÜTIMEYER, Nouv. Mém. Soc. Helv. Sci. Nat. xi, [2], 1850, 96, iv, 52-55 [v. also *Nummulites*].
- — — GÜMBEL, Anleit. Geol. Beob. Alpenreisen, Zeitschr. D. & O. Alpenver., Beilage, 1878, 138, f. 48¹⁰.
- *nummularia*, d'ORB. Nicholson, Manual Palaeont. 1879, i, 119, f. 23, A-D [v. *Nummulites*].
- *obesa*, LEYMI. GÜMBEL, Anleit. Geol. Beob. Alpenreisen, Zeitschr. D. & O. Alpenver., Beilage, 1878, 138, f. 48¹⁴ [*Nummulites*, 1853].
- *obtusa*, J. de C. SOW. Carter, Journ. Bombay Br. R. Asiatic Soc. v, (18), (1853), 133, ii, 13 and 14 [*Nummularia*, 1837].
- — — Carter, Annals and Mag. Nat. Hist. [2], xi, 1853, 170, vii, 13 and 14.
- *orbicularis-maxima*, SCHAFH. Nenes Jahrbuch, 1846, 419, viii, 1 and [??]
- *perforata* (Montfort). D'ORBIGNY, Ann. Sci. Nat. vii, 1826, 296, No. 7 [v. *Egeon perforatus* and *Helicites perforatus*] [v. also *Nummulites*].
- — — [d'Arch.]. BRONN, Lethæa Geognostica, ed. 3, iii, 1853-56, 221, xxxv², 32²a, b.
- — — v. *planulata*, LAM. PARKER & JONES, Phil. Trans. 1865, 398, xiv, 45a and 45b.
- — — v. (*Operculina*) *ammonoides* (Gron.). Ibid. 1865, 398, xiv, 44a, 44b; xvii, 62 and 63.
- — — [d'Arch.]. GÜMBEL, Anleit. Geol. Beob. Alpenreisen, Zeitschr. D. & O. Alpenver., Beilage, 1878, 138, f. 48³.
- — — [E. & H.]. STEINMANN, Elem. Paleont. i, 1888, 34, f. 21, H and I.
- *placentula*, DESH. RÜTIMEYER, Nouv. Mém. Soc. Helv. Sci. Nat. xi, 1850, (2), 92, iv, 46 [*Nummulites*, 1838].
- *placentula*, EHR. Abhandl. k. pr. Ak. Wiss. Berlin, 1838, 93; and Mikrogeologie, 1854, xxiii, E, 1 [*Nautilus major*, Forsk. = *Numm. gyzehensis* (Forsk.)].
- *planulata* (Lamarck). D'ORBIGNY, Ann. Sci. Nat. vii, 1826, 296, No. 3 [v. *Lenticulites*, 1822].
- — — D'ORBIGNY, Modèles, No. 87, 1826.
- — — BRONN, Lethæa Geognostica, ed. 2, 1837, 138, xlvi, 25a, b; and ed. 3, iii, 1853-56, 214, xlvi, 25a, b.
- — — WILLIAMSON, Recent British Foram. 1858, 37, iii, 74 and 75 [error for 76 and 77].
- — — (young). P., J. & B. [d'O., Modèles, 87]; Ann. Mag. Nat. Hist. [3], xvi, 1865, 33, iii, 95.
- — — J., P. & B., Crag Foram., Pal. Soc. xix, 1866, n. d., ii, 51 and 52.
- — — COOKE, Thousand Objects Microsc. 1869, 92, ix, 16.
- — — TERQNEM, Ess. Anim. Plage Dunkerque, (1), 1875, 25, ii, 4a, b, c, d (and Mém. Soc. Dunkerquoise).
- — — [d'ORB.]. GÜMBEL, Anleit. Geol. Beob. Alpenreisen, Zeitschr. D. & O. Alpenver., Beilage, 1878, 138, f. 48⁵.
- — — BASSET, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 163, f.
- — — v. *N. perforata* (Montf.).
- *polygyrata*, DESHAYES. RÜTIMEYER, Nouv. Mém. Soc. Helv. Sci. Nat. xi, 1850, (2), 95, iv, 48, 50 and 51 [*Nummulites*, 1838].

- NUMMULINA polygyrata** [Rütim.]. Schauroth, Sitz. k. Ak. Wiss. Wien, xvii, 1855, 544, iii, 3 [referred on plate to *Orbitulites*].
- **pristina**, Brady. Ann. Mag. Nat. Hist. [4], xiii, 1874, 225, xii, 1-5; and Transl. by Vander Broeck in Traductions, etc., Soc. Malac. Belge, 1874, same pl. and fig.
- — — — — Brady, Carbonif. Foram., Pal. Soc. xxx, 1876, 149, xi, 8-11.
- — — — — [prisca, Brady]. Roemer, Lethaea Geognostica, (1), i, 1880, 284, f. 51.
- — — — — puschi, d'Archiac. Hist. Prog. Géol. III, 1850, 241 [v. also *Nummulites*].
- — — — — radiata (Montfort). D'Orbigny, Ann. Sci. Nat. vii, 1826, 296, No. 6 [Montfort's *Rotalites radiatus*; Blainville's *Helicites radiatus*].
- — — — — radiata, d'Orbigny. Foram. Fossiles Vienne, 1846, 115, v, 23 and 24.
- — — — — Costa, Atti Accad. Pontaniana, vii, (2), 1856, 207, xvii, 4.
- — — — — Brönn, Klassen Ordn. Thier-Reichs, i, 1859, 71, vi, 11a, b.
- — — — — ramondi, Defrance, v. *Nummulites*, 1825.
- — — — — Brady, Geol. Mag. [2], ii, 1875, 534, xiii, 4a, b; and Jaarb. Mijn. Ned. Oost.-Indie, vii, 2, 1878, 161, i, 4a, b.
- — — — — v. verbeckiana, Brady. Ibid. [2], ii, 1875, 535, xiii, 5a, b, c; and Jaarb. Mijn. Ned. Oost.-Indie, vii, 2, 1878, 162, i, 5a, b, c.
- — — — — [] Gümbel, Anleit. Geol. Beob. Alpenreisen, Zeitschr. D. & O. Alpenver., Beilage, 1878, 138, f. 48¹².
- — — — — regularis, Rütimeyer. Nouv. Mém. Soc. Helvet. Sci. Nat. xi, 1850, ii, 76, iii, 1-8; 14-20 [= 1-20].
- — — — — rotularia, Desh. Grewingk, Verh. russ.-k. Min. Ges. St. Petersburg, 1852-1853 (1853), 208, cuts 1-4 [*Nummulites*, 1838].
- — — — — rotulata (Lam.). D'Orbigny, Ann. Sci. Nat. vii, 1826, 296 [not a *Nummulina*, but a *Cristellaria*] [*Lenticulites*, 1804].
- — — — — sanguantæ, Galeotti. Bull. Soc. Géol. France, x, 1839, 16 and 35, i, 6. [Referred to *Cristellaria* (q. v.) by d'Orbigny in Prodrome, ii, 1850, 281, No. 1377.]
- — — — — scabra, Lamarck, v. *Nummulites*.
- — — — — ? — Pusch, Polens Paläontologie, 1837, 164, xii, 19 [*Lycophris lenticulata*, in descr. of plate].
- — — — — Potiez & Michaud, Galerie des Mollusques Mus. Douai, i, 1838, 38, x, 3 and 4.
- — — — — Gümbel, Anleit. Geol. Beob. Alpenreisen, Zeitschr. D. & O. Alpenver., Beilage, 1878, 138, f. 48¹⁵.
- — — — — Hoernes, Elem. Palæont. 1884, 27, f. 16; French ed. 1886, same fig.
- — — — — seminulum, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1838, 93; and Mikrogeologic, 1854, xxiii, E, 3 [= *Nummulites guettardi*, d'A. & H.].
- — — — — soldanella, Costa. Atti Accad. Pontaniana, vii, (1), (1853), 110, ix, 9c.
- — — — — spira, de Roissy. Gümbel, Anleit. Geol. Beob. Alpenreisen, Zeitschr. D. & O. Alpenver., Beilage, 1878, 138, f. 48² [*Nummulites*, 1805].
- — — — — striata (d'Orbigny), v. *Camervina* (Bruguière).
- — — — — Brönn, Klassen Ordn. Thier-Reichs, i, 1859, 71, viii, 5 [sarcoda].
- — — — — Carpenter, Parker & Jones, Introd. Foram. 1862, 271, xxii, 6 [cast].
- — — — — Gümbel, Anleit. Geol. Beob. Alpenreisen, Zeitschr. D. & O. Alpenver., Beilage, 1878, 138, f. 48¹⁷.
- — — — — Carpenter, The Microscope, ed. 6, 1881, 584, f. 337 [structural].
- — — — — targionii, Meneghini MS.; [an *Amphistegina*, q. v.].
- — — — — tchihatcheffi, d'Arch. Gümbel, Anleit. Geol. Beob. Alpenreisen, Zeitschr. D. & O. Alpenver., Beilage, 1878, 138, f. 48¹⁸ [*Nummulites*, 1853].
- — — — — umbilicata, Schafhäutl. Neues Jahrbuch, 1846, 418, viii, 4a and 5.
- — — — — umbo-reticulata, Schafhäutl. Ibid. 1846, 416, viii, 5a [and 6] [= *Orbitoides*].
- — — — — variolaria [Lamarck]. See *Nautilus radiatus*, F. & M.; *N. venosus*, F. & M. [*Lenticulites*, 1804].

- NUMMULINA** variolaria [J. de C. Sowerby]. Brady, Geol. Mag. [2], II, 1875, 533, xiii, 2a, b, c and 3a, b, c; and Jaarb. Mijn. Ned. Oost.-Indie, VII, (2), 1878, 159, i, 2a, b; c and 3a, b, c [*Nummularia*, 1829].
 ——— ——— Jones in Dixon, Geol. of Sussex, ed. 2, 1878, 172, ix [10], 7.
 ——— ——— GÜMBEL, Anleit. Geol. Beob. Alpenreisen, Zeitschr. D. & O. Alpenver., Beilage, 1878, 138, f. 48^o.
 ——— ——— STEINMANN, Elem. Paleont. I, 1888, 34, f. 21, C, D.
wilcoxi. Heilprin. [Heilprin], Amer. M. Micro. Journ. IV, 1883, 1, f. 1 and 2 [*Nummulites*, 1882].
irregularis, Rütimeyer. Nouv. Mém. Soc. Helvet. Sci. Nat. XI, 1850, (2), 93, iv, 47-55; v, 63, 66.
 ——— P? sp., Carter. Journ. Bombay Br. R. Asiatic Soc. V, (18), (1853), 132, ii, 9 and 10; and Annals and Mag. Nat. Hist. [2], XI, 1853, 169, vii, 9 and 10.
 ——— sp. ind., Martin, Samml. Geol. Reichs-Mus. Leiden, [1], I, (2), 1881, 109, v, 8.
 ——— Pictet. Traité de Paléont. IV, 1846, 225, xii, 7.
 ——— Carpenter, Quart. Journ. Geol. Soc. VI, 1850, 22, pls. iii to viii [minute structure].
 ——— Mantell, Medals Creation, ed. 2, 1854, 344, f. 110.
 ——— Macdonald, Annals and Mag. Nat. Hist. [2], XX, 1857, 194, vi, 32.
 ——— Carpenter, Parker & Jones, Introd. Foram. 1862, 262, xviii [structural]. see *Nummulites* in all cases.
- NUMMULITA** lævigata, Lam. Fleming, Hist. Brit. Anim. 1828, 233.
- NUMMULITES**, Lamarck, 1801. Syst. Anim. sans Vertèbres, IX, (1801), 101.
- acuminate, Kutorga. Trudui mineral. Obsh. (St. Petersburg), II, (1834), (12), xv, 6.
 ——— acuta (J. de C. Sow.). Jones in Microgr. Dict. ed. 4, 1883, 549, xxiv, 22 [*Nummularia*, 1837].
 ——— althausii, Alberti. Beitr. Monogr. Bunt. Sandst. etc., 1834, 53, no fig.
 ——— amygdala, Schafhäutl. Sud.-Bayerns Lethaea Geogn. 1863, 99, ix, 4, 5 and 7.
 ——— anomala, de la Harpe. Bull. Soc. Géol. France, [3], V, 1877, 827, xvii, 12-18.
 ——— ——— De la Harpe, Bull. Soc. Vaud. Sci. Nat. [2], XVI, 1879, 211, x, 12-18.
 ——— arbiensis, Conrad. In Lynch, Off. Report, U. S. Exped. Dead Sea, 1852, 227, xxii, 127.
 ——— aspera, Catullo. Ann. Fisica (Zantedeschi's), 1849-50, 250.
 ——— aspera, Kutorga. Trudui mineral. Obsh. (St. Petersburg), II, (1834), (10).
 ——— assilinoides, Murchison, MS. Jones, Cat. Foss. Foram. B. M. 1882, 30.
 ——— atacicus, Leymerie. Mém. Soc. Géol. France, [2], I, 1844, 358, xiii, 13a-e.
 ——— [atacica] ——— Joly & Leymerie, Mém. Ac. Sci. Toulouse, [3], IV, 1848, 171, I, 4-8.
 ——— [ataica] ——— Emmons, Manual of Geology, ed. 2, 1860, 215, f. 183, 1, 2.
 ——— aturica, Joly & Leymerie. Mém. Ac. Sci. Toulouse, [3], IV, 1848, 171, etc., II, 9 and 10.
 ——— beaumonti, d'Archiac & Haime. Descr. Anim. groupe nummulistique Inde, (1), 1853, 133, viii, 1a-e, 2, 3.
 ——— ——— De la Harpe, Palaeontographica, XXX, 1883, Pal. Theil, 180, xxxi (2), 37-47.
 ——— bellardii, d'Archiac. In Bellardi, Mém. Soc. Géol. France, [2], IV, 1847, 273, IV [xv], 11-15.
 ——— ——— ——— D'Archiac, *ibid.* [2], IV, 1851, 273, IV, 11-15.
 ——— ——— ——— D'Archiac & Haime, Descr. Anim. groupe nummulistique Inde, (1), 1853, 113, V, 9a-f.
 ——— bericensis, de la Harpe. Mém. Soc. paléont. Suisse, X, 1883, 162, V, 23.
 ——— biaritzensis, d'Archiac. D'Archiac & Haime, Descr. Anim. groupe nummulistique Inde, (1), 1853, 131, viii, 4a-f, 5a, 6a [v. *Nummulina*].

- NUMMULITES biaritensis**, d'Archiac. Michelotti, Nat. Verh. Holland. Maat. Wet. Haarlem, [2], xv, 1861, 19, i, 10 and 11.
 ——— ——— Verbeek, Neues Jahrbuch, 1871, 9, iii, 1a-f.
 ——— ——— Verbeek, Jaarb. Mijn. Ned. Oost.-Ind. 187^a, ii, 155, ii, 28-33.
 ——— ——— De la Harpe, Bull. Soc. Borda à Dax, v, 1880, 8, f. 1.
 ——— [**biaritensis**] ——— Abich, Geol. Forsch. Kaukas. Lände 1882, 246, xi, 5; ix, 3, 3a [error]; and f. 43.
 ——— ——— De la Harpe, Palæontographica, xxx, 1883, Pal. Theil, 168, xxx (1), 19-28.
 ——— ——— Vutskits, Orvos termesz. Tars. Ertesítö, 1883, [65], iv, 8a, b, c.
 ——— ——— Mallada, Bol. Com. Mapa geol. Espan. xi, 1884, n. d., xxix, 13-20.
 ——— ——— Jones in Newton, Quart. Journ. Geol. Soc. xlv, 1889, 332, xiv, 17.
 ——— **biza**, Schafhärtl. Sud-Bayerns Lethæa Geogn. 1863, 13, 97, xiii, 10.
 ——— **bolcensis**, Munier-Chalmas. Comptes Rendus, LXXXVI, 1878, 1313.
 ——— **boucheri**, de la Harpe. Bull. Soc. Borda à Dax, iv, 1879, 146, i, iv, 1-10.
 ——— ——— De la Harpe, Mém. Soc. paléont. Suisse, x, 1883, 179, vii, 33-59. [This is divided into var. *tenuispira*, 51; var. *incrassata*, 52-59.]
 ——— ——— Vutskits, Orvos termesz. Tars. Ertesítö, 1883, [60], iii, 3a, b, c.
 ——— ——— Uhlig, Jahrb. k. k. geol. Reichsanstalt, XXXVI, 1886, 205, ii, 7, 8 and 10; and 206, f. 12.
 ——— **bouillei**, de la Harpe. Bull. Soc. Borda à Dax, iv, 1879, 142, i, 1 1³.
 ——— ——— De la Harpe, Mém. Soc. paléont. Suisse, x, 1883, 165, vi, 1-11 [5 and 6 are given as var. *rutimeyeri*].
 ——— ——— Vutskits, Orvos termesz. Tars. Ertesítö, 1883, [62], iii, 1a, b, c [described in descr. to plate as *N. tournoueri*, De la H.].
 ——— **britanica**, Hantken & Madarasz. Jegyz. az 1873, vilagtarl. kiáll. Numm. 1873, 7.
 ——— **broachensis**, Carter. Journ. Bombay Br. R. Asiat. Soc. v, No. xx, 1857, 625, no fig.
 ——— ——— Carter, Annals Mag. Nat. Hist. [3], viii, 1861, 373, xv, 3; Journ. Bombay Branch R. Asiatic Soc. vi, 1861 (1862), 63.
 ——— **brongniarti**, d'Archiac & Haime. Descr. Anim. groupe nummulitique Inde, (1), 1853, 110, v, 1a-e, 2, 3 and 4 [*levigata*, var. of 1845].
 ——— ——— var. **puschi**, d'Arch. De la Harpe, Bull. Soc. Vaud. Sci. Nat. [2], xvi, 1879, 203, x, 1-3 [v. *N. puschi*].
 ——— **budensis**, Hantken. A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 74, xii, 4; and Mith. a. d. Jahrb. k. ungar. geol. Austalt, iv, 1875 (1881), 85, same pl. and fig.
 ——— ——— De la Harpe, Mém. Soc. paléont. Suisse, x, 1883, 163, v, 24-34.
 ——— **caillaudi**, d'Archiac & Haime. Descr. Anim. groupe nummulitique Inde, (1), 1853, 97, i, 8a, b, c.
 ——— ——— De la Harpe, Mém. Soc. paléont. Suisse, vii, 1881, 91, etc., ii, 16-19.
 ——— **carpenteri**, d'Archiac & Haime. Descr. Anim. groupe nummulitique Inde, (1), 1853, 97, i, 7a-d.
 ——— **carteri**, d'Archiac & Haime. *Ibid.* (2), 1854, 344, no figure. The species is based on *Nummulina*? Carter, Journ. Bombay Br. R. Asiat. Soc. v, 1853, 132, ii, 9 and 10.
 ——— ——— Carter, Geol. Papers Western India, 1857, 541, xxiii, 9 and 10.
 ——— **catillus**, Schafhärtl. Sud-Bayerns Lethæa Geogn. 1863, 94, x, 6a, b, c.
 ——— **charterisi**, Meneghini. De la Harpe, Mém. Soc. paléont. Suisse, x, 1883, 149, iv, 1 and 2 [*Nummulina*, 1851].
 ——— **chavannesi**, de la Harpe. *Ibid.* x, 1883, not descr. vi, 22-41. [This is divided into var. *densispirata*, 29-36; var. *crassispirata*, 37-40; var. *dilatata*, 41].
 ——— ——— De la Harpe, Palæontographica, xxx, 1883, Pal. Theil, 163, xxx (1), 12-18.

- NUMMULITES** *cometa*, Schafhärtl. Sud-Bayerns Lethaea Geogn. 1863, 95, i, 6a; ii, 1a, b, c.
- *complanata*, Lamarck. Ann. Mus. v, 1804, 242, No. 4 [v. also *Nummulina*].
- — — — — Parkinson, Organ. Rem. former World, iii, 1811, 155, x, 21 and 27.
- — — — — Crouch, Introd. Lamarck, 1827, 42, xxii, 9.
- — — — — Kutorga, Trudui Mineral. Obshsch. (St. Petersburg), ii, (1834) (8), xv, 1.
- *[complanatus]* — — — Brown, Conch. Text-book, 1839, 60, x, 19.
- — — — — Mantell, Pictorial Atlas Foss. Rem. 1850, 142, lxi, 21-26.
- — — — — D'Archiac et Haime, Descr. Anim. Foss. groupe nummulitique Inde, i, 1853, 87, i, 1a-e, 2, 3.
- — — — — Hantken, A magy. kir. földt. int. évkönyve, i, 1871, 133, ii, 1, 1a; and Mith. a. d. Jahrb. k. ungar. geol. Anstalt, i, 1871, 140, same pl. and fig.
- — — — — Hantken, Kohlenflöze, etc., ungar. Krone, 1878 (transl. from Magyar), 226, f. 39.
- — — — — Mallada, Bol. Com. Mapa Geol. Españ. xi, 1884 n. d., xxviii, 11-13.
- *[complanatus]* — — — Quenstedt, Handbuch Petref. ed. 3, (v), (1885), 1055, lxxxvi, 28, 35 and 36.
- — — — — [Defr.]. Fritel, Foss. Caract. terr. sediment. tert. 1886, vii, 41 and 42.
- — — — — *comptoni*, J. de C. Sowerby, Brown, Illustr. Foss. Conch. Great Britain, 1849, 37, xxvi, 1 and 2 [v. *Nautilus*].
- — — — — *contortus*, Deshayes. In Ladoucette, Hist. des Hautes-Alpes, ed. 3, 1848, 487, xiii, 7-9.
- *[contorta]* — — — D'Archiac & Haime, Descr. Anim. groupe nummulitique Inde, i, 1853, 136, viii, 8a, b.
- — — — — De la Harpe, Bull. Soc. Borda à Dax, v, 1880, 68, f. 2.
- — — — — Vutskits, Orvos. termesz. Tars. Ertesítő, 1883 [57], iii, 7a, b, c.
- — — — — De la Harpe, Palaeontographica, xxx, 1883, Pal. Theil, 172, xxxi (2), 1-4.
- — — — — *conulus*, Schafhärtl. Sud-Bayerns Lethaea Geogn. 1863, 96, xii, 11a, b, c; lxxv, 16a, b, c.
- — — — — *cretacea*, Fraas. Württemberg. nat. Jahresh. 1867, 227, ii, 8a, b, c. See also Larret, Geol. Palestine, (1), 1869, 177.
- — — — — *cummingii* (Carpenter). Brady, Report Challenger, 1884, 749, cxii, 11-13 [*Amphistegina*, 1859].
- — — — — *crustaloides*, S. G. Morton. See Jones, Catal. foss. Foram. Brit. Mus. 1882, 68, No. 10673.
- — — — — *curvispira*, Menegh. D'Archiac & Haime, Descr. Anim. groupe nummulitique Inde, i, 1853, 127, vi, 15a-d [*Nummulina*, 1851].
- — — — — De la Harpe, Palaeontographica, xxx, 1883, Pal. Theil, 200, xxxiv (5), 42-67.
- — — — — *defrancei*, d'Archiac & Haime. Descr. Anim. groupe nummulitique Inde, i, 1853, 112, v, 5a-c, 6.
- — — — — *deserti*, de la Harpe. Palaeontographica, xxx, 1883, Pal. Theil, 177, xxxi (2), 20-25.
- — — — — *deshayesi*, d'Archiac & Haime. Descr. Anim. groupe nummulitique Inde, i, 1853, 114, v, 8a, b, c.
- — — — — *Ibid.* i, 1853, 140, ix, 2a-f, 3 [*Nummulina*, 1850].
- — — — — *discorbina*, Schlothe. De la Harpe, Palaeontographica, xxx, 1883, Pal. Theil, 183, xxxii (3), 1-7 [*Lenticulites*, 1820].
- — — — — *discus*, Schafhärtl. Sud-Bayerns Lethaea Geogn. 1863, 97, xiii, 9a, b.
- — — — — *dispansa?*, Sow. Mantell, Pictorial Atlas Foss. Rem. 1850, 142, lxi, 20 [*Lycophris*, 1837].
- — — — — *distans*, Deshayes. Mém. Soc. Géol. France, [1], iii, 1838, 68, v, 20-22.
- — — — — Rousseau in Demidoff, Voyage Russia mérid. ii, 1842, 786, Atlas, Mollusca, ii, 5-5d.
- — — — — D'Archiac & Haime, Descr. Anim. groupe nummulitique Inde, i, 1853, 91, ii, 1a-c, 2a, 3a, 4a, 5a, b.

- NUMMULITES distans** [Pusch]. Zittel, Handbuch Paläont. (1), 1876, 100, f. 40¹.
 ——— ——— Bütschli in Bronn, Klassen, etc., Thier-Reichs, 1880, 213, xii, 1.
 ——— **dufrenoyi**, d'Archiac & Haime. Descr. Anim. groupe nummulitique Inde, I, 1853, 89, i, 4a-*f*.
 ——— **dufreynoyi**, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1855, 171, v, xi [Glauc.].
 ——— **elegans**, Sow. De la Harpe, Mém. Soc. paléont. Suisse, x, 1883, 175, vii, 12-33 [21-23 are given as var. *depressa*] [*Nummularia*, 1826].
 ——— ——— Mallada, Bol. Com. Mapa geol. Espan. xi, 1884, n. d., xxx, 11, 12.
 ——— ——— Hantken, Földt. Közl. xvi, 1886, 154 and 188, i, 4.
 ——— ——— Jones, Quart. Journ. Geol. Soc. XLIII, 1887, 142, xi, 1-9.
 ——— ——— (**N. prestwichianus**) ——— Prestwich, Geology, 1888, ii, 370, f. 187 *e, f*.
 ——— **ellipticus**, Schafhärtl. Sud-Bayerns Lethaea Geogn. 1863, 97, xiii, 3a-d, 7a-c [error for 4], deformed specimens xiii, 4a-c; viii, 1a-f.
 ——— **excavatus**, Schafhärtl. Sud-Bayerns Lethaea Geogn. 1863, 105, no fig.
 ——— **exponens**, Sowerby. D'Archiac & Haime, Descr. Anim. groupe nummulitique Inde, I, 1853, 148, x, 1a, b, 2a, 3a-d, 4-7, 7a, 8a, 9, 10a [*Nummularia*, 1834].
 ——— ——— Schafhärtl, Sud-Bayerns Lethaea Geogn. 1863, 91, vii, 1-4; 8 and 9; xi, 2a-k.
 ——— (**Assil.**) ——— ——— Zittel, Handbuch Paläont. (1), 1876, 98, f. 38.
 ——— (**Assil.**) ——— ——— Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 25, pl. 21.
 ——— ——— Abich, Geol. Forsch. Kaukas. Ländern, 1882, 248, ix, 6, 6a.
 ——— ——— Mallada, Bol. Com. Mapa geol. Espan. xi, 1884, n. d., xxx, 24-30.
 ——— (**Assil.**) ——— ——— Fritel, Foss. caract. terr. sedim. tert. 1886, vii, 45 and 46.
 ——— **fichteli**, Michelotti. Mem. Soc. Ital. Sci. XXII, 1841, 296, iii, 7 [*Nummulina*, on p. 302; v. also *Nummulina*].
 ——— ——— D'Archiac & Haime, Descr. Anim. groupe nummulitique Inde, I, 1853, 100, iii, 5a.
 ——— ——— De la Harpe, Bull. Soc. Borda, IV, 1879, 150, i, vi, 1-10.
 ——— ——— De la Harpe, Palaeontographica, XXX, 1883, Pal. Theil, 211, XXXV (6), 23-28.
 ——— **floridanus**, Conrad. Amer. Journ. Sci. [2], II, 1846, 399, figure [referred by Conrad to *Assilina*] [v. *Cristellaria*].
 ——— **floridensis**, Heilprin. Proc. Ac. Nat. Sci. Philad. 1884, (3), (1885), 321, figure.
 ——— **fossilis**, Quenstedt. Handbuch Petref. ed. 1, 1852, 684, lxii, 5.
 ——— **fraasi**, de la Harpe. Palaeontographica, XXX, 1883, Pal. Theil, 161, XXX (1), 1-8.
 ——— **fragilis**, Riso. Hist. Nat. Europe, IV, 1826, 23.
 ——— **garansiana**, Joly & Leymerie. Mém. Ac. Sci. Toulouse, [3], IV, 1848, 171, etc., i, 9-12; ii, 8 [v. also *Nummulina*].
 ——— ——— Carter, Annals & Mag. Nat. Hist. [2], XI, 1853, 172, vii, 19 and 20.
 ——— ——— ? Carter, Journ. Bombay Br. R. Asiatic Soc. V, (18), (1853), ii, 19 and 20.
 ——— [**garansensis**] ——— D'Archiac & Haime, Descr. Anim. groupe nummulitique Inde, I, 1853, 101, iii, 6a, 7a-g, and' II, 1854, 344.
 ——— [**garansensis**] ——— Pictet, Traité de Paléont. 2 ed., IV, 1857, 501, cix, 20.
 ——— [**garenensis**] ——— Carter, Geol. Papers Western India, 1857, 544, xxiii, 19 and 20.
 ——— [**garanensis**] ——— Medlicott & Blanford, Geol. of India, 1879, 460, etc., xv, 10.
 ——— [**garansensis**] ——— Bütschli in Bronn, Klassen, etc., Thier-Reichs, 1880, 213, xii, 7.

- NUMMULITES** *gizehensis*, Ehrenberg. v. *Nautilus* [v. *Nummulina gyzenensis*].
 For full synonymy see de la Harpe, Mém. Soc. paléont. Suisse, VII, 1881, 117.
- [gizehensis] — D'Archiac & Haime, Descr. Anim. groupe nummulitique Inde, I, 1853, 94, ii, 6a-f, 7a, 8 [*gizehensis* on plate].
- — — Zittel, Handbuch Paläont. (1), 1876, 99, f. 39¹ a, b, c,
- — — De la Harpe, Mém. Soc. paléont. Suisse, VII, 1881, 91, etc., i and ii, 1-4.
- [—] [d'Arch.]. Schlumberger, F. Jeun. nat., Feb. 1882, II, 11 (section).
- — — *cailliaudi*, d'Arch. De la Harpe, Palæontographica, XXX, 1883, Pal. Theil, 197, xxxiv (5), 34-41 [v. *N. cailliaudi*].
- — — *champonioni*, de la Harpe. *Ibid.* XXX, 1883, Pal. Theil, 193, xxxiii (4), 11-13.
- — — *ehrenbergi*, de la Harpe. *Ibid.* XXX, 1883, Pal. Theil, 190, xxxii (3), 16-25; xxxiii (4), 1, 2.
- — — *lyelli*, d'Arch. *Ibid.* XXX, 1883, Pal. Theil, 192, xxxiii (4), 3-10 [v. *N. lyelli*].
- — — *mariettei*, de la Harpe. *Ibid.* XXX, 1883, Pal. Theil, 196, xxxiv (5), 25-33.
- — — *pachoi*, de la Harpe. *Ibid.* XXX, 1883, Pal. Theil, 193, xxxiii (4), 14-18; xxxiv (5), 1-5.
- — — *visquesneli*, d'Arch. *Ibid.* XXX, 1883, Pal. Theil, 195, xxxiv (5), 15-24 [see *N. visquesnelli*].
- — — *zitteli*, de la Harpe. *Ibid.* XXX, 1883, Pal. Theil, 194, xxxiv (5), 6-14.
- [gyzchensis] — Quenstedt, Handbuch Petref. ed. 3, (5), (1885), 1055, lxxxvi, 34.
- [gizehensis] — *Ibid.* (5), (1885), 1055, f. 396.
- *globularia*, Lamarck. Ann. Mus. V, 1804, 241, No. 2; and Anim. sans Vert. VII, 1822, 629, No. 2.
- ? — Pilla, Distinz. terr. Etrurio, 1846, 104, i, 10 and 11.
- *globulina*, Michelotti. Mem. Soc. Ital. Sci. XXII, 1841, 297, iii, 6 [*Nummulina* on p. 302, q. v.].
- *globulus*, Leymerie. Mém. Soc. Géol. France, [2], I, 1844, 359, xiii, 14a-d [v. also *Nummulina*].
- *granulos*, d'Archiac. D'Archiac & Haime, Descr. Anim. groupe nummulitique Inde, I, 1853, 151, x, 11a, b, c, 12a, 13, 14a, b, 15a, b, 16-19a-d [fig. 1 by error on plate] [also pl. iv, f. 17] [*Nummulina*, 1847].
- — — — Pictet, Traité de Paléont. 2 ed., IV, 1857, 501, cix, 18.
- — — — Medlicott & Blanford, Geol. of India, 1879, 458, xv, 14.
- — — — Bütschli in Bronn, Klassen, etc., Thier-Reichs, 1880, 213, xii, 4.
- — — — Abich, Geol. Forsch. Kaukas. Ländern, 1882, 248, ix, 5 and 5a.
- *granulosa* — Mallada, Bol. Com. Mapa geol. Espan. XI, 1884, n. d., xxx, 31-35.
- *guettardi*, d'Archiac & Haime. Descr. Anim. groupe nummulitique Inde, I, 1853, 130, vii, 18a-c, 19a, b; and II, 1854, 345.
- — — — Lartet, Ann. Sci. Géol. III, 1872, Art. 5, 89, ix, 25 and 26.
- — — — Lartet, Bibl. Ecole Haute Etudes, VII, 1873, No. 2, 89, ix, 25 and 26.
- — — — var. *plicata*, de la Harpe. Bull. Soc. Géol. France, [3], V, 1877, 825, xvii, 10a, b.
- — — — var. *striolata*, de la Harpe. *Ibid.* [3], V, 1877, 825, xvii, 9a, b.
- — — — var. *plicata*, de la Harpe. Bull. Soc. Vaud. Sci. Nat. [2], XVI, 1879, 210, x, 10a, b.
- — — — var. *striolata*, de la Harpe. *Ibid.* [2], XVI, 1879, 210, x, 9a, b.
- — — — De la Harpe, Palæontographica, XXX, 1883, Pal. Theil, 171, xxx (1), 29-42.
- *guttula*, Schafhäutl. Sud-Bayerns Lethaea Geogn. 1863, 96, xiii, 8a-d; xiv, a-c, e.

- NUMMULITES heberti**, d'Archiac & Haime. Descr. Anim. groupe nummulitique Inde, I, 1853, 147, ix, 14 *a-g*, 15*a*.
 ——— De la Harpe, Palæontographica, xxx, 1883, Pal. Theil, 178, xxxi (2), 26 and 27.
 ——— Vutskits, Orvos termesz. Tars. Ertesitö, 1883, [56], iii, 5*a, b, c*.
 ——— heeri, de la Harpe. Mém. Soc. paléont. Suisse, x, 1883, 152, iv, 9-15.
 ——— heilprini, Hantken. Földt. Közl. XVI, 1886, 154 and 188, i, 2*a, b, c*.
 ——— hungarica, Hantken & Madarasz. Jegyz. az 1873 vilagtarl. kiall. numm. 1873, 8 and 9.
 ——— inflatus, Riss. Hist. Nat. Europe, IV, 1826, 24.
 ——— intermedia, d'Archiac. Mém. Soc. Géol. France, [2], II, 1846, 199 [v. also *Nummulina*].
 ——— D'Archiac & Haime, Descr. Anim. groupe nummulitique Inde, I, 1853, 99, iii, 3*a-d*; 4*a-f*.
 ——— Michelotti, Nat. Verh. Holland Maat. Wet. Haarlem, 2, xv, 1861, 18, i, 5-7.
 ——— De la Harpe, Bull. Soc. Borda, IV, 1879, 149, i, v, 1-7.
 ——— De la Harpe, Palæontographica, XXX, 1883, Pal. Theil, 210, xxxv (6), 15-22.
 ——— Tellini, Boll. Soc. geol. Ital. VII, 1888, 53, viii, 15, 16.
 ——— v. bormiensis, Tellini. Ibid. VII, 1888, 55, viii, 14, 17.
 ——— irregularis, Deshayes. Mém. Soc. Géol. France, [1], III, 1838, 67, v, 15 and 16. For full synonymy see de la Harpe, Mém. Soc. paléont. Suisse, x, 1883, 154.
 ——— De la Harpe, Mém. Soc. paléont. Suisse, x, 1883, 154, iv, 16-34, and v, 1, 2. [This is divided into var. *formosa*, iv, 16; var. *pratti*, iv, 33, 34; v, 1 and 2; var. *regulata*, iv, 24; var. *depressa*, iv, 21-23].
 ——— D'Archiac & Haime, Descr. Anim. groupe nummulitique Inde, I, 1853, 138, viii, 16-19, 19*a*.
 ——— Schlumberger, Compt. Rend. Assoc. Franç. 1883 (1884), 520, f. 78 and 79.
 ——— irregularis, Michelotti. Mem. Soc. Ital. Sci. XXII, 1841, 296, iii, 5 [Nummulina on p. 302, q. v.].
 ——— jurassica, Gümbel. Neues Jahrbuch, 1872, 254, vi, 1-9.
 ——— kelatensis, Carter. Annals Mag. Nat. Hist. [3], VIII, 1861, 376, xv, 6; Journ. Bombay, Branch R. Asiatic Soc. VI, 1861 (1862), 66.
 ——— kochi, Vutskits. Orvos termesz. Tars. Ertesitö, 1883, [49], iii, 4*a, b, c*.
 ——— kovacsensis, Hantken & Madarasz. Jegyz. az 1873 vilagtarl. kiall. numm. 1873, 11.
 ——— laceratus, Quenstedt. Handbuch Petref. ed. 3, (5), (1885), 1055, lxxxvi, 38.
 ——— lævigata, Lamarek. Syst. Anim. s. Vert. 1801, 101, and Ann. Mus. V, 1804, 241, No. 1, and f. 10*a, b*, pl. 62, viii, 1806 [v. also *Nummulina* and *Camerina*].
 ——— Parkinson, Organ. Rem. former World, III, 1811, 152, x, 13-16, 18 and 19.
 ——— Lamarck, Coq. Foss. Paris, 1823, 14, xiv, 10*a, b*.
 ——— Brönn, Syst. urweltl. Conchyl. 1824, 7, i, 10*a, b*.
 ——— Blainville, Manuel Malac. et Conch. 1825 (pls., 1827), 372, iv, 2.
 ——— Deshayes, Descr. Coq. Charact. 1831, 251, iii, 11 and 12.
 ——— Cuvier, Animal Kingdom, Henderson's ed., III, 1834 (pls., 1837), 17, viii, 9.
 ——— Pilla, Distinz. terr. Etrurio, 1846, 105, i, 20 [17-20].
 ——— Joly & Leymerie, Mém. Ac. Sci. Toulouse, [3], IV, 1848, 182, etc., ii, 5 and 6.
 ——— lævigata [Sow.]. Brown, Illustr. Fossil Conch. Great Britain, 1849, 37, xxvi, 5-7 [error for [6-9 ?].
 ——— D'Archiac & Halme, Descr. Anim. groupe nummulitique Inde, I, 1853, 103, iv, 1*a-g*, 2*a, 3, 4a, 5a, b*, 6 and 7.
 ——— Pictet, Traité de Paléont. ed. 2, IV, 1857, 502, cix, 21.
 ——— [lævigatus] — Zittel, Handbuch Palæont. (1), 1876, 99, f. 39^{2a, b}.

- NUMMULITES** *lævigata*, Lamarek. Hantken, Ertezek. Termesz. Köröböl, ix, No. 12, 1879, 2 pls.; and Literar. Ber. Ungarn, III, 1879, 714, i and ii [25 figs.].
- — — — — Büttschli, in Brönn, Klassen, etc., Thier-Reichs, 1880, 213, xii, 8–10.
- — — — — De la Harpe, Mém. Soc. Paléont. Suisse, VII, 1881, 65, f. 10.
- — — — — De la Harpe, Bull. Soc. Vaud. Sci. Nat. [2], XVII, 1881, 435.
- — — — — De la Harpe, Bull. Soc. géol. France, [3], IX, 1881, 173, f. 1.
- — — — — Abich, Geol. Forsch. Kaukas. Ländern, 1882, 244, ix, 3–4.
- — — — — f. 42.
- — — [*lævigatus*] — — — Mallada, Boll. Com. Mapa geol. Espan. XI, 1884, n. d., xxviii, 1–4.
- — — [*lævigatus*] — — — Quenstedt, Handbuch Petref. ed. 5, (5), (1885), 1054, lxxxvi, 27, 32, and 33, and f. 395.
- — — — — v. *aquitanica*, Benoist. Bull. Soc. Borda à Dax, XIV, 1889, 20, i, 1, 2; ii, 6, 7.
- — — [*lævigatus*] — — — Credner, Elem. Geologie, 1883, 674, f.
- — — — — Fritel, Foss. Caract. terr. sedim. tert. 1886, vii, 47–49.
- — — [*lævigatus*] — — — Prestwich, Geology, 1888, II, 367, f. 184a, b.
- — — lamarciki, d'Archiac & Haime. Deser. Anim. groupe nummulitique Inde, (1), 1853, 109, iv, 14a–d, 15, 16.
- — — — — De la Harpe, Bull. Soc. géol. France, [3], IX, 1881, 173, f. 2.
- — — — — De la Harpe, Bull. Soc. Vaud. Sci. Nat. [2], XVII, 1881, 435, fig.
- — — — — De la Harpe, Mém. Soc. Paléont. Suisse, VII, 1881, 65, f. 9.
- — — — — v. *girondica*, Benoist. Bull. Soc. Borda à Dax, XIV, 1889, 22, ii, 1–5.
- — — lamarmoræ, Meneghini. Paléont. Ile Sardaigne, 1857, 545H, 8a–c.
- — — latispira, Menegh. D'Archiac & Haime, Deser. Anim. groupe nummulitique Inde, (1), 1853, 93, i, 6a. [*Nummulina*, 1851.]
- — — lea, Risso. Hist. Nat. Europe, IV, 1826, 23.
- — — lenticularis, de Blainville. Malacol. 1825, iv, 2. [v. *Lycophris*.]
- — — — — Defrance, Dict. Sci. Nat. (in index to Atlas); Atlas, Conch. 1827, xi, 2.
- — — lenticularis (Fichtel & Moll), v. *Nautilus*, 1798.
- — — — — Lamarek, Ency. Method. "Vers," III, (1832), 638, 471, f. 1 (pls., 1827), (P. & J. quote "pt. 23," 1816).
- — — — — Cuvier, Animal Kingdom, Henderson's ed. III, 1834 (pls., 1837), 17, iv. ter., 1.
- — — — — Anon., Penny Cycloped. x, 1838, 348, f.
- — — — — Sowerby, Conch. Manual, 1839, 72, f. 472 and 473, ed. 2, 1842, 205, figg. 472 and 473.
- — — — — Hartwig, The Sea, ed. 3, 1866, 381, f. d.
- — — — — Greene, Man. Protozoa, 1871, 15, f. 3d.
- — — leymeriei, d'Archiac & Haime. Deser. Anim. groupe nummulitique Inde, (1), 1853, 153, xi, 9a, b, c, 10a–e, 11, 12; and (2), 1854, 345.
- — — — — Medlicott & Blanford, Geol. of India, 1879, 458, xv, 15.
- — — — — Mallada, Boll. Com. Mapa geol. Espan. XI, 1884, n. d., xxx, 39–44.
- — — liassicus, Jones. In Brodie, Ann. Mag. Nat. Hist. [2], XII, 1853, 275. [v. *Involutina*.]
- — — lilium, Schafhäutl. Süd-Bayerns Lethaea Geogn. 1863, 99, lxv, b, 22a, b.
- — — lorioli, de la Harpe. Mém. Soc. paléont. Suisse, X, 1883, n. d., iii, 15–17.
- — — lucasana, Defrance. D'Archiac & Haime, Deser. Anim. groupe nummulitique Inde (1), 1853, 124, vii, 5a–c, 6, 7a, 8a, 9a, b, 10a, 11a, 12. [*Nummulina*, 1850.]
- — — — — Hantken, A magy. kir. földt. int. évkönyve, I, 1871, 134, ii, 4a, b, c; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, I, 1871, 141, same pl. and fig.

- NUMMULITES** (cfr.) [*lucasanus*], Defr. Zittel, Handbuch Palæont. Abth. I, 1876, 65, f. "3;" 97, f. 37 and 40 [structural].
 ——— ——— Lartet, Explor. Géol. Mer Morte [1877], [157], xii, 32.
 ——— ——— var. *granulata*, de la Harpe. Bull. Soc. géol. France, [3], v, 1877, 823, xvii, 7a-b.
 ——— ——— var. *mentonensis*, de la Harpe. *Ibid.* [3], v, 1877, 823, xvii, 6a-c.
 ——— ——— var. *obsoleta*, de la Harpe. *Ibid.* [3], v, 1877, 823, xvii, 8a, b.
 ——— ——— Hautken, Kohlenflötzte, etc. ungar. Krone, 1878 (transl. from Magyar), 219, f. 34.
 ——— ——— var. *granulata*, de la Harpe. Bull. Soc. Vand. Sci. Nat. [2], xvi, 1879, 205, x, 7a, b.
 ——— ——— var. *mentonensis*, de la Harpe. *Ibid.* [2], xvi, 1879, 206, x, 6a-c.
 ——— ——— var. *obsoleta*, de la Harpe. *Ibid.* [2], xvi, 1879, 205, x, 8a, b.
 ——— [*lucasanus*?] ——— Bütschli, in Bronn, Klassen, etc. Thier-Reichs, 1880, 213, xii, 6.
 ——— [*lucasiana*] ——— Abich, Geol. Forsch. Kaukas. Ländern, 1882, 245, xi, 6, 6a.
 ——— ——— *obsoleta*, de la Harpe. Palæontographica, xxx, 1883, Pal. Theil, 208, xxxv (6), 11-14.
 ——— ——— Mallada, Bol. Com. Mapa Geol. Espaň. xi, 1884, n. d. xxviii, 14-19.
 ——— ——— Gümbel, Geol. Bayern, Th. 1, Lief. II, 1885, f. 266, 27.
 ——— *lyelli*, d'Archiae & Haime. Deser. Anim. groupe nummulitique Inde, I, 1853, 95, ii, 9a-c; 10a-b; iii, 1a, b, 2.
 ——— ——— Pietet, Traité de Paléont. ed. 2, IV, 1857, 502, cix, 22.
 ——— ——— Schafhäutl, Süd-Bayerns Lethæa Geogn. 1863, 104, xiii, 2a, b.
 ——— ——— Lartet, Ann. Sci. Géol. III, 1872, Art. 5, 89, ix, 23 and 24.
 ——— ——— Lartet, Bibl. Ecole Haute Etudes, vii, 1873, No. 2, 89, ix, 23 and 24.
 ——— ——— Lartet, Explor. Géol. Mer Morte [1877], [157], xii, 33.
 ——— ——— De la Harpe, Mém. Soc. paléont. Suisse, VII, 1881, 91, etc., ii, 5-11.
 ——— *madaraszi*, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 75, xvi, 7a, b, c; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 86, same pl. and fig.
 ——— *makullensis*, Carter. Annals Mag. Nat. Hist. [3], VIII, 1861, 375, xv, 4; Journ. Bombay Branch R. Asiatic Soc. VI, 1861 (1862), 66.
 ——— *mamma*, Kutorga. Trudy mineral Obshtsch. (St. Petersburg), II, (1834), (11), xv, 4.
 ——— *mammilla* (F. & M.). Lamarck, Eney. Method. "Vers," III, (1832), 638, (pls. 1827), 471, 2 (P. & J. quote "pt. 23," 1816). [*Nautilus*, 1798.]
 ——— [*Lam.*] Bronn, Syst. urweltl. Conchyl. 1824, 7, i, 16a, b.
 ——— *mammillata*, d'Archiae. D'Archiae & Haime, Deser. Anim. groupe nummulitique Inde, (1), 1853, 154, xi, 6a, b, c, 7a, b, 8a-e. [*Nummulina*, 1847.]
 ——— ——— Bütschli, in Bronn, Klassen, etc. Thier-Reichs, 1880, 213, xii, 5.
 ——— ——— Vutskits, Orvos termesz. tars. Ertesítő, 1883, [69], iv, 10a, b, c, and 11a, b, c.
 ——— [*mammillatus*] ——— Quenstedt, Handbuch Petref. ed. 3, Abth. 5 (1885), 1055, lxxvi, 37.
 ——— *mantelli*, Morton. Amer. Journ. Sci. xxiii, 1833, 291, v. 9. [v. *Hymenocyclus*; *Orbitoides*; and *Orbitolites*.]
 ——— ——— Morton, Synopsis Org. Rem. Cretac. Group, 1834, 45, v. 9.
 ——— ——— Lyell, Quart. Journ. Geol. Soc. IV, 1848, 11.

- NUMMULITES** marginata, Michelotti. Mem. Soc. Ital. Sci. xxii, 1841, 297, iii, 4. [*Nummulina* ou p. 302; q. v.]
- maxima, Catullo. Ann. Fisica (Zantedeschi's), 1849–50, p. 251.
- meneghinii, d'Archiac & Haime. Descr. Anim. groupe nummulitique Inde, I, 1853, 120, v, 7a, b, c.
- — — Bütschli, in Bronn, Klassen, etc., Thier-Reichs, 1880, 213, xii, 2.
- mille-caput, Boubée. Bull. Soc. Géol. France, II, 1832, p. 444, no fig. [v. also *Nummulina*.]
- — — Mag. de Zool. (1), Classe v, Mollusques (14 Juillet, 1832), pl. 15, f. 1–4.
- — — Joly & Leymerie, Mém. Ac. Sci. Toulouse, [3], IV, 1848, 187, etc. i, 1–3.
- — ? Carter, Geol. Papers Western India, 1857, 541, xxiii, 11 and 12.
- miocontorta, Tellini. Boll. Soc. geol. Ital. VII, 1888, 19, viii, 4.
- — v. exilis, Tell. *Ibid.* VII, 1888, 21, viii, 5.
- miscella, d'Archiac & Haime. Descr. Anim. Foss. groupe nummulitique Inde, II, 1854, 345, xxxv, 4a, b, c.
- modiolus, Schafhäutl. Süd-Bayerns Lethaea Geogn. 1863, 99, lxv^b, 20a, b, c.
- molli, d'Archiac. D'Archiac & Haime, Deser. Anim. groupe nummulitique Inde, I, 1853, 102, iv, 13a, b, c. [*Nummulina*, 1850.]
- moneta, Risso. Hist. Nat. Europe, IV, 1826, 24.
- montana, Risso. Hist. Nat. Europe, IV, 1826, 24.
- murchisoni, Brunner. D'Archiac & Haime, Deser. Anim. groupe nummulitique Inde, I, 1853, 138, viii, 20–24. [*Nummulina*, 1850.]
- — — Ehrenberg, Abhandl. k. Ak. Wiss. Berlin, 1855, 170, v, ix, x. [*Glauc.*] — Schafhäutl, Süd-Bayerns Lethaea Geogn. 1863, 104, xiii, 1a–c.
- — — De la Harpe, Mém. Soc. paléont. Suisse, x, 1883, 150, iv, 3–8. This is divided into v. *major*, iv, 3 and 4; v. *minor*, iv, 5–8.
- nummiformis, Caillaud. Voyage à Méroé, 1827, IV, 267; atlas, pl. lxv, 3–5.
- nummularia, d'Orbigny, 1847. D'Orb., Prodr. de Paléont. II, 1850, 335, No. 676. [*Cameria*, Brugière, 1791, q. v.; v. also *Nummulina*.]
- — — D'Orbigny, Cours élém. Paléont. I, 1849, 197, fig. 323; II, fas. 2, 1852, 735, fig. 574.
- [nummularius] — Credner, Elem. d. geol. 1883, p. 678, fig.
- obesa, Leym. (MSS.). D'Archiac & Haime, Deser. Anim. groupe nummulitique Inde, I, 1853, 134, viii, 7a–e. [v. also *Nummulina*.]
- — — Abich, Geol. Forsch. Kaukas. Ländern, 1882, 249, xi, 5a.
- — — Mallada, Bol. Com. Mapa Geol. Espan. XI, 1884, n. d. xxix, 25–27.
- obtusa, Joly & Leymerie. Mém. Ac. Sci. Toulouse, [3], IV, 1848, 170, etc. i, 13, 14; ii, 3 and 4.
- obtusa, J. de C. Sowerby. D'Archiac & Haime, Deser. Anim. groupe nummulitique Inde, I, 1853, 122, vi, 13a, b, c. [*Nummularia*, 1837.] — — — Carter, Geol. Papers Western India, 1857, 542, xxiii, 13 and 14.
- — — Medlicott & Blanford, Geol. of India, 1879, 458, xv, 13.
- oculus, Schafhäutl. Süd-Bayerns Lethaea Geogn. 1863, not descr. II, 14a–c.
- onycomorphia, Catullo. Ann. Fisica (Zantedeschi's), 1849–50, p. 250.
- oosteri, de la Harpe. Bull. Soc. Vaud. Sci. Nat. [2], XVII, 1880, 38, iii, II, 1–6.
- operculiniformis, Tellini. Boll. Soc. geol. Ital. VII, 1888, 40, viii, 10, 11.

- NUMMULITES orbicularis**, Kutorga. Trudy Mineral Obshtsch. (St. Petersburg), II, (1834), (9), xv, 3.
- **orbiculatus**, Schafhäutl. Süd-Bayerus Lethaea Geogn. 1863, 101, v, 11; vi, 3; vii, 5; XII, 4a-f; XIII, 1st fig. left, without number, and f and g.
- **orbignyi** (Galeoti). De la Harpe, Mém. Soc. paléont. Suisse, x, 1883, 168, vi, 42-51. [*Operculina*, 1837.]
- **orsinii**, Meneghini (MS., apparently described for first time here). De la Harpe, Mém. Soc. paléont. Suisse, x, 1883, 161, v, 22.
- **papyracea**, Bouhéée. Bull. Soc. Géol. France, II, 1832, p. 445, no fig. [v. *Hymenocyclus* & *Orbitoides*.]
- **parabolicus**, Schafhäutl. Süd-Bayerus Lethaea Geogn. 1863, 91, vii, 6.
- **patellaris**, Brunner. Mitth. nat. Ges. Bern, 1848, p. 16, no fig.
- **partschi**, de la Harpe. Bull. Soc. Vaud. Sci. Nat. [2], XVII, 1880, 37, iii, I, 1-17.
- **pengaronensis**, Verbeek. Nenes Jahrbuch, 1871, 3, i, 1a-k.
- — — — — Verbeek, Jaarb. Mijn. Ned. Oost-Ind. 1874, vol. 2, 145, ii, 1-9.
- **perforata** (Montfort). See *Egeon*, 1808.
- — — — — D'Orbigny, Ann. Sci. Nat. VII, 1826, 296, No. 7.
- — — — — [d'Orbigny]. D'Archiac & Haime, Descr. Anim. groupe nummulitique Inde, I, 1853, 115, vi, 1a-g, 2, 3, 4, 5a, 6a, 7a, 8a, 9a, b, 10a, b, c, 11a, 12 [with varr. and subvarr.]
- — — — — [d'Orb.] v. A, aturensis, d'Archiac & Haime. D'Archiac & Haime, Descr. Anim. groupe nummulitique Inde, I, 1853, 120, vi, 5-8 [with subvarr.]
- — — — — [d'Orb.] v. B, columbresensis, d'Archiac & Haime. D'Archiac & Haime, Descr. Anim. groupe nummulitique Inde, I, 1853, 120, vi, 9 and 10 [with subvarr.]
- — — — — [d'Orb.] v. C, d'Archiac & Haime. D'Archiac & Haime, Descr. Anim. groupe nummulitique Inde, I, 1853, 119, vi, 11 and 12.
- — — — — [d'Arch.]. Abich, Mém. Ac. Imp. Sci. [Math. Phys.] St. Petersbourg, [6], VII, 1859, 528, iii, 12a, b.
- — — — — [d'Orb.]. Michelotti, Nat. Verh. Holland. Maat. Wet. Haarlem, 2, xv, 1861, 18, I, 3 and 4.
- — — — — [d'Orb.]. D'Archiac, in Tchihatcheff, Asie Mineure, Palaeontologie, 1866, 206, ix, 4a, s-var. ζ .
- — — — — [d'Orb.]. Hantken, A magy. kir. földt. int. évkönyve, I, 1871, 134, ii, 3, 3a; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, I, 1871, p. 141, same pl. & fig.
- — — — — [d'Orb.] var. *umbonata*, de la Harpe. Bull. Soc. géol. France, [3], v, 1877, 822, xvii, 4a, b; and Bull. Soc. Vaud. Sci. Nat. [2], XVI, 1879, 205, x, 4a, b.
- — — — — [d'Orb.]. Hantken, Kohlenflözze, etc. ungar Krone, 1878, (transl. from Magyar), 219, fig. 33.
- — — — — [d'Orb.]. De la Harpe, Mém. Soc. paléont. Suisse, VII, 1881, 34, fig. 2.
- — — — — [d'Orb.]. Abich, Geol. Forsch. Kaukas. Ländern, 1882, 247, ix, 7; xi, 9.
- — — — — [d'Orb.]. De la Harpe, Mém. Soc. paléont. Suisse, x, 1883, pl. iii. 1-6. This is divided into v. *uranensis*, iii, 1-3; v. *obesa*, iii, 4; v. *umbonata*, iii, 5; v. *subglobosa*, iii, 6.
- — — — — [d'Orb.]. Mallada, Boll. Com. Mapa Geol. Espan. XI, 1884, n. d. xxix, 1-12.
- — — — — [d'Orb.]. Fritel, Foss. Caract. terr. sedim. tert. 1886, pl. vii, 43 and 44.
- — **perforata-obesa**, Leym. De la Harpe, Palaeontographica, XXX, 1883, Pal. Theil, 206, xxxv (6), 1-10.

- NUMMULITES** perriblanci. Jones, Cat. Foss. Foram. Brit. Mus. 1882, 30, No. P 715.
- **placentula**, Deshayes. Mém. Soc. géol. France, [1], III, 1838, vi, 8 and 9. [v. also *Nummulina*.]
- **planulata**, Lamarek (& d'Orbigny). For full synonymy see De la Harpe, Mém. Soc. paléont. Suisse, x, 1883, p. 171. [v. *Lenticulites*; *Nummulina*.]
- **D'Orbigny**, Cours élém. Paléont. etc. I, 1849, 196, fig. 322, II, fas. 2, 1852, 736, fig. 575. [The middle (vol. 1) and right hand (vol. 2) figures are probably a *Planorbulina*.]
- **[d'Orb.]** D'Archiac & Haime, Descr. Anim. groupe nummulitique Inde, I, 1853, 142, ix, 5a, 6a, b, c, 7a-h, 8a-d, 9a, b, 10a, b, c.
- **? [d'Orb.]** Abich, Mém. Ac. Imp. Sci. [Math. Phys.] St. Pétersbourg, [6], VII, 1859, 527, iii, 11a, b.
- **[planulatus]**, [d'Orb.]. Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 25, pl. 20.
- **[d'Orb.]** Abich, Geol. Forsch. Kankas. Ländern, 1882, 249, ix, 1, 1a.
- **[Lam.]** De la Harpe, Mém. Soc. paléont. Suisse, x, 1883, 171, vii, 1-11. [10 and 11 are given as v. *incrassata*.]
- **Mallada**, Boll. Com. Mapa Geol. Espan. XI, 1884, n. d. xxx, 8-10, 13, 14.
- **[d'Orb.]** Fritel, Foss. Caract. terr. sediment. tert. 1886, pl. ii, 17-19.
- **v. elegans**. Fritel, Foss. Caraçt. terr. sediment. tert. 1886, pl. ii, 15 and 16.
- **[planulatus]** [Lam.]. Prestwich, Geology, 1888, ii, 357, fig. 181.
- **polygyratus**, Deshayes. Mém. Soc. géol. France, [1], III, 1838, v, 17-19. [v. also *Nummulina*.]
- **[polygiratus]** — Rousseau, in Demidoff, Voyage Russie mérid. II, 1842, 787; atlas, mollusca, ii, 1a-d [error for 4a-d].
- **portisi**, Tellini. Boll. Soc. geol. Ital. VII, 1888, 27, no fig.
- **pratti**, d'Archiac & Haime. Descr. Anim. groupe nummulitique Inde, I, 1853, 137, viii, 15.
- **prestwichiana**. See *N. elegans*.
- **pseudolævigata**, Berthelin *in litt.* Jones, Cat. Foss. Foram. B. M. 1882, 33.
- **puschella**, Hantken, MS. De la Harpe, Mém. Soc. paléont. Suisse, x, 1883, 160, v. 15-21.
- **cfr.** — Hantk. & Mad. Vutskits, Orvos termesz. tars. Ertesítő, 1883 [66], iv, 9a, b, c.
- **pùschi**, d'Archiac. D'Archiac & Haime, Descr. Anim. groupe nummulitique Inde, I, 1853, 90, i, 5a, b, c. [*Nummulina*, 1850.]
- **Pictet**, Traité de Paléont. 2 ed. IV, 1857, 501, eix, 19. — De la Harpe, Bull. Soc. géol. France, [3], v, 1877, 821, xvii, 1-3b.
- **radiatus** (Fichtel & Moll.). Bütschli, in Bronn, Klassen, etc. Thier-Reichs, 1880, 212, viii, 11. [*Nautilus*, 1798.]
- **radiata** [Montf.]. Jones, in Microgr. Dict. ed. 4, 1883, 549, xxiv, 21a, b. [*Rotalites*, 1808.]
- **ramondi**, Defrance. Dict. Sci. Nat. XXXV, 1825, p. 224. [v. also *Nummulina*.]
- **D'Archiac & Haime**, Descr. Anim. groupe nummulitique Inde, I, 1853, 128, vii, 13a-d, 14a, 15a, 16a, 17a, b.
- **Carter**, Journ. Bombay Br. R. Asiatic. Soc. v, No. xx, 1857, 624, no fig.
- **Carter**, Annals Mag. Nat. Hist. [3], VIII, 1861, 374, xv, 5, xvii, 15; Journ. Bombay Branch R. Asiatic Soc. VI, 1861 (1862), 65.
- **Zittel**, Handbuch Palaeont. Abth. I, 1876, 99, fig. 39^{8a}.

- NUMMULITES** ramondi, Defrance. Medlicott & Blanford, Geol. of India, 1879, 458, xv, 12.
 _____ _____ Bütschli, in Bronn, Klassen, etc. Thier-Reichs, 1880, 213, xii, 3.
 _____ _____ De la Harpe, Palaeontographica, xxx, 1883, Pal. Theil, 173, xxxi (2), 5-12.
 _____ _____ Mallada, Bol. Com. Mapa Geol. Espan. xi, 1884, n. d. xxviii, 20-25.
 _____ _____ renevieri, de la Harpe. Mém. Soc. paléont. Suisse, x, 1883, pl. iii, 8-14.
 _____ _____ reticulatus, Schafhäutl. Süd-Bayerns Lethaea Geogn., 1863, 98, v, 6 ; vii, 7a-e and 10 ; ix, 1, 2, and 6 ; x, 1, 2 ; xiv, 2.
 _____ _____ Haackel, Das Protistenreich, 1878, 33, fig. 18a-f.
 _____ _____ reticulatus, Tellini. Boll. Soc. geol. Ital. vii, 1888, 60, viii, 13.
 _____ _____ rosai, Tellini. Boll. Soc. geol. Ital. vii, 1888, 22, viii, 1-3.
 _____ _____ rota, Schafhäutl. Süd-Bayerns Lethaea Geogn. 1863, 92, x, 4a-e.
 _____ _____ rotula, Grataloupe, MS. D'Orbigny, Prodrome de Paléont., II, 1850, 336, No. 681.
 _____ _____ rotularius, Deshayes. Mém. Soc. géol. Francee, [1], III, 1838, vi, 10, 11. [v. also *Nummulina*.]
 _____ _____ rouaulti, d'Archiac & Haime. Deser. Anim. groupe nummulitique Inde, I, 1853, 121, vi, 14a-d.
 _____ _____ Figuier, Ocean World, London, [1873], p. 81, f. 12.
 _____ _____ rovasendai, Tellini. Boll. Soc. geol. Ital. vii, 1888, 25, viii, 6.
 _____ _____ rutimeyeri, d'Archiac. In Tehihateff, Asie Mineure, Palæontologie, 1866, 212, ix, 5a, b, c.
 _____ _____ rutimeyeri, de la Harpe. Palaeontographica, xxx, 1883, 162, xxx (1), 9-11.
 _____ _____ saccoi, Tellini. Boll. Soc. geol. Ital. vii, 1888, 49, viii, 12.
 _____ _____ scabra, Lamarek. Ann. Mus. v, 1804, p 2. 41, No. 3 ; Hist. Anim. s. Vert. VII, 1822, p. 629, and ed. 2, xi, 1845, p. 306.
 _____ _____ Kutorga, Trudy mineral Obshtsch. (St. Petersburg), II, (1834), [10], xv, 5.
 _____ _____ D'Archiac & Haime, Deser. Anim. groupe nummulitique Inde, I, 1853, 107, iv, 9a-d, 10a, 11a, 12a.
 _____ _____ Carter, Geol. Papers Western India, 1857, 543, xxiii, 21 and 22.
 _____ [scaber] _____ Schafhäutl, Süd-Bayerns Lethaea Geogn. 1863, n. d. xii, 2.
 _____ _____ Mallada, Bol. Com. Mapa Geol. Espan. xi, 1884, n. d. xxviii, 5-10.
 _____ _____ Quenstedt, Handbuch Petref. Abth. v, 1885, 1054, fig. 394.
 _____ _____ semicostata (Kaufm.). Uhlig, Jahrb. k. k. geol. Reichsanstalt, xxxvi, 1886, 267, fig. 13 ; ii, 9, 11-13. [*Amphistegina*, 1867.]
 _____ _____ sigillum, Kutorga. Trudy mineral Obshtsch. (St. Petersburg), II, (1834), [11], xv, 2.
 _____ _____ sinuosus, Riss. Hist. Nat. Europe, IV, 1826, 24.
 _____ _____ sismondai, d'Archiac & Haime. Deser. Anim. groupe nummulitique Inde, I, 1853, 124, vii, 4a-d.
 _____ _____ var. *subglobosa*. De la Harpe, Mém. Soc. paléont. Suisse, x, 1883, pl. iii, 7.
 _____ _____ solitaria, De la Harpe. Palaeontographica, xxx, 1883, 176 ; xxxi (2), 18 and 19.
 _____ _____ spira, de Roissy. Hist. Nat. de Mollusques (Sonnini's Buffon), V, 1805, p. 57. [v. also *Nummulina*.]
 _____ _____ D'Archiac & Haime, Deser. Anim. groupe nummulitique Inde, I, 1853, 155, xi, 1a, b, c, 2a, 3a, 4a, b, 5.
 _____ _____ Mallada, Bol. Com. Mapa Geol. Espan. xi, 1884, n. d. xxx, 36-38.

- NUMMULITES** staista, d'Orb. Hantken, Földt. Közlöny, 1880, p. 44 to be (foot-note); said taken from "Bull. Soc. Borda, 1879, p. 79."*
- **striata**, [d'Orb., 1847]. D'Orbigny, Prodrome de Paléont. II, 1850, 406, No. 1303. [*Camerina*, Brugièr, 1791, q. v.]
- — — — — D'Archiac & Haime, Descr. Anim. groupe nummulitique Inde, I, 1853, 135, viii, 9a-e, 10a, 11a, 12a, b, 13a, b, 14a.
- — — — — Michelotti, Nat. Verh. Holland. maat. Wet. Haarlem, 2, xv, 1861, 19, i, 8 and 9.
- — — — — var. f. Verbeek, Neues Jahrbuch, 1871, 9, iii, 2a-g.
- — — — — Hantken, A magy. kir. földt. int. évkönyve, I, 1871, 135, ii, 5a, b, c, d, e; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, I, 1871, p. 142, same pl. and fig.
- — — — — Verbeek, Jaarh. Mijn. Ned. Oost-Ind. 1874, vol. 2, 157, ii, 34-40.
- — — — — Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 74, xii, 5; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), p. 85, same pl. and fig.
- — — — — var. **obesa**, De la Harpe. Bull. Soc. géol. France, [3], V, 1877, 825, xvii, 5a, b; and Bull. Soc. Vaud. Sci. Nat. [2], XVI, 1879, 209, x, 5a, b.
- — — — — Hantken, Kohlenflötze, etc. ungar. Krone, 1878, (transl. from Magyar), 221, fig. 35.
- — — — — Mallada, Bcl. Com. Mapa Geol. Espan. XI, 1884, n. d. xxx, 1-7.
- — — — — Ehrenb., Abh. k. preuss. Ak. Wiss. Berlin, 1855, 170, [Glaue.] v, i-viii. [Stand except vii, which is *N. planulata*, Lam.]
- — **süb-beaumonti**, de la Harpe. Palaeontographica, XXX, 1888, Pal. Theil, 182, xxxi (2), 48-56.
- — **sub-brongniarti**, Verbeek. Neues Jahrbuch, 1871, 6, i, 2a, b; ii, 1a-r.
- — — — — Verbeek, Jaarh. Mijn. Ned. Oost-Ind. 1874, vol. 2, 152, ii, 10-27.
- — — — — v. Fritsch, Palaeontographica, Supp. III, Lief. 1, 1878, 141, xviii, 18. [Structure.]
- — **subdiscorbina**, de la Harpe. Palaeontographica, XXX, 1883, Pal. Theil, 185, xxxii (3), 8-15.
- — **subellipticus**, Schafhäutl. Süd-Bayerns Lethaea Geogn. 1863, 93, v, 5a; xi, 1; xii, 3; xiii, 5, 6, and 7; xiv, 3.
- — **subirregularis**, de la Harpe. Mém. Soc. paléont. Suisse, X, 1883, 158, v. 3-14. [Fig. 14 is given as var. *subvariabilis*.]
- — **sublaevigata**, d'Archiac & Haime. Descr. Anim. groupe nummulitique Inde, I, 1853, 106, iv, 8a, b.
- — — — — Medlicott & Blanford, Geol. of India, 1879, 460, xv, 11.
- — **subplanulata**, Hantken & Madarasz. Jegyz. az 1873 vilagtarl. kiáll. numm. 1873, p. 13.
- — **subpulchella**, de la Harpe. Mém. Soc. paléont. Suisse, X, 1883, pl. vii, 60-66.
- — **subramondi**, de la Harpe. Palaeontographica, XXX, 1883, Pal. Theil, 175, xxxi (2), 13-17.
- — **supracretaceus**, Eichwald. Bemerk. Halbinsel Maugischlak und aleutisch. Inseln, 1871, 84, v, 11-14.
- — **suprajurensis**, Alth. Pamietnik akad. Umiej. Krakowie, VI, 1881, 132, xii, 26.
- — — — — Alth., Mojsisovics und Neumayr's Beiträge Pal. Oest.-Ungarn, I, 1882, 314, xxix, 26.
- — **tchihatcheffi**, d'Archiac. D'Archiac & Haime, Descr. Anim. groupe nummulitique Inde, I, 1853, 98, i, 9a-e. [v. *Nummulina*.]

* Hantken's quotation is incorrect. I have not been able to trace d'Orbigny's original reference.

- NUMMULITES tchihatcheffi**, d'Archiac. Uhlig, Jahrb. k. k. geol. Reichsanstalt, XXXVI, 1886, 204, fig. 11.
 ——— ——— Hautken, A magy. kir. földt. int. évkönyve, I, 1871, 133, ii, 2a, b, c, d; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, I, 1871, p. 140, same pl. and fig.
 ——— ——— Hantken, Kohlenflötze, etc. ungar. Krone, 1878 (transl. from Magyar), 226, fig. 41.
 ——— ——— Vutskits, Orvos termesz. tars. Ertesítő, 1883 [42], iv, 12a, b, c.
teruncius, Schafhäutl. Süd-Bayerns Lethaea Geogn. 1863, 93, v, 3a; x, 3; xiv, 2 links.
tournoueri, de la Harpe. Bull. Soc. Borda à Dax, IV, 1879, 143, i, ii, 1-7.
 ——— ——— De la Harpe, Mém. Soc. paléont. Suisse, x, 1883, 166, vi, 12-21. [18 and 19 are given as v. *laxispira*.]
 ——— ——— Vutskits, Orvos termesz. tars. Ertesítő, 1883 [62], iii, 1a, b, c. [Described as *N. bouillei*, De la Harpe, in text.]
 ——— ——— Hautken, Foldt. Közl. XVI, 1886, 154 and 188, i, 3.
 ——— ? Tellini, Boll. Soc. geol. Ital. VII, 1888, 42, viii, 8 and 9.
variabilis, Tellini. Boll. Soc. geol. Ital. VII, 1888, 38, viii, 7.
variolaria [Lamarck], [d'Orb.], 1847. D'Orbigny, Prodrome de Paléont. II, 1850, 427, no. 1673. [*Lenticulites*, 1804.]
 ——— [Sowerby *]. Brown, Illustr. Fossil. Conch. Great Britain, 1849, 37, xxvi, 3-5. [& ? 10 and 11.] [*Nummulina*, 1820.]
 ——— [Sow.]. D'Archiac & Haime, Descr. Anim. groupe nummulitique Inde, I, 1853, 146, ix, 13a-g.
 ——— [Sow.], var. *prima*, Fraas. Württemberg nat. Jahresh. 1867, p. 226, no fig.
 ——— [Sow.], var. *minor*, de la Harpe. Bull. Soc. géol. France, [3], v, 1877, 825, xvii, 11a-d.
 ——— [Sow.], var. *minima*, de la Harpe. Bull. Soc. Vaud. Sci. Nat. [2], XVI, 1879, 210, x, 11a-d.
 ——— ——— De la Harpe, Palaeontographica, XXX, 1883, Pal. Theil, 179, xxxi, (2), 28 and 29.
 ——— [Sow.]. Vutskits, Orvos termesz. tars. Ertesítő, 1883, [56], iii, 6a, b, c.
 ——— [Sow.]. Mallada, Bol. Com. Mapa Geol. Espan. XI, 1884, n. d. XXX, 19-23.
 ——— [Sow.]. Fritel, Foss. caract. terr. sedim. tert. 1886, pl. vii, 50-52.
 ——— ——— Jones, Quart. Journ. Geol. Soc. XLIII, 1887, 145, xi, 10-14.
 ——— ——— Prestwich, Geology, 1888, ii, 370, fig. 187g, h.
vasca, Joly & Leymerie. Mém. Ac. Sci. Toulouse, [3], IV, 1848, 171, etc. I, 15-18; II, 7.
 ——— ——— D'Archiac & Haime, Descr. Anim. groupe nummulitique Inde, I, 1853, 145, ix, 11a-d, 12.
 ——— ——— De la Harpe, Bull. Soc. Borda à Dax, IV, 1879, 145, i, iii, 1-3.
 ——— ——— De la Harpe, Mém. Soc. paleont. Suisse, x, 1883, 177, vii, 24-32 [v. *incrassata*, 27 and 28; v. *tenuispina*, 29-32].
 ——— **verneuili**, D'Archiac & Haime. Descr. Anim. groupe nummulitique Inde, I, 1853, 123, vii, 1a-d, 2, 3.
 ——— ——— Mallada, Bol. Com. Mapa Geol. Espan. XI, 1884, n. d. XXIX, 21-24.
 ——— **vicaryi**, D'Archiac & Haime. Descr. Anim. groupe nummulitique Inde, I, 1853, 139, ix, 1a, b, c.
 ——— **vicensensis**, Hantkin & Madarasz. Jegyz. az 1873 vilagtarl. Kiall. Numm. 1873, p. 5.

* Lamarck's species, *Lenticulites variolaria*, is given as the synonym.

- NUMMULITES** viquesneli, D'Archiac & Haime. Deser. Anim. groupe nummulitique Inde, I, 1853, 141, ix, 4a, b, c.
- **wemmelensis**, de la Harpe & Vanden Broeck. De la Harpe, Mém. Soc. paléont. Suisse, x, 1883, 169, vi, 52–70 [v. *plicata*, 58–60, v. *granulata*, 61–64, v. *prestwichi*, 65–70].
- — — **Mallada**, Bol. Com. Mapa Geol. Espaň. xi, 1884, n. d. xxx, 19–23.
- **wilcoxi**, Heilprin. Proc. Ac. Nat. Sci. Philad. 1882, pt. 2, 1882, 191, figures 1 and 2. [v. also *Nummulina*.]
- **[wilcoxi]** — — — Heilprin, Proc. Ac. Nat. Sci. Philad. 1884, pt. 3 (1885), 322, figure.
- — — **Hantken**, Földt. Közl. xvi, 1886, 153, i, 1.
- **zitteli**, de la Harpe. Mém. Soc. paléont. Suisse, vii, 1881, 91, etc., ii, 12–15.
- **sp. nova**, de la Harpe. Vutskits, Orvos termesz. tars. Ertesítő, 1883, [64], iii, 2.
- Targioni, Relaz. d' ale. viaggi, iv, 1770, xii and xvi, see *Nautilo & Corno*, i, figs. 2, 9, 10, 11, 12, 13, 14, 15, 23, 24.
- De Montfort, in Buffon, Hist. Nat. Mollusq., Sonnini's ed. v, 1805, 49, li, 9.
- Parkinson, Organ. Rem. former World, III, 1811, 148, etc., x, 17, 20, 22–26.
- Bowdich, Elem. Conch. Part 1, 1822, 15, i, 3 and 4.
- Parkinson, Introd. Study foss. Organ. Rem. 1822, 165, vi, 5.
- Ure, New System Geology, 1829, pl. iii, fig.
- Bakewell, Introd. Geology, 4th ed. 1833, p. xxxiii, pl. viii, 13.
- Lyell, Elemt. Geol. 1838, 341, fig. 180.
- Moxon, Illustr. Charact. Foss. 1841, pt. 1, pl. vii, 1 and 2. [*N. laevigata*.]
- Ansted, Geology, 1844, ii, 63, fig. a.
- Prevost, Bull. Soc. géol. France, [2], ii, 1845, 27, i, “no. 2.”
- Pilla, Trattato di geol. pt. 1, 1847, 460, fig. 78.
- Joly & Leymerie, Mém. Ac. Sci. Toulouse, [3], iv, 1848, 169, ii, 1 and 2. [Structural.]
- Mantell, Wonders Geol. 1848, 6th ed. 248, figure 41.
- Cornalia & Chiozza, Giorn. I. R. Ist. Lombardo, n. s., III, 1851, 38, iii, 4, 5, and 6.
- Brocklesby, Views microscop. world, 1851, 59, fig. 96.
- Costa, Atti Accad. Pontaniana, VII, fas. I (1853), ix, 8.
- Beudant, Géologie, ed. 8, 1858, 239, fig. 321, later eds. same fig.
- Hitchcock, Elem. Geology, 1860, 30th ed. 140, fig. 92.
- Schafhäutl, Süd-Bayerns Lethaea Geogn. 1863, 57, 75, etc., v, vi, viii. [Development & structure.]
- Semper, Zeitsch. f. wiss. Zool. XIII, 1863, 562, xxxviii, 1a–d. [Embryology.]
- Carpenter, Ency. Brit. 9th ed. IX, 1879, Foraminifera, 381, figs. 23–27. [Structure.]
- De la Harpe, Mém. Soc. paléont. Suisse, VII, 1880, 30, fig. 1. [Structural.]
- Hahn, Die Meteorite, 1880, 56, xxxii, 3.
- Abich, Geol. Forsch. Kaukas. Ländern, III, 1887, pts. i and ii. [Permo-carboniferous.]
- Malagoli, Atti Soc. Nat. Modena, 3, VII, 1888, 114; iv, 3 and 4; v, 1.
- Neumayr, Stämme d. Thierreiches, I, 1889 (8), 194, fig. 33.
- ? See Ammonites, etc., *Lapis calcareus*, etc.
- Knorr, see *Helicites*.
- see *Helicites*.
- see *Lenticulae diversi generis*, etc.
- see *Rotalites*.
- NUMMULO** Brattenburgensi, Stobaeus. Act. Litt. Suec. for 1731, p. 19; and Dis. epist. ad W. Grothaus, 1732. [= *Nummulites*.]
- — — Bromell, Act. Litt. Suec. II (1729), p. 50. [= *Nummulites*.]

NUMULITES denarius, Montfort. Conch. syst. i, 1808, 155, 39th genre.
[= *Nummulina laevigata*.]

NUMULLINA, Amer. M. Micro. Journ. 1883, misprint for *Nummulina*.

NUMULUS luteus vulgaris exiguis est *Lapis orbiculubatus*, ad Col-
lein Cockerley-Hill dictum in Comitatu Glocestriæ, vulgatissimus. Luid.,
Lithoph. Brit. Ichnogr. 1699 (ed. 2, 1760), p. 90, no fig.

Nuovo genere? Costa, Atti Accad. Pontaniana, vii, fas. 2, 1856, not deser.
xvii, 19, = *Crist. rotulata*; xxii, 9 = *Polymorph.*; xxii, 12, = ? a *Foram.*;
xxiii, 3, = ? *Lingulina*; xxiii, 18, = *Textularia*.

OBLIQUINA, Seguenza.

— acuticostata, Seguenza. Foram. monotal. miocen. Messina, 1862, 75,
ii, 65-67. [v. *Lagena oviformis*, Sherborn & Chapman; Referred to
Chilostomella, 1889.]

OCULINA, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur, 1866,
p. 11.

— carinata, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur,
1866, 14, ii, 19.

— cretacea, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur,
1866, 19, iii, 20. [= *Miliolina*.]

— liasica, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur,
1866, 11, i, 24. [= a *Miliolina*.]

— nucleus, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur,
1866, 14, ii, 20.

— porosa, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur,
1866, 12, ii, 6. [= *Miliolina*.]

“Œufs d’autres mollusques.” Cornuel, Mem. Soc. géol. France, [2], iii,
1848, 259; ii, 36 and 37. [= *Placopsisina* and *Webbina*, q. v.]

“Œufs de mollusques.” Cornuel. [v. *Placopsisina cornueliana*, d’Orb.]

OLIGOSTEGINA laevigata, Kaufmann. In Heer, Urwelt Schweiz, 1865, 197,
fig. 108; transl. London, 1876, 206, fig. 108. [“Early chambers of
Planorbulina or *Textularia*,” T. R. Jones.]

OMPHALOCYCLUS, Bronn, 1851-52. Bronn, Lethaea Geognostica, ed. 3,
ii, 1851-52, p. 95.

— macroporus (Lam.). Bronn, Lethaea Geognostica, ed. 3, ii, 1851-52,
95, xxix, 9a, b, c. [= *Orbulites*, 1816.]

OMPHALOPHACUS hemprichii, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin,
1838, 132.

— ? tenellus, Ehrenberg. Mikrogeologie, 1854, xxxii, ii, 34. [= *Pulvin.*
menardi, d’O.]

ONCOBOTRYS, Ehrenberg, 1855. Abhandl. k. Ak. Wiss. Berlin, 1855, 161.
[*Glauc.*]

— buccinum, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1855, 161, ii, vi.
[=? *Polymorphina* vel *Bulimina*.] [*Glauc.*]

OOLINA, d’Orbigny, 1839. Voyage Amér. Mérid. 1839, v, pt. 5, “Foraminifères,”
p. 18.

— acicularis, Terquem. Mém. Ac. Imp. Metz, xxxix, 1858, 586, i, 3a-c.
[v. also *Lagena*.]

— apiculata, Reuss. Haidingers Naturw. Abh. iv, Abth. i, 1851, 22, i, 1.
[v. also *Lagena* and *Fissurina*.]

— caudata, d’Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, “Forami-
nifères,” 19, v. 6. [v. also *Lagena*.]

— clavata, d’Orbigny. Foram. Fossiles Vienne, 1846, 24, i, 2 and 3. [v.
also *Lagena*.]

— — — — — Bronn, Lethaea Geognostica, ed. 3, iii, 1853-56, 242,
xxxv ? 2, 5a, b.

— — — — — Pictet, Traité Paléont. 2d ed. iv, 1857, 483, cix, 2.

— compressa, d’Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, “Forami-
nifères,” 18, v, 1 and 2. [= *Lagena marginata*, W. & B.]

— — — — — D’Orbigny, Foram. Fossiles Vienne, 1846, 23, xxi, 1 and 2.

- OOLINA** costata, Egger. Neues Jahrbuch, 1857, 269, v, 9–11.
 — ellipsoïdes, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, 119, xi, 15 and 25a A. [*Ellipsoïdes* in descript. to plate.]
 — fasciata, Egger. Neues Jahrbuch, 1857, 270, v, 12–15. [v. *Lagena*.]
 — fusiformis, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 377, vii, 1a, b.
 — haidingeri, Czjzek. Haidinger's Nat. Abh. II, 1848, 138, xii, 1 and 2. [v. also *Lagena*.]
 — inornata, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 21, v, 13. [v. *Lagena*.]
 — isabella, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 20, v, 7 and 8. [*O. isabellana* on plate.] [v. *Lagena*.]
 — lævigata, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 19, v, 3.
 — lagenalis, Terquem. Mém. Ac. Imp. Metz, XLII, 1862, 429, v, 1a, b.
 — lanceolata, Terquem. Mém. Ac. Imp. Metz, XXXIX, 1858, 586, i, 1a, b.
 — liasica, Kübler & Zwingli. Neujahrsblatt Burgersbibl. Winterthur, 1866, 7, i, 15.
 — melo, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 20, v, 9. [v. also *Lagena*.]
 — ovata, Terquem. Mém. Ac. Imp. Metz, XXXIX, 1858, 586, i, 2a–c. [v. also *Lagena*.]
 — — — — — Terquem, Mém. Ac. Imp. Metz, XLII, 1862, 430, v, 3a, b, c.
 — pentagona, Terq. & Piette. Terquem, Mém. Ac. Imp. Metz, XLII, 1862, 452, vi, 12a, b.
 — punctata, Egger. Neues Jahrbuch, 1857, 268, v, 1 and 2.
 — raricosta, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 20, v, 10 and 11.
 — salentina, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, 118, xi, 13 and 14.
 — sicula, Ehrenberg. Mikrogeologie, 1854, xxvi, 1. [= *Lag. sulcata*.]
 — simplex, Reuss. Haidinger's Naturw. Abh. IV, Abth. I, 1851, 22, i, 2. [v. also *Lagena*.]
 — simplex, Terquem. Mém. Ac. Imp. Metz, XLII, 1862, 430, v, 2a, b. [v. also *Lagena*.]
 — striata, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 21, v, 12. [v. also *Lagena* and *Lagenulina*.]
 — striaticollis, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 21, v, 14. [v. also *Lagena*.]
 — striatula, Egger. Neues Jahrbuch, 1857, 269, v, 3–8.
 — vilardeboana, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 19, v, 4 and 5. [v. also *Lagena*.]
 — virgula, Terquem. Mém. Ac. Imp. Metz, XLII, 1862, 431, figures a, b.
 — Costa, Atti Accad. Pontaniana, VII, fas. 2, 1856, xxvii, 2–5.
- OPERCULINA**, d'Orbigny, 1826. Anu. Sci. Nat. VII, 1826, p. 281. Brady, Report Challenger, 1884, p. 742.
 — ammonitiformis, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, 209, xvii, 16a, A, B. [= *Cornuspira foliacea*.]
 — ammonea, Leymerie. Mém. Soc. géol. France, [2], I, 1844, 359, xiii, 11a, b.
 — — — — — Bronn, Lethaea Geognostica, ed. 3, III, 1853–56, 209, xxxv², 8a, b.
 — — — — — Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 70, xii, 1 and 2; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), p. 80, same pl. and fig.
 — — — — — Fritel, Foss. caract. terr. sedim. tert. 1886, pl. vii, 53–55.
 — ammonoides (Gronovius). Vine, Science Gossip, XIV, 1878, 52, fig. 31. [*Nautilus*, 1781.]
 — — — — — Brady, Report Challenger, 1884, 745, exii, 1 and 2.
 — — — — — See *Numm. perforata* (Montf.).

- OPERCULINA** angigyra, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 370, xlvi, 19.
 ——— Quenstedt, Handbuch Petref. ed. 3, Abth. 5 (1885), 1052, lxxxvi, 21.
 ——— arabica, Carter. Annals and Mag. Nat. Hist. [2], x, 1852, 161, iv, 1-9. [v. also *Orbitolites*.]
 ——— ——— Carter, Journ. Bombay Br. R. Asiat. Soc. iv, 1853, 430, plate.
 ——— ——— Jones, in Microgr. Diet. ed. 4, 1883, 555, xxiv, 23-26.
 ——— ——— See *Orbitolites*.
 ——— biconcava, Schafhäutl. Süd-Bayerns Lethaea Geogn. 1863, 105, xiv, 4a, b, and d.
 ——— boissyi, d'Archiac. Mém. Soc. géol. France, [2], III, 1848, 417, ix, 26.
 ——— ——— Schauroth, Sitz. k. Ak. Wiss. Wien, xvii, 1855, 545, iii, 7.
 ——— canalifera, d'Archiac. Hist. Prog. Géol. III, 1850, p. 245.
 ——— ——— D'Archiac & Haime, Descr. Anim. groupe nummulitique Inde, I, 1853, 182, xii, 1a, b, c; and II, 1854, 346, xxxv, 5a; xxxvi, 15a, 16a.
 ——— ——— Gümbel, Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 664, ii, 112.
 ——— (cf.) ——— Schwager, Palaeontographica, xxx, 1883, Pal. Theil, 144, xxix (6), 3a, b.
 ——— carinata, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, 209, xvii, 1, A, B [error for 15]. [v. *Cornuspira*.]
 ——— complanata (Defrance). Quoted as Basterot's by d'Orbigny in error. [*Lenticulites*, 1822.]
 ——— ——— [Basterot]. D'Orbigny, Ann. Sci. Nat., vii, 1826, 281, No. 1, xiv, [iv in text, by error], 7-10.
 ——— ——— D'Orbigny, Modèles, No. 80, 1826.
 ——— ——— Michelotti, Mem. Soc. Ital. Sci. xxii, 1841, 285, ii, 1.
 ——— ——— [d'Orb.]. Reuss, in Geinitz, Grundr. Verstein. 1845-46, 665, xxiv, 41.
 ——— ——— Rütimeyer, Nouv. Mém. Soc. Helvet. Sci. Nat. xi, 1850, Mém. 2, iv, 56.
 ——— ——— [Bast.]. Bronn, Lethaea Geognostica, ed. 3, III, 1853-56, 208, xxxv², 7a-d.
 ——— ——— T. Wright, Ann. Mag. Nat. Hist. 2, xv, 1855, 75, vii, 4a, b.
 ——— ——— [Bast.]. Parker & Jones, Ann. Mag. Nat. Hist. 2, xix, 1857, 285, xi, 3 and 4.
 ——— ——— [d'Orb.]. Michelotti, Nat. Verh. Holland. Maat. Wet. Haarlem, 2, xv, 1861, 20, i, 14 and 15.
 ——— ——— P. J. & B. [d'O., Modèles, 80], Ann. Mag. Nat. Hist. [3], XVI, 1865, 32, iii, 93.
 ——— ——— [Bast.]. Zittel, Handbuch Palaeont. Abth. I, 1876, 96, fig. 36.
 ——— ——— [Bast.]. Schwager, Boll. R. Com. geol. Ital. VIII, 1877, 25, pl. 22.
 ——— ——— [d'Orb.]. Locard, Ann. Soc. Agric. Hist. Nat. Lyon, 4, IX, 1877, 231, vi [error for v], 6 and 7.
 ——— ——— Brady, Report Challenger, 1884, 743, cxii, 3, 4, 5, and 8.
 ——— ——— v. *granulosa*, Leymerie. Brady, Report Challenger, 1884, 743, cxii, 6, 7, 9, and 10. [v. *Operc. granulosa*.]
 ——— ——— [Bast.]. Basset, Ann. Soc. Charente-Inf., 1884 (1885), 162, fig.
 ——— ——— Woodward & Thomas, 13 Ann. Rep. Geol. N. H. Survey Minnesota for 1884 (1885), 175, iv, 35.
 ——— ——— v. *granulosa*, Leym. Woodward & Thomas, 13 Ann. Rep. Geol. N. H. Survey Minnesota for 1884 (1885), 164, ii [error for iv], 36.

- OPERCULINA complanata** (Defr.). GÜMBEL, Geol. Bayern, Th. I, Lief. 2, 1885, fig. 266, 28.
- costata, d'Orbigny. Ann. Sci. Nat. VII, 1826, p. 281, No. 2.
- crenato-costata, Schrauroth. Sitz. k. Ak. Wiss. Wien, XVII, 1855, 545, iii, 8.
- cretacea, Reuss. Verstein. Böhm. Kreide, 1845-46, I, 35, xiii, 64 and 65.
- — — V. d. Marek, Verh. nat. Ver. preuss. Rheinl. XV, 1858, 54, i, 6.
- — — Reuss, Sitz. k. Ak. Wiss. Wien, XLIV, Abth. 1, 1861 (1862), 309, ii, 1a, b.
- — — Steinmann, Elem. Paléont. I, 1888, 33, figs. 18 and 19.
- cruciensis, Pictet & Renevier. Mat. paléont. Suisse, [1], Mém. I, 1858, 167, xxiii, 4a, b, c.
- discoidea, Schwager. Palaeontographica, XXX, 1883, Pal. Theil, 145, xxix (6), 5a-d.
- gaimardi, d'Orbigny. Ann. Sci. Nat. VII, 1826, p. 281, No. 5.
- gigantea, Mayer. Beitr. geol. Karte Schweiz, XIV, Abth. 2, 1877, 23, I, 4 and 5.
- granosa, Hantken. A magy. kir. földt. int. évkönyve, I, 1871, 131, II, 6a, b, c; & Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, I, 1871, p. 137, same pl. and fig. [v. *O. granulata*, Leym.]
- granulata, Leymerie. GÜMBEL, Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. X, 1868 (1870), 663, II, iiiia, b. [? error for *granulosa*.]
- — — Hantken, A magy. kir. földt. int. évkönyve, I, 1871, 131, II, 6a, b, c; & Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, I, 1871, p. 137, same pl. and fig. [*O. granosa*, Hantk., in deser. of plate; ? error for *granulosa*.]
- — — — — Quenstedt, Handbuch Petref. ed. 3, Abth. 5 (1885), 1052, lxxxvi, 22.
- granulosa, Michelotti. Mém. Soc. Ital. Sci. XXII, 1841, 286, II, 2.
- — — — — Michelotti, Nat. Verh. Holland. Maatsch. Wetensch. Haarlem, II verzam., 3 dl., 2 stck., 1847, 17, I, 6.
- — — — — Leymerie, Mém. Soc. géol. France, [2], L, 1844, 359; xiii, 12a, b, c.
- — — — — Brady, Géol. Mag. dec. 2, vol. II, 1875, 532, xiii, 1a, b, c.
- — — — — Brady, Jaarb. Mijn. Ned. Oost-Indie, VII, 2, 1878, 158, I, 1a, b, c.
- hardiei, d'Archiae & Haime. Deser. Anim. Foss. groupe nummulitique Inde, II, 1854, 346, xxxv, 6a, b, c.
- heberti, Munier-Chalmas. Hébert, Bull. Soc. géol. France, [3], X, 1882, 619, fig. 30, 1, 2.
- hungarica, Hantken. Kohlenflöze, etc. ungar. Krone, 1878 (transl. from Magyar), 218, fig. 31.
- inaequilateralis, Carter. Ann. Mag. Nat. Hist. [2], XI, 1853, 167, vii, 1 and 2 (3 and 4?).
- — — — — Carter, Journ. Bombay Br. R. Asiat. Soc. v, pt. XVIII (1853), 130, II, 1 and 2.
- — — — — Carter, Geol. Papers Western India, 1857, 539, xxiii, 1 and 2.
- incerta, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 49, vi, 16 and 17; also in Spanish, 1840, p. 71, same pl. and fig. [v. *Trochammina*.]
- involvens, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 370, xlvi, 30. [v. *Cornuspira*.]
- irregularis, Cornuel. Mém. Soc. géol. France, [2], III, 1848, 256, II, 20-22.

- OPERCULINA irregularis**, Reuss. Denkschr. k. Ak. Wiss. Wien, xxiii, 1864, 10, i, 17.
- **libyca**, Schwager. Palaeontographica, xxx, 1883, Pal. Theil, 142, xxix (6), 2a-g. (Type is *O. ammonea*, Leym.)
- **madagascariensis**, d'Orbigny. Ann. Sci. Nat. vii, 1826, p. 281, No. 4.
- **marginata**, Kaufmann. Beitr. geol. Karte Schweiz, v, 1867, 152, ix, 4.
- **murchisoni**, Brunner, MS. Jones, Cat. Foss. Foram. Brit. Mus. 1882, 31.
- **orbignii**, Galeotti. Mém. Couronnés Acad. R. Bruxelles, xii, 1837, Mém. iii, 141, iii, 13.
- [] (fide Nyst). Potiez et Michaud, Galerie des Mollusques Mus. Douai, Paris, i, 1838, 34, x, 1 and 2.
- **perforata**, Costa. Atti Accad. Pontaniana, vii, 2, 1856, 210, xvii, 4, A, B. [Error for 14.]
- **plicata**, Czjzek. Haidinger's Nat. Abh. ii, 1848, 146, xiii, 12 and 13. [= *Cornuspira foliacea*.]
- — — — — Pictet, Traité de Paléont. 2 ed. iv, 1857, 504, cix, 23.
- **punctata**, Reuss. Denkschr. k. Ak. Wiss. Wien, i, 1850, 370, xlvi, 21.
- **pyramidum**, Ehrenberg. Schwager, Palaeontographica, xxx, 1883, Pal. Theil, 143, xxix (6), 4a-g. [= *Planulina pyramidum*, Ehrenberg, Abk. k. Wiss. Berlin, 1803, p. 115.] [? pl. iv, 7.]
- **rosacea**, Kaufmann. Beitr. geol. Karte Schweiz, v, 1867, 153, ix, 5.
- **rotella** (Conrad). Heilprin, Journ. Ac. Nat. Sci. Philad. [2], ix, 137, no fig. [“The species is not impossibly identical with *O. complanata*,” A. H.] [v. *Cristellaria*.]
- **semistriata**, Schrauth. Sitz. k. Ak. Wiss. Wien, xvii, 1855, 545, iii, 9.
- **simplex**, Terquem. Mém. Soc. géol. France, [3], ii, 1882, 46, ii (x), 23a, b.
- **striata**, Czjzek. Haidinger's Nat. Abh. ii, 1848, 146, xiii, 10 and 11. [= *Cornuspira foliacea*.]
- **studerii**, Kaufmann. Beitr. geol. Karte Schweiz, v, 1867; 151, ix, 1 and 2.
- **sublaevis**, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 665, ii, 113a, b, c.
- **sulcata**, Kaufmann. Beitr. geol. Karte Schweiz, v, 1867, 152, ix, 3.
- **tattaensis**, d'Archiac & Haime. Descr. Anim. Foss. groupe nummulitique Inde, ii, 1854, 347, no figure, based on *Operculina* —?, Carter, Journ. Bombay Br. R. Asiat. Soc. v, 1853, 131, ii, 3 and 4.
- — — — Carter, Geol. Papers Western India, 1857, 539, xxiii, 3 and 4.
- **tauricensis**, Michelotti. Nat. Verh. Holland. Maatsch. Wetensch. Haarlem, ii verzam. 3 dl. 2 stk. 1847, 17, i, 4. [*taurina* in plate.]
- **thouini**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 281, No. 3.
- **thracensis**, d'Archiac. In Tchihatcheff's Asie Mineure, Palaeontologie, 1866, 224, ix, 6a, b.
- Lyell, Elem. Geol. 1838, 55, fig. 21. [= *Crist. cultrata*.]
- Ansted, Geology, 1844, ii, 63, fig. f.
- Pictet, Traité de Paléont. iv, 1846, 229, xii, 10. [= *Cornuspira*.]
- Pilla, Trattato di geol. pt. i, 1847, 461, fig. 80. [= *Cristellaria*.]
- ? sp. Carter, Journ. Bombay Br. R. Asiatic Soc. v, pt. xviii (1853), 131, ii, 3 and 4. [See *O. tattaensis*.]
- Macdonald, Ann. Mag. Nat. Hist. [2], xx, 1857, 193, vi, 31 and 33. [= *Calc. spengleri*.]
- Carpenter, Phil. Trans. 1859, 12, pls. iii, iv, v, vi, and woodeuts in text iv, v, vi, vii, viii.
- Carpenter, Parker & Jones, Introd. Foram. 1862, 57, fig. ix; 58, fig. x; 247, pl. xvii; figs. xxxix-xliv in text. [Structure.]

- OPERCULINA** sp. (after Carpenter). Reuss' Models, No. 100, 1865. (Catal. No. 98, 1861.)
- Köllicker, Icones Histologicae, 1864, 31. [Structural.]
 - Williamson, Pop. Sci. Rev. IV, 1865, 173, viii, 14. [Section of shell-wall showing pseudopodial tubes.]
 - Figuier, Ocean World [1873], p. 84, fig. 19.
 - Carpenter, Ency. Brit. 9th ed. ix, 1879, Foraminifera, 381, fig. 22. [Structure.]
 - Bütschli, in Bronn, Klassen, etc. Thier-Reichs, 1880, 212, x, 4.
- OPERCULUM** minimum Littoris Arimenensis durissimum depresso-sum, Cornu Hammonis quodammodo referens. Planus, De Conch. Min. 1739, also 1760, p. 18, pl. iii, A, B, C; and pl. iii, f. 2 E, D, C. [= ? *Biloculina*.] see *Umbilicum*.
- OPHIDIONELLA**, De Folin, 1881. Bull. Soc. N. H. Toulouse, xv, 1881, p. 140, n. d. 1 sp. proposed.
- OPHTHALMIDIUM**, Zwingli & Kübler, 1870. Foram. Schweiz. Jura, 1870, p. 46, etc.; Brady, Report Challenger, 1884, p. 188.
- auris, Zwingli & Kübler. Foraminif. Schweiz. Jura, 1870, 31, iii, 49. [= *Quinqueloculina*.]
 - birmenstorfensis, Zwingli & Kübler. Foraminif. Schweiz. Jura, 1870, 31, iii, 46. [= *Spiroloculina*.]
 - carinatum, Balkwill & Wright. Trans. R. Irish Ac. xxviii (Sci.), 1885, 326, xii, 13–16.
 - — — Zwingli & Kübler. Foraminif. Schweiz. Jura, 1870, 22, ii, Ornamentthon, 6; 16, ii, Blagden-schichten, 11 and 12.
 - — — — Haeusler, Neues Jahrb. 1887, i, 194, vii, 39, 40, 43–45, 47–51.
 - cornuspiroides, Zwingli & Kübler. Foraminif. Schweiz. Jura, 1870, 31, iii, 50.
 - gracile, Zwingli & Kübler. Foraminif. Schweiz. Jura, 31, iii, 47.
 - inconstans, Brady. Report Challenger, 1884, 189, xii, 5, 7 and 8. [*Hauerina*, 1879.]
 - — — — Brady, Parker, & Jones, Trans. Zool. Soc. xii, pt. 7, 1888, 216, xl, 12, 13.
 - liasicum, Zwingli & Kübler. Foraminif. Schweiz. Jura, 1870, ii, i, Jurensismergel, ii.
 - medium, Zwingli & Kübler. Foraminif. Schweiz. Jura, 1870, 31, iii, 48.
 - multiplex, Zwingli & Kübler. Foraminif. Schweiz. Jura, 1870, 22, ii, Ornamentthon, 7.
 - nubeculariformis, Haeusler. Neues Jahrb. 1887, i, 193, vii, 52, 53, 55, and 56.
 - okeni, Zwingli & Kübler. Foraminif. Schweiz. Jura, 1870, 18, ii, Parkinsonthon, 10, 11.
 - orbiculare, Burbach. Zeitschr. naturw. Halle, LIX, 1886, 499, v, 3–6.
 - ovale, Burbach. Zeitschr. naturw. Halle, LIX, 1886, 499, v, 7–12.
 - porosum, Zwingli & Kübler. Foraminif. Schweiz. Jura, 1870, 14, ii, Opalinusthon, 7.
 - superbum, Zwingli & Kübler. Foraminif. Schweiz. Jura, 1870, 47 iv, Anhang 5. [= *Quinqueloculina*.]
 - tongricum, Zwingli & Kübler. Foraminif. Schweiz. Jura, 1870, 47, iv, Anhang 3, 4. [= *Spiroloculina*.]
 - tumidulum, Brady. Report Challenger, 1884, 189, xii, 6.
 - walfordi, Haeusler. Neues Jahrb. 1887, i, 192, vi, 7–11.
 - Wallach, North Atlantic Sea-bed, pt. I, 1862, n. d. v, 13.
 - Haeusler, Neues Jahrb. 1887, i, 190, vi and vii.
 - Neumayr, Stämme d. Thierreiches, I, 1889 (1888), 177, fig. 19.
- ORBICULA** depressa, Reeve. Conch. System. II, 1842, 289, cccxvii, 3. [*Heterostegina depressa*, d'O. = *Heterosteg*.]

- ORBICULINA**, Lamarck, 1816. Ency. Méthod., "Vers," III (1832), 669 (P. & J. quote pt. 23, 1816); Brady, Report Challenger, 1884, p. 208.
- *adunca* (Fichtel & Moll). Lamarck, Ency. Méthod., "Vers," III (1832), 669 (pls. 1827) (P. & J. quote pt. 23, 1816), 468, f. 2. [*Nautilus*, 1798.]
- [Lam.]. D'Orbigny, in De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 64, viii, 8-16; also in Spanish, 1840, p. 81, same pl. & fig.
- Williamson, Trans. R. Micr. Soc. III, 1849, 115, xviii, 15-18. [Structure.]
- Carpenter, Phil. Trans. 1856, 547-552, xxviii, 1-22 (17 = *Orbitolites malabaricus*, Carter); xxix, 1-3.
- Bronn, Klassen Ordn. Thier-Reichs, I, 1859, 71, vii, 2 A-E. [Structural.]
- Carpenter, Parker & Jones, Introd. Foram. 1862, 93, viii, 1-12. [Structurz.]
- Kölliker, Icones Histologicae, 1864, 31. [Structural.]
- J., P. & B., Crag Foram., Pal. Soc. XIX, 1866, 20, iii, 44.
- [d'Orb.]. Schwager, Boll. R. Com. geol. Ital. VIII, 1877, 27, pl. 110.
- Goës, K. Svenska Vet.-Akad. Handl. XIX, No. 4, 1882, 118, ix, 304-307.
- Jones, in Microgr. Dict. ed. 4, 1883, 557, xxiii, 19.
- Brady, Report Challenger, 1884, 209, xiv, 1-13.
- Agassiz, Three Cruises "Blake," II, 1888, 160, fig. 486, 487.
- See *Archias*; *Helenis*; and *Ilotes*.
- *angulata*, Lamarck. Hist. Anim. s. Vert. VII, 1822, p. 609, No. 2.
- Ency. Méthod., "Vers," III (1832), 669 (pls. 1827), (P. & J. quote pt. 23, 1816), 468, f. 3.
- Brown, Elem. Foss. Conch. 1843, n. d. iii, 5 and 6.
- (*Orbitolites*) *complanata* (Lam.). Williamson, Trans. R. Micr. Soc. III, 1849, 115, xvii, 8; xviii, 9-14. [*Orbitolites*, 1801.] [Structure.]
- *compressa*, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, 1839, "Foraminifères," 66, viii, 4-7; also in Spanish, 1840, p. 83, same pl. & fig.
- J., P. & B., Crag Foram., Pal. Soc. XIX, 1866, 21, iii, 43.
- *concava* (Lamarck). Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 26, pl., 96. [*Orbulites*, 1816.]
- *malabarica*, Carter. Ann. Mag. Nat. Hist. [3], VIII, 1861, 462; Journ. Bombay Branch R. Asiatic Soc. VI, 1861 (1862), 88. [*Orbitolites*, 1853.]
- *nummata*, Lamarck. Ency. Méthod., "Vers," III (1832), 669 (pls. 1827) (P. & J. quote pt. 23, 1816), 468, f. 1.
- (*numismalis*), Lam. Blainville, Malacol. 1825, 373, vii, 4. [= *Naut. orbiculus*, F. & M. = *Orbic. adunca* (F. & M.)]
- *numismalis*, Lamarck. Hist. Anim. s. Vert. VII, 1822, p. 609, No. 1.
- Defrance, Dict. Sci. Nat. XXXII, 1824, 180; XXXVI, 1825, 291; Atlas, Conch. XV, 4. [= *Naut. orbiculus*, F. & M. = *Orbic. adunca* (F. & M.)]
- Blainville, Manuel Malac. et Conch. 1825 (pls. 1838), 373, vii, 4.
- D'Orbigny, Ann. Sci. Nat. VII, 1826, 305, No. 1, xvii, 8-10.
- D'Orbigny, Modèles, No. 20, 1826.
- Cuvier, Animal Kingdom, Henderson's ed. III, 1834, (pls. 1837), 18, *ivbis*, 4.
- Cuvier, Règne Animal, 1836-46, IX (pls. x), 35, xiv, 1.

- ORBICULINA numismalis**, Lam. Ehrenberg, Abhandl. k. Ak. Wiss. Berlin, 1838, 143, iii, i. [= *O. adunca* and var. *orbiculus* (F. & M.).]
 ——— ——— Reeve, Conch. system, II, 1842, 289, cexvii, 2.
 ——— ——— Beudant, Géologie, ed. 8, 1858, 117, fig. 106; later eds. same fig.
 ——— ——— P., J. & B. [D'O., Modèles, 20], Ann. Mag. Nat. Hist. [3], XVI, 1865, 22, i, 21. [= *O. adunca*, F. & M.]
 ——— ——— [nummismalis, d'Orb.]. Zittel, Handbuch Palaeont. Abth. I, 1876, 79, fig. 13³.
 ——— ——— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 164, fig.
 ——— ——— Quenstedt, Handbuch Petref. ed. 3, Abth. 5 (1885), 1057, lxxxvi, 47.
 ——— **rotella**, d'Orbigny. Foram. Fossiles Vienne, 1846, 142, vii, 13 and 14. [v. *Alveolina*.]
 ——— ——— Brönn, Lethaea Geognostica, ed. 3, III, 1853-56, 199, xxxv², 3a, b.
 ——— ——— Pictet, Traité de Paléont. 2 ed. IV, 1857, 506, cix, 26.
 ——— **uncinata**, Lamarck. Hist. Anim. s. Vert. VII, 1822, p. 609, No. 3. [= *O. adunca* (F. & M.).]
 ——— ——— Crouch, Introd. Lamarck, 1827, 40, xx, 10.
 ——— ——— Brown, Conch. Text-book, 1839, 62, x. 19.
 ——— ——— Brown, Elem. Foss. Conch. 1843, 24, ii, 31.
 ——— **universa**, d'Orb. Reeve, Conch. system. II, 1842, 288, cexvii, 1. [Misprint for *Orbulina*.]
 ——— ——— Philippi, Neues Jahrb. 1843, p. 569. [Misprint for *Orbulina*.]
 ——— n. sp. Williamson, Trans. Microsc. Soc. London, III, 1852, 117, xviii, 11-14. [Williamson described this form from Tonga, without, however, giving it a specific name. Carpenter, in Challenger Report, Orbitolites, 1883, p. 29, quotes it as "*Orbiculina tonga*, Williamson," and refers it to *Orbitolites complanata*, Lam.]
 ——— Carpenter, Encycl. Brit. 9th ed. IX, 1879, Foraminifera, 374, 1, 6-8.
 ——— Bütschli, in Brönn, Klassen, etc. Thier-Reichs, 1880, 192, vi, 2, A-E.
 ——— Carpenter, Journ. Quekett Microsc. Club, [2], II, 1885, 95, fig. 7. [Structural.]
 ——— see *Nautilus*.
- ORBICULITES lenticulata** (Lam.). Defrance, Dict. Sci. Nat., Atlas, Zooph. 1816-30, li, 5; and Blainville, Actinol. 1834, lxxii, 2. [v. *Orbitolites*.]
- ORBIGNYNA**, v. Hagenow. Neues Jahrbuch, 1842, p. 573.
- ovata, v. Hagenow. Neues Jahrbuch, 1842, 573, ix, 26. [v. also *Lituola*; *Haplophragmium*.]
 — — Reuss, in Geinitz, Grundr. Verstein. 1845-46, 665, xxiv, 32.
 — — Brönn, Lethaea Geognostica, ed. 3, II, 1851-52, 84, xxix¹, 11.
- ORBIS foliaceus**, Philippi. Enum. Mollusc. Siciliae, II, 1844, 147, xxiv, 25, [error for 26]. [v. *Cornuspira* and *Spirillina*.]
 — infimus, Strickland. Quart. Journ. Geol. Soc. II, 1846, 30, fig. a. [v. *Ammodiscus* and *Cornuspira*.]
 — Lea. A genus of *Gasteropoda*.
- ORBITOIDES**, d'Orbigny, 1847. Prodrome de Paléont. II, 1850, 334.
 — alpina, d'Orb., 1847. D'Orbigny, Prodrome de Paléont. II, 1850, 406, No. 1297.
 — (Discocyclina) applanata, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 700, iii, 17, 18, 35-37.
 — — — Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 71, xi, 2; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), p. 82, same pl. and fig.

- ORBITOIDES** (*Discocyclina*) *applanata*, Gümbel. Jennings, Geol. Mag. dec. 3, v, 1888, 531, xiv, 3a, b, c, d.
- (*Discocyclina*) *aspera*, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 698, iii, 13, 14, 32-34.
- — — Hantken, A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 72, xi, 4; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), p. 82, same pl. and fig.
- — — Schwager, Boll. R. Com. geol. Ital. VIII, 1877, 26, pl. 77.
- — — *asterifera*, Carter. Ann. Mag. Nat. Hist. [3], VIII, 1861, 451, xvii, 3; Journ. Bombay Branch R. Asiatic Soc. VI, 1861 (1862), 78.
- — — *asteriscus*, Michelotti. Nat. Verh. Holland. Maat. Wet. Haarlem, 2, xv, 1861, 17, i, 1 and 2.
- — — Kaufmann, Beitr. geol. Karte Schweiz, Lief. v, 1867, 155, ix, 11-16.
- — — (*Lepidocyclina*) *burdigalensis*, Gümbel. Abh. k. bay. Ak. Wiss. x, 1868 (1870), p. 719.
- — — *carteri*, Martin. Junghuhn, Tertiärsch. Java, 1879-80, 161, xxviii, 2.
- — — — — K. Martin, Niederländ. Arch. Zoöl. v, Heft 2, 1880, xiv, 2.
- — — *crassula*, Mayer. Beitr. geol. Karte Schweiz, XIV, 2 Abth., 1877, 23, i, 2.
- — — *decipiens*, v. Fritsch. Palaeontographica, Supp. III, Lief. 1, 1878, 143, xviii, 12; xix, 4.
- — — *dilabida*, Schwager. Palaeontographica, XXX, 1883, Pal. Theil, 140, xxix (62), 7a-e.
- — — *dilatata*, Michelotti. Nat. Verh. Holland. Maat. Wet. Haarlem, 2, xv, 1861, 17, i, 1 and 2.
- — — (*Lepidocyclina*) — — — — — Gümbel, Abh. m.-ph. Cl. k. bayer. Ak. Wiss. x, 1868 (1870), 717, iv, 45a, b, 46, 47.
- — — *discus* (Rütim.) (charact. addit.). Kaufmann, Beitr. geol. Karte Schweiz, Lief. v, 1867, 160, x, 11-16. [v. *Orbitolites*.]
- — — *dispansa* (Sow.). Carter, Ann. Mag. Nat. Hist. [3], VIII, 1861, 447, xvi, 1, xvii, 1; Journ. Bombay Branch R. Asiatic Soc. VI, 1861 (1862), 73. [*Lycophris*, 1837.]
- — — (*Discocyclina*) — — — — — Gümbel, Abh. m.-ph. Cl. k. bayer. Ak. Wiss. x, 1868 (1870), 701, iii, 40-47.
- — — — — Hantken, A magy. kir. földt. int. évkönyve, I, 1871, 132, ii, 10a, b; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, I, 1871, p. 138, same pl. and fig.
- — — — — Brady, Geol. Mag. dec. 2, vol. II, 1875, 536, xiv, 2a, b, c.
- — — — — Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 72, xi, 3; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), p. 82, same pl. and fig.
- — — — — v. Fritsch, Palaeontographica, Supp. III, Lief. 1, 1878, 142, xviii, 10; xix, 8.
- — — — — Brady, Jaarb. Mijn. Ned. Oost-Indie, VII, 2, 1878, 164, ii, 2a, b, c.
- — — — — Medlicott & Blanford, Geol. of India, 1879, 340 and 459, xv, 8.
- — — (*Discocyclina*) — — — — — Bütschli, in Bronn, Klassen, etc. Thier-Reichs, 1880, 215, xii, 16.
- — — — — Martin, Samml. geol. Reichsmus. Leiden, [1], vol. I, Heft 2, 1881, 112, vi, 1, 2, and 3.
- — — — — v. nov. Abieb, Geol. Forsch. Kaukas. Ländern, II, 1882, 229, ii, 9; x, 1-4, 8; xi, 1-3.
- — — (*Discocyclina*) — — — — — Jennings, Geol. Mag. dec. 3, v, 1888, 530, xiv, 6.

- ORBITOIDES** eocana, Hantken. Kohlenflötze, etc. ungar. Krone, 1878
 (transl. from Magyar), 218, fig. 32.
- (Discoecyclina) **ephippium** (Schloth.). Gümbel, Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 696, iii, 15, 16, 38, and 39. [*Lenticulites*, 1820.]
 — v. Fritsch, Palaeontographica, Supp. III, Lief. 1, 1878, 141, xviii, 11; xix, 6.
- **ephippium** (Sow.). Zittel, Handbuch Palaeont. Abth. I, 1876, 103, fig. 43^o. [*Lycophris*, 1837.]
- (Discoecyclina) — Jennings, Geol. Mag. dec. 3, v, 1888, 530, xiv, 4a, b.
- faujasi (Defr.). Reuss, Sitz. k. Ak. Wiss. Wien, XLIV, Abth. 1, 1861 (1862), 309, iv, 7-9; v, 1-5. [v. *Lycophris*.]
- — J., P. & B., Crag Foram., Pal. Soc. XIX, 1866, n. d. iii, 25.
 — — Stoliezka, Palaeontologia Indica, Cret. Fauna S. India, IV, 4, 1873, p. 61, xii, 3-5.
- fortisii, d'Arch. Carpenter, Parker & Jones, Introd. Foram. 1862, 300, xx, 1-4, 7, 10-16, and a cast, 298, xxii, 2 and 3. [*Orbitolites*, 1848.]
 — — Carpenter, The Microscope, ed. 6, 1881, 585, fig. 339, 340, 341, 342. [Structural.]
- gigantea, Martin. Junghuhn, Tertiärsch. Java, 1879-80, 162, xxviii, 3.
 — — Martin, Niederländ. Arch. Zoöl. v, Heft 2, 1880, xiv, 3.
- gumbellii, Seguenza. Atti R. Accad. Lineei, [3], vi, 1880, 45, iv, 9a, b, c.
- inflata, Terquem. Mém. Soc. géol. France, [3], II, 1882, 125, xiii (xxi), 6a, b.
- javanicus, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1855, 168, iv, viii-x.
 [Same as *O. pratti*.] [*Glauc.*]
- — Carpenter, Parker & Jones, Introd. Foram. 1862, xxii, 4 and 5. [Cast.]
- (Rhipidocyclina) **karakaiensis** (d'Archiae). Gümbel, Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 706, iv, 42-44. [*Orbitolites*, 1850.]
- lucifera, Kaufmann. Beitr. geol. Karte Schweiz, Lief. v, 1867, 157, ix, 17-21.
- mantelli (Morton). D'Orbigny, in Lyell, Quart. Journ. Geol. Soc. IV, 1847 (1848), 11, no fig. [*Nummulites*, 1833.]
 — — [(d'Orb.) 1847]. D'Orbigny, Prodrome de Paléont. II, 1850, 406, No. 1296.
- — Carpenter, Parker, & Jones, Introd. Foram. 1862, 298 and 300, xx, 5, 6, 8, 11*
- (Lepidocyclina) — Gümbel, Abh. k. bay. Ak. Wiss. x, 1868 (1870), p. 718.
- — Bütschli, in Bronn, Klassen, etc. Thier-Reichs, 1880, 215, xii, 22.
 — — [Sow.]. Steinmann, Elem. Paléont. I, 1888, 36, fig. K.
- media, d'Orb. Cours élém. Paléont. etc. I, 1849, 193, fig. 316; II, fas. 2, 1852, 689, fig. 557.
- — Prestwich, Geology, II, 1888, 290, 151, i.
- microthalma, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1855, 167 iv, xi. [Same as *O. pratti*.] [*Glauc.*]
- (Rhipidocyclina) **multiplicata**, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 704, iv, 20-24.
- — Steinmann, Elem. Paléont. I, 1888, 36, fig. G.
- nudimargo, Schwager. Palaeontographica, XXX, 1883, Pal. Theil, 139, xxix (6), 8a-e.
- (Rhipidocyclina) **nummulitica**, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 702, iv, 1-3, 16-18.

- ORBITOIDES nummulitica**, Gümbel. Steinmann, Elem. Paléont. I, 1888, 36, fig. 23, C.
- **nupera**, Conrad. Amer. Journ. Sci. XLIII, 1867, p. 31. [Cf. *Orbitolites supera*.]
- **omphalus**, v. Fritsch. Palaeontographica, Supp. III, Lief. 1, 1878, 142, xviii, 13; xix, 5.
- **orakeiensis**, Karrer. Novara-Exped., Geol. Theil, I, 1864, 86, xvi, 21.
- **(Discoecyclina) papyracea** (Boubée). Gümbel, Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 690, iii, 3-12, 19-29. [v. *Nummulites*.]
- — — Hantken, A magy. kir. földt. int. évkönyve, I, 1871, 132, ii, 9a, b; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, I, 1871, p. 138, same pl. and fig.
- — — — — Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 71, xi, 1; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), p. 81, same pl. and fig. [*O. papyracea*, in descr. of plate.]
- — — — — Brady, Geol. Mag. dec. 2, II, 1875, 535, xiv, 1a, b, c, d.
- — — — — Zittel, Handbuch Palaeont. Abth. I, 1876, 103, fig. 43^{1, 2, 3}.
- — — — — Brady, Jaarb. Mijn. Ned. Oost-Indie, VII, 2, 1878, 163, ii, 1a, b, c, d.
- — — — — v. Fritsch, Palaeontographica, Supp. III, Lief. 1, 1878, 140, xviii, 14. [Structure.]
- — — — — Hantken, Kohlenflöze, etc. ungar. Krone, 1878 (transl. from Magyar), 225, fig. 38.
- — — — — Medlicott & Blanford, Geol. of India, 1879, 461, xv, 7.
- — — — — Bützschli, in Bronn, Klassen, etc. Thier-Reichs, 1880, 215, xii, 20 and 21.
- — — — — Abich, Geol. Forsch. Kaukas. Ländern, 1882, 242, ix, 2, 2a, b.
- — — — — Terquem, Mém. Soc. géol. France, [3], II, 1882, 126, xiii (xxi), 7a, b.
- — — — — Steinmann, Elem. Paléont. I, 1888, 36, fig. 23, A, B, F, H, I.
- — — — — **(Discoecyclina)** — — — Jennings, Geol. Mag. dec. 3, V, 1888, 530, xiv, 5.
- — — — — **(Aktinocyclina) patellaris** (Schlotheim). Gümbel, Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 711, iv, 29-32. [*Asteriacites*, 1822.]
- — — — — Hantken, A magy. kir. földt. int. évkönyve, I, 1871, 132, ii, 31a, b [error for 11a, b]; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, I, 1871, p. 139, same pl. and fig.
- — — — — Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 72, xi, 6; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), p. 83, same pl. and fig.
- — **prattii**, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1855, 167, iv, ii, etc. [See also *O. microthalma* and *O. javanicus*.] [Glauc.]
- — **(Asterocyclus) priabonensis**, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 715, iv, 3b, a, b, 41 [40].
- — **(Asterocyclus)** — — — Bützschli, in Bronn, Klassen, etc. Thier-Reichs, 1880, 215, xii, 17.
- — **(Aktinocyclina) radians** (d'Arch.). Gümbel, Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 707, ii, 116a-d; iv, 11-15 [14 = v. *furcata*.] [*Orbitolites*, 1848.]
- — (?) var. **scarantana**, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), iv, 41a, b.
- — — — — Hantken, A magy. kir. földt. int. évkönyve, I, 1871, 132, ii, 7; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, I, 1871, p. 139, same pl. and fig.
- — — — — Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 72, xi, 5; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), p. 83, same pl. and fig.
- — — — — Steinmann, Elem. Paléont. I, 1888, 36, fig. 23, D.

- ORBITOIDES** radiata, Martin. Junghuhn, Tertiärsch. Java, 1879–80, 163, xxviii, 4.
- Martin, Niederländ. Arch. Zool. v, Heft 2, 1880, xiv, 4.
- (*Asterocydina*) stella, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 716, ii, 117a, b, c; iv, 8–10, 19.
- Hantken, A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 73, xi, 10; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), p. 84, same pl. and fig.
- (*Asterocydina*) — Bützschli, in Bronn, Klassen, etc. Thier-Reichs, 1880, 215, xii, 18.
- (*Asterocydina*) stellata (d'Archiac). Gümbel, Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 713, ii, 115a–e; iv, 4–7. [*Calcarina*, 1846.]
- Hantken, A magy. kir. földt. int. évkönyve, i, 1871, 133, ii, 8a, b, c; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, i, 1871, p. 139, same pl. and fig.
- Hantken, A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 73, xi, 9; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), p. 84, same pl. and fig.
- Hantken, Kohlenflötze, etc. ungar. Krone, 1878 (transl. from Magyar), 226, fig. 40.
- (*Asterocydina*) — Bützschli, in Bronn, Klassen, etc. Thier-Reichs, 1880, 215, xiii, 1.
- Steinmann, Elem. Paléont. i, 1888, 36, fig. 23, E.
- (*Asterocydina*) — [Gümb.]. Jennings, Geol. Mag. dec. 3, v, 1888, 531, xiv, 7.
- Howchin, Trans. R. Soc. Austral. xii, 1889, 17, i, 9–11.
- (*Rhipidocyclina*) strophiolata, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 705, iv, 25–28.
- sumatrensis, Brady. Geol. Mag. dec. 2, ii, 1875, 536, xiv, 3a, b, c.
- Brady, Jaarb. Mijn. Ned. Oost-Indie, vii, 2, 1878, 165, ii, 3a, b, c.
- (*Discocyclina*) tenella, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 698, iii, 1, 2, 30 and 31.
- Zittel, Handbuch Palaeont. Abth. i, 1876, 103, fig. 43⁴.
- (*Aktinocyclina*) tenuicostata, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 709, ii, 114a, b, c; iv, 35.
- Hantken, A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 73, xi, 7 and 8; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), p. 83, same pl. and fig.
- varians, Kaufmann. Beitr. geol. Karte Schweiz. Lief. v, 1867, 158, x, 1–10.
- (*Aktinocyclina*) variecostata, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 710, iv, 33a, b, 34.
- Zittel, Handbuch Palaeont. Abth. i, 1876, 103, fig. 43⁶.
- (*Actinocyclina*) — Bützschli, in Bronn, Klassen, etc. Thier-Reichs, 1880, 215, xii, 19.
- [—] Targiona, Relaz. d'alc. viaggi, iv, 1770, p. viii, pl. i, figs. 3–5. See *Corpi marini*.
- Carpenter, Parker & Jones, Introd. Foram. 1862, 298, xx.
- ? sp. v. Fritsch, Palaeontographica, Supp. III, Lief. 1, 1878, 145, xviii, 17.
- Carpenter, Ency. Brit. 9th ed. ix, 1879, Foraminifera, 382, fig. 30–32.
- Martin, Jaarb. Mijn. Nederland. Oost-Indië, xi, 1882, 80, 82, 90, iii, 1–4. [Structural.]
- ind. Abich, Geol. Forsch. Kaukas. Ländern, ii, 1882, 235, x, 5.
- Carter, Ann. Mag. Nat. Hist. [6], ii, 1888, 439. [Notes on Genus.]
- Malagoli, Atti Soc. Nat. Modena, [3], vii, 1888, 115, v, 2.
- see *Aktinocyclina*; *Asterocydina*; *Discocyclina*; *Lepidocyclina*; and *Rhipidocyclina*.

- ORBITOLINA**, d'Orbigny, 1847. D'Orbigny, Prodrome de Paléont. II, 1850, 143.
- annularis, P. & J. Ann. Mag. Nat. Hist. [3], VI, 1860, 31.
 - concava, P. & J. Lyell, Antiq. of Man, ed. 4, 1873, p. 64, fig. 22. [= *Porosphaera*.] Martin, Jaarb. Mijn. N. I. XVIII, 1889, 88, xxiv and xxv.
 - — Lamarck. v. *Orbulites*.
 - conica, d'Arch. Mém. Soc. géol. France, II, 1837, 178.
 - conoidea, Gras. Catal. Corps Org. Foss. Isère, 1852, 34, 37, 52, i, 4–6.
 - discoidea, Gras. Catal. Corps Org. Foss. Isère, 1852, 37 and 52, i, 7–9.
 - gigantea, d'Orb., 1847. D'Orbigny, Prodrome de Paléont. II, 1850, 279, No. 1350.
 - globularis (d'Orb.). Jones, Geologist, 1862, 336. [= var. of *O. concava* (Lam.).] [= *Porosphaera*.]
 - lævis, P. & J. Ann. Mag. Nat. Hist. [3], VI, 1860, 32. [v. *Tinoporus*.]
 - lenticularis, Lam. Carter, Ann. Mag. Nat. Hist. [3], VIII, 1861, 458, xvii, 5; Journ. Bombay Branch R. Asiatic Soc. VI, 1861 (1862), 84. [v. *Orbulites*, 1816.]
 - lenticularis (Blumenbach). Pictet & Renevier, Mat. paléont. Suisse, [1], Mém. 1, 1858, 166, xxiii, 3a–f. [*Madreporites*, 1805.]
 - — — Heer, Urwelt Schweiz, 1865, 203, fig. 115; and transl. London, 1876, 213, fig. 115.
 - lenticulata (Lamarck), (d'Orb.), 1847. D'Orbigny, Prodrome de Paléont. II, 1850, 143, No. 342. [See *Orbitolites*, Lamarck and Lamouroux, and *Orbulites*, 1816.]
 - — — Pictet, Traité de Paléont. 2 ed. IV, 1857, 486, cix, 7.
 - mamillata, d'Arch. Mémem. Soc. géol. France, II, 1837, 178.
 - media, d'Arch. Mémem. Soc. géol. France, II, 1837, 178.
 - patula, Carter. Geol. Papers Western India, 1857, 549, not fig'd.
 - plana, d'Arch. Mémem. Soc. géol. France, II, 1837, 178.
 - radiata, d'Orb., 1847. D'Orbigny, Prodrome de Paléont. II, 1850, 280, No. 1351.
 - semianularis, P. & J. Ann. Mag. Nat. Hist. [3], VI, 1860, 30.
 - simplex, P. & J. Ann. Mag. Nat. Hist. [3], VI, 1860, 29.
 - sphærulata, P. & J. Ann. Mag. Nat. Hist. [3], 1860, 34.
 - sphærulolineata, P. & J. Ann. Mag. Nat. Hist. [3], VI, 1860, 34.
 - vesicularis, P. & J. Ann. Mag. Nat. Hist. [3], VI, 1860, p. 31, No. 5; and var. *congesta*, No. 6. [v. also *Gypsinia* and *Tinoporus*.]
 - — ? Carter, Ann. Mag. Nat. Hist. [3], VIII, 1861, 459, xvii, 6–9; Journ. Bombay Branch R. Asiatic Soc. VI, 1861 (1862), 85.
- ORBITOLITES**, Lamarck, 1801. Syst. Anim. sans Vert. 1801, p. 376; Brady, Report Challenger, 1884, p. 210, fig. 6.
- arabica, Carter. Ann. Mag. Nat. Hist. [3], VIII, 1861, 463, xvii, 10–14; Journ. Bombay Branch R. Asiatic Soc. VI, 1861 (1862), 90. [*Operculina* in description to plates, q. v.]
 - complanata, Lamarck. Syst. Anim. sans Vert. 1801, p. 376. [v. *Orbiculina* and *Orbulites*.]
 - — — Defrance, Dict. Sci. Nat. XXXVI, 1825, 294; Atlas, Zooph. XLVII, 2.
 - — — Blainville, Actinologie, 1834, lxxii, 2.
 - — — Galeotti, Mém. Couronnés Ac. R. Bruxelles, XII, 1837, Mém. III, 164, IV, 5.
 - — — Michelin, Icon. Zoophytol. 1840–47, 167, xlvi, 4a, b.
 - [complanatus] — Harting, Magt van het Kleine, 1866, 103, fig. 45.
 - — — Greene, Man. Protozoa, London, 1871, 19, fig. 4.
 - — — Zittel, Handbuch Palaeont. Abth. I, 1876, 79, fig. 13⁴, and fig. 16.

- ORBITOLITES** *complanata*, Lam. Möbius, Beitr. Meeresfauna Insel Mauritius, etc. 1880, 81, iv [numbered iii, by error], 4 and 5 ; v, 1-5. [Structural.]
- [complanatus] — Carpenter, The Microscope, ed. 6, 1881, 553, fig. 316, 317, and 319.
- — — Terquem, Mém. Soc. géol. France, [3], II, 1882, 125, xiii (xxi), 5.
- — — Carpenter, Phil. Trans. 1883, 562, etc. figs. iii and iv. [Structural.]
- — — Carpenter, Report Challenger, "Orbitolites," 1883, 29, v, 11-18 ; vi, vii, and viii.
- — — Carpenter, Report Challenger, "Orbitolites," 1883, 13, fig. 3. [Structural.]
- — — [v. *laciniata*]. Carpenter, Report Challenger, "Orbitolites," 1883, 36, vii.
- [complanatus] — Jones, in Microgr. Diet. ed. 4, 1883, 557, xxiii, 17a, b.
- — — Brady, Report Challenger, 1884, 218, xvi, 1-6, and xvii, 1-6. [*O. laciniatus*, 1881.]
- — — v. *laciniata*. Brady, Report Challenger, 1884, 220, xvi, 8-11.
- — — Carpenter, Journ. Quekett Microsc. Club, [2], II, 1885, 91, fig. 4 and 10.
- — — Bütschli, Morph. Jahrb. XI, 1886, 80, vii, 1-5.
- — — Fritel, Foss. caract. terr. sedim. tert. 1886, pl. vii, 58 and 59.
- — — v. *laciniata*. Brady, Journ. R. Microsc. Soc. 1888, 693, x, 1-14.
- *concava*, Lamarck. Syst. Nat. Anim. s. Vert. 1801, p. 376.
- — — Michelin, Icon. Zoophytol. 1840-1847, 28, vii, 9.
- *crassa*, Fischer. Fond de la Mer, I, chap. xvii (1870), p. 253, not figured.
- [Cycloolina] *cretacea*, d'Orbigny. Bütschli, in Bronn, Klassen, etc. Thier-Reichs, 1880, 192, viii, 16. [Cycloolina, 1846.]
- *discoidea*, Lea. Contrib. to Geology, 1833, 192, vi, 205. [= ?]
- *disculus*, Leymerie. Mém. Soc. géol. France, [2], IV, 1851, 190, ix, 1a-d.
- *discus*, Rütimeyer. Nouv. Mém. Soc. Helvet. Sci. Nat. XI, 1850, Mém. 2, 116, v, 70, 71 (78, 80), 81.
- *duplex*, Carpenter. Phil. Trans. CLXXIV, 1883, 561, etc., figs. ii and v. — — — Carpenter, Report Challenger, "Orbitolites," 1883, 25, iii, 8-14 ; iv, 6-10 ; v, 1-10 ; p. 28, fig. 4.
- — — [hemprichii], Ehr. sp. ?. Brady, Report Challenger, 1884, 216, xvi, 7 ; and fig. 7, p. 217. [Amphisorus, 1838.]
- — — Carpenter, Journ. Quekett Microsc. Club, [2], II, 1885, 97, fig. 9. [Structural.]
- *elliptica*, Michelin. Icon. Zoophytol. 1840-1847, 277, lxi, 11a, b.
- *fortisii*, d'Archiac. Mém. Soc. géol. France, [2], III, 1848, 404, viii, 10a, 11a, 12a. [v. *Orbitoides*.]
- — — v. A, Roualt. Mém. Soc. géol. France, [2], III, 1848, 463, xiv, 6a.
- *furcata*, Rütimeyer. Nouv. Mém. Soc. Helvet. Sci. Nat. XI, 1850, Mém. 2, 118, v, 75 (79).
- *gensacica*, Leymerie, v. α , *gigantea*. Mém. Soc. géol. France, [2], IV, 1851, 190, ix, 2a-d.
- — — v. β , *concava*. Mém. Soc. géol. France, [2], IV, 1851, 190, ix, 3a-d.
- *interstitia*, Lea. Contrib. to Geology, 1833, 191, vi, 204. [= ?]
- *italica* (Costa). Brady, Ann. Mag. Nat. Hist. [5], XVI, 1886, p. 191. [Pavonina, 1856.]

- ORBITOLITES** karakaiensis, d'Archiac. Hist. Progrès Géol. III, 1850, p. 231. [v. also *Orbitoides*.]
- *laciniatus*, Brady. Quart. Journ. Mier. Soc. XXI, 1881, p. 47. [v. *O. complanata*, var. *lacinata*.]
- *lenticulata*, Lamarck. Defrance, Dict. Sci. Nat. XXXVI, 1825, 295; Atlas, Zooph. II, 5. [*Orbulites lenticulata*, 1816.]
- *Cuvier & Brongniart*, in Cuvier, Ossem. fossiles, ed. 2, II (2), 333 and 613, pl. ix, f. 4A, B, C.
- [Al. Brongn.]. Bronn, Syst. urweltl. Pflanzenthiere, 1825, 23, vi, 18.
- *macropora*, Lamarck. Reuss' Models, No. 90, 1865 [Catal. No. 30, 1861]. [v. *Orbulites*.]
- *malabarica*, Carter. Ann. Mag. Nat. Hist. [2], XI, 1853, 425, xvi, B, 1-4.
- *malabaricus*, Carter. [v. *Orbiculina adunca*.]
- *mammillaris*, Savi & Meneghini. Consid. Geol. Toscana, 1851, 144, no. fig.
- *mantelli*, Carter. Journ. Bombay Br. R. Asiatic Soc. V, pt. XVIII (1853), 138, ii, 30-39. [This is *Nummulites mantelli*, Morton.]
- *Carter*, Ann. Mag. Nat. Hist. [2], XI, 1853, 174, vii, 30-39 (40, 41?).
- *Carter*, Geol. Papers Western India, 1857, 547, xxiii, 30-39.
- *Carter*, Ann. Mag. Nat. Hist. [3], VIII, 1861, 452, xvi, 2, xvii, 2; Journ. Bombay Branch R. Asiatic Soc. VI, 1861 (1862), 79.
- *v. theobaldi*, Carter. Ann. Mag. Nat. Hist. [6], II, 1888, 342.
- *marginalis*, Lamarck. Carpenter, Phil. Trans. 174, 1883, 560, fig. i. [*Orbulites*, 1816.]
- *Carpenter*, Report Challenger, "Orbitolites," 1883, 20, iii, 1-7; iv, 1-5.
- *Brady*, Report Challenger, 1884, p. 214, xv, 1-5.
- *Carpenter*, Journ. Quekett Microsc. Club, [2], II, 1885, 96, fig. 8. [Structural.]
- *marginata*, Savi & Meneghini. Consid. Geol. Toscana, 1851, 144, no. fig.
- *orbiculus* (Förskal). J., P., & B., Crag Foram., Pal. Soc. XIX, 1866, 23, iii, 45-47. [*Nautilus*, 1775.]
- *papillosa*, Savi & Meneghini. Consid. Geol. Toscana, 1851, 144, no. fig.
- *papyracea*, d'Archiac. Mém. Soc. géol. France, [2], III, 1848, 405, viii, 13a.
- *parmula*, Rütimeyer. Nouv. Mém. Soc. Helvet. Sci. Nat. XI, 1850, Mém. 2, 117, v. 72 and 73.
- *patellaris*, Rütimeyer. Nonv. Mém. Soc. Helvet. Sci. Nat. XI, 1850, Mém. 2, 119, v. 76 and 77 (79).
- *pedunculata*, Carter. Ann. Mag. Nat. Hist. [3], VIII, 1861, 463; Journ. Bombay Branch R. Asiatic Soc. VI, 1861 (1862), 89. [*Cyclolina*, 1853.]
- *pratti*, Michelin. Icon. Zoöphytol., 1840-47, 278, lxiii, 14. [v. also *Orbitulites*.]
- *radians*, d'Archiac. Mém. Soc. géol. France, [2], III, 1848, 405, viii, 15a.
- *secans*, Leymerie. Mém. Soc. géol. France, [2], IV, 1851, 191, ix, 4a, b.
- *sella*, d'Archiac. Mém. Soc. géol. France, [2], III, 1848, 405, viii, 16a.
- *socialis*, Leymerie. Mém. Soc. géol. France, [2], IV, 1851, 191, ix, 5a, b, c.
- *stellaris*, Brunner [MS.]. Rütimeyer, Nouv. Mém. Soc. Helvet. Sci. Nat. XI, 1850, Mém. 2, 118, v, 74 (78).

- ORBITOLITES** *stellata*, d'Archiac. Mém. Soc. géol. France, [2], III, 1848, 405, viii, 14. [*Calcarina*, 1846.]
 —— *submedia*, d'Archiac. Mém. Soc. géol. France, [2], II, 1846, 184, vi, p. 6.
 —— —— Fritel, Foss. caract. terr. sedim. tert. 1886, pl. vii, 60 and 61.
 —— *superata*, Conrad. Proc. Ac. Nat. Sci. Philad. No. 2, 1865, p. 74. "Smaller than the preceding [*O. mantelli*] and comparatively thicker, without the raised central point. Diameter 13-20 inch. This species is readily distinguished by the convex centre, and is limited to the oligocene strata." [Cf. *Orbitoides nupera*.]
 —— *tenuissima*, Carpenter [MSS., 1870]. Thomson, Depths Sea, 1873, 91, fig. 10. [= *O. italica*, q. v.]
 —— [*tenuissimus*] —— Carpenter, The Microscope, ed. 6, 1881, 556, fig. 318.
 —— —— —— Schlumberger, F. Jeune Nat., Mar. 1882, iii, 1.
 —— —— —— Folin, Congrès Scient. Dax, 1882 (1883), 314, pl. f. 5. [Sarcodite body.]
 —— —— —— Carpenter, Phil. Trans. 174, 1883, 553, xxxvii and xxxviii.
 —— —— —— Carpenter, Report Challenger, "Orbitolites," 1883, 16, i. and ii.
 —— —— —— [*italica* (Costa ?)]. Brady, Report Challenger, 1884, 212, xv, 6a-d, and 7. [v. *O. italica*.]
 —— —— —— Verworn, Zeitschr. Wiss. Zoöl. (Siebold's) XLVI, 1888, 466, fig. K; and Ann. Mag. Nat. Hist. [6], II, 1888, p. 165.
 —— —— —— Neumayr, Stämme d. Thierreiches, I, 1889 (8), 180, fig. 22.
 [——] Costa, Fauna Regno Napoli, 1838, Foraminiferi, not described, ii, 7 and 8.
 —— Carter, Journ. Bombay Branch R. Asiatic Soc. III, 1849, 168, viii, 1a-c.
 —— Rütimeyer, Nouv. Mém. Soc. Helvet. Sci. Nat. XI, 1850, Mém. 2, v, 67-69.
 —— Mantell, Pictorial Atlas Foss. Rem. 1850, 142, lxi, 17.
 —— Carpenter, Quart. Journ. Geol. Soc. VI, 1850, 30, plates iii to viii. [Minute structure.]
 —— Carter, Journ. Bombay Br. R. Asiatic Soc. V, pt. XVIII (1853), 139, ii, 40 and 41.
 —— Carpenter, Phil. Trans. 1856, 181, pl. iv. [The animal, or sarcodite body.]
 —— Carpenter, Phil. Trans. 1856, 181, pls. v, vi, vii, viii, and ix [pl. v, f. 2 and 3, referred by Brady to *O. complanata*, v. *laciniata*]; pl. v, fig. 10, and pl. ix, f. 10, "Orbitolites, duplex type," belong to *Orbitolites duplex*, 1883. [The shell.]
 —— Carter, Geol. Papers Western India, 1857, 548, xxiii, 40 and 41.
 —— Carpenter, Parker, & Jones, Introd. Foram. 1862, 105, iv and ix; fig. ix; fig. xxiv, in text. [Structural.]
 —— Williamson, Pop. Sci. Rev. IV, 1865, 174, viii, 10.
 —— Carpenter, Eney. Brit. 9th ed. IX, 1879, Foraminifera, 377, figs. 11-13. [Structure.]
 —— Bütschli, in Brönn, Klassen, etc. Thier-Reichs, 1880, 192, v, 3 and 4. [Fig. 4, "complieirte Varietät," is referred by Brady to *O. complanata*, v. *laciniata*.]
 —— Bütschli, in Brönn, Klassen, etc. Thier-Reichs, 1880, 192, vi, 1A-E.
 —— Carpenter, Report Challenger, "Orbitolites," 1883, 10, fig. 1; 11, fig. 2; p. 41, fig. 5. [Structural.]
 —— Carpenter, Journ. Quekett Microsc. Club, [2], II, 1885, 93, figs. 5, 6, 7, 11, and 12. [Structural.]
 —— see *Aeolides*; *Discolites*; *Operculum*; and *Umbiliculum*.
- ORBITULINA**, Brönn, 1851-52. [Quoted for *Orbitolina*, d'Orbigny, 1847.]
 Lethaea Geognostica, ed. 3, II, 1851-52, p. 93.

- ORBITULINA cretacea**, Schafhärtl. Süd-Bayerns Lethaea Geogn. 1863, not deser. xv, 1a, b.
 —— **lenticularis** (Lam.). Bronn, Lethaea Geognostica, ed. 3, II, 1851–52, 93, xxix², 22a–c. [*Orbulites*, 1816.]
 —— **venezuelana**, Karsten. Géol. Colomb. bolivarienne, etc. 1886, 62, vi, 6a, b, c, d, e. [*Orbitulites lenticularis*, ?, K, 1856.]
- ORBITULITES**,* Bronn, 1837. Lethaea Geognostica, ed. 2, I, 1837, p. 596.
- **africanus**, J. E. Gray. Spicil. Zool. 1828, 8. [*nom. nud.*? Foraminifer.]
 — **angulata**, Catullo. Dei Terreni sed. sup. Venezie, 1857, 27, i, 11.
 — **apertus**, Ermann. Zeitschr. deutsch. geol. Ges. VI, 1854, 603, xxiv [error for xxiii], 1–3.
 — **cassianicus**, Schauroth. Sitz. k. Ak. Wiss. Wien, XVII, 1855, 527, ii, 13.
 — **circumvulvata**, Gümbel. Neues Jahrbuch, 1872, 259, vii, 11–18.
 — **complanata** (Lamarek). [v. *Orbitolites*.]
 — **[complanatus]**, Lam. Bronn, Lethaea Geognostica, ed. 3, III, 1853–56, 254, xxxv, 22a, b.
 — **?** — Catullo, Dei Terreni sed. sup. Venezie, 1857, 26, i, 10.
 — cf. — Schwager, Palaeontographica, XXX, 1883, Pal. Theil, 90, xxiv (1), 10a–d.
 — **concava** (Lamarek). [*Orbulites*, 1816.]
 — — — [Defrance]. Gümbel, Anleit. Geol. Beob. Alpenreisen, Zeitschr. D. & Ö. Alpenver., Beilage, 1878, 132, fig. 45, 5.
 — **convexo-convexa**, Catullo. Dei Terreni sed. sup. Venezie, 1857, 25, i, 7.
 — **creplini**, Hagenow. N. Jahrb. 1839, 289. [= *Myriopora*, *fide* Bronn, Index Pal. 1848, 768.]
 — **incertus**, Karrer. Novara-Exped., Geol. Theil, I, 1864, 79, xvi, 10.
 — **lenticularis**, sp. nov. ?, Karsten. Amtlicher Ber. 32 Vers. deutsche Nat. Aerzte, Wien, 1856, (1858), 114, vi, 6a, b, c, d, e. [v. *Orbulina venezuelana*.]
 — **lenticulata** (Lamarek). Gümbel, Anleit. geol. Beob. Alpenreisen, Zeitschr. D. & Ö. Alpenver., Beilage, 1878, 131, fig. 43, 10. [*Orbulites*, 1816.]
 — **macropora** (Lamarek). Goldfuss, Petrif. German. I, 1826–33, 41, xii, 8. [*Orbulites*, 1816.]
 — — — Reuss, in Geinitz, Grundr. Verstein. 1845–1846, 626, xxiii, 51.
 — — — Hagenow, Bryozoen Maestrichter Kreide, 1850, 103, xii, 17a–c.
 — **marginatus**, Lam. Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 27, pl. iii. [*Orbulites marginalis*, 1816.]
 — **nummuliformis**, Catullo. Dei Terreni sed. sup. Venezie, 1857, 27, i, 12. [*Stromatopora* of Lonsdale, fig'd by Pictet, Traité de Pal. IV, 1846, 321, xvi, 14.]
 — **pharaonum**, Schwager. Palaeontographica, XXX, 1883, Pal. Theil, 91, xxiv (1), 9a bis, d.
 — **praecursor**, Gümbel. Neues Jahrbuch, 1872, 256, vii, 1–10.
 — **prattii**, Michelini. Catullo, Dei Terreni sed. sup. Venezie, 1857, 26, i, 9. [Prattii or pl.]. [*Orbitolites*, 1840.]
 — **roncana**, Catullo. Dei Terreni sed. sup. Venezie, 1857, 25, i, 8.
 — **tenuissimus**, Carpenter. Abich, Geol. Forsch. Kaukas. Ländern, 1882, 243, fig. 41. [v. *Orbitolites*.]
 — **texanus**, Roemer. Kreidebild. Texas, 1852, 86, x, 7a, b, c, d.
 — **Faujas de St. Fond**, Hist. Nat. Mont. St. Pierre Maestricht, 1799, 186, xxiv, 1–4.

* This term was first used by Faujas de St. Fond, Hist. Nat. Mont. St. Pierre Maestricht, 1799, pp. 186, 187. He quotes *Orbitolites*, Lamarck, Syst. 1801, p. 376, and we can only presume that he was favored by Lamarck's opinion on his specimens.

- ORBITULITES**, Bronn, Klassen Ordn. Thier-Reichs, I, 1859, 72, vii, 1A-E.
[Structural.]
— Steimann, Elem. Paléont. I, 1888, 24, fig. 5.
— ? Schrauth, see under *Nummulina polygyrata*, Rüt.
- ORBITULOIDES** reticulata, Owen. Rep. Mineral Lands, Niagara Group, 1840. [Referred by S. A. Miller, Catal. Amer. Pal. Foss. 1877, to *Receptaculites*.]
- ORBULINA**, d'Orbigny, 1839. De la Sagra, Hist. Phys. etc. Cuba, 1839, II (2), "Foraminifères," p. 3; Brady, Report Challenger, 1884, p. 606.
- aterrima, Costa. Fauna Regno Napoli, 1838,* Foraminiferi, 4, iii, 7. [=? *Lagena*.]
— costata. Kübler & Zwingli, Neujahrsblatt Burgersbibl. Winterthur, 1866, 10, ii, 25. [= holothuroid spicule].
— faveolata, Seguenza. See *O. foveolata*.
— foveolata, Seguenza. Foram. monotal. miocen. Messina, 1862, 37, i, 1 and 2.
— granulata, Costa. Atti Accad. Pontaniana, VII, fas. 2 (1856), 116, xi, 2-4; xv, 8 [error for 14].
— — — v. a, atra, 117, xi, 2.
— — — v. b, impressa, 117, xi, 4 [3 in error on plate].
— — — v. c, areolata, 117, xi, 3 [4 in error on plate].
— irregularis, Terquem, Cinquième Mém. Foram. Oolithique, 1883, 343, xxxviii, 1.
— — — — — Terquem, Mém. Soc. géol. France, [3], IV, 1886, 5, i, 1.
liasica, Terq. Mem. Ac. Imp. Metz, XLII, 1862, 432, v, 4.
macropora, Terquem. Bull. Soc. géol. France, [3], IV, 1876, 481, xv, 1. [? Foraminiferal.]
— — — — — Terquem, Cinquième Mém. Foram. Oolithique, 1883, 344, xxxviii, 3.
micropora, Terquem. Mém. Soc. géol. France, [3], IV, 1886, 5, i, 3.
millepora, Terquem, Cinquième Mém. Foram. Oolithique, 1883, 344, xxxviii, 2. [v. *O. sparsipora*.]
neojurensis, Karrer. Sitz. k. Ak. Wiss. Wien, LV, Abth. 1, 1867, 368, iii, 10. [v. *Globigerina*.]
— — — — — Uhlig, Jahrb. k. k. geol. Reichs, XXXIII, 1883, 760, ix, 20.
nitida, Terquem. Bull. Soc. Zool. France, XI, 1886, 330, xi, 1.
petraea, Giebel. Deutschl. Petref. 1852, p. 255, no descr. or fig.
porosa (Terq.). Brady, Report Challenger, 1884, 611, lxxxii, 27. [*Globulina*, 1858.]
punctata, Terq. Mem. Ac. Imp. Metz, XLII, 1862, 432, v, 5.
— — — — — Terq. & Berth., Mém. Soc. géol. France, [2], X, 1875, ii, i (xi), 1.
rugosa, Terq. Mem. Ac. Imp. Metz, XLIV, 1863, 377, vii, 3.
sparsipora, Terquem. Mém. Soc. géol. France, [3], IV, 1886, 5, i, 2. [T. gives reference to "Mém. Foram. Oolithique, p. 344." This is erroneous; v. *O. millepora*.]
tuberculata, Costa. Fauna Regno Napoli, Naples, 1838,* Foraminiferi, 4, i, 8a, A. [v. *Globigerina*.]
— — — — — Costa, Atti Accad. Pontaniana, VII (2), 1886, 116, xi, 1a, A.
universa, d'Orbigny. Barker-Webb & Berthelot, Hist. Nat. Iles Canaries, 1839, II, pt. 2, "Foraminifères," 123, i, 1. [v. *Globigerina*; and *Orbiculina*.]
— — — — — D'Orb., in de la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 3, i, 1; also in Spanish, 1840, p. 35, same pl. and fig.
— — — — — Costa, Fauna Regno Napoli, 1838, * Foraminiferi, 3, i, 9a, A, and Prod. Paléont. III, p. 190 [= Atti Acc. Pontan. 1856, q. v.]

* See Sherborn, Bibl. Foram. 1888, p. 32.

- ORBULINA universa**, d'Orbigny. Pietet, Traité de Paléont. iv, 1846, 218, xii, 1; and 2d ed. 1857, 483, eix, 2.
 _____ D'Orbigny, Foram. Fossiles Vienne, 1846, 22, i, 1.
 _____ D'Orbigny, Cours élém. Paléont. etc. i, 1849, 192, fig. 315 ; ii, fas. 2, 1852, 815, fig. 621.
 _____ Harting, Magt van het Kleine, 1849, iii, fig. 1 ; and 1866, 100, fig. 36 ; German by Dr. A. Schwartzkoff, 1851, 81.
 _____ Bailey, Smithsonian Contrib. ii, 1851, 9, pl., 1.
 _____ Costa, Atti Accad. Pontaniana, vii, fas. 2 (1856), 114, xi, 5a, A, B.
 _____ Dawson, Canad. Nat. ii, 1857, 422, vii, 21. [= *Lag. globosa*, W. & J.]
 _____ Williamson, Recent British Foram. 1858, 2, i, 4.
 _____ Mackie, Recreative Science, i, 1859, 147, fig. 8.
 _____ Carpenter, Parker, & Jones, Introd. Foram. 1862, 176, xii, 8.
 _____ Mangin, Mystères Océan, 1864, 177, fig. 10.
 _____ Parker & Jones, Phil. Trans. 1865, 364, xvi, 13 and 14.
 _____ Reuss' Models, No. 74, 1865. (Catal., No. 92, 1861).
 _____ Mackie, Science Gossip, 1867, 129, fig. 104.
 _____ Figuier, Ocean World, [1873], p. 84, fig. 17.
 _____ Wy. Thomson, Depths of Sea, 1873, 23, fig. 3.
 _____ Toula, Mitth. geogr. Ges. Wien, xviii, 1875, 165, pl., 12.
 _____ Wy. Thomson, Proc. Roy. Soc. xxiii, 1875, 35, ii.
 _____ Terquem, Ess. Anim. Plage Dunkerque, pt. 2, 1876, 67, vii, 1; (and Mém. Soc. Dunkerquoise).
 _____ Anon., Amer. Journ. Micros. i, 1876, 128, figs. 2 and 3.
 _____ Zittel, Handbuch Palaeont. i, 1876, 88, fig. 24¹.
 _____ Tate & Blake, Yorkshire Lias, 1876, 472, xviii, 32.
 _____ Schwager, Boll. R. Com. Geol. Ital. viii, 1877, 26, pl., 45.
 _____ Wy. Thomson, Voyage Challenger, 1877, ii, 215, fig. 47.
 _____ Hopkins, Execut. Doc. 45 Congress, Sess. 3, iv, Rpt. Chief Engineers, pt. 2, App. W, 1878-79, 885, ii, 73.
 _____ Nicholson, Manual Palaeont. 1879, i, 100, fig. 14.
 _____ Bütschli, in Bronn, Klassen, etc. Thier-Reichs, 1880, 201, vii, 30.
 _____ Abich, Geol. Forsch. Kaukas. Ländern, 1882, 241, fig. 40.
 _____ Terquem, Mém. Soc. géol. France, [3], ii, 1882, 24, 1 (ix), 1.
 _____ Schlumberger, F. Jeun. Nat., Jany. 1882, i, 1.
 _____ Jones, in Mierogr. Dict. ed. 4, 1883, 557, xxiv, 1.
 _____ Schlumberger, Comptes Rendus, xcvi, 1884, 1002, figs. 1 and 2 ; and Ann. Mag. Nat. Hist. [5], xiv, 1884, 69.
 _____ Brady, Report Challenger, 1884, 608, lxxviii ; lxxxi, 8-26 ; lxxxii, 1-3 ; double specimens, lxxxii, 20 and 21 ; lxxxii, 2 and 3.
 _____ Woodward & Thomas, 13 Ann. Rep. Geol. N. H. Survey Minnesota, for 1884 (1885), 174, iv, 25-31.
 _____ Gümbel, Geol. Bayern, Th. i, Lief. 2, 1885, fig. 266, 14.
 _____ Quenstedt, Handbuch Petref. ed. 3, Abth. v (1885), 1049, lxxxvi, 1.
 _____ Sherborn & Chapman, Journ. R. Micr. Soc. [2], vi, 1886, 756, xvi, 9.
 _____ Hogg, Microscope, 1886, 384, iii, 75, 76, and 78.
 _____ Malagoli, Boll. Soc. geol. Ital. vi, 1887, 522, xiii, 9.
 _____ Agassiz, Three Cruises "Blake," ii, 1888, 166, fig. 510 and 512.
 _____ Brady, Parker, & Jones, Trans. Zool. Soc. xii, pt. 7, 1888, 225, xlvi, 7, 8, 14.
 _____ D'Orbigny. See *Sphaerula vitrae*.

- ?ORBICULINA**, Ledermüller, Mikrosk. Gemüths. 1763, 8, iv, *n*, *m*.
 —— Walllich, North Atlantic Sea-bed, pt. I, 1862, no descr. vi, 10, 13–15.
 [Structural.]
 —— Alcock, Mem. Lit. Phil. Soc. Manchester, [3], III, 1868, iv, 1 and 2.
 —— Chinmo, Bed of Atlantic, [1870], 25, ix, 3.
 —— Walllich, Deep Sea Researches, Biol. Globigerina, 1876, 1, etc. plate, 10, 13–15. [Structural.]
 ?—— Terquem, Bull. Soc. géol. France, [3], VIII, 1880, 417, xi, 6a–c. [Spinous spheres.]
 —— showing within a small prickly *Globigerina*. Schacko, Arch. f. Naturgesch. (Wiegmann's), 1883 (49th Jahrg.), I, 429 etc. xiii, 1.
 —— Neumayr, Stämme d. Thierreiches, I, 1889 (8), 187, fig. 28b.
 (hispid varr.) see *Sphaerulae hispidae*.
 —— v. Miliola.
- “Orbuline lituola.” Carpenter, The Microscope, 5th ed. 1875, 533, fig. 273a, b.
 [= *Thurammina papillata*, q. v.]
- ORBULITES**, Lamarck, 1812. Extrait Cours Zoöl. 1812, p. 26; and Syst. Anim. s. Vert. II, 1816, p. 196. [Non 1801. See Broun, Index Pal. 1848, p. 850.]
- **complanata**, Lamarck. Syst. Anim. s. Vert. II, 1816, p. 196. [*Orbitolites*, 1801.]
 —— —— —— Schweigger, Beob. Naturh. Reisen, 1819 [131], vi, 59.
 —— —— —— Lamouroux, Exposit. méthod. Ordre Polypiers, 1821, 45, lxxii, 13–16.
 —— **concava**, Lamarck. Syst. Anim. s. Vert. II, 1816, p. 197. [*Orbitolites*, 1801.]
 —— **lenticulata**, Lamarck. Syst. Anim. s. Vert. II, 1816, p. 197.
 —— —— —— Lamouroux, Exposit. méthod. Ordre Polypiers, 1821, 45, lxxii, 13–16.
 —— **macropora**, Lamarck. Syst. Anim. s. Vert. II, 1816, 197, No. 5.
 —— **marginalis**, Lamarck. Syst. Anim. s. Vert. II, 1816, p. 196, No. 1.
 —— **planulatus**, Blainville. Dict. Sci. Nat. XXXVI, 1825, 295; Atlas, Zool. xlvi, 2. [= *Orbitolites complanata*.]
 —— —— —— Blainville, Actinologie, 1834, lxxii, 2.
 —— see *Orbitolina*; *Orbiculina*; *Orbitolites*; *Orbitulites*; *Orbiculites*; *Orbitulina*.
- OREAS**, Montfort, 1808. Conch. Syst. I, 1808, p. 95.
 —— **auricularis**, Blainville. Dict. Sci. Nat. XXXII, 1824, 188; XXXVI, 1825, 155; Atlas, Conch. xix, 4. [= *Crist. acutauricularis* (F. & M.).]
 —— —— —— Blainville, Manuel Malac. et Conch. 1825 (pls. 1827), 384, x, 4.
 —— **subulatus**, Montfort. Conch. Syst. I, 1808, 95, 24th genre. [= *Crist. acutauricularis*.]
- OROBIAS**, Eichwald, 1860. Lethaea Rossica, I, 1860, 352. [= *Nummulina*.]
 —— **aequalis**, Eichwald. Lethaea Rossica, I, 1860, 353, xxii, 16. [See *Fusulina*.]
 —— **antiquior** (Rouiller & Vosinsky). Eichwald, Lethaea Rossica, I, 1860, 353, no fig. [=*Nummulina*, 1849.]
- ORTHOCEERA**, Lamarck, 1801. Syst. Anim. s. Vert. 1801, p. 103.
 —— **acicula**, Lamarck. Hist. Anim. s. Vert. VII, 1822, p. 594, No. 5. [v. also *Nodosaria* and *Dentalina*.]
 —— **costata** [Montagu]. Brown, Illustr. Conch. Gt. Brit. 1827, fly-leaf, iii, 17 and 24. [= *Nautilus*, 1803.]
 —— —— —— Brown, Illustr. Recent Conch. Gt. Brit. ed. 2, 1844, 2, i, 17.
 —— **fascia** (Linn.). Lamarck, Hist. Anim. s. Vert. VII, 1822, p. 594. [= *Nautilus*, 1758.]

- ORTHOCEERA** *jugosa* [Montagu]. Brown, Illustr. Conch. Gt. Brit. 1827, fly-leaf, lii, 13. [*Nautilus*, 1803.]
 ——— ——— ——— Brown, Illustr. Recent Conch. Gt. Brit. ed. 2, 1844, 2, i, 13.
 ——— *legumen* [Linn.]. Lamarck, Ency. Méthod., "Vers," n. d. (pls. 1827), 465, f. 3. (P. & J. quote pt. 23, 1816.) [*Nautilus*, 1758.]
 ——— ——— ——— Lamarck, Hist. Anim. s. Vert. vii, 1822, p. 595. [*Nautilus*, 1758.]
 ——— ——— ——— Brown, Illustr. Conch. Gt. Brit. 1827, fly-leaf, lii, 21 and 23.
 ——— *linearis* [Montagu]. Brown, Illustr. Conch. Gt. Brit. 1827, fly-leaf, lii, 14 and 15. [*Nautilus*, 1808.]
 ——— ——— ——— Brown, Illustr. Recent Conch. Gt. Brit. ed. 2, 1844, 2, i, 14 and 15.
 ——— *obliqua* (Linn.). Lamarck, Hist. Anim. s. Vert. vii, 1822, p. 594. [*Nautilus*, 1758.]
 ——— *radicula* [Linn.]. Brown, Illustr. Conch. Gt. Brit. 1827, fly-leaf, lii, 28 and 25. [*Nautilus*, 1758.]
 ——— *raphanistrum* (Linn.). Lamarck, Hist. Anim. s. Vert. vii, 1822, p. 594. [*Nautilus*, 1758.]
 ——— *raphanoides*, Lamarck. Syst. Anim. s. Vert. 1801, p. 103. [v. *O. raphanus.*]
 ——— *raphanus* [Linn.]. Lamarck, Ency. Méthod., "Vers," n. d. (pls. 1827), 465, f. 2. (P. & J. quote pt. 23, 1816.) [*Nautilus*, 1758.]
 ——— ——— ——— [Lam.]. Brönn, Syst. urweltl. Conchyl. 1824, 9, i, 2 [error for 1].
 ——— ——— ——— Crouch, Introd. Lamarck, 1827, 39, xx, 5.
 ——— ——— ——— Brown, Conch. Text-book, 1839, 65, x, 28.
 ——— *recta* [Montagu]. Brown, Illustr. Conch. Gt. Brit. 1827, fly-leaf, lii, 16, 19, 20. [*Nautilus*, 1803.]
 ——— ——— ——— Brown, Illustr. Recent Conch. Gt. Brit. ed. 2, 1844, 2, i, 16, 19, 20.
 ——— *septemcostata*, Brown. Illustr. Recent Conch. Gt. Brit. ed. 2, 1844, 2, i, 24. [= Montagu, pl. 19, f. 2.]
 ——— *spinulosa* [Montagu]. Brown, Illustr. Conch. Gt. Brit. 1827, fly-leaf, lii, 26. [*Nautilus*, 1808.]
 ——— *subarcuata*, Brown. Illustr. Conch. Gt. Brit. 1827, fly-leaf, lii, 18. [v. also *Nodosaria.*]
 ——— Woodward, Outline Geology Norfolk, 1833 [60], vi, 24. [Flint cast of interior of a *Nodosaria.*]

ORTHOCEERAS, auct.

- *auris*, Soldani. Testac. I, pt. 2, 1791, p. 98, pl. 104A. [*Planularia auris*, Defr. D'Orb., Ann. Sci. Nat. VII, 1826, p. 260, 6.] [= *Cristellaria*, q. v.]
 ——— *baculus*, Sold. Testac. II, 1798, p. 16, pl. 2v, x. [*Nod. glabra*, d'O. Ann. Sci. Nat. VII, 1826, p. 253, no. 12.]
 ——— *corniculum*, Sold. Testac. I, pt. 2, 1791, p. 98, pl. 105K. [*Nod. (Dent.) cornicula* [error for *corniculum*, Jones MS.], D'O. Ann. Sci. Nat. VII, 1826, p. 255, 47.]
 ——— *cuspis*, Sold. Testac. II, 1798, 34, pl. 9P. [*Frondic. digitata*, d'O. Ann. Sci. Nat. VII, 1826, p. 256, 6.]
 ——— ——— ——— Testac. II, 1798, 34, pl. 9Q, R. [*Frondic. striata*, d'O. Ann. Sci. Nat. VII, 1826, p. 256, 3.]
 ——— ——— ——— Testac. II, 1798, 34, pl. 9S. [*Frondic. pupa*, d'O. Ann. Sci. Nat. VII, 1826, p. 256, 4.]
 ——— ——— ——— Testac. I, pt. 2, 1791, p. 98, pl. 105L. [*Nod. (Dent.) aciculata*, d'O. Ann. Sci. Nat. VII, 1826, p. 255, 41.]
 ——— *decussata*, Perry. Conchology, 1811, pl. lii, fig. 2.
 ——— *farcimen*, Sold. Testac. II, 1798, 35, pl. 10h-m. [*Nodos. ovicula*, d'O. Ann. Sci. Nat. VII, 1826, 252, 6.]

- ORTHOCEERAS** *farcimen*, Soldani. *Testac.* I, pt. 2, 1791, p. 98, pl. 105*O*.
 [*Nod. (Dent.) communis*, d'O. *Ann. Sci. Nat.* VII, 1826, p. 254, 35.]
- *foeniculum*, Sold. *Testac.* I, pt. 2, 1791, p. 91, pl. 94*Z*. [*Nodos. afinis*, d'O. *For. Foss. Vienne*, 1846, p. 39, i, 36-39.]
- *gazelllicorne*, Spalowsky. *Testac.* 1795, 10, i, 10.
- *intortum*, Sold. *Testac.* I, pt. 2, 1791, p. 98, pl. 105*V*. [*Nod. (Dent.) obliqua*, d'O. *Ann. Sci. Nat.* VII, 1826, p. 254, 36.]
- *mammillare*, Sold. *Testac.* I, pt. 2, 1791, p. 92, pl. 97*ee*.
 [*Nod. (Dent.) arcuata*, d'O. *Ann. Sci. Nat.* VII, 1826, p. 254, 38.]
- *marinum verissimum et quidem species ejus quattuor*. Breyen, in Giuliani's Mem. sopra Fis. Ist. Nat. Valent. 1743, p. 185, plate, fig. D. [Reproduced by Klein, Vers. Abh. Nat. Ges. Dantzig, Th. 2, 1754, pl. i, the 3d fig. from the right.]
- *minimum*, etc. [4 varieties described; 2 referred to *Plancus*, and one to Breyen.] = “ *N. raphanus* [Linn.], 1164; *N. obliquus* [Linn.], 1163; *N. fascia* [Linn.], 1164; *N. legumen* [Linn.], 1164; *N. siphunculus* [Linn.], 1164; MS. note in Brit. Mus. Copy.” Gualteri, Index Test. Conchyl. 1742, tab. xix, L to S.
- *monile*, Sold. *Testac.* II, 1798, 35, pl. 10*b*, c. [*Nod. pyrula*, d'O. *Ann. Sci. Nat.* VII, 1826, p. 253, 13.] [v. *Nodosarina*.]
- *obliquum*, Sold. *Testac.* I, pt. 2, 1791, p. 98, pl. 105*N*. [*Nod. (Dent.) carinata*, d'O. *Ann. Sci. Nat.* VII, 1826, p. 255, 39.]
- *pupa*, Sold. *Testac.* I, pt. 2, 1791, p. 99, pl. 108*E*, F. [*Lingul. soldani*, d'O. *Ann. Sci. Nat.* VII, 1826, p. 257, 3. = *Vulvulina capreolus*, d'O. The whole plate (108) is devoted to this species.]
- *quasi ex globulis compositum*. Breyen, in Giuliani's Mem. sopra Fis. Ist. Nat. Valent. 1743, p. 184, etc. plate, figures A and B. [Reproduced by Klein, Vers. Abh. Nat. Ges. Dantzig, Th. 2, 1754, pl. i, the 2 figs. on right side.]
- *varietas raphani vel raphanistri*, Sold. *Testac.* I, pt. 2, 1791, p. 97, pl. 103*I*. [*Nod. (Dent.) cuvieri*, d'O. *Ann. Sci. Nat.* VII, 1826, p. 255, 45.]
- *rapistrum* (num *raphani* vel *raphanistri* species?), Sold. *Testac.* I, pt. 2, 1791, p. 98, pl. 104*i* (*I*). [*Nodos. soldanii*, d'O. *Ann. Sci. Nat.* VII, 1826, p. 254, 10.]
- *scalaria*, Perry. Conchology, 1811, pl. lii, fig. 1.
- *serrula*, Sold. *Testac.* I, pt. 2, 1791, p. 99, pl. 106*aa*, bb. [*Marginulina litus*, d'O. *Ann. Sci. Nat.* VII, 1826, p. 259, 11.]
- *sublitus*, Sold. *Testac.* I, pt. 2, 1791, p. 98, pl. 104*F*, G. [*Marginulina sublitus*, d'O. *Ann. Sci. Nat.* VII, 1826, p. 259, 9.]
- *tuberosum*, Sold. *Testac.* I, pt. 2, 1791, p. 99, pl. 106*gg*. [*Dimorphina tuberosa*, d'O. *Ann. Sci. Nat.* VII, 1826, p. 264, 1.]
- *turbinatum et striatum exiguum*. Breyen, in Giuliani's Mem. sopra Fis. Ist. Nat. Valent. 1743, p. 185, plate, fig. C. [Reproduced by Klein, Vers. Abh. Nat. Ges. Dantzig, Th. 2, 1754, pl. i, the 4th fig. from the right.]
- *vaginulae* species, Sold. *Testac.* I, pt. 2, 1791, p. 97, pl. 103*M*. [*Vaginulina marginata*, d'O. *Ann. Sci. Nat.* VII, 1826, p. 258, 7.]
- Sold., *Testac.* I, pt. 2, 1791, 92, pl. 96*T*. [*Nod. semistriata*, d'O. *Ann. Sci. Nat.* VII, 1826, 252, 9.]
- ? Sold., *Testac.* I, pt. 3, 1795, p. 239, pl. 162*K*. [*Nod. (Dent.) scorpiurus*, Montf. D'Orb., *Ann. Sci. Nat.* VII, 1826, p. 255, 40.] [*Lituola scorpiurus*.]
- Sold., *Testac.* I, pt. 2, 1791, p. 91, pl. 94*S*. [*Nod. (Dent.) substriata*, d'O. *Ann. Sci. Nat.* VII, 1826, p. 255, 46.]
- ORTHOCEERATA** [? Soldani, 1780].
- *brevissima in longum striata, globulosa, conica, nec tamen perfecte acuminata*, Soldani. *Sagg. Oritt.* 1780, 107, v, 40*X*. [= *Nodos. bacillum*.]

- ORTHOCECERATA** conico-cylindroidea, Soldani. Sagg. Oritt. 1780, 107, v, 37P. [= *Dentalina*.]
 —— crystallina, seu vere arundinea, Soldani. Sagg. Oritt. 1780, 107, vi, 42E. [= *Dentalina*.]
 —— perfecte conica in acutum apicem definentia, circum nodosa striata, etc., Soldani. Sagg. Oritt. 1780, 107, v, 37Q. [= *Nod. bacillum*.]
 —— perfecte globularia, quorum alia vitrea, lœvis, . . . vel costata costis distantibus, lucidissima, . . . vel minima et microscopica . . ., Soldani. Sagg. Oritt. 1780, 108, vi, 43F-L. [= 43F, G, K, L, = *Nodos. radicula*; H = *Nodos. bacillum*; I = *Dentalina*.]
 —— seu tubuli concamerati, recti, longitudinaliter striati, cylindroidei, Soldani. Sagg. Oritt. 1780, 106, v, 37M, N, O. [= *Nodos. bacillum*.] [N = *D. obliquistrata*.]
 —— unilocularia, vel multilocularia, lœvia, lucida . . ., Soldani. Sagg. Oritt. 1780, 108, vi, 45O-S; vii, 45T-Z and A. [45O = *Gland. lœvigata*; P, R = *Polymorphina*; Q = *Sphaer. bulloides*; S = *Biloculina*; T, Y = Q; V = *Polymorph. communis*; X = *Polymorph. gutta*; Z = *Nodos. radicula*; A = *Polymorph. globularis*.]
 —— vaginulam gladii referentia, Soldani. Sagg. Oritt. 1780, 108, vi, 44M, N. [= *Vagin. legumen*.]

ORTHOCECERATIA, Soldani, 1780.

- anthocenæ, Soldani. Testaceographia, II, 1798, 15, pl. 2N. [= *Nodos. glabra*.]
 —— Sold., Testac. II, 1798, 15, pl. 2O. [*Nodos. nitida*, d'O. Ann. Sci. Nat. VII, 1826, 254, 33.]
 —— baculi, Sold. Testac. I, 2, 1791, 96, pl. 102B. [*Nod. interrupta*, d'O. Ann. Sci. Nat. VII, 1826, 252, 11.]
 —— Sold., Testac. I, pt. 2, 1791, 96, pl. 103D. [*Bigenerina lœvigata*, d'O. Ann. Sci. Nat. VII, 1826, 261, 3.]
 —— conico-cylindroidea, Sold. Sagg. Oritt. 1780, 107, pl. 5, 37m, M. [= *Nodos. affinis*, d'O.]
 —— filiformia, Sold. Testac. II, 1798, 35, pl. 10d. [*Nodos. flexuosa*, d'O. Ann. Sci. Nat. VII, 1826, 254, 32.]
 —— filiformia aut capillaria, Sold. Testac. II, 1798, 35, pl. 10f, g. [*Nodos. nodosa*, d'O. Ann. Sci. Nat. VII, 1826, 254, 31.]
 —— Sold., Testac. II, 1798, 35, pl. 10e. [*Nod. filiformis*, d'O. Ann. Sci. Nat. VII, 1826, 253, 14.]
 —— flosculi, Sold. Testac. I, pt. 2, 1791, 91, pl. 95A. [*Nodos. cancellata*, d'O. Ann. Sci. Nat. VII, 1826, 254, 29].
 —— Sold., Testac. II, 1798, 34, pl. 9L. [*Dentalina floscula*, d'O. For. Foss. Vienne, 1846, 50, pl. 2, 16, 17.]
 —— Sold., Testac. I, pt. 2, 1791, 91, pl. 95B-M. [*Nodos. longicauda*, d'O. Ann. Sci. Nat. VII, 1826, 254, 28.]
 —— hispida, Sold. Testac. II, 1798, 36, pl. 11n-z, A and B. [*Nod. hirsuta*, d'Orb.]
 —— lœvia, etc., Sold. Testac. I, pt. 2, 1791, 92, pl. 97bb [?]. [*Dentalina inornata*, d'O. For. Foss. Vienne, 1846, 44, i, 50, 51. D'Orbigny's reference is wrong.]
 —— lituitata, Sold. Testac. I, pt. 2, 1791, 95, pl. 100bb, cc. [*Marginulina lœvigata*, d'O. Ann. Sci. Nat. VII, 1826, 259, 10.]
 —— pupa, Sold. Testac. I, pt. 2, 1791, 99, pl. 108D. [*Vulvulina elegans*, d'O. Ann. Sci. Nat. VII, 1826, 264, 3.]
 —— Sold., Testac. I, pt. 2, 1791, 99, pl. 108vv, xx. [*Vulvulina pupa*, d'O. Ann. Sci. Nat. VII, 1826, 264, 2.]
 —— quasi hispida, Sold. Testac. II, 1798, 15, pl. 2P. [*Nod. hirsuta*, d'O. Ann. Sci. Nat. VII, 1826, 252, 7.]

- ORTHOCECERATIA** raphanus, raphanistrum, et rapistrum, Sold.
 Testac. I, pt. 2, 1791, 91, pl. 94*N*, *P*, *Q*, *R*, *X*, *Y*. [*N*=true *N. raphanus*;
R=true *N. obliqua*.] [*Marginulina raphanus* (Linn.). D'Orb., Ann.
 Sci. Nat. VII, 1826, 258, 1.]
- **tuberosa**, Sold. Testac. I, pt. 2, 1791, 99, pl. 107*nn*. [*Polymorphina soldanii*, d'O. Ann. Sci. Nat. VII, 1826, 265, 12.]
- — — **Sold.** Testac. I, pt. 2, 1791, 99, pl. 107*kk*. [*Polymorphina tuberosa*, d'O. Ann. Sci. Nat. VII, 1826, 265, 6.]
- — — **vaginula**, Sold. Testac. II, 1798, 14, pl. 1*F*, *G*. [*Vaginulina caudata*,
 d'O. Ann. Sci. Nat. VII, 1826, 258, 8.]
- — — **villosa seu rudia**, Sold. Testac. I, pt. 2, 1791, 96, pl. 101*ll-oo*. [*Marginulina hirsuta*, d'O. Ann. Sci. Nat. VII, 1826, 259, 5.]
- — — **vitrea in longum striata, pellucida, minuscula**, Soldani. Sagg.
 Oritt. 1780, 107, v, 41*Z*, *Y*, *A*, *B*, *C*, *D*. [41*Y*=*Dent.*; *Z*, *A*, *B*, *C*=
Nodos; *D*=*Dentalina*.]
- — — **zoophytica elongata**, Sold. Testac. I, pt. 2, 1791, 92, pl. 97*hh*, *mm*.
 [*Marginulina carinata*, d'O. Ann. Sci. Nat. VII, 1826, 259, 8.]
- — — **minuscula**, Sold. Testac. I, pt. 2, 1791, 93, pl. 98*A*. [*Nodos dubia*, d'O. Ann. Sci. Nat. VII, 1826, 252, 10.]
- — — **subcordiformia**, Sold. Testac. I, pt. 2, 1791, 94, pl. 99*N*.
 [*Lingul. alata*, d'O. Ann. Sci. Nat. VII, 1826, 257, 2.]
- — — **Sold.** Testac. I, pt. 2, 1791, 91, pl. 94*T*. [*Nod. rapa*, Lam. D'Orb., Ann.
 Sci. Nat. VII, 1826, 253, 27. = *Nodos. raphanistrum* (Linn.).]
- — — **Sold.** Testac. I, pt. 2, 1791, 91, pl. 94*V*. [*Nod. scalaris*, d'O. Ann. Sci.
 Nat. VII, 1826, 253, 18.]
- ORTHOCECERATITE**, Parkinson. Org. Rem. III, 1811, 117, viii, figs. 16 and
 17. [= *Nodos. bacillum*.]
- ORTHOCECERATITEN**, Martini. Neues Syst. Conchyl. I, 1769, 4, pl. i, *A* to *I*,
 in text.
- ORTHOCECERINA**,* d'Orbigny, 1826. Ann. Sci. Nat. VII, 1826, 255; "Foram."
 in De la Sagra, Hist. etc. Cuba, 1839, 47.
- — — **clavulus** (Lamarck). See *Nodosaria*.
- — — — D'Orbigny, Ann. Sci. Nat. VII, 1826, 255, No. 48; and
 Modèles, No. 2, 1826.
- — — — Reuss, in Geinitz, Grundr. Verstein. 1845-46, 652, xxiv, 26.
- — — — Mantell, Pictorial Atlas Foss. Rem. 1850, 143, lxii, 10.
- — — — Quenstedt, Handbuch Petref. ed. 3, Abth. 5 (1885), 1050,
 lxxxvi, 8.
- — — **ewaldi**, Karsten. Amtlicher Ber. 32 Vers. deutsch. Nat. Aerzte, 1856
 (1858), 114, vi, 3*a*, *b*, *c*; and Géol. Colomb. bolivarienne, 1886, 62, vi,
 3*a*, *b*, *c*. [Compare *Nodosaria millepunctata*, Tontkowski, 1887.]
- [**OTHOCECERINA**] **haeringense**, Gümb. Tate & Blake, Yorkshire Lias, 1876,
 469, xvii, 29, 29*a*. [*Rhabdogonium*, 1868.]
- — — **multicostata**, Bornemann. Lias v. Göttingen, 1854, 35, iii, 14*a*, *b*, 15*a*, *b*.
- — — **(Triplasia) murchisoni**, Reuss. Carpenter, Parker, & Jones, Introd.
 Foram. 1862, 166, xii, 7. [*Triplasia*, 1854.]
- — — **pupoides**, Bornemann. Lias von Göttingen, 1854, 35, iii, 16*a*, *b*.
- — — **quadrilatera**, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839,
 "Foraminifères," 18, i, 11 and 12; also in Spanish, 1840, 47, same pl.
 and fig. [*O. quadrilatera* in Spanish ed.]
- — — — D'Orbigny, Foram. Fossiles Vienne, 1846, 41, xxi, 3 and 4.
- — — — Reuss' Models, No. 21, 1865. (Catal. No. 39, 1861.)
- — — — Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 25, pl. 4.
- — — — Jones, in Microgr. Dict. ed. 4, 1883, 559, xxiii, 36*a*, *b*.
- [**OTHOCECERINA**] **rhomboidalis**, Tate & Blake. Yorkshire Lias, 1876, 470,
 xvii, 30, 30*a*.
- — — **septentrionale**, Terquem. Ess. Animi. Plage Dunkerque, pt. 3, 1881,
 111, xiii, 5*a*, *b*; (and Mém. Soc. Dunkerquoise).

* Given by d'Orbigny as a subgenus of *Nodosaria*.

- ORTHOCHERINA**, sp. Dunikowski, Denkschr. k. Ak. Wiss. Wien, **XLV**, Abth. 2, 1882, 194, vi, 79.
 —— Pictet, Traité de Paléont. IV, 1846, 219, xii, 3.
- ORTHOCHEROS**, Mendes da Costa, Elem. Conch. 1776, 156, ii, 12 and 13.
- ORTHOPOLECTA**, Brady, 1884. Report Challenger, 1884, 428.
 —— clavata, Brady. See *Cassidulina*.
- ORYZARIA**, Defrance, 1820. Dict. Sci. Nat. XVI, 1820, 106.
 —— boscii, Defrance. Dict. Sci. Nat. XVI, 1820, 106; Atlas, Zooph. **XLVIII**, 4.
 [= *Alveolina sabulosa*.] [See *Borelis*, and *Alveolina*.]
 —— —— Brönn, Syst. urweltl. Pflanzenthiere, 1825, 31, vii, 17a-c.
 —— —— Blainville, Actinologie, 1834, lxxiii, 4.
- OTHOCHERINA**, Tate & Blake, 1876, error for *Orthocerina*.
- OTOSTOMUM**, Ehrenberg, 1872. Monatsber. k. preuss. Ak. Wiss. Berlin, 1872, 276. [= ? *Bifarina*, Parker & Jones.]
 —— strophoconus, Ehr. Monatsber. k. preuss. Ak. Wiss. Berlin, 1872, 287.
- “Ova of Polythalamia?” Bailey, Smithsonian Contrib. II, 1851, 13, pl. 49.
- OVEOLITES** margaritula, Montfort. Conch. Syst. II, 1810, 363, 91st genre.
 [= *Ovulites* of Lamarek.]
- OVOLINA**, Terquem, 1866. [= *Lagena*.]
 —— elliptica, Terquem. Six. Mém. Foram. Lias, 1866, 473, xix, 1.
 —— trigonula, Terquem. Six. Mém. Foram. Lias, 1866, 473, xix, 2.
- OVULIDA**, de Folin. Le Naturaliste, Ann. 9, 1887, 114, fig. 8a, b, c. [= ? *Lagena*.]
- OVULINA**, Ehrenberg, 1854. Mikrogeologie, 1854, pls.
 —— clava, Ehrenberg. Mikrogeologie, 1854, xxxii, ii, 2b. [= *Lag. clavata*, d’O.]
 —— caudigera, Seguenza. Foram. monotal. miocen. Messina, 1862, 39, i, 3.
 [= *L. apiculata*, Rss.]
 —— elegantissima, Bornemann. Zeitschr. deutsch. geol. Ges. VII, 1855, 316, xii, 1.
 —— lacryma, Bornemann. Zeitschr. deutsch. geol. Ges. VII, 1855, 317, xii, 2.
 —— ornata, Seguenza. Foram. monotal. miocen. Messina, 1862, 42, i, 12.
 [= *L. squinosa*, Montf.]
 —— ovata, Schafhärtl. Geogn. Unters. südbayer. Alpengeb. 1851, 48, xiii [misprinted xviii in text], fig. 1, [? an “oolitic grannle,” not a Foraminifer].
 —— perforata, Seguenza. Foram. monotal. miocen. Messina, 1862, 40, i, 4.
 [= *L. apiculata*, Rss.]
 —— radiata, Seguenza. Foram. monotal. miocen. Messina, 1862, 40, i, 5.
 —— reticulata, Seguenza. Foram. monotal. miocen. Messina, 1862, 42, i, 11.
 [= *L. melo*, d’Orb.]
 —— striata, Seguenza. Foram. monotal. miocen. Messina, 1862, 40, i, 6 and 7. [= *Lagena striata*, d’Orb.]
 —— sulcata, Seguenza. Foram. monotal. miocen. Messina, 1862, 41, i, 8-10.
 [= *Lagena sulcata*, W. & J.]
 —— tenuis, Bornemann. Zeitschr. deutsch. geol. Ges. VII, 1855, 317, xii, 3, 3*.
- OVULINA**, Gruber, 1884. Nova Acta k. Leop.-Carol. deutsch. Ak. Nat. **XLVI**, 1884, 497. [One of the *Diffugiae*.]
 —— urnula, Gruber. Nova Acta k. Leop.-Carol. deutsch. Ak. Nat. **XLVI**, 1884, 497, viii, 19 and 20.
- OVULITES**, Lamarek, 1812. Extrait Cours Zool. 1812, 26; and Hist. Anim. s. Vert. II, 1816, 194; Munier-Chalmas, “Siphonées dichotomes,” Bull. Soc. géol. France, [3], VII, 1878, 661-670, figs. 1-4; [= *Coralliodendron*, a genus of calcareous Algæ. See Solms-Laubach, Einleit. Palaeo-phytologie, 1887, 38, etc.].
- elongata, Lamarek. Hist. Anim. s. Vert. II, 1816, 194.

- OVULINA** elongata, Lamarck. Eney. Méthod., "Vers," (1830), n. d., 479, f. 8 (pls. 1827), (P. & J. quote pt. 23, 1816).
 ——— ——— ——— Defrance, Dict. Sci. Nat. xxxvii, 1825, 134; Atlas, Zooph. xlvi, 3.
 ——— ——— ——— Blainville, Actinologie, 1834, lxxiii, 3.
 ——— ——— ——— Carpenter, Parker, & Jones, Introd. Foram. 1862, 179, xii, 10.
 ——— ——— ——— Schwager, Palaeontographica, xxx, 1883, Pal. Theil, 146, xxix (6), 22a, b.
 ——— ——— ——— globulosa, Defrance. Dict. Sci. Nat. xxxvii, 1825, 134.
 ——— ——— ——— margaritula, Lamarck. Hist. Anim. s. Vert. II, 1816, p. 194.
 ——— ——— ——— Lamarck, Eney. Méthod., "Vers," n. d., 479, f. 7 (pls. 1827), (P. & J. quote pt. 23, 1816).
 ——— ——— ——— Schweigger, Beob. Naturh. Reisen, 1819 [131], vi, 58.
 ——— ——— ——— Defrance, Dict. Sci. Nat. xxxvii, 1825, 134; Atlas, Zooph. xlvi, 2; 1, 6.
 ——— ——— ——— Blainville, Actinologie, 1834, lxxiii, 2; lxxv, 6.
 ——— ——— ——— Reuss, in Geinitz, Grundr. Verstein. 1846, 634, xxiii, 59.
 ——— [margaritifera], ——— Carpenter, Parker, & Jones, Introd. Foram. 1862, 179, xii, 9 and 10.
 ——— [margaritacea], ——— Reuss' Models, No. 15, 1865 (Catal., No. 32, 1861).
 ——— ——— ——— Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 26, pl. 46.
 ——— pyriformis, Schwager. Palaeontographica, xxx, 1883, Pal. Theil, 146, xxix (6), 21a-d.
 ——— Laumouroux, Exposit. méthod. Ordre Polypiers, 1821, 43, etc. pl. 71.
 ——— Bronn, Syst. urwelt. Pflanzenthiere, 23.
 ——— Goldfuss, Petrif. German. 1826, 40.
 ? ——— Schwager, Novara-Exped., Geol. Theil II, 1866, 205, v, 26. [= chamber of *Nodos. intercellularis*, Br.]
 ——— see *Orcolites*.
PALMULA, Lea. Contrib. to Geology, 1833, 219. [= *Frondicularia*.]
 ——— sagittaria, Lea. Contrib. to Geology, 1833, 219, vi, 228. [See *Frondicularia*.]
PANDERELLA involutina, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1862, 600, plate, fig. 1.
PARKERIA, Carpenter & Brady, Phil. Trans. 1869, 724-736, lxxii-lxxvi. [*P. sphaerica* is the only species yet described.]
 ——— sphaerica, Carpenter & Brady. Carter, Ann. Mag. Nat. Hist. [4], xix, 1877, 55, viii, 13-17.
 ——— Steimann, Palaeontographica, xxv, 1878, 118.
 ——— Haeckel, Das Protistenreich, 1878, 37, fig. 23.
 ——— Carpenter, Eney. Brit. 9th ed. ix, 1879, Foraminifera, 376, 7.
 ——— Bütschli, in Bronn, Klassen, etc. Thier-Reichs, 1880, 208, v, 23.
 ——— Carpenter, The Microscope, ed. 6, 1881, 565, fig. 323, 324.
 ——— Nicholson, Annals Mag. Nat. Hist. [6], I, 1888, 1.
 ——— Carter, ibid. 6, II, 1888, 45.
 ——— Nicholson, Manual Palaeont. ed. 3, 1889, i, 199.
PATELLINA, Williamson, 1858. Recent British Foram. 1858, 46; Brady, Report Challenger, 1884, 633.

[Note. For further information concerning *Patellina* refer to Carpenter, Parker, and Jones, Introd. Foram. 1862, 229; Ann. Mag. Nat. Hist. [3], XII, 1863, 212; Catal. Foss. Foram. Brit. Mus. 1882, 84. The following forms are therein referred to this genus: — *Orbitolina conica*, d'Arch.; *O. conoidea*, Gras; *Candidites cooki*, Carter; *Cyclolina cretacea*, d'Orb.; *Orbitolina discoidea*, Gras; *O. gigantea*, d'Orb.; *Madreporites tenuicularis*, Blum.; *Orbitolina mamillata*, d'Arch.; *Cyclolina pedunculata*, Carter; *Orbitolina plana*, d'Arch.]

 ——— annularis, P. & J. Catal. Foss. Foram. Brit. Mus. 1882, 84. [*Orbitolina*, 1860.]

- PATELLINA** *bradyana*, Howchin. Journ. R. Microsc. Soc. 1888, 544, ix, 22-25.
 —— *campanæformis*, Brady. Report Challenger, 1884, 635, cut, 19a, b, c.
 —— *concava* (Lam.). Zittel, Handbuch Palaeont. Abth. I, 1876, 96, fig. 35.
 [*Orbulites*, 1816.]
 —— *concava* (Lam.), var. *lenticularis*, Blumenbach. See *Madreporites*.
 —— *corrugata*, Williamson. Recent British Foram. 1858, 46, iii, 86-89.
 —— Carpenter, Parker, & Jones, Introd. Foram. 1862, 229, xiii, 16, 17; figs. xxxvii and xxxviii, in text.
 —— Parker & Jones, Phil. Trans. 1865, 398, xv, 29a, 29b, 29c.
 —— Terquem, Ess. Anim. Plage Dunkerque, pt. 1, 1875, 31, iv, 3a, b; (and Mém. Soc. Dunkerquoise).
 —— Schwager, Boll. R. Com. geol. Ital. VIII, 1877, 26, pl. 58.
 —— Bützchli, in Bronn, Klassen, etc. Thier-Reichs, 1880, 208, ix, 9.
 —— Jones, in Microgr. Dict. ed. 4, 1883, 580, xxiv, 8.
 —— Brady, Report Challenger, 1884, 634, lxxxvi, 1-7.
 —— *dentata*, Terquem. Mém. Soc. géol. France, [3], II, 1882, 123, xii (xx), 36, 37.
 —— *major*, Hantken. Math. Nat. Ber. Ungarn, III, 1885, 885.
 —— *minor*, Hantken. Math. Nat. Ber. Ungarn, III, 1885, 885.
 —— *nitida*, Terquem. Mém. Soc. géol. France, [3], II, 1882, 123, xii (xx), 38a-e.
 —— *oolithica*, Terquem. Cinq. Mém. Foram. Oolithique, 1883, 382, xliv, 3a, b, c, and 4.
 —— Terq., Mém. Soc. géol. France, [3], IV, 1886, 59, vii, 2-4.
 —— *plicata*, Terquem. Ess. Anim. Plage Dunkerque, pt. 2, 1876, 72, viii, 9a, b; (and Mém. Soc. Duukerquoise). [See *Trochammina*.]
 —— *punctata*, Terquem. Ess. Anim. Plage Dunkerque, pt. 3, 1881, 128, xvi, 9a, b; (and Mém. Soc. Dunkerquoise).
 —— *scutum*, v. Fritsch. Palaeontographica, Supp. III, Lief. 1, 1878, 144, xviii, 15; xix, 2.
 —— *simplex*, P. & J. Catal. Foss. Foram. Brit. Mus. 1882, 84. [*Orbitolina*, 1860.]
 —— *semiannularis*, P. & J. Catal. Foss. Foram. Brit. Mus. 1882, 84. [*Orbitolina*, 1860.]
 —— *trochus*, v. Fritsch. Palaeontographica, Supp. III, Lief. 1, 1878, 145, xviii, 16; xix, 1.

PATROCLLES *querelans*, Montfort. Conch. Syst. I, 1808, 219, 55th genre.
 [= *Crist. calcar (rotulata)*.]

PAVONIA. See *Pavonina*, d'Orb.

PAVONINA, d'Orbigny, 1826. Ann. Sci. Nat. VII, 1826, 260; Brady, Report Challenger, 1884, 374.

- *flabelliformis*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 260, x, 10, 11.
 — D'Orbigny, Modèles, No. 56, 1826.
 — Cuvier, Règne Animal, 1836-46, IX (pls. x), 35, xv, 13.
 — Smedley, Ency. Metrop. 1845, n. d., pl. "Mollusca?" 6.
 — D'Orbigny, Foram. Fossiles Vienne, 1846, 72, xxi, 9 and 10. [*P. flabelloides* on plate.]
 — [*flabelloides*], — Bronn, Klassen Ordn. Thier-Reichs, I, 1859, 72, vi, 13a, b.
[PAVONIA] — P., J., & B. [D'O., Modèles, No. 56], Ann. Mag. Nat. Hist. [3], XVI, 1865, 27, I, 22.
 — [*flabelloides*], — Reuss' Models, No. 57, 1865 (Catal., No. 28, 1861).
 — Brady, Q. Journ. Mier. Sci. XIX, 1879, 282, viii, 29, 30.
 — [*flabelloides*], — Bützchli, in Bronn, Klassen, etc. Thier-Reichs, 1880, 204, viii, 13.
 — Möbius, Beitr. Meeresfauna Insel Mauritius, etc. 1880, 91, viii, 13-15.

- PAVONINA** flabelliformis, d'Orbigny. Brady, Report Challenger, 1884, **374**, xlvi, 17-22.
- italica, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, 178, xvi, 26, 27, and 28. [See also *Orbitolites*, and *O. tenuissima*.]
 - liburnica, Stache. Abh. k. k. geol. Reichs. XIII, 1889, 89, va, 15-19 (19 v. *trilobata*).
— (*Cuneolina*, d'Orb.) triangularis, Mackie. Recreative Science, I, 1859, 148, fig. 29. [= *Cuneolina pavonia*, d'Orb.]
- PELORUS**, Montfort, 1808. Conch. Syst. I, 1808, 23, 6th genre. [= *Polyst. ambigua*.]
- PELOSINA**, Brady, 1879. Quart. Journ. Micr. Sci. XIX, 1879, p. 30; Brady, Report Challenger, 1884, 235.
- cylindrica, Brady. Report Challenger, 1884, 236, xxvi, 1-6.
 - rotundata, Brady. Quart. Journ. Micr. Sci. XIX, 1879, 31, iii, 4 and 5. — Büttschli, in Bronn, Klassen, etc. Thier-Reichs, 1880, 194, v, 7.
— Brady, Report Challenger, 1884, 236, xxv, 18-20.
 - variabilis, Brady. Quart. Journ. Micr. Sci. XIX, 1879, 30, iii, 1, 2, 3.
— Brady, Report Challenger, 1884, 235, xxvi, 7-9.
 - De Folin, Bull. Soc. N. H. Toulouse, XV, 1881, 139; 8 new species proposed but not described!
- PENEROPLIS**, Mantell, 1850, misprint for *Peneroplis*.
- PENEROPLIS**, Montfort, 1808. Conch. Syst. 1808, 65th genre, 259; Brady, Report Challenger, 1884, p. 203.
- arietinus (Batsch). Brady, Report Challenger, 1884, 204, xiii, 18, 19, and 22. [= *Nautilus*, 1791.]
— Anon., Sci. News, Ap. 27, 1888, 389, fig. 1.
 - aspergilla, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, Abth. I, 1868, 154, iii, 9.
 - auris (Defr.). Defrance, Dict. Sci. Nat. XXXII, 1824, 178; Atlas, Conch. xiv, 5. [= *Planularia auris*, Defr., q. v.]
— Blainville, Manuel Malac. et Conch., 1825 (pls. 1827), 371, vi, 1 [error for 5].
 - (*Spirolina*, d'Orb.), austriaca, Mackie. Recreative Science, I, 1859, 148, fig. 28. [See *Spirolina*.]
 - carinatus, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 33, iii, 7 and 8.
— Brady, Report Challenger, 1884, 205, xiii, 14.
 - cylindraceus, (Lam.). Brady, Report Challenger, 1884, 204, xiii, 20 and 21. [= *Spirolinites*, 1804.]
 - d'orbignii, Roemer. Verstein. norddeutsch. Oolith., Nachtrag, 1839, 47, xx, 31. [= *Cristellaria*, compare *C. reticulata*, Schwager, as fig'd by Terquem, Bull. Soc. géol. France, [3], iv, 1876, 494, xvii, 1 and 2.]
 - dubius, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 62, vi, 21 and 22; also in Spanish, 1840, 79, same pl. and fig.
 - elegans, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 61, vii, 1 and 2; also in Spanish, 1840, 79, same pl. and fig.
 - elliptica, d'Orbigny. Ann. Sci. Nat. VII, 1826, 286, No. 2.
 - fleuriausii, d'Orbigny. Ann. Sci. Nat. VII, 1826, 286, No. 4. [See also *Cristellaria fleuriausa*.]
 - gervillei, d'Orb., 1847. Prodrome de Paléont. II, 1850, 406, No. 1307.
 - lœvigata, d'Orbigny. Ann. Sci. Nat. VII, 1826, 286, No. 3.
 - lœvigatus, Karrer. Brady, Report Challenger, 1884, 205, xiii, 12 and 13. [See *P. planatus*, var.]
 - lanatus, Montfort. Conch. Syst. I, 1808, 259, 65th genre. [See *P. planatus*.]

- PENEROPLIS laubei**, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, Abth. 1, 1868, 154, iii, 8.
- **liburnica**, Stache. Abh. k. k. geol. Reichs. XIII, 1889, 89, va, 20, 21 (v. *acanthina*) ; 22 (v. *strangulata*) ; 23 (v. *levigata*) ; 24 (v. *lata*).
- **lituus** (Gmelin). Brady, Report Challenger, 1884, 205, xiii, 24, 25 (?). [*Nautilus*, 1788.]
- **opercularis** [Lamarck]. Mantell, Pictorial Atlas Foss. Reim. 1850, 143, lxii, 21. [*Renulites*, 1804.]
- [d'Orb.]. Terquem, Mém. Soc. géol. France, [3], II, 1882, 50, ii (x), 29a, b.
- **orbicularis**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 286, No. 5.
- **pertusus** (Förskal). P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 239, viii, 28. [See *P. planatus* (F. & M.)] [*Nautilus*, 1775.]
- Nicholson, Manual Palæont. 1879, i, 110, fig. 18c.
- Möbius, Beitr. Meeresfauna Insel Mauritius, etc. 1880, 78, iii [numbered iv, by error], 9–12. [Structural.]
- Jones, in Microgr. Diet. ed. 4, 1883, 584, xxiii, 11a, b.
- Brady, Report Challenger, 1884, 204, xiii, 12–25.
- Bütschli, Morph. Jahrb. XI, 1886, 79, vi, 1–3, 11a, b. [Sarcodite.]
- Anon., Sci. News, 27 Ap. 1888, 389, fig. 8.
- Brady, Parker, & Jones, Trans. Zool. Soc. XII, pt. 7, 1888, 216, xlii, 18, 19.
- [—] Costa, Fauna Regno Napoli, 1838, Foraminiferi, not descr., i, 1–3. See *Nautilus (Lituus) arietinus*, Batsch.
- var. *arietinus*, Batsch. See *Nautilus (Lituus)*.
- **planatus** (Fichtel & Moll.). D'Orbigny, Ann. Sci. Nat. VII, 1826, 285, No. 1. [*Nautilus*, 1798 ; see also *P. lanatus*, Montfort.]
- D'Orbigny, Modèles, 1826, No. 16, and var., No. 48.
- [d'Orb.]. Guérin-Méneville's Cuvier, Iconographie, Mollusques, 1829–43, 9, ii, 9.
- [d'Orb.]. Cuvier, Animal Kingdom, Henderson's ed., III, 834 (pls. 1837), 18, iii, 9.
- [d'Orb.]. Cuvier, Règne Animal, 1836–46, IX (pls. x), 33, xv, 2.
- Ehrenberg, Abhandl. k. Ak. Wiss. Berlin, 1838, 142, ii, 1. [= *P. pertusus* (Försk.).]
- Bronn, Lethaea Geognostica, ed. 3, III, 1853–56, 202, xxxv², 4a–d. Williamson, Recent British Foram. 1858, 45, iii, 83–85.
- [Montf.]. Reuss' Models, No. 91, 1865 (Catal., No. 23, 1861).
- P., J., & B. [D'O., Modèles, 16], Ann. Mag. Nat. Hist. [3], XVI, 1865, 21, i, 17. [= *P. pertusus*, Försk.]
- P., J., & B. [D'O., Modèles, 48], Ann. Mag. Nat. Hist. [3], XVI, 1865, 26, i, 18. [= *P. arietinus*, Batsch.]
- var. *levigata*, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, Abth. 1, 1868, 153, iii, 7.
- [Montf.]. Zittel, Handbuch Palaeont., Abth. I, 1876, 79, fig. 13².
- [Montf.]. Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 27, pl., 108.
- Schlumberger, F. Jeun. Nat., Jan. 1882, i, 13.
- Brady, Report Challenger, 1884, 204, xiii, 15.
- Basset, Ann. Soc. Sci. Charente-Inf. 1884 (85), 162², figs.
- Bütschli, Morph. Jahrb. XI, 1886, 79, vi, 4. [Sarcodite.]
- = *P. pertusus* (Förskal), see *Testæ hammoniformes seu lituitatae semilunares*.
- ?— **polystomatium**, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1843, 257.

- PENEROPLIS** prisca, Reuss. Denkschr. k. Ak. Wiss. Wien, xxiii, 1864, 9, i, 7.
 —— protea, d'Orbigny. De la Sagra, Hist. Plisiq. etc. Cuba, 1839, "Foraminifères," 60, vii, 7-11; also in Spanish, 1840, p. 78, same pl. and fig. [*P. proteus* on plate and in Spanish edit.]
 —— —— Schacko, Arch. f. Naturgesch. (Wiegmann's), 1883 (49th Jahrg.), i, 429, etc., xii, 1. [Showing the shell full of perfectly developed young.]
 —— —— Schacko, Arch. f. Naturgesch. (Wiegmann's), 1883 (49th Jahrg.), i, 429, etc., xii, 2 and 3. [Embryos.]
 —— protocænica, Stache. Abh. k. k. geol. Reichs. xiii, 1889, 89, va, 25, 26, 28-34, vi, 14-17.
 —— pulchellus, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 32, iii, 5 and 6.
 —— —— Reuss' Models, No. 61, 1865 (Catal., No. 22, 1861.)
 —— rostrata, Stache. Abh. k. k. geol. Reichs. xiii, 1889, 89, va, 27, vi, 13.
 [——] Martini, Neues Syst. Conchyl. i, 1769, 265, xx, 186 and 187.
 [——] Targioni, Relaz. d'alc. viaggi, iv, 1770, xv, i, 20. [See *Lituo*.]
 [——] see Spengler, Nye Saml. k. D. Bid. Selsk. Skr. i, 1781, 370, etc. [T. I.] figs. 4a, b, c, d, and 5a, b.
 [——] see Schroeter, Neue Litt. u. Beytr. i, 1784, 317, i, 9.
 [——] varr., Soldani, Testac. i (1), 1789, 73, pls. 64, 65, 66, 67 (*rr, ss, tt*) = this genus.
 [——] Costa, Fauna Regno Napoli, 1838, Foraminiferi, not descr., i, 4 and 5.
 —— Piettet, Traité de Paléont. iv, 1846, 230, xii, 12.
 —— Williamson, Mem. Lit. Phil. Soc. Manchester, [2], viii, 1848, 44, pl. 31 and 32.
 —— Carpenter, Phil. Trans. 1859 (2), pls. i and ii, and woodcuts in text, figs. i, ii, iii.
 —— Carpenter, Parker, & Jones, Introd. Foram. 1862, 84, vii; figs. xix, xx, and xxi, in text. [Structural.]
 —— Köllicker, Icones Histiolegiae, 1864, 31. [Structural.]
 —— Harting, Magt van het Kleine, 1866, 101, fig. 39.
 —— Sollas, Nature (30 Nov. 1871), v, 83, figure. [Monstrous.]
 —— Carpenter, Ency. Brit. 9th ed. ix, 1879, Foraminifera, 374, i, 5.
 —— Carpenter, Ency. Brit. 9th ed. ix, 1879, Foraminifera, 377, fig. 8.
 —— Bütschli, in Broun, Klassen, etc. Thier-Reichs, 1880, 191, v, 1.
 —— Carpenter, Report Challenger, "Orbitoides," 1883, 44, fig. 7. [Structural.]
 —— Carpenter, Journ. Quekett Microsc. Club, [2], ii, 1885, 95, fig. 7. [Structural.]
 —— Neumayr, Stämme d. Thierreiches, i, 1889 (8), 179, fig. 21.
PENTASYDERINA, Nicolucci, 1846. Nuovi Ann. Sci. Nat. Bologna, [2], vi, 1846, 205.
 —— ehrenbergii, Nicolucci. Nuovi Ann. Sci. Nat. Bologna, [2], vi, 1846, 206.
 —— tessellata, Nicolucci. Nuovi Ann. Sci. Nat. Bologna, [2], vi, 1846, 206.
PENTELLINA, Munier-Chalmas, 1882. Bull. Soc. géol. France, [3], x, 1882, 424, type *Quinqueloculina savorum*, "d'Orb."
 —— tournoueri, Schlumberger. Comptes rendus Assoc. Française, 1882 (1883), 330, figs. 63 and 64.
 —— saxorum [(d'Orb.)]. Mun.-Chalmas & Schlumb., Bull. Soc. géol. France, [3], xiii, 1885, 287, figs. 13, 14; 293, figs. 20, 21. [*Miliolites*, Lamarek, 1804. [Structural.]
 —— (Quinqueloc.) saxorum (d'Orb.). Fritel, Foss. caraet. terr. sedim. tert. 1886, pl. vii, 62 and 63.
 —— Mun.-Ch. & Schlumb., Bull. Soc. géol. France, [3], xiii, 1885, 281, etc., fig. [Structural.]
PERILOCULINA, Munier-Chalmas & Schlumberger, 1885. Bull. Soc. géol. France, [3], xiii, 1885, p. 308, etc.

PERILOCULINA zitteli, Mun.-Ch. & Schlumb. Bull. Soc. géol. France, [3], XIII, 1885, 309, etc., figs. 36-40; pl. xiv, 56-59; xiv, bis, 69.

PERIPLES elongatus, Montfort. Conch. Syst. I, 1808, 271, 68th genre. [= *Crist. elongata*.]

“Petit fossile ovoïde à côtes de melon.” Delue, v. *Alveolina*.

PETRASCULA, Gümbel, 1873. Sitz. k.-bayer. Ak. Wiss. München, III, 1873, 292. [A calcareous alga; v. Solms-Laubach, Einleit. Palaeophytologie, 1887, 38, etc., on allied forms.]

— **bursiformis** (Etallon). Gümbel, Sitz. k.-bayer. Ak. Wiss. München, III, 1873, 292, i, 1-15. [1, 2, and 3, described as v. *læviuscula*; 4-6, as v. *annulata*.] [See *Conodictyonum*.]

— — — — — Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 27, pl., 118.

Pfennigsteine. Schroeter, Journ. Liebh. Steinreich, VI, 1780, 261. [= *Nummulites*.]

Phacites, Gesner, Tract. phys. petrif. 1758, 50. [= *Nummulites*.]

Phacites fossilis, Blumenbach, Abbild. Nat. Gegenstände, Heft 4, No. 40, 1799, pl. 40. [= *Nummulites*.]

Phacolites, Sage, Journ. de Phys. LX, 1805, 222. [= *Nummulites*.]

PHANEROSTOMUM, Ehrenberg, 1841. Abhandl. k. Ak. Wiss. Berlin, 1841, 409.

— **alloderma**, Ehr. Monatsber. k. preuss. Ak. Wiss. Berlin, 1861, 306.

— — — — — Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), i, 12.

— **asperum**, Ehrenberg. Mikrogeologie, 1854, xxx, 26a, b, and xxxii, ii, 42. [= *Globig. cretacea*.]

— — — — — Ehr., Mikrogeologie, 1854, xxxii, i, 24. [= *Globig. hirsuta*.]

— **atlanticum**, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1854, 248.

— — — — — Ehr., Mikrogeologie, 1854, xxxv, B, iv, 3 and 4. [= *Globig. cretacea*.]

— **bullaria**, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 287.

— **cibrum**, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 372.

— **dilatum**, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1855, 176, vii, 16 and 17. [= *Globig. cretacea*.]

— — — — — Ehr., Mikrogeologie, 1854, xxxii, i, 16 and 30. [= *Globig. hirsuta*, d'O.]

— **globigerum**, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 287.

— **globulosum**, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 372.

— — — — — Ehr., Mikrogeologie, 1854, xxxii, ii, 44. [= *Globig. cretacea*.]

— **globulus**, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 306.

— — — — — Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), i, 14.

— **hexacyclus**, Ehrenberg. Mikrogeologie, 1854, xxxii, i, 31. [= *Globig. hirsuta*, d'O.]

— **hexaleptum**, Ehrenberg. Mikrogeologie, 1854, xxxii, i, 23. [= *Globig. hirsuta*.]

— **hispidulum**, Ehrenberg. Mikrogeologie, 1854, xxxii, i, 22 and 29. [= *Globig. hirsuta*.]

— — ? — — Ehr., Abh. k. Ak. Wiss. Berlin, 1855, 176, vii, ii. [= *Globig. cretacea*.]

— **integerimum**, Ehrenberg. Abh. k. Ak. Wiss. Berlin, 1841, 427.

— **lacerum**, Ehrenberg. Mikrogeologie, 1854, xxxii, i, 17 and 18. [= *Globig. hirsuta*, d'O.]

— **læve**, Ehrenberg. Mikrogeologie, 1854, xxxii, i, 19. [= *Globig. hirsuta*, d'O.]

- PHANEROSTOMUM** *micromegma*, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 306.
 ——— ——— Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), i, 11.
 ——— *micromphalum*, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 287.
 ——— *microporum*, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 307.
 ——— ——— Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), i, 9.
 ——— *oceanicum*, Ehrenberg. Abh. k. Ak. Wiss. Berlin, 1872 (1873), iii, 10.
 ——— *ocellatum*, Ehrenberg. Abh. k. Ak. Wiss. Berlin, 1841, 427.
 ——— *paeonia*, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 307.
 ——— *pelagicum*, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 287.
 ——— ——— Ehrenberg. Abh. k. Ak. Wiss. Berlin, 1872 (1873), iv, 14.
 ——— *porulosum*, Ehrenberg. Mikrogeologie, 1854, xxxii, i, 15. [= *Globig. hirsuta*, d'Or.]
 ——— ———? Ehr., Abh. k. Ak. Wiss. Berlin, 1855, 176, vii, 15. [= *Globig. cretacea*.]
 ——— *quaternarium*, Ehrenberg. Mikrogeologie, 1854, xxxii, ii, 46. [= *Globig. cretacea*.]
 ——— ——— Ehr., Mikrogeologie, 1854, xxxii, i, 20. [= *Globig. hirsuta*, d'Or.]
 ——— *scutellatum*, Ehrenberg. Abh. k. Ak. Wiss. Berlin, 1872 (1873), i, 13.
 ——— *senarium*, Ehrenberg. Mikrogeologie, 1854, xxxii, i, 25. [= *Globig. hirsuta*.]
 ——— ———? Ehr., Abh. k. Ak. Wiss. Berlin, 1855, 176, vii, 14. [= *Globig. cretacea*.]
 ——— ? Ehrenberg, Abh. k. Ak. Wiss. Berlin, 1855, 176, vii, 12. [= *Globig. cretacea*.]
 ——— ? Ehrenberg, Abh. k. Ak. Wiss. Berlin, 1855, 162, ii, x. [Glauc.] [= *Planorb. vulgaris*.]
PHARAMUM, Montfort. Conch. Syst. I, 1808, 35, 9th genre. [= *Crist. calcar*.]
PHIALINA, Costa, 1856. Atti Accad. Pontaniana, VII, fas. 2, 1856, 122.
 ——— *affinis*, Seguenza. Foram. monotal. miocen. Messina, 1862, 44, i, 16. [= *Lagena lavis*, Mont.]
 ——— *clavata*, Seguenza. Foram. monotal. miocen. Messina, 1862, 45, i, 17. [= *L. lavis*, Mont.]
 ——— *costæ*, Seguenza. Foram. monotal. miocen. Messina, 1862, 48, i, 28. [= *L. sulcata*, W. & J.]
 ——— *costata*, Seguenza. Foram. monotal. miocen. Messina, 1862, 48, i, 27. [= *L. sulcata*, W. & J.]
 ——— *cylindracea*, Seguenza. Foram. monotal. miocen. Messina, 1862, 47, i, 24. [= *L. striata*, d'Orb.]
 ——— *exigua*, Seguenza. Foram. monotal. miocen. Messina, 1862, 47, i, 25. [= *L. sulcata*, W. & J.]
 ——— *gemellaria*, Seguenza. Foram. monotal. miocen. Messina, 1862, 47, i, 23. [= *L. striata*, d'Orb.]
 ——— *haidingeri*, Czizek. Seguenza, Foram. monotal. miocen. Messina, 1862, 46, i, 20. [*Oolina*, 1848.]
 ——— *incesta*, Seguenza. Foram. monotal. miocen. Messina, 1862, 47, i, 26. [= *L. sulcata*, W. & J.]
 ——— *lagena*, Seguenza. Foram. monotal. miocen. Messina, 1862, 46, i, 22. [= *L. sulcata*, W. & J.]
 ——— *longirostris*, Seguenza. Foram. monotal. miocen. Messina, 1862, 44, i, 15. [= *L. lavis*, Mont.]
 ——— *longissima*, Seguenza. Foram. monotal. miocen. Messina, 1862, 45, i, 18. [= *L. semistriata*, Will.]

- PHIALINA** ornata, Seguenza. Foram. monotal. miocen. Messina, 1862, 48, i, 30. [= *L. squamosa*, Mont.]
 — ovata, Seguenza. Foram. monotal. miocen. Messina, 1862, 44, i, 14. [= *L. levis*, Mont.]
 — oviformis, Costa. Atti Accad. Pontaniana, vii, fas. 2 (1856), 123, xi, 8 and 9.
 — piriformis, Costa. Atti Accad. Pontaniana, vii, fas. 2 (1856), 123, xi, 6 and 10a, A.
 — propinquia, Seguenza. Foram. monotal. miocen. Messina, 1862, 43, i, 13. [= *L. laevis*, Mont.]
 — reussana, Seguenza. Foram. monotal. miocen. Messina, 1862, 48, i, 29. [= *L. sulcata*, W. & J.]
 — semicostata, Seguenza. Foram. monotal. miocen. Messina, 1862, 45, i, 19. [= *L. semistriata*, Will.]
 — tenuistriata, Seguenza. Foram. monotal. miocen. Messina, 1862, 46, i, 21. [= *L. striata*, d'Orb.]

PHONEMUS, Montfort. Conch. Syst. i, 1808, 11, 3rd genre. [= *Crist.*]

Meek, Smithson. Misc. Coll. vii, No. 177 (April, 1864), 1.

[This genus is used by Meek as follows: *Phonemus* (*Cristellaria*) *rotulatus*, d'Orb. ? ; *P. (Flabellina) cuneatus*, (Morton), Meek ; *P. (Flabellina) sagittarius*, (Lea), Meek ; *P. (Dentalina) pulcher*, Gabb.]

“ **Phyllite Salicitæ seu Iteitæ lapides, vel Silices,**” etc. Scheuchzer, Miscell. Curiosa, Acad. Caesar. Leop., dec. iii, ann. v and vi, 1697-1698, Appendix, 1700, 63, plate, fig. I. [*Nummulites*.]

PHYSOMPHALUS, Ehrenberg, 1855. Abhandl. k. Ak. Wiss. Berlin, 1855, 172. [Glaue.]

— porosus, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1855, 172, v, xvi. [Glaue.] [= *Operculina*.]

Piedras lenticulares. } Cavanilles, Obs. Hist. Nat. Valencia, ii, 1797, pp. 35,

Piedras numularias. } 183, 188, 199, pl. f. 1a, b, 2a, b.

Pierres de Laon. Sage, Journ. de Phys. LX, 1805, 222. [= *Nummulites*.]

Pierres de St. Boniface. Brueckmann. [= *Nummulites*.]

Pierres frumentaires. Guettard, Hist. Acad. Sci. (Paris), 1752, 339. [= *Nummulites*.]

Pierres lenticulaires. Bourguet, Lettres philos. Sels et Crystaux, 1729 [ed. 2, 1762], 171, plate, f. i-iii. [= *Nummulites*.]

Pierres lenticulaires. Denys Dodart, Hist. Acad. Sci. (Paris), i, 1733, 306.

Pierres lenticulaires. L. B ***. [Bourguet], Traité des Pétrif., Paris, 1742, 75, l. 321-325, and La Haye, 1742 [Mém. servir l'Hist. Nat. etc., altered title], same pl. and figs.

Pierres lenticulaires. Barrere, Observ. Pierres figurées, 1746, 13, figs. N, P, P, Q, Q. [= *Nummulites*.]

Pierres lenticulaires. Guettard, Mém. diff. part. Sci. ii, 1770, 185, etc. ; iii, 1770, 431, pl. xii.

Pierres numismales. Bourguet, Lettres philosoph. 1729, 12, fig. 1, 2, and 3. [= *Nummulites*.]

Pierres numismales. Guettard, Mém. diff. part. Sci. etc. ii, 1770, 185, etc. ; iii, 1770, 431, etc., pl. xiii.

Pietra frumentale. Ferranto Imperato, Hist. Nat. Venice, 1672, xxiv, 579, and xxviii, 664. [= *Nummulites*.]

PILULINA, Carpenter, 1870. Descr. Catal. Obj. Deep-Sea Dredging, no date [1870], 5 ; Brady, Report Challenger, 1884, 244.

— jeffreysii, Carpenter. The Microscope, ed. 6, 1881, 560, fig. 319* d, e.

— — — — — Brady, Report Challenger, 1884, 244, xxv, 1-6.

— — — — — Carpenter, Ency. Brit. 9th ed. ix, 1879, Foraminifera,

375, 5d, e.

PINEINA caudata, Schafhäutl. Geogn. Unters. sudbay. Alpengeb. 1851, 49, xiii [misprinted in text, xviii], fig. 19. [An “oolitic granule ;” may be *Cristellaria*.]

- PINEINA oblonga**, Schafhäutl. Geogn. Unters. sudbay. Alpengeb. 1851, 48, xiii [misprinted in text xviii], fig. 5. [An "oolitic granule;" may be *Trochammina*.]
- PIRULINA**, Brönn, 1851–52. Error for *Pyrulina*.
- PLACENTULA**, Lamarck, 1822. Hist. Anim. s. Vert. VII, 1822, 621.
- *asterizans*, [F. & M.], Lamarck. Hist. Anim. s. Vert. VII, 1822, 621, No. 2. [*Nautilus*, 1798.]
 - Crouch, Introd. Lamarck, 1827, 41, xx, 13.
 - [*astricans*], Brown. Conch. Text-book, 1839, 61, x, 14.
 - — — — — Brown, Elem. Foss. Conch. 1843, 23, ii, 13.
 - *nitida* (Reuss). Berthelin, Mém. Soc. géol. Francee, [3], I, 1880, 69, iv (xxvii), 11a–c. [*Rotalina*, 1844.]
 - *partschiana*, Berthelin. Bull. Soc. géol. Francee, [3], XI, 1883, 304, figure p. 307. [= *Pulvinulina partschiana*, d'Orb.]
 - *pictonica*, Berthelin. Revue et Mag. Zool. 1879, 36, i, 23–25.
 - *pulvinata*, Lamarck. Hist. Anim. s. Vert. VII, 1822, 621.
 - — — — — Defrance, Diet. Sci. Nat. XXXII, 1824, 180, XLI, 1826, 193; Atlas, Conch. xv, 5. [= *Pulv. repanda*.]
 - — — — — Blainville, Manuel Malac. et Conch. 1825 (pls. 1827), 374, vii, 5.
 - — — — — Cuvier, Animal Kingdom, Henderson's ed. III, 1834 (pls. 1837), 18, iv bis, 5.
 - *repandus*. See *Pulvinulus repandus*.
- Placentulæ**. Soldani, Testae, I, pt. 3, 1795, 237, pl. 161A, B, C. [*Planorbulina vermiculata*, d'O. Ann. Sci. Nat. VII, 1826, 280, 3.]
- PLACOPSILINA**, d'Orbigny, 1847. Prodrome de Paléont. II, 1850, 96; Brady, Report Challenger, 1884, 314.
- *anomala*, Terquem. Cinq. Mém. Foram. Lias, 1866, 423, xvi, 6a, b, c.
 - *annulata*, Terquem. Six. Mém. Foram. Lias, 1866, 495, xx, 29.
 - *antiqua*, Terquem. Bull. Soc. géol. Francee, [3], VIII, 1880, 416, xi, 2. [Cast.]
 - *bullata*, Brady. Quart. Journ. Micr. Sci. XXI, 1881, 51.
 - — — — — Brady, Report Challenger, 1884, 315, xxxv, 16 and 17.
 - *canariensis* (d'Orb.). Parker & Jones, Ann. Mag. Nat. Hist. [2], XIX, 1857, 301, x, 13 and 14. [*Nonionina*, 1839.]
 - *capilliformis*, Terquem. Cinq. Mém. Foram. Lias, 1866, 420, xvi, 1.
 - *cenomana*, d'Orb., 1847. Prodrome de Paléont. II, 1850, 185, No. 758. ["Eufs de Molluscs," 1848; see also *Lituola*.]
 - — — — — Reuss, Denkschr. k. Ak. Wiss. Wien, VII, Abth. 1, 1854, 71, xxviii, 4 and 5.
 - (*Lit.*) — — — — Bütschli, in Brönn, Klassen, etc. Thier-Reichs, 1880, 191, v, 19.
 - — — — — Haeusler, Quart. Journ. Geol. Soc. XXXIX, 1883, 27, iii, 1.
 - — — — — Haeusler, Neues Jahrbuch, 1883, I, 59, iii, 12–14.
 - — — — — Brady, Report Challenger, 1884, 315, xxxvi, 1–3.
 - — — — — Wright, Proc. Belfast Nat. Field Club, 1884–1885, App. IX, 1886, 320, xxvi, 3a, b.
 - — — — — Haeusler, Neues Jahrb., Beil. IV, Heft 1, 1885, 8, i, 24 and 25.
 - — — — — Howchin, Journ. R. Microsc. Soc. 1888, 536, viii, 4.
 - — — — — Brady, Parker, & Jones, Trans. Zool. Soc. XII, pt. 7, 1888, 218, xlvi, 13.
 - *concentrica*, Terquem. Six. Mém. Foram. Lias, 1866, 496, xx, 32 and 33.
 - *conglomerata*, Terquem. Mém. Soc. géol. Francee, [3], II, 1882, 38, i (ix), 44.
 - *contracta*, Terquem. Six. Mém. Foram. Lias, 1866, 495, xx, 28.
 - *cordiformis*, Terquem. Cinq. Mém. Foram. Lias, 1866, 423, xvi, 5.

- PLACOPSILINA cornueliana**, d'Orb., 1849. Prodrome de Paléont. II, 1850, iii, No. 791. [*Oeufs de mollusques*, 1848 = *P. cenomana*.]
- *cornuta*, Terquem. Six. Mém. Foram. Lias, 1866, 491, xx, 8–21.
- *costata*, Terquem. Bull. Soc. géol. France, [3], VIII, 1880, 416, xi, 4.
- *crassa*, Terquem. Six. Mém. Foram. Lias, 1866, 494, xx, 27.
- *falcata*, Terquem. Cinq. Mém. Foram. Lias, 1866, 422, xvi, 4a, b.
- *filipendula*, Terquem. Six. Mém. Foram. Lias, 1866, 492, xx, 22.
- *flouesti*, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 390, vii, 17a, b.
- *globata*, Terquem. Six. Mém. Foram. Lias, 1866, 493, xx, 23.
- *gracilis*, Terquem. Cinq. Mém. Foram. Lias, 1866, 419, xv, 21a, b, c, d.
- Terq. et Berth., Mém. Soc. géol. France, [2], x, 1875, 34, ii (xii), 24a, b.
- Schlumberger, F. Jeun. Nat., Jan. 1882, i, 4.
- *hybrida*, Terquem. Six. Mém. Foram. Lias, 1866, 494, xx, 25 and 26.
- *irregularis*, Mantell. Wonders Geol. 1857, 7th ed. 335, fig. 65, 2. [See *Webbina*.]
- Reuss' Models, No. 2, 1865 (Catal., No. 1, 1861). [= *P. cenomana*, d'Orb.]
- *kingsleyi*, Siddall. Proc. Lit. Phil. Soc. Liverpool, XL, 1886, Appendix, Fauna Liverpool Bay, 54, i, 1.
- *longirostrata*, Terquem. Cinq. Mém. Foram. Lias, 1866, 420, xv, 22.
- *lucida*, Terqueni. Mém. Soc. géol. France, [3], II, 1882, 38, i (ix), 43a, b.
- *mauritii*, Terquem. Cinq. Mém. Foram. Lias, 1866, 418, xv, 20a, b.
- *ovigera*, Terquem. Six. Mém. Foram. Lias, 1866, 495, xx, 30.
- *polypiarum*, Terquem. Bull. Soc. géol. France, [3], IV, 1876, 483, xv, 10 and 11.
- *prisca*, Terquem. Bull. Soc. géol. France, [3], VIII, 1880, 415, xi, 1a, b, c. [Cast.]
- *producta*, Terquem. Cinq. Mém. Foram. Lias, 1866, 424, xvi, 7a–h.
- *prolifer*, Terquem. Six. Mém. Foram. Lias, 1866, 493, xx, 24.
- *rostrata* (Quenstedt). Zittel, Handbuch Paläont. I, 1876, 76, fig. 8³. [*Bullopora*, 1858.]
- Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 25, pl. 12.
- *rotaliformis*, Deecke. Abh. geol. Specialkarte Elsass-Lothr. IV, Heft 1, 1884, 18, i, 3–3c.
- Deecke, Mém. Soc. Emul. Montbéliard, XVI, 1886, [15], i, 12, 12a.
- *rhyzomorpha*, Terquem. Cinq. Mém. Foram. Lias, 1866, 422, xvi, 3a–f.
- *scorpionis*, d'Orbigny. Prodrome de Paléont. I, 1849, 259, No. 283. [See also *Webbina*.]
- Terquem, Cinq. Mém. Foram. Lias, 1866, 421, xvi, 2a–e.
- *serpentina*, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 391, vii, 18a, b.
- *vermicularis*, Terquem. Six. Mém. Foram. Lias, 1866, 496, xx, 31.
- *vesicularis*, Brady. Quart. Journ. Micr. Sci. XIX, 1879, 51, v, 2.
- Brady, Report Challenger, 1884, 316, xxxv, 18 and 19.
- *vetusta*, Terquem. Bull. Soc. géol. France, [3], VIII, 1880, 416, xi, 3. [Cast.]
- *vitrea*, Seguenza. Atti R. Acc. Lincei, [3], XII, 1882, 198, xxi, 1, 1a, 1b. see (*Oeufs*).
- PLANISPIRINA**, Seguenza, 1880. Atti R. Acc. Lincei, [3], VI, 1880, 310; Brady, Report Challenger, 1884, 193.
- *carinata*, Seguenza. Atti R. Acc. Lincei, [3], VI, 1880, 310, xvii, 19.
- *celata* (Costa). Brady, Report Challenger, 1884, 197, viii, 1–4. [*Spiruloculina*, 1855.]
- Schlumberger, Bull. Soc. zool. France, XII, 1887, iii, vii, 12–14; woodcuts, figs. 6, 7.
- *communis*, Seguenza. Atti R. Acc. Lincei, [3], VI, 1880, 310, xvii, 18, 18a.

- PLANISPIRINA** *communis*, Seguenza. Brady, Report Challenger, 1884, 196, exiv, 4-7.
 ——— *contraria* (d'Orb.). Brady, Report Challenger, 1884, 195, xi, 10 and 11 ; and fig. 5, 194. [*Biloculina*, 1846.]
 ——— *edwardsi*, Schlumberger. Bull. Soc. zool. France, xii, 1887, 113, vii, 15-18 ; woodcut, 8.
 ——— *exigua*, Brady. Report Challenger, 1884, 196, xii, 1-4, and fig. 5b, 194. [*Hauerina*, 1879.]
 ——— ——— ——— Brady, Parker, & Jones, Trans. Zool. Soc. xii, pt. 7, 1888, 216, xl, 4.
 ——— *sigmoidea*, Brady. Report Challenger, 1884, 197, ii, 1-3, and fig. 5c, 194.
 ——— ——— ——— Schlumberger, Bull. Soc. zool. France, xii, 1887, 106, vii, 9-11 ; woodcuts, figs. 1, 2, 3, 4, 5.
 ——— ——— ——— Brady, Parker, & Jones, Trans. Zool. Soc. xii, pt. 7, 1888, 216, xl, 16.
- "Planorbis-like form," Williamson. See *Spirillina vivipara*.
- PLANORBULINA**, d'Orbigny, 1826. Ann. Sci. Nat. vii, 1826, 280 ; Brady, Report Challenger, 1884, 655.
- *acervalis*, Brady. Report Challenger, 1884, 657, xcii, 4.
 ——— ——— ——— Brady, Parker, & Jones, Trans. Zool. Soc. xii, pt. 7, 1888, 227, xlvi, 11.
 ——— *akneriana* (d'Orb.). Jones, Catal. Foss. Foram. Brit. Mus. 1882, 121. [*Rosalina*, 1846.]
 ——— *ammonoides* (Reuss.). Jones, Geologist, vi, 1863, 294, xv, 7 and 8. [*Rosalina*, 1844.]
 ——— ——— ——— Reuss, in Geinitz, Palaeontographica, xx, Th. 2, 1874, 114, xxiii, 9.
 ——— ——— ——— Jones, in Dixon, Geol. of Sussex, 2d ed. 1878, 286, xxvii [30], 14.
 ——— ——— ——— Sherborn & Chapman, Journ. R. Micr. Soc. [2], vi, 1886, 756, xvi, 14a-c.
 ——— ——— ——— Prestwich, Geology, 1888, ii, 290, 151b, c.
 ——— ——— ——— Soldani, Testac. II, App. 1798, 139, pl. 3K, L = this form ?
 ——— *angulata*, von Hagenow. Neues Jahrbuch, 1842, 571, ix, 23.
 ——— *arcta* [farcta], var. (*Truncat.*) *lobatula*, W. & J. Hamilton, Trans. N. Zealand Inst. xiii, 1881, 395, xvi, 13.
 ——— *ariminensis* [d'Orbigny]. G. M. Dawson, Canad. Nat. [2], vii, 1874, 253, fig. d. [*Planulina*, 1826.]
 ——— ——— ——— G. M. Dawson, Report Geol. 49th Par. 1875, 79, xvii, 2c, d. [= *Pl. ammonoides*.]
 ——— ——— ——— J. W. Dawson, Proc. Amer. Assoc. 1876 (Detroit), 103, fig. 4d.
 ——— ——— ——— J. W. Dawson, Lecture Notes, 1880, 92, fig. 7c [and d]. [= *P. ammonoides*.]
 ——— ——— ——— Gümbel, Geol. Bayern, Th. I, Lief. 2, 1885, fig. 266, 26.
 ——— *badenensis* (d'Orb.). Jones, Catal. Foss. Foram. Brit. Mus. 1882, 53. [*Anomalina*, 1846.]
 ? ——— *cenomaniana*, Seguenza. Atti R. Acc. Lincei, [3], xii, 1882, 200, xxi, 4-4e.
 ——— *clementina* (d'Orb.). Jones, Catal. Foss. Foram. Brit. Mus. 1882, 12. [*Rosalina*, 1840.]
 ——— *complanata* (Reuss). Sherborn & Chapman, Journ. R. Micr. Soc. [2], vi, 1886, 757, xvi, 15a-c. [*Anomalina*, 1851.]
 ——— *constricta* (v. Hag.). Olszewski, Sprawozd. Kom. fizyj. Ak. Umiej. Krakowie, ix, 1875, 126, ii, 3. [*Rotalia*, 1842.]
 ——— *costellata*, Terquem. Mém. Soc. géol. France, [3], ii, 1882, 91, ix (xvii), 18.

- PLANORBULINA crenulata** (Reuss). Jones, Catal. Foss. Foram. Brit. Mus. 1882, 90.
- **culter**, Parker & Jones. Phil. Trans. 1865, 421, xix, 1. [See *Truncatulina*.]
 - **diformis**, v. Muenster. Roemer, Neues Jahrbuch, 1838, 390, iii, 59.
 - **distoma**, Terquem. Ess. Anim. Plage Dunkerque, pt. 2, 1876, 73, viii, 11 (and Mém. Soc. Dunkerquoise).
 - **dutemplei**, d'Orb. Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxiii, 1880, 202, ii, 49. [*Rotalina*, 1846.]
 - **echinata**, Brady. Quart. Journ. Micr. Sci. xix, 1879, 283, viii, 31a, b, c. [See *Truncatulina*.]
 - **eocænica**, Terquem. Mém. Soc. géol. France, [3], ii, 1882, 90, ix (xvii), 15a, b.
 - **exsculpta** (Reuss). Jones, Catal. Foss. Foram. Brit. Mus. 1882, 90. [*Rotalia*, 1860.]
 - **farcta** (Fichtel & Moll). See *Nautilus*, 1798.
 - — — var. **reticulata**, Czizek. Parker & Jones, Ann. Mag. Nat. Hist. [3], xi, 1863, 92, cut in text, fig. 3. [*Rotalina*, 1848.]
 - — — (varieties). Parker & Jones, Phil. Trans. 1865, 378, xiv, 3–11; xvi, 18–25.
 - — — var. (*Anomalina*) **coronata**, P. & J. Phil. Trans. 1865, 383, xiv, 7–11. [*Anomalina*, 1857.]
 - — — var. **haidingerii** (d'O.). Parker & Jones, Phil. Trans. 1865, 382, xvi, 22a, 22b. [*Rotalina*, 1846.]
 - — — var. (*Truncat.*) **lobatula** (W. & J.) Parker & Jones, Phil. Trans. 1865, 381, xiv, 3–6; xvi, 18–20. [See *Truncatulina*.]
 - — — var. **mediterranensis**, d'O. Parker & Jones, Phil. Trans. 1865, 383, xvi, 21. [See *P. mediterranensis*.]
 - — — var. **ungeriana** (d'O.). Parker & Jones, Phil. Trans. 1865, 382, xvi, 23–25. [*Rotalina*, 1846.]
 - — — Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 95, vii, 220–225.
 - — — var. **vulgaris**, d'Orb. Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 97, vii, 226 and 227. [See *P. vulgaris*.]
 - — — Jones, Quart. Journ. Geol. Soc. xl, 1884, 770, xxxiv, 16. See *Polyxenes*.
 - **flabellum**, Terquem. Mém. Soc. géol. France, [3], ii, 1882, 92, ix (xvii), 19.
 - **galiciana** (Alth.). Olszewski, Sprawozd. Kom. fizyj. Ak. Umiej. Krakowic, ix, 1875, 124, ii, 2a, b, c, d. [*Rosalina*, 1850.]
 - **globulosa**, Ehr. Malagoli, Atti Soc. Nat. Modena, (Rend.), [3], iii, 1887, 110, i, 13.
 - **haidingeri** (d'Orb.). Brady, Trans. Linnean Soc. xxiv, 1864, 469, xlvi, ii. [*Rotalina*, 1846.]
 - — — J., P., & B., Crag. Foram., Pal. Soc. xix, 1866, n. d., iv, 18.
 - — — Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxiii, 1880, 202, ii, 48.
 - — — Jones, in Microgr. Dict. ed. 4, 1883, 605, xxiv, 6a, b.
 - — — and var., d'O. Jones, Quart. Journ. Geol. Soc. xl, 1884, 770, xxxiv, 14 and 15.
 - — — var. Sherborn & Chapman, Journ. R. Micr. Soc. [2], vi, 1886, 757, xvi, 17a, b.
 - — — See *Planorb. farcta* (F. & M.).
 - **inflata**, Terquem. Ess. Anim. Plage Dunkerque, pt. 2, 1876, 74, viü, 12 (and Mém. Soc. Dunkerquoise).
 - **kahlemburgensis** (Rss.). Jones, Catal. Foss. Foram. Brit. Mus. 1882, 53. [*Rotalina*, 1846.]
 - **larvata**, Parker & Jones. Phil. Trans. 1865, 380, xix, 3a, b. [*P. vulgaris*, var. 1860.]

- PLANORBULINA** larvata, Parker & Jones. Carter, Ann. Mag. Nat. Hist. [4], xix, 1877, 214, xiii, 16.
 ——— ——— ——— Brady, Report Challenger, 1884, 658, xcii, 5 and 6.
 ——— lenticula, Reuss. In Geinitz, Palaeontographica, xx, Th. 2, 1874, 115, xxiii, 11. [See *Rotalina*.]
 ——— longiscuta, Terquem. Mém. Soc. géol. France, [3], i, 1878, 23, ii (vii), 5.
 ——— lorneiana (d'Orb.). Jones, Catal. Foss. Foram. Brit. Mus. 1882, 12. [*Rosalina*, 1840.]
 ——— mediterranensis, d'Orbigny. Ann. Sci. Nat. vii, 1826, 280, No. 2, xiv [v in text, by error], 4-6 bis.
 ——— ——— ——— D'Orbigny, Modèles, No. 79, 1826.
 ——— ——— ——— D'Orbigny, Foram. Fossiles Vienne, 1816, 166, ix, 15-17.
 ——— ? ——— Pilla, Distinz. terr. Etrurio, 1846, 104, i, 7. [= *Rotalia beccarii*.]
 ——— ——— ——— Costa, Atti Accad. Pontaniana, vii, fas. 2, 1856, 244, xxi [error for xx], 7.
 ——— ——— ——— Reuss' Models, No. 79, 1865 (Catal., No. 90, 1861).
 ——— ——— ——— P., J., & B. [d'O., Modèles, No. 79], Ann. Mag. Nat. Hist. [3], xvi, 1865, 31, ii, 74.
 ——— ——— ——— J., P., & B., Crag Foram., Pal. Soc. xix, 1866, n. d., ii, 3.
 ——— ——— ——— Anon., Science Gossip, 1870, 10, fig. 21.
 ——— ——— ——— P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], viii, 1871, 178, xii, 133.
 ——— ——— ——— ? *Idem*, 179, xii, 134. [See *Soldania nitida*, d'O.] [A fragment.]
 ——— ——— ——— Zittel, Handbuch Palaeont. i, 1876, 93, fig. 30¹.
 ——— ——— ——— Schwager, Boll. R. Com. Geol. Ital. viii, 1877, 26, pl., 55.
 ——— [] ——— iv, 25. [Cast or concretion ?] K. Miller, Schr. Ver. Gesch. Bodensee, vii, 1877 [78].
 ——— ——— ——— Bütschli, in Brönn, Klassen, etc. Thier-Reichs, 1880, 206, ix, 8.
 ——— ——— ——— Jones, in Microgr. Dict. ed. 4, 1883, 605, xxiv, 10.
 ——— ——— ——— Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxv, 1883, 194, iii, 38.
 ——— ——— ——— Brady, Report Challenger, 1884, 656, xcii, 1-3.
 ——— ——— ——— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (85), 162, fig.
 ——— ——— ——— Quenstedt, Handbuch Petref. ed. 3, 5 (1885), 1058, lxxxvi, 50.
 ——— ——— ——— Brady, Parker, & Jones, Trans. Zool. Soc. xii, pt. 7, 1888, 227, xlv, 18.
 ——— ——— ———] Costa, Fanna Regno Napoli, 1838, Foraminiferi, n. d., i, 6 and 7.
 ——— ——— ——— See *Corpuscula*, etc.
 ——— ——— ——— See *P. farcta* (F. & M.).
 ——— megastoma, Terquem. Mém. Soc. géol. France, [3], i, 1878, 23, ii (vii), 3a-4.
 ——— nitida, d'Orbigny. Ann. Sci. Nat. vii, 1826, 280, No. 1.
 ——— ——— ——— D'Orbigny, Modèles, 1826, No. 78.
 ——— ——— ——— P., J., & B. [d'O., Modèles, No. 78], Ann. Mag. Nat. Hist. [3], xvi, 1865, 31, ii, 75.
 ——— ——— ——— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (85), 162, fig.
 ——— nodosa, Terquem. Mém. Soc. géol. France, [3], ii, 1882, 91, ix (xvii), 16.
 ——— planissima, Deecke. Abh. geol. Specialkarte Elsass-Lothr. iv, Heft 1, 1884, 55, ii, 21 and 21a.
 ——— polyrraphes, Reuss. In Geinitz, Palaeontographica, xx, Th. 2, 1874, 114, xxiii, 10. [See *Rotalina*, 1845.]

- PLANORBULINA punctata**, Terquem. Mém. Soc. géol. France, [3], II, 1882, 91, ix (xvii), 17.
- **radiata**, Terquem. Ess. Anim. Plage Dunkerque, pt. 2, 1876, 74, viii, 13; (and Mém. Soc. Dunkerquoise).
- **reticulata** (Czj.). Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 103, vii, 242–244. [*Rotalina*, 1848.]
- **retinaculata**, Parker & Jones. Phil. Trans. 1865, 380, xix, 2.
- **reussi**, Uhlig. Mojsisovics und Neumayr's Beiträge Pal. Oest-Ungarn, I, 1882, 181, xvi, 3.
- **rosea** (d'Orb.). Jones, Catal. Foss. Foram. Brit. Mus. 1882, 24. [*Rotalina*, 1839.]
- **rotula** (d'Orb.). P., J., & B. [*Soldani*], Ann. Mag. Nat. Hist. [4], VIII, 1871, 177, xii, 131. [v. also *Planulina ariminensis*, d'Orb.]. [*Anomalina*, 1846.]
- — — — Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxiii, 1880, 204, iii, 52.
- — — — Sherborn & Chapman, Journ. R. Mier. Soc. [2], vi, 1886, 757, cut in text No. 155.
- — — — Malagoli, Atti Soc. Nat. Modena (Rend.), 3, III, 1887, 110, i, 12.
- — — — Terrigi, Mem. R. Acc. Lineei, [4], vi, 1889, 116, vii, 4.
- **rubra**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 280, No. 4.
- **soldanii** (d'Orbigny). P., J., & B. [*Soldani*], Ann. Mag. Nat. Hist. [4]; VIII, 1871, 178, xii, 132. [*Planulina*, 1826.]
- **tuberosa** (Fichtel & Moll). v. *Nautilus*, 1798.
- — — — var. *ariminensis*, d'Orb. Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 98, vii, 228–233. [*Planulina*, 1826.]
- — — — Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxv, 1883, 196, iii, 39.
- **truncata**, Egger. Neues Jahrbuch, 1857, 280, x, 15–17.
- **umbilicata**, v. Hagenow. Neues Jahrbuch, 1842, 572.
- **umbilicata** (d'Orb.). P., J., & B. [*Soldani*], Ann. Mag. Nat. Hist. [4], VIII, 1871, 246, xii, 135. [*Nonionina*, 1826.]
- **ungeriana** (d'Orb.). Brady, Trans. Linnean Soc. xxiv, 1864, 469, xlvi, 12. [*Rotalina*, 1846.]
- — — — J., P., & B., Crag Foram., Pal. Soc. xix, 1866, n. d., ii, 11–12.
- — — — Anon., Science Gossip, 1870, 10, fig. 22.
- — — — P., J., & B. [*Soldani*], Ann. Mag. Nat. Hist. [4], VIII, 1871, 174, xii, 130. [v. *Rotalia (Turbin.) siennensis*, d'Orb.]
- — — — Morris, Lecture Geol. Croydon, [1876], 8, fig. 21.
- — — — Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxiii, 1880, 203, iii, 53.
- — — — Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 100, vii, 234–236.
- — — — v. *affixa*, Goës. K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 103, vii, 237–241.
- — — — Sherborn & Chapman, Journ. R. Mier. Soc. [2], vi, 1886, 757, xvi, 16a–c.
- — — — See *P. farcta* (F. & M.).
- **veneta**, Jones. In Microgr. Dict. ed. 4, 1883, 605, xxiv, 12.
- **vermiculata**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 280, No. 3. [v. *Pulvinulina*.]
- — — — = *Pulvin.*; see *Placentulæ*.
- **vicinalis**, Terquem. Mém. Soc. géol. France, [3], II, 1882, 90, ix (xvii), 14.
- **voltziana** (d'Orb.). Jones, Catal. Foss. Foram. Brit. Mus. 1882, 88. [*Rotalina*, 1840.]
- **vulgaris**, d'Orbigny. Barker-Webb & Berthelot, Hist. Nat. Iles Canaries, 1839, II, pt. 2, "Foraminifères," 134, ii, 30.

- PLANORBULINA** vulgaris, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 85, vi, 11-15; also in Spanish, 1840, 96, same pl. and fig.
- Reuss, in Geinitz, Grundr. Verstein. 1845-46, 675, xxiv, 44.
- Williamson, Recent British Foram. 1858, 57, v, 119 and 120. [= *P. mediterranensis*, d'Orb.]
- Carpenter, Parker, & Jones, Introd. Foram. 1862, 206, xiii, 13-15. [Structural.]
- Terquem, Ess. Anim. Plage Dunkerque, pt. 1, 1875, 30, iv, 1; (and Mém. Soc. Dunkerquoise).
- Carter, Ann. Mag. Nat. Hist. [4], xix, 1877, xiii, 17.
- [—] Bailey, Amer. Journ. Sci. xli, 1841, 401, fig. 4.
- Pilla, Trattato di geol., pt. 1, 1847, 461, fig. 81.
- [—] Hitchcock, Elem. Geology, 1860, 30th ed. 382, figs. 203 and ? 206.
- ? — Wright, Rept. Proc. Belfast Nat. F. C., App. III, 1875, 87 [89], iii, 18.
- ? — sp. K. Miller, Schr. Ver. Gesch. Bodensee, vii, 1877 [78], iv, 26. [Cast or concretion?]]
- Carpenter, Ency. Brit. 9th ed. ix, 1879, Foraminifera, 374, i, 17.
- Bütschli, in Bronn, Klassen, etc. Thier-Reichs, 1880, 206, viii, 17. [*Acer-vulina* of Schultze.]
- Terquem, Cinq. Mém. Foram. Oolithique, 1883, 371, xlii, 7.
- Terquem, Mém. Soc. géol. France, [3], iv, 1886, 58, vi, 27.
- "Planospirite solitaire," Defr. De Blainville, Man. Malac. 1825 (pls. 1827), vi, 6.
- PLANOSPIRITES**, Defrance, 1826. Diet. Sci. Nat. xli, 1826, 234. [= the molluscan genus *Exogyra*.]
- *solitaria*, Defr. Cuvier, Animal Kingdom, Henderson's ed., III, 1834 (pls. 1837), n. d. viii, 6.
- Planosprites, Cuvier (Henderson), 1837, misprint for *Planospirites*.
- "Planulaire oreille," Defr. See *Planularia auris*.
- PLANULARIA**, Defrance, 1824. Diet. Sci. Nat. xxxii, 1824, 178.
- *arcuata*, Karsten. Verz. Rostock. Mus. 1849, 7. [v. *Cristellaria*.]
- Tate & Blake, Yorkshire Lias, 1876, 464, xix, 10.
- *auricula*, v. Muenster. Roemer, Neues Jahrbuch, 1838, 383, iii, 12. [v. *Cristellaria*.]
- Reuss, in Geinitz, Grundr. Verstein. 1845-46, 664, xxiv, 31.
- *auris*, Defrance. Diet. Sci. Nat. xxxii, 1824, 178; xli, 1826, 244; Atlas, Conch. xiv, 5 [= thin *Crist. cymba*, d'O. See also *Peneroplis* and *Cristellaria*.]
- Blainville, Malaeologie, 1825, 371, vi, 5.
- Cuvier, Animal Kingdom, Henderson's ed. III, 1834 (pls. 1837), 18, viii, 3.
- P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], viii, 1871, 166, x, 74.
- See *Nautilus (O.) harpa*, Batsch.
- See *Orthoceras auris* [= *Cristellaria*].
- *bronni*, Roemer. Verst. norddeutsch. Kreide, 1840-41, 97, xv, 12. [v. *Cristellaria*.]
- *[bronni]* — Jones & Parker, Quart. Journ. Geol. Soc. xvi, 1860, xx, 40.
- *[bronni]* — Brady, Proc. Somerset. Arch. and Nat. Hist. Soc. xiii, 1865-66 (1867), 226, ii, 30.
- *[bronni]* — Jones, M. Micr. Journ. xv, 1876, exxix, 13.
- *[bronni]* — Prestwich, Geology, 1888, ii, 178, fig. 79*a.
- *compressa*, v. Hagenow. Neues Jahrb. 1842, 569.
- *cornucopiæ*, Brady. Proc. Somerset. Arch. and Nat. Hist. Soc. xiii, 1865-66 (1867), 226, ii, 28 and 29.

- PLANULARIA costata**, Cornuel. Mém. Soc. géol. France, [2], III, 1848, 253, ii, 5-8.
- **crepidula** (F. & M.). = *Cristellaria*, q. v., and *Nautili lituitati*.
- **crepidularis**, Roemer. Neues Jahrbuch, 1842, 273, vii, B, 4. [v. *Cristellaria*.]
- **cuneata**, Morton. Journ. Ac. Nat. Sci. Philad. VIII, 1839, 214, xi, 5.
- **cymba**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 260, No. 4, x, 9.
- — — — — D'Orbigny, Modèles, 1826, No. 27.
- — — — — Cuvier, Règne Animal, 1836-46, ix (pls. x), 35, xv, 8.
- — — — — P., J., & B. [d'O., Modèles, No. 27], Ann. Mag. Nat. Hist. [3], xvi, 1865, 23, i, 38.
- — — — — Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 25, pl., 27.
- — — — — Basset, Ann. Soc. Sci. Charente-Inf. 1884 (85), 161, fig.
- **denticulata**, Reuss. Geogn. Skizze Böhmen, II, 1844, pt. 1, 211.
- **depressa**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 259, No. 2. [v. also *Vaginulina*.]
- **elongata**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 259, No. 1. [v. also *Vaginulina*.]
- **elongata**, Ehr. Mikrogeologie, 1854, xxxii, ii, 10. [= *Crist. crepidula* (F. & M.).]
- **exilis**, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 372.
- **falcata**, Seguenza. Atti R. Acc. Lincei, [3], VI, 1880, 141, xiii, 17.
- **harpula** (d'Orb.). Brady, Proc. Somerset. Arch. and Nat. Hist. Soc. XIII, 1865-66 (1867), 227, iii, 34 and 35. [*Marginulina*, 1849.]
- **intermedia**, Philippi. Tertiär. nordwest. Deutsch. 1843, 40, i, 38. [v. *Cristellaria*.]
- **lævis**, Ehr. Abh. k. Ak. Wiss. Berlin, 1838, 132.
- **lævis**, Seguenza. Atti R. Acc. Lincei, [3], VI, 1880, 141, xiii, 16 and 16a.
- **longa**, Cornuel. Mém. Soc. géol. France, [2], III, 1848, 252, i, 38 and 39.
- — — — — Brady, Proc. Somerset. Arch. and Nat. Hist. Soc. XIII, 1865-66 (1867), 226, ii, 27.
- **matutina**, d'O. Terquem, Mém. Ac. Imp. Metz, XXXIX, 1858, 619, iii, 14a-c.
- **nodosa**, v. Hagenow. Neues Jahrbuch, 1842, 569, ix, 21.
- **oblonga**, Philippi. Tertiär. nordwest. Deutsch. 1843, 41, not figured.
- **orbiculata**, Roemer. Nenes Jahrbuch, 1842, 273, vii, B, 6.
- **pauperata**, Jones & Parker. Quart. Journ. Geol. Soc. XVI, 1860, 454, xx, 39. [v. *Cristellaria*.]
- — — — — Brady, Proc. Somerset. Arch. and Nat. Hist. Soc. XIII, 1865-66 (1867), 226, ii, 24, 25 (and 26?).
- — — — — Jones, M. Mier. Journ. XV, 1876, exxviii, 27.
- ? — **pelagi**, Ehr. Abh. k. Ak. Wiss. Berlin, 1841, 427, iii, vii, 43. [= *Pulv. auricula?* (F. & M.).]
- **reticulata**, Cornuel. Mém. Soc. géol. France, [2], III, 1848, 253, ii, 1-4.
- — — — — Jones & Parker, Quart. Journ. Geol. Soc. XVI, 1860, xx, 38.
- — — — — Brady, Proc. Somerset. Arch. and Nat. Hist. Soc. XIII, 1865-66 (1867), 227, ii, 31-33.
- — — — — Jones, M. Mier. Journ. XV, 1876, exxix, 14.
- **rostrata**, d'Orb. Ann. Sci. Nat. VII, 1826, 260, No. 7.
- — — — — P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 166, x, 75.
- — — — — Jones, M. Mier. Journ. XV, 1876, exxix, 16.
- — — — — See *Nautili lituitati cuspides*. [= *Cristellaria*.]
- **semicircularis**, Philippi. Tertiär. nordwest. Deutsch. 1843, 41, i, 39. [v. *Cristellaria*.]
- **striata**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 259, No. 3. [v. also *Vaginulina*.]

- PLANULARIA** tenella, Ehr. Mikrogeologie, 1854, xxix, 41. [= *Cristellaria*.]
 —— thebaica, Ehr. Mikrogeologie, 1854, xxiv, 63. [= *Crist. italica*?]
PLANULARIA, Nilsson. K. Vet. Ak. Handl. 1825 (1826), 342; and Petrif. Suecana, 1827, 10. [= *Frondicularia*.]
 —— angusta, Nilsson. K. Vet. Ak. Handl. 1825 (1826), 343. [v. also *Fondicularia*.]
 —— —— —— Nilsson, Petrif. Suecana, 1827, 11, ix, 22a, A.
 —— —— —— Hisinger, Lethaea Svecica, 1837, 33, viii, 4.
 —— elliptica, Nilsson. K. Vetensk. Acad. Handl. for 1825 (1826), 342. [v. *Flabellina*; also *Fondicularia*.]
 —— —— —— Nilsson, Petrif. Suecana, 1827, 11, ix, 21a, A.
 —— —— —— Hisinger, Lethaea Svecica, 1837, 33, viii, 3.
- PLANULINA**, d'Orbigny, 1826. Ann. Sci. Nat. VII, 1826, p. 280.
 —— abyssicola, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 307.
 —— —— —— Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), i, 15.
 —— adspersa, Ehrenberg. Mikrogeologie, 1854, xx, ii, 20. [= *Planorbula*.]
 —— —— —— Ehr., Mikrogeologie, 1854, xxviii, 48. [= *Crist. ? rotula* vel *culturata*.]
 —— æthiops, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1838, 132.
 —— ammonis, Ehrenberg. Mikrogeologie, 1854, xxiv, 55. [= *Planorb. ammonoides*.]
 —— —— —— Ehr., Mikrogeologie, 1854, xxxvii, iv, 3. [= *Operculina*, compare *O. sublaevis*, Gümb., 1868.]
 —— —— —— Kübler & Zwingli, Neujahrsblatt Burgersbibl. Winterthur, 1866, 18, iii, 22. [= *Planorbula*.]
 —— ? ampla, Ehrenberg. Mikrogeologie, 1854, xxiii, 48. [= *Crist. cultrata*.]
 —— —— —— Ehr., Mikrogeologie, 1854, xxvii, 44 and 45. [= *Planorb. ammonoides*.]
 —— —— —— Ehr., Mikrogeologie, 1854, xxxi, 61. [Near *P. ariminensis*.]
 —— —— —— Ehr., Mikrogeologie, 1854, xxix, 13. [*Pulvin. elegans* group.]
 —— ampliata, Ehrenberg. Mikrogeologie, 1854, xxxi, 60. [Near *P. ariminensis*.]
? —— —— —— Ehr., Mikrogeologie, 1854, xxiii, 50. [= *Crist. cultrata*.]
 —— —— —— Ehr., Mikrogeologie, 1854, xxiv, 54 and 60? ; xxv, ii, B, 11; xxvii, 47; and xxx, 33. [= *Planorb. ammonoides*.]
 —— angusta, Ehrenberg. Mikrogeologie, 1854, xxix, 14. [*Pulvin. elegans* group.]
 —— angusta, Ehrenberg. Mikrogeologie, 1854, xxvi, 46, and xxxvii, 41. [= *Planorb. ammonoides*.]
 —— annulosa, Ehrenberg. Mikrogeologie, 1854, xxviii, 44. [= *Cristellaria*.]
 —— —— —— Ehr., Mikrogeologie, 1854, xxvii, 42a, b, and xxx, 29. [= *Planorb. ammonoides*.]
 —— —— —— Ehr., Mikrogeologie, 1854, xx, i, 56. [= *Pl. ariminensis*? or *Nonionina*?]
 —— —— —— Ehr., Mikrogeologie, 1854, xx, ii, 21b. [= *Planorbula*.]
? —— apiculata, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 372.
 —— areolata, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1841, 427.
 —— argulus, Ehrenberg. Mikrogeologie, 1854, xxvi, 32. [= *Planorb. globulosa*.]
 —— argus, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1841, 427.
 —— —— —— Ehr., Bericht k. preuss. Ak. Wiss. Berlin, 1843, 257.

- PLANULINA** *argus*, Ehrenberg. Mikrogeologie, 1854, xxv, i, A, 32. [= *Planorb. farcta*.]
 —— *ariminensis*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 280, No. 1, xiv [v in text], 1-3 bis. [*ariminensis* in text.] [v. *Planorbulina*, and *P. tuberosa*, var.]
 —— —— —— D'Orbigny, Modèles, No. 49, 1826.
 —— —— —— Smedley, Eney. Metrop. 1845, undescri. pl. "Mollusca" ? 7 and 8.
 —— —— —— Cuvier, Règne Animal, 1836-46, ix (pls. x), 34, xv, 7.
 —— —— —— Reuss, in Geinitz, Grundr. Verstein. 1845-46, 677, xxiv, 45.
 —— —— —— Carpenter, Parker, & Jones, Introd. Foram. 1862, 201, fig. xxxii, F.
 —— —— —— P., J., & B. [D'O., Modèles, 49], Ann. Mag. Nat. Hist. [3], xvi, 1865, 26, iii, 78. [= *Planorbulina*.]
 —— —— —— Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 26, pl. 51.
 —— —— —— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (85), 162, fig.
 —— —— —— [= *Planorb. rotula* (d'O.), v. *Ammoniae foliaceæ*, and *Hammoniae subrotundæ*.]
 —— *aspera*, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1841, 427.
 —— —— —— Ehr., Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 288.
 —— *baileyi*, Ehr., v. *Aristerospira*.
 —— *caspia*, Ehrenberg. Abh. k. Ak. Wiss. Berlin, 1872 (1873), xii, 7.
 —— *centoculus*, Ehrenberg. Mikrogeologie, 1854, xxiv, 45. [= *Planorb. vulgaris*.]
 —— *chloës*, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 288.
? —— *conspersa*, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 372.
 —— *cornu*, Ehrenberg. Mikrogeologie, 1854, xxv, i, A, 46. [= *Planorb. ariminensis*.]
? —— *crisiae*, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 23.
? —— —— —— Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), xi, 18.
? —— *cymodoceæ*, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 24.
? —— —— —— Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), xi, 19.
 —— *decrescens*, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 288.
 —— *denticulata*, Ehrenberg. Mikrogeologie, 1854, xx, ii, 18. [= *Planorb. farcta*.]
 —— *depressa*, Ehrenberg. Mikrogeologie, 1854, xxiv, 48. [= *Planorb. ungeriana*?]
 —— —— —— Ehr., Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 307.
 —— —— —— Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), i, 20.
 —— *diaphana*, Ehrenberg. Abh. k. Ak. Wiss. Berlin, 1872 (1873), v, 10.
 —— *dubia*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 280, No. 2. [v. also *Platulina*.]
[PLATULINA] *dubia*, d'Orb. Guérin-Ménéville's Cuvier, Iconographie, Moulusques, 1829-43, 9, ii, 10.
? —— *elegans*, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 372.
 —— —— —— Ehr., Bericht k. preuss. Ak. Wiss. Berlin, 1844, 93; and Mikrogeologie, 1854, xix, 93. [= *Planorbulina haidingeri*.]
 —— —— —— Hopkins, Execut. Doc. 45 Congress, Sess. 3, iv, Rpt. Chief Engineers, pt. 2, App. W, 1878, 79, 885, ii, 66.
 —— { *erosa* }, Ehrenberg. Mikrogeologie, 1854, xxxv, A, iv, B, i. [= { *porosa* } *Globig. bulloides*.]

- PLANULINA euomphala**, Ehrenberg. Mikrogeologie, 1854, xxvii, 46. [= *Crist. cultrata*.]
 ——— **euridices**, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 24.
 ? ——— **erytheca**, Ehrenberg. Mikrogeologie, 1854, xxiii, 44. [= *Crist. cultrata*.]
 ? ——— ——— Ehr., Mikrogeologie, 1854, xxiii, 39. [= *Planorb. ammonoides*?]
 ——— ——— Ehr., Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 288.
 ——— **eusticta**, Ehrenberg. Mikrogeologie, 1854, xxv, i, A, 38. [= *Planorb. bulina*.]
 ——— **flos**, Ehrenberg. Mikrogeologie, 1854, xxiv, 47. [= *Planorb. haidingeri*.]
 ——— **forbesii**, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 24.
 ——— **fumigata**, Ehrenberg. Mikrogeologie, 1854, xx, ii, 17. [= *Planorb. haidingeri*.]
 ? ——— **fusca**, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 24.
 ——— **gemmacea**, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 372.
 ——— **globigerina**, Ehrenberg. Mikrogeologie, 1854, xxxii, i, 26. [= *Globig. hirsuta*.]
 ——— ——— Ehr., Mikrogeologie, 1854, xxiii, 29. [= *Planorb. haidingeri*?]
 ——— ——— Ehr., Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 307.
 ——— ——— Ehr., Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 288.
 ——— ——— Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), i, 16 ; and iii, 3.
 ——— **globularis**, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1844, 94 ; and Mikrogeologie, 1854, xix, 94. [= *Planorb. haidingeri*, limbata var.]
 ——— **granulata**, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 25.
 ——— **groenlandica**, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 307.
 ——— ——— Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), i, 17.
 ——— **hemprichii**, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1838, 133.
 ——— **heptacyclus**, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1843, 257.
 ——— **heptas**, Ehrenberg. Mikrogeologie, 1854, xxiii, 41. [= *Planorb. farcta*, var.]
 ——— **heterocyclia**, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 289.
 ——— ——— Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), iv, 6.
 ——— **heteromphala**, Ehrenberg. Mikrogeologie, 1854, xxvii, 49 and ? 50. [Near *Trunc. lobatula*.]
 ——— **heteropora**, Ehrenberg. Mikrogeologie, 1854, xxiv, 58a, b. [= *Planorb. ammonoides*.]
 ——— **hexacyclia**, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 289.
 ——— **hexacyclus**, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1843, 257.
 ——— **hexas**, Ehrenberg. Mikrogeologie, 1854, xxxiii, 45 ; and xxviii, 46. [*Rosalina globularis*? 1838.] [= *Crist. cultrata*.]
 ——— **holoplea**, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. 1858, 25.
 ——— **incerta**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 280, No. 3.
 ——— ——— = *Truncat. lobatula* (young); see *Ammoniae plano-convexae*.

- PLANULINA incurva**, Ehrenberg. Mikrogeologie, 1854, xxiii, 36. [= *P. ariminensis.*]
 —— **incurvata**, Ehrenberg. Mikrogeologie, 1854, xxvi, 42. [= *Pulvin. menardii.*]
 —— —— Ehr., Mikrogeologie, 1854, xxxi, 52. [= *Globig. cretacea.*]
 —— **integra**, Ehrenberg. Mikrogeologie, 1854, xxiv, 56, 57 and 61. [= *Planorbulinae.*]
? —— **involuta**, Ehrenberg. Mikrogeologie, 1854, xxiii, 49. [= *Crist. cultrata.*]
 —— **isidis**, Ehrenberg. Mikrogeologie, 1854, xxiii, 31. [= ? *Globigerina.*]
 —— **lævigata**, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 307.
 —— —— Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), i, 10.
 —— **leiopentas**, Ehrenberg. Mikrogeologie, 1854, xxv, i, A, 37. [v. *Aristospira*; = *Planorbulina.*]
 —— ? —— Ehr., Mikrogeologie, 1854, xxvi, 37. [= ? *Planorb. near haidingeri.*]
 —— **lenticula**, Ehrenberg. Abh. k. Ak. Wiss. Berlin, 1838, 133.
 —— **lenticulina**? Ehrenberg. Mikrogeologie, 1854, xxiii, 42 and 43. [= *Planorbulinae.*]
 —— **leptoderma**, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 307.
 —— —— Ehrenberg, Abh. k. Ak. Wiss. Berlin, 1872 (1873), v, 8.
 —— **leptostigma**, Ehrenberg. Mikrogeologie, 1854, xxv, i, A, 44 and 47.
 [= *Planorb. ariminensis.*]
 —— —— Ehr., Mikrogeologie, 1854, xxvii, 43. [= *Planorb. ammonoides.*]
 —— **libyca**, Ehrenberg. Abh. k. Ak. Wiss. Berlin, 1838, 133.
 —— **lugubris**, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 372.
 —— **marmorata**, Ehrenberg. Mikrogeologie, 1854, xxvi, 51. [= *Crist. rotulata.*]
 —— **mauryana**, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 289.
 —— —— Ehrenberg, Abh. k. Ak. Wiss. Berlin, 1872 (1873), iii, 1.
 —— **megalopentas**, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 289.
 —— —— Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), iv, 7.
 —— **megapora**, Ehrenberg. Mikrogeologie, 1854, xxiv, 46. [= *Planorb. vulgaris.*]
 —— **membranacea**, Ehrenberg. Mikrogeologie, 1854, xxv, i, A, 41. [= *Pulv. karsteni.*]
 —— —— Ehr., Mikrogeologie, 1854, xxvi, 43. [= *Pulvin. menardii* (d'Or.)]
 —— **mesolia**, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 25.
 —— **mica**? Ehrenberg. Mikrogeologie, 1854, xxxvi, 67. [= *Planorbulina.*]
 —— **micromphala**, Ehrenberg. Mikrogeologie, 1854, xxvii, 38–40. “= *Pl. turgida*, 1838, in part.” [= *Planorb. ammonoides.*]
 —— —— Ehr., Mikrogeologie, 1854, xxvi, 47. [= *Planorb. ammonoides.*]
 —— —— Ehr., Mikrogeologie, 1854, xxxi, 59. [Near *Plan. ariminensis.*]
 —— ? —— Ehr., Mikrogeologie, 1854, xxvi, 50. [= *Crist. rotulata.*]
 —— ? —— Ehr., Abh. k. Ak. Wiss. Berlin, 1855, 162, ii, ix. [= *Rotalia beccarii.*] [*Glauc.*]
 —— **micropentas**, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 289.

- PLANULINA** *micropentas*, Ehrenberg. Abh. k. Ak. Wiss. Berlin, 1872 (1873), iv, 8.
- *millepora*, Ehrenberg. Mikrogeologie, 1854, xxiv, 51. [= *Planorb. ammonoides*.]
- *mississippi*, Ehrenberg. Mikrogeologie, 1854, xxxii, ii, 41. [= *Globig. cretacea*.]
- *monticulosa*, Ehrenberg. Mikrogeologie, 1854, xxv, i, A, 33. [= *Planorb. farcta*.]
- *morseiana*, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 290.
- *nana*, Ehrenberg. Abh. k. Ak. Wiss. Berlin, 1838, 133.
- *nebulosa*, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 372. Ehr., Mikrogeologie, 1854, xxxii, ii, 35. [= ? *Planorbula*.]
- *nitida*, Ehrenberg. Abh. k. Ak. Wiss. Berlin, 1838, 133.
- ? *obliqua*, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 373.
- *obscura*, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1854, 248.
- *oceani*, Ehrenberg. Abh. k. Ak. Wiss. Berlin, 1841, 427.
- *ocellaris*, Ehrenberg. Mikrogeologie, 1854, xxix, 12. [Near *P. ariminensis*.]
- *ocellata*, Ehrenberg. Abh. k. Ak. Wiss. Berlin, 1839, 133. [*Rotalia ocellata*, Ehr., in 1838 Abh.] Ehr., Bericht k. preuss. Ak. Wiss. Berlin, 1844, 67; and Mikrogeologie, 1854, xxi, 91. [= *Globig. bulloides*.]
- *ocellata*, Ehr., Mikrogeologie, 1854, xxvi, 41. ("Rosalina, 1838.") [= *Planorb. haidingeri*, subvar.] Ehr., Mikrogeologie, 1854, xxxi, 53. [= *Globig. cretacea*.]
- *odontophæna*, Ehrenberg. Mikrogeologie, 1854, xxviii, 45a, b. [= *Crist. cultrata*.]
- *oligosticta*, Ehrenberg. Mikrogeologie, 1854, xxxii, ii, 43. [= *Globig. cretacea*.]
- *omphalolepta*, Ehrenberg. Mikrogeologie, 1854, xxviii, 43. (*Pl. turrida*, 1838.) [= between *Crist. rotulata*, and *C. cultrata*.]
- *d'orbignii*, Roem. Verst. norddeutsch. Kreide, 1840–41, 98, xv, 24.
- *orci*, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 25.
- *ornata*, Roem. Verst. norddeutsch. Kreide, 1840–41, 98, xv, 25.
- *osnabrugensis*, v. Muenster. Roemer, Neues Jahrbuch, 1838, 390, iii, 5–8. [v. also *Rosalina*, and *Truncatulina*.]
- *pachyderma*, Ehrenberg. Mikrogeologie, 1854, xxv, i, A, 31. [= *Globig. cretacea*.]
- *pardalis*, Ehrenberg. Mikrogeologie, 1854, xxxi, 57. [= *P. ariminensis*.]
- *ammonoidea*, Ehr., Mikrogeologie, 1854, xxiv, 52. [= *Planorb. ammonoides*.]
- *perforata*, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1844; and Mikrogeologie, 1854, xxi, 89.
- *perihexas*, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 290.
- *perforata*, Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), iii, 13.
- *pertusa*, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1844, 67; and Mikrogeologie, 1854, xxii, 75. [= *Globigerina*.]
- *pharaonum*, Ehrenberg. Mikrogeologie, 1854, xxiii, 35. [= *Pulvin. menardii*, near *pulchella*.]
- *picta*, Ehrenberg. Mikrogeologie, 1854, xxvii, 52. [= *Pulvin. micheliniana* (d'O.).]
- *polysolenia*, Ehrenberg. Abh. k. Ak. Wiss. Berlin, 1855, 162, ii, xi. [= *Planorb. vulgaris*.] [Glauc.]

- PLANULINA** pomerana, Ehrenberg. Mikrogeologie, 1854, xxx, 30. [= *Pulvin. micheliniana*.]
 —— porophæna, Ehrenberg. Mikrogeologie, 1854, xxxi, 56. [= *P. ariminensis*.]
 —— porosa, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1844, 68; and Mikrogeologie, 1854, xx, ii, 19. [= *Aristerospira*; = *Planorb. farcta*.]
 —— —— Ehr., Bericht k. preuss. Ak. Wiss. Berlin, 1844, 94; and Mikrogeologie, 1854, xix, 95. [= *Planorb. haidingeri*, limbata var.]
 —— —— Ehr., Mikrogeologie, 1854, xxiv, 44. [= *Planorb. haidingeri*.]
 —— —— Ehr., Mikrogeologie, 1854, xxvi, 39 and 40. ("Rosalina larvigata, 1838, in part.") [= *Planorb. haidingeri*, subvar.]
 —— —— Ehr., Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 308.
 —— porosior, Ehrenberg. Abh. k. Ak. Wiss. Berlin, 1872 (1873), xii, 1.
 —— profunda, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, p. 290.
 —— —— Ehr., in Koldewey, Zweite Deutsche Nordpolarfahrt, 1874, ii, n. d. i, 17 and 18.
 —— prorotetras, Ehrenberg. Mikrogeologie, 1854, xxiv, 50. [= *Planorb. tuberosa*, F. & M.]
 —— —— Ehr., Mikrogeologie, 1854, xx, ii, 16. [= *Glob. bulloides*.]
 —— pyramidum, Ehrenberg. Abh. k. preuss. Ak. Wiss. Berlin, 1838, 133.
 —— —— Ehr., Mikrogeologie, 1854, xxiii, 38. [= *Opercul. complanata*.]
 —— quaternaria, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 373.
 —— saxipara, Ehrenberg. Mikrogeologie, 1854, xxv, i, A, 36. [= *Planorb. bulina*.]
 —— scutata, see *Aristerospira*.
 —— septenaria, Ehrenberg. Mikrogeologie, 1854, xxv, ii, B, 10. [= *Planorb. vulgaris*.]
 —— seriata, Ehrenberg. Abh. k. Ak. Wiss. Berlin, 1872 (1873), v, 9.
 ? —— sicula, Ehrenberg. Abh. k. Ak. Wiss. Berlin, 1838, 133, iv, ii, iii.
 —— —— Ehr., Mikrogeologie, 1854, xxvi, 48 and 49. [48 = *Rotalia*? 49 = *Planorb. bulina*?]
 —— —— Ehr., Mikrogeologie, 1854, xxix, ii. [Near *P. ariminensis*.]
 —— soldanii, d'Orbigny. Ann. Sci. Nat. vii, 1826, 280, No. 4. [v. *Planorb. bulina*.]
 —— —— = *Planorb. bulina*; see *Hammoniae subrotundae*; and *H. planæ rotundæ*
 —— sparsipora, Ehrenberg. Mikrogeologie, 1854, xx, ii, 22. [= *Rotalia orbicularis*.]
 —— spatiosa, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1844, 94; and Mikrogeologie, 1854, xxi, 95 [xxix, 15; xxx, 28 (near)]. [Near var. *pulchella* of *Pulv. repanda*.]
 —— speciosa, Ehrenberg. Abh. k. Ak. Wiss. Berlin, 1838, 133.
 —— spira, Ehrenberg. Mikrogeologie, 1854, xxvi, 52. [= ? *Planorb. bulina*.]
 —— sphærocharis, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, p. 290.
 —— —— Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), iv, 9.
 —— splendida, Ehrenberg. Abh. k. Ak. Wiss. Berlin, 1838, 133.
 —— spongarium, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 26.
 —— squamula, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1844, 67 and 94; and Mikrogeologie, 1854, xxi, 94. [= *Planorb. bulina*, limbata var.]
 —— stellaris, Ehrenberg. Mikrogeologie, 1854, xx, ii, 23. [= *Planorb. haidingeri*.]

- PLANULINA** *stigma*, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1844, 67; and Mikrogeologie, 1854, xxii, 77. [= *Globigerina*.]
 ——— ——— Ehr., Mikrogeologie, 1854, xxv, i, A, 29. [= *Globig. cretacea*.]
 ——— ——— suboctoraria, Ehrenberg. Mikrogeologie, 1854, xxxii, ii, 48. [= *Planorb. ammonoides*.]
 ——— ——— syriaca, Ehrenberg. Mikrogeologie, 1854, xxv, i, A, 39. [= *Planorb. haidingeri*.]
 ——— ——— tenuis, Ehrenberg. Abh. k. Ak. Wiss. Berlin, 1841, 427, iii, vii, 48. [= *Planorbulina*?]
 ——— ——— Ehr., Abh. k. Ak. Wiss. Berlin, 1872 (1873), iii, 2.
? ——— ——— turgida, Ehrenberg. Abh. k. Ak. Wiss. Berlin, 1838, 133, iv, v, II.
 ——— ——— Harting, Magt van het Kleine, 1849, 119, fig. 1; and 1866, 113, fig. 48¹; German by Dr. A. Schwartzkopf, 1851, 87, fig. 39¹.
? ——— ——— Ehr., Bericht k. preuss. Ak. Wiss. Berlin, 1845, 373.
 ——— ——— Ehr., Mikrogeologie, 1854, xxxi, 62. [= small *Operculina*.]
 ——— ——— Ehr., Mikrogeologie, 1854, xxix, 10. [Near *P. ariminensis*.]
 ——— ——— Ehr., Mikrogeologie, 1854, xx, ii, 21a. [*Planorb.*, or may be *P. ariminensis*.]
 ——— ——— umbilicata, Ehrenberg. Mikrogeologie, 1854, xxx, 31. [= *Cristellaria*, doubtful.]
 ——— ——— Ehr., Mikrogeologie, 1854, xxiii, 47; xxv, i, A, 40; and xxviii, 49. [= *Crist. cultrata*.]
? ——— ——— Ehr., Mikrogeologie, 1854, xxiv, 59. [*Pl. millepora*, juv.?]
[Near *Planorb. ammonoides*.]
 ——— ——— Ehr., Mikrogeologie, 1854, xxvii, 48 and 51. [= *Pulvin. truncatulinoides* (d'Or.)].
 ——— ——— ? Ehr., Mikrogeologie, 1854, xxxi, 55.
 ——— ——— vitrea, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 373.
 ——— ——— Ehr., Bericht k. preuss. Ak. Wiss. Berlin, 1844, 94; and Mikrogeologie, 1854, xix, 96. [= *Planorb. haidingeri*.]
 ——— ——— zapatocensis, Karsten. Amtlicher Ber. 32 Vers. deutscher Nat. Aerzte, 1856 (1858), 114, vi, 4a, b, c, d; and Géol. Colomb. bolivarienne, 1886, 62, vi, 4a, b, c, d.
 ——— sp. ? Ehrenberg, Mikrogeologie, 1854, xxxv, B, iv, A, k, l. [= *Globigerinae*.]
 ——— sp. ? Ehrenberg, Mikrogeologie, 1854, xxxv, B, iv, A, g, h. [g = *G. bulloides*; h = *Pulvin. menardii*.]
[—— ?] Macdonald, Ann. Mag. Nat. Hist. [2], xx, 1857, 193, v, 15.
 ——— Ehr., Abh. k. Ak. Wiss. Berlin, 1875 (1876), 158, i, 1.
PLATOUM, F. E. Schulze, 1875. Arch. Mikr. Anat. xi, 1875, 115.
 ——— parvum, F. E. Schulze. Arch. Mikr. Anat. xi, 1875, 115, vi, 1-4.
 ——— ——— Möbius, Abh. k. pr. Ak. Wiss. Berlin, 1888 (1889), 15.
PLATULINA, Gnérin-Méneville, 1829-43. Misprint for *Planulina*.
PLATYŒCUS ? *squama*, Ehr. Mikrogeologie, 1854, xxx, 28. [Var. of *Pulvin. repanda*, near *P. spatiosa* (Ehr.).]
PLECANIUM, Reuss, 1861. Sitz. k. Ak. Wiss. Wien, XLIV, Abth. 1, 1861 (1862), 383.
 ——— acuminatum, Seguenza. Atti R. Acc. Lincei, [3], vi, 1880, 92, x, 5a, b.
 ——— agglutinans, Reuss. Sitz. k. Ak. Wiss. Wien, LIX, Abth. 1, 1869, 452, i, 1a, b, 2a, b.
 ——— aratiforme, Schwager. Boll. R. Com. Geol. Ital. ix, 1878, 527, i, 17.
 ——— carinatum (d'Orb.). Schwager, Boll. R. Com. Geol. Ital. viii, 1877, 26, pl. 97. [*Textularia*, 1826.]
 ——— ——— Andreae, Abh. geol. Specialkarte Elsass-Lothr. II, Heft 3, 1884, 199, vii, 10.
 ——— comatum, Dunikowski. Kosmos [Lemberg], IV, 1879, 131, plate, 26.

- PLECANIUM concavum**, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, Abth. 1, 1868, 129, i, 3. [v. *Textularia*.]
- **costatum**, Seguenza. Atti R. Acc. Lineei, [3], vi, 1880, 151, xiv, 8a, b.
- **cretaceum**, Dunikowski. Kosmos [Lemberg], IV, 1879, 130, plate, 25.
- **depravatum**, Schwager. Jahresh. Ver. vat. Nat. Württ. xxi, 1865, 93, ii, 3.
- **depressum**, Olszewski. Sprawozd. Kom. fizyj. Ak. Umiej. Krakowie, IX, 1875, 134, ii, 8.
- **elegans**, Hantken. Magyar. Földt. Társ. Munkálatai, IV, 1868, 83, i, 5a, b.
- **eocænum**, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 603, i, 3 bis, a, b.
- **eurystoma**, Stache. Novara-Exped., Geol. Theil I, 1864, 179, xxi, 19a, b.
- **fœdum**, Karrer. Jahrb. k. k. geol. Reichsanstalt, XX, 1870, 165, i, 3.
- **gibbosum** [d'Orb.].* Zittel, Handbuch Palaeont., Abth. 1, 1876, 66, fig. 4² and 89, fig. 26. [On p. 89 given as *P. gibbum*, d'Orb.] [*Textularia*, 1826.]
- [Renns.].* Hoernes, Elem. Palaeont. 1884, 33, fig. 26; French ed. 1886, same fig.
- **granosissimum**, Stache. Novara-Exped., Geol. Theil I, 1864, 179, xxi, 18a, b.
- **granuliferum**, Gümbel. Sitz. k.-bay. Ak. Wiss. III, 1873, 39, no fig.
- **irregulare**, Seguenza. Atti R. Acc. Lineei, [3], vi, 1880, 151, xiv, 9a, b. [Error for 7.]
- **karreri**, Stache. Novara-Exped., Geol. Theil I, 1864, 178, xxi, 17a, b.
- **labiatum**, Reuss. Bull. Ac. Roy. Belge, [2], xv, 1863, 139. [*Textilaria*, 1860.]
- **lanceolatum**, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, Abth. 1, 1868, 129, i, 2.
- **laxatum**, Schwager. Novara-Exped., Geol. Theil II, 1866, 195, iv, 5a, b.
- **ligulatum**, Schwager. Palaeontographica, XXX, 1883, Pal. Theil, 115, xxvi (3), 15a-c.
- **lythostrotum**, Schwager. Novara-Exped., Geol. Theil II, 1866, 194, iv, 4a, b, c.
- **mariæ (d'O.)**, v. **inermis**, Reuss. Sitz. k. Ak. Wiss. Wien, LV, Abth. 1, 1867, 64, i, 5-7.
- — — — — Gümbel, Abh. m.-ph. Cl. k.-bayer Ak. Wiss. x, 1868 (1870), 603, i, 3 ter, a, b.
- **niloticum**, Schwager. Palaeontographica, XXX, 1883, Pal. Theil, 115, xxiv (3), 14a-c.
- **partschi**, Reuss. In Geinitz, Palaeontographica, XX, Th. 2, 1874, 126, xxiv, 13. [*Textilaria*, 1860.]
- **roscidum**, Karrer. Jahrb. k. k. geol. Reichsanstalt. XX, 1870, 165, i, 2.
- **rugosum**, Reuss. Sitz. k. Ak. Wiss. Wien, LIX, Abth. 1, 1869, 453, i, 3a, b. [v. *Textularia*.]
- **scharrachbergense**, Andreae. Abh. geol. Specialkarte Elsass-Lothr. II, Heft 3, 1884, 296, vi, 16.
- **serratum**, Reuss. Sitz. k. Ak. Wiss. Wien, LV, Abth. 1, 1867, 66, i, 4a, b.
- **solutum**, Schwager. Novara-Exped., Geol. Theil II, 1866, 195, iv, 6a, b, c.
- **speyeri**, Reuss. Sitz. k. Ak. Wiss. Wien, L, Abth. 1, 1864 (1865), 449, i, 3.
- **spinulosum**, Reuss. Sitz. k. Ak. Wiss. Wien, LV, Abth. 1, 1867, 65, i, 3a, b.
- **sturi**, Karrer. Sitz. k. Ak. Wiss. Wien, L, Abth. 1, 1864 (1865), 703, i, 1.

* Zittel's & Hoernes' figures are the same. They are evidently meant for, but they differ very much from, *Text. gibbosa*, d'Orb., Ann. Sci. Nat., and Modèles, 1826.

- PLECANIUM** tuberiforme, Seguenza. Atti R. Acc. Lincei, [3], vi, 1880, 152, xiv, 10a, b [error for 9].
- PLECTINA**, Marsson, 1878. Marsson, Mitth. Nat. Ver. Neu-Vorpommern u. Rügen, Jahrg. x, 1878, 160. [Eine *Gaudryina*, die statt der spaltenförmigen Mündung am inneren Rande der letzten Kammer, an oder unter der Spitze der letzten Kammer eine runde Mündung besitzt.]
- clava, Marsson. Mitth. Nat. Ver. Neu-Vorpommern u. Rügen, Jahrg. x, 1878, 161, iii, 29a-d.
- irregularis, Marsson. Mitth. Nat. Ver. Neu-Vorpommern u. Rügen, Jahrg. x, 1878, 160, iii, 28a-e.
- PLEIONA**, Franzenau, 1888. Földtani Közlöny, xviii, 1888, 491; and Termész. Füzetek, xi, 1889, 146 and 203, fig. [*P. princeps*.] [A bicameral, compressed Nodosaria.]
- princeps, Franzenau. Termész. Füzetek, xi, 1889, 146 and 205, woodcut.
- Franzenau, Math. termész. értesítő, vii, 1889, 254, iv, 9.
- PLEURITES**, Ehrenberg, 1854.
- ? — americanus, Ehr. Mikrogeologie, 1854, xxxii, ii, 20. [= *Virg. hemprichii*.]
- ? — calciparus, Ehr. Mikrogeologie, 1854, xxviii, 28 and 29, and xxx, 19. [= *Virg. hemprichii* (Ehr.).]
- Kübler & Zwingli, Neujahrsblatt Bürgersbihl. Winterthur, 1866, 19, iii, 21. [= *Polymorpha*.]
- cretæ, Ehr. Mikrogeologie, 1854, xxvii, 32. [= ? *Sphaeroid. bulloides*.]
- turgens, Ehr. Mikrogeologie, 1854, xxxi, 37. [Probably *Virg. hemprichii*.]
- turgidus, Ehr. Mikrogeologie, 1854, xxix, 38. [= *Virg. hemprichii* (Ehr.).]
- PLEUROPHRYS**, Claparède & Laehmann. Mém. Inst. Nat. Génèvois, vi, 1858 (1859), 454.
- lageniformis, O. E. Schulze. Arch. Mier. Anat. xi, 1875, 125, vii, 6-8.
- Möbius, Abh. k. pr. Ak. Wiss. Berlin, 1888 (1889), i, 20 and 21.
- For other species of this genus, see Areher, Quart. Journ. Miero. Sci. x, p. 17; Claparède, and Schulze, above quoted.
- PLEUROSTOMELLA**, Reuss, 1859. Sitz. k. Ak. Wiss. Wien, xl, 1860, 203; Brady, Report Challenger, 1884, 410.
- acuta, Hantken. A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 37, xiii, 18; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 44, same pl. and fig.
- Schluamberger, F. Jeun. Nat., Aug. 1883, 119, ii, 5, 5a.
- Franzenau, Math. termész. értesítő, vii, 1889, 246, iv, 1.
- alternans, Schwager. Novara-Exped., Geol. Theil II, 1866, 238, vi, 79 and 80.
- Schwager, Boll. R. Com. geol. Ital. viii, 1877, 25, pl. 37.
- Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxiii, 1880, 199, ii, 46.
- Brady, Report Challenger, 1884, 412, li, 22 and 23.
- barroisi, Berthelin. Mém. Soc. géol. France, [3], i, 1880, 30, i (xxiv), 13a, b.
- bellardi, Hantken. Ertek. termesz. köreböl, xiii, No. 1, 1883, 25, ii, 1a, b; and Math. Nat. Ber. Ungarn, II, 1884, 146.
- brevis, Schwager. Novara-Exped., Geol. Theil II, 1866, 239, vi, 81.
- Brady, Report Challenger, 1884, 411, li, 20a, b.
- eocæna. Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 630, i, 53a, b.
- Hantken, A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 37, xiii, 17; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 44, same pl. and fig.

PLEUROSTOMELLA fusiformis, Reuss. Sitz. k. Ak. Wiss. Wien, **XL**, 1860, 205, viii, 1.

- Reuss' Models, No. 31, 1865 (Catal., No. 58, 1861). [= an extreme form of *Virgulina*.]
- incrassata, Hantken. Ertek. termesz. köreböl, XIII, No. 1, 1883, 25, i, 4a, b; 7a, b; and Math. Nat. Ber. Ungarn, II, 1884, 146.
- obtusa, Berthelin. Mém. Soc. géol. France, [3], I, 1880, 29, i (xxiv), 9a, b.
- rapa, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 630, i, 54.
- Brady, Report Challenger, 1884, 411, li, 21a, b.
- reussi, Berthelin. Mém. Soc. géol. France, [3], I, 1880, 28, i (xxiv), 10a-12.
- subnodososa, Reuss. Sitz. k. Ak. Wiss. Wien, XI, 1860, 204, viii, 2a, b. [*Nodos. nodosa*, 1845; *Dental. subnodososa*, 1850.]
- Brady, Report Challenger, 1884, 412, lii, 12 and 13.
- tenuis, Hantken. Ertek. termesz. köreböl, XIII, No. 1, 1883, 25, i, 5a, b; and Math. Nat. Ber. Ungarn, II, 1884, 145. [Omitted in explan. to plate.]

PLEUROSTOMINA, Costa, 1862. Annuario Mus. Zool. Univ. Napoli, I, 1862, Art. 11, 94. [Conchiglia libera, inequilaterale, compressa, con tre cameragioni visibili allo esterno, delle quali una occupa per intero una delle facce, e le altre due la faccia opposta. Apertura piaggata su quest'ultima in fondo ad una cavità posta nella parte superiore della camerazione più angusta.]

- bimucronata, Costa. Ann. Mus. Zool. Univ. Napoli, I, 1862, Art. 11, 94, no figure.

PLEUROTREMA calcinaria, Ehrenberg. Abh. k. Ak. Wiss. Berlin, 1838, 133.

PLICATILIA, Ehrenberg, 1838. Abh. k. Ak. Wiss. Berlin, 1838 (1840), Tab. 1. [A family group name.]

Pœcilospermous, Mercatus, Metallotheca, 1719, 285, fig., and 286, fig. [= *Nummulites*.]

Polimorphina, Hantken, 1875. Misprint for *Polymorphina*.

POLLONTES vesicularis, Montfort. Conch. syst. I, 1808, 247, 62d genre. [= *Miliol. seminulum*.]

- Bowdich, Elem. Conch. Part 1, 1822, 16, iii, 16. [*Miliolina*, striated.]

POLYMORPHA globulifera, Soldani. Testac. I, pt. 2, 1791, p. 119, pl. 130pp, qq, rr. [*Globigerina helicina*, d'O. Ann. Sci. Nat. VII, 1826, p. 277, 5.]

- janiformia, Sold. Testac. II, 1798, 39, pl. 14h. [*Textularia tuberosa*, d'O. Ann. Sci. Nat. VII, 1826, p. 263, 26.]

- Sold., Testac. I, pt. 2, 1791, p. 119, pl. 132I, K. [*Textularia gibbosa*, d'O. Ann. Sci. Nat. VII, 1826, p. 262, 6.]

- Sold., Testac. I, pt. 2, 1791, p. 119, pl. 132L, M. [*Textularia laevigata*, d'O. Ann. Sci. Nat. VII, 1826, p. 262, 4.]

- pineiformia, Sold. Testac. I, pt. 2, 1791, p. 118, pl. 127H. [*Textularia obtusa*, d'O. Ann. Sci. Nat. VII, 1826, p. 262, 1.]

- Sold., Testac. I, pt. 2, 1791, p. 118, pl. 127I, pl. 130vv. [*Bulimina aculeata*, d'O. Ann. Sci. Nat. VII, 1826, p. 269, 7.]

- Sold., Testac. I, pt. 2, 1791, p. 119, pl. 130ss, tt. [*Uvigerina pygmæa*, d'O. Ann. Sci. Nat. VII, 1826, p. 269, 2.]

- Sold., Testac. I, pt. 2, 1791, p. 118, pl. 126xx, yy, zz, A, B. [*Uvigerina nodosa*, d'O. Ann. Sci. Nat. VII, 1826, p. 269, 3.]

- Sold., Testac. I, pt. 2, 1791, p. 118, pl. 127C. [*Nod. sulcata*, d'O. Ann. Sci. Nat. VII, 1826, p. 253, 21.]

- Sold., Testac. I, pt. 2, 1791, p. 119, pl. 131xx. [*Bulimina trilobata*, d'O. Ann. Sci. Nat. VII, 1826, p. 269, 6.]

- Sold., Testac. I, pt. 2, 1791, p. 118, pl. 127K. [*Textularia echinata*, d'O. Ann. Sci. Nat. VII, 1826, p. 263, 24.]

- POLYMORPHA** sagittulæ, Sold. Testac. I, pt. 2, 1791, p. 120, pl. 133T. [Textularia sagittula, Defr. D'O., Ann. Sci. Nat. VII, 1826, p. 263, 20.]
- sphærulæ viträ læves, Sold. Testac. I, pt. 2, 1791, 115, pl. 118E. [Nodos. (Gland.) levigata, d'O. Ann. Sci. Nat. VII, 1826, 252, 1.]
- subcordiformia vel oviformia, Sold. Testac. I, pt. 2, 1791, p. 114, pl. 112 (not 132)gg. [Polymorphina (Glob.) ovata, d'O. Ann. Sci. Nat. VII, 1826, p. 266, 22.]
- subovalia, Sold. Testac. I, pt. 2, 1791, p. 115, pl. 117p. [Marginulina lobata, d'O. Ann. Sci. Nat. VII, 1826, p. 259, 12.]
- triangulare, Sold. Testac. I, pt. 2, 1791, p. 119, pl. 132G. [Textularia caudata, d'O. Ann. Sci. Nat. VII, 1826, p. 263, 25.]
- tuberosa et globulifera, Sold. Testac. I, pt. 2, 1791, p. 117, pl. 123K. [Globigerina elongata, d'O. Ann. Sci. Nat. VII, 1826, p. 277, 4.]
- Sold., Testac. I, pt. 2, 1791, p. 117, pl. 123H, I, O, P. [Globigerina bulloides, d'O. Ann. Sci. Nat. VII, 1826, p. 277, 1.]
- Sold., Testac. I, pt. 2, 1791 (omitted at p. 116), pl. 122gg? [Polymorphina (Pyrulina) gutta, d'O. Ann. Sci. Nat. VII, 1826, p. 267, 28.]
- POLYMORPHINA**, d'Orbigny, 1826. Ann. Sci. Nat. VII, 1826, p. 265; Brady, Report Challenger, 1884, p. 557.
- abavia, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, p. 307, 337, i, iv. [“May be Bulimina,” P. & J.] [Glaconite.]
- abbreviata, Terquem. Quatr. Mém. Foram. Lias, 1864, 303, xiii, 44a, b.
- acanthophora, Ehrenberg. Mikrogeologie, 1854, xxxi, 30. [Near Bigen. (Gemmulina) digitata, d'O.]
- aculeata, d'Orbigny. Ann. Sci. Nat. VII, 1826, p. 265, No. 5.
- ? — Ebrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1844, p. 94; and Mikrogeologie, 1854, xix, 85. [=Bulimina.]
- acuminate, d'Orbigny. B., P., & J., Trans. Linn. Soc. xxvii, 1870, 219, xxxix, 4a, b. [Pyrulina, 1840.]
- Chimmo, Bed of Atlantie, [1870], 19, iv, 5-27, x, A.
- Brady, Ann. Mag. Nat. Hist. [5], I, 1878, 435, xx, 5a, b.
- acuminate, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875 (1876), n. d. viii, 4; and Mitth. a. d. Jahrb. k. ungar. geol. Austalt, IV, 1875, (1881), same pl. and fig.
- acuta, d'Orbigny. Ann. Sci. Nat. VII, 1826, p. 265, No. 7.
- D'Orbigny, Foram. Fossiles Vienne, 1846, 234, xiii, 4 and 5; xiv, 5-7.
- acuta, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 51, viii, 4; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), p. 60, same pl. and fig.
- acuta, Olszewski. Sprawozd. Kom. fizyj. Ak. Umiej. Krakowie, IX, 1875, 120, i, 13.
- (Glob.) acuta, Roemer. Nenes Jahrbuch, 1838, 386, iii, 36. [v. Globulina.]
- adhærens, Olszewski. Sprawozd. Kom. fizyj. Ak. Umiej. Krakowie, IX, 1875, 119, i, 11.
- æqualis, d'O. See *P. equalis*.
- agglutinans, Terquem. Quatr. Mém. Foram. Lias, 1864, 293, xi, 5-8.
- — — — — Terquem, Quatr. Mém. Foram. Oolithique, 1874, 292, xxx, 1 and 2.
- amœna, Karrer. Abh. k. k. geol. Reichs. IX, 1877, 385, xvi, b, 45.
- ampla, Karrer. Jahrb. k. k. geol. Reichsanstalt, XX, 1870, 181, ii, 13.
- ampulla, Jones. Prestwich, Quart. Journ. Geol. Soc. VIII, 1852, 267, xvi, 14.
- amygdala, Terquem. Quart. Mém. Foram. Oolithique, 1874, 301, xxxii, 28-30.
- — — — — Deecke, Abh. geol. Specialkarte Elsass-Lothr. IV, Heft 1, 1884, 54, ii, 19.

- POLYMORPHINA amygdala**, Terquem. Deecke, Mém. Soc. Emul. Montbéliard, XVI, 1886, [37], I, 20 and 20a.
 ——— **amygdaloides**, Reuss. Sitz. k. Ak. Wiss. Wien, XVIII, 1856, 250, viii, 84. [*Globulina*, 1851.]
 ——— ——— Brady, Report Challenger, 1884, 560, lxxi, 13.
 ——— **amygdaloides**, Terquem. Mém. Soc. géol. France, [3], I, 1878, 39, iii (viii), 22a-30.
 ——— ——— Terq., Mém. Soc. géol. France, [3], II, 1882, 141, xiv (xxii), 30 and 31.
 ——— **anceps**, Philippi. Tertiär. nordwest. Deutsch. 1843, 41 and 70, I, 34.
 ——— ——— Reuss, Sitz. k. Ak. Wiss. Wien, XVIII, 1856, 246, VI, 68; VII, 69.
 ——— ——— Reuss, Sitz. k. Ak. Wiss. Wien, L, Abth. I, 1864 (1865), 472, IV, 2 and 3 [iii, 11 and 12 and iv; 1, also quoted = *P. regularis*].
 ——— ——— Reuss, Denkschr. k. Ak. Wiss. Wien, XXV, 1865, 155, IV, 9-11.
 ——— ——— B., P., & J., Trans. Linn. Soc. XXVII, 1870, 223, xxxix, 8a-c.
 ——— ——— Steinmann, Elem. Paleont. I, 1888, 28, fig. 9.
 ——— **annulata**, Terquem. Quatr. Mém. Foram. Oolithique, 1874, 304, xxxiiii, 5 and 6.
 ——— (**Glob.**) **angusta**, Egger. Neues Jahrbuch, 1857, 290, xiii, 13-15.
 ——— ——— Andreae, Abh. geol. Speciaalkarte Elsass-Lothr. II, Heft 3, 1884, 210, ix, 17.
 ——— ——— Brady, Report Challenger, 1884, 563, lxxii, 1-3.
 ——— **angustata**, Terquem. Quatr. Mém. Foram. Lias, 1864, 296, xii, 33-35.
 ——— **applanata**, K. Miller. Schr. Ver. Gesch. Bodensee, Heft VII, 1877, [77], IV, 18. [Cast or concretion?].
 ——— **appula**, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, 286 [282], xviii, 17a, A, B.
 ? ——— **armata**, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1845, p. 373.
 ——— **aristophanis**, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 26.
 ——— ——— Ehrenberg, Abh. k. Ak. Wiss. Berlin, 1872 (1873), XI, 1.
 ——— **asparagus**, Ehr. Mikrogeologie, 1854, xxvii, 14; and xxix, 31. [= *Virg. squamosa*.]
 ——— ——— Kübler & Zwingli, Neujahrsblatt Burgersbibl. Winterthur, 1866, 19, iii, 18. [= *Virgulina*.]
 ——— **aspera**, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 291.
 ——— ——— Ehrenberg, Abh. k. Ak. Wiss. Berlin, 1872 (1873), IV, 13.
 ——— **asperella**, Karrer. Abh. k. k. geol. Reichs. IX, 1877, 385, xviib, 47.
 ——— **asummata**, (Will.). Robertson, Trans. Edin. Geol. Soc. IV, 1883, 144. [Error for *acuminata*.]
 ——— **australis**, (d'O.). B., P., & J., Trans. Linn. Soc. XXVII, 1870, 239, xli, 27a, b. [*Globulina*, 1839.]
 ? ——— Ehr. Abhandl. k. Ak. Wiss. Berlin, 1841, 427.
 ——— (**Gutt.**) **austriaca**, d'Orb. Schwager, Boll. R. Com. geol. Ital. VIII, 1877, 25, pl. 31. [*Guttulina*, 1846.]
 ——— **avena**, Terquem. Quatr. Mém. Foram. Lias, 1864, 309, xiii, 45a, b.
 ——— **avia**, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 307 and 337, I, f. v. ["May be *Bulimina*," P. & J.] [Glaucconite.]
 ——— **biaperta**, Dunikowski. Kosmos [Lemberg], IV, 1879, 129, plate, 23.
 ——— **bilocularis**, Terquem. Quatr. Mém. Foram. Lias, 1864, 293, XI, 9-32.
 ——— ——— Terquem, Six. Mém. Foram. Lias, 1866, 523, xxii, 26.
 ——— ——— Terquem, Quatr. Mém. Foram. Oolithique, 1874, 293, XXX, 7-35; XXXI, 1-18.
 ——— ——— Terq. et Berth., Mém. Soc. géol. France, [2], X, 1875, 67, V (XV), 18a-q.
 ——— ——— Terquem, Bull. Soc. géol. France, [3], IV, 1876, 497, xvii, 13a-16.

- POLYMORPHINA** bilocularis, Terquem. Mém. Soc. géol. France, [3], iv, 1886, 61, vii, 9a, b.
 ——— ——— ——— Deecke, Mém. Soc. Emul. Montbéliard, xvi, 1886, [43 and 45], i, 11.
 ——— ——— ——— breoni, Terquem. Quatr. Mém. Foram. Lias, 1864, 295, xii, 1-24.
 ——— ——— ——— bucculenta, Berthelin. Mém. Soc. géol. France, [3], i, 1880, 58, iv (xxvii), 16a-17b.
 ——— ——— ——— burdigalensis, d'Orbigny. Ann. Sci. Nat. vii, 1826, 265, No. 2.
 ——— ——— ——— D'Orbigny, Modèles, 29, 1826.
 ——— ——— ——— P., J., & B. [d'O., Modèles, 29], Ann. Mag. Nat. Hist. [3], xvi, 1865, 23, ii, 48.
 ——— ——— ——— B., P., & J., Trans. Linn. Soc. xxvii, 1870, 224, xxxix, 9a, b.
 ——— ——— ——— Tate & Blake, Yorkshire Lias, 1876, 471, xvii, 36.
 ——— ——— ——— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 161, fig.
 ——— ——— ——— campanulata, v. Muenster. Roemer, Neues Jahrbuch, 1838, 385, iii, 22.
 ——— ——— ——— cenomanensis, d'Orb., 1847. D'Orbigny, Prodrome de Paléont. II, 1850, 185, No. 761.
 ——— (Glob.) clavata, Roemer. Neues Jahrbuch, 1838, 386, iii, 38.
 ——— cognata, Stache. Novara-Exped., Geol. Theil i, 1864, 257, xxiv, 3a, b.
 ——— (Gutt.) communis, d'Orb. Ann. Sci. Nat. vii, 1826, 266, No. 15, xii, 1, 2, 3, 4. [v. *Guttulina*.]
 ——— ——— ——— D'Orbigny, Modèles, No. 62, 1826.
 ——— (Gutt.) ——— ——— Roemer, Neues Jahrbuch, 1838, 385, iii, 29.
 ——— ——— ——— Smedley, Eney. Metrop. 1845, n. d., pl. "Mollusca?", 13-15.
 ——— (Gutt.) ——— ——— Egger, Neues Jahrbuch, 1857, 288, xiii, 16-18.
 ——— ——— ——— Parker & Jones, Ann. Mag. Nat. Hist. [2], xix, 1857, 283, x, 25-27.
 ——— ——— ——— Parker & Jones, Ann. Mag. Nat. Hist. [2], xix, 1857, 283, xi, 30-34. [32, *P. gibba*; 33, *P. lactea*.]
 ——— (Gutt.) ——— ——— P., J., & B. [d'O., Modèles, 62], Ann. Mag. Nat. Hist. [3], xvi, 1865, 29, ii, 47. [= *P. lactea*, W. & J.]
 ——— ——— ——— B., P., & J., Trans. Linn. Soc. xxvii, 1870, 224, xxxix, 10a, b.
 ——— ——— ——— [Will.]. Terquem, Ess. Anim. Plage Dunkerque, pt. 1, 1875, 37, v, 13; (and Mémem. Soc. Dunkerquoise).
 ——— ——— ——— Bütschli, in Bronn, Klassen, etc. Thier-Reichs, 1880, 200, viii, 4.
 ——— ——— ——— Jones, in Microgr. Dict., ed. 4, 1883, 620, xxiii, 40a, b.
 ——— ——— ——— Brady, Report Challenger, 1884, 568, lxxii, 19.
 ——— (Gutt.) ——— ——— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 161, fig.
 ——— ——— ——— See *Orth. unilocularis*, etc.
 ——— complanata, d'Orbigny. Foram. Fossiles Vienne, 1846, 234, xiii, 25-30.
 ——— ——— ——— Mackie, Recreative Science, i, 1859, 148, fig. 24.
 ——— ——— ——— Reuss' Models, No. 72, 1865 (Catal., No. 67, 1861).
 ——— ——— ——— J., P., & B., Crag Foram., Pal. Soc. xix, 1866, n. d., i, 52-53 and 60.
 ——— ——— ——— B., P., & J., Trans. Linn. Soc. xxvii, 1870, 230, xl, 14a, b; and cuts in text.
 ——— ——— ——— Balkwill & Millett, Journ. Mier. III, 1884, 84, iv, 9.
 ——— compressa, d'Orbigny. Foram. Fossiles Vienne, 1846, 233, xii, 32-34.
 ——— ——— ——— Brady, Proc. Somerset. Arch. and Nat. Hist. Soc. XIII, 1865-66 (1867), 230, iii, 50.
 ——— ——— ——— J., P., & B., Crag Foram., Pal. Soc. xix, 1866, n. d., i, 54, 65, 77-80.
 ——— ——— ——— B., P., & J., Trans. Linn. Soc. xxvii, 1870, 227, xl, 12a-f.

- POLYMORPHINA** *compressa*, d'Orbigny. P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 170, xi, 105. [See *P. tuberosa*.]
- — — — Tate & Blake, Yorkshire Lias, 1876, 470, xvii, 32.
- — — — Schlumberger, F. Jeun. Nat., Jan. 1882, i, 16.
- — — — Jones, in Microgr. Dict. ed. 4, 1883, 620, xxiii, 43.
- — — — Terrigi, Atti Acc. Pont. Nuovi Lineei, XXXV, 1883, 182, ii, 21.
- — — — Brady, Report Challenger, 1884, 565, lxxii, 9-11 ; fistulose form, lxxiii, 17.
- — — — Mariani, Boll. Soc. geol. Ital. VII (1889), 288, x, 13.
- — — — Terrigi, Mem. R. Acc. Lineei, [4], vi, 1889, 113, vi, 10.
- — — — See *P. lactea* (W. & J.)
- *compressa*, Philippi. Tertiär. nordwest. Deutsch. 1843, 69, i, 35.
- *compressiuscula*, Gümbel, Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 647, ii, 82a, b.
- *concava*, Williamson. B., P., & J., Trans. Linn. Soc. XXVII, 1870, 236, xl, 22a, b. [v. *P. lactea*.]
- *consecta*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 265, No. 10.
- *contorta*, Stache. Novara-Exped., Geol. Theil I, 1864, 257, xxiv, 4a, b.
- (Glob.) *costata*, Egger. Neues Jahrbuch, 1857, 291, xiv, 5 and 6.
- — — — B., P., & J., Trans. Linn. Soc. XXVII, 1870, 240, xli, 31a, b.
- *crassa*, Roemer. Neues Jahrbuch, 1838, 385, iii, 27.
- — — — Reuss, Sitz. k. Ak. Wiss. Wien, XVIII, 1856, 250, viii, 82.
- (Gutt.) *crassatina*, v. Muenster. Roemer, Neues Jahrbuch, 1838, 385, iii, 30.
- *cruciata*, Terquem. Quatr. Mém. Foram. Lias, 1864, 299, xiii, 1-16.
- — — — Terquem, Six. Mém. Foram. Lias, 1866, 524, xxii, 27a, b.
- — — — Terquem, Quatr. Mém. Foram. Oolithique, 1874, 301, xxxii, 12-27.
- — — — Terq. et Berth., Mém. Soc. géol. France, [2], x, 1875, 69, vi (xvi), 2a-g.
- — — — Terquem, Bull. Soc. géol. France, [3], iv, 1876, 498, xvii, 18-22.
- — — — Terquem, Mém. Soc. géol. France, [3], iv, 1886, 63, vii, 16 and 17.
- *cylindroides*, Roemer. Neues Jahrbuch, 1838, 385, iii, 26. [v. *Proroporus*.]
- — — — Reuss, Sitz. k. Ak. Wiss. Wien, XVIII, 1856, 249, viii, 78.
- — — — B., P., & J., Trans. Linn. Soc. XXVII, 1870, 221, xxxix, 6a, b, c.
- (Gutt.) *damæcornis*, Reuss. Verstein. böhm. Kreide, 1845-46, i, 40, xiii, 85.
- — — — Wright, Rept. Proc. Belfast Nat. F. C., App. III, 1875, 85 [87], iii, 16 and 17.
- *decora*, Reuss. Bull. Ac. Roy. Belg. [2], xv, 1863, 152, iii, 41.
- *depauperata*, Reuss. Sitz. k. Ak. Wiss. Wien, LV, Abth. 1, 1867, 89, iii, 9a-c.
- — — — B., P., & J., Trans. Linn. Soc. XXVII, 1870, 215, fig.
- *digitata* d'Orb. Guérin-Menéville's Cuvier, Iconographie, Mollusques, 1829-43, 9, iii, 3.
- — — — Cuvier, Animal Kingdom, Henderson's ed. III, 1834 (pls. 1837), 19, vi, 3.
- *digitalis*, d'Orbigny. Foram. Fossiles Vienne, 1846, 235, xiv, 1-4.
- — — — B., P., & J., Trans. Linn. Soc. XXVII, 1870, 238, xli, 25a, b.
- ? — — ? — Terrigi, Atti Acc. Pont. Nuovi Lineei, XXXIII, 1880, 183, i, 13.
- — — — Terquem, Mém. Soc. géol. France, [3], II, 1882, 141, xiv (xxii), 29a, b.

- POLYMORPHINA** *digitalis*, d'Orbigny. Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxv, 1883, 184, ii, 23, 24.
 —— *dilatata*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 265, No. 11.
 —— *dilatata*, Reuss. Zeitschr. deutsch. geol. Ges. iii, 1851, 83, vi, 49.
 —— *disjuncta*, Terquem. Quatr. Mém. Foram. Oolithique, 1874, 303, xxxiii, 3.
 —— *dispar*, Stache. Novara-Exped., Geol. Theil i, 1864, 261, xxiv, 8a, b.
 —— *dispar*, Terquem. Ess. Anim. Plage Dunkerque, pt. 3, 1881, 130, xvii, 4a, b; (and Mém. Soc. Dunkerquoise).
 —— *distincta*, Terquem. Six. Mém. Foram. Lias, 1866, 525, xxii, 32.
 —— —— —— Tate & Blake, Yorkshire Lias, 1876, 471, xvii, 35.
 —— *elegantissima*, Parker & Jones. Phil. Trans. clv, 1865, Table x, 438.
 —— —— —— B., P., & J., Trans. Linn. Soc. xxvii, 1870, 231, xl, 15a-c.
 —— —— —— Brady, Report Challenger, 1884, 566, lxxii, 12-15.
 —— *equalis* [*æqualis*], d'Orbigny. Ann. Sci. Nat. vii, 1826, 265, No. 13.
 —— *exserta*, Berthelin. Mém. Soc. géol. France, [3], i, 1880, 57, iv (xxvii), 22a-23b.
 —— *farciminoïdes*, K. Miller. Schr. Ver. Gesch. Bodensee, Heft vii, 1877, [77], iv, 16 and 17. [Cast or concretion ?]
 —— *fischeri*, Terquem. Mém. Soc. géol. France, [3], i, 1878, 41, iii (viii), 37a-39.
 —— *fistulosa*, Will. B., P., & J., Trans. Linn. Soc. xxvii, 1870, 246, xlvi, 38d. [v. *P. lactea*.]
 —— *fontinensis*, Terquem. Quatr. Mém. Foram. Oolithique, 1874, 298, xxxi, 29 and 30.
 —— *foveolata*, Reuss. Sitz. k. Ak. Wiss. Wien, lv, Abth. 1, 1867, 90, iv, 2a-c.
 —— *frondiformis*, Searles Wood. Morris, Catal. Brit. Fossils, 1843, 62 ; J., P., & B., Crag Foram., Pal. Soc. xix, 1866, App. i and ii (foot-notes), pl. i, figs. 62, 63, and 69 ; pl. iv, figs. 11-14.
 —— —— —— B., P., & J., Trans. Linn. Soc. xxvii, 1870, 241, xli, 33a-c.
 —— (*Glob.*) *fusiformis*, Roemer. Neues Jahrbuch, 1838, 386, iii, 37.
 —— —— —— Tate & Blake, Yorkshire Lias, 1876, 470, xvii, 31.
 —— —— —— B., P., & J., Trans. Linn. Soc. xxvii, 1870, 219, xxxix, 5a, b, c; and woodcut e, p. 220. [*P. liassica*.]
 —— *fundiformis*, J., P., & B., Crag Foram., Pal. Soc. xix, 1866, n. d., i, 62, 63, and 69.
 —— *gaultina*, Berthelin. Mém. Soc. géol. France, [3], i, 1880, 58, iv (xxvii), 19a-c.
 —— (*Glob.*) *gibba*, d'Orb. Ann. Sci. Nat. vii, 1826, 266, No. 20. [v. *Globulina*.]
 —— —— —— D'Orbigny, Modèles, No. 63, 1826.
 —— (*Glob.*) —— —— Roemer, Neues Jahrbuch, 1838, 386, iii, 32.
 —— (*Gutt.*) —— —— Egger, Neues Jahrbuch, 1857, 289, xiii, 1-4.
 —— (*Gutt.*) —— —— v. *ovoidea*, Egger. Neues Jahrbuch, 1857, 289, xiii, 5-7.
 —— (*Gutt.*) —— —— v. *pirula* [*pyrula*], Egger. Neues Jahrbuch, 1857, 290, xiii, 11 and 12.
 —— (*Gutt.*) —— —— v. *subgibba*, Egger. Neues Jahrbuch, 1857, 289, xiii, 8-10.
 —— (*Glob.*) —— —— P., J., & B. [d'O., Modèles, 63], Ann. Mag. Nat. Hist. [3], xvi, 1865, 29, ii, 52.
 —— —— —— J., P., & B., Crag Foram., Pal. Soc. xix, 1866, n. d., i, 49-51.
 —— —— —— v. *orbicularis*, Karrer. Sitz. k. Ak. Wiss. Wien, lviii, Abth. 1, 1868, 174, iv, 8.
 —— —— —— B., P., & J., Trans. Linn. Soc. xxvii, 1870, 216, xxxix, 2a-d.

- POLYMORPHINA** *gibba*, v. *æqualis*, d' O. B., P., & J., Trans. Linn. Soc. xxvii, 1870, 216, xxxix, 2c, d. [*Globulina*, 1846.]
 ———? ——— K. Miller, Schr. Ver. Gesch. Bodensee, Heft vii, 1877, [77], iv, 19. [Cast or concretion?].
 ——— ——— Brady, Report Challenger, 1884, 561, lxxi, 12a, b; fistulose form, lxxiii, 16.
 ——— (*Glob.*) ——— Andreae, Abh. geol. Speciakarte Elsass-Lothr. ii, Heft 3, 1884, 209, ix, 10–13.
 ——— (*Glob.*) ——— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 161, fig.
 ——— ——— Wright, Proc. Belfast Nat. Field Club, 1884–85, App. ix, 1886, 329, xxvi, 11. (Fistulose.)
 ——— ——— Sherborn & Chapman, Journ. R. Mier. Soc. [2], vi, 1886, 755, xvi, 5.
 ——— *gibbosa*, Terquem. Mém. Soc. géol. France, [3], iv, 1886, 63, vii, 15.
 ——— *gigantea*, Stache. Novara-Exped., Geol. Theil i, 1864, 262, xxiv, 9a, b.
 ——— *gigas*, Karrer. Abh. k. k. geol. Reichs. ix, 1877, 384, xvib, 44.
 ——— *glabra*, Ehr. Mikrogeologie, 1854, xxix, 30. [= *Virg. squamosa*.]
 ——— (*Glob.*) *globosa*, von Muenster. Roemer, Neues Jahrbuch, 1838, 386, iii, 33. [v. *Globulina*.]
 ——— (*Glob.*) ——— Reuss, Verstein. böhm. Kreide, 1845–46, i, 40, xiii, 82.
 ——— ——— Karrer, Sitz. k. Ak. Wiss. Wien, lii, Abth. 1, 1865 (1866), 497, pl. 12.
 ? ——— *globulosa*, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 373.
 ——— *globularis*. See *Orth. unilocularis* = *G. globosa*.
 ——— *glomerata*, Roemer. Verst. norddeutsch. Kreide, 1840–41, 97, xv, 19.
 ——— ——— Reuss, Verstein. böhm. Kreide, 1845–46, i, 40, xii, 32.
 ——— *gracilis*, Reuss. Sitz. k. Ak. Wiss. Wien, lxii, Abth. 1, 1870, 486; von Schlicht, xxxi, 34, 35, "Foram. Septar. Pietzpuhl," 1870, xxxii, 5–8, 27, 28.
 ——— (*Glob.*) *granulosa*, Egger. Neues Jahrbuch, 1857, 290, xiv, 1 and 2.
 ——— ——— B., P., & J., Trans. Linn. Soc. xxvii, 1870, 238, xli, 26a, b.
 ——— *gravis*, Karrer. Jahrb. k. k. geol. Reichsanstalt, xx, 1870, 181, ii, 12.
 ——— (*Pyrulina*) *gutta*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 267, No. 28, xii, 5 and 6. [v. *Pyrulina*.]
 ——— ——— D'Orbigny, Modèles, No. 30, 1826.
 ——— (*Pyrulina*) ——— P., J., & B. [d'O., Modèles, 30], Ann. Mag. Nat. Hist. [3], xvi, 1865, 24, ii, 51.
 ——— ——— J., P., & B., Crag Foram., Pal. Soc. xix, 1866, n. d., i, 46 and 47.
 ——— ——— B., P., & J., Trans. Linn. Soc. xxvii, 1870, 218, xxxix, 3a, b.
 ——— ——— P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], viii, 1871, 171, xi, 107.
 ——— (*Pyrulina*) ——— ——— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 161, fig.
 ——— ——— Sherborn & Chapman, Journ. R. Mier. Soc. [2], vi, 1886, 755, xvi, 6.
 ——— (*Pyrul.*) ——— ——— = *P. gutta*, d'O. See *Polymorphum*.
 ——— ——— See *Orth. unilocularis*, etc.
 ——— *guttata*, Reuss. Sitz. k. Ak. Wiss. Wien, lxii, Abth. 1, 1870, 487; von Schlicht, "Foram. Septar. Pietzpuhl," 1870, xxx, 25–32.
 ——— *guttiformis*, Terquem. Mém. Soc. géol. France, [3], i, 1878, 42, ix (xiv), 24a, b.
 ——— *guttula*, Reuss. B., P., & J., Trans. Linn. Soc. xxvii, 1870, 215, eut. [*Globulina*, 1851].
 ——— *gyzenensis*, Ehrenberg. Mikrogeologie, 1854, xxiii, 26, 27? [Probably Textularian.] [Compare *Grammobotrys* and *Sphaeroidina*.]

- POLYMORPHINA** *hirsuta*, B., P., & J. Trans. Linn. Soc. xxvii, 1870, 243, xlvi, 37.
 —— *horrida*, Karrer. Abh. k. k. geol. Reichs. ix, 1877, 385, xvii, 46.
 —— *horrida*, Reuss. Wright, Rept. Proc. Belfast Nat. F. C., App. III, 1875, 85 [87], iii, 14 and 15. [*Globulina*, 1851.]
 —— *humboldti*, Bornemann. Zeitschr. dentsch. geol. Ges. vii, 1855, 347, xviii, 7 and 8.
 —— [*humboldtii*] —— B., P., & J., Trans. Linn. Soc. xxvii, 1870, 236, xl, 21a, b.
 —— *imbricata*, Terquem. Six. Mém. Foram. Lias, 1866, 524, xxii, 28a, b.
 —— *immutabilis* (?), Schwager. Jahresh. Ver. vat. Nat. Württ. xxii, 1865, vii, 12 and 13. [Described by Schwager, together with ii, 4, ou p. 138 as *mutabilis*.]
 —— *incavata*, Stache. Novara-Exped., Geol. Theil i, 1864, 260, xxiv, 7a, b.
 —— *incerta*, Egger. Neues Jahrbuch, 1857, 286, xiii, 19–21.
 —— *inequalis* [*inæqualis*], d'Orbigny. Ann. Sci. Nat. vii, 1826, 265, No. 4.
 —— *inflata*, Terquem. Bull. Soc. zool. Fr. xi, 1886, 335, xi, 23.
 —— *inflata* *, Will. [?] Zittel, Handbuch Palaeont. Abth. 1, 1876, 86, fig. 23².
 —— *innormalis*, Costa. Atti Accad. Pontaniana, vii, fas. 2, 1856, 283, xiii, 28–30.
 —— *insignis*, Reuss. Sitz. k. Ak. Wiss. Wien, xviii, 1856, 248, vii, 74 and 75.
 —— *intorta*, Terquem. Quatr. Mém. Foram. Oolithique, 1874, 300, xxxii, 11.
 —— *irregularis*, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 137, ii, 12 and 13; also in Spanish, 1840, 131, same pl. and fig.
 —— —— —— B., P., & J., Trans. Linn. Soc. xxvii, 1870, 239, xli, 29a, b.
 —— *irregularis*, Terquem. Quatr. Mém. Foram. Lias, 1864, 297, xii, 36.
 —— *labiata*, Schwager. Novara-Exped., Geol. Theil II, 1866, 246, vii, 90.
 —— (*Glob.*) *lacrima*, Reuss. Verstein. böhm. Kreide, 1845–46, i, 40, xii, 6, xiii, 83. [v. *Globulina*.]
 —— *lactea*, Walker & Jacob. Williamson, Recent British Foram. 1858, 70, vi, 145–152, "145–147 typica." [*Serpula*, 1798.]
 —— —— —— v. *acuminata*, Williamson. Recent British Foram. 1858, 71, vi, 148.
 —— —— —— v. *communis*, [d'Orb.]. Williamson, Recent British Foram. 1858, 72, vi, 153–155.
 —— —— —— v. *concava*, Williamson. Recent British Foram. 1858, 72, vi, 151 and 152.
 —— —— —— v. *fistulosa*, Williamson. Recent British Foram. 1858, 72, vi, 150.
 —— —— —— v. *oblonga*, Williamson. Recent British Foram. 1858, 71, vi, 149 and 149a.
 —— —— —— Dawson, Canad. Nat. iv, 1859, 28, fig. 2 and 3.
 —— —— —— v. *horrida* [Reuss]. Mackie, Recreative Science, i, 1859, 148, fig. 23. [Given also as *Globigerina tubulosa*, d'Orb. A misprint for *Globulina*.]
 —— —— —— Jones & Parker, Quart. Journ. Geol. Soc. xvi, 1860, xx, 44.
 —— —— —— Parker & Jones, Phil. Trans. 1865, 359, xiii, 45 and 46.
 —— —— —— v. *compressa*, d'O. Parker & Jones, Phil. Trans. 1865, 361, xiii, 47–51. [v. *P. compressa*.]
 —— —— —— v. *tubulosa*, d'O. Parker & Jones, Phil. Trans. 1865, 362, xiii, 52a–d. [*Globulina*, 1846.]
 —— —— —— Brady, Proc. Somerset. Arch. and Nat. Hist. Soc. xiii, 1865–66 (1867), 230, iii, 49.

[* Zittel refers to the Monogr. Polymorph., Trans. Linn. Soc. xxvii, 1869; and, although *P. inflata* is not mentioned therein, *P. lactea* (W. & J.), pl. xxxix, fig. 1, is very close to this form.]

- POLYMORPHINA lactea**, Walker & Jacob. J., P., & B., Crag Foram., Pal. Soc. xix, 1866, n. d., i, 48.
 ——— ——— B., P., & J., Trans. Linn. Soc. xxvii, 1870, 213, xxxix,
 1a-c.
 ——— ——— v. *acuminata*, Will. B., P., & J., Trans. Linn. Soc.
 xxvii, 1870, 222, xxxix, 6c. [v. *supra*.]
 ——— ——— v. *amygdalooides*, Reuss. B., P., & J., Trans. Linn. Soc.
 xxvii, 1870, 214, figg. in text, 215. [*Globulina*, 1851.]
 ——— ——— B., P., & J., Trans. Linn. Soc. xxvii, 1870, xl, 12a.
 ——— ——— P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], viii,
 1871, 170, xi, 104. [v. *P. (Glob.) ovata*, d'O.]
 ——— ——— Dawson, Canad. Nat. vi, 1872, 254, iii, 2.
 Terqueim, Ess. Anim. Plage Dunkerque, pt. 1, 1875, 37,
 v, 12 ; (and Mém. Soc. Dunkerquoise).
 ——— ——— Toula, Mittb. geogr. Ges. Wien, xviii, 1875, 165, pl. 17.
 Terqueim, Ess. Anim. Plage Dunkerque, pt. 2, 1876, 79,
 x, 19 and 20 ; (and Mém. Soc. Dunkerquoise).
 ——— ——— Nicholson, Manual Palaeont. 1879, i, 114, fig. 18j.
 Brady, Report Challenger, 1884, 559, lxxi, 11 ; 14 var.
 and fistulose form, lxxxiii, 14.
 ——— ——— Gümbel, Geol. Bayern, Th. 1, Lief. 2, 1885, fig. 266, 15.
 ——— ——— Dawson, Handbook Zoology, ed. 3, 1886, 44, fig. 34.
 ——— ——— Brady, Parker, & Jones, Trans. Zool. Soc. xii, pt. 7, 1888,
 224, xliv, 11.
 ——— ——— Terrigi, Mem. R. Acc. Lincei [4], vi, 1889, 113, vi, 8, 9.
 ——— ——— See *Misilus* ; *Cantharus* ; and *Arethusa*.
 ——— *lagenalis*, Terquem. Quatr. Mém. Foram. Lias, 1864, 301, xiii, 39a, b.
 ——— *lanceolata*, Reuss. Zeitschr. deutsch. geol. Ges. iii, 1851, 83, vi, 50.
 ——— (Gutt.) ——— Reuss, Sitz. k. Ak. Wiss. Wien, xlvi, Abth.
 1, 1863 (1864), 58 and 67, vii, 75a-c, 76, 77a, b, 78a, b, 79-84.
 ——— ——— Brady, Report Challenger, 1884, 564, lxxii, 5 and 6.
 ——— (Gutt.) ——— Andreae, Abh. geol. Speciakarte Elsass-Lothr.
 ii, Heft 3, 1884, 210, ix, 18-20.
 ——— (Gutt.) *lata*, Egger. Neues Jahrbuch, 1857, 288, xiii, 22-24.
 ——— *leopolitana*, Reuss. Haidinger's Naturw., Abh. iv, (1), 1851, 44, iv, 11.
 ——— *leprosa*, Reuss. Sitz. k. Ak. Wiss. Wien, lv, (1), 1867, 89, iv, 3a-c.
 ——— *liassica*, Strickland. Quart. Journ. Geol. Soc. ii, 1846, 30, fig. b.
 ——— ——— B., P., & J., Trans. Linn. Soc. xxvii, 1870, 220, fig.
 ——— *ligua*, Roemer. Neues Jahrbuch, 1838, 385, iii, 25. [Name corrected
 to *lingua*.]
 ——— [*lingua*] ——— Reuss, Sitz. k. Ak. Wiss. Wien, xviii, 1856, 248, vii,
 77.
 ——— [—] ——— B., P., & J., Trans. Linn. Soc. xxvii, 1870, 230, fig.
 ——— *lingulata*, Stache. Novara-Exped., Geol. Theil i, 1864, 255, xxiv, 1a, b.
 ——— *longicollis*, Karrer. Jahrb. k. k. geol. Reichsanstalt, xx, 1870, 181, ii,
 11.
 ——— *longicollis*, Brady. Quart. Journ. Micr. Sci. xxi, 1881, 64.
 ——— ——— Brady, Report Challenger, 1884, 572, lxxii, 18 and 19.
? ——— *longirostrata*, Gümbel. Jahrb. k. k. geol. Reichsanstalt, xix, 1869,
 178, v, 14 and 15. [*P. longirostris* in explanation to plate.]
 ——— *longirostris*, Gümbel. See *P. longirostrata*.
 ——— *longissima*, Costa. Atti Accad. Pontaniana, vii, fas. 2, 1856, n. d. xiii,
 22 and 23.
 ——— *marsupium*, Stache. Novara-Exped., Geol. Theil i, 1864, 258, xxiv,
 5a, b.
 ——— *media*, Egger. Neues Jahrbuch, 1857, 287, xiii, 28 and 29.
 ——— *metensis*, Terquem. Quatr. Mém. Foram. Lias, 1864, 301, xiii, 38a, b.
 ——— ——— Terq. et Berth., Mém. Soc. géol. France, [2], x, 1875,
 68, vi (xvi), 1a-j.

- POLYMORPHINA** minima, Bornemann. Zeitschr. deutsch. geol. Ges. vii, 1855, 344, xvii, 3.
- (Gutt.) aff. minima, Born. Andreae, Abh. geol. Speciakarte Elsass-Lothr. ii, Heft 3, 1884, 210, ix, 16. [*Globulina* in plate.]
- (Glob.) minuta, Roemer. Neues Jahrbuch, 1838, 386, iii, 35. [v. *Globulina*.]
- — — B., P., & J., Trans. Linn. Soc. xxvi, 1870, 215, fig.
- — — mucronata, Terquem. Ess. Anim. Plage Dunkerque, pt. 3, 1881, 130, xvii, 3 ; (and Mém. Soc. Dunkerquoise).
- — — munsteri, Reuss. Sitz. k. Ak. Wiss. Wien, xviii, 1856, 249, viii, 80.
- — — — Hantken, A magy. kir. földt. int. évkönyve, iv, 1875 (1876), n. d. vii, 16 ; and Mittl. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 61, same pl. and fig.
- — — mutabilis, Schwager. Jahresh. Ver. vat. Nat. Württ. xxi, 1865, 138, ii, 4 ; vii, 12 and 13. [*Polymorphina*, on p. 138 ; in descriptions of plate vii, these specimens are described as *immutabilis*, q. v.]
- — — myristiformis, Williamson. Recent British Foram. 1858, 73, vi, 156 and 157.
- — — — B., P., & J., Trans. Linn. Soc. xxvii, 1870, 239, xli, 30a-c.
- — — — Brady, Report Challenger, 1884, 571, lxxiii, 9 and 10.
- — — — Balkwill & Millett, Journ. Mier. iii, 1884, 84, iv, 10.
- — — nitiduscula, Schwager. Benecke's Geogn. Pal. Beiträge, i, 1866, 308, fig. 12.
- — — nodosaria, Reuss. Sitz. k. Ak. Wiss. Wien, xlvi (1), 1863 (1864), 58, vii, 85.
- — — — B., P., & J., Trans. Linn. Soc. xxvii, 1870, 233, xl, 18a, b.
- — — — Tate & Blake, Yorkshire Lias, 1876, 471, xvii, 34.
- — — nucleus, Ehr. Mikrogeologie, 1854, xxx, 18. [= *Virg. hemprichii*, tending to *Cassidulina*.]
- — — oblonga, d'Orbigny. Foram. Fossiles Vienne, 1846, 232, xii, 29-31.
- — — — Gosse, Manual Mar. Zool. 1855, 13, fig. 16.
- — — — Brady, Report Challenger, 1884, 569, lxxiii, 2 and 4.
- — — (Glob.) oblonga, Roemer. Neues Jahrbuch, 1838, 386, iii, 34.
- — — oblonga, Williamson. B., P., & J., Trans. Linn. Soc. xxvii, 1870, 222, xxxix, 7a, b. [v. *P. lactea*.]
- — — — Terquem, Ess. Anim. Plage Dunkerque, pt. 1, 1875, 37, v, 11 ; (and Mém. Soc. Dunkerquoise).
- — — — Jones, in Mierogr. Diet. ed. 4, 1883, 620, xxiii, 42.
- — — obscura, von Muenster. Roemer, Neues Jahrbuch, 1838, 385, iii, 23. [Roem.]. Reuss, Sitz. k. Ak. Wiss. Wien, L, Abth. 1, 1864 (1865), 471, iii, 9 and 10.
- — — — [Roem.] var. Reuss, Sitz. k. Ak. Wiss. Wien, L, Abth. 1, 1864 (1865), 471, iii, 8.
- — — (Gutt.) obtusa, Bornemann. Andreae, Abh. geol. Speciakarte Elsass-Lothr. ii, Heft 3, 1884, 209, ix, 14 and 15. [*Guttulina*, 1855.]
- — — obtusa, Ehr. Mikrogeologie, 1854, xxxi, 31. [Near *Bigen. (Gemmulina) digitata*, d'O.]
- — — obtusa, d'Orbigny. Ann. Sci. Nat. vii, 1826, 265, No. 1.
- — — — Terquem, Mém. Soc. géol. France, [3], ii, 1882, 141, xiv (xxii), 28a, b.
- — — oolithica, Terquem. Quatr. Mém. Foram. Oolith. 1874, 299, xxxii, 1-10.
- — — — Deecke, Abh. geol. Speciakarte Elsass-Lothr. iv, Heft 1, 1884, 53, ii, 19a.
- — — — Terquem, Mém. Soc. géol. France, [3], iv, 1886, 62, vii, 11-14.
- — — — Deecke, Mém. Soc. Emul. Montbéliard, xvi, 1886, [37], i, 29.
- — — orbignii (Zborzewski). B., P., & J., Trans. Linn. Soc. xxvii, 1870, 244, xlii, 38a-c. [*Apiopterna*, 1834.]

- POLYMORPHINA** *orbignii* (Zborzewski). Bütschli, in Bronn, Klassen, etc. Thier-Reichs, 1880, 200, vii, 37.
- Jones, in Microgr. Diet. ed. 4, 1883, 620, xxiii, 41.
- *ornata*, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, (1), 1868, 175, iv, 10.
- B., P., & J., Trans. Linn. Soc. XXVII, 1870, 242, xli, 34a, b.
- *ovata*, d'Orbigny. Foram. Fossiles Vienne, 1846, 233, xiii, 1-3.
- Brady, Report Challenger, 1884, 564, lxxii, 7 and 8.
- Agassiz, Three Cruises "Blake," II, 1888, 166, fig. 509.
- (*Glob.*) — = *P. lactea* (W. & J.). See *Polymorpha subcordiformia*, etc. [*Globulina*, 1826.]
- *oviformis*, Terquem. Cinq. Mém. Foram. Lias, 1866, 449, xviii, 12a, b.
- Terquem, Mém. Soc. géol. France, [3], I, 1878, 40, iii (viii), 34a, b.
- *ovigera*, Terquem. Quatr. Mém. Foram. Lias, 1864, 304, xiv, 1-15.
- *ovula*, Terquem. Quatr. Mém. Foram. Lias, 1864, 294, xi, 33-44.
- *ovulata*, Dunikowski. Kosmos [Lemberg], IV, 1879, 128, plate, 22.
- *ovulum*, Reuss. Sitz. k. Ak. Wiss. Wien, XVIII, 1856, 250, viii, 83.
- *pauperata*, Terquem. Mém. Soc. géol. France, [3], I, 1878, 38, iii (viii), 11a-19.
- *pernæformis*, Stache. Novara-Exped., Geol. Theil I, 1864, 256, xxiv, 2a, b.
- *philippii*, Reuss. Sitz. k. Ak. Wiss. Wien, XVIII, 1856, 248, vii, 76.
- *pygmæa*, Schwager. Jahrsb. Ver. vat. Nat. Württ. XXI, 1865, 138, vii, 8. [*Polymorpha* on p. 138, and *pygmaea* in descript. of plates.]
- *piriformis*, Terquem. Quatr. Mém. Foram. Oolithique, 1874, 302, xxxiii, 2.
- *politæ*, Terquem. Mém. Soc. géol. France, [3], II, 1882, 139, xiv (xxii), 23-25.
- *polygona*, Terquem. Quatr. Mém. Foram. Lias, 1864, 305, xiv, 16-41.
- — — — — Terquem, Quatr. Mém. Foram. Oolithique, 1874, 304, xxxiii, 7-14.
- — — — — Terq. et Berth., Mém. Soc. géol. France, [2], X, 1875, 70, vi (xvi), 3.
- — — — — Terquem, Mém. Soc. géol. France, [3], IV, 1886, 63, vii, 18a, b.
- *prælonga*, Egger. Neues Jahrbuch, 1857, 287, xiii, 25-27.
- *prælonga*, Terquem. Mém. Soc. géol. France, [3], I, 1878, 39, iii (viii), 20-21b.
- — — — — Terquem, Mém. Soc. géol. France, [3], II, 1882, 142, xiv (xxii), 34-45; and xv (xxiii), 1-8.
- *prisea*, Ehr. Mikrogeologie, 1854, xxiv, 34. [= *P. compressa*, d'O.]
- *prisea*, Reuss. Berthelin, Mém. Soc. géol. France, [3], I, 1880, 57, iv (xxvii), 20a-21. [*Globulina*, 1862.]
- *problema*, d'Orbigny. Modèles, No. 61, 1826. [v. *Guttulina*.]
- (*Gutt.*) — — — Egger, Neues Jahrbuch, 1857, 287, x, 23-25.
- — — v. *deltoidæ*, Reuss. Denkschr. k. Ak. Wiss. Wien, XXV, 1865, 154, iv, 8.
- (*Gutt.*) — — — P., J., & B. [d'O., Modèles, 61], Ann. Mag. Nat. Hist. [3], XVI, 1865, 28, ii, 50.
- — — — — J., P., & B., Crag Foram., Pal. Soc. XIX, 1866, n. d., i, 64.
- — — — — B., P., & J., Trans. Linn. Soc. XXVII, 1870, 225, xxxix, 11a, b.
- — — — — v. *deltoidæ*, Reuss. Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 50, viii, 3; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 59, same pl. and fig. [*P. gibba*, d'O., var. *deltoidæ*, Rss., in deser. of plate.]
- — — — — Tate & Blake, Yorkshire Lias, 1876, 470, xvii, 33.
- (*Gutt.*) — — — v. *deltoidæ*, Reuss. Andreæ, Abh. geol. Spezialkarte Elsass-Lothr. II, Heft 3, 1884, 210, ix, 21.

- POLYMORPHINA** problema, d'Orbigny. Brady, Report Challenger, 1884, 568, lxxii, 20; lxxiii, 1.
- (Gutt.) — Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 161, fig.
- proteiformis, Reuss. Bull. Ac. Roy. Belg. [2], xv, 1863, 151, ii, 30-36; iii, 37-40.
- pulchella, (d'O.). B., P., & J., Trans. Linn. Soc. xxvii, 1870, 239, xli, 28a, b. [*Guttulina*, 1839.]
- pupa, d'Orbigny. Ann. Sci. Nat. vii, 1826, 265, No. 9.
- pupiformis, Terq. Quatr. Mém. Foram. Lias, 1864, 300, xiii, 22-37.
- — — Terquem, Six. Mém. Foram. Lias, 1866, 525, xxii, 31a, b.
- — — Terquem, Quatr. Mém. Foram. Oolithique, 1874, 303, xxxiii, 4.
- — — Terquem, Mém. Soc. géol. France, [3], iv, 1886, 63, vii, 19.
- pusilla, Ehr. Monatsbericht k. pr. Ak. Wiss. Berlin, 1872, 291.
- — — Ehrenberg, Abh. k. Ak. Wiss. Berlin, 1872 (1873), iv, 12.
- pygmaea. See *P. pygmaea*.
- pyriformis, Terquem. Quatr. Mém. Foram. Lias, 1864, 298, xii, 41-43.
- quadrata, Terquem. Quatr. Mém. Foram. Lias, 1864, 296, xii, 25-32.
- racemosa, Terquem. Bull. Soc. zool. Fr. xi, 1886, 335, xi, 22.
- regina, B., P. & J. Trans. Linn. Soc. xxvii, 1870, 241, xli, 32a, b.
- — — Brady, Report Challenger, 1884, 571, lxxiii, 11-13.
- — — Wright, Proc. Belfast Nat. Field Club, 1884-85, App. ix, 1886, 331, xxvii, 13 and 14. [13 is fistulose.]
- regularis, von Muenster. Roemer, Neues Jahrbuch, 1838, 385, iii, 21.
- — — Reuss, Sitz. k. Ak. Wiss. Wien, xviii, 1856, 247; vii, 70-73.
- — — v. *nysti*, Reuss. Bull. Acad. Roy. Belg. [2], xv, 1863, 152, iii, 42.
- — — [Philippi]. Reuss, Sitz. k. Ak. Wiss. Wien, L, Abth. 1, 1864 (1865), 472, iii, 11, 12; iv, 1.
- — — B., P., & J., Trans. Linn. Soc. xxvii, 1870, 229, xl, 13a-c.
- rochefortiana, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 137, ii, 9-11; also in Spanish, 1840, 131, same pl. and fig.
- — — Quenstedt, Handbuch Petref. ed. 3, Abth. 5 (1885), 1060, lxxxvii, 2.
- rotundata (Born.). B., P., & J., Trans. Linn. Soc. xxvii, 1870, 234, xl, 19a-e; figs. k, l, m. [*Guttulina*, 1855.]
- — — Brady, Ann. Mag. Nat. Hist. [5], i, 1878, 435, xx, 6a, b.
- — — Brady, Report Challenger, 1884, 570, lxxiii, 5-8.
- rudis, Reuss. Sitz. k. Ak. Wiss. Wien, XLIV, Abth. 1, 1861 (1862), 319, iii, 5-8.
- rugosa, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, "Foraminifères," 1839, 138, ii, 14 and 15; also in Spanish, 1840, 132, same pl. and fig.
- — — B., P., & J., Trans. Linn. Soc. xxvii, 1870, 237, xl, 23a-d. [v. also *Globulina*.]
- sacculus, Stache. Novara-Exped., Geol. Theil i, 1864, 259, xxiv, 6a, b.
- sacculus, Terquem. Quatr. Mém. Foram. Lias, 1864, 303, xiii, 43a, b.
- schwageri, Karrer. Abh. k. k. geol. Reichs. IX, 1877, 384, xvib, 43.
- sequenzana, Brady. Report Challenger, 1884, 567, lxxii, 16 and 17.
- semicostata, Marsson. Mitt. Nat. Ver. Neu-Vorpommern u. Rügen, Jahrg. x, 1878, 150, ii, 19a, b, c.
- semiplana, Reuss. Sitz. k. Ak. Wiss. Wien, LXII, 1870, 488, No. 16; von Schlcht, Foram. Pietzpuhl, 1870, xxvii, 22-33, 36, 37.
- semitecta, Reuss. Sitz. k. Ak. Wiss. Wien, LV, Abth. 1, 1867, 91, iii, 10a-c.

- POLYMORPHINA** *septata*, Terquem. Quatr. Mém. Foram. Lias, 1864, 301, xiii, 40.
- *silicea*, Schultze. Organismus Polythal. 1854, 61, vi, 10 and 11. [= *Verneuil. polystropha*.]
- *similis*, Reuss. Sitz. k. Ak. Wiss. Wien, xviii, 1856, 249, vii, 79.
- *simplex*, Terquem. Quatr. Mém. Foram. Lias, 1864, 293, xi, 1-4. [= *Lituolæ*.]
- — — — — Terq., Quatr. Mém. Foram. Oolithique, 1874, 292, xxx, 3-6.
- — — — — Terq. et Berth., Mém. Soc. géol. France, [2], x, 1875, 66, v (xv), 17a-d.
- — — — — Terquem, Mém. Soc. géol. France, [3], iv, 1886, 61, vii, 8.
- *simplex*, Olszewski. Sprawozd. Kom. fizyj. Ak. Umiej. Krakowie, ix, 1875, 119, i, 12.
- *sinuata*, Terquem. Quatr. Mém. Foram. Lias, 1864, 298, xii, 48.
- *soldanii*, d'Orb. Ann. Sci. Nat. vii, 1826, 265, No. 12.
- — — — — B., P., & J., Trans. Linn. Soc. xxvii, 1870, 235, xl, 20.
- — — — — P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], viii, 1871, 170, xi, 106.
- — — — — Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxv, 1883, 183, ii, 22.
- — — — — See *Orthoceratia tuberosa*.
- *solidula*, Terquem. Mém. Soc. géol. France, [3], i, 1878, 40, iii (viii), 31a-33.
- (*Gutt.*) *sororia*, Reuss. Bull. Ac. Roy. Belg. [2], xv, 1863, 151, ii, 25-29.
- (*Gutt.*) — — — Reuss, Sitz. k. Ak. Wiss. Wien, xlvi, Abth. 1, 1863 (1864), 57 and 67, vii, 72a-c, 73 and 74.
- — — — — Brady, Report Challenger, 1884, 562, lxxi, 15 and 16 ; fistulose form, lxxiii, 15.
- — — — — v. *cuspidata*. Brady, Report Challenger, 1884, 563, lxxi, 17, 19 ; lxxii, 4.
- — — — — Walther, Mitth. Zool. Stat. Neapel, viii, 1888, 382, xx, 4.
- *spatulata*, Terquem. Mém. Soc. géol. France, [3], ii, 1882, 142, xiv (xxii), 32a, b.
- (*Gutt.*) *spicæformis*, Roemer. Neues Jahrbuch, 1838, 386, iii, 31.
- (*Glob.*) *spinosa*, d'Orb. Egger, Neues Jahrbuch, 1857, 292, xiv, 9 and 10. [*Globulina*, 1846.]
- — — — — B., P., & J., Trans. Linn. Soc. xxvii, 1870, 243, xlvi, 36a, b.
- — — — — Balkwill & Wright, Trans. R. Irish Ac. xxviii (Sci.), 1885, 347, xii, 27.
- *squammatum*, Terquem. Quatr. Mém. Foram. Lias, 1864, 297, xii, 37-40.
- (*Glob.*) *striata*, Egger. Neues Jahrbuch, 1857, 291, xiv, 3 and 4.
- *subacuta*, d'Orb., 1847. Prodrome de Paléont. iii, 1852, 159, No. 2978. [*P. acuta*, d'O., 1846.]
- *subcompressa*, d'Orb., 1847. Prodrome de Paléont. iii, 1852, 159, No. 2976. [*P. compressa*, d'O., 1846.]
- — — — — Bronn, Lethaea Geognostica, ed. 3, iii, 1853-56, 233, xxxv², 29a, b, c.
- *subcruiciata*, Terquem. Mém. Soc. géol. France, [3], ii, 1882, 140, xiv (xxii), 26 and 27.
- *subcylindrica*, Hantken. A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 51, xiv, 14 ; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 60, same pl. and fig. [Misprinted *subcyindrica* in deser. of plate.]
- *subdepressa*, v. Muenster. Roemer, Neues Jahrbuch, 1838, 385, iii, 28. [See *Proroporus*.]

- POLYMORPHINA** *subdepressa*, v. Muenster. Reuss, Sitz. k. Ak. Wiss. Wien, XVIII, 1856, 249, viii, 81.
- *subdilatata*, Egger. Neues Jahrbuch, 1857, 286, xiii, 30-33.
- *subnodosa*, Reuss. Sitz. k. Ak. Wiss. Wien, XLII, 1860 (1861), 362, ii, 15.
- *subrhombica*, Reuss. Sitz. k. Ak. Wiss. Wien, XLIV, Abth. 1, 1861 (1862), 339, vii, 3a, b.
- — — B., P., & J., Trans. Linn. Soc. XXVII, 1870, 230, fig.
- *subsphaerica*, Berthelin. Mém. Soc. géol. France, [3], I, 1880, 58, iv (xxvii), 18a, b.
- *subteres*, Reuss. Sitz. k. Ak. Wiss. Wien, XLII, 1860 (1861), 361, ii, 14a-c.
- *tenera*, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, Abth. 1, 1868, 174, iv, 9.
- *teretiuscula*, Roemer. Neues Jahrbuch, 1838, 385, iii, 24.
- *thouini*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 265, No. 8.
- — — D'Orbigny, Modèles, No. 23, 1826.
- — — P., J., & B. [d'O., Modèles, 23], Ann. Mag. Nat. Hist. [3], XVI, 1865, 22, ii, 49.
- — — J., P., & B., Crag Foram., Pal. Soc. XIX, 1866, n. d. i, 59.
- — — B., P., & J., Trans. Linn. Soc. XXVII, 1870, 232, xl, 17.
- — — Terquem, Mémem. Soc. géol. France, [3], II, 1882, 142, xiv (xxii), 33.
- — — Brady, Report Challenger, 1884, 567, LXXXI, 18.
- — — Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 161, fig.
- (Gutt.) *trigonula*, Reuss. Verstein. böhm. Kreide, I, 1845-46, 40, xiii, 84.
- — — B., P., & J., Trans. Linn. Soc. XXVII, 1870, 232, xl, 16a, b.
- *triloba*, Terquem. Quatr. Mémem. Foram. Lias, 1864, 300, xiii, 17-21.
- — — Terquem, Quatr. Mémem. Foram. Oolithique, 1874, 297, xxxi, 19-28.
- — — Terquem, Bull. Soc. géol. France, [3], IV, 1876, 498, xvii, 17.
- — — Terquem, Mémem. Soc. géol. France, [3], IV, 1886, 62, vii, 10a, b.
- *truncata*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 265, No. 3.
- (Glob.) *tuberculata*, d'Orbigny. Egger, Neues Jahrbuch, 1857, 292, xiv, 7 and 8. [*Globulina*, 1846.]
- — — B., P., & J., Trans. Linn. Soc. XXVII, 1870, 242, xli, 35a-d.
- *tuberosa*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 265, No. 6.
- — — = *P. compressa*, d'O.; see *Orthoceratia tuberosa*.
- *tubulosa*, d'Orbigny. J., P., & B., Crag Foram., Pal. Soc. XIX, 1866, n. d., i, 70-76. [*Globulina*, 1846.]
- — — See *P. lactea*, W. & J.
- *turgida*, Reuss. Sitz. k. Ak. Wiss. Wien, LXII, 1870, 487, No. 10; v. Schlicht, Foram. Septar. Pietzpuhl, 1870, xxviii, 6-10; xxix, 1-5.
- *turio*, Ehr. Mikrogeologie, 1854, xxviii, 27. [= *Virg. schreibersii*, Czj.]
- *undulosa*, Terquem. Mémem. Soc. géol. France, [3], I, 1878, 41, iii (viii), 35a-36b.
- *uviformis*, Reuss. Zeitschr. deutsch. geol. Ges. VII, 1855, 289, xi, 5.
- *uvula*, Ehr. Mikrogeologie, 1854, xxvi, 28. [= *P. problema*.]
- *uvula*, Egger. Neues Jahrbuch, 1857, 285, x, 26-29.
- *vagina*, Terquem. Quatr. Mémem. Foram. Lias, 1864, 298, xii, 44-47.
- — — Terquem, Quatr. Mémem. Foram. Oolithique, 1874, 302, xxxiii, 1.
- *variata*, Jones, Parker, & Brady. Crag Foram., Pal. Soc. XIX, 1866, n. d. i, 67 and 68.
- — — B., P., & J., Trans. Linn. Soc. XXVII, 1870, 237, xl, 24.

POLYMORPHINA ventricosa, Terquem. Quatr. Mém. Foram. Lias, 1864, 302, xiii, 42a, b.

— viciensis, Terquem. Quatr. Mém. Foram. Lias, 1864, 302, xiii, 41.

— zeuschneri, Reuss. Sitz. k. Ak. Wiss. Wien, LV, Abth. 1, 1867, 90, iv, 1a-c.

— Ansted, Geology, 1844, ii, 63, fig. g.

— Pictet, Traité de Paléont. IV, 1846, 239, xii, 26.

— Pictet, Traité de Paléont. 2 ed. IV, 1857, 519, cix, 39.

— Dawson, Canad. Nat. II, 1857, 422, vii, 19 and 20.

— J. G. Wood, Common Objects Micro. 1867, 121, xii, 15.

— See Brady, Parker, & Jones, Trans. Linn. Soc. xxvii, 1870, 206, etc.

— v. Schlicht, Foram. Septar. Pietzpuhl, 1870, plate xxxii.

— Chimmo, Bed of Atlantic, 1870, 27, x, 2.

[**Polymorphinæ?**] Terquem, Mém. Soc. géol. France, [3] I, 1878, 48, iv (ix), 40, 41.

— Carpenter, Ency. Brit. 9th ed. IX, 1879, Foraminifera, 374, i, 13.

— Green, Amer. Journ. Micros. VI, 1881, 46, pl., 7.

— De Folin, Le Naturaliste, Ann. 9, 1887, 140, fig. 19.

— ? see *Canopus*.

— see *Guttulina*.

— see *Globulina*.

— see *Pyrulina*.

POLYPHRAGMA, Reuss, 1871. Sitz. k. Ak. Wiss. Wien, LXIV, Abth. 1, 1871, 277. [*Lichenopora*, 1846.]

— cibrosomum, Rss. Ibid.; and Reuss, in Geinitz, Palaeontographica, XX, Th. 1, 1872, 139, xxxiii, 8 and 9.

— sp., Schwager. Boll. R. Com. geol. Ital. 1877, viii, 26, pl., 88.

POLYSPHÆRINA, Deshayes, 1830. See *Globulina*, Deshayes.

POLYSTOMATIUM, Ehr., 1855. Abh. k. pr. Ak. Wiss. Berlin, 1855, 172, v, xii. [= *Polystomella*.] [Glaue.]

— leptactis, Ehr. Abh. k. pr. Ak. Wiss. Berlin, 1855, 171, v, xiii-xv. [= *Polystomella craticulata*; see Carpenter, "Introd.", xvi, 9.] [Glaue.]

POLYSTOMELLA, Lamarck, 1822. Hist. Anim. s. Vert. VII, 1822, 625; Brady, Report Challenger, 1884, 731.

— aculeata, d'Orbigny. Foram. Fossiles Vienne, 1846, 131, vi, 27 and 28.

— — — — Egger, Neues Jahrbuch, 1857, 303, xv, 3 and 4.

— — — — Reuss' Models, No. 77, 1865 (Catal., No. 93, 1861).

— æquivoca, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, 221, xix, 11, A, B.

— alvareziana, d'Orbigny. Voyage Amér. Mérid. v, pt. 5, 1339, "Foraminifères," 31, iii, 11 and 12.

— ambigua (F. & M.). D'Orbigny, Ann. Sci. Nat. VII, 1826, 285, No. 10. [*Nautilus*, 1798.]

— See *Pelorus*.

— angularis, d'Orbigny. Ann. Sci. Nat. VII, 1826, 284, No. 2.

— angulata, Egger. Neues Jahrbuch, 1857, 302, xv, 5 and 6.

— antonina, d'Orbigny. Foram. Fossiles Vienne, 1846, 128, vi, 17 and 18.

— — — — Terquem, Mém. Soc. géol. France, [3], II, 1882, 47, ii (x), 25a, b.

— arctica, Parker & Jones, MS. Brady, Trans. Linnean Soc. XXIV, 1864, 471, xlvi, 18. [See also *Nonion, boueana*, d'O., Balkwill & Wright.]

— — — — See *P. crispa*. Phil. Trans. 1865, 401, xiv, 25-30.

— — — — Dawson, Canad. Nat. [n. s.] v, 1870, 177, fig. 8.

— — — — Dawson, Amer. Journ. Sci. [3], I, 1871, 206, fig. 8; and Ann. Mag. Nat. Hist. [4], VII, 1871, 86, fig. 8.

— — — — Terquem, Ess. Anim. Plage Dunkerque, pt. 1, 1875, 24, ii, 1a, b; (and Mém. Soc. Dunkerquoise).

— — — — Brady, Ann. Mag. Nat. Hist. [5], I, 1876, 437, xxi, 13a-d.

- POLYSTOMELLA** arctica, Parker & Jones, MS. Brady, Report Challenger, 1884, 735, ex, 2-5.
 —— articulata, d'Orbigny. Voyage Amér. Mérid. v, pt. 5, 1839, "Foraminifères," 30, iii, 9 and 10.
 —— berthelotiana, d'Orbigny. Barker-Webb & Berthelot, Hist. Nat. Iles Canaries, ii, pt. 2, 1839, "Foraminifères," 129, ii, 31 and 32.
 —— burdigalensis, d'Orb., 1847. D'Orb., Prodrôme de Paléont. III, 1852, 155, No. 285. [= "*Nónion semistriata*, d'O., 1825."]
 —— calcar, Brown. Illustr. Recent Conch. Gt. Brit. ed. 2, 1844, 1, i, 1 and 2. [= *Crist. rotulata*.]
 —— calcar, G. B. Sowerby. Foram. Colne Tidal River, 1856, [privately printed], plate, fig. 4. [? a *Cristellaria*.]
 —— canariensis, Reeve. Conch. system. II, 1842, 291, cccxvii, 7. [*Globigerina*, d'Orb. = *Globigerina*.]
 —— complanata, d'Orbigny. Barker-Webb & Berthelot, Hist. Nat. Iles Canaries, ii, pt. 2, 1839, "Foraminifères," 129, ii, 35 and 36.
 —— Reeve, Conch. system. II, 1842, 291, cccxvii, 9.
 —— costifera, Terquem. Mém. Soc. géol. France, [3], II, 1882, 47, ii (x), 26a, b.
 —— crassula, Walk., var. *scapha*, F. & M. Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 114, viii, 299 and 300. [*Nautilus*, 1798.]
 —— craticulata (Fichtel & Moll). Carpenter, Phil. Trans. 1860, 535-548, xvii, 1-8, 11-13; xviii, 1, 11-13. [*Nautilus*, 1798; see also *Helicoza*.]
 —— Carpenter, Parker, & Jones, Introd. Foram. 1862, 279, xvi, 1, 2, 3, 7, and 9. [Structural.]
 —— Carpenter, Ency. Brit. 9th ed. IX, 1879, Foraminifera, 380, fig. 21. [Structural.]
 —— Bütschli, in Brönn, Klassen, etc. Thier-Reichs, 1880, 211, x, 6.
 —— Carpenter, The Microscope, ed. 6, 578, fig. 332. [Structural.]
 —— Brady, Report Challenger, 1884, 739, ex, 16 and 17.
 —— Steimann, Elem. Paléont. I, 1888, 32, fig. 17B.
 —— See *Cellanthus* and *Vorticula*.
 —— *crispa* [Linn.]. Lamarek, Hist. Anim. s. Vert. VII, 1822, 625. [*Nautilus*, 1758.]
 —— D'Orbigny, Ann. Sci. Nat. VII, 1826, 283, No. 1; and Modèles, No. 45, 1826.
 —— Crouch, Introd. Lamarek, 1827, 41, xx, 14.
 —— Brown, Conch. Text-book, 1839, 60, x, 11.
 —— Michelotti, Mem. Soc. Ital. Sci. XXII, 1841, 287, i, 8.
 —— Brown, Elem. Foss. Conch. 1843, 22, ii, 15.
 —— [crispus] —— Brown, Illustr. Recent Conch. Gt. Brit. ed. 2, 1844, 1, i, 6.
 —— [d'Orb.]. Reuss, in Geinitz, Gründr. Verstein. 1845-46, 647, xxiv, 43.
 —— [Lamarek]. D'Orbigny, Foram. Fossiles Vienne, 1846, 125, vi, 9-14.
 —— Williamson, Trans. R. Mier. Soc. II, 1848, 159, xxviii, 1-7. [Structure.]
 —— var. Williamson, Mem. Lit. Phil. Soc. Manchester, [2], VIII, 1848, 44, pl. 30.
 —— Harvey, Sea-Side Book, 1849, p. 181, figure.
 —— Williamson, Trans. R. Mier. Soc. III, 1849, 123, xviii, 19. [Structure.]
 —— Mantell, Pictorial Atlas Foss. Rem. 1850, 144, lxii, 25.
 —— Brönn, Lethaea Geognostica, ed. 3, III, 1853-56, 204, xxxv², 6a, b.
 —— Gosse, Manual Mar. Zool. 1855, 12, fig. 14.

- POLYSTOMELLA crispa** [Linn.]. Costa, Atti Accad. Pontaniana, VII, fas. 2, 1856, 212, xi, 10a, A, B, C [error for xiv, 11]; xix, 17; xx, 3.
 _____ [Lam.]. Egger, Neues Jahrbuch, 1857, 303, xv, 1, 2.
 _____ Parker & Jones, Ann. Mag. Nat. Hist. [2], xix, 1857, 288, xi, 19.
 _____ Williamson, Recent British Foram. 1858, 39, iii, 78–80.
 _____ Carpenter, Phil. Trans. 1860, 535 to 548, xvii, 9 and 10.
 _____ Carpenter, Parker, & Jones, Introd. Foram. 1862, 278, iv, 28; xvi, 5 and 6. [Structural.]
 _____ P., J., & B. [d'O., Modèles, 45], Ann. Mag. Nat. Hist. [3], xvi, 1865, 26, iii, 96.
 _____ P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], viii, 1871, 239, xii, 155. [See *P. strigillata* (F. & M.).]
 _____ Parker & Jones, Phil. Trans. 1865, 399, xiv, 24; xvii, 61a, b.
 _____ v. *arctica*, Parker & Jones. Phil. Trans. 1865, 401, xiv, 25–30. [See *P. arctica*.]
 _____ v. (*Nonion.*) *asterizans* (F. & M.). Parker & Jones, Phil. Trans. 1865, 403, xiv, 35; xvii, 54a, b.
 _____ v. (*Nonion.*) *depressula* (W. & J.). Parker & Jones, Phil. Trans. 1865, 403, xiv, 39a, b.
 _____ v. (*Nonion.*) *faba* (F. & M.). Parker & Jones, Phil. Trans. 1865, 402, xiv, 36.
 _____ v. (*Nonion.*) *scapha* (F. & M.). Parker & Jones, Phil. Trans. 1865, 404, xiv, 37 and 38; xvii, 55 and 56.
 _____ v. (*Nonion.*) *stelligera* (d'O.). Parker & Jones, Phil. Trans. 1865, 404, xiv, 40 and 41.
 _____ v. *striatopunctata* (F. & M.). Parker & Jones, Phil. Trans. 1865, 402, xiv, 31–34; xvii, 60a, b. [See *P. striatopunctata*.]
 _____ v. (*Nonion.*) *turgida* (Will.). Parker & Jones, Phil. Trans. 1865, 405, xvii, 57a, b, c.
 _____ v. (*Nonion.*) *umbilicatula* (Mont.). Parker & Jones, Phil. Trans. 1865, 405, xiv, 42a, b; xvii, 58 and 59.
 _____ Hartwig, The Sea, ed. 3, 1866, 381, fig. c.
 _____ J., P., & B., Crag Foram., Pal. Soc. xix, 1866, n. d., ii, 40–43.
 _____ Greene, Man. Protozoa, 1871, 15, fig. 3c.
 _____ Dawson, Canad. Nat. vi, 1872, 255, iii, 2. [= *P. arctica*.]
 _____ Terquem, Ess. Anim. Plage Dunkerque, pt. 1, 1875, 24, i, 19a, b; (and Mém. Soc. Dunkerquoise).
 _____ [Lam.]. Toula, Mitth. geogr. Ges. Wien, xviii, 1875, 165, pl., 20.
 _____ [Lam.]. Zittel, Handbuch Palaeont., Abth. 1, 1876, 101, fig. 41.
 _____ [Lam.]. Schwager, Boll. R. Com. Geol. Ital. viii, 1877, 25, pl., 16.
 _____ Nicholson, Manual Palaeont. 1879, i, 118, fig. 18s.
 _____ Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxiii, 1880, 214, iv, 71 and 72.
 _____ v. *crassa*, Möbius. Beitr. Meeresfauna Insel Mauritius, etc. 1880, 101, xi, 4–7; xii. [Structural.]
 _____ v. (*Nonion.*) *umbilicatula*, Mont. Hamilton, Trans. N. Zealand Inst. xiii, 1881, 395, xvi, 14.
 _____ v. *poeiana*, d'Orb. Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 116, viii, 301 and 302. [See *P. poeyana*.]
 _____ Jones, in Microgr. Dict. ed. 4, 1883, 623, xxiii, 55; xxiv, 20a, b.
 _____ West, Journ. Postal Micros. Soc. ii, pt. 5, 1883, 41, xxi, 1–3.
 _____ Brady, Report Challenger, 1884, 736, ex, 6 and 7.

- POLYSTOMELLA** *crispa* [Linn.]. Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 162 fig.
- GÜMBEL, Geol. Bayern, Th. I, Lief. 2, 1885, fig. 266, 25.
- DAWSON, Handbook Zoölogy, ed. 3, 1886, 45, fig. 37.
- [= *P. arctica*.] HOGG, Microscope, 1886, 375, fig. 207^a.
- ANON., Sci. News, 4 May, 1888, 413, fig. 18.
- VERWORN, Zeitschr. Wiss. Zool. (Siebold's), XLVI, 1888, 462, xxxii, 7, 8, 9, and figs. *g*, *h*, *i*; and Ann. Mag. Nat. Hist. [6], II, 1888, 161, ix, 4, 5, and 6.
- STEINMANN, Elem. Paléont. I, 1888, 32, fig. 174.
- [d'Orb.] WALThER, Mitth. Zool. Stat. Neapel, VIII, 1888, 382, xx, 7.
- PRESTWICH, Geology, 1888, ii, 420, 210*a*.
- TERRIGI, Mem. R. Acc. Lincei, [4], VI, 1889, 120, x, 6.
- [—] TARGIONI, Relaz. d' ale. viaggi, IV, 1770, p. viii, pl. 1, figs. 6, 7, and 8. [See *Nautilo*.]
- [—] SOLDANI, Testae, I, pt. 1, 1789, p. 54, pl. 33*F* and pl. 34*G*, *H* = this form. See also *Nautili striati*.
- = *P. macella* (F. & M.); see *Nautili striati communes (crispi) Linnaei*.
- See *Themone*.
- *cryptostoma*, EGGER. Neues Jahrbuch, 1857, 301, ix, 19 and 20.
- *depressula*, BROWN. Illustr. Recent Conch. Gt. Brit. ed. 2, 1844, 1, i, 3. [= *Crist. rotulata*.]
- *depressula*, G. B. SOWERBY. Foram. Colne Tidal River, 1856 [privately printed], plate, fig. 1. [= *P. crispa*.]
- *decipiens*, COSTA. Atti Accad. Pontaniana, VII, fas. 2, 1856, 220, xix, 13*A*, *B*.
- *discoidalis*, d'ORBIGNY. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 56, vi, 23 and 24; also in Spanish, 1840, 76, same pl. and fig.
- *discrepans*, REUSS. Sitz. k. Ak. Wiss. Wien, I, Abth. 1, 1864 (1865), 478, iv, 7*a*, *b*.
- *etrusca*, DEFRENCE. Diet. Sci. Nat. XXXII, 1824, 183; Blainville, Malacol. 1825, 389.
- *excavata*, TERQUEM. Ess. Anim. Plage Dunkerque, pt. 1, 1875, 25, ii, 2*a*-*f*; (and Mém. Soc. Dunkerquoise).
- *exoleta*, COSTA. Atti Accad. Pontaniana, VII, fas. 2, 1856, n. d., xix, 10.
- *fichtelliana*, d'ORBIGNY. Foram. Fossiles Vienne, 1846, 125, vi, 7 and 8.
- Mackie, Recreative Science, I, 1859, 147, fig. 11.
- KARRER, Novara-Exped., Geol. Theil I, 1864, 83, xvi, 15.
- [*fichteliana*] — UHLIG, Jahrb. k. k. geol. Reichs, XXXIII, 1883, 773, viii, 7.
- [*fichteli*] — WALThER, Mitth. Zool. Stat. Neapel, VIII, 1888, 382, xx, 9.
- *flexuosa*, d'ORBIGNY. Foram. Fossiles Vienne, 1846, 127, vi, 15 and 16.
- REUSS, Denkschr. k. Ak. Wiss. Wien, I, 1850, 370, xlvi, 3.
- EGGER, Neues Jahrbuch, 1857, 303, xv, 21 and 22.
- EICHWALD, Lethaea Rossica, III, 1853, 3, i, 1*a*, *b*, *c*.
- TERQUEM, Mém. Soc. géol. France, [3], II, 1882, 48, ii (x), 27*a*, *b*.
- WALThER, Mitth. Zool. Stat. Neapel, VIII, 1888, 382, xx, 5.
- *gaimardii*, d'ORBIGNY. Ann. Sci. Nat. VII, 1826, 284, No. 5.
- *gibba*, SCHULTZE. Organismus Polythal. 1854, 66, vi, 1-4.
- *granulata*, COSTA. Atti Accad. Pontaniana, VII, fas. 2, 1856, 214, xi [error for x], 7*a*, *A*, *B*, *C*.
- *hauerina*, d'ORBIGNY. Foram. Fossiles Vienne, 1846, 122, vi, 1 and 2.
- *imperatrix*, BRADY. Quart. Journ. Mier. Sci. XXI, 1881, 66.

- POLYSTOMELLA imperatrix**, Brady. Report Challenger, 1884, 738, ex, 13-15.
- *indigena*, Eichwald. Lethaea Rossica, III, 1853, 4, i, 2a, b, c. [*Lenticulina*, 1830.]
- *inflata*, Reuss. Sitz. k. Ak. Wiss. Wien, XLII, 1860 (1861), 358, i, 10a, b.
- *josephina*, d'Orbigny. Foram. Fossiles Vienne, 1846, 130, vi, 25 and 26.
- — — — — Egger, Neues Jahrbuch, 1857, 303, xv, 10 and 11.
- — — — — Hoernes, Elem. Palaeont. 1884, 25, fig. 11; French ed. 1886, same fig.
- *karreri*, Olszewski. Sprawozd. Kom. fizyj. Ak. Umiej. Krakowie, IX, 1875, 128, ii, 4.
- *lævigata*, Michelotti. Mem. Soc. Ital. Sci. XXII, 1841, 288, ii, 7.
- — — — — Michelotti, Nat. Verh. Holland. Maatsch. Wetensch. Haarlem, II verzam. 3 dl. 2 stk. 1847, 18, not fig'd.
- *laminata*, Terquem. Mém. Soc. géol. France, [3], I, 1878, 16, i (vi), 8a, b.
- — — — — Terquem, Mém. Soc. géol. France, [3], II, 1882, 47, ii (x), 24a, b.
- *lanieri*, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 54, vii, 12 and 13; also in Spanish, 1840, 74, same pl. and fig.
- — — — — Quenstedt, Handbuch Petref. ed. 3, Abth. 5, (1885) 1056, lxxxvi, 42.
- *latidorsata*, Reuss. Denkschr. k. Ak. Wiss. Wien, XXIII, 1864, 10, i, 16.
- *lessonii*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 284, No. 6.
- — — — — D'Orbigny, Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 29, iii, 1 and 2.
- *listeri*, d'Orbigny. Foram. Fossiles Vienne, 1846, 128, vi, 19-22.
- *macella* (F. & M.). P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 239, xii, 154. [See *Nautilus*, 1798.]
- — — — — Brady, Report Challenger, 1884, 737, ex, 8, 9, 11, and 10?
- — — — — Terrigi, Mem. R. Acc. Lineei, [4], VI, 1889, 120, x, 3.
- — — — — See *Ammonie*.
- — — — — See *Elpidium* and *Geophonus*.
- *metensis*, Terquem. Mém. Ac. Imp. Metz, XXXIX, 1858, 628, iv, 7a, b.
- *minima*, Seguenza. Atti R. Acc. Lineei, [3], VI, 1880, 333, xvii, 38, 38a.
- *minuta*, Reuss. Sitz. k. Ak. Wiss. Wien, I, Abth. 1, 1864 (1865), 478, iv, 6a, b.
- *nobilis*, Karrer. Sitz. k. Ak. Wiss. Wien, I, Abth. 1, 1864 (1865), 710, ii, 15.
- ? — *obscura*, Schwager. Palaeontographica, XXX, Pal. Theil, 1883, 138, xxvii (4), 2a-c.
- *obtusa*, d'Orbigny. Foram. Fossiles Vienne, 1846, 124, vi, 5 and 6.
- *oceanaensis*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 285, No. 8.
- *ornata*, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, 215, x, 8; xix, 16A, B, C.
- *ortenburgensis*, Egger. Neues Jahrbuch, 1857, 302, xv, 7-9.
- *oweniana*, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 30, iii, 3 and 4.
- *planulata*, Lamarck. Hist. Anim. s. Vert. VII, 1822, 625.
- — — — — Defrance, Dict. Sci. Nat. XXXII, 1824, 183; Atlas, Conch. XV, 8. [= *P. macella* (F. & M.).]
- — — — — Blainville, Manuel Malac. et Conch. 1825 (pls. 1827), 388, viii [error for vii], 8.
- — — — — Cuvier, Animal Kingdom, Henderson's ed. III, 1834 (pls. 1837), 18, iv bis, 8.

- POLYSTOMELLA** poeyana, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 55, vi, 25 and 26; also in Spanish, 1840, 75, same pl. and fig.
- ? —— *polypora*, Gümbel. Jahresh. Ver. vat. Nat. Württ. xviii, 1862, 231, iv, 6a, b.
- *punctata*, Terquem. Mém. Soc. géol. France, [3], i, 1878, 16, i (vi), 7a, b.
- *quaterpunctata*, Abich. Mém. Ac. Imp. Sci. [Math. Phys.] St. Pétersbourg, [6], vii, 1859, ix, 8a, b.
- *regina*, d'Orbigny. Foram. Fossiles Vienne, 1846, 129, vi, 23 and 24.
- ——— Mackie, Recreative Science, i, 1859, 147, fig. 12.
- *rotula*, Michelotti. Mem. Soc. Ital. Sci. xxii, 1841, 288, ii, 8.
- *rugosa*, d'Orbigny. Foram. Fossiles Vienne, 1846, 123, vi, 3 and 4.
- ——— Pictet, Traité de Paléont. 2 ed. iv, 1857, 505, cix, 24.
- *sagra*, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 55, vi, 19 and 20; also in Spanish, 1840, 74, same pl. and fig.
- *salentina*, Costa. Atti Accad. Pontaniana, vii, fas. 2, 1856, 218, xix, 12A, B, C.
- *savii*, Michelotti. Mem. Soc. Ital. Sci. xxii, 1841, 287, i, 7.
- ——— Michelotti, Nat. Verh. Holland. Maatsch. Wetensch. Haarlem, II verzam. 3 dl. 2 stk. 1847, 18, not fig'd.
- *semistriata*, d'Orbigny. Ann. Sci. Nat. vii, 1826, p. 284, No. 7.
- *spinulosa*, Costa. Atti Accad. Pontaniana, vii, fas. 2, 1856, n. d., xix, 14.
- *stella-borealis* (Ehr.). In Schultze, Organismus Polythal. 1854, 67, vi, 5 and 6.
- *striatopunctata* (Fichtel & Moll). J., P., & B., Crag Foram., Pal. Soc. xix, 1866, n. d., ii, 38, 39. [*Nautilus*, 1798.]
- ——— P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], viii, 1871, 241, xii, 156. [v. *Robulina sulcata*, d'O.]
- ——— Schultze, Arch. mikrosk. Anat. xiii, 1877, 9, etc. ii, 4–6.
- [Structural.] Terrigi, Atti Acc. Pont. Nuovi Lineei, xxxiii, 1880, 216, iv, 73 and 74.
- ——— Jones, in Microgr. Dict. ed. 4, 1883, 623, xxiv, 19.
- ——— Brady, Report Challenger, 1884, 733, cix, 22, 23.
- B., P., & J., Trans. Zool. Soc. xii, pt. 7, 1888, 230, xlivi, 17.
- ——— Terrigi, Mem. R. Acc. Lineei, [4], vi, 1889, 120, x, 2.
- ——— Soldani, Testac. i, 1, 1789, 54, pl. 34ee, f' = this form.
See *P. crista* (Linn.).
- *strigilata* (F. & M.). Schultze, Organismus Polythal. 1854, 64, iv and v. [*Nautilus*, 1798.] [Structural.]
- ——— Bronn, Klassen Ordn. Thier-Reichs, i, 1859, 71, v, 1 and 2.
- ——— Bütschli, in Bronn, Klassen, etc. Thier-Reichs, 1880, 211, xi, 1 and 2.
- ——— Schlumberger, F. Jeun. Nat., Feb. 1882, ii, 10 (after Schultze). = *P. crista*; see *Nautili striati*, etc.
- ——— See *Andromedes*.
- ——— var. See *Sporilus*.
- *striolata*, Costa. Atti Accad. Pontaniana, vii, fas. 2, 1856, n. d., xix, 15, 18.
- *subaculeata*, Eichwald. Lethaea Rossica, iii, 1855, i, 3a, b, c.
- *subcarinata*, Egger. Neues Jahrbuch, 1857, 301, xiv, 24 and 25.
- *subnodosa* (v. M.). Reuss, Sitz. k. Ak. Wiss. Wien, xviii, 1856, 240, iv, 51. [*Robulina*, 1838.]
- ——— Brady, Report Challenger, 1884, 734, ex, 1a, b.

- POLYSTOMELLA** subumbilicata, Czjzek. Haidinger's Nat. Abh. II, 1848, 143, xii, 32 and 33.
- tenuissima, Karrer. Novara-Exped., Geol. Theil I, 1864, 83, xvi, 17 [error for 16].
- teretiuscula, Terquem. Mém. Soc. géol. France, [3], I, 1878, 16, i (vi), 9a-10b.
- umbilicata, d'Orbigny. Ann. Sci. Nat. VII, 1826, 285, No. 9.
- umbilicatula, Walker & Boys. See *Nautilus*.
- Williamson, Recent British Foram. 1858, 42, iii, 81, 82, 82a (v. *incerta*). [= *P. striatopunctata*.]
- v. *incerta*, Williamson. Recent British Foram. 1858, 44, iii, 82a. [= *P. arctica*, P. & J.]
- Dawson, Canad. Nat. IV, 1859, 27, fig. 1.
- Cooke, Thousand Objects Microsc. 1869, 92, ix, 17.
- Terquem, Ess. Anim. Plage Dunkerque, pt. I, 1875, 25, ii, 3a, b; (and Mém. Soc. Dunkerquoise).
- West, Journ. Postal Microsc. Soc. II, pt. 5, 1883, 42, xxi, 4 and 5.
- ungeri, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 369, xlvi, 2.
- venusta, Schultze. Organismus Polythal. 1854, 67, vi, 7-9.
- Haeckel, Das Protistenreich, 1878, 36, fig. 20.
- verriculata, Brady. Quart. Journ. Micr. Sci. XXI, 1881, 66.
- Brady, Report Challenger, 1884, 738, ex, 12a, b.
- vortex, Blainville. Man. Malacol. 1825, 389. [= *Cristellaria*, q. v.]
- vulgaris, Reeve. Conch. system. II, 1842, 291, cccxvii, 8. [*Planorbula*, d'O. = *Planorb.*]
- [— ?] Ledermüller, Mikr. Gemüths, 1763, 16, viii, b.
- Pictet, Traité de Paléont. IV, 1846, 229, xii, 11.
- Rütimeyer, Nouv. Mém. Soc. Helvet. Sci. Nat. XI, 1850, Mém. 2, iv, 57.
- Carpenter, Parker, & Jones, Introd. Foram. 1862, 276, xvi. [Structural.]
- J. G. Wood, Common Objects Micro. 1867, 121, xii, 13.
- Carpenter, Encycl. Brit. 9th ed. IX, 1879, Foraminifera, 374, i, 16.
- ind. Abich, Geol. Forsch. Kaukas. Ländern, 1882, 239, x, 6.
- sp. Brady, Parker, & Jones, Trans. Zool. Soc. XII, pt. 7, 1888, 230, xliii, 18.
- Neumayr, Stämme d. Thierreiches, I, 1889 (8), 185, fig. 27b.
- see *Nautilus*.
- see *Nautilus*.
- "**Polythalamia**" (cretaceous), Hitchcock, Elem. Geology, 1860, 30th ed. 382, 383, figures. [*Textularia*, *Globig.*, *Planorb.*]
- POLYTREMA**, Risso, 1826. Hist. Nat. Europe Mérid. V, 1826, 340; Brady, Report Challenger, 1884, 719.
- balaniforme, Carter, 1876. Carter, Ann. Mag. Nat. Hist. [4], XVII, 1876, 198, xiii, 7-10. [= *Carpenteria*, Gray, 1858.]
- corallina, Risso. Hist. Nat. Europe Mérid. V, 1826, 340, n. fig.
- cylindricum, Carter. Ann. Mag. Nat. Hist. [5], V, 1880, 441, xviii, 1a-g.
- marticensis, Sasso d'Allard. Bull. Soc. géol. France, [3], XII, 1884, 565.
- mesentericum, Carter. Ann. Mag. Nat. Hist. [5], V, 1880, 444, xviii, 3a-h.
- miniacea (Pallas). See *Millepora*, 1766.
- [Esper]. Defrance, Dict. Sci. Nat. Atlas, Zooph. 1816-30, xliv, 4, 4a.
- Blainville, Actinologie, 1834, 410, lxix, 4, 4a.
- [miniaceum] — Schultze, Arch. für Naturgesch. (Wiegmann's), 1863 (29th Jahrg.), I, 81-102, pl. viii; and Ann. Mag. Nat. Hist. [3], XII, 1863, 408, vii.
- [miniaceum], [Blainv. (1834)]. Carter, Ann. Mag. Nat. Hist. [4], XVII, 1876, 185, xiii, 1-6.

- POLYTREMA** [*miniaceum*], v. *album*, Carter. Ann. Mag. Nat. Hist. [4], xix, 1877, 213, xiii, 14.
 —— [*miniaceum*], v. *cinnamomum*, Carter. Ann. Mag. Nat. Hist. [4], xix, 1877, xiii, 15.
 —— [*miniaceum*] Möbius, Beitr. Meeresfauna Insel Mauritius, etc. 1880, 85, vii, 1-17. [Structural.]
 —— [*miniaceum*] Bütschli, in Bronn, Klassen, etc. Thier-Reichs, 1880, 208, ix, 11.
 —— [*miniaceum*] [(Linn.)]. Brady, Report Challenger, 1884, 721c, 5-9; el. 1.
 —— [*miniaceum*] v. *alba*, Carter. Brady, Report Challenger, 1884, 721, el. 2 and 3.
 —— [*miniaceum*] Agassiz, Three Cruises "Blake," II, 1888, 169, fig. 519.
 —— *planum*, Carter. Ann. Mag. Nat. Hist. [4], xvii, 1876, 211, xiii, 18 and 19. [In *ibidem*, [5], v, 1880, 445, Carter refers this to *Gypsina melobesioides*.]
 —— *rubra*, Lamarck. See *Millepora*.
 —— Carpenter, Parker, & Jones, Introd. Foram. 1862, 235, xiii, 18-20. [= *miniaceum*.] [Structural.]
 —— Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 26, pl. 72.
 —— *utriculare*, Carter. Ann. Mag. Nat. Hist. [4], xvii, 1876, 210, xiii, 11-16. [v. *Carpenteria*.]
POLYTRYPA *elongata*, Defrance. Diet. Sci. Nat. XLII, 1826, 453; Atlas, Zoolph. xviii, 1.
 —— Blainville, Actinologie, 1834, lxxiii, 1.
 —— = *Larvaria* = *Dactylopora* = Calcareous Alga.
Polytrypes, see *Polytrypa*.
POLYXENES *cribratus*, Montfort. Conch. syst. I, 1808, 139, 35th genre. [= *Planorb. farcta*.]
POROSPHERA *globularis* (Phillips). Steinmann, Palaeontographica, xxv, 1878, 120, xiii, 8-12. [*Millepora*, 1829; *Tragos*, 1845; *Coscinopora*, 1852; ?*Bradya*, 1877.]
POROSPIRA, Ehrenberg, 1844. Ber. k. pr. Ak. Wiss. Berlin, 1844, 75.
 —— *comes*, Ehr. Ber. k. pr. Ak. Wiss. Berlin, 1844, 67 and 95; and Mikrogeologie, 1854, xxi, 93. [= *Planorb. ammonoides*, v.]
 —— *forbesii*, Ehr. Monatsber. k. pr. Ak. Wiss. Berlin, 1858, 26.
 —— *indica*, Ehr. Ber. k. pr. Ak. Wiss. Berlin, 1845, 373.
 —— *leptophala*, Ehr. Monatsber. k. pr. Ak. Wiss. Berlin, 1872, 291.
 —— *lingua*, Ehr. Ber. k. pr. Ak. Wiss. Berlin, 1844, p. 95.
 —— *naxi*, Ehr. Monatsber. k. pr. Ak. Wiss. Berlin, 1858, 27.
 —— *osculata*, Ehr. Monatsber. k. pr. Ak. Wiss. Berlin, 1858, 27.
 —— *princeps*, Ehr. Ber. k. pr. Ak. Wiss. Berlin, 1844, 67 and 95; and Mikrogeologie, 1854, xxi, 92. [= *Planulina turgida*, young = *Planorb. ammonoides*.]
 —— Ehr. Mikrogeologie, 1854, xxiv, 53. [= *Planulina ariminensis*, d'O.]
 —— *planulina*, Ehr. Monatsber. k. pr. Ak. Wiss. Berlin, 1872, 291.
 —— Ehrenberg, Abh. k. Ak. Wiss. Berlin, 1872 (1873), iv, 11.
 —— *quaternata*, Ehr. Ber. k. pr. Ak. Wiss. Berlin, 1845, 373.
 —— *septenaria*, Ehr. Monatsber. k. pr. Ak. Wiss. Berlin, 1872, 291.
 —— Ehrenberg, Abh. k. Ak. Wiss. Berlin, 1872 (1873), iv, 10.
 —— *sphaerotheca*, Ehr. Monatsber. k. pr. Ak. Wiss. Berlin, 1872, 292.
 —— *stichopora*, Ehrenberg. [v. *Aristerospira*.]
Porpitæ *nummulares*, Stobaeus. Dis. epist. ad W. Grotthaus, de Numm. Bratt. 1732. [= *Orbitolites*.]
Porpitæ *soluti*, Soldani. Testae. II, App. 1798, p. 140, pl. 4, 34g, G, h, H. [*Soldania spirorbis*, d'O. Ann. Sci. Nat. VII, 1826, p. 281, 2.]

- Porpitæ soluti, rotundi, numismatis, figura, Soldani.** Sagg. Oritt. 1780, 106, iv, 34G, H. [= *Astellina*.]
- Porpite,** Guettard, Mém. diff. parties Science, etc. III, 1770, 431, xii, 15 and 17. [= ? *Alveolina*.]
- Porpiten,** Fortis, Beschreib. Thales Ronca, 1779, 14, i, 1. [Also called "pietra da soldo."] [= *Nummulites*.]
- Porpitæ,** Deltne, Journ. Physique, LVI, 1802, 325, etc. plate, fig. 7-12. [*Orbitolites*.]
- PREMNAMMINA,** de Folin, 1881. Bull. Soc. N. H. Toulouse, xv, 136, n. d. (2 species proposed under generic name of *Psammechinus*); and Congrès Scient. Dax, 1882 (1883), 327.
- PROBLEMATINA,** Bornemann, 1874. Zeitschr. deutsch. geol. Ges. xxvi, 1874, 733.
- *deslongchampsi* (Terq.). Idem, 733. [*Involutina*, 1863.]
 - *nodosa* (Terq.). Idem, 735. [*Involutina*, 1866.]
 - *petræa* (Terq.). Idem, 734. [*Involutina*, 1866.]
- PROROPORUS,** Ehrenberg, 1844. Ber. k. pr. Ak. Wiss. Berlin, 1844, 75.
- *argus*, Ehr. Mikrogeologie, 1854, xx, ii, 8. [= *Boliv. punctata*.]
 - ? — *clavulina*, Ehr. Mikrogeologie, 1854, xxx, 15. [= *Boliv. dilatata* = *B. incrassata*, Reuss.]
 - *complanatus*, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 231, xii, 5a, b.
 - — — — — Reuss' Models, No. 41, 1865 (Catal., No. 76, 1861). [= 1st stage of a *Bigennerina*.]
 - — — — — Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 25, pl., 33.
 - *cretæa*, Ehr. Mikrogeologie, 1854, xxvii, 29, and xxviii, 20. [= *Polym. thouini*.]
 - ? Ehr. Mikrogeologie, 1854, xxxvii, vi, 2. [= ? *Polymorphina*.]
 - *cylindroides*, Roemer. Reuss, in Geinitz, Grundr. Verstein, 1845-46, 678, xxiv, 80. [*Polymorphina*, 1838.]
 - — — — — Brönn, Lethaea Geognostica, ed. 3, III, 1853-56, 234, xxxv², 31a, b.
 - ? — *denticulatus*, Ehr. Ber. k. pr. Ak. Wiss. Berlin, 1845, 374.
 - *lingua*, Ehr. Ber. k. pr. Ak. Wiss. Berlin, 1844, 67 and 95; and Mikrogeologie, 1854, xxi, 83. [= *Boliv. punctata*, ribbed v.]
 - *obtusus*, Ehr. Mikrogeologie, 1854, xxxii, ii, 23. [= *Polym. compressa*.]
 - ? — — — Ehr., Mikrogeologie, 1854, xxxii, II, 24. [= *Bigen. digitata*, d'O.]
 - *ombonii*, Hantken. Ertek. Termesz. köreböl, XIII, No. 1, 1883, 10, i, 3; and Math. Nat. Ber. Ungarn, II, 1884, 131.
 - ? — (*Gramm.?*) *pachyderma*, Ehr. Mikrogeologie, 1854, xxiii, 25. [= *Text. agglutinans*.]
 - *schultzei*, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863), 80, ix, 10a, b.
 - *siculus*, Ehr. Mikrogeologie, 1854, xxvi, 18. [= probably *Polym. thouini*.]
 - *subdepressus*, Münster. Reuss, in Geinitz, Grundr. Verstein. 1845-46, 679, xxiv, 81. [*Polymorphina*, 1838.]
 - *verrucosus*, Ehr. Mikrogeologie, 1854, xxix, 29. [= *Polym. tuberculata*, (d'O.).]
 - — — — — Schwager, Jahresh. Ver. vat. Nat. Württ. XXI, 1865, vii, 19.
- PROTEONINA,** Williamson, 1858. Recent British Foram. 1858, 1.
- *fusiformis*, Williamson. Recent British Foram. 1858, 1, i, 1. [v. also *Reophax*.]
 - *lævigata*, Terquem. Ess. Anim. Plage Dunkerque, pt. I, 1875, 20, i, 2a, b; (and Mém. Soc. Dunkerquoise). [= ?.]
 - *pseudospirale*, Williamson. Recent British Foram. 1858, 2, i, 2 and 3. [v. also *Haplophragmium*.]

- PROTEONINA rugosa**, Terquem. Ess. Anim. Plage Dunkerque, pt. 1, 1875, 20, i, 1a, b; (and Mém. Soc. Dunkerquoise).
- sp. Carpenter, Proc. Roy. Soc. xviii, 1869, 60; The Microscope, ed. 5, 1875, 533, figs. d, e, f. [= *Marsipella elongata*, Norman.]
- PSAMMATODENDRON**, Norman, MS., 1881. Brady, Denkschr. k. Ak. Wiss. Wien, xlIII, 1881, 98, No. 13; Ann. Mag. Nat. Hist. [5], viii, 1881, 404.
- *arborescens*, Norman, MS. Idem. [v. *Hyperammina*.]
- PSAMMECHINUS**, de Folin, 1881. Bull. Soc. N. H. Toulonse, xv. [v. *Prem-nammina*.]
- PSAMMOLYCHNA**, de Folin, 1881. Bull. Soc. N. H. Toulouse, xv, 136, n. d.; 5 species proposed!
- PSAMMOPERIDIA**, de Folin, 1881. Bull. Soc. N. H. Toulouse, xv, 135, n. d.; 2 species proposed.
- PSAMMOSIPHON**, G. R. Vine. Quart. Journ. Geol. Soc. xxxviii, 1882, 390. [This form, of which the type is *P. amplexus*, was considered by Vine to be an annelid; F. Chapman, in Quart. Journ. Geol. Soc. 1895, shows it to be a Foraminifer.]
- PSAMMOSPHÆRA**, F. E. Schulze, 1875. II. Jahresh. Comm. Wiss. Untersuch. deutsch. Meer in Kiel, 1875, 113; Brady, Report Challenger, 1884, 249.
- *fusca*, Schulze. II. Jahresh. Comm. Wiss. Untersuch. deutsch. Meer in Kiel, 1875, 113, ii, 8a-f.
- — — — — Brady, Q. Journ. Micr. Sci. xix, 1879, 27, iv, 1 and 2.
- — — — — Bütschli, in Bronn, Klassen, etc. Thier-Reichs, 1880, 202, v, 6.
- — — — — Haeusler, Nenes Jahrbuch, 1883, i, 57, iii, 1.
- — — — — Haeusler, Quart. Journ. Geol. Soc. xxxix, 1883, 26, ii, 1.
- — — — — Brady, Report Challenger, 1884, 249, xviii, 1-8.
- — — — — De Folin, Le Naturaliste, Ann. 10, 1888, 110, figs. 4 and 5.
- — — — — de Folin, Le Naturaliste, Ann. 9, 1887, 127, fig. 13.
- PSAMMOZOTIKA**, de Folin, 1881. Bull. Soc. N. H. Toulouse, xv, 138, n. d.; 1 sp. proposed.
- PSECADIUM**, Reuss, MS. [before 1856]. Renss, Sitz. k. Ak. Wiss. Wien, xlIV (1), 1861, 383. [Although this genus was used by Neugeboren in 1856, Reuss does not appear to have described it before 1861.] [= *Glandulina*.]
- *acuminatum*, Reuss. Sitz. k. Ak. Wiss. Wien, lxII, Abth. 1, 1870, 478; v. Schlicht, Foram. Septar. Pietzpuhl, 1870, xxv, 1-10.
- *ellipticum*, Neugeboren. Denkschr. k. Ak. Wiss. Wien, xII, 2, 1856, 99, v, 14.
- — — — — Reuss' Models, No. 29, 1865 (Catal., No. 55, 1861).
- *elongatum*, Reuss. Zeitschr. deutsch. geol. Ges. x, 1858, 437, No. 1.
- *nussdorffense*, Karrer. Abh. k. k. geol. Reichs. ix, 1877, 379, xvi b, 23.
- *ovatum*, Seguenza. Atti R. Acc. Linnei, [3], vi, 1880, 139, xii, 8.
- *simplex*, Neugeboren. Denkschr. k. Ak. Wiss. Wien, xII, 2, 1856, 99, v, 13.
- *subovatum*, Karrer. Sitz. k. Ak. Wiss. Wien, l, Abth. 1, 1864 (1865), 706, i, 7.
- PSEUDOTEXTULARIA**, Rzehak, 1886. Verh. Nat. Ver. Brunn, xxiv, Heft 1, 1885 (1886), Sitzungsber. 8.
- PSEUDOTRUNCATULINA**, Andreæ, 1884.
- *dutemplei* (d'Orb.). Andreæ, Abh. geol. Specialkarte Elsass-Lothr. II, Heft 3, 1884, 213, viii, 10. [= *Rotalina*, 1846.]
- Andreæ, Abh. geol. Specialkarte Elsass-Lothr. II, Heft 3, 1884, 214, fig. 9.
- PTYGOSTOMUM**, Ehrenberg, 1841. Abh. k. Ak. Wiss. Berlin, 1841, 409.
- *oligoporum*, Ehr. Abh. k. Ak. Wiss. Berlin, III, vii, 51, 1841, 427. [= *Planorbolina*?]

- PTYGOSTOMUM orphei**, Ehr. Ber. k. pr. Ak. Wiss. Berlin, 1854, 248.
 —————— Ehr., Mikrogeologie, 1854, xxxv, B, iv, 1 and 2. [= *Globig. bulloides*.]
 —————— quinarium, Ehr. Mikrogeologie, 1854, xxxii, i, 28. [= *Globig. hirsuta*, d'Or.]
 —————— Ehr., Mikrogeologie, 1854, xxv, i, A, 43. [= *Planorb. vulgaris*.]
 —————— senarium, Ehr. Mikrogeologie, 1854, xxxii, i, 27. [= *Globig. hirsuta*, d'Or.]
 —————— Ehr., Mikrogeologie, 1854, xxv, i, A, 42. [= *Planorb. vulgaris*.]
 ————— sp., Harting, Verh. Kon. Ak. Wetensch. x, 1864, 9, i, 6 and 7.
- PTYKA**, de Folin, 1881. Bull. Soc. N. H. Toulouse, xv, 139, n. d.; 1 sp. proposed.
- PULLENIA**, Parker & Jones, 1862. C., P., & J., Introd. Foram. 1862, 184; Brady, Report Challenger, 1884, 614.
- *bulloides* (d'Orbigny). C., P., & J., Introd. Foram. 1862, 184, xii, 12. [*Nonionina*, 1826.]
- Hantken, A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 50, x, 9; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 59, same pl. and fig.
- Zittel, Handbuch Palaeont., Abth. I, 1876, 88, fig. 25².
- Schwager, Boll. R. Com. geol. Ital. viii, 1877, 25, pl. 14.
- Bütschli, in Brönn, Klassen, etc. Thier-Reichs, 1880, 211, ix, 14.
- Andreæ, Abh. geol. Speciaalkarte Elsass-Lothr. II, Heft 3, 1884, 206, ix, 23.
- Steinmann, Elem. Paléont. I, 1888, 32, fig. 16.
- *communis* (d'Orb.). Hantken, A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 50, x, 10; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 59, same pl. and fig. [*P. elongata*, Hantk., on plate.] [See *Nonionina*.]
- *compressa*, Seguenza. Atti R. Acc. Lincei, [3], vi, 1880, 221, xvii, 14, 14a.
- *compressiusecula*, Reuss. Denkschr. k. Ak. Wiss. Wien, xxv, 1866, 150.
- v. *quadriloba*, Reuss. Sitz. k. Ak. Wiss. Wien, LV, Abth. 1, 1867, 87, iii, 8a, b.
- v. *quinqueloba*, Reuss. Sitz. k. Ak. Wiss. Wien, LV, Abth. 1, 1867, 87.
- Andreæ, Abh. geol. Speciaalkarte Elsass-Lothr. II, Heft 3, 1884, 206, ix, 22.
- *elongata*, Hantken. See *P. communis*, d'Orb.; = *Nonionina*.
- *falx* (Czjzek). Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxiii, 1880, 190, i, 22. [*Nonionina*, 1843.]
- *obliquiloculata*, Parker & Jones. Phil. Trans. 1865, 368, xix, 4a, b.
- Brady, Report Challenger, 1884, 618, lxxxiv, 16–20.
- *quinqueloba*, Reuss. Brady, Report Challenger, 1884, 617, lxxxiv, 14 and 15. [*Nonionina*, 1851.]
- Balkwill & Wright, Trans. R. Irish Ac. xxviii (Sci.), 1885, 348, xii, 29a, 29b.
- Brady, Parker, & Jones, Trans. Zool. Soc. xii, pt. 7, 1888, 226, xlvi, 22 and 23.
- Sherborn & Chapman, Journ. R. Micr. Soc. 1889, 487, xi, 29.
- *sphæroides*, d'Orbigny. Parker & Jones, Phil. Trans. 1865, 368, xiv, 43a, b; xvii, 53. [*Nonionina*, 1826.]
- J., P., & B., Crag Foram., Pal. Soc. xix, 1866, n. d., ii, 31 and 32.

- PULLENIA sphæroides**, d'Orbigny. Terrigi, Atti Acc. Pont. Nuovi Lineei, xxxiii, 1880, 18, i, 21.
 ——— ——— ——— Hamilton, Trans. N. Zealand Inst. xiii, 1881, 396, xvi, 15.
 ——— ——— ——— Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 104, viii, 248-250.
 ——— ——— ——— Brady, Report Challenger, 1884, 615, lxxxiv, 12 and 13 ; and cut, fig. 18, 616.
 ——— ——— ——— Balkwill & Wright, Trans. R. Irish Ac. xxviii (Sci.), 1885, 348, xii, 28a, 28b.
 ——— ——— ——— Sherborn & Chapman, Journ. R. Mier. Soc. [2], vi, 1886, 756, xvi, 10a, b.
 ——— ——— ——— Brady, Parker, & Jones, Trans. Zool. Soc. xii, pt. 7, 1888, 226, xlili, 21 and 24.
- PULVINULINA**, Parker & Jones, 1862. Carpenter, Parker, & Jones, Introd. Foram. 1862, 201 ; Brady, Report Challenger, 1884, 681.
 ——— affinis, Hantken. A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 68, x, 6 ; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 78, same pl. and fig.
 ——— auricula (Fichtel & Moll.). J., P., & B., Crag Foram., Pal. Soc. xix, 1866, n. d., ii, 33-35. [*Nautilus*, 1798.]
 ——— ——— P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], viii, 1871, 173, xii, 143. [See *Rotalia brogniartii*, d'Orb.]
 ——— ——— Terrigi, Atti Acc. Pont. Nuovi Lineei, xxxiii, 1880, 206, iii, 58.
 ——— ——— Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 109, viii, 273-275.
 ——— ——— Brady, Report Challenger, 1884, 688, evi, 5a, b, c.
 ——— ——— Malagoli, Atti Soc. Nat. Modena, (Rend.) 3, iii, 1887, 110, i, 16.
 ——— ——— Agassiz, Three Cruises "Blake," ii, 1888, 169, fig. 515.
 ——— ——— Terrigi, Mem. R. Acc. Lineei, [4], vi, 1889, 119, ix, 2.
 ——— ——— Soldani, Testac. i, 1, 1789, 56, pl. 37E = this form.
 ——— ——— see *Cancris*.
 ——— badensis (Czjzek). Carpenter, Parker, & Jones, Introd. Foram. 1862, 201, fig. xxxii, A. [*Rotalina*, 1848.]
 ——— ——— Terrigi, Atti Acc. Pont. Nuovi Lineei, xxxv, 1883, 199, iii, 43.
 ——— berthelotiana (d'Orbigny). Brady, Report Challenger, 1884, 701, evi, 1a, b, c. [See *Rotalina*, 1839.]
 ——— bimammata (Gümb.). Uhlig, Jahrb. k. k. geol. Reichsanstalt, xxxvi, 1886, 192, iii, 7 and 8 ; v, 4, 5, and 8. [*Rotalia*, 1868.]
 ——— brœckiana, Brady. Carbonif. Foram., Pal. Soc. xxx, 1876, 140, vi, 12.
 ——— brogniarti [*brongniarti*], d'Orb. Hantken, A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 68, ix, 5 ; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 78, same pl. and fig. [Given as *Pulv. budensis* in descr. of plate.]
 ——— boueana (d'Orbigny). Reuss, Denkschr. k. Ak. Wiss. Wien, xxv, 1865, 161, iv, 14. [*Rotalina*, 1846.]
 ——— ——— Sherborn & Chapman, Journ. R. Mier. Soc. [2], vi, 1886, 758, xvi, 20a-c.
 ——— budensis, Hantken. A magy. kir. földt. int. évkönyve, iv, 1875 (1876), not descr., ix, 5 ; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), same pl. and fig. [See *P. brogniarti*.]
 ——— cf. campanella, Gümbel. Schwager, Palaeontographica, xxx, 1883, Pal. Theil, 131, xviii (5), 3a-d. [*Rotalia*, 1868.]
 ——— canariensis (d'Orb.). S. R. J. Owen, Journ. Linnean Soc. (Zool.) ix, 1867, 148, v, 20 and 21. [*Rotalina*, 1839.]
 ——— ——— Terrigi, Atti Acc. Pont. Nuovi Lineei, xxxiii, 1880, 207, iii, 59, 60.

- PULVINULINA canariensis** (d'Orb.). Brady, Report Challenger, 1884, 692, ciuii, 8-10.
 ——— ——— ——— Hogg, Microscope, 1886, xviii, iii, 84.
 ——— ——— ——— See *P. repanda* (F. & M.).
candidula, Schwager. Palaeontographica, xxx, 1883, Pal. Theil, 133, xxviii (5), 10a-d.
caracolla (Roemer). See *Gyrodina*.
 ——— ——— ——— Soldani, Testac. i, 1, 1789, 56, pl. 38G = var. of this form.
communis (d'Orbigny). P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], viii, 1871, 173, xii, 145. [*Rotalia*, 1826.]
concentrica, Parker & Jones, MS. Brady, Trans. Linnean Soc. xxiv, 1864, 470, xlvi, 14.
 ——— ——— ——— Brady, Report Challenger, 1884, 686, ev, 1a, b, c.
 ——— ——— ——— Uhlig, Jahrb. k. k. geol. Reichsanstalt, xxxvi, 1886, 190, iii, 3 and 4.
 ——— ——— ——— Soldani, Testac. i, 1, 1789, 56, pl. 37B = this form.
contraria, Reuss. Sitz. k. Ak. Wiss. Wien, lxii, 1870, 490, No. 3; v. Schlicht, Foram. Pietzpuhl, 1870, xxii, 10-13.
cordieriana (d'Orb.). Jones, Cat. Foss. Foram. Brit. Mus. 1882, 88. [*Rotalina*, 1840.]
cordiformis (Costa). Reuss, Sitz. k. Ak. Wiss. Wien, lv, Abth. 1, 1867, 103, v, 3a, b. [*Valvulina*, 1856.]
crassa (d'Orbigny). S. R. J. Owen, Journ. Linn. Soc. (Zool.) ix, 1867, 148, v, 18 and 19. [*Rotalina*, 1840.]
 ——— ——— ——— Brady, Report Challenger, 1884, 694, ciuii, 11 and 12.
deludens, Schwager. Palaeontographica, xxx, 1883, Pal. Theil, 135, no figure.
dispansa, Brady. Report Challenger, 1884, 687, exv, 3a, b.
elegans (d'Orbigny). P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], viii, 1871, 174, xi, 142. [*Rotalia*, 1826.]
 ——— ——— ——— Tate & Blake, Yorkshire Lias, 1876, 472, xvii, 38, 38a.
 ——— ——— ——— Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 111, viii, 283-285.
 ——— ——— v. *trochus*, Roemer. Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 112, viii, 286-288. [*Rotalia*, 1838.]
 ——— ——— v. *tenella*, Jones. Quart. Journ. Geol. Soc. xl, 1884, 771, xxxiv, 17a, b.
 ——— ——— ——— Brady, Report Challenger, 1884, 699, ev, 4, 5, and 6.
 ——— ——— ——— [Brady]. Walther, Mitth. Zool. Stat. Neapel, viii, 1888, 382, xx, 6.
 ——— ——— ——— B., P., & J., Trans. Zool. Soc. xii, pt. 7, 1888, 228, xlvi, 2.
 ——— ——— ——— Sherborn & Chapman, Journ. R. Mier. Soc. 1889, 487, xi, 30-32.
 ——— ——— ——— See *P. repanda* (F. & M.).
erinacea, Karrer. Sitz. k. Ak. Wiss. Wien, lviii, Abth. 1, 1868, 187, v, 6.
exigua, Brady. Report Challenger, 1884, 696, ciuii, 13 and 14.
eximia, Rzehak. Ann. k. k. Nat. Hofmuseums, iii, Heft 3, 1888, 263, xi, 7a, b, c.
favus, Brady. Geol. Mag. [2], iv, 1877, 535 [not figured].
 ——— ——— ——— Brady, Report Challenger, 1884, 701, civ, 12-16.
formosa, Reuss. Sitz. k. Ak. Wiss. Wien, lix, Abth. 1, 1869, 464, iii, 1a-c.
haidingeri (d'Orb.). Hantken, A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 67, xv, 10; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 77, same pl. and fig. [*Rotalina*, 1846.]
hauerii (d'Orbigny). Brady, Report Challenger, 1884, 690, evi, 6 and 7. [*Rotalina*, 1846.]
karsteni (Reuss). Brady, Trans. Linnean Soc. xxiv, 1864, 470, xlvi, 15. [See *Rotalia*, 1855.]

- PULVINULINA karsteni** (Reuss). J., P., & B., Crag Foram., Pal. Soc. xix, 1866, n. d., ii, 28-30.
- Anon., Science Gossip, 1870, 11, fig. 25.
- Brady, Ann. Mag. Nat. Hist. [5], i, 1878, 436, xxi, 11a-c.
- Brady, Report Challenger, 1884, 698, cv, 8 and 9.
- Sherborn & Chapman, Journ. R. Mier. Soc. [2], vi, 1886, 758, xvi, 21a-c.
- See *P. repanda* (F. & M.).
- **kilianii**, Andreae. Abh. geol. Speciaalkarte Elsass-Lothr. II, Heft 3, 1884, 255, xi, 1.
- **kovacsicensis**, Hantken. Math. Nat. Ber. Ungarn, III, 1885, 177.
- **lateralis** (Terq.). Brady, Report Challenger, 1884, 689, cvi, 2, 3. [*Rosalina*, 1878.]
- **lobata**, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 67, x, 1 ; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 77, same pl. and fig. [Given as *Truncatulina* in Magyar descr. of plate.]
- **lobosannensis**, Andreae. Abh. geol. Speciaalkarte Elsass-Lothr. II, Heft 3, 1884, 218, viii, 16.
- **lotus**, Schwager. Palaeontographica, xxx, 1883, Pal. Theil, 132, xxviii (5), 9a-d.
- **mediterranensis** (d'O.). P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], viii, 1871, 172, xii, 141. [*Rosalina*, 1826.]
- **menardii** (d'Orbigny). S. R. J. Owen, Journ. Linn. Soc. (Zool.) ix, 1867, 148, v, 16. [*Rotalia*, 1826.]
- — — — — Thomson, Proc. Roy. Soc. xxiii, 1875, 37, iii, 1 and 2.
- — — — — v. *cultrata*, d'Orb. Vanden Broeck, Ann. Soc. Belge Micros. II, 1876, 141, iii, 13 and 15 ; and Fonds de la Mer, III, (1876). [= *Cristellaria*.]
- — — — — v. *tumida*, Brady. Geol. Mag. [2], iv, 1877, 535 [not figured]. [See *P. tumida*.]
- — — — — Wy. Thomson, Voyage Challenger, 1877, ii, 218, fig. 48a, b.
- — — — — Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 112, viii, 289-295.
- — — — — Brady, Report Challenger, 1884, 690, ciii, 1 and 2.
- — — — — v. *fimbriata*, Brady. Report Challenger, 1884, 691, ciii, 3a, b.
- — — — — Hogg, Microscope, 1886, xviii, iii, 85.
- — — — — Malagoli, Boll. Soc. geol. Ital. vi, 1887, 523, xiii, 10.
- — — — — Brady, Parker, & Jones, Trans. Zool. Soc. xii, pt. 7, 1888, 228, xlvi, 3.
- — — — — Agassiz, Three Cruises "Blake," II, 1888, 169, figs. 516, 517.
- — — — — See *P. repanda* (F. & M.).
- **meneghinii**, Hantken. Ertek. Termesz. körebel, xiii, No. 1, 1883, 31, iii, 2a, b, c ; and Math. Nat. Ber. Ungarn, II, 1884, p. 151.
- **micheliniiana** (d'Orbigny). S. R. J. Owen, Journ. Linn. Soc. (Zool.) ix, 1867, 148, v, 17. [*Rotalina*, 1840.]
- — — — — Vine, Science Gossip, 1878, 52, figs. 28-30.
- — — — — Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 114, viii, 296-298.
- — — — — Brady, Report Challenger, 1884, 694, civ, 1 and 2.
- — — — — Hogg, Microscope, 1886, xviii, iii, 83.
- — — — — Brady, Parker, & Jones, Trans. Zool. Soc. xii, pt. 7, 1888, 229, xlvi, 9 and 10.
- — — — — See *P. repanda* (F. & M.).
- **moelleri**, Schwager. Palaeontographica, xxx, 1883, Pal. Theil, 130, xxvii (4), 15a-d.
- **mokattamensis** (var.), Schwager. Palaeontographica, xxx, 1883, Pal. Theil, 134, xxviii (5), 11a-d.

- PULVINULINA nonioninoides**, Andreæ. Abh. geol. Speciakarte Elsass-Lothr. II, Heft 3, 1884, 256, xi, 2.
- **normanni**, Karrer. In v. Drasche, Frag. Geol. Luzon, 1878, 97, v, 24; and Bol. Com. Map. Geol. Espa n. VII, 1880, 280, F, 10.
- **oblonga** (Will.). Brady, Report Challenger, 1884, 688, evi, 4a, b, c. [*Rotalina*, 1858.]
- **v. seabra**, Brady. Report Challenger, 1884, 689, evi, 8a, b, c.
- **Brady**, Parker, & Jones, Trans. Zool. Soc. XII, pt. 7, 1888, 229, xlvi, 5.
- **partschiana** (d'Orbigny). See *Rotalina*, 1846.
- **Reuss**, Sitz. k. Ak. Wiss. Wien, LXII, 1870, 36; v. Schlicht, Foram. Septar. Pietzpuhl, 1870, xx, 23-25, 29-31.
- **[partschi]** — Zittel, Handb. Pal., Abth. I, 1876, 94, fig. 32¹.
- **[partschi]** — Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 26, pl., 42.
- **Brady**, Report Challenger, 1884, 699, ev, 3a, b, c; and 700, cut 21.
- **patagonica** (d'O.). Brady, Report Challenger, 1884, 693, ciii, 7a, b, c. [*Rotalina*, 1839.]
- **pauperata**, Parker & Jones. Phil. Trans. 1865, 395, xvi, 50, 51a, 51b. [See *P. repanda* (F. & M.).]
- **Brady**, Report Challenger, 1884, 696, civ, 3-11.
- **perlata**, Andreæ. Abh. geol. Speciakarte Elsass-Lothr. II, Heft 3, 1884, 216, viii, 12.
- **petrolei**, Andreæ. Abh. geol. Speciakarte Elsass-Lothr. II, Heft 3, 1884, 217, viii, 15.
- **procera**, Brady. Quart. Journ. Micr. Sci. XXI, 1881, 66.
- **Brady**, Report Challenger, 1884, 698, ev, 7a, b, c.
- **prominens**, Reuss. Sitz. k. Ak. Wiss. Wien, LIX, Abth. 1, 1869, 463, iii, 2a-c.
- **punctulata** (d'Orb.). Brady, Report Challenger, 1884, 685, civ, 17a, b, c. [*Rotalia*, 1826.]
- **varr.** Sherborn & Chapman, Journ. R. Micr. Soc. [2], VI, 1886, 758, xvi, 22a-c, 23a-c.
- **See *P. repanda* (F. & M.).**
- **pulchella** (d'Orbigny). J., P., & B., Crag Foram., Pal. Soc. XIX, 1866, n. d., ii, 25-27. [*Rotalia*, 1826.]
- **Soldani**, Testae, I, 1, 1789, 56, pl. 35R = this form.
- **See *Cidarollus*.**
- **pygmea**, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 67, x, 8; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 78, same pl. and fig. [Given as *Truncatulina* in descr. of plate.]
- **[pygmæa**, Hantk.]. Andreæ, Abh. geol. Speciakarte Elsass-Lothr. II, Heft 3, 1884, 216, viii, 13.
- **repanda** (Fichtel & Moll.), (varr.). Parker & Jones, Phil. Trans. 1865, 390, xiv, 12-17, xvi, 35-51. [*Nautilus*, 1798.]
- **v. elegans** (d'O.). Parker & Jones, Phil. Trans. 1865, 397, xvi, 44-46. [*Rotalia*, 1826.]
- **v. karsteni** (Rss.). Parker & Jones, Phil. Trans. 1865, 396, xiv, 14, 15, and 17, xv, 38-40. [*Rotalia*, 1855.]
- **v. menardii** (d'O.). Parker & Jones, Phil. Trans. 1865, 394, xvi, 35-37. [*Rotalia*, 1826.]
- **v. menardii** (d'O.), subv. *canariensis* (d'O.). Parker & Jones, Phil. Trans. 1865, 395, xvi, 47-49. [*Rotalina*, 1839.]
- **v. menardii** (d'O.), subv. *micheliniiana* (d'O.). Parker & Jones, Phil. Trans. 1865, 396, xiv, 16, xvi, 41-43. [*Rotalina*, 1840.]
- **v. menardii** (d'O.), subv. *pauperata*, Parker & Jones. Phil. Trans. 1865, 395, xvi, 50, 51a, 51b. [See *P. pauperata*.]

- PULVINULINA repanda** (Fichtel & Moll), v. *punctatula* (d'O.). Parker & Jones, Phil. Trans. 1865, 394, xiv, 12 and 13. [*Rotalia*, 1826.]
- J., P., & B., Crag Foram., Pal. Soc. xix, 1866, n. d., ii, 22, 24.
- Anon., Science Gossip, 1870, 11, fig. 24. [= *Rosalina concamerata*, Will.]
- P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], viii, 1871, 172, xii, 140. [See *Rosalina mediterranensis*, d'O.]
- Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxiii, 1880, 206, iii, 61.
- Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 110, viii, 276-282.
- Jones, in Microgr. Diet. ed. 4, 1883, 648, xxiv, 16a, b, c.
- Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxv, 1883, 198, iii, 42.
- Brady, Report Challenger, 1884, 684, civ, 18a, b, c.
- v. *concamerata*, Montagu var. Brady, Report Challenger, 1884, 685, civ, 19a, b, c. [*Serpula*, 1808; fide Williamson. See also *Rotalina* and notes in Report Challenger, 685.]
- Sherborn & Chapman, Journ. R. Micr. Soc. [2], vi, 1886, 757, xvi, 18a-c.
- v. *concamerata*, Will. Sherborn & Chapman, Journ. R. Micr. Soc. [2], vi, 1886, 758, xvi, 19a-c. [*Serpula*, 1808.]
- Soldani, Testac. i, 1, 1789, 56, pl. 37C, D, F = varr. of this form.
- v. *pulchella*, d'O. Soldani, Testac. i, 1, 1789, 56, pl. 36S, V, X = varr. of this form. [X = *P. boueana* (d'O.).] [See *Rotalia*.]
- vermicular var. See *Frumentaria* 7 specie.
- *rjäsanensis*, Uhlig. Jahrb. k. k. geol. Reichs. xxxiii, 1883, 772, viii, 4-6.
- *rotula* (Kaufmann). Uhlig, Jahrb. k. k. geol. Reichsanstalt, xxxvi, 1886, 193, iii, 5, 6; v, 6, 7. [*Hemistegina*, 1867.]
- *sacculata*, Jones & Parker. Ann. Mag. Nat. Hist. [4], xvii, 1876, 284, cuts, 1, 2, and 3.
- *schreibersii* (d'Orbigny). Brady, Report Challenger, 1884, 697, cxv, 1a, b, c. [*Rotalina*, 1846.]
- Brady, Parker, & Jones, Trans. Zool. Soc. xii, pt. 7, 1888, 228, xlvi, 4.
- *scitula*, Brady. Proc. Roy. Soc. Edinburgh, xi, 1882, 716, not figured.
- Balkwill & Millett, Journ. Micr. iii, 1884, 85, iv, 12.
- *semiornata*, Howchin. Trans. R. Soc. S. Austr. xii, 1889, 14, i, 12.
- *semiplecta*, Schwager. Palaeontographica, xxx, 1883, Pal. Theil, 130, xvii (4), 16a-d.
- *similis*, Hantken. A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 68, x, 5; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 78, same pl. and fig.
- *soldanii* (d'O.). P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], viii, 1871, 172, xii, 144. [*Rosalina*, 1826.]
- Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxv, 1883, 199, iii, 44.
- Terrigi, Mem. R. Acc. Lincei, [4], vi, 1889, 119, ix, 3.
- *spinulifera* (Reuss). Steinmann, Elem. Paléont. i, 1888, 20 and 30, figs. 3Ba and 13. [*Rotalia*, 1862.]
- Prestwich, Geology, 1888, ii, 278, 144b.
- *sanctæ-odiliæ*, Andreea. Abh. geol. Spezialkarte Elsass-Lothr. ii, Heft 3, 1884, 224, viii, 17.
- *subinflata* (var.), Schwager. Palaeontographica, xxx, 1883, Pal. Theil, 131, xxvii (4), 11a-d.

- PULVINULINA terquemi**, Schwager. *Palaeontographica*, xxx, 1883, Pal. Theil, 134, xxviii (5), 3a-d.
- *trochiformis*, Andreæ. *Abh. geol. Speciaalkarte Elsass-Lothr. II*, Heft 3, 1884, 216, viii, 14.
- *truncatulinoides* (d'Orbigny). *Parker & Jones, Phil. Trans.* 1865, 398, xvi, 41-43. [*Rotalina*, 1839.]
- *tumida*, Brady. *Report Challenger*, 1884, 692, ciii, 4-6. [*P. menardii*, var. 1877.]
- *umbilicata* (d'Orb.). *Jones, Geologist*, vi, 1863, 294 and 432, xv, 9-11. [*Rotalina*, 1840.]
- *umbilicata*, Hautken. A magy. kir. földt. int. évkönyve, iv, 1875 (1876), not descr., xv, 9; and *Mitth. a. d. Jahrb. k. ungar. geol. Anstalt*, iv, 1875 (1881), same pl. and fig. [Given as *Discorb. disca* in German text, 76.]
- *umbonata*, Reuss. Hantken, A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 67, ix, 8; and *Mitth. a. d. Jahrb. k. ungar. geol. Anstalt*, iv, 1875 (1881), 77, same pl. and fig. [*Rotalina*, 1851.]
- *Terrigi*, Atti Acc. Pont. Nuovi Lincei, xxxv, 1883, 200, iv, 45, 46.
- *Brady, Report Challenger*, 1884, 695, cv, 2a, b, c.
- *vermiculata* (d'Orbigny). *Carpenter, Parker, & Jones, Introd. Foram.* 1862, 211, xiii, 4-6. [*Planorbolina*, 1826.] [Structural.]
- *P.*, J., & B. [Soldani], *Ann. Mag. Nat. Hist.* [4], viii, 1871, 178, xii, 146.
- *Bütschli*, in *Bronn, Klassen, etc. Thier-Reichs*, 1880, 207, ix, 5.
- [*vermicularis*] — *Jones, in Mierogr. Dict. ed. 4*, 1883, 648, xxiv, 11.
- *Brady, Report Challenger*, 1884, 687, cxv, 2a, b.
- see *Eponides*.
- ? see *Jesites*.
- see *Nautilus*.

PULVINULUS, Lamarck, 1816.

- *asterisans* [F. & M.]. Lamarck, Ency. Method., "Vers," (1830), n. d., 466, f. 10 (pls. 1827). (P. & J. quote pt. 23, 1816).
- *repandus* [F. & M.]. Lamarck, Ency. Method., "Vers," (1830), n. d., 466, f. 9 (pls. 1827), (P. & J. quote pt. 23, 1816).

Pulvis ut supra, sed ex microscopicis prorsus Testis, etc. Soldani, Sagg. Oritt. 1780, 110, viii, 46AA, BB. [= *Gyroidina orbicularis*.]

Pulvis ut supra, sed ex microscopicis prorsus Testis, etc. Soldani, Sagg. Oritt. 1780, 110, viii, 46CC. [= *Nodos. scalaris*, Batsch.]

Pulvis ut supra, sed ex microscopicis prorsus Testis, etc. Soldani, Sagg. Oritt. 1780, 110, viii, 46DD. [= *Gyroidina soldanii*.]

Pulvis ut supra, sed ex microscopicis prorsus Testis, etc. Soldani, Sagg. Oritt. 1780, 110, viii, 46EE. [= *Pulvinulina auricula*.]

Pulvis ut supra, sed ex microscopicis prorsus Testis, etc. Soldani, Sagg. Oritt. 1780, 110, vii, 46XX, YY. [= *Rotalia soldanii*, var.]

Pulvis ut supra, sed ex microscopicis prorsus Testis, etc. Soldani, Sagg. Oritt. 1780, 110, vii, 46ZZ. [= *Amphistegina lessoni*.]

PUPINA, d'Orbigny. Reuss, in *Geinitz, Grundriss Verstein*, 1845-1846, 646. [D'Orbigny, in *De la Sagra's Hist. phys. Ile Cuba*, 1839, "Foraminifères," 109, describes the genus *Chrysalidina*; as the locality for his species is the same as that quoted by Reuss, and as only one species was known to d'Orbigny, it is fair to assume that *Pupina* was a misquotation.]

PUSTULARIA, Gray, 1858. *Proc. Zool. Soc. London*, xxvi, 1858, 271. [= *Polytrema*.]

— *rosa*, Gray. *Proc. Zool. Soc. London*, xxvi, 1858, 271, not fig'd. [= *Polytrema miniaceum*.]

- PYLODEXIA**, Ehrenberg, 1858. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 27.
- *atlantica*, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 292. Ehrenberg, Abh. k. Ak. Wiss. Berlin, 1872 (1873), iv, 2.
 - *globigerina*, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 292.
 - *glomerulus*, Ehr. Monatsber. k. preuss. Ak. Wiss. Berlin, 1861, 308. Ehrenberg, Abh. k. Ak. Wiss. Berlin, 1872 (1873), i, 23.
 - *heteropora*, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 292.
 - *megastoma*, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 292.
 - *platytetras*, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 293. Ehrenberg, Abh. k. Ak. Wiss. Berlin, 1872 (1873), iii, 14.
 - *pusilla*, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 27. [= *Globig. pusilla*.]
 - *rubra*, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 293.
 - *tetratrias*, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 27. [= "Globigerina."]
 - — — — — Ehrenberg, Abh. k. Ak. Wiss. Berlin, 1872 (1873), xi, 8.
 - *uvula*, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 308. Ehrenberg, Abh. k. Ak. Wiss. Berlin, 1872 (1873), ii, 24 and 25.
- PYRGO**, Defrance, 1824.
- *lævis*, Defrance. Dict. Sci. Nat. xxxii, 1824, 273; Atlas, Conch. lxxviii, 2. [= *Biloc. bulloides*, d'O.]
 - — — — — Blainville, Malacologie, 1825 (pls. 1827), 482, lxii bis, 2. Cuvier, Animal Kingdom, Henderson's ed. III, 1834 (pls. 1837), 22, vii, 13; and Griffith ed. XII (1834), 21, iii, 13.
 - — — — — [Blainv.]. Cuvier, Règne Animal, 1836-46, ix (plates, x), 37, xviii, 2.
 - *mediterranea*, Risso. Hist. Nat. Europe, IV, 1826, 25.
- PYRULINA**,* d'Orbigny, 1826. Ann. Sci. Nat. VII, 1826, 267.
- *acuminata*, d'Orbigny. Mém. Soc. géol. France, [1], IV, 1840, 43, iv, 18 and 19; facsimile in Science Gossip, 1870, 157, fig. 150. [See *Poly-morphina*.]
 - — — — — Reuss, in Geinitz, Grundr. Verstein. 1845-46, 670, xxiv, 64. Bronn, Lethaea Geognostica, ed. 3, II, 1851-52, 88, xxix¹, 16a, b
 - — — — — Beudant, Géologie, ed. 8, 1858, 117, fig. 97; later eds. same fig.
 - *gutta*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 267, No. 28. [See *Poly-morphina*.]
 - — — — — Reuss' Models, No. 96, 1865 (Catal., No. 68, 1861).
 - *obtusa*, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863), 79, ix, 9.
 - *ovulum*, Ehrenberg. Mikrogeologie, 1854, xxxi, 35 and 36. [= *Polym. lactea*, W. & J.]
 - von Schlicht, Foram. Septar. Pietzpuhl, 1870, plates xxv and xxvii.
- "**Quadriloculares**," Terquem, Mém. Soc. géol. France, [3], IV, 1886, 72-75, viii, 21-43. [Merely a classificatory term for some *Miliolinae*.]
- QUINQUELOCULINA**, d'Orbigny, 1826. Ann. Sci. Nat. VII, 1826, 301.
- *abnormis*, Terquem. Mém. Soc. géol. France, [3], II, 1882, 178, xix (xxvii), 13a-d.
 - *affinis*, Costa. Atti Accad. Pont. VII, fas. 2, 1856, 329, xxv, 13A, B, C.
 - *affinis*, Eichwald. Lethaea Rossica, III, 1853, 13, i, 15a-d. [*Miliola*, 1830.]
 - *affinis*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 302, No. 41.
 - *agglutinans*, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 195, xii, 11-13; also in Spanish, 1840, 168, same pl. and fig. [See *Miliola* and *Miliolina*.]

* Given by d'Orbigny as a subgenus of *Poly-morphina*.

- QUINQUELOCULINA akneriana**, d'Orbigny. Foram. Fossiles Vienne, 1846, 290, xviii, 16-21. [See *Miliolina*.]
- Terquem, Ess. Anim. Plage Dunkerque, pt. 2, 1876, 85, xii, 5a, b, c; (and Mém. Soc. Dunkerquoise).
- **alata**, Terquem. Ess. Anim. Plage Dunkerque, pt. 1, 1875, 38, vi, 2a, b, c; (and Mém. Soc. Dunkerquoise).
- **anguina**, Terq. Mém. Soc. géol. France, [3], I, 1878, 78, ix (xiv), 20a-c.
- Terquem, Mém. Soc. géol. France, [3], II, 1882, 180, xix (xxvii), 20a-c.
- **angularis**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 302, No. 23.
- **angulata**, Terquem. Quatr. Mém. Foram. Oolithique, 1874, 334, xxxvii, 13-18.
- **angulata** (Will.). Terquem, Ess. Anim. Plage Dunkerque, pt. 1, 1875, 40, vi, 13a, b, c; (and Mém. Soc. Dunkerquoise). [See *Miliolina bicornis*, var.]
- **angusta** (Phil.). Reuss, Sitz. k. Ak. Wiss. Wien, XVIII, 1856, 253, ix, 90. [*Triloculina*, 1843.]
- **angustidentata**, Terquem. Mém. Soc. géol. France, [3], II, 1882, 175, xviii (xxvi), 26-28.
- **angustissima**, Rss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 384, xlxi, 18.
- **annularis**, Terquem. Mém. Soc. géol. France, [3], II, 1882, 180, xix (xxvii), 17a-c.
- **antillarum**, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 194, xii, 4-7 [error for 4-6]; also in Spanish, 1840, 167, same pl. and fig.
- **araucana**, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 76, ix, 13-15.
- **arenosa**, Terquem. Mém. Soc. géol. France, [3], IV, 1886, 87, x, 19-41.
- **argus**, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 374.
- **ariminensis**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 301, No. 16.
- **aspera**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 301, No. 11.
- Terquem, Mém. Soc. géol. France, [3], I, 1878, 65, vi (xi), 11a-c.
- = *Q. seminulum* (Linn.) ; see *Frumentaria seminula*.
- **asperula**, Seguenza. Atti Accad. Gioenia Sci. Nat. [2], XVIII, 1862, 120, ii, 6, 6a and 6b.
- Schwager, Novara-Exped., Geol. Theil II, 1866, 203, iv, 16a, b, c.
- **atropos**, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, Abth. 1, 1868, 152, iii, 6.
- **auberiana**, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 193, xii, 1-3; also in Spanish, 1840, 167, same pl. and fig. [See *Miliolina*.]
- **badenensis**, d'Orbigny. Foram. Fossiles Vienne, 1846, 299, xx, 10-12.
- **bajociana**, Terquem. Bull. Soc. géol. France, [3], IV, 1876, 499, xvii, 24.
- **berthelotiana**, d'Orbigny. Barker, Webb, & Berthelot, Hist. Nat. Iles Canaries, 1839, ii, pt. 2, "Foraminifères," 142, iii, 25-27.
- **bicarinata**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 302, No. 35.
- Terquem, Mém. Soc. géol. France, [3], I, 1878, 68, vii (xii), 10a-c.
- **bicarinella**, Reuss. Sitz. k. Ak. Wiss. Wien, LIX, Abth. 1, 1869, 456, i, 6a-c.
- **bicornis** (Walk.). Terquem, Ess. Anim. Plage Dunkerque, pt. 1, 1875, 39, vi, 6a, b, c; (and Mém. Soc. Dunkerquoise). [*Serpula*, 1798.]
- v. **elegans**, Will. Terquem, Ess. Anim. Plage Dunkerque, pt. 1, 1875, 39, vi, 7a, b; (and Mém. Soc. Dunkerquoise). [See *Miliolina bicornis*, var.]

- QUINQUELOCULINA** bicostata, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 195, xii, 8–10; also in Spanish, 1840, 168, same pl. and fig.
- bidentata, d'Orb. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 197, xii, 18–20; also in Spanish, 1840, 169, same pl. and fig.
- biondi, Seguenza. Atti Accad. Gioenia Sci. Nat. [2], xviii, 1862, 119, ii, 7, 7a and 7b.
- birostris (Lam.). Terquem, Mém. Soc. géol. France, [3], ii, 1882, 181, xix (xxvii), 23a, b. [*Miliolites*, 1804.]
- bistorta, Terquem. Mém. Soc. géol. France, [3], i, 1878, 78, ix (xiv), 21a–c.
- bosciana, d'Orb. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 191, xi, 22–24; also in Spanish, 1840, 165, same pl. and fig.
- boueana, d'Orbigny. Foram. Fossiles Vienne, 1846, 293, xix, 7–9. [See *Miliolina*.]
- — — Costa, Atti Accad. Pontaniana, vii, fas. 2, 1856, 329, xxv, 154, B, C.
- — — Terquem, Ess. Anim. Plage Dunkerque, pt. 2, 1876, 84, xii, 1a, b, c; (and Mém. Soc. Dunkerquoise).
- brauni, Reuss. Neues Jahrbuch, 1853, 674, ix, 4.
- brongniartii, d'Orb. J., P., & B., Crag Foram., Pal. Soc. xix, 1866, 14, iii, 41 and 42, iv, 2. [*Triloculina*, 1826.]
- — — Jones, in Mierogr. Diet. ed. 4, 1883, 651, xxiii, 6a, b.
- bronniana, d'Orbigny. Foram. Fossiles Vienne, 1846, 287, xviii, 4–6.
- buchiana, d'Orbigny. Foram. Fossiles Vienne, 1846, 289, xviii, 10–12.
- — — Costa, Atti Accad. Pontaniana, vii, fas. 2, 1856, 327, xxvi, 7A, B, C.
- bulloides, d'Orbigny. Ann. Sci. Nat. vii, 1826, 301, No. 9.
- — — Terquem, Mém. Soc. géol. France, [3], i, 1878, 66, vi (xi), 17a–19c.
- canaliculata, Terquem. Mém. Soc. géol. France, [3], i, 1878, 74, viii (xiii), 23a–c.
- candieana, d'Orb. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 199, xii, 24–26; also in Spanish, 1840, 170, same pl. and fig.
- — — Brady, Ann. Mag. Nat. Hist. [4], vi, 1870, 286, xi, 1a, b.
- carinata, d'Orbigny. Ann. Sci. Nat. vii, 1826, 302, No. 28.
- — — Terquem, Mém. Soc. géol. France, [3], ii, 1882, viii (xxvi), 16 and 17.
- ? — caudata, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 374 and 376. [See *Spiroloc. caudata*.]
- ? — ? — Ehr., Mikrogeologie, 1854, xxiii, 52. [= ?]
- centrata, Terquem. Mém. Soc. géol. France, [3], ii, 1882, 177, xix (xxvii), 3–5.
- clotho, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, Abth. 1, 1868, 146, ii, 5.
- cognata, Bornemann. Zeitschr. deutsch. geol. Ges. vii, 1855, 350, xix, 7.
- compressa, Terq. et Berth. Mém. Soc. géol. France, [2], x, 1875, 85, vii (xvii), 11a, b.
- concava, Reuss. Denkschr. k. Ak. Wiss. Wien, i, 1850, 386, li, 2.
- concinna, Reuss. Denkschr. k. Ak. Wiss. Wien, i, 1850, 384, l, 2.
- confusa, Reuss. Sitz. k. Ak. Wiss. Wien, XLVIII, Abth. 1, 1863 (1864), 42, ii, 8a–c.
- conica, Terquem. Mém. Soc. géol. France, [3], ii, 1882, 187, xx (xxviii), 22a–c.
- contorta, d'Orbigny. Foram. Fossiles Vienne, 1846, 298, xx, 4–6.
- — — Terquem, Ess. Anim. Plage Dunkerque, pt. 2, 1876, 81, xi, 4a, b, c; (and Mém. Soc. Dunkerquoise).
- [contortus?], d'Orb. Balkwill & Millett, Journ. Mier. III, 1884, 24, i, 2.

- QUINQUELOCULINA contraria**, Terq. et Berth. Mém. Soc. géol. France, [2], x, 1875, 85, vii (xvii), 12a, b.
 —— **cora**, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 76, ix, 16-18.
 —— **cor-anguinum** (Lamarek). Mantell, Pictorial Atlas Foss. Rem. 1850, 143, lxii, 12 and 13. [*Miliolites*, 1804.]
 —— **corrugata**, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, n. d., xxv, 14.
 —— **costata**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 301, No. 3.
 —— —— —— Terquem, Mém. Soc. géol. France, [3], I, 1878, 63, vi (xi), 3a-5c.
 —— —— —— Terquem, Mém. Soc. géol. France, [3], II, 1882, 183, xx (xxviii), 8 and 9.
 —— **costata**, Karrer. Sitz. k. Ak. Wiss. Wien, LV, Abth. 1, 1867, 362, iii, 4.
 —— **crassa**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 301, No. 14.
 —— —— —— Terquem, Mém. Soc. géol. France, [3], II, 1882, 186, xx (xxviii), 20 and 21.
 —— **classicostata**, Terquem. Mém. Soc. géol. France, [3], II, 1882, 185, xx (xxviii), 14-17.
 —— **cuvieriana**, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 190, xi, 19-21; also in Spanish, 1840, 164, same pl. and fig. [v. *Miliolina*.]
 —— **denticulata**, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, 325, xxv, 94, B, C [error for 6].
 —— **depressa**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 302, No. 38.
 —— —— —— Terquem, Mém. Soc. géol. France, [3], I, 1878, 70, viii (xiii), 1-11.
 —— **dilatata**, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 192, xi, 28-30; also in Spanish, 1840, 166, same pl. and fig.
 —— **dimidiata**, Terquem. Ess. Anim. Plage Dunkerque, pt. 2, 1876, 81, xi, 5a, b, c; (and Mém. Soc. Dunkerquoise).
 —— **disciformis** (Will.). Terquem, Mém. Soc. géol. France, [3], I, 1878, 73, viii (xiii), 22a-c. [v. *Miliolina seminulum*.]
 —— —— var. Terquem, Ess. Anim. Plage Dunkerque, pt. 3, 1881, 135, xvii, 17a, b; (and Mém. Soc. Dunkerquoise).
 —— **disparilis**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 302, No. 21.
 —— **disticha**, Terquem. Mém. Soc. géol. France, [3], II, 1882, 183, xx (xxviii), 7a-c.
 —— **dubia**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 303, No. 47.
 —— **dutemplei**, d'Orbigny. Foram. Fossiles Vienne, 1846, 294, xix, 10-12.
 —— —— Harting, Magt van het Kleine, 1849, iii, fig. 6; German by Dr. A. Schwartzkopf, 1851, 81.
 —— **eborea**, Schwager. Novara-Exped., Geol. Theil II, 1866, 204, iv, 18a, b, c.
 —— **elegans**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 301, No. 12.
 —— —— —— Terquem, Mém. Soc. géol. France, [3], I, 1878, 64, vi (xi), 7a-9c.
 —— **enoplostoma**, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 196, xii, 14-17; also in Spanish, 1840, 169, same pl. and fig.
 —— **eos**, Reuss. Sitz. k. Ak. Wiss. Wien, LIX, Abth. 1, 1869, 457, i, 7a-c.
 —— **ermani**, Bornemann. Zeitschr. deutsch. geol. Ges. VII, 1855, 351, xix, 6.
 —— —— v. **trigonostomea**, Franzenau. Földtani Közlöny, XI, 1881, 45 and 98, iii, 10-12.
 —— **excavata**, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, Abth. 1, 1868, 148, ii, 9.
 —— **fabularoides**, Karrer. Sitz. k. Ak. Wiss. Wien, I, Abth. 1, 1864 (1865), 704, i, 3.
 —— **falcifera**, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, Abth. 1, 1868, 151, iii, 3.

- QUINQUELOCULINA** ferussaci, d'Orbigny. Ann. Sci. Nat. vii, 1826, 301,
 No. 18. [v. *Miliola* and *Miliolina*.]
 _____ D'Orbigny, Modèles, No. 32, 1826.
 _____ P., J., & B. [d'O., Modèles, 32], Ann. Mag. Nat. Hist. [3], xvi, 1865, 24, i, 12.
 _____ J., P., & B., Crag Foram., Pal. Soc. xix, 1866, 12, iv, 4.
 _____ Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 163, fig.
 _____ *flavescens*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 302, No. 30.
 _____ *flexuosa*, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 73, iv, 4-6.
 _____ *fœda*, Reuss. Denkschr. k. Ak. Wiss. Wien, i, 1850, 384, 1, 5 and 6.
 _____ *fusca*, Brady. Ann. Mag. Nat. Hist. [4], vi, 1870, 286, xi, 2a, b, c, and 3.
 _____ Schulze, Arch. mikrosk. Anat. xi, 1875, 134, vi, 17-20.
 _____ *gibberula*, Terquem. Quatr. Mém. Foram. Oolithique, 1874, 333, xxvi, 17a and b.
 _____ *glomerata*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 301, No. 7.
 _____ Terquem, Mém. Soc. géol. France, [3], ii, 1882, 175, xviii (xxvi), 22-25.
 _____ *gracilis*, Costa. Atti Accad. Pontaniana, vii, fas. 2, 1856, n. d., xxvi, 1.
 _____ *gracilis*, Karrer. Sitz. k. Ak. Wiss. Wien, iv, Abth. 1, 1867, 361, iii, 2.
 _____ *grata*, Terquem. Mém. Soc. géol. France, [3], i, 1878, 75, ix (xiv), 4a-7c.
 _____ *gregaria*, Andreae. Abh. geol. Specialkarte Elsass-Lothr. ii, Heft 3, 1884, 278, xii, 10-12.
 _____ *grinzingensis*, Reuss. Denkschr. k. Ak. Wiss. Wien, i, 1850, 385, li, 1.
 _____ *gualtieriana*, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 186, xi, 1-3; also in Spanish, 1840, 162, same pl. and fig.
 _____ *guancha*, d'Orbigny. Barker Webb & Berthelot, Hist. Nat. Iles Canaries, 1839, ii, pt. 2, "Foraminifères," 143, iii, 34-36.
 _____ *haidingeri*, d'Orbigny. Foram. Fossiles Vienne, 1846, 289, xviii, 13-15. [v. *Miliola*.]
 _____ [*haidengeri*] _____ Terquem, Ess. Anim. Plage Dunkerque, pt. 1, 1875, 39, vi, 3; (and Mém. Soc. Dunkerquoise).
 _____ Terquem, Ess. Anim. Plage Dunkerque, pt. 2, 1876, 85, xii, 8a, b; (and Mém. Soc. Dunkerquoise).
 _____ *hauerina*, d'Orbigny. Foram. Fossiles Vienne, 1846, 286, xvii, 25-27.
 _____ Dixon, Geol. etc. Sussex, 1850, 85, ix, 8; and 2d ed. 1878, 172.
 _____ Terquem, Ess. Anim. Plage Dunkerque, pt. 1, 1875, 39, vi, 5a-e; (and Mém. Soc. Dunkerquoise).
 _____ *hiantula*, Reuss. Denkschr. k. Ak. Wiss. Wien, xxiii, 1864, 8, i, 12 [error for 11].
 ? *hirudo*, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 28.
 _____ Ehrenberg, Abh. k. Ak. Wiss. Berlin, 1872 (1873), xi, 21.
 _____ *hybrida*, Terquem. Mém. Soc. géol. France, [3], i, 1878, 79, ix (xiv), 23a-c.
 _____ *implexa*, Terquem. Bull. Soc. zool. Fr. xi, 1886, 335, xi, 24, 25, and 26.
 _____ *impressa*, Reuss. Zeitschr. deutsch. geol. Ges. iii, 1851, 87, vii, 59.
 _____ Bornemann, Zeitschr. deutsch. geol. Ges. vii, 1855, 350, xix, 8.
 _____ Andreae, Abh. geol. Specialkarte Elsass-Lothr. ii, Heft 3, 1884, 155, x, 25 and 26.
 _____ var. *subovalis*, Andreae. Abh. geol. Specialkarte Elsass-Lothr. ii, Heft 3, 1884, 225, x, 27.

- QUINQUELOCULINA impressa**, Terquem. Quatr. Mém. Foram. Oolithique, 1874, 331, xxxvi, 2-7.
 —— **inæqualis**, d'Orbigny. Barker Webb & Berthelot, Hist. Nat. Iles Canaries, 1839, II, pt. 2, "Foraminifères," 142, III, 28-30. [*Q. inæquerlis* on plate.]
 —— **inca**, d'Orbigny. Voyage Amér. Mérid. 1839, V, pt. 5, "Foraminifères," 75, IV, 20-22.
 —— **incerta**, Terquem. Mém. Soc. géol. France, [3], II, 1882, 178, xix (xxvii), 12a-c.
 —— **inconstans**, Terquem. Quatr. Mém. Foram. Oolithique, 1874, 333, xxxvi, 18-20, xxxvii, 1-12.
 —— Terquem, Mém. Soc. géol. France, [3], I, 1878, 77, IX (xiv), 15-19.
 —— **incrassata**, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, Abth. 1, 1868, 148, II, 10.
 —— **inflata**, d'Orbigny. P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 249, viii, 16. [*Triloculina*, 1826.]
 —— **instabilis**, Terquem. Mém. Soc. géol. France, [3], II, 1882, 177, xix (xxvii), 6-11.
 —— **intricata**, Terquem. Mém. Soc. géol. France, [3], I, 1878, 73, viii (xiii), 16a-21b.
 —— **involuta**, Terquem. Mém. Soc. géol. France, [3], I, 1878, 76, ix (xiv), 10a-c.
 —— **irregularis**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 302, No. 25.
 —— Terquem, Mém. Soc. géol. France, [3], I, 1878, 66, VI (xi), 15a-16c.
 —— **isabellei**, d'Orbigny. Voyage Amér. Mérid. 1839, V, pt. 5, "Foraminifères," 74, IV, 17-19.
 —— **italica**, Terquem. Mém. Soc. géol. France, [3], I, 1878, 69, vii (xii), 17a-20c.
 —— **josephina**, d'Orbigny. Foram. Fossiles Vienne, 1846, 297, xix, 25-27.
 —— Costa, Atti Accad. Pontaniana, VII, fas. 2, 1856, 321, xxv, 4A, B, C, D.
 —— **juleana**, d'Orbigny. Foram. Fossiles Vienne, 1846, 298, XX, 1-3.
 —— Terquem, Ess. Anim. Plage Dunkerque, pt. 1, 1875, 40, VI, 9a, b, c; (and Mém. Soc. Dunkerquoise).
 —— **klipsteini**, Reuss. Neues Jahrbuch, 1853, 674, IX, 6.
 —— **kostejana**, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, Abth. 1, 1868, 152, III, 4.
 —— **krenneri**, Franzenau. Földtani Közlöny, XI, 1881, 46 and 98, III, 13-18.
 —— **lachesis**, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, Abth. 1, 1868, 146, II, 4.
 —— **lacunosa**, Karrer. Sitz. k. Ak. Wiss. Wien, LV, Abth. 1, 1867, 362, III, 6.
 —— **ladidorsata**, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 386, L, 12.
 —— **lævigata**, Deshayes. Descr. Coq. Charact. 1831, 252 and 259, III, 3 and 4.
 —— **lævigata**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 301, No. 6.
 —— Barker Webb & Berthelot, Hist. Nat. Iles Canaries, 1839, II, pt. 2, "Foraminifères," 143, III, 31-33.
 —— Terquem, Mém. Soc. géol. France, [3], II, 1882, 173, xviii (xxvi), 14, 15.
 —— **lamarckiana**, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 189, XI, 14 and 15; also in Spanish, 1840, 164, same pl. and fig.
 —— **lamellata**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 302, No. 39.
 —— **lamellidens**, Reuss. Sitz. k. Ak. Wiss. Wien, XLVIII, Abth. 1, 1863 (1864), 41, I, 7a-c.
 —— **lanceolata**, Terq. et Berth. Mém. Soc. géol. France, [2], X, 1875, 84, vii (xvii), 7a, b.

- QUINQUELOCULINA** lata, Terquem. Ess. Anim. Plage Dunkerque, pt. 2, 1876, 82, xi, 8a, b; (and Mém. Soc. Dunkerquoise).
- lenticularis, Reuss. Denkschr. k. Ak. Wiss. Wien, i, 1850, 384, l, 5.
- limbata, d'Orbigny. Ann. Sci. Nat. vii, 1826, 302, No. 20.
- lobata, Costa. Atti Accad. Pontaniana, vii, fas. 2, 1856, n. d., xxvi, 248.
- longicollis, Costa. Atti Accad. Pontaniana, vii, fas. 2, 1856, n. d., xxv, 3.
- longidentata, Terquem. Mém. Soc. géol. France, [3], ii, 1882, 176, xviii (xxvi), 29 and 30, and xix (xxvii), 1 and 2.
- longirostra, d'Orbigny. Ann. Sci. Nat. vii, 1826, 303, No. 46.
- — — D'Orbigny. Foram. Fossiles Vienne, 1846, 291, xviii, 25–27.
- — — Terquem, Ess. Anim. Plage Dunkerque, pt. 2, 1876, 84, xii, 7–9 [error for 2a, b, c], and var., fig. 3; (and Mém. Soc. Dunkerquoise).
- [longirostris] — — — Schwager, Boll. R. Com. Geol. Ital. viii, 1877, 27, pl. 116.
- — — See *Frumentaria seminula*.
- lucida, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, Abth. 1, 1868, 147, ii, 7.
- ludwigi, Reuss. Denkschr. k. Ak. Wiss. Wien, xxv, 1865, 126, i, 12.
- lyra, d'Orbigny. Ann. Sci. Nat. vii, 1826, 303, No. 45.
- — — D'Orbigny, Modèles, No. 8, 1826.
- — — P., J., & B. [d'O., Modèles, No. 8], Ann. Mag. Nat. Hist. [3], xvi, 1865, 20, i, 11.
- — — Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 163, fig.
- magellanica, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 77, ix, 19–21.
- mariæ, d'Orbigny. Foram. Fossiles Vienne, 1846, 300, xx, 13–15.
- — — Pictet, Traité de Paléont., 2d ed. iv, 1857, 526, cix, 47.
- — — Terquem, Ess. Anim. Plage Dunkerque, pt. 1, 1875, 40, vi, 12a, b; (and Mém. Soc. Dunkerquoise).
- mayeriana, d'Orbigny. Foram. Fossiles Vienne, 1846, 287, xviii, 1–3.
- meridionalis, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 73, iv, 1–3, and 10–13.
- — — Schlumberger, F. Jeun. Nat., Feb., 1882, ii, 3.
- navicularis, Terquem. Mém. Soc. géol. France, [3], ii, 1882, 187, xx (xxviii), 24a–c.
- — — nobilis, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, Abth. 1, 1868, 149, ii, 11.
- ? — nodulus, Ehrenberg. Mikrogeologie, 1854, xxiv, 65.
- notata, Reuss. Denkschr. k. Ak. Wiss. Wien, i, 1850, 385, l, 7.
- nußdorfensis, d'Orbigny. Foram. Fossiles Vienne, 1846, 295, xix, 13–15.
- — — Costa, Atti Accad. Pontaniana, vii, fas. 2, 1856, 326, xxv, 10 and 11.
- obliqua, Reuss. Sitz. k. Ak. Wiss. Wien, LV, Abth. 1, 1867, 75, ii, 6a, b, 7a–c.
- ? — oblonga, Ehrenberg. Abh. k. Ak. Wiss. Berlin, 1838, 133.
- — — Ehrenberg, Abh. k. Ak. Wiss. Berlin, 1872 (1873), i, 7.
- oblonga (Mont.). Terquem, Ess. Anim. Plage Dunkerque, pt. 1, 1875, 40, vi, 10a, b; (and Mém. Soc. Dunkerquoise). [Vermiculum, 1803.]
- oblonga, Reuss. Sitz. k. Ak. Wiss. Wien, xviii, 1856, 252, ix, 89.
- oblonga, Will. Terquem, Ess. Anim. Plage Dunkerque, pt. 2, 1876, 85, xii, 6a, b; (and Mém. Soc. Dunkerquoise). [See *Miliolina seminulum*, var.]
- obsoleta, Costa. Atti Accad. Pontaniana, vii, fas. 2, 1856, 328, xxi [error for xxvi], 4A, B, C.
- occidentalis, Bailey. Smithsonian Contrib. II, 1851, 13, pl., 46–48.
- — ? — Dawson, Canad. Nat. II, 1857, 422, vii, 18.
- oculus, d'Orbigny. Ann. Sci. Nat. vii, 1826, 302, No. 31.

- QUINQUELOCULINA oculus**, d'Orbigny. Terquem, Mém. Soc. géol. France, [3], I, 1878, 65, vi (xi), 12a-c.
 ——— **opaca**, Reuss. Sitz. k. Ak. Wiss. Wien, XLVIII, Abth. 1, 1863 (1864), 42, ii, 9a-c.
 ——— **opposita** (Lam.). Mantell, Pictorial Atlas Foss. Rem. 1850, 143, lxii, 20. [*Miliolites*, 1804.]
 ——— **orbicularis**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 302, No. 37.
 ——— ——— Terquem, Ess. Anim. Plage Dunkerque, pt. 2, 1876, 86, xii, 9a, b; (and Mém. Soc. Dunkerquoise).
 ——— **ornatissima**, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, Abth. 1, 1868, 151, iii, 2. [v. *Hauerina*.]
 ——— **ovalis**, Bornemann. Zeitschr. dentsch. geol. Ges. VII, 1855, 351, xix, 9.
 ——— **ovata**, Roemer. Nenes Jahrbuch, 1838, 393, iii, 78.
 ——— ——— Reuss, Sitz. k. Ak. Wiss. Wien, XVIII, 1856, 252, ix, 88.
 ——— **ovula**, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, Abth. 1, 1868, 147, ii, 8.
 ——— **ovula**, Terquem. Quatr. Mém. Foram. Oolith. 1874, 332, xxxvi, 8-16.
 ——— ——— Terq. & Berth., Mém. Soc. géol. France, [2], X, 1875, 85, vii (xvii), 8a, b.
 ——— ——— Terquem, Mém. Soc. géol. France, [3], I, 1878, 76, ix (xiv), 9a-c.
 ——— **parasitica**, Terquem. Mém. Soc. géol. France, [3], I, 1878, 78, ix (xiv), 22a-c.
 ——— **parisiensis**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 301, No. 5.
 ——— ——— Terquem, Mém. Soc. géol. France, [3], II, 1882, 181, xix (xxvii), 21a-c.
 ——— **partschii**, d'Orbigny. Foram. Fossiles Vienne, 1846, 293, xix, 4-6.
 ——— ——— Terquem, Ess. Anim. Plage Dunkerque, pt. 2, 1876, 83, xi, 9a, b, c; (and Mém. Soc. Dunkerquoise).
 ——— **patagonica**, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 74, iv, 14-16.
 ——— **paucisulcata**, Reuss. Sitz. k. Ak. Wiss. Wien, I, Abth. 1, 1864 (1865), 452, i, 7.
 ——— **pauperata**, d'Orbigny. Foram. Fossiles Vienne, 1846, 286, xvii, 22-24.
 ——— ——— Terquem, Ess. Anim. Plage Dunkerque, pt. 1, 1875, 40, vi, 11a, b, c; (and Mém. Soc. Dunkerquoise).
 ——— **peregrina**, d'Orbigny. Foram. Fossiles Vienne, 1846, 292, xix, 1-3.
 ——— ——— v. **edentula**, Franzénau. Földtani Közlöny, XI, 1881, 45 and 97, iii, 4-6.
 ——— **pertusa**, Terquem. Mém. Soc. géol. France, [3], II, 1882, 183, xx (xxviii), 5a-c.
 ——— **peruviana**, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 73, iv, 1-3, 10-13.
 ——— **philippii**, Reuss. Sitz. k. Ak. Wiss. Wien, XVIII, 1856, 252, ix, 87.
 ——— **placenta**, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 374.
 ——— **plana**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 301, No. 8.
 ——— ——— Terquem, Ess. Anim. Plage Dunkerque, pt. 2, 1876, 83, xi, 11a, b, c; (and Mém. Soc. Dunkerquoise).
 ——— ——— Terquem, Mém. Soc. géol. France, [3], I, 1878, 63, vi (xi), 6a-c.
 ——— ——— Terquem, Mém. Soc. géol. France, [3], II, 1882, 174, xvii (xxvii), 20 and 21.
 ——— **planciana**, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 186, x, 24 and 25, xi, 4-6; also in Spanish, 1840, 162, same pl. and figs.
 ——— **plicata**, Terquem. Mém. Soc. géol. France, [3], II, 1882, 179, xix (xxvii), 14a-c.
 ——— **plicatella**, Reuss. See *plicatula*.
 ——— **plicatula**, Reuss. Sitz. k. Ak. Wiss. Wien, LV, Abth. 1, 1867, 74, iii, 2a-c. [*plicatella* on plate.]

- QUINQUELOCULINA** plicosa, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, 322, xxv, 2A, B, C, 5A, B, C, and 7.
- poeyana, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 191, xi, 25-27; also in Spanish, 1840, 166, same pl. and fig. [*Q. poeyana* on plate.]
- polygona, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 198, xii, 21-23; also in Spanish, 1840, 170, same pl. and fig.
- ponderosa, Terquem. Mém. Soc. géol. France, [3], I, 1878, 76, ix (xiv), 11a-13c.
- porosa, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 374.
- prisca, d'Orbigny. Ann. Sci. Nat. VII, 1826, 302, No. 32.
- — — — — Terquem, Mém. Soc. géol. France, [3], II, 1882, 182, xx (xxviii), 1-4.
- proxima, Terquem. Mém. Soc. géol. France, [3], I, 1878, 69, vii (xii), 15a-16c.
- pulchella, d'Orbigny. Ann. Sci. Nat. VII, 1826, 303, No. 42. [See *Miliolina*.]
- — — — — Brady, Trans. Linnean Soc. XXIV, 1864, 466, xlvi, 4.
- — — — — J., P., & B., Crag Foram., Pal. Soc. XIX, 1866, 13, iv, 3.
- — — — — P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 250, viii, 19.
- — — — — (young). P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 249, viii, 20. [See *Triloc. tricostata*, d'O.]
- — — — — (very young). P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 252, viii, 21. [See *Adelos. soldanii*, d'O.]
- — — — — Terquem, Mém. Soc. géol. France, [3], I, 1878, 68, vii (xii), 11a-14.
- — — — — Terquem, Ess. Anim. Plage Dunkerque, pt. 3, 1881, 134, xvii, 15 and 16; (and Mém. Soc. Dunkerquoise).
- — — — — See *Frumentaria seminula*.
- punctata, d'Orbigny. Ann. Sci. Nat. VII, 1826, 302, No. 40.
- punctata, Reuss. Neues Jahrbuch, 1853, 675, ix, 8.
- punctulata, d'Orbigny. Ann. Sci. Nat. VII, 1826, 302, No. 22.
- pygmaea, Rennss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 384, I, 3. [See *Miliolina*.]
- quadrangula, Nemes. Orvos termesz. értesítő (term. szak), XIII, 1888, 163 and 218, vi, 3.
- quadrangularis, Terquem. Ess. Anim. Plage Dunkerque, pt. 2, 1876, 82, xi, 7a, b, c; (and Mém. Soc. Dunkerquoise).
- quinquangularis, Terquem. Mém. Soc. géol. France, [3], I, 1878, 74, ix (xiv), 1a-2c.
- radiosa, Terquem. Mém. Soc. géol. France, [3], I, 1878, 77, ix (xiv), 14a-c.
- rakiensis, Franzenau. Földtani Közlöny, XI, 1881, 45 and 98, iii, 7-9.
- rawackensis, d'Orbigny. Ann. Sci. Nat. VII, 1826, 302, No. 19.
- regularis, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 384, I, 1.
- reticulata, d'O. P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 249, viii, 18. [*Triloculina*, 1826.]
- reticulata, Karrer. Sitz. k. Ak. Wiss. Wien, XLIV, Abth. 1, 1861 (1862), 449, ii, 5.
- rhomboides, Terquem. Mém. Soc. géol. France, [3], II, 1882, 187, xx (xxviii), 23a, b.
- rodolphina, d'Orbigny. Foram. Fossiles Vienne, 1846, 299, xx, 7-9.
- rostrata, Terquem. Mém. Soc. géol. France, [3], II, 1882, 174, xviii (xxvi), 18 and 19.
- rotunda, Roemer. Neues Jahrbuch, 1838, 394, iii, 79.
- rotundata, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, n. d., xxvi, 10.

- QUINQUELOCULINA rotundata**, Terq. & Berth. Mém. Soc. géol. France, [2], x, 1875, 85, vii (xvii), 10a, b¹.
 —— **rugosa**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 302, No. 24.
 —— —— —— Schwager, Novara-Exped., Geol. Theil II, 1866, 203, iv, 16a, b, c. [Referred to *Q. asperula*, Seg., in explan. to plate.]
 —— **sagra**, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 188, xi, 16–18; also in Spanish, 1840, 163, same pl. and fig.
 —— **sancti-beati**, Rütimeyer. Nouv. Mém. Soc. Helvetic. Nat. XI, 1850, Mém. 2, v, 62.
 —— **sandbergeri**, Reuss. Neues Jahrbuch, 1853, 674, ix, 7.
 —— **sarmatica**, Karrer. Abh. k. k. geol. Reichs. IX, 1877, 375, xvi, a, 11a, b, c.
 —— —— —— v. **elongata**, Karrer. Abh. k. k. geol. Reichs. IX, 1877, 376, xvi, a, 11b.
 —— —— —— v. **virgata**, Karrer. Abh. k. k. geol. Reichs. IX, 1877, 376, xvi, a, 11c.
 —— **saxorum** (Lainarcet). D'Orbigny, Ann. Sci. Nat. VII, 1826, 301, No. 1, xvi, 10–14. [*Miliolites*, 1804.]
 —— —— —— D'Orbigny, Modèles, No. 33, 1826.
 —— —— —— [d'Orb.]. Cuvier, Règne Animal, 1836–46, ix (pls. x), 34, xiv, 7.
 —— —— —— [d'Orb. & Lam.]. Galeotti, Mém. Couronnés Ac. R. Bruxelles, XII, 1837, Mém. iii, 142, iii, 19.
 —— —— —— Smedley, Ency. Metrop. 1845, undeser., pl. "Mollusca?" 25–27.
 —— —— —— [d'Orb.]. Reuss, in Geinitz, Grundr. Verstein. 1845–46, 685, xxiv, 91.
 —— —— —— Bronn, Lethaea Geognostica, ed. 3, III, 1853–56, 248, xxxv⁸, 6a–d.
 —— —— —— Ehrenberg, Abh. k. Ak. Wiss. Berlin, 1855, 169, iv, xx.
 —— —— —— [? *saxorum*.] [Glauc.] Beudant, Géologie, ed. 8, 1858, 117, fig. 105; later eds., same fig.
 —— —— —— [d'Orb.]. P., J., & B. [d'O., Modèles, No. 33], Ann. Mag. Nat. Hist. [3], XVI, 1865, 24, i, 13.
 —— —— —— [d'Orb.]. Zittel, Handbuch Palaeont. Abth. I, 1876, 77, fig. 10⁴, and fig. 11².
 —— —— —— Terquem, Mém. Soc. géol. France, [3], II, 1882, 181, xix (xxvii), 22a, b.
 —— —— —— [d'Orb.]. Hoernes, Elem. Palaeont. 1884, 35, fig. 33; French ed. 1886, same fig.
 —— —— —— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 163, fig. Quenstedt, Handbuch Petref. ed. 3, Abth. 5 (1885), 1061, lxxxvii, 12.
 —— —— —— Steinmann, Elém. Paleont. I, 1888, 23, fig. 4E.
 —— **schreibersii**, d'Orbigny. Foram. Fossiles Vienne, 1846, 296, xix, 22–24. [v. *Miliola*.]
 —— **[schreibersi]** Suess, Boden Stadt Wien, 1862, 45, fig. 1⁶.
 —— **schroekingerii**, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, Abth. 1, 1868, 149, ii, 12.
 —— —— —— v. **calabra**, Seguenza. Atti R. Acc. Lincei, [3], VI, 1880, 154, xiv, 14a, b [error for 13].
 —— **scidula**, Karrer. Sitz. k. Ak. Wiss. Wien, LV, Abth. 1, 1867, 361, iii, 1.
 —— **sclerotica**, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, Abth. 1, 1868, 152, iii, 5. [v. *Miliolina*.]
 —— **secans**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 303, No. 43. [See *Miliolina*.]
 —— —— —— D'Orbigny, Modèles, No. 96, 1826.
 —— —— —— Bronn, Lethaea Geognostica, ed. 2, 1837, 1146, xlii, 32a–c.
 —— —— —— Roemer, Neues Jahrbuch, 1838, 393, iii, 77.

- QUINQUELOCULINA** secans, d'Orbigny. Brönn, Lethaea Geognostica, ed. 3, III, 1853-56, 247, xlii, 32a, b, c.
 ——— ——— P., J., & B. [d'O., Modèles, No. 96], Ann. Mag. Nat. Hist. [3], XVI, 1865, 34, i, 10.
 ——— ——— P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 250, viii, 14.
 ——— ——— P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 250, viii, 15. [*Q. vulgaris*, d'O., q. v.]
 ——— [seccans] ——— Karrer, in v. Drasche, Frag. Geol. Luzon, 1878, 88, v, 7; and Bol. Com. Mapa Geol. Espan. VII, 1880, 270E, 7.
 ——— ——— Bützschli, in Brönn, Klassen, etc. Thier-Reichs, 1880, 189, iv, 11.
 ——— ——— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 163, fig. See *Frumentaria seminula*, and *F. 2 speciei*.
 ——— semilunaris, Terquem. Ess. Anim. Plage Dunkerque, pt. 3, 1881, 134, xvii, 14a, b, c; (and Mém. Soc. Dunkerquoise).
 ——— semilunum (Linn.). Terquem, Ess. Anim. Plage Dunkerque, pt. 2, 1876, 86, xii, 10a, b; (and Mém. Soc. Dunkerquoise). [Misprint for *seminulum*.]
 ——— seminuda, Reuss. Denkschr. k. Ak. Wiss. Wien, XXV, 1865, 125, i, 11.
 ——— seminuda, Terquem. Mém. Soc. géol. France, [3], I, 1878, 76, ix (xiv), 8a-c.
 ——— seminulum (Linné). See *Serpula*, 1758.
 ——— ——— D'Orbigny, Ann. Sci. Nat. VII, 1826, 303, No. 44.
 ——— ——— G. B. Sowerby, Foram. Colne Tidal River, 1856 [privately printed], plate, fig. 8 and 9 [also 10].
 ——— ——— Parker & Jones, Ann. Mag. Nat. Hist. [2], xix, 1857, 300, x, 34-36.
 ——— ——— J., P., & B., Crag Foram., Pal. Soc. xix, 1866, 9, iii, 35 and 36.
 ——— ——— P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 250, viii, 10.
 ——— ——— P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 250, viii, 11. [*Q. aspera*, d'O., q. v.]
 ——— ——— (young)? P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 251, viii, 12. [*Adelos. levigata*, d'O., q. v.]
 ——— ——— (young)? P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 252, viii, 13. [*Adelos. semistriata*, d'O., q. v.]
 ——— ——— Dawson, Canad. Nat. VI, 1872, 256, iii, 2.
 ——— ——— Terquem, Ess. Anim. Plage Dunkerque, pt. 1, 1875, 40, vi, 8a, b; (and Mém. Soc. Dunkerquoise).
 ——— ——— Nicholson, Manual Palaeont. 1879, i, 108, fig. 18b.
 ——— ——— Jones, in Microgr. Diet. ed. 4, 1883, 651, xxiii, 5a, b.
 ——— ——— Dawson, Handbook Zoology, ed. 3, 1886, 43, fig. 30.
 ——— ——— ? See *Frumentaria seminula*, and *F. 3 speciei*.
 ——— semi-ornata, Terquem. Ess. Anim. Plage Dunkerque, pt. 2, 1876, 82, xi, 6a, b, c; (and Mém. Soc. Dunkerquoise).
 ——— semiplana, Reuss. Zeitschr. dentsch. geol. Ges. VII, 1855, 275, x, 1.
 ——— semistriata, d'Orbigny. Ann. Sci. Nat. VII, 1826, 301, No. 13.
 ——— signata, Reuss. Deuksehr. k. Ak. Wiss. Wien, I, 1850, 385, I, 11.
 ——— simplex, Terquem. Mém. Soc. géol. France, [3], II, 1882, 172, xviii (xxvi), 5-13.
 ——— sinuosa, Terquem. Mém. Soc. géol. France, [3], I, 1878, 72, viii (xiii), 12a-15c.
 ——— soldanii, d'Orbigny. Ann. Sci. Nat. VII, 1826, 303, No. 48.
 ——— ——— P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 251, viii, 17.
 ——— ——— See *Frumentaria seminula*.
 ——— speciosa, Reuss. Sitz. k. Ak. Wiss. Wien, XVIII, 1856, 251, viii, 86.

- QUINQUELOCULINA stelligera**, Terquem. Mém. Soc. géol. France, [3], 1882, 183, xx (xxviii), 6a-c.
- **striata**, Deshayes. In Lyell, Principles of Geology, III, 1833, 251, iv, 5-8.
- **striata**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 301, No. 4.
- **Guérin-Méneville's Cuvier**, Iconographie, Mollusques, 1829-43, 10, iii, 10.
- **Cuvier**, Animal Kingdom, Henderson's ed. III, 1834 (pls. 1837), 19, vi, 9.
- **Terquem**, Mém. Soc. géol. France, [3], II, 1882, 184, xx (xxviii), 10-12.
- **striatella**, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, 328, xxvi, 3A, B, C.
- **striatopunctata**, Karrer. Sitz. k. Ak. Wiss. Wien, LV, Abth. 1, 1867, 362, iii, 5.
- **striatula**, Deshayes. Deser. Coq. Charact. 1831, 252 and 259, iii; 1 and 2.
- **Brown**, Elem. Foss. Conch. 1843, 24, ii, 21.
- **striolata**, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 385, 1, 10.
- **subaffinis**, Eichwald. Lethaea Rossica, III, 1853, 13, i, 16a-d.
- **subangulata**, Roemer. Neues Jahrbuch, 1838, 394, iii, 80.
- **subcarinata**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 301, No. 10.
- **Terquem**, Mém. Soc. géol. France, [3], I, 1878, 64, vi (xi), 10a-c.
- **suborbicularis**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 302, No. 29.
- **subrotunda** (Mont.). D'Orbigny, Ann. Sci. Nat. VII, 1826, 302, No. 36. [*Vermiculum*, 1803.]
- **Gosse**, Manual Mar. Zool. 1855, 14, fig. 18.
- **Brady**, Nat. Hist. Trans. Northumb. I, 1865-67 (1867), 94, xii, 2.
- **Terquem**, Ess. Anim. Plage Dunkerque, pt. 1, 1875, 39, vi, 4 ; (and Mém. Soc. Dunkerquoise).
- [d'Orb.]. Terquem, Ess. Anim. Plage Dunkerque, pt. 2, 1876, 85, xii, 7a, b ; (and Mém. Soc. Dunkerquoise).
- **sulcata**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 301, No. 17.
- **culcifera**, Roemer. Neues Jahrbuch, 1838, 393, iii, 76.
- **suturalis**, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 385, 1, 9.
- **Reuss**, Sitz. k. Ak. Wiss. Wien, LV, Abth. 1, 1867, 76, iii, 1a-c.
- **tenuis**, Czjzek. Haidinger's Nat. Abh. II, 1848, 149, xiii, 31-34. [v. *Spiroloculina*; *Miliola*; and *Miliolina*.]
- **Reuss**, Denkschr. k. Ak. Wiss. Wien, I, 1850, 385, 1, 8.
- **Reuss**, Zeitschr. deutsch. geol. Ges. III, 1851, 87, vii, 60.
- **tetragona**, Terquem. Mém. Soc. géol. France, [3], I, 1878, 74, ix (xiv), 3a-c.
- **transilvaniæ**, Karrer. Sitz. k. Ak. Wiss. Wien, L, Abth. 1, 1864 (1865), 704, i, 4.
- **transvera**, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, 324, xxvi, 9A, B, C.
- **trapezoidalis**, Terq. et Berth. Mém. Soc. géol. France, [2], X, 1875, 85, vii (xvii), 9.
- **triangularis**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 302, No. 34. [v. *Miliola*.]
- **D'Orbigny**, Foram. Fossiles Vienne, 1846, 288, xviii, 7-9.
- **J., P., & B.**, Crag Foram., Pal. Soc. xix, 1866, 10, iv, 1.
- **Terquem**, Ess. Anim. Plage Dunkerque, pt. 2, 1876, 83, xi, 10a, b, c ; (and Mém. Soc. Dunkerquoise).
- **Terquem**, Mém. Soc. géol. France, [3], I, 1878, 67, vii (xii), 1a-9c.

- QUINQUELOCULINA** triangularis, d'Orbigny. Terquem, Mém. Soc. géol. France, [3], II, 1882, 180, xix (xxvii), 18 and 19.
 ——— ——— var. *ermani*, Bornemann. Andreae, Abb. geol. Special-karte Elsass-Lothr. II, Heft 3, 1884, 183, x, 23. [*v. Q. ermani.*]
 ——— tricarinata, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 187, xi, 7-9, and 13; also in Spanish, 1840, 163, same pl. and fig.
 ——— tricostata, Terquem. Mém. Soc. géol. France, [3], II, 1882, 184, xx (xxviii), 13a-c.
 ——— triedra, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, not descr., xxvi, 6.
 ——— trigonula, Terquem. Ess. Anim. Plage Dunkerque, pt. 2, 1876, 84, xii, 4a, b, c; (and Mém. Soc. Dunkerquoise).
 ——— trisulcata, Roemer. Neues Jahrbuch, 1838, 393, iii, 75.
 ——— truncata, Terquem. Mém. Soc. géol. France, [3], II, 1882, 179, xix (xxvii), 15 and 16.
 ——— tubulosa, Seguenza. Atti Accad. Gioenia Sci. Nat. [2], XVIII, 1862, 119, ii, 8, 8a, b.
 ——— turgida, Philippi. Palaeontographica, I, 1851, 81, x, a, 17a-c.
 ——— undosa, Karrer. Sitz. k. Ak. Wiss. Wien, LV, Abth. 1, 1867, 361, iii, 3. [*v. Miliolina.*]
 ——— undulata, d'Orbigny. Ann. Sci. Nat. VII, 1826, 302, No. 27.
 ——— undulose-costata, Terquem. Mém. Soc. géol. France, [3], II, 1882, 185, xx (xxviii), 18 and 19.
 ——— ungeriana, d'Orbigny. Foram. Fossiles Vienne, 1846, 291, xviii, 22-24.
 ——— ——— var. *stenostoma*, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, Abth. 1, 1868, 141, ii, 3.
 ——— variabilis, d'Orbigny. Ann. Sci. Nat. VII, 1826, 301, No. 15.
 ——— variolata, d'Orbigny. Ann. Sci. Nat. VII, 1826, 302, No. 26.
 ——— ——— Terq., Mém. Soc. géol. France, [3], I, 1878, 65, vi (xi), 13a-14b.
 ——— venusta, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, Abth. 1, 1868, 147, ii, 6. [*v. Miliolina.*]
 ——— vermicularis, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, Abth. 1, 1868, 150, iii, 1.
 ——— verneuiliana, d'Orbigny. Foram. Fossiles Vienne, 1846, 296, xix, 19-21.
 ——— vulgaris, d'Orbigny. Ann. Sci. Nat. VII, 1826, 302, No. 33.
 ——— ——— Terquem, Mém. Soc. géol. France, [3], I, 1878, 66, vi (xi), 20a-21.
 ——— ——— = *Q. secans*, d'O.; see *Frumentaria seminula*.
 ——— zigzag, d'Orbigny. Foram. Fossiles Vienne, 1846, 295, xix, 16-18.
 ——— ——— See *Frumentaria prima speciei*.
 ——— Deshayes, Descr. Coq. Foss. Paris, 1824-37, numerous figures [pls. e-cvi], of which descriptions or names were never published.
 ——— Pictet, Traité de Paléont. IV, 1846, 244, xii, 33.
 ——— Pilla, Trattato di Geol. pt. 1, 1847, 462, fig. 85, pt. 2, 1851, 249, fig. 161.
 ——— Mantell, Pictorial Atlas Foss. Rem. 1850, 143, lxii, 14-16.
 ——— Ehrenberg, Abhandl. k. Ak. Wiss. Berlin, 1855, 169, iv, xviii, xix. [*Miliola*, young.] [*Glaue.*]
 ——— spp. ind. Meneghini, Paléont. Ile Sardaigne, 1857, 331F, 11b, c, 11b¹, c¹, 12.
 ——— Macdonald, Ann. Mag. Nat. Hist. [2], XX, 1857, 193, vi, 29.
 ——— Parker, Trans. Micr. Soc. London, n. s., VI, 1858, 57, pl. v, and figs.
 ——— sp. sp. ind. Stache, Novara-Exped., Geol. Theil I, 1864, 182, xxii, 3a, b, c.
 ——— Abich, Mém. Ac. Imp. Sci. [Math. Phys.] St. Pétersbourg, [6], VII, 1859, 105, viii, 2c, ix, 11.
 ——— Carpenter, Parker, & Jones, Introd. Foram. 1862, 75 and 78, vi, 3-6. [3 = *Q. bronniartii*, d'O.; 4 = *Q. orbicularis*, d'O.; 5 = near *Q. gualtieriana*, d'O.; 6 = *Q. agglutinans*, d'O.]

QUINQUELOCULINA sp., d'Orb. Reuss' Models, No. 99, 1865 (Catal., No. 20, 1861).

- v. Schlicht, Foram. Septar. Pietzpuhl, 1870, plate xxxvi, xxxvii.
- Terq. & Berth., Mém. Soc. géol. France, [2], x, 1875, 73, cuts 12–14. [Diagrams.]
- Schlumberger, F. Jeun. Nat., Feb. 1882, ii, 12. [Showing young.]
- de Folin, Congrès Scient. Dax, 1882 (1883), 310, pl., f. 7 and 8. [Sarcod body.]
- de Folin, Le Naturaliste, ann. 9, 1887, 139, fig. 17a, b.
- Steinmann, Élém. Paléont. i, 1888, 23, 4D.
- Neumayr, Stämme d. Thierreiches, i, 1889 (1888), 178, fig. 20.
- Terqueim, Mém. Soc. géol. France, [3], iv, 1886, 76, 77, viii, 44–51.
- see under *Miliola* and *Miliolina*.

RAMULINA, Jones MS., 1875. Wright, Rept. Proc. Belfast Nat. F. Cl. 1873–74, App. III, 1875, 88 [90]; Brady, Report Challenger, 1884, 587.

- *aculeata* (d'Orbigny). Wright, Proc. Belfast Nat. F. Cl. 1884–85, App. IX, 1886, 331, xxvii, 11. [*Dentalina*, 1840.]
- *brachiata*, Jones MS. Wright, Rept. Proc. Belfast Nat. F. Cl. 1873–74, App. III, 1875, 88 [90], iii, 20.
- *globulifera*, Brady. Quart. Journ. Micr. Sci. xix, 1879, 272, viii, 32 and 33.
- — — — — Brady, Report Challenger, 1884, 587, lxxvi, 22–28.
- *lævis*, Jones MS. Wright, Rept. Proc. Belfast Nat. F. Cl. 1873–74, App. III, 1875, 88 [90], iii, 19.
- *parasitica*, Carter. Ann. Mag. Nat. Hist. [6], IV, 1889, 94, viii.
- sp. Balkwill & Millett, Journ. Micr. III, 1884, 83, iv, 7.
- see "Flask-like objects."

RAPHANULINA, Zborzewski, 1834. Nouv. Mém. Soc. Imp. Nat. Moscou, III, 1834, 311.

- *humboldtii*, Zborz. Nouv. Mém. Soc. Imp. Nat. Moscou, III, 1834, 311, xviii, 1a. [= *Polymorphina gibba*.]

RECEPTACULITES, Defrancee, 1827. Dict. Sci. Nat. XLV, 1827, 5. [For full synonymy of this genus of Siliceous Sponges, some members of which have occasionally been referred to the Foraminifera, see G. J. Hinde, Quart. Journ. Geol. Soc. XL, 1884, 795–840.]

RENOIDEA, Brown, 1827.

- *glabra*, Brown. Illustr. Conch. Great Britain, 1827, fly-leaf, i, 20 and 21. [*Serpula subrotundata* and *S. tenuis*, Walker & Boys.] [v. *Triloculina*.]
- *marginata*, Brown. Illustr. Conch. Gt. Brit. 1827, fly-leaf, i, 25. [? a *Lagena*.]
- *oblonga*, Brown. Illustr. Conch. Gt. Brit. 1827, fly-leaf, i, 16 and 17. [= *Polymorphina*.]
- — — — — Brown, Illustr. Recent Conch. Gt. Brit. ed. 2, 1844, 3, lvi, 16 and 17.
- *rotundata*, Brown. Illustr. Conch. Gt. Brit. 1827, fly-leaf, i, 14 and 15. [v. *Triloculina*.]

Given by Bütschli as synonym of *Biloculina*.

RENULINA, Lamarck, 1822. Hist. Anim. s. Vert. VII, 1822, 605.

- *complanata* (Defrancee). Blainville, Manuel Malac. et Conch. 1825 (pls. 1827), 371, vi, 2 [error for 4]. [*Frondicularia*, 1824.]
- *opercularia*, Lamarck. Brönn, Syst. urweltl. Couchyl. 1824, 7, i, 9. [*Renulites*, 1804.]
- — — — — Blainville, Manuel Malac. et Conch. 1825 (pls. 1827), 371, vi, 3.
- [*opercularis*] — — — Brown, Conch. Text-book, 1839, 63, x, 21.
- [*opercularis*] — — — Brown, Elem. Foss. Conch. 1843, 24, ii, 34.
- *sorbyana*, Blake. Month. Micros. Journ. XV, 1876, 262, cut. [An obscure organism ?]

RENULINITES. See *Renulites*.**RENULITES**, Lamarck, 1804. Ann. Mus. v, 1804, 354.

- Munier-Chalmas, Bull. Soc. géol. France, [3], x, 1882, 471, "type
R. opercularia, Lam."
- *opercularia*, Lamarck. Ann. Mus. v, 1804, 354; and fig. 6, pl. 17, in
 vol. IX, 1807. [v. *Renulina*; *Peneroplis*; = *Vertebratina*.]
- [RENULINITES]** — Parkinson, Organ. Rem. former World, III,
 1811, 163, xi, 21.
- [*opercularis*] — Lamarck, Ency. Méthod., "Vers," III, (1832),
 883, (pls. 1827), 465, 8 (P. & J. quote pt. 23, 1816). [= *Verteb.*]
- [*opercularis*] — Lamarck, Hist. Anim. s. Vert. VII, 1822, 606.
- — — Lamarck, Coq. Foss. 1823, 15, xv, 6.
- [*opercularis*] — Crouch, Introd. Lamarck, 1827, 40, xxii, 4.
- REOPHAX**, Montfort, 1808. Conch. Syst. I, 1808, 331; and Brady, Report
 Challenger, 1884, 289.
- *adunca*, Brady. Proc. Roy. Soc. Edinburgh, XI, 1882, 715, not figured.
- — — — — Brady, Report Challenger, 1884, 296, xxxi, 23–26.
- — — — ? Haeusler, Neues Jahrbuch, Beil. IV, Heft 1, 1885, 9,
 i, 5.
- *ampullacea*, Brady. Quart. Journ. Mier. Sci. XXI, 1881, 49.
 — — — — — Brady, Report Challenger, 1884, 290, xxx, 6a, b.
- *arctica*, Brady. Ann. Mag. Nat. Hist. [5], VIII, 1881, 405, xxi, 2a, b.
 — — — — — Brady, Denkschr. k. Ak. Wiss. Wien, XLIII, Abth. 2, 1882
 [1881], 99, ii, 2a, b.
- *bacillaris*, Brady. Quart. Journ. Mier. Sci. XXI, 1881, 49.
 — — — — — Brady, Report Challenger, 1884, 293, xxx, 23 and 24.
- *cylindrica*, Brady. Report Challenger, 1884, 299, xxxii, 7–9.
- *dentaliniformis*, Brady. Quart. Journ. Mier. Sci. XXI, 1881, 49.
 — — — — — Brady, Report Challenger, 1884, 293, xxx, 21 and 22.
- *diffugiformis*, Brady. Quart. Journ. Mier. Sci. XIX, 1879, 51, iv, 3a, b.
 — — — — — Bütschli, in Bronn, Klassen, etc. Thier-Reiches, 1880, 199,
 v, 8.
- — — — — Brady, Report Challenger, 1884, 289, xxx, 1–5.
 — — — — — Haeusler, Neues Jahrbuch, Beil. IV, Heft 1, 1885, 9, i, 1.
 — — — — — NeuMayr, Stämme d. Thierreiches, I, 1889 (8), 173, fig.
 17b.
- *distans*, Brady. Quart. Journ. Mier. Sci. XXI, 1881, 50.
 — — — — — Brady, Report Challenger, 1884, 296, xxxi, 18–22.
- *findens* (Parker). Brady, Report Challenger, 1884, 299, xxxii, 10 and
 11. [*Lituola*, 1870.]
- *fusiformis* (Will.). Brady, Report Challenger, 1884, 290, xxx, 7–11.
 [Proteonina, 1858.]
- — — — — Brady, Parker, & Jones, Trans. Zool. Soc. XII, pt. 7, 1888,
 217, xli, 18.
- *guttifera*, Brady. Quart. Journ. Mier. Sci. XXI, 1881, 49.
 — — — — — Brady, Report Challenger, 1884, 295, xxxi, 10–15.
- *helvetica*, Haeusler. Neues Jahrbuch, 1883, i, 59, iii, 11.
 — — — — — Haeusler, Quart. Journ. Geol. Soc. XXXIX, 1883, 27, ii,
 8–10.
- *membranacea*, Brady. Quart. Journ. Mier. Sci. XIX, 1879, 53, iv, 9.
 — — — — — Brady, Report Challenger, 1884, 297, xxxii, 1–4.
- *moniliforme*, Siddall. Proc. Lit. Phil. Soc. Liverpool, XL, 1886, Ap-
 pendix, Fauna Liverpool Bay, 54, i, 2.
- *multilocularis*, Haeusler. Quart. Journ. Geol. Soc. XXXIX, 1883, 26,
 not figured.
- — — — — var. Haeusler, Neues Jahrbuch, Beil. IV, Heft 1, 1885, 10,
 i, 6 and 7.
- *nodulosa*, Brady. Quart. Journ. Mier. Sci. XIX, 1879, 52, iv, 7 and 8.
 — — — — — Brady, Report Challenger, 1884, 294, xxxi, 1–9.

- REOPHAX nodulosa**, Brady. Toutkowsky, Zap. Kievsk. Obshev. Est. ix, 1888, 5, ii, 2a, b.
- **pilulifera**, Brady. Report Challenger, 1884, 292, xxx, 18–20.
- — — — — Brady, Parker, & Jones, Trans. Zool. Soc. xii, pt. 7, 1888, 217, xli, 5–8.
- **polyeides**, Deecke. Abh. geol. Speciakarte Elsass-Lothr. iv, Heft 1, 1884, 19, i, 2–2c.
- [**RHEOPHAX**] — — — — — Deecke, Mém. Soc. Emnl. Montbéliard, xvi, 1886, [14], ii, 20, 20a, and 29.
- **rudis**, Brady. Quart. Journ. Micr. Soc. xxi, 1881, 49. [This is the same as *R. sabulosa*.]
- — — — — Carpenter, The Microscope, ed. 6, 1881, 564, fig. 321a, b.
- **sabulosa**, Brady. Proc. Roy. Soc. Edinburgh, xi, 1882, 715.
- — — — — Brady, Report Challenger, 1884, 298, xxxii, 5 and 6.
- **scorpiurus**, Montfort. Conch. Syst. i, 1808, 331, 83d genre. [v. *Nodosaria*; *Lituola*; *L. nauiloidea*, var.; *Lituolina*.]
- — — — — Carpenter, The Microscope, ed. 6, 1881, 564, fig. 321e.
- — — — — Haensler, Quart. Journ. Geol. Soc. xxxix, 1883, 27, ii, 7.
- — — — — Brady, Report Challenger, 1884, 291, xxx, 12–17.
- — — — — Balkwill & Wright, Trans. R. Irish Ac. xxviii (Sci.), 1885, 328, xiii, 5a and 5b.
- — — — — Haeusler, Neues Jahrbuch, Beil. iv, Heft 1, 1885, 9, i, 9–16.
- — — — — Anon., Sci. News, 4 May, 1888, 413, fig. 9.
- — — — — Agassiz, Three Cruises "Blake," ii, 1888, 163, fig. 495.
- — — — — Brady, Parker, & Jones, Trans. Zool. Soc. xii, pt. 7, 1888, 217, xli, 10.
- **soldanii**, Parker & Jones. [*Lituola*, 1860.]
- (Lit.) **soldanii** [d'Orb.]. Bütschli, in Brönn, Klassen, etc. Thier-Reichs, 1880, 199, v, 14.
- **spiculifera**, Brady. Quart. Journ. Micr. Sci. xix, 1879, 54, iv, 10–11.
- — — — — Brady, Report Challenger, 1884, 295, xxxi, 16 and 17.
- **variabilis**, Haeusler. Neues Jahrbuch, Beil. iv, Heft 1, 1885, 10, i, 8.
- sp. ind. Haeusler, Neues Jahrbuch, 1883, i, 61, iv, 15.
- sp. ind. Haeusler, Neues Jahrbuch, Beil. iv, Heft 1, 1885, 10, i, 2–4.
- (?) sp. Balkwill & Wright, Trans. R. Irish Ac. xxviii (Sci.), 1885, 328, xiii, 9, and 22–24.
- (**Haplostiche**). Neumayr, Stämme d. Thierreiches, 1889, i, 172, fig. 16.
- ? — Wisnioski, Jahrbuch k. k. Geol. Reichs. xxxviii (1889), 695, xiii, 65, 66.
- — De Folin, Bull. Soc. N. H. Toulouze, xv, 1881, 137; 9 new species proposed but not described!
- REOPHAXOPSIS elegans**, de Folin. Le Naturaliste, ix, 1887, 128, fig. 14.
- Retolia**, Haeusler, misprint in quoting Williamson, Neues Jahrbuch, Beil. iv, Heft 1, 1885, 28. [v. *Rotalina*.]
- RETORTA**. Walker & Boys, 1784. Test. Min. rar. 1784, 3. [= *Adelosina*; see *Serpula (Retorta)*.]
- REUSSIA** (*Verneuilina* aut.) **spinulosa** (Reuss). Schwager, Boll. R. Com. Geol. Ital. viii, 1877, 26, pl. 66.
- RHABDAMMINA**, M. Sars, 1868. Forh. Vidensk.-Selsk. Christiania, 1868 (1869), 248; Brady, Report Challenger, 1884, 266. [See Haeckel's remarks under *Astrorhizidae*.]
- **abyssorum**, M. Sars. Forh. Vidensk.-Selsk. Christiania, 1868 (1869), 248.
- — — — — Carpenter, The Microscope, ed. 6, 1881, 562, fig. 321c, d.
- v. **robusta**, Goës. K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 143, xii, 430 and 431.
- — — — — Brady, Report Challenger, 1884, 266, xxi, 1–13.

- RHABDAMMINA** abyssorum, M. Sars. De Folin, Le Naturaliste, ix, 1887, 127, fig. 12a.
 ——— ——— Agassiz, Three Cruises "Blake," II, 1888, 162, fig. 492, 163, fig. 493.
 ——— ——— Neumayr, Stämme d. Thierreiches, I, 1889 (8), 173, fig. 17a.
 ——— cornuta, Brady. Proc. Roy. Soc. Edinburgh, XI, 1882, 714. [*Astro-rhiza*, 1879.]
 ——— ——— Haeusler, Neues Jahrbuch, 1883, I, 57, III, 2-3.
 ——— ——— Brady, Report Challenger, 1884, 270, xxii, 11-13.
 ——— discreta, Brady. Quart. Journ. Micr. Sci. XXI, 1881, 48. [*Rhabdo-pleura*, sp. G. M. Dawson, 1870.]
 ——— ——— Brady, Report Challenger, 1884, 268, xxii, 7-10.
 ——— elliptica, Deecke. Abh. geol. Specialkarte Elsass-Lothr. IV, Heft 1, 1884, 23, I, 1, 1a, b.
 ——— hirsuta, de Folin. Le Naturaliste, X, 1888, 122, figs. 6 and 7.
 ——— linearis, Brady. Quart. Journ. Micr. Sci. XIX, 1879, 37, III, 10 and 11.
 ——— ——— Bütschli, in Bronn, Klassen, etc. Thier-Reichs, 1880, 194, V, 10.
 ——— ——— Brady, Report Challenger, 1884, 269, xxii, 1-6.
 ——— ——— Agassiz, Three Cruises "Blake," II, 1888, 163, fig. 494.
 ——— major, de Folin. Le Naturaliste, IX, 1887, 127, fig. 12b.
 ——— simplex, M. Sars. Forh. Vidensk.-Selsk. Christiania, 1871 (1872), 252, [not described].
 ——— sp. ind. Haeusler, Neues Jahrbuch, 1883, I, 58, III, 4 and 5.
 ——— De Folin, Bull. Soc. N. H. Toulonse, XV, 1881, 133; 43 new species proposed but not described !!
- RHABDAMINELLA**, de Folin, 1881. Bull. Soc. N. H. Toulonse, XV, 1881, 140, not described, 5 sp. proposed.
- prismoeginosa, de Folin. Le Naturaliste, IX, 1887, 115, fig. 10.
- RHABDAMMINOPSIS**, de Folin, 1882. Congrès Scient. Dax, 1882 (1883), 323.
- RHABDELLA**, d'Archiac & Haime, 1854. Deser. Anim. Foss. groupe nummulitique Inde, II, 1854, 351. ["Petits cylindres simples, droits, très-lisses extérieurement, longs d'un millimètre et demi environ et larges d'un quart de millimètre."]
 — malcolmii, d'Arch. & Haime. Deser. Anim. Foss. groupe nummulitique Inde, II, 1854, 351, xxxvi, 18a, b.
 ? — sp. ind. Meneghini, Paléont. Ile Sardaigne, 1857, 330F, 11a, 11a¹.
- RHABDOGONIUM**, Reuss, 1860. Sitz. k. Ak. Wiss. Wien, XL, 1860, 198; Brady, Report Challenger, 1884, 524.
 — acutangulum, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863), 55, IV, 14a, b.
 — — — Reuss' Models, No. 26, 1865 (Catal., No. 49, 1861).
 — anomalam, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 201, vii, 1.
 — articulatum, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863), 55, V, 1a, b.
 — budensis, Hantken. Magyar. földt. társ. Munkálatai, IV, 1868, 90, I, 19a, b.
 — — — Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 36, xiii, 12a, b; and Mittl. a. d. Jahrb. k. nugar. geol. Anstalt, IV, 1875 (1881), 42, same pl. and fig.
 — debile, Gümbel. Sitz. k.-bayer. Ak. Wiss. I, 1871, 65, I, 8.
 — excavatum, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863), 91, XII, 8a-c.
 — globiferum, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 201, vii, 6.
 — hæringense, Giimb. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. X, 1868 (1870), 631, I, 55a, b.
 — insigna, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863), 56, V, 2a, b.

- RHABDOGONIUM** liasinum, Berthelin. Revue et Mag. zool. 1879, 35, i, 18 and 19.
 —— martensi, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863), 56, v, 4a, b.
 —— —— —— Reuss' Models, No. 50, 1865 (Catal., No. 50, 1861).
 —— —— —— Quenstedt, Handbuch Petref. ed. 3, Abth. 5 (1885), 1050, lxxxvi, 10.
 —— minutum, Reuss. Sitz. k. Ak. Wiss. Wien, LV, Abth. 1, 1867, 84, v, 4a-c, 5a, b.
 —— —— —— Brady, Report Challenger, 1884, 526, lxvii, 4-6.
 —— pygmæum, Reuss. Denkschr. k. Ak. Wiss. Wien, XXV, 1865, 138, ii, 32.
 —— —— —— Terquem, Ess. Anim. Plage Dunkerque, pt. 1, 1875, 22, i, 8; (and Mém. Soc. Dunkerquoise).
 —— pyramidale, Karrer. Sitz. k. Ak. Wiss. Wien, XLIV, Abth. 1, 1861 (1862), 444, i, 5.
 —— —— —— Schwager, Boll. R. Com. Geol. Ital. VIII, 1877, 25, pl., 5.
 —— roemerii, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 201, vi, 7.
 —— strombecki, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863), 56, v, 3a, b.
 —— szaboi, Hantken. Magyar. földt. társ. Munkálatai, IV, 1868, 90, i, 18a, b, c.
 —— tricarinatum (d'Orbigny). Brady, Report Challenger, 1884, 525, lxvii, 1-3. [v. *Vaginulina*, 1826.]
 ? —— —— —— Balkwill & Wright, Trans. R. Irish Ac. XXVIII (Sci.), 1885, 344, xii, 17 and 18.
 —— —— —— Sherborn & Chapman, Journ. R. Mier. Soc. [2], VI, 1886, 752, xv, 16a, b.
 —— —— —— Brady, Parker, & Jones, Trans. Zool. Soc. XII, pt. 7, 1888, 223, xlv, 3.
RHABDOPLEURA. A genus of polyzoan molluscs [Ray Lankester, Nature, Sept. 14, 1882, 478]. Dawson's sp. is considered by Brady to belong to the Foraminifer *Rhabdammina*.
 ? —— G. M. Dawson, Canad. Nat. n. s., v, 1870, 177, fig. 7. [= *Rhabdammina discreta*, Brady, 1884.]
 —— abyssorum, G. M. Dawson. Amer. Journ. Sci. [3], I, 1871, 206, fig. 7; and Ann. Mag. Nat. Hist. [4], VII, 1871, 86, fig. 7. [= *Rhabdamm. discreta*, Brady.]
RAPHIDODENDRON, Möbius, 1876. Beilage Tagebl. 49 Vers. deutsch. Naturfor. Hamburg, 1876, 115.
 —— album, Möbius. Beilage Tagebl. 49 Vers. deutsch. Naturfor. Hamburg, 1876, 115, no fig.
RAPHIDOHelix, Möbius, 1880. Beitr. Meeresfauna Insel Mauritius, etc. 1880, 76.
 —— elegans, Möbius. Beitr. Meeresfauna Insel Mauritius, etc. 1880, 76, ii, 2.
RHEOPHAX, see *Reophax*.
RHINOCURUS, Montfort, 1808. Conch. Syst. I, 1808, 235.
 —— araneosus, Montfort. Conch. Syst. I, 1808, 235, 59th genre. [= *Crist. calcar.*]
RHIPIDOCYCLINA, Gümbel, 1868. Abh. k.-bayer. Ak. Wiss. x, Abth. 2, 1868 (1870), 688. This subgenus of *Orbitoides* was proposed by Gümbel for the following forms: *O. nummulitica*, Gümbel; *O. multiplicata*, Gümbel; *O. strophiolata*, Gümbel; *O. karakaensis* (d'Archiac).
RHIZAMMINA, Brady, 1879. Quart. Journ. Mier. Sci. XIX, 1879, 39; Brady, Report Challenger, 1884, 274. [See Haeckel's remarks under *Astrophyza*.]
 —— algæformis, Brady. Quart. Journ. Mier. Sci. XIX, 1879, 39, iv, 16 and 17.
 —— —— —— Brady, Report Challenger, 1884, 274, xxviii, 1-11.

- RHIZAMMINA** *indivisa*, Brady. Report Challenger, 1884, 277, xxix, 5-7.
- RHIZOPELA**, de Folin, 1881. Bull. Soc. N. H. Toulouse, xv, 1881, 140, not described, 1 sp. proposed.
- RHYNCHOSPIRA**, Ehrenberg, 1845. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 358. [See Brady, Report Challenger, 1884, 383 and 589.]
- abnormis, Hantken. A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 60, vii, 17-19; and Mittl. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 69, same pl. and fig.
 - *glomerata* (Rss.). See *Globigerina*.
 - *indica*, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 376.
- RIMULINA**, d'Orbigny, 1826. Ann. Sci. Nat. vii, 1826, 257.
- *bicaudata*, Costa. Mem. Acc. Sci. Napoli, ii, 1855 (1857), 119, i, 114, B, C. [?]
 - *glabra*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 257, No. 1.
 - — — — D'Orbigny, Modèles, No. 53, 1826.
 - — — — D'Orbigny, Foraminif. Fossiles Vienne, 1846, 63, xxi, 5 and 6.
 - — — — Carpenter, Parker, & Jones, Introd. Foram. 1862, 160, xii, 4.
 - — — — Reuss' Models, No. 51, 1865 (Catal., No. 45, 1861).
 - — — — P., J., & B. [d'O., Modèles, No. 53], Ann. Mag. Nat. Hist. [3], xvi, 1865, 27, i, 37.
 - — — — Bütschli, in Bronn, Klassen, etc. Thier-Reichs, 1880, 198, vii, 24.
 - — — — Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 161, fig.
 - *ventricosa*, Costa. Atti Accad. Pontaniana, vii, fas. 2, 1856, 177, xiii, 11a, A.
- ROBERTINA**, d'Orbigny, 1846. Foram. Fossiles Vienne, 1846, 202.
- *arctica*, d'Orbigny. Foram. Fossiles Vienne, 1846, 203, xxi, 37 and 38.
 - — — — Schwager, Boll. R. Com. Geol. Ital. viii, 1877, 26, pl. 69.
 - — — — Schlumberger, F. Jeun. Nat., Feb. 1882, ii, 2.
 - *austriaca*, Reuss. Denkschr. k. Ak. Wiss. Wien, i, 1850, 375, xlvi, 15.
- ROBULINA**, d'Orbigny, 1826. Ann. Sci. Nat. vii, 1826, 287.
- *acknerana*, Neugeboren. Arch. Ver. siebenburg. Landeskunde, N. F. x, Heft 2, 1872, 288, iii, 17 and 18.
 - *aculeata*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 289, No. 14.
 - — — — Reuss, in Geinitz, Grundr. Verstein. 1845-46, 664, xxiv, 36.
 - — — — = *Crist. calcar* (Linn.). See *Nautili carinati*, etc.
 - *acutiangulata*, Terquem. Mém. Ac. Imp. Metz, xliv, 1863, 430, x, 19 [20] a, b.
 - — — — var. *alta*, Deecke. Abh. geol. Speciakarte Elsass-Lothr. iv, Heft 1, 1884, 50, ii, 17, 17a.
 - *acutimargo*, Reuss. Gümbel, Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 640, ii, 76bis, a, b [76a and b, by error in deser. to plate]. [Reuss' sp. is *angustimargo*, q. v.]
 - *alato-limbata*, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 641, ii, 70a, b.
 - *ambigua*, Costa. Atti Accad. Pontaniana, vii, fas. 2, 1856, not deser., xx, 17.
 - *angulata*, Reuss. Zeitschr. deutsch. geol. Ges. iii, 1851, 154, viii, 6. [v. *Cristellaria*.]
 - *angustimargo*, Reuss. Zeitschr. deutsch. geol. Ges. iii, 1851, 67, iv, 22.
 - — — — Bornemann, Zeitschr. deutsch. geol. Ges. vii, 1855, 332, xiv, 6 and 7 [and 10? young form].
 - *antigua*, Michelotti. Nat. Verh. Holland. Maatsch. Wetensch. Haarlem, [2], iii, (2), 1847, 14, i, 2.
 - *arcuata*, Karrer. Sitz. k. Ak. Wiss. Wien, xliv, Abth. 1, 1861 (1862), 446, ii, 1.

- ROBULINA** *arcuato-striata*, Hantken. A magy. kir. földt. int. évkönnyve, IV, 1875 (1876), 48, vii, 2 ; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 56, same pl. and fig.
- *ariminensis*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 289, No. 15. [v. *Cristellaria*.]
- D'Orbigny, Foram. Fossiles Vienne, 1846, 95, iv, 8 and 9.
- Bronn, Klassen Ordn. Thier-Reichs, I, 1859, 70, vi, 10a, b.
- Mackie, Science Gossip, 1867, 130, fig. 125.
- Jones, M. Mier. Journ. XV, 1876, cxxix, 10a, b. [= *Crist. costata*, F. & M., var.]
- *armata*, Neugeboren. Arch. Ver. siebenburg. Landeskunde, N. F. X, Heft 2, 1872, 282, ii, 6 and 7.
- *articulata*, Reuss. Sitz. k. Ak. Wiss. Wien, XLVIII, Abth. 1, 1863 (1864), 53, v, 62a, b, vi, 63a, b. [v. *Cristellaria*.]
- *austriaca*, d'Orbigny. Foram. Fossiles Vienne, 1846, 103, v, 1 and 2.
- Costa, Mem. Acc. Sci. Napoli, II, 1855 (1857), 122, i, 10A, B, C.
- Neugeboren, Arch. Ver. siebenburg. Landeskunde, N. F. X, Heft 2, 1872, 286, iii, 7 and 8.
- Terquem, Ess. Anim. Plage Dunkerque, pt. 2, 1876, 70, vii, 20a, b ; (and Mém. Soc. Dunkerquoise).
- *baconica*, Hantken. A magy. kir. földt. int. évkönnyve, IV, 1875 (1876), 49, xiv, 9 ; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 58, same pl. and fig.
- Jones, M. Mier. Journ. XV, 1876, cxxviii, 17.
- *badensis*, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 37, iv, Geissberger Schicht, 2.
- *beyrichi*, Bornemann. Zeitschr. deutsch. geol. Ges. VII, 1855, 332, xiv, 8 and 9 [? young form]. [v. *Cristellaria*.]
- *budensis*, Hantken. A magy. kir. földt. int. évkönnyve, IV, 1875 (1876), 49, vii, 1 ; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 58, same pl. and fig.
- Jones, M. Mier. Journ. XV, 1876, cxxviii, 5.
- *bullata*, Hantken. A magy. kir. földt. int. évkönnyve, IV, 1875 (1876), 49, xiv, 13 ; and Mitth. a. d. Jahrb. k. ungar. geol. Austalt, IV, 1875 (1881), 58, same pl. and fig.
- *calcar* (Linné). v. *Nautilus*, 1758 ; and *Cristellaria*.
- D'Orbigny, Ann. Sci. Nat. VII, 1826, 289, No. 12.
- Michelotti, Mem. Soc. Ital. Sci. XXII, 1841, 292, ii, 6.
- D'Orbigny, Foram. Fossiles Vienne, 1846, 99, iv, 18–20.
- Costa, Atti Accad. Pontaniana, VII, fas. 2, 1856, 195, x, 12a, A, C, xvii, 2a, A.
- [d'Orb.]. Neugeboren, Arch. Ver. siebenburg. Landeskunde, N. F. X, Heft 2, 1872, 282, ii, 5.
- Jones, M. Mier. Journ. XV, 1876, cxxviii, 16.
- [d'Orb.]. Schlumberger, F. Jeun. Nat., Jan. 1882, i, 9.
- [d'Orb.]. Hoernes, Elem. Palaeont. 1884, 28, fig. 19 ; French ed. 1886, same fig.
- = *Crist. rostrata* (Montf.) ; see *Nautilus papillosum*.
- *canariensis*, d'Orbigny. Barker Webb & Berthelot, Hist. Nat. Iles Canaries, 1839, II, pt. 2, "Foraminifères," 127, iii, 3 and 4.
- Mackie, Science Gossip, 1867, 130, fig. 123.
- *cancellata*, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, 230, xix, 5A, B.
- *carinata*, Dunikowski. Kosmos [Lemberg], IV, 1879, 128, plate, 21.
- ? — *caspia*, Ehrenberg. Abh. k. Ak. Wiss. Berlin, 1872 (1873), XII, 6.
- *centrata*, Terqueim. Ess. Anim. Plage Dunkerque, pt. 2, 1876, 70, vii, 19 ; (and Mém. Soc. Dunkerquoise).

- ROBULINA** clypeiformis, d'Orbigny. Foram. Fossiles Vienne, 1846, 101, iv, 23 and 24.
- var. *festonata*, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, 196, x, 37A, B, C [error for 11], xix, 1.
 - *compressa*, Bornemann. Zeitschr. deutsch. geol. Ges. VII, 1855, 338, xv, 17.
 - *compressa*, Egger. Neues Jahrbuch, 1857, 297, xiv, 12 and 13.
 - *compressa*, Neugeboren. Arch. Ver. siebenburg. Landeskunde, N. F. x, Heft 2, 1872, 280, ii, 1-4.
 - *comptoni* (Sowerby). Roemer, Verst. norddeutsch. Kreide, 1840-41, 99, xv, 34. [v. *Nautilus*.]
 - *concinna*, Reuss. Sitz. k. Ak. Wiss. Wien, XLVIII, Abth. 1, 1863 (1864), 52, v, 58a, b.
 - *confusa*, Seguenza. Atti R. Acc. Lincei, [3], vi, 1880, 142, xiii, 21, 21a.
 - *corona-lunæ*, Stache. Novara-Exped., Geol. Theil I, 1864, 250, xxiii, 29a, b.
 - *crassa*, Roemer. Verst. norddeutsch. Kreide, 1840-41, 98, xv, 32.
 - *crenata*, Hagenow. Neues Jahrb. f. Min. 1842, 572.
 - *cristellina*, Ehrenberg. Mikrogeologie, 1854, xx, ii, 24. [= *C. rotula*.]
 - *cultrata*, de Montfort. D'Orbigny, Ann. Sci. Nat. VII, 1826, 287, No. 1; and d'Orbigny, Modèles, No. 82, 1826. [*Robulus*, 1808.]
 - Michelotti, Mem. Soc. Ital. Sci. XXII, 1841, 291, ii, 5.
 - ? Pilla, Distinz. terr. Etrurio, 1846, 104, i, 9.
 - D'Orbigny, Foram. Fossiles Vienne, 1846, 96, iv, 10-13.
 - Brönn, Lethaea Geognostica, ed. 3, III, 1853-56, 207, xxxv², 9a, b.
 - [d'Orb.] var. *antipodium*, Stache. Novara-Exped., Geol. Theil I, 1864, 251, xxiii, 30a, b.
 - P., J., & B. [d'O., Modèles, No. 82], Ann. Mag. Nat. Hist. [3], XVI, 1865, 32, i, 39.
 - Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 163, fig. = *Crist.*, see *Nautili* (*Lenticulæ marginatae*); and *Nautilus circumlati*, etc.; and *Naut. levi-lucido*, etc.
 - *cummingii*, Michelotti. Mem. Soc. Ital. Sci. XXII, 1841, 292, ii, 4.
 - Michelotti, Nat. Verh. Holland. Maatsch. Wetensch. Haarlem, [2], III, (2), 1847, 14, i, 3.
 - Bornemann, Zeitschr. deutsch. geol. Ges. XII, 1860, 156, vi, 1a, b.
 - *curvicosta*, Seguenza. Atti R. Acc. Lincei, [3], VI, 1880, 144, xiii, 31 and 31a.
 - *curvisepta*, Seguenza. Atti R. Acc. Lincei, [3], VI, 1880, 142, xiii, 20, 20a.
 - *curvispira*, Seguenza. Atti R. Acc. Lincei, [3], VI, 1880, 144, xiii, 28a-c.
 - *declivis*, Bornemann. Zeitschr. deutsch. geol. Ges. VII, 1855, 333, xv, 11. — Gümbel, Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 640, ii, 76a, b [76 bis, a and b by error in descr. to plate].
 - *deformis*, Reuss. Zeitschr. deutsch. geol. Ges. III, 1851, 70, iv, 30. [v. *Cristellaria*.]
 - Bornemann, Zeitschr. deutsch. geol. Ges. VII, 1855, 337, xiv, 1-3.
 - Reuss' Models, No. 33, 1865 (Catal., No. 63, 1861). [= 1st stage of *C. rotula*.]
 - Reuss, Sitz. k. Ak. Wiss. Wien, XLVIII, Abth. 1, 1863 (1864), 53, v, 60a, b, 61a, b.
 - ? — *denaria*, Ehrenberg. Mikrogeologie, 1854, xxxii, ii, 39. [= *Crist. rotula*.]
 - *depauperata*, Reuss. Zeitschr. deutsch. geol. Ges. III, 1851, 70, iv, 29.

- ROBULINA depauperata**, Reuss. Bornemann, Zeitschr. deutsch. geol. Ges. VII, 1855, 337, xiv, 11.
 ——— Reuss, Sitz. k. Ak. Wiss. Wien, XLVIII, Abth. 1, 1863 (1864), 54, vi, 67a, b, 68a, b.
 ——— Neugeboren, Arch. Ver. siebenburg. Landeskunde, N. F. x, Heft 2, 1872, 287, iii, 9 and 10.
 ——— Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 47, vi, 5 and 6, xiv, 16; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 55, same pl. and fig.
depressa, Michelotti. Mem. Soc. Ital. Sci. XXII, 1841, 291, ii, 3.
 ——— Michelotti, Nat. Verh. Holland. Maatsch. Wetensch. Haarlem, [2], III, (2), 1847, 15, i, 1.
 ——— Abich, Mém. Ac. Imp. Sci. [Math. Phys.] St. Pétersbourg, [6], VII, 1859, 104, ix, 4.
dicta, Seguenza. Atti R. Acc. Lincei, [3], VI, 1880, 145, xiii, 33 and 33a.
dimorpha, Reuss. Zeitschr. deutsch. geol. Ges. III, 1851, 67, iv, 23.
discoides, d'Orbigny. Ann. Sci. Nat. VII, 1826, 290, No. 18.
discrepans, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863), 78, ix, 7a, b.
d'orbignii, Bailey. Smithsonian Contrib. II, 1851, 10, pl., 9 and 10.
dubia, Seguenza. Atti R. Acc. Lincei, [3], VI, 1880, 144, xiii, 30 and 30a.
echinata, d'Orbigny. Foram. Fossiles Vienne, 1846, 100, iv, 21 and 22. [v. *Cristellaria*.]
 ——— Czjzek, Haidinger's Naturw. Abh. II, 1848, 141, xii, 24 and 25.
 ——— D'Orbigny, Cours élém. Paléont. etc. I, 1849, 196, fig. 320; II, fas. 2, 1852, 818, fig. 623.
 ——— Mackie, Science Gossip, 1867, 130, fig. 126.
ehrenbergii, Roemer. Verst. norddeutsch. Kreide, 1840–41, 98, xv, 31.
eichbergensis, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 29, iii, 38.
elegantissima, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, 198, xix, 4.
ferruginea, Terquem. Bull. Soc. géol. France, [3], IV, 1876, 496, xvii, 11a, b, c.
florigemma, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. X, 1868 (1870), 644, i, 75.
foliata, Stache. Novara-Exped., Geol. Theil I, 1864, 245, xxiii, 24a, b.
formosissima, Seguenza. Atti R. Acc. Lincei, [3], VI, 1880, 145, xiii, 32, 32a.
galeata, Reuss. Zeitschr. deutsch. geol. Ges. III, 1851, 67, iv, 21.
gibba, Roemer. Verstein. norddeutsch. Oolith. Nachtrag, 1839, 47, xx, 30.
glauca, Coppi. Boll. R. Com. geol. Ital. VII, 1876, 208, no fig.
glauca, Doderlein MS. Malagoli, Atti Sci. Nat. Modena, Mem. [3], VII, 1888, 4, i, 3, 4, and 5.
granulata, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 49, xiv, 15; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 57, same pl. and fig.
 ——— Jones, M. Micr. Journ. XV, 1876, cxxix, 7
gravidia, Seguenza. Atti R. Acc. Lincei, [3], VI, 1880, 142, xiii, 23a–f.
goniaphora, Neugeboren. See *R. goniaphora*.
goniphora, Neugeboren. Arch. Ver. siebenburg. Landeskunde, N. F. x, Heft 2, 1872, 289, iii, 19 and 20. [*goniaphora*, on plate.]
gottingensis, Borneemann. Lias von Göttingen, 1854, 43, iv, 40, 41a, b.
gutticostata, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. X, 1868 (1870), 643, i, 74.

- ROBULINA** gutticostata, Gümbel. Hantken, A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 48, vi, 10; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 57, same pl. and fig.
- Jones, M. Mier. Journ. xv, 1876, cxxix, 6a, b. [= *Crist. papillosa*, F. & M.]
- **halophora**, Stache. Novara-Exped., Geol. Theil i, 1864, 248, xxiii, 28a, b, c.
- **haueri**, Michelotti. Nat. Verh. Holland. Maatsch. Wetensch. Haarlem, [2], iii, (2), 1847, 13, not fig'd.
- **imperatoria**, d'Orbigny. Foram. Fossiles Vienne, 1846, 104, v, 5 and 6.
- Jones, M. Mier. Journ. xv, 1876, cxxix, 19. [= *Crist. vortex*, F. & M., keeled.]
- See *Nautilus vortex*, F. & M.
- **inæqualis**, Costa. Atti Accad. Pontaniana, vii, fas. 2, 1856, ivi; and 229, xix, 3A, B.
- **incompta**, Reuss. Zeitschr. deutsch. geol. Ges. iii, 1851, 70, iv, 28.
- Bornemann, Zeitschr. deutsch. geol. Ges. vii, 1855, 336, xiv, 12.
- **incrustata**, Stache. Novara-Exped., Geol. Theil i, 1864, 254, xxiii, 33a, b.
- **inflata**, Neugeboren. Arch. Ver. siebenburg. Landeskunde, N. F. x, Heft 2, 1872, 288, iii, 11–16.
- **inornata**, d'Orbigny. Foram. Fossiles Vienne, 1846, 102, iv, 25 and 26. [v. *Cristellaria*.]
- Bornemann, Zeitschr. deutsch. geol. Ges. vii, 1855, 335, xv, 2 and 3.
- Costa, Atti Accad. Pontaniana, vii, fas. 2, 1856, 229, xix, 6A, B.
- Egger, Neues Jahrbuch, 1857, 297, xiv, 14–16.
- Neugeboren, Arch. Ver. siebenburg. Landeskunde, N. F. x, Heft 2, 1872, 284, ii, 20 and 21.
- Hantken, A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 47, vi, 9; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 55, same pl. and fig.
- Terquem, Ess. Anim. Plage Dunkerque, pt. 2, 1876, 70, vii, 18a, b; (and Mém. Soc. Dunkerquoise).
- Schwager, Boll. R. Com. geol. Ital. viii, 1877, 25, pl. 28.
- **insignis**, Reuss. Sitz. k. Ak. Wiss. Wien, l, Abth. 1, 1864 (1865), 466, v, 4a, b.
- **integra**, Bornemann. Zeitschr. deutsch. geol. Ges. vii, 1855, 334, xv, 12 and 13 [14, 15, and 16, “? young forms”].
- **intermedia**, d'Orbigny. Foram. Fossiles Vienne, 1846, 104, v, 3 and 4.
- **jurassofranconica**, Gümbel. Jahresh. Ver. vat. Nat. Württ. xviii, 1862, 227, iv, 3a, b.
- **kressenbergensis**, Gümbel, Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 641, i, 71a, b.
- **kubinyii**, Hantken. A magy. kir. földt. int. évkönyve, iv, 1875, (1876), 47, vi, 7; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 56, same pl. and fig.
- Jones, M. Mier. Journ. xv, 1876, cxxviii, 12a, b.
- Hantken, Kohlenflötzte, etc. ungar. Krone, 1878 (transl. from Magyar), 232, fig. 51.
- **labiata**, Terquem. Mém. Soc. géol. France, [3], iv, 1886, 46, v, 1a, b.
- **lævigata**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 288 and 289, Nos. 9 and 16.
- = *Crist. calcar* (Linn.); see *Nautilus*.
- **lata**, Reuss. Sitz. k. Ak. Wiss. Wien, xlvi, Abth. 1, 1863 (1864), 52, v, 57a, b.
- **lenticula**, Stache. Novara-Exped., Geol. Theil i, 1864, 246, xxiii, 25a, b.

- ROBULINA lepida**, Reuss. Verstein. böhm. Kreide, 1845-46, ii, 109, xxiv, 46.
 [v. *Cristellaria*.]
 —— *lepsii*, Schopp. Abh. Hess. geol. Landes. Darmstadt, i, (3), 1889, 380, i, 1.
 —— *liasina*, Terquem. Mém. Ac. Imp. Metz, XLII, 1862, 449, vi, 9a, b.
 —— *limbata*, Bornemann. Zeitschr. deutsch. geol. Ges. VII, 1855, 335, xv, 4, 5, and 6.
 —— efr. —— Bornemann, Zeitschr. deutsch. geol. Ges. VII, 1855, 336, xv, 7.
 —— *limbosa*, Reuss. Sitz. k. Ak. Wiss. Wien, XLVIII, Abth. I, 1863 (1864), 55, vi, 69a, b.
 —— —— Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 48, vi, 11; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 57, same pl. and fig.
 —— —— Jones, M. Mier. Journ. XV, 1876, exxviii, 14a, b. [= *Crist. cultrata*, Moutf.]
 —— *lobata*, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, not descr., xx, 14.
 —— *loculosa*, Stache. Novara-Exped., Geol. Theil I, 1864, 244, xxii [error for xxiii], 23a, b.
 —— *lucida*, Seguenza. Atti R. Acc. Lincei, [3], VI, 1880, 142, xiii, 19 and 19a.
 —— *magdeburgica* (Phil.). Bornemann, Zeitschr. deutsch. geol. Ges. XII, 1860, 157, vi, 2a, b. [*Nonionina*, 1851.]
 —— *marginata*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 288 and 290, Nos. 6 and 19. [v. *Cristellaria*.]
 —— —— = *Crist. cassis*; see *Nautili* (*Lenticulae marginatae*) [No. 6 of d'Orbigny] and *N. laeves*, etc.
 —— *megapolitana*, Reuss. Zeitschr. deutsch. geol. Ges. VII, 1855, 272, ix, 5. [v. *Cristellaria*.]
 —— *metensis*, Terquem. Mem. Ac. Imp. Metz, XXXIX, 1858, 627, iv, 6a, b.
 —— *munsteri*, Roemer. Verstein. norddeutsch. Oolith., Nachtrag, 1839, 48, xx, 29.
 —— —— Roemer, Verst. norddeutsch. Kreide, 1840-41, 98, xv, 30.
 —— *nautiloides*, Bornemann. Lias von Göttingen, 1854, 43, iv, 42a, b.
 —— *navis*, Bornemann. Zeitschr. deutsch. geol. Ges. VII, 1855, 338, xiv, 4 and 5.
 —— *neglecta*, Reuss. Zeitschr. deutsch. geol. Ges. III, 1851, 69, iv, 27.
 —— —— Neugeboren, Arch. Ver. siebenburg. Landeskunde, N. F. x, Heft 2, 1872, 284, ii, 8-19.
 —— *nitida*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 290, No. 22. This name was given by d'Orbigny to Soldani, Testac. II, App. 1798, 141, pl. 7zz, ZZ. [Soldani does not appear to have described it; it is probably an *Amphistegina*.]
 —— *nitida*, Reuss. Sitz. k. Ak. Wiss. Wien, XLVIII, Abth. I, 1863 (1864), 54, vi, 66a, b.
 —— *nitidissima*, Reuss. Zeitschr. deutsch. geol. Ges. III, 1851, 68, iv, 25.
 —— *nodosa*, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, Abth. I, 1862 (1863), 78, ix, 6a, b.
 —— *notabilis*, Neugeboren. Arch. Ver. siebenburg. Landeskunde, N. F. x, Heft 2, 1872, 285, iii, 1 and 2.
 —— *nuda*, Terquem. Mém. Soc. géol. France, [3], I, 1878, 14, i (vi), 6a, b.
 —— *obtusa*, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 369, xlvi, 18.
 —— *obtusimargo*, Seguenza. Atti R. Acc. Lincei, [3], VI, 1880, 142, xiii, 22, 22a.
 —— *ocellus*, Ehrenberg. Mikrogeologie, 1854, xxxii, ii, 47. [= *Crist. cultrata*.]
 —— *oculus*, Stache. Novara-Exped., Geol. Theil I, 1864, 247, xxii [error for xxiii], 27a, b.

- ROBULINA** oolithica, Terquem. Bull. Soc. géol. France, [3], iv, 1876, 496, xvii, 10a, b.
- — — — — Terquem, Cinq. Mém. Foram. Oolithique, 1883, 366, xli, 12a, b.
- — — — — Terquem, Mém. Soc. géol. France, [3], iv, 1886, 46, v, 2a, b.
- — **orbicularis**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 288, xv [vi in text, by error], 8 and 9. [= *Crist. vortex* (F. & M.) ; v. *Cristellaria*.]
- — — — — Reuss, in Geinitz, Grundr. Verstein., 1845-46, 664, xxiv, 35.
- — — — — = *Crist. vortex* (F. & M.) ; see *Nuclei conico-rotundati*.
- — — — — See *Nautilus vortex*, F. & M.
- — **ornata**, d'Orbigny. Foram. Fossiles Vienne, 1846, 98, iv, 16 and 17.
- — — — — Pictet, Traité de Paléont., 2 ed. iv, 1857, 497, cix, 15.
- — **planciana**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 290, No. 20.
- — — — — = *Nonion. umbilicatula* (Mont.) ; see *Lenticulae*.
- — **plicata**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 290, No. 23.
- — — — — = *Crist. rotulata*, Lam. ; see *Hammonia subtrotunda*.
- — **polistegia**, Dunikowski. Kosmos [Lemberg], iv, 1879, 128, plate, 20.
- — **polyphragma**, Reuss. Sitz. k. Ak. Wiss. Wien, L, Abth. 1, 1864 (1865) 465, iv, 5a, b.
- — **porvænsis**, Hantken. A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 50, xiv, 11 ; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 58, same pl. and fig.
- — **princeps**, Reuss. Sitz. k. Ak. Wiss. Wien, L, Abth. 1, 1864 (1865), 466, v, 3a, b.
- — — — — Hantken, A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 48, vi, 8 ; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 56, same pl. and fig.
- — — — — Deecke, Mém. Soc. Emul. Montbéliard, xvi, 1886 [35], ii, 17, 17a.
- — **pseudo-calcarata**, Stache. Novara-Exped., Geol. Theil I, 1864, 252, xxiii, 31.
- — **pterodiscoidea**, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 642, i, 72a, b.
- — **pusilla**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 288, No. 8.
- — — — — = *Crist. calcar* ; see *Nautili (Lenticulae radiatae)*.
- — **radiata**, Bornemann. Zeitschr. deutsch. geol. Ges. vii, 1855, 334, xv, 1. [v. *Cristellaria*.]
- — — — — Reuss, Sitz. k. Ak. Wiss. Wien, XLVIII, Abth. 1, 1863 (1864), 54, vi, 65a, b.
- — **radiata**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 288, No. 7.
- — — — — = *Crist. calcar* ; see *Nautili (Lenticulae radiatae)*.
- — **radiifera**, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 643, ii, 76, 4a, b [76aa, bb].
- — **regina**, Karrer. Novara-Exped., Geol. Theil I, 1864, 76, xvi, 6.
- — **rhenana**, Andreeae. Abh. geol. Speciaalkarte Elsass-Lothr. II, Heft 3, 1884, 300, vi, 10.
- — **rosacea**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 289, No. 11. [v. *Cristellaria*.]
- — — — — = *Crist.* ; see *Nautili leaves (Lenticulae)*.
- — **rosetta**, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 642, i, 73a, b.
- — **rostrata**, Seguenza. Atti R. Acc. Lineei, [3], vi, 1880, 143, xiii, 24, 24a.
- — **rotunda**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 290, No. 24.
- — — — — = *Crist. calcar* ; see *Nautilus lenticula*.
- — **rugosa**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 290, No. 21.
- — — — — = *Lituola* ; see *Lenticulae*.

- ROBULINA** *seminuda*, Terquem. Cinq. Mém. Foram. Oolithique, 1883, 366, xli, 13*a*, *b*. — Terquem, Mém. Soc. géol. France, [3], iv, 1886, 47, v, 3*a*, *b*. — *semistriata*, Costa. Atti Accad. Pontaniana, vii, fas. 2, 1856, not descr., xix, 7. — *serpens*, Seguenza. Atti R. Acc. Lincei, [3], vi, 1880, 143, xiii, 25 and 25*a*. — *signata*, Reuss. Zeitschr. deutsch. geol. Ges. vii, 1855, 272, ix, 4. — *similis*, d'Orbigny. Foram. Fossiles Vienne, 1846, 98, iv, 14 and 15. — *simplex*, d'Orbigny. Foram. Fossiles Vienne, 1846, 103, iv, 27 and 28. — Neugeboren, Arch. Ver. siebenburg. Landeskunde, N. F. x, Heft 2, 1872, 286, iii, 3–6. — Terquem, Ess. Anim. Plage Dunkerque, pt. 2, 1876, 70, vii, 21*a*, *b*; (and Mém. Soc. Dunkerquoise). — Jones, M. Mier. Journ. xv, 1876, cxxviii, 13. [= *Crist. rotulata*, Lam.] — *simplicissima*, Seguenza. Atti R. Acc. Lincei, [3], vi, 1880, 141, xiii, 18, 18*a*. — *sogamozae*, Karsten. Amtlicher Ber. 32 Vers. deutscher Nat. Aerzte, 1856, 1858, 114, vi, 5*a*, *b*; and Géol. Colomb. bolivarienne, 1886, 62, vi, 5*a*, *b*. — *soldanii*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 288, No. 5. [= *Cristellaria*.] — = *Crist.*; see *Nautili globuli*. — *spirata*, Terquem. Ess. Anim. Plage Dunkerque, pt. 1, 1875, 23, i, 15*a*, *b*; (and Mém. Soc. Dunkerquoise). — *stellata*, Seguenza. Atti R. Acc. Lincei, [3], vi, 1880, 144, xiii, 29. — *stelligera*, Czjzek. Haidinger's Nat. Abh. II, 1848, 142, xii, 26 and 27. — *striolata*, Czjzek. Haidinger's Nat. Abh. II, 1848, 142, xii, 28 and 29. — *subangulata*, Reuss. Sitz. k. Ak. Wiss. Wien, XLVIII, Abth. 1, 1863 (1864), 53, vi, 64*a*, *b*. — *subangulosa*, Costa. Atti Accad. Pontaniana, vii, fas. 2, 1856, not descr., xiv, 2. — *subcultrata*, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 26, v, 19 and 20. [= *R. cultrata* on plate.] — *sublaevis*, v. Hagenow. Neues Jahrbuch, 1842, 572. — *subnodosa*, v. Muenster. Roemer, Neues Jahrbuch, 1838, 391, iii, 61. [= *Polystomella*.] — *sulcata*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 289, No. 10. — = *Polystom. striato-punctata*; see *Nautili striati*. — *taettowata*, Stache. Novara-Exped., Geol. Theil I, 1864, 252, xxiii, 32*a*, *b*. [= *taettowata* in explan. of plate.] — *tenuis*, Seguenza. Atti R. Acc. Lincei, [3], vi, 1880, 143, xiii, 26 and 26*a*. — *torosa*, Reuss. Sitz. k. Ak. Wiss. Wien, I, Abth. 1, 1864 (1865), 465, iii, 2*a*, *b*. — *trachyomphala*, Reuss. Haidinger's Naturw. Abb. IV, Abth. 1, 1851, 34, ii, 12. — *trigonostoma*, Reuss. Zeitschr. deutsch. geol. Ges. III, 1851, 69, iv, 26. — ? Bornemann, Zeitschr. deutsch. geol. Ges. VII, 1855, 336, xv, 9 and 10. ("Young forms.") — *umbonata*, Reuss. Zeitschr. deutsch. geol. Ges. III, 1851, 68, iv, 24. — *vaticana*, Costa. Mem. Acc. Sci. Napoli, II, 1855 (1857), 122, i, 174, *B*. — *virgata*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 290, No. 17. — D'Orbigny, Modèles, No. 14, 1826. — P., J., & B. [d'O., Modèles, No. 14], Ann. Mag. Nat. Hist. [3], XVI, 1865, 20, i, 40. — Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 163, fig.

- ROBULINA** *virgata*, D'Orbigny. Gümbel, Geol. Bayern, Th. I, Lief. 2, 1885, fig. 266, 16.
- *vitrea*, Seguenza. Atti R. Acc. Lincei, [3], VI, 1880, 144, xiii, 27 and 27a.
- *vortex* (F. & M.). = *Crist.*, v. *Nautilus*, 1798; *Nautili globuli*, and *Naut. conico-rotundati*.
- *vulgaris* (Schwager). Deecké, Mém. Soc. Emul. Montbéliard, XVI, 1886 [35], II, 3, 3a. [*Cristellaria*, 1868.]
- spp. Bornemann, Zeitschr. deutsch. geol. Ges. VII, 1855, 333, XIV, 9 and 10, XV, 8. ("Young forms.")
- von Schlicht, Foram. Septar. Pietzpuhl, 1870, plates, XVI-XIX.
- ROBULUS** *culturatus*, Montfort. Conch. Syst. I, 1808, 215, 54th genre. [= *Crist.*] [v. *Robulina*; *Cristellaria*.]
- ROPALOZOTIKA**, de Folin, 1881. Bull. Soc. N. H. Toulouse, XV, 1881, 141, not described, 1 sp. proposed.
- ROSALIA**. D'Orbigny in his Prodrome quotes this genus several times with the date of 1825. It may be that this was the original MS. name he gave to *Rosalina*.
- ROSALINA**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 271.
- *afinis*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 271, No. 8.
- *amaliae*, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, 254, XXI, 12A, B, C.
- *ambigua*, Terquem. Ess. Anim. Plage Dunkerque, pt. 1, 1875, 35, V, 5a, b; (and Mém. Soc. Dunkerquoise).
- *ammoniformis*, d'Orb., 1847. D'Orbigny, Prodrome de Paléont. III, 1852, 194, No. 547. [*Rotalia*, 1825.]
- *ammonooides*, Reuss. Geogn. Skizze Böhmen, II, 1844, pt. 1, 214. [v. *Anomalina*; *Planorbolina*.]
- — — — — Reuss, Verstein. böhm. Kreide, 1845-46, I, 36, viii, 53, XIII, 66.
- — — — — Jones, Lecture Geol. Hist. Newbury, 1854, 48, II, 2a, b, c.
- — — — — Eley, Geol. in the Garden, 1859, 202, viii, 3c, 4c, Ac.
- — — — — Eley, Geol. in the Garden, 1859, 193, II, 3, 4, iii, 17. [Flint east.]
- — — — — Kübler & Zwingli, Neujahrsblatt Bürgersbibl. Winterthur, 1866, 22, iii, 27.
- *anomala*, Terquem. Ess. Anim. Plage Dunkerque, pt. 1, 1875, 34, V, 1a, b; (and Mém. Soc. Dunkerquoise).
- *araucana*, d'Orbigny. Voyage Amér. Mérid. 1839, V, pt. 5, "Foraminifères," 44, VI, 16-18. [v. *Discorbina*.]
- *arcuata*, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 372, XLVII, 4. [v. *Discorbina*.]
- *aspera*, Gümbel. Jahresh. Ver. vat. Nat. Württ. XVIII, 1862, 230, IV, 8a, b.
- *asterites*, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. X, 1868 (1870), 658, II, 101a, b, c.
- *auberii*, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 94, IV, 5-8; also in Spanish, 1840, 102, same pl. and fig.
- *beccarii* (Linne). See *Nautilus*, 1758.
- — — — — [Park.]. Reuss, in Geinitz, Grundr. Verstein. 1845-46, 676, XXIV, 56.
- — — — — Eley, Geol. in the Garden, 1859, 203, X, 41-44.
- — — — — Kölliker, Icones Histologicae, 1864, 31. [Structural.]
- — — — — Hopkins, Execut. Doc., 45 Congress, Sess. 3, IV, Rpt. Chief Engineers, pt. 2, App. W, 1878-79, 885, i, 64.
- *bertheloti*, d'Orbigny. Barker Webb & Berthelot, Hist. Nat. Iles Canaries, 1839, II, pt. 2, "Foraminifères," 135, I, 28-30. [v. *Discorbina*.] [R. *berthelotiana* on plate.] [v. *Discorbina*.]

- ROSALINA** binkhorsti, Reuss. Sitz. k. Ak. Wiss. Wien, **XLIV**, Abth. 1, 1861 (1862), 317, ii, 3a-c.
- biseriata, Terquem. Mém. Soc. géol. France, [3], I, 1878, 26, ii (vii), 14a-c.
- bosqueti, Reuss. Sitz. k. Ak. Wiss. Wien, **XLIV**, Abth. 1, 1861 (1862), 316, iii, 1a, b.
- bulloides, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 98, iii, 2-5; also in Spanish, 1840, 104, same pl. and fig. [v. *Discorbina*; *Cymbalopora*; *Tretomphalus*.]
- calabra, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, not descr., xiv, 6.
- calymene, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 658, ii, 100a, b, c.
- canaliculata, Reuss. Denkschr. k. Ak. Wiss. Wien, VII, Abth. 1, 1854, 70, xxvi, 4.
- candeiana, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 97, iv, 2-4; also in Spanish, 1840, 103, same pl. and fig.
- catesbyana, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 99, iv, 22-24; also in Spanish, 1840, 105, same pl. and fig. [*R. catesbyana* on plate.]
- clementiana, d'Orbigny. Mém. Soc. géol. France, [1], iv, 1840, 37, iii, 23-25; facsimile in Science Gossip, 1870, 155, fig. 140.
- — — — — Mangin, Mystères Océan, 1864, 177, fig. 9.
- complanata, d'Orbigny. Foram. Fossiles Vienne, 1846, 175, x, 13-15.
- — — — — var. Reuss, Denkschr. k. Ak. Wiss. Wien, I, 1850, 373, xlvi, 5.
- — — — — Bronn, Lethaea Geognostica, ed. 3, III, 1853-56, 229, xxxv², 20a, b, c.
- complanata, Reuss. Sitz. k. Ak. Wiss. Wien, **XLVI**, Abth. 1, 1862 (1863), 86, xi, 3a-c.
- concava, Reuss. Denkschr. k. Ak. Wiss. Wien, VII, Abth. 1, 1854, 70, xxvi, 3.
- conica, Terquem. Mém. Ac. Imp. Metz, XXXIX, 1858, 632, iv, 11a, b.
- — — — — Terquem, Mém. Soc. géol. France, [3], II, 1882, 97, x (xviii), 9a-c.
- consobrina, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 46, vii, 4-6.
- cora, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 45, vi, 19-21.
- crenata, Reuss. Sitz. k. Ak. Wiss. Wien, XVIII, 1856, 243, v, 57.
- depressa, d'Orbigny. Ann. Sci. Nat. VII, 1826, 271, No. 6.
- discoides (d'Orbigny). Terquem, Mém. Soc. géol. France, [3], I, 1878, 24, ii (vii), 9a-c. [*Rotalia*, 1826.]
- dubia, d'Orbigny. Foram. Fossiles Vienne, 1846, 177, x, 19-21.
- dubia, Terq. Mém. Soc. géol. France, [3], II, 1882, 100, xi (xix), 2a, b.
- edwardsiana, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 101, vi, 8-10; also in Spanish, 1840, 106, same pl. and fig.
- elliptica, Kübler & Zwingli. Nenjahrsblatt Bürgersbibl. Winterthur, 1866, 15, iii, 2. [? a *Planorbulina*.]
- excavata, Terquem. Mém. Soc. géol. France, [3], II, 1882, 98, x (xviii), 11a-c.
- fasciata, Stache. Novara-Exped., Geol. Theil I, 1864, 281, xxiv, 31a, b, c.
- foveolata, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1838, 133, iv, iv, μ.
- galiciana, Alth. Haidinger's Naturw. Abh. III, Abth. 2, 1850, 265, xiii, 20. [v. *Planorbulina*.]

- ROSALINA globigera**, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1841, 428.
 —— *globularis*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 271, No. 1, xiii, 1-4 ;
 and Modèles, 1826, No. 69. [v. also *Discorbina*.]
 —— —— —— Smedley, Ency. Metrop. 1845, undeser. pl. "Mollusea ?"
 30 and 31.
 —— —— Williamson, Mem. Lit. Phil. Soc. Manchester, [2], VIII,
 1848, 36, pl., 27, 28, 29. [28 = *Planorb. mediterranensis*?]
 —— —— P., J., & B. [d'O., Modèles, No. 69], Ann. Mag. Nat. Hist.
 [3], XVI, 1865, 30, ii, 69.
 —— —— Terquem, Mém. Soc. géol. France, [3], I, 1878, 25, ii
 (vii), 10a-c.
 —— *granulosa*, Karrer. Sitz. k. Ak. Wiss. Wien, I, Abth. 1, 1864 (1865),
 710, ii, 14.
? —— *hexas*, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 308.
 —— —— Ehrenberg, Abh. k. Ak. Wiss. Berlin, 1872 (1873), I, 19.
 ("cfr. *Planulina*, 1854.")
 —— *horrida*, Egger. Neues Jahrbuch, 1857, 278, viii, 14-16.
 —— *imperatoria*, d'Orbigny. Foram. Fossiles Vienne, 1846, 176, x, 16-18.
 —— *inæqualis*, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, not deser.,
 xiv, 8.
 —— *inca*, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères,"
 45, vii, 1-3.
 —— *inflata*, Seguenza. Atti Accad. Gioenia Sci. Nat. 2, XVIII, 1862, 106, i,
 6, 6a, b, c. [= *Rotalia beccarü*, var.]
 —— *inflata*, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863), 87,
 xi, 6a-c.
 —— *inflata*, Terquem. Ess. Anim. Plage Dunkerque, pt. 2, 1876, 76, ix, 8a,
 b ; (and Mém. Soc. Dunkerquoise).
 —— *isabelleana*, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Fora-
 minifères," 43, vi, 10-12. [v. *Discorbina*.]
 —— *italica*, d'Orb., 1847. D'Orbigny, Prodrome de Paléont. III, 1852, 194,
 No. 545. [*Turbinulina*, 1826.]
 —— —— —— Terquem, Mém. Soc. géol. France, [3], I, 1878, 27, ii
 (vii), 16a-c.
 —— *kochi*, Reuss. Zeitschr. deutsch. geol. Ges. VII, 1855, 274, ix, 8.
 —— *lævigata*, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1838, 133, iv, vi, v.
 —— *lævigata*, Eichwald. Lethaea Rossica, III, 1853, 6, i, 9a-d.
 —— *lateralis*, Terquem. Mém. Soc. géol. France, [3], I, 1878, 25, ii (vii),
 11a-c. [v. *Pulvinulina*.]
 —— *latifrons*, Stache. Novara-Exped., Geol. Theil I, 1864, 284, xxiv, 33a,
 b, c.
 —— *lenticularis*, Terquem. Mém. Ac. Imp. Metz, XXXIX, 1858, 631, iv,
 10a-c.
 —— *linneiana*, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Fora-
 minifères," 101, v, 10-12 ; also in Spanish, 1840, 106, same pl. and fig.
 [R. *linnei* on plate ; R. *linneana* in Index.] [v. *Globigerina*.]
 —— *lorneiana*, d'Orbigny. Mém. Soc. géol. France, [1], IV, 1840, 36, iii,
 20-22 ; facsimile in Science Gossip, 1870, 155, fig. 139. [v. *Rotalia*.]
 —— —— Mantell, Medals Creation, ed. 2, 1854, 342, fig. 109, 5.
 —— *mackayi*, Karrer. Novara-Exped., Geol. Theil I, 1864, 82, xvi, 14.
 [makeyi, in explan. to plate.]
 —— *maorica*, Stache. Novara-Exped., Geol. Theil I, 1864, 282, xxiv, 32a,
 b, c.
 —— *maremii*, d'Orb., MS. Terq., Mém. Soc. géol. France, [3], I, 1878, 27,
 ii (vii), 15a-c. [D'Orbigny, Planches inédites, viii, f. 2.]
 —— *marginata*, Reuss. Verstein. böhm. Kreide, 1845-46, I, 36, viii, 54, 74,
 xiii, 98. [v. *Globigerina*.]
 —— —— —— Reuss, in Geinitz, Grundr. Verstein. 1845-46, 676, xxiv,

- ROSALINA marginata**, Reuss. Bronn, Ann. Mag. Nat. Hist. [2], XII, 1853, 241, ix, 7.
 ————— Reuss, Denkschr. k. Ak. Wiss. Wien, VII, Abth. 1, 1854, 69, xxvi, 1.
 ————— Eley, Geol. in the Garden, 1859, 202, ix, 16C.
 ————— Eley, Geol. in the Garden, 1859, 196, iii, 16. [Fluit cast.]
 ————— mariæ, Jones. In Prestwich, Quart. Journ. Geol. Soc. VIII, 1852, 267, xvi, 13. [= *Planorbulina*.]
 ————— **mediterranensis**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 271, No. 2. [v. *Pulvinulina*.]
 ————— = *Pulvin. mediterr.* (d'O.) ; see *Hammonia subconica*.
 ————— **megastoma**, Terquem. Ess. Anim. Plage Dunkerque, pt. 2, 1876, 75, ix, 6a, b [var. 7] ; (and Mém. Soc. Dunkerquoise).
 ————— **micropora**, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1841, 428.
 ————— **moniliformis**, Reuss. Geogn. Skizze Böhmen, II, 1844, pt. 1, 214.
 ————— Reuss, Verstein. böh. Kreide, 1845-46, i, 36, xii, 30, xiii, 67. [Corrected in Part ii, p. 109, to *Anomalina*.]
 ————— **nitens**, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863), 86, xi, 4a, b.
 ————— **obtusa**, d'Orbigny. Foram. Fossiles Vienne, 1846, 179, xi, 4-6. [v. *Discorbina*.]
 ————— Costa, Atti Accad. Pontaniana, VII, fas. 2, 1856, 258, xxii, 14A, B, C [error for xxi, 14, 15, and 16].
 ————— **ocellata**, Ehrenberg, 1838. [v. *Planulina*.]
 ————— **opercularis**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 271, No. 7. [v. *Discorbina*.]
 ————— D'Orbigny, De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 93, iii, 24 and 25, iv, 1 ; also in Spanish, 1840, 101, same pl. and fig.
 ————— **orbicularis**, d'Orb., 1847. D'Orbigny, Prodrome de Paléont. II, 1850, 407, No. 1328. [*Rosalina*, 1825.]
 ————— **orbicularis**, Terquem. Ess. Anim. Plage Dunkerque, pt. 2, 1876, 75, ix, 4a, b ; (and Mém. Soc. Dunkerquoise). [v. *Discorbis*, and *Discorbina*.]
 ————— **orbiculus**, Stache. Novara-Exped., Geol. Theil I, 1864, 285, xxiv, 34a, b, c.
 ————— **d'orbignyi**, Soldani. Walther, Mitth. Zool. Stat. Neapel, VIII, 1888, 382, xx¹².
 ————— **ornata**, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 42, i, 18-20.
 ————— Hogg, Microscope, 1886, 380, fig. 208².
 ————— **osnabrugensis** (v. Muenster). Reuss, Sitz. k. Ak. Wiss. Wien, XVIII, 1856, 243, v, 58. [v. *Planulina*.]
 ————— **parapsis**, Schwager. Benecke's Geogn. Pal. Beiträge, I, 1866, 310, fig. 16.
 ————— **parisiensis**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 271, No. 5. [v. also *Discorbis* and *Discorbina*.]
 ————— D'Orbigny, Modèles, No. 38, 1826.
 ————— P., J., & B. [d'O., Modèles, No. 38], Ann. Mag. Nat. Hist. [3], XVI, 1865, 25, ii, 70.
 ————— Terq., Mém. Soc. géol. France, [3], II, 1882, 99, x (xviii), 15-17.
 ————— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 162, fig.
 ————— **parkinsoniana**, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 99, iv, 25-27 ; also in Spanish, 1840, 105, same pl. and fig. ["*Rotalia beccarii*, d'Orb., 1825."]
 ————— **patella**, Egger. Neues Jahrbuch, 1857, 278, x, 12-14.
 ————— **pertusa**, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1838, 133, iv, viii, 5.
 ————— **peruviana**, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 41, i, 12-14.

- ROSALINA poeyi**, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 92, iii, 18-20; also in Spanish, 1840, 100, same pl. and fig. [v. *Discorbina* and *Cymbalopora*.]
- **polygona**, Terquem. Mém. Ac. Imp. Metz, XLII, 1862, 450, vi, 10a, b.
- **polystoma**, Terquem. Mém. Soc. géol. France, [3], I, 1878, 26, ii (vii), 13a-c.
- **propinqua**, Terquem. Mém. Soc. géol. France, [3], II, 1882, 99, x (xviii), 14a-c.
- **punctulata**, Terquem. Ess. Anim. Plage Dunkerque, pt. 1, 1875, 34, v, 2a, b; (and Mém. Soc. Dunkerquoise).
- **quadrata**, Terquem. Mém. Soc. géol. France, [3], II, 1882, 98, x (xviii), 12a-c.
- **radiata**, Costa. Atti Accad. Pont. VII, fas. 2, 1856, 255, xxi, 13A, B, C.
- **rotata**, Terquem. Mém. Soc. géol. France, [3], II, 1882, 100, xi (xix), 1a-c.
- **rudis**, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863), 87, xi, 7a-c. [v. *Anomalina*.] — Gümbel, Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 657, ii, 99a, b, c.
- **rugata**, Terquem. Mém. Soc. géol. France, [3], I, 1878, 27, ii (vii), 17a-c.
- **rugosa**, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 42, ii, 12-14. [v. *Discorbina*.]
- **saulcyi**, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 42, ii, 9-11. [*R. saulci* on plate.] [v. *Discorbina*.]
- **scalaris**, Terquem. Mém. Soc. géol. France, [3], II, 1882, 101, xi (xix), 3a-c.
- **schloenbachi**, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863), 87, xi, 5a-c.
- **semipunctata**, Terquem. Mém. Soc. géol. France, [3], I, 1878, 26, ii (vii), 12a-c.
- Terquem, Mém. Soc. géol. France, [3], II, 1882, 98, x (xviii), 13a-c.
- **semistriata**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 271, No. 3. — De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 95, iii, 15-17; also in Spanish, 1840, 102, same pl. and fig.
- **siennensis**, d'Orb., 1847. D'Orbigny, Prodrome de Paléont. III, 1852, 194, No. 546. [*Turbinulina*, 1826.]
- **simplex**, d'Orbigny. Foram. Fossiles Vienne, 1846, 178, x, 25-27.
- Egger, Neues Jahrbuch, 1857, 278, x, 4-6.
- Abich, Mém. Ac. Imp. Sci. (Math.-Phys.) St. Pétersbourg, [6], VII, 1859, 56, ii, 1b, c [and 1a].
- **soldanii**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 271, No. 9. [v. *Pulvinulina*.] — = *Rotalia beccarii* (?) ; see *Hammoniae trochi*. — = *Pulvin.* ; see *Hammoniae trochi*.
- **spinigera**, Terquem. Mém. Soc. géol. France, [3], II, 1882, 97, x (xviii), 10a-c.
- **squamiformis**, Reuss. Denkschr. k. Ak. Wiss. Wien, VII, Abth. 1, 1854, 69, xxvi, 2.
- **squammosa**, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 91, iii, 12-14; also in Spanish, 1840, 100, same pl. and fig. [*Rotalia*, 1826.]
- **subradiata**, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, 256, xiv, 5a, B, C.
- **subrotunda**, d'Orb., 1847. D'Orbigny, Prodrome de Paléont. III, 1852, 194, No. 544. [*Rotalia*, 1826.]
- **subumbonata**, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 657, ii, 98a, b, c.

- RODALINA tenerima**, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1841, 428.
 — *thiara*, Stache. Novara-Exped., Geol. Theil I, 1864, 279, xxiv, 29a, b, c.
 — — — var. *elatior*, Stache. Novara-Exped., Geol. Theil I, 1864, 280, xxiv, 30a, b, c.
 — *trifida*, Terquem. Ess. Anim. Plage Dunkerque, pt. 1, 1875, 35, v, 4a, b; (and Mém. Soc. Dunkerquoise).
 — *trocheata*, Terquem. Mém. Soc. géol. France, [3], I, 1878, 28 ii (vii), 18a-c.
 — *truncata*, Terquem. Ess. Anim. Plage Dunkerque, pt. 1, 1875, 35, v, 3a, b; (and Mém. Soc. Dunkerquoise).
 — *valvulata*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 271, No. 4.
 — — — Barker Webb & Berthelot, Hist. Nat. Iles Canaries, 1839, II, pt. 2, "Foraminifères," 136, ii, 19-21. [v. *Discorbina*.]
 — — — De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 96, iii, 21 and 32 [error for -23]; also in Spanish, 1840, 103, same pl. and fig.
 — *varians*, Schultze. Organismus Polythal. 1854, 60, iii, 8-13. [= *Discorb. globularis*.]
 — *vesicularis*, d'Orb., 1847. D'Orbigny, Prodrome de Paléont. II, 1850, 407, No. 1329. [*Rosalia*, 1825.]
 — — — (Lam.). Parker & Jones, Ann. Mag. Nat. Hist. [2], xix, 1857, 292, x, 22-24, xi, 13 and 14. [*Discorbites*, 1804.]
 — *viennensis*, d'Orbigny. Foram. Fossiles Vienne, 1846, 177, x, 22-24.
 — — — Egger, Neues Jahrbuch, 1857, 277, viii, 11-13.
 — — — Terquem, Ess. Anim. Plage Dunkerque, pt. 2, 1876, 75, ix, 5a, b; (and Mém. Soc. Dunkerquoise).
 — *vilardeboana*, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 44, vi, 13-15. [v. *Discorbina*.]
 — *vitrea*, Terquem. Bull. Soc. zool. France, x, 1885, 549, figs. A, B, C.
 — *weinkauffi*, Reuss. Sitz. k. Ak. Wiss. Wien, XLVIII, (1), 1863, 68, viii, 97. [v. *Truncatulina*.]
 — Pictet, Traité de Paléont. IV, 1846, 234, xii, 18.
 — Austed, Ancient World, 1847, 237, fig. 90; ed. 2, 1848, 221, fig. 86.
 — Mantell, Medals Creation, ed. 2, 1854, 361, fig. 119, 1. [Sarcodes.]
? — Costa, Atti Accad. Pontaniana, VII, fas. 2, 1856, not deser., xvii, 7 and 8.
 — Dawson, Canad. Nat. II, 1857, 422, vii, 17. [= *Polystom. umbilicatula*.]
 — Mantell, Wonders Geol. 1857, 7th ed., 310, fig. 56.
? — Karrer, Sitz. k. Ak. Wiss. Wien, LII, Abth. I, 1865 (1866), 497, pl. 13.
 — v. Schlicht, Foram. Septar. Pietzpuhl, 1870, plates xxi and xxii.
 — Terquem, Cinq. Mém. Foram. Oolithique, 1883, 373, xlii, 8 and 9.
 — Terquem, Mém. Soc. géol. France, [3], IV, 1886, 58, vi, 28 and 29, vii, 1a, b.
ROSTROLINA, v. Schlicht, 1870. Foram. Septar. Pietzpuhl, 1870, plates xxv, xxvi. [= *Polymorphina*.]
ROTALIA, Lamarck, 1804. Ann. Mus. V, 1804, 184; Brady, Report Challenger, 1884, 702.
 — *abstrusa*, Franzénau. Math. termész. értesítő, VII, 1889, 268, v, 6.
 — *abyssorum*, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 28.
 — — — Ehrenberg, Abh. k. Ak. Wiss. Berlin, 1872 (1873), xi, 15.
 — *akneriana*. See *Ammon. univolute*.
 — *ammoniformis*, d'O. P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 174, xii, 149. [*Turbinulina*, 1826.]
 — (*Turbinula*) — — — See *Hammoniae beccarii*, etc.
 — *ammonis*, Ehrenberg. Mikrogeologie, 1854, xxv, i, A, 45. [= *Planorb. ariminensis*.]
 — *ammonoides*, Gumbel. Sitz. k.-bay. Ak. Wiss. 1870, 283. [= *Anomalina*.]
 — *ammonoides*. See *Ammon. concavo-umbilicatae*.

- ROTALIA** ammophila, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 652, ii, 90a, b.
 — ampla, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 374.
 — annexens, Parker & Jones. Phil. Trans. 1865, 387 and 422, xix, 11a, b, c.
 — antarctica, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1844, 207.
 — antilarum, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1841, 428.
 — antiqua, Ehrenberg. Mikrogeologie, 1854, xxvii, xi, A-D, 11. [= *Endothyra*, near *bownmani*.]
 — arenacea, Carter. Ann. Mag. Nat. Hist. [5], vii, 1881, 363, xviii, 10.
 — areolata, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1843, 167.
 ? — argus, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 375.
 — armata, d'Orbigny. Ann. Sci. Nat. vii, 1826, 273, No. 22. [v. *Rotalina*.] [v. also *Calcarina*.]
 — — — — — D'Orbigny, Modèles, No. 70, 1826.
 — — — — — P., J., & B. [d'O., Modèles, No. 70], Ann. Mag. Nat. Hist. [3], xvi, 1865, 30, iii, 88.
 — — — — — Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 162, fig.
 — articulata, Dunikowski. Kosmos [Lemberg], iv, 1879, 133, plate, 28.
 — aspera, Ehrenberg. Mikrogeologie, 1854, xxvii, 57 and 58; xxviii, 42; xxi, 44. [= *Globig. cretacea*.]
 — — — — — Ehr., Mikrogeologie, 1854, xxiii, 28. [= *Planorb. haidingeri*?]
 — audouini, d'Orbigny. Ann. Sci. Nat. vii, 1826, 273, No. 19. [v. *Rotalina*.]
 — auricula, Ehrenberg. Mikrogeologie, 1854, xxiii, 51. [= *Cristellaria*.]
 — badensis, Czj., var. *schreibersii*, Brady. Walther, Mittb. Zool. Stat. Neapel, viii, 1888, 382, xx, 2. [*Rotalina badensis*, 1848; v. *Pulvinulina*.]
 — baileyi, Hall. Trans. Albany Institute, iv, 1858–1864 (Read Nov. 27, 1856), 34. [v. also *Endothyra*.]
 — barbadensis, Ehrenberg. Abh. k. Ak. Wiss. Berlin, 1875 (1876), 158, i, 2.
 — beccarii, (Linné). See *Nautilus*, 1758.
 [—] [—] — D'Orbigny, Ann. Sci. Nat. vii, 1826, 275, No. 40; and Modèles, No. 74*, 1826.
 — — — — — Ehr., Abhandl. k. Ak. Wiss. Berlin, 1838, 133, i, 1. [= *R. beccarii*, var. *ammoniformis* (Linn. and Lam.).]
 — [beccarii] — — Brown, Illustr. Recent Conch. Gt. Brit., ed. 2, 1844, 1, i, 11.
 — [beccarii] — var. *perversus*. Brown, Illustr. Recent Conch. Gt. Brit. ed. 2, 1844, 1, i, 12.
 — — — — — Harvey, Sea-side Book, 1849, 181, figure.
 — — — — — Mantell, Pictorial Atlas Foss. Rem. 1850, 143, lxii, 3, 27 and 28.
 — — — — — G. B. Sowerby, Foram. Colne Tidal River, 1856 [privately printed], plate, figs. 2 and 3.
 — — — — — Mackie, Recreative Science, i, 1859, 145, fig. 7. [= *Discorbia globularis*.]
 — — — — — Parker & Jones, Phil. Trans. 1865, 388, xvi, 29 and 30.
 — (Turbinulina) — — — — P., J., & B. [d'O., Modèles, No. 74], Ann. Mag. Nat. Hist. [3], xvi, 1865, 30, iii, 88.
 — — — — — v. *orbicularis* (d'O.). Parker & Jones, Phil. Trans. 1865, 389, xvi, 34. [= *Discorbus*, 1826.]
 — — — — — v. *soldanii* (d'O.). Parker & Jones, Phil. Trans. 1865, 389, xvi, 31–33. [= *Rosalina*, 1826.]

* [D'Orbigny was mistaken as to this species: *Streblus beccarii* and *Streblus tortuosus* are both *Nautilus beccarii*, of Linnaeus; d'Orbigny gives *Rotalia (Turbinulina) tortuosa*, Fischer, in Ann. Sci. Nat. vii, 1826, 275, No. 40, as the name of Modèle No. 74.]

- ROTALIA beccarii**, (Linné), (varieties). Parker & Jones, Phil. Trans. 1865, 387, xvi, 29-34.
- J., P., & B., Crag Foram., Pal. Soc. xix, 1866, n. d., ii, 19-21.
- [—] Harting, Magt van het Kleine, 1866, 101, fig. 40.
- Brady, Ann. Mag. Nat. Hist. [4], vi, 1870, 303, xii, 8a-c.
- Anon., Science Gossip, 1870, 11, fig. 26.
- P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], viii, 1871, 173, xii, 147. [*v. R. (Turbin.) italica*, d'O.]
- Idem, 172, xii, 148. [*v. Rosalina soldanii*, d'O.]
- Morris, Lecture Geol. Croydon, [1876], 8, fig. 24.
- Zittel, Handbuch Palaeont. Abth. I, 1876, 94, fig. 32².
- Schwager, Boll. R. Com. geol. Ital. viii, 1877, 26, pl., 43.
- Carpenter, Ency. Brit., 9th ed., ix, 1879, Foraminifera, 380, fig. 18. [Structure.]
- Nicholson, Manual Palaeont. 1879, I, 116, fig. 180.
- Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxiii, 1880, 208, iii, 62, iv, 63-66.
- var. *inflata*, Seguenza. Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxiii, 1880, 210, iv, 67. [*Rosalina*, 1862.]
- v. *eraticulata*, P. & J. Hamilton, Trans. N. Zealand Inst. xiii, 1881, 395, xvi, 12. [*v. R. craticulata*.]
- Jones, in Mierogr. Diet., ed. 4, 1883, 668, xxiv, 13a, b, and 14.
- [**beccari**] Uhlig, Jahrb. k. k. geol. Reichs. xxxiii, 1883, 773, viii, 8.
- Brady, Report Challenger, 1884, 704, evii, 2 and 3.
- Wright, Proc. Belfast Nat. Field Club, 1884-85, App. ix, 1886, 332, xxvii, 15.
- Gümbel, Geol. Bayern, Th. I, Lief. 2, 1885, fig. 266, 23.
- [**beccari**] Malagoli, Boll. Soc. geol. Ital. vi, 1887, 523, xii, 11.
- [**beccari**] v. *ammoniformis* (d'O.). Malagoli, Boll. Soc. geol. Ital. vi, 1887, 523, xii, 12.
- Anon., Sci. News, 4 May, 1888, 413, fig. 17.
- v. *ammoniformis*, d'O. Malagoli, Atti Soe. Nat. Modena, 3, vii, 1888, 113, iii, 10.
- Prestwich, Geology, 1888, II, 420, 210b, c.
- Terrigi, Mem. R. Acc. Lincei, [4], vi, 1889, 119, ix, 4, 5.
- See *Hammonia beccarii*, and *Ammon. cochleatæ*, etc.
- v. *ammoniformis*. Soldani, Testae. I, 1, 1789, 56, pl. 35T = this form.
- [— ?] Targioni, Relaz. d'ale. viaggi, iv, 1770, xiii, etc. pl. 1, figs. 17, 18, 19, 21, 22², 26-36.
- [—] Ledermüller, Mikr. Gemüths, 1763, 16, viii, a and h.
- [—] Seelheim, Nat. Verh. Koninkl. Ak. Wet. xix, 1879, No. 4, 8 pl. [3 figures]. [Glauc.]
- berchtoldsdorfensis, Karrer. Abh. k. k. geol. Reichs. ix, 1877, 387, xvi, b, 57.
- bimammata, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 649, ii, 85a-c. [*v. Pulvinulina*; and *Rotalina*.]
- bisaculeata, d'Orbigny. Ann. Sci. Nat. vii, 1826, 273, No. 20. [*v. Calcarina*.]
- D'Orbigny, Modèles, No. 15, 1826.
- P., J., & B. [d'O., Modèles, No. 15], Ann. Mag. Nat. Hist. [3], xvi, 1865, 21, iii, 89. [= *Calcarina*.]
- Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 162, fig.
- borealis, Ehr. Abhandl. k. preuss. Ak. Wiss. Berlin, 1841, 428.
- bosniaskii, Hantken. Ertek. termesz. köreböl, xiii, No. 1, 1883, 31, iii, 1a, b, c; and Math. Nat. Ber. Ungarn, II, 1884, 152.

- ROTALIA** *bosqueti* (Reuss). Marsson, Mitth. Nat. Ver. Neu-Vorpommern u. Rügen, Jahrg. x, 1878, 169, iv, 36a-e. [*Rosalina*, 1861.]
- *boueana*, d'Orbigny. Cours élém. Paléont. etc. i, 1849, 199, fig. 325; ii, fas. 2, 1852, 818, fig. 624.
- *[boucana]* — Nicholson, Manual Palaeont. 1879, i, 102, fig. 16.
- *[boucana]* — American Cyclopaedia, vii, (1883), 311, fig. 21.
- *[boucana]* — *Pulvinulina*, see *Hammonia*.
- *bractea*, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 28.
- *[bractea]* — Ehrenberg, Abh. k. preuss. Ak. Wiss. Berlin, 1872 (1873), xi, 16.
- *broeckhiana*, Karr. In v. Drasche, Frag. Geol. Luzon, 1878, 98, v, 26; and Bol. Com. Map. geol. Españ. vii, 1880, 281F, 12.
- *[broeckhiana]* — Brady, Report Challenger, 1884, 705, cvii, 4a, b, c.
- *brongniartii*, d'Orbigny. [v. *Rotalina*.]
- *[brongnartii]* — D'Orbigny, Ann. Sci. Nat. vii, 1826, 273, No. 27.
- *[brongnartii]* — Reuss' Models, No. 78, 1865 (Catal., No. 83, 1861). [= *Pulvin. auricula*, F. & M.]
- *[brongnartii]* — *Pulv. auricula* (F. & M.); see *Hammonia subconicae*.
- *brueckneri*, Reuss. Zeitschr. deutsch. geol. Ges. vii, 1855, 273, ix, 7.
- *budakesziensis*, Hantken. Math. Nat. Ber. Ungarn, iii, 1885, 176.
- *bulimoides*, Reuss. Models, No. 45, 1865 (Catal., No. 85, 1861). [= *Bulimina elegantissima*, Will.]
- *burdigalensis*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 273, No. 21.
- *calcar* (d'O.). Brady, Report Challenger, 1884, 709, cviii, 3 and 4? [Calcarina, 1826.]
- *calcipara*, Ehrenberg. Mikrogeologie, 1854, xxxii, ii, 33. [= *Pulvin. menardii*, d'O.]
- *calemburgensis*, d'Orb. Pictet, Traité de Paléont. 2 ed. iv, 1857, 508, cix, 28. [v. *Rotalina kalemburgensis*.]
- *campanella*, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 650, ii, 86a-e. [v. *Rotalina*.]
- *capitata*, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 653, ii, 92a, b. [v. *Rotalina*.]
- *caracolla* (v. Roemer). Reuss, Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863), 84, x, 6a-c. [Gyroidina, 1840.]
- *carinata*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 273, No. 24.
- *carpenteri*, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863), 94, xiii, 6a-c.
- *cassiana*, Gümbel. Jahrb. k. k. geol. Reichsanstalt, xix, 1869, 178, iv [v], 4-6.
- *centralis*, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 375.
- *[centralis]* — Ehrenberg, Mikrogeologie, 1854, xxviii, 39. [= *Globig. cretacea*.]
- *clathrata*, Brady. Report Challenger, 1884, 709, cvii, 8 and 9.
- *cochlea*, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1841, 428, ii, vi, 42. [= *Pulv. cultrata*, ? d'O.]
- *cochleata*, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 654, ii, 94a-c.
- *communis*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 273, No. 29. [Misprinted *gommuni*.] [v. *Pulvinulina*; and *Rotalina*.]
- *[communis]* — *Pulvin.*; see *Hammonia subconicae*.
- *conica*, Roemer. Neues Jahrbuch, 1838, 388, iii, 51.
- *[conica]* — Roemer, Verst. norddeutsch. Kreide, 1840-41, 97, xv, 21.
- *consobrina*, d'Orb., 1847. D'Orbigny, Prodrome de Paléont. ii, 1850, 337, No. 693.
- *constricta*, v. Hagenow. Neues Jahrbuch, 1842, 571. [v. *Planorbulina*.]
- *[constricta]* — Reuss, Sitz. k. Ak. Wiss. Wien, XLIV, Abth. 1, 1861 (1862), 329, vi, 7.

- ROTALIA** (*Turbinulina*) *corallinarum*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 275, No. 48.
 _____ D'Orbigny, Modèles, No. 75, 1826.
 _____ (*Turbinulina*) P., J., & B. [d'O., Modèles, No. 75], Ann. Mag. Nat. Hist. [3], xvi, 1865, 31, iii, 84. [= *R. beccarii*.]
 _____ (*Turbinulina*) Basset, Ann. Soc. Charente-Inf. 1884 (1885), 162, fig.
 _____ *cordieriana* (d'Orb.). Cooke, Thousand Objects Microsc. 1869, 90, ix, 9. [*Rotalina*, 1840.]
 _____ *crassula*, Brown. Illustr. Recent Conch. Gt. Brit. ed. 2, 1844, 1, i, 5. [= *Nonionina*.]
 _____ *craticulata*, Parker & Jones. Phil. Trans. 1865, 387, xix, 12a, b, c.
 _____ *cretae*, Ehrenberg. Mikrogeologie, 1854, xxix, 9. [= *Planorb. ammonoidea*.]
 _____ Ehr., Mikrogeologie, 1854, xxvii, 64. [= *Planorb. farcta*.]
 _____ *cretica*, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 28.
 _____ *cristellarioides*, Reuss. Bull. Ac. Roy. Belg. [2], xv, 1863, 154, iii, 44.
 _____ *deformis*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 274, No. 33.
 _____ *defrancei* (d'Orb.). Möbius, Beitr. Meeresfauna Insel Mauritius, etc. 1880, 104, xiv, 1-7. [*Calcarina*, 1826.] [Structural.]
 _____ *denaria*, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 375.
 _____ *densa*, Ehrenberg. Mikrogeologie, 1854, xxix, 3a, b, c. [= *Planorb. globulosa* (Ehr.).]
 _____ Ehr., Mikrogeologie, 1854, xxvii, 62. [= *Planorb. farcta*.]
 _____ *dentata*, Parker & Jones. Phil. Trans. 1865, 387, xix, 13a, b, c.
 _____ *deplanata*, Reuss. Zeitschr. deutsch. geol. Ges. vii, 1855, 288, xi, 3.
 _____ *depressa*, v. Muenster. Roemer, Neues Jahrbuch, 1838, 388, iii, 46.
 _____ *depressa*, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1841, 428.
 _____ Ehr., Mikrogeologie, 1854, xxv, i, 4, 48. [= *Planorb. ariminensis*.]
 _____ *discifera*, Philippi. Tertiär. nordwest. Dentsch. 1843, 42, i, 26.
 _____ *discoides*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 272, No. 5. [v. *Rosalina* and *Rotalina*.]
 _____ *discus*, Roemer. Neues Jahrbuch, 1838, 388, iii, 52.
 _____ *dorsalis*, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1843, 167.
 _____ *dubia*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 274, No. 34.
 _____ *dufresnii*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 273, No. 12. [v. *Rotalina*.]
 _____ *egena*, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1841, 428, ii, vi, 43. [= *Pulv. cultrata*? d'O.]
 _____ var. β . Ehr., Bericht k. preuss. Ak. Wiss. Berlin, 1843, 272.
 _____ *elegans*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 272, No. 6. [v. *Pulvinulina*; *P. repanda*, var.; and *Rotalina*.]
 _____ Jones & Parker, Quart. Journ. Geol. Soc. xvi, 1860, xx, 46.
 _____ = *Pulvin.*; see *Nautili ammoniformes*, etc.
 _____ *elliptica*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 273, No. 28.
 _____ *eocæna*, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 650, ii, 87a, b.
 _____ *erebi*, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1844, 207.
 _____ *exsculpta*, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 222, xi, 4a-c.
 ? _____ *fasciata*, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 375.
 _____ *flosculiformis*, Schwager. Novara-Exped., Geol. Theil II, 1866, 262, vii, 109.
 _____ *fontana*, Karrer. Jahrb. k. k. geol. Reichsanstalt, xx, 1870, 184, ii, 16.
 _____ *formosa*, Reuss. Denkschr. k. Ak. Wiss. Wien, xxiii, 1864, 9, i, 14.

- ROTALIA** freyeri, Schultze. *Organismus Polythal.* 1854, 59, iii, 6 and 7. [= *R. beccarii*.]
 —— (*Discorbis*) *gervillii*, d'Orbigny. *Modèles*, No. 72, 1826 ; *Ann. Sci. Nat.* vii, 1826, 274, No. 36.
 —— (*Discorbis*) ————— P., J., & B. [d'O., *Modèles*, No. 72], *Ann. Mag. Nat. Hist.* [3], xvi, 1865, 30, ii, 72. [= *Discorb. vesicularis*, Lam.]
 —— (*Discorbe*) [*gervilei*] ————— Basset, *Ann. Soc. Sci. Charente-Inf.* 1884 (1885), 162, fig.
 —— *gibbosa*, d'Orbigny. *Ann. Sci. Nat.* vii, 1826, 272, No. 3.
 —— *girardana*, Reuss. *Models*, No. 46, 1865 (*Catal.*, No. 84, 1861). [= *R. soldanii*, d'O.]
 —— ————— var. *mamillata*, Andreæ. *Abh. geol. Specialkarte Elsass-Lothr. II*, Heft 3, 1884, 234, ix, 4.
 —— ————— var. Andreæ. *Abh. geol. Specialkarte Elsass-Lothr. II*, Heft 3, 1884, 224, ix, 5.
 —— *glaucopis*, Ehrenberg. *Abhandl. k. Ak. Wiss. Berlin*, 1841, 428.
 —— *globosa* (v. Hagenow). Reuss, *Sitz. k. Ak. Wiss. Wien*, XLIV, Abth. 1, 1861 (1862), 330, vii, 2a, b. [*Nonionina*, 1842.]
 —— *globoso-ampliata*, Ehrenberg. *Mikrogeologie*, 1854, xxvii, 56. [= *Globig. cretacea*.]
 —— *globularis*, d'Orbigny. *Modèles*, No. 69, 1826. [See *Rosalina*, 1826 = *Discorbina*.]
 —— ————— Basset, *Ann. Soc. Sci. Charente-Inf.* 1884 (1885), 162, fig.
 —— *globulosa*, Ehrenberg. *Abhandl. k. Ak. Wiss. Berlin*, 1838, 134, iv, fig. variae i; *Bericht*, 1844, 67 ; and *Mikrogeologie*, 1854, xxii, 78. [= *Globigerina*.]
 —— ————— Ehr., *Abhandl. k. Ak. Wiss. Berlin*, 1839, 134 and 168, ii, iii ; *Transl.*, *Taylor's Scientific Memoirs*, III, 1843, 357, vi, 3. [= *Planorbolina*?]
 —— ————— Bailey, in *Hitchcock, Report* 1, 2, and 3, *Meeting Assoc. Amer. Geol. and Nat.* 1843, 357, xiii [error for xv], 2, 4, 5, 6, and 7. [= *Globig. cretacea*.]
 —— ————— Ehr., *Abhandl. k. Ak. Wiss. Berlin*, 1847, 446, i, 97 ; ii, 84 ; ?, v, ii, 112, 113.
 —— ————— Williamson, *Mem. Lit. Phil. Soc. Manchester*, [2], viii, 1848, 76, pl. 60.
 —— ————— Harting, *Magt van het Kleine*, 1849, 119, figs. 6 and 7 ; German by Dr. A. Schwartzkopf, 1851, 87, fig. 39, 6, 7.
 —— ————— Bronn, *Lethaea Geognostica*, ed. 3, III, 1853–56, 225, xxxv², 18a, b.
 —— ————— Ehr., *Mikrogeologie*, 1854, xix, 89 ; and xxiv, 37 and 38 ; and xxxviii, xxi, 22. [= *Globigerina*.]
 —— ————— Ehr., *Mikrogeologie*, 1854, xxi, 90a, b. [= *Globig. bulloides*.]
 —— ————— Ehr., *Mikrogeologie*, 1854, xxviii, 40 and 41 ; and xxxi, 40, 41, and 43. [= *Globig. cretacea*.]
 —— ————— Ehr., *Mikrogeologie*, 1854, xxx, 23a, b. [= young *Globig. vel Planorb.*]
 —— (senaria?) ————— Ehr., *Mikrogeologie*, 1854, xxxix, iii, e. [Probably *Globigerina*; perhaps *Planorb. globulosa*.]
 —— ————— Ehr., *Bericht k. pr. Ak. Wiss. Berlin*, 1844, 67 ; and *Mikrogeologie*, 1854, xx, ii, 12a, b, 14a : xxi, i, 54 ; and xxxviii, xxiii, 1. [= *Planorbulina*.]
 —— ————— Ehr., *Mikrogeologie*, 1854, xxvi, 35. [= *Planorb. farcta*.]
 —— ————— Ehr., *Mikrogeologie*, 1854, xxix, 6 ; and xxxiv, x, B, 1. [= *Planorb. globulosa*.]
 —— ————— Ehr., *Mikrogeologie*, 1854, xxxv, A ; xix, A, 6. [= *Planorb. vel Globigerina*?]
 —— *globulosa-protolepta*, Ehr. *Mikrogeologie*, 1854, xxxii, ii, 45. [= *Globig. cretacea*.]

- ROTALIA globulosa-protolepta**, Ehr. Ehr., Mikrogeologie, 1854, xxxii, i, 21. [= *Planorb. globulosa*.] _____ Ehr., Mikrogeologie, 1854, xxxii, ii, 31. [= *Pulvin. canariensis*, d'O.] _____ **globulosa-tenuior**, Ehr. Mikrogeologie, 1854, xxvii, vi, 3 and 4. [= *Globigerina*.] _____ Ehr., Mikrogeologie, 1854, xxvii, 60. [= *R. glob. 1838.*] [= *Planorb. farcta*.] _____ Kübler & Zwingli, Neujahrsblatt Bürgersbibl. Winterthur, 1866, 18, iii, 23. [= *Planorbulina*.] _____ Cooke, Thousand Objects Microsc. 1869, 90, ix, 7. _____ Ehrenberg, Abh. k. Ak. Wiss. Berlin, 1872 (1873), i, 22. _____ American Cyclopaedia, vii (1883), 311, fig. 2. _____ **glomerata**, Ehr. Mikrogeologie, 1854, xxxi, 48. [= *Globig. cretacea*.] [v. *Aristerospira*.] _____ Ehr., Mikrogeologie, 1854, xxvii, 63. [= *R. senaria*?] [= *Planorb. farcta*.] _____ **grata**, Reuss. Denksehr. k. Ak. Wiss. Wien, xxv, 1865, 163, iv, 17. _____ **gommunis**. [v. *R. communis*.] _____ **grateloupi**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 272, No. 10. _____ **grøenlandica**, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 293. _____ Ehrenberg, in Koldewey, Zweite deutsche Nordpolarfahrt, 1874, II, n. d., i, 15. _____ **guerinii**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 273, No. 18. [v. *Rotalina*.] _____ **haliotina**, Ehr. Monatsber. k. preuss. Ak. Wiss. Berlin, 1872, 293. _____ **haliotis**, Ehr. Mikrogeologie, 1854, xxv, i, A, 27 and 28. [= *Planorb. farcta*.] _____ **hegemanni**, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 293. _____ Ehrenberg, in Koldewey, Zweite deutsche Nordpolarfahrt, 1874, II, n. d., i, 2. _____ **helvetica**, Kübler & Zwingli. Neujahrsblatt Bürgersbibl. Winterthur, 1866, 18, iii, 8. [= *Planorbulina*.] _____ **hemprichii**, Ehr. Mikrogeologie, 1854, xxiv, 62. [= *Planorb. ammonoïdes*.] _____ **hemisphæria**, Reuss. Sitz. k. Ak. Wiss. Wien, XLIV, Abth. 1, 1861 (1862), 314, ii, 5a-c. _____ **heptas**, Ehr. Mikrogeologie, 1854, xxxii, ii, 40. [= ? *Crist. rotulata*.] _____ **ibex**, Ehr. Mikrogeologie, 1854, xxv, ii, B, 5. [= *Planorb. ariminensis*.] _____ Ehrenberg, in Koldewey, Zweite deutsche Nordpolarfahrt, 1874, II, n. d., i, 3. _____ **impressa**, Roemer. Neues Jahrbuch, 1838, 388, iii, 49. _____ **incerta**, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 28. _____ Ehrenberg, Abh. k. Ak. Wiss. Berlin, 1872 (1873), xi, 17. _____ **incrassata**, Ehr. Mikrogeologie, 1854, xxiii, 40. [= *Crist. cultrata*.] _____ **increscens**, Ehr. Mikrogeologie, 1854, xxiii, 30. [= ? *Globigerina*.] _____ **infernalis**, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 29. _____ Ehrenberg, Abh. k. Ak. Wiss. Berlin, 1872 (1873), xi, 14. _____ **inflata** (Mont.). Brown, Illustr. Recent Conch. Gt. Brit. ed. 2, 1844, 1, i, 4. [= *Nautilus*, 1808.] _____ **intermedia**, v. Muenster. Roemer, Neues Jahrbuch, 1838, 388, iii, 50. [= Roem.]. Michelotti, Mem. Soc. Ital. Sci. XXII, 1841, 285, ii, 10. _____ **intermedia**, Harting. Verh. Kon. Ak. Wetensch. x, 1864, 9, i, 5. _____ (*Turbinulina*) **italica**, d'O. = *R. beccarii* (Linn.) ; see *Hammonia conico-tuberculata* and *H. globoso-rotundata*. _____ **involuta**, Reuss, var. Sitz. k. Ak. Wiss. Wien, XLIV, Abth. 1, 1861 (1862), 313, ii, 4a, b.

- ROTALIA** jurensis, d'Orbigny. In d'Archiac, Mém. Soc. géol. France, v, pt. 2, 1843, 369, xxv, 3, 3', 3".
 —— kalenbergensis, d'Orb. Brönn, Lethaea Geognostica, ed. 3, iii, 1853–56, 225, xxxv², 17. [*Rotalina kalemburgensis*, 1846.]
 —— karsteni, Reuss. Zeitschr. deutsch. geol. Ges. vii, 1855, 273, ix, 6. [v. *Pulvinulina*; and *P. repanda*, var.]
 —— lœvigatulus (Mont.). Brown, Illustr. Recent Conch. Gt. Brit. ed. 2, 1844, 1, i, 9 and 10. [*Nutilus*, 1808.]
 —— lœvis, d'Orb., 1847. D'Orbigny, Prodrome de Paléont. iii, 1852, 193, No. 537. [*Gyroidina*, 1826.]
 —— laxa, Ehr. Mikrogeologie, 1854, xxviii, 38; xxix, 1a, b, c; and xxxi, 42. [= *Globig. cretacea*.]
 —— —— Ehr., Mikrogeologie, 1854, xxv, i, A, 34. [= *Planorb. farcta*.]
 —— —— Ehr. Mikrogeologie, 1854, xxv, ii, B, 7. [= *Planorb. vulgaris*, young.]
 —— lenticula, Reuss. Sitz. k. Ak. Wiss. Wien, xlvi, Abth. 1, 1862 (1863), 82, x, 2a, b, c.
 —— lenticulina, Ehr. Mikrogeologie, 1854, xxviii, 50. [= *Planorb. ammonoidea*.]
 —— —— Ehr., Mikrogeologie, 1854, xxxii, i, 32. [Doubtful; ? *Crist. vel Nonion*. ?]
 —— lepida, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1844, 95; and Mikrogeologie, 1854, xix, 91. [= *Planulina ariminensis*?]
 —— —— Ehr., Mikrogeologie, 1854, xxviii, 52. [= *Planorb. ammonoides*.]
? —— leptodiscus, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 375.
 —— leptospira, Ehr. Mikrogeologie, 1854, xxiv, 39. [= *Globigerina*.]
 —— —— Ehr., Mikrogeologie, 1854, xxxi, 45 and 49. [= *Globig. cretacea*.]
 —— —— Ehr., Mikrogeologie, 1854, xxx, 24a, b. [= young *Globig.* vel *Planorb.*.]
 —— —— Ehr., Mikrogeologie, 1854, xxix, 7. [= *Planorb. globulosa* (Ehr.).]
 —— —— Ehr., Mikrogeologie, 1854, xxxii, ii, 32. [= *Pulvin. canariensis*, d'O.]
 —— —— Ehr., Mikrogeologie, 1854, xxvi, 38. [= ? *Pulvin. canariensis* (d'O.) vel *Planorbulina*.]
 —— leubeana, Gümbel. Sitz. k.-bayer. Ak. Wiss. i, 1871, 69, i, 19.
 —— limbata, d'Orbigny. Ann. Sci. Nat. vii, 1826, 274, No. 30.
 —— lithographica, Gümbel. Sitz. k.-bayer. Ak. Wiss. i, 1871, 69, i, 18.
 —— lithothamnica, Uhlig. Jahrb. k. k. geol. Reichsanstalt, xxxvi, 1886, 195, fig. 6, v, 9–11.
 —— lobata, Seguenza. Atti R. Acc. Lincei, [3], vi, 1880, 148, xiii, 38a, b.
 —— londensis, Ehr. Mikrogeologie, 1854, xxviii, 51. [= *Planorb. ammonoides*.]
 —— lorneriana, Cooke. Thousand Objects Microsc. 1869, 91, ix, 10. [= *Rosalina lorneriana*, 1840.]
 —— macrocephala, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 652, ii, 91a, b.
 —— maculata, Stache. Novara-Exped., Geol. Theil i, 1864, 278, xxiv, 28a, b, c.
 —— mammillata, v. Muenster. Roemer, Neues Jahrbuch, 1838, 388, iii, 48.
 —— manilana, Karrer. In v. Drasche, Frag. Geol. Luzon, 1878, 98, v, 27; and Bol. Com. Map. geol. Espaň. vii, 1880, 281F, 13.
 —— marginata, d'Orbigny. Ann. Sci. Nat. vii, 1826, 272, No. 9. [v. *Rotalina*.]
 —— menardii, d'Orbigny. Ann. Sci. Nat. vii, 1826, 273, No. 26.
 —— —— D'Orbigny, Modèles, No. 10, 1826. [v. *Pulvinulina*; *P. repanda*, var.; and *Rotalina*.]

- ROTALIA** menardii, d'Orbigny. P., J., & B. [d'O., Modèles, No. 10], Ann. Mag. Nat. Hist. [3], XVI, 1865, 20, iii, 81. [= *Pulvinulina*.]
 ———— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 162, fig.
 ——— micheliniana [micheliniiana] (d'Orb.). Eley, Geol. in the Garden, 1859, 198, v, 27. [*Rotalina*, 1846.] [Flint cast.]
 ——— microtis, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 293.
 ——— Ehrenberg, in Koldewey, Zweite deutsche Nordpolarfahrt, 1874, II, n. d., i, 5.
 ——— millepora, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1843, 167.
 ———? (Planulina?) monospira, Ehr. Mikrogeologie, 1854, xxix, 8. [= *Pulvinulina*; see Parker & Jones, Annals, IX, 1872, 184.]
 ——— mortoni, Reuss. Sitz. k. Ak. Wiss. Wien, XLIV, Abth. 1, 1861 (1862), 337, viii, 1a-c.
 ——— naticoides, Stache. Novara-Exped., Geol. Theil I, 1864, 276, xxiv, 26a, b, c, d.
 ——— newboldi, d'Archiae & Haime. Deser. Anim. Foss. groupe nummulitique Inde, [2], 1854, 347, xxxvi, 17a-d.
 ——— nitida, d'Orbigny. Ann. Sci. Nat. VII, 1826, 274, No. 31.
 ——— (umbilicata?) ——— Eley, Geol. in the Garden, 1859, 198, v, 24-26. [Flint cast.]
 ——— nitidula, Schwager. Novara-Exped., Geol. Theil II, 1866, 263, vii, 110.
 ——— nivea, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1838, 134.
 ——— nonas?, Ehr. Mikrogeologie, 1854, xxxii, ii, 36. [= *Crist. rotulata*?]
 ——— nonionina, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863), 81, x, 2a, b.
 ——— northamptonii, Michelotti. Mem. Soc. Ital. Sci. XXII, 1841, 283, i, 6.
 ——— novozelandica, Karrer. Novara-Exped., Geol. Theil I, 1864, 80, xvi, 12.
 ——— obscura, Ehr. Mikrogeologie, 1854, xxx, 27. [Near *Crist. producta*, v. Hagenow.]
 ——— obscura, Sowerby. Dixon, Geol. etc. Sussex, 1850, 85, and 162, ix, 6; and 2d ed. 1878, 172, same pl. and fig. [= *Discorb. trochidiformis*.]
 ——— ocellata, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1838, 134; *Colpopleura*, Bericht, 1844, 67 and 92; and Mikrogeologie, 1854, xxii, 76. [= *Planorb. near haidingeri*.]
 ——— orbicularis, d'Orb. Brady, Trans. Linnean Soc. XXIV, 1864, 470, xlvi, 16. [*Gyroidina*, 1826.]
 ——— Anon., Science Gossip, 1870, 11, fig. 27.
 ——— P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 175, xii, 150.
 ——— Vine, Science Gossip, 1878, 52, fig. 35.
 ——— Brady, Report Challenger, 1884, 706, evii, 5; cxv, 6.
 ——— See *R. beccarii* (Linn.).
 ——— ornata, Ehr. Abhandl. k. preuss. Ak. Wiss. Berlin, 1838, 134.
 ——— ornata, Carpenter. The Microscope, ed. 6, 1881, 546, fig. 314. [= *Rotalia veneta*, Schultze.]
 ——— pachyomphala, Ehr. Mikrogeologie, 1854, xxvii, 55. [= *Globig. cretacea*.]
 ——— pachyphysa, Ehr. Mikrogeologie, 1854, xxiv, 42. [Near *Trunc. lobatula*.]
 ——— Hopkins, Execut. Doc. 45 Congress, Sess. 3, IV, Rpt. Chief Engineers, pt. 2, App. W, 1878-79, 885, i, 61.
 ?—— palæoceros, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 309, and 337, i, f. ix. [Glaconite.] ["May be *Nonionina*," P. & J.]
 ——— palæotetras, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 308 and 337, i, f. viii. [Glaconite.] ["May be *Globigerina*," P. & J.]
 ——— palæotriias, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 308 and 339, i, f. vii. [Glaconite.] ["May be *Globigerina*," P. & J.]
 ——— pandoræ?, Ehr. Bericht k. pr. Ak. Wiss. Berlin, 1844, 67; and Mikrogeologie, 1854, xx, ii, 11. [= *Planorbolina*?]

- ROTALIA** pandoræ ?, Ehr. Ehr., Bericht k. preuss. Ak. Wiss. Berlin, 1844, 95 ; and Mikrogeologie, 1854, xix, 87. [= *Planorbulina* ?]
 —— papillosa, d'Orbigny. Ann. Sci. Nat. VII, 1826, 273, No. 16.
 —— papillosa, Brady. Report Challenger, 1884, 708, cvi, 9a, b, c.
 —— —— v. *compressiuscula*, Brady. Report Challenger, 1884, 708, cvii, 1a, b, c; young, cviii, 1a, b, c.
 —— partschiana, d'Orbigny. Cours élém. Paléont. etc. I, 1849, 199, fig. 326 ; II, fas. 2, 1852, 818, fig. 625.
 —— —— See *Naut. ammoniformis*.
 —— parvispira, Roemer. Neues Jahrbuch, 1838, 388, iii, 53.
 —— paupercula, Stache. Novara-Exped., Geol. Theil I, 1864, 277, xxiv, 27a, b.
 —— pelagica, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1841, 428.
 —— perforata, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1838, 134, iv, ii, iv, xi, x.
 —— —— Ehr., Abhandl. k. Ak. Wiss. Berlin, 1841, 441, ii, vi, 41.
 —— —— [= *Planorb.* ? vel *Discorb.* ? *globularis* ?]
 —— —— Harting, Magt van het Kleine, 1849, 119, fig. 9 ; and 1866, 113, fig. 48, 4 ; German by Dr. A. Schwartzkopf, 1851, 87, fig. 39, 9.
 —— —— Ehr., Mikrogeologie, 1854, xxix, 2 ; xxxi, 38 ; xxxviii, 36.
 —— —— [= *Globig. cretacea*.]
 —— —— perforata, Karrer. Novara-Exped., Geol. Theil I, 1864, 81, xvi, 13.
? —— pertusa, Ehr. Mikrogeologie, 1854, xxiv, 41. [= *Rosalina*, 1838, in part.]
 —— —— [= *Globigerina*.]
? —— —? Ehr., Mikrogeologie, 1854, xxxvii, vi, 5. [= *Globigerina*.]
 —— —— —? Ehr., Mikrogeologie, 1854, xxx, 25. [= young *Globig.* vel *Planorb.*]
 —— peruviana, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1841, 428. [= *Pulvinulina* ?]
 —— phænóstigma, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1843, 272.
 —— phanerostigma, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 375.
 —— phanerostomum, Ehr. Abh. k. Ak. Wiss. Berlin, 1872 (1873), v, 11.
 —— picta ?, Ehr. Mikrogeologie, 1854, xxviii, 53. [= *Pulvinulina micheliniiana*.]
 —— pileus, d'Orbigny. Ann. Sci. Nat. VII, 1826, 272, No. 11.
 —— pisana, Michelotti. Mem. Soc. Ital. Sci. XXII, 1841, 284, i, 5.
 —— planulina, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 375.
 —— polygonata, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 651, ii, 89a, b, c.
 —— præcincta, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, Abth. 1, 1868, 189, v, 7. [v. *Truncatulinae*.]
? —— prætexta, Ehr. Mikrogeologie, 1854, xxviii, 47. [= *Crist. cultrata*.]
? —— profunda, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 308.
 —— —— Ebnerberg, Abh. k. Ak. Wiss. Berlin, 1872 (1873), i, 21.
 —— prolepta, Ehr. Mikrogeologie, 1854, xxv, i, A, 35. [= *Planorbulina*.]
 —— propingua, Reuss. Sitz. k. Ak. Wiss. Wien, XVIII, 1856, 241, iv, 53. [v. *Truncatulina* and *Rotalina*.]
 —— propinqua, v. Muenster. Roemer, Neues Jahrbuch, 1838, 389, iii, 54.
 —— protacmæa, Ehr. Mikrogeologie, 1854, xxviii, 37. [= *Globig. cretacea*.]
 —— —— —? Ehr., Mikrogeologie, 1854, xxvi, 34. [= *Planorb. farcta*.]
 —— protolepta, Ehr. Mikrogeologie, 1854, xxvi, 33. [= *Planorb. farcta*.]
 —— pteromphalia, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 651, ii, 88a, b, c.
 —— pulchella, d'Orbigny. Ann. Sci. Nat. VII, 1826, 274, No. 32. [= *Pulvinulina*, q. v., and *P. repanda*, var.]
 —— —— —? D'Orbigny, Modèles, No. 71, 1826.
 —— —— —? P., J., & B. [d'O., Modèles, No. 71], Ann. Mag. Nat. Hist. [3], XVI, 1865, 30, iii, 80.

- ROTALIA** pulchella (d'O.). Brady, Report Challenger, 1884, 710, cxv, 8a, b.
[*Calcarina*, 1839.]
 — punctata, d'Orbigny. Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 162, fig.
 — punctato-granosa, Seguenza. Atti R. Acc. Lincei, [3], vi, 1880, 147,
xiii, 37a, b.
 — punctatula, d'Orbigny. Ann. Sci. Nat. vii, 1826, 273, No. 25. [*v.*
Pulvinulina; and *P. repanda*, var.]
 — — — D'Orbigny, Modèles, No. 12, 1826.
 — — — P., J., & B. [d'O., Modèles, No. 12], Ann. Mag. Nat.
Hist. [3], xvi, 1865, 20, iii, 82. [= *Pulvinulina*.]
 — — — Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 162, fig.
 — pusilla, Schwager. Jahresh. Ver. vat. Nat. Württ. xxi, 1865, 141, vii,
20.
 — quaterna, Ehr. Mikrogeologie, 1854, xxvii, 53; xxviii, 34; and xxxi,
39. [= *Globig. cretacea*.]
 — — — Ehr., Mikrogeologie, 1854, xxvi, 36. [= *Planorb. fareta*.]
 — — — Ehr., Mikrogeologie, 1854, xxix, 5. [= *Planorb. globu-*
losa (Ehr.).]
 — — — *s. floscularis*, Ehr. Mikrogeologie, 1854, xxiv, 43. [=
Planorb. haidingeri.]
 — — — Ehr., Mikrogeologie, 1854, xxv, ii, B, 9.
[Compare "Planulina flos."] [= *Planorb. fareta*.]
 — — — quaternaria, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1843, 257.
 — — — remora, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1843, 272.
 — — — repanda, Parker & Jones. Ann. Mag. Nat. Hist. [3], v, 1860, 175,
No. 25. [= *Pulvinulina*.]
 — — — reticulata, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863),
83, x, 4a-c. [*v. Epistomina*.]
 — — — rimosa, Reuss. Sitz. k. Ak. Wiss. Wien, LIX, Abth. 1, 1869, 464, ii,
5a-c.
 — — — roemerii, Reuss. Sitz. k. Ak. Wiss. Wien, XVIII, 1856, 240, iv, 52.
 — — — rosa, Ehr. Mikrogeologie, 1854, xxvii, 54. [= *Globig. cretacea*.]
 — — — rosacea, d'Orbigny. Ann. Sci. Nat. vii, 1826, 273, No. 15.
 — — — D'Orbigny, Modèles, No. 39, 1826.
 — — — P., J., & B. [d'O., Modèles, No. 39], Ann. Mag. Nat.
Hist. [3], xvi, 1865, 25, ii, 71. [= *Discorbina*.]
 — — — Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 162, fig.
 — — — rosea, d'Orbigny. Ann. Sci. Nat. vii, 1826, 272, No. 7. [*v. Truncatu-*
lina.]
 — — — D'Orbigny, Modèles, No. 35, 1826.
 — — — Guérin-Méneville's Cuvier, Iconographie, Mollusques,
1829-43, 9, ii, 13.
 — — — Cuvier, Animal Kingdom, Henderson's ed. III, 1834 (pls.
1837), 18, iii, 13.
 — — — P., J., & B. [d'O., Modèles, No. 35], Ann. Mag. Nat.
Hist. [3], xvi, 1865, 24, iii, 79. [= *Planorbulina*.]
 — — — Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 162, fig.
 — — — rufa, Ehr. Mikrogeologie, 1854, xxiv, 35 and 36. [= *Globigerinae*.]
 — — — Ehr., Mikrogeologie, 1854, xxxvii, iv, 4. [= ? *Globi-*
gerina.]
 — — — saxorum, d'Orbigny. Ann. Sci. Nat. vii, 1826, 272, No. 2. [*v. Rota-*
lina.]
 — — — scabra, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1838, 134; Bericht, 1844,
67; and Mikrogeologie, 1854, xxii, 79. [= *Planorb. fareta*.]
 — — — schlönbachi, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862
(1863), 84, x, 5a-c.
 — — — schreibersii (d'Orb.). See *Nautili cum Ammoniis admixti*, and *Ammon-*
planorbes. [*Rotalina*, 1846.]

- ROTALIA** schroedteri, d'Orb. Andreae, Abh. geol. Specialkarte Elsass-Lothr. II, Heft 3, 1884, 215, fig. 11. [Probably intended for *schroeteriana*, P. & J.]
- schroeteriana, Parker & Jones, MS. Carpenter, Parker, & Jones, Introd. Foram. 1862, 212, iv, 3 ; xiii, 7-9. [Structural.] [v. *Faujasina*, sp., Williamson, 1853.]
- — — Bütschli, in Brönn, Klassen, etc. Thier-Reichs, 1880, 207, ix, 3.
- [schroetteriana] — Carpenter, The Microscope, ed. 6, 1881, 575, fig. 330. [Structural.]
- — — Brady, Report Challenger, 1884, 707, cxv, 7a, b, c.
- — — [Carp. ?]. Malagoli, Atti Soc. Nat. Modena, [3] VII, 1888, 113, iii, 9.
- scutellaris, Karrer. Sitz. k. Ak. Wiss. Wien, L, Abth. 1, 1864 (1865), 709, ii, 13.
- semiglobosa, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863), 85, x, 7a, b ; xi, 1. [On the plates this variety is called *R. hemisphaerica* by mistake ; Reuss, on p. 85, points out the distinguishing features which separate it from that variety.]
- semiornata, Schwager. Benecke's Geogn. Pal. Beiträge, I, 1868, 661, xxiv, 20.
- senaria ? Ehr. Abhandl. k. Ak. Wiss. Berlin, 1847, 446, i, 98 ; ii, 85.
- — — Ehr., Bericht k. preuss. Ak. Wiss. Berlin, 1842 ; and Mikrogeologie, 1854, xix, 90. [? *Globigerina*.]
- — — Ehr., Mikrogeologie, 1854, xxiv, 40. [= *Globigerina*.]
- — — Ehr., Mikrogeologie, 1854, xxxi, 46 and 47. [= *Globig. cretacea*.]
- — — Ehr., Bericht k. pr. Ak. Wiss. Berlin, 1844, 68 ; and Mikrogeologie, 1854, xx, ii, 14b ; xxv, ii, B, 6. [= *Planorbolina*.]
- — — Ehr., Mikrogeologie, 1854, xx, i, 55. [= ? *Planorb.*]
- — — Ehr., Mikrogeologie, 1854, xxvii, 61. [= *Planorb. farcta*.]
- — — Ehr., Mikrogeologie, 1854, xxix, 4. [= *Planorb. globula* (Ehr.).]
- — — Ehr., Mikrogeologie, 1854, xxxii, ii, 30. [= *Pulvin. canariensis*, d'O.]
- [Rotalina in index] siblingensis, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 35, iv, Impressathon, 15. [= a *Planorbolina*.]
- (Turbin.) siennensis, d'Orbigny. Ann. Sci. Nat. VII, 1826, 275, No. 50.
- (Turbin.) — — — = *Planorb. ungeriana* (d'O.) ; see *Hammoniae univolute*.
- soldanii, d'Orb. var. Stache, Novara-Exped., Geol. Theil I, 1864, 273, xxiv, 23a, b, c. [= *Gyroidina*, 1826.]
- — — var. prominula, Stache. Novara-Exped., Geol. Theil I, 1864, 273, xxiv, 24a, b, c.
- — — P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 176, xii, 151.
- — — Toula, Mitth. geogr. Ges. Wien, XVIII, 1875, 165, pl. 18.
- — — Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 69, ix, 7 ; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 80, same pl. and fig.
- — — Terrigi, Atti Acc. Pont. Nuovi Lineei, XXXIII, 1880, 211, iv, 68.
- — — Andreae, Abh. geol. Specialkarte Elsass-Lothr. II, Heft 3, 1884, 155, ix, 3.
- — — Brady, Report Challenger, 1884, 706, evii, 6 and 7.
- — — See *R. beccarii* (Linna.).
- speciosa, Karrer. Sitz. k. Ak. Wiss. Wien, L, Abth. 1, 1864 (1865), 709, ii, 12.

- ROTALIA sphærophora**, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1843, 272.
 —— **spiculotesta**, Carter. Ann. Mag. Nat. Hist. [4], xx, 1877, 470, xvi, 1-3. [v. also *Carterina*.]
 —— **spinulifera**, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863), 93, xiii, 3a, b, 4a-c, 5a-c. [v. *Epistomina*.]
 —— **squammosa**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 272, No. 8. [v. *Rosalina*.]
 —— **stellata**, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1838, 134.
 —— **stellata**, Reuss. Sitz. k. Ak. Wiss. Wien, XVIII, 1856, 242, v, 54.
 —— **stigma**, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1838, 134, iv, xi, x. ————— Abhandl. k. Ak. Wiss. Berlin, 1839, 134, ii, ii; Transl., Taylor's Scientific Memoirs, III, 1843, 357, vi, 2. [Not *R. perforata* as stated on plate.] [= *Planorbulina*.]
 —— **subcarinata**, d'Orb., 1847. D'Orbigny, Prodrome de Paléont. II, 1850, 427, No. 1675. [*Gyroidina carinata*, 1826.]
 —— **subrotunda**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 273, No. 14. [v. *Rosalina*.]
 —— **subtortuosa**, v. Muenster. Roemer, Neues Jahrbuch, 1838, 388, iii, 45.
 —— [Roem.]. Michelotti, Mem. Soc. Ital. Sci. xxii, 1841, 284, ii, 9.
 —— **suessionensis**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 273, No. 23. [v. *Rotalina*.]
 —— **sulcata**, Roem. Verst. norddeutsch. Kreide, 1840-41, 97, xv, 20.
 —— [Roem.]. Reuss, Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863), 85, xi, 2a-c.
 —— **sulcigera**, Stache. Novara-Exped., Geol. Theil I, 1864, 275, xxiv, 25a, b, c, d.
 —— **tenuimargo**, Reuss. Sitz. k. Ak. Wiss. Wien, XLII, 1860 (1861), 359, i, 11a-c.
 —— **terquieimi**, d'Orb., 1849. D'Orbigny, Prodrome de Paléont. I, 1849, 242, No. 270. [v. *Rotalina*.]
 —— **thouini**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 273, No. 17.
 —— (*Turbinulina*) **tortuosa**, Fischer. Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 162, fig.
 —— **tracheotetras**, Ehr. Mikrogeologie, 1854, xxviii, 35. [= *Globig. cretacea*.]
 —— **trochidiformis**, Linnæck. Brönn, Syst. urweltl. Conchyl. 1824, 7, i, 7a, b. [*Rotalites*, 1804.]
 —— [Trochiliformis] —— Brown, Elem. Foss. Conch. 1843, 23, ii, 16.
 —— [trochiliformis] —— Mantell, Pictorial Atlas Foss. Rem. 1850, 143, lxii, 1 and 2.
 —— [trochiliformis] —— Schwager, Palaeontographica, XXX, 1883, Pal. Theil, 136, xxviii (v), 12a-d.
 —— [trochiliformis] —— Quenstedt, Handbuch Petref. ed. 3, Abth. 5 (1885), 1057, lxxxvi, 48.
 —— **trochus**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 272, No. 4.
 —— **trochus**, v. Muenster. Roemer, Neues Jahrbuch, 1838, 388, iii, 47. [v. *Pulvinulina elegans*, var.]
 —— [trochiliformis] —— Reuss, Sitz. k. Ak. Wiss. Wien, XVIII, 1856, 242, v, 55.
 —— **truncana**, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. X, 1868 (1870), 653, ii, 93a, b, c.
 —— **tuberculifera**, Reuss. Sitz. k. Ak. Wiss. Wien, XLIV, Abth. 1, 1861 (1862), 313, ii, 2a-c.
 —— **tuberosa**, Karrer. Sitz. k. Ak. Wiss. Wien, LV, Abth. 1, 1867, 349, i, 4.
 —— (*Trochulina*) **turbo**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 274, No. 39. [v. also *Rotalina* and *Discorbina*.]
 —— [trochiliformis] —— D'Orbigny, Modèles, No. 73, 1826.
 —— [trochiliformis] —— v. *vesicularis*. Parker & Jones, Ann. Mag. Nat. Hist. [3], v, 1860, 293, No. 6. [= *Discorbina vesicularis*.]

- ROTALIA** turbo, d'Orbigny. Kölliker, Icones Histiologicalae, 1864, 31. [Structural.]
- (Trochulina) — — — P., J., & B. [d'O., Modèles, No. 73], Ann. Mag. Nat. Hist. [3], xvi, 1865, 30, ii, 68. [= *Discorbina*.]
- (Trochulina) — — — Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 162, fig.
- turgida, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1839, 135, ii, iv ; Transl., Taylor's Scientific Memoirs, iii, 1843, 358, vi, 4. [*Planulina turgida*, Abhandl. 1838.] [= *Crist. rotulata*, Lam.]
- Williamson, Mem. Lit. Phil. Soc. Manchester, [2], viii, 1848, 75, pl., 58.
- turgida, v. Hagenow. Neues Jahrbuch, 1842, 570, ix, 22.
- tympaniformis, Schwager. Benecke's Geogn. Pal. Beiträge, i, 1866, 310, fig. 15.
- umbilicata ?, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1855, 161, ii, vii. [? *Rotalina* ; ? *Operculina*.] [Glauc.]
- umbilicata, d'Orb., v. nitida, Reuss. In Geinitz, Palaeontographica, xx, Th. 2, 1874, 116, xxiii, 12. [*Rotalina*, 1840.]
- umbilicatula (W. & J.). Brown, Illustr. Recent Conch. Gt. Brit., ed. 2, 1844, 1, i, 8. [*Nautilus*, 1798.]
- umbilicus, Ehr. Bericht k. pr. Ak. Wiss. Berlin, 1844, 68 ; and Mikrogeologie, 1854, xx, ii, 13a, b. [= *Planorbulinae*.]
- Ehr., Bericht k. preuss. Ak. Wiss. Berlin, 1844, 95 ; and Mikrogeologie, 1854, xix, 88. [= ? *Planorbulina*.]
- umbonella, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 221, xi, 5a-c.
- veneta, Schultze. Organismus Polythal. 1854, 59, iii, 1-5 ; vii, 22-24, 29. [= *Planorbulina* ; vii, 22-24, 29 = ? *Globigerinae*.]
- Harting, Magt van het Kleine, 1866, 102, fig. 42.
- Claus, Lehrbuch d. Zool. 1885, 153, f. 135.
- venusta, Brady. Report Challenger, 1884, 708, cviii, 2a, b, c.
- vermiculata, Jones & Parker. Quart. Journ. Geol. Soc. XVI, 1860, 305, No. 116. [= *Pulvinulina*.]
- weinkauffi, Reuss. Sitz. k. Ak. Wiss. Wien, XLVIII, Abth. 1, 1863 (1864), 68, viii, 97a-c.
- wolgensis, Ehr. Mikrogeologie, 1854, xxxi, 50 and 51. [= *Globig. cretacea*.]
- see Schroeter, Neue Litt. u. Beytr. III, 1786, iii, f. 22.
- Soldani, Testac. I, 1, 1789, 54, pl. 34K, L, = this genus.
- [—] Deshayes, Coq. Foss. Paris, 1824-1837, not descr., cvi, 4-27.
- Wetherell, Trans. Geol. Soc. Lond. [2], v, 1834 (1840), 135, ix, 13-18. [13 = *C. cultrata* ; 14, 15, 18 = *Planorb. haidingeri*, varr. ; 16, 17 = *Pulv. boueana*.]
- Wetherell, Mag. Nat. Hist. [2], III, 1839, 162, f. 27. [= *Truncat. lobatula*.]
- Phillips, Rept. Proc. Geol. Poly. Soc. W. R. Yorkshire, 1844-45 (1846), 279, vii, 7.
- Mantell, Phil. Trans. 1846, 467, xxi, 2-4, 7-10, 13 and 14. [Showing sarcode body.]
- Mantell, Phil. Trans. 1846, 466, xxi, 6, 15. [6 = ? ; 15 = *Pulvin*.]
- Mantell, Phil. Trans. 1846, 468, xxi, 5, and 11. [Sarcode showing ova ?]
- Pilla, Distinz. terr. Etrurio, 1846, 104, i, 6.
- Mantell, Wonders Geol. 1848, 6th. ed., 303, fig. 51. [= *Rosalina*, q. v.]
- ? — Ehrenberg, Abhandl. k. Ak. Wiss. Berlin, 1847, 446, ii, 83.
- Williamson, Mem. Lit. Phil. Soc. Manchester, [2], viii, 1848, 75, pl., 56 and 57. [= *Planorb. ammonoides*.]
- Mantell, Amer. Journ. Sci. v, 1848, 70, etc., figs. 1, 2, and 3. [Soft parts, etc.]
- Mantell, Wonders Geol. 1848, 6th ed., 250, fig. 42. [= *Truncat. lobatula*.]

- ? **ROTALIA**. Dixon, Geol. etc. Sussex, 1850, 352, xxvii, 14. [= *Planorb. ammonoides*.]
 — Brocklesby, Views Microscop. World, 1851, 51, figs. 82 and 83.
 — Mantell, Medals Creation, ed. 2, 1854, 351, fig. 114, 1, 2, 3, 6 ; 356, fig. 116 ; 358, fig. 117.
 — Mantell, Medals Creation, ed. 2, 1854, 351, fig. 114, 5 ; 359, fig. 118, 1 and 2 ; 361, fig. 119, 4. [Sarcode.]
? — Ehrenberg, Mikrogeologie, 1854, xxxvi, 68. [= *Planorb. ammonoides*.]
 — sp. ? Ehrenberg, Mikrogeologie, 1854, xxxv, B, iv, A, n. [= *Crist. vel Nonion?*]
 — Ehrenberg, Abhandl. k. Ak. Wiss. Berlin, 1855, 173, vi, i, c ; and 176, vii, 13 (?). [vii, 13 (?), is *Planorbulina*.] [Glauc.]
 — Ehrenberg, Abhandl. k. preuss. Ak. Wiss. Berlin, 1855, 164, iii, v. [= *Operculina vel Nummulina*.] [Glauc.]
 — Wallich, North Atlantic Sea-bed, pt. 1, 1862, no descr., vi, 21. [Structural.]
 — Chimmo, Bed of Atlantic [1870], 25, ix, 1. [? *Pulvinulina*.]
? — Wright, Rept. Proc. Belfast Nat. F. C. App. iii, 1875, 87 [89], iii, 18.
 — Hertwig, Jenaische Zeitschrift für Naturwiss. x, 1876, 41, etc. ii, 5–11.
 — sp. ind. Hopkins, Execut. Doc., 45 Congress, Sess. 3, iv, Rpt. Chief Engineers, pt. 2, App. W, 1878–79, 885, i, 62 and 63.
 — Carpenter, Ency. Brit., 9th ed., ix, 1879, Foraminifera, 374, i, 18 ; fig. 4 ; fig. 17.
 — Carpenter, The Microscope, ed. 6, 1881, 573, fig. 328B. [Glaeconitic cast.]
? — cast ? v. Dunikowski, Denkschr. k. Ak. Wiss. Wien, XLV, Abth. 2, 1882, 194, vi, 80.
? — Keeping, Geol. Mag. dec. II, IX, 1882, 490, xi, 15.
 — Steinmann, Elem. Paléont. I, 1888, 30, fig. 3B.
 — Neumayr, Stämme d. Thierreiches, I, 1889 (8), 188, fig. 29.
 — see *Ammonshorn*.
 — see *Nautilo*.
 — see *Nautilus*.

ROTALINA, Ehrenberg, 1838. Abh. k. Ak. Wiss. Berlin, 1838 (1840), Tab. 1. [A family group name.]

- ROTALINA**, d'Orbigny, 1839. In de la Sagra, Hist. Phisique, etc. Cuba, 1839, "Foraminifères," in Barker Webb & Berthelot, Hist. Nat. Iles Canaries, 1839, vol. II, pt. 2, "Foraminifères;" and in Voyage Amér. Mérid. 1839, vol. V, pt. 5, "Foraminifères."
 — *aculeata*, d'Orbigny. Foram. Fossiles Vienne, 1846, 159, viii, 25–27.
 — — — Egger, Neues Jahrbuch, 1857, 274, vii, 1–4.
 — *æquabilis*, Terquem. Mém. Soc. géol. France, [3], II, 1882, 64, v (xiii), 1a, b, c.
 — *affinis*, Czjzek. Haidinger's Nat. Abh. II, 1848, 144, xii, 36–38.
 — *affinis*, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, 236, xvii, 64, B, C.
 — *akneriana*, d'Orbigny. Foram. Fossiles Vienne, 1846, 156, viii, 13–15. [v. *Truncatulina*.]
 — — — var. Bornemann, Zeitschr. deutsch. geol. Ges. VII, 1855, 340, xvi, 7.
 — *alvarezii*, d'Orbigny. Voyage Amér. Mérid. 1839, V, pt. 5, "Foraminifères," 35, i, 21 ; ii, 1 and 2.
 — *ambigua*, Terquem. Mém. Soc. géol. France, [3], I, 1878, 19, i (vi), 17a–c.
 — *angulifera*, Terquem. Ess. Anim. Plage Dunkerque, pt. 1, 1875, 28, iii, 8a, b ; (and Mém. Soc. Dunkerquoise).
 — *anomala*, Terquem. Ess. Anim. Plage Dunkerque, pt. 1, 1875, 30, iii, 12a, b ; (and Mém. Soc. Dunkerquoise).
 — *anomphala*, Egger. Neues Jahrbuch, 1857, 275, viii, 8–10.

- ROTALINA** antillarum, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839,
"Foraminifères," 75, v, 4-6; also in Spanish, 1840, 89, same pl. and fig.
- aradasii, Seguenza. Atti Accad. Gioenia Sci. Nat. [2], xviii, 1862, 103,
i, 5, 5a, b. [= ?]
- armata (d'Orb.). Terq., Mém. Soc. géol. France, [3], ii, 1882, 67, v
(xii), 14-15. [*Rotalia*, 1826.]
- audouini (d'Orb.). Terq., Mém. Soc. géol. France, [3], ii, 1882, 72, vi
(xiv), 11a-c. [*Rotalia*, 1826.]
- auriculata, Terquem. Ess. Anim. Plage Dunkerque, pt. 3, 1881, 123,
xv, 6a, b, c; (and Mém. Soc. Dunkerquoise).
- badensis, Czjzek. Haidinger's Nat. Abh. ii, 1848, 144, xiii, 1-3. [v.
Pulvinulina.]
- badensis, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 35, iv,
Impressathon, 14.
- beccarii (Linne). Gosse, Manual Mar. Zool. 1855, 12, fig. 13. [*Nau-*
tillus, 1758.]
- Williamson, Recent British Foram. 1858, 48, iv, 90-92.
- — — — — Terquem, Ess. Anim. Plage Dunkerque, pt. 1, 1875, 26,
ii, 5a, b; (and Mém. Soc. Dunkerquoise).
- berthelotiana, d'Orbigny. Barker Webb & Berthelot, Hist. Nat. Iles
Canaries, 1839, ii, pt. 2, "Foraminifères," 130, i, 31-33. [v. *Pulvinu-*
lina.]
- bimammata, Gümb. Terq., Mém. Soc. géol. France, [3], ii, 1882, 66,
v (xiii), 5-13. [*Rotalia*, 1868.]
- binucleata, Terquem. Ess. Anim. Plage Dunkerque, pt. 3, 1881, 124, xv,
7a, b, c; (and Mém. Soc. Dunkerquoise).
- borealis, Terquem. Bull. Soc. zool. France, xi, 1886, 332, xi, 9 and 10.
- boueana, d'Orbigny. Foram. Fossiles Vienne, 1846, 152, vii, 25-27.
[v. also *Pulvinulina*.]
- bronniarti (d'Orbigny). Reuss, in Geinitz, Grundr. Verstein. 1845-
46, 673, xxiv, 55. [*Rotalia*, 1826.]
- — — — — D'Orbigny, Foram. Fossiles Vienne, 1846, 158, viii, 22-
24.
- — — — — Egger, Neues Jahrbuch, 1857, 274, vii, 5-7.
- bulimoides, Reuss. Zeitschr. deutsch. geol. Ges. iii, 1851, 77, v, 38.
- campanella, Gümb. Terq., Mém. Soc. géol. France, [3], ii, 1882, 74,
vii (xv), 1-4. [*Rotalia*, 1868.]
- canariensis, d'Orbigny. Barker Webb & Berthelot, Hist. Nat. Iles
Canaries, 1839, ii, pt. 2, "Foraminifères," 130, i, 34-36. [v. *Pulvinu-*
lina; and *P. repanda*, var.]
- — — — — Mackie, Science Gossip, 1867, 130, fig. 122.
- capitata, Gümbel. Terq., Mém. Soc. géol. France, [3], ii, 1882, 59, iii
(xi), 18-20. [*Rotalia*, 1868.]
- caribaea, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Fora-
minifères," 74, v, 1-3; also in Spanish, 1840, 88, same pl. and fig.
- cingillata, Terquem. Mém. Soc. géol. France, [3], ii, 1882, 73, vi
(xiv), 13a-c.
- claustrata, Terquem. Mém. Soc. géol. France, [3], ii, 1882, 78, vii
(xv), 15a-c.
- clypeata, Terquem. Mém. Soc. géol. France, [3], ii, 1882, 62, iv (xii),
10a, b, c.
- coarctata, Terquem. Mém. Soc. géol. France, [3], ii, 1882, 76, vii (xv),
8a-c.
- communis, Kübler & Zwingli. Neujahrsblatt Bürgersbibl. Winterthur,
1866, 18, iii, 24. [= *Planorbulina ammonoides*.]
- communis (d'Orbigny). Terq., Mém. Soc. géol. France, [3], i, 1878,
17, i (vi), 11a-c. [*Rotalia*, 1826.]
- complanata (d'Orbigny). Terq., Mém. Soc. géol. France, [3], ii, 1882,
81, viii (xvi), 8a-c. [*Trochulina*, 1826.]

- ROTALINA concamerata** (Montagu). Williamson, Recent British Foram. 1858, 52, iv, 101-105. [*Serpula*, 1808 = *Pulvinulina*.] ——— Cooke, Thousand Objects Microsc. 1869, 92, ix, 23. ——— **conoidea**, Czjzek. Haidinger's Nat. Abh. II, 1848, 145, xiii, 4-6. ——— **conoidea**, Terquem. Ess. Anim. Plage Dunkerque, pt. 3, 1881, 122, xv, 1a, b; (and Mém. Soc. Dunkerquoise). ——— **contecta**, d'Orbigny. Barker Webb & Berthelot, Hist. Nat. Iles Canaries, 1839, II, pt. 2, "Foraminifères," 131, ii, 16-18. ——— **contraria**, Reuss. Zeitschr. deutsch. geol. Ges. III, 1851, 76, v, 37. [v. *Bulimina*.] ——— **cordieriana**, d'Orbigny. Mém. Soc. géol. France, [1], IV, 1840, 33, iii, 9-11; facsimile in Science Gossip, 1870, 108, fig. 117. [v. *Rotalia*.] ——— **crassa**, d'Orbigny. Mém. Soc. géol. France, [1], IV, 32, iii, 7 and 8; facsimile in Science Gossip, 1870, 108, fig. 116. [v. *Pulvinulina*, 1840.] ——— **crenularis**, Terquem. Mém. Soc. géol. France, [3], II, 1882, 61, iv (xii), 7a, b, c. ——— **cristellaroides**, Terquem. Mém. Soc. géol. France, [3], II, 1882, 57, iii (xi), 15a, b, c. ——— **cryptomphala**, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 371, xvii, 2. ——— Egger, Neues Jahrbuch, 1857, 277, ix, 4-6. ——— **cultrata**, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 76, v, 7-9; also in Spanish, 1840, 90, same pl. and fig. ——— ? Bailey, Smithsonian Contrib. II, 1851, ii, pl., 14-16. ——— **deformis**, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 75, iv, 9-11; also in Spanish, 1840, 89, same pl. and fig. ——— **depressa**, Alth. Haidinger's Naturw. Abh. III, Abth. 2, 1850, 266, xiii, 21. ——— **depressa**, Terquem. Mém. Soc. géol. France, [3], II, 1882, 58, iii (xi), 17a, b, c. ——— **diformis**, Terquem. Mém. Soc. géol. France, [3], II, 1882, 64, iv (xii), 15a, b, c. ——— **dimidiata**, Terquem. Mém. Soc. géol. France, [3], I, 1878, 19, i (vi), 16a-c. ——— **discifera**, Phil. Jones, Catal. Foss. Foram. B. M. 1882, 29. ——— **discigera**, Egger. Neues Jahrbuch, 1857, 277, viii, 5-7. ——— **discoidalis**, Terquem. Ess. Anim. Plage Dunkerque, pt. 3, 1881, 119, xiv, 1a, b, c; (and Mém. Soc. Dunkerquoise). ——— **discoides**, d'Orb. Terq., Mém. Soc. géol. France, [3], II, 1882, 82, viii (xvi), 9a-c. [v. *Rotalia*.] ——— **dubia**, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 78, ii, 29 and 30; iii, 1; also in Spanish, 1840, 91, same pl. and fig. ——— **dufresnii**, d'Orb. Terquem, Mém. Soc. géol. France, [3], II, 1882, 82 viii (xvi), 10a-c. [*Rotalia*, 1826.] ——— **dutemplei**, d'Orbigny. Foram. Fossiles Vienne, 1846, 157, viii, 19-21. [v. *Truncatulina*; *Planorbolina*; *Pseudotruncatulina*; and *Heterolepa*.] ——— ? Costa, Atti Accad. Pontaniana, VII, fas. 2, 1856, not deser., xxii, 19. ——— Egger, Neues Jahrbuch, 1857, 274, vii, 8-10. ——— Terquem, Ess. Anim. Plage Dunkerque, pt. 1, 1875, 26, ii, 7a, b; (and Mém. Soc. Dunkerquoise). ——— **ehrenbergii**, Bailey. Smithsonian Contrib. II, 1851, 10, pl., 11-13. ——— **elegans**, d'Orb. Terq., Mém. Soc. géol. France, [3], I, 1878, 18, i (vi), 12a-c. [*Rotalia*, 1826.] ——— ? Terq., Mém. Soc. géol. France, [3], II, 1882, 75, vii (xv), 6a-c. ——— **elongata**, Kübler & Zwingli. Neujahrsblatt Bürgersbibl. Winterthur, 1866, 24, iii, 28. [= *Pulvinulina*, near *karsteni*.]

- ROTALINA** *excavata*, Terquem. Ess. Anim. Plage Dunkerque, pt. 3, 1881, 123, xv, 5a, b, c; (and Mém. Soc. Dunkerquoise).
 ——— ——— ——— Terq., Mém. Soc. géol. France, [3], II, 1882, 77, vii (xv), 13a-c.
 ——— *excedens*, Gümbel. Sitz. k.-bay. Ak. Wiss. III, 1873, 39, no fig.
 ——— *exilis*, Terquem. Ess. Anim. Plage Dunkerque, pt. 1, 1875, 28, iii, 5a, b, c; (and Mém. Soc. Dunkerquoise).
 ——— *fragilis*, Terq. Mém. Soc. géol. France, [3], II, 1882, 78, viii (xvi), 1a-c.
 ——— *franconica*, Gümbel. Jahresh. Ver. vat. Nat. Württ. XVIII, 1862, 229, iv, 9a, b.
 ——— *fusca*, Williamson. Recent British Foram. 1858, 55, v, 114 and 115. [= *Valvulina*.]
 ——— ——— ——— Terquem, Ess. Anim. Plage Dunkerque, pt. 1, 1875, 26, ii, 6a, b; (and Mém. Soc. Dunkerquoise).
 ——— *girardana*, Reuss. Zeitschr. deutsch. geol. Ges. III, 1851, 73, v, 34.
 ——— *granosa*, Reuss. Zeitschr. deutsch. geol. Ges. III, 1851, 75, v, 36.
 ——— *guerini* (d'Orb.). Terq., Mém. Soc. géol. France, [3], II, 1882, 69, vi (xiv), 3a, b, c. [*Rotalia*, 1826.]
 ——— *gyrata*, Terquem. Mém. Soc. géol. France, [3], II, 1882, 70, vi (xiv), 6a-c.
 ——— *haidingerii*, d'Orbigny. Foram. Fossiles Vienne, 1846, 154, viii, 7-9. [v. *Truncatulina*; *Pulvinulina*; *Planorbolina*; and *P. farcta*, var.]
 ——— ——— ——— Egger, Neues Jahrbuch, 1857, 275, vii, 11-13.
 ——— ——— ——— Terquem, Ess. Anim. Plage Dunkerque, pt. 2, 1876, 72, viii, 6a, b; (and Mém. Soc. Dunkerquoise).
 ——— ——— ——— Terq., Mém. Soc. géol. France, [3], II, 1882, 80, viii (xvi), 4a-c.
 ——— *hauerii*, d'Orbigny. Foram. Fossiles Vienne, 1846, 151, vii, 22-24. [v. *Pulvinulina*.]
 ——— *hemisphaerica*, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, 237, xiv, 16A, B, C.
 ——— *hemisphaerica*, Terquem. Ess. Anim. Plage Dunkerque, pt. 3, 1881, 122, xv, 3a, b, c; (and Mém. Soc. Dunkerquoise).
 ——— ——— ——— Terq., Mém. Soc. géol. France, [3], II, 1882, 75, vii (xv), 7a-c.
? ——— *heteroclita*, Terquem. Mém. Soc. géol. France, [3], II, 1882, 64, iv (xii), 14a, b, c.
 ——— *hirsuta*, d'Orbigny. Barker Webb & Berthelot, Hist. Nat. Iles Canaries, 1839, II, pt. 2, "Foraminifères," 131, i, 37-39.
 ——— *impleta*, Terquem. Ess. Anim. Plage Dunkerque, pt. 3, 1881, 120, xiv, 3a, b, c; (and Mém. Soc. Dunkerquoise).
 ——— v. *æqualis*, Terquem. Ess. Anim. Plage Dunkerque, pt. 3, 1881, 120, xiv, 4a, b, c; (and Mém. Soc. Dunkerquoise).
 ——— *increcens*, Kübler & Zwingli. Neujahrsblatt Bürgersbibl. Winterthur, 1866, 15, iii, 3. [= *Planorbolina ammonoides*.]
 ——— *inermis*, Terquem. Mém. Soc. géol. France, [3], II, 1882, 68, vi (xiv), 1a, b, c.
 ——— *inflata* (Montagu). Williamson, Recent British Foram. 1858, 50, iv, 93 and 94. [*Nautilus*, 1808.]
 ——— ——— ——— Williamson, Pop. Sci. Rev. IV, 1865, 174, viii, 8.
 ——— *inflata*, Terquem. Ess. Anim. Plage Dunkerque, pt. 1, 1875, 27, iii, 4a, b; (and Mém. Soc. Dunkerquoise).
 ——— ——— ——— Hertwig, Jenaische Zeitschr. für Naturwiss. XI, 1877, 344, xx, 9 and 10. [Structural.]
 ——— ——— ——— Terquem, Ess. Anim. Plage Dunkerque, pt. 3, 1881, 119, xiv, 2a, b, c; (and Mém. Soc. Dunkerquoise).
 ——— *infundibulum*, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, 237, xiv, 16A, B, C.

- ROTALINA involuta**, Reuss. Haidinger's Nat. Abh. iv, Abth. 1, 1851, 35, ii, 14.
 ——— Hitchcock, Elec. Geology, 1860, 30th ed., 141, fig. 98.
 ——— *involuta*, Terq. Mém. Soc. géol. France, [3], II, 1882, 76, vii (xv), 10a-c.
 ——— *kalemburgensis*, d'Orbigny. Foram. Fossiles Vienne, 1846, 151, vii, 19-21. [v. *Rotalia*.]
 ——— Egger, Neues Jahrbuch, 1857, 273, ix, 21-23.
 ——— *lacrymosa*, Terq. Mém. Soc. géol. France, [3], II, 1882, 71, vi (xiv), 8a-c.
 ——— *lamarckiana*, d'Orbigny. Barker Webb & Berthelot, Hist. Nat. Iles Canaries, 1839, II, pt. 2, "Foraminifères," 131, ii, 13-15.
 ——— *lenticula*, Renss. Verstein. böhm. Kreide, 1845-46, I, 35, xii, 17.
 ——— *liasina*, Terq. et Berth. Mém. Soc. géol. France, [2], X, 1875, 59, v (xv), 5a-c.
 ——— *limbata*, Terq. Mém. Soc. géol. France, [3], II, 1882, 80, viii (xvi), 6a-c.
 ——— *lobata*, Terq. Mém. Soc. géol. France, [3], II, 1882, 63, iv (xii), 11a, b, c.
 ——— *mamilla*, Williamson. Recent British Foram. 1858, 54, iv, 109-111.
 [= *Discorb. rosacea*, d'Orb.]
 ——— Terquem, Ess. Anim. Plage Dunkerque, pt. 1, 1875, 27, iii, 2a, b; (and Mém. Soc. Dunkerquoise). [= *Discorb. rosacea*.]
 ——— *margarita*, Terquem. Six. Mém. Foram. Liás, 1866, 522, xxii, 20-22.
 ——— *margaritifera*, Terq. Mém. Soc. géol. France, [3], I, 1878, 18, i (vi), 14a-c.
 ——— *marginata*, Cornuel. Mém. Soc. géol. France, [2], III, 1848, 257, ii, 17-19.
 ——— *marginata*, d'Orb. Terq., Mém. Soc. géol. France, [3], II, 1882, 80, viii (xvi), 5a-c. [*Rotalia*, 1826.]
 ——— *megaspærica* (Gümbel). Terq., Mém. Soc. géol. France, [3], II, 1882, 59, iii (xi), 21a, b, c. [*Discorbina*, 1868.]
 ——— *menardii*, d'Orb. Terquem, Ess. Anim. Plage Dunkerque, pt. 1, 1875, 27, iii, 1a, b; (and Mém. Soc. Dunkerquoise). [*Rotalia*, 1826.]
 ——— *meridionalis*, Costa. Mem. Acc. Sci. Napoli, II, 1855 (1857), 124, i, 134, B, C.
 ——— *micheliniana*, d'Orbigny. Mém. Soc. géol. France, [1], IV, 1840, 31, iii, 1-3; facsimile in Science Gossip, 1870, 107, fig. 114. [v. also *Pulvinilina*; *P. repanda*, var.; and *Rotalia*.]
 ——— Reuss, Verstein. böhm. Kreide, 1845-46, I, 36, xii, 31.
 ——— Reuss, in Geinitz, Grundr. Versteiu. 1845-46, 674, xxiv, 54.
 ——— [*michelini*] ——— Fritel, Foss. Caract. terr. sed. second. 1888, pl. xx, 33, 34, and 35.
 ——— *moeschii*, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 37, iv, Astartien, 1. [= *Planorbulina*.]
 ——— *nana*, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 371, xlvi, 23.
 ——— *nautiloidea*, Terquem. Ess. Anim. Plage Dunkerque, pt. 2, 1876, 72, viii, 5a, b; (and Mém. Soc. Dunkerquoise).
 ——— [*nautiloides*] ——— Terq., Mém. Soc. géol. France, [3], II, 1882, 62, iv (xii), 9a, b, c.
 ——— *nitida*, Reuss. Geogn. Skizze Böhmen, II, 1844, pt. 1, 214. [v. *Placentula*.]
 ——— Reuss, Verstein. böhm. Kreide, 1845-46, I, 35, viii, 52; xii, 8 and 20.
 ——— *nitida*, Williamson. Recent British Foram. 1858, 54, iv, 106-108.
 ——— Terquem, Ess. Anim. Plage Dunkerque, pt. 1, 1875, 26, ii, 9a-e; (and Mém. Soc. Dunkerquoise).
 ——— *nodosa*, Terquem. Ess. Anim. Plage Dunkerque, pt. 2, 1876, 72, viii, 7a, b; (and Mém. Soc. Dunkerquoise).

- ROTALINA** nodosa, Terquem, v. **umbilicata**, Terquem. Ess. Anim. Plage Dunkerque, pt. 3, 1881, 124, xv, 8 ; (and Mém. Soc. Dunkerquoise).
- nucleata, Terquem. Ess. Anim. Plage Dunkerque, pt. 1, 1875, 28, iii, 6a, b, c ; (and Mém. Soc. Dunkerquoise).
- nuda, Terquem. Ess. Anim. Plage Dunkerque, pt. 1, 1875, 28, iii, 7a, b ; (and Mém. Soc. Dunkerquoise).
- — — — — Terquem, Mém. Soc. géol. France, [3], ii, 1882, 73, vi (xiv), 16a-c.
- nummularis, Terquem. Mém. Soc. géol. France, [3], ii, 1882, 62, iv (xii), 8a, b, c.
- obesa, Terquem. Mém. Soc. géol. France, [3], ii, 1882, 61, iv (xii), 6a, b, c.
- oblonga, Williamson. Recent British Foram. 1858, 51, iv, 98-100. [v. *Pulvinulina* ; = *Pulvin. auricula*.]
- — — — — Dawson, Canad. Nat. v, 1860, 191, fig. 1.
- — — — — Cooke, Thousand Objects Microsc. 1869, 92, ix, 22.
- obscura, Terquem. Ess. Anim. Plage Dunkerque, pt. 1, 1875, 29, iii, 9a, b ; (and Mém. Soc. Dunkerquoise).
- obtusa, Terquem. Ess. Anim. Plage Dunkerque, pt. 3, 1881, 122, xv, 2a, b ; (and Mém. Soc. Dunkerquoise).
- obvoluta, Terq. Mém. Soc. géol. France, [3], ii, 1882, 81, viii (xvi), 7a-c.
- ochracea, Williamson. Recent British Foram. 1858, 55, iv, 112 ; v, 113. [*Trochanmina*.]
- — — — — Cooke, Thousand Objects Microsc. 1869, 92, ix, 18.
- orbicularis (d'Orb.). Reuss, in Geinitz, Grundr. Verstein. 1845-46, 673, xxiv; 50. [? *Discorbis*, 1826.]
- orbicularis, Terquem. Mém. Soc. géol. France, [3], ii, 1882, 60, iv (xii), 1-3.
- orthorapha, Egger. Nenes Jahrbuch, 1857, 275, x, 1-3.
- ovalis, Terquem. Mém. Soc. géol. France, [3], ii, 1882, 60, iv (xii), 4a, b, c.
- ovigera, Terquem. Ess. Anim. Plage Dunkerque, pt. 1, 1875, 30, iii, 11a, b ; (and Mém. Soc. Dunkerquoise).
- partschiana, d'Orbigny. Foram. Fossiles Vienne, 1846, 153, vii, 28-30 ; viii, 1-3. [v. *Epistomina*.]
- — — var. Bornemann, Zeitschr. deutsch. geol. Ges. vii, 1855, 340, xvi, 6.
- — — Mackie, Recreative Science, i, 1859, 147, fig. 10.
- patagonica, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 36, ii, 6, 7, and 8. [v. *Pulvinulina*.]
- patella, Reuss. Denkschr. k. Ak. Wiss. Wien, i, 1850, 371, xlvi, 22.
- peraffinis, Costa. Atti Accad. Pontaniana, vii, fas. 2, 1856, not deser., xxii, 17.
- peroralis, Terquem. Mém. Soc. géol. France, [3], ii, 1882, 70, vi (xiv), 5a-c.
- pertusa, Terquem. Mém. Soc. géol. France, [3], ii, 1882, 70, vi (xiv), 7a-c.
- peruviana, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 35, ii, 3-5.
- placentula, Terquem. Mém. Soc. géol. France, [3], ii, 1882, 63, iv (xii), 12a, b, c.
- planorbiformis, Terquem. Ess. Anim. Plage Dunkerque, pt. 3, 1881, 121, xiv, 6a, b, c ; (and Mém. Soc. Dunkerquoise).
- — — var. irregularis, Terquem. Ess. Anim. Plage Dunkerque, pt. 3, 1881, 121, xiv, 7a, b, c ; (and Mém. Soc. Dunkerquoise).
- pleurostomata, Schlumberger. Feuille Jeun. Nat., Aug. 1883, 119, iii, 5, 5a, b.
- polyrraphes, Reuss. Verstein. böhm. Kreide, 1845-46, i, 35, xii, 18. [v. *Planorbulina*.]

- ROTALINA polyrraphes**, Reuss. Haidinger's Naturw. Abh. IV, Abth. I, 1851, 35, iii, 1.
- **porosa**, Terq. Mém. Soc. géol. France, [3], II, 1882, 84, viii (xvi), 15a-c.
- **problema**, Terquem. Ess. Anim. Plage Dunkerque, pt. 2, 1876, 72, viii, 8a, b; (and Mém. Soc. Dunkerquoise).
- **propingua** (Reuss). Egger, Neues Jahrbuch, 1857, 275, vii, 14-17. [*Rotalia*, 1856.]
- **punctulata**, Terquem. Mém. Soc. géol. France, [3], II, 1882, 83, viii (xvi), 12a-c.
- **pustulosa**, Terq. Mém. Soc. géol. France, [3], II, 1882, 77, vii (xv), 12a-c.
- **quadriloba**, Terq. Mém. Soc. géol. France, [3], II, 1882, 77, vii (xv), 11a-c.
- **radiata**, Terquem. Ess. Anim. Plage Dunkerque, pt. 1, 1875, 29, iii, 10a, b; (and Mém. Soc. Dunkerquoise).
- Terq., Mém. Soc. géol. France, [3], II, 1882, 78, vii (xv), 14a-c.
- **reticulata**, Czjzek. Haidinger's Nat. Abh. II, 1848, 145, xiii, 7-9. [v. *Truncatulina*; *Planorbulina*; *P. fareta*, var.; and *Siphonina*.]
- **rosea**, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 72, iii, 9-11; also in Spanish, 1840, 87, same pl. and fig.
- **rotata**, Terq. Mém. Soc. géol. France, [3], II, 1882, 83, viii (xvi), 13a-c.
- **sagra**, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 77, v, 13-15; also in Spanish, 1840, 91, same pl. and fig.
- **saxorum**, d'Orb. Terq., Mém. Soc. géol. France, [3], II, 1882, 69, vi (xiv), 4a, b, c. [*Rotalia*, 1826.]
- **scaphoidea**, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 372, xlvi, 3.
- **schreibersii**, d'Orbigny. Foram. Fossiles Vienne, 1846, 154, viii, 4-6. [v. *Pulvinulina*.]
- **scutata**, Terquem. Mém. Soc. géol. France, [3], II, 1882, 63, iv (xii), 13a, b, c.
- **semi-marginata** (d'Orb.). Terq., Mém. Soc. géol. France, [3], II, 1882, 56, iii (xi), 12-14. [*Turbinulina*, 1826.]
- **semiornata**, Terq. Mém. Soc. géol. France, [3], II, 1882, 79, viii (xvi), 2a-c.
- **semiporata**, Egger. Neues Jahrbuch, 1857, 276, viii, 1-3.
- **semipunctata**, Bailey. Smithsonian Contrib. II, 1851, 11, pl., 17-19.
- **semipunctata**, Terq. Mém. Soc. géol. France, [3], II, 1882, 83, viii (xvi), 14a-c.
- **septifera**, Terq. Mém. Soc. géol. France, [3], II, 1882, 65, v (xiii), 2a, b, c.
- **simplex**, Terq. et Berth. Mém. Soc. géol. France, [2], X, 1875, 60, v (xv), 6a, b.
- Terquem, Ess. Anim. Plage Dunkerque, pt. 2, 1876, 71, viii, 3a, b; (and Mém. Soc. Dunkerquoise).
- Terq., Mém. Soc. géol. France, [3], II, 1882, 76, vii (xv), 9a-c.
- **soldanii**, d'Orbigny. Foram. Fossiles Vienne, 1846, 155, viii, 10-12.
- Terquem, Ess. Anim. Plage Dunkerque, pt. 1, 1875, 26, ii, 8a-d; (and Mém. Soc. Dunkerquoise).
- Schlumberger, Feuille Jeun. Nat., Jan. 1882, I, 12.
- **solida**, Terq. Mém. Soc. géol. France, [3], II, 1882, 72, vi (xiv), 12a-c.
- **spectrum**, Terq. Mém. Soc. géol. France, [3], I, 1878, 19, i (vi), 15a-c.
- **spinimargo**, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 371, xlvi, 1.
- **spissa**, Terq. Mém. Soc. géol. France, [3], I, 1878, 18, i (vi), 13a-c.
- **stellata**, Terquem. Ess. Anim. Plage Dunkerque, pt. 1, 1875, 27, iii, 3a, b, c; (and Mém. Soc. Dunkerquoise).
- Terquem, Mém. Soc. géol. France, [3], II, 1882, 58, iii (xi), 16a, b, c.

- ROTALINA** stelligera, Reuss. Denkschr. k. Ak. Wiss. Wien, VII, Abth. 1, 1854, 69, xxv, 15. [v. *Epistomina*.]
- subæqualis, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, not descr., xxii, 18.
- subæquilateralis, Terquem. Ess. Anim. Plage Dunkerque, pt. 3, 1881, 121, xiv, 5a, b; (and Mém. Soc. Dunkerquoise).
- subconica, Terq. Mém. Soc. géol. France, [3], II, 1882, 61, iv (xii), 5a, b, c.
- succisa, Terquem. Ess. Anim. Plage Dunkerque, pt. 3, 1881, 123, xv, 4a, b, c; (and Mém. Soc. Dunkerquoise).
- — — — — Terq., Mém. Soc. géol. France, [3], II, 1882, 71, vi (xiv), 9 and 10.
- suessonensis (d'Orb.). Terq., Mém. Soc. géol. France, [3], II, 1882, 65, v (xiii), 3 and 4. [*Rotalia*, 1826.]
- tæniata, Bornemann. Zeitschr. deutsch. geol. Ges. VII, 1855, 341, xvi, 8.
- terquemi (d'Orb.). Terquem, Mém. Ac. Imp. Metz, XXXIX, 1858, 629, iv, 8a-c. [*Rotalia*, 1849.]
- trochidiiformis (Lamarck). Reuss, in Geinitz, Grundr. Verstein. 1845-46, 674, xxiv, 51. [*Rotalites*, 1804.]
- — — — — Terq., Mém. Soc. géol. France, [3], II, 1882, 68, vi (xiv), 2a, b, c.
- ? — — — — — trochus, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 308.
- truncatulinoïdes, d'Orbigny. Barker Webb & Berthelot, Hist. Nat. Iles Canaries, 1839, II, pt. 2, "Foraminifères," 132, ii, 25-27. [v. also *Pulvinulina*.]
- tuber, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, 235, xvii, A, B, C [fig. 5].
- tuberculata. Terquem, Ess. Anim. Plage Dunkerque, pt. 3, 1881, 125, xvi, 1a, b, c; (and Mém. Soc. Dunkerquoise).
- tumida, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, not descr., xiv, 14.
- — — — — Terqnem, Ess. Anim. Plage Dunkerque, pt. 2, 1876, 71, viii, 4a, b; (and Mém. Soc. Dunkerquoise).
- turbinata, Terq. Mém. Soc. géol. France, [3], II, 1882, 75, vii (xv), 5a, b.
- turbinella, Gümbel. Jahresh. Ver. vat. Nat. Württ. XVIII, 1862, 230, iv, 10a, b.
- turbinoidea, Terquem. Mém. Ac. Imp. Metz, XXXIX, 1858, 630, iv, 9a-c.
- turbo, d'Orb. Terq., Mém. Soc. géol. France, [3], II, 1882, 82, viii (xvi), 11a-c. [*Rotalia*, 1826.]
- ? — — — — — turgida, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 308.
- — — — — turgida, Williamson. Recent British Foram. 1858, 50, iv, 95-97. [v. *Nonionina*.]
- — — — — Dawson, Canad. Nat. IV, 1859, 31, fig. 20.
- — — — — Cooke, Thousand Objects Microsc. 1869, 90, ix, 12.
- umbilicata, d'Orbigny. Mém. Soc. géol. France, [1], IV, 1840, 32, iii, 4-6; facsimile in Science Gossip, 1870, 107, fig. 115. [v. *Pulvinulina*.]
- umbonata, Reuss. Zeitschr. deutsch. geol. Ges. III, 1851, 75, v, 35. [v. *Pulvinulina*.]
- ungeriana, d'Orbigny. Foram. Fossiles Vienne, 1846, 157, viii, 16-18. [v. *Truncatulina*; *Planorbulina*; and *P. farcta*, var.]
- — — — — var. Bornemann, Zeitschr. deutsch. geol. Ges. VII, 1855, 341, xvi, 5.
- uviformis, Terq. Mém. Soc. géol. France, [3], II, 1882, 73, vi (xiv), 14a-c; 15a-c.
- vitrea, Terq. Mém. Soc. géol. France, [3], II, 1882, 79, viii (xvi), 3a-c.
- voltziana, d'Orbigny. Mém. Soc. géol. France, [1], IV, 1840, 31, ii, 32-34; facsimile in Science Gossip, 1870, 107, fig. 113.

- ROTALINA** voltziana, d'Orbigny. Cooke, Thousand Objects Microsc. 1869, 90, ix, 11.
- [voltzii] — Beudant, Géologie, ed. 8, 1858, 117, fig. 101; later eds., same fig.
- [**Rotaline** form.] Hooke, Micrographia, 1665, 80, Schem. v, fig. x; also in 1667, same fig. etc.
- [**Rotaline** form.] Hooke, Micrographia restaurata, 1745, 71, pl. iii, f. 4.
- [**Rotaline** form.] Adams, Micrographia illustrata, 1746, pl. 64, 562; ed. 2, 1747, pl. 64, 562; ed. 4, 1771, pl. 70, 562. "Resembling the shell of a small water snail [= *R. beccarii*]; same figure as in Hooke's Micrographia."
- [**Rotaline** forms.] Ginani, Opere postume, 1755, 20, pl. xiv, iii, 112.
- Lyell, Quart. Journ. Geol. Soc. i, 1845, 64, fig. a.
- [**Rotaline** cast.] Bailey, Amer. Journ. Sci. XLVIII, 1845, 343, iv, 30 and 31.
- Pictet, Traité de Paléont. IV, 1846, 232, xii, 15.
- Abich, Mém. Ac. Imp. Sci. [Math. Phys.] St. Pétersbourg, [6], VII, 1859, 57, ii, 5a, b. [*R. beccarii* ?]
- [**Rotaline**]. Walllich, Quart. Journ. Sci. I, 1864, plate, 5.
- Williamson, Pop. Sci. Rev. IV, 1865, 176, viii, 2. (After Schultze.) [Showing pseudopodia.]
- Von Schlicht, Foram. Septar. Pietzpuhl, 1870, plates xx, xxi, xxiii, xxiv, xxxviii.
- Walllich, Pop. Sci. Rev., N. S. II (xvii), 1878, pl. iv, 3. [Containing sarcoblasts.]
- de Folin, Congrès Scient. Dax, 1882 (1883), 305, pl. f. 1, 2, and 3. [Sarcodite body.]
- Terquem, Cinq. Mém. Foram. Oolithique, 1883, 368, xli, 16a, b; xlvi, 1-4.
- Terquem, Mém. Soc. géol. France, [3], IV, 1886, 48-50, v, 8-15.
- de Folin, Le Naturaliste, Ann. 9, 1887, 140, fig. 18. [Sarcodite body.]
- ROTALITES**, Lamarck, 1804. Ann. Mus. v, 1804, 184.
- depressa, Lamarck. Vélins du Muséum Paris, No. 22, fig. 15.
- discorbula, Lamarck. Ann. Mus. v, 1804, 185, No. 4; and VIII, 1806, fig. 9a, b, pl. 62.
- — — Parkinson, Organ. Rem. former World, III, 1811, 160, xi, 3.
- — — Lamarck, Coq. Foss. Paris, 1823, 14, xiv, 9a, b.
- — — Lamarck, Ency. Méthod., "Vers," III (1832), 911 (pls. 1827), 466, f. 6 (P. & J. quote "pt. 23," 1816).
- orbiculata, Lamarck. Vélins du Muséum Paris, No. 22, fig. 14.
- radiatus, Montfort. Conch. syst. I, 1808, 163, 41st genre. [= *Numm. perforata*, var. *radiata*.] [v. *Nummulites*.]
- sinistrorsa, Lamarck. Vélins du Muséum Paris, No. 22, fig. 13.
- trochidiformis, Lamarck. Ann. Mus. v, 1804, 184, and VIII, 1806, No. 1, fig. 8a, b, pl. 62. [v. *Rotalia*; *Rotalina*; and *Discorbina*.]
- — — Parkinson, Organ. Rem. former World, III, 1811, 160, xi, 2.
- — — Lamarck, Coq. Foss. Paris, 1823, 14, xiv, 8a, b.
- (et **ROTULITES**) — — — Defrance, Dict. Sci. Nat. XXXII, 1824, 187; XLVI, 1827, 303; Atlas, Conch. xiv, 3; xix, 1.
- — — Blainville, Manuel Malac. et Conch. 1825 (pls. 1827), 391, x, 1 [and vi, 3].
- — — Lamarck, Ency. Method., "Vers," III (1832), 912 (pls. 1827), 466, f. 8 (P. & J. quote "pt. 23," 1816).
- — — Crouch, Introd. Lamarck, 1827, 41, xxii, 5.
- — — Cuvier, Animal Kingdom, Henderson's ed. III, 1834 (pls. 1837), 18, viii, 3.
- [**ROTULITES**] — — — Brown, Conch. Text-book, 1839, 61, x, 16.
- [trochiformis] — — — Brown, Elem. Foss. Conch. 1843 [23], III, 12.
- Bowditch, Elem. Conch. Part 1, 1822, 22, ii, 13.

- Rotia veneta**, M. Satch. O. A. Grimm, Kaspiiskai mare e gaga fauna, Part 1, 1876, 69, i, 4a, 4b. [= *Rotalia veneta*, M. Schultze.]
- ROTULITES**, Defrance & Brown. v. *Rotalites*.
- RUPERTIA**, Wallich, 1877. Ann. Mag. Nat. Hist. [4], xix, 1877, 502 ; Brady, Report Challenger, 1884, 680.
- incrassata, Uhlig. Jahrb. k. k. geol. Reichsanstalt, xxxvi, 1886, 185, iv, 3-9.
- stabilis, Wallich. Ann. Mag. Nat. Hist. [4], xix, 1877, 502, xx, 1-13.
- — — — — Schlumberger, Feuille Jeun. Nat., Aug., 1883, 119, ii, 6, 6a, b, c, 7, 7a, 8.
- — — — — Brady, Report Challenger, 1884, 680, xviii, 1-12.
- — — — — Uhlig, Jahrb. k. k. geol. Reichsanstalt, xxxvi, 1886, 184, iv, 1 and 2.
- Sabularia**, Bonnisan, 1867, error for *Fabularia*.
- Saccamina**, Carpenter, 1881 ; and Meunier, 1888. Error for *Saccammina*.
- SACCAMMINA**, M. Sars, 1868. Forh. Vidensk.-Selsk. Christiania, 1868 (1869), 248 ; Brady, Report Challenger, 1884, 252.
- carteri, Brady. Ann. Mag. Nat. Hist. [4], vii, 1871, 183, xii, 1-6.
- — — — — Brady, Nat. Hist. Trans. Northumb. and Durham, iv, 1872, 269, pl. xi.
- — — — — Brady, Carbonif. Foram., Pal. Soc. xxx, 1876, 57, i, 1-7 ; xii, 6.
- — — — — Zittel, Handbuch Palaeont., Abth. 1, 1876, 76, fig. 84.
- — — — — Schwager, Boll. R. Com. geol. Ital. viii, 1877, 26, pl. 81.
- — — — — Nicholson & Etheridge, Monogr. silur. fossils Girvan, fasc. i, 1878, 21, ix, 23.
- — — — — Nicholson, Manual Palaeont. 1879, i, 112, fig. 21A, B.
- — — — — Bütschli, in Bronn, Klassen, etc. Thier-Reichs, 1880, 195, v, 13.
- — — — — Roemer, Lethaea Geognostica, Th. i, Lief. 1, 1880, 264, fig. 40.
- — — — — Steinmann, Elém. Paléont. i, 1888, 25, fig. 7A, B.
- — — — — Prestwich, Geology, ii, 1888, 101, fig. 47a.
- [SACCAMINA]** — — — — — Meunier, Bull. Soc. Hist. Nat. Autun, i, 1888, 234, vii, 1, 2.
- ? — (Calcisphæra) eriana, Dawson. Canad. Nat. x, 1881, 5, fig. 3. [H. B. Brady doubts its rhizopodal character, idem, p. 8 ; see *Moellerina*.]
- schwageri, Zittel. Handbuch Palaeont., Abth. 1, 1876, 76, fig. 85.
- socialis, Brady. Report Challenger, 1884, 255, xviii, 18 and 19.
- sphærica, M. Sars. Forh. Vidensk.-Selsk. Christiania, 1868 (1869), 248.
- — — — — Brady, Report Challenger, 1884, 253, xviii, 11-17.
- [SACCAMINA]** — — — — — Carpenter, The Microscope, ed. 6, 1881, 560, fig. 319* a, b, c.
- — — — — Neumayr, Stämme d. Thierreiches, i, 1889 (8), 173, fig. 17c.
- — — — — Carpenter, Ency. Brit. 9th ed. ix, 1879, Foraminifera, 375, 5a, b, c.
- — — — — De Folin, Bull. Soc. N. H. Toulouse, xv, 1881, 136 ; 1 n. sp. proposed but not described.
- Sachets**. See "Säckgen."
- "Säckgen." Ledermüller, Mikrosk. Ergötz. 1763, 8, pl. iv, f. ii ; see also "Amusem. Microscop." 1764, same references. [= ? *Miliolinae* ; or ? *Serpulae*.]
- SAGENELLA**, Brady, 1879. Q. Journ. Mier. Sci. xix, 1879, 41 ; Brady, Report Challenger, 1884, 279.
- frondescens, Brady. Q. Journ. Mier. Sci. xix, 1879, 41, v, 1.
- — — — — Bütschli, in Bronn, Klassen, etc. Thier-Reichs, 1880, 195, v, 16.

- SAGENELLA** frondescens, Brady. Report Challenger, 1884, 278, xxviii, 14 and 15.
 — De Folin, Bull. Soc. N. H. Toulouse, xv, 1881, 135; 1 new species proposed but not described.
 — See Haeckel's remarks under *Astrorhiza*.
- SAGRINA**. See *Sagrina*.
- SAGRINA**, d'Orbigny, 1839. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 149; also in Spanish, 1840, 139 [v. *Uvigerina**]; Brady, Report Challenger, 1884, 580.
- [**SAGRINA**] affinis, Fornasini. Boll. Soc. geol. Ital. II, 1883, 189, ii, 10a, b, c.
 — Fornasini, Boll. Soc. geol. Ital. VII, 1888, 45, iii, 1, 1a, 1b.
 ? annulata, Brady. Report Challenger, 1884, 586, lxxvi, 20 and 21.
- [**SAGRINA**] aspera, Marsson. Mittb. Nat. Ver. Neu-Vorpommern u. Rügen, Jahrg. x, 1878, 157, iii, 26a-d.
 bifrons, Brady. Quart. Journ. Microsc. Sci. XXI, 1881, 64.
 — Brady, Report Challenger, 1884, 582, lxxv, 18-20.
 clavata, Franzénau. Math. termész. értesítő, VII, 1889, 260, v, 3.
 columellaris, Brady. Quart. Journ. Microsc. Sci. XXI, 1881, 64.
 — Brady, Report Challenger, 1884, 581, lxxv, 15-17.
 cretæ, Ehrenberg. Mikrogeologie, 1854, xxx, 16. [Near *Heterostomella aculeata* (Ehr.).]
 — Ehr., Mikrogeologie, 1854, xxxi, 28. [= *Heterostomella aculeata*.]
 dimorpha (Park. & Jones). Brady, Report Challenger, 1884, 582, lxxvi, 1-3. [v. *Uvigerina* (*Sagrina*), 1865.]
 — Brady, Parker, & Jones, Trans. Zool. Soc. XII, pt. 7, 1888, 225, xlvi, 6.
 — Agassiz, Three Cruises "Blake," II, 1888, 166, fig. 508.
 divaricata, Brady. Q. Journ. Microsc. Sci. XIX, 1879, 276, viii, 22-24. [v. *Nubecularia*.]
 limbata, Brady. Report Challenger, 1884, 586, exiii, 14.
 — Howchin, Trans. Roy. Soc. S. Austral. XIII, 1889, 11, i, 7.
 longirostris, Ehrenberg. Mikrogeologie, 1854, xxxii, ii, 22. [= "*Loxost. tumens*," = *Heterostomella aculeata*, smooth var.]
 nodosa, Park. & Jones. Brady, Report Challenger, 1884, 583, exiv, 18a, b. [v. *Uvigerina* (*Sagrina*), 1865.]
 pulchella, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 150, i, 23 and 24; also in Spanish, 1840, 140, same pl. and fig.
 — D'Orbigny, Foram. Fossiles Vienne, 1846, 252, xxi, 48 and 49.
 [**SAGRINA**] — Reuss' Models, No. 83, 1865 (Catal., No. 77, 1861).
 raphanus, Park. & Jones. Brady, Report Challenger, 1884, 585, lxxv, 21-24. [v. *Uvigerina* (*Sagrina*), 1865.]
 rugosa, d'Orbigny. Mém. Soc. géol. France, [1], IV, 1840, 47, iv, 31 and 32; Facsimile in Science Gossip, 1870, 157, fig. 156.
 — Reuss, in Geinitz, Gründr. Verstein. 1845-46, 678, xxiv, 70.
- [**SAGRINA**] — Bronn, Lethaea Geognostica, ed. 3, II, 1851-52, 92, xxix¹, 24.
 — Beudant, Géologie, ed. 8, 1858, 117, fig. 96; later eds., same fig.
- [**SAGRINA**] striata (Schwager). Boll. R. Com. geol. Ital. VIII, 1877, 25, pl. 35. [Dimorphina, 1866.]
 — Brady, Report Challenger, 1884, 584, lxxv, 25 and 26.
- ? tessellata, Brady. Report Challenger, 1884, 585, lxxvi, 17-19.
 virgula, Brady. Q. Journ. Microsc. Sci. XIX, 1879, 275, viii, 19-21.

* Phil. Trans. 1865, 364.

- SAGRINA** *virgula*, Brady. Report Challenger, 1884, 583, lxxvi, 4–10.
 —— See *Uvigerina*.
- Salicis serrata**, Kircher. Mundus subterr. 1665–78, 29. [= *Nummulites*.]
Salicites helveticus niger foliolis candidis. Lange, Hist. Lapidum Figuratum, 1708, 69 and 70, xviii. [Nummulite.]
- SARACENARIA**, Defrance, 1824.
 —— *italica*, Defrance. Dict. Sci. Nat. xxxii, 1824, 177; xlvi, 1827, 344; Atlas, Conch. xii, 6. [= *Crist.*] [v. also *Cristellaria*; *Nodosarina*.]
 —— —— —— Blainville, Manuel Malac. et Conch. 1825 (pls. 1827), 370, v, 6.
 —— —— —— D'Orbigny, Ann. Sci. Nat. vii, 1826, 293, No. 26; and Modèles, 1826, No. 85. [See *Cristellaria*.]
- SAXICOLINA**, Deshayes, 1830. Ency. Meth., "Vers," ii, 1830, "Cephalopodes" [Sign. Ff. 2], 231 and 234. [Type "*Miliolites saxorum*."]
- SCHIZOPHORÄ**, Reuss, 1861. Sitz. k. Ak. Wiss. Wien, xliv, 1861, 373; and Verzeich. Gypsmodellen Foram. [1861], No. 80.
 —— *capreolus* (d'Orb.). Schlumberger, Feuille Jeun. Nat., Aug. 1883, 117, iii, 4 and 4a, and cut, p. 108. [*Vulvulina*, 1826.]
 —— *haeringensis* (Gümb.). Hantken, A magy. kir. földt. int. évkönyve, i, 1871, 130, ii, 17a, b; and Mith. a. d. Jahrb. k. ungar. geol. Anstalt, i, 1871, 136, same pl. and fig. [*Venilina*, 1868].
 —— —— —— Hantken, A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 58, vii, 3; and Mith. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 68, same pl. and fig.
 —— —— —— Hantken, Kohlenflözte, etc. ungar. Krone, 1878 (trans. from Magyar), 228, fig. 44.
 —— *neugeboreni*, Rss. Models, No. 42, 1865 (Catal., No. 80, 1861). [Bigenerine *Vulvul. pennatula*.]
 —— —— —— Schwager, Boll. R. Com. geol. Ital. viii, 1877, 26, pl. 64.
 —— —— —— Karrer, Abh. k. k. geol. Reichs. ix, 1877, 386, xvi, b, 51.
- SCHIZOPORA**, Hantken, 1871. See *Schizophora*.
- SCHLUMBERGERINA**, Munier-Chalmas, 1882. Bull. Soc. géol. France, [3], x, 1882, 424.
 —— *areniphora*, Mun.-Chalmas. Bull. Soc. géol. France, [3], x, 1882, 425, figure. [One of the *Miliolinæ*.]
- SCHWAGERINA**, v. Moeller, 1877. Neues Jahrbuch, 1877, 143.
 —— *craticulifera*, Schwager. Richthofen's China, iv, 1883, 140, xviii, 15–25.
 —— *ellipsoidalis* (*typus lepida*), Schwager. Richthofen's China, iv, 1883, 118. [v. *Alveolina*.]
 —— *fusiformis*, Krotov. Trudy geol. Kom. (St. Peterburg), vi, No. 1, 1888, 438 and 552, ii, 13–15.
 —— *levida*, Schwager. Richthofen's China, iv, 1883, 138, xvii, 13 [error for 18]; xviii, 1–14.
 —— —— —— v. *ellipsoidalis*, Schwager. Richthofen's China, iv, 1883, 118.
 —— —— —— Steinmann, Elém. Paléont. i, 1888, 32, fig. 15G.
 —— *princeps* (Ehr.). Von Moeller, Mém. Ac. Imp. Sci. St. Pétersbourg, [7], xxv, No. 9, 1878, 71, v, 1a, b; ix, 1a, b. [*Borelis*, 1854.]
 —— —— —— Von Moeller, Jahrb. k. k. geol. Reichsanstalt, xxx, 1880, 577, ix, 6a.
 —— —— —— Von Moeller, Verh. russ. k. Min. Ges. [2]; xvi, 1881, 183, etc. ix, 5a [error for 6a].
 —— —— —— Schwager, Richthofen's China, iv, 1883, 132, xvi, 15 and 16; xvii, 1–8.
 —— —— —— Steinmann, Elém. Paléont. i, 1888, 32, fig. 15D, E, F.
 —— —— —— Krotov, Trudy geol. Kom. (St. Peterburg), vi, No. 1, 1888, 436 and 553, ii, 7 and 8.
 —— *robusta* (Meek). Krotov, Trudy geol. Kom. (St. Peterburg), vi, No. 1, 1888, 437 and 553, ii, 9–12. [*Fusulina*, 1864.]

- SCHWAGERINA verbeekii** (Geinitz). Roemer, Palaeontographica, xxvii, 1880 (1881), 4, i, 1a, b. [*v. Fusulina.*]
 ——— Roemer, Lethaea Geognostica, Th. 1, Lief. 1, 1880, 278, fig. 46.
 ——— Schwager, Richthofen's China, iv, 1883, 135, xvi, 14, 17, and 18; xvii, 9–17.
 ——— [verbeekii] ——— Quenstedt, Handbuch Petref. ed. 3, Abth. 5 (1885), 1053, lxxxvi, 26.
- SCORTIMUS navicularis**, Montfort. Conch. syst. I, 1808, 251, 63d genre.
 [= *Cristellaria*, q. v.]
- “Seesterne.” Knorr & Walch, Rec. Monumens catastrophes, 1768–1778, III, 181, pl. 6*, f. 9–16. [= *Siderolina calcitrapoides.*]
- SEGUENZA**. Silvestri, Boll. Soc. Italiana Microsc. I (1 and 2), 1889, 57.
 anomala, Silv. Idem, 58, iii, 3–5.
- SELENOIDES**, D. D. Owen, 1852. Report Geol. Surv. Wisconsin, 1852, 586.
 [= *Receptaculites.*]
 iowensis, D. D. Owen. Idem, 587, ii, B, 13.
- SELENOSTOMUM**, Ehrenberg, 1858. Monatsber. k. pr. Ak. Wiss. Berlin, 1858, 12. [E familia Rotalinarum, sectione Nautiloidum; spira in utroque latere obteeta, oris apertura in sinistro singularum cellularum medio latere rimam curvatam reflexam supra marginem ascendentem referente.]
 ——— ægænum, Ehr. Monatsbericht k. prenss. Ak. Wiss. Berlin, 1858, 29.
 ——— fimbriatum, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 29.
- Semina**. Spada, Corporum lapid. Agri Veronensis, 1739, 49, no figs. [= *Nummulites?*]
 Semina anisi fœniculi.
 ——— cuminicum. } Langius, Hist. lap. fig. Helvet. 1708, 69, pl. xviii.
 ——— melonum. }
 ——— cumini-pratensis. Kireher, Mund. subterr. 1665–78, 29. [= *Nummulites.*]
- SEPTAMMINA**, Meunier. Bull. Soc. Hist. Nat. Autun, I, 1886, 235.
 ——— dichotoma, Meunier. Idem, 236, vii, 5.
 ——— renaulti, Meunier. Idem, 235, vii, 3.
- SERPULA**, auct.
 ——— angulosa, v. Martens. Reise nach Venedig, Th. II, 1824, 482, iii, 8. [= *Miliolina.*]
 ——— bicornis, Walker & Jacob. In Kannmacher's ed. of Adams' Essays Microsc. 1798, 633, xiv, 2. [Walker's i, 2 = *Miliolina seminulum*, Linn., young.] [*v. Adelosina*; *Miliola*; *Miliolina*; *Triloculina*; *Quinqueloculina*.]
 ——— umbilico perforato, Walker & Boys. Test. Min. [1784], 2, i, 3. [= *Miliolina seminulum*, Linn.]
 ——— ventricosa, Walker & Boys. Test. Min. [1784], 1, i, 2. [= *Miliolina seminulum*, Linn., young specimen.]
 ——— concamerata, Montagu. Test. Brit. Suppl. 1808, 160 (fide Williamson). [*v. Rotalina*; *Pulvinulina*; *P. repanda*, var.; and *Discorbina*.]
 ——— filum, Schmid. Neues Jahrbuch, 1867, 583, vi, 48. [*v. Ammodiscus*; *Trochammina*.]
 ——— lactea, Walker & Jacob. In Kannmacher's ed. of Adams' Essays Microsc. 1798, 634, xiv, 4. [Walker's i, 5 = *Polymorphina lactea*, W. & J.] [*v. Miliola*; and *Polymorphina*.]
 ——— (*Lagena*) lœvis globosa, Walker & Boys. Test. Min. [1784], 3, i, 8. [= *Lagena globosa*, Mont.]
 ——— (*Lagena*) lœvis ovalis, Walker & Boys. Test. Min. [1784], 3, i, 9. [= *Lagena sulcata*, var. *lœvis*, Mont.]
 ——— (*Lagena*) sulcata, Walker & Jacob. In Kannmacher's ed. of Adams' Essays Microsc. 1798, 634, xiv, 5. [Walker's i, 6 = *Lagena sulcata*.]
 ——— lenticularis, v. Martens. Reise nach Venedig, Th. II, 1824, 482, iii, 9. [= *Adelosina*.]

- SERPULA lobatula**, Montagu. Test. Brit. 1803, 515 ; Suppl. 1808, 160. [= *Truncatulina* ; see *Nautilus*.]
- (Lagena) **marginata**, Walker & Boys. Test. Min. [1784], 2, i, 7. [= *Lagena marginata*, Mont.] [v. *Vermiculum* ; *Lagena* ; *Entosolenia* ; and *Lagena sulcata*.]
- **ovalis**, Walker. Adams, Trans. Linnean Soc. III, 1800, 4, i, 28, 29, 30. [*Miliolina*.]
- **perforata**, Walker & Jacob. In Kaunmacher's ed. of Adams' Essays Microsc. 1798, 633, xiv, 3. [Walker's i, 3 = *Miliolina seminulum*, Linn., young.] [v. *Miliola* ; and *Triloculina*.]
- (Lagena) **perlucida** [Montagu]. Turton, Conch. Dict. 1819, 157, vii, 23. [*Vermiculum*, 1803.]
- **pusilla**, Geinitz. Verstein. deutsch. Zechsteingebirges u. Rothliegenden, Heft I, 1848, 6, iii, 3, 4, 5, 6. [v. also *Trochammina* ; *Spirillina*.]
- ? — Jones, in King, Pal. Soc. 1850, 57, vi, 7-9 ; xviii, 13a-d.
- Geinitz, Dyas, etc. 1861, Heft I, 39, x, 15-21.
- **retorta**, Walker & Jacob. In Kaunmacher's ed. of Adams' Essays Microsc. 1798, 634, xiv, 6. [Walker's i, 10 = *Miliolina seminulum*, Linn., young.] [v. *Lagena*.]
- (Retorta) **rotunda marginata cervice curvatim exerto**, Walker & Boys. Test. Min. [1784], 3, i, 10. [= *Miliolina seminulum*, Linn., young.]
- **roessleri**, Schmid. Neues Jahrbuch, 1867, 583, vi, 46 and 47.
- **seminulum**, Linné. Syst. Nat. 1758, ed. x, 786 ; Gmelin's (xiii), ed. 1788, 37, 39. [v. *Quinqueloculina* ; *Miliola* ; and *Miliolina*.]
- — Modeer, Nova Acta Acad. Caes. Leop. Carol. VIII, Appendix, 1791, 93, figure.
- — Pulteney, Catalogue in Hutchins, Hist. of Dorset, 2d ed. III, 1813, 60, xix, 31.
- — Brady, Report Challenger, 1884, 158, fig. 2. [Copied from Planctus, Gaulteri, and Martini.]
- (Lagena) **striata sulcata rotunda**, Walker & Boys. Test. Min. [1784], 2, i, 6. [= *Lagena sulcata*, W. & J.] [v. *Vermiculum* ; *Lagena* ; and *Lagenulina*.]
- **subovalis intorta umbilico pervio**, Walker & Boys. Test. Min. [1784], 1, i, 1. [= *Miliolina seminulum*, Linn.]
- **subrotunda dorso elevato**, Walker & Boys. Test. Min. [1784], 2, i, 4. [= *Miliolina seminulum*, var. *subrotunda*, Mont.]
- **tenuis ovalis laevis**, Walker & Boys. Test. Min. [1784], 2, i, 5. [= *Polymorphina lactea*, W. & J.]
- **urnæ** [Montagu]. Turton, Conch. Dict. 1819, 158, vii, 21. [*Vermiculum*, 1803.]
- SEXLOCULINA**, Czjzek, 1848. Haidinger's Nat. Abh. II, 1848, 149. [= *Sphaeroidina*.]
- **haueri**, Czjzek. Haidinger's Nat. Abh. II, 1848, 149, xiii, 35-38.
- — — Bronn, Lethaea Geognostica, ed. 3, III, 1853-56, 249, xxxv⁸, 8a, b, c.
- Sextularia**, Leidy, 1884. Misprint for *Textularia*.
- Shæroidina**, Schwager, 1866. Misprint for *Sphaeroidina*.
- SHEPHEARDELLA**, Siddall, 1880. Q. Journ. Microsc. Sci. XX, 1880, 131. [One of the *Gromidæ*.]
- **tæniformis**, Siddall. Quart. Journ. Microsc. Sci. XX, 1880, 131, pl. xv.
- SIDEROLINA**, Defrance, 1824. Dict. Sci. Nat. XXXII, 1824, 180.
- **calcitrapoides** (Lamarck). [*Siderolites*, 1801.]
- **[calcytrapoides]** (Lam.). Defrance, Dict. Sci. Nat. XXXII, 1824, 180 ; XLIX, 1827, 98 ; Atlas, Conch. XIII, 7. [= *Calcar spengleri*, Gümb.]
- — — D'Orbigny, Ann. Sci. Nat. VII, 1826, 297, No. 1.
- — — [d'Orb.]. Guérin-Ménville's Cuvier, Iconographie, Mollusques, 1829-43, 9, ii, 8.

- SIDEROLINA calcitrapoides** [d'Orb.]. Cuvier, Animal Kingdom, Hender-
son's ed. III, 1834 (pls. 1837), 17, iii, 8.
 ——— Cuvier, Règne Animal, 1836-46, IX (pls. x), 33, xv, 6.
 ——— Pilla, Distinz. terr. Etrurio, 1846, 104, i, 13.
 ——— Knorr, "Petrifacta," 1755-1773, III, supp., figs. 9-16.
 ——— cruscula, Harting. Verh. Kl. Koninkl.-Nederland. Inst. [3], IV, 1852,
115, ii, 7a, b, c. [= ?]
 ——— defrancii, Deshayes. Ency. Méth. "Vers," 1832, 948.
 ? ——— indica, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 376.
 ——— kochi, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 68,
xvi, 1; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881),
79, same pl. and fig.
 ——— lævigata, d'Orbigny. Ann. Sci. Nat. VII, 1826, 297, No. 2. [v. *Cal-
carina*.]
 ——— D'Orbigny, Modèles, No. 89, 1826.
 ——— P., J., & B. [d'O., Modèles, No. 89], Ann. Mag. Nat. Hist.
[3], XVI, 1865, 33, iii, 90. [= *Calcarina*.]
 ——— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 163, fig.
? ——— liasina, Terquem. Mém. Ac. Imp. Metz, XXXIX, 1858, 618, iii, 13a, b.
 ——— Pictet, Traité de Paléont. IV, 1846, 228, xii, 8 and 9.
 ——— Ansted, Ancient World, 1847, 237, fig. 91; ed. 2, 1848, 221, fig. 87.
 ——— ? see *Lenticulae*.
 "Siderolina-ähnliche formen." Gümbel, Jahresh. Ver. vat. Nat. Württ.
XVIII, 1862, 235, iv, 19. [= *Sponge spicule*.]
SIDEROLITES, Lamarck, 1801. Syst. Anim. s. Vert. 1801, 376.
 ——— calcitrapoides, Lamarck. Syst. Anim. s. Vert. 1801, 376. [v. *Sidero-
lina*; and *Calcarina*.]
 ——— [calcitrapoide], Lamarck. Faujas de St. Fond,* Hist. Nat. Mont St.
Pierre Maestricht, 1799, 188, xxxiv, 5-12.
 ——— [calcitrapes] Montfort, Conch. Syst. I, 1808, 151, 38th genre.
 ——— Lamarck, Ency. Method. "Vers," III (1832), 948 (pls.
1827), 470, f. 4 (P. & J. quote "pt. 23," 1816).
 ——— Bowdich, Elem. Conch. Part I, 1822, 15, i, 23.
 ——— Blainville, Manuel Malac. et Conch. 1825 (pls. 1827), 373,
v, 7.
 ——— Crouch, Introd. Lamarck, 1827, 41, xxii, 8.
 ——— Brown, Conch. Text-book, 1839, 60, x, 12.
 ——— Brown, Elem. Foss. Conch. 1843, 23, ii, 10.
 ——— Quenstedt, Handbuch Petref. ed. 3, Abth. 5 (1885), 1053,
lxxvi, 24.
 ——— hexagonus, Eichwald. Zoologia specialis, II, 1830, 25, ii, 5. [? a
Polystomella.]
SIDEROLITHES calcitrapoides, Lam. Brönn, Syst. urweltl. Conchyl. 1824,
7, i, 21.
 ——— Reuss, in Geinitz, Grundr. Verstein, 1845-46, 661, xxiv, 46.
 ——— Reuss' Models, Nos. 53 and 54, 1865 (Catal., Nos. 88 and
89, 1861).
SIDEROLITHUS calcitrapoides, Bronn. Lethaea Geognostica, ed. 2, 1837,
712, xxxiii, 17a, b, c.
 ——— Bronn, Lethaea Geognostica, ed. 3, II, 1851-52, 83, xxxiii,
17a-c.
SIDEROPORUS calcitrapa (Lam.). Bronn, Syst. urweltl. Pflanzenthiere,
1825, 31, vii, 12a-g. [v. *Siderolithus*.]
SIGMOÖLINA, Schlumberger, 1887. Bull. Soc. zool. France, XII, 1887, 118.
 [This name was proposed for the forms, *Planispirina sigmoïdea*; *P.
celata*; *Miliolina secans*; *Spiroloculina tenuis*.]
 ——— secans (d'Orb.). Halkyard, Trans. Manchester Microsc. Soc. 1889, 61,
i, 7 (var. *obliquistriata*).

* St. Fond probably showed his specimens to Lamarck, and so the name appeared in 1799.

- SILICINA**, Bornemann, 1874. Zeitschr. deutsch. geol. Ges. xxvi, 1874, 731.
 [= *Involutina*.]
 —— *limitata* (Terq.). Bornemann, Zeitschr. deutsch. geol. Ges. xxvi, 1874, 733. [*Involutina*, 1863.]
 —— *polymorpha* (Terq.). Bornemann, Zeitschr. deutsch. geol. Ges. xxvi, 1874, 732. [*Involutina*, 1863.]
 —— Schwager, Boll. R. Com. geol. Ital. viii, 1877, 26, pl. 80.
- SIMPLORBITES**, de Gregorio, 1882. Fossili dint. Pachino, 1882, 10. [“Partecipano anche del gen. *Orbitolites* e *Orbitoides*, e più ancora del gen. *Hymenocyclus*,” . . .]
 —— *cupulimis*, de Gregorio. Fossili dint. Pachino, 1882, 11, vi, 21a, b, 22a, b.
 —— *expansopsis*, de Gregorio. Fossili dint. Pachino, 1882, 12, vi, 23 and 24.
 —— *nummulitus*, de Gregorio. Fossili dint. Pachino, 1882, 12, vi, 28a, b.
 —— *pachinensis*, de Gregorio. Fossili dint. Pachino, 1882, 12, vi, 27.
 —— *perforatæformis*, de Gregorio. Fossili dint. Pachino, 1882, 13, vi, 25a, b.
 —— *spongians*, de Gregorio. Fossili dint. Pachino, 1882, 13, vi, 30a, b, c.
 —— *uniconicus*, de Gregorio. Fossili dint. Pachino, 1882, 12, vi, 26a, b, c.
- SIPHOCERINA**, Schlumberger, 1883. Feuille Jeun. Nat., Aug. 1883, 117.
 —— *costata*, Schlumb. Feuille Jeun. Nat., Aug. 1883, 118, fig. B. [Referred to *Sagrina raphanus* by Brady.]
 —— *glabra*, Schlumb. Feuille Jeun. Nat., Aug. 1883, 118, iii, 1 and 1a. [Referred to *Sagrina columellaris* by Brady.]
 —— *ocracea*, Schlumb. Feuille Jeun. Nat., Aug. 1883, 118, fig. C.
- SIPHONEMA**, J. G. Bornemann, 1886. Nova Acta Acad. Leop. Carol. li, pt. 1, 1886, 17. [Referred to *Girvanella* by G. J. Hinde, Geol. Mag. dec. 3, iv, 1887, 227; described by Bornemann as an alga.]
? —— *arenaceum*, Bornemann. Idem, 19, ii, 3. [Previously noticed in Zeitschr. deutsch. geol. Ges. xxxv, 1883, 274, as “rundlichen Körpern, welche undeutliche Stromatoporenstruktur zeigen.”]
 —— *incrustans*, Bornemann. Idem, 18, ii, 1 and 2.
- SIPHONINA**, Reuss, 1849. Denkschr. k. Ak. Wiss. Wien, i, 1850, 372.
 —— *fimbriata*, Reuss. Denkschr. k. Ak. Wiss. Wien, i, 1850, 372, xlvii, 6.
 —— —— —— Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxiii, 1880, 212, iv, 69.
 —— —— —— Terq., Mém. Soc. géol. France, [3], ii, 1882, 84, viii (xvi), 16a-c.
 —— *puteolana*, Costa. Atti Accad. Pontaniana, vii, fas. 2, 1856, not descr., xxvii, 22.
 —— *reticulata* (Czj.). Brönn, Lethaea Geognostica, ed. 3, iii, 1853-56, 227, xxv², 23a, b, c. [*Rotalina*, 1848.]
 —— —— —— Schwager, Boll. R. Com. geol. Ital. viii, 1877, 26, pl. 59.
 —— *reticulata*, Reuss. Models, No. 48, 1865 (Catal., No. 86, 1861). [= *Planorbolina*.]
- Sitophorus**. Mercatus, Metallotheca, 1719, 285, fig.; and 286, fig. [= *Nummulites*.]
- SOLDANIA**, d'Orbigny, 1826. Ann. Sci. Nat. vii, 1826, 281.
 —— *annulata*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 282, No. 6.
 —— —— —— = *Cornuspira*?; *Spirillina*?; see *Hammonia trivoluta*.
 —— *carinata*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 281, No. 1.
 —— —— —— = *Cristellaria*; see *Nautili*; and *Cristellaria*.
 —— *elegans*, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1838, 134.
 —— —— —— Ehr., Mikrogeologie, 1854, xxxvii, viii, 6. [A east; = *Cristellaria*.]
 —— *limia*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 281, No. 4.
 —— —— —— = *Cornuspira foliacea* (?) (Phil.); see *Hammonia circulares*, etc.; and *Frumentaria* 4 species.

- SOLDANIA** nitida, d'O. Ann. Sci. Nat. VII, 1826, 281, No. 3. This name was given by d'Orbigny to Soldani, Testac. I, pt. 2, 1791, 151, pl. 135J. [Soldani describes it as "alterum [J] est Hammonia, sive potius Nautilus dimidiatus;" it is a fragment of a section of a *Planorbolina*?]
- orbicularis, d'Orbigny. Ann. Sci. Nat. VII, 1826, 281, No. 5.
— — — — — = *Cornuspira*?; see *Hammonia*.
- spirorbis, d'Orbigny. Ann. Sci. Nat. VII, 1826, 281, No. 2.
— — — — — = *Numm. exponentis* (Sow.); see *Porpitæ soluti*.
- ? — Pilla, Distinz. terr. Etrurio, 1846, 104, i, 8.
- SOLDANINA**, Costa, 1856. Atti Accad. Pontaniana, VII, fas. 2, 1856, pl. 246.
- exagona, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, 248, xxi [error for xx], 6A, B
- SORITES** dominicensis, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1838, 134.
- ? — edentulus, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1841, 428.
- orbiculus, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1838, 134; and v. *triptera*. [= Young stage of *Orbitolites orbiculus* (Forsk.).]
- SORITINA**, Ehrenberg, 1838. Abh. k. Ak. Wiss. Berlin, 1838 (1840), Tab. 1. [A family group name.]
- SOROSPHÆRA**, Brady, 1879. Q. Journ. Micr. Sci. xix, 1879, 28; Brady, Report Challenger, 1884, 251.
- confusa, Brady. Q. Journ. Micr. Sci. xix, 1879, 28, iv, 18 and 19.
— — — — — Moseley, Nature (Apr. 15, 1880), xxi, 570, fig. 11b.
— — — — — Brady, Report Challenger, 1884, 251, xviii, 9 and 10.
— — — — — Agassiz, Three Cruises "Blake," II, 1888, 162, fig. 490.
- Sphaeroidea**, Giebel, 1852. Misprint for *Sphaeroidina*?
- SPHÆROIDINA**, d'Orbigny, 1826. Ann. Sci. Nat. VII, 1826, 267; Brady, Report Challenger, 1884, 619.
- austriaca, d'Orbigny. Foram. Fossiles Vienne, 1846, 284, xx, 19-21.
— — — — — Reuss, Denkschr. k. Ak. Wiss. Wien, I, 1850, 387, li, 3-19.
— — — — — Egger, Neues Jahrbuch, 1857, 273, vi, 19 and 20.
— — — — — Carpenter, Parker, & Jones, Introd. Foram. 1862, 185, xii, 13.
— — — — — Reuss' Models, No. 37, 1865 (Catal., No. 71, 1861). [= *S. bulloides*, d'O.]
— — — — — Schwager, Novara-Exped., Geol. Theil II, 1866, 250, vii, 98.
— — — — — Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 53, x, 4; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 62, same pl. and fig.
— — — — — Zittel, Handbuch Palaeont., Abth. I, 1876, 88, fig. 251.
— — — — — Schwager, Boll. R. Com. geol. Ital. VIII, 1877, 25, pl. 41.
— — — — — Bütschli, in Broun, Klassen, etc. Thier-Reichs, 1880, 211, ix, 15.
— — — — — Terrigi, Atti Acc. Pont. Nuovi Lincei, XXXIII, 1880, 188, i, 20.
— — — — — Jones, in Microgr. Dict. ed. 4, 1883, 704, xxiv, 4.
— — — — — Quenstedt, Handbuch Petref. ed. 3, Abth. 5 (1885), 1061, lxxxvii, 13.
— — — — — **bulloides**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 267, No. 1.
— — — — — D'Orbigny, Modèles, No. 65, 1826.
— — — — — Cuvier, Règne Animal, 1836-46, IX (pls. x), 34, xv, 9.
— — — — — Costa, Atti Accad. Pontaniana, VII, fas. 2, 1856, 318, xxiv, A, B, C [error for xxv, 1]. [Quoted as *Sexloculina* of Czjzek.]
— — — — — P., J., & B. [d'O., Modèles, No. 65], Ann. Mag. Nat. Hist. [3], XVI, 1865, 29, ii, 58.
— — — — — Parker & Jones, Phil. Trans. 1865, 369, xvi, 52.
— — — — — Terquem, Ess. Anim. Plage Dunkerque, pt. 1, 1875, 38, vi, 1; (and Mém. Soc. Dunkerquoise).

- SPHÆROIDINA** *bulloides*, d'Orbigny. Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 89, vi, 190–193.
 ——— ——— ——— Brady, Report Challeuger, 1884, 620, lxxxiv, 1–7.
 ——— ——— ——— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 161, fig.
 ——— ——— ——— Brady, Parker, & Jones, Trans. Zool. Soc. xii, pt. 7, 1888, 226, xlv, 9, 10, 11.
 ——— ——— ——— Terrigi, Mem. R. Acc. Lincei, [4], vi, 1889, 115, vi, 19.
 ——— ——— ——— See *Orth. unilocularia*, etc.
 ——— *cretacea*, Ehrenberg. Mikrogeologie, 1854, xxviii, 30. [= *Virg. hemprichii*.]
 ——— *dehiscens*, Parker & Jones. Phil. Trans. 1865, 369, xix, 5a, b, c.
 ——— ——— ——— Brady, Report Challenger, 1884, 621, lxxxiv, 8–11.
 ——— *gemmaula*, Ehrenberg. Mikrogeologie, 1854, xxx, 22a, b. [= *S. bulloides*.]
 ——— *murrhyna*, Schwager. Novara-Exped., Geol. Theil II, 1866, 250, vii, 97.
 ——— *ornata*, Brady. Quart. Journ. Geol. Soc. XLIV, 1888, 6, i, 4.
 ——— *parisiensis*, Ehrenberg. Mikrogeologie, 1854, xxvii, 33 and 34. [33 = ?, and 34 = *Sph. bulloides*.]
 ——— *variabilis*, Reuss. Zeitschr. deutsch. geol. Ges. III, 1851, 88, vii, 61–64.
 ——— ——— ——— Pictet, Traité de Paléont. 2d ed. IV, 1857, 525, cix, 46.
 ——— ——— ——— Reuss, Sitz. k. Ak. Wiss. Wien, XLVIII, Abth. 1, 1863 (1864), 58, vii, 86a, b.
 ——— Parker, Trans. Micr. Soc. London, n. s. VI, 1858, 55.
- Sphæronites.** Verchere, Journ. Asiat. Soc. Bengal, XXXVI, Pt. 2, No. 3, 1867, 208, viii, 5 and 6 ; ix, 1. [The *Syringosphaeridae* of P. M. Duncan, 1879, q. v. Verchere proposes *S. ryallii* for fig. 6, pl. viii ; Duncan mentions this species but does not identify it or use the name.]
- Sphærulæ vitræ.** Soldani, Testae. I, pt. 2, 1791, 116, pl. 119J, K, L, M. [*Orbulina universa*, d'O. For. Foss. Vienne, 1846, 22, 1, 1.]
- Sphærulæ hispidæ.** Sold., Testae. II, 1798, 53, pl. 17X ; 18a. [?? *Orbulina universa*, d'O. For. Foss. Vienne, 1846, 22, 1, 1.] [Probably *Globigerinae*.]
- SPIDESTOMELLA**, Costa, 1856. Atti Accad. Pontaniana, VII, fas. 2, 1856, not described. [= ? *Miliolina*.]
 ——— *globulifera*, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, not deser., xxvii, 27.
- SPINCTERULES** *costatus*, Montfort. Conch. Syst. I, 1808, 223, 56th genre. [= *Crist. costata*.]
- SPIRALINA**, Gümbel, 1862. See *Spirolina*.
- Spiriline** *Cornuspiræ*. Chimmo, Bed of Atlantie [1870], 16, i, 4². [A gas-tropod.]
- SPIRILLINA**, Ehrenberg, 1841. Abhandl. k. Ak. Wiss. Berlin, 1841, 422 ; Brady, Report Challenger, 1884, 629.
 ——— *angulata*, v. Moeller. v. *S. subangulata*.
 ——— *arenacea*, Williamson. Recent British Foram. 1858, 93, vii, 203. [= *Trochamm. incerta*.]
 ——— *canaliculata*, Terquem. Ess. Anim. Plage Dunkerque, pt. 3, 1881, 110, xiii, 3a, b ; (and Mém. Soc. Dunkerquoise).
 ——— *crassa*, Zwingli & Kübler. Jones, Quart. Journ. Geol. Soc. XL, 1884, 770, xxxiv, 13. [*Cornuspira*, 1870.]
 ——— *decorata*, Brady. Report Challenger, 1884, 633, lxxxv, 22, 25.
 ——— *discoidea*, v. Moeller. Mém. Ac. Imp. Sci. St. Pétersbourg, [7], xxvii, No. 5, 1879, 29 [fig. 9].
 ——— *foliacea* (Phil.). Williamson, Recent British Foram. 1858, 91, vii, 199–201. [*Orbis*, 1844.]
 ——— ——— ——— Terquem, Ess. Anim. Plage Dunkerque, pt. 2, 1876, 68, vii, 11 ; (and Mém. Soc. Dunkerquoise).

- SPIRILLINA** *gracilis*, Terquem. Mém. Soc. géol. France, [3], iv, 1886, 8, i, 12*a, b.*
- *helvetica*, Kübler & Zwingli. Neujahrsblatt Bürgersbibl. Winterthur, 1866, 12, ii, 8.
- — — Jones, Quart. Journ. Geol. Soc. xl, 1884, 770, xxxiv, 12.
- — — Prestwich, Geology, 1888, ii, 195, 96*a.*
- *impressa* (Egger). Schwager, Boll. R. Com. geol. Ital. viii, 1877, 26, pl., 53. [*? Cyclolina*, 1857.]
- — — Gümbel, Geol. Bayern, Th. i, Lief. 2, 1885, fig. 266, 13.
- *inæqualis*, Brady. Quart. Journ. Mier. Sci. xix, 1879, 278, viii, 25*a, b.*
- — — Brady, Report Challenger, 1884, 631, lxxxv, 8-11.
- *irregularis*, v. Moeller. Mém. Ac. Imp. Sci. St. Pétersbourg, [7], xxvii, No. 5, 1879, 29 [fig. 8].
- *latiseptata*, Terquem. Ess. Anim. Plage Dunkerque, pt. 1, 1875, 21, i, 6 ; (and Mém. Soc. Dunkerquoise).
- *limbata*, Brady. Quart. Journ. Mier. Sci. xix, 1879, 278, viii, 26*a, b.*
- — — Brady, Report Challenger, 1884, 632, lxxxv, 18-21.
- — — v. *denticulata*, Brady. Report Challenger, 1884, 632, lxxxv, 17.
- *mamillata*, Terquem. Mém. Soc. géol. France, [3], ii, 1882, 33, i (ix), 31*a, b.*
- *margaritifera*, Williamson. Recent British Foram. 1858, 93, vii, 204.
- *margaritifera*, Terquem. Ess. Anim. Plage Dunkerque, pt. 3, 1881, 110, xiii, 2*a, b* ; (and Mém. Soc. Dunkerquoise).
- — — Wright, Proc. Belfast Nat. Field Club, 1884-85, App. ix, 1886, 321, xxvi, 12*a, b.*
- *nodifera*, Terquem. Mém. Soc. géol. France, [3], ii, 1882, 34, i (ix), 32*a, b.*
- *nodosa*, Terquem. Ess. Anim. Plage Dunkerque, pt. 3, 1881, 110, xiii, 1*a, b* ; (and Mém. Soc. Dunkerquoise).
- *numismalis*, Terq. et Berth. Mém. Soc. géol. France, [2], x, 1875, 17, i (xi), 13. [*v. Cornuspira.*]
- *obconica*, Brady. Q. Journ. Mier. Sci. xix, 1879, 279, viii, 27*a, b.*
- — — Brady, Report Challenger, 1884, 630, lxxxv, 6 and 7.
- *orbicula*, Terq. et Berth. Mém. Soc. géol. France, [2], x, 1875, 17, i (xi), 12*a-c.* [*v. Cornuspira.*]
- *perforata* (Schultze). Williamson, Recent British Foram. 1858, 92, vii, 202. [*Cornuspira*, 1854 ; = *S. vivipara*, Ehr.]
- — — Williamson, Pop. Sci. Rev. iv, 1865, 174, viii, 9.
- — — Terquem, Ess. Anim. Plage Dunkerque, pt. 1, 1875, 21, i, 5 ; (and Mém. Soc. Dunkerquoise).
- — — Jones, in Microgr. Diet., ed. 4, 1883, 714, xxiv, 5.
- — — Terq., Mém. Soc. géol. France, [3], ii, 1882, 33, i (ix), 29.
- *plana*, v. Moeller. Mém. Ac. Imp. Sci. St. Pétersbourg, [7], xxvii, No. 5, 1879, 28 [figs. 6 and 7].
- *polygyrata*, Gümbel. Jahresh. Ver. vat. Nat. Württ. xviii, 1862, 214, vi [error for iv], 11*a, b, c.*
- *punctata*, d'Orb. Reuss' Models, No. 73, 1865 (Catal., No. 31, 1861).
- *pusilla* (Geinitz). King, Journ. Geol. Soc. Dublin, vii, pt. 2, 1856, 73, i, 12*a, b.* [*Serpula*, 1848 ; = *Trochammina.*]
- *radiata*, Terquem. Mém. Soc. géol. France, [3], iv, 1886, 8, i, 13 and 14.
- *regularis*, Terquem. Bull. Soc. géol. France, [3], iv, 1876, 481, xv, 2.
- *striato-granulosa*, Terq. Mém. Soc. géol. France, [3], ii, 1882, 33, i (ix), 30.
- *subangulata*, v. Moeller. Mém. Ac. Imp. Sci. St. Pétersbourg, [7], xxvii, No. 5, 1879, 27 [fig. 5], v, 3.
- *tenuissima*, Gümbel. Jahresh. Ver. vat. Nat. Württ. xviii, 1862, 214, iv, 12*a, b.* [*v. Cornuspira.*]

- SPIRILLINA** trocheata, Terquem. Mém. Soc. géol. France, [3], iv, 1886, 8, i, 11a, b, c.
 —— trochoides, Berthelin. Revue et Mag. Zool. 1879, 37, i, 20–22.
 —— tuberculata, Brady. Q. Journ. Micr. Sci. xix, 1879, 279, viii, 28a, b.
 See also description in Siddall, "Foram. of Dee," Proc. Chester Soc. Nat. Sci. 1878, pt. ii, p. 50.
 —— —— —— Brady, Report Challenger, 1884, 631, lxxxv, 12–16.
 ? —— vivipara, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1841, 422, iii, vii, 41.
 [Referred to as *Spirulina* on p. 323.]
 —— —— Williamson, Mem. Lit. Phil. Soc. Manchester, [2], viii, 1848, 45, pl. 34.
 —— —— Parker & Jones, Ann. Nat. Hist. [2], xix, 1857, 284, xi, 46.
 —— —— Parker & Jones, Phil. Trans. 1865, 397, xv, 28.
 —— —— J., P., & B., Crag Foram., Pal. Soc. xix, 1866, n. d., iii, 20–22.
 —— —— Möbius, Beitr. Meeresfauna Insel Mauritius, etc. 1880, 88, viii, 1 and 2. [Structural.]
 —— —— Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 108, vii, 272.
 —— —— Brady, Report Challenger, 1884, 630, lxxxv, 1–5.
 —— —— Balkwill & Wright, Trans. R. Irish Ac. xxviii (Sci.), 1885, 348, xii, 32.
 —— —— Bütschli, Morph. Jahrb. xi, 1886, 84, vi, 12.
 —— —— var. carinata, Halkyard. Trans. Manchester Micro. Soc. 1889, 71.
 —— Ehrenberg, Abhandl. k. Ak. Wiss. Berlin, 1847, 446, ii, 82. [= young *Cornuspira*? or *Miliola*?]
? —— or young Mollusc.? Ehrenberg, Abhandl. k. Ak. Wiss. Berlin, 1855, 169, iv, xxiv. [Young Mollusc.] [Glauc.]
 —— sp. Schwager, Jahresh. Ver. vat. Nat. Württ. xxi, 1865, vii, 21. [= *Trochammina*.]
[? ——] Chimmo, Nat. Hist. Euplectella, etc. 1878, 21, vi, 19a, b, c, d. [Described as a Polyeystine.]
? —— see *Jesites*.
- SPIROBOTRYS**, Ehrenberg, 1844. Bericht k. preuss. Ak. Wiss. Berlin, 1844, 247.
 —— ægæa, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1844, 248.
 —— —— v. *Planulina oligosticta*.
- SPIROCERIUM**, Ehrenberg, 1858. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 310.
 —— priscum, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 310; and 337, i, f. xiv. [Glauconite.]
- SPIROCYCLINA**, Munier-Chalmas, 1887. Compte-Rendu Sommaire Soc. géol. France, No. 7, 21 Fév. 1887, p. xxxi.
 —— choffatti, Mun.-Ch. Ibid., no fig. ["Couches infra-valenginiennes du Portugal."] [Apparently near *Cyclolina*, d'Orb.]
- SPIROLINA**, Lamarck, 1804. Ann. Mus. Paris, v, 1804, 244.
 —— æqualis, Roem. Verst. norddeutsch. Kreide, 1840–41, 98, xv, 27. [v. *Haplophragmium*.]
 —— agglutinans, d'Orbigny. Foram. Fossiles Vienne, 1846, 137, vii, 10–12. [v. *Haplophragmium* and *Lituola*.]
 —— —— Pictet, Traité de Paléont., 2d ed., iv, 1857, 506, cix, 25.
 —— astartina, Deecke. Mém. Soc. Emul. Montbéliard, xvi, 1886, [46], ii [error for i], 17, 17a; 21–21b; 30, 30a.
 —— austriaca, d'Orbigny. Foram. Fossiles Vienne, 1846, 137, vii, 7–9.
 —— —— Reuss' Models, 1865, No. 76 (Catal., 1861, No. 25).
 —— —— Jones, in Microgr. Dict., ed. 4, 1883, 717, xxiii, 12a, b.
 —— —— Quenstedt, Handbuch Petref., ed. 3, Abth. 5 (1885), 1057, lxxxvi, 44.

- SPIROLINA** bathonica, Reecke. Mém. Soc. Emul. Montbéliard, XVI, 1886, [46], i, 7a.
 —— carinatula (W. & J.). Brown, Illustr. Recent Conch. Gt. Brit., ed. 2, 1844, 1, i, 7. [*Nautilus*, 1798.]
 —— clavata, Crouch. Introd. Lamarck, 1827, 40, xx, 8.
 —— —— —— Brown, Conch. Text-book, 1839, 63, x, 23.
 —— cylindracea, Lamarck. Parkinson, Organ. Rem. former World, III, 1811, 162, xi, 9, and 10 var. ? [*Spirolinites*, 1804.]
 —— —— —— Lamarck, Ency. Method., "Vers," III (1832), 972 (pls. 1827), 466, f. 2 (P. & J. quote "pt. 23," 1816).
 —— —— —— Lamarck, Ency. Method., "Vers," III (1832), 972 (pls. 1827), 465, f. 7 (P. & J. quote "pt. 23," 1816). [= *Peneroplis*.]
 —— —— —— var. Lamarck, Ency. Method., "Vers," III (1832), 972 (pls. 1827), 466, f. 3 (P. & J. quote "pt. 23," 1816). [= *Peneroplis*.]
 —— —— —— Bronn, Syst. urweltl. Conchylien, 1824, 9, i, 15a-c.
 —— —— —— Blainville, Malacologie, 1825, v, 1. [= *Peneroplis*.]
 —— —— —— König, Icones fossilium sectiles, [1825], n. d., x, 125.
 —— —— —— D'Orbigny, Ann. Sci. Nat. VII, 1826, 286, No. 1.
 —— —— —— D'Orbigny, Modèles, No. 24, 1826.
 —— (et *Spirolinites*) —— —— Defrance, Dict. Sci. Nat. L, 1827, 298; Atlas, Conch. xiii, 1. [= *Peneroplis*.]
 —— [cylindrica] —— —— Bronn, Lethaea Geognostica, ed. 2, 1837, 1135, xlii, 24a, b.
 —— —— —— Reuss, in Geinitz, Grundr. Verstein. 1845-46, 659, xxiv, 37.
 —— —— —— Mantell, Pictorial Atlas Foss. Rem. 1850, 143, lxii, 9.
 —— —— —— P., J., & B. [d'O., Modèles, No. 24], Ann. Mag. Nat. Hist. [3], XVI, 1865, 22, i, 19.
 —— —— —— Terq., Mém. Soc. géol. France, [3], II, 1882, 52, iii (xi), 4a, b, 5.
 —— —— —— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 163, fig.
 —— depressa, Lamarck. Parkinson, Organ. Rem. former World, III, 1811, 162, xi, 8. [*Spirolinites*, 1804.]
 —— —— —— Blainville, Malacologie, 1825, v, 2. [= *Peneroplis*.]
 —— (et *Spirolinites*) —— —— Defrance, Dict. Sci. Nat. L, 1827, 298; Atlas, Conch. xiii, 2. [= *Peneroplis*.]
 —— —— —— Mantell, Pictorial Atlas Foss. Rem. 1850, 143, lxii, 8.
 —— —— —— Terquem, Mém. Soc. géol. France, [3], II, 1882, 53, iii (xi), 10a, b.
 —— grandis, Reuss. Denkschr. k. Ak. Wiss. Wien, VII, Abth. 1, 1854, 69, xxv, 14.
 —— (*Dendritina*) (cf.) haueri, d'O. Schwager, Palaeontographica, XXX, 1883, Pal. Theil, 91, xxiv (i), 11a-c. [*Dendritina*, 1846.]
 —— hemprichii (Ehr.). P., J., & B., Ann. Mag. Nat. Hist. [3], XV, 1865, 230. [v. *Coscinospira*.]
 —— —— —— See *Nautilus* (*Lituus*) *arietinus*, Batsch.
 —— humboldti, Reuss. Zeitschr. deutsch. geol. Ges. III, 1851, 65, iii, 17 and 18. [v. *Haplophragmium*.]
 —— inaequalis, Roemer. Reuss, Verstein. böhm. Kreide, 1845-46, i, 35; viii, 62-66, and 75; in Part ii, 109, corrected to *Spirolina irregularis*. [v. *S. irregularis*.]
 —— inflata, Reuss. Haidinger's Naturw. Abh. IV, Abth. 1, 1851, 32, ii, 5 and 6.
 —— irregularis, Roemer. Verst. norddeutsch. Kreide, 1840-41, 98, xv, 29. [v. *S. inaequalis*; *Spirulina*; *Lituolina*; *Haplophragmium*.]
 —— juleana (d'Orb.). Schwager, Boll. R. Com. geol. Ital. VIII, 1877, 27, pl., 109. [*Dendritina*, 1846.]
 —— laevigata, d'Orbigny. Ann. Sci. Nat. VII, 1826, 287, No. 4.
 —— —— —— Terq., Mém. Soc. géol. France, [3], II, 1882, 52, iii (xi), 6a, b.

- SPIROLINA lagenalis**, Roemer. Verst. norddeutsch. Kreide, 1840–41, 98, xv, 28.
- **legumen** (Montagu). Brown, Illustr. Recent Conch. Gt. Brit. ed. 2, 1844, 1, i, 22 and 23 [error for 21 and 23]. [*Nautilus*, 1808.]
 - **lituus**, Parker, Jones, & Brady. Ann. Mag. Nat. Hist. [3], xvi, 1865, 35, i, 19. [= *Peneropl. cylindraceus*.]
 - **longissima**, Costa. Atti Accad. Pontaniana, vii, fas. 2, 1856, 225, xix [error for xx], ii, A, B, C.
 - **nautiloides** (Lamarck). D'Orbigny, Ann. Sci. Nat. vii, 1826, 287, No. 6. [*Lituolites*, 1822.]
 - **pedum**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 287, No. 5.
 - — — — — Terquem, Mém. Soc. géol. France, [3], ii, 1882, 53, iii (xi), 9a, b.
 - **pusilla**, Schwager. Palaeontographica, xxx, 1883, Pal. Theil, 92, xxiv (i), 12a–c; xxix (vi), 9a–c.
 - **sacheri**, Reuss. Haidinger's Naturw. Abh. iv, Abth. 1, 1851, 31, ii, 3 and 4.
 - **semilitua** (Montagu). Brown, Illustr. Recent Conch. Gt. Brit. ed. 2, 1844, 1, i, 22. [*Nautilus*, 1808.]
 - **[similitua]** — — — Brown, Illustr. Conch. Gt. Brit. 1827, fly-leaf, lii, 22. [= *Semiletua*, in errata, v. *Nautilus*.]
 - **simplex**, Reuss. Sitz. k. Ak. Wiss. Wien, xviii, 1856, 232, ii, 30.
 - **stenostoma**, Deshayes. In Lyell, Principles of Geology, iii, 1833, 251, iv, 15–18.
 - — — — — Brown, Elem. Foss. Conch. 1843, 25, ii, 33 and 35.
- [**SPIRALINA**] **streitbergensis**, Gümbel. Jahresh. Ver. vat. Nat. Württ. xviii, 1862, 232, iv, 7a, b.
- **striata**, d'Orbigny. Ann. Sci. Nat. vii, 1826, 287, No. 2.
 - — — — — Terq., Mém. Soc. géol. France, [3], ii, 1882, 53, iii (xi), 7 and 8.
- [**subarcuatula**] [Mont.]. Brown, Illustr. Conch. Gt. Brit. 1827, fly-leaf, lii, 27. [Name omitted in 1st ed.; given in 2d, v. *Nautilus*, 1808.]
- — — — — Brown, Illustr. Recent Conch. Gt. Brit. ed. 2, 1844, 1, i, 27.
 - Deshayes, Coq. Foss. Paris, 1824–1837, not descr., pl. cv, 19, 25, and 26.
 - Bütschi, in Brönn, Klassen, etc. Thier-Reichs, 1880, 191, iv, 22 and 23.
 - Blainville, Manuel Malac. et Conch. 1825 (pls. 1827), not descr., v, 2. [= *Peneroplis*.]
 - see *Peneroplis*.
- SPIROLINITES**, Lamarck, 1804. Ann. Mus. v, 1804, 245.
- **complanata**, Lamarck. Cuvier, Animal Kingdom, Henderson's ed. III, 1834 (pls. 1837), 18, viii, 8. [This fig. is the *Spirolina depressa*, Lam. fig'd by DeFrance, q. v.]
 - **cylindracea**, Lam. Ann. Mus. v, 1804, 245, No. 2; and fig. 15, pl. 62, in vol. VIII, 1806. [v. *Spirula*; *Spirulina*; *Spirolina*; *Peneroplis*.]
 - — — — var. Lamarck, Ann. Mus. v, 1804, 245, No. 2; and fig. 16a, b, pl. 62, in vol. VIII, 1806. [= *Clavulina*?]
 - — — — and var. Lamarck, Coq. Foss. 1823, 14, xiv, 15 and 16a, b. Cuvier, Animal Kingdom, Henderson's ed. III, 1834 (pls. 1837), 18, viii, 7.
 - **depressa**, Lamarck. Ann. Mus. v, 1804, 245, No. 1; and fig. 14, pl. 62, in vol. VIII, 1806. [v. *Spirolina*.]
 - — — — Lamarck, Coq. Foss. Paris, 1823, 14, xiv, 14.
 - **lyelli**, Mantell. Wonders Geol. 1848, 6th ed. 325, fig. 60¹. [= *Lituola nautiloidea*, q. v.]
 - **murchisoni**, Mantell. Wonders Geol. 1848, 6th ed. 325, fig. 60². [= *Placops. irregularis*, q. v.]
 - **omninorecta**, Lamarck, MS. Vélins du Muséum Paris, No. 22, fig. 27.
 - Bowditch, Elem. Conch. Pt. 1, 1822, 21, i, 13. [*Peneroplis* and *Spirolina* both fig'd.]

- SPIROLINITES**, Northampton. Proc. geol. Soc. Lond. II, 1838, 685, 686. [= *Lituola*.]
 —— Mantell, Medals Creation, ed. 2, 1854, 349, fig. 112, 1, 2, 3, 4.
 —— see *Spirolina*.
- SPIROLOCULINA**, d'Orbigny, 1826. Ann. Sci. Nat. VII, 1826, 298; Brady, Report Challenger, 1884, 147.
- **acutimargo**, Brady. Report Challenger, 1884, 154, x, 12-15.
 —— —— Balkwill & Wright, Trans. R. Irish Ac. XXVIII (Sci.), 1885, 323, fig. 1a, b, c.
 —— **affixa**, Terquem. Mém. Soc. géol. France, [3], I, 1878, 55, v (x), 13a-c.
 —— **alata**, Reuss. Neues Jahrbuch, 1853, 671, ix, 1.
 —— **alata**, Terq. Mém. Soc. géol. France, [3], II, 1882, 158, xvi (xxiv), 17 and 18.
 —— **ambullaris**, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1841, 428.
 —— **ampla**, Terquem. Ess. Anim. Plage Dunkerque, pt. 3, 1881, 132, xvii, 10a, b; (and Mém. Soc. Dunkerquoise).
 —— **angulifera**, Terquem. Mém. Soc. géol. France, [3], II, 1882, 156, xvi (xxiv), 9-15.
 —— **angulosa**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 298, No. 9.
 —— —— —— Terq., Mém. Soc. géol. France, [3], I, 1878, 53, v (x), 7a, b.
 —— **angulosa**, Terquem. Ess. Anim. Plage Dunkerque, pt. 3, 1881, 132, xvii, 9a, b; (and Mém. Soc. Dunkerquoise).
 —— **antillarum**, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 166, ix, 3 and 4; also in Spanish, 1840, 149, same pl. and fig.
 —— —— —— Brady, Report Challenger, 1884, 155, x, 21a, b.
 —— **arenaria**, Brady. Report Challenger, 1884, 153, viii, 12.
 —— **aspera**, Terq. et Berth. Mém. Soc. géol. France, [2], x, 1875, 83, vii (xvii), 6a-c.
 —— **asperula**, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, Abth. 1, 1868, 136, i, 10.
 —— —— —— Brady, Report Challenger, 1884, 152, viii, 13, 14, and 11?
 —— —— —— Brady, Parker, & Jones, Trans. Zool. Soc. XII, pt. 7, 1888, 214, xl, 28, 29.
 —— **badenensis**, d'Orbigny. Foram. Fossiles Vienne, 1846, 270, xvi, 13-15.
 —— [**badensis**] —— Zittel, Handbuch Palaeont., Abth. I, 1876, 77, fig. 10³.
 —— [**badensis**] —— Hoernes, Elem. Palaeont. 1884, 34, fig. 30; French ed. 1886, same fig.
 —— **berchtoldsdorfensis**, Karrer. Abh. k. k. geol. Reichs. IX, 1877, 375, xvi, a, 10.
 —— **berthelotiana**, Reeve. Conch. System. II, 1842, 290, cxcvii, 6. [*Quinqueloculina*, d'Orb. = *Quinqueloc*.]
 —— **bicarinata**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 298, No. 6.
 —— —— —— Terq., Mém. Soc. géol. France, [3], II, 1882, 155, xvi (xxiv), 5a, b.
 —— (cf.) —— Schwager, Palaeontographica, XXX, 1883, Pal. Theil, 85, xxiv (i), 4a-c.
 —— **birmensdorffensis** (K. & Z.). Haeusler, Neues Jahrb. 1887, I, 194, vii, 42. [*Ophthalmidium*, 1870.]
 —— **canaliculata**, d'Orbigny. Foram. Fossiles Vienne, 1846, 269, xvi, 10-12.
 —— —— —— Costa, Atti Accad. Pontaniana, VII, fas. 2, 1856, 312, xxiv, 11A, C [error for 98, 10].
 —— —— —— Pictet, Traité de Paléont. 2 ed. IV, 1857, 524, cix, 43.
 —— —— —— Mackie, Recreative Science, I, 1859, 149, fig. 31.
 —— —— —— J., P., & B., Crag Foram., Pal. Soc. XIX, 1866, 16, iii, 39 and 40.

- SPIROLOCULINA** canaliculata, d'Orbigny. Mackie, Science Gossip, 1867, 131, fig. 135.
 _____ Terquem, Ess. Anim. Plage Dunkerque, pt. 2, 1876, 80, x, 23; (and Mém. Soc. Dunkerquoise).
 _____ Vine, Science Gossip, 1878, 52, fig. 37.
 _____ Terquem, Ess. Anim. Plage Dunkerque, pt. 3, 1881, 133, xvii, 12a, b; (and Mém. Soc. Dunkerquoise).
cavernosa, Karrer. Sitz. k. Ak. Wiss. Wien, LV, Abth. 1, 1867, 358, ii, 3.
celata, Costa. Mem. Acc. Sci. Napoli, II, 1855 (1857), 126, i, 14. [v. *Planispirina*.]
 _____ Atti Accad. Pontaniana, VII, fas. 2, 1856, n. d., xxvi, 5.
centrata, Terq. et Berth. Mém. Soc. géol. France, [2], x, 1875, 83, vii (xvii), 5a-f.
compressiuscula, Karrer. Sitz. k. Ak. Wiss. Wien, LV, Abth. 1, 1867, 358, ii, 4.
concentrica, Gosse. Manual Mar. Zool. 1855, 13, fig. 17.
concentrica, Terq. et Berth. Mém. Soc. géol. France, [2], x, 1875, 80, vii (xvii), 1a-g; 2a-h; 3a-d; 4a-o.
 _____ Burbach, Zeitschr. Naturw. Halle, LIX, 1886, 501, v, 19-23.
 _____ Haensler, Neues Jahrb. 1887, I, 194, vii, 38 and 41.
? **convexiuscula**, Brady. Report Challenger, 1884, 155, x, 18-20.
costata, Terquem. Mém. Soc. géol. France, [3], II, 1882, 160, xvi (xxiv), 25a, b.
costigera, Terq. Mém. Soc. géol. France, [3], II, 1882, 159, xvi (xxiv), 24a, b.
crassa, Seguenza. Atti R. Acc. Lincei, [3], VI, 1880, 152, XIV, 11, 11a [error for 10].
crenata, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, Abth. 1, 1868, 135, i, 9.
 _____ Brady, Report Challenger, 1884, 156, x, 24-26.
cretacea, Reuss. Denkschr. k. Ak. Wiss. Wien, VII, Abth. 1, 1854, 72, xxvi, 9.
cymbium, d'Orbigny. Barker Webb & Berthelot, Hist. Nat. Iles Canaries, 1839, II, pt. 2, "Foraminifères," 140, iii, 5 and 6. [See also *S. depressa*.]
 _____ Reeve, Conch. system. II, 1842, 289, cccxvii, 4.
depressa, d'Orbigny. Ann. Sci. Nat. VII, 1826, 298.
 _____ D'Orbigny, Modèles, No. 92, 1826.
 _____ Guérin-Méneville's Cuvier, Iconographie, Mollusques, 1829-43, 10, iii, 7.
 _____ Cuvier, Animal Kingdom, Henderson's ed. III, 1834 (pls. 1837), 19, vi, 7.
 _____ Williamson, Recent British Foram. 1858, 81, vii, 177-179; "177 typica."
 _____ v. **cymbium**, Williamson. Recent British Foram. 1858, 82, vii, 179. [v. *S. cymbium*.]
 _____ v. **rotundata**, Williamson. Recent British Foram. 1858, 82, vii, 178. [v. *S. rotunda*.]
 _____ Dawson, Canad. Nat. IV, 1859, 31, fig. 21.
 _____ Williamson, Pop. Sci. Rev. IV, 1865, 175, viii, 13.
 _____ P., J., & B. [d'O, Modèles, No. 92], Ann. Mag. Nat. Hist. [3], XVI, 1865, 33, i, 6.
 _____ Fignier, Ocean World, [1873], 84, fig. 23.
 _____ Terquem, Ess. Anim. Plage Dunkerque, pt. 1, 1875, 38, v, 18; (and Mém. Soc. Dunkerquoise).
 _____ Terq., Mém. Soc. géol. France, [3], I, 1878, 54, v (x), 11a, b.

- SPIROLOCULINA** *depressa*, d'Orbigny. = *S. planulata* (Lam.) ; see *Fru-*
mentaria sigma, etc., and *F. 6 speciei*.
- *desertorum*, Schwager. *Palaeontographica*, xxx, 1883, Pal. Theil, 84,
 xxiv (1), 2a-c.
- *dilatata*, d'Orbigny. *Foram. Fossiles Vienne*, 1846, 271, xvi, 16-18.
 — — — — Reuss' Models, No. 81, 1865 (Catal., No. 18, 1861).
- — — — Terquem, Ess. Anim. Plage Dunkerque, pt. 3, 1881, 133,
 xvii, 13a, b; (and Mém. Soc. Dunkerquoise).
- — — — *dilatata*, Ehrenberg. *Mikrogeologie*, 1854, xxiv, 64.
- — — — *disparilis*, Terquem. Mém. Soc. géol. France, [3], i, 1878, 55, v (x),
 12a-c.
- — — — *dorsata*, Reuss. *Sitz. k. Ak. Wiss. Wien*, LXII, 1870, 464; v. Schlicht,
Foram. Septar. Pietzpuhl, 1870, xxxvii, 24-32.
- — — — *dubia*, Roemer. *Neues Jahrbuch*, 1838, 392, iii, 69.
- — — — *dubiensis*, Deecke. Mém. Soc. Emul. Montbéliard, xvi, 1886, [17],
 i, 19, 19a, 26-26b.
- — — — *elongata*, d'Orbigny. *Ann. Sci. Nat.* vii, 1826, 298, No. 11.
- — — — *elongata*, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1844, 96; and
Mikrogeologie, 1854, xix, 97. [= *S. planulata*, Lam.]
- — — — *elongata*, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. Jahrg. xx,
 1869, 26, no fig.
- — — — *excavata*, d'Orbigny. *Foram. Fossiles Vienne*, 1846, 271, xvi, 19-27
 [error for 19-21].
- — — — — Costa, Atti Accad. Pontaniana, vii, fas. 2, 1856, 311,
 xxiv, 12A, C [error for 11].
- — — — — Brady, Nat. Hist. Trans. Northumb. i, 1865-67 (1867),
 93, xii, 1a, b.
- — — — — Terquem, Ess. Anim. Plage Dunkerque, pt. 1, 1875, 38,
 v, 17a, b; (and Mém. Soc. Dunkerquoise).
- — — — — Schwager, Boll. R. Com. geol. Ital. viii, 1877, 27, pl.,
 114.
- — — — — Brady, Report Challenger, 1884, 151, ix, 5 and 6.
- — — — *flexuosa*, Ehrenberg. *Monatsbericht k. preuss. Ak. Wiss. Berlin*, 1858,
 29.
- — — — *foliacea*, Schwager. Boll. R. Com. geol. Ital. ix, 1878, 529, i, 20.
- — — — *fragilissima*, Brady. Report Challenger, 1884, 149, ix, 12-14.
- — — — *freyeri*, Reuss. Denkschr. k. Ak. Wiss. Wien, xxxiii, 1864, 7, i, 9.
- — — — *galeata*, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1844, 96.
- — — — *grata*, Terquem. Mém. Soc. géol. France, [3], i, 1878, 55, v (x), 14a-
 15b.
- — — — — Brady, Report Challenger, 1884, 155, x, 16, 17, 22, 23.
- — — — *grateloupi*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 298, No. 3.
- — — — — Terq., Mém. Soc. géol. France, [3], i, 1878, 52, v (x),
 5a-6.
- — — — — Terq., Mém. Soc. géol. France, [3], ii, 1882, 155, xvi
 (xxiv), 6a, b.
- — — — *hyalina*, Schulze. Arch. Mikrosk. Anat. xi, 1875, 132, vi, 14-16.
- — — — *impressa*, Terquem. Mém. Soc. géol. France, [3], i, 1878, 53, v (x),
 8a, b.
- — — — — Brady, Report Challenger, 1884, 151, x, 3 and 4.
- — — — *incerta*, Terquem. Mém. Soc. géol. France, [3], ii, 1882, 161, xvi
 (xxiv), 29a, b.
- — — — *inflata*, Terquem. Mém. Soc. géol. France, [3], ii, 1882, 156, xvi (xxiv),
 7 and 8.
- — — — *infraoolithica*, Terquem. Quatr. Mém. Foram. Oolithique, 1874, 323,
 xxxiv, 1-30; xxxv, 1-12 [error for 1-7].
- — — — *interrupta*, Terquem. Mém. Soc. géol. France, [3], i, 1878, 53, v (x),
 9a, b.
- — — — *intorta*, Terquem. Quatr. Mém. Foram. Oolithique, 1874, 325, xxxv,
 9 and 10.

- SPIROLOCULINA** lagena, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1841, 428, iii, vii, 42. [= *Miliolina*.]
- laminata, Terquem. Ess. Anim. Plage Dunkerque, pt. 3, 1881, 133, xvii, 11a, b; (and Mém. Soc. Dunkerquoise).
- lancea, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 308.
- — — Ehrenberg, Abl. k. Ak. Wiss. Berlin, 1872 (1873), v, 2.
- lapugyensis, Karrer. Sitz. k. Ak. Wiss. Wien, lv, Abth. 1, 1867, 357, ii, 2.
- latiseptata, Burbach. Zeitschr. naturw. Halle, lix, 1886, 501, v, 16–18.
- limbata, Bornemann. Zeitschr. deutsch. geol. Ges. vii, 1855, 348, xix, 1.
- — — Reuss, Sitz. k. Ak. Wiss. Wien, xlvi, Abth. 1, 1863 (1864), 64, viii, 89a–c.
- (cf.) — Hantken, A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 16, xiii, 2; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 20, same pl. and fig.
- limbata, d'Orbigny. Ann. Sci. Nat. vii, 1826, 299, No. 12.
- — — P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], viii, 1871, 248, viii, 22.
- — — Brady, Report Challenger, 1884, 150, ix, 15–17; var. x, 1 and 2.
- — — Anon., Sci. News, 27 Ap. 1888, 389, fig. 4.
- — — See *Frumentaria sigma*.
- longiscuta, Terq. et Berth. Mém. Soc. géol. France, [2], x, 1875, 78, vi (xvi), 8–9 (8a–n; 9a–n).
- — — Deecke, Mém. Soc. Einul. Montbéliard, xvi, 1886, [17], i, 22–22a.
- lyra, d'Orbigny. Ann. Sci. Nat. vii, 1826, 298, No. 7.
- minima, Neugeboren. Verh. Mittb. siebenburg. Ver. Nat. Jahrg. xx, 1869, 28, no fig.
- minor, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1838, 134.
- morloti, Reuss. Denkschr. k. Ak. Wiss. Wien, xxiii, 1864, 7, i, 10.
- nitida, d'Orbigny. Ann. Sci. Nat. vii, 1826, 298, No. 4.
- — — P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], viii, 1871, 248, viii, 24.
- — — Terq., Mém. Soc. géol. France, [3], i, 1878, 52, v (x), 4a, b.
- — — Terq., Mém. Soc. géol. France, [3], ii, 1882, 157, xvi (xxiv), 6a, b.
- — — Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxv, 1883, 169, ii, 2.
- — — Brady, Report Challenger, 1884, 149, ix, 9 and 10.
- — — See *Frumentaria sigma*, etc.
- orbicularis, d'Orbigny. Ann. Sci. Nat. vii, 1826, 298, No. 8.
- orbicularis, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 376.
- ornata, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 167, xii, 7 and 7A; also in Spanish, 1840, 150, same pl. and fig. [v. *Miliolina*.]
- ornata, Terquem. Mém. Soc. géol. France, [3], ii, 1882, 159, xvi (xxiv), 23a, b.
- ovalis, Roemer. Neues Jahrbuch, 1838, 392, iii, 68.
- panda, Schwager. Jahresh. Ver. vat. Nat. Württ. xxi, 1865, 95, ii, 6.
- — — v. renggeriana, Deecke. Mém. Soc. Einul. Montbéliard, xvi, 1886, [16], i, 28–28b.
- perforata, d'Orbigny. Ann. Sci. Nat. vii, 1826, 298, No. 2.
- — — Guérin-Méneville's Cuvier, Iconographie, Mollusques, 1829–43, 10, iii, 6.
- — — Cuvier, Animal Kingdom, Henderson's ed. iii, 1834 (pls. 1837), 19, vi, 6.

- SPIROLOCULINA perforata**, d'Orbigny. Cuvier, Règne Animal, 1836-46, ix (pls. x), 34, xiv, 5.
 ——— ——— ——— Brom, Lethaea Geognostica, ed. 2, 1837, 1143, xlvi, 33a, b.
 ——— ——— ——— Reuss, in Geinitz, Grundr. Verstein. 1845-46, 683, xxiv, 85*.
 ——— ——— ——— Bronn, Lethaea Geognostica, ed. 3, iii, 1853-56, 244, xlvi, 33.
 ——— ——— ——— Terq., Mém. Soc. géol. France, [3], ii, 1882, 154, xvi (xxiv), 3 and 4.
 ——— ——— ——— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 163, fig.
 ——— pertusa, Terq. Mém. Soc. géol. France, [3], ii, 1882, 160, xvi (xxiv), 27a, b.
 ——— planulata (Lamarek). See *Miliolites*, 1804.
 ——— ——— ——— Maedonald, Ann. Mag. Nat. Hist. [2], xx, 1857, 193, vi, 28.
 ——— ——— ——— J., P., & B., Crag Foram., Pal. Soc. xix, 1866, 15, iii, 37 and 38.
 ——— ——— ——— P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], viii, 1871, 248, viii, 23.
 ——— ——— ——— Bütschli, in Bronn, Klassen, etc. Thier-Reichs, 1880, 189, iv, 10.
 ——— ——— ——— Jones, in Microgr. Dict. ed. 4, 1883, 717, xxxii, 7.
 ——— ——— ——— Brady, Report Challenger, 1884, 148, ix, 11a, b.
 ——— ——— ——— Brady, Parker, & Jones, Trans. Zool. Soc. xii, pt. 7, 1888, 214, xl, 14, 15.
 ——— plicata, d'Orbigny. Ann. Sci. Nat. vii, 1826, 299, No. 15.
 ——— ——— ——— P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], viii, 1871, 248, viii, 26.
 ——— ——— ——— See *Frumentaria sigma*.
 ——— poeyiana, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 168, x, 1 and 2; also in Spanish, 1840, 150, same pl. and fig. [*S. poeyana* on plate].
 ——— proboscidea, Schwager. Palaeontographica, xxx, 1883, Pal. Theil, 84, xxiv (i), 3a-c.
 ——— pulchella, d'Orbigny. Ann. Sci. Nat. vii, 1826, 299, No. 13.
 ——— robusta, Brady. Report Challenger, 1884, 150, ix, 7 and 8.
 ——— rostrata, Reuss. Denkschr. k. Ak. Wiss. Wien, i, 1850, 382, xlvi, 7.
 ——— ——— ——— Quenstedt, Handbuch Petref. ed. 3, Abth. v (1885), 1060, lxxxvii, 8.
 ——— rotunda, d'Orbigny. Ann. Sci. Nat. vii, 1826, 299, No. 14.
 ——— [rotundata] ——— P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], viii, 1871, 248, viii, 25.
 ——— ——— ——— Terq., Mém. Soc. géol. France, [3], i, 1878, 54, v (x), 10a, b.
 ——— [——] ——— See *Frumentaria sigma*.
 ——— sandbergeri, Reuss. Neues Jahrbuch, 1853, 671, ix, 2a-c.
 ——— semi-ornata, Terquem. Mém. Soc. géol. France, [3], ii, 1882, 161, xvi (xxiv), 28a, b.
 ——— simplex, Burbach. Zeitschr. naturw. Halle, lix, 1886, 500, v, 15.
 ——— speciosa, Karrer. Sitz. k. Ak. Wiss. Wien, lviii, Abth. 1, 1868, 135, i, 8.
 ——— striata, d'Orbigny. Ann. Sci. Nat. vii, 1826, 298, No. 10.
 ——— striata, Fischer. Fond de la Mer, i (1870), 253 not fig'd.
 ——— striata, Terquem. Mém. Soc. géol. France, [3], ii, 1882, 160, xvi (xxiv), 26a-c.
 ——— striatella, Reuss. Denkschr. k. Ak. Wiss. Wien, xxiii, 1864, 7, i, 8.
 ——— subangulosa, Terquem. Mém. Soc. géol. France, [3], ii, 1882, 159, xvi (xxiv), 22a, b.
 ——— tateana, Howchin. Trans. R. Soc. S. Austr. xii, 1889, 3, i, 4 and 5.

- SPIROLOCULINA** tenera, Ehrenberg. Mikrogeologie, 1854, xx, ii, 6. [= *Miliola*, young.]
- tenuirostra, Karrer. Sitz. k. Ak. Wiss. Wien, LV, Abth. 1, 1867, 358, ii, 5.
- tenuis (Czjz.). Brady, Report Challenger, 1884, 152, x, 7-11. [Quinqueloculina, 1848.]
- tenuiseptata, Brady. Report Challenger, 1884, 153, x, 5 and 6.
- tenuissima, Reuss. Sitz. k. Ak. Wiss. Wien, LV, Abth. 1, 1867, 71, i, 11a, b.
- transsylvanica, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. XX, 1869, 27, no fig.
- tricarinata, d'Orbigny. Ann. Sci. Nat. VII, 1826, 298, No. 5.
- — — — — Terq., Mém. Soc. géol. France, [3], II, 1882, 158, xvi (xxiv), 19-21.
- trigonostoma, Neugeboren. Verh. Mitth. siebenburg. Ver. Nat. XX, 1869, 27, no fig.
- tuba, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1844, 96.
- — — — — Ehr., Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 29.
- vermiciformis, Terquem. Quatr. Mém. Foram. Oolithique, 1874, 325, xxxv, 8.
- vulgaris, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1841, 429.
- webbiana, Reeve. Conch. system. II, 1842, 290, cccxvii, 5. [*Triloc. webbiana*, d'O.; = *Triloc.*]
- Soldani, Testac. vol. I, pt. 1, 1789, pl. 61I, K, L, M; and App. 1798, pl. 9, 52t, T, V = this genus.
- ? — Deshayes, Deser. Coq. Foss. Paris, 1824-1837, numerous figures [pls. c-evi], of which descriptions or names were never published.
- [—] Costa, Fauna Regno Napoli, 1838, Foraminifera, not descr., ii, 2.
- Pilla, Distinz. terr. Etrurio, 1846, 104, i, 12.
- Pietet, Traité de Paléont. IV, 1846, 242, xii, 30.
- Ehrenberg, Abhandl. k. Ak. Wiss. Berlin, 1847, 443, i, 95. [= young *Miliola*?]
- Ehrenberg, Abhandl. k. Ak. Wiss. Berlin, 1847, 457, vi, i, 82, 83. [= young *Cornuspira*? or *Miliola*?]
- Williamson, Mem. Lit. Phil. Soc. Manchester, [2], VIII, 1848, 46, pl. 36 and 37.
- Ehrenberg, Abhandl. k. Ak. Wiss. Berlin, 1855, 169, iv, xvii. [= *Quinqueloculina*.] [Glauc.]
- Ehrenberg, Abhandl. k. Ak. Wiss. Berlin, 1855, 170, iv, xxii. [Glauc.]
- Parker, Trans. Mier. Soc. London, n. s., VI, 1858, 56, pl. v, and figs.
- Bronn, Klassen Ordn. Thier-Reichs, I, 1859, 69, viii, 7. [Sarcodite.]
- Carpenter, Parker, & Jones, Introd. Foram. 1862, 75 and 77, vi, 1 and 2. [1 = *S. excavata*, d'O.; 2 = *S. canaliculata*, d'O.]
- Wallach, North Atlantic Sea-bed, pt. I, 1862, no descr., v, 16. [Young.]
- v. Schlicht, Foram. Septar. Pietzpuhl, 1870, plate xxxvii.
- Chimmo, Bed of Atlantic [1870], 28, x and 3.
- Terq. et Berth., Mém. Soc. géol. France, [2], x, 1875, 73, vi (xvi), 5-8.
- ind., Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 17, xiii, 1; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 20, same pl. and fig.
- Terquem, Bull. Soc. géol. France, [3], IV, 1876, 508, xiii, 1a-c; 2a-c.
- Carpenter, Ency. Brit. 9th ed. IX, 1879, Foraminifera, 374, i, 2.
- Bütschli, in Bronn, Klassen, etc. Thier-Reichs, 1880, 189, iv, 16.
- sp., Steinmann, Neues Jahrbuch, 1881, 38, etc. ii, 8.
- (from Carpenter's "Introduction"). Schlumberger, F. Journ. Nat., Feb. 1882, ii, 4.
- Carpenter, Journ. Quekett Microsc. Club, [2], II, 1885, 95, fig. 7. [Structural.]
- ? — Wisniowski, Jahrb. k. k. geol. Reichs. xxxviii (1889), 693, xiii, 61.
- see under *Miliola*.

Spirolocunina, Stohr, 1877. Misprint for *Spiroloculina*.

- SPIROPLECTA**, Ehrenberg, 1844. Bericht k. preuss. Ak. Wiss. Berlin, 1844, 75; Brady, Report Challenger, 1884, 375.
- *abyssorum*, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 293.
 - *americana*, Ehrenberg. Mikrogeologie, 1854, xxxii, ii, 35. [*Heterohelix*, 1843.] [= *Text. gibbosa*.]
 - — — — — Ehr., Mikrogeologie, 1854, xxxii, i, 13 and 14. [*Heterohelix*, 1843.] [= *Text. striata* with spiral growth.]
 - — — — — Ehr., Abhandl. k. Ak. Wiss. Berlin, 1855, 175, vii, 6.
 - — — — — Brady, Report Challenger, 1884, 376, xlvi, 24a, b.
 - — — — — Woodward & Thomas, 13 Ann. Rept. Geol. N. H. Survey Minnesota, for 1884 (1885), 168, iii, 9.
 - — — — — *annectens* (Park & Jones). Brady, Report Challenger, 1884, 376, xlvi, 22, 23a, b. [*Textularia*, 1863.]
 - — — — — *biformis* (Park & Jones). Brady, Report Challenger, 1884, 376, xlvi, 25-27. [*Textularia agglutinans*, v. *biformis*, 1865.]
 - — — — — Balkwill & Wright, Trans. R. Irish Ac. xxviii (Sci.), 1885, 333, xiii, 21, fig. 2.
 - — — — — *capensis*, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 294.
 - — — — — *demersa*, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 294.
 - — — — — Ehrenberg, Abh. k. Ak. Wiss. Berlin, 1872 (1873), vii, 26.
 - — — — — *nana*, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 309.
 - — — — — Ehrenberg, Abh. k. Ak. Wiss. Berlin, 1872 (1873), v, 17.
 - — — — — *praelonga* (Reuss). Wright, Proc. Belfast Nat. Field Club, 1884-85, App. ix, 1886, 329, xxvii, 3. [*Textularia*, 1845.]
 - ? — — — — — *propendissima*, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 294.
 - — — — — *rosula*, Ehr. Mikrogeologie, 1854, xxxii, ii, 36. [Stands; = *Text. biformis*, P. & J., when sandy, *T. complexa*, H. B. B., when clear; see Parker & Jones, Ann. Mag. Nat. Hist. x, 1872, 198.]
 - ? — — — — — Ehrenberg, Abhandl. k. Ak. Wiss. Berlin, 1855, 169, iv, xiii. [= *Spiroplecta*.] [*Glaucus*.]
 - — — — — Brönn, Klassen Ordn. Thier-Reichs, 1, 1859, 69, viii, 3. [*Sarcodes*.]

SPIROPLEURITES nebulosus, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1854, 248.

 - — — — — Mikrogeologie, 1854, xxxv, B, iv, 7. [= *Pulvin. repanda*.]
 - — — — — *platystomus*, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1854, 248.

SPIROSPHÄRINA, Deshayes, 1830. See *Globulina*, Deshayes.

SPIROSTEGINA, Zborzewski. Bull. Soc. Imp. Nat. Moscou, xvi, 1843, 363, fig. f. [= ? *Chara*.]

SPIRULA cylindracea, Lam. Defrance, Dict. Sci. Nat. xxxii, 1824, 190. [*Spirolinites*, 1804.]

 - — — — — Blainville, Manuel Malac. et Conch. 1825 (pls. 1827), 382, v, 1.

SPIRULINA cylindracea (Lam.). Brönn, Lethaea Geognostica, ed. 3, iii, 1853-56, 223, xlvi, 24a, b. [*Spirolinites*, 1804.]

 - — — — — *irregularis* (Roem.). Brönn, Lethaea Geognostica, ed. 3, ii, 1851-52, 86, xxix¹, 13; xlvi, 24. [*Spirolina*, 1840.]
 - — — — — *vivipara*, Ehrenberg, 1841. See *Spirillina*.
 - ? — — — — — *tenella*, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1843, 167.

SPORILUS, Montfort. Conch. syst. 1, 1808, 43, 11th genre. [= *Polyst. strigilata*, var.]

SQUAMULINA, Schultze, 1854. Organismus Polythal. 1854, 56.

 - — — — — *laevis*, Schultze. Organismus Polythal. 1854, 56, vi, 16 and 17.

[**SQUAMMULINA**] — — — Carpenter, Parker, & Jones, Introd. Foram. 1862, 67, i, 22. [= ? young *Nubecularia*.]

- [**SQUAMMULINA**] *lævis*, Schultze. Bütschli, in Bronn, Klassen, etc. Thier-Reichs, 1880, 188, iv, 7.
- [**SQUAMMULINA**] *scopula*, Carter. Ann. Mag. Nat. Hist. [4], v, 1870, 310, iv, 1-11.
— Referred to *Gastrophysema* by Haeckel, Jenaische Zeitschr. Nat. xi, 1877, 1, etc.
- [**SQUAMMULINA**] *varians*, Carter. Ann. Mag. Nat. Hist. [4], v, 1870, 321, v, 1-5.
— see *Haliphysema*.
- STACHEIA**, Brady, 1876. Carbonif. Foram., Pal. Soc. xxx, 1876, 107.
— *acervalis*, Brady. Carbonif. Foram., Pal. Soc. xxx, 1876, 116, ix, 6-8.
[*Webbina*, 1873.]
— *congesta*, Brady. Carbonif. Foram., Pal. Soc. xxx, 1876, 110 and 117, ix, 1-5.
— *fusiformis*, Brady. Carbonif. Foram., Pal. Soc. xxx, 1876, 114, viii, 12-16.
— *grewincki*, v. Moeller. Jahrb. k. k. geol. Reichsanstalt, xxx, 1880, 584, x, 1-5.
— Moeller, Verh. russ. k. min. Ges. [2], xvi, 1881, 197, x, 1-5.
— *marginulinoïdes*, Brady. Carbonif. Foram., Pal. Soc. xxx, 1876, 112, vii, 16-21; and 106, vii, 22 and 23.
— [*marginuloides*] — Roemer, Lethaea Geognostica, Th. I, Lief. 1, 1880, 269, fig. 43.
— *moriiformis*, Howchin. Journ. R. Microsc. Soc. 1888, 543, ix, 19, 20.
— *polytrematoïdes*, Brady. Carbonif. Foram., Pal. Soc. xxx, 1876, 110, 118, ix, 10-13.
— *pupoides*, Brady. Carbonif. Foram., Pal. Soc. xxx, 1876, 115, viii, 17-27.
— Moeller, Mém. Ac. Imp. Sci. St. Pétersbourg, [7], xxvii, No. 5, 1879, 78, ii, 6.
— Schwager, Boll. R. Com. geol. Ital. VIII, 1877, 26, pl., 94.
- Stellæ fissæ**. Knorr, Recueil des Monuments, III, Suppl., 1775, 158, vi*, 9-16.
[= *Siderolites*.]
- STEPHANOPELA**, de Folin, 1881. Bull. Soc. N. H. Toulouse, xv, 140, not described, 2 sp. proposed.
— Congrès Scient. Dax, 1882 (1883), 328. [Not described.]
- STOLICZKARIA**, Duncan, 1879. Sci. Results II. Yarkand Mission, "Karakoram Stones," 1879, 11. [Nicholson, writing on this genus (Man. Palaeont. ed. 3, 1889, i, p. 227), remarks on the probability of Reuss' genus *Heterastridium* (Sitz. k. Ak. Wiss. Wien, LI, 1865, 391, i-iv), from the Hallstädter beds, having priority.]
- *granulata*, Duncan. Sci. Results II. Yarkand Mission, "Karakoram Stones," 1879, 16, ii, 5; iii, 5-7.
- STOLICZKIELLA**, Carter, 1888. Ann. Mag. Nat. Hist. [6], I, 1888, 173. [Allied to *Loftusia*.]
— *theobaldi* Carter. Ann. Mag. Nat. Hist. [6], I, 1888, 173, xiii, 1-4.
- STORILUS radiatus**, Montfort. Conch. syst. I, 1808, 131, 33d genre. [= *Rotalia*?]
"Stormhues-Snekke," Spengler. Dansk. Skr. 1781, 379, ii, ix, litt. a, b, c.
[= *Calcar. spengleri*.]
- STORTHOSPHÆRA**, F. E. Schulze, 1875. II. Jahresb. Comm. wiss. Untersuch. deutsch. Meer in Kiel, 1875, 113; Brady, Report Challenger, 1884, 240.
— *albida*, Schulze. II. Jahresb. Comm. wiss. Untersuch. deutsch. Meer in Kiel, 1875, 113, ii, 9a, b, c, d.
— Brady, Report Challenger, 1884, 241, xxv, 15-17.
- STREBLUS**, Fischer, 1817. Fischer, Mém. Soc. Imp. Nat. Moscou, v, 1817, 449.
[= *Rotalia*.]
— *beccarii* (Linné). Fischer, Adversaria Zoologica, fas. II, 1819, 75.
[*Nautilus*, 1758.]

- STREBLUS** *tortuosus*, Fischer. Mém. Soc. Imp. Nat. Moscou, v, 1817, 449, xiii, 5. [= *Rotalia beccarii*.]
Striata, Green, 1881. = *Lagena striata*.
- STROMATOCERIUM**, Hall, 1847. Palaeont. New York, I, 1847, 48.
 — *richmondense*, S. A. Miller. Journ. Cincin. Soc. Nat. Hist. v, 1882, 41. [Nicholson, Geol. Mag. dec. 3, vol. v, 1888, 24, states that this fossil is a species of *Girvanella*.]
Strombus *lapideus*. Gesner, De omni rerum, etc. 1565, 170, f. 1. [? a *Vaginulina*.]
STROPHOCHECUS, H. M. Seely, 1885. Amer. Journ. Sci. xxx, 1885, 355. [Referred by G. J. Hinde to *Girvanella*, Geol. Mag. dec. 3, vol. iv, 1887, 227; described by Seely as a free calcareous sponge]: see also Nicholson, Geol. Mag. dec. 3, vol. v, 1888, 24.
- *ocellatus*, H. M. Seely. Amer. Journ. Sci. xxx, 1885, 357, figs. 1, 2, and 3.
STROPHOCONUS, Ehrenberg, 1843. Bericht k. preuss. Ak. Wiss. Berlin, 1843, 166.
? — (Grammost.?) *acanthopus*, Ehr. Mikrogeologie, 1854, xxvi, 23. [= *Virg. hemprichii*.]
? — *africanus*, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1844, 68 and 96; and Mikrogeologie, 1854, xxi, 88. [= *Virg. hemprichii*.]
— *arcticus*, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 294. — — — — — Ehrenberg, in Koldewey, Zweite deutsche Nordpolarfahrt, 1874, II, n. d., i, 13.
— *auricula*, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1843, 272.
— — — — — Ehr., Mikrogeologie, 1854, xx, ii, 2. [= *Virg. schreibersii*.]
— — — — — *cepa*, Ehr. Mikrogeologie, 1854, xxix, 33; and xxx, 21. [= *Virg. hemprichii*.]
— — — — — *cribrosus*, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1843, 167, 272.
— — — — — *efflorescens*, Ehr. Mikrogeologie, 1854, xxvi, 24. [= *Virg. hemprichii*.]
— — — — — Ehr., Mikrogeologie, 1854, xxvii, 17. [= *Virg. squamosa*.]
— — — — — *falcatus*, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 294. — — — — — Ehrenberg, Abh. k. Ak. Wiss. Berlin, 1872 (1873), iv, 15.
— — — — — *flosculus*, Ehr. Mikrogeologie, 1854, xxix, 34. [= *Virg. hemprichii*, var.]
— — — — — *fundicola*, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 309.
— — — — — Ehrenberg, Abh. k. Ak. Wiss. Berlin, 1872 (1873), v, 16.
— — — — — *gemma*, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 376.
— — — — — Ehr., Mikrogeologie, 1854, xxix, 35. [= *Virg. hemprichii*, var.]
— — — — — Ehr., Mikrogeologie, 1854, xx, ii, 5. [= *Virg. schreibersii*, approaching *Bulim. elegantissima*.]
— — — — — *gibbus*, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1843, 272.
— — — — — Ehr., Mikrogeologie, 1854, xx, ii, 4. [= *Virg. schreibersii*.]
— — — — — *gracilis*, Ehr. Mikrogeologie, 1854, xxix, 36. [= *Virg. hemprichii*, var.]
— — — — — *græcus*, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1844, 96; and Mikrogeologie, 1854, xix, 86. ["Textil. aciculata?" of 1838; = *Virgulina schreibersii* vel *hemprichii*.]
? — — — — — *hemprichii*, Ehr. Mikrogeologie, 1854, xxiv, 32. [= *Virgulina*.]
— — — — — *hyperboreus*, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1872, 295. — — — — — Ehrenberg, in Koldewey, Zweite deutsche Nordpolarfahrt, 1874, II, n. d., i, 12.
? — — (Grammost.?) *leptoderma*, Ehr. Mikrogeologie, 1854, xxiv, 28 and 30. [= *Virg. hemprichii*.]

- STROPHOCONUS** *ovum*, Ehr. Mikrogeologie, 1854, xxiv, 29 ; xxvi, 21 ; and xxix, 32. [= *Virg. hemprichii*.]
 ——— ——— ——— Ehr., Bericht k. preuss. Ak. Wiss. Berlin, 1844, 96 ; and Mikrogeologie, 1854, xxii, 81. [= *Virg. schreibersii*.]
 ——— (Grammost.?) ——— ——— Ehr., Mikrogeologie, 1854, xxvii, 27.
 ——— ——— ——— [= *Virg. schreibersii*.]
 ——— ——— ——— Ehr., Mikrogeologie, 1854, xx, ii, 3 ; xxx, 20a, b ; and xxxi, 32. [= *Virg. schreibersii*.]
 ——— **polymorphus**, Ehr. Mikrogeologie, 1854, xxvii, 23, 26, and 28. [= *Virg. schreibersii*.]
? ——— (Grammost.?) **polytrema**, Ehr. Mikrogeologie, 1854, xxiv, 27. [= *Virg. schreibersii*.]
 ——— **spicula**, Ehr. Mikrogeologie, 1854, xxiv, 31 ; and xxvi, 20. [= *Virg. hemprichii*.]
 ——— ——— ——— Ehr., Mikrogeologie, 1854, xxxi, 33 and 34. [= *Virg. schreibersii*.]
 ——— ——— ——— Ehr., Mikrogeologie, 1854, xxxii, ii, 21. [= *Virg. schreibersii*, approaching *Bulim. elegantissima*.]
 ——— ——— ——— Ehr., Mikrogeologie, 1854, xxvii, 24. [= *Virg. squamosa*.]
 ——— **spiroloculina**, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1844, 96.
 ——— (Grammost.?) **stiliger**, Ehr. Mikrogeologie, 1854, xxvi, 22. [= *Virg. hemprichii*.]
? ——— (Grammost.?) **teretiusculus**, Ehr. Mikrogeologie, 1854, xxiv, 26.
 ——— ——— ——— [= *Virg. schreibersii*.]
 ——— ——— ——— Ehr., Mikrogeologie, 1854, xxvi, 25. [= *Virg. schreibersii*.]
? ——— (Grammost.?) ——— ——— Ehr., Mikrogeologie, 1854, xxiii, 24.
 ——— ——— ——— [= probably *Boliv. dilatata*.]
 ——— ? ——— Egger, Neues Jahrbuch, 1857, 292, viii, 30-32.
- STYLOLINA**, Karrer, 1877. Abh. k. k. geol. Reichs. ix, 1877, 371. [Near *Haplophragmium*.]
 ——— **lapugensis**, Karrer. Abh. k. k. geol. Reichs. ix, 1877, 371, xvi, a, 1.
- SYNSPIRA triquetra**, Ehr. Mikrogeologie, 1854, xxix, 47. [= ? commencement of a Spirilline form.]
- SYRINGAMMINA**, Brady, 1883. Proc. Roy. Soc. xxxv, 1883, 155 ; Brady, Report Challenger, 1884, 242.
 ——— **fragilissima**, Brady. Proc. Roy. Soc. xxxv, 1883, 155, ii, iii.
 ——— ——— ——— Brady, Report Challenger, 1884, 242, fig. 9.
- SYRINGOSPHÆRIA**, Duncan, 1879. Sci. Results II. Yarkand Mission, "Karakoram Stones," 1879, 10 ; Nicholson, Man. Palaeont. ed. 3, 1889, i, 227. [*Sphaeronites* of Verchere.]
 ——— **monticularia**, Duncan. Sci. Results II. Yarkand Mission, "Karakoram Stones," 1879, 12, i, 4-12 ; iii, 1-4, 8, and 9.
 ——— ——— v. **aspera**, Duncan. Sci. Results II. Yarkand Mission, "Karakoram Stones," 1879, 13, ii, 6 and 7.
 ——— **plana**, Duncan. Sci. Results II. Yarkand Mission, "Karakoram Stones," 1879, 14, not figured.
 ——— **porosa**, Duncan. Sci. Results II. Yarkand Mission, "Karakoram Stones," 1879, 15, ii, 3 and 4.
 ——— **tuberculata**, Duncan. Sci. Results II. Yarkand Mission, "Karakoram Stones," 1879, 13, ii, 1 and 2.
 ——— **verrucosa**, Duncan. Sci. Results II. Yarkand Mission, "Karakoram Stones," 1879, 12, i, 1-3.
- TECHNITELLA**, Norman, 1878. Ann. Mag. Nat. Hist. [5], i, 1878, 279 ; Brady, Report Challenger, 1884, 245.
 ——— **legumen**, Norman. Ann. Mag. Nat. Hist. [5], i, 1878, 279, xvi, 3 and 4.
 ——— ——— ——— Brady, Report Challenger, 1884, 246, xxv, 8-12.

TECHNITELLA melo, Norman. Ann. Mag. Nat. Hist. [5], I, 1878, 280, xvi, 5 and 6.

- — — — — Brady, Report Challenger, 1884, 246, xxv, 7a, b.
- — — — — De Folin, Le Naturaliste, Ann. 10, 1888, 109, fig. 3.
- raphanus, Brady. Report Challenger, 1884, 247, xxv, 13 and 14.
- de Folin, Bull. Soc. N. H. Toulouse, xv, 1881, 141, 1 n. sp. proposed but not described. [*T. cristata*.]

TEREBRALINA, Terquem, 1866. Sixième Mém. Foram. Lias, 1866, 473.

- regularis, Terquem. Sixième Mém. Foram. Lias, 1866, 473, xix, 3. [Cfr. *Anomodiscus* [*Trochamm.*] *shoneana*, Siddall.]

TETRAGONULINA, Seguenza, 1862. Foram. monotal. miocen. Messina, 1862, 53.

- prima, Seguenza. Foram. monotal. miocen. Messina, 1862, 53, ii, 54 and 55.

TETRATAXIS, Ehrenberg, 1843. Ber. k. preuss. Ak. Wiss. Berlin, 1843, 106.

- conica, Ehr. Ber. k. preuss. Ak. Wiss. Berlin, 1843, 106; and Mikrogeologie, 1854, xxxvii, xi, A-D, 12. [(“Compare *Textil. palaeotrochus*”) = *Valvulina*, q. v.]
- — — — — Moeller, Mém. Ac. Imp. Sci. St. Pétersbourg, [7], xxvii, No. 5, 1879, 71, ii, 3a-g; vii, 1 and 2; 72, fig. 30.
- — — — — v. gibba, v. Moeller. Mém. Ac. Imp. Sci. St. Pétersbourg, [7], xxvii, No. 5, 1879, 73, ii, 4a-c; vii, 3.
- — — — — Moeller, Jahrb. k. k. geol. Reichsanstalt, xxx, 1880, 577, ix, 7a.
- — — — — Moeller, Verh. russ. k. min. Ges. [2], xvi, 1881, 183, ix, 6a [error for 7a]. [In rock section.]

Testa fossilia kahirensia. Forskal, Descr. Anim. 1775. [= *Nummulites*.]

Testæ hammoniformes, plano-cochleatæ, tuberosæ, articulatæ, etc. Soldani, Testac. I, pt. 1, 1789, 77-80, pls. 70-92. [*Truncatulina variabilis*, d’O. Ann. Sci. Nat. VII, 1826, 279, 8.]

Testæ hammoniformes seu lituitatæ semilunares. Sold., Testac. I, pt. 1, 1789, p. 73, pl. 64M, Q. [*Peneroplis planatus* (F. & M.), d’Orb. Ann. Sci. Nat. VII, 1826, 285, 1.]

Testæ incertæ sedis. Terq., Mém. Soc. géol. France, [3], I, 1878, 48, iv (ix), 40 and 41. [See *Polymorphinæ*.]

Testæ ovales, oliviformes, pyriformes, fusiformes, etc. Sold., Testac. II, 1798, 37, pl. 12P. [*Lingul. carinata*, d’O. Ann. Sci. Nat. VII, 1826, 257, 1.]

Testæ pineiformes minusculæ. Sold., Testac. II, 1798, 18, pl. 4E, F, G, H. [*Uvigerina nodosa*, v. β, d’O. Ann. Sci. Nat. VII, 1826, 269, 3.]

Textiraria. Amer. Cyclopaedia, 1883; see *Textularia*.

TEXTULARIA, Defrance, 1824. Dict. Sci. Nat. xxxii, 1824, 177; Brady, Report Challenger, 1884, 356. [*Textilaria*,* Ehrenberg, 1839. Abhandl. k. Ak. Wiss. Berlin, 1839, 135.]

- abbreviata, d’Orbigny. Foram. Fossiles Vienne, 1846, 249, xv, 9-12 [error for 7-12].

- — — — — Egger, Neues Jahrbuch, 1857, 293, xii, 17 and 18.
- — — — — Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxiii, 1880, 190, i, 23.

- — — — — Malagoli, Atti Soc. Nat. Modena, Rendiconti, [3], III, 1887, 108, i, 1.

- — — — — Fornasini, Boll. Soc. geol. Ital. VI, 1887, 399, xi, 1a, b, 3a, b.

- — — — — Brady, Parker, & Jones, Trans. Zool. Soc. XII, pt. 7, 1888, 219, xlvi, 4 and 5.

- — — — — Terrigi, Mem. R. Acc. Lincei, [4], VI, 1889, 109, v, 3.

[* Many Continental authors prefer to use *Textilaria* instead of *Textularia*. In all cases where this spelling is adopted an asterisk has been placed at the end of the generic reference, the compiler having considered it advisable not to separate the references into the two arrangements of *Textularia* and *Textilaria*.]

- TEXTULARIA** abbreviata, d'Orbigny. See *Nautili amphorarii*, and *Nautilus amphorarius*.
- aciculata, d'Orbigny. Ann. Sci. Nat. VII, 1826, 263, No. 15, xi, 1-4.
- 16-19. Smedley, Eney. Metrop. 1845, undescr., pl. "Mollusca ?," [Flint cast.]
- Cooke, Thousand Objects Microsc. 1869, 90, ix, 13.
- Terrigi, Atti Acc. Pont. Nuovi Lincei, XXXIII, 1880, 191, ii, 24-27.
- aciculata ?, Ehr. Abhandl. k. preuss. Ak. Wiss. Berlin, 1838, 134, iv, ii, vii, xii, 8.
- * — Ehr., Abhandl. k. Ak. Wiss. Berlin, 1839, 135, ii, v; Taylor's Scientific Memoirs, III, 1843, 358, vi, 5. [= *Bolivina dilatata* (?), Rss.]
- Harting, Magt van het Kleine, 1849, 119, figs. 2 and 3; and 1866, 113, fig. 48, 2 [*Textilaria*]; German by Dr. A. Schwartzkopf, 1851, 87, fig. 39, 2 and 3.
- Mantell, Quart. Journ. Geol. Soc. VI, 1850, 330, xxix, 3.
- * — aculeata, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1841, 429.
- * — Ehr., Mikrogeologie, 1854, xxviii, 18; xxxi, 17; and xxxviii, xxiii, 5. [= *T. subangulata*, d'O.]
- * — Ehr., Mikrogeologie, 1854, xxvii, 8. ("*T. aspera*, 1838, in part.") [= *T. subangulata*, d'O.]
- * — Ehr., Mikrogeologie, 1854, xxix, 20a, b. [20a = *T. gibbosa*; 20b = *Boliv. punctata*, v. *aculeata*, Ehr.]
- acuta, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, 294, xxiii, 13 and 14.
- acuta, d'Orbigny. Ann. Sci. Nat. VII, 1826, 262, No. 9.
- * — Ehr., Mikrogeologie, 1854, xxx, 7. [= *Virg. reussii*, Gein. = *Boliv. punctata*.]
- acuta, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 381, xli, 1.
- * — Quenstedt, Handbuch Petref. ed. 3, Abth. 5 (1885), 1059, lxxxvi, 60.
- * — æquilateralis, Kübler & Zwingli. Neujahrsblatt Bürgersbibl. Winterthur, 1866, 19, iii, 12.
- agglutinans, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 144, i, 17, 18; 32-34; also in Spanish, 1840, 136, same pl. and fig.
- var. Jones, Geologist, VI, 1863, 294, xv, 4 and 5.
- Parker & Jones, Phil. Trans. 1865, 369, xv, 21.
- v. abbreviata, d'O. Parker & Jones, Phil. Trans. 1865, 369, xvii, 76a, b. [v. *T. abbreviata*.]
- v. biformalis. Parker & Jones, Phil. Trans. 1865, 370, xv, 23 and 24. [v. *Spiroplecta* and *T. biformalis*.]
- v. (*Bigenerina*) digitata, d'O. Parker & Jones, Phil. Trans. 1865, 371, xvii, 81. [v. *B. digitata*.]
- v. (*Bigenerina*) nodosaria, d'O. Parker & Jones, Phil. Trans. 1865, 371, xv, 25; xvii, 80a, 80b. [v. *B. nodosaria*.]
- v. carinata, d'O. Parker & Jones, Phil. Trans. 1865, 370, xvii, 79a, b. [v. *T. carinata*.]
- v. pygmæa, d'O. Parker & Jones, Phil. Trans. 1865, 370, xv, 22; xvii, 78a, b. [v. *T. pygmæa*.]
- v. sagittula, Defr. Parker & Jones, Phil. Trans. 1865, 369, xvii, 77a, b. [v. *T. sagittula*.]
- v. (*Verneuil.*) polystropha (Rss.). Parker & Jones, Phil. Trans. 1865, 371, xv, 26. [v. *V. polystropha*.]
- J., P., & B., Crag Foram., Pal. Soc. XIX, 1866, n. d., iii, 14-16.

- TEXTULARIA agglutinans**, d'O. Tate & Blake, Yorkshire Lias, 1876, 472, xvii, 37.
- * — Möbius, Beitr. Meeresfauna Insel Mauritius, etc. 1880, 93, ix, 1-8. [Structural.]
- — Hamilton, Trans. N. Zealand Inst. xiii, 1881, 395, xvi, 10.
- — v. (Bigenerina) *nodosaria*, d'Orb. Hamilton, Trans. N. Zealand Inst. xiii, 1881, 395, xvi, 11. [v. *B. nodosaria*.]
- — Brady, Report Challenger, 1884, 363, xlivi, 1-3, vars. figs. 4 and 12.
- — Woodward & Thomas, 13 Ann. Rep. Geol. N. H. Survey Minnesota, for 1884 (1885), 167, iii, 6 and 7.
- — Vine, Proc. Yorkshire Geol. Polytech. Soc., n. s. ix, pt. 1, 1885 (1886), 28, ii, 17.
- — Sherborn & Chapman, Journ. R. Micr. Soc. [2], vi, 1886, 742, xiv, 6a, b.
- — Malagoli, Boll. Soc. geol. Ital. vi, 1887, 520, xiii, 2.
- — Anon., Sci. News, 4 May, 1888, 413, fig. 10.
- — Toutkowski, Zap. Kievsk. Obshch. Est. ix, 1888, 9, ix, 3a-c.
- — Brady, Parker, & Jones, Trans. Zool. Soc. xii, pt. 7, 1888, 219, xli, 17, 23; xlvi, 2 and 3.
- — Sherborn & Chapman, Journ. R. Micr. Soc. 1889, 485, xi, 10.
- — *agglutinans*, Seguenza. Atti Accad. Gioenia Sci. Nat. [2], xviii, 1862, 114, ii, 4, 4a.
- * — *alpina*, Kübler & Zwingli. Neujahrsblatt Bürgersbibl. Winterthur, 1866, 19, iii, 11 and 19.
- * — *alsatica*, Andreeae. Abh. geol. Speciaalkarte Elsass-Lothr. ii, Heft 3, 1884, 306, vi, 5.
- * — *americana*, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1841, 429.
- * — Ehr., Mikrogeologie, 1854, xxxii, i, 4a, and 7. [= *T. striata*.]
- * — Ehr., Abhandl. k. Ak. Wiss. Berlin, 1855, 175, vii, 1 and 7?
- * — *ampliata*, Ehr. Mikrogeologie, 1854, xxviii, 8. [= *T. gibbosa*, d'O.]
- * — *amplior*, Ehr. Mikrogeologie, 1854, xxxi, 11. [= *T. globulosa*, Ehr.]
- — *anceps*, Reuss. Verstein. böhm. Kreide, 1845-46, i, 39, viii, 79; xiii, 78.
- * — Reuss, Sitz. k. Ak. Wiss. Wien, xl, 1860, 234, xiii, 2a, b.
- — Eley, Geol. in the Garden, 1859, 202, ix, 15C.
- — Eley, Geol. in the Garden, 1859, 196, iii, 15. [Flint cast.]
- — *angularis*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 263, No. 16.
- — *annectens*, Parker & Jones. Ann. Mag. Nat. Hist. [3], xi, 1863, 92, fig. 1. [v. *Spirolecta*.]
- — Jones, in Microgr. Dict. ed. 4, 1883, 763, xxiii, 52.
- * — *angusta*, Terquem. Six. Mém. Foran. Lias, 1866, 527, xxii, 24a, b.
- * — *argus*, Harting. Verh. Kl. Koninkl.-Nederland. Inst. [3], iv, 1852, 115, ii, 6.
- * — *areolata*, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1841, 429.
- — *articulata*, d'Orbigny. Foram. Fossiles Vienne, 1846, 250, xv, 16-18.
- — *articulata*, Reuss. Haidinger's Naturw. Abh. iv, Abth. 1, 1851, 45, iv, 14.
- — *aspera*, Brady. Proc. Roy. Soc. Edinburgh, xi, 1882, 715, not figured.
- — Brady, Report Challenger, 1884, 367, xliv, 9-13.
- — *aspera*, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1838, 134, iv, iv, v, γ.
- * — *aspera*, Terquem. Mém. Soc. géol. France, [3], ii, 1882, 147, xv, (xxii), 14.
- — *atlantica*, Bailey. Smithsonian Contrib. ii, 1851, 12, pl., 38-43.

- TEXTULARIA** attenuata, Reuss. Zeitschr. deutsch. geol. Ges. III, 1851, 84, vi, 54.
 ——* —— Reuss, Sitz. k. Ak. Wiss. Wien, XLVIII, Abth. 1, 1863 (1864), 59, vii, 87.
 ? ——* bacheana, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 309.
 —— barrettii, Jones & Parker. Rept. Brit. Assoc. 1863, 80 and 105.
 —— Jones & Parker, Mém. Soc. Malac. Belgique, XI année, 1876, 99, figure.
 —— Brady, Report Challenger, 1884, 367, xliv, 6–8.
 —— baudouiniana, d'Orbigny. Mém. Soc. géol. France, [1], IV, 1840, 46, iv, 29 and 30; facsimile in Science Gossip, 1870, 157, fig. 155.
 —— [baudouineana] —— Jones, Geologist, VI, 1863, 294, xv, 6.
 —— biformis, Parker & Jones. See *Text. agglutinans*, d'O. Phil. Trans. 1865, 370, xv, 23 and 24.
 —— Brady, Ann. Mag. Nat. Hist. [5], I, 1878, 436, xx, 8.
 ——* bolivinoides, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 235, xii, 6a, b, c.
 ——* breoni, Terquem. Cinq. Mém. Foram. Lias, 1866, 450, xviii, 10a, b.
 ——* brevis, Ehr. Mikrogeologie, 1854, xxv, iii, c, 1. [= *T. gibbosa*.]
 —— bronniana, d'Orbigny. Foram. Fossiles Vienne, 1846, 244, xiv, 20–22.
 ——* budensis, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 57, xv, 1; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 67, same pl. and fig.
 ——* —— Hantken, Ertek. Termesz. köreböl, XIII, No. 1, 1883, 29, i, 8a, b; and Math. Nat. Ber. Ungarn, II, 1884, 149. [Fig. 6 by error in explan. to plate.]
 —— bulloides, Reeve. Conch. system. II, 1842, 292, cccxvii, 11. [*Sphaeroidina*, d'Orb.; = *Sphaeroidina*.]
 ——* canaliculata, Terq. Mém. Soc. géol. France, [3], II, 1882, 147, xv (xxiii), 17a, b.
 —— candeiana, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 143, i, 25–27; also in Spanish, 1840, 135, same pl. and fig. [*T. candeana* in Spanish ed.].
 ——* capitata, Stache. Novara-Exped., Geol. Theil I, 1864, 270, xxiv, 19a, b, c.
 —— capreolus, Reeve. Conch. system. II, 1842, 292, cccxvii, 12. [*Vulvulina*, d'Orb. = *Vulvulina*.]
 —— caribaea, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 145, i, 28 and 29; also in Spanish, 1840, 137, same pl. and fig.
 —— carinata, d'Orbigny. Ann. Sci. Nat. VII, 1826, 263, No. 13. [*v. Plecanium*.]
 —— D'Orbigny, Foram. Fossiles Vienne, 1846, 247, xiv, 32–34.
 ——* —— v. inflata, Stache. Novara-Exped., Geol. Theil I, 1864, 271, xxiv, 22a, b, c.
 ——* —— v. maorica, Stache. Novara-Exped., Geol. Theil I, 1864, 271, xxiv, 21a, b, c.
 ——* —— Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 56, vii, 8; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 66, same pl. and fig.
 ——* —— Hantken, Kohlenfötze, etc. ungar. Krone, 1878 (transl. from Magyar), 232, fig. 52.
 —— Brady, Report Challenger, 1884, 360, xlvi, 15 and 16.
 —— Steinmann, Elém. Paléont. I, 1888, 26, fig. 7E.
 —— See *T. agglutinans*, d'O.
 ——* caspia, Ehrenberg. Abh. k. Ak. Wiss. Berlin, 1872 (1873), xii, 10.
 ——* caspia, Grimm. Kaspiiskai mare e gya fauna, pt. I, 1876, 70, i, 5.
 —— caudata, d'Orbigny. Ann. Sci. Nat. VII, 1826, 263, No. 25.
 —— —— = *T. ? sp.*; see *Polymorphum triangulare*.
 —— chilostoma, Reuss. Zeitschr. deutsch. geol. Ges. IV, 1852, 18, figs. a, b.

- TEXTULARIA clypeata**, Costa. Atti Accad. Pontaniana, vii, fas. 2, 1856, 295, xxiii, 4A, B, C.
 —— * **cognata**, Reuss. Sitz. k. Ak. Wiss. Wien, XLVIII, Abth. 1, 1863 (1864), 68, viii, 96a, b.
 —— **communis**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 263, No. 27.
 —— **complexa**, Brady. Nat. Hist. Trans. Northumb. I, 1865-67 (1867), 101, xii, 6a, b.
 —— **compressa**, Roemer. Neues Jahrbuch, 1838, 384, iii, 13.
 —— Michelotti, Mem. Soc. Ital. Sci. XXII, 1841, 281, i, 12.
 —— **concava** (Karr.). Brady, Report Challenger, 1884, 360, xlvi, 13, 14; and xlvi, 11. [*Plecanium*, 1868.]
 —— * **concava**, Terq. et Berth. Mém. Soc. géol. France, [2], x, 1875, 62, v (xv), 8a-c.
 —— **concinna**, Reuss. Verstein. böhm. Kreide, 1845-46, II, 109, xxiv, 54.
 —— Reuss, Denkschr. k. Ak. Wiss. Wien, VII, Abth. 1, 1854, 71, xxvi, 6.
 —— * Reuss, Sitz. k. Ak. Wiss. Wien, XL, 1860, 233, xiii, 1a, b.
 —— **conica**, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 143, i, 19 and 20; also in Spanish, 1840, 135, same pl. and fig.
 —— Williamson, Mem. Lit. Phil. Soc. Manchester, [2], VIII, 1848, 76, pl. 64 and 65.
 —— Brady, Report Challenger, 1884, 365, xlvi, 13, 14; exiii, 1a, b.
 —— **conica**, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1838, 135.
 —— **consecta**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 262, No. 7.
 —— **conuloidea**, Costa. Atti Accad. Pontaniana, vii, fas. 2, 1856, xxiii, 12.
 —— **conulus**, Reuss. Geogn. Skizze Böhmen, II, 1844, pt. 1, 215.
 —— Reuss, Verstein. böhm. Kreide, 1845-46, i, 38; viii, 59; xiii, 75.
 —— Reuss, in Geinitz, Grundr. Verstein. 1845-46, 680, xxiv, 73.
 —— Reuss, Denkschr. k. Ak. Wiss. Wien, VII, Abth. 1, 1854, 72, xxvi, 7.
 —— * Reuss, Sitz. k. Ak. Wiss. Wien, XL, 1860, 231, xiii, 3a, b.
 —— * Reuss' Models, No. 40, 1865 (Catal., No. 75, 1861).
 —— * Quenstedt, Handbuch Petref. ed. 3, Abth. 5 (1885), 1059, lxxxvi, 61.
 —— Mariani, Boll. Soc. geol. Ital. VII (1889), 285, x, 2.
 —— * **convexa**, Karrer. Novara-Exped., Geol. Theil I, 1864, 78, xvi, 8.
 —— **cordata**, Meneghini (in litt. 1856). Fornasini, Boll. Soc. geol. Ital. VII, 1888, 318, xi, 2-5.
 —— * **cordiformis**, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 139, vii, 15.
 —— * Deecke, Mém. Soc. Emul. Montbéliard, XVI, 1886, [36], i, 31, 31a.
 —— * **cordiformis**, Terquem. Cinq. Mém. Foram. Oolithique, 1883, 384, xlvi, 5a, b.
 —— **corrugata**, Costa. Mem. Acc. Sci. Napoli, II, 1855 (1857), 125, i, 15.
 —— **crassa**, Costa. Atti Accad. Pontaniana, vii, fas. 2, 1856, 293, xxiii, A, B, [fig. 6].
 —— **crispata**, Brady. Report Challenger, 1884, 359, exiii, 2a, b.
 —— **cuneiformis**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 263, No. 18.
 —— De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 147, i, 37-39; also in Spanish, 1840, 138, same pl. and fig.
 —— Williamson, Recent British Foram. 1858, 74, vi, 158-161, "158 and 159 typica."
 —— v. **conica**, d'Orb. Williamson, Recent British Foram. 1858, 75, vi, 160 and 161. [v. *T. conica*.]

- TEXTULARIA** cuneiformis, d'Orbigny. Cooke, Thousand Objects Microsc. 1869, 93, ix, 24.
- Terquem, Ess. Anim. Plage Dunkerque, pt. 3, 1881, 129, xvii, 2a, b; (and Mém. Soc. Dunkerquoise).
- cuneiformis, Jones, MS. Mantell, Quart. Journ. Geol. Soc. vi, 1850, 330, xxix, 1.
- Jones, in King, Pal. Soc. 1850, 18, vi, 6.
- Richter, Zeitschr. deutsch. geol. Ges. vii, 1855, 532, xxvi, 23.
- Geinitz, Dyas, Heft 1, 1861, 122, xx, 34 and 35.
- Jones, in Microgr. Diet. ed. 4, 1883, 763, xxiii, 47a, b.
- deltoidea, Reuss. Denkschr. k. Ak. Wiss. Wien, i, 1850, 381, lxxix, 4.
- dentata, Alth. Haidinger's Naturw. Abh. iii, Abh. 2, 1850, 262, xiii, 13.
- deperdita, d'Orbigny. Foram. Fossiles Vienne, 1846, 244, xiv, 23–25.
- Harting, Magt van het Kleine, 1849, 111, fig. 5; and 1866, 103, fig. 43; German by Dr. A. Schwartzkopf, 1851, 81.
- Mackie, Recreative Science, i, 1859, 148, fig. 27.
- * Schlumberger, Feuille Jeun. Nat., Feb. 1882, ii, 1.
- * depressa, Kübler & Zwingli. Neujahrsblatt Bürgersbibl. Winterthur, 1866, 16, iii, 7.
- digitata, d'Orbigny. Ann. Sci. Nat. vii, 1826, 262, No. 5.
- dilatata, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1838, 135, iv, ix, 8.
- * — Ehr., Mikrogeologie, 1854, xxix, 19. [= *T. gibbosa*.]
- * — Ehr., Mikrogeologie, 1854, xxvii, 5. [= "T. brevis ? 1838."]
- * [= *T. striata*, Ehr.]
- Harting, Magt van het Kleine, 1849, 119, fig. 4; and 1866, 113, fig. 48³; German by Dr. A. Schwartzkopf, 1851, 87, fig. 39, 4. [*Textularia*.]
- * dumortieri, Schwager. Benecke's Geogn. Pal. Beiträge, i, 1866, 309, fig. 14.
- echinata, d'Orbigny. Ann. Sci. Nat. vii, 1826, 263, No. ?
- = *Bulim. aculeata*, d'O.; see *Polymorpha pineiformia*.
- ehrenbergii, Roemer. Verst. norddeutsch. Kreide, 1840–41, 97, xv, 16.
- elata, Costa. Atti Accad. Pontaniana, vii, fas. 2, 1856, 290, xxiii, 9.
- elliptica, Roemer. Neues Jahrbuch, 1838, 384, iii, 18.
- elongata, Cornuel. Mém. Soc. géol. France, [2], iii, 1848, 258, ii, 25.
- elongata, d'Orbigny. Ann. Sci. Nat. vii, 1826, 263, No. 11.
- * elongata, Ehrenberg. Abh. k. Ak. Wiss. Berlin, 1872 (1873), xii, 9.
- * elongata, Hantken. A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 57, xv, 3; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 67, same pl. and fig.
- elongata, v. Hagenow. Neues Jahrb. 1842, 570.
- elongata, Jones, MS. Mantell, Quart. Journ. Geol. Soc. vi, 1850, 330, xxix, 2.
- Mantell, Medals Creation, ed. 2, 1854, 361, fig. 119³. [*Sarcodes*.]
- * euryconus, Ehr. Mikrogeologie, 1854, xxxii, i, 9. [= *T. gibbosa*.]
- * — Ehr., Abhandl. k. Ak. Wiss. Berlin, 1855, 161, ii, iv, 175, vii, 8. [= *T. agglutinans*.]
- [**TEXTILLARIA**] * exigua, Schwager. Dittmar, Die Contorta-Zone, 1864, 200, iii, 12.
- See *T. pusilla*.
- * eximia, Eichwald. Lethaea Rossica, i, 1860, 355, xxii, 19a–d.
- Brady, Carbonif. Foram., Pal. Soc. xxx, 1876, 132, x, 27–29.
- * falcata, Ehr. Mikrogeologie, 1854, xxxvii, xi, A–D, 14. [Edge view of *T. recurvata*, xxxvii, xi, A–D, 17.]

- [**TEXTULARIA**]* *faujasi*, Reuss. Sitz. k. Ak. Wiss. Wien, **XLIV**, Abth. 1, 1861 (1862), 320, iii, 9a, b.
 ——— * *flabelliformis*, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. **X**, 1868 (1870), 647, ii, 83a, b.
 ——— * *flesus*, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 376.
 ——— * *flexa*, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 35, iv, Impressathon, 17, 17a.
 ——— *fœda*, Reuss. Verstein. böhm. Kreide, 1845-46, ii, 109, xliii, 12 and 13.
 ——— *folium*, Park. & Jones. Phil. Trans. 1865, 370, xviii, 19.
 ——— Möbius, Beitr. Meeresfauna Insel Mauritius, etc. 1880, 92, viii, 16 and 17.
 ——— Brady, Report Challenger, 1884, 357, xlvi, 1-5.
 ——— * *franconica*, Gümbel. Jahresh. Ver. vat. Nat. Württ. **xviii**, 1862, 229, iv, 18a, b.
 ——— *fungiformis*, Fornasini. Boll. Soc. geol. Ital. **VI**, 1887, 387, x, 1a, b.
 ——— *geinitzi*, Richter. In Geinitz, Dyas, etc. Heft 1, 1861, 123, xx, 39.
 ——— *gibbosa*, d'Orbigny. Ann. Sci. Nat. **VII**, 1826, 262, No. 6.
 ——— D'Orbigny, Modèles, No. 28, 1826. [v. *Plecanium*.]
 ——— P., J., & B. [d'O., Modèles, No. 28], Ann. Mag. Nat. Hist. [3], **xvi**, 1865, 23, ii, 60.
 ——— J., P., & B., Crag Foram., Pal. Soc. **xix**, 1866, n. d., iii, 10-13.
 ——— P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], **viii**, 1871, 167, xi, 115. [See *T. obtusa*, d'O.]
 ——— Idem, 167, xi, 116. [See *T. laevigata*, d'O.]
 ——— Idem, 167, xi, 117. [See *T. punctulata*, d'O.]
 ——— Idem, 168, xi, 118.
 ——— Idem, 169, xi, 119. [See *T. tuberosa*, d'O.]
 ——— Idem, 169, xi, 120. [See *T. caudata*, d'O.]
 ——— Brady, Carbonif. Foram., Pal. Soc. **xxx**, 1876, 131, x, 26.
 ——— forma *Bigenerina*. Goës, K. Svenska Vet.-Akad. Handl. **xix**, No. 4, 1882, 79, v, 162-164.
 ——— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 161, fig.
 ——— Fornasini, Boll. Soc. geol. Ital. **VI**, 1887, 160, ii, 1a, b.
 ——— Malagoli, Atti Soc. Nat. Modena, (Rend.) [3], **III**, 1887, 108, i, 2.
 ——— See *Polymorpha janiformia*, and *Nautili amphorarii*.
 ——— * *gigas*, Kübler & Zwingli. Neujahrsblatt Bürgersbibl. Winterthur, 1866, 18, iii, 9.
 ——— * *globifera*, Reuss. Sitz. k. Ak. Wiss. Wien, **XL**, 1860, 232, xiii, 7a, 6, 8.
 ——— Zittel, Handbuch Palaeont. Abth. I, 1876, 90, fig. 271.
 ——— * *globigera*, Schwager. Novara-Exped., Geol. Theil II, 1866, 252, vii, 100.
 ——— * *globigera*, Terq. et Berth. Mém. Soc. géol. France, [2], **x**, 1875, 64, v (xv), 13.
 ——— * *globigerina*, Kübler & Zwingli. Neujahrsblatt Bürgersbibl. Winterthur, 1866, 19, iii, 13.
 ——— * *globosa*, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 58, xv, 5; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 67, same pl. and fig. [*T. globulosa* in descr. of plate.]
 ——— *globulosa*, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1838, 135, iv, fig. 8 frequens.
 ——— * Ehr., Bericht k. preuss. Ak. Wiss. Berlin, 1844; and Mikrogeologie, 1854, xxi, 87. [= *T. gibbosa*.]
 ——— Bailey, in Hitchcock, Report 1, 2, and 3 Meeting Assoc. Amer. Geol. and Nat. 1843, 357, xiii [error for xv], 1, 3, 4, 5, 7.
 ——— Reuss, Verstein. böhm. Kreide, 1845-46, i, 39, xii, 23.
 ——— Reuss, in Geinitz, Grundr. Verstein. 1845-46, 681, xxiv,

- TEXTULARIA** *globulosa*, Ehr. Williamson, Mem. Lit. Phil. Soc. Manchester, [2], VIII, 1848, 76, pl. 61.
- * — Harting, Magt van het Kleine, 1849, 119, figs. 5, 8 ; German by Dr. A. Schwartzkopf, 1851, 87, fig. 39, 5, 8.
- — Mantell, Medals of Creation, ed. 2, 1854, 342, fig. 109².
- * — Ehr., Abhandl. k. Ak. Wiss. Berlin, 1847, 446, ii, 78, 79 ; iii, i, 76 ; v, ii, 111 ; vi, iii, 59 ?, 80. [79, *T. carinata*, d'O. ; 59, *T. gibbosa*, d'O.]
- * — Ehr., Mikrogeologie, 1854, xxxvii, vi, 6 ; and xxxviii, xxiii, 3.
- * — Ehr., Mikrogeologie, 1854, xxv, i, A, 8 ; v. *amplior*, 9 and 11. [= *T. globulosa*, Ehr.]
- * — Ehr., Mikrogeologie, 1854, xxxix, 140. [= *T. globulosa*, or *T. gibbosa* ?]
- * — and vars. *obtusa* (4), *amplior* (5), *dilatata* (6), Ehr. Mikrogeologie, 1854, xxiii, 3-6. [= *T. globulosa*, Ehr.]
- * (*globulosa-ampliata*), Ehr. Mikrogeologie, 1854, xxxi, 12 and 13 ; and xxxvii, vi, 7. [= *T. globulosa*, Ehr.]
- * — Ehr., Mikrogeologie, 1854, xxv, i, A, 13. [Near *T. agglutinans*.]
- * — Ehr., Mikrogeologie, 1854, xxxvii, vii, 12. [A east ; ind.]
- * — Ehr., Mikrogeologie, 1854, xxiv, 13 and 14 ; xxvii, 6 ; xxix, 17a, b ; xxx, 3a, b ; xxxii, i, 8 ; xxxii, ii, 12 and 13. [= *T. gibbosa*, d'O.]
- * (*globulosa-ampliata*), Ehr. Mikrogeologie, 1854, xxvii, 12. [= *T. gibbosa*.]
- * γ *amplior*, Ehr. Mikrogeologie, 1854, xxiv, 12. [= *T. gibbosa*, d'O.]
- * β *obtusa*, Ehr. Mikrogeologie, 1854, xxvi, 9 and 10. [= *T. gibbosa*.]
- * — Ehr., Mikrogeologie, 1854, xxviii, 9 and 10. [= *T. gibbosa*, arrested.]
- * — Ehr., Mikrogeologie, 1854, xxxix, xiv, g. [= *T. gibbosa*, vel *Globigerina*.]
- * — Ehr., Abhandl. k. Ak. Wiss. Berlin, 1855, 161, ii, i. [Glaue.]
- * — Ehr., Abhandl. k. Ak. Wiss. Berlin, 1855, 175, vii, 9.
- * — Ehr., Abhandl. k. Ak. Wiss. Berlin, 1855, 173, vi, i, a. [Glaue.]
- * — Bronn, Lethaea Geognostica, ed. 3, III, 1853-56, 235, xxxv², 32a, b.
- — Eley, Geol. in the Garden, 1859, 202, ix, 9C.
- — Eley, Geol. in the Garden, 1859, 194, ii, 9. [Flint east.]
- — Hitchcock, Elem. Geology, 1860, 30th ed. 382, figs. 203, 383, fig. 208.
- — Heer, Urwelt Schweiz, 1865, 197, fig. 109 ; and transl. 1876, 207, fig. 109.
- — Hartwig, The Sea, ed. 3, 1866, 381, fig. f.
- * — Kübler & Zwingli, Neujahrsblatt Bürgersbibl. Winterthur, 1866, 18, iii, 16.
- — Brady, Ann. Mag. Nat. Hist. [4], vi, 1870, 300, xii, 4a, b.
- — Greene, Man. Protozoa, 1871, 15, fig. 3f.
- — G. M. Dawson, Canad. Nat. [2], VII, 1874, 253, fig. a.
- — G. M. Dawson, Report Geol. 49th Par. 1875, 79, xvii, 2a.
- — Morris, Lecture Geol. Croydon, [1876], 8, fig. 3².
- — Dawson, Proc. Amer. Assoc. 1876 (Detroit), 104, fig. 4a.
- * — [Reuss]. Schwager, Boll. R. Com. geol. Ital. VIII, 1877, 26, pl. 60.

- [**TEXTULARIA***] *globulosa*, Ehr. Dawson, Lecture Notes, 1880, 92, fig. 6a.
 [= *T. striata*.] American Cyclopaedia, VII (1883), 311, fig. 1.
 Woodward & Thomas, 13 Ann. Rep. Geol. N. H. Survey Minnesota for 1884 (1885), 166, iii, 1-5.
 * Fritsch, Arch. Nat. Landesd. Böhmens, VII, 1889, 116, woodcut 163.
 * *gomphoconus*, Ehr. Mikrogeologie, 1854, xxxii, i, 10. [= *T. gibbosa*.]
gracilis, v. Muenster. Roemer, Neues Jahrbuch, 1838, 384, iii, 14.
 Michelotti, Mem. Soc. Ital. Sci. xxii, 1841, 281, i, 13.
 * *gracillima*, Andreae. Abh. geol. Speciaalkarte Elsass-Lothr. II, Heft 3, 1884, 235, viii, 9.
gramen, d'Orbigny. Foram. Fossiles Vienne, 1846, 248, xv, 4-6.
 Brady, Report Challenger, 1884, 365, xlivi, 9 and 10.
 Balkwill & Wright, Trans. R. Irish Ac. XXVIII (Sci.), 1885, 332, xiii, 13 and 14.
 Fornasini, Boll. Soc. geol. Ital. VI, 1887, 399, xi, 4a, b.
 Terrigi, Mem. R. Acc. Lineei, [4], VI, 1889, 109, v, 1, 2.
 * *grammostomum*, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 309.
granulata, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, n. d., xv, 4.
 ? ** groenlandica*, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 309.
hauerii, d'Orbigny. Foram. Fossiles Vienne, 1846, 250, xv, 13-15.
 * *hayi*, Karrer. Novara-Exped., Geol. Theil I, 1864, 78, xvi, 7.
 * *helveto-jurassica*, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 30, iii, 45; and 39, iv, Badener Schicht, 10.
 * *hemisphærica*, Kübler & Zwingli. Neujahrsblatt Bürgersbibl. Winterthur, 1866, 16, iii, 5.
 * *heteroclita*, Terquem. Mém. Soc. géol. France, [3], II, 1882, 146, xv (xxiii), 11a, b.
inconspicua, Brady. Report Challenger, 1884, 357, xlvi, 6a, b, c.
 * *incrassata*, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1841, 429.
 * *inflata*, Ehr. Mikrogeologie, 1854, xxx, 12. ["*T. aspera*, 1838, partly."]
 [= *T. subangulata*, d'O.]
 * Ehr., Mikrogeologie, 1854, xxiv, 15. [= *T. gibbosa*, d'O.]
 * Ehr., Mikrogeologie, 1854, xxv, i, A, 10. [= *T. globulosa*, Ehr.]
 * *inflata*, Andreae. Abh. geol. Speciaalkarte Elsass-Lothr. II, Heft 3, 1884, 306, vi, 6.
 ? ** initiatrix*, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 307, 337, i, iii. [Glauconite.]
 * *inversa*, Terquem. Mém. Soc. géol. France, [3], IV, 1886, 60, vii, 6a, b.
jonesi, Brady. Carbonif. Foram., Pal. Soc. XXX, 1876, 133, x, 20-22.
 Roemer, Lethaea Geognostica, Th. I, Lief. 1, 1880, 272, fig. 44.
jugosa, Brady. Report Challenger, 1884, 358, xlvi, 7a, b.
 * *jurassica*, Gümbel. Jahresh. Ver. vat. Nat. Württ. XVIII, 1862, 228, iv, 17a, b.
 * *labiata*, Reuss. Sitz. k. Ak. Wiss. Wien, XLII, 1860 (1861), 362, ii, 17a-c. [v. *Plecanium*.]
labiata, Reuss. Toutkowski, Zap. Kievsk. Obschch. Est. IX, 1888, 11, ix, 1a-c.
lacera, Reuss. Zeitschr. deutsch. geol. Ges. III, 1851, 84, vi, 52 and 53.
laevigata, d'Orbigny. Ann. Sci. Nat. VII, 1826, 262, No. 2.
 D'Orbigny, Foram. Fossiles Vienne, 1846, 243, xvi, 14-16.

- [**TEXTULARIA***] *lævigata*, d'Orbigny. = *T. gibbosa*, d'O.; see *Polymorpha janiformia*.
- *lævis*, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1838, 135, iv, ix, 6.
- *lævis*, Roemer. Verst. norddeutsche Kreide, 1840-41, 97, xv, 17.
- * *lagenosa*, Ehr. Mikrogeologie, 1854, xxxvii, xi, A-D, 15. [Same as *Grammost. bursigerum*.]
- *laminaris*, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, 290, xxiii, 15A, B, C, and 16.
- *lanceolata*, v. M. Roemer, Neues Jahrbuch, 1838, 384, iii, 15.
- * *leptotheaca*, Ehr. Mikrogeologie, 1854, xxviii, 11. [= *T. gibbosa*.]
- * — — — Ehr., Mikrogeologie, 1854, xxxvii, xxiii, 2. [= *Virg. schreibersii*.]
- *liaistica*, Terquem. Mém. Ac. Imp. Metz, xxxix, 1858, 634, iv, 12a, b.
- * *limbata*, Terq. et Berth. Mém. Soc. géol. France, [2], x, 1875, 63, v (xv), 9.
- * *linearis*, Ehr. Mikrogeologie, 1854, xxix, 18a, b. [= *T. aciculata*, 1838; see *Strophoconus*.] [= *Boliv. punctata*.] [v. *Bolivina*.]
- * — — — Ehr., Mikrogeologie, 1854, xxiv, 16 and 17; xxvii, 7a-d; and xxx, 6a, b, c, d. [= *Boliv. punctata*.]
- * — — — Ehr., Mikrogeologie, 1854, xxiii, 7.
- * — — — Ehr., Mikrogeologie, 1854, xxxi, 14 and 15. [= *T. agglutinans*.]
- *lingula*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 263, No. 19.
- *lobata*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 263, No. 12.
- *luculenta*, Brady. Report Challenger, 1884, 364, xliv, 5-8.
- — — — v. *calaritana*, Fornasini. Boll. Soc. geol. Ital. VI, 1887, 389, x, 3a, b.
- * *lunata*, Ehr. Mikrogeologie, 1854, xxxvii, xi, A-D, 16 and 16*.
- * *mamillata*, Terquem. Mém. Soc. géol. France, [3], II, 1882, 146, xv (xxiii), 12.
- *marginata*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 263, No. 17.
- *mariæ*, d'Orbigny. Foram. Fossiles Vienne, 1846, 246, xiv, 29-31. [v. *Plecanium*.]
- * — — — Bronn, Lethaea Geognostica, ed. 3, III, 1853-56, 236, xxxv², 33a, b, c.
- — — — Mackie, Recreative Science, I, 1859, 148, fig. 26.
- — — — Bronn, Klassen Ordn. Thier-Reichs, I, 1859, 69, vi, 5a, b, c.
- — — — Bütschli, in Bronn, Klassen, etc. Thier-Reichs, 1880, 205, viii, 5.
- * *mathayensis*, Deecke. Mém. Soc. Emul. Montbéliard, XVI, 1886, [37], i, 23, 23a. [= *mathayana* in deser. to plate.]
- *mayeriana*, d'Orbigny. Foram. Fossiles Vienne, 1846, 245, xiv, 26-28.
- [meyeriana] — — D'Orbigny, Cours élém. Paléont. etc. I, 1849, 202, fig. 329; II, fas. 2, 1852, 793, fig. 610.
- — — — Pictet, Traité de Paléont. 2 ed. IV, 1857, 521, cix, 41.
- [meyeriana] — — Nicholson, Manual Palaeont. 1879, I, 115, fig. 22.
- *metensis*, Terquem. Mém. Ac. Imp. Metz, xxxix, 1858, 635, iv, 13a, b.
- *meneghinii*, Fornasini. Boll. Soc. geol. Ital. VII, 1888, 318, xi, 6-8.
- * *minima*, Karrer. Novara-Exped., Geol. Theil I, 1864, 79, xvi, 9.
- * *minuta*, Terquem. Mém. Soc. géol. France, [3], II, 1882, 147, xv (xxiii), 15a, b.
- * *missouriensis*, Ehr. Mikrogeologie, 1854, xxxii, I, 5. [= *T. gibbosa*.]
- *multilocularis*, Reuss. In Geinitz, Dyas, etc. 1861, Heft I, 122, xx, 38.
- — — — Brady, Carbonif. Foram., Pal. Soc. XXX, 1876, 135, x, 23.
- *mutata*, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, not deser., xxiii, 19.
- *nussdorffensis*, d'Orbigny. Foram. Fossiles Vienne, 1846, 243, xiv, 17-19.

- [**TEXTULARIA**] *obsoleta*, Reuss. Verstein. böhm. Kreide, 1845–46, i, 39, xiii, 79.
 ——— (?) ——— Eley, Geol. in the Garden, 1859, 202, viii, 11C.
 ——— * [east.] ——— Eley, Geol. in the Garden, 1859, 195, ii, 11. [Flint
 455, pl., 8.
 ——— *obtusa*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 262, No. 1.
 ——— Terrigi, Atti Acc. Pont. Nuovi Lineei, xxxv, 1883, 188,
 iii, 29 and 30.
 ——— = *T. gibbosa*, d'O. ; see *Polymorpha pineiformia*.
 ——— *obtusangula*, Roemer. Verst. norddeutsch. Kreide, 1840–41, 97, xv,
 18.
 ——— Reuss, Verstein. böhm. Kreide, 1845–46, i, 38 ; viii, 58.
 ——— * *ocellata*, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1841, 443, iii, vii, 44.
 [= *Boliv. dilatata*, Rss.]
 ——— * *oolithica*, Terquem. Cinq. Mém. Foram. Oolithique, 1883, 384, xlvi, 6.
 ——— * *ovalis*, Kübler & Zwingli. Neujahrsblatt Bürgersbibl. Winterthur,
 1866, 16, iii, 6.
 ——— *ovata*, Roemer. Nenes Jahrbuch, 1838, 384, iii, 17.
 ——— *oviformis*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 262, No. 8.
 ——— * *oxfordiana*, Deecke. Mém. Soc. Emul. Montbéliard, xvi, 1886, [36]
 i, 24, 24a.
 ——— * *pachyaulax*, Ehr. Mikrogeologie, 1854, xxix, 21a ; and xxx, 5a, b.
 [Compare *T. brevis*.] [= *T. striata*, Ehr.]
 ——— *pala*, Czjzek. Haidinger's Naturw. Abh. II, 1848, 148, xiii, 25–27.
 ——— * *palaeotrochus*, Ehr. Mikrogeologie, 1854, xxxvii, x, A, 1–4. [v.
 also *Valvulina*.]
 ——— *palmata*, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, 293, xxiii,
 21A, B, C.
 ——— * *parallela*, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 233, xii, 7a, b.
 ——— *partschii*, Czjzek. Haidinger's Naturw. Abh. II, 1848, 148, xiii, 22–24.
 ——— *partschii*, Reuss. Verstein. böhm. Kreide, 1845–46, i, 39 ; xiii, 80.
 ——— * [*partschi*] ——— Reuss, Sitz. k. Ak. Wiss. Wien, XL, 1860, 233, xiii,
 6a, b.
 ——— *pectinata*, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 381, xlix, 2
 and 3.
 ——— * ——— Reuss, Denkschr. k. Ak. Wiss. Wien, XXV, 1865, 157,
 iv, 12 and 13.
 ——— * ——— Reuss, Sitz. k. Ak. Wiss. Wien, LV, Abth. 1, 1867, 98,
 iii, 11a, b.
 ——— *perforata*, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1838, 135, iv, xi, e.
 ——— * ——— Ehr., Bericht k. preuss. Ak. Wiss. Berlin, 1844, 68 ; and
 Mikrogeologie, 1854, xxii, 80. [Obscure ; ? *Globigerina*.]
 ——— *pennatula*, Batsch, var. *aculeata*, Ehr. Goës, K. Svenska Vet.-Akad.
 Handl. xix, No. 4, 1882, 79, v, 165, 166. [*Nautilus*, 1791.]
 ——— *peucetia*, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, 295, xxiii,
 7A, B, C.
 ——— * *picta*, Schultze. Organismus Polythal. 1854, 62, vii, 25–27.
 ——— * *pikettyi*, Terquem. Six. Mém. Foram. Lias, 1866, 527, xxii, 23a, b, c.
 ——— *plana*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 263, No. 14.
 ——— * *pleuronectes*, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 377.
 ——— *ponderosa*, Fornasini. Boll. Soc. geol. Ital. VI, 1887, 399, xi, 5a, b,
 6a, b.
 ——— * *poroconus*, Ehr. Mikrogeologie, 1854, xxxii, i, 6. [= *T. gibbosa*.]
 ——— *prælonga*, Reuss. Verstein. böhm. Kreide, 1845–46, i, 39, xii, 14. [v.
Spirolecta.]
 ——— ——— Reuss, in Geinitz, Grundr. Verstein. 1845–46, 679, xxiv,

- [**TEXTULARIA**] *prælonga*, Reuss. Czjzek, Haidinger's Naturw. Abh. II, 1848, 149, xiii, 28–30.
 ——— Reuss, Denkschr. k. Ak. Wiss. Wien, VII, Abth. 1, 1854, 72, xxvi, 8.
 ———* Reuss, in Geinitz, Palaeontographica, XX, Th. 2, 1874, iii, xxiii, 7 and 8.
 ———* Hoernes, Elem. Palaeont. 1884, 30, fig. 23; French ed. 1886, same fig.
 ———* *prælonga*, Schwager. Novara-Exped., Geol. Theil II, 1866, 252, vii, 104.
 ———* *problematica*, Terq. et Berth. Mém. Soc. géol. France, [2], X, 1875, 64, v (xv), 12.
 ——— *problematica*, Dunikowski. Kosmos [Lemberg], IV, 1879, 132, plate, 27.
 ———* *prodromus*, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 7, i, Turnerithon, 17.
 ——— *proxima*, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, 291, xxiii, 8.
 ———* *pugiunculus*, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 140, vii, 16.
 ——— *punctata*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 262, No. 3.
 ——— *punctulata*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 262, No. 4.
 ——— ——— = *T. gibbosa*, d'O.; see *Nautili amphorarii*, etc.
 ———* *pupa*, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 232, xiii, 4a, b, 5a, b.
 ——— *pupoïdes*, d'Orb. Goës, K. Svenska Vet.-Akad. Handl. XIX, No. 4, 1882, 81, vi, 173–180. [*Gaudryina*, 1840].
 ——— ——— v. *conica*, Goës. K. Svenska Vet.-Akad. Handl. XIX, No. 4, 1882, 83, vi, 181 and 182. [v. *T. conica*.]
 ———* *pusilla*, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 139, vii, 14. [In descript. of plates, called *exigua*.]
 ——— [*pigmea*], d'Orbigny. Ann. Sci. Nat. VII, 1826, 263, No. 13.
 ——— *pygmæa* ——— D'Orbigny, Modèles, No. 7, 1826.
 ——— ——— Gnérin-Ménéville's Cuvier, Iconographie, Mollusques, 1829–43, 9, iii, 2.
 ——— ——— Cuvier, Animal Kingdom, Henderson's ed. III, 1834 (pls. 1837), 19, vi, 2.
 ——— ——— Cuvier, Règne Animal, 1836–46, IX (pls. x), 34, xiv, 9.
 ——— ——— Mangin, Mystères Océan, 1864, 177, fig. 4.
 ——— ——— P., J., & B. [d'O., Modèles, No. 7], Ann. Mag. Nat. Hist. [3], XVI, 1865, 19, ii, 59.
 ——— ——— G. M. Dawson, Report Geol. 49th Par. 1875, 79, xvii, 2b.
 ——— ——— Dawson, Proc. Amer. Assoc. 1876 (Detroit), 104, fig. 4b.
 ——— ——— G. M. Dawson, Canad. Nat. [2], VII, 1874, 253, fig. b.
 ——— ——— Dawson, Lecture Notes, 1880, 92, fig. 6b.
 ——— ——— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (85), 161, fig.
 ——— ——— Gümbel, Geol. Bayern, Th. I, Lief. 2, 1885, fig. 266, 18.
 ——— ——— See *T. agglutinans*, d'O.
 ———* *pygmæa*, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863), 80, ix, 11a, b.
 ——— *quadrangularis*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 263, No. 21.
 ———* *quadrata*, Terq. Mém. Soc. géol. France, [3], II, 1882, 147, xv (xxiii), 16a, b.
 ———* *quadrilatera*, Schwager. Novara-Exped., Geol. Theil II, 1866, 253, vii, 103. [*T. quadrilatera* in explan. to plate.]
 ——— ——— Brady, Report Challenger, 1884, 358, xlII, 8–12.
 ———* *racemata*, Terq. et Berth. Mém. Soc. géol. France, [2], X, 1875, 63, v (xv), 11a, b.
 ———* *recurvata*, Ehr. Mikrogeologie, 1854, xxxvii, xi, A–D, 17. [See *T. falcata*, of which this is a side view.]
 ———* *rhodiensis*, Terq. Mém. Soc. géol. France, [3], I, 1878, 35, iii (viii), 10a and b.

- [**TEXTULARIA**] *rotundata*, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, not descr., xv, 6.
- *rugosa*, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, not descr., xv, 7.
- *rugosa*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 262, No. 10.
- *rugosa* (Reuss). Brady, Report Challenger, 1884, 363, xlvi, 23, 24. [*Plecanium*, 1869.]
- *sagittata*, Jones, Parker, & Brady. Crag. Foram., Pal. Soc. xix, 1866, n. d., iii, 7–9.
- *sagittula*, Defrance. Dict. Sci. Nat. xxxii, 1824, 177; liii, 1828, 344; Atlas, Conch. xiii, 5.
- Blainville, Manuel Malac. et Conch. 1825 (pls. 1827), 370, v, 6 [error for 5].
- D'Orbigny, Ann. Sci. Nat. VII, 1826, 263, No. 20.
- [d'Orb.]. Barker Webb & Berthelot, Hist. Nat. Iles Canaries, 1839, II, pt. 2, "Foraminifères," 138, i, 19–21.
- [d'Orb.]. Reeve, Conch. system. II, 1842, 292, cexvii, 10.
- [d'Orb.]. Reuss, in Geinitz, Grundr. Verstein. 1845–46, 680, xxiv, 72.
- Costa, Mem. Acc. Sci. Napoli, II, 1855 (1857), 125, i, 16.
- [d'Orb.]. Costa, Atti Accad. Poutaniana, VII, fas. 2, 1856, 291 [287], xxiii, 11A, C.
- Parker & Jones, Ann. Mag. Nat. Hist. [2], xix, 1857, 297, xi, 44; 45 var. *aciculata*.
- P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 168, xi, 114.
- Nicholson, Manual Palaeont. 1879, i, 116, fig. 18*l*.
- Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 72, iv [error for v], 133–158.
- (forma *Bigenerina*), Goës. K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 78, v, 159–161.
- var. *soldanii*, Fornasini. Boll. Soc. geol. Ital. II, 1883, 183, ii, 2a–d.
- Brady, Report Challenger, 1884, 361, xlvi, 17 and 18.
- var. *fistulosa*, Brady. Report Challenger, 1884, 362, xlvi, 19–22.
- Balkwill & Wright, Trans. R. Irish Ae. xxviii (Sci.), 1885, 332, xiii, 15–17.
- Fornasini, Boll. Soc. geol. Ital. VI, 1887, 399, xi, 2a, b.
- Fornasini, Boll. Soc. geol. Ital. VI, 1887, 374, ix, 1 and 2a, b.
- Malagoli, Boll. Soc. geol. Ital. VI, 1887, 520, xiii, 1.
- Brady, Parker, & Jones, Trans. Zool. Soc. XII, pt. 7, 1888, 219, xiii, 1.
- Fornasini, Boll. Soc. geol. Ital. VII, 1888, 46, iii, 2, 2a, 3 and 4.
- Agassiz, Three Cruises "Blake," II, 1888, 164, fig. 500.
- See *Polymorpha sagittula*.
- See *T. agglutinans*, d'O.
- *saulcyana*, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 146, i, 21 and 22; also in Spanish, 1840, 137, same pl. and fig.
- *scabra*, Fischer. Actes Soc. Linn. Bordeaux, xxvii, 1870, 393, No. 32. [= *Verneuilina polystropha*.]
- *scalpelliformis*, Potiez et Michaud. Galerie des Mollusques Mus. Douai, I, 1838, 28, ix, 4–6. [? a *Frondicularia*.]
- * *scyphiphila*, Uhlig. Mojsisovics und Neumayr's Beiträge Pal. Oest-Ungarn, I, 1882, 180, xv, 2 and 3.
- * *semipunctata*, Ehr. Abhandl. k. preuss. Ak. Wiss. Berlin, 1841, 429, ii, vi, 44. [= *Bolivina*?]

- [**TEXTULARIA**] *siphonifera*, Brady. Quart. Journ. Micr. Sci. **xxi**, 1881, 53.
 ——— ——— ——— Brady, Report Challenger, 1884, 362, xlvi, 25–29.
 ——— *soldanii*, Fornasini. Boll. Soc. geol. Ital. **vi**, 1887, 374, ix, 3a, b, 4a, b.
 ——— ——— ——— Fornasini, Boll. Soc. geol. Ital. **vii**, 1888, 318, xi, 1.
 ——— *spica*, Cornuel. Mém. Soc. géol. France, [2], iii, 1848, 257, ii, 23 and 24.
 ——— * *spicata*, Kübler & Zwingli. Neujahrsblatt Bürgersbibl. Winterthur, 1866, 15, iii, 4.
 ——— * *spinigera*, Terquem. Mém. Soc. géol. France, [3], ii, 1882, 146, xv (xxxii), 13.
 ——— *spinosa*, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1838, 135.
 ——— * *squamosa*, Terq. et Berth. Mém. Soc. géol. France, [2], x, 1875, 64, v (xv), 14.
 ——— * *stichopora*, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1841, 429, iii, vii, 46.
 [= *T. sagittula*?]
 ——— *striata*, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1838, 135, iv, a.
 ——— * ——— ——— Ehr., Abhandl. k. Ak. Wiss. Berlin, 1847, 446, ii, 77.
 [= *T. gibbosa* (?), d'O.]
 ——— * ——— ——— Ehr., Mikrogeologie, 1854, xxvii, 3; xxviii, 6 and 7; xxxi, 9; xxxii, i, 4b; and xxxii, ii, 11 and 14.
 ——— * ——— ——— Ehr., Abhandl. k. Ak. Wiss. Berlin, 1855, 175, vii, 3.
 ——— * ——— ——— Quenstedt, Handbuch Petref. ed. 3, Abth. 5 (1885), 1059, lxxxvi, 62.
 ——— ——— ——— Cooke, Thousand Objects Microsc. 1869, 90, ix, 6.
 ——— *striata* (Ehr.). Toutkowski, Zap. Kievsk. Obschch. Est. **viii**, 1887, 348, iii, 1a–d; vii, a.
 ——— *striato-punctata*, Egger. Neues Jahrbuch, 1857, 294, xii, 27–29.
 ——— *strombus*, Costa. Atti Accad. Pontaniana, vii, fas. 2, 1856, not deser., xiii, 34.
 ——— *subangularis*, Roemer. Neues Jahrbuch, 1838, 384, iii, 16.
 ——— *subangulata*, d'Orbigny. Foram. Fossiles Vienne, 1846, 247, xv, 1–3.
 ——— ——— ——— Egger, Neues Jahrbuch, 1857, 293, xii, 15 and 16.
 ——— * *subflabelliformis*, Hantken. A magy. kir. földt. int. évkönyve, **iv**, 1875 (1876), 57, xv, 2; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, **iv**, 1875 (1881), 66, same pl. and fig.
 ——— * *subrhombica*, Stache. Novara-Exped., Geol. Theil **i**, 1864, 271, xxiv, 20a, b, c.
 ——— * *subtilis*, Ehr. Mikrogeologie, 1854, xxx, 8. [= *Boliv. punctata*.]
 ——— * ——— ——— Ehr., Mikrogeologie, 1854, xxiv, 11. [= *T. gibbosa*, d'O.]
 ——— * *sulcata*, Ehr. Mikrogeologie, 1854, xxx, 4a, b, c. [= *T. striata*, 1838.]
 [= *T. striata*, Ehr.]
 ——— * ——— ——— Ehr., Mikrogeologie, 1854, xxxi, 10. [= *T. striata*?]
 [= *T. striata*.]
 ——— * ——— ——— Ehr., Mikrogeologie, 1854, xxvii, 4; xxix, 16 and 21b.
 [= *T. striata*, Ehr.]
 ——— *tetraedra*, Costa. Atti Accad. Pontaniana, vii, fas. 2, 1856, 288, xxiii, 104. C.
? ——— * (*Grammobotrys*?) *thebaica*, Ehr. Mikrogeologie, 1854, xxiv, 33.
 [= *Virg. hemprichii*.]
 ——— *transversaria*, Brady. Report Challenger, 1884, 359, exiii, 3–5.
 ——— *tricarinata*, Reuss. Geogn. Skizze Böhmen, II, 1844, pt. 1, 215.
 ——— ——— ——— Reuss, Verstein. böhm. Kreide, 1845–46, i, 39, viii, 60.
 [v. *Tritaxia*.]
 ——— * *trigeri*, Schwager. Benecke's Geogn. Pal. Beiträge, **i**, 1866, 308, fig. 13.
 ——— *triquetra*, v. Münster. Roemer, Neues Jahrbuch, 1838, 384, iii, 19.
 ——— ——— ——— Reuss, Verstein. böhm. Kreide, 1845–46, i, 39, xiii, 77.
 ——— ——— ——— Reuss, in Geinitz, Grundr. Verstein. 1845–46, 680, xxiv,

- [**TEXTULARIA**] *triquetra*, v. Muenster. Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 83, vi, 183 and 184.
 ——— ——— ——— (forma *Bigenerina*). Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 85, vi, 185 and 186.
 * *triseriata*, Terquem. Mém. Soc. géol. France, [3], ii, 1882, 145, xv (xxiii), 10.
 ——— *triticum*, Jones. In King, Pal. Soc. 1850, 18, vi, 5.
 ——— ——— Richter, Zeitschr. deutsch. geol. Ges. vii, 1855, 532, xxvi, 24 and 25.
 ——— ——— Geinitz, Dyas, etc. 1861, Heft i, 122, xx, 36 and 37.
 ——— ——— Brady, Carbonif. Foram., Pal. Soc. xxx, 1876, 134, x, 24 and 25.
 ——— ——— [King]. Roemer, Lethaea Geognostica, Th. i, Lief. 1, 1880, 271; and Atlas, 1876, Ixii, 2.
 ——— *trochoides*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 263, No. 22.
 ——— *trochus*, d'Orbigny. Mém. Soc. géol. France, [1], iv, 1840, 45, iv, 25 and 26; facsimile in Science Gossip, 1870, 157, fig. 153.
 ——— ——— Reuss, in Geinitz, Grundr. Verstein. 1845-46, 681, xxiv, 76.
 ——— ——— Eley, Geol. in the Garden, 1859, 199, vi, 34. [Flint east.]
 ——— ——— Jones, Geologist, vi, 1863, 294, xv, 3.
 ——— ——— J. P., & B., Crag Foram., Pal. Soc. xix, 1866, n. d., iii, 17 and 18.
 ——— ——— Vanden Broeck, Ann. Soc. Belge Mikros. ii, 1876, 132, iii, 11 and 12; and Fonds de la Mer, iii (1876).
 ——— ——— Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 80, v, 167-170; vi, 171 and 172.
 ——— ——— Brady, Report Challenger, 1884, 366, xlivi, 15-19; xliv, 1-3.
 ——— ——— Agassiz, Three Cruises "Blake," ii, 1888, 165, fig. 501.
 ——— ——— Terrigi, Mem. R. Acc. Lincei, [4], vi, 1889, 110, v, 4.
 * *trochus*? Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 309.
 ——— *tuberosa*, d'Orbigny. Ann. Sci. Nat. vii, 1826, 263, No. 26.
 ——— ——— Fornasini, Boll. Soc. geol. Ital. vi, 1887, 161, ii, 2a, b.
 ——— ——— = *T. gibbosa*, d'O.; see *Polymorpha janiformia*.
 ——— (*Bigenerina*) *tubulifera*, Parker & Jones. Ann. Mag. Nat. Hist. [3], xi, 1863, 92, fig. 2.
 ——— *turris*, d'Orbigny. Mém. Soc. géol. France, [1], iv, 1840, 46, iv, 27 and 28; facsimile in Science Gossip, 1870, 157, fig. 154.
 ——— ——— Reuss, Verstein. böhm. Kreide, 1845-46, i, 39; xiii, 76.
 ——— ——— Beudant, Géologie, ed. 8, 1858, 117, fig. 95; later eds. same fig.
 ——— ——— Eley, Geol. in the Garden, 1859, 202, viii, 10C.
 ——— ——— Eley, Geol. in the Garden, 1859, 195, ii, 10. [Flint east.]
 ——— ——— Cooke, Thousand Objects Microsc. 1869, 90 ix, 4.
 ——— ——— Brady, Report Challenger, 1884, 366, xliv, 4 and 5.
 ——— ——— Woodward & Thomas, 13 Ann. Rep. Geol. N. H. Survey Minnesota, for 1884 (1885), 167, iii, 8.
 * *ulmensis*, Gümbel. Sitz. k.-bayer. Ak. Wiss. i, 1871, 68, i, 17.
 * *undulosa*, Terquem. Mém. Soc. géol. France, [3], iv, 1886, 61, vii, 7a, b.
 * *uniserialata*, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1861, 309.
 ——— *unita*, Fornasini. Boll. Soc. geol. Ital. vi, 1887, 397, x, 2a, b.
 ——— *variabilis*, Williamson. Recent British Foram. 1858, 76, vi, 162-168, "162 and 163 typica."
 ——— ——— v. *difformis*, Williamson. Recent British Foram. 1858, 77, vi, 166 and 167.
 ——— ——— v. *laevigata*, d'Orb. Williamson, Recent British Foram. 1858, 77, vi, 168.

- [**TEXTULARIA**] *variabilis*, Williamson, v. *spathulata*, Williamson. Recent British Foram. 1858, 76, vi, 164 and 165.
- Dawson, Canad. Nat. v, 1860, 191, fig. 3.
- Williamson, Pop. Sci. Rev. iv, 1865, 174, viii, 11.
- Cooke, Thousand Objects Microsc. 1869, 93, ix, 19.
- Chimmo, Bed of Atlantie, [1870], 19, iv, 4.
- Figuier, Ocean World, [1873], 84, fig. 22.
- * *vicinalis*, Terq. et Berth. Mém. Soc. géol. France, [2], x, 1875, 63, v (xv), 10a-d.
- * *zwinglii*, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 30, iii, 44.
- Dujardin, Mém. Soc. géol. France, [1], ii, 1835, 239, xvii, 14.
- Bailey, Amer. Journ. Sci. xli, 1841, 401, figs. 1 and 2.
- Phillips, Rept. Proc. Geol. Poly. Soc. W. R. Yorkshire, 1844-45 (1846), 277, vii, 2.
- Pictet, Traité de Paléont. iv, 1846, 240, xii, 28.
- Pilla, Distinz. terr. Etrurio, 1846, 104, i, 5.
- Williamson, Mem. Lit. Phil. Soc. Manchester, [2], viii, 1848, 47, pl., 33.
- Brocklesby, Views Microscop. World, 1851, 51, figs. 88 and 89.
- Mantell, Medals Creation, ed. 2, 1854, 361, fig. 119, 2. [Sarcodite.]
- * Schultze, Organismus Polythal. 1854, vii, 28.
- * Ehrenberg, Mikrogeologie, 1854, xxxv, iii, C.
- * sp. ? Ehrenberg, Mikrogeologie, 1854, xxxvii, ix, B, 2.
- * sp. ? Ehrenberg, Mikrogeologie, 1854, xxxv, B, iv, A, o; xxxviii, xxiii, 4. [= *T. gibbosa*.]
- * Ehrenberg, Abhandl. k. preuss. Ak. Wiss. Berlin, 1855, 169, iv, xiv-xvi. [Grooved.] [Glauc.]
- Eley, Geol. in the Garden, 1859, 203, x, 45.
- (or **Polymorphina**?). Eley, Geol. in the Garden, 1859, 202, viii, 12C.
- (or **Polym.**). Eley, Geol. in the Garden, 1859, 195, ii, 12. [Flint east.]
- Carpenter, Parker, & Jones, Introd. Foram. 1862, 189, xii, 14 and 15.
- (**Grammost.**, Ehr.). Carpenter, Parker, & Jones, Introd. Foram. 1862, xxii, 9. [Cast.]
- Wallich, Quart. Journ. Sci. i, 1864, plate, 4.
- * v. Schlicht, Foram. Septar. Pietzpuhl, 1870, plate xxxiii.
- Tute, Science Gossip, 1874, 188, fig. 124. [123, 125 are probably gasteropods, 124 may be the same.]
- * Toula, Mith. Geogr. Ges. Wien, xviii, 1875, 165, pl., 14.
- sp. Vine, Science Gossip, 1878, 52, fig. 33.
- Sorby, Quart. Journ. Geol. Soc. xxxv, 1879, address, plate (privately printed) ii. [Section of chalk.]
- Carpenter, Ency. Brit. 9th ed. ix, 1879, Foraminifera, 374, i, 14, fig. 17.
- Seelheim, Nat. Verh. Koninkl. Ak. Wet. xix, No. 4, 1879, 8, pl. (2 figures). [Glauc.]
- Green, Amer. Journ. Micros. vi, 1881, 46, pl., 6.
- Carpenter, The Microscope, ed. 6, 1881, 573, fig. 3284. [Glaconitic cast.]
- Keeping, Geol. Mag., Dec. 2, ix, 1882, 490, xi, 14.
- * Folin, Congrès Scient. Dax, 1882 (1883), 325, pl., f. 6. [Sarcodite body.]
- Bütschli, Morph. Jahrb. xi, 1886, 83, vi, 13a, b.
- * Neumayr, Stämme d. Thierreiches, I, 1889 (8), 181, fig. 24a, b.
- Malagoli, Atti Soc. Nat. Modena, [3], vii, 1888, 112, iii, 1, 2, and 3.
- Wisnioski, Jahrb. k. k. geol. Reichs. xxxviii (1889), 695, xiii, 68.
- TEXTULARINA**, Ehrenberg, 1838. Abh. k. Ak. Wiss. Berlin, 1838 (1840), Tab. 1. [A family group name.]
- Texularia, Hamilton, 1881. Error for *Textularia*, q. v.
- THALAMOPORA**, Roemer, 1840. Roemer, Verst. norddeutsch. Kreide, 1841, 21; and Sitz. k. Ak. Wiss. Wien, lxiv, Abth. 1, 1871, 277.
- (*Ceriopora*) *cibrosa* (Goldfuss). Roemer, Verst. norddeutsch. Kreide, 1841, 21. [*Ceriopora*, 1826.]

- THALAMOPORA cibrosa** (Goldfuss). Reuss, in Geinitz, Palaeontographica, xx, Th. 1, 1872, 137, xxxiii, 11-15.
 _____ Giebel, Zeitschr. gesammt. Nat. [2], vii, 1873, 361.
- THEMEON rigatus**, Montfort. Conch. syst. i, 1808, 203, 51st genre. [= *Polyst. crispa.*]
- THOMASINELLA**, Schlumberger, 1889. C. R. Soc. géol. France, 18 Mars 1889, xvii.
- THURAMMINA**, Brady, 1879. Q. Journ. Micr. Sci. xix, 1879, 45; Brady, Report Challenger, 1884, 321.
- _____ *albicans*, Brady. Q. Journ. Micr. Sci. xix, 1879, 46, no figure.
 _____ Brady, Report Challenger, 1884, 323, xxxvii, 2-7.
- _____ *compressa*, Brady. Q. Journ. Micr. Sci. xix, 1879, 46, v, 9.
 _____ Brady, Report Challenger, 1884, 324, xxxvii, 1.
- _____ *hemisphærica*, Haeusler. Neues Jahrbuch, 1883, I, 60, iv, 14 and 14a.
 _____ Haeusler, Quart. Journ. Geol. Soc. xxxix, 1883, 28, iii, 7-9.
- _____ *papillata*, Brady. Q. Journ. Micr. Sci. xix, 1879, 45, v, 4-8. [v. "Orbuline lituola," 1875.]
 _____ Büttschli, in Bronn, Klassen, etc. Thier-Reichs, 1880, 202, v, 5.
- _____ Carpenter, The Microscope, ed. 6, 1881, 563, fig. 320g, h.
 _____ Uhlig, Neues Jahrbuch, 1882, 152.
- _____ Haeusler, Neues Jahrbuch, 1883, I, 60, iv, 9-13.
 _____ Haeusler, Ann. Mag. Nat. Hist. [5], xi, 1883, 262, viii, 1-38.
- _____ Haeusler, Quart. Journ. Geol. Soc. xxxix, 1883, 27, iii, 2-6.
 _____ Brady, Report Challenger, 1884, 321, xxxvi, 7 and 8.
 _____ Wright, Proc. Belfast Nat. Field Club, 1884-85, App. ix, 1886, 329, xxvii, 12.
- _____ Haeusler, Neues Jahrbuch, Beil. iv, Heft 1, 1885, 30, iii, 35.
 _____ Agassiz, Three Cruises "Blake," II, 1888, 164, fig. 496.
 _____ Sherborn & Chapman, Journ. R. Micr. Soc. 1889, 484, xi, 9.
- THURAMMINOPSIS**, Haeusler, 1883. Neues Jahrbuch, 1883, II, 69.
 _____ *canaliculata*, Haeusler. Neues Jahrbuch, 1883, II, 69, iv, 1-12.
- THYRSOPORELLA**. Gümbel, Abh. k.-bayer. Ak. Wiss. München, xi, 1871 (1874), 231, etc., plates. [A genus of calcareous Algæ, v. Solms-Laubach, Einleit. Palaeophytologie, 1887, 38, etc.] [Gümbel's spp. are *T. cancellata*; *T. cibrosa*.]
- TINOPORUS**, Montfort, 1808. Conch. Syst. i, 1808, 146, 37th genre; emend. Carpenter, Phil. Trans. 1860, 557, pls. xviii and xxi; see also Brady, Report Challenger, 1884, 714.
- _____ *baculatus*, Montfort. Conch. syst. i, 1808, 147, 37th genre.
 _____ Carpenter, Phil. Trans. 1860, 557 and 564, xviii, 2-10; xxi, 5-11.
 _____ Carpenter, Parker, & Jones, Introd. Foram. 1862, 226, xv, 5-12. [Structural.]
 _____ var. *hemisphæricus*, Carter. Ann. Mag. Nat. Hist. [4], xix, 1877, xiii, 19.
 _____ var. *sphæroidalis*, Carter. Ann. Mag. Nat. Hist. [4], xix, 1877, xiii, 18, 20, 21, 22. [Referred to *Gypsina globulus*, 1884.]
 _____ Carpenter, The Microscope, ed. 6, 1881, 573, fig. 329.
 _____ [Defr.]. Büttschli, in Bronn, Klassen, etc. Thier-Reichs, 1880, 216, xiii, 3.
 _____ Brady, Report Challenger, 1884, 716, ci, 4-7.
 _____ Sherborn & Chapman, Journ. R. Micr. Soc. [2], vi, 1886, 758, xvi, 24. [= *Ramulina*, teste De Amicis.]

- TINOPORUS** fuchsi, Karrer. Abh. k. k. geol. Reichs. ix, 1877, 388, xvi, b, 59.
 —— lœvis, Carpenter. Phil. Trans. 1860, 557, xxi, 1-4. [*Gypsinia vesicularis*, 1860.]
 [Referred to *Gypsinia vesicularis*, 1884.]
 —— Brady, Trans. Linnean Soc. xxiv, 1864, 470, xlviii, 17.
 —— lucidus, Brady, M.S. Catal. Foram. Edinburgh Mus. 1870, 8. [Referred to *Gypsinia inhærens*, 1884.]
 —— Wright, Proc. Belfast Nat. Field Club, 1876-77, (App.), 105, iv, 4a, b, 5.
 —— Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxiii, 1880, 213, iv, 70.
 —— pilaris, Brady. Ann. Soc. Malac. Belge, xi, 1876 (Mém.), 103, no fig. [Referred to *Gypsinia globulus*, 1884.]
 —— tuberculatus (Costa). Schwager, Boll. R. Com. geol. Ital. viii, 1877, 26, pl. 73. [*Orbulina*, 1826.]
 —— vesicularis, Parker & Jones. Carpenter, Parker, & Jones, Introd. Foram. 1862, 223, xv, 1-4. [*Orbitolina*, 1860.] [Structural.]
 —— Bütschli, in Brönn, Klassen, etc. Thier-Reichs, 1880, 216, xiii, 2.
 —— Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 104, vii, 245-247.
 —— Malagoli, Atti Soc. Nat. Modena, [3], vii, 1888, 114, iv, 2.
- TITANOPSIS**, de Folin, 1881. Bull. Soc. N. H. Toulouse, xv, 138 ; not described ; 9 species proposed !
- irregularis, de Folin. Le Naturaliste, Ann. 9, 1887, 114, fig. 7a.
- TOXINOPSIS**, de Folin, 1881. Bull. Soc. N. H. Toulouse, xv, 138 ; not described ; 1 species proposed.
- TRAGOS**. See *Coscinopora*.
- TRETOMPHALUS**, Möbius, 1880. Beitr. Meeresfauna Insel Mauritius, etc. 1880, 98.
- bulloides (d'Orb.). Möbius, Beitr. Meeresfauna Insel Mauritius, etc. 1880, 98, x, 6-9. [*Rosalina*, 1826 ; = *Cymbalopora*.]
- TRIGONULINA**, Seguenza, 1862. Foram. monotal. miocen. Messina, 1862, 74.
- biangulata, Seguenza. Foram. monotal. miocen. Messina, 1862, 74, ii, 57 and 59.
- globosa, Seguenza. Foram. monotal. miocen. Messina, 1862, 75, ii, 60-62.
- oblonga, Seguenza. Foram. monotal. miocen. Messina, 1862, 74, ii, 56 and 58. [v. *Lagena*, and *L. trigono-oblonga*.]
- regularis, Seguenza. Foram. monotal. miocen. Messina, 1862, 75, ii, 63 and 64.
- TRILLINA**, Munier-Chalmas, 1882. Bull. Soc. géol. France, [3], x, 1882, 424, "type *Triloculina strigillata*, d'Orb."
- TRILOCULINA**, d'Orbigny, 1826. Ann. Sci. Nat. vii, 1826, 299.
- ? — acuminata, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1838, 135.
- acutangula, Reuss. Sitz. k. Ak. Wiss. Wien, L, Abth. 1, 1864 (1865), 451, i, 6.
- ægæa, Ehr. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 30.
- æmulans, Reuss. Sitz. k. Ak. Wiss. Wien, L, Abth. 1, 1864 (1865), 451, i, 5.
- affinis, d'Orbigny. Ann. Sci. Nat. vii, 1826, 299, No. 2.
- Terq., Mém. Soc. géol. France, [3], II, 1882, 164, xvii (xxv), 1a-c.
- anceps, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 383, xlix, 11.
- angularis, d'Orbigny. Ann. Sci. Nat. vii, 1826, 299, No. 6.
- Terq., Mém. Soc. géol. France, [3], II, 1882, 163, xvi (xxiv), 34 and 35.
- angulata, Karrer. Sitz. k. Ak. Wiss. Wien, LV, Abth. 1, 1867, 359, ii, 6.
- angulosa, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, 315, xxvi, 14 and 15A, B, C.

- TRILOCULINA angusta**, Deshayes. Ency. Méth. (Vers), III, 1832, 1052.
 —— *angusta*, Philippi. Tertiär. nordwest. Deutsch. 1843, 43, i, 40. [v.
Quinqueloculina.]
 —— *angusta*, Terg. Mém. Soc. géol. France, [3], I, 1878, 59, v (x), 28a, b.
 ? —— *antillarum*, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1841, 4-9, ii, vi, 39.
 [= ? *Quinqueloc.*]
 —— *austriaca*, d'Orbigny. Foram. Fossiles Vienne, 1846, 275, xvi, 25-27.
 [v. *Miliola*.]
 —— —— Mackie, Science Gossip, 1867, 131, fig. 133.
 —— —— Terquem, Ess. Anim. Plage Dunkerque, pt. 2, 1876, 81,
 xi, 3a, b; (and Mém. Soc. Dunkerquoise).
 —— *bicarinata*, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839,
 "Foraminifères," 180, x, 18-20; also in Spanish, 1840, 158, same pl.
 and fig.
 —— *bicornis* (W. & J.). Brown, Illustr. Conch. Gt. Brit. ed. 2, 1844, 2,
 lvi, 24. [*Serpula*, 1798.]
 —— *bipartita*, d'Orbigny. Foram. Fossiles Vienne, 1846, 275, xvii, 1-3.
 —— *boliviana*, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Forami-
 nifères," 69, iv, 7-9.
 —— *bornemanni*, Bosquet. Verh. Koninkl. Akad. Wetensch. VII, 1859, 25,
 ii, 12a-c.
 —— *brongniartiana*, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba,
 1839, "Foraminifères," 176, x, 6-8; also in Spanish, 1840, 156, same pl.
 and fig.
 —— —— Bailey, Smithsonian Contrib. II, 1851, 13, pl. (44, 45) ?.
 [44 may be *Trochammina*.]
 —— *brongniartii*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 300, No. 23. [v.
Quinqueloculina.]
 —— —— P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII,
 1871, 250, viii, 9.
 —— —— See *Frumentaria fæniculum*.
 —— *carinata*, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Fora-
 minifères," 179, x, 15-17; also in Spanish, 1840, 157, same pl. and fig.
 —— —— Brady, Trans. Linnean Soc. XXIV, 1864, 466, xlvi, 3.
 —— —— See *Frumentaria 3 speciei*.
 —— *carinata*, Michelotti. Mem. Soc. Ital. Sci. XXII, 1841, 300, iii, 1.
 —— *carinata*, Philippi. Tertiär. nordwest. Deutsch. 1843, 43, i, 36.
 —— *cassis*, Terquem. Mém. Soc. géol. France, [3], I, 1878, 60, v (x), 30a, b.
 —— *caudata*, Terquem. Ess. Anim. Plage Dunkerque, pt. 2, 1876, 81, xi, 1;
 (and Mém. Soc. Dunkerquoise).
 —— *chemnitziana*, d'Orbigny. Barker Webb & Berthelot, Hist. Nat. Iles
 Canaries, 1839, II, pt. 2, "Foraminifères," 141, iii, 19-21.
 —— *circularis*, Bornemann. Zeitschr. deutsch. geol. Ges. VII, 1855, 349,
 xix, 4. [v. also *Miliolina*.]
 —— *communis*, Deshayes. Déscrip. Coq. Charact. 1831, 252 and 259, iii,
 5, 6, and 7. [v. *Miliola*; *Miliolinia*.]
 —— —— Brönn, Lethaea Geognostica, ed. 2, 1837, 1145, xlvi, 31a,
 b, c.
 —— —— —— Brown, Elem. Foss. Conech. 1843, 24, ii, 12 and 19.
 —— —— —— Brönn, Lethaea Geognostica, ed. 3, III, 1853-56, 246, xlvi,
 31a, b, c.
 —— *consobrina*, d'Orbigny. Foram. Fossiles Vienne, 1846, 277, xvii, 10-12.
 [v. *Miliola*.]
 —— *cor-anguinum* (Lam.). Dixon, Geol. etc. Sussex, 1850, 85, ix, 9; and
 2d ed. 1878, 172. [*Miliolites*, 1804.]
 —— *costata*, Terquem. Quatr. Mém. Foram. Oolithique, 1874, 327, xxxvi,
 1a, b.
 —— *costifera*, Terquem. Mém. Soc. géol. France, [3], I, 1878, 60, v (x),
 31a, b.

- TRILOCULINA** *crassa*, Nicolucci. Nuovi Ann. Sci. Nat. Bologna, [2], vi, 1846, 207.
- *cretacea*, d'Orb., 1847. D'Orbigny, Prodrome de Paléont. II, 1850, 210, No. 359.
- *cryptella*, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 70, ix, 4 and 5. [v. *Miliola*.]
- *cuneata*, Karrer. Sitz. k. Ak. Wiss. Wien, LV, Abth. 1, 1867, 359, ii, 8.
- *cylindrica*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 300, No. 19.
- *decipiens*, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 382, xlix, 8. — Costa, Atti Accad. Pontaniana, VII, fas. 2, 1856, xxiv, 13 and 16.
- *deformis*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 300, No. 18.
- Guérin-Menéville's Cuvier, Iconographie, Mollusques, 1829-43, 9, iii, 4.
- [*diformis*] — Cuvier, Animal Kingdom, Henderson's ed. III, 1834 (pls. 1837), 19, vi, 4.
- — — — Terq., Mém. Soc. géol. France, [3], I, 1878, 58, v (x), 25a-c.
- [*diformis*] — Terq., Mém. Soc. géol. France, [3], II, 1882, 117, xvii (xxv), 12-18.
- *dichotoma*, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 383, xlix, 12.
- *dilatata*, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, Abth. 1, 1868, 139, ii, 1.
- *divaricata*, Franzenau. Földtani Közlöny, XI, 1881, 39 and 91, iii, 1-3.
- *dubia*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 300, No. 24.
- *eburnea*, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 180, x, 21-23; also in Spanish, 1840, 158, same pl. and fig.
- *echinata*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 300, No. 14.
- *elegans*, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1838, 135.
- *elongata*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 300, No. 17.
- *enoplostoma*, Reuss. Zeitschr. deutsch. geol. Ges. III, 1851, 86, vii, 57. — Pictet, Traité de Paléont. 2d ed. IV, 1857, 524, cix, 44. — var. *grammostoma*, Reuss. Sitz. k. Ak. Wiss. Wien, LV, Abth. 1, 1867, 72, ii, 5a, b, c.
- *exigua*, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, xxiv, 17.
- *exilis*, Reuss. Sitz. k. Ak. Wiss. Wien, LIX, Abth. 1, 1869, 455, i, 5a-c.
- *ferruginea*, Terquem. Bull. Soc. géol. France, [3], IV, 1876, 499, xvii, 23.
- *fichteliana*, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 171, ix, 8-10; also in Spanish, 1840, 152, same pl. and fig. [v. *Miliolina*.] [*T. fichtelliana* on plate.]
- *fischeri*, Schlumberger. Feuille Jeun. Nat., July, 1883, 107, ii, 2, 2a, b.
- *flavescens*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 300, No. 11.
- *foliacea*, Terquem. Mém. Soc. géol. France, [3], I, 1878, 60, vi (xi), 1a-c.
- *fontinensis*, Terquem. Quatr. Mém. Foram. Oolithique, 1874, 328, xxxv, 11a, b.
- *fulgurata*, Schlumberger. Feuille Jeun. Nat., July, 1883, 107, ii, 1 and 1a, b.
- *gibba*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 299, No. 3. [v. *Miliola*.] — D'Orbigny, Foram. Fossiles Vienne, 1846, 274, xvi, 22-24. [v. *Miliola*.]
- — — — Brönn, Klassen Ordn. Thier-Reichs, I, 1859, 69, vi, 3a, b, c, and 7.
- — — — Reuss' Models, No. 11, 1865 (Catal., No. 19, 1861). [= *T. trigonula*, Lam.]
- — — — var. Reuss, Sitz. k. Ak. Wiss. Wien, I, Abth. 1, 1864 (1865), 450, i, 4.

- TRILOCULINA gibba**, d'Orbigny. P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 248, viii, 7.
 ——— ——— Toula, Mitt. geogr. Ges. Wien, XVIII, 1875, 165, pl., 19
 ——— ——— Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 17, xii, 10; and Mitt. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 21, same pl. and fig.
 ——— ——— Zittel, Handbuch Palaeont. Abth. I, 1876, 77, fig. 10².
 ——— ——— K. Miller, Schr. Ver. Gesch. Bodensee, Heft VII, 1877, [77], iv, 13. [Cast or concretion?]
 ——— ——— Schwager, Boll. R. Com. geol. Ital. VIII, 1877, 27, pl., 115.
 ——— ——— Bütschli, in Brönn, Klassen, etc. Thier-Reichs, 1880, 190, viii, 3.
 ——— ——— Terq., Mém. Soc. géol. France, [3], II, 1882, 163, xvi (xxiv), 31a, b, c.
 ——— ——— Hoernes, Elem. Palaeont. 1884, 34, fig. 32; French ed. 1886, same fig.
 ——— ——— See *Frumentaria tricostata*.
 ——— **gibberula**, Terquem. Mém. Soc. géol. France, [3], I, 1878, 60, v (x), 29a, b.
 ——— **glabra** (Brown). Brown, Illustr. Recent Conch. Gt. Brit. ed. 2, 1844, 2, lvi, 20, 21. [*Renoidea*, 1827.]
 ——— ——— G. B. Sowerby, Foram. Colne Tidal River, 1856, [privately printed], plate, fig. 10. [= *M. seminulum*.]
 ——— **globulus**, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 71, ix, 9 and 10.
 ——— **gracilis**, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 181, xi, 10–12; also in Spanish, 1840, 159, same pl. and fig. [Given as *Quinqueloculina* in error on plate.] [v. *Miliolina*.]
 ——— **granulata**, Reuss. Denkschr. k. Ak. Wiss. Wien, XXIII, 1864, 8, i, 13.
 ——— **gualtieriana**, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 170, ix, 5–7; also in Spanish, 1840, 152, same pl. and fig.
 ——— **hartigi**, Bosquet. Verh. Koninkl. Akad. Wetenschappen, VII, 1859, 24, ii, 11a–c.
 ——— **hemisphaerica**, Terquem. Mém. Soc. géol. France, [3], II, 1882, 163, xvi (xxiv), 32, 33.
 ——— **incerta**, Terquem. Mém. Soc. géol. France, [3], I, 1878, 57, v (x), 19a, b.
 ——— **inflata**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 300, No. 10. [v. *Quinqueloculina*.]
 ——— ——— Roemer, Neues Jahrbuch, 1838, 393, iii, 72.
 ——— ——— Michelotti, Mem. Soc. Ital. Sci. xxii, 1841, 299, iii, 11.
 ——— ——— D'Orbigny, Foram. Fossiles Vienne, 1846, 278, xvii, 13–15.
 ——— ——— Terq., Mém. Soc. géol. France, [3], I, 1878, 56, v (x), 16a–18b.
 ——— ——— Terq., Mém. Soc. géol. France, [3], II, 1882, 165, xvii (xxv), 4–6.
 ——— ——— = *Quinqueloc.*; see *Frumentarium nautiliforme*.
 ——— **inflata**, Deshayes. In Lyell, Principles of Geology, III, 1833, 251, iv, 1–4.
 ——— **inornata**, d'Orbigny. Foram. Fossiles Vienne, 1846, 279, xvii, 16–18.
 ——— **intermedia**, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, Abth. I, 1868, 138, i, 11.
 ——— **josephina**, d'Orbigny. Cours élém. Paléont. I, 1849, 204, fig. 331; II, fas. 2, 1852, 818, fig. 626.
 ——— **kochi**, Nemes. Órvos term. értesítő (term. szak), XIII, 1888, 162 and 217, vi, 1.

- TRILOCULINA** kochi, Reuss. Zeitschr. deutsch. geol. Ges. VII, 1855, 289, xi, 6 and 7.
- labiosa, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 178, x, 12-14; also in Spanish, 1840, 157, same pl. and fig. [v. *Miliolina*.]
- lævigata, Bornemann. Zeitschr. deutsch. geol. Ges. VII, 1855, 350, xix, 5.
- lævigata, d'Orbigny. Ann. Sci. Nat. VII, 1826, 300, No. 15.
- — — — — Terq., Mém. Soc. géol. France, [3], I, 1878, 57, v (x), 20a-21b.
- — — — — Terq., Mém. Soc. géol. France, [3], II, 1882, 168, xvii (xxv), 22-23.
- lævissima, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, not descr., xxv, 8 and 9.
- liasina, Terquem. Mém. Ac. Imp. Metz, XXXIX, 1858, 637, iv, 14a-c.
- lineata, Conrad. Proc. Ac. Nat. Sci. Philad. 1865, 73; not described, not figured.
- linneiana, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 172, ix, 11-13; also in Spanish, 1840, 153, same pl. and fig. [v. *Miliolina*.]
- lutea, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 70, ix, 6-8.
- martiniana, d'Orbigny. Barker Webb & Berthelot, Hist. Nat. Iles Canaries, 1839, II, pt. 2, "Foraminifères," 141, iii, 16-18. [*T. martiana* in plate.]
- maurinii, d'Orbigny. Ann. Sci. Nat. VII, 1826, 300, No. 25.
- microdon, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 382, xlix, 9.
- minuta, Brown. Illustr. Recent Conch. Gt. Brit. ed. 2, 1844, 2, lvi, 18 and 19. [*Miliola*, 1827.]
- moguntiaca, Reuss. Neues Jahrbuch, 1853, 672, ix, 5a-c.
- nitens, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 383, xlix, 10.
- nitida, d'Orbigny. Barker Webb & Berthelot, Hist. Nat. Iles Canaries, 1839, II, pt. 2, "Foraminifères," 141, iii, 22-24.
- — — Mackie, Science Gossip, 1867, 131, fig. 134.
- nodosaroides, Karrer. Sitz. k. Ak. Wiss. Wien, LV, Abth. 1, 1867, 360, ii, 9.
- nodulus, Eichwald. Lethaea Rossica, III, 1853, 12, i, 14a-d.
- oblonga (Montagu). D'Orbigny, Ann. Sci. Nat. VII, 1826, 300, No. 16. [*Vermiculum*, 1803.]
- — — — — D'Orbigny, Modèles, 1826, No. 95.
- — — — — [Lam.]. Brönn, Lethaea Geognostica, ed. 2, 1837, 1146, xlvi, 27.
- — — — — [d'Orb.]. Roemer, Neues Jahrbuch, 1838, 393, iii, 70.
- — — — — [d'Orb.]. Potier & Michaud, Galerie des Mollusques Mus. Douai, I, 1838, 40, x, 7 and 8.
- — — — — [d'Orb.]. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 175, x, 3-5; also in Spanish, 1840, 155, same pl. and fig.
- — — — — [d'Orb.]. Reuss, in Geinitz, Grundr. Verstein. 1845-46, 684, xxiv, 89.
- — — — — . Brönn, Lethaea Geognostica, ed. 3, III, 1853-56, 246, xlvi, 27a, b, c.
- — — — — Gosse, Manual Mar. Zool. 1855, 14, fig. 19.
- — — — — Macdonald, Ann. Mag. Nat. Hist. [2], XX, 1857, 193, vi, 30.
- — — — — Parker & Jones, Ann. Mag. Nat. Hist. [2], xix, 1857, 300, x, 37.
- — — — — P., J., & B. [d'O., Modèles, No. 95], Ann. Mag. Nat. Hist. [3], XVI, 1865, 34, i, 9.
- (Quinqueloc.) — — — — — J., P., & B., Crag Foram., Pal. Soc. xix, 1866, 71, iii, 31 and 32.

- TRILOCULINA oblonga** (Montagu). P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 251, viii, 8. [*Quinqueloc. longirostris*, d'O., q. v.]
 ——— [d'Orb.]. Terquem, Ess. Anim. Plage Dunkerque, pt. 1, 1875, 38, v, 19a, b; (and Mém. Soc. Dunkerquoise).
 ——— Terq., Mém. Soc. géol. France, [3], I, 1878, 58, v (x), 22a-24b.
 ——— Terq., Mém. Soc. géol. France, [3], II, 1882, 168, xvii (xxv), 20 and 21.
 ——— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 163, fig.
obotritica, Boll. Geogn. deutsch. Ostseeländer, 1846, 177, ii, 14.
oculina, d'Orbigny. Foram. Fossiles Vienne, 1846, 277, xvii, 7-9.
orbicularis, Röemer. Neues Jahrbuch, 1838, 393, iii, 74.
 ——— Reuss, Sitz. k. Ak. Wiss. Wien, XVIII, 1856, 251, viii, 85.
 ——— Andreae, Abh. geol. Speciaalkarte Elsass-Lothr. II, Heft 3, 1884, 220, x, 24.
ovalis, Roemer. Neues Jahrbuch, 1838, 393, iii, 73.
oviformis, Terquem. Mém. Soc. géol. France, [3], II, 1882, 165, xvii (xxv), 2a, b.
oxfordiana, Deecke. Mém. Soc. Emul. Montbéliard, XVI, 1886, [18], i, 32, 32a.
perforata [W. & J.]. Brown, Illustr. Recent Conch. Gt. Brit. ed. 2, 1844, 2, lvi, 26. [*Serpula*, 1798.]
planciana, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 173, ix, 17-19; also in Spanish, 1840, 154, same pl. and fig.
plicata, Terquem. Mém. Soc. géol. France, [3], I, 1878, 61, vi (xi), 2a, b.
porvaensis, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 76, xiii, 3; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 21, same pl. and fig.
propinqua, Terquem. Mém. Soc. géol. France, [3], II, 1882, 168, xvii (xxv), 19a-e.
pulchella, d'Orbigny. Foram. Fossiles Vienne, 1846, 279, xvii, 19-21.
 ——— Mackie, Recreative Science, I, 1859, 149, fig. 32.
pyrula, Karrer. Sitz. k. Ak. Wiss. Wien, LV, Abth. 1, 1867, 359, ii, 7.
quadrilateralis, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 173, ix, 14-16; also in Spanish, 1840, 153, same pl. and fig. [*T. quadrilatera* on plate.]
raibliana, Gümbel. Jahrb. k. k. geol. Reichsanstalt, XIX, 1869, 182, vi, 34.
reticulata, d'Orbigny. Ann. Sci. Nat. VII, 1826, 299, No. 9. [v. *Miliolina* and *Quinqueloculina*.]
 ——— = *Quinqueloc.*; see *Frumentaria reticulata*.
retortioris, Nemes. Orvos term. értesítő (term. szak), XIII, 1888, 163 and 218, vi, 2. [= *Vertebralina*.]
rosea, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 69, iii, 18-20.
rostrata, Michelotti. Mem. Soc. Ital. Sci. XXII, 1841, 300, iii, 3.
 ——— Michelotti, Nat. Verh. Holland. Maatsch. Wetensch. Haarlem, [2], III, (2), 1847, 18, not fig'd.
rotunda, d'Orbigny. Ann. Sci. Nat. VII, 1826, 299, No. 4.
rotundata, Brown. Illustr. Recent Conch. Gt. Brit. ed. 2, 1844, 2, lvi, 14 and 15. [*Renoidea*, 1827.]
rugosa, d'Orbigny. Ann. Sci. Nat. VII, 1826, 299, No. 8.
scapha, d'Orbigny. Foram. Fossiles Vienne, 1846, 276, xvii, 4-6.
schreiberiana, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 174, ix, 20-22; also in Spanish, 1840, 154, same pl. and fig. [*T. schreiberiana* on plate.]
selene, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, Abth. 1, 1868, 138, i, 12.

- TRILOCULINA** *squamosa*, Terquem. Mém. Soc. géol. France, [3], I, 1878, 59, v (x), 26a, b.
- *staurostoma*, Schlumberger. Feuilles Jeun. Nat., July, 1883, 106, ii, 4 and 4a.
- *striata*, Brown. Illustr. Recent Coneh. Gt. Brit. ed. 2, 1844, 2, lvi, 27. [*Miliola*, 1827.]
- — — G. B. Sowerby, Foram. Colne Tidal River, 1856 [privately printed], plate, figs. 5 and 6. [= *Q. brongniartii*, d'Orb.]
- *striata*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 300, No. 22.
- *striatella*, Seguenza. Atti R. Acc. Lincei, [3], VI, 1880, 153, xiv, 13a, b [error for 12].
- *striatella*, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, Abth. 1, 1868, 140, ii, 2.
- *strigilla*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 300, No. 13.
- *[strigillata]* — — — Terq., Mém. Soc. géol. France, [3], II, 1882, 169, xvii (xxv), 25a-e.
- *subaequilateralis*, Terquem. Mém. Soc. géol. France, [3], I, 1878, 59, v (x), 27a, b.
- *subangusta*, d'Orb., 1847. D'Orbigny, Prodrome de Paléont. III, 1852, 162, No. 3031. [= "T. angusta, Phil. 1844."]
- *subinflata*, Reuss. Sitz. k. Ak. Wiss. Wien, LIX, Abth. 1, 1869, 454, i, 4a, b, c.
- *suborbicularis*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 300, No. 12.
- — — D'Orb. in De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 177, x, 9-11; also in Spanish, 1840, 156, same pl. and fig.
- *subtriquetra*, Eichwald. Lethaea Rossica, III, 1853, 12, i, 13a-d. [*Miliola*, 1830, q. v.; erroneously quoted as "Melania, 1830."]
- *sulcata*, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, Abth. 1, 1868, 139, i, 13.
- *symmetrica*, Quenstedt. Handbuch Petref. ed. 3, Abth. 5 (1885), 1061, lxxxvii, 10.
- *sypho*, Nicolucci. Nuovi Ann. Sci. Nat. Bologna, [2], VI, 1846, 207.
- (*Cruciloc.*) *triangularis*, d'Orb. Bütschli, in Bronn, Klassen, etc. Thier-Reichs, 1880, 190, iv, 25. [*Cruciloculina*, 1839.]
- *tricarinata*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 299, No. 7. [v. *Miliola*; and *Miliolina*.]
- — — D'Orbigny, Modèles, No. 94, 1826.
- — — Guérin-Ménéville's Cuvier, Iconographie, Mollusques, 1829-43, 9, iii, 5.
- — — Cuvier, Animal Kingdom, Henderson's ed. III, 1834 (pls. 1837), 19, vi, 5.
- — — P., J., & B. [d'O., Modèles, No. 94], Ann. Mag. Nat. Hist. [3], XVI, 1865, 34, i, 8.
- — — J., P., & B., Crag Foram., Pal. Soc. XIX, 1866, 7, iii, 33, 34.
- — — Reuss, Sitz. k. Ak. Wiss. Wien, LV, Abth. 1, 1867, 71, ii, 4a, b, c.
- — — Anon., Science Gossip, 1870, 10, fig. 19.
- — — Morris, Lecture Geol. Croydon, [1876], 8, fig. 2^o.
- — — Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 163, fig.
- *tricostata*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 300, No. 21.
- — — Terq., Mém. Soc. géol. France, [3], II, 1882, 166, xvii (xxv), 7-11.
- — — = *Q. pulchella* (young). See *Fumentaria faeniculum*.
- *trigonula* (Lamarck). D'Orbigny, Ann. Sci. Nat. VII, 1826, 299, No. 1, xvi, 5-9. [*Miliolites*, 1804.]
- — — D'Orbigny, Modèles, No. 93, 1826.
- — — Bronn, Lethaea Geognostica, ed. 2, 1837, 1144, xlvi, 28a, b, c.

- TRILOCULINA trigonula** [d'Orb.]. Roemer, Neues Jahrbuch, 1838, 393, iii, 71.
 _____ Michelotti, Mem. Soc. Ital. Sci. xxii, 1841, 299, iii, 10.
 _____ Smedley, Ency. Metrop. 1845, undescri., pl. "Mollusca ?," 22-24.
 _____ [d'Orb.]. Reuss, in Geinitz, Grundr. Verstein. 1845-46, 684, xxiv, 88.
 _____ Mantell, Pictorial Atlas Foss. Rem. 1850, 143, lxii, 17-19.
 _____ Bronn, Lethaea Geognostica, ed. 3, III, 1853-56, 245, xlvi, 28a, b, c.
 _____ Costa, Atti Accad. Pontaniana, VII, fas. 2, 1856, 314, xxii [error for xxiv], 8A, B, C.
 _____ Beudant, Géologie, ed. 8, 1858, 117, fig. 104; later eds. same fig.
 _____ Reuss, Denkschr. k. Ak. Wiss. Wien, xxiii, 1864, 8, i, 12.
 _____ P., J., & B. [d'O., Modèles, No. 93], Ann. Mag. Nat. Hist. [3], xvi, 1865, 33, i, 7.
 _____ Anon., Science Gossip, 1870, 10, fig. 20.
 _____ Terquem, Ess. Anim. Plage Dunkerque, pt. 2, 1876, 81, xi, 2a, b; (and Mém. Soc. Dunkerquoise).
 _____ [d'Orb.]. Terq., Mém. Soc. géol. France, [3], II, 1882, 165, xvii (xxv), 3a, b.
 _____ Jones, in Microgr. Diet. ed. 4, 1883, 782, xxiii, 4a, b.
 _____ [d'Orb.]. Munier-Chalmas & Schlumb., Comptes Rendus, xcvi, 1883, 1598, figs. 5 and 6.
 _____ Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 163, fig.
 _____ Quenstedt, Handbuch Petref. ed. 3, Abth. 5 (1885), 1061, lxxxvii, 11.
 _____ [d'Orb.]. Mun.-Ch. & Schlumb., Bull. Soc. géol. France, [3], XIII, 1885, 286, figs. 11, 12; 292, figs. 18, 19. [Structural.]
 _____ [d'O.]. Fritel, Foss. caract. terr. sedim. tert. 1886, pl. vii, 66 and 67.
 _____ **triquetra**, Terquem. Mém. Soc. géol. France, [3], II, 1882, 164, xvi (xxiv), 36 and 37.
 _____ **truncata**, Karrer. Sitz. k. Ak. Wiss. Wien, L, Abth. 1, 1864 (1865), 704, i, 2.
 _____ **tumida**, Terquem. Mém. Soc. géol. France, [3], II, 1882, 169, xvii (xxv), 24a, b, c.
 ? _____ ? **turgida**, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1841, 429, ii, vi, 40.
 _____ **turgida**, Reuss. Zeitschr. deutsch. geol. Ges. III, 1851, 86, vii, 58.
 _____ Andreae, Abh. geol. Specialkarte Elsass-Lothr. II, Heft 3, 1884, 220, x, 29.
 _____ var. **inflata**, Andreae. Abh. geol. Specialkarte Elsass-Lothr. II, Heft 3, 1884, 220, x, 28.
 _____ **unidentata**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 299, No. 5.
 _____ **valvarialis**, Reuss. Zeitsehr. deutsch. geol. Ges. III, 1851, 85, vii, 56. [v. *Miliolina*.]
 _____ **variabilis**, Terquem. Quatr. Mém. Foram. Oolithique, 1874, 328, xxxv, 12-22.
 _____ **varians**, Terquem. Mém. Soc. géol. France, [3], II, 1882, 170, xviii (xxvi), 1-4.
 _____ **vitrea**, Karrer. Jahrb. k. k. geol. Reichsanstalt, XX, 1870, 167, i, 5.
 _____ **webbiana**, d'Orbigny. Barker Webb & Berthelot, Hist. Nat. Iles Canaries, 1839, II, pt. 2, "Foraminifères," 140, iii, 13-15.
 _____ Deshayes, Descr. Coq. Foss. Paris, 1824-1837, numerous figures [pls. c-evi], of which descriptions or names were never published.
 _____ Ansted, Geology, 1844, ii, 63, fig. i.
 _____ Pictet, Traité de Paléont. IV, 1846, 243, xii, 31.
 _____ Pilla, Trattato Geol. Pt. I, 1847, 462, fig. 84; and Pt. II, 1851, 249, fig. 162.

- TRILOCULINA**, Ehrenberg, Mikrogeologie, 1854, xxxiv, x, A, 6. [= ?]
 —— Ehrenberg, Abhandl. k. Ak. Wiss. Berlin, 1855, 169, iv, xxi. [Glaue.]
 —— Parker, Trans. Micr. Soc. London, n. s. vi, 1858, 57, pl. v, and figs.
 —— Carpenter, Parker, & Jones, Introd. Foram. 1862, 75 and 78, vi, 13, 14.
 [13 = *T. reticulata*, d'O.; 14 = new?]
 —— Chimmie, Bed of Atlantic, [1870], 27, x, 1.
 —— Von Schlicht, Foram. Septar. Pietzpuhl, 1870, plate xxxvi.
 —— Terq. et Berth., Mém. Soc. géol. France, [2], x, 1875, 73, cuts 9-11.
 [Diagrains.]
 —— Carpenter, Ency. Brit. 9th ed. ix, 1879, Foraminifera, 374, i, 3.
 —— Mun.-Ch. & Schlumb., Bull. Soc. géol. France, [3], XIII, 1885, 281, etc.
 fig. [Structural.]
 —— Steinmann, Elém. Paléont. I, 1888, 23, 4C.
- “**Trilocularia**.” Terquem, Mém. Soc. géol. France, [3], iv, 1886, 68-72, vii,
 34-39; viii, 1-20.
- TRIOXEIA**, de Folin, 1881. Bull. Soc. N. H. Toulouse, xv, 141, 1881, not de-
 scribed, 1 sp. proposed.
- TRIPLASIA**, Reuss, 1853. Denkschr. k. Ak. Wiss. Wien, VII, Abth. 1, 1854, 65.
 —— murchisoni, Reuss. Denkschr. k. Ak. Wiss. Wien, VII, Abth. 1, 1854,
 65, xxv, 1a, b, c, 2. [v. *Orthocerina*.]
- TRITAXIA**, Reuss, 1860. Sitz. k. Ak. Wiss. Wien, XL, 1860, 228; Brady, Re-
 port Challenger, 1884, 388.
 —— caperata (Brady). Brady, Report Challenger, 1884, 390, xlix, 1-7.
 [Clavulina, 1881.]
 —— foveolata, Marsson. Mitt. Nat. Ver. Neu-Vorpommern u. Rügen,
 Jahrg. x, 1878, 161, iii, 30a, b, c.
 —— indiscreta (Brady). Brady, Report Challenger, 1884, 389, xlix, 10 and
 11. [Clavulina, 1881.]
 —— lepida, Brady. Quart. Journ. Microsc. Sci. XXI, 1881, 55.
 —— —— —— Brady, Report Challenger, 1884, 389, xlix, 12a, b.
 —— minuta, Marsson. Mitt. Nat. Ver. Neu-Vorpommern u. Rügen, Jahrg.
 x, 1878, 162, iv, 31, a-d.
 —— oolithica, Terquem. Mém. Soc. géol. France, [3], IV, 1886, 60, vii,
 5a, b.
 —— ovata, Terq. Mém. Soc. géol. France, [3], II, 1882, 105, xi (xix), 11a, b.
 —— pyramidata, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862
 (1863), 32, i, 9a-c.
 —— —— —— Berthelin, Mém. Soc. géol. France, [3], I, 1880, 25, i
 (xxiv), 4a-c.
 —— tricarinata, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 228, xii, 1a, b
 and 2a, b. [Textularia, 1845.]
 —— —— —— Reuss' Models, No. 5, 1865 (Catal., No. 7, 1861).
 —— —— —— Brady, Report Challenger, 1884, 389, xlix, 8 and 9. [See
 Textularia.]
 ? —— ulmensis, Gümbel. Sitz. k.-bayer. Ak. Wiss. I, 1871, 63, i, 2a, b.
- Triticites**. Aldrovandi, Musaeum Metallicum, 1648, 513, figure 1. [= *Alveo-
 lina*.]
- TROCHAMMINA**, Parker & Jones, 1860. Quart. Journ. Geol. Soc. XVI, 1860,
 304; Brady, Report Challenger, 1884, 336.
 —— anceps, Brady. Carbonif. Foram., Pal. Soc. XXX, 1876, 76, iii, 8a, b.
 —— annularis, Brady. Carbonif. Foram., Pal. Soc. XXX, 1876, 76, iii, 9, 10.
 —— centrifuga, Brady. Carbonif. Foram., Pal. Soc. XXX, 1876, 74, ii, 15-
 20.
 —— —— —— Roemer, Lethaea Geognostica, Th. I, Lief. 1, 1880, 265,
 fig. 41.
 —— charoides, Jones & Parker. Carpenter, Parker, & Jones, Introd.
 Foram. 1862, 141, xi, 3. [v. *Ammodiscus* and *T. squamata charoides*.]
 —— —— —— Haeusler, Ann. Mag. Nat. Hist. [5], x, 1882, 56, iv, 21.
 —— conglobata, Brady. Report Challenger, 1884, 341, xl, 8 and 9.

- TROCHAMMINA** *constricta*, Haeusler. Ann. Mag. Nat. Hist. [5], x, 1882, 57, iv, 23-26.
 —————— Haeusler, Neues Jahrbuch, 1883, i, 60, iv, 5.
 —————— *coronata*, Brady. Q. Journ. Micr. Sci. xix, 1879, 58, v, 15.
 —————— Brady, Report Challenger, 1884, 340, xl, 10-12.
 —————— *crassa*, Gümbel. Anleit. geol. Beob. Alpenreisen Zeitschr. D. & O. Alpenver., Beilage, 1878, 105, fig. 25²¹.
 —————— *cretacea* (Rss.). Jones, Catal. Foss. Foram. B. M. 1882, 12. [*Cornuspira*, 1880.]
 —————— *discoidea*, Karrer. In v. Drasche, Fragment Geol. Luzon, 1878, 84, v, 1; and Boll. Com. Map. Geol. Espa , vii, 1880, 266E, 1.
 —————— *filum* (Schmid.). Brady, Carbonif. Foram., Pal. Soc. xxx, 1876, 81, iii, 16. [*Serpula*, 1867.]
 —————— Haeusler, Ann. Mag. Nat. Hist. [5], x, 1882, 57, iii, 22.
 —————— *galeata*, Brady. Quart. Journ. Micro. Sci. xxi, 1881, 52.
 —————— Brady, Report Challenger, 1884, 344, xl, 19-23.
 —————— *gordialis*, Jones & Parker. Carpenter, Parker, & Jones, Introd. Foram. 1862, 141, xi, 4. [v. *Ammodiscus* and *T. squamata gordialis*.]
 —————— J., P., & K., Ann. Mag. Nat. Hist. [4], iv, 1869, 390, xiii, 7 and 8.
 —————— Brady, Carbonif. Foram., Pal. Soc. xxx, 1876, 77, iii, 1-3.
 —————— Wright, Proc. Belfast Field Club, 1876-77 (App.), iv, 3.
 —————— Haeusler, Ann. Mag. Nat. Hist. [5], x, 1882, 55, iii; and iv, 8-20.
 —(Ammod.)————— Haeusler, Neues Jahrbuch, 1883, i, 59, iv, 2 and 3.
 —————— *helveto-jurassica*, Haensler. Ann. Mag. Nat. Hist. [5], x, 1882, 352, xv, 10 and 11. [See *Lituola*.]
 —————— Haeusler, Neues Jahrbuch, Beil. iv, Heft 1, 1885, not descr., iii, 32.
 —————— Vine, Proc. Yorkshire Geol. Polytech. Soc. n. s. ix, pt. 1, 1885 (1886), 27, ii, 12, 12a, and varr. 15, 16.
 —————— *incerta* (d'Orbigny). Carpenter, Parker, & Jones, Introd. Foram. 1862, 141, xi, 2. [*Operculina*, 1839.]
 —————— J., P., & K., Ann. Mag. Nat. Hist. [4], iv, 1869, 389, xiii, 1.
 —————— Brady, Carbonif. Foram., Pal. Soc. xxx, 1876, 71, ii, 10-14.
 —————— Tate & Blake, Yorkshire Lias, 1876, 452, xvii, 17.
 —————— Go s, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 136, xi, 404 and 405.
 —————— Haeusler, Ann. Mag. Nat. Hist. [5], x, 1882, 51-55, iii, 1-4.
 —————— v. *crassa*, Haeusler. Ann. Mag. Nat. Hist. [5], x, 1882, 357, xv, 2.
 —————— v. *gracilis*, Haeusler. Ann. Mag. Nat. Hist. [5], x, 1882, 356, xv, 3. [v. *Cornuspira*.]
 —————— v. *granulos *, Haeusler. Ann. Mag. Nat. Hist. [5], x, 1882, 356, xv, 1.
 —————— v. *megaspira*, Haeusler. Ann. Mag. Nat. Hist. [5], x, 1882, 356, xv, 4.
 —————— Jones, in Microgr. Dict. ed. 4, 1883, 784, xxiii, 14.
 —(Ammod.)————— Haeusler, Neues Jahrbuch, 1883, i, 59, iv, 1.
 —————— Deecke, M m. Soc. Emul. Montb liard, xvi, 1886, [14], i, 9, 9a.
 —————— *inflata* (Montagu). Carpenter, Parker, & Jones, Introd. Foram. 1862, 141, xi, 5. [v. *Nautilus*, 1808; v. *Rotalia*, 1858; v. also *T. squamata inflata*.]

- TROCHAMMINA** inflata (Montagu), var. **macrescens**, Brady. Ann. Mag. Nat. Hist. [4], vi, 1870, 290, xi, 5a-c.
 ——— [d'Orb.]. Tate & Blake, Yorkshire Lias, 1876, 452, xvii, 18.
 ——— ——— Haeusler, Ann. Mag. Nat. Hist. [5], x, 1882, 351, xv, 5-7.
 ——— ——— Haeusler, Neues Jahrbuch, 1883, i, 60, iv, 6 and 7.
 ——— ——— Brady, Report Challenger, 1884, 338, xli, 4a-c. [See *Nautilus*.]
 ——— ——— var. Haeusler, Neues Jahrbuch, Beil. Bd. iv, Heft 1, 1885, 28, iii, 28.
 ——— ——— var. Balkwill & Wright, Trans. R. Irish Ac. xxviii (Sci.), 1885, 331, xiii, 11 and 12.
 ——— [P. & J.]. Soldani, Testac. I, pt. 1, 1789, 66, pl. 61F = this form.
 ——— **irregularis** (d'Orbigny). Jones & Parker, Quart. Journ. Geol. Soc. xvi, 1860, 304. [v. *Webbina*, 1850.]
 ——— **alternans**, Jones & Parker. Quart. Journ. Geol. Soc. xvi, 1860, 304.
 ——— **clavata**, Jones & Parker. Idem.
 ——— ——— Carpenter, Parker, & Jones, Introd. Foram. 1862, 142, xi, 6-10. [6 = *T. clavata* (var. of *irregularis*) ; 7 = intermediate var. ; 8 = chalk form ; 9 = *typica* ; 10 = *alternans*.]
 ——— ——— Tate & Blake, Yorkshire Lias, 1876, 452, xviii, 3 and 4.
 ——— (**Webbina**) ——— Haeusler, Ann. Mag. Nat. Hist. [5], x, 1882, 353, xv, 15.
 ——— **jurassica**, Haeusler. Ann. Mag. Nat. Hist. [5], x, 1882, 58, iv, 31-40.
 ——— (**Ammod.**) ——— Haeusler, Neues Jahrbuch, 1883, i, 59, iv, 4.
 ——— **lituiformis**, Brady. Q. Journ. Mier. Sci. xix, 1879, 59, v, 16.
 ——— ——— Brady, Report Challenger, 1884, 342, xl, 4-7.
 ——— **milioloides**, Jones, Parker, and Kirkby. Ann. Mag. Nat. Hist. [4], iv, 1869, 390, xiii, 9-14.
 ——— ——— Brady, Carbonif. Foram., Pal. Soc. xxx, 1876, 79, iii, 11-15.
 ——— **miocenica**, Karrer. Abh. k. k. geol. Reichs. ix, 1877, 373, xvi, a, 3.
 ——— **nitida**, Brady. Quart. Journ. Mier. Sci. xxi, 1881, 52.
 ——— ——— Brady, Report Challenger, 1884, 339, xli, 5 and 6.
 ——— **ochracea** (Will.). Balkwill & Millett, Journ. Mier. III, 1884, 24, i, 7. [*Rotalina*, 1858.]
 ——— **pauciloculata**, Brady. Q. Journ. Mier. Sci. xix, 1879, 58, v, 13 and 14.
 ——— ——— Brady, Report Challenger, 1884, 344, xli, 1 and 2.
 ——— (**Webbina**) **planorbiformis**, Haeusler. Ann. Mag. Nat. Hist. [5], x, 1882, 353, xv, 16, 16a.
 ——— **plicata** (Terq.). Balkwill & Millett, Journ. Mier. III, 1884, 26, i, 8. [*Patellina*, 1876.]
 ——— **proteus**, Karrer. Sitz. k. Ak. Wiss. Wien, LII, Abth. 1, 1865 (1866), 494, pl. 1-8.
 ——— ——— Zittel, Handbuch Palaeont. Abth. I, 1876, 76, fig. 8⁶.
 ——— ——— Schwager, Boll. R. Com. geol. Ital. VIII, 1877, 26, pl., 78.
 ——— ——— Brady, Report Challenger, 1884, 341, xl, 1-3.
 ——— ——— Haeusler, Neues Jahrbuch, Beil. iv, Heft 1, 1885, 28, iii, 24-27.
 ——— **pusilla** (Geinitz). J., P., & K., Ann. Mag. Nat. Hist. [4], iv, 1869, 389, xiii, 2-6, and 15. [*Serpula*, 1848.]
 ——— ——— Brady, Carbonif. Foram., Pal. Soc. xxx, 1876, 78, iii, 4 and 5.
 ——— [**pusillus**] ——— Nicholson, Manual Palaeont. 1879, I, 112, fig. 18e.
 ——— ——— Haeusler, Ann. Mag. Nat. Hist. [5], x, 1882, 56, iv, 27-30.
 ——— ——— Bornemann, Jahrb. k. pr. geol. Landesaanstalt, 1885 (1886), 293, xiii, 6b, and 7.

- TROCHAMMINA** *robertsoni*, Brady. Carbonif. Foram., Pal. Soc. xxx, 1876, 80, iii, 6 and 7.
 —— *robertsoni*, Brady. Journ. R. Mier. Soc. 1887, 893.
 —— *roemerii*, Steinmann. Zeitschr. deutsch. geol. Ges. XXXII, 1880, 396, xix, 2.
 —— *ringens*, Brady. Q. Journ. Micr. Sci. xix, 1879, 57, v, 12a, b.
 —— —— —— Brady, Report Challenger, 1884, 343, xl, 17 and 18.
 —— *roessleri* (Schmid). See *Serpula*, 1867.
 —— *shoneana*, Siddall. Proc. Chester Soc. Nat. Sc. No. 2, 1878, 46, figures 1 and 2.
 —— *squamata*, Jones & Parker. Quart. Journ. Geol. Soc. XVI, 1860, 304.
 —— —— *charoides*, Jones & Parker. Idem.; v. also *T. charoides*.
 —— —— *gordialis*, Jones & Parker. Idem.; v. also *T. gordialis*.
 —— —— *incerta*, Jones & Parker. Idem.; v. also *T. incerta*.
 —— —— *inflata*, Jones & Parker. Idem.; and Ann. Mag. Nat. Hist. [3], iv, 1859, 347; v. also *T. inflata*.
 —— —— —— Carpenter, Parker, & Jones, Introd. Foram. 1862, 141, xi, 1.
 —— —— —— Parker & Jones, Phil. Trans. 1865, 407, xv, 30, 31a-c.
 —— —— —— v. *gordialis*, P. & J. Phil. Trans. 1865, 408, xv, 32.
 —— —— —— Brady, Ann. Mag. Nat. Hist. [4], vi, 1870, 288, xi, 4.
 —— —— —— Haeusler, Neues Jahrbuch, 1883, i, 60, iv, 8.
 —— —— —— Brady, Report Challenger, 1884, 337, xli. 3a-c.
 —— —— —— Haeusler, Neues Jahrbuch, Beil. iv, Heft 1, 1885, 29, iii, 30.
[TROCHAMINA] *tolypa*, Deecke. Abh. geol. Specialkarte Elsass-Lothr. IV, Heft 1, 1884, 21, i, 6-6b.
 —— *trullissata*, Brady. Q. Journ. Mier. Sci. xix, 1879, 56, v, 10a, b, and 11.
 —— —— —— Brady, Report Challenger, 1884, 342, xl, 13-16.
 —— *vulgaris*, Gumbel. Anleit. geol. Beob. Alpenreisen Zeitschr. D. & O. Alpenver., Beilage, 1878, 103, fig. 25²⁰.
 —— Carpenter, Parker, & Jones, Introd. Foram. 1862, 141, xi, 1-10.
 —— sp. ind. Haeusler, Ann. Mag. Nat. Hist. [5], x, 1882, 357, xv, 17, 18, and 19. (17 and 18 resemble *T. (Amm.) filum*, Schm.; 19 =?).
 —— sp. ind. Haeusler, Neues Jahrbuch, Beil. iv, Heft 1, 1885, 29, iii, 29.
 —— Haeusler, Neues Jahrbuch, Beil. iv, Heft 1, 1885, 29, iii, 32.
 —— Bornemann, Jahrb. k. pr. geol. Landesanstalt, 1885 (1886), 292, xiii, 1b.
TROCHILISCUS, Pander. See *Miliola panderi*, Ehrenberg.
TROCHULINA,* d'Orbigny, 1826. Ann. Sci. Nat. VII, 1826, 274.
 —— *complanata*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 274, No. 37. [v. *Rotalina*.]
 —— *ferussaci*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 274, No. 38.
 —— *turbo*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 274, No. 39.
TRUNCATULINA, d'Orbigny, 1826. Ann. Sci. Nat. VII, 1826, 279; Brady, Report Challenger, 1884, 658.
 —— *advena*, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 87, vi, 3-5; also in Spanish, 1840, 97, same pl. and fig.
 —— *agglomerata*, Terquem. Ess. Anim. Plage Dunkerque, pt. 3, 1881, 125, xvi, 3; (and Mém. Soc. Dunkerquoise).
 —— *akneriana* (d'O.). Brady, Report Challenger, 1884, 663, xciv, 8a, b, c. [*Rotalina*, 1846.]
 —— —— —— Toutkowski, Zap. Kievsk. Obshch. Est. IX, 1888, 44, vi, 1 and 2.
 —— *alternans*, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, 250, xx, 12A, B, C. [*lobatula* in expl. to plate.]
 —— *amphisiensiensis*, Andreæ. Abh. geol. Specialkarte Elsass-Lothr. II, Heft 3, 1884, 255, x, 30.

* Given as a subgenus of *Rotalina*.

- TRUNCATULINA** arabica, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1838, 135.
 —— ariminensis, d'Orbigny. Ann. Sci. Nat. VII, 1826, 279, No. 7.
 —— australis, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 377.
 —— beaumontiana, d'Orbigny. Mém. Soc. géol. France, [1], IV, 1840, 35, iii, 17-19; Faesimile in Science Gossip, 1870, 155, fig. 138.
 —— —— Reuss, in Geinitz, Grundr. Verstein. 1845-46, 675, xxiv, 52.
 —— —— Brown, Ann. Mag. Nat. Hist. [2], XII, 1853, 241, ix, 9a, b.
 —— boueana, d'Orbigny. Foram. Fossiles Vienne, 1846, 169, ix, 24-26. [v. *Pulvinulina*.]
 —— —— Brady, Carbonif. Foram., Pal. Soc. XXX, 1876, 139, vi, 11.
 —— —— Terquem, Ess. Anim. Plage Dunkerque, pt. 2, 1876, 74, ix, 2a, b; (and Mém. Soc. Dunkerquoise).
 —— —— Terq., Mém. Soc. géol. France, [3], II, 1882, 94, ix (xvii), 28a, b.
 —— —— Terrigi, Atti Acc. Pont. Nuovi Lincei, XXXV, 1883, 198, iii, 41.
 —— —— Malagoli, Atti Soc. Nat. Modena (Rend.), [3], III, 1887, 110, i, 15.
 —— —— Terrigi, Mem. R. Acc. Lincei, [4], VI, 1889, 117, vii, 10.
 —— budensis, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 65, viii, 6; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 75, same pl. and fig.
 —— candei, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 88, iii, 6-8; also in Spanish, 1840, 98, same pl. and fig.
 —— carbonifera, Brady. Carbonif. Foram., Pal. Soc. XXX, 1876, 138, vi, 10.
 —— carinata, Terq. Mém. Soc. géol. France, [3], ii, 1882, 94, x (xviii), 1a-c and 2.
 —— colligera, Schwager. Palaeontographica, XXX, 1883, Pal. Theil, 126, xxix (6), 14a-d.
 —— communis, Roemer. Neues Jahrbuch, 1838, 389, iii, 56.
 —— —— Reuss, Sitz. k. Ak. Wiss. Wien, XVIII, 1856, 242, v, 56.
 —— compressa, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 62, viii, 8; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 72, same pl. and fig.
 —— concinna, Reuss. Zeitsehr. deutsch. geol. Ges. VII, 1855, 288, xi, 4.
 —— conica, Hantken. A magy. kir. földt. int. évkönyve, I, 1871, 130, ii, 13a, b, c; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, I, 1871, 136, same pl. and fig.
 —— connecta, d'Orbigny. Ann. Sci. Nat. VII, 1826, 279, No. 4.
 —— convexa, Reuss. Haidinger's Naturw. Abh. IV, Abth. 1, 1851, 36, iii, 4.
 —— n. sp. ind. aff. coronata (P. & J.). Uhlig, Jahrb. k. k. geol. Reichsanstalt, XXXVI, 1886, 180, iii, 1. [*Anomalina*, 1857.]
 —— costata, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 63, ix, 2; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 73, same pl. and fig.
 —— cristata, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. X, 1868 (1870), 660, ii, 105a, b.
 —— —— (?). Uhlig, Jahrb. k. k. geol. Reichsanstalt, XXXVI, 1886, 179, ii, 23 and 24.
 —— cryptomphala (Rss.). Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 64, ix, 1; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 73, same pl. and fig. [*Rotalina*, 1850.]
 —— culter (Parker & Jones). Brady, Report Challenger, 1884, 668, xvi, 3a, b, c. [*Planorbolina*, 1865.]
 —— dekayi, Reuss. Sitz. k. Ak. Wiss. Wien, XLIV, Abth. 1, 1861 (1862), 338, vii, 6a-b.
 —— depressa, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 39, vi, 4-6.

- TRUNCATULINA disjuncta**, Terq. Mém. Soc. géol. France, [3], II, 1882, 95, x (xviii), 3a-c.
- **dispars**, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 38, v, 25-27.
- **dutemplei** (d'O.). Reuss, Denkschr. k. Ak. Wiss. Wien, xxv, 1865, 160, iv, 16. [*Rotalina*, 1846.]
- — — — — Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 61, viii, 5; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 71, same pl. and fig.
- — — — — Brady, Report Challenger, 1884, 665, xev, 5a, b, c.
- — — — — Toutkowsky, Zap. Kievsk. Obshch. Est. IX, 1888, 48, vii, 2a-c.
- — — — — Terrigi, Mem. R. Acc. Lincei, [4], VI, 1889, 118, viii, 10, 11.
- **echinata**, Brady. Report Challenger, 1884, 670, xvi, 9-14. [*Planorbulina*, 1879.]
- — — — — v. *lævigata*, Howchin. Trans. R. Soc. S. Austral. XII, 1889, 13, i, 8.
- **elegantissima**, Seguenza. Atti R. Acc. Lincei, [3], VI, 1880, 91, ix, 7a, b.
- **elongata**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 279, No. 2.
- — — — — Terquem, Ess. Anim. Plage Dunkerque, pt. 3, 1881, 126, xvi, 6a, b; (and Mém. Soc. Dunkerquoise).
- — — — — Terq., Mém. Soc. géol. France, [3], II, 1882, 93, ix (xvii), 26a, b.
- **evoluta**, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 65, x, 1; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 75, same pl. and fig. [*T. lobata*, in deser. of plate.]
- **falcata**, Reuss. Sitz. k. Ak. Wiss. Wien, LIX, Abth. 1, 1869, 461, ii, 1a-c.
- **flos**, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, Abth. 1, 1868, 182, iv, 15.
- **formosa**, Seguenza. Atti R. Acc. Lincei, [3], VI, 1880, 149, xiv, 6a, b [error for 5].
- **globulosa**, Terquem. Bull. Soc. zool. Fr. XI, 1886, 333, xi, 12 and 13.
- **granosa**, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 65, x, 2; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 74, same pl. and fig.
- **grosserugosa**, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. X, 1868 (1870), 660, ii, 104a, b. [v. *Anomalina*.]
- — — — — Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 64, ix, 6; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 74, same pl. and fig.
- — — — — Uhlig, Jahrb. k. k. geol. Reichsanstalt, XXXVI, 1886, 175, ii, 16-21; and 176, fig. 4.
- — — — — Terrigi, Mem. R. Acc. Lincei, [4], VI, 1889, 117, viii, 5.
- **haidingeri** (d'O.). Brady, Report Challenger, 1884, 663, xev, 7a, b, c. [*Rotalina*, 1846.]
- — — — — Toutkowsky, Zap. Kievsk. Obshch. Est. IX, 1888, 50, viii, 3a-c.
- — — — — Terrigi, Mem. R. Acc. Lincei, [4], VI, 1889, 118, viii, 7-9.
- **horrida**, Karrer. Jahrb. k. k. geol. Reichsanstalt, XX, 1870, 183, ii, 14.
- **humilis**, Brady. Report Challenger, 1884, 665, xev, 7a, b, c.
- — — — — Terrigi, Mem. R. Acc. Lincei, [4], VI, 1889, 117, vii, 11.
- n. sp. aff. **humilis**, Brady. Uhlig, Jahrb. k. k. geol. Reichsanstalt, XXXVI, 1886, 181, iii, 2.
- **inæqualis**, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, Abth. 1, 1868, 182, iv, 14.
- **infractuosa**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 279, No. 3.

- TRUNCATULINA** *infractuosa*, d'Orbigny. Terq., Mém. Soc. géol. France, [3], i, 1878, 22, ii (vii), 1a-2b.
 —— *innormalis*, Costa. Atti Accad. Pontaniana, vii, fas. 2, 1856, not descr., xxi, 11.
 —— *insignis*, Reuss. Sitz. k. Ak. Wiss. Wien, lix, Abth. 1, 1869, 461, ii, 2a-c.
 —— *interrupta*, Terquem. Ess. Anim. Plage Dunkerque, pt. 3, 1881, 127, xvi, 8a, b, c; (and Mém. Soc. Dunkerquoise).
 —— *involuta*, Rss. Franzenau, Math. termész. értesítö, vii, 1889, 263, v, 4. [*Rotalina*, 1851.]
 —— *kallomphalia*, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 659, ii, 102a, b, c.
 —— *karreri*, Seguenza. Atti R. Acc. Lincei, [3], vi, 1880, 150, xiv, 7a, b [error for 6].
 —— *kreidensis*, Toutkowski. Zap. Kievsk. Obscheh. Est. ix, 1888, 52, viii, 2a-c.
 —— *laciniosa*, Karrer. Sitz. k. Ak. Wiss. Wien, lviii, Abth. 1, 1868, 183, v, 1.
 —— *lævigata*, Roem. Verst. norddeutsch. Kreide, 1840-41, 97, xv, 23.
 —— —— —— Reuss, Verstein. böhm. Kreide, 1845-46, i, 37, viii, 71 (pessima); xiii, 47.
 —— *lævis*, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 377.
 —— *lepidiformis*, Schwager. Palaeontographica, xxx, 1883, Pal. Theil, 127, xxvii (4), 17.
 —— *limbata*, Seguenza. Atti R. Acc. Lincei, [3], vi, 1880, 64, vii, 7.
 —— *lobata*, d'Orbigny. Barker Webb & Berthelot, Hist. Nat. Iles Canaries, 1839, ii, pt. 2, "Foraminifères," 134, ii, 22-24.
 —— —— Andreae, Abh. geol. Speciakarte Elsass-Lothr. ii, Heft 3, 1884, 215, fig. 10.
 —— —— Dawson, Canad. Nat. v, 1860, 191, fig. 5. [= *T. lobata*.]
 —— *lobata*, Hantken. A magy. kir. földt. int. évkönyve, iv, 1875 (1876), not descr., x, 1; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), same pl. and fig. [See *T. evoluta* and *Pulvin. lobata*.]
 —— *lobatula* (Walker & Jacob). [*Nautilus*, 1798.]
 —— —— Fauna Regno Napoli, 1838, "Foraminiferi," n. d., iii, 8.
 —— —— D'Orbigny, Foram. Fossiles Vienne, 1846, 168, ix, 18-23.
 —— —— Bronn, Lethaea Geognostica, ed. 3, iii, 1853-56, 224, xxxv², 16a, b, c.
 —— —— Gosse, Manual Mar. Zool. 1855, 12, fig. 20.
 —— —— [d'Orb.]. Costa, Atti Accad. Pontaniana, vii, fas. 2, 1856, 249, xiv, 7*Å*, B; xx, 12.
 —— —— [d'Orb.]. Egger, Neues Jahrbuch, 1857, 279, ix, 1, 2, and 3.
 —— —— Mantell, Wonders Geology, 7th ed. 1857, 253, sign. 45.
 —— —— [d'Orb.]. Parker & Jones, Ann. Mag. Nat. Hist. [2], xix, 1857, 293, x, 17-21.
 —— —— [d'Orb.]. Pictet, Traité de Paléont. 2 ed. iv, 1857, 510, cix, 30.
 —— —— Williamson, Recent British Foram. 1858, 59, v, 121-123.
 —— —— Carpenter, Parker, & Jones, Introd. Foram. 1862, 201, fig. xxxii, D; iv, 5.
 —— —— J., P., & B., Crag Foram., Pal. Soc. xix, 1866, n. d., ii, 4-10; iv, 19.
 —— —— P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], viii, 1871, 176, xii, 136. [See *T. tuberculata*, d'O.]
 —— —— (? young). Idem, 177, xii, 137. [See *Planulina incerta*, d'O.]
 —— —— Dawson, Canad. Nat. vi, 1872, 255, iii, 3.
 —— —— [d'Orb.]. Terquem, Ess. Anim. Plage Dunkerque, pt. 1, 1875, 30, iv, 2a, b, c; (and Mémem. Soc. Dunkerquoise).

- TRUNCATULINA lobatula** [d'Orb.]. Schwager, Boll. R. Com. geol. Ital. VIII, 1877, 26, pl. 49.
 ——— [d'Orb.]. Marsson, Mitt. Nat. Ver. Neu-Vorpommern u. Rügen, Jahrg. x, 1878, 167, v, 38a—g.
 ——— Vine, Science Gossip, 1878, 52, figs. 39 and 40.
 ——— ? [d'Orb.]. Hopkins, Execut. Doc., 45 Congress, Sess. 3, iv, Report Chief Engineers, pt. 2, App. W, 1878—79, 885, i, 65.
 ——— Nicholson, Manual Palaeont. 1879, i, 117, fig. 18p.
 ——— Terrigi, Atti Acc. Pont. Nuovi Lincei, XXXIII, 1880, 205, iii, 57.
 ——— [d'Orb.]. Terquem, Ess. Anim. Plage Dunkerque, pt. 3, 1881, 126, xvi, 4a, b, c; (and Mém. Soc. Dunkerquoise).
 ——— v. umbilicata, d'Orb. Terquem, Ess. Anim. Plage Dunkerque, pt. 3, 1881, 126, xvi, 5a, b, c; (and Mém. Soc. Dunkerquoise).
 ——— [d'Orb.]. Terq., Mém. Soc. géol. France, [3], ii, 1882, 94, ix (xvii), 27a, b.
 ——— Jones, in Microgr. Dict. ed. 4, 1883, 784, xxiv, 9a, b.
 ——— Brady, Report Challenger, 1884, 660, xcii, 10; xciii, 1, 4, and 5; cxv, 4 and 5.
 ——— Gümbel, Geol. Bayern, Th. I, Lief. 2, 1885, fig. 266²².
 ——— Dawson, Handbook Zoology, ed. 3, 1886, 46, fig. 39.
 ——— Sherborn & Chapman, Journ. R. Micr. Soc. [2], vi, 1886, 756, xvi, 12a—c.
 ——— Malagoli, Atti Soc. Nat. Modena (Rend.), 3, iii, 1887, 110, i, 14.
 ——— [d'Orb.]. Toutkowski, Zap. Kievsk. Obsheh. Est. IX, 1888, 46, vii, 1a—c.
 ——— Brady, Parker, & Jones, Trans. Zool. Soc. XII, pt. 7, 1888, 227, xlvi, 20; xiv, 26.
 ——— Steinmann, Elém. Paléont. I, 1888, 29, fig. 11.
 ——— Terrigi, Mem. R. Acc. Lincei, [4], vi, 1889, 116, vii, 5—7.
 ——— Soldani, Testac. I, 1, 1789, 58, pl. 41 (? all), pl. 42 (all but N), pl. 43, pl. 44 (? all), pl. 45 = this form.
 ——— See *Planorb. farcta* (F. & M.).
 ——— lucida, Reuss. Denkschr. k. Ak. Wiss. Wien, XXV, 1865, 160, iv, 15.
 ——— magnifica, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, n. d., xiv, 3.
 ——— margaritifera, Brady. Quart. Journ. Micr. Sci. XXI, 1881, 66.
 ——— Brady, Report Challenger, 1884, 667, xvi, 2a, b, c.
 ——— marginata, Seguenza. Atti R. Acc. Lincei, [3], vi, 1880, 64, vii, 10.
 ——— miquelonensis, d'Orbigny. Ann. Sci. Nat. VII, 1826, 279, No. 7.
 ——— mundula, Brady, Parker, & Jones. Trans. Zool. Soc. XII, pt. 7, 1888, 228, xlvi, 25.
 ——— nucleata, Segnenza. Atti R. Acc. Lincei, [3], vi, 1880, 64, vii, 8.
 ——— Hantken, Ertek. Termesz. körebl. XIII, No. 1, 1883, 30, iii, 3a, b, c; and Math. Nat. Ber. Ungarn, II, 1884, 150.
 ——— oblongata, Reuss. Bull. Ac. Roy. Belg. [2], xv, 1863, 155, iii, 45.
 ——— orbicularis, Terquem. Mém. Soc. géol. France, [3], ii, 1882, 95, x (xviii), 4 and 5.
 ——— ornata, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 40, vi, 7—9.
 ——— osnabrugensis, v. Muenst. Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 63, ix, 4; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 73, same pl. & fig. [*Planulina*, 1838.]
 ——— pachyderma, Rzehak. Verh. nat. Ver. Brünn, XXIV, 1885 (1886), 87, i, 5.
 ——— papillata, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, Abth. 1, 1868, 183, v, 2.
 ——— præcincta (Karr.). Brady, Report Challenger, 1884, 667, xciv, 1—3. [*Rotalia*, 1868.]

- TRUNCATULINA** producta, Terq. Mém. Soc. géol. France, [3], II, 1882, 92, ix (xvii), 20 and 21.
- propinqua (Rss.). Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 62, viii, 9; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 71, same pl. and fig. [*Rotalia*, 1856.]
- punctata, Roemer. Nenes Jahrbuch, 1838, 389, iii, 55.
- pusilla (Schwager). Deecke, Mém. Soc. Emul. Montbéliard, XVI, 1886, [38], i, 18–18b. [v. *Rotalia*.]
- pygmæa (Schwager). Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), n. d., x, 8; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), same pl. and fig. [See *Pulvinulina*.]
- [pygmæa] — Brady, Report Challenger, 1884, 666, xv, 9 and 10.
- fulgens (Montfort). D'Orbigny, Ann. Sci. Nat. VII, 1826, 279, No. 5, xiii, 8–10. [*Cibicides*, 1808.]
- — — — — D'Orbigny, Modèles, No. 77, 1826.
- — — — — Smedley, Eney. Metrop. 1845, undeser. pl. "Mollusea ?," 32–34.
- — — — — Carpenter, Parker, & Jones, Introd. Foram. 1862, 201, fig. xxxii, E.
- — — — — P., J., & B. [d'O., Modèles, No. 77], Ann. Mag. Nat. Hist. [3], XVI, 1865, 31, ii, 76.
- — — — — Brady, Nat. Hist. Trans. Northumb. I, 1865–67 (1867), 105, xii, 9a, b, c.
- — — — — P., J., & B. [Soldaïi], Ann. Mag. Nat. Hist. [4], VIII, 1871, 176, xii, 139.
- — — — — Terrigi, Atti Acc. Pont. Nuovi Lincei, XXXV, 1883, 197, iii, 40.
- — — — — Brady, Report Challenger, 1884, 659, xii, 7–9.
- — — — — Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885) 162, fig. Sherborn & Chapman, Journ. R. Mier. Soc. [2], VI, 1886, 756, xvi, 13a–c.
- — — — — Terrigi, Mem. R. Acc. Lincei, [4], VI, 1889, 117, viii, 1–3. See *Hanmonia balanus*, etc.
- regularis, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, Abth. 1, 1868, 184, v, 3.
- reticulata (Czj.). Brady, Report Challenger, 1884, 669, xvi, 5–8. [*Rotalina*, 1848.]
- — — — — Brady, Parker, & Jones, Trans. Zool. Soc. XII, pt. 7, 1888, 228, xlvi, 23 and 24.
- rhodiensis, Terq. Mém. Soc. géol. France, [3], I, 1878, 21, i (vi), 26a–c.
- robertsoniana, Brady. Quart. Journ. Mier. Sci. XXI, 1881, 65.
- — — — — Brady, Report Challenger, 1884, 664, xv, 4a, b, c.
- rosea (d'O.). Brady, Report Challenger, 1884, 667, xvi, 1a, b, c. [*Rotalia*, 1826.]
- — — — — Terrigi, Mem. R. Acc. Lineei, [4], VI, 1889, 118, ix, 1.
- rostrata, Brady. Quart. Journ. Mier. Sci. XXI, 1881, 65.
- — — — — Brady, Report Challenger, 1884, 668, xciv, 6a, b, c.
- rotula, Terquem. Ess. Anim. Plage Dunkerque, pt. 2, 1876, 74, ix, 1a, b; (and Mém. Soc. Dunkerquoise).
- scareaensis, Hantk. Math. Nat. Ber. Ungarn, II, 1884, 151, ii, 6a–c.
- schreibersii, Seguenza. Atti R. Acc. Lincei, [3], VI, 1880, 149, etc. [= *Pulvinulina*.]
- solidula, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, n. d., x, 9.
- soluta, Brady. Quart. Journ. Mier. Sci. XXI, 1881, 66.
- — — — — Brady, Report Challenger, 1884, 670, xvi, 4a, b, c.
- spirata, Seguenza. Atti R. Acc. Lincei, [3], VI, 1880, 91, and 149, xiv, 4.

- TRUNCATULINA stella**, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, Abth. 1, 1868, 182, iv, 13.
 —— **sublævis**, v. Hagenow. Neues Jahrb. 1842, 571.
 —— **sublobatula**, Gumbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 659, ii, 103a, b, c.
 —— —— Uhlig, Jahrb. k. k. geol. Reichsanstalt, XXXVI, 1886, 180, ii, 22.
 —— **tenella**, Reuss. Sitz. k. Ak. Wiss. Wien, L, Abth. 1, 1864 (1865), 477, v, 6a-c.
 —— **tenera**, Brady. Report Challenger, 1884, 665, xev, 11a, b, c.
 —— **tenuimargo**, Brady. Report Challenger, 1884, 662, xciii, 2 and 3.
 —— **tenuissima**, Reuss. Sitz. k. Ak. Wiss. Wien, XLIV, Abth. 1, 1861 (1862), 317, iii, 2a-c.
 —— **trochoidea**, Karrer. In von Drasche, Frag. Geol. Luzon, 1878, 97, v, 25; and Bol. Com. Map. geol. Espan., vii, 1880, 281F, 11.
 —— **tuberosa** (F. & M.). P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 177, xii, 138. [See *T. variabilis*, d'Orb.] [*Nautilus*, 1798.]
 —— **tuberculata**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 279, No. 1.
 —— —— d'Orbigny, Modèles, 1826, No. 37.
 —— —— P., J., & B. [d'Orb., Modèles, No. 37], Ann. Mag. Nat. Hist. [3], XVI, 1865, 25, ii, 77. [= *T. lobatula*, W. & J.]
 —— —— [Sold.]. Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 162, fig. = *T. lobatula* (W. & J.); see *Hammoniae tuberculatae*.
 —— **tumescens**, Egger. Neues Jahrbuch, 1857, 279, ix, 14-16.
 —— **tumidula**, Brady. Report Challenger, 1884, 666, xev, 8a, b, c.
 —— **ungeriana**, d'Orb. Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 62, viii, 7; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 72, same pl. and fig. [*Rotalina*, 1846.]
 —— —— Brady, Report Challenger, 1884, 664, xciv, 9a, b, c, d.
 —— **[ungherana**, d'Orb.]. Hantken, Ertek. Termesz. köreböl, XIII, No. 1, 1883, 12; and Math. Nat. Ber. Ungarn, II, 1884, 133.
 —— —— Agassiz, Three Cruises "Blake," II, 1888, 169, fig. 518.
 —— —— Terrigi, Mem. R. Acc. Lincei, [4], VI, 1889, 117, viii, 4.
 —— **variabilis**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 279, No. 8.
 —— —— Barker Webb & Berthelot, Hist. Nat. Iles Canaries, 1839, II, pt. 2, "Foraminifères," 135, ii, 29.
 —— —— Reuss, Denkschr. k. Ak. Wiss. Wien, XXIII, 1864, 10, i, 15.
 —— —— Mackie, Science Gossip, 1867, 131, fig. 139.
 —— —— Terquem, Ess. Anim. Plage Dunkerque, pt. 2, 1876, 75, ix, 3a, b; (and Mém. Soc. Dunkerquoise).
 —— —— Terq., Mém. Soc. géol. France, [3], I, 1878, 20, i (vi), 18a-25.
 —— —— v. **obscura**, Terquem. Ess. Anim. Plage Dunkerque, pt. 3, 1881, 127, xvi, 7a, b; (and Mém. Soc. Dunkerquoise).
 —— —— Terq., Mém. Soc. géol. France, [3], II, 1882, 92, ix (xvii), 22-25.
 —— —— Brady, Report Challenger, 1884, 661, xciii, 6 and 7.
 —— —— Brady, Parker, & Jones, Trans. Zool. Soc. XII, pt. 7, 1888, 227, xlvi, 17.
 —— —— Terrigi, Mem. R. Acc. Lincei, [4], VI, 1889, 116, vii, 8, 9.
 —— —— = *T. tuberosa* (F. & M.); see *Testæ hammoniformes*.
 —— **varians**, Reuss. Sitz. k. Ak. Wiss. Wien, XLII, 1860 (1861), 359, ii, 12a-c.
 —— **vermiculata**, d'Orbigny. Voyage Amér. Mérid. 1839, V, pt. 5, "Foraminifères," 39, vi, 1-3.
 —— **vortex**, Seguenza. Atti R. Acc. Lincei, [3], VI, 1880, 91, ix, 8a, b.
 —— **weinkauffi** (Rss.). Andreae, Abh. geol. Speciaalkarte, Elsass-Lothr. II, Heft 3, 1884, 218, viii, 11. [*Rosalina*, 1863.]

- TRUNCATULINA** wuellerstorfi (Schw.). Brady, Report Challenger, 1848, 662, xciii, 8 and 9. [*Anomalina*, 1866.]
 ——— Uhlig, Jahrb. k. k. geol. Reichsanstalt, xxxvi, 1886, 174, fig. 3.
 ——— Schroeter, Neue Litt. u. Beytr. III, 1786, iii, f. 23.
 ——— Pictet, Traité de Paléont. IV, 1846, 233, xii, 17.
 ——— Williamson, Mem. Lit. Phil. Soc. Manchester, [2], VIII, 1848, 46, pl., 35.
 ——— Schultze, Organismus Polythal. 1854, 27, figures a, b. [Showing young.]
 ——— Wright, Ann. Mag. Nat. Hist. [3], VII, 1861, 360, xviii, 6. [Showing reproductive elements.]
 ——— J. G. Wood, Common Objects Micro. 1867, 121, xii, 14.
 ——— Von Schlicht, Foram. Septar. Pietzpuhl, 1870, plates xxi and xxii.
 ——— Terquem, Cinq. Mém. Foram. Oolithique, 1883, 370, xli, 5 and 6.
 ——— Terquem, Mém. Soc. géol. France, [3], IV, 1886, 57, vi, 26a, b, c.
 ——— Terrigi, Mem. R. Acc. Lincei, [4], VI, 1889, 118, viii, 6.
 ——— see *Nutilus*.
Truncatulina, Mackie, 1867; error for *Truncatulina*.
Tubularia, Brönn, 1853-56; misprint for *Fabularia*.
Tubulus anulatus. Soldani, Testae, I, pt. 1, 1789, 33, pl. 27xx, yy. [*Nod. orthocera*, d'Orbigny, Ann. Sci. Nat. 1826, vii, 252, 8.]
Tubulus marinus irregularites intortus vermicularis. Gaultier, Index Testarum, 1742, pl. xix, fig. S. [= *Miliolina*.]
TURBINULINA, d'Orbigny, 1826. Ann. Sci. Nat. VII, 1826, 275. [Given as a subgenus of *Rotalia*.]
 ——— ammoniformis, d'Orbigny. Ann. Sci. Nat. VII, 1826, 276, No. 55.
 ——— becarii, Turt. Idem, 275, No. 42.
 ——— bulloides, d'Orbigny. Idem, 275, No. 51.
 ——— corallinum, d'Orbigny. Idem, 275, No. 48.
 ——— crassa, d'Orbigny. Idem, 275, No. 41.
 ——— elegans, d'Orbigny. Idem, 276, No. 54.
 ——— gaimardii, d'Orbigny. Idem, 275, No. 46.
 ——— gaudichaudii, d'Orbigny. Idem, 275, No. 47.
 ——— italica, d'Orbigny. Idem, 275, No. 43. [v. *Rosalina* and *Rotalia*.]
 ——— inflata, d'Orbigny. Idem, 275, No. 45.
 ——— laevis, d'Orbigny. Idem, 276, No. 52.
 ——— maremini, d'Orbigny. Idem, 275, No. 44.
 ——— semimarginata, d'Orbigny. Idem, 276, No. 53. [v. *Rotalina*.]
 ——— siennensis, d'Orbigny. Idem, 275, No. 50. [v. *Rosalina*; and *Rotalia*.]
 ——— tortuosa, Fischer. Idem, 275, No. 40. [See *Streblius*.]
 ——— umbilicata, d'Orbigny. Idem, No. 49.
TURRILINA, Andreea, 1884. Abh. geol. Speciaalkarte Elsass-Lothr. II, Heft 3, 1884, 212.
 ——— alsatica, Andreea. Abh. geol. Speciaalkarte Elsass-Lothr. II, Heft 3, 1884, 212, viii, 18 and 19. [*Rotalia alsatica*, N. Jahrb., 1882, q. v.]
U. lineata, Conrad. Proc. Ac. Nat. Sci. Philad. No. 2, 1865, 73. [Headed "Triloculina," therefore *U* is probably a misprint for *T*.]
U. saxorum testa majuscula lenticulari sinistro latere medio tumido, articulis ultimis in latere dextro prominulis. In saxis Insulæ Rügen cretaceis. Ehrenberg, Abhandl. k. preuss. Ak. Wiss. Berlin, 1838, 132. [No genus is given.]
Umbilicum parvulum marinum eodem loco refectum qui lapidem numismaticum refert. F. Colonna, Phytob., 1744, Appendix, pl. xxxvii, f. F. [= *Orbitolites complanatus*.]
UNCINULINA, Terquem, 1862. Mem. Ac. Imp. Metz, XLII, 1862, 433.
 ——— = ? Spicules of *Astrophyton*; see Terquem et Jourdy, Mém. Soc. géol. France, [2], IX, 1869, 145, xv, 12-14.
 ——— polymorpha, Terq. Mem. Ac. Imp. Metz, XLII, 1862, 433, v, 7a-k.
UNILOCULINA, d'Orbigny, 1846. Foram. Foss. Vienne, 1846, 261. [=young stage of *Miliolina*.]

- UNILOCULINA indica**, d'Orbigny. Foram. Fossiles Vienne, 1846, 261, xxi, 53 and 54.
 ——— Reuss' Models, No. 82, 1865 (Catal., No. 16, 1861).
 [= ? young of a striped *Quinqueloc.*]
 ——— Jones, in Microgr. Dict. ed. 4, 1883, 791, xxiii, 2.
 ——— Quenstedt, Handbuch Petref. ed. 3, Abth. 5 (1885), 1060, lxxxvii, 7.
 ——— **orbignyi**, Terquem. Ess. Anim. Plage Dunkerque, pt. 3, 1881, 132, xvii, 8a, b; (and Mém. Soc. Dunkerquoise).
 ——— Parker, Trans. Micr. Soc. London, n. s. vi, 1858, 54, fig.
URNULINA, Gruber, 1884. Nova Acta k. Leop.-Carol. Deutsch. Ak. Nat. XLVI, 1884, 496.
 ——— **diffugiaformis**, Gruber. Nova Acta k. Leop.-Carol. Deutsch. Ak. Nat. XLVI, 1884, 496, viii, 18.
UTERIA, Michelin, 1845. Iconogr. Zoophyt. 1840-47, 177; see Gümbel, Abh. k.-bayer. Ak. Wiss. München, xi, 1871 (1874), 231, etc. plates. [A genus of calcareous algæ; v. Solms-Laubach, Einleit. Palaeophytologie, 1887, 38, etc.]
UVELLINA, Ehrenberg, 1838. Abh. k. Ak. Wiss. Berlin, 1838 (1840), Tab. 1. [A family group name.]
UVIGERINA, d'Orbigny, 1826. Ann. Sci. Nat. vii, 1826, 268; Brady, Report Challenger, 1884, 573.
 ——— **abbreviata**, Terq. Mém. Soc. géol. France, [3], II, 1882, 120, xii (xx), 33.
 ——— **aculeata**, d'Orbigny. Foram. Fossiles Vienne, 1846, 191, xi, 27 and 28.
 ——— ——— Brady, Report Challenger, 1884, 578, lxxv, 1-3.
 ——— **angulosa**, Williamson. Recent British Foram. 1858, 67, v, 140.
 ——— ——— Bütschli, in Brönn, Klassen, etc. Thier-Reichs, 1880, 200, vii, 31.
 ——— ——— Brady, Report Challenger, 1884, 576, lxxiv, 15-18.
 ——— ——— v. **spinipes**, Brady. Report Challenger, 1884, 577, lxxiv, 19 and 20. [*U. spinipes*, 1881.]
 ——— ——— See *U. pygmaea*, d'O.
 ——— **asperula**, Czjzek. Haidinger's Naturw. Abh. II, 1848, 146, xiii, 14 and 15.
 ——— ——— Reuss, Sitz. k. Ak. Wiss. Wien, LV, Abth. 1, 1867, 93, iv, 6a, b, 7, 8, and 9.
 ——— ——— Terrigi, Atti Acc. Pont. Nuovi Lincei, XXXV, 1883, 185, ii, 26.
 ——— ——— Brady, Report Challenger, 1884, 578, lxxv, 6-8.
 ——— ——— v. **ampullacea**, Brady. Report Challenger, 1884, 579, lxxv, 10 and 11.
 ——— ——— v. **auberiana**, d'O. Brady, Report Challenger, 1884, 579, lxxv, 9. [*U. auberiana*, 1839.]
 ——— ——— Sherborn & Chapman, Journ. R. Mier. Soc. [2], VI, 1886, 755, xvi, 7.
 ——— ——— Anon., Sci. News, 4 May, 1888, 413, fig. 15.
 ——— ——— Brady, Parker, & Jones, Trans. Zool. Soc. XII, pt. 7, 1888, 225, xlvi, 4 and 5.
 ——— ——— Toutkowsky, Zap. Kievsk. Obsheh. Est. IX, 1888, 41, ii, 3a, b, c.
 ——— **auberiana**, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 106, ii, 23 and 24; also in Spanish, 1840, 110, same pl. and fig. [v. also *U. asperula*, var.]
 ——— ——— Goës, K. Svenska Vet.-Akad. Handl. XIX, No. 4, 1882, 60, iv, 71-75.
 ——— **baccalis**, Schwager. Boll. R. Com. geol. Ital. IX, 1878, 523, i, 9.
 ——— **bifurcata**, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 53, vii, 17.

- UVIGERINA** bononiensis, Fornasini. Boll. Soc. geol. Ital. vii, 1888, 48, iii, 12, 12a.
- ? — borealis, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1841, 429.
- ? — — — — — Ehr., Mikrogeologie, 1854, xxxv, A, xx, 9. [= ? ; may be *Truncatulina*.]
- brunnensis, Karrer. Abh. k. k. geol. Reichs. ix, 1877, 385, xvi, b, 49.
- — — — — Brady, Report Challenger, 1884, 577, lxxv, 4 and 5.
- canariensis, d'Orbigny. Barker Webb & Berthelot, Hist. Nat. Iles Canaries, 1839, ii, pt. 2, "Foraminifères," 138, i, 25-27.
- — — — — Brady, Report Challenger, 1884, 573, lxxiv, 1-3.
- — — — — Woodward & Thomas, 13 Ann. Rep. Geol. N. H. Survey Minnesota, for 1884 (1885), 171, iv, 37.
- cochlearis, Karrer. Abh. k. k. geol. Reichs. ix, 1877, 385, xvi, b, 48.
- crassicostata, Schwager. Novara-Exped., Geol. Theil ii, 1866, 248, vii, 94.
- cribrosa, Ehrenberg. Bericht. k. preuss. Ak. Wiss. Berlin, 1845, 377.
- cristata, Marsson. Mittb. Nat. Ver. Neu-Vorpommern u. Rügen, Jahrg. x, 1878, 150, iii, 20a, b, c.
- decora, Ehr. Bericht. k. preuss. Ak. Wiss. Berlin, 1845, 377.
- (*Sagrina*) dimorpha, Park. & Jones. Phil. Trans. 1865, 364, xviii, 18. [v. also *Sagrina*.]
- — — — — Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 62, iv, 77-81.
- eocæna, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 645, ii, 78.
- farinosa, Hantken. A magy. kir. földt. int. évkönyve, iv, 1875 (1876), 53, vii, 6; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, iv, 1875 (1881), 62, same pl. and fig.
- fragilis, Terquem. Mém. Soc. géol. France, [3], ii, 1882, 120, xii (xx), 30.
- gemmæformis, Schwager. Novara-Exped., Geol. Theil ii, 1866, 247, vii, 92.
- globosa, Karrer. In von Drasche, Frag. Geol. Luzon, 1878, 94, v, 20; and Bol. Com. Map. geol. España. vii, 1880, 277F, 6.
- gracilis, Reuss. Zeitschr. deutsch. geol. Ges. iii, 1851, 77, v, 39.
- hispida, Schwager. Novara-Exped., Geol. Theil ii, 1866, 249, vii, 95.
- interrupta, Brady. Q. Journ. Micr. Sci. xix, 1879, 274, viii, 17 and 18.
- — — — — Brady, Report Challenger, 1884, 580, lxxv, 12-14.
- irregularis, Brady. Nat. Hist. Trans. Northumb. i, 1865-67 (1867), 100, xii, 5.
- — — — — Soldani, Testac. ii, 1798, 18, pl. 4H, resembles this form; see P., J., & B., Ann. Mag. 1871, 171.
- lævis, Ehrenberg. Bericht k. preuss. Ak. Wiss. Berlin, 1845, 377.
- (*Heterostomella*) lævis, P. & J. Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 61, iv, 76. [v. *Heterost. aculeata*, *lævis*, P. & J., 1872.]
- multistriata, Hantken. A magy. kir. földt. int. évkönyve, i, 1871, 129, ii, 14; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, i, 1871, 135, same pl. and fig.
- — — — — Hantken, Kohlenflözze, etc. ungar. Krone, 1878 (transl. from Magyar), 217, fig. 30.
- muralis, Terquem. Mém. Soc. géol. France, [3], ii, 1882, 119, xii (xx), 26-29.
- nitidula, Schwager. Novara-Exped., Geol. Theil ii, 1866, 248, vii, 93.
- nodosa, d'Orbigny. Ann. Sci. Nat. vii, 1826, 269, No. 3. [v. *Sagrina*.]
- (*Sagrina*) — — Parker & Jones, Phil. Trans. 1865, 363, xviii, 15.
- — — — — = *U. pygmaea*, d'O.; see *Polymorphia pineiformia*.

- UVIGERINA nodosa**, var. β , d'Orbigny. = *U. pygmæa*, d'O. ; see *Testæ pineiformes*, etc.
- *nuda*, Terquem. Mém. Soc. géol. France, [3], II, 1882, 120, xii (xx), 31.
 - *orbignyanæ*, Czjzek. Haidinger's Naturw. Abh II, 1848, 147, xiii, 16 and 17.
 - *parkeri*, Karrer. Abh. k. k. geol. Reichs. IX, 1877, 385, xvi, b, 50.
 - *paucicosta*, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, 268, xxii, 7A.
 - *pigmea*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 269, No. 2. [Error for *pygmæa*.]
 - *plicata*, Ehr. Bericht k. preuss. Ak. Wiss. Berlin, 1854, 249.
 - *orrecta*, Brady. Q. Journ. Micr. Sci. xix, 1879, 274, viii, 15 and 16.
 - — — — — Brady, Report Challenger, 1884, 577, lxxiv, 21–23.
 - *proboscidea*, Schwager. Novara-Exped., Geol. Theil II, 1866, 250, vii, 96.
 - *pygmæa*, d'Orb. Ann. Sci. Nat. VII, 1826, 269, xii, 8 and 9.
 - — — — — D'Orbigny, Modèles, No. 67, 1826.
 - — — — — Cuvier, Règne Animal, 1836–46, IX (pls. x), 34, xv, 4.
 - — — — — Smedley, Encycl. Metrop. 1845, undescr., pl. "Mollusca" ?, 28.
 - — — — — Reuss, in Geinitz, Grundr. Verstein. 1845–46, 672, xxiv, 62.
 - — — — — D'Orbigny, Foram. Fossiles Vienne, 1846, 190, xi, 25 and 26. [*U. pygmaea* on plate.]
 - — — — — Brönn, Lethaea Geognostica, ed. 3, III, 1853–56, 230, xxxv², 22a, b.
 - [— — — — —] Macdonald, Ann. Mag. Nat. Hist. [2], XX, 1857, 193, v, 6.
 - [— — — — —] Macdonald, Ann. Mag. Nat. Hist. [2], XX, 1857, 193, vi, 21. [Aculeate.]
 - — — — — Parker & Jones, Ann. Mag. Nat. Hist. [2], XIX, 1857, 297, xi, 41–43.
 - — — — — Williamson, Recent British Foram. 1858, 66, v, 138, 139.
 - *[pygmaea]* — Mackie, Recreative Science, I, 1859, 148, fig. 25.
 - — — — — P., J., & B. [d'O., Modèles, No. 67], Ann. Mag. Nat. Hist. [3], XVI, 1865, 29, ii, 54.
 - — — — — Reuss' Models, No. 93, 1865 (Catal., No. 66, 1861).
 - — — — — Parker & Jones, Phil. Trans. 1865, 363, xvii, 65a, b; xiii, 53–57.
 - — — — — var. *angulosa*, Will. Parker & Jones, Phil. Trans. 1865, 364, xiii, 58; xvii, 66a, b.
 - — — — — Mackie, Science Gossip, 1867, 131, fig. 138.
 - — — — — P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 171, xi, 109.
 - — — — — Idem, 171, xi, 110. [See *U. nodosa*, d'O.]
 - — — — — Idem, 171, xi, 111. [See *U. nodosa*, var. β .]
 - — — — — Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 52, vii, 4; and Mittth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 62, same pl. and fig.
 - — — — — Zittel, Handbuch Palaeont. Abth. I, 1876, 86, fig. 23⁵.
 - — — — — Schwager, Boll. R. Com. geol. Ital. VIII, 1877, 25, pl., 34.
 - — — — — Vine, Science Gossip, 1878, 52, fig. 34.
 - — — — — var. Brady, Ann. Mag. Nat. Hist. [5], I, 1878, 435, xx, 7a, b.
 - — — — — Terrigi, Atti Acc. Pont. Nuovi Lincei, XXXIII, 1880, 184, i, 14 and 15.
 - — — — — Goës, K. Svenska Vet.-Akad. Handl. XIX, No. 4, 1882, 59, iv, 68–70.

- UVIGERINA** pygmæa, d'Orbigny. Terrigi, Atti Acc. Pont. Nuovi Lincei, xxxv, 1883, 184, ii, 25.
 ——— ——— ——— Jones, in Microgr. Dict. ed. 4, 1883, 799, xxiii, 44.
 ——— (cf.) ——— ——— Schwager, Palaeontographica, xxx, 1883, Pal. Theil, 112, xxvii (4), 3 and 4.
 ——— ——— ——— Brady, Report Challenger, 1884, 575, lxxiv, 11 and 12 ; var. 13 and 14.
 ——— ——— ——— Hoernes, Elem. Palaeont. 1884, 29, fig. 20 ; French ed. 1886, same fig.
 ——— ——— ——— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 161, fig.
 ——— ——— ——— Quenstedt, Handbuch Petref. ed. 3, Abth. 5 (1885), 1058, lxxxvi, 52.
 ——— ——— ——— Gümbel, Geol. Bayern, Th. 1, Lief. 2, 1885, fig. 266¹⁷.
 ——— ——— ——— Brady, Parker, & Jones, Trans. Zool. Soc. XII, pt. 7, 1888, 224, xlv, 1 and 2.
 ——— ——— ——— See *Polymorpha pineiformia*, and *Nautili amphorarii*.
 ——— (*Sagrina*) raphanus, Park. & Jones. Phil. Trans. 1865, 364, xviii, 16a, b, and 17. [v. also *Sagrina*.]
 ——— raricosta, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 53, vii, 15.
 ——— rosæ, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, 267, xviii, 7A. [*Cucurbitina* in deser. to pl.; appears to be a *Bulimina*.]
 ——— rugosa, d'Orbigny. Ann. Sci. Nat. VII, 1826, 269, No. 1.
 ——— rugosa, Terquem. Mém. Soc. géol. France, [3], II, 1882, 120, xii (xx), 32.
 ——— rugulosa, Reuss. Bull. Ac. Roy. Belg. [2], xv, 1863, 153, iii, 43.
 ——— schwageri, Brady. Report Challenger, 1884, 575, lxxiv, 8–10.
 ——— semiornata, d'Orbigny. Foram. Fossiles Vienne, 1846, 189, xi, 23 and 24.
 ——— ——— Egger, Neues Jahrbuch, 1857, 285, xi, 17 and 18.
 ——— spinipes, Brady. Quart. Journ. Micr. Soc. XXI, 1881, 64. [v. *U. angulosa*, var.]
 ——— striata, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 53, vii, 16.
 ——— striata, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, 266, xv, 2A, C, [error for 3].
 ——— striatella, Reuss. Zeitschr. deutsch. geol. Ges. III, 1851, 159, viii, 7.
 ——— tenuistriata, Reuss. Sitz. k. Ak. Wiss. LXII, Abth. 1, 1870, 485; v. Schlücht, Foram. Septar. Pfeitzpühl, 1870, xxii, 34–37.
 ——— ——— Brady, Report Challenger, 1884, 574, lxxiv, 4–7.
 ——— tricarinata, d'Orbigny. Mém. Soc. géol. France, [1], IV, 1840, 42, iv, 16 and 17; facsimile in *Science Gossip*, 1870, 157, fig. 149.
 ——— ——— Reuss, in Geinitz, Grundr. Verstein. 1846, 672, xxiv, 63.
 ——— trigona, Seguenza. Atti Accad. Gioenia Sci. Nat. [2], XVIII, 1862, 110, ii, 1 and 1a.
 ——— trilobata, d'Orbigny. Ann. Sci. Nat. VII, 1826, 269, No. 4.
 ——— uncinata, Mariani. Atti Soc. Ital. Sci. XXXI, 1888, 119, i, 7a, b.
 ——— urnula, d'Orbigny. Foram. Fossiles Vienne, 1846, 189, xi, 21 and 22.
 ——— ——— Pictet, Traité de Paléont. 2d ed. IV, 1857, 513, cix, 32.
 ——— ——— ——— Suess, Boden Stadt Wien, 1862, 45, fig. 1⁵.
 ——— ——— ——— Toutkowski, Zap. Kievsk. Obshch. Est. IX, 1888, 39, i, 1a, b, c.
 ——— ——— ——— Pictet, Traité de Paléont. IV, 1846, 235, xii, 21.
 ——— v. Schlücht, Foram. Septar. Pfeitzpühl, 1870, plates xxii.
- VAGINULA**, Jones, 1883; misprint for *Vaginulina*.
- VAGINULINA**, d'Orbigny, 1826. Ann. Sci. Nat. VII, 1826, 257; Brady, Report Challenger, 1884, 529.
- acuminate, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863), 49, iv, 1.

- VAGINULINA** acuta, Ehr. Mikrogeologie, 1854, xxix, 40.
 — alsatica, Deecke. Abh. geol. Speciaalkarte Elsass-Lothr. IV, Heft 1, 1884, 33, i, 21a, b.
 — angustissima, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863), 45, iii, 3.
 — anomala, Tate & Blake. Yorkshire Lias, 1876, 464, xvii, 23 and 23a.
 — arguta, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 202, viii, 4. [v. *Planularia*.]
 — — — — — Reuss, Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863), 47, iii, 13.
 — — — — — Berthelin, Mém. Soc. géol. France, [3], I, 1880, 42, ii (xxv), 7a-8b.
 — — — — — badenensis, d'Orbigny. Foram. Fossiles Vienne, 1846, 65, iii, 6-8.
 — — — — — Neugeboren, Denkschr. k. Ak. Wiss. Wien, XII (2), 1856, 98, v, 7a, b, 8 and 9.
 — — — — — Costa, Atti Accad. Pontaniana, VII, fas. 2, 1856, 181, xii, 16a, A.
 — — — [badensis] — — — Reuss' Models, No. 56, 1865 (Catal., No. 42, 1861).
 — — — — — Jones, in Microgr. Dict. ed. 4, 1883, 799, xxiii, 35a, b.
 — — — bargensis, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 40, iv, Rheinfallschicht, 1.
 — — — bicostulata, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 202, viii, 5.
 — — — biochei, Berthelin. Mém. Soc. géol. France, [3], I, 1880, 42, ii (xxv), 9a, b.
 — — — biplicata, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 395, viii, 3a, b.
 — — — birmenstorfensis, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 25, iii, 14.
 — — — brukenthali, Neugeboren. Denkschr. k. Ak. Wiss. Wien, XII (2), 1856, 98, v, 10a-d.
 — — — — — Brady, Report Challenger, 1884, 532, lxvi, 18 and 19.
 — — — bullosa, Ehrenberg. Mikrogeologie, 1854, xxiv, 9. [= *V. leguminiformis*, Batsch.]
 — — — calcipara, Ehr. Mikrogeologie, 1854, xxxii, ii, 7. [= *V. leguminiformis*, Batsch.]
 — — — caudata, d'Orbigny. Ann. Sci. Nat. VII, 1826, 258, No. 8.
 — — — — — P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 163, ix, 60.
 — — — — — See *Orthoceratia vaginalis*.
 — — — citharina, d'Orb., 1847. D'Orbigny, Prodrome de Paléont. II, 1850, 185, No. 750.
 — — — clava, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 6, i, Turnerithon, 8.
 — — — clavata, Costa. Mem. Acc. Sci. Napoli, II, 1855 (1857), 145, ii, 18A, B. [v. *Nodosaria*.]
 — — — clavula, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 26, iii, 16.
 — — — comitina, Berthelin. Mém. Soc. géol. France, [3], II, 1880, 38, i (xiv), 21a-d.
 — — — communis, Costa. Mem. Acc. Sci. Napoli, II, 1855 (1857), not descr., ii, 3.
 — — — cordiformis, Terq., var. alsatica, Deecke. Abh. geol. Speciaalkarte Elsass-Lothr. IV, Heft 1, 1884, 35, ii, 8, 8a.
 — — — cornu, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 25, iii, 13.
 — — — correcta, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 26, iii, 18.
 — — — costata, d'Orbigny. Ann. Sci. Nat. VIII, 1826, 258, No. 6.
 — — — costata, Neugeboren. Denkschr. k. Ak. Wiss. Wien, XII (2), 1856, 98, v, 11.
 — — — costulata, Roemer. Neues Jahrbuch, 1842, 273, vii, B, 3. [v. also *Citharina*.]

- VAGINULINA** costulata, Roemer. Brunn, Lethaea Geognostica, ed. 3, II, 1851-52, 90, xxix¹, 22a-d.
 ——— [Reuss]. Jones, Geologist, VI, 1863, 295, xv, 18, 19.
 ——— ——— Reuss, in Geinitz, Palaeontographica, XX, Th. 2, 1874, 90, xx, 24.
 ——— ——— Quenstedt, Handbuch Petref. ed. 3, Abth. 5 (1885), 1051, lxxxvi, 15.
 ——— cretæ, Ehrenberg. Mikrogeologie, 1854, xxiv, 8. [= *V. lavigata*, Roem.]
 ——— ——— Ehr., Mikrogeologie, 1854, xxxii, ii, 8. [= *V. leguminiformis*, Batseh.]
 ——— (brachyarthra) ——— Ehr., Mikrogeologie, 1854, xxviii, 5. [= *V. longa*, Cornuel.]
 ——— cristellaroides, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863), 48, iii, 17a, b.
 ——— [cristellaroides] ——— Reuss' Models, No. 87, 1865 (Catal., No. 44, 1861).
 ——— denudata, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863), 45, iii, 4a, b.
 ——— depressa, d'Orbigny. Prodrome de Paléont. I, 1849, 324. [*Planularia*, 1826.]
 ——— discors, Koch. Palaeontographica, I, 1851, 172, xxiv, 1 and 2.
 ——— ——— Reuss, Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863), 50, iii, 10-12a, b.
 ——— dubia, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 26, iii, 20. [=near *Planularia pauperata*.]
 ——— dunkeri, Koch. Palaeontographica, I, 1851, 172, xxiv, 3.
 ——— ——— Jones & Parker, Quart. Journ. Geol. Soc. XVI, 1860, xx, 36.
 ——— elegans, d'Orbigny. Ann. Sci. Nat. VII, 1826, 257, No. 1.
 ——— ——— D'Orbigny, Modèles, No. 54, 1826.
 ——— ——— P., J., & B. [d'O., Modèles, No. 54], Ann. Mag. Nat. Hist. [3], XVI, 1865, 27, i, 33.
 ——— ——— Kübler & Zwingli, Neujahrsblatt Bürgersbibl. Winterthur, 1866, 8, i, 6.
 ——— ——— Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 6, i, Turnerithon, 7.
 ——— ——— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 161, fig.
 ——— ——— See *V. legumen*, Linn.
 ——— elongata, d'Orb. Prodrome de Paléont. I, 1849, 324. [*Planularia*, 1826.]
 ? ——— elongata, Roemer. Verst. norddeutsch. Kreide, 1840-41, 96, xv, 14.
 ——— eocæna, Giember. Abh. m.-ph. Cl. k.-bayer, Ak. Wiss. X, 1868 (1870), 632, i, 49a, b.
 ——— eurynota, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862, (1863), 90, xii, 9a, b.
 ——— cf. flabelloides, Terq. Deecke, Abh. geol. Speciakarte Elsass-Lothr. IV, Heft 1, 1884, 29, i, 16. [*Marginulina*, 1868.]
 ——— gaultina, Berthelin. Mém. Soc. géol. France, [3], I, 1880, 39, i (xxiv), 22a-24.
 ——— geinitzi, Reuss. In Geinitz, Palaeontographica, XX, Th. 2, 1874, 91, xxi, 1.
 ——— harpa, Roemer. Verst. norddeutsch. Kreide, 1840-41, 96, xv, 13.
 ——— ——— Reuss, Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863), 51, iv, 5a, b, 6a, b, and 7.
 ——— hausmanni, Bornemann. Lias von Göttingen, 1854, 38, iii, 25a, b.
 ——— hoffmanni, Ehr. Mikrogeologie, 1854, xxvi, 7. [= *V. lavigata*, Roem.]
 ——— hoplitæ, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 26, iii, 17.

- VAGINULINA humphresiana**, Deecke. Abh. geol. Specialkarte, Elsass-Lothr. iv, Heft 1, 1884, 34, i, 19 and 19a.
- **incompta**, Reuss. Sitz. k. Ak. Wiss. Wien, xlvi, Abth. 1, 1862 (1863), 45, iii, 5a, b.
- **incrassata**, Rennss. Sitz. k. Ak. Wiss. Wien, xlvi, Abth. 1, 1862 (1863), 52, iv, 9a, b.
- **integra**, Kübler & Zwingli. Nenjahrsblatt Bürgersbibl. Winterthur, 1866, 8, i, 2.
- **Zwingli & Kübler**, Foraminif. schweiz. Jura, 1870, 5, i, Turnerithon, 5.
- **intumescens**, Reuss. Sitz. k. Ak. Wiss. Wien, xlvi, Abth. 1, 1862 (1863), 49, iv, 2.
- **irregularis**, Ehrenberg. Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 30.
- **italica**, Costa. Mem. Acc. Sci. Napoli, ii, 1855 (1857), 143, ii, 15A-C.
- **jurensis**, Gümbel. Jahresh. Ver. vat. Nat. Württ. xviii, 1862, 220, iii, 14a, b, c.
- **kinklistheisa**, Deecke. Abh. geol. Specialkarte Elsass-Lothr. iv, Heft 1, 1884, 32, i, 18 and 18a.
- **kochii**, Roemer. Verst. norddeutsch. Kreide, 1840-41, 96, xv, 10.
- **v. laevis**, Von Hagenow. Neues Jahrbuch, 1842, 273, vii, B, 1.
- **laevis**, Roemer. Verst. norddeutsch. Kreide, 1840-41, 96, xv, 11.
- **laevigata**, Ehr. Abhandl. k. Ak. Wiss. Berlin, 1838, 135.
- **laevigata**, Roemer. Neues Jahrbuch, 1838, 383, iii, 11.
- **Michelotti**. Mem. Soc. Ital. Sci. xxii, 1841, 278, i, 11.
- **Reuss**, in Geinitz, Grundr. Verstein. 1845-46, 657, xxiv, 12.
- **Reuss**, Sitz. k. Ak. Wiss. Wien, xviii, 1856, 226, i, 9.
- **Costa**, Atti Accad. Pontaniana, vii, fas. 2, 1856, not deser., xvi, 16.
- **J., P., & B.**, Crag Foram., Pal. Soc. xix, 1866, 66, iv, 9.
- **Brady**, Proc. Somerset. Arch. and Nat. Hist. Soc. xiii, 1865-66 (1867), 225, i, 19.
- **laminæformis**, Gümbel. Abh. m.-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 632, i, 48a, b.
- **lanceolata**, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 25, iii, 12.
- **laxa**, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 8, i, Posodonienschiefes, 2.
- **legumen** (Linné). D'Orbigny, Ann. Sci. Nat. vii, 1826, 257. [*Nutilus*, 1758.]
- **Jones & Parker**, Quart. Journ. Geol. Soc. xvi, 1860, xix, 27 and 28.
- **Brady**, Proc. Somerset. Arch. and Nat. Hist. Soc. xiii, 1865-66 (1867), 224, i, 18.
- **Tate & Blake**, Yorkshire Lias, 1876, 464, xix, 11.
- **Morris**, Lecture Geol. Croydon, [1876], 8, fig. 3⁶.
- **v. laevigata** (Roem.). Jones, Quart. Journ. Geol. Soc. xl, 1884, 769, xxxiv, 5. [v. *V. laevigata*.]
- **Brady**, Report Challenger, 1884, 530, lxvi, 13-15.
- **v. arquata**, Brady. Report Challenger, 1884, 531, cxiv, 13.
- **v. elegans** (d'Orb.). Fornasini, Boll. Soc. geol. Ital. v, 1886, 25, i, 1 ?, 2-8. [v. *V. elegans*.]
- **subvar. margaritifera** (Batsch). Fornasini, Boll. Soc. geol. Ital. v, 1886, 25, i, 9-11. [v. *V. margaritifera*.]
- **var. Sherborn & Chapman**, Journ. R. Mier. Soc. [2], vi, 1886, 753, xv, 19a, b.

- VAGINULINA** legumen (Linné). Sherborn & Chapman, Journ. R. Micr. Soc. 1889, 486, xi, 26.
- [—— ——— ———] Gesner, De omni rerum, etc. 1565, 170, f. 1.
 - [—— ——— ———] Ledermüller, Mikr. Gemüths, 1763, 17, viii, g.
 - [—— ——— ———] See Martini, Nenes Syst. Conchyl. I, 1769, 4, pl. i, E in text.
 - ——— ——— See *Orthocerata vaginulam*, etc.
 - leguminiformis (Batsch). See *Nautilus (Orthoc.)*, 1791.
 - lens, Costa. Mem. Acc. Sci. Napoli, II, 1855 (1857), 144, ii, 164, B.
 - liasica, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 5, i, Turnerithon, 4.
 - ligata, Reuss. Sitz. k. Ak. Wiss. Wien, L, Abth. 1, 1864 (1865), 457, i, 11.
 - linearis, Ehrenberg. Mikrogeologie, 1854, xxix, 39. [= *Margin. ensis*, Reuss (Böh. Kreide, II, xiii, 27).]
 - linearis (Montagu). Parker & Jones, Phil. Trans. 1865, 343, xiii, 12a, b, 13a, b. [*Nautilus*, 1808.]
 - ——— ——— J., P., & B., Crag Foram., Pal. Soc. xix, 1866, 67, i, 10-12.
 - ——— ——— Brady, Report Challenger, 1884, 532, lxvii, 10-12.
 - longa, Ehr. See Jones, Catal. Foss. Foram. B. M. 1882, 87.
 - macrocephali, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 19, ii, Macrocephalus oolith, 3.
 - margaritifera (Batsch). Brady, Report Challenger, 1884, 532, lxvi, 16. [*Nautilus (Orthoceras)*, 1791.]
 - ——— ——— See *V. legumen*, Liinn.
 - marginata, d'Orbigny. Ann. Sci. Nat. VII, 1826, 258, No. 7.
 - ——— ——— P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 163, ix, 59.
 - ——— ——— See *Orthoceras, Vaginulæ species*.
 - marginuloides, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863), 44, iii, 2a, b.
 - ——— ——— Goës, Bihang K. Svenska Vet.-Ak. Handl. XV, 1889, ii, 32.
 - margulinoides, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 26, iii, 19.
 - metensis, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 394, viii, 2a, b.
 - minima, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 20, ii, Macrocephalus oolith, 4.
 - mosquensis, Uhlig. Jahrb. k. k. geol. Reichs. XXXIII, 1883, 751, ix, 9.
 - neglecta, Terquem. Six. Mém. Foram. Lias, 1866, 497, xx, 35.
 - nodulosa, Ehrenberg. Mikrogeologie, 1854, xxvii, 4. [= *V. lœvigata*, Roem. var.]
 - notata, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 203, ix, 3.
 - obscura, Ehr. Mikrogeologie, 1854, xxvi, 27. [= *Virg. hemprichii*.]
 - oolithica, Terq., var. elongata, Deecke. Abh. geol. Specialkarte Elsass-Lothr. IV, Heft 1, 1884, 32, i, 14. [*Dentalina*, 1870.]
 - orthonota, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863), 49, iv, 3a, b. [*v. Marginulina*.]
 - paradoxa, Ehr. Mikrogeologie, 1854, xxvi, 26. [= *Virg. hemprichii*.]
 - parkinsoni, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 18, ii, Parkinsonithon, 7.
 - patens, Brady. Report Challenger, 1884, 533, lxvii, 15 and 16.
 - paucicostata, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863), 52, iv, 8a, b.
 - paucistriata, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863), 48, iii, 16a-c.
 - perfoliata, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 6, i, Turnerithon, 6.

- VAGINULINA perspicua**, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 26, iii, 15.
- **protosphæra**, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863), 90, xii, 10a, b.
- **raduliformis**, Schwager. Benecke's Geogn.-Pal. Beiträge, I, 1866, 305, fig. 7.
- **recta**, Karrer. Novara-Exped., Geol. Theil I, 1864, 74, xvi, 2.
- **recta**, Renss. Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863), 48, iii, 14 and 15a, b.
- **—** Zittel, Handbuch Palaeont., Abth. I, 1876, 85, fig. 21⁵.
- **—** Berthelin, Mém. Soc. géol. France, [3], I, 1880, 41, ii (xxv), 5a-6c.
- **rotundata**, Ehrenberg. Mikrogeologie, 1854, xxxi, 7. [Near *V. marginata*, d'O.]
- **rudis**, Deecke. Abh. geol. Speciaalkarte Elsass-Lothr. IV, Heft 1, 1884, 30, i, 15a, b.
- **rugosa**, Terquem. Six. Mém. Foram. Lias, 1866, 497, xx, 34.
- **schlöenbachi**, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863), 46, iii, 6a, b.
- **siblingensis**, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 34, iv, Impressathon, 7.
- **simplex**, Terquem. Mém. Ac. Imp. Metz, XLIV, 1863, 394, viii, 1a, b.
- **sparsicostata**, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863), 50, iv, 4a, b.
- **spinigera**, Brady. Report Challenger, 1884, 531, lxvii, 13 and 14. [*Marginulina*, sp., Whiteaves, 1872.]
- **striata**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 257, No. 3.
- **—** Brady, Proc. Somerset. Arch. and Nat. Hist. Soc. XIII, 1865-66 (1867), 225, i, 20.
- **—** P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 162, ix, 58.
- **—** See *Hortoceratia vaginalum*, etc.
- **—** D'Orbigny, Prodrome de Paléont. I, 1850, 324. [*Planularia*, 1826.]
- **striata**, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, 182, xvi, 16a, A, B [error for 17].
- **striato-costata**, d'Orb., 1847. D'Orbigny, Prodrome de Paléont. II, 1850, 185, No. 751.
- **striatula**, Roemer. Neues Jahrbuch, 1842, 273, vii, B, 2.
- **—** Reuss, in Geinitz, Grundr. Verstein. 1845-46, 657, xxiv, 14.
- **strigillata** and var., Rss. Jones & Parker, Quart. Journ. Geol. Soc. XVI, 1860, xx, 29-35. [*Citharina*, 1845.]
- **striolata**, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863), 46, iii, 7.
- **strombecki**, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863), 46, iii, 8.
- **subacuta**, Ehrenberg. Mikrogeologie, 1854, xxxii, ii, 9. [= *V. leguminiformis*, Batsch.]
- **subulata**, Ehr. Mikrogeologie, 1854, xxiv, 10. [= *V. levigata*, Roem.]
- **—** Ehr., Abhandl. k. Ak. Wiss. Berlin, 1855, 160, i, x. [Glauc.]
- **sulcata**, Costa. Mem. Acc. Sci. Napoli, II, 1855 (1857), 145, ii, 174, B.
- **tenuis**, Ehr. Mikrogeologie, 1854, xxvi, 8.
- **transversalis**, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 202, viii, 5 [error for 3].
- **—** Reuss' Models, No. 89, 1865 (Catal., No. 43, 1861).

- VAGINULINA** tricarinata, d'Orbigny. Ann. Sci. Nat. VII, 1826, 258, No. 4.
 ——— ——— ——— D'Orbigny, Modèles, 1826, No. 4. [v. *Rhabdogonium*.]
 ——— ——— ——— P., J., & B. [d'O., Modèles, No. 4], Ann. Mag. Nat. Hist. [3], xvi, 1865, 19, i, 34.
 ——— ——— ——— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 161, fig.
 ——— truncata, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI, Abth. 1, 1862 (1863), 47, iii, 9.
 ——— ——— ——— Schwager, Boll. R. Com. geol. Ital. VIII, 1877, 25, pl., 25.
 ——— ——— ——— Berthelin, Mém. Soc. géol. France, [3], I, 1880, 39, i (xxiv), 25-28b; and A, F; ii (xxv), 4a, b.
 ——— ——— ——— Prestwich, Geology, 1888, II, 278, fig. 144a.
 ——— ——— ——— Goës, Bilhang K. Svenska Vet.-Ak. Handl. XV, 1889, ii, 30.
 ——— undata, d'Orbigny. Ann. Sci. Nat. VII, 1826, 258, No. 5.
 ——— vandenbroecki, Berthelin. Mém. Soc. géol. France, [3], II, 1880, 38, i (xxiv), 20a, b.
 ——— vicia, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 34, iv, Impressathon, 8.
 ——— zeuschneri, Reuss. Haidinger's Naturw. Abh. IV, Abth. 1, 1851, 28, i, 19.
 ——— ——— ——— Olszewski, Sprawozd. Kom. fizyj. Ak. Umiej. Krakowie, IX, 1875, 108, i, 7.
 ——— Ehrenberg, Abhandl. k. Ak. Wiss. Berlin, 1855, 160, i, ix. [Glauc.]
 ——— Parker & Jones, Ann. Mag. Nat. Hist. [2], xix, 1857, 282, xi, 2.
 ——— Ehrenberg, Monatsbericht k. preuss. Ak. Wiss. Berlin, 1858, 306 and 337, pl. i, fig. 1. [Glauc.]
 ——— Carpenter, Parker, & Jones, Introd. Foram. 1862, xxii, 8B. [Cast.]
 ——— sp. Schwager, Jahresh. Ver. vat. Nat. Württ. xxi, 1865, 112, iv, 10.
 ——— fragments. Zwingli & Kübler, Foraminif. schweiz. Jura, 1870, 40, iv, Rheinfallschicht, 2, and 20, ii, Macrocephalus oolith, 5.
 ——— sp. Sherborn & Chapman, Journ. R. Micr. Soc. 1889, 487, xi, 25.
 ——— see *Nautilus*.
- VALVATINA**, Bornemann, 1855. Zeitschr. deutsch. geol. Ges. VII, 1855, 318. [A gastropod.]
- VALVULINA**, d'Orbigny, 1826. Ann. Sci. Nat. VII, 1826, 270; Brady, Report Challenger, 1884, 391.
- allomorphinoides, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 223, xi, 6a-c. [v. *Discorbina*.]
 — alpina, Gümbel. Anleit. geol. Beob. Alpenreisen Zeitschr. D. & O. Alpenver., Beilage, 1878, 105, fig. 25, 17.
 — angularis, Jones & Parker. Q. Journ. Geol. Soc. XVI, 1860, 305, No. 92. [= *Clavulina*, q. v.]
 — auris, d'Orbigny. Voyage Amér. Mérid. 1839, v, pt. 5, "Foraminifères," 47, ii, 15-17.
 — austriaca, d'Orbigny. Foram. Fossiles Vienne, 1846, 181, xi, 7 and 8.
 — — — — — Jones, in Microgr. Dict. ed. 4, 1883, 800, xxiii, 20.
 — bulloides, Brady. Carbonif. Foram., Pal. Soc. XXX, 1876, 89, iv, 12-15.
 — clavulus (Lam.). Jones, Catal. Foss. Foram. B. M. 1882, 71. [Nodosaria, 1816.]
 — column-a-tortilis, d'Orbigny. Ann. Sci. Nat. VII, 1826, 270, No. 3.
 — [columna-tordis, d'Orb.]. Guérin-Menéville's Cuvier, Iconographie, Mollusques, 1829-43, 9, ii, 14. [*Columna-torilis* on plate.]
 — [columna-torilis] — Cuvier, Animal Kingdom, Henderson's ed. III, 1834 (pls. 1837), 18, iii, 14.
 — — — — — Terq., Mém. Soc. géol. France, [3], II, 1882, 103, xi (xix), 8.
 — conica, Parker & Jones. Brady, Report Challenger, 1884, 392, xlvi, 15 and 16. [V. triangularis, var. 1865.]
 — — — — — Brady, Parker, & Jones, Trans. Zool. Soc. XII, pt. 7, 1888, 220, xli, 21; xlvi, 16 and 17.

- VALVULINA** *cordiformis*, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, 262, xxi, 10A, B. [v. *Pulvinulina*.]
- *cornu*, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1838, 135.
- *decurrans*, Brady. Carbonif. Foram., Pal. Soc. XXX, 1876, 87, iii, 17 and 18.
- *deformis*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 271, No. 8.
- *excavata*, d'Orbigny. Barker Webb & Berthelot, Hist. Nat. Iles Canaries, 1839, II, pt. 2, "Foraminifères," 137, i, 43–45.
- *fusca* (Will.). Brady, Report Challenger, 1884, 392, xlix, 13 and 14. [*Rotalina*, 1858.]
- *gervillii*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 271, No. 7.
- *gibbosa* — Mém. Soc. géol. France, [1], IV, 1840, 38, iv, 1 and 2; Facsimile in Science Gossip, 1870, 156, fig. 141.
- *[gibba]* — Reuss, in Geinitz, Grundr. Verstein. 1845–46, 671, xxiv, 58.
- *globularis*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 270, No. 6.
- — — Terq., Mém. Soc. géol. France, [3], II, 1882, 102, xi (xix), 6a, b.
- *globularis*, v. Muenster. Roemer, Neues Jahrbuch, 1838, 387, iii, 42b, c.
- *ignota*, Defr. D'Orbigny, Ann. Sci. Nat. VII, 1826, 270, No. 5.
- *inæqualis*, d'Orbigny. Voyage Amér. Mérid. 1839, V, pt. 5, "Foraminifères," 48, vii, 10–12. [v. *Discorbina*.]
- *inflata*, d'Orbigny. Voyage Amér. Mérid. 1839, V, pt. 5, "Foraminifères," 48, vii, 7–9.
- *irregularis*, Terq. Mém. Soc. géol. France, [3], II, 1882, 103, xi (xix), 9a, b.
- *limbata*, Terq. Mém. Soc. géol. France, [3], II, 1882, 102, xi (xix), 7a–c.
- *mixta*, P. & J. See Valvulina, Carp., Park., & Jones, Introd. 1862.
- *oblonga*, d'Orbigny. Barker Webb & Berthelot, Hist. Nat. Iles Canaries, 1839, II, pt. 2, "Foraminifères," 136, i, 40–42.
- *ovalis*, Terq. Mém. Soc. géol. France, [3], II, 1882, 103, xi (xix), 10a, b.
- *oviedoiana*, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 103, ii, 21 and 22; also in Spanish, 1840, 108, same pl. and fig. [v. *oviedoana* on plate.]
- *palæotrochus*, Ehr. Brady, Carbonif. Foram., Pal. Soc. XXX, 1876, 83, iv, 1–4. [*Textilaria*, 1854.]
- — — v. *compressa*, Brady. Carbonif. Foram., Pal. Soc. XXX, 1876, 85, iv, 5a, b.
- — — [Br.]. Nicholson, Manual Palaeont. 1879, I, 112, fig. 21C, D.
- — — Roemer, Lethaea Geognostica, Th. I, Lief. 1, 1880, 267, fig. 42.
- *parisiensis* (d'Orb.). P., J., & B., Ann. Mag. Nat. Hist. [3], XVI, 1865, 29 and 35, pl. 1, f. 26. [= *Clavulina*, q. v.]
- *parvula*, v. Muenster. Roemer, Neues Jahrbuch, 1838, 387, iii, 41b, c.
- *pileolus*, d'Orbigny. Voyage Amér. Mérid. 1839, V, pt. 5, "Foraminifères," 47, i, 15–17. [v. *Discorbina*.]
- *plicata*, Brady. Carbonif. Foram., Pal. Soc. XXX, 1876, 88, iv, 10 and 11.
- *pupa*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 270, No. 2.
- — — Terq., Mém. Soc. géol. France, [3], II, 1882, 101, xi (xix), 5.
- *quadribullata*, v. Hagenow. Neues Jahrb. f. Min. 1842, 570.
- *rawackensis*, d'Orbigny. Ann. Sci. Nat. VII, 1826, 270, No. 4.
- *rudis*, Brady. Carbonif. Foram., Pal. Soc. XXX, 1876, 90, iii, 19 and 20.
- *spicula*, Reuss. Geogn. Skizze Böhmen, II, 1844, pt. 1, 214.
- — — Reuss, Verstein. böhm. Kreide, 1845–46, I, 37, xiii, 69.

- VALVULINA** triangularis, d'Orbigny. Ann. Sci. Nat. vii, 1826, 270, No. 1.
 ——— ——— D'Orbigny, Modèles, No. 25, 1826.
 ——— ——— Guérin-Ménéville's Cuvier, Iconographie, Mollusques, 1829-43, 9, ii, 15.
 ——— ——— Cuvier, Animal Kingdom, Henderson's ed. III, 1834 (pls. 1837), 18, iii, 15.
 ——— ——— Brönn, Lethaea Geognostica, ed. 2, 1837, 1134, xlvi, 22a, b, c.
 ——— ——— Reuss, in Geinitz, Grundr. Verstein. 1845-46, 671, xxiv, 59.
 ——— ——— Brönn, Lethaea Geognostica, ed. 3, III, 1853-56, 229, xlvi, 22a, b, c.
 ——— ——— Parker & Jones, Ann. Mag. Nat. Hist. [2], xix, 1857, 295, xi, 15 and 16.
 ——— ——— Carpenter, Parker, & Jones, Introd. Foram. 1862, xi, 15.
 ——— ——— Reuss' Models, No. 95, 1865 (Catal., No. 5, 1861).
 ——— ——— P., J., & B. [d'O., Modèles, No. 25], Ann. Mag. Nat. Hist. [3], xvi, 1865, 23, i, 24.
 ——— ——— Bütschli, in Brönn, Klassen, etc. Thier-Reichs, 1880, 205, vii, 35.
 ——— ——— Terq., Mém. Soc. géol. France, [3], II, 1882, 101, xi (xix), 4.
 ——— ——— Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 86, xi, 387-389. [Forma *Clavulina*.]
 ——— ——— var. *eocæna*, Gümb. Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 88, xi, 401-403. [v. *Clavulina*.]
 ——— ——— var. *polyphragma*, Goës. K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 87, xi, 390-400.
 ——— ——— var. *conica*, Parker & Jones. Phil. Trans. 1865, 406, xv, 27. [v. also *V. conica*.]
 ——— ——— Agassiz, Three Cruises "Blake," II, 1888, 165, fig. 502.
 ——— ——— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 162, fig. tribullata, v. Hagenow. Neues Jahrb. 1842, 570.
 ——— ——— youngi, Brady. Carbonif. Foram., Pal. Soc. xxx, 1876, 86, iv, 6, 8, and 9.
 ——— ——— v. *contraria*, Brady. Carbonif. Foram., Pal. Soc. xxx, 1876, 87, iv, 7a, b.
 ——— ——— Pictet, Traité de Paléont. IV, 1846, 234, xii, 19.
 ——— ——— Carpenter, Parker, & Jones, Introd. Foram. 1862, 146, xi, 15-26. [17 = *V. parisiensis*, d'O.; 18 = *V. angularis*, d'O.; 19 = *V. mixta*, P. & J.; 23 = *V. conica*, P. & J.] [Structural.]
 ——— ——— sp. Zittel, Handbuch Palaeont., Abth. 1, 1876, 90, fig. 277.
 ——— ——— Carter, Ann. Mag. Nat. Hist. [4], xix, 1877, xiii, 23, 24, and 25.
 ——— ——— sp. Schwager, Boll. R. Com. geol. Ital. VIII, 1877, 26, pl. 91.
 ——— ——— Bütschli, in Brönn, Klassen, etc. Thier-Reichs, 1880, 205, vii, 34 and 36.
VENILINA, Gümbel, 1868 (1870). Abh. m-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 648.
 ——— ——— haeringensis, Gümbel. Abh. m-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 649, ii, 84bis, a, b. [v. also *Schizophora*.]
 ——— ——— nikobarensis, Schw. Boll. R. Com. geol. Ital. VIII, 1877, 27, pl. 102.
 ——— ——— nummularia, Gümbel. Abh. m-ph. Cl. k.-bayer. Ak. Wiss. x, 1868 (1870), 648, ii, 84a, b.
Vermiculi ammoniformes, Soldani. Sagg. Oritt. 1780, 106, iv, 36K, L.
VERMICULUM, Montagu, 1803. Test. Brit. 1803, 517.
 ——— ——— bicorne (Walker & Boys). Montagu, Test. Brit. 1803, 519. [Serpula, 1784.]
 ——— ——— disciforme, Macgillivray. Hist. Moll. Anim. Aberdeen, etc. 1843, 319. [v. also *Miliolina* and *M. seminulum*.]

- VERMICULUM globosum** (Walker & Boys). Montagu, Testac. Brit. 1803, 523. [v. *Lagena*.] [*Serpula*, 1784.]
 —— **intortum**, Montagn. Test. Brit. 1803, 520.
 —— —— —— Fleming, Mem. Werner. Nat. Hist. Soc. iv, 1822, 564, xv, 3a, b.
 —— **lacteum**, Montagu. Test. Brit. 1803, 522. [v. *Miliola* and *Biloculina*.]
 —— —— —— Fleming, Mem. Werner. Nat. Hist. Soc. iv, 1822, 566, xv, 6k, l, m. [= *Polymorphina*.]
 —— **læve** (Walker & Boys). Montagu, Testac. Brit. 1803, 524. [*Serpula*, 1784.]
 —— **marginatum** (Walker & Boys). Montagu, Test. Brit. 1803, 524. [*Serpula*, 1784.] [v. *Lagena*, *Renoidea*, and *Biloculina*.]
 —— **oblongum**, Montagu. Test. Brit. 1803, 522, xiv, 9. [v. *Miliola*, *Biloculina*, *Lagena*, *Miliolina*, *Quinqueloc.*, *Triloculina*.]
 —— —— —— Fleming, Mem. Werner. Nat. Hist. Soc. iv, 1822, 565, xv, 4d, e, f.
 —— **perforatum** (Walker & Boys). Montagu, Test. Brit. 1803, 519. [*Serpula*, 1784.]
 —— **perlucidum**, Montagu. Test. Brit. 1803, 525, xiv, 3. [v. *Lagena*.]
 —— **retortum** (Walker & Boys). Montagu, Test. Brit. 1803, 524. [*Serpula*, 1784.]
 —— **squamosum**, Montagu. Test. Brit. 1803, 526, xiv, 2. [v. *Entosolenia*, *E. globosa*, and *Lagena*.]
 —— **striatum** (Walker & Boys). Montagu, Test. Brit. 1803, 523. [*Serpula*, 1784.]
 —— **subrotundum** (Walker & Boys). Montagu, Test. Brit. 1803, 521. [*Serpula*, 1784.] [v. *Miliola*, *Miliolina*, and *Quinqueloculina*.]
 —— **[subrotundatum]**, [Mont.]. Fleming, Mem. Werner. Nat. Hist. Soc. iv, 1822, 565, xv, 5g, h, i.
 —— **urnæ**, Montagu. Test. Brit. 1803, 525, xiv, 1. [v. *Serpula*, and *Lagena*.]
 —— —— —— = *Entosol. lineata*, Will. [Williamson] = ? ovary of a Coralline [Jeffrey].

Vermiculus saxis et lignis adhærens Cornu Hammonis referens.
 Plancus, De Conch. Min. 1739, also 1760, 17, pl. i, f. viii, N, M, L.
 [= ? *Serpula*.]

Verneolina, Costa ; misprint for *Verneuilina*.

Verneueilina, Williamson, 1848 ; misprint for *Verneuilina*.

- VERNEUILINA**, d'Orbigny, 1840. Mém. Soc. géol. France, [1], iv, 1840, 39 ; Brady, Report Challenger, 1884, 382.
 —— **bronni**, Reuss. Verstein. böhm. Kreide, 1845–46, 1, 38, xii, 5.
 —— **[bronni]** —— Reuss, Haidinger's Naturw. Abh. iv, Abth. 1, 1851, 40, iv, 2.
 —— **[bronni]** —— Bronn, Lethaea Geognostica, ed. 3, ii, 1851–52, 88, xxix¹, 15.
 —— **cognata**, Reuss. Sitz. k. Ak. Wiss. Wien, I, Abth. 1, 1864 (1865), 448, i, 1.
 —— —— —— Schwager, Boll. R. Com. geol. Ital. viii, 1877, 26, pl., 98.
 —— **communis** (d'Orb.). J., P., & B., Crag Foram., Pal. Soc. xix, 1866, n. d., iii, 19. [*Clavulina*, 1826.]
 —— —— Vanden Broeck, Ann. Soc. belge Micros. ii, 1876, 136, iii, 14 ; and Fonds de la Mer, iii (1876).
 —— **compressa**, Andreae. Abh. geol. Speciaalkarte Elsass-Lothr. II, Heft 3, 1884, 199, viii, 23 [error for 2 and 3].
 —— **convexa**, Olszewski. Sprawozd. Kom. fizyj. Ak. Umiej. Krakowie, ix, 1875, 131, ii, 7.
 —— **cretacea**, Karrer. Jahrb. k. k. geol. Reichsanstalt, xx, 1870, 164, i, 1.
 —— **dubia**, Reuss. Haidinger's Naturw. Abh. iv, Abth. 1, 1851, 40, iv, 3.

- VERNEUILINA** elongata, Terq. Mém. Soc. géol. France, [3], II, 1882, 106, xi (xix), 13a-c.
- georgiae, Terquem. Cinq. Mém. Foram. Lias, 1866, 448, xviii, 19a, b.
- liasina, Terq. et Berth. Mém. Soc. géol. France, [2], X, 1875, 64, v (xv), 15.
- limbata, Terq. Mém. Soc. géol. France, [3], II, 1882, 105, xi (xix), 12a-c.
- mauritii, Terquem. Cinq. Mém. Foram. Lias, 1866, 448, xviii, 18a, b.
- muensteri, Reuss. Denkschr. k. Ak. Wiss. Wien, VII, Abth. I, 1854, 71, xxvi, 5.
- oberburgensis, Freyer, MS. Reuss, Denkschr. k. Ak. Wiss. Wien, XXII, 1864, 6, i, 2.
- obtusa, Terq. Mém. Soc. géol. France, [3], II, 1882, 106, xi (xix), 14 and 15.
- polystropha, Rss. Brady, Ann. Mag. Nat. Hist. [5], I, 1878, 436, xx, 9a-c. [*Bulimina*, 1845.]
- — — — — Brady, Report Challenger, 1884, 386, xlvi, 15-17.
- — — — — Wright, Proc. Belfast Nat. Field Club, 1884-85, App. IX, 1886, 320, xxvi, 2.
- — — — — See *Text. agglutinans*, d'O.
- propinqua, Brady. Report Challenger, 1884, 387, xlvi, 8-14.
- pygmæa (Egger). Brady, Report Challenger, 1884, 385; xlvi, 4-7. [*Bulimina*, 1857.]
- — — — — Macdonald, Ann. Mag. Nat. Hist. [2], XX, 1857, 193, vi, 22.
- rotundata, Karrer. In v. Drasche, Frag. Geol. Luzon, 1878, 85, v, 2; and Bol. Com. Map. Geol. Espan. VII, 1880, 266, E, 2.
- spinosa, Reuss. Models, No. 4, 1865 (Catal., No. 6, 1861).
- spinosissima, Costa. Atti Accad. Pontaniana, VII, fas. 2, 1856, 263, xxiii, 5A, B, C.
- spinulosa, Reuss. Denkschr. k. Ak. Wiss. Wien, I, 1850, 374, xlvi, 12.
- — — — — Egger, Neues Jahrbuch, 1857, 292, ix, 17 and 18.
- — — — — Brady, Ann. Mag. Nat. Hist. [4], VI, 1870, 301, xii, 6a-c.
- — — — — Terrigi, Atti Acc. Pont. Nuovi Lincei, XXXIII, 1880, 192, ii, 29.
- — — — — Terq., Mém. Soc. géol. France, [3], II, 1882, 107, xi (xix), 16a, b.
- — — — — Brady, Report Challenger, 1884, 384, xlvi, 1-3.
- — — — — Brady, Parker, & Jones, Trans. Zool. Soc. XII, pt. 7, 1888, 219, xlvi, 14 and 15.
- tokodensis, Hantken. A magy. kir. földt. int. évkönyve, I, 1871, 128, ii, 12a, b, c; and Mittb. a. d. Jahrb. k. ungar. geol. Anstalt, I, 1871, 134, same pl. and fig.
- — — — — Hantken, Kohlenflötze, etc. ungar. Krone, 1878, 217, fig. 28. (Also in Magyar.)
- tricarinata, d'Orbigny. Mém. Soc. géol. France, [1], IV, 1840, 39, iv, 3 and 4; Facsimile in Science Gossip, 1870, 156, fig. 142.
- — — — — Reuss, in Geinitz, Grundr. Verstein. 1845-46, 670, xxiv, 65.
- — — — — D'Orbigny, Foram. Fossiles Vienne, 1846, 182, xxi, 26 and 27.
- — — — — Mantell, Medals of Creation, ed. 2, 1854, 342, fig. 109, 3.
- — — — — Eley, Geol. in the Garden, 1859, 200, vi, 37.
- — — — — Sherborn & Chapman, Journ. R. Micr. Soc. [2], VI, 1886, 743, xiv, 9.
- triquetra (Münst.). Brady, Report Challenger, 1884, 383, xlvi, 18-20. [*Textularia*, 1838.]
- variabilis, Brady. Report Challenger, 1884, 385, xlvi, 21-24.

- VERNEUILINA.** Deshayes, Coq. Foss. Paris, 1824–1837, not descr., evi, 1–3.
 —— Eley, Geol. in the Garden, 1859, 202, ix, 38C.
 —— Eley, Geol. in the Garden, 1859, 197, iv, 22; v, 31. [Flint east.] [Referred to *V. tricarinata* on p. 200.]
 —— sp. ind. Andreae, Abh. geol. Specialkarte Elsass-Lothr. II, Heft 3, 1884, 296, vi, 15.
 —— Folin, Congrès Scient. Dax, 1882 (1883), 325, pl. f. 9. [Sarcode body.]
Vernouilina, Eley, 1859; misprint throughout his book for *Verneuilina*, q. v.
VERTEBRALINA, d'Orbigny, 1826. Ann. Sci. Nat. VII, 1826, 283; Brady, Report Challenger, 1884, 186.
 —— **cassis**, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 51, vii, 14 and 15; also in Spanish, 1840, 72, same pl. and fig.
 —— **conicoarticulata**, Bätsch. Goës, K. Svenska Vet.-Akad. Handl. xix, No. 4, 1882, 121, ix, 311–318. [*Nutilus*, 1798.]
 —— **contracta**, Terquem. Mém. Soc. géol. France, [3], II, 1882, 45, ii (x), 19–22.
 —— **elongata**, Karrer. Sitz. k. Ak. Wiss. Wien, LVIII, Abth. 1, 1868, 155, iii, 10.
 —— **foveolata**, Franzenau. Földtani Közlöny, XI, 1881, 49 and 101, iii, 19–21.
 —— **insignis**, Brady. Report Challenger, 1884, 187, xii, 9–11.
 —— **lævigata**, Terq. Mém. Soc. géol. France, [3], II, 1882, 44, ii (x), 15–18.
 —— **mucronata**, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 52, vii, 16–19; also in Spanish, 1840, 72, same pl. and fig.
 —— —— —— D'Orbigny, Foram. Fossiles Vienne, 1846, 120, xxi, 18 and 19.
 —— —— —— Reuss' Models, No. 60, 1865 (Catal., No. 26, 1861).
 —— —— —— Zittel, Handbuch Palaeont. Abth. I, 1876, 78, fig. 12.
 —— **niebuhrii**, Ehrenberg. Abhandl. k. Ak. Wiss. Berlin, 1838, 135.
 —— **sarmatica**, Karrer. Abh. k. k. geol. Reichs. IX, 1877, 376, xvi, b, 12.
 —— **striata**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 283, No. 1.
 —— —— —— D'Orbigny, Modèles, No. 81, 1826.
 —— —— —— Williamson, Recent British Foram. 1858, 90, vii, 196a, b [error for 197 and 198].
 —— —— —— Carpenter, Parker, & Jones, Introd. Foram. 1862, 72, v, 17–25.
 —— —— —— P., J., & B. [d'O., Modèles, No. 81], Ann. Mag. Nat. Hist. [3], XVI, 1865, 32, i, 1.
 —— —— —— P., J., & B. [Soldani], Ann. Mag. Nat. Hist. [4], VIII, 1871, 239, viii, 27.
 —— —— —— Schwager, Boll. R. Com. geol. Ital. VIII, 1877, 27, pl. 106.
 —— —— —— Bütschli, in Bronn, Klassen, etc. Thier-Reichs, 1880, 190, iv, 17.
 —— —— —— Jones, in Microgr. Dict. ed. 4, 1883, 806, xxiii, 10.
 —— —— —— Brady, Report Challenger, 1884, 187, xii, 14–16.
 —— —— —— Anon., Sci. News, 27 Ap. 1888, 389, fig. 6.
 —— —— —— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 162, fig. See *Lituus*.
 —— (**Articulina**) **sulcata**, Reuss. Denkschr. k. Ak. Wiss. Wien, XXIII, 1864, 9, i, 3–6.
 —— Deshayes, Coq. Foss. Paris, 1824–37, not descr., pl. ciii, 35–39.
 —— Parker, Trans. Mier. Soc. London, n. s. VI, 1858, 55.
 —— Bütschli, in Bronn, Klassen, etc. Thier-Reichs, 1880, 190, iv, 18. [= *Articulina*, d'Orb.]
 —— Bütschli, in Bronn, Klassen, etc. Thier-Reichs, 1880, 190, iv, 19. [= *Renulina*, Lam.]

- VIRGULINA**, d'Orbigny, 1826. Ann. Sci. Nat. VII, 1826, 267; Brady, Report Challenger, 1884, 413.
- **hemprichii** (Ehr.). Jones, Catal. Foss. Foram. B. M. 1882, 88. [*Strophoconus*, 1854.]
- **hungarica**, Hantken. A magy. kir. földt. int. évkönyve, I, 1871, 129, ii, 15a, b; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, I, 1871, 135, same pl. and fig.
- **mustoni**, Andreae. Abh. geol. Speciakarte Elsass-Lothr. II, Heft 3, 1884, 254, xi, 4.
- **paradoxa** (Ehr.). Jones, Catal. Foss. Foram. B. M. 1882, 88. [v. *Vaginulina*.]
- **pauciloculata**, Brady. Report Challenger, 1884, 414, lii, 4 and 5.
- **pertusa**, Reuss. Sitz. k. Ak. Wiss. Wien, XLII, 1860 (1861), 362, ii, 16a, b.
- — — — — Reuss' Models, No. 36, 1865 (Catal., No. 65, 1861).
- **punctata**, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 139, i, 35 and 36; also in Spanish, 1840, 133, same pl. and fig.
- — — — — Morris, Lecture Geol. Croydon, [1876], 8, fig. 3⁴.
- **reussii**, Geinitz. Reuss, Verstein. böhm. Kreide, 1845-46, i, 40, viii, 61.
- — — — — Geinitz, Charakt. Schlicht. Petref. sächs.-böhm. Kreidegeb. 1850, 70, xvii, 23.
- — — — — Reuss, Sitz. k. Ak. Wiss. Wien, LII, Abth. 1, 1865 (1866), 454, pl., 7.
- **schreibersiana**, Czjzek. Haidinger's Nat. Abh. II, 1848, 147, xiii, 18-21.
- — — — — Egger, Neues Jahrbuch, 1857, 295, xii, 12-14.
- — — [schreibersii] — — — Macdonald, Ann. Mag. Nat. Hist. [2], xx, 1857, 193, vi, 23 and 24.
- — — [schreibersana] — — — Reuss, Sitz. k. Ak. Wiss. Wien, LV, Abth. 1, 1867, 96, iv, 4a, b, 5.
- — — [schreibersi] — — — Hantken, A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 53, vii, 15; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 63, same pl. and fig.
- — — [schreibersii] — — — Schwager, Boll. R. Com. geol. Ital. VIII, 1877, 25, pl., 39.
- — — [schreibersii] — — — Terrigi, Atti Acc. Pont. Nuovi Lincei, XXXIII, 1880, 196, ii, 38 and 39.
- — — [aff. schreibersii] — — — Schwager, Palaeontographica, XXX, 1883, Pal. Theil, 112, xxix (6), 12.
- — — — — Brady, Report Challenger, 1884, 414, lii, 1-3.
- — — [schreibersi] — — — Andreae, Abh. geol. Speciakarte Elsass-Lothr. II, Heft 3, 1884, 213, ix, 8 and 9.
- — — — — Malagoli, Atti Soc. Nat. Modena (Rend.), [3], III, 1887, 108, i, 5.
- — — [schreibersii] — — — See *Bulim. presli*, Rss.
- **squamosa**, d'Orbigny. Ann. Sci. Nat. VII, 1826, 267, No. 1. D'Orbigny, Modeles, No. 64, 1826.
- — — — — Bronn, Lethaea Geognostica, ed. 2, 1837, 1134, xlvi, 23.
- — — — — Roemer, Neues Jahrbuch, 1838, 386, iii, 39.
- — — — — Reuss, in Geinitz, Grundr. Verstein. 1845-46, 681, xxiv, 78.
- — — — — Bronn, Lethaea Geognostica, ed. 3, III, 1853-56, 233, xlvi, 23.
- — — — — P., J., & B. [d'O., Modèles, No. 64], Ann. Mag. Nat. Hist. [3], XVI, 1865, 29, ii, 66.
- — — — — See *Bulim. presli*, Rss.
- — — — — Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 161, fig.
- — — **subdepressa**, Brady. Report Challenger, 1884, 416; lii, 14-17.
- — — **subsquamosa**, Egger. Neues Jahrbuch, 1857, 295, xii, 19-21.
- — — — — Brady, Report Challenger, 1884, 415, lii, 7-11.

- VIRGULINA** *tegulata*, Reuss. Verstein. böhm. Kreide, 1845–46, i, 40, xiii, 81. [v. *Bolivina*.]
 ——— ——— ——— Reuss, in Geinitz, Grundr. Verstein. 1845–46, 682, xxiv, 79.
 ——— ——— ——— Bronn, Lethaea Geognostica, ed. 3, ii, 1851–52, 91, xxix¹, 23; xlvi, 23.
 ——— ——— ——— tenuis, Seguenza. Atti Accad. Gioenia Sci. Nat. [2], xviii, 1862, 112, ii, 2 and 2a.
 ——— ——— ——— texturata, Brady. Report Challenger, 1884, 415, lii, 6a, b.
 ——— ——— ——— Pictet, Traité de Paléont. iv, 1846, 239, xii, 27.
- VORTICIALIS**, Lamarck, 1812. Extrait Cours Zool. 1812, 122; and Ency. Méthod., "Vers," iii [1832], 1148.
 ——— ——— ——— craticulata (F. & M.). Defrancee, Dict. Sci. Nat. xxxii, 1824, 181; Atlas, Conch. xv, 6. [= *Polystomella*.] [*Nautilus*, 1798.]
 ——— ——— ——— Blainville, Manuel Malac. et Conch. 1825 (pls. 1827), 375, vii, 6.
 ——— ——— ——— Cuvier, Animal Kingdom, Henderson's ed. iii, 1834 (pls. 1837), 18, iv bis, 6.
 ——— ——— ——— depressa, v. *strigilata* (F. & M.). Lamarck, Ency. Méthod., "Vers," iii (1832), 1148 (pls. 1827), 470, f. 2 (P. & J. quote pt. 23, 1816). [*Nautilus*, 1798.]
 ——— ——— ——— marginata (F. & M.). Lamarck, Ency. Méthod., "Vers," iii (1832), 1148 (pls. 1827), 470, f. 3 (P. & J. quote pt. 23, 1816). [*Nautilus*, 1798.]
 ——— ——— ——— Brown, Elem. Foss. Conch. 1843, not deser., iii, 9.
 ——— ——— ——— strigilata (F. & M.), v. *craticulata* (F. & M.). Lamarck, Ency. Méthod., "Vers," iii (1832), 1148 (pls. 1827), 470, f. 1 (P. & J. quote pt. 23, 1816). [*Nautilus*, 1798.]
 ——— ——— ——— Crouch, Introd. Lamarck, 1827, 42, xx, 15. [= *Poly-stomella*.]
 ——— ——— ——— Brown, Conch. Text-book, 1839, 60, x, 9 [error for 10].
 ——— ——— ——— Dujardin, Hist. Nat. Zooph. Infusoires, 1841, 258, i, 15.
 ——— ——— ——— Brown, Elem. Foss. Conch. 1843, 22, ii, 9.
- VULVULINA**, d'Orbigny, 1826. Ann. Sci. Nat. vii, 1826, 264.
 ——— abrupta, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 35, iv, Impressation, 16. [= *Textularia*.]
 ——— alata, Seguenza. Atti Accad. Gioenia Sci. Nat. [2], xviii, 1862, 115, ii, 5 and 5a. [v. *Bolivina beyrichi*.]
 ——— capreolus, d'Orbigny. Ann. Sci. Nat. vii, 1826, 264, No. 1, xi, 5, 6, 7, and 8. [v. *Bigenerina* and *Schizophora*.]
 ——— ——— ——— D'Orbigny, Modèles, No. 59, 1826.
 ——— ——— ——— Cuvier, Régne Animal, 1836–46, ix (pls. x), 34, xiv, 11.
 ——— ——— ——— P., J., & B. [d'O., Modèles, No. 59]. Ann. Mag. Nat. Hist. [3], xvi, 1865, 28, ii, 63. [= *Grammost.* = *Vulvulina pennatula*, Batsch.]
 ——— ——— ——— Basset, Ann. Soc. Sci. Charente-Inf. 1884 (1885), 161, fig.
 ——— eichbergensis, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 30, iii, 43 and 43a. [= *Textularia*.]
 ——— elegans, d'Orbigny. Ann. Sci. Nat. vii, 1826, 264, No. 3. [v. *Grammostomum*.]
 ——— ——— ——— = *Grammost. elegans*, d'O.; see *Orthoceratia pupa*. [= *Bigenerina*.]
 ——— farcimen, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 30, iii, 41. [= a *Virgulina*.]
 ——— gramen, d'Orbigny. De la Sagra, Hist. Phisiq. etc. Cuba, 1839, "Foraminifères," 148, i, 30 and 31; also in Spanish, 1840, 139, same pl. and fig. [v. *Grammostomum*.]
 ——— ——— ——— D'Orbigny, Foram. Fossiles Vienne, 1846, 251, xxi, 46 and 47.
 ——— ——— ——— Carpenter, Parker, & Jones, Introd. Foram. 1862, 190, xii, 15.

- VULVULINA** gramen, d'Orbigny. Reuss' Models, No. 85, 1865 (Catal., No. 78, 1861).
- — — — — Schwager, Boll. R. Com. geol. Ital. VIII, 1877, 26, pl., 62.
 - — — — — Jones, in Microgr. Dict. ed. 4, 1883, 815, xxiii, 49a, b.
 - minutissima, Zwingli & Kübler. Foraminif. schweiz. Jura, 1870, 30, iii, 42. [= *Textularia*.]
 - oblonga, Mackie. Science Gossip, 1867, 130, fig. 121. [= *Valvulina oblonga*, d'Orb.]
 - oolithica, Deecke. Abh. geol. Specialkarte Elsass-Lothr. IV, Heft 1, 1884, 54, ii, 20.
 - pectinata, Hantken. A magy. kir. földt. int. évkönyve, IV, 1875 (1876), 58, vii, 10; and Mitth. a. d. Jahrb. k. ungar. geol. Anstalt, IV, 1875 (1881), 68, same pl. and fig.
 - pennatula (Batsch). Jones, Catal. Foss. Foram. B. M. 1882, 88. [*Nau-tilus*, 1791.]
 - pupa, d'Orbigny. Ann. Sci. Nat. VII, 1826, 264, No. 2. [v. *Grammostomum*.]
 - — — — — = *Grammost. pupa* (d'O.); see *Orthoceratia pupa*.
 - soldani, d'Orb. Costa, Atti Accad. Pontaniana, VII, fas. 2, 1856, 298, xxiii, 22 and 23.
 - subrhomboidalis, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 140, vii, 17.
 - textile, Schwager. Jahresh. Ver. vat. Nat. Württ. XXI, 1865, 141, vii, 18.
- WAGNERELLA**, von Mereschowsky. Mém. Ac. Imp. Sci. St. Pétersbourg, [7], xxvi, No. 7, 1878, 22; and Ann. Mag. Nat. Hist. [5], I, 1878, 70.
- borealis, v. Mereschowsky. Mém. Ac. Imp. Sci. St. Pétersbourg, [7], xxvi, No. 7, 1878, 22, ii, 1-5.
 - — — — — Mereschowsky, Ann. Mag. Nat. Hist. [5], I, 1878, 76, vi, 1-6.
- WEBBINA**, d'Orbigny, 1839. Barker Webb & Berthelot, Hist. Nat. Iles Canaries, 1839, II, pt. 2, "Foraminifères," 125; Sollas, Geol. Mag. [2], IV, 1877, 102; Brady, Report Challenger, 1884, 348.
- acervalis, Brady. Mem. Geol. Surv. Scotland, Expl. Sheet 23, 1873, pp. 69, 95, etc. [v. also *Stacheia*.]
 - acuminate, Terq. & Piet. Terquem, Mém. Ac. Imp. Metz, XLII, 1862, 457, vi, 17a, b.
 - — — — — Terquem, Mém. Ac. Imp. Metz, LI, 1870, 374, xxix, 27-29.
 - breoni, Terq. & Piet. Terquem, Méni. Ac. Imp. Metz, XLII, 1862, 458, vi, 18a-h.
 - clavata (Jones & Parker). Brady, Report Challenger, 1884, 349, xli, 12-16. [*Trocham. irregularis clavata*, 1860.]
 - — — — — Brady, Parker, & Jones, Trans. Zool. Soc. XII, pt. 7, 1888, 218, xlii, 21.
 - crassa, Terq. & Piet. Terquem, Mém. Ac. Imp. Metz, XLII, 1862, 456, vi, 15a, b.
 - — — — — Deecke, Abh. geol. Specialkarte Elsass-Lothr. IV, Heft 1, 1884, 17, i, 8.
 - fimbriata, Howchin. Journ. R. Microsc. Soc. 1888, 538, viii, 8 and 9.
 - flagellum, Terquem. Mém. Ac. Imp. Metz, LI, 1870, 375, xxix, 30.
 - hemisphaerica, Jones, Parker, & Brady. Crag Foram., Pal. Soc. XIX, 1866, 27, iv, 5.
 - — — — — Brady, Report Challenger, 1884, 350, xli, 11.
 - impressa, Terquem. Méni. Soc. géol. France, [3], IV, 1886, 17, i, 49.
 - incerta, Terquem. Méni. Soc. géol. France, [3], IV, 1886, 17, i, 50.
 - infraoolithica, Terquem. Méni. Ac. Imp. Metz, LI, 1870, 373, xxix, 19-26.
 - — — — — Terquem, Méni. Soc. géol. France, [3], IV, 1886, 16, i, 43-48.

WEBBINA irregularis, d'Orbigny. *Prodrome de Paléont.* II, 1850, 111, No. 783. [Cornuel's "Œufs de Molluses," *Mém. Soc. géol. France*, 1848, pl. ii, f. 37.] [*v. Trochammina.*]

— — — — — *Bronn, Lethaea Geognostica*, ed. 3, II, 1851-52, 91, xxix¹, 27.

— — — — — *Brady, Proc. Somerset. Arch. and Nat. Hist. Soc.* XIII, 1865-66 (1867), 221, i, 2, 3.

— — — — — *Sherborn, Proc. Bath N. H. Antiq. F. Club*, VI, pt. 3, 1888, 332, fig.

— — — — — *Howchin, Journ. R. Microsc. Soc.* 1888, 539, ix, 16 and 17.

— — — — — *lævis*, Sollas. *Geol. Mag.*, [2], IV, 1877, 103, vi, 1-3.

— — — — — *Vine, Proc. Yorkshire Geol. Polytech. Soc. n. s.* IX, pt. 1, 1885 (1886), 26, ii, 13.

[**WEBINA**] *lævigata*, Costa. *Atti Accad. Pontaniana*, VII, fas. 2, 1856, 187, xvi, 14.

— — — — — *orbignyi*, Terq. & Piet. *Terquem, Mém. Ac. Imp. Metz*, XLII, 1862, 458, vi, 19.

— — — — — *rostrata* (Quenst.). *Deecke, Mém. Soc. Emul. Montbéliard*, XVI, 1886, [p. 25]. [*Bullopora*, 1858.]

— — — — — *rugosa*, d'Orbigny. *Barker Webb & Berthelot, Hist. Nat. Iles Canaries*, 1839, II, pt. 2, "Foraminifères," 126, i, 16-18. [*v. Nubecularia.*]

— — — — — *D'Orbigny, Foram. Fossiles Vienne*, 1846, 74, xxi, 11 and 12.

— — — — — *Schwager, Boll. R. Com. geol. Ital.* VIII, 1877, 26, pl., 84.

— — — — — *scorponis*, d'Orb. *Terquem, Mém. Ac. Imp. Metz*, XLII, 1862, 456, vi, 16a-c. [*v. Placopsisilina.*]

— — — — — *tuberculata*, Sollas. *Geol. Mag.* [2], IV, 1877, 104, vi, 4-9.

— — — — — *Vine, Proc. Yorkshire Geol. Polytech. Soc. n. s.* IX, pt. 1, 1885 (1886), 26, ii, 14.

— — — — — *Gabb & Horn, Journ. Ac. Nat. Sci. Philad.* n. s. V, 1862, part ii, 179, xxi, 71.

— — — — — *Quenstedt, Handbuch Petref. ed. 3, Abth. 5* (1885), 1051, lxxxvi, 16. [= *Placopsisilina.*]

— — — — — see *Œufs.*

— — — — — see *Trochammina.*

WEBINA, Costa, 1856. See *Webbina*.

ADDITAMENTA ET CORRIGENDA.

ALVEOLINA montipara, Ehr. For xxxviii read xxxvii.

AMMONIÆ. Line 3 ; *T*, *V*, are near *Pulvinulina elegans*.

AMMONICERINA. For 51 read 15.

AMPHISTEGINA lenticula (Defr.). Jones, Catal. Foss. Foram. B. M. 1882, 50. [v. *Nummulites lenticularis*.]

ANNULINA. Line 3 ; for Porneumann read Bornemann.

ANOMALINA polymorpha. Costa's reference should read 7-9.

— Williamson, 1848. Corrected to *Globigerina bulloides* in 1872.

ARTICULINA arcuata, Deshayes. Ency. Méth. (Vers), 1830, 75.

ASSILINA placentula (Desh.). Jones, Catal. Foss. Foram. B. M. 1882, 65. [v. *Nummulites*.]

ATAXOPHRAGMIUM. For suborale read subovale.

BATHYBIOPSIS, de Folin. Le Naturaliste, 1887, 103, figg. 1, 2, 3.

— astrorhizoides, de Folin. Sous les Mers, 1887, 221, f. 22. [Here spelled *Bathybiopsis*.]

BIFARINA. Schwager refers to but does not figure this form.

BILOCULINA amphiconica. Reuss, 1867, in description of plate calls this, var. *platystoma*, and at p. 68, says that he had previously described it under specific name of *platystoma*.

— opposita, Deshayes. Ency. Méth. (Vers), 1830, 138.

— seguenziana, Forn. Transfer to *Lagena*; entered here in error.

— Carpenter. For 374 read 376.

BIOMYXA, Leidy, 1875. Proc. Ac. Nat. Sci. Philad. 1875, 123.

— vagans, Leidy. *Ibidem*, 124 ; and Report U. S. Geol. Surv. Territ. XII, 1879, 281, xlvi, 5-12 ; xlviii.

BOLIVINA beyrichi. Terrigi, 1880, 198 describes figg. 43 and 45 as v. *cari-nata* ; Mariani, Atti Soc. Ital. Sci. XXXI, 1888, describes 102, XXXI, 3 as v. *lobata*.

— biformis, Eley. Jones, Catal. Foss. Foram. B. M. 1882, 15.

— obsoleta, Eley. Geol. in the Garden, 1859, 195, ii, 11 ; 202, viii, 11c. [v. *Textularia*.]

— Jones, Catal. Foss. Foram. B. M. 1882, 15.

BORELIS palæophus. Should read *palæolophus*.

BUCCININA. In description of plate on p. 48, Costa calls this genus *Buccinulina*, and makes the specific names *africana* and *irregularis*.

BULIMINA buliminoides (Rss.). Jones, Catal. Foss. Foram. B. M. 1882, 78. [v. *Rotalia*.]

CALCARINA atlantica. Ehrenberg's description is obscure; it may be he refers to pl. XXXV, A.

— rarispina, Deshayes. Ency. Méth. (Vers), 1830, 164.

CAPSULINA. Are not these pedicellariae of echinoderms ?

CEOOPHONUS, Bosc. Nouv. Dict. Sci. Nat. v, 1816, 491 ; founded on one of Fichtel & Moll's forms, but which, is not stated.

CLADOCERA manipulata ?, Mich. Abich's figure (Mém. Ac. Imp. Sci. St. Pétersbourg, [6], VII, 1859, viii, 2c) seems to be a section of a *Spiroloculina*.

CLAUSULUS. Should come before *Clavulina*.

CLAVULINA corrugata, Deshayes. Ency. Méth. (Vers), 1830, 242.

— irregularis, Deshayes. *Ibidem*.

CORNUSPIRA archimedes. Read archimedis.

COSC NOSPIRA. P. 47 ; should read **COSCINOSPIRA**.

COSKINOLINA. Is not figured by Schwager.

CRISTELLARIA caleata. Read *cælata*.

— elongata, K. & Z. Altered to *turbinooides*, 1870.

— exserta, Eichwald. Leth. Rossica (Moy. période), 1868, 184, xv, 9.

— fittoni, Berthelin. Mém. Soc. géol. France, [3], I, 1880, 49, replaces *C. levigata*, Reuss.

— forestii, Fornasini. Boll. Soc. geol. Ital. IV, 1885, 113.

— hamiformis, Reuss. Sitz. k. Ak. Wiss. Wien, XLVI (1), 1862 (1863), vii, 4. [Described also as *cephalotes*, q. v.]

— mermis, Terq. Misprint by Terquem for *inermis*.

— osnaburgensis. Should read *osnabrugensis*.

— recta, d'Orb. Reuss, 1874, makes 2 var. *hamosa*.

— rotulata. Schlumberger, Journ. Cincin. Soc. N. H. V, 1882, 119, v, 2, 2a.

— — — Jones, 1884 ; add fig. 7 (marginuline variety).

P. 68 ; for Bronn, 1853, read Brown.

— squammula. Add, Macgillivray, Conch. Text-book, 1845, 72, x, 25.

— tangentialis, Reuss. Denkschr. k. Ak. Wiss. Wien, XXV, 1865 (1866), 143.

— turgida, Reuss. Should read *turgidula*.

— zittlei, Schw. Should read *zitteli*.

— sp. Schw. Is given as *Dentalina*, on p. 112 of Schwager's paper.

CYCLAMMINA. For note concerning other supposed species, see de Amicis, Nat. Sicil. XIV, 1895.

CYCLOGYRA, S. V. Wood. Ann. Mag. Nat. Hist. IX, 1842, 458, v, 5. [= *Cornuspira*.]

DENDROPELA multiramosa, de Folin. Le Naturaliste, 1887, 113, figg. 5 and 6.

— typicum, de Folin. Sous les Mers, 1887, 159, fig.

DENTALINA edelina. See *Nodosaria*, infra.

— fortinensis. Should read *fontinensis*.

DILLINA, Schlumberger. Comptes Rendus, xcvi, 1883, 862. [Nomen nudum.]

DISCORBINA valvulata. Brady ; for lxxvii read lxxviii.

FABULARIA discolites. Bronn is author of specific name ; add p. 43 to his reference.

FLABELLINA baudouiniana. Spelled *baudouiniana* by d'Orbigny.

— rugosa. Beudant ; is *Frondicularia* in Millett's copy.

FRONDICULARIA cordai. Reuss makes var. *tribrachitata* on p. 108 of Verst. Böhm. Kreide, II.

— subovata, Deshayes. Ency. Méth. (Vers), 1830, 146 (T*).

FUSULINA verneuli. Should read *verneuili*, and the reference is II, 2a-g.

FUSULINELLA struvii. The plate should be II ; Möller is in error.

GLANDULINA inflata. Haeusler, 1887 ; for 179 read 189.

GLOBIGERINA bulloides. Williamsou, 1858 ; as these forms are said to be arenaceous, they are probably *Haplophragmium globigeriniforme*.

— v. rubra. To Vanden Broeck's reference add fig. 7.

— glomerata. In the French edition of Hoernes called *conglomerata*.

— omphaloletras. Should read *omphalotetras*.

GLOBULINA minima, Bornemann. Zeitschr. deutsch. geol. Ges. VII, 1855, 344, xvii, 3.

— papillata, Costa. Atti Acc. Pontan. VII (2), 1856, xviii, 2.

GRAMMOSTOMUM convergens. Fig. 26 is described as *divergens*.

— megaloglossum. Is *megaloggsum* in descript. of plate.

— polytheca. For xxxiii read xxiii.

- GROMIA** dujardini, Schultze. Organ. Polyth. 1854, 55, vii, 1-7.
 —— fluvialis, Duj. Micro. Dict. ed. 2, 1860, 324, xxiv, 15.
 —— gracilis. To Möbius, add p. 17.
 —— oviformis. To Möbius, add p. 15.
- GYPSINA** melobesioides. Add at end [*v. Polytrema plana.*].
- HELICITEN.** Add Schmidel, Fortg. zu Vorst. merkw. Verst. 1793, 32, xviii, xxi, and xxii.
- HETERILLINA**, Schlumberger. Comptes Rendus, xcvi, 1883, 862. [Nomen nudum.]
- HETEROSTEGINA** papyracea. Seguenza makes vii, 2, var. gigantea.
- HOLOCOCCUS.** Delete 7-.
- HYBRIDINA** obliqua. Called *Vaginulina laxa*, 1870.
- HYMENOCYCLUS.** Add, discus (Rüt.), xv, 7; fortisii (d'A.), xv, 2; ephippium (Schl.), xv, 4; patellaris (Schl.), xv, 1; Eichwald, Leth. Rossica (Moy. période), 1868, 185, etc.
- LAGENA** formosa foveolata. Should read *LAGENA* foveolata.
 —— globosa. Terrigi, 1889; for iii read 111.
 —— gracilicostata, Reuss. Should read *gracilicosta*.
 —— gracilis. Reuss, 1862; add at end, and v, 62.
 —— isabella. Reuss' fig. 56 is described as var. *rari costa*, d'Orb.
 —— laevis. Jones, 1884; for xi read *xli*.
 —— laticostata, T. & B. Should read *laticosta*.
 —— pulchella, Brady. Balkwill & Wright's is the trigonal form.
 —— reticulata (Macgill.). Add Reuss before Sitz.
- LINGULINA.** Add furcillata, rediviva, and stillula, which have been inserted in error under *Lingulinopsis*.
- LINGULINOPSIS** seguana. Should read sequana.
 See *Lingulina*, supra.
- LITUOLA.** Millet thinks Deshayes' figures (1837) are mainly *Haplophragmia* and *Peneroplides*.
- LITUUS** abbaticus, Spalowsky. Testac. 1795, 9, i, 9.
- MARGINULINA** affinis, Neugeboren. Ver. Mittb. Siebenburg. Ver. Nat. II, 1851, 144.
 —— splendens. Out of alphabetical order.
 —— tumida. Reuss makes this *Cristellaria* in Denkschr. k. Ak. Wiss. Wien, xxiii, 1864, 138.
 —— sp. Von Dunikowski; add fig. 78.
 —— sp. Schwager; for 109 read 108.
 —— sp. Williamson; ascribed in 1872 to *Vaginulina costata*.
- MELOSSIS**, Oken. Lehrbuch Naturg. III (1), 1815, 333. [Founded on *Nutilus pompilioides*, F. & M.]
- NODOSARIA** annulata. For —— read Reuss.
 —— bitziana. Should read bilziana; also for *bietziana* read *bielziana*.
 —— capitata, v. costata. Should read *ecostata*.
 —— congrua, Eichwald. Leth. Rossica (Moy. période), 1868, 171, xv, 17.
 —— conica, v. coarctata. For 44 read 42.
 —— conspurcata. Reuss, Denkschr.; this is corrected to *subcostulata* in Sitz. LXII, 1870, No. 41.
 —— edelina. For 7 read 17; this is *Dentalina*.
 —— fortinensis. Should read *fontinensis*.
 —— gigantea, P. & M. This is not a foraminifer.
 —— globosa, Eichwald. Leth. Rossica (Moy. période), 1868, n. d., xv, 16.
 —— granosa, Eichwald. Ibidem, 172, xv, 19. [*punctata* in text.]
 —— hispida. For Hartwig read Harting, and add fig. 37² to Schwartzkopf.
 —— javanica. Add viii after vii.
 —— longisulcata. Mackie's reference is an error for *longiscata*.
 —— monilis. Add var. *gracilis*, Silvestri, p. 75.
 —— raphanus, v. coarctata, Silvestri. This is a var. of *raphanistrum*.

NODOSARIA rugosa. Mackie's reference is an error for *semirugosa*.

- scalaris (Batsch). Add to Brady; var. *separans*, 511, lxiv, 16–19.
- scalaris, d'Orb. Add var. *nonglobosa*, Silvestri, p. 57.
- *tenuicosta* [Reuss]. Eichwald, Leth. Rossica (Moy. période), 1868, 171, xv, 18.
- sp. Wisnosi. Should read Wisniowski.

NONIONINA compressa. Roemer confuses two figures; this should be 34.

- germanica. For Hartwig read Harting.
- Millett makes the following notes: *bathyomphala* = *Ancmalina*; *compressa*, Roem., and *macromphalus* = *Cristellaria*; *heteropora* = *Polystomella*; *pelagica* = *Hastigerina*; *quatriloba*, *quaternaria*, and *subcarinata*, d'Orb. & Seg., all = *Pullenia*.

NUMMULARIA comptoni (J. Sow.). J. de C. Sowerby, Min. Conch. vi, 1826, 74 and 76. [*Nautilus*, 1816.]

NUMMULITES tuberosus, Eichwald. Leth. Rossica (Moy. période), 1868, 181.

- De Roissy, in Buffon, Hist. Nat. (Somini's), Mollusques, v (an xiii), records the following: *depressa*, p. 56; *laevigata*, 55; *mamilla*, 57; *plana*, 56; *ovata*, 59; *radiata*, 58; *spira*, 57; var. *rucosa*, 58.

PLANORBULINA haidingeri. Brady, 1864; for ii read 11.

PLANULARIA matutina. Should be *Cristellaria*.

PLANULINA osnabrugensis. For 5–8 read 58.

PLECTINA. Marsson (p. 160) assigns to this genus *Gaudryina rutherica*, Rss.

PLEUROSTOMELLA. Seguenza, Atti Acc. Lincei [3], XII, 1880, proposes but does not figure: *costæ*; *cylindrica*; *nodosaria* (p. 226); *involvens* (227); *obtusa* (307).

POLYMORPHINA confluens, Eichwald. Leth. Rossica (Moy. période), 1868, 172.

POLYSTOMELLA arctica. Brady, Ann. Mag. [5], i, should be 1878.

RAMULINA kittlii, Rzehak. Verh. k. k. geol. Reichs. 1885, 187.

RHABDOGONIUM. For *globiferum* read *globuliferum*.

- szaboi. Genus altered to *Clavulina* in 1875.

ROBULINA comptoni. Roemer confuses two figures; this should be 33.

- *depauperata*. To Reuss, 1863, add 66, viii, 90a, b; and var. *callifera*, fig. 91.
- *ferruginea*, Terq. Should be *Rotalina*.
- *gravida*. Seguenza makes figg. b, c, var. *paucisepta*; d, e, var. *multisepta*; f, var. *discoidea*; and a fourth variety he calls *anormalis*.
- *inornata*. Egger, 1857; for xiv read xv.

ROSALINA foveolata. iv, μ , is Ehrenberg's error; should be vi, μ .

ROTALIA perforata. Ehrenberg, 1854; for xxxviii read xxvii.

ROTALINA ferruginea, Terquem. Bull. Soc. géol. France, [3], iv, 1876, 496, xvii, 11.

- *inflata*, Terq. The 1875 and 1881 forms differ; in the "Tableau" and "Expl. planche," Terquem alters the 1881 form to *utriculata*.
- *micheliniana*. Eley, Geol. Garden, 1859, 198, v, 27. [*micheliniana*.]
- *nitida*. *Ibidem*, 198, v, 24–26.

SPHÆROIDINA variabilis. Reuss, 1863, calls this "var. *conica*."

SPIRILLINA latiseptata. Williamson does not name this in 1848, but in 1872 he refers it to *S. perforata*.

- *margaritifera*. Halkyard, Trans. Manchester Mier. Soc. 1889, 71, ii, 7.

SPIROLOCULINA canaliculata. Costa; for 98, 10 read 9, 10; Vine, for 52 read 53.

- *nitida*. Terquem, 1882; for 6a, b read 16a, b.

SPIROPLECTA americana. First line, for 35 read 25.

- *rosula*. For 36 read 26.

STREBLUS tortuosus. Prof. Rupert Jones points out that this specific name is d'Orbigny; see *Turbinulina tortuosa*, Ann. Sci. Nat. vii, 1826, 275. Fischer used the word to define the generic name.

TEXTULARIA *agglutinans*, v. *orrecta*, Brady. Report Challenger, 1884, 364, xlivi, 4.

- *carinata*, d'Orb. 1826, for 13 read 23.
- *flexuosa*, Reuss. Sitz. k. Ak. Wiss. Wien, XL, 1860, 91. [*T. articulata*, 1851.]
- *inflata*, Ehr. Mikrogeol. 1854, xxxii, ii, 13. (Remove from *globulosa* in "Index.")
- *laminaris*, Costa. 1856, add fig. 17.
- *minuta*, Berthelin. Mém. Soc. géol. France, [3], i, 26. (Replaces *pygmæa*, Reuss.)
- *obtusa*, varr. *inflata* and *maorica*. Stache, 1864, so named in expl. to plate, but in text they appear as *antipodum* and *robusta*.
- *pristis*, Costa. Atti Accad. Pontan. VII, fas. 2, 1856, 292.
- *striata*, Ehr. Mikrogeol. 1854, xxviii; fig. 7 is described as *dilatata*.
- Williamson, 1848. Altered to *Bolivina punctata* in 1872.
- Chimmo, 1870. Is named *variabilis*.

UVIGERINA. Brady, Challenger, 1884, 573, 575, lxxiv, 24–26, describes a variety intermediate between *pygmæa* and *aculeata*.

VAGINULINA *badenensis*, Costa, 1856. Also described as *Marginulina inversa*, q. v.

- *elongata*, Roemer, 1841. Figure should be 13.
- *arpa*, Roemer, 1841. Figure should be 12.

VALVULINA *subrhombica*, Stache. Denkschr. k. Ak. Wiss. Wien, XLVI, 1883, 408, vii, 31.

VERTEBRALINA, Deshayes, 1824–37. These are apparently *Articulina nitida*.

VIRGULINA *schreibersii*, Schwager, 1883. 12 is Schwager's error for 10.

The following nomina nuda were given to Von Schlicht's specimens from Pietzpuhl, by Reuss in "Zeitschr. deutsch. geol. Ges." x, 1858, pp. 433–438: —

Cornuspira cassis; *polygyra*.

Dentalina anomala; *bennigseni*; *declivis*; *fusiformis*; *grandis*; *indifferens*; *inflexa*; *isotoma*; *laxa*; *leptosoma*; *nutans*; *obtusa*; *scolex*; *soror*; *subcostulata*; *xiphidium*.

Fissurina acuta; *angustimargo*; *murconata*; *oblonga*.

Glandulina aequalis; *armata*; *amphioxys*; *bipartita*; *dolichocentra*; *elliptica*; *globulus*; *gracilis*; *obtusata*; *obtusissima*; *strobilis*; *suratalis*.

Lagenaria amphora; *angustissima*; *centrophora*; *coronulata*; *decrescens*; *elliptica*; *emaciata*; *frumentum*; *globosa*; *gracilicosta*; *lepidia*; *mucronulata*; *oxystoma*; *punctigera*; *reticulosa*; *siphonifera*; *tubulifera*.

Marginulina acuaria; *crassiuscula*; *fallax*; *mucronulata*.

Nodosaria anomala; *bactridium*; *bornemanni*; *calomorpha*; *daeridium*; *ewaldi*; *inconspicua*; *isomera*; *isopleura*; *pedunculata*; *sceptrum*; *schlichti*; *tubulosa*.

Psecadium elongatum.

[In studying Von Schlicht's paper attention should be given to Reuss' second publication on this correction (Sitz. k. Ak. Wiss. Wien, lxxi, 1870), in which he renames and confuses numerous forms. The paper is also full of error and misquotation.]

The following forms are described and illustrated in R. Haeusler's "Microgeologische Untersuchungen der jurassischen Sedimentärgesteine. I Theil. Die microscopischen Structurverhältnisse der Aargauer Jurakalke, mit besonderer Berücksichtigung ihrer Foraminiferenfauna." (Als Dissertation gedrückt.) 8vo, Brugg, 1881, 47 pp. 2 pls.¹ I give the full list of new names for reference. The plates are very bad, — it is difficult to see the utility of publishing such caricatures, — and from the numerous corrections by the author in the copy before me, the book might well have been left in oblivion.

Cornuspira minima, p. 26; *sinemurensis*, 15.

Cristellaria birmenstorfensis, 27; *complanata*, 26; *difformis*, 27; *helvetojurassica*, 17; *irregularis*, 17; *pusilla*, 18; *pygmæa*, 26; *reniformis*, 27; *sinemurensis*, 17; *vocetica*, 38.

¹ Seen too late for insertion in proper order.

- Dentalina corniformis*, 35; *helvetica*, 34; *multiformis*, 35; *sexcamerata*, 35.
Frondicularia bucklandi, 18; *decipiens*, 27; *lanceolata*, 18; *liassica*, 18; *monilifera*, 27;
 problematica, 18; *pupiformis*, 18; *robusta*, 27.
Globigerina helveto-jurassica, 36.
Lagenulina liassica, 16; *pupoides*, 16; *sexcostata*, 16.
Marginulina dentalina, 17.
Nodosaria chrysalis, 34; *simplex*, 17; *sinemuriensis*, 16; *transversarii*, 34.
Orbulina argoviensis, 36.
Placopslina argoviensis, 34; *bathoniana*, 26.
Robulina liassica, 19.
Rotalina maculrea, 37; *macrocephala*, 40; *mayeri*, 37; *peregrina*, 37; *pygmæa*, 40; *suicifera*,
 40; *supra-jurensis*, 38; *universa*, 28.
Textularia argoviensis, 36; *auensteiniensis*, 40; *oolitica*, 28; *shrubsolei*, 35; *simplex*, 28;
 tenuissima, 40; *triangularis*, 38.
Vaginulina fragilis, 16.