

ATOLL RESEARCH BULLETIN

No. 146

RECORDS OF MALLOPHAGA FROM PACIFIC BIRDS

by A. Binion Amerson, Jr. and K. C. Emerson

Issued by

THE SMITHSONIAN INSTITUTION

Washington, D. C., U. S. A.

February 16, 1971

RECORDS OF MALLOPHAGA FROM PACIFIC BIRDS¹

by A. Binion Amerson, Jr.², and K. C. Emerson³

INTRODUCTION

The Pacific Ocean Biological Survey Program (POBSP) of the Smithsonian Institution made 1,693 Mallophaga collections from 66 bird species on 25 islands and at sea in the Central, Northern and Southeastern Pacific from 1963 through 1969. This paper presents a listing of the hosts, the Mallophaga, and the collection localities.

The 66 host species belong to 5 orders and 13 families of sea, shore, and land birds. From these hosts were collected 96 Mallophaga species, belonging to 2 suborders, 2 families, and 26 genera.

Several sources were used in assembling the common and scientific names of the bird hosts. The names used in the American Ornithologists' Union's Checklist of North American Birds, 1957, 5th edition, were followed for species occurring in North America. Seabird names agree with those which appear in Watson (1966) and King (1967). Taxonomic order follows that of Peters (1931, 1934, and 1937) with the exception of the Procellariiformes, which follow Alexander *et al.* (1965), the Anseriformes, which follow Delacour (1954, 1959), and the Charadriiformes, which follow Bock (1958).

Mallophaga classification follows that of Hopkins and Clay (1952 and 1955), Emerson (1962, 1964a, and 1964b), and Ryan and Price (1969a and 1969b).

ACKNOWLEDGEMENTS

Acknowledgement is made to all POBSP field personnel who collected Mallophaga, especially Norman N. Heryford, F. Christian Thompson, and Max C. Thompson; and to Jaye Cee Lyon and Penelope Smallwood who accessioned, sorted, and mounted all the collected material.

1/ Paper number 65, the Pacific Ocean Biological Survey Program, Smithsonian Institution, Washington, D. C.

2/ Pacific Ocean Biological Survey Program, Smithsonian Institution, Washington, D. C. 20560

3/ 2704 North Kensington, Arlington, Va. 22207

PART I: HOST CHECKLIST

CENTRAL PACIFIC OCEAN

PROCELLARIIFORMES

Diomedeidae

Diomedea nigripes Black-footed Albatross

Docophoroides pacificus ferrisi Harrison, 1937

Midway Atoll

Pacific Ocean, at sea:

21°05' N x 158°31' W	17°35' N x 167°14' W
20°50' N x 158°52' W	17°27' N x 167°24' W
20°48' N x 158°52' W	17°20' N x 164°12' W
20°23' N x 161°07' W	17°19' N x 167°40.5' W
20°00' N x 158°06' W	17°12.5' N x 167°55' W
19°28' N x 162°10.7' W	16°38' N x 169°38' W
19°19.5' N x 163°47.8' W	14°64' N x 169°44' W
19°11.7' N x 164°15' W	14°05' N x 170°11' W
18°54' N x 164°13' W	

Episates pederiformis (Dufour, 1835)

Pacific Ocean, at sea:

21°05' N x 158°31' W	17°20' N x 164°12' W
20°50' N x 158°52' W	17°19' N x 167°40.5' W

Paracopsis confidens (Kellogg, 1899)

Midway Atoll

Pacific Ocean, at sea:

21°05' N x 158°31' W	17°27' N x 167°24' W
20°50' N x 158°52' W	17°20' N x 164°12' W
20°48' N x 158°52' W	17°19' N x 167°40.5' W
20°23' N x 161°07' W	17°12.5' N x 167°55' W
19°28' N x 162°10.7' W	17°12' N x 167°55' W
19°11.7' N x 164°15' W	16°38' N x 169°38' W
18°74' N x 146°31' W	14°46' N x 169°44' W
17°33' N x 167°14' W	14°05' N x 170°11' W

Procellariiphaga affinis (Piaget, 1890)

Midway Atoll

Diomedea immutabilis

Laysan Albatross

Docophoroides pacificus subsp.

French Frigate Shoals, East Island

Kure Atoll, Green Island

Harrisoniella densa (Kellogg, 1896)

Kure Atoll, Green Island

Paraclisis giganticola (Kellogg, 1896)
Kure Atoll, Green Island

Perineus tenuipenalis Keler, 1958
Pacific Ocean, at sea:
10°19.5' N x 163°47.8' W

Procellariphaga affinis (Piaget, 1890)
Kure Atoll, Green Island

Procellariidae

Fulmarus glacialis Fulmar
Perineus nigrolimbatus (Giebel, 1874)
Kure Atoll, Green Island

Pterodroma phaeopygia Dark-rumped Petrel
Halipeurus noctivagus Timmermann, 1960
Pacific Ocean, at sea:
16°47' N x 172°13' W

Naubates pterodromi Bedford, 1930
Pacific Ocean, at sea:
16°47' N x 172°13' W

Pterodroma externa White-necked Petrel
Ancistrona vagelli (J.C. Fabricius, 1787)
Pacific Ocean, at sea:
09°07' N x 150°34' W

<u>Halipeurus kermadecense</u> (Johnston and Harrison, 1912)	
Pacific Ocean, at sea:	
22°06' N x 151°00' W	14°19' N x 171°24' W
18°51' N x 151°00' W	14°04' N x 168°08' W
18°50' N x 151°00' W	13°53' N x 173°01' W
18°07' N x 166°02' W	12°20' N x 170°13' W
18°05' N x 151°00' W	09°00' N x 155°00' W
17°53' N x 151°00' W	08°54' N x 162°58' W
16°36' N x 171°21' W	08°29' N x 162°33' W
16°33' N x 171°55' W	08°12' N x 162°12' W
16°25' N x 171°31' W	

Procellariphaga sp.
Pacific Ocean, at sea:
18°07' N x 166°02' W

Naubates damma Timmermann, 1961

Pacific Ocean, at sea:

18°40' N x 151°00' W	09°07' N x 150°34' W
16°33' N x 170°55' W	09°00' N x 155°00' W
14°04' N x 168°08' W	

Trabeculus hexakon (Waterston, 1914)

Pacific Ocean, at sea:

18°50' N x 151°00' W	13°53' N x 173°01' W
18°07' N x 166°02' W	12°20' N x 170°13' W
17°53' N x 151°00' W	09°07' N x 150°34' W
16°36' N x 171°21' W	09°00' N x 155°00' W
16°33' N x 170°53' W	08°29' N x 162°33' W
14°32' N x 172°25' W	08°12' N x 162°12' W
14°04' N x 168°08' W	

Pterodroma rostrata

Tahiti Petrel

Ancistrona vagellii (J. C. Fabricius, 1787)

Pacific Ocean, at sea:

03°50' N x 178°09' E

Halipeurus marquesanus (Ferris, 1932)

Pacific Ocean, at sea:

03°50' N x 178°09' E

Pterodroma hypoleuca

Bonin Petrel

Halipeurus pelagicus (Denny, 1842)

Pacific Ocean, at sea:

15°38' N x 169°55' W

Halipeurus theresae Timmermann, 1969

Kure Atoll, Green Island

Pacific Ocean, at sea:

20°34' N x 160°13' W	15°06' N x 172°58' W
16°52' N x 168°50' W	14°19' N x 172°39' W
15°44' N x 172°20' W	14°05' N x 172°50' W
15°38' N x 169°55' W	07°18' N x 159°30' W

Procellariphaga enigki (Timmermann, 1963)

Kure Atoll, Green Island

Trabeculus hexakon (Waterston, 1914)

Kure Atoll, Green Island

Laysan Island

Pacific Ocean, at sea:

16°52' N x 168°50' W	15°06' N x 172°58' W
16°14' N x 171°51' W	14°05' N x 172°50' W

<u>Pterodroma neglecta</u>	Kermadec Petrel
<u>Ancistrona vagelli</u> (J. C. Fabricius, 1787)	
Pacific Ocean, at sea: 09°00' N x 155°00' W	
<u>Halipeurus kermadecense</u> (Johnston and Harrison, 1912)	
Pacific Ocean, at sea: 13°54' N x 168°21' W	
<u>Trabeculus fuscoclypeatus</u> (Johnston and Harrison, 1912)	
Pacific Ocean, at sea: 13°54' N x 168°21' W	
<u>Pterodroma alba</u>	Phoenix Petrel
<u>Halipeurus heraldicus</u> Timmermann, 1960	
Christmas Atoll, Motu Upua Island	
Johnston Atoll, Sand Island	
Phoenix Island	
<u>Procellariphaga</u> sp.	
Johnston Atoll, Sand Island	
<u>Trabeculus hexakon</u> (Waterston, 1914)	
Phoenix Island	
<u>Pterodroma cooki cooki</u>	Cook's Petrel
<u>Halipeurus leucophryna</u> Timmermann, 1960	
Pacific Ocean, at sea:	
18°42' N x 164°39' W	13°46' N x 172°56' W
16°59' N x 164°07' W	13°30' N x 165°06' W
16°42' N x 172°36' W	13°18' N x 170°09' W
14°12' N x 169°08' W	09°00' N x 155°00' W
<u>Halipeurus pelagicus</u> (Denny, 1842)	
Pacific Ocean, at sea:	
06°04' N x 154°56' W	
<u>Trabeculus hexakon</u> (Waterston, 1914)	
Pacific Ocean, at sea:	
18°42' N x 164°39' W	13°30' N x 165°06' W
16°59' N x 164°07' W	12°31' N x 166°18' W
16°42' N x 172°36' W	09°00' N x 155°00' W
<u>Longimenopon</u> sp.	
Pacific Ocean, at sea:	
16°14' N x 154°56' W	
<u>Bulweria bulwerii</u>	Bulwer's Petrel
<u>Halipeurus bulweriae</u> Timmermann, 1960	
Phoenix Island	
Pacific Ocean, at sea:	
20°06' N x 161°52' W	19°52' N x 162°47' W
20°00' N x 162°19' W	

Puffinus carneipes

Pale-footed Shearwater

Naubates harrisoni Bedford, 1930Pacific Ocean, at sea:
17°28' N x 170°31' WPuffinus pacificus

Wedge-tailed Shearwater

Ancistriona vagellii (J. C. Fabricius, 1787)Kure Atoll, Green Island
Pacific Ocean, at sea:
13°30' N x 168°21' W
06°37' N x 152°49' W

06°35' N x 152°54' W

Halipeurus mirabilis Thompson, 1940

Johnston Atoll, Sand Island

Kure Atoll, Green Island
Phoenix Island
Pacific Ocean, at sea:

23°24' N x 166°25' W	15°12' N x 174°01' W
23°20' N x 174°25' W	14°31' N x 170°17' W
22°13' N x 165°33' W	14°30' N x 170°15' W
22°09' N x 165°01' W	14°29' N x 173°45' W
21°35' N x 164°42' W	14°18' N x 171°23' W
20°49' N x 173°19' W	14°16.3' N x 170°15' W
20°34' N x 173°09' W	14°13' N x 170°17' W
20°28' N x 160°49' W	14°05' N x 172°50' W
19°49' N x 161°47' W	13°46' N x 172°59' W
19°41' N x 162°06' W	11°50' N x 166°28' W
19°40' N x 159°23' W	11°14' N x 165°29' W
19°34' N x 162°04' W	08°54' N x 162°58' W
19°32' N x 162°18' W	07°28' N x 160°07' W
19°10' N x 170°55' W	07°24' N x 159°52' W
19°10' N x 170°12' W	07°18' N x 159°30' W
18°07' N x 166°02' W	06°37' N x 152°49' W
17°05' N x 168°55' W	06°35' N x 152°54' W
16°50' N x 170°20' W	06°25' N x 169°21' W
16°20' N x 171°45' W	06°20' N x 153°14' W
16°13' N x 171°55' W	06°11' N x 155°20' W
16°11' N x 171°57' W	

Procellariiphaga paulula (Kellogg and Chapman, 1899)Johnston Atoll, Sand Island
Pacific Ocean, at sea:
06°35' N x 152°54' WNaubates harrisoni Bedford, 1930Johnston Atoll, Sand Island
Kure Atoll, Green Island
Phoenix Island
Pacific Ocean, at sea:
22°24' N x 163°17' W

21°01' N x 158°41' W

20°49' N x 173°19' W	14°52' N x 172°15' W
20°34' N x 173°09' W	14°31' N x 170°17' W
19°49' N x 161°47' W	14°30' N x 170°15' W
19°40' N x 159°00' W	14°29' N x 173°45' W
19°35' N x 162°22.5' W	14°05' N x 172°50' W
19°34' N x 162°04' W	12°49' N x 170°24' W
19°32' N x 162°18' W	11°53' N x 157°00' W
19°27' N x 162°36' W	11°50' N x 166°28' W
19°20' N x 162°58' W	11°14' N x 165°29' W
18°38' N x 164°55' W	10°18' N x 173°00' W
18°07' N x 166°02' W	08°54' N x 162°58' W
16°50' N x 170°20' W	07°28' N x 160°07' W
16°20' N x 171°45' W	07°24' N x 159°52' W
15°45' N x 160°12' W	06°35' N x 152°54' W
15°12' N x 174°01' W	06°20' N x 153°14' W

Saemundssonia puellula Timmermann, 1965

Johnston Atoll, Sand Island
Kure Atoll, Green Island
Pacific Ocean, at sea:

23°20' N x 174°25' W	19°35' N x 162°27.5' W
22°52' N x 157°00' W	19°10' N x 170°12' W
22°13' N x 165°33' W	16°20' N x 171°45' W
20°49' N x 173°19' W	14°29' N x 173°45' W
20°43' N x 173°15' W	13°46' N x 172°59' W
20°34' N x 173°09' W	10°22' N x 173°42' W
19°49' N x 161°47' W	07°18' N x 159°30' W
19°40' N x 159°23' W	06°11' N x 155°20' W
19°35' N x 162°22.5' W	

Trabeculus hexakon (Waterston, 1914)

Johnston Atoll, Sand Island
Kure Atoll, Green Island
Pacific Ocean, at sea:

21°35' N x 164°42' W	14°31' N x 170°17' W
20°49' N x 173°19' W	14°30' N x 170°15' W
20°34' N x 173°09' W	14°16.3' N x 170°15' W
19°49' N x 161°47' W	14°05' N x 172°50' W
19°40' N x 159°23' W	12°49' N x 170°24' W
19°34' N x 162°04' W	11°34' N x 170°43' W
19°32' N x 162°18' W	11°50' N x 166°28' W
18°38' N x 164°55' W	08°54' N x 162°58' W
18°07' N x 166°02' W	07°28' N x 160°07' W
16°50' N x 170°20' W	07°24' N x 169°52' W
16°20' N x 171°45' W	06°37' N x 152°49' W
15°45.9' N x 169°12' W	06°35' N x 152°54' W
15°32' N x 170°04' W	06°25' N x 169°21' W
15°12' N x 174°01' W	06°20' N x 153°14' W

<u>Puffinus griseus</u>		Sooty Shearwater
<u>Halipeurus diversus</u> (Kellogg, 1896)		
Pacific Ocean, at sea:		
02°35' N x 174°34' W	03°10' S x 178°45' W	
02°32' N x 174°42' W		
<u>Procellariphaga paulula</u> (Kellogg and Chapman, 1899)		
Pacific Ocean, at sea:		
02°35' N x 174°34' W	03°10' S x 178°45' W	
02°32' N x 174°42' W		
<u>Trabeculus hexakon</u> (Waterston, 1914)		
Pacific Ocean, at sea:		
02°35' N x 174°34' W	02°32' N x 174°42' W	
<u>Puffinus tenuirostris</u>		Slender-billed Shearwater
<u>Halipeurus diversus</u> (Kellogg, 1896)		
Pacific Ocean, at sea:		
11°31' N x 171°26' W		
<u>Trabeculus hexakon</u> (Waterston, 1914)		
Pacific Ocean, at sea:		
12°03' N x 170°36' W	11°26' N x 171°26' W	
11°31' N x 171°17' W		
<u>Puffinus nativitatis</u>		Christmas Shearwater
<u>Halipeurus spadix</u> Timmermann, 1961		
Christmas Atoll, Motu Upua Island		
Midway Atoll		
Phoenix Island		
Pacific Ocean, at sea:		
06°41' N x 152°45' W		
<u>Naubates harrisoni</u> Bedford, 1930		
Wake Atoll		
<u>Trabeculus hexakon</u> (Waterston, 1914)		
Phoenix Island		
Wake Atoll		
<u>Puffinus puffinus newelli</u>		Newell's Shearwater
<u>Halipeurus diversus</u> (Kellogg, 1896)		
Pacific Ocean, at sea:		
20°36' N x 160°05' W		
<u>Trabeculus aviator</u> (Evans, 1912)		
Pacific Ocean, at sea:		
10°41' N x 149°16' W		
<u>Puffinus lherminieri</u>		Audubon's Shearwater
<u>Halipeurus spadix</u> Timmermann, 1961		
Canton Atoll		
Phoenix Island		

Hydrobatidae

<u>Oceanodroma castro</u>	Harcourt's Storm Petrel
<u>Halipeurus pelagicus</u> (Denny, 1842)	
Pacific Ocean, at sea:	
19°49' N x 159°59' W	
<u>Nesofregetta albicularis</u>	White-throated Storm Petrel
<u>Halipeurus nesofregettae</u> Timmermann, 1961	
Christmas Atoll	
Phoenix Island	
<u>Saemundssonia sp.</u>	
Phoenix Island	

PELECANIFORMES

Phaethontidae

<u>Phaethon rubricauda</u>	Red-tailed Tropicbird
<u>Austromenopon sp.</u>	
Christmas Atoll, Motu Upua Island	
Pacific Ocean, at sea:	
14°34' N x 172°32' W	13°40' N x 172°49' W
14°27' N x 171°23' W	12°09' N x 171°20' W
<u>Saemundssonia hexagona</u> (Giebel, 1874)	
Enderbury Island	
Howland Island	
Johnston Atoll, Sand Island	
Kure Atoll, Green Island	
Pacific Ocean, at sea:	
22°35' N x 163°48' W	14°34' N x 172°32' W
15°25' N x 170°20' W	14°32' N x 171°15' W
15°23' N x 172°47' W	14°22' N x 172°36' W
15°18' N x 173°56' W	13°58' N x 170°47' W
15°06' N x 169°33.5' W	13°26' N x 170°08' W
14°41' N x 172°26' W	12°09' N x 171°20' W
<u>Phaethon lepturus</u>	White-tailed Tropicbird
<u>Austromenopon miloni</u> (Seguy, 1949)	
Pacific Ocean, at sea:	
18°22' N x 165°43' W	15°20' N x 170°30' W
17°22' N x 167°54' W	14°47' N x 170°50' W

Saemundssonia uppaluensis (Rudow, 1870)

Pacific Ocean, at sea:

19°44' N x 171°57' W	14°57' N x 170°37' W
19°15' N x 170°05' W	14°25' N x 172°31' W
16°02' N x 171°57' W	09°00' N x 155°00' W
15°24' N x 173°54' W	

Pelecanidae

Sula dactylatra

Blue-faced Booby

Eidmanniella albescens (Piaget, 1880)

Enderbury Island

Howland Island

Johnston Atoll, Sand Island

Kure Atoll, Green Island

Kwajalein Atoll

Pacific Ocean, at sea:

16°31' N x 171°29' W	08°35' N x 153°28' W
13°45' N x 169°33' W	08°28' N x 160°07' W
13°24' N x 171°41' W	08°28' N x 153°35' W
10°09' N x 167°54' W	08°07' N x 153°37' W
08°52' N x 150°47' W	06°45' N x 152°43' W
08°47' N x 152°27' W	06°11' N x 155°21' W
08°36' N x 151°00' W	

Pectinopygus annulatus (Piaget, 1880)

Vostok Island

Pacific Ocean, at sea:

19°29' N x 163°32' W	14°11' N x 169°06.5' W
18°38' N x 166°51' W	13°47' N x 173°05' W
17°25' N x 168°21.5' W	13°24' N x 171°41' W
17°03' N x 169°07' W	10°44' N x 149°14' W
16°54' N x 171°25' W	10°09' N x 167°54' W
16°41' N x 169°24' W	09°30' N x 151°43' W
16°31' N x 169°33' W	08°56' N x 152°17' W
16°28' N x 171°10' W	08°47' N x 152°27' W
16°15' N x 169°39' W	08°35' N x 153°28' W
15°25' N x 173°54' W	08°28' N x 153°35' W
15°20' N x 170°24' W	08°09' N x 153°48' W
14°33' N x 170°06' W	08°07' N x 153°37' W
14°14' N x 172°43' W	07°28' N x 160°07' W

Pectinopygus sulae (Rudow, 1869)

Kure Atoll, Green Island

Pacific Ocean, at sea:

14°58' N x 170°10' W	06°35' N x 152°54' W
10°44' N x 149°14' W	06°11' N x 155°21' W
08°52' N x 150°47' W	

Sula sula Red-footed Booby

Eidmanniella albescens (Piaget, 1880)

Pacific Ocean, at sea:

16°50' N x 169°15' W	16°33' N x 170°59' W
16°45' N x 169°00' W	12°22' N x 171°01' W

Pectinopygus sulae (Rudow, 1869)

Howland Island

Johnston Atoll, Sand Island

Kure Atoll, Green Island

Vostok Island

Pacific Ocean, at sea:

21°01' N x 158°41' W	16°15' N x 171°14' W
20°55' N x 160°21' W	16°07' N x 169°18' W
20°17' N x 160°55' W	16°06' N x 169°32.5' W
17°49' N x 163°30' W	15°54' N x 172°08' W
17°15' N x 164°14' W	15°06' N x 170°31' W
17°09' N x 169°10' W	14°59' N x 169°35' W
16°54' N x 169°21' W	14°51.5' N x 169°49' W
16°50' N x 171°14' W	14°26' N x 169°04' W
16°50' N x 169°15' W	14°23' N x 171°07' W
16°45' N x 169°00' W	13°30' N x 160°38' W
16°43' N x 171°17' W	13°14' N x 169°58' W
16°38' N x 169°38' W	12°22' N x 171°01' W
16°33' N x 170°59' W	

Sula leucogaster

Brown Booby

Eidmanniella albescens (Piaget, 1880)

Erikub Atoll

Pectinopygus sulae (Rudow, 1869)

Erikub Atoll

Fregatidae

Fregata minor

Great Frigatebird

Colpocephalum angulaticeps Piaget, 1880

Johnston Atoll, Sand Island

Kure Atoll, Green Island

Phoenix Island

Pacific Ocean, at sea:

14°20' N x 171°21' W

Fregatiella aurifasciata (Kellogg, 1899)

Phoenix Island

Pacific Ocean, at sea:

16°55' N x 169°24' W

Pectinopygus gracilicornis (Piaget, 1880)

Enderbury Island

French Frigate Shoals, East Island

Johnston Atoll, Sand Island

Kure Atoll, Green Island

Phoenix Island

Vostok Island

Pacific Ocean, at sea:

22°07' N x 165°02' W

14°20' N x 171°21' W

16°55' N x 169°24' W

13°34' N x 169°55' W

16°11' N x 171°53.5' W

Fregata ariel

Lesser Frigatebird

Pectinopygus sp.

Howland Island

Phoenix Island

Tongareva Atoll

ANSERIFORMES

Anatidae

Anas crecca carolinensis

Green-winged Teal

Trinoton querquedulae (Linnaeus, 1758)

Midway Atoll

Anas penelope

European Widgeon

Trinoton querquedulae (Linnaeus, 1758)

Kure Atoll, Green Island

Anas acuta

Pintail

Anaticola crassicornis dafilensis Carriker, 1956

Kwajalein Atoll

Anatoecus dentatus subsp.

Kure Atoll, Green Island

Anatoecus sp.

Kwajalein Atoll

Holomenopon clypeilargum Eichler, 1943 (?)

Kwajalein Atoll

Trinoton querquedulae (Linnaeus, 1758)

Kure Atoll, Green Island

Kwajalein Atoll

Midway Atoll

- Anas querquedula Garganey Teal
Anatoecus sp.
Wake Atoll
- Trinoton querquedulae (Linnaeus, 1758)
Midway Atoll
Wake Atoll
- Anas clypeata Shoveler
Anaticola crassicornis hopkinsi Eichler, 1954
Wake Atoll
- Aythya fuligula Tufted Duck
Anatoecus sp.
Midway Atoll
- Trinoton querquedulae (Linnaeus, 1758)
Midway Atoll
- CHARADRIIFORMES
- Charadriidae
- Squatarola squatarola Black-bellied Plover
Austromenopon squatarolae Timmermann, 1954
Johnston Atoll, Sand Island
- Quadraceps charadrii hospes (Nitzsch, 1866)
Johnston Atoll, Sand Island
- Pluvialis dominica Golden Plover
Actornithophilus ochraceus (Nitzsch, 1818)
Kure Atoll, Green Island
Wilder Shoal
Pacific Ocean, at sea:
18°36' N x 164°31' W
- Quadraceps charadrii orarius (Kellogg, 1896)
Kure Atoll, Green Island
Pacific Ocean, at sea:
18°36' N x 164°31' W
- Saemundssonia conica conica (Denny, 1842)
Kure Atoll, Green Island
Pacific Ocean, at sea:
18°36' N x 164°31' W

Scolopacidae

- Numenius phaeopus Whimbrel
Actornithophilus ocellatus (Rudow, 1869)
 Maiana Atoll
- Numenius tahitiensis Bristle-thighed Curlew
Austromenopon phaeopodis (Schrank, 1802)
 Pacific Ocean, at sea:
 $16^{\circ}55' \text{ N}$ x $170^{\circ}20' \text{ W}$
- Lunaceps numenii hopkinsi Timmermann, 1954
 Kure Atoll, Green Island
 Midway Atoll, Sand Island
 Vostok Island
 Pacific Ocean, at sea:
 $16^{\circ}55' \text{ N}$ x $169^{\circ}32' \text{ W}$
- Saemundssonia scolopacisphaeopodis (Schrank, 1803)
 Midway Atoll, Sand Island
- Limosa lapponica Bar-tailed Godwit
Actornithophilus limosae (Kellogg, 1908)
 Kwajalein Atoll
 Lisianski Island
- Saemundssonia limosae (Denny, 1842)
 Lisianski Island
- Totanus flavipes Lesser Yellowlegs
Quadraceps falcigerus (Peters, 1931)
 Kure Atoll, Green Island
- Tringa glareola Wood Sandpiper
Quadraceps obscurus (Burmeister, 1838)
 Midway Atoll
- Heteroscelus incanum Wandering Tattler
Actornithophilus kilauensis (Kellogg and Chapman, 1902)
 Aranuka Atoll
 Kwajalein Atoll
- Quadraceps impar Hopkins and Timmermann, 1954
 Johnston Atoll, Sand Island
- Arenaria interpres Ruddy Turnstone
Actornithophilus bicolor (Piaget, 1880)
 Kure Atoll, Green Island
 Kwajalein Atoll
 Pacific Ocean, at sea:
 $15^{\circ}18' \text{ N}$ x $171^{\circ}40' \text{ W}$ $12^{\circ}30' \text{ N}$ x $171^{\circ}32' \text{ W}$

Actornithophilus pediculoides (Mjoberg, 1910)
Kwajalein Atoll

Austromenopon sp.
Pacific Ocean, at sea:
15°18' N x 171°40' W

Quadraceps strepsilaris (Denny, 1842)
Hull Island
Kure Atoll, Green Island
Pacific Ocean, at sea:
14°24' N x 172°40' W

Crocethia alba Sanderling
Actornithophilus umbrinus (Burmeister, 1838)
Baker Island
Kwajalein Atoll

Carduiceps zonarius (Nitzsch, 1866)
Baker Island

Erolia melanotos Pectoral Sandpiper
Actornithophilus umbrinus (Burmeister, 1838)
Taka Atoll

Erolia acuminata Sharp-tailed Sandpiper
Actornithophilus umbrinus (Burmeister, 1838)
Kure Atoll, Green Island
Midway Atoll

Carduiceps zonarius (Nitzsch, 1866)
Gardner Island
Kure Atoll, Green Island
Midway Atoll

Lunaceps sp.
Kure Atoll, Green Island

Saemundssonia platygaster subsp.
Wake Atoll

Saemundssonia tringae (O. Fabricius, 1780)
Gardner Island

Stercorariidae

Stercorarius pomarinus Pomarine Jaeger
Saemundssonia euryrhyncha (Giebel, 1874)
Pacific Ocean, at sea:
21°05' N x 158°31' W

- Stercorarius longicaudus Long-tailed Jaeger
Quadraceps normifer parvopallidus (Eichler, 1951)
 Pacific Ocean, at sea:
 $14^{\circ}14' \text{ N} \times 169^{\circ}13' \text{ W}$
- Laridae
- Larus atricilla Laughing Gull
Austromenopon transversum (Denny, 1842)
 Pacific Ocean, at sea:
 $12^{\circ}41' \text{ N} \times 171^{\circ}28' \text{ W}$
- Saemundssonia lari atricilla Carriker, 1956
 Pacific Ocean, at sea:
 $12^{\circ}41' \text{ N} \times 171^{\circ}28' \text{ W}$
- Sterna sumatrana Black-naped Tern
Austromenopon astrofulvum (Piaget, 1880)
 Erikub Atoll
- Sterna lunata Gray-backed Tern
Actornithophilus piceus piceus (Denny, 1842)
 Hull Island
 Wake Atoll
- Austromenopon atrofulvum (Piaget, 1880)
 Wake Atoll
- Quadraceps sp.
 Johnston Atoll, Sand Island
 Phoenix Island
- Saemundssonia snyderi (Kellogg and Paine, 1910)
 Canton Atoll, Spam Island
 Howland Island
 Hull Island
 Phoenix Island
 Wake Atoll
- Sterna fuscata Sooty Tern
Actornithophilus piceus piceus (Denny, 1842)
 Enderbury Island
 Johnston Atoll, Sand Island
 Starbuck Island
 Wake Atoll
 Pacific Ocean, at sea:
 $14^{\circ}16' \text{ N} \times 171^{\circ}21' \text{ W}$

Austromenopon atrofulvum (Piaget, 1880)

Howland Island
 Johnston Atoll, Sand Island
 Phoenix Island
 Wake Atoll

Quadraceps birostris (Giebel, 1874)

Canton Atoll, Spam Island
 Enderbury Island
 Pearl and Hermes Reef
 Johnston Atoll, Sand Island
 Kure Atoll, Green Island
 Phoenix Island
 Wake Atoll

Pacific Ocean, at sea:

23°43' N x 174°33' W	17°38' N x 171°55' W
23°25' N x 166°25' W	16°57' N x 169°39' W
23°24' N x 166°25' W	16°54' N x 171°35' W
22°28' N x 167°19' W	16°50' N x 170°02' W
21°10' N x 161°20' W	16°50' N x 169°56' W
20°29' N x 169°02' W	16°50' N x 169°15' W
20°26' N x 161°02' W	16°36' N x 171°12' W
20°25' N x 160°45.2' W	16°20' N x 171°39' W
20°22.8' N x 160°51.2' W	16°20' N x 171°19.5' W
20°21' N x 169°09' W	16°19' N x 172°38.8' W
20°07.5' N x 161°14.8' W	15°22' N x 170°14' W
20°05' N x 161°40' W	15°10' N x 171°55' W
19°50' N x 163°04' W	15°02' N x 168°56' W
19°40' N x 159°23' W	14°16.3' N x 170°15' W
19°27' N x 169°53' W	14°16' N x 171°21' W
18°45' N x 164°52' W	12°51' N x 170°31' W
18°18' N x 171°60' W	07°07' N x 158°54' W
18°10' N x 166°13' W	06°22' N x 156°13' W
18°07' N x 166°02' W	06°11' N x 155°20' W
18°03' N x 166°33' W	

Saemundssonia albemarlensis (Kellogg and Kuwana, 1902)

Canton Atoll, Spam Island
 Enderbury Island
 Hull Island
 Johnston Atoll, Sand Island
 Kure Atoll, Green Island
 Pearl and Hermes Reef
 Phoenix Island
 Wake Atoll

Pacific Ocean, at sea:

23°43' N x 174°33' W	20°37' N x 168°58' W
23°25' N x 166°25' W	20°26' N x 161°02' W
22°31' N x 176°16' W	20°25' N x 160°45.2' W
22°28' N x 167°19' W	20°21' N x 169°09' W
21°41' N x 173°13' W	20°05' N x 161°40' W

19°40' N x 159°23' W	16°20' N x 171°39' W
18°45' N x 164°52' W	16°20' N x 171°19.5' W
18°03' N x 166°33' W	16°20' N x 170°43' W
17°38' N x 171°55' W	15°45.9' N x 169°12' W
16°57' N x 169°39' W	15°10' N x 171°55' W
16°54' N x 171°35' W	15°04' N x 174°20' W
16°50' N x 170°02' W	15°02' N x 168°56' W
16°50' N x 169°56' W	14°16.3' N x 170°15' W
16°50' N x 169°15' W	12°15' N x 170°31' W
16°49' N x 169°05' W	06°22' N x 156°13' W
16°36' N x 171°12' W	06°11' N x 155°20' W

Thalasseus bergii
Saemundssonia sp.
 Jaluit Atoll

Crested Tern

Procelsterna cerulea
Austromenopon sp.
 Phoenix Island

Blue-gray Noddy

Quadraceps sp.
 Phoenix Island

Anous stolidus
Actornithophilus incisus (Piaget, 1880)
 Baker Island
 Erikub Atoll
 Hull Island
 Johnston Atoll, Sand Island
 Kure Atoll, Green Island
 Kwajalein Atoll
 Palmyra Island
 Phoenix Island
 Tongareva Atoll

Brown Noddy

Actornithophilus sp.
 Johnston Atoll, Sand Island

Austromenopon sp.
 Kure Atoll, Green Island
 Tongareva Atoll

Quadraceps separatus (Kellogg and Kuwana, 1902)
 Hull Island
 Johnston Atoll, Sand Island
 Kure Atoll, Green Island
 Kwajalein Atoll
 Palmyra Island
 Phoenix Island
 Tongareva Atoll

Saemundssonia lobaticeps remota Timmermann, 1951
Kure Atoll, Green Island

Anous tenuirostris Black Noddy

Actornithophilus ceruleus Timmermann, 1954 (?)
Hull Island
Kure Atoll, Green Island
Vostok Island

Actornithophilus incisus (Piaget, 1880)
Christmas Atoll, Motu Upua Island

Austromenopon sp.
Hull Island

Quadraceps hopkinsi Timmermann, 1952
Christmas Atoll, Motu Upua Island
Hull Island
Vostok Island

Gygis alba White Tern
Actornithophilus sp.
Aranuka Atoll

Saemundssonia sp.
Christmas Atoll, Motu Upua Island
Kure Atoll, Green Island
Phoenix Island
Pacific Ocean, at sea:
16°01' N x 169°17' W

NORTH PACIFIC OCEAN

ANSERIFORMES

Anatidae

Anas crecca carolinensis Green-winged Teal
Anatoecus sp.
Aleutian Islands, Ananiuliak Island

CHARADRIIFORMES

Scolopacidae

- Numenius phaeopus Whimbrel
Austromenopon phaeopodis (Schrink, 1802)
Alaska, St. George Island
- Lunaceps numenii phaeopi (Denny, 1842)
Alaska, St. George Island
- Saemundssonia scolopacisphaeopodis (Schrink, 1803)
Alaska, St. George Island
- Arenaria interpres Ruddy Turnstone
Actornithophilus bicolor (Piaget, 1880)
Alaska, St. George Island
- Quadraceps strepsilaris (Denny, 1842)
Alaska, St. George Island
- Limnodromus scolopaceus Long-billed Dowitcher
Carduiceps cingulatus (Denny, 1842) (?)
Alaska, St. George Island
- Ereunetes mauri Western Sandpiper
Carduiceps zonarius (Nitzsch, 1866)
Alaska, St. George Island
- Lunaceps holophaeus cabanisi Timmermann, 1954
Alaska, St. George Island
- Saemundssonia tringae (O. Fabricius, 1780)
Alaska, St. George Island
- Erolia ptilocnemis Rock Sandpiper
Carduiceps meinertzhageni Timmermann, 1954
Alaska, St. George Island
- Lunaceps sp.
Alaska, St. George Island
- Saemundssonia tringae (O. Fabricius, 1780)
Alaska, St. George Island
- Erolia melanotos Pectoral Sandpiper
Carduiceps zonarius (Nitzsch, 1866)
Alaska, St. George Island
- Erolia acuminata Sharp-tailed Sandpiper
Lunaceps sp.
Alaska, St. George Island

<u>Philomachus pugnax</u>	Ruff
<u>Carduiceps scalaris</u> (Piaget, 1880)	
Alaska, St. George Island	
<u>Lunaceps holophaeus holophaeus</u> (Burmeister, 1838)	
Alaska, St. George Island	
Laridae	
<u>Larus glaucescens</u>	Glaucous-winged Gull
<u>Saemundssonia lari</u> subsp.	
Alaska, St. George Island	
Alcidae	
<u>Cephus columba</u>	Pigeon Guillemot
<u>Saemundssonia procax</u> (Kellogg and Chapman, 1899)	
Alaska, St. Paul Island	
<u>Brachyramphus marmoratum</u>	Marbled Murrelet
<u>Saemundssonia</u> sp.	
Bering Sea, at sea:	
53°00' N x 168°55' W	
<u>Aethia pusilla</u>	Least Auklet
<u>Quadraceps aethereus</u> (Giebel, 1874)	
Alaska, St. Paul Island	
<u>Saemundssonia</u> sp.	
Alaska, St. Paul Island	
PASSERIFORMES	
Fringillidae	
<u>Melospiza melodia</u>	Song Sparrow
<u>Philopterus</u> sp.	
Alaska, Umnak Island	

SOUTHEASTERN PACIFIC OCEAN

PROCELLARIIFORMES

Diomedeidae

- Diomedea chrysostoma Grey-headed Albatross
Docophoroides simplex (Waterston, 1914)
 Pacific Ocean, off Chile.
- Diomedea exulans Wandering Albatross
Docophoroides brevis (Dufour, 1835)
 Pacific Ocean, off Chile
- Harrisoniella hopkinsi Eichler, 1952
 Pacific Ocean, off Chile

PART II: MALLOPHAGA CHECKLIST

ISCHNOCERA

Philopteridae

Anaticola crassicornis dafilensis Carriker, 1956
 Host: Anas acuta

Anaticola crassicornis hopkinsi Eichler, 1954
Anas clypeata

Anatoecus dentatus subsp.
Anas acuta

Anatoecus sp.
Anas crecca carolinensis
Anas acuta
Anas querquedula
Aythya fuligula

Carduiceps cingulatus (Denny, 1842) (?)
Limnodromus scolopaceus

Carduiceps meinertzhageni Timmermann, 1954
Erolia ptilocnemis

Carduiceps scalaris (Piaget, 1880)
Philomachus pugnax

Carduiceps zonarius (Nitzsch, 1866)
Crocethia alba
Erolia acuminata
Ereunetes mauri
Erolia melanotos

Docophoroides brevis (Dufour, 1835)
Diomedea exulans

Docophoroides pacificus ferrisi Harrison, 1937
Diomedea nigripes

Docophoroides pacificus subsp.
Diomedea immutabilis

Docophoroides simplex (Waterston, 1914)
Diomedea chrysostoma

Episbates pederiformis (Dufour, 1835)
Diomedea nigripes

Halipeurus bulweriae Timmermann, 1960
Bulweria bulwerii

Halipeurus diversus (Kellogg, 1896)
Puffinus griseus
Puffinus tenuirostris
Puffinus puffinus newelli

Halipeurus heraldicus Timmermann, 1960
Pterodroma alba

Halipeurus kermadecenae (Johnston and Harrison, 1912)
Pterodroma externa
Pterodroma neglecta

Halipeurus leucophryna Timmermann, 1960
Pterodroma cooki

Halipeurus marquesanus (Ferris, 1932)
Pterodroma rostrata

Halipeurus mirabilis Thompson, 1940
Puffinus pacificus

Halipeurus nesofregettae Timmermann, 1961
Nesofregetta albicularis

Halipeurus noctivagus (Timmermann, 1960)
Pterodroma phaeopygia

Halipeurus pelagicus (Denny, 1842)
Pterodroma hypoleuca
Pterodroma cooki
Oceanodroma castro

Halipeurus spadix Timmermann, 1961

Puffinus nativitatus

Puffinus lherminieri

Halipeurus theresae Timmermann, 1969

Pterodroma hypoleuca

Harrisoniella densa (Kellogg, 1896)

Diomedea immutabilis

Harrisoniella hopkinsi Eichler, 1952

Diomedea exulans

Lunaceps holophaeus cabanisi Timmermann, 1954

Ereunetes mauri

Lunaceps holophaeus holophaeus (Burmeister, 1838)

Philomachus pugnax

Lunaceps numenii hopkinsi Timmermann, 1954

Numenius tahitiensis

Lunaceps numenii phaeopi (Denny, 1842)

Numenius phaeopus

Lunaceps sp.

Erolia acuminata

Erolia ptilocnemis

Naubates damma Timmermann, 1961

Pterodroma externa

Naubates harrisoni Bedford, 1930

Puffinus carneipes

Puffinus harrisoni

Puffinus nativitatus

Naubates pterodromi Bedford, 1930

Pterodroma phaeopygia

Paraclisis confidens (Kellogg, 1899)

Diomedea nigripes

Paraclisis giganticola (Kellogg, 1896)

Diomedea immutabilis

Pectinopygus annulatus (Piaget, 1880)

Sula dactylatra

Pectinopygus gracilicornis (Piaget, 1880)
Fregata minor

Pectinopygus sulae (Rudow, 1869)
Sula dactylatra
Sula sula
Sula leucogaster

Pectinopygus sp.
Fregata ariel

Perineus nigrolimbatus (Giebel, 1874)
Fulmarus glacialis

Perineus tenuipenalis Keler, 1958
Diomedea immutabilis

Philopterus sp.
Melospiza melodia

Quadraceps aethereus (Giebel, 1874)
Aethia pusilla

Quadraceps birostris (Giebel, 1874)
Sterna fuscata

Quadraceps charadrii hospes (Nitzsch, 1866)
Squatarola squatarola

Quadraceps charadrii orarius (Kellogg, 1896)
Pluvialis dominica

Quadraceps falcigerus (Peters, 1931)
Totanus flavipes

Quadraceps hopkinsi Timmermann, 1952
Anous tenuirostris

Quadraceps impar Hopkins and Timmermann, 1954
Heteroscelus incanum

Quadraceps normifer parvopalidus (Eichler, 1951)
Stercorarius longicaudis

Quadraceps obscurus (Burmeister, 1838)
Tringa glareola

Quadraceps separatus (Kellogg and Kuwana, 1902)
Anous stolidus

Quadraceps strepsilaris (Denny, 1842)
Arenaria interpres

Quadraceps sp.
Sterna lunata
Procelsterna cerulea

Saemundssonia albemarlensis (Kellogg and Kuwana, 1902)
Sterna fuscata

Saemundssonia conica conica (Denny, 1842)
Pluvialis dominica

Saemundssonia euryrhyncha (Giebel, 1874)
Stercorarius pomarinus

Saemundssonia hexagona (Giebel, 1874)
Phaethon rubricauda

Saemundssonia lari atricilla Carriker, 1956
Larus atricilla

Saemundssonia lari subsp.
Larus glaucescens

Saemundssonia limosae (Denny, 1842)
Limosa lapponica

Saemundssonia labaticeps remota Timmermann, 1951
Anous stolidus

Saemundssonia platygaster subsp.
Erolia acuminata

Saemundssonia procax (Kellogg and Chapman, 1899)
Cephus columba

Saemundssonia puellula Timmermann, 1965
Puffinus pacificus

Saemundssonia scolopacispheopodis (Schrank, 1803)
Numenius tahitiensis
Numenius phaeopus

Saemundssonia snyderi (Kellogg and Paine, 1910)
Sterna lunata

Saemundssonia tringae (O. Fabricius, 1780)
Erolia acuminata
Ereunetes mauri
Erolia ptilocnemis

Saemundssonia uppaluensis (Rudow, 1870)
Phaethon lepturus

Saemundssonia sp.

Nesofregetta albicularis
Thalasseus bergii
Gygis alba
Brachyramphus marmoratum
Aethia pusilla

Trabeculus aviator (Evans, 1912)
Puffinus puffinus newelli

Trabeculus fuscoclypeatus (Johnston and Harrison, 1912)
Pterodroma neglecta

Trabeculus hexakon (Waterston, 1914)
Pterodroma externa
Pterodroma hypoleuca
Pterodroma alba
Pterodroma cooki
Puffinus pacificus
Puffinus griseus
Puffinus tenuirostris
Puffinus nativitatus

AMBLYCERA

Menoponidae

Actornithophilus bicolor (Piaget, 1880)
Arenaria interpres

Actornithophilus ceruleus (Timmermann, 1954) (?)
Anous tenuirostris

Actornithophilus incisus (Piaget, 1880)
Anous stolidus
Anous tenuirostris

Actornithophilus kilauensis (Kellogg and Chapman, 1902)
Heteroscelus incanum

Actornithophilus limosae (Kellogg, 1908)
Limosa lapponica

Actornithophilus ocellatus (Rudow, 1869)
Numenius phaeopus

Actornithophilus ochraceus (Nitzsch, 1818)
Pluvialis dominica

Actornithophilus pediculoides (Mjoberg, 1910)
Arenaria interpres

Actornithophilus piceus piceus (Denny, 1842)
Sterna lunata
Sterna fuscata

Actornithophilus umbrinus (Burmeister, 1838)
Crocethia alba
Erolia melanotos

Actornithophilus sp.
Anous stolidus
Gygis alba

Ancistrona vagelli (J. C. Frabričius, 1787)
Pterodroma externa
Pterodroma rostrata
Pterodroma neglecta
Puffinus pacificus

Austromenopon atrofulvum (Piaget, 1880)
Sterna sumatrana
Sterna lunata
Sterna fuscata

Austromenopon miloni (Seguy, 1949)
Phaethon lepturus

Austromenopon phaeopodis (Schränk, 1802)
Numenius tahitiensis
Numenius phaeopus

Austromenopon squatarolae Timmermann, 1954
Squatarola squatarola

Austromenopon transversum (Denny, 1842)
Larus atricilla

Austromenopon sp.
Phaethon rubricauda
Arenaria interpres
Procelsterna cerulea
Anous stolidus
Anous tenuirostris

Colpocephalum angulaticeps Piaget, 1880
Fregata minor

Eidmanniella albescens (Piaget, 1880)

Sula dactylatra

Sula sula

Sula leucogaster

Fregatiella aurifasciata (Kellogg, 1899)

Fregata minor

Holomenopon clypearium Eichler, 1943 (?)

Anas acuta

Longimenopon sp.

Pterodroma cooki

Procellariphaga affinis (Piaget, 1890)

Diomedea nigripes

Diomedea immutabilis

Procellariphaga enigki (Timmermann, 1963)

Pterodroma hypoleuca

Procellariphaga paulula (Kellogg and Chapman, 1899)

Puffinus pacificus

Puffinus griseus

Procellariphaga sp.

Pterodroma externa

Pterodroma alba

Trinoton querquedulae (Linnaeus, 1758)

Anas crecca carolinensis

Anas penelope

Anas acuta

Anas querquedula

Aythya fuligula

LITERATURE CITED

Alexander, W. B. et al. 1965. The families and genera of the petrels and their names. *Ibis* 107: 401-405.

American Ornithologists' Union. 1957. Checklist of North American birds. 5th ed. Lord Baltimore Press, Baltimore.

Bock, W. J. 1958. A generic review of the plovers (Charadriinae, Aves). *Bull. Mus. Comp. Zool.* 118: 27-97.

- Delacour, J. 1954. The waterfowl of the World. Vol. 1. Country Life Ltd., London.
- 1959. The waterfowl of the World. Vol. 3. Country Life Ltd., London.
- Emerson, K. C. 1962. A tentative list of Mallophaga for North American birds (north of Mexico). Dugway Proving Ground, Dugway, Utah.
- 1964a. Checklist of the Mallophaga of North America (north of Mexico). Part I, Suborder Ischnocera. Dugway Proving Ground, Dugway, Utah.
- 1964b. Checklist of the Mallophaga of North America (north of Mexico). Part II, Suborder Amblycera. Dugway Proving Ground, Dugway, Utah.
- Hopkins, G. H. E., and Clay, Theresa. 1952. A checklist of the genera and species of Mallophaga. Jarrold and Sons Ltd., Norwich.
- 1955. Additions and corrections to the checklist of Mallophaga. Ann. Mag. Nat. Hist., Ser. 12, 8: 177-190.
- King, W. B. 1967. Preliminary Smithsonian identification manual. Seabirds of the Tropical Pacific Ocean. Smithsonian Institution, Washington.
- Peters, J. L. 1931. Checklist of birds of the World. Vol. I. Harvard Univ. Press, Cambridge.
- 1934. Checklist of birds of the World. Vol. II. Harvard Univ. Press, Cambridge.
- 1937. Checklist of birds of the World. Vol. III. Harvard Univ. Press, Cambridge.
- Ryan, S. O., and Price, R. D. 1969a. A review of the genus Eidmanniella (Mallophaga: Menoponidae) from the Pelecaniformes. Ann. Entomol. Soc. Amer. 62: 815-823.
- 1969b. The new genus Fregatiella (Mallophaga: Menoponidae) for Menopon aurifasciatum from the Frigatebird. Ann. Entomol. Soc. Amer. 62: 823-825.
- Watson, G. E. 1966. Seabirds of the Tropical Atlantic Ocean. Smithsonian Press, Washington.