

Taxonomic Indexes to Ostracoda
(Suborder Myodocopina)
in Skogsberg (1920)
and Poulsen (1962, 1965)

ANNE C. COHEN
and
LOUIS S. KORNICKER

SERIAL PUBLICATIONS OF THE SMITHSONIAN INSTITUTION

The emphasis upon publications as a means of diffusing knowledge was expressed by the first Secretary of the Smithsonian Institution. In his formal plan for the Institution, Joseph Henry articulated a program that included the following statement: "It is proposed to publish a series of reports, giving an account of the new discoveries in science, and of the changes made from year to year in all branches of knowledge." This keynote of basic research has been adhered to over the years in the issuance of thousands of titles in serial publications under the Smithsonian imprint, commencing with *Smithsonian Contributions to Knowledge* in 1848 and continuing with the following active series:

Smithsonian Annals of Flight
Smithsonian Contributions to Anthropology
Smithsonian Contributions to Astrophysics
Smithsonian Contributions to Botany
Smithsonian Contributions to the Earth Sciences
Smithsonian Contributions to Paleobiology
Smithsonian Contributions to Zoology
Smithsonian Studies in History and Technology

In these series, the Institution publishes original articles and monographs dealing with the research and collections of its several museums and offices and of professional colleagues at other institutions of learning. These papers report newly acquired facts, synoptic interpretations of data, or original theory in specialized fields. These publications are distributed by mailing lists to libraries, laboratories, and other interested institutions and specialists throughout the world. Individual copies may be obtained from the Smithsonian Institution Press as long as stocks are available.

S. DILLON RIPLEY
Secretary
Smithsonian Institution

SMITHSONIAN CONTRIBUTIONS TO ZOOLOGY • NUMBER 204

Taxonomic Indexes to Ostracoda
(Suborder Myodocopina)
in Skogsberg (1920)
and Poulsen (1962, 1965)

Anne C. Cohen
and Louis S. Kornicker



SMITHSONIAN INSTITUTION PRESS
City of Washington
1975

ABSTRACT

Cohen, Anne C., and Louis S. Kornicker. Taxonomic Indexes to Ostracoda (Suborder Myodocopina) in Skogsberg (1920) and Poulsen (1962, 1965). *Smithsonian Contributions to Zoology*, number 204, 29 pages, 2 tables, 1975.—Taxonomic indexes are presented to Ostracoda of the suborder Myodocopina in a publication by Tage Skogsberg (1920), "Studies on Marine Ostracods, 1: Cypridinids, Halocyprids and Polycopids," and in two publications by Erik M. Poulsen (1962, 1965), "Ostracoda-Myodocopa, 1: Cypridiniformes-Cypridinidae," and "Ostracoda-Myodocopa, 2: Cypridiniformes-Rutidermatidae, Sarsiellidae and Asteropidae." Two tables are presented in an Appendix: one listing genera and subgenera proposed in these publications and their type-species and the second giving current names for all species and subspecies described or redescribed.

OFFICIAL PUBLICATION DATE is handstamped in a limited number of initial copies and is recorded in the Institution's annual report, *Smithsonian Year*. SI PRESS NUMBER 5366. SERIES COVER DESIGN: The coral *Montastrea cavernosa* (Linnaeus).

Library of Congress Cataloging in Publication data

Cohen, Anne C., 1935-

Taxonomic indexes to Ostracoda (suborder Myodocopina) in Skogsberg (1920) and Poulsen (1962, 1965).

(Smithsonian contributions to zoology; no. 204)

Indexes to T. Skogsberg's studies on marine ostracods, pt. 1: Cypridinids, Halocyprids and Polycopids and E. M. Poulsen's Ostracoda-Myodocopa, 1: Cypridiniformes-Cypridinidae and 2: Cypridiniformes-Rutidermatidae, Sarsiellidae and Asteropidae.

Bibliography: p.

Supt. of Docs. no.: SI 1.27:204

1. Myodocopa—Indexes. 2. Skogsberg, Tage, 1887— Studies on marine Ostracods. 3. Poulsen, Erik Mellentin, 1900— Ostracoda-Myodocopa. I. Kornicker, Louis S., 1919— joint author. II. Title. III. Series: Smithsonian Institution. Smithsonian contributions to zoology; no. 204.

QL1.S54 no. 204 [QL444.085] 591'.08s [595'.33'016] 75-619023

Contents

	<i>Page</i>
Introduction	1
Index 1: Skogsberg (1920) "Studies on Marine Ostracods, 1: Cypridinids, Halocyprids and Polycopids"	1
Index 2: Poulsen (1962) "Ostracoda-Myodocopa, 1: Cypridiniformes- Cypridinidae"	8
Index 3: Poulsen (1965) "Ostracoda-Myodocopa, 2: Cypridiniformes- Rutidermatidae, Sarsiellidae and Asteropidae"	15
Appendix: Tables	23
Literature Cited	28

Taxonomic Indexes to Ostracoda (Suborder Myodocopina) in Skogsberg (1920) and Poulsen (1962, 1965)

Anne C. Cohen
and *Louis S. Kornicker*

Introduction

Three of the major publications concerning Ostracoda of the suborder Myodocopina are those by Tage Skogsberg (1920) and Erik M. Poulsen (1962, 1965). The first contains an incomplete index and the other two are without indexes. In addition to the taxonomic indexes presented herein, new genera and subgenera and their type-species are tabulated (Appendix: Table 1), and current names

for all species and subspecies described or redescribed in the publications are listed (Appendix: Table 2). In the indexes the names of new species and genera and the page numbers containing the main reference to each taxon are italicized.

We thank Dr. Erik M. Poulsen and Dr. E. Bertelsen, editor of the *Dana-Reports*, for permission to publish the taxonomic indexes of Ostracoda in *Dana-Reports* 57 and 65, and Dr. Fenner A. Chace, Jr., for criticizing the manuscript.

Index I: Skogsberg (1920)

"Studies on Marine Ostracods, 1: Cypridinids, Halocyprids and Polycopids"

aberrata, *Asterope*, 2, 8, 432, 445, 450, 451, 456, 457, 468, 469, 504-508, 505 (fig.), 507 (fig.), 508-510, 509 (fig.), 522, 534
abyssicola, *Asterope*, 2, 447, 456-458, 467, 470, 510, 534, 535-538, 538 (fig.), 539-540
acuminata, *Cypridina* (*Cypridina*), 194
acuminata, *Monopia* (*Cypridinodes*), 33, 182, 191, 229, 287, 332, 334-347, 336 (fig.), 339 (fig.), 341 (fig.), 343 (fig.), 345 (fig.)
Adamsi, *Asterope*, 441, 443
Cyclasterope?, 433

Cypridina, 433, 437, 441, 443
Heterodesmus, 189, 299, 300
affinis, *Copechaete*, 519, 521
affirmans, *Cypridina serrata*, 317-330
Cypridina (*Cypridina*) *serrata*, 180, 182, 186, 194, 317-330, 319 (fig.), 321 (fig.), 323 (fig.), 327 (fig.)
africanus, *Crossophorus*, 561
Agassizi, *Asterope*, 437
Asteropteron, 443
Cyclasterope, 442, 443
Cypridina, 88, 442, 443
Gigantocypris, 200, 201, 215-217
albomaculata, *Cypridina*, 444
americana, *Asterope*, 437, 442

Anne C. Cohen and Louis S. Kornicker, Department of Invertebrate Zoology, National Museum of Natural History, Smithsonian Institution, Washington, D.C. 20560.

- Cycloleberis*, 442
Pyrocypris, 2
amphiacantha, Cypridina (Cypridina), 194
antarctica, Cypridina, 192, 265, 266
 Cypridina (Vargula), 2, 266–268, 267 (fig.), 561
Appellöfi, *Philomedes*, 380
Philomedes (Scleroconcha), 3, 34, 354, 366–369, 373–377, 380, 386, 388, 389, 419–428, 420 (fig.), 421 (fig.), 423 (fig.), 424 (fig.), 425 (fig.), 427 (fig.), 429 (fig.)
armoricana, *Copechaete*, 488, 490
Arthuri, *Asterope*, 441
aspera, *Philomedes*, 351
Philomedes (Philomedes), 351
assimilis, *Philomedes*, 352, 367, 413
Philomedes (Philomedes), 352, 367, 413
Asterope, 32 (fig.), 38, 40, 59, 60, 75–77, 95, 96, 104, 152, 165, 163, 168–173, 368, 432–444, 445–459, 460–470 (key), 488, 519, 520, 540, 541, 544–546, 548, 549, 551
aberrata, 2, 8, 432, 445, 450, 451, 456, 457, 468, 469, 504–508, 505 (fig.), 507 (fig.), 508–510, 509 (fig.), 522, 534
abyssicola, 2, 447, 456, 458, 467, 470, 510, 534, 535–538, 538 (fig.), 539–540
Adamsi, 441, 443
Agassizi, 437
americana, 437, 442
Arthuri, 441
australis, 438, 440, 444, 445, 466, 483
bimaculata, 433, 440, 441
brevis, 437, 442
curta, 446, 449, 450, 461, 467, 469, 488, 498–503, 499 (fig.), 502 (fig.), 504, 516, 517, 526, 527, 534
cylindrica, 438, 440
elliptica, 433, 435, 437, 440, 441, 468, 509, 510, 540
fascigera, 439, 542
fusca, 437, 439, 442, 443
glacialis, 440, 450, 467, 503
gracilis, 440
Grimaldi, 146, 444, 449, 450, 455–457, 461, 463, 465, 467, 468, 470, 503, 510–517, 511 (fig.), 514 (fig.), 516 (fig.), 518, 519, 521, 523, 525–528, 530, 532, 536, 539
Grimaldi vicina, 457, 467, 470, 508, 512, 518, 519 (fig.), 520–522
Grimaldi, group of, 465, 467, 468, 519–522
grisea, 440
groenlandica, 381, 398
Hilgendorfi, 438, 439, 441, 443
hilgendorfi, 40
inermis, 440, 445, 468
lichenoides, 2, 441, 443
Lobiancoi, 437, 438
Lobiancoi, group of, 438
Mariae, 2, 440, 444, 460, 468, 490, 508, 518, 519, 521, 522, 526, 534
Mülleri, 2, 464, 467, 470, 483–486, 487 (fig.), 487–491, 493, 495, 498, 500, 506, 527
Mülleri longiseta, 467, 470, 486, 488, 491–493, 492 (fig.), 496
Mülleri, group of, 465, 466, 467, 468
nitidula, 438, 440, 441
norvegica, 2, 437, 449, 450, 452, 456, 457, 461, 463, 464, 467, 470, 506, 508, 512, 515, 518, 522, 526, 527–534, 529 (fig.), 531 (fig.), 535, 536, 540, 545
oblonga, 39 (fig.), 45 (fig.), 436–438, 440, 465, 467, 488, 517, 519, 520–522, 525, 526, 534
oblonga, group of, 438
oculata, 2, 445, 455, 467, 470, 490, 518, 523–525, 524 (fig.), 526, 527
Ohlini, 458, 467, 469, 486, 488, 493–496, 494 (fig.), 497 (fig.), 527
olivacea, 440
ovalis, 440, 447, 450, 467, 488, 489, 503
pacifica, 440
quadrata, 440, 465
quinquesetae, 466, 469, 470–476, 472 (fig.), 475 (fig.), 500, 513, 537
Quinquesetae, group of, 465–466, 468
spinifera, 453, 454, 466, 469, 471, 473, 476–483, 477 (fig.), 480 (fig.), 482 (fig.), 491, 493, 495
squamiger, 443
teres, 2, 437, 440, 441, 444, 461, 464, 465, 467, 486, 488, 490, 520, 526
Asterope? *mediterranea*, 433
 ?*Asterope oblonga*, 488
 ?*Asterope oculata*, 488
Asterope? *olivacea*, 433
Asteropidae, 31, 33, 36, 38, 40, 41, 44, 46, 47, 83, 84, 91, 156, 159, 162, 165, 166, 168–173, 175, 182, 195, 376, 430–433, 434–445, 461, 488, 518, 542
Asteropinae, 166, 167, 430
Asteropteron, 441, 442–443, 444
Agassizi, 443
fuscum, 443
asymmetrica, Cypridina, 190, 191, 334
Monopia (Cypridinodes), 33, 334, 347
australis, *Asterope*, 438, 440, 444, 445, 466, 483
Bairdi, Cypridina, 190, 191, 334
Monopia (Cypridinodes), 334, 347
bimaculata, *Asterope*, 433, 440, 441
 Cypridina, 440
Bradycinetus, 349, 350, 368, 433, 439, 445
Brenda, 398
brenda, 381, 399
globosus, 349, 350, 381, 397
Lilljeborgi, 402
teres, 433, 490
 ?*Bradycinetus teres*, 488
Brenda, *Bradycinetus*, 398
brenda, *Bradycinetus*, 381, 399
Brenda, Cypridina, 398
brenda, Cypridina, 396, 397
Brenda “(globosa),” *Philomedes*, 353, 418
brenda, *Philomedes*, 352, 381, 382, 396, 399
brevis, *Asterope*, 437, 442
Cyclasterope, 2
Cycloleberis, 442

- capsula, Sarsiella, 38, 39 (fig.), 45 (fig.)
 castanea, Cypridina, 281, 295
 Cypridina (Macrocypridina), 3, 126, 130, 132, 187, 205, 234, 251, 276, 281–295, 283 (fig.), 285 (fig.), 289 (fig.), 291 (fig.), 294 (fig.), 296, 297, 346
 Charcoti, Philomedes, 418
 Chierchiaie, Cypridina (Cypridina), 317
 Pyrocypris, 2, 316
 Codonocera, 165, 166, 189, 190, 193, 195–197 (fig.), 300
 cruenta, 2
 conchaceus, Monoculus, 151
 Copechaete, 434, 435, 519
 affinis, 519, 521
 armoricana, 488, 490
 elongata, 518, 521
 fissa, 488, 490
 crenulata, Streptoleberis, 380
 Crossophorinae, 196
 Crossophorus, 165, 166, 170–172, 178–183, 187, 189, 190, 193, 195–197 (fig.)
 africanus, 561
 cruenta, Codonocera, 2
 curta, *Asterope*, 446, 449, 450, 461, 467, 469, 488, 498–503, 499 (fig.), 502 (fig.), 504, 516, 517, 526, 527, 534
 Cyclasterope, 116, 166, 169, 438, 439, 441–444, 540–541, 542
 Agassizi, 442, 443
 brevis, 2
 fascigera, 2, 169, 439, 441, 542–554, 543 (fig.), 547 (fig.), 550 (fig.), 551 (fig.), 553 (fig.)
 fusca, 442, 443
 Hendersoni, 438, 439, 441, 542
 Hilgendorfi, 441
 Liguriae, 443
 orbicularis, 438, 439, 442
 ovulum, 439, 442
 similis, 2, 443
 tenera, 439, 442
 zealandica, 439, 442
 Cyclasterope? Adamsi, 433
 Cycloleberis, 441–442, 443–445
 americana, 442
 brevis, 442
 Lobiancoi, 442
 orbicularis, 442
 ovulum, 442
 tenera, 442
 zealandica, 442
 cylindrica, *Asterope*, 438, 440
 Cylindroleberis teres, 488
 Cylindroleberinae, 430, 439
 Cylindroleberis, 76, 169, 434, 439, 445, 540
 fusca, 439
 inermis, 440
 Lobiancoi, 442
 Mariae, 434, 440, 468, 518–522
 oblonga, 440, 468, 518, 519, 521, 522
 teres, 440, 467, 483, 488–490
 Cypridina, 2, 9, 10, 40, 50, 51, 63, 75, 91, 152, 154, 155, 159, 164–166, 168, 169, 172, 178, 185, 189–193, 195–197 (fig.), 222, 245–247, 261–263, 265, 296, 313–314, 315–317, 331, 333, 349, 368, 433, 434, 437, 439, 440, 445, 564
 (Cypridina) acuminata, 194
 Adamsi, 433, 437, 441, 443
 Agassizi, 88, 442, 443
 albomaculata, 444
 (Cypridina) amphicantha, 194
 antarctica, 192, 265, 266
 (Vargula) antarctica, 2, 266–268, 267 (fig.), 561
 aymmetrical, 190, 191, 334
 Bairdi, 190, 191, 334
 bimaculata, 440
 Brenda, 398
 brenda, 396, 397
 castanea, 281, 295
 (Macrocypridina) castanea, 3, 126, 130, 132, 187, 205, 234, 251, 276, 281–295, 283 (fig.), 285 (fig.), 289 (fig.), 291 (fig.), 294 (fig.), 296, 297, 346
 (Cypridina) Chierchiaie, 317
 (Cypridina) dentata, 194
 dorsoserrata, 60, 235, 247, 276
 excisa, 398
 favus, 189, 190, 191
 flaveola, 189
 foveolata, 2
 globosa, 349, 381, 397, 398
 Hilgendorfi, 60, 187, 194, 247, 432
 (Vargula) Hilgendorfi, 194
 hirsuta, 192, 298, 299
 (Cypridina) inermis, 194
 insolita, 2
 lepidophora, 330
 (Cypridina) lepidophora, 194, 330
 (*Doloria*) levis, 9, 179, 182, 224, 225–237, 228 (fig.), 231 (fig.), 233 (fig.), 235 (fig.), 238, 241, 243, 248, 250, 266, 274, 282
 Macandrei, 433
 Mariae, 440, 468, 518–520, 522
 mediterranea, 39 (fig.), 45 (fig.), 48 (fig.), 84, 134, 135, 165, 246, 247, 263, 399, 433
 (Vargula) mediterranea, 135
 megalops, 2, 192, 194, 269, 279, 397
 (Vargula) megalops, 2, 136, 194, 205, 247, 261, 269–279, 271 (fig.), 275 (fig.), 277 (fig.), 396, 397
 messinensis, 288
 monoplia, 2
 (Cypridina) natans, 194
 nitidula, 88, 440, 441
 nobilis, 192, 299
 norvegica, 192, 248, 261, 262, 265
 (Vargula) norvegica, 2, 49, 136, 140, 145, 146, 179, 183, 188, 194, 195, 198, 205, 227, 232, 236, 238, 240, 243, 247, 248–261, 249 (fig.), 253 (fig.), 255 (fig.), 257 (fig.), 259 (fig.), 262–268, 270, 272–274, 290, 312, 320, 326, 328, 337, 338, 342, 344, 561
 oblonga, 436, 440, 468, 489, 518, 520–522
 olivacea, 433, 440

- parasitica, 264
(Doloria) pectinata, 9, 95, 132, 135, 135 (graph), 136, 140, 144, 146, 195, 198, 225, 237-245, 239 (fig.), 242 (fig.), 244 (fig.), 273, 539, 540
 punctata, 197
 Reynaudii, 1, 315, 316
 sarsi, 247
 serrata, 330
 (Cypridina) serrata, 180, 194, 330
serrata affirmans, 317-330
 (Cypridina) *serrata affirmans*, 180, 182, 186, 194, 317-330, 319 (fig.), 321 (fig.), 323 (fig.), 327 (fig.)
 (Cypridina) *sinuosa*, 194
(Siphonostira) spinifera, 3, 192, 194, 290, 300-312, 302 (fig.), 303 (fig.), 307 (fig.), 309 (fig.), 311 (fig.), 313
 squamosa, 75, 186, 247
 teres, 433, 440, 467, 486, 490
 Vanhöffeni, 194, 247, 262
 (Vargula) Vanhöffeni, 194
 zealandica, 439, 442
 ?Cypridina norvegica, 248
 ?Cypridina obesa, 281, 296
 Cypridinadae, 63, 64, 155, 159, 165
 Cypridines, 159
 Cypridinidae, 4, 5, 13, 18, 20, 25-35, 38, 40, 41, 44, 46, 47, 49, 50, 52, 53, 55-59, 64, 66, 68-72, 74-89, 91, 94-96, 98-103, 107 (fig.), 108 (fig.), 117, 119, 120, 140, 154, 156-159, 165, 166, 168, 172, 173, 174-177, 178, 200, 263, 299, 300, 315, 364, 398, 432, 439, 461, 498, 539, 563
 Cypridinidarum, 315, 442, 443
Cypridiniiformes, 3, 9, 83, 102-104, 123, 132, 140, 152, 158, 159-162, 163-173, 178, 182, 191, 193, 195, 198, 280, 314, 315, 436, 464, 556, 557, 558, 560, 561, 568, 571, 574, 575
 Cypridininae, 9, 10, 32 (fig.), 33, 34, 40, 42, 48, 52, 64, 132, 136, 155, 159, 165-172, 174, 177, 178, 179-188, 189-198, 315, 370, 371, 373-380, 397, 444, 449, 461, 462, 562, 563
 Cypridinodes, 10, 33, 174, 183, 184, 189-193, 195-197 (fig.), 316, 331-333, 334
 favus, 2, 189-191, 331
 (Cypridinodes) *acuminata*, *Monopia*, 33, 182, 191, 229, 287, 332, 334-347, 336 (fig.), 339 (fig.), 341 (fig.), 343 (fig.), 345 (fig.)
 (Cypridinodes) *asymmetrica*, *Monopia*, 333, 334, 347
 (Cypridinodes) *Bairdi*, *Monopia*, 334, 347
 (Cypridinodes) *favus*, *Monopia*, 333, 334, 347
 Cypris, 35, 49, 63, 90, 92, 155, 315, 433, 445, 564
 bimaculata, 433, 440, 441
 Cypris (ending for names), 280
 Cyridinenes, 171
 dentata, Cypridina (Cypridina), 194
Doloria, 10, 95, 192, 193, 195-197 (fig.), 222, 223-224, 225, 246, 267, 280, 313, 331
(Doloria) levis, *Cypridina*, 9, 179, 182, 224, 225-237, 228 (fig.), 231 (fig.), 233 (fig.), 235 (fig.), 238, 241, 243, 248, 250, 266, 274, 282
(Doloria) pectinata, *Cypridina*, 9, 95, 132, 135, 135 (graph), 136, 140, 144, 146, 195, 198, 225, 237-245, 239 (fig.), 242 (fig.), 244 (fig.), 273, 539, 540
 dorsoserrata, *Cypridina*, 60, 235, 247, 276
 elliptica, *Asterope*, 433, 435, 437, 440, 441, 468, 509, 510, 540
 clongata, *Copechaete*, 518, 521
 Eugeniae, *Philomedes*, 366, 367, 410
Eugeniae, *Philomedes (Philomedes)*, 354, 366, 367, 410-413, 412 (fig.)
 Eumonopia, 189, 331
 Eupathistoma, 313
 Eurypylus, 165, 166
 excisa, *Cypridina*, 398
 fascigera, *Asterope*, 439, 542
 Cyclasterope, 2, 169, 439, 441, 542-554, 543 (fig.), 547 (fig.), 550 (fig.), 551 (fig.), 553 (fig.)
 favus, *Cypridina*, 189-191
 Cypridinodes, 2, 189-191, 331
Monopia, 189, 334, 347
Monopia (Cypridinodes), 333, 334, 347
 fissa, *Copechaete*, 488, 490
 flaveola, *Cypridina*, 189
Monopia, 189, 191, 197, 331
 flexilis, *Philomedes*, 380
Philomedes (Scleroconcha), 380
 Folini, *Philomedes*, 380
Philomedes (Scleroconcha), 366, 367, 380
 foveolata, *Cypridina*, 2
 fusca, *Asterope*, 437, 439, 442, 443
 Cyclasterope, 442, 443
Cylindroleberis, 439
 fuscum, *Asteropteron*, 443
 Gigantocypris, 75, 116, 162, 165, 166, 174, 185, 189, 190, 193, 195-197 (fig.), 198-200, 201, 217, 267, 280
 Agassizi, 200, 201, 215-217
Mülleri, 3, 75, 117, 201, 202-217, 203 (fig.), 209 (fig.), 211 (fig.), 214 (fig.), 218, 219
Mülleri minor, 219-222, 221 (fig.)
 pellucida, 200-202, 217
 glacialis, *Asterope*, 440, 450, 467, 503
 globosa, *Cypridina*, 349, 381, 397, 398
Philomedes, 1, 10, 89, 95, 138, 140 (graph), 145-147, 398
Philomedes (Philomedes), 138-141, 198, 348, 349, 351-367, 370-375, 377, 381-396, 383 (fig.), 387 (fig.), 391 (fig.), 395 (fig.), 397-402, 404, 406, 408, 409, 411-414, 416, 418, 422, 426, 540
 "(globosa)," *Philomedes Brenda*, 353, 418
 globosus, *Bradycinetus*, 349, 350, 381, 397
Philomedes, 1, 350, 381, 382, 396
 gracilis, *Asterope*, 440
 Grimaldi, *Asterope*, 146, 444, 449, 450, 455-457, 461, 463, 465, 467, 468, 470, 503, 510-517, 511 (fig.), 514 (fig.), 516 (fig.), 518, 519, 521, 523, 525-528, 530, 532, 536, 539
 vicina, *Asterope*, 457, 467, 470, 508, 512, 518, 519 (fig.), 520-522

- grisea, *Asterope*, 440
 groenlandica, *Asterope*, 381, 398
- Hendersoni, *Cyclasterope*, 438, 439, 441, 542
 Heterodesmus, 156, 189, 192, 299, 300
 Adamsi, 189, 299, 300
- Hilgendorfi, *Asterope*, 438, 439, 441, 443
 Cyclasterope, 441
 Cypridina, 60, 187, 194, 247, 432
 Cypridina (*Vargula*), 194
- hilgendorffii, *Asterope*, 40
 hirsuta, *Cypridina*, 192, 298, 299
- inermis, *Asterope*, 440, 445, 468
 Cylindroleberis, 440
 Cypridina (*Cypridina*), 194
 Pyrocypris, 316
- insolita, *Cypridina*, 2
 interpuncta, *Philomedes*, 351, 357, 368, 398
 Philomedes (*Philomedes*), 351, 357, 364, 366, 368
- interrupta, *Philomedes*, 366
- laevipes, *Philomedes*, 418
 Philomedes (*Philomedes*), 418
- lenticularis, *Monoculus*, 151
- lepidophora, *Cypridina*, 330
 Cypridina (*Cypridina*), 194, 330
- levis, *Cypridina* (*Doloria*), 9, 179, 182, 224, 225–237, 228 (fig.), 231 (fig.), 233 (fig.), 235 (fig.), 238, 241, 243, 248, 250, 266, 274, 282
 Philomedes (*Philomedes*), 351, 385
- lichenoides, *Asterope*, 2, 441, 443
- Liguriae, *Cyclasterope*, 443
- Lilljeborgi, *Bradycinetus*, 402
 Philomedes, 2, 349, 350, 366, 402, 404
 Philomedes (*Philomedes*), 349, 350, 354, 365, 366, 369, 375, 384–386, 389, 391, 402–410, 403 (fig.), 405 (fig.), 407 (fig.), 409 (fig.), 411, 413, 414, 416, 422
- Lobiancoi, *Asterope*, 437, 438
 Cycloleberis, 442
 Cylindroleberis, 442
- lomac, *Philomedes*, 380
- longicornis, *Philomedes*, 350, 381, 398
 Philomedes (*Philomedes*), 350, 353
- longiseta, *Asterope* Müllerer, 467, 470, 486, 488, 491–493, 492 (fig.), 496
 Philomedes, 380
- Macandrei, *Cypridina*, 433
 Philomedes, 433
 Philomedes (*Philomedes*), 366
- Mac Andrei, *Philomedes*, 396, 397
- Macrocypidina*, 10, 55, 130, 192, 193, 196, 197 (fig.), 222, 280–281, 316, 561
 (*Macrocypidina*) castanea, *Cypridina*, 3, 126, 130, 132, 187, 205, 234, 251, 276, 281–295, 283 (fig.), 285 (fig.), 289 (fig.), 291 (fig.), 294 (fig.), 296, 297, 346
- Mariae, *Asterope*, 2, 440, 444, 460, 468, 490, 508, 518, 519, 521, 522, 526, 534
 Cylindroleberis, 434, 440, 468, 518–522
 Cypridina, 440, 468, 518–520, 522
 Philomedes, 522
- mediterranea, *Asterope*?, 433
 Cypridina, 39 (fig.), 45 (fig.), 48 (fig.), 84, 134, 135, 165, 246, 247, 263, 399, 433
 Cypridina (*Vargula*), 135
- megalops, *Cypridina*, 2, 192, 194, 269, 279, 397
 Cypridina (*Vargula*), 2, 136, 194, 205, 247, 261, 269–279, 271 (fig.), 275 (fig.), 277 (fig.), 396, 397
- messinensis, *Cypridina*, 288
- minor, *Gigantocypris* Müllerer, 219–222, 221 (fig.)
- Monoculus* conchaceus, 151
 lenticularis, 151
 telemus, 151
- Monopia, 165, 189–191, 193, 196, 197 (fig.), 331, 439
- monopia, *Cypridina*, 2
- Monopia* (*Cypridinodes*) acuminata, 33, 182, 191, 229, 287, 332, 334–347, 336 (fig.), 339 (fig.), 341 (fig.), 343 (fig.), 345 (fig.)
 (*Cypridinodes*) asymmetrica, 333, 334, 347
 (*Cypridinodes*) Bairdi, 334, 347
 favus, 189, 334, 347
 (*Cypridinodes*) favus, 333, 334, 347
 flaveola, 189, 191, 197, 331
- Monops, 189
- Müllerer, *Asterope*, 2, 464, 467, 470, 483–486, 487 (fig.), 487–491, 493, 495, 498, 500, 506, 527
 Gigantocypris, 3, 75, 117, 201, 202–217, 203 (fig.), 209 (fig.), 211 (fig.), 214 (fig.), 218, 219
 longiseta, *Asterope*, 467, 470, 486, 488, 491–493, 492 (fig.), 496
 minor, *Gigantocypris*, 219–222, 221 (fig.)
- Myodocopa, 30, 56, 64–67, 72, 77, 78, 96–102, 106, 107 (figs.), 155–158, 300, 439, 562
- natans, *Cypridina* (*Cypridina*), 194
- Nematohamma, 165, 166
- nitidula, *Asterope*, 438, 440, 441
 Cypridina, 88, 440, 441
- nobilis, *Cypridina*, 192, 299
- norvegica, *Asterope*, 2, 437, 449, 450, 452, 456, 457, 461, 463, 464, 467, 470, 506, 508, 512, 515, 518, 522, 526, 527–534, 529 (fig.), 531 (fig.), 535, 536, 540, 545
 Cypridina, 192, 248, 261, 262, 265
 ? *Cypridina*, 248
 Cypridina (*Vargula*), 2, 49, 136, 140, 145, 146, 179, 183, 188, 194, 195, 198, 205, 227, 232, 236, 238, 240, 243, 247, 248–261, 249 (fig.), 245 (fig.), 255 (fig.), 257 (fig.), 259 (fig.), 262–268, 270, 272–274, 290, 312, 320, 326, 328, 337, 338, 342, 344, 561
- obesa, ? *Cypridina*, 281, 296
- oblonga, *Asterope*, 39 (fig.), 45 (fig.), 436–438, 440, 465, 467, 488, 517, 519–522, 525, 526, 534

- ?Asterope, 488
 Cylindroleberis, 440, 468, 518, 519, 521, 522
 Cypridina, 436, 440, 468, 489, 518, 520-522
 oculata, Asterope, 2, 445, 455, 467, 470, 490, 518, 523-525, 524 (fig.), 526-527
 ?Asterope, 488
 Ohlini, Asterope, 458, 467, 469, 486, 488, 493-496, 494 (fig.), 497 (fig.), 527
 olivacea, Asterope, 440
 Asterope?, 433
 Cypridina, 433, 440
 Philomedes, 440
 orbicularis, Cyclasterope, 438, 439, 442
 Cycloleberis, 442
 Philomedes, 418
 Philomedes (Philomedes), 368, 418
 Ostrachoda, 153
 Ostracopoda, 153
 Ostrapoda, 152, 153
 ovalis, Asterope, 440, 447, 450, 467, 488, 489, 503
 ovulum Cyclasterope, 439, 442
 Cycloleberis, 442
- pacifica, Asterope, 440
 Paramekodon, 165, 166, 348
 parasitica, Cypridina, 264
 pectinata, Cypridina (*Doloria*), 9, 95, 132, 135, 135 (graph), 136, 140, 144, 146, 195, 198, 225, 237-245, 239 (fig.), 242 (fig.), 244 (fig.), 273, 539, 540
 pellucida, Gigantocypris, 200-202, 217
 Philomedes, 29, 40, 41, 77, 82, 83, 91, 95, 96, 116, 133, 163, 165-173, 175, 178, 198, 296, 313, 333, 348-352, 367, 368-380, 381, 397, 399, 419, 433, 434, 439, 440, 444, 445, 490, 561
 Appellöfi, 380
 (*Scleroconcha*) *Appellöfi*, 3, 34, 354, 366-369, 373-377, 380, 386, 388, 389, 419-428, 420 (fig.), 421 (fig.), 423 (fig.), 424 (fig.), 425 (fig.), 427 (fig.), 429 (fig.)
 aspera, 351
 (Philomedes) *aspera*, 351
 assimilis, 352, 367, 413
 (Philomedes) *assimilis*, 352, 367, 413
 brenda, 352, 381, 382, 396, 399
 Brenda "(globosa)," 353, 418
 Charcoti, 418
Eugeniae, 366, 367, 410
 (Philomedes) *Eugeniae*, 354, 366, 367, 410-413, 412 (fig.)
 flexilis, 380
 (*Scleroconcha*) *flexilis*, 380
 Folini, 380
 (*Scleroconcha*) *Folini*, 366, 367, 380
 globosa, 1, 10, 89, 95, 138, 140, 140 (graph), 145-147, 398
 (Philomedes) *globosa*, 138-141, 198, 348, 349, 351-367, 370-375, 377, 381-396, 383 (fig.), 387 (fig.), 391 (fig.), 395 (fig.), 397-402, 404, 406, 408, 409, 411-414, 416, 418, 422, 426, 540
 globosus, 1, 350, 381, 382, 396
 interpuncta, 351, 357, 368, 398
 (Philomedes) *interpuncta*, 351, 357, 364, 366, 368
 interrupta, 366
 laevipes, 418
 (Philomedes) *laevipes*, 418
 (Philomedes) *levis*, 351, 385
 Lilljeborgi, 2, 349, 350, 366, 402, 404
 (Philomedes) *Lilljeborgi*, 349, 350, 354, 365, 366, 369, 375, 384-386, 389, 391, 402-410, 403 (fig.), 405 (fig.), 407 (fig.), 409 (fig.), 411, 413, 414, 416, 422
 lomae, 380
 longicornis, 350, 381, 398
 (Philomedes) *longicornis*, 350, 353
 longiseta, 380
 Mac Andrei, 396, 397
 Macandrei, 433
 (Philomedes) *Macandrei*, 366
 Mariae, 522
 olivacea, 440
 orbicularis, 418
 (Philomedes) *orbicularis*, 368, 418
 rotunda, 418
 (Philomedes) *rotunda*, 354, 366-368, 385, 413, 414-418, 415 (fig.), 417 (fig.), 419
 sculpta, 380
 (*Scleroconcha*) *sculpta*, 380
 teres, 433
 Wyville-Thomsoni, 380
 Philomedinae, 10, 32, 33, 41, 166-172, 174-176, 177, 182, 183, 188, 195, 196, 223, 348-368
 Pleoschisma, 348, 368, 380
 Pseudophilomedes, 31, 41, 95, 166, 167, 175, 348
 punctata, Cypridina, 197
 Pyrocypris, 135, 165, 166, 178, 189, 190, 192, 280, 313, 315-317
 americana, 2
 Chierchiai, 2, 316
 inermis, 316
 serrata, 330
- quadrata, Asterope, 440, 465
quinquesetae, Asterope, 466, 469, 470-476, 472 (fig.), 475 (fig.), 500, 513, 537
- Reynaudii, Cypridina, 1, 315, 316
rotunda, Philomedes, 418
 Philomedes (Philomedes), 354, 366-368, 385, 413, 414-418, 415 (fig.), 417 (fig.), 419
 Rutiderma, 165-168, 173
 Rutidermatidae, 31, 33, 156, 159, 165, 166, 168, 171, 173, 195
- Sarsi, Cypridina, 247
 Sarsiella, 29, 88, 89, 95, 161, 165-167, 172, 173, 198
 capsula, 38, 39 (fig.), 45 (fig.)
 Sarsiellidae, 31-33, 37, 38, 42, 44, 46, 47, 56, 84, 156, 159, 165, 166, 168, 171, 173, 182, 195
 Sarsiellinae, 166, 167
Scleroconcha, 380, 419
 (*Scleroconcha*) *Appellöfi*, Philomedes, 3, 34, 354, 366-369, 373-377, 380, 386, 388, 389, 419-428, 420 (fig.), 421 (fig.), 423

- (fig.), 424 (fig.), 425 (fig.), 427 (fig.), 429 (fig.)
 (Scleroconcha) flexilis, Philomedes, 380
 (Scleroconcha) Folini, Philomedes, 366, 367, 380
 (Scleroconcha) sculpta, Philomedes, 380
 sculpta, Philomedes, 380
 Philomedes (Scleroconcha), 380
 serrata, Cypridina, 330
 Cypridina (Cypridina), 180, 194, 330
 Pyrocypris, 330
serrata affirmans, Cypridina, 317–330
affirmans, Cypridina (Cypridina), 180, 182, 186, 194, 317–
 330, 319 (fig.), 321 (fig.), 323 (fig.), 327 (fig.)
 similis, Cyclasterope, 2, 443
 sinuosa, Cypridina (Cypridina), 194
 Siphonostra, 10, 174, 179, 189, 192–194, 196, 197 (fig.), 222,
 298–299, 300
spiniifera, 300–312, 313
 (Siphonostra) *spiniifera*, Cypridina, 3, 192, 194, 290, 300–312,
 302 (fig.), 303 (fig.), 307 (fig.), 309 (fig.), 311 (fig.), 313
spiniifera, *Asterope*, 453, 454, 466, 469, 471, 473, 476–483, 477
 (fig.), 480 (fig.), 482 (fig.), 491, 493, 495
 Cypridina (Siphonostra), 3, 192, 194, 290, 300–312, 302 (fig.),
 303 (fig.), 307 (fig.), 309 (fig.), 311 (fig.), 313
 Siphonostra, 300–312, 313
 squamiger, *Asterope*, 443
 squamosa, Cypridina, 75, 186, 247
 Streptoleberis, 165, 166
 crenulata, 380
- telemus, Monoculus, 151
 tenera, Cyclasterope, 439, 442
 Cycloleberis, 442
 teres, *Asterope*, 2, 437, 440, 441, 444, 461, 464, 465, 467, 486,
 488, 490, 520, 526
- Bradycinetus, 433, 490
 ?Bradycinetus, 488
 Cylindroleberis, 488
 Cylindroleberis, 440, 467, 483, 488–490
 Cypridina, 433, 440, 467, 486, 490
 Philomedes, 433
 Tetragonodon, 165, 166, 348, 368, 380
- Vanhöffeni, Cypridina, 194, 247, 262
 Cypridina (Vargula), 194
 Vargula, 262
 Vargula Vanhöffeni, 262
 (Vargula), 10, 95, 176 (fig.), 192–194, 196, 197 (fig.), 225, 245–
 247, 265, 316, 396
 (Vargula) antarctica, Cypridina, 2, 266–268, 267 (fig.), 561
 (Vargula) Hilgendorfi, Cypridina, 194
 (Vargula) mediterranea, Cypridina, 135
 (Vargula) megalops, Cypridina, 2, 136, 194, 205, 247, 261, 269–
 279, 271 (fig.), 275 (fig.), 277 (fig.), 396, 397
 (Vargula) norvegica, Cypridina, 2, 49, 136, 140, 145, 146, 179,
 183, 188, 194, 195, 198, 205, 227, 232, 236, 238, 240, 243,
 247, 248–261, 245 (fig.), 249 (fig.), 255 (fig.), 257 (fig.), 259
 (fig.), 262–268, 270, 272–274, 290, 312, 320, 326, 328, 337, 338,
 342, 344, 561
 (Vargula) Vanhöffeni, Cypridina, 194
vicina, *Asterope Grimaldi*, 457, 467, 470, 508, 512, 518, 519
 (fig.), 520–522
- Wyville-Thomsoni, Philomedes, 380
- zealandica, Cyclasterope, 439, 442
 Cycloleberis, 442
 Cypridina, 439, 442

Index 2: Poulsen (1962)

“Ostracoda-Myodocopa, 1: Cypridiniformes-Cypridinidae”

- A-group, Cypridinodes, 280 (tab., distinguishing characters), 280
- aberrata*, *Paracypridina*, 245–248, 246 (fig.), 337 (tab., summary of characters), 341
- açorensis*, Cypridina (*Doloria*), 146, 149
- Paradoloria*, 147–149, 148 (map)
- acuminata*, Cypridina, 255, 256, 257, 257 (map), 258–261, 259 (fig.), 261 (fig.), 262, 264, 337 (tab., summary of characters)
- Cypridinodes, 279, 280 (tab., characters), 281, 291, 293, 296, 331 (map)
- Monopia* (Cypridinodes), 278
- Pyrocypris*, 255, 258
- adamsi*, *Heterodesmus*, 249, 254
- affirmans*, Cypridina *serrata*, 255
- africana*, *Euphilomedes*, 359 (map), 360, 362, 411 (fig.)
- agassizi*, *Gigantocypris*, 16–20, 22–57, 23 (fig.), 25 (tab., characters), 26 (fig.), 27 (fig.), 28 (fig.), 29 (fig.), 30 (fig.), 31 (fig.), 32 (fig.), 34 (tab.), 35 (tab.), 36 (tab.), 37 (fig.), 39 (fig.), 42 (fig.), 43 (fig.), 44 (fig.), 45 (fig.), 46 (fig.), 47 (fig.), 48 (fig.), 50 (fig.), 51 (fig.), 52 (fig.), 55 (graph), 56 (graphs), 61, 63, 66–72, 69 (graph), 75, 83–86, 91–94, 97, 98, 101, 102, 104, 105, 107, 109, 110 (tab., characters), 112 (tab.), 116–119, 115 (graph), 118 (graph)
- agassizii*, *Gigantocypris*, 17
- agilis*, *Euphilomedes*, 359 (map), 360, 361, 362 (tab.), 363, 388–390, 389 (fig.), 412
- Philomedes*, 388
- agilis*, group, *Euphilomedes*, 361, 362 (tab., distinguishing characters), 412
- alata*, *Pterocypridina*, 234–236, 236–240, 237 (fig.), 238 (fig.), 241, 242, 257 (map), 336 (tab., summary of characters)
- americana*, Cypridina, 255, 257 (map)
- Pyrocypris*, 255
- amphiacantha* Cypridina, 255
- Pyrocypris*, 255
- Amphisiphonostra*, 14, 15 (tab.), 16, 249, 254, 331, 332 (tab.), 333 (tab., summary of characters), 338
- naviformis*, 249–254, 250 (fig.), 252 (fig.), 253 (fig.), 337 (tab., summary of characters)
- angulata*, *Paradoloria*, 147–149, 148 (map), 157–159, 157 (fig.), 334 (tab., summary of characters)
- antarctica* Cypridina, 181
- Cypridina (*Vargula*), 181
- Vargula*, 177 (map), 178, 181–182, 182 (fig.)
- appellófi*, *Scleroconcha*, 395 (map), 395, 396
- arborea*, Cypridina, 202, 213
- Paravargula*, 202, 203, 204 (map), 213–215, 214 (fig.), 216, 335 (tab., summary of characters)
- arcuata*, *Scleroconcha*, 395, 398–401, 399 (fig.), 400 (fig.)
- aspera*, *Euphilomedes*, 359 (map), 362, 363
- assimilis*, *Philomedes*, 345
- Asteropidae*, 5, 11 (tab.), 13, 14, 55, 308, 340
- Asteropinae*, 11 (tab.), 12
- asymmetrica*, Cypridina, 278, 297
- Cypridinodes, 279, 280 (tab., characters), 281, 297–301, 298 (fig.), 300 (fig.), 301, 303, 305, 307, 331 (map), 337 (tab., summary of characters)
- Monopia* (Cypridinodes), 278
- australis*, *Gigantocypris*, 17, 19, 20, 22, 103, 104–109, 106 (tab., characters), 107 (fig.), 108 (fig.), 117, 118, (graph)
- Paradoloria*, 147–149, 148 (map), 154–156, 155 (fig.), 334 (tab., summary of characters)
- Azygocypridina*, 14, 15 (tab.), 16, 146, 331, 332 (tab.), 332, 333 (tab., summary of characters), 338
- B-group, Cypridinodes, 280 (tab., distinguishing characters), 280
- bairdi*, Cypridina, 278
- Cypridinodes, 279, 331 (map)
- Monopia* (Cypridinodes), 278
- Bathycypridina*, 162
- Bathyvargula*, 15 (tab.), 16, 204 (map), 215–216, 216 (key), 230, 234, 331, 332 (tab.), 332, 333 (tab., summary of characters)
- parvispinosa*, 204 (map), 215, 216–222, 217 (fig.), 220 (fig.), 222–224, 336 (tab., summary of characters)
- walfordi*, 204 (map), 215, 216, 222–224, 223 (fig.), 336 (tab., summary of characters)
- birostrata*, *Pterocypridina*, 235, 236, 243–245, 244 (fig.), 257 (map), 336 (tab., summary of characters)
- Bradycinetus*, 339, 343
- Lilljeborgii*, 346
- Bradyi*, *Euphilomedes*, 359 (map), 360, 361, 362 (tab.), 363, 385–388, 386 (fig.), 390, 412
- brenda*, *Philomedes*, 346
- bruuni*, *Hadacypridina*, 230–234, 231 (fig.), 233 (fig.), 336 (tab., summary of characters)
- bullae*, *Vargula*, 176, 177 (map), 178, 182–186, 183 (fig.), 185 (fig.), 335 (tab., summary of characters)
- capensis*, Cypridina, 149
- Paradoloria*, 147–149, 148 (map)
- carcharodonta*, *Euphilomedes*, 340, 359 (map), 360, 361, 362 (tab.), 376–382, 378 (fig.), 380 (fig.), 381 (fig.), 411 (fig.)
- Philomedes*, 376
- castanea*, Cypridina, 120
- Cypridina (*Macrocypridina*), 120
- Macrocypridina*, 58, 119, 120–136, 123 (fig.), 124 (fig.), 125 (fig.), 129 (fig.), 130 (fig.), 131 (fig.), 133 (fig.), 134 (map), 135 (graph), 139, 140, 141 (tab), 141 (graph), 142 (graph), 143, 145, 145 (graph), 159, 334 (tab., summary of characters)

- caudata, *Skogsbergia*, 162–164, 163 (map)
- charcoti, *Philomedes*, 345
- chierchiaie, *Pyrocypriis*, 255
- chirchiaie, *Cypridina*, 255, 257 (map)
- Cladocopa, 11 (tab.), 12
- Codonocera, 14, 15 (tab.), 16, 146, 273, 307, 308–310, 311 (tab., specific characters), 312 (key), 315, 319, 322, 324, 327, 330, 331 (map), 331, 332 (tab.), 332, 333 (tab., summary of characters), 338
- cruenta, 307, 310, 311 (tab., summary of characters), 312, 319–322, 320 (fig.), 321 (fig.), 323–330, 331 (map)
- cruenta, group, 311, 321–324, 326, 327, 329, 330
- elongata*, 310, 311 (tab., summary of characters), 312, 324–327, 325 (fig.), 326 (fig.), 331 (map)
- formosa*, 307
- goniakantha*, 307, 310, 311 (tab., summary of characters), 312–315, 313 (fig.), 314 (fig.), 315–319, 331 (map)
- goniakantha*, group, 311, 314, 318
- mortenseni*, 309, 310, 311 (tab., summary of characters), 312, 322–324, 323 (fig.), 326, 331 (map)
- penicillum*, 307, 310–312, 331 (map)
- polygonia*, 307, 310, 311 (tab., summary of characters), 312, 315–317, 316 (fig.), 318–319, 331 (map)
- pusilla*, 307, 310–312, 331 (map)
- stellifera*, 307, 309, 310, 311 (tab., summary of characters), 312, 324, 328–331, 329 (fig.), 330 (fig.), 331 (map)
- suensoni*, 310, 311 (tab., summary of characters), 312, 317–319, 318 (fig.), 331 (map)
- weberi*, 307, 310, 311 (tab., summary of characters), 312, 324, 327–328, 328 (fig.), 329, 331 (map)
- Conchoecia, 11
- Conchoeciidae, 11 (tab.), 12
- Conchoecinae, 11 (tab.), 12
- corrugata, *Euphilomedes*, 359 (map), 362
- crenulata*, *Skogsbergia*, 162, 163 (map), 164, 170–173, 170 (fig.), 172 (fig.), 335 (tab., summary of characters), 341
- Streptoleberis*, 339
- Crossophorus*, 14, 331, 332 (tab.)
- cruenta, *Codonocera*, 307, 310, 311 (tab., summary of characters), 312, 319–322, 320 (fig.), 321 (fig.), 323–330, 331 (map)
- cruenta, group, *Codonocera*, 311, 321–324, 326, 327, 329, 330
- curvata*, *Philomedes*, 345, 355–359, 356 (fig.), 357 (fig.), 358 (map), 411 (fig.)
- Skogsbergia*, 162, 163 (map), 164, 167–170, 168 (fig.), 169 (fig.), 171, 173, 335 (tab., summary of characters)
- Cypridae, 11 (tab.)
- Cyprididae, 11 (tab.)
- Cypridina*, 14, 15 (tab.), 16, 44, 55, 72, 134, 146, 162, 175, 178, 186, 202, 225, 245, 255–256, 257 (key), 257 (map), 260, 266, 271, 272, 275, 278, 307, 331, 332 (tab.), 333 (tab., summary of characters), 338
- (*Doloria*) *açorensis*, 146, 149
- acuminata*, 255–257, 257 (map), 258–261, 259 (fig.), 261 (fig.), 262, 264, 337 (tab., summary of characters)
- affirmans*, *serrata*, 255
- americana*, 255, 257 (map)
- amphiakantha*, 255
- antarctica*, 181
- (*Vargula*) *antarctica*, 181
- arborea*, 202, 213
- asymmetrica*, 278, 297
- bairdi*, 278
- capensis*, 149
- castanea*, 120
- (*Macrocypriidina*) *castanea*, 120
- chirchiaie*, 255, 257 (map)
- (*Cypridina*), 332 (tab.)
- dentata*, 255, 257 (map), 258, 264–266, 265 (fig.), 337 (tab., summary of characters)
- (*Doloria*), 146, 332 (tab.)
- dorsoserrata*, 149
- favus*, 281
- flaveola*, 273, 278
- formosa*, 307
- foveolata*, 273
- gibbosa*, 255
- globosa*, 346
- gracilis*, 147, 149
- hesperidea*, 173
- hilgendorfi*, 178
- (*Vargula*) *hilgendorfi*, 152
- hirsuta*, 202, 204
- inermis*, 255, 257 (map), 258, 264, 264 (fig.), 265
- japonica*, 255, 257 (map)
- lepidophora*, 255
- (*Doloria*) *levis*, 146
- (*Macrocypriidina*), 332 (tab.)
- (*Vargula*) *mediterranea*, 152
- mollis*, 255
- monopia*, 273
- multipilosa*, 255, 257 (map), 266–269, 267 (fig.)
- multispinosa*, 337 (tab., summary of characters)
- nana*, 255, 257 (map), 269–272, 270 (fig.), 337 (tab., summary of characters)
- natans*, 256, 257 (map), 262
- norvegica*, 182
- (*Vargula*) *norvegica*, 182
- (*Doloria*) *pectinata*, 146
- punctata*, 255, 257 (map)
- reynaudi*, 255
- rivilli*, 255, 257 (map)
- (*Vargula*) *sarsi*, 152
- serrata*, 255, 257, 257 (map)
- serrata affirmans*, 255
- sharpei*, 257 (map)
- sinuosa*, 257 (map), 258, 262–264, 263 (fig.), 264–266, 268, 269, 272, 337 (tab., summary of characters)
- (*Siphonostra*), 332 (tab.)
- (*Vargula*) *squamosa*, 152
- stellifera*, 328
- vanhöffeni*, 159
- (*Vargula*) *vanhöffeni*, 152
- (*Vargula*), 175, 332 (tab.)
- (*Cypridina*), *Cypridina*, 332 (tab.)

- Cypridinidae, 5, 9, 11 (tab.), 12, 13, 14 (key), 15 (tab., classification), 40, 55, 126, 218, 222, 310, 319, 339, 341
- Cypridiniformes, 5, 7, 8, 11 (tab.), 12, 13 (key), 41, 55, 196
- Cypridininae, 11 (tab.), 12-14, 15 (tab., classification), 16 (key), 28, 38, 40, 41, 43, 49, 58, 59, 154, 158, 218, 236, 245, 254, 257, 278, 307, 309, 331-338, 332 (tab., classifications), 333 (tab., generic characters), 334-335 (tab., specific characters), 338, 340-342, 391
- Cypridinodes, 14, 15 (tab.), 16, 177, 178, 195, 196, 202, 235, 273, 276, 278-279, 280 (tab., characters), 281 (key), 296, 307, 331 (map), 331, 332 (tab.), 332, 333 (tab., summary of characters), 338
- A-group, 280 (tab., distinguishing characters), 280
- acuminata, 279, 280 (tab., characters), 281, 291, 293, 296, 331 (map)
- asymmetrica, 279, 280 (tab., characters), 281, 297-301, 298 (fig.), 300 (fig.), 301, 303, 305, 307, 331 (map), 337 (tab., summary of characters)
- B-group, 280 (tab., distinguishing characters), 280
- bairdi, 279, 331 (map)
- favus, 280 (tab., characters), 281-287, 282 (fig.), 284 (fig.), 286 (fig.), 287, 290, 331 (map), 337 (tab., summary of characters)
- flaveola, 278
- galathea, 278, 280 (tab., characters), 281, 301-303, 302 (fig.), 305, 307, 331 (map), 337 (tab., summary of characters)
- inermis, 278, 279, 280 (tab., characters), 281, 290-296, 292 (fig.), 294 (fig.), 295 (fig.), 331 (map), 337 (tab., summary of characters)
- minuta, 278, 280 (tab., characters), 281, 303-307, 304 (fig.), 306 (fig.), 331 (map), 337 (tab., summary of characters)
- reticulata, 16, 278, 279, 280 (tab., characters), 281, 287-290, 288 (fig.), 289 (fig.), 331 (map), 337 (tab., summary of characters)
- (Cypridinodes), Monopia, 278, 332 (tab.)
- (Cypridinodes) acuminata, Monopia, 278
- (Cypridinodes) asymmetrica, Monopia, 278
- (Cypridinodes) bairdi, Monopia, 278
- (Cypridinodes) favus, Monopia, 278
- Cypriformes, 11 (tab.), 12
- Cyprinae, 11 (tab.)
- Cytherellidae, 11 (tab.), 12
- Cytherelliformes, 11 (tab.), 12
- Cytheridae, 11 (tab.)
- Cytherinae, 11 (tab.)
- danae*, *Gigantocypris*, 17, 19, 20, 22, 58, 68, 85-104, 86 (fig.), 87 (tab.), 88 (fig.), 89 (fig.), 90 (fig.), 92 (fig.), 93 (tab.), 94 (fig.), 95 (tab.), 96 (fig.), 98 (tab.), 99 (fig.), 100 (fig.), 101 (fig.), 103 (fig.), 105, 107, 109, 110 (tab., characters), 111, 112 (tab.), 113, 115 (graph), 119, 132
- Darwinulidae, 11 (tab.)
- Darwinulidae, 11 (tab.)
- debilis, *Euphilomedes*, 359 (map), 362
- dentata, *Cypridina*, 255, 257 (map), 258, 264-266, 265 (fig.), 337 (tab., summary of characters)
- Pyrocypris*, 255, 264
- dentata*, *Philomedes*, 340, 345, 349-355, 351 (fig.), 353 (fig.), 354 (fig.), 358, 358 (map), 411 (fig.)
- Doloria*, 14, 15 (tab.), 16, 146, 156, 162, 175, 331, 332 (tab.), 332, 333 (tab., summary of characters), 338
- levis, 146
- pectinata, 146
- (*Doloria*) açorensis, *Cypridina*, 146, 149
- (*Doloria*), *Cypridina*, 146, 332 (tab.)
- (*Doloria*) levis, *Cypridina*, 146
- (*Doloria*) pectinata, *Cypridina*, 146
- dorso serrata, *Cypridina*, 149
- Paradoloria, 147, 148 (map), 149-152, 150 (fig.), 156, 334 (tab., summary of characters)
- dracontovalis, *Gigantocypris*, 16, 17, 19, 20, 22, 58, 64, 78, 109-117, 110 (tab., characters), 111 (fig.), 112 (tab.), 113 (fig.), 114 (fig.), 115 (fig.), 115 (graph), 118 (graph), 118, 119
- elongata*, *Codonocera*, 310, 311 (tab., summary of characters), 312, 324-327, 325 (fig.), 326 (fig.), 331 (map)
- ensifera*, *Paravargula*, 202, 203, 204 (map), 209-213, 210 (fig.), 212 (fig.), 335 (tab., summary of characters)
- eugeniae, *Philomides*, 345, 358 (map)
- Eumonopia*, 272
- flaveola, 273
- Eupathistoma*, 255
- natans, 262
- Euphilomedes*, 15 (tab.), 339, 343, 359 (map), 359-361, 362 (tab., specific characters of subgroups), 362-363 (key), 388, 395, 401, 411, 412 (tab., distinguishing characters)
- africana, 359 (map), 360, 362, 411 (fig.)
- agilis, 359 (map), 360, 361, 362 (tab.), 363, 388-390, 389 (fig.), 412
- agilis, group, 361, 362 (tab., distinguishing characters), 412
- aspera, 359 (map), 362, 363
- bradyi, 359 (map), 360, 361, 362 (tab.), 363, 385-388, 386 (fig.), 390, 412
- carcharodonta, 340, 359 (map), 360, 361, 362 (tab.), 376-382, 378 (fig.), 380 (fig.), 381 (fig.), 411 (fig.)
- corrugata, 359 (map), 362
- debilis, 359 (map), 362
- ferox, 359 (map), 360, 361, 362 (tab.), 363, 391-394, 392 (fig.), 394 (fig.), 411 (fig.), 412
- fonsecensis, 362, 363
- interpuncta, 343, 359 (map), 360, 362, 369, 411 (fig.)
- japonica, 359 (map), 360, 362, 411 (fig.)
- longiseta, 359 (map), 360, 362, 376, 385
- moroides, 339, 362, 363, 388
- nodosa, 359 (map), 359, 360, 361, 362 (tab.), 336-369, 364 (fig.), 366 (fig.), 368 (fig.), 411 (fig.), 412
- nodosa, group, 361, 362 (tab., distinguishing characters), 412
- oblonga, 339, 359 (map), 362
- producta, 340, 359 (map), 359, 360, 361, 362 (tab.), 383-385, 383 (fig.), 411 (fig.)
- smithi, 359 (map), 360, 361, 362 (tab.), 373-376, 374 (fig.), 375 (fig.), 384, 411 (fig.)
- sordida, 359 (map), 362, 363

- walfordi*, 359 (map), 360, 361, 362 (tab.), 369–373, 370 (fig.), 372 (fig.)
- excreta*, *Pterocypridina*, 235, 236, 240–242, 241 (fig.), 257 (map), 336 (tab., summary of characters)
- favosa*, *Streptoleberis*, 339
- favus*, *Cypridina*, 281
- Cypridinodes*, 280 (tab., characters), 281–287, 282 (fig.), 284 (fig.), 286 (fig.), 287, 290, 231 (map), 337 (tab., summary of characters)
- Monopia* (*Cypridinodes*), 278
- ferox*, *Euphilomedes*, 359 (map), 360, 361, 362 (tab.), 363, 391–394, 392 (fig.), 394 (fig.), 411 (fig.), 412
- flaveola*, *Cypridina*, 273, 278
- Cypridinodes*, 278
- Eumonopia*, 273
- Monopia*, 272, 273–278, 274 (fig.), 277 (fig.), 331 (map), 337 (tab., summary of characters)
- flexilis*, *Philomedes*, 395, 396
- Philomedes* (*Scleroconcha*), 396
- Scleroconcha*, 359 (map), 395, 396–398, 397 (fig.), 400, 401
- folini*, *Philomedes*, 395
- Scleroconcha*, 359 (map)
- fonssecensis*, *Euphilomedes*, 362, 363
- formosa*, *Codonocera*, 307
- Cypridina*, 307
- foveolata*, *Cypridina*, 273
- galathea*, *Cypridinodes*, 278, 280 (tab., characters), 281, 301–303, 302 (fig.), 305, 307, 331 (map), 337 (tab., summary of characters)
- gibbosa*, *Cypridina*, 255
- Gigantocypris*, 13, 14, 15 (tab.), 16–20, 17 (map), 20–22, 22 (key), 23, 43, 44, 49, 66, 78, 83, 86, 89, 94, 98, 103–105, 109–119, 118 (fig.), 125, 126, 129, 130, 131, 134, 136, 146, 153, 181, 191, 196, 215, 216, 276, 286, 331, 332 (tab.), 332, 333 (tab., summary of characters), 338
- agassizi*, 16–20, 22–27, 23 (fig.), 25 (tab., characters), 26 (fig.), 27 (fig.), 28 (fig.), 29 (fig.), 30 (fig.), 31 (fig.), 32 (fig.), 34 (tab.), 35 (tab.), 36 (tab.), 37 (fig.), 39 (fig.), 42 (fig.), 43 (fig.), 44 (fig.), 45 (fig.), 46 (fig.), 47 (fig.), 48 (fig.), 50 (fig.), 51 (fig.), 52 (fig.), 55 (graph), 56 (graph), 61, 63, 66–72, 69 (graph), 83–86, 91–94, 97, 98, 101, 102, 104, 105, 107, 109, 110 (tab., characters), 112 (tab.), 116–119, 115 (graph), 118 (graph)
- agassizii*, 17
- australis*, 17, 19, 20, 22, 103, 104–109, 106 (tab., characters), 107 (fig.), 108 (fig.), 117, 118 (graph)
- danae*, 17, 19, 20, 22, 58, 68, 85–104, 86 (fig.), 87 (tab.), 88 (fig.), 89 (fig.), 90 (fig.), 92 (fig.), 93 (tab.), 94 (fig.), 95 (tab.), 96 (fig.), 98 (tab.), 99 (fig.), 100 (fig.), 101 (fig.), 103 (fig.), 105, 107, 110 (tab., characters), 111, 112 (tab.), 113, 115 (graph), 116, 117, 118 (graph), 119, 132
- dracontovalis*, 16, 17, 19, 20, 22, 58, 64, 78, 109–117, 110 (tab., characters), 111 (fig.), 112 (tab.), 113 (fig.), 114 (fig.), 115 (fig.), 115 (graph), 118 (graph), 118, 119
- mülleri*, 16–20, 22, 24, 33, 45, 57–84, 58 (fig.), 59 (fig.), 62 (fig.), 64 (fig.), 65 (fig.), 68 (tab.), 69 (fig.), 70 (tab.), 71 (tab.), 72 (fig.), 73 (fig.), 74 (fig.), 75 (fig.), 76 (fig.), 79 (fig.), 81 (fig.), 82 (fig.), 83 (graph), 85, 86, 89, 91–94, 97, 98, 101–105, 110 (tab., characters), 111, 112 (tab.), 113, 114, 115 (graph), 116, 117, 118 (graph), 119
- mülleri minor*, 19, 109, 112, 113
- pellucida*, 16, 17, 19, 57
- globosa*, *Cypridina*, 346
- Philomedes*, 345, 346, 349, 350, 352–355, 358 (map), 411 (fig.)
- Philomedes* (*Philomedes*), 346
- goniakantha*, *Codonocera*, 307, 310, 311 (summary of characters), 312, 312–315, 313 (fig.), 314 (fig.), 315–319, 331 (map)
- goniakantha*, group, *Codonocera*, 311, 314, 318
- gracilis*, *Cypridina*, 147, 149
- grubii*, *Philomedes*, 345, 358 (map)
- Hadacypridina*, 15 (tab.), 16, 162, 230, 254, 331, 332 (tab.), 332, 333 (tab., summary of characters), 391
- bruuni*, 230–234, 231 (fig.), 233 (fig.), 336 (tab., summary of characters)
- Halocypridae*, 11 (tab.), 12
- Halocypriformes*, 5, 8, 11 (tab.), 12, 41, 55
- Halocyprinae*, 11 (tab.)
- Halocypris*, 11
- hesperidea*, *Cypridina*, 173
- Skogsbergia*, 162, 163 (map), 164, 173–175, 174 (fig.), 335 (tab., summary of characters)
- Heterodesmus*, 254
- adamsi*, 249, 254
- hilgendorfi*, *Cypridina*, 178
- Cypridina* (*Vargula*), 152
- Vargula*, 177 (map), 178, 179–181, 179 (fig.), 182, 186, 335 (tab., summary of characters)
- hirsuta*, *Cypridina*, 202, 204
- Paravargula*, 202, 203, 204 (map), 204–209, 205 (fig.), 208 (fig.), 211–213, 225, 335 (tab., summary of characters)
- inermis*, *Cypridina*, 255, 257 (map), 258, 264, 264 (fig.), 265
- Pyrocypris*, 264
- inermis*, *Cypridinodes*, 278, 279, 280 (tab., characters), 281, 290–296, 292 (fig.), 294 (fig.), 295 (fig.), 331 (map), 337 (tab., summary of characters)
- interpuncta*, *Euphilomedes*, 343, 359 (map), 360, 362, 369, 411 (fig.)
- interpuncta*, group, *Philomedes*, 343
- japonica*, *Cypridina*, 255, 257 (graph)
- Euphilomedes*, 359 (map), 360, 362, 411 (fig.)
- Pyrocypris*, 255
- japonica*, *Melavargula*, 204 (map), 224, 225–228, 226 (fig.), 227 (fig.), 229, 336 (tab., summary of characters)
- lepidophora*, *Cypridina*, 255
- Pyrocypris*, 255
- levis*, *Cypridina* (*Doloria*), 146
- Doloria*, 146
- Philomedes*, 345, 358 (map)

- lilljeborgi, *Philomedes*, 340, 345, 346-349, 347 (fig.), 348 (fig.), 358 (map)
Philomedes (*Philomedes*), 346
- Lilljeborgi, *Philomedes* (*Philomedes*), 346
- lilljeborgii, *Bradycinetus*, 346
Philomedes, 346
- lomae, *Philomedes*, 358 (map), 395
- longiseta, *Euphilomedes*, 359 (map), 360, 362, 376, 385
- macandrei, *Philomedes*, 345, 358 (map)
- Macrocypridina, 14, 15 (tab.), 16, 119, 133, 134, 136, 215, 216, 286, 331, 332 (tab.), 332, 333 (tab., summary of characters)
- castanea, 58, 119, 120-136, 123 (fig.), 124 (fig.), 125 (fig.), 129 (fig.), 130 (fig.), 131 (fig.), 133 (fig.), 134 (map), 135 (graph), 139, 140-141 (tab.), 141 (graph), 142 (graph), 143, 145 (graph), 159, 334 (tab., summary of characters)
- castanea rotunda, 119, 134, 134 (map), 136-145, 143 (fig.), 144 (graph), 145 (graph)
- (Macrocypridina), *Cypridina*, 332 (tab.)
- (Macrocypridina) castanea, *Cypridina*, 120
- mediterranea, *Cypridina* (*Vargula*), 152
- Skogsbergia, 162-164, 163 (map)
- megalops, *Skogsbergia*, 162-164, 163 (map)
- Melavargula*, 15 (tab.), 16, 204 (map), 224-225, 225 (key), 229, 331, 332 (tab.), 332, 333 (tab., summary of characters)
- japonica, 204 (map), 224, 225-228, 226 (fig.), 227 (fig.), 229, 336 (tab., summary of characters)
- nana, 204 (map), 224, 225, 227, 228-230, 229 (fig.), 336 (tab., summary of characters)
- minor, *Gigantocypris mülleri*, 19, 109, 112, 113
- minuta, *Cypridinodes*, 278, 280 (tab., characters), 281, 303-307, 304 (fig.), 306 (fig.), 331 (map), 337 (tab., summary of characters)
- Skogsbergia*, 162, 163 (map), 164-167, 165 (fig.), 166 (fig.), 168, 169, 171, 341, 335 (tab., summary of characters)
- mollis, *Cypridina*, 255
Pyrocypris, 255
- monopia, *Cypridina*, 273
- Monopia, 14, 15 (tab.), 15, 16, 178, 195, 196, 272, 273, 278, 279, 310, 331 (map), 331, 332 (tab.), 332, 333 (tab., summary of characters), 338
- (*Cypridinodes*), 278, 332 (tab.)
- (*Cypridinodes*) acuminata, 278
- (*Cypridinodes*) asymmetrica, 278
- (*Cypridinodes*) bairdi, 278
- (*Cypridinodes*) favus, 278
- flaveola, 272, 273-278, 274 (fig.), 277 (fig.), 331 (map), 337 (tab., summary of characters)
- (*Monopia*), 272, 332 (tab.)
- (*Monopia*), *Monopia*, 272, 332 (tab.)
- moroides, *Euphilomedes*, 339, 362, 363, 388
Philomedes, 339
Pleoschisma, 339
- mortenseni*, *Codonocera*, 309, 310, 311 (tab., summary of characters), 312, 322-324, 323 (fig.), 326, 331 (map)
- mülleri, *Gigantocypris*, 16-20, 22, 24, 33, 45, 57-84, 58 (fig.), 59 (fig.), 62 (fig.), 64 (fig.), 65 (fig.), 68 (tab.), 69 (fig.), 70 (tab.), 71 (tab.), 72 (fig.), 73 (fig.), 74 (fig.), 75 (fig.), 76 (fig.), 79 (fig.), 81 (fig.), 82 (fig.), 83 (graph), 85, 86, 89, 91-94, 97, 98, 101-105, 110 (tab., characters), 111, 112 (tab.), 113, 114, 115 (graph), 116, 117, 118 (graph), 119
- multipilosa*, *Cypridina*, 255, 257 (fig.), 266-269, 267 (fig.)
- multispinosa*, *Cypridina*, 337 (tab., summary of characters)
- Myodocopa*, 5, 11 (tab.), 12
- nana*, *Cypridina*, 255, 257 (map), 269-272, 270 (fig.), 337 (tab., summary of characters)
- Melavargula*, 204 (map), 224, 225, 227, 228-230, 229 (fig.), 336 (tab., summary of characters)
- natans, *Cypridina*, 256, 257 (map), 262
Eupathistoma, 262
Pyrocypris, 262
- naviformis*, *Amphisiphonostrea*, 249-254, 250 (fig.), 252 (fig.), 253 (fig.)
- Nesideidae, 11 (tab.)
- nodosa*, *Euphilomedes*, 359 (map), 359-361, 362 (tab.), 363-369, 364 (fig.), 366 (fig.), 368 (fig.), 411 (fig.), 412
- nodosa*, group, *Euphilomedes*, 361, 362 (tab., distinguishing characters), 412
- norvegica*, *Cypridina*, 182
Cypridina (*Vargula*), 182
Vargula, 146, 175-178, 177 (map), 182
- nuda*, *Paradoloria*, 147-149, 148 (map), 152-154, 153 (fig.), 156, 334 (tab., summary of characters)
- oblonga*, *Euphilomedes*, 339, 359 (map), 362
Paraphilomedes, 339
Philomedes, 339
Pleoschisma, 339
- orbicularis*, *Philomedes*, 345
- Ostracoda*, 5-10, 11 (tab., classification), 12 (key), 17, 119
- Paracypridina*, 15 (tab.), 16, 245, 331, 332 (tab.), 332, 333 (tab., summary of characters), 391
- aberrata*, 245-248, 246 (fig.), 337 (tab., summary of characters), 341
- Paradoloria*, 15 (tab.), 16, 146, 147-148, 148 (map), 149 (key), 155-158, 161, 162, 175, 176, 178, 181, 247, 256, 331, 332 (tab.), 332, 333 (tab., summary of characters)
- açorensis, 147-149, 148 (map)
- angulata*, 147-149, 148 (map), 157-159, 157 (fig.), 334 (tab., summary of characters)
- australis*, 147-149, 148 (map), 154-156, 155 (fig.), 334 (tab., summary of characters)
- capensis, 147-149, 148 (map)
- dorsoserrata, 147, 148 (map), 149-152, 150 (fig.), 156, 334 (tab., summary of characters)
- nuda*, 147-149, 148 (map), 152-154, 153 (fig.), 156, 334 (tab., summary of characters)
- vanhöffeni*, 147-149, 148 (map), 159-162, 160 (fig.), 334 (tab., summary of characters)
- Paramecodon, 15 (tab.), 339, 341-343, 411
- Paraphilomedes*, 15 (tab.), 339, 343, 358 (map), 361, 395, 401-402, 411, 412 (tab., distinguishing characters)
- oblonga*, 339

- tricornuta*, 358 (map), 401, 409–411, 410 (fig.)
unicornuta, 358 (map), 401, 402–409, 403 (fig.), 405 (fig.), 406 (fig.), 408 (fig.), 411
- Paravargula*, 15 (tab.), 16, 156, 162, 175, 176, 178, 202, 203–204, 204 (map), 204 (key), 213, 215, 216, 224, 230, 235, 245, 331, 332 (tab.), 332, 333 (tab., summary of characters)
- arborea*, 202, 203, 204 (map), 213–215, 214 (fig.), 216, 335 (tab., summary of characters)
- ensifera*, 202, 203, 204 (map), 209–213, 210 (fig.), 212 (fig.), 335 (tab., summary of characters)
- hirsuta*, 202, 203, 204 (map), 204–209, 205 (fig.), 208 (fig.), 211–213, 225, 335 (tab., summary of characters)
- parvispinosa*, *Bathyvargula*, 204 (map), 215–216, 216–222, 217 (fig.), 220 (fig.), 222–224, 336 (tab., summary of characters)
- pectinata*, Cypridina (*Doloria*), 146
- Doloria*, 146
- pellucida*, *Gigantocypris*, 16, 17, 19, 57
- penicillum*, *Codonocera*, 307, 310–312, 331 (map)
- Philomedes*, 15 (tab.), 40, 55, 307, 339, 343–345, 345 (key), 355, 358 (map), 359–361, 391, 395, 401, 402, 411, 412 (tab., distinguishing characters)
- agilis*, 388
- assimilis*, 345
- brenda*, 346
- carcharodonta*, 376
- charcoti*, 345
- curvata*, 345, 355–359, 356 (fig.), 357 (fig.), 358 (map), 411 (fig.)
- dentata*, 340, 345, 349–355, 351 (fig.), 353 (fig.), 354 (fig.), 358, 358 (map), 411 (fig.)
- eugeniae*, 345, 358 (map)
- flexilis*, 395, 396
- (*Scleroconcha*) *flexilis*, 396
- folini*, 395
- globosa*, 345, 346, 349, 350, 352–355, 358 (map), 411 (fig.)
- (*Philomedes*) *globosa*, 346
- grubii*, 345, 358 (map)
- interpuncta*, group, 343
- levis*, 345, 358 (map)
- lilljeborgi*, 340, 345, 346–349, 347 (fig.), 348 (fig.), 358 (map)
- (*Philomedes*) *lilljeborgi*, 346
- (*Philomedes*) *Lilljeborgi*, 346
- lilljeborgii*, 346
- lomae*, 358 (map), 395
- macandrei*, 345, 358 (map)
- moroides*, 339
- oblonga*, 339
- orbicularis*, 345
- rotunda*, 345, 358 (map)
- sculpta*, 395
- trituberculatus*, 395
- wyville-thomsoni*, 395
- (*Philomedes*), *Philomedes*, 343
- Philomedinae*, 11 (tab.), 12–15 (tab., classification), 307–310, 339–343, 343 (key), 360, 391, 401, 407, 411–412, 411 (fig.), 412 (tab., generic characters)
- Platycopa*, 11 (tab.), 12
- Pleoschisma*, 15 (tab.), 339, 411
- moroides*, 339
- oblonga*, 339
- plicata*, *Vargula*, 177 (map), 178, 189–192, 190 (fig.), 335 (tab., summary of characters)
- Podocopa*, 11 (tab.), 12, 13
- Polycopidae*, 11 (tab.), 12
- Polycopiformes*, 11 (tab.), 12, 63
- polygonia*, *Codonocera*, 307, 310, 311 (tab., summary of characters), 312, 315–317, 316 (fig.), 317–319, 331 (map)
- producta*, *Euphilomedes*, 340, 359 (map), 359–361, 362 (tab.), 383–385, 383 (fig.), 411 (fig.)
- Pseudophilomedes*, 15 (tab.), 339–343, 401, 411
- Pterocypridina*, 15 (tab.), 16, 162, 225, 234–235, 236 (key), 245, 249, 257 (map), 331, 332 (tab.), 333 (tab., summary of characters), 338
- alata*, 234–236, 236–240, 237 (fig.), 238 (fig.), 241, 242, 257 (map), 336 (tab., summary of characters)
- birostrata*, 235, 236, 243–245, 244 (fig.), 257 (map), 336 (tab., summary of characters)
- excreta*, 235, 236, 240–242, 241 (fig.), 257 (map), 336 (tab., summary of characters)
- punctata*, Cypridina, 255, 257 (map)
- Pyrocypris*, 255
- puppis*, *Vargula*, 176, 177 (map), 178, 186–189, 187 (fig.), 189 (fig.), 335 (tab., summary of characters)
- pusilla*, *Codonocera*, 307, 310–312, 331 (map)
- Pyrocypris*, 14, 255, 332 (tab.)
- acuminata*, 255, 258
- americana*, 255
- amphiacantha*, 255
- chierchiai*, 255
- dentata*, 255, 264
- inermis*, 264
- japonica*, 255
- lepidophora*, 255
- mollis*, 255
- natans*, 262
- punctata*, 255
- rivilli*, 255
- serrata*, 255
- sinuosa*, 262
- rectirostris*, *Streptoleberis*, 339
- reticulata*, *Cypidinodes*, 16, 278, 279, 280 (tab., characters), 281, 287–290, 288 (fig.), 289 (fig.), 331 (map), 337 (tab., summary of characters)
- reynaudi*, Cypridina, 255
- rivilli*, Cypridina, 255, 257 (map)
- Pyrocypris*, 255
- rotunda*, *Macrocypidina castanea*, 119, 134, 134 (map), 136–145, 143 (fig.), 144 (graph), 145 (graph)
- rotunda*, *Philomedes*, 345, 358 (map)
- Rutiderma*, 339
- Rutidermatidae*, 5, 11 (tab.), 13, 339, 365
- sarsi*, Cypridina (*Vargula*), 152
- Skogsbergia*, 162–164, 163 (map)

- Sarsiella, 339
- Sarsiellidae, 5, 11 (tab.), 13, 339, 401
- Sarsiellinae, 11 (tab.), 12
- Scleroconcha, 15 (tab.), 340, 342, 343, 359 (map), 391, 395 (key), 395, 407, 411, 412 (tab., distinguishing characters)
- appellófi, 359 (map), 395, 396
- arcuata*, 395, 398-401, 399 (fig.), 400 (fig.)
- flexilis*, 359 (map), 395, 396-398, 397 (fig.), 400, 401
- folini, 359 (map)
- trituberculata, 359 (map), 395
- (Scleroconcha), Philomedes, 395
- (Scleroconcha) *flexilis*, Philomedes, 396
- sculpta, Philomedes, 395
- sericata, Cypridina, 255, 257, 257 (map)
- serrata, Cypridina, 255
- Pyrocypris, 255
- affirmans, Cypridina, 255
- sharpei, Cypridina, 257 (map)
- sinuosa, Cypridina, 257 (map), 258, 262-264, 263 (fig.), 264-266, 268, 269, 272, 337 (tab., summary of characters)
- Pyrocypris, 262
- Siphonostra, 14, 15 (tab.), 15, 16, 254, 331, 332 (tab.), 333 (tab., summary of characters), 338
- (Siphonostra), Cypridina, 332 (tab.)
- Skogsbergia*, 15 (tab.), 16, 156, 161, 162-163, 163 (map), 164 (key), 173-176, 178, 181, 202, 203, 206, 207, 225, 235, 245, 247, 331, 332 (tab.), 333 (tab., summary of characters), 338
- caudata, 162-164, 163 (map)
- crenulata*, 162, 163 (map), 164, 170-173, 170 (fig.), 172 (fig.), 335 (tab., summary of characters), 341
- curvata*, 162, 163 (map), 164, 167-170, 168 (fig.), 169 (fig.), 171, 173, 335 (tab., summary of characters)
- hesperidea, 162, 163 (map), 164, 173-175, 174 (fig.), 335 (tab., summary of characters)
- mediterranea, 162-164, 163 (map)
- megalops, 162-164, 163 (map)
- minuta*, 162, 163 (map), 164-167, 165 (fig.), 166 (fig.), 168, 169, 171, 335 (tab., summary of characters), 341
- sarsi, 162-164, 163 (map)
- squamosa, 162-164, 163 (map)
- smithi, *Euphilomedes*, 359 (map), 360, 361, 362 (tab.), 373-376, 374 (fig.), 375 (fig.), 384, 411 (fig.)
- sordida, *Euphilomedes*, 359 (map), 362, 363
- spinosa*, *Vargula*, 177 (map), 178, 192-196, 193 (fig.), 196 (fig.), 197, 198, 202, 285, 335 (tab., summary of characters)
- spinulosa*, *Vargula*, 177 (map), 178, 197-198, 197 (fig.), 202, 335 (tab., summary of characters)
- squamosa, Cypridina (Vargula), 152
- Skogsbergia*, 162-164, 163 (map)
- stellifera, *Codonocera*, 307, 309-311 (tab., summary of characters), 312, 324, 328-331, 329 (fig.), 330 (fig.), 331 (map)
- Cypridina, 328
- Streptoleberis*, 339, 411
- crenulata*, 339
- favosa*, 339
- rectirostris*, 339
- suensoni*, *Codonocera*, 310, 311 (tab., summary of characters), 312, 317-319, 318 (fig.), 331 (map)
- Tetragonodon, 15 (tab.), 339, 411
- Thaumatoocyprinae, 11 (tab.), 12 [Halocypriformes]
- tricornuta*, *Paraphilomedes*, 358 (map), 401, 409-411, 410 (fig.)
- trituberculata, *Scleroconcha*, 359 (map), 395
- trituberculatus, *Philomedes*, 395
- tubulata*, *Vargula*, 176, 177 (map), 178, 198-202, 199 (fig.), 201 (fig.), 335 (tab., summary of characters)
- unicornuta*, *Paraphilomedes*, 358 (map), 401, 402-409, 403 (fig.), 405 (fig.), 406 (fig.), 408 (fig.), 411
- vanhöffeni*, Cypridina, 159
- Cypridina (Vargula), 152
- Paradoloria, 147-149, 148 (map), 159-162, 160 (fig.), 334 (tab., summary of characters)
- Vargula*, 14, 15 (tab.), 16, 146, 152, 156, 175, 176-177, 177 (map), 178 (key), 182, 185, 186, 190, 195, 202, 203, 214-216, 219, 247, 331, 332 (tab.), 332, 333 (tab., summary of characters)
- antarctica, 177 (map), 178, 181-182, 182 (fig.)
- bullae*, 176, 177 (map), 178, 182-186, 183 (fig.), 185 (fig.), 335 (tab., summary of characters)
- hilgendorfi, 177 (map), 178-181, 179 (fig.), 182, 186, 335 (tab., summary of characters)
- norvegica, 146, 175-178, 177 (map), 182
- plicata*, 177 (map), 178, 189-192, 190 (fig.), 335 (tab., summary of characters)
- puppis*, 176, 177 (map), 178, 186-189, 187 (fig.), 189 (fig.), 335 (tab., summary of characters)
- spinosa*, 177 (map), 178, 192-196, 193 (fig.), 196 (fig.), 197, 198, 202, 285, 335 (tab., summary of characters)
- spinulosa*, 177 (map), 178, 197-198, 197 (fig.), 202, 335
- tubulata*, 176, 177 (map), 178, 198-202, 199 (fig.), 201 (fig.), 335 (tab., summary of characters)
- (Vargula), Cypridina, 332 (tab.)
- (Vargula) antarctica, Cypridina, 181
- (Vargula) hilgendorfi, Cypridina, 152
- (Vargula) mediterranea, Cypridina, 152
- (Vargula) norvegica, Cypridina, 182
- (Vargula) sarsi, Cypridina, 152
- (Vargula) squamosa, Cypridina, 152
- (Vargula) vanhöffeni, Cypridina, 152
- walfordi*, *Bathyvargula*, 204 (map), 215, 216, 222-224, 223 (fig.), 336 (tab., summary of characters)
- Euphilomedes*, 359 (map), 360, 361, 362 (tab.), 369-373, 370 (fig.), 372 (fig.)
- weberi, *Codonocera*, 307, 310, 311 (tab., summary of characters), 312, 324, 327-328, 328 (fig.), 329, 331 (map)
- wyville-thomsoni*, *Philomedes*, 395

Index 3: Poulsen (1965)

"Ostracoda-Myodocopa, 2: Cypridiniformes-Rutidermatidae, Sarsiellidae and Asteropidae"

- aberrata, *Asteropina*, 447
 Parasterope, 362, 363, 469 (map)
(?) agassizi, *Asteropella*, 217 (map)
agassizi, *Asteropella*, 178
 Asteropteron, 175
 Cyclasterope, 177, 225
 Cypridina, 175
alata, *Eusarsiella*, 47, 83, 84, 107-110, 108 (fig.), 148 (graph),
 151 (graph), 153 (tab., summary of characters), 157, 158
 (fig.), 158, 160 (map)
Alternochelata, 11, 17
(*Alternochelata*) *polychelata*, *Rutiderma*, 7
americana, *Asterope*, 238, 250-252
 Cyclasterope, 252
 Cycloleberis, 169 (tab., summary of characters), 172, 173,
 238-240, 242, 243 (fig.), 243-245, 250, 251, 252-260, 253
 (fig.), 256 (fig.), 260, 265, 276, 314, 395, 473, 474, 476-478
 Eusarsiella, 83, 84, 160 (map)
 Sarsiella, 45
Archasterope, 167 (tab.), 310 (tab., summary of characters),
 315, 316, 339, 345, 466, 467, 467 (tab.), 468, 469
 dentata, 310 (tab., summary of characters), 315, 339, 339-
 344, 340 (fig.), 342 (fig.), 346 (map), 462 (tab.)
arcuata, *Scleroconcha*, 275
armata, *Eusarsiella*, 47, 51, 76, 80, 83, 84, 128, 129-133, 130
 (fig.), 131 (fig.), 148 (graph), 151, 151 (graph), 153 (tab.,
 summary of characters), 156, 158 (fig.), 159, 160 (map)
arostata, *Chelicopia*, 45, 47, 53, 54, 55 (map), 56, 148, 148
 (fig.)
Asterope, 166, 167, 167 (tab.), 174, 238, 282, 316, 395, 464
 americana, 238, 250-252
 australis, 370
 brevis, 238, 245, 251
 curta, 379
 dentata, 251
 elliptica, 395, 421
 extrachelata, 395, 396
 fascigera, 285
 fusca, 175
 grisea, 351, 370
 hilgendorfi, 251
 judayi, 346
 mariae, 395, 434
 muelleri, 167, 370
 norvegica, 454
 oculata, 413
 pectinata, 370
 quadrata, 370, 406, 410
 quinqusetae, 167, 344
 setisparsa, 395
 spinifera, 344
 teres, 370
Asteropella, 162, 167 (tab.), 169 (tab., summary of characters),
 171, 171 (tab.), 172-174, 178, 219-222, 223-224, 225 (key),
 234, 237-241, 313, 314, 451, 452, 455, 460, 461, 466, 468,
 471, 477, 479, 480, 482
 agassizi, 178
 (?) agassizi, 217 (map)
 monamba, 217 (map), 225
 mortenseni, 169 (tab., summary of characters), 217 (map),
 222, 225, 225-234, 226 (fig.), 230 (fig.), 231 (fig.), 232 (fig.),
 236-238, 241 (tab.), 242 (fig.), 452 (fig.), 473, 474 (tab.),
 476, 478-480
 punctata, 169 (tab., summary of characters), 172, 217 (fig.),
 222, 225, 234-238, 235 (fig.), 241 (tab.), 242 (graph)
 punctatum, 478
Asteropella species indet., 217 (map)
Asteropidae, 5, 15, 47, 52, 160-166, 167 (tab., taxonomic sum-
 mary), 167 (key), 170, 171, 174, 175, 222, 243, 268, 285,
 309, 321, 326, 376, 444, 451-483, 456 (fig.), 482, 483
Asteropina, 167 (tab.), 311 (tab., summary of characters), 313,
 315, 316, 347, 401, 434-435, 436 (key), 452, 454, 460, 466-
 470
 aberrata, 447
 extrachelata, 355
 grimaldi, 434, 436, 454, 469 (map)
 grimaldi vicina, 434, 444, 469 (map)
 minuta, 311 (tab., summary of characters), 434-436, 436-
 440, 437 (fig.), 439 (fig.), 462 (tab.), 469 (map)
 muelleri, 370
 nodulifera, 311 (tab., summary of characters), 434, 436,
 447-451, 448 (fig.), 450 (fig.), 454, 469 (map)
 setisparsa, 396
 thailandica, 311 (tab., summary of characters), 434, 436,
 444-447, 445 (fig.), 462 (tab.), 469 (map), 478
 verrucosa, 311 (tab., summary of characters), 434, 436, 440-
 444, 441 (fig.), 444 (fig.), 445, 446, 452 (fig.), 462 (tab.),
 469 (map)
Asteropinae, 160, 161, 164, 165, 166, 167, 167 (tab.), 169, 170,
 171, 171 (tab.), 172, 173, 174 (tab., main characters), 193,
 222, 224, 247, 249, 282, 294, 309-316, 310-311 (tab., sum-
 mary of characters), 316-317 (key), 317, 322, 328, 346
 (map), 357, 395, 402, 427, 434, 451-455, 457, 458 (tab.),
 458 (fig.), 459 (fig.), 460, 461, 462 (tab.), 463, 464 (tab.,
 distinguishing characters), 464-467, 467 (tab.), 468, 469
 (map), 469, 470, 471 (graph), 475-481, 482 (tab.), 482
Asteropteron, 162, 167, 167 (tab.), 168 (tab., summary of char-
 acters), 171, 171 (tab.), 172-174, 175-177, 178 (key), 187,
 201, 216, 220, 222, 228, 238-241, 259, 451, 452, 459-461,
 466, 467 (tab.), 468, 477, 479, 480, 482
 agassizi, 175

- fuscum*, 175, 178, 217 (map)
hirsutum, 168 (tab., summary of characters), 175-177, 178, 187-192, 188 (fig.), 190 (fig.), 192 (fig.), 193, 199, 201, 208, 217 (map), 241, 477
 (?) *liguriae*, 217 (map)
liguriae, 175, 178
magnum, 168 (tab., summary of characters), 175, 178-187, 179 (fig.), 182 (fig.), 183 (fig.), 186 (fig.), 187, 191, 193, 199, 208, 217 (map), 241 (tab.), 242 (graph), 452 (fig.), 471, 472, 474 (tab.), 476-480
monambon, 224
nodulosum, 168 (tab., summary of characters), 175, 178, 199, 201-206, 202 (fig.), 205 (fig.), 208, 217 (map), 453 (fig.), 455, 471, 477
skogsbergi, 168 (tab., summary of characters), 175, 178, 199, 206-212, 207 (fig.), 209 (fig.), 211 (fig.), 214, 216, 217 (fig.), 241 (tab.), 242 (graph), 453 (fig.), 455, 474 (tab.), 476, 477
spinosum, 168 (tab., summary of characters), 175, 178, 212-216, 214 (fig.), 215 (fig.), 217 (map), 455, 477
thailandicum, 168 (tab., summary of characters), 175, 178, 193-201, 194 (fig.), 198 (fig.), 199 (fig.), 200 (tab., summary of larval characters), 208, 213, 217 (map), 455, 473, 474 (tab.), 476-478
australis, *Asterope*, 370
bassana, *Synasterope*, 311 (tab., summary of characters), 401, 402, 402-406, 403 (fig.), 405 (fig.), 407-409, 413, 462, 469 (map)
biminiensis, *Cycloleberis*, 243 (map), 245, 258
bisetosa, *Cyclasterope*, 169 (tab., summary of characters), 171, 241, 242 (graph), 243 (fig.), 283-285, 301-309, 302 (fig.), 305 (fig.), 307 (fig.), 455, 461, 477
Diasterope, 310 (tab., summary of characters), 345, 346 (map), 347, 355-358, 356 (fig.)
Bradycinetus, 167
bradyi, *Cycloleberis*, 169 (tab., summary of characters), 172, 238-243 (map), 245, 268-282, 269 (fig.), 272 (fig.), 274 (fig.), 278 (fig.), 280 (fig.), 283, 452 (fig.), 455, 456 (fig.), 456, 461, 474, 476, 477
bradyi, *Euphilomedes*, 455
breviata, *Bruuniella*, 310 (tab., summary of characters), 314, 315, 323-328, 325 (fig.), 327 (fig.), 341, 346 (map), 454, 462
brevis, *Asterope*, 238, 245, 251
Cyclasterope, 250, 251, 252, 282
Cycloleberis, 169 (tab., summary of characters), 172, 173, 238-241, 242 (graph), 243 (map), 244, 245, 245-251, 246 (fig.), 249 (fig.), 252, 254, 259, 260, 265, 276, 314, 318, 461, 477, 478
Bruuniella, 164, 166, 167 (tab.), 310 (tab., summary of characters), 313, 315-317, 323, 331, 341, 434, 460, 466, 467, 467 (tab.), 469
breviata, 310 (tab., summary of characters), 314, 315, 323-328, 325 (fig.), 327 (fig.), 341, 346 (map), 454, 462 (tab.)
canina, *Diasterope*, 310 (tab., summary of characters), 345, 346 (map), 347, 351, 355, 358-361, 359 (fig.), 434, 480
capillaris, *Eusarsiella*, 83, 160 (map)
Sarsiella, 45
capsula, *Sarsiella*, 44-46, 55 (map), 74, 75, 76, 83, 147, 148 (graph), 156, 157
carinata, *Eusarsiella*, 83, 160 (map)
Sarsiella, 15, 44, 45, 75-77, 84, 128
castanea, *Macrocypridina*, 453 (fig.)
Chelicopia, 15, 45-47, 50, 53, 54, 55 (map), 56, 57, 74, 75, 146, 147, 149, 149 (fig.), 154
arostrata, 45, 47, 53, 54, 55 (map), 56, 148, 148 (graph)
rotunda, 45, 47, 50, 51, 53, 54, 55 (map), 56, 57, 70, 72, 147-149, 155
Codonocera, 412, 454
compressa, *Rutiderma*, 6, 8 (tab., summary of characters), 9, 17, 18, 38, 43 (map)
Copechaeta, 167
cornuta, *Eusarsiella*, 47, 75, 83, 85, 105-107, 106 (fig.), 148 (graph), 151 (graph), 153 (tab., summary of characters), 156, 158 (fig.), 159, 160 (map)
corrugata, *Parasterope*, 311 (tab., summary of characters), 361-363, 391-396, 392 (fig.), 394 (fig.), 420, 421, 424, 427, 452 (fig.), 469 (map), 478
costata, *Eusarsiella*, 83, 160 (map)
Sarsiella, 45
crenulata, *Streptoleberis*, 44
crispata, *Sarsiella*, 45, 65, 148 (graph)
Scottiella, 46, 48, 51, 53, 54, 55 (map), 64, 65-70, 66 (fig.), 67 (fig.), 76, 147, 152 (tab., summary of characters), 157, 158, 158 (fig.), 159
curta, *Asterope*, 379
Parasterope, 362, 363, 469 (map)
Cyclasterope, 164, 166, 167, 167 (tab.), 169 (tab., summary of characters), 171, 171 (tab.), 172-174, 177, 185, 193, 220, 224, 238-242, 245, 249, 276, 279, 282, 283-284, 285 (key), 301, 305, 306, 316, 317, 319, 451, 452, 457, 459-461, 464-468, 479, 481
agassizi, 177, 225
americana, 252
bisetosa, 169 (tab., summary of characters), 171, 241 (tab.), 242 (graph), 243 (map), 283-285, 301-309, 302 (fig.), 305 (fig.), 307 (fig.), 455, 461, 477
brevis, 250-252, 282
fascigera, 169 (tab., summary of characters), 241 (tab.), 242 (graph), 243 (map), 283-285, 285-301, 286 (fig.), 289 (fig.), 291 (fig.), 293 (fig.), 296 (tab.), 297 (fig.), 298 (graph), 300 (fig.), 301-306, 308, 444, 455, 456 (fig.), 472, 474 (tab.), 477-479, 481
hendersoni, 243 (map), 282, 284, 285, 301, 309
hilgendorfi, 243 (map), 284, 285, 301, 309
liguriae, 175
orbicularis, 238, 244, 282
ovulum, 238, 281, 282
priacanthus, 243, 244
similis, 244, 251, 282
sphaerica, 243, 244
tenera, 238, 281, 282
tripla, 243
zealandica, 238, 281, 282

- Cyclasteropinae, 160, 161, 164–167, 167 (tab.), 167–173, 168–169 (tab., summary of characters), 171 (tab.), 174 (tab., main characters), 174 (key), 217 (map), 222, 224, 238, 241 (tab.), 242 (graph), 243 (map), 261, 282, 309, 312–317, 323, 444, 451, 453–457, 458 (tab.), 458 (fig.), 459 (fig.), 460, 461, 463, 464 (tab., distinguishing characters), 464–467, 467 (tab.), 468–470, 471 (graph), 471, 473, 474 (tab., larval characters), 475–481, 482 (tab.), 482, 483
- Cylindroleberis, 284
 hilgendorfi, 284
- Cycloleberis, 238, 167, 167 (tab.), 169 (tab., summary of characters), 170, 171, 171 (tab.), 172–175, 193, 220, 238, 239–243, 244, 245 (key), 258, 261, 263, 276, 281, 282, 284, 452, 460, 465–467, 469, 479, 481
- americana, 169 (tab., summary of characters), 172, 173, 238–242, 243 (graph), 243–245, 250, 251, 252–260, 253 (fig.), 256 (fig.), 260, 265, 276, 314, 395, 473, 474 (tab.), 476–478
- biminiensis, 243 (map), 244, 245, 258
- bradyi, 169 (tab., summary of characters), 272, 238–242, 243 (map), 245, 268–282, 269 (fig.), 272 (fig.), 274 (fig.), 278 (fig.), 280 (fig.), 283, 452 (fig.), 455, 456 (fig.), 456, 461, 474 (tab.), 476, 477
- brevis, 169 (tab., summary of characters), 172, 173, 238–240, 241 (tab.), 242 (graph), 243 (fig.), 244, 245, 245–251, 246 (fig.), 249 (fig.), 252, 254, 259, 260, 265, 276, 314, 318, 461, 477, 478
- fascigera, 476
- galatheae, 169 (tab., summary of characters), 172, 238–240, 241 (tab.), 242, 243 (map), 245, 260–268, 261 (fig.), 264 (fig.), 266 (fig.), 270, 273, 276, 282, 283, 461, 474 (tab.), 476–478
- lobiancoi, 238, 243 (map), 244, 245, 276
- orbicularis, 238, 243 (map), 244, 245, 276
- ovulum, 238, 243 (map), 245, 276, 281, 282
- priacantha, 243 (map)
- priacanthus, 245
- similis, 243 (map), 244, 245
- sphaerica, 243 (map), 243, 245
- tenera, 238, 245, 281, 282
- tripla, 243 (map), 243, 245
- zealandica, 238, 243 (map), 245, 276, 281, 282
- Cylindroleberinae, 160
- Cylindroleberis, 166, 167, 238, 282
 judayi, 346
 lobiancoi, 238, 244
 mariae, 346, 347
 teres, 370
- Cypridina, 166, 167, 174, 454
 agassizi, 175
 mediterranea, 45
- Cypridinidae, 5, 9–11, 17, 23, 25, 44, 47, 48, 49, 51, 52, 146, 147, 161, 162, 166, 210, 275, 295, 451–454, 456, 464–466, 468, 475, 483
- Cypridiniformes, 5 (key), 6, 7, 9, 47, 53, 55, 56, 146, 147, 163, 165, 220, 234, 240, 244, 257, 275, 295, 300, 313, 321, 344, 451, 452 (fig.), 452, 453 (fig.), 455, 457, 463, 464 (tab., distinguishing characters), 464, 465, 468, 475, 481, 482 (tab.), 483
- Cypridininae, 15, 17, 155, 412, 451, 453, 454, 456 (fig.), 457, 464 (tab., distinguishing characters), 466, 481, 482 (tab.), 482, 483
- dentata, *Archasterope*, 310 (tab., summary of characters), 315, 339, 339–344, 340 (fig.), 342 (fig.), 346 (map), 462
- dentata, *Asterope*, 251
- dentifera, *Eusarsiella*, 47, 83, 84, 92–95, 93 (fig.), 148 (graph), 151 (graph), 152 (tab., summary of characters), 156, 158, 158 (fig.), 159, 160 (map)
- Diasterope, 167 (tab.), 310 (tab., summary of characters), 315, 317, 345, 346, 347 (key), 362, 401, 434, 435, 452, 460, 466, 467, 467 (tab.), 468, 469
- bisetosa, 310 (tab., summary of characters), 345, 346 (map), 347, 355–358, 356 (fig.)
- canina, 310 (tab., summary of characters), 345, 346 (map), 347, 351, 355, 358–361, 359 (fig.), 434, 480
- pilosa, 310 (tab., summary of characters), 345, 346 (map), 347, 347–351, 348 (fig.), 351, 355, 462 (tab.), 478
- tenuiseta, 310 (tab., summary of characters), 345, 346 (map), 347, 351–355, 352 (fig.), 355, 361, 434, 480
- dinochelata, *Rutiderma*, 7, 8 (tab., summary of characters), 17, 18, 43 (map)
- Dolasterope, 162, 165, 167 (tab.), 249, 309, 310 (tab., summary of characters), 313, 315, 316, 317, 457, 458 (tab.), 458 (fig.), 459 (fig.), 465–467, 467 (tab.), 468, 469
- johanseni, 310 (tab., summary of characters), 314, 317, 318–323, 319 (fig.), 321 (fig.), 346 (map), 390, 457
- elliptica, *Asterope*, 395, 421
- Euphilomedes, 10 (fig.), 244, 466
 bradyi, 455
 ferox, 47, 97, 452 (fig.)
 nodosa, 452 (fig.)
- Eurypylus petrosus, 44
- Eusarsiella, 46, 48, 50, 52–55, 74, 75, 76, 79–82, 83, 84–85 (key), 92, 102, 147–149, 149 (fig.), 150, 150 (tab.), 151 (fig.), 151, 154, 155, 155 (tab., summary of characters), 157, 160 (map)
- alata, 47, 83, 84, 107–110, 108 (fig.), 148 (graph), 151 (graph), 153 (tab., summary of characters), 157, 158 (fig.), 158, 160 (map)
- americana, 83, 84, 160 (map)
- armata, 47, 51, 76, 80, 83, 84, 128, 129–133, 130 (fig.), 131 (fig.), 148 (graph), 151, 151 (graph), 153 (tab., summary of characters), 156, 158 (fig.), 159, 160 (map)
- capillaris, 83, 160 (map)
- carinata, 83, 160 (map)
- cornuta, 47, 75, 83, 85, 105–107, 106 (fig.), 148 (graph), 151 (graph), 153 (tab., summary of characters), 156, 158 (fig.), 159, 160 (map)
- costata, 83, 160 (map)
- dentifera, 47, 83, 84, 92–95, 93 (fig.), 148 (graph), 151 (graph), 152 (tab., summary of characters), 156, 158, 158 (fig.), 159, 160 (map)
- gigacantha, 83, 84, 92, 160 (map)
- guttata, 47, 48, 51, 53, 80, 83, 85, 114, 123–129, 124 (fig.), 127 (fig.), 148 (graph), 153 (tab., summary of characters), 157, 158 (fig.), 159, 160 (map)

- levis*, 83, 160 (map)
longicornis, 47, 48, 51, 76, 80, 83, 84, 115-119, 116 (fig.), 117 (fig.), 128, 148 (graph), 151 (graph), 153 (tab., summary of characters), 156, 157, 158 (fig.), 158
longipenna, 47, 83, 85, 102, 103-105, 104 (fig.), 128, 129, 141, 148 (graph), 151 (graph), 153 (tab., summary of characters), 156-158, 158 (fig.), 159, 160 (map)
maculata, 47, 80, 83-85, 95-98, 96 (fig.), 128, 148, 148 (graph), 151, 151 (graph), 152 (tab., summary of characters), 156, 158 (fig.), 159, 160 (map)
magna, 47, 53, 83, 85, 89-92, 90 (fig.), 91 (fig.), 92, 94, 97, 99, 148, 148 (graph), 151, 151 (graph), 152 (tab., summary of characters), 156, 157, 158 (fig.), 159, 160 (map), 452 (fig.)
multispinosa, 47, 48, 51, 58, 76, 80, 81, 83, 84, 128, 137-142, 138 (fig.), 139 (fig.), 141 (fig.), 148, 148 (graph), 151 (graph), 153 (tab., summary of characters), 156, 157, 158 (fig.), 159, 160 (map)
nana, 47, 53, 83, 85, 128, 129, 135-136, 136 (fig.), 148 (graph), 151, 151 (graph), 153 (tab., summary of characters), 156, 158 (fig.), 158, 160 (map)
ovalis, 47, 49, 53, 83, 84, 119-123, 120 (fig.), 121 (fig.), 148 (graph), 149, 151 (graph), 153 (tab., summary of characters), 156-159, 158 (fig.), 160 (map)
parvispinosa, 47, 80, 83, 85, 128, 142-146, 142 (fig.), 143 (fig.), 148, 148 (graph), 151 (graph), 153 (tab., summary of characters), 156, 158 (fig.), 159, 160
punctata, 83, 122, 123, 160 (map)
robusta, 83, 160 (map)
sculpta, 92
spicata, 47, 83, 84, 133-135, 134 (fig.), 148, 149, 151, 151 (graph), 153 (tab., summary of characters), 156, 157, 158 (fig.), 159, 160 (map)
spinulosa, 47, 83, 84, 100-103, 101 (fig.), 103-105, 128, 148, 148 (graph), 151 (graph), 153 (tab., summary of characters), 156, 158, 158 (fig.), 159, 160 (map)
striata, 47, 83, 84, 98-100, 99 (fig.), 128, 148, 148 (graph), 151 (graph), 152 (tab., summary of characters), 156, 158 (fig.), 159, 160 (map)
truncana, 83, 92, 160 (map)
tumida, 47, 82, 83, 85-89, 86 (fig.), 88 (fig.), 89, 91, 92, 99, 148, 148 (graph), 151, 151 (graph), 152 (tab., summary of characters), 158 (fig.), 156-159
verae, 16, 47, 48, 49, 51, 53, 76, 80, 83, 85, 110-115, 111 (fig.), 112 (fig.), 113 (fig.), 116, 125, 128, 144, 147, 148, 149 (graph), 151 (graph), 153 (tab., summary of characters), 156, 158, 158 (fig.), 159, 160 (map)
zostericola, 83, 84, 160 (map)
- extrachelata*, *Asterope*, 395, 396
Asteropina, 355
Synasterope, 401, 402, 433, 434, 469 (map)
- fascigera*, *Asterope*, 285
Cyclasterope, 169 (tab., summary of characters), 241, 242 (graph), 243 (fig.), 283-285, 285-301, 286 (fig.), 289 (fig.), 291 (fig.), 293 (fig.), 297 (fig.), 298 (graph), 300 (fig.), 301-306, 308, 444, 455, 456 (fig.), 472, 474, 477-479, 481
Cycloleberis, 476
- favosa*, *Streptoleberis*, 44
ferox, *Euphilomedes*, 47, 97, 452 (fig.)
flaveola, *Monopia*, 456 (fig.)
foveata, *Sarsiella*, 44
fusca, *Asterope*, 175
fusca, *Rutiderma*, 7, 8 (tab., summary of characters), 11, 14, 17, 38, 41-44, 42 (fig.), 43 (map)
fuscum, *Asteropteron*, 175, 178, 217 (map)
- galathea*, *Cycloleberis*, 169 (tab., summary of characters), 172, 238-242, 243 (map), 245, 260-268, 261 (fig.), 264 (fig.), 266 (fig.), 270, 273, 276, 282, 283, 461, 474, 476-478
gigacantha, *Eusarsiella*, 83, 84, 92, 160 (map)
Sarsiella, 45, 109
Gigantocypris muelleri, 234
globulus, *Parasarsiella*, 45, 46, 51, 53, 55 (map), 70-74, 71 (fig.), 73 (fig.), 152 (tab., summary of characters), 154, 157, 158, 158 (fig.), 159
Sarsiella, 44, 70
gracilis, *Muelleriella*, 55 (map), 58
Sarsiella, 44, 57
grimaldi, *Asteropina*, 434, 436, 454, 469 (map)
Grimaldi, group, 346
grisea, *Asterope*, 351, 370
guttata, *Eusarsiella*, 47, 48, 51, 53, 80, 83, 85, 114, 123-129, 124 (fig.), 127 (fig.), 148 (graph), 153 (tab., summary of characters), 157, 158 (fig.), 159, 160 (map)
- Halocypriformes*, 457
hanseni, *Muelleriella*, 58
Sarsiella, 44, 57
hartmanni, *Rutiderma*, 7, 8 (tab., summary of characters), 17, 18, 22, 32-35, 33 (fig.), 43 (map)
hendersoni, *Cyclasterope*, 243 (map), 282, 284, 285, 301, 309
Heptonema, 167 (tab.), 310 (tab., summary of characters), 315, 316, 328-329, 329 (key), 334, 339, 341, 466, 467, 467 (tab.), 468, 469
keiensis, 310 (tab., summary of characters), 328, 329, 334-338, 335 (fig.), 338 (fig.), 341, 346 (map)
serrata, 310 (tab., summary of characters), 328, 329, 329-333, 330 (fig.), 333 (fig.), 337, 341, 346 (map), 462 (tab.)
hilgendorfi, *Asterope*, 251
Cyclasterope, 243 (map), 284, 285, 301, 309
Cyclindroleberis, 284
hirsutum, *Asteropteron*, 168 (tab., summary of characters), 175-178, 187-192, 188 (fig.), 190 (fig.), 192 (fig.), 193, 199, 201, 208, 217 (map), 241, 477
hispidata, *Muelleriella*, 55 (map), 58, 62
Sarsiella, 57, 62
- implumis*, *Synasterope*, 311 (tab., summary of characters), 395, 401, 402, 421-427, 422 (fig.), 423 (fig.), 431, 434, 462, 469 (map), 478, 479
jenseni, *Parasterope*, 311 (tab., summary of characters), 314, 315, 317, 361, 363, 387-391, 388 (fig.), 469 (map)
johanseni, *Dolasterope*, 310 (tab., summary of characters), 314, 317, 318-323, 319 (fig.), 321 (fig.), 346 (map), 390, 457

- judayi, *Asterope*, 346
Cylindroleberis, 346
- keiensis*, *Heptonema*, 310 (tab., summary of characters), 328, 329, 334–338, 335 (fig.), 338 (fig.), 341, 346 (map)
- knudseni*, *Synasterope*, 311 (tab., summary of characters), 401, 402, 431–434, 432 (fig.), 434, 469 (map)
- levis, *Eusarsiella*, 83, 160 (map)
Sarsiella, 44
- (?) *liguriae*, *Asteropteron*, 217 (map)
- liguriae*, *Asteropteron*, 175, 178
Cyclasterope, 175
- lobiancoi, *Cycloleberis*, 238, 243 (map), 244, 245, 276
Cylindroleberis, 238, 244
- lomae, *Philomedes*, 15–17, 22
- longicornis*, *Eusarsiella*, 47, 48, 51, 76, 80, 83, 84, 115–119, 116 (fig.), 117 (fig.), 128, 148 (graph), 151 (graph), 153 (tab., summary of characters), 156–158, 158 (fig.)
- longipenna*, *Eusarsiella*, 47, 83, 85, 102, 103–105, 104 (fig.), 128, 129, 141, 148, 148 (graph), 151 (graph), 153 (tab., summary of characters), 156–158, 158 (fig.), 159, 160 (map)
- longiseta*, *Parasterope muelleri*, 469 (map)
Philomedes, 16
- longiseta*, *Synasterope*, 311 (tab., summary of characters), 401, 402, 417–421, 419 (fig.), 431, 434, 469 (map)
- longisetosa*, *Synasterope*, 421
- longungues*, *Parasterope*, 309, 311 (tab., summary of characters), 315, 361–363, 382–387, 383 (fig.), 386 (fig.), 389, 395, 396, 401, 469 (map), 480
- Macrocypridina castanea*, 453 (fig.)
- maculata*, *Eusarsiella*, 47, 80, 83–85, 95–98, 96 (fig.), 128, 148, 148 (graph), 151, 151 (graph), 152 (tab., summary of characters), 156, 158 (fig.), 159, 160 (map)
- magna*, *Eusarsiella*, 47, 53, 82, 83, 85, 89–92, 90 (fig.), 91 (fig.), 94, 97, 99, 148, 148 (graph), 151 (graph), 152 (tab., summary of characters), 156, 157, 158 (fig.), 159, 160 (map), 452 (fig.)
- magnum*, *Asteropteron*, 168 (tab., summary of characters), 175, 178, 178–187, 179 (fig.), 182 (fig.), 183 (fig.), 186 (fig.), 187, 191, 193, 199, 208, 217 (map), 241, 242 (graph), 452 (fig.), 471, 472, 474, 476–480
- mariae, *Asterope*, 395, 434
Cylindroleberis, 346, 347
- mediterranea, *Cypridina*, 45
- Microasteropteron*, 162, 167 (tab.), 168 (tab., summary of characters), 170, 171, 171 (tab.), 172–174, 216–217, 222–224, 239–241, 461, 466, 468, 471
- parvum*, 169 (tab., summary of characters), 172, 173, 217 (map), 217–222, 218 (fig.), 221 (fig.), 241 (tab.), 242 (graph), 477, 478
- minuta, *Asteropina*, 311 (tab., summary of characters), 434–436, 436–440, 437 (fig.), 439 (fig.), 462, 469 (graph)
Skogsbergia, 452 (fig.)
- monamba, *Asteropella*, 217 (map), 225
- monambon, *Asteropteron*, 224
- Monopia*, 457
flaveola, 456 (fig.)
- mortenseni*, *Asteropella*, 169 (tab., summary of characters), 217 (map), 222, 225, 225–234, 226 (fig.), 230 (fig.), 231 (fig.), 232 (fig.), 236–238, 241, 242 (graph), 452 (fig.), 455, 473, 474, 476, 478–480
- mortenseni*, *Rutiderma*, 7, 8 (tab., summary of characters), 11, 14, 17, 38–41, 39 (fig.), 43, 43 (map), 44
- muelleri*, *Asterope*, 167, 370
Asteropina, 370
Gigantocypris, 234
Parasterope, 311 (tab., summary of characters), 361–363, 370–379, 373 (fig.), 375 (fig.), 377 (fig.), 379, 381, 382, 395, 396, 462, 469 (map), 470, 475, 476, 478–480
- Muelleri group**, 346
- Muelleriella*, 46, 48, 50, 52–54, 55 (map), 56, 57–58, 58 (key), 65, 69, 74, 147–149, 149 (fig.), 150, 151 (fig.), 154, 155, 155 (tab., summary of characters), 157
gracilis, 55 (map), 58
hanseni, 58
hispidia, 55 (map), 58, 62
setifera, 46, 54, 55 (map), 57, 58, 62–64, 63 (fig.), 65–67, 76, 148, 148 (graph), 151, 151 (graph), 152 (tab., summary of characters), 158, 158 (fig.), 159
similis, 55 (map), 58
zealandica, 46, 47, 51, 54, 55 (map), 57, 58–62, 59 (fig.), 61 (fig.), 63, 64, 66, 67, 70, 76, 78, 139, 148, 148 (graph), 151, 151 (graph), 152 (tab., summary of characters), 158 (fig.), 159
- Muelleriella species*, 453 (fig.), 456 (fig.)
- multispinosa*, *Eusarsiella*, 47, 48, 51, 58, 76, 80, 81, 83, 84, 128, 137–142, 138 (fig.), 139 (fig.), 141 (fig.), 148 (graph), 151 (graph), 153 (tab., summary of characters), 156, 157, 158 (fig.), 159, 160 (map)
- murrayana*, *Sarsiella*, 44, 84
- nana*, *Eusarsiella*, 47, 53, 83, 85, 128, 129, 135–136, 136 (fig.), 148 (graph), 151, 151 (graph), 153 (tab., summary of characters), 156, 158 (fig.), 158, 160 (map)
Parasterope, 311 (tab., summary of characters), 331, 361, 362, 363, 396–401, 398 (fig.), 399 (fig.), 454, 462, 469 (map), 478, 479
- Nematohamma obliqua*, 44
- nodosa*, *Euphilomedes*, 452 (fig.)
- nodulifera*, *Asteropina*, 311 (tab., summary of characters), 434, 436, 447–451, 448 (fig.), 450 (fig.), 454, 469 (map)
- nodulosum Asteropteron*, 168 (tab., summary of characters), 175, 178, 199, 201–206, 202 (fig.), 205 (fig.), 208, 217 (map), 453 (fig.), 455, 471, 477
- normani*, *Rutiderma*, 7, 8 (tab., summary of characters), 11, 14, 17, 18, 22–32, 24 (fig.), 27 (fig.), 29 (fig.), 31 (fig.), 34, 38, 41, 452 (fig.)
- norvegica*, *Asterope*, 454
- obesa*, *Parasterope*, 311 (tab., summary of characters), 361, 363, 364–367, 365 (fig.), 367–369, 389, 462, 469 (map)
- obliqua*, *Nematohamma*, 44

- oculata, *Asterope*, 413
 Synasterope, 311 (tab., summary of characters), 401, 413, 413-417, 415 (fig.), 417, 469 (map), 470
- ohlini, *Parasterope*, 362, 363, 469 (map)
- orbicularis, *Cyclasterope*, 238, 244, 282
 Cycloleberis, 238, 243 (map), 244, 245, 276
- ornithoides, *Sarsiella*, 44, 128
- ovalis, *Eusarsiella*, 47, 49, 53, 83, 84, 119-123, 120 (fig.), 121 (fig.), 148 (graph), 149, 151 (graph), 153 (tab., summary of characters), 156-159, 158 (fig.), 160 (map)
- ovulum, *Cyclasterope*, 238, 281, 282
 Cycloleberis, 238, 243 (map), 245, 276, 281, 282
- Paraphilomedes species, 456 (fig.)**
- Parasarsiella*, 46, 48, 50, 52-54, 55 (map), 70, 148, 154, 155 (tab., summary of characters), 157
 globulus, 45, 46, 51, 53, 55 (map), 70-74, 71 (fig.), 73 (fig.), 152 (tab., summary of characters), 154, 157, 158, 158 (fig.), 159
- Parasterope*, 167 (tab.), 311 (tab., summary of characters), 315, 317, 361, 362-363, 363 (key), 364, 384, 387, 389, 395, 401, 435, 452, 460, 466, 467, 467 (tab.), 468-470
- aberrata, 362, 363, 469 (map)
 corrugata, 311 (tab., summary of characters), 361-363, 391-396, 392 (fig.), 394 (fig.), 420, 421, 424, 427, 452 (fig.), 469 (map), 478
 curta, 362, 363, 469 (map)
 jenseni, 311 (tab., summary of characters), 314, 315, 317, 361, 363, 387-391, 388 (fig.), 469 (map)
 longungues, 309, 311 (tab., summary of characters), 315, 361-363, 382-387, 383 (fig.), 386 (fig.), 389, 395, 396, 401, 469 (map), 480
 muelleri, 311 (tab., summary of characters), 361-363, 370-379, 373 (fig.), 375 (fig.), 377 (fig.), 379, 381, 382, 395, 396, 462 (tab.), 469 (map), 470, 475, 476, 478-480
 muelleri longiseta, 469 (map)
 nana, 311 (tab., summary of characters), 331, 361-363, 396-401, 398 (fig.), 399 (fig.), 454, 462 (tab.), 469 (map), 478, 479
 obesa, 311 (tab., summary of characters), 361, 363, 364-367, 365 (fig.), 367-369, 389, 462 (tab.), 469 (map)
 ohlini, 362, 363, 469 (map)
 pectinata, 311 (tab., summary of characters), 361, 363, 367-370, 368 (fig.), 370, 374, 382, 389, 462 (tab.), 469 (map)
 skogsbergi, 311 (tab., summary of characters), 361, 363, 379-382, 380 (fig.), 462 (tab.), 469 (map)
- Paravargula, 481**
- parvispinosa*, *Eusarsiella*, 47, 80, 83, 85, 128, 142-146, 142 (fig.), 143 (fig.), 148, 148 (graph), 151 (graph), 153 (tab., summary of characters), 156, 158 (fig.), 159, 160 (map)
- parvum*, *Microasteropteron*, 169 (tab., summary of characters), 172, 173, 217 (map), 217-222, 218 (fig.), 221 (fig.), 241, 242 (graph), 477, 478
- pectinata, *Asterope*, 370
- pectinata, *Parasterope*, 311 (tab., summary of characters), 361, 363, 367-370, 368 (fig.), 370, 374, 382, 389, 462, 469 (map)
- petrosus, *Eurypylus*, 44
- Philippiella*, 167 (tab.), 310 (tab., summary of characters), 315, 316, 344-345, 466, 467, 467 (tab.), 469
 quinqueseta, 310 (tab., summary of characters), 462 (tab.)
 quinquesetae, 344-346 (map)
 spinifera, 310 (tab., summary of characters), 344, 346 (map), 462 (tab.)
- Philomedes, 6, 16, 17, 52**
 lomae, 15-17, 22
 longiseta, 16
- Philomedinae, 6, 9-13, 14 (tab., summary of characters), 14, 15, 16 (tab., characters), 17, 21-23, 25, 26, 48-52, 56, 103, 146, 147, 149, 150, 155, 275, 451, 453, 454, 456 (fig.), 457, 464 (tab., distinguishing characters), 466, 481, 482 (tab.), 482, 483**
- pilosa*, *Diasterope*, 310 (tab., summary of characters), 345, 346 (map), 347, 347-351, 348 (fig.), 351, 355, 462, 478
- Pleoschisma robusta, 44**
- polychelata, *Rutiderma* (*Alternochelata*), 7, 8 (tab., summary of characters), 17, 18, 43 (map)
- Polycopidae, 457**
- priacantha, *Cycloleberis*, 243 (map)
 priacanthus, *Cyclasterope*, 243, 244
 Cycloleberis, 245
- Pterocypridina, 466**
- punctata*, *Asteropella*, 169 (tab., summary of characters), 172, 217 (map), 222, 225, 234-238, 235 (fig.), 241, 242 (graph), 455
- punctata*, *Eusarsiella*, 83, 122, 123, 160 (map)
 Sarsiella, 45
- punctatum*, *Asteropella*, 478
- quadrata, Asterope, 370, 406, 410**
 Synasterope, 311 (tab., summary of characters), 401, 402, 406-410, 407 (fig.), 462, 469 (map)
- quadrissetosa*, *Synasterope*, 311 (tab., summary of characters), 401, 402, 410-413, 411 (fig.), 414-416, 434, 469 (map)
- quinqueseta, *Philippiella*, 310 (tab., summary of characters), 462 (tab.)
- quinquesetae, *Asterope*, 167, 344
Philippiella, 344, 345, 346 (map)
- robusta, Eusarsiella, 83, 160 (map)**
 Pleoschisma, 44
 Sarsiella, 44
- rostrata, *Rutiderma*, 6, 7, 8 (tab., summary of characters), 9, 11, 14, 17, 18, 18-22, 19 (fig.), 21 (fig.), 22, 31-35, 38, 41, 43 (map)
- rotunda, *Chelicopia*, 45, 47, 50, 51, 53, 54, 55 (map), 56, 57, 70, 72, 147-149, 155
 Sarsiella, 45, 53, 56, 148 (fig.)
- rotunda*, *Rutiderma*, 7, 8 (tab., summary of characters), 17, 18, 22, 34, 35-38, 36 (fig.), 37 (fig.), 43 (map), 455
- rudis, *Sarsiella*, 44, 152
- rugosa*, *Sarsiella*, 51, 53, 55 (map), 74-76, 77-79, 78 (fig.), 147, 152 (tab., summary of characters), 156, 158, 158 (fig.)
- Rutiderma, 6, 7, 8 (tab., summary of characters), 9, 10 (fig.), 11, 13-16, 17-18 (key), 22, 26, 38, 43 (map), 52**

- compressa*, 6, 8 (tab., summary of characters), 9, 17, 18, 38, 43 (map)
dinochelata, 7, 8 (tab., summary of characters), 17, 18, 43 (map)
fusca, 7, 8 (tab., summary of characters), 11, 14, 17, 38, 41-44, 42 (fig.), 43 (map)
hartmanni, 7, 8 (tab., summary of characters), 17, 18, 22, 32-35, 33 (fig.), 43 (map)
mortenseni, 7, 8 (tab., summary of characters), 11, 14, 17, 38-41, 39 (fig.), 43 (map), 44
normani, 7, 8 (tab., summary of characters), 11, 14, 17, 18, 22-32, 24 (fig.), 27 (fig.), 29 (fig.), 31 (fig.), 34, 38, 41, 452 (fig.)
 (Alternochelata) polychelata, 7, 8 (tab., summary of characters), 17, 18, 43 (map)
rostrata, 6, 7, 8, (tab., summary of characters), 9, 11, 14, 17, 18, 18-22, 19 (fig.), 21 (fig.), 22, 31-35, 38, 41, 43 (map)
rotunda, 7, 8 (tab., summary of characters), 17, 18, 22, 34, 35-38, 36 (fig.), 37 (fig.), 43 (map), 455
 Rutiderma species, 453 (fig.), 456 (fig.)
 Rutidermatidae, 5, 6, 7-13, 13, 14 (tab., summary of characters), 15, 16 (tab., characters), 17, 47-49, 50, 52, 56, 146, 147, 155, 451-454, 456 (fig.), 457, 464 (tab., distinguishing characters), 464, 465, 468, 481, 482 (tab.), 482, 483
Sarsiella, 6, 44-46, 48, 50, 52-54, 55 (map), 56, 64, 74, 75, 76-77, 79, 82-84, 92, 147-149, 149 (fig.), 154, 155, 155 (tab., summary of characters), 157
americana, 45
capillaris, 45
capsula, 44, 45, 46, 55 (map), 74-76, 83, 147, 148 (graph), 156, 157
carinata, 15, 44, 45, 75-77, 84, 128
costata, 45
crispata, 45, 65, 148 (graph)
foveata, 44
gigacantha, 45, 109
globulus, 44, 70
gracilis, 44, 57
hanseni, 44, 57
hispidata, 57, 62
levis, 44
murrayana, 44, 84
ornithoides, 44, 128
punctata, 45
robusta, 44
rotunda, 45, 53, 56, 148 (graph)
rudis, 44, 152
rugosa, 51, 53, 55 (map), 74-76, 77-79, 78 (fig.), 147, 152 (tab., summary of characters), 156, 158, 158 (fig.)
sculpta, 44, 45, 84
similis, 44, 57
simplex, 44, 84
truncana, 45
tumida, 44, 85
zostericola, 45
Sarsiellidae, 5, 6, 10, 11, 13, 15, 16 (tab., characters), 44-47, 47-54, 55 (key), 56-58, 60, 62, 64, 68, 72, 74, 75, 87, 91, 92, 103, 104, 112, 113, 125, 134, 137, 139, 146-160, 148 (fig.), 152-153 (tab., summary of characters), 155 (tab., summary of characters), 158 (fig.), 160 (map), 161, 219, 222, 451-454, 456 (fig.), 457, 460, 464 (tab., distinguishing characters), 464, 465, 468, 470, 481, 482 (tab.), 482, 483
 Sarsiellinae, 44
 Scleroconcha, 466
arcuata, 275
 Scleroconcha species, 453 (fig.)
Scottiella, 46, 48-50, 52-54, 55 (map), 56, 64-65, 69, 75, 76, 79, 147-149, 149 (fig.), 154, 155, 155 (tab., summary of characters), 157
crispata, 46, 48, 51, 53, 54, 55 (map), 64, 65-70, 66 (fig.), 67 (fig.), 76, 147, 152 (tab., summary of characters), 157, 158, 158 (fig.), 159
sculpta, Eusarsiella, 92
Sarsiella, 44, 45, 84
serrata, *Heptonema*, 310 (tab., summary of characters), 328, 329, 329-333, 330 (fig.), 333 (fig.), 337, 341, 346 (map), 462
Synasterope, 311 (tab., summary of characters), 401, 402, 427-431, 428 (fig.), 462, 469 (map)
setifera, *Muelleriella*, 46, 54, 55 (map), 57, 58, 62-64, 63 (fig.), 65-67, 76, 148, 148 (fig.), 151, 151 (graph), 152 (tab., summary of characters), 158, 158 (fig.), 159
setisparsa, *Asterope*, 395
Asteropina, 396
Synasterope, 396, 401, 402, 421, 431, 469 (map)
similis, *Cyclasterope*, 244, 251, 282
Cycleberis, 243 (map), 244, 245
Muelleriella, 55 (map), 58
Sarsiella, 44, 57
simplex, *Sarsiella*, 44, 84
skogsbergi, *Asteropteron*, 168 (tab., summary of characters), 175, 178, 199, 206-212, 207 (fig.), 209 (fig.), 211 (fig.), 214, 216, 217 (map), 241, 242 (graph), 453 (fig.), 455, 474, 476, 477
skogsbergi, *Parasterope*, 311 (tab., summary of characters), 361, 363, 379-382, 380 (fig.), 462, 469 (map)
Skogsbergia, 481
minuta, 452 (fig.)
sphaerica, *Cyclasterope*, 243, 244
Cycleberis, 243 (map), 243, 245
spicata, *Eusarsiella*, 47, 83, 84, 133-135, 134 (fig.), 148, 149, 151, 151 (graph), 153 (tab., summary of characters), 156, 157, 158 (fig.), 159, 160 (map)
spinifera, *Asterope*, 344
Philippiella, 310 (tab., summary of characters), 344, 346 (map), 462
spinosum, *Asteropteron*, 168 (tab., summary of characters), 175, 178, 212-216, 214 (fig.), 215 (fig.), 217 (fig.), 455, 477
spinulosa, *Eusarsiella*, 47, 83, 84, 100-103, 101 (fig.), 103-105, 128, 148, 148 (graph), 151 (graph), 153 (tab., summary of characters), 156, 158, 158 (fig.), 159, 160 (map)
Streptoleberis, 44, 45
crenulata, 44
favosa, 44

- striata*, *Eusarsiella*, 47, 83, 84, 98–100, 99 (fig.), 128, 148, 148 (graph), 151 (graph), 152 (tab., summary of characters), 156, 158 (fig.), 159, 160 (map)
- Synasterope*, 167 (tab.), 311 (tab., summary of characters), 313, 315, 316, 355, 396, 401–402, 402 (key), 409, 410, 431, 434, 435, 452, 460, 466, 467, 467 (tab.), 468–470
- bassana*, 311 (tab., summary of characters), 401, 402–406, 403 (fig.), 405 (fig.), 407–409, 413, 462 (tab.), 469 (map)
- extrachelata*, 401, 402, 433, 434, 469 (map)
- implumis*, 311 (tab., summary of characters), 395, 401, 402, 421–427, 422 (fig.), 423 (fig.), 431, 434, 462 (tab.), 469 (map), 478, 479
- knudseni*, 311 (tab., summary of characters), 401, 402, 431–434, 432 (fig.), 434, 469 (map)
- longiseta*, 311 (tab., summary of characters), 401, 402, 417–421, 419 (fig.), 431, 434, 469 (map)
- longisetosa*, 421
- oculata*, 311 (tab., summary of characters), 401, 413–417, 415 (fig.), 417, 469 (map), 470
- quadrata*, 311 (tab., summary of characters), 401, 402, 406–410, 407 (fig.), 462 (tab.), 469 (map)
- quadrisetosa*, 311 (tab., summary of characters), 401, 402, 410–413, 411 (fig.), 414–416, 434, 469 (map)
- serrata*, 311 (tab., summary of characters), 401, 402, 427–431, 428 (fig.), 462 (tab.), 469 (map)
- setisparsa*, 396, 401, 402, 421, 431, 469 (map)
- tenera*, *Cyclasterope*, 238, 281, 282
- Cycloleberis*, 238, 245, 281, 282
- tenuiseta*, *Diasterope*, 310, 345, 346 (map), 347, 351–355, 352 (fig.), 355, 361, 434, 480
- teres*, *Asterope*, 370
- Cylindroleberis*, 370
- thailandica*, *Asteropina*, 311 (tab., summary of characters), 434, 436, 444–447, 445 (fig.), 462, 469 (map), 478
- thailandicum*, *Asteropteron*, 168 (tab., summary of characters), 175, 178, 193–201, 194 (fig.), 198 (fig.), 199 (fig.), 200 (tab., summary of larval characters), 208, 213, 217 (map), 455, 473, 474, 476–478
- tripla*, *Cyclasterope*, 243
- Cycloleberis*, 243 (map), 243, 245
- truncana*, *Eusarsiella*, 83, 92, 160 (map)
- Sarsiella*, 45
- tumida*, *Eusarsiella*, 47, 82–84, 85–89, 86 (fig.), 88 (fig.), 89, 91, 92, 99, 148, 148 (graph), 151, 151 (graph), 152 (tab., summary of characters), 158 (fig.), 156–159
- Sarsiella*, 44, 85
- Vargula*, 454
- verae*, *Eusarsiella*, 16, 47–49, 51, 53, 76, 80, 83, 85, 110–115, 111 (fig.), 112 (fig.), 113 (fig.), 116, 125, 128, 144, 147, 148, 149 (graph), 151 (graph), 153 (tab., summary of characters), 156, 158, 158 (fig.), 159, 160 (map)
- verrucosa*, *Asteropina*, 311 (tab., summary of characters), 434, 436, 440–444, 441 (fig.), 444 (fig.), 445, 446, 452 (fig.), 462, 469 (map)
- vicina*, *Asteropina grimaldi*, 434, 444, 469 (map)
- zealandica*, *Cyclasterope*, 238, 281, 282
- Cycloleberis*, 238, 243 (map), 245, 276, 281, 282
- zealandica*, *Muelleriella*, 46, 47, 51, 54, 55 (map), 57, 58–62, 59 (fig.), 61 (fig.), 63, 64, 66, 67, 70, 76, 78, 139, 148, 148 (graph), 151, 151 (graph), 152 (tab., summary of characters), 158 (fig.), 159
- zostericola*, *Eusarsiella*, 83, 84, 160 (map)
- Sarsiella*, 45

Appendix: Tables

TABLE 1.—*New genera and subgenera and their type-species*

Taxa	Type-Species	Comments
Skogsberg (1920)		
<i>Asteropteron</i>	<i>Asterope fusca</i> Müller, 1890 (original designation)	
<i>Cycloleberis</i>	<i>Cylindroleberis lobianci</i> Müller, 1894 (original designation)	
<i>Doloria</i>	<i>Cypridina (Doloria) levis</i> Skogsberg, 1920 (original designation)	raised to genus by Poulsen (1962)
<i>Macrocypridina</i>	<i>Cypridina castanea</i> Brady, 1897 (original designation)	" " " " " "
<i>Scleroconcha</i>	<i>Philomedes (Scleroconcha) appelloefi</i> Skogsberg, 1920 (original designation)	" " " " " "
<i>Siphonostra</i>	<i>Cypridina (Siphonostra) spinifera</i> Skogsberg, 1920 (original designation)	" " " " " "
<i>Vargula</i>	<i>Cypridina norvegica</i> Baird, 1860 (original designation)	" " " " " "
Poulsen (1962)		
<i>Amphisiphonostra</i>	<i>Amphisiphonostra naviformes</i> Poulsen, 1962 (monotypy)	
<i>Bathyvargula</i>	<i>Bathyvargula parvispinosa</i> Poulsen, 1962 (subsequent designation, Kornicker, 1968)	
<i>Euphilomedes</i>	<i>Euphilomedes nodosa</i> Poulsen, 1962 (subsequent designation, Kornicker, 1967b)	
<i>Hadacypridina</i>	<i>Hadacypridina bruuni</i> Poulsen, 1962 (monotypy)	
<i>Melavargula</i>	<i>Melavargula japonica</i> Poulsen, 1962 (subsequent designation, Hartmann and Puri, in prep.)	
<i>Paracypridina</i>	<i>Paracypridina aberrata</i> Poulsen, 1962 (monotypy)	
<i>Paradoloria</i>	<i>Cypridina dorsoserrata</i> Müller, 1908 (subsequent designation, Hanai, 1974)	
<i>Paraphilomedes</i>	<i>Paraphilomedes unicornuta</i> Poulsen, 1962 (subsequent designation, Hartmann and Puri, in prep.)	
<i>Paravargula</i>	<i>Paravargula ensifera</i> Poulsen, 1962 (subsequent designation, Hartmann and Puri, in prep.)	
<i>Pterocypridina</i>	<i>Pterocypridina alata</i> Poulsen, 1962 (subsequent designation, Kornicker, 1975)	
<i>Skogsbergia</i>	<i>Skogsbergia minuta</i> Poulsen, 1962 (subsequent designation, Kornicker, 1974)	
Poulsen (1965)		
<i>Archasterope</i>	<i>Archasterope dentata</i> Poulsen, 1965 (monotypy)	
<i>Asteropella</i>	<i>Asteropella mortenseni</i> Poulsen, 1965 (subsequent designation, Kornicker, 1975)	
<i>Bruuniella</i>	<i>Bruuniella breviata</i> Poulsen, 1965 (monotypy)	
<i>Diasterope</i>	<i>Diasterope pilosa</i> Poulsen, 1965 (subsequent designation, Kornicker, 1975)	
<i>Dolasterope</i>	<i>Dolasterope johanseni</i> Poulsen, 1965 (monotypy)	
<i>Eusarsiella</i>	<i>Sarsiella tumida</i> Scott, 1905 (subsequent designation, Hartmann and Puri, in prep.)	placed in synonymy with <i>Sarsiella</i> by Kornicker (1967a)
<i>Heptonema</i>	<i>Heptonema serrata</i> Poulsen, 1965 (subsequent designation, Hartmann and Puri, in prep.)	

TABLE 1.—Continued

Taxa	Type-Species	Comments
<i>Microasteropteron</i>	<i>Microasteropteron parvum</i> Poulsen, 1965 (monotypy)	
<i>Muelleriella</i>	[<i>Muelleriella</i>] <i>zealandica</i> Poulsen, 1965 (subsequent designation, Hartmann and Puri, in prep.)	<i>Muelleriella</i> preoccupied; subjective synonym of <i>Cymbicopia</i> Kornicker, 1975
<i>Parasarsiella</i>	<i>Sarsiella globulus</i> Brady and Norman, 1896 (monotypy)	
<i>Parasterope</i>	<i>Asterope muelleri</i> Skogsberg, 1920 (subsequent designation, Kornicker, 1975)	
<i>Philippiella</i>	<i>Asterope quinquesetae</i> Skogsberg, 1920 (subsequent designation, Hartmann and Puri, in prep.)	<i>Philippiella</i> preoccupied; objective synonym of <i>Empoulsenia</i> Kornicker, 1975
<i>Scottiella</i>	<i>Sarsiella crispata</i> Scott, 1905 (monotypy)	<i>Scottiella</i> preoccupied; <i>Anscottiella</i> new name, Kornicker (1975)
<i>Synasterope</i>	<i>Synasterope implumis</i> Poulsen, 1965 (subsequent designation, Kornicker, 1975)	

TABLE 2.—Species described or redescribed and their current names

Species	Current usage	Reviser and Comments
Skogsberg (1920)		
Family Cypridiniidae		
<i>Cypridina</i> (<i>Cypridina</i>) <i>serrata</i> (Müller) var. <i>affirmans</i> Skogsberg, 1920	<i>Cypridina serrata</i> var. <i>affirmans</i>	Poulsen (1962)
<i>C. (Doloria) levis</i> Skogsberg, 1920	<i>Doloria levis</i>	" "
<i>C. (Doloria) pectinata</i> Skogsberg, 1920	<i>D. pectinata</i>	" "
<i>C. (Macrocypridina) castanea</i> Brady, 1897	<i>Macrocypridina castanea</i>	" "
<i>C. (Siphonostra) spinifera</i> Skogsberg, 1920	<i>Siphonostra spinifera</i>	" "
<i>C. (Vargula) antarctica</i> Müller, 1908	<i>Vargula antarctica</i>	" "
<i>C. (Vargula) megalops</i> Sars, 1872	<i>V. megalops</i>	" "
<i>C. (Vargula) norvegica</i> Baird, 1860	<i>V. norvegica</i>	" "
<i>Gigantocypris</i> <i>Mülleri</i> Skogsberg, 1920	<i>Gigantocypris muelleri</i>	change in spelling
<i>G. Mülleri</i> Skogsberg var. <i>minor</i> Skogsberg, 1920	<i>G. muelleri</i> var. <i>minor</i>	" " "
<i>Monopia</i> (<i>Cypridinodes</i>) <i>acuminata</i> Skogsberg, 1920	<i>Cypridinodes acuminata</i>	Poulsen (1962)
<i>Philomedes</i> (<i>Philomedes</i>) <i>Eugeniae</i> Skogsberg, 1920	<i>Philomedes eugeniae</i>	" "
<i>P. (Philomedes) globosa</i> (Lilljeborg, 1853)	<i>P. globosa</i>	" "
<i>P. (Philomedes) Lilljeborgi</i> (Sars, 1865)	<i>P. lilljeborgi</i>	" "
<i>P. (Philomedes) rotunda</i> Skogsberg, 1920	<i>P. rotunda</i>	" "
<i>P. (Scleroconcha) Appelloëfi</i> Skogsberg, 1920	<i>Scleroconcha appelloëfi</i>	" "
Family Asteropidae		
<i>Asterope aberrata</i> Skogsberg, 1920	<i>Parasterope aberrata</i>	Poulsen (1965)
<i>A. abyssicola</i> Sars, 1870	<i>Cylindroleberis abyssicola</i>	<i>Asterope</i> preoccupied
<i>A. curta</i> Skogsberg, 1920	<i>Homasterope curta</i>	Kornicker (1975)
<i>A. Grimaldi</i> Skogsberg, 1920	<i>Cylindroleberis grimaldi</i>	<i>Asterope</i> preoccupied
<i>A. Grimaldi</i> Skogsberg var. <i>vicina</i> Skogsberg, 1920	<i>C. grimaldi</i> var. <i>vicina</i>	" "
<i>A. Mülleri</i> Skogsberg, 1920	<i>Parasterope muelleri</i>	Poulsen (1965)
<i>A. Mülleri</i> Skogsberg var. <i>longiseta</i> Skogsberg, 1920	<i>P. longiseta</i>	Kornicker (1975)
<i>A. norvegica</i> Sars, 1869	<i>Cylindroleberis norvegica</i>	<i>Asterope</i> preoccupied
<i>A. oculata</i> Brady, 1902	<i>Synasterope oculata</i>	Poulsen (1965)
<i>A. Ohlini</i> Skogsberg, 1920	<i>Parasterope ohlini</i>	Poulsen (1965)
<i>A. quinquesetae</i> Skogsberg, 1920	<i>Empoulsenia quinquesetae</i>	Kornicker (1975)
<i>A. spinifera</i> Skogsberg, 1920	<i>Skogsbergiella spinifera</i>	Kornicker (1975)
<i>Cyclasterope fascigera</i> Brady, 1902	same	

TABLE 2.—Continued

<i>Species</i>	<i>Current usage</i>	<i>Reviser and Comments</i>
Poulsen (1962)		
Family Cypridinidae		
<i>Amphisiphonostira naviformis</i> Poulsen, 1962	same	
<i>Bathyvargula parvispinosa</i> Poulsen, 1962	same	
<i>B. walfordi</i> Poulsen, 1962	same	
<i>Codonocera cruenta</i> Brady, 1902	same	
<i>C. elongata</i> Poulsen, 1962	same	
<i>C. goniacantha</i> Müller, 1906a	same	
<i>C. mortenseni</i> Poulsen, 1962	same	
<i>C. polygonia</i> Müller, 1906	same	
<i>C. stellifera</i> (Claus, 1873)	same	
<i>C. suenisoni</i> Poulsen, 1962	same	
<i>C. weberi</i> Müller, 1906a	same	
<i>Cypridina acuminata</i> (Müller, 1906a)	same	
<i>C. dentata</i> (Müller, 1906a)	same	
<i>C. multipilosa</i> Poulsen, 1962	same	
<i>C. nana</i> Poulsen, 1962	same	
<i>C. natans</i> (Brady, 1898)	same	
<i>C. sinuosa</i> (Müller, 1906)	same	
<i>Cypridinodes asymmetrica</i> (Müller, 1906a)	same	
<i>C. favus</i> Brady, 1902	same	
<i>C. galathea</i> Poulsen, 1962	same	
<i>C. inermis</i> Poulsen, 1962	same	
<i>C. minuta</i> Poulsen, 1962	same	
<i>C. reticulata</i> Poulsen, 1962	same	
<i>Euphilomedes agilis</i> (Thomson, 1879)	same	
<i>E. bradyi</i> Poulsen, 1962	same	
<i>E. carcharodonta</i> (Smith, 1952)	same	
<i>E. ferox</i> Poulsen, 1962	same	
<i>E. nodosa</i> Poulsen, 1962	same	
<i>E. producta</i> Poulsen, 1962	same	
<i>E. smithi</i> Poulsen, 1962	same	
<i>E. walfordi</i> Poulsen, 1962	same	
<i>Gigantocypris agassizii</i> Müller, 1895	<i>Gigantocypris agassizii</i>	original spelling of specific name
<i>G. australis</i> Poulsen, 1962	same	
<i>G. danae</i> Poulsen, 1962	same	
<i>G. dracontovalis</i> Cannon, 1940	same	
<i>G. mülleri</i> Skogsberg, 1920	<i>Gigantocypris muelleri</i>	spelling
<i>Hadacypridina bruuni</i> Poulsen, 1962	same	
<i>Macrocypridina castanea</i> (Brady, 1897)	same	
<i>M. castanea</i> var. <i>rotunda</i> Poulsen, 1962	same	
<i>Melavargula japonica</i> Poulsen, 1962	same	
<i>M. nana</i> Poulsen, 1962	same	
<i>Monopia flaveola</i> (Claus, 1873)	same	
<i>Paracypridina aberrata</i> Poulsen, 1962	same	
<i>Paradoloria angulata</i> Poulsen, 1962	same	
<i>P. australis</i> Poulsen, 1962	same	
<i>P. dorsoserrata</i> (Müller, 1908)	<i>Paradoloria pellucida</i> (Kajiyama, 1912)	Hanai (1974): Poulsen, not Müller
<i>P. nuda</i> Poulsen, 1962	same	
<i>P. vanhoeffeni</i> Poulsen, 1962	<i>P. vanhoeffeni</i>	spelling
<i>Paraphilomedes tricornuta</i> Poulsen, 1962	same	
<i>P. unicornuta</i> Poulsen, 1962	same	

TABLE 2.—Continued

<i>Species</i>	<i>Current usage</i>	<i>Reviser and Comments</i>
<i>Paravargula arborea</i> (Müller, 1908)	same	
<i>P. ensifera</i> Poulsen, 1962	same	
<i>P. hirsuta</i> (Müller, 1906)	same	
<i>Philomedes curvata</i> Poulsen, 1962	same	
<i>P. dentata</i> Poulsen, 1962	same	
<i>P. globosa</i> (Liljeborg, 1853)	same	
<i>P. liljeborgi</i> (Sars, 1865)	same	
<i>Pterocypridina alata</i> Poulsen, 1962	same	
<i>P. birostrata</i> Poulsen, 1962	same	
<i>P. excreta</i> Poulsen, 1962	same	
<i>Scleroconcha arcuata</i> Poulsen, 1962	same	
<i>S. flexilis</i> (Brady, 1898)	same	
<i>Skogsbergia crenulata</i> Poulsen, 1962	same	
<i>S. curvata</i> Poulsen, 1962	same	
<i>S. hesperidea</i> (Müller, 1906)	<i>Skogsbergia hesperida</i>	original spelling of specific name
<i>S. minuta</i> Poulsen, 1962	same	
<i>Vargula antarctica</i> (Müller, 1908)	same	
<i>V. bullae</i> Poulsen, 1962	same	
<i>V. hilgendorfi</i> (Müller, 1890)	same	
<i>V. norvegica</i> (Baird, 1860)	same	
<i>V. plicata</i> Poulsen, 1962	same	
<i>V. puppis</i> Poulsen, 1962	same	
<i>V. spinosa</i> Poulsen, 1962	same	
<i>V. spinulosa</i> Poulsen, 1962	same	
<i>V. tubulata</i> Poulsen, 1962	same	
Poulsen (1965)		
Family Rutidermatidae		
<i>Rutiderma fusca</i> Poulsen, 1965	same	
<i>R. hartmanni</i> Poulsen, 1965	same	
<i>R. mortenseni</i> Poulsen, 1965	same	
<i>R. normani</i> Poulsen, 1965	same	
<i>R. rostrata</i> Juday, 1907	same	
<i>R. rotunda</i> Poulsen, 1965	same	
Family Sarsiellidae		
<i>Eusarsiella alata</i> Poulsen, 1965	<i>Sarsiella alata</i>	Kornicker (1967a)
<i>E. armata</i> Poulsen, 1965	<i>S. armata</i>	" "
<i>E. cornuta</i> Poulsen, 1965	<i>S. cornuta</i>	" "
<i>E. dentifera</i> Poulsen, 1965	<i>S. dentifera</i>	" "
<i>E. guttata</i> Poulsen, 1965	<i>S. guttata</i>	" "
<i>E. longicornis</i> Poulsen, 1965	<i>S. longicornis</i>	" "
<i>E. longipenna</i> Poulsen, 1965	<i>S. longipenna</i>	" "
<i>E. maculata</i> Poulsen, 1965	<i>S. maculata</i>	" "
<i>E. magna</i> Poulsen, 1965	<i>S. magna</i>	" "
<i>E. multispinosa</i> Poulsen, 1965	<i>S. multispinosa</i>	" "
<i>E. nana</i> Poulsen, 1965	<i>S. nana</i>	" "
<i>E. ovalis</i> Poulsen, 1965	<i>S. ovalis</i>	" "
<i>E. parvispinosa</i> Poulsen, 1965	<i>S. parvispinosa</i>	" "
<i>E. spicata</i> Poulsen, 1965	<i>S. spicata</i>	" "
<i>E. spinulosa</i> Poulsen, 1965	<i>S. spinulosa</i>	" "
<i>E. striata</i> Poulsen, 1965	<i>S. striata</i>	" "
<i>E. tumida</i> (Scott, 1905)	<i>S. tumida</i>	" "
<i>E. verae</i> Poulsen, 1965	<i>S. verae</i>	" "

TABLE 2.—Continued

<i>Species</i>	<i>Current usage</i>	<i>Reviser and Comments</i>
[<i>Muelleriella</i>] <i>setifera</i> Poulsen, 1965	same	generic name preoccupied
<i>Muelleriella zealandica</i> Poulsen, 1965	<i>Cymbicopia zealandica</i>	Kornicker (1975)
<i>Parasarsiella globulus</i> (Brady and Norman, 1896)	same	
<i>Sarsiella rugosa</i> Poulsen, 1965	same	
<i>Scottiella crispata</i> (Scott, 1905)	<i>Anscottiella crispata</i>	Kornicker (1975)
Family Asteropidae		
<i>Archasterope dentata</i> Poulsen, 1965	same	
<i>Asteropella mortenseni</i> Poulsen, 1965	same	
<i>A. punctata</i> Poulsen, 1965	same	
<i>Asteropina minuta</i> Poulsen, 1965	<i>Cylindroleberis minuta</i>	<i>Cylindroleberis</i> has precedence over <i>Asteropina</i>
<i>A. nodulifera</i> Poulsen, 1965	<i>C. nodulifera</i>	"
<i>A. thailandica</i> Poulsen, 1965	<i>C. thailandica</i>	"
<i>A. verrucosa</i> Poulsen, 1965	<i>C. verrucosa</i>	"
<i>Asteropteron hirsutum</i> Poulsen, 1965	same	
<i>A. magnum</i> Poulsen, 1965	same	
<i>A. nodulosum</i> Poulsen, 1965	same	
<i>A. skogsbergi</i> Poulsen, 1965	same	
<i>A. spinosum</i> Poulsen, 1965	same	
<i>A. thailandicum</i> Poulsen, 1965	same	
<i>Bruuniella breviata</i> Poulsen, 1965	same	
<i>Cyclasterope bisetosa</i> Poulsen, 1965	same	
<i>C. fascigera</i> Brady, 1902	same	
<i>Cycloleberis americana</i> (Müller, 1890)	same	
<i>C. bradyi</i> Poulsen, 1965	same	
<i>C. brevis</i> (Müller, 1890)	same	
<i>C. galathea</i> Poulsen, 1965	same	
<i>Diasterope bisetosa</i> Poulsen, 1965	same	
<i>D. canina</i> Poulsen, 1965	same	
<i>D. pilosa</i> Poulsen, 1965	same	
<i>D. tenuiseta</i> Poulsen, 1965	same	
<i>Dolasterope johanseni</i> Poulsen, 1965	same	
<i>Heptonema keiensis</i> Poulsen, 1965	same	
<i>H. serrata</i> Poulsen, 1965	same	
<i>Microasteropteron parvum</i> Poulsen, 1965	same	
<i>Parasterope corrugata</i> Poulsen, 1965	same	
<i>P. jenseni</i> Poulsen, 1965	same	
<i>P. longungues</i> Poulsen, 1965	same	
<i>P. muelleri</i> (Skogsberg, 1920)	same	
<i>P. nana</i> Poulsen, 1965	same	
<i>P. obesa</i> Poulsen, 1965	same	
<i>P. pectinata</i> Poulsen, 1965	same	
<i>P. skogsbergi</i> Poulsen, 1965	same	
<i>Synasterope bassana</i> Poulsen, 1965	same	
<i>S. implumis</i> Poulsen, 1965	same	
<i>S. knudseni</i> Poulsen, 1965	same	
<i>S. longiseta</i> Poulsen, 1965	same	
<i>S. oculata</i> (Brady, 1902)	same	
<i>S. quadrata</i> (Brady, 1898)	<i>Synasterope empoulsenii</i> Kornicker, 1975	Kornicker (1975): Poulsen, not Brady
<i>S. quadrisetosa</i> Poulsen, 1965	same	
<i>S. serrata</i> Poulsen, 1965	same	

Literature Cited

- Baird, W.
1860. Note upon the Genus *Cypridina* Milne-Edwards, with a Description of Some New Species. *Proceedings of the Zoological Society of London*, 28:199-202.
- Brady, G. S.
1897. A Supplementary Report on the Crustaceans of the Group Myodocopa Obtained during the *Challenger* Expeditions with Notes on Other New or Imperfectly Known Species. *Transactions of the Zoological Society of London*, 14(3)7:85-100.
1898. On New or Imperfectly Known Species of Ostracoda, Chiefly from New Zealand. *Transactions of the Zoological Society of London*, 14(8)1:429-452.
1902. On New or Imperfectly Known Ostracoda, Chiefly from a Collection in the Zoological Museum, Copenhagen. *Transactions of the Zoological Society of London*, 16(4)1:179-210.
- Brady, G. S., and Norman, A. M.
1896. A Monograph of the Marine and Fresh Water Ostracoda of the North Atlantic and of Northwestern Europe. *The Scientific Transactions of the Royal Dublin Society*, 5(2):621-773.
- Cannon, H. G.
1940. Ostracoda. In *The John Murray Expedition, 1933-34: Scientific Reports, Zoology*, 6:319-325.
- Claus, C.
1873. Neue Beobachtungen über Cypridinen. *Zeitschrift für Wissenschaftliche Zoologie*, 23(2):211-227.
- Hanai, Tetsuro
1974. Notes on the Taxonomy of Japanese Cypridinids. *Geoscience and Man*, 6:117-126. Louisiana State University Press.
- Juday, Chauncy
1907. Ostracoda of the San Diego Region. II: Littoral Forms. *University of California Publications in Zoology*, 3(9):135-156.
- Kajiyama, Eiji
1912. The Ostracoda of Misaki, 2: Myodocopa. *Dobutsugaku-zasshi*, 24 (289):609-619, plate 19. [In Japanese; from dissertation.]
- Kornicker, L. S.
1967a. A Study of Three Species of *Sarsiella* (Ostracoda: Myodocopa). *Proceedings of the United States National Museum*, 122(3594): 46 pages, 19 figures, 4 plates.
1967b. *Euphilomedes arostrata*, a New Myodocopid Ostracod from Maldive Islands, Indian Ocean. *Proceedings of the United States National Museum*, 120 (3563):1-21.
1968. Bathyal Myodocopid Ostracoda from the Northeastern Gulf of Mexico. *Proceedings of the Biological Society of Washington*, 81:439-472, 10 figures.
1974. Revision of the Cypridinacea of the Gulf of Naples (Ostracoda). *Smithsonian Contributions to Zoology*, 178: 64 pages, 21 figures, 5 plates.
1975. Antarctic Ostracoda (Myodocopina). *Smithsonian Contributions to Zoology*, 163: 720 pages, 432 figures, 9 plates.
- Liljeborg, W.
1853. *De Crustaceis ex ordinibus tribus: Cladocera, Ostracoda, et Copepoda in Scania Occurrentibus*. Pages 92-219.
- Müller, G. W.
1890. Neue Cypridiniden. *Zoologische Jahrbuecher*, 5: 211-252.
1894. Die Ostracoden des Golfes von Neapel und der angrenzenden Meeres-Abschnitte. In *Fauna und Flora des Golfes von Neapel*, 21:viii + 404, 40 plates.
1895. Reports on the Dredging Operations off the West Coast of Central America to the Galapagos, to the West Coast of Mexico, and in the Gulf of California, in charge of Alexander Agassiz, Carried on by the U.S. Fish Commission Steamer *Albatross*, during 1891, Lieut. Commander Z. L. Tanner, U.S.N., Commanding. *Bulletin of the Museum of Comparative Zoology*, 27(5):155-169.
1906a. Die Ostracoden der *Siboga*-Expedition. In *Siboga-expedite*, xxx: 40 pages, 9 plates. Leiden: E.J. Brill.
1906b. Ostracoda. In *Deutsche Tiefsee-Expedition 1898-1899*. 8:1-154.
1908. *Die Ostracoden der Deutschen Südpolar-Expedition 1901-1903*, 10(2):54-178.
- Poulsen, E. M.
1962. Ostracoda-Myodocopa, 1: Cypridiniformes-Cypridinidae: In *Dana-Report*, 57:1-414, 181 figures. Copenhagen: Carlsberg Foundation.
1965. Ostracoda-Myodocopa, 2: Cypridiniformes-Rutidermatidae, Sarsiellidae, and Asteropidae. In *Dana-Report*, 65:1-484, 156 figures. Copenhagen: Carlsberg Foundation.
- Sars, G. O.
1866 [1865]. Oversigt af Norges marine Ostracoder. *Forhandlinger Videnskabs-Selskabet, I Christiania*, 7: 1-130. [Preprint, 1865.]
1869. Undersøgelser over Christianiafjordens Dybvandsfauna. *Nyt Magazin for Naturvidenskaberne*, 16: 354-362. Christiania.
1870. Nye Dybvandscrustaceer fra Lofoten. *Forhandlinger Videnskabs-Selskabet, I Christiania*, 1869:169-174.
1872. Undersøgelser over Hardangerfjordens fauna. *Forhandlinger Videnskabs-Selskabet, I Christiania*, 1871:246-286.

Scott, A.

1905. Report on the Ostracoda Collected by Professor Herdman at Ceylon in 1902: In *Ceylon Pearl Oyster Fisheries, Supplementary Reports*, 22:365-384.

Skogsberg, T.

1920. Studies on Marine Ostracods, 1: Cypridinids, Halocyprids and Polycopids. In *Zoologiska Bidrag fran Uppsala*, supplement, 1:1-784, 153 figures.

Smith, V. Z.

1952. Further Ostracoda of the Vancouver Island Region. *Journal of the Fisheries Research Board of Canada*, 9(1):16-41.

Thomson, G. M.

1879. On the New Zealand Entomostraca. *Transactions and Proceedings of the New Zealand Institute*, 11: 251-262.

Publication in Smithsonian Contributions to Zoology

Manuscripts for serial publications are accepted by the Smithsonian Institution Press, subject to substantive review, only through departments of the various Smithsonian museums. Non-Smithsonian authors should address inquiries to the appropriate department. If submission is invited, the following format requirements of the Press will govern the preparation of copy.

Copy must be typewritten, double-spaced, on one side of standard white bond paper, with 1½" top and left margins, submitted in ribbon copy with a carbon or duplicate, and accompanied by the original artwork. Duplicate copies of all material, including illustrations, should be retained by the author. There may be several paragraphs to a page, but each page should begin with a new paragraph. Number consecutively all pages, including title page, abstract, text, literature cited, legends, and tables. The minimum length is 30 pages, including typescript and illustrations.

The *title* should be complete and clear for easy indexing by abstracting services. Taxonomic titles will carry a final line indicating the higher categories to which the taxon is referable: "(Hymenoptera: Sphecidae)." Include an *abstract* as an introductory part of the text. Identify the *author* on the first page of text with an unnumbered footnote that includes his professional mailing address. A *table of contents* is optional. An *index*, if required, may be supplied by the author when he returns page proof.

Two *headings* are used: (1) text heads (boldface in print) for major sections and chapters and (2) paragraph sideheads (caps and small caps in print) for subdivisions. Further headings may be worked out with the editor.

In *taxonomic keys*, number only the first item of each couplet; if there is only one couplet, omit the number. For easy reference, number also the taxa and their corresponding headings throughout the text; do not incorporate page references in the key.

In *synonymy*, use the short form (taxon, author, date:page) with a full reference at the end of the paper under "Literature Cited." Begin each taxon at the left margin with subsequent lines indented about three spaces. Within an entry, use a period-dash (.—) to separate each reference. Enclose with square brackets any annotation in, or at the end of, the entry. For *references within the text*, use the author-date system: "(Jones, 1910)" and "Jones (1910)." If the reference is expanded, abbreviate the data: "Jones (1910:122, pl. 20: fig. 1)."

Simple *tabulations* in the text (e.g., columns of data) may carry headings or not, but they should not contain rules. Formal *tables* must be submitted as pages separate from the text, and each table, no matter how large, should be pasted up as a single sheet of copy.

Use the *metric system* instead of, or in addition to, the English system.

Illustrations (line drawings, maps, photographs, shaded drawings) can be intermixed throughout the printed text. They will be termed *Figures* and should be numbered consecutively; however, if a group of figures is treated as a single figure, the components should be indicated by lowercase italic letters on the illustration, in the legend, and in text references: "Figure 9b." If illustrations (usually tone photographs) are printed separately from the text as full pages on a different stock of paper, they will be termed *Plates*; and individual components should be lettered (Plate 9b) but may be numbered (Plate 9: figure 2). Never combine the numbering system of text illustrations with that of plate illustrations. Submit all legends on pages separate from the text and not attached to the artwork. An instruction booklet for the preparation of illustrations is available from the Press on request.

In the *bibliography* (usually called "Literature Cited"), spell out book, journal, and article titles, using initial caps with all words except minor terms such as "and, of, the." For capitalization of titles in foreign languages, follow the national practice of each language. Underscore (for italics) book and journal titles. Use the colon-parentheses system for volume, number, and page citations: "10(2):5-9." Spell out such words as "figures," "plates," "pages."

For *free copies* of his own paper, a Smithsonian author should indicate his requirements on "Form 36" (submitted to the Press with the manuscript). A non-Smithsonian author will receive 50 free copies; order forms for quantities above this amount with instructions for payment will be supplied when page proof is forwarded.

