Austin Beatty Williams (17 October 1919–27 October 1999). Biographical summary

Rafael Lemaitre and Bruce B. Collette

(RL) Department of Invertebrate Zoology, National Museum of Natural History, Smithsonian Institution, Washington, D.C. 20560-0163, U.S.A.;

(BBC) Bruce B. Collette, National Marine Fisheries Service Systematics Laboratory, National Museum of Natural History, Smithsonian Institution, Washington, D.C. 20560-0153, U.S.A.

Abstract.—The professional career and aspects of the life of Austin Beatty Williams (17 October 1919–27 October 1999), Systematic Zoologist for the Systematics Laboratory of the U.S. National Marine Fisheries, are summarized. Included is a bibliography with the 118 papers published by Williams, and a list of all the new names he proposed along with the holotype repository and catalogue number of species and subspecies.

Austin B. Williams (Fig. 1) was Systematic Zoologist at the Systematics Laboratory, National Marine Fisheries Service (NMFS), based at the National Museum of Natural History, Smithsonian Institution, Washington, D.C. After a valiant fight with cancer, Austin passed away at his home in Falls Church, Virginia. Shortly after his death, the Council of the Biological Society of Washington unanimously voted to dedicate this issue, the first of the new millenium, to his memory. This dedication is most fitting as Austin generously served the Society in many capacities during the last quarter of the 20th century, and gave luster to the Proceedings by using it to publish many of his important papers. He served the Society as a Editor of the Proceedings (1974-1977), Vice-president (1983-1986), President (1986-1988), Past-President (1989-1999), Custodian of Publications (1989-1995), and contributed significantly to its financial soundness as a member of the Finance Committee (1995-1999). He was editor of Bulletin No. 3: "Symposium on the Composition and Evolution of Crustaceans in the Cold and Temperate Waters of the World Oceans" (1979), based on the results of a U.S.-U.S.S.R. Cooperative Program. He also provided the summary chapter for *Bulletin No. 6:* "The hydrothermal vents of the eastern Pacific: An overview" (Williams 1985b).

Austin had a distinguished career spanning five decades during which he published 118 papers (see bibliography). Born in Plattsburg, Missouri in 1919, he was the first child of Oliver Perry Williams and Lucy Sell; his siblings are brothers Hillis and Oliver. He married Jean McNicol with whom he had their only child, David (married to Anita Kyle, with two children, Lauren and Kyle). His family had only modest means so he had to work to support his education, first at McPherson College (A.B. 1943), and then at the University of Kansas (Ph.D. 1951), where he studied Ozark crayfishes. His studies on these crayfishes remain among the key references to identify these decapods in the region. From 1951 to 1955 he was with the University of North Carolina Institute of Fisheries Research, studying the life history and ecology of penaeid shrimps. He then worked at the University of Illinois from 1956 to 1963, after which he returned to the North Carolina Institute of Fisheries Research to continue his studies on marine and estuarine decapods. In the mid 1960s, Donald F. Squires, Chairman of the Department of In-




Fig. 1. Austin B. Williams. Clockwise from upper left: from church directory, 1995; with family and friends at Heart Tail Ranch, Butte County, South Dakota, one of his favorite fossil collecting sites, 31 July 1997, in back is son David, in front left to right are David's wife Anita with grandchildren Kyle and Lauren, and Norma Samuels (Norma Samuels); recording observations in his notebook on fossil Cretaceous decapods collected from the Pierre Shale at Heart Tail Ranch, Butte County, South Dakota, 6 August 1997 (Gale A. Bishop); at Mount Rushmore, South Dakota, August 1997 (Norma Samuels).

vertebrate Zoology and then Deputy Director of the National Museum of Natural History, Smithsonian Institution, considered him for a job; however, his interview with Secretary Dillon Ripley did not go well (most probably because of Austin's non-assuming personality), and he turned him

down. This was a loss for the Museum but fortunately he was hired by the NMFS' Systematics Laboratory in 1971.

In addition to his crustacean work, Austin served NMFS and the Museum in a number of different ways. For example, he represented the Allied Agencies (NMFS,

Agriculture, and what was then the Fish and Wildlife Service) on the Senate of Scientists in the Museum. During his tenure in this position, a question arose as to whether or not the administrative staff of the Museum had increased significantly in the several preceding years. Discussion went back and forth between the Senate and the Director of the Museum. Finally, Austin volunteered to get some real data on the issue. In a typical A. B. Williams way, he systematically went through the entire telephone directory and counted museum administrators at 5vear intervals, and demonstrated that the type of positions that the Senate considered as "administrative" had in fact increased significantly.

He was the acknowledged expert on and leader in studies of the systematics of eastern American decapod crustaceans. He is probably best known for his widely used monograph "Shrimps, lobsters, and crabs of the Atlantic coast of the eastern United States" published by the Smithsonian in 1984. His earlier study on the decapods of the Carolinas published in 1965, a precursor to his 1984 monograph, was selected as a Science Citation Classic in 1983, a rare honor for a systematist. His invaluable paper (Williams 1987a) on the identification of spiny lobsters by color patterns of the tails grew into a book co-authored with I. Dore, entitled "Lobsters of the world—an illustrated guide" (Williams & Dore 1988e); these two publications are indispensable for anybody interested in this group of economically significant decapods.

The primary focus of his research was the taxonomy, systematics, biogeography and evolution of various decapod groups, both fossil and Recent. He named 101 new decapod taxa (see list), including one superfamily, 2 families, 16 genera, 80 species, and 2 subspecies. Occasionally he also worked on other groups such as cirripeds, mysids, amphipods, and euphausiids, and even bird ecology. His publications provide us with a standard of excellence, and are well known for attention to detail, accuracy,

and usefulness in the identification of specimens while at the same time giving insight into phylogenetic relationships. No major group of decapods escaped Austin's attention. He published important works on crayfishes, peneaeoids, carideans, thalassinideans, lobsters, anomurans, and brachyurans. His landmark studies on swimming crabs of the genus Callinectes, mud shrimps of the family Upogebiidae, commercial lobsters, xanthid crabs, and deep-sea hydrothermal vent decapods, among others, have earned him a place in the history of Zoology. His contributions to the systematics of hydrothermal vent decapods inspired other colleagues, and one genus and species of the crab family Bythograeidae Williams, 1980, was named after him (Austinograea williamsi Hessler & Martin, 1989, Journal of Crustacean Biology 9(4):645-661). In March of 1996 he traveled to Kumamoto, Japan, on a Japanese fellowship program to join Keiji Baba (Kumamoto University Faculty of Ecucation) in the study of galatheids and other vent decapods from hydrothermally active sites in the western Pacific. Although his work concentrated on aspects of systematics and evolution, he also published key studies on the biology of commercial penaeid shrimps, ecology of meroplankton, larval genetics, and crustacean fisheries and mariculture. At the time of his death he had completed work but unfortunately left unpublished, an important revision of the crab family Latreilliidae.

Austin's impact on carcinology is not limited to that derived from his publications. Throughout his exemplary career he actively participated in many professional societies in addition to the Biological Society of Washington. He was president of the Atlantic Estuarine Research Society (1960–1961); co-founder, secretary (1971–1973), and president (1983–1985) of the Estuarine Research Federation; secretary (1985-1988) for the Society of Systematic Biology; associate editor for The Crustacean Society (1986–1991); and vice-president (1990–1991) and president (1991–

1992) of the American Association for Zoological Nomenclature. He was also a member of the American Association for the Advancement of Science, American Fisheries Society, American Institute of Biological Sciences, American Institute of Fishery Research Biologists, American Society of Limnology and Oceanography, Society for Integrative and Comparative Biology (formerly American Society of Zoologists), Association of Systematic Collections, Ecological Society of America, Kansas Academy of Science, and Society for the Study of Evolution. His editorial activities with various journals and symposia proceedings produced many significant contributions, and his involvement with doctoral and masterlevel students at various academic institutions led to the development of outstanding carcinologists who now must continue his legacy. His skills as reviewer were highly regarded by editors and grant program managers who were assured of a detailed, unbiased evaluation.

Several of Austin's papers won important awards or honorable mentions. His lobster identification paper (Williams 1987a), for example, won the highly regarded "National Marine Fisheries Service Outstanding Publication Award" for best paper in the 1997 Marine Fisheries Review. In recognition of Austin's life-time work, The Crustacean Society presented him in 1997 with their "Excellence in Research Award" during a ceremony at the National Museum of Natural History, Smithsonian Institution, Washington, D.C. [see Lemaitre, R., 1998, Journal of Crustacean Biology 18(3):619-620]. He was also honored with the "1999 Elton Sette Award" from the Marine Fisheries Section of the American Fisheries Society.

Austin will be remembered not only for his impressive scientific accomplishments but also for his human qualities. Unselfish almost to a fault, he made every effort to help colleagues and students alike. His height of 1.85 m (6'1") gave him a towering physique which combined with his deep

knowledge of decapods made him an imposing figure to both students and junior colleagues; however, his modesty was such that he made sure to treat everyone as a friend or colleague of similar stature. He accepted life-time honors bestowed upon him by his peers only hesitantly, and maintained until his end that he was undeserving of such attention. His personality, working habits, discipline, and inspirations date back to his early life experiences which he often mentioned to friends during casual conversations. One of his first jobs prior to entering college was at his family's farm in Sterling, Colorado, where he helped string fences, some of which had to be modified to "first class communications grade" by insulating the top strand of barbed wire to carry telephone signals. This worked fine until it rained and the circuits became grounded by water. During his Sterling days he also taught high school. One of Austin's scientific strengths was his observational and note taking abilities. He had been trained at Kansas to write reflective notes each night as if they were to be published. Those who have examined his field and office notebooks are struck by how remarkably clear and detailed they are.

Austin often mentioned the impact of the Great Plains of Kansas and Colorado on his psyche. One of his closest friends, Gale A. Bishop (Georgia Southern University), has said that he was impressed with Austin's collegiality when he first met him during a visit to the Smithsonian to study fossil decapods. Gale suggested that he might want to join him in the field in South Dakota to collect fossils. Austin did so with much enthusiasm, and the two worked together almost every summer from 1980 until the year of his death. Nancy Brannen Marsh (Science Department, Portal High School, Georgia) also joined them, and the three collaborated in studies of decapods of the Western Interior Cretaceous, collecting numerous fossil crabs, lobsters, and shrimps from the Carlile Shale and the Pierre Shale of South Dakota, Wyoming and Colorado.

The multi-faceted personality of Austin included a deep appreciation of the simple things of life, his family and friends. During the last decade or so of his life he was fortunate to share many moments with Norma Samuels, of Fairfax, Virginia, whose companionship undoubtedly enriched his life. Austin developed a passion for ballroom and international dancing, and a love for

choral music. He actively participated in several choral groups, including the Washington Cathedral Choral Society which performed in the National Cathedral, Washington, D.C. One of his performances is preserved on an audio CD-ROM entitled "Millenium; Russian Choral Music" (1990 Centaur Record Inc.). He worshipped, sang and was an active member of the New York Avenue Presbyterian Church, of Washington, D.C., where well-attended and emotional services were held for him on October 30, officiated by The Rev. Robert H. Craig.

Austin's remains are buried in Marion, Kansas, alongside those of his wife.

Bibliography

(excluding abstracts and technical reports)

- 1952a. Williams, A. B. Six new crayfishes of the genus Orconectes (Decapoda: Astacidae) from Arkansas, Missouri and Oklahoma.—Transactions of the Kansas Academy of Science 55(2):330-351.
- 1952b. ———, & A. B. Leonard The crayfishes of Kansas.—University of Kansas Science Bulletin 34, part II, (15):961-1012.
- Identification of juvenile shrimp (Penaeidae) in North Carolina.—Journal of the Elisha Mitchell Scientific Society 69(2):156-160.
- 1954a. ———. Speciation and distribution of the crayfishes of the Ozark Plateaus and Ouachita Provinces.—University of Kansas Science Bulletin 36. part II, (12):803–918.
- 1954b. ———. An explanation for the distribution of a North American crayfish.—Ecology 35(4): 573-575.
- 1955a. The genus Ogyrides (Crustacea: Caridea) in North Carolina.—Journal of the Washington Academy of Science 45(2):56-59.
- 1955b. ——. A contribution to the life histories of commercial shrimps (Penaeidae) in North Carolina.—Bulletin of Marine Science of the Gulf and Caribbean 5(2):116-146.
- 1955c. ———. A survey of North Carolina shrimp nursery grounds.—Journal of the Elisha Mitchell Scientific Society 71(2):200-207.
- 1956. Darnell, R. M., & ———. 1956. A note on the occurrence of the pink shrimp, *Penaeus duorarum*, in Louisiana waters.—Ecology 37(4): 844-846.
- 1958. ——. Substrates as a factor in shrimp distribution.—Limnology and Oceanography 3(3): 283–290.
- 1959. . Spotted and brown shrimp postlarvae

- (*Penaeus*) in North Carolina.—Bulletin of Marine Science of the Gulf and Caribbean 9(3): 281-290.
- 1960. ——. The influence of temperature on osmotic regulation in two species of estuarine shrimps (*Penaeus*).—Biological Bulletin 119(3):560-571.
- 1962. ——. A re-examination of Ovalipes species in the Carolinas (Decapoda: Portunidae).— Crustaceana 4(1):39-41.
- 1963. Cerame-Vivas, M. J., ——, & I. E. Gray. New decapod crustacean records for the coast of North Carolina.—Crustaceana 5(2):157-159.
- 1964. ———, & H. J. Porter. An unusually large turtle barnacle (Chelonibia p. patula) on a blue crab from Delaware Bay.—Chesapeake Science 5(3):150-153.
- 1965a. ———. Marine decapod crustaceans of the Carolinas.—Fishery Bulletin 65(1):1-298.
- 1965b. ——. A new genus and species of snapping shrimp (Decapoda: Alpheidae) from the southeastern United States.—Crustaceana 9(2):192– 198.
- 1966a. ———. Technical note no. 2 An inexpensive scallop cleaner built from spare parts.—Commercial Fisheries Review 28(1):12-13.
- 1966b. ——. The western Atlantic swimming crabs Callinectes ornatus, C. danae, and a new, related species (Decapoda: Portunidae).—Tulane Studies in Zoology 13(3):83-93.
- 1967a. , G. S. Posner, W. J. Woods, & E. E. Deubler, Jr. A hydrographic atlas of larger North Carolina sounds.—U.S. Fish and Wildlife Service Data Report 20:1-130. (Reprinted 1973 as Sea Grant Publication UNC-5G-73-10, 129 pp.)
- 1967b. ——. Review: The crabs of Sagami Bay: Collected by His Majesty the Emperor of Japan. By T. Sakai, 1965, East-West Center Press, Honolulu, Hawaii, 206 pp.—Transactions American Fisheries Society 96:81-82.
- 1968a. ——, & E. E. Deubler, Jr. A ten-year study of meroplankton in North Carolina estuaries: Assessment of environmental factors and sampling success among bothid flounders and penacid shrimps.—Chesapeake Science 9(1):27– 41.
- 1968b. , L. R. McCloskey, & I. E. Gray. New records of brachyuran decapod crustaceans from the continental shelf off North Carolina.— Crustaceana 15(1):41-66.
- 1969a. ——. A ten-year study of meroplankton in North Carolina estuaries: Cycles of occurrence among penaeidean shrimps.—Chesapeake Science 10(1):36-47.
- 1969b. ———. Penaeid shrimp catch and heat summation, an apparent relationship.—Proceedings World Scientific Conference on Biology and Culture of Shrimps and Prawns, Mexico City,

- Mexico, 12-21 June 1967, FAO Fisheries Reports, No. 57, vol. 3, E/33:643-656.
- Review: Crustacea Decapoda Brachyura. By M. E. Christiansen, 1969, Marine Invertebrates of Scandinavia, No. 2, Universitetsforlaget, Oslo, 143 pp.—Chesapeake Science 11(1):69.
- 1971a. ——, & H. J. Porter. A ten-year study of meroplankton in North Carolina estuaries: Occurrence of postmetamorphal bivalves.—Chesapeake Science 12(1):26-32.
- 1971b. ——. A ten-year study of meroplankton in North Carolina estuaries: Annual occurrence of some brachyuran developmental stages.—Chesapeake Science 12(2):53-61.
- 1972a. ———. Review: Guide to identification of marine and estuarine invertebrates, Cape Hatteras to the Bay of Fundy. By K. L. Gosner, 1971, Wiley-Intersciences, New York, 693 pp.—
 Transactions of the American Fisheries Society 101(3):570-571.
- 1972b. ——, & W. S. Brown. Notes on structure and parasitism of *Munida iris* A. Milne Edwards (Decapoda, Galatheidae) from North Carolina, USA.—Crustaceana 22(3):303-308.
- 1972c. ——. A ten-year study of meroplankton in North Carolina estuaries: Juvenile and adult *Ogyrides* (Caridea: Ogyrididae).—Chesapeake Science 13(2):145-148.
- 1972d. ———, & K. H. Bynum. A ten-year study of meroplankton in North Carolina estuaries: Amphipods.—Chesapeake Science 13(3):175-192.
- 1972e. A ten-year study of meroplankton in North Carolina estuaries: Mysid shrimps.— Chesapeake Science 13(4):254-262.
- 1972f. ——. Decapod crustaceans of the Chesapeake Bay.—Chesapeake Science 13 (Supplement):S119-S121.
- 1974a. ——. Allactaea lithostrota, a new genus and species of crab (Decapoda: Xanthidae) from North Carolina, U.S.A.—Proceedings of the Biological Society of Washington 87(3):19-26.
- 1974b. ——. Two new axiids (Crustacea: Decapoda: Thalassinidea: Calocaris) from North Carolina and the Straits of Florida.—Proceedings of the Biological Society of Washington 87(39):451–464.
- 1974c. ——. A new species of Hypsophrys (Decapoda: Homolidae) from the Straits of Florida, with notes on related crabs.—Proceedings of the Biological Society of Washington 87(42): 485-492.
- 1974d. ——, T. E. Bowman, & D. M. Damkaer. Distribution, variation, and supplemental description of the opossum shrimp, *Neomysis americana* (Crustacea: Mysidacea).—Fishery Bulletin 72(3):835-842.
- 1974e. . The swimming crabs of the genus Cal-

- linectes (Decapoda: Portunidae).—Fishery Bulletin 72(3):685-798.
- 1974f. ———. Marine flora and fauna of the northeastern United States. Crustacea: Decapoda.— NOAA Technical Report NMFS Circular 389: 1-50.
- 1976a. Distinction between a Gulf of Mexico and a Carolinian Atlantic species of swimming crab Ovalipes (Decapoda: Portunidae).—Proceedings of the Biological Society of Washington 89(14):205-214.
- 1976b. . Integumental organs of unknown function on chelipeds of deep-sea crabs, genus Hypsophrys.—Journal of Morphology 150(4):889–899.
- 1977a. J. K. Shaw, & T. S. Hopkins. Stilbomastax, a new genus of spider crab (Majidae: Tychinae) from the West Indies region, with notes on American relatives.—Proceedings of the Biological Society of Washington 90(4):884-893.
- 1977b. ——, & R. L. Wigley. Distribution of decapod Crustacea off northeastern United States based on specimens at the Northeast Fisheries Center, Woods Hole, Massachusetts.—NOAA Technical Report NMFS Circular 407:i-iii, 1-44.
- 1978a. Transfer to Pseudomedaeus of the xanthid crab Micropanope distinctus (Rathbun).— Proceedings of the Biological Society of Washington 91(2):546-557.
- 1978b. ——. True crabs. (Unpaginated) in W. Fischer, ed., FAO Species Identification Sheets for Fishery Purposes. Western Central Atlantic (Fishing Area 31), vol. 6, Food and Agriculture Organization of the United Nations, Rome.
- 1979a. Herbst, G. N., ———, & B. B. Boothe, Jr. Reassessment of northern geographic limits for decapod crustacean species in the Carolinian Province, USA; some major range extensions itemized.—Proceedings of the Biological Society of Washington 91(4):989-998.
- 1979b. , & T. W. Duke. Chapter 6. Crabs (Arthropoda: Crustacea: Decapoda: Brachyura). Pp. 171-233 in C. W. Hart and S. M. N. Fuller, eds., Pollution ecology of estuarine invertebrates. Academic Press, N.Y., 406 pp.
- 1979c. ——. A new crab family from shallow waters of the West Indies (Crustacea: Decapoda: Brachyura).—Proceedings of the Biological Society of Washington 92(2):399-413.
- 1980. A new crab family from the vicinity of submarine thermal vents on the Galapagos Rift (Crustacea: Decapoda: Brachyura).—Proceedings of the Biological Society of Washington 93(2):443-472.
- 1981a. ———. Western Atlantic species of the caridean shrimp genus *Ogyrides*.—Journal of Crustacean Biology 1(1):143–147.

- 1981b. ——, & D. McN. Williams. Carolinian records for American lobster, Homarus americanus, and tropical swimming crab, Callinectes bocourti. Postulated means of dispersal.—Fishery Bulletin 79(1):192-198.
- 1982a. ———. Revision of the genus Latreillia Roux (Brachyura: Homoloidea).—Quaderni del Laboratorio de Tecnologia della Pesca, Ancona, Italy 3(2-5):227-255.
- 1982b. ——, & F. A. Chace, Jr. A new caridean shrimp of the family Bresiliidae from thermal vents of the Galapagos Rift.—Journal of Crustacean Biology 2(1):136-147.
- 1983a. ———. Marine decapod crustaceans of the Carolinas. Fishery Bulletin 65:1-298.—Current Contents 14(17):20.
- 1983b. ——, & C. L. Van Dover. A new species of Munidopsis from submarine thermal vents of the East Pacific Rise at 21°N (Anomura: Galatheidae).—Proceedings of the Biological Society of Washington 96(3):481-488.
- 1984a. ———. The mud crab, *Panopeus herbstii*, s.1. Partition into six species (Decapoda: Xanthidae).—Fishery Bulletin 81(4):863-882.
- 1984b. Sullivan, B., K. Miller, K. Singleton, A. G. Scheer, & ———. Electrophoretic analyses of hemocyanins from four species of mud crabs, genus *Panopeus*, with observations on the ecology of *P. obesus*.—Fishery Bulletin 81(4):883–885.
- 1984c. Reams, R. C., & ———. Mud crabs of the Panopeus herbstii H. M. Edw., s.l., complex in Alabama, U.S.A.—Fishery Bulletin 81(4):885– 890
- 1984d. Van Dover, C. L., ———, & J. R. Factor. The first zoeal stage of a hydrothermal vent crab (Decapoda: Brachyura: Bythograeidae).—Proceedings of the Biological Society of Washington 97(2):413-418.
- 1984e. Millikin, M. R., & ———. Synopsis of biological data on the blue crab, Callinectes sapidus Rathbun.—NOAA Technical Report NMFS 1. FAO Fisheries Synopsis 138:1-39.
- 1984f. ——. Shrimps, lobsters, and crabs, of the Atlantic coast of the eastern United States, Maine to Florida. Smithsonian Institution Press, 550 pp.
- 1984g. ——. Review: Shallow-water crabs. By R. W. Ingle, 1983, Linnean Society of London and the Estuarine and Brackish-Water Sciences Association, Cambridge University Press, London, 206 pp.—Estuaries 7(3):266-267.
- 1984h. ——. Review: Crustacean Phylogeny. F. R. Schram, ed., 1983, Crustacean Issues 1. Based on a symposium, Dallas, Dec. 1981, Balkema, Rotterdam, 372 pp.—American Scientist 72(5): 514-515.
- 1985a. Van Dover, C. L., J. R. Factor, -----, & C.

- J. Berg, Jr. Reproductive patterns of decapod crustaceans from hydrothermal vents of the Eastern Pacific. In M. L. Jones, ed., The hydrothermal vents of the Eastern Pacific: an overview.—Bulletin of the Biological Society of Washington 6:223–227.
- 1985b. ——. Summary comments. In M. L. Jones, ed., The hydrothermal vents of the Eastern Pacific: An overview.—Bulletin of the Biological Society of Washington 6:489-493.
- 1986b. Bishop, G. A., & ——. The fossil lobster Linuparus canadensis, Carlile Shale (Cretaceous), Black Hills.—National Geographic Research 2(3):372-387.
- 1986c. ——, & P. A. Rona. Two new caridean shrimps (Bresiliidae) from a hydrothermal field on the Mid-Atlantic Ridge.—Journal of Crustacean Biology 6(3):446-462.
- 1986d. ——, & R. D. Turner. Squat lobsters (Galatheidae: Munidopsis) associated with mesh-enclosed wood panels submerged in the deep sea.—Journal of Crustacean Biology 6(3):617–624.
- 1986e. ——, & D. L. Felder. Analysis of stone crabs: Menippe mercenaria (Say), restricted, and a previously unrecognized species described (Decapoda: Xanthidae).—Proceedings of the Biological Society of Washington 99(3): 517-543.
- 1986f. ——. Foreword. In D. A. Wolfe, ed., Estuarine variability. Academic Press, New York, 509 pp.
- Lobsters—identification, world distribution, and U.S. trade.—Marine Fisheries Review 48(2):1-36.
- 1987b. ——. More records for shrimps of the genus Rimicaris (Decapoda: Caridea: Bresiliidae) from the Mid-Atlantic Rift.—Journal of Crustacean Biology 7(1):105.
- 1987c. Wetherbee, D. K., & ——. The late eighteenth century paintings by Rabie of Haitian mollusks and crustaceans. Further Contributions on the History of Zoology in Hispaniola, Art. 3:18-48. Privately published, Shelburne, Massachusetts.
- 1987d. ———. Upogebia synagelas, new species, a commensal mud shrimp from sponges in the western central Atlantic (Decapoda: Upogebiidae).—Proceedings of the Biological Society of Washington 100(3):590-595.
- 1988a. ——. Indo-Pacific spiny lobsters in the U.S. National Museum of Natural History collected from 1963 to 1981 (Crustacea: Palinuridca).— Crustaceana 55(3):313-316.

- 1988b. ——. Notes on decapod and euphausiid crustaceans, continental margin, western Atlantic, Georges Bank to western Florida, USA.—Fishery Bulletin 86(1):67-76.
- 1988c. ——. New marine decapod crustaceans from waters influenced by hydrothermal discharge, brine, and hydrocarbon seepage.—Fishery Bulletin 86(2):263-287.
- Conjoined twin adult shrimp (Decapoda: Penaeidae).—Fishery Bulletin 86(3):595–597.
- 1988e. ——, & I. Dore. Lobsters of the world An illustrated guide; Lobsters of the world in U.S. trade. Osprey Books, Huntington, New York, 186 pp.
- 1989a. ———, & C. A. Child. Comparison of some genera and species of box crabs (Brachyura: Calappidae), southwestern North Atlantic, with description of a new genus and species.—Fishery Bulletin 87(1):105-121.
- 1989b. ———, & P. J. B. Scott. Upogebia corallifora, a new species of coral-boring shrimp from the West Indies (Decapoda: Upogebiidae).—Proceedings of the Biological Society of Washington 102(2):405-410.
- 1989c. ——, L. G. Abele, D. L. Felder, H. H. Hobbs, Jr., R. B. Manning, P. A. McLaughlin, & I. Pérez Farfante. Common and scientific names of aquatic invertebrates from the United States and Canada: decapod crustaceans.— American Fisheries Society Special Publication No. 17:1-77.
- 1990a. , & J. J. McDermott. An eastern United States record for the western Indo-Pacific crab, Hemigrapsus sanguineus (Crustacea: Decapoda: Grapsidae).—Proceedings of the Biological Society of Washington 103(1):108-109.
- 1990b. ——, & K. Baba. New squat lobsters (Galatheidae) from the Pacific Occan: Mariana Back Arc Basin, East Pacific Rise, and Cascadia Basin.—Fishery Bulletin 87(4):899-910.
- 1990c. Kensley, B., & ———. Axiopsis eximia, a new thalassinidian shrimp (Crustacea, Decapoda, Axiidae) from the Middle Eocene of South Carolina.—Journal of Paleontology 64(5):798-802.
- 1990d. ——, & E. E. Boschi. Panopeus margentus, a new crab from the Argentine warm temperate subregion (Decapoda: Xanthidae).—Proceedings of the Biological Society of Washington 103(3):598-601.
- 1990e. ——, & N. Ngoc-Ho. Pomatogebia, a new genus of thalassinidean shrimps from western hemisphere tropics (Crustacea: Upogebiidae).—Proceedings of the Biological Society of Washington 103(3):614-616.
- 1991a. ——, & R. W. Heard. *Upogebia spinistipula*, a new burrowing shrimp from the Florida shelf, northeastern Gulf of Mexico (Decapoda: Upo-

- gebiidae).—Proceedings of the Biological Society of Washington 104(1):49-54.
- 1991b. ———, & R. B. Moffitt. Crabs from the Mariana Archipelago: Bothromaia griffini new genus and species (Brachyura: Majidae), and remarks on Poupinia hirsuta Guinot (Homoloidea, Poupiniidae).—Proceedings of the Biological Society of Washington 104(3):569-582.
- 1991c. Bishop, G. A., & ———. Necrocarcinus olsonorum, new species, a crab (Decapoda: Calappidae) from the Cretaceous Carlile Shale (Turonian), Western Interior United States.—Journal of Crustacean Biology 11(3):451-459.
- 1991d. ————. Comments on the proposed conservation of the specific name of Artenia franciscana Kellogg, 1906 (Crustacea, Branchiopoda). (Case 2728; see BZN 47:178-183; 48:57).——Bulletin of Zoological Nomenclature 48(3): 246-247.
- 1991e. Van Dover, C. L., & ———. Egg size in squat lobsters (Galatheoidea): Constraint and freedom. Pp. 143-156 in A. Wenner & A. Kuris, eds., Crustacean Egg Production. Crustacean Issues, vol. 7, A. A. Balkema/Rotterdam, 401 pp.
- 1992a. , & R. Wahlc. Distinguishing juvenile stages of Jonah and Atlantic rock crabs, Cancer borealis and C. irroratus (Crustacea: Decapoda: Cancridae). — Journal of Crustacean Biology 12(3):464-466.
- 1992b. ———. Review: Decapod Crustacea of the Atlantic Coast of Canada. By H. J. Squires, 1990, Canadian Bulletin of Fisheries and Aquatic Sciences 221:532 pp.—Journal of Crustacean Biology 12(2):329.
- 1992c. ——. Review: Marine Lobsters of the World. An Annotated and Illustrated Catalog of Species of Interest Known to Date. FAO Species Catalog. By L. B. Holthuis, 1991, FAO Fisheries Synopsis No. 125, vol. 13:292 pp. Rome.—The Lobster Newsletter 5:14.
- 1993a. ———. Comments on the proposed conservation of the specific names of Gebia major capensis Krauss, 1843 and G. africana Ortmann, 1894 (currently Upogebia capensis and U. africana; Crustacca, Decapoda) by the designation of a replacement neotype for U. capensis. (Case 2827; BZN 49(3):187-190.).—Bulletin of Zoological Nomenclature 50(2):143-144.
- Mud shrimps, Upogebiidae, from the western Atlantic (Crustacea: Decapoda: Thalassinidea).—Smithsonian Contributions to Zoology 544:i-iii, 1-77.
- 1993c. ——. Reflections on crab research in North America since 1758. Pp. 259-273 in F. Truesdale, ed., History of Carcinology, Crustacean Issues, vol. 8., A. A. Balkema/Rotterdam, 445 pp.
- 1994. ——, & L. G. Eldredge. A new species of spider crab from Guam, Rochinia decipiata

- (Brachyura: Majidae).—Crustacean Research 23:1-4
- 1995a. Rodríguez, G., & ———. Epilobocera wetherbeei. a new species of freshwater crab (Decapoda: Brachyura: Pseudothelphusidae) from Hispaniola.—Proceedings of the Biological Society of Washington 108(1):76-83.
- 1995b. Kornfield, I., ———, & R. S. Steneck. Assignment of *Homarus capensis* (Herbst, 1792), the Cape lobster of South Africa, to the new genus *Homarinus* (Decapoda: Nephropidae).— Fishery Bulletin 93(1):97–102.
- 1995c. ———, & F. C. Dobbs. A new genus and species of caridean shrimp (Crustacea: Decapoda: Bresiliidae) from hydrothermal vents on Loihi Seamount, Hawaii.—Proceedings of the Biological Society of Washington 108(2):228-237.
- 1995d. ———. Chapter 2, Taxonomy and evolution. Pp. 13-21 in J. R. Factor, ed., Biology of the lobster *Homarus americanus*. Academic Press, New York, 529 pp.
- 1995e. Pequegnat, L. H., & ———. Two new species of *Munidopsis* (Decapoda: Anomura: Galatheidae) from the Western Atlantic Ocean.—Journal of Crustacean Biology 15(4):786-792.
- 1996a. ———. Comments on the proposed conservation of the generic names Monstrilla Dana, 1849 and Thannaleus Kröyer, 1849 (Crustacea, Copepoda) (Case 2894; see BZN 52(3):245–249).—Bulletin of Zoological Nomenclature 53(2):122-123.
- 1996b. ———. Comments on the proposed conservation of the generic name Glomeris Latreille, 1802 (Diplopoda) and the specific name of Armadillo vulgaris Latreille, 1804 (Crustacea, Isopoda), and the application for a ruling on the status of the name Armadillo Latreille, 1802 (Crustacea, Isopoda). (Case 2909; see BZN 52(3):236-244).—Bulletin of Zoological Nomenclature 53(2):121-122. [Resolved in Opinion 1897, Bulletin of Zoological Nomenclature 55(2):124-128, June 1998.]
- 1997a. ————. Bythograea thermydron Williams, 1980. Arthropoda, Crustacea, Decapoda, Brachyura, Brachyrhyncha, Bythograeoidea, Bythograeidac. p. 212 in D. Desbruyères and M. Segonzac, eds., Handbook of deep-sea hydrothermal vent fauna. Éditions IFREMER, Brest, 279 pp.
- 1997b. Curran, H. A., & ———. Ichnology of an intertidal carbonate sand flat: Pigeon Creek, San Salvador Island, Bahamas. Pp. 33-46 in J. L. Carew, ed., Proceedings of the 8th Symposium on the Geology of the Bahamas: San Salvador, Bahamian Field Station, June 9-13, 1995.
- 1997c. ———. Occurrence of three species of mud shrimps in aquaculture ponds on Caribbean coasts of Venezuela and Colombia, with a re-

description of *Upogebia omissago* Williams, 1993 (Decapoda: Upogebiidae).—Proceedings of the Biological Society of Washington 110(3): 412-416.

1997d. ——. Two new species and a range extension of mud shrimps, Upogebia, from Pacific Costa Rica and Mexico (Decapoda: Thalassinidea: Upogebiidae).—Proceedings of the Biological Society of Washington 110(4):617-623.

1998a. Baba, K., & ———. New Galatheoidea (Crustacea, Decapoda, Anomura) from hydrothermal systems in the West Pacific Ocean: Bismarck Archipelago and Okinawa Trough.—Zoosystema 20(2):143-156.

1998b. ——, & J. L. Hernández-Aguilera. A new species of mud shrimp, *Upogebia toralae*, from Veracruz, Mexico (Decapoda: Thalassinidea: Upogebiidae).—Proceedings of the Biological Society of Washington 111(4):908-911.

2000a. ——, & R. Vargas. A new species of mud shrimp, Upogebia cortesi, from Pacific Costa Rica (Decapoda: Thalassinidea: Upogebiidae).—Proceedings of the Biological Society of Washington 113(1):13-16.

2000b. Bishop, G. A., & ———. Fossil crabs from Tepee Buttes, submarine seeps of the Late Cretaceous Pierre Shale, South Dakota and Colorado, U.S.A.—Journal of Crustacean Biology (Special no. 2):(in press).

In press. ———. Comment on the proposed designation of Scottia pseudobrowniana Kempf, 1971 as the type species of Scottia Brady & Norman, 1889 (Crustacea: Ostracoda) (Case 2896; see BZN 51(4):304-305).—Bulletin of Zoological Nomenclature.

In press. ———. Comment on the proposed conservation of both the generic and specific names Cubaris murina Brandt, 1833 (Case 2910; see BZN 52(2):153-156).—Bulletin of Zoological Nomenclature.

List of taxa named by Austin B. Williams

Taxa are listed alphabetically within each major decapod group. Holotype deposition and number is indicated for all species and subspecies. Asterisk indicates fossil taxa. Abbreviations for repositories are as follows: AHF, Allan Hancock Foundation, University of Southern California (now Natural History Museum of Los Angeles County); AMNH, American Museum of Natural History, New York; MCZ, Museum of Comparative Zoology, Harvard University, Cambridge, Massachusetts; MZUSP, Museu de Zoologia, Universidade de São

Paulo, Brazil; SDSM, Museum of Geology, South Dakota School of Mines, Rapid City; SDSNH, San Diego Society of Natural History, California; UKMNH, University of Kansas Museum of Natural History, Lawrence; USNM, National Museum of Natural History, Smithsonian Institution, Washington, D.C.

Decapoda

Caridea

Alvinocaris Williams & Chace, 1982b.

Alvinocaris lusca Williams & Chace, 1982b. USNM 184534.

Alvinocaris markensis Williams, 1988c. USNM 234286.

Alvinocaris muricola Williams, 1988c. USNM 234288.

Alvinocaris stactophila Williams, 1988c. USNM 234291.

Leptalpheus Williams, 1965b.

Leptalpheus forceps Williams, 1965b. USNM 111084.

Ogyrides hayi Williams, 1981a. USNM 47958.

Ogyrides limicola Williams, 1955a. USNM 96675.

Opaepele Williams & Dobbs, 1995c.

Opaepele loihi Williams & Dobbs, 1995c. USNM 251447.

Rimicaris Williams & Rona, 1986c.

Rimicaris chacei Williams & Rona, 1986c. USNM 228452.

Rimicaris exoculata Williams & Rona, 1986c. USNM 228443.

Astacidea

Homarinus Kornfield, Williams & Steneck, 1995b.

Orconectes eupunctus Williams, 1952a. UKMNH T4250.

Orconectes meeki brevis Williams, 1952a. UKMNH T8140.

Orconectes nana marcus Williams, 1952a. UKMNH T4970.

Orconectes nana Williams, 1952a UKMNH T6640.

- Orconectes neglectus chaenodactylus Williams, 1952a. UKMNH T4420.
- Orconectes ozarkae Williams, 1952a. UKMNH T6150.

Thalassinidea

- Aethogebia Williams, 1993b.
- Aethogebia gorei Williams, 1993b. USNM 251425.
- *Axiopsis eximia Kensley & Williams, 1990c. USNM 219431.
- Calocaris (Calastacus) jenneri Williams, 1974b. USNM 150472.
- Calocaris (Calastacus) oxypleura Williams, 1974b. USNM 101651.
- Pomatogebia Williams & Ngoc-Ho, 1990e. Upogebia acanthops Williams, 1986a. USNM 213194.
- Upogebia aestuari Williams, 1993b. USNM 251407.
- Upogebia aquilina Williams, 1993b. USNM 251426.
- Upogebia baldwini Williams, 1997d. USNM 251486.
- Upogebia bermudensis Williams, 1993b. MCZ 12873.
- Upogebia burkenroadi Williams, 1986a. SDSNH 3985.
- Upogebia careospina Williams, 1993b. USNM 138899.
- Upogebia casis Williams, 1993b. USNM 251224.
- *Upogebia cocosia* Williams, 1986a. USNM 213268.
- Upogebia coralliflora Williams & Scott, 1989b. USNM 230075.
- Upogebia cortesi 2000a. USNM 291186.
- Upogebia dawsoni Williams, 1986a. AHF2566.
- Upogebia felderi Williams, 1993b. USNM 251430.
- Upogebia galapagensis Williams, 1986a. USNM 213223.
- Upogebia inomissa Williams, 1993b. USNM 251396.
- Upogebia jonesi Williams, 1986a. USNM 213195.

- Upogebia lepta Williams, 1986a. USNM 213270.
- Upogebia maccraryae Williams, 1986a. USNM 213202.
- Upogebia macginitieorum Williams, 1986a. USNM 213219.
- Upogebia molipollex Williams, 1993b. AMNH 6820.
- Upogebia omissago Williams, 1993b. USNM 222057.
- Upogebia onychion Williams, 1986a. AHF 4133.
- Upogebia paraffinis Williams, 1993b. MZUSP 8049
- Upogebia pillsbury Williams, 1993b. USNM 251435.
- Upogebia ramphula Williams, 1986a. USNM 213446.
- Upogebia schmitti Williams, 1986a. AHF 3933.
- Upogebia spinistipula Williams & Heard, 1991a. USNM 239251.
- Upogebia synagelas Williams, 1987d. USNM 233572.
- Upogebia tenuipollex Williams, 1986a. USNM 213236.
- Upogebia thistlei Williams, 1986a. USNM 213251.
- Upogebia toralae Williams & Hernández-Aguilera, 1998b. USNM 285522.
- Upogebia vargasae Williams, 1997d. USNM 251484.
- Upogebia veleronis Williams, 1986a. (USNM 213272)

Anomura

- Munidopsis alvisca Williams, 1988c. USNM 234294.
- Munidopsis glabra Pequegnat & Williams, 1995e. USNM 251455.
- Munidopsis granosicorium Williams & Baba, 1990b. USNM 240205.
- Munidopsis lentigo Williams & Van Dover, 1983b. USNM 191160.
- Munidopsis lignaria Williams & Baba, 1990b. USNM 240202.
- Munidopsis marianica Williams & Baba, 1990b. USNM 240198.

Shinkaia Baba & Williams, 1998a.

Shinkaia crosnieri Baba & Williams, 1998a. USNM 251480.

Uroptychus edisonicus Baba & Williams, 1998a. USNM 251479.

Brachyura

Allactaea Williams, 1974a.

Allactaea lithorostrata Williams, 1974a. USNM 143770.

Bothromaia Williams & Moffit, 1991b.

Bothromaia griffini Williams & Moffit, 1991b. USNM 250884.

Bythograeoidea Williams, 1980. (Superfamily).

Bythograeidae Williams, 1980. (Family). *Bythograea* Williams, 1980.

Bythograea mesatlantica Williams, 1988c. USNM 234300.

Bythograea thermydron Williams, 1980. USNM 172830.

Callinectes similis Williams, 1966b. USNM 113341.

Cyclozodion Williams & Child, 1989a.

Cyclozodion tuberatum Williams & Child, 1989a. USNM 234462.

Epilobocera wetherbeei Rodríguez & Williams, 1995a. USNM 268832.

Eplumula Williams, 1982a.

*Heus Bishop & Williams, 2000b.

*Heus foersteri Bishop & Williams, 2000b. SDSM 11016.

Hypsophrys noar Williams, 1974c. USNM 150816.

Latreillia manningi Williams, 1982a. USNM 57071.

Latreillia metanesa Williams, 1982a. USNM 74570.

Menippe adina Williams & Felder, 1986e. USNM 228862.

Mimilambridae Williams, 1979c. (Family). *Mimilambrus* Williams, 1979c.

Mimilambrus wileyi Williams, 1979c. USNM 172222.

*Necrocarcinus olsonorum Bishop & Williams, 1991c. SDSM 11000.

Ovalipes stephensoni Williams, 1976a. USNM 155110.

Panopeus austrobesus Williams, 1984a. USNM 59462.

Panopeus margentus Williams & Boschi, 1990d. USNM 239191.

Panopeus meridionalis Williams, 1984a. USNM 99846.

*Plagiophthalmus bjorki Bishop & Williams, 2000b. SDSM 11021.

*Raninella manningi Bishop & Williams, 2000b. SDSM 11018.

Rochinia decipiata Williams & Eldredge, 1994. USNM 251434.

Stilbomastax Williams, Shaw & Hopkins, 1977a.

Acknowledgments

We would like to thank David McN. Williams for providing valuable family facts, and also several of Austin's colleagues and friends for contributing photographs and other information. In particular, we would like to mention Norma Samuels who kindly provided photographs and insight on aspects of Austin private life; Gale A. Bishop, for providing valuable and often emotional testimony on his experiences in the field; Raymond B. Manning and Brian Kensley for reminiscing on their interactions with Austin; and Keiji Baba for information and photographs. The invaluable help of Michael Vecchione and the dedicated staff of the Systematics Laboratory, National Marine Fisheries Service, at the Smithsonian, in locating and compiling files and data on Austin's professional life, is gratefully acknowledged; these include Lara Cooper, Ruth Gibbons, David Hardy, Keiko Hiratsuka Moore, Roosevelt McMillan, Mary Mickevich, Tom Munroe, and Martha Nizinski. Thanks also to Rose A. Gulledge for processing electronic images of the photographs, and compiling bibliographic information; Chad Walter for proof-reading the bibliography; and Molly K. Ryan for putting together the figure.