

APPENDIX I

A REVISED CHECKLIST OF THE MOSSES OF SOUTHERN AFRICA

Outline of Contents

- A. Introduction 413
- B. Alphabetical List of Genera and Species 414
- C. Systematic Arrangement of Southern African Moss Families and Genera 431
- D. Literature Cited 435

A. Introduction

This new checklist of the mosses of southern Africa lists all the mosses included in this study and not necessarily the most up to date and complete list of mosses recorded and accepted for the region. Some published taxonomic name changes and new records had to be omitted as the geographic distributions of the taxa concerned, needed for the numerical analyses, are inadequately known, frequently because the specimens in PRE, the largest collection of southern African bryophytes, were not studied by the authors. Examples are taxa in *Campylopus* (Frahm 1985, 1988, 1998), *Hypnum cupressiforme* group (Ando 1993, 1993a), *Tortula* (Kramer 1988), and the family Polytrichaceae (De Sloover 1986, Hyvonen 1989).

Some publications containing name changes or new records were received too late for inclusion or appeared after the compilation of this checklist, for example the descriptions of new species of *Grimmia* (Greven 1996) and *Astomiopsis* (Snider *et al.* 1999), the revision of Anomodontaceae by Granzow-de la Cerda (1997), new synonymy in the genus *Fissidens* (Bruggeman-Nannenga 1997), and new African and southern African records reported by O'Shea *et al.* (1997), Arts (1995, 1998), Sollman (1998), Hodgetts *et al.* (1999) and Ochyra (personal communication).

The taxonomic positions of some taxa are uncertain or have recently changed. For example *Hygroamblystegium caudicaule*, here treated as a synonym of *Pseudoleskea chilensis*, but probably a distinct species under *Drepanophyllum* (as *Drepanophyllum caudicaulis* C.Müll., R. Ochyra, personal communication). *Pseudoleskea chilensis* has since been moved to *Orthotheciella varia* (Hedw.) Ochyra (Ochyra 1998) and *Conostomum pentastichum* is no longer considered conspecific with *C. tetragonum* (Virtanen, 1999; Ochyra, personal communication). *Campyliadelphus polygamus* should rather be treated as *Campylium polygamum* (Schimp.) C.E.O. Jensen (Isoviita & Hedenäs 1997). The monotypic, endemic *Wardia hygrometrica* should probably be moved to the family Seligeriaceae (Hedderson *et al.* 1999).

The checklist consists of three parts: 1) an alphabetical list of genera and species with names accepted for this study in **bold**, including references to literature followed and recent synonymy, 2) a systematic arrangement of southern African moss families and genera, and 3) a list of literature references cited in this appendix. For a comprehensive list of recent taxonomic literature on the mosses of southern Africa see Van Rooy (1997).

B. Alphabetical List of Genera and Species

ABIETINELLA C.Müll.

1. Magill & Schelpe. 1979.

A. abietina (Hedw.) M.Fleisch.

ACAULON C.Müll.

1. Magill. 1981.

2. Zander, 1993.

A. leuкоchaete I.G.Stone

A. recurvatum Magill

A. rufochaete Magill = *Microbryum rufochaete*

AEROBRYOPSIS Fleischm.

1. Magill & Van Rooy 1998.

A. capensis (C.Müll.) M.Fleisch.

ALOINA (C.Müll.) Kindb.

1. Magill. 1981.

A. bifrons (De Not.) Delgad.

AMPHIDIUM Schimp.

1. Van Rooy. 1992.

A. lapponicum (Hedw.) Schimp.

A. tortuosum (Hornschr.) Cufod.

ANACOLIA Schimp.

1. Magill. 1987.

A. breutelii (C.Müll.) Magill

ANDREAEA Hedw.

1. Magill. 1981.

A. bistratosa Magill

- A. nitida** Hook.f. & Wilson
A. rupestris Hedw.
A. subulata Harv. ex Hook.
- ANOECTANGIUM** Schwägr.
 1. Magill. 1981.
- A. wilmsianum** (C.Müll.) Paris
- ANOMOBRYUM** Schimp.
 1. Van Rooy & Magill. 1987.
- A. drakensbergense** Van Rooy
A. filiforme (Dicks.) Solms
- AONGSTROEMIA** Bruch, Schimp. &
 W.Gümbel
 1. Magill. 1981.
- A. filiformis** (P.Beauv.) Wijk & Margad.
A. julacea (Hook.) Mitt.
- AONGSTROEMIOPSIS** Fleischm.
 1. Magill. 1987a.
- A. julacea** (Dozy & Molk.) M.Fleisch.
- ARCHIDIUM** Brid.
 1. Van Rooy. 1981.
- A. acanthophyllum** Snider
A. amplexicaule C.Müll.
A. andersonianum Snider
A. capense Hornsch.
A. dinteri (Irmsch.) Snider
A. julicaule C.Müll.
A. microthecium Dixon & P.de la Varde
A. muelleranum Snider
A. ohioense Schimp. ex C.Müll.
A. rehmannii Mitt.
A. subulatum C.Müll.
- ASTOMIOPSIS** C.Müll.
 1. Magill. 1987a.
- A. amblyocalyx** C.Müll.
- ATRICHUM** P.Beauv.
 1. Magill & Schelpe. 1979.
- A. androgynum** (C.Müll.) A.Jaeger
- AULACOPILUM** Wilson
 1. Magill & Schelpe 1979.
2. Magill & Van Rooy 1998.
A. trichophyllum Ångstr.
- BARBULA** Hedw.
1. Magill. 1981.
 2. Zander. 1993..
 3. Sollman. 1993.
 4. Frahm, Lindlar, Sollman & Fischer 1996.
- B. acutata** C.Müll. = *Pseudocrossidium replicatum*
- B. afrofontana** (C.Müll.) Broth. = **B. bolleana** 3,4
- B. bolleana** (C.Müll.) Broth.
- B. calycina** Schwägr.
B. crinita Schultz = *Pseudocrossidium crinitum*
- B. ehrenbergii** (Lor.) Fleischer = **B. bolleana** 4
- B. eubryum** C.Müll.
B. hornschuchiana Schultz = *Pseudocrossidium hornschuchianum*
- B. indica** (Hook.) Spreng.
B. microcalycina Magill
B. rehmannii C.Müll.
- BARTRAMIA** Hedw.
1. Magill. 1987.
 - B. aristaria** C.Müll.
 - B. capensis** (R.Br.) Wijk & Margad.
 - B. compacta** Hornsch. var. **compacta**
 - B. compacta** Hornsch. var. **macowaniana** (C.Müll.) Magill
 - B. hampeana** C.Müll.
- BARTRAMIDULA** Bruch, Schimp. &
 W.Gümbel
- B. comosa** Broth. = *Philonotis comosa*
- B. globosa** (C.Müll.) Broth. = *Philonotis globosa*
- BLINDIA** Bruch, Schimp. & W.Gümbel
 1. Magill. 1981.
- B. magellanica** Schimp. ex C.Müll.

BRACHYMENTIUM Schwägr.

1. Van Rooy & Magill. 1987. FSA Bryoph. 1,2.
 2. Ochi 1985.
- B. acuminatum** Harv. in Hook.
B. angolense (Welw. & Duby) A.Jaeger = **B.systylium** 2
B. dicranoides (Hornschr.) A.Jaeger
B. leptophyllum (C.Müll.) A.Jaeger
B. nepalense Hook. in Schwägr.
B. pulchrum Hook.
B. systylium (C.Müll.) A.Jaeger

BRACHYTHECIUM Bruch, Schimp. & W.Gümbel

1. Magill & Schelpe. 1979.
- B. implicatum** (Hornschr.) A.Jaeger
B. pinnatum Dixon
B. plumosum (Hedw.) Bruch, Schimp. & W.Gümbel
B. populeum (Hedw.) Bruch, Schimp. & W.Gümbel
B. pseudopopuleum (C.Müll.) Schimp.
B. pseudovelutinum (C.Müll.) A.Jaeger
B. salebrosum (F.Weber & Mohr) Bruch, Schimp. & W.Gümbel
B. subrutabulum (C.Müll.) A.Jaeger

BRAUNIA Bruch, Schimp. & W.Gümbel

1. Magill & Schelpe. 1979.
 2. Magill & Van Rooy 1998.
- B. secunda** (Hook.) Bruch, Schimp. & W.Gümbel
- BREUTELIA** (Bruch, Schimp. & W.Gümbel) Schimp.
1. Magill. 1987.
 2. Griffin. 1992.
- B. afroscoparia** (C.Müll.) Paris = **B. substricta**
B. angustifolia Rehmann ex Sim = **B. microdonta**
B. diffracta Mitt.
B. elliptica Magill
B. microdonta (Mitt.) Broth.
B. substricta (C.Müll.) Magill
B. tabularis Dixon ex Sim

BRUCHIA Schwägr.

1. Magill. 1981
 2. Rushing. 1986.
- B. brevipes** Harv. ex Hook.
B. eckloniana C.Müll.
B. foveolata Magill = **B. queenslandica**
B. queenslandica I.G.Stone

BRYOBARTRAMIA Sainsbury

1. Magill. 1981.
- B. novae-valesiae** (Broth.) I.G.Stone & G.A.M.Scott

BRYOERYTHROPHYLLUM Ekimov

1. Magill, 1981.
 2. Zander. 1986, 1993.
- B. campylocarpum** (C.Müll.) H.A.Crum
B. jamesonii (Taylor) H.A.Crum - excluded
B. recurvirostrum (Hedw.) P.C.Chen

BRYUM Hedw.

1. Ochi. 1980.
 2. Van Rooy & Magill. 1987.
 3. Ochyra. 1989.
- B. alpinum** Huds. ex With.
B. andicola Hook.
B. apiculatum Schwägr.
B. argenteum Hedw.
B. aubertii (Schwägr.) Brid.
B. bicolor Dicks. = **B. dichotomum**
B. caespiticium Hedw.
B. canariense Brid.
B. capillare Hedw.
B. cellulare Hook.
B. dichotomum Hedw.
B. donianum Grev.
B. erythrocaulon (Schwägr.) Brid.
B. micro-erythrocarpum C.Müll. & Kindb. = **B. subapiculatum**
B. nitens Hook. = **B. apiculatum**
B. perlimbatum Card. - excluded
B. pseudotriquetrum (Hedw.) Gaertn., B.Mey & Scherb.
B. pycnophyllum (Dixon) Mohamed
B. radiculosum Brid.

- B subapiculatum** Hampe
B. torquescens Bruch ex De Not.
B. turbinatum (Hedw.) Turner
B. viridescens Welw. & Duby
- CALLICOSTELLA** (C.Müll.) Mitt.
 1. Magill & Schelpe. 1979.
 2. Magill & Van Rooy 1998..
- C. applanata** Broth. & Bryhn = **C. tristis**
C. tristis (C.Müll.) Broth.
- CALYMPERES** Sw. in F.Weber
 1. Magill. 1981.
 2. Reese & Mohamed 1985
 3. Ellis 1988.
- C. levyanum** Besch.
C. pallidum Mitt.
C. rabenhorstii Hampe & C.Müll. = **C. pallidum**
C. tenerum C.Müll.
C. tenerum C.Müll. var. *edamense* M.Fleisch.
 = **C. tenerum**
- CALYPTOTHECIUM** Mitt.
 1. Magill & Schelpe. 1979
 2. Magill & Van Rooy 1998
C. acutifolium (Brid.) Broth.= *Pterobryopsis acutifolium* 2.
C. hoehnelii (C.Müll.) Argent = *Pterobryopsis hoehnelii* 2.
- CALYPTROCHAETA** Desv.
 1. Magill & Van Rooy 1998.
C. asplenoides (Brid.) Crosby
- CAMPYLIADELPHUS** (Kindb.)
 R.S.Chopra
 1. Ochyra & Pócs. 1992.
C. polygamus (Bruch, Schimp.& W.Gümbel)
 Kanda
- CAMPYLOPUS** Brid.
 1. Magill. 1981.
 2. Corley & Frahm. 1982.
 3. Frahm. 1984..
 4. Vital, 1984.
5. Frahm. 1985
C. ampliretis (C.Müll.) Paris = **C. flaccidus**
C. atoluteus (C.Müll.) Paris
C. aureonitens (C.Müll.) A.Jaeger
C. bequaertii Thér. & Naveau = **C. savannarum**
C. bicolor (C.Müll.) Wilson
C. cambouei Renauld & Cardot
C. catarractilis (C.Müll.) Paris
C. delagoae (C.Müll.) Paris = **C. savannarum**
C. flaccidus Renauld & Cardot
C. fragilis (Brid.) Bruch, Schimp. & W.Gümbel
C. hensii Renauld & Cardot
C. hildebrandtii (C.Müll.) A.Jaeger
C. inchangae (C.Müll.) Paris = **C. robillardaei**
C. introflexus (Hedw.) Brid.
C. jamesonii (Hook.) A.Jaeger
C. julaceus A.Jaeger subsp. *arbogastii* (Renauld & Cardot) A.Jaeger
C. lonchoclados C.Müll. in Geh.
C. nanophyllus C.Müll. ex Broth.
C. pallidus Hook.f. & Wilson = **C. pyriformis**
C. perpusillus Mitt.
C. pilifer Brid.
C. procerus (C.Müll.) Paris = **C. jamesonii**
C. pyriformis (Schultz) Brid.
C. robillardaei Besch.
C. savannarum (C.Müll.) Mitt.
C. simii Schelpe = **C. julaceus** subsp. *arbogastii*
C. stenopelma (C.Müll.) Paris
C. subchlorophyllosus C.Müll. ex Rabenh. = *Sphaerothecium subchlorophyllosum*
C. symonsii Sim
- CARDOTIELLA** Vitt
 1. Van Rooy & Van Wyk. 1992.
 2. Magill & Van Rooy 1998.
C. secunda (C.Müll.) Vitt
- CATAGONIUM** C.Müll. ex Broth.
 1. Lin. 1984.
C. mucronatum (A.Jaeger) Broth. = **C. nitens** subsp. *maritimum*

- C. nitens** (Brid.) Cardot subsp. **maritimum** (Hook.) S.H.Lin
- CERATODON** Brid.
1. Magill. 1981.
 2. Burley & Pritchard. 1990.
- C. purpureus** (Hedw.) Brid. subsp. **stenocarpus** (Bruch, Schimp. & W.Gümbel)
- C. stenocarpus** Bruch & Schimp. ex C.Müll. = **C. purpureus** subsp. **stenocarpus**
- CHAMAEBRYUM** Thér. & Dixon
1. Magill. 1987.
- C. pottoides** Thér. & Dixon
- CHEILOTHELA** Lindb.
1. Magill 1987a.
- C. chilensis** (Mont.) Broth.
- CHENIA** R.H.Zander
1. Zander. 1989, 1993.
- C. leptophylla** (C.Müll.) R.H.Zander
- CHORISODONTIUM** (Mitt.) Broth.
1. Magill, R.E. 1981.
 2. Frahm, J.-P. 1989. Tropical Bryology 1: 11-24.
 3. Ochyra, R. & Bednarek-Ochyra, H. 1997.
- C. falcatum** Magill = **Platyneurum praealtum** 2, 3
- CHRYSOHYPNUM** Hampe
1. Ochyra & Sharp. 1988.
- C. cavifolium** (Dixon) Ochyra & Sharp
- CLADOPHASCUM** Dixon
1. Magill. 1981.
- C. gymnomitrioides** (Dixon) Dixon ex Sim
- CONOSTOMUM** Sw. in F.Weber & Mohr
1. Magill. 1987.
 2. Frahm, J.-P., Borner, H., Streiber, N., Wallau, B. & Weitkus, S. 1996.
- C. pentastichum** (Brid.) Lindb. = **C. tetragonum** 2

- C. tetragonum** (Hedw.) Lindb.
- CRATONEURON** (Sull.) Spruce
1. Magill & Schelpe. 1979.
- C. filicinum** (Hedw.) Spruce
- CROSSIDIUM** Jur.
1. Magill. 1981.
 2. Cano, Guerra & Ros. 1993.
- C. apiculatum** Magill = **Microcrossidium apiculatum**
- C. spiralifolium** Magill
- CRYPHAEA** Mohr in F.Weber
1. Magill & Van Rooy 1998.
- C. exigua** (C.Müll.) A.Jaeger
- CYCLODICTYON** Mitt.
1. Magill & Van Rooy 1998..
- C. borbonicum** (Besch.) Broth. - excluded
- C. vallis-gratiae** (Hampe) Kuntze
- CYGNICOLLUM** Fife & Magill
1. Magill. 1987.
- C. immersum** Fife & Magill
- CYRTO-HYPNUM** (Hampe) Hampe & Lor.in Hampe
1. Buck & Crum 1990.
- C. ramusculosum** (Mitt.) Buck & Crum
- C. varians** (Welw.& Duby) Buck & Crum
- C. versicolor** (C.Müll.) Buck & Crum
- DESMATODON** Brid.
1. Zander. 1993.
- D. bogosicus** C.Müll. = **Tortula bogosica**
- D. convolutus** (Brid.) Grout = **Tortula atrovirens**
- D. longipedunculata** (C.Müll.) Magill = **Hennediella longipedunculata**
- DICRANELLA** (C.Müll.) Schimp.
1. Magill. 1981.
 2. Ochyra & Newton, 1986.
- D. cardotii** (R.Br.) Dixon
- D. rigida** Dixon ex Sim

D. subsubulata (C.Müll.) A.Jaeger
D. symonsii Dixon = *D. cardotii*

DICRANOLOMA (Renauld) Renauld
 1. Magill. 1981.

D. billardieri (Brid.) Paris
D. entabeniense Magill

DIDYMODON Hedw.

1. Zander. 1978.
2. Magill. 1981.
3. Guerra & Ros. 1987.
4. Zander. 1993.

D. australasii (Hook. & Grev.) R.H.Zander
D. ceratodonteus (C.Müll.) Dixon
D. jackvancei R.H.Zander
D. tophaceopsis R.H.Zander
D. trivialis (C.Müll.) Guerra
D. xanthocarpus (C.Müll.) Magill

DIMERODONTIUM Mitt.

1. Magill & Schelpe. 1979.

D. africanum C.Müll.

DISTICHIUM Bruch, Schimp. & W.Gümbel
 1. Magill. 1981.

D. capillaceum (Hedw.) Bruch, Schimp. &
 W.Gümbel

DISTICHOPHYLLUM Dozy & Molk.

1. Magill & Van Rooy 1998.

D. mniifolium (Hornschr.) Sim var.
mniifolium

D. mniifolium (Hornschr.) Sim var. *taylorii*
 Magill

D. taylorii Sim = *D. mniifolium* var. *taylorii*

DITRICHUM Hampe

1. Magill. 1981.

D. brachypodium (C.Müll.) Broth.

D. difficile (Duby) M.Fleisch.

D. punctulatum Mitt.

D. strictum (Hook.f. & Wilson) Hampe

DREPANOCLADUS (C.Müll.) G.Roth
 1. O'Shea 1995.

2. PRE herbarium use following R.
 Ochyra (pers. comm.)

D. aduncus (Hedw.) Warnst.

D. hallii Broth. & Dixon = *D.sendtneri* 1, 2

D. sendtneri (Schimp.) Warnst. 2

D. sparsus C.Müll. = *Leptodictyum riparium*
 1, 2

D. uncinatus (Hedw.) Warnst. = *Sanionia*
uncinata

ECCREMIDIUM Hook.f. & Wilson

1. Magill. 1981.

E. exiguum (Hook.f. & Wilson) Wilson ex
 E.S.Salmon

ECTROPOTHECIUM Mitt.

1. Magill & Schelpe. 1979.

E. brachycarpum (Dixon) Magill

E. perrotii Renauld & Cardot

E. regulare (Brid.) A.Jaeger

ENCALYPTA Hedw.

1. Magill. 1981.

E. ciliata Hedw.

E. vulgaris Hedw.

ENTODON C.Müll.

1. Magill & Schelpe.
2. Townsend. 1991.

E. cymbifolius Wager & Dixon

E. dregeanus (Hornschr.) C.Müll. = *E.*
macropodus

E. geminidens (Besch.) Paris

E. macropodus (Hedw.) C.Müll.

E. natalensis Rehmann ex C.Müll.

EPHEMERUM Hampe

1. Magill. 1987.

E. capense C.Müll.

E. diversifolium Mitt. in Harv.

E. namaquense Magill

E. rehmannii (C.Müll.) Broth.

ERPODIUM (Brid.) C.Müll.

1. Magill & Van Rooy 1998.

E. beccarii C.Müll.

E. coronatum (Hook & Wilson) Mitt. subsp. *transvaaliense* (Broth & Wager) Magill
E. distichum Wager & Dixon
E. grossirete C.Müll.
E. transvaaliense Broth. & Wager ex Dixon =
E. coronatum subsp. *transvaaliense*

ERYTHRODONTIUM Hampe
 1. Magill & Schelpe. 1979.
E. julaceum (Schwägr.) Paris - species
 insufficiently known
E. subjulaceum (C.Müll.) Paris

EUSTICHIA (Brid.) Brid.
 1. Magill. 1987.
E. longirostris (Brid.) Brid.

FABRONIA Raddi
 1. Magill & Schelpe. 1979.
F. abyssinica C.Müll.
F. breutelii Hampe in C.Müll.
F. eckloniana Hampe in C.Müll.
F. gueinzii Hampe
F. leikipiae C.Müll.
F. perciliata C.Müll.
F. pilifera Hornsch.
F. rehmannii C.Müll.
F. victoriae Dixon
F. wageri Dixon

FISSIDENS Hedw.
 1. Pursell & Reese. 1980.
 2. Magill. 1981.
 3. Pursell. 1987.
 4. Bruggeman-Nannenga. 1993.
F. aciphyllus Dixon
F. asplenoides Hedw.
F. borgenii Hampe
F. bryoides Hedw.
F. capriviensis Magill
F. curvatus Hornsch.
F. enervis Sim
F. erosulus (C.Müll.) Paris
F. fasciculatus Hornsch.
F. fontanus (B. Pyl.) Steud. - excluded
F. gladiolus Mitt.

F. glaucescens Hornsch.
F. hoeegii P.de la Varde
F. marginatus Schimp. ex C.Müll.
F. microandrogyrus Dixon
F. nitens Rehmann ex E.S.Salmon = *F. porrectus*
F. palmifolius (P.Beauv.) Broth.
F. parvifimbatus Sim
F. plomosus Hornsch.
F. porrectus Mitt.
F. pseudoserratus (C.Müll.) A.Jaeger
F. pygmaeus Hornsch.
F. rufescens Hornsch.
F. scleromitrius (Besch.) Broth.
F. simii Schelpe
F. splachnifolius Hornsch.
F. stellenboschianus Dixon ex Sim
F. submarginatus Bruch ex C.Krauss
F. subobtusatus C.Müll.
F. usambaricus Broth.
F. wageri Dixon ex Wager

FLORIBUNDARIA Fleischm.
 1. Magill & Van Rooy 1998.
F. floribunda (Dozy & Molk.) M.Fleisch.

FONTINALIS Hedw.
 1 Magill & Van Rooy 1998.
F. antipyretica Hedw. var. *gracilis* (Lindb.) Schimp.
F. squamosa Hedw.

FORSTSTROEMIA Lindb.
 1 Magill & Van Rooy 1998.
F. producta (Hornsch.) Paris

FUNARIA Hedw.
 1. Magill. 1987.
F. bergiana (Hornsch.) Broth.
F. clavata (Mitt.) Magill
F. hygrometrica Hedw.
F. limbata (C.Müll.) Broth.
F. longicollis Dixon
F. rhomboidea Shaw
F.rottleri (Schwägr.) Broth.
F. spathulata Schimp. ex C.Müll.

F. succuleata (Wager & C.H.Wright) Magill
F. urceolata (Mitt.) Magill

GIGASPERMUM Lindb.
 1. Magill. 1987.

G. repens (Hook.) Lindb.

GONIOMITRIUM Hook. & Wilson
 1. Magill. 1987.

G. africanum (C.Müll.) Broth.

GRIMMIA Hedw.

1. Magill. 1981.

G. apocarpa Hedw. = *Schistidium apocarpum*

G. laevigata (Brid.) Brid.

G. ovalis (Hedw.) Lindb.

G. pulvinata (Hedw.) Sm.

GYMNOSTOMUM Nees & Hornsch.

1. Magill. 1981.

G. aeruginosum Sm.

G. bewsii Dixon

G. lingulatum Rehmann ex Sim

HAPLOCLADIUM (C.Müll.) C.Müll.

1. Magill & Schelpe. 1979.

H. angustifolium (Hampe & C.Müll.) Broth.

HAPLOHYMENIUM Dozy & Molk.

1. Magill & Schelpe. 1979.

H. pseudo-triste (C.Müll.) Broth.

HEDWIGIA P.Beauv.

1 Magill & Van Rooy 1998.

H. ciliata (Hedw.) P.Beauv.

HEDWIGIDIUM Bruch, Schimp. &
 W.Gümbel

1 Magill & Van Rooy 1998.

H. integrifolium (P.Beauv.) Dixon

HELICODONTIUM Schwägr.

1. Magill & Schelpe. 1979.

H. lanceolatum (Hampe & C.Müll.) A.Jaeger

HENNEDIELLA Paris

1. Magill, 1981.

1. Zander. 1993.

H. longipedunculata (C.Müll.) R.H.Zander

HERPETINEURON (C.Müll.) Cardot

1. Magill & Schelpe. 1979.

H. toccae (Sull. & Lesq.) Cardot

HETEROPHYLLIUM (Schimp.) Kindb. in
 M.Fleisch.

1. Buck 1993.

H. flexile (Renauld & Cardot) Thér. & P.de la
 Varde = *Rhacopilopsis flexilis*

H. transvaalense (Thér. & Dixon) Thér. &
 P.de la Varde = *Rhacopilopsis transvaaliensis*

HOLOMITRIUM Brid.

1. Magill. 1981.

H. cylindraceum P.Beauv. var. **cucullatum**
 (Besch.) Wijk & Margad.

HOMALOTHECIUM Bruch, Schimp. &
 W.Gümbel

1. Ochyra & Pócs. 1982.

2. Hofmann 1997.

H. afrostriatum (C.Müll.) Ochyra =
Palamocladium leskeoides 1.

HOOKERIOPSIS (Besch.) A.Jaeger

1. Magill & Van Rooy 1998.

H. pappeana (Hampe) A.Jaeger

HUSNOTIELLA Cardot

H. latifolia (Dixon) R.H.Zander & Magill =
Didymodon tophaceopsis

H. plicata Magill = *Didymodon jackvancei*

HYGROAMBLYSTEGIUM Loeske

1. Magill & Schelpe. 1979.

2. PRE herbarium use following R.

Ochyra (pers. comm.)

H. caudiculis (C.Müll.) Broth. =
Pseudoleskea chilensis 2.

- HYMENOSTYLIUM** Brid.
1. Magill. 1981.
- H. recurvirostrum** (Hedw.) Dixon
- HYOPHILA** Brid.
1. Magill. 1981.
- H. baginsensis** C.Müll.
- H. involuta** (Hook.) A.Jaeger
- HYPNUM** Hedw.
1. Magill & Schelpe. 1979.
2. Ando 1995
- H. aduncoides** sensu Sim = **H. macrogynum** 2
- H. cypresiforme** Hedw.
- H. macrogynum** Besch.
- HYPODONTIUM** C.Müll.
1. Magill. 1981.
- H. dregei** (Hornschr.) C.Müll.
- H. pomiforme** (Hook.) C.Müll.
- HYPOPTERYGIUM** Brid.
1. Magill & Van Rooy. 1998
- H. laricinum** (Hook.) Brid.
- H. polythrix** Dixon = *Lopidium pennaeforme*
- ISCHYRODON** C.Müll.
1. Magill & Schelpe. 1979.
- I. lepturus** (Taylor) Schelpe
- ISOPTERYGIUM** Mitt.
1. Magill & Schelpe. 1979.
- I. aquaticum** Dixon - excluded
- I. leucophanes** (C.Müll.) A.Jaeger
- I. leucopsis** (C.Müll.) Paris
- I. punctulatum** Broth. & Wager
- I. strangulatum** (C.Müll.) Broth.
- I. taxithellioides** Broth. & Bryhn
- I. taylorii** Sim
- JAEGERINA** C.Müll.
1 Magill & Van Rooy 1998.
- J. stolonifera** (C.Müll.) C.Müll.
- LEPIDOPILIDIUM** (C.Müll.) Broth.
1 Magill & Van Rooy 1998.
- L. hanningtonii** (Mitt.) Broth.
- LEPTOBRYUM** (Bruch, Schimp. & W.Gümbel) Wilson
1. Van Rooy & Magill. 1987
- L. pyriforme** (Hedw.) Wilson
- LEPTODICTYUM** (Schimp.) Warnst.
1. Magill & Schelpe. 1979.
- L. riparium** (Hedw.) Warnst.
- LEPTODON** Mohr
1. Magill & Van Rooy 1998.
- L. smithii** (Hedw.) F.Weber & Mohr
- LEPTODONTIUM** (C.Müll.) Hampe ex Lindb.
1. Magill. 1981.
- L. brachyphyllum** Broth. & Thér.
- L. longicaule** Mitt.
- L. viticulosoides** (P.Beauv.) Wijk & Margad.
- LEPTOHYMENIUM** Schwägr.
1. Magill & Schelpe. 1979.
- L. breutelii** (C.Müll.) Schimp. - species insufficiently known
- L. dentatum** Schwägr. - species insufficiently known
- LETOISCHYRODON** Dixon
1. Magill & Schelpe. 1979.
- L. congoanus** Dixon
- LEPTOSTOMUM** R.Br.
1. Crum. 1992.
- L. gerrardii** Shaw - species insufficiently known
- LEPTOTERIGYNANDRUM** C.Müll.
1. Magill. 1987a.
- L. austroalpinum** C.Müll.
- LEPTOTHECA** Schwägr.
1. Magill. 1987.
- L. gaudichaudii** Schwägr.

LEPTOTRICHELLA (Müll. Ha.) Lindb.

1. Ochyra 1998.

L. minuta (Hampe) Ochyra**LESKEELLA** (Limpr.) Loeske

1. Magill & Schelpe. 1979.

L. zuluensis Broth. & Bryhn**LEUCOBRYUM** Hampe

1. Magill. 1981.

L. acutifolium (Mitt.) Cardot**L. madagassum** Besch.**L. rehmannii** C.Müll.**LEUCODON** Schwägr.

1. Magill & Van Rooy 1998.

L. assimilis (C.Müll.) A.Jaeger**L. capensis** Schimp. in Renauld = *L. assimilis***L. maritimus** (Hook.) Wijk. & Margad. =*Catagonium nitens* subsp. *maritimum***LEUCOLOMA** Brid.

1. Magill. 1981.

L. chrysobasilare (C.Müll.) A.Jaeger**L. rehmannii** (C.Müll.) Rehmann ex Paris**L. sprengelianum** (C.Müll.) A.Jaeger**L. syrrhopodontoides** Broth.**LEUCOPERICHAETIUM** Magill

1. Magill. 1981.

L. eremophilum Magill**LEVIERELLA** C.Müll.

2. Bizot & Pócs. 1982.

L. fabroniacea C.Müll. var. *abyssinica* Dixon
= *L. perserrata***L. perserrata** P.de la Varde & J.-F.Leroy**LINDBERGIA** Kindb.

1. Magill & Schelpe. 1979.

L. haplocladioides Dixon**L. patentifolia** Dixon**L. pseudoleskeoides** Dixon**L. viridis** Dixon**LOPIDIUM** Hook.f. & Wilson

1 Magill & Van Rooy 1998.

L. pennaeforme (Brid.) M.Fleisch.**MACROCOMA** (C.Müll.) Grout

1 Magill & Van Rooy 1998.

M. lycopodioides (Schwägr.) Vitt**M. pulchella** (Hornschr.) Vitt**M. tenue** (Hook. & Grev.) Vitt subsp *tenue***MACROMITRIUM** Brid.

2. Van Rooy & Van Wyk. 1992.

M. lebomboense Van Rooy**M. levatum** Mitt.**M. macropelma** C.Müll.**M. richardii** Schwägr.**M. schlotheimiaeforme** Paris = *Cardotiella secunda***M. secundum** C.Müll. = *Cardotiella secunda***M. serpens** (Hook. & Grev.) Brid.**M. tristratosum** Dixon = *M. serpens***MEIOTHECIUM** Mitt.

1. Magill & Schelpe. 1979.

M. fuscescens (A.Jaeger) Broth.**MICROBRYUM** Schimp.

1. Zander. 1993.

M. davallianum (Sm.) R.H.Zander var.*conicum* (Schleich. ex Schwägr.) R.H. Zander**M. rufochaete** (Magill) R.H.Zander**M. subplanomarginatum** (Dixon)

R.H.Zander

MICROCAMPYLOPUS (C.Müll.) M.Fleisch.**M. perpusillus** (Mitt.) Broth. = *Campylopus perpusillus***MICROCROSSIDIUM** Guerra & Cano

1. Cano, Guerra & Ros. 1993.

M. apiculatum (Magill) Guerra & Cano**MICRODUS** Schimp. ex Besch. =*Leptotrichella*

1. Magill. 1981.

2. Ochyra 1997.

M. minutus (Hampe) Besch. = *Leptotrichella minuta* 2.

MICROPOMA Lindb.

1. Magill. 1987.

M. niloticum (Delile) Lindb.

MIELICHHOFERIA Nees & Hornsch.

1. Van Rooy & Magill. 1987.

M. bryoides (Harv.) Wijk & Margad.

M. subnuda Sim

MITTENOTHAMNIUM Henn.

1. Magill & Schelpe. 1979.

M. cavifolium (Dixon) Wijk & Margad. =

Chrysophyllum cavifolium

M. ctenidioides (Dixon) Schelpe

M. cygnicollum (Dixon) Wijk & Margad.

M. diminutivum (Hampe) Britten - species
insufficiently known

M. horridulum (Broth.) Cardot

M. patens (Hampe) Cardot

M. pseudo-reptans (C.Müll.) Cardot

NANOBRYUM Dixon

N. dummeri Dixon = *Fissidens gladiolus*

NECKERA Hedw.

1 Magill & Van Rooy 1998.

N. valentiniana Besch.

OCTOBLEPHARUM Hedw.

1. Magill. 1981.

O. albidum Hedw.

OEDIPODIELLA Dixon

1. Magill. 1987.

O. australis (Wager & Dixon) Dixon

OLIGOTRICHUM Lam. & DC.

1. Fanshawe. 1980.

O. afrolaevigatum (Dixon) G.L.Sm.

O. capense Schelpe & Fanshawe

O. tetragonum Schelpe & Fanshawe

O. wageri (Broth.) G.L.Sm.

OREOWEISIA (Bruch, Schimp. &
W.Gümbel) De Not.

1. Magill. 1981.

O. erosa (C.Müll.) Kindb.

ORTHODONTIUM Schwägr.

1. Van Rooy & Magill. 1987.

O. lineare Schwägr.

ORTHOSTICHOPSIS Broth.

2. Magill & Van Rooy 1998.

O. pinnatella (Broth.) Broth.

O. subimbricata (Hampe) Broth.

ORTHOTRICHUM Hedw.

1 Magill & Van Rooy 1998.

O. afro-fastigiatum C.Müll. - species
insufficiently known

O. armatum Lewinsky & Van Rooy

O. diaphanum Brid.

O. firmum Vent.

O. incurvomarginatum Lewinsky & Van
Rooy

O. mirum Lewinsky = *Stoneobryum mirum*

O. oreophilum Lewinsky & Van Rooy

O. rupestre Schwägr.

O. subexsertum Schimp. ex C.Müll.

O. transvaalense Rehmann ex Sim

OXYRRHYNCHIUM (Bruch, Schimp. &
W.Gümbel) Warnst.

1. Magill & Schelpe. 1979.

O. confervoideum Sim

O. subasperum Sim

OXYSTEGUS (Limpr.) Hilp.

O. cylindricus (Brid.) Hilp. = *Trichostomum tenuirostre*

PALAMOCLADIUM C.Müll.

1. Hofmann 1997.

P. leskeoides (Hook.) Britt.

P. sericeum (A.Jaeger) C.Müll. = *P. leskeoides* 1.

P. sericeum (A.Jaeger) C.Müll. var

afrostriatum C.Müll. = *P. leskeoides* 1.

PAPILLARIA (C.Müll.) C.Müll.

1 Magill & Van Rooy 1998.

P. africana (C.Müll.) A.Jaeger**PHASCONICA** C.Müll.**P. tisserantii** P.de la Varde = *Trichostomum unguiculatum***PHASCUM** Hedw.

1. Magill. 1981.

2. Zander, 1993.

P. leptophyllum C.Müll. = *Chenia leptophylla***P. peraristatum** C.Müll.**PHILONOTIS** Brid.

1. Magill. 1987. FSA Bryoph. 1,2.

2. Griffin & Buck. 1989.

P. africana (C.Müll.) Paris**P. comosa** (Broth.) D.G.Griffin & W.R.Buck**P. dregeana** (C.Müll.) A.Jaeger**P. falcata** (Hook.) Mitt.**P. globosa** (C.Müll.) D.G.Griffin &

W.R.Buck

P. hastata (Duby) Wijk & Margad.**P. scabrifolia** (Hook.f. & Wilson) Braithw.**P. vagans** (Hook.f. & Wilson) Mitt.**PHYSCOMITRELLOPSIS** Broth. & Wager

ex Dixon

1. Magill. 1987.

P. africana Wager & Broth. ex Dixon**PHYSCOMITRIUM** (Brid.) Brid.

1. Magill. 1987.

P. spathulatum (Hornschr.) C.Müll. var.

sessile (Shaw) Magill

P. spathulatum (Hornschr.) C.Müll. var.

spathulatum

PILOTRICHELLA (C.Müll.) Besch.

1. Magill & Van Rooy 1998.

P. conferta Renauld & Cardot = *P.**panduraefolia***P. cuspidata** Broth. = *P. panduraefolia***P. panduraefolia** (C.Müll.) A.Jaeger**PINNATELLA** Fleischm.

1. Enroth 1994.

2. Magill & Van Rooy 1998.

P. flagellacea (Mitt.) Broth. ex Paris - excluded.**P. minuta** (Mitt.) Broth.**P. oblongifrondea** (Broth.) Broth. = *P. minuta***PLAGIOBRYUM** Lindb.

1. Van Rooy & Magill. 1987.

P. zierii (Hedw.) Lindb.**PLAGIOMNIUM** Pic.Serm.

1. Magill. 1987.

P. rhynchophorum (Hook.) Kop. var. *reidii* (Dixon) Kop.**PLAGIOPUS** Brid.

1. Magill. 1987.

P. oederianus (Sw.) H.A.Crum & L.E.Anderson**PLAGIOTHECIUM** Bruch, Schimp. &

W.Gümbel

1. Magill & Schelpe. 1979.

P. membranosulum C.Müll.**P. rhynchostegioides** C.Müll.**PLATYHYPNIDIUM** Fleischm.

1. Magill & Schelpe. 1979

2. PRE herbarium practise.

P. aquaticum (A.Jaeger) M.Fleisch.**P. macowanianum** (Paris) M.Fleisch.**PLATYNEURUM** (Cardot) Broth.

1. Frahm 1989.

2. Ochyra & Bednarek-Ochyra 1997.

P. laticostatum (Card.) Broth. = *P. praealtum* 2.**P. praealtum** (Mitt.) Ochyra & Bednarek-Ochyra**PLAUBELIA** Brid.

1. Zander. 1993.

P. involuta (Magill) R.H.Zander

PLEURIDIUM Rabenh.

1. Magill. 1981.

P. ecklonii (C.Müll.) Snider*P. nervosum* (Hook.) Mitt.*P. papillosum* Magill*P. pappeanum* (C.Müll.) A.Jaeger**POGONATUM** P.Beauv.

1. Fanshawe. 1980.

P. borgenii (Hampe) A.Jaeger*P. capense* (Hampe) A.Jaeger*P. nanum* (Hedw.) P.Beauv. - excluded*P. oligodus* (C.Müll.) Mitt.**POHLIA** Hedw.

1. Van Rooy & Magill. 1987.

P. baronii Wijk & Margad.*P. cruda* (Hedw.) Lindb.*P. elongata* Hedw.*P. nutans* (Hedw.) Lindb.**POLYTRICHASTRUM** G.L.Sm.

1. Fanshawe. 1980.

P. formosum (Hedw.) G.L.Sm.**POLYTRICHUM** Hedw.

1. Fanshawe. 1980.

P. commune Hedw.*P. formosum* Hedw. = *Polytrichastrum formosum**P. juniperinum* Willd. ex Hedw.*P. longisetum* Sw.ex Brid. - excluded*P. natalense* Sim = *Pogonatum oligodus**P. piliferum* Schreb. ex Hedw.*P. subformosum* Besch.**POROTHAMNIUM** Fleischm.

1 Magill & Van Rooy 1998.

P. capense (Broth. & Dixon) Sim - species insufficiently known*P. hildebrandtii* (C.Müll.) M.Fleisch. = *P. stipitatum**P. natalense* (C.Müll.) M.Fleisch. =*Porotrichum usagarum**P. pennae frondeum* (C.Müll.) Cardot =*Porotrichum madagassum**P. stipitatum* (Mitt.) Touw ex De Sloover**POROTRICHUM** (Brid.) Hampe

1 Magill & Van Rooy 1998.

P. elongatum (Welw. & Duby) A.Gepp*P. madagassum* Kiaer ex Besch.*P. molliculum* Broth. = *P. usagarum**P. usagarum* Mitt.**POTTIA** (Rchb.) Fürnr.

1. Magill. 1981.

2. Zander, 1993.

P. macowaniana C.Müll. = *Microbryum davallianum* var. *conicum**P. namaquensis* Magill*P. splachnoides* (Hornsch.) Broth. = *Tortula splachnoides**P. subplanomarginata* Dixon = *Microbryum subplanomarginatum***PRIONODON** C.Müll.

1 Magill & Van Rooy 1998.

P. densus (Hedw.) C.Müll.**PSEUDOCROSSIDIUM** Williams

1. Zander. 1979.

2 . Frey & Kurschner. 1988.

3. Sollman, 1991.

4. Zander. 1993.

P. crinitum (Schultz) R.H.Zander*P. hornschuchianum* (Schultz) R.H.Zander*P. porphyreoneurum* (C.Müll. ex Venturi)

R.H.Zander

P. replicatum (Taylor) R.H.Zander**PSEUDOLESKEA** Bruch, Schimp. &

W.Gümbel

1. Magill & Schelpe. 1979.

2. PRE herbarium use following R.

Ochyra (pers. comm.)*P. chilensis* (Lor.) Ochyra 2.*P. leskeoides* (Paris) C.Müll.

PSEUDOLESKEOPSIS Broth.

1. Magill & Schelpe. 1979.

P. claviramea (C.Müll.) Thér.**P. pseudoattenuata** (C.Müll.) Thér.**P. unilateralis** Dixon**PSIOPILUM** Brid.

1. Fanshawe. 1980.

P. afrolaevigatum Dixon = Oligotrichum afrolaevigatum**P. trichodon** (Hook.f. & Wilson) Mitt. - excluded**P. wageri** Broth. in Dixon = Oligotrichum wageri**PTEROBRYOPSIS** Fleischm.

1. Magill & Van Rooy 1998

Pterobryopsis acutifolium (Brid.) Magill**Pterobryopsis hoenelii** (C.Müll.) Magill**P. rehmannii** Magill**PTEROGONIUM** Sw.

1 Magill & Van Rooy 1998.

P. gracile (Hedw.) Sm.**PTERYGONEURUM** Jur.

1. Magill. 1981.

P. macleanum Warnst.**PTYCHOMITRIOPSIS** Dixon

1 Magill & Van Rooy 1998.

P. africana Dixon**P. aloinoides** Magill**PTYCHOMITRIUM** Fürnr.

1 Magill & Van Rooy 1998.

P. crassinervium (C.Müll.) Schimp. ex Paris**P. crispatum** (Hedw.) A.Jaeger**P. cucullatifolium** (C.Müll.) A.Jaeger**P. depressum** (C.Müll.) Paris**P. diexaratum** Magill ex Magill & Schelpe**P. eurybasis** Dixon**P. exaratifolium** H.Rob.**P. godfreyi** H.Rob. = Ptychomitriopsis africana**P. marginatum** (Wager ex Dixon) Dixon = **P.****subcrispatum****P. obtusatum** (C.Müll.) Paris = **P.****cucullatifolium****P. subcrispatum** Thér. & P.de la Varde**PYRRHOBRYUM** Mitt.

1. Magill. 1987.

P. spiniforme (Hedw.) Mitt.**P. vallis-gratiae** (Hampe) Manuel**QUATHLAMBA** Magill

1. Magill. 1987.

Q. debilicostata Magill**RACOMITRIUM** Brid.

1. Magill. 1981.

2. Ochyra et al. 1988.

R. crispulum (Hook.f. & Wilson) Hook.f. & Wilson**R. lamprocarpum** (C.Müll.) A.Jaeger**R. lanuginosum** (Hedw.) Brid.**R. nigro-viride** (C.Müll.) Paris = **R.**
lamprocarpum**RACOPILUM** P.Beauv.

1 Magill & Van Rooy 1998.

R. capense C.Müll.**RAUIELLA** Reimers

1. Buck & Crum. 1990.

R. praelonga (Besch.) Wijk & Margad.**R. subfilamentosa** (Besch.) Wijk & Margad. =
R. praelonga**RHABDOWEISIA** Bruch, Schimp. &

W.Gümbel

1 Magill & Van Rooy 1998.

Van Rooy. 1991.

R. crispata (With.) Lindb.**R. fugax** (Hedw.) Bruch, Schimp. &
W.Gümbel**RHACHITHECIUM** Broth. ex Le'Jol.

1 Magill & Van Rooy 1998.

R. perpusillum (Thwaites & Mitt.) Broth.

RHACOCARPUS Lindb.

1. Magill & Van Rooy 1998.

R. purpurascens (Brid.) Paris

R. rehmannianus (C.Müll.) Wijk & Margad. =

R. purpurascens 1

RHACOPILOPSIS Renauld & Cardot

1. Buck. 1993.

R. flexilis (Renauld & Cardot) Buck*R. transvaaliensis* Thér. & Dixon*RHODOBRYUM* (Schimp.) Limpr.

1. Van Rooy & Magill. 1987.

R. commersonii (Schwägr.) Paris*R. keniae* (C.Müll.) Broth.*R. roseum* (Hedw.) Limpr.*R. umbraculum* (Hook.) Schimp. ex Paris*RHYNCHOSTEGIELLA* (Bruch, Schimp. & W.Gümbel) Limpr.

1. Magill & Schelpe. 1979.

R. holstii (Broth.) Broth.*R. sublaevipes* Broth. & Bryhn*R. zeyheri* (C.Müll.) Broth.*RHYNCHOSTEGIUM* Bruch, Schimp. & W.Gümbel

1. Magill & Schelpe. 1979.

R. brachypterum (Hornschr.) A.Jaeger*R. raphidorrhynchum* (C.Müll.) A.Jaeger*R. subbrachypterum* Broth. & Bryhn*RIGODIUM* Kunze ex Schwägr.

1. Zomlefer. 1993.

R. kilimandscharicum (Broth.) Paris = *R. toxarion*

R. toxarion (Schwägr.) A.Jaeger

SAELANIA Lindb.

1. Magill. 1981.

S. glaucescens (Hedw.) Broth.

SANIONIA Loeske

1. Tuomikoski & Koponen. 1979.

S. uncinata (Hedw.) Loeske

SCHISTIDIUM Brid.

1. Bremer. 1980.

S. apocarpum (Hedw.) Bruch & Schimp.

SCHLOTHEIMIA Brid.

1. Magill & Van Rooy 1998.

S. ferruginea (Hook. & Grev.) Brid.

S. grevilleana Mitt. - excluded.

S. percuspidata C.Müll.

S. rufo-aeruginosa C.Müll. - species insufficiently known

S. rufopallens C.Müll.

S. ventrosa C.Müll. - species insufficiently known

SCIAROMIUM (Mitt.) Mitt.

S. capense Mitt. ex Dixon = *Vittia pachyloma*

SEMATOPHYLLUM Mitt.

1. Magill & Schelpe. 1979.

2. Buck. 1983.

S. brachycarpum (Hampe) Broth.

S. caespitosum (Hedw.) Mitt. = *S. subpinnatum*

S. dregei (C.Müll.) Magill

S. gueinzii (Hampe) Magill

S. sphaeropyxis (C.Müll.) Broth.

S. subpinnatum (Brid.) Britten

S. wagerii C.H.Wright ex Wager

S. zuluense (Sim) Magill

SPHAEROTHECIUM Hampe

1. Frahm. 1986.

S. subchlorophyllosum (C.Müll. ex Rabenh.) Frahm

SPHAGNUM L.

1. Magill. 1981..

2. Eddy. 1985..

S. africanum Wew. & Duby - excluded

S. capense Hornsch.

S. fimbriatum Wilson in Hook.

S. obtusiusculum Lindenb. ex Warnst. = *S. violascens*

S. perichaetiale Hampe

- S. pycnocladulum* C.Müll. Zander
S. strictum Sull. subsp. *pappeanum* (C.Müll.) Eddy
S. truncatum Hornsch.
S. violascens C.Müll.
- SQUAMIDIUM** (C.Müll.) Broth.
 1. Magill & Schelpe. 1979.
 2. Allen & Crosby. 1986.
- S. biforme* (Hampe) Broth. = *S. brasiliense*
S. brasiliense (Hornsch.) Broth.
- STEREOPHYLLUM** Mitt.
 1. Magill & Schelpe. 1979.
- S. natalense* Sim
S. odontocalyx (C.Müll.) A.Jaeger
S. woodii (Sim) Magill
- STONEOBRYUM** D.H.Norris & H.Rob.
 1 Magill & Van Rooy 1998.
S. mirum (Lewinsky) D.H.Norris & H.Rob.
- STREPTOCALYPTA** C.Müll.
 2. Zander. 1993.
S. pulchriretis (Dixon) R.H.Zander
- SYNTRICHIA** Brid.
 1. Kramer. 1988.
 2 . Magill, Delgadillo & Stark. 1983.
 3. Ochyra. 1992.
 4. Zander. 1993.
- S. ammoniana* (H.A.Crum & L.E.Anderson)
 Ochyra
S. austroafricana (W.A.Kramer) R.H.Zander
S. chisosa (Magill, Delgad. & L.R.Stark)
 R.H.Zander
S. fragilis (Taylor) Ochyra
S. pagorum (Milde) J.J.Amann
S. papillosa (Wilson in Spruce) Jur.
S. princeps (De Not.) Mitt.
S. ruralis (Hedw.) F.Weber & Mohr
- SYRRHOPODON** Schwägr.
 1. Orban. 1981.
S. asper Mitt.
S. gaudichaudii Mont.
- S. gomesii* P.de la Varde = *S. asper*
S. obliquirostris C.Müll. = *S. gaudichaudii*
S. uncinifolius C.Müll. = *S. gaudichaudii*
- TAYLORIA** Hook.
 1. Magill. 1987.
- T. isleana** (Besch.) Broth.
- T. orthodonta** (P.Beauv.) Wijk & Margad.
- TETRAPTERUM** Hampe ex A.Jaeger
 1. Magill. 1981
- T. tetragonum** (Hook.) Andrews
- THUIDIUM** Bruch, Schimp. & W.Gümbel
 1. Magill & Schelpe. 1979.
 2. Buck & Crum 1990.
- T. chenagonii* C.Müll. ex Renauld & Cardot - excluded
- T. matarumense** Besch.
T. ramusculosum (Mitt.) A.Jaeger = *Cyrtohypnum ramusculosum*
T. varians Welw. & Duby = *Cyrtohypnum varians*
T. versicolor (C.Müll.) A.Jaeger = *Cyrtohypnum versicolor*
- TIMMIELLA** (De Not.) Limpr.
 1. Magill. 1981.
- T. pelindaba** Magill
- TORTELLA** (Lindb.) Limpr.
 1. Magill. 1981.
T. fragilis (Hook. & Wilson) Limpr.
T. humilis (Hedw.) Jenn.
T. xanthocarpa (C.Müll.) Broth.
- TORTULA** Hedw.
 1. Kramer. 1980.
 2. Magill. 1981.
 3. Townsend, 1987.
 4. Zander. 1993.
- T. ammoniana* Crum & Anderson = *Syntrichia ammoniana*
T. atrovirens (Sm.) Lindb.
T. austroafricana W.A.Kramer = *Syntrichia austroafricana*

T. bogosica (C.Müll.) R.H.Zander
T. chisosa Magill, Delgad. & L.R.Stark =
Syntrichia chisosa
T. muralis Hedw.
T. pagorum (Milde) De Not. = *Syntrichia pagorum*
T. papillosa Wilson ex Spruce = *Syntrichia papillosa*
T. porphyreoneura (C.Müll.) Towns. =
Pseudocrossidium porphyreoneurum
T. princeps De Not. = *Syntrichia princeps*
T. schmidii (C.Müll.) Broth. = *Syntrichia fragilis*
T. splachnoides (Hornschr.) R.H.Zander

TRACHYPHYLLUM A.Gepp in Hiern
 1. Buck. 1979.
T. fabronioides (Besch.) A.Gepp - species
 insufficiently known
T. gastrodes (Welw. & Duby) A.Gepp
T. maximum Dixon = *T. gastrodes*

TRACHYPODOPSIS Fleischm.
 1 Magill & Van Rooy 1998.
T. serrulata (P.Beauv.) M.Fleisch.

TRACHYPUTUS Reinw. & Hornsch.
 1 Magill & Van Rooy 1998.
T. bicolor Reinw. & Hornsch. var. *viridulus*
 (Mitt.) Zanten

TREMATODON Michx.
 1. Magill. 1981.
T. divaricatus Bruch ex C.Krauss
T. intermedius Welw. & Duby
T. longicollis Michx.
T. mayottensis Besch.
T. paradoxus Hornsch.
T. pillansii Dixon ex Sim

TRICHOSTELEUM Mitt.
 1. Magill & Schelpe. 1979.
T. perchlorosum Broth. & Bryhn

TRICHOSTOMOPSIS Cardot
T. australasiae (Hook. & Grev.) H.Rob. =
Didymodon australasii
T. trivialis (C.Müll.) H.Rob. = *Didymodon trivialis*

TRICHOSTOMUM Bruch
 1. Smith. 1977.
 2. Magill. 1981.
 3. Zander. 1993.
T. brachydontium Bruch ex F.A.Müll.
T. tenuirostre (Hook.& Taylor) lindb.
T. unguiculatum (Mitt.) R.H.Zander

TRIQUETRELLA C.Müll.
 1. Magill. 1981.
T. tristicha (C.Müll.) C.Müll.

TRISTICHUM C.Müll.
 1. Magill. 1981.
T. mirabile (C.Müll.) Herzog

ULOTA Mohr
 1 Magill & Van Rooy 1998.
U. ecklonii (Hornschr.) A.Jaeger

VESICULARIA (C.Müll.) C.Müll.
 1. Magill & Schelpe. 1979.
V. galerulata (Duby) Broth.

VITTIA Ochyra
 1. Ochyra. 1987.
V. pachyloma (Mont.) Ochyra

WARDIA Harv. & Hook.
 1 Magill & Van Rooy 1998.
W. hygrometrica Harv. & Hook.

WEISIOPSIS Broth.
 1. Magill. 1981.
 2. Zander. 1993.
W. involuta Magill = *Plaubelia involuta*
W. plicata (Mitt.) Broth.
W. pulchriretis Dixon = *Streptocalypta pulchriretis*

WEISSIA Hedw.

1. Magill. 1981.

W. controversa Hedw.**W. cucullata** C.Müll.**W. dieterlenii** Thér.**W. humicola** C.Müll.**W. latiuscula** C.Müll.**WIJKIA** Crum

1. Magill & Schelpe. 1979.

W. trichocolea (C.Müll.) H.A.Crum**ZYGODON** Hook. & Taylor

1 Magill & Van Rooy 1998.

Z. cernuus C.Müll. - species insufficiently known

Z. dixonii Sim**Z. erosus** Mitt.**Z. intermedius** Bruch, Schimp.& W.Gümbel**Z. leptobolax** C.Müll.**Z. runcinatus** C.Müll.**Z. trichomitrius** Hook. & Wilson**C. Systematic Arrangement of Southern African Moss Families and Genera**

The systematic arrangement of the families and the generic placement generally follow the (*Moss Flora of Southern Africa*) (Magill 1981, 1987; Magill & Van Rooy 1998) or the *Checklist* (Magill & Schelpe 1979). Where changes have occurred in the arrangement of families or the placement of genera, or where new families or genera have been added since the publication of Magill & Schelpe's *Checklist* or the first two fascicles of the *Moss Flora*, the literature reference is given under the family name. The numbers after the family names are those of Magill & Schelpe (1979), adapted for use in the PRE Bryophyte Herbarium.

SPHAGNACEAE (1)

Sphagnum

Ditrichum

Eccremidium

Pleuridium

ANDREAEACEAE (2)

Andreaea

Saelania

Tristichium

FISSIDENTACEAE (3)

1. Pursell & Reese, 1980.

Fissidens

SELIGERIACEAE (7)

Blindia

ARCHIDIACEAE (4)

Archidium

DICRANACEAE (8)

Aongstroemia

Aongstroemiopsis

Bruchia

Campylopus

Chorisodontium

Cladophascum

Dicranella

Dicranoloma

DITRICHACEAE (5)

Astomiopsis

Ceratodon

Cheilotrichia

Distichium

Holomitrium	Trichostomum
Leucobryum	Triquetrella
Leucoloma	Weisiopsis
Microdus	Weissia
Oreoweisia	
Sphaerothecium	BRYOBARTRAMIACEAE (14A)
Trematodon	Bryobartramia
CALYMPERACEAE (12)	
Calymperes	GRIMMIACEAE (15)
Hypodontium	Grimmia
Octoblepharum	Leucoperichaetium
Syrrhopodon	Racomitrium
	Schistidium
ENCALYPTACEAE (13)	
Encalypta	GIGASPERMACEAE (16)
POTTIACEAE (14)	Chamaebryum
1. Cano, Guerra & Ros 1993.	Gigaspermum
2. Zander 1993.	Oedipodiella
Acaulon	EPHEMERACEAE (18)
Aloina	Ephemerum
Anoectangium	
Barbula	FUNARIACEAE (19)
Bryoerythrophyllum	Cygnicollum
Chenia	Funaria
Crossidium	Goniomitrium
Didymodon	Micropoma
Gymnostomum	Physcomitrellopsis
Hennediella	Physcomitrium
Hymenostylium	
Hyophila	SPLACHNACEAE (21)
Leptodontium	Tayloria
Microbryum	
Microcrossidium	BRYACEAE (24)
Phascum	1. Crum, 1992.
Plaubelia	Anomobryum
Pottia	Brachymenium
Pseudocrossidium	Bryum
Pterygoneurum	Leptobryum
Streptocalypta	Mielichhoferia
Syntrichia	Orthodontium
Tetrapterum	Plagiobryum
Timmiella	Pohlia
Tortella	Rhodobryum
Tortula	

MNIACEAE (26)	RHABDOWEISIACEAE (42A)
Plagiomnium	Rhabdoweisia
EUSTICHIACEAE (28)	RACOPILACEAE (44)
Eustichia	Racopilum
RHIZOGONIACEAE (32)	FONTINALACEAE (45)
Pyrrhobryum	Fontinalis
AULACOMNIACEAE (34)	WARDIACEAE (45A)
Leptotheca	Wardia
BARTRAMIACEAE (37)	HEDWIGIACEAE (47)
Anacolia	Braunia
Bartramia	Hedwigia
Breutelia	Hedwigidium
Conostomum	Rhacocarpus
Philonotis	
Plagiopus	
Quathlamba	
ERPODIACEAE (40)	CRYPHAEACEAE (48)
Aulacopilum	Cryphaea
Erpodium	
RHACHITHECIACEAE (40A)	LEUCODONTACEAE (49)
Rhachithecium	Leucodon
	Pterogonium
PTYCHOMITRIACEAE (41)	PRIONODONTACEAE (53)
Ptychomitriopsis	Prionodon
Ptychomitrium	
ORTHOTRICHACEAE (42)	TRACHYPODACEAE (55)
1. Norris & Robinson, 1981.	Trachypodopsis
2. Vitt, 1981.	Trachypus
3. Van Rooy & Van Wyk, 1992.	
Amphidium	
Cardotiella	
Macrocoma	
Macromitrium	
Orthotrichum	
Schlotheimia	
Stoneobryum	
Ulota	
Zygodon	
	PTEROBRYACEAE (57)
	Jaegerina
	Orthostichopsis
	Pterobryopsis
	METEORIACEAE (58)
	Aerobryopsis
	Floribundaria
	Papillaria
	Pilotrichella
	Squamidium

LEPTODONTACEAE (58A)

1. Buck, 1981.

Forsstroemia

Leptodon

NECKERACEAE (60)

Neckera

THAMNOBRYACEAE (60A)

1. Buck & Vitt, 1986.

Pinnatella

Porothamnium

Porotrichum

HOOKERIACEAE (65)

Callicostella

Calyptrochaeta

Cyclodictyon

Distichophyllum

Hookeriopsis

Hypopterygium

Lepidopilidium

Lopidium

FABRONIACEAE (70)

Dimerodontium

Fabronia

Helicodontium

Ischyrodon

Leptoischyrodon

STEREOPHYLLACEAE (70A)

1. Buck & Ireland, 1985.

Entodontopsis

Stereophyllum

LESKEACEAE (71)

1. Vitt, 1984.

1. Buck & Crum, 1990.

2. Enroth, 1991.

Haplocladium

Herpetineuron

Leptotergynandrum

Leskeella

Lindbergia

Pseudoleskea

Pseudoleskeopsis

THUIDIACEAE (72)

1. Buck & Crum, 1990

Abietinella

Cyrtohypnum

Haplohypnum

Rauiella

Thuidium

RIGODIACEAE (72B)

1. Crum, 1981.

Rigodium

AMBLYSTEGIACEAE (73)

1. Tuomikoski & Koponen, 1979.

2. Ochyra, 1987.

3. Ochyra & Pócs, 1992.

Campyliadelphus

Cratoneuron

Drepanocladus

Leptodictyum

Platyhypnidium

Sanionia

Vittia

BRACHYTHECIACEAE (74)

1. Ochyra & Pócs, 1982.

Brachythecium

Oxyrrhynchium

Palamocladium

Rhynchostegiella

Rhynchostegium

ENTODONTACEAE (75)

Entodon

Erythrodontium

Levierella

Trachyphyllum

PLAGIOTHECIACEAE (76)

1. Buck & Ireland, 1985.

Plagiothecium

CATAGONIACEAE (76A)	Ectropothecium
1. Buck & Ireland, 1985.	Hypnum
Catagonium	Isopterygium
	Mittenothamnium
	Vesicularia
SEMATOPHYLLACEAE (77)	
1. Buck, 1993.	
Rhacopilopsis	POLYTRICHACEAE (83)
Sematophyllum	1. Fanshawe, 1980.
Trichosteleum	Atrichum
Wijkia	Oligotrichum
	Pogonatum
HYPNACEAE (78)	Polytrichastrum
1. Ochyra & Sharp, 1988.	Polytrichum
Chrysohypnum	

D. Literature Cited

- Allen, B.H. & Crosby, M.R. 1986. Revision of the genus *Squamidium* (Musci: Meteoriaceae). *Journal of the Hattori Botanical Laboratory* 61: 423-476.
- Ando, H. 1993. Taxonomic results of the Bryotrop expedition to Rwanda and Zaire. 25. *Hypnum*. *Tropical Bryology* 8: 219-222.
- Ando, H. 1993. Studies on the genus *Hypnum* hedw. (IX). *Hikobia* 11: 265-275.
- Ando, H. 1995. What is '*Hypnum aduncoides*' (Musci, Hypnaceae) from Africa. *Fragmenta Floristica et Geobotanica* 40,1: 189-196.
- Arts, T. 1995. *Pohlia integra* (Card.) Shaw a neglected species, recorded from southern Africa and South America. *Journal of Bryology* 18: 791-796.
- Arts, T. 1998. A contribution to the moss flora of the Cape provinces. *Journal of Bryology* 20: 429-447.
- Bizot, M. & Pocs, T. 1982. East African Bryophytes, V. *Acta Botanica Academiae Scientiarum Hungaricae* 28: 15-64.
- Bremer, B. 1980. A taxonomic revision of *Schistidium* (Grimmiaceae, Bryophyta) 2. *Lindbergia* 6: 89-117.
- Bruggeman-Nannenga, M.A. 1993. Taxonomic Results of the Bryotrop Expedition to Zaire and Rwanda. 15. Fissidentaceae. *Tropical Bryology* 8: 141-148.

- Bruggeman-Nannenga, M.A. 1997. Notes on *Fissidens* VI. New synonyms, new combinations and validation of some names. *Journal of the Hattori Botanical Laboratory* 81: 155-173.
- Buck, W.R. 1979. A Revision of the moss genus *Trachyphyllum* Gepp (Thuidiaceae). *Brittonia* 31: 379-394.
- Buck, W.R. 1983. Nomenclatural and taxonomic notes on West Indian Sematophyllaceae. *Brittonia* 35,3: 309-311.
- Buck, W.R. 1993. Taxonomic results of the Bryotrop Expedition To Zaire and Rwanda. 24. Leskeaceae, Brachytheciaceae, Stereophyllaceae, Plagiotheciaceae, Entodontaceae, Sematophyllaceae p.pte., Hypnaceae (except *Hypnum*). *Tropical Bryology* 8: 199-217.
- Buck, W.R. & Crum, H. 1990. An evaluation of familial limits among the genera traditionally aligned with the Thuidiaceae and Leskeaceae. *Contributions from the University of Michigan Herbarium* 17: 55-69.
- Burley, J.S. & Pritchard, N.M. 1990. Revision of the genus *Ceratodon* (Bryophyta). *Harvard Papers in Botany* 2: 17-76.
- Cano, M.J., Guerra, J. & Ros, R.M. 1993. A revision of the moss genus *Crossidium* (Pottiaceae) with the description of the new genus *Microcrossidium*. *Plant Systematics and Evolution* 188: 213-236.
- Corley, M.F.V. & Frahm, J.-P. 1982. Taxonomy and world distribution of *Campylopus pyriformis* (Schultz) Brid. *Journal of Bryology* 12: 187-190.
- Crum, H. 1992. A Reconsideration of the Leptostomataceae. *Journal of the Hattori Botanical Laboratory* 72: 127-139.
- De Sloover, J.L. 1986. Note de bryologie Africaine XIII. Polytrichaceae. *Bulletin Jardin Botanique National de Belgique* 56: 241-300.
- Eddy, A. 1985. A revision of African Sphagnales. *Bulletin of the British Museum of Natural History (Bot.)* 12,3: 77-162.
- Enroth, J. 1991. A commentary on the moss genus *Bryonorrisia* Stark & Buck (Leskeaceae), with *B. acutifolia* (Mitt.) Enroth comb. nov. *Journal of Bryology* 16: 407-412.
- Enroth, J. 1994. A taxonomic monograph of the genus *Pinnatella* (Neckeraceae, Bryopsida). *Acta Botanica Fennica* 151: 1-90.
- Fanshawe, N.C. 1980. *A Revision of the Southern African species of Polytrichaceae*. M.Sc. (Botany), University of Cape Town.

- Frahm, J.-P. 1984. *Campylopus* Brid. 1. Subgenus *Thysanomitrion* (Schwaegr.) Kindb. emend. J.-P. Frahm. *Nova Hedwigia* 39: 585-
- Frahm, J.-P. 1985. Afrikanische *Campylopus*-arten (Dicranaceae, Musci). *Bryophytorum Bibliotheca* 31: 1-216.
- Frahm, J.-P. 1986. A review of *Sphaerothecium* Hampe. *The Bryologist* 89: 152-154.
- Frahm, J.-P. 1988. The subantarctic and southern hemisphere species of *Campylopus* (Dicranaceae), with contributions to the origin and speciation of the genus. *Journal of the Hattori Botanical Laboratory* 64: 367-387.
- Frahm, J.-P. 1989. The genus *Chorisodontium* (Dicranaceae, Musci) in the Neotropics. *Tropical Bryology* 1: 11-24.
- Frahm, J.-P., Borner, H., Streiber, N., Wallau, B. & Weitkus, S. 1996. Revision der Gattung *Conostomum* (Musci, Bartramiaceae). *Tropical Bryology* 12: 97-114.
- Frahm, J.-P., Lindlar, A., Sollman, P. & Fischer, E. 1996. Bryophytes from the Cape Verde Islands. *Tropical Bryology* 12: 123-153.
- Frey, W. & Kurschner, H. 1988. *Pseudocrossidium replicatum* (Tayl.) Zander replaces *Barbula acutata* C.Mull. A note on its synonymy, distribution and Xeropottoid Life Syndrome. *Cryptogamie, Bryologie et Lichenologie* 9: 95-102.
- Giese, M. & Frahm, J.-P. 1986. A revision of *Microcampylopus* (C.Mull.) Fleisch. *Lindbergia* 11: 114-124.
- Granzow-de la Cerda, I. 1997. Revision and phylogeny of *Anomodon* and *Herpetineuron* (Anomodontaceae, musci). *Contributions of the University of Michigan Herbarium* 21: 205-275.
- Greven, H.C. 1996. *Grimmia mado* and *Grimmia sanii*, two new species from Africa. *The Bryologist* 99,4: 428-432.
- Griffin, D. 1992. The distribution and synonyms of *Breutelia microdonta* (mitt.) Broth. with additional notes on certain taxa of *Breutelia*. *Tropical Bryology* 5: 55-59.
- Griffin, D. & Buck, W.R. 1989. Taxonomic and phylogenetic studies on the Bartramiaceae. *The Bryologist* 92,3: 368-380.
- Guerra, J. & Ros, R.M. 1987. Revision de la Sección *Asteriscium* del género *Didymodon* (Pottiaceae, Musci) (= *Trichostomopsis*) en la Península Ibérica. *Cryptogamie, Bryologie et Lichenologie* 8,1: 47-68.

- Hedderson, T.A., Cox, C.J. & Gibbings, J.G. 1999. Phylogenetic relationships of the Wardiaceae (Musci), evidence from 18s rdna and rps4 gene sequences. *The Bryologist* 102: 26-31.
- Hodgetts, N.G., Matcham, H.W. & Duckett, J.G. 1999. Bryophytes collected in Lesotho, the Natal Drakensberg and the Orange Free State, southern Africa. *Journal of Bryology* 21: 133-155.
- Hofmann, H. 1997. A monograph of the genus *Palamocladium* (Brachytheciaceae, Musci). *Lindbergia* 22: 3-20.
- Hyvonen, J. 1989. A synopsis of genus *Pogonatum* (Polytrichaceae, Musci). *Acta Botanica Fennica* 138: 1-87.
- Isoviita, P. & Hedenäs, L. 1997. *Campylium* (Musci, Amblystegiaceae), A name typified by Pfeiffer. *Taxon* 46: 315-318.
- Kramer, W. 1980. *Tortula* Hedw. Sect. *Rurales* De Not. (Pottiaceae, Musci) in der östlichen Holarktis. *Bryophytorum Bibliotheca* 21: 1-165.
- Kramer, W. 1988. Beiträge zur Systematik und Bryogeographie einiger Sippen von *Tortula* Hedw. Sect. *Rurales* De Not. (Pottiaceae, Musci) unter besonderer Berücksichtigung der Südhemisphäre. *Journal of the Hattori Botanical Laboratory* 65: 81-144.
- Lin, S.-H. 1984. A taxonomic revision of Phyllogoniaceae (Bryopsida). Part II. *Journal of Taiwan Museum* 37,2: 1-54.
- Magill, R.E. 1981 *Flora of Southern Africa*. Bryophyta 1,1. National Botanical Institute, South Africa.
- Magill, R.E. 1987A. Musci Austro-Africana III. Alpine mosses of Lesotho. *Journal of Bryology* 14: 527-530.
- Magill, R.E. 1987. *Flora of Southern Africa*. Bryophyta 1,2. National Botanical Institute, South Africa.
- Magill, R.E., Delgadillo, C. & Stark, L.R. 1983. *Tortula chisosa* sp. nov., A bistratose-leaved species from the United States, Mexico, and southern Africa. *Annals of the Missouri Botanical Garden* 70: 200-202.
- Magill, R.E. & Schelpe, E.A. 1979. The bryophytes of southern Africa: an annotated checklist. *Memoirs of the Botanical Survey of South Africa* 43: 1-39.
- Magill, R.E. & Van Rooy, J. 1998. *Flora of Southern Africa*. Bryophyta 1,3. National Botanical Institute, South Africa. *Jardim Botânico do Rio de Janeiro, Portugal, with numerous new physiognomical genera and species. Catalogo Jardim Botânico Rio de Janeiro*, 58: 225-258.

- Norris, D.H. & Robinson, H. 1981. *Stoneobryum*, a new genus of Orthotrichaceae from South Africa and southern Queensland. *The Bryologist* 84,1: 95-99.
- O'Shea, B. 1995. Checklist of the mosses of sub-Saharan Africa. *Tropical Bryology* 10: 91-198.
- Ochi, H. 1980. A revision of the Neotropical Bryoideae, Musci (First Part). *The Journal of the Faculty of Education, Tottori University, Natural Science* 29,2: 49-154.
- Ochi, H. 1985. An annotated list of mosses of the Subfamily Bryoideae in South, Southeast and East Asia. *Journal of the Faculty of Education, Tottori University* 34: 41-96.
- Ochyra, R. 1987. A revision of the moss genus *Sciaromium* (Mitt.) Mitt. II. The Section *Limbidium* Dusen, with a description of *Vittia* gen.nov. (Vittiacae fam.nov.). *Journal of the Hattori Botanical Laboratory* 62:387-415.
- Ochyra, R. 1989. The alleged occurrence of *Bryum perlimbatum* Card. (Musci, Bryaceae) in South Africa. *Journal of Bryology* 15: 551-553.
- Ochyra, R. 1992. New combinations in *Syntrichia* and *Warnstorffia* (Musci). *Fragmenta Floristica et Geobotanica* 37,1: 211-214.
- Ochyra, R. 1997. *Leptotrichella* replaces *Microodus* (Musci, Dicranaceae). *Fragmenta Floristica et Geobotanica* 42,2: 559-565.
- Ochyra, R. 1998. *The moss flora of King George Island, Antarctica*. Polish Academy of Sciences, W.Szafer Institute of Botany, Cracow.
- Ochyra, R. & Bednarek-Ochyra, H. The type specimen of *Leptotrichum praealtum* (Musci, Ditrichaceae). *Fragmenta Floristica et Geobotanica* 42: 567-570.
- Ochyra, R. & Newton, M.E. 1986. The taxonomy and distribution of *Dicranella cardotii* (R.Br.Ter.) Dix., an addition to the moss flora of Antarctica. *Lindbergia* 11: 94-98.
- Ochyra, R. & Pocs, T. 1982. East African Bryophytes, VI. Polish collections. *Acta Botanica Academiae Scientiarum Hungaricae* 28: 361-389.
- Ochyra, R. & Pocs, T. 1992. Bryophyta Africana Selecta: A new exsiccata from Africa. *Fragmenta Floristica et Geobotanica* 37,2: 379-388.
- Ochyra, R. & Sharp, A.J. 1988. Results of a bryogeographical expedition to East Africa In 1968, IV. *Journal of the Hattori Botanical Laboratory* 65: 335-377.
- Ochyra, R., Sergio, C. & Schumacker, R. 1988. *Racomitrium lamprocarpum* (C. Muell.) Jaeg., An austral moss disjunct in Portugal, with taxonomic and phytogeographical notes. *Bulletin Jardin Botanique Nat. Belg.* 58: 225-258.

- Orban, S. 1981. Studies on African Calymperaceae, III. Conspectus of the African species of *Syrrhopodon* Schwaegr. *Acta Botanica Academiae Scientiarum Hungaricae* 27: 169-177.
- O’Shea, B.J., Eggers, J., Pursell, R.A., Sollman, P. & Stevenson, C.R. 1997. New bryophyte taxon records for tropical countries 1. *Tropical Bryology* 13: 175-183.
- Pursell, R.A. 1987. A taxonomic revision of *Fissidens* Subgenus *Octodiceras* (Fissidentaceae). *Memoirs of the New York Botanical Garden* 45: 639- 660.
- Pursell, R.A. & Reese, W.D. 1980. The taxonomic status of the Nanobryaceae (Bryopsida). *Bryologist* 83,4: 559-562.
- Rushing, A.E. 1986. A revision of the genus *Bruchia* Schwaegr. (Musci). *Journal of the Hattori Botanical Laboratory* 60: 35-83.
- Smith, A.J.E. 1977. Further new combinations in British and Irish mosses. *Journal of Bryology* 9: 393-394.
- Snider, J., Yip, K.L. & Clark, J. 1999. *Astomiopsis magilliana* (Ditrichaceae, Musci) sp. nov. from Natal. *The Bryologist* 102: 119-121.
- Sollman, P. 1990 (1991). Some new synonyms in tropical pottiaceous mosses. *Lindbergia* 16: 22-24.
- Sollman, P. 1993. Taxonomic results of the Bryotrop Expedition to Zaire and Rwanda. 19. Pottiaceae. *Tropical Bryology* 8: 175-179.
- Sollman, P. 1998. Several mosses (Pottiales) new or rarely collected in Africa. *Tropical Bryology* 14: 21-24.
- Townsend, C.C. 1987. Mosses new to various African countries. *Lindbergia* 13: 67-71.
- Townsend, C.C. 1991. Notes on mosses from Ceylon and India, 8. Another moss with three names in three continents. *Journal of Bryology* 16: 601-605.
- Tuomikoski, R. & Koponen, T. 1979. On the generic taxonomy of *Calliergon* and *Drepanocladus* (Musci, Amblystegiaceae). *Annales Botanici Fennici* 16: 213-227.
- Van Rooy, J. 1981. Archidiaceae. In: R.E. Magill, *Flora of Southern Africa*. Bryophyta 1,1: 71-81. National Botanical Institute, South Africa.
- Van Rooy, J. 1991. The genus *Rhabdoweisia* in southern Africa: *R. crispata* new to Africa, and *R. fugax*. *The Bryologist* 94,4: 409-412.
- Van Rooy, J. 1992. The Genus *Amphidium* Schimp. in Southern Africa. *Lindbergia* 17: 59-63.

- Van Rooy, J. & Magill, R.E. 1987. Bryaceae. In: R.E. Magill, *Flora of Southern Africa*. Bryophyta 1,2: 335-393. National Botanical Institute, South Africa.
- Van Rooy, J. & Van Wyk, A.E. 1992. A conspectus of the Subfamily Macromitrioideae (Bryopsida: Orthotrichaceae) in southern Africa. *The Bryologist* 95,2: 205-215.
- Virtanen, V. 1999. Bryophyte flora of the Huon Peninsula, Papua New Guinea. LX. *Bartramia*, *Conostomum* and *Leiomela* (Bartramiaceae, Musci). *Acta Botanica Fennica* 165: 1-15.
- Vital, D.M. 1984. Notes on *Campylopus* and *Microcampylopus* (Musci). *Cryptogamie, Bryologie et Lichenologie* 5: 15-26.
- Zander, R.H. 1978. New combinations in *Didymodon* (Musci) and a key to the taxa in North America north of Mexico. *Phytologia* 41: 11-32.
- Zander, R.H. 1979. Notes on *Barbula* and *Pseudocrossidium* (Bryopsida) in North America and an annotated key to the taxa. *Phytologia* 44: 177-214.
- Zander, R.H. 1986. Notes on *Bryoerythrophyllum* (Musci). *The Bryologist* 89,1: 13-16.
- Zander, R.H. 1989. Seven new genera in Pottiaceae (Musci) and a lectotype for *Syntrichia*. *Phytologia* 65,6: 424-436.
- Zander, R.H. 1993. Genera of the Pottiaceae: mosses of harsh environments. *Bulletin of the Buffalo Society of Natural Sciences* 32: 1-378.
- Zomlefer, W.B. 1993. A revision of *Rigodium* (Musci: Rigodiaceae). *The Bryologist* 96: 1-72.